ANNEX RESTRICTIONS AND SPECIFICATIONS RELATED TO PLASTICISERS USED IN GASKETS IN LIDS

Ref. No	CAS No	Name	Restrictions and/or specifications
(1)	(2)	(3)	(4)
88640	008013-07-8	Soybean oil, epoxidised (ESBO)	For materials and articles intended for or brought into contact with foods for which simulant D testing is required by Directive 85/572/EEC SML(T) ^{ab} = 300 mg/kg of food or food simulants or 50 mg/dm ² of the total food contact surface of lid and sealed container. For materials and articles intended for or brought into contact with infant formulae and follow-on formulae as defined by Commission Directive 91/321/EEC on infant formulae and products according to Directive 96/5/EC on processed cereal-based foods and baby foods for infants and young children SML = 30 mg/kg of food or food simulant. For materials and articles intended for or brought into contact with all other types of foods

a 'SML' means specific migration limit.

b SML(T) in this specific case means that the specific migration limit shall not be exceeded by the sum of the migration levels of the substances mentioned with reference numbers 88640, 30401, 76815, 93760, 56800 and 30340.

		SML(T) ^b = 60 mg/ kg of food or food simulants or 10 mg/ dm ² of the total food contact surface of lid and sealed container.
30401	Acetylated monoand diglycerides of fatty acids	For materials and articles intended for or brought into contact with foods for which simulant D testing is required by Directive 85/572/EEC SML(T) ^b = 300 mg/kg of food or food simulants or 50 mg/dm ² of the total food contact surface of lid and sealed container. For materials and articles intended for or brought into contact with all other types of foods SML(T) ^b = 60 mg/kg of food or food simulants or 10 mg/dm ² of the total food contact surface of lid and sealed container.
76815	Polyester of adipic acid with glycerol or pentaerythritol, esters with even numbered, unbranched C ₁₂ -C ₂₂ fatty acids	For materials and articles intended for or brought into contact with foods for which simulant D testing is required by Directive 85/572/EEC SML(T) ^b = 300 mg/kg of food or food simulants or 50 mg/dm ² of the total food contact surface of lid and sealed container. For materials and articles intended

a 'SML' means specific migration limit.

b SML(T) in this specific case means that the specific migration limit shall not be exceeded by the sum of the migration levels of the substances mentioned with reference numbers 88640, 30401, 76815, 93760, 56800 and 30340.

			for or brought into contact with all other types of foods SML(T) ^b = 60 mg/kg of food or food simulants or 10 mg/dm ² of the total food contact surface of lid and sealed container.
93760	000077-90-7	Tri-n-butyl acetyl citrate	For materials and articles intended for or brought into contact with foods for which simulant D testing is required by Directive 85/572/ EEC SML(T) ^b = 300 mg/kg of food or food simulants or 50 mg/dm ² of the total food contact surface of lid and sealed container. For materials and articles intended for or brought into contact with all other types of foods SML(T) ^b = 60 mg/kg of food or food simulants or 10 mg/dm ² of the total food contact surface of lid and sealed container.
56800	030899-62-8	Glycerol monolaurate diacetate	For materials and articles intended for or brought into contact with foods for which simulant D testing is required by Directive 85/572/EEC SML(T) ^b = 300 mg/kg of food or food simulants or 50 mg/dm ² of the total food contact

a 'SML' means specific migration limit.

b SML(T) in this specific case means that the specific migration limit shall not be exceeded by the sum of the migration levels of the substances mentioned with reference numbers 88640, 30401, 76815, 93760, 56800 and 30340.

			surface of lid and sealed container. For materials and articles intended for or brought into contact with all other types of foods SML(T) ^b = 60 mg/kg of food or food simulants or 10 mg/dm ² of the total food contact surface of lid and sealed container.
30340	330198-91-9	12-(Acetoxy)stearic acid, 2,3-bis(acetoxy)propyl ester	For materials and articles intended for or brought into contact with foods for which simulant D testing is required by Directive 85/572/ EEC SML(T) ^b = 300 mg/kg of food or food simulants or 50 mg/dm ² of the total food contact surface of lid and sealed container. For materials and articles intended for or brought into contact with all other types of foods SML(T) ^b = 60 mg/kg of food or food simulants or 10 mg/dm ² of the total food contact surface of lid and sealed container.
76866		Polyesters of 1,2- propanediol and/ or 1,3- and/or 1,4- butanediol and/or polypropyleneglycol with adipic acid, also end-capped with acetic acid or fatty acids C ₁₂ -C ₁₈ or n-	SML = 30 mg/kg of food or food simulants or 5 mg/ dm ² of the total food contact surface of lid and sealed container.

a 'SML' means specific migration limit.

b SML(T) in this specific case means that the specific migration limit shall not be exceeded by the sum of the migration levels of the substances mentioned with reference numbers 88640, 30401, 76815, 93760, 56800 and 30340.

octanol and/or ndecanol

a 'SML' means specific migration limit.

b SML(T) in this specific case means that the specific migration limit shall not be exceeded by the sum of the migration levels of the substances mentioned with reference numbers 88640, 30401, 76815, 93760, 56800 and 30340.

Changes to legislation:

There are currently no known outstanding effects for the Commission Regulation (EC) No 372/2007, ANNEX.