

SCHEDULE 1

Regulations 1(2), 2, 3, 4, 5, 6, 7, 9 and  
10(1)

PRESCRIBED DESCRIPTIONS OF MATERIAL, MEANINGS OF  
NAMES, PARTICULARS AND INFORMATION TO BE CONTAINED  
IN THE STATUTORY STATEMENT AND LIMITS OF VARIATION

**Limits of variation**

1. The limits of variation prescribed in this Schedule shall be the permitted deviations of the measured from the declared content of a nutrient, secondary nutrient or trace element, or of the measured from the declared neutralising value, or of the measured from the declared amount of material passing through a specified sieve.

2. Save as prescribed in paragraphs 6, 7 and 8 the limits of variation shall be those set out in the fifth column of the following table.

3. In Section B and Group 2 of Section C of the following table the negative limits of variation specified individually for N, P<sub>2</sub>O<sub>5</sub> and K<sub>2</sub>O are those permitted for each nutrient taken separately and the limits of variation for the total nutrient content of a fertiliser shall be the sum of the negative deviations from the declared content.

4. No limits of variation shall be permitted in respect of the minimum and maximum contents specified in the third column of the following table, save those prescribed in paragraph 6.

5. Where no maximum limit is specified in the third column of the following table no limits of variation are prescribed as respects an excess of nutrient, neutralising value or amount of material passing through a specified sieve above the declared value or amount, save those prescribed in paragraph 7(b).

6. In the case of materials in Groups 1 to 4 of Section B and Group 2 of Section C of the following table which, not being designated as EEC fertilisers, are sold or offered for sale, and where the declared content of one or more of the nutrients falls below the following levels:—

- (i) in the case of nitrogen (N) — 2.5% in an NPK fluid fertiliser solution and 3.5% for all other fertilisers; and
- (ii) in the case of phosphorus pentoxide (P<sub>2</sub>O<sub>5</sub>) and potassium oxide (K<sub>2</sub>O) - 3.5% in a fluid fertiliser solution; 4.5% in an NPK fluid fertiliser suspension and 5.5% for all other fertilisers,

the limit of variation for the declared nutrient in such cases shall be that specified in the sixth column of the following table.

7. The limits of variation permitted in respect of the declared content for the forms of nitrogen or the declared solubilities of phosphorus pentoxide shall be as follows:

- (a) except as provided in sub-paragraph (b) of this paragraph, the limit of variation shall be one-tenth of the overall content of the nutrient concerned, with a maximum of 2% by weight:

Provided that the overall content of that nutrient remains within:

- (i) the levels specified in the third column of the following table save as respects the materials in Groups 1 to 4 of Section B and Group 2 of Section C of the said table which, not being designated as EEC fertilisers, are sold or offered for sale;
- (ii) the limits of variation specified in the fifth or, where appropriate, the sixth column of the said table;

*Status: This is the original version (as it was originally made). This item of legislation is currently only available in its original format.*

- (b) in the case of materials in Group 1(c) of Section A and Groups 1, 2, 3, 5 and 6 of Section B and Groups 1(d), 2, 3 and 4 of Section C of the following table which, not being designated as EEC fertilisers, are sold or offered for sale, the limits of variation for ureic nitrogen when declared at 10% and above shall be plus or minus 1.5% by weight and when declared below 10% shall be plus or minus 1.0% by weight.

8. The limits of variation for trace elements and secondary nutrients other than where prescribed in Sections D and E of the following table shall be:

- (i) trace elements — up to one-fifth of the declared value for a trace element content not exceeding 2% and 0.4% in absolute terms for a content of more than 2%;
- (ii) secondary nutrients in the oxide form - up to a quarter of the declared value for a secondary nutrient content not exceeding 3.6% and 0.9% in absolute terms for a content of more than 3.6%. This is equivalent to the following maxima for the elemental forms—
  - 0.64% maximum for Ca
  - 0.55% maximum for Mg
  - 0.67% maximum for Na
  - 0.36% maximum for S.

**SECTION A:**

**STRAIGHT FERTILISERS**

Group	Name of Material	Meaning	Declarations	Limits of variation (absolute value in percentage by weight, except where otherwise specified)
1	2	3	4	5
1(a)	Ammonium nitrate	Chemically obtained product containing ammonium nitrate as its essential ingredient, and possibly fillers such as ground limestone, calcium sulphate, ground dolomite,	Amount of total nitrogen	0.8 (for declarations up to and including 32% N)  0.6 (for declarations exceeding 32% N)
<b>a</b>	This is only an indication of how the material should be named and accordingly this form of words should not be used in the statutory statement.			
<b>b</b>	This is only an indication of how the material should be named and accordingly this form of words should not be used in the statutory statement.			
<b>c</b>	This is only an indication of how the material should be named and accordingly this form of words should not be used in the statutory statement.			
<b>d</b>	This is only an indication of how the material should be named and accordingly this form of words should not be used in the statutory statement.			

**Status:** This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

Group	Name of Material	Meaning	Declarations	Limits of variation (absolute value in percentage by weight, except where otherwise specified)
1	2	3	4	5
		<p>magnesium sulphate and kieserite. The nitrogen (N) content must be not less than 20%, and the nitric nitrogen and ammoniacal nitrogen fractions should each account for about half the nitrogen present.</p> <p>If the product is designated as an EEC fertiliser and contains more than 28% by weight of nitrogen (N) it shall have the following additional characteristics (all the percentages specified being by weight):</p> <p>(i) It shall not contain any inorganic additive or inert</p>	<p>Amount of nitric nitrogen Amount of ammoniacal nitrogen</p>	<p>} As set out in paragraph 7(a) of this Schedule</p>
<b>a</b>	This is only an indication of how the material should be named and accordingly this form of words should not be used in the statutory statement.			
<b>b</b>	This is only an indication of how the material should be named and accordingly this form of words should not be used in the statutory statement.			
<b>c</b>	This is only an indication of how the material should be named and accordingly this form of words should not be used in the statutory statement.			
<b>d</b>	This is only an indication of how the material should be named and accordingly this form of words should not be used in the statutory statement.			

**Status:** This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

Group	Name of Material	Meaning	Declarations	Limits of variation (absolute value in percentage by weight, except where otherwise specified)
1	2	3	4	5
		substance other than those named above which might increase the product's sensitivity to heat or its tendency to detonate. Heavy metals must not be added deliberately, and any traces which are incidental to the production process must not, by their presence, increase the product's sensitivity to heat or its tendency to detonate.		
		(ii) The oil retention of the product, which must first have		
<b>a</b>	This is only an indication of how the material should be named and accordingly this form of words should not be used in the statutory statement.			
<b>b</b>	This is only an indication of how the material should be named and accordingly this form of words should not be used in the statutory statement.			
<b>c</b>	This is only an indication of how the material should be named and accordingly this form of words should not be used in the statutory statement.			
<b>d</b>	This is only an indication of how the material should be named and accordingly this form of words should not be used in the statutory statement.			

**Status:** This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

Group	Name of Material	Meaning	Declarations	Limits of variation (absolute value in percentage by weight, except where otherwise specified)
1	2	3	4	5
		<p>undergone two thermal cycles of a temperature ranging from 25° to 50°C, must not exceed 4%.</p> <p>(iii) The percentage of combustible material, measured as carbon, must not in the case of a product containing 31.5% or more of nitrogen exceed 0.2%, and must not in the case of a product containing between 28% and 31.5% of nitrogen exceed 0.4%.</p> <p>(iv) A solution of 10 grams</p>		
<b>a</b>	This is only an indication of how the material should be named and accordingly this form of words should not be used in the statutory statement.			
<b>b</b>	This is only an indication of how the material should be named and accordingly this form of words should not be used in the statutory statement.			
<b>c</b>	This is only an indication of how the material should be named and accordingly this form of words should not be used in the statutory statement.			
<b>d</b>	This is only an indication of how the material should be named and accordingly this form of words should not be used in the statutory statement.			

**Status:** This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

Group	Name of Material	Meaning	Declarations	Limits of variation (absolute value in percentage by weight, except where otherwise specified)
1	2	3	4	5
		of the product in 100 millilitres of water must have a pH of at least 4.5. (v) Not more than 5% of the product must be capable of passing through a 1 millimetre mesh sieve, and not more than 3% through a 0.5 millimetre mesh sieve. (vi) The chlorine content must not exceed 0.02%. (vii) The copper content shall not exceed 10 mg/kg.		
<b>a</b>	This is only an indication of how the material should be named and accordingly this form of words should not be used in the statutory statement.			
<b>b</b>	This is only an indication of how the material should be named and accordingly this form of words should not be used in the statutory statement.			
<b>c</b>	This is only an indication of how the material should be named and accordingly this form of words should not be used in the statutory statement.			
<b>d</b>	This is only an indication of how the material should be named and accordingly this form of words should not be used in the statutory statement.			

**Status:** This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

Group	Name of Material	Meaning	Declarations	Limits of variation (absolute value in percentage by weight, except where otherwise specified)
1	2	3	4	5
	Calcium ammonium nitrate	Chemically obtained product containing ammonium nitrate as its essential ingredient. The nitrogen (N) content must be not less than 20%, and the nitric nitrogen and ammoniacal nitrogen fractions should each account for about half the nitrogen present. The product may contain, in addition to ammonium nitrate, only calcium carbonate (limestone) and/or magnesium carbonate and calcium carbonate (dolomite). The minimum content of these carbonates must be 20% and their purity level not less than 90%.	Amount of total nitrogen  Amount of nitric nitrogen Amount of ammoniacal nitrogen	0.8  } As set out in paragraph 7(a) of this Schedule
<b>a</b>	This is only an indication of how the material should be named and accordingly this form of words should not be used in the statutory statement.			
<b>b</b>	This is only an indication of how the material should be named and accordingly this form of words should not be used in the statutory statement.			
<b>c</b>	This is only an indication of how the material should be named and accordingly this form of words should not be used in the statutory statement.			
<b>d</b>	This is only an indication of how the material should be named and accordingly this form of words should not be used in the statutory statement.			

**Status:** This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

Group	Name of Material	Meaning	Declarations	Limits of variation (absolute value in percentage by weight, except where otherwise specified)
1	2	3	4	5
	Ammonium sulphate-nitrate	Chemically obtained product with ammonium nitrate and ammonium sulphate as essential ingredients, and containing not less than 25% ammoniacal and nitric nitrogen (N) with a minimum nitric nitrogen content of 5 %.	Amount of total nitrogen Amount of nitric nitrogen Amount of ammoniacal nitrogen	0.8 } As set out in paragraph 7(a) of this Schedule
	Calcium cyanamide	Chemically obtained product with calcium cyanamide as its essential ingredient, calcium oxide and possibly small quantities of ammonium salts and urea, and containing not less than 18% total nitrogen (N), at least 75% of the declared nitrogen being bound in the form of cyanamide.	Amount of total nitrogen	1.0
<b>a</b>	This is only an indication of how the material should be named and accordingly this form of words should not be used in the statutory statement.			
<b>b</b>	This is only an indication of how the material should be named and accordingly this form of words should not be used in the statutory statement.			
<b>c</b>	This is only an indication of how the material should be named and accordingly this form of words should not be used in the statutory statement.			
<b>d</b>	This is only an indication of how the material should be named and accordingly this form of words should not be used in the statutory statement.			



**Status:** This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

Group	Name of Material	Meaning	Declarations	Limits of variation (absolute value in percentage by weight, except where otherwise specified)
1	2	3	4	5
	Calcium magnesium nitrate	Chemically obtained product with calcium nitrate and magnesium nitrate as essential ingredients, containing not less than 13% nitric nitrogen (N), and not less than 5% magnesium, expressed as MgO, in the form of water-soluble salts.	Amount of nitric nitrogen	0.4
	Nitrate of lime and magnesium	Chemically obtained product containing calcium nitrate as its essential ingredient and possibly ammonium nitrate, and containing not less than 15% total nitrogen (N), with a maximum ammoniacal nitrogen content of 1.5%.	Amount of magnesium oxide soluble in water	0.9
	Calcium nitrate	Chemically obtained product containing calcium nitrate as its essential ingredient and possibly ammonium nitrate, and containing not less than 15% total nitrogen (N), with a maximum ammoniacal nitrogen content of 1.5%.	Amount of total nitrogen	0.4
	Nitrate of lime	Product prepared from caliche, with	<i>Optional declarations</i> Amount of nitric nitrogen Amount of ammoniacal nitrogen	} As set out in paragraph 7(a) of this Schedule
	Chile nitrate	Product prepared from caliche, with	Amount of nitric nitrogen	

- a** This is only an indication of how the material should be named and accordingly this form of words should not be used in the statutory statement.
- b** This is only an indication of how the material should be named and accordingly this form of words should not be used in the statutory statement.
- c** This is only an indication of how the material should be named and accordingly this form of words should not be used in the statutory statement.
- d** This is only an indication of how the material should be named and accordingly this form of words should not be used in the statutory statement.

**Status:** This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

Group	Name of Material	Meaning	Declarations	Limits of variation (absolute value in percentage by weight, except where otherwise specified)
1	2	3	4	5
		sodium nitrate as its essential ingredient, and containing at least 15% nitric nitrogen (N).		
	Magnesium ammonium nitrate	Chemically obtained product with ammonium nitrate and magnesium compound salts (dolomite magnesium carbonate and/or magnesium sulphate) as essential ingredients and containing not less than 19% ammoniacal and nitric nitrogen (N) (with a minimum nitric nitrogen content of 6%) and not less than 5% magnesium expressed as total MgO.	Amount of total nitrogen Amount of ammoniacal nitrogen Amount of nitric nitrogen Amount of total magnesium oxide <i>Optional declarations</i> Amount of magnesium oxide soluble in water	0.8 } As set out in paragraph 7(a) of this Schedule 0.9 0.9
	Magnesium sulphonitrate	Chemically obtained product with ammonium nitrate, ammonium sulphate and	Amount of total nitrogen Amount of ammoniacal nitrogen	0.8 } As set out in paragraph 7(a) of this Schedule
<b>a</b>	This is only an indication of how the material should be named and accordingly this form of words should not be used in the statutory statement.			
<b>b</b>	This is only an indication of how the material should be named and accordingly this form of words should not be used in the statutory statement.			
<b>c</b>	This is only an indication of how the material should be named and accordingly this form of words should not be used in the statutory statement.			
<b>d</b>	This is only an indication of how the material should be named and accordingly this form of words should not be used in the statutory statement.			

**Status:** This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

Group	Name of Material	Meaning	Declarations	Limits of variation (absolute value in percentage by weight, except where otherwise specified)
1	2	3	4	5
		magnesium sulphate as essential ingredients, and containing not less than 19% ammoniacal and nitric nitrogen (N), with a minimum nitric nitrogen content of 6%, and not less than 5% magnesium expressed as MgO in the form of water-soluble salts.	Amount of nitric nitrogen Amount of magnesium oxide soluble in water	0.9
	Nitrogenous calcium cyanamide	Chemically obtained product with calcium cyanamide as its essential ingredient, calcium oxide and possibly small quantities of ammonium salts and urea plus added nitrate, and containing not less than 18% total nitrogen (N), at least 75% of the declared non-nitric nitrogen	Amount of total nitrogen Amount of nitric nitrogen	1.0 As set out in paragraph 7(a) of this Schedule
<b>a</b>	This is only an indication of how the material should be named and accordingly this form of words should not be used in the statutory statement.			
<b>b</b>	This is only an indication of how the material should be named and accordingly this form of words should not be used in the statutory statement.			
<b>c</b>	This is only an indication of how the material should be named and accordingly this form of words should not be used in the statutory statement.			
<b>d</b>	This is only an indication of how the material should be named and accordingly this form of words should not be used in the statutory statement.			

**Status:** This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

Group	Name of Material	Meaning	Declarations	Limits of variation (absolute value in percentage by weight, except where otherwise specified)
1	2	3	4	5
		being bound in the form of cyanamide. The nitric nitrogen content must be not less than 1% and not greater than 3%.		
	Sodium nitrate Nitrate of soda	Chemically obtained product with sodium nitrate as its essential ingredient and containing not less than 15% nitric nitrogen (N).	Amount of nitric nitrogen	0.4
	Sulphate of ammonia	Chemically obtained product with ammonium sulphate as its essential ingredient, and containing not less than 20% ammoniacal nitrogen (N).	Amount of ammoniacal nitrogen	0.3
	Urea	Chemically obtained product with carbonyl diamide (carbamide) as its essential ingredient,	Amount of ureic nitrogen	0.4
<b>a</b>	This is only an indication of how the material should be named and accordingly this form of words should not be used in the statutory statement.			
<b>b</b>	This is only an indication of how the material should be named and accordingly this form of words should not be used in the statutory statement.			
<b>c</b>	This is only an indication of how the material should be named and accordingly this form of words should not be used in the statutory statement.			
<b>d</b>	This is only an indication of how the material should be named and accordingly this form of words should not be used in the statutory statement.			

**Status:** This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

Group	Name of Material	Meaning	Declarations	Limits of variation (absolute value in percentage by weight, except where otherwise specified)
1	2	3	4	5
		and containing not less than 44% total ureic nitrogen (N) (including biuret), with a maximum biuret content of 1.2%.		
1(b)	Straight nitrogenous fertilisers named in accordance with Regulation 4(3)	Any straight nitrogenous fertiliser not otherwise specified in this table.	Amount of total nitrogen	0.8
1(c)	Nitrogenous fertiliser. In addition the source materials shall be indicated in parentheses in descending order of nutrient contribution	Product obtained by mixing or blending two or more of the fertilisers listed in Groups 1(a), 1(b) and 4(a) of Section A of this table.	Amount of total nitrogen	0.5 (for declarations up to and including 10% N) 0.8 (for declarations exceeding 10% N and up to and including 15% N) 1.1 (for declarations exceeding 15% N)
			Amount of ureic nitrogen save that a declaration of 10% or less need not be made	As set out in paragraph 7(b) of this Schedule
<b>a</b>	This is only an indication of how the material should be named and accordingly this form of words should not be used in the statutory statement.			
<b>b</b>	This is only an indication of how the material should be named and accordingly this form of words should not be used in the statutory statement.			
<b>c</b>	This is only an indication of how the material should be named and accordingly this form of words should not be used in the statutory statement.			
<b>d</b>	This is only an indication of how the material should be named and accordingly this form of words should not be used in the statutory statement.			

**Status:** This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

Group	Name of Material	Meaning	Declarations	Limits of variation (absolute value in percentage by weight, except where otherwise specified)
1	2	3	4	5
2(a)	Aluminium — calcium phosphate	Product obtained in amorphous form by heat treatment and grinding, with aluminium and calcium phosphates as essential ingredients, and containing not less than 30% total phosphorus pentoxide (P <sub>2</sub> O <sub>5</sub> ) (soluble in mineral acids), at least 75% of the declared total phosphorus pentoxide being soluble in alkaline ammonium citrate (Joulie). Not less than 90% of the material should be able to pass through a sieve with a mesh of 0.160mm and not less than 98% through a sieve with a mesh of 0.630mm.	Amount of total phosphorus pentoxide  Amount of phosphorus pentoxide soluble in alkaline ammonium citrate	0.8  0.8
<b>a</b>	This is only an indication of how the material should be named and accordingly this form of words should not be used in the statutory statement.			
<b>b</b>	This is only an indication of how the material should be named and accordingly this form of words should not be used in the statutory statement.			
<b>c</b>	This is only an indication of how the material should be named and accordingly this form of words should not be used in the statutory statement.			
<b>d</b>	This is only an indication of how the material should be named and accordingly this form of words should not be used in the statutory statement.			

**Status:** This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

Group	Name of Material	Meaning	Declarations	Limits of variation (absolute value in percentage by weight, except where otherwise specified)
1	2	3	4	5
	Basic slag	Product obtained in iron-smelting by treatment of the phosphorus melts and with calcium silicophosphates as essential ingredients, containing not less than 12% total phosphorus pentoxide (P <sub>2</sub> O <sub>5</sub> ) (soluble in mineral acids) at least 75% of the declared total phosphorus pentoxide being soluble in 2% citric acid. Not less than 75% of the material should be able to pass through a sieve with a mesh of 0.160mm and not less than 96% through a sieve with a mesh of 0.630mm.	Amount of total phosphorus pentoxide	1.0
	Thomas phosphates		Amount of phosphorus pentoxide soluble in 2% citric acid	As set out in paragraph 7(a) of this Schedule
	Thomas slag		No limits of variation are permitted when the declaration is expressed as a range of 2% by weight	
	Calcined phosphate	Product obtained by heat treatment of ground rock phosphate with alkaline	Amount of phosphorus pentoxide soluble in alkaline ammonium citrate	0.8
<b>a</b>	This is only an indication of how the material should be named and accordingly this form of words should not be used in the statutory statement.			
<b>b</b>	This is only an indication of how the material should be named and accordingly this form of words should not be used in the statutory statement.			
<b>c</b>	This is only an indication of how the material should be named and accordingly this form of words should not be used in the statutory statement.			
<b>d</b>	This is only an indication of how the material should be named and accordingly this form of words should not be used in the statutory statement.			

**Status:** This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

Group	Name of Material	Meaning	Declarations	Limits of variation (absolute value in percentage by weight, except where otherwise specified)
1	2	3	4	5
	Dicalcium phosphate	compounds and silicic acid, with alkaline calcium phosphate and calcium silicate as essential ingredients, and containing not less than 25% phosphorus pentoxide (P <sub>2</sub> O <sub>5</sub> ) soluble in alkaline ammonium citrate (Petermann). Not less than 75% of the material should be able to pass through a sieve with a mesh of 0.160mm and not less than 96% through a sieve with a mesh of 0.630mm.  Product obtained by precipitation of solubilised phosphoric acid from mineral phosphates or bones, with dicalcium phosphate dihydrate as its essential ingredient, and	Amount of phosphorus pentoxide soluble in alkaline ammonium citrate	0.8
<b>a</b>	This is only an indication of how the material should be named and accordingly this form of words should not be used in the statutory statement.			
<b>b</b>	This is only an indication of how the material should be named and accordingly this form of words should not be used in the statutory statement.			
<b>c</b>	This is only an indication of how the material should be named and accordingly this form of words should not be used in the statutory statement.			
<b>d</b>	This is only an indication of how the material should be named and accordingly this form of words should not be used in the statutory statement.			



**Status:** This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

Group	Name of Material	Meaning	Declarations	Limits of variation (absolute value in percentage by weight, except where otherwise specified)
1	2	3	4	5
		containing not less than 38% phosphorus pentoxide (P <sub>2</sub> O <sub>5</sub> ) soluble in alkaline ammonium citrate (Petermann). Not less than 90% of the material should be able to pass through a sieve with a mesh of 0.160mm and not less than 98% through a sieve with a mesh of 0.630mm.		
	Partially solubilised rock phosphate	Product obtained by partial solubilisation of ground rock phosphate with sulphuric acid or phosphoric acid, with monocalcium phosphate, tricalcium phosphate and calcium sulphate as essential ingredients, and containing not less than 20% total phosphorus pentoxide (P <sub>2</sub> O <sub>5</sub> )	Amount of total phosphorus pentoxide  Amount of phosphorus pentoxide soluble in water	0.8  0.9
<b>a</b>	This is only an indication of how the material should be named and accordingly this form of words should not be used in the statutory statement.			
<b>b</b>	This is only an indication of how the material should be named and accordingly this form of words should not be used in the statutory statement.			
<b>c</b>	This is only an indication of how the material should be named and accordingly this form of words should not be used in the statutory statement.			
<b>d</b>	This is only an indication of how the material should be named and accordingly this form of words should not be used in the statutory statement.			

**Status:** This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

Group	Name of Material	Meaning	Declarations	Limits of variation (absolute value in percentage by weight, except where otherwise specified)
1	2	3	4	5
		(soluble in mineral acids), at least 40% of the declared total phosphorus pentoxide being soluble in water. Not less than 90% of the material should be able to pass through a sieve with a mesh of 0.160mm and not less than 98% through a sieve with a mesh of 0.630mm.		
	Soft ground rock phosphate	Product obtained by grinding soft mineral phosphates with tricalcium phosphate and calcium carbonate as essential ingredients and containing not less than 25% total phosphorus pentoxide (P <sub>2</sub> O <sub>5</sub> ) (soluble in mineral acids), at least 55% of the declared total phosphorus pentoxide being	Amount of total phosphorus pentoxide  Amount of phosphorus pentoxide soluble in 2% formic acid  Amount of material as a percentage by weight that will pass through a sieve with a mesh of 0.063mm	0.8  0.8  5.0% of amount stated
<b>a</b>	This is only an indication of how the material should be named and accordingly this form of words should not be used in the statutory statement.			
<b>b</b>	This is only an indication of how the material should be named and accordingly this form of words should not be used in the statutory statement.			
<b>c</b>	This is only an indication of how the material should be named and accordingly this form of words should not be used in the statutory statement.			
<b>d</b>	This is only an indication of how the material should be named and accordingly this form of words should not be used in the statutory statement.			

**Status:** This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

Group	Name of Material	Meaning	Declarations	Limits of variation (absolute value in percentage by weight, except where otherwise specified)
1	2	3	4	5
		soluble in 2% formic acid. Not less than 90% of the material should be able to pass through a sieve with a mesh of 0.063mm and not less than 99% through a sieve with a mesh of 0.125mm.		
	Normal super-phosphate	Product obtained by reaction of ground mineral phosphate with sulphuric acid, with monocalcium phosphate as an essential ingredient as well as calcium sulphate, and containing not less than 16% phosphorus pentoxide (P <sub>2</sub> O <sub>5</sub> ) soluble in neutral ammonium citrate, at least 93% of the declared phosphorus pentoxide soluble in neutral	Amount of phosphorus pentoxide soluble in neutral ammonium citrate  Amount of phosphorus pentoxide soluble in water	0.8  0.9
<b>a</b>	This is only an indication of how the material should be named and accordingly this form of words should not be used in the statutory statement.			
<b>b</b>	This is only an indication of how the material should be named and accordingly this form of words should not be used in the statutory statement.			
<b>c</b>	This is only an indication of how the material should be named and accordingly this form of words should not be used in the statutory statement.			
<b>d</b>	This is only an indication of how the material should be named and accordingly this form of words should not be used in the statutory statement.			

**Status:** This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

Group	Name of Material	Meaning	Declarations	Limits of variation (absolute value in percentage by weight, except where otherwise specified)
1	2	3	4	5
		ammonium citrate being soluble in water.		
	Concentrated super-phosphate	Product obtained by reaction of ground mineral phosphate with sulphuric acid and phosphoric acid, with monocalcium phosphate as an essential ingredient as well as calcium sulphate, and containing not less than 25% phosphorus pentoxide (P <sub>2</sub> O <sub>5</sub> ) soluble in neutral ammonium citrate, at least 93% of the declared phosphorus pentoxide soluble in neutral ammonium citrate being soluble in water.	Amount of phosphorus pentoxide soluble in neutral ammonium citrate	0.8
			Amount of phosphorus pentoxide soluble in water	0.9
	Triple super-phosphate	Product obtained by reaction of ground mineral phosphate with	Amount of phosphorus pentoxide	0.8
<b>a</b>	This is only an indication of how the material should be named and accordingly this form of words should not be used in the statutory statement.			
<b>b</b>	This is only an indication of how the material should be named and accordingly this form of words should not be used in the statutory statement.			
<b>c</b>	This is only an indication of how the material should be named and accordingly this form of words should not be used in the statutory statement.			
<b>d</b>	This is only an indication of how the material should be named and accordingly this form of words should not be used in the statutory statement.			

**Status:** This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

Group	Name of Material	Meaning	Declarations	Limits of variation (absolute value in percentage by weight, except where otherwise specified)
1	2	3	4	5
		phosphoric acid, with monocalcium phosphate as its essential ingredient, and containing not less than 38% phosphorus pentoxide (P <sub>2</sub> O <sub>5</sub> ) soluble in neutral ammonium citrate, at least 93% of the declared phosphorus pentoxide soluble in neutral ammonium citrate being soluble in water.	soluble in neutral ammonium citrate  Amount of phosphorus pentoxide soluble in water	1.3
2(b)	Phosphatic neutral filter cake	Product obtained in detergent manufacture by treatment of phosphate rock with sulphuric acid and extraction of the soluble phosphates from the resulting precipitate, and containing not less than 20%	Amount of total phosphorus pentoxide  Amount of phosphorus pentoxide soluble in 2% citric acid	1.0  1.0
<b>a</b>	This is only an indication of how the material should be named and accordingly this form of words should not be used in the statutory statement.			
<b>b</b>	This is only an indication of how the material should be named and accordingly this form of words should not be used in the statutory statement.			
<b>c</b>	This is only an indication of how the material should be named and accordingly this form of words should not be used in the statutory statement.			
<b>d</b>	This is only an indication of how the material should be named and accordingly this form of words should not be used in the statutory statement.			

**Status:** This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

Group	Name of Material	Meaning	Declarations	Limits of variation (absolute value in percentage by weight, except where otherwise specified)
1	2	3	4	5
		total phosphorus pentoxide (P <sub>2</sub> O <sub>5</sub> ) (soluble in mineral acids).		
	Phosphated slag	Product obtained by blending low grade basic slag and phosphate rock and containing not less than 16% total phosphorus pentoxide (P <sub>2</sub> O <sub>5</sub> ) (soluble in mineral acids).	Amount of total phosphorus pentoxide	0.8
			Amount of phosphorus pentoxide soluble in 2% formic acid	0.8
	Basic slag medium concentration	Product obtained in iron smelting by treatment of phosphorus melts with calcium silicophosphates as essential ingredients and containing not less than 5% total phosphorus pentoxide (P <sub>2</sub> O <sub>5</sub> ) (soluble in mineral acids), at least 75% of the declared total phosphorus pentoxide being soluble in 2% citric acid. Not	Amount of total phosphorus pentoxide	1.0
			Amount of phosphorus pentoxide soluble in 2% citric acid	0.8
				No limits of variation are permitted when the declaration is expressed as a range of 2% by weight
<b>a</b>	This is only an indication of how the material should be named and accordingly this form of words should not be used in the statutory statement.			
<b>b</b>	This is only an indication of how the material should be named and accordingly this form of words should not be used in the statutory statement.			
<b>c</b>	This is only an indication of how the material should be named and accordingly this form of words should not be used in the statutory statement.			
<b>d</b>	This is only an indication of how the material should be named and accordingly this form of words should not be used in the statutory statement.			

**Status:** This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

Group	Name of Material	Meaning	Declarations	Limits of variation (absolute value in percentage by weight, except where otherwise specified)
1	2	3	4	5
		less than 75% of the material should be able to pass through a sieve with a mesh of 0.160mm and not less than 96% through a sieve with a mesh of 0.630mm.		
	Granular basic slag	Product obtained in iron smelting by treatment of phosphorus melts with calcium silicophosphates as essential ingredients, and containing not less than 5% total phosphorus pentoxide (P <sub>2</sub> O <sub>5</sub> ) (soluble in mineral acids), at least 75% of the declared total phosphorus pentoxide being soluble in 2% citric acid after the sample has been ground to pass through a sieve with a mesh of 0.160mm. Not less than 70%	Amount of total phosphorus pentoxide Amount of phosphorus pentoxide soluble in 2% citric acid	1.0 0.8 No limits of variation are permitted when the declaration is expressed as a range of 2% by weight
<b>a</b>	This is only an indication of how the material should be named and accordingly this form of words should not be used in the statutory statement.			
<b>b</b>	This is only an indication of how the material should be named and accordingly this form of words should not be used in the statutory statement.			
<b>c</b>	This is only an indication of how the material should be named and accordingly this form of words should not be used in the statutory statement.			
<b>d</b>	This is only an indication of how the material should be named and accordingly this form of words should not be used in the statutory statement.			

**Status:** This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

Group	Name of Material	Meaning	Declarations	Limits of variation (absolute value in percentage by weight, except where otherwise specified)
1	2	3	4	5
		of the material should be able to pass through a sieve with a mesh of 0.630mm and not more than 12% through a sieve with a mesh of 0.160mm.		
	Rock phosphate	Product not otherwise specified in this table obtained from mineral calcium phosphate deposits, to which no other matter has been added and containing not less than 5% total phosphorus pentoxide (P <sub>2</sub> O <sub>5</sub> ) (soluble in mineral acids).	Amount of total phosphorus pentoxide  Amount of phosphorus pentoxide soluble in 2% formic acid  Amount of material as a percentage by weight that will pass through a sieve with a mesh of 0.150mm	0.8  0.8  5.0% of amount stated
2(c)	Straight phosphatic fertilisers named in accordance with Regulation 4(3)	Any straight phosphatic fertiliser not otherwise specified in this table.	Amount of total phosphorus pentoxide	0.9
2(d)	Phosphatic fertiliser	Product obtained by mixing or blending two or more of the	Amount of total phosphorus pentoxide	0.5 (for declarations up to and including 10% P <sub>2</sub> O <sub>5</sub> )
<b>a</b>	This is only an indication of how the material should be named and accordingly this form of words should not be used in the statutory statement.			
<b>b</b>	This is only an indication of how the material should be named and accordingly this form of words should not be used in the statutory statement.			
<b>c</b>	This is only an indication of how the material should be named and accordingly this form of words should not be used in the statutory statement.			
<b>d</b>	This is only an indication of how the material should be named and accordingly this form of words should not be used in the statutory statement.			



**Status:** This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

Group	Name of Material	Meaning	Declarations	Limits of variation (absolute value in percentage by weight, except where otherwise specified)
1	2	3	4	5
	In addition the source materials shall be indicated in parentheses in descending order of nutrient contribution	fertilisers listed in Groups 2(a), 2(b), 2(c) and 4(b) of Section A of this table.		0.8 (for declarations exceeding 10% P <sub>2</sub> O <sub>5</sub> and up to and including 15% P <sub>2</sub> O <sub>5</sub> )  1.1 (for declarations exceeding 15% P <sub>2</sub> O <sub>5</sub> )
			Amount of phosphorus pentoxide soluble in 2% formic acid	0.8
3(a)	Enriched Kainit salt	Product obtained from crude potassium salts, enriched by blending with potassium chloride, and containing not less than 18% water-soluble potassium oxide (K <sub>2</sub> O).	Amount of potassium oxide soluble in water	1.0
	In addition usual trading names may be given		<i>Optional declarations</i>	0.9
			Amount of magnesium oxide soluble in water where this is greater than 5%	
	Kainit	Product obtained from crude potassium salts, and containing not less than 10% water-soluble potassium oxide (K <sub>2</sub> O), and not	Amount of potassium oxide soluble in water	1.5
	In addition usual trading names may be given		Amount of magnesium oxide soluble in water	0.9
<b>a</b>	This is only an indication of how the material should be named and accordingly this form of words should not be used in the statutory statement.			
<b>b</b>	This is only an indication of how the material should be named and accordingly this form of words should not be used in the statutory statement.			
<b>c</b>	This is only an indication of how the material should be named and accordingly this form of words should not be used in the statutory statement.			
<b>d</b>	This is only an indication of how the material should be named and accordingly this form of words should not be used in the statutory statement.			

**Status:** This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

Group	Name of Material	Meaning	Declarations	Limits of variation (absolute value in percentage by weight, except where otherwise specified)
1	2	3	4	5
		less than 5% magnesium oxide (MgO) in the form of water-soluble salts.		
	Muriate of potash  In addition usual trading names may be given	Product obtained from crude potassium salts with potassium chloride as its essential ingredient, and containing not less than 37% water-soluble potassium oxide (K <sub>2</sub> O).	Amount of potassium oxide soluble in water	1.0 (for declarations up to and including 55% K <sub>2</sub> O)  0.5 (for declarations exceeding 55% K <sub>2</sub> O)
	Potassium chloride containing magnesium salt	Product obtained from crude potassium salts with added magnesium salts, with potassium chloride and magnesium salts as essential ingredients, and containing not less than 37% water-soluble potassium oxide (K <sub>2</sub> O) and not less than 5% magnesium oxide (MgO) in the	Amount of potassium oxide soluble in water  Amount of magnesium oxide soluble in water	1.5  0.9
<b>a</b>	This is only an indication of how the material should be named and accordingly this form of words should not be used in the statutory statement.			
<b>b</b>	This is only an indication of how the material should be named and accordingly this form of words should not be used in the statutory statement.			
<b>c</b>	This is only an indication of how the material should be named and accordingly this form of words should not be used in the statutory statement.			
<b>d</b>	This is only an indication of how the material should be named and accordingly this form of words should not be used in the statutory statement.			

**Status:** This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

Group	Name of Material	Meaning	Declarations	Limits of variation (absolute value in percentage by weight, except where otherwise specified)
1	2	3	4	5
		form of water-soluble salts.		
	Sulphate of potash	Product obtained chemically from potassium salts, with potassium sulphate as its essential ingredient, and containing not less than 47% water-soluble potassium oxide (K <sub>2</sub> O) with a maximum chlorine (Cl) content of 3%.	Amount of potassium oxide soluble in water	0.5
			<i>Optional declarations</i>	0.2
			Amount of chlorine where this is lower than 3%	
	Sulphate of potash containing magnesium salt	Product obtained chemically from potassium salts with possible addition of magnesium salts, with potassium sulphate and magnesium sulphate as essential ingredients, and containing not less than 22% water-soluble potassium oxide (K <sub>2</sub> O) and not less than 8%	Amount of potassium oxide soluble in water	1.5
	In addition usual trading names may be given		Amount of magnesium oxide soluble in water	0.9
			<i>Optional declarations</i>	0.2
			Amount of chlorine where this is lower than 3%	
<b>a</b>	This is only an indication of how the material should be named and accordingly this form of words should not be used in the statutory statement.			
<b>b</b>	This is only an indication of how the material should be named and accordingly this form of words should not be used in the statutory statement.			
<b>c</b>	This is only an indication of how the material should be named and accordingly this form of words should not be used in the statutory statement.			
<b>d</b>	This is only an indication of how the material should be named and accordingly this form of words should not be used in the statutory statement.			

**Status:** This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

Group	Name of Material	Meaning	Declarations	Limits of variation (absolute value in percentage by weight, except where otherwise specified)
1	2	3	4	5
		magnesium oxide (MgO) in the form of water-soluble salts, with a maximum chlorine content of 3%.		
	Kieserite with potassium sulphate	Product obtained from Kieserite with potassium sulphate added	Amount of potassium oxide soluble in water	1.5
	In addition usual trading names may be given	and containing not less than 6% water-soluble potassium oxide (K <sub>2</sub> O) and not less than 8% magnesium oxide (MgO) in the form of water-soluble salts, where the two together are not less than 20%, with a maximum chlorine content of 3%.	Amount of magnesium oxide soluble in water	0.9
			<i>Optional declarations</i>	0.2
			Amount of chlorine where this is lower than 3%	
3(b)	Nitrate of potash	Potassium nitrate for fertilising purposes.	Amount of total nitrogen	0.5
			Amount of total potassium oxide	2.0
	Potassic basic slag	A mixture of basic slag and muriate or	Amount of total phosphorus pentoxide	1.0
a	This is only an indication of how the material should be named and accordingly this form of words should not be used in the statutory statement.			
b	This is only an indication of how the material should be named and accordingly this form of words should not be used in the statutory statement.			
c	This is only an indication of how the material should be named and accordingly this form of words should not be used in the statutory statement.			
d	This is only an indication of how the material should be named and accordingly this form of words should not be used in the statutory statement.			

**Status:** This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

Group	Name of Material	Meaning	Declarations	Limits of variation (absolute value in percentage by weight, except where otherwise specified)
1	2	3	4	5
		<p>sulphate of potash containing not less than 5% total phosphorus pentoxide (P<sub>2</sub>O<sub>5</sub>) (soluble in mineral acids) and not less than 5% total potassium oxide (K<sub>2</sub>O), at least 75% of the declared total phosphorus pentoxide being soluble in 2% citric acid.</p>	<p>Amount of phosphorus pentoxide soluble in 2% citric acid</p> <p>Amount of total potassium oxide</p> <p>Amount of slag as a percentage by weight that will pass through a sieve with a mesh of 0.5mm</p>	<p>1.0</p> <p>1.0 (for declarations up to and including 15% K<sub>2</sub>O)</p> <p>2.0 (for declarations exceeding 15% K<sub>2</sub>O)</p> <p>5.0% of amount stated</p>
	Potassic nitrate of soda	A mixture of sodium nitrate and potassium nitrate for fertilising purposes.	Amount of total nitrogen	0.5
	Chilean potash nitrate		Amount of total potassium oxide	0.8
3(c)	Straight potassic fertilisers named in accordance with Regulation 4(3)	Any straight potassic fertiliser not otherwise specified in this table.	Amount of total potassium oxide	1.0
3(d)	Potassic fertiliser	Product obtained by mixing or blending two or more of the	Amount of total potassium oxide	0.5 (for declarations up to and including 10% K <sub>2</sub> O)
	In addition the source material			
a	This is only an indication of how the material should be named and accordingly this form of words should not be used in the statutory statement.			
b	This is only an indication of how the material should be named and accordingly this form of words should not be used in the statutory statement.			
c	This is only an indication of how the material should be named and accordingly this form of words should not be used in the statutory statement.			
d	This is only an indication of how the material should be named and accordingly this form of words should not be used in the statutory statement.			

**Status:** This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

Group	Name of Material	Meaning	Declarations	Limits of variation (absolute value in percentage by weight, except where otherwise specified)
1	2	3	4	5
	shall be indicated in parentheses in descending order of nutrient contribution	fertilisers listed in Groups 3(a), 3(b) and 3(c) of Section A of this table.		0.8 (for declarations exceeding 10% and up to and including 15% K <sub>2</sub> O)  1.1 (for declarations exceeding 15% K <sub>2</sub> O)
4(a)	Castor meal	The residue which is obtained by the removal of oil from commercially pure castor seed.	Amount of total nitrogen	0.5
	Dried blood	Blood which has been dried, to which no other matter has been added, and which is used for fertilising purposes, containing not less than 11% total nitrogen.	Amount of total nitrogen	0.5
	Hoofs	The product obtained by crushing or grinding hoof, to which no other matter has been added, containing	Amount of total nitrogen	0.5
a	This is only an indication of how the material should be named and accordingly this form of words should not be used in the statutory statement.			
b	This is only an indication of how the material should be named and accordingly this form of words should not be used in the statutory statement.			
c	This is only an indication of how the material should be named and accordingly this form of words should not be used in the statutory statement.			
d	This is only an indication of how the material should be named and accordingly this form of words should not be used in the statutory statement.			

**Status:** This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

Group	Name of Material	Meaning	Declarations	Limits of variation (absolute value in percentage by weight, except where otherwise specified)
1	2	3	4	5
		not less than 12% total nitrogen.		
	Hoofs and horns	A mixture of hoof and horn, crushed or ground, to which no other matter has been added, containing not less than 12% total nitrogen.	Amount of total nitrogen	0.5
	Horns	The product obtained by crushing or grinding horn, to which no other matter has been added, containing not less than 12% total nitrogen.	Amount of total nitrogen	0.5
	Oilseed fertiliser	Product obtained by the removal of oil from seeds not otherwise specified in this table (excluding mowrah meal) and used for fertilising purposes.	Amount of total nitrogen	0.5
4(b)	Rape meal	The residue which is obtained by the removal of oil from	Amount of total nitrogen	0.5
<b>a</b>	This is only an indication of how the material should be named and accordingly this form of words should not be used in the statutory statement.			
<b>b</b>	This is only an indication of how the material should be named and accordingly this form of words should not be used in the statutory statement.			
<b>c</b>	This is only an indication of how the material should be named and accordingly this form of words should not be used in the statutory statement.			
<b>d</b>	This is only an indication of how the material should be named and accordingly this form of words should not be used in the statutory statement.			

**Status:** This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

Group	Name of Material	Meaning	Declarations	Limits of variation (absolute value in percentage by weight, except where otherwise specified)
1	2	3	4	5
		commercially pure rape seed.		
	Precipitated bone phosphate Dicalcium bone phosphate	An insoluble calcium phosphate prepared by treating commercially pure bone with acid and precipitation of phosphate from the solution.	Amount of phosphorus pentoxide soluble in citric acid	1.0
4(c)	Bone meal	Commercially pure bone, raw or degreased, which has been ground or crushed, of which not less than 90% will pass through a sieve of 6.7mm square apertures.	Amount of total nitrogen Amount of total phosphorus pentoxide	0.5 1.5
	Fish guano	Product obtained by drying and grinding or	Amount of total nitrogen	0.5
	Fish manure	otherwise treating fish or fish waste, to which no other matter has been added.	Amount of total phosphorus pentoxide	1.0
	Meat and bone meal	The product of drying and grinding or otherwise treating	Amount of total nitrogen	0.5
<b>a</b>	This is only an indication of how the material should be named and accordingly this form of words should not be used in the statutory statement.			
<b>b</b>	This is only an indication of how the material should be named and accordingly this form of words should not be used in the statutory statement.			
<b>c</b>	This is only an indication of how the material should be named and accordingly this form of words should not be used in the statutory statement.			
<b>d</b>	This is only an indication of how the material should be named and accordingly this form of words should not be used in the statutory statement.			



**Status:** This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

Group	Name of Material	Meaning	Declarations	Limits of variation (absolute value in percentage by weight, except where otherwise specified)
1	2	3	4	5
	Meat meal	bone, flesh, fibre and other slaughterhouse residues, to which no other matter has been added.	Amount of total phosphorus pentoxide	1.0
	Meat and bone tankage			
	Carcase meal			
	Raw guano	The excrement and remains of any birds, except poultry, containing both nitrogen and phosphorus, prepared for use by screening where necessary, to which no addition has been made.	Amount of total nitrogen	20.0% of amount stated (with a minimum of 0.25 and a maximum of 1.5)
			Amount of total phosphorus pentoxide	10.0% of amount stated (with a maximum of 2.0)
			Amount of total potassium oxide	20.0% of amount stated
	Shoddy manure	Waste of wool, or of wool mixed with fibrous materials such as are associated with wool in the textile industries including cotton and similar non-wool materials, to which no other matter has been added, the fibre content of which contains not less	None	None
	Wool waste			
	Wool combings			
	Wool manure			
	Flock dust			
<b>a</b>	This is only an indication of how the material should be named and accordingly this form of words should not be used in the statutory statement.			
<b>b</b>	This is only an indication of how the material should be named and accordingly this form of words should not be used in the statutory statement.			
<b>c</b>	This is only an indication of how the material should be named and accordingly this form of words should not be used in the statutory statement.			
<b>d</b>	This is only an indication of how the material should be named and accordingly this form of words should not be used in the statutory statement.			

**Status:** This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

Group	Name of Material	Meaning	Declarations	Limits of variation (absolute value in percentage by weight, except where otherwise specified)
1	2	3	4	5
		than 50% of wool by weight.		
	Steamed bone flour	Commercially pure bone, degreased and ground or crushed, from which the nitrogen has been partly or wholly removed by steam, of which not less than 75% will pass through a British Standard Test Sieve No. 16.	Amount of total nitrogen Amount of total phosphorus pentoxide	0.5 1.0
	Steamed bone meal	Commercially pure bone, degreased and ground or crushed, from which the nitrogen has been partly or wholly removed by steam, of which not less than 90% will pass through a sieve of 6.7mm square aperture.	Amount of total nitrogen Amount of total phosphorus pentoxide	0.5 1.0
5(a)	Ground burnt lime	Commercial calcium oxide containing not more than 27%	Neutralising value	5.0% of amount stated

- a** This is only an indication of how the material should be named and accordingly this form of words should not be used in the statutory statement.
- b** This is only an indication of how the material should be named and accordingly this form of words should not be used in the statutory statement.
- c** This is only an indication of how the material should be named and accordingly this form of words should not be used in the statutory statement.
- d** This is only an indication of how the material should be named and accordingly this form of words should not be used in the statutory statement.

**Status:** This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

Group	Name of Material	Meaning	Declarations	Limits of variation (absolute value in percentage by weight, except where otherwise specified)
1	2	3	4	5
		magnesium as MgO and of which 100% will pass through a sieve of 6.3mm.		
	Kibbled burnt lime	Commercial calcium oxide containing not more than 27% magnesium as MgO and of which 100% will pass through a sieve of 45mm.	Neutralising value	5.0% of amount stated
	Burnt lime	Commercial calcium oxide containing not more than 27% magnesium as MgO.	Neutralising value	5.0% of amount stated
	Magnesian ground burnt lime	Commercial oxide obtained from magnesian limestone containing more than 27% magnesium expressed as MgO and of which 100% will pass through a sieve of 6.3mm.	Neutralising value	5.0% of amount stated
	Magnesian kibbled burnt lime	Commercial oxide obtained from magnesian	Neutralising value	5.0% of amount stated
<b>a</b>	This is only an indication of how the material should be named and accordingly this form of words should not be used in the statutory statement.			
<b>b</b>	This is only an indication of how the material should be named and accordingly this form of words should not be used in the statutory statement.			
<b>c</b>	This is only an indication of how the material should be named and accordingly this form of words should not be used in the statutory statement.			
<b>d</b>	This is only an indication of how the material should be named and accordingly this form of words should not be used in the statutory statement.			

**Status:** This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

Group	Name of Material	Meaning	Declarations	Limits of variation (absolute value in percentage by weight, except where otherwise specified)
1	2	3	4	5
		limestone containing more than 27% magnesium expressed as MgO and of which 100% will pass through a sieve of 45mm.		
	Magnesian burnt lime	Commercial oxide obtained from magnesian limestone containing more than 27% magnesium as MgO.	Neutralising value	5.0% of amount stated
	Chalk	Cretaceous limestone.	Neutralising value	5.0% of amount stated
	Ground chalk	Cretaceous limestone of which 98% will pass through a sieve of 6.3mm.	Neutralising value	5.0% of amount stated
	Screened chalk	Cretaceous limestone of which 98% will pass through a sieve of 45mm.	Neutralising value	5.0% of amount stated
	Hydrated lime	Product obtained by slaking burnt lime or magnesian burnt lime of which not	Neutralising value	5.0% of amount stated

- a** This is only an indication of how the material should be named and accordingly this form of words should not be used in the statutory statement.
- b** This is only an indication of how the material should be named and accordingly this form of words should not be used in the statutory statement.
- c** This is only an indication of how the material should be named and accordingly this form of words should not be used in the statutory statement.
- d** This is only an indication of how the material should be named and accordingly this form of words should not be used in the statutory statement.

**Status:** This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

Group	Name of Material	Meaning	Declarations	Limits of variation (absolute value in percentage by weight, except where otherwise specified)
1	2	3	4	5
		less than 95% will pass through a 150 micron sieve.		
	Ground limestone	Sedimentary rock consisting largely of calcium carbonate and containing not more than 15% of magnesium expressed as MgO and of which 100% will pass through a sieve of 5mm, not less than 95% will pass through a sieve of 3.35mm and not less than 40% will pass through a 150 micron sieve.	Neutralising value Amount of material as a percentage by weight that will pass through a 150 micron sieve	5.0% of amount stated >5.0% of amount stated
	Screened limestone	Sedimentary rock consisting largely of calcium carbonate and containing not more than 15% of magnesium expressed as MgO and of which 100% will pass through a sieve of 5mm,	Neutralising value	5.0% of amount stated
	Limestone dust	Sedimentary rock consisting largely of calcium carbonate and containing not more than 15% of magnesium expressed as MgO and of which 100% will pass through a sieve of 5mm,	Amount of material as a percentage by weight that will pass through a 150 micron sieve	5.0% of amount stated
<b>a</b>	This is only an indication of how the material should be named and accordingly this form of words should not be used in the statutory statement.			
<b>b</b>	This is only an indication of how the material should be named and accordingly this form of words should not be used in the statutory statement.			
<b>c</b>	This is only an indication of how the material should be named and accordingly this form of words should not be used in the statutory statement.			
<b>d</b>	This is only an indication of how the material should be named and accordingly this form of words should not be used in the statutory statement.			

**Status:** This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

Group	Name of Material	Meaning	Declarations	Limits of variation (absolute value in percentage by weight, except where otherwise specified)
1	2	3	4	5
		not less than 95% will pass through a sieve of 3.35mm and not less than 20% will pass through a 150 micron sieve.		
	Coarse screened limestone	Sedimentary rock consisting largely of calcium carbonate and containing not more than 15% of magnesium expressed as MgO and of which 100% will pass through a sieve of 5mm, not less than 90% will pass through a sieve of 3.35mm and not less than 15% will pass through a 150 micron sieve.	Neutralising value	5.0% of amount stated
	Coarse limestone dust	Sedimentary rock consisting largely of calcium carbonate and containing not more than 15% of magnesium expressed as MgO and of which 100% will pass through a sieve of 5mm, not less than 90% will pass through a sieve of 3.35mm and not less than 15% will pass through a 150 micron sieve.	Amount of material as a percentage by weight that will pass through a 150 micron sieve	5.0% of amount stated
	Magnesian ground limestone	Sedimentary rock consisting largely of calcium and magnesium carbonates and containing not less than 15% of magnesium	Neutralising value Amount of material as a percentage by weight that will	5.0% of amount stated 5.0% of amount stated
<b>a</b>	This is only an indication of how the material should be named and accordingly this form of words should not be used in the statutory statement.			
<b>b</b>	This is only an indication of how the material should be named and accordingly this form of words should not be used in the statutory statement.			
<b>c</b>	This is only an indication of how the material should be named and accordingly this form of words should not be used in the statutory statement.			
<b>d</b>	This is only an indication of how the material should be named and accordingly this form of words should not be used in the statutory statement.			

**Status:** This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

Group	Name of Material	Meaning	Declarations	Limits of variation (absolute value in percentage by weight, except where otherwise specified)
1	2	3	4	5
		as MgO and of which 100% will pass through a sieve of 5mm, not less than 95% will pass through a sieve of 3.35mm and not less than 40% will pass through a 150 micron sieve.	pass through a 150 micron sieve	
	Magnesian screened limestone	Sedimentary rock consisting largely of calcium and magnesium carbonates and containing not less than 15% of magnesium as MgO and of which 100% will pass through a sieve of 5mm, not less than 95% will pass through a sieve of 3.35mm and not less than 20% will pass through a 150 micron sieve.	Neutralising value Amount of material as a percentage by weight that will pass through a 150 micron sieve	5.0% of amount stated 5.0% of amount stated
	Coarse magnesian screened limestone	Sedimentary rock consisting largely of calcium and magnesium	Neutralising value	5.0% of amount stated
<b>a</b>	This is only an indication of how the material should be named and accordingly this form of words should not be used in the statutory statement.			
<b>b</b>	This is only an indication of how the material should be named and accordingly this form of words should not be used in the statutory statement.			
<b>c</b>	This is only an indication of how the material should be named and accordingly this form of words should not be used in the statutory statement.			
<b>d</b>	This is only an indication of how the material should be named and accordingly this form of words should not be used in the statutory statement.			

**Status:** This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

Group	Name of Material	Meaning	Declarations	Limits of variation (absolute value in percentage by weight, except where otherwise specified)
1	2	3	4	5
	Coarse magnesian limestone dust	carbonates and containing not less than 15% of magnesium as MgO and of which 100% will pass through a sieve of 5mm, not less than 90% will pass through a sieve of 3.35mm and not less than 15% will pass through a 150 micron sieve.	Amount of material as a percentage by weight that will pass through a 150 micron sieve	5.0% of amount stated
	Pulverised shells	Pulverised calcareous sea shells of which 100% will pass through a sieve with a mesh of 6.3mm.	Neutralising value	5.0% of amount stated
	Shell sand	Calcareous sea sand of which 100% will pass through a sieve with a mesh of 6.3mm.	Neutralising value	5.0% of amount stated
	Mixed lime	A product resulting from mixing two or more forms of liming material	Neutralising value Amount of material as a percentage by	5.0% of amount stated 5.0% of amount stated
<b>a</b>	This is only an indication of how the material should be named and accordingly this form of words should not be used in the statutory statement.			
<b>b</b>	This is only an indication of how the material should be named and accordingly this form of words should not be used in the statutory statement.			
<b>c</b>	This is only an indication of how the material should be named and accordingly this form of words should not be used in the statutory statement.			
<b>d</b>	This is only an indication of how the material should be named and accordingly this form of words should not be used in the statutory statement.			



**Status:** This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

Group	Name of Material	Meaning	Declarations	Limits of variation (absolute value in percentage by weight, except where otherwise specified)
1	2	3	4	5
		specified in this schedule not being materials for which there is no minimum standard laid down in column 3 of this schedule or material produced during the manufacture of commercial burnt lime or hydrated lime.	weight that will pass through a sieve with a mesh of 6.3mm	
	Furnace slag	The unamended by-product of iron manufacture which has been reduced in size so that 100% will pass through a sieve with a mesh of 5mm, not less than 95% will pass through a sieve with a mesh of 3.35mm, and not less than 40% will pass through a 150 micron sieve.	Neutralising value Amount of material as a percentage by weight that will pass through a 150 micron sieve	5.0% of amount stated 5.0% of amount stated
5(b)	Liming material named in accordance with Regulation 4(3)	Any liming material not otherwise specified in Group 5(a) of	Neutralising value Amount of material as a	5.0% of amount stated 5.0% of amount stated
<b>a</b>	This is only an indication of how the material should be named and accordingly this form of words should not be used in the statutory statement.			
<b>b</b>	This is only an indication of how the material should be named and accordingly this form of words should not be used in the statutory statement.			
<b>c</b>	This is only an indication of how the material should be named and accordingly this form of words should not be used in the statutory statement.			
<b>d</b>	This is only an indication of how the material should be named and accordingly this form of words should not be used in the statutory statement.			

**Status:** This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

Group	Name of Material	Meaning	Declarations	Limits of variation (absolute value in percentage by weight, except where otherwise specified)
1	2	3	4	5
		Section A of this table and not injurious to plants or soil.	percentage by weight that will pass through a sieve with a mesh of 5mm	
			Amount of material as a percentage by weight that will pass through a sieve with a mesh of 3.35mm	5.0% of amount stated
			Amount of material as a percentage by weight that will pass through a 150 micron sieve	5.0% of amount stated
<b>a</b>	This is only an indication of how the material should be named and accordingly this form of words should not be used in the statutory statement.			
<b>b</b>	This is only an indication of how the material should be named and accordingly this form of words should not be used in the statutory statement.			
<b>c</b>	This is only an indication of how the material should be named and accordingly this form of words should not be used in the statutory statement.			
<b>d</b>	This is only an indication of how the material should be named and accordingly this form of words should not be used in the statutory statement.			

**Status:** This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

**SECTION B:**

**COMPOUND FERTILISERS**

<i>Group</i>	<i>Name of Material</i>	<i>Meaning</i>	<i>Declarations</i>	<i>Limits of variation (absolute value in percnetage by weight, except where otherwise specified)</i>	
1	2	3	4	5	6
1	NPK fertiliser	Product obtained chemically or by blending, without addition of organic nutrients of animal or vegetable origin, containing by weight:— 1. Not less than 3% nitrogen (N); 2. Not less than 5% phosphorus pentoxide (P <sub>2</sub> O <sub>5</sub> ); 3. Not less than 5% potassium oxide (K <sub>2</sub> O).  The sum of the three nutrients must be not less than 20% by weight. The product must not contain basic slag, Thomas phosphate, Thomas slag, calcined	<i>Nitrogen (N)</i>  <hr/> <i>EEC Other fertiliser</i> <hr/> Amount of total nitrogen Amount of ureic nitrogen Amount of nitrogen save that a declaration of 10% of or less need not be made  1. nitric nitrogen 2. ammonical nitrogen 3. ureic nitrogen 4. cyanamide nitrogen	N 1.1	N 0.5

\* As determined by the Petermann method.

\* This is only an indication of how the material should be named and accordingly this form of words should not be used in the statutory statement.

**Status:** This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

<i>Group</i>	<i>Name of Material</i>	<i>Meaning</i>	<i>Declarations</i>	<i>Limits of variation (absolute value in percentage by weight, except where otherwise specified)</i>	
1	2	3	4	5	6
		phosphate, aluminium-calcium phosphate, soft ground rock phosphate, or partially solubilised rock phosphate. The P <sub>2</sub> O <sub>5</sub> content soluble only in mineral acids must not exceed 2%.	<i>Phosphorus Pentoxide (P<sub>2</sub>O<sub>5</sub>)</i>  Where phosphorus pentoxide soluble in water is less than 2%, amount of:–  1. Phosphorus pentoxide soluble in neutral ammonium citrate  Where phosphorus pentoxide soluble in water is equal to or greater than 2%, amount of:	P <sub>2</sub> O <sub>5</sub> 1.1	P <sub>2</sub> O <sub>5</sub> 0.5

\* As determined by the Petermann method.

\* This is only an indication of how the material should be named and accordingly this form of words should not be used in the statutory statement.

**Status:** This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

<i>Group</i>	<i>Name of Material</i>	<i>Meaning</i>	<i>Declarations</i>	<i>Limits of variation (absolute value in percentage by weight, except where otherwise specified)</i>	
1	2	3	4	5	6
			1. Phosphorus pentoxide soluble in neutral ammonium citrate and in water		
			2. Phosphorus pentoxide soluble in water	As set out in paragraph 7(a) of this Schedule	
			<i>Potassium oxide (K<sub>2</sub>O)</i>	K <sub>2</sub> O 1.1 N 1.9	K <sub>2</sub> O 0.5
			Amount of potassium oxide soluble in water	+P <sub>2</sub> O <sub>5</sub> 1.9 +K <sub>2</sub> O 1.9	
			<i>Optional declarations</i>	Cl 0.2	
			Amount of chlorine		
			Where the chlorine content is not greater than 2% the statement "low in chlorine" may be made		
	NPK fertiliser containing aluminium-calcium phosphate	Product obtained chemically or by blending, without addition of organic nutrients of animal or vegetable	<i>Nitrogen (N)</i>	N 1.1	N 0.5
			<i>EEC Other fertiliser</i>	As set out in paragraph 7 of this Schedule	
			<i>EEC fertiliser</i>	Amount of	Amount of

\* As determined by the Petermann method.

\* This is only an indication of how the material should be named and accordingly this form of words should not be used in the statutory statement.

**Status:** This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

<i>Group</i>	<i>Name of Material</i>	<i>Meaning</i>	<i>Declarations</i>	<i>Limits of variation (absolute value in percnetage by weight, except where otherwise specified)</i>	
1	2	3	4	5	6
		origin, containing by weight:-	<b>EEC Other fertiliser</b>		
		1. Not less than 3% nitrogen (N);	total nitrogen		
		2. Not less than 5% phosphorus pentoxide (P <sub>2</sub> O <sub>5</sub> ) of which at least 2% must be soluble in water, and at least 5% soluble in mineral acids; and	Amount where equal to or greater than 1% by weight, of:-	Amount of ureic nitrogen save that a declaration of 10% or less need not be made	
		3. Not less than 5% potassium oxide (K <sub>2</sub> O).			
		The sum of the three nutrients must be not less than 20% by weight. At least 75% of the declared phosphorus pentoxide soluble in mineral acids must be soluble in alkaline ammonium citrate (Joule). The product must not	1. nitric nitrogen 2. ammonical nitrogen 3. ureic nitrogen 4. cyanamide nitrogen	P <sub>2</sub> O <sub>5</sub> 1.1	P <sub>2</sub> O <sub>5</sub> 0.5
			<i>Phosphorus Pentoxide (P<sub>2</sub>O<sub>5</sub>)</i>		
			Amount of phosphorus pentoxide		

\* As determined by the Petermann method.

\* This is only an indication of how the material should be named and accordingly this form of words should not be used in the statutory statement.

**Status:** This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

<i>Group</i>	<i>Name of Material</i>	<i>Meaning</i>	<i>Declarations</i>	<i>Limits of variation (absolute value in percentage by weight, except where otherwise specified)</i>	
1	2	3	4	5	6
		contain basic slag, Thomas Phosphate, Thomas slag, calcined phosphate, soft ground rock phosphate or partially solubilised rock phosphate, and not less than 90% of the aluminium-calcium phosphate should be able to pass through a sieve with a mesh of 0.160 mm.	soluble in mineral acids	Amount of phosphorus pentoxide soluble in water	As set out in paragraph 7(a) of this Schedule
				Amount of phosphorus pentoxide soluble in mineral acids (after deduction of the amount of phosphorus pentoxide soluble in water)	As set out in paragraph 7(a) of this Schedule
				Amount of phosphorus	As set out in paragraph

\* As determined by the Petermann method.

\* This is only an indication of how the material should be named and accordingly this form of words should not be used in the statutory statement.

**Status:** This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

<i>Group</i>	<i>Name of Material</i>	<i>Meaning</i>	<i>Declarations</i>	<i>Limits of variation (absolute value in percentage by weight, except where otherwise specified)</i>	
1	2	3	4	5	6
			pentoxide soluble in alkaline ammonium citrate	7(a) of this Schedule	
			<i>Potassium Oxide (K<sub>2</sub>O)</i>	K <sub>2</sub> 1.1	K <sub>2</sub> O 0.5
			Amount of potassium oxide soluble in water	N 1.9 +P <sub>2</sub> O <sub>5</sub> 1.9 +K <sub>2</sub> O 1.9	
			<i>Optional declarations</i>	Cl 0.2	
			Amount of chlorine		
			Where the chlorine content is not greater than 2% the statement "low in chlorine" may be made		
	NPK fertiliser containing soft ground rock phosphate	Product obtained chemically or by blending, without addition of organic nutrients of animal or vegetable origin, containing by weight:-	<i>Nitrogen (N)</i>	N 1.1	N 0.5
	NPK fertiliser containing partially solubilised rock phosphate	of organic nutrients of animal or vegetable origin, containing by weight:-	<i>EEC Other fertiliser</i>	As set out in paragraph 7 of this Schedule	
		1. Not less than 3% nitrogen (N);	<i>EEC fertiliser</i>	Amount of total nitrogen	Amount of total nitrogen
				Amount where of equal to or greater than	Amount of ureic nitrogen save that a

\* As determined by the Petermann method.

\* This is only an indication of how the material should be named and accordingly this form of words should not be used in the statutory statement.



**Status:** This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

<i>Group</i>	<i>Name of Material</i>	<i>Meaning</i>	<i>Declarations</i>	<i>Limits of variation (absolute value in percentage by weight, except where otherwise specified)</i>
1	2	3	4	5 6
		<p>2. Not less than 5% phosphorus pentoxide (P<sub>2</sub>O<sub>5</sub>) of which at least 2% should be soluble only in mineral acids, at least 5% soluble in neutral ammonium citrate and in water and at least 2.5% soluble in water;</p> <p>3. Not less than 5% potassium oxide (K<sub>2</sub>O).</p> <p>The sum of the three nutrients must be not less than 20% by weight. Neither product must contain basic slag, Thomas phosphate, Thomas slag, calcined phosphate or aluminium-calcium phosphate. Not less than 90% of the soft ground rock</p>	<p><b>EEC Other fertiliser</b></p> <hr/> <p>1% declaration by of weight, 10% of:- or less need not be made</p>	

\* As determined by the Petermann method.

\* This is only an indication of how the material should be named and accordingly this form of words should not be used in the statutory statement.



**Status:** This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

<i>Group</i>	<i>Name of Material</i>	<i>Meaning</i>	<i>Declarations</i>	<i>Limits of variation (absolute value in percentage by weight, except where otherwise specified)</i>	
1	2	3	4	5	6
			Amount of phosphorus pentoxide soluble in neutral ammonium citrate and in water		
			Amount of phosphorus pentoxide soluble only in mineral acids	As set out in paragraph 7(a) of this Schedule	K <sub>2</sub> O 0.5
			<i>Potassium Oxide (K<sub>2</sub>O)</i>	K <sub>2</sub> O 1.1 N 1.9	
			Amount of potassium oxide soluble in water	+p <sub>2</sub> O <sub>5</sub> 1.9 +K <sub>2</sub> O 1.9	
			<i>Optional declarations</i>	Cl 0.2	
			Amount of chlorine		
			Where the chlorine content is not greater than 2% the statement "low in chlorine" may be made		
	NPK fertiliser (Phosphate ingredient, aluminium-calcium phosphate only)	Product obtained chemically or by blending, without addition of organic nutrients of	<i>Nitrogen (N)</i>	N 1.1	N 0.5
			<i>EEC Other fertiliser</i>	As set out in paragraph 7 of this Schedule	
			<i>EEC fertiliser</i>		
			Amount of	Amount of	

\* As determined by the Petermann method.

\* This is only an indication of how the material should be named and accordingly this form of words should not be used in the statutory statement.

**Status:** This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

<i>Group</i>	<i>Name of Material</i>	<i>Meaning</i>	<i>Declarations</i>	<i>Limits of variation (absolute value in percentage by weight, except where otherwise specified)</i>	
1	2	3	4	5	6
		animal or vegetable origin, containing by weight:- 1. Not less than 3% nitrogen (N); 2. Not less than 5% phosphorus pentoxide (P <sub>2</sub> O <sub>5</sub> ); 3. Not less than 5% potassium oxide (K <sub>2</sub> O)  The sum of the three nutrients must be not less than 20% by weight. At least 75% of the declared phosphorus pentoxide soluble in mineral acids must be soluble in alkaline ammonium citrate (Joule). The product must not contain any phosphate material	<b>EEC Other fertiliser</b> <b>EEC fertiliser</b> <hr/> total nitrogen total nitrogen Amount where equal to or greater than 1% by weight of:- 1. nitric nitrogen 2. ammonical nitrogen 3. ureic nitrogen 4. cyanamide nitrogen		

\* As determined by the Petermann method.

\* This is only an indication of how the material should be named and accordingly this form of words should not be used in the statutory statement.

**Status:** This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

<i>Group</i>	<i>Name of Material</i>	<i>Meaning</i>	<i>Declarations</i>	<i>Limits of variation (absolute value in percentage by weight, except where otherwise specified)</i>	
1	2	3	4	5	6
		other than aluminium-calcium phosphate and not less than 90% of the aluminium-calcium phosphate should be able to pass through a sieve with a mesh of 0.160 mm.	<i>Phosphorus Pentoxide (P<sub>2</sub>O<sub>5</sub>)</i>	P <sub>2</sub> O <sub>5</sub> 1.1	P <sub>2</sub> O <sub>5</sub> 0.5
			Amount of phosphorus pentoxide soluble in mineral acids		
			Amount of phosphorus pentoxide soluble in alkaline ammonium citrate	As set out in paragraph 7(a) of this Schedule	
			<i>Potassium Oxide (K<sub>2</sub>O)</i>	K <sub>2</sub> O 1.1	K <sub>2</sub> O 0.5
				N 1.9	
			Amount of potassium oxide soluble in water	+P <sub>2</sub> O <sub>5</sub> 1.9	+K <sub>2</sub> O 1.9

\* As determined by the Petermann method.

\* This is only an indication of how the material should be named and accordingly this form of words should not be used in the statutory statement.

**Status:** This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

<i>Group</i>	<i>Name of Material</i>	<i>Meaning</i>	<i>Declarations</i>	<i>Limits of variation (absolute value in percentage by weight, except where otherwise specified)</i>	
1	2	3	4	5	6
			<i>Optional declarations</i>	Cl 0.2	
			Amount of chlorine		
			Where the chlorine content is not greater than 2% the statement “low in chlorine” may be made		
	NPK fertiliser (Phosphate ingredient, calcined phosphate only)	Product obtained chemically or by blending, without addition of organic nutrient of animal or vegetable origin, containing by weight:– 1. Not less than 3% nitrogen (N); 2. Not less than 5% phosphorus pentoxide (P <sub>2</sub> O <sub>5</sub> ); 3. Not less than 5% potassium oxide (K <sub>2</sub> O).  The sum of the three	<i>Nitrogen (N)</i>  <i>EEC Other fertiliser</i>  <i>EEC fertiliser</i>	N 1.1  As set out in paragraph 7 of this Schedule  Amount of total nitrogen where of equal to or greater than by weight of:– Amount of total nitrogen where of ureic nitrogen save that a declaration of 10% or less need not be made	N 0.5

\* As determined by the Petermann method.

\* This is only an indication of how the material should be named and accordingly this form of words should not be used in the statutory statement.



**Status:** This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

<i>Group</i>	<i>Name of Material</i>	<i>Meaning</i>	<i>Declarations</i>	<i>Limits of variation (absolute value in percentage by weight, except where otherwise specified)</i>		
1	2	3	4	5	6	
			<i>Potassium Oxide (K<sub>2</sub>O)</i>	K <sub>2</sub> O 1.1 N 1.9 Amount of potassium oxide soluble in water +P <sub>2</sub> 1.9 +K <sub>2</sub> O 1.9 <i>Optional declarations</i> Cl 0.2 Amount of chlorine Where the chlorine content is not greater than 2% the statement “low in chlorine may be made”.	K <sub>2</sub> O 0.5	
	NPK fertiliser (Phosphate ingredient, soft ground rock phosphate only)	Product obtained chemically or by blending, without addition of organic nutrients of animal or vegetable origin, containing by weight:— 1. Not less than 3% nitrogen (N); 2. Not less than 5% phosphorus pentoxide (P <sub>2</sub> O <sub>5</sub> );	<i>Nitrogen (N)</i> <hr/> <i>EEC Other fertiliser</i> <hr/> <i>EEC fertiliser</i>	N 1.1 As set out in paragraph 7 of this Schedule Amount of total nitrogen Amount of ureic nitrogen save that a declaration of 10% of— or less	N 0.5	

\* As determined by the Petermann method.

\* This is only an indication of how the material should be named and accordingly this form of words should not be used in the statutory statement.



**Status:** This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

<i>Group</i>	<i>Name of Material</i>	<i>Meaning</i>	<i>Declarations</i>	<i>Limits of variation (absolute value in percnetage by weight, except where otherwise specified)</i>	
1	2	3	4	5	6
		<p>3. Not less than 5% potassium oxide (K<sub>2</sub>O).</p> <p>The sum of the three nutrients must be not less than 20% by weight. At least 55% of the declared phosphorus pentoxide soluble in mineral acids must be soluble in 2% formic acid. The product must not contain any phosphate material other than soft ground rock phosphate. Not less than 90% of the soft ground rock phosphate should be able to pass through a sieve with a mesh of 0.063 mm.</p>	<p><b>EEC Other fertiliser</b></p> <hr/> <p><b>EEC fertiliser</b></p> <hr/> <p>need not be made</p> <hr/> <p>1. nitric nitrogen</p> <p>2. ammonical nitrogen</p>		

\* As determined by the Petermann method.

\* This is only an indication of how the material should be named and accordingly this form of words should not be used in the statutory statement.



**Status:** This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

<i>Group</i>	<i>Name of Material</i>	<i>Meaning</i>	<i>Declarations</i>	<i>Limits of variation (absolute value in percentage by weight, except where otherwise specified)</i>	
1	2	3	4	5	6
	NPK fertiliser (Phosphate ingredient; basic slag only)	Product obtained chemically or by blending, without addition	<i>Nitrogen (N)</i>	N 1.1	N 0.5
	NPK fertiliser (Phosphate ingredient; Thomas phosphate only)	of organic nutrients of animal or vegetable origin, containing by weight:–	<i>EEC Other fertiliser</i>	As set out in paragraph 7 of this Schedule	
	NPK fertiliser (Phosphate ingredient; Thomas slag only)	1. Not less than 3% nitrogen (N); 2. Not less than 5% phosphorus pentoxide (P <sub>2</sub> O <sub>5</sub> ); 3. Not less than 5% potassium oxide (K <sub>2</sub> O).	<i>Amount of total nitrogen</i> <i>Amount of ureic nitrogen save that a declaration of 10% or less need not be made</i>		
		The sum of the three nutrients must be not less than 20% by weight. The product must not contain any phosphate material other than basic slag, Thomas phosphate or Thomas slag.  Not less than 75:%			

\* As determined by the Petermann method.

\* This is only an indication of how the material should be named and accordingly this form of words should not be used in the statutory statement.



**Status:** This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

<i>Group</i>	<i>Name of Material</i>	<i>Meaning</i>	<i>Declarations</i>	<i>Limits of variation (absolute value in percentage by weight, except where otherwise specified)</i>	
1	2	3	4	5	6
			Where the chlorine content is not greater than 2% the statement “low in chlorine may be made”.		
2	NP fertiliser	Product obtained chemically or by blending, without addition of organic nutrients of animal or vegetable origin, containing by weight— 1. Not less than 3% nitrogen (N); 2. Not less than 5% phosphorus pentoxide (P <sub>2</sub> O <sub>5</sub> ).  The sum of the two nutrients must be not less than 18% by weight. The product must not contain basic slag, Thomas phosphate, Thomas slag, calcined	<i>Nitrogen (N)</i>  <u><i>EEC fertiliser</i></u> <i>Other than EEC fertiliser</i>  Amount of total nitrogen Amount of total nitrogen where of equal to or greater than 1% by weight, of—  Amount of ureic nitrogen save that a declaration of 10% or less need not be made	N 1.1	N 0.5

\* As determined by the Petermann method.

\* This is only an indication of how the material should be named and accordingly this form of words should not be used in the statutory statement.



**Status:** This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

<i>Group</i>	<i>Name of Material</i>	<i>Meaning</i>	<i>Declarations</i>	<i>Limits of variation (absolute value in percentage by weight, except where otherwise specified)</i>	
1	2	3	4	5	6
			ammonium citrate.		
			Where phosphorus pentoxide soluble in water is equal to or greater than 2%, amount of—		
			1. Phosphorus pentoxide soluble in neutral ammonium citrate and in water		
			2. Phosphorus pentoxide soluble in water	As set out in paragraph 7(a) of this Schedule	
				N 1.5	
				+P <sub>2</sub> O <sub>5</sub> 1.5	
	NP fertiliser containing aluminium-calcium phosphate	Product obtained chemically or by blending, without addition of organic nutrients of animal or vegetable origin, containing by weight:—	<i>Nitrogen (N)</i>	N 1.1	N 0.5
			<del><i>EEC Other fertiliser</i></del> <i>EEC fertiliser</i>	As set out in paragraph 7 of this Schedule	
			Amount of total nitrogen	Amount of total nitrogen	
			Amount where equal to or greater than	Amount of ureic nitrogen save that a	
		1. Not less than 3% nitrogen (N);			

\* As determined by the Petermann method.

\* This is only an indication of how the material should be named and accordingly this form of words should not be used in the statutory statement.

**Status:** This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

<i>Group</i>	<i>Name of Material</i>	<i>Meaning</i>	<i>Declarations</i>	<i>Limits of variation (absolute value in percentage by weight, except where otherwise specified)</i>	
1	2	3	4	5	6
		<p>2. Not less than 5% phosphorus pentoxide (P<sub>2</sub>O<sub>5</sub>) of which at least 2% must be soluble in water, and at least 5% soluble in mineral acids.</p> <p>The sum of the two nutrients must be not less than 18% by weight. At least 75% of the declared phosphorus pentoxide soluble in mineral acids must be soluble in alkaline ammonium citrate (Joule). The product must not contain basic slag, Thomas phosphate, Thomas slag, calcined phosphate, soft ground rock phosphate or partially solubilised rock phosphate, and</p>	<p><b>EEC Other fertiliser</b></p> <hr/> <p>1% declaration by weight, 10% of:- or less need not be made</p>		

\* As determined by the Petermann method.

\* This is only an indication of how the material should be named and accordingly this form of words should not be used in the statutory statement.



**Status:** This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

<i>Group</i>	<i>Name of Material</i>	<i>Meaning</i>	<i>Declarations</i>	<i>Limits of variation (absolute value in percentage by weight, except where otherwise specified)</i>		
1	2	3	4	5	6	
		not less than 90% of the aluminium-calcium phosphate should be able to pass through a sieve with a mesh of 0.160 mm.	1. nitric nitrogen 2. ammonical nitrogen 3. ureic nitrogen 4. cyanamide nitrogen	<i>Phosphorus Pentoxide</i> ( $P_2O_5$ )	$P_2O_5$ 1.1	$P_2O_5$ 0.5
			Amount of phosphorus pentoxide soluble in mineral acids			
			Amount of phosphorus pentoxide soluble in water		As set out in paragraph 7(a) of this Schedule	
					N 1.5	
			Amount of phosphorus pentoxide soluble in mineral acids (after deduction of			$+P_2O_5$ 1.5

\* As determined by the Petermann method.

\* This is only an indication of how the material should be named and accordingly this form of words should not be used in the statutory statement.

**Status:** This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

<i>Group</i>	<i>Name of Material</i>	<i>Meaning</i>	<i>Declarations</i>	<i>Limits of variation (absolute value in percentage by weight, except where otherwise specified)</i>	
1	2	3	4	5	6
			the amount of phosphorus pentoxide soluble in water)		
			Amount of phosphorus pentoxide soluble in alkaline ammonium citrate		
	NP fertiliser containing soft ground rock phosphate	Product obtained chemically or by blending, without addition of organic nutrients of animal or vegetable origin, containing by weight:	<i>Nitrogen (N)</i>	N 1.1	N 0.5
	NP fertiliser containing partially solubilised rock phosphate	1. Not less than 3% nitrogen (N); 2. Not less than 5% phosphorus pentoxide (P <sub>2</sub> O <sub>5</sub> ) of which at least 2% should be soluble only in mineral acids, at least 5% soluble in neutral ammonium citrate and	<i>EEC Other fertiliser</i> <i>EEC fertiliser</i>	As set out in paragraph 7 of this Schedule	
			Amount of total nitrogen	Amount of total nitrogen	
			Amount where equal to or greater than	Amount of ureic nitrogen save that a declaration of 10% or less need not be made	

\* As determined by the Petermann method.

\* This is only an indication of how the material should be named and accordingly this form of words should not be used in the statutory statement.

**Status:** This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

<i>Group</i>	<i>Name of Material</i>	<i>Meaning</i>	<i>Declarations</i>	<i>Limits of variation (absolute value in percentage by weight, except where otherwise specified)</i>	
1	2	3	4	5	6
		<p>in water and at least 2.5% soluble in water.</p> <p>The sum of the two nutrients must be not less than 18% by weight. Neither product must contain basic slag, Thomas phosphate, Thomas slag, calcined phosphate or aluminium-calcium phosphate. Not less than 90% of the soft ground rock phosphate should be able to pass through a sieve with a mesh of 0.063 mm, and not less than 90% of the partially solubilised rock phosphate should be able to pass through a sieve with a mesh of 0.160 mm.</p>			

\* As determined by the Petermann method.

\* This is only an indication of how the material should be named and accordingly this form of words should not be used in the statutory statement.



**Status:** This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

<i>Group</i>	<i>Name of Material</i>	<i>Meaning</i>	<i>Declarations</i>	<i>Limits of variation (absolute value in percentage by weight, except where otherwise specified)</i>	
1	2	3	4	5	6
	NP fertiliser (Phosphate ingredient: aluminium-calcium phosphate only)	Product obtained chemically or by blending, without addition of organic nutrients of animal or vegetable origin, containing by weight:– 1. Not less than 3% nitrogen (N); 2. Not less than 5% phosphorus pentoxide (P <sub>2</sub> O <sub>5</sub> ). The sum of the two nutrients must be not less than 18% by weight. At least 75% of the declared phosphorus pentoxide soluble in mineral acids must be soluble in alkaline ammonium citrate (Joule). The product must not contain any phosphate	<i>Nitrogen (N)</i> <hr/> <i>EEC Other fertiliser</i> <i>than EEC fertiliser</i> <hr/> Amount of total nitrogen Amount of total nitrogen where of equal ureic to or nitrogen greater save than that a declaration of 10% weight, or less need not be made	N 1.1	N 0.5
				As set out in paragraph 7 of this Schedule	

\* As determined by the Petermann method.

\* This is only an indication of how the material should be named and accordingly this form of words should not be used in the statutory statement.

**Status:** This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

<i>Group</i>	<i>Name of Material</i>	<i>Meaning</i>	<i>Declarations</i>	<i>Limits of variation (absolute value in percnetage by weight, except where otherwise specified)</i>		
1	2	3	4	5	6	
		material other than aluminium-calcium phosphate and not less than 90% of the aluminium-calcium phosphate should be able to pass through a sieve with a mesh of 0.160 mm.	1. nitric nitrogen 2. ammonical nitrogen 3. ureic nitrogen 4. cyanamide nitrogen	Phosphorus Pentoxide (P <sub>2</sub> O <sub>5</sub> )	P <sub>2</sub> O <sub>5</sub> 1.1  P <sub>2</sub> O <sub>5</sub> 0.5  Amount of phosphorus pentoxide soluble in mineral acids  Amount of phosphorus pentoxide soluble in alkaline ammonium citrate	As set out in paragraph 7(a) of this schedule  N 1.5  +P <sub>2</sub> O <sub>5</sub> 1.5

\* As determined by the Petermann method.

\* This is only an indication of how the material should be named and accordingly this form of words should not be used in the statutory statement.

**Status:** This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

<i>Group</i>	<i>Name of Material</i>	<i>Meaning</i>	<i>Declarations</i>	<i>Limits of variation (absolute value in percentage by weight, except where otherwise specified)</i>	
1	2	3	4	5	6
	NP fertiliser (Phosphate ingredient: calcined phosphate only)	Product obtained chemically or by blending, without addition of organic nutrients of animal or vegetable origin, containing by weight:– 1. Not less than 3% nitrogen (N); 2. Not less than 5% phosphorus pentoxide (P <sub>2</sub> O <sub>5</sub> ). The sum of the two nutrients must be not less than 18% by weight. The product must not contain any phosphate material other than calcined phosphate. Not less than 75% of the calcined phosphate should be able to pass through a sieve with a	<i>Nitrogen (N)</i> <hr/> <i>EEC Other fertiliser</i> <hr/> <i>EEC fertiliser</i> <hr/> Amount of total nitrogen Amount of total ureic nitrogen Amount of ureic nitrogen where of save that a declaration of 10% or less need not be made	N 1.1	N 0.5
				As set out in paragraph 7 of this Schedule	

\* As determined by the Petermann method.

\* This is only an indication of how the material should be named and accordingly this form of words should not be used in the statutory statement.

**Status:** This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

<i>Group</i>	<i>Name of Material</i>	<i>Meaning</i>	<i>Declarations</i>	<i>Limits of variation (absolute value in percentage by weight, except where otherwise specified)</i>	
1	2	3	4	5	6
		mesh of 0.160 mm.			
			1. nitric nitrogen 2. ammonical nitrogen 3. ureic nitrogen 4. cyanamide nitrogen		
			<i>Phosphorus Pentoxide (P<sub>2</sub>O<sub>5</sub>)</i>	P <sub>2</sub> O <sub>5</sub> 1.1 N 1.5	P <sub>2</sub> O <sub>5</sub> 0.5
			Amount of phosphorus pentoxide soluble in alkaline ammonium citrate*	+P <sub>2</sub> O <sub>5</sub> 1.5	
	NP fertiliser (Phosphate ingredient: soft ground rock phosphate only)	Product obtained chemically or by blending, without addition of organic nutrients of animal or vegetable origin, containing by weight:- 1. Not less than 3% nitrogen (N); 2. Not less than 5% phosphorus	<i>Nitrogen (N)</i> <hr/> <i>EEC Other fertiliser</i> <i>EEC fertiliser</i> <hr/> Amount of total nitrogen Amount of total nitrogen where of equal ureic to or nitrogen greater save that a declaration of 10%	N 1.1	N 0.5

\* As determined by the Petermann method.

\* This is only an indication of how the material should be named and accordingly this form of words should not be used in the statutory statement.



**Status:** This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

<i>Group</i>	<i>Name of Material</i>	<i>Meaning</i>	<i>Declarations</i>	<i>Limits of variation (absolute value in percnetage by weight, except where otherwise specified)</i>
1	2	3	4	5 6
		<p>pentoxide (P<sub>2</sub>O<sub>5</sub>).</p> <p>The sum of the two nutrients must be not less than 18% by weight. At least 55% of the declared phosphorus pentoxide soluble in mineral acids must be soluble in 2% formic acid. The product must not contain anyh phosphate material other than soft ground rock phosphate. Not less than 90% of the soft ground rock phosphate should be able to pass through a sieve with a mesh of 0.063 mm.</p>	<p><b>EEC Other fertiliser</b></p> <hr/> <p><b>EEC fertiliser</b></p> <hr/> <p>weight, or of:— less need not be made</p> <hr/> <p>1. nitric nitrogen</p> <p>2. ammonical nitrogen</p> <p>3. ureic nitrogen</p>	

\* As determined by the Petermann method.

\* This is only an indication of how the material should be named and accordingly this form of words should not be used in the statutory statement.

**Status:** This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

<i>Group</i>	<i>Name of Material</i>	<i>Meaning</i>	<i>Declarations</i>	<i>Limits of variation (absolute value in percentage by weight, except where otherwise specified)</i>	
1	2	3	4	5	6
			4. cyanamide nitrogen		
			<i>Phosphorus Pentoxide (P<sub>2</sub>O<sub>5</sub>)</i>	P <sub>2</sub> O <sub>5</sub> 1.1	P <sub>2</sub> O <sub>5</sub> 0.5
			Amount of phosphorus pentoxide soluble in mineral acids		
			Amount of phosphorus pentoxide soluble in 2% formic acid	As set out in paragraph 7(a) of this schedule	
				N 1.5	
				+P <sub>2</sub> O <sub>5</sub> 1.5	
	NP fertiliser (Phosphate ingredient basic slag only)	Product obtained chemically or by blending, without addition	<i>Nitrogen (N)</i>	N 1.1	N 0.5
	NP fertiliser (Phosphorus ingredient: Thomas phosphate only)	of organic nutrients of animal or vegetable origin, containing by weight:-	<b><i>EEC Other fertiliser</i></b>	As set out in paragraph 7 of this Schedule	
	NP fertiliser (Phosphate ingredient; Thomas slag only)	1. Not less than 3% nitrogen (N);	<b><i>EEC fertiliser</i></b>	Amount of total nitrogen	
		2. Not less than 5% phosphorus pentoxide (P <sub>2</sub> O <sub>5</sub> ).	Amount of ureic to or greater than 1% by weight, of:-	Amount of nitrogen save that a declaration of 10% or less need not	

\* As determined by the Petermann method.

\* This is only an indication of how the material should be named and accordingly this form of words should not be used in the statutory statement.





**Status:** This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

<i>Group</i>	<i>Name of Material</i>	<i>Meaning</i>	<i>Declarations</i>	<i>Limits of variation (absolute value in percentage by weight, except where otherwise specified)</i>	
1	2	3	4	5	6
			<p><i>Potassium Oxide (K<sub>2</sub>O)</i></p> <p>Amount of potassium oxide soluble in water</p> <p><i>Optional declarations</i></p> <p>Amount of chlorine</p> <p>Where the chlorine content is not greater than 2% the statement “low in chlorine” may be made</p>	<p>K<sub>2</sub>O 1.1</p> <p>N 1.5</p> <p>+K<sub>2</sub>O 1.5</p> <p>Cl 0.2</p>	<p>K<sub>2</sub>O 0.5</p>
4	PK fertiliser	<p>Product obtained chemically or by blending, without addition of organic nutrient of animal or vegetable origin, containing by weight:–</p> <p>1. Not less than 5% phosphorus pentoxide (P<sub>2</sub>O<sub>5</sub>)</p> <p>2. Not less than 5%</p>	<p><i>Phosphorus Pentoxide (P<sub>2</sub>O<sub>5</sub>)</i></p> <p>Where phosphorus pentoxide soluble in water is less than 2%, amount of:–</p> <p>1. Phosphorus pentoxide soluble in neutral ammonium citrate</p> <p>Where phosphorus pentoxide soluble in</p>	<p>P<sub>2</sub>O<sub>5</sub> 1.1</p>	<p>P<sub>2</sub>O<sub>5</sub> 0.5</p>

\* As determined by the Petermann method.

\* This is only an indication of how the material should be named and accordingly this form of words should not be used in the statutory statement.

**Status:** This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

<i>Group</i>	<i>Name of Material</i>	<i>Meaning</i>	<i>Declarations</i>	<i>Limits of variation (absolute value in percentage by weight, except where otherwise specified)</i>	
1	2	3	4	5	6
		<p>potassium oxide (K<sub>2</sub>O)</p> <p>The sum of the two nutrients must be not less than 18% by weight. The product must not contain basic slag, Thomas phosphate, Thomas slag, calcined phosphate, aluminium-calcium phosphate, soft ground rock phosphate, or partially solubilised rock phosphate.</p> <p>The P<sub>2</sub>O<sub>5</sub> content soluble only in mineral acids must not exceed 2%.</p>	<p>water is equal to or greater than 2%, amount of:–</p> <p>1. Phosphorus pentoxide soluble in neutral ammonium citrate and in water</p> <p>2. Phosphorus pentoxide soluble in water</p>	<p>K<sub>2</sub>O 1.1</p> <p>P<sub>2</sub>O<sub>5</sub> 1.5</p> <p>+K<sub>2</sub>O 1.5</p>	<p>K<sub>2</sub>O 0.5</p>

\* As determined by the Petermann method.

\* This is only an indication of how the material should be named and accordingly this form of words should not be used in the statutory statement.



**Status:** This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

<i>Group</i>	<i>Name of Material</i>	<i>Meaning</i>	<i>Declarations</i>	<i>Limits of variation (absolute value in percnetage by weight, except where otherwise specified)</i>	
1	2	3	4	5	6
		<p>2. Not less than 5% potassium oxide (K<sub>2</sub>O)</p> <p>The sum of the two nutrients must be not less than 18% by weight. At least 75% of the declared phosphorus pentoxide soluble in mineral acids must be soluble in alkaline ammonium citrate (Joule). The product must not contain basic slag, Thomas phosphate, Thomas slag, calcined phosphate, soft ground rock phosphate, or partially solubilised rock phosphate, and not less than 90% of the aluminium-calcium phosphate should be able to pass through a</p>	<p>soluble in water)</p> <p>Amount of phosphorus pentoxide soluble in alkaline ammonium citrate</p>		

\* As determined by the Petermann method.

\* This is only an indication of how the material should be named and accordingly this form of words should not be used in the statutory statement.



**Status:** This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

<i>Group</i>	<i>Name of Material</i>	<i>Meaning</i>	<i>Declarations</i>	<i>Limits of variation (absolute value in percentage by weight, except where otherwise specified)</i>	
1	2	3	4	5	6
		sieve with a mesh of 0.160 mm.			
			<i>Potassium Oxide(K<sub>2</sub>O)</i>	K <sub>2</sub> O 1.1	K <sub>2</sub> O 0.5
			Amount of potassium oxide soluble in water	P <sub>2</sub> O <sub>5</sub> 1.5 +K <sub>2</sub> O 1.5	
			<i>Optional declarations</i>	Cl 0.2	
			Amount of chlorine		
			Where the chlorine content is not greater than 2% the statement “low in chlorine” may be made		
	PK fertiliser containing soft ground rock phosphate	Product obtained chemically or by blending, without addition of organic nutrient of animal or vegetable origin, containing by weight:– 1. Not less than 5% phosphorus pentoxide (P <sub>2</sub> O <sub>5</sub> )	<i>Phosphorus Pentoxide (P<sub>2</sub>O<sub>5</sub>)</i> Amount of phosphorus pentoxide soluble in mineral acids Amount of phosphorus pentoxide soluble in water Amount of phosphorus pentoxide of	P <sub>2</sub> O <sub>5</sub> 1.1 As set out in paragraph 7(a) of this Schedule	P <sub>2</sub> O <sub>5</sub> 0.5

\* As determined by the Petermann method.

\* This is only an indication of how the material should be named and accordingly this form of words should not be used in the statutory statement.

**Status:** This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

<i>Group</i>	<i>Name of Material</i>	<i>Meaning</i>	<i>Declarations</i>	<i>Limits of variation (absolute value in percnetage by weight, except where otherwise specified)</i>	
1	2	3	4	5	6
		which at least 2% should be soluble only in mineral acids, at least 5% soluble in neutral ammonium citrate and in water and at least 2.5% soluble in water.	soluble in neutral ammonium citrate and in water Amount of phosphorus pentoxide soluble only in mineral acids		
		2. Not less than 5% potassium oxide (K <sub>2</sub> O)			
	PK fertiliser containing partially sulubilised rock phosphate	The sum of the two nutrients must be not less than 18% by weight. Neither product must contain basic slag, Thomas phosphate, Thomas slag, calcined phosphate or aluminium-calcium phosphate. Not less than 90% of the soft ground rock phosphate should be able to pass through a sieve with a	<i>Potassium Oxide(K<sub>2</sub>O)</i>  Amount of potassium oxide soluble in water	K <sub>2</sub> O 1.1 P <sub>2</sub> O <sub>5</sub> 1.5 +K <sub>2</sub> O 1.5	K <sub>2</sub> O 0.5

\* As determined by the Petermann method.

\* This is only an indication of how the material should be named and accordingly this form of words should not be used in the statutory statement.

**Status:** This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

<i>Group</i>	<i>Name of Material</i>	<i>Meaning</i>	<i>Declarations</i>	<i>Limits of variation (absolute value in percentage by weight, except where otherwise specified)</i>	
1	2	3	4	5	6
		mesh of 0.063 mm, and not less than 90% of the partially solubilised rock phosphate should be able to pass through a sieve with a mesh of 0.160 mm.			
			<i>Optional declarations</i>	Cl 0.2	
			Amount of chlorine		
			Where the chlorine content is not greater than 2% the statement "low in chlorine" may be made		
	PK fertiliser (Phosphate ingredient; aluminium-calcium phosphate only)	Product obtained chemically or by blending, without addition of organic nutrient of animal or vegetable origin, containing by weight:—	<i>Phosphorus Pentoxide (P<sub>2</sub>O<sub>5</sub>)</i>	P <sub>2</sub> O <sub>5</sub> 1.1	P <sub>2</sub> O <sub>5</sub> 0.5
			Amount of phosphorus pentoxide soluble in mineral acids	As set out in paragraph 7(a) of this Schedule	K <sub>2</sub> O 0.5
				K <sub>2</sub> O 1.1	
				P <sub>2</sub> O <sub>5</sub> 1.5	
			Amount of phosphorus pentoxide soluble in alkaline	+K <sub>2</sub> O 1.5	
		1. Not less than 5% phosphorus		Cl 0.2	

\* As determined by the Petermann method.

\* This is only an indication of how the material should be named and accordingly this form of words should not be used in the statutory statement.

**Status:** This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

<i>Group</i>	<i>Name of Material</i>	<i>Meaning</i>	<i>Declarations</i>	<i>Limits of variation (absolute value in percentage by weight, except where otherwise specified)</i>	
1	2	3	4	5	6
		pentoxide (P <sub>2</sub> O <sub>5</sub> )	ammonium citrate		
		2. Not less than 5% potassium oxide (K <sub>2</sub> O)	Potassium Oxide(K <sub>2</sub> O)		
		The sum of the two nutrients must be not less than 18% by weight. At least 75% of the declared phosphorus pentoxide soluble in mineral acids must be soluble in alkaline ammonium citrate (Joule). The product must not contain any phosphate material other than aluminium-calcium phosphate and not less than 90% of the aluminium-calcium phosphate should be able to pass through a sieve with a mesh of 0.160 mm.	Amount of potassium oxide soluble in water  <i>Optional declarations</i>  Amount of chlorine  Where the chlorine content is not greater than 2% the statement “low in chlorine” may be made		

\* As determined by the Petermann method.

\* This is only an indication of how the material should be named and accordingly this form of words should not be used in the statutory statement.

**Status:** This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

<i>Group</i>	<i>Name of Material</i>	<i>Meaning</i>	<i>Declarations</i>	<i>Limits of variation (absolute value in percentage by weight, except where otherwise specified)</i>	
1	2	3	4	5	6
	PK fertiliser (Phosphate ingredient; calcined phosphate only)	Product obtained chemically or by blending, without addition of organic nutrient of animal or vegetable origin, containing by weight:– 1. Not less than 5% phosphorus pentoxide (P <sub>2</sub> O <sub>5</sub> ) 2. Not less than 5% potassium oxide (K <sub>2</sub> O)  The sum of the two nutrients must be not less than 18% by weight. The product must not contain any phosphate material other than calcined phosphate. Not less than 75% of the calcined phosphate should be able to pass through a sieve with a	<i>Phosphorus Pentoxide (P<sub>2</sub>O<sub>5</sub>)</i>  Amount of phosphorus pentoxide soluble in alkaline ammonium citrate*  <i>Potassium Oxide(K<sub>2</sub>O)</i>  Amount of potassium oxide soluble in water  <i>Optional declarations</i>  Amount of chlorine  Where the chlorine content is not greater than 2% the statement “low in chlorine” may be made	P <sub>2</sub> O <sub>5</sub> 1.1  K <sub>2</sub> O 1.1  P <sub>2</sub> O <sub>5</sub> 1.5  +K <sub>2</sub> O 1.5  Cl 0.2	P <sub>2</sub> O <sub>5</sub> 0.5  K <sub>2</sub> O 0.5

\* As determined by the Petermann method.

\* This is only an indication of how the material should be named and accordingly this form of words should not be used in the statutory statement.

*Status: This is the original version (as it was originally made). This item of legislation is currently only available in its original format.*

<i>Group</i>	<i>Name of Material</i>	<i>Meaning</i>	<i>Declarations</i>	<i>Limits of variation (absolute value in percentage by weight, except where otherwise specified)</i>	
1	2	3	4	5	6
		mesh or 0.160 mm.			
	PK fertiliser (Phosphate ingredient: soft ground rock phosphate only)	Product obtained chemically or by blending, without addition of organic nutrient of animal or vegetable origin, containing by weight:— 1. Not less than 5% phosphorus pentoxide (P <sub>2</sub> O <sub>5</sub> )  2. Not less than 5% potassium oxide (K <sub>2</sub> O)  The sum of the two nutrients must be not less than 18% by weight. At least 55% of the declared phosphorus pentoxide soluble in mineral acids must be soluble in 2% formic acid. The product must not contain	<i>Phosphorus Pentoxide (P<sub>2</sub>O<sub>5</sub>)</i>  Amount of phosphorus pentoxide soluble in mineral acids  Amount of phosphorus pentoxide soluble in 2% formic acid  <i>Potassium Oxide(K<sub>2</sub>O)</i>  Amount of potassium oxide soluble in water  <i>Optional declarations</i>  Amount of chlorine  Where the chlorine content is not greater than 2% the statement “low in chlorine” may be made	P <sub>2</sub> O <sub>5</sub> 1.1  As set out in paragraph 7(a) of this Schedule  K <sub>2</sub> O 1.1  P <sub>2</sub> O <sub>5</sub> 1.5  +K <sub>2</sub> O 1.5  Cl 0.2	P <sub>2</sub> O <sub>5</sub> 0.5  K <sub>2</sub> O 0.5

\* As determined by the Petermann method.

\* This is only an indication of how the material should be named and accordingly this form of words should not be used in the statutory statement.

**Status:** This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

<i>Group</i>	<i>Name of Material</i>	<i>Meaning</i>	<i>Declarations</i>	<i>Limits of variation (absolute value in percentage by weight, except where otherwise specified)</i>	
1	2	3	4	5	6
		any phosphate material other than soft ground rock phosphate. Not less than 90% of the soft ground rock phosphate should be able to pass through a sieve with a mesh of 0.063 mm.			
	PK fertiliser (Phosphate ingredient: basic slag only)	Product obtained chemically or by blending, without addition of organic nutrient of animal or vegetable origin, containing by weight:–	<i>Phosphorus Pentoxide (P<sub>2</sub>O<sub>5</sub>)</i>	P <sub>2</sub> O <sub>5</sub> 1.1 K <sub>2</sub> O 1.1	P <sub>2</sub> O <sub>5</sub> 0.5 K <sub>2</sub> O 0.5
	PK fertiliser (Phosphate ingredient: Thomas phosphate only)	1. Not less than 5% phosphorus pentoxide (P <sub>2</sub> O <sub>5</sub> )	Amount of phosphorus pentoxide soluble in 2% citric acid	P <sub>2</sub> O <sub>5</sub> 1.5 +K <sub>2</sub> O 1.5 Cl 0.2	
	PK fertiliser (Phosphate ingredient: Thomas slag only)	2. Not less than 5% potassium oxide (K <sub>2</sub> O)	<i>Potassium Oxide(K<sub>2</sub>O)</i>		
		The sum of the two nutrients must be not less	Amount of potassium oxide soluble in water		
			<i>Optional declarations</i>		
			Amount of chlorine		
			Where the chlorine content is		

\* As determined by the Petermann method.

\* This is only an indication of how the material should be named and accordingly this form of words should not be used in the statutory statement.

**Status:** This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

<i>Group</i>	<i>Name of Material</i>	<i>Meaning</i>	<i>Declarations</i>	<i>Limits of variation (absolute value in percentage by weight, except where otherwise specified)</i>	
1	2	3	4	5	6
		than 18% by weight. The product must not contain any phosphate material other than basic slag, Thomas phosphate or Thomas slag. Not less than 75% of the basic slag, Thomas phosphate or Thomas slag should be able to pass through a sieve with a mesh of 0.160 mm.	not greater than 2% the statement "low in chlorine" may be made		
5	Compound fertiliser	Product not otherwise specified in this Section of this table, obtained by mixing or blending materials to provide either two or three of the major nutrients nitrogen (N), phosphorus pentoxide (P <sub>2</sub> O <sub>5</sub> ) and potassium oxide (K <sub>2</sub> O). Excluded are any materials sold or offered	<i>Nitrogen(N)</i> Amount of nitrogen Amount of ureic nitrogen save that a declaration of 10% or less need not be made	N. 0.5 (for declarations below 3.5% N) 1.1 (for declarations 3.5% N and above) As set out in paragraph 7(b) of this Schedule	P <sub>2</sub> O <sub>5</sub> (for declarations below 5.5% P <sub>2</sub> P <sub>5</sub> ) 1.1 (for declarations

\* As determined by the Petermann method.

\* This is only an indication of how the material should be named and accordingly this form of words should not be used in the statutory statement.



**Status:** This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

<i>Group</i>	<i>Name of Material</i>	<i>Meaning</i>	<i>Declarations</i>	<i>Limits of variation (absolute value in percentage by weight, except where otherwise specified)</i>	
1	2	3	4	5	6
		for sale for improving soil structure or as growing media, which contain less than 1% each of these nutrients.	Amount of phosphorus pentoxide soluble in water	5,5% P <sub>2</sub> O <sub>5</sub> and above)	As set out in paragraph 7(a) of this Schedule
		At least one of the nutrients must be derived from a material mentioned in the second column of Section A of this table.			
6	Compound fertilisers not containing any material mentioned in the second column of Section A of this table*	Products not otherwise specified in this Section of this table, including those products obtained by mixing or blending materials to provide either two or three of the major nutrients nitrogen (N), phosphorus pentoxide (P <sub>2</sub> O <sub>5</sub> ) and potassium oxide (K <sub>2</sub> O). Excluded are any materials sold or offered	<i>Potassium Oxide (K<sub>2</sub>O)</i>  Amount of total potassium oxide	K <sub>2</sub> (for declarations below 5.5% K <sub>2</sub> O)  1.1 (for declarations 5.5% K <sub>2</sub> O and above)  N +P <sub>2</sub> O <sub>5</sub> 1.5 for products containing two nutrients only  N+K <sub>2</sub> O 1.5 for products containing two nutrients only  P <sub>2</sub> O <sub>5</sub> +K <sub>2</sub> O 1.5 for products	

\* As determined by the Petermann method.

\* This is only an indication of how the material should be named and accordingly this form of words should not be used in the statutory statement.

**Status:** This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

<i>Group</i>	<i>Name of Material</i>	<i>Meaning</i>	<i>Declarations</i>	<i>Limits of variation (absolute value in percentage by weight, except where otherwise specified)</i>	
1	2	3	4	5	6
		for sale for improving soil structure or as growing media, which contain less than 1% each of these nutrients. None of the nutrients must be derived from a material mentioned in the second column of Section A of this table.		containing two nutrients only N 1.9 +P <sub>2</sub> O <sub>5</sub> 1.9 +K <sub>2</sub> O 1.9	

\* As determined by the Petermann method.

\* This is only an indication of how the material should be named and accordingly this form of words should not be used in the statutory statement.

### SECTION C:

#### FLUID FERTILISERS

<i>Group</i>	<i>Name of Material</i>	<i>Meaning</i>	<i>Declaration</i>	<i>Limits of variation (absolute value in % by weight, except where stated)</i>	
1	2	3	4	5	
1(a)	Nitrogen fertiliser solution	Product obtained chemically and by dissolution in water, in a form stable at atmospheric pressure, without addition of organic nutrients of	Amount of total nitrogen  Amount, where equal to or greater than 1% by weight, of: 1. nitric nitrogen 2. ammoniacal nitrogen	0.6	

\* This is only an indication of how the material should be named and accordingly this form of words should not be used in the statutory statement.

**Status:** This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

<i>Group</i>	<i>Name of Material</i>	<i>Meaning</i>	<i>Declaration</i>	<i>Limits of variation (absolute value in % by weight, except where stated)</i>
1	2	3	4	5
		animal or vegetable origin, containing by weight not less than 15% nitrogen (N). Nitrogen to be expressed as total nitrogen or, if there is only one form, nitric nitrogen or ammoniacal nitrogen or ureic nitrogen. The maximum biuret content to be ureic N × 0.026	3. ureic nitrogen  <i>Optional declarations</i>  Where the biuret content is less than 0.2%, the statement “low in biuret” may be made	
	Ammonium nitrate-urea fertiliser solution	Product obtained chemically and by dissolution in water, with ammonium nitrate and urea as essential ingredients, containing by weight not less than 26% nitrogen (N). Nitrogen expressed as total nitrogen, where the ureic nitrogen accounts for about half of the nitrogen present. The maximum	Amount of total nitrogen  Amount of nitric nitrogen  Amount of ammoniacal nitrogen  Amount of ureic nitrogen  <i>Optional declarations</i>  Where the biuret content is less than 0.2% the statement “low in biuret” may be made	0.6

\* This is only an indication of how the material should be named and accordingly this form of words should not be used in the statutory statement.



**Status:** This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

<i>Group</i>	<i>Name of Material</i>	<i>Meaning</i>	<i>Declaration</i>	<i>Limits of variation (absolute value in % by weight, except where stated)</i>
1	2	3	4	5
		listed in Groups 1(a), 1(b) and 1(c) of Section C of this table.		1.1 (for declarations exceeding 15% N)
	In addition the source materials shall be indicated in parentheses in descending order of nutrient contribution			
			Amount of ureic nitrogen save that a declaration of 10% or less need not be made	As set out in paragraph 7(b) of this schedule
1(e)	Straight Phosphatic fluid fertilisers named in accordance with regulation 4(3)*	Straight Phosphatic fluid fertiliser.	Amount of total phosphorus pentoxide	0.9
1(f)	Phosphatic fluid fertiliser	Product obtained by mixing or blending two or more of the fertilisers at Group 1(e).	Amount of total phosphorus pentoxide	0.5 (for declarations up to and including 10% P <sub>2</sub> O <sub>5</sub> ) 0.8 (for declarations exceeding 10% P <sub>2</sub> O <sub>5</sub> and up to and including 15% P <sub>2</sub> O <sub>5</sub> ) 1.1 (for declarations exceeding 15% P <sub>2</sub> O <sub>5</sub> )
	In addition the source materials shall be indicated in parentheses in descending			

\* This is only an indication of how the material should be named and accordingly this form of words should not be used in the statutory statement.

**Status:** This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

<i>Group</i>	<i>Name of Material</i>	<i>Meaning</i>	<i>Declaration</i>	<i>Limits of variation (absolute value in % by weight, except where stated)</i>	
1	2	3	4	5	
	order of nutrient contribution				
			Amount of phosphorus pentoxide soluble in 2% formic acid	0.8	
1(g)	Straight potassic fluid fertilisers named in accordance with Regulation 4(3)*	Straight potassic fluid fertiliser.	Amount of total potassium oxide	1.0	
1(h)	Potassic fluid fertiliser  In addition the source materials shall be indicated in parentheses in descending order of nutrient contribution	Product obtained by mixing or blending two or more of the fertilisers at Group 1(g).	Amount of total potassium oxide	0.5 (for declarations up to and including 10% K <sub>2</sub> O)  0.8 (for declarations up to and including 10% K <sub>2</sub> O)  1.1 (for declarations exceeding 15% K <sub>2</sub> O)	
2	NPK fertiliser solution	Product obtained chemically and by dissolution in water, in a form stable at atmospheric pressure, without addition of organic nutrients of animal or vegetable origin,	<i>Nitrogen (N)</i>  <i>EEC fertiliser</i>  Amount of total nitrogen  Amount, where equal to or greater than 1% by weight, of:—  1. nitric nitrogen	N 1.1  As set out in paragraph 7 of this Schedule  P <sub>2</sub> O <sub>5</sub> 1.1  K <sub>2</sub> O 1.1  N + P <sub>2</sub> O <sub>5</sub> + K <sub>2</sub> O 1.9  Cl 0.2	N 0.5  P <sub>2</sub> O <sub>5</sub> 0.5  K <sub>2</sub> O 0.5
* This is only an indication of how the material should be named and accordingly this form of words should not be used in the statutory statement.					

**Status:** This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

<i>Group</i>	<i>Name of Material</i>	<i>Meaning</i>	<i>Declaration</i>	<i>Limits of variation (absolute value in % by weight, except where stated)</i>
1	2	3	4	5
		containing by weight:	2. ammoniacal nitrogen	
		1. Not less than 2% nitrogen (N)	3. ureic nitrogen	
		2. Not less than 3% phosphorus pentoxide (P <sub>2</sub> O <sub>5</sub> )	<i>Other than EEC fertiliser</i> Amount of total nitrogen	
		3. Not less than 3% potassium oxide (K <sub>2</sub> O). The sum of the three nutrients must be not less than 15% by weight. Maximum biuret content: Ureic N × 0.026.	Amount of ureic nitrogen save that a declaration of 10% or less need not be made <i>Phosphorus Pentoxide (P<sub>2</sub>O<sub>5</sub>)</i> Amount of phosphorus pentoxide soluble in water <i>Potassium Oxide (P<sub>2</sub>O)</i> Amount of potassium oxide soluble in water <i>Optional declarations</i> Where the biuret content is less than 0.2% the	

\* This is only an indication of how the material should be named and accordingly this form of words should not be used in the statutory statement.

**Status:** This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

<i>Group</i>	<i>Name of Material</i>	<i>Meaning</i>	<i>Declaration</i>	<i>Limits of variation (absolute value in % by weight, except where stated)</i>	
1	2	3	4	5	
			statement “low in biuret” may be made. Amount of chlorine. Where the chlorine content is not greater than 2% the statement “low in chlorine” may be made		
	NPK fertiliser suspension	Product in fluid form, in which the nutrients are derived from substances both in suspension in water and in solution without addition of organic nutrients of animal or vegetable origin, containing by weight:	<i>Nitrogen (N)</i>	N 1.1	N 0.5
		1. not less than 3%	<i>EEC fertiliser</i>	As set out in paragraph 7 of this Schedule	P <sub>2</sub> O <sub>5</sub> 0.5 K <sub>2</sub> O 0.5
		2. not less than 4%	Amount of total nitrogen	P <sub>2</sub> O <sub>5</sub> 1.1	
		3. Not less than 4%	Amount, where equal to or greater than 1% by weight, of:—	As set out in paragraph 7(a) of this Schedule	
		1. nitric nitrogen	1. nitric nitrogen	K <sub>2</sub> O 1.1	
		2. ammoniacal nitrogen	2. ammoniacal nitrogen	N 1.9	
		3. ureic nitrogen	3. ureic nitrogen	+P <sub>2</sub> O <sub>5</sub> 1.9	
		phosphorus pentoxide (P <sub>2</sub> O <sub>5</sub> )	<i>Other than EEC fertiliser</i>	+K <sub>2</sub> O 1.9	Cl 0.2
		potassium oxide (K <sub>2</sub> O).	Amount of total nitrogen		
			Amount of ureic nitrogen save that a declaration of 10% or less		

\* This is only an indication of how the material should be named and accordingly this form of words should not be used in the statutory statement.



**Status:** This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

<i>Group</i>	<i>Name of Material</i>	<i>Meaning</i>	<i>Declaration</i>	<i>Limits of variation (absolute value in % by weight, except where stated)</i>
1	2	3	4	5
		<p>The sum of the three nutrients must not be less than 20% by weight.</p> <p>Maximum biuret content: ureic N × 0.026.</p> <p>The fertiliser must not contain Thomas slag, aluminium calcium phosphate, calcined phosphates, partially solubilised phosphates, or natural phosphates</p>	<p>need not be made</p> <p><i>Phosphorus Pentoxide (P<sub>2</sub>O<sub>5</sub>)</i></p> <p>Where phosphorus pentoxide soluble in water is less than 2%, amount of:—</p> <p>1. Phosphorus pentoxide soluble in neutral ammonium citrate</p> <p>Where phosphorus pentoxide soluble in water is equal to or greater than 2%, amount of:—</p> <p>1. Phosphorus pentoxide soluble in neutral ammonium citrate and in water</p> <p>2. Phosphorus pentoxide soluble in water</p>	
<p>* This is only an indication of how the material should be named and accordingly this form of words should not be used in the statutory statement.</p>				

**Status:** This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

<i>Group</i>	<i>Name of Material</i>	<i>Meaning</i>	<i>Declaration</i>	<i>Limits of variation (absolute value in % by weight, except where stated)</i>	
1	2	3	4	5	
			<i>Potassium Oxide (K<sub>2</sub>O)</i>		
			Amount of potassium oxide soluble in water		
			<i>Optional declarations</i>		
			Where the biuret content is less than 0.2% the statement “low in biuret” may be made		
			Amount of chlorine. Where the chlorine content is not greater than 2% the statement “low in chlorine” may be made		
	NP fertiliser solution	Product obtained chemically and by dissolution in water, in a form stable at atmospheric pressure, without addition of organic nutrients of animal or vegetable origin,	<i>Nitrogen (N)</i>	N 1.1	N 0.5
			<i>EEC fertiliser</i>	As set out in paragraph 7 of this Schedule	P <sub>2</sub> O <sub>5</sub> 0.5
			Amount of total nitrogen	P <sub>2</sub> O <sub>5</sub> 1.1	
			Amount, where equal to or greater than 1% by weight, of:—	N 1.5	
			1. nitric nitrogen	+P <sub>2</sub> O <sub>5</sub> 1.5	

\* This is only an indication of how the material should be named and accordingly this form of words should not be used in the statutory statement.

**Status:** This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

<i>Group</i>	<i>Name of Material</i>	<i>Meaning</i>	<i>Declaration</i>	<i>Limits of variation (absolute value in % by weight, except where stated)</i>	
1	2	3	4	5	
		containing by weight:	2. ammoniacal nitrogen		
		1. not less than 3% nitrogen(N)	3. ureic nitrogen		
		2. not less than 5% phosphorus pentoxide (P <sub>2</sub> O <sub>5</sub> ).	<i>Other than EEC fertiliser</i> Amount of total nitrogen		
		The sum of the two nutrients must not be less than 18% by weight.	Amount of ureic nitrogen save that a declaration of 10% or less need not be made		
		The maximum biuret content is ureic N × 0.026.	<i>Phosphorus Pentoxide (P<sub>2</sub>O<sub>5</sub>)</i>		
			Amount of phosphorus pentoxide soluble in water		
			<i>Optional declaration</i>		
			Where the biuret content is less than 0.2% the statement “low in biuret” may be made		
	NP fertiliser suspension	Product in fluid form, in which the nutrients are derived from	<i>Nitrogen (N)</i>	N 1.1	N 0.5
				As set out in paragraph 7 of this Schedule	

\* This is only an indication of how the material should be named and accordingly this form of words should not be used in the statutory statement.

**Status:** This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

<i>Group</i>	<i>Name of Material</i>	<i>Meaning</i>	<i>Declaration</i>	<i>Limits of variation (absolute value in % by weight, except where stated)</i>
1	2	3	4	5
		substances both in solution and in suspension in water, without addition of organic nutrients of animal or vegetable origin, containing by weight:	<i>EEC fertiliser</i> Amount of total nitrogen Amount, where equal to or greater than 1% by weight, of:— 1. nitric nitrogen 2. ammoniacal nitrogen 3. ureic nitrogen	As set out in paragraph 7 of this Schedule
		1. Not less than 3% nitrogen (N) 2. Not less than 5% phosphorus pentoxide (P <sub>2</sub> O <sub>5</sub> ). The sum of the two nutrients must not be less than 18% by weight.	<i>Other than EEC fertiliser</i> Amount of total nitrogen Amount of ureic nitrogen save that a declaration of 10% or less need not be made  <i>Phosphorus Pentoxide (P<sub>2</sub>O<sub>5</sub>)</i>  Where phosphorus pentoxide soluble in water is less than 2%, amount of:— 1. Phosphorus pentoxide	

\* This is only an indication of how the material should be named and accordingly this form of words should not be used in the statutory statement.

**Status:** This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

<i>Group</i>	<i>Name of Material</i>	<i>Meaning</i>	<i>Declaration</i>	<i>Limits of variation (absolute value in % by weight, except where stated)</i>	
1	2	3	4	5	
			soluble in neutral ammonium citrate		
		The maximum biuret content is ureic N × 0.026.	Where phosphorus pentoxide soluble in water is equal to or greater than 2%, amount of:		
		The fertiliser may not contain Thomas slag, aluminium calcium phosphate, calcined phosphates, partially solubilised phosphate or natural phosphates.	1. Phosphorus pentoxide (P <sub>2</sub> O <sub>5</sub> ) soluble in neutral ammonium citrate and in water 2. Phosphorus pentoxide soluble in water	P <sub>2</sub> O <sub>5</sub> 1.1 N 1.5 +P <sub>2</sub> O <sub>5</sub> 1.5	P <sub>2</sub> O <sub>5</sub> 0.5
			<i>Optional Declaration</i>		
			Where the biuret content is less than 0.2% the statement “low in biuret” may be made		
	NK fertiliser solution	Product obtained chemically and by dissolution in water, in a form stable at atmospheric pressure, without	<i>Nitrogen (N)</i>  <i>EEC fertiliser</i> Amount of total nitrogen Amount, where equal to	N 1.1  As set out in paragraph 7 of this Schedule K <sub>2</sub> O 1.1 N 1.5	N 0.5 K <sub>2</sub> O 0.5

\* This is only an indication of how the material should be named and accordingly this form of words should not be used in the statutory statement.

**Status:** This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

<i>Group</i>	<i>Name of Material</i>	<i>Meaning</i>	<i>Declaration</i>	<i>Limits of variation (absolute value in % by weight, except where stated)</i>
1	2	3	4	5
		addition of organic products of animal or vegetable origin, containing by weight:	or greater than 1% by weight, of:— 1. nitric nitrogen 2. ammoniacal nitrogen 3. ureic nitrogen	+K <sub>2</sub> O 1.5
		1. Not less than 3% nitrogen (N)		
		2. Not less than 5% potassium oxide (K <sub>2</sub> O)	<i>Other than EEC fertiliser</i> Amount of total nitrogen	
		The sum of the two nutrients must not be less than 15%	Amount of ureic nitrogen save that a declaration of 10% or less need not be made	
		The maximum biuret content shall be ureic N × 0.026.		
			<i>Potassium Oxide (K<sub>2</sub>O)</i> Amount of potassium oxide soluble in water	
			<i>Optional declarations</i>	Cl 0.2
			Amount of chlorine	
			Where the chlorine content is not greater than 2%, the statement “low	

\* This is only an indication of how the material should be named and accordingly this form of words should not be used in the statutory statement.

**Status:** This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

<i>Group</i>	<i>Name of Material</i>	<i>Meaning</i>	<i>Declaration</i>	<i>Limits of variation (absolute value in % by weight, except where stated)</i>	
1	2	3	4	5	
			in chlorine” may be made		
			Where the biuret content is less than 0.2%, the statement “low in biuret” may be made		
	NK fertiliser suspension	Product in fluid form, in which the nutrients are derived from substances both in solution and in suspension in the water, without addition of organic nutrients of animal or vegetable origin, containing by weight: 1. Not less than 3% nitrogen (N) 2. Not less than 5% potassium oxide (K <sub>2</sub> O).  The sum of the two nutrients must not be less than 18% by weight.  The maximum biuret content	<i>Nitrogen (N)</i>  <i>EEC fertiliser</i>  Amount of total nitrogen  Amount, where equal to or greater than 1% by weight, of:— 1. nitric nigrogen 2. ammoniacal nitrogen 3. ureic nitrogen  <i>Other than EEC fertiliser</i>  Amount of total nitrogen  Amount of ureic nitrogen save that a declaration of 10% or less need not be made	N 1.1	N 0.5
				As set out in paragraph 7 of this Schedule	

\* This is only an indication of how the material should be named and accordingly this form of words should not be used in the statutory statement.

**Status:** This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

<i>Group</i>	<i>Name of Material</i>	<i>Meaning</i>	<i>Declaration</i>	<i>Limits of variation (absolute value in % by weight, except where stated)</i>	
1	2	3	4	5	
		shall be uricic N × 0.026.			
			<i>Potassium Oxide (K<sub>2</sub>O)</i>	K <sub>2</sub> O 1.1	K <sub>2</sub> O 0.5
			Amount of potassium oxide soluble in water	N 1.5	
			<i>Optional declarations</i>	+K <sub>2</sub> O 1.5	
			Amount of chlorine	Cl 0.2	
			Where the chlorine content is not greater than 2%, the statement “low in chlorine” may be made		
			Where the biuret content is less than 0.2%, the statement “low in biuret” may be made		
	PK fertiliser solution	Product obtained chemically and by dissolution in water, without addition of organic nutrients of animal or vegetable origin, containing by weight:	<i>Phosphorus Pentoxide (P<sub>2</sub>O<sub>5</sub>)</i>	P <sub>2</sub> O <sub>5</sub> 1.1	P <sub>2</sub> O <sub>5</sub> 0.5
			Amount of phosphorus pentoxide soluble in water	K <sub>2</sub> O 1.1	K <sub>2</sub> O 0.5
				P <sub>2</sub> O <sub>5</sub> 1.5	
				+K <sub>2</sub> O 1.5	
				Cl 0.2	

\* This is only an indication of how the material should be named and accordingly this form of words should not be used in the statutory statement.



**Status:** This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

<i>Group</i>	<i>Name of Material</i>	<i>Meaning</i>	<i>Declaration</i>	<i>Limits of variation (absolute value in % by weight, except where stated)</i>
1	2	3	4	5
		1. Not less than 5% phosphorus pentoxide (P <sub>2</sub> O <sub>5</sub> )	<i>Potassium oxide (K<sub>2</sub>O)</i>  Amount of potassium oxide soluble in water	
		2. Not less than 5% potassium oxide (K <sub>2</sub> O)	<i>Optional declarations</i>	
		The sum of the two nutrients must not be less than 18% by weight.	Amount of chlorine  Where the chlorine content is not greater than 2% the statement "low in chlorine" may be made	
	PK fertiliser suspension	Product in fluid form, in which the nutrients are derived from substances both in solution and in suspension in water, without addition of organic nutrients of animal or vegetable origin containing by weight:	<i>Phosphorus Pentoxide (P<sub>2</sub>O<sub>5</sub>)</i>  Where phosphorus pentoxide soluble in water is less than 2%, amount of:	As set out in paragraph 7 of this Schedule  P <sub>2</sub> O <sub>5</sub> 0.5 K <sub>2</sub> O 0.5  P <sub>2</sub> O <sub>5</sub> 1.1 K <sub>2</sub> O 1.1 P <sub>2</sub> O <sub>5</sub> 1.5 +K <sub>2</sub> O 1.5  1. Phosphorus pentoxide soluble in neutral ammonium citrate Cl 0.2
		1. Not less than 5% phosphorus pentoxide (P <sub>2</sub> O <sub>5</sub> )	Where phosphorus pentoxide soluble in water is equal	

\* This is only an indication of how the material should be named and accordingly this form of words should not be used in the statutory statement.

**Status:** This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

<i>Group</i>	<i>Name of Material</i>	<i>Meaning</i>	<i>Declaration</i>	<i>Limits of variation (absolute value in % by weight, except where stated)</i>
1	2	3	4	5
		<p>2. Not less than 5% potassium oxide (K<sub>2</sub>O)</p> <p>The sum of the two nutrients must not be less than 18% by weight.</p> <p>The fertilisers must not contain Thomas slag, aluminium calcium phosphate, calcined phosphates, partially solubilised phosphates or natural phosphates.</p>	<p>to or greater than 2%, amount of:</p> <p>1. Phosphorus pentoxide soluble in neutral ammonium citrate and in water</p> <p>2. Phosphorus pentoxide soluble in water</p> <p><i>Potassium Oxide (K<sub>2</sub>O)</i></p> <p>Amount of water-soluble potassium oxide</p> <p><i>Optional declarations</i></p> <p>Amount of chlorine</p> <p>Where the chlorine content is not greater than 2% the statement “low in chlorine” may be made</p>	
3	Compound fluid fertiliser	Products not otherwise specified in this Section of this table, obtained by mixing or	<p><i>Nitrogen (N)</i></p> <p>Amount of total nitrogen</p> <p>Amount of ureic nitrogen</p>	<p>N 0.5 (for declarations below 3.5% N)</p> <p>N 1.1 (for declarations 3.5% N and above)</p>

\* This is only an indication of how the material should be named and accordingly this form of words should not be used in the statutory statement.

**Status:** This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

<i>Group</i>	<i>Name of Material</i>	<i>Meaning</i>	<i>Declaration</i>	<i>Limits of variation (absolute value in % by weight, except where stated)</i>
1	2	3	4	5
		blending materials to provide either two or three of the major nutrients nitrogen (N), phosphorus pentoxide (P <sub>2</sub> O <sub>5</sub> ) and potassium oxide (K <sub>2</sub> O). Excluded are any materials sold or offered for sale for improving soil structure or as growing media, which contain less than 1% of each of these nutrients. At least one of these nutrients must be derived from a material in the second column of Group 1 of Section C of this table.	save that a declaration of 10% or less need not be made  <i>Phosphorus Pentoxide (P<sub>2</sub>O<sub>5</sub>)</i>  Amount of total phosphorus pentoxide  Amount of phosphorus pentoxide soluble in water	As set out in paragraph 7(b) of this Schedule  P <sub>2</sub> O <sub>5</sub> 0.5 (for declarations below 5.5% P <sub>2</sub> O <sub>5</sub> )  P <sub>2</sub> O <sub>5</sub> 1.1 (for declarations 5.5% P <sub>2</sub> O <sub>5</sub> and above)  As set out in paragraph 7(a) of this Schedule
4	Compound fluid fertiliser not containing any material mentioned in the second column of Group 1 of Section C of this table*	Products not otherwise specified in this Section of this table, including those products obtained by mixing or blending materials to provide either	<i>Potassium Oxide (K<sub>2</sub>O)</i>  Amount of total potassium oxide	K <sub>2</sub> O 0.5 (for declarations below 5.5% K <sub>2</sub> O)  K <sub>2</sub> O 1.1 (for declarations 5.5% K <sub>2</sub> O and above)  N + P <sub>2</sub> O <sub>5</sub> 1.5 for products containing two nutrients only  N + K <sub>2</sub> O 1.5 for products containing two nutrients only

\* This is only an indication of how the material should be named and accordingly this form of words should not be used in the statutory statement.

**Status:** This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

<i>Group</i>	<i>Name of Material</i>	<i>Meaning</i>	<i>Declaration</i>	<i>Limits of variation (absolute value in % by weight, except where stated)</i>
1	2	3	4	5
		two or three of the major nutrients nitrogen (N), phosphorus pentoxide (P <sub>2</sub> O <sub>5</sub> ) and potassium oxide (K <sub>2</sub> O). Excluded are any materials sold or offered for sale for improving soil structure or as growing media, which contain less than 1% of these nutrients.		P <sub>2</sub> O <sub>5</sub> +K <sub>2</sub> O 1.5 for products containing two nutrients only
		None of the nutrients may be derived from a material mentioned in the second column of Group 1 of this Section of this table.		N 1.9 +P <sub>2</sub> O <sub>5</sub> 1.9 +k <sub>2</sub> O 1.9
* This is only an indication of how the material should be named and accordingly this form of words should not be used in the statutory statement.				

**Status:** This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

## SECTION D:

### FERTILISERS CONTAINING BORON, COBALT, COPPER, IRON, MANGANESE, MOLYBDENUM OR ZINC AS TRACE ELEMENTS

<i>Group</i>	<i>Name of Material</i>	<i>Meaning</i>	<i>Declaration</i>	<i>Limits of variation (absolute value in % by weight, except when stated)</i>
1	2	3	4	5
1 BORON	Boric acid  In addition usual trading name may be given	Product obtained by the action of an acid on a borate and containing not less than 14% boron soluble in water.	Amount of boron soluble in water	0.4
	Sodium borate  In addition usual trading name may be given	Product obtained chemically and having as its essential ingredient a sodium borate and containing not less than 10% boron soluble in water.	Amount of boron soluble in water	0.4
	Calcium borate  In addition usual trading name may be given	Product obtained partly from colemanite or pandermite having as its essential ingredient calcium borate of which at least 98% will pass through a 0.063 mm sieve. Containing not less than 7% boron.	Amount of total boron	0.4
	Boron ethanol amine	Product obtained from the reaction of boric acid with an ethanol amine and containing not less than 8%	Amount of boron soluble in water	0.4

*Status: This is the original version (as it was originally made). This item of legislation is currently only available in its original format.*

<i>Group</i>	<i>Name of Material</i>	<i>Meaning</i>	<i>Declaration</i>	<i>Limits of variation (absolute value in % by weight, except when stated)</i>
1	2	3	4	5
		boron soluble in water.		
	Borated fertiliser in solution or suspension	Product obtained by dissolution or suspension in water of one or more of the following: boric acid, sodium borate, boron ethanol amine and containing not less than 2% boron soluble in water.	Amount of boron soluble in water	0.4
COBALT	Cobalt salt  The designation must include the name of the combined mineral anion	Product obtain chemically and having as its essential ingredient a mineral salt of cobalt and containing not less than 19% cobalt soluble in water.	Amount of cobalt soluble in water	0.4
	Cobalt chelate  In addition the nature of the chelating agent should be included	Product obtained by combining cobalt chemically with a chelating agent and containing not less than 2% cobalt soluble in water of which at least 80% has been chelated.	Amount of cobalt soluble in water  Amount of chelated cobalt	0.4  0.25
	Solution of cobalt fertiliser  In addition the designation must include the name of the mineral	Product obtained by dissolving cobalt salt and/or cobalt chelate in water and containing not less than 2%	Amount of cobalt soluble in water  Amount of chelated cobalt	0.4  0.4

**Status:** This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

<i>Group</i>	<i>Name of Material</i>	<i>Meaning</i>	<i>Declaration</i>	<i>Limits of variation (absolute value in % by weight, except when stated)</i>
1	2	3	4	5
	anion and/or the nature of the chelating agent	cobalt soluble in water.		
COPPER	Copper salt  In addition the designation must include the name of the combined anion	Product obtained chemically and having as its essential ingredient a mineral salt of copper and containing not less than 20% copper soluble in water.	Amount of copper soluble in water	0.4
	Copper oxide	Product obtained chemically and having as its essential ingredient copper oxide of which 98% will pass through a 0.063 mm sieve and containing not less than 70% total copper.	Amount of total copper	0.4
	Copper hydroxide	Product obtained chemically and having as its essential ingredient copper hydroxide of which 98% will pass through a 0.063 mm sieve and containing not less than 45% total copper.	Amount of total copper	0.4
	Copper chelate  In addition the nature of the chelating	Product obtained by combining copper chemically with a chelating agent and containing	Amount of copper soluble in water  Amount of chelated copper	0.4  0.4

*Status: This is the original version (as it was originally made). This item of legislation is currently only available in its original format.*

<i>Group</i>	<i>Name of Material</i>	<i>Meaning</i>	<i>Declaration</i>	<i>Limits of variation (absolute value in % by weight, except when stated)</i>
1	2	3	4	5
	agent should be included	not less than 9% copper soluble in water of which at least 80% has been chelated.		
	Copper-based fertiliser	Product obtained by mixing copper salt, copper oxide, copper hydroxide or copper chelate of which at least 98% will pass through a 0.063 mm sieve and containing not less than 5% total copper.	Amount of total copper	0.4
	In addition the nature of the chelating agent should be included		Amount of copper, soluble in water if this accounts for at least one-quarter of the total copper	
	Copper fertiliser solution	Product obtained by dissolving copper salt and/or copper chelate and containing not less than 3% copper soluble in water.	Amount of copper soluble in water	0.4
	In addition the nature of the chelating agent should be included		Amount of chelated copper	0.4
IRON	Iron salt	Product obtained chemically and having as its essential ingredient a ferrous salt (Fe II) and containing not less than 12% iron soluble in water.	Amount of iron soluble in water	0.4
	In addition the designation must include the name of the combined anion			
	Iron chelate	Product obtained by combining iron chemically with a chelating agent and containing not less than 5% iron soluble in water of which at least	Amount of iron soluble in water	0.4
	In addition the nature of the chelating agent should be included		Amount of chelated iron	0.4



**Status:** This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

<i>Group</i>	<i>Name of Material</i>	<i>Meaning</i>	<i>Declaration</i>	<i>Limits of variation (absolute value in % by weight, except when stated)</i>
1	2	3	4	5
		80% has been chelated.		
	Iron fertiliser solution	Product obtained by dissolving iron salt and/or iron chelate in water	Amount of iron soluble in water	0.4
	In addition the nature of the chelating agent should be included	and containing not less than 2% iron soluble in water.	Amount of chelated iron	0.4
MANGANESE	Manganese salt	Product obtained chemically and having as its essential ingredient a mineral salt of manganese (II) and containing not less than 17% manganese soluble in water.	Amount of manganese soluble in wter	0.4
	In addition the designation must include the name of the combined anion			
	Manganese chelate	Product obtained by combining manganese chemically with a chelating agent and containing not less than 5% manganese soluble in water of which at least 80% has been chelated.	Amount of manganese soluble in water	0.4
	In addition the nature of the chelating agent should be included		Amount of chelated manganese	0.4
	Manganese oxide	Product obtained chemically and having as its essential ingredients manganese oxides of which at least 80% will pass through a 0.063 mm sieve and containing not	Amount of total manganese	0.4

*Status: This is the original version (as it was originally made). This item of legislation is currently only available in its original format.*

<i>Group</i>	<i>Name of Material</i>	<i>Meaning</i>	<i>Declaration</i>	<i>Limits of variation (absolute value in % by weight, except when stated)</i>
1	2	3	4	5
		less than 40% total manganese.		
	Manganese-based fertiliser	Product obtained by mixing manganese salt and manganese oxide and containing not less than 17% total manganese.	Amount of total manganese  Amount of manganese soluble in water if this accounts for at least one-quarter of the total manganese	0.4
	Fertiliser in manganese based solution	Product obtained by dissolving manganese salt and/or manganese	Amount of manganese soluble in water	0.4
	In addition the nature of the chelating agent should be included	chelate in water and containing not less than 3% manganese soluble in water.	Amount of chelated manganese	
MOLYBDENUM	Sodium molybdate	Product obtained chemically and having as its essential ingredient sodium molybdate and containing not less than 35% molybdenum soluble in water.	Amount of molybdenum soluble in water	0.4
	Ammonium molybdate	Product obtained chemically and having as its essential ingredient ammonium molybdate and containing not less than 50% molybdenum soluble in water.	Amount of molybdenum soluble in water	0.4

**Status:** This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

<i>Group</i>	<i>Name of Material</i>	<i>Meaning</i>	<i>Declaration</i>	<i>Limits of variation (absolute value in % by weight, except when stated)</i>
1	2	3	4	5
	Molybdenum-based fertiliser	Product obtained by mixing sodium molybdate and ammonium molybdate and containing not less than 35% molybdenum soluble in water.	Amount of molybdenum soluble in water	0.4
	Molybdenum fertiliser in solution	Product obtained by dissolving sodium molybdate and or ammonium molybdate in water and 5% molybdenum soluble in water.	Amount of molybdenum soluble in water	0.4
ZINC	Zinc salt	Product obtained chemically and having as its essential ingredient a mineral salt of zinc and containing not less than 15% zinc soluble in water.	Amount of zinc soluble in water	0.4
	In addition the designation must include the name of the combined anion			
	Zinc chelate	Product obtained by combining zinc chemically with a chelating agent and containing not less than 5% zinc soluble in water.	Amount of zinc soluble in water	0.4
	In addition the nature of the chelating agent should be included		Amount of chelated zinc	0.4
	Zinc oxide	Product obtained chemically and having as its essential ingredient zinc oxide and	Amount of total zinc	0.4

**Status:** This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

<i>Group</i>	<i>Name of Material</i>	<i>Meaning</i>	<i>Declaration</i>	<i>Limits of variation (absolute value in % by weight, except when stated)</i>
1	2	3	4	5
		containing not less than 70% total zinc.		
	Zinc based fertiliser	Product derived from zinc salt and zinc chelate containing not less than 30% total zinc.	Amount of total zinc  Amount of zinc soluble in water if this accounts for at least one-quarter of the total zinc	0.4
	Zinc based solution	Product obtained by dissolving zinc salt and/or zinc chelae in water.	Amount of zinc soluble in water	0.4
	In addition the nature of the chelating agent should be included	Contains not less than 3% zinc soluble in water.	Amount of chelated zinc	0.4
2	Mixture of trace elements	Product of two or more of the products listed in (1) above. Contains not less than 5% of trace elements when a solid and 2% when a liquid. Contains not less than this following for each trace element declared:	Amount of total trace element  Amount of trace element soluble in water, where this accounts for at least one half of the total content  Amount of chelated trace element	0.4
		<del>exclusively</del> <del>mineral</del> <del>complexed</del> <del>percentage</del> <del>weight</del> <del>of</del> <del>fertiliser</del>		
		Boron	0.2	0.2

**Status:** This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

<i>Group</i>	<i>Name of Material</i>	<i>Meaning</i>	<i>Declaration</i>	<i>Limits of variation (absolute value in % by weight, except when stated)</i>
1	2	3	4	5
		<b>exclusively mineral complexed percentage weight of fertiliser</b>		
		Cobalt 0.02 0.02		
		Copper 0.5 0.1		
		Iron 2.0 0.3		
		Manganese 0.5 0.1		
		Molybdenum 0.02 0.02		
		Zinc 0.5 0.1		

**SECTION E:**

FERTILISERS CONTAINING MAINLY CALCIUM, MAGNESIUM OR SULPHUR AS NUTRIENTS

<i>Group</i>	<i>Name of Material</i>	<i>Meaning</i>	<i>Declarations</i>	<i>Limits of variation (absolute value in percentage by weight, except where stated)</i>
1	2	3	4	5
	Calcium sulphate	Product of natural or industrial origin containing as its essential ingredient calcium sulphate at various degrees of hydration, containing by weight:	Amount of total sulphur trioxide	0.9
	In addition usual trading names may be given	1. Not less than 25% calcium oxide 2. Not less than 35%	<i>Optional declaration</i>  Amount of calcium oxide	0.9

**Status:** This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

<i>Group</i>	<i>Name of Material</i>	<i>Meaning</i>	<i>Declarations</i>	<i>Limits of variation (absolute value in percentage by weight, except where stated)</i>
1	2	3	4	5
		<p>sulphur trioxide</p> <p>Calcium and sulphur are expressed as total calcium oxide and sulphur trioxide.</p> <p>Not less than 80% of the calcium sulphate should be able to pass through a 2 mm sieve.</p> <p>Not less than 99% of the calcium sulphate should be able to pass through a 10 mm sieve.</p>		
	Calcium chloride solution	Calcium chloride solution of industrial origin, containing not less than 12% calcium oxide.	Amount of calcium oxide	0.9
		Calcium is expressed as calcium oxide soluble in water.	<i>Optional declaration</i> for plant spraying	
	Elemental sulphur	Comparatively refined natural or industrial product containing not less than 98% sulphur (245% sulphur trioxide).	Amount of total sulphur trioxide	0.9
		Sulphur is expressed as total sulphur trioxide.		

**Status:** This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

<i>Group</i>	<i>Name of Material</i>	<i>Meaning</i>	<i>Declarations</i>	<i>Limits of variation (absolute value in percentage by weight, except where stated)</i>
1	2	3	4	5
	Kieserite	Product of mineral origin containing monohydrated magnesium sulphate as its main component, containing by weight:	Amount of magnesium oxide soluble in water	0.9
	In addition usual trading names may be given	<ol style="list-style-type: none"> <li>1. Not less than 24% magnesium oxide</li> <li>2. Not less than 45% sulphur trioxide</li> </ol>	<i>Optional declaration</i>  Amount of sulphur trioxide soluble in water	0.9
		Magnesium and sulphur expressed as magnesium oxide soluble in water and sulphur trioxide soluble in water.		
	Magnesium sulphate	Product containing heptahydrated magnesium sulphate as its main component and containing by weight:	Amount of magnesium oxide soluble in water	0.9
	In addition usual trading names may be given	<ol style="list-style-type: none"> <li>1. Not less than 15% magnesium oxide</li> <li>2. Not less than 28% sulphur trioxide</li> </ol>	<i>Optional declaration</i>  Amount of sulphur trioxide soluble in water	0.9
		Magnesium and sulphur are expressed		

**Status:** This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

<i>Group</i>	<i>Name of Material</i>	<i>Meaning</i>	<i>Declarations</i>	<i>Limits of variation (absolute value in percentage by weight, except where stated)</i>
1	2	3	4	5
		as magnesium oxide soluble in water and sulphur trioxide.		
	Magnesium chloride solution	Product obtained by dissolving magnesium chloride of industrial origin and containing by weight: <ol style="list-style-type: none"> <li>1. Not less than 13% magnesium oxide</li> <li>2. Not more than 3% calcium oxide</li> </ol>	Amount of magnesium oxide	0.9