

## SCHEDULE 6

### RENDERING REQUIREMENTS

#### Part II

### METHODS OF RENDERING

#### METHOD 2

##### *NATURAL FAT BATCH*

##### *CONTINUOUS OR BATCH*

##### *Reduction*

1. If the particle size of the animal by-products to be rendered is more than 30 millimetres, the animal by-products shall be reduced in size using equipment specified in the approval, set so that the particle size after reduction is no greater than 30 millimetres or such smaller size as the approval shall specify. The effectiveness of the equipment shall be checked daily and its condition recorded. If checks disclose the existence of particles larger than is permitted in the approval, the process shall be stopped and repairs made before the process is resumed.

##### *Time and temperature*

2. After reduction, the animal by-products shall be heated to a core temperature greater than 100°C for at least 95 minutes, a core temperature greater than 110°C for at least 55 minutes and a core temperature greater than 120°C for at least 13 minutes.

3. The rendering may be carried out in batch or continuous systems.

4. The animal by-products may be cooked such that the time-temperature requirements are achieved at the same time.