

Status: This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

SCHEDULE 2

Authorised Additives

PART 1

Incomplete List of Additives Used in the Manufacture of Plastic Materials and Articles (not being Additives to which Paragraph 5 of Part 3 of this Schedule Applies)

| <i>Item</i> | <i>1 PM/REF No.</i> | <i>2 CAS No.</i> | <i>3 Name</i> | <i>4 Restrictions and specifications</i> |
|-------------|-------------------------|----------------------|---|--|
| 1 | 30000 | 000064-19-7 | Acetic acid | |
| 2 | 30045 | 000123-86-4 | Acetic acid, butyl ester | |
| 2A | 30080 | 004180-12-5 | Acetic acid, copper salt | SML(T) = 30 mg/kg (7) (expressed as copper) |
| 3 | 30140 | 000141-78-6 | Acetic acid, ethyl ester | |
| 4 | 30280 | 000108-24-7 | Acetic anhydride | |
| 5 | 30295 | 000067-64-1 | Acetone | |
| 6 | 30370 | – | Acetylacetic acid, salts | |
| 7 | 30400 | – | Acetylated glycerides | |
| 7A | 30610 | – | Acids C2–C24 aliphatic, linear monocarboxylic, from natural oils and fats and their mono-, di- and triglycerol esters (branched fatty acids at naturally occurring levels are included) | |
| 7B | 30612 | – | Acids C2–C24 aliphatic linear, monocarboxylic, synthetic and their mono-, di- and triglycerol esters | |
| 8 | 30960 | – | Acids, aliphatic, monocarboxylic | |

Status: This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

| <i>Item</i> | <i>1 PM/REF No.</i> | <i>2 CAS No.</i> | <i>3 Name</i> | <i>4 Restrictions and specifications</i> |
|-------------|-------------------------|----------------------|--|--|
| 9 | 31328 | – | (C6–C22), esters with polyglycerol Acids, fatty, from animal or vegetable foods fats and oils | |
| 9A | 31530 | 123968-25-2 | Acrylic acid, 2,4-di-tert-pentyl-6[1(3,5-di-tert-pentyl-2-hydroxyphenyl) ethyl] phenyl ester | The specific migration of this substance shall not exceed 5 mg/kg |
| 10 | 31730 | 000124-04-9 | Adipic acid | |
| 11 | 33120 | – | Alcohol's, aliphatic, monohydric, saturated, linear, primary (C4–C24) | |
| 12 | 33350 | 009005-32-7 | Alginic acid | |
| 12A | 33801 | – | n-Alkyl (C10–C13) benzenesulphonic acid | The specific migration of this substance shall not exceed 30 mg/kg |
| 13 | 34281 | – | Alkyl (C8–C22) sulphuric acids, linear, primary, with an even number of carbon atoms | |
| 14 | 34475 | – | Aluminium calcium hydroxide phosphite, hydrate | |
| 15 | 34480 | – | Aluminium fibres, flakes and powders | |
| 16 | 34560 | 021645-51-2 | Aluminium hydroxide | |
| 17 | 34690 | 011097-59-9 | Aluminium magnesium | |

Status: This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

| <i>Item</i> | <i>1 PM/REF No.</i> | <i>2 CAS No.</i> | <i>3 Name</i> | <i>4 Restrictions and specifications</i> |
|-------------|-------------------------|----------------------|---|--|
| | | | carbonate hydroxide | |
| 18 | 34720 | 001344-28-1 | Aluminium oxide | |
| 18A | 34850 | 143925-92-2 | Amines, bis (hydrogenated tallow alkyl) oxidised | QM = For use only: (a) in polyolefines at 0.1% (w/w) not in LDPE when it is in contact with foods for which Directive 85/572/EEC establishes a reduction factor less than 3; (b) in PET at 0.25% (w/w) in contact with foods other than those for which the simulant D is laid down in Directive 85/572/EEC SML = 0.05 mg/kg |
| 18B | 34895 | 000088-68-6 | 2-Aminobenzamide | SML – 0.5 mg/kg To be used only for PET for water and beverages |
| 19 | 35120 | 013560-49-1 | 3-Aminocronic acid, diester with thiobis (2-hydroxyethyl) ether | |
| 19A | 35160 | 006642-31-5 | 6-Amino-1,3-dimethyluracil | SML = 5 mg/kg |

Status: This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

| <i>Item</i> | <i>1 PM/REF No.</i> | <i>2 CAS No.</i> | <i>3 Name</i> | <i>4 Restrictions and specifications</i> |
|-------------|-------------------------|----------------------|-------------------------------|---|
| 19B | 35170 | 000141-53-5 | 2-Aminoethanol | SML = 0.05 mg/kg. Not for use in polymers contacting foods for which simulant D is laid down in Council Directive 85/572/EEC and for indirect food contact only, behind the PET layer |
| 19C | 35284 | 000111-41-1 | N-(2-aminoethyl) ethanolamine | SML = 0.05 mg/kg. Not for use in polymers contacting foods for which simulant D is laid down in Council Directive 85/572/EEC and for indirect food contact only, behind the PET layer |
| 20 | 35320 | 007664-41-7 | Ammonia | |
| 21 | 35440 | 001214-97-9 | Ammonium bromide | |
| 22 | 35600 | 001336-21-6 | Ammonium hydroxide | |
| 23 | 35840 | 000506-30-9 | Arachidic acid | |
| 24 | 35845 | 007771-44-0 | Arachidonic acid | |
| 25 | 36000 | 000050-81-7 | Ascorbic acid | |
| 26 | 36080 | 000137-66-6 | Ascorbyl palmitate | |
| 27 | 36160 | 010605-09-1 | Ascorbyl stearate | |
| 27B | 36840 | 12007-55-5 | Barium tetraborate | SML(T) = 1 mg/kg expressed as barium (11) and SML(T) = 6 mg/kg (22) (expressed as boron) without |

Status: This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

| <i>Item</i> | <i>1 PM/REF No.</i> | <i>2 CAS No.</i> | <i>3 Name</i> | <i>4 Restrictions and specifications</i> |
|-------------|-------------------------|----------------------|--|--|
| | | | | prejudice to the provisions of Directive 98/83/EC on water for human consumption |
| 28 | 36880 | 008012-89-3 | Beeswax | |
| 29 | 36960 | 003061-75-4 | Behenamamide | |
| 30 | 37040 | 000112-85-6 | Behenic acid | |
| 31 | 37280 | 001302-78-9 | Bentonite | |
| 31A | 37360 | 000100-52-7 | Benzaldehyde | (10) |
| 32 | 37600 | 000065-85-0 | Benzoic acid | |
| 33 | 37680 | 000136-60-7 | Benzoic acid, butyl ester | |
| 34 | 37840 | 000093-89-0 | Benzoic acid, ethyl ester | |
| 35 | 38080 | 000093-58-3 | Benzoic acid, methyl ester | |
| 36 | 38160 | 002315-68-6 | Benzoic acid, propyl ester | |
| 36A | 38320 | 005242-49-9 | 4-(2-benzoxazolyl)-4'-(5-methyl-2-benzoxazolyl) stilbene | In compliance with the specifications laid down in Schedule 4 |
| 36B | 38510 | 136504-96-6 | 1,2-Bis(3-aminopropyl) ethylenediamine, polymer with N-butyl-2,2,6,6-tetramethyl-4-piperidinamine and 2,4,6-trichloro-1,3,5-triazine | The specific migration of this substance shall not exceed 5 mg/kg |
| 36C | 38515 | 001533-45-5 | 4,4'-Bis(2-benzoxazolyl) stilbene | The specific migration of this substance shall not exceed 0.05 mg/kg (1) |
| 36D | 38810 | 080693-00-1 | Bis(2,6-di-tert-butyl-4-methylphenyl) | The specific migration of this substance shall |

Status: This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

| <i>Item</i> | <i>1 PM/REF No.</i> | <i>2 CAS No.</i> | <i>3 Name</i> | <i>4 Restrictions and specifications</i> |
|-------------|-------------------------|----------------------|---|--|
| | | | pentaerythritol diphosphite | not exceed 5 mg/kg (sum of phosphite and phosphate) |
| 36E | 38840 | 154862-43-8 | Bis(2,4-dicumylphenyl) pentaerythritoldiphosphite | SML = 5 mg/kg (as sum of substance itself, its oxidised form bis (2,4-dicumylphenyl) pen-taerythritol-phosphate and its hydrolysis product (2,4-dicumylphenol) |
| 36F | 38879 | 135861-56-2 | Bis (3,4-dimethylbenzylidene) sorbitol | |
| 37 | 38950 | 079072-96-1 | Bis(4-ethylbenzylidene) sorbitol | |
| 37A | 39200 | 006200-40-4 | Bis (2-hydroxyethyl)-2-hydroxypropyl-3-(dodecyloxy) methylammonium chloride | The specific migration of this substance shall not exceed 1.8 mg/kg |
| 37AA | 39680 | 000080-05-7 | 2,2-Bis(4-hydroxyphenyl) propane | SML(T) = 0.6 mg/kg (28) |
| 37B | 39815 | 182121-12-6 | 9,9-Bis(methoxymethyl) fluorene | The quantity of this substance in the finished plastic material or article shall not exceed 0.05 mg/6 dm ² |
| 38 | 39890 | 087826-41-3 | Bis(methylbenzylidene) sorbitol | |
| | | 069158-41-4 | Ditto | |
| | | 054686-97-4 | Ditto | |
| | | 081541-12-0 | Ditto | |
| 38A | 39925 | 129228-21-3 | 3,3-Bis (methoxymethyl)- | SML = 0.05 mg/kg |

Status: This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

| <i>Item</i> | <i>1 PM/REF No.</i> | <i>2 CAS No.</i> | <i>3 Name</i> | <i>4 Restrictions and specifications</i> |
|-------------|-------------------------|----------------------|--|---|
| | | | 2,5-dimethyl hexane | |
| 38B | 40120 | 068951-50-8 | Bis(polyethyleneglycol) hydroxymethylphosphonate | SML = 0.6 mg/kg |
| 38C | 40320 | 010043-35-3 | Boric acid | SML(T) = 6 mg/kg (22) (expressed as boron) without prejudice to the provisions of Directive 98/83/EC on water for human consumption |
| 39 | 40400 | 010043-11-5 | Boron nitride | |
| 40 | 40570 | 000106-97-8 | Butane | |
| 40A | 40580 | 000110-63-4 | 1,4,-Butanediol | SML(T) = 0.05 mg/kg (23) |
| 41 | 41040 | 005743-36-2 | Calcium butyrate | |
| 41A | 41120 | 010043-52-4 | Calcium chloride | |
| 42 | 41280 | 001305-62-0 | Calcium hydroxide | |
| 43 | 41520 | 001305-78-8 | Calcium oxide | |
| 44 | 41600 | 012004-14-7 | Calcium sulphoaluminate | |
| | | 037293-22-4 | Ditto | |
| 44A | 41680 | 000076-22-2 | Camphor | (10) |
| 45 | 41760 | 008006-44-8 | Candelilla wax | |
| 45A | 41840 | 000105-60-2 | Caprolactam | SML(T) = 15 mg/kg (5) |
| 46 | 41960 | 000124-07-2 | Caprylic acid | |
| 47 | 42160 | 000124-38-9 | Carbon dioxide | |
| 47A | 42320 | 007492-68-4 | Carbonic acid, copper salt | SML(T) = 30 mg/kg (7) (expressed as copper) |
| 48 | 42500 | – | Carbonic acid, salts | |
| 49 | 42640 | 009000-11-7 | Carboxymethylcellulose | |
| 50 | 42720 | 008015-86-9 | Carnauba wax | |

Status: This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

| <i>Item</i> | <i>1 PM/REF No.</i> | <i>2 CAS No.</i> | <i>3 Name</i> | <i>4 Restrictions and specifications</i> |
|-------------|-------------------------|----------------------|--|--|
| 51 | 42800 | 009000-71-9 | Casein | |
| 51A | 42880 | 008001-79-4 | Castor oil | |
| 52 | 42960 | 064147-40-6 | Castor oil, dehydrated | |
| 53 | 43200 | – | Castor oil, mono- and diglycerides | |
| 54 | 43280 | 009004-34-6 | Cellulose | |
| 55 | 43300 | 009004-36-8 | Cellulose acetate butyrate | |
| 56 | 43360 | 068442-85-3 | Cellulose, regenerated | |
| 57 | 43440 | 008001-75-0 | Ceresin | |
| 57A | 43515 | – | Chlorides of choline esters of coconut oil fatty acids | The quantity of this substance in the finished plastic material or article shall not exceed 0.9 mg/ 6 dm ² |
| 58 | 44160 | 000077-92-9 | Citric acid | |
| 59 | 44640 | 000077-93-0 | Citric acid, triethyl ester | |
| 59A | 45195 | 007787-70-4 | Copper bromide | SML(T) = 30 mg/kg (7) (expressed as copper) |
| 59B | 45200 | 001335-23-5 | Copper iodide | SML(T) = 30 mg/kg (7) (expressed as copper) and the specific migration of this substance shall not exceed 1 mg/kg (10) (expressed as iodine) |
| 60 | 45280 | – | Cotton fibres | |
| 60A | 45450 | 068610-51-5 | p-Cresol-dicyclopentadiene-isobutylene, copolymer | SML = 5 mg/kg |
| 61 | 45560 | 014464-46-1 | Cristobalite | |

Status: This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

| <i>Item</i> | <i>1 PM/REF No.</i> | <i>2 CAS No.</i> | <i>3 Name</i> | <i>4 Restrictions and specifications</i> |
|-------------|-------------------------|----------------------|---|--|
| 61A | 45600 | 003724-65-0 | Crotonic acid | QMA(T) = 0.05 mg/ 6 dm ² (33) |
| 61B | 45640 | 005232-99-5 | 2-Cyano-3, 3-diphenylacrylic acid, ethyl ester | SML = 0.05 mg/kg |
| 62 | 45760 | 000108-91-8 | Cyclohexylamine | |
| 63 | 45920 | 009000-16-2 | Dammar | |
| 64 | 45940 | 000334-48-5 | <i>n</i> -Decanoic acid | |
| 65 | 46070 | 010016-20-3 | Alpha-Dextrin | |
| 66 | 46080 | 007585-39-9 | Beta-Dextrin | |
| 67 | 46375 | 061790-53-2 | Diatomaceous earth | |
| 68 | 46380 | 068855-54-9 | Diatomaceous earth. Soda ash flux-calcined | |
| 69 | 46480 | 032647-67-9 | Dibenzylidene sorbitol | |
| 69A | 46700 | – | 5,7-di-tert-butyl-3-(3,4- and 2,3-dimethylphenyl)-3H-benzofuran-2-one containing: (a) 5,7-di-tert-butyl-3-(3,4-dimethylphenyl)-3H-benzofuran-2-one (80–100% w/w); and (b) 5,7-di-tert-butyl-3-(2,3-dimethylphenyl)-3H-benzofuran-2-one (0–20% w/w) | SML = 5 mg/kg |
| 69B | 46720 | 004130-42-1 | 2,6-Di-tert-butyl-4-ethylphenol | QMA = 4.8 mg/ 6 dm ² |
| 70 | 46790 | 004221-80-1 | 3,5-Di-tert-butyl-4- | |

Status: This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

| <i>Item</i> | <i>1 PM/REF No.</i> | <i>2 CAS No.</i> | <i>3 Name</i> | <i>4 Restrictions and specifications</i> |
|-------------|-------------------------|----------------------|--|---|
| 71 | 46800 | 067845-93-6 | hydroxybenzoic acid, 2,4-di-tert-butylphenyl ester 3,5-Di-tert-butyl-4-hydroxybenzoic acid, hexadecyl ester | |
| 72 | 46870 | 003135-18-0 | 3,5-Di-tert-butyl-4-hydroxybenzylphosphonic acid, dioctadecyl ester | |
| 72A | 46880 | 065140-91-2 | 3,5-Di-tert-butyl-4-hydroxybenzyl phosphonic acid, monoethyl ester, calcium salt | The specific migration of this substance shall not exceed 6 mg/kg |
| 72B | 47210 | 26427-07-6 | Dibutylthiostannoic acid polymer [= thiobis(butyl-tin sulphide), polymer] | In compliance with this specifications laid down in Schedule 4 |
| 73 | 47440 | 000461-58-5 | Dicyanodiamide | |
| 73A | 47540 | 027458-90-8 | Di-tert-dodecyl disulfide | SML – 0.05 mg/kg |
| 73B | 47680 | 000111-46-6 | Diethyleneglycol | SML(T) = 30 mg/kg (3) |
| 73C | 48460 | 000075-37-6 | 1,1-Difluoroethane | |
| 73D | 48620 | 000123-31-9 | 1,4-Dihydroxybenzene | SML = 0.6 mg/kg |
| 73E | 48720 | 000611-99-4 | 4,4'-Dihydroxybenzophenone | SML(T) = 6 mg/kg (14) |
| 73F | 49485 | 134701-20-5 | 2,4-Dimethyl-6-(1-methylpentadecyl) phenol | The specific migration of this substance shall not exceed 1 mg/kg |
| 74 | 49540 | 000067-68-5 | Dimethyl sulphoxide | |
| 75 | 51200 | 000126-58-9 | Dipentaerythritol | |

Status: This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

| <i>Item</i> | <i>1 PM/REF No.</i> | <i>2 CAS No.</i> | <i>3 Name</i> | <i>4 Restrictions and specifications</i> |
|-------------|-------------------------|----------------------------|---|--|
| 75A | 51700 | 147315-50-2 | 2-(4,6-Diphenyl-1,3,5-triazin-2-yl)-5-(hexyloxy) phenol | The specific migration of this substance shall not exceed 0.05 mg/kg |
| 76 | 51760 | 025265-71-8 000110-98-5 | Dipropyleneglycol Ditto | |
| 77 | 52640 | 016389-88-1 | Dolomite | |
| 77A | 52645 | 010436-08-5 | Cis-11-eicosenamide | |
| 78 | 52720 | 000112-84-5 | Erucamide | |
| 79 | 52730 | 000112-86-7 | Erucic acid | |
| 80 | 52800 | 000064-17-5 | Ethanol | |
| 81 | 53270 | 037205-99-5 | Ethylcarboxymethylcellulose | |
| 82 | 53280 | 009004-57-3 | Ethylcellulose | |
| 83 | 53360 | 000110-31-6 | N,N'-Ethylenebisoleamide | |
| 84 | 53440 | 005518-18-3 | N,N'-Ethylenebispalmitamide | |
| 85 | 53520 | 000110-30-5 | N,N'-Ethylenebisstearamide | |
| 86 | 53600 | 000060-00-4 | Ethylenediaminetetraacetic acid | |
| 86A | 53610 | 054453-03-1 | Ethylenediaminetetraacetic acid, copper salt | SML(T) = 30 mg/kg (7) (expressed as copper) (3) |
| 86B | 53650 | 000107-21-1 | Ethyleneglycol | SML(T) = 30 mg/kg |
| 87 | 54005 | 005136-44-7 | Ethylene-N-palmitamide-N'-stearamide | |
| 88 | 54260 | 009004-58-4 | Ethylhydroxyethylcellulose | |
| 89 | 54270 | – | Ethylhydroxymethylcellulose | |
| 90 | 54280 | – | Ethylhydroxypropylcellulose | |
| 90A | 54300 | 118337-09-0 | 2,2'-Ethylidenebis(4,6-di-tert-butylphenyl) fluorophosphonite | The specific migration of this substance shall not exceed 6 mg/kg |

Status: This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

| <i>Item</i> | <i>1 PM/REF No.</i> | <i>2 CAS No.</i> | <i>3 Name</i> | <i>4 Restrictions and specifications</i> |
|-------------|-------------------------|----------------------|---|--|
| 91 | 54450 | – | Fats and oils, from animal or vegetable food sources | |
| 92 | 54480 | – | Fats and oils, hydrogenated, from animal or vegetable food sources | |
| 92A | 54930 | 025359-91-5 | Formaldehyde-1-naphthol, copolymer [= Poly (1-hydroxynaphthyl-methane)] | The specific migration of this substance shall not exceed 0.05 mg/kg |
| 93 | 55040 | 000064-18-6 | Formic acid | |
| 94 | 55120 | 000110-17-8 | Fumaric acid | |
| 95 | 55190 | 029204-02-2 | Gadoleic acid | |
| 96 | 55440 | 009000-70-8 | Gelatine | |
| 97 | 55520 | – | Glass fibres | |
| 98 | 55600 | – | Glass microballs | |
| 99 | 55680 | 000110-94-1 | Glutaric acid | |
| 100 | 55920 | 000056-81-5 | Glycerol | |
| 101 | 56020 | 099880-64-5 | Glycerol dibehenate | |
| 102 | 56360 | – | Glycerol, esters with acetic acid | |
| 103 | 56486 | – | Glycerol, esters with acids, aliphatic, saturated, linear, with an even number of carbon atoms (C ₁₄ -C ₁₈) and with acids, aliphatic, unsaturated, linear, with even number of carbon atoms (C ₁₆ -C ₁₈) | |
| 104 | 56487 | – | Glycerol, esters with butyric acid | |

Status: This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

| <i>Item</i> | <i>1 PM/REF No.</i> | <i>2 CAS No.</i> | <i>3 Name</i> | <i>4 Restrictions and specifications</i> |
|-------------|-------------------------|----------------------|---|--|
| 105 | 56490 | – | Glycerol, esters with erucic acid | |
| 106 | 56495 | – | Glycerol, esters with 12-hydroxystearic acid | |
| 107 | 56500 | – | Glycerol, esters with lauric acid | |
| 108 | 56510 | – | Glycerol, esters with linoleic acid | |
| 109 | 56520 | – | Glycerol, esters with myristic acid | |
| 109A | 56535 | – | Glycerol, esters with nonanoic acid | |
| 110 | 56540 | – | Glycerol, esters with oleic acid | |
| 111 | 56550 | – | Glycerol, esters with palmitic acid | |
| 113 | 56570 | – | Glycerol, esters with propionic acid | |
| 114 | 56580 | – | Glycerol, esters with ricinoleic acid | |
| 115 | 56585 | – | Glycerol, esters with stearic acid | |
| 116 | 56610 | 030233-64-8 | Glycerol monobehenate | |
| 117 | 56720 | 026402-23-3 | Glycerol monoheptanoate | |
| 118 | 56800 | 030899-62-8 | Glycerol monolaurate diacetate | |
| 119 | 56880 | 026402-26-6 | Glycerol monooctanoate | |
| 120 | 57040 | – | Glycerol monooleate, ester with ascorbic acid | |

Status: This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

| <i>Item</i> | <i>1 PM/REF No.</i> | <i>2 CAS No.</i> | <i>3 Name</i> | <i>4 Restrictions and specifications</i> |
|-------------|-------------------------|----------------------|--|--|
| 121 | 57120 | – | Glycerol monooleate, ester with citric acid | |
| 122 | 57200 | – | Glycerol monopalmitate, ester with ascorbic acid | |
| 123 | 52780 | – | Glycerol monopalmitate, ester with citric acid | |
| 124 | 57600 | – | Glycerol monostearate, ester with ascorbic acid | |
| 125 | 57680 | – | Glycerol monostearate, ester with citric acid | |
| 125A | 57800 | 018641-57-1 | Glycerol tribehenate | |
| 126 | 57920 | 000620-67-7 | Glycerol triheptanoate | |
| 127 | 58300 | – | Glycine, salts | |
| 128 | 58320 | 007782-42-5 | Graphite | |
| 129 | 58400 | 009000-30-0 | Guar gum | |
| 130 | 58480 | 009000-01-5 | Gum arabic | |
| 131 | 58720 | 000111-14-8 | Heptanoic acid | |
| 131A | 59280 | 000100-97-0 | Hexamethylenetetramine | SMH(T) = 15 mg/kg (21) (expressed as Formaldehyde) |
| 132 | 59360 | 000142-62-1 | Hexanoic acid | |
| 133 | 59760 | 019569-21-2 | Huntite | |
| 134 | 59990 | 007647-01-0 | Hydrochloric acid | |
| 135 | 60030 | 012072-90-1 | Hydromagnesite | |
| 136 | 60080 | 012304-65-3 | Hydrotalcite | |
| 137 | 60160 | 000120-47-8 | 4-Hydroxybenzoic acid, ethyl ester | |

Status: This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

| <i>Item</i> | <i>1 PM/REF No.</i> | <i>2 CAS No.</i> | <i>3 Name</i> | <i>4 Restrictions and specifications</i> |
|-------------|-------------------------|----------------------|---|--|
| 138 | 60180 | 004191-73-5 | 4-Hydroxybenzoic acid, isopropyl ester | |
| 139 | 60200 | 000099-76-3 | 4-Hydroxybenzoic acid, methyl ester | |
| 140 | 60240 | 000094-13-3 | 4-Hydroxybenzoic acid, propyl ester | |
| 140A | 60480 | 003864-99-1 | 2-(2-Hydroxy-3,5-di-tert-butylphenyl)-5-chlorobenzotriazole | SML(T) = 30 mg/kg (18) |
| 141 | 60560 | 009004-62-0 | Hydroxyethylcellulose | |
| 142 | 60880 | 009032-42-2 | Hydroxyethylmethylcellulose | |
| 143 | 61120 | 009005-27-0 | Hydroxyethyl starch | |
| 144 | 61390 | 037353-59-6 | Hydroxymethylcellulose | |
| 145 | 61680 | 009004-64-2 | Hydroxypropylcellulose | |
| 146 | 61800 | 009049-76-7 | Hydroxypropyl starch | |
| 146 | 61840 | 000106-14-9 | 12-Hydroxystearic acid | |
| 148 | 62140 | 006303-21-5 | Hypophosphorous acid | |
| 149 | 62240 | 001332-37-2 | Iron oxide | |
| 150 | 62450 | 000078-78-4 | Isopentane | |
| 151 | 62640 | 008001-39-6 | Japan wax | |
| 152 | 62720 | 001332-58-7 | Kaolin | |
| 153 | 62800 | – | Kaolin, calcined | |
| 154 | 62960 | 000050-21-5 | Lactic acid | |
| 155 | 63040 | 000138-22-7 | Lactic acid, butyl ester | |
| 156 | 63280 | 000143-07-7 | Lauric acid | |
| 157 | 63760 | 008002-43-5 | Lecithin | |
| 158 | 63840 | 000123-76-2 | Levulinic acid | |

Status: This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

| <i>Item</i> | <i>1 PM/REF No.</i> | <i>2 CAS No.</i> | <i>3 Name</i> | <i>4 Restrictions and specifications</i> |
|-------------|-------------------------|----------------------|--|--|
| 159 | 63920 | 000557-59-5 | Lignoceric acid | |
| 160 | 64015 | 000060-33-3 | Linoleic acid | |
| 161 | 64150 | 028290-79-1 | Linolenic acid | |
| 162 | 64500 | – | Lysine, salts | |
| 163 | 64640 | 001309-42-8 | Magnesium hydroxide | |
| 164 | 64720 | 001309-48-4 | Magnesium oxide | |
| 164A | 64800 | 00110-16-7 | Maleic acid | SML(T) = 30 mg/kg(4) |
| 165 | 65020 | 006915-15-7 | Malic acid | |
| 166 | 65040 | 000141-82-2 | Malonic acid | |
| 167 | 65520 | 000087-78-5 | Mannitol | |
| 167A | 65920 | 066822-60-4 | N-methacryloyloxyethyl-N,N-dimethyl-N-carboxymethyl-ammonium chloride, sodium salt-octadecyl methacrylate-ethyl methacrylate-cyclohexyl methacrylate-N-vinyl-2-pyrrolidone, copolymers | |
| 168 | 66200 | 037206-01-2 | Methylcarboxymethylcellulose | |
| 169 | 66240 | 009004-67-5 | Methylcellulose | |
| 169A | 66560 | 004066-02-8 | 2,2'-Methylenebis(4-methyl-6-cyclohexylphenol) | SML(T) = 3 mg/kg (6) |
| 169B | 66580 | 000077-62-3 | 2,2'-Methylenebis(4-methyl-6-(1-methylcyclohexyl) phenol) | SML(T) = 3 mg/kg (6) |
| 170 | 66640 | 009004-59-5 | Methylethylcellulose | |
| 171 | 66695 | – | Methylhydroxymethylcellulose | |
| 172 | 66700 | 009004-65-3 | Methylhydroxypropylcellulose | |

Status: This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

| <i>Item</i> | <i>1 PM/REF No.</i> | <i>2 CAS No.</i> | <i>3 Name</i> | <i>4 Restrictions and specifications</i> |
|-------------|-------------------------|----------------------|--|---|
| 172A | 66755 | 002682-20-4 | 2-Methyl-4-isothiazolin-3-one | The specific migration of this substance shall be not detectable (when measured by a method with a limit of detection of 0.02 mg/kg, analytical tolerance included) |
| 173 | 67120 | 012001-26-2 | Mica | |
| 173B | 67180 | – | Mixture of (50% w/w) phthalic acid n-decyl n-octyl ester, (25% w/w) phthalic acid di-n-decyl ester, and (25% w/w) phthalic acid di-n-octyl ester | The specific migration of this substance shall not exceed 5 mg/kg (1) |
| 174 | 67200 | 001317-33-5 | Molybdenum disulphide | |
| 175 | 67840 | – | Montanic acids and/or their esters with ethyleneglycol and/or with 1,3-butanediol and/or with glycerol | |
| 176 | 67850 | 008002-53-7 | Montan wax | |
| 177 | 67891 | 000544-63-8 | Myristic acid | |
| 178 | 68040 | 003333-62-8 | 7-(2H-Naphtho-(1,2-D)triazol-2-yl)-3-phenylcoumarin | |
| 178A | 68078 | 027253-31-2 | Neodecanoic acid, cobalt salt | SML(T) = 0.05 mg/kg (expressed as Neodecanoic acid) and SML(T) = 0.05 mg/kg ⁽¹³⁾ (expressed as Cobalt). Not for use in polymers |

Status: This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

| <i>Item</i> | <i>1</i> <i>PM/REF No.</i> | <i>2</i> <i>CAS No.</i> | <i>3</i> <i>Name</i> | <i>4</i> <i>Restrictions and specifications</i> |
|-------------|-------------------------------|----------------------------|--|--|
| | | | | contacting foods for which simulant D is laid down in Directive 85/572/EEC |
| 179 | 68125 | 037244-96-5 | Nepheline syenite | |
| 179A | 68145 | 080410-33-9 | 2,2',2''-Nitrilo(triethyl tris (3,3',5,5'-tetra-tert-butyl-1-1'-bi-phenyl-2-2-diyl) phosphite) | The specific migration of this substance shall not exceed 5 mg/kg (sum of phosphite and phosphate) |
| 180 | 68960 | 000301-02-0 | Oleamide | |
| 181 | 69040 | 000112-80-1 | Oleic acid | |
| 182 | 69760 | 000143-28-2 | Oleyl alcohol | |
| 182A | 69920 | 000144-62-7 | Oxalic acid | SML(T) = 6 mg/kg (29) |
| 183 | 70000 | 070331-94-1 | 2,2'-Oxamidobis(ethyl-3-(3,5-di-tert-butyl-4-hydroxyphenyl) propionate) | |
| 184 | 70240 | 012198-93-5 | Ozokerite | |
| 185 | 70400 | 000057-10-3 | Palmitic acid | |
| 186 | 71020 | 000373-49-9 | Palmitoleic acid | |
| 187 | 71440 | 009000-69-5 | Pectin | |
| 188 | 71600 | 000115-77-5 | Pentaerythritol | |
| 188A | 71635 | 025151-96-6 | Pentaerythritol dioleate | The specific migration of this substance shall not exceed 0.05 mg/kg. Not for use with foods for which simulant D is laid down in Directive 85/572/EEC |
| 188B | 71670 | 178671-58-4 | Pentaerythritol tetrakis (2- | SML = 0.05 mg/kg |

Status: This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

| <i>Item</i> | <i>1 PM/REF No.</i> | <i>2 CAS No.</i> | <i>3 Name</i> | <i>4 Restrictions and specifications</i> |
|-------------|-------------------------|----------------------------|---|---|
| 189 | 71680 | 006683-19-8 | cyano-3,3-diphenylacrylate) Pentaerythritol tetrakis [-3-(3,5-di-tert-butyl-4-hydroxyphenyl) propionate] | |
| 190 | 71720 | 000109-66-0 | Pentane | |
| 191 | 72640 | 007664-38-2 | Phosphoric acid | |
| 191A | 73160 | | Phosphoric acid, mono- and di-n-alkyl (C16 and C18) esters | SML = 0.05 mg/kg |
| 191B | 73720 | 000115-96-8 | Phosphoric acid, trichloroethyl ester | The specific migration of this substance shall be not detectable (when measured by a method with a limit of detection of 0.02 mg/kg, analytical tolerance included) |
| 191C | 74010 | 145650-60-8 | Phosphorous acid, bis (2,4-di-tert-butyl-6-methylphenyl) ethyl ester | The specific migration of this substance shall not exceed 5 mg/kg (covering the sum of phosphite and phosphate) |
| 192 | 74240 | 031570-04-4 | Phosphorous acid, tris (2,4-di-tert-butylphenyl) ester | |
| 193 | 74480 | 000088-99-3 | <i>o</i> -Phthalic acid | |
| 194 | 76320 | 000085-44-9 | Phthalic anhydride | |
| 195A | 76721 | 009016-00-6 063148-62-9 | Polydimethylsiloxane (Mw > 6800) | in compliance with the specifications laid down in Schedule 4 |

Status: This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

| <i>Item</i> | <i>1 PM/REF No.</i> | <i>2 CAS No.</i> | <i>3 Name</i> | <i>4 Restrictions and specifications</i> |
|-------------|-------------------------|----------------------|---|---|
| 195B | 76730 | | Polydimethylsiloxane gamma- hydroxypropylated | SML = 6 mg/kg |
| 195D | 76865 | – | Polyesters of 1, 2- propanediol and/ or 1,3- and/or 1,4- butanediol and/or polypropyleneglycol with adipic acid, which may be end-capped with acetic or fatty acids C ₁₂ –C ₁₈ or n-octanol and/or n-decanol | SML = 30 mg/kg |
| 196 | 76960 | 025322-68-3 | Polyethyleneglycol | |
| 197 | 77600 | 061788-85-0 | Polyethyleneglycol ester of hydrogenated caster oil | |
| 198 | 77702 | – | Polyethyleneglycol esters of aliphatic monocarboxylic acids (C ₆ – C ₂₂), and their ammonium and sodium sulphates | |
| 198A | 77895 | 068439-49-6 | Polyethyleneglycol (EO = 2–6) monoalkyl (C ₁₆ – C ₁₈) ether | SML = 0.05 mg/kg and in compliance with the specifications laid down in Schedule 4 |
| 199 | 79040 | 009005-64-5 | Polyethyleneglycol sorbitan monolaurate | |
| 200 | 79120 | 009005-65-6 | Polyethyleneglycol sorbitan monooleate | |
| 201 | 79200 | 009005-66-7 | Polyethyleneglycol sorbitan monopalmitate | |
| 202 | 79280 | 009005-67-8 | Polyethyleneglycol sorbitan monostearate | |

Status: This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

| <i>Item</i> | <i>1 PM/REF No.</i> | <i>2 CAS No.</i> | <i>3 Name</i> | <i>4 Restrictions and specifications</i> |
|-------------|-------------------------|----------------------|---|--|
| 203 | 79360 | 009005-70-3 | Polyethyleneglycol sorbitan trioleate | |
| 204 | 79440 | 009005-71-4 | Polyethyleneglycol sorbitan tristearate | |
| 205 | 80240 | 029894-35-7 | Polyglycerol ricinoleate | |
| 206 | 80640 | – | Polyoxyalkyl (C2–C4) dimethylpolysiloxane | |
| 207 | 80720 | 008017-16-1 | Polyphosphoric acids | |
| 208 | 80800 | 025322-69-4 | Polypropyleneglycol | |
| 208A | 81220 | 192268-64-7 | Poly-[[6-[N-(2,2,6,6-tetramethyl-4-piperidiny)-n-butylamino]-1,3,5-triazine-2,4-diyl][2,2,6,6-tetramethyl-4-piperidiny]imino]-1,6-hexanedyl[2,2,6,6-tetramethyl-4-piperidiny]imino]] - alpha-[N,N,N',N''-tetrabutyl-N - (2,2,6,6-tetramethyl-4-piperidiny)-N''-[6, (2,2,6,6-tetramethyl-4-piperidiny)amino]-hexyl][1,3,5-triazine-2,4,6-triamine]-omega-N,N,N',N'-tetrabutyl-1,3,5-triazine-2,4-diamine | SML = 5 mg/kg |
| 208B | 81515 | 087189-25-1 | Poly (zinc glycerolate) | |
| 209 | 81520 | 007758-02-3 | Potassium bromide | |

Status: This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

| <i>Item</i> | <i>1 PM/REF No.</i> | <i>2 CAS No.</i> | <i>3 Name</i> | <i>4 Restrictions and specifications</i> |
|-------------|-------------------------|----------------------|--|---|
| 210 | 81660 | 001310-58-3 | Potassium hydroxide | |
| 210A | 81760 | – | Powders, flakes and fibres of brass, bronze, copper, stainless steel, tin and alloys of copper, tin and iron | SML(T) = 30 mg/kg (7) (expressed as copper); the specific migration of this substance shall not exceed 48 mg/kg (expressed as iron) |
| 211 | 81840 | 000057-55-6 | 1,2-Propanediol | |
| 212 | 81882 | 000067-63-0 | 2-Propanol | |
| 213 | 82000 | 000079-09-4 | Propionic acid | |
| 214 | 82080 | 009005-37-2 | 1,2-Propyleneglycol alginate | |
| 215 | 82240 | 022788-19-8 | 1,2-Propyleneglycol dilaurate | |
| 216 | 82400 | 000105-62-4 | 1,2-Propyleneglycol dioleate | |
| 217 | 82560 | 033587-20-1 | 1,2-Propyleneglycol dipalmitate | |
| 218 | 82720 | 006182-11-2 | 1,2-Propyleneglycol distearate | |
| 219 | 82800 | 027194-74-7 | 1,2-Propyleneglycol monolaurate | |
| 220 | 82960 | 001330-80-9 | 1,2-Propyleneglycol monooleate | |
| 221 | 83120 | 029013-28-3 | 1,2-Propyleneglycol monopalmitate | |
| 222 | 83300 | 001323-39-3 | 1,2-Propyleneglycol monostearate | |
| 223 | 83320 | – | Propylhydroxyethylcellulose | |

Status: This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

| <i>Item</i> | <i>1 PM/REF No.</i> | <i>2 CAS No.</i> | <i>3 Name</i> | <i>4 Restrictions and specifications</i> |
|-------------|-------------------------|----------------------|--|--|
| 224 | 83325 | – | Propylhydroxymethylcellulose | |
| 225 | 83330 | – | Propylhydroxypropylcellulose | |
| 226 | 83440 | 002466-09-3 | Pyrophosphoric acid | |
| 227 | 83455 | 013445-56-2 | Pyrophosphorous acid | |
| 228 | 83460 | 012269-78-2 | Pyrophyllite | |
| 229 | 83470 | 014808-60-7 | Quartz | |
| 229A | 83599 | 068442-12-6 | Reaction products of oleic acid, 2-mercaptoethyl ester, with dichlorodimethyltin, sodium sulphide and trichloromethyltin | SML(T) = 0.18 mg/kg (15) (expressed as tin) |
| 230 | 83610 | 073138-82-6 | Resin acids and rosin acids | |
| 231 | 83840 | 008050-09-6 | Rosin | |
| 232 | 84000 | 008050-31-5 | Rosin, ester with glycerol | |
| 233 | 84080 | 008050-26-8 | Rosin, ester with pentaerythritol | |
| 234 | 84210 | 065997-06-0 | Rosin, hydrogenated | |
| 235 | 84240 | 065997-13-9 | Rosin, hydrogenated, ester with glycerol | |
| 236 | 84320 | 008050-15-5 | Rosin, hydrogenated, ester with methanol | |
| 237 | 84400 | 064365-17-9 | Rosin, hydrogenated, ester with pentaerythritol | |
| 238 | 84560 | 009006-04-6 | Rubber, natural | |
| 239 | 84640 | 000069-72-7 | Salicylic acid | |
| 239A | 85360 | 000109-43-3 | Sebacic acid, dibutyl ester | |

Status: This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

| <i>Item</i> | <i>1 PM/REF No.</i> | <i>2 CAS No.</i> | <i>3 Name</i> | <i>4 Restrictions and specifications</i> |
|-------------|-------------------------|----------------------|--|---|
| 240A | 85610 | – | Silicates, natural, silanated (with the exception of asbestos) | |
| 240ZA | 85601 | – | Silicates, natural, (with the exception of asbestos) | |
| 240B | 85680 | 001343-98-2 | Silicic acid | |
| 240C | 85840 | 053320-86-8 | Silicic acid, lithium magnesium sodium salt | SML(T) = 0.6 mg/kg (8) (expressed as lithium) |
| 242 | 86000 | – | Silicic acid, silylated | |
| 243 | 86160 | 000409-21-2 | Silicon carbide | |
| 244 | 86240 | 007631-86-9 | Silicon dioxide | |
| 244A | 86285 | – | Silicon dioxide, silanated | |
| 245 | 86560 | 007647-15-6 | Sodium bromide | |
| 246 | 86720 | 001310-73-2 | Sodium hydroxide | |
| 246A | 87040 | 001330-43-4 | Sodium tetraborate | SML(T) = 6 mg/kg (22) (expressed as boron) without prejudice to the provisions of Directive 98/83/EC on water for human consumption |
| 247 | 87200 | 000110-44-1 | Sorbic acid | |
| 248 | 87280 | 029116-98-1 | Sorbitan dioleate | |
| 249 | 87520 | 062568-11-0 | Sorbitan monobehenate | |
| 250 | 87600 | 001338-39-2 | Sorbitan monolaurate | |
| 251 | 87680 | 001338-43-8 | Sorbitan monooleate | |

Status: This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

| <i>Item</i> | <i>1 PM/REF No.</i> | <i>2 CAS No.</i> | <i>3 Name</i> | <i>4 Restrictions and specifications</i> |
|-------------|-------------------------|----------------------|--|---|
| 252 | 87760 | 026266-57-9 | Sorbitan monopalmitate | |
| 253 | 87840 | 001338-41-6 | Sorbitan monostearate | |
| 254 | 87920 | 061752-68-9 | Sorbitan tetrastearate | |
| 255 | 88080 | 026266-58-0 | Sorbitan trioleate | |
| 256 | 88160 | 054141-20-4 | Sorbitan tripalmitate | |
| 257 | 88240 | 026658-19-5 | Sorbitan tristearate | |
| 258 | 88320 | 000050-70-4 | Sorbitol | |
| 259 | 88600 | 026836-47-5 | Sorbitol monostearate | |
| 259A | 88640 | 008013-07-8 | Soybean oil, epoxidized | In compliance with the specifications laid down in Schedule 4 |
| 260 | 88800 | 009005-25-8 | Starch, edible | |
| 261 | 88880 | 068412-29-3 | Starch, hydrolysed | |
| 262 | 88960 | 000124-26-5 | Stearamide | |
| 263 | 89040 | 000057-11-4 | Stearic acid | |
| 263A | 89200 | 007617-31-4 | Stearic acid, copper salt | SML(T) = 30 mg/kg (7) (expressed as copper) |
| 263B | 89440 | – | Stearic acid, esters with ethyleneglycol | SML(T) = 30 mg/kg (3) |
| 264 | 90720 | 058446-52-9 | Stearoylbenzoylmethane | |
| 265 | 90800 | 005793-94-2 | Stearoyl-2-lactic acid, calcium salt | |
| 266 | 90960 | 000110-15-6 | Succinic acid | |
| 267 | 91200 | 000126-13-6 | Sucrose acetate isobutyrate | |
| 268 | 91360 | 000126-14-7 | Sucrose octaacetate | |

Status: This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

| <i>Item</i> | <i>1 PM/REF No.</i> | <i>2 CAS No.</i> | <i>3 Name</i> | <i>4 Restrictions and specifications</i> |
|-------------|-------------------------|----------------------|--|---|
| 269 | 91840 | 007704-34-9 | Sulphur | |
| 270 | 91920 | 007664-93-9 | Sulphuric acid | |
| 270A | 92030 | 010124-44-4 | Sulphuric acid, copper salt | SML(T) = 30 mg/kg (7) (expressed as copper) |
| 271 | 92080 | 014807-96-6 | Talc | |
| 271A | 92150 | 001401-55-4 | Tannic acids | According to the JECFA specifications |
| 272 | 92160 | 000087-69-4 | Tartaric acid | |
| 273 | 92195 | – | Taurine, salts | |
| 274 | 92205 | 057569-40-1 | Terephthalic acid, diester with 2,2'-methylenebis (4-methyl-6-tert-butylphenol) | |
| 275 | 92350 | 000112-60-7 | Tetraethyleneglycol | |
| 276 | 92640 | 000102-60-3 | N,N,N',N'-Tetrakis (2-hydroxypropyl) ethylenediamine | |
| 276A | 92700 | 078301-43-6 | 2,2,4,4-Tetramethyl-20-(2,3-epoxypropyl)-7-oxa-3,20-diazadispiro-[5.1.11.2]-heneicosan-21-one, polymer | The specific migration of this substance shall not exceed 5 mg/kg |
| 276B | 92930 | 120218-34-0 | Thiodiethanolbis (5-methoxycarbonyl-2,6-dimethyl-1,4-dihydropyridine-3-carboxylate) | The specific migration of this substance shall not exceed 6 mg/kg |
| 277 | 93440 | 013463-67-7 | Titanium dioxide | |
| 278 | 93520 | 000059-02-9 | <i>alpha</i> -Tocopherol | |
| | | 010191-41-0 | Ditto | |
| 279 | 93680 | 009000-65-1 | Tragacanth gum | |

Status: This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

| <i>Item</i> | <i>1 PM/REF No.</i> | <i>2 CAS No.</i> | <i>3 Name</i> | <i>4 Restrictions and specifications</i> |
|-------------|-------------------------|----------------------|---|--|
| 279A | 93720 | 000108-78-1 | 2,4,6-Triamino-1,3,5-triazine | SML = 30 mg/kg |
| 280 | 94320 | 000112-27-6 | Triethyleneglycol | |
| 280A | 94960 | 000077-99-6 | 1,1,1-Trimethylolpropanemigration of this substance shall not exceed 6 mg/kg | |
| 280B | 95000 | 028931-67-1 | Trimethylolpropane trimethacrylatemethyl methacrylate copolymer | |
| 281 | 95200 | 001709-70-2 | 1,3,5-Trimethyl-2,4,6-tris (3,5-di-tert-butyl-4-hydroxybenzyl) benzene | |
| 281A | 95270 | 161717-32-4 | 2,4,6-Tris(tert-butyl) phenyl 2-butyl-2-ethyl-1,3-propanediol phosphite | SML = 2 mg/kg (as sum of phosphite, phosphate and the hydrolysis product = TTBP) |
| 281B | 95725 | 110638-71-6 | Vermiculite, reaction product with citric acid, lithium salt | SML(T) = 0.6 mg/kg (8) (expressed as lithium) |
| 281C | 95855 | 007732-18-5 | Water | In compliance with Directive 98/83/EC |
| 281D | 95859 | – | Waxes, refined, derived from petroleum based or synthetic hydrocarbon feedstocks | In compliance with the specifications laid down in Schedule 4 |
| 281E | 95883 | – | White mineral oils, paraffinic, derived from petroleum based hydrocarbon feedstocks | In compliance with the specifications laid down in Schedule 4 |

Status: This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

| <i>Item</i> | <i>1 PM/REF No.</i> | <i>2 CAS No.</i> | <i>3 Name</i> | <i>4 Restrictions and specifications</i> |
|-------------|-------------------------|----------------------|-------------------------------------|--|
| 282 | 95905 | 013983-17-0 | Wollastonite | |
| 283 | 95920 | – | Wood flour and fibres, untreated | |
| 284 | 95935 | 011138-66-2 | Xanthan gum | |
| 285 | 91690 | 020427-58-1 | Zinc hydroxide | |
| 286 | 96240 | 001314-13-2 | Zinc oxide | |
| 287 | 96320 | 001314-98-3 | Zinc sulphide | |