

**Status:** This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

SCHEDULE 1

PRESCRIBED DESCRIPTIONS OF MATERIAL, MEANINGS OF NAMES, PARTICULARS AND INFORMATION TO BE CONTAINED IN THE STATUTORY STATEMENT AND LIMITS OF VARIATION

SECTION B:

COMPOUND FERTILISERS

<i>Group</i>	<i>Name of Material</i>	<i>Meaning</i>	<i>Declarations</i>	<i>Limits of variation (absolute value in percentage by weight, except where otherwise specified)</i>	
(1)	(2)	(3)	(4)	(5)	(6)
1	NPK fertiliser	Product obtained chemically or by blending, without addition of organic nutrients of animal or vegetable origin, containing by weight:—  1. Not less than 3% nitrogen (N);  2. Not less than 5% phosphorus pentoxide (P <sub>2</sub> O <sub>5</sub> );  3. Not less than 5% potassium oxide (K <sub>2</sub> O).  The sum of the three nutrients must be not less than 20% by weight. The product	<i>Nitrogen (N)</i>  <hr/> <i>EEC Other fertiliser</i> <i>EEC fertiliser</i> <hr/> Amount of total nitrogen Amount of total nitrogen Amount where equal to or greater than 1% by weight of:— <hr/> Amount of ureic nitrogen save that a declaration of 10% or less need not be made <hr/> 1. nitric nitrogen 2. ammonical nitrogen 3. ureic nitrogen	N 1.1	As set out in paragraph 7 of this Schedule

\* As determined by the Petermann method.

\* This is only an indication of how the material should be named and accordingly this form of words should not be used in the statutory statement.



**Status:** This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

<i>Group</i>	<i>Name of Material</i>	<i>Meaning</i>	<i>Declarations</i>	<i>Limits of variation (absolute value in percentage by weight, except where otherwise specified)</i>	
(1)	(2)	(3)	(4)	(5)	(6)
			pentoxide soluble in water is equal to or greater than 2%, amount of:		
			1. Phosphorus pentoxide soluble in neutral ammonium citrate and in water		
			2. Phosphorus pentoxide soluble in water	As set out in paragraph 7(a) of this Schedule	
			<i>Potassium                      oxide (K<sub>2</sub>O)</i>	K <sub>2</sub> O 1.1  N 1.9	K <sub>2</sub> O 0.5
			Amount of potassium oxide soluble in water	+P <sub>2</sub> O <sub>5</sub> +K <sub>2</sub> O	1.9 1.9
			<i>Optional                      declarations</i>	Cl 0.2	
			Amount of chlorine		
			Where the chlorine content is not greater than 2% the statement “low in chlorine” may be made		

\* As determined by the Petermann method.

\* This is only an indication of how the material should be named and accordingly this form of words should not be used in the statutory statement.

**Status:** This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

<i>Group</i>	<i>Name of Material</i>	<i>Meaning</i>	<i>Declarations</i>	<i>Limits of variation (absolute value in percentage by weight, except where otherwise specified)</i>	
(1)	(2)	(3)	(4)	(5)	(6)
	NPK fertiliser containing aluminium-calcium phosphate	Product obtained chemically or by blending, without addition of organic nutrients of animal or vegetable origin, containing by weight:—  1. Not less than 3% nitrogen (N);  2. Not less than 5% phosphorus pentoxide (P <sub>2</sub> O <sub>5</sub> ) of which at least 2% must be soluble in water, and at least 5% soluble in mineral acids; and  3. Not less than 5% potassium oxide (K <sub>2</sub> O).  The sum of the three nutrients must be not less than 20% by weight. At least 75% of the declared phosphorus	<i>Nitrogen (N)</i>  <u><i>EEC Other fertiliser</i></u>  <u><i>EEC fertiliser</i></u>  Amount of total nitrogen  Amount of ureic nitrogen  Amount of nitrogen save that a declaration of 10% or less need not be made	N 1.1	N 0.5
			1. nitric nitrogen 2. ammonical nitrogen 3. ureic nitrogen	P <sub>2</sub> O <sub>5</sub> 1.1	P <sub>2</sub> O <sub>5</sub> 0.5

\* As determined by the Petermann method.

\* This is only an indication of how the material should be named and accordingly this form of words should not be used in the statutory statement.

**Status:** This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

<i>Group</i>	<i>Name of Material</i>	<i>Meaning</i>	<i>Declarations</i>	<i>Limits of variation (absolute value in percentage by weight, except where otherwise specified)</i>	
(1)	(2)	(3)	(4)	(5)	(6)
		pentoxide soluble in mineral acids must be soluble in alkaline ammonium citrate (Joule). The product must not contain basic slag, Thomas Phosphate, Thomas slag, calcined phosphate, soft ground rock phosphate or partially solubilised rock phosphate, and not less than 90% of the aluminium-calcium phosphate should be able to pass through a sieve with a mesh of 0.160 mm.	4. cyanamide nitrogen  <i>Phosphorus Pentoxide (P<sub>2</sub>O<sub>5</sub>)</i>  Amount of phosphorus pentoxide soluble in mineral acids		
			Amount of phosphorus pentoxide soluble in water	As set out in paragraph 7(a) of this Schedule	
			Amount of phosphorus pentoxide soluble in	As set out in paragraph 7(a) of this Schedule	

\* As determined by the Petermann method.

\* This is only an indication of how the material should be named and accordingly this form of words should not be used in the statutory statement.

**Status:** This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

<i>Group</i>	<i>Name of Material</i>	<i>Meaning</i>	<i>Declarations</i>	<i>Limits of variation (absolute value in percentage by weight, except where otherwise specified)</i>	
(1)	(2)	(3)	(4)	(5)	(6)
			mineral acids (after deduction of the amount of phosphorus pentoxide soluble in water)		
			Amount of phosphorus pentoxide soluble in alkaline ammonium citrate	As set out in paragraph 7(a) of this Schedule	
			<i>Potassium Oxide (K<sub>2</sub>O)</i>	K <sub>2</sub> 1.1	K <sub>2</sub> O 0.5
			Amount of potassium oxide soluble in water	N	1.9
				+P <sub>2</sub> O <sub>5</sub>	1.9
				+K <sub>2</sub> O	1.9
			<i>Optional declarations</i>	Cl	0.2
			Amount of chlorine		
			Where the chlorine content is not greater than 2% the statement “low in chlorine” may be made		

\* As determined by the Petermann method.

\* This is only an indication of how the material should be named and accordingly this form of words should not be used in the statutory statement.

**Status:** This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

<i>Group</i>	<i>Name of Material</i>	<i>Meaning</i>	<i>Declarations</i>	<i>Limits of variation (absolute value in percentage by weight, except where otherwise specified)</i>	
(1)	(2)	(3)	(4)	(5)	(6)
	NPK fertiliser containing soft ground rock phosphate	Product obtained chemically or by blending, without addition of organic nutrients of animal or vegetable origin, containing by weight:– <ol style="list-style-type: none"> <li>1. Not less than 3% nitrogen (N);</li> <li>2. Not less than 5% phosphorus pentoxide (P<sub>2</sub>O<sub>5</sub>) of which at least 2% should be soluble only in mineral acids, at least 5% soluble in neutral ammonium citrate and in water and at least 2.5% soluble in water;</li> <li>3. Not less than 5% potassium oxide (K<sub>2</sub>O).</li> </ol> <p>The sum of the three nutrients must be not less</p>	<i>Nitrogen (N)</i>	N 1.1	N 0.5
	NPK fertiliser containing partially solubilised rock phosphate		<b><i>EEC Other fertiliser</i></b> <b><i>EEC fertiliser</i></b>	As set out in paragraph 7 of this Schedule	
			Amount of total nitrogen	Amount of total nitrogen	
			Amount where equal to or greater than 1% by weight, of:–	Amount of ureic nitrogen save that a declaration of 10% or less need not be made	

\* As determined by the Petermann method.

\* This is only an indication of how the material should be named and accordingly this form of words should not be used in the statutory statement.

**Status:** This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

<i>Group</i>	<i>Name of Material</i>	<i>Meaning</i>	<i>Declarations</i>	<i>Limits of variation (absolute value in percentage by weight, except where otherwise specified)</i>	
(1)	(2)	(3)	(4)	(5)	(6)
		<p>than 20% by weight. Neither product must contain basic slag, Thomas phosphate, Thomas slag, calcined phosphate or aluminium-calcium phosphate. Not less than 90% of the soft ground rock phosphate should be able to pass through a sieve with a mesh of 0.063 mm, and not less than 90% of the partially solubilised rock phosphate should be able to pass through a sieve with a mesh of 0.160 mm.</p>	<p>1. nitric nitrogen 2. ammonical nitrogen 3. ureic nitrogen</p>		

\* As determined by the Petermann method.

\* This is only an indication of how the material should be named and accordingly this form of words should not be used in the statutory statement.





**Status:** This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

<i>Group</i>	<i>Name of Material</i>	<i>Meaning</i>	<i>Declarations</i>	<i>Limits of variation (absolute value in percentage by weight, except where otherwise specified)</i>	
(1)	(2)	(3)	(4)	(5)	(6)
			<i>Optional declarations</i>	Cl 0.2	
			Amount of chlorine		
			Where the chlorine content is not greater than 2% the statement “low in chlorine” may be made		
	NPK fertiliser (Phosphate ingredient, aluminium-calcium phosphate only)	Product obtained chemically or by blending, without addition of organic nutrients of animal or vegetable origin, containing by weight:–  1. Not less than 3% nitrogen (N);  2. Not less than 5% phosphorus pentoxide (P <sub>2</sub> O <sub>5</sub> );  3. Not less than 5% potassium oxide (K <sub>2</sub> O)	<i>Nitrogen (N)</i>  <i>EEC Other fertiliser</i>  <i>EEC fertiliser</i>	N 1.1	N 0.5
			Amount of total nitrogen	Amount of total nitrogen	
			Amount where equal to or greater than	Amount of ureic nitrogen save that a declaration of weight, 10% or less need not be made	
			The sum of the three	1. nitric nitrogen	

\* As determined by the Petermann method.

\* This is only an indication of how the material should be named and accordingly this form of words should not be used in the statutory statement.

**Status:** This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

<i>Group</i>	<i>Name of Material</i>	<i>Meaning</i>	<i>Declarations</i>	<i>Limits of variation (absolute value in percnetage by weight, except where otherwise specified)</i>	
(1)	(2)	(3)	(4)	(5)	(6)
		nutrients must be not less than 20% by weight. At least 75% of the declared phsophorus pentoxide soluble in mineral acids must be soluble in alkaline ammonium citrate (Joule). The product must not contain any phosphate material other than aluminium-calcium phosphate and not less than 90% of the aluminium-calcium phosphate should be able to pass through a sieve with a mesh of 0.160 mm.	<p>2. ammonical nitrogen</p> <p>3. ureic nitrogen</p> <p>4. cyanamide nitrogen</p>	Phosphorus Pentoxide (P <sub>2</sub> O <sub>5</sub> )	<p>P<sub>2</sub>O<sub>5</sub> 1.1</p> <p>P<sub>2</sub>O<sub>5</sub> 0.5</p>
			Amount of phosphorus pentoxide		

\* As determined by the Petermann method.

\* This is only an indication of how the material should be named and accordingly this form of words should not be used in the statutory statement.

**Status:** This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

<i>Group</i>	<i>Name of Material</i>	<i>Meaning</i>	<i>Declarations</i>	<i>Limits of variation (absolute value in percentage by weight, except where otherwise specified)</i>	
(1)	(2)	(3)	(4)	(5)	(6)
			soluble in mineral acids		
			Amount of phosphorus pentoxide soluble in alkaline ammonium citrate	As set out in paragraph 7(a) of this Schedule	
			<i>Potassium Oxide (K<sub>2</sub>O)</i>	K <sub>2</sub> O 1.1	K <sub>2</sub> O 0.5
				N 1.9	
			Amount of potassium oxide soluble in water	+P <sub>2</sub> O <sub>5</sub> 1.9	
				+K <sub>2</sub> O 1.9	
			<i>Optional declarations</i>	Cl 0.2	
			Amount of chlorine		
			Where the chlorine content is not greater than 2% the statement "low in chlorine" may be made		
			<i>Nitrogen (N)</i>	N 1.1	N 0.5
			<i>EEC Other fertiliser</i>	As set out in paragraph 7 of this Schedule	
			<i>EEC fertiliser</i>		
			Amount of total nitrogen	Amount of total nitrogen	

\* As determined by the Petermann method.

\* This is only an indication of how the material should be named and accordingly this form of words should not be used in the statutory statement.

**Status:** This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

<i>Group</i>	<i>Name of Material</i>	<i>Meaning</i>	<i>Declarations</i>	<i>Limits of variation (absolute value in percnetage by weight, except where otherwise specified)</i>	
(1)	(2)	(3)	(4)	(5)	(6)
		containing by weight:- <ol style="list-style-type: none"> <li>1. Not less than 3% nitrogen (N);</li> <li>2. Not less than 5% phosphorus pentoxide (P<sub>2</sub>O<sub>5</sub>);</li> <li>3. Not less than 5% potassium oxide (K<sub>2</sub>O).</li> </ol> <p>The sum of the three nutrients must be not less than 20% by weight. The product must not contain any phposphate material other than calcined phosphate. Not less than 75% of the calcined phosphate should be able to pass through a sieve with a mesh of 0.160 mm.</p>	<b>EEC <del>Other fertiliser</del> EEC fertiliser</b> Amount where of equal ureic to or nitrogen greater save than that a declaration by of weight, 10% of:- or less need not be made		
			<ol style="list-style-type: none"> <li>1. nitric nitrogen</li> <li>2. ammonical nitrogen</li> </ol>		

\* As determined by the Petermann method.

\* This is only an indication of how the material should be named and accordingly this form of words should not be used in the statutory statement.

**Status:** This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

<i>Group</i>	<i>Name of Material</i>	<i>Meaning</i>	<i>Declarations</i>	<i>Limits of variation (absolute value in percentage by weight, except where otherwise specified)</i>	
(1)	(2)	(3)	(4)	(5)	(6)
			3. ureic nitrogen		
			4. cyanamide nitrogen		
			<i>Phosphorus Pentoxide (P<sub>2</sub>O<sub>5</sub>)</i>	P <sub>2</sub> O <sub>5</sub> 1.1	P <sub>2</sub> O <sub>5</sub> 0.5
			Amount of phosphorus pentoxide soluble in alkaline ammonium citrate*		
			<i>Potassium Oxide (K<sub>2</sub>O)</i>	K <sub>2</sub> O 1.1	K <sub>2</sub> O 0.5
				N 1.9	
			Amount of potassium oxide soluble in water	+P <sub>2</sub> 1.9	
				+K <sub>2</sub> O 1.9	
			<i>Optional declarations</i>	Cl 0.2	
			Amount of chlorine		
			Where the chlorine content is not greater than 2% the statement "low in chlorine may be made".		
			* As determined by the Petermann method.		
			* This is only an indication of how the material should be named and accordingly this form of words should not be used in the statutory statement.		

**Status:** This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

<i>Group</i>	<i>Name of Material</i>	<i>Meaning</i>	<i>Declarations</i>	<i>Limits of variation (absolute value in percentage by weight, except where otherwise specified)</i>	
(1)	(2)	(3)	(4)	(5)	(6)
	NPK fertiliser (Phosphate ingredient, soft ground rock phosphate only)	Product obtained chemically or by blending, without addition of organic nutrients of animal or vegetable origin, containing by weight:—  1. Not less than 3% nitrogen (N);  2. Not less than 5% phosphorus pentoxide (P <sub>2</sub> O <sub>5</sub> );  3. Not less than 5% potassium oxide (K <sub>2</sub> O).  The sum of the three nutrients must be not less than 20% by weight. At least 55% of the declared phosphorus pentoxide soluble in mineral acids must be soluble in 2% formic acid. The product must	<i>Nitrogen (N)</i>  <u><i>EEC Other fertiliser</i></u>  <u><i>EEC fertiliser</i></u>  Amount of total nitrogen Amount of ureic nitrogen Amount of nitrogen save that a declaration of 10% or less need not be made	N 1.1	N 0.5

\* As determined by the Petermann method.

\* This is only an indication of how the material should be named and accordingly this form of words should not be used in the statutory statement.

**Status:** This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

<i>Group</i>	<i>Name of Material</i>	<i>Meaning</i>	<i>Declarations</i>	<i>Limits of variation (absolute value in percentage by weight, except where otherwise specified)</i>	
(1)	(2)	(3)	(4)	(5)	(6)
		not contain any phosphate material other than soft ground rock phosphate. Not less than 90% of the soft ground rock phosphate should be able to pass through a sieve with a mesh of 0.063 mm.	<ol style="list-style-type: none"> <li>1. nitric nitrogen</li> <li>2. ammonical nitrogen</li> <li>3. ureic nitrogen</li> <li>4. cyanamide nitrogen</li> </ol>	<i>Phosphorus Pentoxide</i> ( $P_2O_5$ )	$P_2O_5$ 1.1 $P_2O_5$ 0.5  Amount of phosphorus pentoxide soluble in mineral acids  Amount of phosphorus pentoxide soluble in 2% formic acid
* As determined by the Petermann method.					
* This is only an indication of how the material should be named and accordingly this form of words should not be used in the statutory statement.					



**Status:** This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

<i>Group</i>	<i>Name of Material</i>	<i>Meaning</i>	<i>Declarations</i>	<i>Limits of variation (absolute value in percentage by weight, except where otherwise specified)</i>	
(1)	(2)	(3)	(4)	(5)	(6)
			<i>Potassium Oxide (K<sub>2</sub>O)</i>	K <sub>2</sub> O 1.1	K <sub>2</sub> O 0.5
			Amount of potassium oxide soluble in water	N +P <sub>2</sub> +K <sub>2</sub> O	1.9 1.9 1.9
			<i>Optional declarations</i>	Cl 0.2	
			Amount of chlorine		
			Where the chlorine content is not greater than 2% the statement “low in chlorine may be made”.		
	NPK fertiliser (Phosphate ingredient; basic slag only)	Product obtained chemically or by blending, without addition	<i>Nitrogen (N)</i>	N 1.1	N 0.5
	NPK fertiliser (Phosphate ingredient; Thomas phosphate only)	of organic nutrients of animal or vegetable origin, containing by weight:–	<b><i>EEC Other fertiliser</i></b>	As set out in paragraph 7 of this Schedule	
	NPK fertiliser (Phosphate ingredient; Thomas slag only)	1. Not less than 3% nitrogen (N); 2. Not less than 5% phosphorus pentoxide (P <sub>2</sub> O <sub>5</sub> );	<b><i>EEC fertiliser</i></b>	Amount of total nitrogen where of equal to or greater than 1% by weight, of:–	Amount of total nitrogen save that a declaration of 10% or less

\* As determined by the Petermann method.

\* This is only an indication of how the material should be named and accordingly this form of words should not be used in the statutory statement.

**Status:** This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

<i>Group</i>	<i>Name of Material</i>	<i>Meaning</i>	<i>Declarations</i>	<i>Limits of variation (absolute value in percentage by weight, except where otherwise specified)</i>	
(1)	(2)	(3)	(4)	(5)	(6)
		<p><b>3.</b> Not less than 5% potassium oxide (K<sub>2</sub>O).</p> <p>The sum of the three nutrients must be not less than 20% by weight. The product must not contain any phosphate material other than basic slag, Thomas phosphate or Thomas slag.</p> <p>Not less than 75% of the basic slag, Thomas phosphate or Thomas slag should be able to pass through a sieve with a mesh of 0.160 mm.</p>	<p><b>EEC Other fertiliser</b></p> <hr/> <p><b>EEC fertiliser</b></p> <hr/> <p>need not be made</p> <hr/> <p><b>1.</b> nitric nitrogen</p> <p><b>2.</b> ammonical nitrogen</p> <p><b>3.</b> ureic nitrogen</p> <p><b>4.</b> cyanamide nitrogen</p>		

\* As determined by the Petermann method.

\* This is only an indication of how the material should be named and accordingly this form of words should not be used in the statutory statement.



**Status:** This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

<i>Group</i>	<i>Name of Material</i>	<i>Meaning</i>	<i>Declarations</i>	<i>Limits of variation (absolute value in percentage by weight, except where otherwise specified)</i>	
(1)	(2)	(3)	(4)	(5)	(6)
		containing by weight— 1. Not less than 3% nitrogen (N); 2. Not less than 5% phosphorus pentoxide (P <sub>2</sub> O <sub>5</sub> ). The sum of the two nutrients must be not less than 18% by weight. The product must not contain basic slag, Thomas phosphate, Thomas slag, calcined phosphate, aluminium-calcium phosphate, soft ground rock phosphate or partially solubilised rock phosphate. The P <sub>2</sub> O <sub>5</sub> content soluble only in mineral acids must not exceed 2%.	<b>EEC Other fertiliser</b> <b>EEC fertiliser</b> Amount where of equal ureic to or nitrogen greater save than that a declaration by of weight, 10% of:— or less need not be made		
					1. nitric nitrogen

\* As determined by the Petermann method.

\* This is only an indication of how the material should be named and accordingly this form of words should not be used in the statutory statement.

**Status:** This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

<i>Group</i>	<i>Name of Material</i>	<i>Meaning</i>	<i>Declarations</i>	<i>Limits of variation (absolute value in percnetage by weight, except where otherwise specified)</i>	
(1)	(2)	(3)	(4)	(5)	(6)
			2. ammonical nitrogen		
			3. ureic nitrogen		
			4. cyanamide nitrogen		
			<i>Phosphorus Pentoxide (P<sub>2</sub>O<sub>5</sub>)</i>	P <sub>2</sub> O <sub>5</sub> 1.1	P <sub>2</sub> O <sub>5</sub> 0.5
			Where phosphorus pentoxide soluble in water is less than 2%, amount of:–		
			1. Phosphorus pentoxide soluble in neutral ammonium citrate.		
			Where phosphorus pentoxide soluble in water is equal to or greater than 2%, amount of–		
			1. Phosphorus pentoxide soluble in neutral ammonium citrate and in water		
			2. Phosphorus pentoxide	As set out	in paragraph

\* As determined by the Petermann method.

\* This is only an indication of how the material should be named and accordingly this form of words should not be used in the statutory statement.

**Status:** This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

<i>Group</i>	<i>Name of Material</i>	<i>Meaning</i>	<i>Declarations</i>	<i>Limits of variation (absolute value in percentage by weight, except where otherwise specified)</i>	
(1)	(2)	(3)	(4)	(5)	(6)
			soluble in water	7(a) of this Schedule	
				N	1.5
				+P <sub>2</sub> O <sub>5</sub>	1.5
	NP fertiliser containing aluminium-calcium phosphate	Product obtained chemically or by blending, without addition of organic nutrients of animal or vegetable origin, containing by weight:—  1. Not less than 3% nitrogen (N);  2. Not less than 5% phosphorus pentoxide (P <sub>2</sub> O <sub>5</sub> ) of which at least 2% must be soluble in water, and at least 5% soluble in mineral acids.  The sum of the two nutrients must be not less than 18% by weight. At least 75% of the declared	<i>Nitrogen (N)</i>  <u><i>EEC Other fertiliser</i></u>  <u><i>EEC fertiliser</i></u>  Amount of total nitrogen  Amount of total nitrogen where of equal to or greater than that a  Amount of ureic nitrogen save that a declaration of 10% weight, or less need not be made	N 1.1	N 0.5
				As set out in paragraph 7 of this Schedule	

\* As determined by the Petermann method.

\* This is only an indication of how the material should be named and accordingly this form of words should not be used in the statutory statement.

**Status:** This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

<i>Group</i>	<i>Name of Material</i>	<i>Meaning</i>	<i>Declarations</i>	<i>Limits of variation (absolute value in percnetage by weight, except where otherwise specified)</i>	
(1)	(2)	(3)	(4)	(5)	(6)
		phosphorus pentoxide soluble in mineral acids must be soluble in alkaline ammonium citrate (Joule). The product must not contain basic slag, Thomas phosphate, Thomas slag, calcined phosphate, soft ground rock phosphate or partially solubilised rock phosphate, and not less than 90% of the aluminium-calcium phosphate should be able to pass through a sieve with a mesh of 0.160 mm.			
				1. nitric nitrogen	
				2. ammonical nitrogen	
				3. ureic nitrogen	

\* As determined by the Petermann method.

\* This is only an indication of how the material should be named and accordingly this form of words should not be used in the statutory statement.

**Status:** This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

<i>Group</i>	<i>Name of Material</i>	<i>Meaning</i>	<i>Declarations</i>	<i>Limits of variation (absolute value in percentage by weight, except where otherwise specified)</i>	
(1)	(2)	(3)	(4)	(5)	(6)
			4. cyanamide nitrogen		
			<i>Phosphorus Pentoxide (P<sub>2</sub>O<sub>5</sub>)</i>	P <sub>2</sub> O <sub>5</sub> 1.1	P <sub>2</sub> O <sub>5</sub> 0.5
			Amount of phosphorus pentoxide soluble in mineral acids		
			Amount of phosphorus pentoxide soluble in water	As set out in paragraph 7(a) of this Schedule	
				N	1.5
			Amount of phosphorus pentoxide soluble in mineral acids (after deduction of the amount of phosphorus pentoxide soluble in water)	+P <sub>2</sub> O <sub>5</sub>	1.5
			Amount of phosphorus pentoxide soluble in alkaline ammonium citrate		

\* As determined by the Petermann method.

\* This is only an indication of how the material should be named and accordingly this form of words should not be used in the statutory statement.



**Status:** This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

<i>Group</i>	<i>Name of Material</i>	<i>Meaning</i>	<i>Declarations</i>	<i>Limits of variation (absolute value in percentage by weight, except where otherwise specified)</i>	
(1)	(2)	(3)	(4)	(5)	(6)
	NP fertiliser containing soft ground rock phosphate	Product obtained chemically or by blending, without addition of organic nutrients of animal or vegetable origin, containing by weight:	<i>Nitrogen (N)</i>	N 1.1	N 0.5
	NP fertiliser containing partially solubilised rock phosphate	<p>1. Not less than 3% nitrogen (N);</p> <p>2. Not less than 5% phosphorus pentoxide (P<sub>2</sub>O<sub>5</sub>) of which at least 2% should be soluble only in mineral acids, at least 5% soluble in neutral ammonium citrate and in water and at least 2.5% soluble in water.</p> <p>The sum of the two nutrients must be not less than 18% by weight. Neither product must</p>	<p><b>EEC Other fertiliser</b></p> <hr/> <p><b>EEC fertiliser</b></p> <hr/> <p>Amount of total nitrogen</p> <hr/> <p>Amount of ureic nitrogen save that a declaration of 10% or less need not be made</p>	As set out in paragraph 7 of this Schedule	

\* As determined by the Petermann method.

\* This is only an indication of how the material should be named and accordingly this form of words should not be used in the statutory statement.

**Status:** This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

<i>Group</i>	<i>Name of Material</i>	<i>Meaning</i>	<i>Declarations</i>	<i>Limits of variation (absolute value in percentage by weight, except where otherwise specified)</i>	
(1)	(2)	(3)	(4)	(5)	(6)
		contain basic slag, Thomas phosphate, Thomas slag, calcined phosphate or aluminium-calcium phosphate. Not less than 90% of the soft ground rock phosphate should be able to pass through a sieve with a mesh of 0.063 mm, and not less than 90% of the partially solubilised rock phosphate should be able to pass through a sieve with a mesh of 0.160 mm.			
				1. nitric nitrogen	
				2. ammonical nitrogen	
				3. ureic nitrogen	
				4. cyanamide nitrogen	

\* As determined by the Petermann method.

\* This is only an indication of how the material should be named and accordingly this form of words should not be used in the statutory statement.

**Status:** This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

<i>Group</i>	<i>Name of Material</i>	<i>Meaning</i>	<i>Declarations</i>	<i>Limits of variation (absolute value in percentage by weight, except where otherwise specified)</i>	
(1)	(2)	(3)	(4)	(5)	(6)
			<i>Phosphorus Pentoxide (P<sub>2</sub>O<sub>5</sub>)</i>	P <sub>2</sub> O <sub>5</sub> 1.1	P <sub>2</sub> O <sub>5</sub> 0.5
			Amount of phosphorus pentoxide soluble in mineral acids		
			Amount of phosphorus pentoxide soluble in water	As set out in paragraph 7(a) of this schedule	
				N	1.5
			Amount of phosphorus pentoxide soluble in neutral ammonium citrate and in water	+P <sub>2</sub> O <sub>5</sub>	1.5
			Amount of phosphorus pentoxide soluble only in mineral acids		
	NP fertiliser (Phosphate ingredient: aluminium-calcium phosphate only)	Product obtained chemically or by blending, without addition of organic nutrients of animal or vegetable origin, containing by weight:–	<i>Nitrogen (N)</i>	N 1.1	N 0.5
			<b><i>EEC Other fertiliser</i></b>	As set out in paragraph 7 of this Schedule	
			<b><i>EEC fertiliser</i></b>	Amount of total nitrogen	Amount of total nitrogen
			Amount of equal ureic	Amount of equal ureic	

\* As determined by the Petermann method.

\* This is only an indication of how the material should be named and accordingly this form of words should not be used in the statutory statement.

**Status:** This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

<i>Group</i>	<i>Name of Material</i>	<i>Meaning</i>	<i>Declarations</i>	<i>Limits of variation (absolute value in percentage by weight, except where otherwise specified)</i>	
(1)	(2)	(3)	(4)	(5)	(6)
		<p>1. Not less than 3% nitrogen (N);</p> <p>2. Not less than 5% phosphorus pentoxide (P<sub>2</sub>O<sub>5</sub>).</p> <p>The sum of the two nutrients must be not less than 18% by weight. At least 75% of the declared phosphorus pentoxide soluble in mineral acids must be soluble in alkaline ammonium citrate (Joule). The product must not contain any phosphate material other than aluminium-calcium phosphate and not less than 90% of the aluminium-calcium phosphate should be able to pass through a sieve with a</p>	<p><b>EEC Other fertiliser</b></p> <hr/> <p><b>EEC fertiliser</b></p> <hr/> <p>to or nitrogen greater save than that a declaration of by 10% weight, 10% of:- or less need not be made</p>		

\* As determined by the Petermann method.

\* This is only an indication of how the material should be named and accordingly this form of words should not be used in the statutory statement.

**Status:** This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

<i>Group</i>	<i>Name of Material</i>	<i>Meaning</i>	<i>Declarations</i>	<i>Limits of variation (absolute value in percnetage by weight, except where otherwise specified)</i>	
(1)	(2)	(3)	(4)	(5)	(6)
		mesh of 0.160 mm.			
			<ol style="list-style-type: none"> <li>1. nitric nitrogen</li> <li>2. ammonical nitrogen</li> <li>3. ureic nitrogen</li> <li>4. cyanamide nitrogen</li> </ol>		
			<i>Phosphorus Pentoxide (P<sub>2</sub>O<sub>5</sub>)</i>	P <sub>2</sub> O <sub>5</sub> 1.1	P <sub>2</sub> O <sub>5</sub> 0.5
			Amount of phosphorus pentoxide soluble in mineral acids		
			Amount of phosphorus pentoxide soluble in alkaline ammonium citrate	As set out in paragraph 7(a) of this schedule	
				N 1.5	
				+P <sub>2</sub> O <sub>5</sub>	1.5
	NP fertiliser (Phosphate ingredient: calcined phosphate only)	Product obtained chemically or by blending, without addition of organic nutrients of animal or vegetable origin, containing by weight:–	<i>Nitrogen (N)</i>	N 1.1	N 0.5
			<b><i>EEC Other fertiliser</i></b>	As set out in paragraph 7 of this Schedule	
			<b><i>EEC fertiliser</i></b>		
			Amount of total nitrogen	Amount of total nitrogen	
			Amount where of equal	Amount of ureic	

\* As determined by the Petermann method.

\* This is only an indication of how the material should be named and accordingly this form of words should not be used in the statutory statement.

**Status:** This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

<i>Group</i>	<i>Name of Material</i>	<i>Meaning</i>	<i>Declarations</i>	<i>Limits of variation (absolute value in percentage by weight, except where otherwise specified)</i>	
(1)	(2)	(3)	(4)	(5)	(6)
		<p>1. Not less than 3% nitrogen (N);</p> <p>2. Not less than 5% phosphorus pentoxide (P<sub>2</sub>O<sub>5</sub>).</p> <p>The sum of the two nutrients must be not less than 18% by weight. The product must not contain any phosphate material other than calcined phosphate. Not less than 75% of the calcined phosphate should be able to pass through a sieve with a mesh of 0.160 mm.</p>	<p><b>EEC Other fertiliser</b></p> <hr/> <p>to or nitrogen greater save than that a declaration of by of weight, 10% of:- or less need not be made</p> <hr/> <p>1. nitric nitrogen</p> <p>2. ammonical nitrogen</p> <p>3. ureic nitrogen</p> <p>4. cyanamide nitrogen</p>		

\* As determined by the Petermann method.

\* This is only an indication of how the material should be named and accordingly this form of words should not be used in the statutory statement.

**Status:** This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

<i>Group</i>	<i>Name of Material</i>	<i>Meaning</i>	<i>Declarations</i>	<i>Limits of variation (absolute value in percentage by weight, except where otherwise specified)</i>	
(1)	(2)	(3)	(4)	(5)	(6)
			<i>Phosphorus Pentoxide (P<sub>2</sub>O<sub>5</sub>)</i>	P <sub>2</sub> O <sub>5</sub> 1.1 N 1.5	P <sub>2</sub> O <sub>5</sub> 0.5
			Amount of phosphorus pentoxide soluble in alkaline ammonium citrate*	+P <sub>2</sub> O <sub>5</sub>	1.5
	NP fertiliser (Phosphate ingredient: soft ground rock phosphate only)	Product obtained chemically or by blending, without addition of organic nutrients of animal or vegetable origin, containing by weight:— <b>1.</b> Not less than 3% nitrogen (N); <b>2.</b> Not less than 5% phosphorus pentoxide (P <sub>2</sub> O <sub>5</sub> ).  The sum of the two nutrients must be not less than 18% by weight. At least 55% of the declared phosphorus pentoxide	<i>Nitrogen (N)</i> <hr/> <b>EEC Other fertiliser</b> <hr/> <b>EEC fertiliser</b>	N 1.1	N 0.5
			Amount of total nitrogen	Amount of total nitrogen	
			where of equal to or greater than	Amount of ureic nitrogen save that a declaration of 10% or less need not be made	

\* As determined by the Petermann method.

\* This is only an indication of how the material should be named and accordingly this form of words should not be used in the statutory statement.

**Status:** This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

<i>Group</i>	<i>Name of Material</i>	<i>Meaning</i>	<i>Declarations</i>	<i>Limits of variation (absolute value in percentage by weight, except where otherwise specified)</i>	
(1)	(2)	(3)	(4)	(5)	(6)
		soluble in mineral acids must be soluble in 2% formic acid. The product must not contain any phosphate material other than soft ground rock phosphate. Not less than 90% of the soft ground rock phosphate should be able to pass through a sieve with a mesh of 0.063 mm.	<ol style="list-style-type: none"> <li>1. nitric nitrogen</li> <li>2. ammonical nitrogen</li> <li>3. ureic nitrogen</li> <li>4. cyanamide nitrogen</li> </ol>	<i>Phosphorus Pentoxide</i> ( $P_2O_5$ )	$P_2O_5$ 1.1 $P_2O_5$ 0.5  Amount of phosphorus pentoxide soluble in mineral acids

\* As determined by the Petermann method.

\* This is only an indication of how the material should be named and accordingly this form of words should not be used in the statutory statement.



**Status:** This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

<i>Group</i>	<i>Name of Material</i>	<i>Meaning</i>	<i>Declarations</i>	<i>Limits of variation (absolute value in percentage by weight, except where otherwise specified)</i>	
(1)	(2)	(3)	(4)	(5)	(6)
			Amount of phosphorus pentoxide soluble in 2% formic acid	As set out in paragraph 7(a) of this schedule	
				N	1.5
				+P <sub>2</sub> O <sub>5</sub>	1.5
	NP fertiliser (Phosphate ingredient basic slag only)	Product obtained chemically or by blending, without addition	<i>Nitrogen (N)</i>	N 1.1	N 0.5
	NP fertiliser (Phosphorus ingredient: Thomas phosphate only)	of organic nutrients of animal or vegetable origin, containing by weight:—	<b>EEC Other fertiliser</b>	As set out in paragraph 7 of this Schedule	
	NP fertiliser (Phosphate ingredient; Thomas slag only)	1. Not less than 3% nitrogen (N); 2. Not less than 5% phosphorus pentoxide (P <sub>2</sub> O <sub>5</sub> ).  The sum of the two nutrients must be not less than 18% by weight. The product must not contain any phosphate material other than basic slag, Thomas phosphate	Amount of total nitrogen where of equal to or greater than 1% by weight, of:—  Amount of ureic nitrogen save that a declaration of 10% or less need not be made		

\* As determined by the Petermann method.

\* This is only an indication of how the material should be named and accordingly this form of words should not be used in the statutory statement.

**Status:** This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

<i>Group</i>	<i>Name of Material</i>	<i>Meaning</i>	<i>Declarations</i>	<i>Limits of variation (absolute value in percentage by weight, except where otherwise specified)</i>	
(1)	(2)	(3)	(4)	(5)	(6)
		or Thomas slag. Not less than 75% of the basic slag, Thomas phosphate or Thomas slag should be able to pass through a sieve with a mesh of 0.160 mm.	<ol style="list-style-type: none"> <li>1. nitric nitrogen</li> <li>2. ammonical nitrogen</li> <li>3. ureic nitrogen</li> <li>4. cyanamide nitrogen</li> </ol>	<i>Phosphorus Pentoxide (P<sub>2</sub>O<sub>5</sub>)</i> P <sub>2</sub> O <sub>5</sub> 1.1 N 1.5	P <sub>2</sub> O <sub>5</sub> 0.5 1.5
	NP fertiliser	Product obtained chemically or by blending, without addition of organic nutrients of animal or vegetable origin,	<i>Nitrogen (N)</i> <hr/> <i>EEC Other fertiliser</i> <hr/> <i>EEC fertiliser</i>	N 1.1 Amount of total nitrogen	N 0.5 As set out in paragraph 7 of this Schedule Amount of total nitrogen

\* As determined by the Petermann method.

\* This is only an indication of how the material should be named and accordingly this form of words should not be used in the statutory statement.

**Status:** This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

<i>Group</i>	<i>Name of Material</i>	<i>Meaning</i>	<i>Declarations</i>	<i>Limits of variation (absolute value in percnetage by weight, except where otherwise specified)</i>	
(1)	(2)	(3)	(4)	(5)	(6)
		containing by weight:– 1. Not less than 3% nitrogen (N); 2. Not less than 5% potassium oxide (K <sub>2</sub> O). The sum of the two nutrients must be not less than 18% by weight.	<b>EEC Other fertiliser</b> <b>EEC fertiliser</b> Amount where of equal ureic to or nitrogen greater save than that a declaration of weight, 10% of:– or less need not be made 1. nitric nitrogen 2. ammonical nitrogen 3. ureic nitrogen 4. cyanamide nitrogen	K <sub>2</sub> O 1.1 N 1.5 +K <sub>2</sub> O 1.5 Cl 0.2	K <sub>2</sub> O 0.5
			<i>Potassium Oxide (K<sub>2</sub>O)</i> Amount of potassium oxide soluble in water <i>Optional declarations</i> Amount of chlorine		

\* As determined by the Petermann method.

\* This is only an indication of how the material should be named and accordingly this form of words should not be used in the statutory statement.

**Status:** This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

<i>Group</i>	<i>Name of Material</i>	<i>Meaning</i>	<i>Declarations</i>	<i>Limits of variation (absolute value in percnetage by weight, except where otherwise specified)</i>	
(1)	(2)	(3)	(4)	(5)	(6)
4	PK fertiliser	Product obtained chemically or by blending, without addition of organic nutrient of animal or vegetable origin, containing by weight:–  1. Not less than 5% phosphorus pentoxide (P <sub>2</sub> O <sub>5</sub> )  2. Not less than 5% potassium oxide (K <sub>2</sub> O)  The sum of the two nutrients must be not less than 18% by weight. The product must not contain basic slag, Thomas phosphate, Thomas slag,	Where the chlorine content is not greater than 2% the statement “low in chlorine” may be made  <i>Phosphorus Pentoxide (P<sub>2</sub>O<sub>5</sub>)</i>  Where phosphorus pentoxide soluble in water is less than 2%, amount of:–  1. Phosphorus pentoxide soluble in neutral ammonium citrate  Where phosphorus pentoxide soluble in water is equal to or greater than 2%, amount of:–  1. Phosphorus pentoxide soluble in neutral ammonium citrate and in water	P <sub>2</sub> O <sub>5</sub> 1.1	P <sub>2</sub> O <sub>5</sub> 0.5

\* As determined by the Petermann method.

\* This is only an indication of how the material should be named and accordingly this form of words should not be used in the statutory statement.

**Status:** This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

<i>Group</i>	<i>Name of Material</i>	<i>Meaning</i>	<i>Declarations</i>	<i>Limits of variation (absolute value in percentage by weight, except where otherwise specified)</i>		
(1)	(2)	(3)	(4)	(5)	(6)	
		calcined phosphate, aluminium-calcium phosphate, soft ground rock phosphate, or partially solubilised rock phosphate. The P <sub>2</sub> O <sub>5</sub> content soluble only in mineral acids must not exceed 2%.	2. Phosphorus pentoxide soluble in water	As set out in paragraph 7(a) of this Schedule K <sub>2</sub> O 1.1 P <sub>2</sub> O <sub>5</sub> 1.5 +K <sub>2</sub> O 1.5 Cl 0.2 Optional declarations Amount of chlorine Where the chlorine content is not greater than 2% the statement “low	K <sub>2</sub> O 0.5	

\* As determined by the Petermann method.

\* This is only an indication of how the material should be named and accordingly this form of words should not be used in the statutory statement.

**Status:** This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

<i>Group</i>	<i>Name of Material</i>	<i>Meaning</i>	<i>Declarations</i>	<i>Limits of variation (absolute value in percentage by weight, except where otherwise specified)</i>	
(1)	(2)	(3)	(4)	(5)	(6)
			in chlorine” may be made		
	PK fertiliser containing aluminium calcium phosphate	Product obtained chemically or by blending, without addition of organic nutrient of animal or vegetable origin, containing by weight:–  1. Not less than 5% phosphorus pentoxide (P <sub>2</sub> O <sub>5</sub> ) of which at least 2% must be soluble in water, and at least 5% soluble in mineral acids;  2. Not less than 5% potassium oxide (K <sub>2</sub> O)  The sum of the two nutrients must be not less than 18% by weight. At least 75% of the declared phosphorus pentoxide soluble in	Phosphorus Pentoxide (P <sub>2</sub> O <sub>5</sub> )  Amount of phosphorus pentoxide soluble in mineral acids  Amount of phosphorus pentoxide soluble in water  Amount of phosphorus pentoxide soluble in mineral acids (after deduction of the amount of phosphorus pentoxide soluble in water)  Amount of phosphorus pentoxide soluble in alkaline ammonium citrate	P <sub>2</sub> O <sub>5</sub> 1.1  As set out in paragraph 7(a) of this Schedule	P <sub>2</sub> O <sub>5</sub> 0.5

\* As determined by the Petermann method.

\* This is only an indication of how the material should be named and accordingly this form of words should not be used in the statutory statement.

**Status:** This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

<i>Group</i>	<i>Name of Material</i>	<i>Meaning</i>	<i>Declarations</i>	<i>Limits of variation (absolute value in percnetage by weight, except where otherwise specified)</i>	
(1)	(2)	(3)	(4)	(5)	(6)
		mineral acids must be soluble in alkaline ammonium citrate (Joule). The product must not contain basic slag, Thomas phosphate, Thomas slag, calcined phosphate, soft ground rock phosphate, or partially solubilised rock phosphate, and not less than 90% of the aluminium-calcium phosphate should be able to pass through a sieve with a mesh of 0.160 mm.	<i>Potassium Oxide(K<sub>2</sub>O)</i>	K <sub>2</sub> O 1.1	K <sub>2</sub> O 0.5
				P <sub>2</sub> O <sub>5</sub>	1.5
			Amount of potassium oxide soluble in water	+K <sub>2</sub> O	1.5
				* As determined by the Petermann method.	
				* This is only an indication of how the material should be named and accordingly this form of words should not be used in the statutory statement.	

**Status:** This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

<i>Group</i>	<i>Name of Material</i>	<i>Meaning</i>	<i>Declarations</i>	<i>Limits of variation (absolute value in percentage by weight, except where otherwise specified)</i>	
(1)	(2)	(3)	(4)	(5)	(6)
			<i>Optional declarations</i>	Cl 0.2	
			Amount of chlorine		
			Where the chlorine content is not greater than 2% the statement “low in chlorine” may be made		
	PK fertiliser containing soft ground rock phosphate	Product obtained chemically or by blending, without addition of organic nutrient of animal or vegetable origin, containing by weight:–  1. Not less than 5% phosphorus pentoxide (P <sub>2</sub> O <sub>5</sub> ) of which at least 2% would be soluble only in mineral acids, at least 5% soluble in neutral ammonium citrate and in water and at least 2.5%	<i>Phosphorus Pentoxide (P<sub>2</sub>O<sub>5</sub>)</i>  Amount of phosphorus pentoxide soluble in mineral acids  Amount of phosphorus pentoxide soluble in water  Amount of phosphorus pentoxide soluble in neutral ammonium citrate and in water  Amount of phosphorus pentoxide	P <sub>2</sub> O <sub>5</sub> 1.1  As set out in paragraph 7(a) of this Schedule	P <sub>2</sub> O <sub>5</sub> 0.5

\* As determined by the Petermann method.

\* This is only an indication of how the material should be named and accordingly this form of words should not be used in the statutory statement.



**Status:** This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

<i>Group</i>	<i>Name of Material</i>	<i>Meaning</i>	<i>Declarations</i>	<i>Limits of variation (absolute value in percentage by weight, except where otherwise specified)</i>	
(1)	(2)	(3)	(4)	(5)	(6)
		soluble in water.	soluble only in mineral acids		
		2. Not less than 5% potassium oxide (K <sub>2</sub> O)			
	PK fertiliser containing partially solubilised rock phosphate	The sum of the two nutrients must be not less than 18% by weight. Neither product must contain basic slag, Thomas phosphate, Thomas slag, calcined phosphate or aluminium-calcium phosphate. Not less than 90% of the soft ground rock phosphate should be able to pass through a sieve with a mesh of 0.063 mm, and not less than 90% of the partially solubilised rock phosphate should be able to pass through a sieve with a	<i>Potassium Oxide(K<sub>2</sub>O)</i>  Amount of potassium oxide soluble in water	K <sub>2</sub> O 1.1  P <sub>2</sub> O <sub>5</sub>  +K <sub>2</sub> O	K <sub>2</sub> O 0.5  1.5  1.5

\* As determined by the Petermann method.

\* This is only an indication of how the material should be named and accordingly this form of words should not be used in the statutory statement.

**Status:** This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

<i>Group</i>	<i>Name of Material</i>	<i>Meaning</i>	<i>Declarations</i>	<i>Limits of variation (absolute value in percentage by weight, except where otherwise specified)</i>	
(1)	(2)	(3)	(4)	(5)	(6)
		mesh of 0.160 mm.	<i>Optional declarations</i>	Cl 0.2	
			Amount of chlorine		
			Where the chlorine content is not greater than 2% the statement “low in chlorine” may be made		
	PK fertiliser (Phosphate ingredient; aluminium-calcium phosphate only)	Product obtained chemically or by blending, without addition of organic nutrient of animal or vegetable origin, containing by weight:–  1. Not less than 5% phosphorus pentoxide (P <sub>2</sub> O <sub>5</sub> )  2. Not less than 5% potassium oxide (K <sub>2</sub> O)  The sum of the two nutrients must be not less	<i>Phosphorus Pentoxide (P<sub>2</sub>O<sub>5</sub>)</i>  Amount of phosphorus pentoxide soluble in mineral acids  Amount of phosphorus pentoxide soluble in alkaline ammonium citate  <i>Potassium Oxide(K<sub>2</sub>O)</i>  Amount of potassium oxide soluble in water	P <sub>2</sub> O <sub>5</sub> 1.1  As set out in paragraph 7(a) of this Schedule  K <sub>2</sub> O 1.1  P <sub>2</sub> O <sub>5</sub> 1.5  +K <sub>2</sub> O 1.5  Cl 0.2	P <sub>2</sub> O <sub>5</sub> 0.5  K <sub>2</sub> O 0.5

\* As determined by the Petermann method.

\* This is only an indication of how the material should be named and accordingly this form of words should not be used in the statutory statement.

**Status:** This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

<i>Group</i>	<i>Name of Material</i>	<i>Meaning</i>	<i>Declarations</i>	<i>Limits of variation (absolute value in percentage by weight, except where otherwise specified)</i>	
(1)	(2)	(3)	(4)	(5)	(6)
		than 18% by weight. At least 75% of the declared phosphorus pentoxide soluble in mineral acids must be soluble in alkaline ammonium citrate (Joule). The product must not contain any phosphate material other than aluminium-calcium phosphate and not less than 90% of the aluminium-calcium phosphate should be able to pass through a sieve with a mesh of 0.160 mm.	<i>Optional declarations</i>  Amount of chlorine  Where the chlorine content is not greater than 2% the statement "low in chlorine" may be made		
	PK fertiliser (Phosphate ingredient; calcined phosphate only)	Product obtained chemically or by blending, without addition of organic nutrient of animal or vegetable origin,	<i>Phosphorus Pentoxide (P<sub>2</sub>O<sub>5</sub>)</i>  Amount of phosphorus pentoxide soluble in alkaline ammonium citrate*	P <sub>2</sub> O <sub>5</sub> 1.1 K <sub>2</sub> O 1.1 P <sub>2</sub> O <sub>5</sub> +K <sub>2</sub> O Cl 0.2	P <sub>2</sub> O <sub>5</sub> 0.5 K <sub>2</sub> O 0.5 1.5 1.5

\* As determined by the Petermann method.

\* This is only an indication of how the material should be named and accordingly this form of words should not be used in the statutory statement.

**Status:** This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

<i>Group</i>	<i>Name of Material</i>	<i>Meaning</i>	<i>Declarations</i>	<i>Limits of variation (absolute value in percentage by weight, except where otherwise specified)</i>	
(1)	(2)	(3)	(4)	(5)	(6)
		containing by weight:–	<i>Potassium Oxide(K<sub>2</sub>O)</i>		
		1. Not less than 5% phosphorus pentoxide (P <sub>2</sub> O <sub>5</sub> )	Amount of potassium oxide soluble in water		
		2. Not less than 5% potassium oxide (K <sub>2</sub> O)	<i>Optional declarations</i> Amount of chlorine		
		The sum of the two nutrients must be not less than 18% by weight. The product must not contain any phosphate material other than calcined phosphate. Not less than 75% of the calcined phosphate should be able to pass through a sieve with a mesh or 0.160 mm.	Where the chlorine content is not greater than 2% the statement “low in chlorine” may be made		
	PK fertiliser (Phosphate ingredient: soft ground rock phosphate only)	Product obtained chemically or by blending, without addition of organic nutrient of animal or	<i>Phosphorus Pentoxide (P<sub>2</sub>O<sub>5</sub>)</i> Amount of phosphorus pentoxide soluble in mineral acids	P <sub>2</sub> O <sub>5</sub> 1.1 As set out in paragraph 7(a) of this Schedule K <sub>2</sub> O 1.1	P <sub>2</sub> O <sub>5</sub> 0.5 K <sub>2</sub> O 0.5

\* As determined by the Petermann method.

\* This is only an indication of how the material should be named and accordingly this form of words should not be used in the statutory statement.

**Status:** This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

<i>Group</i>	<i>Name of Material</i>	<i>Meaning</i>	<i>Declarations</i>	<i>Limits of variation (absolute value in percentage by weight, except where otherwise specified)</i>	
(1)	(2)	(3)	(4)	(5)	(6)
		vegetable origin, containing by weight:–	Amount of phosphorus pentoxide soluble in 2% formic acid	P <sub>2</sub> O <sub>5</sub>	1.5
		1. Not less than 5% phosphorus pentoxide (P <sub>2</sub> O <sub>5</sub> )	<i>Potassium Oxide(K<sub>2</sub>O)</i>	+K <sub>2</sub> O	1.5
		2. Not less than 5% potassium oxide (K <sub>2</sub> O)	Amount of potassium oxide soluble in water	Cl	0.2
		The sum of the two nutrients must be not less than 18% by weight. At least 55% of the declared phosphorus pentoxide soluble in mineral acids must be soluble in 2% formic acid. The product must not contain any phosphate material other than soft ground rock phosphate. Not less than 90% of the soft ground rock phosphate should be able to pass	<i>Optional declarations</i> Amount of chlorine Where the chlorine content is not greater than 2% the statement “low in chlorine” may be made		

\* As determined by the Petermann method.

\* This is only an indication of how the material should be named and accordingly this form of words should not be used in the statutory statement.

**Status:** This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

<i>Group</i>	<i>Name of Material</i>	<i>Meaning</i>	<i>Declarations</i>	<i>Limits of variation (absolute value in percentage by weight, except where otherwise specified)</i>	
(1)	(2)	(3)	(4)	(5)	(6)
		through a sieve with a mesh of 0.063 mm.			
	PK fertiliser (Phosphate ingredient: basic slag only)	Product obtained chemically or by blending, without addition of organic nutrient of animal or vegetable origin, containing by weight:–	<i>Phosphorus Pentoxide (P<sub>2</sub>O<sub>5</sub>)</i>	P <sub>2</sub> O <sub>5</sub> 1.1 K <sub>2</sub> O 1.1	P <sub>2</sub> O <sub>5</sub> 0.5 K <sub>2</sub> O 0.5
	PK fertiliser (Phosphate ingredient: Thomas phosphate only)		Amount of phosphorus pentoxide soluble in 2% citric acid	P <sub>2</sub> O <sub>5</sub> +K <sub>2</sub> O Cl 0.2	1.5 1.5
	PK fertiliser (Phosphate ingredient: Thomas slag only)	1. Not less than 5% phosphorus pentoxide (P <sub>2</sub> O <sub>5</sub> )	Amount of potassium oxide soluble in water		
		2. Not less than 5% potassium oxide (K <sub>2</sub> O)	<i>Optional declarations</i> Amount of chlorine		
		The sum of the two nutrients must be not less than 18% by weight. The product must not contain any phosphate material other than basic slag, Thomas phosphate or Thomas slag. Not less than 75%	Where the chlorine content is not greater than 2% the statement “low in chlorine” may be made		

\* As determined by the Petermann method.

\* This is only an indication of how the material should be named and accordingly this form of words should not be used in the statutory statement.

**Status:** This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

<i>Group</i>	<i>Name of Material</i>	<i>Meaning</i>	<i>Declarations</i>	<i>Limits of variation (absolute value in percentage by weight, except where otherwise specified)</i>	
(1)	(2)	(3)	(4)	(5)	(6)
		of the basic slag, Thomas phosphate or Thomas slag should be able to pass through a sieve with a mesh of 0.160 mm.			
5	Compound fertiliser	Product not otherwise specified in this Section of this table, obtained by mixing or blending materials to provide either two or three of the major nutrients nitrogen (N), phosphorus pentoxide (P <sub>2</sub> O <sub>5</sub> ) and potassium oxide (K <sub>2</sub> O). Excluded are any materials sold or offered for sale for improving soil structure or as growing media, which contain less than 1% each of these nutrients.  At least one of the nutrients	<i>Nitrogen(N)</i>  Amount of nitrogen  Amount of ureic nitrogen save that a declaration of 10% or less need not be made  <i>Phosphorus Pentoxide (P<sub>2</sub>O<sub>5</sub>)</i>  Amount of total phosphorus pentoxide  Amount of phosphorus pentoxide soluble in water	N. 0.5 (for declarations below 3.5% N)  1.1 (for declarations 3.5% N and above)  As set out in paragraph 7(b) of this Schedule  P <sub>2</sub> O <sub>5</sub> (for declarations below 5.5% P <sub>2</sub> P <sub>5</sub> )  1.1 (for declarations 5.5% P <sub>2</sub> O <sub>5</sub> and above)  As set out in paragraph 7(a) of this Schedule	

\* As determined by the Petermann method.

\* This is only an indication of how the material should be named and accordingly this form of words should not be used in the statutory statement.

**Status:** This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

<i>Group</i>	<i>Name of Material</i>	<i>Meaning</i>	<i>Declarations</i>	<i>Limits of variation (absolute value in percentage by weight, except where otherwise specified)</i>		
(1)	(2)	(3)	(4)	(5)	(6)	
		must be derived from a material mentioned in the second column of Section A of this table.				
6	Compound fertilisers not containing any material mentioned in the second column of Section A of this table*	Products not otherwise specified in this Section of this table, including those products obtained by mixing or blending materials to provide either two or three of the major nutrients nitrogen (N), phosphorus pentoxide (P <sub>2</sub> O <sub>5</sub> ) and potassium oxide (K <sub>2</sub> O). Excluded are any materials sold or offered for sale for improving soil structure or as growing media, which contain less than 1% each of these nutrients. None of the nutrients must be	<i>Potassium Oxide (K<sub>2</sub>O)</i>  Amount of total potassium oxide	K <sub>2</sub> (for declarations below 5.5% K <sub>2</sub> O)  1.1 (for declarations 5.5% K <sub>2</sub> O and above)  N +P <sub>2</sub> O <sub>5</sub> 1.5 for products containing two nutrients only  N +K <sub>2</sub> O 1.5 for products containing two nutrients only  P <sub>2</sub> O <sub>5</sub> +K <sub>2</sub> O 1.5 for products containing two nutrients only  N 1.9  +P <sub>2</sub> O <sub>5</sub> 1.9  +K <sub>2</sub> O 1.9		

\* As determined by the Petermann method.

\* This is only an indication of how the material should be named and accordingly this form of words should not be used in the statutory statement.



**Status:** This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

<i>Group</i>	<i>Name of Material</i>	<i>Meaning</i>	<i>Declarations</i>	<i>Limits of variation (absolute value in percnetage by weight, except where otherwise specified)</i>	
(1)	(2)	(3)	(4)	(5)	(6)
		derived from a material mentioned in the second column of Section A of this table.			

\* As determined by the Petermann method.

\* This is only an indication of how the material should be named and accordingly this form of words should not be used in the statutory statement.