

**2014 No. 166**

**CLEAN AIR**

**The Smoke Control Areas (Exempted Fireplaces) (Amendment)  
Regulations (Northern Ireland) 2014**

*Made* - - - - - *9th June 2014*

*Coming into operation* - - - - - *14th July 2014*

The Department of the Environment makes the following Regulations in exercise of the powers conferred by Article 17(7) of the Clean Air (Northern Ireland) Order 1981(a).

The Department is satisfied that the classes of fireplaces prescribed in column (1) of the Schedule can, subject to the conditions prescribed in the column (2) of the Schedule, be used for burning fuel other than authorised fuels(b) without producing any smoke or a substantial quantity of smoke.

**Citation, commencement and interpretation**

1.—(1) These Regulations may be cited as the Smoke Control Areas (Exempted Fireplaces) (Amendment) Regulations (Northern Ireland) 2014 and shall come into operation on 14th July 2014.

(2) In these Regulations, “the Principal Regulations” means the Smoke Control Areas (Exempted Fireplaces) (No. 2) Regulations (Northern Ireland) 2013(c).

**Amendments to the Principal Regulations**

2. The Schedule to the Principal Regulations shall be amended as follows—

- (a) The classes of fireplace specified in column (1) of the Schedule shall be added to column 1 of the Schedule to the Principal Regulations, and the conditions specified in column (2) of the Schedule shall be added to column 2 of the Schedule to the Principal Regulations as corresponding conditions.
- (b) In column (1), for “Strebel SRP TR 90, 90kW output pellet boiler manufactured by Strebel Ltd, 1f Albany Park, Camberley, Surrey, GU16 7PB.”, substitute “Strebel SRP TR 90, 90kW output pellet boiler manufactured by: FIRE FOX, Bioheizsysteme GmbH, Eisenstraße 54, 9330, Althofen 1, Austria.”

Sealed with the Official Seal of the Department of the Environment on 9th June 2014.

---

(a) S.I. 1981/158 (N.I. 4), to which there are amendments not relevant to these Regulations.

(b) Fuels declared by the Department of the Environment to be authorised fuels for the purposes of Article 2(2) of the Clean Air (Northern Ireland) Order 1981 are specified in S.R. 2013 No. 205.

(c) S.R. 2013 No. 292



*Dave Foster*  
A senior officer of the  
Department of the Environment

## SCHEDULE

Regulation 2

<i>(1) Class of fireplace</i>	<i>(2) Conditions</i>	
	<i>The fireplace must be installed, maintained and operated in accordance with the following specifications:</i>	<i>Permitted fuels (other than authorised fuels):</i>
Acquisitions Bloomsbury SE 8kW Smoke Exempt Multi-Fuel Stove manufactured by Esse Engineering Ltd, Ouzledale Foundry, Long Ing, Barnoldswick, BB18 6BN.	Instruction manual references “AB-8kW-I05-310114” dated 31st January 2014.	Wood logs. The fuel must not contain halogenated organic compounds or heavy metals as a result of treatment with wood-preservatives or coatings.
Angus Super 96 and 130kW gasification boilers manufactured by Eko-Vimar Orlanski Spółka z ograniczona odpowiedzialnoscia, ul. Nyska 17 b, 48-385 Otmuchów, Poland.	Instruction manual references “EV-20131002” dated October 2013.	Wood logs. The fuel must not contain halogenated organic compounds or heavy metals as a result of treatment with wood-preservatives or coatings.
Barbas ECO-55 stove appliance manufactured by Interfocos BV, Hallenstraat 17, 5531 AB, BLADEL, The Netherlands.	Barbas ECO Directions for use and Installation instructions manual dated January 2014 reference “03-334744”. The appliance must be fitted with an air valve incorporating seven rectangular holes of dimension 24 x 20 mm and marked ‘UK55’.	Wood logs. The fuel must not contain halogenated organic compounds or heavy metals as a result of treatment with wood-preservatives or coatings.
Barbas Unilux-3 55 Inset appliance manufactured by Interfocos BV, Hallenstraat 17, 5531 AB, BLADEL, The Netherlands.	Barbas Unilux-3 Directions for use and Installation instructions manual dated January 2014 reference “05-326587”. The appliance must be fitted with an air valve incorporating seven rectangular holes of dimension 24 x 20mm and marked ‘UK55’.	Wood logs. The fuel must not contain halogenated organic compounds or heavy metals as a result of treatment with wood-preservatives or coatings.
Barbas Unilux-3 65 Inset appliance manufactured by Interfocos BV, Hallenstraat 17, 5531 AB, BLADEL, The Netherlands.	Barbas Unilux-3 Directions for use and Installation instructions manual dated January 2014 reference “05-326587”. The appliance must be fitted with an air valve incorporating seven rectangular holes of	Wood logs. The fuel must not contain halogenated organic compounds or heavy metals as a result of treatment with wood-preservatives or coatings.

	dimension 24 x 20 mm and marked 'UK65'.	
Berkeley SE multifuel stove and Berkeley SE multifuel stove with stoveeasy grate manufactured by Newman Fireplaces Limited Unit 6 & 7 Rawreth Barns Dollymans Farm Doublegate Lane Rawreth Wickford Essex SS11 8UD.	Instruction manual dated 8 <sup>th</sup> January 2014, reference "NS 7 Issue 1". The tertiary air control must be fully open when burning wood.	Wood logs. The fuel must not contain halogenated organic compounds or heavy metals as a result of treatment with wood-preservatives or coatings.
Biokaitra BIO models 30 and 50 pellet boilers manufactured by UAB Biokaitra, Šv. Stepono 27, LT-01312, Vilnius, Lithuania.	BIO 30, BIO 50, BIO 95 boiler instruction manual: "User manual, User guide, Installation, Use and Maintenance of the Boiler" dated November 2013, Version 1.	Wood pellets. The fuel must not contain halogenated organic compounds or heavy metals as a result of treatment with wood-preservatives or coatings.
The Buxton Multifuel stove (Model BX1MF) manufactured by ACR Heat Products Ltd, Unit 1, Weston Works, Weston Lane, Tyseley, Birmingham, West Midlands, B11 3RP.	Technical manual references "BX1MF 0101" dated 17 October 2013. A mechanical stop to prevent closure of the secondary air control lever beyond 12mm open must be implemented.	Wood logs. The fuel must not contain halogenated organic compounds or heavy metals as a result of treatment with wood-preservatives or coatings.
Cast Tec Cougar 4.7kW multi-fuel stove manufactured by Arbeia Trading Ltd, Unit 3A East Side, Tyne Dock, South Shields, Tyne and Wear, NE33 5SP.	Instruction manual dated 22nd April 2014 reference "T1202 v 1". The appliance must be fitted with a mechanical stop to prevent closure of the secondary air control beyond the 25% open position. The appliance must be fitted with a mechanical stop to fix the tertiary air control fully open.	Wood logs. The fuel must not contain halogenated organic compounds or heavy metals as a result of treatment with wood-preservatives or coatings.
Charnwood Bay 5 wood burning inset stove manufactured by A.J. Wells and Sons Limited, Bishops Way, Newport, Isle of Wight, PO30 5WS.	Charnwood Bay 5 Operating & Installation Instructions reference "BAY 5 v3" dated "1.14".	Wood logs. The fuel must not contain halogenated organic compounds or heavy metals as a result of treatment with wood-preservatives or coatings.
Contura i30, i31, i40, and i41 wood burning inset appliances. Manufactured by Nibe AB, Box 134	Instruction manual dated 2013-06-14 reference "811212 BAV SE-EX Ci30/Ci40-1" and supplementary operating instruction manual dated	Wood logs. The fuel must not contain halogenated organic compounds or heavy metals as a result of treatment with wood-

SE-285 23 Markaryd Sweden.	January 2014, reference: 811142 BAV GB-5. Fitted with a mechanical stop to prevent air control closure beyond the 27% open position when sold into smoke control areas.	preservatives or coatings.
Dovre 225 MF 4.6 kW multifuel stove manufactured by Dovre NV, Nijverheidsstraat 18, BE- 2381 Weelde, Belgium.	225 MF Installation instructions and operating manual dated 6/2013 reference 03.27125.000 and Additional Instruction manual dated January 2014 reference “PM1030 Issue 2”. The smoke control kit DV- 225SCKIT must be fitted when used within smoke control areas.	Wood logs. The fuel must not contain halogenated organic compounds or heavy metals as a result of treatment with wood- preservatives or coatings.
Dovre 525 MF 8 kW multifuel stove manufactured by Dovre NV, Nijverheidsstraat 18, BE- 2381 Weelde, Belgium.	525 MF Installation instructions and operating manual dated February 2013, reference 03.27109.100 and Smoke Control Kit additional installation and operating Instructions dated January 2014, reference “PM1030 Issue 2”. The smoke control kit DV- 225SCKIT must be fitted when used within smoke control areas.	Wood logs. The fuel must not contain halogenated organic compounds or heavy metals as a result of treatment with wood- preservatives or coatings.
Ecco Stove E730 manufactured by Landy Vent UK Limited, Foster House, 2 Redditch Road, Studley, Warwickshire B80 7AX.	Ecco Stove E730 Instruction manual reference “020114/D002” dated 02/01/14. Appliances must be fitted with a mechanical stop to ensure a permanent 4mm gap between the cover and the main body of the secondary air cover and when all other air controls are permanently fixed in position.	Dry wood logs. The fuel must not contain halogenated organic compounds or heavy metals as a result of treatment with wood-preservatives or coatings.
Effecta Komplet 20 boiler manufactured by Effecta AB Västra Rågðalsvågen 21 434 96 Kungsbacka Sweden.	Effecta Komplet Instruction manual dated 18 <sup>th</sup> October 2013 reference “Rev. EA.013- 10-18”.	Wood pellets. The fuel must not contain halogenated organic compounds or heavy metals as a result of treatment with wood- preservatives or coatings.
Effecta Lambda 25, 35 and 60 Boilers manufactured by Effecta AB	Effecta Lambda Instruction manual dated 20 <sup>th</sup> October 2013 reference “Rev.EA. 013-	Wood logs. The fuel must not contain halogenated organic compounds or

Västra Rågdalsvägen 21 434 96 Kungsbacka Sweden.	10-20”.	heavy metals as a result of treatment with wood-preservatives or coatings.
Ekol Clarity 20 Wood Burning Stove. Manufactured by Saltfire Stoves Ltd Station Works Johns Road Wareham BH20 4BG.	Installation and Operating Instructions reference “Ekol Clarity 20 Boiler Wood Version, Manual Version 1.1” dated 22.01.2014.  Fitted with a mechanical stop to prevent air wash control closure beyond the 25mm open position and a stop preventing manual primary air control closure beyond the 2mm open position when sold into smoke control areas.	Wood logs. The fuel must not contain halogenated organic compounds or heavy metals as a result of treatment with wood-preservatives or coatings.
Ekol Clarity 30 Wood Burning Stove. Manufactured by Saltfire Stoves Ltd Station Works Johns Road Wareham BH20 4BG.	Installation and Operating Instructions reference “Ekol Clarity 30 Boiler Wood Version, Manual Version 1.1” dated 22.01.2014.  Fitted with a mechanical stop to prevent air wash control closure beyond the 30mm open position and a stop preventing manual primary air control closure beyond the 2mm open position when sold into smoke control areas.	Wood logs. The fuel must not contain halogenated organic compounds or heavy metals as a result of treatment with wood-preservatives or coatings.
Esse 200XK-SE, DD-SE, Podium-SE & Contemporary-SE Smoke Exempt Wood Burning Stoves manufactured by Esse Engineering Ltd, Ouzledale Foundry, Long Ing, Barnoldswick, BB18 6BN.	Instruction manual references “200-SE-I03-310114” dated 31 <sup>st</sup> January 2014.	Wood logs. The fuel must not contain halogenated organic compounds or heavy metals as a result of treatment with wood-preservatives or coatings.
Esse 500 SE & 525 SE Wood Burning Stoves. Manufactured by Esse Engineering Limited Long Ing Barnoldswick Lancashire BB18 6BN.	Installation & User Instructions reference “1.01” dated October 2013.	Wood logs. The fuel must not contain halogenated organic compounds or heavy metals as a result of treatment with wood-preservatives or coatings.
Esse 700-SE Smoke Exempt Wood Burning Stove manufactured by Esse	Instruction manual references “700-SE-I03-310114” dated 31 <sup>st</sup> January 2014.	Wood logs. The fuel must not contain halogenated organic compounds or

Engineering Ltd, Ouzledale Foundry, Long Ing, Barnoldswick, BB18 6BN.		heavy metals as a result of treatment with wood-preservatives or coatings.
Esse 990N wood burning cooker & Esse 990D wood burning cooker with boiler. Manufactured by Esse Engineering Limited, Ouzledale Foundry, Long Ing, Barnoldswick, BB18 6BN.	Operating instructions model: 990N and D reference "1" dated January 2014.	Wood logs. The fuel must not contain halogenated organic compounds or heavy metals as a result of treatment with wood-preservatives or coatings.
Esse Plus 1 wood burning cooker & Esse Plus 1D wood burning cooker with boiler. Manufactured by Esse Engineering Limited, Ouzledale Foundry, Long Ing, Barnoldswick, BB18 6BN.	Installation, commissioning and operating instructions model: Plus 1 Wood/Smokeless Solid Fuel reference "1" dated January 2014.	Wood logs. The fuel must not contain halogenated organic compounds or heavy metals as a result of treatment with wood-preservatives or coatings.
Evoworld HS50 boiler manufactured by Evoworld Seeleiten 24 5120 St. Pantaleon Austria.	Operation manual for EVO HS50 dated January 2014, reference "OM_HS50_14" Version 1.2.	Wood chips. The fuel must not contain halogenated organic compounds or heavy metals as a result of treatment with wood-preservatives or coatings.
Evoworld HS75 ECO boiler manufactured by Evoworld Seeleiten 24 5120 St. Pantaleon Austria.	Operation manual for EVO HS75 ECO dated January 2014, reference "OM_HS75_14" Version 1.2.	Wood chips. The fuel must not contain halogenated organic compounds or heavy metals as a result of treatment with wood-preservatives or coatings.
Evoworld HS100 ECO boiler manufactured by Evoworld Seeleiten 24 5120 St. Pantaleon Austria.	Operation manual for EVO HS100 ECO dated January 2014, reference "OM_HS100_14" Version 1.2.	Wood chips. The fuel must not contain halogenated organic compounds or heavy metals as a result of treatment with wood-preservatives or coatings.
Evoworld HS120 ECO boiler manufactured by Evoworld Seeleiten 24 5120 St. Pantaleon Austria.	Operation manual for EVO HS120 ECO dated January 2014, reference "OM_HS120_14" Version 1.2.	Wood chips. The fuel must not contain halogenated organic compounds or heavy metals as a result of treatment with wood-preservatives or coatings.
Evoworld HS150 ECO boiler manufactured by Evoworld Seeleiten 24 5120 St. Pantaleon Austria.	Operation manual for EVO HS150 ECO dated January 2014, reference "OM_HS150_14" Version 1.2.	Wood chips. The fuel must not contain halogenated organic compounds or heavy metals as a result of treatment with wood-preservatives or coatings.

Evoworld HS170 ECO boiler manufactured by Evoworld Seeleiten 24 5120 St. Pantaleon Austria.	Operation manual for EVO HS170 ECO dated January 2014, reference “OM_HS170_14” Version 1.2.	Wood chips. The fuel must not contain halogenated organic compounds or heavy metals as a result of treatment with wood-preservatives or coatings.
Evoworld HS200 ECO boiler manufactured by Evoworld Seeleiten 24 5120 St. Pantaleon Austria.	Operation manual for EVO HS200 ECO dated January 2014, reference “OM_HS200_14” Version 1.2.	Wood chips. The fuel must not contain halogenated organic compounds or heavy metals as a result of treatment with wood-preservatives or coatings.
Fireline Purevision 5kW Freestanding Wood burning Stove. Manufactured by Charlton & Jenrick Ltd Unit D Stafford Park 2 Telford Shropshire TF3 3AR.	Installation and Operating Instructions manual references “Purevision Freestanding Issue 02” dated 01/14. Fitted with a mechanical stop to prevent air supply closure beyond the 18mm open position when sold into smoke control areas.	Wood logs. The fuel must not contain halogenated organic compounds or heavy metals as a result of treatment with wood-preservatives or coatings.
Fireline Purevision 5kW i5 Inset Wood burning Stove. Manufactured by Charlton & Jenrick Ltd Unit D Stafford Park 2 Telford Shropshire TF3 3AR.	Installation and Operating Instructions manual references “Purevision Inset Issue 02” dated 01/14. Fitted with a mechanical stop to prevent air supply closure beyond the 18mm open position when sold into smoke control areas.	Wood logs. The fuel must not contain halogenated organic compounds or heavy metals as a result of treatment with wood-preservatives or coatings.
Fireline Purevision 5kW i5 Wide Inset Wood burning Stove. Manufactured by Charlton & Jenrick Ltd Unit D Stafford Park 2 Telford Shropshire TF3 3AR.	Installation and Operating Instructions manual references “Purevision Inset Issue 02” dated 01/14. Fitted with a mechanical stop to prevent air supply closure beyond the 15mm open position when sold into smoke control areas.	Wood logs. The fuel must not contain halogenated organic compounds or heavy metals as a result of treatment with wood-preservatives or coatings.
Fireline Purevision 5kW Wide Freestanding Wood burning Stove. Manufactured by Charlton & Jenrick Ltd Unit D Stafford Park 2 Telford Shropshire TF3 3AR.	Installation and Operating Instructions manual references “Purevision Freestanding Issue 02” dated 01/14. Fitted with a mechanical stop to prevent air supply closure beyond the 15mm open position when sold into smoke control areas.	Wood logs. The fuel must not contain halogenated organic compounds or heavy metals as a result of treatment with wood-preservatives or coatings.



<p>Fireline Purevision 8.5kW Freestanding Wood burning Stove. Manufactured by Charlton &amp; Jenrick Ltd Unit D Stafford Park 2 Telford Shropshire TF3 3AR.</p>	<p>Installation and Operating Instructions manual references “Purevision Freestanding Issue 02” dated 01/14. Fitted with a mechanical stop to prevent air supply closure beyond the 22mm open position when sold into smoke control areas.</p>	<p>Wood logs. The fuel must not contain halogenated organic compounds or heavy metals as a result of treatment with wood-preservatives or coatings.</p>
<p>Fireline Purevision 8.5kW i8.5 Inset Wood burning Stove. Manufactured by Charlton &amp; Jenrick Ltd Unit D Stafford Park 2 Telford Shropshire TF3 3AR.</p>	<p>Installation and Operating Instructions manual references “Purevision Inset Issue 02” dated 01/14. Fitted with a mechanical stop to prevent air supply closure beyond the 22mm open position when sold into smoke control areas.</p>	<p>Wood logs. The fuel must not contain halogenated organic compounds or heavy metals as a result of treatment with wood-preservatives or coatings.</p>
<p>Firenzo Napier 4.8kW free standing wood burning stove manufactured by Hewitsons Ltd, 98 Niven Street, Onekawa, Napier, New Zealand.</p>	<p>Installation manual “Instructions for Installation Firenzo Napier 4.8kW free standing wood burning stove”. Reference “UKNapierInstall/4.8/v1” dates “24/1/2014” and instruction manual “User Instructions Firenzo Napier 4.8kW free standing wood burning stove”. Reference “UKNapierUser/4.8/v1” dates “24/1/2014”. Permanent stop to prevent closure of the air slide beyond 7mm.</p>	<p>Dry wood logs. The fuel must not contain halogenated organic compounds or heavy metals as a result of treatment with wood-preservatives or coatings.</p>
<p>Harrie Leenders Boxer Plus &amp; Boxer Black Wood Burning Stoves. Manufactured by Harrie Leenders Industrieweg 25 5688 DP Oirschot Netherlands.</p>	<p>Instruction manual reference “Boxer Plus manual Issue 1” dated January 2014.</p>	<p>Wood logs. The fuel must not contain halogenated organic compounds or heavy metals as a result of treatment with wood-preservatives or coatings.</p>
<p>Hoval BioLyt 8, 13, 15, 23, 25, 31 &amp; 36 Wood Pellet Boiler manufactured by Hoval Limited, Northgate, Newark, Nottinghamshire, NG24 1JN, UK.</p>	<p>Operating instructions dated October 2013. Hoval BioLyt (8-36) wood pellet boiler. Reference No: 4 211 326/01-10/13.</p>	<p>Wood pellets. The fuel must not contain halogenated organic compounds or heavy metals as a result of treatment with wood-preservatives or coatings.</p>
<p>Interra 60, 68, 74, 78</p>	<p>Instruction manual dated</p>	<p>Wood logs. The fuel must</p>

manufactured by M-Design, Torhoutsesteenweg 222A, 8210 Zedelgem, Bruges, Belgium.	August 2012, references “Interra 60-68-74-78 Instruction for Installation and use” UK08/2012. The units have a permanent stop fitted for use in UK smoke control areas.	not contain halogenated organic compounds or heavy metals as a result of treatment with wood-preservatives or coatings.
Klover PFP18 and PFP18-B pellet insert appliances manufactured by Klover Limited, Klover s.r.l. – Via A. Volta, 8 - 37047 San Bonifacio (VR), Italy.	Instruction manual dated February 2009, reference “Installation. Use and Maintenance. Useful advice. Pellet Fire Place. User Guide”.	Wood pellets. The fuel must not contain halogenated organic compounds or heavy metals as a result of treatment with wood-preservatives or coatings.
Klover PFP22 and PFP22-B pellet insert appliances manufactured by Klover Limited, Klover s.r.l. – Via A. Volta, 8 - 37047 San Bonifacio (VR), Italy.	Instruction manual dated 31 January 2014, reference “Klover PFP22 insert Defra manual”.	Wood pellets. The fuel must not contain halogenated organic compounds or heavy metals as a result of treatment with wood-preservatives or coatings.
Klover Smart 80 central heating pellet stove models SM80, SM80-BP, SM80-P manufactured by Klover Limited, Klover s.r.l. – Via A. Volta, 8 - 37047 San Bonifacio (VR), Italy.	Instruction manual dated March 2012, reference “Smart Pellet central heating Stove. Use and maintenance, Installation, Useful advice” revision 2012.	Wood pellets. The fuel must not contain halogenated organic compounds or heavy metals as a result of treatment with wood-preservatives or coatings.
Klover Smart 120 central heating pellet cooker stove models – SM120, SM120-BP, SM120-P manufactured by Klover Limited, Klover s.r.l. – Via A. Volta, 8 – 37047 San Bonifacio (VR), Italy.	Instruction manual dated March 2012 reference “Klover. Pellet thermo cooker. Smart. Installation. Use and maintenance. Useful advice. User guide.”	Wood pellets. The fuel must not contain halogenated organic compounds or heavy metals as a result of treatment with wood-preservatives or coatings.
Klover Star 14 – ST14 pellet stove manufactured by Klover Limited, Klover s.r.l. – Via A. Volta, 8 – 37047 San Bonifacio (VR), Italy.	Instruction manual dated April 2011 reference “Installation. Use and Maintenance. Useful advice. Star 14. User Guide.”	Wood pellets. The fuel must not contain halogenated organic compounds or heavy metals as a result of treatment with wood-preservatives or coatings.
Klover Star 18 – ST18 pellet stove manufactured by Klover Limited, Klover s.r.l. – Via A. Volta, 8 – 37047 San Bonifacio (VR), Italy.	Instruction manual dated September 2013, reference “Star 18 Pellet Boiler Stove. Installation. Use and Maintenance, Useful Tips” revision: 1.1.	Wood pellets. The fuel must not contain halogenated organic compounds or heavy metals as a result of treatment with wood-preservatives or coatings.
Knightsbridge SE multifuel stove, Knightsbridge SE multifuel stove with stoveasy	Instruction manual dated 8 <sup>th</sup> January 2014 reference “NS 5-6 Issue 1”.	Wood logs. The fuel must not contain halogenated organic compounds or

<p>grate, Highgrove SE multifuel stove, Highgrove SE multifuel stove with stoveasy grate manufactured by Newman Fireplaces Limited Unit 6 &amp; 7 Rawreth Barns Dollymans Farm Doublegate Lane Rawreth Wickford Essex SS11 8UD.</p>	<p>The tertiary air control must be fully open when burning wood.</p>	<p>heavy metals as a result of treatment with wood-preservatives or coatings.</p>
<p>Linear cassette model S 600 P3 inset stove manufactured by Spartherm Feuerungstechnik GmbH, Maschweg 38, Melle, Germany.</p>	<p>Installation and Operating Instructions Linear Fireplace Cassettes with reference “Spartherm_AA_BA_Kamink asette_Linear_GB_Stand 01-2014” and dated “01/2014”.</p> <p>Fitted with a mechanical stop to prevent secondary air control closure beyond the 25% open position.</p>	<p>Dry wood logs. The fuel must not contain halogenated organic compounds or heavy metals as a result of treatment with wood-preservatives or coatings.</p>
<p>Malvern Multifuel stove (Model MV1MF) manufactured by ACR Heat Products Ltd, Unit 1, Weston Works, Weston Lane, Tyseley, Birmingham, West Midlands, B11 3RP.</p>	<p>Technical manual references “MV1MF 0101” dated 17 October 2013.</p> <p>When the primary air control is in the closed position, it remains permanently open by 5mm and is prevented from closing fully by a screw.</p>	<p>Wood logs. The fuel must not contain halogenated organic compounds or heavy metals as a result of treatment with wood-preservatives or coatings.</p>
<p>Pellettop 35, pellettop 49 and pellettop 70 wood pellet boilers manufactured by SOLARFOCUS GmbH Werkstrasse 1 4451 St.Ulrich, Steyr Austria.</p>	<p>Pellettop Operating Manual dated August 2012 reference “pellettop_operating_manual_201209v1”.</p>	<p>Wood pellets. The fuel must not contain halogenated organic compounds or heavy metals as a result of treatment with wood-preservatives or coatings.</p>
<p>Portway Deepwood No. 2. Manufactured by BFM Europe Limited, Gordon Banks Drive, Trentham Lakes North, Stoke-on-Trent, Staffordshire, ST4 4TJ.</p>	<p>Instruction manual dated 22/01/2014 reference “Portway solid fuel heating stoves wood burning models. Wood Fuel Stoves Manual v1” and “Soliftec Smoke Advice Sheet no1” dated 22/01/2014.</p> <p>All appliances will be fitted with a mechanical stop to prevent closure beyond the 7mm closed position on the secondary air control.</p>	<p>Wood logs. The fuel must not contain halogenated organic compounds or heavy metals as a result of treatment with wood-preservatives or coatings.</p>

Rais 500, 500-1G, 500-1SG, 500-2G, 500-2SG, 500-3G, & 500-3SG Woodburning stove. Manufactured by Rais A/S, Industrivej 20, 9900, Frederikshavn, Denmark.	Instruction manual references “Instructions for installation, use and maintenance Rais 500 Revision 5”, dated January 2014. Fitted with a mechanical stop to prevent secondary air control closure beyond the 15% open position when sold into smoke control areas.	Wood logs. The fuel must not contain halogenated organic compounds or heavy metals as a result of treatment with wood-preservatives or coatings.
Rais 900 woodburning stove. Manufactured by Rais A/S, Industrivej 20, 9900, Frederikshavn, Denmark.	Instruction manual references “Instructions for installation, use and maintenance Rais 900 Revision 1” dated January 2014. Fitted with a mechanical stop to prevent secondary air control closure beyond the 5% open position when sold into smoke control areas.	Wood logs. The fuel must not contain halogenated organic compounds or heavy metals as a result of treatment with wood-preservatives or coatings.
Rais Bionic woodburning stove. Manufactured by Rais A/S, Industrivej 20, 9900, Frederikshavn, Denmark.	Instruction manual references “Instructions for installation, use and maintenance Rais Bionic Fire Revision 1” dated January 2014.	Wood logs. The fuel must not contain halogenated organic compounds or heavy metals as a result of treatment with wood-preservatives or coatings.
Rais Epoca II, Rais Poleo II 106 SST & Rais Poleo II 128 SST woodburning stoves. Manufactured by Rais A/S, Industrivej 20, 9900, Frederikshavn, Denmark.	Instruction manual references “Instructions for installation, use and maintenance Rais Poleo 2 & Rais Epoca 2 Revision 1” dated January 2014. Fitted with a mechanical stop to prevent secondary air control closure beyond the 30% open position when sold into smoke control areas.	Wood logs. The fuel must not contain halogenated organic compounds or heavy metals as a result of treatment with wood-preservatives or coatings.
Rais Juno & Rais Juno G woodburning stoves. Manufactured by Rais A/S, Industrivej 20, 9900, Frederikshavn, Denmark.	Instruction manual references “Instructions for installation, use and maintenance Rais Rina, Rais Viva & Rais Juno Rev 6” dated January 2014. Fitted with a mechanical stop to prevent closure of the air damper beyond the 8.5mm open position.	Wood logs. The fuel must not contain halogenated organic compounds or heavy metals as a result of treatment with wood-preservatives or coatings.
Rais Pilar 13L & 13H Wood	Instruction manual reference	Wood logs. The fuel must

Burning Stoves. Manufactured by Rais A/S Industrivej 20, 9900, Frederikshavn, Denmark.	“Instructions for installation, use and maintenance Rais Pilar 13 L & Pilar 13 H Revision 2” dated January 2014.	not contain halogenated organic compounds or heavy metals as a result of treatment with wood- preservatives or coatings.
Rais Q-Tee II woodburning stove. Manufactured by Rais A/S, Industrivej 20, 9900, Frederikshavn, Denmark.	Instruction manual references “Instructions for installation, use and maintenance Rais Q- Tee 2 Revision 1” dated January 2014.  Fitted with a mechanical stop to prevent secondary air control closure beyond the 48% open position when sold into smoke control areas.	Wood logs. The fuel must not contain halogenated organic compounds or heavy metals as a result of treatment with wood- preservatives or coatings.
Red Compact 14 wood pellet boiler manufactured by MCZ GROUP SpA, Via La Croce, 8 Vigonovo di Fontanafredda (PN) Italia, 33074.	Instruction manual dated 19 <sup>th</sup> December 2013, reference “8901310800 Revision 0”.	Wood pellets. The fuel must not contain halogenated organic compounds or heavy metals as a result of treatment with wood- preservatives or coatings.
Red Compact 18 and red Compact 24 wood pellet boilers manufactured by MCZ GROUP SpA, Via La Croce, 8 Vigonovo di Fontanafredda (PN) Italia, 33074.	Instruction manual dated 8 <sup>th</sup> January 2014, reference “8901232500 Revision 2”.	Wood pellets. The fuel must not contain halogenated organic compounds or heavy metals as a result of treatment with wood- preservatives or coatings.
Red Compact 35 wood pellet boiler manufactured by MCZ GROUP SpA, Via La Croce, 8 Vigonovo di Fontanafredda (PN) Italia, 33074.	Instruction manual dated 8 <sup>th</sup> January 2014, reference “8901238400 Revision 1”.	Wood pellets. The fuel must not contain halogenated organic compounds or heavy metals as a result of treatment with wood- preservatives or coatings.
Saltfire Aquaburn 20 Wood Burning Stove. Manufactured by Saltfire Stoves Ltd Station Works Johns Road Wareham BH20 4BG.	Installation and Operating Instructions reference “Saltfire Aquaburn 20 Boiler Wood Version, Manual Version 1.1” dated 22.01.2014.  Fitted with a mechanical stop to prevent air wash control closure beyond the 25mm open position and a stop preventing manual primary air control closure beyond the 2mm open position when sold into smoke control areas.	Wood logs. The fuel must not contain halogenated organic compounds or heavy metals as a result of treatment with wood- preservatives or coatings.
Saltfire Aquaburn 30 Wood	Installation and Operating	Wood logs. The fuel must

<p>Burning Stove. Manufactured by Saltfire Stoves Ltd Station Works Johns Road Wareham BH20 4BG.</p>	<p>Instructions reference “Saltfire Aquaburn 30 Boiler Wood Version, Manual Version 1.1” dated 22.01.2014.</p> <p>Fitted with a mechanical stop to prevent air wash control closure beyond the 30mm open position and a stop preventing manual primary air control closure beyond the 2mm open position when sold into smoke control areas.</p>	<p>not contain halogenated organic compounds or heavy metals as a result of treatment with wood-preservatives or coatings.</p>
<p>Saltfire ST1, Fireglow ST1 &amp; Ultimo ST1 Wood Burning Stove. Manufactured by Saltfire Stoves Ltd Station Works Johns Road Wareham BH20 4BG.</p>	<p>Installation and Operating Instructions reference “Saltfire ST1, A.K.A Fireglow ST1, A.K.A. Ultimo ST1, Manual Version 1.1” dated 22.01.2014.</p> <p>Fitted with a mechanical stop to prevent air wash control closure beyond the 22mm open position and a stop to prevent secondary air control closure beyond the 50% open position when sold into smoke control areas.</p>	<p>Wood logs. The fuel must not contain halogenated organic compounds or heavy metals as a result of treatment with wood-preservatives or coatings.</p>
<p>Saltfire ST2, Fireglow ST2 &amp; Ultimo ST2 Wood Burning Stove. Manufactured by Saltfire Stoves Ltd Station Works Johns Road Wareham BH20 4BG.</p>	<p>Installation and Operating Instructions reference “Saltfire ST2, A.K.A Fireglow ST2, A.K.A. Ultimo ST2, Manual Version 1.1” dated 22.01.2014.</p> <p>Fitted with a mechanical stop to prevent air wash control closure beyond the 7mm open position and a stop to prevent tertiary air control closure beyond the 20% open position when sold into smoke control areas.</p>	<p>Wood logs. The fuel must not contain halogenated organic compounds or heavy metals as a result of treatment with wood-preservatives or coatings.</p>
<p>SASP 1000 675kW Biomass Boiler when fitted with a multi-cyclone manufactured by Topling d.o.o., Magistralni put BB, 78430 Prnjavor, The Republic of Srpska, Bosnia and Herzegovina.</p>	<p>Instruction manual Assembly and Operation Manual – reference “Version TOP/SASP/V.1.1” dated “12/12/2013”.</p>	<p>Woodchips of maximum 25% moisture content. The fuel must not contain halogenated organic compounds or heavy metals as a result of treatment with wood-preservatives or coatings.</p>
<p>Scan 83-1 stove, Scan 83-2 stove, Scan 83-3 Maxi stove, Scan 83-4 Maxi stove, Scan 83-5 stove, Scan 83-6 stove,</p>	<p>Instruction manual references “UK 90583500” dated 15<sup>th</sup> January 2014.</p>	<p>Wood logs. The fuel must not contain halogenated organic compounds or heavy metals as a result of</p>

Scan 83-7 Maxi stove, and Scan 83-8 Maxi stove, manufactured by Scan A/S, Glasvaenget 3-9, 5492 Vissenbjerg, Denmark.		treatment with wood-preservatives or coatings.
Short Penguin and Penguin 8 multifuel stoves manufactured by Chilli Penguin Stoves Limited, Castell Bach, Mynydd Nefyn, Pwllheli, LL53 6TL.	Instruction manual dated 17 <sup>th</sup> December 2013, reference "Penguin Manual Version 1 Issue 1". A modification to fix the secondary air control to 1cm open in the fully closed position must be implemented.	Wood logs. The fuel must not contain halogenated organic compounds or heavy metals as a result of treatment with wood-preservatives or coatings.
SHT TDA Thermodual 15 and 25 log and pellet burning boilers manufactured by Lohberger Heiztechnik GmbH Rechtes Salzachufer 40 A-5020 Salzburg Austria.	Installation servicing instructions "In1233 Edition 1a" dated January 2014. Operating Instructions Version "M21/HB M27/GB" dated "28 <sup>th</sup> January 2014" and supplementary installation instructions "IN1241 Edition 1a" dated January 2014.	Wood logs or wood pellets. The fuel must not contain halogenated organic compounds or heavy metals as a result of treatment with wood-preservatives or coatings.
SHT TDA Thermodual 30 and 40 log and pellet burning boilers manufactured by Lohberger Heiztechnik GmbH Rechtes Salzachufer 40 A-5020 Salzburg Austria.	Installation servicing instructions "In2015 Edition 1" dated January 2014. Operating Instructions Version "M21/HB M27/GB" dated "28 <sup>th</sup> January 2014" and supplementary installation instructions "IN1241 Edition 1a" dated January 2014.	Wood logs or wood pellets. The fuel must not contain halogenated organic compounds or heavy metals as a result of treatment with wood-preservatives or coatings.
Smart 150, Smart 199, Smart 250, Smart 300, Smart 350, Smart 400, Smart 450 and Smart 500 boilers all fitted with cyclones manufactured by Smart Heating Technology s.r.o, U Statku 653/24, 717 00 Ostrava-Bartovice, Czech Republic.	Operation Manual for Boilers Smart 150-500kW with reference "BO4CD35 Issue No: 02" dated January 2014.	6mm wood pellets or 30mm wood chips at maximum 30% moisture. The fuel must not contain halogenated organic compounds or heavy metals as a result of treatment with wood-preservatives or coatings.
Strebel Taurus XL 145, Strebel Taurus XL 190, Strebel Taurus XL 240 and Strebel Taurus XL 290 boilers manufactured by KSM Stoker Næssundvej 440 7960 Karby Denmark.	Instruction manual dated December 2013, reference "Manual Version XL 145 to 290".	Wood pellets or wood chips. The fuel must not contain halogenated organic compounds or heavy metals as a result of treatment with wood-preservatives or coatings.
Tiger GH-T Insert Stove	Instruction manual dated	Wood logs. The fuel must

<p>manufactured by Hughes Design Limited, Denver House, Winster, Derbyshire, DE4 2DH.</p>	<p>22/01/2014, references “Tiger solid fuel heating stoves. Inset multi-fuel models incorporating GH-T Firebox. Solid Fuel Stoves Manual v12” and “Soliftec Smoke Advice Sheet No.1” dated 22/01/2014.</p> <p>All appliances will be fitted with a mechanical stop to prevent closure beyond the 5mm closed position on the secondary air control.</p>	<p>not contain halogenated organic compounds or heavy metals as a result of treatment with wood-preservatives or coatings.</p>
<p>Vitoligno 300-P models 12, 18, 24, 32, 40 and 48 pellet boilers manufactured by Viessmann Limited, Hortonwood 30, Telford, TF1 7YP.</p>	<p>Vitoligno 300-P operating instructions dated January 2014 reference “5592 617 GB” and Vitoligno 300-P Technical guide dated January 2014 reference “5414 644 GB”.</p>	<p>Wood pellets. The fuel must not contain halogenated organic compounds or heavy metals as a result of treatment with wood-preservatives or coatings.</p>



## **EXPLANATORY NOTE**

*(This note is not part of the Regulations)*

The Smoke Control Areas (Exempted Fireplaces) (No. 2) Regulations (Northern Ireland) 2013 (“the 2013 Regulations”) prescribe those fireplaces exempted from the provisions of Article 17 of the Clean Air (Northern Ireland) Order 1981 (“the 1981 Order”).

These Regulations amend the 2013 Regulations by prescribing additional classes of fireplaces, subject to specified conditions, as exempt from the provisions of Article 17 of the 1981 Order, and by updating an entry relative to a prescribed class of fireplace.

---

© Crown copyright 2014

Printed in the UK by The Stationery Office Limited under the authority and superintendence of Carol Tullo, Controller of Her Majesty’s Stationery Office being the Government Printer for Northern Ireland and the Officer appointed to print Acts of the Northern Ireland Assembly.





---

STATUTORY RULES OF NORTHERN IRELAND

---

**2014 No. 166**

**CLEAN AIR**

The Smoke Control Areas (Exempted Fireplaces) (Amendment)  
Regulations (Northern Ireland) 2014

£6.00

N6204 6/2014 446204T 19585

ISBN 978-0-337-99435-7



9 780337 994357