
STATUTORY INSTRUMENTS

1988 No. 120

WEIGHTS AND MEASURES

**The Capacity Serving Measures
(Intoxicating Liquor) Regulations 1988**

Made - - - - - *26th January 1988*
Laid before Parliament *8th February 1988*
Coming into force *1st July 1988*

**THE CAPACITY SERVING MEASURES
(INTOXICATING LIQUOR) REGULATIONS 1988**

PART I
GENERAL

1. Citation, commencement and revocation
2. Interpretation
3. Application

PART II

MATERIALS AND PRINCIPLES OF CONSTRUCTION
AND MARKING OF CAPACITY SERVING MEASURES

4. Every capacity serving measure shall be sufficiently strong, rigid and...
5. Every capacity serving measure shall — (a) neither affect, nor...
6. Every capacity serving measure shall be constructed so that no...
7. (1) Capacity serving measures may be either —
8. A capacity serving measure shall not rock, and its brim...
9. Every capacity serving measure shall remain reasonably perpendicular when rotated...
10. (1) Every capacity serving measure shall have its nominal capacity...

PART III

TESTING

11. Every capacity serving measure submitted for testing shall be in...
12. A capacity serving measure shall be tested by delivering water...

Status: This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

13. The nominal capacity and every subdivision shall be tested.
14. The capacity to the line of a line measure shall...
15. The capacity to the brim of a brim measure shall...
16. Subject to Regulation 17 below, every capacity serving measure submitted...
17. (1) Where a group of capacity serving measures of the...
18. For the purposes of the performance by an inspector of...

PART IV

SUPPLEMENTARY PROVISIONS

19. Prescribed limits of error
20. Passing as fit for use for trade
21. Stamping
22. Obliteration of stamps
Signature

SCHEDULE —

- Table 1 — BRIM MEASURES
- Table 2 — LINE MEASURES

Explanatory Note