STATUTORY INSTRUMENTS

2002 No. 3113

ROAD TRAFFIC

The Traffic Signs Regulations and General Directions 2002

Made - - - - 16th December 2002

Laid before Parliament 10th January 2003

Coming into force 31st January 2003

THE TRAFFIC SIGNS REGULATIONS AND GENERAL DIRECTIONS 2002

PART I

THE TRAFFIC SIGNS REGULATIONS 2002

SECTION 1

PRELIMINARY

- 1. Citation and commencement
- 2. Revocations
- 3. Savings
- 4. Interpretation—general
- 5. Interpretation of speed limit
- 6. Interpretation of references
- 7. Interpretation of Schedules 1 to 12

SECTION 2

GENERAL PROVISIONS

- 8. Authorisations
- 9. Temporary obstructions
- Application of section 36 of the Road Traffic Act 1988 to signs and disqualification for offences
- 11. Signs, markings and signals to be of the size, colour and type shown in the diagrams
- 12. Variations of dimensions
- 13. Proportions and form of letters, numerals, symbols and other characters
- 14. Signs attached to vehicles

SECTION 3

WARNING, REGULATORY AND INFORMATORY TRAFFIC SIGNS

- 15. Sign shown in diagram 610 and its significance
- 16. Signs shown in diagrams 601.1, 602, 611.1, 778, 778.1 and 784.1 and their significance
- 17. Permitted variants of upright signs
- 18. Illumination of signs
- 19. Illumination of signs—further provisions
- 20. Illumination of plates
- 21. Illumination of signs shown in diagrams 560 and 561
- 22. Buses
- 23. Bus lanes
- 24. Bus symbols

SECTION 4

ROAD MARKINGS

- 25. Road marking shown in diagram 1003: give way
- 26. Road markings shown in diagrams 1013.1, 1013.3 and 1013.4: double white lines
- 27. Road marking shown in diagram 1001.3: zig-zag lines—no stopping
- 28. Road marking shown in diagram 1001.3: zig-zag lines—no overtaking
- 29. Road markings shown in diagrams 1025.1, 1025.3, 1025.4, 1043 and 1044: bus stop and bus stand clearways and box junctions
- 30. Permitted variants of road markings
- 31. Illumination of road markings
- 32. Height of road markings and size of studs

SECTION 5

LIGHT SIGNALS AND WARNING LIGHTS

- 33. Light signals for the control of vehicular traffic—standard form
- 34. Green arrow light signals for the control of vehicular traffic
- 35. Portable light signals for the control of vehicular traffic
- 36. Significance of light signals prescribed by regulations 33 to 35
- 37. Light signals for the control of vehicular traffic on motorways and allpurpose dual carriageway roads
- 38. Significance of light signals prescribed by regulation 37(1)
- 39. Light signals to control traffic at level crossings etc
- 40. Significance of light signals prescribed by regulation 39
- 41. Light signals for the control of tramcars
- 42. Significance of light signals prescribed by regulation 41
- 43. Meaning of stop line and references to light signals
- 44. Light signals for lane control of vehicular traffic
- 45. Warning signal for motorways and all-purpose dual carriageway roads
- 46. Matrix signs for motorways and all-purpose dual carriageway roads
- 47. Light signals at signal-controlled pedestrian facilities
- 48. Light signals at equestrian crossings
- 49. Light signals at Toucan crossings
- 50. Warning lights at school crossing places

Status: This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

- 51. Cattle crossing signs and warning lights
- 52. Light signals for pedestrian traffic at level crossings

SECTION 6

MISCELLANEOUS TRAFFIC SIGNS

- 53. Temporary signs
- 54. Flashing beacons
- 55. Road danger lamps
- 56. Cones, delineators and cylinders
- 57. Refuge indicator lamps
- 58. Variable message signs Signature

SCHEDULE 1 — WARNING SIGNS

SCHEDULE 2 — REGULATORY SIGNS

SCHEDULE 3 — SIGNS FOR RAILWAY AND TRAMWAY LEVEL CROSSINGS

SCHEDULE 4 — MISCELLANEOUS INFORMATORY SIGNS

SCHEDULE 5 — SIGNS FOR BUS, TRAM AND PEDAL CYCLE FACILITIES

SCHEDULE 6 — ROAD MARKINGS

SCHEDULE 7 — DIRECTIONAL SIGNS

PART I — PRIMARY ROUTE DIRECTIONAL SIGNS

PART II — NON-PRIMARY ROUTE DIRECTIONAL SIGNS

PART III — TOURIST DESTINATION SIGNS

PART IV — SIGNS FOR SERVICES AND TOURIST FACILITIES

PART V — BOUNDARY SIGNS

PART VI — DIRECTIONAL SIGNS TO PARKING PLACE

PART VII — DIRECTIONAL SIGNS FOR CYCLISTS AND PEDESTRIANS

PART VIII — TEMPORARY AND EMERGENCY DIRECTIONAL SIGNS

PART IX — OTHER NON-MOTORWAY DIRECTIONAL SIGNS

PART X — MOTORWAY SIGNS

SCHEDULE 8 — LIGHT SIGNALS FOR THE CONTROL OF VEHICULAR TRAFFIC

SCHEDULE 9 — LIGHT SIGNALS FOR PEDESTRIANS AND ANIMAL CROSSINGS

SCHEDULE 10 — LANE CONTROL SIGNALS AND SIGNS

PART I — LANE CONTROL SIGNALS PART II — LANE CONTROL SIGNALS

SCHEDULE 11 — MATRIX SIGNS AND LIGHT SIGNALS

PART I — MATRIX SIGNS

Status: This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

PART II — LIGHT SIGNALS

- SCHEDULE 12 ROAD WORKS SIGNS ETC
 - PART I MISCELLANEOUS WARNING, INFORMATORY AND REGULATORY SIGNS FOR ROAD WORKS ETC
 - PART II ROAD WORKS DELINEATORS AND BARRIERS
 - PART III SIGNS FOR LANE CLOSURES AND CONTRA-FLOW WORKING AT ROAD WORKS
 - PART IV SIGNS FOR ROAD WORKS ENTRANCES AND EXITS
 - PART V SIGNS MOUNTED ON ROAD WORKS VEHICLES
- SCHEDULE 13 PROPORTIONS AND FORM OF LETTERS, NUMERALS AND OTHER CHARACTERS
 - PART I PROPORTIONS AND FORM OF LETTERS, NUMERALS AND OTHER CHARACTERS
 - PART II PROPORTIONS AND FORM OF LETTERS, NUMERALS AND OTHER CHARACTERS
 - PART III PROPORTIONS AND FORM OF LETTERS, NUMERALS AND OTHER CHARACTERS
 - PART IV PROPORTIONS AND FORM OF LETTERS, NUMERALS AND OTHER CHARACTERS
 - PART V PROPORTIONS AND FORM OF LETTERS, NUMERALS AND OTHER CHARACTERS FOR USE ON VARIABLE MESSAGE SIGNS
 - PART VI PROPORTIONS AND FORM OF LETTERS, NUMERALS AND OTHER CHARACTERS FOR USE IN THE ROAD MARKINGS SHOWN IN SCHEDULE 6
 - PART VII PROPORTIONS AND FORM OF LETTERS, NUMERALS AND OTHER CHARACTERS
- SCHEDULE 14 PROPORTIONS AND FORM OF SYMBOLS INDICATING TYPES OF TOURIST DESTINATION
 - PART I PROPORTIONS AND FORM OF SYMBOLS INDICATING TYPES OF TOURIST DESTINATION IN ENGLAND, SCOTLAND AND WALES
 - PART II PROPORTIONS AND FORM OF SYMBOLS INDICATING TYPES OF TOURIST DESTINATION IN ENGLAND AND WALES
 - PART III PROPORTIONS AND FORM OF SYMBOLS INDICATING TYPES OF TOURIST DESTINATION IN ENGLAND ONLY
 - PART IV PROPORTIONS AND FORM OF SYMBOLS INDICATING TYPES OF TOURIST DESTINATION IN SCOTLAND ONLY

SCHEDULE 15 — LEGENDS FOR USE ON VARIABLE MESSAGE SIGNS PART I — PRELIMINARY

- 1. (1) In a legend prescribed by this Schedule the number...
 - PART II SIGNS AUTOMATICALLY ACTIVATED BY VEHICULAR TRAFFIC
- 2. One of the following legends may be displayed on a...
 - PART III LEGENDS GIVING WARNINGS OF ADVERSE WEATHER OR OTHER TEMPORARY HAZARDS OR INCIDENTS
- 3. (1) A legend specified in sub-paragraph (2) may only be...

Status: This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

PART IV — LEGENDS INDICATING LOCATION OF TEMPORARY HAZARD OR INCIDENT

4. One of the following legends may be used only in...

PART V — ADDITIONAL INFORMATION

5. (1) A legend specified in sub-paragraph (2) may be used... PART VI — OTHER LEGENDS

6. (1) The following legends may also be displayed on a...

SCHEDULE 16 — PERMITTED VARIANTS

SCHEDULE 17 — ILLUMINATION OF SIGNS

SCHEDULE 18 — INTERPRETATION OF "UNLADEN VEHICLE"

- 1. In these Regulations "unladen vehicle" means, subject to paragraph 3—...
- 2. The conditions are—(a) that the motor vehicle is a...
- 3. For the purposes of this Schedule, the following are to...

SCHEDULE 19 — BUS STOP AND BUS STAND CLEARWAYS AND BOX JUNCTIONS

PART I — SIGNIFICANCE OF BUS STOP AND BUS STAND CLEARWAY MARKINGS

- 1. Interpretation of Part I of Schedule
- 2. Prohibition conveyed by road markings
- 3. Exceptions in favour of buses
- 4. Other exceptions
- 5. Permitted purposes

PART II — SIGNIFICANCE OF BOX JUNCTION MARKINGS

- 6. Interpretation of Part II of Schedule
- 7. Prohibition conveyed by markings in diagram 1043 or 1044
- 8. Prohibition conveyed when markings are placed in conjunction with signs in diagrams 615 and 811

PART II — THE TRAFFIC SIGNS GENERAL DIRECTIONS 2002

- 1. Citation and commencement
- 2. Revocations
- 3. Interpretation—general
- 4. Interpretation of references
- 5. Saving
- 6. Sign to be placed only at sites approved by the Secretary of State
- 7. Signs to be placed only to indicate the effect of a statutory prohibition
- 8. The placing of certain signs to indicate the beginning of a restriction, requirement, prohibition or speed limit
- 9. Beginning of a speed limit—further provisions
- 10. The placing of certain signs to indicate the end of a restriction, requirement, prohibition or speed limit
- 11. Repeater signs
- 12. Signs to be placed only on specified types of road
- 13. (1) The signs shown in diagrams 2101, 2101.1, 2101.2, 2102,...
- 14. (1) The signs shown in diagrams 832.3, 1012.2, 1064, 2901,...
- 15. (1) The signs shown in diagrams 823, 824, 825, 868,...
- 16. Speed limits of 20 mph
- 17. Signs to be placed only in conjunction with specified road markings (except signs for prohibitions and restrictions on waiting etc)

- 18. Road markings to be placed only in conjunction with other road markings or specified signs (except road markings for prohibitions and restrictions on waiting etc)
- 19. The placing of the signs shown in diagrams 615 and 811
- 20. Signs to be placed only in combination with specified plates or other signs
- 21. Plates to be placed only in combination with specified signs
- 22. Placing of road markings and signs to indicate prohibitions and restrictions on waiting, loading and unloading and parking
- 23. (1) The road marking shown in diagram 1020.1 may be...
- 24. (1) Except where it is placed to indicate the effect...
- 25. (1) Subject to paragraph (2) a road marking shown in...
- 26. The sign shown in diagram 663, 663.1, 664, 665 or...
- 27. Signs to be placed only at specified sites or for specified purposes
- 28. The sign shown in diagram 551.1 may be placed on...
- 29. The sign shown in diagram 574 may be placed only...
- 30. The sign shown in diagram 601.1 may be placed on...
- 31. The sign shown in diagram 833, 834, 835 or 836...
- 32. (1) The sign shown in diagram 878 or 879 may...
- 33. The sign shown in diagram 957 may be placed on...
- 34. (1) The marking shown in diagram 1003 may be placed...
- 35. The road marking shown in diagram 1043 or 1044 shall...
- 36. Restrictions on the placing of temporary signs
- 37. (1) The sign shown in diagram 790 or 7014—
- 38. (1) No sign of the kind referred to in regulation...
- 39. (1) The sign shown in diagram 7023 or 7024 may...
- 40. Placing of signs varied to show metric units
- 41. Mounting and backing of signs
- 42. (1) The back of any sign shown in a diagram...
- 43. Mounting of the sign shown in diagram 781
- 44. Mounting of the signs shown in diagrams 560 and 561
- 45. Mounting of refuge indicator lamps
- 46. Mounting and backing of light signals, matrix signs and warning lights
- 47. Placing of road marking shown in diagram 1001 or 1001.2 in conjunction with light signals
- 48. Placing of road marking shown in diagram 1014 in conjunction with the road marking shown in diagram 1013.1 or 1013.3
- 49. Placing of road marking shown in diagram 1001.3 (zig-zag lines)
- 50. Placing of signs and light signals shown in Schedule 11
- 51. (1) The light signals prescribed by regulation 37(1) shall not...
- 52. The sign shown in diagram 6002, 6021 or 6031.1 may...
- 53. Placing of portable light signals prescribed by regulation 35
- 54. Placing of signals and other signs at crossings
- 55. Placing of various light signals
- 56. Approval of types of sign and signals by the Secretary of State
- 57. Studs
- 58. Approval of types of stud by the Secretary of State
- 59. Special directions

SCHEDULE — PLACING OF SIGNALS AND OTHER SIGNS AT SIGNAL-CONTROLLED CROSSING FACILITIES

- 1. Interpretation
- 2. Vehicular light signals on a two-way street
- 3. Vehicular light signals on a one-way road

Document Generated: 2023-04-26

Status: This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

- 4. Additional vehicular light signals
- 5. Far side light signals at crossings
- 6. Near side signals at crossings

Explanatory Note