
SCHEDULE 1

WARNING SIGNS

Regulation 11(1)

SCHEDULE 1 WARNING SIGNS (other than those for railway and tramway level crossings, bus and pedal cycle facilities, and road works)



501 Junction ahead controlled by a diagram 601.1 ("STOP") or diagram 602 ("GIVE WAY") sign

ltem	
1	Regulations: None
2	Directions: 20(1), 21(1)
3	Diagrams: 502, 503, 608
4	Permitted variants: None
5	Illumination requirements: Schedule 17, item 1



502 Distance to a junction ahead controlled by a diagram 601.1 ("STOP") sign

Item	
1	Regulations: None
2	Directions: 20(1), 21(1)
3	Diagrams: 501
4	Permitted variants: Schedule 16, item 6
5	Illumination requirements: Schedule 17, item 8



503

Distance to a junction ahead controlled by a diagram 602 ("GIVE WAY") sign

Permitted variants: Schedule 16, item 6

Illumination requirements: Schedule 17, item 8

Regulations: None

Diagrams: 501

Directions: 20(1), 21(1)

ltern 1

2

3

4


5


600 (750) (900) (1200) (1500)



Item	
1	Regulations: 58(7)
2	Directions: 21(1)
3	Diagrams: 511, 572
4	Permitted variants: Schedule 16, item 17
5	Illumination requirements: Schedule 17, item 1

SCHEDULE 1 WARNING SIGNS (contd.)






505.1 T-junction ahead

ltem	
1	Regulations: 58(7)
2	Directions: 21(1)
3	Diagrams: 511, 572
4	Permitted variants: Schedule 16, item 28
5	Illumination requirements: Schedule 17, item 1



ltem	
1	Regulations: 58(7)
2	Directions: 21(1)
3	Diagrams: 511, 572, 7301, 7302
4	Permitted variants: Schedule 16, items 17, 28
5	Illumination requirements: Schedule 17, item 1



507.1 Staggered junction ahead


Item	
1	Regulations: 58(7)
2	Directions: 21(1)
3	Diagrams: 511, 572
4	Permitted variants: Schedule 16, items 17, 28
5	Illumination requirements: Schedule 17, item 1



508.1 Traffic merges ahead from the left

Item	
1	Regulations: None
2	Directions: 17, 21(1)
3	Diagrams: 572, 1010
4	Permitted variants: None
5	Illumination requirements: Schedule 17, item 1

SCHEDULE 1 WARNING SIGNS (contd.)



509.1 Traffic merges ahead onto main carriageway

Regulations: None

Directions: 17, 21(1)

Diagrams: 572, 1010

Permitted variants: None

ltem

2

3

4

5



510 Roundabout ahead


Item	
1	Regulations: 58(7)
2	Directions: 21(1)
3	Diagrams: 511, 513.1, 572
4	Permitted variants: None
5	Illumination requirements: Schedule 17, item 1



Illumination requirements: Schedule 17, item 1

511 Reduction in speed necessary for a change in road layout ahead


ltem	
1	Regulations: None
2	Directions: 21(1)
3	Diagrams: 504.1, 505.1, 506.1, 507.1, 510, 512, 512.1, 512.2, 513, 516, 517, 520, 523.1, 524.1, 528, 556
4	Permitted variants: "REDUCE SPEED NOW" may be varied to "HEAVY PLANT CROSSING" when used in combination with any of the signs in diagrams 504.1, 505.1, 506.1, 507.1, 512.1, 512.2
5	Illumination requirements: Schedule 17, item 8



512 Bend ahead

Item	
1	Regulations: 58(7)
2	Directions: 21(1)
3	Diagrams: 511, 513.1 513.2 526, 575
4	Permitted variants: Schedule 16, item 28
5	Illumination requirements: Schedule 17, item 1

SCHEDULE 1 WARNING SIGNS (contd.)



512.1 Junction on bend ahead

Diagrams: 511, 513.1, 513.2, 526, 575

Permitted variants: Schedule 16, item 28

Illumination requirements: Schedule 17, item 1

Regulations: 58(7)

Directions: 21(1)


ltem 1

2

з

4

5



Same as diagram 512.1

Item	
1	Regulations: 58(7)
2	Directions: 21(1)
3	Diagrams: 511, 513.1, 513.2, 526, 575
4	Permitted variants: Schedule 16, item 28
5	Illumination requirements: Schedule 17, item 1

512.2



513 Double bend or series of bends ahead, first to the left


ltem	
1	Regulations: 58(7)
2	Directions: 21(1)
з	Diagrams: 511, 513.1, 513.2, 526, 570, 575
4	Permitted variants: Schedule 16, item 28
5	Illumination requirements: Schedule 17, item 1




513.1 Adverse camber on a bend or roundabout

Item	
1	Regulations: None
2	Directions: 21(1)
3	Diagrams: 510, 512, 512.1, 512.2, 513
4	Permitted variants: None
5	Illumination requirements: Schedule 17, item 8

SCHEDULE 1 WARNING SIGNS (contd.)



5




Illumination requirements: Schedule 17, item 8

5

CIOSS SECTION

515.1 Same as diagram 515

ltem	
1	Regulations: 11(2)
2	Directions: None
3	Diagrams: None
4	Permitted variants: Schedule 16, items 13, 46 Same as diagram 515
5	Illumination requirements: Schedule 17, item 4




Illumination requirements: Schedule 17, item 4


515.1A Sharp deviation of route at a roundabout


Item	
1	Regulations: 11(2)
2	Directions: 20(3)
3	Diagrams: 515.2, 606
4	Permitted variants: Schedule 16, item 46 Same as diagram 515
5	Illumination requirements: Schedule 17, item 4

SCHEDULE 1 WARNING SIGNS (contd.)



SCHEDULE 1 WARNING SIGNS (contd.)





516 Road narrows on both sides ahead

Item	
1	Regulations: None
2	Directions: 21(1)
3	Diagrams: 511, 518, 519, 572, 575
4	Permitted variants: None
5	Illumination requirements: Schedule 17, item 1


517 Road narrows on right ahead

Item	
1	Regulations: None
2	Directions: 21(1)
3	Diagrams: 511, 518, 519, 572, 575
4	Permitted variants: Schedule 16, item 28
5	Illumination requirements: Schedule 17, item 1



518 Convergence of traffic to a single file in each direction


Item	
1	Regulations: None
2	Directions: 21(1)
3	Diagrams: 516, 517, 520
4	Permitted variants: Schedule 16, items 3, 6, 11 "for" may precede a distance where added
5	Illumination requirements: Schedule 17, item 8




519 Road only wide enough for one line of vehicles

Item	
1	Regulations: None
2	Directions: 21(1)
з	Diagrams: 516, 517
4	Permitted variants: Schedule 16, items 3, 6, 11 Same as diagram 518. "Single track road" may be on three lines
5	Illumination requirements: Schedule 17, item 8

SCHEDULE 1 WARNING SIGNS (contd.)






520 Dual carriageway ends ahead

ltem	
1	Regulations: None
2	Directions: 21(1)
3	Diagrams: 511, 518, 572
4	Permitted variants: None
5	Illumination requirements: Schedule 17, item 1



Item 1

3	Diagrams: 570, 572
4	Permitted variants: None
5	Illumination requirements: Schedule 17, item 1



⁵²² Two-way traffic on route crossing ahead

ltem	
1	Regulations: None
2	Directions: 21(1)
3	Diagrams: 572
4	Permitted variants: None
5	Illumination requirements: Schedule 17, item 1



523.1 Steep hill downwards ahead

Item	
1	Regulations: None
2	Directions: 21(1)
3	Diagrams: 511, 525, 526, 527, 570, 572, 573, 817.2
4	Permitted variants: Schedule 16, item 1
5	Illumination requirements: Schedule 17, item 1

SCHEDULE 1 WARNING SIGNS (contd.)





524.1 Steep hill upwards ahead

Item	
1	Regulations: None
2	Directions: 21(1)
3	Diagrams: 511, 525, 526, 527, 570, 572, 573
4	Permitted variants: Schedule 16, item 1
5	Illumination requirements: Schedule 17, item 1

525 Drivers should engage low gear for steep hill

Item	
1	Regulations: None
2	Directions: 21(1)
3	Diagrams: 523.1, 524.1
4	Permitted variants: None
5	Illumination requirements: Schedule 17, item 8




526 Drivers should keep in low gear for steep hill or tight bend

Item	
1	Regulations: None
2	Directions: 21(1)
3	Diagrams: 512, 512.1, 512.2, 513, 523.1, 524.1, 554.1
4	Permitted variants: None
5	Illumination requirements: Schedule 17, item 8




1	Regulations: None
2	Directions: 21(1)
3	Diagrams: 523.1, 524.1
4	Permitted variants: Schedule 16, item 5
5	Illumination requirements: Schedule 17, item 8

SCHEDULE 1 WARNING SIGNS (contd.)






Item	
1	Regulations: None
2	Directions: 21(1)
3	Diagrams: 511, 572, 573, 575, 782
4	Permitted variants: None
5	Illumination requirements: Schedule 17, item 1




528.1 End of bridge parapet, abutment wall, tunnel mouth, or other obstruction adjacent to the carriageway

Item	
1	Regulations: None
2	Directions: None
3	Diagrams: None
4	Permitted variants: None
5	Illumination requirements: Schedule 17, item 4 The parts of the sign coloured yellow may be fluorescent as well as retroreflective



529 Opening or swing bridge ahead


ltem	
1	Regulations: None
2	Directions: 21(1)
з	Diagrams: 572, 573, 773
4	Permitted variants: None
5	Illumination requirements: Schedule 17, item 1



529.1 Tunnel ahead

Item	
1	Regulations: None
2	Directions: 21(1)
3	Diagrams: 572, 573, 575, 773
4	Permitted variants: None
5	Illumination requirements: Schedule 17, item 1

SCHEDULE 1 WARNING SIGNS (contd.)



530 Maximum headroom available at hazard




Overhanging building

```
530.1
Reduced headroom over part of road
due to overhanging building ahead
```

600	
1	Regulations: None
2	Directions: 21(1)
3	Diagrams: 530
4	Permitted variants: Schedule 16, items 3, 6, 11 "building" may be varied to "buildings" or "structure"
5	Illumination requirements: Schedule 17, item 8


SCHEDULE 1 WARNING SIGNS (contd.)



5 Illumination requirements: Schedule 17, item 9 Where those parts of the sign coloured yellow are retroreflective they may also be fluorescent

Permitted variants: None

SCHEDULE 1 WARNING SIGNS (contd.)



ltem

2

3

4

Regulations: None

Directions: 21(1)

Diagrams: 531.2, 572, 573

Permitted variants: Schedule 16, item 1 Metric sign may be omitted


Illumination requirements: Schedule 17, item 1



531.2 High vehicles to use the middle of road at arch bridge ahead

Item	
1	Regulations: None
2	Directions: 21(1)
3	Diagrams: 531.1
4	Permitted variants: Schedule 16, item 11
5	Illumination requirements: Schedule 17, item 8


SCHEDULE 1 WARNING SIGNS (contd.)



532.2 Maximum headroom available in the centre of a road at an arch bridge

Item	
1	Regulations: None
2	Directions: None
3	Diagrams: None
4	Permitted variants: Schedule 16, item 1 Black and yellow markings may be omitted. Metric sign may be omitted
5	Illumination requirements: Schedule 17, items 1, 9 Same as diagram 530.2

SCHEDULE 1 WARNING SIGNS (contd.)



Illumination requirements: Schedule 17, items 1, 9 5

SCHEDULE 1 WARNING SIGNS (contd.)



ltem

1 2

з

4

5

Regulations: None

Directions: 21(1), 39(2)

Permitted variants: None

543 Traffic signals ahead


Diagrams: 543.1, 547.8, 572, 573, 7030

Illumination requirements: Schedule 17, item 1



543.1 Traffic signals ahead which only operate at certain times

ltem	
1	Regulations: None
2	Directions: 21(1)
3	Diagrams: 543, 3000, 3000.7, 3000.8, 3000.9, 3000.10
4	Permitted variants: Schedule 16, items 3, 6, 11 "Part time" may be varied to "Peak hour"
5	Illumination requirements: Schedule 17, item 8



544 Zebra crossing ahead


Item	
1	Regulations: None
2	Directions: 21(1)
3	Diagrams: 547.8, 572, 573
4	Permitted variants: None
5	Illumination requirements: Schedule 17, item 1



544.1 Pedestrians in road ahead

Item	
1	Regulations: None
2	Directions: 21(1)
3	Diagrams: 547.3, 572, 573
4	Permitted variants: None
5	Illumination requirements: Schedule 17, item 1


SCHEDULE 1 WARNING SIGNS (contd.)





544.2 Frail or disabled pedestrians likely to cross road ahead

Item	
1	Regulations: None
2	Directions: 21(1)
3	Diagrams: 547.4, 572, 573
4	Permitted variants: None
5	Illumination requirements: Schedule 17, item 1



Item	
1	Regulations: None
2	Directions: 20(2), 21(1), 27, 55(1)
3	Diagrams: 546, 547.1, 547.2, 547.3, 547.7, 4004
4	Permitted variants: None
5	Illumination requirements: Schedule 17, item 1



546 School ahead

Permitted variants: Schedule 16, items 3, 6, 11

Illumination requirements: Schedule 17, item 8

Directions: 20(2), 21(1), 27, 55(1)

Regulations: None

Diagrams: 545, 4004

ltem 1

2

3

4

5



547.1 School crossing patrol ahead

Item	
1	Regulations: None
2	Directions: 20(2), 21(1), 27, 55(1)
3	Diagrams: 545, 4004
4	Permitted variants: Schedule 16, items 3, 6, 11
5	Illumination requirements: Schedule 17, item 8

SCHEDULE 1 WARNING SIGNS (contd.)



547.2

Children's playground ahead

Permitted variants: Schedule 16, items 3, 6, 11

Illumination requirements: Schedule 17, item 8

Regulations: None

Diagrams: 545

Directions: 20(2), 21(1)

ltem 1

2

з

4

5

No footway for 400 yds

> 547.3 No footway for distance indicated

Item	
1	Regulations: None
2	Directions: 20(2), 21(1)
3	Diagrams: 544.1, 545
4	Permitted variants: Schedule 16, item 6
5	Illumination requirements: Schedule 17, item 8



547.4 Disabled pedestrians likely to cross road ahead

Item	
1	Regulations: None
2	Directions: 21(1)
3	Diagrams: 544.2
4	Permitted variants: Schedule 16, items 3, 6, 11 "Disabled" may be varied to "Blind"
5	Illumination requirements: Schedule 17, item 8



547.7 Disabled children likely to cross road ahead

Item	
1	Regulations: None
2	Directions: 20(2), 21(1), 27, 55(1)
3	Diagrams: 545, 4004
4	Permitted variants: Schedule 16, items 3, 6, 11 "Disabled" may be varied to "Blind" or "Deaf"
5	Illumination requirements: Schedule 17, item 8

SCHEDULE 1 WARNING SIGNS (contd.)



547.8 Zebra crossing or signal-controlled crossing on road hump ahead

Permitted variants: Schedule 16, items 3, 6, 11 Illumination requirements: Schedule 17, item 8

ltem 1

2

3


4

5

Regulations: None

Directions: 21(1)

Diagrams: 543, 544






ltem	
1	Regulations: None
2	Directions: 21(1), 55(2)
3	Diagrams: 548.1, 570, 4005
4	Permitted variants: None
5	Illumination requirements: Schedule 17, item 4



548.1 Supervised cattle crossing ahead


Item	
1	Regulations: None
2	Directions: 21(1), 55(2)
3	Diagrams: 548, 4005
4	Permitted variants: Schedule 16, items 6, 11
5	Illumination requirements: Schedule 17, item 8



549 Sheep likely to be in road ahead

ltern	
1	Regulations: None
2	Directions: 21(1)
3	Diagrams: 570
4	Permitted variants: None
5	Illumination requirements: Schedule 17, item 4

SCHEDULE 1 WARNING SIGNS (contd.)



550 Wild horses or ponies likely to be in road ahead

Illumination requirements: Schedule 17, item 4

Regulations: None

Permitted variants: None

Directions: 21(1)

Diagrams: 570


ltem 1

2

3

4

5




550.1 Accompanied horses or ponies likely to be in or crossing road ahead

Item	
1	Regulations: None
2	Directions: 21(1)
3	Diagrams: 570, 572, 573
4	Permitted variants: None
5	Illumination requirements: Schedule 17, item 4



550.2 Horse drawn vehicles likely to be in road ahead


ltem	
1	Regulations: None
2	Directions: 21(1)
з	Diagrams: 570
4	Permitted variants: None
5	Illumination requirements: Schedule 17, item 4




551 Wild animals likely to be in road ahead

Item	
1	Regulations: None
2	Directions: 21(1)
з	Diagrams: 570
4	Permitted variants: None
5	Illumination requirements: Schedule 17, item 4


SCHEDULE 1 WARNING SIGNS (contd.)






551.1 Migratory toad crossing ahead

ltern	
1	Regulations: None
2	Directions: 21(1), 28
3	Diagrams: 570
4	Permitted variants: None
5	Illumination requirements: Schedule 17, item 4



Item	
1	Regulations: None
2	Directions: 21(1)
3	Diagrams: 570
4	Permitted variants: None
5	Illumination requirements: Schedule 17, item 4



552 Cattle grid ahead


ltem	
1	Regulations: None
2	Directions: 21(1)
3	Diagrams: 553, 572, 573
4	Permitted variants: None
5	Illumination requirements: Schedule 17, item 4



553 By-pass of cattle grid


Item	
1	Regulations: None
2	Directions: 21(1)
3	Diagrams: 552
4	Permitted variants: Schedule 16, item 13
5	Illumination requirements: Schedule 17, item 8

SCHEDULE 1 WARNING SIGNS (contd.)




553.1 Agricultural vehicles likely to be in road ahead

ltem	
1	Regulations: None
2	Directions: 20(1), 21(1)
3	Diagrams: 553.2
4	Permitted variants: None
5	Illumination requirements: Schedule 17, item 4




ltern	
1	Regulations: None
2	Directions: 20(1), 21(1)
3	Diagrams: 553.1
4	Permitted variants: Schedule 16, item 6 "Farm traffic" may be varied to "Wide vehicles" or "Tractors turning". "for" and a distance may be added
5	Illumination requirements: Schedule 17, item 8



554 Worded warning sign

ltern	
1	Regulations: None
2	Directions: 21(1), 39(3)
3	Diagrams: 563 (when varied to "Road liable to flooding"), 570 (when diagram 554 is varied to "Gates"), 572, 573
4	Permitted variants: "Ford" may be varied to "Flood", "Gate", "Gates", or "No smoking"
5	Illumination requirements: Schedule 17, item 4



554.1 Risk of brake failure after crossing a ford or before descending a steep gradient

ltem	
1	Regulations: None
2	Directions: 21(1)
3	Diagrams: 526, 817.2
4	Permitted variants: None
5	Illumination requirements: Schedule 17, item 4

1

2

3

4

5

Regulations: None


Diagrams: 572, 573

Permitted variants: None

Illumination requirements: Schedule 17, item 1

Directions: 21(1)

Status: This is the original version (as it was originally made). This item of legislation is currently only available in its original format.



SCHEDULE 1 WARNING SIGNS (contd.)

 Item

 1
 Regulations: None


 2
 Directions: 21(1)


 3
 Diagrams: 570

 4
 Permitted variants: Schedule 16, item 28

 5
 Illumination requirements: Schedule 17, item 4

SCHEDULE 1 WARNING SIGNS (contd.)






556 Uneven road ahead

ltem	
1	Regulations: None
2	Directions: 21(1)
3	Diagrams: 511, 570
4	Permitted variants: None
5	Illumination requirements: Schedule 17, item 4



ltem	
1	Regulations: None
2	Directions: 20(1), 21(1)
3	Diagrams: 556.2
4	Permitted variants: None
5	Illumination requirements: Schedule 17, item 4



556.2 Soft verges for distance indicated


ltem	
1	Regulations: None
2	Directions: 20(1), 21(1)
3	Diagrams: 556.1
4	Permitted variants: Schedule 16, item 6 "for 2 miles" may be omitted
5	Illumination requirements: Schedule 17, item 8



557 Slippery road ahead

Item		
1	Regulations: None	
2	Directions: 21(1)	
3	Diagrams: 570	
4	Permitted variants: None	
5	Illumination requirements: Schedule 17, item 4	

SCHEDULE 1 WARNING SIGNS (contd.)



557.1 Road hump or series of road humps ahead

Directions: 17, 18(1), 20(1), 21(1)

Diagrams: 557.2, 557.3, 557.4, 1062

Illumination requirements: Schedule 17, item 1

Regulations: None

Permitted variants: None

ltern 1

2

3

4

5




557.2 Road humps ahead for the distance indicated

Item		
1	Regulations: None	
2	Directions: 20(1), 21(1)	
3	Diagrams: 557.1	
4	Permitted variants: Schedule 16, item 6 Illumination requirements: Schedule 17, item 8	
5		



557.3 Road humps ahead in the direction and for the distance indicated

Item		
1	Regulations: None	
2	Directions: 20(1), 21(1)	
3	Diagrams: 557.1	
4	Permitted variants: Schedule 16, items 6, 13 A second arrow pointing in the opposite direction may be added. "for 300 yards" may be omitted	
5	Illumination requirements: Schedule 17, item 8	



557.4 Road hump in the direction and at the distance indicated

Item	
1	Regulations: None
2	Directions: 20(1), 21(1)
3	Diagrams: 557.1
4	Permitted variants: Schedule 16, items 6, 9, 13, 14 A second arrow pointing in the opposite direction may be added. The legend may be on two lines
5	Illumination requirements: Schedule 17, item 8

SCHEDULE 1 WARNING SIGNS (contd.)



558

Low flying aircraft or sudden aircraft noise likely ahead

Illumination requirements: Schedule 17, item 4

Regulations: None

Diagrams: 558.2, 570, 773

Permitted variants: None

Directions: 21(1)


ltem

2

3

4


5



558.1 Low flying helicopters or sudden helicopter noise likely ahead

Item		
1	Regulations: None	
2	Directions: 21(1)	
3	Diagrams: 570	
4	Permitted variants: None	
5	Illumination requirements: Schedule 17, item 4	

558.1



558.2 Gliders likely ahead


ltem	
1	Regulations: None
2	Directions: 21(1)
3	Diagrams: 558
4	Permitted variants: Schedule 16, item 6 "for" and a distance may be added
5	Illumination requirements: Schedule 17, item 8




559 Risk of falling or fallen rocks ahead

ltem		
1	Regulations: None	
2	Directions: 21(1)	
3	Diagrams: 570	
4	Permitted variants: Schedule 16, item 28	
5	Illumination requirements: Schedule 17, item 4	

SCHEDULE 1 WARNING SIGNS (contd.)







ltem 1

2

3

4

5

Regulations: None

Diagrams: 562

Directions: 20(1), 21(1)

SCHEDULE 1 WARNING SIGNS (contd.)

570 Distance over which hazard or prohibition extends

For miles (50) 62.5 (75) (100) (125) (150) (200)

Item	
1	Regulations: None
2	Directions: 21(1)
3	Diagrams: 513, 521, 523.1, 524.1, 548, 549, 550, 550.1, 550.2, 551, 551.1, 551.2, 554 (when varied to "Gates"), 555.1, 556, 557, 558, 558.1, 559, 581, 582, 614, 632, 642, 7001, 7009
4	Permitted variants: Schedule 16, item 6
5	Illumination requirements: Schedule 17, item 8



Permitted variants: Schedule 16, items 3, 6, 11 "FIRE" may be varied to "AMBULANCE" or "FIRE AND AMBULANCE"

Illumination requirements: Schedule 17, item 8

572 Distance ahead to hazard

ltem		
1	Regulations: None	
2	Directions: 21(1)	
3	Diagrams: 504.1, 505.1, 506.1, 507.1, 508.1, 509.1, 510, 516, 517, 520, 521, 522, 523.1, 524.1, 528, 529, 529.1, 530, 531.1, 543, 544, 544.1, 544.2, 550.1, 552, 554, 555, 770, 771, 772, 782, 950, 7001, 7009	
4	Permitted variants: Schedule 16, item 6	
5	Illumination requirements: Schedule 17, item 8	



573 Distance and direction to hazard

ltern	
1	Regulations: None
2	Directions: 21(1)
3	Diagrams: 523.1, 524.1, 528, 529, 529.1, 530, 531.1, 543, 544, 544.1, 544.2, 550.1, 552, 554, 555, 770, 771, 772, 782, 950, 7001, 7009
4	Permitted variants: Schedule 16, items 6, 9, 13
5	Illumination requirements: Schedule 17, item 8

Item 1

2

3

4

5

Regulations: None

Directions: 21(1)


Diagrams: 570

Permitted variants: None

Illumination requirements: Schedule 17, item 4

Status: This is the original version (as it was originally made). This item of legislation is currently only available in its original format.


SCHEDULE 1 WARNING SIGNS (contd.)



Slow moving military vehicles likely to be crossing or in road ahead

Item	
1	Regulations: None
2	Directions: 21(1)
3	Diagrams: 570
4	Permitted variants: None
5	Illumination requirements: Schedule 17, item 4

SCHEDULE 1 WARNING SIGNS (contd.)



583

Slow moving vehicles likely on incline ahead


ltem

2

з

4

5



583.1 Distance over which slow moving vehicles likely to be encountered ahead

	Item	
Regulations: None	1	Regulations: None
Directions: 20(1), 21(1)	2	Directions: 20(1), 21(1)
Diagrams: 583.1	3	Diagrams: 583
Permitted variants: None	4	Permitted variants: Schedule 16, item 5
Illumination requirements: Schedule 17, item 4	5	Illumination requirements: Schedule 17, item 8



584 Traffic queues likely on road ahead

Item	
1	Regulations: None
2	Directions: 20(1), 21(1)
3	Diagrams: 584.1
4	Permitted variants: None
5	Illumination requirements: Schedule 17, item 4



584.1 Traffic queues likely on road ahead

Item	
1	Regulations: None
2	Directions: 20(1), 21(1)
3	Diagrams: 584
4	Permitted variants: Schedule 16, item 11 "on slip road" may be added
5	Illumination requirements: Schedule 17, item 8