SCHEDULE 11

MATRIX SIGNS AND LIGHT SIGNALS

PART I


MATRIX SIGNS

SCHEDULE 11 PART I

MATRIX SIGNS


(for motorways and all-purpose dual carriageway roads)

Regulation 46




6001 Temporary maximum speed advised

Item	
1	Regulations: 46, 58(6)
2	Directions: 46, 50, 51, 56
3	Diagrams: 6021, 6022
4	Permitted variants: Schedule 16, item 1




6002 Vehicular traffic must move to the next lane on the right

Item	
1	Regulations: 46, 58(6)
2	Directions: 46, 50, 51, 52, 56
3	Diagrams: 6021
4	Permitted variants: Arrow may point downwards to the left




6003 Vehicular traffic must leave at next junction

Item	
1	Regulations: 46, 58(6)
2	Directions: 46, 50, 51, 56
3	Diagrams: 6021, 6022
4	Permitted variants: Schedule 16, item 28




6006 Closure of one lane of a three lane carriageway ahead

Item	
1	Regulations: 46, 58(6)
2	Directions: 46, 50, 51, 52, 56
3	Diagrams: 6022
4	Permitted variants: Schedule 16, item 16




6006.1 Closure of two lanes of a three lane carriageway ahead

Item	
1	Regulations: 46, 58(6)
2	Directions: 46, 50, 51, 52, 56
3	Diagrams: 6022
4	Permitted variants: Schedule 16, item 16




6006.2 Closure of all lanes of a three lane carriageway ahead

Item	
1	Regulations: 46, 58(6)
2	Directions: 46, 50, 51, 52, 56
3	Diagrams: 6032.1
4	Permitted variants: None




6008 Closure of right hand lane of a two lane carriageway ahead

Item	
1	Regulations: 46, 58(6)
2	Directions: 46, 50, 51, 52, 56
3	Diagrams: 6022
4	Permitted variants; Schedule 16, item 16




6008.1 Closure of both lanes of a two lane carriageway ahead

Item	
1	Regulations: 46, 58(6)
2	Directions: 46, 50, 51, 52, 56
3	Diagrams: 6032.1
4	Permitted variants: None




6009 Closure of one lane of a four lane carriageway ahead

	Item	
	1	Regulations: 46, 58(6)
ĺ	2	Directions: 46, 50, 51, 52, 56
3 Diagrams: 6022	Diagrams: 6022	
	4	Permitted variants: Schedule 16, item 16




6009.1 Closure of two lanes of a four lane carriageway ahead

Item	
1	Regulations: 46, 58(6)
2	Directions: 46, 50, 51, 52, 56
3	Diagrams: 6022
4	Permitted variants: Schedule 16, item 16




6009.2 Closure of three lanes of a four lane carriageway ahead


Item	
1	Regulations: 46, 58(6)
2	Directions: 46, 50, 51, 52, 56
3	Diagrams: 6022
4	Permitted variants: Schedule 16, item 16



6009.3 Closure of all lanes of a four lane carriageway ahead

Item	
1	Regulations: 46, 58(6)
2	Directions: 46, 50, 51, 52, 56
3	Diagrams: 6032.1
4	Permitted variants: None






6011 Risk of fog ahead

Item	
1	Regulations: 46, 58(6)
2	Directions: 46, 50, 51, 56
3	Diagrams: 6021, 6022
4	Permitted variants: None


6011.1 Risk of ice ahead

Item	
1	Regulations: 46, 58(6)
2	Directions: 46, 50, 51, 56
3	Diagrams: 6021, 6022
4	Permitted variants: None




6012 End of temporary restrictions indicated by previous signs

Item	
1	Regulations: 46, 58(6)
2	Directions: 46, 50, 51, 56
3	Diagrams: None
4	Permitted variants: None



6021 Gantry-mounted signal with flashing amber lamps for displaying the signs shown in diagrams 6001, 6002, 6003, 6011 or 6011.1

Item	
1	Regulations: 46, 58(6)
2	Directions: 46, 50, 52, 56
3	Diagrams: None
4	Permitted variants: "50" may be varied to any of the legends shown in diagrams 6001, 6002, 6003, 6011 or 6011.1



6022
Post-mounted signal with flashing amber lamps for displaying the signs shown in diagrams 6001, 6003, 6006, 6006.1, 6008, 6009, 6009.1, 6009.2, 6011 or 6011.1

Item	
1	Regulations: 46, 58(6)
2	Directions: 46, 50, 52, 56
3	Diagrams: None
4	Permitted variants: "50" may be varied to any of the legends shown in diagrams 6001, 6003, 6006, 6006.1, 6008, 6009, 6009, 1, 6009.2, 6011 or 6011.1 An identification number may be added to the backing board or post in horizontal or vertical format as appropriate


PART II LIGHT SIGNALS

SCHEDULE 11 PART II

Regulations 37 and 45

LIGHT SIGNALS

(for motorways and all-purpose dual carriageway roads)




6023 Light signal conveying the warning prescribed in regulation 45

Item	
1	Regulations: 45
2	Directions: 46, 50, 56
3	Diagrams: None
4	Permitted variants: None

6031.1 Light signals conveying the requirement prescribed in regulation 38(b)

Item	
1	Regulations: 10(1), 10(2), 37, 38
2	Directions: 46, 50, 51, 52, 56
3	Diagrams: None
4	Permitted variants: None

SCHEDULE 11 PART II LIGHT SIGNALS (contd.)



6032.1 Light signals conveying the requirement prescribed in regulation 38(a)

Item	
1	Regulations: 10(1), 10(2), 37, 38
2	Directions: 46, 50, 51, 52, 56
3	Diagrams: None
4	Permitted variants: The diagram 6008.1 symbol may be varied to the symbol shown in diagram 6006.2 or 6009.3 An identification number may be added to the backing board or post in horizontal or vertical format as appropriate