

Status: This is the original version (as it was originally made). This item of legislation is currently only available in its original format.


SCHEDULE 3

SIGNS FOR RAILWAY AND TRAMWAY LEVEL CROSSINGS

SCHEDULE 3


Regulation 11(1)

SIGNS FOR RAILWAY AND TRAMWAY LEVEL CROSSINGS



770
Level crossing with gate or barrier ahead

Item	
1	Regulations: None
2	Directions: 21(1)
3	Diagrams: 572, 573, 773
4	Permitted variants: None
5	Illumination requirements: Schedule 17, item 1




771
Railway level crossing without gate or barrier ahead

Item	
1	Regulations: None
2	Directions: 21(1)
3	Diagrams: 572, 573, 773
4	Permitted variants: None
5	Illumination requirements: Schedule 17, item 1



772
Tramcars crossing ahead

Item	
1	Regulations: None
2	Directions: 21(1)
3	Diagrams: 572, 573, 773
4	Permitted variants: None
5	Illumination requirements: Schedule 17, item 1




773
Light signals as shown in diagram 3014 ahead

Item	
1	Regulations: None
2	Directions: 21(1)
3	Diagrams: 529, 529.1, 558, 770, 771, 772
4	Permitted variants: Schedule 16, items 3, 6, 11
5	Illumination requirements: Schedule 17, item 8

Status: This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

SCHEDULE 3 SIGNS FOR RAILWAY AND TRAMWAY LEVEL CROSSINGS (contd.)



774
Location of railway or tramway level crossing without gate or barrier

Item	
1	Regulations: None
2	Directions: None
3	Diagrams: 602 (when used with 778 or 778.1), 3014
4	Permitted variants: None
5	Illumination requirements: Schedule 17, item 4



775
Vehicular traffic must not stop within the area of a railway or tramway level crossing

Item	
1	Regulations: None
2	Directions: None
3	Diagrams: 3014
4	Permitted variants: None
5	Illumination requirements: Schedule 17, item 4



776
Another train or tramcar may be about to pass over the crossing

Item	
1	Regulations: 18(2)
2	Directions: 55(10), 56
3	Diagrams: 3014
4	Permitted variants: "TRAIN" may be varied to "TRAM"
5	Illumination requirements: Schedule 17, item 14




777
Level crossing ahead is crossed by more than one railway or tramway track, and more than one train or tramcar may pass over it in quick succession

Item	
1	Regulations: None
2	Directions: None
3	Diagrams: 3014
4	Permitted variants: Same as diagram 776
5	Illumination requirements: Schedule 17, item 4


Status: This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

SCHEDULE 3 SIGNS FOR RAILWAY AND TRAMWAY LEVEL CROSSINGS (contd.)




778
Open railway level crossing without light signals

Item	
1	Regulations: 16, 25
2	Directions: 21(1)
3	Diagrams: 602
4	Permitted variants: None
5	Illumination requirements: Schedule 17, item 8




778.1
Open tramway level crossing without light signals

Item	
1	Regulations: 16, 25
2	Directions: 21(1)
3	Diagrams: 602
4	Permitted variants: None
5	Illumination requirements: Schedule 17, item 8



779
Electrified overhead cable ahead

Item	
1	Regulations: None
2	Directions: 20(1), 21(1)
3	Diagrams: 780A, 780.1A, 780.2A
4	Permitted variants: None
5	Illumination requirements: Schedule 17, item 1



780A
Safe height beneath electrified overhead cable ahead

Item	
1	Regulations: 17(5)
2	Directions: 20(1), 21(1)
3	Diagrams: 779
4	Permitted variants: Schedule 16, item 1 The indication of height in metric units may be omitted and the remaining legend may be on three lines
5	Illumination requirements: Schedule 17, item 8

Status: This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

SCHEDULE 3 SIGNS FOR RAILWAY AND TRAMWAY LEVEL CROSSINGS (contd.)



(50)
62.5
(75)
(100)
(125)




(50)
62.5
(75)
(100)
(125)

780.1A
Safe height beneath electrified overhead cable
in direction and at distance indicated

780.2A
Safe height beneath electrified overhead cable ahead
provided with a load gauge shown in diagram 781

Item	
1	Regulations: 17(5)
2	Directions: 20(1), 21(1)
3	Diagrams: 779
4	Permitted variants: Schedule 16, items 1, 6, 9, 13, 14 The indication of height in metric units may be omitted
5	Illumination requirements: Schedule 17, item 8

Item	
1	Regulations: 17(5)
2	Directions: 20(1), 21(1)
3	Diagrams: 779
4	Permitted variants: Schedule 16, item 1 Same as diagram 780.1A
5	Illumination requirements: Schedule 17, item 8



781
Load gauge giving audible warning to drivers
where vehicle exceeds safe height under
electrified overhead cables

Item	
1	Regulations: None
2	Directions: 43
3	Diagrams: None
4	Permitted variants: Schedule 16, item 41
5	Illumination requirements: None

Status: This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

SCHEDULE 3 SIGNS FOR RAILWAY AND TRAMWAY LEVEL CROSSINGS (contd.)



600
(750)
(900)
(1200)
(1500)

782

Risk of grounding at a railway or tramway level crossing or hump backed bridge

Item	
1	Regulations: None
2	Directions: 21(1)
3	Diagrams: 528, 572, 573, 783, 785.1, 786
4	Permitted variants: None
5	Illumination requirements: Schedule 17, item 1

50 min
100 max



783

Drivers of long low vehicles must telephone to obtain permission before using a railway or tramway level crossing

Item	
1	Regulations: None
2	Directions: 20(1)
3	Diagrams: 601.1, 782, 785.1, 786, 787, 788
4	Permitted variants: "LONG LOW" may be varied to "LARGE OR SLOW"
5	Illumination requirements: Schedule 17, item 4



45 min
75 max

30 min
50 max

784.1

Drivers of large or slow vehicles must stop and telephone before using an automatic railway or tramway level crossing

Item	
1	Regulations: 10(1), 10(2), 16
2	Directions: None
3	Diagrams: 786, 787, 788
4	Permitted variants: None
5	Illumination requirements: Schedule 17, item 1

Status: This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

SCHEDULE 3 SIGNS FOR RAILWAY AND TRAMWAY LEVEL CROSSINGS (contd.)



785.1
Name of level crossing and details of telephone number for contacting railway or tramway operator

Item	
1	Regulations: None
2	Directions: None
3	Diagrams: 782, 783
4	Permitted variants: Schedule 16, item 19 The number of lines of legend in the top panel may be varied. "TO CONTACT RAILWAY" may be on one line. "RAILWAY" may be varied to "TRAM Co." The telephone number shall be varied as appropriate
5	Illumination requirements: Schedule 17, item 4




787
Site of emergency telephone or telephone at or near a railway or tramway level crossing

Item	
1	Regulations: None
2	Directions: None
3	Diagrams: 783, 784.1, 786, 788
4	Permitted variants: None
5	Illumination requirements: Schedule 17, item 4



786
Place where large or slow, or long low vehicles should wait near a railway or tramway level crossing while the driver obtains permission by telephone to cross or confirms he has crossed

Item	
1	Regulations: None
2	Directions: 25(1)
3	Diagrams: 782, 783, 784.1, 787, 788, 1028.3
4	Permitted variants: "AT CROSSING" may be omitted
5	Illumination requirements: Schedule 17, item 4




788
Direction to emergency telephone or telephone at or near a railway or tramway level crossing

Item	
1	Regulations: None
2	Directions: None
3	Diagrams: 783, 784.1, 786, 787
4	Permitted variants: Schedule 16, item 13
5	Illumination requirements: Schedule 17, item 4

Status: This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

SCHEDULE 3 SIGNS FOR RAILWAY AND TRAMWAY LEVEL CROSSINGS (contd.)



789, 789.1, 789.2
Countdown markers to railway or tramway level crossing

Item	
1	Regulations: None
2	Directions: None
3	Diagrams: None
4	Permitted variants: Schedule 16, item 28
5	Illumination requirements: Schedule 17, item 4



790
New method of controlling traffic at a railway or tramway level crossing ahead

Item	
1	Regulations: None
2	Directions: 37(1)
3	Diagrams: None
4	Permitted variants: "CONTROL" may be omitted
5	Illumination requirements: Schedule 17, item 1