SCHEDULE 7

DIRECTIONAL SIGNS

PART VIII

TEMPORARY AND EMERGENCY DIRECTIONAL SIGNS

SCHEDULE 7 PART VIII TEMPORARY AND EMERGENCY DIRECTIONAL SIGNS

Regulation 11(1)





60 min 200 max

2701 Direction to a new housing development


Item	
1	Regulations: None
2	Directions: 13(3), 38(2)
3	Diagrams: None
4	Permitted variants: Schedule 16, items 3, 6, 15, 19, 29 The lorry symbol in diagram 804.1 may be added and reversed where appropriate
5	Illumination requirements: Schedule 17, item 9

2701.1

Junction ahead leading to a new housing development

Estate

Item	
1	Regulations: None
2	Directions: 13(3), 38(2)
3	Diagrams: None
4	Permitted variants: Schedule 16, items 3, 6, 12, 19, 29 The U-turn arrow shown in diagram 2111.1 may be substituted for the horizontal arrow and shall always be on the right hand side of the sign. The lorry symbol in diagram 804.1 may be added and reversed where appropriate. The lorry symbol shall face to the right when the U-turn arrow is shown on the sign
5	Illumination requirements: Schedule 17, item 9



Diverted traffic

2702 Start of temporary diversion route

Item	
1	Regulations: None
2	Directions: 13(3)
3	Diagrams: None
4	Permitted variants: Schedule 16, item 12 The arrow symbol may be replaced by the word "ENDS" or a distance in yards up to 400 yards to the nearest 10 yards
5	Illumination requirements: Schedule 17, item 4

2703 Direction of temporary diversion route from junction ahead

Item	
1	Regulations: None
2	Directions: 13(3)
3	Diagrams: None
4	Permitted variants: Schedule 16, items 12, 20 Any symbol shown in Part VII of Schedule 13 may be substituted for "Diverted traffic". The U-turn arrow shown in diagram 2111.1 may be substituted for the horizontal arrow and shall always be on the right hand side of the sign
5	Illumination requirements: Schedule 17, item 4





2704 Direction of temporary diversion route

Item	
1	Regulations: None
2	Directions: 13(3)
3	Diagrams: None
4	Permitted variants: Schedule 16, items 15, 20 Any symbol shown in Part VII of Schedule 13 may be substituted for "Diverted traffic"
5	Illumination requirements: Schedule 17, item 4

2705 Junction ahead leading to temporary diversion routes to the destinations shown

Item	
1	Regulations: None
2	Directions: 13(3)
3	Diagrams: None
4	Permitted variants: Schedule 16, items 3, 5, 12, 16, 19, 20, 30, 31, 32, 34
5	Illumination requirements: Schedule 17, item 4



2706 Roundabout ahead leading to a temporary diversion route to the destination shown

Item	
1	Regulations: None
2	Directions: 13(3)
3	Diagrams: None
4	Permitted variants: Schedule 16, items 3, 5, 16, 19, 20, 30, 31, 32, 34
5	Illumination requirements: Schedule 17, item 4



2707
Direction of temporary diversion route to destination shown

Item	
1	Regulations: None
2	Directions: 13(3)
3	Diagrams: None
4	Permitted variants: Schedule 16, items 3, 5, 15, 19, 20, 30, 31, 32, 34
5	Illumination requirements: Schedule 17, item 4



2708 Junction ahead leading to route for emergency vehicles to a temporary incident control point

ltem	
1	Regulations: None
2	Directions: 13(3)
3	Diagrams: None
4	Permitted variants: Schedule 16, item 12 "EMERGENCY VEHICLES" may be varied to "INCIDENT CONTROL"
5	Illumination requirements: Schedule 17, item 4




2709
Direction of route or junction ahead leading to a route for emergency vehicles to an emergency services incident point

Item	
1	Regulations: None
2	Directions: 13(3)
3	Diagrams: None
4	Permitted variants: Schedule 16, items 12, 19
5	Illumination requirements: Schedule 17, item 4




2710 Same as diagram 2709

Item	
1	Regulations: None
2	Directions: 13(3)
3	Diagrams: None
4	Permitted variants: Schedule 16, items 15, 19
5	Illumination requirements: Schedule 17, item 4




2711 Direction to emergency exit for pedestrians from a tunnel

Item	
1	Regulations: None
2	Directions: None
3	Diagrams: None
4	Permitted variants: Schedule 16, items 13, 28 Symbols may be arranged vertically
5	Illumination requirements: Schedule 17, item 2




2712 Location of fire rendezvous point

Item	
1	Regulations: None
2	Directions: 13(3)
3	Diagrams: None
4	Permitted variants: The legend *No. 1" may be varied to another number, a letter or a compass point. *F.R.P." may be varied to *R.V.P."
5	Illumination requirements: Schedule 17, item 9




2713
Direction to nearest emergency telephone on same side of the road

Item	
1	Regulations: None
2	Directions: 15(1)
3	Diagrams: 2714, 2715
4	Permitted variants: Schedule 16, item 13 The arrow and telephone symbol shall be coloured green when used on a primary route, and coloured black when used on a non-primary route
5	Illumination requirements: Schedule 17, item 9




2713.1 Distance ahead to emergency telephone in a parking place

Item	
1	Regulations: None
2	Directions: 13(3)
3	Diagrams: 642.3, 2714, 2715
4	Permitted variants: Schedule 16, items 6, 9, 11 The "P" symbol may be placed to the left of the orange panel or omitted
5	Illumination requirements: Schedule 17, item 4



2714 Side of emergency telephone box

Item	
1	Regulations: 13(8)
2	Directions: None
3	Diagrams: 642.3, 2713, 2713.1, 2715, 2717
4	Permitted variants: The identification number may be varied as appropriate. The colour of the legend and symbol may be varied to black. The relative position of the number and "SOS" may be reversed. A flashing white light may be added to the sign
5	Illumination requirements: Schedule 17, item 15



2715 Back of emergency telephone box

Item	
1	Regulations: 13(8)
2	Directions: None
3	Diagrams: 642.3, 2713, 2713.1, 2714, 2717
4	Permitted variants: Same as diagram 2714
5	Illumination requirements: Schedule 17, item 15




2716
Junction ahead leading to a temporary diversion route, the direction along which is indicated by a symbol shown in Part VII of Schedule 13

Item	
1	Regulations: None
2	Directions: None
3	Diagrams: None
4	Permitted variants: Schedule 16, items 12, 14, 19, 20 "M1 North" may be varied to the name of a road, to a route number and a place name, or to a description of a route. "closed" may be varied to "closed to" and a type of vehicle or road user. The upper part of the sign may be omitted. "Alternative route" may be varied to "To rejoin", or to "To rejoin" and a route number. "or and a destination may be added after "Alternative route". The diversion symbol may be varied to any of those shown in Part VII of Schedule 13, to any combination of place names and route numbers, to a description of a route or to the name of a road. "follow" may be varied to "use" or "via" as appropriate
5	Illumination requirements: Schedule 17, item 4

75 min 400 max

— 60 min — 320 max

- 75 min - 400 max



2717
Location on a primary route given by route number and direction of travel, and direction of nearest emergency telephone

ltem	
1	Regulations: None
2	Directions: 12(1)
3	Diagrams: 2714, 2715
4	Permitted variants: Schedule 16, item 13 The route number and abbreviated compass point may be varied as appropriate
5	Illumination requirements: Schedule 17, item 9