
SCHEDULE 8

LIGHT SIGNALS FOR THE CONTROL OF VEHICULAR TRAFFIC


SCHEDULE 8 LIGHT SIGNALS FOR THE CONTROL OF VEHICULAR TRAFFIC

Regulations 33, 34, 35, 39, 41




Item	
1	Regulations: 10(1), 10(2), 33, 36
2	Directions: 18(1), 18(2), 21(1), 46, 47, 55, 56
3	Diagrams: 543.1, 1001, 1001.2, 1055.1, 1055.2
4	Permitted variants: None

3000
Light signals for the control of vehicular traffic at road junctions, at signal-controlled crossing facilities, or at places where the headroom or width of the road is permanently reduced




3000.1 Portable light signals

Item	
1	Regulations: 10(1), 10(2), 35, 36
2	Directions: 18(1), 46, 53, 56
3	Diagrams: 1001, 7011, 7011.1, 7027, 7028
4	Permitted variants: None



3000.2 Light signals for the control of vehicular traffic consisting solely of pedal cycles

Item	
1	Regulations: 10(1), 10(2), 33, 36
2	Directions: 18(1), 46, 47, 55(7), 56
3	Diagrams: 1001, 1055.1, 1055.2
4	Permitted variants: None




3000.7
As for diagram 3000 with additional signals as shown in diagram 3001.2, 3001.3 or 3013 placed in any of the positions marked "1", "2", "3" and "4" in accordance with the table of combinations below

(Position numbers and centre marks do not form part of the signal)

Item	
1	Regulations: 10(1), 10(2), 33, 34, 36, 41(3)
2	Directions: 18(1), 18(2), 21(1), 46, 47, 55, 56
3	Diagrams: 543.1, 1001, 1001.2, 1055.1, 1055.2
4	Permitted variants: Where a signal shown in diagram 3001.2, 3001.3 or 3013 is not placed in one of the marked positions, the housing for that signal shall be omitted

Table of combinations

Item 1	Signal position	1	2	3	4
Item 2	Signal combinations	None	3001.2 (A, B or C); or 3001.3 (A, B or C); or 3013	None	None
		None	None	None	3001.2 (C, D or E); or 3001.3 (C, D or E); or 3013
		3013	3001.2 (A, B or C); or 3001.3 (A, B or C)	None	None
		None	None	3013	3001.2 (C, D or E); or 3001.3 (C, D or E)
		3001.2 (B or C); or 3001.3 (B or C)	3001.2 (A); or 3001.3 (A)	None	None
		3001.2 (C); or 3001.3 (C)	3001.2 (A or B); or 3001.3 (A or B)	None	None
		None	None	3001.2 (C or D); or 3001.3 (C or D)	3001.2 (E); or 3001.3 (E)
		None	None	3001.2 (C); or 3001.3 (C)	3001.2 (D or E); or 3001.3 (D or E)
		None	3013	None	None
		None	None	None	3013




3000.8

As for diagram 3000, but without the green aspect and with additional signals as shown in diagram 3001.2, 3001.3 or 3013 placed in any of the positions marked "1", "2", "3", "4" and "5" in accordance with the table of combinations below (Position numbers and centre marks do not form part of the signal)

Item	
1	Regulations: 10(1), 10(2), 33, 34, 36, 41(3)
2	Directions: 18(1), 18(2), 21(1), 46, 47, 55, 56
3	Diagrams: 543.1, 1001, 1001.2, 1055.1, 1055.2
4	Permitted variants: Where a signal shown in diagram 3001.2, 3001.3 or 3013 is not placed in one of the marked positions, the housing for that signal shall be omitted

Table of combinations

Item 1	Signal position	1	2	3	4	5
Item 2	Signal combinations	None	3013; or none	3001.2; or 3001.3	None	None
		None	None	3001.2; or 3001.3	3013; or none	None
		3013; or none	3001.2 (A, B or C); or 3001.3 (A, B or C)	3001.2 (D or E); or 3001.3 (D or E)	None	None
		3013; or none	3001.2 (A or B); or 3001.3 (A or B)	3001.2 (C, D or E); or 3001.3 (C, D or E)	None	None
		None	None	3001.2 (A, B or C); or 3001.3 (A, B or C)	3001.2 (D or E); or 3001.3 (D or E)	3013; or none
		None	None	3001.2 (A or B); or 3001.3 (A or B)	3001.2 (C, D or E); or 3001.3 (C, D or E)	3013; or none



3000.9


As for diagram 3000.9

As for diagram 3000 with additional signals as shown in diagram 3001.2, 3001.3 or 3013 placed in any of the positions marked *1", "2* and "3* in accordance with the table of combinations below (Position numbers and centre marks do not form part of the signal)

Item	
1	Regulations: 10(1), 10(2), 33, 34, 36, 41(3)
2	Directions: 18(1), 18(2), 21(1), 46, 47, 55, 56
3	Diagrams: 543.1, 1001, 1001.2, 1055.1, 1055.2
4	Permitted variants: Where a signal shown in diagram 3001.2, 3001.3 or 3013 is not placed in one of the marked positions, the housing for that signal shall be omitted

Table of combinations

Item 1	Signal position	1	2	3
Item 2	Signal combinations	3013	None	None
	combinations	None	3001.2; or 3001.3	3001.2; or 3001.3; or none
		None	3013	None
		None	3001.2; or 3001.3	3013; or none



3000.10

As for diagram 3000, but without the green aspect and with additional signals as shown in diagram 3001.2, 3001.3 or 3013 placed in any of the positions marked "1", "2" and "3" in accordance with the table of combinations below (Position numbers and centre marks do not form part of the signal)

Item	
1	Regulations: 10(1), 10(2), 33, 34, 36, 41(3)
2	Directions: 18(1), 18(2), 21(1), 46, 47, 55, 56
3	Diagrams: 543.1, 1001, 1001.2, 1055.1, 1055.2
4	Permitted variants: Where a signal shown in diagram 3001.2, 3001.3 or 3013 is not placed in one of the marked positions, the housing for that signal shall be omitted

Table of combinations

Item 1	Signal position	1	2	3
Item 2	Signal combinations	3013; or none	3001.2; or 3001.3	None
		None	3001.2; or 3001.3	3001.2; or 3001.3; or 3013

Item

1

2

3


Regulations: 10(1), 10(2), 33(4), 34, 36

Diagrams: 3000.7, 3000.8, 3000.9, 3000.10

Directions: 46, 55(11), 56

Permitted variants: None

SCHEDULE 8 LIGHT SIGNALS FOR THE CONTROL OF VEHICULAR TRAFFIC (contd.)



Item

1

2


3

Regulations: 10(1), 10(2), 33(4), 34, 36

Diagrams: 3000.7, 3000.8, 3000.9, 3000.10


Directions: 46, 55(11), 56

Permitted variants: None




3013 Light signal for the control of tramcars

Item	
1	Regulations: 41, 42
2	Directions: 18(1), 46, 56
3	Diagrams: 1001, 1001.1, 3000.7, 3000.8, 3000.9, 3000.10
4	Permitted variants: None



3013.1 As diagram 3013, conveying the prohibition prescribed by regulation 42(a)

Item	
1	Regulations: 10(1), 41, 42
2	Directions: 46, 56
3	Diagrams; None
4	Permitted variants: None



3013.2 As diagram 3013, conveying the indication prescribed by regulation 42(b)

Item	
1	Regulations: 41, 42
2	Directions: 46, 56
3	Diagrams: None
4	Permitted variants: None




3013.3
As diagram 3013, conveying the indication prescribed by regulation 42(c)

Item	
1	Regulations: 41, 42
2	Directions: 46, 56
3	Diagrams: None
4	Permitted variants: None




3013.4 As diagram 3013, conveying the indication prescribed by regulation 42(d)

Item	
1	Regulations: 41, 42
2	Directions: 46, 56
3	Diagrams: None
4	Permitted variants: None



3013.5 As diagram 3013, conveying the requirement prescribed by regulation 42(e)

Item	
1	Regulations: 41, 42
2	Directions: 46, 56
3	Diagrams: None
4	Permitted variants: None



3014
Light signals for the control of road traffic at level crossings, swing or lifting bridges, tunnels, airfields or in the vicinity of premises used regularly by fire, police or ambulance service vehicles

Item	
1	Regulations: 10(1), 10(2), 39, 40
2	Directions: 18(1), 46, 47, 55(3), 55(11), 56
3	Diagrams: 774, 775, 776, 777, 1001, 1003.2, 4006
4	Permitted variants: None
5	Illumination requirements: Schedule 17, item 15