

---

STATUTORY INSTRUMENTS

---

**2006 No. 2922**

**AGRICULTURE, ENGLAND AND WALES  
PESTICIDES, ENGLAND AND WALES**

The Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuffs) (England and Wales) (Amendment) (No. 3) Regulations 2006

*Made - - - - - 6th November 2006*

*Laid before Parliament 10th November 2006  
Coming into force in accordance with regulation 1(3)  
to (7)*

The Secretary of State for Environment, Food and Rural Affairs and the National Assembly for Wales, are designated(1) for the purposes of section 2(2) of the European Communities Act 1972(2) in relation to the common agricultural policy of the European Community.

Acting jointly (the National Assembly for Wales acting in relation to Wales only), in exercise of the powers conferred on them by that section, they make the following Regulations:

**Citation, interpretation and commencement**

- 1.—(1) These Regulations may be cited as the Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuffs) (England and Wales) (Amendment) (No. 3) Regulations 2006.
- (2) In these Regulations “the principal Regulations” means the Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuffs) (England and Wales) Regulations 2005(3).
- (3) Subject to paragraphs (4) to (7), these Regulations shall come into force on 9th December 2006.
- (4) Regulation 4 shall come into force on 30th December 2006.
- (5) Regulation 5 shall come into force on 21st January 2007.
- (6) Regulation 6 shall come into force on 21st April 2007.
- (7) Regulation 7 shall come into force on 30th December 2007.

---

(1) [S.I. 1972/1811](#) and, in the case of the National Assembly for Wales, [S.I. 2005/2766](#).

(2) [1972 c.68](#).

(3) [S.I. 2005/3286](#), as amended by [S.I. 2006/985](#) and [S.I. 2006/1742](#).

## **Amendments to the principal Regulations**

**2.** The principal Regulations are amended in accordance with regulations 3 to 7.

## **Amendments coming into force on 9th December 2006**

**3.—(1)** In regulation 2(1) (interpretation), for the definition of “the Residues Directives” substitute the following definition—

““the Residues Directives” means Directive 76/895(**4**), Directive 86/362(**5**), Directive 86/363(**6**) and Directive 90/642(**7**), in each case as amended at the date of the making of the Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuffs) (England and Wales) (Amendment) (No. 3) Regulations 2006”.

**(2)** In Schedule 2 (maximum residue levels)—

- (i) for the entries in the columns relating to the pesticides Benomyl and Carbendazim, Chlormequat, Cyazofamid, Fenbutatin Oxide, Fenhexamid, Linuron, Pyrimozine, Thiophanate-methyl and Triadimefon and Triadimenol, substitute the entries in the columns relating to those pesticides set out in Schedule 1 to these Regulations;
- (ii) in the column relating to the pesticide Oxadiargyl, for the entry for the food group 2(v)(a) Lettuce, substitute “0.01\*”.

**(3)** In Schedule 3, in paragraph 2(v)(a) (lettuce and similar), in column 2, beneath “Scarole” insert “Ruccola” and beneath that insert “Leaves and stems of brassica”.

## **Amendments coming into force on 30th December 2006**

**4.** Schedules 1 and 2 of the principal Regulations are amended as follows—

- (a) in Schedule 1 (pesticide residues), for the entry relating to Deltamethrin, substitute the entry for Deltamethrin set out in Schedule 2 to these Regulations; and
- (b) in Schedule 2—
  - (i) for the entries in the columns relating to Carbaryl, Deltamethrin, Endosulfan, Fenitrothion and Methidathion, substitute the entries in the columns relating to those pesticides set out in Schedule 1 to these Regulations;
  - (ii) at the end, insert as footnote 47 the footnote numbered (47) set out on page 25 to these Regulations.

## **Amendment coming into force on 21st January 2007**

**5.** Schedules 1 and 2 of the principal Regulations are amended as follows—

- (a) in Schedule 1—
  - (i) for the entry for Cyfluthrin, substitute the entry for Cyfluthrin set out in Schedule 2 to these Regulations;
  - (ii) in the appropriate place in the alphabetical sequence, insert the entry for the pesticide Fenthion set out in Schedule 2 to these Regulations;
- (b) in Schedule 2—
  - (i) for the entries in the columns relating to Abamectin, Atrazine, Azinphos-ethyl, Cyfluthrin, Ethephon, Fenpropimorph, Methamidophos, Methomyl thiodicarb,

(4) OJ No. L340, 9.12.1976, p.26, as last amended by Commission Directive 2006/59/EC (OJ No. L175, 29.6.2006, p.61).

(5) OJ No. L221, 7.8.1986, p.37, as last amended by Commission Directive 2006/61/EC (OJ No. L206, 27.7.2006, p.12).

(6) OJ No. L221, 7.8.1986, p.43, as last amended by Commission Directive 2006/61/EC (OJ No. L206, 27.7.2006, p.12).

(7) OJ No. L350, 14.12.1990, p.71, as last amended by Commission Directive 2006/61/EC (OJ No. L206, 27.7.2006, p.12).

Myclobutanil, Paraquat, Thiabendazole, Triazophos and Trifloxystrobin substitute the entries in the columns relating to those pesticides set out in Schedule 1 to these Regulations;

- (ii) in the appropriate place in the alphabetical sequence, insert the entries in the column relating to the pesticide Fenthion set out in Schedule 1 to these Regulations; and
- (c) in Schedule 3, in paragraph 3 (pulses), in column 2, beneath “Peas” insert “Lupins”.

**Amendment coming into force on 21st April 2007**

6. Schedules 1 and 2 of the principal Regulations are amended as follows—
- (a) in Schedule 1, in the appropriate place in the alphabetical sequence, insert the entry for the pesticide Pyraclostrobin set out in Schedule 2 to these Regulations; and
  - (b) in Schedule 2—
    - (i) for the column relating to Glyphosate substitute the two columns relating to Glyphosate set out in Schedule 1 to these Regulations;
    - (ii) in the appropriate place in the alphabetical sequence, insert the entries in the column relating to the pesticide Pyraclostrobin set out in Schedule 1 to these Regulations.

**Amendment coming into force on 30th December 2007**

7. Schedules 1 and 2 of the principal Regulations are amended as follows—
- (a) in Schedule 1, in the appropriate place in the alphabetical sequence, insert the entry for the pesticide Oxamyl set out in Schedule 2 to these Regulations; and
  - (b) In Schedule 2, in the appropriate place in the alphabetical sequence, insert the entries in the column relating to the pesticide Oxamyl set out in Schedule 1 to these Regulations.

**Amendment to and revocation of part of regulation 6 of the Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuffs) (England and Wales) (Amendment) Regulations 2006**

8. In regulation 6 (amendments coming into force on 21st April 2007) of the Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuffs) (England and Wales) (Amendment) Regulations 2006(8)—

- (a) in paragraphs (a)(ii) and (b)(ii), “Pyraclostrobin” is deleted; and
- (b) paragraph (b)(i) is revoked.

24th October 2006

6th November 2006

D Elis-Thomas  
Presiding Officer  
National Assembly for Wales  
Jeff Rooker  
Minister of State  
Department for Environment, Food and Rural  
Affairs

## SCHEDULE 1

Regulations 3 to 8

ENTRIES SUBSTITUTED OR INSERTED IN  
SCHEDULE 2 TO THE PRINCIPAL REGULATIONS

## Index to pesticides

<i>Pesticides name</i>	<i>Page</i>
Abamectin - Cyfluthrin	P5
Deltamethrin - Fenthion	P15
Glyphosate - Oxamyl	P26
Paraquat - Trifloxystrobin	P37

<i>Group to include which the food following belongs products</i>	<i>Abamectin</i>	<i>Atrazine</i>	<i>Azinphos-Methyl</i>	<i>Benzyl</i>	<i>Carbamyl</i>	<i>Chloromequat</i>	<i>Cyazofamid</i>	<i>Cyfluthrin</i>
			<i>ethyl</i>	<i>Carbendazim</i>				

**1. FRUIT, FRESH, DRIED OR UNCOOKED, PRESERVED BY FREEZING NOT CONTAINING ADDED SUGAR: NUTS**

## i) CITRUS FRUIT

Grapefruit	0.01*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.02*
Lemons	0.01*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.02*
Limes	0.01*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.02*
Mandarins (inc clementines & similar hybrids)	0.01*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.02*
Oranges	0.01*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.02*
Pomelos	0.01*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.02*
Others	0.01*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.02*

## ii) TREE NUTS (shelled or unshelled)

Almonds	0.02*	0.05*	0.02*	0.1*	0.05*	0.1*	0.01*	0.02*
Brazil nuts	0.02*	0.05*	0.02*	0.1*	0.05*	0.1*	0.01*	0.02*
Cashew nuts	0.02*	0.05*	0.02*	0.1*	0.05*	0.1*	0.01*	0.02*
Chestnuts	0.02*	0.05*	0.02*	0.1*	0.05*	0.1*	0.01*	0.02*
Coconuts	0.02*	0.05*	0.02*	0.1*	0.05*	0.1*	0.01*	0.02*
Hazelnuts	0.02*	0.05*	0.02*	0.1*	0.05*	0.1*	0.01*	0.02*
Macadamia nuts	0.02*	0.05*	0.02*	0.1*	0.05*	0.1*	0.01*	0.02*

<i>Group to which the food belongs</i>	<i>Groups include following products</i>	<i>Abamectin</i>	<i>Atrazine</i>	<i>Azinphos-ethyl</i>	<i>Benomyl/ Carbendazim</i>	<i>Carbaryl</i>	<i>Chlormequat</i>	<i>Cyazofamid</i>	<i>Dyfluthrin</i>
Pecans		0.02*	0.05*	0.02*	0.1*	0.05*	0.1*	0.01*	0.02*
Pine nuts		0.02*	0.05*	0.02*	0.1*	0.05*	0.1*	0.01*	0.02*
Pistachios		0.02*	0.05*	0.02*	0.1*	0.05*	0.1*	0.01*	0.02*
Walnuts		0.02*	0.05*	0.02*	0.1*	0.05*	0.1*	0.01*	0.02*
Others		0.02*	0.05*	0.02*	0.1*	0.05*	0.1*	0.01*	0.02*
<b>iii) POME FRUIT</b>									
Apples		0.01*	0.05*	0.02*	0.2	0.05*	0.05*	0.01*	0.2
Pears		0.01*	0.05*	0.02*	0.2	0.05*	0.2*	0.01*	0.2
Quinces		0.01*	0.05*	0.02*	0.2	0.05*	0.05*	0.01*	0.2
Others		0.01*	0.05*	0.02*	0.2	0.05*	0.05*	0.01*	0.2
<b>iv) STONE FRUIT</b>									
Apricots		0.01*	0.05*	0.02*	0.2	0.05*	0.05*	0.01*	0.3
Cherries		0.01*	0.05*	0.02*	0.5	0.05*	0.05*	0.01*	0.2
Peaches (including nectarines & similar hybrids)		0.01*	0.05*	0.02*	0.2	0.05*	0.05*	0.01*	0.3
Plums		0.01*	0.05*	0.02*	0.5	0.05*	0.05*	0.01*	0.2
Others		0.01*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.02*
<b>v) BERRIES AND SMALL FRUIT</b>									
<b>a) Table &amp; wine grapes</b>									
Table grapes		0.01*	0.05*	0.02*	0.3	0.05*	0.05*	0.5*	0.3
Wine grapes		0.01*	0.05*	0.02*	0.5	0.05*	0.05*	0.5*	0.3
<b>b) Strawberries (other than wild)</b>									
		0.1	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.02*
<b>c) Cane Fruit (other than wild)</b>									
Blackberries	0.1	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.02*	
Dewberries	0.01*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.02*	
Loganberries	0.01*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.02*	
Raspberries	0.1	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.02*	
Others	0.01*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.02*	

<i>Group to include which the food following belongs products</i>	<i>Groups</i>	<i>Abamectin</i>	<i>Atrazine</i>	<i>Azinphos-ethyl</i>	<i>Benomyl/ Carbaryl</i>	<i>Chlormequat</i>	<i>Cyazofamid</i>	<i>Fluthrin</i>	<i>Carbendazim</i>
d) Other small fruit & berries (other than wild)									
Bilberries	0.01*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.02*	
Cranberries	0.01*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.02*	
Currants (red, black & white)	0.01*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.02*	
Gooseberries	0.01*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.02*	
Others	0.01*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.02*	
e) Wild berries & wild fruit		0.01*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.02*
vi) MISCELLANEOUS FRUIT									
Avocados	0.01*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.02*	
Bananas	0.01*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.02*	
Dates	0.01*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.02*	
Figs	0.01*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.02*	
Kiwi fruit	0.01*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.02*	
Kumquats	0.01*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.02*	
Litchis	0.01*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.02*	
Mangoes	0.01*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.02*	
Olives (table consumption)	0.01*	0.05*	0.02*	0.1*	5	0.1*	0.01*	0.02*	
Olives (oil extract)	0.01*	0.05*	0.02*	0.1*	5	0.1*	0.01*	0.02*	
Papaya	0.01*	0.05*	0.02*	0.2	0.05*	0.05*	0.01*	0.02*	
Passion fruit	0.01*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.02*	
Pineapples	0.01*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.02*	
Pomegranates	0.01*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.02*	
Others	0.01*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.02*	

**2. VEGETABLES, FRESH OR UNCOOKED, FROZEN OR DRY****i) ROOT AND TUBER VEGETABLES**

<i>Group to which the food belongs</i>	<i>Groups include</i>	<i>Abamectin</i>	<i>Atrazine</i>	<i>Azinphos-ethyl</i>	<i>Benomyl/ Carbaryl</i>	<i>Chlormequat</i>	<i>Cyazofamid</i>	<i>Fluthrin</i>	
	Beetroot	0.01*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.02*
	Carrots	0.01*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.02*
	Cassava	0.01*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.02*
	Celeriac	0.01*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.02*
	Horseradish	0.01*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.02*
	Jerusalem artichokes	0.01*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.02*
	Parsnips	0.01*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.02*
	Parsley root	0.01*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.02*
	Radishes	0.01*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.02*
	Salsify	0.01*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.02*
	Sweet potatoes	0.01*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.02*
	Swedes	0.01*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.02*
	Turnips	0.01*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.02*
	Yams	0.01*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.02*
	Others	0.01*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.02*
ii) BULB VEGETABLES									
	Garlic	0.01*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.02*
	Onions	0.01*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.02*
	Shallots	0.01*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.02*
	Spring onions	0.01*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.02*
	Others	0.01*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.02*
iii) FRUITING VEGETABLES									
a) Solanaceae									
	Tomatoes	0.02	0.05*	0.02*	0.5	0.5	0.05*	0.2*	0.05
	Peppers	0.05	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.3
	Chili peppers	0.05	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.3
	Aubergines	0.02	0.05*	0.02*	0.5	0.05*	0.05*	0.01*	0.02*
	Okra	0.01*	0.05*	0.02*	2	0.05*	0.05*	0.01*	0.02*

<i>Group to include which the food belongs</i>	<i>Groups to include which the food belongs</i>	<i>Abamectin</i>	<i>Atrazine</i>	<i>Azinphos-methyl</i>	<i>Benomyl/ ethyl</i>	<i>Carbaryl</i>	<i>Chlormequat</i>	<i>Cyazofamid</i>	<i>Fluthrin</i>
	Others	0.01*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.02*
b) Cucurbits-edible peel									
Cucumbers	0.02	0.05*	0.02*	0.1*	0.05*	0.05*	0.1*	0.1	
Gherkins	0.02	0.05*	0.02*	0.1*	0.05*	0.05*	0.1*	0.02*	
Courgettes	0.02	0.05*	0.02*	0.1*	0.05*	0.05*	0.1*	0.02*	
Others	0.02	0.05*	0.02*	0.1*	0.05*	0.05*	0.1*	0.02*	
c) Cucurbits-inedible peel									
Melons	0.01*	0.05*	0.02*	0.1*	0.05*	0.05*	0.1*	0.02*	
Squashes	0.01*	0.05*	0.02*	0.1*	0.05*	0.05*	0.1*	0.02*	
Watermelons	0.01*	0.05*	0.02*	0.1*	0.05*	0.05*	0.1*	0.02*	
Others	0.01*	0.05*	0.02*	0.1*	0.05*	0.05*	0.1*	0.02*	
d) Sweet corn		0.01*	0.1	0.02*	0.1*	0.05*	0.05*	0.01*	0.02*
iv) BRASSICA VEGETABLES									
a) Flowering Brassicas									
Broccoli	0.01*( <sup>13</sup> )	0.05*	0.02*	0.1*( <sup>13</sup> )	0.05*	0.05*	0.01*( <sup>13</sup> )	0.05	
Cauliflower	0.01*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.05	
Others	0.01*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.05	
b) Head Brassicas									
Brussels sprouts	0.01*	0.05*	0.02*	0.5	0.05*	0.05*	0.01*	0.2	
Head cabbage	0.01*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.2	
Others	0.01*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.2	
c) Leafy Brassicas									
Chinese cabbage	0.01*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.3	
Kale	0.01*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.3	
Others	0.01*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.3	
d) Kohlrabi		0.01*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.02*
v) LEAF VEGETABLES AND FRESH HERBS									

<i>Group to include which the food belongs</i>	<i>Groups</i>	<i>Abamectin</i>	<i>Atrazine</i>	<i>Azinphos-methyl</i>	<i>Benomyl/ ethyl</i>	<i>Carbaryl</i>	<i>Chlormequat</i>	<i>Cyazofamid</i>	<i>Dyfluthrin</i>
a) Lettuce & similar									
Cress	0.1	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.5	
Lamb's lettuce	0.1	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.5	
Lettuce	0.1	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.5	
Scarole	0.1 <sup>(6)</sup>	0.05*	0.02*	0.1* <sup>(6)</sup>	0.05*	0.05*	0.01* <sup>(6)</sup>	0.5	
Ruccola	0.1	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.5	
Leaves and stems of brassica	0.1	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.5	
Others	0.1	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.5	
b) Spinach & similar									
Spinach	0.01*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.02*	
Beet leaves (chard)	0.01*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.02*	
Others	0.01*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.02*	
c) Watercress									
	0.01*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.02*	
d) Witloof									
	0.01*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.02*	
e) Herbs									
Chervil	0.01*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.02*	
Chives	0.01*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.02*	
Parsley	0.01*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.02*	
Celery leaves	0.01*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.02*	
Others	0.01*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.02*	
vi) LEGUME VEGETABLES (fresh)									
Beans (with pods)	0.01*	0.05*	0.02*	0.2	0.05*	0.05*	0.01*	0.05	

<i>Group to include which the food belongs</i>	<i>Groups to which the following products</i>	<i>Abamectin</i>	<i>Atrazine</i>	<i>Azinphos-methyl</i>	<i>Benzyl</i>	<i>Carbaryl</i>	<i>Chlormequat</i>	<i>Cyazofamid</i>	<i>Dyfluthrin</i>
Beans (without pods)	0.01*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.05	
Peas (with pods)	0.01*	0.05*	0.02*	0.2	0.05*	0.05*	0.01*	0.05	
Peas (without pods)	0.01*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.05	
Others	0.01*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.05	
<b>vii) STEM VEGETABLES</b>									
Asparagus	0.01*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.02*	
Cardoons	0.01*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.02*	
Celery	0.01*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.02*	
Fennel	0.01*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.02*	
Globe artichokes	0.01*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.02*	
Leeks	0.01*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.02*	
Rhubarb	0.01*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.02*	
Others	0.01*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.02*	
<b>viii) FUNGI</b>									
a) Cultivated mushrooms	0.01*	0.05*	0.02*	0.1*	0.05*	10	0.01*	0.02*	
b) Wild mushrooms	0.01*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.02*	
<b>3. PULSES</b>									
Beans	0.01*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.02*	
Lentils	0.01*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.02*	
Peas	0.01*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.02*	
Lupins	0.01*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.02*	
Others	0.01*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.02*	
<b>4. OILSEEDS</b>									
Linseed	0.02*	0.05*	0.02*	0.1*	0.05*	0.1*	0.02*	0.02*	
Peanuts	0.02*	0.05*	0.02*	0.1*	0.05*	0.1*	0.02*	0.02*	
Poppy seed	0.02*	0.05*	0.02*	0.1*	0.05*	0.1*	0.02*	0.02*	

<i>Group to which the food belongs</i>	<i>Groups include</i>	<i>Abamectin</i>	<i>Atrazine</i>	<i>Azinphos-ethyl</i>	<i>Benomyl/ Carbaryl</i>	<i>Chlormequat</i>	<i>Cyazofamid</i>	<i>Fluthrin</i>	<i>Carbendazim</i>
Sesame seed		0.02*	0.05*	0.02*	0.1*	0.05*	0.1*	0.02*	0.02*
Sunflower seed		0.02*	0.05*	0.02*	0.1*	0.05*	0.1*	0.02*	0.02*
Rape seed		0.02*	0.05*	0.02*	0.1*	0.05*	0.1*	0.02*	0.05
Soya bean		0.02*	0.05*	0.02*	0.2	0.05*	0.1*	0.02*	0.02*
Mustard seed		0.02*	0.05*	0.02*	0.1*	0.05*	0.1*	0.02*	0.02*
Cotton seed		0.02*	0.05*	0.02*	0.1*	0.05*	0.1*	0.02*	0.02*
Hemp seed		0.02*	0.05*	0.02*	0.1*	0.05*	0.1*	0.02*	0.02*
Others		0.02*	0.05*	0.02*	0.1*	0.05*	0.1*	0.02*	0.02*
<b>5. POTATOES</b>									
Early potatoes		0.01*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.02*
Ware potatoes		0.01*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.02*
<b>6. TEA</b>									
(dried leaves and stalks, fermented or otherwise, Camellia sinensis)		0.02*	0.1*	0.05*	0.1*	0.1*	0.1*	0.02*	0.1*
<b>7. HOPS (dried)</b>									
including hop pellets & unconcentrated powder		0.05	0.1*	0.05*	0.1*	0.1*	0.1*	0.02*	20
<b>8. CEREALS</b>									
Wheat		0.01*	0.05*	0.05*	0.1	0.5	2	0.02*	0.02*
Rye		0.01*	0.05*	0.05*	0.1	0.5	2	0.02*	0.02*
Barley		0.01*	0.05*	0.05*	2	0.5	2	0.02*	0.02*

<i>Group to which the food belongs</i>	<i>Groups include</i>	<i>Abamectin</i>	<i>Atrazine</i>	<i>Azinphos-ethyl</i>	<i>Benomyl/ Carbendazim</i>	<i>Carbaryl</i>	<i>Chlormequat</i>	<i>Cyazofamid</i>	<i>Fluthrin</i>
Sorghum	0.01*	0.05*	0.05*	0.01*	0.5	0.05*	0.02*	0.02*	
Oats	0.01*	0.05*	0.05*	2	0.5	5	0.02*	0.02*	
Triticale	0.01*	0.05*	0.05*	0.1	0.5	2	0.02*	0.02*	
Maize	0.01*	0.05*	0.05*	0.01*	0.5	0.05*	0.02*	0.02*	
Buckwheat	0.01*	0.05*	0.05*	0.01*	0.5	0.05*	0.02*	0.02*	
Millet	0.01*	0.05*	0.05*	0.01*	0.5	0.05*	0.02*	0.02*	
Rice <sup>(1)</sup>	0.01*	0.05*	0.05*	0.01*	1	0.05*	0.02*	0.02*	
Other cereals	0.01*	0.05*	0.05*	0.01*	0.5	0.05*	0.02*	0.02*	

**9. PRODUCTS OF ANIMAL ORIGIN**

	0.02 <sup>(12)</sup>	0.01*	0.05* <sup>(46)</sup>	0.05*	0.05 <sup>(18)</sup>	0.05
Meat, fat & preparations of meat <sup>(2)</sup>	0.01* <sup>(9)</sup>				0.2 <sup>(19)</sup>	
					0.1 <sup>(12)</sup>	
					0.05* <sup>(9)</sup>	
Milk <sup>(3)</sup> & Dairy produce <sup>(4)</sup>	0.005*	0.01*	0.05* <sup>(46)</sup>	0.05*	0.05	0.02*
Eggs <sup>(5)</sup>	0.01*	0.01*	0.05* <sup>(46)</sup>	0.05*	0.05*	0.02*

**10. SPICES**

Cumin seed

Juniper seed

Nutmeg

Pepper, black and white

Vanilla pods

Spices - others

**UNITS:**

Maximum residue levels (MRLs) are expressed in milligrammes of residue per kilogramme of food.

**KEY:**

\* Level at or about the limit of determination.

FOOTNOTES:

- (1) Paddy or rough rice, husked rice and semi-milled or wholly milled rice.
- (2) Levels are measured on fat, except in the case of foods with a fat content of 10% or less by weight. In these cases the residue is related to the total weight of the boned foodstuff and the MRL is one tenth of the value given in the table, but must be no less than 0.01 mg/kg.
- (3) These levels are for fresh raw cow's milk and fresh whole cream cow's milk expressed on the whole milk.
- (4) For preserved, concentrated or sweetened cow's milk; for raw milk and whole cream milk of another animal origin; and for butter, cheese or curd whether made from cow's milk or other milk or a combination, the following levels apply: -if the fat content is less than 2% by weight, the MRL is taken as half that set for raw milk and whole cream milk; -if the fat content is 2% or more by weight, the MRL is expressed in mg/kg of fat and is set at 25 times that set for raw milk and whole cream milk.
- (5) Bird's eggs in shell (other than eggs for hatching) and whole egg products and egg yolk products (whether fresh, dried or otherwise prepared).
- (9) All other meat, edible offal, fat and preparations of meat and edible offal.
- (12) Liver of bovine animals.
- (18) Liver of chicken.
- (19) Kidney of bovine animals.
- (46) The figure of 0.05 is the total MRL for Carbendazim and Thiophanate-methyl taken together and expressed as carbendazim.

*Group Groups Deltameth Endosulfat thephoi Fenbutat Fenhexam Fenitrothi Fenpropimorp Fenthion to include which the food following belongs products*

**1. FRUIT, FRESH, DRIED OR UNCOOKED, PRESERVED BY FREEZING NOT CONTAINING ADDED SUGAR: NUTS**

i) CITRUS FRUIT

Grapefruit	0.05*	0.05*	0.05*	5	0.05*	0.01*	0.05*	3
Lemons	0.05*	0.05*	0.05*	5	0.05*	0.01*	0.05*	3
Limes	0.05*	0.05*	0.05*	5	0.05*	0.01*	0.05*	3
Mandarins (inc clementines & similar hybrids)	0.05*	0.05*	0.05*	5	0.05*	0.01*	0.05*	3
Oranges	0.05*	0.05*	0.05*	5	0.05*	0.01*	0.05*	3
Pomelos	0.05*	0.05*	0.05*	5	0.05*	0.01*	0.05*	3
Others	0.05*	0.05*	0.05*	5	0.05*	0.01*	0.05*	3

ii) TREE NUTS (shelled or unshelled)

Almonds	0.05*	0.1*	0.1	0.05*	0.05*	0.01*	0.05*	0.01*
Brazil nuts	0.05*	0.1*	0.1	0.05*	0.05*	0.01*	0.05*	0.01*
Cashew nuts	0.05*	0.1*	0.1	0.05*	0.05*	0.01*	0.05*	0.01*

Group	Groups to include which the food belongs	Deltameth	Endosulfat	ethepho	Fenbutat	fenhexam	fenitrothi	fenpropimor	Fenthion oxide
Chestnuts		0.05*	0.1*	0.1	0.05*	0.05*	0.01*	0.05*	0.01*
Coconuts		0.05*	0.1*	0.1	0.05*	0.05*	0.01*	0.05*	0.01*
Hazelnuts		0.05*	0.1*	0.1	0.05*	0.05*	0.01*	0.05*	0.01*
Macadamia nuts		0.05*	0.1*	0.1	0.05*	0.05*	0.01*	0.05*	0.01*
Pecans		0.05*	0.1*	0.1	0.05*	0.05*	0.01*	0.05*	0.01*
Pine nuts		0.05*	0.1*	0.1	0.05*	0.05*	0.01*	0.05*	0.01*
Pistachios		0.05*	0.1*	0.1	0.05*	0.05*	0.01*	0.05*	0.01*
Walnuts		0.05*	0.1*	0.1	0.05*	0.05*	0.01*	0.05*	0.01*
Others		0.05*	0.1*	0.1	0.05*	0.05*	0.01*	0.05*	0.01*
iii) POME FRUIT									
Apples		0.2	0.05*	0.5	2	0.05*	0.01*	0.05*	0.01*
Pears		0.1	0.3	0.05*	2	0.05*	0.01*	0.05*	0.01*
Quinces		0.1	0.05*	0.05*	2	0.05*	0.01*	0.05*	0.01*
Others		0.1	0.05*	0.05*	2	0.05*	0.01*	0.05*	0.01*
iv) STONE FRUIT									
Apricots		0.1	0.05*	0.05*	0.05*	5	0.01*	0.05*	0.01*
Cherries		0.2	0.05*	3	0.05*	5	0.01*	0.05*	2
Peaches (including nectarines & similar hybrids)		0.1	0.05*	0.05*	0.05*	5	0.01*	0.05*	0.01*
Plums		0.1	0.05*	0.05*	0.05*	1	0.01*	0.05*	0.01*
Others		0.1	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*
v) BERRIES AND SMALL FRUIT									
a) Table & wine grapes									
Table grapes		0.2	0.5	1	2	5	0.01*	0.05*	0.01*
Wine grapes		0.2	0.5	1	2	5	0.01*	0.05*	0.01*
b) Strawberries (other than wild)									
		0.2	0.05*	0.05*	1	5	0.01*	1	0.01*

<i>Group to which the food following belongs</i>	<i>Groups</i>	<i>Deltameth</i>	<i>Endosulfat</i>	<i>ethepho</i>	<i>Fenbutat</i>	<i>fenhexam</i>	<i>fénitrothi</i>	<i>fenpropimor</i>	<i>Fenthion oxide</i>
<hr/>									
c) Cane Fruit (other than wild)									
Blackberries	0.5	0.05*	0.05*	5	10	0.01*	1	0.01*	
Dewberries	0.05*	0.05*	0.05*	0.05*	10	0.01*	1	0.01*	
Loganberries	0.05*	0.05*	0.05*	0.05*	10	0.01*	1	0.01*	
Raspberries	0.5	0.05*	0.05*	5	10	0.01*	1	0.01*	
Others	0.05*	0.05*	0.05*	0.05*	10	0.01*	1	0.01*	
d) Other small fruit & berries (other than wild)									
Bilberries	0.05*	0.05*	0.05*	0.05*	5	0.01*	1	0.01*	
Cranberries	0.05*	0.05*	0.05*	0.05*	5	0.01*	1	0.01*	
Currants (red, black & white)	0.5	0.05*	5	0.05*	5	0.01*	1	0.01*	
Gooseberries	0.2	0.05*	0.05*	0.05*	5	0.01*	1	0.01*	
Others	0.05*	0.05*	0.05*	0.05*	5	0.01*	1	0.01*	
e) Wild berries & wild fruit									
	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*	
vi) MISCELLANEOUS FRUIT									
Avocados	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*	
Bananas	0.05*	0.05*	0.05*	3	0.05*	0.01*	2	0.01*	
Dates	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*	
Figs	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*	
Kiwi fruit	0.2	0.05*	0.05*	0.05*	10	0.01*	0.05*	0.01*	
Kumquats	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*	
Litchis	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*	
Mangoes	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*	
Olives (table consumption)	1	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	1	
Olives (oil extract)	1	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	1	
Papaya	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*	

Group to include which the food following belongs products	Groups	Deltameth	Endosulfat	Fithepho	Fenbutat	Flenhexam	Fenitrothi	Fenpropimor	Fenthion	oxide
--	--------	-----------	------------	----------	----------	-----------	------------	-------------	----------	-------

Passion fruit	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*
Pineapples	0.05*	0.05*	2	0.05*	0.05*	0.01*	0.05*	0.01*
Pomegranate	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*
Others	0.05*	0.05*	0.05*	0.05*	0.05	0.01*	0.05*	0.01*

## 2. VEGETABLES, FRESH OR UNCOOKED, FROZEN OR DRY

### i) ROOT AND TUBER VEGETABLES

Beetroot	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*
Carrots	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*
Cassava	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*
Celeriac	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*
Horseradish	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*
Jerusalem artichokes	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*
Parsnips	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*
Parsley root	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*
Radishes	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*
Salsify	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*
Sweet potatoes	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*
Swedes	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*
Turnips	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*
Yams	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*
Others	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*

### ii) BULB VEGETABLES

Garlic	0.1	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*
Onions	0.1	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*
Shallots	0.1	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*
Spring onions	0.1	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*
Others	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*

### iii) FRUITING VEGETABLES

#### a) Solanacea

<i>Group to which the food belongs</i>	<i>Groups</i>	<i>Deltameth</i>	<i>Endosulfat</i>	<i>Fitophophenbutat</i>	<i>Fenhexam</i>	<i>Fenitrothi</i>	<i>Fenpropimorp</i>	<i>Fenthion oxide</i>
	Tomatoes	0.3	0.5	1	1	1	0.01*	0.05*
	Peppers	0.2	1	3	1	2	0.01*	0.05*
	Chili peppers	0.2	1	3	1	2	0.01*	0.05*
	Aubergines	0.3	0.05*	0.05*	1	1	0.01*	0.05*
	Okra	0.3	0.05*	0.05*	1	0.05*	0.01*	0.05*
	Others	0.2	0.05*	0.05*	1	0.05*	0.01*	0.05*
b)	Cucurbits-edible peel							
	Cucumbers	0.2	0.05*	0.05*	0.5	1	0.01*	0.05*
	Gherkins	0.2	0.05*	0.05*	0.05*	1	0.01*	0.05*
	Courgettes	0.2	0.05*	0.05*	0.5	1	0.01*	0.05*
	Others	0.2	0.05*	0.05*	0.05*	1	0.01*	0.05*
c)	Cucurbits-inedible peel							
	Melons	0.2	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*
	Squashes	0.2	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*
	Watermelons	0.2	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*
	Others	0.2	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*
d)	Sweet corn							
		0.05*	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*
								0.01*

## iv) BRASSICA VEGETABLES

## a) Flowering Brassicas

Broccoli	0.1	0.05*	0.05*	0.05*( <sup>13</sup> )	0.05*( <sup>13</sup> )	0.01*	0.05*( <sup>13</sup> )	0.01*
Cauliflower	0.1	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*
Others	0.1	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*

## b) Head Brassicas

Brussels sprouts	0.1	0.05*	0.05*	0.05*	0.05*	0.01*	0.5	0.01*
Head cabbage	0.1	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*
Others	0.1	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*

## c) Leafy Brassicas

Chinese cabbage	0.5	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*
-----------------	-----	-------	-------	-------	-------	-------	-------	-------

Group to which the food belongs	Groups to include	Deltameth	Endosulf	Ethephon	Fenbutat	Mfenhexam	Mfenitrothi	Banpropimorp	Fenthion oxide
Kale	0.5	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*	
Others	0.5	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*	
d) Kohlrabi		0.05*	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*
v) LEAF VEGETABLES AND FRESH HERBS									
a) Lettuce & similar									
Cress	0.5	0.05*	0.05*	0.05*	30	0.01*	0.05*	0.01*	
Lamb's lettuce	0.5	0.05*	0.05*	0.05*	30	0.01*	0.05*	0.01*	
Lettuce	0.5*	0.05*	0.05*	0.05*	30	0.01*	0.05*	0.01*	
Scarole	0.5	0.05*	0.05*	0.05* <sup>(6)</sup>	30 <sup>(6)</sup>	0.01*	0.05* <sup>(6)</sup>	0.01*	
Ruccola	0.5	0.05*	0.05*	0.05*	30	0.01*	0.05*	0.01*	
Leaves and stems of brassica	0.5	0.05*	0.05*	0.05*	30	0.01*	0.05*	0.01*	
Others	0.5*	0.05*	0.05*	0.05*	30	0.01*	0.05*	0.01*	
b) Spinach & similar									
Spinach	0.5	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*	
Beet leaves (chard)	0.5	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*	
Others	0.5	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*	
c) Watercress									
	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*	
d) Witloof									
	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*	
e) Herbs									
Chervil	0.5	0.05*	0.05*	0.05*	30	0.01*	0.05*	0.01*	
Chives	0.5	0.05*	0.05*	0.05*	30	0.01*	0.05*	0.01*	
Parsley	0.5	0.05*	0.05*	0.05*	30	0.01*	0.05*	0.01*	
Celery leaves	0.5	0.05*	0.05*	0.05*	30	0.01*	0.05*	0.01*	
Others	0.5	0.05*	0.05*	0.05*	30	0.01*	0.05*	0.01*	

<b>Group</b>	<b>Groups</b>	<b>Deltameth</b>	<b>Endosulfat</b>	<b>ethepho</b>	<b>Fenbutat</b>	<b>fenhexam</b>	<b>fenthion</b>	<b>fenpropimor</b>	<b>Fenthio</b>
<i>to include</i>	<i>which the</i>	<i>oxide</i>							
<i>food following belongs products</i>									
vi) LEGUME VEGETABLES (fresh)									
Beans (with pods)	0.2	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*
Beans (without pods)	0.2	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*
Peas (with pods)	0.2	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*
Peas (without pods)	0.2	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*
Others	0.2	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*
vii) STEM VEGETABLES									
Asparagus	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*	
Cardoons	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*	
Celery	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*	
Fennel	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*	
Globe artichokes	0.1	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*	
Leeks	0.2	0.05*	0.05*	0.05*	0.05*	0.01*	1	0.01*	
Rhubarb	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*	
Others	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*	
viii) FUNGI									
a) Cultivated mushrooms	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*	
b) Wild mushrooms	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*	

**3. PULSES**

Beans	1	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*
Lentils	1	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*
Peas	1	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*
Lupins	1	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*
Others	1	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*

**4. OILSEEDS**

Group to which the food belongs	Groups to include the following products	Deltameth	Endosulf	Ethephon	Fenbutat	Mfenhexam	Enitrothi	Banpropimorp	Fenthion oxide
	Linseed	0.05*	0.1*	0.1*	0.05*	0.1*	0.01*	0.05*	0.02*
	Peanuts	0.05*	0.1*	0.1*	0.05*	0.1*	0.01*	0.05*	0.02*
	Poppy seed	0.05*	0.1*	0.1*	0.05*	0.1*	0.01*	0.05*	0.02*
	Sesame seed	0.05*	0.1*	0.1*	0.05*	0.1*	0.01*	0.05*	0.02*
	Sunflower seed	0.05*	0.1*	0.1*	0.05*	0.1*	0.01*	0.05*	0.02*
	Rape seed	0.1	0.1*	0.1*	0.05*	0.1*	0.01*	0.05*	0.02*
	Soya bean	0.05*	0.5	0.1*	0.05*	0.1*	0.01*	0.05*	0.02*
	Mustard seed	0.1	0.1*	0.1*	0.05*	0.1*	0.01*	0.05*	0.02*
	Cotton seed	0.05*	5	2	0.05*	0.1*	0.01*	0.05*	0.02*
	Hemp seed	0.05*	0.1*	0.1*	0.05*	0.1*	0.01*	0.05*	0.02*
	Others	0.05*	0.1*	0.1*	0.05*	0.1*	0.01*	0.05*	0.02*
<b>5. POTATOES</b>									
	Early potatoes	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*
	Ware potatoes	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*
<b>6. TEA</b>									
	(dried leaves and stalks, fermented or otherwise, Camellia sinensis)	5	30	0.1*	0.1*	0.1*	0.5	0.1*	0.1*
<b>7. HOPS (dried)</b>									
	including hop pellets &	5	0.1*	0.1*	0.1*	0.1*	0.02*	10	0.1*

<i>Group to include which the food following belongs products</i>	<i>Groups</i>	<i>Deltameth</i>	<i>Endosulfat</i>	<i>ephophenbutat</i>	<i>hexam</i>	<i>nitrothi</i>	<i>propimorp</i>	<i>Fenthion oxide</i>
unconcentrated powder								
<b>8. CEREALS</b>								
Wheat	2	0.05*	0.2	0.05*	0.05*		0.5 <sup>(24)</sup>	
Rye	2	0.05*	0.5	0.05*	0.05*		0.5	
Barley	2	0.05*	0.5	0.05*	0.05*		0.5	
Sorghum	2	0.05*	0.05*	0.05*	0.05*		0.05*	
Oats	2	0.05*	0.05*	0.05*	0.05*		0.5	
Triticale	2	0.05*	0.2	0.05*	0.05*		0.5	
Maize	2	0.05*	0.05*	0.05*	0.05*		0.05*	
Buckwheat	2	0.05*	0.05*	0.05*	0.05*		0.05*	
Millet	2	0.05*	0.05*	0.05*	0.05*		0.05*	
Rice <sup>(1)</sup>	2	0.05*	0.05*	0.05*	0.05*		0.05*	
Other cereals	2	0.05*	0.05*	0.05*	0.05*		0.05* <sup>(25)</sup>	
<b>9. PRODUCTS OF ANIMAL ORIGIN</b>								
Meat, fat & preparations of meat <sup>(2)</sup>	0.03* <sup>(11)</sup> 0.1 <sup>(47)</sup> 0.5 <sup>(9)</sup>	0.1 <sup>(17)</sup>	0.05*	0.05*	0.05*		0.3 <sup>(26)</sup>	0.05*
							0.05 <sup>(27)</sup>	
Milk <sup>(3)</sup> & Dairy produce <sup>(4)</sup>	0.05	0.004	0.05*	0.05*	0.05*		0.01* <sup>(28)</sup>	
Eggs <sup>(5)</sup>	0.05*	0.1* <sup>(7)</sup>	0.05*	0.05*	0.05*		0.01*	
<b>10. SPICES</b>								
Cumin seed								
Juniper seed								
Nutmeg								
Pepper, black								

<i>Group</i>	<i>Groups</i>	<i>Deltameth</i>	<i>Endosulfat</i>	<i>ethepho</i>	<i>Fenbutat</i>	<i>fenhexam</i>	<i>fénitrothi</i>	<i>fanpropimorp</i>	<i>Fenthion</i>
<i>to include</i>									<i>oxide</i>
<i>which the</i>									
<i>food following</i>									
<i>belongs products</i>									
		and							
		white							
		Vanilla							
		pods							
		Spices -							
		others							

**UNITS:**

Maximum residue levels (MRLs) are expressed in milligrammes of residue per kilogramme of food.

**KEY:**

\* Level at or about the limit of determination.

**FOOTNOTES:**

- (1) Paddy or rough rice, husked rice and semi-milled or wholly milled rice.
- (2) Levels are measured on fat, except in the case of foods with a fat content of 10% or less by weight. In these cases the residue is related to the total weight of the boned foodstuff and the MRL is one tenth of the value given in the table, but must be no less than 0.01 mg/kg.
- (3) These levels are for fresh raw cow's milk and fresh whole cream cow's milk expressed on the whole milk.
- (4) For preserved, concentrated or sweetened cow's milk; for raw milk and whole cream milk of another animal origin; and for butter, cheese or curd whether made from cow's milk or other milk or a combination, the following levels apply: -if the fat content is less than 2% by weight, the MRL is taken as half that set for raw milk and whole cream milk; -if the fat content is 2% or more by weight, the MRL is expressed in mg/kg of fat and is set at 25 times that set for raw milk and whole cream milk.
- (5) Bird's eggs in shell (other than eggs for hatching) and whole egg products and egg yolk products (whether fresh, dried or otherwise prepared).
- (7) For eggs and egg products with a fat content higher than 10%, the maximum level is expressed in mg/kg fat. In this case, the maximum level is 10 times higher than the maximum level for fresh eggs.
- (9) All other meat, edible offal, fat and preparations of meat and edible offal.
- (11) All liver and kidney.
- (26) Liver of bovine animals, sheep, goats and swine.
- (27) Kidney of bovine animals, sheep, goats and swine.
- (28) Meat of poultry, fat and edible offal.
- (29) Meat of bovine animals, sheep, goats and swine.
- (47) Poultry and poultry products.

<i>Group</i>	<i>Groups</i>	<i>Glyphosa</i>	<i>Glyphosate</i>	<i>Linura</i>	<i>Methamido</i>	<i>Methidathio</i>	<i>Methomy</i>	<i>Myclobutani</i>	<i>Dxamyl</i>
<i>to include</i>									<i>thiodicarb</i>
<i>which the</i>									
<i>food following</i>									
<i>belongs products</i>									

## **1. FRUIT, FRESH, DRIED OR UNCOOKED, PRESERVED BY FREEZING NOT CONTAINING ADDED SUGAR: NUTS**

### i) CITRUS FRUIT

Grapefruit	0.1*	0.05*	0.05*	0.01*	2	0.5	3	0.01*
Lemons	0.1*	0.05*	0.05*	0.01*	2	1	3	0.01*

<i>Group to include which the food following belongs products</i>	<i>Groups (except those which the following products belong)</i>	<i>Glyphosate</i>	<i>Glyfophosat</i>	<i>Linuron</i>	<i>Methamidophosphat</i>	<i>Methidathion</i>	<i>Methomyl</i>	<i>MyclobutaniDexamyl</i>	<i>Thiodicarb</i>
Limes	0.1*	0.05*	0.05*	0.01*	2	1	3	0.01*	
Mandarins (inc clementines & similar hybrids)	0.5	0.5	0.05*	0.01*	2	1	3	0.02	
Oranges	0.5	0.5	0.05*	0.01*	2	0.5	3	0.01*	
Pomelos	0.1*	0.05*	0.05*	0.01*	2	0.5	3	0.01*	
Others	0.1*	0.05*	0.05*	0.01*	2	0.05*	3	0.01*	
ii) TREE NUTS (shelled or unshelled)									
Almonds	0.1*	0.05*	0.05*	0.01*	0.05*	0.05*	0.05*	0.01*	
Brazil nuts	0.1*	0.05*	0.05*	0.01*	0.05*	0.05*	0.05*	0.01*	
Cashew nuts	0.1*	0.05*	0.05*	0.01*	0.05*	0.05*	0.05*	0.01*	
Chestnuts	0.1*	0.05*	0.05*	0.01*	0.05*	0.05*	0.05*	0.01*	
Coconuts	0.1*	0.05*	0.05*	0.01*	0.05*	0.05*	0.05*	0.01*	
Hazelnuts	0.1*	0.05*	0.05*	0.01*	0.05*	0.05*	0.05*	0.01*	
Macadamia nuts	0.1*	0.05*	0.05*	0.01*	0.05*	0.05*	0.05*	0.01*	
Pecans	0.1*	0.05*	0.05*	0.01*	0.05*	0.05*	0.05*	0.01*	
Pine nuts	0.1*	0.05*	0.05*	0.01*	0.05*	0.05*	0.05*	0.01*	
Pistachios	0.1*	0.05*	0.05*	0.01*	0.05*	0.05*	0.05*	0.01*	
Walnuts	0.1*	0.05*	0.05*	0.01*	0.05*	0.05*	0.05*	0.01*	
Others	0.1*	0.05*	0.05*	0.01*	0.05*	0.05*	0.05*	0.01*	
iii) POME FRUIT									
Apples	0.1*	0.05*	0.05*	0.01*	0.02*	0.2	0.5	0.01*	
Pears	0.1*	0.05*	0.05*	0.01*	0.02*	0.2	0.5	0.01*	
Quinces	0.1*	0.05*	0.05*	0.01*	0.02*	0.2	0.5	0.01*	
Others	0.1*	0.05*	0.05*	0.01*	0.02*	0.2	0.5	0.01*	
iv) STONE FRUIT									
Apricots	0.1*	0.05*	0.05*	0.1	0.02*	0.2	0.3	0.01*	
Cherries	0.1*	0.05*	0.05*	0.01*	0.02*	0.1	1	0.01*	

<i>Group to include which the food following belongs</i>	<i>Groups (except those following salt)</i>	<i>Glyphosate</i>	<i>Glyfosate</i>	<i>Linuron</i>	<i>Methamidophosphathion</i>	<i>Methomyl</i>	<i>MyclobutaniDexamyl</i>	<i>thiodicarb</i>
Peaches (including nectarines & similar hybrids)	0.1*	0.05*	0.05*	0.05	0.05	0.2	0.5	0.01*
Plums	0.1*	0.05*	0.05*	0.01*	0.2	0.5	0.5	0.01*
Others	0.1*	0.05*	0.05*	0.01*	0.02*	0.05*	0.02*	0.01*
<b>v) BERRIES AND SMALL FRUIT</b>								
a) Table & wine grapes								
Table grapes	0.5	0.05*	0.05*	0.01*	0.02*	0.05*	1	0.01*
Wine grapes	0.5	0.05*	0.05*	0.01*	0.02*	1	1	0.01*
b) Strawberries (other than wild)								
	0.1*	0.05*	0.05*	0.01*	0.02*	0.05*	1	0.01*
c) Cane Fruit (other than wild)								
Blackberries	0.1*	0.05*	0.05*	0.01*	0.02*	0.05*	1	0.01*
Dewberries	0.1*	0.05*	0.05*	0.01*	0.02*	0.05*	0.02*	0.01*
Loganberries	0.1*	0.05*	0.05*	0.01*	0.02*	0.05*	0.02*	0.01*
Raspberries	0.1*	0.05*	0.05*	0.01*	0.02*	0.05*	1	0.01*
Others	0.1*	0.05*	0.05*	0.01*	0.02*	0.05*	0.02*	0.01*
d) Other small fruit & berries (other than wild)								
Bilberries	0.1*	0.05*	0.05*	0.01*	0.02*	0.05*	0.02*	0.01*
Cranberries	0.1*	0.05*	0.05*	0.01*	0.02*	0.05*	0.02*	0.01*
Currants (red, black & white)	0.1*	0.05*	0.05*	0.01*	0.02*	0.05*	1	0.01*
Gooseberries	0.1*	0.05*	0.05*	0.01*	0.02*	0.05*	1	0.01*
Others	0.1*	0.05*	0.05*	0.01*	0.02*	0.05*	0.02*	0.01*
e) Wild berries & wild fruit								
	0.1*	0.05*	0.05*	0.01*	0.02*	0.05*	0.02*	0.01*
<b>vi) MISCELLANEOUS FRUIT</b>								
Avocados	0.1*	0.05*	0.05*	0.01*	0.02*	0.05*	0.02*	0.01*
Bananas	0.1*	0.05*	0.05*	0.01*	0.02*	0.05*	2	0.01*

<i>Group to include which the food following belongs products</i>	<i>Groups (except those which the food following belongs products)</i>	Glyphosate	Glyphosate	Linuron	Methamidophosphates	Methidathion	Methomyl	Myclobutanil	Dxamyl
Dates	0.1*	0.05*	0.05*	0.01*	0.02*	0.05*	0.02*	0.01*	
Figs	0.1*	0.05*	0.05*	0.01*	0.02*	0.05*	0.02*	0.01*	
Kiwi fruit	0.1*	0.05*	0.05*	0.01*	0.02*	0.05*	0.02*	0.01*	
Kumquats	0.1*	0.05*	0.05*	0.01*	0.02*	0.05*	0.02*	0.01*	
Litchis	0.1*	0.05*	0.05*	0.01*	0.02*	0.05*	0.02*	0.01*	
Mangoes	0.1*	0.05*	0.05*	0.01*	0.02*	0.05*	0.02*	0.01*	
Olives (table consumption)	0.1*	0.05*	0.05*	0.01*	1	0.05*	0.02*	0.01*	
Olives (oil extract)	1	1	0.05*	0.01*	1	0.05*	0.02*	0.01*	
Papaya	0.1*	0.05*	0.05*	0.01*	0.02*	0.05*	0.02*	0.01*	
Passion fruit	0.1*	0.05*	0.05*	0.01*	0.02*	0.05*	0.02*	0.01*	
Pineapples	0.1*	0.05*	0.05*	0.01*	0.02*	0.05*	0.02*	0.01*	
Pomegranate	0.1*	0.05*	0.05*	0.01*	0.02*	0.05*	0.02*	0.01*	
Others	0.1*	0.05*	0.05*	0.01*	0.02*	0.05*	0.02*	0.01*	

## 2. VEGETABLES, FRESH OR UNCOOKED, FROZEN OR DRY

### i) ROOT AND TUBER VEGETABLES

Beetroot	0.1*	0.05*	0.05*	0.01*	0.02*	0.05*	0.02*	0.01*
Carrots	0.1*	0.05*	0.2	0.01*	0.02*	0.05*	0.2	0.01*
Cassava	0.1*	0.05*	0.05*	0.01*	0.02*	0.05*	0.02*	0.01*
Celeriac	0.1*	0.05*	0.5	0.01*	0.02*	0.05*	0.02*	0.01*
Horseradish	0.1*	0.05*	0.05*	0.01*	0.02*	0.05*	0.2	0.01*
Jerusalem artichokes	0.1*	0.05*	0.05*	0.01*	0.02*	0.05*	0.02*	0.01*
Parsnips	0.1*	0.05*	0.2	0.01*	0.02*	0.05*	0.2	0.01*
Parsley root	0.1*	0.05*	0.2	0.01*	0.02*	0.05*	0.2	0.01*
Radishes	0.1*	0.05*	0.05*	0.01*	0.02*	0.5	0.02*	0.01*
Salsify	0.1*	0.05*	0.05*	0.01*	0.02*	0.05*	0.02*	0.01*
Sweet potatoes	0.1*	0.05*	0.05*	0.01*	0.02*	0.05*	0.02*	0.01*

<i>Group to include which the food following belongs</i>	<i>Groups (except trimesium salt)</i>	<i>Glyphosate</i>	<i>Glyphosate</i>	<i>Linuron</i>	<i>Methamidophosphates</i>	<i>Methidathion</i>	<i>Methomyl</i>	<i>Myclobutanil</i>	<i>Dxamyl</i>	<i>thiodicarb</i>
Swedes	0.1*	0.05*	0.05*	0.01*	0.02*	0.05*	0.02*	0.02*	0.01*	
Turnips	0.1*	0.05*	0.05*	0.01*	0.02*	0.05*	0.02*	0.02*	0.01*	
Yams	0.1*	0.05*	0.05*	0.01*	0.02*	0.05*	0.02*	0.02*	0.01*	
Others	0.1*	0.05*	0.05*	0.01*	0.02*	0.05*	0.02*	0.02*	0.01*	
<b>ii) BULB VEGETABLES</b>										
Garlic	0.1*	0.05*	0.05*	0.01*	0.02*	0.05*	0.02*	0.02*	0.01*	
Onions	0.1*	0.05*	0.05*	0.01*	0.02*	0.05*	0.02*	0.02*	0.01*	
Shallots	0.1*	0.05*	0.05*	0.01*	0.02*	0.05*	0.02*	0.02*	0.01*	
Spring onions	0.1*	0.05*	0.05*	0.01*	0.02*	0.05*	0.02*	0.02*	0.01*	
Others	0.1*	0.05*	0.05*	0.01*	0.02*	0.05*	0.02*	0.02*	0.01*	
<b>iii) FRUITING VEGETABLES</b>										
<b>a) Solanaceae</b>										
Tomatoes	0.1*	0.05*	0.05*	0.01*	0.02*	0.2	0.3	0.02		
Peppers	0.1*	0.05*	0.05*	0.01*	0.02*	0.05*	0.5	0.02		
Chili peppers	0.1*	0.05*	0.05*	0.01*	0.02*	0.05*	0.5	0.02		
Aubergines	0.1*	0.05*	0.05*	0.01*	0.02*	0.2	0.3	0.02		
Okra	0.1*	0.05*	0.05*	0.01*	0.02*	0.05*	0.02*	0.01*		
Others	0.1*	0.05*	0.05*	0.01*	0.02*	0.05*	0.02*	0.01*		
<b>b) Cucurbits-edible peel</b>										
Cucumbers	0.1*	0.05*	0.05*	0.01*	0.02*	0.05*	0.1	0.02		
Gherkins	0.1*	0.05*	0.05*	0.01*	0.02*	0.05*	0.1	0.02		
Courgettes	0.1*	0.05*	0.05*	0.01*	0.02*	0.05*	0.1	0.03		
Others	0.1*	0.05*	0.05*	0.01*	0.02*	0.05*	0.1	0.01*		
<b>c) Cucurbits-inedible peel</b>										
Melons	0.1*	0.05*	0.05*	0.01*	0.02*	0.05*	0.2	0.01*		
Squashes	0.1*	0.05*	0.05*	0.01*	0.02*	0.05*	0.2	0.01*		
Watermelons	0.1*	0.05*	0.05*	0.01*	0.02*	0.05*	0.2	0.01*		
Others	0.1*	0.05*	0.05*	0.01*	0.02*	0.05*	0.2	0.01*		
<b>d) Sweet corn</b>										
	0.1*	0.05*	0.05*	0.01*	0.02*	0.05*	0.02*	0.01*		

<i>Group to include which the food belongs</i>	<i>Groups (except trimesium salt)</i>	Glyphosate	Glyphosat	Linuron	Methamidophosph	Methidathion	Methomyl	Myclobutani	Dxamyl	thiodicarb
--	---------------------------------------	------------	-----------	---------	-----------------	--------------	----------	-------------	--------	------------

## iv) BRASSICA VEGETABLES

## a) Flowering Brassicas

Broccoli	0.1*( <sup>13</sup> )	0.05*( <sup>13</sup> )	0.05*( <sup>13</sup> )	0.02	0.02*	0.2	0.02*( <sup>13</sup> )	0.01*
Cauliflower	0.1*	0.05*	0.05*	0.02	0.02*	0.05*	0.02*	0.01*
Others	0.1*	0.05*	0.05*	0.02	0.02*	0.05*	0.02*	0.01*

## b) Head Brassicas

Brussels sprouts	0.1*	0.05*	0.05*	0.01*	0.02*	0.05*	0.02*	0.01*
Head cabbage	0.1*	0.05*	0.05*	0.01*	0.02*	0.05*	0.02*	0.01*
Others	0.1*	0.05*	0.05*	0.01*	0.02*	0.05*	0.02*	0.01*

## c) Leafy Brassicas

Chinese cabbage	0.1*	0.05*	0.05*	0.01*	0.02*	0.05*	0.02*	0.01*
Kale	0.1*	0.05*	0.05*	0.01*	0.02*	0.05*	0.02*	0.01*
Others	0.1*	0.05*	0.05*	0.01*	0.02*	0.05*	0.02*	0.01*

## d) Kohlrabi

	0.1*	0.05*	0.05*	0.01*	0.02*	0.05*	0.02*	0.01*
--	------	-------	-------	-------	-------	-------	-------	-------

## v) LEAF VEGETABLES AND FRESH HERBS

## a) Lettuce &amp; similar

Cress	0.1*	0.05*	0.05*	0.01*	0.02*	0.05*	0.02*	0.01*
Lamb's lettuce	0.1*	0.05*	0.05*	0.01*	0.02*	0.05*	5	0.01*
Lettuce	0.1*	0.05*	0.05*	0.01*	0.02*	0.3	0.02*	0.01*
Scarole	0.1* <sup>(6)</sup>	0.05* <sup>(6)</sup>	0.05* <sup>(6)</sup>	0.01*	0.02*	0.05*	0.02* <sup>(6)</sup>	0.01*
Ruccola	0.1*	0.05*	0.05*	0.01*	0.02*	0.05*	0.02*	0.01*
Leaves and stems of brassica	0.1*	0.05*	0.05*	0.01*	0.02*	0.05*	0.02*	0.01*
Others	0.1*	0.05*	0.05*	0.01*	0.02*	0.05*	0.02*	0.01*

## b) Spinach &amp; similar

Spinach	0.1*	0.05*	0.05*	0.01*	0.02*	0.05	0.02*	0.01*
---------	------	-------	-------	-------	-------	------	-------	-------

Group to include which the food following belongs products	Groups (except trimesium salt)	Glyphosate	Glyphosate	Linuron	Methamidophos	Methidathion	Methomyl	Myclobutanil	Dxamyl	thiodicarb
Beet leaves (chard)		0.1*	0.05*	0.05*	0.01*	0.02*	0.05*	0.02*	0.01*	
Others		0.1*	0.05*	0.05*	0.01*	0.02*	0.05*	0.02*	0.01*	
c) Watercress		0.1*	0.05*	0.05*	0.01*	0.02*	0.05*	0.02*	0.01*	
d) Witloof		0.1*	0.05*	0.05*	0.01*	0.02*	0.05*	0.02*	0.01*	
e) Herbs										
Chervil		0.1*	0.05*	1	0.01*	0.02*	0.3	0.02*	0.01*	
Chives		0.1*	0.05*	1	0.01*	0.02*	0.3	0.02*	0.01*	
Parsley		0.1*	0.05*	1	0.01*	0.02*	0.3	0.02*	0.01*	
Celery leaves		0.1*	0.05*	1	0.01*	0.02*	0.3	0.02*	0.01*	
Others		0.1*	0.05*	1	0.01*	0.02*	0.3	0.02*	0.01*	
vi) LEGUME VEGETABLES (fresh)										
Beans (with pods)		0.1*	0.05*	0.05*	0.5	0.02*	0.05*	0.3	0.01*	
Beans (without pods)		0.1*	0.05*	0.1	0.01*	0.02*	0.05*	0.02*	0.01*	
Peas (with pods)		0.1*	0.05*	0.05*	0.5	0.02*	0.05*	0.02*	0.01*	
Peas (without pods)		0.1*	0.05*	0.1	0.01*	0.02*	0.05*	0.02*	0.01*	
Others		0.1*	0.05*	0.05*	0.01*	0.02*	0.05*	0.02*	0.01*	
vii) STEM VEGETABLES										
Asparagus		0.1*	0.05*	0.05*	0.01*	0.02*	0.05*	0.02*	0.01*	
Cardoons		0.1*	0.05*	0.05*	0.01*	0.02*	0.05*	0.02*	0.01*	
Celery		0.1	0.05*	0.1*	0.01*	0.02*	0.05*	0.02*	0.01*	
Fennel		0.1*	0.05*	0.05*	0.01*	0.02*	0.05*	0.02*	0.01*	
Globe artichokes		0.1*	0.05*	0.05*	0.1	0.02*	0.05*	0.5	0.01*	

<i>Group to include food following belongs products</i>	<i>Groups (except which the following products</i>	<i>Glyphosate</i>	<i>Glyfophosat</i>	<i>Linuron</i>	<i>Methamidophosphat</i>	<i>Methidathion</i>	<i>Methomyl</i>	<i>MyclobutaniDexamyl</i>	<i>thiodicarb</i>	
		Leeks	0.1*	0.05*	0.05*	0.01*	0.02*	0.05*	0.02*	0.01*
		Rhubarb	0.1*	0.05*	0.05*	0.01*	0.02*	0.05*	0.02*	0.01*
		Others	0.1*	0.05*	0.05*	0.01*	0.02*	0.05*	0.02*	0.01*
<b>viii) FUNGI</b>										
a)	Cultivated mushrooms	0.1*	0.05*	0.05*	0.01*	0.02*	0.05*	0.02*	0.01*	
b)	Wild mushrooms	50	20	0.05*	0.01*	0.02*	0.05*	0.02*	0.01*	
<b>3. PULSES</b>										
	Beans	2	0.05*	0.05*	0.01*	0.02*	0.05*	0.02*	0.01*	
	Lentils	0.1*	0.05*	0.05*	0.01*	0.02*	0.05*	0.02*	0.01*	
	Peas	10	0.05*	0.05*	0.01*	0.02*	0.05*	0.02*	0.01*	
	Lupins	10	0.05*	0.05*	0.01*	0.02*	0.05*	0.02*	0.01*	
	Others	0.1*	0.05*	0.05*	0.01*	0.02*	0.05*	0.02*	0.01*	
<b>4. OILSEEDS</b>										
	Linseed	10	0.05*	0.1*	0.01*	0.02*	0.05*	0.05*	0.02*	
	Peanuts	0.1*	0.05*	0.1*	0.01*	0.02*	0.1	0.05*	0.02*	
	Poppy seed	0.1*	0.05*	0.1*	0.01*	0.02*	0.05*	0.05*	0.02*	
	Sesame seed	0.1*	0.05*	0.1*	0.01*	0.02*	0.05*	0.05*	0.02*	
	Sunflower seed	20	0.05*	0.1*	0.01*	0.02*	0.05*	0.05*	0.02*	
	Rape seed	10	0.05*	0.1*	0.01*	0.05	0.05*	0.05*	0.02*	
	Soya bean	20	10	0.1*	0.2	0.02*	0.1	0.05*	0.02*	
	Mustard seed	10	0.05*	0.1*	0.01*	0.02*	0.05*	0.05*	0.02*	
	Cotton seed	10	0.05*	0.1*	0.2	0.02*	0.1	0.05*	0.02*	
	Hemp seed	0.1*	0.05*	0.1*	0.01*	0.02*	0.05*	0.05*	0.02*	
	Others	0.1*	0.05*	0.1*	0.01*	0.02*	0.05*	0.05*	0.02*	
<b>5. POTATOES</b>										

<i>Group to include which the food following belongs products</i>	<i>Groups (except trimesium salt)</i>	<i>Glyphosate</i>	<i>Glyphosate</i>	<i>Linuron</i>	<i>Methamidophosphates</i>	<i>Methidathion</i>	<i>Methomyl</i>	<i>Myclobutanil</i>	<i>Dxamyl</i>	<i>thiodicarb</i>
Early potatoes	0.5	0.05*	0.05*	0.01*	0.02*	0.05*	0.02*	0.02*	0.01*	
Ware potatoes	0.5	0.05*	0.05*	0.01*	0.02*	0.05*	0.02*	0.02*	0.01*	
<b>6. TEA</b>										
(dried leaves and stalks, fermented or otherwise, Camellia sinensis)	2	0.05*	0.1*	0.02*	0.1*	0.1*	0.05*	0.05*	0.02	
<b>7. HOPS (dried)</b>										
including hop pellets & unconcentrated powder	0.1*	0.05*	0.1*	0.02*	0.1*	10	2	0.02		
<b>8. CEREALS</b>										
Wheat	10	5	0.05*	0.01*	0.02*	0.05*	0.02*	0.01*		
Rye	10	5	0.05*	0.01*	0.02*	0.05*	0.02*	0.01*		
Barley	20	10	0.05*	0.01*	0.02*	0.05*	0.02*	0.01*		
Sorghum	20	0.05*	0.05*	0.01*	0.02*	0.05*	0.02*	0.01*		
Oats	20	10	0.05*	0.01*	0.02*	0.05*	0.02*	0.01*		
Triticale	10	5	0.05*	0.01*	0.02*	0.05*	0.02*	0.01*		
Maize	1	0.05*	0.05*	0.01*	0.02*	0.05*	0.02*	0.01*		
Buckwheat	0.1*	0.05*	0.05*	0.01*	0.02*	0.05*	0.02*	0.01*		
Millet	0.1*	0.05*	0.05*	0.01*	0.02*	0.05*	0.02*	0.01*		
Rice <sup>(1)</sup>	0.1*	0.05*	0.05*	0.01*	0.02*	0.05*	0.02*	0.01*		
Other cereals	0.1*	0.05*	0.05*	0.01*	0.02*	0.05*	0.02*	0.01*		
<b>9. PRODUCTS OF ANIMAL ORIGIN</b>										
Meat, fat & preparations of meat <sup>(2)</sup>	2 <sup>(19)</sup> 0.2 <sup>(12)</sup> 0.5 <sup>(31)</sup>	0.2 <sup>(19)</sup> 0.5 <sup>(12)</sup> 0.2 <sup>(15)</sup>		0.01*	0.02*	0.02*	0.02*			

<i>Group to include which the food following belongs</i>	<i>Groups (except trimesium salt)</i>	<i>Glyphosate</i>	<i>Glyfosate</i>	<i>Linuron</i>	<i>Methamidophosphat</i>	<i>Methidathion</i>	<i>Methomyl</i>	<i>MyclobutaniDexamyl</i>	<i>thiodicarb</i>
		0.1 <sup>(44)</sup>	0.1 <sup>(44)</sup>						
		0.05*( <sup>(43)</sup> )	0.05*( <sup>(45)</sup> )						
Milk <sup>(3)</sup> & Dairy produce <sup>(4)</sup>	0.1*	0.1		0.01*	0.02*	0.02*	0.01*		
Eggs <sup>(5)</sup>	0.1*	0.01*		0.01*	0.02*	0.02*	0.01*		

## 10. SPICES

Cumin  
seed

Juniper  
seed

Nutmeg

Pepper,  
black and  
white

Vanilla  
pods

Spices -  
others

### UNITS:

Maximum residue levels (MRLs) are expressed in milligrammes of residue per kilogramme of food.

### KEY:

\* Level at or about the limit of determination.

### FOOTNOTES:

- (1) Paddy or rough rice, husked rice and semi-milled or wholly milled rice.
- (2) Levels are measured on fat, except in the case of foods with a fat content of 10% or less by weight. In these cases the residue is related to the total weight of the boned foodstuff and the MRL is one tenth of the value given in the table, but must be no less than 0.01 mg/kg.
- (3) These levels are for fresh raw cow's milk and fresh whole cream cow's milk expressed on the whole milk.
- (4) For preserved, concentrated or sweetened cow's milk; for raw milk and whole cream milk of another animal origin; and for butter, cheese or curd whether made from cow's milk or other milk or a combination, the following levels apply: -if the fat content is less than 2% by weight, the MRL is taken as half that set for raw milk and whole cream milk; -if the fat content is 2% or more by weight, the MRL is expressed in mg/kg of fat and is set at 25 times that set for raw milk and whole cream milk.
- (5) Bird's eggs in shell (other than eggs for hatching) and whole egg products and egg yolk products (whether fresh, dried or otherwise prepared).
- (12) Liver of bovine animals.
- (15) Meat of bovine animals.
- (19) Kidney of bovine animals.
- (31) Kidney of swine.

(43) Except liver and kidney of bovine animals, and kidney of swine and poultry.

(44) Kidney of poultry.

(45) Except liver, kidney and meat of bovine animals, and kidney of poultry.

<i>Group to include which the food following belongs products</i>	<i>Paraquat</i>	<i>Pyrimethrin</i>	<i>Pyreclostrin</i>	<i>Bendiocarb</i>	<i>Ebophand</i>	<i>Teiadimenol</i>	<i>Fthalimide</i>	<i>Triazophos</i>	<i>Bisfloxystrobin</i>	<i>Triadimenol</i>
---	-----------------	--------------------	---------------------	-------------------	-----------------	--------------------	-------------------	-------------------	------------------------	--------------------

## **1. FRUIT, FRESH, DRIED OR UNCOOKED, PRESERVED BY FREEZING NOT CONTAINING ADDED SUGAR: NUTS**

### i) CITRUS FRUIT

Grapefruit	0.02*	0.3	1	5	0.1*	0.1*	0.1*	0.01*	0.3
Lemons	0.02*	0.3	1	5	0.1*	0.1*	0.1*	0.01*	0.3
Limes	0.02*	0.3	1	5	0.1*	0.1*	0.1*	0.01*	0.3
Mandarins (inc clementines & similar hybrids)	0.02*	0.3	1	5	0.1*	0.1*	0.1*	0.01*	0.3
Oranges	0.02*	0.3	1	5	0.1*	0.1*	0.1*	0.01*	0.3
Pomelos	0.02*	0.3	1	5	0.1*	0.1*	0.1*	0.01*	0.3
Others	0.02*	0.3	1	5	0.1*	0.1*	0.1*	0.01*	0.3

### ii) TREE NUTS (shelled or unshelled)

Almonds	0.02*	0.02*	0.02*	0.1*	0.2	0.2*	0.01*	0.02*
Brazil nuts	0.02*	0.02*	0.02*	0.1*	0.2	0.2*	0.01*	0.02*
Cashew nuts	0.02*	0.02*	0.02*	0.1*	0.2	0.2*	0.01*	0.02*
Chestnuts	0.02*	0.02*	0.02*	0.1*	0.2	0.2*	0.01*	0.02*
Coconuts	0.02*	0.02*	0.02*	0.1*	0.2	0.2*	0.01*	0.02*
Hazelnuts	0.02*	0.02*	0.02*	0.1*	0.2	0.2*	0.01*	0.02*
Macadamia nuts	0.02*	0.02*	0.02*	0.1*	0.2	0.2*	0.01*	0.02*
Pecans	0.02*	0.02*	0.02*	0.1*	0.2	0.2*	0.01*	0.02*
Pine nuts	0.02*	0.02*	0.02*	0.1*	0.2	0.2*	0.01*	0.02*
Pistachios	0.02*	0.02*	1	0.1*	0.2	0.2*	0.01*	0.02*
Walnuts	0.02*	0.02*	0.02*	0.1*	0.2	0.2*	0.01*	0.02*
Others	0.02*	0.02*	0.02*	0.1*	0.2	0.2*	0.01*	0.02*

### iii) POME FRUIT

<i>Group to include which the food following belongs products</i>	<i>Groups</i>	<i>Paraquat</i>	<i>Rymetrozole</i>	<i>Pyraclostrobin</i>	<i>bendodichloraphandimethoxyfipronil</i>	<i>Triazophosifloxystrobins</i>	<i>methyl and Triadimenol</i>	
Apples	0.02*	0.02*	0.3	5	0.5	0.2	0.01*	0.5
Pears	0.02*	0.02*	0.3	5	0.5	0.1*	0.01*	0.5
Quinces	0.02*	0.02*	0.3	0.05*	0.5	0.1*	0.01*	0.5
Others	0.02*	0.02*	0.3	0.05*	0.5	0.1*	0.01*	0.5
iv) STONE FRUIT								
Apricots	0.02*	0.05	0.2	0.05*	2	0.1*	0.01*	1
Cherries	0.02*	0.02*	0.2	0.05*	0.3	0.1*	0.01*	1
Peaches (including nectarines & similar hybrids)	0.02*	0.05	0.2	0.05*	2	0.1*	0.01*	1
Plums	0.02*	0.02*	0.1	0.05*	0.3	0.1*	0.01*	0.2
Others	0.02*	0.02*	0.02*	0.05*	0.1*	0.1*	0.01*	0.02*
v) BERRIES AND SMALL FRUIT								
a) Table & wine grapes								
Table grapes	0.02*	0.02*	1	0.05*	0.1*	2	0.01*	5
Wine grapes	0.02*	0.02*	2	0.05*	3	2	0.01*	5
b) Strawberries (other than wild)								
	0.02*	0.02*	0.5	0.05*	0.1*	0.5	0.01*	0.5*
c) Cane Fruit (other than wild)								
Blackberries	0.02*	0.02*	0.02*	0.05*	0.1*	0.1*	0.01*	0.02*
Dewberries	0.02*	0.02*	0.02*	0.05*	0.1*	0.1*	0.01*	0.02*
Loganberries	0.02*	0.02*	0.02*	0.05*	0.1*	0.1*	0.01*	0.02*
Raspberries	0.02*	0.02*	0.02*	0.05*	0.1*	0.1*	0.01*	0.02*
Others	0.02*	0.02*	0.02*	0.05*	0.1*	0.1*	0.01*	0.02*
d) Other small fruit & berries (other than wild)								
Bilberries	0.02*	0.02*	0.02*	0.05*	0.1*	1	0.01*	0.02*
Cranberries	0.02*	0.02*	0.02*	0.05*	0.1*	1	0.01*	0.02*
Currants (red, black & white)	0.02*	0.02*	0.02*	0.05*	0.1*	1	0.01*	1

<i>Group to include which the food following belongs products</i>	<i>Groups</i>	<i>Paraquat</i>	<i>Rymetrozole</i>	<i>Fenaclostridium bendhamiae</i>	<i>Ebophandifeiadimefotriazophosifloxystrobin methyl and Triadimenol</i>			
	Gooseberries	0.02*	0.02*	0.02*	0.05*	0.1*	1	0.01*
	Others	0.02*	0.02*	0.02*	0.05*	0.1*	1	0.01*
e) Wild berries & wild fruit		0.02*	0.02*	0.02*	0.05*	0.1*	0.1*	0.01*
								0.02*
vi) MISCELLANEOUS FRUIT								
	Avocados	0.02*	0.02*	0.02*	15	0.1*	0.1*	0.01*
	Bananas	0.02*	0.02*	0.02*	5	0.1*	0.2	0.01*
	Dates	0.02*	0.02*	0.02*	0.05*	0.1*	0.1*	0.01*
	Figs	0.02*	0.02*	0.02*	0.05*	0.1*	0.1*	0.01*
	Kiwi fruit	0.02*	0.02*	0.02*	0.05*	0.1*	0.1*	0.01*
	Kumquats	0.02*	0.02*	0.02*	0.05*	0.1*	0.1*	0.01*
	Litchis	0.02*	0.02*	0.02*	0.05*	0.1*	0.1*	0.01*
	Mangoes	0.02*	0.02*	0.05	5	0.1*	0.1*	0.01*
	Olives (table consumption)	0.02*	0.02*	0.02*	0.05*	0.1*	0.1*	0.01*
	Olives (oil extract)	0.02*	0.02*	0.02*	0.05*	0.1*	0.1*	0.01*
	Papaya	0.02*	0.02*	0.05	10	1	0.1*	0.01*
	Passion fruit	0.02*	0.02*	0.02*	0.05*	0.1*	0.1*	0.01*
	Pineapples	0.02*	0.02*	0.02*	0.05*	0.1*	3	0.01*
	Pomegranates	0.02*	0.02*	0.02*	0.05*	0.1*	0.1*	0.01*
	Others	0.02*	0.02*	0.02*	0.05*	0.1*	0.1*	0.01*

## 2. VEGETABLES, FRESH OR UNCOOKED, FROZEN OR DRY

### i) ROOT AND TUBER VEGETABLES

Beetroot	0.02*	0.02*	0.02*	0.05*	0.1*	0.1*	0.01*	0.02*
Carrots	0.02*	0.02*	0.1	0.05*	0.1*	0.1*	0.01*	0.02*
Cassava	0.02*	0.02*	0.02*	15	0.1*	0.1*	0.01*	0.02*
Celeriac	0.02*	0.02*	0.02*	0.05*	0.1*	0.1*	0.01*	0.02*
Horseradish	0.02*	0.02*	0.3	0.05*	0.1*	0.1*	0.01*	0.02*

<i>Group to include which the food belongs</i>	<i>Groups following</i>	<i>Paraquat</i>	<i>Rymetrozole</i>	<i>Pyraclostrobin</i>	<i>bendazolin</i>	<i>Ebophandil</i>	<i>Triadimenol</i>	<i>methyl and triazophosfifloxystrobins</i>	
	Jerusalem artichokes	0.02*	0.02*	0.02*	0.05*	0.1*	0.1*	0.01*	0.02*
	Parsnips	0.02*	0.02*	0.3	0.05*	0.1*	0.1*	0.01*	0.02*
	Parsley root	0.02*	0.02*	0.02*	0.05*	0.1*	0.1*	0.01*	0.02*
	Radishes	0.02*	0.02*	0.02*	0.05*	0.1*	0.1*	0.01*	0.02*
	Salsify	0.02*	0.02*	0.02*	0.05*	0.1*	0.1*	0.01*	0.02*
	Sweet potatoes	0.02*	0.02*	0.02*	15	0.1*	0.1*	0.01*	0.02*
	Swedes	0.02*	0.02*	0.02*	0.05*	0.1*	0.1*	0.01*	0.02*
	Turnips	0.02*	0.02*	0.02*	0.05*	0.1*	0.1*	0.01*	0.02*
	Yams	0.02*	0.02*	0.02*	15	0.1*	0.1*	0.01*	0.02*
	Others	0.02*	0.02*	0.02*	0.05*	0.1*	0.1*	0.01*	0.02*
ii) BULB VEGETABLES									
	Garlic	0.02*	0.02*	0.2	0.05*	0.1*	0.1*	0.01*	0.02*
	Onions	0.02*	0.02*	0.2	0.05*	0.1*	0.5	0.01*	0.02*
	Shallots	0.02*	0.02*	0.2	0.05*	0.1*	0.1*	0.01*	0.02*
	Spring onions	0.02*	0.02*	0.02*	0.05*	0.1*	1	0.01*	0.02*
	Others	0.02*	0.02*	0.02*	0.05*	0.1*	0.1*	0.01*	0.02*
iii) FRUITING VEGETABLES									
a) Solanaceae									
	Tomatoes	0.02*	0.5	0.2	0.05*	2	0.3	0.01*	0.5
	Peppers	0.02*	1	0.5	0.05*	0.1*	0.5	0.01*	0.02*
	Chili peppers	0.02*	1	0.5	0.05*	0.1*	0.5	0.01*	0.02*
	Aubergines	0.02*	0.5	0.2	0.05*	2	0.1*	0.01*	0.02*
	Okra	0.02*	0.02*	0.02*	0.05*	1	0.1*	0.01*	0.02*
	Others	0.02*	0.02*	0.02*	0.05*	0.1*	0.1*	0.01*	0.02*
b) Cucurbits-edible peel									
	Cucumbers	0.02*	0.5	0.02*	0.05*	0.1*	0.1*	0.01*	0.2
	Gherkins	0.02*	0.5	0.02*	0.05*	0.1*	0.1*	0.01*	0.2
	Courgettes	0.02*	0.5	0.02*	0.05*	0.1*	0.1*	0.01*	0.2

Group to which the food belongs	Groups to include the following products	Paraquat	Rymetrozole	Clostridin	bendodiazepine	Ethephandimethoate	Iazophosfamide	Triazophosfamide	Fluoxystrobin and Triadimenol
	Others	0.02*	0.5	0.02*	0.05*	0.1*	0.1*	0.01*	0.2
c) Cucurbits-inedible peel									
Melons	Melons	0.02*	0.2	0.02*	0.05*	0.3	0.1*	0.01*	0.3
Squashes	Squashes	0.02*	0.2	0.02*	0.05*	0.3	0.1*	0.01*	0.02*
Watermelons	Watermelons	0.02*	0.2	0.02*	0.05*	0.3	0.1*	0.01*	0.02*
Others	Others	0.02*	0.2	0.02*	0.05*	0.3	0.1*	0.01*	0.02*
d) Sweet corn		0.02*	0.02*	0.02*	0.05*	0.1*	0.1*	0.01*	0.02*
iv) BRASSICA VEGETABLES									
a) Flowering Brassicas									
Broccoli	Broccoli	0.02*	0.02*(13)	0.1(13)	5(13)	0.1*(13)	0.1*(13)	0.01*	0.02*(13)
Cauliflower	Cauliflower	0.02*	0.02*	0.1	0.05*	0.1*	0.1*	0.01*	0.02*
Others	Others	0.02*	0.02*	0.1	0.05*	0.1*	0.1*	0.01*	0.02*
b) Head Brassicas									
Brussels sprouts	Brussels sprouts	0.02*	0.02*	0.2	0.05*	1	0.1*	0.01*	0.02*
Head cabbage	Head cabbage	0.02*	0.05	0.2	0.05*	0.1*	0.1*	0.01*	0.02*
Others	Others	0.02*	0.02*	0.02*	0.05*	0.1*	0.1*	0.01*	0.02*
c) Leafy Brassicas									
Chinese cabbage	Chinese cabbage	0.02*	0.2	0.02*	0.05*	0.1*	0.1*	0.01*	0.02*
Kale	Kale	0.02*	0.2	0.02*	0.05*	0.1*	0.1*	0.01*	0.02*
Others	Others	0.02*	0.2	0.02*	0.05*	0.1*	0.1*	0.01*	0.02*
d) Kohlrabi		0.02*	0.02*	0.02*	0.05*	0.1*	0.1*	0.01*	0.02*

## v) LEAF VEGETABLES AND FRESH HERBS

## a) Lettuce &amp; similar

Cress	0.02*	2	2	0.05*	0.1*	0.1*	0.01*	0.02*
Lamb's lettuce	0.02*	2	2	0.05*	0.1*	0.1*	0.01*	0.02*
Lettuce	0.02*	2	2	0.05*	0.1*	0.1*	0.01*	0.02*
Scarole	0.02*	2 <sup>(6)</sup>	2 <sup>(6)</sup>	0.05*(6)	0.1*(6)	0.1*(6)	0.01*	0.02*(6)

<i>Group to include which the food following belongs products</i>	<i>Groups</i>	<i>Paraquat</i>	<i>Rymetrozole</i>	<i>Aclostridinol</i>	<i>bendazolin</i>	<i>Ebophandil</i>	<i>fadimefotiazophosfiflinoxystrobin methyl and Triadimenol</i>	<i>Triadimenol</i>
Rucolla	0.02*	2	2	0.05*	0.1*	0.1*	0.01*	0.02*
Leaves and stems of brassica	0.02*	2	2	0.05*	0.1*	0.1*	0.01*	0.02*
Others	0.02*	2	2	0.05*	0.1*	0.1*	0.01*	0.02*
b) Spinach & similar								
Spinach	0.02*	0.02*	0.02*	0.05*	0.1*	0.1*	0.01*	0.02*
Beet leaves (chard)	0.02*	0.02*	0.02*	0.05*	0.1*	0.1*	0.01*	0.02*
Others	0.02*	0.02*	0.02*	0.05*	0.1*	0.1*	0.01*	0.02*
c) Watercress								
	0.02*	0.02*	0.02*	0.05*	0.1*	0.1*	0.01*	0.02*
d) Witloof								
	0.02*	0.02*	0.02*	1	0.1*	0.1*	0.01*	0.02*
e) Herbs								
Chervil	0.02*	1	2	0.05*	0.1*	0.1*	0.01*	0.02*
Chives	0.02*	1	2	0.05*	0.1*	0.1*	0.01*	0.02*
Parsley	0.02*	1	2	0.05*	0.1*	0.1*	0.01*	0.02*
Celery leaves	0.02*	1	2	0.05*	0.1*	0.1*	0.01*	0.02*
Others	0.02*	1	2	0.05*	0.1*	0.1*	0.01*	0.02*
vi) LEGUME VEGETABLES (fresh)								
Beans (with pods)	0.02*	1	0.02*	0.05*	0.1*	0.1*	0.01*	0.5
Beans (without pods)	0.02*	1	0.02*	0.05*	0.1*	0.1*	0.01*	0.02*
Peas (with pods)	0.02*	1	0.02*	0.05*	0.1*	0.1*	0.01*	0.02*
Peas (without pods)	0.02*	1	0.02*	0.05*	0.1*	0.1*	0.01*	0.02*

<i>Group to include which the food following belongs products</i>	<i>Groups</i>	<i>Paraquat</i>	<i>Rymetrozole</i>	<i>Aclostridin</i>	<i>bendazolin</i>	<i>Ebophandil</i>	<i>Triadimenol</i>	<i>Triazophosfiflinoxystrobin methyl and Triadimenol</i>
Others	0.02*	1	0.02*	0.05*	0.1*	0.1*	0.01*	0.02*
<b>vii) STEM VEGETABLES</b>								
Asparagus	0.02*	0.02*	0.02*	0.05*	0.1*	0.1*	0.01*	0.02*
Cardoons	0.02*	0.02*	0.02*	0.05*	0.1*	0.1*	0.01*	0.02*
Celery	0.02*	0.02*	0.02*	0.05*	0.1*	0.1*	0.01*	0.02*
Fennel	0.02*	0.02*	0.02*	0.05*	0.1*	0.1*	0.01*	0.02*
Globe artichokes	0.02*	0.02*	0.02*	0.05*	0.1*	1	0.01*	0.02*
Leeks	0.02*	0.02*	0.5	0.05*	0.1*	0.1*	0.01*	0.02*
Rhubarb	0.02*	0.02*	0.02*	0.05*	0.1*	0.1*	0.01*	0.02*
Others	0.02*	0.02*	0.02*	0.05*	0.1*	0.1*	0.01*	0.02*
<b>viii) FUNGI</b>								
a) Cultivated mushrooms	0.02*	0.02*	0.02*	10	0.1*	0.1*	0.01*	0.02*
b) Wild mushrooms	0.02*	0.02*	0.02*	0.05*	0.1*	0.1*	0.01*	0.02*
<b>3. PULSES</b>								
Beans	0.02*	0.02*	0.3	0.05*	0.1*	0.1*	0.01*	0.02*
Lentils	0.02*	0.02*	0.3	0.05*	0.1*	0.1*	0.01*	0.02*
Peas	0.02*	0.02*	0.3	0.05*	0.1*	0.1*	0.01*	0.02*
Lupins	0.02*	0.02*	0.3	0.05*	0.1*	0.1*	0.01*	0.02*
Others	0.02*	0.02*	0.3	0.05*	0.1*	0.1*	0.01*	0.02*
<b>4. OILSEEDS</b>								
Linseed	0.02*	0.02*	0.02*	0.05*	0.1*	0.2*	0.01*	0.05*
Peanuts	0.02*	0.02*	0.02*	0.05*	0.1*	0.2*	0.01*	0.05*
Poppy seed	0.02*	0.02*	0.02*	0.05*	0.1*	0.2*	0.01*	0.05*
Sesame seed	0.02*	0.02*	0.02*	0.05*	0.1*	0.2*	0.01*	0.05*
Sunflower seed	0.02*	0.02*	0.02*	0.05*	0.1*	0.2*	0.01*	0.05*
Rape seed	0.02*	0.02*	0.02*	0.05*	0.1*	0.2*	0.01*	0.05*
Soya bean	0.02*	0.02*	0.02*	0.05*	0.3	0.2*	0.01*	0.05*

<i>Group to include which the food belongs</i>	<i>Groups following products</i>	<i>Paraquat</i>	<i>Rymetrozole</i>	<i>Fenaclostridium bendhamiae</i>	<i>Ebophandil</i>	<i>Teadimefotiazophosfiflinoxystrobin methyl and Triadimenol</i>		
	Mustard seed	0.02*	0.02*	0.02*	0.05*	0.1*	0.2*	0.01*
	Cotton seed	0.02*	0.05	0.02*	0.05*	0.1*	0.2*	0.01*
	Hemp seed	0.02*	0.02*	0.02*	0.05*	0.1*	0.2*	0.01*
	Others	0.02*	0.02*	0.02*	0.05*	0.1*	0.2*	0.01*
<b>5. POTATOES</b>								
	Early potatoes	0.02*	0.02*	0.02*	0.05*	0.1*	0.1*	0.01*
	Ware potatoes	0.02*	0.02*	0.02*	15	0.1*	0.1*	0.01*
<b>6. TEA</b>								
	(dried leaves and stalks, fermented or otherwise, Camellia sinensis)	0.05*	0.1*	0.05*	0.1*	0.1*	0.2*	0.02*
								0.05*
<b>7. HOPS (dried)</b>								
	including hop pellets & unconcentrated powder	0.05*	15	10	0.1*	0.1*	10	0.02*
								30
<b>8. CEREALS</b>								
	Wheat	0.02*	0.1	0.05*	0.05	0.2	0.02*	0.05
	Rye	0.02*	0.1	0.05*	0.05	0.2	0.02*	0.05
	Barley	0.02*	0.3	0.05*	0.3	0.2	0.02*	0.3
	Sorghum	0.02*	0.02*	0.05*	0.01*	0.1*	0.02*	0.02*
	Oats	0.02*	0.3	0.05*	0.3	0.2	0.02*	0.02*
	Triticale	0.02*	0.1	0.05*	0.05	0.2	0.02*	0.05
	Maize	0.02*	0.02*	0.05*	0.01*	0.1*	0.02*	0.02*
	Buckwheat	0.02*	0.02*	0.05*	0.01*	0.1*	0.02*	0.02*
	Millet	0.02*	0.02*	0.05*	0.01*	0.1*	0.02*	0.02*

<i>Group to which the food following belongs</i>	<i>Groups include</i>	<i>Paraqudracloflobendazol</i>	<i>Pymetrozine</i>	<i>metolachlor</i>	<i>bendomethanephenthiazophosfifloxyprostobin</i>	<i>and Triadimenol</i>
--	-----------------------	--------------------------------	--------------------	--------------------	---	------------------------

Rice <sup>(1)</sup>	0.02*	0.02*	0.05*	0.01*	0.1*	0.02*	0.02*
Other cereals	0.02*	0.02*	0.05*	0.01*	0.1*	0.02*	0.02*
Meat, fat & preparations of meat <sup>(2)</sup>	0.01*	0.05*	0.1	0.05* <sup>(46)</sup>	0.1*	0.01*	
Milk <sup>(3)</sup> & Dairy produce <sup>(4)</sup>	0.01*	0.01*		0.05* <sup>(46)</sup>	0.1*	0.01*	
Eggs <sup>(5)</sup>	0.01*	0.05*	0.1*	0.05* <sup>(46)</sup>	0.1*	0.01*	

**10. SPICES**

Cumin seed

Juniper seed

Nutmeg

Pepper, black and white

Vanilla pods

Others

## UNITS:

Maximum residue levels (MRLs) are expressed in milligrammes of residue per kilogramme of food.

## KEY:

\* Level at or about the limit of determination.

## FOOTNOTES:

- (1) Paddy or rough rice, husked rice and semi-milled or wholly milled rice.
- (2) Levels are measured on fat, except in the case of foods with a fat content of 10% or less by weight. In these cases the residue is related to the total weight of the boned foodstuff and the MRL is one tenth of the value given in the table, but must be no less than 0.01 mg/kg.
- (3) These levels are for fresh raw cow's milk and fresh whole cream cow's milk expressed on the whole milk.
- (4) For preserved, concentrated or sweetened cow's milk; for raw milk and whole cream milk of another animal origin; and for butter, cheese or curd whether made from cow's milk or other milk or a combination, the following levels apply: -if the fat content is less than 2% by weight, the MRL is taken as half that set for raw milk and whole cream milk; -if the fat content is 2% or more by weight, the MRL is expressed in mg/kg of fat and is set at 25 times that set for raw milk and whole cream milk.
- (5) Bird's eggs in shell (other than eggs for hatching) and whole egg products and egg yolk products (whether fresh, dried or otherwise prepared).

- (46)** The figure of 0.05 is the total MRL for Carbendazim and Thiophanate-methyl taken together and expressed as carbendazim.

## SCHEDEULE 2

Regulations 5 to 8

ENTRIES SUBSTITUTED OR INSERTED IN  
SCHEDEULE 1 TO THE PRINCIPAL REGULATIONS

Column 1	Column 2
<i>Pesticide</i>	<i>Residue</i>
Deltamethrin	(1) for products of plant origin other than cereals and for foodstuffs of animal origin: deltamethrin (cis-deltamethrin) (2) for cereals: deltamethrin
Cyfluthrin	cyfluthrin including other mixtures of constituent isomers (sum of isomers)
Fenthion	fenthion and its oxygen analogue, their sulfoxides and sulfones expressed as parent
Oxamyl	oxamyl
Pyraclostrobin	pyraclostrobin

## EXPLANATORY NOTE

*(This note is not part of the Regulations)*

These Regulations amend the Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuffs) (England and Wales) Regulations 2005 ([S.I. 2005/3286](#)) ("the principal Regulations").

The Regulations implement Commission Directives [2006/53/EC](#) (OJ No. L154, 8.6.2006, p.11), [2006/59/EC](#) (OJ No. L175, 29.6.2006, p.61), [2006/60/EC](#) (OJ No. L206, 27.7.2006, p.1) and [2006/61/EC](#) (OJ No. L206, 27.7.2006, p.12).

The Regulations come into force in stages on dates from 9th December 2006 to 30th December 2007.

The Regulations substitute or insert:

- (a) new residue definition for certain pesticides in Schedule 1 to the principal regulations which identifies the pesticide residues that are taken into account in the measuring of residue levels for each pesticide; and
- (b) new maximum residue levels for certain pesticides in Schedule 1 to the principal Regulations.

A Regulatory Impact Assessment (RIA) was prepared in 2005 when the principal Regulations were previously consolidated and provides a basis for establishing the impact of amendments to the principal Regulations of the kind made by these Regulations. A consultation in 2003 indicated

that compliance costs were virtually unchanged from those quoted in the 1999 RIA. Copies of the assessment can be obtained from the Pesticides Safety Directorate, Room 308, Mallard House, Kings Pool, 3 Peasholme Green, York Y01 7PX or via the website [www.pesticides.gov.uk](http://www.pesticides.gov.uk). Copies have been placed in the library of each House of Parliament.