$S\,C\,H\,E\,D\,U\,L\,E\,S$

SCHEDULE 3

PERMANENT STOPPING UP OF HIGHWAYS AND PRIVATE MEANS OF ACCESS AND PROVISION OF NEW HIGHWAYS AND PRIVATE MEANS OF ACCESS

PART 1

HIGHWAYS TO BE STOPPED UP FOR WHICH A SUBSTITUTE IS TO BE PROVIDED AND NEW HIGHWAYS WHICH ARE OTHERWISE TO BE PROVIDED

(1)	(2)	(3)	(4)
Area	Highway to be stopped up	Extent of stopping up	<i>New highway to be substituted / provided</i>
In the administrative area of Wiltshire Council; in the parishes of Steeple Langford and Berwick St James			Reference A A length of new restricted byway from a point 20 metres south of the junction of the existing A303 and the existing byway SLAN3, in a generally easterly direction to a point 15 metres south of the junction between the existing A303 and the existing bridleway BSJA3, a distance of 1.32 kilometres (as shown on sheets 1 and 2 of the rights of way and access plans)
In the administrative area of Wiltshire Council; in the parishes of Steeple Langford, Berwick St James and Winterbourne Stoke			Reference B A length of new restricted byway from a point 20 metres north of the junction of the existing A303 and the existing byway SLAN3, in a generally easterly direction, crossing Green Bridge One, to a point 400 metres west of the junction of the existing A303 and the B3083 south, a distance of 3.3 kilometres

(1)	(2)	(3)	(4)
Area	Highway to be stopped up	Extent of stopping up	<i>New highway to be substituted / provided</i>
			(as shown on sheets 1, 2 and 3 of the rights of way and access plans)
In the administrative area of Wiltshire Council; in the parish of Berwick St James	Bridleway BSJA3	A length from its intersection with the southern boundary of the existing A303 in a southerly direction for a distance of 215 metres, to the intersection of byway BSJA3A with bridleway BSJA3 (shown on sheet 2 of the rights of way and access plans)	Reference C To be substituted by a new byway open to all traffic (as shown on sheet 2 of the rights of way and access plans)
In the		access plans)	Reference D
administrative area of Wiltshire Council; in the parishes of Berwick St James and Winterbourne Stoke			A length of new byway open to all traffic from its intersection with existing bridleway BSJA3 in a generally easterly direction to a point 575 metres west of the junction between the existing A303 and the B3083 South, a distance of 1.37 kilometres (as shown on sheets 2 and 3 of the rights of way and access plans)
	A 303(T)	A length from a point 1.48 kilometres west of the junction of the existing A303 and the existing B3083 South, on the western side of Winterbourne Stoke, in an easterly direction for a distance of 910 metres (shown on sheets 2 and 3 of the rights of way and access plans)	The new and improved A303(T)
In the parish of	B 3083	A length from a point 160 metres north 2	Reference E

(1)	(2)	(3)	(4)
Area	Highway to be stopped up	Extent of stopping up	New highway to be substituted / provided
Winterbourne Stoke		of the junction of the B3083 with the existing A303 in a generally northerly direction for a distance of 710 metres to the intersection of the B3083 with the private access track leading to Cherry Lodge (shown on sheet 3 of the rights of way and access plans)	The realigned B3083 from a point 160 metres north of the junction of the existing A303 and B3083 North, in a generally northerly direction to the intersection of the B3083 with the private access track leading to Cherry Lodge, a distance of 725 metres (as shown on sheet 3 of the rights of way and access plans)
	Byway WST03	A length from a point 420 metres north of the junction of the B3083 South with the existing A303, in a northerly direction for a distance of 70 metres to a point 490 metres north of the junction of the B3083 South with the existing A303 (shown on sheet 3 of the rights of way and access plans)	Reference EA A length of new byway open to all traffic from the west side of the realigned B3083 from a point 315 metres north of the junction of the existing A303 and the B3083 north, in a generally southerly direction to a point 310 metres north of the junction of the existing A303 and the B3083 north, a distance of 15 metres (as shown on sheet 3 of the rights of way and access plans)
	Byway WST06B	A length from the junction of byway open to all traffic WST06B with the existing A303, to the east side of Winterbourne Stoke, in a north-westerly direction for a distance of 385 metres (shown on sheet 4 of the rights of way and access plans)	Reference F The realigned byway open to all traffic WST06B, from the junction of the existing byway WST06B and the existing A303, in a generally north westerly direction crossing the new A303 via Green Bridge Two to a point 385 metres north west of the junction between the existing byway WST06B and the existing A303, a distance of 440 metres (as shown on sheet 4 of the rights of way and access plans)
	1		or way and access plans

3

(1)	(2)	(3)	(4)
Area	Highway to be stopped up	Extent of stopping up	New highway to be substituted / provided
area of Wiltshire Council; in the parish of Winterbourne Stoke			A length of new bridleway from a point 405 metres east of the junction of the A303 and the B3083 north, in a generally easterly direction to a point 275 metres east of its junction with the byway WST06B, a distance of 840 metres (as shown on sheet 4 of the rights
			of way and access plans)
In the administrative area of Wiltshire Council; in the parishes of Winterbourne Stoke, Wilsford Cum Lake and Amesbury	A303 (T)	A length from a point 1.26 kilometres east of the junction of the existing A303 and the existing B3083 north, in a generally easterly direction to a point 615 metres west of the centre of Countess roundabout, a distance of 5.98 kilometres (including the existing Longbarrow) roundabout at the junction of the existing A303 with the existing A360 (shown on sheets 4, 5, 6, 7 and 8 of the rights of way and access plans)	The new and improved A303 (as shown on sheets 2, 3, 4, 5, 6, 7, 8, 9 and 11 of the rights of way and access plans)
In the administrative area of Wiltshire Council; in the parish of Winterbourne Stoke		4	Reference G A length of new side road between Winterbourne Stoke and the new Longbarrow Junction, from a point 650 metres south west of the existing Longbarrow roundabout (its junction with the new southern roundabout at Longbarrow Junction) in a generally westerly direction to a point 280 metres east of its junction with the byway WST06B, 1.20 kilometres to the south west of the existing

(1)	(2)	(3)	(4)
Area	Highway to be stopped up	Extent of stopping up	New highway to be substituted / provided
			Longbarrow roundabout, a distance of 615 metres
			(as shown on sheets 4 and 5 of the rights of way and access plans)
In the administrative area of Wiltshire Council; in the parishes of Winterbourne Stoke and Berwick St James	A360 north and south of existing Longbarrow roundabout	A length from a point 905 metres north of the existing Longbarrow roundabout, in a southerly direction for a distance of 1.66 kilometres (including existing Longbarrow roundabout) to a point 755 metres south of the existing Longbarrow roundabout (shown on sheets 14, 5 and 15 of the rights of way and access plans)	Reference H The realigned A360 (north and south A360 link, the new northern and southern roundabouts and the link road in between) from a point 905 metres north of the existing Longbarrow roundabout, in a generally southerly direction for a distance of 2.18 kilometres to a point 755 metres south of the existing Longbarrow roundabout (as shown on sheets 14, 5 and 15 of the rights of way and access plans)
In the administrative area of Wiltshire Council; in the parishes of Winterbourne Stoke, Wilsford Cum Lake; and Amesbury			Reference Y A length of new bridleway from a point 560 metres south-west of the existing Longbarrow roundabout for a distance of 520 metres in a generally easterly direction to a point 140 metres south of the existing Longbarrow roundabout (as shown on sheet 5 of the rights of way and access plans)
			Reference IA A length of new restricted byway from a point 245 metres east of the centre of the existing Longbarrow roundabout, in a generally southerly direction to a point 1.07 kilometres south of the existing Longbarrow roundabout, including a link to

(1)	(2)	(3)	(4)
Area	Highway to be stopped up	Extent of stopping up	New highway to be substituted / provided
			the realigned A360, a distance of 1.37 kilometres
			(as shown on sheets 5 and 15 of the rights of way and access plans)
			Reference IB
			A length of new restricted byway from a point 245 metres to the east of the centre of the existing Longbarrow roundabout, in a generally westerly direction and then in a northerly direction, to a point 620 metres north of the centre of the existing Longbarrow Junction, including a link to the realigned A360, a distance of 845 metres
			(as shown on sheets 5 and 14 of the rights of way and access plans)
			Reference I A length of new restricted byway from a point 245 metres to the east of the centre of the existing Longbarrow roundabout, in a generally easterly direction to its junction with byway AMES12, a distance of 1.65 kilometres (as shown on sheets 5 and 6 of the rights of way and access plans)
In the			Reference J
administrative area of Wiltshire Council; in the parishes of Amesbury, Wilsford Cum Lake and Amesbury			A length of new restricted byway from its junction with byway AMES12, in a generally easterly direction to its junction with footpath AMES13, a distance of 2.33 kilometres

(1)	(2)	(3)	(4)
Area	Highway to be stopped up	Extent of stopping up	New highway to be substituted / provided
			(as shown on sheets 6, 7 and 8 of the rights of way and access plans)
In the administrative area of Wiltshire Council; in the parish of Amesbury	A303 Double Hedges	A length from its junction with the existing A303 for a distance of 125 metres in a generally north- westerly direction (as shown on sheet 11 of the rights of way and access plans)	Reference K A length of improved side road (eastbound diverge slip road) from a point 520 metres south- west of the junction of the Amesbury Road and the A3028 Double Hedges, in a generally north-easterly direction to a poin 500 metres south-west of the junction of the Amesbury Road and the A3028 Double Hedges, a distance of 20 metres (as shown on sheet 11 of the rights of way and access plans) Reference L A length of new side road (eastbound merge slip road), from a point 465 metres south east of the junction of the Amesbury Road and the A3028 Double Hedges, in a generally south easterly direction to a poin 590 metres south east of the
In the administrative area of Wiltshire Council; in the parish of	Bridleway AMES29	A length from its junction with Equinox Drive for a distance of 105 metres in a generally south- easterly direction	junction of the Amesbury Road and the A3028 Double Hedges, a distance of 130 metres (as shown on sheet 11 of the rights of way and access plans) To be substituted by— Reference M A length of new side road from a point 435 metres south east
Amesbury		(shown on sheet 11 of the rights of way and access plans)	of the junction of the existing A303 and the Allington Track, in a generally westerly direction to a point 525 metres south west of the junction of the existing

(1)	(2)	(3)	(4)
Area	Highway to be stopped up	Extent of stopping up	<i>New highway to be substituted / provided</i>
			A303 and the byway AMES 1, a distance of 985 metres; and
			Reference N
			A length of new byway open to all traffic from a point 295 metres south of the junction of the existing bridleway AMES29 and the byway AMES 1, in a generally northerly direction to a point 195 metres south west of the junction of the existing bridleway AMES29 and the existing byway AMES1, a distance of 105 metres; and
			Reference O
			A length of new side road from a point 20 metres south of the junction of Equinox Drive and Solar Way, in a generally southerly direction to a point 290 metres south of the junction of Equinox Drive and Solar Way, a distance of 285 metres
			(all as shown on sheet 11 of the rights of way and access plans)
In the administrative area of Wiltshire Council; in the parish of Amesbury	Byway AMES1	From its junction with the A303 for a distance of 770 metres in a generally southerly direction (shown on sheet 11 of the rights of way and access plans)	To be substituted by— Reference P A length of new footpath from a point 10 metres south of the junction of the existing byway AMES1 and the A303, in a generally southerly direction to a point 330 metres south of the junction of the A303 with the existing byway AMES 1, a distance of 320 metres (as shown on sheet 11 of the rights of way and access plans); and
			Reference M (as above); and

(1)	(2)	(3)	(4)
Area	Highway to be stopped up	Extent of stopping up	New highway to be substituted / provided
			Reference N (as above); and
			Reference O (as above)
			(all as shown on sheet 11 of the rights of way and access plans)
In the administrative area of Wiltshire Council; in the parish of Shrewton	Unclassified 094402 (The Packway)	From the junction of the existing B3086 South with B3086 (The Packway) at Rollestone Cross, a distance of 200 metres in an easterly direction (shown on sheet 13 of the rights of way and access plans)	Reference Q To be substituted by the re- aligned B3086 from a point 85 metres east of the junction of the existing B3086 and the existing Unclassified 094402 (The Packway), in a generally easterly direction to a point 205 metres east of the junction of the existing B3086 and the existing Unclassified 094402 (The Packway), a distance of 13 metres
			(as shown on sheet 13 of the rights of way and access plans)
In the administrative area of Wiltshire Council; in the parish of Shrewton	B3086 (south)	From the junction of the existing B3086 south with B3086 (The Packway) at Rollestone Cross, a distance of 240 metres in a southerly direction (shown on sheet 13 of the rights of way and access plans)	To be substituted by— Reference R The re-aligned B3086 from a point 240 metres south of the junction of the existing B3086 and the existing Unclassified 094402 (The Packway), in a generally northerly direction to a point 85 metres east of the junction of the existing B3086 and the existing Unclassified 094402 (The Packway), a distance of 230 metres; and Reference S A length of re-aligned highway from a point 50 metres west of its junction with the existing Unclassified 094402 (The
			Unclassified 094402 (The Packway), in a generally easterly direction to a point 85 metres east of the junction of the B3086

(1)	(2)	(3)	(4)
Area	Highway to be stopped up	Extent of stopping up	New highway to be substituted / provided
			and the Unclassified 094402 (The Packway), a distance of 140 metres
			(both as shown on sheet 13 of the rights of way and access plans)
			Reference T
			A length of re-aligned highway from its junction with the existing Unclassified 094402 (The Packway), in a generally northerly direction to a point 50 metres north of the junction of the B3086 and the Unclassified 094402 (The Packway), a distance of 50 metres
			(as shown on sheet 13 of the rights of way and access plans)
In the administrative area of Wiltshire Council; in the parish of Winterbourne Stoke			Reference U A length of new restricted byway from a point 300 metres south of the junction of the A360 with the B3086 (Airman's Corner), in a generally southerly direction to a point 840 metres south of the junction of the A360 with the B3086, a distance of 545 metres (as shown on sheet 14 of the rights of way and access plans)
			Reference UA A length of new shared use cycle track from a point 45 metres east of the junction of the A360 with the B3086 (Airman's Corner), in a generally southerly direction to a point 300 metres south of the junction of the A360 with the B3086, a distance of 305 metres (as shown on sheet 14 of the rights of way and access plans)

(1)	(2)	(3)	(4)
Area	Highway to be stopped up	Extent of stopping up	New highway to be substituted / provided
In the administrative area of Wiltshire Council; in the parishes of Berwick St James and Woodford			Reference V A length of new bridleway from a point 10 metres east of the junction of the existing A360 and the byway BSJA9, in a generally southerly direction to a point 985 metres south east of the junction of the existing A360 and the byway BSJA9, a distance of 1.08 kilometres (as shown on sheet 15 of the rights of way and access plans)