Document Generated: 2024-08-01

Status: This is the original version (as it was originally adopted).

ANNEX

In part A of Annex II to Directive 90/642/EEC, the columns for fenbutatin oxide, fenhexamid, cyazofamid, linuron, triadimefon/triadimenol pymetrozine, and pyraclostrobin are replaced by the following:

			d maximum				
Groups and example of individu product to which the MRLs would apply	oxide es	nFenhexar	ni C yazofan	ni d .inuron	Triadime and triadimer (sum of triadimer and triadimer	on	in e yraclostrobin
	Fruit, fresh, dried or uncooked, preserved by freezing, not containing added sugar; nuts			0,05 ^{ab}			
	5 CITRUS FRUIT	0,05 ^{ab}	0,01 ^{ab}		0,1ª	0,3 ^b	1 ^b
Grapefru	it						
Lemons							
Limes							
Mandarir (including clementir and other hybrids)	g nes						
Oranges							
Pomelos							

Indicates lower limit of analytical determination.

Indicates that the maximum residue level has been established provisionally in accordance with Article 4(1)(f) of Directive 91/414/EEC.'

Others						
) () 0	0.05° REE UTS shelled r nshelled)	0,05 ^{ab}	0,01 ^{ab}	0,2ª	0,02ªb	
Almonds						
Brazil nuts						
Cashew nuts						
Chestnuts						
Coconuts						
Hazelnuts						
Macadami	a					
Pecans						
Pine nuts						
Pistachios						1 ^b
Walnuts						
Others						0,02 ^{ab}
	2 OME RUIT	0,05 ^{ab}	0,01 ^{ab}		0,02 ^{ab}	0,3 ^b
Apples				0,2		
Pears						
Quinces						
Others				0,1ª		
(iv) S	0.05° Tone Ruit		0,01 ^{ab}	0,1ª		
Apricots		5 ^b			0,05 ^b	0,2 ^b
Cherries		5 ^b				0,2 ^b
Peaches (including nectarines and		5 ^b			0,05 ^b	0,2 ^b

a Indicates lower limit of analytical determination.

b Indicates that the maximum residue level has been established provisionally in accordance with Article 4(1)(f) of Directive 91/414/EEC.

Document Generated: 2024-08-01

similar hybrids)						
Plums		1 ^b				0,1 ^b
Others		0,05 ^{ab}			0,02 ^{ab}	0,02 ^{ab}
(v)	BERRIES AND SMALL FRUIT				0,02 ^{ab}	
(a)	Table and wine grapes	5 ^b	0,5 ^b	2		
Table grapes						1 ^b
Wine grapes						2 ^b
(b)	Strawberries (other than wild)	5 ^b	0,01 ^{ab}	0,5		0,5 ^b
(c)	Cane fruit (other than wild)	10 ^b	0,01 ^{ab}	0,1ª		0,02 ^{ab}
Blackbe	rrie\$					
Dewbern	ries					
Loganbe						
Raspber	ries5					
Others	0,05ª					
(d)	Other small fruit and berries (other than wild)	5 ^b	0,01 ^{ab}	1		0,02 ^{ab}

a Indicates lower limit of analytical determination.

b Indicates that the maximum residue level has been established provisionally in accordance with Article 4(1)(f) of Directive 91/414/EEC.

		1		T	T	
Bilberries						
Cranberrie	\$					
Currants (red, black and white)						
Gooseberri	ies					
Others						
b a w	0.05° Vild erries nd vild uit	0,05 ^{ab}	0,01 ^{ab}	0,1ª		0,02 ^{ab}
(vi) N	(ISCELLA)	NEOUS	0,01 ^{ab}		0,02ªb	
Avocados						
Bananas	3			0,2		
Dates						
Figs						
Kiwi		10 ^b				
Kumquats						
Litchis						
Mangoes						0,05 ^b
Olives						
Papaya						0,05 ^b
Passion fruit						
Pineapples				3		
Pomegrana	ite					
Others	0,05ª	0,05 ^{ab}		0,1ª		0,02 ^{ab}
	1		-1	l .	1	L

2. Vegetables, fresh or uncooked, frozen or dry

a Indicates lower limit of analytical determination.

b Indicates that the maximum residue level has been established provisionally in accordance with Article 4(1)(f) of Directive 91/414/EEC.'

Document Generated: 2024-08-01

(i)	ROOT AND TUBER VEGETABL	0,05 ^{ab}	0,01 ^{ab}		0,1ª	0,02ªb	
Beetroot		LS					
Carrots				0,2 ^b			0,1 ^b
Cassava							
Celeriac				0,5 ^b			
Horserad	ish						0,3 ^b
Jerusalen artichoke							
Parsnips				0,2 ^b			0,3 ^b
Parsley root				0,2 ^b			
Radishes							
Salsify							
Sweet potatoes							
Swedes							
Turnips							
Yam							
Others				0,05 ^{ab}			0,02ªb
(ii)	0.05° BULB VEGETABL	0,05 ^{ab} ES	0,01 ^{ab}	0,05 ^{ab}		0,02 ^{ab}	
Garlic							0,2 ^b
Onions					0,5		0,2 ^b
Shallots							0,2 ^b
Spring onions					1		
Others					0,1ª		0,02ªb
(iii)	FRUITING VEGETABL	ES		0,05 ^{ab}			
(a)	Solanacea						

a Indicates lower limit of analytical determination.

b Indicates that the maximum residue level has been established provisionally in accordance with Article 4(1)(f) of Directive 91/414/EEC.'

Tomatoes		1 ^b	0,2 ^b		0,3	0,5 ^b	0,2 ^b
Peppers		2 ^b			0,5	1 ^b	0,5 ^b
Aubergine	s	1 ^b				0,5 ^b	0,2 ^b
Others		0,05 ^{ab}	0,01 ^{ab}		0,1ª	0,02ªb	0,02 ^{ab}
e	Cucurbits — dible beel	1 ^b	0,1 ^b		0,1ª	0,5 ^b	0,02ªb
Cucumber	s 0,5						
Gherkins							
Courgettes	0,5						
Others	0,05ª						
i	0.05° Ducurbits — nedible eel	0,05 ^{ab}	0,1 ^b		0,1ª	0,2 ^b	0,02ªb
Melons							
Squashes							
Watermelo	ons						
Others							
	0.05° Sweet corn	0,05 ^{ab}	0,01 ^{ab}		0,1ª	0,02ªb	0,02 ^{ab}
	0.05ª BRASSICA ÆGETABL	0,05 ^{ab} ES	0,01 ^{ab}	0,05 ^{ab}	0,1ª		
	Flowering rassica					0,02ªb	0,1 ^b
Broccoli (including Calabrese)							
Cauliflow	er						
Others							
()	Head rassica						
Brussels sprouts							0,2 ^b

a Indicates lower limit of analytical determination.

b Indicates that the maximum residue level has been established provisionally in accordance with Article 4(1)(f) of Directive 91/414/EEC.'

Document Generated: 2024-08-01

Head cabbage						0,05 ^b	0,2 ^b
Others						0,02ab	0,02 ^{ab}
	Leafy brassica					0,2 ^b	0,02 ^{ab}
Chinese cabbage							
Kale							
Others							
(d)	Kohlrabi					0,02ªb	0,02ªb
, ,	0.05 ^a LEAF VEGETABL AND FRESH HERBS	ES	0,01 ^{ab}		0,1ª		
. ,	Lettuce and similar	30 ^b		0,05 ^{ab}		2 ^b	2 ^b
Cress							
Lamb's lettuce							
Lettuce							
Scarole (broad- leaf endive)							
Ruccola							
Leaves and stems of brassica							
Others							
	Spinach and similar	0,05 ^{ab}		0,05 ^{ab}		0,02ªb	0,02ªb
Spinach							

Indicates lower limit of analytical determination.

Indicates that the maximum residue level has been established provisionally in accordance with Article 4(1)(f) of Directive 91/414/EEC.

Beet leaves							
(chard)							
Others							
(c)	Water cress	0,05 ^{ab}		0,05 ^{ab}		0,02ªb	0,02 ^{ab}
(d)	Witloof	0,05 ^{ab}		0,05 ^{ab}		0,02 ^{ab}	0,02 ^{ab}
(e)	Herbs	30 ^b		1 ^b		1 ^b	2 ^b
Chervil							
Chives							
Parsley							
Celery							
Others							
(vi)	0.05 ^a LEGUME VEGETABL (fresh)	0,05 ^{ab} ES	0,01 ^{ab}		0,1ª	1 ^b	0,02 ^{ab}
Beans (with pods)							
Beans (without pods)				0,1 ^b			
Peas (with pods)							
Peas (without pods)				0,1 ^b			
Others				0,05 ^{ab}			
(vii)	0.05 ^a STEM VEGETABL (fresh)	0,05 ^{ab} ES	0,01ªb			0,02ªb	
Asparago	us						
Cardoon	S						

a Indicates lower limit of analytical determination.

b Indicates that the maximum residue level has been established provisionally in accordance with Article 4(1)(f) of Directive 91/414/EEC.

Document Generated: 2024-08-01

~ .		I		1 .			
Celery				0,1 ^b			
Fennel							
Globe artichokes					1		
Leek							0,5 ^b
Rhubarb							
Others				0,05 ^{ab}	0,1ª		0,02 ^{ab}
(viii) F	0.05* UNGI	0,05 ^{ab}	0,01 ^{ab}	0,05 ^{ab}	0,1ª	0,02 ^{ab}	0,02ªb
	ultivated ushrooms						
()	/ild nushrooms						
3. P	0.05 ^a ulses	0,05 ^{ab}	0,01 ^{ab}	0,05 ^{ab}	0,1ª	0,02ªb	0,3 ^b
Beans							
Lentils							
Peas							
Others							
4. O	0.05ª oilseeds	0,1ªb	0,02ªb	0,1ªb	0,2ª		0,02 ^{ab}
Linseed							
Peanuts							
Poppy seed							
Sesame seed							
Sunflower							
Rape seed							
Soya bean							
Mustard seed							
Cotton seed						0,05 ^b	

a Indicates lower limit of analytical determination.

b Indicates that the maximum residue level has been established provisionally in accordance with Article 4(1)(f) of Directive 91/414/EEC.'

Others						0,02ªb	
5.	Potatoes	0,05 ^{ab}	0,01 ^{ab}	0,05 ^{ab}	0,1ª	0,02 ^{ab}	0,02 ^{ab}
Early potatoes							
Ware potatoes							
6.	Tea (dried leaves and stalks, fermented or other-wise, Camellia sinensis)	0,1 ^{ab}	0,02 ^{ab}	0,1ªb	0,2ª	0,1ªb	0,05 ^{ab}
7.	Hops (dried), including hop pellets and unconcentrate powder	0,1 ^{ab}	0,02 ^{ab}	0,1 ^{ba}	10	15 ^b	10 ^b

a Indicates lower limit of analytical determination.

b Indicates that the maximum residue level has been established provisionally in accordance with Article 4(1)(f) of Directive 91/414/EEC.'