Commission Regulation (EU) No 10/2011 of 14 January 2011 on plastic materials and articles intended to come into contact with food (Text with EEA relevance)

#### ANNEX I

#### Substances

1. F1... List of authorised monomers, other starting substances, macromolecules obtained from microbial fermentation, additives and polymer production aids

Table 1 contains the following information:

Column 1 (FCM substance No): the unique identification number of the substance

Column 2 (Ref. No): the EEC packaging material reference number

Column 3 (CAS No): the Chemical Abstracts Service (CAS) registry number

Column 4 (Substance Name): the chemical name

Column 5 (Use as additive or polymer production aid (PPA) (yes/no)): an indication if the substance is authorised to be used as additive or polymer production aid (yes) or if the substance is not authorised to be used as additive or polymer production aid (no). If the substance is only authorised as PPA it is indicated (yes) and in the specifications the use is restricted to PPA.

Column 6 (Use as monomer or other starting substance or macromolecule obtained from microbial fermentation (yes/no)): an indication if the substance is authorised to be used as monomer or other starting substance or macromolecule obtained from microbial fermentation (yes) or if the substance is not authorised to be used as monomer or other starting substance or macromolecule obtained from microbial fermentation (no). If the substance is authorised as macromolecule obtained from microbial fermentation it is indicated (yes) and in the specifications it is indicated that the substance is a macromolecule obtained from microbial fermentation.

Column 7 (FRF applicable (yes/no)): an indication if for the substance the migration results can be corrected by the Fat Consumption Reduction Factor (FRF) (yes) or if they cannot be corrected by the FRF (no).

 $[^{F2}$ Column 8 (SML [mg/kg]): the specific migration limit applicable for the substance. It is expressed in mg substance per kg food. It is marked as ND ( ' not-detectable ') if the substance is one in respect of which no migration is permitted, to be determined in accordance with Article 11(4).]

#### **Textual Amendments**

**F2** Substituted by Commission Regulation (EU) 2016/1416 of 24 August 2016 amending and correcting Regulation (EU) No 10/2011 on plastic materials and articles intended to come into contact with food (Text with EEA relevance).

Column 9 (SML(T) [mg/kg] (group restriction No)): contains the identification number of the group of substances for which the group restriction in Column 1 in Table 2 of this Annex applies.

Column 10 (Restrictions and specifications): contains other restrictions than the specific migration limit specifically mentioned and it contains specifications related to the substance. In case detailed specifications are set out a reference to Table 4 is included.

Column 11 (Notes on verification of compliance): contains the Notes number which refers to the detailed rules applicable for verification of compliance for this substance included in Column 1 in Table 3 of this Annex.

If a substance appearing on the list as an individual compound is also covered by a generic term, the restrictions applying to this substance shall be those indicated for the individual compound.

F3...

# Textual Amendments F3 Deleted by Commission Regulation (EU) 2016/1416 of 24 August 2016 amending and correcting Regulation (EU) No 10/2011 on plastic materials and articles intended to come into contact with food (Text with EEA relevance).

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
FCM	Ref.	CAS	Substa	ntese	Use	FRF			()Restri	ctivates .
substa No	ncNo	No	name	or polym produ	obtain from microl	naro) g nce molecula ed		' [mg/ kg] (Grouj restric No)	p	on catiorification of compliance
1	12310	026630	9a413ui7nin	no	yes	no				
2	12340		albumin coagula by formald	ted	yes	no				
3	12375		alcohols aliphatic monohy saturate linear, primary $(C_4$ - $C_{22})$	e, rdric, d,	yes	no				
4	22332		mixture of (40 % w/w) 2,2,4- trimethy diisocya and	/lhexane	yes -1,6-	no		(17)	1 mg/ kg in final product express as isocyan moiety.	ed ate

#### TABLE 1

		(60 % w/w) 2,4,4- trimethy diisocya	/lhexane	-1,6-					
5	25360 -	 trialkyl( C <sub>15</sub> )ace acid, 2,3- epoxypt ester	tic	yes	no	ND		1 mg/ kg in final product expresse as epoxygn Molecu weight is 43 Da.	ed roup.
6	25380 -	 trialkyl acetic acid (C <sub>7</sub> - C <sub>17</sub> ), vinyl esters	no	yes	no	0,05			(1)
7	30370 -	 acetylac acid, salts	egtės	no	no				
8	30401 -	 acetylat mono- and diglycen of fatty acids		no	no		(32)		
9	30610	acids, C <sub>2</sub> - C <sub>24</sub> , aliphatid linear, monoca from natural oils and fats, and their mono-, di- and triglyce esters	rboxylic	no	no				

		(branched fatty acids at naturally occuring levels are included)					
10	30612 —	acids, yes C <sub>2</sub> - C <sub>24</sub> , aliphatic, linear, monocarboxylic, synthetic and their mono-, di- and triglycerol esters	no	no			
11	30960 —	acids, yes aliphatic, monocarboxylic $(C_6-C_{22})$ , esters with polyglycerol	no	no			
12	31328 —	acids, yes fatty, from animal or vegetable food fats and oils	no	no			
13	33120 —	alcoholsyes aliphatic, monohydric, saturated, linear, primary $(C_4$ - $C_{24})$	no	no			
14	33801 —	n- yes alkyl(C <sub>10</sub> -	no	no	30		

		C <sub>13</sub> )benzenesu acid	lphonic				
15	34130 -	- alkyl, yes linear with even number of carbon atoms $(C_{12}$ - $C_{20})$ dimethylamine	no es	yes	30		
16	34230 -	<ul> <li>alkyl(C<sub>8</sub>yes</li> <li>C<sub>22</sub>)sulphonic</li> <li>acids</li> </ul>	no	no	6		
17	34281 -	<ul> <li>alkyl(C<sub>8</sub>yes C<sub>22</sub>)sulphuric acids, linear, primary with an even number of carbon atoms</li> </ul>	no	no			
18	34475 -	– aluminiu <b>yæ</b> s calcium hydroxide phosphite, hydrate	no	no			
19	39090 -	– N,N- yes bis(2- hydroxyethyl): C <sub>18</sub> )amine	no alkyl(C <sub>8</sub> -	no		(7)	
20	39120 -	$\begin{array}{c c} & \text{N,N-} & \text{yes} \\ & \text{bis}(2- \\ & \text{hydroxyethyl}) \\ & \text{C}_{18} \text{)amine} \\ & \text{hydrochlorides} \end{array}$		no		(7)	SML(T) expressed excluding HCl
21	42500 -	- carbonicyes acid, salts	no	no			
22	43200 -	- castor yes oil, mono-	no	no			

		and diglycer					
23	43515	— chloride of choline esters of coconut oil fatty acids		no	no	0,9	(1)
24	45280	— cotton fibers	yes	no	no		
25	45440	— cresols, butylate styrenat	d,	no	no	12	
26	46700	benzofu one containi a) 5,7- di-tert- butyl-3- (3,4- dimethy benzofu one (80 to 100 % w/w) and b) 5,7-di- tert- butyl-3- (2,3-	(lphenyl) ran-2- ng: (lphenyl) ran-2-	-3H-	no	5	
27	48960	— 9,10- dihydro stearic	yes xy	no	no	5	

			acid and its oligome	ers				
28	50160		di-n- octyltin bis(n- alkyl(C C <sub>16</sub> ) mercapt		no )	no	(10)	
29	50360		di-n- octyltin bis(ethy maleate	1	no	no	(10)	
30	50560		di-n- octyltin 1,4- butaned bis(mer		no tate)	no	(10)	
31	50800		di-n- octyltin dimalea esterifie	te,	no	no	(10)	
32	50880		di-n- octyltin dimalea polymet (n = 2-4)	te,	no	no	(10)	
33	51120		di-n- octyltin thioben: 2- ethylhe: mercapt	zoate	no	no	(10)	
34	54270	—	ethylhy	d <b>yex</b> yme	t <b>hy</b> lcellu	lnse		
35	54280	—	ethylhy	d <b>yex</b> ypro	pydcellu	lonsce		
36	54450		fats and oils, from animal or vegetab food sources	yes le	no	no		
37	54480		fats and	yes	no	no		

		oils, hydroge from animal or vegetab food sources	le						
38	55520	 glass fibers	yes	no	no				
39	55600	 glass microba	yes Ills	no	no				
40	56360	 glycero esters with acetic acid	l,yes	no	no				
41	56486	glycero esters with acids, aliphatid saturate linear, with an even number of carbon atoms ( $C_{14}$ - $C_{18}$ ) and with acids, aliphatid unsaturation linear, with an even number of carbon atoms ( $C_{14}$ - $C_{18}$ ) and with acids, aliphatid unsaturation linear, with an even number of carbon atoms ( $C_{14}$ - $C_{18}$ ) and with acids, aliphatid unsaturation linear, with an even number of carbon atoms ( $C_{14}$ - $C_{18}$ ) and with acids, aliphatid unsaturation linear, with an even number of carbon atoms ( $C_{14}$ - $C_{18}$ )	c, d, c, ated,	no	no				
42	56487	 glycero	l,yes	no	no				
		esters							

		with butyric acid				
43	56490	 glycerol,yes esters with erucic acid	no	no		
44	56495	 glycerol,yes esters with 12- hydroxystearid acid	no	no		
45	56500	 glycerol,yes esters with lauric acid	no	no		
46	56510	 glycerol,yes esters with linoleic acid	no	no		
47	56520	 glycerol,yes esters with myristic acid	no	no		
48	56535	 glycerol,yes esters with nonanoic acid	no	no		
49	56540	 glycerol,yes esters with oleic acid	no	no		
50	56550	 glycerol,yes esters with palmitic acid	no	no		
51	56570	glycerol,yes esters with	no	no		

		propionic acid					
52	56580	 glycerol,y esters with ricinoleic acid		no	no		
53	56585	 glycerol,y esters with stearic acid	/es	no	no		
54	57040	 glycerol y monoolea ester with ascorbic acid		no	no		
55	57120	 glycerol y monoolea ester with citric acid	/es ate,	no	no		
56	57200	 glycerol y monopalr ester with ascorbic acid		no	no		
57	57280	 glycerol y monopalr ester with citric acid	ves nitate,	no	no		
58	57600	 glycerol y monostea ester with ascorbic acid	ves irate,	no	no		
59	57680	 glycerol y monostea ester with citric acid	/es irate,	no	no		

60	58300 —	glycine, yes salts	no	no				
62	64500 —	lysine, yes salts	no	no				
63	65440 —	manganesses pyrophosphite	no	no				
64	66695 —	methylhyddrsoxy	methylce	llutose				
65	67155 —	mixture yes of 4- (2- benzoxazolyl)-4 (5- methyl-2- benzoxazolyl)st 4,4'- bis(2- benzoxazolyl) stilbene and 4,4'- bis(5- methyl-2- benzoxazolyl)st	tilbene,	no			Not more than 0,05 % (w/w) (quantity of substand used/ quantity of the formula Mixture obtained from the manufad process in the typical ratio of (58-62 % (13-17 %	ce tion). 1 cturing %): %):
66	67600 —	$\begin{array}{c c} mono- & yes \\ n- & \\ octyltin \\ tris(alkyl(C_{10}- \\ C_{16}) \\ mercaptoacetate \end{array}$	no e)	no	(	(11)		
67	67840 —	montaniges acids and/or their esters with ethyleneglycol and/or with 1,3- butanediol	no	no				

			and/or with glycerol					
68	73160		phospho <b>yie</b> s acid, mono- and di- n-alkyl ( $C_{16}$ and $C_{18}$ ) esters	no	yes	0,05		
69	74400		phospho <b>yæs</b> s acid, tris(nonyl- and/or dinonylphenyl) ester	no	yes	30		
70	76463		polyacrylics acid, salts	no	no		(22)	
71	76730		polydim <b>9/db</b> ylsile γ- hydroxypropyla		no	6		
72	76815		polyesteryes of adipic acid with glycerol or pentaerythritol, esters with even numbered, unbranched $C_{12}$ - $C_{22}$ fatty acids	no	no		(32)	The fraction with molecular weight below 1 000 Da [ <sup>F2</sup> shall] not exceed 5 % (w/w)
73	76866	—	polyesterses of 1,2-	no	yes		(31) (32)	

		and/or polypropylenegi with adipic acid, which may be end- capped with acetic acid or fatty acids $C_{12}$ - $C_{18}$ or n- octanol and/ or n- decanol					
74	77440 —	polyethy <b>less</b> egly diricinoleate	cnb	yes	42		
75	77702 —	polyethy <b>yess</b> egly esters of aliph. monocarb. acids (C <sub>6</sub> - C <sub>22</sub> ) and their ammonium and sodium sulphates	cnb	no			
76	77732 —	polyethy <b>Jæs</b> e glycol (EO = 1-30, typically 5) ether of butyl 2- cyano 3-(4- hydroxy-3-	no	no	0,05	Only for use in PET	

		methoxyphenyl) acrylate				
77	77733	polyethyjæsegly (EO = 1-30, typically 5) ether of butyl-2- cyano-3- (4- hydroxyphenyl) acrylate		no	0,05	Only for use in PET
78	77897	polyethyjæsegly (EO = 1-50) monoalkylether (linear and branched, $C_{8}$ - $C_{20}$ ) sulphate, salts	cob	no	5	
79	80640	 polyoxy <b>alks</b> yl (C <sub>2</sub> - C <sub>4</sub> ) dimethylpolysild	no oxane	no		
80	81760	powdersyes flakes and fibres of brass, bronze, copper, stainless steel, tin, iron and alloys of copper, tin and iron	no	no		
81	83320	 propylhyydersoxye	thydcellu	losce		
82	83325	propylhydersxyn	enthylcel	Imlaco		

83	83330	 propylhyders	oxypr <b>ap</b> ylco	elludose	
84	85601	 silicates,yes natural (with the exception of asbestos)	s no	no	
85	85610	 silicates,yes natural, silanated (with the exception of asbestos)	s no	no	
86	86000	 silicic yes acid, silylated	s no	no	
[ <sup>F2</sup> 87	86285	Silicon yes dioxide, silanated	s no	no	For synthetic amorphous silicon dioxide, silanated: primary particles of 1– 100 nm which are aggregated to a size of 0,1- 1 µm and may form agglomerates within the size distribution of $0,3$ µm to the mm size. ]

88	86880		sodium monoalk dialkylp	cyl	no enzened	no isulphon	9 ate		
89	89440		stearic acid, esters with ethylene	yes eglycol	no	no		(2)	
90	92195	—	taurine, salts	yes	no	no			
91	92320		tetradec polyethy = 3-8) ether of glycolic acid	lenegly	no col(EO	yes	15		
92	93970	-	tricycloo bis(hexa		<b>mo</b> thano ithalate)	lno	0,05		
93	95858		waxes, paraffin refined, derived from petroleu based or synthetic hydroca feedstoc low viscosity	n m c rbon ks,	no	no	0,05		Not to be used for articles in contact with fatty foods for which [ <sup>F2</sup> simulant D1 and/ or D2] is laid down. Average molecular weight not less than 350 Da. Viscosity at 100 °C not less

							than 2,5 cSt $(2,5 \times 10^{-6} \text{ m}^2/\text{s})$ . Content of hydroca with Carbon number less than 25, not more than 40 % (w/w).	
94	95859	waxes, refined, derived from petroleu based or syntheti hydroca feedstoo high viscosit	ım c urbon xks,	no	no		Average molecul weight not less than 500 Da. Viscosit at 100 °C not less than 11 cSt ( $11 \times 10^{-6}$ m <sup>2</sup> /s). Content of mineral hydroca with Carbon number less than 25, not more than 5 % (w/w).	ar y

95	95883		white mineral oils, paraffin derived from petroleu based hydroca feedstoo	ic, ım rbon	no	no	Average molecular weight not less than 480 Da. Viscosity at $100 \circ C$ not less than $8,5 \text{ cSt}$ $(8,5 \times 10^{-6} \text{ m}^2/\text{s}).$ Content of mineral hydrocarbons with Carbon number less
96	95920		wood flour and fibers,	yes	no	no	less than 25, not more than 5 % (w/w).
97	72081/	10	untreate petroleu hydroca resins (hydrog	nynes rbon	no	no	Petroleum hydrocarbon resins, hydrogenated are produced by the catalytic or thermalpolymerisation of dienes and olefins

0.1	1
of the	
aliphati	<b>c</b> ,
alicyclic	
and/or	
	nzenoidarylalkene
	nzenoluai ylaikene
types	
from	
distillat	es
of	
cracked	
petroleu	
stocks	
with a	
boiling	
•	
range	
not	
greater	
than	
220 °C,	
as well	
as the	
pure	
monom	ers
found	
in	
these	
distillat	
streams	
subsequ	ently
followe	d
by	
distillat	on,
hydroge	nation
and	
addition	al
process	
Properti	
Toperu	
_	Viscosity
	at
	120 °C:
	>
	3
	Pa.s,
	Softening
	point:
	>
	95 °С
	as
	determined
	by
	ASTM
	Method

									 E 28-67, Bromine number: < 40 (ASTM D1159), The colour of
									a 50 % solution in toluene < 11 on the Gardner scale, Residual aromatic monomer $\leq$ 50 ppm,
98	17260	000005	0f <b>0f1</b> f0ald	eyheysde	yes	no		(15)	
	54880								
99	19460 62960	000005	0ladti6 acid	yes	yes	no			
100	24490	000005	0sðfb <del>il</del> tol	VAC	VAS	<b>n</b> 0			
100	88320	000003	05010401	yes	yes	no			
101	36000	000005	0a8do7bic acid	eyes	no	no			
102	17530	000005	0g <b>99</b> eðse	no	yes	no			
103	18100		6g <b>8yle5</b> rol		yes	no			
	55920								
104	58960	000005	7 <b>h@%a@</b> lec bromide	ylesimet	nyobammo	<b>nio</b> im	6		
105	22780	000005	7p <b>a0</b> mitic	yes	yes	no		<u> </u>	
	70400	1	acid						
106	24550	000005		yes	yes	no			
	89040		acid						L

			L		1				
107	25960	000005		no	yes	no			
108	24880	000005	7sti0rdse	no	yes	no			
109	23740	000005		yes	yes	no			
	81840		propane	alol					
110	93520	000005 001019	9002-9 1tedophe	yes rol	no	no			
111	53600	000006	0e00y1en acid	eolizamine	tetraacet	i <b>a</b> o			
112	64015	000006	0linoloic acid	yes	no	no			
113	16780	000006	4eth7a5ol	yes	yes	no			
	52800								
114	55040	000006	4f <b>dfarti</b> c acid	yes	no	no			
115	10090	000006		yes	yes	no			
	30000		acid						
116	13090	000006	5 <b>68fiz@</b> ic	yes	yes	no			
	37600		acid						
117	21550	000006	7 <b>r5cthl</b> an	oho	yes	no			
118	23830	000006	7263-0	yes	yes	no			
	81882		propano	51					
119	30295	000006	7a <b>64</b> tdne	yes	no	no			
120	49540	000006	7d6methy sulphox		no	no			
121	24270	000006	9saDeylio	yes	yes	no			
	84640		acid						
122	23800	000007	1423-8 propanc	no l	yes	no			
123	13840	000007	1436-3 butanol	no	yes	no			
124	22870	000007	1441-0 pentano	no l	yes	no			
125	16950	000007	4e8byllen	eno	yes	no			
126	10210	000007	4a86ty2ler	neno	yes	no			
127	26050	000007	5v01y4 chloride	no	yes	no	ND	 1 mg/ kg in final product	

128	10060	0000075	5a0 <b>∂ta</b> lde	hnyxde	yes	no		(1)		
129	17020	0000075	oxide	eno	yes	no	ND		1 mg/ kg in final product	(10)
130	26110	0000075	5v3t5y4ide chloride		yes	no	ND			(1)
131	48460	0000075	54317–6 difluoro	yes ethane	no	no				
132	26140	0000075	5v318y1/ide fluoride		yes	no	5			
133	14380	0000075			yes	no	ND		1 mg/	(10)
	23155		chloride						kg in final product	
134	43680	0000075	5e <b>45</b> ofod	i <b>fle</b> ørom	entilonane	no	6		Content of chlorofl less than 1 mg/ kg of the substant	uoromethan
135	24010	0000075	oxide	nieo	yes	no	ND		1 mg/ kg in final product	
136	41680	0000076	<b>beadhpah</b> o	ryes	no	no				(3)
137	66580		methyle methyl- (1-	yes nebis(4- 6- yclohex	no yl)pheno	yes		(5)		
138	93760		7t£90n7 butyl acetyl citrate	yes	no	no		(32)		
139	14680 44160	0000077	7e912i0 acid	yes	yes	no				
140	44640		7e903ic0 acid, triethyl ester	yes	no	no		(32)		

141	13380	000007	71919,-16	yes	yes	no	6			
	25600	-		vlolpropa						
	94960	-								
142	26305	000007	8v0&yOtri	ethoxysil	aynes	no	0,05		Only to be used as a surface treatment agent	[ <sup>F9</sup> (1)]
143	62450	000007	8is <b>ope</b> nta	anyes	no	no				
144	19243 21640	000007	8279-5 methyl- butadier		yes	no	ND		1 mg/ kg in final product	
145	10630	000007	9a06yllarr	ide	yes	no	ND			
146	23890 82000	000007	9 <b>p00p1</b> on acid	iges	yes	no				
147	10690	000007	9a¢0y1/c acid	no	yes	no		(22)		
148	14650	000007	9eBBofoti	ifilotoroe	hydsene	no	ND			(1)
149	19990	000007	9n3Othaci	<b>yıla</b> mide	yes	no	ND			
150	20020	000007	9m4dtHacı acid	yılic	yes	no		(23)		
[ <sup>F6</sup> 151	13480 13607]	000008	bis(4-	no (phenyl)	yes propane	no	0,05		Not to be used for the manufa of polycar infant <sup>f</sup> feeding bottles <sup>g</sup> Not to be used for the manufa of polycar drinking cups or	cture

									bottles which, due to their spill proof characte are intended for infants ' and young children j	1
152	15610	000008		no dipheny e	yes l	no	0,05			
153	15267	000008		no dipheny e	yes l	no	5			
154	13617 16090	000008	040 <b>9</b> -1 dihydro sulphon	no xydipher e	yes nyl	no	0,05			
155	23470	000008	-	no	yes	no				
156	21130	000008	D <b>n62tHa</b> cr acid, methyl ester	yıloc	yes	no		(23)		
157	74880	0000084	4 <b>p74h2</b> lic acid, dibutyl ester	yes	no	no	0,3	(32)	Only to be used as: (a) (b)	(7) plasticiser in repeated use materials and articles contacting non- fatty foods; technical support agent in

158	23380	000008	5 <del>ph4</del> hՁlic	yes	yes	no				polyolefins in concentrations up to 0,05 % in the final product.
	76320		anhydri	de						
159	74560	000008	5p68hālic acid, benzyl butyl ester	yes	no	no	30	(32)	Only to be used as: (a) (b)	(7) plasticiser in repeated use materials and articles; plasticiser in single- use materials and articles contacting non- fatty foods except for infant formulae and follow- on formulae as defined by Directive 2006/141/ EC or processed cereal-

									(c)	based foods and baby foods for infants and young childre as defined by Directi 2006/1 EC; technic support agent in concen up to 0,1 % in the final produc	l ve 25/ cal t trations
160	84800	000008	7saBe3ylic acid, 4-tert- butylph ester		no	yes	12				
[ <sup>F10</sup> 161	92160	000087-	<b>69(4)-</b> tartaric acid	yes	no	no ]					
162	65520	000008	7 <b>หวี</b> ลิคธิ์itc	lyes	no	no					
163	66400	000008	82224'-4 methyle bis(4- ethyl-6- tert- butylph		no	yes		(13)			
164	34895	000008	8268-6 aminob	yes enzamide	no e	no	0,05		Only for use in PET for water and beverag	es	

165	23200 74480	000008	8ø99-3 phthalic acid	yes	yes	no				
166	24057	000008	9p <b>3y2</b> o7ne anhydri		yes	no	0,05			
167	25240	000009	1208–7 toluene diisocya	no inate	yes	no		(17)	1 mg/ kg in final product express as isocyan moiety	ed
168	13075 15310	000009	127 <b>6</b> -9 diamino phenyl- triazine		yes	no	5			[ <sup>F9</sup> (1)]
169	16240	000009	dimethy	no /l-4,4'- anatobipl	yes nenyl	no		(17)	1 mg/ kg in final product express as isocyan moiety	ed
170	16000	0000092		no xybiphei	yes nyl	no	6			
171	38080	000009	3b <b>58z</b> dic acid, methyl ester	yes	no	no				
172	37840	0000093	3 <b>b891z0</b> ic acid, ethyl ester	yes	no	no				
173	60240	0000094		yes /benzoic	no	no				
174	14740	000009:	5 <del>0</del> 48-7 cresol	no	yes	no				
175	20050	000009	6 <b>n05t</b> Hacı acid, allyl ester	yrlöc	yes	no	0,05			

176	11710	000009	6aðð <del>y</del> ľic acid, methyl ester	no	yes	no		(22)	
177	16955	000009	6 <b>e419y-1</b> lend carbona		yes	no	30		SML expressed as ethyleneglycol. Residual content of 5 mg ethylene carbonate per kg of hydrogel with max 10 g of hydrogel in contact with 1 kg of food.
178	92800	000009	646 <b>9</b> -5 thiobis( tert- butyl-3- methylp		no	yes	0,48		
179	48800	000009	dihydro 5,5'-		no lmethane	yes	12		
[ <sup>F11</sup> 180	17160	000009	7efagethol	no	yes	no		(33)]	
181	20890	000009	7n68th2acr acid, ethyl ester	yılic	yes	no		(23)	
182	19270	000009	7ittateothic acid	no	yes	no			
183	21010	000009	7n8ctHacr acid, isobutyl ester	-	yes	no		(23)	
184	20110	000009	7 <b>n&amp;&amp;thl</b> acr acid,	yrlicc	yes	no		(23)	

			butyl ester							
185	20440	000009	7n901facr acid, diester with ethylene	-	yes	no	0,05			
186	14020	000009	845 <b>ter4-</b> butylphe	no enol	yes	no	0,05			
187	22210	000009	8083-9 methylst	no tyrene	yes	no	0,05			
188	19180	000009	9iscopBtha acid dichloric		yes	no		(27)		
189	60200	000009	9476-3 hydroxy acid, methyl ester	yes benzoic	no	no				
190	18880	000009	9 <b>9</b> 96-7 hydroxy acid	no benzoic	yes	no				
191	24940	000010	0t20ep9hth acid dichlorio		yes	no		(28)		
192	23187	—	phthalic acid	no	yes	no		(28)		
193	24610	000010	)stlj2refne	no	yes	no				
194	13150	000010	0 <b>b5:h</b> zfyl alcohol	no	yes	no				
195	37360	000010	Dezezalde	eyheysde	no	no				(3)
196	18670	000010	)h&Xa0net	t <b>hysi</b> enet	tyresmine	no		(15)		
	59280	1								
197	20260	000010	lmActHacr acid, cyclohe ester	-	yes	no	0,05			
198	16630	000010	l <b>d6</b> øh8ny diisocya		ey∕ <b>€</b> ,s1′-	no		(17)	1 mg/ kg in final product expresse as	

								isocyan moiety	ate
199	24073	000010	Ireoretin diglycic ether		yes	no	ND	Not to be used for articles in contact with fatty foods for which [ <sup>F2</sup> simul D1 and/ or D2] is laid down. For indirect food contact only, behind a PET layer.	(8)
200	51680	000010	dipheny	yes Ithiourea	no a	yes	3		
201	16540	000010	2d0ph0ny carbona		yes	no	0,05		
202	23070	000010		no nedioxy	yes )diacetic	no	0,05		[ <sup>F9</sup> (1)]
203	13323	000010	bis(2-	no vethoxy)	yes benzene	no	0,05		
204	25180	000010		yes	yes	no			
	92640		',N'- tetrakis( hydroxy		thyleneo	liamine			
205	25385	000010	2 <b>67,015</b> y1a	mine	yes	no		40 mg/ kg hydroge at a ratio of 1 kg food	ł

									to a maximu of 1,5 gran of hydroge Only to be used in hydroge intended for non- direct food contact use.	ns 81. 81s
206	11500	000010	Battylic acid, 2- ethylhez ester	no xyl	yes	no	0,05			
207	31920	000010	3adbpik acid, bis(2- ethylhez ester	yes xyl)	no	yes	18	(32)		(2)
208	18898	000010		no /phenyl) de	yes	no	0,05			
209	17050	0000104	4276-7 ethyl-1- hexanol		yes	no	30			
210	13390 14880	000010		no roxymetł	yes nyl)cyclo	no hexane				
211	23920	000010	5p <b>38p4</b> on acid, vinyl ester	i <b>n</b> o	yes	no		(1)		
212	14200	000010	5e6prðla	ctara	yes	no		(4)		
	41840									
213	82400	000010	5162–4 propyle dioleate	yes neglycol	no	no				

		n	,	1	ù			- (	- n	
214	61840	000010	6124-9 hydroxy acid	yes vstearic	no	no				
215	14170	000010	6 <b>b3ıty0</b> ic anhydri		yes	no				
216	14770	000010	6p44-5 cresol	no	yes	no				
217	15565	000010		no benzene	yes	no	12			
218	11590	000010	6a6ByBc acid, isobuty ester	no	yes	no		(22)		
219	14570	000010	6e <b>89c8</b> lo	ronlogydrin	yes	no	ND		1 mg/	(10)
	16750	-							kg in final product	
220	20590	000010	6 <del>19</del> dth2ac1 acid, 2,3- epoxypt ester		yes	no	0,02			(10)
221	40570	000010	6 <b>b9</b> i7a8ie	yes	no	no				
222	13870	000010	6198-9 butene	no	yes	no				
223	13630	000010	6 <b>b919a0</b> ie	n <b>B</b> O	yes	no	ND		1 mg/ kg in final product	
224	13900	000010	7201-7 butene	no	yes	no				
225	12100	000010	7a¢Byllon	ittride	yes	no	ND			
226	15272	000010	7etbyBen	e <b>dia</b> mine	yes	no	12			
	16960									
227	16990	000010	7e2hiyllen	egelyscol	yes	no		(2)		
	53650	1								
228	13690	000010	718 <b>8-</b> 0 butaned	no iol	yes	no				
229	14140	000010	7 <b>b902y6</b> ic acid	no	yes	no				
230	16150	000010	8el0nhetthy	laoninoe	thyænsol	no	18			

231	10120	000010	8a <b>05tiæ</b> acid, vinyl ester	no	yes	no	12		
232	10150 30280	000010	8a2 <b>∉t</b> i⊄ anhydri	yes de	yes	no			
233	24850	000010	8s <b>BOe5</b> nic anhydri		yes	no			
234	19960	000010	8m3ale6c anhydri	no de	yes	no		(3)	
235	14710	000010	8#3-9-4 cresol	no	yes	no			
[ <sup>F12</sup> 236	23050	000010		no nediamii	yes ne	no	ND		(28)]
237	15910	000010		no	yes	no	2,4		
	24072		dihydro	xybenze	ne				
238	18070	000010	8g <b>50tar</b> ic anhydri		yes	no			
[ <sup>F13</sup> 239	19975	000010		yes	yes	no	2,5		
	25420		triamino triazine	0-1,3,5-					
	93720]								
240	45760	000010	8 <b>e9¢18</b> he	x <b>yda</b> mine	eno	no			
[ <sup>F10</sup> 241	22960	000010	8p915=r201	no	yes	no	3]		
242	85360	000010	9s <b>4</b> Baðic acid, dibutyl ester	yes	no	no		(32)	
243	19060	000010	9i <b>sobú</b> tyl vinyl ether	no	yes	no	0,05		(10)
244	71720	000010	9p <b>66</b> ŧØne	yes	no	no			
245	22900	000010	9467-1 pentene	no	yes	no	5		
246	25150	000010	9t <b>019</b> a19yc	Inofuran	yes	no	0,6		
247	24820	000011	)stu5e6nic	yes	yes	no			
	90960		acid						
248	19540	000011		yes	yes	no		(3)	
	64800		acid						

249	17290	000011	0fuli7na&ric	ves	yes	no				
,	55120		acid	J • • •	<i>J</i> • 5					
250	53520	000011		yes ebisstear	no amide	no				
251	53360	000011		yes ebisolear	no nide	no				
252	87200	000011	0s <b>4fbi</b> c acid	yes	no	no				
253	15250	000011	046 <b>0-</b> 1 diamino	no butane	yes	no				
254	13720 40580	000011	046 <b>3</b> –4 butaned	yes iol	yes	no		(30)		
255	25900	000011	0 <b>tA8x3</b> ane	no	yes	no	5			
256	18010 55680	000011	0g94taric acid	yes	yes	no				
[ <sup>F11</sup> 257	13550	000011	0 <b>е918</b> гбру	l <b>şæs</b> glyc	oyles	no				
	16660	002526	5-71-8							
	51760 ]									
258	70480	000011	l p <b>a6</b> n&itic acid, butyl ester	yes	no	no				
259	58720	000011	1hb <b>þt8</b> no acid	iyes	no	no				
260	24280	000011	ls20a6cic acid	no	yes	no				
261	15790	000011	1 <b>e40t6</b> yle	matriami	nyæs	no	5			
262	35284	000011	1 <del>N-(2</del> -aminoe	yes thyl)etha	no nolamine	no	0,05		Not to be used for articles in contact with fatty foods for which [ <sup>F2</sup> simul D1 and/	ant

									or D2] is laid down. For indirect food contact only, behind a PET layer.	
263	13326	000011	1 <b>e46e46</b> y1e	nyægslycol	yes	no		(2)		
	15760									
	47680									
264	22660	000011	1466-0 octene	no	yes	no	15			
265	22600	000011	1487-5 octanol	no	yes	no				
266	25510	000011	2ŧ£i₹ŧKyl¢	<b>iyeg</b> lyco	lyes	no				
	94320	]								
267	15100	000011	2430-1 decanol	no	yes	no				
268	16704	000011	2441-4 dodecer	no ne	yes	no	0,05			
269	25090	000011	2 <b>t60</b> aēth	ykensegly	cøes	no				
	92350	1								
270	22763	000011		yes	yes	no				
	69040		acid							
271	52720	000011	2 <b>e84ea</b> m	idjæs	no	no				
272	37040	000011	2b&5cmic acid	yes	no	no				
273	52730	000011	2e86ei7c acid	yes	no	no				
274	22570	000011	2026649ec isocyan		yes	no		(17)	1 mg/ kg in final product expresse as isocyan moiety	ed
275	23980	000011	5p03plyle	nieo	yes	no				

276	19000	000011	5isdbüter	1 <b>0</b> 0	yes	no				
277	18280	000011	5 <b>h2</b> 7achl anhydri		myætshyler	e <b>te</b> trahy	d <b>Ndp</b> htha	lic		
278	18250	000011	5 <b>h2∾</b> hl acid	aroendo	myætshyler	e <b>te</b> trahy	d <b>Nop</b> htha	lic		
279	22840	000011	5pentaer	ythersitol	yes	no				
	71600	-								
280	73720	000011	5p965pho acid, trichloro ester	-	no	no	ND			
281	25120	000011	6tdt#aBluc	methyle	nyæs	no	0,05			
282	18430	000011	6h <b>ex</b> aflu	o <b>no</b> propy	lyes	no	ND			
283	74640		7p&thalic acid, bis(2- ethylhez ester	cyl)	no	no	1,5	(32)	Only to be used as: (a) (b)	(7) plasticiser in repeated use materials and articles contacting non- fatty foods; technical support agent in concentrati up to 0,1 % in the final product.
284	84880	000011	9saticeylic acid, methyl ester	yes	no	no	30			
285	66480	000011	924 <b>2''-</b> 1 methyle bis(4-	yes ne	no	yes		(13)		

			methyl- tert- butylph							
286	38240	000011	9b <b>6h-20</b> pl	n <b>gæo</b> ne	no	yes	0,6			
287	60160	000012		yes benzoic	no	no				
288	24970	000012	Oterbuth acid, dimethy ester		yes	no				
289	15880	000012		no	yes	no	6			
	24051	-	dihydro	xybenze	ne					
290	55360	000012	lg <b>ā9i9</b> acid, propyl ester	yes	no	no		(20)		
291	19150	000012	li <b>solpb</b> tha acid	aho	yes	no		(27)		
292	94560	000012	2tt2lbc3pro	p <b>ya</b> nolan	nime	no	5			
293	23175	0000122	2p5t2spho acid, triethyl ester	onous	yes	no	ND		1 mg/ kg in final product	(1)
294	93120	000012	3 <b>tDiodi</b> pr acid, didodec ester		no	yes		(14)		
295	15940	000012		yes	yes	no	0,6			
	18867		dihydro	xybenze	ne					
	48620	-								
296	23860	000012	3 <b>p38p6</b> on	anhodehyde	yes	no				
297	23950	000012	3 <b>p62p6</b> on anhydri		yes	no				
298	14110	000012	3b7a2y8alc	l <b>elo</b> yde	yes	no				
299	63840	000012	3lð∕6u⊉ni acid	cyes	no	no				
300	30045	000012	3a86ti4 acid, butyl ester	yes	no	no				

301	89120	000012	3steanic acid, butyl ester	yes	no	no			
302	12820	000012	3a <b>90la</b> ic acid	no	yes	no			
303	12130	000012		yes	yes	no			
	31730		acid						
304	14320	000012	<del>le0</del> pfylic	yes	yes	no			
	41960		acid						
305	15274	000012	4 <b>h@9a4</b> ne	t <b>hy</b> lened	iamensine	no	2,4		
	18460								
306	88960	000012	4stสิสาร์สาร	i <b>đe</b> s	no	no			
307	42160	000012	4e <b>3f99</b> n dioxide	yes	no	no			
308	91200	000012	6s <b>uðró</b> se acetate isobutyr	-	no	no			
309	91360	000012	6stldrðse octaacet		no	no			
310	16390	000012		no	yes	no	0,05		
	22437		dimethy propane						
311	16480	000012	6 <b>d5p8e</b> Øtae	enyethrito	yes	no			
	51200								
312	21490	000012	6 <del>n9&amp;t</del> h7acr	<b>ylo</b> nitril	eyes	no	ND		
313	16650	000012	7 <b>d6p3h@</b> ny		yes	no	3		
	51570		sulphon	e					
314	23500	000012	7 <b>β</b> 91-3 pinene	no	yes	no			
315	46640	000012	82 <b>36-d</b> i- tert- butyl- p- cresol	yes	no	no	3		
316	23230	000013	lph7h9lic acid, diallyl ester	no	yes	no	ND		

		1			i			1	· · · · · · · · · · · · · · · · · · ·	
317	48880	000013	dihydro	yes xy-4- ybenzopl	no henone	yes		(8)		
318	48640	000013		yes xybenzo	no phenone	no		(8)		
319	61360	000013	hydroxy	yes 7-4- ybenzopl	no henone	yes		(8)		
320	37680	000013	6 <b>b611</b> 270ic acid, butyl ester	yes	no	no				
321	36080	000013	7a <b>66</b> ə6by palmita		no	no				
322	63040	000013	8la2tið acid, butyl ester	yes	no	no				
323	11470	000014	0a88yfic acid, ethyl ester	no	yes	no		(22)		
324	83700	000014	lr <b>i23n0</b> le acid	iges	no	yes	42			
325	10780	000014	lað Þyðc acid, n- butyl ester	no	yes	no		(22)		
326	12763 35170	000014	1243-5 aminoet	yes hanol	yes	no	0,05		Not to be used for articles in contact with fatty foods for which [ <sup>F2</sup> simul D1 and/ or D2] is laid down.	ant

									For indirect food contact only, behind a PET layer.	
327	30140	000014	la <b>78tic</b> acid, ethyl ester	yes	no	no				
328	65040	000014	1n82102nic acid	yes	no	no				
329	59360	000014	2h <b>62</b> ahoi acid	cyes	no	no				
330	19470	000014	314007r=i7e acid	yes	yes	no				
	63280		acid							
331	22480	000014	3108-8 nonanol	no	yes	no				
332	69760	000014	30 <b>28</b> 92 alcohol	yes	no	no				
333	22775	000014		yes	yes	no	6			
	69920	-	acid							
334	17005	000015	l <b>efl<del>byl</del>en</b> e	eimoine	yes	no	ND			
335	68960	000030	1002athid	eyes	no	no				
336	15095	0000334		yes	yes	no				
	45940		decanoi acid	с						
337	15820	000034		no benzoph	yes enone	no	0,05			
338	71020	000037	3p <b>49</b> n9ito acid	leyices	no	no				
339	86160	000040	9s <b>21</b> c@n carbide	yes	no	no				
[ <sup>F14</sup> 340	47440	000046	1 <b>d5&amp;ya</b> no	djiennide	no	no	60]			
341	13180	000049		[ <b>2</b> h@.1]he	pte3-	no	0,05			
	22550		ene							
342	14260	000050	2 <b>e4p</b> rðlao	ctrone	yes	no		(29)		
343	23770	000050	416 <b>3–</b> 2 propane	no diol	yes	no	0,05			

[ <sup>F10</sup> 344	13810 21821]	000050	516 <b>≸</b> –7 butaned formal	no iol	yes	no	0,05	15 30		(21)
345	35840	000050	6aBAC=Did acid	icyes	no	no				
346	10030	000051	4ab0efic acid	no	yes	no				
347	13050 25540	000052	8 <b>t<del>r1</del>fn0</b> lli acid	ti <b>n</b> o	yes	no		(21)		
348	22350 67891	000054	4n63ri&tic acid	yes	yes	no				
349	25550	000055	2 <b>triftr</b> əlli anhydri	1	yes	no		(21)		
350	63920	000055	7li <b>gno</b> ce acid	riges	no	no				
351	21730	000056	3345-1 methyl- butene	no 1-	yes	no	ND		Only to be used in polypro	(1) pylene
352	16360	000057		no Iphenol	yes	no	0,05			
353	42480	000058	4 <b>c0£b8</b> ni acid, rubidiui salt		no	no	12			
354	25210	000058	42841–9 toluene diisocya	no anate	yes	no		(17)	1 mg/ kg in final product expresse as isocyan moiety	ed
355	20170	000058	5n051haci acid, tert- butyl ester	yılic	yes	no		(23)		
356	18820	000059	2141-6 hexene	no	yes	no	3			
357	13932	000059	8332-3 buten-2 ol	no -	yes	no	ND		Only to be used	(1)

									as a co- monom for the prepara of polyme additive	tion ric	
358	14841	000059	9464-4 cumylp	no henol	yes	no	0,05				
359	15970 48720	000061		yes xybenzoj	yes phenone	no		(8)			
360	57920	000062	0 <b>g67e</b> ∂ro trihepta	l yes noate	no	no					
361	18700	000062	9116-8 hexaned	no liol	yes	no	0,05				
362	14350	000063	0 <b>e0f5&gt;0</b> n monoxi		yes	no					
363	16450	000064	6 <b>10%-</b> 0 dioxola	no ne	yes	no	5				
[ <sup>F10</sup> 364	15404	000065	21647:-35,6- dianhyd	no rosorbito	yes bl	no	5		Only to be used as: (a) (b)	co- isosorb	hylene- vide halate); ner

									together with 1,4-	rosorbitol r roxymethyl)cyclohexane
365	11680	0000689	9a¢2yBic acid, isopropy ester		yes	no		(22)		
366	22150	000069	1437-2 methyl- pentene	1-	yes	no	0,05			
367	16697	0000693	3n23-2 dodecan acid	no nedioic	yes	no				
368	93280		3t <b>Bio</b> đipr acid, dioctade ester		no	yes		(14)		

369	12761	000069		no odecanoi	yes c	no	0,05				
370	21460	000076	0 <del>n93t10</del> acı anhydri		yes	no		(23)			
371	11510 11830	000081	8a6ilyllic acid, monoes with ethylene		yes	no		(22)			
372	18640	000082	2h@&@ne diisocya		yes	no		(17)	1 mg/ kg in final product expresse as isocyan moiety		
373	22390	000084	026 <b>5</b> –3 naphtha acid, dimethy ester		yes rboxylic	no	0,05				
374	21190	000086	8H76H9acr acid, monoes with ethylend	ter	yes	no		(23)			
375	15130	000087	2105-9 decene	no	yes	no	0,05				
[ <sup>F13</sup> 376	66905	000087		yes yrrolido	no ne	no	60]				
377	12786	000091		no ropyltrie	yes thoxysila	no ine	0,05		Residua extracta content of 3- aminopy to be less than 3 mg/ kg filler when used for the reactive surface	ble ropyltriethox <u>;</u>	ysi

									treatment of inorgani fillers. SML = 0,05 mg kg when used for the surface treatment of material and articles.	c / nt
378	21970	000092		no Imethaci	yes rylamide	no	0,05			
379	21940	0000924	1 <del>NI</del> 2-5 methylc	no lacrylarr	yes nide	no	ND			
380	11980	000092:	5a <b>6fyli</b> c acid, propyl ester	no	yes	no		(22)		
381	15030	000093	1e <b>§8<del>14</del>0c</b>	tence	yes	no	0,05		Only to be used in polymer contacti foods for which simulan A is laid down	ng
382	19490	000094	7 <b>1-0041-65</b> 1ac	tam	yes	no	5			
383	72160	000094	8265-2 phenyli	yes ndole	no	yes	15			
384	40000	000099	bis(octy (4- hydroxy di-tert-	ilino)-1,3		yes	30			

385	11530	000099	9a6ityIlic acid, 2- hydroxy ester	no /propyl	yes	no	0,05		ester. It may contain up to 25 % (m/ m) of acrylic acid, 2- hydroxy ester (CAS No	
386	55280	000103	4g <b>alli¢</b> acid, octyl ester	yes	no	no		(20)		
387	26155	000107	2 <del>16</del> 3-5 vinylim	no idazole	yes	no	0,05			[ <sup>F9</sup> (1)]
388	25080	000112	0436-1 tetradec	no ene	yes	no	0,05			
389	22360	000114	1238-4 naphtha acid	no lenedica	yes rboxylic	no	5			
390	55200	000116	6g <b>alli5</b> acid, dodecyl ester	yes	no	no		(20)		
[ <sup>F2</sup> 391	22932	000118	7 <b>p&amp;3fK</b> uor perfluor ether	omethyl ovinyl	yes	no	0,05		Only to be used in:	

								_	anti- stick coatings; fluoro- and perfluoropolymers intended for repeated use applications where the contact ratio is 1 dm 2 surface in contact with at least 150 kg food. ]
392	72800	000124	lp%457pho acid, dipheny 2- ethylhez ester	rl	no	yes	2,4		
393	37280	000130	2 <b>b∉8ŧ0</b> ni	teyes	no	no			
394	41280	000130	5e <b>612-i0</b> im hydroxi		no	no			_
395	41520		5e <b>aR</b> -i&im oxide		no	no			L
396	64640	000130	9m42g8es hydroxi		no	no			L
397	64720	000130	9m4&g4es oxide	i tyners	no	no			
[ <sup>F12</sup> 398	35760	000130	9a <b>64i#1</b> or trioxide	yyes	no	no			(6)]
399	81600	000131	0 <b>p58a3</b> siu hydroxi		no	no			

400	86720	0001310			no	no				
401	24475	0001313		no	yes	no				
402	96240	0001314	sulphide 1z1n3e2 oxide	yes	no	no				
403	96320	0001314		yes	no	no				
404	67200	0001317	7 <b>r3ðly</b> ðd disulphi		no	no				
405	16690	000132	l <b>d74i+0</b> y1b	<b>eno</b> zene	yes	no	ND		It may contain up to 45 % (m/ m) of	
406	83300		3 <b>132–</b> 3 propyler monoste		no	no				
407	87040	0001330	)s <b>4đi4</b> m tetrabor		no	no		(16)		
408	82960	0001330	)48 <b>2)</b> –9 propyler monoole		no	no				
409	62240	0001332	2ifo7h-2 oxide	yes	no	no				
[ <sup>F10</sup> 410	62720	0001332	2k <b>5</b> 81in	yes	no	no			Particle: can be thinner than 100 nm only if incorpor at a quantity of less than 12 % w/w	rated

								in an ethylene vinyl alcohol copolym (EVOH inner layer of a multi- layer structura in which the layer in direct contact with the food provides a function barrier preventi migratic of particles into the food. ]	ner ) e, al ng on
411	42080	000133	3 <b>e8fb4</b> n black	yes	no	no		Primary particles of $10 - 300$ nm which are aggregat to a size of $100 - 1$ 200 nm which may form agglome within the size	ted

distribution
of
300 nm
– mm.
Toluene
extractables:
maximum
0,1 %,
determined
according
to ISO
method
6209.
UV
absorption
of
• -
cyclohexane
extract
at
386 nm:
< 0,02
AU
for a
1 cm
cell or
< 0,1
AU
for a
5 cm
cell,
determined
according
to a
generally
recognised
method
of
analysis.
Benzo(a)pyrene
content:
max
0,25 mg/
kg
carbon
black.
Maximum
use
level
of
carbon
black
in the
polymer:

									2,5 % w/w.	
412	45200	000133	5eØppfer iodide	yes	no	no		(6)		
413	35600	000133	6 <b>a21</b> 1460n hydroxi		no	no				
414	87600	000133	8sðøðiðan monola		no	no				
415	87840	000133	8s <b>ðilbít</b> an monoste	-	no	no				
416	87680	000133	8s <b>4ßbi</b> tan monool		no	no				
417	85680	000134	3s <b>98⁣</b> acid	yes	no	no				
418	34720	000134	4a2&mlini oxide	unymes	no	no				
419	92150	000140	ltatinit acids	yes	no	no			Accord to the JECFA specific	
420	19210	000145	9is0pHtha acid, dimethy ester		yes	no	0,05			
[ <sup>F14</sup> 421	13000	000147		no dimetha	yes namine	no		(34)]		
422	38515	000153	bis(2-	yes azolyl)sti	no lbene	yes	0,05			(2)
423	22937	000162	3p@5f1&101 ether	oppropylj	o <b>yes</b> uoro	vniotyl	0,05			
424	15070	000164	7 <b>11%-</b> 1 decadie	no ne	yes	no	0,05			
425	10840	000166	3aðbylic acid, tert- butyl ester	no	yes	no		(22)		
426	13510 13610	000167	bis(4-		yes propane	no			In complia with Commi Regulat (EC)	ssion

									No 1895/20	05ª
427	18896		451-2 hydroxy cyclohex		yes )-1-	no	0,05			
428	95200	t c t	17 <b>0,52</b> rimethy ris(3,5- di-tert- outyl-4- nydroxyl		no	no				
429	13210	00017618		no clohexy	yes l)methar	no ie	0,05			
430	95600	r ł t	10B, <del>31</del> ris(2- methyl-4 nydroxy- ert- outylphe outane	-5-	no	yes	5			
431	61600	r	205-6 nydroxy- n- octyloxy		no nenone	yes		(8)		
432	12280	0002035a	aðfjə& anhydrid	no le	yes	no				
433	68320	l c t	3-(3,5- di-tert- outyl-4-	-	no propiona	yes te	6			
434	20410		a&dth7acry acid, diester with 1,4- outanedi		yes	no	0,05			
435	14230		æ <b>â∳</b> rðlac sodium salt	taon,	yes	no		(4)		
436	19480	V	Adri <b>6</b> acid, vinyl ester	no	yes	no				
437	11245	0002156a	a@i7yllic acid,	no	yes	no	0,05			(2)

			dodecy ester							
[ <sup>F13</sup> 438	13303	000216	2675(25,6- diisopro carbodi	pylphen	yes yl)	no	0,05		and its hydroly product 2,6-	pylphenyl)carbodiimide sis
439	21280	000217	7 <b>n7etHa</b> ci acid, phenyl ester	yrlic	yes	no		(23)		
440	21340	000221	0n2&thac acid, propyl ester	ydioc	yes	no		(23)		
441	38160	000231	5b <b>68</b> z⁄oic acid, propyl ester	yes	no	no				
442	13780	000242	butanec bis(2,3- epoxyp		yes er	no	ND		Residua content = 1 mg/ kg in final product express as epoxyg Molecu weight is 43 Da.	ed roup.
443	12788	000243		no ndecanoi	yes c	no	5			
444	61440	000244	hydroxy	yes y-5'- henyl)be	no enzotriaz	no ole		(12)		
445	83440	000246	6 <b>p090</b> pho acid	sydsoric	no	no				

446	10750	000249	5að <del>fyl</del> íc acid, benzyl ester	no	yes	no		(22)		
447	20080	000249	5 <b>n3614fac</b> n acid, benzyl ester	yılic	yes	no		(23)		
448	11890	000249	9 <b>a59yli</b> c acid, n-octyl ester	no	yes	no		(22)		
[ <sup>F11</sup> 449	49840	000250	0 <b>d88et</b> ade disulphi		no	yes	0,05 ]			
450	24430	000256	1s <b>88</b> a8ic anhydri		yes	no				
451	66755	000268	2220-4 methyl- isothiaz one		no	no	0,5		Only to be used in aqueous polyme dispersi and emulsio	ons
[ <sup>F13</sup> 452	38885	000272	bis(2,4- dimethy (2- hydroxy n-	(lphenyl)		no	5]			
453	26320	000276	8 <b>v0@y1</b> trii	maathoxy	si <b>jlen</b> e	no	0,05			(10)
454	12670	000285	amino-3 aminor	no 3- iethyl-3,: vlcyclohe		no	6			
455	20530	000286	7mlothacu acid, 2- (dimeth ethyl ester	yılic ylamino	yes )-	no	ND			
456	10810	000299	8a08yfic acid, sec-	no	yes	no		(22)		

			butyl ester							
457	20140	000299	8n1&h7acı acid, sec- butyl ester	yrlic	yes	no		(23)		
458	36960	000306	lb <b>ēāe</b> hai	nyide	no	no				
459	46870	000313	tert- butyl-4-	benzylp	no hosphon	no				
460	14950	000317	3e <b>ў∂ŀ</b> ∂he isocyan		yes	no		(17)	1 mg/ kg in final product expresse as isocyant moiety	
461	22420	000317	347 <b>2–</b> 6 naphtha diisocya		yes	no		(17)	1 mg/ kg in final product expresse as isocyant moiety	
462	26170	000319	vinyl- N-	no cetamide	yes e	no	0,02			[ <sup>F9</sup> (1)]
463	25840	000329	049 <b>2,4</b> trimethy trimetha	no ylolpropa acrylate	yes ane	no	0,05			
464	61280	000329	hydroxy n-	yes y-4- xybenzop	no henone	yes		(8)		
465	68040	000333	naphtho (1,2- D)triazo yl]-3-		no	no				

466	50640	000364	8 <b>d1-81-8</b> octyltin dilaurat	yes e	no	no		(10)		
[ <sup>F15</sup> 467	14800	3724-65	otonic	yes	yes	no		(35)		
-	45600]		acid							
468	71960	000382	5 <b>p26f1l</b> ion acid, ammon salt	gæstano	imo	no			Only to be used in repeated use articles, sintered at high tempera	
469	60480	0003864	hydroxy di-tert- butylph	yes 7-3,5'- enyl)-5- enzotriaz	no zole	yes		(12)		
470	60400	0003890	hydroxy tert- butyl-5' methylp			yes		(12)		
471	24888	000396			yes c	no	0,05			
472	66560	000406	methyle methyl-	yes nebis(4- 6- xylpheno	no ol)	yes		(5)		
473	12265	0004074	4a <b>ຢິດຸ</b> ຈີນີ acid, divinyl ester	no	yes	no	ND		5 mg/ kg in final product Only to be used as co- monom	
474	43600	000408		yes llyl)-3,5,	no 7-	no	0,3			

			triaza-1 azoniaa chloride	damanta	ne					
475	19110	000409	isocyan isocyan	no ato-3- atomethy /lcycloho	yes yl-3,5,5- exane	no		(17)	1 mg/ kg in final product expresse as isocyant moiety	
476	16570	000412	8d <b>7βh8</b> ny diisocya		4ýes	no		(17)	1 mg/ kg in final product expresse as isocyan moiety	
477	46720	000413	0240-di- tert- butyl-4- ethylpho		no	yes	4,8			(1)
478	60180	000419		yes /benzoic yl	no	no				
479	12970	000419	6 <b>a25læ</b> ic anhydri	no de	yes	no				
480	46790	000422	tert- butyl-4-	benzoic	no	no				
481	13060	000442		no etricarbo de	yes xylic	no	0,05		SML expresse as 1,3,5- benzene acid	[ <sup>F9</sup> (1)] ed etricarboxylic
482	21100	000465	5 <b>n3etha</b> cr acid,	yrlicc	yes	no		(23)		

			isoprop ester	yl						
483	68860	0004724		yes osphonic	no	no	0,05			
484	13395	000476		no roxymetl	yes nyl)propi	no onic	0,05			(1)
485	13560	0005124			thænse-4,4	′но		(17)	1 mg/	(10)
	15700		diisocya	anate					kg in final product expresse as isocyan moiety	
486	54005	0005130	6 <b>ethly</b> Teno N- palmita N'- stearam	mide-	no	no				
487	45640	0005232	2299-5 cyano-3 dipheny acid, ethyl ester		no	no	0,05			
488	53440	000551		yes ebispalm	no itamide	no				
489	41040	000574	Bealoiùm butyrate		no	no				
490	16600	000587	3 <b>d5ffh</b> êny diisocya	l <b>no</b> ethan anate	ey£s4'-	no		(17)	1 mg/ kg in final product expresse as isocyan moiety	ed
491	82720	0006182		yes neglycol te	no	no				
492	45650	000619	7230-4 cyano-3 dipheny acid, 2-		no	no	0,05			

			ethylhe: ester	kyl				
493	39200	000620	hydroxy hydroxy	yes vethyl)-2 vpropyl-3 loxy)me		no onium	1,8	
494	62140	000630	3h3/þofph acid	oyphorou	ISNO	no		
495	35160	0006642	2631-5 amino-1 dimethy		no	no	5	
496	71680	000668	BpE9148er tetrakis (3,5- di-tert- butyl-4- hydroxy propion	[3- /phenyl)·	no	no		
497	95020	000684	5252),40 trimethy pentane diisobut	diol	no	no	5	Only to be used in single- use gloves
498	16210	0006864	dimethy	no /1-4,4'- dicycloł	yes nexylmet	no hane	0,05	Only (5) to be used in polyamides
499	19965 65020	000691	5m1ælið acid	yes	yes	no		In case of use as a monomer only to be used as a co- monomer in aliphatic polyesters up to maximum level of 1 % on a

									molar basis	
500	38560	000712	bis(5- tert- butyl-2-	yes zolyl)th	no	yes	0,6			
501	34480		alumini fibers, flakes and powder		no	no				
502	22778	000745		no benzenes	yes ulphony	no l	0,05			[ <sup>F9</sup> (1)]
503	46080	000758	5β39-9 dextrin	yes	no	no				
504	86240	000763	ls <b>R</b> œn dioxide	yes	no	no			For synthetia amorph silicon dioxide primary particles of 1 – 100 nm which are aggrega to a size of 0,1 - 1 µm which may form agglom within the size distribu of 0,3 µm to the mm size.	ous ted
505	86480	000763	ls <b>00i•ó</b> m bisulphi	yes te	no	no		(19)		<u>.</u>

		1	1	1	1	1	1	-	1
506	86920	000763	2s <b>00i0</b> m nitrite	yes	no	no	0,6		
507	59990	000764	7hQU+Ocl acid	lyøæisc	no	no			
508	86560	000764	7s <b>dđi6</b> m bromide		no	no			
509	23170	000766	4pB&spho	o <b>ņie</b> s	yes	no			
	72640		acid						
510	12789	000766	4 <b>a4n1</b> m7on	iayes	yes	no			
	35320								
511	91920	000766	4s9BpBur acid	igyes	no	no			
512	81680	000768	lpbta®siu iodide	nynes	no	no		(6)	
513	86800	000768	ls <b>8đió</b> m iodide	yes	no	no		(6)	
514	91840	000770	4sið¥þiður	yes	no	no			
515	26360	000773	2wlate5	yes	yes	no			In
	95855								compliance with Directive 98/83/ EC <sup>b</sup>
516	86960	000775	7s <b>8đi</b> ữm sulphite		no	no		(19)	
517	81520	000775	8 <b>p02a3</b> siu bromide		no	no			
518	35845	000777	1a <del>1a</del> cioid acid	oyies	no	no			
519	87120	000777	2s <b>98</b> iữm thiosulp		no	no		(19)	
520	65120	000777	3n0dngan chloride		no	no			
521	58320	000778	2g42phite	yes	no	no			
522	14530	000778	2 <b>e50</b> 05ine	no	yes	no			
523	45195	000778	7eð <b>p</b> <del>p</del> er bromide		no	no			
524	24520	000800	lsð⊋bæar oil	no	yes	no			
525	62640	000800	lj <b>ðþað</b> wax	yes	no	no			

		1	1		r	1			· · · · ·	
526	43440	000800	le€fesin	yes	no	no				
527	14411	000800		yes	yes	no				
	42880		oil							
528	63760	000800	2le€iŧБin	yes	no	no				
529	67850	000800	2 <b>н53н7</b> an wax	yes	no	no				
530	41760	000800	6 <b>e414e</b> &lil wax	læes	no	no				
531	36880	000801	2 <b>689</b> 53va	xyes	no	no				
532	88640		3s0yb&ar oil, epoxidi	yes	no	no	60 30(*)	(32)	(*)	In the case of PVC gaskets used to seal glass jars containing infant formulae and follow- on formulae as defined by Directive 2006/141/ EC or processed cereal- based foods and baby foods for infants and young children as defined

							m Oxirane < 8 %, iodine number < 6.	
533	42720	0008015 <b>68fn</b> 8u wax	bayes	no	no			
534	80720	0008017pbbyph acids	ospetsoric	no	no			
535	24100	0008050 <b>r09i</b> ri7	yes	yes	no			
	24130							
	24190							
	83840							
536	84320	0008050 <b>Fd</b> <i>s</i> <b>i</b> tf, hydrog ester with methar	yes enated,	no	no			
537	84080	0008050rasin8, ester with pentaer	yes rythritol	no	no			
538	84000	0008050rðsliff, ester with glycero	yes	no	no			
539	24160	0008052 <b>ғд §інб</b> tall oil	no	yes	no			
540	63940	0008062Hัฮภิเฮริเ acid	l <b>ples</b> nic	no	no	0,24	Only to be used as dispersa for plastics dispersi	

541	58480	0009000	g01h5 arabic	yes	no	no		
542	42640	0009000	<b>eai</b> bðxy	n <b>yes</b> hylc	ettalose	no		
543	45920	0009000	)da6n@nai	ryes	no	no		
544	58400	0009000	)gblar0 gum	yes	no	no		
545	93680	0009000	) <b>Hatgal</b> car gum	ntyhes	no	no		
546	71440	0009000	) <b>p69t</b> in	yes	no	no		
547	55440	0009000	) <b>g₹la</b> 8n	yes	no	no		
548	42800	0009000	)easelsh	yes	no	no		
549	80000	0009002	2 <b>p88y4</b> th wax	y <b>læs</b> e	no	no		
550	81060	0009003	в <b>р01ур</b> го wax	pydene	no	no		
551	79920	0009003 0106392			no	no		
552	81500	0009003			dome	no	shall meet the purit criter as la down in	y ria id n mission ctive
553	14500 43280	0009004	<b>le∂11ŧ6</b> os	eyes	yes	no		
554	43300		leðfltßos acetate butyrate		no	no		
555	53280	0009004	lef/7yRcel	lydosse	no	no		
556	54260	0009004	lef18ythy	d <b>yex</b> yeth	y <b>do</b> ellulo	SICO		
557	66640	0009004	hóðthjle	thesicellu	lloose	no		
558	60560	0009004	l <b>h6y2l+0</b> xy	<b>eyter</b> sylcel	lubose	no		
559	61680	0009004		-				

560	66700	0009004n6e	thy lhydeso	xypm <b>o</b> pylc	ellunkose		
561	66240	0009004n65	thylcephesl	ose no	no		
562	22450	0009004n7ta	odel lukos	e yes	no		
563	78320	0009004p91 mo	'yethy <b>less</b> e noricinole		yes	42	
564	24540 88800	0009005stati edi		yes	no		
565	61120	0009005h3ya stat		l no	no		
566	33350	0009005aBg aci		no	no		
567	82080		-2 yes pylenegly inate	ycol no	no		
568	79040		<b>yð</b> thy <b>læs</b> e bitan nolaurate		no		
569	79120		y <b>6</b> thy <b>kess</b> e bitan nooleate	eglycnb	no		
570	79200		y <b>ē</b> thy <b>ķess</b> e bitan nopalmita		no		
571	79280		'y <b>8</b> thy <b>Jæs</b> e bitan nostearate		no		
572	79360		yðthy <b>læs</b> e bitan leate	eglyc <b>o</b> b	no		
573	79440		<b>y4</b> thy <b>Jæs</b> e bitan tearate	eglyc <b>o</b> b	no		
574	24250	0009006F <b>0</b>		yes	no		
	84560	nat	ural				
575	76721	0063148 <b>p61</b> (M 6 8 Da	W  > 00	lsilomane	no		Viscosity at $25 ^{\circ}C$ not less than 100 cSt $(100 \times$

576	60880	0009032h42h2b	x <b>yeyteb</b> sylme	t <b>hy</b> lcellu	lnse			10 <sup>-6</sup> m <sup>2</sup> /s)	
577	62280	0009044istobut butene copoly		no	no				
578	79600	0009046p@ly@t tridecy ether phospl	/1	cnb	no	5		(EO $\leq 11$ ) tridecyl ether phospha (mono- and dialkyl ester) with a maximu 10 % content of	d yleneglycol ate ım yleneglycol
579	61800	0009049h7/ <b>G</b> rðz starch	ky <b>pæs</b> pyl	no	no				
580	46070	0010016e20-3 dextrir	yes	no	no				
581	36800	0010022batian nitrate		no	no				
582	50240	0010039d3h5 octylti bis(2- ethylh maleat	exyl	no	no		(10)		

583	40400	001004	3bbtom nitride	yes	no	no		(16)	
584	13620 40320	001004	3bdfi3 acid	yes	yes	no		(16)	
585	41120	001004	3e <b>āl</b> c <del>i4</del> ım chloride		no	no			
586	65280	001004	3 <del>n&amp;4n</del> gan hypoph		no	no			
587	68400	001009	4 <b>0€5a8</b> ec	y <b>yes</b> ucan	niate	yes	5		
588	64320	001037	7liðilii@m iodide	yes	no	no		(6)	
589	52645	001043	6 <b>e08-151 -</b> eicosena	yes amide	no	no			
590	21370	001059	5n&QlfAcr acid, 2- sulphoe ester	5	yes	no	ND		(1)
591	36160	001060	5a <b>00</b> oiłby stearate	lyes	no	no			
592	34690	001109	7a <b>59</b> n9ini magnes carbona hydroxi	ium te	no	no			
593	44960	0011104	4cobalt oxide	yes	no	no			
594	65360	0011129	9 <b>ғб0н§</b> an oxide	ejses	no	no			
595	19510	0011132	24izm3cel	l <b>ut</b> ose	yes	no			
596	95935	001113	8x666+12an gum	yes	no	no			
597	67120	001200	1 112/10:12	yes	no	no			
598	41600		4 <b>eå</b> 46-i7um 3si212p440a	2	no	no			
599	36840	001200	7ອ <b>ົສກົບກ</b> tetrabor		no	no		(16)	
600	60030	001207	2 <b>h9/d</b> frbm	agenesite	no	no			
601	35440	001212	4a977790ni bromide		no	no			
602	70240	001219	80 <b>23k</b> æri	teyes	no	no			
603	83460	001226	9 <b>₽7∕8⊖⊉</b> hy	Witte	no	no			

604	60080	001230	4h <b>6y5l</b> +&tal	gies	no	no			
605	11005	001254	2að0yØc acid, dicyclop ester	no pentenyl	yes	no	0,05		(1)
606	65200	001262	6 <b>n&amp;&amp;ng</b> an hydroxi		no	no			
607	62245	001275	li£20r-3 phosphi	yes de	no	no		Only to be used in PET polymen and copolym	
608	40800	001300	34] <b>2</b> -8 butylide bis(6- tert- butyl-3- methylp ditridec phosphi	henyl- yl	no	yes	6		
609	83455	001344	5р <b>5убөр</b> ho acid	sydsorou	sno	no			
610	93440	001346	3ti6ani/um dioxide	yes	no	no			
611	35120	001356	0349-1 aminocr acid, diester with thiobis (2- hydroxy ether		no	no			
612	16694	001381	1 <b>№,0№2</b> divinyl- imidazo		yes	no	0,05		(10)
613	95905	001398	3wlo7H@stc	nyits	no	no			
614	45560	001446	4e <b>4is</b> ŧøba	l <b>ýte</b> s	no	no			
615	92080	001480	7 <b>t316-</b> 6	yes	no	no			
616	83470	001480	8q61Q+7Z	yes	no	no			
617	10660	001521	4289-8 acrylam	no ido-2-	yes	no	0,05		

			methylpropane acid	esulphonic				
618	51040	001553	5 <b>d79h-2</b> yes octyltin mercaptoaceta	no te	no		(10)	
619	50320	001557	ld58h-1 yes octyltin bis(2- ethylhexyl mercaptoaceta	no te)	no		(10)	
620	50720	001557	l <b>d60h-5</b> yes octyltin dimaleate	no	no		(10)	
621	17110	001621	9575-3 no ethylidenebicy ene	yes clo[2,2,1]	no hept-2-	0,05		(9)
622	69840	001626	0 <del>009y</del> fpalm <del>its</del> am	ideno	yes	5		
623	52640	001638	9 <b>d&amp;&amp;oi</b> tniteyes	no	no			
624	18897	001671	2664-4 no hydroxy-2- naphthaleneca acid	yes rboxylic	no	0,05		
625	36720	001719	4b <b>00iu2</b> m yes hydroxide	no	no			
626	57800	001864	l <b>g57ee</b> rol yes tribehenate	no	no			
627	59760	001956	9h2tht2te yes	no	no			
628	96190	002042	7 <b>z5x%</b> e1 yes hydroxide	no	no			
629	34560	002164	5a5uln2iniuyæs hydroxide	no	no			
630	82240	002278	84129–8 yes propyleneglyc dilaurate	ol	no			
631	59120	002312	8176-7 yes hexamethylend bis(3- (3,5- di-tert- butyl-4- hydroxypheny		yes amide)	45		
632	52880	002367	6409-7 yes ethoxybenzoic acid,	no	no	3,6		

			ethyl ester						
633	53200	002394	9266-8 ethoxy- ethylox		no	yes	30		
634	25910	002480	0 <del>tr4p</del> r0py	l <b>en</b> eglyc	ojles	no			
635	40720	002501	3tdı <b>6-</b> 5 butyl-4- hydroxy		no	no	30		
636	31500	002513	4abily44c acid, acrylic acid, 2- ethylhe: ester, copolyr		no	no	0,05	(22)	SML expressed as acrylic acid, 2- ethylhexyl ester
637	71635	002515	lp&fither dioleate	y <b>şhei</b> sitol	no	no	0,05		Not to be used for articles in contact with fatty foods for which [ <sup>F2</sup> simulant D1 and/ or D2] is laid down
638	23590 76960	002532	2 <b>p68y</b> 3th	y <b>læs</b> egly	cyes	no			
639	23651	002532	2 <b>⊨69y∌</b> ro	p <b>yde</b> negl	yyced	no			
	80800								
640	54930	002535	9f0thrfald naphthc copolyr	ol,	no	no	0,05		
[ <sup>F2</sup> 641	22331	002551	3n6ikt&re of (35-45 % w/w) 1,6-		yes	no	0,05 ]		

			and (55-65 9 w/ w)1,6- diamino	/lhexane ‰					
642	64990	002573	6n6dle2c anhydri styrene, copolyn sodium salt	de-	no	no		The fraction with molecul weight below 1 000 Da [ <sup>F2</sup> shall] not exceed 0,05 % (w/w)	
643	87760	002626	6s <b>6i7</b> bûtan monopa		no	no			
644	88080	002626	6s <b>68</b> 90tan trioleate		no	no			
645	67760	002640	n- octyltin tris(isoc		no )	no	(11)		
646	50480	002640	octyltin bis(isoo		no )	no	(10)		
647	56720	0026402	2g23eðrol monohe	l yes xanoate	no	no			
648	56880	0026402	2g26e6rol monooc		no	no			
649	47210	002642	7 <b>d07u6</b> ylt acid polyme	-	onico	no		Molecul unit = $(C_8H_{18}S)$ (n = 1,5-2)	
650	49600	002663	6d0thetthy bis(isoo mercapt		no )	no	(9)		

651	88240	002665	8s <b>øøbi</b> tar tristeara		no	no				
652	38820	002674	lb53(27,4- di-tert- butylph pentaery diphosp	enyl) ythritol	no	yes	0,6			
653	25270	002674	729 <b>0</b> -0 toluene diisocya dimer	no anate	yes	no		(17)	1 mg/ kg in final product express as isocyan moiety	ed
654	88600	002683	6s <b>4</b> ī/bītol monoste	1.5	no	no				
655	25450	002689	6 <b>tr18y0</b> lo	d <b>æo</b> anedi	n <b>ges</b> hano	lno	0,05			
656	24760	0026914	4stlyrefnes acid	sunpohonic	yes	no	0,05			
657	67680	002710	n- octyltin tris(2- ethylhez		no )	no		(11)		
658	52000	002717	6d87de0cyl acid	bænzene	s <b>ul</b> phoni	cno	30			
659	82800	0027194		yes neglycol urate	no	no				
660	47540	002745	8d90e8t- dodecyl disulphi		no	yes	0,05			
661	95360	002767	tris(3,5- di-tert- butyl-4- hydroxy	ybenzyl)-	no -1,3,5- 1,3H,5H	yes -	5			
662	25927	002795	tris(4-	no yphenol)	yes ethane	no	0,005		Only to be used in polycar	[ <sup>F9</sup> (1)]

663	64150	002829	0li790leni acid	cyes	no	no				
664	95000	002893			11112)	no				
665	83120	002901		yes neglycol Imitate	no	no				
666	87280	002911	6s <b>Ø8bi</b> tar dioleate		no	no				
667	55190	002920	4g@2lo2lei acid	cyes	no	no				
668	80240	002989	4pas5ygly ricinole		no	no				
669	56610	003023	3g <b>64e8</b> ro monobe		no	no				
670	56800	003089	9g <b>62e8</b> ro monola diacetat	urate	no	no		(32)		
671	74240	003157	0p <b>046sp</b> ho acid, tris(2,4- di-tert- butylph		no er	no				
672	76845	003183	lp53y5sta of 1,4- butaned with caprola	liol	no	no		(29) (30)	The fraction with molecul weight below 1 000 Da [ <sup>F2</sup> shall] not exceed 0,5 % (w/w)	
673	53670	003250	9ed6yBend glycol bis[3,3- bis(3- tert- butyl-4- hydroxy		no butyrate]	yes	6			

674	46480	003264	7 <b>d67</b> e9tzy sorbitol	lijatesne	no	no				
675	38800	003268	bis(3- (3,5- di-tert- butyl-4-		no propiony	yes l)hydraz	15 ide			
676	50400	003356	8d99n-9 octyltin bis(isoo maleate		no	no		(10)		
677	82560	003358		yes neglycol tate	no	no				
678	59200	003507	hexame bis(3- (3,5- di-tert- butyl-4-		no propiona	yes te)	6			
679	39060	003595	bis(2- hydroxy di-tert-	yes 7-3,5- enyl)etha	no	yes	5			
680	94400	003644	3 <b>t68t</b> 2yle bis[3- (3-tert- butyl-4- hydroxy methylp propion	v-5- henyl)	Ino	no	9			
681	18310	003665	3182-4 hexadec	no anol	yes	no				
682	53270	003720	5e9l9yFcar	bjæssyme	thnølcellu	lose				
683	66200	003720	6n0dth2y1c	aynebeoxyn	nentohylcel	l <b>u</b> lose				
684	68125	003724	4n <b>@6</b> htelin syenite	nges	no	no				
685	85950	003729	6s9762 acid, magnes sodium- fluoride salt	-	no	no	0,15		SML expresse as fluoride. Only to be used	

								in layers of multi- layer materials not coming into direct contact with food.
686	61390	003735	3h <b>5⁄2</b> h6xy	nynesthylc	enhlalose	no		
687	13530           13614	003810	bis(4-	no (phenyl)) alic de)	yes propane	no	0,05	
688	92560	003861	3tot7akis( di-tert- butyl- phenyl) bipheny diphosp	-4,4'- lylene	no	yes	18	
689	95280	004060	tris(4- tert- butyl-3- hydroxy dimethy	7-2,6- (lbenzyl)	no -1,3,5- 1,3H,5H)	yes	6	
690	92880	004148	4tBiodiet bis(3- (3,5- di-tert- butyl-4- hydroxy phenyl) propion	7	no	yes	2,4	
691	13600	004746	bis(3- methyl-	(phenyl)	yes 2-	no	1,8	
692	52320	005204	725 <mark>0</mark> 4-3 dodecyl	yes phenyl)i	no ndole	yes	0,06	

693	88160	005414	0s <b>ðfbit</b> an tripalmi		no	no			
694	21400	005427	6 <b>n36tHa</b> cr acid, sulphop ester	•	yes	no	0,05		(1)
695	67520	005484	9 <b>n3&amp;n6</b> m tris(isoc mercapt		no )	no		(9)	
696	92205	005756	Ptet@phth acid, diester with 2,2'- methyle methyl- tert- butylph	nebis(4- 6-	no	no			
697	67515	005758	3n3dn3m tris(ethy mercapt	e <b>yleş</b> ltin vlhexyl oacetate	no )	no		(9)	
698	49595	005758	Bel3titethy bis(ethy mercapt		no )	no		(9)	
699	90720	005844	6s <b>fe2</b> #99yl	byeenszoylı	methane	no			
700	31520	006116	acid, 2-tert- butyl-6- (3-tert- butyl-2- hydroxy	7-5- enzyl)-4	no -	yes	6		
701	40160	006126	bis(2,2, tetrame	thyl-4- (1)hexam pethane,	no ethylene	no diamine-	2,4		
702	87920	0061752	2s6f99tan tetrastea		no	no			
703	17170	006178	8f <b>á</b> t7y4 acids, coco	no	yes	no			

704	77600	006178	8p <b>&amp;5y0</b> th ester	y <b>læs</b> egly	cnb	no				
			of hydroge castor oil	enated						
705	10599/9	9 <b>004</b> 6178	8a89d4, fatty, unsatura (C <sub>18</sub> ), dimers, non hydroge distilled and non- distilled	mated,	yes	no		(18)		(1)
706	17230	006179	0 <b>fdt2y</b> 3 acids, tall oil	no	yes	no				
707	46375	006179	0 <b>d53t0</b> 2ma earth	.Cyccesus	no	no				
708	77520	006179	lpb2y6th ester of castor oil	y <b>keis</b> egly	cnb	no	42			
709	87520	006256	8s <b>åibû</b> tan monobe		no	no				
710	38700	006339	carbobu bis(isoo	yes toxyethy ctyl oacetate	, ,	yes	18			
711	42000	006343	carbobu tris(isoc	yes toxyethy ctyl oacetate		yes	30			
712	42960	006414	7e <b>49to</b> r oil, dehydra	yes ted	no	no				
[ <sup>F10</sup> 713	43480	006436	5 <b>eha</b> fðoa activate 0-44-0]	lyes d	no	no			Only for use in PET at maximu 10 mg/ kg of polymer	

								Same purity requirer as for Vegetab Carbon (E 153) set out by Commis Regulat (EU) No 231/201 <sup>d</sup> with exception of ash content which can be up to 10 % (w/w).	le ssion ion 2
714	84400	006436	5rd 5/rt9, hydroge ester with pentaery		no	no			
715	46880	006514	tert- butyl-4-	vbenzylp hyl	no hosphon	no	6		
716	60800	006544	hydroxy	ne- /l	no	no	30		
717	84210	006599	7 <b>r0si</b> n) hydroge	yes enated	no	no			

718	84240	006599	7 <b>Fd Sit</b> 9 hydroge ester with glycerol		no	no			
719	65920	006682	methacr N,N- dimethy N-	methyla yl ylate- ylate- xyl ylate- one,	no yethyl- mmoniu	no			
720	67360	006764	n- dodecyl tris(isoc		no )	no	(25)		
721	46800	006784	tert- butyl-4-	benzoic	no	no			
722	17200	006830	8 <b>fatiy</b> 2 acids, soya	no	yes	no			
723	88880	0068412	2s <b>&amp;rch</b> , hydroly	yes sed	no	no			
724	24903	006842	5s <b>∳ī⁄u⊉</b> s, hydroly starch, hydroge	sed	yes	no		In complia with the purity criteria for maltitol	nce

				syrup	
				Ē	
				965(ii)	
				as laid	
				down	
				in	
				Commis	ssion
				Directiv	re
				2008/60	/
				EC <sup>e</sup>	

F16

726	83599	0068442r	Arthon	Ves	no	yes	(9)		
120		r c 2 r v v c s s s a	products of oleic acid, 2- mercapte ester, with dichloro sodium sulphide and	oethyl dimethy	ltin,	yes			
727	43360	0068442e	881Hiloso egenera	eyes ited	no	no			
728	75100	v F S C b a r t t	<b>Shaholic</b> <b>at 21</b> ,0 liesters with primary, saturated $C_8$ - $C_{10}$ pranched lcohols nore han 50 % $C_9$	d	no	no	(26) (32)	Only to be used as: (a) (b)	(7) plasticise in repeated use materials and articles; plasticise in single- use materials and articles contactin non- fatty foods except

								(c)	for infant formulae and follow- on formulae as defined by Directive 2006/141/ EC or processed cereal- based foods and baby foods for infants and young children as defined by Directive 2006/125/ EC; technical support agent in concentrations up to 0,1 % in the final product.
729	75105	002676	5 <b>p49h4</b> lic la <b>4ft</b> d,0 diesters with primary saturate C <sub>9</sub> -C <sub>11</sub> alcohols	, d	no	no	(26) (32)	Only to be used as: (a)	(7) plasticiser in repeated use

	more					materials
	than					and
	90 %					articles;
	C <sub>10</sub>				(b)	plasticiser
	C10				(0)	in
						single-
						use
						materials
						and
						articles
						contacting
						non-
						fatty
						foods
						except
						for
						infant
						formulae
						and
						follow-
						on
						formulae
						as
						defined
						by
						Directive
						2006/141/
						EC
						or
						processed
						cereal-
						based
						foods
						and
						baby
						foods
						for
						infants
						and
						young
						children
						as
						defined
						by
						Directive
						2006/125/
						EC;
					(c)	technical
						support
						agent
						in
						concentrations
						up
I	· I		 	ļ	I	1

730	66930	006855	4n7Qthlyls	i <b>J</b> æssquic	mane	no			< 1 mg methylt kg of		ane/
731	18220	006856		no ninound	yes ecanoic	no	0,05			(2)	
732	45450	006861	cresol-		no ne-	yes	5				
733	10599/9	2 <b>DA</b> 6878.	3a4ilds, fatty, unsatura (C <sub>18</sub> ), dimers, hydroge distilled and non- distilled	enated,	yes	no		(18)		(1)	
734	46380	006885	5 <b>d5att</b> Oma earth, soda ash flux- calcined	-	no	no					
735	40120	006895	lb5s(p8oly	<b>estes</b> ylene	glycol)h	y <b>ndb</b> oxym	et <b>fo</b> ylpho	osphonat	e		
736	50960	006922	octyltin ethylene	yes eglycol captoace	no tate)	no		(10)			
737	77370	007014	2 <b>p34y6</b> th dipolyh	y <b>læis</b> egly ydroxyst		no					
738	60320	007032	128 <b>62-7</b> hydroxy	yes 7-3,5-	no	yes	1,5				

			bis(1,1- dimethy		phenyl]b	enzotria	zole		
739	70000	007033	oxamid (3,5- di-tert- butyl-4-	phenyl)		no			
740	81200	007187	triazine diyl]- [(2,2,6,0 tetrame piperidy	3- thylbutyl -2,4- 6- thyl-4- (1)- exameth thyl-4-	no )amino]- ylene[(2		3		
741	24070 83610	007313	8r821r6 acids and rosin acids	yes	yes	no			
742	92700	007830	1242,45,4- tetrame: (2,3- epoxypri oxa-3,2 diazadis [5.1.11. heneico one, polyme:	thyl-20- ropyl)-7- 0- spiro- 2]- san-21-	no	yes	5		
743	38950	0079072	2b <b>9x(</b> 41- ethylber	yes nzyliden	no e)sorbito	no l			
[ <sup>F15</sup> 744	18888	080181	hydroxy acid-3-	no ybutanoid ypentano ner		no		(35)	The substance is used as product obtained by bacterial fermentation. In compliance with

								the specifications mentioned in the Table 4 of Annex I.]
745	68145	008041	0232'-9'- yes nitrilo(triethyl tris(3,3',5,5'- tetra- tert- butyl-1,1'- bi- phenyl-2,2'- diyl)phosphite)	no	yes	5		SML expressed as sum of phosphite and phosphate
746	38810	008069	3508(21,6- yes di-tert- butyl-4- methylphenyl)po diphosphite	no entaeryth	yes ritol	5		SML expressed as sum of phosphite and phosphate
747	47600	008403	0 <b>d6-h-5</b> yes dodecyltin bis(isooctyl mercaptoacetate	no )	yes		(25)	
748	12765	0084434	4N-228 no aminoethyl)- β- alanine, sodium salt	yes	no	0,05		
749	66360	008520	9292'-2 yes methylene bis(4,6- di-tert- butylphenyl) sodium phosphate	no	yes	5		
750	66350	0085209	9292'-4 yes methylenebis(4, di-tert- butylphenyl) lithium phosphate	no 6-	no	5		
751	81515	008718	9 <b>p25y(</b> zinges glycerolate)	no	no			

[ <sup>F2</sup> 752	39890	008782 006915 4 005468 008154	8-41- 6-97-4	h <b>yeb</b> enzy	lindene)s	onkoitjol					
753	62800	009270		yes 1	no	no					
754	56020	009988	0g <b>64e5</b> ro dibehen		no	no					
755	21765	010624			yes	no	0,05			(1)	
756	40020	011055		yes Ithiomet henol	no hyl)-6-	yes		(24)			
757	95725	011063	8vetnoicu reaction product with citric acid, lithium salt	1	no	no					
758	38940	011067		yes ecylthior henol	no nethyl)-(	yes 5-		(24)			
759	54300	011833	ethylide di-tert- butylph	yes nebis(4,0 enyl) hosphoni		yes	6				
760	83595	011934	5r@defion product of di- tert- butylph with bipheny obtained by condens of 2,4- di-tert- butylph with Friedel Craft	osphonit 1, d sation	no e	no	18		Compos —	4,4'- bipheny bis[0,0- bis(2,4- di- tert-	enyl)phosphonite] 3-77-3)

reaction product of phosphorous trichloride and biphenyl		4,3'- biphenylene- bis[0,0- bis(2,4- di- tert- butylphenyl)phosphonite] (CAS No 0118421-00-4) (17-23 %
		 w/ w (*)), 3,3'- biphenylene- bis[0,0- bis(2,4- di- tert- butylphenyl)phosphonite] (CAS No
		 0118421-01-5) (1-5 % w/ w (*)), 4- biphenylene-0,0- bis(2,4- di- tert- butylphenyl)phosphonite (CAS
		 No 0091362-37-7) (11-19 % w/ w (*)), tris(2,4- di- tert- butylphenyl)phosphite (CAS
		No 0031570-04-4) (9-18 % w/ W (*)),

									<pre>4,4'- biphenylene-0,0- bis(2,4- di- tert- butylphenyl)phosphonate-0 bis(2,4- di- tert- butylphenyl)phosphonite (CAS No 0112949-97-0) (&lt; 5 % w/ w (*)) </pre>
								(*) Other	Quantity of substance used/ quantity of formulation
								specific	ations: Phosphor content of min. 5,4 % to max. 5,9 %,
									Acid value of max. 10 mg KOH per gram,
									Melt range of 85– 110 °C,
761	92930	012021	8 <b>tBi⁄ođ</b> ietl methoxy dimethy	h <b>aes</b> olbis( ycarbony 1-1,4-	( <b>Б</b> ю 1-2,6-	no	6		

			dihydro carboxy	pyridine late)	-3-			
762	31530	012396	acid, 2,4-di- tert- pentyl-6 (1- (3,5- di-tert- pentyl-2	2-	no ethyl)pho	yes	5	
763	39925	012922	bis(met	yes hoxymet Ihexane	no hyl)-2,5-	yes	0,05	
764	13317	013245	bis[4- (ethoxy		yes )phenyl] carboxy		0,05	Purity > 98,1 % (w/w). Only to be used as co- monomer (max 4 %) for polyesters (PET, PBT).
765	49485	013470	dimethy (1-		no yl)pheno	yes I	1	
766	38879	013586	1 <b>556(-3</b> 24- dimethy	yes Ibenzyli	no dene)sor	no bitol		
767	38510	0136504	bis(3-	r 2,6,6- thyl-4-	no iylenedia	no mine,	5	

			trichloro triazine	<b>b-1,3,5-</b>					
768	34850		tallow alkyl) oxidised	i l	no d	no		Not to be used for articles in contact with fatty foods for which [ <sup>F2</sup> simu D1 and/ or D2] is laid down. Only to be used in: (a)	
769	74010	014565	DefiOsspho acid, bis(2,4- di-tert- butyl-6- methylp ethyl ester	-	no	yes	5	SML express as sum of phosph and phosph	ite
770	51700	014731	525(04,26- dipheny triazin-2 yl)-5- (hexylo	1-1,3,5-	no	no	0,05		

771	34650	015184	latinfini hydroxy [2,2'- methyle (4,6- di-tert- butylph phospha	vbis mebis enyl)	no	no	5				
772	47500	015325		yes hexyl-2,6 lene xamide	no 5-	no	5				
773	38840	015486	2 <b>b4s(2</b> 84- dicumy diphosp	phenyl)	no pentaeryt	yes hritol-	5		phospha and its hydroly product (2,4-	ce 1 lphenyl)p ate sis	entaerythritol-
774	95270	016171	tris(tert-	nenyl-2- 3- diol	no	yes	2		SML express as sum of phosphi phospha and the hydroly product = TTBP	te, ate sis	
775	45705	016641			no Irboxylic	no		(32)			
776	76723	016788	3pbbydin 3- aminop termina	ropyl	) xaone,	no			The fraction with molecul		

			polymer with dicyclol diisocya	nexylme	thane-4,4	<u>/_</u>		weight below 1 000 Da $[^{F2}$ shall] not exceed 1,5 % (w/w)	
777	31542	0174254	ta2bylic acid, methyl ester, telomer with 1- dodecar $C_{16}-$ $C_{18}$ alkyl esters	yes	no	no		0,5 % in final product	(1)
778	71670	017867	lp <b>58td</b> ery tetrakis (2- cyano-3 dipheny		no	yes	0,05		
[ <sup>F2</sup> 779	39815	018212		yes hoxymet	no hyl)fluor	yes ene	0,05		[ <sup>F9</sup> (2)]]
780	81220	019226	[[6- [N- (2,2,6,6) tetramet piperidi n- butylam triazine- diyl] [(2,2,6,0) tetramet piperidi hexanec tetramet	thyl-4- nyl)- -2,4- 6- thyl-4- nyl)imin liyl[(2,2, thyl-4- nyl)imin	o]-1,6- 6,6-	no	5		

			hexyl]- [1,3,5- triazine- triamine ω- N,N,N ',N'-	nyl)- - hyl-4- nylamin -2,4,6- 2]- yl-1,3,5- -2,4-	o)-				
781	95265	022709	946 <b>0</b> ,57- tris(4- benzoyl benzene		no	no	0,05		
782	76725	066147		ropyl ted,	y1-3,5,5-	no			The fraction with molecular weight below 1 000 Da [ <sup>F2</sup> shall] not exceed 1 % (w/w)
783	55910	073615	OgfoGeðrið castor- oil mono-, hydroge acetates	enated,	no	no		(32)	
[ <sup>F10</sup> 784	95420	074507	tris (2,2- di-	yes propanam	no nido)	no	5]		
785	24910	000010	0terep9hth acid	atlic	yes	no		(28)	

786	14627	000011	7 <del>3</del> 21-5 chlorop anhydri		yes	no	0,05	SML expressed as 3- chlorophthalic acid
787	14628	000011	8445-6 chlorop anhydri		yes	no	0,05	SML expressed as 4- chlorophthalic acid
788	21498	000253	0 <b>[3</b> 5-0 (methac	no ryloxy)p	yes propyl]tri	no methoxy	0,05 silane	Only (1) to be (11) used as a surface treatment agent of inorganic fillers
789	60027		hydroge homopo and/or copolym made of 1- hexene and/ or 1- octene and/ or 1- decene and/ or 1- dodecer and/ or 1- tetradec (Mw: 440– 12 000)	ners	no	no		Average (2) molecular weight not less than 440 Da. Viscosity at 100 °C not less than 3,8  cSt $(3,8 \times 10^{-6} \text{ m}^2/\text{s}).$
790	80480		1 <b>p07y86-</b> 1 <b>m18rp7</b> ho triazine diyl)- [(2,2,6,6 tetrame	lino-1,3, -2,4- 6-		no	5	Average (16) molecular weight not less than

			hexa- methylene- [(2,2,6,6- tetramethyl-4- piperidyl)imin	0)]			$\begin{vmatrix} 2 \ 400 \\ Da. \\ Residual \\ content \\ of \\ morpholine \\ \leq \\ 30 \ mg/ \\ kg, of \\ N,N'- \\ bis(2,2,6,6- \\ tetramethylpiperidin-4- \\ yl)hexane-1,6- \\ diamine \\ < 15 \\ 000 \ mg/ \\ kg, \\ and of \\ 2,4- \\ dichloro-6- \\ morpholino-1,3,5- \\ triazine \\ \leq \\ 20 \ mg/ \\ kg. \end{vmatrix}$
791	92470	010699	0N4,N6 yes ',N ",N"- tetrakis(4,6- bis(N- butyl- (N- methyl-2,2,6,6 tetramethylpip yl)amino)triazi yl)-4,7- diazadecane-1, diamine	eridin-4- in-2-	no	0,05	
792	92475	020325	5381'-5,5' -yes tetrakis(tert- butyl)-2,2'- dihydroxybiph cyclic ester with [3-(3- tert- butyl-4- hydroxy-5- methylphenyl) acid		yes	5 onous	SML expressed as the sum of phosphite and phosphate form of the substance and the

								hydrolysis products
793	94000	000010	2tr7l&tH6an	oyænine	no	no	0,05	SML expressed as the sum of triethanolamine and the hydrochloride adduct expressed as triethanolamine
[ <sup>F13</sup> 794	18117	000007	9g1 <b>%</b> eðlic acid	no	yes	no		Only to be used for manufacture of polyglycolic acid (PGA) for (i) indirect food contact behind polyesters such as polyethylene terephthalate (PET) or polylactic acid (PLA); and (ii) direct food contact behind polyesters such as polyethylene terephthalate (PET) or polylactic acid (PLA); and (ii) direct food contact of a blend of PGA up to 3 % w/ w in PET

									or PLA. ]	
795	40155	012417	bis(2,2, tetrame piperidy N,N'-	thyl-4- /l)-	no thylened	no iamine	0,05			(2) (12)
796	72141	001860	(1,4-	yes ne)bis[4 azin-4-	no H-3,1-	yes	0,05		SML includin the sum of its hydroly product	sis
[ <sup>F13</sup> 797	76807	007301	8p26y5ste of adipic acid with 1,3- butaned 1,2- propane and 2- ethyl-1- hexanol	iol, diol	no	yes		(31) (32)]		
798	92200	000642	2t&@phth acid, bis(2- ethylhe:	i <b>alės</b> xyl)ester	no	no	60	(32)		
[ <sup>F10</sup> 799	77708		polyeth (EO = 1-50) ethers of linear and branche primary (C <sub>8</sub> - C <sub>22</sub> ) alcohols		cob	no	1,8		In complia with the maximu ethylend oxide content as laid down in the purity criteria for food additive in Commis Regulat	s ssion

								(EU) No 231/201 I	2.
800	94425	000086	7 <b>trliðtlö</b> yl phospho	yes onoaceta	no te	no		Only for use in PET	
801	30607		acids, C <sub>2</sub> - C <sub>24</sub> , aliphatilinear, monoca from natural oils and fats, lithium salt	yes c, rboxylic	no ,	no			
802	33105	014634	<b>Calcobols</b> $C_{12}$ - $C_{14}$ seconda $\beta$ -(2- hydroxy ethoxyl	ury, yethoxy),	no	no	5		(12)
803	33535	015226	alkenes C <sub>24</sub> ) copolyr with maleic anhydri reaction product with 4- amino-2	ner de,	idine	no		Not to be used for articles in contact with fatty foods for which [ <sup>F2</sup> simul D1 and/ or D2] is laid down. Not to be used in contact	(13) ant

								with alcoholic foods.
804	80510	101012	diyl)- block- poly(x- oleyl-7- hydroxy diimino diyl), process mixture with x = 1 and/ or 5, neutrali with	,1- - bane-1,3- 7-1,5- octane-1	,8-	no		Only to be used as polymer production aid in polyethylene (PE), polypropylene (PP) and polystyrene (PS)
805	93450		and	ner chlorosili	no ane ylenepho	no		The content of the surface treatment copolymer of the coated titanium dioxide is less than 1 % w/ w
806	14876	000107		no xanedica	yes rboxylic	no	5	Only to be used for manufacture of polyesters
[ <sup>F11</sup> 807	93485		titanium nitride, nanopar		no	no		No migration of titanium nitride nanoparticles.

									Only to be used in polyethy terephth (PET) up to 20 mg/ kg. In the PET, the agglome have a diamete of 100-500 consisti of primary titanium nitride nanopar primary particles have a diamete of approxi 20 nm. ]	erates r ) nm ng ticles; s r
808	38550	088207	3 <b>b4s(4)</b> propylb	yes enzylide	no ne)propy	no lsorbitol	5		SML includir the sum of its hydroly product	sis
809	49080	085228	(2,6- diisopro [4- (1,1,3,3 tetramet	hylbutyl	no yl)-6- )phenox nolin-1,3	yes y]-1H- (2H)-	0,05		Only for use in PET	(6) (14) (15)
810	68119		neopent glycol, diesters and	yles	no	no	5	(32)	Not to be used for	

			monoes with benzoic acid and 2- ethylhe: acid					articles in contact with fatty foods for which [ <sup>F2</sup> simulant D1 and/ or D2] is laid down.
811	80077	006844	lpb <b>ly8</b> th waxes, oxidised		no	no	60	
[ <sup>F13</sup> 812	80350	012457	copolyn	vstearic yleneimi ner	no	no		Only to be used in plastics up to 0,1 % w/w. Prepared by the reaction of poly(12- hydroxystearic acid) with polyethyleneimine. ]
813	91530		sulphos acid alkyl (C <sub>4</sub> - C <sub>20</sub> ) or cyclohe diesters salts	xyl	no	no	5	
814	91815		sulphos acid monoal (C <sub>10</sub> - C <sub>16</sub> ) polyeth		no col	no	2	

		esters, salts						
815	94985	mixed triesters and diesters with benzoic acid and 2- ethylhe acid	xanoic		no	5	(32)	Not to be used for articles in contact with fatty foods for which [ <sup>F2</sup> simulant D1 and/ or D2] is laid down
816	45704	cis-1,2- cyclohe acid, salts	yes xanedica	no trboxylic	no	5		
817	38507	 dicarbo acid, salts	xylic	no ptane-2,3	no 3-	5		Not to be used with polyethylene in contact with acidic foods. Purity $\geq$ 96 %.
818	21530	 methall acid, salts	y <b>ha</b> ulpho	n <b>jæ</b> s	no	5		
819	68110	neodeca acid, salts	nyæic	no	no	0,05		Not to be used in polymers contacting fatty foods. Not to be

								used for articles in contact with fatty foods for which [ <sup>F2</sup> simul D1 and/ or D2] is laid down. SML expresse as neodeca acid.	ed
820	76420		pimelic acid, salts	yes	no	no			
821	90810		stearoyl- lactylic acid, salts	<b>ŷe</b> s	no	no			
[ <sup>F17</sup> 822	71938		Perchlor acid, salts	jæs	no	no	0,002		(4)]
823	24889		5- Sulphois acid, salts	no ophthali	yes ic	no	5		
854	71943	032923	8p2#fl6iorc acetic acid, α- substitut with the copolym of perfluorc propylen glycol and perfluorc ethylene	ed er p-1,2- le p-1,1-	no	no		Only to be used in concent up to 0,5 % w/w in the polymen of fluoropo that are processo	risation blymers

		glycol, terminate with chlorohex groups		opropylo	ху	at tempera at or above 340 °C and are intended for use in repeated use articles	1
[ <sup>F18</sup> 855	40560	(butadien, styrene, methyl methacry copolyme cross- linked with 1,3- butanedic dimethact	'late) er ol	no	no	Only to be used in rigid poly(vin chloride (PVC) at a maximu level of 12 % at room tempera or below.	e) m
[ <sup>F19</sup> 856	40563	25101-2 <b>(buttadien)</b> styrene, methyl methacry butyl acrylate) copolyme cross- linked with divinylbe or 1,3- butanedic dimethacr	rlate, er enzene ol	no	no	Only to be used in:	rigid poly(vinyl chloride) (PVC) at a maximum level of 12 % at room temperature or below; or

> at up to 40 % w/ w in blends of styrene acrylonitrile copolymer (SAN)/ poly(methyl methacrylate) (PMMA) repeatuse articles at room temperature or below, and when either in contact only with aqueous, acidic and/ or low alcoholic (< 20 %) foodstuffs for less than 1 day, or when in contact only with dry foodstuffs for any duration of

									time.
857	66765	003795	3(fthefthyl methacr butyl acrylate styrene, glycidyl methacr copolyn	ylate, , l ylate)	no	no		Only to be used in rigid poly(vin chloride (PVC) at a maximu level of 2 % at room tempera or below. ]	nyl 2) 1m
[ <sup>F7</sup> [ <sup>X1</sup> 85	838565	009049	bis[2- (3-(3- tert- butyl-4- hydroxy methylp dimethy	7-5- henyl)pi lethyl]-2	no ropionylo 2,4,8,10- 5]undeca		0,05	enoylox dimethy [(3-(3- tert- butyl-4- hydroxy methylp dimethy	ce on /-5- ohenyl)prop-2- y)-1,1- /lethyl]-9- /-5- ohenyl)propionyloxy)-1,1- /lethyl]-2,4,8,10- spiro[5,5]- ie ium

							methid
							tautomer.
[ <sup>F4</sup> 859		(butadie	nyæ,s	no	no		Only
		ethyl					to be
		acrylate	,				used
		methyl					as
		methacr					particles
		styrene)					in
		copolyn	ner				non-
		crosslin	ked				plasticised
		with					PVC
			enzene,				up to
		in					10 %
		nanofor	m				w/w in
							contact
							with
							all
							food
							types
							at
							room
							temperature
							or
							below
							including
							long-
							term
							storage.
							When
							used
							together
							with
							the
							substance
							with
							FCM
							No
							998
							and/
							or the
							substance
							with
							FCM
							No
							1043,
							the
							restriction
							of
							10 %
							10 % W/W
							applies to the
					ļ		

							sum of those substances. The diameter of particles shall be $>$ 20 nm, and for at least 95 % by number it shall be $>$ 40 nm. ]
860	71980		acid]	/))propar	no	no	Only to be used in the polymerisation of fluoropolymers that are processed at temperatures at or above 265 °C and are intended for use in repeated use articles
861	71990	001325	2 <b>pt3ff6</b> ior (n- propoxy acid]	'ଦୁ&ିକ /)propano	no pic	no	Only to be used in the polymerisation of fluoropolymers that are

								processed at temperatures at or above 265 °C and are intended for use in repeated use articles
[ <sup>F13</sup> 862	15180	001808	530 <b>2</b> -4 diacetox butene	no ky-1-	yes	no	0,05	SML (17) includin (19)] the hydrolysis product 3,4- dihydroxy-1- butene Only to be used as a co- monomer for ethylvinylalcohol (EVOH) and polyvinylalcohol (PVOH) copolymers.
[ <sup>F18</sup> 863	15260	000064	512503 decaned	no liamine	yes	no	0,05	Only to be used as a co- monomer for manufacturing polyamide articles for repeated use in contact with aqueous, acidic

								and dairy foodstuinat room temperat or for short term contact up to 150 °C. ]	
864	46330	000005	diaminc	yes 6- ⁄pyrimid	no ine	no	5	Only to be used in rigid poly(vir chloride (PVC) in contact with non- acidic and non- alcoholi aqueous food	c
[ <sup>F11</sup> 865	40619	002532	2(Ð9tØl acrylate methyl methacr butyl methacr copolyn	ylate, ylate)	no	no		Only to be used in: (a) (b)	rigid poly(vinyl chloride) (PVC) at a maximum level of 1 % w/ w; polylactic acid (PLA) at a

								maximum level of 5 % w/ W. ]
866	40620		(butyl acrylate methyl methacr copolyn cross- linked with allyl methacr	ylate) ner,	no	no	Only to be used in rigid poly(vin chloride (PVC) at a maximu level of 7 %	:)
867	40815	004047	l(DBE21 methacr ethyl acrylate methyl methacr copolyn	, ylate)	no	no	Only to be used in rigid poly(vin chloride (PVC) at a maximu level of 2 %	
[ <sup>F11</sup> 868	53245	000901	0(88)2 acrylate methyl methacr copolyn	ylate)	no	no	Only to be used in: (a) (b)	rigid poly(vinyl chloride) (PVC) at a maximum level of 2 % w/ w; polylactic acid (PLA) at

								(c)	a maximum level of 5 % w/ w; polyethylene terephthalate (PET) at a maximum level of 5 % w/ w. ]
869	66763	002713	6(būts) acrylate methyl methacr styrene) copolyn	ylate,	no	no		Only to be used in rigid poly(vin chloride (PVC) at a maximu level of 3 %	;)
870	95500	016053	',N"- tris(2-	-	no yl)-1,2,3	no	5		
[ <sup>F20</sup> 871		028791	detector acid, 12- amino-, polymen with ethene, 2,5- furandic α- hydro- ω- hydro- ω- hydroxy (oxy-1,2)	r one, īpoly	no	no		Only to be used in polyole: at levels of up to 20 weight %. These polyole: shall	

			ethaned and 1- propene					only be used in contact with foods for which Table 2 of Annex III assigns food simulant E, at ambient temperature or below, and when migration of the total oligomeric fraction of less than 1 000 Da does not exceed 50 µg/ kg food.
[ <sup>F21</sup> 872		000660	phenyl- bis(4-		yes ohthalimi	no idine	0,05	To be (20)] used only as a co- monomer in polycarbonate copolymers
[ <sup>F18</sup> 873	93460		titanium dioxide reacted with octyltrie	iyes ethoxysil	no ane	no		Reaction product of titanium dioxide

									with up to 2 % w/w surface treatment substance octyltriethoxysilane, processed at high temperatures. ]
[ <sup>F7</sup> 874	16265	015606	dimethy (4'- hydroxy methoxy ω-3- dimethy (4'- hydroxy methoxy	7-3'- yphenyl) 1-3- 7-3'-	yes propylsil xane		0,05	(33)	Only to be used as comonomer in siloxane modified polycarbonate. The oligomeric mixture shall be characterised by the formula C $_{24}$ H $_{38}$ Si $_2$ O $_5$ (SiOC $_2$ H $_6$ )n (50 > n $\geq$ 26).
875	80345	005812	8 <b>p21y6</b> 12 hydroxy acid) stearate	-yes vstearic	no	yes	5		
878	31335		acids, fatty ( $C_8$ - $C_{22}$ ) from animal or vegetab fats	yes le	no	no			

			and oils, esters with branche alcohols aliphatic monohy saturate primary (C <sub>3</sub> - C <sub>22</sub> )	s, c, dric, d,					
879	31336		acids, fatty $(C_8$ - $C_{22})$ from animal or vegetab fats and oils, esters with alcohols linear, aliphatic monohy saturate primary $(C_1$ - $C_{22})$	s, c, rdric, d,	no	no			
[ <sup>F10</sup> 880	31348		acids, fatty (C <sub>8</sub> - C <sub>22</sub> ), esters with pentaery		no	no			
881	25187	000301	02926,45,45 tetramen diol	no hylcyclo	yes butane-1	no ,3-	5	Only for: (a)	repeated use articles for long term storage at room

I				I	1	I	1		temperature
									temperature or
									below
									and
									hotfill;
								(b)	single
									use
									materials
									and
									articles
									as
									a
									co-
									monomer
									at
									a
									maximum
									use level
									of
									35
									mole
									%
									of
									the
									diol
									component
									of
									polyesters,
									and if
									such
									materials
									and
									articles
									are
									for
									long
									term
									storage
									at
									room tomporature
									temperature or
									below
									of
									food
									types which
									which
									have
									an
									alcohol
									content

									of up to 10% and for which Table 2 of Annex III does not assign simulant D2. Hot fill conditions are allowed for such single use materials and articles. ]
882	25872	000241	62934,66 trimethy	no /lphenol	yes	no	0,05		
883	22074	000445	7371-0 methyl- pentane	no 1,5- diol	yes	no	0,05	Only to be used in materials in contact with food at a surface to mass ratio up to 0,5 dm <sup>2</sup> / kg	5

884	34240	acid, esters with pheno	lphonic	no	no	0,05	Not to be used for articles in contact with fatty foods for which [ <sup>F2</sup> simulant D1 and/ or D2] is laid down.
885	45676	0263244e <b>§</b> 4 <b>I&amp;</b> oligon of (butyle tereph		no	no		Only to be used in poly(ethylene terephthalate) (PET), poly(butylene terephthalate) (PBT), polycarbonate (PC), polystyrene (PS) and rigid poly(vimyl chloride) (PVC) plastics in concentrations up to 1 % w/ w, in contact with aqueous, acidic and alcoholic foods, for long

[ <sup>F18</sup> 894	93360	001654	5tbioßipr acid, ditetrade ester		no	no		(14)	term storage at room tempera	ture.
895	47060	017109	di-tert- butyl-4-	/phenyl)j d	no propanoi	no c	0,05		Only to be used in polyoled in contact with foods other than fatty/ high- alcoholi and dairy product	с
896	71958	095844	perfluor [(3- methoxy	y- y)propan	no	no			Only to be used in the polymer of fluoropo when: —	

						up to 30 % w/ w for use in blends with polyoxymethylene polymers and intended for repeated use articles.
[ <sup>F7</sup> 902	0000	128142-9 yes benzisothiazol- one 1,1- dioxide, sodium salt	no 3(2H)-	no	The substand shall comply with the specific purity criteria as set out in Commis Regulat (EU) No 231/201 <sup>h</sup> . ]	ssion ion
[ <sup>F4</sup> 903	3748	6-6214- yes perfluoro- [(5,8,11,14- tetramethyl)- tetraethylenegl ethyl propyl ether]	no ycol	no	Only to be used as a polymen product aid in the polymen of fluoropo intendec for: (a)	ion risation plymers

minutes.	(b)	
----------	-----	--

923	39150	000012	0 <b>N4,0N1</b> bis(2-	yes	no	no	5	The residual	(18)
			hydroxy	ethyl)dc	decanan	nide		amount	
								of diethand	lomina
								in	plainine
								plastics	,
								as an	
								impurity and	Y
								decomp	osition
								product	
								of the	
								substan	
								[ <sup>F2</sup> shall] not	
								result	
								in a	
								migration of	on
								diethan	olamine
								higher	
								than	
								0,3 mg/ kg	
								food.	
924	94987		trimethy	y <b>kads</b> propa	LIMCE),	no	0,05	Only	
			mixed					for	
			triesters and					use in PET in	
			diesters					contact	
			with					with	
			n					all	
			octanoi and n-	¢				types of	
			decanoi	c				foods	
			acids					other	
								than	
								fatty, high-	
								alcoholi	ic
								and	
								dairy	
								product	S.
926	71955	090802	0p52fW101		no	no		Only to be	
			ethylox ethoxy)	y- acetic				to be used	
			acid],					in the	
			ammon	ium				polyme	risation
			salt					of fluoron	1
								Innorobe	olymers

							that are processe at tempera higher than 300 °C for at least 10 minutes	tures
[ <sup>F4</sup> 969		24937-7	/&tBylend vinyl acetate copolyn wax		no	no	Only to be used as a polymen additive up to 2 % w/ w in polyole: The migratic of low molecul weight oligome fraction below 1 000 Da shall not exceed 5 mg/ kg food. ]	fins. on lar eric
971	25885	000245	9 <del>trlith</del> ðthy trimellit	vho ate	yes	no	Only to be used as a co- monom up to 0,35 % w/w to produce modifie polyeste intended to be	d ers

								used in contact with aqueous and dry foodstuffs containing no free fat at the surface.
972	45197	001215	8eð <b>þpæ</b> r hydroxi phospha	de	no	no		
973	22931	001943	0 <del>(</del> <b>P3</b> # <b>1</b> 400	noobutyl)	e <b>ţle</b> şlene	no		Only to be used as a co- monomer up to 0,1 % w/w in the polymerisation of fluoropolymers, sintered at high temperatures.
[ <sup>F17</sup> 974	74050	939402	and 4- (1,1-	'lpropyl) 'lpropyl)		yes	10	SML expressed as the sum of the phosphite and phosphate forms of the substance, 4-tert- amylphenol and 2,4-di- tert- amylphenol. The migration

								of 2,4- di-tert- amylphenol shall not exceed 1 mg/ kg food. ]]
[ <sup>F7</sup> 979	79987		(polyeth terephth hydroxy polybut pyrome anhydri copolyn	alate, vlated adiene, llitic de)	no	no		Only to be used in polyethylene terephthalate (PET) at a maximum level of 5 % w/w. ]
[ <sup>F21</sup> 988		3634-83	9-11,3- bis(isoc	no yanatom	yes ethyl)ber	no nzene	(34)	SML(T) applies to the migration of its hydrolysis product, 1,3- benzenedimethanamine To be used only as co- monomer in the manufacture of a middle layer coating on a poly(ethylene terephthalate) polymer film in a multilayer film ]

<sup>F4</sup> 998	(butadienyæ,s	no no	Only
	ethyl		to be
	acrylate,		used
	methyl		as
	methacrylate,		particles
	styrene)		in
			non-
	copolymer		
	not cross-		plasticised PVC
	linked,		up to
	in		10 %
	nanoform		w/w in
	nanoronni		contact
			with
			all
			food
			types
			at
			room
			temperature
			or
			below
			including
			long-
			term
			storage.
			When
			used
			together
			with
			the
			substance
			with
			FCM
			No
			859
			and/
			or the
			substance
			with
			FCM
			No
			1043,
			the
			restriction
			of
			10 %
			w/w
			applies
			to the
			sum of
			those
			substances.

		The diameter of particles shall be $>$ 20 nm, and for at least 95 % by number it shall be $>$ 40 nm.
[ <sup>F22</sup> 1007	976-56-7tliethyl[[ftc5- yes no bis(1,1- dimethylethyl)-4- hydroxyphenyl]methyl]phosphonate	Only to be used up to 0,2 % w/w based on the final polymer weight in the polymerisation process to manufacture poly(ethylene terephthalate) (PET).
1016	(methac <b>ryytic</b> no no acid, ethyl acrylate, n- butyl acrylate, methyl methacrylate and butadiene) copolymer in nanoform	Only to be used up to: (a)10 % w/ w/ w in non- plasticised PVC; (b)(b)15 % w/ w in non-

		plasticised PLA. The final material shall be used at room temperature or below. ]
1017	25618-5 prodygly cyresl no no	To be processed under conditions preventing the decomposition of the substance and up to a maximum temperature of 275 °C.
[ <sup>F22</sup> 1030	montmorjičkonite no no clay modified by dimethyldialkyl(C16- C18)ammonium chloride	Only to be used up to 12 % (w/ w) in polyolefins in contact with dry foods to which simulant E is assigned in table 2 of Annex III at room

				temperature or below. The sum of the specific migration of 1- chlorohexadecane and 1- chlorooctadecane shall not exceed 0,05 mg/ kg food. Can contain platelets in the nanoform that are only in one dimension thinner than 100 nm. Such platelets shall be oriented parallel to the polymer surface and shall be fully embedded in the polymer.
[ <sup>F20</sup> 1031	3238-40 fbran-2,5 dicarbox acid	no	5	IOnly(22)to be(23)usedas a

							monomer in the production of polyethylene furanoate. The migration of the oligomeric fraction of less than 1 000 Da shall not exceed 50 µg/ kg food (expressed as furan-2,5- dicarboxylic acid).
1034	3710-30	Р-Ŗ7- octadier	no ne	yes	no	0,05	Only to be used as a crosslinking co- monomer in the manufacture of polyolefins for contact with any type of foods for long term storage at room temperature, including when

			packaged under hot-fill conditions. ]
1043	(butadienyæs ethyl acrylate, methyl methacrylate, styrene) copolymer crosslinked with 1,3- butanediol dimethacrylate, in nanoform	no no	Only to be used as particles in non- plasticised PVC up to 10 % w/w in contact with all food types at room temperature or below including long- term storage. When used together with the substance with FCM No 859 and/ or the substance with FCM No 998, the restriction of 10 %

			w/wappliesto thesum ofthosesubstances.Thediameterofparticlesshallbe >20 nm,andfor atleast95 %bynumberit shallbe >40 nm.l
[ <sup>F20</sup> 1045	119093 p27flboroyfacet acid, 2-[(5- methoxy-1,3- dioxolan-4- yl)oxy]}, ammonium salt	ic no no	Only to be used as a polymer production aid during the manufacture of fluoropolymers under high temperature conditions of at least 370 °C.
1046	zinc yes oxide, nanoparticles, coated with [3- (methacryloxy trimethoxysila (FCM	no no )propyl] ne	Only to be used in unplasticised polymers. The restrictions and specifications

		No 788)						specifie for FCM substand No 788 shall be respecte	ce
1048	624-03-	æthylend glycol dipalmi		no	no		(2)	Only to be used when produce from a fatty acid precurso that is obtained from edible fats or oils.	or
1050		zinc oxide, nanopar uncoate	yes ticles, d	no	no			Only to be used in unplasti polymer	
1051	42774-7	bis(2,2,9 tetrame piperidi isophtha	hyl-4- nyl)	no	no	5			
1052	1455-42	22,4,8,10 tetraoxa diethand ( ' SPG ' )	spiro[5,: ol,β3,β3,	yes Jundeca β9,β9-	no ne-3,9-	5		Only to be used as a monome in the product of polyeste The migratic of oligome of less than 1 000	ion ers. on

						Da shall not exceed 50 µg/ kg food (express as SPG).	ed
1053	fatty acids, C16– 18 saturat esters with dipenta	yes ed, aerythritol	no	no		Only to be used when produce from a fatty acid precurso that is obtained from edible fats or oils ]	or
[ <sup>F22</sup> 1055	7695-91 & 58-95-7 tocoph acetate		no	no		Only to be used as antioxid in polyole	
[ <sup>F23</sup> 1059	co- (R)-3-	रे) <b>nð-</b> ybutyrate yhexanoa		no	(35)	Only to be used either alone or blended with other polymer in contact with all foods under contact conditio of	

							up to 6 months and/or 6 months and more, at room temperature or below, including hot fill or a short heating up phase. The migration of all oligomers with a molecular weight below 1 000 Da shall not exceed 5,0 mg/ kg
1060		ground	yes	no	no		food. Only
		sunflow seed hulls	er				to be used at room temperature or below in contact with foods for which Table 2 of Annex III assigns

			food simulant E. The seed hulls shall be obtained from sunflower seeds that are fit for human consumption. The processing temperature of the plastic containing the additive shall not exceed 240 °C.
[ <sup>F24</sup> 1061	80512-4 <b>2</b> ; <b>3</b> ,4'- no yes trifluorobenzophenone	no	Only to be used as a co- monomer in the manufacture of polyether ether ketone plastics up to 0,3 % w/ w of the final material. ]
1062	mixture no yes composed of 97 %	no	Only to be used for the

	tetraethyl orthosilica (TEOS) with CAS No 78-10-4 and 3 % hexamethy (HMDS) with CAS No 999-97	4 ′ldisilazane		production of recycled PET and at up to 0,12 % (w/w). ]
[ <sup>F24</sup> 1063 1.	547-26-283,3,4,4,r	95- 0-1-	no	Only to be used together with tetrafluoroethylene and/ or ethylene co- monomers to manufacture fluorocopolymers for application as polymer processing aid at up to 0,2 % w/ w of the food contact material, and when the low- molecular mass fraction below 1 500 Da in the fluorocopolymer does not exceed

						30 mg/ kg.
1064	39318-1 <b>8</b> แหญ oxid	stenyes e	no	no	0,05	Stoichio (22) y: WO $n^{,}$ n = 2,72-2,90
1065	85711-2 Shoxt of meth brand and linea C 14 C 18 alkar deriv from fatty acids	yl- ched r - namides, red	no	no	5	Only (26)] to be used in the manufacture of articles made of polyolefins, and which do not come into contact with foods for which food simulant D2 is assigned in Table 2 of Annex III.
[ <sup>F15</sup> 1066	23985-7 <b>5</b> , <b>2</b> ,3 tetral dicar acid, dime ester	hydronaph boxylic thyl	yes nthalene-2	no 2,6-	0,05	Only to be used as a co- monomer in the manufacture of a polyester non- food contact layer in a plastic multilayer

				material, which is to be used only in contact with foods for which food simulants A, B, C and/ or D1 are assigned in Table 2 of Annex III. The specific migration limit in column 8 refers to the sum of the substance and of its dimers (cyclic and open chain). ]
[ <sup>F25</sup> 1067	616-38-6dimethylno carbonate	yes	no	Only to be used:(27)]a)with 1,6- hexanediol in the manufacture

of polycarbonate prepolymers that are used at up to 30 % to manufacture thermoplastic polyurethanes with 4,4'methylenediphenyldiisocya and diols, such as polypropylene glycol and 1,4butanediol. The resulting material shall only be applied in repeated use articles intended to come into shortterm contact  $(\leq 30 \min$ at room temperature) with food for which

			I					simulants
								A
								and/
								or
								В
								are
								assigned
								in Table
								2
								of
								Annex
								III;
								or
							b)	for
								the
								production
								of other
								polycarbonates
								and/
								or
								under
								other
								conditions
								provided
								that the
								migration
								of
								dimethyl
								carbonate
								does
								not
								exceed
								0,05 mg/
								kg food
								and
								that
								the
								migration
								of
								all polycarbonate
								oligomers
								with
								а
								molecular
								weight
								below
								1
ļ								000

								Da together does not exceed 0,05 mg/ kg food.
[ <sup>F15</sup> 1068	2530-83	- <b>8-</b> (2,3-	no	yes	no		Only to be	
		epoxypi	onoxy)n	ropyl]tri	methoxy	,	used	
		silane	opony)p	ropyijai	linetiionij		as a	
		~~~~~					compon	ent
							ofa	
							sizing	
							agent	
							to treat	
							glass	
							fibres	
							to be	1
							embedd in	ed
							glass-	
							fibre-	
							reinforce	ed
							low	ou -
							diffusivi	ty
							plastics	
							(polyeth	ylene
							terephth	alate
							(PET),	
							polycart	oonate
							(PC),	
							polybuty	lene
							terephth	alate
							(PBT),	a.t.
							thermos polyeste	
							and	15
							epoxy	
							bisphene	ol
							vinylest	er)
							in	,
							contact	
							with	
							all	~
							foodstuf	ts.
							In	
							treated	
							glass fibres	
							fibres, residues	
1		l					residues	

						of the substance must not be detectable at 0,01 mg/ kg for the substance and 0,06 mg/ kg for each of the reaction products (hydrolysed monomers and epoxy- containing cyclic dimer, trimer and tetramer). ]
[ <sup>F25</sup> 1069	75-28-5	isobutar	nges	no	no	Only to be used as a blowing agent. ]
[ <sup>F26</sup> 1075		clay modifie with	yltrimet	no hylammo	no	Only to be used as additive at up to 4,0 % w/ w in polylactic acid plastics intended for long- term storage

1			I	1	1			1	C I	
									of	
									water	
									at	
									ambient	
									temperature	
									or	
									below.	
									Can	
									form	
									platelets	
									in the	
									nanoform	
									that	
									are in	
									one or	
									two	
									dimensions	
									thinner	
									than	
									100	
									nm.	
									Such	
									platelets	
									shall	
									be	
									oriented	
									parallel	
									to the	
									polymer	
									surface	
									and	
									shall	
									be	
									fully	
									embedded	
									in the	
									polymer.	
1076		122793	7P4h6os3pho	oycens	no	no	0,05		Only	
			acid,						to be	
			tripheny	y1					used	
			ester,						as an	
			polyme	r					additive	
			with						at up	
			alpha-						to 0,2	
			hydro-						% w/w	
			omega-						in high	
				poly[ox]	y(methyl	-1,2-			impact	
			ethaned	iyl)j		-			polystyrene	
			C10-16						materials	
			alkyl						and	
			ester						articles	
									intended	
			I	I	I		I		t,	

with food at room temperature and below, including hot-fill and/or heating up to 100 °C for up to 2 hours. It shall not be used in contact with foods for which simulant C and/ or D1 is assigned in Annex III.					contact	
77     Titaniumyes dioxide surface- treated with fluoride- modified alumina     no     no     no     Only aussistic for with fluoride- modified alumina     29] to be used in for with fluoride- modified alumina					with	
77     Titaniumyes dioxide surface- treated with fluoride- modified alumina     no     no     no     Only 29] to 2 hours. It shall not be used in contact with foods for which simulant C and/ or D1 is assigned in Annex III.       77     Titaniumyes dioxide surface- treated with fluoride- modified alumina     no     no     Only 29] to be used at aunofied alumina						
77     Titaniumyes dioxide surface- treated with fluorified alumina     no     no     no     Only construction for to 2 hours. It shall not be used in contact with foods for which simulant C and/ or D1 is assigned in Annex III.     29]       77     Titaniumyes dioxide surface- treated with fluorified alumina     no     no     No     29]						
77     Titaniumyes dioxide surface-treated with fluoride-modified alumina     no     no     no     Only 25,0 % w/w, including in the nanoform.						ture
77       Titaniumyes dioxide surface-treated with fluoride-modified alumnia       no       no       no       Only 25,0 % w/w, including in the nanoform.         01L 302, 19.11.2005, p. 28.       01L 302, 19.11.2005, p. 28.       No       No       No       No						
77     Titaniunyes dioxide surface- treated with fluoride- modified alumina     no     no     no     Only to 2 hours. It shall not be used in contact with foods for which simulant C and/ or D1 is assigned in Annex III.       77     Titaniunyes dioxide surface- treated with fluoride- modified alumina     no     no     Only to 2       01L 302, 19.11 2005, p. 28.						
77     Titaniunyes dioxide surface- treated with fluoride- modified alumina     no     no     no     Only contact surface- treated with fluoride- modified alumina     29]       01L 302, 19.11 2005, p. 28.     29]					includir	g
77       Titaniunyes dioxide surface-treated with fluoride-modified alumina       no       no       no       Only 25,0 % W/w, including in the nanoform.         0/L 302, 19.11.2005, p. 28.       DIL 302, 19.11.2005, p. 28.       DIL 302, 19.11.2005, p. 28.       DIL 302, 19.11.2005, p. 28.						
77     Titaniumyes dioxide surface- treated with fluoride- modified alumina     no     no     no     Only to 2 hours. It shall not be used in contact with foods for which simulant C and/ or D1 is assigned in Annex III.       77     Titaniumyes dioxide surface- treated with fluoride- modified alumina     no     no     Only to be used at up to 25,0 % w/w, including in the nanoform.						
77       Titaniumyes dioxide surface-treated with fluoride-modified alumina       no       no       no       Only to be used in contact with fluoride with fluoride modified alumina         07L 302, 19.11.2005, p. 28.       Titaniumyes alumina       no       no       no       Only to be used at up to be used in assigned in the nanoform.						
77     Titaniumyes dioxide surface- treated with fluoride- modified alumina     no     no     no     Only to 2 hours. It shall not be used in contact with foods for which simulant C and/ or D1 is assigned in Annex III.       77     Titaniumyes dioxide surface- treated with fluoride- modified alumina     no     no     No       01L 302, 19.11.2005, p. 28.					up to	
77     Titaniumyes dioxide surface- treated with fluoride- modified alumina     no     no     no     Only construction or D1 is assigned in Annex III.     29] to be used at up to 25,0 % w/w, including in the nanoform.						
77       Titaniumyes dioxide surface-treated with fluoride-modified alumina       no       no       no       Only 253,0% w/w, including in the nanoform.         0JL 302, 19.11.2005, p. 28.       DJL 302, 19.11.2005, p. 28.       DJL 302, 19.11.2005, p. 28.       DJL 302, 19.11.2005, p. 28.						
77       Titaniunyes dioxide surface-treated with fluoride-modified alumina       no       no       no       Only 29] to be used at up to 25,0 % w/w, including in the nanoform.         0/L 302, 19.11.2005, p. 28.       D/L 302, 19.11.2005, p. 28.       D/L 302, 19.11.2005, p. 28.       D/L 302, 19.11.2005, p. 28.						
77       Titaniumyes dioxide surface-treated with fluoride-modified alumina       no       no       no       Only 29] to be used at up to 25,0 % w/w, including in the nanoform.         0/L 302, 19.11.2005, p. 28.       D/L 302, 19.11.2005, p. 28.       D/L 302, 19.11.2005, p. 28.       D/L 302, 19.11.2005, p. 28.						
77       Titaniumyes dioxide surface-treated with fluoride-modified alumina       no       no       Only 29]         0/L 302, 19.11.2005, p. 28.       E						
77       Titaniumyes dioxide surface-treated with fluoride-modified alumina       no       01 L 302, 19.11.2005, p. 28.       01 L 302, 19.11.2005, p. 28.						
77       Titaniumyes dioxide surface-treated with fluoride-modified alumina       no       no       no       Only 29] to be used at up to 25,0 % w/w, including in the nanoform.         01 L 302, 19.11.2005, p. 28.       D0 L 302, 19.11.2005, p. 28.       D0 L 302, 19.11.2005, p. 28.       D0 L 302, 19.11.2005, p. 28.						
77       Titaniumyes dioxide surface-treated with fluoride-modified alumina       no       no       no       Only to be used at up to 25,0 % W/w, including in the nanoform.         01 L 302, 19.11.2005, p. 28.       29.						
77       Titaniumyes dioxide surface-treated with fluoride-modified alumina       no       no       no       Only to be used at up to 25,0 % W/w, including in the nanoform.         01 L 302, 19.11.2005, p. 28.       29.						
77       Titaniumyes dioxide surface-treated with fluoride-modified alumina       no       no       no       Only to be used at up to 25,0 % w/w, including in the nanoform.       29]         OIL 302, 19.11.2005, p. 28.						
77       Titaniumyes dioxide surface-treated with fluoride-modified alumina       no       no       Only to be used at up to 25,0 % w/w, including in the nanoform.       29]         OJ L 302, 19.11.2005, p. 28.						
77       Titaniumyes dioxide surface-treated with fluoride-modified alumina       no       no       no       Only to be used at up to 25,0 % w/w, including in the nanoform.         OUL 302, 19.11.2005, p. 28.						
77       Titaniumyes dioxide surface-treated with fluoride-modified alumina       no       no       Only to be used at up to 25,0 % w/w, including in the nanoform.       29]         OJ L 302, 19.11.2005, p. 28.						t
77       Titaniumyes dioxide surface-treated with fluoride-modified alumina       no       no       Only to be used at up to 25,0 % w/w, including in the nanoform.         OJ L 302, 19.11.2005, p. 28.						-
77       Titaniumyes dioxide surface-treated with fluoride-modified alumina       no       no       Only to be used at up to 25,0 % W/W, including in the nanoform.         0J L 302, 19.11.2005, p. 28.       29.						
77       Titaniumyes dioxide surface-treated with fluoride-modified alumina       no       no       no       Only 29] to be used at up to 25,0 % w/w, including in the nanoform.         OJ L 302, 19.11.2005, p. 28.					D1 is	
77       Titaniumyes dioxide surface-treated with fluoride-modified alumina       no       no       no       Only 29] to be used at up to 25,0 % w/w, including in the nanoform.         OJ L 302, 19.11.2005, p. 28.					assigned	d
77       Titaniumyes dioxide surface-treated with fluoride-modified alumina       no       no       no       Only to be used at up to 25,0 % w/w, including in the nanoform.         OJ L 302, 19.11.2005, p. 28.						
77       Titaniumyes dioxide surface-treated with fluoride-modified alumina       no       no       no       Only to be used at up to 25,0 % W/W, including in the nanoform.         OJ L 302, 19.11.2005, p. 28.					Annex	
dioxide       to be         surface-       used at         treated       up to         with       25,0 %         fluoride-       w/w,         modified       including         alumina       in the         OJ L 302, 19.11.2005, p. 28.					III.	
dioxide       to be         surface-       used at         treated       up to         with       25,0 %         fluoride-       w/w,         modified       including         alumina       in the         OJ L 302, 19.11.2005, p. 28.	077	Titaniur	nyes no	no	Only	291
output       surface-treated with fluoride-modified alumina       used at up to 25,0 % w/w, including in the nanoform.         OJ L 302, 19.11.2005, p. 28.       output       output		dioxide				
with fluoride- modified alumina     25,0 % w/w, including in the nanoform.       OJ L 302, 19.11.2005, p. 28.		surface-				
with fluoride- modified alumina     25,0 % w/w, including in the nanoform.       OJ L 302, 19.11.2005, p. 28.		treated			up to	
OJ L 302, 19.11.2005, p. 28.     including in the nanoform.					25,0 %	
alumina   in the nanoform.   OJ L 302, 19.11.2005, p. 28.						
OJ L 302, 19.11.2005, p. 28.						g
OJ L 302, 19.11.2005, p. 28.		alumina				
					nanofor	m.
OJ L 330, 5.12.1998, p. 32.	OJ L 302, 19.11.	2005, p. 28.	I	l	 	
	OJ L 330, 5.12.1	998, p. 32.			 	

**c** OJ L 253, 20.9.2008, p. 1.

d [<sup>F4</sup>Commission Regulation (EU) No 231/2012 of 9 March 2012 laying down specifications of food additives listed in Annexes II and III to Regulation (EC) No 1333/2008 of the European Parliament and of the Council (OJ L 83, 22.3.2012, p. 1).]

e OJ L 158, 18.6.2008, p. 17.

f [<sup>F5</sup>[<sup>F6</sup>Infant as defined in Article 2(2)(a) of Regulation (EU) No 609/2013 of the European Parliament and of the Council of 12 June 2013 on food intended for infants and young children, food for special medical purposes, and total

diet replacement for weight control and repealing Council Directive 92/52/EEC, Commission Directives 96/8/EC, 1999/21/EC, 2006/125/EC and 2006/141/EC, Directive 2009/39/EC of the European Parliament and of the Council and Commission Regulations (EC) No 41/2009 and (EC) No 953/2009 (OJL 181, 29.6.2013, p. 35).]

- **g** This restriction is applicable from 1 May 2011 as regards the manufacture and from 1 June 2011 as regards the placing on the market and importation into the Union.]
- **h** [<sup>F7</sup>OJ L 83, 22.3.2012, p. 1.]
- i [<sup>F8</sup>Infant as defined in Article 2(2)(a) of Regulation (EU) No 609/2013.
- j Young children as defined in Article 2(2)(b) of Regulation (EU) No 609/2013.]

### **Editorial Information**

X1 Substituted by Corrigendum to Commission Regulation (EU) No 1183/2012 of 30 November 2012 amending and correcting Regulation (EU) No 10/2011 on plastic materials and articles intended to come into contact with food (Official Journal of the European Union L 338 of 12 December 2012).

#### **Textual Amendments**

- **F4** Inserted by Commission Regulation (EU) 2015/174 of 5 February 2015 amending and correcting Regulation (EU) No 10/2011 on plastic materials and articles intended to come into contact with food (Text with EEA relevance).
- **F5** Inserted by Commission Implementing Regulation (EU) No 321/2011 of 1 April 2011 amending Regulation (EU) No 10/2011 as regards the restriction of use of Bisphenol A in plastic infant feeding bottles (Text with EEA relevance).
- **F6** Substituted by Commission Regulation (EU) 2018/213 of 12 February 2018 on the use of bisphenol A in varnishes and coatings intended to come into contact with food and amending Regulation (EU) No 10/2011 as regards the use of that substance in plastic food contact materials (Text with EEA relevance).
- F7 Inserted by Commission Regulation (EU) No 1183/2012 of 30 November 2012 amending and correcting Regulation (EU) No 10/2011 on plastic materials and articles intended to come into contact with food (Text with EEA relevance).
- **F8** Inserted by Commission Regulation (EU) 2018/213 of 12 February 2018 on the use of bisphenol A in varnishes and coatings intended to come into contact with food and amending Regulation (EU) No 10/2011 as regards the use of that substance in plastic food contact materials (Text with EEA relevance).
- **F9** Deleted by Commission Regulation (EU) 2017/752 of 28 April 2017 amending and correcting Regulation (EU) No 10/2011 on plastic materials and articles intended to come into contact with food (Text with EEA relevance).
- **F10** Substituted by Commission Regulation (EU) 2015/174 of 5 February 2015 amending and correcting Regulation (EU) No 10/2011 on plastic materials and articles intended to come into contact with food (Text with EEA relevance).
- **F11** Substituted by Commission Regulation (EU) No 1183/2012 of 30 November 2012 amending and correcting Regulation (EU) No 10/2011 on plastic materials and articles intended to come into contact with food (Text with EEA relevance).
- **F12** Substituted by Commission Regulation (EU) 2020/1245 of 2 September 2020 amending and correcting Regulation (EU) No 10/2011 on plastic materials and articles intended to come into contact with food (Text with EEA relevance).
- **F13** Substituted by Commission Regulation (EU) No 1282/2011 of 28 November 2011 amending and correcting Commission Regulation (EU) No 10/2011 on plastic materials and articles intended to come into contact with food (Text with EEA relevance).
- **F14** Substituted by Commission Regulation (EU) No 202/2014 of 3 March 2014 amending Regulation (EU) No 10/2011 on plastic materials and articles intended to come into contact with food (Text with EEA relevance).

- **F15** Substituted by Commission Regulation (EU) 2019/37 of 10 January 2019 amending and correcting Regulation (EU) No 10/2011 on plastic materials and articles intended to come into contact with food (Text with EEA relevance).
- **F16** Deleted by Commission Regulation (EU) 2015/174 of 5 February 2015 amending and correcting Regulation (EU) No 10/2011 on plastic materials and articles intended to come into contact with food (Text with EEA relevance).
- **F17** Substituted by Commission Regulation (EU) 2018/831 of 5 June 2018 amending Regulation (EU) No 10/2011 on plastic materials and articles intended to come into contact with food (Text with EEA relevance).
- **F18** Inserted by Commission Regulation (EU) No 1282/2011 of 28 November 2011 amending and correcting Commission Regulation (EU) No 10/2011 on plastic materials and articles intended to come into contact with food (Text with EEA relevance).
- **F19** Substituted by Commission Regulation (EU) 2018/79 of 18 January 2018 amending Regulation (EU) No 10/2011 on plastic materials and articles intended to come into contact with food (Text with EEA relevance).
- **F20** Inserted by Commission Regulation (EU) 2016/1416 of 24 August 2016 amending and correcting Regulation (EU) No 10/2011 on plastic materials and articles intended to come into contact with food (Text with EEA relevance).
- **F21** Inserted by Commission Regulation (EU) No 202/2014 of 3 March 2014 amending Regulation (EU) No 10/2011 on plastic materials and articles intended to come into contact with food (Text with EEA relevance).
- **F22** Inserted by Commission Regulation (EU) 2017/752 of 28 April 2017 amending and correcting Regulation (EU) No 10/2011 on plastic materials and articles intended to come into contact with food (Text with EEA relevance).
- **F23** Substituted by Commission Regulation (EU) 2019/1338 of 8 August 2019 amending Regulation (EU) No 10/2011 on plastic materials and articles intended to come into contact with food (Text with EEA relevance).
- **F24** Inserted by Commission Regulation (EU) 2018/79 of 18 January 2018 amending Regulation (EU) No 10/2011 on plastic materials and articles intended to come into contact with food (Text with EEA relevance).
- **F25** Inserted by Commission Regulation (EU) 2019/37 of 10 January 2019 amending and correcting Regulation (EU) No 10/2011 on plastic materials and articles intended to come into contact with food (Text with EEA relevance).
- **F26** Inserted by Commission Regulation (EU) 2020/1245 of 2 September 2020 amending and correcting Regulation (EU) No 10/2011 on plastic materials and articles intended to come into contact with food (Text with EEA relevance).

### **Textual Amendments**

**F1** Word in Annex 1 point 1 omitted (31.12.2020) by virtue of The Materials and Articles in Contact with Food (Amendment) (EU Exit) Regulations 2019 (S.I. 2019/704), regs. 1, **76**; 2020 c. 1, Sch. 5 para. 1(1)

### 2. Group restriction of substances

Table 2 on Group restrictions contains the following information:

Column 1 (Group restriction No): contains the identification number of the group of substances for which the group restriction applies. It is the number referred to in Column 9 in Table 1 of this Annex.

Column 2 (FCM substance No): contains the unique identification numbers of the substances for which the group restriction applies. It is the number referred to in Column 1 in Table 1 of this Annex.

Column 3 (SML (T) [mg/kg]): contains the total specific migration limit for the sum of substances applicable to this group. It is expressed in mg substance per kg food. It is indicated ND if the substance shall not migrate in detectable quantities.

Column 4 (Group restriction specification): contains an indication of the substance whose molecular weight forms the basis for expression of the result.

(1)	(2)	(3)	(4)
Group Restriction No	FCM substance No	SML (T)[mg/kg]	Group restriction specification
1	128 211	6	expressed as acetaldehyde
[ <sup>F2</sup> 2	89 227 263 1048	30	expressed as ethyleneglycol]
3	234 248	30	expressed as maleic acid
4	212 435	15	expressed as caprolactam
5	137 472	3	expressed as the sum of the substances
6	412 512 513 588	1	expressed as iodine
7	19 20	1,2	expressed as tertiary amine
8	317 318 319 359 431 464	6	expressed as the sum of the substances
9	650 695 697 698 726	0,18	expressed as tin
10	28 29 30 31 32 33	0,006	expressed as tin

### TABLE 2

	466 582 618 619 620 646 676 736		
11	66 645 657	1,2	expressed as tin
12	444 469 470	30	expressed as the sum of the substances
13	163 285	1,5	expressed as the sum of the substances
[ <sup>F13</sup> 14	294 368 894]	5	expressed as the sum of the substances and their oxidation products
[ <sup>F10</sup> 15	98 196 344	15	expressed as formaldehyde]
16	407 583 584 599	6	expressed as boron Without prejudice to the provisions of Directive 98/83/EC
17	4 167 169 198 274 354 372 460 461 475 476 485 490 653	ND	expressed as isocyanate moiety
18	705 733	0,05	expressed as the sum of the substances
19	505 516 519	10	expressed as SO <sub>2</sub>

20	290 386 390	30	expressed as the sum of the substances
21	347 349	5	expressed as trimellitic acid
22	70 147 176 218 323 325 365 371 380 425 446 448 456 636	6	expressed as acrylic acid
23	150 156 181 183 184 355 370 374 439 440 447 457 482	6	expressed as methacrylic acid
24	756 758	5	expressed as the sum of the substances
25	720 747	0,05	sum of mono- n-dodecyltin tris(isooctylmercaptoacetate) di-n-dodecyltin bis(isooctyl mercaptoacetate), mono-dodecyltin trichloride and di- dodecyltin dichloride) expressed as the sum of mono- and di- dodecyltin chloride
26	728 729	9	expressed as the sum of the substances

27	188 291	5	expressed as isophthalic acid
28	191 192 785	7,5	expressed as terephthalic acid
29	342 672	0,05	expressed as the sum of 6-hydroxyhexanoic acid and caprolactone
[ <sup>F10</sup> 30	254 344 672	5	expressed as 1,4- butanediol]
31	73 797	30	expressed as the sum of the substances
32	8 72 73 138 140 157 159 207 242 283 532 670 728 729 775 783 797 798 810 815	60	expressed as the sum of the substances
[ <sup>F7</sup> 33	180 874	ND	expressed as eugenol]
[ <sup>F21</sup> 34	421 988	0,05	Expressed as 1,3- benzenedimethanamine]
[ <sup>F25</sup> 35	467 744 1059	0,05	expressed as crotonic acid]

# 3. Notes on verification of compliance

Table 3 on notes on verification of compliance contains the following information:

Column 1 (Note No): contains the identification number of the Note. It is the number referred to in Column 11 in Table 1 of this Annex.

Column 2 (Notes on verification of compliance): contains rules that shall be respected when testing for compliance of the substance with specific migration limits or other restrictions or it contains remarks on situations where there is a risk of non-compliance.

(1)	(2)
Note No	Notes on verification of compliance
(1)	Verification of compliance by residual content per food contact surface area (QMA) pending the availability of an analytical method.
(2)	There is a risk that the SML or OML could be exceeded in fatty food simulants.
(3)	There is a risk that the migration of the substance deteriorates the organoleptic characteristics of the food in contact and then, that the final product does not comply with Article 3(1) c of the Framework Regulation (EC) No 1935/2004.
[ <sup>F11</sup> (4)	Compliance testing when there is a fat contact [ <sup>F2</sup> shall] be performed using saturated fatty food simulants as simulant D2.]
(5)	Compliance testing when there is a fat contact [ <sup>F2</sup> shall] be performed using isooctane as substitute of simulant D2 (unstable).
(6)	Migration limit might be exceeded at very high temperature.
(7)	If testing in food is performed, Annex V 1.4 shall be taken into account.
(8)	Verification of compliance by residual content per food contact surface area (QMA); $QMA = 0,005 \text{ mg/6 dm}^2$ .
(9)	Verification of compliance by residual content per food contact surface area (QMA) pending the availability of analytical method for migration testing. The ratio surface to quantity of food shall be lower than 2dm <sup>2</sup> /kg.
(10)	Verification of compliance by residual content per food contact surface area (QMA) in case of reaction with food or simulant.
(11)	Only a method of analysis for the determination of the residual monomer in the treated filler is available.

# TABLE 3

(12)	There is a risk that the SML could be exceeded from polyolefins.
(13)	Only a method for determination of the content in polymer and a method for determination of the starting substances in food simulants are available.
(14)	There is a risk that the SML could be exceeded from plastics containing more than 0,5 % w/w of the substance.
(15)	There is a risk that the SML could be exceeded in contact with foods with high alcoholic content.
(16)	There is a risk that the SML could be exceeded from low-density polyethylene (LDPE) containing more than 0,3 % w/w of the substance when in contact with fatty foods
(17)	Only a method for determination of the residual content of the substance in the polymer is available
[ <sup>F18</sup> (18)	There is a risk that the SML could be exceeded from low-density polyethylene (LDPE)
(19)	There is a risk that the OML could be exceeded in direct contact with aqueous foods from ethylvinylalcohol (EVOH) and polyvinylalcohol (PVOH) copolymers]
[ <sup>F21</sup> (20)	The substance contains aniline as an impurity; verification of compliance with the restriction set for primary aromatic amines in Annex II (2) is necessary]
[ <sup>F4</sup> (21)	In case of reaction with foods or simulants verification of compliance shall include verification that the migration limits of the hydrolysis products, formaldehyde and 1,4- butanediol, are not exceeded.]
[ <sup>F20</sup> (22)	When used in contact with non-alcoholic foods for which Table 2 of Annex III assigns food simulant D1, food simulant C shall be used for verification of compliance instead of food simulant D1.
(23)	When a final material or article containing this substance is placed on the market, a well described method to determine whether the oligomer migration complies with the restrictions specified in column 10 of Table 1 shall form part of the supporting

	documentation referred to in Article 16. This method shall be suitable for use by a competent authority to verify compliance. If an adequate method is publicly available, reference shall be made to that method. If the method requires a calibration sample, a sufficient sample shall be supplied to the competent authority on its request.]
[ <sup>F22</sup> (24)	The substance or its hydrolysis products are authorised food additives and compliance with Article 11(3) shall be verified.]
[ <sup>F24</sup> (25)	When used as reheat agent in polyethylene terephthalate (PET) verification of compliance with the specific migration limit is not required; in all other cases compliance with the specific migration limit shall be verified in accordance with Article 18; the specific migration limit is expressed as mg tungsten/kg food.
(26)	Migration of stearamide, listed in Table 1 under FCM substance No 306 to which no specific migration limit applies, shall be excluded from verification of the compliance of the migration of the mixture with the specific migration limit laid down for the mixture.]
[ <sup>F25</sup> (27)	When a final material or article containing this substance and produced under conditions other than those described in point (a) column 10 of Table 1 is placed on the market, a well described method to determine whether the oligomer migration complies with the restrictions specified in point (b) column 10 of Table 1 shall form part of the supporting documentation referred to in Article 16. This method shall be suitable for use by a competent authority to verify compliance. If an adequate method is publicly available, reference shall be made to that method. If the method requires a calibration sample, a sufficient sample shall be supplied to the competent authority on its request.]
[ <sup>F26</sup> (28)	A detection limit of 0,002 mg/kg food or food simulant applies
(29)	In polar polymers which swell in contact with foods for which simulant B is assigned in Annex III, there is a risk that under severe contact conditions the migration limits for aluminium and fluoride are exceeded. Under

contact conditions above 4 hours at 100 °C this exceedance can be high.]

4. Detailed specification on substances

Table 4 on detailed specifications on substances contains the following information

Column 1 (FCM substance No): contains the unique identification number of the substances referred to in Column 1 in Table 1 of Annex I to which the specification applies.

Column 2 (Detailed specification on the substance): contains the specification on the substance.

(1)	(2)	
FCM substance No	Detailed specificat	ion on the substance
744	Definition	The copolymers are produced by the controlled fermentation of Alcaligenes eutrophus using mixtures of glucose and propanoic acid as carbon sources. The organism used has not been genetically engineered and has been derived from a single wildtype organism Alcaligenes eutrophus strain H16 NCIMB 10442. Master stocks of the organism are stored as freeze-dried ampoules. A submaster/ working stock is prepared from the master stock and stored in liquid nitrogen and used to prepare inocula for the fermenter. Fermenter samples will be examined daily both microscopically and for any changes in colonial morphology on a variety of agars at different temperatures. The copolymers are isolated from heat treatment bacteria by controlled digestion of the other cellular components, washing and drying. These copolymers are normally offered as formulated, melt formed granules containing additives such as nucleating agents, plasticisers, fillers,

### TABLE 4

	stabilisers and pigments which all conform to the general and individual specifications
Chemical name	Poly(3-D-hydroxybutanoate- co-3-D-hydroxypentanoate)
CAS number	0080181-31-3
Structural formula	where $n/(m + n)$ greater than
 Average molecular weight	0 and less or equal to 0,25 Not less than 150 000 Daltons (measured by gel permeation chromatography)
Assay	Not less than 98 % poly(3- D-hydroxybutanoate-co-3-D- hydoxy-pentanoate) analysed after hydrolysis as a mixture of 3-D-hydro-xybutanoic and 3-D-hydroxypentanoic acids
Description	White to off-white powder after isolation
 Characteristics	
Identification tests:	
Solubility	Soluble in chlorinated hydrocarbons such as chloroform or dichloromethane but practically insoluble in ethanol, aliphatic alkanes and water
 [ <sup>F15</sup> Restriction	Specific migration limit for crotonic acid is 0,05 mg/kg food]
Purity	Prior to granulation the raw material copolymer powder must contain:
 — nitrogen,	Not more than 2 500 mg/kg of plastic
— zinc,	Not more than 100 mg/kg of plastic
 — copper,	Not more than 5 mg/kg of plastic

 —	lead,	Not more than 2 mg/kg of plastic
_	arsenic,	Not more than 1 mg/kg of plastic
	chromium,	Not more than 1 mg/kg of plastic

### Changes to legislation:

There are currently no known outstanding effects for the Commission Regulation (EU) No 10/2011, ANNEX I.