

Commission Regulation (EU) 2016/1 of 3 December 2015 amending Annexes II and III to Regulation (EC) No 396/2005 of the European Parliament and of the Council as regards maximum residue levels for bifenazate, boscalid, cyazofamid, cyromazine, dazomet, dithiocarbamates, fluazifop-P, mepanipyrim, metrafenone, picloram, propamocarb, pyridaben, pyriofenone, sulfoxaflor, tebuconazole, tebufenpyrad and thiram in or on certain products (Text with EEA relevance)

COMMISSION REGULATION (EU) 2016/1

of 3 December 2015

amending Annexes II and III to Regulation (EC) No 396/2005 of the European Parliament and of the Council as regards maximum residue levels for bifenazate, boscalid, cyazofamid, cyromazine, dazomet, dithiocarbamates, fluazifop-P, mepanipyrim, metrafenone, picloram, propamocarb, pyridaben, pyriofenone, sulfoxaflor, tebuconazole, tebufenpyrad and thiram in or on certain products

(Text with EEA relevance)

THE EUROPEAN COMMISSION,

Having regard to the Treaty on the Functioning of the European Union,

Having regard to Regulation (EC) No 396/2005 of the European Parliament and of the Council of 23 February 2005 on maximum residue levels of pesticides in or on food and feed of plant and animal origin and amending Council Directive 91/414/EEC<sup>(1)</sup>, and in particular Article 14(1) (a) thereof,

Whereas:

- (1) For bifenazate, cyazofamid, cyromazine, mepanipyrim, metrafenone, propamocarb and tebuconazole maximum residue levels (MRLs) were set in Annex II to Regulation (EC) No 396/2005. For dithiocarbamates and thiram MRLs were set in Annex II and Part B of Annex III to Regulation (EC) No 396/2005. For boscalid, dazomet, fluazifop-P, picloram, pyridaben, pyriofenone and tebufenpyrad MRLs were set in Part A of Annex III to that Regulation. For sulfoxaflor no specific MRLs were set nor was the substance included in Annex IV to that Regulation, so the default value of 0,01 mg/kg laid down in Article 18(1)(b) applies.
- (2) In the context of a procedure for the authorisation of the use of a plant protection product containing the active substance bifenazate on blueberries, cranberries, gooseberries and azaroles, an application was submitted in accordance with Article 6(1) of Regulation (EC) No 396/2005 for modification of the existing MRLs.
- (3) As regards boscalid, such an application was submitted for beans and peas (with pods). As regards cyazofamid, such an application was submitted for aubergines. As regards cyromazine, such an application was submitted for ‘lettuces and salad plants’, ‘spinaches and similar leaves’ and ‘herbs and edible flowers’. As regards dazomet, such an application was submitted for fruits of code number 0100000, carrots,

radishes, fruiting vegetables (except sweetcorn), leafy brassica, ‘lettuces and salad plants’ and ‘spinaches and similar leaves’. As regards fluazifop-P, such an application was submitted for celeriac, Jerusalem artichokes, peas (without pods), globe artichokes, dry beans, lentils, lupins, linseeds, poppy seeds, safflower seeds, herbal infusion (dried roots) and spices (roots or rhizome). As regards mepanipyrim, such an application was submitted for strawberries, tomatoes, aubergines and cucumbers. As regards metrafenone, such an application was submitted for hops. As regards picloram, such an application was submitted for borage. As regards propamocarb, such an application was submitted for garlic, onions and shallots. As regards pyridaben, such an application was submitted for cucurbits (edible peel). As regards pyriofenone, such an application was submitted for table grapes. As regards tebuconazole, such an application was submitted for cucumbers and courgettes. As regards tebufenpyrad, such an application was submitted for citrus fruits, plums, strawberries, tomatoes, peppers, aubergines, gherkins, melons and watermelons.

- (4) In accordance with Article 6(2) and (4) of Regulation (EC) No 396/2005 an application was submitted for thiram used on avocados. The applicant claims that the authorised uses of that substance on such crop in Australia and New Zealand lead to residues exceeding the MRL contained in Regulation (EC) No 396/2005 and that a higher MRL is necessary to avoid trade barriers for the importation of that crop.
- (5) In accordance with Article 8 of Regulation (EC) No 396/2005 these applications were evaluated by the Member States concerned and the evaluation reports were forwarded to the Commission.
- (6) The European Food Safety Authority, hereinafter ‘the Authority’, assessed the applications and the evaluation reports, examining in particular the risks to the consumer and, where relevant, to animals and gave reasoned opinions on the proposed MRLs<sup>(2)</sup>. It forwarded these opinions to the Commission and the Member States and made them available to the public.
- (7) The Authority concluded in its reasoned opinions that, as regards the use of cyromazine on scarole and the use of tebufenpyrad on peppers, a risk to the consumer cannot be excluded. The existing MRLs should therefore remain unchanged.
- (8) As regards the use of cyromazine on lamb's lettuce and fresh herbs, the use of dazomet on fruits and the use of tebufenpyrad on plums, gherkins, melons and watermelons, the submitted data support lower MRLs than the existing ones. However, since it needs to be verified whether these lower MRLs adequately reflect the critical Good Agricultural Practices (GAP) used in the EU and given that the existing MRLs are safe to the consumer, it is appropriate not to lower the existing MRLs in the framework of the current Regulation, but to use the information derived from the submitted data when reviewing all existing MRLs for those substances.
- (9) For dithiocarbamates, the Authority concluded that a new MRL for avocados needs to be set at the level of 7 mg/kg to adequately address the use of thiram on such a crop. The proposed MRL is considered safe to the consumer.

- (10) As regards all other applications, the Authority concluded that all requirements with respect to data were met and that the modifications to the MRLs requested by the applicants were acceptable with regard to consumer safety on the basis of a consumer exposure assessment for 27 specific European consumer groups. It took into account the most recent information on the toxicological properties of the substances. Neither the lifetime exposure to these substances via consumption of all food products that may contain them, nor the short-term exposure due to high consumption of the relevant crops and products showed that there is a risk that the acceptable daily intake (ADI) or the acute reference dose (ARfD) is exceeded.
- (11) For sulfoxaflor, the Authority submitted a conclusion on the peer review of the pesticide risk assessment of the active substance sulfoxaflor<sup>(3)</sup>. In that framework, it recommended to set MRLs covering both the representative uses according to GAPs in the Union and import tolerance requests from several third countries. The Commission consulted the European Union reference laboratories on the appropriate limits of determination (LODs).
- (12) Based on the reasoned opinions of the Authority and taking into account the factors relevant to the matter under consideration, the appropriate modifications to the MRLs fulfil the requirements of Article 14(2) of Regulation (EC) No 396/2005.
- (13) Regulation (EC) No 396/2005 should therefore be amended accordingly.
- (14) The measures provided for in this Regulation are in accordance with the opinion of the Standing Committee on Plants, Animals, Food and Feed,

HAS ADOPTED THIS REGULATION:

*Article 1*

Annexes II and III to Regulation (EC) No 396/2005 are amended in accordance with the Annex to this Regulation.

*Article 2*

This Regulation shall enter into force on the twentieth day following that of its publication in the *Official Journal of the European Union*.

This Regulation shall be binding in its entirety and directly applicable in all Member States.

Done at Brussels, 3 December 2015.

*For the Commission*

*The President*

Jean-Claude JUNCKER

## ANNEX

Annexes II and III to Regulation (EC) No 396/2005 are amended as follows:

- (1) In Annex II, the columns for bifenazate, cyazofamid, cyromazine, dithiocarbamates, mepanipyrim, metrafenone, propamocarb, tebuconazole and thiram are replaced by the following:

## PESTICIDE RESIDUES AND MAXIMUM RESIDUE LEVELS (MG/KG)

Code number and example of individual products	Bifenazate (sum of bifenazate to diazene which expressed the MRLs for bifenazate apply) (F)	Cyazofamid	Cyromazine	Dithiocarbamates (dithiocarbamates expressed as CS2, including maneb, mancozeb, metiram, propineb, thiram and ziram)	Mepanipyrim	Metrafenone	Propamocarb (Sum of propamocarb and its salts, expressed as propamocarb (R))	Tebuconazole	Thiram (expressed as thiram)	
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
0100000 FRUITS, FRESH or FROZEN; TREE NUTS				0,05 <sup>a</sup>				0,01 <sup>a</sup>		
0110000 Citrus fruits	0,9	0,01 <sup>a</sup>		5 (+)	0,01 <sup>a</sup>	0,01 <sup>a</sup>			0,1 <sup>a</sup>	
0110010 Grapefruits									5	
0110020 Oranges									0,9	
0110030 Lemons									5	
0110040 Limes									5	
0110050 Mandarins									5	
0110990 Others									5	
0120000 Tree nuts	0,2	0,02 <sup>a</sup>			0,02 <sup>a</sup>	0,01 <sup>a</sup>		0,05	0,1 <sup>a</sup>	
0120010 Almonds				0,05 <sup>a</sup>						
0120020 Brazil nuts				0,05 <sup>a</sup>						
0120030 Cashew nuts				0,05 <sup>a</sup>						

012004	Chestnuts			0,05 <sup>a</sup>					
012005	Coconuts			0,05 <sup>a</sup>					
012006	Hazelnuts/ cobnuts			0,05 <sup>a</sup>					
012007	Macadamias			0,05 <sup>a</sup>					
012008	Pecans			0,05 <sup>a</sup>					
012009	Pine nut kernels			0,05 <sup>a</sup>					
012010	Pistachios			0,05 <sup>a</sup>					
012011	Walnuts			<b>0,1</b> (+)					
012099	Others			0,05 <sup>a</sup>					
013000	<b>Pome fruits</b>	0,7 (+)	0,01 <sup>a</sup>	<b>5</b> (+)	0,01 <sup>a</sup>	0,01 <sup>a</sup>			
013001	Apples							0,3	5
013002	Pears							0,3	5
013003	Quinces							0,5	0,1 <sup>a</sup>
013004	Medlars			b		b		0,5	b
013005	Loquats/ Japanese medlars			b		b		0,5	b
013099	Others							0,5	0,1 <sup>a</sup>
014000	<b>Stone fruits</b>	2	0,01 <sup>a</sup>		0,01 <sup>a</sup>	0,01 <sup>a</sup>			
014001	Apricots			2 (+)				0,6	3
014002	Cherries (sweet)			2 (+)				1 (+)	3
014003	Peaches			2 (+)				0,6	3
014004	Plums			2 (+)				1	2
014099	Others			0,05 <sup>a</sup>				0,02 <sup>a</sup>	0,1 <sup>a</sup>
015000	<b>Berries and small fruits</b>								
015100	(a)	0,7 <i>grapes</i>	<b>2</b>	5 (+)	2	7			

**Status:** This is the original version (as it was originally adopted).

015101	Table grapes							0,5	0,1 <sup>a</sup>
015102	Wine grapes							1 (+)	3
0152000 (b)	3 <i>strawberries</i>	0,01 <sup>a</sup>		10 (+)	3	0,6		0,02 <sup>a</sup>	10
0153000 (c)	7 <i>cane fruits</i>	0,01 <sup>a</sup>		0,05 <sup>a</sup>	0,01 <sup>a</sup>	0,01 <sup>a</sup>		0,5	0,1 <sup>a</sup>
015301	Blackberries								
015302	Dewberries							(+)	
015303	Raspberries (red and yellow)								
015399	Others							(+)	
0154000 (d)	<i>other small fruits and berries</i>	0,01 <sup>a</sup>			0,01 <sup>a</sup>	0,01 <sup>a</sup>		1,5	0,1 <sup>a</sup>
015401	Blueberries	0,7		5 (+)					
015402	Cranberries	0,7		5 (+)					
015403	Currants (black, red and white)	0,7		5 (+)					
015404	Gooseberries (green, red and yellow)	0,7		5 (+)					
015405	Rose hips	0,01 <sup>a</sup>		b		b		b	
015406	Mulberries (black and white)	0,01 <sup>a</sup>		b		b		b	
015407	Azarole Mediterranean medlars	0,7		b		b		b	
015408	Elderberries	0,7 <sup>a</sup>		b		b		b	

015499	Others	0,01 <sup>a</sup>			5						
016000	Miscellaneous fruits with	0,01 <sup>a</sup>				0,01 <sup>a</sup>	0,01 <sup>a</sup>				
016100	(a) <i>edible peel</i>									0,1 <sup>a</sup>	
016101	Dates				0,05 <sup>a</sup>				0,02 <sup>a</sup>		
016102	Figs				0,05 <sup>a</sup>				0,02 <sup>a</sup>		
016103	Table olives				5 (+)				0,05		
016104	Kumquats				0,05 <sup>a</sup>				0,02 <sup>a</sup>		
016105	Carambolas			b		b			0,02 <sup>a</sup>	b	
016106	Kaki/ Japanese persimmons			b		b			0,02 <sup>a</sup>	b	
016107	Jambuls/ jambolans			b		b			0,02 <sup>a</sup>	b	
016199	Others			0,05 <sup>a</sup>				0,02 <sup>a</sup>			
016200	(b) <i>inedible peel, small</i>			0,05 <sup>a</sup>					0,1 <sup>a</sup>		
016201	Kiwi fruits (green, red, yellow)								0,02 <sup>a</sup>		
016202	Litchis/ lychees							0,02 <sup>a</sup>			
016203	Passionfruits/ maracujas							1			
016204	Prickly pears/ cactus fruits			b		b			0,02 <sup>a</sup>	b	
016205	Star apples/ cainitos			b		b			0,02 <sup>a</sup>	b	
016206	American persimmons/ Virginia kaki			b		b			0,02 <sup>a</sup>	b	



021203	Yams								
021204	Arrowroots			b		b			b
021299	Others								
021300	(c) <i>other root and tuber vegetables except sugar beets</i>								
021301	Beetroots	0,01 <sup>a</sup>		0,5 (+)			0,01 <sup>a</sup>	0,02 <sup>a</sup>	
021302	Carrots	0,01 <sup>a</sup>		0,2 (+)			0,01 <sup>a</sup>	0,4	
021303	Celeriacs/ turnip rooted celeries	0,01 <sup>a</sup>		0,3 (+)			0,01 <sup>a</sup>	0,5	
021304	Horseradishes	0,1		0,2 (+)			0,01 <sup>a</sup>	0,4	
021305	Jerusalem artichokes	0,01 <sup>a</sup>		0,05 <sup>a</sup>			0,01 <sup>a</sup>	0,02 <sup>a</sup>	
021306	Parsnips	0,01 <sup>a</sup>		0,2 (+)			0,01 <sup>a</sup>	0,4	
021307	Parsley roots/ Hamburg roots parsley	0,01 <sup>a</sup>		0,2 (+)			0,01 <sup>a</sup>	0,4	
021308	Radishes	0,01 <sup>a</sup>		2 (+)			3	0,02 <sup>a</sup>	
021309	Salsifies	0,01 <sup>a</sup>		0,2 (+)			0,01 <sup>a</sup>	0,4 (+)	
021310	Swedes/ rutabagas	0,01 <sup>a</sup>		0,05 <sup>a</sup>			0,01 <sup>a</sup>	0,3	
021311	Turnips	0,01 <sup>a</sup>		0,05 <sup>a</sup>			0,01 <sup>a</sup>	0,3	
021399	Others	0,01 <sup>a</sup>		0,05 <sup>a</sup>			0,01 <sup>a</sup>	0,02 <sup>a</sup>	
022000	Bulb vegetables	0,01 <sup>a</sup>	0,01 <sup>a</sup>	0,05 <sup>a</sup>		0,01 <sup>a</sup>	0,01 <sup>a</sup>		0,1 <sup>a</sup>
022001	Garlic				0,6 (+)		2	0,1	

**Status:** This is the original version (as it was originally adopted).

023303	Watermelons							0,15	
023399	Others							0,15	
0234000 (d)	<i>sweet corn</i>	0,01 <sup>a</sup>	0,01 <sup>a</sup>	0,05 <sup>a</sup>	0,05 <sup>a</sup>	0,01 <sup>a</sup>	0,01 <sup>a</sup>	0,01 <sup>a</sup>	0,6
0239000 (e)	<i>other fruiting vegetables</i>	0,01 <sup>a</sup>	0,01 <sup>a</sup>	0,05 <sup>a</sup>	0,05 <sup>a</sup>	0,01 <sup>a</sup>	0,01 <sup>a</sup>	0,01 <sup>a</sup>	0,02 <sup>a</sup>
0240000	<b>Brassica</b> , <b>vegetables (excluding brassica roots and brassica baby leaf crops)</b>	0,01 <sup>a</sup>	0,05 <sup>a</sup>			0,01 <sup>a</sup>	0,01 <sup>a</sup>		0,1 <sup>a</sup>
0241000 (a)	<i>flowering brassica</i>			1 (+)					
024101	Broccoli						3	0,15	
024102	Cauliflowers						10 (+)	0,05	
024199	Others						0,01 <sup>a</sup>	0,02 <sup>a</sup>	
0242000 (b)	<i>head brassica</i>							0,7	
024201	Brussels sprouts			2 (+)			2		
024202	Head cabbages			3 (+)			0,7		
024299	Others			0,05 <sup>a</sup>			0,01 <sup>a</sup>		
0243000 (c)	<i>leafy brassica</i>			0,5 (+)				0,02 <sup>a</sup>	
024301	Chinese cabbages/ pe-tsai						20		
024302	Kales						20		
024399	Others						0,01 <sup>a</sup>		
0244000 (d)	<i>kohlrabies</i>			1 (+)			0,3	0,02 <sup>a</sup>	

**Status:** This is the original version (as it was originally adopted).

025000	<b>Leaf vegetables, herbs and edible flowers</b>								
025100	(a)	0,01 <sup>a</sup> <i>lettuces and salad plants</i>	0,01 <sup>a</sup>		5 (+)	0,01 <sup>a</sup>	0,01 <sup>a</sup>		0,5
025101	Lamb's lettuces/ corn salads			15 (+)				20 (+)	0,1 <sup>a</sup>
025102	Lettuces		<b>3</b>					40	2
025103	Escaroles/ broad-leaved endives			0,05 <sup>a</sup>				20 (+)	2
025104	Cresses and other sprouts and shoots		<b>3</b>					20 (+)	0,1 <sup>a</sup>
025105	Land cresses		<b>3</b>	b		b		20 (+)	b
025106	Roman rocket/ rucola			3 (+)				30	0,1 <sup>a</sup>
025107	Red mustards		<b>3</b>	b		b		20 (+)	b
025108	Baby leaf crops (including brassica species)		<b>3</b>					20 (+)	0,1 <sup>a</sup>
025199	Others		<b>3</b>				0,01 <sup>a</sup>		0,1 <sup>a</sup>
025200	(b)	0,01 <sup>a</sup> <i>spinaches and similar leaves</i>	0,01 <sup>a</sup>	<b>3</b>		0,01 <sup>a</sup>	0,01 <sup>a</sup>		0,02 <sup>a</sup>
025201	Spinaches				0,05 <sup>a</sup>			40	

025202	Purslanes			b		b	0,01 <sup>a</sup>		b
025203	Chards/ beet leaves			0,05 <sup>a</sup>			0,01 <sup>a</sup>		
025299	Others			0,05 <sup>a</sup>			0,01 <sup>a</sup>		
025300	(c) <i>grape leaves and similar species</i>	0,01 <sup>a</sup>	0,01 <sup>a</sup>	0,05 <sup>a</sup>	b	0,01 <sup>a</sup>	b	0,01 <sup>a</sup>	0,02 <sup>a</sup>
025400	(d) <i>watercresses</i>	0,01 <sup>a</sup>	0,01 <sup>a</sup>	0,05 <sup>a</sup>	0,3 (+)	0,01 <sup>a</sup>	0,01 <sup>a</sup>	0,01 <sup>a</sup>	0,02 <sup>a</sup>
025500	(e) <i>witloofs/ Belgian endives</i>	0,01 <sup>a</sup>	0,01 <sup>a</sup>	0,05 <sup>a</sup>	0,5 (+)	0,01 <sup>a</sup>	0,01 <sup>a</sup>	15	0,15
025600	(f) <i>herbs and edible flowers</i>		0,02 <sup>a</sup>	15 (+)	5 (+)	0,02 <sup>a</sup>	0,02 <sup>a</sup>	30 (+)	0,1 <sup>a</sup>
025601	Chervil	0,02 <sup>a</sup>						0,05 <sup>a</sup>	
025602	Chives	0,02 <sup>a</sup>						2	
025603	Celery leaves	0,02 <sup>a</sup>						0,05 <sup>a</sup>	
025604	Parsley	0,02 <sup>a</sup>						2	
025605	Sage	0,02 <sup>a</sup>		b		b		0,05 <sup>a</sup>	b
025606	Rosemary	0,02 <sup>a</sup>		b		b		0,05 <sup>a</sup>	b
025607	Thyme	0,02 <sup>a</sup>		b		b		0,05 <sup>a</sup>	b
025608	Basil and edible flowers	40		b		b		0,05 <sup>a</sup>	b
025609	Laurel/ bay leave	0,02 <sup>a</sup>		b		b		0,05 <sup>a</sup>	b
025610	Tarrago	0,02 <sup>a</sup>		b		b		0,05 <sup>a</sup>	b
025699	Others	0,02 <sup>a</sup>						0,05 <sup>a</sup>	
026000	Legume vegetables		0,01 <sup>a</sup>			0,01 <sup>a</sup>	0,01 <sup>a</sup>		0,1 <sup>a</sup>

**Status:** This is the original version (as it was originally adopted).

026001	<b>Beans (with pods)</b>	7		5 (+)	1 (+)			0,1	2 (+)	
026002	<b>Beans (without pods)</b>	0,4		0,05 <sup>a</sup>	0,1 (+)			0,01 <sup>a</sup>	2 (+)	
026003	<b>Peas (with pods)</b>	7		5 (+)	1 (+)			0,01 <sup>a</sup>	2 (+)	
026004	<b>Peas (without pods)</b>	0,4		0,05 <sup>a</sup>	0,2 (+)			0,01 <sup>a</sup>	0,02 <sup>a</sup>	
026005	<b>Lentils</b>	0,4		0,05 <sup>a</sup>	0,05 <sup>a</sup>			0,01 <sup>a</sup>	0,02 <sup>a</sup>	
026099	<b>Others</b>	0,01 <sup>a</sup>		0,05 <sup>a</sup>	0,05 <sup>a</sup>			0,01 <sup>a</sup>	0,02 <sup>a</sup>	
027000	<b>Stem vegetables</b>	0,01 <sup>a</sup>	0,01 <sup>a</sup>			0,01 <sup>a</sup>	0,01 <sup>a</sup>	0,01 <sup>a</sup>		0,1 <sup>a</sup>
027001	<b>Asparagus</b>			0,05 <sup>a</sup>	0,5 (+)				0,02 <sup>a</sup>	
027002	<b>Cardoons</b>			0,05 <sup>a</sup>	0,05 <sup>a</sup>				0,02 <sup>a</sup>	
027003	<b>Celeries</b>			3 (+)	0,05 <sup>a</sup>				0,5 (+)	
027004	<b>Florence fennels</b>			0,05 <sup>a</sup>	0,05 <sup>a</sup>				0,02 <sup>a</sup>	
027005	<b>Globe artichokes</b>			0,05 <sup>a</sup>	0,05 <sup>a</sup>				0,6	
027006	<b>Leeks</b>			0,05 <sup>a</sup>	3 (+)				0,6	
027007	<b>Rhubarbs</b>			0,05 <sup>a</sup>	0,5 (+)				0,02 <sup>a</sup>	
027008	<b>Bamboo shoots</b>			0,05 <sup>a</sup>	b		b		0,02 <sup>a</sup>	b
027009	<b>Palm hearts</b>			0,05 <sup>a</sup>	b		b		0,02 <sup>a</sup>	b
027099	<b>Others</b>			0,05 <sup>a</sup>	0,05 <sup>a</sup>				0,02 <sup>a</sup>	
028000	<b>Fungi, mosses and lichens</b>	0,01 <sup>a</sup>	0,01 <sup>a</sup>		0,05 <sup>a</sup>	0,01 <sup>a</sup>		0,01 <sup>a</sup>	0,02 <sup>a</sup>	0,1 <sup>a</sup>
028001	<b>Cultivated fungi</b>			10			0,4			
028002	<b>Wild fungi</b>			0,05 <sup>a</sup>			0,01 <sup>a</sup>			

028099	Mosses and lichens			0,05 <sup>a</sup>			0,01 <sup>a</sup>				
029000	<b>Algae and prokaryotes organisms</b>	0,01 <sup>a</sup>		0,05 <sup>a</sup>	<sup>b</sup>	0,01 <sup>a</sup>	<sup>b</sup>	0,01 <sup>a</sup>	0,02 <sup>a</sup>	<sup>b</sup>	
030000	<b>PULSES</b>		0,02 <sup>a</sup>	0,05 <sup>a</sup>		0,01 <sup>a</sup>	0,01 <sup>a</sup>	0,01 <sup>a</sup>			0,1 <sup>a</sup>
030001	Beans	0,3			0,1 (+)				0,3		
030002	Lentils	0,01 <sup>a</sup>			0,05 <sup>a</sup>				0,2		
030003	Peas	0,01 <sup>a</sup>			0,1 (+)				0,2		
030004	Lupins lupini beans	0,01 <sup>a</sup>			0,05 <sup>a</sup>				0,2		
030099	Others	0,01 <sup>a</sup>			0,05 <sup>a</sup>				0,2		
040000	<b>OILSEEDS AND OIL FRUITS</b>		0,02 <sup>a</sup>	0,05 <sup>a</sup>		0,02 <sup>a</sup>	0,01 <sup>a</sup>	0,01 <sup>a</sup>			0,1 <sup>a</sup>
040100	<b>Oilseeds</b>										
040101	Linseeds	0,02 <sup>a</sup>			0,1 <sup>a</sup>				0,6		
040102	Peanuts groundnuts	0,02 <sup>a</sup>			0,1 <sup>a</sup>				0,15		
040103	Poppy seeds	0,02 <sup>a</sup>			0,1 <sup>a</sup>				0,2		
040104	Sesame seeds	0,02 <sup>a</sup>			0,1 <sup>a</sup>				0,02 <sup>a</sup>		
040105	Sunflower seeds	0,02 <sup>a</sup>			0,1 <sup>a</sup>				0,02 <sup>a</sup>		
040106	Rapeseed canola seeds	0,02 <sup>a</sup>			0,5 (+)				0,5		
040107	Soyabeans	0,02 <sup>a</sup>			0,1 <sup>a</sup>				0,15		
040108	Mustard seeds	0,02 <sup>a</sup>			0,1 <sup>a</sup>				0,3		
040109	Cotton seeds	0,3			0,1 <sup>a</sup>				2		
040110	Pumpkin seeds	0,02 <sup>a</sup>			0,1 <sup>a</sup>				0,02 <sup>a</sup>		

**Status:** This is the original version (as it was originally adopted).

040111	<b>Safflower seeds</b>	0,02 <sup>a</sup>		b		b		0,02 <sup>a</sup>	b
040112	<b>Borage seeds</b>	0,02 <sup>a</sup>		b		b		0,02 <sup>a</sup>	b
040113	<b>Gold of pleasure seeds</b>	0,02 <sup>a</sup>		b		b		0,3	b
040114	<b>Hemp seeds</b>	0,02 <sup>a</sup>		0,1 <sup>a</sup>				0,02 <sup>a</sup>	
040115	<b>Castor beans</b>	0,02 <sup>a</sup>		b		b		0,02 <sup>a</sup>	b
040199	<b>Others</b>	0,02 <sup>a</sup>		0,1 <sup>a</sup>				0,02 <sup>a</sup>	
040200	<b>Oil fruits</b>	0,02 <sup>a</sup>							
040201	<b>Olives for oil production</b>			5 (+)				0,05	
040202	<b>Oil palms kernels</b>			b		b		0,02 <sup>a</sup>	b
040203	<b>Oil palms fruits</b>			b		b		0,02 <sup>a</sup>	b
040204	<b>Kapok</b>			b		b		0,02 <sup>a</sup>	b
040299	<b>Others</b>			0,1 <sup>a</sup>				0,02 <sup>a</sup>	
050000	<b>CEREALS</b>	0,02 <sup>a</sup>	0,05 <sup>a</sup>		0,01 <sup>a</sup>		0,01 <sup>a</sup>		0,1 <sup>a</sup>
050001	<b>Barley</b>			2 (+)		0,6		2	
050002	<b>Buckwheat and other pseudo-cereals</b>			0,05 <sup>a</sup>		0,01 <sup>a</sup>		0,02 <sup>a</sup>	
050003	<b>Maize/corn</b>			0,05 <sup>a</sup>		0,01 <sup>a</sup>		0,02 <sup>a</sup>	
050004	<b>Common millet/proso millet</b>			0,05 <sup>a</sup>		0,01 <sup>a</sup>		0,02 <sup>a</sup>	
050005	<b>Oat</b>			2 (+)		0,6		2	
050006	<b>Rice</b>			0,05 <sup>a</sup>		0,01 <sup>a</sup>		1 (+)	

050007	Rye				1 (+)		0,07		0,1	
050008	Sorghum				0,05 <sup>a</sup>		0,01 <sup>a</sup>		0,02 <sup>a</sup>	
050009	Wheat				1 (+)		0,07		0,1	
050099	Others				0,05 <sup>a</sup>		0,01 <sup>a</sup>		0,02 <sup>a</sup>	
060000	TEAS, <b>COFFEE, HERBAL INFUSIONS, COCOA AND CAROBS</b>	0,05 <sup>a</sup>	0,05 <sup>a</sup>	0,1 <sup>a</sup>	0,1 <sup>a</sup>	0,05 <sup>a</sup>	0,05 <sup>a</sup>	0,05 <sup>a</sup>		0,2 <sup>a</sup>
061000	Teas								0,05 <sup>a</sup>	
062000	Coffee beans			b		b			0,1	b
063000	Herbal infusions from			b		b			0,05 <sup>a</sup>	b
063100	(a) flowers			b		b				b
063101	Chamomile			b		b				b
063102	Hibiscus/ roselle			b		b				b
063103	Rose			b		b				b
063104	Jasmine			b		b				b
063105	Lime/ linden			b		b				b
063199	Others			b		b				b
063200	(b) leaves and herbs			b		b				b
063201	Strawberry			b		b				b
063202	Rooibos			b		b				b
063203	Mate/ maté			b		b				b
063299	Others			b		b				b
063300	(c) roots			b		b				b
063301	Valerian			b		b				b
063302	Ginseng			b		b				b

---

**Status:** This is the original version (as it was originally adopted).

---

063399	Others				b		b			b
0639000	(d)	<i>any other parts of the plant</i>			b		b			b
064000	Cocoa beans				b		b		0,05 <sup>a</sup>	b
065000	Carobs/Saint John's breads				b		b		0,05 <sup>a</sup>	b
070000	HOPS	20	0,05 <sup>a</sup>	0,1 <sup>a</sup>	25 (+)	0,05 <sup>a</sup>	80	0,05 <sup>a</sup>	40 (+)	0,2 <sup>a</sup>
080000	SPICES				b		b			b
081000	Seed spices	0,05 <sup>a</sup>	0,05 <sup>a</sup>	0,1 <sup>a</sup>	b	0,05 <sup>a</sup>	b	0,05 <sup>a</sup>	1,5 (+)	b
081001	Anise/aniseed				b		b			b
081002	Black caraway/black cumin				b		b			b
081003	Celery				b		b			b
081004	Coriander				b		b			b
081005	Cumin				b		b			b
081006	Dill				b		b			b
081007	Fennel				b		b			b
081008	Fenugreek				b		b			b
081009	Nutmeg				b		b			b
081099	Others				b		b			b
082000	Fruit spices	0,05 <sup>a</sup>	0,05 <sup>a</sup>	0,1 <sup>a</sup>	b	0,05 <sup>a</sup>	b	0,05 <sup>a</sup>		b
082001	Allspice/pimento				b		b		0,05 <sup>a</sup>	b
082002	Sichuan pepper				b		b		0,05 <sup>a</sup>	b
082003	Caraway				b		b		1,5 (+)	b

082004	Cardamom			b		b		0,05 <sup>a</sup>	b
082005	Juniper berry			b		b		0,05 <sup>a</sup>	b
082006	Peppercorn (black, green and white)			b		b		0,05 <sup>a</sup>	b
082007	Vanilla			b		b		0,05 <sup>a</sup>	b
082008	Tamarind			b		b		0,05 <sup>a</sup>	b
082099	Others			b		b		0,05 <sup>a</sup>	b
083000	<b>Bark spices</b>	0,05 <sup>a</sup>	0,05 <sup>a</sup>	0,1 <sup>a</sup>	b	0,05 <sup>a</sup>	b	0,05 <sup>a</sup>	0,05 <sup>a</sup>
083001	Cinnamon			b		b			b
083099	Others			b		b			b
084000	<b>Root and rhizome spices</b>			b		b			b
084001	Liquorice	0,05 <sup>a</sup>	0,05 <sup>a</sup>	0,1 <sup>a</sup>	b	0,05 <sup>a</sup>	b	0,05 <sup>a</sup>	0,05 <sup>a</sup>
084002	Ginger	0,05 <sup>a</sup>	0,05 <sup>a</sup>	0,1 <sup>a</sup>	b	0,05 <sup>a</sup>	b	0,05 <sup>a</sup>	0,05 <sup>a</sup>
084003	Turmeric	0,05 <sup>a</sup>	0,05 <sup>a</sup>	0,1 <sup>a</sup>	b	0,05 <sup>a</sup>	b	0,05 <sup>a</sup>	0,05 <sup>a</sup>
084004	Horseradish	(+)	(+)	b	(+)	b	(+)	(+)	b
084099	Others	0,05 <sup>a</sup>	0,05 <sup>a</sup>	0,1 <sup>a</sup>	b	0,05 <sup>a</sup>	b	0,05 <sup>a</sup>	0,05 <sup>a</sup>
085000	<b>Bud spices</b>	0,05 <sup>a</sup>	0,05 <sup>a</sup>	0,1 <sup>a</sup>	b	0,05 <sup>a</sup>	b	0,05 <sup>a</sup>	0,05 <sup>a</sup>
085001	Cloves			b		b			b
085002	Capers			b		b			b
085099	Others			b		b			b
086000	<b>Flower pistil spices</b>	0,05 <sup>a</sup>	0,05 <sup>a</sup>	0,1 <sup>a</sup>	b	0,05 <sup>a</sup>	b	0,05 <sup>a</sup>	0,05 <sup>a</sup>
086001	Saffron			b		b			b
086099	Others			b		b			b
087000	<b>Aril spices</b>	0,05 <sup>a</sup>	0,05 <sup>a</sup>	0,1 <sup>a</sup>	b	0,05 <sup>a</sup>	b	0,05 <sup>a</sup>	0,05 <sup>a</sup>
087001	Mace			b		b			b

**Status:** This is the original version (as it was originally adopted).

087099	Others				b		b			b
090000	<b>SUGAR PLANTS</b>	0,01 <sup>a</sup>	0,05 <sup>a</sup>	b	0,01 <sup>a</sup>	b	0,01 <sup>a</sup>	0,02 <sup>a</sup>	b	
090001	Sugar beet roots			b		b			b	
090002	Sugar canes			b		b			b	
090003	Chicory roots			b		b			b	
090099	Others			b		b			b	
100000	<b>PRODUCTS OF ANIMAL ORIGIN</b>			0,05 <sup>a</sup>						
	<b>- TERRESTRIAL ANIMALS</b>									
101000	Tissues from	0,01 <sup>a</sup>			0,01 <sup>a</sup>	0,01 <sup>a</sup>				
101100	(a) swine		0,01 <sup>a</sup>							
101101	Muscle	0,01 <sup>a</sup>					0,01 (+)	0,1 <sup>a</sup>		
101102	Fat tissue	0,05					0,01 (+)	0,1 <sup>a</sup>		
101103	Liver	0,01 <sup>a</sup>					0,1 (+)	0,2		
101104	Kidney	0,01 <sup>a</sup>					0,02 (+)	0,2		
101105	Edible offals (other than liver and kidney)	0,01 <sup>a</sup>					0,1	0,2		
101199	Others	0,01 <sup>a</sup>					0,01 <sup>a</sup>	0,1 <sup>a</sup>		
101200	(b) bovine		0,01 <sup>a</sup>							
101201	Muscle	0,01 <sup>a</sup>					0,01 (+)	0,1 <sup>a</sup>		

101202	Fat tissue	0,05					0,01 (+)	0,1 <sup>a</sup>	
101203	Liver	0,01 <sup>a</sup>					0,2 (+)	0,2	
101204	Kidney	0,01 <sup>a</sup>					0,05 (+)	0,2	
101205	Edible offals (other than liver and kidney)	0,01 <sup>a</sup>					0,2	0,2	
101299	Others	0,01 <sup>a</sup>					0,01 <sup>a</sup>	0,1 <sup>a</sup>	
101300	(c) sheep		0,3 (+)						
101301	Muscle	0,01 <sup>a</sup>					0,01 (+)	0,1 <sup>a</sup>	
101302	Fat tissue	0,05					0,01 (+)	0,1 <sup>a</sup>	
101303	Liver	0,01 <sup>a</sup>					0,2 (+)	0,2	
101304	Kidney	0,01 <sup>a</sup>					0,05 (+)	0,2	
101305	Edible offals (other than liver and kidney)	0,01 <sup>a</sup>					0,2	0,2	
101399	Others	0,01 <sup>a</sup>					0,01 <sup>a</sup>	0,1 <sup>a</sup>	
101400	(d) goat		0,01 <sup>a</sup>						
101401	Muscle	0,01 <sup>a</sup>					0,01 (+)	0,1 <sup>a</sup>	
101402	Fat tissue	0,05					0,01 (+)	0,1 <sup>a</sup>	
101403	Liver	0,01 <sup>a</sup>					0,2 (+)	0,2	
101404	Kidney	0,01 <sup>a</sup>					0,05 (+)	0,2	

**Status:** This is the original version (as it was originally adopted).

101405	Edible offals (other than liver and kidney)	0,01 <sup>a</sup>						0,2	0,2	
101499	Others	0,01 <sup>a</sup>						0,01 <sup>a</sup>	0,1 <sup>a</sup>	
101500 (e)	<i>equine</i>		0,01 <sup>a</sup>	b		b				b
101501	Muscle	0,01 <sup>a</sup>		b		b	0,01	0,1 <sup>a</sup>	b	
101502	Fat tissue	0,05		b		b	0,01	0,1 <sup>a</sup>	b	
101503	Liver	0,01 <sup>a</sup>		b		b	0,2	0,2	b	
101504	Kidney	0,01 <sup>a</sup>		b		b	0,05	0,2	b	
101505	Edible offals (other than liver and kidney)	0,01 <sup>a</sup>		b		b	0,2	0,2	b	
101599	Others	0,01 <sup>a</sup>		b		b	0,01 <sup>a</sup>	0,1 <sup>a</sup>	b	
1016000 (f)	<i>poultry</i>	0,01 <sup>a</sup>	0,01 <sup>a</sup>					0,1 <sup>a</sup>		
101601	Muscle						0,02 (+)			
101602	Fat tissue						0,01 (+)			
101603	Liver						0,05 (+)			
101604	Kidney						0,01 <sup>a</sup>			
101605	Edible offals (other than liver and kidney)						0,05			
101699	Others						0,01 <sup>a</sup>			
1017000 (g)	<i>other farmed</i>	0,01 <sup>a</sup>	b		b				b	

		<i>terrestrial animals</i>								
101701	<b>Muscle</b>	0,01 <sup>a</sup>			b		b	0,01	0,1 <sup>a</sup>	b
101702	<b>Fat tissue</b>	0,05			b		b	0,01	0,1 <sup>a</sup>	b
101703	<b>Liver</b>	0,01 <sup>a</sup>			b		b	0,2	0,2	b
101704	<b>Kidney</b>	0,01 <sup>a</sup>			b		b	0,05	0,2	b
101705	<b>Edible offals (other than liver and kidney)</b>	0,01 <sup>a</sup>			b		b	0,2	0,2	b
101799	<b>Others</b>	0,01 <sup>a</sup>			b		b	0,01 <sup>a</sup>	0,1 <sup>a</sup>	b
102000	<b>Milk</b>	0,01 <sup>a</sup>	0,01 <sup>a</sup>	0,01 <sup>a</sup>		0,01 <sup>a</sup>	0,01 <sup>a</sup>	0,01 (+)	0,02 <sup>a</sup>	
102001	<b>Cattle</b>									
102002	<b>Sheep</b>									
102003	<b>Goat</b>									
102004	<b>Horse</b>									
102099	<b>Others</b>									
103000	<b>Birds eggs</b>	0,01 <sup>a</sup>	0,01 <sup>a</sup>	0,01 <sup>a</sup>		0,01 <sup>a</sup>	0,01 <sup>a</sup>	0,05 (+)	0,1 <sup>a</sup>	
103001	<b>Chicken</b>									
103002	<b>Duck</b>				b		b			b
103003	<b>Geese</b>				b		b			b
103004	<b>Quail</b>				b		b			b
103099	<b>Others</b>				b		b			b
104000	<b>Honey and other apiculture products</b>	0,05 <sup>a</sup>	0,05 <sup>a</sup>	0,05 <sup>a</sup>	b	0,05 <sup>a</sup>	b	0,05 <sup>a</sup>	0,05 <sup>a</sup>	b
105000	<b>Amphibians and Reptiles</b>	0,01 <sup>a</sup>	0,01 <sup>a</sup>	b		0,01 <sup>a</sup>	b	0,01 <sup>a</sup>	0,1 <sup>a</sup>	b
106000	<b>Terrestrial invertebrate animals</b>	0,01 <sup>a</sup>	0,01 <sup>a</sup>	b		0,01 <sup>a</sup>	b	0,01 <sup>a</sup>	0,1 <sup>a</sup>	b

**Status:** This is the original version (as it was originally adopted).

107000	<b>Wild terrestrial vertebrate animals</b>	0,01 <sup>a</sup>	0,01 <sup>a</sup>	0,01 <sup>a</sup>	<sup>b</sup>	0,01 <sup>a</sup>	<sup>b</sup>	0,01 <sup>a</sup>	0,1 <sup>a</sup>	<sup>b</sup>
--------	--	-------------------	-------------------	-------------------	--------------	-------------------	--------------	-------------------	------------------	--------------

**a** Indicates lower limit of analytical determination**b** Pesticide-code combination for which the MRL as set in Annex III Part B applies.**c** For the complete list of products of plant and animal origin to which MRLs apply, reference should be made to Annex I.

(F) = Fat soluble

**Bifenazate (sum of bifenazate plus bifenazate-diazene expressed as bifenazate) (F)**

(+) The European Food Safety Authority identified some information on hydrolysis as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 30 January 2016, or, if that information is not submitted by that date, the lack of it.

<b>0130000</b>	<b>Pome fruits</b>
<b>0130010</b>	<b>Apples</b>
<b>0130020</b>	<b>Pears</b>
<b>0130030</b>	<b>Quinces</b>
<b>0130040</b>	<b>Medlars</b>
<b>0130050</b>	<b>Loquats/Japanese medlars</b>
<b>0130990</b>	<b>Others</b>

(+) The applicable maximum residue level for horseradish (*Armoracia rusticana*) in the spice group (code 0840040) is the one set for horseradish (*Armoracia rusticana*) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

**0840040 Horseradish****Cyazofamid**

(+) The European Food Safety Authority identified some information on residue trials as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 23 April 2016, or, if that information is not submitted by that date, the lack of it.

<b>0211000</b>	<b>potatoes</b>
<b>0231010</b>	<b>Tomatoes</b>
<b>0232000</b>	<b>cucurbits with edible peel</b>
<b>0232010</b>	<b>Cucumbers</b>
<b>0232020</b>	<b>Gherkins</b>
<b>0232030</b>	<b>Courgettes</b>
<b>0232990</b>	<b>Others</b>
<b>0233000</b>	<b>cucurbits with inedible peel</b>
<b>0233010</b>	<b>Melons</b>
<b>0233020</b>	<b>Pumpkins</b>
<b>0233030</b>	<b>Watermelons</b>
<b>0233990</b>	<b>Others</b>

(+) The applicable maximum residue level for horseradish (*Armoracia rusticana*) in the spice group (code 0840040) is the one set for horseradish (*Armoracia rusticana*) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

**0840040 Horseradish****Cyromazine**

(+) The European Food Safety Authority identified some information on residue trials and melamine formation as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 25 January 2016, or, if that information is not submitted by that date, the lack of it.

<b>0251010</b>	<b>Lamb's lettuces/corn salads</b>
<b>0251060</b>	<b>Roman rocket/rucola</b>
<b>0256000</b>	<b>herbs and edible flowers</b>
<b>0256010</b>	<b>Chervil</b>
<b>0256020</b>	<b>Chives</b>
<b>0256030</b>	<b>Celery leaves</b>

<b>0256040</b>	<b>Parsley</b>
<b>0256050</b>	<b>Sage</b>
<b>0256060</b>	<b>Rosemary</b>
<b>0256070</b>	<b>Thyme</b>
<b>0256080</b>	<b>Basil and edible flowers</b>
<b>0256090</b>	<b>Laurel/bay leave</b>
<b>0256100</b>	<b>Tarragon</b>
<b>0256990</b>	<b>Others</b>

(+) The European Food Safety Authority identified some information on crop metabolism as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 25 January 2016, or, if that information is not submitted by that date, the lack of it.

**0260010                    Beans (with pods)**  
**0260030                    Peas (with pods)**

(+) The European Food Safety Authority identified some information on residue trials and melamine formation as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 25 January 2016, or, if that information is not submitted by that date, the lack of it.

**0270030                    Celeries**

(+) The applicable maximum residue level for horseradish (*Armoracia rusticana*) in the spice group (code 0840040) is the one set for horseradish (*Armoracia rusticana*) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

**0840040                    Horseradish**

(+) veterinary medicinal MRL

<b>1013000</b>	<b>sheep</b>
<b>1013010</b>	<b>Muscle</b>
<b>1013020</b>	<b>Fat tissue</b>
<b>1013030</b>	<b>Liver</b>
<b>1013040</b>	<b>Kidney</b>
<b>1013050</b>	<b>Edible offals (other than liver and kidney)</b>
<b>1013990</b>	<b>Others</b>

Dithiocarbamates (dithiocarbamates expressed as CS2, including maneb, mancozeb, metiram, propineb, thiram and ziram)

In brackets the origin of the residue (ma: maneb; mz: mancozeb; me: metiram; pr: propineb; t: thiram; z: ziram).

The MRLs expressed as CS2 can arise from different dithiocarbamates and therefore they do not reflect a single Good Agricultural Practice (GAP). It is therefore not appropriate to use these MRLs to check compliance with a GAP.

(+) (mz)

<b>0110000</b>	<b>Citrus fruits</b>
<b>0110010</b>	<b>Grapefruits</b>
<b>0110020</b>	<b>Oranges</b>
<b>0110030</b>	<b>Lemons</b>
<b>0110040</b>	<b>Limes</b>
<b>0110050</b>	<b>Mandarins</b>
<b>0110990</b>	<b>Others</b>
<b>0120110</b>	<b>Walnuts</b>

(+) (ma, mz, me, pr, t, z)

<b>0130000</b>	<b>Pome fruits</b>
<b>0130010</b>	<b>Apples</b>
<b>0130020</b>	<b>Pears</b>
<b>0130030</b>	<b>Quinces</b>
<b>0130990</b>	<b>Others</b>

(+) (mz, t)

**0140010                    Apricots**

(+) (mz, me, pr, t, z)

**0140020                    Cherries (sweet)**

(+) (mz, t)

<b>0140030</b>	<b>Peaches</b>
(+) (mz, me, t, z)	
<b>0140040</b>	<b>Plums</b>
(+) (ma, mz, me, pr, t, z)	
<b>0151000</b>	<b>grapes</b>
<b>0151010</b>	<b>Table grapes</b>
<b>0151020</b>	<b>Wine grapes</b>
(+) (t)	
<b>0152000</b>	<b>strawberries</b>
(+) (mz)	
<b>0154010</b>	<b>Blueberries</b>
<b>0154020</b>	<b>Cranberries</b>
<b>0154030</b>	<b>Currants (black, red and white)</b>
<b>0154040</b>	<b>Gooseberries (green, red and yellow)</b>
(+) (mz, pr)	
<b>0161030</b>	<b>Table olives</b>
(+) (t)	
<b>0163010</b>	<b>Avocados</b>
(+) (mz, me, t)	
<b>0163020</b>	<b>Bananas</b>
(+) (mz)	
<b>0163030</b>	<b>Mangoes</b>
<b>0163040</b>	<b>Papayas</b>
(+) (ma, mz, me, pr, z)	
<b>0211000</b>	<b>potatoes</b>
(+) (mz)	
<b>0213010</b>	<b>Beetroots</b>
<b>0213020</b>	<b>Carrots</b>
(+) (ma, mz, me, pr, t, z)	
<b>0213030</b>	<b>Celeriacs/turnip rooted celeries</b>
(+) (mz)	
<b>0213040</b>	<b>Horseradishes</b>
<b>0213060</b>	<b>Parsnips</b>
<b>0213070</b>	<b>Parsley roots/Hamburg roots parsley</b>
<b>0213080</b>	<b>Radishes</b>
<b>0213090</b>	<b>Salsifies</b>
(+) (me)	
<b>0220010</b>	<b>Garlic</b>
(+) (ma, me, mz)	
<b>0220020</b>	<b>Onions</b>
<b>0220030</b>	<b>Shallots</b>
(+) (ma, mz)	
<b>0220040</b>	<b>Spring onions/green onions and Welsh onions</b>
(+) (mz, pr)	
<b>0231010</b>	<b>Tomatoes</b>
<b>0231020</b>	<b>Sweet peppers/bell peppers</b>
(+) (me, mz)	

<b>0231030</b>	<b>Aubergines/eggplants</b>
(+) (mz)	
<b>0231040</b>	<b>Okra/lady's fingers</b>
(+) (mz, me, pr)	
<b>0232000</b>	<b>cucurbits with edible peel</b>
<b>0232010</b>	<b>Cucumbers</b>
<b>0232020</b>	<b>Gherkins</b>
<b>0232030</b>	<b>Courgettes</b>
<b>0232990</b>	<b>Others</b>
(+) (me)	
<b>0233000</b>	<b>cucurbits with inedible peel</b>
<b>0233010</b>	<b>Melons</b>
<b>0233020</b>	<b>Pumpkins</b>
<b>0233030</b>	<b>Watermelons</b>
<b>0233990</b>	<b>Others</b>
(+) (mz)	
<b>0241000</b>	<b>flowering brassica</b>
<b>0241010</b>	<b>Broccoli</b>
<b>0241020</b>	<b>Cauliflowers</b>
<b>0241990</b>	<b>Others</b>
<b>0242010</b>	<b>Brussels sprouts</b>
<b>0242020</b>	<b>Head cabbages</b>
<b>0243000</b>	<b>leafy brassica</b>
<b>0243010</b>	<b>Chinese cabbages/pe-tsai</b>
<b>0243020</b>	<b>Kales</b>
<b>0243990</b>	<b>Others</b>
<b>0244000</b>	<b>kohlrabies</b>
(+) (mz, me, t)	
<b>0251000</b>	<b>lettuces and salad plants</b>
<b>0251010</b>	<b>Lamb's lettuces/corn salads</b>
<b>0251020</b>	<b>Lettuces</b>
<b>0251030</b>	<b>Escaroles/broad-leaved endives</b>
<b>0251040</b>	<b>Cresses and other sprouts and shoots</b>
<b>0251060</b>	<b>Roman rocket/rucola</b>
<b>0251080</b>	<b>Baby leaf crops (including brassica species)</b>
<b>0251990</b>	<b>Others</b>
(+) (mz)	
<b>0254000</b>	<b>watercresses</b>
<b>0255000</b>	<b>witloofs/Belgian endives</b>
(+) (mz, me)	
<b>0256000</b>	<b>herbs and edible flowers</b>
<b>0256010</b>	<b>Chervil</b>
<b>0256020</b>	<b>Chives</b>
<b>0256030</b>	<b>Celery leaves</b>
<b>0256040</b>	<b>Parsley</b>
<b>0256990</b>	<b>Others</b>
(+) (mz)	
<b>0260010</b>	<b>Beans (with pods)</b>
<b>0260020</b>	<b>Beans (without pods)</b>
(+) (ma, mz)	
<b>0260030</b>	<b>Peas (with pods)</b>
(+) (mz)	
<b>0260040</b>	<b>Peas (without pods)</b>
(+) (me, mz)	

**0270010 Asparagus**

(+) (ma, mz)

**0270060 Leeks**

(+) (mz)

<b>0270070</b>	<b>Rhubarbs</b>
<b>0300010</b>	<b>Beans</b>
<b>0300030</b>	<b>Peas</b>

(+) (ma, mz)

**0401060 Rapeseeds/canola seeds**

(+) (mz, pr)

**0402010 Olives for oil production**

(+) (ma, mz)

<b>0500010</b>	<b>Barley</b>
<b>0500050</b>	<b>Oat</b>
<b>0500070</b>	<b>Rye</b>
<b>0500090</b>	<b>Wheat</b>

(+) (pr)

**0700000 HOPS****Mepanipyrim**

(+) The applicable maximum residue level for horseradish (*Armoracia rusticana*) in the spice group (code 0840040) is the one set for horseradish (*Armoracia rusticana*) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

**0840040 Horseradish****Propamocarb (Sum of propamocarb and its salts, expressed as propamocarb) (R)**

(R) = The residue definition differs for the following combinations  
pesticide-code number: code 1000000 except 1016000,  
1030000 and 1040000: N-oxide propamocarb; codes 1016000  
and 1030000: N-desmethyl propamocarb

(+) The European Food Safety Authority identified some information on residue trials as unavailable. When reviewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 22 March 2016, or, if that information is not submitted by that date, the lack of it.

<b>0241020</b>	<b>Cauliflowers</b>
<b>0251010</b>	<b>Lamb's lettuces/corn salads</b>
<b>0251030</b>	<b>Escaroles/broad-leaved endives</b>
<b>0251040</b>	<b>Cresses and other sprouts and shoots</b>
<b>0251050</b>	<b>Land cresses</b>
<b>0251070</b>	<b>Red mustards</b>
<b>0251080</b>	<b>Baby leaf crops (including brassica species)</b>
<b>0256000</b>	<b>herbs and edible flowers</b>
<b>0256010</b>	<b>Chervil</b>
<b>0256020</b>	<b>Chives</b>
<b>0256030</b>	<b>Celery leaves</b>
<b>0256040</b>	<b>Parsley</b>
<b>0256050</b>	<b>Sage</b>
<b>0256060</b>	<b>Rosemary</b>
<b>0256070</b>	<b>Thyme</b>
<b>0256080</b>	<b>Basil and edible flowers</b>
<b>0256090</b>	<b>Laurel/bay leave</b>
<b>0256100</b>	<b>Tarragon</b>
<b>0256990</b>	<b>Others</b>

(+) The applicable maximum residue level for horseradish (*Armoracia rusticana*) in the spice group (code 0840040) is the one set for horseradish (*Armoracia rusticana*) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

**0840040****Horseradish**

(+) The European Food Safety Authority identified some information on analytical methods as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 22 March 2016, or, if that information is not submitted by that date, the lack of it.

<b>1011010</b>	<b>Muscle</b>
<b>1011020</b>	<b>Fat tissue</b>
<b>1011030</b>	<b>Liver</b>
<b>1011040</b>	<b>Kidney</b>

(+) The European Food Safety Authority identified some information on analytical methods and a feeding study as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 22 March 2016 or, if that information is not submitted by that date, the lack of it.

<b>1012010</b>	<b>Muscle</b>
<b>1012020</b>	<b>Fat tissue</b>
<b>1012030</b>	<b>Liver</b>
<b>1012040</b>	<b>Kidney</b>
<b>1013010</b>	<b>Muscle</b>
<b>1013020</b>	<b>Fat tissue</b>
<b>1013030</b>	<b>Liver</b>
<b>1013040</b>	<b>Kidney</b>
<b>1014010</b>	<b>Muscle</b>
<b>1014020</b>	<b>Fat tissue</b>
<b>1014030</b>	<b>Liver</b>
<b>1014040</b>	<b>Kidney</b>

(+) The European Food Safety Authority identified some information on analytical methods and the hen feeding study as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 22 March 2016 or, if that information is not submitted by that date, the lack of it.

<b>1016010</b>	<b>Muscle</b>
<b>1016020</b>	<b>Fat tissue</b>
<b>1016030</b>	<b>Liver</b>

(+) The European Food Safety Authority identified some information on analytical methods and a feeding study as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 22 March 2016 or, if that information is not submitted by that date, the lack of it.

<b>1020000</b>	<b>Milk</b>
<b>1020010</b>	<b>Cattle</b>
<b>1020020</b>	<b>Sheep</b>
<b>1020030</b>	<b>Goat</b>
<b>1020040</b>	<b>Horse</b>
<b>1020990</b>	<b>Others</b>

(+) The European Food Safety Authority identified some information on analytical methods and the hen feeding study as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 22 March 2016 or, if that information is not submitted by that date, the lack of it.

<b>1030000</b>	<b>Birds eggs</b>
<b>1030010</b>	<b>Chicken</b>
<b>1030020</b>	<b>Duck</b>
<b>1030030</b>	<b>Geese</b>
<b>1030040</b>	<b>Quail</b>
<b>1030990</b>	<b>Others</b>

**Tebuconazole (R)**

(R) = The residue definition differs for the following combinations  
pesticide-code number:  
tebuconazole-code 1000000 except 1040000: sum of  
tebuconazole, hydroxy-tebuconazole, and their conjugates,  
expressed as tebuconazole

(+) The European Food Safety Authority identified some information on residue trials as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 25 January 2016, or, if that information is not submitted by that date, the lack of it.

---

**Status:** This is the original version (as it was originally adopted).

---

<b>0140020</b>	<b>Cherries (sweet)</b>
<b>0151020</b>	<b>Wine grapes</b>
<b>0153020</b>	<b>Dewberries</b>
<b>0153990</b>	<b>Others</b>
<b>0213090</b>	<b>Salsifies</b>
<b>0231030</b>	<b>Aubergines/eggplants</b>
<b>0233010</b>	<b>Melons</b>
<b>0260010</b>	<b>Beans (with pods)</b>
<b>0260020</b>	<b>Beans (without pods)</b>
<b>0260030</b>	<b>Peas (with pods)</b>
<b>0270030</b>	<b>Celeries</b>
<b>0500060</b>	<b>Rice</b>

(+) The European Food Safety Authority identified some information on analytical methods as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 25 January 2016, or, if that information is not submitted by that date, the lack of it.

<b>0700000</b>	<b>HOPS</b>
<b>0810000</b>	<b>Seed spices</b>
<b>0810010</b>	<b>Anise/aniseed</b>
<b>0810020</b>	<b>Black caraway/black cumin</b>
<b>0810030</b>	<b>Celery</b>
<b>0810040</b>	<b>Coriander</b>
<b>0810050</b>	<b>Cumin</b>
<b>0810060</b>	<b>Dill</b>
<b>0810070</b>	<b>Fennel</b>
<b>0810080</b>	<b>Fenugreek</b>
<b>0810090</b>	<b>Nutmeg</b>
<b>0810990</b>	<b>Others</b>
<b>0820030</b>	<b>Caraway</b>

(+) The applicable maximum residue level for horseradish (*Armoracia rusticana*) in the spice group (code 0840040) is the one set for horseradish (*Armoracia rusticana*) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

## **0840040 Horseradish**

---

### **Thiram (expressed as thiram)**

As all dithiocarbamates result in the final CS2 residue, discrimination among them is generally not possible. However single residue methods are available for propineb, ziram and thiram. These methods should be implemented on a case by case basis when the specific quantification of propineb, ziram and/or thiram is required.

(2) Annex III is amended as follows:

- (a) In Part A, the columns for boscalid, dazomet, fluazifop-P, picloram, pyridaben, pyriofenone and tebufenpyrad are replaced by the following:

### **PESTICIDE RESIDUES AND MAXIMUM RESIDUE LEVELS (MG/KG)**

<b>Code number and example<sup>a</sup></b>	<b>Groups (F) of individual products to which the MRLs apply<sup>b</sup></b>	<b>Boscalid</b>	<b>Dazomet (Methyl R-thiocyanate resulting from the use of dazomet conjugate))</b>	<b>Fluazifop-P (fluazifop butyl acid (free and metam))</b>	<b>Picloram (F)</b>	<b>Pyridaben (F)</b>	<b>Pyriofenone (F)</b>	<b>Tebufenpyrad (F)</b>
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)

0100000	<b>FRUITS, FRESH or FROZEN; TREE NUTS</b>		0,02 <sup>a</sup>		0,01 <sup>a</sup>			
0110000	<b>Citrus fruits</b>	2			0,5		<b>0,6</b>	
0110010	Grapefruits		0,2					
0110020	Oranges		0,1					
0110030	Lemons		0,2					
0110040	Limes		0,2					
0110050	Mandarins		0,2					
0110990	Others		0,2					
0120000	<b>Tree nuts</b>	1		0,2		0,5		0,05 <sup>a</sup>
0120010	Almonds							
0120020	Brazil nuts							
0120030	Cashew nuts							
0120040	Chestnuts							
0120050	Coconuts							
0120060	Hazelnuts/ cobnuts							
0120070	Macadamias							
0120080	Pecans							
0120090	Pine nut kernels							
0120100	Pistachios							
0120110	Walnuts							
0120990	Others							
0130000	<b>Pome fruits</b>	2				0,5		0,2
0130010	Apples		0,2					
0130020	Pears		0,2					
0130030	Quinces		0,5					
0130040	Medlars		0,5					

---

**Status:** This is the original version (as it was originally adopted).

---

0130050	Loquats/ Japanese medlars			0,5			
0130990	Others			0,5			
0140000	<b>Stone fruits</b>						
0140010	Apricots	3		0,5	0,5		0,5
0140020	Cherries	4 (sweet)		0,5	2,5		0,5
0140030	Peaches	3		0,2	0,5		0,3
0140040	Plums	3		0,5	0,5		0,5
0140990	Others	3		0,5	0,5		0,5
0150000	<b>Berries and small fruits</b>			0,2			
0151000	(a)	5 <i>grapes</i>					0,5
0151010		Table grapes			0,5	<b>0,9</b>	
0151020	Wine grapes				1	0,2	
0152000	(b)	10 <i>strawberries</i>			1		1
0153000		10 <i>cane fruits</i>					0,05 <sup>a</sup>
0153010	Blackberries				0,5		
0153020	Dewberries				0,5		
0153030	Raspberries (red and yellow)				1		
0153990	Others				0,5		
0154000	(d)	10 <i>other small fruits and berries</i>			0,5		1
0154010	Blueberries						
0154020	Cranberries						

0154030	Currants (black, red and white)							
0154040	Gooseberries (green, red and yellow)							
0154050	Rose hips							
0154060	Mulberries (black and white)							
0154070	Azaroles/ Mediterranean medlars							
0154080	Elderberries							
0154990	Others							
0160000	<b>Miscellaneous fruits with</b>							0,05 <sup>a</sup>
0161000 (a)	0,05 <sup>a</sup> <i>edible peel</i>		0,2		0,5			
0161010	Dates							
0161020	Figs							
0161030	Table olives							
0161040	Kumquats							
0161050	Carambolas							
0161060	Kaki/ Japanese persimmons							
0161070	Jambuls/ jambolans							
0161990	Others							
0162000 (b)	<i>inedible peel, small</i>		0,2		0,5			

---

**Status:** This is the original version (as it was originally adopted).

---

0162010	Kiwi fruits (green, red, yellow)	5						
0162020	Litchis/ lychees	0,05 <sup>a</sup>						
0162030	Passion fruits/ maracujas	0,05 <sup>a</sup>						
0162040	Prickly pears/ cactus fruits	0,05 <sup>a</sup>						
0162050	Star apples/ cainitos	0,05 <sup>a</sup>						
0162060	American persimmons/ Virginia kaki	0,05 <sup>a</sup>						
0162990	Others	0,05 <sup>a</sup>						
0163000	(c) <i>inedible peel, large</i>							
0163010	Avocados	0,05 <sup>a</sup>		0,2		0,5		
0163020	Bananas	0,6		0,2		0,5		
0163030	Mangoes	0,05 <sup>a</sup>		0,2		0,5		
0163040	Papayas	0,05 <sup>a</sup>		0,2		0,5		
0163050	Granates/ apples/ pomegranates	0,05 <sup>a</sup>		0,2		0,5		
0163060	Cherimoyas	0,05 <sup>a</sup>		0,2		0,5		
0163070	Guavas	0,05 <sup>a</sup>		0,2		0,5		
0163080	Pineapple	0,05 <sup>a</sup>		0,1		0,05 <sup>a</sup>		
0163090	Breadfruit	0,05 <sup>a</sup>		0,2		0,5		
0163100	Durians	0,05 <sup>a</sup>		0,2		0,5		
0163110	Soursop/ guanabanas	0,05 <sup>a</sup>		0,2		0,5		
0163990	Others	0,05 <sup>a</sup>		0,2		0,5		

020000	VEGETABLES, FRESH or FROZEN			0,01 <sup>a</sup>			
021000	Root and tuber vegetables				0,05 <sup>a</sup>		0,05 <sup>a</sup>
0211000 (a)	2 <i>potatoes</i>	0,02 <sup>a</sup>	0,1				
0212000 (b)	2 <i>tropical root and tuber vegetables</i>	0,02 <sup>a</sup>	0,3				
0212010	Cassava roots/ manioc						
0212020	Sweet potatoes						
0212030	Yams						
0212040	Arrowroots						
0212990	Others						
0213000 (c)	<i>other root and tuber vegetables except sugar beets</i>						
0213010	Beetroot	3	0,02 <sup>a</sup>	0,5			
0213020	Carrots	2	<b>0,02</b>	0,3			
0213030	Celeriac/ turnip rooted celeries	2	0,02 <sup>a</sup>	<b>0,5</b>			
0213040	Horseradishes	2	0,02 <sup>a</sup>	0,5			
0213050	Jerusalem artichokes	2	0,02 <sup>a</sup>	<b>0,5</b>			
0213060	Parsnips	2	0,02 <sup>a</sup>	0,5			
0213070	Parsley	3	0,02 <sup>a</sup>	0,5			

**Status:** This is the original version (as it was originally adopted).

	Hamburg roots parsley					
0213080	Radishes 2	<b>0,05</b>	0,5			
0213090	Salsifies 2	0,02 <sup>a</sup>	0,5			
0213100	Swedes/2 rutabagas	0,02 <sup>a</sup>	0,5			
0213110	Turnips 2	0,02 <sup>a</sup>	0,5			
0213990	Others 2	0,02 <sup>a</sup>	0,2			
0220000	<b>Bulb vegetables</b>	0,02 <sup>a</sup>		0,05 <sup>a</sup>		0,05 <sup>a</sup>
0220010	Garlic 5		2			
0220020	Onions 5		0,3			
0220030	Shallots 5		2			
0220040	Spring onions/ green onions and Welsh onions 6		0,2			
0220990	Others 5		0,2			
0230000	<b>Fruiting vegetables</b>					
0231000	(a) 3 <i>solanaceae</i>	<b>0,1</b>				
0231010	Tomatoes		0,3		0,3	<b>0,8</b>
0231020	Sweet peppers/ bell peppers		0,5		0,5	0,5
0231030	Aubergines/ eggplants		0,5		0,2	<b>0,8</b>
0231040	Okra/ lady's fingers		0,5		0,1	0,05 <sup>a</sup>
0231990	Others		0,5		0,1	0,05 <sup>a</sup>
0232000	(b) 3 <i>cucurbits</i> with edible peel	<b>0,1</b>	0,2		<b>0,15</b>	

**Status:** This is the original version (as it was originally adopted).

0232010	Cucumbers						0,3
0232020	Gherkins						0,5
0232030	Courgettes						0,3
0232990	Others						0,1
0233000 (c)	3 <i>cucurbits</i> <i>with</i> <i>inedible</i> <i>peel</i>	<b>0,1</b>			0,05 <sup>a</sup>		
0233010	Melons		0,1				0,5
0233020	Pumpkins		0,2				0,05 <sup>a</sup>
0233030	Watermelons		0,1				0,5
0233990	Others		0,2				0,05 <sup>a</sup>
0234000 (d)	0,5 <i>sweet</i> <i>corn</i>	0,02 <sup>a</sup>	0,2		0,05 <sup>a</sup>		0,05 <sup>a</sup>
0239000 (e)	3 <i>other</i> <i>fruiting</i> <i>vegetables</i>	<b>0,1</b>	0,2		0,05 <sup>a</sup>		0,05 <sup>a</sup>
0240000	<b>Brassica</b> <b>vegetables</b> <b>(excluding</b> <b>brassica</b> <b>roots</b> <b>and</b> <b>brassica</b> <b>baby</b> <b>leaf</b> <b>crops)</b>				0,05 <sup>a</sup>		0,05 <sup>a</sup>
0241000 (a)	5 <i>flowering</i> <i>brassica</i>	0,02 <sup>a</sup>	0,2				
0241010	Broccoli						
0241020	Cauliflowers						
0241990	Others						
0242000 (b)	5 <i>head</i> <i>brassica</i>	0,02 <sup>a</sup>					
0242010	Brussels sprouts		2				
0242020	Head cabbages		0,3				

---

**Status:** This is the original version (as it was originally adopted).

---

0242990	Others			0,3				
0243000	(c)	30 <i>leafy brassica</i>	<b>0,03</b>					
0243010	Chinese cabbages/pe-tsai			0,5				
0243020	Kales			0,2				
0243990	Others			0,5				
0244000	(d)	5 <i>kohlrabies</i>	0,02 <sup>a</sup>	0,2				
0250000	<b>Leaf vegetables, herbs and edible flowers</b>				0,05 <sup>a</sup>		0,05 <sup>a</sup>	
0251000	(a)	<i>lettuces and salad plants</i>	<b>0,03</b>	0,2				
0251010	Lamb's lettuces/corn salads	40						
0251020	Lettuces	30						
0251030	Escarole/broad-leaved endives	30						
0251040	Cresses and other sprouts and shoots	30						
0251050	Land cresses	30						
0251060	Roman rocket/rucola	30						
0251070	Red mustards	30						

0251080	Baby leaf crops (including brassica species)	30							
0251990	Others	30							
0252000	(b)	30 <i>spinaches and similar leaves</i>	<b>0,15</b>						
0252010	Spinaches			1					
0252020	Purslanes			0,5					
0252030	Chards/beet leaves			1					
0252990	Others			0,5					
0253000	(c)	0,05 <sup>a</sup> <i>grape leaves and similar species</i>	0,02 <sup>a</sup>	0,5					
0254000	(d)	30 <i>watercresses</i>	0,02 <sup>a</sup>	0,5					
0255000	(e)	0,5 <i>witloofs/ Belgian endives</i>	0,02 <sup>a</sup>	0,05 <sup>a</sup>					
0256000	(f)	<i>herbs and edible flowers</i>	0,02 <sup>a</sup>						
0256010	Chervil	30		1					
0256020	Chives	10		0,5					
0256030	Celery leaves	10		1					
0256040	Parsley	10		1					
0256050	Sage	10		0,5					
0256060	Rosemary	10		0,5					
0256070	Thyme	10		0,5					

**Status:** This is the original version (as it was originally adopted).

0256080	Basil and edible flowers	50		0,5				
0256090	Laurel/bay leave	10		0,5				
0256100	Tarragon	10		0,5				
0256990	Others	10		0,5				
0260000	<b>Legume vegetables</b>		0,02 <sup>a</sup>					
0260010	Beans (with pods)	5		1		0,5		1
0260020	Beans (without pods)	3		1		0,05 <sup>a</sup>		0,05 <sup>a</sup>
0260030	Peas (with pods)	5		1		0,05 <sup>a</sup>		0,05 <sup>a</sup>
0260040	Peas (without pods)	3		1,5		0,05 <sup>a</sup>		0,05 <sup>a</sup>
0260050	Lentils	3		1		0,05 <sup>a</sup>		0,05 <sup>a</sup>
0260990	Others	3		1		0,05 <sup>a</sup>		0,05 <sup>a</sup>
0270000	<b>Stem vegetables</b>		0,02 <sup>a</sup>			0,05 <sup>a</sup>		0,05 <sup>a</sup>
0270010	Asparagus	0,05 <sup>a</sup>		0,2				
0270020	Cardoon	0,5		0,2				
0270030	Celeries	30		0,5				
0270040	Florence fennels	30		0,5				
0270050	Globe artichokes	0,5		0,9				
0270060	Leeks	5		0,2				
0270070	Rhubarb	0,5		0,2				
0270080	Bamboo shoots	0,5		0,2				
0270090	Palm hearts	0,5		0,2				
0270990	Others	0,5		0,2				

0280000	<b>Fungi, mosses and lichens</b>	0,5	0,02 <sup>a</sup>	0,2		0,05 <sup>a</sup>		0,05 <sup>a</sup>
0280010	Cultivated fungi							
0280020	Wild fungi							
0280990	Mosses and lichens							
0290000	<b>Algae and prokaryotes organisms</b>	0,05 <sup>a</sup>	0,02 <sup>a</sup>	0,05 <sup>a</sup>		0,05 <sup>a</sup>		0,05 <sup>a</sup>
0300000	<b>PULSES</b>	0,02 <sup>a</sup>		0,01 <sup>a</sup>	0,05 <sup>a</sup>		0,05 <sup>a</sup>	
0300010	Beans		4					
0300020	Lentils		4					
0300030	Peas		5					
0300040	Lupins/lupini beans		4					
0300990	Others		2					
0400000	<b>OILSEEDS AND OIL FRUITS</b>	0,02 <sup>a</sup>			0,05 <sup>a</sup>		0,05 <sup>a</sup>	
0401000	<b>Oilseeds</b>							
0401010	Linseeds		9	0,01 <sup>a</sup>				
0401020	Peanuts/1 groundnuts		0,5	0,01 <sup>a</sup>				
0401030	Poppy seeds	1	9	0,01 <sup>a</sup>				
0401040	Sesame seeds	1	10	0,01 <sup>a</sup>				
0401050	Sunflower seeds		0,2	0,01 <sup>a</sup>				
0401060	Rapeseeds/canola seeds		15	0,03				
0401070	Soyabeans	1	5	0,01 <sup>a</sup>				

**Status:** This is the original version (as it was originally adopted).

0401080	<b>Mustard seeds</b>	1		15	0,03			
0401090	<b>Cotton seeds</b>	1		15	0,01 <sup>a</sup>			
0401100	<b>Pumpkin seeds</b>	0,5		10	0,01 <sup>a</sup>			
0401110	<b>Safflower seeds</b>	1		9	0,01 <sup>a</sup>			
0401120	<b>Borage seeds</b>	0,5		15	<b>0,03</b>			
0401130	<b>Gold of pleasure seeds</b>	0,5		15	0,01 <sup>a</sup>			
0401140	<b>Hemp seeds</b>	0,5		15	0,01 <sup>a</sup>			
0401150	<b>Castor beans</b>	0,5		15	0,01 <sup>a</sup>			
0401990	<b>Others</b>	1		15	0,01 <sup>a</sup>			
0402000	<b>Oil fruits</b>				0,01 <sup>a</sup>			
0402010	<b>Olives for oil production</b>	0,05 <sup>a</sup>		0,2				
0402020	<b>Oil palms kernels</b>	1		0,1				
0402030	<b>Oil palms fruits</b>	0,05 <sup>a</sup>		0,1				
0402040	<b>Kapok</b>	1		0,1				
0402990	<b>Others</b>	0,05 <sup>a</sup>		0,1				
0500000	<b>CEREALS</b>		0,02 <sup>a</sup>	0,1		0,05 <sup>a</sup>		0,05 <sup>a</sup>
0500010	<b>Barley</b>	3			0,2		0,03	
0500020	<b>Buckwheat and other pseudo-cereals</b>	0,5			0,01 <sup>a</sup>			
0500030	<b>Maize/corn</b>	0,5			0,2			

0500040	Common millet/ proso millet	0,5			0,01 <sup>a</sup>			
0500050	Oat	3			0,2		0,03	
0500060	Rice	0,5			0,01 <sup>a</sup>			
0500070	Rye	0,5			0,01 <sup>a</sup>		0,01 <sup>a</sup>	
0500080	Sorghum	0,5			0,2			
0500090	Wheat	0,5			0,2		0,01 <sup>a</sup>	
0500990	Others	0,5			0,2			
0600000	<b>TEAS, COFFEE, HERBAL INFUSIONS, COCOA AND CAROBS</b>	0,5	0,02 <sup>a</sup>		0,01 <sup>a</sup>	0,05 <sup>a</sup>		0,1
0610000	Teas			0,1				
0620000	Coffee beans			0,1				
0630000	<b>Herbal infusions from</b>							
0631000	(a)	<i>flowers</i>		0,1				
0631010	Chamomile							
0631020	Hibiscus/ roselle							
0631030	Rose							
0631040	Jasmine							
0631050	Lime/ linden							
0631990	Others							
0632000	(b)	<i>leaves and herbs</i>		0,1				
0632010	Strawberry							
0632020	Rooibos							
0632030	Mate/ maté							

**Status:** This is the original version (as it was originally adopted).

0632990	<b>Others</b>						
0633000				<b>4</b>			
(c)	<i>roots</i>						
0633010	<b>Valerian</b>						
0633020	<b>Ginseng</b>						
0633990	<b>Others</b>						
0639000				0,1			
(d)	<i>any other parts of the plant</i>						
0640000	<b>Cocoa beans</b>			0,1			
0650000	<b>Carobs/ Saint John's breads</b>			0,1			
0700000	<b>HOPS</b>	60	0,02 <sup>a</sup>	0,1	0,01 <sup>a</sup>	10	0,5
0800000	<b>SPICES</b>						
0810000	<b>Seed spices</b>	0,5	0,02 <sup>a</sup>		0,01 <sup>a</sup>	0,05 <sup>a</sup>	0,1
0810010	<b>Anise/ aniseed</b>			1			
0810020	<b>Black caraway/ black cumin</b>			0,1			
0810030	<b>Celery</b>			0,1			
0810040	<b>Coriander</b>			1			
0810050	<b>Cumin</b>			1			
0810060	<b>Dill</b>			0,1			
0810070	<b>Fennel</b>			1			
0810080	<b>Fenugreek</b>			0,1			
0810090	<b>Nutmeg</b>			0,1			
0810990	<b>Others</b>			0,1			
0820000	<b>Fruit spices</b>	0,5	0,02 <sup>a</sup>	0,1	0,01 <sup>a</sup>	0,05 <sup>a</sup>	0,1
0820010	<b>Allspice/ pimento</b>						

0820020	Sichuan pepper							
0820030	Caraway							
0820040	Cardamom							
0820050	Juniper berry							
0820060	Peppercorn (black, green and white)							
0820070	Vanilla							
0820080	Tamarind							
0820990	Others							
0830000	<b>Bark spices</b>	0,5	0,02 <sup>a</sup>	0,1	0,01 <sup>a</sup>	0,05 <sup>a</sup>		0,1
0830010	Cinnamon							
0830990	Others							
0840000	<b>Root and rhizome spices</b>							
0840010	Liquorice	0,5	0,02 <sup>a</sup>	<b>4</b>	0,01 <sup>a</sup>	0,05 <sup>a</sup>		0,1
0840020	Ginger	0,5	0,02 <sup>a</sup>	<b>4</b>	0,01 <sup>a</sup>	0,05 <sup>a</sup>		0,1
0840030	Turmeric	0,5 curcuma	0,02 <sup>a</sup>	<b>4</b>	0,01 <sup>a</sup>	0,05 <sup>a</sup>		0,1
0840040	Horseradish	(+)	(+)	(+)	(+)	(+)		(+)
0840990	Others	0,5	0,02 <sup>a</sup>	<b>4</b>	0,01 <sup>a</sup>	0,05 <sup>a</sup>		0,1
0850000	<b>Bud spices</b>	0,5	0,02 <sup>a</sup>	0,1	0,01 <sup>a</sup>	0,05 <sup>a</sup>		0,1
0850010	Cloves							
0850020	Capers							
0850990	Others							
0860000	<b>Flower pistil spices</b>	0,5	0,02 <sup>a</sup>	0,1	0,01 <sup>a</sup>	0,05 <sup>a</sup>		0,1
0860010	Saffron							
0860990	Others							

**Status:** This is the original version (as it was originally adopted).

0870000	<b>Aril spices</b>	0,5	0,02 <sup>a</sup>	0,1	0,01 <sup>a</sup>	0,05 <sup>a</sup>		0,1
0870010	Mace							
0870990	Others							
0900000	<b>SUGAR PLANTS</b>		0,02 <sup>a</sup>			0,05 <sup>a</sup>		0,05 <sup>a</sup>
0900010	Sugar beet roots	2		0,5	0,01 <sup>a</sup>			
0900020	Sugar canes	0,5		0,05 <sup>a</sup>	0,05			
0900030	Chicory roots	2		0,3	0,01 <sup>a</sup>			
0900990	Others	0,5		0,05 <sup>a</sup>	0,01 <sup>a</sup>			
1000000	<b>PRODUCTS OF ANIMAL ORIGIN</b> - <b>TERRESTRIAL ANIMALS</b>					0,02 <sup>a</sup>		0,05 <sup>a</sup>
1010000	<b>Tissues from</b>			0,05 <sup>a</sup>				
1011000	(a) <i>swine</i>							
1011010	Muscle	0,7			0,2			
1011020	Fat tissue	0,7			0,01 <sup>a</sup>			
1011030	Liver	0,2			0,01 <sup>a</sup>			
1011040	Kidney	0,2			5			
1011050	Edible offals (other than liver and kidney)	0,2			0,5			
1011990	Others	0,05 <sup>a</sup>			0,01 <sup>a</sup>			
1012000	(b) <i>bovine</i>							
1012010	Muscle	0,7			0,2			

1012020	Fat tissue	0,7			0,2			
1012030	Liver	0,2			0,01 <sup>a</sup>			
1012040	Kidney	0,3			5			
1012050	Edible offals (other than liver and kidney)	0,3			0,5			
1012990	Others	0,05 <sup>a</sup>			0,01 <sup>a</sup>			
1013000	(c) <i>sheep</i>							
1013010	Muscle	0,7			0,2			
1013020	Fat tissue	0,7			0,2			
1013030	Liver	0,2			0,01 <sup>a</sup>			
1013040	Kidney	0,3			5			
1013050	Edible offals (other than liver and kidney)	0,3			0,5			
1013990	Others	0,05 <sup>a</sup>			0,01 <sup>a</sup>			
1014000	d) <i>goat</i>							
1014010	Muscle	0,7			0,2			
1014020	Fat tissue	0,7			0,2			
1014030	Liver	0,2			0,01 <sup>a</sup>			
1014040	Kidney	0,3			5			
1014050	Edible offals (other than liver and kidney)	0,3			0,5			
1014990	Others	0,05 <sup>a</sup>			0,01 <sup>a</sup>			

---

**Status:** This is the original version (as it was originally adopted).

---

1015000	(e)	<i>equine</i>						
1015010	Muscle	0,7			0,2			
1015020	Fat tissue	0,7			0,01 <sup>a</sup>			
1015030	Liver	0,2			0,01 <sup>a</sup>			
1015040	Kidney	0,3			5			
1015050	Edible offals (other than liver and kidney)	0,3			0,5			
1015990	Others	0,05 <sup>a</sup>			0,01 <sup>a</sup>			
1016000	(f)	<i>poultry</i>						
1016010	Muscle	0,05 <sup>a</sup>			0,2			
1016020	Fat tissue	0,1			0,01 <sup>a</sup>			
1016030	Liver	0,1			0,01 <sup>a</sup>			
1016040	Kidney	0,05			0,01 <sup>a</sup>			
1016050	Edible offals (other than liver and kidney)	0,1			0,01 <sup>a</sup>			
1016990	Others	0,05 <sup>a</sup>			0,01 <sup>a</sup>			
1017000	(g)	<i>other farmed terrestrial animals</i>						
1017010	Muscle	0,7			0,2			
1017020	Fat tissue	0,7			0,01 <sup>a</sup>			
1017030	Liver	0,2			0,01 <sup>a</sup>			
1017040	Kidney	0,3			5			
1017050	Edible offals	0,3			0,5			

	(other than liver and kidney)							
1017990	Others	0,05 <sup>a</sup>			0,01 <sup>a</sup>			
1020000	<b>Milk</b>	0,1		0,1	0,05 <sup>a</sup>			
1020010	Cattle							
1020020	Sheep							
1020030	Goat							
1020040	Horse							
1020990	Others							
1030000	<b>Birds eggs</b>	0,05 <sup>a</sup>		0,05 <sup>a</sup>	0,01 <sup>a</sup>			
1030010	Chicken							
1030020	Duck							
1030030	Geese							
1030040	Quail							
1030990	Others							
1040000	<b>Honey and other apiculture products</b>	0,5	<b>0,05<sup>a</sup></b>	0,05 <sup>a</sup>	0,05 <sup>a</sup>			
1050000	<b>Amphibians and Reptiles</b>	0,05 <sup>a</sup>		0,05 <sup>a</sup>	0,01 <sup>a</sup>			
1060000	<b>Terrestrial invertebrate animals</b>	0,05 <sup>a</sup>		0,05 <sup>a</sup>	0,01 <sup>a</sup>			
1070000	<b>Wild terrestrial vertebrate animals</b>	0,05 <sup>a</sup>		0,05 <sup>a</sup>	0,01 <sup>a</sup>			

**a** Indicates lower limit of analytical determination

**b** For the complete list of products of plant and animal origin to which MRLs apply, reference should be made to Annex I.

(F) = Fat soluble

**Boscalid (F) (R)**

(R) = The residue definition differs for the following combinations pesticide-code number:  
Boscalid — code 1000000 except 1040000: Sum of boscalid and metabolite 2-chloro-N-(4'-chloro-5-

---

**hydroxybiphenyl-2-yl)nicotinamide (M 510F01)**  
including its conjugates expressed as boscalid

---

(+) The applicable maximum residue level for horseradish (*Armoracia rusticana*) in the spice group (code 0840040) is the one set for horseradish (*Armoracia rusticana*) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

---

**0840040                    Horseradish**

---

**Dazomet (Methylisothiocyanate resulting from the use of dazomet and metam)**

---

(+) The applicable maximum residue level for horseradish (*Armoracia rusticana*) in the spice group (code 0840040) is the one set for horseradish (*Armoracia rusticana*) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

---

**0840040                    Horseradish**

---

**Fluazifop-P-butyl (fluazifop acid (free and conjugate))**

---

(+) The applicable maximum residue level for horseradish (*Armoracia rusticana*) in the spice group (code 0840040) is the one set for horseradish (*Armoracia rusticana*) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

---

**0840040                    Horseradish**

---

**Picloram**

---

(+) The applicable maximum residue level for horseradish (*Armoracia rusticana*) in the spice group (code 0840040) is the one set for horseradish (*Armoracia rusticana*) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

---

**0840040                    Horseradish**

---

**Pyridaben (F)**

---

(+) The applicable maximum residue level for horseradish (*Armoracia rusticana*) in the spice group (code 0840040) is the one set for horseradish (*Armoracia rusticana*) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

---

**0840040                    Horseradish**

---

**Tebufenpyrad (F)**

---

(+) The applicable maximum residue level for horseradish (*Armoracia rusticana*) in the spice group (code 0840040) is the one set for horseradish (*Armoracia rusticana*) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

---

**0840040                    Horseradish**

---

- (b) In Part A, the following column for sulfoxaflor is added:

**PESTICIDE RESIDUES AND  
MAXIMUM RESIDUE LEVELS (MG/KG)**

<b>Code number</b>	<b>Groups and examples of individual products to which the MRLs apply<sup>b</sup></b>	<b>Sulfoxaflor (sum of isomers)</b>
(1)	(2)	(3)
0100000	<b>FRUITS, FRESH or FROZEN; TREE NUTS</b>	
0110000	<b>Citrus fruits</b>	<b>0,01<sup>a</sup></b>
0110010	Grapefruits	
0110020	Oranges	
0110030	Lemons	
0110040	Limes	
0110050	Mandarins	
0110990	Others	
0120000	<b>Tree nuts</b>	<b>0,02<sup>a</sup></b>
0120010	Almonds	
0120020	Brazil nuts	
0120030	Cashew nuts	
0120040	Chestnuts	
0120050	Coconuts	
0120060	Hazelnuts/cobnuts	
0120070	Macadamias	
0120080	Pecans	
0120090	Pine nut kernels	
0120100	Pistachios	
0120110	Walnuts	

**a** Indicates lower limit of analytical determination

**b** For the complete list of products of plant and animal origin to which MRLs apply, reference should be made to Annex I.

**Sulfoxaflor**

(+) The applicable maximum residue level for horseradish (*Armoracia rusticana*) in the spice group (code 0840040) is the one set for horseradish (*Armoracia rusticana*) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

**0840040**

**Horseradish**

**Status:** This is the original version (as it was originally adopted).

0120990	Others	
0130000	<b>Pome fruits</b>	
0130010	Apples	<b>0,4</b>
0130020	Pears	<b>0,4</b>
0130030	Quinces	<b>0,01<sup>a</sup></b>
0130040	Medlars	<b>0,01<sup>a</sup></b>
0130050	Loquats/Japanese medlars	<b>0,01<sup>a</sup></b>
0130990	Others	<b>0,01<sup>a</sup></b>
0140000	<b>Stone fruits</b>	
0140010	Apricots	<b>0,5</b>
0140020	Cherries (sweet)	<b>0,01<sup>a</sup></b>
0140030	Peaches	<b>0,5</b>
0140040	Plums	<b>0,01<sup>a</sup></b>
0140990	Others	<b>0,01<sup>a</sup></b>
0150000	<b>Berries and small fruits</b>	
0151000	(a) <i>grapes</i>	
0151010	Table grapes	<b>2</b>
0151020	Wine grapes	<b>0,01<sup>a</sup></b>
0152000	(b) <i>strawberries</i>	<b>0,5</b>
0153000	(c) <i>cane fruits</i>	<b>0,01<sup>a</sup></b>
0153010	Blackberries	
0153020	Dewberries	
0153030	Raspberries (red and yellow)	
0153990	Others	

**a** Indicates lower limit of analytical determination**b** For the complete list of products of plant and animal origin to which MRLs apply, reference should be made to Annex I.**Sulfoxaflor**

(+) The applicable maximum residue level for horseradish (*Armoracia rusticana*) in the spice group (code 0840040) is the one set for horseradish (*Armoracia rusticana*) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

**0840040****Horseradish**

0154000	(d) <i>other small fruits and berries</i>	<b>0,01<sup>a</sup></b>
0154010	Blueberries	
0154020	Cranberries	
0154030	Currants (black, red and white)	
0154040	Gooseberries (green, red and yellow)	
0154050	Rose hips	
0154060	Mulberries (black and white)	
0154070	Azaroles/ Mediterranean medlars	
0154080	Elderberries	
0154990	Others	
0160000	<b>Miscellaneous fruits with</b>	<b>0,01<sup>a</sup></b>
0161000	(a) <i>edible peel</i>	
0161010	Dates	
0161020	Figs	
0161030	Table olives	
0161040	Kumquats	
0161050	Carambolas	
0161060	Kaki/Japanese persimmons	
0161070	Jambuls/jambolans	
0161990	Others	
0162000	(b) <i>inedible peel, small</i>	

**a** Indicates lower limit of analytical determination

**b** For the complete list of products of plant and animal origin to which MRLs apply, reference should be made to Annex I.

**Sulfoxaflor**

(+) The applicable maximum residue level for horseradish (*Armoracia rusticana*) in the spice group (code 0840040) is the one set for horseradish (*Armoracia rusticana*) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

**0840040**

**Horseradish**

---

**Status:** This is the original version (as it was originally adopted).

---

0162010	Kiwi fruits (green, red, yellow)	
0162020	Litchis/lychees	
0162030	Passionfruits/ maracujas	
0162040	Prickly pears/cactus fruits	
0162050	Star apples/cainitos	
0162060	American persimmons/ Virginia kaki	
0162990	Others	
0163000	(c) <i>inedible peel, large</i>	
0163010	Avocados	
0163020	Bananas	
0163030	Mangoes	
0163040	Papayas	
0163050	Granate apples/ pomegranates	
0163060	Cherimoyas	
0163070	Guavas	
0163080	Pineapples	
0163090	Breadfruits	
0163100	Durians	
0163110	Soursops/guanabanas	
0163990	Others	
0200000	<b>VEGETABLES, FRESH or FROZEN</b>	
0210000	<b>Root and tuber vegetables</b>	<b>0,01<sup>a</sup></b>

**a** Indicates lower limit of analytical determination

**b** For the complete list of products of plant and animal origin to which MRLs apply, reference should be made to Annex I.

---

**Sulfoxaflor**

---

(+) The applicable maximum residue level for horseradish (*Armoracia rusticana*) in the spice group (code 0840040) is the one set for horseradish (*Armoracia rusticana*) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

---

**0840040**

---

**Horseradish**

---

0211000	(a) <i>potatoes</i>	
0212000	(b) <i>tropical root and tuber vegetables</i>	
0212010	Cassava roots/manioc	
0212020	Sweet potatoes	
0212030	Yams	
0212040	Arrowroots	
0212990	Others	
0213000	(c) <i>other root and tuber vegetables except sugar beets</i>	
0213010	Beetroots	
0213020	Carrots	
0213030	Celeriacs/turnip rooted celeries	
0213040	Horseradishes	
0213050	Jerusalem artichokes	
0213060	Parsnips	
0213070	Parsley roots/Hamburg roots parsley	
0213080	Radishes	
0213090	Salsifies	
0213100	Swedes/rutabagas	
0213110	Turnips	
0213990	Others	
0220000	<b>Bulb vegetables</b>	<b>0,01<sup>a</sup></b>

**a** Indicates lower limit of analytical determination

**b** For the complete list of products of plant and animal origin to which MRLs apply, reference should be made to Annex I.

**Sulfoxaflor**

(+) The applicable maximum residue level for horseradish (*Armoracia rusticana*) in the spice group (code 0840040) is the one set for horseradish (*Armoracia rusticana*) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

**0840040**

**Horseradish**

**Status:** This is the original version (as it was originally adopted).

0220010	Garlic	
0220020	Onions	
0220030	Shallots	
0220040	Spring onions/green onions and Welsh onions	
0220990	Others	
0230000	<b>Fruiting vegetables</b>	
0231000	(a) <i>solanacea</i>	
0231010	Tomatoes	<b>0,3</b>
0231020	Sweet peppers/bell peppers	<b>0,4</b>
0231030	Aubergines/eggplants	<b>0,3</b>
0231040	Okra/lady's fingers	<b>0,01<sup>a</sup></b>
0231990	Others	<b>0,01<sup>a</sup></b>
0232000	(b) <i>cucurbits with edible peel</i>	
0232010	Cucumbers	<b>0,03</b>
0232020	Gherkins	<b>0,01<sup>a</sup></b>
0232030	Courgettes	<b>0,03</b>
0232990	Others	<b>0,01<sup>a</sup></b>
0233000	(c) <i>cucurbits with inedible peel</i>	
0233010	Melons	<b>0,02</b>
0233020	Pumpkins	<b>0,01<sup>a</sup></b>
0233030	Watermelons	0,02
0233990	Others	<b>0,01<sup>a</sup></b>

**a** Indicates lower limit of analytical determination**b** For the complete list of products of plant and animal origin to which MRLs apply, reference should be made to Annex I.**Sulfoxaflor**

(+) The applicable maximum residue level for horseradish (*Armoracia rusticana*) in the spice group (code 0840040) is the one set for horseradish (*Armoracia rusticana*) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

**0840040****Horseradish**

0234000	(d) <i>sweet corn</i>	<b>0,01<sup>a</sup></b>
0239000	(e) <i>other fruiting vegetables</i>	<b>0,01<sup>a</sup></b>
0240000	<b>Brassica vegetables (excluding brassica roots and brassica baby leaf crops)</b>	
0241000	(a) <i>flowering brassica</i>	
0241010	Broccoli	<b>0,7</b>
0241020	Cauliflowers	<b>0,01<sup>a</sup></b>
0241990	Others	<b>0,01<sup>a</sup></b>
0242000	(b) <i>head brassica</i>	<b>0,01<sup>a</sup></b>
0242010	Brussels sprouts	
0242020	Head cabbages	
0242990	Others	
0243000	(c) <i>leafy brassica</i>	
0243010	Chinese cabbages/pe-tsai	<b>2</b>
0243020	Kales	<b>0,01<sup>a</sup></b>
0243990	Others	<b>0,01<sup>a</sup></b>
0244000	(d) <i>kohlrabies</i>	<b>0,01<sup>a</sup></b>
0250000	<b>Leaf vegetables, herbs and edible flowers</b>	
0251000	(a) <i>lettuces and salad plants</i>	

**a** Indicates lower limit of analytical determination

**b** For the complete list of products of plant and animal origin to which MRLs apply, reference should be made to Annex I.

#### Sulfoxaflor

(+) The applicable maximum residue level for horseradish (*Armoracia rusticana*) in the spice group (code 0840040) is the one set for horseradish (*Armoracia rusticana*) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

**0840040**

**Horseradish**

**Status:** This is the original version (as it was originally adopted).

0251010	Lamb's lettuces/corn salads	<b>0,01<sup>a</sup></b>
0251020	Lettuces	<b>4</b>
0251030	Escaroles/broad-leaved endives	<b>0,01<sup>a</sup></b>
0251040	Cresses and other sprouts and shoots	<b>0,01<sup>a</sup></b>
0251050	Land cresses	<b>0,01<sup>a</sup></b>
0251060	Roman rocket/rucola	<b>0,01<sup>a</sup></b>
0251070	Red mustards	<b>0,01<sup>a</sup></b>
0251080	Baby leaf crops (including brassica species)	<b>0,01<sup>a</sup></b>
0251990	Others	<b>0,01<sup>a</sup></b>
0252000	(b) <i>spinaches and similar leaves</i>	
0252010	Spinaches	<b>6</b>
0252020	Purslanes	<b>0,01<sup>a</sup></b>
0252030	Chards/beet leaves	<b>0,01<sup>a</sup></b>
0252990	Others	<b>0,01<sup>a</sup></b>
0253000	(c) <i>grape leaves and similar species</i>	<b>0,01<sup>a</sup></b>
0254000	(d) <i>watercresses</i>	<b>0,01<sup>a</sup></b>
0255000	(e) <i>witloofs/ Belgian endives</i>	<b>0,01<sup>a</sup></b>

**a** Indicates lower limit of analytical determination**b** For the complete list of products of plant and animal origin to which MRLs apply, reference should be made to Annex I.**Sulfoxaflor**

(+) The applicable maximum residue level for horseradish (*Armoracia rusticana*) in the spice group (code 0840040) is the one set for horseradish (*Armoracia rusticana*) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

**0840040****Horseradish**

0256000	(f) <i>herbs and edible flowers</i>	
0256010	Chervil	<b>0,02<sup>a</sup></b>
0256020	Chives	<b>0,02<sup>a</sup></b>
0256030	Celery leaves	<b>1,5</b>
0256040	Parsley	<b>0,02<sup>a</sup></b>
0256050	Sage	<b>0,02<sup>a</sup></b>
0256060	Rosemary	<b>0,02<sup>a</sup></b>
0256070	Thyme	<b>0,02<sup>a</sup></b>
0256080	Basil and edible flowers	<b>0,02<sup>a</sup></b>
0256090	Laurel/bay leave	<b>0,02<sup>a</sup></b>
0256100	Tarragon	<b>0,02<sup>a</sup></b>
0256990	Others	<b>0,02<sup>a</sup></b>
0260000	<b>Legume vegetables</b>	<b>0,01<sup>a</sup></b>
0260010	Beans (with pods)	
0260020	Beans (without pods)	
0260030	Peas (with pods)	
0260040	Peas (without pods)	
0260050	Lentils	
0260990	Others	
0270000	<b>Stem vegetables</b>	<b>0,01<sup>a</sup></b>
0270010	Asparagus	
0270020	Cardoons	
0270030	Celeries	
0270040	Florence fennels	
0270050	Globe artichokes	

**a** Indicates lower limit of analytical determination

**b** For the complete list of products of plant and animal origin to which MRLs apply, reference should be made to Annex I.

**Sulfoxaflor**

(+) The applicable maximum residue level for horseradish (*Armoracia rusticana*) in the spice group (code 0840040) is the one set for horseradish (*Armoracia rusticana*) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

**0840040**

**Horseradish**

**Status:** This is the original version (as it was originally adopted).

0270060	Leeks	
0270070	Rhubarbs	
0270080	Bamboo shoots	
0270090	Palm hearts	
0270990	Others	
0280000	<b>Fungi, mosses and lichens</b>	<b>0,01<sup>a</sup></b>
0280010	Cultivated fungi	
0280020	Wild fungi	
0280990	<b>Mosses and lichens</b>	
0290000	<b>Algae and prokaryotes organisms</b>	<b>0,01<sup>a</sup></b>
0300000	<b>PULSES</b>	<b>0,01<sup>a</sup></b>
0300010	Beans	
0300020	Lentils	
0300030	Peas	
0300040	Lupins/lupini beans	
0300990	Others	
0400000	<b>OILSEEDS AND OIL FRUITS</b>	
0401000	<b>Oilseeds</b>	
0401010	Linseeds	<b>0,02<sup>a</sup></b>
0401020	Peanuts/groundnuts	<b>0,02<sup>a</sup></b>
0401030	Poppy seeds	<b>0,02<sup>a</sup></b>
0401040	Sesame seeds	<b>0,02<sup>a</sup></b>
0401050	Sunflower seeds	<b>0,02<sup>a</sup></b>
0401060	Rapeseeds/canola seeds	<b>0,1</b>

**a** Indicates lower limit of analytical determination**b** For the complete list of products of plant and animal origin to which MRLs apply, reference should be made to Annex I.**Sulfoxaflor**

(+) The applicable maximum residue level for horseradish (*Armoracia rusticana*) in the spice group (code 0840040) is the one set for horseradish (*Armoracia rusticana*) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

**0840040****Horseradish**

0401070	Soyabean	<b>0,2</b>
0401080	Mustard seeds	<b>0,02<sup>a</sup></b>
0401090	Cotton seeds	<b>0,02<sup>a</sup></b>
0401100	Pumpkin seeds	<b>0,02<sup>a</sup></b>
0401110	Safflower seeds	<b>0,02<sup>a</sup></b>
0401120	Borage seeds	<b>0,02<sup>a</sup></b>
0401130	Gold of pleasure seeds	<b>0,02<sup>a</sup></b>
0401140	Hemp seeds	<b>0,02<sup>a</sup></b>
0401150	Castor beans	<b>0,02<sup>a</sup></b>
0401990	Others	<b>0,02<sup>a</sup></b>
0402000	<b>Oil fruits</b>	<b>0,02<sup>a</sup></b>
0402010	Olives for oil production	
0402020	Oil palms kernels	
0402030	Oil palms fruits	
0402040	Kapok	
0402990	Others	
0500000	<b>CEREALS</b>	
0500010	Barley	<b>0,04</b>
0500020	Buckwheat and other pseudo-cereals	<b>0,01<sup>a</sup></b>
0500030	Maize/corn	<b>0,01<sup>a</sup></b>
0500040	Common millet/proso millet	<b>0,01<sup>a</sup></b>
0500050	Oat	<b>0,04</b>
0500060	Rice	<b>0,01<sup>a</sup></b>
0500070	Rye	<b>0,01<sup>a</sup></b>
0500080	Sorghum	<b>0,01<sup>a</sup></b>

**a** Indicates lower limit of analytical determination

**b** For the complete list of products of plant and animal origin to which MRLs apply, reference should be made to Annex I.

**Sulfoxaflor**

(+) The applicable maximum residue level for horseradish (*Armoracia rusticana*) in the spice group (code 0840040) is the one set for horseradish (*Armoracia rusticana*) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

**0840040**

**Horseradish**

**Status:** This is the original version (as it was originally adopted).

0500090	Wheat	<b>0,09</b>
0500990	Others	<b>0,01<sup>a</sup></b>
0600000	<b>TEAS, COFFEE, HERBAL INFUSIONS, COCOA AND CAROBS</b>	<b>0,05<sup>a</sup></b>
0610000	<b>Teas</b>	
0620000	<b>Coffee beans</b>	
0630000	<b>Herbal infusions from</b>	
0631000	(a) <i>flowers</i>	
0631010	Chamomile	
0631020	Hibiscus/roselle	
0631030	Rose	
0631040	Jasmine	
0631050	Lime/linden	
0631990	Others	
0632000	(b) <i>leaves and herbs</i>	
0632010	Strawberry	
0632020	Rooibos	
0632030	Mate/maté	
0632990	Others	
0633000	(c) <i>roots</i>	
0633010	Valerian	
0633020	Ginseng	
0633990	Others	

**a** Indicates lower limit of analytical determination**b** For the complete list of products of plant and animal origin to which MRLs apply, reference should be made to Annex I.**Sulfoxaflor**

(+) The applicable maximum residue level for horseradish (*Armoracia rusticana*) in the spice group (code 0840040) is the one set for horseradish (*Armoracia rusticana*) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

**0840040                    Horseradish**

0639000	(d) <i>any other parts of the plant</i>	
0640000	<b>Cocoa beans</b>	
0650000	<b>Carobs/Saint John's breads</b>	
0700000	<b>HOPS</b>	<b>0,05<sup>a</sup></b>
0800000	<b>SPICES</b>	
0810000	<b>Seed spices</b>	<b>0,05<sup>a</sup></b>
0810010	Anise/aniseed	
0810020	Black caraway/black cumin	
0810030	Celery	
0810040	Coriander	
0810050	Cumin	
0810060	Dill	
0810070	Fennel	
0810080	Fenugreek	
0810090	Nutmeg	
0810990	Others	
0820000	<b>Fruit spices</b>	<b>0,05<sup>a</sup></b>
0820010	Allspice/pimento	
0820020	Sichuan pepper	
0820030	Caraway	
0820040	Cardamom	
0820050	Juniper berry	
0820060	Peppercorn (black, green and white)	
0820070	Vanilla	

**a** Indicates lower limit of analytical determination

**b** For the complete list of products of plant and animal origin to which MRLs apply, reference should be made to Annex I.

#### **Sulfoxaflor**

(+) The applicable maximum residue level for horseradish (*Armoracia rusticana*) in the spice group (code 0840040) is the one set for horseradish (*Armoracia rusticana*) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

**0840040                    Horseradish**

---

**Status:** This is the original version (as it was originally adopted).

---

0820080	Tamarind	
0820990	Others	
0830000	<b>Bark spices</b>	<b>0,05<sup>a</sup></b>
0830010	Cinnamon	
0830990	Others	
0840000	<b>Root and rhizome spices</b>	
0840010	Liquorice	<b>0,05<sup>a</sup></b>
0840020	Ginger	<b>0,05<sup>a</sup></b>
0840030	Turmeric/curcuma	<b>0,05<sup>a</sup></b>
0840040	Horseradish	(+)
0840990	Others	<b>0,05<sup>a</sup></b>
0850000	<b>Bud spices</b>	<b>0,05<sup>a</sup></b>
0850010	Cloves	
0850020	Capers	
0850990	Others	
0860000	<b>Flower pistil spices</b>	<b>0,05<sup>a</sup></b>
0860010	Saffron	
0860990	Others	
0870000	<b>Aril spices</b>	<b>0,05<sup>a</sup></b>
0870010	Mace	
0870990	Others	
0900000	<b>SUGAR PLANTS</b>	<b>0,01<sup>a</sup></b>
0900010	Sugar beet roots	
0900020	Sugar canes	
0900030	Chicory roots	
0900990	Others	

**a** Indicates lower limit of analytical determination

**b** For the complete list of products of plant and animal origin to which MRLs apply, reference should be made to Annex I.

#### **Sulfoxaflor**

(+) The applicable maximum residue level for horseradish (*Armoracia rusticana*) in the spice group (code 0840040) is the one set for horseradish (*Armoracia rusticana*) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

**0840040                    Horseradish**

---

1000000	<b>PRODUCTS OF ANIMAL ORIGIN -TERRESTRIAL ANIMALS</b>	
1010000	<b>Tissues from</b>	
1011000	(a) <i>swine</i>	
1011010	Muscle	<b>0,01<sup>a</sup></b>
1011020	Fat tissue	<b>0,01<sup>a</sup></b>
1011030	Liver	<b>0,015</b>
1011040	Kidney	<b>0,01</b>
1011050	Edible offals (other than liver and kidney)	<b>0,01<sup>a</sup></b>
1011990	Others	<b>0,01<sup>a</sup></b>
1012000	(b) <i>bovine</i>	
1012010	Muscle	<b>0,07</b>
1012020	Fat tissue	<b>0,04</b>
1012030	Liver	<b>0,2</b>
1012040	Kidney	<b>0,1</b>
1012050	Edible offals (other than liver and kidney)	<b>0,01<sup>a</sup></b>
1012990	Others	<b>0,01<sup>a</sup></b>
1013000	(c) <i>sheep</i>	
1013010	Muscle	<b>0,07</b>
1013020	Fat tissue	<b>0,04</b>
1013030	Liver	<b>0,2</b>
1013040	Kidney	<b>0,1</b>
1013050	Edible offals (other than liver and kidney)	<b>0,01<sup>a</sup></b>

**a** Indicates lower limit of analytical determination

**b** For the complete list of products of plant and animal origin to which MRLs apply, reference should be made to Annex I.

**Sulfoxaflor**

(+) The applicable maximum residue level for horseradish (*Armoracia rusticana*) in the spice group (code 0840040) is the one set for horseradish (*Armoracia rusticana*) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

**0840040**

**Horseradish**

---

**Status:** This is the original version (as it was originally adopted).

---

1013990	Others	<b>0,01<sup>a</sup></b>
1014000	d) <i>goat</i>	
1014010	Muscle	<b>0,07</b>
1014020	Fat tissue	<b>0,04</b>
1014030	Liver	<b>0,2</b>
1014040	Kidney	<b>0,1</b>
1014050	Edible offals (other than liver and kidney)	<b>0,01<sup>a</sup></b>
1014990	Others	<b>0,01<sup>a</sup></b>
1015000	(e) <i>equine</i>	
1015010	Muscle	<b>0,07</b>
1015020	Fat tissue	<b>0,04</b>
1015030	Liver	<b>0,2</b>
1015040	Kidney	<b>0,1</b>
1015050	Edible offals (other than liver and kidney)	<b>0,01<sup>a</sup></b>
1015990	Others	<b>0,01<sup>a</sup></b>
1016000	(f) <i>poultry</i>	<b>0,01<sup>a</sup></b>
1016010	Muscle	
1016020	Fat tissue	
1016030	Liver	
1016040	Kidney	
1016050	Edible offals (other than liver and kidney)	
1016990	Others	
1017000	(g) <i>other farmed terrestrial animals</i>	

**a** Indicates lower limit of analytical determination

**b** For the complete list of products of plant and animal origin to which MRLs apply, reference should be made to Annex I.

---

**Sulfoxaflor**

---

(+) The applicable maximum residue level for horseradish (*Armoracia rusticana*) in the spice group (code 0840040) is the one set for horseradish (*Armoracia rusticana*) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

---

**0840040**

---

**Horseradish**

---

1017010	Muscle	<b>0,07</b>
1017020	Fat tissue	<b>0,04</b>
1017030	Liver	<b>0,2</b>
1017040	Kidney	<b>0,1</b>
1017050	Edible offals (other than liver and kidney)	<b>0,01<sup>a</sup></b>
1017990	Others	<b>0,01<sup>a</sup></b>
1020000	<b>Milk</b>	<b>0,03</b>
1020010	Cattle	
1020020	Sheep	
1020030	Goat	
1020040	Horse	
1020990	Others	
1030000	<b>Birds eggs</b>	<b>0,01<sup>a</sup></b>
1030010	Chicken	
1030020	Duck	
1030030	Geese	
1030040	Quail	
1030990	Others	
1040000	<b>Honey and other apiculture products</b>	<b>0,05<sup>a</sup></b>
1050000	<b>Amphibians and Reptiles</b>	<b>0,01<sup>a</sup></b>
1060000	<b>Terrestrial invertebrate animals</b>	<b>0,01<sup>a</sup></b>
1070000	<b>Wild terrestrial vertebrate animals</b>	<b>0,01<sup>a</sup></b>

**a** Indicates lower limit of analytical determination

**b** For the complete list of products of plant and animal origin to which MRLs apply, reference should be made to Annex I.

**Sulfoxaflor**

(+) The applicable maximum residue level for horseradish (*Armoracia rusticana*) in the spice group (code 0840040) is the one set for horseradish (*Armoracia rusticana*) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

**0840040                    Horseradish**

- (c) In Part B, the columns for dithiocarbamates and thiram are replaced by the following:

**Status:** This is the original version (as it was originally adopted).

**PESTICIDE RESIDUES AND  
MAXIMUM RESIDUE LEVELS (MG/KG)**

<b>Code number</b>	<b>Groups and examples of individual products to which the MRLs apply<sup>b</sup></b>	<b>Dithiocarbamates (dithiocarbamate expressed as CS2, including maneb, mancozeb, metiram, propineb, thiram and ziram)</b>	<b>Thiram (expressed as thiram)</b>
(1)	(2)	(3)	(4)
0130040	Medlars	5(+)	0,1 <sup>a</sup>
0130050	Loquats/ Japanese medlars	5(+)	0,1 <sup>a</sup>
0154050	Rose hips	0,05 <sup>a</sup>	0,1 <sup>a</sup>
0154060	Mulberries (black and white)	0,05 <sup>a</sup>	0,1 <sup>a</sup>
0154070	Azaroles/ Mediterranean medlars	0,05 <sup>a</sup>	0,1 <sup>a</sup>
0154080	Elderberries	0,05 <sup>a</sup>	0,1 <sup>a</sup>
0161050	Carambolas	0,05 <sup>a</sup>	0,1 <sup>a</sup>
0161060	Kaki/Japanese persimmons	0,05 <sup>a</sup>	0,1 <sup>a</sup>
0161070	Jambuls/ jambolans	0,05 <sup>a</sup>	0,1 <sup>a</sup>
0162040	Prickly pears/ cactus fruits	0,05 <sup>a</sup>	0,1 <sup>a</sup>
0162050	Star apples/ cainitos	0,05 <sup>a</sup>	0,1 <sup>a</sup>
0162060	American persimmons/ Virginia kaki	0,05 <sup>a</sup>	0,1 <sup>a</sup>
0163060	Cherimoyas	0,05 <sup>a</sup>	0,1 <sup>a</sup>
0163070	Guavas	0,05 <sup>a</sup>	0,1 <sup>a</sup>
0163090	Breadfruits	0,05 <sup>a</sup>	0,1 <sup>a</sup>
0163100	Durians	0,05 <sup>a</sup>	0,1 <sup>a</sup>

0163110	Soursops/ guanabanas	0,05 <sup>a</sup>	0,1 <sup>a</sup>
0212040	Arrowroots	0,05 <sup>a</sup>	0,1 <sup>a</sup>
0251050	Land cresses	5(+)	0,1 <sup>a</sup>
0251070	Red mustards	5(+)	0,1 <sup>a</sup>
0252020	Purslanes	5(+)	0,1 <sup>a</sup>
0253000	(c) <i>grape leaves and similar species</i>	0,05 <sup>a</sup>	0,1 <sup>a</sup>
0256050	Sage	5(+)	0,1 <sup>a</sup>
0256060	Rosemary	5(+)	0,1 <sup>a</sup>
0256070	Thyme	5(+)	0,1 <sup>a</sup>
0256080	Basil and edible flowers	5(+)	0,1 <sup>a</sup>
0256090	Laurel/bay leave	5(+)	0,1 <sup>a</sup>
0256100	Tarragon	5(+)	0,1 <sup>a</sup>
0270080	Bamboo shoots	0,05 <sup>a</sup>	0,1 <sup>a</sup>
0270090	Palm hearts	0,05 <sup>a</sup>	0,1 <sup>a</sup>
0290000	<b>Algae and prokaryotes organisms</b>	0,05 <sup>a</sup>	0,1 <sup>a</sup>
0401110	Safflower seeds	0,1 <sup>a</sup>	0,1 <sup>a</sup>
0401120	Borage seeds	0,1 <sup>a</sup>	0,1 <sup>a</sup>
0401130	Gold of pleasure seeds	0,1 <sup>a</sup>	0,1 <sup>a</sup>
0401150	Castor beans	0,1 <sup>a</sup>	0,1 <sup>a</sup>
0402020	Oil palms kernels	0,1 <sup>a</sup>	0,1 <sup>a</sup>
0402030	Oil palms fruits	0,1 <sup>a</sup>	0,1 <sup>a</sup>
0402040	Kapok	0,1 <sup>a</sup>	0,1 <sup>a</sup>
0620000	<b>Coffee beans</b>	0,1 <sup>a</sup>	0,2 <sup>a</sup>
0630000	<b>Herbal infusions from</b>	0,1 <sup>a</sup>	0,2 <sup>a</sup>
0631000	(a) <i>flowers</i>	0,1 <sup>a</sup>	0,2 <sup>a</sup>

**Status:** This is the original version (as it was originally adopted).

0631010	Chamomile	0,1 <sup>a</sup>	0,2 <sup>a</sup>
0631020	Hibiscus/roselle	0,1 <sup>a</sup>	0,2 <sup>a</sup>
0631030	Rose	0,1 <sup>a</sup>	0,2 <sup>a</sup>
0631040	Jasmine	0,1 <sup>a</sup>	0,2 <sup>a</sup>
0631050	Lime/linden	0,1 <sup>a</sup>	0,2 <sup>a</sup>
0631990	Others	0,1 <sup>a</sup>	0,2 <sup>a</sup>
0632000	(b) <i>leaves and herbs</i>	0,1 <sup>a</sup>	0,2 <sup>a</sup>
0632010	Strawberry	0,1 <sup>a</sup>	0,2 <sup>a</sup>
0632020	Rooibos	0,1 <sup>a</sup>	0,2 <sup>a</sup>
0632030	Mate/maté	0,1 <sup>a</sup>	0,2 <sup>a</sup>
0632990	Others	0,1 <sup>a</sup>	0,2 <sup>a</sup>
0633000	(c) <i>roots</i>	0,1 <sup>a</sup>	0,2 <sup>a</sup>
0633010	Valerian	0,1 <sup>a</sup>	0,2 <sup>a</sup>
0633020	Ginseng	0,1 <sup>a</sup>	0,2 <sup>a</sup>
0633990	Others	0,1 <sup>a</sup>	0,2 <sup>a</sup>
0639000	(d) <i>any other parts of the plant</i>	0,1 <sup>a</sup>	0,2 <sup>a</sup>
0640000	<b>Cocoa beans</b>	0,1 <sup>a</sup>	0,2 <sup>a</sup>
0650000	<b>Carobs/Saint John's breads</b>	0,1 <sup>a</sup>	0,2 <sup>a</sup>
0800000	<b>SPICES</b>		
0810000	<b>Seed spices</b>	0,1 <sup>a</sup>	0,2 <sup>a</sup>
0810010	Anise/aniseed	0,1 <sup>a</sup>	0,2 <sup>a</sup>
0810020	Black caraway/ black cumin	0,1 <sup>a</sup>	0,2 <sup>a</sup>
0810030	Celery	0,1 <sup>a</sup>	0,2 <sup>a</sup>
0810040	Coriander	0,1 <sup>a</sup>	0,2 <sup>a</sup>
0810050	Cumin	0,1 <sup>a</sup>	0,2 <sup>a</sup>
0810060	Dill	0,1 <sup>a</sup>	0,2 <sup>a</sup>

0810070	Fennel	0,1 <sup>a</sup>	0,2 <sup>a</sup>
0810080	Fenugreek	0,1 <sup>a</sup>	0,2 <sup>a</sup>
0810090	Nutmeg	0,1 <sup>a</sup>	0,2 <sup>a</sup>
0810990	Others	0,1 <sup>a</sup>	0,2 <sup>a</sup>
0820000	<b>Fruit spices</b>	0,1 <sup>a</sup>	0,2 <sup>a</sup>
0820010	Allspice/pimento	0,1 <sup>a</sup>	0,2 <sup>a</sup>
0820020	Sichuan pepper	0,1 <sup>a</sup>	0,2 <sup>a</sup>
0820030	Caraway	0,1 <sup>a</sup>	0,2 <sup>a</sup>
0820040	Cardamom	0,1 <sup>a</sup>	0,2 <sup>a</sup>
0820050	Juniper berry	0,1 <sup>a</sup>	0,2 <sup>a</sup>
0820060	Peppercorn (black, green and white)	0,1 <sup>a</sup>	0,2 <sup>a</sup>
0820070	Vanilla	0,1 <sup>a</sup>	0,2 <sup>a</sup>
0820080	Tamarind	0,1 <sup>a</sup>	0,2 <sup>a</sup>
0820990	Others	0,1 <sup>a</sup>	0,2 <sup>a</sup>
0830000	<b>Bark spices</b>	0,1 <sup>a</sup>	0,2 <sup>a</sup>
0830010	Cinnamon	0,1 <sup>a</sup>	0,2 <sup>a</sup>
0830990	Others	0,1 <sup>a</sup>	0,2 <sup>a</sup>
0840000	<b>Root and rhizome spices</b>		
0840010	Liquorice	0,1 <sup>a</sup>	0,2 <sup>a</sup>
0840020	Ginger	0,1 <sup>a</sup>	0,2 <sup>a</sup>
0840030	Turmeric/ curcuma	0,1 <sup>a</sup>	0,2 <sup>a</sup>
0840040	Horseradish	(+)	(+)
0840990	Others	0,1 <sup>a</sup>	0,2 <sup>a</sup>
0850000	<b>Bud spices</b>		0,2 <sup>a</sup>
0850010	Cloves	0,1 <sup>a</sup>	0,2 <sup>a</sup>
0850020	Capers	25	0,2 <sup>a</sup>
0850990	Others	0,1 <sup>a</sup>	0,2 <sup>a</sup>
0860000	<b>Flower pistil spices</b>	0,1 <sup>a</sup>	0,2 <sup>a</sup>
0860010	Saffron	0,1 <sup>a</sup>	0,2 <sup>a</sup>

**Status:** This is the original version (as it was originally adopted).

0860990	Others	0,1 <sup>a</sup>	0,2 <sup>a</sup>
0870000	<b>Aril spices</b>	0,1 <sup>a</sup>	0,2 <sup>a</sup>
0870010	Mace	0,1 <sup>a</sup>	0,2 <sup>a</sup>
0870990	Others	0,1 <sup>a</sup>	0,2 <sup>a</sup>
0900000	<b>SUGAR PLANTS</b>		0,1 <sup>a</sup>
0900010	Sugar beet roots	2	0,1 <sup>a</sup>
0900020	Sugar canes	0,05 <sup>a</sup>	0,1 <sup>a</sup>
0900030	Chicory roots	0,05 <sup>a</sup>	0,1 <sup>a</sup>
0900990	Others	0,05 <sup>a</sup>	0,1 <sup>a</sup>
1015000	(e) <i>equine</i>	0,05 <sup>a</sup>	
1015010	Muscle	0,05 <sup>a</sup>	
1015020	Fat tissue	0,05 <sup>a</sup>	
1015030	Liver	0,05 <sup>a</sup>	
1015040	Kidney	0,05 <sup>a</sup>	
1015050	Edible offals (other than liver and kidney)	0,05 <sup>a</sup>	
1015990	Others	0,05 <sup>a</sup>	
1017000	(g) <i>other farmed terrestrial animals</i>	0,05 <sup>a</sup>	
1017010	Muscle	0,05 <sup>a</sup>	
1017020	Fat tissue	0,05 <sup>a</sup>	
1017030	Liver	0,05 <sup>a</sup>	
1017040	Kidney	0,05 <sup>a</sup>	
1017050	Edible offals (other than liver and kidney)	0,05 <sup>a</sup>	
1017990	Others	0,05 <sup>a</sup>	
1030020	Duck	0,05 <sup>a</sup>	
1030030	Geese	0,05 <sup>a</sup>	
1030040	Quail	0,05 <sup>a</sup>	

1030990	Others	0,05 <sup>a</sup>	
1040000	<b>Honey and other apiculture products</b>	0,05 <sup>a</sup>	
1050000	<b>Amphibians and Reptiles</b>	0,05 <sup>a</sup>	
1060000	<b>Terrestrial invertebrate animals</b>	0,05 <sup>a</sup>	
1070000	<b>Wild terrestrial vertebrate animals</b>	0,05 <sup>a</sup>	

**a** Indicates lower limit of analytical determination

**b** For the complete list of products of plant and animal origin to which MRLs apply, reference should be made to Annex I.

**Dithiocarbamates (dithiocarbamates expressed as CS2, including maneb, mancozeb, metiram, propineb, thiram and ziram)**

In brackets the origin of the residue (ma: maneb; mz: mancozeb; me: metiram; pr: propineb; t: thiram; z: ziram).

The MRLs expressed as CS2 can arise from different dithiocarbamates and therefore they do not reflect a single Good Agricultural Practice (GAP). It is therefore not appropriate to use these MRLs to check compliance with a GAP.

(+) (ma, mz, me, pr, t, z)

**0130040                    Medlars**  
**0130050                    Loquats/Japanese medlars**

(+) (mz, me, t)

**0251050                    Land cresses**  
**0251070                    Red mustards**  
**0252020                    Purslanes**

(+) (mz, me)

**0256050                    Sage**  
**0256060                    Rosemary**  
**0256070                    Thyme**  
**0256080                    Basil and edible flowers**  
**0256090                    Laurel/bay leave**  
**0256100                    Tarragon**

(+) The applicable maximum residue level for horseradish (*Armoracia rusticana*) in the spice group (code 0840040) is the one set for horseradish (*Armoracia rusticana*) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

**0840040                    Horseradish**

**Thiram (expressed as thiram)**

As all dithiocarbamates result in the final CS2 residue, discrimination among them is generally not possible. However single residue methods are available for propineb, ziram and thiram. These methods should be implemented on a case by case basis when the specific quantification of propineb, ziram and/or thiram is required.

(+) The applicable maximum residue level for horseradish (*Armoracia rusticana*) in the spice group (code 0840040) is the one set for horseradish (*Armoracia rusticana*) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

**0840040                    Horseradish**

---

**Status:** This is the original version (as it was originally adopted).

---

- (1) [OJ L 70, 16.3.2005, p. 1.](#)
- (2) EFSA scientific reports available online: <http://www.efsa.europa.eu>  
Reasoned opinion on the modification of the existing maximum residue levels (MRLs) for bifentiazate in blueberries, cranberries, gooseberries and azaroles (kiwiberies). *EFSA Journal* 2015;13(3):4047 [20 pp.].  
Reasoned opinion on the modification of the existing maximum residue levels (MRLs) for boscalid in beans and peas with pods. *EFSA Journal* 2015;13(3):4045 [19 pp.].  
Reasoned opinion on the modification of the existing MRL for cyazofamid in aubergines. *EFSA Journal* 2015;13(1):3993 [19 pp.].  
Reasoned opinion on the modification of the existing MRLs for cyromazine in various leaf vegetables and fresh herbs. *EFSA Journal* 2015;13(1):4004[22 pp.].  
*EFSA Journal* 2015;13(3):4049 [23 pp.].  
*EFSA Journal* 2015;13(3):4059 [28 pp.].  
Reasoned opinion on the modification of the existing maximum residue levels (MRLs) for mepanipyrim in tomato, aubergine, strawberry and cucumber. *EFSA Journal* 2015;13(3):4037 [24 pp.].  
Reasoned opinion on the setting of a new maximum residues level (MRL) for metrafenone in hop cones. *EFSA Journal* 2015;13(4):4078 [19 pp.].  
Reasoned opinion on the modification of the existing maximum residue level (MRL) for picloram in borage and corn gromwell seeds. *EFSA Journal* 2015;13(3):4062 [20 pp.].  
Reasoned opinion on the modification of the existing maximum residue levels for propamocarb in onions, garlic, shallots and leeks. *EFSA Journal* 2015;13(4):4084 [20 pp.].  
Reasoned opinion on the modification of the existing maximum residue level maximum residue level (MRL) for pyridaben in cucurbits — edible peel. *EFSA Journal* 2015;13(3):4041 [21 pp.].  
Reasoned opinion on the modification of the existing maximum residue level (MRL) for pyriofenone in table grapes. *EFSA Journal* 2015;13(3):4071 [16 pp.].  
Reasoned opinion on the modification of the existing MRLs for tebuconazole in cucumbers and courgettes. *EFSA Journal* 2015;13(1):4000 [24 pp.].  
Reasoned opinion on the modification of the existing MRLs for tebufenpyrad in various crops. *EFSA Journal* 2015;13(4):4091 [29 pp.].  
Reasoned opinion on the modification of the existing MRL for thiram in avocados. *EFSA Journal* 2015;13(1):4003 [21 pp.].
- (3) Conclusion on the peer review of the pesticide risk assessment of the active substance sulfoxaflor. *EFSA Journal* 2014;12(5):3692[170 pp.].