Changes to legislation: Regulation (EU) 2018/858 of the European Parliament and of the Council, ANNEX II is up to date with all changes known to be in force on or before 27 July 2024. There are changes that may be brought into force at a future date. Changes that have been made appear in the content and are referenced with annotations. (See end of Document for details)

# ANNEX II U.K.

# REQUIREMENTS FOR THE PURPOSE OF EU TYPE-APPROVAL OF VEHICLES, SYSTEMS, COMPONENTS OR SEPARATE TECHNICAL UNITS

# PART I U.K.

### Regulatory acts for EU type-approval of vehicles produced in unlimited series

Item	Subj		Regulatoplicability												
		act refer	M <sub>1</sub> ence	M <sub>2</sub>	M <sub>3</sub>	N <sub>1</sub>	N <sub>2</sub>	N <sub>3</sub>	O <sub>1</sub>	O <sub>2</sub>	O <sub>3</sub>	O <sub>4</sub>	or componen		
1A	Sound	Regul (EU) No 540/2 of the Europ Parlia and of the Counc	014 nean ment	X	X	X	X	X					X		
2A	Emiss (Euro 5 and Euro 6) light duty vehicl access to inform	(EC) No 715/2 es/	axiqn)	X ( <sup>1</sup> )		X (1)	X (1)						X		
3A	Prever of fire risks (liquid fuel tanks)	(EC) No 661/2 IUN Regul	009	X	X	X	X	X	X	X	X	X			
3В	Rear under protect device (RUP) and	r(uEC) tNoc es61/2	009	X	X	X	X	X	X	X	X	X	X		

	their No installation; rear underrun protection (RUP)										
4A	Space for (EC) mounting and 661/2009 fixing Commission rear Regulation registra(fibh) plates No 1003/2010b	X	X	X	X	X	X	X	X	X	
5A	Steeringegulation equipn(EtC) No 661/2009 UN Regulation No 79	X	X	X	X	X	X	X	X	X	
6A	Vehicle Regulation access (EC) and No manoe 66 da B 009 (steps, Commission running Regulation boards (EU) and No handhold 69 2012°			X	X	X					
6B	Door Regulation latches(EC) and No door 661/2009 retention No No 11			X							
7A	AudiblRegulation warnin@EC) deviceNo and 661/2009 signalsUN Regulation No 28	X	X	X	X	X					X

8A	DeviceRegulation for (EC) indirecNo vision 661/2009 and UN their Regulation installation 46	X	X	X	X	X					X
9A	Brakin Regulation of (EC) vehicles o and 661/2009 trailers UN Regulation No 13	X ( <sup>3</sup> )									
9B	Brakin Regulation of (EC) passen No cars 661/2009 UN Regulation No 13-H			X (4)							
10A	Electrol Reggiletion	X	X	X	X	X	X	X	X	X	X
	compa(IBCI)ty No 661/2009 UN Regulation No 10										
12A	No 661/2009 UN Regulation No										

		γ	Υ				,	Υ	Y	
13B	Protectivegulation of (EC) motor No vehicles 61/2009 againstUN unauth Reignalation use No 116			X						X
14A	Protectivingulation of (EC) the No driver 661/2009 againstUN the Regulation steerings omechanism in the event of impact			X						
15A	Seats, Regulation their (EC) anchorates and 661/2009 any UN head Regulation restraints 17	X ( <sup>4B</sup> )	X ( <sup>4B</sup> )	X	X	X				
15B	Seats Regulation of (EC) large No passen 661/2009 vehicles N Regulation No 80	X	X							
16A	External egulation project(E63) No 661/2009 UN Regulation No 26									X
17A	Vehicle Regulation access (EC) and No manoe 66 da 2009	X	X	X	X	X				

17B	(reversRegulation gear) (EU) No 130/2012  Speed charge lation equipm (Eif) including its 661/2009	X	X	X	X	X					
	installation Regulation No 39										
18A	Manuf Retgreen No statuto (FC) plate No and 661/2009 VIN Regulation (EU) No 19/2011	X	X	X	X	X	X	X	X	X	
19A	Safety Regulation belt (EC) anchorages, Isofix 661/2009 anchorages system Regulation and No Isofix 14 top tether anchorages	X	X	X	X	X					
20A	Install Riegulation of (EC) lighting to and 661/2009 light- UN signall Riegulation devices No on 48 vehicles	X	X	X	X	X	X	X	X	X	
21A	Retro-Regulation reflectific(C) device(No for 661/2009 power-UN driven Regulation vehicle(No 3 and their trailers	X	X	X	X	X	X	X	X	X	X

22A	Front and (EC) rear No position 661/2009 lamps, UN stop- lamps No 7 and end- outline marker lamps for motor vehicles and their trailers	X	X	X	X	X	X	X	X	X	X
22B	DaytinRegulation runningEC) lamps No for 661/2009 power-UN driven Regulation vehicleNo 87	X	X	X	X	X					X
22C	Side-Regulation marker(EC) lamps No for 661/2009 motor UN vehicleRegulation and No their 91 trailers	X	X	X	X	X	X	X	X	X	X
23A	DirectiRegulation indicat(EC) for No power-661/2009 driven UN vehicleRegulation and No 6 their trailers	X	X	X	X	X	X	X	X	X	X
24A	Illuminatigunation of (EC) rear- No registration/2009 plates of	X	X	X	X	X	X	X	X	X	X

	power-UN driven Regulation vehicles 4 and their trailers										
25A	Power-Regulation driven (EC) vehicles o sealed-661/2009 beam UN headlathpgulation (SB) No emitting lan European asymmetrical passing beam or a driving beam or both	X	X	X	X	X					X
25B	FilameRtegulaxion lamps (EC) for No use 661/2009 in UN approvRdgulation lamp No units 37 of power-driven vehicles and their trailers	X	X	X	X	X	X	X	X	X	X
25C	Motor Regulation vehicle (EC) headlains equipp 6d 1/2009 with UN gas-Regulation discharing 98 sources	X	X	X	X	X					X
25D	Gas-discharGEC)	X	X	X	X	X					X

	sourcesNo for 661/2009 use UN in Regulation approved gas- 99 discharge lamp units of power- driven vehicles								
25E	Motor Regulation vehicle(EC) headlains semitting 61/2009 an UN asymmetrical attion passing No beam 112 or a driving beam or both and equipped with filament lamps and/or LED modules	X	X	X	X	X			X
25F	AdaptiRegulation front- (EC) lightin No system 661/2009 (AFS) UN for Regulation motor No vehicles 23	X	X	X	X	X			X
26A	Power Regulation driven (EC) vehicleNo front 661/2009 fog UN lamps Regulation No 19	X	X	X	X	X			X

27A	Towin Regulation device (EC)  No 661/2009 Commission Regulation (EU) No 1005/2010 <sup>d</sup>	X	X	X	X	X					
28A	Rear Regulation (EC) lamps No for 661/2009 power-UN driven Regulation vehicles o and 38 their trailers	X	X	X	X	X	X	X	X	X	X
29A	Revers Regulation lights (EC) for No power-661/2009 driven UN vehicle Regulation and No their 23 trailers	X	X	X	X	X	X	X	X	X	X
30A	Parkin Regulation lamps (EC) for No power-661/2009 driven UN vehicle Regulation No 77	X	X	X	X	X					
31A	Safety Regulation belts, (EC) restrainto system 661/2009 child UN restraint egulation system No and 16 Isofix child restraint systems	X	X	X	X	X					X
32A	Forwardegulation field (EC)										

	of No vision 661/2009 UN Regulation No 125										
33A	Location (EC) identification of 661/2009 hand UN control Regulation tell-No 121 tales and indicators	X	X	X	X	X					
34A	Winds Regulation defrost (Fig.) and No demisting 1/2009 system Commission (EU) No 672/2010°	(5)	(5)	(5)	(5)	(5)					
35A	Winds Regulation wiper (EC) and No washer661/2009 system Commission Regulation (EU) No 1008/2010f	(6)	(6)	(6)	(6)	(6)					X
36A	Heatin Regulation system(EC) No 661/2009 UN Regulation No 122	X	X	X	X	X	X	X	X	X	X
37A	Wheel Regulation guards (EC) No 661/2009 Commission Regulation (EU) No 1009/2010 <sup>g</sup>										

38A	Head Regulation restrain(ISC) (headrests), whether 661/2009 or UN not Regulation incorporated in 25 vehicle seats										
41A	Emissi Ruegulation (Euro (EC) VI) No heavy 595/2009 duty vehicles/ access to information	X ( <sup>9</sup> )	X	X (9)	X ( <sup>9</sup> )	X					X
42A	LateralRegulation protect(ExC) of No goods 661/2009 vehicleSIN Regulation No 73				X	X			X	X	X
43A	Spray Regulation supprection system No 661/2009 Commission Regulation (EU) No 109/2011h	h		X	X	X	X	X	X	X	X
44A	MassesRegulation and (EC) dimenstrus 661/2009 Regulation (EU) No 1230/2012										
45A	Safety Regulation glazing EC) materialko and 661/2009 their UN installation	X	X	X	X	X	X	X	X	X	X

	on No vehicle\$3										
46A	Install Ricgulation of (EC) tyres No 661/2009 Commission Regulation (EU) No 458/2011i	X	X	X	X	X	X	X	X	X	
46B	PneumRtigulation tyres (EC) for No motor 661/2009 vehicles/N and Regulation their No trailers30 (Class C <sub>1</sub> )			X			X	X			X
46C	PneumRtigulation tyres (EC) for No commercial 2009 vehicles IN and Regulation their No trailers 54 (Classes C2 and C3)	X	X	X	X	X			X	X	X
46D	Tyre Regulation rolling(EC) sound No emissions(L/2009 adhesion) No 117 surfaces and rolling resistance (Classes C <sub>1</sub> , C <sub>2</sub> and C <sub>3</sub> )	X	X	X	X	X	X	X	X	X	X

46E	TempoRægulakion			X							X
401	use (EC) (9A) spare No unit, 661/2009 run- UN flat Regulation tyres/ No system64 and tyre pressure monitoring system			(9A)							A
47A	Speed Regulation limitat(GC) of No vehicles61/2009 UN Regulation No 89	X	X		X	X					X
48A	MassesRegulation and (EC) dimensNons 661/2009 Regulation (EU) No 1230/2012	X	X	X	X	X	X	X	X	X	
49A	Commercial ation vehicle(EC) with No regard 661/2009 to UN their Regulation external of the cab's rear panel			X	X	X					
50A	Mecharical ation coupling (C) (10) components of 661/2009 combinations of Regulation vehicles	X (10)	X	X	X	X	X				

	No   55								
50B	Close-Regulation coupling C) device No (CCD)661/2009 fitting UN of an Regulation approved type 102 of CCD			X (10)	X (10)		X ( <sup>10</sup> )	X (10)	X
51A	Burnin Regulation behavi (FiC) of No material 61/2009 used UN in Regulation the No 118 interior construction of certain categories of motor vehicles		X						
52A	M <sub>2</sub> Regulation (EC) M <sub>3</sub> No vehicle 61/2009 UN Regulation No 107	X	X						
52B	StrengtRegulation of (EC) the No superst66442609 of UN large Regulation passengtor vehicles6	X	X						
53A	Protecticagulation of (EC) (11) occupants in 661/2009 the UN event Regulation of a No 94								

	frontal collision								
54A	ProtectRagulation of (EC) (12) occupants in 661/2009 the UN event Regulation of No lateral 95 collision	X ( <sup>12</sup> )							
56A	Vehicle Regulation for (EC) the No carriage 61/2009 of UN danger Regulation goods No 105	X (13)	X (13)	X (13)	X (13)	X (13)	X (13)	X (13)	
57A	Front Regulation underrunce (InC) protective device 661/2009 (FUPDS)N and Regulation their No install arion; front underrun protection (FUP)		X	X					X
58	Pedest Rangula Mon protect (E.C.) No 78/2009 of the European Parliament and of the Council <sup>j</sup>	X							X
59	Recyclibition We 2005/64/ EC of the European Parliament and	X							

		1	1		ı	ı		ı ı	1			
	of the											
	Counc	eil <sup>k</sup>										
61	Air- Direct conditi 2006 system EC of the Europ Parlia and of the Counc	ean ment			X (14)							
62	Hydro Reguls system(EC) No 79/200 of the Europ parlian and the Counc	ean ment	X	X	X	X	X					
63	General Regul Safety (EC) No 661/20	(15)	X ( <sup>15</sup> )	X ( <sup>15</sup> )	X ( <sup>15</sup> )	X (15)	X ( <sup>15</sup> )					
64	Gear Regulshift (EC) indicators 661/20 Comm Reguls (EU) No 65/20	009 nission ation										
65	Advan Rugul emergenicy) brakingNo system661/20 Comn Regul (EU) No 347/20	009 nission ation	X	X		X	X					
66	Lane Regul departu(FeC)	ation	X	X		X	X					

	warningo system661/2009 Commission Regulation (EU) No 351/2012 <sup>p</sup>								
67	Specifikegulation comportents for No liquefictof 1/2009 petroleum gases Regulation (LPG) No and 67 their installation on motor vehicles	X	X	X	X	X			X
68	Vehicle Regulation alarm (EC) system No (VAS) 661/2009 UN Regulation No 97			X					X
69	Electri Regulation safety (EC) No 661/2009 UN Regulation No 100	X	X	X	X	X			
70	Specifikegulation comportents for No CNG 661/2009 and UN their Regulation installation on motor vehicles	X	X	X	X	X			X
71	Cab Regulation strengt(EC) No 661/2009			X	X	X			

		UN Regul No 29	ation						
72	eCall system	Regulan(EU) 2015/of the Europ Parlia and of the Counc	758 ean ment		X				

- a Regulation (EU) No 540/2014 of the European Parliament and of the Council of 16 April 2014 on the sound level of motor vehicles and of replacement silencing systems, and amending Directive 2007/46/EC and repealing Directive 70/157/EEC (OJ L 158, 27.5.2014, p. 131).
- b Commission Regulation (EU) No 1003/2010 of 8 November 2010 concerning type-approval requirements for the space for mounting and the fixing of rear registration plates on motor vehicles and their trailers and implementing Regulation (EC) No 661/2009 of the European Parliament and of the Council concerning type-approval requirements for the general safety of motor vehicles, their trailers and systems, components and separate technical units intended therefor (OJ L 291, 9.11.2010, p. 22).
- c Commission Regulation (EU) No 130/2012 of 15 February 2012 concerning type-approval requirements for motor vehicles with regard to vehicle access and manoeuvrability and implementing Regulation (EC) No 661/2009 of the European Parliament and of the Council concerning type-approval requirements for the general safety of motor vehicles, their trailers and systems, components and separate technical units intended therefor (OJ L 43, 16.2.2012, p. 6).
- d Commission Regulation (EU) No 1005/2010 of 8 November 2010 concerning type-approval requirements for motor vehicle towing devices and implementing Regulation (EC) No 661/2009 of the European Parliament and of the Council concerning type-approval requirements for the general safety of motor vehicles, their trailers and systems, components and separate technical units intended therefor (OJ L 291, 9.11.2010, p. 36).
- e Commission Regulation (EU) No 672/2010 of 27 July 2010 concerning type-approval requirements for windscreen defrosting and demisting systems of certain motor vehicles and implementing Regulation (EC) No 661/2009 of the European Parliament and of the Council concerning type-approval requirements for the general safety of motor vehicles, their trailers and systems, components and separate technical units intended therefor (OJ L 196, 28.7.2010, p. 5).
- f Commission Regulation (EU) No 1008/2010 of 9 November 2010 concerning type-approval requirements for windscreen wiper and washer systems of certain motor vehicles and implementing Regulation (EC) No 661/2009 of the European Parliament and of the Council concerning type-approval requirements for the general safety of motor vehicles, their trailers and systems, components and separate technical units intended therefor (OJ L 292, 10.11.2010, p. 2).
- g Commission Regulation (EU) No 1009/2010 of 9 November 2010 concerning type-approval requirements for wheel guards of certain motor vehicles and implementing Regulation (EC) No 661/2009 of the European Parliament and of the Council concerning type-approval requirements for the general safety of motor vehicles, their trailers and systems, components and separate technical units intended therefor (OJ L 292, 10.11.2010, p. 21).
- h Commission Regulation (EU) No 109/2011 of 27 January 2011 implementing Regulation (EC) No 661/2009 of the European Parliament and of the Council as regards type-approval requirements for certain categories of motor vehicles and their trailers as regards spray suppression systems (OJ L 34, 9.2.2011, p. 2).
- i Commission Regulation (EU) No 458/2011 of 12 May 2011 concerning type-approval requirements for motor vehicles and their trailers with regard to the installation of their tyres and implementing Regulation (EC) No 661/2009 of the European Parliament and of the Council concerning type-approval requirements for the general safety of motor vehicles, their trailers and systems, components and separate technical units intended therefor (OJ L 124, 13.5,2011, p. 11).
- j Regulation (EC) No 78/2009 of the European Parliament and of the Council of 14 January 2009 on the type-approval of motor vehicles with regard to the protection of pedestrians and other vulnerable road users, amending Directive 2007/46/EC and repealing Directives 2003/102/EC and 2005/66/EC (OJ L 35, 4.2.2009, p. 1).
- k Directive 2005/64/EC of the European Parliament and of the Council of 26 October 2005 on the type-approval of motor vehicles with regard to their reusability, recyclability and recoverability and amending Council Directive 70/156/EEC (OJ L 310, 25.11.2005, p. 10).

Changes to legislation: Regulation (EU) 2018/858 of the European Parliament and of the Council, ANNEX II is up to date with all changes known to be in force on or before 27 July 2024. There are changes that may be brought into force at a future date. Changes that have been made appear in the content and are referenced with annotations. (See end of Document for details)

- Directive 2006/40/EC of the European Parliament and of the Council of 17 May 2006 relating to emissions from air conditioning systems in motor vehicles and amending Council Directive 70/156/EEC (OJ L 161, 14.6.2006, p. 12).
- m Regulation (EC) No 79/2009 of the European Parliament and of the Council of 14 January 2009 on type-approval of hydrogen-powered motor vehicles, and amending Directive 2007/46/EC (OJ L 35, 4.2.2009, p. 32).
- n Commission Regulation (EU) No 65/2012 of 24 January 2012 implementing Regulation (EC) No 661/2009 of the European Parliament and of the Council as regards gear shift indicators and amending Directive 2007/46/EC of the European Parliament and of the Council (OJ L 28, 31.1.2012, p. 24).
- Commission Regulation (EU) No 347/2012 of 16 April 2012 implementing Regulation (EC) No 661/2009 of the European Parliament and of the Council with respect to type-approval requirements for certain categories of motor vehicles with regard to advanced emergency braking systems (OJ L 109, 21.4.2012, p. 1).
- p Commission Regulation (EU) No 351/2012 of 23 April 2012 implementing Regulation (EC) No 661/2009 of the European Parliament and of the Council as regards type-approval requirements for the installation of lane departure warning systems in motor vehicles (OJ L 110, 24.4.2012, p. 18).
- q Regulation (EU) 2015/758 of the European Parliament and of the Council of 29 April 2015 concerning type-approval requirements for the deployment of the eCall in-vehicle system based on the 112 service and amending Directive 2007/46/EC (OJ L 123, 19.5.2015, p. 77).

### **Explanatory** notes

- X Relevant regulatory act.
- (1) For vehicles with a reference mass not exceeding 2 610 kg. At the manufacturer's request, Regulation (EC) No 715/2007 may apply to vehicles with a reference mass not exceeding 2 840 kg.
- (2) In case of vehicles equipped with a LPG or CNG installation, a vehicle type-approval in accordance with UN Regulation No 67 or UN Regulation No 110 is required.
- (3) The fitting of an electronic stability control ('ESC') system is required in accordance with Article 12 and Article 13 of Regulation (EC) No 661/2009.
- (4) The fitting of an ESC system is required in accordance with Article 12 and Article 13 of Regulation (EC) No 661/2009.
- (4A) If fitted, the protective device shall fulfil the requirements of UN Regulation No 18.
- (4B) This Regulation applies to seats not falling within the scope of UN Regulation No 80.
- (5) Vehicles of this category shall be fitted with a suitable windscreen defrosting and demisting device.
- (6) Vehicles of this category shall be fitted with a suitable windscreen washing and wiping devices.
- (9) For vehicles with a reference mass exceeding 2 610 kg which are not type-approved (at the manufacturer's request and provided their reference mass does not exceed 2 840 kg) under Regulation (EC) No 715/2007.
- (9A) Applies only where such vehicles are fitted with equipment covered by UN Regulation No 64. Tyre pressure monitoring system for M<sub>1</sub> vehicles applies on a compulsory basis in accordance with Article 9(2) of Regulation (EC) No 661/2009.
- ( $^{10}$ ) Applies only to vehicles equipped with coupling(s).
- (11) Applies to vehicles with a technically permissible maximum laden mass not exceeding 2.5 tonnes.

Changes to legislation: Regulation (EU) 2018/858 of the European Parliament and of the Council, ANNEX II is up to date with all changes known to be in force on or before 27 July 2024. There are changes that may be brought into force at a future date. Changes that have been made appear in the content and are referenced with annotations. (See end of Document for details)

- Only applicable to vehicles where the 'Seating Reference Point ("R" point)' of the lowest seat is not more than 700 mm above the ground level.
- (13) Applies only when the manufacturer applies for type-approval of vehicles intended for the transport of dangerous goods.
- (14) Applies only for vehicles of category  $N_1$ , class I as described in Annex I to Regulation (EC) No 715/2007.
- Compliance with Regulation (EC) No 661/2009 is mandatory, however, type-approval under this item number is not foreseen as it represents the collection of individual items 3A, 3B, 4A, 5A, 6A, 6B, 7A, 8A, 9A, 9B, 10A, 12A, 13A, 13B, 14A, 15A, 15B, 16A, 17A, 17B, 18A, 19A, 20A, 21A, 22A, 22B, 22C, 23A, 24A, 25A, 25B, 25C, 25D, 25E, 25F, 26A, 27A, 28A, 29A, 30A, 31A, 32A, 33A, 34A, 35A, 36A, 37A, 38A, 42A, 43A, 44A, 45A, 46A, 46B, 46C, 46D, 46E, 47A, 48A, 49A, 50A, 50B, 51A, 52A, 52B, 53A, 54A, 56A, 57A and 64 to 71. The series of amendments of the UN Regulations which apply on a compulsory basis are listed in Annex IV to Regulation (EC) No 661/2009. The series of amendments adopted subsequently are accepted as an alternative.

## Appendix 1 U.K.

# Regulatory acts for EU type-approval of vehicles produced in small series pursuant to Article 41

#### TABLE 1

#### M<sub>1</sub> vehicles

Item	Subject	Regulatory act reference	Specific issues	Applicability and specific requirements
1A	Sound level	Regulation (EU) No 540/2014		A
2A	Emissions (Euro 5 and Euro 6) light duty	Regulation (EC) No 715/2007	() OPP	A The vehicle shall
	vehicles/access to information		(a) OBD	be fitted with an OBD system that fulfils the requirements of Article 4(1) and (2) of Regulation (EC) No 692/2008 (The OBD system shall be designed to record at least the malfunction of the engine management system).

Status: Point in time view as at 31/01/2020.

			The OBD-interface shall be able to communicate with commonly available diagnostic tools.
		n ervice onformi	N/A ity
	to		It is sufficient that the manufacturer provide access to repair and maintenance information in a readily accessible and prompt manner.
	( )	ower	(When the vehicle ment webicle ment webicle ment was an engine from another manufacturer) Bench test data from the engine manufacturer are accepted provided that the engine management system is identical (i.e. having at least the same electronic control unit (ECU)). Power output test may be performed on a chassis dynamometer. It shall be taken into account of the power loss in the transmission.

3A	Prevention of fire risks (liquid fuel tanks)	Regulation (EC) No 661/2009 UN Regulation No 34	(a)	Liquid fuel tanks	В
			(b)	Installati in vehicle	Boon
3B	Rear underrun protective devices (RUPDs) and their installation; rear underrun protection (RUP)	Regulation (EC) No 661/2009 UN Regulation No 58			В
4A	Space for mounting and fixing rear registration plates	Regulation (EC) No 661/2009 Regulation (EU) No 1003/2010			В
5A	Steering equipment	Regulation (EC) No 661/2009 UN Regulation No 79	(a)	Mechani systems	C The provisions of paragraph 5 of UN Regulation No 79 shall apply. All tests prescribed in paragraph 6.2 of UN Regulation No 79 shall be performed and the requirements of paragraph 6.1 of UN Regulation No 79 shall apply.
			(b)	Complex electroni vehicle control system	All the requirements of CAnnex 6 of UN Regulation No 79 shall apply. Compliance with these requirements may only be checked by a technical service.

Status: Point in time view as at 31/01/2020.

<u>(D</u>	Do on lotok og om d	Doculation (EC)			С
6B	Door latches and door retention components	Regulation (EC) No 661/2009 UN Regulation No 11	(a)	General requirem 5 of UN Regulati No 11)	All the requirements lents (Paragraph
			(b)	(Paragra 6 of UN	Only the requirements of the paragraph policy. A segulation of the paragraph of the paragra
7A	Audible warning devices and	Regulation (EC) No 661/2009	(a)	Compon	X ents
Ο Λ	signals	UN Regulation No 28	(b)	Installati on vehicle	Bon
8A	Devices for indirect vision	Regulation (EC) No 661/2009	(a)	Compon	X ents
	and their installation	UN Regulation No 46	(b)	Installati on vehicle	Bon
9B	Braking of passenger cars	Regulation (EC) No 661/2009 UN Regulation No 13-H	(a)	Design and tests requirem	A
			(b)	Electron stability control (ESC) and brake assist systems (BAS)	The fitting of BAS and ESC shall not be required. If fitted, they shall comply with the requirements of UN Regulation No 13-H.
10A	Electromagnetic compatibility	Regulation (EC) No 661/2009 UN Regulation No 10			В
12A	Interior fittings	Regulation (EC) No 661/2009			С

LINI Dagulation					
UN Regulation No 21	(a)	Interior			
110 21	(4)		nent		
	(i)	for	The requirements of paragraphs 25.1 to 5.6 of 25.8 Regulation No 21 may be waived at the request of the manufacturer. The requirements of paragraph 5.2 of UN Regulation No 21 with the exception of paragraphs 5.2.3.1, 5.2.3.2 and 5.2.4 of that		
			Regulation shall apply.		
	(ii)	on the upper	Energy absorption tests on the upper dashboard shall only be performed when the vehicle is not fitted with at least two front airbags or two static four-point harnesses.		
	(iii)	Energy absorption test on the rear part of the seats	N/A on		
	(b)	01	All requirements of paragraph 15.8 of UN Regulation No \$21 shall apply.		

Status: Point in time view as at 31/01/2020.

			and partitio system	
13B	Protection of motor vehicles against unauthorised use	Regulation (EC) No 661/2009 UN Regulation No 116		A The provisions of paragraph 8.3.1.1.1 of UN Regulation No 116 may be applied instead of paragraph 8.3.1.1.2 of that Regulation regardless of the type of powertrain.
14A	Protection of the	Regulation (EC)		С
	driver against the steering mechanism in the event of impact  No 661/2009  UN Regulation No 12			Tests are required when the vehicle has not been tested under UN Regulation No 94 (see item 53A).
15A	Seats, their	Regulation (EC)		С
	anchorages and any head restraints	No 661/2009 UN Regulation No 17	(a) Genera require (i) Specifi	Requirements of paragraph 5.2 of ments Regulation at 100 17 shall apply with the exception of paragraph 5.2.3 of that Regulation.
			(ii) Strengt tests for seat backres and head restrain	paragraph 6.2 UN Regulation No 17 shall apply.
			and	The test shall inge performed in accordance with the requirements of Annex 7 to

#### Status: Point in time view as at 31/01/2020.

					UN Regulation No 17.
			(b) (i)	Head restraints Specifica	Requirements of paragraphs 5.4, 65.5, 5.6, 5.10, 19:018 and 5.12 of UN Regulation No 17 shall apply with the exception of paragraph 5.5.2 of that Regulation.
			(ii)	Strength tests on head restraints	The test prescribed in paragraph 6.4 of UN Regulation No 17 shall be performed.
			(c)	the protection of	The requirements of Annex 9 to UN Regulation No 26 may be waived at the request of the Annufacturer.
16A	External	Regulation (EC)			C
	projections	No 661/2009 UN Regulation No 26	(a)	General specifica	The requirements of the paragraph 5 of UN Regulation No 26 shall apply.
			(b)	Particula specifica	The requirements of the paragraph 6 of UN Regulation No 26 shall apply.
17A	Vehicle access and manoeuvrability (reverse gear)	Regulation (EC) No 661/2009 Regulation (EU) No 130/2012			D
17B	Speedometer equipment	Regulation (EC) No 661/2009			В

#### Status: Point in time view as at 31/01/2020.

	including its installation	UN Regulation No 39	
18A	Manufacturer's statutory plate and VIN	Regulation (EC) No 661/2009 Regulation (EU) No 19/2011	В
19A	Safety-belt anchorages, Isofix anchorages systems and Isofix top tether anchorages	Regulation (EC) No 661/2009 UN Regulation No 14	В
20A	Installation of lighting and light-signalling devices on vehicles	Regulation (EC) No 661/2009 UN Regulation No 48	B Daytime Running Lights (DRL) shall be fitted to a new type of vehicle.
21A	Retro-reflecting devices for power-driven vehicles and their trailers	Regulation (EC) No 661/2009 UN Regulation No 3	X
22A	Front and rear position lamps, stop-lamps and end-outline marker lamps for motor vehicles and their trailers	Regulation (EC) No 661/2009 UN Regulation No 7	X
22B	Daytime running lamps for power-driven vehicles	Regulation (EC) No 661/2009 UN Regulation No 87	X
22C	Side-marker lamps for motor vehicles and their trailers	Regulation (EC) No 661/2009 UN Regulation No 91	X
23A	Direction indicators for power-driven vehicles and their trailers	Regulation (EC) No 661/2009 UN Regulation No 6	X
24A	Illumination of rear-registration plates of power-	Regulation (EC) No 661/2009 UN Regulation No 4	Х

#### Status: Point in time view as at 31/01/2020.

	driven vehicles and their trailers		
25A	Power-driven vehicle's sealed- beam headlamps (SB) emitting an European asymmetrical passing beam or a driving beam or both	Regulation (EC) No 661/2009 UN Regulation No 31	X
25B	Filament lamps for use in approved lamp units of power- driven vehicles and their trailers	Regulation (EC) No 661/2009 UN Regulation No 37	X
25C	Motor vehicle headlamps equipped with gas-discharge light sources	Regulation (EC) No 661/2009 UN Regulation No 98	X
25D	Gas-discharge light sources for use in approved gas-discharge lamp units of power-driven vehicles	Regulation (EC) No 661/2009 UN Regulation No 99	X
25E	Motor vehicle headlamps emitting an asymmetrical passing beam or a driving beam or both and equipped with filament lamps and/or LED modules	Regulation (EC) No 661/2009 UN Regulation No 112	X
25F	Adaptive front- lighting systems (AFS) for motor vehicles	Regulation (EC) No 661/2009 UN Regulation No 123	X
26A	Power-driven vehicle front fog lamps	Regulation (EC) No 661/2009 UN Regulation No 19	X

Status: Point in time view as at 31/01/2020.

27A	Towing device	Regulation (EC) No 661/2009 Regulation (EU) No 1005/2010		В
28A	Rear fog lamps for power-driven vehicles and their trailers	Regulation (EC) No 661/2009 UN Regulation No 38		X
29A	Reversing lights for power-driven vehicles and their trailers	Regulation (EC) No 661/2009 UN Regulation No 23		X
30A	Parking lamps for power-driven vehicles	Regulation (EC) No 661/2009 UN Regulation No 77		X
31A	Safety-belts, restraint systems,	Regulation (EC) No 661/2009	(a) Compo	Xonents
	child restraint systems and Isofix child restraint systems	UN Regulation No 16	(b) Installa require	
32A	Forward field of vision	Regulation (EC) No 661/2009 UN Regulation No 125		A
33A	Location and identification of hand controls, tell-tales and indicators	Regulation (EC) No 661/2009 UN Regulation No 121		A
34A	Windscreen	Regulation (EC)		С
	defrosting and demisting systems	No 661/2009 Regulation (EU) No 672/2010	(a) Winds defros	Only point 1.1.1  Creen Annex II to  in Regulation (EU)  No 672/2010  shall apply,  provided that  warm air flow  is ducted to the  whole surface of  the windscreen  or the latter  is electrically  heated on its  whole surface.

#### Status: Point in time view as at 31/01/2020.

			(b)	Windscrodemistin	Only point 1.2.1 est Annex II to Regulation (EU) No 672/2010 shall apply, provided that warm air flow is ducted to the whole surface of the windscreen or the latter is electrically heated on its whole surface.
35A	Windscreen	Regulation (EC)			С
	wiper and washer systems	No 661/2009 Regulation (EU) No 1008/2010	(a)	Windscrowiper system	Points 1.1 Points 1.1 Points 1.1 Points 1.1 Points 1.10 of Annex III to Regulation (EU) No 1008/2010 shall apply. Only the test described in point 2.1.10 of Annex III to Regulation (EU) No 1008/2010 shall be performed.
			(b)	Windscrewasher system	Point 1.2 of Pathnex III to Regulation (EU) No 1008/2010 shall apply with the exception of points 1.2.2, 1.2.3 and 1.2.5.
36A	Heating system	Regulation (EC) No 661/2009 UN Regulation No 122			C The fitting of a heating system shall not be required.
			(a)	All heating systems	The requirements of paragraphs 5.3 and 6 of UN Regulation No 122 shall apply.

Status: Point in time view as at 31/01/2020.

37A	Wheel guards	Regulation (EC) No 661/2009	(b) LPG heating systems	The requirements of Annex 8 to UN Regulation No 122 shall apply.
		Regulation (EU) No 1009/2010		
38A	Head restraints (headrests), whether or not incorporated in vehicle seats	Regulation (EC) No 661/2009 UN Regulation No 25		X
41A	Emissions (Euro VI) heavy duty vehicles/access to information	Regulation (EC) No 595/2009		A With the exception of the set of requirements relating to OBDs and access to information.
444	Managard		Power measurement	(When the vehicle manufacturer uses an engine from another manufacturer) Bench test data from the engine manufacturer are accepted, provided that the engine management system is identical (i.e. having at least the same ECU). Power output test may be performed on a chassis dynamometer. It shall be taken into account of the power loss in the transmission.
44A	Masses and dimensions	Regulation (EC) No 661/2009		В

#### Status: Point in time view as at 31/01/2020.

		Regulation (EU) No 1230/2012		The hill start test at maximum combination mass described in point 5.1 of Part A of Annex I to Regulation (EU) No 1230/2012 may be waived at the request of the manufacturer.
45A	Safety glazing materials and their installation	Regulation (EC) No 661/2009	(a) Compon	
	on vehicles	UN Regulation No 43	(b) Installati	B on
46A	Installation of tyres	Regulation (EC) No 661/2009 Regulation (EU) No 458/2011		B Dates for progressive application shall be those set out in Article 13 of Regulation (EC) No 661/2009.
46B	Pneumatic tyres for motor vehicles and their trailers (Class C <sub>1</sub> )	Regulation (EC) No 661/2009 UN Regulation No 30	Components	X
46D	Tyre rolling sound emissions, adhesion on wet surfaces and rolling resistance (Classes C <sub>1</sub> , C <sub>2</sub> and C <sub>3</sub> )	Regulation (EC) No 661/2009 UN Regulation No 117	Components	X
46E	Temporary-use spare unit, run-	Regulation (EC) No 661/2009	Components	X
	flat tyres/system and tyre pressure monitoring system	UN Regulation No 64	Fitting of a tyre-pressure monitoring system (TPMS)	B The fitting of a TPMS shall not be required.
50A	Mechanical coupling	Regulation (EC) No 661/2009	(a) Compon	X ents
	components of combinations of vehicles	UN Regulation No 55	(b) Installati	B
53A	Protection of occupants in the	Regulation (EC) No 661/2009		С

Status: Point in time view as at 31/01/2020.

	event of a frontal collision	UN Regulation No 94		The requirements of UN Regulation No 94 shall apply to vehicles fitted with front airbags. Vehicles not fitted with airbags shall fulfil the requirement of item 14A of this table.
54A	Protection of occupants in the event of lateral collision	Regulation (EC) No 661/2009 UN Regulation No 95	Head form test	The manufacturer shall supply the technical service with suitable information concerning a possible impact of the head of the dummy against the structure of the vehicle or the side glazing if made up of laminated glazing. When it is proven that such impact is likely to happen, the partial test using the head form test described in paragraph 3.1 of Annex 8 to UN Regulation No 95 shall be conducted and the criterion specified in paragraph 5.2.1.1 of UN Regulation No 95 shall be met. In agreement with the

					technical service, the test procedure described in Annex 4 to UN Regulation No 21 may be used as an alternative to the test of UN Regulation No 95.
58	Pedestrian protection	Regulation (EC) No 78/2009	(a)	Technica requirem applicab to vehicle	ents
			(b)	Frontal protection systems	X n
59	Recyclability	Directive 2005/64/EC			N/A - Only Article 7 on reuse of component parts shall apply.
61	Air-conditioning systems	Directive 2006/40/EC			A
62	Hydrogen system	Regulation (EC) No 79/2009			X
63	General Safety	Regulation (EC) No 661/2009			See explanatory note (15) of the table in this Part with regulatory acts for EU type-approval of vehicles produced in unlimited series.
64	Gear shift indicators	Regulation (EC) No 661/2009 Regulation (EU) No 65/2012			N/A
67	Specific components	Regulation (EC) No 661/2009	(a)	Compon	X ents
	for liquefied petroleum gases (LPG) and their	UN Regulation No 67	(b)	Installati	A

Status: Point in time view as at 31/01/2020.

Changes to legislation: Regulation (EU) 2018/858 of the European Parliament and of the Council, ANNEX II is up to date with all changes known to be in force on or before 27 July 2024. There are changes that may be brought into force at a future date. Changes that have been made appear in the content and are referenced with annotations. (See end of Document for details)

	installation on motor vehicles				
68	Vehicle alarm Regulation (EC) systems (VAS) No 661/2009	(a)	Compon	X ents	
		UN Regulation No 97	(b)	Installati	B
69	Electric safety	Regulation (EC) No 661/2009 UN Regulation No 100			В
70	Specific components for	Regulation (EC) No 661/2009	(a)	Compon	X ents
	CNG and their installation on motor vehicles	UN Regulation No 110	(b)	Installati	A on
72	eCall system	Regulation (EU) 2015/758			N/A

## Explanatory notes

X

Full application of the regulatory act as follows:

- (a) a type-approval certificate shall be issued;
- (b) tests and checks shall be conducted by the technical service or the manufacturer under the conditions laid down in Articles 67 to 81;
- (c) a test report shall be drafted in accordance with Annex III;
- (d) Conformity of Production (COP) shall be ensured.

Application of the regulatory act as follows:

- (a) all requirements of the regulatory act shall be fulfilled unless otherwise stated;
- (b) no type-approval certificate shall be required;
- (c) tests and checks shall be conducted by the technical service or the manufacturer under the conditions laid down in Articles 67 to 81;
- (d) a test report shall be drafted in accordance with Annex III;
- (e) COP shall be ensured.

В

Application of the regulatory act as follows:

Same as for letter 'A' with the exception that the tests and checks may be performed by the manufacturer himself, subject to the agreement of the approval authority.

Application of the regulatory act as follows:

Status: Point in time view as at 31/01/2020.

Changes to legislation: Regulation (EU) 2018/858 of the European Parliament and of the Council, ANNEX II is up to date with all changes known to be in force on or before 27 July 2024. There are changes that may be brought into force at a future date. Changes that have been made appear in the content and are referenced with annotations. (See end of Document for details)

- (a) only the technical requirements from the regulatory shall be fulfilled, irrespective of any transitional provision;
- (b) no type-approval certificate shall be required;
- (c) tests and checks shall be conducted by the technical service or by the manufacturer (see decisions for letter 'B');
- (d) a test report shall be drafted in accordance with Annex III;
- (e) COP shall be ensured.

D

Same as for decisions in letters 'B' and 'C', with the exception that a statement of compliance submitted by the manufacturer is sufficient. No test report shall be required.

The approval authority or technical service may require additional information of further evidence, if need be.

N/A

The regulatory act shall not apply. Compliance with one or more specific aspects included in the regulatory act may however be imposed.

The series of amendments of the UN Regulations to be used are listed in Annex IV to Regulation (EC) No 661/2009. The series of amendments adopted subsequently are accepted as an alternative.

#### TABLE 2

#### N<sub>1</sub> vehicles<sup>0</sup>

Item	Subject	Regulatory act	Specific issues	Applicability and specific requirements
1A	Sound level	Regulation (EU) No 540/2014		A
2A	Emissions (Euro	Regulation (EC)		A
	5 and Euro 6) light duty vehicles/access to information	No 715/2007	(a) OBD	The vehicle shall be fitted with an OBD system that fulfils the requirements of Article 4(1) and (2) of Regulation (EC) No 692/2008 (the OBD system shall be designed to record at least the malfunction of the engine management system).

a The explanatory notes relating to the Table 'Regulatory acts for EU type-approval of vehicles produced in unlimited series' of this Part also apply to this Table. The letters in this Table have the same meaning as in Table 1 of this Appendix.

Status: Point in time view as at 31/01/2020.

			The OBD-interface shall be able to communicate with commonly available diagnostic tools.
	(b)	In service conform	N/A
	(c)	Access to informat	It is sufficient that the manufacturer provides access to vehicle repair and maintenance information in a readily accessible and prompt manner.
	(d)	Power measures	(When the vehicle ment which we well and well are the wel

a The explanatory notes relating to the Table 'Regulatory acts for EU type-approval of vehicles produced in unlimited series' of this Part also apply to this Table. The letters in this Table have the same meaning as in Table 1 of this Appendix.

## Status: Point in time view as at 31/01/2020.

3A	Prevention of fire risks (liquid fuel tanks)	Regulation (EC) No 661/2009 UN Regulation No 34	(a)	Liquid fuel tanks	В
			(b)	Installati in vehicle	Boon
3B	Rear underrun protective devices (RUPDs) and their installation; rear underrun protection (RUP)	Regulation (EC) No 661/2009 UN Regulation No 58			В
4A	Space for mounting and fixing rear registration plates	Regulation (EC) No 661/2009 Regulation (EU) No 1003/2010			В
5A	Steering	Regulation (EC)			С
	Steering equipment Regulation (EC) No 661/2009 UN Regulation No 79	UN Regulation	(a)	Mechani systems	The provisions of paragraph 5 of UN Regulation No 79.01 shall apply. All tests prescribed in paragraph 6.2 of UN Regulation No 79 shall be performed and the requirements of paragraph 6.1 of UN Regulation No 79 shall apply.
			(b)	Complex electroni vehicle control system	All the requirements of CAnnex 6 of UN Regulation No 79 shall apply. Compliance with these requirements may only be checked by a technical service.

The explanatory notes relating to the Table 'Regulatory acts for EU type-approval of vehicles produced in unlimited series' of this Part also apply to this Table. The letters in this Table have the same meaning as in Table 1 of this Appendix.

Status: Point in time view as at 31/01/2020.

6B	Door latches and	Regulation (EC)			С
	door retention components	No 661/2009 UN Regulation No 11	(a)	General requirem 5 of UN Regulati No 11)	All requirements shall apply. ents (Paragraph on
			(b)	(Paragra 6 of UN	Only the ancourements of paragraph ph.1.5.4 and paragraph 6.3 of UN Regulation on 11 shall apply.
7A	Audible warning devices and	Regulation (EC) No 661/2009	(a)	Compon	X ents
	signals	UN Regulation No 28	(b)	Installati on vehicle	B
8A	Devices for indirect vision	Regulation (EC) No 661/2009 UN Regulation No 46	(a)	Compon	X ents
	and their installation		(b)	Installati on vehicle	B
9A	Braking of vehicles and trailers	Regulation (EC) No 661/2009 UN Regulation No 13	(a)	Design and test requiren	A
			(b)	Electron stability control (ESC)	The fitting of ESC shall not be required. If fitted, it shall comply with the requirements of UN Regulation No 13.
9B	Braking of passenger cars	Regulation (EC) No 661/2009 UN Regulation No 13-H	(a)	Design and test requiren	A
			(b)	ESC and brake	The fitting of BAS and ESC shall not be

The explanatory notes relating to the Table 'Regulatory acts for EU type-approval of vehicles produced in unlimited series' of this Part also apply to this Table. The letters in this Table have the same meaning as in Table 1 of this Appendix.

## Status: Point in time view as at 31/01/2020.

				assist systems (BAS)	required. If fitted, they shall comply with the requirements of UN Regulation No 13-H.
10A	Electromagnetic compatibility	Regulation (EC) No 661/2009 UN Regulation No 10			В
13B	Protection of motor vehicles against unauthorised use	Regulation (EC) No 661/2009 UN Regulation No 116			A The provisions of paragraph 8.3.1.1.1 of UN Regulation No 116 may be applied instead of paragraph 8.3.1.1.2 of that Regulation regardless of the type of powertrain.
14A	Protection of the	Regulation (EC)			С
	driver against the steering mechanism in the event of impact	No 661/2009 UN Regulation No 12	(a)	Barrier impact test	A test shall be required.
			(b)	Body block impact test against steering wheel	Not required if the steering wheel is fitted with an airbag.
			(c)	Head form test	Not required if the steering wheel is fitted with an airbag.
15A	Seats, their anchorages and any head restraints	Regulation (EC) No 661/2009 UN Regulation No 17			В
17A	Vehicle access and manoeuvrability	Regulation (EC) No 661/2009			D

The explanatory notes relating to the Table 'Regulatory acts for EU type-approval of vehicles produced in unlimited series' of this Part also apply to this Table. The letters in this Table have the same meaning as in Table 1 of this Appendix.

### Status: Point in time view as at 31/01/2020.

	(reverse gear)	Regulation (EU) No 130/2012	
17B	Speedometer equipment including its installation	Regulation (EC) No 661/2009 UN Regulation No 39	В
18A	Manufacturer's statutory plate and VIN	Regulation (EC) No 661/2009 Regulation (EU) No 19/2011	В
19A	Safety-belt anchorages, Isofix anchorages systems and Isofix top tether anchorages	Regulation (EC) No 661/2009 UN Regulation No 14	В
20A	Installation of lighting and light-signalling devices on motor vehicles	Regulation (EC) No 661/2009 UN Regulation No 48	B DRLs shall be fitted to a new type of vehicle.
21A	Retro-reflecting devices for power-driven vehicles and their trailers	Regulation (EC) No 661/2009 UN Regulation No 3	X
22A	Front and rear position lamps, stop-lamps and end-outline marker lamps for motor vehicles and their trailers	Regulation (EC) No 661/2009 UN Regulation No 7	X
22B	Daytime running lamps for power-driven vehicles	Regulation (EC) No 661/2009 UN Regulation No 87	X
22C	Side-marker lamps for motor vehicles and their trailers	Regulation (EC) No 661/2009 UN Regulation No 91	X
23A	Direction indicators for power-driven	Regulation (EC) No 661/2009 UN Regulation No 6	X

a The explanatory notes relating to the Table 'Regulatory acts for EU type-approval of vehicles produced in unlimited series' of this Part also apply to this Table. The letters in this Table have the same meaning as in Table 1 of this Appendix.

## Status: Point in time view as at 31/01/2020.

	vehicles and their trailers		
24A	Illumination of rear-registration plates of power-driven vehicles and their trailers	Regulation (EC) No 661/2009 UN Regulation No 4	X
25A	Power-driven vehicle's sealed- beam headlamps (SB) emitting an European asymmetrical passing beam or a driving beam or both	Regulation (EC) No 661/2009 UN Regulation No 31	X
25B	Filament lamps for use in approved lamp units of power- driven vehicles and their trailers	Regulation (EC) No 661/2009 UN Regulation No 37	X
25C	Motor vehicle headlamps equipped with gas-discharge light sources	Regulation (EC) No 661/2009 UN Regulation No 98	X
25D	Gas-discharge light sources for use in approved gas-discharge lamp units of power-driven vehicles	Regulation (EC) No 661/2009 UN Regulation No 99	X
25E	Motor vehicle headlamps emitting an asymmetrical passing beam or a driving beam or both and equipped with filament lamps and/or LED modules	Regulation (EC) No 661/2009 UN Regulation No 112	X
25F	Adaptive front- lighting systems	Regulation (EC) No 661/2009	X

The explanatory notes relating to the Table 'Regulatory acts for EU type-approval of vehicles produced in unlimited series' of this Part also apply to this Table. The letters in this Table have the same meaning as in Table 1 of this Appendix.

Status: Point in time view as at 31/01/2020.

	(AFS) for motor vehicles	UN Regulation No 123		
26A	Power-driven vehicle front fog lamps	Regulation (EC) No 661/2009 UN Regulation No 19		X
27A	Towing device	Regulation (EC) No 661/2009 Regulation (EU) No 1005/2010		В
28A	Rear fog lamps for power-driven vehicles and their trailers	Regulation (EC) No 661/2009 UN Regulation No 38		X
29A	Reversing lights for power-driven vehicles and their trailers	Regulation (EC) No 661/2009 UN Regulation No 23		X
30A	Parking lamps for power-driven vehicles	Regulation (EC) No 661/2009 UN Regulation No 77		X
31A	Safety-belts, restraint systems, child restraint systems and Isofix child restraint systems	Regulation (EC) No 661/2009 UN Regulation No 16	(a) Compon  (b) Installati requirem	B
33A	Location and identification of hand controls, tell-tales and indicators	Regulation (EC) No 661/2009 UN Regulation No 121		A
34A	Windscreen defrosting and demisting systems	Regulation (EC) No 661/2009 Regulation (EU) No 672/2010		N/A The vehicle shall be fitted with a suitable windscreen defrosting and demisting system.
35A	Windscreen wiper and washer systems	Regulation (EC) No 661/2009 Regulation (EU) No 1008/2010		N/A The vehicle shall be fitted with a suitable windscreen

a The explanatory notes relating to the Table 'Regulatory acts for EU type-approval of vehicles produced in unlimited series' of this Part also apply to this Table. The letters in this Table have the same meaning as in Table 1 of this Appendix.

					wiper and washer system.
36A	Heating system	Regulation (EC) No 661/2009 UN Regulation No 122			C The fitting of a heating system shall not be required.
			(a)	All heating systems	The requirements of paragraphs 5.3 and 6 of UN Regulation No 122 shall apply.
			(b)	LPG heating systems	The requirements of Annex 8 to UN Regulation No 122 shall apply.
41A	Emissions (Euro VI) heavy duty vehicles/access to information	Regulation (EC) No 595/2009			A With the exception of the set of requirements relating to OBDs and access to information.
			Power	ment	(When the vehicle manufacturer uses an engine from another manufacturer) Bench test data from the engine manufacturer are accepted provided that the engine management system is identical (i.e. having at least the same ECU). Power output test may be performed on a chassis dynamometer.

a The explanatory notes relating to the Table 'Regulatory acts for EU type-approval of vehicles produced in unlimited series' of this Part also apply to this Table. The letters in this Table have the same meaning as in Table 1 of this Appendix.

Status: Point in time view as at 31/01/2020.

				It shall be taken into account of the power loss in the transmission.
43A	Spray suppression systems	Regulation (EC) No 661/2009 Regulation (EU) No 109/2011		В
45A	Safety glazing materials and	Regulation (EC) No 661/2009	(a) Compon	X ents
	their installation on vehicles	UN Regulation No 43	(b) Installati	B
46A	Installation of tyres	Regulation (EC) No 661/2009 Regulation (EU) No 458/2011		B Dates for progressive application shall be those set out in Article 13 of Regulation (EC) No 661/2009.
46B	Pneumatic tyres for motor vehicles and their trailers (Class C <sub>1</sub> )	Regulation (EC) No 661/2009 UN Regulation No 30	Components	X
46C	Pneumatic tyres for commercial vehicles and their trailers (Classes C <sub>2</sub> and C <sub>3</sub> )	Regulation (EC) No 661/2009 UN Regulation No 54	Components	X
46D	Tyre rolling sound emissions, adhesion on wet surfaces and rolling resistance (Classes C <sub>1</sub> , C <sub>2</sub> and C <sub>3</sub> )	Regulation (EC) No 661/2009 UN Regulation No 117	Components	X
46E	Temporary-use spare unit, run-	Regulation (EC) No 661/2009	Components	X
	flat tyres/system and tyre pressure monitoring system	UN Regulation No 64	Fitting of a tyre-pressure monitoring system	B The fitting of a TPMS shall not be required.
48A	Masses and dimensions	Regulation (EC) No 661/2009		В

a The explanatory notes relating to the Table 'Regulatory acts for EU type-approval of vehicles produced in unlimited series' of this Part also apply to this Table. The letters in this Table have the same meaning as in Table 1 of this Appendix.

## Status: Point in time view as at 31/01/2020.

		Regulation (EU) No 1230/2012	Hill start test at maximum combination mass	The hill start test at maximum combination mass described in point 5.1 of Part A of Annex 1 to Regulation (EU) No 1230/2012 may be waived at the request of the manufacturer.
49A	Commercial	Regulation (EC)		С
	vehicles with regards to their external projections forward of the cab's rear panel	No 661/2009 UN Regulation No 61	(a) General specifica	The requirements of the paragraph 5 of UN Regulation No 61 shall apply.
			(b) Particula specifica	The trequirements of the paragraph 6 of UN Regulation No 61 shall apply.
50A	Mechanical coupling	Regulation (EC) No 661/2009	(a) Compon	X ents
	components of combinations of vehicles	UN Regulation No 55	(b) Installati	B
54A	Protection of	Regulation (EC)	С	С
	occupants in the event of lateral collision	No 661/2009 UN Regulation No 95	Head form test	The manufacturer shall supply the technical service with suitable information concerning a possible impact of the head of the dummy against the structure of the vehicle or the side glazing, if made up

a The explanatory notes relating to the Table 'Regulatory acts for EU type-approval of vehicles produced in unlimited series' of this Part also apply to this Table. The letters in this Table have the same meaning as in Table 1 of this Appendix.

Status: Point in time view as at 31/01/2020.

					of laminated glazing. When such impact is proven likely to happen, then the partial test using the head form test described in paragraph 3.1 of Annex 8 to UN Regulation No 95 shall be conducted and the criterion specified in paragraph 5.2.1.1 of UN Regulation No 95 shall be met. In agreement with the technical service, the test procedure described in Annex 4 to UN Regulation No 21 may be used as an alternative to the test of UN Regulation No 95 mentioned above.
56A	Vehicles for the carriage of dangerous goods	Regulation (EC) No 661/2009 UN Regulation No 105			A
58	Pedestrian protection	Regulation (EC) No 78/2009	(a)	Technica requirem applicab to a vehicle	ents
a The explanatory no	tes relating to the Table 'F	December of the TIV	(b)	Frontal protectic systems	

The explanatory notes relating to the Table 'Regulatory acts for EU type-approval of vehicles produced in unlimited series' of this Part also apply to this Table. The letters in this Table have the same meaning as in Table 1 of this Appendix.

## Status: Point in time view as at 31/01/2020.

59	Recyclability	Directive 2005/64/EC			N/A Only Article 7 on reuse of component parts shall apply.
61	Air-conditioning systems	Directive 2006/40/EC			В
62	Hydrogen system	Regulation (EC) No 79/2009			X
63	General Safety	Regulation (EC) No 661/2009			See explanatory note (15) of the table in this Part with regulatory acts for EU type-approval of vehicles produced in unlimited series.
67	Specific components	Regulation (EC) No 661/2009	(a)	Compon	X ents
	for liquefied petroleum gases (LPG) and their installation on motor vehicles	UN Regulation No 67	(b)	Installati	A
68	Vehicle alarm systems (VAS)	Regulation (EC) No 661/2009	(a)	Compon	X ents
		UN Regulation No 97	(b)	Installati	B
69	Electric safety	Regulation (EC) No 661/2009 UN Regulation No 100			В
70	Specific components for	Regulation (EC) No 661/2009	(a)	Compon	X ents
	CNG and their installation on motor vehicles	UN Regulation No 110	(b)	Installati	A
71	Cab strength	Regulation (EC) No 661/2009 UN Regulation No 29			С
72	eCall System	Regulation (EU) 2015/758			N/A

The explanatory notes relating to the Table 'Regulatory acts for EU type-approval of vehicles produced in unlimited series' of this Part also apply to this Table. The letters in this Table have the same meaning as in Table 1 of this Appendix.

Status: Point in time view as at 31/01/2020.

Changes to legislation: Regulation (EU) 2018/858 of the European Parliament and of the Council, ANNEX II is up to date with all changes known to be in force on or before 27 July 2024. There are changes that may be brought into force at a future date. Changes that have been made appear in the content and are referenced with annotations. (See end of Document for details)

# Appendix 2 U.K.

## Requirements for EU individual vehicle approval pursuant to Article 44

1. APPLICATION U.K.

For the purpose of application of this Appendix, a vehicle is deemed to be new where:

- (a) it has never been registered previously; or
- (b) it has been registered for less than six months at the time of the application for individual vehicle approval.

A vehicle shall be considered registered where it has obtained a permanent, temporary or short-term administrative authorisation for entry into service in road traffic, involving its identification and the issuing of a registration number<sup>(2)</sup>.

- 2. ADMINISTRATIVE PROVISIONS U.K.
- 2.1. Categorisation of the vehicle U.K.

Vehicles shall be categorised in accordance with the criteria set out in Annex I as follows:

- (a) the actual number of seating positions shall be taken into consideration; and
- (b) the technically maximum permissible laden mass shall be the maximum mass stated by the manufacturer in the country of origin and available in his official documentation.

Where it is not possible to easily determine the vehicle category because of the design of the bodywork, the conditions set out in Annex I shall apply.

- 2.2. Application for individual vehicle approval U.K.
- (a) The applicant shall submit an application to the approval authority accompanied by all relevant documentation necessary for the operation of the approval procedure.

Where the submitted documentation is incomplete, falsified or forged the application for approval shall be rejected.

- (b) Only one application for a particular vehicle may be submitted in only one Member State. The approval authority may require from the applicant a written commitment that only one application will be submitted in the Member State of the approval authority.
  - By a particular vehicle, it shall be understood a physical vehicle the VIN of which is clearly identified.

However, any applicant may apply for EU individual vehicle approval in another Member State in respect of another particular vehicle with technical characteristics identical or similar to the one that has been granted an EU individual vehicle approval.

- (c) The model of the application form and the layout of the file shall be laid down by the approval authority.
  - The particulars of the vehicle requested may only consist in an appropriate selection of the information included in Annex I.
- (d) The technical requirements to be complied with are those laid down in point 4.

Changes to legislation: Regulation (EU) 2018/858 of the European Parliament and of the Council, ANNEX II is up to date with all changes known to be in force on or before 27 July 2024. There are changes that may be brought into force at a future date. Changes that have been made appear in the content and are referenced with annotations. (See end of Document for details)

The technical requirements shall be those applicable to vehicles belonging to a type of vehicle currently in production, in relation to the date of the submission of the application.

(e) With respect to the tests required under the regulatory acts listed in this Annex, the applicant shall supply a statement of compliance with recognised international standards or regulations. The statement in question may only be issued by the vehicle manufacturer.

'Statement of compliance' shall mean a statement issued by the office or department within the manufacturer's organisation that is duly authorised by the management to fully engage the legal responsibility of the manufacturer with respect to the design and the construction of a vehicle.

The regulatory acts for which such a statement has to be supplied shall be those referred to in point 4.

Where a statement of compliance gives rise to uncertainty, the applicant may be required to obtain from the manufacturer a piece of evidence, including a test report, in order to corroborate the manufacturer's statement.

- 2.3. Technical services entrusted with individual vehicle approvals U.K.
- (a) The technical services entrusted with individual vehicle approvals shall be of category A as referred to in Article 68(1).
- (b) By way of derogation from the requirement to demonstrate their compliance with the standards listed in Appendix 1 to Annex III, technical services shall comply with the following standards:
  - (i) EN ISO/IEC 17025:2005 when they perform tests themselves;
  - (ii) EN ISO/IEC 17020:2012 when they check compliance of the vehicle with the requirements included in this Appendix.
- (c) Where specific tests requiring specific skills have to be conducted at the request of the applicant, they shall be conducted by one of the technical services notified to the Commission at the choice of the applicant.
- 2.4. Test reports U.K.
- (a) Test reports shall be drafted in accordance with paragraph 5.10.2 of standard EN ISO/IEC 17025:2005.
- (b) Test reports shall be drafted in one of the languages of the Union determined by the approval authority.
  - Where in application of point 2.3(c) a test report has been issued in a Member State other than the one entrusted with the individual vehicle approval, the approval authority may require that the applicant submits a true translation of the test report.
- (c) Test reports shall include a description of the vehicle tested, including its identification. The parts that play a significant role with regard to the results of the tests shall be described and their identification number reported.

Changes to legislation: Regulation (EU) 2018/858 of the European Parliament and of the Council, ANNEX II is up to date with all changes known to be in force on or before 27 July 2024. There are changes that may be brought into force at a future date. Changes that have been made appear in the content and are referenced with annotations. (See end of Document for details)

(d) At the request of an applicant, a test report delivered for a system related to a particular vehicle may be presented repeatedly either by the same or another applicant for the purposes of individual approval of another vehicle.

In such a case, the approval authority shall ensure that the technical characteristics of the vehicle are properly inspected against the test report.

Inspection of the vehicle and the documentation accompanying the test report shall demonstrate that the vehicle for which an individual approval is sought has the same characteristics as the vehicle described in the report.

- (e) Only authenticated copies of a test report may be submitted.
- (f) Test reports referred to in point (d) do not include the reports drawn up in order to grant the individual vehicle approval.
- 2.5. In the individual vehicle approval procedure each particular vehicle shall be inspected physically by the technical service. U.K.

No exemption to this principle shall be permitted.

- 2.6. Where the approval authority is satisfied that the vehicle meets the technical requirements specified in this Appendix and conforms to the description included in the application, it shall grant approval in accordance with Article 44. U.K.
- 2.7. The certificate of approval shall be drafted in accordance with Article 44. U.K.
- 2.8. The approval authority shall keep record of all approvals granted under Article 44. U.K.
- 3. REVIEW OF THE TECHNICAL REQUIREMENTS U.K.

The list of the technical requirements included in point 4 shall be regularly reviewed in order to take account of the results of the harmonisation work in progress at the World Forum for Harmonization of Vehicle Regulations (WP.29) in Geneva and legislative developments in the third countries.

# 4. TECHNICAL REQUIREMENTS U.K.

Part I: Item Vehicles	Regulatory act reference	Alternative requirements
belonging 1 to category M1	Council Directive 70/157/ EEC <sup>a</sup> (Permissible sound level)	Drive-by test  (a) A test shall be conducted in accordance with the 'Method A' referred to in Annex 3 to UN Regulation No 51.  Limits are those specified in point 2.1 of Annex I to Directive

a Council Directive 70/157/EEC of 6 February 1970 on the approximation of the laws of the Member States relating to the permissible sound level and the exhaust system of motor vehicles (OJ L 42, 23.2.1970, p. 16).

		in accord paragrap	70/157/EEC.  1 decibel in addition to the permitted limits shall be allowed. The test track shall comply with Annex 8 to UN Regulation No 51. A test track having different specifications may be used under the condition that correlation tests have been conducted by the technical service. A correction factor shall be applied if necessary. Exhaust systems containing fibrous materials need not be conditioned as prescribed in Annex 5 to UN Regulation No 51. Ty test all be conducted lance with h 3.2 of Annex 3 egulation No 51.
2A  Council Directive 70/157/FEC of	Regulation (EC) No 715/2007 (Emissions (Euro 5 and Euro 6) light duty vehicles/access to information)	Tailpipe (a)	emissions A type I test shall be conducted in accordance with Annex III to Regulation (EC) No 692/2008 using the deterioration factors set out in point 1.4 of
	of 6 February 1970 on the approximation level and the exhaust system of motor		

Changes to legislation: Regulation (EU) 2018/858 of the European Parliament and of the Council, ANNEX II is up to date with all changes known to be in force on or before 27 July 2024. There are changes that may be brought into force at a future date. Changes that have been made appear in the content and are referenced with annotations. (See end of Document for details)

Annex VII to Regulation (EC) No 692/2008. The limits to be applied shall be those specified in Table I and Table II in Annex I to Regulation (EC) No 715/2007. (b) The vehicle shall not be required to exhibit 3 000 km as mentioned in paragraph 3.1.1 of Annex 4 to **UN Regulation** No 83. (c) The fuel to be used for the test shall be the reference fuel as prescribed in Annex IX to Regulation (EC) No 692/2008. (d) The dynamometer shall be set up in accordance with the technical requirements set out in paragraph 3.2 of Annex 4 to UN Regulation No 83. (e) The test referred to in point (a) shall not be conducted where it can be shown that the vehicle complies with the California Code Regulations referred to in point 2.1.1

a Council Directive 70/157/EEC of 6 February 1970 on the approximation of the laws of the Member States relating to the permissible sound level and the exhaust system of motor vehicles (OJ L 42, 23.2.1970, p. 16).

Changes to legislation: Regulation (EU) 2018/858 of the European Parliament and of the Council, ANNEX II is up to date with all changes known to be in force on or before 27 July 2024. There are changes that may be brought into force at a future date. Changes that have been made appear in the content and are referenced with annotations. (See end of Document for details)

> of Annex I to Regulation (EC) No 692/2008.

Evaporative emissions For petrol-fuelled engines, the presence of an evaporate emissions control system shall be required (e.g. a charcoal canister). Crankcase emissions

The presence of a device for recycling crankcase gases shall be required. OBD

- (a) The vehicle shall be fitted with an OBD system.
- (b) **OBD-interface** must be able to communicate with common diagnostic tools used for periodic technical inspections.

## Smoke opacity

- Vehicles (a) equipped with a diesel-fuelled engine shall be tested in accordance with the tests methods referred to in Appendix 2 to Annex IV to Regulation (EC) No 692/2008.
- (b) The corrected value of the absorption coefficient shall be affixed conspicuously and in a readily accessible place.

CO<sub>2</sub> emissions and fuel consumption

A test shall be (a) conducted in

Council Directive 70/157/EEC of 6 February 1970 on the approximation of the laws of the Member States relating to the permissible sound level and the exhaust system of motor vehicles (OJ L 42, 23.2.1970, p. 16).

Changes to legislation: Regulation (EU) 2018/858 of the European Parliament and of the Council, ANNEX II is up to date with all changes known to be in force on or before 27 July 2024. There are changes that may be brought into force at a future date. Changes that have been made appear in the content and are referenced with annotations. (See end of Document for details)

Annex XII to
Regulation (EC)
No 692/2008.

(b) The vehicle
shall not be
required to

required to exhibit 3 000 km as requested in paragraph 3.1.1 of Annex 4 to UN Regulation No 83.

accordance with

(c) Where the vehicle complies with the California Code Regulations referred to in point 2.1.1 of Annex I to Regulation (EC) No 692/2008 and therefore no test of tailpipe emissions is required to be performed, Member States shall calculate CO<sub>2</sub> emissions and fuel consumption with the formula laid down in the explanatory notes (b) and (c).

Access to information
The provisions regarding
access to information shall
not apply.

Power measurement

(a) The applicant shall submit a statement from the manufacturer stating the maximum engine power output in kW

a Council Directive 70/157/EEC of 6 February 1970 on the approximation of the laws of the Member States relating to the permissible sound level and the exhaust system of motor vehicles (OJ L 42, 23.2.1970, p. 16).

		(b)	as well as the corresponding engine speed in revolutions per minute. An engine power output curve providing the same information may alternatively be provided by the applicant.
3A	UN Regulation No 34 (Fuel tanks — Rear protective devices)	fuel tand plastic r The app a statem manufacthat the particular VIN of	Fuel tanks shall comply with paragraph 5 of UN Regulation No 34 with the exception of paragraphs 5.1, 5.2 and 5.12. In particular, they shall comply with paragraphs 5.9 and 5.9.1 but no dripping test shall be conducted. LPG or CNG tanks shall be type-approved in accordance with UN Regulation No 67, series of amendments 01, or UN Regulation No 110 (a), respectively. The provisions for the same of a series of a s

a Council Directive 70/157/EEC of 6 February 1970 on the approximation of the laws of the Member States relating to the permissible sound level and the exhaust system of motor vehicles (OJ L 42, 23.2.1970, p. 16).

		with at least one of the following:  — FMVSS No 301 (Fuel system integrity); or — Annex 5 to UN Regulation 34. Rear protective device The rear part of the vehicle shall be constructed in accordance with paragraphs 8 and 9 of UN Regulation No 34.
3B	UN Regulation No 58 (Rear underrun protection)	The rear part of the vehicle shall be constructed in accordance with paragraph 2 UN Regulation No 58. It is sufficient that the requirements set out in paragraph 2.3 are fulfilled.
4A	Regulation (EU) No 1003/2010 (Rear registration plate space)	Space, inclination, angles for visibility and position of the registration plate shall comply with Regulation (EU) No 1003/2010.
5A	UN Regulation No 79 (Steering equipment)	Mechanical systems  (a) The steering mechanism shall be built as to self-centre. In order to check compliance with this provision, a test shall be conducted in accordance with paragraphs 6.1.2 and 6.2.1 of UN Regulation No 79.
		(b) The failure of the power steering equipment shall not lead to a complete loss

a Council Directive 70/157/EEC of 6 February 1970 on the approximation of the laws of the Member States relating to the permissible sound level and the exhaust system of motor vehicles (OJ L 42, 23.2.1970, p. 16).

		of control of the vehicle. Complex electronic vehicle control system ('Drive-by wire' devices) Complex electronic control system shall be permitted only if they comply with Annex 6 to UN Regulation No 79.
6A	UN Regulation No 11 (Door latches and hinges)	Compliance with paragraph 6.1.5.4 of UN Regulation No 11.
7A	UN Regulation No 28 (Audible warning)	Components The audible warning devices are not required to be type-approved in accordance with UN Regulation No 28. However, they shall emit a continuous sound as required in paragraph 6.1.1 of UN Regulation No 28. Installation on vehicle (a) A test shall be conducted in accordance with paragraph 6.2 of UN Regulation No 28. (b) The maximum sound pressure level shall be in accordance with paragraph 6.2.7.
8A	UN Regulation No 46 (Indirect vision devices)	Components  (a) The vehicle shall be fitted with the rearview mirrors prescribed in paragraph 15.2 of UN Regulation No 46.  (b) They are not required to be type-approved in

a Council Directive 70/157/EEC of 6 February 1970 on the approximation of the laws of the Member States relating to the permissible sound level and the exhaust system of motor vehicles (OJ L 42, 23.2.1970, p. 16).

		Measure conducte ensure the of vision paragrap	accordance with UN Regulation No 46. The radii of curvature of the mirrors shall not cause significant image distortions. At the discretion of the technical service, the radii of curvature shall be checked in accordance with the method described in Annex 7 to UN Regulation No 46. The radii of curvature shall not be less than those required by paragraph 6.1.2.2.4 of UN Regulation No 46. ion on vehicle ment shall be ed in order to that the fields a comply with the 15.2.4. of UN to No 46.
9B	UN Regulation No 13-H (Braking)	General (a)	provisions The braking system shall be built in accordance with paragraph 5 of UN Regulation No 13-H.
		(b) (c)	Vehicles shall be fitted with an electronic antilock braking system acting on all wheels. The
	of 6 February 1970 on the approximation	on of the laws	
relating to the permissible soun	d level and the exhaust system of moto	r vehicles (O.	J L 42, 23.2.1970, p. 16).

Changes to legislation: Regulation (EU) 2018/858 of the European Parliament and of the Council, ANNEX II is up to date with all changes known to be in force on or before 27 July 2024. There are changes that may be brought into force at a future date. Changes that have been made appear in the content and are referenced with annotations. (See end of Document for details)

system shall comply with Annex III to UN Regulation No 13-H. (d) For those purposes, road tests shall be conducted on a track the surface of which possesses high adhesion. The test on the parking brake shall be conducted on a 18 % gradient (up and down). Only those tests mentioned under the headings 'Service brake' and 'Parking brake' below shall be conducted. In each case, the vehicle shall be in fully laden conditions. (e) The road test referred to in point (d) shall not be conducted where the applicant can submit a statement from the manufacturer establishing that the vehicle complies either with UN

> Regulation No 13-H, including supplement 5, or with FMVSS No

135.

Service brake

of the braking

a Council Directive 70/157/EEC of 6 February 1970 on the approximation of the laws of the Member States relating to the permissible sound level and the exhaust system of motor vehicles (OJ L 42, 23.2.1970, p. 16).

		in accor paragrap	A 'Type 0' test as prescribed in paragraphs 1.4.2 and 1.4.3 of Annex 3 to UN Regulation No 13-H shall be conducted. In addition, a 'Type I' test as prescribed in paragraph 1.5 of Annex 3 to UN Regulation No 13-H shall be conducted. brake nall be conducted dance with the 2.3 of Annex 3 tegulation No 13-
10A	UN Regulation No 10 (Radio interference (electromagnetic compatibility))	Compor (a)	electrical/ electronic sub- assemblies are not required to be type- approved in accordance with UN Regulation No 10.
		(b)	However, electric/ electronic devices retrofitted shall comply with UN Regulation No 10.
a Council Directive 70/157/EEC	of 6 February 1970 on the approximati	radiation The app a statem manufacthat the with UN 10 or with alternation	electromagnetic ns licant shall submit nent from the eturer establishing vehicle complies N Regulation No ith the following ve standards:

a Council Directive 70/157/EEC of 6 February 1970 on the approximation of the laws of the Member States relating to the permissible sound level and the exhaust system of motor vehicles (OJ L 42, 23.2.1970, p. 16).

		Immuni Immuni waived.	ty test shall be
12A	UN Regulation No 21 (Interior fittings)	(b)	arrangement With respect to the requirements on energy absorption, the vehicle shall be deemed to comply with UN Regulation No 21 if the vehicle is fitted with at least two front airbags, one inserted into the steering wheel and the other into the dashboard. Where the vehicle is fitted with only one front air bag inserted in the steering wheel, the dashboard shall be made up of energy absorbing materials. The technical service shall check that there are no sharp edges in the zones defined

a Council Directive 70/157/EEC of 6 February 1970 on the approximation of the laws of the Member States relating to the permissible sound level and the exhaust system of motor vehicles (OJ L 42, 23.2.1970, p. 16).

		Electrica (a)	in paragraphs 5.1 to 5.7 of UN Regulation No 21. l controls Power-operated windows, roof- panel systems and partitioning systems shall be tested in accordance with paragraph 5.8 of UN Regulation No 21. The sensitivity of auto-reverse systems referred to in paragraph 5.8.3 may diverge from the requirements set out in paragraph 5.8.3.1.1 of UN Regulation No
		(b)	21. Electric windows which cannot be closed when the ignition is off shall be exempt from the requirements concerning auto- reverse systems.
13A	UN Regulation No 18 (Anti-theft and immobiliser)	(a)	In order to prevent unauthorised use, the vehicle shall be fitted with:  — a locking device as defined in paragraph 2.3 of

a Council Directive 70/157/EEC of 6 February 1970 on the approximation of the laws of the Member States relating to the permissible sound level and the exhaust system of motor vehicles (OJ L 42, 23.2.1970, p. 16).

		(b)	with point immobile to be related it shall lapprove accorda	ed type in nce with gulations No 97, or
14A	UN Regulation No 12 (Protective steering)	(a)	The app shall sul stateme the man establish the part vehicle, of which to be sp	blicant bmit a nt from ufacturer hing that icular the VIN h has ecified, es with at e of the

a Council Directive 70/157/EEC of 6 February 1970 on the approximation of the laws of the Member States relating to the permissible sound level and the exhaust system of motor vehicles (OJ L 42, 23.2.1970, p. 16).

		steering control system) including FMVSS No 204 (Steering control rearward displacement); — Article 11 of JSRRV.  (b) A test in accordance with Annex 3 to UN Regulation No 12 may be conducted on a production vehicle at the request of the applicant. The test shall be conducted by a technical service that has been designated for carrying out this test. A detailed report shall be issued by that technical service to the applicant.
15A	UN Regulation No 17 (Seat strength — head restraints)	Seats, seat anchorages and adjustment systems The applicant shall submit a statement from the manufacturer establishing that the particular vehicle, the VIN of which has to be specified, complies with at least one of the following:  — UN Regulation No 17; or — FMVSS No 207 (Seating systems). Head restraints

a Council Directive 70/157/EEC of 6 February 1970 on the approximation of the laws of the Member States relating to the permissible sound level and the exhaust system of motor vehicles (OJ L 42, 23.2.1970, p. 16).

		(a)	Where the statement is based on FMVSS No 207, the head restraints shall fulfil, in addition, the requirements of paragraph 5 and Annex 4 to UN Regulation No	
		(b)	17. Only the tests described in paragraphs 5.12, 6.5, 6.6 and 6.7 of UN Regulation No 17 shall be conducted.	
		(c)	In the other event, the applicant shall submit a statement from the manufacturer establishing that the particular vehicle, the VIN of which has to be specified, complies with FMVSS No 202a (Head restraints).	
16A	UN Regulation No 17 (Exterior projections)	(a)	The external surface of the bodywork shall comply with the general requirements included in paragraph 5 of UN Regulation No 17.	
		(b)	At the discretion of the technical service the provisions	
a Council Directive 70/157/EEC of 6 February 1970 on the approximation of the laws of the Member States relating to the permissible sound level and the exhaust system of motor vehicles (OJ L 42, 23.2.1970, p. 16).				

			referred to in paragraphs 6.1, 6.5, 6.6, 6.7, 6.8 and 6.11 of UN Regulation No 17 shall be checked.
17A, 17B	UN Regulation No 39 (Speedometer — reverse gear)	Speedor (a)	meter equipment The dial shall comply with paragraphs 5.1 to 5.1.4 of UN Regulation No 39.
			Where the technical service wants to verify that the speedometer is calibrated with sufficient accuracy, it may require the tests prescribed in paragraph 5.2 of UN Regulation No 39 to be conducted.
18A	Regulation (EU) No 19/2011 (Statutory plates)	VIN (a)	The vehicle shall be fitted with a VIN comprising a minimum of 8 and a maximum of 17 characters. VIN comprising 17 characters shall fulfil the requirements set out in international standards ISO 3779:1983 and 3780:1983.
		(b)	VIN shall be located in a clearly visible

a Council Directive 70/157/EEC of 6 February 1970 on the approximation of the laws of the Member States relating to the permissible sound level and the exhaust system of motor vehicles (OJ L 42, 23.2.1970, p. 16).

		and accessible position in such a way as it cannot be obliterated or deteriorate.  (c) Where no VIN is stamped in the chassis or in the body, a Member State may require the applicant that the VIN is retrofitted in application of its national law. In such a case, the competent authority of that Member State shall supervise the operation.  Statutory plate The vehicle shall be fitted with an identification plate affixed by the vehicle manufacturer.  No additional plate shall be requested after the approval authority has been granted.
19A	UN Regulation No 14 (Seat belt anchorages)	The applicant shall submit a statement from the manufacturer establishing that the particular vehicle, the VIN of which has to be specified, complies with at least one of the following:  — UN Regulation No 14;  — FMVSS No 210 (Seat belt assembly
		anchorages); or — Article 22-3 of JSRRV.

a Council Directive 70/157/EEC of 6 February 1970 on the approximation of the laws of the Member States relating to the permissible sound level and the exhaust system of motor vehicles (OJ L 42, 23.2.1970, p. 16).

20A	UN Regulation No 48 (Installation of lighting and light signalling devices)	(a)	The lighting installation shall meet the requirements of UN Regulation No 48, series of amendments 03, with the exception of the requirements of Annexes 5 and 6 to that Regulation.
		(b)	No exemption shall be permitted in respect of the number, the essential design characteristics, the electrical connections, and the colour of light emitted or retro-reflected of the lights and signalling devices referred to in items 21 to 26 and in items 28 to 30.
		(c)	Lights and signalling devices that, for the purpose of fulfilling the requirements of point (a) must be retrofitted shall bear an 'EU' type-approval mark.
		(d)	Lamps fitted with gas- discharged light source are only permitted in conjunction with the installation of headlamp

a Council Directive 70/157/EEC of 6 February 1970 on the approximation of the laws of the Member States relating to the permissible sound level and the exhaust system of motor vehicles (OJ L 42, 23.2.1970, p. 16).

		cleaning device and an automatic headlamp- levelling device where appropriate.  (e) Headlamp dipped-beams shall be adapted to the direction of traffic legally in force in the country where the vehicle is granted approval.
21A	UN Regulation No 3 (Retro reflectors)	Where necessary, two additional retro reflectors bearing an 'EU' approval mark shall be added at the rear, the position of which shall comply with UN Regulation No 48.
22A	UN Regulations No 7, No 87 and No 91 (End-outline, front position (side), rearposition (side), stop, side marker, daytime running lamps)	The requirements set out in the UN Regulations No 7, No 87 and No 91 shall not apply. However, the correct functioning of the lights shall be checked by the technical service.
23A	UN Regulation No 6 (Direction indicators)	The requirements set out in UN Regulation No 6 shall not apply. However, the correct functioning of the lights shall be checked by the technical service.
24A	UN Regulation No 4 (Rear registration plate lamps)	The requirements set out in UN Regulation No 4 shall not apply. However, the correct functioning of the lights shall be checked by the technical service.
25C, 25E, 25F	UN Regulations No 98, No 112 and No 123 (Headlamps (including bulbs))	(a) The illumination produced by the passing beam of the headlamps fitted to the vehicle

a Council Directive 70/157/EEC of 6 February 1970 on the approximation of the laws of the Member States relating to the permissible sound level and the exhaust system of motor vehicles (OJ L 42, 23.2.1970, p. 16).

29A	UN Regulation No 23 (Reversing lamps)	by the technical service.  The requirements set out in UN Regulation No 23 shall not apply. However, the correct functioning of the lights if fitted shall be checked by the technical service.
28A	UN Regulation No 38 (Rear fog lamps)	The requirements set out in UN Regulation No 38 shall not apply. However, the correct functioning of the lights shall be checked
27A	Regulation (EU) No 1005/2010 (Towing hooks)	The requirements set out in Regulation (EU) No 1005/2010 shall not apply.
26A	UN Regulation No 19 (Front fog lamps)	Regulation No 98 or No 123.  The requirements set out in UN Regulation No 19 shall not apply. However, the correct functioning of the lights if fitted shall be checked by the technical service.
		shall be checked under paragraph 6 of UN Regulation No 112 concerning headlamps emitting an asymmetrical passing beam. The tolerances included in Annex 5 to that Regulation may be referred to for that purpose.  (b) The same requirement shall be fulfilled for the passing beam of headlamps covered by UN

a Council Directive 70/157/EEC of 6 February 1970 on the approximation of the laws of the Member States relating to the permissible sound level and the exhaust system of motor vehicles (OJ L 42, 23.2.1970, p. 16).

30A	UN Regulation No 77 (Parking lamps)	The requirements set out in UN Regulation No 77 shall not apply. However, the correct functioning of the lights if fitted shall be checked by the technical service.
31A	UN Regulation No 16 (Seat belts and restraint systems)	Components  (a) Seat belts shall not be required to be typeapproved in accordance with UN Regulation No 16.
		(b) However, each seat belt shall bear an identification label.
		(c) The indications on the label shall be consistent with the decision concerning seat belt anchorages (Re: entry 19).
		Installation requirements  (a) The vehicle shall be fitted with seat belts in accordance with the requirements set out in Annex XVI to UN Regulation No 16.
		(b) Where a number of seat belts have to be retrofitted in accordance with point (a), they shall be of an approved type in accordance with UN Regulation No 16.

a Council Directive 70/157/EEC of 6 February 1970 on the approximation of the laws of the Member States relating to the permissible sound level and the exhaust system of motor vehicles (OJ L 42, 23.2.1970, p. 16).

32A	UN Regulation No 125 (Forward vision)	(a)	No obstruction in the 180° forward field of vision of the driver as defined in paragraph 5.1.3 of UN Regulation No 125 shall be
		(b)	permitted. By derogation from point (a), the 'A pillars' and the equipment listed in paragraph 5.1.3 of UN Regulation No 125 shall not be considered as obstruction. The number of 'A pillars' shall not exceed 2.
33A	UN Regulation No 121 (Identification of controls, tell-tales and indicators)	(a)	The symbols including the colour of their corresponding tell-tales the presence of which is mandatory by virtue of UN Regulation No 121 shall comply with that UN
		(b)	Regulation. Where this is not the case, the technical service shall verify that the symbols, tell-tales and indicators fitted to the vehicle provide the driver with comprehensible information about the

a Council Directive 70/157/EEC of 6 February 1970 on the approximation of the laws of the Member States relating to the permissible sound level and the exhaust system of motor vehicles (OJ L 42, 23.2.1970, p. 16).

		operation of the controls in question.
34A	Regulation (EU) No 672/2010 (Defrost/Demist)	The vehicle shall be equipped with adequate windscreen defrosting and windscreen demisting devices.  A windscreen defrosting device which complies as a minimum with point 1.1.1 of Annex II to Regulation (EU) No 672/2010 shall be deemed 'adequate'.  A windscreen demisting device which complies as a minimum with point 1.2.1 of Annex II to Regulation (EU) No 672/2010 shall be deemed 'adequate'.
35A	Regulation (EU) No 1008/2010 (Wash/Wipe)	The vehicle shall be equipped with adequate windscreen washing and windscreen wiping devices.  A windscreen washing and wiping device that complies as a minimum with the conditions set out in point 1.1.5 of Annex III to Regulation (EU) No 1008/2010 shall be deemed 'adequate'.
36A	UN Regulation No 122 (Heating systems)	(a) The passenger compartment shall be fitted with a heating system. (b) Combustion heaters and their installation shall comply with Annex 7 to UN Regulation No 122. In addition, LPG combustion heaters and LPG

a Council Directive 70/157/EEC of 6 February 1970 on the approximation of the laws of the Member States relating to the permissible sound level and the exhaust system of motor vehicles (OJ L 42, 23.2.1970, p. 16).

44A	Regulation (EU) No 1230/2012 (Masses and dimensions)	(a)	The requirements of point 1 of Part
38A	UN Regulation No 25 (Head restraints)	The requirements of UN Regulation No 25 shall not apply.	
37A	Regulation (EU) No 1009/2010 (Wheel guards)	(a) (b)	The vehicle shall be designed as to protect other road users against thrown-up stones, mud, ice, snow and water and to reduce the dangers due to contact with the moving wheels. The technical service may check that the technical requirements set out in Annex II to Regulation (EU) No 1009/2010 are complied with. Section 3 of Annex I to that Regulation shall not apply.
		(c)	heating systems shall fulfil the requirements set out in Annex 8 to UN Regulation No 122. Additional heating systems which are retrofitted shall comply with the requirements set out in that UN Regulation No 122.

a Council Directive 70/157/EEC of 6 February 1970 on the approximation of the laws of the Member States relating to the permissible sound level and the exhaust system of motor vehicles (OJ L 42, 23.2.1970, p. 16).

Changes to legislation: Regulation (EU) 2018/858 of the European Parliament and of the Council, ANNEX II is up to date with all changes known to be in force on or before 27 July 2024. There are changes that may be brought into force at a future date. Changes that have been made appear in the content and are referenced with annotations. (See end of Document for details)

	A of Anr	nex I to
	Regulation	
	No 1230	
	shall be f	
(b)	For the p	
(0)	of point (	
	masses to	
	considere	
	the follow	wing: the
		mass in
		running
		order
		defined
		in point
		(4) of
		Article
		2 of
		Regulation
		(EU)
		No
		1230/2012
		as
		measured
		by the
		technical
		service;
		and
	_	the
		laden
		masses
		either
		stated
		by the
		vehicle
		manufacturer
		or
		shown
		on the
		manufacturer's
		plate
		including
		stickers
		or
		information
		available
		in the
		owner's
		manual.
		Those

masses

a Council Directive 70/157/EEC of 6 February 1970 on the approximation of the laws of the Member States relating to the permissible sound level and the exhaust system of motor vehicles (OJ L 42, 23.2.1970, p. 16).

		(c)	shall be deemed the technically permissible maximum laden masses. No exemption shall be permitted in respect of the maximum permissible dimensions.
45A	UN Regulation No 43 (Safety glazing)	Compo (a)	The glazing shall be made either of tempered or laminated safety glass.
		(b)	Fitting of plastic glazing shall be permitted only on locations situated behind the 'B' pillar.
		(c)	Glazing shall not be required to be approved under UN Regulation No 43.
		Installa	
		(a)	The installation requirements set out in Annex 21 to UN Regulation No 43 shall apply.
		(b)	No tinted films that would reduce the regular light transmission under the required minimum shall be permitted on the windscreen and on the

a Council Directive 70/157/EEC of 6 February 1970 on the approximation of the laws of the Member States relating to the permissible sound level and the exhaust system of motor vehicles (OJ L 42, 23.2.1970, p. 16).

			glazing located in front of the 'B' pillar.
46	Directive 92/23/EEC (Tyres)	type-app	all bear an 'EC' broval mark g the symbol sound).
		(b)	The speed category symbol of the tyre shall be compatible with the maximum design speed of the vehicle. This requirement shall apply notwithstanding the presence of a speed limiter.
		(c)	The maximum speed of the vehicle shall be stated by the vehicle manufacturer. However, the technical service may assess the maximum design speed of the vehicle by using the engine maximum power output, the maximum number of revolutions per minute and the

a Council Directive 70/157/EEC of 6 February 1970 on the approximation of the laws of the Member States relating to the permissible sound level and the exhaust system of motor vehicles (OJ L 42, 23.2.1970, p. 16).

			data concerning the kinematic chain.
50A	UN Regulation No 55 (Couplings)	Separate (a)	technical units OEM couplings intended for towing a trailer whose maximum mass does not exceed 1 500 kg shall not be required to be type- approved under UN Regulation No 55. A coupling is deemed OEM equipment where it is described in the owner's manual or an equivalent supporting document provided to the buyer by the vehicle manufacturer. Where such coupling is approved with the vehicle, an appropriate text shall be included in the approval certificate stating that the owner is responsible for ensuring compatibility with the coupling device fitted to the trailer. Couplings
			other than those referred to in point (a), as well
			as couplings that

a Council Directive 70/157/EEC of 6 February 1970 on the approximation of the laws of the Member States relating to the permissible sound level and the exhaust system of motor vehicles (OJ L 42, 23.2.1970, p. 16).

		The tech check th of the co comply	are retrof shall be to approved accordance UN Regu No 55. ion on the valued as servitation and the instant oupling device with paragi- acgulation in	ype- in ce with lation vehicle ce shall llation vices raph 6
53A	UN Regulation No 94 (Frontal impact) (e)	(a)	_	nit a from facturer ng that ular of which has to ed, with at of the
		(b)	A test in accordance paragraph UN Regul No 94 male conducted a product vehicle at request of applicant. The test seconducted technical	ce with a 5 of lation by be d on ion the f the hall be d by a service
			conducted	d by ser eer

a Council Directive 70/157/EEC of 6 February 1970 on the approximation of the laws of the Member States relating to the permissible sound level and the exhaust system of motor vehicles (OJ L 42, 23.2.1970, p. 16).

No 95; — FMVSS No 214 (Side impact			carrying out this test. A detailed report shall be issued by that technical service to the applicant.
section 5 of UN Regulation No 95 may be conducted on a production vehicle at the request of the applicant. The test shall be conducted by a technical service that has been designated for carrying out this test. A detailed report shall be issued by that technical service to the applicant.	54A		shall submit a statement from the manufacturer establishing that the particular vehicle, of which the VIN has to be specified complies with at least one of the following:  — UN Regulation No 95; — FMVSS No 214 (Side impact protection); — Article 18 of JSRRV. A test in accordance with section 5 of UN Regulation No 95 may be conducted on a production vehicle at the request of the applicant. The test shall be conducted by a technical service that has been designated for carrying out this test. A detailed report shall be issued by that technical service

a Council Directive 70/157/EEC of 6 February 1970 on the approximation of the laws of the Member States relating to the permissible sound level and the exhaust system of motor vehicles (OJ L 42, 23.2.1970, p. 16).

58	Regulation (EC) No 78/2009 (Pedestrian protection)	Brake assist Vehicles shall be fitted with an electronic antilock braking system acting on all wheels. Pedestrian protection The requirements of Regulation (EC) No 78/2009 shall apply. Frontal protection systems Frontal protection systems installed on the vehicle shall be type- approved in accordance with Regulation (EC) No 78/2009 and their installation shall comply with the requirements set out in point 6 of Annex I to that Regulation.
59	Directive 2005/64/EC (Recyclability)	The requirements of that Directive shall not apply.
61	Directive 2006/40/EC (Air-conditioning system)	The requirements of that Directive shall apply.
72	Regulation (EU) 2015/758 (eCall system)	The requirements of that Regulation shall not apply.

a Council Directive 70/157/EEC of 6 February 1970 on the approximation of the laws of the Member States relating to the permissible sound level and the exhaust system of motor vehicles (OJ L 42, 23.2.1970, p. 16).

Part II: Item Vehicles	Regulatory act reference	Alternative requirements
belonging 2A to category N <sub>1</sub>	Regulation (EC) No 715/2007 (Emissions (Euro 5 and Euro 6) light duty vehicles / access to information)	Tailpipe emissions  (a) A type 1 test shall be conducted in accordance with Annex III to Regulation (EC) No 692/2008 using the deterioration factors set out in point 1.4 of Annex VII to that Regulation. The emission limits to be

a Commission Regulation (EU) No 582/2011 of 25 May 2011 implementing and amending Regulation (EC) No 595/2009 of the European Parliament and of the Council with respect to emissions from heavy duty vehicles (Euro VI) and amending Annexes I and III to Directive 2007/46/EC of the European Parliament and of the Council (OJ L 167, 25.6.2011, p. 1).

Changes to legislation: Regulation (EU) 2018/858 of the European Parliament and of the Council, ANNEX II is up to date with all changes known to be in force on or before 27 July 2024. There are changes that may be brought into force at a future date. Changes that have been made appear in the content and are referenced with annotations. (See end of Document for details)

applied shall be those specified in Table 1 and Table 2 of Annex I to Regulation (EC) No 715/2007. (b) The vehicle shall not be required to exhibit 3 000 km as mentioned in paragraph 3.1.1 of Annex 4 to **UN Regulation** No 83. The fuel to be (c) used for the test shall be the reference fuel as prescribed in Annex IX to Regulation (EC) No 692/2008. (d) The dvnamometer shall be set up in accordance with the technical requirements of paragraph 3.2 of Annex 4 to UN Regulation No 83. (e) The test referred to in point (a) shall not be conducted where it can be shown that the vehicle complies with the California Code Regulations referred to in point 2 of Annex I to Regulation (EC)

No 692/2008.

a Commission Regulation (EU) No 582/2011 of 25 May 2011 implementing and amending Regulation (EC) No 595/2009 of the European Parliament and of the Council with respect to emissions from heavy duty vehicles (Euro VI) and amending Annexes I and III to Directive 2007/46/EC of the European Parliament and of the Council (OJ L 167, 25.6.2011, p. 1).

Changes to legislation: Regulation (EU) 2018/858 of the European Parliament and of the Council, ANNEX II is up to date with all changes known to be in force on or before 27 July 2024. There are changes that may be brought into force at a future date. Changes that have been made appear in the content and are referenced with annotations. (See end of Document for details)

Evaporative emissions
For petrol-fuelled engines,
the presence of an
evaporate emissions
control system (e.g. a
charcoal canister) shall be
required.

Crankcase emissions
The presence of a device
for recycling crankcase
gases shall be required.
OBD

The vehicle shall be fitted with an OBD system. OBD-interface must be able to communicate with common diagnostic tools used for periodic technical inspections.

Smoke opacity

- (a) Vehicles
  equipped with
  a diesel-fuelled
  engine shall
  be tested in
  accordance with
  the tests methods
  referred to in
  Appendix 2 to
  Annex IV to
  Regulation (EC)
  No 692/2008.
- (b) The corrected value of the absorption coefficient shall be affixed, conspicuously and in a readily accessible place.

CO<sub>2</sub> emissions and fuel consumption

(a) A test shall be conducted in accordance with Annex XII to Regulation (EC) No 692/2008.

a Commission Regulation (EU) No 582/2011 of 25 May 2011 implementing and amending Regulation (EC) No 595/2009 of the European Parliament and of the Council with respect to emissions from heavy duty vehicles (Euro VI) and amending Annexes I and III to Directive 2007/46/EC of the European Parliament and of the Council (OJ L 167, 25.6.2011, p. 1).

Changes to legislation: Regulation (EU) 2018/858 of the European Parliament and of the Council, ANNEX II is up to date with all changes known to be in force on or before 27 July 2024. There are changes that may be brought into force at a future date. Changes that have been made appear in the content and are referenced with annotations. (See end of Document for details)

- (b) The vehicle shall not be required to exhibit 3 000 km as requested in paragraph 3.1.1 of Annex 4 to UN Regulation No 83.
- Where the (c) vehicle complies with the California Code Regulations referred to in point 2.1.1 of Annex I to Commission Regulation (EC) No 692/2008 and therefore no test of tailpipe emissions is required to be performed, Member States shall calculate CO<sub>2</sub> emissions and fuel consumption with the formula laid down in the explanatory notes (b) and (c).

Access to information The provisions regarding access to information shall not apply.

Power measurement

(a) The applicant shall submit a statement from the manufacturer stating the maximum engine power output in kW as well as the corresponding

a Commission Regulation (EU) No 582/2011 of 25 May 2011 implementing and amending Regulation (EC) No 595/2009 of the European Parliament and of the Council with respect to emissions from heavy duty vehicles (Euro VI) and amending Annexes I and III to Directive 2007/46/EC of the European Parliament and of the Council (OJ L 167, 25.6.2011, p. 1).

		(b)	regime in revolutions per minute. An engine power output curve providing the same information may alternatively be provided by the applicant.
3A	UN Regulation No 34	Fuel tan	
	(Fuel tanks — Rear protective devices)	(a)	Fuel tanks shall comply with paragraph 5 of UN Regulation No 34 with the exception of paragraphs 5.1, 5.2 and 5.12. In particular, they shall comply with paragraph 5.9 and 5.9.1 but no dripping test shall be conducted.
		(b)	LPG or CNG tanks shall be type-approved in accordance with, respectively UN Regulations No 67, series of amendments 01, or UN Regulation No 110 (a).
			provisions for as made of a
		plastic n	naterial
			licant shall submit ent from the
			turer establishing
		that the	fuel tank on the
			r vehicle, of le VIN has to be
			d, complies either
a Commission Regulation (FII) N	⊥ No 582/2011 of 25 May 2011 implemen		

a Commission Regulation (EU) No 582/2011 of 25 May 2011 implementing and amending Regulation (EC) No 595/2009 of the European Parliament and of the Council with respect to emissions from heavy duty vehicles (Euro VI) and amending Annexes I and III to Directive 2007/46/EC of the European Parliament and of the Council (OJ L 167, 25.6.2011, p. 1).

		with at least one of the following:  — FMVSS No 301 (Fuel system integrity);  — Annex 5 to UN Regulation No 34.  Rear protective device (a) The rear part of the vehicle shall be constructed in accordance with paragraphs 8 and 9 of UN Regulation No 34.
4A	Regulation (EU) No 1003/2010 (Rear registration plate space)	Space, inclination, angles for visibility and position of the registration plate shall comply with Regulation (EU) No 1003/2010.
5A	UN Regulation No 79 (Steering effort)	Mechanical systems  (a) The steering mechanism shall be built as to self-centre. In order to check compliance with this provision, a test shall be conducted in accordance with paragraphs 6.1.2 and 6.2.1 of UN Regulation No 79.  (b) The failure of the power.
		of the power steering equipment shall not lead to a complete loss of control of the vehicle.

a Commission Regulation (EU) No 582/2011 of 25 May 2011 implementing and amending Regulation (EC) No 595/2009 of the European Parliament and of the Council with respect to emissions from heavy duty vehicles (Euro VI) and amending Annexes I and III to Directive 2007/46/EC of the European Parliament and of the Council (OJ L 167, 25.6.2011, p. 1).

		Complex electronic vehicle control system ('Drive-by wire' devices) Complex electronic control system shall be permitted only if they comply with Annex 6 to UN Regulation No 79.
6A	UN Regulation No 11 (Door latches and hinges)	Compliance with paragraph 6.1.5.4 of UN Regulation No 11
7A	UN Regulation No 28 (Audible warning)	Components The audible warning devices are not required to be type-approved in accordance with UN Regulation No 28. However, they shall emit a continuous sound as required in paragraph 6.1.1 of UN Regulation No 28. Installation on vehicle (a) A test shall be conducted in accordance with paragraph 6.2 of UN Regulation No 28. (b) The maximum sound pressure level shall be in accordance with paragraph 6.2.7.
8A	UN Regulation No 46 (Indirect vision devices)	Components (a) The vehicle
		shall be fitted with the rear- view mirrors prescribed in paragraph 15.2 of UN Regulation No 46. (b) They are not required to be
	No 582/2011 of 25 May 2011 implemen	type-approved in accordance with

a Commission Regulation (EU) No 582/2011 of 25 May 2011 implementing and amending Regulation (EC) No 595/2009 of the European Parliament and of the Council with respect to emissions from heavy duty vehicles (Euro VI) and amending Annexes I and III to Directive 2007/46/EC of the European Parliament and of the Council (OJ L 167, 25.6.2011, p. 1).

Changes to legislation: Regulation (EU) 2018/858 of the European Parliament and of the Council, ANNEX II is up to date with all changes known to be in force on or before 27 July 2024. There are changes that may be brought into force at a future date. Changes that have been made appear in the content and are referenced with annotations. (See end of Document for details)

vehicles (Euro VI) and amending Annexes I and III to Directive 2007/46/EC of the European Parliament and

of the Council (OJ L 167, 25.6.2011, p. 1).

- (c) The performances of the braking system shall comply with Annex III to UN Regulation No 13-H.
- (d) For these purposes, road tests shall be conducted on a track the surface of which possesses high adhesion. The test on the parking brake shall be conducted on a 18 % gradient (up and down). Only those tests mentioned under the headings 'Service brake' and 'Parking brake' below shall be conducted. In each case, the vehicle shall be in fully laden conditions.
- (e) The road test referred to in point (c) shall not be conducted where the applicant can submit a statement from the manufacturer establishing that the vehicle complies either with UN Regulation No 13-H including

a Commission Regulation (EU) No 582/2011 of 25 May 2011 implementing and amending Regulation (EC) No 595/2009 of the European Parliament and of the Council with respect to emissions from heavy duty vehicles (Euro VI) and amending Annexes I and III to Directive 2007/46/EC of the European Parliament and of the Council (OJ L 167, 25.6.2011, p. 1).

		in accord	A 'Type 0' test as prescribed in paragraphs 1.4.2 and 1.4.3 of Annex 3 to UN Regulation No 13-H shall be conducted. In addition, a 'Type I' test as prescribed in paragraph 1.5 of Annex 3 to UN Regulation No 13-H shall be conducted.
10A	UN Regulation No 10 (Radio interference (electromagnetic compatibility))	radiation	electrical/ electronic sub- assemblies are not required to be type- approved in accordance with UN Regulation No 10. However, electric/ electronic devices retrofitted shall comply with UN Regulation No 10. electromagnetic is
a Commission Regulation (EU) N	lo 582/2011 of 25 May 2011 implemen	a statem manufac	licant shall submit ent from the eturer establishing ending Regulation (EC)

a Commission Regulation (EU) No 582/2011 of 25 May 2011 implementing and amending Regulation (EC) No 595/2009 of the European Parliament and of the Council with respect to emissions from heavy duty vehicles (Euro VI) and amending Annexes I and III to Directive 2007/46/EC of the European Parliament and of the Council (OJ L 167, 25.6.2011, p. 1).

		with UN 10 or wi alternati	vehicle complies Regulation No th the following ve standards: Broadband electromagnetic radiation: CISPR 12 or SAE J551-2; Narrowband electromagnetic radiation: CISPR 12 (off-board) or 25 (in-board) or SAE J551-4 and SAE J1113-41. by tests y test shall be
13B	UN Regulation No 116 (Anti-theft and immobiliser)	(a) (b)	In order to prevent unauthorised use, the vehicle shall be fitted with a locking device as defined in paragraph 5.1.2 of UN Regulation No 116. If an immobiliser is fitted, it shall comply with the technical requirements of paragraph 8.1.1 of UN Regulation No 116.
14A	UN Regulation No 12 (Protective steering)	(a)	The applicant shall submit a statement from the manufacturer establishing that the particular vehicle, the VIN

a Commission Regulation (EU) No 582/2011 of 25 May 2011 implementing and amending Regulation (EC) No 595/2009 of the European Parliament and of the Council with respect to emissions from heavy duty vehicles (Euro VI) and amending Annexes I and III to Directive 2007/46/EC of the European Parliament and of the Council (OJ L 167, 25.6.2011, p. 1).

Changes to legislation: Regulation (EU) 2018/858 of the European Parliament and of the Council, ANNEX II is up to date with all changes known to be in force on or before 27 July 2024. There are changes that may be brought into force at a future date. Changes that have been made appear in the content and are referenced with annotations. (See end of Document for details)

of which has to be specified, complies with at least one of the following: UN Regulation No 12; **FMVSS** No 203 (Impact protection for the driver from the steering control system) including **FMVSS** No 204 (Steering control rearward displacement); Article 11 of JSRRV. (b) A test in accordance with Annex 3 to **UN Regulation** No 12 may be conducted on a production vehicle at the request of the applicant. The test shall be conducted by a technical service that has been designated for carrying out this test. A detailed report shall be issued by that

a Commission Regulation (EU) No 582/2011 of 25 May 2011 implementing and amending Regulation (EC) No 595/2009 of the European Parliament and of the Council with respect to emissions from heavy duty vehicles (Euro VI) and amending Annexes I and III to Directive 2007/46/EC of the European Parliament and of the Council (OJ L 167, 25.6.2011, p. 1).

		technical service to the applicant.
15A	UN Regulation No 17 (Seats strength — head restraints)	Seats, seat anchorages and adjustment systems Seats and their adjustable systems shall comply with paragraph 5.3 of UN Regulation No 17. Head restraints (a) Head restraints shall fulfil the requirements of section 5 of UN Regulation No 17 and Annex 4 to UN Regulation No 17. (b) Only the tests
		described in paragraphs 5.12, 6.5, 6.6 and 6.7 of UN Regulation No 17 shall be conducted.
17A	UN Regulation No 39 (Speedometer — reverse gear)	Speedometer equipment (a) The dial shall comply with paragraphs 5.1 to 5.1.4 of UN Regulation No 39.
		(b) When the technical service has reasonable grounds to believe that the speedometer is not calibrated with a sufficient accuracy, it may require that the tests prescribed in paragraph 5.2 of UN Regulation No 39 be conducted

a Commission Regulation (EU) No 582/2011 of 25 May 2011 implementing and amending Regulation (EC) No 595/2009 of the European Parliament and of the Council with respect to emissions from heavy duty vehicles (Euro VI) and amending Annexes I and III to Directive 2007/46/EC of the European Parliament and of the Council (OJ L 167, 25.6.2011, p. 1).

		Reverse gear The gear mechanism shall include a reverse gear.	
18A	Regulation (EU) No 19/2011 (Statutory plates)	VIN (a) The vehicle shall be fitted with a VIN comprising a minimum of 8 and a maximum of 17 characters VIN comprising 17 characters shall fulfil the requirements set out in international standards ISO 3779:1983 and 3780:1983.	3 1 5.
		(b) The VIN shall be located in a clearly visible and accessible position in such a way as it cannot be obliterated or deteriorate.	
		(c) Where no VIN is stamped in the chassis or in the body, a Member State may require that it is retrofitted in application of its national law. In such a case, the competent authority of that Member State shall supervise the operation.	f
		Statutory plate The vehicle shall be fitted with an identification plat affixed by the vehicle manufacturer.	

a Commission Regulation (EU) No 582/2011 of 25 May 2011 implementing and amending Regulation (EC) No 595/2009 of the European Parliament and of the Council with respect to emissions from heavy duty vehicles (Euro VI) and amending Annexes I and III to Directive 2007/46/EC of the European Parliament and of the Council (OJ L 167, 25.6.2011, p. 1).

		No additional plate shall be requested after the approval has been granted.
19A	UN Regulation No 14 (Seat belt anchorages)	The applicant shall submit a statement from the manufacturer establishing that the particular vehicle, of which the VIN has to be specified, complies with at least one of the following:  — UN Regulation No 14; — FMVSS No 210 (Seat belt assembly anchorages); — Article 22-3 of JSRRV.
20A	UN Regulation No 48 (Installation of lighting and light signalling devices)	(a) The lighting installation shall meet the essential requirements of UN Regulation No 48 series of amendments 03 with the exception of those of Annexes 5 and 6 to UN Regulation No 48.
		(b) No exemption shall be permitted in respect of the number, the essential design characteristics, the electrical connections, and the colour of light emitted or retro-reflected of the lights and signalling

a Commission Regulation (EU) No 582/2011 of 25 May 2011 implementing and amending Regulation (EC) No 595/2009 of the European Parliament and of the Council with respect to emissions from heavy duty vehicles (Euro VI) and amending Annexes I and III to Directive 2007/46/EC of the European Parliament and of the Council (OJ L 167, 25.6.2011, p. 1).

22A	UN Regulations No 7, No 87 and No 91	The requirements set out in UN Regulations No 7,
21A	UN Regulation No 3 (Retro reflectors)	Where necessary, two additional retro reflectors bearing an 'EC' approval mark shall be added at the rear, the position of which shall comply with UN Regulation No 48.
		devices referred to in items 21 to 26 and in items 28 to 30.  (c) Lights and signalling devices that, for the purpose of fulfilling with the requirements of point (a) must be retrofitted shall bear an 'EU' type-approval mark.  (d) Lamps fitted with gas-discharged light source are only permitted in conjunction with the installation of headlamp cleaning device and an automatic headlamp-levelling device where appropriate.  (e) Headlamp dipped-beams shall be adapted to the direction of traffic legally in force in the country where the vehicle is granted approval.

a Commission Regulation (EU) No 582/2011 of 25 May 2011 implementing and amending Regulation (EC) No 595/2009 of the European Parliament and of the Council with respect to emissions from heavy duty vehicles (Euro VI) and amending Annexes I and III to Directive 2007/46/EC of the European Parliament and of the Council (OJ L 167, 25.6.2011, p. 1).

	(End-outline, front position (side), rear- position (side), stop, side marker, daytime running lamps)	No 87 and No 91 shall not apply. However, the correct functioning of the lights shall be checked by the technical service.	
23A	UN Regulation No 6 (Direction indicators)	The requirements set out in UN Regulation No 6 shall not apply. However, the correct functioning of the lights shall be checked by the technical service.	
24A	UN Regulation No 4 (Rear registration plate lamps)	The requirements set out in UN Regulation No 4 shall not apply. However, the correct functioning of the lights shall be checked by the technical service.	
25C, 25E, 25F	UN Regulations No 98, No 112 and No 123 (Headlamps (including bulbs))	(a) The illumination produced by the passing beam of the headlamps fitted to the vehicle shall be checked under the provisions of paragraph 6 of UN Regulation No 112 concerning headlamps emitting an asymmetrical passing beam. The tolerances included in Annex 5 to that Regulation may be referred to for that purpose.  (b) The same requirement shall apply to the passing beam of headlamps covered by UN Regulation No 98 or No 123.	

a Commission Regulation (EU) No 582/2011 of 25 May 2011 implementing and amending Regulation (EC) No 595/2009 of the European Parliament and of the Council with respect to emissions from heavy duty vehicles (Euro VI) and amending Annexes I and III to Directive 2007/46/EC of the European Parliament and of the Council (OJ L 167, 25.6.2011, p. 1).

26A	UN Regulation No 19 (Front fog lamps)	The provisions of UN Regulation No 19 shall be waived. However, the correct functioning of the lights if fitted shall be checked by the technical service.	
27A	Regulation (EU) No 1005/2010 (Towing hooks)	The requirements of Regulation (EU) No 1005/2010 shall be waived.	
28A	UN Regulation No 38 (Rear fog lamps)	The provisions of UN Regulation No 38 shall be waived. However, the correct functioning of the lights shall be checked by the technical service.	
29A	UN Regulation No 23 (Reversing lamps)	The provisions of UN Regulation No 23 shall be waived. However, the correct functioning of the lights if fitted shall be checked by the technical service.	
30A	UN Regulation No 77 (Parking lamps)	The provisions of UN Regulation No 77 shall be waived. However, the correct functioning of the lights if fitted shall be checked by the technical service.	
31A	UN Regulation No 16 (Seat belts and restraint systems)	Components (a) Seat belts shall not be required to be typeapproved in accordance with UN Regulation No 16.	
		<ul> <li>(b) However,</li> <li>each seat belt</li> <li>shall bear an</li> <li>identification</li> <li>label.</li> <li>(c) The indications</li> <li>on the label shall</li> </ul>	

a Commission Regulation (EU) No 582/2011 of 25 May 2011 implementing and amending Regulation (EC) No 595/2009 of the European Parliament and of the Council with respect to emissions from heavy duty vehicles (Euro VI) and amending Annexes I and III to Directive 2007/46/EC of the European Parliament and of the Council (OJ L 167, 25.6.2011, p. 1).

		Installati (a)	be consistent with the decision concerning seat belt anchorages (Re: entry 19). on requirements The vehicle shall be fitted with seat belts in accordance with the requirements set out in Annex XVI to UN Regulation No 16. Where a number of seat belts have to be
			retrofitted in accordance with point (a), they shall be of an approved type in accordance with UN Regulation No 16.
33A	UN Regulation No 121 (Identification of controls, tell-tales and indicators)	(a)	The symbols including the colour of their corresponding tell-tales the presence of which is mandatory by virtue of UN Regulation No 121 shall comply with that UN Regulation. Where this is not the case, the technical service shall verify that the symbols, tell-tales and indicators fitted to the vehicle
			indicators fitted

a Commission Regulation (EU) No 582/2011 of 25 May 2011 implementing and amending Regulation (EC) No 595/2009 of the European Parliament and of the Council with respect to emissions from heavy duty vehicles (Euro VI) and amending Annexes I and III to Directive 2007/46/EC of the European Parliament and of the Council (OJ L 167, 25.6.2011, p. 1).

		comprehensible information about the operation of the controls in question.
34A	Regulation (EU) No 672/2010 (Defrost/Demist)	The vehicle shall be equipped with adequate windscreen defrosting and windscreen demisting devices.
35A	Regulation (EU) No 1008/2010 (Wash/Wipe)	The vehicle shall be equipped with adequate windscreen washing and windscreen wiping devices.
36A	UN Regulation No 122 (Heating systems)	(a) The passenger compartment shall be fitted with a heating system.  (b) Combustion heaters and their installation shall comply with Annex 7 to UN Regulation No 122. In addition, LPG combustion heaters and LPG heating systems shall fulfil the requirements set out in Annex 8 to UN Regulation No 122.  (c) Additional heating systems that are retrofitted shall comply with the requirements set out in UN Regulation No 122.

a Commission Regulation (EU) No 582/2011 of 25 May 2011 implementing and amending Regulation (EC) No 595/2009 of the European Parliament and of the Council with respect to emissions from heavy duty vehicles (Euro VI) and amending Annexes I and III to Directive 2007/46/EC of the European Parliament and of the Council (OJ L 167, 25.6.2011, p. 1).

41A	Regulation (EC) No	Tailpi	pe emissions
	595/2009	(a) 1	A test shall be
	(Emissions (Euro VI)		conducted in
	heavy-duty vehicles –		accordance with
	OBD)		Annex III to
	,		Commission
			Regulation (EU)
			No 582/2011 <sup>a</sup>
			using the
			deterioration
			factors set out
			in point 3.6.1
			of Annex VI to
			Regulation (EU)
			No 582/2011.
		(b)	The limits to
		(0)	be applied shall
			be those set
			out in the table
			of Annex I to
			Regulation (EC)
			No 595/2009.
		(c)	The fuel to be
		(0)	used for the
			test shall be the
			reference fuel
			as prescribed
			in Annex IX to
			Regulation (EU)
			No 582/2011.
		COsa	missions
		I	
			O <sub>2</sub> emissions
			el consumption
			be determined in
		I	dance with Annex
			o Regulation (EU)
			2/2011.
		OBD	Th 1 1 1 11
		(a)	The vehicle shall
			be fitted with an
		(1)	OBD system.
		(b)	The OBD-
			interface must
			be able to
			communicate
			with an external
			OBD scan-tool
			as described
			in Annex X to

a Commission Regulation (EU) No 582/2011 of 25 May 2011 implementing and amending Regulation (EC) No 595/2009 of the European Parliament and of the Council with respect to emissions from heavy duty vehicles (Euro VI) and amending Annexes I and III to Directive 2007/46/EC of the European Parliament and of the Council (OJ L 167, 25.6.2011, p. 1).

		the corre NO <sub>x</sub> con The veh with a sy the corre NO <sub>x</sub> con accordar XIII to I No 582/	Regulation (EU) No 582/2011. ments to ensure ect operation of introl measures icle shall be fitted ystem ensuring ect operation of introl measures in ince with Annex Regulation (EU) 2011. Ineasurement The applicant shall submit a statement from the manufacturer stating the maximum engine power output in Kw as well as the corresponding regime. An engine power output curve providing the same information may alternatively be provided by the applicant.
45A	UN Regulation No 43	Compor (a)	nents The glazing shall be made either of tempered or laminated safety glass.
		(b)	Fitting of plastic glazing shall be permitted only on locations situated behind the 'B' pillar.
a Commission Regulation (EU) N	To 582/2011 of 25 May 2011 implemen	(c)	Glazing shall not be required to be approved under UN Regulation No 43.

a Commission Regulation (EU) No 582/2011 of 25 May 2011 implementing and amending Regulation (EC) No 595/2009 of the European Parliament and of the Council with respect to emissions from heavy duty vehicles (Euro VI) and amending Annexes I and III to Directive 2007/46/EC of the European Parliament and of the Council (OJ L 167, 25.6.2011, p. 1).

		Installat (a) (b)	The installation requirements set out in Annex 21 to UN Regulation No 43 shall apply. No tinted films that reduce the regular light transmission under the required minimum shall be permitted on the windscreen and on the glazing located in front of the 'B' pillar.
46A	Commission Regulation	Installat	tion
46A	Commission Regulation (EU) 458/2011 (Installation of tyres)	(a)	The dimensions, load-capacity index and speed category of the tyres shall fulfil the requirements of Commission Regulation (EU) 458/2011. The speed category symbol of the tyre shall be compatible with the maximum design speed of the vehicle.
		(c)	This requirement shall apply notwithstanding the presence of a
a Commission Regulation (EU)	No 582/2011 of 25 May 2011 implemen	(d)	speed limiter. The maximum speed of the vehicle shall be stated by the vehicle manufacturer.

a Commission Regulation (EU) No 582/2011 of 25 May 2011 implementing and amending Regulation (EC) No 595/2009 of the European Parliament and of the Council with respect to emissions from heavy duty vehicles (Euro VI) and amending Annexes I and III to Directive 2007/46/EC of the European Parliament and of the Council (OJ L 167, 25.6.2011, p. 1).

		However, the technical service may assess the maximum design speed of the vehicle by using the engine maximum power output, the maximum number of revolutions per minute and the data concerning the kinematic chain.	
46B	UN Regulation No 30 (C <sub>1</sub> tyres)	Components Tyres shall bear a type- approval mark.	
46D	UN Regulation No 117 (Tyre rolling sound emissions, adhesion on wet surface and rolling resistance)	Components Tyres shall bear a type- approval mark.	
46E	Regulation (EC) No 661/2009 UN Regulation No 64 (Temporary use spare unit, run-flat tyres, tyre rolling sound emissions, adhesion on wet surface and rolling resistance)	Components Tyres shall bear type- approval mark. The fitting of TPMS shall not be required.	
48A	Regulation (EU) No 1230/2012 (Masses and dimensions)	(a) The requirements of Annex I, Part A to Regulation (EU) No 1230/2012 shall be fulfilled. However, the requirements set out in point 5 of Part A of Annex I do not need to be fulfilled.  (b) For the purposes of point (a) the	

a Commission Regulation (EU) No 582/2011 of 25 May 2011 implementing and amending Regulation (EC) No 595/2009 of the European Parliament and of the Council with respect to emissions from heavy duty vehicles (Euro VI) and amending Annexes I and III to Directive 2007/46/EC of the European Parliament and of the Council (OJ L 167, 25.6.2011, p. 1).

Changes to legislation: Regulation (EU) 2018/858 of the European Parliament and of the Council, ANNEX II is up to date with all changes known to be in force on or before 27 July 2024. There are changes that may be brought into force at a future date. Changes that have been made appear in the content and are referenced with annotations. (See end of Document for details)

masses to be considered are the following: mass in running order as defined in point (4) of Article 2 of Regulation (EU) No 1230/2012 measured by the technical service; and the maximum laden masses either stated by the vehicle manufacturer shown on the manufacturer's plate, including stickers information available in the owner's manual. Those masses shall be regarded

a Commission Regulation (EU) No 582/2011 of 25 May 2011 implementing and amending Regulation (EC) No 595/2009 of the European Parliament and of the Council with respect to emissions from heavy duty vehicles (Euro VI) and amending Annexes I and III to Directive 2007/46/EC of the European Parliament and of the Council (OJ L 167, 25.6.2011, p. 1).

			as the technically permissible
		(c)	maximum laden masses. Technical changes made by the applicant in order to decrease
		(d)	the maximum technically permissible laden mass of the vehicle to 3,5 tonnes or less, so that the vehicle may be granted individual vehicle approval shall not be permitted. No exemption shall be permitted in respect of the maximum permissible dimensions.
49A	UN Regulation No 61 (External projections of cabs)	(a) (b)	The general requirements set out in section 5 of UN Regulation No 17 shall be fulfilled. At the discretion
		(0)	of the discretion of the technical service, the requirements set out in paragraphs 6.1, 6.5, 6.6, 6.7, 6.8 and 6.11 of UN Regulation No 17 shall be fulfilled.
50A	UN Regulation No 55 on (EU) No 582/2011 of 25 May 2011 impleme		ate technical units

a Commission Regulation (EU) No 582/2011 of 25 May 2011 implementing and amending Regulation (EC) No 595/2009 of the European Parliament and of the Council with respect to emissions from heavy duty vehicles (Euro VI) and amending Annexes I and III to Directive 2007/46/EC of the European Parliament and of the Council (OJ L 167, 25.6.2011, p. 1).

(Couplings)	(a)	OEM couplings
		intended for
		towing a trailer of which the
		maximum mass
		does not exceed
		1 500 kg shall
		not be required to be type-
		approved under
		UN Regulation
		No 55.
	(b)	A coupling is
	(6)	deemed OEM
		equipment where
		it is described
		in the owner's
		manual or in
		an equivalent
		supporting
		document
		provided to
		the buyer by
		the vehicle
		manufacturer.
	(c)	Where such
		coupling is
		approved with
		the vehicle, an
		appropriate text
		shall be included
		in the approval
		certificate stating that the owner
		is responsible
		for ensuring
		compatibility
		with the
		coupling device
		fitted to the
		trailer.
	(d)	Couplings
		other than those
		referred to in
		point (a), as well
		as couplings that
		are retrofitted,
		shall be type-
		approved in

a Commission Regulation (EU) No 582/2011 of 25 May 2011 implementing and amending Regulation (EC) No 595/2009 of the European Parliament and of the Council with respect to emissions from heavy duty vehicles (Euro VI) and amending Annexes I and III to Directive 2007/46/EC of the European Parliament and of the Council (OJ L 167, 25.6.2011, p. 1).

		The tech check th of the co comply	accordar UN Regument No 55. It ion on the inical servent the instruction of the instruction of the instruction of the ion	vehicle vice shall allation vices graph 6
54	UN Regulation No 95 (Side impact)	(a)	The appl shall substatement the manu establish the particle, the VIN be specific complies least one followin —	omit a at from ufacturer uing that cular of which has to fied, s with at
		(b) (c)	A test in accordar section 5 UN Regr No 95 m conducte a product vehicle a request of applican. The test be conducted by a tech service to designate.	nce with 5 of ulation hay be ed on at the of the t. shall nicted hat been ed for
a Commission Regulation (EU) N	To 582/2011 of 25 May 2011 implemen	ting and ame	designate carrying test. A designate designates de	ed for out this etailed

a Commission Regulation (EU) No 582/2011 of 25 May 2011 implementing and amending Regulation (EC) No 595/2009 of the European Parliament and of the Council with respect to emissions from heavy duty vehicles (Euro VI) and amending Annexes I and III to Directive 2007/46/EC of the European Parliament and of the Council (OJ L 167, 25.6.2011, p. 1).

Changes to legislation: Regulation (EU) 2018/858 of the European Parliament and of the Council, ANNEX II is up to date with all changes known to be in force on or before 27 July 2024. There are changes that may be brought into force at a future date. Changes that have been made appear in the content and are referenced with annotations. (See end of Document for details)

		report shall be issued by that technical service to the applicant.
56A	UN Regulation No 105 (Vehicles intended for the transport of dangerous goods)	Vehicles intended for the transport of dangerous goods shall comply with UN Regulation No 105.
58	Regulation (EC) No 78/2009 (Pedestrian protection)	Brake assist Vehicles shall be fitted with an electronic antilock braking system acting on all wheels. Pedestrian protection Until 24 February 2018, the requirements of Regulation (EC) No 78/2009 shall not apply to vehicles of which the maximum mass does not exceed 2 500 kg and until 24 August 2019 to vehicles of which the maximum mass exceeds 2 500 kg. Frontal protection systems However, frontal protection systems installed on the vehicle shall be type-approved in accordance with Regulation (EC) No 78/2009 and their installation shall comply with the requirements set out in point 6 of Annex I to that Regulation.
59	Directive 2005/64/EC (Recyclability)	The requirements of that Directive shall not apply.
61	Directive 2006/40/EC (Air-conditioning system)	The requirements of that Directive shall apply.
72	Regulation (EU) 2015/758 (eCall system)	The requirements of that Regulation shall not apply.

Commission Regulation (EU) No 582/2011 of 25 May 2011 implementing and amending Regulation (EC) No 595/2009 of the European Parliament and of the Council with respect to emissions from heavy duty vehicles (Euro VI) and amending Annexes I and III to Directive 2007/46/EC of the European Parliament and of the Council (OJ L 167, 25.6.2011, p. 1).

Explanatory notes to Appendix 2

Abbreviations used in this Appendix: U.K. 1.



Changes to legislation: Regulation (EU) 2018/858 of the European Parliament and of the Council, ANNEX II is up to date with all changes known to be in force on or before 27 July 2024. There are changes that may be brought into force at a future date. Changes that have been made appear in the content and are referenced with annotations. (See end of Document for details)

'OEM' : original equipment provided by the manufacturer

'FMVSS' : Federal Motor Vehicle Safety Standard of the U.S. Department of

**Transportation** 

'JSRRV' : Japan Safety Regulations for Road Vehicles

'SAE' : Society of Automotive Engineers

'CISPR' : Comité international spécial des perturbations radioélectriques.

2. Remarks: U.K.

(a) the complete LPG or CNG installation shall be checked against the UN Regulations No 67, No 110 or No 115, as appropriate;

(b) the formula to be used for the assessment of  $CO_2$  emissions shall be as follows:

Petrol engine and manual gearbox:

$$CO_2 = 0.047 \text{ m} + 0.561 \text{ p} + 56.621$$

Petrol engine and automatic gearbox

$$CO_2 = 0.102 \text{ m} + 0.328 \text{ p} + 9.481$$

Petrol engine and hybrid electric:

$$CO_2 = 0.116 \text{ m} - 57.147$$

Diesel engine and manual gearbox:

$$CO_2 = 0.108 \text{ m} - 11.371$$

Diesel engine and automatic gearbox:

$$CO_2 = 0.116 \text{ m} - 6.432$$

Where: CO<sub>2</sub> is the combined mass of CO<sub>2</sub> emissions in g/km, 'm' is the mass of the vehicle in running order in kg and 'p' the maximum engine power output in kW.

Combined mass of CO<sub>2</sub> shall be calculated with one decimal place, then rounded to the nearest whole number as follows:

- (i) if the figure following the decimal point is below 5, the total is rounded down;
- (ii) if the figure following the decimal point is equal to 5 or above 5, the total is rounded up;
- (c) the formula to be used for the assessment of fuel consumption shall be as follows:

$$CFC = CO_2 \times k^{-1}$$

Where: CFC is the combined fuel consumption in 1/100 km, CO<sub>2</sub> is the combined mass of CO<sub>2</sub> emissions in g/km after it has been rounded in accordance with the rule referred to in Remark (2 b), 'k' a coefficient equal to:

23,81 in the case of a petrol engine;

26,49 in the case of a diesel engine.

Combined fuel consumption shall be calculated with two decimal places, then rounded as follows:

(i) if the figure following the first decimal is below 5, the total is rounded down;

Changes to legislation: Regulation (EU) 2018/858 of the European Parliament and of the Council, ANNEX II is up to date with all changes known to be in force on or before 27 July 2024. There are changes that may be brought into force at a future date. Changes that have been made appear in the content and are referenced with annotations. (See end of Document for details)

(ii) if the figure following the first decimal is equal to 5 or above 5, the total is rounded up.

## PART II U.K.

# List of UN Regulations recognised as an alternative to the Directives or Regulations referred to in Part I

Where reference is made to a separate Directive or Regulation in the table of Part I, an approval granted under the following UN Regulations which the Union has accepted as a Contracting Party to the 'Revised 1958 Agreement' by virtue of Decision 97/836/EC, or subsequent Council Decisions as referred to in Article 3(3) of that Decision, shall be considered as equivalent to an EU type-approval granted under the relevant separate Directive or Regulation.

Any further amendment to the UN Regulations listed in the following table<sup>(1)</sup> shall also be deemed to be equivalent to an EU type-approval, subject to the Decision referred to in Article 4(2) of Decision 97/836/EC.

	Subject	UN Regulation number	Series of amendments
1A <sup>a</sup>	Permissible sound level (not covering AVAS and replacement silencers)	51	03
	AVAS	138	00
	Replacement silencing systems	59	02
9B	Braking of passenger cars (ESC part)	140	00
58	Pedestrian protection (not covering brake assist)	127 (pedestrian protection)	00
	Pedestrian protection (brake assist part)	13-H (brake assist) or 139 (brake assist)	00 (Supplement 9 and above) 00
65	Advanced emergency braking system	131	01
66	Lane departure warning system	130	00

Where the separate Directive or Regulation contains installation requirements, these apply also to components and separate technical units approved in accordance with UN Regulations.

a The numbering of the entries in this table refers to the numbering used in the table of Part I.

Changes to legislation: Regulation (EU) 2018/858 of the European Parliament and of the Council, ANNEX II is up to date with all changes known to be in force on or before 27 July 2024. There are changes that may be brought into force at a future date. Changes that have been made appear in the content and are referenced with annotations. (See end of Document for details)

# PART III U.K.

# List of regulatory acts setting out the requirements for the purpose of EU type-approval of special purpose vehicles

# Appendix 1 U.K.

### Motor-caravans, ambulances and hearses

Item	Subject	Regulatory act reference	$M_1 \le 2$ $500 \text{ kg}^a$	$M_1 > 2$ $500 \text{ kg}^a$	M <sub>2</sub>	M <sub>3</sub>
1A	Sound level	Regulation (EU) No 540/2014	Н	G+H	G+H	G+H
2	Emissions (Euro 5 and Euro 6) light duty vehicles / access to information	Regulation (EC) No 715/2007	Q ( <sup>1</sup> )	G+Q (1)	G+Q( <sup>1</sup> )	
3A	Prevention of fire risks (liquid fuel tanks)	Regulation (EC) No 661/2009 UN Regulation No 34	F ( <sup>2</sup> )	F ( <sup>2</sup> )	F ( <sup>2</sup> )	F ( <sup>2</sup> )
3B	Rear underrun protective devices (RUPDs) and their installation; rear underrun protection (RUP)	Regulation (EC) No 661/2009 UN Regulation No 58	X	X	X	X
4A	Space for mounting and fixing rear registration plates	Regulation (EC) No 661/2009 Regulation (EU) No 1003/2010	X	X	X	X

a Technically permissible maximum laden mass.

5A	Steering equipment	Regulation (EC) No 661/2009 UN Regulation No 79	X	G	G	G
6A	Vehicle access and manoeuvrab	Regulation (EC) No 166/1/2009 Regulation (EU) No 130/2012	X	X		
6B	Door latches and door retention components	Regulation (EC) No 661/2009 UN Regulation No 11	В	G+B		
7A	Audible warning devices and signals	Regulation (EC) No 661/2009 UN Regulation No 28	X	X	X	X
8A	Devices for indirect vision and their installation	Regulation (EC) No 661/2009 UN Regulation No 46	X	G	G	G
9A	Braking of vehicles and trailers	Regulation (EC) No 661/2009 UN Regulation No 13			G ( <sup>3</sup> )	G ( <sup>3</sup> )
9B	Braking of passenger cars	Regulation (EC) No 661/2009 UN Regulation No 13-H	X ( <sup>4</sup> )	G+A <sub>1</sub>		
10A	Electromagn		X	X	X	X

		UN Regulation No 10				
12A	Interior fittings	Regulation (EC) No 661/2009 UN Regulation No 21	С	G+C		
13A	Protection of motor vehicles against unauthorised use	Regulation (EC) No 661/2009 UN Regulation No 18			G ( <sup>4A</sup> )	G ( <sup>4A</sup> )
13B	Protection of motor vehicles against unauthorised use	Regulation (EC) No 661/2009 UN Regulation No 116	X	G		
14A	Protection of the driver against the steering mechanism in the event of impact	Regulation (EC) No 661/2009 UN Regulation No 12	X	G		
15A	Seats, their anchorages and any head restraints	Regulation (EC) No 661/2009 UN Regulation No 17	D	G+D	G+D ( <sup>4B</sup> )	G+D ( <sup>4B</sup> )
15B	Seats of large passenger vehicles	Regulation (EC) No 661/2009 UN Regulation No 80			X	X
16A	External projections	Regulation (EC) No 661/2009 UN Regulation No 26	X for the cab; A +Z for the remaining part	G for the cab; A +Z for the remaining part		

a Technically permissible maximum laden mass.

17A	Vehicle access and manoeuvrabi	Regulation (EC) No 166/1/2009 Regulation (EU) No 130/2012	X	X	X	X
17B	Speedometer equipment including its installation	Regulation (EC) No 661/2009 UN Regulation No 39	X	X	X	X
18A	Manufacture statutory plate and VIN	rRegulation (EC) No 661/2009 Regulation (EU) No 19/2011	X	X	X	X
19A	Safety-belt anchorages, Isofix anchorages systems and Isofix top tether anchorages	Regulation (EC) No 661/2009 UN Regulation No 14	D	G+L	G+L	G+L
20A	Installation of lighting and light-signalling devices on vehicles	Regulation (EC) No 661/2009 UN Regulation No 48	A+N	A+G+N for the cab; A +N for the remaining part	A+G+N for the cab; A +N for the remaining part	A+G+N for the cab; A +N for the remaining part
21A	Retro- reflecting devices for power- driven vehicles and their trailers	Regulation (EC) No 661/2009 UN Regulation No 3	X	X	X	X
22A	Front and rear position lamps, stop-lamps and end- outline marker	Regulation (EC) No 661/2009 UN Regulation No 7	X	X	X	X

a Technically permissible maximum laden mass.

Status: Point in time view as at 31/01/2020.

220	lamps for motor vehicles and their trailers	Pagulation	X	V	V	V
22B	Daytime running lamps for power- driven vehicles	Regulation (EC) No 661/2009 UN Regulation No 87	X	X	X	X
22C	Side- marker lamps for motor vehicles and their trailers	Regulation (EC) No 661/2009 UN Regulation No 91	X	X	X	X
23A	Direction indicators for power- driven vehicles and their trailers	Regulation (EC) No 661/2009 UN Regulation No 6	X	X	X	X
24A	Illumination of rear- registration plates of power- driven vehicles and their trailers	Regulation (EC) No 661/2009 UN Regulation No 4	X	X	X	X
25A	Power-driven vehicle's sealed-beam headlamps (SB) emitting an European asymmetrica passing beam or a driving beam or both	Regulation (EC) No 661/2009 UN Regulation No 31	X	X	X	X

a Technically permissible maximum laden mass.

25B	Filament lamps for use in approved lamp units of power-driven vehicles and their trailers	Regulation (EC) No 661/2009 UN Regulation No 37	X	X	X	X
25C	Motor vehicle headlamps equipped with gas- discharge light sources	Regulation (EC) No 661/2009 UN Regulation No 98	X	X	X	X
25D	Gas-discharge light sources for use in approved gas-discharge lamp units of power-driven vehicles	Regulation (EC) No 661/2009 UN Regulation No 99	X	X	X	X
25E	Motor vehicle headlamps emitting an asymmetrica passing beam or a driving beam or both and equipped with filament lamps and/ or LED modules	Regulation (EC) No 661/2009 UN lRegulation No 112	X	X	X	X
25F  a Technically	Adaptive front-lighting	Regulation (EC) No 661/2009	X	X	X	X

	systems (AFS) for motor vehicles	UN Regulation No 123				
26A	Power- driven vehicle front fog lamps	Regulation (EC) No 661/2009 UN Regulation No 19	X	X	X	X
27A	Towing device	Regulation (EC) No 661/2009 Regulation (EU) No 1005/2010	Е	Е	Е	Е
28A	Rear fog lamps for power- driven vehicles and their trailers	Regulation (EC) No 661/2009 UN Regulation No 38	X	X	X	X
29A	Reversing lights for power-driven vehicles and their trailers	Regulation (EC) No 661/2009 UN Regulation No 23	X	X	X	X
30A	Parking lamps for power- driven vehicles	Regulation (EC) No 661/2009 UN Regulation No 77	X	X	X	X
31A	Safety- belts, restraint systems, child restraint systems and Isofix child restraint systems	Regulation (EC) No 661/2009 UN Regulation No 16	D	G+M	G+M	G+M

a Technically permissible maximum laden mass.

32A	Forward field of vision	Regulation (EC) No 661/2009 UN Regulation No 125	X	G		
33A	Location and identification of hand controls, tell-tales and indicators	Regulation (EC) No 1661/2009 UN Regulation No 121	X	X	X	X
34A	Windscreen defrosting and demisting systems	Regulation (EC) No 661/2009 Regulation (EU) No 672/2010	X	G ( <sup>5</sup> )	(5)	(5)
35A	Windscreen wiper and washer systems	Regulation (EC) No 661/2009 Regulation (EU) No 1008/2010	X	G ( <sup>6</sup> )	(6)	(6)
36A	Heating systems	Regulation (EC) No 661/2009 UN Regulation No 122	X	X	X	X
37A	Wheel guards	Regulation (EC) No 661/2009 Regulation (EU) No 1009/2010	X	G		
38A	Head restraints (headrests), whether or not incorporated in vehicle seats		D	G+D		

a Technically permissible maximum laden mass.

44A	Masses and dimensions	Regulation (EC) No 661/2009 Regulation (EU) No 1230/2012	X	X		
45A	Safety glazing materials and their installation on vehicles	Regulation (EC) No 661/2009 UN Regulation No 43	J	G+J	G+J	G+J
46A	Installation of tyres	Regulation (EC) No 661/2009 Regulation (EU) No 458/2011	X	G	G	G
46B	Pneumatic tyres for motor vehicles and their trailers (Class C <sub>1</sub> )	Regulation (EC) No 661/2009 UN Regulation No 30	X	G		
46C	Pneumatic tyres for commercial vehicles and their trailers (Classes C <sub>2</sub> and C <sub>3</sub> )	Regulation (EC) No 661/2009 UN Regulation No 54	_	G	G	G
46D	Tyre rolling sound emissions, adhesion on wet surfaces and rolling resistance (Classes C <sub>1</sub> , C <sub>2</sub> and C <sub>3</sub> )	Regulation (EC) No 661/2009 UN Regulation No 117	X	G	G	G
46E	Temporary- use spare unit, run- flat tyres/	Regulation (EC) No 661/2009	X	G		

Changes to legislation: Regulation (EU) 2018/858 of the European Parliament and of the Council, ANNEX II is up to date with all changes known to be in force on or before 27 July 2024. There are changes that may be brought into force at a future date. Changes that have been made appear in the content and are referenced with annotations. (See end of Document for details)

	system and tyre pressure monitoring system	UN Regulation No 64				
47A	Speed limitation of vehicles	Regulation (EC) No 661/2009 UN Regulation No 89			X	X
48A	Masses and dimensions	Regulation (EC) No 661/2009 Regulation (EU) No 1230/2012			X	X
50A	Mechanical coupling components of combination of vehicles	UN	X ( <sup>10</sup> )	G ( <sup>10</sup> )	G ( <sup>10</sup> )	G ( <sup>10</sup> )
51A	Burning behaviour of materials used in the interior construction of certain categories of motor vehicles	UN Regulation				G for the cab; X for the remaining part
52A	M <sub>2</sub> and M <sub>3</sub> vehicles	Regulation (EC) No 661/2009 UN Regulation No 107			A	A
52B	Strength of the superstructur of large passenger vehicles	Regulation (EC) No 661/2009 UN Regulation No 66			A	A
53A	Protection of occupants	Regulation (EC) No 661/2009	N/A	N/A		

Technically permissible maximum laden mass.

	in the event of a frontal collision	UN Regulation No 94				
54A	Protection of occupants in the event of lateral collision	Regulation (EC) No 661/2009 UN Regulation No 95	N/A	N/A		
58	Pedestrian protection	Regulation (EC) No 78/2009	X	N/A However, any frontal protection systems supplied with the vehicle shall comply and shall be marked		
59	Recyclability	Directive 2005/64/ EC	N/A	N/A		
61	Air- conditioning system	Directive 2006/40/ EC	X	G ( <sup>14</sup> )		
62	Hydrogen system	Regulation (EC) No 79/2009	Q	G+Q	G+Q	G+Q
63	General safety	Regulation (EC) No 661/2009	X (15)	X (15)	X (15)	X (15)
64	Gear shift indicators	Regulation (EC) No 661/2009 Regulation (EU) No 65/2012	X	G		
65	Advanced emergency braking system	Regulation (EC) No 661/2009 Regulation (EU) No 347/2012			N/A ( <sup>16</sup> )	N/A ( <sup>16</sup> )

a Technically permissible maximum laden mass.

Status: Point in time view as at 31/01/2020.

Changes to legislation: Regulation (EU) 2018/858 of the European Parliament and of the Council, ANNEX II is up to date with all changes known to be in force on or before 27 July 2024. There are changes that may be brought into force at a future date. Changes that have been made appear in the content and are referenced with annotations. (See end of Document for details)

66	Lane departure warning system	Regulation (EC) No 661/2009 Regulation (EU) No 351/2012			N/A ( <sup>17</sup> )	N/A (17)
67	Specific components for liquefied petroleum gases (LPG) and their installation on motor vehicles	Regulation (EC) No 661/2009 UN Regulation No 67	X	X	X	X
68	Vehicle alarm systems (VAS)	Regulation (EC) No 661/2009 UN Regulation No 97	X	G		
69	Electrical safety	Regulation (EC) No 661/2009 UN Regulation No 100	X	X	X	X
70	Specific components for CNG and their installation on motor vehicles	Regulation (EC) No 661/2009 UN Regulation No 110	X	X	X	X
72	eCall system	Regulation (EU) 2015/758	G	G	N/A	N/A

a Technically permissible maximum laden mass.

### Additional requirements for ambulances

The patient compartment of ambulances shall comply with the requirements of EN 1789:2007 +A1: 2010 +A2:2014 on Medical vehicles and their equipment – Road ambulances with the exception of section 6.5, list of equipment. Proof of compliance shall be provided with a test report of a technical service. If a wheelchair space is foreseen, the requirements of Appendix 3 relating to the wheelchair tie-down and occupant restraint systems shall apply.

Status: Point in time view as at 31/01/2020.

Changes to legislation: Regulation (EU) 2018/858 of the European Parliament and of the Council, ANNEX II is up to date with all changes known to be in force on or before 27 July 2024. There are changes that may be brought into force at a future date. Changes that have been made appear in the content and are referenced with annotations. (See end of Document for details)

# Appendix 2 U.K.

### **Armoured vehicles**

Item	SubjecRegulaMry	M <sub>2</sub>	M <sub>3</sub>	N <sub>1</sub>	N <sub>2</sub>	N <sub>3</sub>	O <sub>1</sub>	O <sub>2</sub>	O <sub>3</sub>	O <sub>4</sub>
	act reference									
1A	Sound Regulation level (EU) No 540/2014	X	X	X	X	X				
2	Emissi Regulation (EC) 5 and No Euro 715/2007 6) light duty vehicles / access to information	A (1)		A (1)	A (1)					
3A	PreventRugulation <sup>2</sup> ) of (EC) fire No risks 661/2009 (liquid UN fuel Regulation tanks) No 34	X ( <sup>2</sup> )	X	X	X	X				
3B	Rear Regulation underrutEC) protectiNe devices661/2009 (RUPDE)N and Regulation their No installation; rear underrun protection (RUP)	X	X	X	A	A	X	X	X	X
4A	Space Regulation (EC) mounting and 661/2009 fixing Regulation rear (EU) registration 1003/2010	X	X	X	X	X	X	X	X	X

5A	Steerin Regulation equipmenc) No 661/2009 UN Regulation	X	X	X	X	X	X	X	X	X
6A	No 79  Vehicle Regulation access (EC) and No manoe (Statistical Coop) (steps, Regulation running (EU) boards No and 130/2012 handholds)	X	X	X	X	X				
6B	Door Regulation latches (EC) and No door 661/2009 retention No No 11			X						
7A	AudibleRegulatAorK warningEC) devicesNo and 661/2009 signals UN Regulation No 28	A+K	A+K	A+K	A+K	A+K				
8A	Device Regulation for (EC) indirect No vision 661/2009 and UN their Regulation installation 46	A	A	A	A	A				
9A	Brakin Regulation of (EC) vehicle No and 661/2009 trailers UN Regulation No 13	X ( <sup>3</sup> )								

Status: Point in time view as at 31/01/2020.

9B	Brakin Regulation of (EC) passenger cars 661/2009 UN Regulation No 13-H			X (4)						
10A	Electro Ragnation compat(ECI) y No 661/2009 UN Regulation No 10	X	X	X	X	X	X	X	X	X
12A	InteriorRegulation fittings (EC) No 661/2009 UN Regulation No 21									
13A	Protection of (EC) motor No vehicles 61/2009 against UN unauth driggal ation use No 18	X ( <sup>4A</sup> )	X ( <sup>4A</sup> )		X ( <sup>4A</sup> )	X ( <sup>4A</sup> )				
13B	Protectiloegulation of (EC) motor No vehicles 61/2009 against UN unauth drigged ation use No 116			X						
14A	Protect Regulation of the (EC) driver No against 661/2009 the UN steering Regulation mechanism in the 12 event of impact			N/A						

15A	anchoral and 6 any U head F restrain	EC) ges 61/20 JN Regula	09	D ( <sup>4B</sup> )	D ( <sup>4B</sup> )	D	D	D				
15B	of large N passenge vehicles		09	D	D							
16A	6 U F N		09									
17A	manoeus (reverse gear) (	EC) Vo Votabalo	<b>09</b> tion	X	X	X	X	X				
17B	installati	En€) §co 661/20	09	X	X	X	X	X				
18A	and 6 VIN F		09 tion	X	X	Х	X	X	X	X	X	X

Status: Point in time view as at 31/01/2020.

19A	Safety-Regulation belt (EC) anchorages, Isofix 661/2009 anchorages CEC (EC) anchorages	A	A	A	A	A				
20A	InstallaRegulatAorN of (EC) lightingNo and 661/2009 light- UN signalliRegulation devicesNo on 48 vehicles	A+N								
21A	Retro- Regulation reflectingC) devicesNo for 661/2009 power-UN driven Regulation vehiclesNo 3 and their trailers	X	X	X	X	X	X	X	X	X
22A	Front and (EC) rear No position 61/2009 lamps, UN stop- lamps and end- outline marker lamps for motor vehicles and their trailers	X	X	X	X	X	X	X	X	X
22B	DaytimRegulation running(EC)	X	X	X	X	X				

22C	lamps for 661/2009 power-UN driven Regulation vehicle No 87  Side- Regulation marker (EC) lamps No	X	X	X	X	X	X	X	X	X
	for 661/2009 motor UN vehicle Regulation and No their 91 trailers									
23A	Directionegulation indicators: for No power-661/2009 driven UN vehicle Regulation and No 6 their trailers	X	X	X	X	X	X	X	X	X
24A	Illumin Riegulation of (EC) rear- No registration/2009 plates UN of Regulation power-No 4 driven vehicles and their trailers	X	X	X	X	X	X	X	X	X
25A	Power-Regulation driven (EC) vehicle No sealed-661/2009 beam UN headlar Regulation (SB) No emitting 1 an European asymmetrical passing beam or a driving	X	X	X	X	X				

Status: Point in time view as at 31/01/2020.

	beam or both									
25B	Filame Regulation lamps (EC) for No use 661/2009 in UN approve Regulation lamp No units 37 of power-driven vehicles and their trailers	)	X	X	X	X	X	X	X	X
25C	Motor Regulative vehicle (EC) headlarities equipped 1/2009 with UN gas-Regulation discharges light 98 sources	)	X	X	X	X				
25D	Gas- Regulation dischargeC) light No sources661/2009 for UN use Regulation No approve9 gas-discharge lamp units of power-driven vehicles	9	X	X	X	X				
25E	Motor Regulative vehicle (EC) headlarities emitting 61/2009 an UN asymmetrical atticpassing No 112 beam	9	X	X	X	X				

	or a driving beam or both and equipped with filament lamps and/ or LED modules									
25F	Adapti Regulation front- (EC) lighting No system 661/2009 (AFS) UN for Regulation motor No 123 vehicles	X	X	X	X	X				
26A	Power-Regulation driven (EC) vehicle No front 661/2009 fog UN lamps Regulation No 19	X	X	X	X	X				
27A	TowingRegulatAon device (EC) No 661/2009 Regulation (EU) No 1005/2010	A	A	A	A	A				
28A	Rear fog (EC) lamps No for 661/2009 power-UN driven vehicle No and 38 their trailers	X	X	X	X	X	X	X	X	X
29A	Reversinggulation lights (EC)	X	X	X	X	X	X	X	X	X

Status: Point in time view as at 31/01/2020.

	for No power-661/2009 driven UN vehicle Regulation and No their 23 trailers	V			V			
30A	ParkingRegulatXon lamps (EC) for No power-661/2009 driven UN vehicleRegulation No 77	X	X	X	X	X		
31A	Safety-Regulation belts, (EC) restrainNo system 661/2009 child UN restrainRegulation system No and 16 Isofix child restraint systems	A	A	A	A	A		
32A	Forwar Regula Son field (EC) of No vision 661/2009 UN Regulation No 125							
33A	Location Regulation and (EC) identification of 661/2009 hand UN control Regulation tell-No 121 tales and indicators	X	X	X	X	X		
34A	WindscRegulathon defrostiffgC) and No demistiffg1/2009 systemsRegulation (EU)	(5)	(5)	(5)	(5)	(5)		

Status: Point in time view as at 31/01/2020.

	No 672/2010									
35A	Winds Regulation wiper (EC) and No washer 661/2009 system Regulation (EU) No 1008/2010	(6)	(6)	(6)	(6)	(6)				
36A	HeatingRegulation system (EC) No 661/2009 UN Regulation No 122	X	X	X	X	X	X	X	X	X
37A	Wheel Regulation guards (EC) No 661/2009 Regulation (EU) No 1009/2010									
38A	Head Regulation restrain(EC) (headresto), whethe 661/2009 or UN not Regulation incorpolated in 25 vehicle seats									
41A	Emissionsgulation(P) (Euro (EC) VI) No heavy 595/2009 duty vehicles/ access to information	X ( <sup>9</sup> )	X	X ( <sup>9</sup> )	X ( <sup>9</sup> )	X				
42A	Lateral Regulation protecti(GrC) of No goods 661/2009 vehicle UN Regulation				X	X			X	X

Status: Point in time view as at 31/01/2020.

	No										
43A	Re (E No	(Gh) 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0			X	X	X	X	X	X	X
44A	dimensible 66 Re (E	ns 51/2009 egulation									
45A	Safety Reglazing(Ematerials and 66 their unistalla Regon No vehicles 3	CC) o 51/2009 N ogulation	N/A								
46A	tyres No	C) o 51/2009 egulation (U)	A	A	A	A	A	A	A	A	A
46B	for No motor 66 vehicles	o 51/2009 N egulation			A			A	A		
46C	Pneumati tyres (E for No commeto vehicles	(C)	A	A	A	A	A			A	A

	and UN their Regulation trailers No (Classe54 C2 and C3)									
46D	Tyre rolling (EC) sound No emissions 1/2009 adhesion No 117 surfaces and rolling resistance (Classes C <sub>1</sub> , C <sub>2</sub> and C <sub>3</sub> )	A	A	A	A	A	A	A	A	A
46E	Tempoilargulation use (EC) (9A) spare No unit, 661/2009 run- UN flat Regulation tyres/ No system 64 and tyre pressure monitoring system			A (9A)						
47A	Speed Regulation limitati(FiC) of No vehicles61/2009 UN Regulation No 89	X	X		X	X				
48A	MassesRegulation and (EC) dimensions 661/2009 Regulation (EU)	X	X	X	X	X	X	X	X	X

Status: Point in time view as at 31/01/2020.

	No	ı		I						
	1230/2012									
49A	CommeRegulation vehicle(EC) with No regard 661/2009 to UN their Regulation externaNo projections forward of the cab's rear panel			A	A	A				
50A	Mechanical lation coupling (10) components of 661/2009 combinations of Regulation vehicle No 55	X (10)	X (10)	X (10)	X (10)	X (10)	X	X	X	X
50B	Close-Regulation coupling (EC) device No (CCD);661/2009 fitting UN of an Regulation approved to type 102 of CCD				X ( <sup>10</sup> )	X (10)			X (10)	X (10)
51A	BurningRegulation behaviourC) of No materiate61/2009 used UN in the Regulation interiorNo 118 construction of certain categories of motor vehicles		X							
52A	M <sub>2</sub> Regulation (EC)	A	A							

52B	M <sub>3</sub> No vehicle \$61/2009 UN Regulation No 107	A	A							
<i>32</i> <b>B</b>	of the (EC) superstitioture of 661/2009 large UN passengergulation vehicles No 66									
53A	Protect Regulation of (EC) occupaths in the 661/2009 event UN of a Regulation frontal No collision4									
54A	Protect Regulation of (EC) occupates in the 661/2009 event UN of Regulation lateral No collisions			N/A						
56A	Vehicle Regulation for (EC) the No carriag 661/2009 of UN danger Regulation goods No 105			X (13)						
57A	Front Regulation underru(EC) protectine devices 661/2009 (FUPDL)N and Regulation their No installation; front underrun protection (FUP)				X	X				

Status: Point in time view as at 31/01/2020.

58	PedestrRægulatik protectiæC) No 78/2009	SPA		N/A						
59	Recyclabileteti We 2005/64/ EC			N/A						
61	Air- Directive conditi 2000 (240/system EC	I		X ( <sup>14</sup> )						
62	HydrogRegulatAc system (EC) No 79/2009	on A	A	A	A	A				
63	GeneraRegulatX Safety (EC) (1 No 661/2009	(15)	X (15)	X (15)	X (15)	X (15)	X (15)	X (15)	X (15)	X (15)
64	Gear Regulation (EC) indicators 661/2009 Regulation (EU) No 65/2012	,								
65	Advandedgulation emerge(EC) brakingNo system 661/2009 Regulation (EU) No 347/2012	on	(16)		(16)	(16)				
66	Lane Regulation departu(EC) warningNo system 661/2009 Regulation (EU) No 351/2012	on	(17)		(17)	(17)				
67	Specific Regulation components of No lique field 1/2009 petrole with gases Regulation		X	X	X	X				

Status: Point in time view as at 31/01/2020.

Changes to legislation: Regulation (EU) 2018/858 of the European Parliament and of the Council, ANNEX II is up to date with all changes known to be in force on or before 27 July 2024. There are changes that may be brought into force at a future date. Changes that have been made appear in the content and are referenced with annotations. (See end of Document for details)

	(LPG) No and 67 their installation on motor vehicles									
68	VehicleRegulation alarm (EC) system No (VAS) 661/2009 UN Regulation No 97			X						
69	Electrical Egulation safety (EC) No 661/2009 UN Regulation No 100	X	X	X	X	X				
70	Specific Regulation compone (EiG) for No CNG 661/2009 and UN their Regulation installation 10 on motor vehicles	X	X	X	X	X				
72	eCall Regulation system (EU) 2015/758	N/A	N/A	G	N/A	N/A	N/A	N/A	N/A	N/A

## Appendix 3 U.K.

### Wheelchair accessible vehicles

Item	Subject	Regulatory act	$M_1$
1A	Sound level	Regulation (EU) No 540/2014	G+W <sub>9</sub>
2	Emissions (Euro 5 and Euro 6) light duty vehicles/access to information	Regulation (EC) No 715/2007	G+W <sub>1</sub>

Status: Point in time view as at 31/01/2020.

3A	Prevention of fire risks (liquid fuel tanks)	Regulation (EC) No 661/2009 UN Regulation No 34	X+W <sub>2</sub>
3B	Rear underrun protective devices (RUPDs) and their installation; rear underrun protection (RUP)	Regulation (EC) No 661/2009 UN Regulation No 58	X
4A	Space for mounting and fixing rear registration plates	Regulation (EC) No 661/2009 Regulation (EU) No 1003/2010	X
5A	Steering equipment	Regulation (EC) No 661/2009 UN Regulation No 79	G
6A	Vehicle access and manoeuvrability (steps, running boards and handholds)	Regulation (EC) No 661/2009 Regulation (EU) No 130/2012	X
6B	Door latches and door retention components	Regulation (EC) No 661/2009 UN Regulation No 11	X
7A	Audible warning devices and signals	Regulation (EC) No 661/2009 UN Regulation No 28	X
8A	Devices for indirect vision and their installation	Regulation (EC) No 661/2009 UN Regulation No 46	X
9B	Braking of passenger cars	Regulation (EC) No 661/2009 UN Regulation No 13-H	G+A <sub>1</sub>
10A	Electromagnetic compatibility	Regulation (EC) No 661/2009 UN Regulation No 10	X
12A	Interior fittings	Regulation (EC) No 661/2009 UN Regulation No 21	G+C
13B	Protection of motor vehicles against unauthorised use	Regulation (EC) No 661/2009 UN Regulation No 116	X
14A	Protection of the driver against the	Regulation (EC) No 661/2009	G

Status: Point in time view as at 31/01/2020.

	steering mechanism in the event of impact	UN Regulation No 12	
15A	Seats, their anchorages and any head restraints	Regulation (EC) No 661/2009 UN Regulation No 17	G+W <sub>3</sub>
16A	External projections	Regulation (EC) No 661/2009 UN Regulation No 26	G+W <sub>4</sub>
17A	Vehicle access and manoeuvrability (reverse gear)	Regulation (EC) No 661/2009 Regulation (EU) No 130/2012	X
17B	Speedometer equipment including its installation	Regulation (EC) No 661/2009 UN Regulation No 39	X
18A	Manufacturer's statutory plate and VIN	Regulation (EC) No 661/2009 Regulation (EU) No 19/2011	X
19A	Safety-belt anchorages, Isofix anchorages systems and Isofix top tether anchorages	Regulation (EC) No 661/2009 UN Regulation No 14	X+W <sub>5</sub>
20A	Installation of lighting and light-signalling devices on vehicles	Regulation (EC) No 661/2009 UN Regulation No 48	X
21A	Retro-reflecting devices for power- driven vehicles and their trailers	Regulation (EC) No 661/2009 UN Regulation No 3	X
22A	Front and rear position lamps, stop-lamps and end-outline marker lamps for motor vehicles and their trailers	Regulation (EC) No 661/2009 UN Regulation No 7	X
22B	Daytime running lamps for power-driven vehicles	Regulation (EC) No 661/2009 UN Regulation No 87	X
22C	Side-marker lamps for motor vehicles and their trailers	Regulation (EC) No 661/2009 UN Regulation No 91	X
23A	Direction indicators for power-driven	Regulation (EC) No 661/2009	X

Status: Point in time view as at 31/01/2020.

	vehicles and their trailers	UN Regulation No 6	
24A	Illumination of rear- registration plates of power-driven vehicles and their trailers	Regulation (EC) No 661/2009 UN Regulation No 4	X
25A	Power-driven vehicle's sealed- beam headlamps (SB) emitting an European asymmetrical passing beam or a driving beam or both	Regulation (EC) No 661/2009 UN Regulation No 31	X
25B	Filament lamps for use in approved lamp units of power-driven vehicles and their trailers	Regulation (EC) No 661/2009 UN Regulation No 37	X
25C	Motor vehicle headlamps equipped with gas-discharge light sources	Regulation (EC) No 661/2009 UN Regulation No 98	X
25D	Gas-discharge light sources for use in approved gas- discharge lamp units of power-driven vehicles	Regulation (EC) No 661/2009 UN Regulation No 99	X
25E	Motor vehicle headlamps emitting an asymmetrical passing beam or a driving beam or both and equipped with filament lamps and/or LED modules	Regulation (EC) No 661/2009 UN Regulation No 112	X
25F	Adaptive front- lighting systems (AFS) for motor vehicles	Regulation (EC) No 661/2009 UN Regulation No 123	X
26A	Power-driven vehicle front fog lamps	Regulation (EC) No 661/2009 UN Regulation No 19	X
27A	Towing device	Regulation (EC) No 661/2009 Regulation (EU) No 1005/2010	Е

#### Status: Point in time view as at 31/01/2020.

20.4	D C 1	D 1 ( (TC) 31	***
28A	Rear fog lamps for power-driven vehicles and their trailers	Regulation (EC) No 661/2009 UN Regulation No 38	X
29A	Reversing lights for power-driven vehicles and their trailers	Regulation (EC) No 661/2009 UN Regulation No 23	X
30A	Parking lamps for power-driven vehicles	Regulation (EC) No 661/2009 UN Regulation No 77	X
31A	Safety-belts, restraint systems, child restraint systems and Isofix child restraint systems	Regulation (EC) No 661/2009 UN Regulation No 16	X+W <sub>6</sub>
32A	Forward field of vision	Regulation (EC) No 661/2009 UN Regulation No 125	G
33A	Location and identification of hand controls, tell-tales and indicators	Regulation (EC) No 661/2009 UN Regulation No 121	X
34A	Windscreen defrosting and demisting systems	Regulation (EC) No 661/2009 Regulation (EU) No 672/2010	G ( <sup>5</sup> )
35A	Windscreen wiper and washer systems	Regulation (EC) No 661/2009 Regulation (EU) No 1008/2010	G ( <sup>6</sup> )
36A	Heating systems	Regulation (EC) No 661/2009 UN Regulation No 122	X
37A	Wheel guards	Regulation (EC) No 661/2009 Regulation (EU) No 1009/2010	G
38A	Head restraints (headrests), whether or not incorporated in vehicle seats	Regulation (EC) No 661/2009 UN Regulation No 25	X

Status: Point in time view as at 31/01/2020.

41A	Emissions (Euro VI) heavy duty vehicles/ access to information	Regulation (EC) No 595/2009	X+W <sub>1</sub> ( <sup>9</sup> )
44A	Masses and dimensions	Regulation (EC) No 661/2009 Regulation (EU) No 1230/2012	X+W <sub>8</sub>
45A	Safety glazing materials and their installation on vehicles	Regulation (EC) No 661/2009 UN Regulation No 43	G
46A	Installation of tyres	Regulation (EC) No 661/2009 Regulation (EU) No 458/2011	X
46B	Pneumatic tyres for motor vehicles and their trailers (Class C <sub>1</sub> )	Regulation (EC) No 661/2009 UN Regulation No 30	X
46D	Tyre rolling sound emissions, adhesion on wet surfaces and rolling resistance (Classes C <sub>1</sub> , C <sub>2</sub> and C <sub>3</sub> )	Regulation (EC) No 661/2009 UN Regulation No 117	X
46E	Temporary-use spare unit, run-flat tyres/ system and tyre pressure monitoring system	Regulation (EC) No 661/2009 UN Regulation No 64	G ( <sup>9A</sup> )
50A	Mechanical coupling components of combinations of vehicles	Regulation (EC) No 661/2009 UN Regulation No 55	X (10)
53A	Protection of occupants in the event of a frontal collision	Regulation (EC) No 661/2009 UN Regulation No 94	N/A
54A	Protection of occupants in the event of lateral collision	Regulation (EC) No 661/2009 UN Regulation No 95	N/A
58	Pedestrian protection	Regulation (EC) No 78/2009	G
59	Recyclability	Directive 2005/64/EC	N/A

Changes to legislation: Regulation (EU) 2018/858 of the European Parliament and of the Council, ANNEX II is up to date with all changes known to be in force on or before 27 July 2024. There are changes that may be brought into force at a future date. Changes that have been made appear in the content and are referenced with annotations. (See end of Document for details)

61	Air-conditioning systems	Directive 2006/40/EC	G
62	Hydrogen system	Regulation (EC) No 79/2009	X
63	General Safety	Regulation (EC) No 661/2009	X (15)
64	Gear shift indicators	Regulation (EC) No 661/2009 Regulation (EU) No 65/2012	G
67	Specific components for liquefied petroleum gases (LPG) and their installation on motor vehicles	Regulation (EC) No 661/2009 UN Regulation No 67	X
68	Vehicle alarm systems (VAS)	Regulation (EC) No 661/2009 UN Regulation No 97	X
69	Electric safety	Regulation (EC) No 661/2009 UN Regulation No 100	X
70	Specific components for CNG and their installation on motor vehicles	Regulation (EC) No 661/2009 UN Regulation No 110	X
72	eCall system	Regulation (EU) 2015/758	G

Additional requirements for testing the wheelchair tie-down and occupant restraint system. The following point 2 and either point 3 or 4 shall apply.

- 1. Definitions U.K.
- 1.1. Surrogate wheelchair (SWC) means a rigid, re-usable test wheelchair, as defined in section 3 of international standard ISO 10542-1:2012.
- 1.2. Point P means a representation of the position of the wheelchair occupant's hip when seated in the SWC, as defined in section 3 of international standard ISO 10542-1:2012.
- 2. General requirements U.K.
- 2.1. Each wheelchair location shall be provided with anchorages to which a wheelchair tie-down and occupant restraint system (WTORS) shall be fitted.
- 2.2. The wheelchair occupant's lower belt anchorages shall be located in accordance with UN Regulation No 14.07, paragraph 5.4.2.2, relative to Point P on the SWC, when placed in the travelling position designated by the manufacturer. The upper actual

Changes to legislation: Regulation (EU) 2018/858 of the European Parliament and of the Council, ANNEX II is up to date with all changes known to be in force on or before 27 July 2024. There are changes that may be brought into force at a future date. Changes that have been made appear in the content and are referenced with annotations. (See end of Document for details)

anchorage(s) shall be located at least 1 100 mm above the horizontal plane passing through the points of contact between the rear tyres of the SWC and the vehicle floor. That condition shall still be satisfied after the test carried out in accordance with point 3 of this Appendix.

- 2.3. An assessment shall be made of the WTORS occupant belt to ensure compliance with the UN Regulation No 16.06, paragraphs 8.2.2 to 8.2.2.4 and 8.3.1 to 8.3.4.
- 2.4. The minimum number of ISOFIX child seat anchorages need not to be provided. In the case of a multi-stage type-approval where an ISOFIX anchorage system has been affected by the conversion, either the system shall be re-tested or the anchorages shall be rendered unusable. In the latter case the ISOFIX labels shall be removed and appropriate information shall be given to the vehicle purchaser.
- 3. Static in-vehicle testing U.K.
- 3.1. Wheelchair occupant restraint anchorages U.K.
- 3.1.1. The wheelchair occupant restraint anchorages shall resist the static forces prescribed for occupant restraint anchorages in UN Regulation No 14.07, simultaneously with the static forces applied to the wheelchair tie-down anchorages as specified in point 3.2 of this Appendix.
- 3.2. Wheelchair tie-down anchorages U.K.

The wheelchair tie-down anchorages shall resist the following forces, for at least 0,2 seconds, applied via the SWC (or a suitable surrogate wheelchair having a wheelbase, seat height and tie-down attachment points in accordance with the specification for the SWC), at a height of 300 +/- 100 mm from the surface on which the SWC rests:

- 3.2.1. In the case of a forward-facing wheelchair, a simultaneous force, coincident with the force applied to the occupant restraint anchorages, of 24,5 kN, and
- 3.2.2. a second test applying a static force of 8,2 kN directed towards the rear of the vehicle.
- 3.2.3. In the case of a rearward-facing wheelchair, a simultaneous force, coincident with the force applied to the occupant restraint anchorages, of 8,2 kN, and
- 3.2.4. a second test applying a static force of 24,5 kN directed towards the front of the vehicle.
- 3.3. Components of the system U.K.
- 3.3.1. All components of the WTORS shall meet the relevant requirements of international standard ISO 10542-1:2012. However, the dynamic test specified in Annex A and paragraphs 5.2.2 and 5.2.3 of international standard ISO 10542-1:2012 shall be carried out on the complete WTORS using the vehicle anchorage geometry instead of the test geometry specified in Annex A of international standard ISO 10542-1:2012. This may be carried out within the vehicle structure or on a surrogate structure representative of the vehicle's WTORS anchorage geometry. The location of each anchorage shall lie within the tolerance provided for in paragraph 7.7.1 of UN Regulation No 16.06.
- 3.3.2. Where the occupant restraint part of the WTORS is approved in accordance with UN Regulation No 16.06, it shall be subject to the dynamic test of the complete WTORS specified in paragraph 3.3.1 of this Appendix but the requirements of paragraphs 5.1, 5.3 and 5.4 of international standard ISO10542-1:2012 shall be considered to have been met.
- 4. Dynamic in-vehicle testing U.K.

Status: Point in time view as at 31/01/2020.

Changes to legislation: Regulation (EU) 2018/858 of the European Parliament and of the Council, ANNEX II is up to date with all changes known to be in force on or before 27 July 2024. There are changes that may be brought into force at a future date. Changes that have been made appear in the content and are referenced with annotations. (See end of Document for details)

- 4.1. The full assembly of the WTORS system shall be tested by an in-vehicle dynamic test in accordance with paragraphs 5.2.2 and 5.2.3 and Annex A of international standard ISO 10542-1:2012, testing all components/anchorages simultaneously, using a vehicle body-in-white or representative structure.
- 4.2. The component parts of the WTORS shall meet the relevant requirements of international standard ISO 10542-1:2012, paragraphs 5.1, 5.3 and 5.4. These requirements shall be deemed to have been met in respect of the occupant restraint if it is approved in accordance with UN Regulation No 16.06.

AppendixOther special purpose vehicles(including special group, multi-equipment carrier and trailer caravans)

The exemptions provided for in this Appendix are only permitted if the manufacturer demonstrates to the satisfaction of the approval authority that the vehicle, due to the special function, cannot meet all the requirements set out in Part I of this Annex.

Item	Subje	ecRefe	re <b>M</b> g	M <sub>3</sub>	N <sub>1</sub>	N <sub>2</sub>	N <sub>3</sub>	$O_1$	$O_2$	$O_3$	$O_4$
		to regul act	atory								
1A	Sound level	Regula (EU) No 540/20		Н	Н	Н	Н	Н			
2	Emiss (Euro 5 and Euro 6) light duty vehicle access to inform	No 715/20 es/			Q +V <sub>1</sub> ( <sup>1</sup> )	Q +V <sub>1</sub> ( <sup>1</sup> )					
3A	Prever of fire risks (liquid fuel tanks)	Regula	009	F	F	F	F	X	X	X	X
3B	underr protec	t <b>Ne</b> \$661/20	009	X	A	A	A	X	X	X	X

Status: Point in time view as at 31/01/2020.

	installa Non; rear 58 underrun protection (RUP)								
4A	Space Regulation (EC) mounting and 661/2009 fixing Regulation rear (EU) registration plates 1003/2010	A+R							
5A	Steerin Regulation equipm(EnC) No 661/2009 UN Regulation No 79	X	X	X	X	X	X	X	X
6A	VehicleRegulation access (EC) and No manoe 6674/2009 (steps, Regulation running EU) boards No and 130/2012 handholds)	X	В	В	В				
6B	Door Regulation latches (EC) and No door 661/2009 retention No No 11		В						
7A	Audiblæegulakon warningEC) devicesNo and 661/2009 signalsUN Regulation No 28	X	X	X	X				
8A	DeviceRegulation for (EC) indirecNo vision 661/2009	X	X	X	X				

	and UN their Regula installaNon 46	ation								
9A	Brakin Regula of (EC) vehicle No and 661/20 trailers UN Regula No 13	009	X ( <sup>3</sup> )	X ( <sup>3</sup> )	X +U <sub>1</sub> ( <sup>3</sup> )	X +U <sub>1</sub> ( <sup>3</sup> )	X	X	X ( <sup>3</sup> )	X ( <sup>3</sup> )
9B	Brakin Regula of (EC) passen <b>geo</b> cars 661/20 UN Regula No 13-H	009		X (4)						
10A	Electro Regule compat(Edity No 661/20 UN Regule No 10	009	X	X	X	X	X	X	X	X
13A	ProtectRegulary of (EC) motor No vehicle 661/20 against UN unauth Regard use No 18	( <sup>4A</sup> )	X ( <sup>4A</sup> )		X ( <sup>4A</sup> )	X ( <sup>4A</sup> )				
13B	ProtectRegulary of (EC) motor No vehicle 661/20 against UN unauth Regard use No 116	009		X						
14A	ProtectRegulary of (EC) the No driver 661/20 againstUN the Regulary	009		X						

Status: Point in time view as at 31/01/2020.

	steeringNo mechaniam in the event of impact								
15A	Seats, their (EC) ( <sup>4B</sup> ) anchorages and 661/2009 any UN head Regulation restraints 17	D ( <sup>4B</sup> )	D	D	D				
15B	Seats Regulation of (EC) large No passen 641/2009 vehicle UN Regulation No 80	D							
17A	VehicleRegulation access (EC) and No manoe (6/ch/2009) (reverse Regulation gear) (EU) No 130/2012	X	X	X	X				
17B	SpeedoRugulation equipm(Int) including its 661/2009 installation Regulation No 39	X	X	X	X				
18A	Manufactorismon statutorismon (EC) plate No and 661/2009 VIN Regulation (EU) No 19/2011	X	X	X	X	X	X	X	X
19A	Safety-Regulation belt (EC) anchorages,	D	D	D	D				

Status: Point in time view as at 31/01/2020.

	Isofix No anchorages/2009 system UN and Regulation Isofix No top 14 tether anchorages								
20A	Installa RegulationN of (EC) lighting No and 661/2009 light- UN signalli Regulation devices No on 48 vehicles	A+N							
21A	Retro-Regulation reflectified (C) devices No for 661/2009 power-UN driven Regulation vehicles No 3 and their trailers	X	X	X	X	X	X	X	X
22A	Front Regulation and (EC) rear No position 661/2009 lamps, UN stop-Regulation lamps No 7 and end-outline marker lamps for motor vehicles and their trailers	X	X	X	X	X	X	X	X
22B	DaytimRegular on running (EC) lamps No for 661/2009 power-UN Regulation	X	X	X	X				

Status: Point in time view as at 31/01/2020.

	driven No vehicle87									
22C	Side-Regula marker(EC) lamps No for 661/20 motor UN vehicleRegula and No their 91 trailers	009	X	X	X	X	X	X	X	X
23A	Directi Regulatindicat (FsC) for No power-661/20 driven UN vehicle Regulatind No 6 their trailers	009	X	X	X	X	X	X	X	X
24A	IlluminRtigula of (EC) rear- No registration/20 plates UN of Regula power-No 4 driven vehicles and their trailers	009	X	X	X	X	X	X	X	X
25A	Power-Regula driven (EC) vehicleNo sealed-661/20 beam UN headlarRpgula (SB) No emitting 1 an European asymmetrical passing beam or a driving beam or both	009 ation	X	X	X	X				

### Status: Point in time view as at 31/01/2020.

25B	Filame Regulation lamps (EC) for No use 661/2009 in UN approv Regulation lamp No units 37 of power-driven vehicles and their trailers	X	X	X	X	X	X	X	X
25C	Motor Regulation vehicle (EC) headlarings equipp cot 1/2009 with UN gas-Regulation discharige 98 sources	X	X	X	X				
25D	Gas-dischar@eC) light No sources661/2009 for UN use Regulation in No approved gas- discharge lamp units of power- driven vehicles	X	X	X	X				
25E	Motor Regulation vehicle(EC) headlarities emitting 61/2009 an UN asymmetrical ation passing No beam 112 or a driving beam	X	X	X	X				

Status: Point in time view as at 31/01/2020.

	or both and equipped with filament lamps and/ or LED modules								
25F	Adapti Regulation front- (EC) lighting No system 661/2009 (AFS) UN for Regulation motor No vehicle \$23	X	X	X	X				
26A	Power-Regulation driven (EC) vehicleNo front 661/2009 fog UN lamps Regulation No 19	X	X	X	X				
27A	TowingRegulation device (EC) No 661/2009 Regulation (EU) No 1005/2010	A	A	A	A				
28A	Rear Regulation fog (EC) lamps No for 661/2009 power-UN driven Regulation vehicleNo and 38 their trailers	X	X	X	X	X	X	X	X
29A	Reversingulation lights (EC) for No power-661/2009 driven	X	X	X	X	X	X	X	X

Status: Point in time view as at 31/01/2020.

30A	vehiclekJN and Regulation their No trailers 23  ParkingRegulation lamps (EC) for No power-661/2009 driven UN vehicleRegulation No	X	X	X	X		
31A	Safety-Regulation belts, (EC) restrainNo system 61/2009 child UN restrainRegulation system No and 16 Isofix child restraint systems	D	D	D	D		
33A	Location legular from and (EC) identification of 661/2009 hand UN control Regulation tell-No tales 121 and indicators	X	X	X	X		
34A	Windscregulation defrost(figC) and No demistic(g1/2009 systemRegulation (EU) No 672/2010	(5)	(5)	(5)	(5)		
35A	Winds Regulation wiper (EC) and No washer661/2009 system Regulation (EU) No 1008/2010	(6)	( <sup>6</sup> )	(6)	(6)		

Status: Point in time view as at 31/01/2020.

-		1	1	1	I	I		1	
36A	HeatingRegulation system(EC) No 661/2009 UN Regulation No 122	X	X	X	X	X	X	X	X
38A	Head Regulation restrain(tEC) (headresits), whether 661/2009 or UN not Regulation incorporated in 25 vehicle seats								
41A	Emission (EC) (Euro (EC) VI) No heavy duty vehicles/ access to information	Н	H ( <sup>9</sup> )	H ( <sup>9</sup> )	Н				
42A	Lateral Regulation protect (GiC) of No goods 661/2009 vehicles JN Regulation No 73			X	X			X	X
43A	Spray Regulation suppresticity system No 661/2009 Regulation (EU) No 109/2011		X	X	X	X	X	X	X
45A	Safety Regulation glazing(EC) material No and 661/2009 their UN installa Regulation	J	J	J	J	J	J	J	J

	on No vehicle 43							
46A	Installation (EC) tyres No 661/2009 Regulation (EU) No 458/2011	X	X	X	X	X	X	X
46B	Pneum Regulation tyres (EC) for No motor 661/2009 vehicles IN and Regulation their No trailers 30 (Class C <sub>1</sub> )	X			X	X		
46C	Pneum Riegula Kotyres (EC) for No comme 66 id 12009 vehicle Is N and Regulation their No trailers 54 (Classes C2 and C3)	X	X	X			X	X
46D	Tyre Regulation rolling (EC) sound No emission of the side of the surface of the	X	X	X	X	X	X	X

Status: Point in time view as at 31/01/2020.

46E	Temporaegulation use (EC) spare No unit, 661/2009 run- UN flat Regulation tyres/ No system64 and tyre pressure monitoring system		X ( <sup>9A</sup> )						
47A	Speed Regulation limitati(EC) of No vehicle 661/2009 UN Regulation No 89	X		X	X				
48A	MassesRegulation and (EC) dimensions 661/2009 Regulation (EU) No 1230/2012	X	X	X	X	X	X	X	X
49A	Commetegallation vehicle(EC) with No regard 661/2009 to UN their Regulation externalNo projections forward of the cab's rear panel		X	X	X				
50A	Mechannegulation coupling (10) components of 661/2009 combinations of Regulation vehicles	X (10)	X ( <sup>10</sup> )	X ( <sup>10</sup> )	X ( <sup>10</sup> )	X	X	X	X

Status: Point in time view as at 31/01/2020.

		No 55								
50B	coupli device (CCD) fitting	No ,661/20 UN Regula	009			X (10)	X (10)		X (10)	X (10)
51A	behavi	No abs1/20 UN Regula No r118 uction	009	X						
52A	M <sub>2</sub> and M <sub>3</sub> vehicle	Regula (EC) No e661/20 UN Regula No 107	009	X						
52B	of the supers of	tRegula (EC) No tototta UN Regula geo	<b>2</b> 09	X						
54A	of occupation the	tRægula (EC) a <b>Nto</b> 661/20 UN Regula	009		A					

Status: Point in time view as at 31/01/2020.

	lateral No collision5									
56A	VehicleRegula for (EC) the No carriag661/20 of UN danger Regula goods No 105	09		X (13)	X ( <sup>13</sup> )	X (13)				
57A	Front Regular underruteC) protective devices61/20 (FUPIDE)N and Regular their No installation; front underrun protection (FUP)	09			X	X				
58	PedestrRagula protect((biC) No 78/200			N/A (²)						
59	Recyclabilityti 2005/6 EC			N/A						
61	Air- Directi conditi@006g4 system&C			X ( <sup>14</sup> )						
62	Hydrogengula system(EC) No 79/200		X	X	X	X				
63	GeneraRegula Safety (EC) No 661/20	(15)	X ( <sup>15</sup> )							
65	Advandedgula emerge(feQ) brakingNo system 661/20 Regula (EU) No 347/20	09 tion	N/A		N/A	N/A				

Status: Point in time view as at 31/01/2020.

66	Lane Regulation departuteC) warningNo system 661/2009 Regulation (EU) No 351/2012	N/A		N/A	N/A				
67	SpecifiRegular on components for No liqueficato 1/2009 petroleum Regulation (LPG) No and 67 their installation on motor vehicles	X	X	X	X				
68	Vehicle Regulation alarm (EC) system No (VAS) 661/2009 UN Regulation No 97		X						
69	Electric Regulation safety (EC) No 661/2009 UN Regulation No 100	X	X	X	X				
70	SpecifiRegulation components on No CNG 661/2009 and UN their Regulation installation on 110 motor vehicles	X	X	X	X				
72	eCall Regulation system(EU) 2015/758	N/A	G	N/A	N/A	N/A	N/A	N/A	N/A

Status: Point in time view as at 31/01/2020.

Changes to legislation: Regulation (EU) 2018/858 of the European Parliament and of the Council, ANNEX II is up to date with all changes known to be in force on or before 27 July 2024. There are changes that may be brought into force at a future date. Changes that have been made appear in the content and are referenced with annotations. (See end of Document for details)

# Appendix 5 U.K.

## **Mobile cranes**

Item	Subject	Reference to regulatory act	N <sub>3</sub>	
1A	Sound level	Regulation (EU) No 540/2014	T+Z <sub>1</sub>	
3A	Prevention of fire risks (liquid fuel tanks)	Regulation (EC) No 661/2009 UN Regulation No 34	X	
3B	Rear underrun protective devices (RUPDs) and their installation; rear underrun protection (RUP)	Regulation (EC) No 661/2009 UN Regulation No 58	A	
4A	Space for mounting and fixing rear registration plates	Regulation (EC) No 661/2009 Regulation (EU) No 1003/2010	X	
5A	Steering equipment	Regulation (EC) No 661/2009 UN Regulation No 79	X Crab steering allowed	
6A	Vehicle access and manoeuvrability (steps, running boards and handholds)	Regulation (EC) No 661/2009 Regulation (EU) No 130/2012	A	
7A	Audible warning devices and signals	Regulation (EC) No 661/2009 UN Regulation No 28	X	
8A	Devices for indirect vision and their installation	Regulation (EC) No 661/2009 UN Regulation No 46	X	
9A	Braking of vehicles and trailers	Regulation (EC) No 661/2009 UN Regulation No 13	U ( <sup>3</sup> )	
10A	Electromagnetic compatibility	Regulation (EC) No 661/2009 UN Regulation No 10	X	
13A	Protection of motor vehicles against unauthorised use	Regulation (EC) No 661/2009 UN Regulation No 18	X ( <sup>4A</sup> )	

Status: Point in time view as at 31/01/2020.

15A	Seats, their anchorages and any head restraints	Regulation (EC) No 661/2009 UN Regulation No 17	X
17A	Vehicle access and manoeuvrability (reverse gear)	Regulation (EC) No 661/2009 Regulation (EU) No 130/2012	X
17B	Speedometer equipment including its installation	Regulation (EC) No 661/2009 UN Regulation No 39	X
18A	Manufacturer's statutory plate and VIN	Regulation (EC) No 661/2009 Regulation (EU) No 19/2011	X
19A	Safety-belt anchorages, Isofix anchorages systems and Isofix top tether anchorages	Regulation (EC) No 661/2009 UN Regulation No 14	X
20A	Installation of lighting and light-signalling devices on vehicles	Regulation (EC) No 661/2009 UN Regulation No 48	A+Y
21A	Retro-reflecting devices for power- driven vehicles and their trailers	Regulation (EC) No 661/2009 UN Regulation No 3	X
22A	Front and rear position lamps, stop-lamps and end-outline marker lamps for motor vehicles and their trailers	Regulation (EC) No 661/2009 UN Regulation No 7	X
22B	Daytime running lamps for power-driven vehicles	Regulation (EC) No 661/2009 UN Regulation No 87	X
22C	Side-marker lamps for motor vehicles and their trailers	Regulation (EC) No 661/2009 UN Regulation No 91	X
23A	Direction indicators for power-driven vehicles and their trailers	Regulation (EC) No 661/2009 UN Regulation No 6	X
24A	Illumination of rear- registration plates of power-driven	Regulation (EC) No 661/2009 UN Regulation No 4	X

Status: Point in time view as at 31/01/2020.

	vehicles and their trailers		
25A	Power-driven vehicle's sealed- beam headlamps (SB) emitting an European asymmetrical passing beam or a driving beam or both	Regulation (EC) No 661/2009 UN Regulation No 31	X
25B	Filament lamps for use in approved lamp units of power-driven vehicles and their trailers	Regulation (EC) No 661/2009 UN Regulation No 37	X
25C	Motor vehicle headlamps equipped with gas-discharge light sources	Regulation (EC) No 661/2009 UN Regulation No 98	X
25D	Gas-discharge light sources for use in approved gas-discharge lamp units of power-driven vehicles	Regulation (EC) No 661/2009 UN Regulation No 99	X
25E	Motor vehicle headlamps emitting an asymmetrical passing beam or a driving beam or both and equipped with filament lamps and/or LED modules	Regulation (EC) No 661/2009 UN Regulation No 112	X
25F	Adaptive front- lighting systems (AFS) for motor vehicles	Regulation (EC) No 661/2009 UN Regulation No 123	X
26A	Power-driven vehicle front fog lamps	Regulation (EC) No 661/2009 UN Regulation No 19	X
27A	Towing device	Regulation (EC) No 661/2009 Regulation (EU) No 1005/2010	A
28A	Rear fog lamps for power-driven vehicles and their trailers	Regulation (EC) No 661/2009 UN Regulation No 38	X

### Status: Point in time view as at 31/01/2020.

29A	Reversing lights for power-driven vehicles and their trailers	Regulation (EC) No 661/2009 UN Regulation No 23	X
30A	Parking lamps for power-driven vehicles	Regulation (EC) No 661/2009 UN Regulation No 77	X
31A	Safety-belts, restraint systems, child restraint systems and Isofix child restraint systems	Regulation (EC) No 661/2009 UN Regulation No 16	X
33A	Location and identification of hand controls, tell-tales and indicators	Regulation (EC) No 661/2009 UN Regulation No 121	X
34A	Windscreen defrosting and demisting systems	Regulation (EC) No 661/2009 Regulation (EU) No 672/2010	(5)
35A	Windscreen wiper and washer systems	Regulation (EC) No 661/2009 Regulation (EU) No 1008/2010	(6)
36A	Heating systems	Regulation (EC) No 661/2009 UN Regulation No 122	X
41A	Emissions (Euro VI) heavy duty vehicles/ access to information	Regulation (EC) No 595/2009	V
42A	Lateral protection of goods vehicles	Regulation (EC) No 661/2009 UN Regulation No 73	A
43A	Spray suppression systems	Regulation (EC) No 661/2009 Regulation (EU) No 109/2011	$Z_1$
45A	Safety glazing materials and their installation on vehicles	Regulation (EC) No 661/2009 UN Regulation No 43	J
46A	Installation of tyres	Regulation (EC) No 661/2009 Regulation (EU) No 458/2011	X

Status: Point in time view as at 31/01/2020.

46C	Pneumatic tyres for commercial vehicles and their trailers (Classes C <sub>2</sub> and C <sub>3</sub> )	Regulation (EC) No 661/2009 UN Regulation No 54	X
46D	Tyre rolling sound emissions, adhesion on wet surfaces and rolling resistance (Classes C <sub>1</sub> , C <sub>2</sub> and C <sub>3</sub> )	emissions, adhesion on wet surfaces and rolling resistance (Classes C <sub>1</sub> , C <sub>2</sub> and (661/2009) UN Regulation No 117	
47A	Speed limitation of vehicles	Regulation (EC) No 661/2009 UN Regulation No 89	X
48A	Masses and dimensions	Regulation (EC) No 661/2009 Regulation (EU) No 1230/2012	A
49A	Commercial vehicles with regard to their external projections forward of the cab's rear panel	Regulation (EC) No 661/2009 UN Regulation No 61	A
50A	Mechanical coupling components of combinations of vehicles	Regulation (EC) No 661/2009 UN Regulation No 55	X ( <sup>10</sup> )
50B	Close-coupling device (CCD); fitting of an approved type of CCD	Regulation (EC) No 661/2009 UN Regulation No 102	X (10)
57A	Front underrun protective devices (FUPDs) and their installation; front underrun protection (FUP)	Regulation (EC) No 661/2009 UN Regulation No 93	X
62	Hydrogen system	Regulation (EC) No 79/2009	X
63	General Safety	Regulation (EC) No 661/2009	X (15)
65	Advanced emergency braking system	Regulation (EC) No 661/2009 Regulation (EU) No 347/2012	N/A ( <sup>16</sup> )
66	Lane departure warning system	Regulation (EC) No 661/2009	N/A ( <sup>17</sup> )

Status: Point in time view as at 31/01/2020.

Changes to legislation: Regulation (EU) 2018/858 of the European Parliament and of the Council, ANNEX II is up to date with all changes known to be in force on or before 27 July 2024. There are changes that may be brought into force at a future date. Changes that have been made appear in the content and are referenced with annotations. (See end of Document for details)

		Regulation (EU) No 351/2012	
67	Specific components for liquefied petroleum gases (LPG) and their installation on motor vehicles	Regulation (EC) No 661/2009 UN Regulation No 67	X
69	Electric safety	Regulation (EC) No 661/2009 UN Regulation No 100	X
70	Specific components for CNG and their installation on motor vehicles	Regulation (EC) No 661/2009 UN Regulation No 110	X

# Appendix 6 U.K.

## **Exceptional load transport vehicles**

Item	Subject	Reference to regulatory act	N <sub>3</sub>	O <sub>4</sub>
1	Permissible sound level	Directive 70/157/EEC	Т	
3A	Prevention of fire risks (liquid fuel tanks)	Regulation (EC) No 661/2009 UN Regulation No 34	X	X
3B	Rear underrun protective devices (RUPDs) and their installation; rear underrun protection (RUP)	Regulation (EC) No 661/2009 UN Regulation No 58	A	A
4A	Space for mounting and fixing rear registration plates	Regulation (EC) No 661/2009 Regulation (EU) No 1003/2010	X	A+R
5A	Steering equipment	Regulation (EC) No 661/2009 UN Regulation No 79	X Crab steering allowed	X
6A	Vehicle access and	Regulation (EC) No 661/2009	X	

Status: Point in time view as at 31/01/2020.

	manoeuvrability (steps, running boards and handholds)	Regulation (EU) No 130/2012		
7A	Audible warning devices and signals	Regulation (EC) No 661/2009 UN Regulation No 28	X	
8A	Devices for indirect vision and their installation	Regulation (EC) No 661/2009 UN Regulation No 46	X	
9A	Braking of vehicles and trailers	Regulation (EC) No 661/2009 UN Regulation No 13	U ( <sup>3</sup> )	X ( <sup>3</sup> )
10A	Electromagnetic compatibility	Regulation (EC) No 661/2009 UN Regulation No 10	X	X
13A	Protection of motor vehicles against unauthorised use	Regulation (EC) No 661/2009 UN Regulation No 18	X ( <sup>4A</sup> )	
15A	Seats, their anchorages and any head restraints	Regulation (EC) No 661/2009 UN Regulation No 17	X	
17A	Vehicle access and manoeuvrability (reverse gear)	Regulation (EC) No 661/2009 Regulation (EU) No 130/2012	X	
17B	Speedometer equipment including its installation	Regulation (EC) No 661/2009 UN Regulation No 39	X	
18A	Manufacturer's statutory plate and VIN	Regulation (EC) No 661/2009 Regulation (EU) No 19/2011	X	X
19A	Safety-belt anchorages, Isofix anchorages systems and Isofix top tether anchorages	Regulation (EC) No 661/2009 UN Regulation No 14	X	

### Status: Point in time view as at 31/01/2020.

20A	Installation of lighting and light-signalling devices on vehicles	Regulation (EC) No 661/2009 UN Regulation No 48	X	A+N
21A	Retro-reflecting devices for power-driven vehicles and their trailers	Regulation (EC) No 661/2009 UN Regulation No 3	X	X
22A	Front and rear position lamps, stop-lamps and end-outline marker lamps for motor vehicles and their trailers	Regulation (EC) No 661/2009 UN Regulation No 7	X	X
22B	Daytime running lamps for power-driven vehicles	Regulation (EC) No 661/2009 UN Regulation No 87	X	
22C	Side-marker lamps for motor vehicles and their trailers	Regulation (EC) No 661/2009 UN Regulation No 91	X	X
23A	Direction indicators for power-driven vehicles and their trailers	Regulation (EC) No 661/2009 UN Regulation No 6	X	X
24A	Illumination of rear-registration plates of power-driven vehicles and their trailers	Regulation (EC) No 661/2009 UN Regulation No 4	X	X
25A	Power-driven vehicle's sealed- beam headlamps (SB) emitting an European asymmetrical passing beam or a driving beam or both	Regulation (EC) No 661/2009 UN Regulation No 31	X	
25B	Filament lamps for use in approved lamp units of power-	Regulation (EC) No 661/2009 UN Regulation No 37	X	X

Status: Point in time view as at 31/01/2020.

	driven vehicles and their trailers			
25C	Motor vehicle headlamps equipped with gas-discharge light sources	Regulation (EC) No 661/2009 UN Regulation No 98	X	
25D	Gas-discharge light sources for use in approved gas-discharge lamp units of power-driven vehicles	Regulation (EC) No 661/2009 UN Regulation No 99	X	
25E	Motor vehicle headlamps emitting an asymmetrical passing beam or a driving beam or both and equipped with filament lamps and/or LED modules	Regulation (EC) No 661/2009 UN Regulation No 112	X	
25F	Adaptive front- lighting systems (AFS) for motor vehicles	Regulation (EC) No 661/2009 UN Regulation No 123	X	
26A	Power-driven vehicle front fog lamps	Regulation (EC) No 661/2009 UN Regulation No 19	X	
27A	Towing device	Regulation (EC) No 661/2009 Regulation (EU) No 1005/2010	A	
28A	Rear fog lamps for power-driven vehicles and their trailers	Regulation (EC) No 661/2009 UN Regulation No 38	X	X
29A	Reversing lights for power-driven vehicles and their trailers	Regulation (EC) No 661/2009 UN Regulation No 23	X	X
30A	Parking lamps for power-driven vehicles	Regulation (EC) No 661/2009	X	

### Status: Point in time view as at 31/01/2020.

		UN Regulation No 77		
31A	Safety-belts, restraint systems, child restraint systems and Isofix child restraint systems	Regulation (EC) No 661/2009 UN Regulation No 16	X	
33A	Location and identification of hand controls, tell-tales and indicators	Regulation (EC) No 661/2009 UN Regulation No 121	X	
34A	Windscreen defrosting and demisting systems	Regulation (EC) No 661/2009 Regulation (EU) No 672/2010	(5)	
35A	Windscreen wiper and washer systems	Regulation (EC) No 661/2009 Regulation (EU) No 1008/2010	(6)	
36A	Heating systems	Regulation (EC) No 661/2009 UN Regulation No 122	X	
41A	Emissions (Euro VI) heavy duty vehicles/access to information	Regulation (EC) No 595/2009	X (9)	
42A	Lateral protection of goods vehicles	Regulation (EC) No 661/2009 UN Regulation No 73	X	A
43A	Spray suppression systems	Regulation (EC) No 661/2009 Regulation (EU) No 109/2011	X	A
45	Safety glazing	Directive 92/22/ EEC	X	
45A	Safety glazing materials and their installation on vehicles	Regulation (EC) No 661/2009 UN Regulation No 43	X	
46A	Installation of tyres	Regulation (EC) No 661/2009 Regulation (EU) No 458/2011	X	I

Status: Point in time view as at 31/01/2020.

46C	Pneumatic tyres for commercial vehicles and their trailers (Classes C <sub>2</sub> and C <sub>3</sub> )	Regulation (EC) No 661/2009 UN Regulation No 54	X	I
46D	Tyre rolling sound emissions, adhesion on wet surfaces and rolling resistance (Classes C <sub>1</sub> , C <sub>2</sub> and C <sub>3</sub> )	Regulation (EC) No 661/2009 UN Regulation No 117	X	I
47A	Speed limitation of vehicles	Regulation (EC) No 661/2009 UN Regulation No 89	X	
48A	Masses and dimensions	Regulation (EC) No 661/2009 Regulation (EU) No 1230/2012	A	A
49A	Commercial vehicles with regard to their external projections forward of the cab's rear panel	Regulation (EC) No 661/2009 UN Regulation No 61	A	
50A	Mechanical coupling components of combinations of vehicles	Regulation (EC) No 661/2009 UN Regulation No 55	X (10)	X
50B	Close-coupling device (CCD); fitting of an approved type of CCD	Regulation (EC) No 661/2009 UN Regulation No 102	X (10)	X ( <sup>10</sup> )
56A	Vehicles for the carriage of dangerous goods	Regulation (EC) No 661/2009 UN Regulation No 105	X ( <sup>13</sup> )	X ( <sup>13</sup> )
57A	Front underrun protective devices (FUPDs) and their installation;	Regulation (EC) No 661/2009 UN Regulation No 93	A	

Status: Point in time view as at 31/01/2020.

Changes to legislation: Regulation (EU) 2018/858 of the European Parliament and of the Council, ANNEX II is up to date with all changes known to be in force on or before 27 July 2024. There are changes that may be brought into force at a future date. Changes that have been made appear in the content and are referenced with annotations. (See end of Document for details)

	front underrun protection (FUP)			
62	Hydrogen system	Regulation (EC) No 79/2009	X	
63	General Safety	Regulation (EC) No 661/2009	X (15)	X (15)
65	Advanced emergency braking system	Regulation (EC) No 661/2009 Regulation (EU) No 347/2012	N/A ( <sup>16</sup> )	
66	Lane departure warning system	Regulation (EC) No 661/2009 Regulation (EU) No 351/2012	N/A ( <sup>17</sup> )	
67	Specific components for liquefied petroleum gases (LPG) and their installation on motor vehicles	Regulation (EC) No 661/2009 UN Regulation No 67	X	
69	Electric safety	Regulation (EC) No 661/2009 UN Regulation No 100	X	
70	Specific components for CNG and their installation on motor vehicles	Regulation (EC) No 661/2009 UN Regulation No 110	X	

Explanatory Notes on the applicability of the requirements in this Part

X

The requirements set out in the relevant regulatory act are applicable. The series of amendments of the UN Regulations that apply on a compulsory basis are listed in Annex IV to Regulation (EC) No 661/2009. The series of amendments adopted subsequently are accepted as an alternative. Member States may grant extensions to existing type-approvals granted in accordance with the Directives repealed by Regulation (EC) 661/2009 under the conditions laid down in Article 13(14) of that Regulation.

N/A

This regulatory act is not applicable to this vehicle (no requirements).

(1) For vehicles with a reference mass not exceeding 2 610 kg. At the manufacturer's request, Regulation (EC) No 715/2007 may apply to vehicles with a reference mass not exceeding 2 840 kg. U.K.

With regard to access to information, for other parts (e.g. living compartment) than the base vehicle, it is sufficient that the manufacturer provides access to vehicle repair and maintenance information in a readily accessible and prompt manner.

- (2) In case of vehicles equipped with a LPG or CNG installation, a vehicle type-approval in accordance with UN Regulation No 67 or UN Regulation No 110 is required.
- (3) The fitting of an ESC system is required by Article 12 and Article 13 of Regulation (EC) No 661/2009. However, in accordance with UN Regulation No 13, the fitting of an ESC system is not required for special purpose vehicles of categories M<sub>2</sub>, M<sub>3</sub>, N<sub>2</sub> and N<sub>3</sub> and for vehicles for exceptional load transport and trailers with areas for standing passengers. N<sub>1</sub> vehicles may be approved in accordance with UN Regulations No 13 or No 13-H.
- (4) The fitting of an ESC system is required by Article 12 and Article 13 of Regulation (EC) No 661/2009. Therefore, the requirements set out in Part A of Annex 9 to UN Regulation No 13-H shall be fulfilled. N<sub>1</sub> vehicles may be approved in accordance with UN Regulation No 13 or UN Regulation No 13-H.
- (4A) If fitted, the protective device shall fulfil the requirements set out in UN Regulation No 18.
- (4B) This Regulation applies to seats not falling within the scope of UN Regulation No 80. For other options, see Article 2 of Regulation (EC) No 595/2009.
- (5) Vehicles of categories other than M<sub>1</sub> do not need to fully comply with Regulation (EU) No 672/2010 but shall be fitted with a windscreen defrosting and demisting device.
- (6) Vehicles of categories other than M<sub>1</sub> do not need to fully comply with Regulation (EU) No 1008/2010 but shall be fitted with a windscreen washing and wiping devices.
- (8) For vehicles with a reference mass exceeding 2 610 kg and that did not benefit from the possibility offered in note (1).
- (9) For vehicles with a reference mass exceeding 2 610 kg that are not type-approved (at the manufacturer's request and provided their reference mass does not exceed 2 840 kg) under Regulation (EC) No 715/2007. For other parts than the base vehicle, it is sufficient that the manufacturer provides access to vehicle repair and maintenance information in a readily accessible and prompt manner.
- (9A) Applies only where such vehicles are fitted with equipment covered by UN Regulation No 64. Tyre pressure monitoring system for M<sub>1</sub> vehicles applies on a compulsory basis in accordance with Article 9(2) of Regulation (EC) No 661/2009.
- ( $^{10}$ ) Applies only to vehicles equipped with coupling(s).
- (11) Applies to vehicles with a technically permissible maximum laden mass not exceeding 2.5 tonnes.
- Only applicable to vehicles where the 'Seating Reference Point ("R" point)' of the lowest seat is not more than 700 mm above the ground level.
- (13) Applies only where the manufacturer applies for type-approval of vehicles intended for the transport of dangerous goods.
- (14) Applies only for vehicles of category  $N_1$ , class I (reference mass  $\leq 1~305~kg$ ).
- (15) At the request of the manufacturer, a type-approval may be granted under this item, as an alternative to obtaining type-approvals under each individual item covered by Regulation (EC) No 661/2009.

 $A_1$ 

В

C

D

Ε

F

G

Η

Ι

J

K

L

Status: Point in time view as at 31/01/2020.

Changes to legislation: Regulation (EU) 2018/858 of the European Parliament and of the Council, ANNEX II is up to date with all changes known to be in force on or before 27 July 2024. There are changes that may be brought into force at a future date. Changes that have been made appear in the content and are referenced with annotations. (See end of Document for details)

- (16) The fitting of an advanced emergency braking system is not required for special purpose vehicles in accordance with Article 1 of Regulation (EU) No 347/2012.
- (17) The fitting of a lane departure warning system is not required for special purpose vehicles in accordance with Article 1 of Regulation (EU) No 351/2012.

A The approval authority may only grant exemption(s) if the manufacturer demonstrates that the vehicle cannot meet the requirements due to its special purpose. The exemptions granted are to be described on the vehicle type-approval certificate and the certificate of conformity.

The fitting of ESC is not mandatory. In the case of multi-stage type-approvals, where the modifications made at a particular stage are likely to affect the function of the base vehicle's ESC system, the manufacturer may either disable the system or demonstrate that the vehicle has not been rendered unsafe or unstable. This may be demonstrated, e.g., by performing rapid double lane-change manoeuvres in each direction at 80 km/h with sufficient severity to cause intervention by the ESC system. These interventions are to be well-controlled and should improve the stability of the vehicle. The technical service has the right to request further testing if deemed necessary.

Application limited to doors giving access to the seats designated for normal use where the vehicle is used on a public road and where the distance between the R point of the seat and the average plane of the door surface, measured perpendicular to the longitudinal medium plane of the vehicle, does not exceed 500 mm.

Application limited to that part of the vehicle in front of the rearmost seat designated for normal use where the vehicle is used on a public road and also limited to the head impact zone as defined in the relevant regulatory act.

Application limited to seats designated for normal use where the vehicle is used on a public road. Seats that are not designated for use where the vehicle is used on the public road are to be clearly identified to users either by means of a pictogram or a sign with an appropriate text. The luggage retention requirements of UN Regulation No 17 do not apply.

Front only.

Modification to the routing and length of the refuelling duct and repositioning of the tank inboard is permissible.

In case of multi-stage type-approval, requirements according to the category of the base/incomplete vehicle (e.g. the chassis of which was used to build the special purpose vehicle) may also be used.

Modification of exhaust system length after the last silencer not exceeding 2 m is permissible without any further test.

Tyres are to be type-approved in accordance with the requirements set out in UN Regulation No 54 even if the design speed of the vehicle is less than 80 km/h. The load capacity may be adjusted in relation to the maximum design speed of the trailer in agreement with the tyre manufacturer.

For all window glazing other than driver's cab glazing (windshield and side glasses), the material may be either of safety glass or rigid plastic glazing.

Additional panic alarm devices are permitted.

Application limited to seats designated for normal use where the vehicle is used on a public road. At least anchorages for lap belts are required in the rear seating positions. Seats that are not designated for use where the

Changes to legislation: Regulation (EU) 2018/858 of the European Parliament and of the Council, ANNEX II is up to date with all changes known to be in force on or before 27 July 2024. There are changes that may be brought into force at a future date. Changes that have been made appear in the content and are referenced with annotations. (See end of Document for details)

by means of a pictogram or a sign with an appropriate text. ISOFE not required on ambulances and hearses.  Application limited to seats designated for normal use where the veh is used on a public road. At least lap belts are required in all rear sear positions. Seats that are not designated for use when the vehicle is used on a public road are to be clearly identified to users either by mean a pictogram or a sign with an appropriate text. ISOFIX is not required on ambulances and hearses.  N Provided that all mandatory lighting devices are installed and that geometric visibility is not affected.  Q Modification of exhaust system length after the last silencer exceeding 2 m is permissible without any further test. An EU ty approval granted to the most representative base vehicle remains virrespective of change in the reference weight.  R Provided that the registration plates of all Member States can mounted and remain visible.  S The light transmission factor is at least 60 % and the 'A' pi obstruction angle is not more than 10 degrees.  T Test to be performed only with the complete/completed vehing the vehicle can be tested in accordance with Directive 70/157/EConcerning point 5.2.2.1 of Annex I to Directive 70/157/EEC, following limit values are applicable:  (a) 81 dB(A) for vehicles with an engine power of not less to 75 kW;  (b) 83 dB(A) for vehicles with an engine power of not less to 75 kW but less than 150 kW;  (c) 84 dB(A) for vehicles with an engine power of not less to 150 kW.  U Test to be performed only with the complete/completed vehicles up to 4 axles are to comply with all the requirements laid do in the relevant regulatory acts. Derogations are admitted for vehicles up to 4 axles, provided that:  (a) they are justified by the particular construction; and	anges that have been mad	ppear in the content and are referenced with annotations. (See end of Document for details)
by means of a pictogram or a sign with an appropriate text. ISOFE not required on ambulances and hearses.  Application limited to seats designated for normal use where the veh is used on a public road. At least lap belts are required in all rear sear positions. Seats that are not designated for use when the vehicle is used on a public road are to be clearly identified to users either by mean a pictogram or a sign with an appropriate text. ISOFIX is not required on ambulances and hearses.  N Provided that all mandatory lighting devices are installed and that geometric visibility is not affected.  Q Modification of exhaust system length after the last silencer exceeding 2 m is permissible without any further test. An EU ty approval granted to the most representative base vehicle remains virrespective of change in the reference weight.  R Provided that the registration plates of all Member States can mounted and remain visible.  S The light transmission factor is at least 60 % and the 'A' pi obstruction angle is not more than 10 degrees.  T Test to be performed only with the complete/completed vehing the vehicle can be tested in accordance with Directive 70/157/EConcerning point 5.2.2.1 of Annex I to Directive 70/157/EEC, following limit values are applicable:  (a) 81 dB(A) for vehicles with an engine power of not less to 75 kW;  (b) 83 dB(A) for vehicles with an engine power of not less to 75 kW but less than 150 kW;  (c) 84 dB(A) for vehicles with an engine power of not less to 150 kW.  U Test to be performed only with the complete/completed vehicles up to 4 axles are to comply with all the requirements laid do in the relevant regulatory acts. Derogations are admitted for vehicles up to 4 axles, provided that:  (a) they are justified by the particular construction; and		
Application limited to seats designated for normal use where the vehis used on a public road. At least lap belts are required in all rear sear positions. Seats that are not designated for use when the vehicle is used on a public road are to be clearly identified to users either by mean a pictogram or a sign with an appropriate text. ISOFIX is not required on ambulances and hearses.  No Provided that all mandatory lighting devices are installed and that geometric visibility is not affected.  Modification of exhaust system length after the last silencer exceeding 2 m is permissible without any further test. An EU ty approval granted to the most representative base vehicle remains virrespective of change in the reference weight.  Robusted that the registration plates of all Member States can mounted and remain visible.  The light transmission factor is at least 60 % and the 'A' probstruction angle is not more than 10 degrees.  Test to be performed only with the complete/completed vehing the vehicle can be tested in accordance with Directive 70/157/EC concerning point 5.2.2.1 of Annex 1 to Directive 70/157/EEC, following limit values are applicable:  (a) 81 dB(A) for vehicles with an engine power of less to 75 kW;  (b) 83 dB(A) for vehicles with an engine power of not less to 150 kW.  Completed the performed only with the complete/completed vehing the performed only with the comp		hicle is used on a public road are to be clearly identified to users either means of a pictogram or a sign with an appropriate text. ISOFIX is
Provided that all mandatory lighting devices are installed and that geometric visibility is not affected.  Modification of exhaust system length after the last silencer exceeding 2 m is permissible without any further test. An EU ty approval granted to the most representative base vehicle remains virrespective of change in the reference weight.  R Provided that the registration plates of all Member States can mounted and remain visible.  S The light transmission factor is at least 60 % and the 'A' pi obstruction angle is not more than 10 degrees.  Test to be performed only with the complete/completed vehi The vehicle can be tested in accordance with Directive 70/157/E Concerning point 5.2.2.1 of Annex I to Directive 70/157/EEC, following limit values are applicable:  (a) 81 dB(A) for vehicles with an engine power of less to 75 kW;  (b) 83 dB(A) for vehicles with an engine power of not less to 75 kW but less than 150 kW;  (c) 84 dB(A) for vehicles with an engine power of not less to 150 kW.  U Test to be performed only with the complete/completed vehi Vehicles up to 4 axles are to comply with all the requirements laid do in the relevant regulatory acts. Derogations are admitted for vehiclaving more than 4 axles, provided that:  (a) they are justified by the particular construction; and		oplication limited to seats designated for normal use where the vehicle used on a public road. At least lap belts are required in all rear seating sitions. Seats that are not designated for use when the vehicle is used a public road are to be clearly identified to users either by means of pictogram or a sign with an appropriate text. ISOFIX is not required
Modification of exhaust system length after the last silencer exceeding 2 m is permissible without any further test. An EU ty approval granted to the most representative base vehicle remains v irrespective of change in the reference weight.  R Provided that the registration plates of all Member States can mounted and remain visible.  S The light transmission factor is at least 60 % and the 'A' pi obstruction angle is not more than 10 degrees.  Test to be performed only with the complete/completed vehi The vehicle can be tested in accordance with Directive 70/157/EC, following limit values are applicable:  (a) 81 dB(A) for vehicles with an engine power of less to 75 kW;  (b) 83 dB(A) for vehicles with an engine power of not less to 75 kW but less than 150 kW;  (c) 84 dB(A) for vehicles with an engine power of not less to 150 kW.  U Test to be performed only with the complete/completed vehicles up to 4 axles are to comply with all the requirements laid do in the relevant regulatory acts. Derogations are admitted for vehiclas with an engine power of not less to 150 kW.  (a) they are justified by the particular construction; and		ovided that all mandatory lighting devices are installed and that the
Provided that the registration plates of all Member States can mounted and remain visible.  The light transmission factor is at least 60 % and the 'A' pi obstruction angle is not more than 10 degrees.  Test to be performed only with the complete/completed vehi The vehicle can be tested in accordance with Directive 70/157/E Concerning point 5.2.2.1 of Annex I to Directive 70/157/EEC, following limit values are applicable:  (a) 81 dB(A) for vehicles with an engine power of less to 75 kW;  (b) 83 dB(A) for vehicles with an engine power of not less to 75 kW but less than 150 kW;  (c) 84 dB(A) for vehicles with an engine power of not less to 150 kW.  U Test to be performed only with the complete/completed vehicles up to 4 axless are to comply with all the requirements laid do in the relevant regulatory acts. Derogations are admitted for vehicles up to 4 axless are to comply with all the requirements laid do in the relevant regulatory acts. Derogations are admitted for vehicles up to 4 axless are justified by the particular construction; and		odification of exhaust system length after the last silencer not ceeding 2 m is permissible without any further test. An EU type-proval granted to the most representative base vehicle remains valid
The light transmission factor is at least 60 % and the 'A' probstruction angle is not more than 10 degrees.  Test to be performed only with the complete/completed vehically the vehicle can be tested in accordance with Directive 70/157/E Concerning point 5.2.2.1 of Annex I to Directive 70/157/EEC, following limit values are applicable:  (a) 81 dB(A) for vehicles with an engine power of less to 75 kW;  (b) 83 dB(A) for vehicles with an engine power of not less to 75 kW but less than 150 kW;  (c) 84 dB(A) for vehicles with an engine power of not less to 150 kW.  U Test to be performed only with the complete/completed vehically vehicles up to 4 axless are to comply with all the requirements laid do in the relevant regulatory acts. Derogations are admitted for vehically acts are to comply with all the requirements laid do in the relevant regulatory acts. Derogations are admitted for vehically acts are to comply with all the requirements laid do in the relevant regulatory acts. Derogations are admitted for vehically acts are to comply with all the requirements laid do in the relevant regulatory acts. Derogations are admitted for vehically acts are to comply with all the requirements laid do in the relevant regulatory acts. Derogations are admitted for vehically acts are to comply with all the requirements laid do in the relevant regulatory acts. Derogations are admitted for vehically acts are to comply with all the requirements laid do in the relevant regulatory acts.		ovided that the registration plates of all Member States can be
Test to be performed only with the complete/completed vehicle can be tested in accordance with Directive 70/157/E Concerning point 5.2.2.1 of Annex I to Directive 70/157/EEC, following limit values are applicable:  (a) 81 dB(A) for vehicles with an engine power of less to 75 kW;  (b) 83 dB(A) for vehicles with an engine power of not less to 75 kW but less than 150 kW;  (c) 84 dB(A) for vehicles with an engine power of not less to 150 kW.  U Test to be performed only with the complete/completed vehicles up to 4 axles are to comply with all the requirements laid do in the relevant regulatory acts. Derogations are admitted for vehicles up to 4 axles, provided that:  (a) they are justified by the particular construction; and		ne light transmission factor is at least 60 % and the 'A' pillar
75 kW;  (b) 83 dB(A) for vehicles with an engine power of not less to 75 kW but less than 150 kW;  (c) 84 dB(A) for vehicles with an engine power of not less to 150 kW.  Test to be performed only with the complete/completed vehicles up to 4 axles are to comply with all the requirements laid do in the relevant regulatory acts. Derogations are admitted for vehicles up to 4 axles, provided that:  (a) they are justified by the particular construction; and		st to be performed only with the complete/completed vehicle. The vehicle can be tested in accordance with Directive 70/157/EEC. Concerning point 5.2.2.1 of Annex I to Directive 70/157/EEC, the
75 kW but less than 150 kW;  (c) 84 dB(A) for vehicles with an engine power of not less to 150 kW.  U Test to be performed only with the complete/completed vehicles up to 4 axles are to comply with all the requirements laid do in the relevant regulatory acts. Derogations are admitted for vehicle having more than 4 axles, provided that:  (a) they are justified by the particular construction; and		· /
150 kW.  U Test to be performed only with the complete/completed vehicles up to 4 axles are to comply with all the requirements laid do in the relevant regulatory acts. Derogations are admitted for vehicle having more than 4 axles, provided that:  (a) they are justified by the particular construction; and		
Vehicles up to 4 axles are to comply with all the requirements laid do in the relevant regulatory acts. Derogations are admitted for vehichaving more than 4 axles, provided that:  (a) they are justified by the particular construction; and		
		st to be performed only with the complete/completed vehicle. chicles up to 4 axles are to comply with all the requirements laid down the relevant regulatory acts. Derogations are admitted for vehicles ving more than 4 axles, provided that:
(b) all the braking performances, related to parking, service		they are justified by the particular construction; and
secondary braking laid down in the relevant regulatory act fulfilled.		secondary braking laid down in the relevant regulatory act are
U <sub>1</sub> ABS is not mandatory for vehicles with hydrostatic drive.		BS is not mandatory for vehicles with hydrostatic drive.
V Alternatively, Directive 97/68/EC may also apply. V <sub>1</sub> Alternatively, Directive 97/68/EC may also apply to vehicles v		ternatively, Directive 97/68/EC may also apply. ternatively, Directive 97/68/EC may also apply to vehicles with
hydrostatic drive.		drostatic drive.
test, provided that the back pressure is similar. If a new test is requi		odification of exhaust system length is permitted without any further st, provided that the back pressure is similar. If a new test is required,
test of tailpipe emissions and CO <sub>2</sub> /fuel consumption provided that emission control devices, including particulate filters (if any), are		extra 2dB(A) above the applicable limit is allowed. odification in the exhaust system is permitted without any further at of tailpipe emissions and CO <sub>2</sub> /fuel consumption provided that the mission control devices, including particulate filters (if any), are not feeted. If the evaporative control devices are kept as fitted by the

affected. If the evaporative control devices are kept as fitted by the

Changes to legislation: Regulation (EU) 2018/858 of the European Parliament and of the Council, ANNEX II is up to date with all changes known to be in force on or before 27 July 2024. There are changes that may be brought into force at a future date. Changes that have been made appear in the content and are referenced with annotations. (See end of Document for details)

manufacturer of the base vehicle, no new evaporative test is required on the modified vehicle.

An EU type-approval granted to the most representative base vehicle remains valid irrespective of change in the reference mass.

Modification of the routing, length of the refuelling duct, fuel hoses and fuel vapour pipes is permitted without further test. Re-location of the original fuel tank is permitted provided all requirements are met. However, further testing in accordance with Annex 5 to UN Regulation No 34 are not required.

The longitudinal plane of the intended wheelchair-travelling position should be parallel to the longitudinal plane of the vehicle.

Appropriate information is to be made available to the vehicle owner that, in order to withstand the forces transmitted by the tiedown mechanism during the various driving conditions, a wheelchair with a structure meeting the relevant part of ISO 7176-19:2008 is recommended.

The seats of the vehicle may be adapted without further testing, provided it can be demonstrated to the technical service that their anchorages, mechanisms and head restraints provide the same level of performance.

The luggage retention requirements set out in UN Regulation No 17 do not apply.

Compliance with the relevant regulatory act(s) is required for the boarding aids when in the resting position.

Each wheelchair location is to be provided with anchorages to which a wheelchair tie-down and occupant restraint system (WTORS) is to be fitted, and that complies with the additional provisions for testing the wheelchair tie-down and occupant restraint system set out in Appendix 2

Each wheelchair location is to be provided with an occupant restraint belt that complies with the additional provisions for testing the wheelchair tie-down and occupant restraint system of set out in Appendix 3.

When, due to the conversion, anchorage points for the safety belts need to be moved outside the tolerance provided for in paragraph 7.7.1 of UN Regulation No 16.06, the technical service is to check whether the alteration constitutes a worst case or not. If that is the case, the test provided for in paragraph 7.7.1. of UN Regulation No 16.06 is to be performed. Extension to the EU type-approval does not need to be issued. The test may be performed using components that have not undergone the conditioning test prescribed by UN Regulation No 16.06. For the purposes of calculations, the mass of the wheel-chair including the user is assumed to be 160 kg. The mass is to be concentrated at the P point of the surrogate wheelchair in its travelling position declared by the manufacturer.

Any limitation in the passenger capacity resulting from the use of wheelchair(s) is to be recorded in the owner's handbook, on side 2 of the EU type-approval certificate and in the certificate of conformity. Modification of the exhaust system length is permitted without the need for retesting, provided that the exhaust back pressure remains similar.

 $W_2$ 

 $W_3$ 

 $W_4$ 

 $W_5$ 

 $W_6$ 

 $W_8$ 

 $W_9$ 

 $\mathbf{Z}_1$ 

Status: Point in time view as at 31/01/2020.

Changes to legislation: Regulation (EU) 2018/858 of the European Parliament and of the Council, ANNEX II is up to date with all changes known to be in force on or before 27 July 2024. There are changes that may be brought into force at a future date. Changes that have been made appear in the content and are referenced with annotations. (See end of Document for details)

Y Provided that all mandatory lighting devices are installed.

Z The requirements on the protrusion of open windows do not apply to the living compartment.

Mobile cranes with more than six axles are considered to be off-road vehicles  $(N_3G)$  when at least three axles are driven and provided they meet the provisions of point 4.3(b)(ii) and (iii), as well as point 4.3(c)

of Part A of Annex I.

- (1) For subsequent amendments, see UNECE TRANS/WP.29/343.
- (2) In the absence of a registration document, the competent authority may refer to available documented evidence of date of manufacture or documented evidence of first purchase.

### **Status:**

Point in time view as at 31/01/2020.

## **Changes to legislation:**