Commission Implementing Regulation (EU) 2020/1799 of 30 November 2020 concerning the authorisation of a preparation of 6-phytase produced by Komagataella phaffii CGMCC 12056 as a feed additive for laying hens and other laying birds (holder of authorisation: Andrés Pintaluba S.A.) (Text with EEA relevance)

COMMISSION IMPLEMENTING REGULATION (EU) 2020/1799

of 30 November 2020

concerning the authorisation of a preparation of 6-phytase produced by *Komagataella phaffii* CGMCC 12056 as a feed additive for laying hens and other laying birds (holder of authorisation: Andrés Pintaluba S.A.)

(Text with EEA relevance)

THE EUROPEAN COMMISSION,

Having regard to the Treaty on the Functioning of the European Union,

Having regard to Regulation (EC) No 1831/2003 of the European Parliament and of the Council of 22 September 2003 on additives for use in animal nutrition⁽¹⁾, and in particular Article 9(2) thereof,

Whereas:

- (1) Regulation (EC) No 1831/2003 provides for the authorisation of additives for use in animal nutrition and for the grounds and procedures for granting such authorisation.
- (2) In accordance with Article 7 of Regulation (EC) No 1831/2003 an application was submitted for the authorisation of a preparation of 6-phytase. That application was accompanied by the particulars and documents required under Article 7(3) of Regulation (EC) No 1831/2003.
- (3) The application concerns the authorisation of a preparation of 6-phytase produced by *Komagataella phaffii* CGMCC 12056 as a feed additive for laying hens and other laying birds to be classified in the additive category 'zootechnical additives' and in the functional group 'digestibility enhancers'.
- (4) The European Food Safety Authority ('the Authority') concluded in its opinion of 7 May 2020⁽²⁾ that, under the proposed conditions of use, the preparation of 6-phytase produced by *Komagataella phaffii* CGMCC 12056 does not have an adverse effect on the health of laying hens and other laying birds, consumer safety or the environment. It was also concluded that the additive should be considered as a potential respiratory sensitiser. Therefore, the Commission considers that appropriate protective measures should be taken to prevent adverse effects on human health, in particular as regards the users of the additive. The Authority concluded that the additive is efficacious as a zootechnical additive in improving the digestibility of the diets in laying hens and other laying birds. The Authority does not consider that there is a need for specific requirements of post-market monitoring. It also verified the report on the method of

analysis of the feed additive in feed submitted by the Reference Laboratory set up by Regulation (EC) No 1831/2003.

- (5) The assessment of the preparation of 6-phytase produced by *Komagataella phaffii* CGMCC 12056 shows that the conditions for authorisation, as provided for in Article 5 of Regulation (EC) No 1831/2003, are satisfied. Accordingly, the use of that preparation should be authorised as specified in the Annex to this Regulation.
- (6) The measures provided for in this Regulation are in accordance with the opinion of the Standing Committee on Plants, Animals, Food and Feed,

HAS ADOPTED THIS REGULATION:

Article 1

The preparation specified in the Annex, belonging to the additive category 'zootechnical additives' and to the functional group 'digestibility enhancers', is authorised as an additive in animal nutrition, subject to the conditions laid down in that Annex.

Article 2

This Regulation shall enter into force on the twentieth day following that of its publication in the *Official Journal of the European Union*.

This Regulation shall be binding in its entirety and directly applicable in all Member States.

Done at Brussels, 30 November 2020.

For the Commission

The President

Ursula VON DER LEYEN

ANNEX

of the holder	/ tuuntiv	chemica formula	alor 1, categor	age	Unit of	content		End onsf period of
	sation				of comp feeding with a moistur	plete stuff re		authorisatio
y of zoot	echnical a	additives.	Function	al grou	ıp: digestil	bility enh	ancers	
Andrés Pintalub S.A.	(EČ	<i>composit</i> Preparati of 6- phytase (EC 3.1.3.26) produced by <i>Komagan</i> <i>phaffii</i> (CGMC0 12056) having a minimun activity of: Solid form: 20 000 U ^a /g Liquid form: 20 000 U/ml	iboens camd other laying birds l taella		300 U		1.	21.12.2030 In the directions for use of the additive and premixtures, the storage conditions and stability to heat treatment shall be indicated. For users of the additive and premixtures, feed business
	e of authori y of zoot Andrés Pintalub	e of authorisation y of zootechnical a Andrés 6- Pintalubaphytase S.A. (EC	e of authorisation descrip analytic method y of zootechnical additives. Andrés 6- Pintalubaphytase S.A. (EC 3.1.3.26) produced by <i>Komagai</i> <i>phaffii</i> (CGMC0 12056) having a minimun activity of: Solid form: 20 000 U*/g Liquid form: 20 000 U*/g	e of authorisation descriptiofi, analyticalinimal method y of zootechnical additives. Function Andrés 6- Pintalubaphytase S.A. (EC 3.1.3.26) of 6- phytase laying (EC 3.1.3.26) of 6- other phytase laying birds 3.1.3.26) produced by <i>Komagataella</i> <i>phaffii</i> (CGMCC 12056) having a minimum activity of: Solid form: 20 000 U ^a /g Liquid form: 20 000 U ^a /g	holder e of authorisationformula, category descriptiofi, analyticalnimal methody of zootechnical additives. Functional groutAndrés6- Pintalubaphytase S.A.S.A.(EC Preparaticand 3.1.3.26)3.1.3.26)of 6- other phytase laying (EC birds 3.1.3.26)J. diamonda produced by Komagataella phaffii (CGMCC 12056) having a minimum activity of: Solid form: 20 000 U"alg Liquid form: 20 000 U/ml	holder o f authorisationformula, category descriptiofi, analyticalininal methodUnit of activity of comp feeding with a moistur content %y of zoote-thnical additives. Functional group: digestilAndrés6- Additive laying compositions300 UAndrés6- Preparationd 3.1.3.26)Additive phytase laying (EC birds 3.1.3.26)300 US.A.(EC phytase laying (EC birds 3.1.3.26)300 UWork Comagataella phaffii (CGMCC 12056) having a minimum activity of: Solid form: 20 000300 U	holder o f authorisationformula, category descriptiof, analyticalnimal methodUnit of activity/kg of complete feedingstuff with a moisture content of 12 %y of zootechnical additives. Functional group:digestibility enhAndrés6- Preparatiamd300 US.A.(EC Preparatiamd300 U3.1.3.26) produced by Komagataella phaffii (CGMCC 12056) having a minimum activity of: Solid form: 20 000 U"/g Liquid form: 20 000 U"/g Liquid form: 20 000 U/ml300 U	holder of authorisationformula.category descriptiof, analyticalanimal methodUnit of activity/kg of complete feedingstuff with a moisture content of 12 %y of zoote-thical additives. Functional group:digestibility enhancersAndrés6-Additive laying compositions300 UPintalubarphytaseAdditive compositions300 U1.S.A.(ECPreparati phytase laying (EC300 U1.S.A.(ECbirds phytase laying (EC300 U1.S.A.(ECbirds phytase laying (EC1.S.A.(ECbirds phytase laying (EC1.3.26) produced by Komagataella phafii (CGMCC 12056) having a minimum activity of: Solid form: 20 0002.U'ndCharacterisation of the active2.

a One unit is the amount of enzyme which releases one micromole of inorganic phosphate from phytate per minute at pH 5,5 and 37 °C.

b Details of the analytical methods are available at the following address of the Reference Laboratory: https://ec.europa.eu/ jrc/en/eurl/feed-additives/evaluation-reports

produced by fermentation with <i>Komagataella</i> <i>phaffii</i> CGMCC 12056 <i>Analytical</i> <i>method</i> ^b For the quantification of phytase activity in the feed additive: — colorimetri method based on the enzymatic reaction of phytase on the phytase on the phytase on the phytate – VDLUFA 27.1.4 For the quantification of phytase on the phytate –		operational procedures and organisational measures to address potential risks resulting from its use. Where those risks cannot be eliminated or reduced to a minimum by such procedures and measures, the additive and premixtures shall be used with personal protective equipment, including breathing
activity in		personal protective equipment,
	ic	including

a One unit is the amount of enzyme which releases one micromole of inorganic phosphate from phytate per minute at pH 5,5 and 37 °C.

b Details of the analytical methods are available at the following address of the Reference Laboratory: https://ec.europa.eu/ jrc/en/eurl/feed-additives/evaluation-reports

	For the quantific of phytase activity in feed materials and compour feed:	nd colorime method based on the enzymat reaction of phytase on the phytate –	tric		

a One unit is the amount of enzyme which releases one micromole of inorganic phosphate from phytate per minute at pH 5,5 and 37 °C.

b Details of the analytical methods are available at the following address of the Reference Laboratory: https://ec.europa.eu/ jrc/en/eurl/feed-additives/evaluation-reports

- (**1**) OJ L 268, 18.10.2003, p. 29.
- (2) *EFSA Journal* 2020;18(5): 6142.

Changes to legislation:

There are currently no known outstanding effects for the Commission Implementing Regulation (EU) 2020/1799.