STATUTORY RULES OF NORTHERN IRELAND

2015 No. 351

ENVIRONMENTAL PROTECTION

The Water Framework Directive (Classification, Priority Substances and Shellfish Waters)
Regulations (Northern Ireland) 2015

Made - - - - 2nd October 2015

Coming into operation 23rd October 2015

The Department of the Environment being a Department designated M1 for the purposes of section 2(2) of the European Communities Act 1972 M2 in relation to the Environment acting in exercise of the powers conferred upon it by that section and by Article 5 of the Water (Northern Ireland) Order 1999 M3 makes the following Regulations:

Modifications etc. (not altering text)

- C1 Regulations power to amend or modify conferred (9.1.2022 for specified purposes, 28.2.2022 in so far as not already in force for N.I.) by Environment Act 2021 (c. 30), ss. 89, 147(2)(1)(6) (with s. 144); S.R. 2022/54, art. 2(1)(n)
- C2 Regulations power to amend or modify conferred (28.2.2022) by Environment Act 2021 (c. 30), ss. 91, 147(6) (with s. 144); S.R. 2022/54, art. 2(1)(o)

Marginal Citations

M1 S.I. 2008/301

M2 1972 c.68

M3 S.I. 1999/662 (N.I. 6)

Citation and commencement N.I.

1. These Regulations may be cited as the Water Framework Directive (Classification, Priority Substances and Shellfish Waters) Regulations (Northern Ireland) 2015 and shall come into operation on 23 October 2015.

Interpretation N.I.

2.—(1) In these Regulations—

F1

[F2"the 2017 Regulations" means the Water Environment (Water Framework Directive) Regulations (Northern Ireland) 2017;]

"biological boundary value" in respect of biological quality elements means the classification boundaries for ecological status as set out in Annex V of the Water Framework Directive and as agreed following the EU intercalibration exercise ^{M4};

"biota taxon" means a particular aquatic taxon within the taxonomic rank "sub-phylum", "class" or their equivalent;

"cyprinid waters" means a type of lake or river which, in the Department's judgement, would support a sustainable fish population dominated by cyprinid species;

"Directive 2009/90/EC" means Commission Directive 2009/90/EC laying down, pursuant to Directive 2000/60/EC of the European Parliament and of the Council, technical specifications for chemical analysis and monitoring of water status ^{M5};

"existing obligations" means the obligations (on environmental quality standards in the field of water policy) under Directive 2008/105/EC of the European Parliament and of the Council ^{M6} ("the original Directive") before it was amended by Directive 2013/39/EU of the European Parliament and of the Council ^{M7} including, in particular, the achievement of good surface water chemical status in relation to the substances and the associated environmental quality standards listed in the original Directive;

"matrix" means a compartment of the aquatic environment, namely water, sediment or biota;

"mixing zone" means an area designated in accordance with Article 4 of the Directive;

"river basin district" has the same meaning as in [F3the 2017 Regulations] and, for the purposes of these regulations, shall include "international river basin district" as also defined in [F3the 2017 Regulations];

[F4c; river basin management plan" has the same meaning as in the 2017 Regulations]

"salmonid waters" means a type of lake or river which, in the Department's judgement, would support a sustainable fish population dominated by salmonid species;

[F5" shellfish waters" means a shellfish water protected area designated in accordance with regulation 9 of the 2017 Regulations;]

"the Department" means the Department of the Environment;

"the Directive" means Directive 2008/105/EC of the European Parliament and of the Council of 16 December 2008 on environmental quality standards in the field of water policy M8 as amended by Directive 2013/39/EU of the European Parliament and of the Council M9;

"the Water Framework Directive" means Directive 2000/60/EC of the European Parliament and of the Council of 23 October 2000 establishing a Framework for Community Action in the Field of Water Policy M10 as last amended by Commission Directive 2014/101/EU M11.

- (2) Any word or expression used in these Regulations and the Directive, the Water Framework Directive, Directive 2009/90/EC, or [F6the 2017 Regulations] and not otherwise defined in these Regulations shall have the same meaning for the purposes of these Regulations as it has for the purposes of the applicable Directive or Regulations.
- (3) The Interpretation Act (Northern Ireland) 1954 $^{\rm M12}$ applies to these Regulations as it applies to an Act of the Assembly.
- [^{F7}(4) For the purposes of these Regulations, references to the Water Framework Directive, the Directive and Directive 2009/90/EC or to a provision of one of those Directives, are to be read in accordance with Schedule 6 (Modifications of Directives).]

Textual Amendments

- F1 Words in reg. 2(1) omitted (with application in accordance with reg. 1(b), 4(1) of the amending Rule) by virtue of The Water Environment (Water Framework Directive) Regulations (Northern Ireland) 2017 (S.R. 2017/81), reg. 1(a), Sch. 4 para. 1(2)(a) (with reg. 37)
- Words in reg. 2(1) inserted (with application in accordance with reg. 1(b), 4(1) of the amending Rule) by The Water Environment (Water Framework Directive) Regulations (Northern Ireland) 2017 (S.R. 2017/81), reg. 1(a), Sch. 4 para. 1(2)(b) (with reg. 37)
- **F3** Words in reg. 2(1) substituted (with application in accordance with reg. 1(b), 4(1) of the amending Rule) by The Water Environment (Water Framework Directive) Regulations (Northern Ireland) 2017 (S.R. 2017/81), reg. 1(a), **Sch. 4 para. 1(2)(c)** (with reg. 37)
- F4 Words in reg. 2(1) substituted (with application in accordance with reg. 1(b), 4(1) of the amending Rule) by The Water Environment (Water Framework Directive) Regulations (Northern Ireland) 2017 (S.R. 2017/81), reg. 1(a), Sch. 4 para. 1(2)(d) (with reg. 37)
- Words in reg. 2(1) substituted (with application in accordance with reg. 1(b), 4(1) of the amending Rule) by The Water Environment (Water Framework Directive) Regulations (Northern Ireland) 2017 (S.R. 2017/81), reg. 1(a), Sch. 4 para. 1(2)(e) (with reg. 37)
- F6 Words in reg. 2(2) substituted (with application in accordance with reg. 1(b), 4(1) of the amending Rule) by The Water Environment (Water Framework Directive) Regulations (Northern Ireland) 2017 (S.R. 2017/81), reg. 1(a), Sch. 4 para. 1(3) (with reg. 37)
- F7 Reg. 2(4) inserted (31.12.2020) by The Water (Amendment) (Northern Ireland) (EU Exit) Regulations 2019 (S.I. 2019/112), regs. 1(1), 11(2); 2020 c. 1, Sch. 5 para. 1(1)

Marginal Citations

- M4 EU Commission Decision 2013/480/EU
- **M5** OJ L201, 1.8.2009, p.36
- **M6** OJ L348, 16.12.2008, p.84
- **M7** OJ L226, 24.8.2013, p.1
- **M8** OJ L348, 16.12.2008, p.84
- **M9** OJ L226, 24.08.2013, P.1
- M10 OJ L327,22.12.2000, p.1-73; as amended by Decision 2455/2001/EC (OJ L331, 15.12.2001, p.1), Directive 2008/32/EC (OJ L81, 20.3.2008, p.60), Directive 2008/105/EC (OJ L348, 24.12.2008, p.84), Directive 2009/31/EC (OJ L140, 5.6.2009, p.114), Directive 2013/39/EU (OJ L226, 24.8.2013, p.1) and Commission Directive 2014/101/EU (OJ L311, 31.10.2014, p.32).
- **M11** OJ L311, 31.10.2014, p.32
- **M12** 1954 c.33 (N.I.)

Typology and Environmental Standards N.I.

- **3.**—(1) The Department, in exercising the functions listed in paragraph (2) must in respect of the rivers, lakes, transitional waters and coastal waters—
 - (a) assign a Type or Types in accordance with Part 1 of Schedule 1; and
 - (b) apply environmental standards and biological boundary values to each river, lake, transitional water and coastal water, or part thereof, according to its assigned Type or Types, in accordance with Part 2 and Part 3 of Schedule 1.
 - $I^{F8}(2)$ The functions listed in paragraph (1) are
 - (a) analysis and review of the characterisation of each river basin district in accordance with regulation 5(2) of the 2017 Regulations;
 - (b) monitoring of the status of the water environment in each river basin district in accordance with regulation 11 of the 2017 Regulations;

- (c) setting of environmental objectives for each body of surface water in each river basin district in accordance with regulation 12(1)(a) of the 2017 Regulations;
- (d) preparing programmes of measures to achieve those objectives in accordance with regulation 12(1)(b) of the 2017 Regulations.]

Textual Amendments

F8 Reg. 3(2) substituted (with application in accordance with reg. 1(b), 4(1) of the amending Rule) by The Water Environment (Water Framework Directive) Regulations (Northern Ireland) 2017 (S.R. 2017/81), reg. 1(a), Sch. 4 para. 1(4) (with reg. 37)

Environmental standards for priority substances N.I.

4. Without prejudice to existing obligations and subject to regulation 5, the Department must apply the environmental quality standards set out in Part 2 of Schedule 1 for the priority substances numbered 1-33 in Table 47 of Part 2 of Schedule 1 to surface waters or parts thereof.

N.I.

5. For the priority substances numbered 2, 5, 15, 20, 22, 23 and 28 in Table 47 of Part 2 of Schedule 1, with the aim of achieving good surface water chemical status in relation to those substances by 22 December 2021 by means of the programme of measures included in the river basin management plans (or an update of them), the environmental quality standards that apply are those applicable on the dates set out in column 4 of that Table. For all other priority substances numbered 1-33, the environmental quality standard set out in Table 47 of Part 2 of Schedule 1 applies from the date these Regulations come into force.

N.I.

- **6.** Without prejudice to existing obligations, for the priority substances numbered 34 to 45 in Table 47 of Part 2 of Schedule 1, with the aim of achieving good surface water chemical status in relation to those substances by 2027 and preventing deterioration in the chemical status of surface water bodies in relation to those substances, the Department must—
 - (a) from 22 December 2018, apply the environmental quality standards set out in Table 47 of Part 2 of Schedule 1 for those substances;
 - (b) by 22 December 2018, establish and submit to the Commission a supplementary monitoring programme and a preliminary programme of measures covering those substances;
 - (c) establish a final programme of measures for those substances by 22 December 2021; and
 - (d) make the final programme of measures fully operational as soon as possible after 22 December 2021, and not later than 22 December 2024.

N.I.

- 7. Subject to regulation 8—
 - (a) for the priority substances numbered 5, 15, 16, 17, 21, 28, 34, 35, 37, 43 and 44 in Table 47 of Part 2 of Schedule 1 the Department must apply the biota environmental quality standards laid down in column 9 of that Table;
 - (b) for all other substances numbered in Table 47 of Part 2 of Schedule 1, the Department must apply the water environmental quality standards in accordance with that Table.

N.I.

- **8.**—(1) Subject to the conditions in paragraphs (2) and (3), the Department may, in relation to one or more categories of surface water, apply an environmental quality standard for a matrix other than the matrix specified in column 9 of Table 47 of Part 2 of Schedule 1 or, if applicable, an environmental quality standard for a biota taxon other than those specified in that Table.
 - (2) The first condition is that the Department applies either—
 - (a) the relevant environmental quality standard laid down in Table 47 of Part 2 of Schedule 1; or
 - (b) if there is no relevant environmental quality standard laid down in that Table for the alternative matrix or biota taxon, an environmental quality standard that offers at least the same level of protection as that provided by an environment quality standard established for a matrix or biota taxon—
 - (i) in Table 47 of Part 2 of Schedule 1; and
 - (ii) according to technical knowledge and expert judgement, is equivalent to the alternative matrix or biota taxon.
- (3) The second condition is that the Department's method of analysis for the chosen matrix or biota taxon fulfils the minimum performance criteria laid down in Article 4 of Directive 2009/90/EC. Where those criteria are not met for any matrix, the monitoring must be carried out using the best available techniques not entailing excessive costs and the method of analysis for the relevant substance must perform at least as well as that available for the matrix specified in regulation 7.

Monitoring N.I.

- **9.** Where a potential risk to, or via, the aquatic environment from acute exposure to one of the substances listed in Table 47 of Part 2 of Schedule 1 has been identified as a result of measured or estimated environmental concentrations or emissions, and where a biota or sediment environmental quality standard is being applied, the Department must—
 - (a) monitor the surface water; and
 - (b) where such environmental quality standards have been established, apply the MAC-EQS laid down in that Table.

N.I.

10. Where, pursuant to Article 5 of Directive 2009/90/EC, the calculated mean value of a measurement, when carried out using the best available technique not entailing excessive costs, is referred to as "less than limit of quantification", and the limit of quantification of that technique is above the environmental quality standard, the Department must not use the result for the substance for the purposes of assessing the overall chemical status of that water body.

N.I.

11. For substances for which an environmental quality standard for sediment and/or biota is applied, the Department must, unless regulation 12 applies, monitor the substance in the relevant matrix at least once every year, unless technical knowledge and expert judgement justify another interval.

N.I.

- 12. The Department may monitor the substances numbered 5, 21, 28, 30, 35, 37, 43 and 44 in Table 47 of Part 2 of Schedule 1 less intensively than is required for priority substances under regulation 11 and Annex V to the Water Framework Directive, provided that the monitoring—
 - (a) is representative and a statistically robust baseline is available regarding the presence of those substances in the aquatic environment; and
 - (b) takes place for each of the substances at least every three years, unless technical knowledge and expert judgment justify another interval.

N.I.

- 13.—(1) On the basis of monitoring of surface water status carried out in accordance with Article 8 of the Water Framework Directive, the Department must conduct a long-term trend analysis of concentrations of those priority substances listed in Table 47 of Part 2 of Schedule 1 that tend to accumulate in sediment and/or biota, giving particular consideration to the substances numbered 2, 5, 6, 7, 12, 15, 16, 17, 18, 20, 21, 26, 28, 30, 34, 35, 36, 37, 43 and 44.
- (2) The Department must take measures aimed at ensuring, subject to Article 4 of the Water Framework Directive, that such concentrations do not significantly increase in sediment and/or relevant biota.

N.I.

14. The Department must carry out monitoring under regulation 13(1) in sediment and/or biota so as to provide sufficient data for a reliable long-term trend analysis. The monitoring should take place every three years, unless the Department's technical knowledge and expert judgement justify another interval.

Watch List N.I.

- **15.**—(1) The Department must, within the deadlines set out in paragraph (3), monitor each substance in the watch list produced by the Commission ^{M13}[^{F9}, immediately before exit day,] under Article 8b (1) and (2) of the Directive.
 - (2) The monitoring referred to in paragraph (1) must be carried out—
 - (a) at selected monitoring stations over at least a 12-month period; and
 - (b) in accordance with any Commission guidance published for these purposes under Article 8b of the [F10 the Directive][F11, immediately before exit day].
 - (3) The Department must select at least one monitoring station.
 - (4) The 12-month monitoring period must—
 - (a) for each substance included in the watch list as first established by Commission Implementing Decision (EU) 2015/495 M14, commence on 24th October 2015; and
 - (b) for each substance included in subsequent lists [F12produced immediately before exit day], commence within six months of its inclusion in the list.
- (5) In selecting representative monitoring stations, and the monitoring frequency and timing for each substance, the Department must—
 - (a) take into account the use patterns and possible occurrence of the substance; and
 - (b) ensure that monitoring is carried out at each station at least once per year.

Textual Amendments

- **F9** Words in reg. 15(1) inserted (31.12.2020) by The Water (Amendment) (Northern Ireland) (EU Exit) Regulations 2019 (S.I. 2019/112), regs. 1(1), **11(3)(a)**; 2020 c. 1, Sch. 5 para. 1(1)
- F10 Words in reg. 15(2)(b) substituted (24.12.2018) by The Environment (Miscellaneous Amendments) Regulations (Northern Ireland) 2018 (S.R. 2018/200), reg. 1(1), Sch. 2 para. 13
- Words in reg. 15(2)(b) inserted (31.12.2020) by The Water (Amendment) (Northern Ireland) (EU Exit) Regulations 2019 (S.I. 2019/112), regs. 1(1), **11(3)(b)**; 2020 c. 1, Sch. 5 para. 1(1)
- **F12** Words in reg. 15(4)(b) inserted (31.12.2020) by The Water (Amendment) (Northern Ireland) (EU Exit) Regulations 2019 (S.I. 2019/112), regs. 1(1), **11(3)(c)**; 2020 c. 1, Sch. 5 para. 1(1)

Marginal Citations

- M13 Commission Implementing Decision 2015/495. OJ L 78, 24.3.2015, p40
- **M14** OJ L78, 24.3.2015, p40

N.I.

[F1316. The Department may opt not to undertake additional monitoring under the watch list mechanism for a particular substance if the Department has sufficient, comparable, representative and recent monitoring data for the substance from existing monitoring programmes or studies.]

Textual Amendments

F13 Reg. 16 substituted (31.12.2020) by The Water (Amendment) (Northern Ireland) (EU Exit) Regulations 2019 (S.I. 2019/112), regs. 1(1), **11(4)**; 2020 c. 1, Sch. 5 para. 1(1)

N.I.

- 17.—(1) The Department must [F14publish] the results of the monitoring carried out pursuant to regulation 15 F15... in accordance with the following deadlines—
 - (a) for the first watch list, within 21 months of the establishment of the watch list; and every 12 months thereafter while the substance is kept on the list.
 - (b) for each substance included in subsequent lists, within 21 months of the inclusion of the substance in the watch list, and every 12 months thereafter while the substance is kept on the list.
- (2) The [F16 results] referred to in paragraph (1) must include information on the representativeness of the monitoring stations and monitoring strategy.

Textual Amendments

- **F14** Word in reg. 17(1) substituted (31.12.2020) by The Water (Amendment) (Northern Ireland) (EU Exit) Regulations 2019 (S.I. 2019/112), regs. 1(1), 11(5)(a)(i); 2020 c. 1, Sch. 5 para. 1(1)
- **F15** Words in reg. 17(1) omitted (31.12.2020) by virtue of The Water (Amendment) (Northern Ireland) (EU Exit) Regulations 2019 (S.I. 2019/112), regs. 1(1), **11(5)(a)(ii)**; 2020 c. 1, Sch. 5 para. 1(1)
- **F16** Word in reg. 17(2) substituted (31.12.2020) by The Water (Amendment) (Northern Ireland) (EU Exit) Regulations 2019 (S.I. 2019/112), regs. 1(1), **11(5)(b)**; 2020 c. 1, Sch. 5 para. 1(1)

Intermittent Standards N.I.

18. The Department must apply the standards for intermittent discharges specified in Part 4 of Schedule 1.

Standards for shellfish waters N.I.

- 19.—(1) The Department must apply the standards for shellfish waters specified in Table 1 of Part 1 of Schedule 5 and endeavour to respect the guideline standard for salinity in Table 2 of Part 1 of Schedule 5.
- (2) The Department must endeavour to respect the guideline values and comments specified in Part 2 of Schedule 5.

Classification of surface waters N.I.

- **20.**—(1) Subject to paragraph (2), the Department must classify each body of surface water identified for the purposes of [F17 regulation 6 of the 2017 Regulations] according to its ecological status, or its ecological potential as the case may be, and its chemical status.
 - (2) The Department must classify—
 - (a) the ecological status of bodies of surface water in accordance with Part 1 of Schedule 2;
 - (b) the chemical status of bodies of surface water in accordance with Part 2 of Schedule 2;
 - (c) the ecological potential of heavily modified and artificial bodies of surface water in accordance with Part 3 of Schedule 2.
- (3) The results of classification in accordance with paragraph (1) and paragraph (2) must be reported within each river basin management plan as follows—
 - (a) a map for the relevant river basin district illustrating the classification of the ecological status for each body of surface water, colour-coded in accordance with Table 1 of Schedule 4;
 - (b) a map for the relevant river basin district illustrating the classification of the ecological potential of each body of surface water designated as artificial or heavily modified, colour-coded in accordance with Table 2 of Schedule 4;
 - (c) a black dot on the relevant map produced under sub-paragraphs (a) and (b) to indicate each body of surface water where failure to achieve good status or good ecological potential is due to non-compliance with one or more of the environmental quality standards that have been established for relevant specific pollutants;
 - (d) a map for the relevant river basin district illustrating the classification of chemical status for each body of surface water, colour-coded in accordance with Table 3 of Schedule 4.
- (4) The overall status of bodies of surface water must be determined in accordance with Part 5 of Schedule 2.
- (5) The Department must review the classification required by paragraph (1) at least once in every six years ^{F18}....

Textual Amendments

- F17 Words in reg. 20(1) substituted (with application in accordance with reg. 1(b), 4(1) of the amending Rule) by The Water Environment (Water Framework Directive) Regulations (Northern Ireland) 2017 (S.R. 2017/81), reg. 1(a), Sch. 4 para. 1(5) (with reg. 37)
- **F18** Words in reg. 20(5) omitted (31.12.2020) by virtue of The Water (Amendment) (Northern Ireland) (EU Exit) Regulations 2019 (S.I. 2019/112), regs. 1(1), **11(6)**; 2020 c. 1, Sch. 5 para. 1(1)

Classification of Groundwater N.I.

- **21.**—(1) The Department must classify each body of groundwater identified for the purposes of [F19 regulation 6 of the 2017 Regulations] according to its chemical status in accordance with regulation 9 of the Groundwater Regulations (Northern Ireland) 2009 M15.
- (2) The Department must classify each body of groundwater identified for the purposes of [F20] regulation 6 of the 2017 Regulations] according to its quantitative status in accordance with Schedule 3.
- (3) The results of classification in accordance with paragraph (1) and paragraph (2) must be reported within each river basin management plan as follows—
 - (a) a map for the relevant river basin district illustrating the classification of the chemical status for each body of groundwater, colour-coded in accordance with Table 4 of Schedule 4;
 - (b) a map for the relevant river basin district illustrating the classification of the quantitative status for each body of groundwater, colour-coded in accordance with Table 5 of Schedule 4.
- (4) The Department must review the classification required by paragraphs (1) and (2) at least once in every six years ^{F21}....

Textual Amendments

- F19 Words in reg. 21(1) substituted (with application in accordance with reg. 1(b), 4(1) of the amending Rule) by The Water Environment (Water Framework Directive) Regulations (Northern Ireland) 2017 (S.R. 2017/81), reg. 1(a), Sch. 4 para. 1(6) (with reg. 37)
- **F20** Words in reg. 21(2) substituted (with application in accordance with reg. 1(b), 4(1) of the amending Rule) by The Water Environment (Water Framework Directive) Regulations (Northern Ireland) 2017 (S.R. 2017/81), reg. 1(a), **Sch. 4 para. 1(7)** (with reg. 37)
- **F21** Words in reg. 21(4) omitted (31.12.2020) by virtue of The Water (Amendment) (Northern Ireland) (EU Exit) Regulations 2019 (S.I. 2019/112), regs. 1(1), **11(6)**; 2020 c. 1, Sch. 5 para. 1(1)

Marginal Citations

M15 S.R. 2009 No. 254

Designation of Mixing Zones N.I.

- **22.**—(1) The Department may designate mixing zones adjacent to points of discharge.
- (2) Concentrations of one or more substances listed in Table 47 of Part 2 of Schedule 1 may exceed the relevant standards within mixing zones if they do not affect the compliance of the rest of the body of surface water with those standards.
- (3) The extent of any mixing zone must be restricted to the proximity of the point of discharge and must be proportionate, having regard to concentrations of pollutants at the point of discharge and any conditions contained within the discharge consent or permit.
- (4) The Department must include information about designated mixing zones in river basin management plans. The information must include a description of:
 - (a) the approaches and methodologies applied to define mixing zones;
 - (b) measures taken with a view to reducing the extent of mixing zones in the future.

Inventory of emissions, discharges and losses N.I.

- **23.**—(1) The Department must continue to maintain an inventory, including maps if available, of emissions, discharges and losses of all substances and pollutants listed in Table 47 of Part 2 of Schedule 1 for each river basin district or part of a river basin district, including their concentrations in sediment and biota, as appropriate.
- (2) The Department must continue to update the inventories as part of the review of the analyses specified in Article 5(2) of the Water Framework Directive, and must publish the updated inventories in the corresponding river basin management plan.
- (3) The reference period for the establishment of values in the inventories referred to in paragraph 1 must be the year before that analysis is to be completed, with the exception of priority substances or pollutants covered by Directive 91/414/EEC, where the entries may be calculated as the average of the three years before the completion of that analysis.

Transboundary Pollution N.I.

- **24.**—(1) If the Department is found to be in breach of its obligations under the Directive as a result of the exceedance of an environmental quality standard it shall be a defence for the Department if it can demonstrate that—
 - (a) the exceedance was due to a source of pollution outside its jurisdiction;
 - (b) it was unable as a result of such transboundary pollution to take effective measures to comply with the relevant environmental quality standard; and
 - (c) it had applied the coordination mechanisms set out in Article 3 of the Water Framework Directive and, as appropriate, taken advantage of the provisions of Article 4(4), (5) and (6) of that Directive for those water bodies affected by transboundary pollution.
- [F22(2)] The Department must record measures it has taken to address the issue of transboundary pollution in the relevant river basin management plan.]

Textual Amendments

F22 Reg. 24(2) substituted (31.12.2020) by The Water (Amendment) (Northern Ireland) (EU Exit) Regulations 2019 (S.I. 2019/112), regs. 1(1), **11(7)**; 2020 c. 1, Sch. 5 para. 1(1)

Coordination N.I.

^{F23}25.

Textual Amendments

F23 Reg. 25 omitted (31.12.2020) by virtue of The Water (Amendment) (Northern Ireland) (EU Exit) Regulations 2019 (S.I. 2019/112), regs. 1(1), **11(8)**; 2020 c. 1, Sch. 5 para. 1(1)

Information to be included in River Basin Management Plan N.I.

- **26.**—(1) The Department must include the following information in the updated river basin management plans produced in accordance with Article 13(7) of the Water Framework Directive—
 - (a) a table presenting the limits of quantification of the methods of analysis applied, and information on the performance of those methods in relation to the minimum performance criteria in Article 4 of Directive 2009/90/EC;

- (b) for the substances for which the option in regulation 8 is used-
 - (i) the reasons and basis for using that option;
 - (ii) where relevant, the alternative environmental quality standard established evidence that those environmental quality standards would offer at least the same level of protection as the environmental quality standards laid down in Table 47 of Part 2 of Schedule 1, including the data and methodology used to derive the environmental quality standards, and the categories of surface water to which they would apply;
 - (iii) for comparison with the information referred to in paragraph (a), the limits of quantification of the methods of analysis for the matrices specified in Table 47 of Part 2 of Schedule 1, including information on the performance of those methods in relation to the minimum performance criteria laid down in Article 4 of Directive 2009/90/EC.
- (c) justification for the frequency of monitoring applied in accordance with regulations 11 and 12, if monitoring intervals are longer than one year.
- (2) The Department must take measures to ensure that the updated river basin management plans, containing the results and impact of the measures taken to prevent chemical pollution of surface water, and the interim report describing progress on the implementation of the planned programme of measures in accordance with Article 15(3) of the Water Framework Directive, are provided through a central portal which is accessible to the public electronically in accordance with Article 7(1) of Directive 2003/4/EC of the European Parliament and of the Council on public access to environmental information M16.

Marginal Citations

M16 OJ L41, 14.2.2003, p.26

Revocations and Savings N.I.

27. The Water Framework Directive (Priority Substances and Classification) Regulations (Northern Ireland) 2011 M17 are revoked.

Marginal Citations

M17 S.R. 2011 No.10

N.I.

28. The Water Framework Directive (Priority Substances and Classification) (Amendment) Regulations (Northern Ireland) 2012 M18 are revoked.

Marginal Citations

M18 S.R. 2012 No.442

N.I.

29. The Water Framework Directive (Priority Substances and Classification) (Amendment) Regulations (Northern Ireland) 2015 M19 are revoked.

| Marginal Citations | |
|----------------------------|--|
| M19 S.R. 2015 No.45 | |

Sealed with the Official Seal of the Department of the Environment on 2nd October 2015.

L.S.

Dave Foster
A senior officer of the
Department of the Environment

SCHEDULE 1 N.I.

PART 1 N.I.

Criteria for identifying the types of river, lake or transitional water to which the environmental standards specified in Part 2 of this Schedule apply

- 1. Subject to paragraph 2, to determine the dissolved oxygen, ammonia and biochemical oxygen demand standards applicable to a river or any part thereof, the Department must assign to that river or part thereof the Type specified in Table 1 below which corresponds with the applicable site altitude and applicable alkalinity range specified in that Table.
- 2. Having assigned a Type in accordance with Table 1, the Department must assign the subsequent Type in accordance with column 1 of Table 2 below.
- 3. To determine the morphological conditions applicable to a river or part thereof, the Department must assign to that river or part thereof the Type specified in Table 3 below which corresponds with the applicable descriptions in that Table.
- 4. To determine the river flow standards applicable to a river or any part thereof, the Department must assign the Type specified in column 1 of Table 4 below which corresponds to the applicable descriptions specified in columns 2, 3 and 4 of that Table.
- 5. To determine the total phosphorus standards to apply to a lake or any part thereof, the Department must assign to that lake or part thereof the appropriate geological category, depth category and colour category specified in Tables 5, 6 and 7 below respectively.
- 6. To determine the lake level standards applicable to a lake or any part thereof, the Department must assign the Type specified in Columns 1 and 2 of Table 8.
- 7. To determine the morphological conditions applicable to a lake or any part thereof, the Department must assign the hydromorphological characteristics of the lake or part thereof as being of the type specified in column 1 of Table 9 below which corresponds to the applicable measurements specified in columns 3 and 4 of that Table.

Table 1

Criteria for identifying the types of river to which the dissolved oxygen, ammonia and biochemical oxygen demand standards for rivers apply

| Site Altitude | | Alkalinity (as mg/l CaCO ₃) | | | | |
|---------------|--------|---|----------|-----------|------------|----------|
| | | Less than 10 | 10 to 50 | 50 to 100 | 100 to 200 | Over 200 |
| Under metres | 80 | Type 1 | Type 2 | Type 3 | Type 5 | Type 7 |
| Over 80 n | netres | | | Type 4 | Type 6 | |

Table 2

| Final typology for dissolved oxygen, ammonia and biochemical oxygen demand in rivers | | | |
|--|----------------------|--|--|
| Column 1 | Column 2 | | |
| Upland and low alkalinity | Types (1+2), 4 and 6 | | |
| Lowland and high alkalinity | Types 3, 5 and 7 | | |

Table 3

Criteria for identifying types of river to which morphological conditions apply

| Type | Characteristics | 5 | | |
|----------------------|--------------------------|---|-------------------------------------|----------------------------------|
| Bedrock channel | Normally high altitude | Channel cuts down laterally | May have waterfalls and/or cascades | Bedrock substrate |
| Cascade Step Pool | Normally high altitude | Channel cuts down | Both turbulent and tranquil flows | Cobble and boulder substrate |
| Pool-riffle-glide | Normally medium altitude | Often not confined within a valley | Slightly meandering | Pebble and cobble substrate |
| Meandering | Normally low altitude | Flow laminar and would naturally interact with floodplain | Meandering | More fines than other substrates |

Table 4

Criteria for identifying types of river to which the river flow standards apply

| Column 1 | Column 2 | Column 3 | Column 4 | | |
|----------|--|------------------------------|------------------|--|------------|
| Type | Standard Average Annual Rainfall mm (period 1961-1990) | | Catchment area (| (km²) | |
| A1 | < 810.5 | < 0.715 | Any | | |
| | | \geq 0.715 | \geq 251.8 | | |
| A2 | < 810.5 | ≥ 0.715 | < 251.8 | ≤ 100 headwaters) > 100 downstream) | (A2 (A2 |
| | \geq 810.5 and $<$ 1413 | ≥ 0.7495 | Any | ≤ 100 headwaters) > 100 downstream) | (A2 (A2 |
| B1 | \geq 810.5 and $<$ 1155 | ≥ 0.3615 and < 0.7495 | < 267.4 | | |
| B2 | \geq 810.5 and < 1413 | ≥ 0.3615 and < 0.7495 | < 267.4 | | |
| C2 | \geq 1155 and $<$ 1413 | ≥ 0.3615 and < 0.7495 | < 267.4 | | |
| | ≥ 1413 | \geq 0.3615 | ≥ 32.33 | | |
| D2 | ≥ 1413 | \geq 0.3615 | < 32.33 | | |
| | ≥ 810.5 | < 0.3615 | Any | | |

Table 5

Geological categories to which total phosphorus, phytoplankton and phytobenthos standards for lakes apply

| Geological category | Annual mean alkalinity (micro-equivalents per litre) |
|---------------------|--|
| Low alkalinity | < 200 |
| Moderate alkalinity | 200 - 1000 |
| High alkalinity | > 1000 |
| Marl | |

Table 6

Depth categories to which total phosphorus standards for lakes apply

| Depth category | Mean depth (metres) |
|----------------|---------------------|
| Very shallow | < 3 |
| Shallow | 3 – 15 |
| Deep | > 15 |

Table 7

Colour categories to which total phosphorus standards for lakes apply

| Colour category | Platinum (mg/l) | |
|-----------------|-----------------|--|
| Humic | > 30 | |
| Non humic | ≤ 30 | |

Table 8

Geological characteristics used to identify lake types to which lake level standards apply

| Categories | |
|--|--|
| Column 1 | Column 2 |
| Peat | Non-Peat |
| mean water colour ≥90 hazen units; or | mean water colour <90 hazen units; or |
| ≥75% of solid catchment area comprised of peat | <75% of solid catchment area comprised of peat |

Table 9

Hydromorphological characteristics used to identify lake types to which morphological conditions apply

| Column 1 | Column 2 | Column 3 | Column 4 | |
|---|----------|----------|----------|--|
| ¹ Morphological Impact Assessment System | | | | |

| Type | Lake-MImAS ¹ code | Mean Depth | Alkalinity |
|-------------------------------------|------------------------------|------------|--|
| Low Alkalinity Very Shallow | P/L-vS | <4m | < 20 mgl ⁻¹ CaCO ₃ |
| Low Alkalinity Shallow/ Deep | P/L-ShD | >4m | < 20 mgl ⁻¹ CaCO ₃ |
| Moderate Alkalinity Very Shallow | MA-vS | <4m | $20-100~mgl^{-1}~CaCO_3$ |
| Moderate Alkalinity Shallow/Deep | MA-ShD | >4m | $20 - 100 \text{ mgl}^{-1} \text{ CaCO}_3$ |
| High Alkalinity Very Shallow | HA/M-vS | <4m | > 100 mgl ⁻¹ CaCO ₃ |
| High Alkalinity Shallow/ Deep | HA/M-ShD | >4m | > 100 mgl ⁻¹ CaCO ₃ |

¹ Morphological Impact Assessment System

PART 2 N.I.

Environmental Standards

Environmental standards for river water quality N.I.

- 1. Once the Department has, in accordance with paragraphs 1 and 2 of Part I of this Schedule, assigned to a river or any part thereof a Type—
 - (a) specified in column 1 of Table 1 below, it must apply, as applicable, the "high", "good", "moderate", "poor" or "bad" dissolved oxygen standard specified in columns 2, 3, 4, 5 and 6 respectively of that Table to that river or part thereof;
 - (b) specified in column 1 of Table 2 below, it must apply, as applicable, the "high", "good", "moderate", "poor" or "bad" ammonia standard specified in columns 2, 3, 4, 5 and 6 respectively of that Table to that river or part thereof;
 - (c) specified in column 1 of Table 3 below, it must apply, as applicable, the "high", "good", "moderate", "poor" or "bad" biochemical oxygen demand standard specified in columns 2, 3, 4, 5 and 6 respectively of that Table to that river or part thereof.
- 2. The Department must apply the "high", "good", "moderate", "poor" or "bad" biochemical oxygen demand standard specified in Table 3 below only for the purpose of deciding action to meet the standard for dissolved oxygen.
- 3. The Department must apply, as applicable, the "high", "good", "moderate", "poor" or "bad" reactive phosphorus standard to that river or part thereof, calculated in accordance with the formula specified in sub paragraph (a)—
 - (a) RP standard = $10^{(1.0497 \text{ x } \log_{10}(A)+1.066)}$ x ($\log_{10}(\text{reference condition RP})$ - $\log_{10}(3,500)$) + $\log_{10}(3,500)$);
 - (b) In relation to the above formula—
 - "RP standard" is the annual mean concentration of reactive phosphorus in ug/l estimated for the lower class boundary of high, good, moderate and poor ecological status, depending on the value of "A" used;

- "A" has the value 0.702 when calculating the standard for high; 0.532 when calculating the standard for good; 0.356 when calculating the standard for moderate; and 0.166 when calculating the standard for poor;
- "reference condition RP" = $10^{(0.454 (\log_{10} alk) 0.0018 (altitude) + 0.476)}$ and represents the annual mean concentration of reactive phosphorus at near natural conditions. If the predicted value of reference condition RP is <7ug/l, reference condition RP is set to 7ug/l;
- " \log_{10} alk" means \log_{10} (alkalinity), where alkalinity is the concentration of CaCO₃ in mg/l. For sites with an alkalinity greater than 250, alkalinity is set to 250. For sites with an alkalinity less than 2, it is set to 2;
- "altitude" means the site's altitude above sea level in metres. For sites with an altitude greater than 355 metres, altitude is set to 355 metres.
- 4. The Department must apply, as applicable, the "high", "good" "moderate" or "poor" temperature standards specified in columns 2, 3, 4 and 5 respectively of Table 4 below.
- 5. The Department must apply, as applicable, the "high", "good", "moderate" or "poor" acid condition standards specified in columns 2, 3, 4 and 5 of Table 5 to any river or part thereof.

Environmental standards for river flows N.I.

- 6.—(1) Once the Department has, in accordance with paragraph 4 of Part 1 of this Schedule, assigned to a river or part thereof a Type specified in column 1 of Tables 6, 7, 8 or 9 below, it must apply, as applicable, the "high", "good", "moderate" or "poor" river flow standards as specified by the boundary values in those Tables to that river or part thereof.
- (2) The Department may, when assessing the water balance results against the "high", "good", "moderate" and "poor" boundary values, take into account the spatial extent of the river flow standard based upon the contiguous length or percentage length of the river water body.
- (3) The result of this classification shall be used only to determine "high" status in accordance with Part 1 of Schedule 2.

Environmental standards for lake water quality N.I.

- 7. The Department must apply, as applicable, the "high", "good", "moderate", "poor" or "bad" dissolved oxygen standard specified in Table 10 below to all lakes or parts of such lakes.
- 8. The Department must apply the "good" salinity standard specified in Table 11 below to all lakes or parts of such lakes.
- 9. Once the Department has, in accordance with paragraph 5 of Part 1 of this Schedule, assigned to a lake or part thereof a geological category, depth category and colour category specified in Tables 5, 6 and 7 in that Part, it must apply, as applicable, the "high", "good", "moderate", "poor" or "bad" total phosphorus standard to that lake or part thereof, calculated in accordance with the formulae specified in columns 1, 2, 3, 4 and 5 respectively of Table 12 below, where in relation to those formulae—
 - "R" represents the annual mean total phosphorus concentration expected for the lake in the absence of more than very minor phosphorus inputs to the lake resulting from human activities and, where a reliable estimate of 'C' is available, shall have the value given by the formula: Antilog₁₀ [1.36 (0.09 x A) + (0.24 x B)] for non-humic lakes; and Antilog₁₀ [1.62 (0.09) x A + (0.24 x B)] for humic lakes;
 - "A" = Log_{10} of the altitude in metres above mean sea level of the lake;
 - "B" = Log_{10} (C÷D);
 - "C" = the mean alkalinity of the lake in milli-equivalents per litre estimated for the lake;

"D" = the mean depth of the lake in metres;

"H" = 0.755 + (0.012 x C) - (0.001 x D); or 0.7, whichever is larger value; and

"G" = 0.506 + (0.023 x C) - (0.002 x D); or 0.46, whichever is the larger value.

10. If the Department does not have the necessary data to calculate the total phosphorus standard applicable to a lake or part thereof in accordance with paragraph 8, it must apply, as applicable to the lake or part thereof, the "high", "good", "moderate", "poor" or "bad" total phosphorus standard specified in column 2, 3, 4, 5 and 6 respectively, of Table 13 below which corresponds with the combination of geological category and depth categories specified in column 1 of that Table that is applicable to the lake or part thereof.

Environmental standards for protection of inland lake water levels N.I.

11. Once the Department has assigned the characteristics of a lake or part thereof, in accordance with paragraph 7 of Part I of this Schedule, it must apply, as applicable, to the lake or part thereof the "high", "good", "moderate" or "poor" lake standards specified in columns 1,2, 3 and 4 of Table 14.

Environmental standards for transitional and coastal water quality N.I.

- 12. The Department must apply, as applicable, the dissolved oxygen standards for "high", "good", "moderate", "poor" or "bad" specified in Table 15 and Table 16 below to transitional or coastal waters or parts thereof.
- 13. The Department must apply, as applicable, the dissolved inorganic nitrogen standards for "high", "good", "moderate", "poor" or "bad" specified in Table 17 below to transitional or coastal waters or parts thereof.

Environmental standards for specific pollutants N.I.

14. The Department must apply, as applicable, the standards for specific pollutants given in Tables 18 to 47 below to surface waters or parts thereof.

Environmental Standards for River Water Quality

Table 1
Standards for dissolved oxygen in rivers

| Dissolved oxygen (percent saturation) | | | | | | | |
|---------------------------------------|----------|----------|----------|----------|----------|--|--|
| (10-percentile) | | | | | | | |
| Column 1 | Column 2 | Column 3 | Column 4 | Column 5 | Column 6 | | |
| Type ¹ | High | Good | Moderate | Poor | Bad | | |
| Upland and low alkalinity | 80 | 75 | 64 | 50 | < 50 | | |
| Lowland and high alkalinity | 70 | 60 | 54 | 45 | < 45 | | |

Where a lowland, high alkalinity river is a salmonid water the standards for the upland, low alkalinity type will apply.

Table 2
Standards for ammonia in rivers

| Total ammonia ¹ (mg/l) (90-percentile) | | | | | |
|---|----------|----------|----------|----------|----------|
| Column 1 | Column 2 | Column 3 | Column 4 | Column 5 | Column 6 |
| Type | High | Good | Moderate | Poor | Bad |
| Upland and low alkalinity | 0.2 | 0.3 | 0.75 | 1.1 | > 1.1 |
| Lowland and high alkalinity | 0.3 | 0.6 | 1.1 | 2.5 | > 2.5 |

¹ Note that Ammonia is a Specific Pollutant and considered as such for compliance. It is included in this section as it is commonly assessed alongside the other inorganic chemistry elements.

Table 3
Standards for Biochemical Oxygen Demand in rivers

| Biochemical oxygen deman (90-percentile) | d (mg/l) ¹ | | | | |
|---|-----------------------|----------|----------|----------|----------|
| Column 1 | Column 2 | Column 3 | Column 4 | Column 5 | Column 6 |
| Type ² | High | Good | Moderate | Poor | Bad |
| Upland and low alkalinity | 3 | 4 | 6 | 7.5 | > 7.5 |
| Lowland and high alkalinity | 4 | 5 | 6.5 | 9 | > 9 |

¹ The standard for Biochemical Oxygen Demand shall be used when deciding action to meet the standard for dissolved oxygen.

Table 4
Standards for temperature in rivers

| Temperature | e (°C) as an annua | ıl 98th percentile star | ıdard | |
|-----------------|--------------------|-------------------------|----------|----------|
| Column 1 | Column 2 | Column 3 | Column 4 | Column 5 |
| Type | High | Good | Moderate | Poor |
| Salmonid waters | 20 | 23 | 28 | 30 |
| Cyprinid waters | 25 | 28 | 30 | 32 |

² Where a lowland, high alkalinity river is a salmonid water the standards for the upland, low alkalinity type will apply.

Table 5

Standards for acid conditions in rivers. Either pH or Acid Neutralising Capacity (ANC) or both may be used

| Column 1 | Clear waters ¹ Column 2 Annual mean | Column 3 | Humic waters ² Column 4 | Column 5 |
|----------|--|----------|---------------------------------------|----------|
| | pН | ANC^3 | pН | ANC^3 |
| High | 6.60^4 | 80 | 5.10 ⁴ | 80 |
| Good | 5.95 | 40 | 4.55 | 50 |
| Moderate | 5.44 | 15 | 4.22 | 10 |
| Poor | 4.89 | -10 | 4.03 | 5 |

¹ Waters with a Dissolved Organic Carbon Value of 10mg/l or less

Table 6
High environmental standards for river flows

| Permitted abstraction per day as a percentage of the natural mean daily flow(Q) 1 | | | |
|--|--|---|--|
| High | | | |
| Column 1 | Column 2 | Column 3 | |
| | $\begin{array}{lll} \text{Maximum} & \text{permitted} & \% \\ \text{abstraction} & \text{at} & Q & \text{exceeding} \\ {Q_{95}}^2 & & & & \end{array}$ | $\begin{array}{ll} \text{Maximum} & \text{permitted} & \% \\ \text{abstraction at } Q \text{ \textbf{not}} \text{ exceeding} \\ Q_{95} \end{array}$ | |
| A1, A2 (downstream), A2 (headwaters), B1, B2, C2, D2 | 10 | 5 | |

^{1 &#}x27;Q' is the mean daily flow for a specified period of time

Table 7

| Permitted abstraction per | day as a percentage o | of the natural mean | daily flow(Q) |
|---------------------------|-----------------------|---------------------|---------------|
| Good | | | |

| Good | | | | | | | |
|------------|--|----------|---|----------|---------------------|----|--------|
| Column 1 | Column 2 | Column 3 | | Column 4 | Column 5 | | |
| River type | Maximum % abstraction at Q exceeding Q ₆₀ | | Q | | Maximum abstraction | at | % Q |

Good environmental standards for river flows

² Waters with a Dissolved Organic Carbon Value of greater than 10mg/l

³ As assessed by the Cantrell method

⁴ A 95% upper limit of 9 also applies

² 'Qx' is the Q that is expected to be exceeded by 'x' percent for a specified period of time

| | | | | not exceeding Q ₉₅ |
|----------------------------|----|----|----|--------------------------------------|
| A1 | 35 | 30 | 25 | 20 |
| A2 (downstream), B1, B2 | 30 | 25 | 20 | 15 |
| A2 (headwaters), C2, D2 | 25 | 20 | 15 | 10 |

Table 8

Moderate environmental standards for river flows

| Permitted abstract | Permitted abstraction per day as a percentage of the natural mean daily flow(Q) | | | |
|-----------------------------|---|--------------------|----------|---|
| Moderate | | | | |
| Column 1 | Column 2 | Column 3 | Column 4 | Column 5 |
| River type | Maximum % abstraction at Q exceeding Q ₆₀ | , | ,, , , | Maximum % abstraction at Q not exceeding Q ₉₅ |
| A1 | 70 | 50-70 ¹ | 50 | 45 |
| A2 (downstream), B1, B2, | 70 | 45-70 ¹ | 45 | 40 |
| A2 (headwaters), C2, D2 | 70 | 40-70 ¹ | 40 | 35 |

 $^{^1}$ incremental increase in allowable take at flows $<\!Q_{60}$ to $\geq Q_{90}$

Table 9

Poor environmental standards for river flows

| Permitted abstrac | tion per day as a per | centage of the natur | al mean daily flow | r(Q) |
|-----------------------------|--|--|--------------------|---|
| Poor | | | | |
| Column 1 | Column 2 | Column 3 | Column 4 | Column 5 |
| River type | | $\begin{array}{lll} \text{Maximum} & \% \\ \text{abstraction} & \text{at} & Q \\ \text{exceeding } Q_{90} & & \end{array}$ | | $\begin{tabular}{lll} Maximum & \% \\ abstraction & at & Q \\ \begin{tabular}{lll} \textbf{not} & exceeding \\ Q_{95} & & \\ \end{tabular}$ |
| A1 | Q_x less 25% of $Q_{\rm 90}$ | Q_x less 25% of Q_{90} | 75 | 70 |
| A2 (downstream), B1, B2, | Q_x less 30% of Q_{90} | Q_x less 30% of Q_{90} | 70 | 65 |
| A2 (headwaters), C2, D2 | Q _x less 35% of Q ₉₀ | Q _x less 35% of Q ₉₀ | 65 | 60 |

Environmental Standards for Lake Water Quality

Table 10
Standards for dissolved oxygen in lakes

| Status | Mean in July – August (mg/l) | | |
|----------|------------------------------|-----------------|--|
| | Salmonid waters | Cyprinid waters | |
| High | 9 | 8 | |
| Good | 7 | 6 | |
| Moderate | 4 | 4 | |
| Poor | 1 | 1 | |
| Bad | < 1 | < 1 | |

Table 11
Salinity Standards for lakes with no natural saline influence

| Status | Proposed Boundary Annual Mean (micro Siemens per centimetre) |
|--------|---|
| Good | 1000 |

Table 12
Total phosphorus standards for lakes

| Annual mean concentration of total phosphorous (µg/l) | | | | |
|---|----------|----------|------------------------|------------------------------|
| Column 1 | Column 2 | Column 3 | Column 4 | Column 5 |
| High | Good | Moderate | Poor | Bad |
| R ÷ H; or 5, whichever is the larger value | | | $(R \div G) \div 0.25$ | $>$ (R \div G) \div 0.25 |

Table 13

Type-specific total phosphorus standards for lakes where the standards specified in Table 12 above do not apply

| Annual mean concentration of total phosphorus (µg/l) | | | | | |
|--|---------------|----------------|---------------|--|--|
| Column 1 Colum | mn 2 Column 3 | Column 4 Colum | mn 5 Column 6 | | |
| Geological and High depth category | Good | Moderate Poor | Bad | | |
| High alkalinity; 16 shallow | 23 | 46 92 | > 92 | | |

| High alkalinity; very shallow | 23 | 31 | 62 | 124 | > 124 |
|---|----|----|----|-----|-------|
| Moderate alkalinity; deep | 8 | 12 | 24 | 48 | > 48 |
| Moderate alkalinity; shallow | 11 | 16 | 32 | 64 | > 64 |
| Moderate alkalinity; very shallow | 15 | 22 | 44 | 88 | > 88 |
| Low alkalinity; deep | 5 | 8 | 16 | 32 | > 32 |
| Low alkalinity; shallow | 7 | 10 | 20 | 40 | > 40 |
| Low alkalinity; very shallow | 9 | 14 | 28 | 56 | > 56 |
| Marl; shallow | 9 | 20 | 40 | 80 | > 80 |
| Marl; very shallow | 10 | 24 | 48 | 96 | > 96 |

Table 14

Environmental standards for lake water levels

| Daily maximun any year | n % reduction in the | habitable zone lake s | surface area for 99% of the days in |
|---------------------------|----------------------|-----------------------|-------------------------------------|
| Column 1 | Column 2 | Column 3 | Column 4 |
| High | Good | Moderate | Poor |
| 1 | 5 | 10 | 20 |

The habitable zone lake surface is dependent on whether the lake is considered to have the geological sub-type "Peat" or "Non-Peat".

The habitable zone lake surface area means the proportion of the reference conditions¹ lake surface area from the shore to a depth 5 metres deeper than the depth to which light penetration to the lake bed would be sufficient to enable the growth of rooted plants (macrophytes) or bottom-living algae. In the absence of field data to the contrary, the depth to which light penetration to the lake bed is sufficient to enable the growth of rooted plants (macrophytes) or bottom-living algae may be taken to be 2 metres for lakes with the geological sub-type of "Peat" and 7 metres for "Non-Peat" lakes. The lake habitable zone extends 5m below the level of light penetration to account for impacts on the aphotic habitat.

Environmental Standards for Transitional and Coastal Water Quality

¹ The reference conditions lake surface area means the natural lake surface area in the absence of any abstractions, discharges or other man-made influences

Table 15

Dissolved oxygen standards for transitional and coastal waters with salinities normalised to 35

| | Dissolved oxygen concentrations (mg/l) as 5-percentile values |
|----------|---|
| High | 5.7 |
| Good | 4.0 |
| Moderate | 2.4 |
| Poor | 1.6 |
| Bad | <1.6 |

Table 16

Dissolved oxygen standards for transitional and coastal waters with salinities <35

| | Dissolved oxygen concentrations (mg/l) as 5-percentile values | |
|----------|---|--|
| High | ≥5.7 | |
| Good | \geq 4.0 and $<$ 5.7 | |
| Moderate | ≥2.4 and <4.0 | |
| Poor | \geq 1.6 and <2.4 | |
| Bad | <1.6 | |

Table 17

Dissolved inorganic nitrogen standards for coastal waters with salinities from 30-34.5 normalised to salinity of 32, and transitional waters with salinities < 30 normalised to a salinity of 25.

| | Mean dissolved inorganic nitrogen concentration (micromoles per litre) during the period 1 st December to 28 th February |
|----------|--|
| High | 12 |
| Good | 18 |
| Moderate | 30 |
| Poor | 40.5 |
| Bad | >40.5 |

Environmental Standards for Specific Pollutants

Table 18

Environmental standards for 2,4-Dichlorophenoxyacetic acid (2,4-D)

| Good standards for rivers and freshwater lakes | | Good standards for transitional and coastal waters | |
|--|-----------------------|--|-----------------------|
| Column 1 | Column 2 ¹ | Column 3 | Column 4 ¹ |
| Annual mean $(\mu g/l)$ | 95-percentile (µg/l) | Annual mean $(\mu g/l)$ | 95-percentile (µg/l) |
| 0.3 | 1.3 | 0.3 | 1.3 |

¹ The standards for 2,4 D specified in Column 2 and Column 4 must not be used for the purpose of classifying the ecological status or potential of bodies of surface water.

Table 19
Environmental standards for 2,4-Dichlorophenol

| Good standard for rivers and freshwater lakes | | Good standard for transitional and coastal waters | |
|---|----------------------|---|----------------------|
| Column 1 | Column 2 | Column 3 | Column 4 |
| Annual mean (µg/l) | 95-percentile (µg/l) | Annual mean $(\mu g/l)$ | 95-percentile (µg/l) |
| 4.2 | 140 | 0.42 | 6 |

Table 20 Environmental standards for 3,4-Dichloroaniline

| Good standard for rivers and freshwater lakes | | Good standard for transitional and coastal waters | |
|---|----------------------|---|----------------------|
| Column 1 | Column 2 | Column 3 | Column 4 |
| Annual mean $(\mu g/l)$ | 95-percentile (µg/l) | Annual mean $(\mu g/l)$ | 95-percentile (µg/l) |
| 0.2 | 5.4 | 0.2 | 5.4 |

Table 21
Environmental standards for arsenic (dissolved)

| Good standard for rivers and freshwater lakes | Good standard for transitional and coastal waters |
|---|---|
| Column 1 ¹ | Column 2 ¹ |
| Annual mean (µg/l) | Annual mean (µg/l) |
| 50 | 25 |

 $^{^1}$ The standard for arsenic refers to the dissolved fraction of a water sample obtained by filtration through a $0.45\mu m$ filter or any equivalent pre-treatment

Table 22

Environmental standards for benzyl butyl phthalate

| Good standard for rivers and freshwater lakes | | Good standard for transitional and coastal waters | |
|---|----------------------|---|----------------------|
| Column 1 | Column 2 | Column 1 | Column 2 |
| Annual mean $(\mu g/l)$ | 95-percentile (µg/l) | Annual mean $(\mu g/l)$ | 95-percentile (µg/l) |
| 7.5 | 51 | 0.75 | 10 |

Table 23

Environmental standards for carbendazim

| Good standards for rivers and freshwater lakes | |
|--|----------------------|
| Column 1 | Column 2 |
| Annual mean (µg/l) | 95-percentile (µg/l) |
| 0.15 | 0.7 |

Table 24

Environmental standards for chlorine

| Good standards for rivers and | freshwater lakes | Good standard for transitional and coastal waters |
|--|--|--|
| Column 1 | Column 2 ¹ | Column 3 ¹ |
| Annual mean concentration (µg/l) of total available chlorine | 95-percentile concentration (µg/l) of total available chlorine | 95-percentile concentration ($\mu g/l$) of total residual oxidant ² |
| 2 | 5 | 10 |

¹ The standards for chlorine specified in Column 2 and 3 must not be used for the purpose of classifying the ecological status or potential of bodies of surface water.

Table 25

Environmental standards for chlorothalonil

| Good standards for rivers and freshwater lakes | |
|--|----------------------|
| Column 1 | Column 2 |
| Annual mean (µg/l) | 95-percentile (µg/l) |
| 0.035 | 1.2 |

² The term "total residual oxidants" refers to the sum of all oxidising agents existing in water, expressed as available chlorine.

Table 26

Environmental standards for chromium III

| Good standards for rivers and freshwater lakes | | |
|---|---|--|
| Column 1 | Column 2 ¹ | |
| Annual mean concentration ($\mu g/l$) of dissolved chromium III | 95-percentile concentration ($\mu g/l$) of dissolved chromium III | |
| 4.7 | 32 | |

¹ The standard for chromium III specified in column 2 must not be used for the purpose of classifying the ecological status or potential of bodies of surface water

Table 27

Environmental standards for chromium VI

| Good standard for rivers and freshwater lakes | Good standards for transition | al and coastal waters |
|---|--|-----------------------|
| Column 1 | Column 2 | Column 3 ¹ |
| | Annual mean concentration $(\mu g/l)$ of dissolved chromium VI | * |
| 3.4 | 0.6 | 32 |

¹ The standard for chromium VI specified in column 3 must not be used for the purpose of classifying the ecological status or potential of bodies of surface water.

Table 28

Environmental standards for copper

| Good standards for rivers and freshwater lakes | Good standards for transitional and coastal waters ² |
|---|---|
| Column 2 | Column 3 |
| Annual mean concentration ($\mu g/l$) of dissolved copper | Annual mean concentration ($\mu g/l$) of dissolved copper |
| 1(bioavailable) ¹ | 3.76 μ g/l dissolved, where DOC ³ \leq 1 mg/l |
| | 3.76 +(2.677 \times ((DOC/2) - 0.5)) µg/l dissolved, where DOC $>$ 1 mg/l |

¹ bioavailable means the fraction of the dissolved concentration of copper likely to result in toxic effects as determined using the Metal Bioavailability Assessment Tool (also referred to as a PNEC Estimator) for copper.

 $^{^2}$ The recommended salt water standard applies to the fraction of a water sample that passes through a 0.45- μ m filter or that is obtained by any equivalent pre-treatment.

³ "DOC" means the annual mean concentration of dissolved organic carbon in mg/l.

Table 29
Environmental standards for cyanide

| Good standards for lakes | rivers and freshwater | Good standards for tr waters | ansitional and coastal |
|--------------------------|-----------------------|--|------------------------|
| Column 1 | Column 2 ¹ | Column 3 | Column 4 ¹ |
| concentration (µg/l) of | | Annual mean concentration (µg/l) of hydrogen cyanide | |
| 1 | 5 | 1 | 5 |

¹ The standards for cyanide specified in column 2 and column 4 must not be used for the purpose of classifying the ecological status or potential of bodies of surface water.

Table 30 Environmental standards for cypermethrin

| Good standards for lakes ¹² | rivers and freshwater | Good standards for to waters ¹² | ransitional and coastal |
|--|-----------------------|---|-------------------------|
| Column 1 | Column 2 | Column 3 | Column 4 |
| Annual mean $(\mu g/l)$ | 95-percentile (µg/l) | Annual mean $(\mu g/l)$ | 95-percentile (µg/l) |
| 0.1 | 0.4 | 0.1 | 0.41 |

¹ Cypermethrin ceases to be a specific pollutant from 22 December 2018, when it shall be listed as a priority substance.

Table 31

Environmental standards for diazinon

| Good standards for lakes | rivers and freshwater | Good standards for t | ransitional and coastal |
|---------------------------|-----------------------|-------------------------|-------------------------|
| Column 1 | Column 2 | Column 3 | Column 4 |
| Annual mean ($\mu g/l$) | 95-percentile (µg/l) | Annual mean $(\mu g/l)$ | 95-percentile (µg/l) |
| 0.01 | 0.02 | 0.01 | 0.26 |

Table 32

Environmental standards for dimethoate

| Good standards for lakes | rivers and freshwater | Good standards for to waters | ransitional and coastal |
|--------------------------|-----------------------|---------------------------------|-------------------------|
| Column 1 | Column 2 | Column 3 | Column 4 |
| Annual mean $(\mu g/l)$ | 95-percentile (µg/l) | Annual mean $(\mu g/l)$ | 95-percentile (µg/l) |

² The standards for cypermethrin specified in column 2 and column 4 must not be used for the purposes of classifying the ecological status or potential of bodies of surface water.

0.48 4.0 0.48 4.0

Table 33

Environmental standards for glyhosate

| Good standards for rivers and freshwater lakes | | Good standards for transitional and coastal waters | |
|--|----------------------|--|----------------------|
| Column 1 | Column 2 | Column 3 | Column 4 |
| Annual mean (µg/l) | 95-percentile (µg/l) | Annual mean $(\mu g/l)$ | 95-percentile (µg/l) |
| 196 | 398 | 196 | 398 |

Table 34

Environmental standards for iron

| Good standard for rivers and freshwater lakes | Good standard for transitional and coastal |
|---|---|
| | waters |
| Column 1 | Column 2 |
| Annual mean concentration (mg/l) of dissolved | Annual mean concentration (mg/l) of dissolved |
| iron | iron |
| 1 | 1 |

Table 35

Environmental standards for linuron

| Good standards for rivers and freshwater lakes | | Good standards for transitional and coastal waters | |
|--|----------------------|--|----------------------|
| Column 1 | Column 2 | Column 3 | Column 4 |
| Annual mean (µg/l) | 95-percentile (µg/l) | Annual mean $(\mu g/l)$ | 95-percentile (µg/l) |
| 0.5 | 0.9 | 0.5 | 0.9 |

Table 36

Environmental standards for manganese

Good standard for rivers and freshwater lakes

Annual mean (µg/l) bioavailable

 123^{1}

¹ bioavailable means the fraction of the dissolved concentration of manganese likely to result in toxic effects as determined in accordance with the Metal Bioavailability Assessment Tool for manganese.

Table 37

Environmental standards for mecoprop

| Good standards for lakes | rivers and freshwater | Good standards for t waters | transitional and coastal |
|--------------------------|-----------------------|--------------------------------|----------------------------|
| Column 1 | Column 2 | Column 3 | Column 4 |
| Annual mean $(\mu g/l)$ | 95-percentile (µg/l) | Annual mean $(\mu g/l)$ | 95-percentile (μ g/l) |
| 18 | 187 | 18 | 187 |

Table 38

Environmental standards for methiocarb

| Good standards for rivers and freshwater lakes | |
|--|----------------------|
| Column 1 | Column 2 |
| Annual mean (µg/l) | 95-percentile (µg/l) |
| 0.01 | 0.77 |

Table 39

Environmental standards for pendimethalin

| Good standards for rivers and freshwater lake | es |
|---|----------------------|
| Column 1 | Column 2 |
| Annual mean (µg/l) | 95-percentile (µg/l) |
| 0.3 | 0.58 |

Table 40

Environmental standards for permethrin

| Good standard for rivers and freshwater lakes | | Good standard for transitional and coastal waters | |
|---|----------------------|---|----------------------|
| Column 1 | Column 2 | Column 3 | Column 4 |
| Annual mean $(\mu g/l)$ | 95-percentile (µg/l) | Annual mean $(\mu g/l)$ | 95-percentile (µg/l) |
| 0.001 | 0.01 | 0.0002 | 0.001 |

Table 41

Environmental standards for phenol

| Good standards for lakes | rivers and freshwater | Good standards for tr waters | cansitional and coastal |
|--------------------------|-----------------------|---------------------------------|-------------------------|
| Column 1 | Column 2 | Column 3 | Column 4 |

| Annual mean $(\mu g/l)$ | 95-percentile (µg/l) | Annual mean $(\mu g/l)$ | 95-percentile (µg/l) |
|-------------------------|----------------------|-------------------------|----------------------|
| 7.7 | 46 | 7.7 | 46 |

Table 42

Environmental standards for tetrachloroethane (TCE)

| Good standards for rivers and freshwater lakes | |
|--|----------------------|
| Column 1 | Column 2 |
| Annual mean (µg/l) | 95-percentile (µg/l) |
| 140 | 1848 |

Table 43

Environmental standards for toluene

| Good standards for rivers and freshwater lakes | | Good standards for transitional and coastal waters | |
|--|----------------------|--|----------------------|
| Column 1 | Column 2 | Column 3 | Column 4 |
| Annual mean $(\mu g/l)$ | 95-percentile (µg/l) | Annual mean $(\mu g/l)$ | 95-percentile (µg/l) |
| 74 | 380 | 74 | 370 |

Table 44

Environmental standards for triclosan

| Good standard for riv | ers and freshwater lakes | Good standard for t waters | ransitional and coastal |
|-----------------------|--------------------------|-------------------------------|-------------------------|
| Column 1 | Column 2 | Column 3 | Column 4 |
| Annual mean (µg/l) | 95-percentile (µg/l) | Annual mean $(\mu g/l)$ | 95-percentile (µg/l) |
| 0.1 | 0.28 | 0.1 | 0.28 |

Table 45

Environmental standards for un-ionised ammonia as nitrogen

| Good standard for rivers and freshwater lakes | Good standard for transitional and coastal waters |
|---|---|
| Annual mean (µg/l) | Annual mean (µg/l) |
| Not applicable | 21 |

Table 46
Environmental standards for zinc

| Good standards for rivers and freshwater lakes | Good standards for transitional and coastal waters |
|--|---|
| Column 1 | Column 2 |
| Annual mean | Annual mean |
| 10.9 bioavailable ¹ plus Ambient Background Concentration ² (µg/l) dissolved | 6.8 dissolved plus Ambient Background Concentration ($\mu g/l$) |

¹ bioavailable means the fraction of the dissolved concentration of zinc likely to result in toxic effects as determined using the Metal Bioavailability Assessment Tool (also referred to as a PNEC Estimator) for zinc.

Environmental Standards for Priority Substances and other Substances

Table 47

Environmental quality standards for priority substances and other substances for which standards have been set at EU-level

| 1 | nnColumn 2 perName of substance | Column 3 Chemical Abstracts Service number | | 5 All rive lakes | Column 6 ers and | 7 All tro | Column 8 ansitional tal waters | Column 9 EQS Biota ¹¹ |
|---|---------------------------------------|--|---------------------|---|-------------------|-------------------|---|---|
| | | | 3004 | AA-EQS $(\mu g/l)^1$ Inland surface waters ² | | (1.0) | MAC- EQS (μg/ l) ³ | |
| 1 | Alachlor | 15972-60- | 8 | 0.3 | 0.7 | 0.3 | 0.7 | |
| 2 | Anthracene | 120-12-7 | 14/09/15- | 20/12/15 | 0.4 | 0.1 | 0.4 | |
| | | | 22/12/15 onwards | 0.1 | 0.1 | 0.1 | 0.1 | |
| 3 | Atrazine | 1912-24-9 | | 0.6 | 2.0 | 0.6 | 2.0 | |
| 4 | Benzene | 71-43-2 | | 10 | 50 | 8 | 50 | |
| 5 | Brominated diphenylether | | 914/09/15- | 20/00055 | not applicable | 0.0002 | not applicable | e |
| | | | 22/12/15 onwards | not applicable | 0.14 | not applicable | 0.014 | 0.0085 |

 $^{^2}$ Ambient Background Concentration is an estimate of background levels of zinc based on a low percentile of monitoring data. A figure of 1 μ g/l has been estimated for freshwaters in Northern Ireland.

| 6 | Cadmium and its compounds (depending on water hardness classes) ⁵ | 7440-43-9 | ≤ 0.08 (class 1) | ≤ 0.45 (class 1) | 0.2 | ≤ 0.45 (class 1) |
|----|--|------------------------------|-----------------------|-----------------------|---------|-----------------------|
| | , | | 0.08 (class 2) | 0.45 (class 2) | | 0.45 (class 2) |
| | | | 0.09 (class 3) | 0.6 (class 3) | | 0.6 (class 3) |
| | | | 0.15 (class 4) | 0.9 (class 4) | | 0.9 (class 4) |
| | | | 0.25 (class 5) | 1.5 (class 5) | | 1.5 (class 5) |
| 6a | Carbon- tetrachloride ⁶ | 56-23-5 | 12 | not applicable | 12 | not applicable |
| 7 | C10-13 Chloroalkanes | 85535-84-8 8 ⁷ | 0.4 | 1.4 | 0.4 | 1.4 |
| 8 | Chlorfenvinph | n 4 √0-90-6 | 0.1 | 0.3 | 0.1 | 0.3 |
| 9 | Chlorpyrifos (Chlorpyrifosethyl) | | 0.03 | 0.1 | 0.03 | 0.1 |
| 9a | Cyclodiene pesticides: | | Σ=0.01 | not applicable | Σ=0.005 | not applicable |
| | Aldrin ⁶ | 309-00-2 | | | | |
| | Dieldrin ⁶ | 60-57-1 | | | | |
| | Endrin ⁶ | 72-20-8 | | | | |
| | Isodrin ⁶ | 465-73-6 | | | | |
| 9b | DDT total ⁶⁸ | not applicable | 0.025 | not applicable | 0.025 | not applicable |
| | Para-para- DDT ⁶ | 50-29-3 | 0.01 | not applicable | 0.01 | not applicable |
| 10 | 1,2- Dichloroethan | 107-06-2 ne | 10 | not applicable | 10 | not applicable |
| 11 | Dichloro- methane | 75-09-2 | 20 | not applicable | 20 | not applicable |
| 12 | Di(2- ethylhexyl)- phthalate (DEHP) | 117-81-7 | 1.3 | not applicable | 1.3 | not applicable |

| 13 | Diuron | 330-54-1 | | 0.2 | 1.8 | 0.2 | 1.8 | |
|----|---|--------------------|---------------------|------------------------|-------------------|------------------------|-------------------|----|
| 14 | Endosulfan | 115-29-7 | | 0.005 | 0.01 | 0.0005 | 0.004 | |
| 15 | Fluoranthene | 206-44-0 | 14/09/15-2 | 20/12/15 | 1 | 0.1 | 1 | |
| | | | 22/12/15 onwards | 0.0063 | 0.12 | 0.0063 | 0.12 | 30 |
| 16 | Hexachlorobe | nke&e74-1 | | | 0.05 | | 0.05 | 10 |
| 17 | Hexachlorobu | t 8di6 68e3 | | | 0.6 | | 0.6 | 55 |
| 18 | Hexachloro- cyclohexane | 608-73-1 | | 0.02 | 0.04 | 0.002 | 0.02 | |
| 19 | Isoproturon | 34123-59- | 6 | 0.3 | 1.0 | 0.3 | 1.0 | |
| 20 | Lead and its compounds | 7439-92-1 | 14/09/15-2 | 27/22/15 | not applicable | 7.2 | not applicable | |
| | | | 22/12/15 onwards | 1.2 ¹² | 14 | 1.3 | 14 | |
| 21 | Mercury and its compounds | 7439-97-6 | | | 0.07 | | 0.07 | 20 |
| 22 | Naphthalene | 91-20-3 | 14/09/15-2 | 22/42/15 | not applicable | 1.2 | not applicable | |
| | | | 22/12/15 onwards | 2 | 130 | 2 | 130 | |
| 23 | Nickel and its compounds | 7440-02-0 | 14/09/15-2 | 22/012/15 | not applicable | 20 | not applicable | |
| | | | 22/12/15 onwards | 4 ¹² | 34 | 8.6 | 34 | |
| 24 | Nonylphenol (4-Nonylphenol) | 104-40-5 | | 0.3 | 2.0 | 0.3 | 2.0 | |
| 25 | Octylphenol ((4-(1,1',3,3'-tetramethylbut phenol)) | | | 0.1 | not applicable | 0.01 | not applicable | |
| 26 | Pentachlorobe | 21608n © 3-5 | | 0.007 | not applicable | 0.0007 | not applicable | |
| 27 | Pentachloroph | e£176B6-5 | | 0.4 | 1 | 0.4 | 1 | |
| 28 | Polyaromatic hydrocarbons (PAH) ¹⁰ | | | not applicable | not applicable | not applicable | not applicable | |
| | Benzo(a)pyren | n 5 0-32-8 | 14/09/15-2 | 20/02 /15 | 0.1 | 0.05 | 0.1 | |
| | | | 22/12/15 onwards | 1.7 x 10 ⁻⁴ | 0.27 | 1.7 x 10 ⁻⁴ | 0.027 | 5 |

| | Benzo(b)fluor-205-99-2 1-anthene | | | | not Σ =0.03 applicable | | not applicable | |
|-----|---|------------------------|----------------------|------------------------|-------------------------------|------------------------|------------------------|-----------------------|
| | | | 22/12/15 onwards | see footnote 10 | 0.017 | see footnote 10 | 0.017 | see footnote 10 |
| | Benzo(k)fluoranthene | -207-08-9 | 14/09/15-2 | 21/402/035 | not applicable | Σ=0.03 | not applicable | |
| | | | 22/12/15 onwards | see footnote 10 | 0.017 | see footnote 10 | 0.017 | see footnote 10 |
| | Benzo(g,h,i)- perylene | 191-24-2 | 14/09/15-2 | 2X/AQ2.0125 | not applicable | Σ=0.02 | not applicable | |
| | | | 22/12/15 onwards | see footnote 10 | 8.2 x 10 ⁻³ | see footnote 10 | 8.2 x 10 ⁻⁴ | see footnote 10 |
| | Indeno(1,2,3-cd)-pyrene | 193-39-5 | 14/09/15-2 | 21/1/12/125 | not applicable | Σ=0.02 | not applicable | |
| | | | 22/12/15 onwards | see footnote 10 | not applicable | see footnote 10 | not applicable | see footnote 10 |
| 29 | Simazine | 122-34-9 | | 1 | 4 | 1 | 4 | |
| 29a | Tetrachloroeth | ylehel ⁶⁸⁻⁴ | | 10 | not applicable | 10 | not applicable | |
| 29b | Trichloroethyl | 79 - 01-6 | | 10 | not applicable | 10 | not applicable | |
| 30 | Tributyltin compounds (Tributhyltin- cation) | 36643-28- | 4 | 0.0002 | 0.0015 | 0.0002 | 0.0015 | |
| 31 | Trichlorobenze | eh 20 02-48- | 1 | 0.4 | not applicable | 0.4 | not applicable | |
| 32 | Trichlorometh | ane-66-3 | | 2.5 | not applicable | | not applicable | |
| 33 | Trifluralin | 1582-09-8 | | 0.03 | not applicable | | not applicable | |
| 34 | Dicofol | 115-32-2 | 22/12/18 onwards | 1.3 x 10 ⁻³ | not applicable | 3.2×10^{-5} | not applicable | 33 |
| 35 | Perfluorooctar sulfonic acid and its derivatives (PFOS) | n ¢ 763-23-1 | 22/12/18 onwards | 6.5 x 10 ⁻⁴ | 36 | 1.3 x 10 ⁻⁴ | 7.2 | 9.1 |
| 36 | Quinoxyfen | 124495-18 | 322/12/18 onwards | 0.15 | 2.7 | 0.015 | 0.54 | |

| 37 | Dioxins and dioxin-like compounds | See footnote 9 in Annex X to Directive 2000/60/ EC | 22/12/18 onwards | | not applicable | e | not applicable | Sum of PCDD +PCDF +PCB- DL 0.0065 µg.kg ⁻¹ TEQ ¹³ |
|----|--|--|----------------------------|----------------------|----------------------|----------------------|----------------------|--|
| 38 | Aclonifen | 74070-46 | -\$2/12/18 onwards | 0.12 | 0.12 | 0.012 | 0.012 | |
| 39 | Bifenox | 42576-02 | - 3 2/12/18 onwards | 0.012 | 0.04 | 0.0012 | 0.004 | |
| 40 | Cybutryne | 28159-98 | -022/12/18 onwards | 0.0025 | 0.016 | 0.0025 | 0.016 | |
| 41 | Cypermethrin | 52315-07 | -\22/12/18 onwards | 8 x 10 ⁻⁵ | 6 x 10 ⁻⁴ | 8 x 10 ⁻⁶ | 6 x 10 ⁻⁵ | |
| 42 | Dichlorvos | 62-73-7 | 22/12/18 onwards | 6 x 10 ⁻⁴ | 7 x 10 ⁻⁴ | 6 x 10 ⁻⁵ | 7 x 10 ⁻⁵ | |
| 43 | Hexabromo- cyclododecan (HBCDD) | See efootnote 11 in Annex X to Directive 2000/60/ | 22/12/18 onwards | 0.0016 | 0.5 | 0.0008 | 0.05 | 167 |
| 44 | Heptachlor and heptachlor epoxide | 76-44-8 /1 | 022415718 onwards | 2 x 10 ⁻⁷ | 3 x 10 ⁻⁴ | 1 x 10 ⁻⁸ | 3 x 10 ⁻⁵ | 6.7 x 10 ⁻³ |
| 45 | Terbutryn | 886-50-0 | 22/12/18 onwards | 0.065 | 0.34 | 0.0065 | 0.034 | |

¹ This parameter is the EQS expressed as an annual average value (AA-EQS). Unless otherwise specified, it applies to the total concentration of all isomers.

² Inland surface waters encompass rivers and lakes and related artificial or heavily modified water bodies.

³ This parameter is the Environmental Quality Standard expressed as a maximum allowable concentration (MAC-EQS). Where the MAC-EQS are marked as "not applicable", the AA-EQS values are considered protective against short-term pollution peaks in continuous discharges since they are significantly lower than the values derived on the basis of acute toxicity.

 $^{^4}$ For the group of priority substances covered by brominated diphenylethers (No 5), the EQS refers to the sum of the concentrations of congener numbers 28, 47, 99, 100, 153 and 154.

⁵ For cadmium and its compounds (No 6) the EQS values vary dependent upon the hardness of the water as specified in five class categories (class 1: <40mg CaCO₃/l, class 2: 40 to <50mg CaCO₃/l, class 3: 50 to <100mg CaCO₃/l, class 4: 100 to <200mg CaCO₃/l and class 5: ≥200 mg CaCO₃/l).

⁶ This substance is not a priority substance but one of the other pollutants for which the EQS are identical to those laid down in the legislation that applied prior to 13 January 2009.

⁷ No indicative parameter is provided for this group of substances. The indicative parameter(s) must be defined through the analytical method.

Changes to legislation: There are currently no known outstanding effects for the The Water Framework Directive (Classification, Priority Substances and Shellfish Waters) Regulations (Northern Ireland) 2015. (See end of Document for details)

N.I.

Application of the standards set out in Table 47 For any given surface water body, applying the AA-EQS means that, for each representative monitoring point within the water body, the arithmetic mean of the concentrations measured at different times during the year does not exceed the standard. The calculation of the arithmetic mean, the analytical method used and, where there is no appropriate analytical method meeting the minimum performance criteria, the method of applying a standard must be in accordance with implementing acts adopting technical specifications for chemical monitoring and quality of analytical results, in accordance with the Water Framework Directive. For any given surface water body, applying the MAC-EQS means that the measured concentration at any representative monitoring point within the water body does not exceed the standard. However, in accordance with section 1.3.4. of Annex V to the Water Framework Directive, the Department may introduce statistical methods, such as a percentile calculation, to ensure an acceptable level of confidence and precision for determining compliance with the MAC-EQS. Where the Department introduces statistical methods, such methods must apply with rules laid down in accordance with the examination procedure referred to in Article 9(2) of Directive 2008/105/EC. With the exception of cadmium, lead, mercury and nickel (hereinafter "metals") the standards set out in Table 47 are expressed as total concentrations in the whole water sample. In the case of metals the standards refer to the dissolved concentration i.e. the dissolved phase of a water sample obtained by filtration through a 0.45 µm filter or any equivalent pre-treatment, or, where specifically indicated, to the bioavailable concentration. The Department may, when assessing the monitoring results against the standards, take into account:

natural background concentrations for metals and their compounds, if they prevent compliance with the standard; and

hardness, pH, dissolved organic carbon or other water quality parameters that affect the bioavailability of metals, the bioavailable concentrations being determined using appropriate bioavailability modelling.

⁸ DDT total comprises the sum of the isomers 1,1,1-trichloro-2,2 bis (*p*-chlorophenyl) ethane (CAS number 50-29-3; EU number 200-024-3); 1,1,1-trichloro-2 (*o*-chlorophenyl)-2-(*p*-chlorophenyl) ethane (CAS number 789-02-6; EU number 212-332-5); 1,1-dichloro-2,2 bis (*p*-chlorophenyl) ethylene (CAS number 72-55-9; EU number 200-784-6); and 1,1-dichloro-2,2 bis (*p*-chlorophenyl) ethane (CAS number 72-54-8; EU number 200-783-0).

⁹ There is insufficient information available to set a MAC-EQS for these substances.

¹⁰ For the group of priority substances of polyaromatic hydrocarbons (PAH) (No 28), the biota EQS and corresponding AA-EQS in water refer to the concentration of benzo(a)pyrene, on the toxicity of which they are based. Benzo(a)pyrene can be considered as a marker for the other PAHs, hence only benzo(a)pyrene needs to be monitored for comparison with the biota EQS or the corresponding AA-EQS in water.

¹¹ Unless otherwise indicated, the biota EQS relate to fish. An alternative biota taxon, or another matrix, may be monitored instead, as long as the EQS applied provides an equivalent level of protection. For substances numbered 15 (Fluoranthene) and 28 (PAHs), the biota EQS refers to crustaceans and molluscs. For the purpose of assessing chemical status, monitoring of Fluoranthene and PAHs in fish is not appropriate. For substance number 37 (Dioxins and dioxin-like compounds), the biota EQS relates to fish, crustaceans and molluscs, in line with section 5.3 of the Annex to Commission Regulation (EU) No 1259/2011 of 2 December 2011 amending Regulation (EC) No 1881/2006 as regards maximum levels for dioxins, dioxin-like PCBs and non-dioxin-like PCBs in foodstuffs (OJ L 320, 3.12.2011, P.18).

¹² These EQS refer to bioavailable concentrations of the substances.

¹³PCDD: polychlorinated dibenzo-p-dioxins; PCDF: polychlorinated dibenzofurans; PCB-DL: dioxin-like polychlorinated biphenyls; TEQ: toxic equivalents according to the World Health Organisation 2005 Toxic Equivalence Factors.

PART 3 N.I.

Boundary values for biological quality elements

Boundary values for aquatic plants and animals in rivers N.I.

- 1. The Department must apply, as applicable, to any river or part thereof, the "high", "good", "moderate", "poor" or "bad" benthic invertebrate fauna boundary value for rivers specified in Tables 1 and 2 below.
- 2. The Department must apply, as applicable, to any river or part thereof, the "high", "good", "moderate", "poor" or "bad" phytobenthos boundary value for rivers specified in Table 3 below.
- 3. The Department must apply, as applicable, to any river or part thereof, the "high", "good", "moderate", "poor" or "bad" aquatic macrophyte boundary value for rivers specified in Table 4 below.
- 4. The Department must apply, as applicable, to any river or part thereof, the "high", "good", "poor" or "bad" freshwater fish boundary value for rivers specified in Table 5 below.

Boundary values for aquatic plants and animals in lakes N.I.

- 5. To determine the phytoplankton and phytobenthos boundaries to apply to a lake or any part thereof, the Department must assign to that lake or any part thereof, the appropriate geological category, depth category and colour category specified in Schedule 1 Part 1, Tables 5, 6 and 7 respectively.
- 6. The Department must apply, as applicable, to any lake or part thereof, the "high", "good", "moderate", "poor" or "bad" phytoplankton boundary values for lakes specified in columns 2, 3, 4, 5 and 6 of Table 6 below and columns 2, 3, 4, 5 and 6 of Table 7 below and columns 2 and 3 of Table 8 below respectively.
- 7. The Department must apply, as applicable, to any lake or part thereof, the "high", "good", "moderate", "poor" or "bad" phytobenthos boundary value for lakes specified in Table 9 below.
- 8. The Department must apply, as applicable, to any lake or part thereof, the "high", "good", "moderate", "poor" or "bad" aquatic macrophyte boundary value for lakes specified in Table 10 below.
- 9. The Department must apply, as applicable, to any lake or part thereof, the "high", "good", "moderate", "poor" or "bad" freshwater fish boundary value for lakes specified in Table 11 below.

Boundary values for aquatic plants and animals in transitional and coastal waters N.I.

- 10. The Department must apply, as applicable, to any transitional water, coastal water or part thereof, the "high", "good", "moderate", "poor" or "bad" benthic invertebrate fauna boundary values for transitional and coastal waters specified in Tables 12 and 13 below.
- 11. The Department must apply, as applicable, to any transitional water, coastal water or part thereof, the "high", "good", "moderate", "poor" or "bad" aquatic angiosperm boundary value for transitional and coastal waters specified in Table 14 below.
- 12. The Department must apply, as applicable, to any transitional water, coastal water or part thereof, the "high", "good", "moderate", "poor" or "bad" phytoplankton boundary value for transitional and coastal waters specified in Table 15 below.

Changes to legislation: There are currently no known outstanding effects for the The Water Framework Directive (Classification, Priority Substances and Shellfish Waters) Regulations (Northern Ireland) 2015. (See end of Document for details)

- 13. The Department must apply, as applicable, to any transitional water, coastal water or part thereof, the "high", "good", "moderate", "poor" or "bad" aquatic macroalgae boundary values for transitional and coastal waters specified in Tables 16 and 17 below.
- 14. The Department must apply, as applicable, to any transitional water or part thereof, the "high", "good", "moderate", "poor" or "bad" fish boundary value for transitional waters specified in Table 18 below.

Table 1

Benthic invertebrate fauna Walley Hawkes Paisley Trigg (WHPT) boundary values (WHPT Average Score per Taxon) for rivers

Boundary values for the degree to which the annual mean sensitivity to disturbance of the observed taxa differs from the annual mean sensitivity of the taxa expected under reference conditions

| | Ecological quality ratio | |
|----------|--------------------------|--|
| High | 0.97 | |
| Good | 0.86 | |
| Moderate | 0.72 | |
| Poor | 0.59 | |
| Bad | < 0.59 | |

Benthic invertebrate fauna Walley Hawkes Paisley Trigg (WHPT) boundary values (WHPT Number of TAXA) for rivers

Table 2

Boundary values for the degree to which the annual mean number of disturbance-sensitive taxa differs from the annual mean number of taxa expected under reference conditions

| | Ecological quality ratio |
|----------|--------------------------|
| High | 0.80 |
| Good | 0.68 |
| Moderate | 0.56 |
| Poor | 0.47 |
| Bad | < 0.47 |

Table 3 Phytobenthos (Diatom) boundary values for rivers

Boundary values for the degree to which the relative annual mean abundances of nutrient-sensitive and nutrient-tolerant groups of diatom taxa differ from the relative annual mean abundances of these groups of taxa expected under reference conditions

Ecological quality ratio 0.80

High

| Good | 0.60 |
|----------|--------|
| Moderate | 0.40 |
| Poor | 0.20 |
| Bad | < 0.20 |

Table 4

Macrophyte boundary values for rivers

Boundary values for the degree to which the annual mean abundances of disturbance-sensitive and disturbance-tolerant macrophyte taxa differ from the annual mean abundances of those taxa under reference conditions

| | Ecological quality ratio | |
|----------|--------------------------|--|
| High | 0.80 | |
| Good | 0.60 | |
| Moderate | 0.40 | |
| Poor | 0.20 | |
| Bad | < 0.20 | |

Table 5
Freshwater Fish FCS2 (Ireland) boundary values for rivers

| | Ecological quality ratio ¹ | |
|----------|---------------------------------------|--|
| High | $0.845 < EQR \le 1.0$ | |
| Good | $0.54 < EQR \le 0.854$ | |
| Moderate | 0.12 < EQR <= 0.54 | |
| Poor | $0.007 < EQR \le 0.12$ | |
| Bad | $0 \le EQR \le 0.007$ | |

¹ FCS2 (Ireland) is the Fisheries Classification Scheme 2 (Ireland) model developed for WFD Ecoregion 17 which is the island of Ireland

Table 6
Phytoplankton boundary values for lakes – chlorophyll a

Boundary values for the degree to which the biomass of phytoplankton taxa (as represented by the annual mean chlorophyll a concentration) differ from the biomass of those phytoplankton taxa (annual mean chlorophyll a concentration) expected under reference conditions Ecological quality ratio

| Column 1 | Column 2 | Column 3 | Column 4 | Column 5 | Column 6 |
|-----------|--------------------------------|-------------------------------|---------------------------|-------------------------|---------------------------|
| Lake Type | High alkalinity, shallow | High alkalinity, very shallow | Moderate alkalinity, deep | Low alkalinity, shallow | Low alkalinity deep |

| | Marl shallow | shallow Low alkalinity, very shallow | Moderate alkalinity, shallow Moderate alkalinity shallow humic | Low alkalinity, shallow humic | |
|----------|--------------|--|---|-------------------------------|--------|
| High | 0.55 | 0.63 | 0.50 | 0.64 | 0.64 |
| Good | 0.32 | 0.30 | 0.33 | 0.29 | 0.33 |
| Moderate | 0.16 | 0.15 | 0.17 | 0.15 | 0.17 |
| Poor | 0.05 | 0.05 | 0.05 | 0.05 | 0.05 |
| Bad | < 0.05 | < 0.05 | < 0.05 | < 0.05 | < 0.05 |

Table 7

Phytoplankton boundary values for lakes – plankton trophic index

| Ecological quality ratio | | | | | |
|--------------------------|---|----------|--|--|------------------------------|
| Column 1 | Column 2 | Column 3 | Column 4 | Column 5 | Column 6 |
| Lake Type | High alkalinity, shallow Moderate alkalinity very shallow Low alkalinity very shallow humic Marl very shallow | | Moderate alkalinity, deep Moderate alkalinity shallow Low alkalinity, shallow humic Low alkalinity very shallow Clear Marl Shallow | Deep Clear Water Low alkalinity shallow Clear | Low alkalinity shallow humic |
| High | 0.93 | 0.91 | 0.95 | 0.98 | 0.96 |
| Good | 0.82 | 0.80 | 0.84 | 0.87 | 0.85 |
| Moderate | 0.70 | 0.68 | 0.72 | 0.75 | 0.73 |
| Poor | 0.58 | 0.56 | 0.60 | 0.63 | 0.61 |
| Bad | <0.58 | <0.56 | < 0.60 | <0.63 | <0.61 |

Table 8

Phytoplankton boundary values for lakes – cyanobacteria biomass

| Ecological quality ratio | | |
|--------------------------|--|-----------------------|
| Column 1 | Column 2 | Column 3 |
| Lake Type | All Low and Moderate alkalinity and Marl Lakes | High alkalinity Lakes |
| High | 0.47 | 0.63 |

| Good | 0.32 | 0.43 |
|----------|--------|--------|
| Moderate | 0.23 | 0.34 |
| Poor | 0.13 | 0.21 |
| Bad | < 0.13 | < 0.21 |

Table 9

Phytobenthos boundary values for lakes

Boundary values for the degree to which the relative annual mean abundances of nutrient-sensitive and nutrient-tolerant groups of diatom taxa differ from the relative annual mean abundances of these groups of taxa expected under reference conditions

| | Ecological quality ratio | |
|----------|-------------------------------|---------------------------|
| Column 1 | Column 2 | Column 3 |
| | High and Low alkalinity lakes | Moderate alkalinity lakes |
| High | 0.92 | 0.93 |
| Good | 0.70 | 0.66 |
| Moderate | 0.46 | 0.46 |
| Poor | 0.23 | 0.23 |
| Bad | < 0.23 | < 0.23 |

Table 10

Aquatic macrophyte boundary values for lakes

Boundary values for the degree to which the annual mean abundance of disturbance-sensitive macrophyte¹ taxa differ from the annual mean abundance of those taxa expected under reference conditions

| | Ecological quality ratio |
|----------|--------------------------|
| Column 1 | Column 2 |
| High | 0.90 |
| Good | 0.68 |
| Moderate | 0.42 |
| Poor | 0.33 |
| Bad | < 0.33 |

¹ The term "macrophyte" refers to larger plants, typically including flowering plants, mosses and larger algae, but not including single-celled phytoplankton or diatoms.

Table 11
Freshwater Fish FiL2 boundary values for lakes

| | Ecological quality ratio ¹ | | |
|----------|---------------------------------------|--|--|
| High | $0.76 < EQR \le 1.0$ | | |
| Good | $0.53 < EQR \le 0.76$ | | |
| Moderate | $0.32 < EQR \le 0.53$ | | |
| Poor/Bad | $0 \le EQR \le 0.32$ | | |

¹ FiL2 is the Fish in Lakes version 2 model developed for WFD Ecoregion 17 which is the island of Ireland

Table 12

Benthic invertebrate fauna boundary values for IMPOSEX in coastal waters

Boundary values for the degree to which the annual mean occurrence and degree of tributyl tin (TBT) -induced imposex in the common dog whelk, Nucella lapillus, differs from the annual mean occurrence and degree of imposex expected under reference conditions using the Vas Deferens Stage Index (VDSI) (UKTAG Method ISBN 978-1-906934-35-4)

| | Ecological quality ratio | Vas Deferens Stage Index (VDSI) |
|----------|--------------------------|---------------------------------|
| High | 0.95 | 0.3 |
| Good | 0.33 | 4 |
| Moderate | 0.17 | 5 |

Table 13

Benthic invertebrate fauna boundary values for the INFAUNAL Quality Index (IQI) for transitional and coastal waters

Boundary values relating to the degree to which the annual mean number of benthic invertebrate taxa in soft sediments, the diversity of taxa, and the ratio of disturbance-sensitive and disturbance-tolerant taxa differ from that expected under reference conditions (UKTAG Method ISBN 978-1-906934-34-7)

| | Ecological quality ratio |
|----------|--------------------------|
| High | 0.75 |
| Good | 0.64 |
| Moderate | 0.44 |
| Poor | 0.24 |
| Bad | < 0.24 |

Table 14

Aquatic angiosperm boundary values in transitional and coastal waters

Aquatic Angiosperm¹ Boundary values relating to the degree to which the annual mean shoot density, and spatial extent of sea grass beds, differ that expected under reference conditions (UKTAG Method ISBN 978-1-906934-36-1)

| ` | Ecological quality ratio |
|----------|--------------------------|
| High | 0.8 |
| Good | 0.6 |
| Moderate | 0.4 |
| Poor | 0.2 |
| Bad | < 0.2 |

¹ The term "angiosperm" refers to flowering plants. In transitional waters and coastal waters, angiosperms include sea grasses and the flowering plants found in salt marshes, salt marsh tools have not yet been developed.

Table 15

Phytoplankton boundary values for transitional and coastal waters

Boundary values relating to the degree to which biomass, taxonomic composition, bloom frequency and bloom intensity for phytoplankton¹ differ from that expected under reference conditions (UKTAG Method ISBN 978-1-906934-41-5 for Transitional waters and UKTAG method ISBN 978-1-906934-33-0 for Coastal Waters)

| | Ecological quality ratio | | |
|----------|--------------------------|--|--|
| High | 0.8 | | |
| Good | 0.6 | | |
| Moderate | 0.4 | | |
| Poor | 0.2 | | |
| Bad | < 0.2 | | |

¹ The term "phytoplankton" refers to solitary and colonial unicellular algae and cyanobacteria that live in the water column, at least for part of their lifecycle.

Table 16

Aquatic macroalgae boundary values in transitional and coastal waters

Boundary values relating to the degree to which mean species richness, proportion of red, green and opportunist seaweeds and ecological status group ratio on rocky intertidal areas differ from that expected under reference conditions (UKTAG Method ISBN 978-1-906934-39-2)

| | Ecological quality ratio | |
|----------|--------------------------|--|
| High | 0.8 | |
| Good | 0.6 | |
| Moderate | 0.4 | |

| Poor | 0.2 | |
|------|-------|--|
| Bad | < 0.2 | |

Table 17

Aquatic macroalgae boundary values in transitional and coastal waters

Boundary values relating to the degree to which opportunistic macroalgal¹ extent, biomass and entrainment differ from that expected under reference conditions (UKTAG Method ISBN 978-1-906934-37-8)

| 13211770 1 700701 07 0) | |
|-------------------------|--------------------------|
| | Ecological quality ratio |
| High | 0.8 |
| Good | 0.6 |
| Moderate | 0.4 |
| Poor | 0.2 |
| Bad | < 0.2 |
| · | · |

¹ The term "macroalgae" refers to multicellular algae such as seaweeds and filamentous algae.

Table 18

Fish boundary values for transitional waters

Boundary values relating to the degree to which transitional water fish communities deviate from expectations in terms of species diversity and composition, species abundance, estuarine utilisation, and trophic composition using the Estuarine Multi-metric Fish Index (EMFI)

| | Ecological quality ratio | | |
|----------|--------------------------|--|--|
| High | ≥ 0.92 | | |
| Good | 0.65 | | |
| Moderate | 0.35 | | |
| Poor | 0.10 | | |
| Bad | < 0.10 | | |

PART 4 N.I.

Intermittent Discharge Standards

Table 1

Intermittent standards for dissolved oxygen in rivers

| Salmonid waters | | | | |
|-----------------|---------------------------------------|---------|----------|--|
| | Dissolved oxygen concentration (mg/l) | | | |
| Return period | 1 hour | 6 hours | 24 hours | |

| 1 month | 5.0 | 5.5 | 6.0 |
|-----------------|---------------------------------------|---------|----------|
| 3 months | 4.5 | 5.0 | 5.5 |
| 1 year | 4.0 | 4.5 | 5.0 |
| Cyprinid waters | | | |
| | Dissolved oxygen concentration (mg/l) | | |
| Return period | 1 hour | 6 hours | 24 hours |
| 1 month | 4.0 | 5.0 | 5.5 |
| 3 months | 3.5 | 4.5 | 5.0 |
| 1 year | 3.0 | 4.0 | 4.5 |

The standards apply when the concurrent concentration of un-ionised ammonia concentration is below 0.02 mg/l. The following correction factors apply at higher concurrent un-ionised concentrations:

Where the un-ionised ammonia lies between 0.02-0.15mg NH3-N/I: the correction factor is an additioin of (0.97 x log (mg NH3-N/I) + 3.8) mg O2/I. For concentrations that exceed 0.15 mg NH3-N/I, the correction factor is +2 mg O2/litre.

A correction factor of 3mg O2/l is added for salmonid spawning grounds.

Table 2

Intermittent standards for un-ionised ammonia in rivers

| Salmonid waters | | . | | |
|-----------------|---|--------------|----------|--|
| | Un-ionised Ammonia concentration (mg NH3-N/l) | | | |
| Return period | 1 hour | 6 hours | 24 hours | |
| 1 month | 0.065 | 0.025 | 0.018 | |
| 3 months | 0.095 | 0.035 | 0.025 | |
| 1 year | 0.105 | 0.040 | 0.030 | |
| Cyprinid waters | | | | |
| | Un-ionised Ammonia concentration (mg NH3-N/l) | | | |
| Return period | 1 hour | 6 hours | 24 hours | |
| 1 month | 0.150 | 0.075 | 0.030 | |
| 3 months | 0.225 | 0.125 | 0.050 | |
| 1 year | 0.250 | 0.150 | 0.065 | |

The above limits apply when the concurrent concentration of dissolved oxygen is above 5 mg/l. At lower concentrations of dissolved oxygen the following correction factor applies: For dissolved oxygen less than 5mg/l DO, multiply the standard by 0.0126 and the concentration of dissolved oxygen in mg O/litre, C, raised to the power of 2.72, that is, 0.0126 C^{2.72}.

The standards also assume that the concurrent pH is greater than 7 and temperature is greater than 5 degress Centigrade. For lower pH and temperatures the following correction factors apply: Where the pH is less than 7, multiply the standard by 0.0003 and by the value of the pH, p, raised to the power of 4.17, that is: 0.0003p^{4.17}. Where the temperature is less than 5 degrees Centigrade, multiply this correction factor by a further 0.5.

Table 3

99th percentile standards for biochemical oxygen demand in rivers

| Status | Types of river | 99th percentile BOD (mg/l) |
|----------|----------------------|----------------------------|
| High | 1,2,4,6 and salmonid | 7.0 |
| High | 3,5 and 7 | 9.0 |
| Good | 1,2,4,6 and salmonid | 9.0 |
| Good | 3,5 and 7 | 11.0 |
| Moderate | 1,2,4,6 and salmonid | 14.0 |
| Moderate | 3,5 and 7 | 14.0 |
| Poor | 1,2,4,6 and salmonid | 16.0 |
| Poor | 3,5 and 7 | 19.0 |

Table 4

99th percentile standards for ammonia in rivers

| Status | Types of river | Total ammonia (mg NH4-N/l) 99th percentile | Un-ionised ammonia (mg NH3-N/l) 99th percentile |
|----------|----------------------|--|---|
| High | 1,2,4,6 and salmonid | 0.5 | 0.04 |
| High | 3,5 and 7 | 0.7 | 0.04 |
| Good | 1,2,4,6 and salmonid | 0.7 | 0.04 |
| Good | 3,5 and 7 | 1.5 | 0.04 |
| Moderate | 1,2,4,6 and salmonid | 1.8 | 0.04 |
| Moderate | 3,5 and 7 | 2.6 | 0.04 |
| Poor | 1,2,4,6 and salmonid | 2.6 | 0.04 |
| Poor | 3,5 and 7 | 6.0 | |

 $\label{thm:proposed} Table \, \mathbf{5}$ Types of river to which the proposed 99th percentile standards in Tables 3 and 4 apply

| Alkalinity (as mg/l CaCO ₃) | | | | | |
|---|--------------|--------|--------|---------|----------|
| Altitude | Less than 10 | 10-50 | 50-100 | 100-200 | Over 200 |
| Under 80 metres | Type 1 | Type 2 | Type 3 | Type 5 | Type 7 |
| Over 80 metres | | | Type 4 | Type 6 | |

SCHEDULE 2 N.I.

PART 1 N.I.

Determining Ecological Status of Surface Waters that are not designated Heavily Modified or Artificial

- 1. The Department must classify the ecological status of surface water bodies that are not designated as heavily modified or artificial in accordance with the following steps:
 - (a) estimate representative values of appropriate indicators of the condition of the relevant biological, physiochemical and hydromorphological quality elements from monitoring or modelling results. The appropriate indicators shall include:
 - (i) indicators of biological and other quality elements expected to be most sensitive to the pressures to which the water body is subject;
 - (ii) the values for physicochemical quality elements at risk of being so altered as to be failing a physicochemical standard;
 - (iii) the concentrations of those specific pollutants likely to be in the water body in quantities that could cause a failure of a specific pollutant;
 - (iv) the concentrations of those priority substances likely to be in the water body in quantities that could cause failure of chemical status; and
 - (v) the criteria for hydromorphological elements relevant to high status.
 - (b) compare the values of the appropriate indicators estimated from monitoring or modelling with the applicable standards and biological boundary values in Schedule 1 of these Regulations.
 - (c) classify the ecological status of the water body as "high" if the values of all the appropriate indicators of the biological, physicochemical, chemical and hydrological quality elements comply with the highest corresponding standards given in Schedule 1; the assessment of morphological condition carried out in accordance with Part 4 paragraph 1 of this Schedule reflects totally or nearly totally undisturbed conditions; and there is no evidence that a high impact alien species, as identified on the Ecoregion 17 list, has become established and is having an ecological effect on the water body.
 - (d) where the biological quality elements and the general chemical and physiochemical elements and specific pollutants are high and the chemical status is good but the hydromorphological status is less than high, then the overall status of the surface water body is "good".
 - (e) where a surface water body is not classified as "high" ecological status in accordance with paragraph 1(c), the Department must classify the ecological status of the surface water body according to the lowest classed biological or physicochemical quality element. If the lowest classed quality element is a specific pollutant or other physicochemical quality element, the class assigned shall be no lower than "moderate" ecological status.
- 2. In this part, "high impact alien species" means a non-native species of plant or animal that has a detrimental effect on the aquatic ecology or environment.

PART 2 N.I.

Determining Chemical Status of Surface Waters

- 1. The Department must classify the chemical status of surface water bodies in accordance with the following steps:
 - (a) estimate from monitoring or modelling results the concentrations in the surface water body of appropriate priority substances listed in Schedule 1 of these Regulations. The appropriate substances shall include those likely to be in the surface water body in quantities that could cause a failure of the corresponding environmental quality standard.
 - (b) compare the values of the appropriate substances estimated from monitoring or modelling with the applicable standards in Schedule 1.
 - (c) classify the chemical status of the surface water body as good unless the standard for one or more priority substances is failed. If one or more is failed, classify as failing to achieve good chemical status.

PART 3 N.I.

Determining Ecological Potential of Heavily Modified and Artificial Water Bodies

- 1. The Department must classify a surface water body designated as heavily modified or artificial as—
 - (a) "good ecological potential" if the following conditions are met:
 - (i) all applicable mitigation measures have been taken; and
 - (ii) the values of all the indicators of the quality elements not sensitive to hydromorphological pressures related to the heavily modified or artificial water body designation, including biology, specific pollutants and other physicochemical quality elements achieve the standards for "high" or "good".
 - (b) "moderate ecological potential" if the following conditions are met:
 - (i) not all applicable mitigation measures have been taken and the values of one or more of the indicators of the quality elements not sensitive to hydromorphological pressures directly related to the heavily modified or artificial water body designation, including biology, specific pollutants and other physicochemical quality elements achieve the standards for "high", "good" or "moderate"; or
 - (ii) all applicable mitigation measures have been taken and the values of one or more of the indicators of the quality elements not sensitive to hydromorphological pressures directly related to the heavily modified or artificial water body designation, including biology, specific pollutants and other physicochemical quality elements achieve the standards for "moderate".
 - (c) "poor ecological potential" if the values of one or more of the indicators of the biological quality elements not sensitive to hydromorphological pressures directly related to the heavily modified or artificial water body designation achieve the standards for "poor".
 - (d) "bad ecological potential" if the values of one or more of the indicators of biological quality elements not sensitive to hydromorphological pressures directly related to the heavily modified or artificial water body designation achieve the standards for "bad".
- 2. In order to determine how to classify surface water bodies designated as heavily modified or artificial in accordance with paragraph 1, the Department must —

- (a) determine whether or not all practicable mitigation has been taken to improve the modified or artificial hydromorphological characteristics of the surface water body other than that which would have a significant adverse impact on:
 - (i) the use served by the modified or artificial characteristics; or
 - (ii) the wider environment.
- (b) estimate representative values of indicators of the condition of the relevant biological and physicochemical quality elements from monitoring or modelling results. The indicators shall include:
 - (i) indicators of the biological quality elements which are not sensitive to the artificial or heavily modified characteristics of the water body;
 - (ii) the concentrations of those specific pollutants likely to be in the surface water body in quantities that could cause a failure of a specific pollutant standard; and
 - (iii) the values for those other physicochemical quality elements at risk of being so altered as to be failing a physicochemical standard.
- (c) compare the values of the indicators estimated from monitoring or modelling with the applicable standards in Schedule 1 of these Regulations.
- 3. When determining whether all practicable mitigation has been taken, mitigation measures may be excluded which would contribute only a very minor improvement in the ecology of the water body.

PART 4 N.I.

Determining High Status for Morphological Elements

- 1. The Department must monitor morphological conditions within relevant water bodies.
 - (a) Once the Department has, in accordance with paragraph 3 of Part 1 of Schedule 1, assigned a type to a river or part thereof, the Department must consider both direct and indirect pressures on the physical character of rivers at local scale, water body scale and catchment scale. The physical character of a river includes the condition of the channel bed, banks and riparian zone, channel pattern and river continuity. Classification shall be assigned according to the ecological quality ratio in the River Hyrdromorphology Assessment Technique specified in Table 1 of this Part.
 - (b) Once the Department has in accordance with paragraphs 7 of Part 1 of Schedule 1 assigned a type to a lake, the Department must consider both direct and indirect pressures on the physical character of lakes in the shore zone and open water. Morphological Condition Limits are used to represent thresholds of alteration in morphological conditions beyond which conditions could be altered in ways that could result in deterioration in status. A Morphological Condition Limit of 5% is the boundary between High Ecological Status and Good Ecological Status and a Morphological Condition Limit of 15% is the boundary between Good Ecological Status and Moderate Ecological Status.
 - (c) To assess the morphological condition of transitional and coastal water bodies, the Department must consider both direct and indirect pressures on the physical character of transitional and coastal waters at local scale, water body scale and catchment scale.
- 2. High Status morphological condition must not be assigned to
 - (a) Any water body that has been identified as being at risk of failing to achieve good ecological status due to the extent of morphological pressures; or
 - (b) Any artificial or heavily modified water body.

Table 1

| Boundary values for the River Hydromorphology Assessment Technique | | |
|--|--------------------------|--|
| | Ecological quality ratio | |
| High | >=0.8 | |
| Good | 0.6 - < 0.8 | |
| Moderate | 0.4 - < 0.6 | |
| Poor | 0.2 - < 0.4 | |
| Bad | <0.2 | |

PART 5 N.I.

Determining Overall Status of Surface Water Bodies

- 1. The Department must determine the overall status of a surface water body, other than those designated as heavily modified or artificial, by combining the classification of ecological status and chemical status in one of the following and alternative ways:
 - (a) where the ecological and hydromorphological status of a surface water body is high and the chemical status of the surface water body is good, then the overall status of the surface water body is "high".
 - (b) where the biological quality elements and the general chemical and physiochemical elements and specific pollutants are high and the chemical status is good but the hydromorphological status is less than high, then the overall status of the surface water body is "good"
 - (c) where the ecological status is good and the chemical status is good, then the overall status is "good".
 - (d) where the ecological status is high, good or moderate, and the chemical status is failing to achieve good, then the overall status is "moderate".
 - (e) where the ecological status is moderate and irrespective of chemical status, then the overall status is "moderate".
 - (f) where the ecological status is poor or bad and irrespective of the chemical status, the overall status shall be the same classification as the ecological status, that is "poor" or "bad".

SCHEDULE 3 N.I.

Determining Quantitative status of Groundwater

- 1.—(1) The Department must determine the quantitative status of a body of groundwater as follows—
 - (a) by determining whether or not one or more of the indicators in Column 1 of Table 1 are applicable to the body of groundwater; and

- (b) if any of those indicators are applicable, by carrying out appropriate investigations to determine whether or not the criteria in Column 2 of Table 1 corresponding to the applicable indicator or indicators for poor quantitative status are satisfied.
- (2) The body of groundwater must be classified as—
 - (a) "good groundwater quantitative status" where—
 - (i) none of the indicators set out in Column 1 of Table 1 are applicable, or
 - (ii) one or more of those indicators are applicable but none of the corresponding criteria for poor groundwater status set out in Column 2 of Table 1 are satisfied; and
 - (b) in any other case as "poor groundwater quantitative status".

Table 1

Risk indicators and classification criteria for groundwater quantitative status

Column 1

Saline or other intrusions into groundwater body:

- a) Failure of a threshold value i.e. electrical indicating saline intrusion; conductivity for groundwater as derived in ii) Significant and sustained upward accordance with the Groundwater Regulations trend in the concentration of other (Northern Ireland) 2009; or
- b) Other indications of intrusions of poor iii) Existing evidence that a point quality water into the body of groundwater (Note: "intrusion" is interpreted to be intrusion unsuitable for use without prior of poor quality water into a groundwater treatment as a result of an intrusion. body from another water body, rather than the movement of a plume of poor quality water within the body).

Surface water:

a) Flow conditions in an associated surface surface water body maintaining or water body are unsatisfactory, and there is achieving the target status class and reason to suspect that groundwater abstraction the reduction in river flow in the impacts (on the surface water body) are a surface water body concerned (resulting significant component of the failure to achieve solely from groundwater abstraction) flow standards.

unsatisfactory if they are failing to meet standards). the appropriate WFD flow standards and in doing so, preventing the surface water body maintaining of achieving its target status class).

Dependant Groundwater Terrestrial i) **Ecosystems (GWDTE):**

Indications of damage to caused by insufficient water conditions availability identified through the departure anthropogenic quantitative pressures from predefined environmental supporting in the groundwater body, affecting conditions, including flow and groundwater groundwater level (or chemistry) which are required GWDTE. to maintain dependent communities in a favourable state.

Column 2

- a i) Significant and sustained upward electrical conductivity trend in
 - indicators of intrusion;
 - of abstraction has been rendered
- i) Flow conditions are preventing the represents ≥50% of the value of the (Note: Flow conditions are considered allowable abstraction (based on the flow
 - significant Α proportion of the departure from a predefined environmental supporting be attributed availability

Water balance:

- a) Indications that the total annual volume groundwater abstracted from the of groundwater being abstracted from the groundwater body represents more than groundwater body exceeds the long term the long-term annual average rate of annual average rate of recharge to the recharge to the groundwater body and groundwater body (taking in to account there are sustained trends of long term an allowance where relevant for dependent falling groundwater levels within the ecosystems).
- i) The annual average volume of groundwater body.

SCHEDULE 4 N.I.

Presentation of monitoring results and classification

Table 1 **Surface Water Ecological Status**

| Ecological status classification | Colour code | |
|----------------------------------|-------------|--|
| High | Blue | |
| Good | Green | |
| Moderate | Yellow | |
| Poor | Orange | |
| Bad | Red | |

Table 2 Heavily Modified/Artificial Water Bodies Ecological Potential

| Ecological classification | potential | Colour code Artificial water bodies Heavily modified |
|---------------------------|-----------|--|
| Good and above | | Equal green and light grey Equal green and dark grey stripes |
| Moderate | | Equal yellow and light grey Equal yellow and dark grey stripes |
| Poor | | Equal orange and light grey Equal orange and dark grey stripes |
| Bad | | Equal red and light grey stripes Equal red and dark grey stripes |

Table 3 **Surface Water Chemical Status**

| Chemical status classification | Colour code |
|--------------------------------|-------------|
| Good | Blue |

| Failing to achieve good | Red |
|---------------------------|-----|
| I alling to acine ve good | Reu |

Table 4

Groundwater chemical status

| Groundwater chemical status | Colour code |
|-----------------------------|-------------|
| Good | Green |
| Poor | Red |

Table 5

Groundwater Quantitative Status

| Groundwater quantitative status | Colour code |
|---------------------------------|-------------|
| Good | Green |
| Poor | Red |

SCHEDULE 5 N.I.



Shellfish Waters Standards

Table 1

Shellfish Water Mandatory Standards

| Parameter | Units | Standard |
|-------------|-----------------------------|---|
| Temperature | $\circ \mathbf{C}$ | A discharge affecting shellfish waters must not cause the temperature of the water to exceed by more than 2°C the temperature of the waters not so affected. |
| pН | | pH values will not reach levels outside of the range established so as to ensure the functioning of the ecosystem and the achievement of the values specified for the biological quality elements under Good Ecological Status |
| Silver | Annual mean (AA-EQS) (µg/l) | 0.5 |

| | Maximum allowable concentration (MAC-EQS) (μg l) | · = |
|----------|--|---|
| Salinity | Practical Salinity Units (PSU) | \leq |
| | | A discharge affecting shellfish waters must not cause their salinity to exceed by more than 10% the salinity of waters not so affected. |

Table 2
Shellfish Water Salinity Guideline Standard

| Parameter | Units | Standard |
|-----------|-------|----------|
| Salinity | PSU | 12-38 |

PART 2 N.I.

Microbial Guideline Value

Microbial Guideline Value N.I.

1. In shellfish waters, the Department must endeavour to respect the microbial guideline value in the shellfish flesh and intervalvular liquid as set out in Table 1 to this Part, in addition to the mandatory standards set out in these Regulations.

Compliance with the microbial guideline value N.I.

- 2.—(1) Subject to sub-paragraph (2), in relation to any period of 12 months, shellfish waters shall be treated as complying with the guideline value set out in Table 1 to this Part, if 75 per cent of the samples taken comply with the guideline value.
- (2) Non-compliant samples may be ignored for the purposes of sub-paragraph (1) if they are the result of natural cause or force majeure.

Sampling and analysis N.I.

- 3.—(1) The Department must ensure that the guideline value adopted as a result of paragraph 1 and samples are analysed in accordance with the following provisions of this paragraph.
- (2) Subject to sub-paragraph (1), sampling shall be carried out at least at the minimum frequency specified in Table 1 to this Schedule.
- (3) Where sampling shows that the guideline value adopted as a result of paragraph 1 is not being met, the Department must establish whether this is the result of chance, a natural phenomenon or pollution, and must adopt appropriate measures to prevent deterioration.
- (4) Samples shall be analysed using the reference methods of analysis specified in Table 1 to this paragraph or methods which are at least as reliable as the reference methods.

Table 1

Microbial Standard for shellfish waters

| Parameter | Units | | Guideline values and comments | | Reference methods analysis | of | Minimum sampling and measuring frequency |
|----------------------|----------------|---------------------------------|-------------------------------|-----|----------------------------------|--------|--|
| Escherichia (E.coli) | coli cfu/100ml | ≤230 shellfish intervalvu | | and | ISO16649 par equivalent | t 3 or | |

[F24SCHEDULE 6 N.I.

Regulation 2(4)

Modifications of Directives

Textual Amendments

F24 Sch. 6 inserted (31.1.2020) by The Water (Amendment) (Northern Ireland) (EU Exit) Regulations 2019 (S.I. 2019/112), regs. 1(1), **11(9)**; 2020 c. 1, Sch. 5 para. 1(1)

PART 1 N.I.

Modifications of the Water Framework Directive

- 1. A reference to the Water Framework Directive, or to any provision of it, is to be read in accordance with this Part.
 - 2. When interpreting the Water Framework Directive for the purposes of these Regulations—
 - (a) a reference to one or more member States in a provision imposing an obligation or conferring a discretion on a member State or member States is to be read as a reference to the Department;
 - (b) a reference to Article 13 of the Water Framework Directive is to be read as if it were a reference to Article 13 except in so far as it gives rise to any obligation under Article 15 of that Directive;
 - (c) any reference to "Community legislation" (other than a reference to existing Community legislation) is to be read as if it were a reference to retained EU law;
 - (d) any reference to "existing Community legislation" or "existing legislation" is to be read as if it were a reference to Community legislation which was in force prior to 23rd October 2000;
 - (e) the Water Framework Directive is to be read as if it the following modification were made to it.
- 3. Article 2(24) is to be read as if, for the words from "in Annex IX" to the end, there were substituted "by the table of priority substances, and under relevant retained EU law which sets environmental quality standards".

- 4. Article 3 is to be read as if—
 - (a) in paragraph 3—
 - (i) "the territory of more than one Member State" were a reference to "Northern Ireland and the Republic of Ireland";
 - (ii) the second sentence was omitted;
 - (iii) for "Each" substitute "A";
 - (b) in paragraph 4—
 - (i) "the Member States concerned" were a reference to "Northern Ireland and the Republic of Ireland";
 - (ii) the third sentence was omitted;
 - (c) omit paragraphs 5,8 and 9.
- 5. Article 4 is to be read as if—
 - (a) in paragraph 1—
 - (i) in point (a)(iv), for "Article 16(1) and (8)" there were substituted "the Directive";
 - (ii) in point (b)(iii), for "paragraphs 2, 4 and 5 of Article 17" there were substituted "Directive 2006/118/EEC of the European Parliament and of the Council on the protection of groundwater against pollution and deterioration";
 - (b) in paragraph 8, the reference to "other Community environmental legislation" were a reference to retained EU law relating to the environment.
- 6. Article 7(2) is to be read as if—
 - (a) for "at Community level under Article 16" there were substituted "by retained EU law implementing the Directive";
 - (b) for "Directive 80/778/EEC as amended by Directive 98/83/EC" there were substituted "retained EU law implementing Directive 98/83/EC".
- 7. Article 11(3) is to be read as if—
 - (a) in subparagraph (a), for the words from "required to implement" to the end, substitute "under retained EU law for the protection of water";
 - (b) in subparagraph (j), in the fourth indent, for the words from "Directive" to the end there were substituted "Chapter 3 of Part 1 of the Energy Act 2008 and other retained EU law which transposed Directive 2009/31/EC on the geological storage of carbon dioxide";
 - (c) in subparagraph (k)—
 - (i) the words "in accordance with action taken pursuant to Article 16," were omitted;
 - (ii) for "agreed pursuant to Article 16" there were substituted "in Annex 10".
- 8. In Article 13—
 - (a) paragraph 2 is to be read as if for "the Community" and "their territory" there were substituted "Northern Ireland";
 - (b) paragraph 3 is to be read as if for "the Community" and "the territory of the Member State concerned" there were substituted "Northern Ireland".
- 9. Article 15 is to be read as if—
 - (a) paragraphs 1 and 2 were omitted;
 - (b) in paragraph 3, for "submit" there were substituted "produce".
- 10. Annex 2 is to be read as if—

- (a) in section 1.1, paragraph (vi) were omitted;
- (b) in section 1.4—
 - (i) in the second paragraph—
 - (aa) after "gathered under" there were inserted " the retained EU law which implemented ";
 - (bb) in subparagraph (ii), the reference to Articles 9 and 15 of Directive 96/61/EC were a reference to Articles 5(3), 14 and 24 of Directive 2010/75/EC of the European Parliament and of the Council on industrial emissions;
 - (ii) in the third paragraph—
 - (aa) after "gathered under" there were inserted " the retained EU law which implemented";
 - (bb) in subparagraph (iii) the reference to Directive 98/8/EC were a reference to Regulation (EC) No 528/2012 of the European Parliament and of the Council concerning the making available on the market and use of biocidal products;
- (c) in section 2.3 the reference to "two or more Member States" were a reference to "Northern Ireland and the Republic of Ireland".
- 11. Annex 5 is to be read as if—
 - (a) references in tables 1.2.1 to 1.2.5 to Directive 91/414/EC, in each place they occur, were references to Regulation (EC) 1107/2009 concerning the placing of plant protection products on the market;
 - (b) references in tables 1.2.1 to 1.2.5 to Directive 98/8/EC, in each place they occur, were references to Regulation (EC) 528/2012 of the European Parliament and of the Council concerning the making available on the market and use of biocidal products;
 - (c) in section 1.3.1, in the unnumbered paragraph headed "Selection of monitoring points", the fourth indent (referring to "the Information Exchange Decision 77/795/EEC") were omitted:
 - (d) in section 1.3.5, the reference to "the Drinking Water Directive" were a reference to retained EU law which transposed Directive 98/83/EC on the quality of water intended for human consumption;
 - (e) in section 1.4.1—
 - (i) in point (iii), for the words from "shall be established" to the end there were substituted "is as set out in Commission Decision 2018/229 establishing, pursuant to Directive 2000/60/EC of the Parliament and of the Council, the values of the Member State monitoring system classifications as a result of the intercalibration exercise.";
 - (ii) points (iv) to (ix) were omitted;
 - (f) in section 1.4.3, for the words "Annex IX, Article 16 and under other relevant Community legislation" there were substituted "Annex 1 to the Directive and under other relevant retained EU law";
 - (g) in the table in section 2.3.2, in the column for "good status", for "other relevant Community legislation in accordance with Article 17" there were substituted "Directive 2006/118/ EEC of the European Parliament and of the Council on the protection of groundwater against pollution and deterioration as last amended by Commission Directive 2014/80/ EU";
 - (h) in section 2.4.5, the words "Without prejudice to the Directives concerned" were omitted.
- 12. Annex 6 is to be read as if Part A were omitted.

- 13. Annex 7 is to be read as if, in Part A—
 - (a) in point 7.1, for "implement Community legislation" there were substituted " under retained EU law";
 - (b) point 10 were omitted.

PART 2 N.I.

Modifications of the Directive

- 1. A reference to the Directive or to any provision of the Directive is to read in accordance with this Part.
 - 2. When interpreting the Directive for the purpose of these Regulations—
 - (a) a reference to one or more member States in a provision imposing an obligation or conferring a discretion on a member State or member States is to be read as a reference to the Department;
 - (b) the Directive is to be read as if the following modifications were made to it.
 - 3. Article 4 is to be read as if—
 - (a) in paragraph 3(b)—
 - (i) the reference to "Community law" is to be read as if it were a reference to retained EU law;
 - (ii) the words "and Article 10 of Directive 2000/60/EC" were omitted.

PART 3 N.I.

Modifications of Directive 2009/90/EC

- 1. A reference to Directive 2009/90/EC, or to any provision of it, is to be read in accordance with this Part.
- 2. When interpreting Directive 2009/90/EC for the purposes of these Regulations, a reference to one or more member States in a provision imposing an obligation or conferring a discretion on a member State or member States is to be read as a reference to the Department.]

EXPLANATORY NOTE

 I^{F24} (This note is not part of the Regulations)

These Regulations implement Council Directive 2008/105/EC on environmental quality standards in the field of water policy (OJNo. L348, 24.12.2008 p.84) as amended by Directive 2013/39/EU (OJ L226, 24.08.2013, p.1) and set out the classification schemes used under the implementation of Directive 2000/60/EC establishing a framework for Community action in the field of water policy (OJNo. L327, 22.12.2000 p.1-73).

Regulation 3 and Schedule 1 require the Department to assign a type or types and to apply environmental standards and biological boundary values in respect of rivers, lakes, transitional and coastal waters.

Regulations 4 to 8 require the Department to apply the standards for priority standards, including biota standards, as set out in Table 47 of Part 2 of Schedule 1.

Regulations 9 to 14 set out requirements for the Department with respect to the monitoring of biota and sediment standards.

Regulations 15 to 17 require the Department to carry out monitoring for substances identified by the Commission on the first Watch List (Commission Implementing Decision 2015/495) as well as substances which are subsequently added to it.

Regulation 19 and Schedule 5 require the Department to apply pH, silver, temperature, salinity standards and endeavour to respect a microbial value with respect to shellfish waters.

Regulations 20 and 21 and Schedules 2, 3 and 4 require the Department to classify surface waters and groundwaters and to report this classification in the River Basin Management Plans produced for the purposes of implementing Directive 2000/60/EC.

Regulation 22 allows for the designation of mixing zones and regulation 23 requires the Department to update the inventories of emissions, discharges and losses in respect or priority substances which have been established for each of the River Basin Districts in Northern Ireland. Regulation 27 revokes the Water Framework Directive (Priority Substances and Classification) Regulations (Northern Ireland) 2011.

Regulation 28 revokes the Water Framework Directive (Priority Substances and Classification) (Amendment) Regulations (Northern Ireland) 2012.

Regulation 29 revokes the Water Framework Directive (Priority Substances and Classification) (Amendment) Regulations (Northern Ireland) 2015.]

Changes to legislation:

There are currently no known outstanding effects for the The Water Framework Directive (Classification, Priority Substances and Shellfish Waters) Regulations (Northern Ireland) 2015.