

## SCHEDULE 1

Regulation 4

### Construction and design of centres

#### PART 1

##### EC quarantine centre

The EC quarantine centre must—

- (a) have bovine animal housing, including isolation facilities that have no direct communication with the normal bovine animal housing;
- (b) be constructed so that the bovine animal housing can be readily cleaned and disinfected; and
- (c) be constructed or isolated so that contact with livestock outside is prevented.

#### PART 2

##### EC collection centre or domestic collection centre

The EC collection or domestic collection centre must—

- (a) have—
  - (i) bovine animal housing, including isolation facilities that have no direct communication with the normal bovine animal housing;
  - (ii) semen collection facilities, including a separate room for the cleaning and disinfection or sterilisation of equipment;
  - (iii) facilities where semen may be processed, which need not be on the same site; and
  - (iv) a semen quarantine room, which need not be on the same site;
- (b) be constructed or isolated so that contact with livestock outside the centre is prevented;
- (c) be constructed so that the bovine animal housing and the semen collection and processing facilities and the semen quarantine room can be readily cleaned and disinfected; and
- (d) be so designed that the bovine animal housing is separated from the processing facilities and both are separated from the semen quarantine room.

#### PART 3

##### EC storage centre or domestic storage centre

The EC storage or domestic storage centre must—

- (a) be constructed or isolated so that contact with livestock outside is prevented; and
- (b) have a semen storage room that can be readily cleaned and disinfected.