
SCOTTISH STATUTORY INSTRUMENTS

2013 No. 323

The Water Environment (River Basin Management Planning: Further Provision) (Scotland) Regulations 2013

PART 3

SPECIFIC MEASURES AGAINST POLLUTION OF WATER

[^{F1}Interpretation of Part 3

16.—(1) In this Part—

“biota taxon” means a particular aquatic taxon within the taxonomic rank ‘sub-phylum’, ‘class’ or their equivalent;

“[Directive 2009/90/EC](#)” means Commission [Directive 2009/90/EC](#) laying down, pursuant to [Directive 2000/60/EC](#) of the European Parliament and of the Council, technical specifications for chemical analysis and monitoring of water status;

“EQS” means environmental quality standards or, where the context so requires, environmental quality standard;

“existing obligations” means the obligations (on environmental quality standards in the field of water policy) under [Directive 2008/105/EC](#) of the European Parliament and of the Council (“the original Directive”) before it was amended by [Directive 2013/39/EU](#) of the European Parliament and of the Council including, in particular, the achievement of good surface water chemical status in relation to the substances and the associated EQS listed in the original Directive;

“limit of detection” means the output signal or concentration value above which it can be affirmed, with a stated level of confidence that a sample is different from a blank sample containing no determinand of interest;

“limit of quantification” means a stated multiple of the limit of detection at a concentration of the determinand that can reasonably be determined with an acceptable level of accuracy and precision;

“matrix” means a compartment of the aquatic environment, namely water, sediment or biota;

“Part A” means Part A of Annex I to the Priority Substances Directive (as read with the definitions and notes contained in that Part);

“Part B” means Part B of Annex I to the Priority Substances Directive;

^{F2}
...

“watch list” means the watch list of substances established under Article 8b(1) and (2) of the Priority Substances Directive.

(2) For the purposes of this Part, the limit of quantification may be calculated using an appropriate standard or sample, and may be obtained from the lowest calibration point on the calibration curve, excluding the blank.]

[^{F3}(3) When interpreting Directive 2009/90/EC for the purposes of this Part, a reference to one or more member States in a provision imposing an obligation, or conferring a discretion, on a member State or member States is to be read as a reference to SEPA.]

Textual Amendments

- F1** Reg. 16 and cross-heading substituted (14.9.2015) by [The Water Environment \(River Basin Management Planning etc.\) \(Miscellaneous Amendments\) \(Scotland\) Regulations 2015 \(S.S.I. 2015/211\)](#), regs. 1(2), **3(a)**
- F2** Words in reg. 16(1) omitted (31.12.2020) by virtue of [The Environment \(EU Exit\) \(Scotland\) \(Amendment etc.\) Regulations 2019 \(S.S.I. 2019/26\)](#), regs. 1, **4(7)(a)**; 2020 c. 1, Sch. 5 para. 1(1)
- F3** Reg. 16(3) inserted (31.12.2020) by [The Environment \(EU Exit\) \(Scotland\) \(Amendment etc.\) Regulations 2019 \(S.S.I. 2019/26\)](#), regs. 1, **4(7)(b)**; 2020 c. 1, Sch. 5 para. 1(1)

[^{F4}Environmental quality standards for bodies of surface water

17.—(1) Subject to paragraph (2), SEPA must, for each body of surface water within a river basin district, apply the EQS in Part A in accordance with the requirements in Part B.

(2) Without prejudice to existing obligations, SEPA must—

- (a) from 22nd December 2015, apply the EQS in Part A for the substances numbered (2), (5), (15), (20), (22), (23) and (28) (in column (1) of the table in that Part) with the aim of achieving good surface water chemical status in relation to those substances by 22nd December 2021 by means of the programme of measures included in the river basin management plan (or an update of it); and
- (b) from 22nd December 2018, apply the EQS in Part A for the substances numbered (34) to (45) (in column (1) of the table in that Part) with the aim of achieving good surface water chemical status in relation to those substances by 22nd December 2027 and preventing deterioration in the chemical status of each body of surface water in relation to those substances.

(3) The objectives set under section 9(1)(a)(i) of the Act must, subject to the application of regulations 5 to 10 and without prejudice to any other objectives that are required to be set under that section, aim to achieve the obligations in paragraph (2).

(4) For the purposes of paragraph (3), references in regulations 5 to 9 to an objective set pursuant to regulation 3(1) are to be construed as an objective set pursuant to paragraph (3).

(5) For the purposes of paragraph (2)(b), SEPA must—

- (a) by 22nd December 2018, establish a supplementary monitoring programme and a preliminary programme of measures covering those substances;
- (b) by 22nd December 2021, establish a full programme of measures covering those substances (“the full programme”); and
- (c) as soon as possible after 22nd December 2021, and not later than 22nd December 2024, implement and make fully operational the full programme.

(6) SEPA must apply—

- (a) the biota EQS in Part A for the substances numbered (5), (15), (16), (17), (21), (28), (34), (35), (37), (43) and (44) (in column (1) of the table in that Part); and
- (b) the water EQS in Part A for the other substances numbered (in that column).

(7) SEPA may in relation to one or more categories of surface water, apply—

- (a) an EQS for a matrix other than that specified in paragraph (6); or

- (b) where relevant, an EQS for a biota taxon other than that specified in Part A.
- (8) Where SEPA makes use of the option in paragraph (7), it must—
 - (a) apply the EQS for the substances in question; or
 - (b) if there is no EQS for the matrix or biota taxon in question, establish an EQS for that matrix or biota taxon that offers at least the same level of protection as the corresponding EQS for those substances in relation to other matrix and biota taxon.
- (9) SEPA may use the option in paragraph (7) only where—
 - (a) the method of analysis used for the chosen matrix or biota taxon fulfils the minimum performance criteria in Article 4 of [Directive 2009/90/EC](#); or
 - (b) if the method does not fulfil those criteria for any matrix, SEPA ensures—
 - (i) that the method of analysis performs at least as well as that available for the matrix specified in paragraph (6) for the relevant substance; and
 - (ii) that monitoring is carried out using best available techniques not entailing excessive costs.
- (10) Where a biota or sediment EQS for a substance in Part A is being applied and a potential risk to, or via, the water environment from acute exposure to the substance has been identified as a result of measured or estimated environmental concentrations or emissions of that substance, SEPA must—
 - (a) additionally apply any MAC-EQS in Part A for that substance; and
 - (b) carry out monitoring in relevant bodies of surface water for that substance.
- (11) Any measured result for the substance being monitored must not be considered by SEPA for the purposes of assessing the chemical status of a body of surface water where—
 - (a) pursuant to Article 5 of [Directive 2009/90/EC](#), the calculated mean value of a measurement, when carried out using the best available technique not entailing excessive costs, is referred to as ‘less than limit of quantification’; and
 - (b) the limit of quantification of that technique is above the EQS for the substance.
- (12) For substances for which an EQS for sediment or biota is applied, SEPA must, subject to paragraph (13), monitor the substance in the relevant matrix at least once every year, unless technical knowledge and expert judgment justify a different interval.
- (13) SEPA may monitor the substances numbered (5), (21), (28), (30), (35), (37), (43) and (44) (in column (1) of the table in Part A) less intensively than is required by paragraph (12) and Annex V to the Water Framework Directive provided that the monitoring—
 - (a) is representative and a statistically robust baseline is available regarding the presence of those substances in the aquatic environment; and
 - (b) takes place for each of the substances at least once every 3 years (unless technical knowledge and expert judgment justify a different interval).
- (14) SEPA must include the following information in the river basin management plan (or the next update of it)—
 - (a) a table presenting the limits of quantification of the methods of analysis applied, and information on the performance of those methods in relation to the minimum performance criteria in Article 4 of [Directive 2009/90/EC](#);
 - (b) for the substances for which the option in paragraph (7) is used—
 - (i) the reasons and basis for using that option;
 - (ii) where relevant, the alternative EQS established, evidence that those EQS would offer at least the same level of protection as the EQS in Part A, including the data and

methodology used to derive the EQS, and the categories of surface water to which they would apply; and

(iii) for comparison with the information referred to in sub-paragraph (a), the limits of quantification of the methods of analysis for matrices specified in Part A, including information on the performance of the methods in relation to the minimum performance criteria in Article 4 of [Directive 2009/90/EC](#); and

(c) justification for the frequency of monitoring applied in accordance with paragraph (12) (as read with paragraph (13)), if monitoring intervals are longer than one year.

(15) SEPA must ensure—

(a) that the river basin management plan (or the next update of it) contains the results and impact of the measures taken to prevent chemical pollution of surface water; ^{F5} ...

^{F6}(b)

(16) SEPA must—

(a) arrange for the long-term trend analysis of concentrations of the priority substances listed in Part A that tend to accumulate in sediment or biota (giving particular consideration to the substances numbered (2), (5), (6), (7), (12), (15), (16), (17), (18), (20), (21), (26), (28), (30), (34), (35), (36), (37), (43) and (44) in column (1) of the table in that Part) on the basis of the monitoring of surface water status carried out in accordance with section 8 (monitoring) of the Act;

(b) take measures aimed at ensuring, subject to Article 4 of the Water Framework Directive, that such concentrations do not significantly increase in sediment or relevant biota;

(c) determine the frequency of monitoring in sediment and biota so as to provide sufficient data for reliable long-term trend analysis of each priority substance; and

(d) ensure that monitoring for each priority substance takes place at least once every 3 years, unless technical knowledge and expert judgment justify a different interval.]

Textual Amendments

F4 Reg. 17 and cross-heading substituted (14.9.2015) by [The Water Environment \(River Basin Management Planning etc.\) \(Miscellaneous Amendments\) \(Scotland\) Regulations 2015 \(S.S.I. 2015/211\)](#), regs. 1(2), **3(b)** (with reg. 6)

F5 Word in reg. 17(15) omitted (31.12.2020) by virtue of [The Environment \(EU Exit\) \(Scotland\) \(Amendment etc.\) Regulations 2019 \(S.S.I. 2019/26\)](#), regs. 1, **4(8)(i)**; 2020 c. 1, Sch. 5 para. 1(1)

F6 Reg. 17(15)(b) omitted (31.12.2020) by virtue of [The Environment \(EU Exit\) \(Scotland\) \(Amendment etc.\) Regulations 2019 \(S.S.I. 2019/26\)](#), regs. 1, **4(8)(ii)**; 2020 c. 1, Sch. 5 para. 1(1)

Designation of mixing zones

18.—(1) SEPA may designate a mixing zone adjacent to any point of discharge to the water environment which is a controlled activity.

(2) SEPA must ensure that the extent of any such zone is—

(a) restricted to the proximity of the point of discharge; and

(b) proportionate, having regard to the concentrations of pollutants at the point of discharge and to the conditions on emissions of pollutants contained in any prior authorisation.

(3) Where SEPA designates a mixing zone, concentrations of one or more substances listed in Part A of Annex I to the Priority Substances Directive may exceed the relevant environmental quality

standards within that zone, provided that this does not affect the compliance of the rest of the body of surface water with those standards.

(4) The river basin management plan (or the next update of it) for a river basin district within which a mixing zone (or any part of a mixing zone) has been designated must include a description of—

- (a) the approaches and methodologies applied to define such zones; and
- (b) measures taken with a view to reducing the extent of the mixing zones in the future.

(5) In paragraph (1), “controlled activity” has the meaning given in regulation 2(1) of the Water Environment (Controlled Activities) (Scotland) Regulations 2011 ^{M1}.

Marginal Citations

M1 [S.S.I. 2011/209](#), as amended by [S.S.I. 2012/360](#) and [S.S.I. 2013/176](#).

Register of emissions, discharges and losses

19.—(1) For each river basin district, SEPA must maintain a register (including maps, if available) of emissions, discharges and losses of all priority substances and any pollutant listed in Part A of Annex I to the Priority Substances Directive, including their concentration in sediment and biota, as appropriate.

(2) The reference period for the estimation of pollutant values to be entered in the register must be one year between 2008 and 2010, except that for priority substances and any pollutant covered by Council Directive [91/414/EEC](#)^{M2} concerning the placing of plant protection products on the market, the entries may be calculated as the average of the years 2008, 2009 and 2010.

(3) SEPA must update the register as part of (or, so far as it applies to an area of Scotland which is outside a river basin district, in conjunction with) each review under section 5(3) (review of characterisations) of the Act.

(4) The reference period which must be applied for the establishment of values in the updated register is the year before that review is to be completed, except that for priority substances and any pollutant covered by Council Directive [91/414/EEC](#), the entries may be calculated as the average of the 3 years before the completion of that review.

(5) SEPA must publish the updated register (except in so far as it applies to an area of Scotland which is outside a river basin district) in each update of the river basin management plan.

(6) For the purposes of paragraph (1) only—

“river basin district” includes—

- (a) the part of the Northumbria River Basin District which is in Scotland; and
- (b) the part of the Solway Tweed River Basin District which is in Scotland;

“the Northumbria River Basin District” means the area identified by regulation 3(1) of the Water Environment (Water Framework Directive) (Northumbria River Basin District) Regulations 2003 ^{M3}; and

“the Solway Tweed River Basin District” means the area identified by regulation 3(1) of the Water Environment (Water Framework Directive) (Solway Tweed River Basin District) Regulations 2004 ^{M4}.

Changes to legislation: There are currently no known outstanding effects for the The Water Environment (River Basin Management Planning: Further Provision) (Scotland) Regulations 2013, PART 3. (See end of Document for details)

Marginal Citations

- M2** OJ L 230, 19.8.91, p.1, as last amended by Commission Implementing Directive 2011/60/EU (OJ L 136, 24.5.2011, p.58).
- M3** S.I. 2003/3245.
- M4** S.I. 2004/99.

Coordination

^{F7}**19A.**

Textual Amendments

- F7** Reg. 19A omitted (31.12.2020) by virtue of The Environment (EU Exit) (Scotland) (Amendment etc.) Regulations 2019 (S.S.I. 2019/26), regs. 1, 4(9); 2020 c. 1, Sch. 5 para. 1(1)

[^{F8}Watch list

19B.—(1) SEPA must monitor each substance in the watch list at selected representative monitoring stations for a period of at least 12 months (“the monitoring period”).

(2) For each substance in the watch list as first established by Commission Implementing Decision (EU) 2015/495, the monitoring period must begin on 14th September 2015.

(3) For any substance added to the watch list after it was first established, the monitoring period must begin within 6 months of the date on which the substance was added to the list.

(4) SEPA must select at least two representative monitoring stations.

(5) In selecting representative monitoring stations, and the monitoring frequency and timing for each substance, SEPA must—

- (a) take into account the use patterns and possible occurrence of the substance; and
- (b) ensure that monitoring is carried out at each station at least once per year.

(6) SEPA may decide not to monitor a substance under paragraphs (1) to (5) if—

- (a) it has sufficient, comparable, representative and recent monitoring data for the substance from existing monitoring programmes or studies; and
- (b) the monitoring was carried out in accordance with a methodology that satisfies any guidelines developed under Article 8b(5) of the Priority Substances Directive.]

Textual Amendments

- F8** Regs. 19A, 19B inserted (14.9.2015) by The Water Environment (River Basin Management Planning etc.) (Miscellaneous Amendments) (Scotland) Regulations 2015 (S.S.I. 2015/211), regs. 1(2), 3(c)

Changes to legislation:

There are currently no known outstanding effects for the The Water Environment (River Basin Management Planning: Further Provision) (Scotland) Regulations 2013, PART 3.