### SCOTTISH STATUTORY INSTRUMENTS

## 2022 No. 136

# The Building (Scotland) Amendment Regulations 2022

### PART 2

Amendment of the Building (Scotland) Regulations 2004 on 1 June 2022

### Amendment of the Building (Scotland) Regulations 2004 – 1 June 2022

**2.** Subject to regulation 6, the Building (Scotland) Regulations 2004(1) are amended in accordance with regulations 3 to 5.

### **Commencement Information**

II Reg. 2 in force at 1.6.2022, see reg. 1(2)

### Amendment of regulation 8 – fitness and durability of materials and workmanship

- **3.** In regulation 8 (fitness and durability of materials and workmanship), after paragraph (2) insert—
  - "(3) Subject to paragraph (4), work must be carried out so that materials which form part of an external wall cladding system, or specified attachment, of a relevant building are of European Classification A2-s1, d0 or A1, classified in accordance with BS EN 13501-1:2018 entitled "Fire classification of construction products and building elements. Classification using testing data from reaction to fire tests" published by the British Standards Institution.
    - (4) Paragraph (3) does not apply to materials which form part of—
      - (a) cavity trays,
      - (b) cavity vents,
      - (c) a roof (other than a roof pitched at an angle 70 degrees or more to the horizontal) if that part is connected to an external wall,
      - (d) door frames and doors,
      - (e) insulation and water proofing materials used below the ground and up to 300 mm above the ground,
      - (f) intumescent and fire stopping materials, fire barriers and cavity barriers where the inclusion of the materials is necessary to meet the requirements in section 2 (fire) of schedule 5 (building standards applicable to design and construction),
      - (g) membranes,
      - (h) seals, gaskets, fixings, sealants and backer rods,
      - (i) thermal break materials,

- (j) window frames and glass.
- (5) Work must be carried out so that an external wall cladding system or internal lining does not comprise of highly combustible metal composite material.
  - (6) In this regulation—

"highly combustible metal composite material" means any panel or sheet, having a thickness of no more than 10 mm, which consists of a number of layers, two or more of which are made of metal, alloy, or metal compound and one or more substantial layer of which is made of material having a gross calorific value of more than 35 MJ/kg when tested in accordance with BS EN ISO 1716:2018 entitled "Reaction to fire tests for products – Determination of the gross heat of combustion (calorific value)" published by the British Standards Institution,

"relevant building" means a building having a storey, or creating a storey (not including roof-top plant areas or any storey consisting exclusively of plant rooms) at a height of 11 metres or more above the ground and which contains—

- (a) a dwelling,
- (b) a building used as a place of assembly, or as a place of entertainment or recreation,
- (c) a hospital,
- (d) a residential care building or sheltered housing complex,
- (e) a shared multi-occupancy residential building,
- "specified attachment" means—
- (a) a balcony,
- (b) solar shading,
- (c) a solar panel,

attached to an external wall,

"substantial layer" means a layer is one which is at least 1 mm thick or has a mass per unit area of at least 1 kg per m<sup>2</sup>."

### **Commencement Information**

**I2** Reg. 3 in force at 1.6.2022, see **reg. 1(2)** 

# Amendment of schedule 3 – descriptions of building and work, including the provision of services, fittings and equipment, not requiring a warrant

- **4.** In schedule 3 (descriptions of buildings and work, including the provision of services, fittings and equipment, not requiring a warrant)—
  - (a) in paragraph 17 for "thermal insulating material to the outer surface of an external wall" substitute "an external wall cladding system that consists of thermal insulating material",
  - (b) in paragraph 25 omit "cladding,",
  - (c) after paragraph 25 insert—
    - "25A. Replacement of part of an external wall cladding system when the replacement is to make a minor repair.".

### **Commencement Information**

**I3** Reg. 4 in force at 1.6.2022, see **reg. 1(2)** 

### Amendment of schedule 5 - building standards applicable to design and construction

**5.** In schedule 5 (building standards applicable to design and construction), in paragraph 2.7 (spread on external walls) after "way" insert ", having regard to the height, use and position of the building,".

### **Commencement Information**

**I4** Reg. 5 in force at 1.6.2022, see **reg. 1(2)** 

### **Transitional provision**

- **6.** The amendments made by Part 2 of these Regulations do not apply to work, which by virtue of regulation 5 and schedule 3 of the Building (Scotland) Regulations 2004, does not require a building warrant if that work is—
  - (a) completed before 1 June 2022, or
  - (b) not completed before that date and—
    - (i) the contract for the work is entered into before 1 June 2022, and
    - (ii) the work is completed on or before 30 September 2022.

### **Commencement Information**

**I5** Reg. 6 in force at 1.6.2022, see **reg. 1(2)** 

**Changes to legislation:**There are currently no known outstanding effects for the The Building (Scotland) Amendment Regulations 2022, PART 2.