***Changes to legislation:*** *There are outstanding changes not yet made by the legislation.gov.uk editorial team to The Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuffs) (England and Wales) (Amendment) Regulations 2001. Any changes that have already been made by the team appear in the content and are referenced with annotations. (See end of Document for details) View outstanding changes*

STATUTORY INSTRUMENTS

# 2001 No. 1113

# AGRICULTURE, ENGLAND AND WALES PESTICIDES

## The Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuffs) (England and Wales) (Amendment) Regulations 2001

| | |
|---|---|
| *Made - - - -* | *21st March 2001* |
| *Laid before Parliament* | *22nd March 2001* |
| *Coming into force - -* | *15th April 2001* |

The Minister of Agriculture, Fisheries and Food and the National Assembly for Wales, acting jointly (the National Assembly for Wales acting in relation to Wales only), being designated[M1] for the purposes of section 2(2) of the European Communities Act 1972[M2] in relation to the Common Agricultural Policy of the European Community, in exercise of the powers conferred on them by that section, and of all other powers enabling them in that behalf, make the following Regulations:

**Marginal Citations**

**M1** S.I. 1972/1811 in the case of the Minister and S.I. 1999/2788 in the case of the National Assembly for Wales.

**M2** 1972 c.68.

### Title, commencement and extent

**1.** These Regulations may be cited as the Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuffs) (England and Wales) (Amendment) Regulations 2001; they extend to England and Wales only, and shall come into force on 15th April 2001.

### Amendment to the Pesticides (Maximum Residue Levels in Crops, Food and Feedingstuffs) (England and Wales) Regulations 1999

**2.**—(1) The Pesticides (Maximum Residue Levels in Crops, Food and Feedingstuffs) (England and Wales) Regulations 1999 [M3] shall be amended in accordance with this regulation.

(2) After paragraph (2) of regulation 4 there shall be inserted—

**Changes to legislation:** *There are outstanding changes not yet made by the legislation.gov.uk editorial team to The Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuffs) (England and Wales) (Amendment) Regulations 2001. Any changes that have already been made by the team appear in the content and are referenced with annotations. (See end of Document for details) View outstanding changes*

"(2A) Where there is a changing date at the top of a column in Part 2 of Schedule 2, and an entry is shown in both italic and non-italic type, the figure in italic type is the level until the changing date, and the figure in non-italic type is the level on and after that date.".

(3) In Schedule 1 there shall be inserted at the appropriate place in columns 1 and 2 the following:

| Column 1<br>***Pesticide*** | Column 2<br>***Residues*** |
|---|---|
| Aldicarb | sum of aldicarb, its sulfoxide and its sulfone, expressed as aldicarb |
| Aminotriazole (Amitrole) | aminotriazole |
| Amitraz | amitraz plus its metabolites containing 2,4-dimethylaniline, expressed as amitraz |
| Aramite | aramite |
| Azoxystrobin | azoxystrobin |
| Barban | barban |
| Bromopropylate | bromopropylate |
| Chlorbenside | chlorbenside |
| Chlorbufam | chlorbufam |
| Chlorfenson | chlorfenson |
| Chloroxuron | chloroxuron |
| Diallate | diallate |
| 1,1-dichloro-2,2-bis (4-ethyl-phenyl-) ethane | 1,1-dichloro-2,2-bis (4-ethyl-phenyl-) ethane |
| Fenvalarate and esfenvalerate | fenvalerate and esfenvalerate (sum of isomers) |
| Flucythrinate | sum of isomers |
| Folpet | folpet |
| Kresoxim-methyl | kresoxim-methyl (for plants) |
| | 2-methyloxyimino-2[2-(O-tolyloxymethyl) phenyl] acetic acid (for meat, liver, fat and 2-[2-(4-hydroxy-2-methylphenoxymethyl) phenyl]-2-methoxy-iminoacetic acid (for milk) |
| Methidathion | methidathion |
| Methomyl thiodicarb | sum of methomyl and thiodicarb expressed as methomyl |
| Methoxychlor | methoxychlor |
| Phoxim | phoxim |
| Profenophos | profenophos |

(4) In Part I of Schedule 2 to those Regulations, the entry for the pesticide in column 1 of the following table shall be deleted in relation to the crop opposite in column 2 on the date specified in column 3:

**Changes to legislation:** *There are outstanding changes not yet made by the legislation.gov.uk editorial team to The Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuffs) (England and Wales) (Amendment) Regulations 2001. Any changes that have already been made by the team appear in the content and are referenced with annotations. (See end of Document for details) View outstanding changes*

| *Column 1*<br>**Pesticide** | *Column 2*<br>**Crop** | *Column 3*<br>**Date of deletion** |
|---|---|---|
| Carbendazim | strawberries (other than wild) | 1 July 2001 |
| | raspberries (other than wild) | 1 April 2001 |
| Chlorobenzilate | Citrus fruit (the whole group) | 1 April 2001 |
| Diazinon | early and ware potatoes | 1 July 2001 |
| Dicofol | apricots | 1 July 2001 |
| | peaches (incl nectarines and similar hybrids) | |
| | plums | |
| | currants (other than wild) (red, black and white) | |
| | garlic | |
| | cultivated mushrooms | |
| Endosulfan | strawberries (other than wild) | 1 July 2001 |
| | blackberries (other than wild) | |
| | currants (other than wild) (red, black and white) | |
| | gooseberries (other than wild) | |
| | early and ware potatoes | |
| Metalaxyl | citrus (whole group) | 1 July 2001 |
| Thiabendazole | early potatoes | 1 July 2001 |
| Triazophos | garlic/onions and shallots | 1 July 2001 |
| | brussels sprouts | |
| | head cabbage | |
| | early and ware potatoes | |
| Vinclozolin | celery | 1 April 2001 |

(5) For Part 2 of Schedule 2 there shall be substituted the Schedule to these Regulations.

(6) In Schedule 3—

(a) in paragraph 1(vi) opposite the Group of products “Miscellaneous fruit" there shall be inserted “Papaya" in the appropriate place in column 2;

(b) in paragraph 2(iii) opposite the Group of products “Fruiting vegetables" in “(a) Solanacea" there shall be inserted “Chilli peppers" between Peppers and Aubergines in column 2.

**Marginal Citations**

**M3** S.I. 1999/3483.

*Helen Hayman*
Minister of State, Ministry of Agriculture,
21st March 2001 Fisheries and Food

*Elis Thomas*
The Presiding Officer of the National Assembly
15th March 2001 for Wales

***Changes to legislation:** There are outstanding changes not yet made by the legislation.gov.uk editorial team to The Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuffs) (England and Wales) (Amendment) Regulations 2001. Any changes that have already been made by the team appear in the content and are referenced with annotations. (See end of Document for details) View outstanding changes*

# SCHEDULE

Regulation 2(5)

**SCHEDULE 2**

**PART 2**

**Regulation 4(1)**

| Group to which food belongs | Groups include the following products | Acephate (changing 1 July 2001) | Aldicarb (changing 1 July 2001) | Aldrin & dieldrin | Aminotriazole (Amitrole) | Amitraz (changing 1 July 2001) | Aramite | Atrazine | Azoxystrobin |
|---|---|---|---|---|---|---|---|---|---|
| 1. Fruit, fresh, dried or uncooked, preserved by freezing not containing added sugar: nuts | | | | | | | | | |
| i) CITRUS FRUIT | | | | | | | | | |
| | Grapefruit | 1 | 0.2 | | 0.05* | no MRL 0.02* | 0.01* | 0.1* | 0.05* |
| | Lemons | 1 | 0.2 | | 0.05* | no MRL 0.02* | 0.01* | 0.1* | 0.05* |
| | Limes | 1 | 0.2 | | 0.05* | no MRL 0.01* | 0.01* | 0.1* | 0.05* |
| | Mandarins (inc clementines & similar hybrids) | 1 | 0.2 | | 0.05* | no MRL 0.02* | 0.01* | 0.1* | 0.05* |
| | Oranges | 1 | 0.2 | | 0.05* | 1 | 0.01* | 0.1* | 0.05* |
| | Pomelos | 1 | 0.2 | | 0.05* | no MRL 0.02* | 0.01* | 0.1* | 0.05* |
| | Others | 1 | 0.2 | | 0.05* | no MRL 0.02* | 0.01* | 0.1* | 0.05* |
| ii) TREE NUTS (shelled or unshelled) | | | | | | | | | |
| | Almonds | 0.02* | 0.05* | | 0.05* | 0.02* | 0.01* | 0.1* | 0.1* |
| | Brazil nuts | 0.02* | 0.05* | | 0.05* | 0.02* | 0.01* | 0.1* | 0.1* |
| | Cashew nuts | 0.02* | 0.05* | | 0.05* | 0.02* | 0.01* | 0.1* | 0.1* |
| | Chestnuts | 0.02* | 0.05* | | 0.05* | 0.02* | 0.01* | 0.1* | 0.1* |
| | Coconuts | 0.02* | 0.05* | | 0.05* | 0.02* | 0.01* | 0.1* | 0.1* |
| | Hazelnuts | 0.02* | 0.05* | | 0.05* | 0.02* | 0.01* | 0.1* | 0.1* |
| | Macadamia nuts | 0.02* | 0.05* | | 0.05* | 0.02* | 0.01* | 0.1* | 0.1* |

| Group to which food belongs | Groups include the following products | Acephate (changing 1 July 2001) | Aldicarb (changing 1 July 2001) | Aldrin & dieldrin | Aminotriazole (Amitrole) | Amitraz (changing 1 July 2001) | Aramite | Atrazine | Azoxystrobin |
|---|---|---|---|---|---|---|---|---|---|
| | Pecans | 0.02* | 0.2 | | 0.05* | 0.02* | 0.01* | 0.1* | 0.1* |
| | Pine nuts | 0.02* | 0.05* | | 0.05* | 0.02* | 0.01* | 0.1* | 0.1* |
| | Pistachios | 0.02* | 0.05* | | 0.05* | 0.02* | 0.01* | 0.1* | 0.1* |
| | Walnuts | 0.02* | 0.05* | | 0.05* | 0.02* | 0.01* | 0.1* | 0.1* |
| | Others | 0.02* | 0.05* | | 0.05* | 0.02* | 0.01* | 0.1* | 0.1* |
| iii) POME FRUIT | | | | | | | | | |
| | Apples | 1 | 0.05* | | 0.05* | 1 | 0.01* | 0.1* | 0.05* |
| | Pears | 1 | 0.05* | | 0.05* | 1 | 0.01* | 0.1* | 0.05* |
| | Quinces | 1 | 0.05* | | 0.05* | 1 | 0.01* | 0.1* | 0.05* |
| | Others | 1 | 0.05* | | 0.05* | 1 | 0.01* | 0.1* | 0.05* |
| iv) STONE FRUIT | | | | | | | | | |
| | Apricots | 0.02* | 0.05* | | 0.05* | no MRL 0.02* | 0.01* | 0.1* | 0.05* |
| | Cherries | 0.02* | 0.05* | | 0.05* | no MRL 0.02* | 0.01* | 0.1* | 0.05* |
| | Peaches (incl nectarines & similar hybrids) | 0.2 | 0.05* | | 0.05* | 1 | 0.01* | 0.1* | 0.05* |
| | Plums | 0.02* 2 1 | 0.05* | | 0.05* | no MRL 0.02* | 0.01* | 0.1* | 0.05* |
| | Others | 0.02* | 0.05* | | 0.05* | no MRL 0.02* | 0.01* | 0.1* | 0.05* |
| v) BERRIES AND SMALL FRUIT | | | | | | | | | |
| a) | Table & wine grapes | | | | | | | | |
| | Table grapes | 0.02* | 0.05* | | 0.05* | no MRL 0.02* | 0.01* | 0.1* | 2 |
| | Wine grapes | 0.02* | 0.05* | | 0.05* | no MRL 0.02* | 0.01* | 0.1* | 2 |
| b) | Strawberries (other than wild) | 0.02* | no MRL 0.05* | | 0.05* | no MRL 0.02* | 0.01* | 0.1* | 0.05* |
| c) | Cane Fruit (other than wild) | | | | | | | | |
| | Blackberries | 0.02* | 0.05* | | 0.05* | 0.02* | 0.01* | 0.1* | 0.05* |
| | Dewberries | 0.02* | 0.05* | | 0.05* | 0.02* | 0.01* | 0.1* | 0.05* |

| Group to which food belongs | Groups include the following products | Acephate (changing 1 July 2001) | Aldicarb (changing 1 July 2001) | Aldrin & dieldrin | Aminotriazole (Amitrole) | Amitraz (changing 1 July 2001) | Aramite | Atrazine | Azoxystrobin |
|---|---|---|---|---|---|---|---|---|---|
| | Loganberries | 0.02* | 0.05* | | 0.05* | 0.02* | 0.01* | 0.1* | 0.05* |
| | Raspberries | 0.02* | 0.05* | | 0.05* | 0.02* | 0.01* | 0.1* | 0.05* |
| | Others | 0.02* | 0.05* | | 0.05* | 0.02* | 0.01* | 0.1* | 0.05* |
| d) | Other small fruit & berries (other than wild) | | | | | | | | |
| | Bilberries | 0.02* | 0.05* | | 0.05* | 0.02* | 0.01* | 0.1* | 0.05* |
| | Cranberries | 0.02* | 0.05* | | 0.05* | 0.02* | 0.01* | 0.1* | 0.05* |
| | Currants (red, black & white) | 0.02* | 0.05* | | 0.05* | 1 no MRL 0.02* | 0.01* | 0.1* | 0.05* |
| | Gooseberries | 0.02* | 0.05* | | 0.05* | 0.02* | 0.01* | 0.1* | 0.05* |
| | Others | 0.02* | 0.05* | | 0.05* | 0.02* | 0.01* | 0.1* | 0.05* |
| e) | Wild berries & wild fruit | 0.02* | 0.05* | | 0.05* | 0.02* | 0.01* | 0.1* | 0.05* |
| vi) MISCELLANEOUS FRUIT | | | | | | | | | |
| | Avocados | 0.02* | 0.05* | | 0.05* | 0.02* | 0.01* | 0.1* | 0.05* |
| | Bananas | 0.02* | no MRL 0.1 | | 0.05* | 0.02* | 0.01* | 0.1* | 2 |
| | Dates | 0.02* | 0.05* | | 0.05* | 0.02* | 0.01* | 0.1* | 0.05* |
| | Figs | 0.02* | 0.05* | | 0.05* | 0.02* | 0.01* | 0.1* | 0.05* |
| | Kiwi fruit | 0.02* | 0.05* | | 0.05* | 0.02* | 0.01* | 0.1* | 0.05* |
| | Kumquats | 0.02* | 0.05* | | 0.05* | 0.02* | 0.01* | 0.1* | 0.05* |
| | Litchis | 0.02* | 0.05* | | 0.05* | 0.02* | 0.01* | 0.1* | 0.05* |
| | Mangoes | 0.02* | 0.05* | | 0.05* | 0.02* | 0.01* | 0.1* | 0.05* |
| | Olives (table consumption) | 0.02* | 0.05* | | 0.05* | 0.02* | 0.01* | 0.1* | 0.05* |
| | Olives (oil extract) | 0.02* | 0.05* | | 0.05* | 0.02* | 0.01* | 0.1* | 0.05* |
| | Papaya | | no MRL 0.05* | | | no MRL 0.02* | | | |
| | Passion fruit | 0.02* | 0.05* | | 0.05* | 0.02* | 0.01* | 0.1* | 0.05* |
| | Pineapples | 0.02* | 0.05* | | 0.05* | 0.02* | 0.01* | 0.1* | 0.05* |
| | Pomegranates | 0.02* | 0.05* | | 0.05* | 0.02* | 0.01* | 0.1* | 0.05* |
| | Others | 0.02* | 0.05* | | 0.05* | 0.02* | 0.01* | 0.1* | 0.05* |

| Group to which food belongs | Groups include the following products | Acephate (changing 1 July 2001) | Aldicarb (changing 1 July 2001) | Aldrin & dieldrin | Aminotriazole (Amitrole) | Amitraz (changing 1 July 2001) | Aramite | Atrazine | Azoxystrobin |
|---|---|---|---|---|---|---|---|---|---|
| 2. Vegetables, fresh or uncooked, frozen or dry | | | | | | | | | |
| i) ROOT AND TUBER VEGETABLES | | | | | | | | | |
| | Beetroot | 0.02* | no MRL 0.05* | | 0.05* | 0.02* | 0.01* | 0.1* | 0.05* |
| | Carrots | 0.02* | no MRL 0.1 | | 0.05* | 0.02* | 0.01* | 0.1* | 0.05* |
| | Celeriac | 0.02* | 0.05* | | 0.05* | 0.02* | 0.01* | 0.1* | 0.05* |
| | Horseradish | 0.02* | 0.05* | | 0.05* | 0.02* | 0.01* | 0.1* | 0.05* |
| | Jerusalem artichokes | 0.02* | 0.05* | | 0.05* | 0.02* | 0.01* | 0.1* | 0.05* |
| | Parsnips | 0.02* | no MRL 0.1 | | 0.05* | 0.02* | 0.01* | 0.1* | 0.05* |
| | Parsley root | 0.02* | 0.05* | | 0.05* | 0.02* | 0.01* | 0.1* | 0.05* |
| | Radishes | 0.02* | 0.05* | | 0.05* | 0.02* | 0.01* | 0.1* | 0.05* |
| | Salsify | 0.02* | 0.05* | | 0.05* | 0.02* | 0.01* | 0.1* | 0.05* |
| | Sweet potatoes | 0.02* | 0.05* | | 0.05* | 0.02* | 0.01* | 0.1* | 0.05* |
| | Swedes | 0.02* | 0.05* | | 0.05* | 0.02* | 0.01* | 0.1* | 0.05* |
| | Turnips | 0.02* | 0.05* | | 0.05* | 0.02* | 0.01* | 0.1* | 0.05* |
| | Yams | 0.02* | 0.05* | | 0.05* | 0.02* | 0.01* | 0.1* | 0.05* |
| | Others | 0.02* 1 | 0.05* | | 0.05* | 0.02* | 0.01* | 0.1* | 0.05* |
| ii) BULB VEGETABLES | | | | | | | | | |
| | Garlic | 0.02* | 0.05* | | 0.05* | 0.02* | 0.01* | 0.1* | 0.05* |
| | Onions | 0.02* | 0.05* | | 0.05* | 0.02* | 0.01* | 0.1* | 0.05* |
| | Shallots | 0.02* | 0.05* | | 0.05* | 0.02* | 0.01* | 0.1* | 0.05* |
| | Spring onions | 0.02* | 0.05* | | 0.05* | 0.02* | 0.01* | 0.1* | 0.05* |
| | Others | 0.02* | 0.05* | | 0.05* | 0.02* | 0.01* | 0.1* | 0.05* |
| iii) FRUITING VEGETABLES | | | | | | | | | |
| a) | Solanaceae | | | | | | | | |
| | Tomatoes | 0.5 | no MRL 0.05* | | 0.05* | 0.5 | 0.01* | 0.1* | 2 |
| | Peppers | 0.02* | no MRL 0.05* | | 0.05* | no MRL 0.02* | 0.01* | 0.1* | 0.05* |
| | Chilli peppers | | | | | | 0.01* | | |
| | Aubergines | 0.5 | 0.05* | | 0.05* | no MRL 0.02* | 0.01* | 0.1* | 0.05* |

| Group to which food belongs | Groups include the following products | Acephate (changing 1 July 2001) | Aldicarb (changing 1 July 2001) | Aldrin & dieldrin | Aminotriazole (Amitrole) | Amitraz (changing 1 July 2001) | Aramite | Atrazine | Azoxystrobin |
|---|---|---|---|---|---|---|---|---|---|
| | Others | 0.02* | 0.05* | | 0.05* | no MRL 0.02* | 0.01* | 0.1* | 0.05* |
| | b) Cucurbits-edible peel | | | | | | | | |
| | Cucumbers | 0.02* | 0.05* | | 0.05* | no MRL 0.02* | 0.01* | 0.1* | 1 |
| | Gherkins | 0.02* | 0.05* | | 0.05* | no MRL 0.02* | 0.01* | 0.1* | 1 |
| | Courgettes | 0.02* | 0.05* | | 0.05* | no MRL 0.02* | 0.01* | 0.1* | 1 |
| | Others | 0.02* | 0.05* | | 0.05* | no MRL 0.02* | 0.01* | 0.1* | 1 |
| | c) Cucurbits-inedible peel | | | | | | | | |
| | Melons | 0.02* | 0.05* | | 0.05* | no MRL 0.02* | 0.01* | 0.1* | 0.5 |
| | Squashes | 0.02* | 0.05* | | 0.05* | no MRL 0.02* | 0.01* | 0.1* | 0.5 |
| | Watermelons | 0.02* | 0.05* | | 0.05* | no MRL 0.02* | 0.01* | 0.1* | 0.5 |
| | Others | 0.02* | 0.05* | | 0.05* | no MRL 0.02* | 0.01* | 0.1* | 0.5 |
| | d) Sweet corn | 0.02* | 0.05* | | 0.05* | 0.02* | 0.01* | 0.1* | 0.05* |
| iv) BRASSICA VEGETABLES | | | | | | | | | |
| | a) Flowering Brassicas | | | | | | | | |
| | Broccoli | 2 | no MRL 0.05* | | 0.05* | 0.02* | 0.01* | 0.1* | 0.05* |
| | Cauliflower | 2 | 0.2 | | 0.05* | 0.02* | 0.01* | 0.1* | 0.05* |
| | Others | 2 | 0.05* | | 0.05* | 0.02* | 0.01* | 0.1* | 0.05* |
| | b) Head Brassicas | | | | | | | | |
| | Brussels sprouts | 2 | 0.2 | | 0.05* | 0.02* | 0.01* | 0.1* | 0.05* |
| | Head cabbage | 2 | no MRL 0.05* | | 0.05* | 0.02* | 0.01* | 0.1* | 0.05* |
| | Others | 2 | 0.05* | | 0.05* | 0.02* | 0.01* | 0.1* | 0.05* |

| Group to which food belongs | Groups include the following products | Acephate (changing 1 July 2001) | Aldicarb (changing 1 July 2001) | Aldrin & dieldrin | Aminotriazole (Amitrole) | Amitraz (changing 1 July 2001) | Aramite | Atrazine | Azoxystrobin |
|---|---|---|---|---|---|---|---|---|---|
| | c) Leafy Brassicas | | | | | | | | |
| | Chinese cabbage | 0.02* | 0.05* | | 0.05* | 0.02* | 0.01* | 0.1* | 0.05* |
| | Kale | 0.02* | 0.05* | | 0.05* | 0.02* | 0.01* | 0.1* | 0.05* |
| | Others | 0.02* | 0.05* | | 0.05* | 0.02* | 0.01* | 0.1* | 0.05* |
| | d) Kohlrabi | 0.02* | 0.05* | | 0.05* | 0.02* | 0.01* | 0.1* | 0.05* |
| v) LEAF VEGETABLES AND FRESH HERBS | | | | | | | | | |
| | a) Lettuce & similar | | | | | | | | |
| | Cress | 0.02* | 0.05* | | 0.05* | 0.02* | 0.01* | 0.1* | 0.05* |
| | Lamb's lettuce | 0.02* | 0.05* | | 0.05* | 0.02* | 0.01* | 0.1* | 0.05* |
| | Lettuce | 1 | 0.05* | | 0.05* | 0.02* | 0.01* | 0.1* | 0.05* |
| | Scarole | 0.02* | 0.05* | | 0.05* | 0.02* | 0.01* | 0.1* | 0.05* |
| | Others | 0.02* | 0.05* | | 0.05* | 0.02* | 0.01* | 0.1* | 0.05* |
| | b) Spinach & similar | | | | | | | | |
| | Spinach | 0.02* | 0.05* | | 0.05* | 0.02* | 0.01* | 0.1* | 0.05* |
| | Beet leaves (chard) | 0.02* | 0.05* | | 0.05* | 0.02* | 0.01* | 0.1* | 0.05* |
| | Others | 0.02* | 0.05* | | 0.05* | 0.02* | 0.01* | 0.1* | 0.05* |
| | c) Watercress | 0.02* | 0.05* | | 0.05* | 0.02* | 0.01* | 0.1* | 0.05* |
| | d) Witloof | 0.02* 1 | 0.05* | | 0.05* | 0.02* | 0.01* | 0.1* | 0.05* |
| | e) Herbs | | | | | | | | |
| | Chervil | 0.02* | 0.05* | | 0.05* | 0.02* | 0.01* | 0.1* | 0.05* |
| | Chives | 0.02* | 0.05* | | 0.05* | 0.02* | 0.01* | 0.1* | 0.05* |
| | Parsley | 0.02* | 0.05* | | 0.05* | 0.02* | 0.01* | 0.1* | 0.05* |
| | Celery leaves | 0.02* | 0.05* | | 0.05* | 0.02* | 0.01* | 0.1* | 0.05* |
| | Others | 0.02* | 0.05* | | 0.05* | 0.02* | 0.01* | 0.1* | 0.05* |
| vi) LEGUME VEGETABLES (fresh) | | | | | | | | | |
| | Beans (with pods) | 3 | 0.05* | | 0.05* | 0.02* | 0.01* | 0.1* | 0.05* |
| | Beans (without pods) | 0.02* | 0.05* | | 0.05* | 0.02* | 0.01* | 0.1* | 0.05* |
| | Peas (with pods) | 3 | 0.05* | | 0.05* | 0.02* | 0.01* | 0.1* | 0.05* |
| | Peas (without pods) | 0.02* | 0.05* | | 0.05* | 0.02* | 0.01* | 0.1* | 0.05* |
| | Others | | 0.05* | | 0.05* | 0.02* | 0.01* | 0.1* | 0.05* |
| vii) STEM VEGETABLES | | | | | | | | | |
| | Asparagus | 0.02* | 0.05* | | 0.05* | 0.02* | 0.01* | 0.1* | 0.05* |

| Group to which food belongs | Groups include the following products | Acephate (changing 1 July 2001) | Aldicarb (changing 1 July 2001) | Aldrin & dieldrin | Aminotriazole (Amitrole) | Amitraz (changing 1 July 2001) | Aramite | Atrazine | Azoxystrobin |
|---|---|---|---|---|---|---|---|---|---|
| | Cardoons | 0.02* | 0.05* | | 0.05* | 0.02* | 0.01* | 0.1* | 0.05* |
| | Celery | 0.02* | 0.05* | | 0.05* | 0.02* | 0.01* | 0.1* | 0.05* |
| | Fennel | 0.02* | 0.05* | | 0.05* | 0.02* | 0.01* | 0.1* | 0.05* |
| | Globe artichokes | 0.2 | 0.05* | | 0.05* | 0.02* | 0.01* | 0.1* | 0.05* |
| | Leeks | 0.02* | no MRL 0.05* | | 0.05* | 0.02* | 0.01* | 0.1* | 0.05* |
| | Rhubarb | 0.02* | 0.05* | | 0.05* | 0.02* | 0.01* | 0.1* | 0.05* |
| | Others | 0.02* | 0.05* | | 0.05* | 0.02* | 0.01* | 0.1* | 0.05* |
| viii) FUNGI | | | | | | | | | |
| | a) Cultivated mushrooms | 0.02* | 0.05* | | 0.05* | 0.02* | 0.01* | 0.1* | 0.05* |
| | b) Wild mushrooms | 0.02* | 0.05* | | 0.05* | 0.02* | 0.01* | 0.1* | 0.05* |
| 3. PULSES | | | | | | | | | |
| | Beans | 0.02* | 0.05* | | 0.05* | 0.02* | 0.01* | 0.1* | 0.05* |
| | Lentils | 0.02* | 0.05* | | 0.05* | 0.02* | 0.01* | 0.1* | 0.05* |
| | Peas | 0.02* | 0.05* | | 0.05* | 0.02* | 0.01* | 0.1* | 0.05* |
| | Others | 0.02* | 0.05* | | 0.05* | 0.02* | 0.01* | 0.1* | 0.05* |
| 4. OILSEEDS | | | | | | | | | |
| | Linseed | 0.02* | no MRL 0.05* | | 0.05* | 0.02* | 0.01* | 0.1* | 0.05* |
| | Peanuts | 0.02* | 0.05* | | 0.05* | 0.02* | 0.01* | 0.1* | 0.05* |
| | Poppy seed | 0.02* | 0.05* | | 0.05* | 0.02* | 0.01* | 0.1* | 0.05* |
| | Sesame seed | 0.02* | 0.05* | | 0.05* | 0.02* | 0.01* | 0.1* | 0.05* |
| | Sunflower seed | 0.02* | 0.05* | | 0.05* | 0.02* | 0.01* | 0.1* | 0.05* |
| | Rape seed | 0.02* | no MRL 0.05* | | 0.05* | 0.02* | 0.01* | 0.1* | 0.05* |
| | Soya bean | 0.02* | 0.05* | | 0.05* | 0.02* | 0.01* | 0.1* | 0.05* |
| | Mustard seed | 0.02* | 0.05* | | 0.05* | 0.02* | 0.01* | 0.1* | 0.05* |
| | Cotton seed | 0.02* | no MRL 0.05* | | 0.05* | no MRL 1 | 0.01* | 0.1* | 0.05* |
| | Others | 0.02* | 0.05* | | 0.05* | 0.02* | 0.01* | 0.1* | 0.05* |

| Group to which food belongs | Groups include the following products | Acephate (changing 1 July 2001) | Aldicarb (changing 1 July 2001) | Aldrin & dieldrin | Aminotriazole (Amitrole) | Amitraz (changing 1 July 2001) | Aramite | Atrazine | Azoxystrobin |
|---|---|---|---|---|---|---|---|---|---|
| 5. POTATOES | | | | | | | | | |
| | Early potatoes | 0.02* | no MRL 0.5 | | 0.05* | 0.02* | 0.01* | 0.1* | 0.05* |
| | Ware potatoes | 0.02* | no MRL 0.5 | | 0.05* | 0.02* | 0.01* | 0.1* | 0.05* |
| 6. TEA | (dried leaves and stalks, fermented or otherwise, Camellia sinensis) including bag pellets & unconcentrated powder | 0.1* | 0.05* | 0.02 | 0.1* | 0.1* | 0.1* | 0.1* | 0.1* |
| 7. HOPS (dried) | | 0.1* | no MRL 0.05* | | 0.1* | 50 | 0.1* | 0.1* | 0.1* |

| Group to which food belongs | Groups include the following products | Barban | Benalaxyl (changing 1 July 2001) | Benfuracarb (changing 1 July 2001) | Binapacryl | Biphenthrin | Bromophosethyl | Bromopropylate | Camphechlor (Toxaphene) |
|---|---|---|---|---|---|---|---|---|---|
| 1. Fruit, fresh, dried or uncooked, preserved by freezing not containing added sugar: nuts | | | | | | | | | |
| i) CITRUS FRUIT | | | | | | | | | |
| | Grapefruit | 0.05* | 0.05* | no MRL 0.05* | 0.05* | | 0.05* | | 0.1* |
| | Lemons | 0.05* | 0.05* | no MRL 0.05* | 0.05* | | 0.05* | | 0.1* |
| | Limes | 0.05* | 0.05* | no MRL 0.05* | 0.05* | | 0.05* | | 0.1* |
| | Mandarins (inc clementines & similar hybrids) | 0.05* | 0.05* | no MRL 0.05* | 0.05* | | 0.05* | | 0.1* |
| | Oranges | 0.05* | 0.05* | no MRL 0.05* | 0.05* | | 0.05* | | 0.1* |
| | Pomelos | 0.05* | 0.05* | no MRL 0.05* | 0.05* | | 0.05* | | 0.1* |
| | Others | 0.05* | 0.05* | no MRL 0.05* | 0.05* | | 0.05* | | 0.1* |
| ii) TREE NUTS (shelled or unshelled) | | | | | | | | | |
| | Almonds | 0.05* | 0.05* | 0.05* | 0.05* | | 0.05* | | 0.1* |
| | Brazil nuts | 0.05* | 0.05* | 0.05* | 0.05* | | 0.05* | | 0.1* |
| | Cashew nuts | 0.05* | 0.05* | 0.05* | 0.05* | | 0.05* | | 0.1* |
| | Chestnuts | 0.05* | 0.05* | 0.05* | 0.05* | | 0.05* | | 0.1* |
| | Coconuts | 0.05* | 0.05* | 0.05* | 0.05* | | 0.05* | | 0.1* |
| | Hazelnuts | 0.05* | 0.05* | no MRL 0.05* | 0.05* | | 0.05* | | 0.1* |
| | Macadamia nuts | 0.05* | 0.05* | 0.05* | 0.05* | | 0.05* | | 0.1* |
| | Pecans | 0.05* | 0.05* | 0.05* | 0.05* | | 0.05* | | 0.1* |
| | Pine nuts | 0.05* | 0.05* | 0.05* | 0.05* | | 0.05* | | 0.1* |
| | Pistachios | 0.05* | 0.05* | 0.05* | 0.05* | | 0.05* | | 0.1* |
| | Walnuts | 0.05* | 0.05* | 0.05* | 0.05* | | 0.05* | | 0.1* |
| | Others | 0.05* | 0.05* | 0.05* | 0.05* | | 0.05* | | 0.1* |
| iii) POME FRUIT | | | | | | | | | |
| | Apples | 0.05* | 0.05* | 0.05* | 0.05* | | 0.05* | | 0.1* |
| | Pears | 0.05* | 0.05* | 0.05* | 0.05* | | 0.05* | | 0.1* |

| Group to which food belongs | Groups include the following products | Barban | Benalaxyl (changing 1 July 2001) | Benfuracarb (changing 1 July 2001) | Binapacryl | Biphenthrin | Bromophosethyl | Bromopropylate | Camphechlor (Toxaphene) |
|---|---|---|---|---|---|---|---|---|---|
| | Quinces | 0.05* | 0.05* | 0.05* | 0.05* | | 0.05* | | 0.1* |
| | Others | 0.05* | 0.05* | 0.05* | 0.05* | | 0.05* | | 0.1* |
| iv) STONE FRUIT | | | | | | | | | |
| | Apricots | 0.05* | 0.05* | 0.05* | 0.05* | | 0.05* | | 0.1* |
| | Cherries | 0.05* | 0.05* | 0.05* | 0.05* | | 0.05* | | 0.1* |
| | Peaches (incl nectarines & similar hybrids) | 0.05* | 0.05* | 0.05* | 0.05* | | 0.05* | | 0.1* |
| | Plums | 0.05* | 0.05* | 0.05* | 0.05* | | 0.05* | | 0.1* |
| | Others | 0.05* | 0.05* | 0.05* | 0.05* | | 0.05* | | 0.1* |
| v) BERRIES AND SMALL FRUIT | | | | | | | | | |
| a) | Table & wine grapes | | | | | | | | |
| | Table grapes | 0.05* | 0.2 | 0.05* | 0.05* | | 0.05* | | 0.1* |
| | Wine grapes | 0.05* | 0.2 | 0.05* | 0.05* | | 0.05* | | 0.1* |
| b) | Strawberries (other than wild) | 0.05* | 0.05* | 0.05* | 0.05* | | 0.05* | | 0.1* |
| c) | Cane Fruit (other than wild) | | | | | | | | |
| | Blackberries | 0.05* | 0.05* | 0.05* | 0.05* | | 0.05* | | 0.1* |
| | Dewberries | 0.05* | 0.05* | 0.05* | 0.05* | | 0.05* | | 0.1* |
| | Loganberries | 0.05[1] | 0.05* | 0.05* | 0.05* | | 0.05* | | 0.1* |
| | Raspberries | 0.05* | 0.05* | 0.05* | 0.05* | | 0.05* | | 0.1* |
| | Others | 0.05* | 0.05* | 0.05* | 0.05* | | 0.05* | | 0.1* |
| d) | Other small fruit & berries (other than wild) | | | | | | | | |
| | Bilberries | 0.05* | 0.05* | 0.05* | 0.05* | | 0.05* | | 0.1* |
| | Cranberries | 0.05* | 0.05* | 0.05* | 0.05* | | 0.05* | | 0.1* |
| | Currants (red, black & white) | 0.05* | 0.05* | 0.05* | 0.05* | | 0.05* | | 0.1* |
| | Gooseberries | 0.05* | 0.05* | 0.05* | 0.05* | | 0.05* | | 0.1* |
| | Others | 0.05* | 0.05* | 0.05* | 0.05* | | 0.05* | | 0.1* |
| e) | Wild berries & wild fruit | 0.05* | 0.05* | 0.05* | 0.05* | | 0.05* | | 0.1* |
| vi) MISCELLANEOUS FRUIT | | | | | | | | | |
| | Avocados | 0.05* | 0.05* | 0.05* | 0.05* | | 0.05* | | 0.1* |
| | Bananas | 0.05* | 0.05* | 0.05* | 0.05* | | 0.05* | | 0.1* |

| Group to which food belongs | Groups include the following products | Barban | Benalaxyl (changing 1 July 2001) | Benfuracarb (changing 1 July 2001) | Binapacryl | Biphenthrin | Bromophosethyl | Bromopropylate | Camphechlor (Toxaphene) |
|---|---|---|---|---|---|---|---|---|---|
| | Dates | 0.05* | 0.05* | 0.05* | 0.05* | | 0.05* | | 0.1* |
| | Figs | 0.05* | 0.05* | 0.05* | 0.05* | | 0.05* | | 0.1* |
| | Kiwi fruit | 0.05* | 0.05* | 0.05* | 0.05* | | 0.05* | | 0.1* |
| | Kumquats | 0.05* | 0.05* | 0.05* | 0.05* | | 0.05* | | 0.1* |
| | Litchis | 0.05* | 0.05* | 0.05* | 0.05* | | 0.05* | | 0.1* |
| | Mangoes | 0.05* | 0.05* | 0.05* | 0.05* | | 0.05* | | 0.1* |
| | Olives (table consumption) | 0.05* | 0.05* | 0.05* | 0.05* | | 0.05* | | 0.1* |
| | Olives (oil extract) | 0.05* | 0.05* | 0.05* | 0.05* | | 0.05* | | 0.1* |
| | Papaya | | *no MRL* 0.05* | *no MRL* 0.05* | | | | | |
| | Passion fruit | 0.05* | 0.05* | 0.05* | 0.05* | | 0.05* | | 0.1* |
| | Pineapples | 0.05* | 0.05* | 0.05* | 0.05* | | 0.05* | | 0.1* |
| | Pomegranates | 0.05* | 0.05* | 0.05* | 0.05* | | 0.05* | | 0.1* |
| | Others | 0.05* | 0.05* | 0.05* | 0.05* | | 0.05* | | 0.1* |
| 2. Vegetables, fresh or uncooked, frozen or dry | | | | | | | | | |
| i) ROOT AND TUBER VEGETABLES | | | | | | | | | |
| | Beetroot | 0.05* | 0.05* | 0.05* | 0.05* | | 0.05* | | 0.1* |
| | Carrots | 0.05* | 0.05* | 0.05* | 0.05* | | 0.05* | | 0.1* |
| | Celeriac | 0.05* | 0.05* | 0.05* | 0.05* | | 0.05* | | 0.1* |
| | Horseradish | 0.05* | 0.05* | 0.05* | 0.05* | | 0.05* | | 0.1* |
| | Jerusalem artichokes | 0.05* | 0.05* | 0.05* | 0.05* | | 0.05* | | 0.1* |
| | Parsnips | 0.05* | 0.05* | 0.05* | 0.05* | | 0.05* | | 0.1* |
| | Parsley root | 0.05* | 0.05* | 0.05* | 0.05* | | 0.05* | | 0.1* |
| | Radishes | 0.05* | 0.05* | 0.05* | 0.05* | | 0.05* | | 0.1* |
| | Salsify | 0.05* | *no MRL* 0.05* | 0.05* | 0.05* | | 0.05* | | 0.1* |
| | Sweet potatoes | 0.05* | 0.05* | 0.05* | 0.05* | | 0.05* | | 0.1* |
| | Swedes | 0.05* | 0.05* | 0.05* | 0.05* | | 0.05* | | 0.1* |
| | Turnips | 0.05* | 0.05* | 0.05* | 0.05* | | 0.05* | | 0.1* |
| | Yams | 0.05* | 0.05* | 0.05* | 0.05* | | 0.05* | | 0.1* |
| | Others | 0.05* | 0.05* | 0.05* | 0.05* | | 0.05* | | 0.1* |

| Group to which food belongs | Groups include the following products | Barban | Benalaxyl (changing 1 July 2001) | Benfuracarb (changing 1 July 2001) | Binapacryl | Biphenthrin | Bromophosethyl | Bromopropylate | Camphechlor (Toxaphene) |
|---|---|---|---|---|---|---|---|---|---|
| ii) BULB VEGETABLES | | | | | | | | | |
| | Garlic | 0.05* | 0.05* | 0.05* | 0.05* | | 0.05* | | 0.1* |
| | Onions | 0.05* | 0.2 | 0.05* | 0.05* | | 0.05* | | 0.1* |
| | Shallots | 0.05* | 0.05* | 0.05* | 0.05* | | 0.05* | | 0.1* |
| | Spring onions | 0.05* | 0.05* | 0.05* | 0.05* | | 0.05* | | 0.1* |
| | Others | 0.05* | 0.05* | 0.05* | 0.05* | | 0.05* | | 0.1* |
| iii) FRUITING VEGETABLES | | | | | | | | | |
| a) | Solanacea | | | | | | | | |
| | Tomatoes | 0.05* | 0.2 | 0.05* | 0.05* | | 0.05* | | 0.1* |
| | Peppers | 0.05* | 0.2 | 0.05* | 0.05* | | 0.05* | | 0.1* |
| | Chilli peppers | 0.05* | | | | | | | |
| | Aubergines | 0.05* | 0.05* 0.2 | 0.05* | 0.05* | | 0.05* | | 0.1* |
| | Others | 0.05* | 0.05* | 0.05* | 0.05* | | 0.05* | | 0.1* |
| b) | Cucurbits-edible peel | | | | | | | | |
| | Cucumbers | 0.05* | 0.05* | 0.05* | 0.05* | | 0.05* | | 0.1* |
| | Gherkins | 0.05* | 0.05* | 0.05* | 0.05* | | 0.05* | | 0.1* |
| | Courgettes | 0.05* | 0.05* | 0.05* | 0.05* | | 0.05* | | 0.1* |
| | Others | 0.05[1] | 0.05* | 0.05* | 0.05* | | 0.05* | | 0.1* |
| c) | Cucurbits-inedible peel | | | | | | | | |
| | Melons | 0.05* | *no MRL* 0.1 | *no MRL* 0.05* | 0.05* | | 0.05* | | 0.1* |
| | Squashes | 0.05* | 0.05* | *no MRL* 0.05* | 0.05* | | 0.05* | | 0.1* |
| | Watermelons | 0.05* | *no MRL* 0.1 | *no MRL* 0.05* | 0.05* | | 0.05* | | 0.1* |
| | Others | 0.05* | 0.05* | *no MRL* 0.05* | 0.05* | | 0.05* | | 0.1* |
| d) | Sweet corn | 0.05* | 0.05* | 0.05* | 0.05* | | 0.05* | | 0.1* |
| iv) BRASSICA VEGETABLES | | | | | | | | | |
| a) | Flowering Brassicas | | | | | | | | |
| | Broccoli | 0.05* | 0.05* | *no MRL* 0.05* | 0.05* | | 0.05* | | 0.1* |

| Group to which food belongs | Groups include the following products | Barban | Benalaxyl (changing 1 July 2001) | Benfuracarb (changing 1 July 2001) | Binapacryl | Biphenthrin | Bromophosethyl | Bromopropylate | Camphechlor (Toxaphene) |
|---|---|---|---|---|---|---|---|---|---|
| | Cauliflower | 0.05* | 0.05* | *no MRL* 0.05* | 0.05* | | 0.05* | | 0.1* |
| | Others | 0.05* | 0.05* | *no MRL* 0.05* | 0.05* | | 0.05* | | 0.1* |
| b) | Head Brassicas | | | | | | | | |
| | Brussels sprouts | 0.05* | 0.05* | *no MRL* 0.05* | 0.05* | | 0.05* | | 0.1* |
| | Head cabbage | 0.05* | 0.05* | *no MRL* 0.05* | 0.05* | | 0.05* | | 0.1* |
| | Others | 0.05* | 0.05* | *no MRL* 0.05* | 0.05* | | 0.05* | | 0.1* |
| c) | Leafy Brassicas | | | | | | | | |
| | Chinese cabbage | 0.05* | 0.05* | 0.05* | 0.05* | | 0.05* | | 0.1* |
| | Kale | 0.05* | 0.05* | 0.05* | 0.05* | | 0.05* | | 0.1* |
| | Others | 0.05* | 0.05* | 0.05* | 0.05* | | 0.05* | | 0.1* |
| d) | Kohlrabi | 0.05* | 0.05* | 0.05* | 0.05* | | 0.05* | | 0.1* |
| v) LEAF VEGETABLES AND FRESH HERBS | | | | | | | | | |
| a) | Lettuce & similar | | | | | | | | |
| | Cress | 0.05* | 0.05* | 0.05* | 0.05* | | 0.05* | | 0.1* |
| | Lamb's lettuce | 0.05* | 0.05* | 0.05* | 0.05* | | 0.05* | | 0.1* |
| | Lettuce | 0.05* | *no MRL* 0.05 | 0.05* | 0.05* | | 0.05* | | 0.1* |
| | Scarole | 0.05* | 0.05* | 0.05* | 0.05* | | 0.05* | | 0.1* |
| | Others | 0.05* | 0.05* | 0.05* | 0.05* | | 0.05* | | 0.1* |
| b) | Spinach & similar | | | | | | | | |
| | Spinach | 0.05* | 0.05* | 0.05* | 0.05* | | 0.05* | | 0.1* |
| | Beet leaves (chard) | 0.05* | 0.05* | 0.05* | 0.05* | | 0.05* | | 0.1* |
| | Others | 0.05* | 0.05* | 0.05* | 0.05* | | 0.05* | | 0.1* |
| c) | Watercress | 0.05* | 0.05* | 0.05* | 0.05* | | 0.05* | | 0.1* |
| d) | Witloof | 0.05* | 0.05* | 0.05* | 0.05* | | 0.05* | | 0.1* |
| e) | Herbs | | | | | | | | |
| | Chervil | 0.05* | 0.05* | 0.05* | 0.05* | | 0.05* | | 0.1* |
| | Chives | 0.05* | 0.05* | 0.05* | 0.05* | | 0.05* | | 0.1* |

| Group to which food belongs | Groups include the following products | Barban | Benalaxyl (changing 1 July 2001) | Benfuracarb (changing 1 July 2001) | Binapacryl | Biphenthrin | Bromophosethyl | Bromopropylate | Camphechlor (Toxaphene) |
|---|---|---|---|---|---|---|---|---|---|
| | Parsley | 0.05* | 0.05* | 0.05* | 0.05* | | 0.05* | | 0.1* |
| | Celery leaves | 0.05* | 0.05* | 0.05* | 0.05* | | 0.05* | | 0.1* |
| | Others | 0.05* | 0.05* | 0.05* | 0.05* | | 0.05* | | 0.1* |
| vii) LEGUME VEGETABLES (fresh) | | | | | | | | | |
| | Beans (with pods) | 0.05* | 0.05* | 0.05* | 0.05* | | 0.05* | | 0.1* |
| | Beans (without pods) | 0.05* | 0.05* | 0.05* | 0.05* | | 0.05* | | 0.1* |
| | Peas (with pods) | 0.05* | 0.05* | 0.05* | 0.05* | | 0.05* | | 0.1* |
| | Peas (without pods) | 0.05* | 0.05* | 0.05* | 0.05* | | 0.05* | | 0.1* |
| | Others | 0.05* | 0.05* | 0.05* | 0.05* | | 0.05* | | 0.1* |
| viii) STEM VEGETABLES | | | | | | | | | |
| | Asparagus | 0.05* | 0.05* | 0.05* | 0.05* | | 0.05* | | 0.1* |
| | Cardoons | 0.05* | 0.05* | 0.05* | 0.05* | | 0.05* | | 0.1* |
| | Celery | 0.05* | 0.05* | 0.05* | 0.05* | | 0.05* | | 0.1* |
| | Fennel | 0.05* | 0.05* | 0.05* | 0.05* | | 0.05* | | 0.1* |
| | Globe artichokes | 0.05* | 0.05* | 0.05* | 0.05* | | 0.05* | | 0.1* |
| | Leeks | 0.05* | 0.05* | 0.05* | 0.05* | | 0.05* | | 0.1* |
| | Rhubarb | 0.05* | 0.05* | 0.05* | 0.05* | | 0.05* | | 0.1* |
| | Others | 0.05[F] | 0.05* | 0.05* | 0.05* | | 0.05* | | 0.1* |
| viii) FUNGI | | | | | | | | | |
| a) | Cultivated mushrooms | 0.05* | 0.05* | 0.05* | 0.05* | | 0.05* | | 0.1* |
| b) | Wild mushrooms | 0.05* | 0.05* | 0.05* | 0.05* | | 0.05* | | 0.1* |
| 3. PULSES | | | | | | | | | |
| | Beans | 0.05* | 0.05* | 0.05* | 0.05* | | 0.05* | | 0.1* |
| | Lentils | 0.05* | 0.05* | 0.05* | 0.05* | | 0.05* | | 0.1* |
| | Peas | 0.05* | 0.05* | 0.05* | 0.05* | | 0.05* | | 0.1* |
| | Others | 0.05* | 0.05* | 0.05* | 0.05* | | 0.05* | | 0.1* |
| 4. OILSEEDS | | | | | | | | | |
| | Linseed | 0.05* | 0.05* | 0.05* | 0.05* | | 0.05* | | 0.1* |
| | Peanuts | 0.05* | 0.05* | 0.05* | 0.05* | | 0.05* | | 0.1* |
| | Poppy seed | 0.05* | 0.05* | 0.05* | 0.05* | | 0.05* | | 0.1* |

| Group to which food belongs | Groups include the following products | Barban | Benalaxyl (changing 1 July 2001) | Benfuracarb (changing 1 July 2001) | Binapacryl | Biphenthrin | Bromophosethyl | Bromopropylate | Camphechlor (Toxaphene) |
|---|---|---|---|---|---|---|---|---|---|
| | Sesame seed | 0.05* | 0.05* | 0.05* | 0.05* | | 0.05* | | 0.1* |
| | Sunflower seed | 0.05* | 0.05* | 0.05* | 0.05* | | 0.05* | | 0.1* |
| | Rape seed | 0.05* | *no MRL* 0.05* | 0.05* | 0.05* | | 0.05* | | 0.1* |
| | Soya bean | 0.05* | *no MRL* 0.05* | *no MRL* 0.05* | 0.05* | | 0.05* | | 0.1* |
| | Mustard seed | 0.05* | 0.05* | 0.05* | 0.05* | | 0.05* | | 0.1* |
| | Cotton seed | 0.05* | 0.05* | *no MRL* 0.05* | 0.05* | | 0.05* | | 0.1* |
| | Others | 0.05* | 0.05* | 0.05* | 0.05* | [I] | 0.05* | | 0.1* |
| 5. POTATOES | | | | | | | | | |
| | Early potatoes | 0.05* | 0.05* | 0.05* | 0.05* | | 0.05* | | 0.1* |
| | Ware potatoes | 0.05* | 0.05* | 0.05* | 0.05* | | 0.05* | | 0.1* |
| 6. TEA | Dried leaves and stalks, fermented or otherwise, Camellia sinensis) | 0.1* | 0.1* | 0.1* | 0.1* | 5 | 0.1* | 0.1* | 0.1* |
| 7. HOPS (dried) | including hop pellets & unconcentrated powder | 0.1* | 0.1* | 5 | 0.1* | | 0.1* | | 0.1* |

| Group to which food belongs | Groups include the following products | Captafol | Carbendazim (changing 1 July 2001) | Carbofuran (changing 1 July 2001) | Carbosulfan (changing 1 July 2001) | Cartap | Chlorbenside | Chlorbufam |
|---|---|---|---|---|---|---|---|---|
| 1. Fruit, fresh, dried or uncooked, preserved by freezing not containing added sugar: nuts | | | | | | | | |
| i) CITRUS FRUIT | | | | | | | | |
| | Grapefruit | 0.02* | 5 | *no MRL* 0.3 | *no MRL* 0.05* | | 0.01* | 0.05* |
| | Lemons | 0.02* | 5 | *no MRL* 0.3 | *no MRL* 0.05* | | 0.01* | 0.05* |
| | Limes | 0.02* | 5 | *no MRL* 0.3 | *no MRL* 0.05* | | 0.01* | 0.05* |
| | Mandarins (inc clementines & similar hybrids) | 0.02* | 5 | *no MRL* 0.3 | *no MRL* 0.05* | | 0.01* | 0.05* |
| | Oranges | 0.02* | 5 | *no MRL* 0.3 | *no MRL* 0.05* | | 0.01* | 0.05* |
| | Pomelos | 0.02* | 5 | *no MRL* 0.3 | *no MRL* 0.05* | | 0.01* | 0.05* |
| | Others | 0.02* | 5 | *no MRL* 0.3 | *no MRL* 0.05* | | 0.01* | 0.05* |
| ii) TREE NUTS (shelled or unshelled) | | | | | | | | |
| | Almonds | 0.02* | 0.1* | 0.1* | 0.05* | | 0.01* | 0.05* |
| | Brazil nuts | 0.02*[I] | 0.1* | 0.1* | 0.05* | | 0.01* | 0.05* |
| | Cashew nuts | 0.02* | 0.1* | 0.1* | 0.05* | | 0.01* | 0.05* |
| | Chestnuts | 0.02* | 0.1* | 0.1* | 0.05* | | 0.01* | 0.05* |
| | Coconuts | 0.02* | 0.1* | 0.1* | 0.05* | | 0.01* | 0.05* |
| | Hazelnuts | 0.02* | 0.1* | *no MRL* 0.1* | 0.05* | | 0.01* | 0.05* |
| | Macadamia nuts | 0.02* | 0.1* | 0.1* | 0.05* | | 0.01* | 0.05* |
| | Pecans | 0.02* | 0.1* | 0.1* | 0.05* | | 0.01* | 0.05* |
| | Pine nuts | 0.02* | 0.1* | 0.1* | 0.05* | | 0.01* | 0.05* |
| | Pistachios | 0.02* | 0.1* | 0.1* | 0.05* | | 0.01* | 0.05* |
| | Walnuts | 0.02* | 0.1* | 0.1* | 0.05* | | 0.01* | 0.05* |
| | Others | 0.02* | 0.1* | 0.1* | 0.05* | | 0.01* | 0.05* |
| iii) POME FRUIT | | | | | | | | |
| | Apples | 0.02* | 2 | *no MRL* 0.1* | *no MRL* 0.05* | | 0.01* | 0.05* |

| Group to which food belongs | Groups include the following products | Captafol | Carbendazim (changing 1 July 2001) | Carbofuran (changing 1 July 2001) | Carbosulfan (changing 1 July 2001) | Cartap | Chlorbenside | Chlorbufam |
|---|---|---|---|---|---|---|---|---|
| | Pears | 0.02* | 2 | *no MRL* 0.1* | *no MRL* 0.05* | | 0.01* | 0.05* |
| | Quinces | 0.02* | 2 | *no MRL* 0.1* | *no MRL* 0.05* | | 0.01* | 0.05* |
| | Others | 0.02* | 2 | *no MRL* 0.1* | *no MRL* 0.05* | | 0.01* | 0.05* |
| iv) STONE FRUIT | | | | | | | | |
| | Apricots | 0.02* | 1 | *no MRL* 0.1* | *no MRL* 0.05* | | 0.01* | 0.05* |
| | Cherries | 0.02* | 0.1* | *no MRL* 0.1* | *no MRL* 0.05* | [I] | 0.01* | 0.05* |
| | Peaches (incl nectarines & similar hybrids) | 0.02* | 1 | *no MRL* 0.1* | *no MRL* 0.05* | | 0.01* | 0.05* |
| | Plums | 0.02* | 0.5 | *no MRL* 0.1* | *no MRL* 0.05* | | 0.01* | 0.05* |
| | Others | 0.02* | 0.1* | *no MRL* 0.1* | *no MRL* 0.05* | | 0.01* | 0.05* |
| v) BERRIES AND SMALL FRUIT | | | | | | | | |
| a) | Table & wine grapes | | | | | | | |
| | Table grapes | 0.02* | 2 | 0.1* | 0.05* | | 0.01* | 0.05* |
| | Wine grapes | 0.02* | 2 | 0.1* | 0.05* | | 0.01* | 0.05* |
| b) | Strawberries (other than wild) | 0.02* | *no MRL* 0.1* | *no MRL* 0.1* | 0.05* | | 0.01* | 0.05* |
| c) | Cane Fruit (other than wild) | | | | | | | |
| | Blackberries | 0.02* | 0.1* | 0.1* | 0.05* | | 0.01* | 0.05* |
| | Dewberries | 0.02* | 0.1* | 0.1* | 0.05* | | 0.01* | 0.05* |
| | Loganberries | 0.02* | 0.1* | 0.1* | 0.05* | | 0.01* | 0.05* |
| | Raspberries | 0.02* | 0.1* | 0.1* | 0.05* | | 0.01* | 0.05* |
| | Others | 0.02* | 0.1* | 0.1* | 0.05* | | 0.01* | 0.05* |
| d) | Other small fruit & berries (other than wild) | | | | | | | |
| | Bilberries | 0.02* | 0.1* | 0.1* | 0.05* | | 0.01* | 0.05* |
| | Cranberries | 0.02* | 0.1* | 0.1* | 0.05* | | 0.01* | 0.05* |
| | Currants (red, black & white) | 0.02* | 0.1* | 0.1* | 0.05* | | 0.01* | 0.05* |
| | Gooseberries | 0.02* | 0.1* | 0.1* | 0.05* | | 0.01* | 0.05* |

| Group to which food belongs | Groups include the following products | Captafol | Carbendazim (changing 1 July 2001) | Carbofuran (changing 1 July 2001) | Carbosulfan (changing 1 July 2001) | Cartap | Chlorbenside | Chlorbufam |
|---|---|---|---|---|---|---|---|---|
| | Others | 0.02* | 0.1* | 0.1* | 0.05* | | 0.01* | 0.05* |
| e) | Wild berries & wild fruit | 0.02* | 0.1* | 0.1* | 0.05* | | 0.01* | 0.05* |
| vi) MISCELLANEOUS FRUIT | | | | | | | | |
| | Avocados | 0.02* | 0.1* | 0.1* | 0.05* | | 0.01* | 0.05* |
| | Bananas | 0.02* | 1 | 0.1* | 0.05* | | 0.01* | 0.05* |
| | Dates | 0.02* | 0.1* | 0.1* | 0.05* | | 0.01* | 0.05* |
| | Figs | 0.02* | 0.1* | 0.1* | 0.05* | | 0.01* | 0.05* |
| | Kiwi fruit | 0.02* | 0.1* | 0.1* | 0.05* | | 0.01* | 0.05* |
| | Kumquats | 0.02* | 0.1* | 0.1* | 0.05* | | 0.01* | 0.05* |
| | Litchis | 0.02* | 0.1* | 0.1* | 0.05* | | 0.01* | 0.05* |
| | Mangoes | 0.02* | 0.1* | 0.1* | 0.05* | | 0.01* | 0.05* |
| | Olives (table consumption) | 0.02* | 0.1* | 0.1* | 0.05* | | 0.01* | 0.05* |
| | Olives (oil extract) | 0.02* | 0.1* | 0.1* | 0.05* | | 0.01* | 0.05* |
| | Papaya | | *no MRL* 0.1* | *no MRL* 0.1* | *no MRL* 0.05* | | | |
| | Passion fruit | 0.02* | 0.1* | 0.1* | 0.05* | | 0.01* | 0.05* |
| | Pineapples | 0.02* | 0.1* | 0.1* | 0.05* | | 0.01* | 0.05* |
| | Pomegranates | 0.02* | 0.1* | 0.1* | 0.05* | | 0.01* | 0.05* |
| | Others | 0.02[I] | 0.1* | 0.1* | 0.05* | | 0.01* | 0.05* |
| 2. Vegetables, fresh or uncooked, frozen or dry | | | | | | | | |
| i) ROOT AND TUBER VEGETABLES | | | | | | | | |
| | Beetroot | 0.02* | 0.1* | 0.1* | 0.05* | | 0.01* | 0.05* |
| | Carrots | 0.02* | 0.1* | 0.3 | 0.1 | | 0.01* | 0.05* |
| | Celeriac | 0.02* | 0.1* | *no MRL* 0.1* | 0.05* | | 0.01* | 0.05* |
| | Horseradish | 0.02* | 0.1* | 0.1* | 0.05* | | 0.01* | 0.05* |
| | Jerusalem artichokes | 0.02* | 0.1* | 0.1* | 0.05* | | 0.01* | 0.05* |
| | Parsnips | 0.02* | 0.1* | 0.3 | 0.1 | | 0.01* | 0.05* |
| | Parsley root | 0.02* | 0.1* | 0.1* | 0.05* | | 0.01* | 0.05* |
| | Radishes | 0.02* | 0.1* | 0.5 | 0.05* | | 0.01* | 0.05* |
| | Salsify | 0.02* | 0.1* | 0.1* | 0.05* | | 0.01* | 0.05* |
| | Sweet potatoes | 0.02* | 0.1* | 0.1* | 0.05* | | 0.01* | 0.05* |

| Group to which food belongs | Groups include the following products | Captafol | Carbendazim (changing 1 July 2001) | Carbofuran (changing 1 July 2001) | Carbosulfan (changing 1 July 2001) | Cartap | Chlorbenside | Chlorbufam |
|---|---|---|---|---|---|---|---|---|
| | Swedes | 0.02* | 0.1* | *no MRL*<br>0.2 | *no MRL*<br>0.05* | | 0.01* | 0.05* |
| | Turnips | 0.02* | 0.1* | *no MRL*<br>0.2 | *no MRL*<br>0.05* | | 0.01* | 0.05* |
| | Yams | 0.02* | 0.1* | 0.1* | 0.05* | | 0.01* | 0.05* |
| | Others | 0.02* | 0.1* | 0.1* | 0.05* | | 0.01* | 0.05* |
| iii) BULB VEGETABLES | | | | | | | | |
| | Garlic | 0.02* | 0.1* | 0.3 | 0.05* | t | 0.01* | 0.05* |
| | Onions | 0.02* | 0.1* | 0.3 | *no MRL*<br>0.05* | | 0.01* | 0.05* |
| | Shallots | 0.02* | 0.1* | 0.3 | 0.05* | | 0.01* | 0.05* |
| | Spring onions | 0.02* | 0.1* | 0.1* | 0.05* | | 0.01* | 0.05* |
| | Others | 0.02* | 0.1* | 0.1* | 0.05* | | 0.01* | 0.05* |
| iii) FRUITING VEGETABLES | | | | | | | | |
| a) | Solanaceae | | | | | | | |
| | Tomatoes | 0.02* | 0.5 | 0.1* | 0.05* | | 0.01* | 0.05* |
| | Peppers | 0.02* | 0.1* | 0.1* | 0.05* | | 0.01* | 0.05* |
| | Chilli peppers | | | | | | 0.01* | 0.05* |
| | Aubergines | 0.02* | 0.5 | 0.1* | 0.05* | | 0.01* | 0.05* |
| | Others | 0.02* | 0.1* | 0.1* | 0.05* | | 0.01* | 0.05* |
| b) | Cucurbits-edible peel | | | | | | | |
| | Cucumbers | 0.02* | 0.5 t | 0.1* | 0.05* | | 0.01* | 0.05* |
| | Gherkins | 0.02* | 0.1* | 0.1* | 0.05* | | 0.01* | 0.05* |
| | Courgettes | 0.02* | 0.3 | 0.1* | 0.05* | | 0.01* | 0.05* |
| | Others | 0.02* | 0.1* | 0.1* | 0.05* | | 0.01* | 0.05* |
| c) | Cucurbits-inedible peel | | | | | | | |
| | Melons | 0.02* | 0.5 | *no MRL*<br>0.2 | *no MRL*<br>0.05* | | 0.01* | 0.05* |
| | Squashes | 0.02* | 0.5 | *0.1**<br>0.2 | *no MRL*<br>0.05* | | 0.01* | 0.05* |
| | Watermelons | 0.02* | 0.1* | *0.1**<br>0.2 | *no MRL*<br>0.05* | | 0.01* | 0.05* |

| Group to which food belongs | Groups include the following products | Captafol | Carbendazim (changing 1 July 2001) | Carbofuran (changing 1 July 2001) | Carbosulfan (changing 1 July 2001) | Cartap | Chlorbenside | Chlorbufam |
|---|---|---|---|---|---|---|---|---|
| | Others | 0.02* | 0.1* | *0.1**<br>0.1* | *no MRL*<br>0.05* | | 0.01* | 0.05* |
| d) | Sweet corn | 0.02* | 0.1* | *no MRL*<br>0.1* | 0.05* | | 0.01* | 0.05* |
| iv) BRASSICA VEGETABLES | | | | | | | | |
| a) | Flowering Brassicas | | | | | | | |
| | Broccoli | 0.02* | 0.1* | 0.2 | *no MRL*<br>0.05* | | 0.01* | 0.05* |
| | Cauliflower | 0.02* | 0.1* | 0.2 | *no MRL*<br>0.05* | | 0.01* | 0.05* |
| | Others | 0.02* | 0.1* | 0.2 | *no MRL*<br>0.05* | | 0.01* | 0.05* |
| b) | Head Brassicas | | | | | | | |
| | Brussels sprouts | 0.02* | 0.5 | *no MRL*<br>0.1* | *no MRL*<br>0.05* | | 0.01* | 0.05* |
| | Head cabbage | 0.02* | 3 | *no MRL*<br>0.1* | *no MRL*<br>0.05* | | 0.01* | 0.05* |
| | Others | 0.02* | 3 | *no MRL*<br>0.1* | *no MRL*<br>0.05* | | 0.01* | 0.05* |
| c) | Leafy Brassicas | | t | | | | | |
| | Chinese cabbage | 0.02* | 0.1* | *no MRL*<br>0.1* | *no MRL*<br>0.05* | | 0.01* | 0.05* |
| | Kale | 0.02* | 0.1* | *no MRL*<br>0.1* | *no MRL*<br>0.05* | | 0.01* | 0.05* |
| | Others | 0.02* | 0.1* | *no MRL*<br>0.1* | *no MRL*<br>0.05* | | 0.01* | 0.05* |
| d) | Kohlrabi | 0.02* | 0.1* | 0.2 | *0.2*<br>0.05* | | 0.01* | 0.05* |
| v) LEAF VEGETABLES AND FRESH HERBS | | | | | | | | |
| a) | Lettuce & similar | | | | | | | |
| | Cress | 0.02* | 0.1* | 0.1* | 0.05* | | 0.01* | 0.05* |
| | Lamb's lettuce | 0.02* | 0.1* | 0.1* | 0.05* | | 0.01* | 0.05* |
| | Lettuce | 0.02* | 5 | 0.1* | 0.05* | | 0.01* | 0.05* |
| | Scarole | 0.02* | 0.1* | 0.1* | 0.05* | | 0.01* | 0.05* |
| | Others | 0.02* | 0.1* | 0.1* | 0.05* | | 0.01* | 0.05* |

| Group to which food belongs | Groups include the following products | Captafol | Carbendazim (changing 1 July 2001) | Carbofuran (changing 1 July 2001) | Carbosulfan (changing 1 July 2001) | Cartap | Chlorbenside | Chlorbufam |
|---|---|---|---|---|---|---|---|---|
| b) | Spinach & similar | | | | | | | |
| | Spinach | 0.02* | 0.1* | 0.1* | 0.05* | | 0.01* | 0.05* |
| | Beet leaves (chard) | 0.02* | 0.1* | 0.1* | 0.05* | | 0.01* | 0.05* |
| | Others | 0.02* | 0.1* | 0.1* | 0.05* | | 0.01* | 0.05* |
| c) | Watercress | 0.02* | 0.1* | 0.1* | 0.05* | | 0.01* | 0.05* |
| d) | Witloof | 0.02* | 0.1* | 0.1* | 0.05* | | 0.01* | 0.05* |
| e) | Herbs | | | | | | | |
| | Chervil | 0.02* | 0.1* | 0.1* | 0.05* | | 0.01* | 0.05* |
| | Chives | 0.02* | 0.1* | 0.1* | 0.05* | t | 0.01* | 0.05* |
| | Parsley | 0.02* | 0.1* | 0.1* | 0.05* | | 0.01* | 0.05* |
| | Celery leaves | 0.02* | 0.1* | 0.1* | 0.05* | | 0.01* | 0.05* |
| | Others | 0.02* | 0.1* | 0.1* | 0.05* | | 0.01* | 0.05* |
| vi) LEGUME VEGETABLES (fresh) | | | | | | | | |
| | Beans (with pods) | 0.02* | 0.1* | *no MRL*<br>0.1* | 0.05* | | 0.01* | 0.05* |
| | Beans (without pods) | 0.02* | 0.1* | *no MRL*<br>0.1* | 0.05* | | 0.01* | 0.05* |
| | Peas (with pods) | 0.02* | 0.1* | 0.1* | 0.05* | | 0.01* | 0.05* |
| | Peas (without pods) | 0.02* | 0.1* | 0.1* | 0.05* | | 0.01* | 0.05* |
| | Others | 0.02* | 0.1* | 0.1* | 0.05* | | 0.01* | 0.05* |
| vii) STEM VEGETABLES | | | | | | | | |
| | Asparagus | 0.02* | 0.1* | 0.1* | 0.05* | | 0.01* | 0.05* |
| | Cardoons | 0.02* | 0.1* | 0.1* | 0.05* | | 0.01* | 0.05* |
| | Celery | 0.02* | 2 | *no MRL*<br>0.1* | *no MRL*<br>0.05* | | 0.01* | 0.05* |
| | Fennel | 0.02* | 0.1* | 0.1* | 0.05* | | 0.01* | 0.05* |
| | Globe artichokes | 0.02* | 0.1* | 0.1* | 0.05* | | 0.01* | 0.05* |
| | Leeks | 0.02* | 0.1* | *no MRL*<br>0.1* | *no MRL*<br>0.05* | | 0.01* | 0.05* |
| | Rhubarb | 0.02* | 2 | 0.1* | 0.05* | | 0.01* | 0.05* |
| | Others | 0.02* | 0.1* | 0.1* | 0.05* | | 0.01* | 0.05* |

| Group to which food belongs | Groups include the following products | Captafol | Carbendazim (changing 1 July 2001) | Carbofuran (changing 1 July 2001) | Carbosulfan (changing 1 July 2001) | Cartap | Chlorbenside | Chlorbufam |
|---|---|---|---|---|---|---|---|---|
| viii) FUNGI | | | | | | | | |
| a) | Cultivated mushrooms | 0.02* | 1 | 0.1* | 0.05* | | 0.01* | 0.05* |
| b) | Wild mushrooms | 0.02* | 0.1* | 0.1* | 0.05* | | 0.01* | 0.05* |
| 3. PULSES | | | | | | | | |
| | Beans | 0.02* | 2 | *no MRL*<br>0.1* | 0.05* | | 0.01* | 0.05* |
| | Lentils | 0.02* | 0.1* | 0.1* | 0.05* | | 0.01* | 0.05* |
| | Peas | 0.02* | 0.1* | 0.1* | 0.05* | | 0.01* | 0.05* |
| | Others | 0.02* | 0.1* | 0.1* | 0.05* | | 0.01* | 0.05* |
| 4. OILSEEDS | | | | | | | | |
| | Linseed | 0.02* | 0.1* | *no MRL*<br>0.1* | 0.05* | | 0.01* | 0.05* |
| | Peanuts | 0.02* | 0.1* | *no MRL*<br>0.1* | 0.05* | | 0.01* | 0.05* |
| | Poppy seed | 0.02* | 0.1* | 0.1* | 0.05* | | 0.01* | 0.05* |
| | Sesame seed | 0.02* | 0.1* | 0.1* | 0.05* | | 0.01* | 0.05* |
| | Sunflower seed | 0.02*$_{g}$ | 0.1* | *no MRL*<br>0.1* | *no MRL*<br>0.05* | | 0.01* | 0.05* |
| | Rape seed | 0.02* | 0.1* | *no MRL*<br>0.1* | 0.05* | | 0.01* | 0.05* |
| | Soya bean | 0.02* | 0.2* | *no MRL*<br>0.1* | 0.05* | | 0.01* | 0.05* |
| | Mustard seed | 0.02* | 0.1* | 0.1* | 0.05* | | 0.01* | 0.05* |
| | Cotton seed | 0.02* | 0.1* | *no MRL*<br>0.1* | *no MRL*<br>0.05* | | 0.01* | 0.05* |
| | Others | 0.02* | 0.1* | 0.1* | 0.05* | | 0.01* | 0.05* |
| 5. POTATOES | | | | | | | | |
| | Early potatoes | 0.02* | *1*<br>0.1* | *no MRL*<br>0.1* | 0.05* | | 0.01* | 0.05* |
| | Ware potatoes | 0.02* | *1*<br>0.1* | *no MRL*<br>0.1* | 0.05* | | 0.01* | 0.05* |

| Group to which food belongs | Groups include the following products | Captafol | Carbendazim (changing 1 July 2001) | Carbofuran (changing 1 July 2001) | Carbosulfan (changing 1 July 2001) | Cartap | Chlorbenside | Chlorbufam |
|---|---|---|---|---|---|---|---|---|
| 7. HOPS (dried) | including hop pellets & unconcentrated powder | 0.1* | 0.1* | 10 | *No MRL*<br>t | | 0.1* | 0.1* |

| Group to which food belongs | Groups include the following products | Chlordane | Chlorfenson | Chlormequat (changing 1 July 2001) | Chlorobenzilate | Chlorothalonil (changing 1 July 2001) | Chlorotoluron | Chlorpyrifos |
|---|---|---|---|---|---|---|---|---|
| 1. Fruit, fresh, dried or uncooked, preserved by freezing not containing added sugar: nuts | | | | | | | | |
| i) CITRUS FRUIT | | | | | | | | |
| | Grapefruit | | 0.01* | 0.05* | 0.02* | 0.01* | 0.05* | 0.3 |
| | Lemons | | 0.01* | 0.05* | 0.02* | 0.01* | 0.05* | 0.2 |
| | Limes | | 0.01* | 0.05* | 0.02* | 0.01* | 0.05* | 0.3 |
| | Mandarins (inc clementines & similar hybrids) | | 0.01* | 0.05* | 0.02* | 0.01* | 0.05* | 2 |
| | Oranges | | 0.01* | 0.05* | 0.02* | 0.01* | 0.05* | 0.3 |
| | Pomelos | | 0.01* | 0.05* | 0.02* | 0.01* | 0.05* | 0.3 |
| | Others | | 0.01* | 0.05* | 0.02* | 0.01* | 0.05* | 0.3 |
| ii) TREE NUTS (shelled or unshelled) | | | | | | | | |
| | Almonds | | 0.01* | 0.1* | 0.02* | 0.01* | 0.05* | 0.05* |
| | Brazil nuts | | 0.01* | 0.1* | 0.02* | 0.01* | 0.05* | 0.05* |
| | Cashew nuts | | 0.01* | 0.1* | 0.02* | 0.01* | 0.05* | 0.05* |
| | Chestnuts | | 0.01* | 0.1* | 0.02* | 0.01* | 0.05* | 0.05* |
| | Coconuts | | 0.01* | 0.1* | 0.02* | 0.01* | 0.05* | 0.05* |
| | Hazelnuts | | 0.01* | 0.1* | 0.02* | 0.01* | 0.05* | 0.05* |
| | Macadamia nuts | | 0.01* | 0.1* | 0.02* | 0.01* | 0.05* | 0.05* |
| | Pecans | | 0.01* | 0.1* | 0.02* | 0.01* | 0.05* | 0.05* |
| | Pine nuts | | 0.01* | 0.1* | 0.02* | 0.01* | 0.05* | 0.05* |
| | Pistachios | | 0.01* | 0.1* | 0.02* | 0.01* | 0.05* | 0.05* |
| | Walnuts | | 0.01* | 0.1* | 0.02* | 0.01* | 0.05* | 0.05* |
| | Others | | 0.01* | 0.1* | 0.02* | 0.01* | 0.05* | 0.05* |
| iii) POME FRUIT | | | | | | | | |
| | Apples | | 0.01* | *no MRL* 0.05* | 0.02* | 1 | 0.05* | 0.5 |
| | Pears | | 0.01* | 3 0.05* | 0.02* | 1 | 0.05* | 0.5 |
| | Quinces | | 0.01* | 0.05* | 0.02* | 1 | 0.05* | 0.5 |
| | Others | | 0.01* | 0.05* | 0.02* | 1 | 0.05* | 0.5 |

| Group to which food belongs | Groups include the following products | Chlordane | Chlorfenson | Chlormequat (changing 1 July 2001) | Chlorobenzilate | Chlorothalonil (changing 1 July 2001) | Chlorotoluron | Chlorpyrifos |
|---|---|---|---|---|---|---|---|---|
| iv) STONE FRUIT | | | | | | | | |
| | Apricots | | 0.01* | 0.05* | 0.02* | 1 | 0.05* | 0.05* |
| | Cherries | | 0.01* | 0.05* | 0.02* | 0.01* | 0.05* | 0.3 |
| | Peaches (incl nectarines & similar hybrids) | | 0.01* | 0.05* | 0.02* | 1 | 0.05* | 0.2 |
| | Plums | | 0.01* | 0.05* | 0.02* | 0.01* | 0.05* | 0.2 |
| | Others | | 0.01* | 0.05* | 0.02* | 0.01* | 0.05* | 0.05* |
| v) BERRIES AND SMALL FRUIT | | | | | | | | |
| a) | Table & wine grapes | | | | | | | |
| | Table grapes | | 0.01* | *1* 0.05* | 0.02* | 1 | 0.05* | 0.5 |
| | Wine grapes | | 0.01* | *1* 0.05* | 0.02* | 3 | 0.05* | 0.5 |
| b) | Strawberries (other than wild) | | 0.01* | *no MRL* 0.05* | 0.02* | 3 | 0.05* | 0.2 |
| c) | Cane Fruit (other than wild) | | | | | | | |
| | Blackberries | | 0.01* | 0.05* | 0.02* | *10* 0.01* | 0.05* | 0.5 |
| | Dewberries | | 0.01* | 0.05* | 0.02* | *10* 0.01* | 0.05* | 0.05* |
| | Loganberries | | 0.01* | 0.05* | 0.02* | *10* 0.01* | 0.05* | 0.05* |
| | Raspberries | | 0.01* | 0.05* | 0.02* | 10 | 0.05* | 0.5 |
| | Others | | 0.01* | 0.05* | 0.02* | *10* 0.01* | 0.05* | 0.05* |
| d) | Other small fruit & berries (other than wild) | | | | | | | |
| | Bilberries | | 0.01* | 0.05* | 0.02* | 0.01* | 0.05* | 0.01* |
| | Cranberries | | 0.01* | 0.05* | 0.02* | 2 | 0.05* | 0.01* |
| | Currants (red, black & white) | | 0.01* | 0.05* | 0.02* | 10 | 0.05* | 1 |
| | Gooseberries | | 0.01* | 0.05* | 0.02* | 10 | 0.05* | 1 |
| | Others | | 0.01* | 0.05* | 0.02* | 0.01* | 0.05* | 0.01* |
| e) | Wild berries & wild fruit | | 0.01* | 0.05* | 0.02* | 0.01* | 0.05* | 0.05* |

| Group to which food belongs | Groups include the following products | Chlordane | Chlorfenson | Chlormequat (changing 1 July 2001) | Chlorobenzilate | Chlorothalonil (changing 1 July 2001) | Chlorotoluron | Chlorpyrifos |
|---|---|---|---|---|---|---|---|---|
| vi) MISCELLANEOUS FRUIT | | | | | | | | |
| | Avocados | | 0.01* | 0.05* | 0.02* | 0.01* | 0.05* | 0.05* |
| | Bananas | | 0.01* | 0.05* | 0.02* | 2 | 0.05* | 3 |
| | Dates | | 0.01* | 0.05* | 0.02* | 0.01* | 0.05* | 0.05* |
| | Figs | | 0.01* | 0.05* | 0.02* | 0.01* | 0.05* | 0.05* |
| | Kiwi fruit | | 0.01* | 0.05* | 0.02* | 0.01* | 0.05* | 2 |
| | Kumquats | | 0.01* | 0.05* | 0.02* | 0.01* | 0.05* | 0.05* |
| | Litchis | | 0.01* | 0.05* | 0.02* | 0.01* | 0.05* | 0.05* |
| | Mangoes | | 0.01* | 0.05* | 0.02* | 0.01* | 0.05* | 0.05* |
| | Olives (table consumption) | | 0.01* | 0.05* | 0.02* | 0.01* | 0.05* | 0.05* |
| | Olives (oil extract) | | 0.01* | 0.05* | 0.02* | 0.01* | 0.05* | 0.05* |
| | Papaya | | | *no MRL* 0.05* | | *no MRL* 0.01* | | |
| | Passion fruit | | 0.01* | 0.05* | 0.02* | 0.01* | 0.05* | 0.05* |
| | Pineapples | | 0.01* | 0.05* | 0.02* | 0.01* | 0.05* | 0.05* |
| | Pomegranates | | 0.01* | 0.05* | 0.02* | 0.01* | 0.05* | 0.05* |
| | Others | | 0.01* | 0.05* | 0.02* | 0.01* | 0.05* | 0.05* |
| 2. Vegetables, fresh or uncooked, frozen or dry | | | | | | | | |
| i) ROOT AND TUBER VEGETABLES | | | | | | | | |
| | Beetroot | | 0.01* | 0.05* | 0.02* | 0.01* | 0.05* | 0.05* |
| | Carrots | | 0.01* | 0.05* | 0.02* | 1 | 0.05* | 0.1 |
| | Celeriac | | 0.01* | 0.05* | 0.02* | 0.5 | 0.05* | 0.05* |
| | Horseradish | | 0.01* | 0.05* | 0.02* | 0.01* | 0.05* | 0.05* |
| | Jerusalem artichokes | | 0.01* | 0.05* | 0.02* | 0.01* | 0.05* | 0.05* |
| | Parsnips | | 0.01* | 0.05* | 0.02* | 0.01* | 0.05* | 0.05* |
| | Parsley root | | 0.01* | 0.05* | 0.02* | 0.01* | 0.05* | 0.05* |
| | Radishes | | 0.01* | 0.05* | 0.02* | 0.01* | 0.05* | 0.2 |
| | Salsify | | 0.01* | 0.05* | 0.02* | 0.01* | 0.05* | 0.05* |
| | Sweet potatoes | | 0.01* | 0.05* | 0.02* | 0.01* | 0.05* | 0.05* |
| | Swedes | | 0.01* | 0.05* | 0.02* | 0.01* | 0.05* | 0.05* |
| | Turnips | | 0.01* | 0.05* | 0.02* | 0.01* | 0.05* | 0.05* |
| | Yams | | 0.01* | 0.05* | 0.02* | 0.01* | 0.05* | 0.05* |
| | Others | | 0.01* | 0.05* | 0.02* | 0.01* | 0.05* | 0.05* |

| Group to which food belongs | Groups include the following products | Chlordane | Chlorfenson | Chlormequat (changing 1 July 2001) | Chlorobenzilate | Chlorothalonil (changing 1 July 2001) | Chlorotoluron | Chlorpyrifos |
|---|---|---|---|---|---|---|---|---|
| ii) BULB VEGETABLES | | | | | | | | |
| | Garlic | | 0.01* | 0.05* | 0.02* | 0.5 | 0.05* | 0.05* |
| | Onions | | 0.01* | 0.05* | 0.02* | 0.5 | 0.05* | 0.2 |
| | Shallots | | 0.01* | 0.05* | 0.02* | 0.5 | 0.05* | 0.05* |
| | Spring onions | | 0.01* | 0.05* | 0.02* | 5 | 0.05* | 0.05* |
| | Others | | 0.01* | 0.05* | 0.02* | 0.01* | 0.05* | 0.05* |
| iii) FRUITING VEGETABLES | | | | | | | | |
| a) | Solanacea | | | | | | | |
| | Tomatoes | | 0.01* | *no MRL* 0.05* | 0.02* | 2 | 0.05* | 0.5 |
| | Peppers | | 0.01* | 0.05* | 0.02* | 2 | 0.05* | 0.5 |
| | Chilli peppers | | 0.01* | | 0.02* | | 0.05* | |
| | Aubergines | | 0.01* | 0.05* | 0.02* | 2 | 0.05* | 0.5 |
| | Others | | 0.01* | 0.05* | 0.02* | 2 | 0.05* | 0.5 |
| b) | Cucurbits-edible peel | | | | | | | |
| | Cucumbers | | 0.01* | 0.05* | 0.02* | 1 | 0.05* | 0.05* |
| | Gherkins | | 0.01* | 0.05* | 0.02* | 5 | 0.05* | 0.05* |
| | Courgettes | | 0.01* | 0.05* | 0.02* | 0.01* | 0.05* | 0.05* |
| | Others | | 0.01* | 0.05* | 0.02* | 0.01* | 0.05* | 0.05* |
| c) | Cucurbits-inedible peel | | | | | | | |
| | Melons | | 0.01* | 0.05* | 0.02* | 1 | 0.05* | 0.05* |
| | Squashes | | 0.01* | 0.05* | 0.02* | 1 | 0.05* | 0.05* |
| | Watermelons | | 0.01* | 0.05* | 0.02* | 1 | 0.05* | 0.05* |
| | Others | | 0.01* | 0.05* | 0.02* | 1 | 0.05* | 0.05* |
| d) | Sweet corn | | 0.01* | 0.05* | 0.02* | 0.01* | 0.05* | 0.05* |
| iv) BRASSICA VEGETABLES | | | | | | | | |
| a) | Flowering Brassicas | | | | | | | |
| | Broccoli | | 0.01* | 0.05* | 0.02* | 3 | 0.05* | 0.05* |
| | Cauliflower | | 0.01* | 0.05* | 0.02* | 3 | 0.05* | 0.05* |
| | Others | | 0.01* | 0.05* | 0.02* | 3 | 0.05* | 0.05* |

| Group to which food belongs | Groups include the following products | Chlordane | Chlorfenson | Chlormequat (changing 1 July 2001) | Chlorobenzilate | Chlorothalonil (changing 1 July 2001) | Chlorsuron | Chlorpyrifos |
|---|---|---|---|---|---|---|---|---|
| | b) Head Brassicas | | | | | | | |
| | Brussels sprouts | | 0.01* | 0.05* | 0.02* | 0.5 | 0.05* | 0.05* |
| | Head cabbage | | 0.01* | 0.05* | 0.02* | 3 | 0.05* | 1 |
| | Others | | 0.01* | 0.05* | 0.02* | 0.01* | 0.05* | 0.05* |
| | c) Leafy Brassicas | | | | | | | |
| | Chinese cabbage | | 0.01* | 0.05* | 0.02* | 0.01* | 0.05* | 0.5 |
| | Kale | | 0.01* | 0.05* | 0.02* | 0.01* | 0.05* | 0.05* |
| | Others | | 0.01* | 0.05* | 0.02* | 0.01* | 0.05* | 0.05* |
| | d) Kohlrabi | | 0.01* | 0.05* | 0.02* | 0.01* | 0.05* | 0.05* |
| v) LEAF VEGETABLES AND FRESH HERBS | | | | | | | | |
| | a) Lettuce & similar | | | | | | | |
| | Cress | | 0.01* | 0.05* | 0.02* | 0.01* | 0.05* | 0.05* |
| | Lamb's lettuce | | 0.01* | 0.05* | 0.02* | 0.01* | 0.05* | 0.05* |
| | Lettuce | | 0.01* | 0.05* | 0.02* | 0.01* | 0.05* | 0.05* |
| | Scarole | | 0.01* | 0.05* | 0.02* | 0.01* | 0.05* | 0.05* |
| | Others | | 0.01* | 0.05* | 0.02* | 0.01* | 0.05* | 0.05* |
| | b) Spinach & similar | | | | | | | |
| | Spinach | | 0.01* | 0.05* | 0.02* | 0.01* | 0.05* | 0.05* |
| | Beet leaves (chard) | I | 0.01* | 0.05* | 0.02* | 0.01* | 0.05* | 0.05* |
| | Others | | 0.01* | 0.05* | 0.02* | 0.01* | 0.05* | 0.05* |
| | c) Watercress | | 0.01* | 0.05* | 0.02* | 0.01* | 0.05* | 0.05* |
| | d) Witloof | | 0.01* | 0.05* | 0.02* | 0.01* | 0.05* | 0.05* |
| | e) Herbs | | | | | | | |
| | Chervil | | 0.01* | 0.05* | 0.02* | 5 | 0.05* | 0.05* |
| | Chives | | 0.01* | 0.05* | 0.02* | 5 | 0.05* | 0.05* |
| | Parsley | | 0.01* | 0.05* | 0.02* | 5 | 0.05* | 0.05* |
| | Celery leaves | | 0.01* | 0.05* | 0.02* | 5 | 0.05* | 0.05* |
| | Others | | 0.01* | 0.05* | 0.02* | 5 | 0.05* | 0.05* |
| vi) LEGUME VEGETABLES (fresh) | | | | | | | | |
| | Beans (with pods) | | 0.01* | *no MRL* 0.05* | 0.02* | 0.01* | 0.05* | 0.05* |
| | Beans (without pods) | | 0.01* | *no MRL* 0.05* | 0.02* | 0.05 | 0.05* | 0.05* |

| Group to which food belongs | Groups include the following products | Chlordane | Chlorfenson | Chlormequat (changing 1 July 2001) | Chlorobenzilate | Chlorothalonil (changing 1 July 2001) | Chlorsuron | Chlorpyrifos |
|---|---|---|---|---|---|---|---|---|
| | Peas (with pods) | | 0.01* | *no MRL* 0.05* | 0.02* | 2 | 0.05* | 0.05* |
| | Peas (without pods) | | 0.01* | *no MRL* 0.05* | 0.02* | *0.07** 0.3 | 0.05* | 0.05* |
| | Others | | 0.01* | 0.05* | 0.02* | 0.01* | 0.05* | 0.05* |
| vii) STEM VEGETABLES | | | | | | | | |
| | Asparagus | | 0.01* | 0.05* | 0.02* | 0.01* | 0.05* | 0.05* |
| | Cardoons | | 0.01* | 0.05* | 0.02* | 0.01* | 0.05* | 0.05* |
| | Celery | | 0.01* | 0.05* | 0.02* | 10 | 0.05* | 0.05* |
| | Fennel | | 0.01* | 0.05* | 0.02* | 0.01* | 0.05* | 0.05* |
| | Globe artichokes | | 0.01* | 0.05* | 0.02* | 0.01* | 0.05* | 1 |
| | Leeks | | 0.01* | 0.05* | 0.02* | 10 | 0.05* | 0.05* |
| | Rhubarb | | 0.01* | 0.05* | 0.02* | 0.01* | 0.05* | 0.05* |
| | Others | | 0.01* | 0.05* | 0.02* | 0.01* | 0.05* | 0.05* |
| viii) FUNGI | | | | | | | | |
| | a) Cultivated mushrooms | | 0.01* | *no MRL* 0.05* | 0.02* | 2 | 0.05* | 0.05* |
| | b) Wild mushrooms | | 0.01* | 0.05* | 0.02* | 0.01* | 0.05* | 0.05* |
| 3. PULSES | | | | | | | | |
| | Beans | | 0.01* | 0.05* | 0.02* | 0.01* | 0.05* | 0.05* |
| | Lentils | | 0.01* | 0.05* | 0.02* | 0.01* | 0.05* | 0.05* |
| | Peas | | 0.01* | 0.05* | 0.02* | 0.01* | 0.05* | 0.05* |
| | Others | | 0.01* | 0.05* | 0.02* | 0.01* | 0.05* | 0.05* |
| 4. OILSEEDS | | | | | | | | |
| | Linseed | | 0.01* | *no MRL* 0.1* | 0.02* | 0.01* | 0.05* | 0.05* |
| | Peanuts | | 0.01* | 0.1* | 0.02* | 0.05 | 0.05* | 0.05* |
| | Poppy seed | | 0.01* | 0.1* | 0.02* | 0.01* | 0.05* | 0.05* |
| | Sesame seed | | 0.01* | 0.1* | 0.02* | 0.01* | 0.05* | 0.05* |
| | Sunflower seed | | 0.01* | 0.1* | 0.02* | 0.01* | 0.05* | 0.05* |

| Group to which food belongs | Groups include the following products | Chlordane | Chlorfenson | Chlormequat (changing 1 July 2001) | Chlorobenzilate | Chlorothalonil (changing 1 July 2001) | Chlorsuron | Chlorpyrifos |
|---|---|---|---|---|---|---|---|---|
| | Rape seed | | 0.01* | *no MRL* 0.1* | 0.02* | 0.01* | 0.05* | 0.05* |
| | Soya bean | | 0.01* | 0.1* | 0.02* | 0.01* | 0.05* | 0.05* |
| | Mustard seed | | 0.01* | 0.1* | 0.02* | 0.01* | 0.05* | 0.05* |
| | Cotton seed | | 0.01* | *no MRL* 0.1* | 0.02* | 0.01* | 0.05* | 0.05* |
| | Others | | 0.01* | 0.1* | 0.02* | 0.01* | 0.05* | 0.05* |
| 5. POTATOES | | | | | | | | |
| | Early potatoes | | 0.01* | *no MRL* 0.05* | 0.02* | 0.01* | 0.05* | 0.05* |
| | Ware potatoes | | 0.01* | *no MRL* 0.05* | 0.02* | 0.01* | 0.05* | 0.05* |
| 6. TEA | (dried leaves and stalks, fermented or otherwise, Camellia sinensis) | 0.02* | 0.1* | 0.1* | 0.1* | 0.1* | 0.1* | 0.1* |
| 7. HOPS (dried) | including hop pellets & unconcentrated powder | | 0.1* | 0.1* | 0.1* | 50 | 0.1* | 0.1* |

| Group to which food belongs | Groups include the following products | Chlorpyrifos-methyl | Cyfluthrin (changing 1 July 2001) | Cypermethrin | Deltamethrin | DDT | Deltamethrin | Diallate | Diazinon (changing 1 July 2001) |
|---|---|---|---|---|---|---|---|---|---|
| 1. Fruit, fresh, dried or uncooked, preserved by freezing not containing added sugar: nuts | | | | | | | | | |
| i) CITRUS FRUIT | | | | | | | | | |
| | Grapefruit | 0.05* | 0.02* | 2 | 0.02* | 0.05* | 0.05* | 0.05* | *0.5* 1 |
| | Lemons | 0.3 | 0.02* | 2 | 0.02* | 0.05* | 0.05* | 0.05* | *0.5* 0.02* |
| | Limes | 0.05* | 0.02* | 2 | 0.02* | 0.05* | 0.05* | 0.05* | *0.5* 0.02* |
| | Mandarins ( inc clementines & similar hybrids) | 1 | 0.02* | 2 | 0.02* | 0.05* | 0.05* | 0.05* | *0.5* 0.02* |
| | Oranges | 0.5 | 0.02* | 2 | 0.02* | 0.05* | 0.05* | 0.05* | *0.5* 1 |
| | Pomelos | 0.05* | 0.02* | 2 | 0.02* | 0.05* | 0.05* | 0.05* | *0.5* 1 |
| | Others | 0.05* | 0.02* | 2 | 0.02* | 0.05* | 0.05* | 0.05* | *0.5* 0.02* |
| ii) TREE NUTS (shelled or unshelled) | | | | | | | | | |
| | Almonds | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* |
| | Brazil nuts | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* |
| | Cashew nuts | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* |
| | Chestnuts | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* |
| | Coconuts | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* |
| | Hazelnuts | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* |
| | Macadamia nuts | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* |
| | Pecans | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* |
| | Pine nuts | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* |
| | Pistachios | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* |
| | Walnuts | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* |
| | Others | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* |
| iii) POME FRUIT | | | | | | | | | |
| | Apples | 0.5 | 0.2 | 1 | 0.02* | 0.05* | 0.1 | 0.05* | 0.5 0.3 |

| Group to which food belongs | Groups include the following products | Chlorpyrifos-methyl | Cyfluthrin (changing 1 July 2001) | Cypermethrin | Deltamethrin | DDT | Deltamethrin | Diallate | Diazinon (changing 1 July 2001) |
|---|---|---|---|---|---|---|---|---|---|
| | Pears | 0.5 | 0.2 | 1 | 0.02* | 0.05* | 0.1 | 0.05* | *0.5* 0.3 |
| | Quinces | 0.5 | 0.2 | 1 | 0.02* | 0.05* | 0.1 | 0.05* | *0.5* **0.02*** |
| | Others | 0.5 | 0.2 | 1 | 0.02* | 0.05* | 0.1 | 0.05* | *0.5* **0.02*** |
| iv) STONE FRUIT | | | | | | | | | |
| | Apricots | 0.05* | *no MRL* 0.5 | 2 | 0.02* | 0.05* | 0.1 | 0.05* | *0.5* 0.02* |
| | Cherries | 0.05* | 0.2 | 1 | 0.02* | 0.05* | 0.1 | 0.05* | *0.5* 0.3 |
| | Peaches (incl nectarines & similar hybrids) | 0.5 | *no MRL* 0.5 | 2 | 0.02* | 0.05* | 0.1 | 0.05* | *0.5* 0.02* |
| | Plums | 0.05* | 0.2 | 1 | 0.02* | 0.05* | 0.1 | 0.05* | *0.5* 0.1 |
| | Others | 0.05* | *no MRL* 0.02* | 0.05* | 0.02* | 0.05* | 0.1 | 0.05* | *0.5* 0.02* |
| v) BERRIES AND SMALL FRUIT | | | | | | | | | |
| | a) Table & wine grapes | | | | | | | | |
| | Table grapes | 0.2 | 0.3 | 0.5 | 0.02* | 0.05* | 0.1 | 0.05* | *0.5* 0.02* |
| | Wine grapes | 0.2 | 0.3 | 0.5 | 0.02* | 0.05* | 0.1 | 0.05* | *0.5* 0.02* |
| | b) Strawberries (other than wild) | 0.5 | *no MRL* 0.02* | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | *0.5* 0.02* |
| | c) Cane Fruit (other than wild) | | | | | | | | |
| | Blackberries | 0.05* | 0.02* | 0.5 | 0.02* | 0.05* | 0.5 | 0.05* | *0.5* 0.02* |
| | Dewberries | 0.05* | 0.02* | 0.5 | 0.02* | 0.05* | 0.05* | 0.05* | *0.5* 0.02* |
| | Loganberries | 0.05* | 0.02* | 0.5 | 0.02* | 0.05* | 0.05* | 0.05* | *0.5* 0.02* |
| | Raspberries | 0.05* | 0.02* | 0.5 | 0.02* | 0.05* | 0.5 | 0.05* | *0.5* 0.02* |

***Changes to legislation:*** *There are outstanding changes not yet made by the legislation.gov.uk editorial team to The Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuffs) (England and Wales) (Amendment) Regulations 2001. Any changes that have already been made by the team appear in the content and are referenced with annotations. (See end of Document for details) View outstanding changes*

| Group to which food belongs | Groups include the following products | Chlorpyrifos-methyl | Cyfluthrin (changing 1 July 2001) | Cypermethrin | Daminozide | DDT | Deltamethrin | Dialfate | Diazinon (changing 1 July 2001) |
|---|---|---|---|---|---|---|---|---|---|
| | Others | 0.05* | 0.02* | 0.1 | 0.02* | 0.05* | 0.05* | 0.05* | 0.1<br>0.02* |
| | d) Other small fruit & berries (other than wild) | | | | | | | | |
| | Bilberries | 0.05* | 0.02* | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | 0.2 |
| | Cranberries | 0.05* | 0.02* | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | 0.02* |
| | Currants (red, black & white) | 0.05* | *no MRL*<br>0.02* | 0.05* | 0.02* | 0.05*<br>† | 0.2 | 0.05* | 0.2 |
| | Gooseberries | 0.05* | *no MRL*<br>0.02* | 0.05* | 0.02* | 0.05* | 0.2 | 0.05* | 0.2 |
| | Others | 0.05* | 0.02* | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | 0.02* |
| | e) Wild berries & wild fruit | 0.05* | 0.02* | 2 | 0.02* | 0.05* | 0.05* | 0.05* | 0.02* |
| vii) MISCELLANEOUS FRUIT | | | | | | | | | |
| | Avocados | 0.05* | 0.02* | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | 0.02* |
| | Bananas | 0.05* | 0.02* | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | 0.5<br>0.02* |
| | Dates | 0.05* | 0.02* | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | 0.02* |
| | Figs | 0.05* | 0.02* | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | 0.02* |
| | Kiwi fruit | 0.05* | 0.02* | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | 0.5<br>0.2 |
| | Kumquats | 0.05* | 0.02* | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | 0.02* |
| | Litchis | 0.05* | 0.02* | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | 0.02* |
| | Mangoes | 0.05* | 0.02* | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | 0.02* |
| | Olives (table consumption) | 0.05* | 0.02* | 0.05* | 0.02* | 0.05* | 0.1* | 0.05* | 0.1<br>0.02* |
| | Olives (oil extract) | 0.05* | 0.02* | 0.05* | 0.02* | 0.05* | 0.1* | 0.05* | 0.5<br>0.02* |
| | Papaya | | *no MRL*<br>0.02* | | | | | | *no MRL*<br>0.02* |
| | Passion fruit | 0.05* | 0.02* | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | 0.02* |
| | Pineapples | 0.05* | 0.02* | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | 0.02* |
| | Pomegranates | 0.05* | 0.02* | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | 0.02* |
| | Others | 0.05* | 0.02* | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | 0.02* |

| Group to which food belongs | Groups include the following products | Chlorpyrifos-methyl | Cyfluthrin (changing 1 July 2001) | Cypermethrin | Daminozide | DDT | Deltamethrin | Dialfate | Diazinon (changing 1 July 2001) |
|---|---|---|---|---|---|---|---|---|---|
| 2. Vegetables, fresh or uncooked, frozen or dry | | | | | | | | | |
| ii) ROOT AND TUBER VEGETABLES | | | | | | | | | |
| | Beetroot | 0.05* | 0.02* | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | 0.5<br>0.02* |
| | Carrots | 0.05* | 0.02* | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | 0.5<br>0.2 |
| | Celeriac | 0.05* | 0.02* | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | 0.5<br>0.02* |
| | Horseradish | 0.05* | 0.02* | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | 0.5<br>0.02* |
| | Jerusalem artichokes | 0.05* | 0.02* | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | 0.02* |
| | Parsnips | 0.05* | 0.02* | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | 0.5<br>0.02* |
| | Parsley root | 0.05* | 0.02* | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | 0.02* |
| | Radishes | 0.05* | 0.02* | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | 0.5<br>0.02* |
| | Salsify | 0.05* | 0.02* | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | 0.02* |
| | Sweet potatoes | 0.05* | 0.02* | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | 0.02* |
| | Swedes | 0.05* | 0.02* | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | 0.5<br>0.02* |
| | Turnips | 0.05* | 0.02* | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | 0.5<br>0.02* |
| | Yams | 0.05* | 0.02* | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | 0.02* |
| | Others | 0.05* | 0.02* | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | 0.02* |
| iii) BULB VEGETABLES | | | | | | | | | |
| | Garlic | 0.05* | 0.02* | 0.1 | 0.02* | 0.05* | 0.1 | 0.05* | 0.5<br>0.02* |
| | Onions | 0.05* | 0.02* | 0.1 | 0.02* | 0.05* | 0.1 | 0.05* | 0.5<br>0.02* |
| | Shallots | 0.05* | 0.02* | 0.1 | 0.02* | 0.05* | 0.1 | 0.05* | 0.5<br>0.02* |
| | Spring onions | 0.05* | 0.02* | 0.05* | 0.02* | 0.05* | 0.1 | 0.05* | 0.5<br>0.02* |

| Group to which food belongs | Groups include the following products | Chlorpyrifos-methyl | Cyfluthrin (changing 1 July 2001) | Cypermethrin | Daminozide | DDT | Deltamethrin | Dialfate | Diazinon (changing 1 July 2001) |
|---|---|---|---|---|---|---|---|---|---|
| | Others | 0.05* | 0.02* | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | 0.5<br>0.02* |
| iii) FRUITING VEGETABLES | | | | | | | | | |
| | a) Solanacea | | | | | | | | |
| | Tomatoes | 0.5 | 0.05 | 0.5 | 0.02* | 0.05* | 0.2 | 0.05* | 0.5 |
| | Peppers | 0.5 | *no MRL*<br>0.3 | 0.5 | 0.02* | 0.05*<br>† | 0.2 | 0.05*<br>† | 0.5 |
| | Chilli peppers | | | | | | | 0.05* | |
| | Aubergines | 0.5 | 0.02* | 0.5 | 0.02* | 0.05* | 0.2 | 0.05* | 0.5 |
| | Others | 0.5 | 0.02* | 0.5 | 0.02* | 0.05* | 0.2 | 0.05* | 0.5 |
| | b) Cucurbits-edible peel | | | | | | | | |
| | Cucumbers | 0.05* | *no MRL*<br>0.1 | 0.2 | 0.02* | 0.05* | 0.1 | 0.05* | 0.5<br>0.02* |
| | Gherkins | 0.05* | *no MRL*<br>0.02* | 0.2 | 0.02* | 0.05* | 0.1 | 0.05* | 0.5<br>0.02* |
| | Courgettes | 0.05* | *no MRL*<br>0.02* | 0.2 | 0.02* | 0.05* | 0.1 | 0.05* | 0.5<br>0.02* |
| | Others | 0.05* | *no MRL*<br>0.02* | 0.2 | 0.02* | 0.05* | 0.1 | 0.05* | 0.5<br>0.02* |
| | c) Cucurbits-inedible peel | | | | | | | | |
| | Melons | 0.05* | 0.02* | 0.2 | 0.02* | 0.05* | 0.05* | 0.05* | 0.5<br>0.02* |
| | Squashes | 0.05* | 0.02* | 0.2 | 0.02* | 0.05* | 0.05* | 0.05* | 0.5<br>0.02* |
| | Watermelons | 0.05* | 0.02* | 0.2 | 0.02* | 0.05* | 0.05* | 0.05* | 0.5<br>0.02* |
| | Others | 0.05* | 0.02* | 0.2 | 0.02* | 0.05* | 0.05* | 0.05* | 0.5<br>0.02* |
| | d) Sweet corn | 0.05* | 0.02* | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | 0.5<br>0.02* |
| iv) BRASSICA VEGETABLES | | | | | | | | | |
| | a) Flowering Brassicas | | | | | | | | |
| | Broccoli | 0.05* | *no MRL*<br>0.05 | 0.5 | 0.02* | 0.05* | 0.1 | 0.05* | 0.5<br>0.02* |

| Group to which food belongs | Groups include the following products | Chlorpyrifos-methyl | Cyfluthrin (changing 1 July 2001) | Cypermethrin | Daminozide | DDT | Deltamethrin | Dialfate | Diazinon (changing 1 July 2001) |
|---|---|---|---|---|---|---|---|---|---|
| | Cauliflower | 0.05* | 0.05 | 0.5 | 0.02* | 0.05* | 0.1 | 0.05* | 0.5<br>0.02* |
| | Others | 0.05* | 0.02*<br>0.05 | 0.5 | 0.02* | 0.05* | 0.1 | 0.05* | 0.5<br>0.02* |
| | b) Head Brassicas | | | | | | | | |
| | Brussels sprouts | 0.05* | 0.2 | 0.5 | 0.02* | 0.05* | 0.1 | 0.05* | 0.5<br>0.02* |
| | Head cabbage | 0.05* | 0.2 | 0.5 | 0.02* | 0.05* | 0.1 | 0.05* | 0.5<br>0.02* |
| | Others | 0.05* | 0.2 | 0.5 | 0.02* | 0.05* | 0.1 | 0.05* | 0.5<br>0.02* |
| | c) Leafy Brassicas | | | | | | | | |
| | Chinese cabbage | 0.05* | *no MRL*<br>0.3 | 1 | 0.02* | 0.05* | 0.5 | 0.05* | 0.5<br>0.02* |
| | Kale | 0.05* | *no MRL*<br>0.3 | 1 | 0.02* | 0.05* | 0.5 | 0.05* | 0.5<br>0.02* |
| | Others | 0.05* | *no MRL*<br>0.3 | 1 | 0.02* | 0.05* | 0.5 | 0.05* | 0.5<br>0.02* |
| | d) Kohlrabi | 0.05¶ | 0.02* | 0.2 | 0.02* | 0.05* | 0.05* | 0.05* | 0.5<br>0.02* |
| v) LEAF VEGETABLES AND FRESH HERBS | | | | | | | | | |
| | a) Lettuce & similar | | | | | | | | |
| | Cress | 0.05* | 0.5 | 2 | 0.02* | 0.05* | 0.5 | 0.05* | 0.5<br>0.02* |
| | Lamb's lettuce | 0.05* | 0.5 | 2 | 0.02* | 0.05* | 0.5 | 0.05* | 0.5<br>0.02* |
| | Lettuce | 0.05* | 0.5 | 2 | 0.02* | 0.05* | 0.5 | 0.05* | 0.5<br>0.02* |
| | Scarole | 0.05* | 0.5 | 2 | 0.02* | 0.05* | 0.5 | 0.05* | 0.5<br>0.02* |
| | Others | 0.05* | 0.5 | 2 | 0.02* | 0.05* | 0.5 | 0.05* | 0.5<br>0.02* |

| Group to which food belongs | Groups include the following products | Chlorpyrifos-methyl | Cyfluthrin (changing 1 July 2001) | Cypermethrin | Daminozide | DDT | Deltamethrin | Dialfate | Diazinon (changing 1 July 2001) |
|---|---|---|---|---|---|---|---|---|---|
| | b) Spinach & similar | | | | | | | | |
| | Spinach | 0.05* | 0.02* | 0.5 | 0.02* | 0.05* | 0.5 | 0.05* | 0.5<br>0.02* |
| | Beet leaves (chard) | 0.05* | 0.02* | 0.5 | 0.02* | 0.05* | 0.5 | 0.05* | 0.5<br>0.02* |
| | Others | 0.05* | 0.02* | 0.5 | 0.02* | 0.05* | 0.5 | 0.05* | 0.5<br>0.02* |
| | c) Watercress | 0.05* | 0.02* | 0.05* | 0.02* | 0.05*<br>† | 0.05* | 0.05* | 0.5<br>0.02* |
| | d) Witloof | 0.05* | 0.02* | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | 0.5<br>0.02* |
| | e) Herbs | | | | | | | | |
| | Chervil | 0.05* | 0.02* | 2 | 0.02* | 0.05* | 0.5 | 0.05* | 0.5<br>0.02* |
| | Chives | 0.05* | 0.02* | 2 | 0.02* | 0.05* | 0.5 | 0.05* | 0.5<br>0.02* |
| | Parsley | 0.05* | 0.02* | 2 | 0.02* | 0.05* | 0.5 | 0.05* | 0.5<br>0.02* |
| | Celery leaves | 0.05* | 0.02* | 2 | 0.02* | 0.05* | 0.5 | 0.05* | 0.5<br>0.02* |
| | Others | 0.05* | 0.02* | 2 | 0.02* | 0.05* | 0.5 | 0.05* | 0.5<br>0.02* |
| vi) LEGUME VEGETABLES (fresh) | | | | | | | | | |
| | Beans (with pods) | 0.05* | 0.05 | 0.5 | 0.02* | 0.05* | 0.2 | 0.05* | 0.5<br>0.02* |
| | Beans (without pods) | 0.05* | 0.05 | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | 0.5<br>0.02* |
| | Peas (with pods) | 0.05* | 0.05 | 0.5 | 0.02* | 0.05* | 0.1 | 0.05* | 0.5<br>0.02* |
| | Peas (without pods) | 0.05* | 0.05 | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | 0.5<br>0.02* |
| | Others | 0.05* | 0.05 | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | 0.1<br>0.02* |

| Group to which food belongs | Groups include the following products | Chlorpyrifos-methyl | Cyfluthrin (changing 1 July 2001) | Cypermethrin | Dumiocide | DDT | Deltamethrin | Dialkate | Diazinon (changing 1 July 2001) |
|---|---|---|---|---|---|---|---|---|---|
| viii) STEM VEGETABLES | | | | | | | | | |
| | Asparagus | 0.05* | 0.02* | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | 0.5<br>0.02* |
| | Cardoons | 0.05* | 0.02* | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | 0.02* |
| | Celery | 0.05* | 0.02* | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | 0.5<br>0.02* |
| | Fennel | 0.05* | 0.02* | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | 0.02* |
| | Globe artichokes | 0.05* | 0.02* | 2 | 0.02* | 0.05* | 0.1 | 0.05* | 0.5<br>0.02* |
| | Leeks | 0.05* | no MRL<br>0.02* | 0.5 | 0.02* | 0.05* | 0.2 | 0.05* | 0.5<br>0.02* |
| | Rhubarb | 0.05* | 0.02* | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | 0.02* |
| | Others | 0.05* | 0.02* | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | 0.02* |
| viii) FUNGI | | | | | | | | | |
| a) | Cultivated mushrooms | 0.05* | 0.02* | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | 0.5<br>0.02* |
| b) | Wild mushrooms | 0.05* | 0.02* | 1 | 0.02* | 0.05* | 0.05* | 0.05* | 0.02* |
| 3. PULSES | | | | | | | | | |
| | Beans | 0.05* | 0.02* | 0.05* | 0.02* | 0.05* | 1 | 0.05* | no MRL<br>0.02* |
| | Lentils | 0.05* | 0.02* | 0.05* | 0.02* | 0.05* | 1 | 0.05* | no MRL<br>0.02* |
| | Peas | 0.05* | 0.02* | 0.05* | 0.02* | 0.05* | 1 | 0.05* | no MRL<br>0.02* |
| | Others | 0.05* | 0.02* | 0.05* | 0.02* | 0.05* | 1 | 0.05* | no MRL<br>0.02* |
| 4. OILSEEDS | | | | | | | | | |
| | Linseed | 0.05* | 0.02* | 0.2 | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* |
| | Peanuts | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | no MRL<br>0.05* |
| | Poppy seed | 0.05* | 0.02* | 0.2 | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* |
| | Sesame seed | 0.05* | 0.02* | 0.2 | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* |

| Group to which food belongs | Groups include the following products | Chlorpyrifos-methyl | Cyfluthrin (changing 1 July 2001) | Cypermethrin | Dumiocide | DDT | Deltamethrin | Dialkate | Diazinon (changing 1 July 2001) |
|---|---|---|---|---|---|---|---|---|---|
| | Sunflower seed | 0.05* | 0.02* | 0.2 | 0.05* | 0.05* | 0.05* | 0.05* | no MRL<br>0.05* |
| | Rape seed | 0.05* | 0.05 | 0.2 | 0.05* | 0.05* | 0.1 | 0.05* | 0.05* |
| | Soya bean | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* |
| | Mustard seed | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* |
| | Cotton seed | 0.05* | 0.02* | 0.2 | 0.05* | 0.05* | 0.05* | 0.05* | no MRL<br>0.05* |
| | Others | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* |
| 5. POTATOES | | | | | | | | | |
| | Early potatoes | 0.05* | 0.02* | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | no MRL<br>0.02* |
| | Ware potatoes | 0.05* | 0.02* | 0.05* | 0.02* | 0.05* | 0.5 | 0.05* | no MRL<br>0.02* |
| 6. TEA | (dried leaves and stalks, fermented or otherwise, Camellia sinensis) | 0.1* | no MRL<br>0.1* | 0.5 | 0.1* | 0.2 | 5 | 0.1* | 0.05* |
| 7. HOPS (dried) | including hop pellets & unconcentrated powder | 0.1* | 20 | 30 | 0.1* | 0.05* | 5 | 0.1* | no MRL<br>0.05* |

| Group to which food belongs | Groups include the following products | 1,2-Dibromoethane | Dichlorprop | Dichlorvos | Dicofol (changing 1 July 2001) | 1,1-Dichloro-2,2- bis- (4-ethyl-phenyl-) ethane | Dimethoate | Dinoseb |
|---|---|---|---|---|---|---|---|---|
| 1. Fruit, fresh, dried or uncooked, preserved by freezing not containing added sugar: nuts | | | | | | | | |
| i) CITRUS FRUIT | | | | | | | | |
| | Grapefruit | 0.01* | 0.05* | | 2 | 0.01* | | 0.05* |
| | Lemons | 0.01* | 0.05* | | 2 | 0.01* | | 0.05* |
| | Limes | 0.01* | 0.05* | | 2 | 0.01* | | 0.05* |
| | Mandarins (inc clementines & similar hybrids) | 0.01* | 0.05* | | 2 | 0.01* | | 0.05* |
| | Oranges | 0.01* | 0.05* | | 2 | 0.01* | | 0.05* |
| | Pomelos | 0.01* | 0.05* | | 2 | 0.01* | | 0.05* |
| | Others | 0.01* | 0.05* | | 2 | 0.01* | | 0.05* |
| ii) TREE NUTS (shelled or unshelled) | | | | | | | | |
| | Almonds | 0.01* | 0.05* | | 0.05* | 0.01* | | 0.05* |
| | Brazil nuts | 0.01* | 0.05* | | 0.05* | 0.01* | | 0.05* |
| | Cashew nuts | 0.01* | 0.05* | | 0.05* | 0.01* | | 0.05* |
| | Chestnuts | 0.01* | 0.05* | | 0.05* | 0.01* | | 0.05* |
| | Coconuts | 0.01* | 0.05* | | 0.05* | 0.01* | | 0.05* |
| | Hazelnuts | 0.01* | 0.05* | | 0.05* | 0.01* | | 0.05* |
| | Macadamia nuts | 0.01* | 0.05* | | 0.05* | 0.01* | | 0.05* |
| | Pecans | 0.01* | 0.05* | | 0.05* | 0.01* | | 0.05* |
| | Pine nuts | 0.01* | 0.05* | | 0.05* | 0.01* | | 0.05* |
| | Pistachios | 0.01* | 0.05* | | 0.05* | 0.01* | | 0.05* |
| | Walnuts | 0.01* | 0.05* | | 0.05* | 0.01* | | 0.05* |
| | Others | 0.01* | 0.05* | | 0.05* | 0.01* | | 0.05* |
| iii) POME FRUIT | | | | | | | | |
| | Apples | 0.01* | 0.05* | | 2<br>0.02* | 0.01* | | 0.05* |
| | Pears | 0.01* | 0.05* | | 2<br>0.02* | 0.01* | | 0.05* |
| | Quinces | 0.01* | 0.05* | | 2<br>0.02* | 0.01* | | 0.05* |
| | Others | 0.01* | 0.05* | | 2<br>0.02* | 0.01* | | 0.05* |

| Group to which food belongs | Groups include the following products | 1,2-Dibromoethane | Dichlorprop | Dichlorvos | Dicofol (changing 1 July 2001) | 1,1-Dichloro-2,2- bis- (4-ethyl-phenyl-) ethane | Dimethoate | Dinoseb |
|---|---|---|---|---|---|---|---|---|
| iv) STONE FRUIT | | | | | | | | |
| | Apricots | 0.01* | 0.05* | | no MRL<br>0.02* | 0.01* | | 0.05* |
| | Cherries | 0.01* | 0.05* | | no MRL<br>0.02* | 0.01* | | 0.05* |
| | Peaches (incl nectarines & similar hybrids) | 0.01* | 0.05* | | no MRL<br>0.02* | 0.01* | | 0.05* |
| | Plums | 0.01* | 0.05* | | no MRL<br>0.02* | 0.01* | | 0.05* |
| | Others | 0.01* | 0.05* | | no MRL<br>0.02* | 0.01* | | 0.05* |
| v) BERRIES AND SMALL FRUIT | | | | | | | | |
| a) | Table & wine grapes | | | | | | | |
| | Table grapes | 0.01* | 0.05* | | 2<br>0.02* | 0.01* | | 0.05* |
| | Wine grapes | 0.01* | 0.05* | | 2<br>2 | 0.01* | | 0.05* |
| b) | Strawberries (other than wild) | 0.01* | 0.05* | | 2<br>0.02* | 0.01* | | 0.05* |
| c) | Cane Fruit (other than wild) | | | | | | | |
| | Blackberries | 0.01* | 0.05* | | 0.02* | 0.01* | | 0.05* |
| | Dewberries | 0.01* | 0.05* | | 0.02* | 0.01* | | 0.05* |
| | Loganberries | 0.01* | 0.05* | | 0.02* | 0.01* | | 0.05* |
| | Raspberries | 0.01* | 0.05* | | 0.02* | 0.01* | | 0.05* |
| | Others | 0.01* | 0.05* | | 0.02* | 0.01* | | 0.05* |
| d) | Other small fruit & berries (other than wild) | | | | | | | |
| | Bilberries | 0.01* | 0.05* | | 0.02* | 0.01* | | 0.05* |
| | Cranberries | 0.01* | 0.05* | | 0.02* | 0.01* | | 0.05* |
| | Currants (red, black & white) | 0.01* | 0.05* | | no MRL<br>0.02* | 0.01* | | 0.05* |
| | Gooseberries | 0.01* | 0.05* | | 0.02* | 0.01* | | 0.05* |
| | Others | 0.01* | 0.05* | | 0.02* | 0.01* | | 0.05* |

| Group to which food belongs | Groups include the following products | 1,2-Dibromoethane | Dichlorprop | Dichlorvos | Dicofol (changing 1 July 2001) | 1,1-Dichloro-2,2- bis- (4-ethyl-phenyl-) ethane | Dimethoate | Dinoseb |
|---|---|---|---|---|---|---|---|---|
| e) | Wild berries & wild fruit | 0.01* | 0.05* | | 0.02* | 0.01* | | 0.05* |
| vi) MISCELLANEOUS FRUIT | | | | | | | | |
| | Avocados | 0.01* | 0.05* | | 0.02* | 0.01* | | 0.05* |
| | Bananas | 0.01* | 0.05* | | 2<br>0.02* | 0.01* | | 0.05* |
| | Dates | 0.01* | 0.05* | | 0.02* | 0.01* | | 0.05* |
| | Figs | 0.01* | 0.05* | | no MRL<br>0.02* | 0.01* | | 0.05* |
| | Kiwi fruit | 0.01* | 0.05* | | 0.02* | 0.01* | | 0.05* |
| | Kumquats | 0.01* | 0.05* | | 0.02* | 0.01* | | 0.05* |
| | Litchis | 0.01* | 0.05* | | 0.02* | 0.01* | | 0.05* |
| | Mangoes | 0.01* | 0.05* | | 0.02* | 0.01* | | 0.05* |
| | Olives (table consumption) | 0.01* | 0.05* | | 0.02* | 0.01* | | 0.05* |
| | Olives (oil extract) | 0.01* | 0.05* | | 0.02* | 0.01* | | 0.05* |
| | Papaya | | | | no MRL<br>0.02* | | | |
| | Passion fruit | 0.01* | 0.05* | | 0.02* | 0.01* | | 0.05* |
| | Pineapples | 0.01* | 0.05* | | 0.02* | 0.01* | | 0.05* |
| | Pomegranates | 0.01* | 0.05* | | 0.02* | 0.01* | | 0.05* |
| | Others | 0.01* | 0.05* | | 0.02* | 0.01* | | 0.05* |
| 2. Vegetables, fresh or uncooked, frozen or dry | | | | | | | | |
| i) ROOT AND TUBER VEGETABLES | | | | | | | | |
| | Beetroot | 0.01* | 0.05* | | 0.02* | 0.01* | | 0.05* |
| | Carrots | 0.01* | 0.05* | | 0.02* | 0.01* | | 0.05* |
| | Celeriac | 0.01* | 0.05* | | 0.02* | 0.01* | | 0.05* |
| | Horseradish | 0.01* | 0.05* | | 0.02* | 0.01* | | 0.05* |
| | Jerusalem artichokes | 0.01* | 0.05* | | 0.02* | 0.01* | | 0.05* |
| | Parsnips | 0.01* | 0.05* | | 0.02* | 0.01* | | 0.05* |
| | Parsley root | 0.01* | 0.05* | | 0.02* | 0.01* | | 0.05* |
| | Radishes | 0.01* | 0.05* | | 0.02* | 0.01* | | 0.05* |
| | Salsify | 0.01* | 0.05* | | 0.02* | 0.01* | | 0.05* |

***Changes to legislation:** There are outstanding changes not yet made by the legislation.gov.uk editorial team to The Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuffs) (England and Wales) (Amendment) Regulations 2001. Any changes that have already been made by the team appear in the content and are referenced with annotations. (See end of Document for details) View outstanding changes*

| Group to which food belongs | Groups include the following products | 1,2-Dibromoethane | Dichlorprop | Dichlorvos | Dicofol (changing 1 July 2001) | 1,1-Dichloro-2,2- bis- (4-ethyl-phenyl-) ethane | Dimethoate | Dinocap |
|---|---|---|---|---|---|---|---|---|
| | Sweet potatoes | 0.01* | 0.05* | | 0.02* | 0.01* | | 0.05* |
| | Swedes | 0.01* | 0.05* | | 0.02* | 0.01* | | 0.05* |
| | Turnips | 0.01* | 0.05* | | 0.02* | 0.01* | | 0.05* |
| | Yams | 0.01* | 0.05* | | 0.02* | 0.01* | | 0.05* |
| | Others | 0.01* | 0.05* | | 0.02* | 0.01* | | 0.05* |
| ii) BULB VEGETABLES | | | | | | | | |
| | Garlic | 0.01* | 0.05* | | no MRL 0.02* | 0.01* | | 0.05* |
| | Onions | 0.01* | 0.05* | | 0.02* | 0.01* | | 0.05* |
| | Shallots | 0.01* | 0.05* | | 0.02* | 0.01* | | 0.05* |
| | Spring onions | 0.01* | 0.05* | | 0.02* | 0.01* | | 0.05* |
| | Others | 0.01* | 0.05* | | 0.02* | 0.01* | | 0.05* |
| iii) FRUITING VEGETABLES | | | | | | | | |
| a) | Solanacea | | | | | | | |
| | Tomatoes | 0.01* | 0.05* | | 0.5 0.02* | 0.01* | | 0.05* |
| | Peppers | 0.01* | 0.05* | | 0.5 0.02* | 0.01* | | 0.05* |
| | Chilli peppers | | | | | 0.01* | | |
| | Aubergines | 0.01* | 0.05* | | 0.02* | 0.01* | | 0.05* |
| | Others | 0.01* | 0.05* | | 0.02* | 0.01* | | 0.05* |
| b) | Cucurbits-edible peel | | | | | | | |
| | Cucumbers | 0.01* | 0.05* | | 0.5 0.2 | 0.01* | | 0.05* |
| | Gherkins | 0.01* | 0.05* | | 0.5 0.2 | 0.01* | | 0.05* |
| | Courgettes | 0.01* | 0.05* | | 0.5 0.2 | 0.01* | | 0.05* |
| | Others | 0.01* | 0.05* | | 0.5 0.2 | 0.01* | | 0.05* |
| c) | Cucurbits-inedible peel | | | | | | | |
| | Melons | 0.01* | 0.05* | | 0.5 | 0.01* | | 0.05* |

| Group to which food belongs | Groups include the following products | 1,2-Dibromoethane | Dichlorprop | Dichlorvos | Dicofol (changing 1 July 2001) | 1,1-Dichloro-2,2- bis- (4-ethyl-phenyl-) ethane | Dimethoate | Dinocap |
|---|---|---|---|---|---|---|---|---|
| | Squashes | 0.01* | 0.05* | | 0.5 | 0.01* | | 0.05* |
| | Watermelons | 0.01* | 0.05* | | 0.5 | 0.01* | | 0.05* |
| | Others | 0.01* | 0.05* | | 0.5 | 0.01* | | 0.05* |
| d) | Sweet corn | 0.01* | 0.05* | | 0.02* | 0.01* | | 0.05* |
| iv) BRASSICA VEGETABLES | | | | | | | | |
| a) | Flowering Brassicas | | | | | | | |
| | Broccoli | 0.01* | 0.05* | | 0.02* | 0.01* | | 0.05* |
| | Cauliflower | 0.01* | 0.05* | | 0.02* | 0.01* | | 0.05* |
| | Others | 0.01* | 0.05* | | 0.02* | 0.01* | | 0.05* |
| b) | Head Brassicas | | | | | | | |
| | Brussels sprouts | 0.01* | 0.05* | | 0.02* | 0.01* | | 0.05* |
| | Head cabbage | 0.01* | 0.05* | | 0.02* | 0.01* | | 0.05* |
| | Others | 0.01* | 0.05* | | 0.02* | 0.01* | | 0.05* |
| c) | Leafy Brassicas | | | | | | | |
| | Chinese cabbage | 0.01* | 0.05* | | 0.02* | 0.01* | | 0.05* |
| | Kale | 0.01* | 0.05* | | 0.02* | 0.01* | | 0.05* |
| | Others | 0.01* | 0.05* | | 0.02* | 0.01* | | 0.05* |
| d) | Kohlrabi | 0.01[4] | 0.05* | | 0.02* | 0.01* | | 0.05* |
| v) LEAF VEGETABLES AND FRESH HERBS | | | | | | | | |
| a) | Lettuce & similar | | | | | | | |
| | Cress | 0.01* | 0.05* | | 0.02* | 0.01* | | 0.05* |
| | Lamb's lettuce | 0.01* | 0.05* | | 0.02* | 0.01* | | 0.05* |
| | Lettuce | 0.01* | 0.05* | | 0.02* | 0.01* | | 0.05* |
| | Scarole | 0.01* | 0.05* | | 0.02* | 0.01* | | 0.05* |
| | Others | 0.01* | 0.05* | | 0.02* | 0.01* | | 0.05* |
| b) | Spinach & similar | | | | | | | |
| | Spinach | 0.01* | 0.05* | | 0.02* | 0.01* | | 0.05* |
| | Beet leaves (chard) | 0.01* | 0.05* | | 0.02* | 0.01* | | 0.05* |
| | Others | 0.01* | 0.05* | | 0.02* | 0.01* | | 0.05* |
| c) | Watercress | 0.01* | 0.05* | | 0.02* | 0.01* | | 0.05* |
| d) | Witloof | 0.01* | 0.05* | | 0.02* | 0.01* | | 0.05* |

| Group to which food belongs | Groups include the following products | 1,2-Dibromoethane | Dichlorprop | Dichlorvos | Dicofol (changing 1 July 2001) | 1,1-Dichloro-2,2- bis- (4-ethyl-phenyl-) ethane | Dimethoate | Dinocap |
|---|---|---|---|---|---|---|---|---|
| e) | Herbs | | | | | | | |
| | Chervil | 0.01* | 0.05* | | 0.02* | 0.01* | | 0.05* |
| | Chives | 0.01* | 0.05* | | 0.02* | 0.01* | | 0.05* |
| | Parsley | 0.01* | 0.05* | | 0.02* | 0.01* | | 0.05* |
| | Celery leaves | 0.01* | 0.05* | | 0.02* | 0.01* | | 0.05* |
| | Others | 0.01* | 0.05* | | 0.02* | 0.01* | | 0.05* |
| vi) LEGUME VEGETABLES (fresh) | | | | | | | | |
| | Beans (with pods) | 0.01* | 0.05* | | 0.3 0.02* | 0.01* | | 0.05* |
| | Beans (without pods) | 0.01* | 0.05* | | 0.7 0.02* | 0.01* | | 0.05* |
| | Peas (with pods) | 0.01* | 0.05* | | 0.3 0.02* | 0.01* | | 0.05* |
| | Peas (without pods) | 0.01* | 0.05* | | 0.1 0.02* | 0.01* | | 0.05* |
| | Others | 0.01* | 0.05* | | 0.02* | 0.01* | | 0.05* |
| vii) STEM VEGETABLES | | | | | | | | |
| | Asparagus | 0.01* | 0.05* | | 0.02* | 0.01* | | 0.05* |
| | Cardoons | 0.01* | 0.05* | | 0.02* | 0.01* | | 0.05* |
| | Celery | 0.01* | 0.05* | | 0.02* | 0.01* | | 0.05* |
| | Fennel | 0.01* | 0.05* | | 0.02* | 0.01* | | 0.05* |
| | Globe artichokes | 0.01* | 0.05* | | no MRL 0.02* | 0.01* | | 0.05* |
| | Leeks | 0.01* | 0.05* | | 0.02* | 0.01* | | 0.05* |
| | Rhubarb | 0.01* | 0.05* | | 0.02* | 0.01* | | 0.05* |
| | Others | 0.01* | 0.05* | | 0.02* | 0.01* | | 0.05* |
| viii) FUNGI | | | | | | | | |
| a) | Cultivated mushrooms | 0.01* | 0.05* | | no MRL 0.02* | 0.01* | | 0.05* |
| b) | Wild mushrooms | 0.01* | 0.05* | | 0.02* | 0.01* | | 0.05* |

| Group to which food belongs | Groups include the following products | 1,2-Dibromoethane | Dichlorprop | Dichlorvos | Dicofol (changing 1 July 2001) | 1,1-Dichloro-2,2- bis- (4-ethyl-phenyl-) ethane | Dimethoate | Dinocap |
|---|---|---|---|---|---|---|---|---|
| 3. PULSES | | | | | | | | |
| | Beans | 0.01* | 0.05* | | no MRL 0.02* | 0.01* | | 0.05* |
| | Lentils | 0.01* | 0.05* | | 0.02* | 0.01* | | 0.05* |
| | Peas | 0.01* | 0.05* | | 0.02* | 0.01* | | 0.05* |
| | Others | 0.01* | 0.05* | | 0.02* | 0.01* | | 0.05* |
| 4. OILSEEDS | | | | | | | | |
| | Linseed | 0.01* | 0.05* | | 0.05* | 0.01* | | 0.05* |
| | Peanuts | 0.01* | 0.05* | | 0.05* | 0.01* | | 0.05* |
| | Poppy seed | 0.01* | 0.05* | | 0.05* | 0.01* | | 0.05* |
| | Sesame seed | 0.01* | 0.05* | | 0.05* | 0.01* | | 0.05* |
| | Sunflower seed | 0.01* | 0.05* | | 0.05* | 0.01* | | 0.05* |
| | Rape seed | 0.01* | 0.05* | | 0.05* | 0.01* | | 0.05* |
| | Soya bean | 0.01* | 0.05* | | 0.05* | 0.01* | | 0.05* |
| | Mustard seed | 0.01* | 0.05* | | 0.05* | 0.01* | | 0.05* |
| | Cotton seed | 0.01* | 0.05* | | 0.1 | 0.01* | | 0.05* |
| | Others | 0.01[4] | 0.05* | | 0.05* | 0.01* | | 0.05* |
| 5. POTATOES | | | | | | | | |
| | Early potatoes | 0.01* | 0.05* | | 0.02* | 0.01* | | 0.05* |
| | Ware potatoes | 0.01* | 0.05* | | 0.02* | 0.01* | | 0.05* |
| 6. TEA | (dried leaves and stalks, fermented or otherwise, Camellia sinensis) | 0.1* | 0.1* | 0.1* | 20 | 0.1* | 0.2 | 0.1* |
| 7. HOPS (dried) | including hop pellets & unconcentrated powder | 0.01* | 0.1* | | 50 | 0.1* | | 0.1* |

| Group to which food belongs | Groups include the following products | Dicrotophos | Diphenylamine | Disulfoton (changing 1 July 2001) | Endosulfan (changing 1 July 2001) | Endrin | Ethephon (changing 1 July 2001) | Ethion |
|---|---|---|---|---|---|---|---|---|
| 1. Fruit, fresh, dried or uncooked, preserved by freezing not containing added sugar: nuts | | | | | | | | |
| i) CITRUS FRUIT | | | | | | | | |
| | Grapefruit | 0.05* | 0.05* | 0.02* | 1 0.5 | 0.01* | no MRL 0.05* | |
| | Lemons | 0.05* | 0.05* | 0.02* | 1 0.5 | 0.01* | no MRL 0.05* | |
| | Limes | 0.05* | 0.05* | 0.02* | 1 0.5 | 0.01* | no MRL 0.05* | |
| | Mandarins (inc clementines & similar hybrids) | 0.05* | 0.05* | 0.02* | 1 0.5 | 0.01* | no MRL 0.05* | |
| | Oranges | 0.05* | 0.05* | 0.02* | 1 0.5 | 0.01* | no MRL 0.05* | |
| | Pomelos | 0.05* | 0.05* | 0.02* | 1 0.5 | 0.01* | no MRL 0.05* | |
| | Others | 0.05* | 0.05* | 0.02* | 1 0.5 | 0.01* | no MRL 0.05* | |
| ii) TREE NUTS (shelled or unshelled) | | | | | | | | |
| | Almonds | 0.05* | 0.05* | 0.02* | 0.1* | 0.01* | 0.1* | |
| | Brazil nuts | 0.05* | 0.05* | 0.02* | 0.1* | 0.01* | 0.1* | |
| | Cashew nuts | 0.05* | 0.05* | 0.02* | 0.1* | 0.01* | 0.1* | |
| | Chestnuts | 0.05* | 0.05* | 0.02* | 0.1* | 0.01* | 0.1* | |
| | Coconuts | 0.05* | 0.05* | 0.02* | 0.1* | 0.01* | 0.1* | |
| | Hazelnuts | 0.05* | 0.05* | 0.02* | 0.1* | 0.01* | 0.1* | |
| | Macadamia nuts | 0.05* | 0.05* | 0.02* | 0.1* | 0.01* | 0.1* | |
| | Pecans | 0.05* | 0.05* | 0.02* | 0.1* | 0.01* | 0.1* | |
| | Pine nuts | 0.05* | 0.05* | 0.02* | 0.1* | 0.01* | 0.1* | |
| | Pistachios | 0.05* | 0.05* | 0.02* | 0.1* | 0.01* | 0.1* | |
| | Walnuts | 0.05* | 0.05* | 0.02* | 0.1* | 0.01* | 0.1* | |
| | Others | 0.05* | 0.05* | 0.02* | 0.1* | 0.01* | 0.1* | |
| iii) POME FRUIT | | | | | | | | |
| | Apples | 0.05* | 0.05* | 0.02* | 1 0.3 | 0.01* | 3 | |
| | Pears | 0.05* | 0.05* | 0.02* | 1 0.3 | 0.01* | 3 | |

| Group to which food belongs | Groups include the following products | Dicrotophos | Diphenylamine | Disulfoton (changing 1 July 2001) | Endosulfan (changing 1 July 2001) | Endrin | Ethephon (changing 1 July 2001) | Ethion |
|---|---|---|---|---|---|---|---|---|
| | Quinces | 0.05* | 0.05* | 0.02* | *I*<br>0.3 | 0.01* | 3 | |
| | Others | 0.05* | 0.05* | 0.02* | *I*<br>0.3 | 0.01* | 3 | |
| iv) STONE FRUIT | | | | | | | | |
| | Apricots | 0.05* | 0.05* | 0.02* | *I*<br>0.05* | 0.01* | 0.05* | |
| | Cherries | 0.05* | 0.05* | 0.02* | *I*<br>0.05* | 0.01* | 3 | |
| | Peaches (incl nectarines & similar hybrids) | 0.05* | 0.05* | 0.02* | *I*<br>0.5 | 0.01* | 0.05* | |
| | Plums | 0.05* | 0.05* | 0.02* | *I*<br>0.05* | 0.01* | 0.05* | |
| | Others | 0.05* | 0.05* | 0.02* | *I*<br>0.05* | 0.01* | 0.05* | |
| v) BERRIES AND SMALL FRUIT | | | | | | | | |
| a) | Table & wine grapes | | | | | | | |
| | Table grapes | 0.05* | 0.05* | 0.02* | *I*<br>0.5 | 0.01* | *no MRL*<br>0.05* | |
| | Wine grapes | 0.05*[1] | 0.05* | 0.02* | *I*<br>0.5 | 0.01* | *no MRL*<br>0.05* | |
| b) | Strawberries (other than wild) | 0.05* | 0.05* | *no MRL*<br>0.02* | *no MRL*<br>0.05* | 0.01* | 0.05* | |
| c) | Cane Fruit (other than wild) | | | | | | | |
| | Blackberries | 0.05* | 0.05* | 0.02* | *no MRL*<br>0.05* | 0.01* | 0.05* | |
| | Dewberries | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 0.05* | |
| | Loganberries | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 0.05* | |
| | Raspberries | 0.05* | 0.05* | 0.02* | *I*<br>0.05* | 0.01* | 0.05* | |
| | Others | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 0.05* | |
| d) | Other small fruit & berries (other than wild) | | | | | | | |
| | Bilberries | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 0.05* | |

| Group to which food belongs | Groups include the following products | Dicrotophos | Diphenylamine | Disulfoton (changing 1 July 2001) | Endosulfan (changing 1 July 2001) | Endrin | Ethephon (changing 1 July 2001) | Ethion |
|---|---|---|---|---|---|---|---|---|
| | Cranberries | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 0.05* | |
| | Currants (red, black & white) | 0.05* | 0.05* | 0.02* | *no MRL*<br>0.05* | 0.01* | 5 | |
| | Gooseberries | 0.05* | 0.05* | 0.02* | *no MRL*<br>0.05* | 0.01* | 0.05* | |
| | Others | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 0.05* | |
| c) | Wild berries & wild fruit | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 0.05* | |
| vi) MISCELLANEOUS FRUIT | | | | | | | | |
| | Avocados | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 0.05* | |
| | Bananas | 0.05* | 0.05* | 0.02* | *no MRL*<br>0.05* | 0.01* | 0.05* | |
| | Dates | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 0.05* | |
| | Figs | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | *no MRL*<br>0.05* | |
| | Kiwi fruit | 0.05* | 0.05* | 0.02* | *I*<br>0.05* | 0.01* | 0.05* | |
| | Kumquats | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 0.05* | |
| | Litchis | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 0.05* | |
| | Mangoes | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 0.05* | |
| | Olives (table consumption) | 0.05* | 0.05* | 0.02* | *I*<br>0.05* | 0.01* | *no MRL*<br>0.05* | |
| | Olives (oil extract) | 0.05* | 0.05* | 0.02* | *I*<br>0.05* | 0.01* | *no MRL*<br>0.05* | |
| | Papaya | | | *no MRL*<br>0.02* | *no MRL*<br>0.05* | | *no MRL*<br>0.05* | |
| | Passion fruit | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 0.05* | |
| | Pineapples | 0.05* | 0.05* | *no MRL*<br>0.02* | 0.05* | 0.01* | *no MRL*<br>0.5 | |
| | Pomegranates | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 0.05* | |
| | Others | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 0.05* | |

| Group to which food belongs | Groups include the following products | Dicrotophos | Diphenylamine | Disulfoton (changing 1 July 2001) | Endosulfan (changing 1 July 2001) | Endrin | Ethephon (changing 1 July 2001) | Ethion |
|---|---|---|---|---|---|---|---|---|
| 2. Vegetables, fresh or uncooked, frozen or dry | | | | | | | | |
| i) ROOT AND TUBER VEGETABLES | | | | | | | | |
| | Beetroot | 0.05* | 0.05* | 0.02* | 0.2<br>0.05* | 0.01* | 0.05* | |
| | Carrots | 0.05* | 0.05* | *no MRL*<br>0.02* | 0.2<br>0.05* | 0.01* | 0.05* | |
| | Celeriac | 0.05* | 0.05* | 0.02* | 0.2<br>0.05* | 0.01* | 0.05* | |
| | Horseradish | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 0.05* | |
| | Jerusalem artichokes | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 0.05* | |
| | Parsnips | 0.05* | 0.05* | *no MRL*<br>0.02* | 0.05* | 0.01* | 0.05* | |
| | Parsley root | 0.05* | 0.05* | 0.02* | 0.2<br>0.05* | 0.01* | 0.05* | |
| | Radishes | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 0.05* | |
| | Salsify | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 0.05* | |
| | Sweet potatoes | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 0.05* | |
| | Swedes | 0.05* | 0.05* | 0.02* | 0.2<br>0.05* | 0.01* | 0.05* | |
| | Turnips | 0.05*[1] | 0.05* | 0.02* | 0.2<br>0.05* | 0.01* | 0.05* | |
| | Yams | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 0.05* | |
| | Others | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 0.05* | |
| ii) BULB VEGETABLES | | | | | | | | |
| | Garlic | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 0.05* | |
| | Onions | 0.05* | 0.05* | 0.02* | *I*<br>0.05* | 0.01* | *no MRL*<br>0.05* | |
| | Shallots | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 0.05* | |
| | Spring onions | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 0.05* | |
| | Others | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 0.05* | |
| iii) FRUITING VEGETABLES | | | | | | | | |
| a) | Solanacea | | | | | | | |
| | Tomatoes | 0.05* | 0.05* | 0.02* | *I*<br>0.5 | 0.01* | 3 | |

| Group to which food belongs | Groups include the following products | Dicrotophos | Diphenylamine | Disulfoton (changing 1 July 2001) | Endosulfan (changing 1 July 2001) | Endrin | Ethephon (changing 1 July 2001) | Ethion |
|---|---|---|---|---|---|---|---|---|
| | Peppers | 0.05* | 0.05* | 0.02* | *I*<br>0.05* | 0.01* | 3 | |
| | Chilli peppers | | | | | | | |
| | Aubergines | 0.05* | 0.05* | 0.02* | *I*<br>0.05* | 0.01* | 0.05* | |
| | Others | 0.05* | 0.05* | 0.02* | *I*<br>0.05* | 0.01* | 0.05* | |
| b) | Cucurbits-edible peel | | | | | | | |
| | Cucumbers | 0.05* | 0.05* | 0.02* | *I*<br>0.05* | 0.01* | 0.05* | |
| | Gherkins | 0.05* | 0.05* | 0.02* | *I*<br>0.05* | 0.01* | 0.05* | |
| | Courgettes | 0.05* | 0.05* | 0.02* | *I*<br>0.05* | 0.01* | 0.05* | |
| | Others | 0.05* | 0.05* | 0.02* | *I*<br>0.05* | 0.01* | 0.05* | |
| c) | Cucurbits-inedible peel | | | | | | | |
| | Melons | 0.05* | 0.05* | 0.02* | *I*<br>0.3 | 0.01* | 0.05* | |
| | Squashes | 0.05* | 0.05* | *no MRL*<br>0.02* | *I*<br>0.3 | 0.01* | 0.05* | |
| | Watermelons | 0.05* | 0.05* | 0.02* | *I*<br>0.3 | 0.01* | 0.05* | |
| | Others | 0.05* | 0.05* | 0.02* | *I*<br>0.3 | 0.01* | 0.05* | |
| d) | Sweet corn | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | *no MRL*<br>0.05* | |
| iv) BRASSICA VEGETABLES | | | | | | | | |
| a) | Flowering Brassicas | | | | | | | |
| | Broccoli | 0.05* | 0.05* | *no MRL*<br>0.02* | *I*<br>0.05* | 0.01* | 0.05* | |
| | Cauliflower | 0.05* | 0.05* | *no MRL*<br>0.02* | *I*<br>0.05* | 0.01* | 0.05* | |
| | Others | 0.05* | 0.05* | 0.02* | *I*<br>0.05* | 0.01* | 0.05* | |

***Changes to legislation:** There are outstanding changes not yet made by the legislation.gov.uk editorial team to The Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuffs) (England and Wales) (Amendment) Regulations 2001. Any changes that have already been made by the team appear in the content and are referenced with annotations. (See end of Document for details) View outstanding changes*

| Group to which food belongs | Groups include the following products | Dicoutbion | Diphenylamine | Disulfoton (changing 1 July 2001) | Endosulfan (changing 1 July 2001) | Endrin | Ethephon (changing 1 July 2001) | Ethion |
|---|---|---|---|---|---|---|---|---|
| | b) Head Brassicas | | | | | | | |
| | Brussels sprouts | 0.05* | 0.05* | *no MRL* 0.02* | *I* 0.05* | 0.01* | 0.05* | |
| | Head cabbage | 0.05* | 0.05* | *no MRL* 0.02* | *I* 0.05* | 0.01* | 0.05* | |
| | Others | 0.05* | 0.05* | 0.02* | *I* 0.05* | 0.01* | 0.05* | |
| | c) Leafy Brassicas | | | | | | | |
| | Chinese cabbage | 0.05* | 0.05* | 0.02* | *I* 0.05* | 0.01* | 0.05* | |
| | Kale | 0.05* | 0.05* | 0.02* | *I* 0.05* | 0.01* | 0.05* | |
| | Others | 0.05* | 0.05* | 0.02* | *I* 0.05* | 0.01* | 0.05* | |
| | d) Kohlrabi | 0.05* | 0.05* | *no MRL* 0.02* | 0.05* | 0.01* | 0.05* | |
| vi) LEAF VEGETABLES AND FRESH HERBS | | | | | | | | |
| | a) Lettuce & similar | | | | | | | |
| | Cress | 0.05* | 0.05* | 0.02* | *I* 0.05* | 0.01* | 0.05* | |
| | Lamb's lettuce | 0.05* 1 | 0.05* | 0.02* | *I* 0.05* | 0.01* | 0.05* | |
| | Lettuce | 0.05* | 0.05* | 0.02* | *I* 0.05* | 0.01* | 0.05* | |
| | Scarole | 0.05* | 0.05* | 0.02* | *I* 0.05* | 0.01* | 0.05* | |
| | Others | 0.05* | 0.05* | 0.02* | *I* 0.05* | 0.01* | 0.05* | |
| | b) Spinach & similar | | | | | | | |
| | Spinach | 0.05* | 0.05* | 0.02* | *I* 0.05* | 0.01* | 0.05* | |
| | Beet leaves (chard) | 0.05* | 0.05* | 0.02* | *I* 0.05* | 0.01* | 0.05* | |
| | Others | 0.05* | 0.05* | 0.02* | *I* 0.05* | 0.01* | 0.05* | |
| | c) Watercress | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 0.05* | |

| Group to which food belongs | Groups include the following products | Dicoutbion | Diphenylamine | Disulfoton (changing 1 July 2001) | Endosulfan (changing 1 July 2001) | Endrin | Ethephon (changing 1 July 2001) | Ethion |
|---|---|---|---|---|---|---|---|---|
| | d) Witloof | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 0.05* | |
| | e) Herbs | | | | | | | |
| | Chervil | 0.05* | 0.05* | *no MRL* 0.02* | 0.05* | 0.01* | 0.05* | |
| | Chives | 0.05* | 0.05* | *no MRL* 0.02* | 0.05* | 0.01* | 0.05* | |
| | Parsley | 0.05* | 0.05* | *no MRL* 0.02* | 0.05* | 0.01* 1 | 0.05* | |
| | Celery leaves | 0.05* | 0.05* | *no MRL* 0.02* | 0.05* | 0.01* | 0.05* | |
| | Others | 0.05* | 0.05* | *no MRL* 0.02* | 0.05* | 0.01* | 0.05* | |
| vii) LEGUME VEGETABLES (fresh) | | | | | | | | |
| | Beans (with pods) | 0.05* | 0.05* | *no MRL* 0.02* | *I* 0.05* | 0.01* | 0.05* | |
| | Beans (without pods) | 0.05* | 0.05* | *no MRL* 0.02* | *I* 0.05* | 0.01* | 0.05* | |
| | Peas (with pods) | 0.05* | 0.05* | *no MRL* 0.02* | *I* 0.05* | 0.01* | 0.05* | |
| | Peas (without pods) | 0.05* | 0.05* | 0.02* | *I* 0.05* | 0.01* | 0.05* | |
| | Others | 0.05* | 0.05* | *no MRL* 0.02* | *I* 0.05* | 0.01* | 0.05* | |
| viii) STEM VEGETABLES | | | | | | | | |
| | Asparagus | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 0.05* | |
| | Cardoons | 0.05* | 0.05* | 0.02* | *I* 0.05* | 0.01* | 0.05* | |
| | Celery | 0.05* | 0.05* | *no MRL* 0.02* | *I* 0.05* | 0.01* | 0.05* | |
| | Fennel | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 0.05* | |
| | Globe artichokes | 0.05* | 0.05* | 0.02* | *I* 0.05* | 0.01* | 0.05* | |
| | Leeks | 0.05* | 0.05* | 0.02* | *I* 0.05* | 0.01* | 0.05* | |

| Group to which food belongs | Groups include the following products | Dicoutbion | Diphenylamine | Disulfoton (changing 1 July 2001) | Endosulfan (changing 1 July 2001) | Endrin | Ethephon (changing 1 July 2001) | Ethion |
|---|---|---|---|---|---|---|---|---|
| | Rhubarb | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 0.05* | |
| | Others | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 0.05* | |
| viii) FUNGI | | | | | | | | |
| | a) Cultivated mushrooms | 0.05* | 0.05* | 0.02* | *I* 0.05* | 0.01* | 0.05* | |
| | b) Wild mushrooms | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 0.05* | |
| 3. PULSES | | | | | | | | |
| | Beans | 0.05* | 0.05* | *no MRL* 0.02* | 0.05* | 0.01* | 0.05* | |
| | Lentils | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 0.05* | |
| | Peas | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 0.05* | |
| | Others | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 0.05* | |
| 4. OILSEEDS | | | | | | | | |
| | Linseed | 0.05* | 0.05* | 0.02* | *no MRL* 0.1* | 0.01* | 0.05* | |
| | Peanuts | 0.05* | 0.05* | 0.02* | 0.1* | 0.01* | 0.05* | |
| | Poppy seed | 0.05* | 0.05* | 0.02* | 0.1* | 0.01* | 0.05* | |
| | Sesame seed | 0.05* | 0.05* | 0.02* | 0.1* | 0.01* | 0.05* | |
| | Sunflower seed | 0.05* | 0.05* | 0.02* | *no MRL* 0.1* | 0.01* | 0.05* | |
| | Rape seed | 0.05* | 0.05* | 0.02* | *no MRL* 0.1* | 0.01* | 0.05* | |
| | Soya bean | 0.05* | 0.05* | 0.02* | *no MRL* 0.5 | 0.01* | 0.05* | |
| | Mustard seed | 0.05* | 0.05* | 0.02* | *no MRL* 0.1* | 0.01* | 0.05* | |
| | Cotton seed | 0.05* | 0.05* | *0.05* 0.02* | 0.3 | 0.01* | *0.05** 2 | |
| | Others | 0.05* | 0.05* | 0.02* | 0.1* | 0.01* | 0.05* | |
| 5. POTATOES | | | | | | | | |
| | Early potatoes | 0.05* | 0.05* | *no MRL* 0.02* | *no MRL* 0.05* | 0.01* | 0.05* | |

| Group to which food belongs | Groups include the following products | Dicoutbion | Diphenylamine | Disulfoton (changing 1 July 2001) | Endosulfan (changing 1 July 2001) | Endrin | Ethephon (changing 1 July 2001) | Ethion |
|---|---|---|---|---|---|---|---|---|
| | Ware potatoes | 0.05* | 0.05* | *no MRL* 0.02* | *no MRL* 0.05* | 0.01* | 0.05* | |
| 6. TEA | (dried leaves and stalks, fermented or otherwise, Camellia sinensis) | 0.1* | 0.05* | 0.05* | 30 | 0.01* | 0.1* | 2 |
| 7. HOPS (dried) | including hop pellets & unconcentrated powder | 0.1* | 0.05* | *no MRL* 0.05* | *no MRL* 0.1* | 0.1* | 0.1* | |

| Group to which food belongs | Groups include the following products | Fenarimol (changing 1 July 2001) | Fenbutatin Oxide (changing 1 July 2001) | Fenchlorphos | Fenitrothion | Fentin | Fenvalerate and Esfenvalerate: Sum of RR and SS isomers (changing 1 July 2001) | Fenvalerate and Esfenvalerate: Sum of RS and SR isomers (changing 1 July 2001) |
|---|---|---|---|---|---|---|---|---|
| 1. Fruit, fresh, dried or uncooked, preserved by freezing not containing added sugar: nuts | | | | | | | | |
| i) CITRUS FRUIT | | | | | | | | |
| | Grapefruit | 0.02* | *no MRL* 5 | 0.01* | | 0.05* | 0.02* | *0.03*=* 0.02* |
| | Lemons | 0.02* | *no MRL* 5 | 0.01* | | 0.05* | 0.02* | *0.03** 0.02* |
| | Limes | 0.02* | *no MRL* 5 | 0.01* | | 0.05* | 0.02* | *0.03** 0.02* |
| | Mandarins (inc clementines & similar hybrids) | 0.02* | *no MRL* 5 | 0.01* | | 0.05* | 0.02* | *0.03** 0.02* |
| | Oranges | 0.02* 1 | *no MRL* 5 | 0.01* | | 0.05* | 0.02* | *0.03** 0.02* |
| | Pomelos | 0.02* | *no MRL* 5 | 0.01* | | 0.05* | 0.02* | *0.03** 0.02* |
| | Others | 0.02* | *no MRL* 5 | 0.01* | | 0.05* | 0.02* | *0.03** 0.02* |
| ii) TREE NUTS (shelled or unshelled) | | | | | | | | |
| | Almonds | 0.02* | 0.05* | 0.01* | | 0.05* | 0.02* | *0.03** 0.02* |
| | Brazil nuts | 0.02* | 0.05* | 0.01* | | 0.05* | 0.02* | *0.03** 0.02* |

| Group to which food belongs | Groups include the following products | Fenarimol (changing 1 July 2001) | Fenbutatin Oxide (changing 1 July 2001) | Fenchlorphos | Fenitrothion | Fentin | Fenvalerate and Esfenvalerate: Sum of RR and SS isomers (changing 1 July 2001) | Fenvalerate and Esfenvalerate: Sum of RS and SR isomers (changing 1 July 2001) |
|---|---|---|---|---|---|---|---|---|
| | Cashew nuts | 0.02* | 0.05* | 0.01* | | 0.05* | 0.02* | 0.02* |
| | Chestnuts | 0.02* | 0.05* | 0.01* | | 0.05* | 0.02* | 0.02* |
| | Coconuts | 0.02* | 0.05* | 0.01* | | 0.05* | 0.02* | 0.02* |
| | Hazelnuts | 0.02* | 0.05* | 0.01* | | 0.05* | 0.02* | 0.02* |
| | Macadamia nuts | 0.02* | 0.05* | 0.01* | | 0.05* | 0.02* | 0.02* |
| | Pecans | 0.02* | 0.05* | 0.01* | | 0.05* | 0.02* | 0.02* |
| | Pine nuts | 0.02* | 0.05* | 0.01* | | 0.05* | 0.02* | 0.02* |
| | Pistachios | 0.02* | 0.05* | 0.01* | | 0.05* | 0.02* | 0.02* |
| | Walnuts | 0.02* | 0.05* | 0.01* | | 0.05* | 0.02* | 0.02* |
| | Others | 0.02* | 0.05* | 0.01* | | 0.05* | 0.02* | 0.02* |
| iii) POME FRUIT | | | | | | | | |
| | Apples | 0.3 | 2 | 0.01* | | 0.05* | 0.05 | 0.02* |
| | Pears | 0.3 | 2 | 0.01* | | 0.05* | 0.05 | 0.02* |
| | Quinces | 0.3 | 2 | 0.01* | | 0.05* | 0.05 | 0.02* |
| | Others | 0.3 | 2 | 0.01* | | 0.05* | 0.05 | 0.02* |

| Group to which food belongs | Groups include the following products | Fenarimol (changing 1 July 2001) | Fenbutatin Oxide (changing 1 July 2001) | Fenchlorphos | Fenitrothion | Fentin | Fenvalerate and Esfenvalerate: Sum of RR and SS isomers (changing 1 July 2001) | Fenvalerate and Esfenvalerate: Sum of RS and SR isomers (changing 1 July 2001) |
|---|---|---|---|---|---|---|---|---|
| iv) STONE FRUIT | | | | | | | | |
| | Apricots | no MRL | no MRL | 0.01* | | 0.05* | 0.05* | |
| | Cherries | 0.5<br>no MRL | 0.05*<br>no MRL | 0.01* | | 0.05* | 0.05*<br>0.05* | 0.02*<br>0.02* |
| | Peaches (inc nectarines & similar hybrids) | 1<br>no MRL | 0.05*<br>no MRL | 0.01* | | 0.05* | 0.05*<br>0.05* | 0.02*<br>0.02* |
| | Plums | 0.5<br>no MRL | 0.5*<br>no MRL | 0.01* | | 0.05* | 0.05*<br>0.05* | 0.02*<br>0.02* |
| | Others | 0.02*<br>no MRL | 0.05*<br>no MRL | 0.01* | | 005* | 0.05*<br>0.05* | 0.02*<br>0.02* |
| v) BERRIES AND SMALL FRUIT | | 0.02*<br>1 | 0.05* | | | | 0.02* | 0.02* |
| a) | Table & wine grapes<br>Table grapes | 0.3 | 2 | 0.01* | | 0.05* | 0.1 | 0.02* |
| | Wine grapes | 0.3 | 2 | 0.01* | | 0.05* | 0.1 | 0.02* |
| | Strawberries (other than wild) | 0.3 | no MRL<br>1 | 0.01* | | 0.05* | 0.02* | 0.02* |
| c) | Cane Fruit (other than wild)<br>Blackberries | 0.02* | 0.05* | 0.01* | | 0.05* | 0.02* | 0.02* |
| | Dewberries | 0.02* | 0.05* | 0.01* | | 0.05* | 0.02* | 0.02* |
| | Loganberries | 0.02* | 0.05* | 0.01* | | 0.05* | 0.02* | 0.02* |

| Group to which food belongs | Groups include the following products | Fenarimol (changing 1 July 2001) | Fenbutatin Oxide (changing 1 July 2001) | Fenchlorphos | Fenitrothion | Fentin | Fenvalerate and Esfenvalerate: Sum of RR and SS isomers (changing 1 July 2001) | Fenvalerate and Esfenvalerate: Sum of RS and SR isomers (changing 1 July 2001) |
|---|---|---|---|---|---|---|---|---|
| | Raspberries | no MRL | 0.05* | 0.01* | | 0.05* | 0.05* | |
| | Others | 0.1<br>0.02* | 0.05* | 0.01* | | 0.05*<br>1 | 0.02*<br>0.02* | 0.02*<br>0.02* |
| d) | Other small fruit & berries (other than wild)<br>Bilberries | 0.02* | 0.05* | 0.01* | | 0.05* | 0.02* | 0.02* |
| | Cranberries | 0.02* | 0.05* | 0.01* | | 0.05* | 0.02* | 0.02* |
| | Currants (red, black & white) | 1 | 0.05* | 0.01* | | 0.05* | 0.02* | 0.02* |
| | Gooseberries | 1 | 0.05* | 0.01* | | 0.05* | 0.02* | 0.02* |
| | Others | 0.02* | 0.05* | 0.01* | | 0.05* | 0.02* | 0.02* |
| e) | Wild berries & wild fruit | 0.02* | 0.05* | 0.01* | | 0.05* | 0.02* | 0.02* |
| vi) MISCELLANEOUS FRUIT | | | | | | | | |
| | Avocados | 0.02* | 0.05* | 0.01* | | 0.05* | 0.02* | 0.02* |
| | Bananas | 0.3 | no MRL | 0.01* | | 0.05* | 0.02* | 0.02* |
| | Dates | 0.02* | 3<br>0.05* | 0.01* | | 0.05* | 0.02*<br>0.02* | 0.02*<br>0.02* |
| | Figs | 0.02* | 0.05* | 0.01* | | 0.05* | 0.02* | 0.02* |
| | Kiwi fruit | 0.02* | 0.05* | 0.01* | | 0.05* | 0.02* | 0.02* |

| Group to which food belongs | Groups include the following products | Fenarimol (changing 1 July 2001) | Fenbutatin Oxide (changing 1 July 2001) | Fenchlorphos | Fenitrothion | Fentin | Fenvalerate and Esfenvalerate: Sum of RR and SS isomers (changing 1 July 2001) | Fenvalerate and Esfenvalerate: Sum of RS and SR isomers (changing 1 July 2001) |
|---|---|---|---|---|---|---|---|---|
| | Kumquats | 0.02* | 0.05* | 0.01* | | 0.05* | 0.05* | |
| | Litchis | 0.02* | 0.05* | 0.01* | | 0.05* | 0.02*<br>0.05* | 0.02*<br>0.02* |
| | Mangoes | 0.02* | 0.05* | 0.01* | | 0.05* | 0.02*<br>0.05* | 0.02*<br>0.02* |
| | Olives (table consumption) | 0.02* | 0.05* | 0.01* | | 0.05* | 0.02*<br>0.05* | 0.02*<br>0.02* |
| | Olives (oil extract) | 0.02* | 0.05* | 0.01* | | 0.05* | 0.02*<br>0.05* | 0.02*<br>0.02* |
| | Papaya | no MRL | no MRL | | | | 0.02* | no MRL |
| | Passion fruit | 0.02*<br>0.02* | 0.05*<br>0.05* | 0.01* | | 0.05* | 0.02*<br>0.05* | 0.02*<br>0.02* |
| | Pineapples | 0.02*<br>1 | 0.05* | 0.01* | | 0.05* | 0.02*<br>0.05* | 0.02*<br>0.02* |
| | Pomegranates | 0.02* | 0.05* | 0.01* | | 0.05* | 0.02*<br>0.05* | 0.02*<br>0.02* |
| | Others | 0.02* | 0.05* | 0.01* | | 0.03* | 0.02*<br>0.02* | 0.02*<br>0.02* |
| 2. Vegetables, fresh or uncooked, frozen or dry | | | | | | | | |
| i) ROOT AND TUBER VEGETABLES | | | | | | | | |
| | Beetroot | 0.02* | 0.05* | 0.01* | | 0.05* | 0.02* | 0.02* |
| | Carrots | 0.02* | 0.05* | 0.01* | | 0.05* | 0.02*<br>0.05* | 0.02*<br>0.02* |
| | Celeriac | 0.02* | 0.05* | 0.01* | | 0.05* | 0.02* | 0.02* |

| Group to which food belongs | Groups include the following products | Fenarimol (changing 1 July 2001) | Fenbutatin Oxide (changing 1 July 2001) | Fenchlorphos | Fenitrothion | Fentin | Fenvalerate and Esfenvalerate: Sum of RR and SS isomers (changing 1 July 2001) | Fenvalerate and Esfenvalerate: Sum of RS and SR isomers (changing 1 July 2001) |
|---|---|---|---|---|---|---|---|---|
| | Horseradish | 0.02* | 0.05* | 0.01* | | 0.05* | 0.02* | 0.02* |
| | Jerusalem artichokes | 0.02* | 0.05* | 0.01* | | 0.05* | 0.02* | 0.02* |
| | Parsnips | 0.02* | 0.05* | 0.01* | | 0.05* | 0.02* | 0.02* |
| | Parsley root | 0.02* | 0.05* | 0.01* | | 0.05* | 0.02* | 0.02* |
| | Radishes | 0.02* | 0.05* | 0.01* | | 0.05* | 0.02* | 0.02* |
| | Salsify | 0.02* | 0.05* | 0.01* | | 0.05* | 0.02* | 0.02* |
| | Sweet potatoes | 0.02* | 0.05* | 0.01* | | 0.05* | 0.02* | 0.02* |
| | Swedes | 0.02* | 0.05* | 0.01* | | 0.05* | 0.02* | 0.02* |
| | Turnips | 0.02* | 0.05* | 0.01* | | 0.05* | 0.02* | 0.02* |
| | Yams | 0.02* | 0.05* | 0.01* | | 0.05* | 0.02* | 0.02* |
| | Others | 0.02* | 0.05* | 0.01* | | 0.05* | 0.02* | 0.02* |
| ii) BULB VEGETABLES | | | | | | | | |
| | Garlic | 0.02* | 0.05* | 0.01* | | 0.05* | 0.02* | 0.02* |
| | Onions | 0.02* | 0.05* | 0.01* | | 0.05* | 0.02* | 0.02* |
| | Shallots | 0.02* | 0.05* | 0.01* | | 0.05* | 0.02* | 0.02* |
| | Spring onions | 0.02* | 0.05* | 0.01* | | 0.05* | 0.02* | 0.02* |

***Changes to legislation:** There are outstanding changes not yet made by the legislation.gov.uk editorial team to The Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuffs) (England and Wales) (Amendment) Regulations 2001. Any changes that have already been made by the team appear in the content and are referenced with annotations. (See end of Document for details) View outstanding changes*

| Group to which food belongs | Groups include the following products | Fenarimol (changing 1 July 2001) | Fenbutatin Oxide (changing 1 July 2001) | Fenchlorphos | Fenitrothion | Fenthion | Fenvalerate and Esfenvalerate: Sum of RR and SS isomers (changing 1 July 2001) | Fenvalerate and Esfenvalerate: Sum of RS and SR isomers (changing 1 July 2001) |
|---|---|---|---|---|---|---|---|---|
| | Others | 0.02* | 0.05* | 0.01* | | 0.05* | 0.05* 0.02* | 0.02* |
| iii) FRUITING VEGETABLES | | | | | | | | |
| a) Solanaceae | | | | | | | | |
| | Tomatoes | no MRL 0.5 | no MRL 1 | 0.01* | | 0.05* | 1 0.05 | 0.02* |
| | Peppers | no MRL 0.5 | no MRL 0.05* | 0.01* | | 0.05* | 0.2 0.02* | 0.02* |
| | Chilli peppers Aubergines | no MRL 0.02* | no MRL 1 | 0.01* | | 0.05* | 0.05* 0.02* | 0.02* |
| | Others | no MRL 0.02* | no MRL 0.05* | 0.01* | | 0.05* | 0.05* 0.02* | 0.02* |
| b) Cucurbits-edible peel | | | | | | | | |
| | Cucumbers | no MRL 0.2 | 0.5* | 0.01* | | 0.05* | 0.2 0.05* | 0.02* |
| | Gherkins | no MRL 0.2 | no MRL 0.05* | 0.01* | | 0.05* | 0.05* 0.02* | 0.02* |
| | Courgettes | no MRL 0.2 | no MRL 0.5 | 0.01* | | 0.05* | 0.05* 0.02* | 0.02* |
| | Others | no MRL 0.2 | no MRL 0.05* | 0.01* | | 0.05* | 0.05* 0.02* | 0.02* |

| Group to which food belongs | Groups include the following products | Fenarimol (changing 1 July 2001) | Fenbutatin Oxide (changing 1 July 2001) | Fenchlorphos | Fenitrothion | Fenthion | Fenvalerate and Esfenvalerate: Sum of RR and SS isomers | Fenvalerate and Esfenvalerate: Sum of RS and SR isomers (changing 1 July 2001) |
|---|---|---|---|---|---|---|---|---|
| c) Cucurbits-inedible peel | | | | | | | | |
| | Melons | no MRL 0.05 | no MRL 0.05* | 0.01* | | 0.05* | 0.2 0.02* | 0.02* |
| | Squashes | no MRL 0.05 | no MRL 0.05* | 0.01* | | 0.05* | 0.1 0.02* | 0.02* |
| | Watermelons | no MRL 0.05 | no MRL 0.05* | 0.01* | | 0.05* | 0.3 0.02* | 0.02* |
| | Others | no MRL 0.05 | no MRL 0.05* | 0.01* | | 0.05* | 0.05* 0.02* | 0.02* |
| d) Sweet corn | | 0.02* | 0.05* | 0.01* | | 0.05* | 0.05* 0.02* | 0.02* |
| iv) BRASSICA VEGETABLES | | | | | | | | |
| a) Flowering Brassicas | | | | | | | | |
| | Broccoli | 0.02* | 0.05* | 0.01* | | 0.05* | 1 0.02* | 0.02* |
| | Cauliflower | 0.02* | 0.05* | 0.01* | | 0.05* | 1 0.02* | 0.02* |
| | Others | 0.02* | 0.05* | 0.01* | | 0.05* | 1 0.02* | 0.02* |
| b) Head Brassicas | | | | | | | | |
| | Brussels sprouts | 0.02* | 0.05* | 0.01* | | 0.05* | 0.05* 0.05 | 0.02* |
| | Head cabbage | 0.02* | 0.05* | 0.01* | | 0.05* | 0.05* 0.05 | 0.02* |
| | Others | 0.02* | 0.05* | 0.01* | | 0.05* | 0.05* 0.02* | 0.02* |

| Group to which food belongs | Groups include the following products | Fenarimol (changing 1 July 2001) | Fenbutatin Oxide (changing 1 July 2001) | Fenchlorphos | Fenitrothion | Fenthion | Fenvalerate and Esfenvalerate: Sum of RR and SS isomers | Fenvalerate and Esfenvalerate: Sum of RS and SR isomers (changing 1 July 2001) |
|---|---|---|---|---|---|---|---|---|
| c) Leafy Brassicas | | | | | | | | |
| | Chinese cabbage | 0.02* | 0.05* | 0.01* | | 0.05* | 1 0.02* | 0.02* |
| | Kale | 0.02* | 0.05* | 0.01* | | 0.05* | 0.05* 0.02* | 0.02* |
| | Others | 0.02* | 0.05* | 0.01* | | 0.05* | 0.05* 0.02* | 0.02* |
| d) Kohlrabi | | 0.02* | 0.05* | 0.01* | | 0.05* | 0.05* 0.02* | 0.02* |
| v) LEAF VEGETABLES AND FRESH HERBS | | | | | | | | |
| a) Lettuce & similar | | | | | | | | |
| | Cress | 0.02* | 0.05* | 0.01* | | 0.05* | 0.05* 0.02* | 0.02* |
| | Lamb's lettuce | 0.02* | 0.05* | 0.01* | | 0.05* | 0.05* 0.02* | 0.02* |
| | Lettuce | 0.02* | 0.05* | 0.01* | | 0.05* | 0.05* 0.02* | 0.02* |
| | Scarole | 0.02* | 0.05* | 0.01* | | 0.05* | 0.05* 0.02* | 0.02* |
| | Others | 0.02* | 0.05* | 0.01* | | 0.05* | 0.05* 0.02* | 0.02* |
| b) Spinach & similar | | | | | | | | |
| | Spinach | 0.02* | 0.05* | 0.01* | | 0.05* | 0.05* 0.02* | 0.02* |
| | Beet leaves (chard) | 0.02* | 0.05* | 0.01* | | 0.05* | 0.05* 0.02* | 0.02* |
| | Others | 0.02* | 0.05* | 0.01* | | 0.05* | 0.05* 0.02* | 0.02* |
| c) Watercress | | 0.02* | 0.05* | 0.01* | | 0.05* | 0.05* 0.02* | 0.02* |

| Group to which food belongs | Groups include the following products | Fenarimol (changing 1 July 2001) | Fenbutatin Oxide (changing 1 July 2001) | Fenchlorphos | Fenitrothion | Fenthion | Fenvalerate and Esfenvalerate: Sum of RR and SS isomers | Fenvalerate and Esfenvalerate: Sum of RS and SR isomers (changing 1 July 2001) |
|---|---|---|---|---|---|---|---|---|
| d) Witloof | | 0.02* | 0.05* | 0.01* | | 0.05* | 0.05* 0.02* | 0.02* |
| e) Herbs | | | | | | | | |
| | Chervil | 0.02* | 0.05* | 0.01* | | 0.05* | 0.05* 0.02* | 0.02* |
| | Chives | 0.02* | 0.05* | 0.01* | | 0.05* | 0.05* 0.02* | 0.02* |
| | Parsley | 0.02* | 0.05* | 0.01* | | 0.05* | 0.05* 0.02* | 0.02* |
| | Celery leaves | 0.02* | 0.05* | 0.01* | | 0.05* | 0.05* 0.02* | 0.02* |
| | Others | 0.02* | 0.05* | 0.01* | | 0.05* | 0.05* 0.02* | 0.02* |
| vi) LEGUME VEGETABLES (fresh) | | | | | | | | |
| | Beans (with pods) | 0.02* | no MRL 0.05* | 0.01* | | 0.05* | 0.05* 0.02* | 0.02* |
| | Beans (without pods) | 0.02* | no MRL 0.05* | 0.01* | | 0.05* | 0.05* 0.02* | 0.02* |
| | Peas (with pods) | no MRL 0.02* | 0.05* | 0.01* | | 0.05* | 0.05* 0.02* | 0.02* |
| | Peas (without pods) | no MRL 0.05* | 0.05* | 0.01* | | 0.05* | 0.05* 0.02* | 0.02* |
| | Others | 0.02* | 0.05* | 0.01* | | 0.05* | 0.05* 0.02* | 0.02* |
| vii) STEM VEGETABLES | | | | | | | | |
| | Asparagus | 0.02* | 0.05* | 0.01* | | 0.05* | 0.05* 0.02* | 0.02* |

| Group to which food belongs | Groups include the following products | Fenarimol (changing 1 July 2001) | Fenbutatin Oxide (changing 1 July 2001) | Fenchlorphos | Fenitrothion | Fenthion | Fenvalerate and Esfenvalerate: Sum of RR and SS isomers | Fenvalerate and Esfenvalerate: Sum of RS and SR isomers (changing 1 July 2001) |
|---|---|---|---|---|---|---|---|---|
| | Cardoons | 0.02* | 0.05* | 0.01* | | 0.05* | 0.05* 0.02* | 0.02* |
| | Celery | 0.02* | 0.05* | 0.01* | | 0.05* | 0.05* 0.02* | 0.02* |
| | Fennel | 0.02* | 0.05* | 0.01* | | 0.05* | 0.05* 0.02* | 0.02* |
| | Globe artichokes | no MRL 0.02* | 0.05* | 0.01* | | 0.05* | 0.05* 0.02* | 0.02* |
| | Leeks | 0.02* | 0.05* | 0.01* | | 0.05* | 0.05* 0.02* | 0.02* |
| | Rhubarb | 0.02* | 0.05* | 0.01* | | 0.05* | 0.05* 0.02* | 0.02* |
| | Others | 0.02* | 0.05* | 0.01* | | 0.05* | 0.05* 0.02* | 0.02* |
| viii) FUNGI | | | | | | | | |
| a) Cultivated mushrooms | | 0.02* | 0.05* | 0.01* | | 0.05* | 0.05* 0.02* | 0.02* |
| b) Wild mushrooms | | 0.02* | 0.05* | 0.01* | | 0.05* | 0.05* 0.02* | 0.02* |
| 3. PULSES | | | | | | | | |
| | Beans | 0.02* | 0.05* | 0.01* | | 0.05* | 0.05* 0.02* | 0.02* |
| | Lentils | 0.02* | 0.05* | 0.01* | | 0.05* | 0.05* 0.02* | 0.02* |
| | Peas | 0.02* | 0.05* | 0.01* | | 0.05* | 0.05* 0.02* | 0.02* |
| | Others | 0.02* | 0.05* | 0.01* | | 0.05* | 0.05* 0.02* | 0.02* |

| Group to which food belongs | Groups include the following products | Fenarimol (changing 1 July 2001) | Fenbutatin Oxide (changing 1 July 2001) | Fenchlorphos | Fenitrothion | Fentin | Fenvalerate and Esfenvalerate: Sum of RR and SS isomers (changing 1 July 2001) | Fenvalerate and Esfenvalerate: Sum of RS and SR isomers (changing 1 July 2001) |
|---|---|---|---|---|---|---|---|---|
| 4. OILSEEDS | | | | | | | | |
| | Linseed | 0.02* | 0.05* | 0.01* | | 0.05* | 0.05* | 0.05* |
| | Peanuts | 0.02* | 0.05* | 0.01* | | 0.05* | 0.05* | 0.05* |
| | Poppy seed | 0.02* | 0.05* | 0.01* | | 0.05* | 0.05* | 0.05* |
| | Sesame seed | 0.02* | 0.05* | 0.01* | | 0.05* | 0.05* | 0.05* |
| | Sunflower seed | 0.02* | 0.05* | 0.01* | | 0.05* | 0.05* | 0.05* |
| | Rape seed | 0.02* | 0.05* | 0.01* | | 0.05* | 0.05* | 0.05* |
| | Soya bean | 0.02* | 0.05* | 0.01* | | 0.05* | 0.05* | 0.05* |
| | Mustard seed | 0.02* | 0.05* | 0.01* | | 0.05* | 0.05* | 0.05* |
| | Cotton seed | 0.02* | no MRL 0.05* | 0.01* | | 0.05* | 0.05* | 0.05* |
| | Others | 0.02* | 0.05* | 0.01* | | 0.05* | 0.05* | 0.05* |
| 5. POTATOES | | | | | | | | |
| | Early potatoes | 0.02* | 0.05* | 0.01* | | 0.1 | 0.05* | 0.02* |
| | Ware potatoes | 0.02* | 0.05* | 0.01* | | 0.1 | 0.05* | 0.02* |

| Group to which food belongs | Groups include the following products | Fenarimol (changing 1 July 2001) | Fenbutatin Oxide (changing 1 July 2001) | Fenchlorphos | Fenitrothion | Fentin | Fenvalerate and Esfenvalerate: Sum of RR and SS isomers | Fenvalerate and Esfenvalerate: Sum of RS and SR isomers (changing 1 July 2001) |
|---|---|---|---|---|---|---|---|---|
| 6. TEA | (dried leaves and stalks, fermented or otherwise, Camellia sinensis) | 0.05* | 0.1* | 0.1* | 0.5 | 0.1* | 10 0.05* | 0.05* |
| 7. HOPS (dried) | including hop pellets & unconcentrated powder | 5 | no MRL 0.1* | 0.1* | | 0.5 | 5 0.05* | 0.05* |

| Group to which food belongs | Groups include the following products | Flucythrinate | Folpet | Furathiocarb (changing 1 July 2001) | Glyphosate | Heptachlor | Hexachlorobenzene (HCB) | Hexachlorocyclohexane (HCH) α | Hexachlorocyclohexane (HCH) β |
|---|---|---|---|---|---|---|---|---|---|
| 1. Fruit, fresh, dried or uncooked, preserved by freezing not containing added sugar: nuts | | | | | | | | | |
| i) CITRUS FRUIT | | | | | | | | | |
| | Grapefruit | | | 0.05* | 0.1* | 0.01* | | | |
| | Lemons | | | 0.05* | 0.1* | 0.01* | | | |
| | Limes | | | 0.05* | 0.1* | 0.01* | | | |
| | Mandarins (inc clementines & similar hybrids) | | | 0.05* | 0.1* | 0.01* | | | |
| | Oranges | | | 0.05* | 0.1* | 0.01* | | | |
| | Pomelos | | | 0.05* | 0.1* | 0.01* | | | |
| | Others | | | 0.05* | 0.1* | 0.01* | | | |
| ii) TREE NUTS (shelled or unshelled) | | | | | | | | | |
| | Almonds | | | 0.05* | 0.1* | 0.01* | | | |
| | Brazil nuts | | | 0.05* | 0.1* | 0.01* | | | |
| | Cashew nuts | | | 0.05* | 0.1* | 0.01* | | | |
| | Chestnuts | | | 0.05* | 0.1* | 0.01* | | | |
| | Coconuts | | | 0.05* | 0.1* | 0.01* | | | |
| | Hazelnuts | | | 0.05* | 0.1* | 0.01* | | | |
| | Macadamia nuts | | | 0.05* | 0.1* | 0.01* | | | |
| | Pecans | | | 0.05* | 0.1* | 0.01* | | | |
| | Pine nuts | | | 0.05* | 0.1* | 0.01* | | | |
| | Pistachios | | | 0.05* | 0.1* | 0.01* | | | |
| | Walnuts | | | 0.05* | 0.1* | 0.01* | | | |
| | Others | | | 0.05* | 0.1* | 0.01* | | | |
| iii) POME FRUIT | | | | | | | | | |
| | Apples | | | 0.05* | 0.1* | 0.01* | | | |
| | Pears | | | 0.05* | 0.1* | 0.01* | | | |
| | Quinces | | | 0.05* | 0.1* | 0.01* | | | |
| | Others | | | 0.05* | 0.1* | 0.01* | | | |
| iv) STONE FRUIT | | | | | | | | | |
| | Apricots | | | 0.05* | 0.1* | 0.01* | | | |

| Group to which food belongs | Groups include the following products | Flucythrinate | Folpet | Furathiocarb (changing 1 July 2001) | Glyphosate | Heptachlor | Hexachlorobenzene (HCB) | Hexachlorocyclohexane (HCH) α | Hexachlorocyclohexane (HCH) β |
|---|---|---|---|---|---|---|---|---|---|
| | Cherries | | | 0.05* | 0.1* | 0.01* | | | |
| | Peaches (incl nectarines & similar hybrids) | | | 0.05* | 0.1* | 0.01* | | | |
| | Plums | | | 0.05* | 0.1* | 0.01* | | | |
| | Others | | | 0.05* | 0.1* | 0.01* | | | |
| v) BERRIES AND SMALL FRUIT | | | | | | | | | |
| a) | Table & wine grapes | | | | | | | | |
| | Table grapes | | | 0.05* | 0.1* | 0.01* | | | |
| | Wine grapes | | 10 | 0.05* | 0.1* | 0.01* | | | |
| b) | Strawberries (other than wild) | | | 0.05* | 0.1* | 0.01* | | | |
| c) | Cane fruit (other than wild) | | | | | | | | |
| | Blackberries | | | 0.05* | 0.1* | 0.01* | | | |
| | Dewberries | | | 0.05* | 0.1* | 0.01* | | | |
| | Loganberries | | | 0.05* | 0.1* | 0.01* | | | |
| | Raspberries | | | 0.05* | 0.1* | 0.01* | | | |
| | Others | | | 0.05* | 0.1* | 0.01* | | | |
| d) | Other small fruit & berries (other than wild) | | | | | | | | |
| | Bilberries | | | 0.05* | 0.1* | 0.01* | | | |
| | Cranberries | | | 0.05* | 0.1* | 0.01* | | | |
| | Currants (red, black & white) | | | 0.05* | 0.1* | 0.01* | | | |
| | Gooseberries | | | 0.05* | 0.1* | 0.01* | | | |
| | Others | | | 0.05* | 0.1* | 0.01* | | | |
| e) | Wild berries & wild fruit | | | 0.05* | 0.1* | 0.01* | | | |
| vi) MISCELLANEOUS FRUIT | | | | | | | | | |
| | Avocados | | | 0.05* | 0.1* | 0.01* | | | |
| | Bananas | | | 0.05* | 0.1* | 0.01* | | | |
| | Dates | | | 0.05* | 0.1* | 0.01* | | | |
| | Figs | | | 0.05* | 0.1* | 0.01* | | | |
| | Kiwi fruit | | | 0.05* | 0.1* | 0.01* | | | |
| | Kumquats | | | 0.05* | 0.1* | 0.01* | | | |

| Group to which food belongs | Groups include the following products | Flucythrinate | Folpet | Furathiocarb (changing 1 July 2001) | Glyphosate | Heptachlor | Hexachlorobenzene (HCB) | Hexachlorocyclohexane (HCH) α | Hexachlorocyclohexane (HCH) β |
|---|---|---|---|---|---|---|---|---|---|
| | Litchis | | | 0.05* | 0.1* | 0.01* | | | |
| | Mangoes | | | 0.05* | 0.1* | 0.01* | | | |
| | Olives (table consumption) | | | 0.05* | 0.1* | 0.01* | | | |
| | Olives (oil extract) | | | 0.05* | 2 | 0.01* | | | |
| | Papaya | | | no MRL 0.05* | | | | | |
| | Passion fruit | | | 0.05* | 0.1* | 0.01* | | | |
| | Pineapples | | | 0.05* | 0.1* | 0.01* | | | |
| | Pomegranates | | | 0.05* | 0.1* | 0.01* | | | |
| | Others | | | 0.05* | 0.1* | 0.01* | | | |
| 2. Vegetables, fresh or uncooked, frozen or dry | | | | | | | | | |
| i) ROOT AND TUBER VEGETABLES | | | | | | | | | |
| | Beetroot | | | 0.05* | 0.1* | 0.01* | | | |
| | Carrots | | | 0.05* | 0.1* | 0.01* | | | |
| | Celeriac | | | 0.05* | 0.1* | 0.01* | | | |
| | Horseradish | | | 0.05* | 0.1* | 0.01* | | | |
| | Jerusalem artichokes | | | 0.05* | 0.1* | 0.01* | | | |
| | Parsnips | | | 0.05* | 0.1* | 0.01* | | | |
| | Parsley root | | | 0.05* | 0.1* | 0.01* | | | |
| | Radishes | | | 0.05* | 0.1* | 0.01* | | | |
| | Salsify | | | 0.05* | 0.1* | 0.01* | | | |
| | Sweet potatoes | | | 0.05* | 0.1* | 0.01* | | | |
| | Swedes | | | 0.05* | 0.1* | 0.01* | | | |
| | Turnips | | | 0.05* | 0.1* | 0.01* | | | |
| | Yams | | | 0.05* | 0.1* | 0.01* | | | |
| | Others | | | 0.05* | 0.1* | 0.01* | | | |
| ii) BULB VEGETABLES | | | | | | | | | |
| | Garlic | | | 0.05* | 0.1* | 0.01* | | | |
| | Onions | | | 0.05* | 0.1* | 0.01* | | | |
| | Shallots | | | 0.05* | 0.1* | 0.01* | | | |

| Group to which food belongs | Groups include the following products | Fluvythrinate | Folpet | Furathiocarb (changing 1 July 2001) | Glyphosate | Heptachlor | Hexachloro-benzene (HCB) | Hexachloro-cyclohexane (HCH) α | Hexachlorocyclo-hexane (HCH) β |
|---|---|---|---|---|---|---|---|---|---|
| | Spring onions | | | 0.05* | 0.1* | 0.01* | | | |
| | Others | | | 0.05* | 0.1* | 0.01* | | | |
| iii) FRUITING VEGETABLES | | | | | | | | | |
| a) | Solanaceae | | | | | | | | |
| | Tomatoes | | | 0.05* | 0.1* | 0.01* | | | |
| | Peppers | | | 0.05* | 0.1* | 0.01* | | | |
| | Chilli peppers | | | | | | | | |
| | Aubergines | | | 0.05* | 0.1* | 0.01* | | | |
| | Others | | | 0.05* | 0.1* | 0.01* | | | |
| b) | Cucurbits-edible peel | | | | | | | | |
| | Cucumbers | | | 0.05* | 0.1* | 0.01* | | | |
| | Gherkins | | | 0.05* | 0.1* | 0.01* | | | |
| | Courgettes | | | 0.05* | 0.1* | 0.01* | | | |
| | Others | | | 0.05* | 0.1* | 0.01* | | | |
| c) | Cucurbits-inedible peel | | | | | | | | |
| | Melons | | | 0.05* | 0.1* | 0.01* | | | |
| | Squashes | | | 0.05* | 0.1* | 0.01* | | | |
| | Watermelons | t | | 0.05* | 0.1* | 0.01* | | | |
| | Others | | | 0.05* | 0.1* | 0.01* | | | |
| d) | Sweet corn | | | 0.05* | 0.1* | 0.01* | | | |
| iv) BRASSICA VEGETABLES | | | | | | | | | |
| a) | Flowering Brassicas | | | | | | | | |
| | Broccoli | | | 0.1 | 0.1* | 0.01* | | | |
| | Cauli-flower | | | 0.1 | 0.1* | 0.01* | | | |
| | Others | | | 0.1 | 0.1* | 0.01* | | | |
| b) | Head Brassicas | | | | | | | | |
| | Brussels sprouts | | | 0.05* | 0.1* | 0.01* | | | |
| | Head cabbage | | | 0.05* | 0.1* | 0.01* | | | |
| | Others | | | 0.05* | 0.1* | 0.01* | | | |
| c) | Leafy Brassicas | | | | | | | | |
| | Chinese cabbage | | | 0.05* | 0.1* | 0.01* | | | |

| Group to which food belongs | Groups include the following products | Fluvythrinate | Folpet | Furathiocarb (changing 1 July 2001) | Glyphosate | Heptachlor | Hexachloro-benzene (HCB) | Hexachloro-cyclohexane (HCH) α | Hexachlorocyclo-hexane (HCH) β |
|---|---|---|---|---|---|---|---|---|---|
| | Kale | | | 0.05* | 0.1* | 0.01* | | | |
| | Others | | | 0.05* | 0.1* | 0.01* | | | |
| d) | Kohlrabi | | | 0.05* | 0.1* | 0.01* | | | |
| v) LEAF VEGETABLES AND FRESH HERBS | | | | | | | | | |
| a) | Lettuce & similar | | | | | | | | |
| | Cress | | | 0.05* | 0.1* | 0.01* | | | |
| | Lamb's lettuce | | | 0.05* | 0.1* | 0.01* | | | |
| | Lettuce | | | 0.05* | 0.1* | 0.01* | | | |
| | Scarole | | | 0.05* | 0.1* | 0.01* | | | |
| | Others | | | 0.05* | 0.1* | 0.01* | | | |
| b) | Spinach & similar | | | | | | | | |
| | Spinach | | | 0.05* | 0.1* | 0.01* | | | |
| | Beet leaves (chard) | | | 0.05* | 0.1* | 0.01* | | | |
| | Others | | | 0.05* | 0.1* | 0.01* | | | |
| c) | Watercress | | | 0.05* | 0.1* | 0.01* | | | |
| d) | Witloof | | | 0.05* | 0.1* | 0.01* | | | |
| e) | Herbs | | | | | | | | |
| | Chervil | | | 0.05* | 0.1* | 0.01* | | | |
| | Chives | | | 0.05* | 0.1* | 0.01* | | | |
| | Parsley | | | 0.05* | 0.1* | 0.01* | | | |
| | Celery leaves | | | 0.05* | 0.1* | 0.01* | | | |
| | Others | | | 0.05* | 0.1* | 0.01* | | | |
| vi) LEGUME VEGETABLES (fresh) | | | | | | | | | |
| | Beans (with pods) | | | no MRL 0.05* | 0.1* | 0.01* | | | |
| | Beans (without pods) | | | no MRL 0.05* | 0.1* | 0.01* | | | |
| | Peas (with pods) | | | 0.05* | 0.1* | 0.01* | | | |
| | Peas (without pods) | | | 0.05* | 0.1* | 0.01* | | | |
| | Others | | | 0.05* | 0.1* | 0.01* | | | |

| Group to which food belongs | Groups include the following products | Fluvythrinate | Folpet | Furathiocarb (changing 1 July 2001) | Glyphosate | Heptachlor | Hexachloro-benzene (HCB) | Hexachloro-cyclohexane (HCH) α | Hexachlorocyclo-hexane (HCH) β |
|---|---|---|---|---|---|---|---|---|---|
| vii) STEM VEGETABLES | | | | | | | | | |
| | Asparagus | | | 0.05* | 0.1* | 0.01* | | | |
| | Cardoons | | | 0.05* | 0.1* | 0.01* | | | |
| | Celery | | | no MRL 0.05* | 0.1* | 0.01* | | | |
| | Fennel | | | 0.05* | 0.1* | 0.01* | | | |
| | Globe artichokes | | | 0.05* | 0.1* | 0.01* | | | |
| | Leeks | | | 0.05* | 0.1* | 0.01* | | | |
| | Rhubarb | | | 0.05* | 0.1* | 0.01* | | | |
| | Others | | | 0.05* | 0.1* | 0.01* | | | |
| viii) FUNGI | | | | | | | | | |
| a) | Cultivated mushrooms | | | 0.05* | 0.1* | 0.01* | | | |
| b) | Wild mushrooms | | | 0.05* | 50 | 0.01* | | | |
| 3. PULSES | | | | | | | | | |
| | Beans | | | no MRL 0.05* | 2 | 0.01* | | | |
| | Lentils | t | | 0.05* | 0.1* | 0.01* | | | |
| | Peas | | | 0.05* | 3 | 0.01* | | | |
| | Others | | | 0.05* | 0.1* | 0.01* | | | |
| 4. OILSEEDS | | | | | | | | | |
| | Linseed | | | 0.05* | 10 | 0.01* | | | |
| | Peanuts | | | 0.05* | 0.1* | 0.01* | | | |
| | Poppy seed | | | 0.05* | 0.1* | 0.01* | | | |
| | Sesame seed | | | 0.05* | 0.1* | 0.01* | | | |
| | Sunflower seed | | | 0.05* | 0.1* | 0.01* | | | |
| | Rape seed | | | no MRL 0.05* | 10 | 0.01* | | | |
| | Soya bean | | | no MRL 0.05* | 20 | 0.01* | | | |
| | Mustard seed | | | 0.05* | 10 | 0.01* | | | |

| Group to which food belongs | Groups include the following products | Fluvythrinate | Folpet | Furathiocarb (changing 1 July 2001) | Glyphosate | Heptachlor | Hexachloro-benzene (HCB) | Hexachloro-cyclohexane (HCH) α | Hexachlorocyclo-hexane (HCH) β |
|---|---|---|---|---|---|---|---|---|---|
| | Cotton seed | | | no MRL 0.05* | 10 | 0.01* | | | |
| | Others | | | 0.05* | 0.1* | 0.01* | | | |
| 5. POTATOES | | | | | | | | | |
| | Early potatoes | | | 0.05* | 0.1* | 0.01* | | | |
| | Ware potatoes | | | 0.05* | 0.1* | 0.01* | | | |
| 6. TEA | (dried leaves and stalks, fermented or otherwise, Camellia sinensis) | 0.1* | | 0.1* | 0.1* | 0.02* | 0.01* | 0.21 | sum of alpha and beta |
| 7. HOPS (dried) | including hop pellets & unconcentrated powder | | | 5 | 0.1* | 0.01* | | | |

| Group to which food belongs | Groups include the following products | Hexachloro-cyclohexane (HCH) γ | Imazalil | Iprodione | Kresoximmethyl | Lambdacyhalo-thrin (changing 1 July 2001) | Malathion | Maleichydrazide | Maneb Mancozeb Metiram Propineb Zineb |
|---|---|---|---|---|---|---|---|---|---|
| 1. Fruit, fresh, dried or uncooked, preserved by freezing not containing added sugar: nuts | | | | | | | | | |
| i) CITRUS FRUIT | | | | | | | | | |
| | Grapefruit | 5 | 0.02* | 0.05* | no MRL 0.02* | | 1* | 5 | |
| | Lemons | 5 | 5 | 0.05* | no MRL 0.02* | | 1* | 5 | |
| | Limes | 5 | 0.02* | 0.05* | no MRL 0.02* | | 1* | 5 | |
| | Mandarins (inc clementines & similar hybrids) | 5 | 2 | 0.05* | no MRL 0.02* | | 1* | 5 | |
| | Oranges | 5 | 0.02* | 0.05* | no MRL 0.02* | | 1* | 5 | |
| | Pomelos | 5 | 0.02* | 0.05* | no MRL 0.02* | | 1* | 5 | |
| | Others | 5 | 0.02* | 0.05* | no MRL 0.02* | | 1* | 5 | |
| ii) TREE NUTS (shelled or unshelled) | | | | | | | | | |
| | Almonds | t 0.02* | 0.02* | 0.1* | 0.05* | | 1* | 0.1* | |
| | Brazil nuts | 0.02* | 0.02* | 0.1* | 0.05* | | 1* | 0.1* | |
| | Cashew nuts | 0.02* | 0.02* | 0.1* | 0.05* | | 1* | 0.1* | |
| | Chestnuts | 0.02* | 0.02* | 0.1* | 0.05* | | 1* | 0.1* | |
| | Coconuts | 0.02* | 0.02* | 0.1* | 0.05* | | 1* | 0.1* | |
| | Hazelnuts | 0.02* | 0.2 | 0.1* | 0.05* | | 1* | 0.1* | |
| | Macadamia nuts | 0.02* | 0.02* | 0.1* | 0.05* | | 1* | 0.1* | |
| | Pecans | 0.02* | 0.02* | 0.1* | 0.05* | | 1* | 0.1* | |
| | Pine nuts | 0.02* | 0.02* | 0.1* | 0.05* | | 1* | 0.1* | |
| | Pistachios | 0.02* | 0.02* | 0.1* | 0.05* | | 1* | 0.1* | |
| | Walnuts | 0.02* | 0.02* | 0.1* | 0.05* | | 1* | 0.1* | |
| | Others | 0.02* | 0.02* | 0.1* | 0.05* | | 1* | 0.1* | |
| iii) POME FRUIT | | | | | | | | | |
| | Apples | 5 | 10 | 0.2 | 0.1 | | 1* | 5 | |

| Group to which food belongs | Groups include the following products | Hexachloro-cyclohexane (HCH) γ | Imazalil | Iprodione | Kresoximmethyl | Lambdacyhalo-thrin (changing 1 July 2001) | Malathion | Maleichydrazide | Maneb Mancozeb Metiram Propineb Zineb |
|---|---|---|---|---|---|---|---|---|---|
| | Pears | | 5 | 10 | 0.2 | 0.1 | | 1* | 3 |
| | Quinces | | 5 | 10 | 0.2 | 0.1 | | 1* | 3 |
| | Others | | 5 | 10 | 0.2 | 0.1 | | 1* | 3 |
| iv) STONE FRUIT | | | | | | | | | |
| | Apricots | | 0.02* | 5 | 0.05* | 0.2 | | 1* | 2 |
| | Cherries | | 0.02* | 5 | 0.05* | 0.1 | | 1* | 1 |
| | Peaches (incl nectarines & similar hybrids) | | 0.02* | 5 | 0.05* | 0.2 | | 1* | 2 |
| | Plums | | 0.02* | 5 | 0.05* | 0.1 | | 1* | 1 |
| | Others | | 0.02* | 5 | 0.05* | 0.1 | | 1* | 0.05* |
| v) BERRIES AND SMALL FRUIT | | | | | | | | | |
| a) | Table & wine grapes | | | | | | | | |
| | Table grapes | | 0.02* | 10 | 1 | 0.2 | | 1* | 2 |
| | Wine grapes | | 0.02* | 10 | 1 | 0.2 | | 1* | 2 |
| b) | Strawberries (other than wild) | | 0.02* | 10 | 0.05* | *no MRL* 0.5 | | 1* | 2 |
| c) | Cane Fruit (other than wild) | | | | | | | | |
| | Blackberries | | 0.02* | 5 | 0.05* | 0.02* | | 1* | 0.05* |
| | Dewberries | | 0.02* | 5 | 0.05* | 0.02* | | 1* | 0.05* |
| | Loganberries | | 0.02* | 5 | 0.05* | 0.02* | | 1* | 0.05* |
| | Raspberries | | 0.02* | 5 | 0.05* | 0.02* | | 1* | 0.05* |
| | Others | | 0.02* | 5 | 0.05* | 0.02* | | 1* | 0.05* |
| d) | Other small fruit & berries (other than wild) | | | | | | | | |
| | Bilberries | | 0.02* | 10 | 0.05* | 0.02* | | 1* | 0.05* |
| | Cranberries | | 0.02* | 0.02* | 0.05* | 0.02* | | 1* | 0.05* |
| | Currants (red, black & white) | | 0.02* | 10 | 0.05* | 0.1 | | 1* | 5 |
| | Gooseberries | | 0.02* | 10 | 0.05* | 0.1 | | 1* | 5 |
| | Others | | 0.02* | 0.02* | 0.05* | 0.02* | | 1* | 0.05* |
| e) | Wild berries & wild fruit | | 0.02* | 0.02* | 0.05* | 0.02* | | 1* | 0.05* |

| Group to which food belongs | Groups include the following products | Hexachloro-cyclohexane (HCH) γ | Imazalil | Iprodione | Kresoximmethyl | Lambdacyhalo-thrin (changing 1 July 2001) | Malathion | Maleichydrazide | Maneb Mancozeb Metiram Propineb Zineb |
|---|---|---|---|---|---|---|---|---|---|
| vi) MISCELLANEOUS FRUIT | | | | | | | | | |
| | Avocados | | 0.02* | 0.02* | 0.05* | 0.02* | | 1* | 0.05* |
| | Bananas | | 2 | 3 | 0.05* | 0.02* | | 1* | 0.05* |
| | Dates | | 0.02* | 0.02* | 0.05* | 0.02* | | 1* | 0.05* |
| | Figs | | 0.02* | 0.02* | 0.05* | 0.02* | | 1* | 0.05* |
| | Kiwi fruit | | 0.02* | 5 | 0.05* | 0.02* | | 1* | 0.05* |
| | Kumquats | | 0.02* | 0.02* | 0.05* | 0.02* | | 1* | 0.05* |
| | Litchis | | 0.02* | 0.02* | 0.05* | 0.02* | | 1* | 0.05* |
| | Mangoes | | 0.02* | 0.02* | 0.05* | 0.02* | | 1* | 0.05* |
| | Olives (table consumption) | | 0.02* | 0.02* | 0.2 | 0.02* | | 1* | 5 |
| | Olives (oil extract) | | 0.02* | 0.02* | 0.2 | 0.02* | | 1* | 5 |
| | Papaya | | | | | *no MRL* 0.02* | | | |
| | Passion fruit | | 0.02* | 0.02* | 0.05* | 0.02* | | 1* | 0.05* |
| | Pineapples | | 0.02* | 0.02* | 0.05* | 0.02* | | 1* | 0.05* |
| | Pomegranates | | 0.02* | 0.02* | 0.05* | 0.02* | | 1* | 0.05* |
| | Others | 1 | 0.02* | 0.02* | 0.05* | 0.02* | | 1* | 0.05* |
| 2. Vegetables, fresh or uncooked, frozen or dry | | | | | | | | | |
| i) ROOT AND TUBER VEGETABLES | | | | | | | | | |
| | Beetroot | | 0.02* | 0.1 | 0.05* | 0.02* | | 1* | 0.05* |
| | Carrots | | 0.02* | 0.3 | 0.05* | 0.02* | | 30 | 0.2 |
| | Celeriac | | 0.02* | 0.02* | 0.05* | 0.02* | | 1* | 0.2 |
| | Horseradish | | 0.02* | 0.1 | 0.05* | 0.1<br>0.02* | | 1* | 0.05* |
| | Jerusalem artichokes | | 0.02* | 0.02* | 0.05* | 0.02* | | 1* | 0.05* |
| | Parsnips | | 0.02* | 0.1 | 0.05* | 0.02* | | 30 | 0.05* |
| | Parsley root | | 0.02* | 0.02* | 0.05* | 0.02* | | 1* | 0.05* |
| | Radishes | | 0.02* | 0.3 | 0.05* | 0.02*<br>0.1 | | 1* | 0.2 |

| Group to which food belongs | Groups include the following products | Hexachloro-cyclohexane (HCH) γ | Imazalil | Iprodione | Kresoximmethyl | Lambdacyhalo-thrin (changing 1 July 2001) | Malathion | Maleichydrazide | Maneb Mancozeb Metiram Propineb Zineb |
|---|---|---|---|---|---|---|---|---|---|
| | Salsify | | 0.02* | 0.02* | 0.05* | 0.02* | | 1* | 0.2 |
| | Sweet potatoes | | 0.02* | 0.02* | 0.05* | 0.02* | | 1* | 0.05* |
| | Swedes | | 0.02* | 0.02* | 0.05* | 0.02* | | 1* | 0.05* |
| | Turnips | | 0.02* | 0.02* | 0.05* | 0.02* | | 1* | 0.05* |
| | Yams | | 0.02* | 0.02* | 0.05* | 0.02* | | 1* | 0.05* |
| | Others | | 0.02* | 0.02* | 0.05* | 0.02* | | 1* | 0.05* |
| ii) BULB VEGETABLES | | | | | | | | | |
| | Garlic | | 0.02* | 5 | 0.05* | 0.02* | | 10 | 0.5 |
| | Onions | | 0.02* | 5 | 0.05* | 0.02* | | 10 | 0.5 |
| | Shallots | | 0.02* | 5 | 0.05* | 0.02* | | 10 | 0.5 |
| | Spring onions | | 0.02* | 5 | 0.05* | *no MRL* 0.02* | | 1* | 0.05* |
| | Others | | 0.02* | 0.02* | 0.05* | 0.02* | | 10 | 0.05* |
| iii) FRUITING VEGETABLES | | | | | | | | | |
| a) | Solanaceae | | | | | | | | |
| | Tomatoes | | 0.5 | 5 | 0.5 | *no MRL* 0.5 | | 1* | 3 |
| | Peppers | | 0.02* | 5 | 1 | *no MRL* 0.1 | | 1* | 2 |
| | Chilli peppers | | | | | | | | |
| | Aubergines | | 0.02* | 5 | 0.5 | *no MRL* 0.5 | | 1* | 2 |
| | Others | | 0.02* | 5 | 0.05* | *no MRL* 0.02* | | 1* | 2 |
| b) | Cucurbits-edible peel | | | | | | | | |
| | Cucumbers | | 0.2 | 2 | 0.05* | 0.1 | | 1* | 0.5 |
| | Gherkins | | 0.2 | 2 | 0.05* | 0.1 | | 1* | 2 |
| | Courgettes | | 0.2 | 2 | 0.05* | 0.1 | | 1* | 2 |
| | Others | | 0.2 | 2 | 0.05* | 0.1 | | 1* | 0.05* |

| Group to which food belongs | Groups include the following products | Hexachloro-cyclohexane (HCH) γ | Imazalil | Iprodione | Kresoximmethyl | Lambdacyhalo-thrin (changing 1 July 2001) | Malathion | Maleichydrazide | Maneb Mancozeb Metiram Propineb Zineb |
|---|---|---|---|---|---|---|---|---|---|
| c) | Cucurbits-inedible peel | | | | | | | | |
| | Melons | | 2 | 0.3 | 0.2 | *no MRL* 0.05 | | 1* | 0.5 |
| | Squashes | | 0.02* | 0.02* | 0.2 | *no MRL* 0.05 | | 1* | 0.5 |
| | Watermelons | | 0.02* | 0.02* | 0.2 | *no MRL* 0.05 | | 1* | 0.5 |
| | Others | | 0.02* | 0.02* | 0.2 | *no MRL* 0.05 | | 1* | 0.5 |
| d) | Sweet corn | | 0.02* | 0.02* | 0.05* | 0.02* | | 1* | 0.05* |
| iv) BRASSICA VEGETABLES | | | | | | | | | |
| a) | Flowering Brassicas | | | | | | | | |
| | Broccoli | | 0.02* | 0.05 | 0.05* | *no MRL* 0.1 | | 1* | 1 |
| | Cauliflower | 1 | 0.02* | 0.05 | 0.05* | *no MRL* 0.1 | | 1* | 1 |
| | Others | | 0.02* | 0.05 | 0.05* | *no MRL* 0.1 | | 1* | 1 |
| b) | Head Brassicas | | | | | | | | |
| | Brussels sprouts | | 0.02* | 0.5 | 0.05* | 0.05 | | 1* | 1 |
| | Head cabbage | | 0.02* | 5 | 0.05* | 0.2 | | 1* | 1 |
| | Others | | 0.02* | 0.02* | 0.05* | 0.02* | | 1* | 1 |
| c) | Leafy Brassicas | | | | | | | | |
| | Chinese cabbage | | 0.02* | 5 | 0.05* | *no MRL* 0.02* | | 1* | 0.5 |
| | Kale | | 0.02* | 0.02* | 0.05* | *no MRL* 0.02* | | 1* | 0.5 |
| | Others | | 0.02* | 0.02* | 0.05* | *no MRL* 0.02* | | 1* | 0.5 |
| d) | Kohlrabi | | 0.02* | 0.1 | 0.05* | *no MRL* 0.02* | | 1* | 0.1* |

***Changes to legislation:** There are outstanding changes not yet made by the legislation.gov.uk editorial team to The Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuffs) (England and Wales) (Amendment) Regulations 2001. Any changes that have already been made by the team appear in the content and are referenced with annotations. (See end of Document for details) View outstanding changes*

| Group to which food belongs | Groups include the following products | Hexachlorocyclohexane (HCH) γ | Imazalil | Iprodione | Kresoximmethyl | Lambdacyhalothrin (changing 1 July 2001) | Malathion | Maleichydrazide | Maneb Mancozeb Metiram Propineb Zineb |
|---|---|---|---|---|---|---|---|---|---|
| v) LEAF VEGETABLES AND FRESH HERBS | | | | | | | | | |
| a) | Lettuce & similar | | | | | | | | |
| | Cress | | 0.02* | 10 | 0.05* | 1 | | 1* | 5 |
| | Lamb's lettuce | | 0.02* | 10 | 0.05* | 1 | | 1* | 5 |
| | Lettuce | | 0.02* | 10 | 0.05* | 1 | | 1* | 5 |
| | Scarole | | 0.02* | 10 | 0.05* | 1 | | 1* | 5 |
| | Others | | 0.02* | 10 | 0.05* | 1 | | 1* | 5 |
| b) | Spinach & similar | | | | | | | | |
| | Spinach | | 0.02* | 0.02* | 0.05* | *no MRL* 0.02* | | 1* | 0.05* |
| | Beet leaves (chard) | | 0.02* | 0.02* | 0.05* | *no MRL* 0.02* | | 1* | 0.05* |
| | Others | | 0.02* | 0.02* | 0.05* | *no MRL* 0.02* | | 1* | 0.05* |
| c) | Watercress | | 0.02* | 0.02* | 0.05* | 0.02* | | 1* | 0.3 |
| d) | Witloof | | 0.02* | 2 | 0.05* | *no MRL* 0.02* | | 1* | 0.2 |
| e) | Herbs | | | | | | | | |
| | Chervil | | 0.02* | 10 | 0.05* | 1 | | 1* | 5 |
| | Chives | | 0.02* | 10 | 0.05* | 1 | | 1* | 5 |
| | Parsley | | 0.02* | 10 | 0.05* | 1 | | 1* | 5 |
| | Celery leaves | | 0.02* | 10 | 0.05* | 1 | | 1* | 5 |
| | Others | | 0.02* | 10 | 0.05* | 1 | | 1* | 5 |
| vi) LEGUME VEGETABLES (fresh) | | | | | | | | | |
| | Beans (with pods) | | 0.02* | 5 | 0.05* | 0.2 | | 1* | 1 |
| | Beans (without pods) | | 0.02* | | 0.05* | 0.02* | | 1* | 0.1 |
| | Peas (with pods) | | 0.02* | 1 | 0.05* | 0.2 | | 1* | 1 |
| | Peas (without pods) | | 0.02* | 0.2 | 0.05* | 0.02* | | 1* | 0.1 |
| | Others | | 0.02* | 0.02* | 0.05* | 0.02* | | 1* | 0.05* |
| vii) STEM VEGETABLES | | | | | | | | | |
| | Asparagus | | 0.02* | 0.02* | 0.05* | 0.02* | | 1* | 0.05* |
| | Cardoons | | 0.02* | 0.02* | 0.05* | *no MRL* 0.02* | | 1* | 0.05* |

| Group to which food belongs | Groups include the following products | Hexachlorocyclohexane (HCH) γ | Imazalil | Iprodione | Kresoximmethyl | Lambdacyhalothrin (changing 1 July 2001) | Malathion | Maleichydrazide | Maneb Mancozeb Metiram Propineb Zineb |
|---|---|---|---|---|---|---|---|---|---|
| | Celery | | 0.02* | 0.02* | 0.05* | *no MRL* 0.3 | | 1* | 0.5 |
| | Fennel | | 0.02* | 0.02* | 0.05* | *no MRL* 0.02* | | 1* | 0.05* |
| | Globe artichokes | | 0.02* | 0.02* | 0.05* | *no MRL* 0.02* | | 1* | 0.05* |
| | Leeks | | 0.02* | 0.02* | 0.05* | *no MRL* 0.02* | | 1* | 3 |
| | Rhubarb | | 0.02* | 0.2 | 0.05* | *no MRL* 0.02* | | 1* | 0.05* |
| | Others | | 0.02* | 0.02* | 0.05* | *no MRL* 0.02* | | 1* | 0.05* |
| viii) FUNGI | | | | | | | | | |
| a) | Cultivated mushrooms | | 0.02* | 0.02* | 0.05* | *no MRL* 0.02* | | 1* | 0.05* |
| b) | Wild mushrooms | | 0.02* | 0.02* | 0.05* | 0.02* | | 1* | 0.05* |
| 3. PULSES | | | | | | | | | |
| | Beans | | 0.02* | 0.2 | 0.05* | 0.02* | | 1* | 0.05* |
| | Lentils | | 0.02* | 0.2 | 0.05* | 0.02* | | 1* | 0.05* |
| | Peas | | 0.02* | 0.2 | 0.05* | 0.02* | | 1* | 0.05* |
| | Others | | 0.02* | 0.2 | 0.05* | 0.02* | | 1* | 0.05* |
| 4. OILSEEDS | | | | | | | | | |
| | Linseed | | 0.02* | 0.1 | 0.1* | 0.02* | | 1* | 0.1* |
| | Peanuts | | 0.02* | 0.02* | 0.1* | 0.02* | | 1* | 0.1* |
| | Poppy seed | | 0.02* | 0.02* | 0.1* | 0.02* | | 1* | 0.1* |
| | Sesame seed | | 0.02* | 0.02* | 0.1* | 0.02* | | 1* | 0.1* |
| | Sunflower seed | | 0.02* | 0.02* | 0.1* | 0.02* | | 1* | 0.1* |
| | Rape seed | | 0.02* | 0.5 | 0.1* | 0.02* | | 1* | 0.5 |
| | Soya bean | | 0.02* | 0.02* | 0.1* | 0.02* | | 1* | 0.1* |
| | Mustard seed | | 0.02* | 0.02* | 0.1* | 0.02* | | 1* | 0.1* |
| | Cotton seed | | 0.02* | 0.02* | 0.1* | 0.02* | | 1* | 0.1* |
| | Others | | 0.02* | 0.02* | 0.1* | 0.02* | | 1* | 0.1* |

| Group to which food belongs | Groups include the following products | Hexachlorocyclohexane (HCH) γ | Imazalil | Iprodione | Kresoximmethyl | Lambdacyhalothrin (changing 1 July 2001) | Malathion | Maleichydrazide | Maneb Mancozeb Metiram Propineb Zineb |
|---|---|---|---|---|---|---|---|---|---|
| 5. POTATOES | | | | | | | | | |
| | Early potatoes | | 0.02* | 0.02* | 0.05* | 0.02* | | 1* | 0.05* |
| | Ware potatoes | | 5 | 0.02* | 0.05* | 0.02* | | 50 | 0.05* |
| 6. TEA | (dried leaves and stalks, fermented or otherwise, Camellia sinensis) | 0.2 | 0.1* | 0.1* | 0.1* | 1 | 0.5 | 1* | 0.1* |
| 7. HOPS (dried) | including hop pellets & unconcentrated powder | | 0.1* | 0.1* | 0.1* | 10 | | 1* | 25 |

| Group to which food belongs | Groups include the following products | Mecarbam (changing 1 July 2001) | Metalaxyl (changing 1 July 2001) | Methamidophos | Methidathion (changing 1 July 2001) | Methomyl thiodicarb (changing 1 July 2001) | Methoxychlor | Methyl bromide |
|---|---|---|---|---|---|---|---|---|
| 1. Fruit, fresh, dried or uncooked, preserved by freezing not containing added sugar: nuts | | | | | | | | |
| i) CITRUS FRUIT | | | | | | | | |
| | Grapefruit | 2 0.05* | *no MRL* 0.5 | 0.2 | 2 | *no MRL* 0.5 | 0.01* | 0.05* |
| | Lemons | 2 0.05* | *no MRL* 0.05* | 0.2 | 2 | *no MRL* 1 | 0.01* | 0.05* |
| | Limes | 2 0.05* | *no MRL* 0.05* | 0.2 | 2 | *no MRL* 1 | 0.01* | 0.05* |
| | Mandarins (inc clementines & similar hybrids) | 2 0.05* | *no MRL* 0.05* | 0.2 | 2 | *no MRL* 1 | 0.01* | 0.05* |
| | Oranges | 2 0.05* | *no MRL* 0.5 | 0.2 | 2 | *no MRL* 0.5 | 0.01* | 0.05* |
| | Pomelos | 2 0.05* | *no MRL* 0.5 | 0.2 | 2 | *no MRL* 0.5 | 0.01* | 0.05* |
| | Others | 2 0.05* | *no MRL* 0.05* | 0.2 | 2 | *no MRL* 0.05* | 0.01* | 0.05* |
| iii) TREE NUTS (shelled or unshelled) | | | | | | | | |
| | Almonds | 0.05* | 0.05* | 0.01* | 0.05* | 0.05* | 0.01* | |
| | Brazil nuts | 0.05*3 | 0.05* | 0.01* | 0.05* | 0.05* | 0.01* | |
| | Cashew nuts | 0.05* | 0.05* | 0.01* | 0.05* | 0.05* | 0.01* | |
| | Chestnuts | 0.05* | 0.05* | 0.01* | 0.05* | 0.05* | 0.01* | |
| | Coconuts | 0.05* | 0.05* | 0.01* | 0.05* | 0.05* | 0.01* | |
| | Hazelnuts | 0.05* | 0.05* | 0.01* | 0.05* | 0.05* | 0.01* | |
| | Macadamia nuts | 0.05* | 0.05* | 0.01* | 0.05* | 0.05* | 0.01* | |
| | Pecans | 0.05* | 0.05* | 0.01* | 0.05* | 0.05* | 0.01* | |
| | Pine nuts | 0.05* | 0.05* | 0.01* | 0.05* | 0.05* | 0.01* | |
| | Pistachios | 0.05* | 0.05* | 0.01* | 0.05* | 0.05* | 0.01* | |
| | Walnuts | 0.05* | 0.05* | 0.01* | 0.05* | 0.05* | 0.01* | |
| | Others | 0.05* | 0.05* | 0.01* | 0.05* | 0.05* | 0.01* | |
| iii) POME FRUIT | | | | | | | | |
| | Apples | 0.05* | 1 | 0.05 | 0.3 | 1 0.2 | 0.01* | 0.05* |

| Group to which food belongs | Groups include the following products | Mecarbam (changing 1 July 2001) | Metalaxyl (changing 1 July 2001) | Methamidophos | Methidathion (changing 1 July 2001) | Methomyl thiodicarb (changing 1 July 2001) | Methoxychlor | Methyl bromide |
|---|---|---|---|---|---|---|---|---|
| | Pears | 0.05* | 1 | 0.05 | 0.3 | *no MRL* 0.2 | 0.01* | 0.05* |
| | Quinces | 0.05* | 1 | 0.05 | 0.3 | 0.05* 0.2 | 0.01* | 0.05* |
| | Others | 0.05* | 1 | 0.05 | 0.3 | 0.05* 0.2 | 0.01* | 0.05* |
| iv) STONE FRUIT | | | | | | | | |
| | Apricots | 0.05* | 0.05* | 0.1 | 0.2 | *no MRL* 0.2 | 0.01* | |
| | Cherries | 0.05* | *no MRL* 0.05* | 0.01* | *no MRL* 0.02* | 1 *no MRL* 0.1 | 0.01* | |
| | Peaches (incl nectarines & similar hybrids) | 0.05* | *no MRL* 0.05* | 0.05 | 0.2 | *no MRL* 0.2 | 0.01* | |
| | Plums | 0.05* | 0.05* | 0.3 | 0.2 | *no MRL* 0.5 | 0.01* | |
| | Others | 0.05* | 0.05* | 0.01* | 0.2 | *no MRL* 0.05* | 0.01* | |
| v) BERRIES AND SMALL FRUIT | | | | | | | | |
| a) | Table & wine grapes | | | | | | | |
| | Table grapes | 0.05* | 2 | 0.01* | 0.5 | 2 0.05* | 0.01* | |
| | Wine grapes | 0.05* | 1 | 0.01* | 0.5 | 2 1 | 0.01* | |
| b) | Strawberries (other than wild) | 0.05* | 0.5 | 0.01* | 0.02* | 0.05* | 0.01* | 0.05* |
| c) | Cane Fruit (other than wild) | | | | | | | |
| | Blackberries | 0.05* | *no MRL* 0.05* | 0.01* | 0.02* | 0.05* | 0.01* | 0.05* |
| | Dewberries | 0.05* | *no MRL* 0.05* | 0.01* | 0.02* | 0.05* | 0.01* | 0.05* |
| | Loganberries | 0.05* | *no MRL* 0.05* | 0.01* | 0.02* | 0.05* | 0.01* | 0.05* |
| | Raspberries | 0.05* | *no MRL* 0.05* | 0.01* | 0.02* | 0.05* | 0.01* | 0.05* |
| | Others | 0.05* | *no MRL* 0.05* | 0.01* | 0.02* | 0.05* | 0.01* | 0.05* |

| Group to which food belongs | Groups include the following products | Mecarbam (changing 1 July 2001) | Metalaxyl (changing 1 July 2001) | Methamidophos | Methidathion (changing 1 July 2001) | Methomyl thiodicarb (changing 1 July 2001) | Methoxychlor | Methyl bromide |
|---|---|---|---|---|---|---|---|---|
| | d) Other small fruit & berries (other than wild) | | | | | | | |
| | Bilberries | 0.05* | 0.05* | 0.01* | 0.02* | 0.05* | 0.01* | 0.05* |
| | Cranberries | 0.05* | 0.05* | 0.01* | 0.02* | 0.05* | 0.01* | 0.05* |
| | Currants (red, black & white) | 0.05* | 0.05* | 0.01* | 0.02* | no MRL 0.05* | 0.01* | 0.05* |
| | Gooseberries | 0.05* | 0.05* | 0.01* | 0.02* | 0.05* | 0.01* | 0.05* |
| | Others | 0.05* | 0.05* | 0.01* | 0.02* | 0.05* | 0.01* | 0.05* |
| | e) Wild berries & wild fruit | 0.05* | 0.05* | 0.01* | 0.02* | 0.05* | 0.01* | 0.05* |
| vi) MISCELLANEOUS FRUIT | | | | | | | | |
| | Avocados | 0.05* | no MRL 0.05* | 0.01* | 0.02* | 0.05* | 0.01* | 0.05* |
| | Bananas | 0.05* | 0.05* | 0.01* | 0.02* | 0.05* | 0.01* | 0.05* |
| | Dates | 0.05* | 0.05* | 0.01* | 0.02* | 0.05* | 0.01* | 0.05* |
| | Figs | 0.05* | 0.05* | 0.01* | 0.02* | 0.05* | 0.01* | |
| | Kiwi fruit | 0.05* | no MRL 0.05* | 0.01* | 0.02* | 0.05* | 0.01* | 0.05* |
| | Kumquats | 0.05*[1] | 0.05* | 0.01* | 0.02* | 0.05* | 0.01* | 0.05* |
| | Litchis | 0.05* | 0.05* | 0.01* | 0.02* | 0.05* | 0.01* | 0.05* |
| | Mangoes | 0.05* | 0.05* | 0.01* | 0.02* | 0.05* | 0.01* | 0.05* |
| | Olives (table consumption) | 0.05* | 0.05* | 0.01* | 1 | no MRL 0.05* | 0.01* | 0.05* |
| | Olives (oil extract) | 0.05* | 0.05* | 0.01* | 1 | no MRL 0.05* | 0.01* | 0.05* |
| | Papaya | no MRL 0.05* | no MRL 0.05* | | no MRL 0.02* | no MRL 0.05* | | |
| | Passion fruit | 0.05* | 0.05* | 0.01* | 0.02* | 0.05* | 0.01* | 0.05* |
| | Pineapples | 0.05* | 0.05* | 0.01* | 0.02* | 0.05* | 0.01* | 0.05* |
| | Pomegranates | 0.05* | 0.05* | 0.01* | 0.02* | 0.05* | 0.01* | 0.05* |
| | Others | 0.05* | 0.05* | 0.01* | 0.02* | 0.05* | 0.01* | 0.05* |

| Group to which food belongs | Groups include the following products | Mecarbam (changing 1 July 2001) | Metalaxyl (changing 1 July 2001) | Methamidophos | Methidathion (changing 1 July 2001) | Methomyl thiodicarb (changing 1 July 2001) | Methoxychlor | Methyl bromide |
|---|---|---|---|---|---|---|---|---|
| 2. Vegetables, fresh or uncooked, frozen or dry | | | | | | | | |
| i) ROOT AND TUBER VEGETABLES | | | | | | | | |
| | Beetroot | 0.05* | 0.05* | 0.01* | 0.02* | 0.05* | 0.01* | 0.05* |
| | Carrots | 0.05* | 0.1 | 0.01* | 0.02* | 0.05* | 0.01* | 0.05* |
| | Celeriac | 0.05* | 0.05* | 0.01* | 0.02* | 0.05* | 0.01* | 0.05* |
| | Horseradish | 0.05* | 0.05* | 0.01* | 0.02* | 0.05* | 0.01* | 0.05* |
| | Jerusalem artichokes | 0.05* | 0.05* | 0.01* | 0.02* | 0.05* | 0.01* | 0.05* |
| | Parsnips | 0.05* | 0.1 | 0.01* | 0.02* | 0.05* | 0.01* | 0.05* |
| | Parsley root | 0.05* | 0.05* | 0.01* | 0.02* | 0.05* | 0.01* | 0.05* |
| | Radishes | 0.05* | 0.05* | 0.01* | 0.02* | 0.1 | 0.01* | 0.05* |
| | Salsify | 0.05* | 0.05* | 0.01* | 0.02* | 0.05* | 0.01* | 0.05* |
| | Sweet potatoes | 0.05* | 0.05* | 0.01* | 0.02* | 0.05* | 0.01* | 0.05* |
| | Swedes | 0.05* | 0.05* | 0.01* | 0.02* | 0.05* | 0.01* | 0.05* |
| | Turnips | 0.05* | 0.05* | 0.01* | 0.02* | 0.05* | 0.01* | 0.05* |
| | Yams | 0.05* | 0.05* | 0.01* | 0.02* | 0.05* | 0.01* | 0.05* |
| | Others | 0.05* | 0.05* | 0.01* | 0.02* | 0.05* | 0.01* | 0.05* |
| ii) BULB VEGETABLES | | | | | | | | |
| | Garlic | 0.05* | no MRL 0.05* | 0.01* | 0.02* | 0.05* | 0.01* | 0.05* |
| | Onions | 0.05* | no MRL 0.5 | 0.01* | no MRL 0.02* | 0.05* | 0.01* | 0.05* |
| | Shallots | 0.05* | no MRL 0.5 | 0.01* | no MRL 0.02* | 0.05* | 0.01* | 0.05* |
| | Spring onions | 0.05* | no MRL 0.05* | 0.01* | 0.02* | 0.05* | 0.01* | 0.05* |
| | Others | 0.05* | no MRL 0.05* | 0.01* | 0.02* | 0.05* | 0.01* | 0.05* |
| iii) FRUITING VEGETABLES | | | | | | | | |
| | a) Solanaceae | | | | | | | |
| | Tomatoes | 0.05* | no MRL 0.05* | 0.5 | 0.02* | no MRL 0.5 | 0.01* | 0.05* |
| | Peppers | 0.05* | no MRL 0.05* | 0.01* | 0.02* | no MRL 0.05* | 0.01* | 0.05* |
| | Chilli peppers | | | | | | 0.01* | |

| Group to which food belongs | Groups include the following products | Mecarbam (changing 1 July 2001) | Metalaxyl (changing 1 July 2001) | Methamidophos | Methidathion (changing 1 July 2001) | Methomyl thiodicarb (changing 1 July 2001) | Methoxychlor | Methyl bromide |
|---|---|---|---|---|---|---|---|---|
| | Aubergines | 0.05* | 0.05* | 0.2 | 0.02* | no MRL 0.5 | 0.01* | 0.05* |
| | Others | 0.05* | 0.05* | 0.01* | 0.02* | no MRL 0.05* | 0.01* | 0.05* |
| | b) Cucurbits-edible peel | | | | | | | |
| | Cucumbers | 0.05* | no MRL 0.5 | 1 | 0.02* | no MRL 0.05* | 0.01* | 0.05* |
| | Gherkins | 0.05* | no MRL 0.05* | 0.01* | 0.02* | 0.05* | 0.01* | 0.05* |
| | Courgettes | 0.05* | no MRL 0.05* | 0.01* | 0.02* | no MRL 0.05* | 0.01* | 0.05* |
| | Others | 0.05* | no MRL 0.05* | 0.01* | 0.02* | 0.05* | 0.01* | 0.05* |
| | c) Cucurbits-inedible peel | | | | | | | |
| | Melons | 0.05* | no MRL 0.2 | 0.01* | 0.02* | 0.2 0.05* | 0.01* | 0.05* |
| | Squashes | 0.05* | 0.05* | 0.01* | 0.02* | 0.2 0.05* | 0.01* | 0.05* |
| | Watermelons | 0.05* | no MRL 0.2 | 0.01* | 0.02* | 0.2 0.05* | 0.01* | 0.05* |
| | Others | 0.05*[1] | 0.05* | 0.01* | 0.02* | 0.2 0.05* | 0.01* | 0.05* |
| | d) Sweet corn | 0.05* | 0.05* | 0.01* | 0.02* | 0.05* | 0.01* | 0.05* |
| iv) BRASSICA VEGETABLES | | | | | | | | |
| | a) Flowering Brassicas | | | | | | | |
| | Broccoli | 0.05* | no MRL 0.1 | 0.5 | 0.02* | no MRL 0.05* | 0.01* | 0.05* |
| | Cauliflower | 0.05* | no MRL 0.1 | 0.5 | 0.02* | no MRL 0.05* | 0.01* | 0.05* |
| | Others | 0.05* | no MRL 0.1 | 0.5 | 0.02* | no MRL 0.05* | 0.01* | 0.05* |
| | b) Head Brassicas | | | | | | | |
| | Brussels sprouts | 0.05* | 0.05* | 0.5 | 0.02* | no MRL 0.05* | 0.01* | 0.05* |

| Group to which food belongs | Groups include the following products | Mecarbam (changing 1 July 2001) | Metalaxyl (changing 1 July 2001) | Methamidophos | Methidathion (changing 1 July 2001) | Methomyl thiodicarb (changing 1 July 2001) | Methoxychlor | Methyl bromide |
|---|---|---|---|---|---|---|---|---|
| | Head cabbage | 0.05* | 1 | 0.5 | 0.02* | no MRL 0.05* | 0.01* | 0.05* |
| | Others | 0.05* | 0.05* | 0.5 | 0.02* | no MRL 0.05* | 0.01* | 0.05* |
| | c) Leafy Brassicas | | | | | | | |
| | Chinese cabbage | 0.05* | no MRL 0.05* | 0.01* | 0.02* | no MRL 0.05* | 0.01* | 0.05* |
| | Kale | 0.05* | no MRL 0.05* | 0.01* | 0.02* | no MRL 0.05* | 0.01* | 0.05* |
| | Others | 0.05* | 0.05* | 0.01* | 0.02* | no MRL 0.05* | 0.01* | 0.05* |
| | d) Kohlrabi | 0.05* | 0.05* | 0.01* | 0.02* | 0.05* | 0.01* | 0.05* |
| vi) LEAF VEGETABLES AND FRESH HERBS | | | | | | | | |
| | a) Lettuce & similar | | | | | | | |
| | Cress | 0.05* | no MRL 0.05* | 0.01* | 0.02* | no MRL 0.05* | 0.01* | 0.05* |
| | Lamb's lettuce | 0.05* | no MRL 0.05* | 0.01* | 0.02* | no MRL 0.05* | 0.01* | 0.05* |
| | Lettuce | 0.05* | no MRL 1 | 0.2 | 0.02* | no MRL 2 | 0.01* | 0.05* |
| | Scarole | 0.05* | no MRL 0.05* | 0.01* | 0.02* | no MRL 0.05* | 0.01* | 0.05* |
| | Others | 0.05* | no MRL 0.05* | 0.01* | 0.02* | no MRL 0.05* | 0.01* | 0.05* |
| | b) Spinach & similar | | | | | | | |
| | Spinach | 0.05* | no MRL 0.05* | 0.01* | 0.02* | 2 | 0.01* | 0.05* |
| | Beet leaves (chard) | 0.05* | no MRL 0.05* | 0.01* | 0.02* | 2 | 0.01* | 0.05* |
| | Others | 0.05* | no MRL 0.05* | 0.01* | 0.02* | 2 | 0.01* | 0.05* |
| | c) Watercress | 0.05* | no MRL 0.05* | 0.01* | 0.02* | 0.05* | 0.01* | 0.05* |
| | d) Witloof | 0.05* | no MRL 0.05* | 0.01* | 0.02* | 0.05* | 0.01* | 0.05* |

***Changes to legislation:** There are outstanding changes not yet made by the legislation.gov.uk editorial team to The Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuffs) (England and Wales) (Amendment) Regulations 2001. Any changes that have already been made by the team appear in the content and are referenced with annotations. (See end of Document for details) View outstanding changes*

| Group to which food belongs | Groups include the following products | Mecarbam (changing 1 July 2001) | Metalaxyl (changing 1 July 2001) | Methamidophos | Methidathion (changing 1 July 2001) | Methomyl thiodicarb (changing 1 July 2001) | Methoxychlor | Methyl bromide |
|---|---|---|---|---|---|---|---|---|
| | e) Herbs | | | | | | | |
| | Chervil | 0.05* | *no MRL* 0.05* | 0.01* | 0.02* | *no MRL* 2 | 0.01* | 0.05* |
| | Chives | 0.05* | *no MRL* 0.05* | 0.01* | 0.02* | *no MRL* 2 | 0.01* | 0.05* |
| | Parsley | 0.05* | *no MRL* 0.05* | 0.01* | 0.02* | *no MRL* 2 | 0.01* | 0.05* |
| | Celery leaves | 0.05* | *no MRL* 0.05* | 0.01* | 0.02* | *no MRL* 2 | 0.01* | 0.05* |
| | Others | 0.05* | *no MRL* 0.05* | 0.01* | 0.02* | *no MRL* 2 | 0.01* | 0.05* |
| vi) LEGUME VEGETABLES (fresh) | | | | | | | | |
| | Beans (with pods) | 0.05* | 0.05* | 0.3 | 0.02* | *no MRL* 0.05* | 0.01* | 0.05* |
| | Beans (without pods) | 0.05* | 0.05* | 0.01* | 0.02* | 0.05* | 0.01* | 0.05* |
| | Peas (with pods) | 0.05* | 0.05* | 0.5 | 0.02* | *no MRL* 0.05* | 0.01* | 0.05* |
| | Peas (without pods) | 0.05* | 0.05* | 0.01* | 0.02* | 0.05* | 0.01* | 0.05* |
| | Others | 0.05* | 0.05* | | 0.02* | 0.05* | 0.01* | 0.05* |
| vii) STEM VEGETABLES | | | | | | | | |
| | Asparagus | 0.05* | 0.05* | 0.01* | 0.02* | 0.05* | 0.01* | 0.05* |
| | Cardoons | 0.05* | 0.05* | 0.01* | 0.02* | 0.05* | 0.01* | 0.05* |
| | Celery | 0.05* | 0.05* | 0.01* | 0.02* | 0.05* | 0.01* | 0.05* |
| | Fennel | 0.05* | 0.05* | 0.01* | 0.02* | *no MRL* 0.05* | 0.01* | 0.05* |
| | Globe artichokes | 0.05* | *no MRL* 0.05* | 0.1 | 0.02* | *no MRL* 0.05* | 0.01* | 0.05* |
| | Leeks | 0.05* | *no MRL* 0.2 | 0.01* | *no MRL* 0.02* | 0.05* | 0.01* | 0.05* |
| | Rhubarb | 0.05* | 0.05* | 0.01* | 0.02* | 0.05* | 0.01* | 0.05* |
| | Others | 0.05* | 0.05* | 0.01* | 0.02* | 0.05* | 0.01* | 0.05* |
| viii) FUNGI | | | | | | | | |
| | a) Cultivated mushrooms | 0.05* | 0.05* | 0.01* | 0.02* | 0.05* | 0.01* | 0.05* |

| Group to which food belongs | Groups include the following products | Mecarbam (changing 1 July 2001) | Metalaxyl (changing 1 July 2001) | Methamidophos | Methidathion (changing 1 July 2001) | Methomyl thiodicarb (changing 1 July 2001) | Methoxychlor | Methyl bromide |
|---|---|---|---|---|---|---|---|---|
| | b) Wild mushrooms | 0.05* | 0.05* | 0.01* | 0.02* | 0.05* | 0.01* | 0.05* |
| 3. PULSES | | | | | | | | |
| | Beans | 0.05* | 0.05* | 0.01* | 0.02* | 0.05* | 0.01* | |
| | Lentils | 0.05* | 0.05* | 0.01* | 0.02* | 0.05* | 0.01* | |
| | Peas | 0.05* | 0.05* | 0.01* | 0.02* | 0.05* | 0.01* | |
| | Others | 0.05* | 0.05* | 0.01* | 0.02* | 0.05* | 0.01* | |
| 4. OIL SEEDS | | | | | | | | |
| | Linseed | 0.05* | *no MRL* 0.05* | 0.01* | 0.02* | 0.05* | 0.01* | 0.1* |
| | Peanuts | 0.05* | 0.05* | 0.01* | 0.02* | 0.05* 0.1 | 0.01* | 0.1* |
| | Poppy seed | 0.05* | 0.05* | 0.01* | 0.02* | 0.05* | 0.01* | 0.1* |
| | Sesame seed | 0.05* | 0.05* | 0.01* | 0.02* | 0.05* | 0.01* | 0.1* |
| | Sunflower seed | 0.05* | 0.05* | 0.01* | 0.02* | 0.05* | 0.01* | 0.1* |
| | Rape seed | 0.05* | 0.05* | 0.01* | 0.05* | 0.05* | 0.01* | 0.1* |
| | Soya bean | 0.05* | 0.05* | 0.01* | 0.02* | *0.2* 0.1 | 0.01* | 0.1* |
| | Mustard seed | 0.05* | 0.05* | 0.01* | 0.02* | 0.05* | 0.01* | 0.1* |
| | Cotton seed | 0.05* | 0.05* | 0.01 | *no MRL* 0.02* | *0.5* 0.1 | 0.01* | 0.1* |
| | Others | 0.05* | 0.05* | 0.01* | 0.02* | 0.05* | 0.01* | 0.1* |
| 5. POTATOES | | | | | | | | |
| | Early potatoes | 0.05* | 0.05* | 0.01* | 0.02* | 0.05* | 0.01* | 0.05* |
| | Ware potatoes | 0.05* | 0.05* | 0.01* | 0.02* | 0.05* | 0.01* | 0.05* |
| 6. TEA | (dried leaves and stalks, fermented or otherwise, Camellia sinensis) | *0.05** | 0.1* | 0.1* | 0.1* | 0.1* | 0.1* | 0.05* |
| 7. HOPS (dried) | including hop pellets & unconcentrated powder | 0.1* | 10 | 2 | 3 | 10 | 0.1* | 0.05* |

| Group to which food belongs | Groups include the following products | Monocrotophos | Omethoate | Paraquat | Permethrin | Phorate (changing 1 July 2001) | Phosmet | Phosim | Pirimiphos-methyl (changing 1 July 2001) | Procymidone |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. Fruit, fresh, dried or uncooked, preserved by freezing not containing added sugar: nuts | | | | | | | | | | |
| i) CITRUS FRUIT | | | | | | | | | | |
| | Grapefruit | | | 0.05* | 0.5 | 0.05* | | | 1 | 0.02* |
| | Lemons | | | 0.05* | 0.5 | 0.05* | | | 1 | 0.02* |
| | Limes | | | 0.05* | 0.5 | 0.05* | | | 1 | 0.02* |
| | Mandarins (inc clementines & similar hybrids) | | | 0.05* | 0.5 | 0.05* | | | 2 | 0.02* |
| | Oranges | | | 0.05* | 0.5 | 0.05* | | | 1 | 0.02* |
| | Pomelos | | | 0.05* | 0.5 | 0.05* | | | 1 | 0.02* |
| | Others | | | 0.05* | 0.5 | 0.05* | | | 1 | 0.02* |
| ii) TREE NUTS (shelled or unshelled) | | | | | | | | | | |
| | Almonds | | | 0.05* | 0.1 | 0.05* | | | *no MRL* 0.05* | 0.05* |
| | Brazil nuts | | | 0.05* | 0.05* | 0.05* | | | 0.05* | 0.05* |
| | Cashew nuts | | | 0.05* | 0.05* | 0.05* | | | 0.05* | 0.05* |
| | Chestnuts | | | 0.05* | 0.05* | 0.05* | | | 0.05* | 0.05* |
| | Coconuts | | | 0.05* | 0.05* | 0.05* | | | 0.05* | 0.05* |
| | Hazelnuts | | | 0.05* | 0.05* | 0.05* | | | *no MRL* 0.05* | 0.05* |
| | Macadamia nuts | | | 0.05* | 0.05* | 0.05* | | | 0.05* | 0.05* |
| | Pecans | | | 0.05* | 0.05* | 0.05* | | | 0.05* | 0.05* |
| | Pine nuts | | | 0.05* | 0.05* | 0.05* | | | 0.05* | 0.05* |
| | Pistachios | | | 0.05* | 0.05* | 0.05* | | | *no MRL* 0.05* | 0.05* |
| | Walnuts | | | 0.05* | 0.05* | 0.05* | | | *no MRL* 0.05* | 0.05* |
| | Others | | | 0.05* | 0.05* | 0.05* | | | 0.05* | 0.05* |
| iii) POME FRUIT | | | | | | | | | | |
| | Apples | | | 0.05* | 1 | 0.05* | | | *no MRL* 0.05* | 0.02* |
| | Pears | | | 0.05* | 1 | 0.05* | | | *no MRL* 0.05* | 1 |
| | Quinces | | | 0.05* | 1 | 0.05* | | | *no MRL* 0.05* | 0.02* |
| | Others | | | 0.05* | 1 | 0.05* | | | *no MRL* 0.05* | 0.02* |

| Group to which food belongs | Groups include the following products | Monocrotophos | Omethoate | Paraquat | Permethrin | Phorate (changing 1 July 2001) | Phosmet | Phosim | Pirimiphos-methyl (changing 1 July 2001) | Procymidone |
|---|---|---|---|---|---|---|---|---|---|---|
| iv) STONE FRUIT | | | | | | | | | | |
| | Apricots | | | 0.05* | 1 | 0.05* | | | *no MRL* 0.05* | 2 |
| | Cherries | | | 0.05* | 1 | 0.05* | | | *no MRL* 0.05* | 0.02* |
| | Peaches (incl nectarines & similar hybrids) | | | 0.05* | 1 | 0.05* | | | *no MRL* 0.05* | 2 |
| | Plums | | | 0.05* | 1 | 0.05* | | | *no MRL* 0.05* | 2 |
| | Others | | | 0.05* | 1 | 0.05* | | | *no MRL* 0.05* | 2 |
| v) BERRIES AND SMALL FRUIT | | | | | | | | | | |
| | a) Table & wine grapes | | | | | | | | | |
| | Table grapes | | | 0.05* | 1 | 0.05* | | | *no MRL* 0.05* | 5 |
| | Wine grapes | | | 0.05* | 1 | 0.05* | | | *no MRL* 2 | 5 |
| | b) Strawberries (other than wild) | | | 0.05* | 1 | *no MRL* 0.05* | | | *no MRL* 0.05* | 5 |
| | c) Cane Fruit (other than wild) | | | | | | | | | |
| | Blackberries | | | 0.05* | 0.05* | 0.05* | | | 0.05* | 0.02* |
| | Dewberries | | | 0.05* | 0.05* | 0.05* | | | 0.05* | 0.02* |
| | Loganberries | | | 0.05* | 0.05* | 0.05* | | | 0.05* | 0.02* |
| | Raspberries | | | 0.05* | 0.05* | 0.05* | | | 0.05* | 10 |
| | Others | | | 0.05* | 0.05* | 0.05* | | | 0.05* | 0.02* |
| | d) Other small fruit & berries (other than wild) | | | | | | | | | |
| | Bilberries | | | 0.05* | 0.05* | 0.05* | | | 0.05* | 0.02* |
| | Cranberries | | | 0.05* | 0.05* | 0.05* | | | 0.05* | 0.02* |
| | Currants (red, black & white) | | | 0.05* | 0.05* | 0.05* | | | 0.05* | 0.02* |
| | Gooseberries | | | 0.05* | 0.05* | 0.05* | | | 0.05* | 0.02* |
| | Others | | | 0.05* | 0.05* | 0.05* | | | 0.05* | 0.02* |
| | e) Wild berries & wild fruit | | | 0.05* | 0.05* | 0.05* | | | 0.05* | 0.02* |

| Group to which food belongs | Groups include the following products | Monocrotophos | Omethoate | Paraquat | Permethrin | Phorate (changing 1 July 2001) | Phosmet | Phoxim | Pirimiphos-methyl (changing 1 July 2001) | Procymidone |
|---|---|---|---|---|---|---|---|---|---|---|
| vii) MISCELLANEOUS FRUIT | | | | | | | | | | |
| | Avocados | | | 0.05* | 0.05* | 0.05* | | | 0.05* | 0.02* |
| | Bananas | | | 0.05* | 0.05* | 0.05* | | | 0.05* | 0.02* |
| | Dates | | | 0.05* | 0.05* | 0.05* | | | 0.05* | 0.02* |
| | Figs | | | 0.05* | 0.05* | 0.05* | | | 0.05* | 0.02* |
| | Kiwi fruit | | | 0.05* | 1 | 0.05* | | | 2 | 5 |
| | Kumquats | | | 0.05* | 0.05* | 0.05* | | | 0.05* | 0.02* |
| | Litchis | | | 0.05* | 0.05* | 0.05* | | | 0.05* | 0.02* |
| | Mangoes | | | 0.05* | 0.05* | 0.05* | | | 0.05* | 0.02* |
| | Olives (table consumption) | | | 0.05* | 0.05* | 0.05* | | | no MRL 0.05* | 0.02* |
| | Olives (oil extract) | | | 0.05* | 0.05* | 0.05* | | | no MRL 0.05* | 0.02* |
| | Papaya | | | | | no MRL 0.05* | | | no MRL 0.05* | |
| | Passion fruit | | | 0.05* | 0.05* | 0.05* | | | 0.05* | 0.02* |
| | Pineapples | | | 0.05* | 0.05* | 0.05* | | | 0.05* | 0.02* |
| | Pomegranates | | | 0.05* | 0.05* | 0.05* | | | 0.05* | 0.02* |
| | Others | | | 0.05* | 0.05* | 0.05* | | | 0.05* | 0.02* |
| 2. Vegetables, fresh or uncooked, frozen or dry | | | | | | | | | | |
| i) ROOT AND TUBER VEGETABLES | | | | | | | | | | |
| | Beetroot | | | 0.05* | 0.05* | no MRL 0.05* | | | 0.05* | 0.02* |
| | Carrots | | | 0.05* | 0.05* | no MRL 0.05* | | | 1 | 0.02* |
| | Celeriac | | | 0.05* | 0.1 | 0.05* | | | 0.05* | 0.02* |
| | Horseradish | | | 0.05* | 0.05* | 0.05* | | | 0.05* | 0.02* |
| | Jerusalem artichokes | | | 0.05* | 0.05* | 0.05* | | | 0.05* | 0.02* |
| | Parsnips | | | 0.05* | 0.05* | no MRL 0.05* | | | 0.05* | 0.02* |
| | Parsley root | | | 0.05* | 0.05* | 0.05* | | | 0.05* | 0.02* |
| | Radishes | | | 0.05* | 0.1 | 0.05* | | | 0.05* | 0.02* |
| | Salsify | | | 0.05* | 0.05* | 0.05* | | | 0.05* | 0.02* |

| Group to which food belongs | Groups include the following products | Monocrotophos | Omethoate | Paraquat | Permethrin | Phorate (changing 1 July 2001) | Phosmet | Phoxim | Pirimiphos-methyl (changing 1 July 2001) | Procymidone |
|---|---|---|---|---|---|---|---|---|---|---|
| | Sweet potatoes | | | 0.05* | 0.05* | 0.05* | | | 0.05* | 0.02* |
| | Swedes | | | 0.05* | 0.05* | 0.05* | | | 0.05* | 0.02* |
| | Turnips | | | 0.05* | 0.05* | 0.05* | | | 0.05* | 0.02* |
| | Yams | | | 0.05* | 0.05* | 0.05* | | | 0.05* | 0.02* |
| | Others | | | 0.05* | 0.05* | 0.05* | | | 0.05* | 0.02* |
| ii) BULB VEGETABLES | | | | | | | | | | |
| | Garlic | | | 0.05* | 0.05* | 0.05* | | | no MRL 0.05* | 0.2 |
| | Onions | | | 0.05* | 0.05* | 0.05* | | | no MRL 0.05* | 0.2 |
| | Shallots | | | 0.05* | 0.05* | 0.05* | | | no MRL 0.05* | 0.2 |
| | Spring onions | | | 0.05* | 0.05* | 0.05* | | | no MRL 0.05* | 0.02* |
| | Others | | | 0.05* | 0.05* | 0.05* | | | no MRL 0.05* | 0.02* |
| iii) FRUITING VEGETABLES | | | | | | | | | | |
| | a) Solanaceae | | | | | | | | | |
| | Tomatoes | | | 0.05* | 0.5 | no MRL 0.05* | | | no MRL 1 | 2 |
| | Peppers | | | 0.05* | 0.5 | no MRL 0.05* | | | no MRL 1 | 2 |
| | Chilli peppers | | | | | | | | | 2 |
| | Aubergines | | | 0.05* | 0.5 | no MRL 0.05* | | | no MRL 0.05* | 2 |
| | Others | | | 0.05* | 0.5 | no MRL 0.05* | | | no MRL 0.05* | |
| | b) Cucurbits-edible peel | | | | | | | | | |
| | Cucumbers | | | 0.05* | 0.1 | 0.05* | | | no MRL 0.1 | 1 |
| | Gherkins | | | 0.05* | 0.1 | no MRL 0.05* | | | no MRL 0.05* | 1 |
| | Courgettes | | | 0.05* | 0.1 | no MRL 0.05* | | | no MRL 0.05* | 1 |
| | Others | | | 0.05* | 0.1 | no MRL 0.05* | | | no MRL 0.05* | 1 |

| Group to which food belongs | Groups include the following products | Monocrotophos | Omethoate | Paraquat | Permethrin | Phorate (changing 1 July 2001) | Phosmet | Phoxim | Pirimiphos-methyl (changing 1 July 2001) | Procymidone |
|---|---|---|---|---|---|---|---|---|---|---|
| | c) Cucurbits-inedible peel | | | | | | | | | |
| | Melons | | | 0.05* | 0.1 | 0.05* | | | no MRL 1 | 1 |
| | Squashes | | | 0.05* | 0.1 | 0.05* | | | no MRL 0.05* | 1 |
| | Watermelons | | | 0.05* | 0.1 | 0.05* | | | no MRL 0.05* | 1 |
| | Others | | | 0.05* | 0.1 | 0.05* | | | no MRL 0.05* | 1 |
| | d) Sweet corn | | | 0.05* | 0.1 | no MRL 0.05* | | | 0.05* | 0.02* |
| iv) BRASSICA VEGETABLES | | | | | | | | | | |
| | a) Flowering Brassicas | | | | | | | | | |
| | Broccoli | | | 0.05* | 0.05* | no MRL 0.05* | | | no MRL 1 | 0.02* |
| | Cauliflower | | | 0.05* | 0.1 | no MRL 0.05* | | | 1 | 0.02* |
| | Others | | | 0.05* | 0.05* | no MRL 0.05* | | | 1 | 0.02* |
| | b) Head Brassicas | | | | | | | | | |
| | Brussels sprouts | | | 0.05* | 0.05* | no MRL 0.05* | | | 2 | 0.02* |
| | Head cabbage | | | 0.05* | 0.1 | no MRL 0.05* | | | no MRL 0.05* | 0.02* |
| | Others | | | 0.05* | 0.05* | no MRL 0.05* | | | no MRL 0.05* | 0.02* |
| | c) Leafy Brassicas | | | | | | | | | |
| | Chinese cabbage | | | 0.05* | 1 | no MRL 0.05* | | | no MRL 0.05* | 0.02* |
| | Kale | | | 0.05* | 1 | no MRL 0.05* | | | no MRL 0.05* | 0.02* |
| | Others | | | 0.05* | 1 | no MRL 0.05* | | | no MRL 0.05* | 0.02* |
| | d) Kohlrabi | | | 0.05* | 0.05* | 0.05* | | | no MRL 0.05* | 0.02* |

| Group to which food belongs | Groups include the following products | Monocrotophos | Omethoate | Paraquat | Permethrin | Phorate (changing 1 July 2001) | Phosmet | Phoxim | Pirimiphos-methyl (changing 1 July 2001) | Procymidone |
|---|---|---|---|---|---|---|---|---|---|---|
| v) LEAF VEGETABLES AND FRESH HERBS | | | | | | | | | | |
| | a) Lettuce & similar | | | | | | | | | |
| | Cress | | | 0.05* | 2 | no MRL 0.05* | | | no MRL 0.05* | 5 |
| | Lamb's lettuce | | | 0.05* | 2 | no MRL 0.05* | | | no MRL 0.05* | 5 |
| | Lettuce | | | 0.05* | 2 | no MRL 0.05* | | | no MRL 0.05* | 5 |
| | Scarole | | | 0.05* | 2 | no MRL 0.05* | | | no MRL 0.05* | 5 |
| | Others | | | 0.05* | 2 | no MRL 0.05* | | | no MRL 0.05* | 5 |
| | b) Spinach & similar | | | | | | | | | |
| | Spinach | | | 0.05* | 1 | 0.05* | | | no MRL 0.05* | 0.02* |
| | Beet leaves (chard) | | | 0.05* | 1 | 0.05* | | | no MRL 0.05* | 0.02* |
| | Others | | | 0.05* | 1 | 0.05* | | | no MRL 0.05* | 0.02* |
| | c) Watercress | | | 0.05* | 0.05* | 0.05* | | | 0.05* | 0.02* |
| | d) Witloof | | | 0.05* | 0.05* | 0.05* | | | 0.05* | 2 |
| | e) Herbs | | | | | | | | | |
| | Chervil | | | 0.05* | 2 | no MRL 0.05* | | | no MRL 0.05* | 0.02* |
| | Chives | | | 0.05* | 2 | no MRL 0.05* | | | no MRL 0.05* | 0.02* |
| | Parsley | | | 0.05* | 2 | no MRL 0.05* | | | no MRL 0.05* | 0.02* |
| | Celery leaves | | | 0.05* | 2 | no MRL 0.05* | | | no MRL 0.05* | 0.02* |
| | Others | | | 0.05* | 2 | no MRL 0.05* | | | no MRL 0.05* | 0.02* |
| vi) LEGUME VEGETABLES (fresh) | | | | | | | | | | |
| | Beans (with pods) | | | 0.05* | 0.5 | no MRL 0.05* | | | no MRL 0.05* | 2 |

***Changes to legislation:*** *There are outstanding changes not yet made by the legislation.gov.uk editorial team to The Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuffs) (England and Wales) (Amendment) Regulations 2001. Any changes that have already been made by the team appear in the content and are referenced with annotations. (See end of Document for details) View outstanding changes*

| Group to which food belongs | Groups include the following products | Monocrotophos | Omethoate | Paraquat | Permethrin | Phorate (changing 1 July 2001) | Phosmet | Physim | Pirimiphos-methyl (changing 1 July 2001) | Procymidone |
|---|---|---|---|---|---|---|---|---|---|---|
| | Beans (without pods) | | | 0.05* | 0.05* | *no MRL* 0.05* | | | *no MRL* 0.05* | 0.02* |
| | Peas (with pods) | | | 0.05* | 0.1 | *no MRL* 0.05* | | | *no MRL* 0.05* | 1 |
| | Peas (without pods) | | | 0.05* | 0.05* | *no MRL* 0.05* | | | 0.05* | 0.3 |
| | Others | | | 0.05* | 0.05* | *no MRL* 0.05* | | | *no MRL* 0.05* | 0.02* |
| viii) STEM VEGETABLES | | | | | | | | | | |
| | Asparagus | | | 0.05* | 0.05* | 0.05* | | | *no MRL* 0.05* | 0.02* |
| | Cardoons | | | 0.05* | 0.05* | 0.05* | | | *no MRL* 0.05* | 0.02* |
| | Celery | | | 0.05* | 2 | *no MRL* 0.05* | | | *no MRL* 0.05* | 0.02* |
| | Fennel | | | 0.05* | 0.05* | 0.05* | | | *no MRL* 0.05* | 0.02* |
| | Globe artichokes | | | 0.05* | 0.05* | 0.05* | | | *no MRL* 0.05* | 0.02* |
| | Leeks | | | 0.05* | 0.5 | 0.05* | | | *no MRL* 0.05* | 0.02* |
| | Rhubarb | | | 0.05* | 2 | 0.05* | | | *no MRL* 0.05* | 0.02* |
| | Others | | | 0.05* | 0.05* | 0.05* | | | *no MRL* 0.05* | 0.02* |
| viii) FUNGI | | | | | | | | | | |
| | a) Cultivated mushrooms | | | 0.05* | 0.05* | 0.05* | | | 2 | 0.02* |
| | b) Wild mushrooms | | | 0.01* | 0.05* | 0.05* | | | 0.05* | 0.02* |
| 3. PULSES | | | | | | | | | | |
| | Beans | | | 0.05* | 0.05* | *no MRL* 0.05* | | | *no MRL* 0.05* | 0.02* |
| | Lentils | | | 0.05* | 0.05* | 0.05* | | | *no MRL* 0.05* | 0.02* |
| | Peas | | | 0.05* | 0.05* | 0.05* | | | *no MRL* 0.05* | 0.2 |

| Group to which food belongs | Groups include the following products | Monocrotophos | Omethoate | Paraquat | Permethrin | Phorate (changing 1 July 2001) | Phosmet | Physim | Pirimiphos-methyl (changing 1 July 2001) | Procymidone |
|---|---|---|---|---|---|---|---|---|---|---|
| | Others | | | 0.05* | 0.05* | 0.05* | | | *no MRL* 0.05* | 0.02* |
| 4. OILSEEDS | | | | | | | | | | |
| | Linseed | | | 0.05* | 0.05* | *no MRL* 0.05* | | | *no MRL* 0.05* | 0.05* |
| | Peanuts | | | 0.05* | 0.1 | 0.1 | | | *no MRL* 0.05* | 0.05* |
| | Poppy seed | | | 0.05* | 0.05* | 0.05* | | | 0.05* | 0.05* |
| | Sesame seed | | | 0.05* | 0.05* | 0.05* | | | 0.05* | 0.05* |
| | Sunflower seed | | | 0.05* | 0.05* | 0.05* | | | *no MRL* 0.05* | 1/0.05[F15] |
| | Rape seed | | | 0.05* | 0.1 | *no MRL* 0.05* | | | *no MRL* 0.05* | 1 |
| | Soya bean | | | 0.05* | 0.05* | 0.05* | | | *no MRL* 0.05* | 1 |
| | Mustard seed | | | 0.05* | 0.1 | 0.05* | | | 0.05* | 0.05* |
| | Cotton seed | | | 0.05* | 0.2 | 0.05* | | | *no MRL* 0.05* | 0.05* |
| | Others | | | 0.05* | 0.05* | 0.05* | | | 0.05* | 0.05* |
| 5. POTATOES | | | | | | | | | | |
| | Early potatoes | | | 0.05* | 0.05* | *no MRL* 0.05* | | | 0.05* | 0.02* |
| | Ware potatoes | | | 0.05* | 0.05* | *no MRL* 0.05* | | | 0.05* | 0.02* |
| 6. TEA | (dried leaves and stalks, fermented or otherwise, Camellia sinensis) | 0.1* | 0.1 | 0.1* | 2 | 0.1* | fi 1* | 0.1* | 0.05* | 0.1* |
| 7. HOPS (dried) | including hop pellets & unconcentrated powder | | | 0.1* | 0.1* | 0.1* | | | 0.05* | 0.1* |

| Group to which food belongs | Groups include the following products | Profenophos | Propargite | Propiconazole (changing 1 July 2001) | Propoxur (changing 1 July 2001) | Propyzamide (changing 1 July 2001) | Quinalphos (changing 1 July 2001) | TEPP | Thiabendazole (changing 1 July 2001) |
|---|---|---|---|---|---|---|---|---|---|
| I. Fruit, fresh, dried or uncooked, preserved by freezing not containing added sugar: nuts | | | | | | | | | |
| i) CITRUS FRUIT | | | | | | | | | |
| | Grapefruit | | | 0.05* | *3* 0.05* | 0.02* | *no MRL* 0.05* | 0.01* | *6* 5 |
| | Lemons | | | 0.05* | *3* 0.3 | 0.02* | *no MRL* 0.05* | 0.01* | *6* 5 |
| | Limes | | | 0.05* | *3* 0.3 | 0.02* | *no MRL* 0.05* | 0.01* | *6* 5 |
| | Mandarins (inc clementines & similar hybrids) | | | 0.05* | *3* | 0.02* | *no MRL* 0.05* | 0.01* | *6* 5 |
| | Oranges | | | 0.05* | *3* 0.05* | 0.02* | *no MRL* 0.05* | 0.01* | *6* 5 |
| | Pomelos | | | 0.05* | *3* 0.05* | 0.02* | *no MRL* 0.05* | 0.01* | *6* 5 |
| | Others | | | 0.05* | *3* 0.05* | 0.02* | *no MRL* 0.05* | 0.01* | *6* 5 |
| ii) TREE NUTS (shelled or unshelled) | | | | | | | | | |
| | Almonds | | | 0.05* | 0.05* | 0.02* | *no MRL* 0.05* | 0.01* | 0.1* |
| | Brazil nuts | | | 0.05* | 0.05* | 0.02* | *no MRL* 0.05* | 0.01* | 0.1* |
| | Cashew nuts | | | 0.05* | 0.05* | 0.02* | *no MRL* 0.05* | 0.01* | 0.1* |
| | Chestnuts | | | 0.05* | 0.05* | 0.02* | *no MRL* 0.05* | 0.01* | 0.1* |
| | Coconuts | | | 0.05* | 0.05* | 0.02* | *no MRL* 0.05* | 0.01* | 0.1* |
| | Hazelnuts | | | 0.05* | 0.05* | 0.02* | *no MRL* 0.05* | 0.01* | 0.1* |
| | Macadamia nuts | | | 0.05* | 0.05* | 0.02* | *no MRL* 0.05* | 0.01* | 0.1* |
| | Pecans | | | 0.05* | 0.05* | 0.02* | *no MRL* 0.05* | 0.01* | 0.1* |
| | Pine nuts | | | 0.05* | 0.05* | 0.02* | *no MRL* 0.05* | 0.01* | 0.1* |

| Group to which food belongs | Groups include the following products | Profenophos | Propargite | Propiconazole (changing 1 July 2001) | Propoxur (changing 1 July 2001) | Propyzamide (changing 1 July 2001) | Quinalphos (changing 1 July 2001) | TEPP | Thiabendazole (changing 1 July 2001) |
|---|---|---|---|---|---|---|---|---|---|
| | Pistachios | | | 0.05* | 0.05* | 0.02* | *no MRL* 0.05* | 0.01* | 0.1* |
| | Walnuts | | | 0.05* | 0.05* | 0.02* | *no MRL* 0.05* | 0.01* | 0.1* |
| | Others | | | 0.05* | 0.05* | 0.02* | *no MRL* 0.05* | 0.01* | 0.1* |
| iii) POME FRUIT | | | | | | | | | |
| | Apples | | | 0.05* | *3* 0.05* | 0.02* | *no MRL* 0.05* | 0.01* | *5* |
| | Pears | | | 0.05* | *3* 0.05* | 0.02* | *no MRL* 0.05* | 0.01* | *5* |
| | Quinces | | | 0.05* | *3* 0.05* | 0.02* | *no MRL* 0.05* | 0.01* | *5* 0.05* |
| | Others | | | 0.05* | *3* 0.05* | 0.02* | *no MRL* 0.05* | 0.01* | *5* 0.05* |
| iv) STONE FRUIT | | | | | | | | | |
| | Apricots | | | 0.2 | *3* 0.05* | 0.02* | *no MRL* 0.05* | 0.01* | 0.05* |
| | Cherries | | | *no MRL* 0.05* | *3* 0.05* | 0.02* | *no MRL* 0.05* | 0.01* | *no MRL* 0.05* |
| | Peaches (incl nectarines & similar hybrids) | | | 0.2 | *3* 0.05* | 0.02* | *no MRL* 0.05* | 0.01* | 0.05* |
| | Plums | | | *no MRL* 0.05* | *3* 0.05* | 0.02* | *no MRL* 0.05* | 0.01* | 0.05* |
| | Others | | | 0.05* | *3* 0.05* | 0.02* | *no MRL* 0.05* | 0.01* | 0.05* |
| v) BERRIES AND SMALL FRUIT | | | | | | | | | |
| | a) Table & wine grapes | | | | | | | | |
| | Table grapes | | | 0.5 | *3* 0.05* | 0.02* | *no MRL* 0.05* | 0.01* | *no MRL* 0.05* |
| | Wine grapes | | | 0.5 | *3* 0.05* | 0.02* | *no MRL* 0.05* | 0.01* | *no MRL* 0.05* |
| | b) Strawberries (other than wild) | | | 0.05* | *3* 0.05* | *no MRL* 0.02* | *no MRL* 0.05* | 0.01* | *3* 0.05* |

| Group to which food belongs | Groups include the following products | Profenophos | Propargite | Propiconazole (changing 1 July 2001) | Propoxur (changing 1 July 2001) | Propyzamide (changing 1 July 2001) | Quinalphos (changing 1 July 2001) | TEPP | Thiabendazole (changing 1 July 2001) |
|---|---|---|---|---|---|---|---|---|---|
| | c) Cane Fruit (other than wild) | | | | | | | | |
| | Blackberries | | | 0.05* | *3* 0.05* | 0.02* | *no MRL* 0.05* | 0.01* | 0.05* |
| | Dewberries | | | 0.05* | 0.05* | 0.02* | *no MRL* 0.05* | 0.01* | 0.05* |
| | Loganberries | | | 0.05* | 0.05* | 0.02* | *no MRL* 0.05* | 0.01* | 0.05* |
| | Raspberries | | | 0.05* | *3* 0.05* | 0.02* | *no MRL* 0.05* | 0.01* | *no MRL* 0.05* |
| | Others | | | 0.05* | 0.05* | 0.02* | *no MRL* 0.05* | 0.01* | 0.05* |
| | d) Other small fruit & berries (other than wild) | | | | | | | | |
| | Bilberries | | | 0.05* | 0.05* | 0.02* | *no MRL* 0.05* | 0.01* | 0.05* |
| | Cranberries | | | 0.05* | 0.05* | 0.02* | *no MRL* 0.05* | 0.01* | 0.05* |
| | Currants (red, black & white) | | | 0.05* | 0.2 | *no MRL* 0.02* | *no MRL* 0.05* | 0.01* | *no MRL* 0.05* |
| | Gooseberries | | | 0.05* | 0.2 | *no MRL* 0.02* | *no MRL* 0.05* | 0.01* | *no MRL* 0.05* |
| | Others | | | 0.05* | 0.05* | 0.02* | *no MRL* 0.05* | 0.01* | 0.05* |
| | e) Wild berries & wild fruit | | | 0.05* | 0.05* | 0.02* | *no MRL* 0.05* | 0.01* | 0.05* |
| vi) MISCELLANEOUS FRUIT | | | | | | | | | |
| | Avocados | | | 0.05* | 0.05* | 0.02* | *no MRL* 0.05* | 0.01* | 0.05* 15 |
| | Bananas | | | 0.1 | 0.05* | 0.02* | *no MRL* 0.05* | 0.01* | *3* 5 |
| | Dates | | | 0.05* | 0.05* | 0.02* | *no MRL* 0.05* | 0.01* | 0.05* |
| | Figs | | | 0.05* | 0.05* | 0.02* | *no MRL* 0.05* | 0.01* | 0.05* |

***Changes to legislation:** There are outstanding changes not yet made by the legislation.gov.uk editorial team to The Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuffs) (England and Wales) (Amendment) Regulations 2001. Any changes that have already been made by the team appear in the content and are referenced with annotations. (See end of Document for details) View outstanding changes*

| Group to which food belongs | Groups include the following products | Profenophos | Propargite | Propiconazole (changing 1 July 2001) | Propoxur (changing 1 July 2001) | Propyzamide (changing 1 July 2001) | Quinalphos (changing 1 July 2001) | TEPP | Thiabendazole (changing 1 July 2001) |
|---|---|---|---|---|---|---|---|---|---|
| | Kiwi fruit | | | 0.05* | 0.05* | 0.02* | *no MRL* 0.05* | 0.01* | 0.05* |
| | Kumquats | | | 0.05* | 0.05* | 0.02* | *no MRL* 0.05* | 0.01* | 0.05* |
| | Litchis | | | 0.05* | 0.05* | 0.02* | *no MRL* 0.05* | 0.01* | 0.05* |
| | Mangoes | | | 0.05* | 0.05* | 0.02* | *no MRL* 0.05* | 0.01* | 0.05* 5 |
| | Olives (table consumption) | | | 0.05* | *3* 0.05* | 0.02* | *no MRL* 0.05* | 0.01* | 0.05* |
| | Olives (oil extract) | | | 0.05* | *3* 0.05* | 0.02* | *no MRL* 0.05* | 0.01* | 0.05* |
| | **Papaya** | | | *no MRL* 0.05* | *no MRL* 0.05* | *no MRL* 0.02* | *no MRL* 0.05* | | *no MRL* 10 |
| | Passion fruit | | | 0.05* | 0.05* | 0.02* | *no MRL* 0.05* | 0.01* | 0.05* |
| | Pineapples | | | 0.05* | 0.05* | 0.02* | *no MRL* 0.05* | 0.01* | 0.05* |
| | Pomegranates | | | 0.05* | 0.05* | 0.02* | *no MRL* 0.05* | 0.01* | 0.05* |
| | Others | | | 0.05* | 0.05* | 0.02* | *no MRL* 0.05* | 0.01* | 0.05* |
| 2. Vegetables, fresh or uncooked, frozen or dry | | | | | | | | | |
| i) ROOT AND TUBER VEGETABLES | | | | | | | | | |
| | Beetroot | | | 0.05* | *3* 0.05* | 0.02* | *no MRL* 0.05* | 0.01* | *no MRL* 0.05* |
| | Carrots | | | 0.05* | 0.05* | 0.02* | *no MRL* 0.05* | 0.01* | 0.05* |
| | Celeriac | | | 0.05* | *2* 0.05* | 0.02* | *no MRL* 0.05* | 0.01* | 0.05* |
| | Horseradish | | | 0.05* | 0.05* | 0.02* | *no MRL* 0.05* | 0.01* | 0.05* |
| | Jerusalem artichokes | | | 0.05* | 0.05* | 0.02* | *no MRL* 0.05* | 0.01* | 0.05* |

| Group to which food belongs | Groups include the following products | Profenophos | Propargite | Propiconazole (changing 1 July 2001) | Propoxur (changing 1 July 2001) | Propyzamide (changing 1 July 2001) | Quinalphos (changing 1 July 2001) | TEPP | Thiabendazole (changing 1 July 2001) |
|---|---|---|---|---|---|---|---|---|---|
| | Parsnips | | | 0.05* | 0.05* | 0.02* | *no MRL* 0.05* | 0.01* | 0.05* |
| | Parsley root | | | 0.05* | 0.05* | 0.02* | *no MRL* 0.05* | 0.01* | 0.05* |
| | Radishes | | | 0.05* | 0.05* | 0.02* | *no MRL* 0.05* | 0.01* | 0.05* |
| | Salsify | | | 0.05* | 0.05* | 0.02* | *no MRL* 0.05* | 0.01* | 0.05* |
| | Sweet potatoes | | | 0.05* | 0.05* | 0.02* | *no MRL* 0.05* | 0.01* | 0.05* |
| | Swedes | | | 0.05* | 0.05* | 0.02* | *no MRL* 0.05* | 0.01* | 0.05* |
| | Turnips | | | 0.05* | 0.05* | 0.02* | *no MRL* 0.05* | 0.01* | 0.05* |
| | Yams | | | 0.05* | 0.05* | 0.02* | *no MRL* 0.05* | 0.01* | 0.05* |
| | Others | | | 0.05* | 0.05* | 0.02* | *no MRL* 0.05* | 0.01* | 0.05* |
| ii) BULB VEGETABLES | | | | | | | | | |
| | Garlic | | | 0.05* | 0.05* | 0.02* | *no MRL* 0.05* | 0.01* | *no MRL* 0.05* |
| | Onions | | | 0.05* | 0.05* | 0.02* | *no MRL* 0.05* | 0.01* | *no MRL* 0.05* |
| | Shallots | | | 0.05* | 0.05* | 0.02* | *no MRL* 0.05* | 0.01* | *no MRL* 0.05* |
| | Spring onions | | | 0.05* | 0.05* | 0.02* | *no MRL* 0.05* | 0.01* | 0.05* |
| | Others | | | 0.05* | 0.05* | 0.02* | *no MRL* 0.05* | 0.01* | 0.05* |
| iii) FRUITING VEGETABLES | | | | | | | | | |
| | a) Solanaceae | | | | | | | | |
| | Tomatoes | | | 0.05* | *no MRL* 0.05* | 0.02* | *no MRL* 0.05* | 0.01* | *no MRL* 0.05* |
| | Peppers | | | *no MRL* 0.05* | *3* 0.05* | 0.02* | *no MRL* 0.05* | 0.01* | *no MRL* 0.05* |

| Group to which food belongs | Groups include the following products | Profenophos | Propargite | Propiconazole (changing 1 July 2001) | Propoxur (changing 1 July 2001) | Propyzamide (changing 1 July 2001) | Quinalphos (changing 1 July 2001) | TEPP | Thiabendazole (changing 1 July 2001) |
|---|---|---|---|---|---|---|---|---|---|
| | Chilli peppers | | | | | | | | |
| | Aubergines | | | 0.05* | *3* 0.05* | 0.02* | *no MRL* 0.05* | 0.01* | 0.05* |
| | Others | | | 0.05* | *3* 0.05* | 0.02* | *no MRL* 0.05* | 0.01* | 0.05* |
| | b) Cucurbits-edible peel | | | | | | | | |
| | Cucumbers | | | *no MRL* 0.05* | *no MRL* 0.05* | 0.02* | *no MRL* 0.05* | 0.01* | *no MRL* 0.05* |
| | Gherkins | | | *no MRL* 0.05* | *3* 0.05* | 0.02* | *no MRL* 0.05* | 0.01* | 0.05* |
| | Courgettes | | | *no MRL* 0.05* | *no MRL* 0.05* | 0.02* | *no MRL* 0.05* | 0.01* | 0.05* |
| | Others | | | *no MRL* 0.05* | *3* 0.05* | 0.02* | *no MRL* 0.05* | 0.01* | 0.05* |
| | c) Cucurbits-inedible peel | | | | | | | | |
| | Melons | | | *no MRL* 0.05* | *3* 0.05* | 0.02* | *no MRL* 0.05* | 0.01* | *no MRL* 0.05* |
| | Squashes | | | *no MRL* 0.05* | *3* 0.05* | 0.02* | *no MRL* 0.05* | 0.01* | 0.05* |
| | Watermelons | | | *no MRL* 0.05* | *3* 0.05* | 0.02* | *no MRL* 0.05* | 0.01* | *no MRL* 0.05* |
| | Others | | | *no MRL* 0.05* | *3* 0.05* | 0.02* | *no MRL* 0.05* | 0.01* | 0.05* |
| | d) Sweet corn | | | 0.05* | 0.05* | 0.02* | *no MRL* 0.05* | 0.01* | 0.05* |
| iv) BRASSICA VEGETABLES | | | | | | | | | |
| | a) Flowering Brassicas | | | | | | | | |
| | Broccoli | | | 0.05* | *3* 0.5 | 0.02* | *no MRL* 0.05* | 0.01* | *5* |
| | Cauliflower | | | 0.05* | *3* 0.5 | 0.02* | *no MRL* 0.05* | 0.01* | 0.05* |
| | Others | | | 0.05* | *3* 0.5 | 0.02* | *no MRL* 0.05* | 0.01* | 0.05* |

| Group to which food belongs | Groups include the following products | Profenophos | Propargite | Propiconazole (changing 1 July 2001) | Propoxur (changing 1 July 2001) | Propyzamide (changing 1 July 2001) | Quinalphos (changing 1 July 2001) | TEPP | Thiabendazole (changing 1 July 2001) |
|---|---|---|---|---|---|---|---|---|---|
| | b) Head Brassicas | | | | | | | | |
| | Brussels sprouts | | | 0.05* | *3* 0.05* | 0.02* | *no MRL* 0.05* | 0.01* | 0.05* |
| | Head cabbage | | | 0.05* | *3* 0.5 | *no MRL* 0.02* | *no MRL* 0.05* | 0.01* | *no MRL* 0.05* |
| | Others | | | 0.05* | *3* 0.05* | 0.02* | *no MRL* 0.05* | 0.01* | 0.05* |
| | c) Leafy Brassicas | | | | | | | | |
| | Chinese cabbage | | | 0.05* | *3* 0.05* | 0.02* | *no MRL* 0.05* | 0.01* | 0.05* |
| | Kale | | | 0.05* | *3* 0.05* | 0.02* | *no MRL* 0.05* | 0.01* | 0.05* |
| | Others | | | 0.05* | *3* 0.05* | 0.02* | *no MRL* 0.05* | 0.01* | 0.05* |
| | d) Kohlrabi | | | 0.05* | *3* 0.05* | 0.02* | *no MRL* 0.05* | 0.01* | 0.05* |
| v) LEAF VEGETABLES AND FRESH HERBS | | | | | | | | | |
| | a) Lettuce & similar | | | | | | | | |
| | Cress | | | 0.05* | 0.05* | *no MRL* 1 | *no MRL* 0.05* | 0.01* | 0.05* |
| | Lamb's lettuce | | | 0.05* | *3* 0.05* | *no MRL* 1 | *no MRL* 0.05* | 0.01* | 0.05* |
| | Lettuce | | | 0.05* | *3* 0.05* | *no MRL* 1 | *no MRL* 0.05* | 0.01* | *no MRL* 0.05* |
| | Scarole | | | 0.05* | *3* 0.05* | *no MRL* 1 | *no MRL* 0.05* | 0.01* | 0.05* |
| | Others | | | 0.05* | *3* 0.05* | *no MRL* 1 | *no MRL* 0.05* | 0.01* | 0.05* |
| | b) Spinach & similar | | | | | | | | |
| | Spinach | | | 0.05* | *3* 0.05* | 0.02* | *no MRL* 0.05* | 0.01* | 0.05* |
| | Beet leaves (chard) | | | 0.05* | *3* 0.05* | 0.02* | *no MRL* 0.05* | 0.01* | 0.05* |
| | Others | | | 0.05* | *3* 0.05* | 0.02* | *no MRL* 0.05* | 0.01* | 0.05* |
| | c) Watercress | | | 0.05* | 0.05* | 0.02* | *no MRL* 0.05* | 0.01* | 0.05* |

***Changes to legislation:** There are outstanding changes not yet made by the legislation.gov.uk editorial team to The Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuffs) (England and Wales) (Amendment) Regulations 2001. Any changes that have already been made by the team appear in the content and are referenced with annotations. (See end of Document for details) View outstanding changes*

| Group to which food belongs | Groups include the following products | Profenophos | Propargite | Propiconazole (changing 1 July 2001) | Propoxur (changing 1 July 2001) | Propyzamide (changing 1 July 2001) | Quinalphos (changing 1 July 2001) | TEPP | Thiabendazole (changing 1 July 2001) |
|---|---|---|---|---|---|---|---|---|---|
| | d) Witloof | | | 0.05* | 0.05* | 0.02* | *no MRL* 0.05* | 0.01* | 0.05* |
| | e) Herbs | | | | | | | | |
| | Chervil | | | 0.05* | *3* 0.05* | *no MRL* 1 | *no MRL* 0.05* | 0.01* | 0.05* |
| | Chives | | | 0.05* | *3* 0.05* | *no MRL* 1 | *no MRL* 0.05* | 0.01* | 0.05* |
| | Parsley | | | 0.05* | *3* 0.05* | *no MRL* 1 | *no MRL* 0.05* | 0.01* | 0.05* |
| | Celery leaves | | | 0.05* | *3* 0.05* | *no MRL* 1 | *no MRL* 0.05* | 0.01* | 0.05* |
| | Others | | | 0.05* | *3* 0.05* | *no MRL* 1 | *no MRL* 0.05* | 0.01* | 0.05* |
| vii) LEGUME VEGETABLES (fresh) | | | | | | | | | |
| | Beans (with pods) | | | 0.05* | *3* 0.05* | *no MRL* 0.02* | *no MRL* 0.05* | 0.01* | *no MRL* 0.05* |
| | Beans (without pods) | | | 0.05* | 0.05* | *no MRL* 0.02* | *no MRL* 0.05* | 0.01* | *no MRL* 0.05* |
| | Peas (with pods) | | | 0.05* | *3* 0.05* | 0.02* | *no MRL* 0.05* | 0.01* | 0.05* |
| | Peas (without pods) | | | 0.05* | *3* 0.05* | 0.02* | *no MRL* 0.05* | 0.01* | 0.05* |
| | Others | | | 0.05* | 0.05* | 0.02* | *no MRL* 0.05* | 0.01* | 0.05* |
| viii) STEM VEGETABLES | | | | | | | | | |
| | Asparagus | | | 0.05* | 0.05* | 0.02* | *no MRL* 0.05* | 0.01* | *no MRL* 0.05* |
| | Cardoons | | | 0.05* | *3* 0.05* | 0.02* | *no MRL* 0.05* | 0.01* | 0.05* |
| | Celery | | | *no MRL* 0.05* | *3* 0.05* | 0.02* | *no MRL* 0.05* | 0.01* | *no MRL* 0.05* |
| | Fennel | | | 0.05* | *3* 0.05* | 0.02* | *no MRL* 0.05* | 0.01* | 0.05* |
| | Globe artichokes | | | *no MRL* 0.05* | *3* 0.05* | *no MRL* 0.02* | *no MRL* 0.05* | 0.01* | 0.05* |

| Group to which food belongs | Groups include the following products | Profenophos | Propargite | Propiconazole (changing 1 July 2001) | Propoxur (changing 1 July 2001) | Propyzamide (changing 1 July 2001) | Quinalphos (changing 1 July 2001) | TEPP | Thiabendazole (changing 1 July 2001) |
|---|---|---|---|---|---|---|---|---|---|
| | Leeks | | | 0.05* | 1 | 0.02* | *no MRL* 0.05* | 0.01* | *no MRL* 0.05* |
| | Rhubarb | | | 0.05* | 0.05* | 0.02* | *no MRL* 0.05* | 0.01* | 0.05* |
| | Others | | | 0.05* | 0.05* | 0.02* | *no MRL* 0.05* | 0.01* | 0.05* |
| viii) FUNGI | | | | | | | | | |
| | a) Cultivated mushrooms | | | 0.05* | 0.05* | 0.02* | *no MRL* 0.05* | 0.01* | *no MRL* 10 |
| | b) Wild mushrooms | | | 0.05* | 0.05* | 0.02* | *no MRL* 0.05* | 0.01* | 0.05* |
| 3. PULSES | | | | | | | | | |
| | Beans | | | 0.05* | 0.05* | 0.02* | *no MRL* 0.05* | 0.01* | 0.05* |
| | Lentils | | | 0.05* | 0.05* | 0.02* | *no MRL* 0.05* | 0.01* | 0.05* |
| | Peas | | | 0.05* | 0.05* | 0.02* | *no MRL* 0.05* | 0.01* | 0.05* |
| | Others | | | 0.05* | 0.05* | 0.02* | *no MRL* 0.05* | 0.01* | 0.05* |
| 4. OILSEEDS | | | | | | | | | |
| | Linseed | | | *no MRL* 0.05* | 0.05* | 0.05* | *no MRL* 0.05* | 0.01* | 0.05* |
| | Peanuts | | | 0.05* | 0.05* | *no MRL* 0.05* | *no MRL* 0.05* | 0.01* | 0.05* |
| | Poppy seed | | | 0.05* | 0.05* | 0.02* 0.05* | *no MRL* 0.05* | 0.01* | 0.05* |
| | Sesame seed | | | 0.05* | 0.05* | 0.03* 0.05* | *no MRL* 0.05* | 0.01* | 0.05* |
| | Sunflower seed | | | 0.05* | 0.05* | 0.02* 0.05* | *no MRL* 0.05* | 0.01* | 0.05* |
| | Rape seed | | | *no MRL* 0.05* | 0.05* | *no MRL* 0.1 | *no MRL* 0.05* | 0.01* | 0.05* |

| Group to which food belongs | Groups include the following products | Profenophos | Propargite | Propiconazole (changing 2 July 2001) | Propoxur (changing 1 July 2001) | Propyzamide (changing 1 July 2001) | Quinalphos (changing 1 July 2001) | TEPP | Thiabendazole (changing 1 July 2001) |
|---|---|---|---|---|---|---|---|---|---|
| | Soya bean | | | 0.05* | 0.05* | 0.02* 0.05* | *no MRL* 0.05* | 0.01* | 0.05* |
| | Mustard seed | | | 0.05* | 0.05* | 0.02* 0.05* | *no MRL* 0.05* | 0.01* | 0.05* |
| | Cotton seed | | | 0.05* | 0.05* | *no MRL* 0.05* | *no MRL* 0.05* | 0.01* | 0.05* |
| | Others | | | 0.05* | 0.05* | 0.02* 0.05* | *no MRL* 0.05* | 0.01* | 0.05* |
| 5. POTATOES | | | | | | | | | |
| | Early potatoes | | | 0.05* | 0.05* | 0.02* | *no MRL* 0.05* | 0.01* | *no MRL* 0.05* |
| | Ware potatoes | | | 0.05* | 0.05* | 0.02* | *no MRL* 0.05* | 0.01* | *5* 15 |
| 6. TEA | (dried leaves and stalks, fermented or otherwise, Camellia sinensis) | 0.1* | 5 | 0.1* | 0.1* | 0.05* | *2* 0.1* | 0.02* | 0.1* |
| 7. HOPS (dried) | including hop pellets & unconcentrated powder | | | 0.1* | 0.1* | *no MRL* 0.05* | *no MRL* 0.1* | 0.02* | 0.1* |

| Group to which food belongs | Groups include the following products | Triazophos (changing 1 July 2001) | Triforine (changing 1 July 2001) | 2,4,5-T | Vinclozolin |
|---|---|---|---|---|---|
| 1. Fruit, fresh, dried or uncooked, preserved by freezing not containing added sugar: nuts | | | | | |
| i) CITRUS FRUIT | | | | | |
| | Grapefruit | *no MRL* 0.02* | 0.05* | 0.05* | 0.05* |
| | Lemons | *no MRL* 0.02* | 0.05* | 0.05* | 0.05* |
| | Limes | *no MRL* 0.02* | 0.05* | 0.05* | 0.05* |
| | Mandarins (inc clementines & similar hybrids) | *no MRL* 0.02* | 0.05* | 0.05* | 0.05* |
| | Oranges | *no MRL* 0.02* | 0.05* | 0.05* | 0.05* |
| | Pomelos | *no MRL* 0.02* | 0.05* | 0.05* | 0.05* |
| | Others | *no MRL* 0.02* | 0.05* | 0.05* | 0.05* |
| ii) TREE NUTS (shelled or unshelled) | | | | | |
| | Almonds | *no MRL* 0.02* | *no MRL* 0.05* | 0.05* | 0.05* |
| | Brazil nuts | 0.02* | 0.05* | 0.05* | 0.05* |
| | Cashew nuts | 0.02* | 0.05* | 0.05* | 0.05* |
| | Chestnuts | 0.02* | 0.05* | 0.05* | 0.05* |
| | Coconuts | 0.02* | 0.05* | 0.05* | 0.05* |
| | Hazelnuts | *no MRL* 0.05* | 0.05* | 0.05* | 0.05* |
| | Macadamia nuts | 0.02* | 0.05* | 0.05* | 0.05* |
| | Pecans | 0.02* | 0.05* | 0.05* | 0.05* |
| | Pine nuts | 0.02* | 0.05* | 0.05* | 0.05* |
| | Pistachios | *no MRL* 0.05* | 0.05* | 0.05* | 0.05* |
| | Walnuts | 0.02* | 0.05* | 0.05* | 0.05* |
| | Others | 0.02* | 0.05* | 0.05* | 0.05* |

| Group to which food belongs | Groups include the following products | Triazophos (changing 1 July 2001) | Triforine (changing 1 July 2001) | 2,4,5-T | Vinclozolin |
|---|---|---|---|---|---|
| iii) POME FRUIT | | | | | |
| | Apples | *no MRL* 0.02* | 2 | 0.05* | 1 |
| | Pears | *no MRL* 0.02* | 2 | 0.05* | 1 |
| | Quinces | *no MRL* 0.02* | 2 | 0.05* | 1 |
| | Others | *no MRL* 0.02* | 2 | 0.05* | 1 |
| iv) STONE FRUIT | | | | | |
| | Apricots | *no MRL* 0.02* | *no MRL* 2 | 0.05* | 2 |
| | Cherries | 0.02* | 2 | 0.05* | 0.5 |
| | Peaches (incl nectarines & similar hybrids) | *no MRL* 0.02* | *no MRL* 2 | 0.05* | 0.05* |
| | Plums | 0.02* | 1 | 0.05* | 2 |
| | Others | 0.02* | 0.05* | 0.05* | 0.05* |
| v) BERRIES AND SMALL FRUIT | | | | | |
| | a) Table & wine grapes | | | | |
| | Table grapes | 0.02* | *no MRL* 0.05* | 0.05* | 5 |
| | Wine grapes | 0.02* | *no MRL* 0.05* | 0.05* | 5 |
| | b) Strawberries (other than wild) | *no MRL* 0.02* | *no MRL* 0.05* | 0.05* | 5 |
| | c) Cane Fruit (other than wild) | | | | |
| | Blackberries | 0.02* | 0.05* | 0.05* | 5 |
| | Dewberries | 0.02* | 0.05* | 0.05* | 5 |
| | Loganberries | 0.02* | 0.05* | 0.05* | 5 |
| | Raspberries | 0.02* | 0.05* | 0.05* | 5 |
| | Others | 0.02* | 0.05* | 0.05* | 5 |
| | d) Other small fruit & berries (other than wild) | | | | |
| | Bilberries | 0.02* | 0.05* | 0.05* | 0.05* |

| Group to which food belongs | Groups include the following products | Triazophos (changing 1 July 2001) | Trifluralin (changing 1 July 2001) | 2,4,5-T | Vinclozolin |
|---|---|---|---|---|---|
| | Cranberries | 0.02* | 0.05* | 0.05* | 0.05* |
| | Currants (red, black & white) | 0.02* | 2 | 0.05* | 10 |
| | Gooseberries | 0.02* | 2 | 0.05* | 0.05* |
| | Others | 0.02* | 0.05* | 0.05* | 0.05* |
| c) | Wild berries & wild fruit | 0.02* | 0.05* | 0.05* | 0.05* |
| vi) MISCELLANEOUS FRUIT | | | | | |
| | Avocados | 0.02* | 0.05* | 0.05* | 0.05* |
| | Bananas | 0.02* | 0.05* | 0.05 | 0.05* |
| | Dates | 0.02* | 0.05* | 0.05* | 0.05* |
| | Figs | 0.02* | 0.05* | 0.05* | 0.05* |
| | Kiwi fruit | 0.02* | 0.05* | 0.05* | 10 |
| | Kumquats | 0.02* | 0.05* | 0.05* | 0.05* |
| | Litchis | 0.02* | 0.05* | 0.05* | 0.05* |
| | Mangoes | 0.02* | 0.05* | 0.05* | 0.05* |
| | Olives (table consumption) | *no MRL* 0.02* | 0.05* | 0.05* | 0.05* |
| | Olives (oil extract) | *no MRL* 0.02* | 0.05* | 0.05* | 0.05* |
| | Papaya | *no MRL* 0.02* | *no MRL* 0.05* | | |
| | Passion fruit | 0.02* | 0.05* | 0.05* | 0.05* |
| | Pineapples | 0.02* | 0.05* | 0.05* | 0.05* |
| | Pomegranates | 0.02* | 0.05* | 0.05* | 0.05* |
| | Others | 0.02* | 0.05* | 0.05* | 0.05* |
| 2. Vegetables, fresh or uncooked, frozen or dry | | | | | |
| i) ROOT AND TUBER VEGETABLES | | | | | |
| | Beetroot | *no MRL* 0.02* | 0.05* | 0.05* | 0.05* |
| | Carrots | *1* 0.02* | 0.05* | 0.05* | 0.5 |
| | Celeriac | *no MRL* 0.02* | 0.05* | 0.05* | 0.05* |

| Group to which food belongs | Groups include the following products | Triazophos (changing 1 July 2001) | Trifluralin (changing 1 July 2001) | 2,4,5-T | Vinclozolin |
|---|---|---|---|---|---|
| | Horseradish | 0.02* | 0.05* | 0.05* | 0.05* |
| | Jerusalem artichokes | 0.02* | 0.05* | 0.05* | 0.05* |
| | Parsnips | *1* 0.02* | 0.05* | 0.05* | 0.05* |
| | Parsley root | 0.02* | 0.05* | 0.05* | 0.05* |
| | Radishes | 0.02* | 0.05* | 0.05* | 0.05* |
| | Salsify | 0.02* | 0.05* | 0.05* | 0.05* |
| | Sweet potatoes | 0.02* | 0.05* | 0.05* | 0.05* |
| | Swedes | 0.02* | *no MRL* 0.05* | 0.05* | 0.05* |
| | Turnips | 0.02* | 0.05* | 0.05* | 0.05* |
| | Yams | 0.02* | 0.05* | 0.05* | 0.05* |
| | Others | 0.02* | 0.05* | 0.05* | 0.05* |
| ii) BULB VEGETABLES | | | | | |
| | Garlic | *no MRL* 0.02* | *no MRL* 0.05* | 0.05* | 1 |
| | Onions | *no MRL* 0.02* | *no MRL* 0.05* | 0.05* | 1 |
| | Shallots | *no MRL* 0.02* | *no MRL* 0.05* | 0.05* | 1 |
| | Spring onions | 0.02* | *no MRL* 0.05* | 0.05* | 1 |
| | Others | 0.02* | *no MRL* 0.05* | 0.05* | 1 |
| iii) FRUITING VEGETABLES | | | | | |
| a) | Solanaceae | | | | |
| | Tomatoes | 0.02* | *no MRL* 0.05* | 0.05* | 0.05* |
| | Peppers | 0.02* | *no MRL* 0.05* | 0.05* | 3 |
| | Chilli peppers | | | | |
| | Aubergines | 0.02* | *no MRL* 0.05* | 0.05* | 3 |

| Group to which food belongs | Groups include the following products | Triazophos (changing 1 July 2001) | Trifluralin (changing 1 July 2001) | 2,4,5-T | Vinclozolin |
|---|---|---|---|---|---|
| | Others | 0.02* | *no MRL* 0.05* | 0.05* | 3 |
| b) | Cucurbits-edible peel | | | | |
| | Cucumbers | *no MRL* 0.02* | 0.5 | 0.05* | 1 |
| | Gherkins | *no MRL* 0.02* | 0.5 | 0.05* | 1 |
| | Courgettes | *no MRL* 0.02* | 0.5 | 0.05* | 1 |
| | Others | *no MRL* 0.02* | 0.5 | 0.05* | 1 |
| c) | Cucurbits-inedible peel | | | | |
| | Melons | *no MRL* 0.02* | *no MRL* 0.05* | 0.05* | 1 |
| | Squashes | *no MRL* 0.02* | *no MRL* 0.05* | 0.05* | 1 |
| | Watermelons | *no MRL* 0.02* | *no MRL* 0.05* | 0.05* | 1 |
| | Others | *no MRL* 0.02* | *no MRL* 0.05* | 0.05* | 1 |
| d) | Sweet corn | 0.02* | 0.05* | 0.05* | 0.05* |
| iv) BRASSICA VEGETABLES | | | | | |
| a) | Flowering Brassicas | | | | |
| | Broccoli | *no MRL* 0.02* | *no MRL* 0.05* | 0.05* | 0.05* |
| | Cauliflower | *no MRL* 0.02* | *no MRL* 0.05* | 0.05* | 0.05* |
| | Others | *no MRL* 0.02* | *no MRL* 0.05* | 0.05* | 0.05* |
| b) | Head Brassicas | | | | |
| | Brussels sprouts | *no MRL* 0.02* | *no MRL* 0.05* | 0.05* | 0.05* |
| | Head cabbage | *no MRL* 0.02* | *no MRL* 0.05* | 0.05* | 0.05* |

| Group to which food belongs | Groups include the following products | Triazophos (changing 1 July 2001) | Trifluralin (changing 1 July 2001) | 2,4,5-T | Vinclozolin |
|---|---|---|---|---|---|
| | Others | *no MRL* 0.02* | *no MRL* 0.05* | 0.05* | 0.05* |
| c) | Leafy Brassicas | | | | |
| | Chinese cabbage | *no MRL* 0.02* | *no MRL* 0.05* | 0.05* | 2 |
| | Kale | *no MRL* 0.02* | *no MRL* 0.05* | 0.05* | 0.05* |
| | Others | *no MRL* 0.02* | *no MRL* 0.05* | 0.05* | 0.05* |
| d) | Kohlrabi | 0.02* | *no MRL* 0.05* | 0.05* | 0.05* |
| v) LEAF VEGETABLES AND FRESH HERBS | | | | | |
| a) | Lettuce & similar | | | | |
| | Cress | 0.02* | *no MRL* 0.05* | 0.05* | 5 |
| | Lamb's lettuce | 0.02* | 0.05* | 0.05* | 5 |
| | Lettuce | 0.02* | 0.05* | 0.05* | 5 |
| | Scarole | 0.02* | 0.05* | 0.05* | 5 |
| | Others | 0.02* | 0.05* | 0.05* | 5 |
| b) | Spinach & similar | | | | |
| | Spinach | 0.02* | 0.05* | 0.05* | 0.05* |
| | Beet leaves (chard) | 0.02* | 0.05* | 0.05* | 0.05* |
| | Others | 0.02* | 0.05* | 0.05* | 0.05* |
| c) | Watercress | 0.02* | 0.05* | 0.05* | 0.05* |
| d) | Witloof | 0.02* | 0.05* | 0.05* | 2 |
| e) | Herbs | | | | |
| | Chervil | 0.02* | 0.05* | 0.05* | 0.05* |
| | Chives | 0.02* | 0.05* | 0.05* | 0.05* |
| | Parsley | 0.02* | *no MRL* 0.05* | 0.05* | 0.05* |
| | Celery leaves | 0.02* | 0.05* | 0.05* | 0.05* |
| | Others | 0.02* | 0.05* | 0.05* | 0.05* |

***Changes to legislation:*** *There are outstanding changes not yet made by the legislation.gov.uk editorial team to The Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuffs) (England and Wales) (Amendment) Regulations 2001. Any changes that have already been made by the team appear in the content and are referenced with annotations. (See end of Document for details) View outstanding changes*

| Group to which food belongs | Groups include the following products | Triamphos (changing 1 July 2001) | Tolfenius (changing 1 July 2001) | 2,4,5-T | Vinclozolin |
|---|---|---|---|---|---|
| vi) LEGUME VEGETABLES (fresh) | | | | | |
| | Beans (with pods) | *no MRL* 0.02* | *no MRL* 0.05* | 0.05* | 2 |
| | Beans (without pods) | *no MRL* 0.02* | *no MRL* 0.05* | 0.05* | 0.5 |
| | Peas (with pods) | *no MRL* 0.02* | *no MRL* 0.05* | 0.05* | 2 |
| | Peas (without pods) | *no MRL* 0.02* | *no MRL* 0.05* | 0.05* | 0.3 |
| | Others | 0.02* | *no MRL* 0.05* | 0.05* | 0.05* |
| vii) STEM VEGETABLES | | | | | |
| | Asparagus | *no MRL* 0.01* | *no MRL* 0.05* | 0.05* | 0.05* |
| | Cardoons | 0.02* | 0.05* | 0.05* | 0.05* |
| | Celery | *no MRL* 0.02* | *no MRL* 0.05* | 0.05* | 0.05* |
| | Fennel | *no MRL* 0.02* | 0.05* | 0.05* | 0.05* |
| | Globe artichokes | *no MRL* 0.02* | *no MRL* 0.05* | 0.05* | 0.05* |
| | Leeks | *no MRL* 0.02* | *no MRL* 0.05* | 0.05* | 0.05* |
| | Rhubarb | *no MRL* 0.02* | 0.05* | 0.05* | 0.05* |
| | Others | 0.02* | 0.05* | 0.05* | 0.05* |
| viii) FUNGI | | | | | |
| a) | Cultivated mushrooms | 0.02* | 0.05* | 0.05* | 0.05* |
| b) | Wild mushrooms | 0.02* | 0.05* | 0.05* | 0.05* |
| 3. PULSES | | | | | |
| | Beans | 0.02* | 0.05* | 0.05* | 0.5 |
| | Lentils | 0.02* | 0.05* | 0.05* | 0.05* |
| | Peas | 0.02* | 0.05* | 0.05* | 0.5 |
| | Others | 0.02* | 0.05* | 0.05* | 0.05* |

| Group to which food belongs | Groups include the following products | Triamphos (changing 1 July 2001) | Tolfenius (changing 1 July 2001) | 2,4,5-T | Vinclozolin |
|---|---|---|---|---|---|
| 4. OILSEEDS | | | | | |
| | Linseed | *no MRL* 0.02* | 0.05* | 0.05* | 0.05* |
| | Peanuts | 0.02* | 0.05* | 0.05* | 0.05* |
| | Poppy seed | 0.02* | 0.05* | 0.05* | 0.05* |
| | Sesame seed | 0.02* | 0.05* | 0.05* | 0.05* |
| | Sunflower seed | 0.02* | 0.05* | 0.05* | 0.05* |
| | Rape seed | *no MRL* 0.02* | 0.05* | 0.05* | 1 |
| | Soya bean | 0.02* | 0.05* | 0.05* | 0.05* |
| | Mustard seed | *no MRL* 0.02* | 0.05* | 0.05* | 0.05* |
| | Cotton seed | 0.1 | 0.05* | 0.05* | 0.05* |
| | Others | 0.02* | 0.05* | 0.05* | 0.05* |
| 5. POTATOES | | | | | |
| | Early potatoes | *no MRL* 0.02* | 0.05* | 0.05* | 0.05* |
| | Ware potatoes | *no MRL* 0.02* | 0.05* | 0.05* | 0.05* |
| 6. TEA | (dried leaves and stalks, fermented or otherwise, Camellia sinensis) | 0.05* | 0.1* | 0.05* | 0.1* |
| 7. HOPS (dried) | including hop pellets & unconcentrated powder | 0.05* | 30 | 0.05* | 40 |

| Group to which food belongs | Groups include the following products | Acephate | Aldicarb | Aldrin & Dieldrin | Amitraz | Aramite | Azoxystrobin | Barban |
|---|---|---|---|---|---|---|---|---|
| 8. CEREALS | | | | | | | | |
| | Wheat | 0.02* | 0.05* | 0.01 | 0.02* | 0.01* | 0.3 | 0.05* |
| | Rye | 0.02* | 0.05* | 0.01 | 0.02* | 0.01* | 0.3 | 0.05* |
| | Barley | 0.02* | 0.05* | 0.01 | 0.02* | 0.01* | 0.3 | 0.05* |
| | Sorghum | 0.02* | 0.05* | 0.01 | 0.02* | 0.01* | 0.05* | 0.05* |
| | Oats | 0.02* | 0.05* | 0.01 | 0.02* | 0.01* | 0.05* | 0.05* |
| | Triticale | 0.02* | 0.05* | 0.01 | 0.02* | 0.01* | 0.3 | 0.05* |
| | Maize | 0.02* | 0.05* | 0.01 | 0.02* | 0.01* | 0.05* | 0.05* |
| | Buckwheat | 0.02* | 0.05* | 0.01 | 0.02* | 0.01* | 0.05* | 0.05* |
| | Millet | 0.02* | 0.05* | 0.01 | 0.02* | 0.01* | 0.05* | 0.05* |
| | Rice[a] | 0.02* | 0.05* | 0.01 | 0.02* | 0.01* | 5 | 0.05* |
| | Other cereals[b] | 0.02* | 0.05* | 0.01 | 0.02* | 0.01* | 0.05* | 0.05* |
| 9. PRODUCTS OF ANIMAL ORIGIN | | | | | | | | |
| | Meat, fat & preparations of meat[c] | 0.02* | 0.01* | 0.2 | 0.02*[c] | 0.01* | 0.05* | 0.05* |
| | Milk[d] & Dairy produce[e] | 0.02* | 0.01* | 0.006 | | 0.01* | 0.01* | 0.05* |
| | Eggs[f] | 0.02* | 0.01* | 0.02 | 0.02* | 0.01*[f] | 0.05* | 0.05*[f] |

| Group to which food belongs | Groups include the following products | Benalaxyl | Benfuracarb (changing 1 July 2001) | Capnidol | Carbaryl | Carbendazim | Carbofuran (changing 1 July 2001) | Carbon disulphide | Carbon tetrachloride |
|---|---|---|---|---|---|---|---|---|---|
| 8. CEREALS | | | | | | | | | |
| | Wheat | 0.05* | 0.05* | 0.05* | 0.5 | 0.1* | 0.1* | 0.1 | 0.1 |
| | Rye | 0.05* | 0.05* | 0.05* | 0.5 | 0.1* | 0.1* | 0.1 | 0.1 |
| | Barley | 0.05* | 0.05* | 0.05* | 0.5 | 0.1* | 0.1* | 0.1 | 0.1 |
| | Sorghum | 0.05* | 0.05* | 0.05* | 0.5 | 0.1* | 0.1* | 0.1 | 0.1 |
| | Oats | 0.05* | 0.05* | 0.05* | 0.5 | 0.1* | *no MRL* 0.1* | 0.1 | 0.1 |
| | Triticale | 0.05* | 0.05* | 0.05* | 0.5 | 0.1* | 0.1* | 0.1 | 0.1 |
| | Maize | 0.05* | *no MRL* 0.05* | 0.05* | 0.5 | 0.1* | 0.1* | 0.1 | 0.1 |
| | Buckwheat | 0.05* | 0.05* | 0.05* | 0.5 | 0.1* | 0.1* | 0.1 | 0.1 |
| | Millet | 0.05* | 0.05* | 0.05* | 0.5 | 0.1* | 0.1* | 0.1 | 0.1 |
| | Rice[a] | 0.05* | 0.05* | 0.05* | 1 | 0.1* | *no MRL* 0.1* | 0.1 | 0.1 |
| | Other cereals[b] | 0.05* | 0.05* | 0.05* | 0.5 | 0.1* | 0.1* | 0.1 | 0.1 |
| 9. PRODUCTS OF ANIMAL ORIGIN | | | | | | | | | |
| | Meat, fat & preparations of meat[c] | 0.05* | 0.05* | | | 0.1* | 0.1* | | |
| | Milk[d] & Dairy produce[e] | 0.05* | 0.05* | | | 0.1* | 0.1* | | |
| | Eggs[f] | 0.05* | 0.05* | | | 0.1* | 0.1* | | |

| Group to which food belongs | Groups include the following products | Carbosulfan | Chlorbufam | Chlordane | Chlorfenson | Chlorobenzilate | Chloroxuron | Chlorbenside |
|---|---|---|---|---|---|---|---|---|
| 8. CEREALS | | | | | | | | |
| | Wheat | 0.05* | 0.05* | 0.02 | 0.01* | 0.02* | 0.05* | 0.01* |
| | Rye | 0.05* | 0.05* | 0.02 | 0.01* | 0.02* | 0.05* | 0.01* |
| | Barley | 0.05* | 0.05* | 0.02 | 0.01* | 0.02* | 0.05* | 0.01* |
| | Sorghum | 0.05* | 0.05* | 0.02 | 0.01* | 0.02* | 0.05* | 0.01* |
| | Oats | 0.05* | 0.05* | 0.02 | 0.01* | 0.02* | 0.05* | 0.01* |
| | Triticale | 0.05* | 0.05* | 0.02 | 0.01* | 0.02* | 0.05* | 0.01* |
| | Maize | 0.05* | 0.05* | 0.02 | 0.01* | 0.02* | 0.05* | 0.01* |
| | Buckwheat | 0.05* | 0.05* | 0.02 | 0.01* | 0.02* | 0.05* | 0.01* |
| | Millet | 0.05* | 0.05* | 0.02 | 0.01* | 0.02* | 0.05* | 0.01* |
| | Rice[a] | 0.05* | 0.05* | 0.02 | 0.01* | 0.02* | 0.05* | 0.01* |
| | Other cereals[b] | 0.05* | 0.05* | 0.02 | 0.01* | 0.02* | 0.05* | 0.01* |
| 9. PRODUCTS OF ANIMAL ORIGIN | | | | | | | | |
| | Meat, fat & preparations of meat[c] | 0.05* | 0.05* | 0.05 | 0.05* | 0.1* | 0.05* | 0.05* |
| | Milk[d] & Dairy produce[e] | 0.05* | 0.05* | 0.002 | 0.05* | 0.1* | 0.05* | 0.05* |
| | Eggs[f] | 0.05* | 0.05*[f] | 0.005 | 0.05*[f] | 0.1*[f] | 0.05*[f] | 0.05*[f] |

| Group to which food belongs | Groups include the following products | Chlormequat (changing 1 July 2001) | Chlorothalonil | Chlorpyrifos | Chlorpyrifos-methyl | Cyfluthrin | Cypermethrin | Diaminozide | DDT |
|---|---|---|---|---|---|---|---|---|---|
| 8. CEREALS | | | | | | | | | |
| | Wheat | 2 | 0.1 | 0.05* | 3 | 0.02* | 0.05* | 0.02* | 0.05 |
| | Rye | 2 | 0.1 | 0.05* | 3 | 0.02* | 0.05* | 0.02* | 0.05 |
| | Barley | 2 | 0.1 | 0.2 | 3 | 0.02* | 0.2 | 0.02* | 0.05 |
| | Sorghum | 0.05* | 0.01* | 0.05* | 3 | 0.02* | 0.05* | 0.02* | 0.05 |
| | Oats | 5 | 0.1 | 0.05* | 3 | 0.02* | 0.2 | 0.02* | 0.05 |
| | Triticale | 2 | 0.1 | 0.05* | 3 | 0.02* | 0.05* | 0.02* | 0.05 |
| | Maize | *no MRL* 0.05* | 0.01* | 0.05* | 3 | 0.02* | 0.05* | 0.02* | 0.05 |
| | Buckwheat | 0.05* | 0.01* | 0.05* | 3 | 0.02* | 0.05* | 0.02* | 0.05 |
| | Millet | 0.05* | 0.01* | 0.05* | 3 | 0.02* | 0.05* | 0.02* | 0.05 |
| | Rice[a] | 0.05* | 0.01* | 0.05* | 3 | 0.02* | 0.05* | 0.02* | 0.05 |
| | Other cereals[b] | 0.05* | 0.01* | 0.05* | 3 | 0.02* | 0.05* | 0.02* | 0.05 |
| 9. PRODUCTS OF ANIMAL ORIGIN | | | | | | | | | |
| | Meat, fat & preparations of meat[c] | *no MRL* 0.05[c] 0.2[c] 0.1[c] 0.05[c] | 0.01* | 0.05*[c] | 0.05* | 0.05 | 0.05*[c] 0.2[c] | 0.05* | 1 |
| | Milk[d] & Dairy produce[e] | *no MRL* 0.05 | 0.01* | 0.01* | 0.01* | 0.02* | 0.02 | 0.05* | 0.04 |
| | Eggs[f] | *no MRL* 0.05* | 0.01* | 0.01* | 0.01* | 0.02* | 0.05* | 0.05* | 0.05 |



| Group to which food belongs | Groups include the following products | Deltamethrin | 1,1-dichloro-2,2-bis (4-ethyl-phenyl)-ethane | Diallate | Diazinon (changing 1 July 2001) | 1,2-Dibromoethane | Dichlorvos | Dicofol | Disulfoton |
|---|---|---|---|---|---|---|---|---|---|
| 8. CEREALS | | | | | | | | | |
| | Wheat | 1 | 0.01* | 0.05* | 0.05<br>0.02* | 0.01* | 2 | 0.02* | 0.1 |
| | Rye | 1 | 0.01* | 0.05* | 0.05<br>0.02* | 0.01* | 2 | 0.02* | 0.02* |
| | Barley | 1 | 0.01* | 0.05* | 0.05<br>0.02* | 0.01* | 2 | 0.02* | 0.2 |
| | Sorghum | 1 | 0.01* | 0.05* | 0.05<br>0.02* | 0.01* | 2 | 0.02* | 0.2 |
| | Oats | 1 | 0.01* | 0.05* | 0.05<br>0.02* | 0.01* | 2 | 0.02* | 0.02* |
| | Triticale | 1 | 0.01* | 0.05* | 0.05<br>0.02* | 0.01* | 2 | 0.02* | 0.02* |
| | Maize | 1 | 0.01* | 0.05* | 0.05<br>0.02* | 0.01* | 2 | 0.02* | 0.02* |
| | Buckwheat | 1 | 0.01* | 0.05* | 0.02* | 0.01* | 2 | 0.02* | 0.02* |
| | Millet | 1 | 0.01* | 0.05* | 0.02* | 0.01* | 2 | 0.02* | 0.02* |
| | Rice[1] | 1 | 0.01* | 0.05* | 0.02* | 0.01* | 2 | 0.02* | 0.02* |
| | Other cereals[2] | 1 | 0.01* | 0.05* | 0.02*<br>0.05<br>0.02* | 0.01* | 2 | 0.02* | 0.02* |
| 9. PRODUCTS OF ANIMAL ORIGIN | | | | | | | | | |
| | Meat, fat & preparations of meat[3] | 0.05*[4] | 0.01* | 0.2* | | | | 0.5[11]<br>0.1[12]<br>0.05*[4,12]<br>[13] | 0.02* |
| | Milk[14] & Dairy produce[5] | | 0.01* | 0.2* | no MRL<br>0.01* | | | 0.02 | 0.02 |
| | Eggs[15] | 0.05* | 0.01*[4,5] | 0.2*[5] | | | | 0.05* | 0.02* |

| Group to which food belongs | Groups include the following products | Endosulfan (changing 1 July 2001) | Endrin | Ethephon (changing 1 July 2001) | Fenarimol (changing 1 July 2001) | Fenbutatin oxide | Fenitrothion | Fenvalerate and Esfenvalerate: Sum of RR and SS isomers | Fenvalerate and Esfenvalerate: Sum of RS and SR isomers (changing 1 July 2001) |
|---|---|---|---|---|---|---|---|---|---|
| 8. CEREALS | | | | | | | | | |
| | Wheat | 0.1<br>0.05* | 0.01 | 0.2 | no MRL<br>0.02* | 0.05* | 0.05* | 0.05<br>0.05*[16] | 0.02* |
| | Rye | 0.1<br>0.05* | 0.01 | 0.5 | 0.02* | 0.05* | 0.05* | 0.05<br>0.05* | 0.02* |
| | Barley | 0.1<br>0.05* | 0.01 | 0.5 | no MRL<br>0.02* | 0.05* | 0.05* | 0.2<br>0.2 | 0.05<br>0.05 |
| | Sorghum | 0.05* | 0.01 | 0.05* | 0.02* | 0.05* | 0.05* | 0.02*<br>0.2 | 0.02*<br>0.05 |
| | Oats | 0.1<br>0.05* | 0.01 | 0.05* | 0.02* | 0.05* | 0.05* | 0.2<br>0.05 | 0.05<br>0.02* |
| | Triticale | 0.1<br>0.05* | 0.01 | 0.2 | 0.02* | 0.05* | 0.05* | 0.05<br>0.02* | 0.05*<br>0.02* |
| | Maize | 0.2<br>0.05* | 0.01 | no MRL<br>0.05* | 0.02* | 0.05* | 0.05* | 0.02*<br>0.02* | 0.05*<br>0.02* |
| | Buckwheat | 0.05* | 0.01 | 0.05* | 0.02* | 0.05* | 0.05* | 0.02*<br>0.02* | 0.05*<br>0.02* |
| | Millet | 0.05* | 0.01 | 0.05* | 0.02* | 0.05* | 0.05* | 0.02*<br>0.02* | 0.05*<br>0.02* |
| | Rice[1] | 0.05* | 0.01 | 0.05* | 0.02* | 0.05* | 0.05* | 0.02*<br>0.02* | 0.05*<br>0.02* |
| | Other cereals[2] | 0.05* | 0.01 | 0.05* | 0.02* | 0.05* | 0.05* | 0.02*<br>0.02* | 0.05*<br>0.02* |
| 9. PRODUCTS OF ANIMAL ORIGIN | | | | | | | | | |
| | Meat, fat & preparations of meat[3] | 0.1[4] | 0.05 | 0.05* | 0.02*[4,11] | 0.05* | 0.05* | 0.2*<br>0.02*[4,5] | 0.5[11]<br>0.05*[4]<br>0.02*[4,5] |

| Group to which food belongs | Groups include the following products | Endosulfan (changing 1 July 2001) | Endrin | Ethephon (changing 1 July 2001) | Fenarimol (changing 1 July 2001) | Fenbutatin oxide | Fenitrothion | Fenvalerate and Esfenvalerate: Sum of RR and SS isomers | Fenvalerate and Esfenvalerate: Sum of RS and SR isomers (changing 1 July 2001) |
|---|---|---|---|---|---|---|---|---|---|
| | Milk[14] & Dairy produce[5] | 0.004 | 0.0008 | 0.05* | 0.02* | 0.05* | 0.05* | 0.02* | 0.05*<br>0.02* |
| | Eggs[15] | no MRL<br>0.1[4,5] | 0.005 | 0.05* | 0.02* | 0.05* | 0.05* | 0.02*[4,5] | 0.05*<br>0.02*[4,5] |

| Group to which food belongs | Groups include the following products | Furathiocarb | Glyphosate | Heptachlor | Hexachlorobenzene (HCB) | Hexachlorocyclohexane (HCH) | Hexachlorocyclohexane (HCH) β |
|---|---|---|---|---|---|---|---|
| 8. CEREALS | | | | | | | |
| | Wheat | 0.05* | 5 | 0.01 | 0.01 | 0.02] | sum of alpha & beta |
| | Rye | 0.05* | 5 | 0.01 | 0.01 | 0.02] | |
| | Barley | 0.05* | 20 | 0.01 | 0.01 | 0.02] | |
| | Sorghum | 0.05* | 20 | 0.01 | 0.01 | 0.02] | |
| | Oats | 0.05* | 20 | 0.01 | 0.01 | 0.02] | |
| | Triticale | 0.05* | 5 | 0.01 | 0.01 | 0.02] | |
| | Maize | 0.05* | 0.1* | 0.01 | 0.01 | 0.02] | |
| | Buckwheat | 0.05* | 0.1* | 0.01 | 0.01 | 0.02] | |
| | Millet | 0.05* | 0.1* | 0.01 | 0.01 | 0.02] | |
| | Rice[1] | 0.05* | 0.1* | 0.01 | 0.01 | 0.02] | |
| | Other cereals[2] | 0.05* | 0.1* | 0.01 | 0.01 | 0.02] | |
| 9. PRODUCTS OF ANIMAL ORIGIN | | | | | | | |
| | Meat, fat & preparations of meat[3] | 0.05* | 0.5[11]<br>2[12]<br>0.1*[13] | 0.2 | 0.2 | 0.2 | 0.1 |
| | Milk[14] & Dairy produce[5] | 0.05* | 0.1* | 0.004 | 0.01 | 0.004 | 0.003 |
| | Eggs[15] | 0.05* | 0.1* | 0.02 | 0.02 | 0.02 | 0.01 |

## EXPLANATORY NOTE

*(This note is not part of the Regulations)*

These Regulations, which extend to England and Wales only, are made under section 2(2) of the European Communities Act 1972 and amend the provisions of the Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuffs) (England and Wales) Regulations 1999 S.I. 1999/3483.

The Regulations specify maximum levels of pesticide residues which crops, food and feeding stuffs may contain in implementation of Commission Directives 2000/24/EC (OJ No. L107, 4.5.00), 2000/42/EC (OJ No. L158, 30.6.00), 2000/48/EC (OJ No. L197, 3.8.00), 2000/57/EC (OJ No. L244, 29.9.00) and 2000/58/EC (OJ No. L244, 29.9.00) and amend Community maximum residue levels which have been set previously (regulations 2(1), 2(2) and 5).

Further residue definitions are also introduced (regulation 2(3)).

Additionally, the Regulations remove certain maximum levels which were included in Part 1 of Schedule 2 to the Consolidated Regulations 1999 (S.I. 1999/3483) by virtue of powers contained in the Food and Environment Protection Act 1985 and which have been replaced by the Community maximum residue levels now included in Part 2 of that Schedule (regulation 2(4)).

The Regulations also amend Schedule 3 to the Consolidated Regulations 1999 by introducing the new products 'papaya' and 'chilli peppers' to reflect the categories specified in Directives 2000/42/EC and 2000/24/EC respectively (regulation 2(6)).

A regulatory impact assessment has been prepared in respect of these Regulations. Copies of this assessment can be obtained from the Pesticides Safety Directorate of the Ministry of Agriculture, Fisheries and Food, Room 313, Mallard House, Kings Pool, 3 Peasholme Green, York YO1 7PX.

**Changes to legislation:**
There are outstanding changes not yet made by the legislation.gov.uk editorial team to The Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuffs) (England and Wales) (Amendment) Regulations 2001. Any changes that have already been made by the team appear in the content and are referenced with annotations.
View outstanding changes

**Changes and effects yet to be applied to :**

– Regulations revoked by S.I. 2005/3286 Sch. 4