

---

STATUTORY INSTRUMENTS

---

**2001 No. 1113**

**AGRICULTURE, ENGLAND AND WALES  
PESTICIDES**

**The Pesticides (Maximum Residue Levels in  
Crops, Food and Feeding Stuffs) (England  
and Wales) (Amendment) Regulations 2001**

*Made* - - - - - *21st March 2001*

*Laid before Parliament* *22nd March 2001*

*Coming into force* - - - *15th April 2001*

The Minister of Agriculture, Fisheries and Food and the National Assembly for Wales, acting jointly (the National Assembly for Wales acting in relation to Wales only), being designated(1) for the purposes of section 2(2) of the European Communities Act 1972(2) in relation to the Common Agricultural Policy of the European Community, in exercise of the powers conferred on them by that section, and of all other powers enabling them in that behalf, make the following Regulations:

**Title, commencement and extent**

1. These Regulations may be cited as the Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuffs) (England and Wales) (Amendment) Regulations 2001; they extend to England and Wales only, and shall come into force on 15th April 2001.

**Amendment to the Pesticides (Maximum Residue Levels in Crops, Food and Feedingstuffs) (England and Wales) Regulations 1999**

2.—(1) The Pesticides (Maximum Residue Levels in Crops, Food and Feedingstuffs) (England and Wales) Regulations 1999(3) shall be amended in accordance with this regulation.

(2) After paragraph (2) of regulation 4 there shall be inserted—

“(2A) Where there is a changing date at the top of a column in Part 2 of Schedule 2, and an entry is shown in both italic and non-italic type, the figure in italic type is the level until the changing date, and the figure in non-italic type is the level on and after that date.”.

---

(1) S.I. 1972/1811 in the case of the Minister and S.I. 1999/2788 in the case of the National Assembly for Wales.

(2) 1972 c. 68.

(3) S.I. 1999/3483.

(3) In Schedule 1 there shall be inserted at the appropriate place in columns 1 and 2 the following:

<b>Column 1</b> <i>Pesticide</i>	<b>Column 2</b> <i>Residues</i>
Aldicarb	sum of aldicarb, its sulfoxide and its sulfone, expressed as aldicarb
Aminotriazole (Amitrole)	aminotriazole
Amitraz	amitraz plus its metabolites containing 2,4-dimethylaniline, expressed as amitraz
Aramite	aramite
Azoxystrobin	azoxystrobin
Barban	barban
Bromopropylate	bromopropylate
Chlorbenside	chlorbenside
Chlorbufam	chlorbufam
Chlorfenson	chlorfenson
Chloroxuron	chloroxuron
Diallate	diallate
1,1-dichloro-2,2-bis (4-ethyl-phenyl-) ethane	1,1-dichloro-2,2-bis (4-ethyl-phenyl-) ethane
Fenvalerate and esfenvalerate	fenvalerate and esfenvalerate (sum of isomers)
Flucythrinate	sum of isomers
Folpet	folpet
Kresoxim-methyl	kresoxim-methyl (for plants) 2-methoxyimino-2[2-(O-tolyloxymethyl) phenyl] acetic acid (for meat, liver, fat and 2-[2-(4-hydroxy-2-methylphenoxy)methyl] phenyl]-2-methoxy-iminoacetic acid (for milk)
Methidathion	methidathion
Methomyl thiodicarb	sum of methomyl and thiodicarb expressed as methomyl
Methoxychlor	methoxychlor
Phoxim	phoxim
Profenophos	profenophos

(4) In Part I of Schedule 2 to those Regulations, the entry for the pesticide in column 1 of the following table shall be deleted in relation to the crop opposite in column 2 on the date specified in column 3:

<i>Column 1</i> Pesticide	<i>Column 2</i> Crop	<i>Column 3</i> Date of deletion
Carbendazim	strawberries (other than wild) raspberries (other than wild)	1 July 2001 1 April 2001
Chlorobenzilate	Citrus fruit (the whole group)	1 April 2001
Diazinon	early and ware potatoes	1 July 2001
Dicofol	apricots  peaches (incl nectarines and similar hybrids)  plums  currants (other than wild) (red, black and white)  garlic  cultivated mushrooms	1 July 2001
Endosulfan	strawberries (other than wild)  blackberries (other than wild)  currants (other than wild) (red, black and white)  gooseberries (other than wild)  early and ware potatoes	1 July 2001
Metalaxyl	citrus (whole group)	1 July 2001
Thiabendazole	early potatoes	1 July 2001
Triazophos	garlic/onions and shallots  brussels sprouts  head cabbage  early and ware potatoes	1 July 2001
Vinclozolin	celery	1 April 2001

- (5) For Part 2 of Schedule 2 there shall be substituted the Schedule to these Regulations.
- (6) In Schedule 3—
- (a) in paragraph 1(vi) opposite the Group of products “Miscellaneous fruit” there shall be inserted “Papaya” in the appropriate place in column 2;
  - (b) in paragraph 2(iii) opposite the Group of products “Fruiting vegetables” in “(a) Solanacea” there shall be inserted “Chilli peppers” between Peppers and Aubergines in column 2.

21st March 2001

*Helen Hayman*  
Minister of State, Ministry of Agriculture,  
Fisheries and Food

15th March 2001

*Elis Thomas*  
The Presiding Officer of the National Assembly  
for Wales

## SCHE

Regulation 2(5)

## “SCHE

Regulation 4(1)

## PART 2

Group to which food belongs	Groups include the following products	Acephate	Aldicarb	Aldrin	Aminotriaz	Amitraz	Aramite	Atrazine	Azoxystrobin
		(changing 1 July 2001)	(changing 1 July 2001)	& dieldrin	(Amitrole)				

1. Fruit, fresh, dried or uncooked, preserved by freezing not containing added sugar: nuts

## i) CITRUS FRUIT

Grapefruit	0.2	0.05*	no MRL 0.02*	0.01*	0.1*	0.05*	
Lemons	1	0.2	0.05*	no MRL 0.02*	0.01*	0.1*	0.05*
Limes	1	0.2	0.05*	no MRL 0.02*	0.01*	0.1*	0.05*
Mandarins (inc clementines & similar hybrids)	0.2	0.05*	no MRL 0.02*	0.01*	0.1*	0.05*	
Oranges	1	0.2	0.05*	1	0.01*	0.1*	0.05*
Pomelos	1	0.2	0.05*	no MRL 0.02*	0.01*	0.1*	0.05*
Others	1	0.2	0.05*	no MRL 0.02*	0.01*	0.1*	0.05*

## ii) TREE NUTS (shelled or unshelled)

Almonds	0.02*	0.05*	0.05*	0.02*	0.01*	0.1*	0.1*
Brazil nuts	0.02*	0.05*	0.05*	0.02*	0.01*	0.1*	0.1*
Cashew nuts	0.02*	0.05*	0.05*	0.02*	0.01*	0.1*	0.1*

Group to which food belongs	Groups include the following products	Acephate	Aldicarb	Aldrin	Aminotriaz	Amitraz	Aramite	Atrazine	Azoxystrobin
				& dieleadrin	(Amitrole)				
		(changing 1 July 2001)	(changing 1 July 2001)		(changing 1 July 2001)				
	Chestnut	0.02*	0.05*	0.05*	0.02*	0.01*	0.1*	0.1*	
	Coconuts	0.02*	0.05*	0.05*	0.02*	0.01*	0.1*	0.1*	
	Hazelnut	0.02*	0.05*	0.05*	0.02*	0.01*	0.1*	0.1*	
	Macadamia nuts	0.02*	0.05*	0.05*	0.02*	0.01*	0.1*	0.1*	
	Pecans	0.02*	0.2	0.05*	0.02*	0.01*	0.1*	0.1*	
	Pine nuts	0.02*	0.05*	0.05*	0.02*	0.01*	0.1*	0.1*	
	Pistachio	0.02*	0.05*	0.05*	0.02*	0.01*	0.1*	0.1*	
	Walnuts	0.02*	0.05*	0.05*	0.02*	0.01*	0.1*	0.1*	
	Others	0.02*	0.05*	0.05*	0.02*	0.01*	0.1*	0.1*	
iii) POME FRUIT									
	Apples	1	0.05*	0.05*	1	0.01*	0.1*	0.05*	
	Pears	1	0.05*	0.05*	1	0.01*	0.1*	0.05*	
	Quinces	1	0.05*	0.05*	1	0.01*	0.1*	0.05*	
	Others	1	0.05*	0.05*	1	0.01*	0.1*	0.05*	
iv) STONE FRUIT									
	Apricots	0.02*	0.05*	0.05*	no MRL 0.02*	0.01*	0.1*	0.05*	
	Cherries	0.02*	0.05*	0.05*	no MRL 0.02*	0.01*	0.1*	0.05*	
	Peaches (incl nectarines & similar hybrids)	0.2 0.02*	0.05*	0.05*	1	0.01*	0.1*	0.05*	
	Plums	2	0.05*	0.05*	no MRL 0.02*	0.01*	0.1*	0.05*	

Group to which food belongs	Groups include the following products	Acephate	Aldicarb	Aldrin	Aminotriaz	Amitraz	Aramite	Atrazine	Azoxystrobin
				& dieleadrin	(Amitrole)				
		(changing 1 July 2001)	(changing 1 July 2001)			(changing 1 July 2001)			
		Others	0.02*	0.05*	0.05*	no <i>MRL</i> 0.02*	0.01*	0.1*	0.05*

## v) BERRIES AND SMALL FRUIT

a)	Table & wine grapes	Table grapes	0.02*	0.05*	0.05*	no <i>MRL</i> 0.02*	0.01*	0.1*	2
b)	Strawber (other than wild)	no <i>MRL</i> 0.05*	0.02*	0.05*	0.05*	no <i>MRL</i> 0.02*	0.01*	0.1*	0.05*
c)	Cane Fruit (other than wild)								
	Blackber ries	0.02*	0.05*	0.05*	0.02*	0.01*	0.1*	0.05*	
	Dewberry	0.02*	0.05*	0.05*	0.02*	0.01*	0.1*	0.05*	
	Loganberry	0.02*	0.05*	0.05*	0.02*	0.01*	0.1*	0.05*	
	Raspberry	0.02*	0.05*	0.05*	0.02*	0.01*	0.1*	0.05*	
	Others	0.02*	0.05*	0.05*	0.02*	0.01*	0.1*	0.05*	
d)	Other small fruit & berries (other than wild)								
	Bilberry	0.02*	0.05*	0.05*	0.02*	0.01*	0.1*	0.05*	
	Cranberry	0.02*	0.05*	0.05*	0.02*	0.01*	0.1*	0.05*	

Group to which food belongs	Groups include the following products	Acephate	Aldicarb	Aldrin	Aminotriaz	Amitraz	Aramite	Atrazine	Azoxystrobin
				& dieleadrin	(Amitrole)				
		(changing 1 July 2001)	(changing 1 July 2001)			(changing 1 July 2001)			
	Currants (red, black & white)	0.02*	0.05*		0.05*	no <i>MRL</i> 0.02*	0.01*	0.1*	0.05*
	Gooseberries	0.02*	0.05*		0.05*	0.02*	0.01*	0.1*	0.05*
	Others	0.02*	0.05*		0.05*	0.02*	0.01*	0.1*	0.05*
e)	Wild berries & wild fruit	0.02*	0.05*		0.05*	0.02*	0.01*	0.1*	0.05*
<b>vi) MISCELLANEOUS FRUIT</b>									
	Avocado	0.02*	0.05*		0.05*	0.02*	0.01*	0.1*	0.05*
	Bananas	0.02*	no <i>MRL</i> 0.1		0.05*	0.02*	0.01*	0.1*	2
	Dates	0.02*	0.05*		0.05*	0.02*	0.01*	0.1*	0.05*
	Figs	0.02*	0.05*		0.05*	0.02*	0.01*	0.1*	0.05*
	Kiwi fruit	0.02*	0.05*		0.05*	0.02*	0.01*	0.1*	0.05*
	Kumquat	0.02*	0.05*		0.05*	0.02*	0.01*	0.1*	0.05*
	Litchis	0.02*	0.05*		0.05*	0.02*	0.01*	0.1*	0.05*
	Mangoes	0.02*	0.05*		0.05*	0.02*	0.01*	0.1*	0.05*
	Olives (table consumption)	0.02*	0.05*		0.05*	0.02*	0.01*	0.1*	0.05*
	Olives (oil extract)	0.02*	0.05*		0.05*	0.02*	0.01*	0.1*	0.05*
	Papaya	no <i>MRL</i> 0.05*			no <i>MRL</i> 0.02*				
	Passion fruit	0.02*	0.05*		0.05*	0.02*	0.01*	0.1*	0.05*
	Pineapple	0.02*	0.05*		0.05*	0.02*	0.01*	0.1*	0.05*

Group to which food belongs	Groups include the following products	Acephate	Aldicarb	Aldrin	Aminotriaz	Amitraz	Aramite	Atrazine	Azoxystrobin
		& dieleadrin	(Amitrole)						
		(changing 1 July 2001)	(changing 1 July 2001)		(changing 1 July 2001)				
	Pomegranates*	0.02*	0.05*	0.05*	0.02*	0.01*	0.1*	0.05*	
	Others	0.02*	0.05*	0.05*	0.02*	0.01*	0.1*	0.05*	
2. Vegetables, fresh or uncooked, frozen or dry									
i) ROOT AND TUBER VEGETABLES									
	Beetroot	0.02*	no MRL 0.05*	0.05*	0.02*	0.01*	0.1*	0.05*	
	Carrots	0.02*	no MRL 0.1	0.05*	0.02*	0.01*	0.1*	0.05*	
	Celeriac	0.02*	0.05*	0.05*	0.02*	0.01*	0.1*	0.05*	
	Horseradish	0.02*	0.05*	0.05*	0.02*	0.01*	0.1*	0.05*	
	Jerusalem artichokes	0.02*	0.05*	0.05*	0.02*	0.01*	0.1*	0.05*	
	Parsnips	0.02*	no MRL 0.1	0.05*	0.02*	0.01*	0.1*	0.05*	
	Parsley root	0.02*	0.05*	0.05*	0.02*	0.01*	0.1*	0.05*	
	Radishes	0.02*	0.05*	0.05*	0.02*	0.01*	0.1*	0.05*	
	Salsify	0.02*	0.05*	0.05*	0.02*	0.01*	0.1*	0.05*	
	Sweet potatoes	0.02*	0.05*	0.05*	0.02*	0.01*	0.1*	0.05*	
	Swedes	0.02*	0.05*	0.05*	0.02*	0.01*	0.1*	0.05*	
	Turnips	0.02*	0.05*	0.05*	0.02*	0.01*	0.1*	0.05*	
	Yams	0.02*	0.05*	0.05*	0.02*	0.01*	0.1*	0.05*	
	Others	0.02*	0.05*	0.05*	0.02*	0.01*	0.1*	0.05*	
ii) BULB VEGETABLES									
	Garlic	0.02*	0.05*	0.05*	0.02*	0.01*	0.1*	0.05*	
	Onions	0.02*	0.05*	0.05*	0.02*	0.01*	0.1*	0.05*	
	Shallots	0.02*	0.05*	0.05*	0.02*	0.01*	0.1*	0.05*	

Group to which food belongs	Groups include the following products	Acephate	Aldicarb	Aldrin	Aminotriaz	Amitraz	Aramite	Atrazine	Azoxystrobin
		&		(Amitrole)					
				dieldrin					
		(changing 1 July 2001)	(changing 1 July 2001)		(changing 1 July 2001)				
	Spring onions	0.02*	0.05*		0.05*	0.02*	0.01*	0.1*	0.05*
	Others	0.02*	0.05*		0.05*	0.02*	0.01*	0.1*	0.05*
<b>iii) FRUITING VEGETABLES</b>									
a)	Solanaceae								
	Tomatoes	0.5	no MRL 0.05*		0.05*	0.5	0.01*	0.1*	2
	Peppers	0.02*	no MRL 0.05*		0.05*	no MRL 0.02*	0.01*	0.1*	0.05*
	Chilli peppers						0.01*		
	Aubergines	0.5	0.05*		0.05*	no MRL 0.02*	0.01*	0.1*	0.05*
	Others	0.02*	0.05*		0.05*	no MRL 0.02*	0.01*	0.1*	0.05*
b)	Cucurbits- edible peel								
	Cucumber	0.2*	0.05*		0.05*	no MRL 0.02*	0.01*	0.1*	1
	Gherkins	0.02*	0.05*		0.05*	no MRL 0.02*	0.01*	0.1*	1
	Courgettes	0.02*	0.05*		0.05*	no MRL 0.02*	0.01*	0.1*	1
	Others	0.02*	0.05*		0.05*	no MRL 0.02*	0.01*	0.1*	1

Group to which food belongs	Groups include the following products	Acephate		Aldicarb	Aldrin	Aminotriaz	Amitraz	Aramite	Atrazine	Azoxystrobin
				&	(Amitrole)					
		(changing 1 July 2001)		(changing 1 July 2001)		(changing 1 July 2001)				
		1	1	1	1	1	1			
c)	Cucurbits- inedible peel	Melons	0.02*	0.05*	0.05*	no MRL 0.02*	0.01*	0.1*	0.5	
		Squashes	0.02*	0.05*	0.05*	no MRL 0.02*	0.01*	0.1*	0.5	
		Watermelons	0.02*	0.05*	0.05*	no MRL 0.02*	0.01*	0.1*	0.5	
		Others	0.02*	0.05*	0.05*	no MRL 0.02*	0.01*	0.1*	0.5	
d)	Sweet corn		0.02*	0.05*	0.05*	0.02*	0.01*	0.1*	0.05*	

## iv) BRASSICA VEGETABLES

a)	Flowering Brassicicas	Broccoli	2	no MRL 0.05*	0.05*	0.02*	0.01*	0.1*	0.05*	
		Cauliflower	2	0.2	0.05*	0.02*	0.01*	0.1*	0.05*	
		Others	2	0.05*	0.05*	0.02*	0.01*	0.1*	0.05*	
b)	Head Brassicicas	Brussels sprouts	2	0.2	0.05*	0.02*	0.01*	0.1*	0.05*	
		Head cabbage	2	no MRL 0.05*	0.05*	0.02*	0.01*	0.1*	0.05*	
		Others	2	0.05*	0.05*	0.02*	0.01*	0.1*	0.05*	
c)	Leafy Brassicicas									

Group to which food belongs	Groups include the following products	Acephate		Aldicarb	Aldrin	Aminotriaz		Amitraz	Aramite	Atrazine	Azoxystrobin
				&	(Amitrole)						
					dieldrin						
		(changing 1 July 2001)	(changing 1 July 2001)			(changing 1 July 2001)					
	Chinese cabbage	0.02*	0.05*		0.05*	0.02*	0.01*	0.1*	0.05*		
	Kale	0.02*	0.05*		0.05*	0.02*	0.01*	0.1*	0.05*		
	Others	0.02*	0.05*		0.05*	0.02*	0.01*	0.1*	0.05*		
d)	Kohlrabi	0.02*	0.05*		0.05*	0.02*	0.01*	0.1*	0.05*		

## v) LEAF VEGETABLES AND FRESH HERBS

a)	Lettuce & similar	0.02*	0.05*	0.05*	0.02*	0.01*	0.1*	0.05*
	Cress	0.02*	0.05*	0.05*	0.02*	0.01*	0.1*	0.05*
	Lamb's lettuce	0.02*	0.05*	0.05*	0.02*	0.01*	0.1*	0.05*
	Lettuce	1	0.05*	0.05*	0.02*	0.01*	0.1*	0.05*
	Scarole	0.02*	0.05*	0.05*	0.02*	0.01*	0.1*	0.05*
	Others	0.02*	0.05*	0.05*	0.02*	0.01*	0.1*	0.05*
b)	Spinach & similar	0.02*	0.05*	0.05*	0.02*	0.01*	0.1*	0.05*
	Spinach	0.02*	0.05*	0.05*	0.02*	0.01*	0.1*	0.05*
	Beet leaves (chard)	0.02*	0.05*	0.05*	0.02*	0.01*	0.1*	0.05*
	Others	0.02*	0.05*	0.05*	0.02*	0.01*	0.1*	0.05*
c)	Watercress	0.02*	0.05*	0.05*	0.02*	0.01*	0.1*	0.05*
d)	Witloof	0.02*	0.05*	0.05*	0.02*	0.01*	0.1*	0.05*
e)	Herbs							
	Chervil	0.02*	0.05*	0.05*	0.02*	0.01*	0.1*	0.05*
	Chives	0.02*	0.05*	0.05*	0.02*	0.01*	0.1*	0.05*
	Parsley	0.02*	0.05*	0.05*	0.02*	0.01*	0.1*	0.05*
	Celery leaves	0.02*	0.05*	0.05*	0.02*	0.01*	0.1*	0.05*
	Others	0.02*	0.05*	0.05*	0.02*	0.01*	0.1*	0.05*

Group to which food belongs	Groups include the following products	Acephate	Aldicarb	Aldrin	Aminotriaz	Amitraz	Aramite	Atrazine	Azoxystrobin
		&		(Amitrole)					
				Dieldrin					
		(changing 1 July 2001)	(changing 1 July 2001)		(changing 1 July 2001)				
vi) LEGUME VEGETABLES (fresh)									
	Beans (with pods)	3	0.05*		0.05*	0.02*	0.01*	0.1*	0.05*
	Beans (without pods)	0.02*	0.05*		0.05*	0.02*	0.01*	0.1*	0.05*
	Peas (with pods)	3	0.05*		0.05*	0.02*	0.01*	0.1*	0.05*
	Peas (without pods)	0.02*	0.05*		0.05*	0.02*	0.01*	0.1*	0.05*
	Others		0.05*		0.05*	0.02*	0.01*	0.1*	0.05*
vii) STEM VEGETABLES									
	Asparagus	0.02*	0.05*		0.05*	0.02*	0.01*	0.1*	0.05*
	Cardoon	0.02*	0.05*		0.05*	0.02*	0.01*	0.1*	0.05*
	Celery	0.02*	0.05*		0.05*	0.02*	0.01*	0.1*	0.05*
	Fennel	0.02*	0.05*		0.05*	0.02*	0.01*	0.1*	0.05*
	Globe artichokes	0.2	0.05*		0.05*	0.02*	0.01*	0.1*	0.05*
	Leeks	0.02*	no MRL 0.05*		0.05*	0.02*	0.01*	0.1*	0.05*
	Rhubarb	0.02*	0.05*		0.05*	0.02*	0.01*	0.1*	0.05*
	Others	0.02*	0.05*		0.05*	0.02*	0.01*	0.1*	0.05*
viii) FUNGI									
a)	Cultivated mushrooms	0.02*	0.05*		0.05*	0.02*	0.01*	0.1*	0.05*
b)	Wild mushrooms	0.02*	0.05*		0.05*	0.02*	0.01*	0.1*	0.05*
3. PULSES									
	Beans	0.02*	0.05*		0.05*	0.02*	0.01*	0.1*	0.05*

Group to which food belongs	Groups include the following products	Acephate	Aldicarb	Aldrin	Aminotriaz	Amitraz	Aramite	Atrazine	Azoxystrobin
		& dieleadrin	(Amitrole)						
		(changing 1 July 2001)	(changing 1 July 2001)		(changing 1 July 2001)				
	Lentils	0.02*	0.05*	0.05*	0.02*	0.01*	0.1*	0.05*	
	Peas	0.02*	0.05*	0.05*	0.02*	0.01*	0.1*	0.05*	
	Others	0.02*	0.05*	0.05*	0.02*	0.01*	0.1*	0.05*	
<b>4. OILSEEDS</b>									
	Linseed	0.02*	<i>no MRL 0.05*</i>	0.05*	0.02*	0.01*	0.1*	0.05*	
	Peanuts	0.02*	0.05*	0.05*	0.02*	0.01*	0.1*	0.05*	
	Poppy seed	0.02*	0.05*	0.05*	0.02*	0.01*	0.1*	0.05*	
	Sesame seed	0.02*	0.05*	0.05*	0.02*	0.01*	0.1*	0.05*	
	Sunflower seed	0.02*	0.05*	0.05*	0.02*	0.01*	0.1*	0.05*	
	Rape seed	0.02*	<i>no MRL 0.05*</i>	0.05*	0.02*	0.01*	0.1*	0.05*	
	Soya bean	0.02*	0.05*	0.05*	0.02*	0.01*	0.1*	0.05*	
	Mustard seed	0.02*	0.05*	0.05*	0.02*	0.01*	0.1*	0.05*	
	Cotton seed	0.02*	<i>no MRL 0.05*</i>	0.05*	<i>no MRL 1</i>	0.01*	0.1*	0.05*	
	Others	0.02*	0.05*	0.05*	0.02*	0.01*	0.1*	0.05*	
<b>5. POTATOES</b>									
	Early potatoes	0.02*	<i>no MRL 0.5</i>	0.05*	0.02*	0.01*	0.1*	0.05*	
	Ware potatoes	0.02*	<i>no MRL 0.5</i>	0.05*	0.02*	0.01*	0.1*	0.05*	
6. TEA	(dried leaves and	0.1*	0.05*	0.02	0.1*	0.1*	0.1*	0.1*	

<b>Group to which food belongs</b>	<b>Groups to include the following products</b>	<b>Acephate</b>	<b>Aldicarb</b>	<b>Aldrin</b>	<b>Aminotriazoles</b>	<b>Amitraz</b>	<b>Aramite</b>	<b>Atrazine</b>	<b>Azoxystrobin</b>
					&	(Amitrole)			
				dieldrin					
		(changing 1 July 2001)	(changing 1 July 2001)			(changing 1 July 2001)			
	stalks, fermented or otherwise, Camellia sinensis)								
7. HOPS (dried)	including hop pellets & unconcentrated powder	0.1*	no <i>MRL</i>	0.1*	50	0.1*	0.1*	0.1*	0.1*
<b>Group to which food belongs</b>	<b>Groups to include the following products</b>	<b>Barban</b>	<b>Benalaxy</b>	<b>Benfuracarb</b>	<b>Benzapac</b>	<b>Biphenthrin</b>	<b>Binomopan</b>	<b>Bisethylophthalimide</b>	<b>Coprophilus</b>
									(Toxaphene)
		(changing 1 July 2001)	(changing 1 July 2001)						

1. Fruit, fresh, dried or uncooked, preserved by freezing not containing added sugar: nuts

## i) CITRUS FRUIT

Grapefruit	0.05*	0.05*	no <i>MRL</i> 0.05*	0.05*	0.05*	0.1*
Lemons	0.05*	0.05*	no <i>MRL</i> 0.05*	0.05*	0.05*	0.1*
Limes	0.05*	0.05*	no <i>MRL</i> 0.05*	0.05*	0.05*	0.1*
Mandarin	0.05*	0.05*	no <i>MRL</i> 0.05*	0.05*	0.05*	0.1*
(inc clementines & similar hybrids)						

Group to which food belongs	Groups Barban Benalaxyl Benfuracarb Benzapac Biphenthrin Bromopropylate Busethionyl Chlorpyrifos (Toxaphene)	(changing 1 July 2001)		(changing 1 July 2001)		0.1*
		Oranges	0.05*	no MRL 0.05*	0.05*	
		Pomelos	0.05*	no MRL 0.05*	0.05*	
	Others	0.05*	0.05*	no MRL 0.05*	0.05*	0.1*
ii) TREE NUTS (shelled or unshelled)						
	Almonds	0.05*	0.05*	0.05*	0.05*	0.1*
	Brazil nuts	0.05*	0.05*	0.05*	0.05*	0.1*
	Cashew nuts	0.05*	0.05*	0.05*	0.05*	0.1*
	Chestnut	0.05*	0.05*	0.05*	0.05*	0.1*
	Coconuts	0.05*	0.05*	0.05*	0.05*	0.1*
	Hazelnut	0.05*	no MRL 0.05*	0.05*	0.05*	0.1*
	Macadamia nuts	0.05*	0.05*	0.05*	0.05*	0.1*
	Pecans	0.05*	0.05*	0.05*	0.05*	0.1*
	Pine nuts	0.05*	0.05*	0.05*	0.05*	0.1*
	Pistachio	0.05*	0.05*	0.05*	0.05*	0.1*
	Walnuts	0.05*	0.05*	0.05*	0.05*	0.1*
	Others	0.05*	0.05*	0.05*	0.05*	0.1*
iii) POME FRUIT						
	Apples	0.05*	0.05*	0.05*	0.05*	0.1*
	Pears	0.05*	0.05*	0.05*	0.05*	0.1*
	Quinces	0.05*	0.05*	0.05*	0.05*	0.1*
	Others	0.05*	0.05*	0.05*	0.05*	0.1*

Group to which food belongs	Groups Barban Benalax Benfurac Binka Biphenyl Bromop Buthyl Copyph hechlor (Toxaphene)	Barban	Benalax	Benfurac	Binka	Biphenyl	Bromop	Buthyl	Copyph	hechlor
		1 July 2001)	1 July 2001)	(changing) 1 July 2001)	(changing) 1 July 2001)	(changing) 1 July 2001)	(changing) 1 July 2001)	(changing) 1 July 2001)	(changing) 1 July 2001)	(Toxaphene)
iv) STONE FRUIT										
	Apricots	0.05*	0.05*	0.05*	0.05*		0.05*		0.1*	
	Cherries	0.05*	0.05*	0.05*	0.05*		0.05*		0.1*	
	Peaches (incl nectarines & similar hybrids)	0.05*	0.05*	0.05*	0.05*		0.05*		0.1*	
	Plums	0.05*	0.05*	0.05*	0.05*		0.05*		0.1*	
	Others	0.05*	0.05*	0.05*	0.05*		0.05*		0.1*	
v) BERRIES AND SMALL FRUIT										
a)	Table & wine grapes									
	Table grapes	0.05*	0.2	0.05*	0.05*		0.05*		0.1*	
	Wine grapes	0.05*	0.2	0.05*	0.05*		0.05*		0.1*	
b)	Strawber <del>ries</del> (other than wild)	0.05*	0.05*	0.05*	0.05*		0.05*		0.1*	
c)	Cane Fruit (other than wild)									
	Blackber <del>ries</del> ries	0.05*	0.05*	0.05*	0.05*		0.05*		0.1*	
	Dewber <del>ries</del> ries	0.05*	0.05*	0.05*	0.05*		0.05*		0.1*	
	Loganber <del>ries</del> ries	0.05*	0.05*	0.05*	0.05*		0.05*		0.1*	
	Raspber <del>ries</del> ries	0.05*	0.05*	0.05*	0.05*		0.05*		0.1*	
	Others	0.05*	0.05*	0.05*	0.05*		0.05*		0.1*	
d)	Other small									

Group to which food belongs	Groups Barban Benalaxyl Benfuracarb Benzapac Bilphenol Bromophos Busethoxy Chlorpyrifos (Toxaphene)	(changing 1 July 2001) (changing 1 July 2001)					
		Barban	Benalaxyl	Benfuracarb	Benzapac	Bilphenol	Bromophos
	fruit & berries (other than wild)						
	Bilberries	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*
	Cranberries	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*
	Currants (red, black & white)	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*
	Gooseberries	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*
	Others	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*
e)	Wild berries & wild fruit	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*
vi) MISCELLANEOUS FRUIT							
	Avocado	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*
	Bananas	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*
	Dates	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*
	Figs	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*
	Kiwi fruit	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*
	Kumquats	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*
	Litchis	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*
	Mangoes	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*
	Olives (table consumption)	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*
	Olives (oil extract)	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*

Group to which food belongs	Groups Barban Benalaxyl Benfuracarb Benzapac Bilphenol Bromopropyl Buthethoxy Chlorpyrifos (Toxaphene)	(changing 1 July 2001)			
		(changing 1 July 2001)		(changing 1 July 2001)	
		no MRL 0.05*	no MRL 0.05*	no MRL 0.05*	no MRL 0.05*
Papaya		no MRL 0.05*	no MRL 0.05*	no MRL 0.05*	no MRL 0.05*
Passion fruit	0.05*	0.05*	0.05*	0.05*	0.1*
Pineapple	0.05*	0.05*	0.05*	0.05*	0.1*
Pomegranate	0.05*	0.05*	0.05*	0.05*	0.1*
Others	0.05*	0.05*	0.05*	0.05*	0.1*
2. Vegetables, fresh or uncooked, frozen or dry					
i) ROOT AND TUBER VEGETABLES					
Beetroot	0.05*	0.05*	0.05*	0.05*	0.1*
Carrots	0.05*	0.05*	0.05*	0.05*	0.1*
Celeriac	0.05*	0.05*	0.05*	0.05*	0.1*
Horseradish	0.05*	0.05*	0.05*	0.05*	0.1*
Jerusalem artichokes	0.05*	0.05*	0.05*	0.05*	0.1*
Parsnips	0.05*	0.05*	0.05*	0.05*	0.1*
Parsley root	0.05*	0.05*	0.05*	0.05*	0.1*
Radishes	0.05*	0.05*	0.05*	0.05*	0.1*
Salsify	0.05*	no MRL 0.05*	0.05*	0.05*	0.1*
Sweet potatoes	0.05*	0.05*	0.05*	0.05*	0.1*
Swedes	0.05*	0.05*	0.05*	0.05*	0.1*
Turnips	0.05*	0.05*	0.05*	0.05*	0.1*
Yams	0.05*	0.05*	0.05*	0.05*	0.1*
Others	0.05*	0.05*	0.05*	0.05*	0.1*
ii) BULB VEGETABLES					
Garlic	0.05*	0.05*	0.05*	0.05*	0.1*
Onions	0.05*	0.2	0.05*	0.05*	0.1*

Group to which food belongs	Groups Barban Benalaxyl Benfuracarb Benzapac Bilphenol Bisnorpiperazine Bisethylenepiperazine Bromophos-ethyl Chlorpyrifos (Toxaphene)	(changing 1 July 2001) (changing 1 July 2001)					
		Shallots	0.05*	0.05*	0.05*	0.05*	0.05*
		Spring onions	0.05*	0.05*	0.05*	0.05*	0.1*
	Others	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*
<b>iii) FRUITING VEGETABLES</b>							
a)	Solanaceae						
	Tomatoe	0.05*	0.2	0.05*	0.05*	0.05*	0.1*
	Peppers	0.05*	0.2	0.05*	0.05*	0.05*	0.1*
	Chilli peppers	0.05*					
	Aubergine	0.05*	0.2	0.05*	0.05*	0.05*	0.1*
	Others	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*
b)	Cucurbits-edible peel						
	Cucumber	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*
	Gherkins	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*
	Courgette	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*
	Others	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*
c)	Cucurbits-inedible peel						
	Melons	0.05*	no MRL 0.1	no MRL 0.05*	0.05*	0.05*	0.1*
	Squashes	0.05*	no MRL 0.05*	0.05*	0.05*	0.05*	0.1*
	Watermelons	0.05*	no MRL 0.1	no MRL 0.05*	0.05*	0.05*	0.1*

Group to which food belongs	Groups Barban Benalaxyl Benfuracarb Benzapac Biphenyl Bromophenyl Buthoxyphenyl Chlorophenoxy (Toxaphene)	(changing 1 July 2001) (changing 1 July 2001)					
		Others	0.05*	0.05*	no MRL 0.05*	0.05*	0.05*
		d)	Sweet corn	0.05*	0.05*	0.05*	0.05*
iv) BRASSICA VEGETABLES							
a)	Flowering Brassicas	Broccoli	0.05*	0.05*	no MRL 0.05*	0.05*	0.05*
		Cauliflower	0.05*	0.05*	no MRL 0.05*	0.05*	0.1*
		Others	0.05*	0.05*	no MRL 0.05*	0.05*	0.1*
b)	Head Brassicas	Brussels sprouts	0.05*	0.05*	no MRL 0.05*	0.05*	0.1*
		Head cabbage	0.05*	0.05*	no MRL 0.05*	0.05*	0.1*
		Others	0.05*	0.05*	no MRL 0.05*	0.05*	0.1*
c)	Leafy Brassicas	Chinese cabbage	0.05*	0.05*	0.05*	0.05*	0.1*
		Kale	0.05*	0.05*	0.05*	0.05*	0.1*
		Others	0.05*	0.05*	0.05*	0.05*	0.1*
d)	Kohlrabi	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*

Group to which food belongs	Groups Barban Benalaxyl Benfuracarb Benzapac Biphenthrin Bromopropylate Busethionyl Chlorpyrifos (Toxaphene)	(changing) 1 July 2001					
		(changing) 1 July 2001)					

## v) LEAF VEGETABLES AND FRESH HERBS

a)	Lettuce & similar	Cress	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*
		Lamb's lettuce	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*
		Lettuce	0.05*	no MRL 0.05	0.05*	0.05*	0.05*	0.1*
		Scarole	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*
		Others	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*
b)	Spinach & similar	Spinach	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*
		Beet leaves (chard)	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*
		Others	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*
c)	Watercress	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*	
d)	Witloof	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*	
e)	Herbs	Chervil	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*
		Chives	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*
		Parsley	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*
		Celery	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*
		leaves						
		Others	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*

## vi) LEGUME VEGETABLES (fresh)

Beans (with pods)	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*
-------------------------	-------	-------	-------	-------	-------	------

Group to which food belongs	Groups Barban Benalaxyl Benfuracarb Benzapac Bilphenol Bimopar Bisethoxy Boscalid Chlorothalonil (Toxaphene)	(changing 1 July 2001)		(changing 1 July 2001)		0.1*
Beans (without pods)	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*
Peas (with pods)	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*
Peas (without pods)	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*
Others	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*
vii) STEM VEGETABLES						
Asparagus	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*
Cardoon	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*
Celery	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*
Fennel	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*
Globe artichokes	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*
Leeks	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*
Rhubarb	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*
Others	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*
viii) FUNGI						
a) Cultivated mushrooms	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*
b) Wild mushrooms	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*
3. PULSES						
Beans	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*
Lentils	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*
Peas	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*
Others	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*
4. OILSEEDS						
Linseed	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*

Group to which food belongs	Groups Barban Benalaxyl Benfuracarb Benzapac Biphenyl Bromophos Buthethonium Chlorpyrifos (Toxaphene)	(changing) 1 July 2001)					
		(changing) 1 July 2001)					
	Peanuts	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*
	Poppy seed	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*
	Sesame seed	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*
	Sunflower seed	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*
	Rape seed	0.05*	no MRL 0.05*	0.05*	0.05*	0.05*	0.1*
	Soya bean	0.05*	no MRL 0.05*	no MRL 0.05*	0.05*	0.05*	0.1*
	Mustard seed	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*
	Cotton seed	0.05*	0.05*	no MRL 0.05*	0.05*	0.05*	0.1*
	Others	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*
5.	POTATOES						
	Early potatoes	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*
	Ware potatoes	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*
6.	TEA (dried leaves and stalks, fermented or otherwise, Camellia sinensis)	0.1*	0.1*	0.1*	0.1*	5	0.1*    0.1*    0.1*
7.	HOPS (dried)	including hop pellets &	0.1*	0.1*	5	0.1*	0.1*

<b>Group to which food belongs</b>	<b>Groups Barban Benalax Benfurac Bipac Bilphenol Brinmop Busethyl Copolymer hechlor include the following products</b>	<b>(changing changing 1 1 July July 2001) 2001)</b>
	unconcentrated powder	

  

<b>Group to which food belongs</b>	<b>Groups Captafol Carbendazim Carbofuran Carbosulfan Cartap Chlorben Gillorbufam include the following products</b>	<b>(changing changing changing 1 July 1 July 1 July 2001) 2001) 2001)</b>

1. Fruit, fresh, dried or uncooked, preserved by freezing not containing added sugar: nuts

## i) CITRUS FRUIT

Grapefruit	0.02*	5	no MRL 0.3	no MRL 0.05*	0.01*	0.05*
Lemons	0.02*	5	no MRL 0.3	no MRL 0.05*	0.01*	0.05*
Limes	0.02*	5	no MRL 0.3	no MRL 0.05*	0.01*	0.05*
Mandarin (inc clementines & similar hybrids)	0.02*	5	no MRL 0.3	no MRL 0.05*	0.01*	0.05*
Oranges	0.02*	5	no MRL 0.3	no MRL 0.05*	0.01*	0.05*
Pomelos	0.02*	5	no MRL 0.3	no MRL 0.05*	0.01*	0.05*
Others	0.02*	5	no MRL 0.3	no MRL 0.05*	0.01*	0.05*

## ii) TREE NUTS (shelled or unshelled)

Almonds	0.02*	0.1*	0.1*	0.05*	0.01*	0.05*
Brazil nuts	0.02*	0.1*	0.1*	0.05*	0.01*	0.05*
Cashew nuts	0.02*	0.1*	0.1*	0.05*	0.01*	0.05*

Group to which food belongs	Groups include the following products	Captafol	Carbendazim	furan	Carbosulfan	Flutriatap	Chlorben	Gidkorbufam
		(changing 1 July 2001)						
	Chestnuts	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
	Coconuts	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
	Hazelnuts	0.02*	0.1*	<i>no MRL</i>	0.05*		0.01*	0.05*
				0.1*				
	Macadamia nuts	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
	Pecans	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
	Pine nuts	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
	Pistachios	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
	Walnuts	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
	Others	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
iii) POME FRUIT								
	Apples	0.02*	2	<i>no MRL</i> 0.1*	<i>no MRL</i> 0.05*		0.01*	0.05*
	Pears	0.02*	2	<i>no MRL</i> 0.1*	<i>no MRL</i> 0.05*		0.01*	0.05*
	Quinces	0.02*	2	<i>no MRL</i> 0.1*	<i>no MRL</i> 0.05*		0.01*	0.05*
	Others	0.02*	2	<i>no MRL</i> 0.1*	<i>no MRL</i> 0.05*		0.01*	0.05*
iv) STONE FRUIT								
	Apricots	0.02*	1	<i>no MRL</i> 0.1*	<i>no MRL</i> 0.05*		0.01*	0.05*
	Cherries	0.02*	0.1*	<i>no MRL</i> 0.1*	<i>no MRL</i> 0.05*		0.01*	0.05*
	Peaches (incl nectarines & similar hybrids)	0.02*	1	<i>no MRL</i> 0.1*	<i>no MRL</i> 0.05*		0.01*	0.05*
	Plums	0.02*	0.5	<i>no MRL</i> 0.1*	<i>no MRL</i> 0.05*		0.01*	0.05*

Group to which food belongs	Groups include the following products	Captfol	Carbendazim	furan	Carbosulfan	Flutriatap	Chlorben	Gikorbufam
		changing 1 July 2001)						
	Others	0.02*	0.1*	no MRL 0.1*	no MRL 0.05*		0.01*	0.05*
v) BERRIES AND SMALL FRUIT								
a)	Table & wine grapes							
	Table grapes	0.02*	2	0.1*	0.05*		0.01*	0.05*
	Wine grapes	0.02*	2	0.1*	0.05*		0.01*	0.05*
b)	Strawberry (other than wild)	0.02*	no MRL 0.1*	no MRL 0.1*	0.05*		0.01*	0.05*
c)	Cane Fruit (other than wild)							
	Blackberries	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
	Dewberries	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
	Loganberries	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
	Raspberries	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
	Others	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
d)	Other small fruit & berries (other than wild)							
	Bilberries	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
	Cranberries	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
	Currents (red, black & white)	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*

Group to which food belongs	Groups include the following products	Captfol	Carbendazim	furan	Carbosulfan	Flutriatap	Chlorben	Gidkorbufam
		(changing 1 July 2001)	(changing 1 July 2001)	(changing 1 July 2001)				
e)	Gooseberries	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
	Others	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
	Wild berries & wild fruit	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
vi) MISCELLANEOUS FRUIT								
	Avocados	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
	Bananas	0.02*	1	0.1*	0.05*		0.01*	0.05*
	Dates	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
	Figs	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
	Kiwi fruit	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
	Kumquats	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
	Litchis	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
	Mangoes	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
	Olives (table consumption)	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
	Olives (oil extract)	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
	Papaya		no MRL 0.1*	no MRL 0.1*	no MRL 0.05*			
	Passion fruit	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
	Pineapple	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
	Pomegranate	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
	Others	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*

## 2. Vegetables, fresh or uncooked, frozen or dry

## i) ROOT AND TUBER VEGETABLES

Beetroot	0.02*	0.1*	0.1*	0.05*	0.01*	0.05*
Carrots	0.02*	0.1*	0.3	0.1	0.01*	0.05*

Group to which food belongs	Groups include the following products	Captfol	Carbendazim	furan	Carbosulfan	Flutriatap	Chlorben	Gidkorbufam
		changing 1 July 2001)	changing 1 July 2001)	changing 1 July 2001)				
	Celeriac	0.02*	0.1*	no MRL 0.1*	0.05*		0.01*	0.05*
	Horseradish	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
	Jerusalem artichokes	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
	Parsnips	0.02*	0.1*	0.3	0.1		0.01*	0.05*
	Parsley root	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
	Radishes	0.02*	0.1*	0.5	0.05*		0.01*	0.05*
	Salsify	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
	Sweet potatoes	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
	Swedes	0.02*	0.1*	no MRL 0.2	no MRL 0.05*		0.01*	0.05*
	Turnips	0.02*	0.1*	no MRL 0.2	no MRL 0.05*		0.01*	0.05*
	Yams	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
	Others	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
ii) BULB VEGETABLES								
	Garlic	0.02*	0.1*	0.3	0.05*		0.01*	0.05*
	Onions	0.02*	0.1*	0.3	no MRL 0.05*		0.01*	0.05*
	Shallots	0.02*	0.1*	0.3	0.05*		0.01*	0.05*
	Spring onions	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
	Others	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
iii) FRUITING VEGETABLES								
a)	Solanacea							
	Tomatoes	0.02*	0.5	0.1*	0.05*		0.01*	0.05*
	Peppers	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
	Chilli peppers						0.01*	0.05*
	Aubergines	0.02*	0.5	0.1*	0.05*		0.01*	0.05*

Group to which food belongs	Groups include the following products	(changing changing changing)					
		1 July 2001)	1 July 2001)	1 July 2001)			
		Others	0.02*	0.1*	0.1*	0.05*	0.01*
b)	Cucurbits- edible peel	Cucumber	0.02*	0.5	1	0.1*	0.05*
		Gherkins	0.02*	0.1*	0.1*	0.05*	0.01*
		Courgette	0.02*	0.3	0.1*	0.05*	0.01*
		Others	0.02*	0.1*	0.1*	0.05*	0.01*
c)	Cucurbits- inedible peel	Melons	0.02*	0.5	no MRL 0.2	no MRL 0.05*	0.01*
		Squashes	0.02*	0.5	0.1*	0.2	no MRL 0.05*
		Watermelons	0.02*	0.1*	0.1*	0.2	no MRL 0.05*
		Others	0.02*	0.1*	0.1*	0.2	no MRL 0.05*
d)	Sweet corn		0.02*	0.1*	no MRL 0.1*	0.05*	0.01*
							0.05*

## iv) BRASSICA VEGETABLES

a)	Flowering Brassicas	Broccoli	0.02*	0.1*	0.2	no MRL 0.05*	0.01*	0.05*
		Cauliflower	0.02*	0.1*	0.2	no MRL 0.05*	0.01*	0.05*
		Others	0.02*	0.1*	0.2	no MRL 0.05*	0.01*	0.05*
b)	Head Brassicas	Brussels sprouts	0.02*	0.5	no MRL 0.1*	no MRL 0.05*	0.01*	0.05*

Group to which food belongs	Groups include the following products	Captfol	Carbendazim	furan	Carbosulfan	Flutap	Chlorben	Gikorbufam
		changing 1 July 2001)						
	Head cabbage	0.02*	3	no MRL 0.1*	no MRL 0.05*		0.01*	0.05*
	Others	0.02*	3	no MRL 0.1*	no MRL 0.05*		0.01*	0.05*
c)	Leafy Brassicas							
	Chinese cabbage	0.02*	0.1*	no MRL 0.1*	no MRL 0.05*		0.01*	0.05*
	Kale	0.02*	0.1*	no MRL 0.1*	no MRL 0.05*		0.01*	0.05*
	Others	0.02*	0.1*	no MRL 0.1*	no MRL 0.05*		0.01*	0.05*
d)	Kohlrabi	0.02*	0.1*	0.2	0.2 0.05*		0.01*	0.05*

## v) LEAF VEGETABLES AND FRESH HERBS

a)	Lettuce & similar	Cress	0.02*	0.1*	0.1*	0.05*	0.01*	0.05*
		Lamb's lettuce	0.02*	0.1*	0.1*	0.05*	0.01*	0.05*
		Lettuce	0.02*	5	0.1*	0.05*	0.01*	0.05*
		Scarole	0.02*	0.1*	0.1*	0.05*	0.01*	0.05*
		Others	0.02*	0.1*	0.1*	0.05*	0.01*	0.05*
b)	Spinach & similar	Spinach	0.02*	0.1*	0.1*	0.05*	0.01*	0.05*
		Beet leaves (chard)	0.02*	0.1*	0.1*	0.05*	0.01*	0.05*
		Others	0.02*	0.1*	0.1*	0.05*	0.01*	0.05*
c)	Watercress	Watercress	0.02*	0.1*	0.1*	0.05*	0.01*	0.05*
d)	Witloof	Witloof	0.02*	0.1*	0.1*	0.05*	0.01*	0.05*

Group to which food belongs	Groups include the following products	Captafol	Carbendazim	furan	Carbosulfan	Flutap	Chlorben	Gidkorbufam
		changing						
		1 July 2001)						
e)	Herbs							
	Chervil	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
	Chives	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
	Parsley	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
	Celery leaves	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
	Others	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
vi)	LEGUME VEGETABLES (fresh)							
	Beans (with pods)	0.02*	0.1*	no MRL 0.1*	0.05*		0.01*	0.05*
	Beans (without pods)	0.02*	0.1*	no MRL 0.1*	0.05*		0.01*	0.05*
	Peas (with pods)	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
	Peas (without pods)	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
	Others	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
vii)	STEM VEGETABLES							
	Asparagus	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
	Cardoons	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
	Celery	0.02*	2	no MRL 0.1*	no MRL 0.05*		0.01*	0.05*
	Fennel	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
	Globe artichokes	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
	Leeks	0.02*	0.1*	no MRL 0.1*	no MRL 0.05*		0.01*	0.05*
	Rhubarb	0.02*	2	0.1*	0.05*		0.01*	0.05*
	Others	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
viii)	FUNGI							

Group to which food belongs	Groups include the following products	Captfol	Carbendazim	furan	Carbosulfan	Flutriap	Chlorben	Gikorbufam
		changing						
		1 July 2001)						
a)	Cultivated mushrooms	0.02*	1	0.1*	0.05*		0.01*	0.05*
b)	Wild mushrooms	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
<b>3. PULSES</b>								
	Beans	0.02*	2	no MRL 0.1*	0.05*		0.01*	0.05*
	Lentils	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
	Peas	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
	Others	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
<b>4. OILSEEDS</b>								
	Linseed	0.02*	0.1*	no MRL 0.1*	0.05*		0.01*	0.05*
	Peanuts	0.02*	0.1*	no MRL 0.1*	0.05*		0.01*	0.05*
	Poppy seed	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
	Sesame seed	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
	Sunflower seed	0.02*	0.1*	no MRL 0.1*	no MRL 0.05*		0.01*	0.05*
	Rape seed	0.02*	0.1*	no MRL 0.1*	0.05*		0.01*	0.05*
	Soya bean	0.02*	0.2*	no MRL 0.1*	0.05*		0.01*	0.05*
	Mustard seed	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
	Cotton seed	0.02*	0.1*	no MRL 0.1*	no MRL 0.05*		0.01*	0.05*
	Others	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
<b>5. POTATOES</b>								
	Early potatoes	0.02*	3	0.1*	no MRL 0.1*	0.05*	0.01*	0.05*

Group to which food belongs	Groups include the following products	Captafol	Carbendazim	furan	Carbosulfan	flutriap	Chlorbenazin	Gikorbufam
		(changing 1 July 2001)						
	Ware potatoes	0.02*	3.01*	no MRL 0.1*	0.05*		0.01*	0.05*
6. TEA	(dried leaves and stalks, fermented or otherwise, Camellia sinensis)	0.1*	0.1*	0.2*	0.1*	0.1*	0.1*	0.1*
7. HOPS (dried)	including hop pellets & unconcentrated powder	0.1*	0.1*	10	no MRL 1		0.1*	0.1*

  

Group to which food belongs	Groups include the following products	Chlordan	Chlorfen	Chlormec	Chlorobe	Chlatoth	Chlroxu	Chloryrifos
		(changing 1 July 2001)						
1. Fruit, fresh, dried or uncooked, preserved by freezing not containing added sugar: nuts								
i) CITRUS FRUIT								
	Grapefruit	0.01*	0.05*	0.02*	0.01*	0.05*	0.3	
	Lemons	0.01*	0.05*	0.02*	0.01*	0.05*	0.2	
	Limes	0.01*	0.05*	0.02*	0.01*	0.05*	0.3	
	Mandarins (inc clementines & similar hybrids)	0.01*	0.05*	0.02*	0.01*	0.05*	2	
	Oranges	0.01*	0.05*	0.02*	0.01*	0.05*	0.3	
	Pomelos	0.01*	0.05*	0.02*	0.01*	0.05*	0.3	

Group to which food belongs	Groups include the following products	Chlordane	Chlorfenapyr	Chlormequat	Chlorobenzilate	Chlorthalide	Chloroxuron	Chlorpyrifos
		(changing 1 July 2001)	(changing 1 July 2001)					
	Others	0.01*	0.05*	0.02*	0.01*	0.05*	0.3	
<b>ii) TREE NUTS (shelled or unshelled)</b>								
	Almonds	0.01*	0.1*	0.02*	0.01*	0.05*	0.05*	
	Brazil nuts	0.01*	0.1*	0.02*	0.01*	0.05*	0.05*	
	Cashew nuts	0.01*	0.1*	0.02*	0.01*	0.05*	0.05*	
	Chestnuts	0.01*	0.1*	0.02*	0.01*	0.05*	0.05*	
	Coconuts	0.01*	0.1*	0.02*	0.01*	0.05*	0.05*	
	Hazelnuts	0.01*	0.1*	0.02*	0.01*	0.05*	0.05*	
	Macadamia nuts	0.01*	0.1*	0.02*	0.01*	0.05*	0.05*	
	Pecans	0.01*	0.1*	0.02*	0.01*	0.05*	0.05*	
	Pine nuts	0.01*	0.1*	0.02*	0.01*	0.05*	0.05*	
	Pistachios	0.01*	0.1*	0.02*	0.01*	0.05*	0.05*	
	Walnuts	0.01*	0.1*	0.02*	0.01*	0.05*	0.05*	
	Others	0.01*	0.1*	0.02*	0.01*	0.05*	0.05*	
<b>iii) POME FRUIT</b>								
	Apples	0.01*	no MRL 0.05*	0.02*	1	0.05*	0.5	
	Pears	0.01*	3.0.05*	0.02*	1	0.05*	0.5	
	Quinces	0.01*	0.05*	0.02*	1	0.05*	0.5	
	Others	0.01*	0.05*	0.02*	1	0.05*	0.5	
<b>iv) STONE FRUIT</b>								
	Apricots	0.01*	0.05*	0.02*	1	0.05*	0.05*	
	Cherries	0.01*	0.05*	0.02*	0.01*	0.05*	0.3	
	Peaches (incl nectarines & similar hybrids)	0.01*	0.05*	0.02*	1	0.05*	0.2	

Group to which food belongs	Groups include the following products	Chlordane	Chlorfenapyr	Chlormequat	Chlorobenzilate	Chlorthalidone	Chloroxuron	Chlorpyrifos
		(changing 1 July 2001)	(changing 1 July 2001)					
	Plums	0.01*	0.05*	0.02*	0.01*	0.05*	0.2	
	Others	0.01*	0.05*	0.02*	0.01*	0.05*	0.05*	
<b>v) BERRIES AND SMALL FRUIT</b>								
a)	Table & wine grapes							
	Table grapes	0.01*	1	0.05*	0.02*	1	0.05*	0.5
	Wine grapes	0.01*	1	0.05*	0.02*	3	0.05*	0.5
b)	Strawberries (other than wild)	0.01*	<i>no MRL</i>	0.05*	0.02*	3	0.05*	0.2
c)	Cane Fruit (other than wild)							
	Blackberries	0.01*	0.05*	0.02*	10 0.01*	0.05*	0.5	
	Dewberries	0.01*	0.05*	0.02*	10 0.01*	0.05*	0.05*	
	Loganberries	0.01*	0.05*	0.02*	10 0.01*	0.05*	0.05*	
	Raspberries	0.01*	0.05*	0.02*	10	0.05*	0.5	
	Others	0.01*	0.05*	0.02*	10 0.01*	0.05*	0.05*	
d)	Other small fruit & berries (other than wild)							
	Bilberries	0.01*	0.05*	0.02*	0.01*	0.05*	0.05*	
	Cranberries	0.01*	0.05*	0.02*	2	0.05*	0.05*	

Group to which food belongs	Groups include the following products	Chlordane	Chlorfenapyr	Chlormequat	Chlorobenzilate	Chlorthalidone	Chloroxuron	Chlorpyrifos
		(changing 1 July 2001)	(changing 1 July 2001)					
e)	Currents (red, black & white)	0.01*	0.05*	0.02*	10	0.05*	1	
	Gooseberries	0.01*	0.05*	0.02*	10	0.05*	1	
	Others	0.01*	0.05*	0.02*	0.01*	0.05*	0.05*	
	Wild berries & wild fruit	0.01*	0.05*	0.02*	0.01*	0.05*	0.05*	
vi) MISCELLANEOUS FRUIT								
	Avocados	0.01*	0.05*	0.02*	0.01*	0.05*	0.05*	
	Bananas	0.01*	0.05*	0.02*	2	0.05*	3	
	Dates	0.01*	0.05*	0.02*	0.01*	0.05*	0.05*	
	Figs	0.01*	0.05*	0.02*	0.01*	0.05*	0.05*	
	Kiwi fruit	0.01*	0.05*	0.02*	0.01*	0.05*	2	
	Kumquats	0.01*	0.05*	0.02*	0.01*	0.05*	0.05*	
	Litchis	0.01*	0.05*	0.02*	0.01*	0.05*	0.05*	
	Mangoes	0.01*	0.05*	0.02*	0.01*	0.05*	0.05*	
	Olives (table consumption)	0.01*	0.05*	0.02*	0.01*	0.05*	0.05*	
	Olives (oil extract)	0.01*	0.05*	0.02*	0.01*	0.05*	0.05*	
	Papaya		no MRL 0.05*		no MRL 0.01*			
	Passion fruit	0.01*	0.05*	0.02*	0.01*	0.05*	0.05*	
	Pineapples	0.01*	0.05*	0.02*	0.01*	0.05*	0.05*	
	Pomegranates	0.01*	0.05*	0.02*	0.01*	0.05*	0.05*	
	Others	0.01*	0.05*	0.02*	0.01*	0.05*	0.05*	

## 2. Vegetables, fresh or uncooked, frozen or dry

Group to which food belongs	Groups include the following products	Chlordane	Chlorfenapyr	Chlormequat	Chlorobenzilate	Chlorthalide	Chloroxuron	Chlorpyrifos
		(changing 1 July 2001)	(changing 1 July 2001)					
<b>i) ROOT AND TUBER VEGETABLES</b>								
	Beetroot	0.01*	0.05*	0.02*	0.01*	0.05*	0.05*	
	Carrots	0.01*	0.05*	0.02*	1	0.05*	0.1	
	Celeriac	0.01*	0.05*	0.02*	0.5	0.05*	0.05*	
	Horseradish	0.01*	0.05*	0.02*	0.01*	0.05*	0.05*	
	Jerusalem artichokes	0.01*	0.05*	0.02*	0.01*	0.05*	0.05*	
	Parsnips	0.01*	0.05*	0.02*	0.01*	0.05*	0.05*	
	Parsley root	0.01*	0.05*	0.02*	0.01*	0.05*	0.05*	
	Radishes	0.01*	0.05*	0.02*	0.01*	0.05*	0.2	
	Salsify	0.01*	0.05*	0.02*	0.01*	0.05*	0.05*	
	Sweet potatoes	0.01*	0.05*	0.02*	0.01*	0.05*	0.05*	
	Swedes	0.01*	0.05*	0.02*	0.01*	0.05*	0.05*	
	Turnips	0.01*	0.05*	0.02*	0.01*	0.05*	0.05*	
	Yams	0.01*	0.05*	0.02*	0.01*	0.05*	0.05*	
	Others	0.01*	0.05*	0.02*	0.01*	0.05*	0.05*	
<b>ii) BULB VEGETABLES</b>								
	Garlic	0.01*	0.05*	0.02*	0.5	0.05*	0.05*	
	Onions	0.01*	0.05*	0.02*	0.5	0.05*	0.2	
	Shallots	0.01*	0.05*	0.02*	0.5	0.05*	0.05*	
	Spring onions	0.01*	0.05*	0.02*	5	0.05*	0.05*	
	Others	0.01*	0.05*	0.02*	0.01*	0.05*	0.05*	
<b>iii) FRUITING VEGETABLES</b>								
a)	Solanacea							
	Tomatoes	0.01*	no MRL 0.05*	0.02*	2	0.05*	0.5	
	Peppers	0.01*	0.05*	0.02*	2	0.05*	0.5	
	Chilli peppers	0.01*		0.02*		0.05*		

Group to which food belongs	Groups include the following products	Chlordane	Chlorfenapyr	Chlormequat	Chlorobenzilate	Chlorthalide	Chloroxuron	Chlorpyrifos
		(changing 1 July 2001)	(changing 1 July 2001)					
	Aubergines	0.01*	0.05*	0.02*	2	0.05*	0.5	
	Others	0.01*	0.05*	0.02*	2	0.05*	0.5	
b)	Cucurbits-edible peel							
	Cucumbers	0.01*	0.05*	0.02*	1	0.05*	0.05*	
	Gherkins	0.01*	0.05*	0.02*	5	0.05*	0.05*	
	Courgettes	0.01*	0.05*	0.02*	0.01*	0.05*	0.05*	
c)	Cucurbits-inedible peel							
	Melons	0.01*	0.05*	0.02*	1	0.05*	0.05*	
	Squashes	0.01*	0.05*	0.02*	1	0.05*	0.05*	
	Watermelons	0.01*	0.05*	0.02*	1	0.05*	0.05*	
d)	Others	0.01*	0.05*	0.02*	1	0.05*	0.05*	
	Sweet corn	0.01*	0.05*	0.02*	0.01*	0.05*	0.05*	

## iv) BRASSICA VEGETABLES

a)	Flowering Brassicas							
	Broccoli	0.01*	0.05*	0.02*	3	0.05*	0.05*	
	Cauliflower	0.01*	0.05*	0.02*	3	0.05*	0.05*	
	Others	0.01*	0.05*	0.02*	3	0.05*	0.05*	
b)	Head Brassicas							
	Brussels sprouts	0.01*	0.05*	0.02*	0.5	0.05*	0.05*	
	Head cabbage	0.01*	0.05*	0.02*	3	0.05*	1	
	Others	0.01*	0.05*	0.02*	0.01*	0.05*	0.05*	
c)	Leafy Brassicas							

Group to which food belongs	Groups include the following products	Chlordane	Chlorfenapyr	Chlormequat	Chlorobenzilate	Chlorthalide	Chloroxuron	Chlorpyrifos
		(changing 1 July 2001)	(changing 1 July 2001)					
	Chinese cabbage	0.01*	0.05*	0.02*	0.01*	0.05*	0.5	
	Kale	0.01*	0.05*	0.02*	0.01*	0.05*	0.05*	
	Others	0.01*	0.05*	0.02*	0.01*	0.05*	0.05*	
d)	Kohlrabi	0.01*	0.05*	0.02*	0.01*	0.05*	0.05*	
v) LEAF VEGETABLES AND FRESH HERBS								
a)	Lettuce & similar							
	Cress	0.01*	0.05*	0.02*	0.01*	0.05*	0.05*	
	Lamb's lettuce	0.01*	0.05*	0.02*	0.01*	0.05*	0.05*	
	Lettuce	0.01*	0.05*	0.02*	0.01*	0.05*	0.05*	
	Scarole	0.01*	0.05*	0.02*	0.01*	0.05*	0.05*	
	Others	0.01*	0.05*	0.02*	0.01*	0.05*	0.05*	
b)	Spinach & similar							
	Spinach	0.01*	0.05*	0.02*	0.01*	0.05*	0.05*	
	Beet leaves (chard)	0.01*	0.05*	0.02*	0.01*	0.05*	0.05*	
	Others	0.01*	0.05*	0.02*	0.01*	0.05*	0.05*	
c)	Watercress	0.01*	0.05*	0.02*	0.01*	0.05*	0.05*	
d)	Witloof	0.01*	0.05*	0.02*	0.01*	0.05*	0.05*	
e)	Herbs							
	Chervil	0.01*	0.05*	0.02*	5	0.05*	0.05*	
	Chives	0.01*	0.05*	0.02*	5	0.05*	0.05*	
	Parsley	0.01*	0.05*	0.02*	5	0.05*	0.05*	
	Celery leaves	0.01*	0.05*	0.02*	5	0.05*	0.05*	
	Others	0.01*	0.05*	0.02*	5	0.05*	0.05*	
vi) LEGUME VEGETABLES (fresh)								

<b>Group to which food belongs</b>	<b>Groups include the following products</b>	<b>Chlordan</b>	<b>Chlorfen</b>	<b>Chlormec</b>	<b>Chlorobe</b>	<b>Gilatech</b>	<b>Chloroxu</b>	<b>Chlorpyrifos</b>
		(changing 1 July 2001)	(changing 1 July 2001)					
	Beans (with pods)	0.01*	<i>no MRL</i> 0.05*	0.02*	0.01*	0.05*	0.05*	
	Beans (without pods)	0.01*	<i>no MRL</i> 0.05*	0.02*	0.05	0.05*	0.05*	
	Peas (with pods)	0.01*	<i>no MRL</i> 0.05*	0.02*	2	0.05*	0.05*	
	Peas (without pods)	0.01*	<i>no MRL</i> 0.05*	0.02*	0.01* 0.3	0.05*	0.05*	
	Others	0.01*	0.05*	0.02*	0.01*	0.05*	0.05*	
<b>vii) STEM VEGETABLES</b>								
	Asparagus	0.01*	0.05*	0.02*	0.01*	0.05*	0.05*	
	Cardoons	0.01*	0.05*	0.02*	0.01*	0.05*	0.05*	
	Celery	0.01*	0.05*	0.02*	10	0.05*	0.05*	
	Fennel	0.01*	0.05*	0.02*	0.01*	0.05*	0.05*	
	Globe artichokes	0.01*	0.05*	0.02*	0.01*	0.05*	1	
	Leeks	0.01*	0.05*	0.02*	10	0.05*	0.05*	
	Rhubarb	0.01*	0.05*	0.02*	0.01*	0.05*	0.05*	
	Others	0.01*	0.05*	0.02*	0.01*	0.05*	0.05*	
<b>viii) FUNGI</b>								
a)	Cultivated mushrooms	0.01*	<i>no MRL</i> 0.05*	0.02*	2	0.05*	0.05*	
b)	Wild mushrooms	0.01*	0.05*	0.02*	0.01*	0.05*	0.05*	
<b>3. PULSES</b>								
	Beans	0.01*	0.05*	0.02*	0.01*	0.05*	0.05*	
	Lentils	0.01*	0.05*	0.02*	0.01*	0.05*	0.05*	
	Peas	0.01*	0.05*	0.02*	0.01*	0.05*	0.05*	
	Others	0.01*	0.05*	0.02*	0.01*	0.05*	0.05*	

Group to which food belongs	Groups include the following products	Chlordane	Chlorfenvinphos	Chlormequat	Chlorobenzilate	Chlorthalide	Chloroxuron	Chlorpyrifos
		(changing 1 July 2001)	(changing 1 July 2001)					
<b>4. OILSEEDS</b>								
	Linseed	0.01*	<i>no MRL</i> 0.1*	0.02*	0.01*	0.05*	0.05*	
	Peanuts	0.01*	0.1*	0.02*	0.05	0.05*	0.05*	
	Poppy seed	0.01*	0.1*	0.02*	0.01*	0.05*	0.05*	
	Sesame seed	0.01*	0.1*	0.02*	0.01*	0.05*	0.05*	
	Sunflower seed	0.01*	0.1*	0.02*	0.01*	0.05*	0.05*	
	Rape seed	0.01*	<i>no MRL</i> 0.1*	0.02*	0.01*	0.05*	0.05*	
	Soya bean	0.01*	0.1*	0.02*	0.01*	0.05*	0.05*	
	Mustard seed	0.01*	0.1*	0.02*	0.01*	0.05*	0.05*	
	Cotton seed	0.01*	<i>no MRL</i> 0.1*	0.02*	0.01*	0.05*	0.05*	
	Others	0.01*	0.1*	0.02*	0.01*	0.05*	0.05*	
<b>5. POTATOES</b>								
	Early potatoes	0.01*	<i>no MRL</i> 0.05*	0.02*	0.01*	0.05*	0.05*	
	Ware potatoes	0.01*	<i>no MRL</i> 0.05*	0.02*	0.01*	0.05*	0.05*	
<b>6. TEA</b>								
	(dried leaves and stalks, fermented or otherwise, Camellia sinensis)	0.02*	0.1*	0.1*	0.1*	0.1*	0.1*	0.1*
<b>7. HOPS (dried)</b>								
	including hop pellets &		0.1*	0.1*	0.1*	50	0.1*	0.1*

Group to which food belongs	Groups include the following products	Chlordane	Chlorfenvinphos	Chlormequat	Chlorobenzilate	Chlorthalide	Chloroxuron	Chlorpyrifos
		(changing 1 July 2001)						
	unconcentrated powder							
Group to which food belongs	Groups include the following products	Chlorpyrifos	Buthylate	Hyperiodite	Diaminozide	DDT	Deltamethrin	Diaillate
		(changing 1 July 2001)						

1. Fruit, fresh, dried or uncooked, preserved by freezing not containing added sugar: nuts

i) CITRUS FRUIT

Grapefruit	0.05*	0.02*	2	0.02*	0.05*	0.05*	0.05*	0.5 1
Lemons	0.3	0.02*	2	0.02*	0.05*	0.05*	0.05*	0.5 0.02*
Limes	0.05*	0.02*	2	0.02*	0.05*	0.05*	0.05*	0.5 0.02*
Mandarins (inc clementines & similar hybrids)		0.02*	2	0.02*	0.05*	0.05*	0.05*	0.5 0.02*
Oranges	0.5	0.02*	2	0.02*	0.05*	0.05*	0.05*	0.5 1
Pomelos	0.05*	0.02*	2	0.02*	0.05*	0.05*	0.05*	0.5 1
Others	0.05*	0.02*	2	0.02*	0.05*	0.05*	0.05*	0.5 0.02*

ii) TREE NUTS (shelled or unshelled)

Almonds	0.05*	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
Brazil nuts	0.05*	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
Cashew nuts	0.05*	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
Chestnut	0.05*	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
Coconuts	0.05*	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*

Group to which food belongs	Groups include the following products	MRLs (EU) as at 1 July 2001							
		Chlorpyrifos	Dibutyltin	Dimethyltin	Diazinon	Deltamethrin	Malathion	Diazinon	
		(changing 1 July 2001)							
	Hazelnut	0.05*	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
	Macadamia nuts	0.05*	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
	Pecans	0.05*	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
	Pine nuts	0.05*	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
	Pistachio	0.05*	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
	Walnuts	0.05*	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
	Others	0.05*	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
<b>iii) POME FRUIT</b>									
	Apples	0.5	0.2	1	0.02*	0.05*	0.1	0.05*	0.5 0.3
	Pears	0.5	0.2	1	0.02*	0.05*	0.1	0.05*	0.5 0.3
	Quinces	0.5	0.2	1	0.02*	0.05*	0.1	0.05*	0.5 0.02*
	Others	0.5	0.2	1	0.02*	0.05*	0.1	0.05*	0.5 0.02*
<b>iv) STONE FRUIT</b>									
	Apricots	0.05*	no MRL 0.5	2	0.02*	0.05*	0.1	0.05*	0.5 0.02*
	Cherries	0.05*	0.2	1	0.02*	0.05*	0.1	0.05*	0.5 0.3
	Peaches (incl nectarines & similar hybrids)	0.5	no MRL 0.5	2	0.02*	0.05*	0.1	0.05*	0.5 0.02*
	Plums	0.05*	0.2	1	0.02*	0.05*	0.1	0.05*	0.5 0.1
	Others	0.05*	no MRL 0.02*	0.05*	0.02*	0.05*	0.1	0.05*	0.5 0.02*
<b>v) BERRIES AND SMALL FRUIT</b>									

Group to which food belongs	Groups Chlorpyrifos butyl Chlorpyrifos methyl Chlorpyrifos isopropyl Chlorpyrifos ethyl Chlorpyrifos diethyl Chlorpyrifos diisopropyl Chlorpyrifos diisopropyl Deltamethrin Diazinon Diazinon Diazinon	(changing 1 July 2001)		(changing 1 July 2001)	
a)	Table & wine grapes				
	Table grapes	0.2	0.3	0.5	0.02*
	Wine grapes	0.2	0.3	0.5	0.02*
b)	Strawberries (other than wild)	no MRL 0.02*	0.05*	0.02*	0.05*
c)	Cane Fruit (other than wild)				
	Blackberries	0.05*	0.02*	0.5	0.02*
	Dewberries	0.05*	0.02*	0.5	0.02*
	Loganberries	0.05*	0.02*	0.5	0.02*
	Raspberries	0.05*	0.02*	0.5	0.02*
	Others	0.05*	0.02*	0.5	0.02*
d)	Other small fruit & berries (other than wild)				
	Bilberries	0.05*	0.02*	0.05*	0.02*
	Cranberries	0.05*	0.02*	0.05*	0.02*

Group to which food belongs	Groups Chlorpyrifos butyl Chlorpyrifos Methyl Chlorpyrifos Ethyl Chlorpyrifos OME Deltamethrin Diazinon Diazinon Diazinon Diazinon								
		(changing 1 July 2001)							
	Currants (red, black & white)	0.05*	no MRL 0.02*	0.05*	0.02*	0.05*	0.2	0.05*	0.2
	Gooseberries	0.05*	no MRL 0.02*	0.05*	0.02*	0.05*	0.2	0.05*	0.2
	Others	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.05*	0.02*
e)	Wild berries & wild fruit	0.05*	0.02*	2	0.02*	0.05*	0.05*	0.05*	0.02*
vi) MISCELLANEOUS FRUIT									
	Avocado	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.05*	0.02*
	Bananas	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.05*	0.5 0.02*
	Dates	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.05*	0.02*
	Figs	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.05*	0.02*
	Kiwi fruit	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.05*	0.5 0.2
	Kumquats	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.05*	0.02*
	Litchis	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.05*	0.02*
	Mangoes	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.05*	0.02*
	Olives (table consumption)	0.05*	0.02*	0.05*	0.02*	0.05*	0.1*	0.05*	0.5 0.02*
	Olives (oil extract)	0.05*	0.02*	0.05*	0.02*	0.05*	0.1*	0.05*	0.5 0.02*
	Papaya		no MRL 0.02*					no MRL 0.02*	
	Passion fruit	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.05*	0.02*

Group to which food belongs	Groups Chlorpyrifosbutyl include the following products	Maximum residue limits (mg/kg) for various food groups							
		Chlorpyrifosbutyl	Chlorpyrifos	Chlorpyrifos	Chlorpyrifos	Chlorpyrifos	Deltamethrin	Diazinon	Diazinon
		(changing 1 July 2001)				(changing 1 July 2001)			
	Pineapple	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.05*	0.02*
	Pomegranate	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.05*	0.02*
	Others	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.05*	0.02*
2. Vegetables, fresh or uncooked, frozen or dry									
i) ROOT AND TUBER VEGETABLES									
	Beetroot	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.05*	0.5 0.02*
	Carrots	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.05*	0.5 0.2
	Celeriac	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.05*	0.5 0.02*
	Horseradish	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.05*	0.5 0.02*
	Jerusalem artichokes	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.05*	0.02*
	Parsnips	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.05*	0.5 0.02*
	Parsley root	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.05*	0.02*
	Radishes	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.05*	0.5 0.02*
	Salsify	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.05*	0.02*
	Sweet potatoes	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.05*	0.02*
	Swedes	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.05*	0.5 0.02*
	Turnips	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.05*	0.5 0.02*
	Yams	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.05*	0.02*
	Others	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.05*	0.02*
ii) BULB VEGETABLES									
	Garlic	0.05*	0.02*	0.1	0.02*	0.05*	0.1	0.05*	0.5 0.02*

Group to which food belongs	Groups Chlorpyrifos butyl Chlorpyrifos methyl Chlorpyrifos ethyl Chlorpyrifos isopropyl Chlorpyrifos diethyl Chlorpyrifos diisopropyl Chlorpyrifos diethylaminoethyl Deltamethrin Deltamethrin Deltamethrin Deltamethrin Deltamethrin Deltamethrin Diazinon Diazinon	(changing 1 July 2001)				(changing 1 July 2001)			
		Onions	Shallots	Spring onions	Others	Onions	Shallots	Spring onions	Others
	Onions	0.05*	0.02*	0.1	0.02*	0.05*	0.1	0.05*	0.5 0.02*
	Shallots	0.05*	0.02*	0.1	0.02*	0.05*	0.1	0.05*	0.5 0.02*
	Spring onions	0.05*	0.02*	0.05*	0.02*	0.05*	0.1	0.05*	0.5 0.02*
	Others	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.05*	0.5 0.02*

## iii) FRUITING VEGETABLES

a)	Solanaceae								
	Tomatoes	0.5	0.05	0.5	0.02*	0.05*	0.2	0.05*	0.5
	Peppers	0.5	no MRL 0.3	0.5	0.02*	0.05*	0.2	0.05*	0.5
	Chilli peppers							0.05*	
	Aubergines	0.5	0.02*	0.5	0.02*	0.05*	0.2	0.05*	0.5
	Others	0.5	0.02*	0.5	0.02*	0.05*	0.2	0.05*	0.5
b)	Cucurbits- edible peel								
	Cucumbers	0.5*	no MRL 0.1	0.2	0.02*	0.05*	0.1	0.05*	0.5 0.02*
	Gherkins	0.05*	no MRL 0.02*	0.2	0.02*	0.05*	0.1	0.05*	0.5 0.02*
	Courgettes	0.05*	no MRL 0.02*	0.2	0.02*	0.05*	0.1	0.05*	0.5 0.02*
	Others	0.05*	no MRL 0.02*	0.2	0.02*	0.05*	0.1	0.05*	0.5 0.02*

Group to which food belongs	Groups Chlorpyrifos butyl Chlorpyrifos methyl Chlorothalonil Deltamethrin Diazinon Diazinon Diazinon Diazinon Diazinon	(changing 1 July 2001)		(changing 1 July 2001)		(changing 1 July 2001)		(changing 1 July 2001)	
c)	Cucurbits- inedible peel	Melons	0.05*	0.02*	0.2	0.02*	0.05*	0.05*	0.05*
								0.5 0.02*	
		Squashes	0.05*	0.02*	0.2	0.02*	0.05*	0.05*	0.05*
								0.5 0.02*	
		Watermelons*	0.05*	0.02*	0.2	0.02*	0.05*	0.05*	0.05*
								0.5 0.02*	
		Others	0.05*	0.02*	0.2	0.02*	0.05*	0.05*	0.05*
								0.5 0.02*	
d)	Sweet corn		0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.05*
								0.5 0.02*	
iv) BRASSICA VEGETABLES									
a)	Flowering Brassicicas	Broccoli	0.05*	no MRL 0.05	0.5	0.02*	0.05*	0.1	0.05*
									0.5 0.02*
		Cauliflower	0.05*	0.05	0.5	0.02*	0.05*	0.1	0.05*
									0.5 0.02*
		Others	0.05*	0.02*	0.05	0.02*	0.05*	0.1	0.05*
									0.5 0.02*
b)	Head Brassicicas	Brussels sprouts	0.05*	0.2	0.5	0.02*	0.05*	0.1	0.05*
									0.5 0.02*
		Head cabbage	0.05*	0.2	0.5	0.02*	0.05*	0.1	0.05*
									0.5 0.02*
		Others	0.05*	0.2	0.5	0.02*	0.05*	0.1	0.05*
									0.5 0.02*
c)	Leafy Brassicicas								

Group to which food belongs	Groups include the following products	(changing 1 July 2001)				(changing 1 July 2001)			
		Chlorpyrifos	DDT	Chlordimeform	DDE	Deltamethrin	Malathion	Diazinon	
	Chinese cabbage	0.05*	no MRL 0.3	1	0.02*	0.05*	0.5	0.05*	0.5 0.02*
	Kale	0.05*	no MRL 0.3	1	0.02*	0.05*	0.5	0.05*	0.5 0.02*
	Others	0.05*	no MRL 0.3	1	0.02*	0.05*	0.5	0.05*	0.5 0.02*
d)	Kohlrabi	0.05*	0.02*	0.2	0.02*	0.05*	0.05*	0.05*	0.5 0.02*

## v) LEAF VEGETABLES AND FRESH HERBS

a)	Lettuce & similar	Cress	0.05*	0.5	2	0.02*	0.05*	0.5	0.05*	0.5 0.02*
	Lamb's lettuce	Lettuce	0.05*	0.5	2	0.02*	0.05*	0.5	0.05*	0.5 0.02*
		Scarole	0.05*	0.5	2	0.02*	0.05*	0.5	0.05*	0.5 0.02*
		Others	0.05*	0.5	2	0.02*	0.05*	0.5	0.05*	0.5 0.02*
b)	Spinach & similar	Spinach	0.05*	0.02*	0.5	0.02*	0.05*	0.5	0.05*	0.5 0.02*
		Beet leaves (chard)	0.05*	0.02*	0.5	0.02*	0.05*	0.5	0.05*	0.5 0.02*
		Others	0.05*	0.02*	0.5	0.02*	0.05*	0.5	0.05*	0.5 0.02*

Group to which food belongs	Groups Chlorpyrifos butyl Chlorpyrifos methyl Chlorothalonil Deltamethrin Diazinon Diazinon Diazinon Diazinon	(changing 1 July 2001)								(changing 1 July 2001)							
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
c)	Watercress	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.05*	0.05*	0.5	0.02*						
d)	Witloof	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.05*	0.05*	0.5	0.02*						
e)	Herbs																
	Chervil	0.05*	0.02*	2	0.02*	0.05*	0.5	0.05*	0.5	0.02*							
	Chives	0.05*	0.02*	2	0.02*	0.05*	0.5	0.05*	0.5	0.02*							
	Parsley	0.05*	0.02*	2	0.02*	0.05*	0.5	0.05*	0.5	0.02*							
	Celery leaves	0.05*	0.02*	2	0.02*	0.05*	0.5	0.05*	0.5	0.02*							
	Others	0.05*	0.02*	2	0.02*	0.05*	0.5	0.05*	0.5	0.02*							
vi) LEGUME VEGETABLES (fresh)																	
	Beans (with pods)	0.05*	0.05	0.5	0.02*	0.05*	0.2	0.05*	0.5	0.02*							
	Beans (without pods)	0.05*	0.05	0.05*	0.02*	0.05*	0.05*	0.05*	0.05*	0.5	0.02*						
	Peas (with pods)	0.05*	0.05	0.5	0.02*	0.05*	0.1	0.05*	0.5	0.02*							
	Peas (without pods)	0.05*	0.05	0.05*	0.02*	0.05*	0.05*	0.05*	0.05*	0.5	0.02*						
	Others	0.05*	0.05	0.05*	0.02*	0.05*	0.05*	0.05*	0.05*	0.5	0.02*						
vii) STEM VEGETABLES																	
	Asparagus	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.05*	0.05*	0.5	0.02*						
	Cardoon	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.05*	0.05*	0.02*							

Group to which food belongs	Groups to include the following products	Maximum residue limits (ppm) for various pesticides							
		Chlorpyrifos	Dithilochlor	Malathion	Permethrin	Phenothiazine	Deltamethrin	Disulfoton	Diazinon
		(changing 1 July 2001)				(changing 1 July 2001)			
	Celery	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.05*	0.5 0.02*
	Fennel	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.05*	0.02*
	Globe artichokes	0.05*	0.02*	2	0.02*	0.05*	0.1	0.05*	0.5 0.02*
	Leeks	0.05*	no MRL 0.02*	0.5	0.02*	0.05*	0.2	0.05*	0.5 0.02*
	Rhubarb	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.05*	0.02*
	Others	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.05*	0.02*
viii) FUNGI									
a)	Cultivated mushrooms	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.05*	0.5 0.02*
b)	Wild mushrooms	0.05*	0.02*	1	0.02*	0.05*	0.05*	0.05*	0.02*
3. PULSES									
	Beans	0.05*	0.02*	0.05*	0.02*	0.05*	1	0.05*	no MRL 0.02*
	Lentils	0.05*	0.02*	0.05*	0.02*	0.05*	1	0.05*	no MRL 0.02*
	Peas	0.05*	0.02*	0.05*	0.02*	0.05*	1	0.05*	no MRL 0.02*
	Others	0.05*	0.02*	0.05*	0.02*	0.05*	1	0.05*	no MRL 0.02*
4. OILSEEDS									
	Linseed	0.05*	0.02*	0.2	0.05*	0.05*	0.05*	0.05*	0.05*
	Peanuts	0.05*	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*	no MRL 0.05*
	Poppy seed	0.05*	0.02*	0.2	0.05*	0.05*	0.05*	0.05*	0.05*

Group to which food belongs	Groups Chlorpyrifosbutyl Chlorpyrifosethyl Chlorpyrifosmethyl Chlorpyrifosmethyl Deltamethrin Diazinon Diazinon Diazinon	(changing 1 July 2001)									(changing 1 July 2001)
		1	2	3	4	5	6	7	8	9	
	Sesame seed	0.05*	0.02*	0.2	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	
	Sunflower seed	0.05*	0.02*	0.2	0.05*	0.05*	0.05*	0.05*	0.05*	no MRL 0.05*	
	Rape seed	0.05*	0.05	0.2	0.05*	0.05*	0.1	0.05*	0.05*		
	Soya bean	0.05*	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*		
	Mustard seed	0.05*	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*		
	Cotton seed	0.05*	0.02*	0.2	0.05*	0.05*	0.05*	0.05*	0.05*	no MRL 0.05*	
	Others	0.05*	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*		
5. POTATOES	Early potatoes	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.05*	no MRL 0.02*		
	Ware potatoes	0.05*	0.02*	0.05*	0.02*	0.05*	0.5	0.05*	no MRL 0.02*		
6. TEA	(dried leaves and stalks, fermented or otherwise, Camellia sinensis)	0.1*	no MRL 0.1*	0.5	0.1*	0.2	5	0.1*	0.05*		
7. HOPS (dried)	including hop pellets & unconcentrated powder	0.1*	20	30	0.1*	0.05*	5	0.1*	no MRL 0.05*		

Group to which food belongs	Groups include the following products	1,2-Dibromoethane	Dichlorodibromoethane	Dicofol	1,1-Dichloro-2,2-bis-(4-ethyl-phenyl-)ethane	Dimethoate	Dinoseb
(changing 1 July 2001)							
1. Fruit, fresh, dried or uncooked, preserved by freezing not containing added sugar: nuts							
i) CITRUS FRUIT							
Grapefruit	0.01*	0.05*		2	0.01*	0.05*	
Lemons	0.01*	0.05*		2	0.01*	0.05*	
Limes	0.01*	0.05*		2	0.01*	0.05*	
Mandarin (inc clementines & similar hybrids)	0.01*	0.05*		2	0.01*	0.05*	
Oranges	0.01*	0.05*		2	0.01*	0.05*	
Pomelos	0.01*	0.05*		2	0.01*	0.05*	
Others	0.01*	0.05*		2	0.01*	0.05*	
ii) TREE NUTS (shelled or unshelled)							
Almonds	0.01*	0.05*		0.05*	0.01*	0.05*	
Brazil nuts	0.01*	0.05*		0.05*	0.01*	0.05*	
Cashew nuts	0.01*	0.05*		0.05*	0.01*	0.05*	
Chestnuts	0.01*	0.05*		0.05*	0.01*	0.05*	
Coconuts	0.01*	0.05*		0.05*	0.01*	0.05*	
Hazelnuts	0.01*	0.05*		0.05*	0.01*	0.05*	
Macadamia nuts	0.01*	0.05*		0.05*	0.01*	0.05*	
Pecans	0.01*	0.05*		0.05*	0.01*	0.05*	
Pine nuts	0.01*	0.05*		0.05*	0.01*	0.05*	
Pistachios	0.01*	0.05*		0.05*	0.01*	0.05*	
Walnuts	0.01*	0.05*		0.05*	0.01*	0.05*	
Others	0.01*	0.05*		0.05*	0.01*	0.05*	

<b>Group to which food belongs</b>	<b>Groups include the following products</b>	<b>1,2-Dibromoethane</b>	<b>Dichloropropene</b>	<b>Dichlorovinyl</b>	<b>Dicofol</b>	<b>1,1-Dichloro- 2,2-bis-(4-ethyl- phenyl)- ethane</b>	<b>Dimethoate</b>	<b>Dinoseb</b>
<b>(changing 1 July 2001)</b>								
<b>iii) POME FRUIT</b>								
	Apples	0.01*	0.05*		1 0.02*	0.01*		0.05*
	Pears	0.01*	0.05*		1 0.02*	0.01*		0.05*
	Quinces	0.01*	0.05*		1 0.02*	0.01*		0.05*
	Others	0.01*	0.05*		1 0.02*	0.01*		0.05*
<b>iv) STONE FRUIT</b>								
	Apricots	0.01*	0.05*		no MRL 0.02*	0.01*		0.05*
	Cherries	0.01*	0.05*		no MRL 0.02*	0.01*		0.05*
	Peaches (incl nectarines & similar hybrids)	0.01*	0.05*		no MRL 0.02*	0.01*		0.05*
	Plums	0.01*	0.05*		no MRL 0.02*	0.01*		0.05*
	Others	0.01*	0.05*		no MRL 0.02*	0.01*		0.05*
<b>v) BERRIES AND SMALL FRUIT</b>								
<b>a)</b>	Table & wine grapes							
	Table grapes	0.01*	0.05*		1 0.02*	0.01*		0.05*
	Wine grapes	0.01*	0.05*		1 2	0.01*		0.05*
<b>b)</b>	Strawberries (other than wild)	0.01*	0.05*		2 0.02*	0.01*		0.05*

Group to which food belongs	Groups 1,2- include Dibromoethane the following products	Dichlorop	Dichlorov	Dicofol	1,1- Dichloro-	Dimetho	Dinoseb
		Dibromoethane	Dichlorov	Dicofol	2,2- bis- (4- ethyl- phenyl-) ethane	Dimethoate	Dinoseb
<b>(changing 1 July 2001)</b>							
c)	Cane Fruit (other than wild)	Blackberries	0.01*	0.05*	0.02*	0.01*	0.05*
		Dewberries	0.01*	0.05*	0.02*	0.01*	0.05*
		Loganberries	0.01*	0.05*	0.02*	0.01*	0.05*
		Raspberries	0.01*	0.05*	0.02*	0.01*	0.05*
		Others	0.01*	0.05*	0.02*	0.01*	0.05*
d)	Other small fruit & berries (other than wild)	Bilberries	0.01*	0.05*	0.02*	0.01*	0.05*
		Cranberries	0.01*	0.05*	0.02*	0.01*	0.05*
		Currents	0.01*	0.05*	no MRL	0.01*	0.05*
					0.02*		
		black & white)					
		Gooseberries	0.01*	0.05*	0.02*	0.01*	0.05*
		Others	0.01*	0.05*	0.02*	0.01*	0.05*
e)	Wild berries & wild fruit	Wild berries	0.01*	0.05*	0.02*	0.01*	0.05*
<b>vi) MISCELLANEOUS FRUIT</b>							
	Avocados	0.01*	0.05*	0.02*	0.01*	0.05*	
	Bananas	0.01*	0.05*	2.002*	0.01*	0.05*	
	Dates	0.01*	0.05*	0.02*	0.01*	0.05*	

Group to which food belongs	Groups include the following products	1,2-	Dichloro- Dibromoethane	Dichloro- Dicofol	1,1- Dichloro- 2,2- bis- (4- ethyl- phenyl-) ethane	Dimethoate	Dinoseb
		(changing 1 July 2001)					
	Figs	0.01*	0.05*	<i>no MRL</i> 0.02*	0.01*	0.05*	
	Kiwi fruit	0.01*	0.05*	0.02*	0.01*	0.05*	
	Kumquats	0.01*	0.05*	0.02*	0.01*	0.05*	
	Litchis	0.01*	0.05*	0.02*	0.01*	0.05*	
	Mangoes	0.01*	0.05*	0.02*	0.01*	0.05*	
	Olives (table consumption)	0.01*	0.05*	0.02*	0.01*	0.05*	
	Olives (oil extract)	0.01*	0.05*	0.02*	0.01*	0.05*	
	Papaya			<i>no MRL</i> 0.02*			
	Passion fruit	0.01*	0.05*	0.02*	0.01*	0.05*	
	Pineapple	0.01*	0.05*	0.02*	0.01*	0.05*	
	Pomegranates	0.01*	0.05*	0.02*	0.01*	0.05*	
	Others	0.01*	0.05*	0.02*	0.01*	0.05*	
2. Vegetables, fresh or uncooked, frozen or dry							
i) ROOT AND TUBER VEGETABLES							
	Beetroot	0.01*	0.05*	0.02*	0.01*	0.05*	
	Carrots	0.01*	0.05*	0.02*	0.01*	0.05*	
	Celeriac	0.01*	0.05*	0.02*	0.01*	0.05*	
	Horseradish	0.01*	0.05*	0.02*	0.01*	0.05*	
	Jerusalem artichokes	0.01*	0.05*	0.02*	0.01*	0.05*	
	Parsnips	0.01*	0.05*	0.02*	0.01*	0.05*	
	Parsley root	0.01*	0.05*	0.02*	0.01*	0.05*	

Group to which food belongs	Groups include the following products	1,2-	Dichloro- Dibromoethane	Dichloro- Difol	1,1- Dichloro- 2,2- bis- (4- ethyl- phenyl-) ethane	Dimethoate	Dinoseb
		(changing 1 July 2001)					
	Radishes	0.01*	0.05*	0.02*	0.01*	0.05*	
	Salsify	0.01*	0.05*	0.02*	0.01*	0.05*	
	Sweet potatoes	0.01*	0.05*	0.02*	0.01*	0.05*	
	Swedes	0.01*	0.05*	0.02*	0.01*	0.05*	
	Turnips	0.01*	0.05*	0.02*	0.01*	0.05*	
	Yams	0.01*	0.05*	0.02*	0.01*	0.05*	
	Others	0.01*	0.05*	0.02*	0.01*	0.05*	
ii) BULB VEGETABLES							
	Garlic	0.01*	0.05*	no MRL 0.02*	0.01*	0.05*	
	Onions	0.01*	0.05*	0.02*	0.01*	0.05*	
	Shallots	0.01*	0.05*	0.02*	0.01*	0.05*	
	Spring onions	0.01*	0.05*	0.02*	0.01*	0.05*	
	Others	0.01*	0.05*	0.02*	0.01*	0.05*	
iii) FRUITING VEGETABLES							
a)	Solanaceae						
	Tomatoes	0.01*	0.05*	0.5 0.02*	0.01*	0.05*	
	Peppers	0.01*	0.05*	0.5 0.02*	0.01*	0.05*	
	Chilli peppers				0.01*		
	Aubergines	0.01*	0.05*	0.02*	0.01*	0.05*	
	Others	0.01*	0.05*	0.02*	0.01*	0.05*	
b)	Cucurbits- edible peel						
	Cucumber	0.01*	0.05*	0.5 0.2	0.01*	0.05*	

Group to which food belongs	Groups include the following products	1,2-	Dichloro- Dibromoethane	Dichloro- Dicofol	1,1- Dichloro- 2,2- bis- (4- ethyl- phenyl-) ethane	Dimethoate	Dinoseb
		(changing 1 July 2001)					
	Gherkins	0.01*	0.05*	0.5	0.2	0.01*	0.05*
	Courgette	0.01*	0.05*	0.5	0.2	0.01*	0.05*
	Others	0.01*	0.05*	0.5	0.2	0.01*	0.05*
c)	Cucurbits- inedible peel						
	Melons	0.01*	0.05*	0.5		0.01*	0.05*
	Squashes	0.01*	0.05*	0.5		0.01*	0.05*
	Watermelons	0.01*	0.05*	0.5		0.01*	0.05*
	Others	0.01*	0.05*	0.5		0.01*	0.05*
d)	Sweet corn	0.01*	0.05*	0.02*		0.01*	0.05*

## iv) BRASSICA VEGETABLES

a)	Flowering Brassicicas					
	Broccoli	0.01*	0.05*	0.02*	0.01*	0.05*
	Cauliflower	0.01*	0.05*	0.02*	0.01*	0.05*
	Others	0.01*	0.05*	0.02*	0.01*	0.05*
b)	Head Brassicicas					
	Brussels sprouts	0.01*	0.05*	0.02*	0.01*	0.05*
	Head cabbage	0.01*	0.05*	0.02*	0.01*	0.05*
	Others	0.01*	0.05*	0.02*	0.01*	0.05*
c)	Leafy Brassicicas					
	Chinese cabbage	0.01*	0.05*	0.02*	0.01*	0.05*
	Kale	0.01*	0.05*	0.02*	0.01*	0.05*
	Others	0.01*	0.05*	0.02*	0.01*	0.05*

Group to which food belongs	Groups include the following products	1,2-	Dichloro	Dibromoethane	Dichloro	Dicofol	1,1-	Dimetho	Dinoseb
		Dibromoethane	Dichloro	Dicofol	Dichloro-	bis-	(4-	ethyl-	Dinoseb
<b>(changing 1 July 2001)</b>									
d)	Kohlrabi	0.01*	0.05*		0.02*	0.01*		0.05*	
<b>v) LEAF VEGETABLES AND FRESH HERBS</b>									
a)	Lettuce & similar								
	Cress	0.01*	0.05*		0.02*	0.01*		0.05*	
	Lamb's lettuce	0.01*	0.05*		0.02*	0.01*		0.05*	
	Lettuce	0.01*	0.05*		0.02*	0.01*		0.05*	
	Scarole	0.01*	0.05*		0.02*	0.01*		0.05*	
	Others	0.01*	0.05*		0.02*	0.01*		0.05*	
b)	Spinach & similar								
	Spinach	0.01*	0.05*		0.02*	0.01*		0.05*	
	Beet leaves (chard)	0.01*	0.05*		0.02*	0.01*		0.05*	
	Others	0.01*	0.05*		0.02*	0.01*		0.05*	
c)	Watercress	0.01*	0.05*		0.02*	0.01*		0.05*	
d)	Witloof	0.01*	0.05*		0.02*	0.01*		0.05*	
e)	Herbs								
	Chervil	0.01*	0.05*		0.02*	0.01*		0.05*	
	Chives	0.01*	0.05*		0.02*	0.01*		0.05*	
	Parsley	0.01*	0.05*		0.02*	0.01*		0.05*	
	Celery leaves	0.01*	0.05*		0.02*	0.01*		0.05*	
	Others	0.01*	0.05*		0.02*	0.01*		0.05*	

**vi) LEGUME VEGETABLES (fresh)**

Group to which food belongs	Groups include the following products	1,2-	Dichloro- Dibromoethane	Dichloro- Difol	1,1- Dichloro- 2,2- bis- (4- ethyl- phenyl-) ethane	Dimethoate	Dinoseb
		(changing 1 July 2001)					
	Beans (with pods)	0.01*	0.05*	0.5 0.02*	0.01*	0.05*	
	Beans (without pods)	0.01*	0.05*	0.5 0.02*	0.01*	0.05*	
	Peas (with pods)	0.01*	0.05*	0.5 0.02*	0.01*	0.05*	
	Peas (without pods)	0.01*	0.05*	0.5 0.02*	0.01*	0.05*	
	Others	0.01*	0.05*	0.02*	0.01*	0.05*	
vii) STEM VEGETABLES							
	Asparagus	0.01*	0.05*	0.02*	0.01*	0.05*	
	Cardoons	0.01*	0.05*	0.02*	0.01*	0.05*	
	Celery	0.01*	0.05*	0.02*	0.01*	0.05*	
	Fennel	0.01*	0.05*	0.02*	0.01*	0.05*	
	Globe artichokes	0.01*	0.05*	no MRL 0.02*	0.01*	0.05*	
	Leeks	0.01*	0.05*	0.02*	0.01*	0.05*	
	Rhubarb	0.01*	0.05*	0.02*	0.01*	0.05*	
	Others	0.01*	0.05*	0.02*	0.01*	0.05*	
viii) FUNGI							
a)	Cultivated mushrooms	0.01*	0.05*	no MRL 0.02*	0.01*	0.05*	
b)	Wild mushrooms	0.01*	0.05*	0.02*	0.01*	0.05*	
3. PULSES							
	Beans	0.01*	0.05*	no MRL 0.02*	0.01*	0.05*	
	Lentils	0.01*	0.05*	0.02*	0.01*	0.05*	

Group to which food belongs	Groups include the following products	1,2-	Dichloro-	Dibromoethane	Dichloro-	1,1-	Dimetho-	Dinoseb
		Dibromoethane	Dichloro-	Dicofol	bis-	(4-	2,2-	bis-
<b>(changing 1 July 2001)</b>								
	Peas	0.01*	0.05*		0.02*	0.01*		0.05*
	Others	0.01*	0.05*		0.02*	0.01*		0.05*
<b>4. OILSEEDS</b>								
	Linseed	0.01*	0.05*		0.05*	0.01*		0.05*
	Peanuts	0.01*	0.05*		0.05*	0.01*		0.05*
	Poppy seed	0.01*	0.05*		0.05*	0.01*		0.05*
	Sesame seed	0.01*	0.05*		0.05*	0.01*		0.05*
	Sunflower seed	0.01*	0.05*		0.05*	0.01*		0.05*
	Rape seed	0.01*	0.05*		0.05*	0.01*		0.05*
	Soya bean	0.01*	0.05*		0.05*	0.01*		0.05*
	Mustard seed	0.01*	0.05*		0.05*	0.01*		0.05*
	Cotton seed	0.01*	0.05*		0.1	0.01*		0.05*
	Others	0.01*	0.05*		0.05*	0.01*		0.05*
<b>5. POTATOES</b>								
	Early potatoes	0.01*	0.05*		0.02*	0.01*		0.05*
	Ware potatoes	0.01*	0.05*		0.02*	0.01*		0.05*
<b>6. TEA</b>								
	(dried leaves and stalks, fermented or otherwise,	0.1*	0.1*	0.1*	20	0.1*	0.2	0.1*

<b>Group to which food belongs</b>	<b>Groups include the following products</b>	<b>1,2-Dichloro- Dibromoethane</b>	<b>Dichlorodifluoromethane</b>	<b>Dicofol</b>	<b>1,1-Dichloro- 2,2-bis-(4- ethyl- phenyl)- ethane</b>	<b>Dimethoate</b>	<b>Dinoseb</b>
						<b>(changing 1 July 2001)</b>	
	Camellia sinensis)						
7. HOPS (dried)	including hop pellets & unconcentrated powder	0.01*	0.1*	50	0.1*	0.1*	
<b>Group to which food belongs</b>	<b>Groups include the following products</b>	<b>Dioxathion</b>	<b>Diphenylamine</b>	<b>Dinitro</b>	<b>Endosulfan</b>	<b>Fenpropidin</b>	<b>Ethephon</b>
							<b>Ethion</b>
						<b>(changing 1 July 2001)</b>	<b>(changing 1 July 2001)</b>
1. Fruit, fresh, dried or uncooked, preserved by freezing not containing added sugar: nuts							
i) CITRUS FRUIT							
	Grapefruit	0.05*	0.05*	0.02*	1 0.5	0.01*	<i>no MRL 0.05*</i>
	Lemons	0.05*	0.05*	0.02*	1 0.5	0.01*	<i>no MRL 0.05*</i>
	Limes	0.05*	0.05*	0.02*	1 0.5	0.01*	<i>no MRL 0.05*</i>
	Mandarin (inc clementines & similar hybrids)	0.05*	0.05*	0.02*	1 0.5	0.01*	<i>no MRL 0.05*</i>
	Oranges	0.05*	0.05*	0.02*	1 0.5	0.01*	<i>no MRL 0.05*</i>
	Pomelos	0.05*	0.05*	0.02*	1 0.5	0.01*	<i>no MRL 0.05*</i>

Group to which food belongs	Groups include the following products	Dioxathion	Diphenylamine	Dinitro	Endosulfan	Endrin	Ethephon	Ethion
		(changing 1 July 2001)						
		Others	0.05*	0.05*	0.02*	1 0.5	0.01*	no MRL 0.05*
ii) TREE NUTS (shelled or unshelled)								
	Almonds	0.05*	0.05*	0.02*	0.1*	0.01*	0.1*	
	Brazil nuts	0.05*	0.05*	0.02*	0.1*	0.01*	0.1*	
	Cashew nuts	0.05*	0.05*	0.02*	0.1*	0.01*	0.1*	
	Chestnuts	0.05*	0.05*	0.02*	0.1*	0.01*	0.1*	
	Coconuts	0.05*	0.05*	0.02*	0.1*	0.01*	0.1*	
	Hazelnuts	0.05*	0.05*	0.02*	0.1*	0.01*	0.1*	
	Macadamia nuts	0.05*	0.05*	0.02*	0.1*	0.01*	0.1*	
	Pecans	0.05*	0.05*	0.02*	0.1*	0.01*	0.1*	
	Pine nuts	0.05*	0.05*	0.02*	0.1*	0.01*	0.1*	
	Pistachios	0.05*	0.05*	0.02*	0.1*	0.01*	0.1*	
	Walnuts	0.05*	0.05*	0.02*	0.1*	0.01*	0.1*	
	Others	0.05*	0.05*	0.02*	0.1*	0.01*	0.1*	
iii) POME FRUIT								
	Apples	0.05*	0.05*	0.02*	1 0.3	0.01*	3	
	Pears	0.05*	0.05*	0.02*	1 0.3	0.01*	3	
	Quinces	0.05*	0.05*	0.02*	1 0.3	0.01*	3	
	Others	0.05*	0.05*	0.02*	1 0.3	0.01*	3	
iv) STONE FRUIT								
	Apricots	0.05*	0.05*	0.02*	1 0.05*	0.01*	0.05*	
	Cherries	0.05*	0.05*	0.02*	1 0.05*	0.01*	3	
	Peaches (incl nectarines & similar hybrids)	0.05*	0.05*	0.02*	1 0.5	0.01*	0.05*	

Group to which food belongs	Groups include the following products	Dioxathion	Diphenylamine	Dinitro	Endosulfan	Endrin	Ethephon	Ethion
		(changing 1 July 2001)	(changing 1 July 2001)	(changing 1 July 2001)	(changing 1 July 2001)	(changing 1 July 2001)	(changing 1 July 2001)	(changing 1 July 2001)
		Plums	0.05*	0.05*	0.02*	1 0.05*	0.01*	0.05*
	Others	0.05*	0.05*	0.02*	1 0.05*	0.01*	0.05*	0.05*
<b>v) BERRIES AND SMALL FRUIT</b>								
a)	Table & wine grapes	Table grapes	0.05*	0.05*	0.02*	1 0.5	0.01*	no MRL 0.05*
		Wine grapes	0.05*	0.05*	0.02*	1 0.5	0.01*	no MRL 0.05*
b)	Strawberry (other than wild)	Strawberry (other than wild)	0.05*	0.05*	no MRL 0.02*	no MRL 0.05*	0.01*	0.05*
c)	Cane Fruit (other than wild)	Blackberry Dewberry Loganberry Raspberry Others	0.05*	0.05*	0.02*	no MRL 0.05*	0.01*	0.05*
			0.05*	0.05*	0.02*	0.05*	0.01*	0.05*
			0.05*	0.05*	0.02*	0.05*	0.01*	0.05*
			0.05*	0.05*	0.02*	1 0.05*	0.01*	0.05*
			0.05*	0.05*	0.02*	0.05*	0.01*	0.05*
d)	Other small fruit & berries (other than wild)	Bilberries Cranberries Currants (red,	0.05*	0.05*	0.02*	0.05*	0.01*	0.05*
			0.05*	0.05*	0.02*	0.05*	0.01*	0.05*
			0.05*	0.05*	0.02*	no MRL 0.05*	0.01*	5

Group to which food belongs	Groups include the following products	Dioxathion	Diphenyl	Dinitro	Endosulfan	Endrin	Etephon	Ethion
		(changing 1 July 2001)						
		black & white)						
e)	Gooseberries	0.05*	0.05*	0.02*	no MRL 0.05*	0.01*	0.05*	
	Others	0.05*	0.05*	0.02*	0.05*	0.01*	0.05*	
	Wild berries & wild fruit	0.05*	0.05*	0.02*	0.05*	0.01*	0.05*	
	vi) MISCELLANEOUS FRUIT							
	Avocados	0.05*	0.05*	0.02*	0.05*	0.01*	0.05*	
	Bananas	0.05*	0.05*	0.02*	no MRL 0.05*	0.01*	0.05*	
	Dates	0.05*	0.05*	0.02*	0.05*	0.01*	0.05*	
	Figs	0.05*	0.05*	0.02*	0.05*	0.01*	no MRL 0.05*	
	Kiwi fruit	0.05*	0.05*	0.02*	1 0.05*	0.01*	0.05*	
	Kumquats	0.05*	0.05*	0.02*	0.05*	0.01*	0.05*	
	Litchis	0.05*	0.05*	0.02*	0.05*	0.01*	0.05*	
	Mangoes	0.05*	0.05*	0.02*	0.05*	0.01*	0.05*	
	Olives (table consumption)	0.05*	0.05*	0.02*	1 0.05*	0.01*	no MRL 0.05*	
	Olives (oil extract)	0.05*	0.05*	0.02*	1 0.05*	0.01*	no MRL 0.05*	
	Papaya			no MRL 0.02*	no MRL 0.05*		no MRL 0.05*	
	Passion fruit	0.05*	0.05*	0.02*	0.05*	0.01*	0.05*	
	Pineapple	0.05*	0.05*	no MRL 0.02*	0.05*	0.01*	no MRL 0.5	
	Pomegranates	0.05*	0.05*	0.02*	0.05*	0.01*	0.05*	
	Others	0.05*	0.05*	0.02*	0.05*	0.01*	0.05*	

Group to which food belongs	Groups include the following products	Dioxathion	Diphenylamine	Dinitrophenol	Endosulfan	Endrin	Ethephon	Ethion	
		(changing 1 July 2001)							
2. Vegetables, fresh or uncooked, frozen or dry									
i) ROOT AND TUBER VEGETABLES									
Beetroot	0.05*	0.05*	0.02*	0.2 0.05*	0.01*	0.05*			
Carrots	0.05*	0.05*	no MRL 0.02*	0.2 0.05*	0.01*	0.05*			
Celeriac	0.05*	0.05*	0.02*	0.2 0.05*	0.01*	0.05*			
Horseradish	0.05*	0.05*	0.02*	0.05*	0.01*	0.05*			
Jerusalem artichokes	0.05*	0.05*	0.02*	0.05*	0.01*	0.05*			
Parsnips	0.05*	0.05*	no MRL 0.02*	0.05*	0.01*	0.05*			
Parsley root	0.05*	0.05*	0.02*	0.2 0.05*	0.01*	0.05*			
Radishes	0.05*	0.05*	0.02*	0.05*	0.01*	0.05*			
Salsify	0.05*	0.05*	0.02*	0.05*	0.01*	0.05*			
Sweet potatoes	0.05*	0.05*	0.02*	0.05*	0.01*	0.05*			
Swedes	0.05*	0.05*	0.02*	0.2 0.05*	0.01*	0.05*			
Turnips	0.05*	0.05*	0.02*	0.2 0.05*	0.01*	0.05*			
Yams	0.05*	0.05*	0.02*	0.05*	0.01*	0.05*			
Others	0.05*	0.05*	0.02*	0.05*	0.01*	0.05*			
ii) BULB VEGETABLES									
Garlic	0.05*	0.05*	0.02*	0.05*	0.01*	0.05*			
Onions	0.05*	0.05*	0.02*	1 0.05*	0.01*	no MRL 0.05*			
Shallots	0.05*	0.05*	0.02*	0.05*	0.01*	0.05*			
Spring onions	0.05*	0.05*	0.02*	0.05*	0.01*	0.05*			
Others	0.05*	0.05*	0.02*	0.05*	0.01*	0.05*			

Group to which food belongs	Groups include the following products	Dioxathion	Diphenylamine	Dinitro	Endosulfan	Endrin	Etephon	Ethion
		(changing 1 July 2001)						
<b>iii) FRUITING VEGETABLES</b>								
a)	Solanacea							
	Tomatoes	0.05*	0.05*	0.02*	1 0.5	0.01*	3	
	Peppers	0.05*	0.05*	0.02*	1 0.05*	0.01*	3	
	Chilli peppers							
	Aubergines	0.05*	0.05*	0.02*	1 0.05*	0.01*	0.05*	
	Others	0.05*	0.05*	0.02*	1 0.05*	0.01*	0.05*	
b)	Cucurbits- edible peel							
	Cucumber	0.05*	0.05*	0.02*	1 0.05*	0.01*	0.05*	
	Gherkins	0.05*	0.05*	0.02*	1 0.05*	0.01*	0.05*	
	Courgette	0.05*	0.05*	0.02*	1 0.05*	0.01*	0.05*	
	Others	0.05*	0.05*	0.02*	1 0.05*	0.01*	0.05*	
c)	Cucurbits- inedible peel							
	Melons	0.05*	0.05*	0.02*	1 0.3	0.01*	0.05*	
	Squashes	0.05*	0.05*	no MRL 0.02*	1 0.3	0.01*	0.05*	
	Watermelons	0.05*	0.05*	0.02*	1 0.3	0.01*	0.05*	
	Others	0.05*	0.05*	0.02*	1 0.3	0.01*	0.05*	
d)	Sweet corn	0.05*	0.05*	0.02*	0.05*	0.01*	no MRL 0.05*	

**iv) BRASSICA VEGETABLES**

a)	Flowering Brassicas							
	Broccoli	0.05*	0.05*	no MRL 0.02*	1 0.05*	0.01*	0.05*	
	Cauliflower	0.05*	0.05*	no MRL 0.02*	1 0.05*	0.01*	0.05*	
	Others	0.05*	0.05*	0.02*	1 0.05*	0.01*	0.05*	

Group to which food belongs	Groups include the following products	Dioxathion	Diphenylamine	Dinitro	Endosulfan	Endrin	Ethephon	Ethion
		(changing 1 July 2001)						
b)	Head Brassicas							
	Brussels sprouts	0.05*	0.05*	no MRL 0.02*	1 0.05*	0.01*	0.05*	
	Head cabbage	0.05*	0.05*	no MRL 0.02*	1 0.05*	0.01*	0.05*	
	Others	0.05*	0.05*	0.02*	1 0.05*	0.01*	0.05*	
c)	Leafy Brassicas							
	Chinese cabbage	0.05*	0.05*	0.02*	1 0.05*	0.01*	0.05*	
	Kale	0.05*	0.05*	0.02*	1 0.05*	0.01*	0.05*	
	Others	0.05*	0.05*	0.02*	1 0.05*	0.01*	0.05*	
d)	Kohlrabi	0.05*	0.05*	no MRL 0.02*	0.05*	0.01*	0.05*	

## v) LEAF VEGETABLES AND FRESH HERBS

a)	Lettuce & similar							
	Cress	0.05*	0.05*	0.02*	1 0.05*	0.01*	0.05*	
	Lamb's lettuce	0.05*	0.05*	0.02*	1 0.05*	0.01*	0.05*	
	Lettuce	0.05*	0.05*	0.02*	1 0.05*	0.01*	0.05*	
	Scarole	0.05*	0.05*	0.02*	1 0.05*	0.01*	0.05*	
	Others	0.05*	0.05*	0.02*	1 0.05*	0.01*	0.05*	
b)	Spinach & similar							
	Spinach	0.05*	0.05*	0.02*	1 0.05*	0.01*	0.05*	
	Beet leaves (chard)	0.05*	0.05*	0.02*	1 0.05*	0.01*	0.05*	
	Others	0.05*	0.05*	0.02*	1 0.05*	0.01*	0.05*	
c)	Watercress	0.05*	0.05*	0.02*	0.05*	0.01*	0.05*	

Group to which food belongs	Groups include the following products	Dioxathion	Diphenylamine	Dinitro	Endosulfan	Endrin	Ethephon	Ethion
		(changing 1 July 2001)						
d)	Witloof	0.05*	0.05*	0.02*	0.05*	0.01*	0.05*	
e)	Herbs							
	Chervil	0.05*	0.05*	no MRL 0.02*	0.05*	0.01*	0.05*	
	Chives	0.05*	0.05*	no MRL 0.02*	0.05*	0.01*	0.05*	
	Parsley	0.05*	0.05*	no MRL 0.02*	0.05*	0.01*	0.05*	
	Celery leaves	0.05*	0.05*	no MRL 0.02*	0.05*	0.01*	0.05*	
	Others	0.05*	0.05*	no MRL 0.02*	0.05*	0.01*	0.05*	
vi) LEGUME VEGETABLES (fresh)								
	Beans (with pods)	0.05*	0.05*	no MRL 0.02*	1 0.05*	0.01*	0.05*	
	Beans (without pods)	0.05*	0.05*	no MRL 0.02*	1 0.05*	0.01*	0.05*	
	Peas (with pods)	0.05*	0.05*	no MRL 0.02*	1 0.05*	0.01*	0.05*	
	Peas (without pods)	0.05*	0.05*	0.02*	1 0.05*	0.01*	0.05*	
	Others	0.05*	0.05*	no MRL 0.02*	1 0.05*	0.01*	0.05*	
vii) STEM VEGETABLES								
	Asparagus	0.05*	0.05*	0.02*	0.05*	0.01*	0.05*	
	Cardoons	0.05*	0.05*	0.02*	1 0.05*	0.01*	0.05*	
	Celery	0.05*	0.05*	no MRL 0.02*	1 0.05*	0.01*	0.05*	
	Fennel	0.05*	0.05*	0.02*	0.05*	0.01*	0.05*	
	Globe artichokes	0.05*	0.05*	0.02*	1 0.05*	0.01*	0.05*	

Group to which food belongs	Groups include the following products	Dioxathion	Diphenylamine	Dinitro	Endosulfan	Endrin	Ethephon	Ethion
				(changing 1 July 2001)	(changing 1 July 2001)		(changing 1 July 2001)	
	Leeks	0.05*	0.05*	0.02*	1 0.05*	0.01*	0.05*	
	Rhubarb	0.05*	0.05*	0.02*	0.05*	0.01*	0.05*	
	Others	0.05*	0.05*	0.02*	0.05*	0.01*	0.05*	
viii) FUNGI								
a)	Cultivated mushrooms	0.05*	0.05*	0.02*	1 0.05*	0.01*	0.05*	
b)	Wild mushrooms	0.05*	0.05*	0.02*	0.05*	0.01*	0.05*	
3. PULSES								
	Beans	0.05*	0.05*	no MRL 0.02*	0.05*	0.01*	0.05*	
	Lentils	0.05*	0.05*	0.02*	0.05*	0.01*	0.05*	
	Peas	0.05*	0.05*	0.02*	0.05*	0.01*	0.05*	
	Others	0.05*	0.05*	0.02*	0.05*	0.01*	0.05*	
4. OILSEEDS								
	Linseed	0.05*	0.05*	0.02*	no MRL 0.1*	0.01*	0.05*	
	Peanuts	0.05*	0.05*	0.02*	0.1*	0.01*	0.05*	
	Poppy seed	0.05*	0.05*	0.02*	0.1*	0.01*	0.05*	
	Sesame seed	0.05*	0.05*	0.02*	0.1*	0.01*	0.05*	
	Sunflower seed	0.05*	0.05*	0.02*	no MRL 0.1*	0.01*	0.05*	
	Rape seed	0.05*	0.05*	0.02*	no MRL 0.1*	0.01*	0.05*	
	Soya bean	0.05*	0.05*	0.02*	no MRL 0.5	0.01*	0.05*	
	Mustard seed	0.05*	0.05*	0.02*	no MRL 0.1*	0.01*	0.05*	
	Cotton seed	0.05*	0.05*	0.05 0.02*	0.3	0.01*	0.05* 2	
	Others	0.05*	0.05*	0.02*	0.1*	0.01*	0.05*	

Group to which food belongs	Groups include the following products	Dioxathion	Diphenylamine	Dinitro	Endosulfan	Endrin	Ethephon	Ethion
		(changing 1 July 2001)	(changing 1 July 2001)					
<b>5. POTATOES</b>								
	Early potatoes	0.05*	0.05*	no MRL 0.02*	no MRL 0.05*	0.01*	0.05*	
	Ware potatoes	0.05*	0.05*	no MRL 0.02*	no MRL 0.05*	0.01*	0.05*	
6. TEA	(dried leaves and stalks, fermented or otherwise, Camellia sinensis)	0.1*	0.05*	0.05*	30	0.01*	0.1*	2
7. HOPS (dried)	including hop pellets & unconcentrated powder	0.1*	0.05*	no MRL 0.05*	no MRL 0.1*	0.1*	0.1*	
<b>Group to which food belongs</b>								
	Groups include the following products	Fenarimol	Tenbutat	Fenchlor	Pentroth	Ramtin	Fenvalerate and Esfenvalerate	
		Oxide					Sum of RR and SS isomers	Sum of RS and SR isomers
		(changing 1 July 2001)	(changing 1 July 2001)				(changing 1 July 2001)	

1. Fruit, fresh, dried or uncooked, preserved by freezing not containing added sugar: nuts

i) CITRUS FRUIT

Grapefruit	0.02*	no MRL	0.01*	0.05*	0.05*	0.05*
	5			0.02*	0.02*	0.02*

Group to which food belongs	Groups include the following products	Fenarim	Tenbutat	Fenchlor	Fenstroth	Fentin	Fenvalerate	Esfenvalerate
		Oxide					Sum of RR and SS isomers	Sum of RS and SR isomers
		(changing 1 July 2001)	(changing 1 July 2001)				(changing 1 July 2001)	
Lemons	0.02*	no MRL	0.01*		0.05*	0.05*		
		5				0.02*	0.02*	
Limes	0.02*	no MRL	0.01*		0.05*	0.05*		
		5				0.02*	0.02*	
Mandarin	0.02*	no MRL	0.01*		0.05*	0.05*		
(inc clementines & similar hybrids)		5				0.02*	0.02*	
Oranges	0.02*	no MRL	0.01*		0.05*	0.05*		
		5				0.02*	0.02*	
Pomelos	0.02*	no MRL	0.01*		0.05*	0.05*		
		5				0.02*	0.02*	
Others	0.02*	no MRL	0.01*		0.05*	0.05*		
		5				0.02*	0.02*	
ii) TREE NUTS (shelled or unshelled)								
Almonds	0.02*	0.05*	0.01*		0.05*	0.05*		
						0.02*	0.02*	
Brazil nuts	0.02*	0.05*	0.01*		0.05*	0.05*		
						0.02*	0.02*	
Cashew nuts	0.02*	0.05*	0.01*		0.05*	0.05*		
						0.02*	0.02*	
Chestnuts	0.02*	0.05*	0.01*		0.05*	0.05*		
						0.02*	0.02*	
Coconuts	0.02*	0.05*	0.01*		0.05*	0.05*		

Group to which food belongs	Groups include the following products	Fenarim	Tenbutat	Hexchloro	Pentroth	Ramtin	Fenvalerate	and	Esfenvalerate
		Oxide					Sum of RR and SS isomers	Sum of RS and SR isomers	
		(changing 1 July 2001)	(changing 1 July 2001)					(changing 1 July 2001)	
							0.02*	0.02*	
Hazelnuts	0.02*	0.05*	0.01*		0.05*	0.05*			
							0.02*	0.02*	
Macadamia nuts	0.02*	0.05*	0.01*		0.05*	0.05*			
							0.02*	0.02*	
Pecans	0.02*	0.05*	0.01*		0.05*	0.05*			
							0.02*	0.02*	
Pine nuts	0.02*	0.05*	0.01*		0.05*	0.05*			
							0.02*	0.02*	
Pistachios	0.02*	0.05*	0.01*		0.05*	0.05*			
							0.02*	0.02*	
Walnuts	0.02*	0.05*	0.01*		0.05*	0.05*			
							0.02*	0.02*	
Others	0.02*	0.05*	0.01*		0.05*	0.05*			
							0.02*	0.02*	
iii) POME FRUIT									
Apples	0.3	2	0.01*		0.05*	I			
							0.05	0.02*	
Pears	0.3	2	0.01*		0.05*	I			
							0.05	0.02*	
Quinces	0.3	2	0.01*		0.05*	I			
							0.05	0.02*	
Others	0.3	2	0.01*		0.05*	I			
							0.05	0.02*	
iv) STONE FRUIT									

Group to which food belongs	Groups include the following products	Fenarim	fenbutatin	fenchlorpropyrin	fentrothrin	Fentin	Fenvalerate and Esfenvalerate
		Oxide					
	(changing 1 July 2001)	(changing 1 July 2001)					(changing 1 July 2001)
Apricots	no MRL	no MRL	0.01*		0.05*	0.05*	
	0.5		0.05*			0.02*	0.02*
Cherries	no MRL	no MRL	0.01*		0.05*	0.05*	
	1		0.05*			0.02*	0.02*
Peaches (inc nectarines & similar hybrids)	no MRL	no MRL	0.01*		0.05*	0.05*	
	0.5		0.5*			0.02*	0.02*
Plums	no MRL	no MRL	0.01*		0.05*	0.05*	
	0.02*		0.05*			0.02*	0.02*
Others	no MRL	no MRL	0.01*		0.05*	0.05*	
	0.02*		0.05*			0.02*	0.02*

## v) BERRIES AND SMALL FRUIT

a)	Table & wine grapes						
	Table grapes	0.3	2	0.01*		0.05*	1
						0.1	0.02*
	Wine grapes	0.3	2	0.01*		0.05*	1
						0.1	0.02*
	Strawberries (other than wild)	no MRL	0.01*		0.05*	0.05*	
						0.02*	0.02*

Group to which food belongs	Groups include the following products	Fenarim	Tenbutat	Fenchlor	Fentroth	Fentin	Fenvalerate and Esfenvalerate
		Oxide					
		(changing 1 July 2001)	(changing 1 July 2001)				(changing 1 July 2001)
c)	Cane Fruit (other than wild)						
	Blackberries	0.02*	0.05*	0.01*	0.05*	0.05*	
					0.02*	0.02*	
	Dewberries	0.02*	0.05*	0.01*	0.05*	0.05*	
					0.02*	0.02*	
	Loganberries	0.02*	0.05*	0.01*	0.05*	0.05*	
					0.02*	0.02*	
	Raspberries	MRL 0.1	0.05*	0.01*	0.05*	0.05*	
					0.02*	0.02*	
	Others	0.02*	0.05*	0.01*	0.05*	0.05*	
					0.02*	0.02*	
d)	Other small fruit & berries (other than wild)						
	Bilberries	0.02*	0.05*	0.01*	0.05*	0.05*	
					0.02*	0.02*	
	Cranberries	0.02*	0.05*	0.01*	0.05*	0.05*	
					0.02*	0.02*	
	Currents 1 (red, black & white)	1	0.05*	0.01*	0.05*	0.05*	
					0.02*	0.02*	

Group to which food belongs	Groups include the following products	Fenarimol	Tenbutatin	Hexachloroethane	Pentrothiophentin	Fenvalerate and Esfenvalerate	
		(changing 1 July 2001)	(changing 1 July 2001)			Sum of RR and SS isomers	Sum of RS and SR isomers
	Gooseberries	0.05*	0.01*		0.05*	<i>0.05*</i>	
						0.02*	0.02*
	Others	0.02*	0.05*	0.01*	0.05*	<i>0.05*</i>	
						0.02*	0.02*
e)	Wild berries & wild fruit	0.02*	0.05*	0.01*	0.05*	<i>0.05*</i>	
						0.02*	0.02*
vi) MISCELLANEOUS FRUIT							
	Avocados	0.02*	0.05*	0.01*	0.05*	<i>0.05*</i>	
						0.02*	0.02*
	Bananas	0.3	<i>no MRL</i>	0.01*	0.05*	<i>0.05*</i>	
			3			0.02*	0.02*
	Dates	0.02*	0.05*	0.01*	0.05*	<i>0.05*</i>	
						0.02*	0.02*
	Figs	0.02*	0.05*	0.01*	0.05*	<i>0.05*</i>	
						0.02*	0.02*
	Kiwi fruit	0.02*	0.05*	0.01*	0.05*	<i>0.05*</i>	
						0.02*	0.02*
	Kumquats	0.02*	0.05*	0.01*	0.05*	<i>0.05*</i>	
						0.02*	0.02*
	Litchis	0.02*	0.05*	0.01*	0.05*	<i>0.05*</i>	
						0.02*	0.02*
	Mangoes	0.02*	0.05*	0.01*	0.05*	<i>0.05*</i>	
						0.02*	0.02*

Group to which food belongs	Groups include the following products	Fenarim	Tenbutat	Fenchlor	Fentroth	Fentin	Fenvalerate	and	Esfenvalerate
		Oxide					Sum of RR and SS isomers	Sum of RS and SR isomers	
		(changing 1 July 2001)	(changing 1 July 2001)				(changing 1 July 2001)		
	Olives (table consumption)	0.02*	0.05*	0.01*		0.05*	0.05*	0.02*	0.02*
	Olives (oil extract)	0.02*	0.05*	0.01*		0.05*	0.05*	0.02*	0.02*
Papaya	no MRL	no MRL					no MRL		
		0.02*	0.05*				0.02*	0.02*	
Passion fruit	0.02*	0.05*	0.01*		0.05*	0.05*			
							0.02*	0.02*	
Pineapple	0.02*	0.05*	0.01*		0.05*	0.05*			
							0.02*	0.02*	
Pomegranate	0.02*	0.05*	0.01*		0.05*	0.05*			
							0.02*	0.02*	
Others	0.02*	0.05*	0.01*		0.05*	0.05*			
							0.02*	0.02*	

## 2. Vegetables, fresh or uncooked, frozen or dry

## i) ROOT AND TUBER VEGETABLES

Beetroot	0.02*	0.05*	0.01*		0.05*	0.05*
					0.02*	0.02*
Carrots	0.02*	0.05*	0.01*		0.05*	0.05*
					0.02*	0.02*
Celeriac	0.02*	0.05*	0.01*		0.05*	0.05*
					0.02*	0.02*
Horseradish	0.02*	0.05*	0.01*		0.05*	0.05*

Group to which food belongs	Groups include the following products	Fenarim	Tenbutat	Fenchlor	Pentroth	Ramtin	Fenvalerate	and	Esfenvalerate
		Oxide					Sum of RR and SS isomers	Sum of RS and SR isomers	
		(changing 1 July 2001)	(changing 1 July 2001)					(changing 1 July 2001)	
							0.02*	0.02*	
Jerusalem artichokes	0.02*	0.05*	0.01*		0.05*	0.05*			
Parsnips	0.02*	0.05*	0.01*		0.05*	0.05*			
Parsley root	0.02*	0.05*	0.01*		0.05*	0.05*			
Radishes	0.02*	0.05*	0.01*		0.05*	0.05*			
Salsify	0.02*	0.05*	0.01*		0.05*	0.05*			
Sweet potatoes	0.02*	0.05*	0.01*		0.05*	0.05*			
Swedes	0.02*	0.05*	0.01*		0.05*	0.05*			
Turnips	0.02*	0.05*	0.01*		0.05*	0.05*			
Yams	0.02*	0.05*	0.01*		0.05*	0.05*			
Others	0.02*	0.05*	0.01*		0.05*	0.05*			
							0.02*	0.02*	
ii) BULB VEGETABLES									
Garlic	0.02*	0.05*	0.01*		0.05*	0.05*			
							0.02*	0.02*	

Group to which food belongs	Groups include the following products	Fenarim	Tenbutat	Frenchlor	Pentroth	Ramtin	Fenvalerate and Esfenvalerate
		Oxide					
		(changing 1 July 2001)	(changing 1 July 2001)				(changing 1 July 2001)
Onions	0.02*	0.05*	0.01*		0.05*	0.05*	
						0.02*	0.02*
Shallots	0.02*	0.05*	0.01*		0.05*	0.05*	
						0.02*	0.02*
Spring onions	0.02*	0.05*	0.01*		0.05*	0.05*	
						0.02*	0.02*
Others	0.02*	0.05*	0.01*		0.05*	0.05*	
						0.02*	0.02*

## iii) FRUITING VEGETABLES

a)	Solanaceae						
	Tomatoes	no MRL	no MRL	0.01*		0.05*	I
		0.5	1			0.05	0.02*
	Peppers	no MRL	no MRL	0.01*		0.05*	0.2
		0.5	0.05*			0.02*	0.02*
	Chilli peppers						
	Aubergines	no MRL	no MRL	0.01*		0.05*	0.05*
		0.02*	1			0.02*	0.02*
	Others	no MRL	no MRL	0.01*		0.05*	0.05*
		0.02*	0.05*			0.02*	0.02*
b)	Cucurbits-edible peel						
	Cucumber	no MRL	0.5*	0.01*		0.05*	0.2
			0.2			0.02*	0.02*
	Gherkins	no MRL	no MRL	0.01*		0.05*	0.05*
		0.2	0.05*			0.02*	0.02*

Group to which food belongs	Groups include the following products	Fenarim	Tenbutat	Fenchlor	Fenstroth	Fentan	Fenvalerate	Esfenvalerate
		Oxide					Sum of RR and SS isomers	Sum of RS and SR isomers
		(changing 1 July 2001)	(changing 1 July 2001)				(changing 1 July 2001)	
	Courgettes	no MRL	no MRL	0.01*		0.05*	0.05*	
		0.2	0.5				0.02*	0.02*
	Others	no MRL	no MRL	0.01*		0.05*	0.05*	
		0.2	0.05*				0.02*	0.02*
c)	Cucurbits- inedible peel							
	Melons	no MRL	no MRL	0.01*		0.05*	0.2	
		0.05	0.05*				0.02*	0.02*
	Squashes	no MRL	no MRL	0.01*		0.05*	0.5	
		0.05	0.05*				0.02*	0.02*
	Watermelons	MRL	no MRL	0.01*		0.05*	0.5	
		0.05	0.05*				0.02*	0.02*
	Others	no MRL	no MRL	0.01*		0.05*	0.05*	
		0.05	0.05*				0.02*	0.02*
d)	Sweet corn	0.02*	0.05*	0.01*		0.05*	0.05*	
							0.02*	0.02*

## iv) BRASSICA VEGETABLES

a)	Flowering Brassicas							
	Broccoli	0.02*	0.05*	0.01*		0.05*	I	
							0.02*	0.02*
	Cauliflower	0.02*	0.05*	0.01*		0.05*	I	
							0.02*	0.02*
	Others	0.02*	0.05*	0.01*		0.05*	I	
							0.02*	0.02*

Group to which food belongs	Groups include the following products	Fenarim	Tenbutat	Fenchlor	Pentroth	Ramtin	Fenvalerate and Esfenvalerate
		Oxide					
		(changing 1 July 2001)	(changing 1 July 2001)				(changing 1 July 2001)
b)	Head Brassicas						
	Brussels sprouts	0.02*	0.05*	0.01*	0.05*	0.05*	0.05 0.02*
	Head cabbage	0.02*	0.05*	0.01*	0.05*	0.05*	0.05 0.02*
	Others	0.02*	0.05*	0.01*	0.05*	0.05*	0.02* 0.02*
c)	Leafy Brassicas						
	Chinese cabbage	0.02*	0.05*	0.01*	0.05*	I	0.02* 0.02*
	Kale	0.02*	0.05*	0.01*	0.05*	0.05*	0.02* 0.02*
	Others	0.02*	0.05*	0.01*	0.05*	0.05*	0.02* 0.02*
d)	Kohlrabi	0.02*	0.05*	0.01*	0.05*	0.05*	0.02* 0.02*

## v) LEAF VEGETABLES AND FRESH HERBS

a)	Lettuce & similar						
	Cress	0.02*	0.05*	0.01*	0.05*	0.05*	0.02* 0.02*
	Lamb's lettuce	0.02*	0.05*	0.01*	0.05*	0.05*	

Group to which food belongs	Groups include the following products	Fenarim	Tenbutat	Fenchlor	Fentroth	Fentin	Fenvalerate	and	Esfenvalerate
		Oxide					Sum of RR and SS isomers	Sum of RS and SR isomers	
		(changing 1 July 2001)	(changing 1 July 2001)					(changing 1 July 2001)	
							0.02*	0.02*	
	Lettuce	0.02*	0.05*	0.01*		0.05*	0.05*		
							0.02*	0.02*	
	Scarole	0.02*	0.05*	0.01*		0.05*	0.05*		
							0.02*	0.02*	
	Others	0.02*	0.05*	0.01*		0.05*	0.05*		
							0.02*	0.02*	
b)	Spinach & similar								
	Spinach	0.02*	0.05*	0.01*		0.05*	0.05*		
							0.02*	0.02*	
	Beet leaves (chard)	0.02*	0.05*	0.01*		0.05*	0.05*		
							0.02*	0.02*	
	Others	0.02*	0.05*	0.01*		0.05*	0.05*		
							0.02*	0.02*	
c)	Watercres	0.02*	0.05*	0.01*		0.05*	0.05*		
							0.02*	0.02*	
d)	Witloof	0.02*	0.05*	0.01*		0.05*	0.05*		
							0.02*	0.02*	
e)	Herbs								
	Chervil	0.02*	0.05*	0.01*		0.05*	0.05*		
							0.02*	0.02*	
	Chives	0.02*	0.05*	0.01*		0.05*	0.05*		
							0.02*	0.02*	
	Parsley	0.02*	0.05*	0.01*		0.05*	0.05*		

Group to which food belongs	Groups include the following products	Fenarim	Tenbutat	Fenchlor	Pentroth	Ramtin	Fenvalerate	Esfenvalerate
		Oxide					Sum of RR and SS isomers	Sum of RS and SR isomers
		(changing 1 July 2001)	(changing 1 July 2001)	(changing 1 July 2001)				
Celery leaves	0.02*	0.05*	0.01*		0.05*	0.05*	0.02*	0.02*
Others	0.02*	0.05*	0.01*		0.05*	0.05*	0.02*	0.02*
vi) LEGUME VEGETABLES (fresh)								
Beans (with pods)	0.02*	no MRL	0.01*		0.05*	0.05*	0.02*	0.02*
Beans (without pods)	0.02*	no MRL	0.01*		0.05*	0.05*	0.02*	0.02*
Peas (with pods)	no MRL	0.05*	0.01*		0.05*	0.05*	0.02*	0.02*
Peas (without pods)	no MRL	0.05*	0.01*		0.05*	0.05*	0.02*	0.02*
Others	0.02*	0.05*	0.01*		0.05*	0.05*	0.02*	0.02*
vii) STEM VEGETABLES								
Asparagus	0.02*	0.05*	0.01*		0.05*	0.05*	0.02*	0.02*
Cardoons	0.02*	0.05*	0.01*		0.05*	0.05*		

Group to which food belongs	Groups include the following products	Fenarim	Tenbutat	Fenchlor	Fentroth	Ramtin	Fenvalerate	and	Esfenvalerate
		Oxide					Sum of RR and SS isomers	Sum of RS and SR isomers	
		(changing 1 July 2001)	(changing 1 July 2001)					(changing 1 July 2001)	
Celery	0.02*	0.05*	0.01*		0.05*	0.05*	0.02*	0.02*	
Fennel	0.02*	0.05*	0.01*		0.05*	0.05*	0.02*	0.02*	
Globe artichokes	no MRL	0.05*	0.01*		0.05*	0.05*	0.02*	0.02*	
Leeks	0.02*	0.05*	0.01*		0.05*	0.05*	0.02*	0.02*	
Rhubarb	0.02*	0.05*	0.01*		0.05*	0.05*	0.02*	0.02*	
Others	0.02*	0.05*	0.01*		0.05*	0.05*	0.02*	0.02*	
viii) FUNGI									
a)	Cultivated mushrooms	0.02*	0.05*	0.01*		0.05*	0.05*		
b)	Wild mushrooms	0.02*	0.05*	0.01*		0.05*	0.05*	0.02*	
3. PULSES									
Beans	0.02*	0.05*	0.01*		0.05*	0.05*	0.02*	0.02*	
Lentils	0.02*	0.05*	0.01*		0.05*	0.05*	0.02*	0.02*	
Peas	0.02*	0.05*	0.01*		0.05*	0.05*			

Group to which food belongs	Groups include the following products	Fenarim	Tenbutat	Fenchlor	Pentroth	Ramtin	Fenvalerate	Esfenvalerate
		Oxide					Sum of RR and SS isomers	Sum of RS and SR isomers
		(changing 1 July 2001)	(changing 1 July 2001)	(changing 1 July 2001)				
							0.02*	0.02*
Others		0.02*	0.05*	0.01*		0.05*	0.05*	
							0.02*	0.02*
<b>4. OILSEEDS</b>								
	Linseed	0.02*	0.05*	0.01*		0.05*	0.1	
							0.05*	0.05*
	Peanuts	0.02*	0.05*	0.01*		0.05*	0.1	
							0.05*	0.05*
	Poppy seed	0.02*	0.05*	0.01*		0.05*	0.1	
							0.05*	0.05*
	Sesame seed	0.02*	0.05*	0.01*		0.05*	0.1	
							0.05*	0.05*
	Sunflower seed	0.02*	0.05*	0.01*		0.05*	0.1	
							0.05*	0.05*
	Rape seed	0.02*	0.05*	0.01*		0.05*	0.1	
							0.05*	0.05*
	Soya bean	0.02*	0.05*	0.01*		0.05*	0.1	
							0.05*	0.05*
	Mustard seed	0.02*	0.05*	0.01*		0.05*	0.1	
							0.05*	0.05*
	Cotton seed	0.02*	no MRL	0.01*		0.05*	0.1	
				0.05*			0.05*	0.05*

<b>Group to which food belongs</b>	<b>Groups include the following products</b>	<b>Fenarimol</b>	<b>Tenbutathrin</b>	<b>Chlorfenpropotill</b>	<b>Fentrothrin</b>	<b>Fentin</b>	<b>Fenvalerate</b>	<b>and</b>	<b>Esfenvalerate</b>
		(changing 1 July 2001)	(changing 1 July 2001)				Sum of RR and SS	Sum of RS and SR	isomers
		Others	0.02*	0.05*	0.01*		0.05*	0.1	
<b>5. POTATOES</b>									
	Early potatoes	0.02*	0.05*	0.01*		0.1	0.05*		
						0.02*	0.02*		
	Ware potatoes	0.02*	0.05*	0.01*		0.1	0.05*		
						0.02*	0.02*		
<b>6. TEA</b>	(dried leaves and stalks, fermented or otherwise, Camellia sinensis)	0.05*	0.1*	0.1*	0.5	0.1*	10		
						0.05*	0.05*		
<b>7. HOPS (dried)</b>	including 5 hop pellets & unconcentrated powder		no MRL	0.1*		0.5	5		
						0.1*	0.05*	0.05*	

Group to which food belongs	Groups Fluicythrinpet FurathioGlyphosHeptachlHexachlHexamethylhexachlheptadecane include the following products	(changing 1 July 2001)			
		$\alpha$	$\beta$		
1. Fruit, fresh, dried or uncooked, preserved by freezing not containing added sugar: nuts					
i) CITRUS FRUIT					
Grapefruit	0.05*	0.1*	0.01*		
Lemons	0.05*	0.1*	0.01*		
Limes	0.05*	0.1*	0.01*		
Mandarins (inc clementines & similar hybrids)	0.05*	0.1*	0.01*		
Oranges	0.05*	0.1*	0.01*		
Pomelos	0.05*	0.1*	0.01*		
Others	0.05*	0.1*	0.01*		
ii) TREE NUTS (shelled or unshelled)					
Almonds	0.05*	0.1*	0.01*		
Brazil nuts	0.05*	0.1*	0.01*		
Cashew nuts	0.05*	0.1*	0.01*		
Chestnuts	0.05*	0.1*	0.01*		
Coconuts	0.05*	0.1*	0.01*		
Hazelnuts	0.05*	0.1*	0.01*		
Macadamia nuts	0.05*	0.1*	0.01*		
Pecans	0.05*	0.1*	0.01*		
Pine nuts	0.05*	0.1*	0.01*		
Pistachios	0.05*	0.1*	0.01*		
Walnuts	0.05*	0.1*	0.01*		
Others	0.05*	0.1*	0.01*		
iii) POME FRUIT					

Group to which food belongs	Groups Flucythrifop B	Furathio-	Glyphos-	Heptachl	Hexachl		Heptachl		Hexachl		Endohexane	
					(HCB)	(HCH)	(HCB)	(HCH)	(HCH)			
					(changing 1 July 2001)			$\alpha$	$\beta$			
					0.05*	0.1*	0.01*					
	Apples				0.05*	0.1*	0.01*					
	Pears				0.05*	0.1*	0.01*					
	Quinces				0.05*	0.1*	0.01*					
	Others				0.05*	0.1*	0.01*					
iv) STONE FRUIT												
	Apricots				0.05*	0.1*	0.01*					
	Cherries				0.05*	0.1*	0.01*					
	Peaches (incl nectarines & similar hybrids)				0.05*	0.1*	0.01*					
	Plums				0.05*	0.1*	0.01*					
	Others				0.05*	0.1*	0.01*					
v) BERRIES AND SMALL FRUIT												
a)	Table & wine grapes											
	Table grapes				0.05*	0.1*	0.01*					
	Wine grapes	10			0.05*	0.1*	0.01*					
b)	Strawberries (other than wild)				0.05*	0.1*	0.01*					
c)	Cane Fruit (other than wild)											
	Blackberries				0.05*	0.1*	0.01*					
	Dewberries				0.05*	0.1*	0.01*					

Group to which food belongs	Groups Flucythrifop pet	Furathio	Glyphos	Heptachl	Hexachl		Hexam		Endohexane	
					(HCB)	(HCH)	(HCH)	(HCH)		
		(changing 1 July 2001)				$\alpha$	$\beta$			
	Loganberries	0.05*	0.1*	0.01*						
	Raspberries	0.05*	0.1*	0.01*						
	Others	0.05*	0.1*	0.01*						
d)	Other small fruit & berries (other than wild)									
	Bilberries	0.05*	0.1*	0.01*						
	Cranberries	0.05*	0.1*	0.01*						
	Currants (red, black & white)	0.05*	0.1*	0.01*						
	Gooseberries	0.05*	0.1*	0.01*						
	Others	0.05*	0.1*	0.01*						
e)	Wild berries & wild fruit	0.05*	0.1*	0.01*						
vi) MISCELLANEOUS FRUIT										
	Avocados	0.05*	0.1*	0.01*						
	Bananas	0.05*	0.1*	0.01*						
	Dates	0.05*	0.1*	0.01*						
	Figs	0.05*	0.1*	0.01*						
	Kiwi fruit	0.05*	0.1*	0.01*						
	Kumquats	0.05*	0.1*	0.01*						
	Litchis	0.05*	0.1*	0.01*						
	Mangoes	0.05*	0.1*	0.01*						

Group to which food belongs	Groups Flucythrifop B	Furathio-	Glyphos-	Heptachl-	Hexachl-		Hexam-	
					(HCB)	(HCH)	(HCH)	(HCH)
					(changing 1 July 2001)		$\alpha$	$\beta$
Olives (table consumption)	0.05*	0.1*	0.01*					
Olives (oil extract)	0.05*	2	0.01*					
Papaya	no <i>MRL</i> 0.05*							
Passion fruit	0.05*	0.1*	0.01*					
Pineapples	0.05*	0.1*	0.01*					
Pomegranates	0.05*	0.1*	0.01*					
Others	0.05*	0.1*	0.01*					
2. Vegetables, fresh or uncooked, frozen or dry								
i) ROOT AND TUBER VEGETABLES								
Beetroot	0.05*	0.1*	0.01*					
Carrots	0.05*	0.1*	0.01*					
Celeriac	0.05*	0.1*	0.01*					
Horseradish	0.05*	0.1*	0.01*					
Jerusalem artichokes	0.05*	0.1*	0.01*					
Parsnips	0.05*	0.1*	0.01*					
Parsley root	0.05*	0.1*	0.01*					
Radishes	0.05*	0.1*	0.01*					
Salsify	0.05*	0.1*	0.01*					
Sweet potatoes	0.05*	0.1*	0.01*					
Swedes	0.05*	0.1*	0.01*					
Turnips	0.05*	0.1*	0.01*					
Yams	0.05*	0.1*	0.01*					

Group to which food belongs	Groups Flucythrifop B	Flupet	Furathio	Glyphos	Heptachl	Hexachl		Heptachl		Hexachl		Endohexane	
						(HCB)	(HCH)	(HCB)	(HCH)	(HCB)	(HCH)	(HCH)	
(changing 1 July 2001)												$\alpha$	$\beta$
	Others			0.05*	0.1*	0.01*							
ii) BULB VEGETABLES													
	Garlic			0.05*	0.1*	0.01*							
	Onions			0.05*	0.1*	0.01*							
	Shallots			0.05*	0.1*	0.01*							
	Spring onions			0.05*	0.1*	0.01*							
	Others			0.05*	0.1*	0.01*							
iii) FRUITING VEGETABLES													
a)	Solanacea												
	Tomatoes			0.05*	0.1*	0.01*							
	Peppers			0.05*	0.1*	0.01*							
	Chilli peppers												
	Aubergines			0.05*	0.1*	0.01*							
	Others			0.05*	0.1*	0.01*							
b)	Cucurbits-edible peel												
	Cucumbers			0.05*	0.1*	0.01*							
	Gherkins			0.05*	0.1*	0.01*							
	Courgettes			0.05*	0.1*	0.01*							
	Others			0.05*	0.1*	0.01*							
c)	Cucurbits-inedible peel												
	Melons			0.05*	0.1*	0.01*							
	Squashes			0.05*	0.1*	0.01*							
	Watermelons			0.05*	0.1*	0.01*							
	Others			0.05*	0.1*	0.01*							

Group to which food belongs	Groups Flucythrifop B	Furathio-	Glyphos-	Heptachl-	Hexachl-		Hexam-		Endohexane	
					(HCB)	(HCH)	(HCH)	(HCH)	(HCH)	
d)	Sweet corn			0.05*	0.1*	0.01*				α β
<b>iv) BRASSICA VEGETABLES</b>										
a)	Flowering Brassicas									
	Broccoli		0.1		0.1*		0.01*			
	Cauliflower		0.1		0.1*		0.01*			
	Others		0.1		0.1*		0.01*			
b)	Head Brassicas									
	Brussels sprouts		0.05*		0.1*		0.01*			
	Head cabbage		0.05*		0.1*		0.01*			
	Others		0.05*		0.1*		0.01*			
c)	Leafy Brassicas									
	Chinese cabbage		0.05*		0.1*		0.01*			
	Kale		0.05*		0.1*		0.01*			
	Others		0.05*		0.1*		0.01*			
d)	Kohlrabi		0.05*		0.1*		0.01*			
<b>v) LEAF VEGETABLES AND FRESH HERBS</b>										
a)	Lettuce & similar									
	Cress		0.05*		0.1*		0.01*			
	Lamb's lettuce		0.05*		0.1*		0.01*			
	Lettuce		0.05*		0.1*		0.01*			
	Scarole		0.05*		0.1*		0.01*			
	Others		0.05*		0.1*		0.01*			

Group to which food belongs	Groups Flucythrifop B	Furathio-	Glyphos-	Heptachl-	Hexachl-		Hexam-	
					(HCB)	(HCH)	(HCH)	(HCH)
					(changing 1 July 2001)		$\alpha$	$\beta$
b)	Spinach & similar							
	Spinach	0.05*	0.1*	0.01*				
	Beet leaves (chard)	0.05*	0.1*	0.01*				
	Others	0.05*	0.1*	0.01*				
c)	Watercress	0.05*	0.1*	0.01*				
d)	Witloof	0.05*	0.1*	0.01*				
e)	Herbs							
	Chervil	0.05*	0.1*	0.01*				
	Chives	0.05*	0.1*	0.01*				
	Parsley	0.05*	0.1*	0.01*				
	Celery leaves	0.05*	0.1*	0.01*				
	Others	0.05*	0.1*	0.01*				
vi) LEGUME VEGETABLES (fresh)								
	Beans (with pods)	no MRL 0.05*		0.1*	0.01*			
	Beans (without pods)	no MRL 0.05*		0.1*	0.01*			
	Peas (with pods)	0.05*	0.1*	0.01*				
	Peas (without pods)	0.05*	0.1*	0.01*				
	Others	0.05*	0.1*	0.01*				
vii) STEM VEGETABLES								
	Asparagus	0.05*	0.1*	0.01*				

Group to which food belongs	Groups Flucythrifop pet	Furathio	Glyphos	Heptachl	Hexachl		(HCB) (HCH)	(HCH)
					(changing 1 July 2001)	$\alpha$		
	Cardoons	0.05*	0.1*	0.01*				
	Celery	no <i>MRL</i> 0.05*	0.1*	0.01*				
	Fennel	0.05*	0.1*	0.01*				
	Globe artichokes	0.05*	0.1*	0.01*				
	Leeks	0.05*	0.1*	0.01*				
	Rhubarb	0.05*	0.1*	0.01*				
	Others	0.05*	0.1*	0.01*				
viii) FUNGI								
a)	Cultivated mushrooms	0.05*	0.1*	0.01*				
b)	Wild mushrooms	0.05*	50	0.01*				
3. PULSES								
	Beans	no <i>MRL</i> 0.05*	2	0.01*				
	Lentils	0.05*	0.1*	0.01*				
	Peas	0.05*	3	0.01*				
	Others	0.05*	0.1*	0.01*				
4. OILSEEDS								
	Linseed	0.05*	10	0.01*				
	Peanuts	0.05*	0.1*	0.01*				
	Poppy seed	0.05*	0.1*	0.01*				
	Sesame seed	0.05*	0.1*	0.01*				
	Sunflower seed	0.05*	0.1*	0.01*				

Group to which food belongs	Groups Flucythrifop B	Furathio-	Glyphos-	Heptachl-	Hexachl-		Hexam-		heptadecane	
					(HCB)	(HCH)	(HCH)	(HCH)	(HCH)	
										$\alpha$ $\beta$
					(changing 1 July 2001)					
	Rape seed		<i>no MRL</i>	10		0.01*				
			0.05*							
	Soya bean		<i>no MRL</i>	20		0.01*				
			0.05*							
	Mustard seed		0.05*	10		0.01*				
	Cotton seed		<i>no MRL</i>	10		0.01*				
			0.05*							
	Others		0.05*	0.1*		0.01*				
5. POTATOES										
	Early potatoes		0.05*	0.1*		0.01*				
	Ware potatoes		0.05*	0.1*		0.01*				
6. TEA	(dried leaves and stalks, fermented or otherwise, Camellia sinensis)	0.1*		0.1*	0.1*	0.02*	0.01*	0.2}	sum of alpha and beta	
7. HOPS (dried)	including hop pellets & unconcentrated powder		5		0.1*	0.01*				

Group to which food belongs	Groups include (HCH) the following products	$\gamma$	(changing 1 July 2001)						
			Hexachlorobenzene	Heptachlor	Heptachloro dibromodiphenyl ether	Kresoxim-methyl	Methathion		
1. Fruit, fresh, dried or uncooked, preserved by freezing not containing added sugar: nuts									
i) CITRUS FRUIT									
	Grapefruit	5	0.02*	0.05*	no MRL 0.02*	1*	5		
	Lemons	5	5	0.05*	no MRL 0.02*	1*	5		
	Limes	5	0.02*	0.05*	no MRL 0.02*	1*	5		
	Mandarins (inc clementines & similar hybrids)	5	2	0.05*	no MRL 0.02*	1*	5		
	Oranges	5	0.02*	0.05*	no MRL 0.02*	1*	5		
	Pomelos	5	0.02*	0.05*	no MRL 0.02*	1*	5		
	Others	5	0.02*	0.05*	no MRL 0.02*	1*	5		
ii) TREE NUTS (shelled or unshelled)									
	Almonds	0.02*	0.02*	0.1*	0.05*	1*	0.1*		
	Brazil nuts	0.02*	0.02*	0.1*	0.05*	1*	0.1*		
	Cashew nuts	0.02*	0.02*	0.1*	0.05*	1*	0.1*		
	Chestnuts	0.02*	0.02*	0.1*	0.05*	1*	0.1*		
	Coconuts	0.02*	0.02*	0.1*	0.05*	1*	0.1*		
	Hazelnuts	0.02*	0.2	0.1*	0.05*	1*	0.1*		

Group to which food belongs	Groups include (HCH) the following products	$\gamma$	Hexachlorobenzene	<del>Chlorpyrifos</del>	<del>Chlordimeform</del>	<del>Kresoxim-methyl</del>	<del>Malathion</del>	<del>Malathithion</del>	<del>Maleic hydrazide</del>	<del>Manganese</del>	
			1	July 2001)	(changing	1	July 2001)	1*	0.1*	Mancozeb	Metiram
	Macadamia nuts	0.02*	0.02*	0.1*	0.05*			1*	0.1*	Propineb	Zineb
	Pecans	0.02*	0.02*	0.1*	0.05*			1*	0.1*		
	Pine nuts	0.02*	0.02*	0.1*	0.05*			1*	0.1*		
	Pistachios	0.02*	0.02*	0.1*	0.05*			1*	0.1*		
	Walnuts	0.02*	0.02*	0.1*	0.05*			1*	0.1*		
	Others	0.02*	0.02*	0.1*	0.05*			1*	0.1*		
iii) POME FRUIT											
	Apples	5	10	0.2	0.1			1*	3		
	Pears	5	10	0.2	0.1			1*	3		
	Quinces	5	10	0.2	0.1			1*	3		
	Others	5	10	0.2	0.1			1*	3		
iv) STONE FRUIT											
	Apricots	0.02*	5	0.05*	0.2			1*	2		
	Cherries	0.02*	5	0.05*	0.1			1*	1		
	Peaches (incl nectarines & similar hybrids)	0.02*	5	0.05*	0.2			1*	2		
	Plums	0.02*	5	0.05*	0.1			1*	1		
	Others	0.02*	5	0.05*	0.1			1*	0.05*		
v) BERRIES AND SMALL FRUIT											
a)	Table & wine grapes										
	Table grapes	0.02*	10	1	0.2			1*	2		
	Wine grapes	0.02*	10	1	0.2			1*	2		

Group to which food belongs	Groups to include (HCH) the following products	$\gamma$	(changing 1 July 2001)					Maleichydronale	Mancozeb	Metiram	Propineb	Zineb
			Hexachlorobenzene	Heptachlor	Heptachloroethane	Kresoxim-methyl	Methylalath					
b)	Strawberries (other than wild)	0.02*	10	0.05*	no <i>MRL</i>	0.5			1*	2		
c)	Cane Fruit (other than wild)											
	Blackberries	0.02*	5	0.05*	0.02*			1*	0.05*			
	Dewberries	0.02*	5	0.05*	0.02*			1*	0.05*			
	Loganberries	0.02*	5	0.05*	0.02*			1*	0.05*			
	Raspberries	0.02*	5	0.05*	0.02*			1*	0.05*			
	Others	0.02*	5	0.05*	0.02*			1*	0.05*			
d)	Other small fruit & berries (other than wild)											
	Bilberries	0.02*	10	0.05*	0.02*			1*	0.05*			
	Cranberries	0.02*	0.02*	0.05*	0.02*			1*	0.05*			
	Currants (red, black & white)	0.02*	10	0.05*	0.1			1*	5			
	Gooseberries	0.02*	10	0.05*	0.1			1*	5			
	Others	0.02*	0.02*	0.05*	0.02*			1*	0.05*			
e)	Wild berries & wild fruit	0.02*	0.02*	0.05*	0.02*			1*	0.05*			
vi) MISCELLANEOUS FRUIT												
	Avocados	0.02*	0.02*	0.05*	0.02*			1*	0.05*			

Group to which food belongs	Groups include (HCH) the following products	$\gamma$	(changing 1 July 2001)				
			Hexachlorobenzene	Heptachlor	Heptachloro dibromodiphenyl ether	Kresoxim-methyl	Methathion
							Maleic hydrazide
							Mancozeb
							Metiram
							Propineb
							Zineb
Bananas	2	3	0.05*	0.02*		1*	0.05*
Dates	0.02*	0.02*	0.05*	0.02*		1*	0.05*
Figs	0.02*	0.02*	0.05*	0.02*		1*	0.05*
Kiwi fruit	0.02*	5	0.05*	0.02*		1*	0.05*
Kumquats	0.02*	0.02*	0.05*	0.02*		1*	0.05*
Litchis	0.02*	0.02*	0.05*	0.02*		1*	0.05*
Mangoes	0.02*	0.02*	0.05*	0.02*		1*	0.05*
Olives (table consumption)	0.02*	0.02*	0.2	0.02*		1*	5
Olives (oil extract)	0.02*	0.02*	0.2	0.02*		1*	5
Papaya				no MRL 0.02*			
Passion fruit	0.02*	0.02*	0.05*	0.02*		1*	0.05*
Pineapples	0.02*	0.02*	0.05*	0.02*		1*	0.05*
Pomegranates	0.02*	0.02*	0.05*	0.02*		1*	0.05*
Others	0.02*	0.02*	0.05*	0.02*		1*	0.05*

## 2. Vegetables, fresh or uncooked, frozen or dry

## i) ROOT AND TUBER VEGETABLES

Beetroot	0.02*	0.5	0.05*	0.02*		1*	0.05*
Carrots	0.02*	0.3	0.05*	0.02*		30	0.2
Celeriac	0.02*	0.02*	0.05*	0.02*	0.1	1*	0.2
Horseradish	0.02*	0.1	0.05*	0.02*		1*	0.05*
Jerusalem artichokes	0.02*	0.02*	0.05*	0.02*		1*	0.05*
Parsnips	0.02*	0.1	0.05*	0.02*		30	0.05*

Group to which food belongs	Groups HexachloroethylpradionKresoximamideMethathiazoleMaleichydronazole include (HCH) the following products	$\gamma$	(changing 1 July 2001)				
			1*	0.05*	Mancozeb	Metiram	Propineb
Parsley root	0.02*	0.02*	0.05*	0.02*	1*	0.05*	Zineb
Radishes	0.02*	0.3	0.05*	0.02* 0.1	1*	0.2	
Salsify	0.02*	0.02*	0.05*	0.02*	1*	0.2	
Sweet potatoes	0.02*	0.02*	0.05*	0.02*	1*	0.05*	
Swedes	0.02*	0.02*	0.05*	0.02*	1*	0.05*	
Turnips	0.02*	0.02*	0.05*	0.02*	1*	0.05*	
Yams	0.02*	0.02*	0.05*	0.02*	1*	0.05*	
Others	0.02*	0.02*	0.05*	0.02*	1*	0.05*	
ii) BULB VEGETABLES							
Garlic	0.02*	5	0.05*	0.02*	10	0.5	
Onions	0.02*	5	0.05*	0.02*	10	0.5	
Shallots	0.02*	5	0.05*	0.02*	10	0.5	
Spring onions	0.02*	5	0.05*	no MRL 0.02*	1*	0.05*	
Others	0.02*	0.02*	0.05*	0.02*	10	0.05*	
iii) FRUITING VEGETABLES							
a) Solanaceae							
Tomatoes	0.5	5	0.5	no MRL 0.5	1*	3	
Peppers	0.02*	5	1	no MRL 0.1	1*	2	
Chilli peppers							
Aubergines	0.02*	5	0.5	no MRL0.5	1*	2	

Group to which food belongs	Groups include (HCH) the following products	$\gamma$	(changing 1 July 2001)				
			Hexachlorobenzene	Heptachlor	Heptachloroethane	Kresoxim-methyl	Methathion
							Maleic hydrazide
							Mancozeb
							Metiram
							Propineb
							Zineb
b)	Cucurbits-edible peel	Others	0.02*	5	0.05*	no MRL 0.02*	1*
c)	Cucurbits-inedible peel	Cucumbers	0.2	2	0.05*	0.1	1*
		Gherkins	0.2	2	0.05*	0.1	1*
		Courgettes	0.2	2	0.05*	0.1	1*
		Others	0.2	2	0.05*	0.1	1*
d)	Sweet corn	Melons	2	0.3	0.2	no MRL 0.05	1*
		Squashes	0.02*	0.02*	0.2	no MRL 0.05	1*
		Watermelons	0.02*	0.02*	0.2	no MRL 0.05	1*
		Others	0.02*	0.02*	0.2	no MRL 0.05	1*
							0.5

## iv) BRASSICA VEGETABLES

a)	Flowering Brassicas						
	Broccoli	0.02*	0.05	0.05*	no MRL 0.1	1*	1
	Cauliflower	0.02*	0.05	0.05*	no MRL 0.1	1*	1

Group to which food belongs	Groups include (HCH) the following products	$\gamma$	(changing 1 July 2001)				
			Hexachlorobenzene	Heptachlor	Heptachloro dibromopropane	Kresoxim-methyl	Methathion
							Maleic hydrazide
							Mancozeb
							Metiram
							Propineb
							Zineb
b)	Head Brassicas		Others	0.02*	0.05	0.05*	no MRL 0.1
	Brussels sprouts			0.02*	0.5	0.05*	0.05
c)	Head cabbage			0.02*	5	0.05*	0.2
	Others			0.02*	0.02*	0.05*	0.02*
	Leafy Brassicas						
c)	Chinese cabbage			0.02*	5	0.05*	no MRL 0.02*
	Kale			0.02*	0.02*	0.05*	no MRL 0.02*
	Others			0.02*	0.02*	0.05*	no MRL 0.02*
d)	Kohlrabi			0.02*	0.1	0.05*	no MRL 0.02*

## v) LEAF VEGETABLES AND FRESH HERBS

a)	Lettuce & similar	Cress	0.02*	10	0.05*	1	1*	5
		Lamb's lettuce	0.02*	10	0.05*	1	1*	5
		Lettuce	0.02*	10	0.05*	1	1*	5
		Scarole	0.02*	10	0.05*	1	1*	5
		Others	0.02*	10	0.05*	1	1*	5

Group to which food belongs	Groups include (HCH) the following products	$\gamma$	Hexachlorobenzene	Chlordane	Dieldrin	Kresoxim-methyl	heptachlor	heptachloroethane	Maleic hydrazide	Manganese			
			1	1	July	2001)	(changing	1	July	2001)	Mancozeb	Metiram	Propineb
b)	Spinach & similar												
	Spinach	0.02*	0.02*	0.05*	no MRL 0.02*					1*	0.05*		
	Beet leaves (chard)	0.02*	0.02*	0.05*	no MRL 0.02*					1*	0.05*		
	Others	0.02*	0.02*	0.05*	no MRL 0.02*					1*	0.05*		
c)	Watercress	0.02*	0.02*	0.05*	0.02*					1*	0.3		
d)	Witloof	0.02*	2	0.05*	no MRL 0.02*					1*	0.2		
e)	Herbs												
	Chervil	0.02*	10	0.05*	1					1*	5		
	Chives	0.02*	10	0.05*	1					1*	5		
	Parsley	0.02*	10	0.05*	1					1*	5		
	Celery leaves	0.02*	10	0.05*	1					1*	5		
	Others	0.02*	10	0.05*	1					1*	5		
vi) LEGUME VEGETABLES (fresh)													
	Beans (with pods)	0.02*	5	0.05*	0.2					1*	1		
	Beans (without pods)	0.02*		0.05*	0.02*					1*	0.1		
	Peas (with pods)	0.02*	1	0.05*	0.2					1*	1		

Group to which food belongs	Groups include (HCH) the following products	$\gamma$	(changing 1 July 2001)				
			Hexachlorobenzene	Heptachlor	Heptachloroethane	Kresoxim-methyl	Malathion
							Maleic hydrazide
<b>vii) STEM VEGETABLES</b>							
	Peas (without pods)	0.02*	0.2	0.05*	0.02*	1*	0.1
	Others	0.02*	0.02*	0.05*	0.02*	1*	0.05*
<b>viii) FUNGI</b>							
a)	Cultivated mushrooms	0.02*	0.02*	0.05*	no MRL 0.02*	1*	0.05*
b)	Wild mushrooms	0.02*	0.02*	0.05*	0.02*	1*	0.05*
<b>3. PULSES</b>							
	Beans	0.02*	0.2	0.05*	0.02*	1*	0.05*

Group to which food belongs	Groups include (HCH) the following products	$\gamma$	Hexachlorobenzene	Chlordane	Dieldrin	Kresoxim-methyl	Heptachlor	Heptachloroethane	Malathion	Maleic hydrazide	Manganese
			1	July 2001)	(changing	1	July 2001)	1*	0.05*	1*	0.05*
	Lentils	0.02*	0.2	0.05*	0.02*			1*	0.05*		
	Peas	0.02*	0.2	0.05*	0.02*			1*	0.05*		
	Others	0.02*	0.2	0.05*	0.02*			1*	0.05*		
4. OILSEEDS											
	Linseed	0.02*	0.1	0.1*	0.02*			1*	0.1*		
	Peanuts	0.02*	0.02*	0.1*	0.02*			1*	0.1*		
	Poppy seed	0.02*	0.02*	0.1*	0.02*			1*	0.1*		
	Sesame seed	0.02*	0.02*	0.1*	0.02*			1*	0.1*		
	Sunflower seed	0.02*	0.02*	0.1*	0.02*			1*	0.1*		
	Rape seed	0.02*	0.5	0.1*	0.02*			1*	0.5		
	Soya bean	0.02*	0.02*	0.1*	0.02*			1*	0.1*		
	Mustard seed	0.02*	0.02*	0.1*	0.02*			1*	0.1*		
	Cotton seed	0.02*	0.02*	0.1*	0.02*			1*	0.1*		
	Others	0.02*	0.02*	0.1*	0.02*			1*	0.1*		
5. POTATOES											
	Early potatoes	0.02*	0.02*	0.05*	0.02*			1*	0.05*		
	Ware potatoes	5	0.02*	0.05*	0.02*			50	0.05*		
6. TEA	(dried leaves and stalks, fermented or otherwise, Camellia sinensis)	0.2	0.1*	0.1*	0.1*	1	0.5	1*	0.1*		

Group to which food belongs	Groups include (HCH) the following products	(changing 1 July 2001)					
		γ	Hexachlorobenzene	Propiconazole	Kresoxim-methyl	Mancozeb	Maleic hydrazide
7. HOPS (dried)	including hop pellets & unconcentrated powder	0.1*	0.1*	0.1*	10	1*	25
Group to which food belongs	Groups include the following products	(changing 1 July 2001)	(changing 1 July 2001)	(changing 1 July 2001)	(changing 1 July 2001)	(changing 1 July 2001)	(changing 1 July 2001)
1. Fruit, fresh, dried or uncooked, preserved by freezing not containing added sugar: nuts							
i) CITRUS FRUIT							
Grapefruit	2 0.05*	no MRL 0.5	0.2	2	no MRL 0.5	0.01*	0.05*
Lemons	2 0.05*	no MRL 0.05*	0.2	2	no MRL 1	0.01*	0.05*
Limes	2 0.05*	no MRL 0.05*	0.2	2	no MRL 1	0.01*	0.05*
Mandarins (inc clementines & similar hybrids)	2 0.05*	no MRL 0.05*	0.2	2	no MRL 1	0.01*	0.05*
Oranges	2 0.05*	no MRL 0.5	0.2	2	no MRL 0.5	0.01*	0.05*
Pomelos	2 0.05*	no MRL 0.5	0.2	2	no MRL 0.5	0.01*	0.05*
Others	2 0.05*	no MRL 0.05*	0.2	2	no MRL 0.05*	0.01*	0.05*
ii) TREE NUTS (shelled or unshelled)							
Almonds	0.05*	0.05*	0.01*	0.05*	0.05*	0.01*	

Group to which food belongs	Groups include the following products	Mecarbam	Metalaxy	Methamidophos	Methomyl	MethoxyMethyl	Methyl
		(changing 1 July 2001)	bromide				
	Brazil nuts	0.05*	0.05*	0.01*	0.05*	0.05*	0.01*
	Cashew nuts	0.05*	0.05*	0.01*	0.05*	0.05*	0.01*
	Chestnuts	0.05*	0.05*	0.01*	0.05*	0.05*	0.01*
	Coconuts	0.05*	0.05*	0.01*	0.05*	0.05*	0.01*
	Hazelnuts	0.05*	0.05*	0.01*	0.05*	0.05*	0.01*
	Macadamia nuts	0.05*	0.05*	0.01*	0.05*	0.05*	0.01*
	Pecans	0.05*	0.05*	0.01*	0.05*	0.05*	0.01*
	Pine nuts	0.05*	0.05*	0.01*	0.05*	0.05*	0.01*
	Pistachios	0.05*	0.05*	0.01*	0.05*	0.05*	0.01*
	Walnuts	0.05*	0.05*	0.01*	0.05*	0.05*	0.01*
	Others	0.05*	0.05*	0.01*	0.05*	0.05*	0.01*
iii) POME FRUIT							
	Apples	0.05*	1	0.05	0.3	1 0.2	0.01* 0.05*
	Pears	0.05*	1	0.05	0.3	no MRL 0.2	0.01* 0.05*
	Quinces	0.05*	1	0.05	0.3	0.05* 0.2	0.01* 0.05*
	Others	0.05*	1	0.05	0.3	0.05* 0.2	0.01* 0.05*
iv) STONE FRUIT							
	Apricots	0.05*	0.05*	0.1	0.2	no MRL 0.2	0.01*
	Cherries	0.05*	no MRL 0.05*	0.01* 0.02*	no MRL 0.1	no MRL 0.1	0.01*
	Peaches (incl nectarines & similar hybrids)	0.05*	no MRL 0.05*	0.05*	0.2	no MRL 0.2	0.01*

Group to which food belongs	Groups include the following products	Mecarbam	Metalaxy	Methamidophos	Methomyl	Methoxy	Methyl
		(changing 1 July 2001)					
	Plums	0.05*	0.05*	0.3	0.2	no MRL 0.5	0.01*
	Others	0.05*	0.05*	0.01*	0.2	no MRL 0.05*	0.01*

## v) BERRIES AND SMALL FRUIT

a)	Table & wine grapes	Table grapes	0.05*	2	0.01*	0.5	3	0.05*	0.01*
	Wine grapes		0.05*	1	0.01*	0.5	3	1	0.01*
b)	Strawberry (other than wild)	Strawberry (other than wild)	0.05*	0.5	0.01*	0.02*	0.05*	0.01*	0.05*
	Cane Fruit (other than wild)								
c)	Blackberry	Blackberry	0.05*	no MRL 0.05*	0.01*	0.02*	0.05*	0.01*	0.05*
	Dewberry	Dewberry	0.05*	no MRL 0.05*	0.01*	0.02*	0.05*	0.01*	0.05*
d)	Loganberry	Loganberry	0.05*	no MRL 0.05*	0.01*	0.02*	0.05*	0.01*	0.05*
	Raspberry	Raspberry	0.05*	no MRL 0.05*	0.01*	0.02*	0.05*	0.01*	0.05*
	Others	Others	0.05*	no MRL 0.05*	0.01*	0.02*	0.05*	0.01*	0.05*
	Other small fruit & berries (other than wild)								

Group to which food belongs	Groups include the following products	Mecarbam	Metalaxy	Methamidophos	Methidat	Methomyl	Methoxy	Methyl
		changing 1 July 2001)	changing 1 July 2001)	changing 1 July 2001)	changing 1 July 2001)	thiodicarb	bromide	
e)	Bilberries	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*
	Cranberries	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*
	Currants (red, black & white)	0.05*	0.05*	0.01*	0.02*	no MRL	0.01*	0.05*
	Gooseberries	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*
	Others	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*
	Wild berries & wild fruit	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*
	vi) MISCELLANEOUS FRUIT							
	Avocados	0.05*	no MRL 0.05*	0.01*	0.02*	0.05*	0.01*	0.05*
	Bananas	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*
	Dates	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*
	Figs	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	
	Kiwi fruit	0.05*	no MRL 0.05*	0.01*	0.02*	0.05*	0.01*	0.05*
	Kumquats	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*
	Litchis	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*
	Mangoes	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*
	Olives (table consumption)	0.05*	0.05*	0.01*	1	no MRL 0.05*	0.01*	0.05*
	Olives (oil extract)	0.05*	0.05*	0.01*	1	no MRL 0.05*	0.01*	0.05*
	Papaya	no MRL 0.05*	no MRL 0.05*		no MRL 0.02*	no MRL 0.05*		
	Passion fruit	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*
	Pineapple	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*

Group to which food belongs	Groups include the following products	Mecarbam	Metalaxy	Methamidophos	Methidat	Methomyl	Methoxy	Methyl
		1 July 2001)	changing 1 July 2001)	1 July 2001)	changing 1 July 2001)	1 July 2001)	thiodicarb	bromide
		(changing 1 July 2001)						
	Pomegranates*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*	
	Others	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*
2. Vegetables, fresh or uncooked, frozen or dry								
i) ROOT AND TUBER VEGETABLES								
	Beetroot	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*
	Carrots	0.05*	0.1	0.01*	0.02*	0.05*	0.01*	0.05*
	Celeriac	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*
	Horseradish	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*
	Jerusalem artichokes	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*
	Parsnips	0.05*	0.1	0.01*	0.02*	0.05*	0.01*	0.05*
	Parsley root	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*
	Radishes	0.05*	0.05*	0.01*	0.02*	0.5	0.01*	0.05*
	Salsify	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*
	Sweet potatoes	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*
	Swedes	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*
	Turnips	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*
	Yams	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*
	Others	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*
ii) BULB VEGETABLES								
	Garlic	0.05*	no MRL 0.05*	0.01*	0.02*	0.05*	0.01*	0.05*
	Onions	0.05*	no MRL 0.5	0.01*	no MRL 0.02*	0.05*	0.01*	0.05*
	Shallots	0.05*	no MRL 0.5	0.01*	no MRL 0.02*	0.05*	0.01*	0.05*
	Spring onions	0.05*	no MRL 0.05*	0.01*	0.02*	0.05*	0.01*	0.05*
	Others	0.05*	no MRL 0.05*	0.01*	0.02*	0.05*	0.01*	0.05*

Group to which food belongs	Groups include the following products	Mecarbam	Metalaxy	Methamidophos	Methidat	Methomyl	Methoxy	Methyl bromide
		(changing 1 July 2001)						
<b>iii) FRUITING VEGETABLES</b>								
a)	Solanaceae							
	Tomatoes	0.05*	no MRL 0.05*	0.5	0.02*	no MRL 0.5	0.01*	0.05*
	Peppers	0.05*	no MRL 0.05*	0.01*	0.02*	no MRL 0.05*	0.01*	0.05*
	Chilli peppers						0.01*	
	Aubergine	0.05*	0.05*	0.2	0.02*	no MRL 0.5	0.01*	0.05*
	Others	0.05*	0.05*	0.01*	0.02*	no MRL 0.05*	0.01*	0.05*
b)	Cucurbits- edible peel							
	Cucumber	0.05*	no MRL 0.5	1	0.02*	no MRL 0.05*	0.01*	0.05*
	Gherkins	0.05*	no MRL 0.05*	0.01*	0.02*	0.05*	0.01*	0.05*
	Courgette	0.05*	no MRL 0.05*	0.01*	0.02*	no MRL 0.05*	0.01*	0.05*
	Others	0.05*	no MRL 0.05*	0.01*	0.02*	0.05*	0.01*	0.05*
c)	Cucurbits- inedible peel							
	Melons	0.05*	no MRL 0.2	0.01*	0.02*	0.2 0.05*	0.01*	0.05*
	Squashes	0.05*	0.05*	0.01*	0.02*	0.2 0.05*	0.01*	0.05*
	Watermelon	0.05*	no MRL 0.2	0.01*	0.02*	0.2 0.05*	0.01*	0.05*
	Others	0.05*	0.05*	0.01*	0.02*	0.2 0.05*	0.01*	0.05*
d)	Sweet corn	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*

Group to which food belongs	Groups include the following products	Mecarbam	Metalaxy	Methamidophos	Methomyl	MethoxyMethyl	Methyl bromide
		(changing 1 July 2001)					
<b>iv) BRASSICA VEGETABLES</b>							
a)	Flowering Brassicas						
	Broccoli	0.05*	no MRL 0.1	0.02*	no MRL 0.05*	0.01*	0.05*
	Cauliflower	0.05*	no MRL 0.1	0.02*	no MRL 0.05*	0.01*	0.05*
	Others	0.05*	no MRL 0.1	0.02*	no MRL 0.05*	0.01*	0.05*
b)	Head Brassicas						
	Brussels sprouts	0.05*	0.05*	0.5	0.02*	no MRL 0.05*	0.01*
	Head cabbage	0.05*	1	0.5	0.02*	no MRL 0.05*	0.01*
	Others	0.05*	0.05*	0.5	0.02*	no MRL 0.05*	0.01*
c)	Leafy Brassicas						
	Chinese cabbage	0.05*	no MRL 0.05*	0.01*	0.02*	no MRL 0.05*	0.01*
	Kale	0.05*	no MRL 0.05*	0.01*	0.02*	no MRL 0.05*	0.01*
	Others	0.05*	0.05*	0.01*	0.02*	no MRL 0.05*	0.01*
d)	Kohlrabi	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*
<b>v) LEAF VEGETABLES AND FRESH HERBS</b>							
a)	Lettuce & similar						
	Cress	0.05*	no MRL 0.05*	0.01*	0.02*	no MRL 0.05*	0.01*
	Lamb's lettuce	0.05*	no MRL 0.05*	0.01*	0.02*	no MRL 0.05*	0.01*

Group to which food belongs	Groups include the following products	Mecarbam	Metalaxy	Methamidophos	Methomyl	Methoxy	Methyl
		changing 1 July 2001)	changing 1 July 2001)	changing 1 July 2001)	changing 1 July 2001)	thiodicarb	bromide
	Lettuce	0.05*	no MRL 1	0.2	0.02*	no MRL 2	0.01* 0.05*
	Scarole	0.05*	no MRL 0.05*	0.01*	0.02*	no MRL 0.05*	0.01* 0.05*
	Others	0.05*	no MRL 0.05*	0.01*	0.02*	no MRL 0.05*	0.01* 0.05*
b)	Spinach & similar						
	Spinach	0.05*	no MRL 0.05*	0.01*	0.02*	2	0.01* 0.05*
	Beet leaves (chard)	0.05*	no MRL 0.05*	0.01*	0.02*	2	0.01* 0.05*
	Others	0.05*	no MRL 0.05*	0.01*	0.02*	2	0.01* 0.05*
c)	Watercres	0.05*	no MRL 0.05*	0.01*	0.02*	0.05*	0.01* 0.05*
d)	Witloof	0.05*	no MRL 0.05*	0.01*	0.02*	0.05*	0.01* 0.05*
e)	Herbs						
	Chervil	0.05*	no MRL 0.05*	0.01*	0.02*	no MRL 2	0.01* 0.05*
	Chives	0.05*	no MRL 0.05*	0.01*	0.02*	no MRL 2	0.01* 0.05*
	Parsley	0.05*	no MRL 0.05*	0.01*	0.02*	no MRL 2	0.01* 0.05*
	Celery leaves	0.05*	no MRL 0.05*	0.01*	0.02*	no MRL 2	0.01* 0.05*
	Others	0.05*	no MRL 0.05*	0.01*	0.02*	no MRL 2	0.01* 0.05*
vi)	LEGUME VEGETABLES (fresh)						
	Beans (with pods)	0.05*	0.05*	0.5	0.02*	no MRL 0.05*	0.01* 0.05*

Group to which food belongs	Groups include the following products	Mecarbam	Metalaxy	Methamidophos	Methomyl	Methoxy	Methyl
		changing 1 July 2001)	changing 1 July 2001)	changing 1 July 2001)	changing 1 July 2001)	thiodicarb	bromide
	Beans (without pods)	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*
	Peas (with pods)	0.05*	0.05*	0.5	0.02*	no MRL 0.05*	0.01*
	Peas (without pods)	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*
	Others	0.05*	0.05*		0.02*	0.05*	0.01*
vii) STEM VEGETABLES							
	Asparagus	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*
	Cardoons	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*
	Celery	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*
	Fennel	0.05*	0.05*	0.01*	0.02*	no MRL 0.05*	0.01*
	Globe artichokes	0.05*	no MRL 0.05*	0.1	0.02*	no MRL 0.05*	0.01*
	Leeks	0.05*	no MRL 0.2	0.01*	no MRL 0.02*	0.05*	0.01*
	Rhubarb	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*
	Others	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*
viii) FUNGI							
a)	Cultivated mushrooms	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*
b)	Wild mushrooms	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*
3. PULSES							
	Beans	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*
	Lentils	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*
	Peas	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*
	Others	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*
4. OILSEEDS							

Group to which food belongs	Groups include the following products	Mecarbam	Metalaxy	Methamidophos	Methidat	Methomyl	Methoxy	Methyl
		(changing 1 July 2001)						
	Linseed	0.05*	no MRL 0.05*	0.01*	0.02*	0.05*	0.01*	0.1*
	Peanuts	0.05*	0.05*	0.01*	0.02*	0.05* 0.1	0.01*	0.1*
	Poppy seed	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.1*
	Sesame seed	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.1*
	Sunflower seed	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.1*
	Rape seed	0.05*	0.05*	0.01*	0.05*	0.05*	0.01*	0.1*
	Soya bean	0.05*	0.05*	0.01*	0.02*	0.2 0.1	0.01*	0.1*
	Mustard seed	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.1*
	Cotton seed	0.05*	0.05*	0.01	no MRL 0.02*	0.5 0.1	0.01*	0.1*
	Others	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.1*
5.	POTATOES							
	Early potatoes	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*
	Ware potatoes	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*
6.	TEA (dried leaves and stalks, fermented or otherwise, Camellia sinensis)	0.05* 0.1*	0.1*	0.1*	0.1*	0.1*	0.1*	0.05*
7.	HOPS (dried)	including hop pellets &	0.1*	10	2	3	10	0.1* 0.05*

Group to which food belongs	Groups include the following products	Mecarbam	Metalaxy	Methamidophos	methidat	Methomyl	Methoxy	Methyl			
		changing	changing	1 July	1 July	1 July	1 July	bromide			
		( 2001)	( 2001)	( 2001)	( 2001)	( 2001)	( 2001)				
unconcentrated powder											
Group to which food belongs	Groups include the following products	Monocrotophos	Chlorothalonil	Batraquacide	Termitermite	Phorate	Phosme	Phoxim	Pirimiphos-methyl	Resmethrin	biopesticide
		changing	changing	1 July	1 July	1 July	1 July	1 July	( 2001)	( 2001)	
		( 2001)	( 2001)	( 2001)	( 2001)	( 2001)	( 2001)	( 2001)	( 2001)	( 2001)	

1. Fruit, fresh, dried or uncooked, preserved by freezing not containing added sugar: nuts

## i) CITRUS FRUIT

Grapefruit	0.05*	0.5	0.05*	1	0.02*
Lemons	0.05*	0.5	0.05*	1	0.02*
Limes	0.05*	0.5	0.05*	1	0.02*
Mandarins (inc clementines & similar hybrids)	0.05*	0.5	0.05*	2	0.02*
Oranges	0.05*	0.5	0.05*	1	0.02*
Pomelos	0.05*	0.5	0.05*	1	0.02*
Others	0.05*	0.5	0.05*	1	0.02*

## ii) TREE NUTS (shelled or unshelled)

Almonds	0.05*	0.1	0.05*	no MRL 0.05*	0.05*
Brazil nuts	0.05*	0.05*	0.05*	0.05*	0.05*
Cashew nuts	0.05*	0.05*	0.05*	0.05*	0.05*
Chestnuts	0.05*	0.05*	0.05*	0.05*	0.05*
Coconuts	0.05*	0.05*	0.05*	0.05*	0.05*

Group to which food belongs	Groups Monocrotophos Deltamethrin Fenthion Quaternary ammonium compounds Termitoxin Phosmet Phosme Phoxim Pirimiphos-methyl Pirimiphos-methyl	(changing 1 July 2001)			(changing 1 July 2001)		
		0.05*	0.05*	0.05*	no MRL 0.05*	0.05*	0.05*
Hazelnuts		0.05*	0.05*	0.05*	no MRL 0.05*	0.05*	0.05*
Macadamia nuts		0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
Pecans		0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
Pine nuts		0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
Pistachios		0.05*	0.05*	0.05*	no MRL 0.05*	0.05*	0.05*
Walnuts		0.05*	0.05*	0.05*	no MRL 0.05*	0.05*	0.05*
Others		0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
iii) POME FRUIT							
Apples		0.05*	1	0.05*	no MRL 0.05*	0.02*	
Pears		0.05*	1	0.05*	no MRL 0.05*	1	
Quinces		0.05*	1	0.05*	no MRL 0.05*	0.02*	
Others		0.05*	1	0.05*	no MRL 0.05*	0.02*	
iv) STONE FRUIT							
Apricots		0.05*	1	0.05*	no MRL 0.05*	2	
Cherries		0.05*	1	0.05*	no MRL 0.05*	0.02*	

Group to which food belongs	Groups Monocrotophosphates, paraquat, termitrin, Phosme, Phoxim, Pirimiphos-methyl, ibuprofen, etc.	(changing 1 July 2001)			(changing 1 July 2001)		
		0.05*	1	0.05*	no MRL 0.05*	2	
	Peaches (incl nectarines & similar hybrids)	0.05*	1	0.05*	no MRL 0.05*	2	
	Plums	0.05*	1	0.05*	no MRL 0.05*	2	
	Others	0.05*	1	0.05*	no MRL 0.05*	2	

## v) BERRIES AND SMALL FRUIT

a)	Table & wine grapes	0.05*	1	0.05*	no MRL 0.05*	5	
	Table grapes	0.05*	1	0.05*	no MRL 0.05*	5	
	Wine grapes	0.05*	1	0.05*	no MRL 2	5	
b)	Strawberries (other than wild)	0.05*	1	no MRL 0.05*	no MRL 0.05*	5	
c)	Cane Fruit (other than wild)						
	Blackberries	0.05*	0.05*	0.05*	0.05*	0.02*	
	Dewberries	0.05*	0.05*	0.05*	0.05*	0.02*	
	Loganberries	0.05*	0.05*	0.05*	0.05*	0.02*	
	Raspberries	0.05*	0.05*	0.05*	0.05*	10	
	Others	0.05*	0.05*	0.05*	0.05*	0.02*	

Group to which food belongs	Groups Monocrotophos Dibutyltinlaurylquaternarymetaphosphate PhosmePhoxim Pirimiphos-methylbne include the following products	(changing 1 July 2001)			(changing 1 July 2001)		
		Chlorpyrifos	Diquat	Termitoxin	Chlorpyrifos	Diquat	Termitoxin
		Chlorpyrifos	Diquat	Termitoxin	Chlorpyrifos	Diquat	Termitoxin
d)	Other small fruit & berries (other than wild)						
	Bilberries	0.05*	0.05*	0.05*	0.05*	0.02*	
	Cranberries	0.05*	0.05*	0.05*	0.05*	0.02*	
	Currants (red, black & white)	0.05*	0.05*	0.05*	0.05*	0.02*	
	Gooseberries	0.05*	0.05*	0.05*	0.05*	0.02*	
	Others	0.05*	0.05*	0.05*	0.05*	0.02*	
e)	Wild berries & wild fruit	0.05*	0.05*	0.05*	0.05*	0.02*	
vi)	MISCELLANEOUS FRUIT						
	Avocados	0.05*	0.05*	0.05*	0.05*	0.02*	
	Bananas	0.05*	0.05*	0.05*	0.05*	0.02*	
	Dates	0.05*	0.05*	0.05*	0.05*	0.02*	
	Figs	0.05*	0.05*	0.05*	0.05*	0.02*	
	Kiwi fruit	0.05*	1	0.05*	2	5	
	Kumquats	0.05*	0.05*	0.05*	0.05*	0.02*	
	Litchis	0.05*	0.05*	0.05*	0.05*	0.02*	
	Mangoes	0.05*	0.05*	0.05*	0.05*	0.02*	
	Olives (table consumption)	0.05*	0.05*	0.05*	no MRL	0.02*	0.05*

Group to which food belongs	Groups Monocrotophos Dibutyltin quaternarymercaptide Phosme Phoxim Pirimiphos-methyl	1 July 2001			(changing)	
		(changing) 1 July 2001)	(changing) 1 July 2001)			
Olives (oil extract)	0.05* 0.05* 0.05*			no MRL 0.05*	0.02*	
Papaya		no MRL 0.05*		no MRL 0.05*		
Passion fruit	0.05* 0.05* 0.05*			0.05*	0.02*	
Pineapples	0.05* 0.05* 0.05*			0.05*	0.02*	
Pomegranates	0.05* 0.05* 0.05*			0.05*	0.02*	
Others	0.05* 0.05* 0.05*			0.05*	0.02*	
2. Vegetables, fresh or uncooked, frozen or dry						
i) ROOT AND TUBER VEGETABLES						
Beetroot	0.05* 0.05* no MRL 0.05*			0.05*	0.02*	
Carrots	0.05* 0.05* no MRL 0.05*		1		0.02*	
Celeriac	0.05* 0.1 0.05*			0.05*	0.02*	
Horseradish	0.05* 0.05* 0.05*			0.05*	0.02*	
Jerusalem artichokes	0.05* 0.05* 0.05*			0.05*	0.02*	
Parsnips	0.05* 0.05* no MRL 0.05*			0.05*	0.02*	
Parsley root	0.05* 0.05* 0.05*			0.05*	0.02*	
Radishes	0.05* 0.1 0.05*			0.05*	0.02*	
Salsify	0.05* 0.05* 0.05*			0.05*	0.02*	
Sweet potatoes	0.05* 0.05* 0.05*			0.05*	0.02*	
Swedes	0.05* 0.05* 0.05*			0.05*	0.02*	
Turnips	0.05* 0.05* 0.05*			0.05*	0.02*	

Group to which food belongs	Groups Monocrotophos Deltamethrin Quaternary permethrin Phosmet Phoxim Pirimiphos-methyl	Residues in mg/kg					
		(changing 1 July 2001)	(changing 1 July 2001)	(changing 1 July 2001)	(changing 1 July 2001)	(changing 1 July 2001)	(changing 1 July 2001)
Yams	0.05*	0.05*	0.05*			0.05*	0.02*
Others	0.05*	0.05*	0.05*			0.05*	0.02*
ii) BULB VEGETABLES							
Garlic	0.05*	0.05*	0.05*			no MRL 0.05*	0.2
Onions	0.05*	0.05*	0.05*			no MRL 0.05*	0.2
Shallots	0.05*	0.05*	0.05*			no MRL 0.05*	0.2
Spring onions	0.05*	0.05*	0.05*			no MRL 0.05*	0.02*
Others	0.05*	0.05*	0.05*			no MRL 0.05*	0.02*
iii) FRUITING VEGETABLES							
a) Solanaceae							
Tomatoes	0.05*	0.5	no MRL 0.05*			no MRL 1	2
Peppers	0.05*	0.5	no MRL 0.05*			no MRL 1	2
Chilli peppers							2
Aubergines	0.05*	0.5	no MRL 0.05*			no MRL 0.05*	2
Others	0.05*	0.5	no MRL 0.05*			no MRL 0.05*	

Group to which food belongs	Groups MonocrotophobutraquatermetRhinratePhosmePhoximPirimipRomethislbne include the following products	Chlorpyrifos	Chlorothalonil	Chlorotoluron	Fluazifopbutyl	Fluroxypyr	Imidacloprid	Isoproturon	Methylisotiazolinone	Metolachlor	Metribuzin	Paraquat	Picloram	Propiconazole	Ramipril	Sulfonylurea	Thifensulfuron-methyl	Tridemorph	Urethane
		(changing 1 July 2001)	(changing 1 July 2001)																
b)	Cucurbits-edible peel																		
	Cucumbers	0.05*	0.1	0.05*															
	Gherkins	0.05*	0.1	no MRL 0.05*															
	Courgettes	0.05*	0.1	no MRL 0.05*															
	Others	0.05*	0.1	no MRL 0.05*															
c)	Cucurbits- inedible peel																		
	Melons	0.05*	0.1	0.05*															
	Squashes	0.05*	0.1	0.05*															
	Watermelons	0.05*	0.1	0.05*															
	Others	0.05*	0.1	0.05*															
d)	Sweet corn	0.05*	0.1	no MRL 0.05*															

## iv) BRASSICA VEGETABLES

- a) Flowering  
Brassicas

Group to which food belongs	Groups Monocrotophos Deltamethrin Fenthion Fipronil Phosmet Phosmet Phoxim Pirimiphos-methyl	Benzylidinebenzene					
		(changing 1 July 2001)			(changing 1 July 2001)		
		Broccoli	0.05*	0.05*	no MRL 0.05*	no MRL 1	0.02*
b)	Head Brassiccas	Cauliflower	0.05*	0.1	no MRL 0.05*	1	0.02*
		Others	0.05*	0.05*	no MRL 0.05*	1	0.02*
c)	Leafy Brassiccas	Brussels sprouts	0.05*	0.05*	no MRL 0.05*	2	0.02*
		Head cabbage	0.05*	0.1	no MRL 0.05*	no MRL 0.05*	0.02*
		Others	0.05*	0.05*	no MRL 0.05*	no MRL 0.05*	0.02*
d)	Kohlrabi		0.05*	0.05*	0.05*	no MRL 0.05*	0.02*

v) LEAF VEGETABLES AND FRESH HERBS

Group to which food belongs	Groups Monocrotophos Deltamethrin Fenthion Quazophos Termitoxin Phosmet Phosme Phoxim Pirimiphos-methyl	Benzylidinebenzene					
		(changing 1 July 2001)			(changing 1 July 2001)		
a)	Lettuce & similar						
	Cress	0.05*	2	no MRL 0.05*		no MRL 0.05*	5
	Lamb's lettuce	0.05*	2	no MRL 0.05*		no MRL 0.05*	5
	Lettuce	0.05*	2	no MRL 0.05*		no MRL 0.05*	5
	Scarole	0.05*	2	no MRL 0.05*		no MRL 0.05*	5
	Others	0.05*	2	no MRL 0.05*		no MRL 0.05*	5
b)	Spinach & similar						
	Spinach	0.05*	1	0.05*		no MRL 0.05*	0.02*
	Beet leaves (chard)	0.05*	1	0.05*		no MRL 0.05*	0.02*
	Others	0.05*	1	0.05*		no MRL 0.05*	0.02*
c)	Watercress	0.05*	0.05*	0.05*		0.05*	0.02*
d)	Witloof	0.05*	0.05*	0.05*		0.05*	2
e)	Herbs						
	Chervil	0.05*	2	no MRL 0.05*		no MRL 0.05*	0.02*

Group to which food belongs	Groups Monocrotophos Deltamethrin Fipronil Imidacloprid Isoprothiolane	Groups Monocrotophos Deltamethrin Fipronil Imidacloprid Isoprothiolane				
		(changing 1 July 2001)			(changing 1 July 2001)	
		Chives	Parsley	Celery leaves	Others	Others
		0.05* 2	0.05* 2	0.05* 2	0.05* 2	0.05* 2
		<i>no MRL</i> 0.05*	<i>no MRL</i> 0.05*	<i>no MRL</i> 0.05*	<i>no MRL</i> 0.05*	<i>no MRL</i> 0.05*
vi) LEGUME VEGETABLES (fresh)						
	Beans (with pods)	0.05* 0.5	0.05* 0.05*	0.05* 0.05*	0.05* 0.05*	0.05* 0.3
		<i>no MRL</i> 0.05*	<i>no MRL</i> 0.05*	<i>no MRL</i> 0.05*	<i>no MRL</i> 0.05*	<i>no MRL</i> 0.05*
	Peas (with pods)	0.05* 0.1	0.05* 0.05*	0.05* 0.05*	0.05* 0.05*	0.05* 0.3
		<i>no MRL</i> 0.05*	<i>no MRL</i> 0.05*	<i>no MRL</i> 0.05*	<i>no MRL</i> 0.05*	<i>no MRL</i> 0.05*
	Others	0.05* 0.05*	0.05* 0.05*	0.05* 0.05*	0.05* 0.05*	0.05* 0.05*
vii) STEM VEGETABLES						
	Asparagus	0.05* 0.05*	0.05* 0.05*	0.05* 0.05*	0.05* 0.05*	0.05* 0.05*
		<i>no MRL</i> 0.05*	<i>no MRL</i> 0.05*	<i>no MRL</i> 0.05*	<i>no MRL</i> 0.05*	<i>no MRL</i> 0.05*
	Cardoons	0.05* 0.05*	0.05* 0.05*	0.05* 0.05*	0.05* 0.05*	0.05* 0.05*

Group to which food belongs	Groups Monocrotophos Deltamethrin Fenthion Quazophos Termitoxin Phosmet Phosmet Phoxim Pirimiphos-methyl Resmethrin	(changing 1 July 2001)			(changing 1 July 2001)		
		0.05*	2	no MRL 0.05*	no MRL 0.05*	no MRL 0.05*	no MRL 0.05*
Celery	0.05*	2	no MRL 0.05*	no MRL 0.05*	no MRL 0.05*	no MRL 0.05*	no MRL 0.02*
Fennel	0.05*	0.05*	0.05*	no MRL 0.05*	no MRL 0.05*	no MRL 0.05*	no MRL 0.02*
Globe artichokes	0.05*	0.05*	0.05*	no MRL 0.05*	no MRL 0.05*	no MRL 0.05*	no MRL 0.02*
Leeks	0.05*	0.5	0.05*	no MRL 0.05*	no MRL 0.05*	no MRL 0.05*	no MRL 0.02*
Rhubarb	0.05*	2	0.05*	no MRL 0.05*	no MRL 0.05*	no MRL 0.05*	no MRL 0.02*
Others	0.05*	0.05*	0.05*	no MRL 0.05*	no MRL 0.05*	no MRL 0.05*	no MRL 0.02*

## viii) FUNGI

- a) Cultivated mushrooms      0.05\*    0.05\*    0.05\*      2      0.02\*
- b) Wild mushrooms      0.05\*    0.05\*    0.05\*      0.05\*    0.02\*

## 3. PULSES

Beans	0.05*	0.05*	no MRL 0.05*	no MRL 0.05*	0.02*
Lentils	0.05*	0.05*	0.05*	no MRL 0.05*	0.02*
Peas	0.05*	0.05*	0.05*	no MRL 0.05*	0.2
Others	0.05*	0.05*	0.05*	no MRL 0.05*	0.02*

Group to which food belongs	Groups Monocrotophos Benthiazolin Terbutryn Methylchloride Phosmet Phoxim Pirimiphos-methyl Benzylidene bis(4-chlorophenyl) dipropylamine	(changing 1 July 2001)			(changing 1 July 2001)		
		0.05*	0.05*	no MRL 0.05*	no MRL 0.05*	0.05*	0.05*
<b>4. OILSEEDS</b>							
Linseed	0.05*	0.05*	no MRL 0.05*	no MRL 0.05*	no MRL 0.05*	0.05*	0.05*
Peanuts	0.05*	0.1	0.1	no MRL 0.05*	no MRL 0.05*	0.05*	0.05*
Poppy seed	0.05*	0.05*	0.05*		0.05*	0.05*	
Sesame seed	0.05*	0.05*	0.05*		0.05*	0.05*	
Sunflower seed	0.05*	0.05*	0.05*		no MRL 0.05*	1/0.05*()	
Rape seed	0.05*	0.1	no MRL 0.05*		no MRL 0.05*	1	
Soya bean	0.05*	0.05*	0.05*		no MRL 0.05*	1	
Mustard seed	0.05*	0.1	0.05*		0.05*	0.05*	
Cotton seed	0.05*	0.2	0.05*		no MRL 0.05*	0.05*	
Others	0.05*	0.05*	0.05*		0.05*	0.05*	
<b>5. POTATOES</b>							
Early potatoes	0.05*	0.05*	no MRL 0.05*		0.05*	0.02*	
Ware potatoes	0.05*	0.05*	no MRL 0.05*		0.05*	0.02*	

Group to which food belongs	Groups Monocrotophos Benthiazolin Benzimidazole Quaternary Ammonium Termitoxin Methylchloride Phosmet Phosmet Phoxim Pirimiphos-methyl Pirimiphos-methyl Rovamphos Rovamphos										
		(changing 1 July 2001)					(changing 1 July 2001)				
		(dried leaves and stalks, fermented or otherwise, Camellia sinensis)	0.1*	0.1	0.1*	2	0.1*	0.1*	0.1*	0.05*	0.1*
6. TEA	(dried leaves and stalks, fermented or otherwise, Camellia sinensis)										
7. HOPS (dried)	including hop pellets & unconcentrated powder		0.1*	0.1*	0.1*				0.05*	0.1*	
Group to which food belongs	Groups include the following products	Profenoprop Pospargit Propiconazole Propiconazole Propyzan Quinalphos DEPP	0.05*	0.05*	0.02*	no MRL 0.05*	0.01*	6.5	Thiabendazole		
		(changing 1 July 2001)	(changing 1 July 2001)	(changing 1 July 2001)	(changing 1 July 2001)				(changing 1 July 2001)		
1. Fruit, fresh, dried or uncooked, preserved by freezing not containing added sugar: nuts											
i) CITRUS FRUIT											
	Grapefruit	0.05*	3.0	0.05*	0.02*	no MRL 0.05*	0.01*	6.5			
	Lemons	0.05*	3.0	0.3	0.02*	no MRL 0.05*	0.01*	6.5			
	Limes	0.05*	3.0	0.3	0.02*	no MRL 0.05*	0.01*	6.5			
	Mandarins (inc clementines &	0.05*	3		0.02*	no MRL 0.05*	0.01*	6.5			

Group to which food belongs	Groups include the following products	Profenop	Ropargit	Propicon	Zoxyur	Propyzan	Qdinalph	EPP	Thiabendazole
		(changing 1 July 2001)							
		similar hybrids)							
	Oranges	0.05*	3	0.05*	0.02*	no MRL 0.05*	0.01*	6	5
	Pomelos	0.05*	3	0.05*	0.02*	no MRL 0.05*	0.01*	6	5
	Others	0.05*	3	0.05*	0.02*	no MRL 0.05*	0.01*	6	5
ii) TREE NUTS (shelled or unshelled)									
	Almonds	0.05*	0.05*	0.02*	no MRL 0.05*	0.01*	0.1*		
	Brazil nuts	0.05*	0.05*	0.02*	no MRL 0.05*	0.01*	0.1*		
	Cashew nuts	0.05*	0.05*	0.02*	no MRL 0.05*	0.01*	0.1*		
	Chestnuts	0.05*	0.05*	0.02*	no MRL 0.05*	0.01*	0.1*		
	Coconuts	0.05*	0.05*	0.02*	no MRL 0.05*	0.01*	0.1*		
	Hazelnuts	0.05*	0.05*	0.02*	no MRL 0.05*	0.01*	0.1*		
	Macadamia nuts	0.05*	0.05*	0.02*	no MRL 0.05*	0.01*	0.1*		
	Pecans	0.05*	0.05*	0.02*	no MRL 0.05*	0.01*	0.1*		

Group to which food belongs	Groups include the following products	Profenop	Pospargit	Propicon	Zoxyur	Propyzan	Qdinalph	EPP	Thiabendazole
		(changing 1 July 2001)							
Pine nuts		0.05*	0.05*	0.02*	no MRL 0.05*		0.01*	0.1*	
Pistachios		0.05*	0.05*	0.02*	no MRL 0.05*		0.01*	0.1*	
Walnuts		0.05*	0.05*	0.02*	no MRL 0.05*		0.01*	0.1*	
Others		0.05*	0.05*	0.02*	no MRL 0.05*		0.01*	0.1*	

## iii) POME FRUIT

Apples	0.05*	3 0.05*	0.02*	no MRL 0.05*	0.01*	5
Pears	0.05*	3 0.05*	0.02*	no MRL 0.05*	0.01*	5
Quinces	0.05*	3 0.05*	0.02*	no MRL 0.05*	0.01*	5 0.05*
Others	0.05*	3 0.05*	0.02*	no MRL 0.05*	0.01*	5 0.05*

## iv) STONE FRUIT

Apricots	0.2	3 0.05*	0.02*	no MRL 0.05*	0.01*	0.05*
Cherries	no MRL 0.05*	3 0.05*	0.02*	no MRL 0.05*	0.01*	no MRL 0.05*
Peaches (incl nectarines & similar hybrids)	0.2	3 0.05*	0.02*	no MRL 0.05*	0.01*	0.05*

Group to which food belongs	Groups include the following products	Profenop	Rosparge	Propicon	Etoxur	Propyzan	Qdinalph	DEPP	Thiabendazole
		no	3	0.05*	0.02*	no	0.01*	0.05*	(changing 1 July 2001)
		MRL				MRL			(changing 1 July 2001)
	Plums	no MRL 0.05*	3	0.05*	0.02*	no MRL 0.05*	0.01*	0.05*	
	Others	0.05*	3	0.05*	0.02*	no MRL 0.05*	0.01*	0.05*	

## v) BERRIES AND SMALL FRUIT

a)	Table & wine grapes	0.5	3	0.05*	0.02*	no MRL 0.05*	0.01*	no MRL 0.05*	
b)	Strawberries (other than wild)	0.05*	3	0.05*	no MRL 0.02*	no MRL 0.05*	0.01*	5	0.05*
c)	Cane Fruit (other than wild)								
	Blackberries	0.05*	3	0.05*	0.02*	no MRL 0.05*	0.01*	0.05*	
	Dewberries	0.05*	0.05*	0.02*	no MRL 0.05*		0.01*	0.05*	
	Loganberries	0.05*	0.05*	0.02*	no MRL 0.05*		0.01*	0.05*	
	Raspberries	0.05*	3	0.05*	0.02*	no MRL 0.05*	0.01*	no MRL 0.05*	

Group to which food belongs	Groups include the following products	Profenop	Ropargit	Propicon	Zoxyur	Propyzan	Qdinalph	EPP	Thiabendazole
		(changing 1 July 2001)	(changing 1 July 2001)	(changing 1 July 2001)	(changing 1 July 2001)	(changing 1 July 2001)	(changing 1 July 2001)	(changing 1 July 2001)	
		Others	0.05*	0.05*	0.02*	no MRL	0.01*	0.05*	0.05*
d)	Other small fruit & berries (other than wild)	Bilberries	0.05*	0.05*	0.02*	no MRL	0.01*	0.05*	0.05*
		Cranberries	0.05*	0.05*	0.02*	no MRL	0.01*	0.05*	0.05*
		Currants (red, black & white)	0.05*	0.2	no MRL	no MRL	0.01*	no MRL	0.05*
		Gooseberries	0.05*	0.2	no MRL	no MRL	0.01*	no MRL	0.05*
		Others	0.05*	0.05*	0.02*	no MRL	0.01*	0.05*	0.05*
e)	Wild berries & wild fruit		0.05*	0.05*	0.02*	no MRL	0.01*	0.05*	0.05*
vi) MISCELLANEOUS FRUIT									
		Avocados	0.05*	0.05*	0.02*	no MRL	0.01*	0.05*	15
		Bananas	0.1	0.05*	0.02*	no MRL	0.01*	3 5	0.05*

Group to which food belongs	Groups include the following products	Profenop	Rosparge	Propicon	Zoxur	Propyzan	Qdinalph	EPP	Thiabendazole
		(changing 1 July 2001)							
		Dates	0.05*	0.05*	0.02*	no <i>MRL</i> 0.05*	0.01*	0.05*	
Figs		0.05*	0.05*	0.02*	no <i>MRL</i> 0.05*	0.01*	0.05*		
Kiwi fruit		0.05*	0.05*	0.02*	no <i>MRL</i> 0.05*	0.01*	0.05*		
Kumquats		0.05*	0.05*	0.02*	no <i>MRL</i> 0.05*	0.01*	0.05*		
Litchis		0.05*	0.05*	0.02*	no <i>MRL</i> 0.05*	0.01*	0.05*		
Mangoes		0.05*	0.05*	0.02*	no <i>MRL</i> 0.05*	0.01*	0.05*	5	
Olives (table consumption)		0.05*	3	0.05*	0.02*	no <i>MRL</i> 0.05*	0.01*	0.05*	
Olives (oil extract)		0.05*	3	0.05*	0.02*	no <i>MRL</i> 0.05*	0.01*	0.05*	
Papaya		no <i>MRL</i> 0.05*	no <i>MRL</i> 0.05*	no <i>MRL</i> 0.02*	no <i>MRL</i> 0.05*	no <i>MRL</i> 10			
Passion fruit		0.05*	0.05*	0.02*	no <i>MRL</i> 0.05*	0.01*	0.05*		
Pineapples		0.05*	0.05*	0.02*	no <i>MRL</i> 0.05*	0.01*	0.05*		
Pomegranates		0.05*	0.05*	0.02*	no <i>MRL</i> 0.05*	0.01*	0.05*		

Group to which food belongs	Groups include the following products	Profenop	Ros	Pospargit	Propicon	Zoxur	Propyzan	Qdinalph	EPP	Thiabendazole
		(changing 1 July 2001)								
	Others	0.05*	0.05*	0.02*	no <i>MRL</i>		0.01*		0.05*	

## 2. Vegetables, fresh or uncooked, frozen or dry

## i) ROOT AND TUBER VEGETABLES

Beetroot	0.05*	3	0.05*	0.02*	no <i>MRL</i>	0.01*	no <i>MRL</i>
					0.05*		0.05*
Carrots	0.05*	0.05*	0.02*	no <i>MRL</i>	0.01*	0.05*	
				0.05*			
Celeriac	0.05*	3	0.05*	0.02*	no <i>MRL</i>	0.01*	0.05*
				0.05*			
Horseradish	0.05*	0.05*	0.02*	no <i>MRL</i>	0.01*	0.05*	
				0.05*			
Jerusalem artichokes	0.05*	0.05*	0.02*	no <i>MRL</i>	0.01*	0.05*	
				0.05*			
Parsnips	0.05*	0.05*	0.02*	no <i>MRL</i>	0.01*	0.05*	
				0.05*			
Parsley root	0.05*	0.05*	0.02*	no <i>MRL</i>	0.01*	0.05*	
				0.05*			
Radishes	0.05*	0.05*	0.02*	no <i>MRL</i>	0.01*	0.05*	
				0.05*			
Salsify	0.05*	0.05*	0.02*	no <i>MRL</i>	0.01*	0.05*	
				0.05*			
Sweet potatoes	0.05*	0.05*	0.02*	no <i>MRL</i>	0.01*	0.05*	
				0.05*			
Swedes	0.05*	0.05*	0.02*	no <i>MRL</i>	0.01*	0.05*	
				0.05*			

Group to which food belongs	Groups include the following products	Profenop	Pospargit	Propicon	Zoxyur	Propyzan	Qdinalph	EPP	Thiabendazole
		(changing 1 July 2001)							
	Turnips	0.05*	0.05*	0.02*	no <i>MRL</i> 0.05*	0.01*	0.05*		
	Yams	0.05*	0.05*	0.02*	no <i>MRL</i> 0.05*	0.01*	0.05*		
	Others	0.05*	0.05*	0.02*	no <i>MRL</i> 0.05*	0.01*	0.05*		

## ii) BULB VEGETABLES

Garlic	0.05*	0.05*	0.02*	no <i>MRL</i> 0.05*	0.01*	no <i>MRL</i> 0.05*
Onions	0.05*	0.05*	0.02*	no <i>MRL</i> 0.05*	0.01*	no <i>MRL</i> 0.05*
Shallots	0.05*	0.05*	0.02*	no <i>MRL</i> 0.05*	0.01*	no <i>MRL</i> 0.05*
Spring onions	0.05*	0.05*	0.02*	no <i>MRL</i> 0.05*	0.01*	0.05*
Others	0.05*	0.05*	0.02*	no <i>MRL</i> 0.05*	0.01*	0.05*

## iii) FRUITING VEGETABLES

a) Solanacea						
Tomatoes	0.05*	no <i>MRL</i> 0.05*	0.02*	no <i>MRL</i> 0.05*	0.01*	no <i>MRL</i> 0.05*
Peppers	no <i>MRL</i> 0.05*	3 0.05*	0.02*	no <i>MRL</i> 0.05*	0.01*	no <i>MRL</i> 0.05*
Chilli peppers						

Group to which food belongs	Groups include the following products	Profenop	Rosparge	Propicon	Zoxyur	Propyzan	Qdinalph	EPP	Thiabendazole
		(changing 1 July 2001)							
	Aubergines	0.05*	3 0.05*	0.02*	no <i>MRL</i> 0.05*	0.01*	0.05*		
	Others	0.05*	3 0.05*	0.02*	no <i>MRL</i> 0.05*	0.01*	0.05*		
b)	Cucurbits- edible peel								
	Cucumbers	no <i>MRL</i> 0.05*	no <i>MRL</i> 0.05*	0.02*	no <i>MRL</i> 0.05*	0.01*	no <i>MRL</i> 0.05*		
	Gherkins	no <i>MRL</i> 0.05*	3 0.05*	0.02*	no <i>MRL</i> 0.05*	0.01*	0.05*		
	Courgettes	no <i>MRL</i> 0.05*	no <i>MRL</i> 0.05*	0.02*	no <i>MRL</i> 0.05*	0.01*	0.05*		
	Others	no <i>MRL</i> 0.05*	3 0.05*	0.02*	no <i>MRL</i> 0.05*	0.01*	0.05*		
c)	Cucurbits- inedible peel								
	Melons	no <i>MRL</i> 0.05*	3 0.05*	0.02*	no <i>MRL</i> 0.05*	0.01*	no <i>MRL</i> 0.05*		
	Squashes	no <i>MRL</i> 0.05*	3 0.05*	0.02*	no <i>MRL</i> 0.05*	0.01*	0.05*		
	Watermelons	no <i>MRL</i> 0.05*	3 0.05*	0.02*	no <i>MRL</i> 0.05*	0.01*	no <i>MRL</i> 0.05*		
	Others	no <i>MRL</i> 0.05*	3 0.05*	0.02*	no <i>MRL</i> 0.05*	0.01*	0.05*		

Group to which food belongs	Groups include the following products	Profenop	Pospargit	Propicon	Zoxyur	Propyzan	Qdinalph	EPP	Thiabendazole
		(changing 1 July 2001)							
d)	Sweet corn	0.05*	0.05*	0.02*	no MRL 0.05*		0.01*	0.05*	

## iv) BRASSICA VEGETABLES

a)	Flowering Brassicas								
	Broccoli	0.05*	3 0.5	0.02*	no MRL 0.05*		0.01*	5	
	Cauliflower	0.05*	3 0.5	0.02*	no MRL 0.05*		0.01*	0.05*	
	Others	0.05*	3 0.5	0.02*	no MRL 0.05*		0.01*	0.05*	
b)	Head Brassicas								
	Brussels sprouts	0.05*	3 0.05*	0.02*	no MRL 0.05*		0.01*	0.05*	
	Head cabbage	0.05*	3 0.5	no MRL 0.02*	no MRL 0.05*		0.01*	no MRL 0.05*	
	Others	0.05*	3 0.05*	0.02*	no MRL 0.05*		0.01*	0.05*	
c)	Leafy Brassicas								
	Chinese cabbage	0.05*	3 0.05*	0.02*	no MRL 0.05*		0.01*	0.05*	
	Kale	0.05*	3 0.05*	0.02*	no MRL 0.05*		0.01*	0.05*	
	Others	0.05*	3 0.05*	0.02*	no MRL 0.05*		0.01*	0.05*	

Group to which food belongs	Groups include the following products	Profenop	Pospargit	Propicon	Zoxyur	Propyzan	Qdinalph	EPP	Thiabendazole
		(changing 1 July 2001)							
d)	Kohlrabi	0.05*	3.05*	0.02*	no MRL 0.05*		0.01*	0.05*	

## v) LEAF VEGETABLES AND FRESH HERBS

a)	Lettuce & similar								
	Cress	0.05*	0.05*	no MRL 1	no MRL 0.05*		0.01*	0.05*	
	Lamb's lettuce	0.05*	3.05*	no MRL 1	no MRL 0.05*		0.01*	0.05*	
	Lettuce	0.05*	3.05*	no MRL 1	no MRL 0.05*		0.01*	no MRL 0.05*	
	Scarole	0.05*	3.05*	no MRL 1	no MRL 0.05*		0.01*	0.05*	
	Others	0.05*	3.05*	no MRL 1	no MRL 0.05*		0.01*	0.05*	
b)	Spinach & similar								
	Spinach	0.05*	3.05*	0.02*	no MRL 0.05*		0.01*	0.05*	
	Beet leaves (chard)	0.05*	3.05*	0.02*	no MRL 0.05*		0.01*	0.05*	
	Others	0.05*	3.05*	0.02*	no MRL 0.05*		0.01*	0.05*	
c)	Watercress	0.05*	0.05*	0.02*	no MRL 0.05*		0.01*	0.05*	

Group to which food belongs	Groups include the following products	Profenop	Pospargit	Propicon	Zoxyur	Propyzan	Qdinalph	EPP	Thiabendazole
		(changing 1 July 2001)							
d)	Witloof	0.05*	0.05*	0.02*	no MRL 0.05*		0.01*	0.05*	
e)	Herbs								
	Chervil	0.05*	3 0.05*	no MRL 1	no MRL 0.05*		0.01*	0.05*	
	Chives	0.05*	3 0.05*	no MRL 1	no MRL 0.05*		0.01*	0.05*	
	Parsley	0.05*	3 0.05*	no MRL 1	no MRL 0.05*		0.01*	0.05*	
	Celery leaves	0.05*	3 0.05*	no MRL 1	no MRL 0.05*		0.01*	0.05*	
	Others	0.05*	3 0.05*	no MRL 1	no MRL 0.05*		0.01*	0.05*	
vi) LEGUME VEGETABLES (fresh)									
	Beans (with pods)	0.05*	3 0.05*	no MRL 0.02*	no MRL 0.05*		0.01*	no MRL 0.05*	
	Beans (without pods)	0.05*	0.05*	no MRL 0.02*	no MRL 0.05*		0.01*	no MRL 0.05*	
	Peas (with pods)	0.05*	3 0.05*	0.02*	no MRL 0.05*		0.01*	0.05*	
	Peas (without pods)	0.05*	0.05*	0.02*	no MRL 0.05*		0.01*	0.05*	
	Others	0.05*	0.05*	0.02*	no MRL 0.05*		0.01*	0.05*	
vii) STEM VEGETABLES									

Group to which food belongs	Groups include the following products	Profenop	Rosparge	Propicon	Piroxur	Propyzan	Qdinalph	EPP	Thiabendazole
		(changing 1 July 2001)							
	Asparagus	0.05*	0.05*	0.02*	no MRL 0.05*	0.01*	no MRL 0.05*		
	Cardoons	0.05*	3 0.05*	0.02*	no MRL 0.05*	0.01*	0.05*		
	Celery	no MRL 0.05*	3 0.05*	0.02*	no MRL 0.05*	0.01*	no MRL 0.05*		
	Fennel	0.05*	3 0.05*	0.02*	no MRL 0.05*	0.01*	0.05*		
	Globe artichokes	no MRL 0.05*	3 0.05*	no MRL 0.02*	no MRL 0.05*	0.01*	0.05*		
	Leeks	0.05*	1	0.02*	no MRL 0.05*	0.01*	no MRL 0.05*		
	Rhubarb	0.05*	0.05*	0.02*	no MRL 0.05*	0.01*	0.05*		
	Others	0.05*	0.05*	0.02*	no MRL 0.05*	0.01*	0.05*		

## viii) FUNGI

- a) Cultivated mushrooms      0.05\*    0.05\*    0.02\*    no  
MRL  
0.05\*      0.01\*    no  
MRL  
10
- b) Wild mushrooms      0.05\*    0.05\*    0.02\*    no  
MRL  
0.05\*      0.01\*    0.05\*

## 3. PULSES

	Beans	0.05*	0.05*	0.02*	no MRL 0.05*	0.01*	0.05*
	Lentils	0.05*	0.05*	0.02*	no MRL 0.05*	0.01*	0.05*

Group to which food belongs	Groups include the following products	Profenop	Pospargit	Propicon	Pzoxur	Propyzan	Qdinalph	EPP	Thiabendazole
		(changing 1 July 2001)							
	Peas	0.05*	0.05*	0.02*	no <i>MRL</i> 0.05*		0.01*	0.05*	
	Others	0.05*	0.05*	0.02*	no <i>MRL</i> 0.05*		0.01*	0.05*	

#### 4. OILSEEDS

Linseed	no <i>MRL</i> 0.05*	0.05*	0.05*	no <i>MRL</i> 0.05*	0.01*	0.05*		
Peanuts	0.05*	0.05*	no <i>MRL</i> 0.05*	no <i>MRL</i> 0.05*	0.01*	0.05*		
Poppy seed	0.05*	0.05*	0.02* 0.05*	no <i>MRL</i> 0.05*	0.01*	0.05*		
Sesame seed	0.05*	0.05*	0.02* 0.05*	no <i>MRL</i> 0.05*	0.01*	0.05*		
Sunflower seed	0.05*	0.05*	0.02* 0.05*	no <i>MRL</i> 0.05*	0.01*	0.05*		
Rape seed	no <i>MRL</i> 0.05*	0.05*	no <i>MRL</i> 0.1	no <i>MRL</i> 0.05*	0.01*	0.05*		
Soya bean	0.05*	0.05*	0.02* 0.05*	no <i>MRL</i> 0.05*	0.01*	0.05*		
Mustard seed	0.05*	0.05*	0.02* 0.05*	no <i>MRL</i> 0.05*	0.01*	0.05*		
Cotton seed	0.05*	0.05*	no <i>MRL</i> 0.05*	no <i>MRL</i> 0.05*	0.01*	0.05*		
Others	0.05*	0.05*	0.02* 0.05*	no <i>MRL</i> 0.05*	0.01*	0.05*		

#### 5. POTATOES

Group to which food belongs	Groups include the following products	Profenop	Pospargit	Propicon	Pzoxur	Propyzan	Qdinalph	EPP	Thiabendazole
		(changing 1 July 2001)							
	Early potatoes	0.05*	0.05*	0.02*	no MRL	0.01*	no MRL		
					0.05*				0.05*
	Ware potatoes	0.05*	0.05*	0.02*	no MRL	0.01*	5 15		
					0.05*				
6. TEA	(dried leaves and stalks, fermented or otherwise, Camellia sinensis)	0.1*	5	0.1*	0.1*	0.05*	2 0.1*	0.02*	0.1*
7.	HOPS (dried) including hop pellets & unconcentrated powder			0.1*	0.1*	no MRL	no MRL	0.02*	0.1*
						0.05*	0.1*		

  

Group to which food belongs	Groups include the following products	Triazophos	Triforine	2,4,5-T	Vinclozolin
		(changing 1 July 2001)	(changing 1 July 2001)		
1.	Fruit, fresh, dried or uncooked, preserved by freezing not containing added sugar: nuts				
i)	CITRUS FRUIT				

Grapefruit	no MRL 0.02*	0.05*	0.05*	0.05*
Lemons	no MRL 0.02*	0.05*	0.05*	0.05*
Limes	no MRL 0.02*	0.05*	0.05*	0.05*
Mandarins (inc clementines)	no MRL 0.02*	0.05*	0.05*	0.05*

Group to which food belongs	Groups include the following products	Triazophos	Triforine	2,4,5-T	Vinclozolin
		(changing 1 July 2001)	(changing 1 July 2001)		
& similar hybrids)					
	Oranges	no MRL 0.02*	0.05* 0.05*	0.05*	0.05*
	Pomelos	no MRL 0.02*	0.05* 0.05*	0.05*	0.05*
	Others	no MRL 0.02*	0.05* 0.05*	0.05*	0.05*
ii) TREE NUTS (shelled or unshelled)					
	Almonds	no MRL 0.02*	no MRL 0.05*	0.05*	0.05*
	Brazil nuts	0.02*	0.05*	0.05*	0.05*
	Cashew nuts	0.02*	0.05*	0.05*	0.05*
	Chestnuts	0.02*	0.05*	0.05*	0.05*
	Coconuts	0.02*	0.05*	0.05*	0.05*
	Hazelnuts	no MRL 0.02*	0.05*	0.05*	0.05*
	Macadamia nuts	0.02*	0.05*	0.05*	0.05*
	Pecans	0.02*	0.05*	0.05*	0.05*
	Pine nuts	0.02*	0.05*	0.05*	0.05*
	Pistachios	no MRL 0.02*	0.05*	0.05*	0.05*
	Walnuts	0.02*	0.05*	0.05*	0.05*
	Others	0.02*	0.05*	0.05*	0.05*
iii) POME FRUIT					
	Apples	no MRL 0.02*	2	0.05*	1
	Pears	no MRL 0.02*	2	0.05*	1
	Quinces	no MRL 0.02*	2	0.05*	1
	Others	no MRL 0.02*	2	0.05*	1

Group to which food belongs	Groups include the following products	Triazophos	Triforine	2,4,5-T	Vinclozolin
		(changing 1 July 2001)	(changing 1 July 2001)		
<b>iv) STONE FRUIT</b>					
	Apricots	<i>no MRL</i> 0.02*	<i>no MRL</i> 2	0.05*	2
	Cherries	0.02*	2	0.05*	0.5
	Peaches (incl nectarines & similar hybrids)	<i>no MRL</i> 0.02*	<i>no MRL</i> 2	0.05*	0.05*
	Plums	0.02*	1	0.05*	2
	Others	0.02*	0.05*	0.05*	0.05*
<b>v) BERRIES AND SMALL FRUIT</b>					
a)	Table & wine grapes				
	Table grapes	0.02*	<i>no MRL</i> 0.05*	0.05*	5
	Wine grapes	0.02*	<i>no MRL</i> 0.05*	0.05*	5
b)	Strawberries (other than wild)	<i>no MRL</i> 0.02*	<i>no MRL</i> 0.05*	0.05*	5
c)	Cane Fruit (other than wild)				
	Blackberries	0.02*	0.05*	0.05*	5
	Dewberries	0.02*	0.05*	0.05*	5
	Loganberries	0.02*	0.05*	0.05*	5
	Raspberries	0.02*	0.05*	0.05*	5
	Others	0.02*	0.05*	0.05*	5
d)	Other small fruit & berries (other than wild)				
	Bilberries	0.02*	0.05*	0.05*	0.05*
	Cranberries	0.02*	0.05*	0.05*	0.05*

Group to which food belongs	Groups include the following products	Triazophos	Triforine	2,4,5-T	Vinclozolin
		(changing 1 July 2001)	(changing 1 July 2001)		
e)	Currants (red, black & white)	0.02*	2	0.05*	10
	Gooseberries	0.02*	2	0.05*	0.05*
	Others	0.02*	0.05*	0.05*	0.05*
	Wild berries & wild fruit	0.02*	0.05*	0.05*	0.05*
vi) MISCELLANEOUS FRUIT					
	Avocados	0.02*	0.05*	0.05*	0.05*
	Bananas	0.02*	0.05*	0.05	0.05*
	Dates	0.02*	0.05*	0.05*	0.05*
	Figs	0.02*	0.05*	0.05*	0.05*
	Kiwi fruit	0.02*	0.05*	0.05*	10
	Kumquats	0.02*	0.05*	0.05*	0.05*
	Litchis	0.02*	0.05*	0.05*	0.05*
	Mangoes	0.02*	0.05*	0.05*	0.05*
	Olives (table consumption)	no MRL 0.02*	0.05*	0.05*	0.05*
	Olives (oil extract)	no MRL 0.02*	0.05*	0.05*	0.05*
	Papaya	no MRL 0.02*	no MRL 0.05*		
	Passion fruit	0.02*	0.05*	0.05*	0.05*
	Pineapples	0.02*	0.05*	0.05*	0.05*
	Pomegranates	0.02*	0.05*	0.05*	0.05*
	Others	0.02*	0.05*	0.05*	0.05*
2. Vegetables, fresh or uncooked, frozen or dry					
i) ROOT AND TUBER VEGETABLES					
	Beetroot	no MRL 0.02*	0.05*	0.05*	0.05*
	Carrots	1 0.02*	0.05*	0.05*	0.5

Group to which food belongs	Groups include the following products	Triazophos	Triforine	2,4,5-T	Vinclozolin
		(changing 1 July 2001)	(changing 1 July 2001)		
	Celeriac	no MRL 0.02*	0.05*	0.05*	0.05*
	Horseradish	0.02*	0.05*	0.05*	0.05*
	Jerusalem artichokes	0.02*	0.05*	0.05*	0.05*
	Parsnips	1 0.02*	0.05*	0.05*	0.05*
	Parsley root	0.02*	0.05*	0.05*	0.05*
	Radishes	0.02*	0.05*	0.05*	0.05*
	Salsify	0.02*	0.05*	0.05*	0.05*
	Sweet potatoes	0.02*	0.05*	0.05*	0.05*
	Swedes	0.02*	no MRL 0.05*	0.05*	0.05*
	Turnips	0.02*	0.05*	0.05*	0.05*
	Yams	0.02*	0.05*	0.05*	0.05*
	Others	0.02*	0.05*	0.05*	0.05*
ii) BULB VEGETABLES					
	Garlic	no MRL 0.02*	no MRL 0.05*	0.05*	1
	Onions	no MRL 0.02*	no MRL 0.05*	0.05*	1
	Shallots	no MRL 0.02*	no MRL 0.05*	0.05*	1
	Spring onions	0.02*	no MRL 0.05*	0.05*	1
	Others	0.02*	no MRL 0.05*	0.05*	1
iii) FRUITING VEGETABLES					
a)		Solanacea			
	Tomatoes	0.02*	no MRL 0.05*	0.05*	0.05*
	Peppers	0.02*	no MRL 0.05*	0.05*	3

Group to which food belongs	Groups include the following products	Triazophos	Triforine	2,4,5-T	Vinclozolin
		(changing 1 July 2001)	(changing 1 July 2001)		
	Chilli peppers				
	Aubergines	0.02*	<i>no MRL</i> 0.05*	0.05*	3
	Others	0.02*	<i>no MRL</i> 0.05*	0.05*	3
b)	Cucurbits- edible peel				
	Cucumbers	<i>no MRL</i> 0.02*	0.5	0.05*	1
	Gherkins	<i>no MRL</i> 0.02*	0.5	0.05*	1
	Courgettes	<i>no MRL</i> 0.02*	0.5	0.05*	1
	Others	<i>no MRL</i> 0.02*	0.5	0.05*	1
c)	Cucurbits- inedible peel				
	Melons	<i>no MRL</i> 0.02*	<i>no MRL</i> 0.05*	0.05*	1
	Squashes	<i>no MRL</i> 0.02*	<i>no MRL</i> 0.05*	0.05*	1
	Watermelons	<i>no MRL</i> 0.02*	<i>no MRL</i> 0.05*	0.05*	1
	Others	<i>no MRL</i> 0.02*	<i>no MRL</i> 0.05*	0.05*	1
d)	Sweet corn	0.02*	0.05*	0.05*	0.05*
iv) BRASSICA VEGETABLES					
a)	Flowering Brassicas				
	Broccoli	<i>no MRL</i> 0.02*	<i>no MRL</i> 0.05*	0.05*	0.05*
	Cauliflower	<i>no MRL</i> 0.02*	<i>no MRL</i> 0.05*	0.05*	0.05*

Group to which food belongs	Groups include the following products	Triazophos	Triforine	2,4,5-T	Vinclozolin
		(changing 1 July 2001)	(changing 1 July 2001)		
	Others	<i>no MRL</i> 0.02*	<i>no MRL</i> 0.05*	0.05*	0.05*
b)	Head Brassiccas				
	Brussels sprouts	<i>no MRL</i> 0.02*	<i>no MRL</i> 0.05*	0.05*	0.05*
	Head cabbage	<i>no MRL</i> 0.02*	<i>no MRL</i> 0.05*	0.05*	0.05*
	Others	<i>no MRL</i> 0.02*	<i>no MRL</i> 0.05*	0.05*	0.05*
c)	Leafy Brassiccas				
	Chinese cabbage	<i>no MRL</i> 0.02*	<i>no MRL</i> 0.05*	0.05*	2
	Kale	<i>no MRL</i> 0.02*	<i>no MRL</i> 0.05*	0.05*	0.05*
	Others	<i>no MRL</i> 0.02*	<i>no MRL</i> 0.05*	0.05*	0.05*
d)	Kohlrabi	0.02*	<i>no MRL</i> 0.05*	0.05*	0.05*

## v) LEAF VEGETABLES AND FRESH HERBS

a)	Lettuce & similar				
	Cress	0.02*	<i>no MRL</i> 0.05*	0.05*	5
	Lamb's lettuce	0.02*	0.05*	0.05*	5
	Lettuce	0.02*	0.05*	0.05*	5
	Scarole	0.02*	0.05*	0.05*	5
	Others	0.02*	0.05*	0.05*	5
b)	Spinach & similar				
	Spinach	0.02*	0.05*	0.05*	0.05*
	Beet leaves (chard)	0.02*	0.05*	0.05*	0.05*

Group to which food belongs	Groups include the following products	Triazophos	Triforine	2,4,5-T	Vinclozolin
		(changing 1 July 2001)	(changing 1 July 2001)		
	Others	0.02*	0.05*	0.05*	0.05*
c)	Watercress	0.02*	0.05*	0.05*	0.05*
d)	Witloof	0.02*	0.05*	0.05*	2
e)	Herbs				
	Chervil	0.02*	0.05*	0.05*	0.05*
	Chives	0.02*	0.05*	0.05*	0.05*
	Parsley	0.02*	no MRL 0.05*	0.05*	0.05*
	Celery leaves	0.02*	0.05*	0.05*	0.05*
	Others	0.02*	0.05*	0.05*	0.05*
vi) LEGUME VEGETABLES (fresh)					
	Beans (with pods)	no MRL 0.02*	no MRL 0.05*	0.05*	2
	Beans (without pods)	no MRL 0.02*	no MRL 0.05*	0.05*	0.5
	Peas (with pods)	no MRL 0.02*	no MRL 0.05*	0.05*	2
	Peas (without pods)	no MRL 0.02*	no MRL 0.05*	0.05*	0.3
	Others	0.02*	no MRL 0.05*	0.05*	0.05*
vii) STEM VEGETABLES					
	Asparagus	no MRL 0.02*	no MRL 0.05*	0.05*	0.05*
	Cardoons	0.02*	0.05*	0.05*	0.05*
	Celery	no MRL 0.02*	no MRL 0.05*	0.05*	0.05*
	Fennel	no MRL 0.02*	0.05*	0.05*	0.05*
	Globe artichokes	no MRL 0.02*	no MRL 0.05*	0.05*	0.05*

Group to which food belongs	Groups include the following products	Triazophos	Triforine	2,4,5-T	Vinclozolin
		(changing 1 July 2001)	(changing 1 July 2001)		
	Leeks	<i>no MRL</i> 0.02*	<i>no MRL</i> 0.05*	0.05*	0.05*
	Rhubarb	<i>no MRL</i> 0.02*	0.05*	0.05*	0.05*
	Others	0.02*	0.05*	0.05*	0.05*
viii) FUNGI					
a)	Cultivated mushrooms	0.02*	0.05*	0.05*	0.05*
b)	Wild mushrooms	0.02*	0.05*	0.05*	0.05*
3. PULSES					
	Beans	0.02*	0.05*	0.05*	0.5
	Lentils	0.02*	0.05*	0.05*	0.05*
	Peas	0.02*	0.05*	0.05*	0.5
	Others	0.02*	0.05*	0.05*	0.05*
4. OILSEEDS					
	Linseed	<i>no MRL</i> 0.02*	0.05*	0.05*	0.05*
	Peanuts	0.02*	0.05*	0.05*	0.05*
	Poppy seed	0.02*	0.05*	0.05*	0.05*
	Sesame seed	0.02*	0.05*	0.05*	0.05*
	Sunflower seed	0.02*	0.05*	0.05*	0.05*
	Rape seed	<i>no MRL</i> 0.02*	0.05*	0.05*	1
	Soya bean	0.02*	0.05*	0.05*	0.05*
	Mustard seed	<i>no MRL</i> 0.02*	0.05*	0.05*	0.05*
	Cotton seed	0.1	0.05*	0.05*	0.05*
	Others	0.02*	0.05*	0.05*	0.05*
5. POTATOES					
	Early potatoes	<i>no MRL</i> 0.02*	0.05*	0.05*	0.05*

Group to which food belongs	Groups include the following products	Triazophos (changing 1 July 2001)	Triforine (changing 1 July 2001)	2,4,5-T	Vinclozolin			
	Ware potatoes	no MRL 0.02*	0.05*	0.05*	0.05*			
6. TEA	(dried leaves and stalks, fermented or otherwise, Camellia sinensis)	0.05*	0.1*	0.05*	0.1*			
7. HOPS (dried)	including hop pellets & unconcentrated powder	0.05*	30	0.05*	40			
Group to which food belongs	Groups include the following products	Acephate	Aldicarb	Aldrin & Dieldrin	Amitraz	Aramite	Azoxystro	Barban
8. CEREALS								
	Wheat	0.02*	0.05*	0.01	0.02*	0.01*	0.3	0.05*
	Rye	0.02*	0.05*	0.01	0.02*	0.01*	0.3	0.05*
	Barley	0.02*	0.05*	0.01	0.02*	0.01*	0.3	0.05*
	Sorghum	0.02*	0.05*	0.01	0.02*	0.01*	0.05*	0.05*
	Oats	0.02*	0.05*	0.01	0.02*	0.01*	0.05*	0.05*
	Triticale	0.02*	0.05*	0.01	0.02*	0.01*	0.3	0.05*
	Maize	0.02*	0.05*	0.01	0.02*	0.01*	0.05*	0.05*
	Buckwheat	0.02*	0.05*	0.01	0.02*	0.01*	0.05*	0.05*
	Millet	0.02*	0.05*	0.01	0.02*	0.01*	0.05*	0.05*
	Rice()	0.02*	0.05*	0.01	0.02*	0.01*	5	0.05*
	Other cereals()	0.02*	0.05*	0.01	0.02*	0.01*	0.05*	0.05*

Group to which food belongs	Groups include the following products	Acephate	Aldicarb	Aldrin & Dieldrin	Amitraz	Aramite	Azoxystro	Barban
-----------------------------	---------------------------------------	----------	----------	-------------------	---------	---------	-----------	--------

#### 9. PRODUCTS OF ANIMAL ORIGIN

Meat, fat & preparations of meat()	0.02*	0.01*	0.2	0.02*()	0.01*	0.05*	0.05*
Milk() & Dairy produce()	0.02*	0.01*	0.006		0.01*	0.01*	0.05*
Eggs()	0.02*	0.01*	0.02	0.02*	0.01*()	0.05*	0.05*()

Group to which food belongs	Groups include the following products	Benalaxyll	Benfuracac	Captfol	Carbaryl	Carbendazim	Carbofuran	Carbon disulphide	Carbon tetrachloride
		(changing 1 July 2001)					(changing 1 July 2001)		

#### 8. CEREALS

Wheat	0.05*	0.05*	0.05*	0.5	0.1*	0.1*	0.1	0.1
Rye	0.05*	0.05*	0.05*	0.5	0.1*	0.1*	0.1	0.1
Barley	0.05*	0.05*	0.05*	0.5	0.1*	0.1*	0.1	0.1
Sorghum	0.05*	0.05*	0.05*	0.5	0.1*	0.1*	0.1	0.1
Oats	0.05*	0.05*	0.05*	0.5	0.1*	<i>no MRL</i>	0.1	0.1
						0.1*		
Triticale	0.05*	0.05*	0.05*	0.5	0.1*	0.1*	0.1	0.1
Maize	0.05*	<i>no MRL</i>	0.05*	0.5	0.1*	0.1*	0.1	0.1
		0.05*						
Buckwheat	0.05*	0.05*	0.05*	0.5	0.1*	0.1*	0.1	0.1
Millet	0.05*	0.05*	0.05*	0.5	0.1*	0.1*	0.1	0.1
Rice()	0.05*	0.05*	0.05*	1	0.1*	<i>no MRL</i>	0.1	0.1
						0.1*		

0  
0  
0  
0  
0  
0  
0  
0

Group to which food belongs	Groups include the following products	Benalaxyl	Benfuracarb	Captfol	Carbaryl	Carbendazim	Carbofuran	Carbon disulphide	Carbon tetrachloride
		(changing 1 July 2001)							
	Other cereals()	0.05*	0.05*	0.05*	0.5	0.1*	0.1*	0.1	0.1

## 9. PRODUCTS OF ANIMAL ORIGIN

Meat, fat & preparations of meat()	0.05*	0.05*		0.1*	0.1*				
Milk() & Dairy produce()	0.05*	0.05*		0.1*	0.1*				
Eggs()	0.05*	0.05*		0.1*	0.1*				

Group to which food belongs	Groups include the following products	Carbosulfan	Chlorbufan	Chlordane	Chlorfenofen	Chlorobenzilate	Chloroxuron	Chlorbenside
		(changing 1 July 2001)						

## 8. CEREALS

Wheat	0.05*	0.05*	0.02	0.01*	0.02*	0.05*	0.01*	
Rye	0.05*	0.05*	0.02	0.01*	0.02*	0.05*	0.01*	
Barley	0.05*	0.05*	0.02	0.01*	0.02*	0.05*	0.01*	
Sorghum	0.05*	0.05*	0.02	0.01*	0.02*	0.05*	0.01*	
Oats	0.05*	0.05*	0.02	0.01*	0.02*	0.05*	0.01*	
Triticale	0.05*	0.05*	0.02	0.01*	0.02*	0.05*	0.01*	
Maize	0.05*	0.05*	0.02	0.01*	0.02*	0.05*	0.01*	
Buckwheat	0.05*	0.05*	0.02	0.01*	0.02*	0.05*	0.01*	
Millet	0.05*	0.05*	0.02	0.01*	0.02*	0.05*	0.01*	
Rice()	0.05*	0.05*	0.02	0.01*	0.02*	0.05*	0.01*	

0  
0  
0  
0  
0  
0

Group to which food belongs	Groups include the following products	Carbosulfan	Chlorbufan	Chlordane	Chlorfensol	Chlorobenzene	Chloroform	Chlorourethane	Chlorbenside
	Other cereals()	0.05*	0.05*	0.02	0.01*	0.02*	0.05*	0.01*	
<b>9. PRODUCTS OF ANIMAL ORIGIN</b>									
	Meat, fat & preparations of meat()	0.05*	0.05*	0.05	0.05*	0.1*	0.05*	0.05*	0.05*
	Milk() & Dairy produce()	0.05*	0.05*	0.002	0.05*	0.1*	0.05*	0.05*	0.05*
	Eggs()	0.05*	0.05*()	0.005	0.05*()	0.1*()	0.05*()	0.05*()	0.05*()
<hr/>									
Group to which food belongs	Groups include the following products (changing 1 July 2001)	Chlormequat	Chlorothalonil	Chlorpyrifos	Chlorpyrifos-methyl	Cypermethrin	Diaminozide	DDT	

**8. CEREALS**

Wheat	2	0.1	0.05*	3	0.02*	0.05*	0.02*	0.05
Rye	2	0.1	0.05*	3	0.02*	0.05*	0.02*	0.05
Barley	2	0.1	0.2	3	0.02*	0.2	0.02*	0.05
Sorghum	0.05*	0.01*	0.05*	3	0.02*	0.05*	0.02*	0.05
Oats	5	0.1	0.05*	3	0.02*	0.2	0.02*	0.05
Triticale	2	0.1	0.05*	3	0.02*	0.05*	0.02*	0.05
Maize	no MRL 0.05*	0.01*	0.05*	3	0.02*	0.05*	0.02*	0.05
Buckwheat	0.05*	0.01*	0.05*	3	0.02*	0.05*	0.02*	0.05

---

0  
0  
0  
0  
0  
0  
0  
0  
0

Group to which food belongs	Groups include the following products	Chlormequatchlorothalathate	Chlorpyrifos	Chlorpyrifos-methyl	Cypermethrin	Diaminozoate	DDT
(changing 1 July 2001)							
Millet	0.05*	0.01*	0.05*	3	0.02*	0.05*	0.02*
Rice()	0.05*	0.01*	0.05*	3	0.02*	0.05*	0.02*
Other cereals()	0.05*	0.01*	0.05*	3	0.02*	0.05*	0.02*
<b>9. PRODUCTS OF ANIMAL ORIGIN</b>							
Meat, fat & preparation of meat()	no MRL 0.05()	0.01*	0.05*()	0.05*	0.05	0.05*()	0.05* 1
Milk() & Dairy produce()	no MRL 0.05	0.01*	0.01*	0.01*	0.02*	0.02	0.05* 0.04
Eggs()	no MRL 0.05*	0.01*	0.01*	0.01*	0.02*	0.05*	0.05* 0.05

Group to which food belongs	Groups include the following products	Deltamethrin- dichloro-2,2- bis (4- ethyl- phenyl-) ethane	Diallate	Diazinon	1,2- Dibromo ethane	Dichlorvos	Dicofol	Disulfoton
(changing 1 July 2001)								

**8. CEREALS**

0  
0  
0  
0  
0  
0  
0  
0  
0  
0  
0  
0  
0  
0  
0  
0

Group to which food belongs	Groups include the following products	Deltamethrin-	Diallate	Diazinon	1,2-	Dichlorvo	Dicofol	Disulfoton
		dichloro-2,2- bis (4- ethyl- phenyl-) ethane			Dibromo ethane			
(changing 1 July 2001)								
Wheat	1	0.01*	0.05*	0.05 0.02*	0.01*	2	0.02*	0.1
Rye	1	0.01*	0.05*	0.05 0.02*	0.01*	2	0.02*	0.02*
Barley	1	0.01*	0.05*	0.05 0.02*	0.01*	2	0.02*	0.2
Sorghum	1	0.01*	0.05*	0.05 0.02*	0.01*	2	0.02*	0.2
Oats	1	0.01*	0.05*	0.05 0.02*	0.01*	2	0.02*	0.02*
Triticale	1	0.01*	0.05*	0.05 0.02*	0.01*	2	0.02*	0.02*
Maize	1	0.01*	0.05*	0.05 0.02*	0.01*	2	0.02*	0.02*
Buckwheat		0.01*	0.05*	0.02*	0.01*	2	0.02*	0.02*
Millet	1	0.01*	0.05*	0.02*	0.01*	2	0.02*	0.02*
Rice()	1	0.01*	0.05*	0.05 0.02*	0.01*	2	0.02*	0.02*
Other cereals()	1	0.01*	0.05*	0.05 0.02*	0.01*	2	0.02*	0.02*
Meat, fat & preparations of meat()		0.05*()	0.01*	0.2*			0.5() 0.1() 0.05*() 1()	0.02*

## 9. PRODUCTS OF ANIMAL ORIGIN

0  
0  
0  
0  
0  
0  
0  
0

Group to which food belongs	Groups include the following products	Deltamethrin-	Diallate	Diazinon	1,2-Dibromo	Dichlorvos	Dicofol	Disulfoton
		dichloro-2,2-bis (4-ethyl-phenyl-) ethane			ethane			
				(changing 1 July 2001)				
Milk() & Dairy produce()		0.01*	0.2*	no MRL 0.01*		0.02	0.02	
Eggs()	0.05*	0.01*()	0.2*()			0.05*	0.02*	
Group to which food belongs	Groups include the following products	Endosulfan	Endrin	Ethephon	Fenarimol	Fenbutatin oxide	Fentin	Fenvalerate and Esfenvalerate
								Sum of RR and SS isomers Sum of RS and SR isomers
		(changing 1 July 2001)		(changing 1 July 2001)	(changing 1 July 2001)			(changing 1 July 2001)

## 8. CEREALS

Wheat	0.1	0.01	0.2	no MRL	0.05*	0.05*	0.05*()	
	0.05*			0.02*			0.05	0.02*
Rye	0.1	0.01	0.5	0.02*	0.05*	0.05*	0.05*	
	0.05*						0.05	0.02*
Barley	0.1	0.01	0.5	no MRL	0.05*	0.05*	0.2	
	0.05*			0.02*			0.2	0.05
Sorghum	0.05*	0.01	0.05*	0.02*	0.05*	0.05*	0.05*	
							0.02*	0.02*
Oats	0.1	0.01	0.05*	0.02*	0.05*	0.05*	0.2	
	0.05*						0.2	0.05
Triticale	0.1	0.01	0.2	0.02*	0.05*	0.05*	0.05*	

0  
0  
0  
0  
0  
0

Group to which food belongs	Groups include the following products	Endosulfan	Fendrin	Ethephon	Fenarimol	Fenbutatin	Fentin oxide	Fenvalerate and Esfenvalerate
		(changing 1 July 2001)	Sum of RR and SS isomers					
		0.05*					0.05	0.02*
Maize		0.2	0.01	<i>no MRL</i>	0.02*	0.05*	0.05*	0.05*
		0.05*		0.05*			0.02*	0.02*
Buckwheat		0.05*	0.01	0.05*	0.02*	0.05*	0.05*	
							0.02*	0.02*
Millet		0.05*	0.01	0.05*	0.02*	0.05*	0.05*	0.05*
							0.02*	0.02*
Rice()		0.05*	0.01	0.05*	0.02*	0.05*	0.05*	0.05*
							0.02*	0.02*
Other cereals()		0.05*	0.01	0.05*	0.02*	0.05*	0.05*	0.05*
							0.02*	0.02*
9. PRODUCTS OF ANIMAL ORIGIN								
Meat, fat & preparations of meat()		0.1()	0.05	0.05*	0.02*()	0.05*	0.05*	0.5()
							0.2()	0.05()
							0.05*()	
							0.02*()	0.02*()

0  
0  
0  
0  
0  
0  
0  
0  
0  
0

Group to which food belongs	Groups include the following products	Endosulfan	Endrin	Ethephon	Fenarimol	Fenbutatin oxide	Fentin	Fenvalerate and Esfenvalerate
		(changing 1 July 2001)	Sum of RR and SS isomers	Sum of RS and SR isomers				
Milk() & Dairy produce()		0.004	0.0008	0.05*	0.02*	0.05*	0.05*	0.05*
							0.02*	0.02*
Eggs()	no MRL	0.005	0.05*	0.02*	0.05*	0.05*	0.05*	0.05*
		0.1*()					0.02*()	0.02*()
Group to which food belongs	Groups include the following products	Furathiocarb	Glyphosate	Heptachlor	Hexachlorobutadiene	Hexachlorobutene	Heptachlor	cyclohexane
					(HCB)	(HCH)	(HCH)	
							$\alpha$	$\beta$

8. CEREALS

	Wheat	0.05*	5	0.01	0.01	0.02 }	sum of alpha & beta
Rye	0.05*	5	0.01	0.01	0.01	0.02 }	
Barley	0.05*	20	0.01	0.01	0.01	0.02 }	
Sorghum	0.05*	20	0.01	0.01	0.01	0.02 }	
Oats	0.05*	20	0.01	0.01	0.01	0.02 }	
Triticale	0.05*	5	0.01	0.01	0.01	0.02 }	
Maize	0.05*	0.1*	0.01	0.01	0.01	0.02 }	
Buckwheat	0.05*	0.1*	0.01	0.01	0.01	0.02 }	
Millet	0.05*	0.1*	0.01	0.01	0.01	0.02 }	

---

0  
0  
0  
0  
0  
0  
0

Group to which food belongs	Groups include the following products	Furathiocarb	Glyphosate	Heptachlor	Hexachlorobutadiene	Hexachlorobutylbenzene	Heptachlorocyclohexane
				(HCB)	(HCH)	(HCH)	
Rice()	0.05*	0.1*	0.01	0.01	0.02 }		
Other cereals()	0.05*	0.1*	0.01	0.01	0.02 }		
Meat, fat & preparations of meat()	0.05*	0.5(0.20) 0.1*(0)	0.2	0.2	0.2	0.1	
Milk() & Dairy produce()	0.05*	0.1*	0.004	0.01	0.004	0.003	
Eggs()	0.05*	0.1*	0.02	0.02	0.02	0.01	

Group to which food belongs	Groups include the following products	Hexachlorobutadiene	Hydrogen cyanide	Hydrogen phosphide	Imazalil	Inorganic bromide	Iprodione	Kresoxim-methyl	Heptachlorothrin()
		(HCH)							

**8. CEREALS**

Wheat	0.1	15	0.1	0.02*	50	0.5	0.05*	0.02*	
Rye	0.1	15	0.1	0.02*	50	0.02*	0.05*	0.02*	
Barley	0.1	15	0.1	0.02*	50	1	0.05*	0.05	
Sorghum	0.1	15	0.1	0.02*	50	0.02*	0.05*	0.02*	
Oats	0.1	15	0.1	0.02*	50	0.02*	0.05*	0.02*	
Triticale	0.1	15	0.1	0.02*	50	0.02*	0.05*	0.02*	
Maize	0.1	15	0.1	0.02*	50	0.02*	0.05*	0.02*	
Buckwheat	0.1	15	0.1	0.02*	50	0.02*	0.05*	0.02*	
Millet	0.1	15	0.1	0.02*	50	0.02*	0.05*	0.02*	

0  
0  
0  
0  
0  
0  
0  
0  
0  
0

Group to which food belongs Groups include the following products HexachloroHydrocyanHydrophosphide Imazalil Inorganic bromide Iprodione Kresoxim methyl Hydrochlorothrin(0

	$\gamma$							
Rice()	0.1	15	0.1	0.02*	50	3	0.05*	0.02*
Other cereals()	0.1	15	0.1	0.02*	50	0.02*	0.05*	0.02*
9. PRODUCTS OF ANIMAL ORIGIN								
Meat, fat & preparations of meat()	2(0 1()		0.02*		0.05*	0.02*()()	0.5()	0.05()() 0.02*()
Milk() & Dairy produce()	0.008		0.02*		0.05*	0.05*()	0.05	
Eggs()	0.1		0.02*		0.05*	0.02*		0.02*

Group to which food belongs Groups Malathion Maneb Mecarbam Metalaxyl Methamidophos Methylithiophos Methomyl thiodicarb

- include the following products
- Mancozeb Metiram Propineb Zineb

8 CEREALS

Wheat	8	1	0.05*	0.05*	0.01*	0.02*	0.05*
Rye	8	1	0.05*	0.05*	0.01*	0.02*	0.05*
Barley	8	2	0.05*	0.05*	0.01*	0.02*	0.05*
Sorghum	8	0.05*	0.05*	0.05*	0.01*	0.02*	0.05*
Oats	8	2	0.05*	0.05*	0.01*	0.02*	0.05*

Group to which food belongs	Groups include the following products	Malathion	Maneb	Mecarbam	Metalexyl	Methamidophos	Moxidathione	Methomyl thiodicarb
			Mancozeb					
			Metiram					
			Propineb					
			Zineb					
	Triticale	8	0.05*	0.05*	0.05*	0.01*	0.02*	0.05*
	Maize	8	0.05*	0.05*	0.05*	0.01*	0.02*	0.05*
	Buckwheat	8	0.05*	0.05*	0.05*	0.01*	0.02*	0.05*
	Millet	8	0.05*	0.05*	0.05*	0.01*	0.02*	0.05*
	Rice()	8	0.05*	0.05*	0.05*	0.01*	0.02*	0.05*
	Other cereals()	8	0.05*	0.05*	0.05*	0.01*	0.02*	0.05*

## 9. PRODUCTS OF ANIMAL ORIGIN

Meat, fat & preparations of meat()	0.05*		0.05*	0.01*	0.02*	0.02
Milk() & Dairy produce()	0.05*		0.05*	0.01*	0.02*	0.02
Eggs()	0.05*		0.05*	0.01*	0.02*	0.02

  

Group to which food belongs	Groups include the following products	Methoxychlor	Methyl bromide	Permethrin	Phosphamidon	Homiphos	Petlymidone

(changing  
1 July  
2001)

## 8. CEREALS

Wheat	0.01*	0.1	2	0.05*	0.05	5	0.02*
Rye	0.01*	0.1	2	0.05*	0.05	5	0.02*
Barley	0.01*	0.1	2	0.05*	0.05	5	0.02*
Sorghum	0.01*	0.1	2	0.05*	0.05	5	0.02*
Oats	0.01*	0.1	2	0.05*	0.05	5	0.02*
Triticale	0.01*	0.1	2	0.05*	0.05	5	0.02*

0  
0  
0  
0  
0  
0

Group to which food belongs	Groups include the following products	Methoxychlor	Methyl bromide	Permethrin	Phorate	Phosphamidon	Bromophos	Pirethidone
(changing 1 July 2001)								
	Maize	0.01*	0.1	0.2	<i>no MRL</i> 0.05*	0.05	5	0.02*
	Buckwheat	0.01*	0.1	2	0.05*	0.05	5	0.02*
	Millet	0.01*	0.1	2	0.05*	0.05	5	0.02*
	Rice()	0.01*	0.1	2	0.05*	0.05	5	0.02*
	Other cereals()	0.01*	0.1	2	0.05*	0.05	5	0.02*
<b>9. PRODUCTS OF ANIMAL ORIGIN</b>								
	Meat, fat & preparations of meat()	0.01*		0.5	0.05*		0.05*	0.05*
	Milk() & Dairy produce()	0.01*		0.05	0.02*		0.05*	0.05*
	Eggs()	0.01*()		0.05	0.05*		0.05*	0.05*
<b>8. CEREALS</b>								
	Wheat	0.05*	0.05*	0.02*	3	<i>no MRL</i> 0.05*	<i>no MRL</i> 0.02*	0.1
	Rye	0.05*	0.05*	0.02*	3	0.05*	<i>no MRL</i> 0.02*	0.1

0  
0  
0  
0  
0  
0  
0

Group to which food belongs	Groups include the following products	Propiconaz	Bepoxur	Propyzamide	Pyrethrins	Thiabendazole	<del>Malathophos</del>	Trichlorfon
		(changing 1 July 2001)	(changing 1 July 2001)					
Barley	0.05*	0.05*	0.02*	3	0.05*	<i>no MRL</i> 0.02*	0.1	
Sorghum	0.05*	0.05*	0.02*	3	0.05*	0.02*	0.1	
Oats	0.05*	0.05*	0.02*	3	0.05*	<i>no MRL</i> 0.02*	0.1	
Triticale	0.05*	0.05*	0.02*	3	0.05*	<i>no MRL</i> 0.02*	0.1	
Maize	0.05*	0.05*	0.02*	3	0.05*	<i>no MRL</i> 0.02*	0.1	
Buckwheat	0.05*	0.05*	0.02*	3	0.05*	0.02*	0.1	
Millet	0.05*	0.05*	0.02*	3	0.05*	0.02*	0.1	
Rice()	0.05*	0.05*	0.02*	3	<i>no MRL</i> 0.05*	0.02*	0.1	
Other cereals()	0.05*	0.05*	0.02*	3	0.05*	0.02*	0.1	
<b>9. PRODUCTS OF ANIMAL ORIGIN</b>								
Meat, fat & preparations of meat()	0.10 0.05*	0.05*	0.05* 0.02*	0.00 0.00	0.10	<i>0.01*</i> 0.02*		
Milk & Dairy produce()	0.01*	0.05*	0.01*	0.00		0.01* 0.02* 0.01* 0.02*		

Group to which food belongs	Groups include the following products	Propiconazole Bepoxur Propyzamide Pyrethrins Thiabendazole Triazophos Trichlorfon	(changing 1 July 2001)	(changing 1 July 2001)		
Eggs()	0.05*	0.05*	0.02*()	0.1* <i>no MRL</i> 0.02*()		
<hr/>						
Group to which food belongs	Groups include the following products	Triforine	Vinclozolin			
<hr/>						
8. CEREALS						
	Wheat	0.1	0.05*			
	Rye	0.1	0.05*			
	Barley	0.1	0.05*			
	Sorghum	0.05*	0.05*			
	Oats	0.1	0.05*			
	Triticale	0.1	0.05*			
	Maize	0.05*	0.05*			
	Buckwheat	0.05*	0.05*			
	Millet	0.05*	0.05*			
	Rice <sup>(1)</sup>	0.05*	0.05*			
	Other cereals <sup>(2)</sup>	0.05*	0.05*			
<hr/>						
9. PRODUCTS OF ANIMAL ORIGIN						
	Meat, fat & preparations of meat <sup>(3)</sup>	0.05*	0.05*			
	Milk <sup>(4)</sup> & Dairy produce <sup>(5)</sup>	0.05*	0.05*			
	Eggs <sup>(6)</sup>	0.05*	0.05**			
<hr/>						

UNITS: Maximum residue levels (MRLs) are expressed in milligrammes of residue per kilogramme of food.

KEY: \* Level at or about the limit of determination.

*no MRL* — refers to the particular active/commodity combination.

#### FOOTNOTES:

- (1) Paddy or rough rice, husked rice and semi-milled or wholly milled rice.
- (2) Other cereals do not include rice.

- (3) Levels are measured on fat, except in the case of foods with a fat content of 10% or less by weight. In these cases the residue is related to the total weight of the boned foodstuff and the MRL is one tenth of the value given in the table, but must be no less than 0.01 mg/kg.
- (4) These levels are for fresh raw cow's milk and fresh whole cream cow's milk expressed on the whole milk.
- (5) For preserved, concentrated or sweetened cow's milk; for raw milk and whole cream milk of another animal origin; and for butter, cheese or curd whether made from cow's milk or other milk or a combination, the following levels apply:
  - if the fat content is less than 2% by weight, the MRL is taken as half that set for raw milk and whole cream milk;
  - if the fat content is 2% or more by weight, the MRL is expressed in mg/kg of fat and is set at 25 times that set for raw milk and whole cream milk.
- (6) Bird's eggs in shell (other than eggs for hatching) and whole egg products and egg yolk products (whether fresh, dried or otherwise prepared).
- (7) For eggs and egg products with a fat content higher than 10%, the maximum level is expressed in mg/kg fat. In this case, the maximum level is 10 times higher than the maximum level for fresh eggs.
- (8) All meat except poultry meat.
- (9) Poultry meat only.
- (10) Chicken liver.
- (11) Cattle kidney.
- (12) Cattle liver.
- (13) All meat except liver and kidney.
- (14) The residue definition for this MRL is: 2-methoxyimino-2-[2-(0-tolyloxymethyl)phenyl]acetic acid.
- (15) Meat, liver, fat.
- (16) Kidney.
- (17) Other meat products.
- (18) The residue definition for this MRL is: 2-[2-(4-hydroxy-2-methylphenoxy)methyl]phenyl]-2-methoxy-iminoacetic acid.
- (19) With the exception of meat and other ovine, bovine and caprine products.
- (20) Footnotes 3, 5 and 6 do not apply in cases where the lower limit of analytical determination is indicated.
- (21) Meat of cattle, sheep and goats.
- (22) Other than meat or liver of cattle, sheep and goats, and poultry meat.
- (23) Liver of cattle, sheep and goats. The residue definition for this MRL is: 1, 1-bis-(parachlorophenol)-2,2-dichloroethanol(PP'-FW152), expressed as dicofol.
- (24) Pig kidney.
- (25) Cattle, goat and sheep kidney.
- (26) Sheep meat only.
- (27) All meat except sheep meat.
- (28) For animal products MRLs relate to cyhalothrin (sum of isomers).
- (29) Ruminant liver.
- (30) All meat except ruminant liver.
- (31) Fat, liver and kidney.
- (32) Other than fat, liver and kidney.
- (33) The residues definition for these MRLs is: sum of propyzamide and all metabolites containing the 3,5-dichlorobenzoic acid fraction expressed as propyzamide.
- (34) Fenvalerate and esfenvalerate—the figure in italics set across the column refers to the MRL for fenvalerate only.
- (35) Procymidone: 1 mg/kg applies to whole seeds; 0.05 mg/kg applies to seed without shell.
- (36) Meat and meat products other than those at footnotes 10, 11 and 12.

## EXPLANATORY NOTE

*(This note is not part of the Regulations)*

These Regulations, which extend to England and Wales only, are made under section 2(2) of the European Communities Act 1972 and amend the provisions of the Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuffs) (England and Wales) Regulations 1999 S.I.[1999/3483](#).

The Regulations specify maximum levels of pesticide residues which crops, food and feeding stuffs may contain in implementation of Commission Directives [2000/24/EC](#) (OJNo. L107, 4.5.00), [2000/42/EC](#) (OJ No. L158, 30.6.00), [2000/48/EC](#) (OJ No. L197, 3.8.00), [2000/57/EC](#) (OJ No. L244, 29.9.00) and [2000/58/EC](#) (OJ No. L244, 29.9.00) and amend Community maximum residue levels which have been set previously (regulations 2(1), 2(2) and 5).

Further residue definitions are also introduced (regulation 2(3)).

Additionally, the Regulations remove certain maximum levels which were included in Part 1 of Schedule 2 to the Consolidated Regulations 1999 (S.I. [1999/3483](#)) by virtue of powers contained in the Food and Environment Protection Act 1985 and which have been replaced by the Community maximum residue levels now included in Part 2 of that Schedule (regulation 2(4)).

The Regulations also amend Schedule 3 to the Consolidated Regulations 1999 by introducing the new products ‘papaya’ and ‘chilli peppers’ to reflect the categories specified in Directives [2000/42/EC](#) and [2000/24/EC](#) respectively (regulation 2(6)).

A regulatory impact assessment has been prepared in respect of these Regulations. Copies of this assessment can be obtained from the Pesticides Safety Directorate of the Ministry of Agriculture, Fisheries and Food, Room 313, Mallard House, Kings Pool, 3 Peasholme Green, York YO1 7PX.