STATUTORY INSTRUMENTS

2001 No. 25

ROAD TRAFFIC

The Motor Vehicles (Approval) Regulations 2001

Made - - - - 9th January 2001
Laid before Parliament 10th January 2001
Coming into force - - 1st February 2001

The Secretary of State for the Environment, Transport and the Regions, in exercise of the powers conferred by sections 54, 61, 63 and 66 of the Road Traffic Act 1988(1) and of all other powers enabling him in that behalf, and after consultation with representative organisations in accordance with section 195(2) of that Act, hereby makes the following Regulations:—

PART I

GENERAL

Citation and commencement

1. These Regulations may be cited as the Motor Vehicles (Approval) Regulations 2001 and shall come into force on 1st February 2001.

Commencement Information

II Reg. 1 in force at 1.2.2001, see reg. 1

Revocation

2. The instruments specified in Schedule 1 are hereby revoked.

Commencement Information

I2 Reg. 2 in force at 1.2.2001, see reg. 1

^{(1) 1988} c. 52; section 61 was amended by the Road Traffic Act 1991 (c. 40), Schedule 8 and section 63 was amended by S.I. 1992/3107.

Interpretation

3.—(1) In these Regulations, unless the context otherwise requires—

"the 1970 Directive" means Council Directive 70/156/EEC of 6th February 1970 on the approximation of the laws of the member states relating to the type-approval of motor vehicles and their trailers(2) as last amended by Directive 98/14/EC of 25th March 1998(3);

"the 1982 Regulations" means the Motor Vehicles (Type Approval for Goods Vehicles) (Great Britain) Regulations 1982(4);

"the 1984 Regulations" means the Motor Vehicles (Type Approval) (Great Britain) Regulations 1984(5);

"the 1988 Act" means the Road Traffic Act 1988;

"ambulance", "armoured vehicle", "hearse" and "motor caravan" have the meanings given by paragraph 1 of Schedule 2;

"approval requirements", in relation to a vehicle, means the requirements prescribed by section 54 of the 1988 Act as they apply to that vehicle and which are set out in regulation 5(1);

"axle weight", "gross weight", "kerbside weight", "maximum gross weight" and "maximum permitted axle weight" have the meanings given in regulation 3(2) of the Construction and Use Regulations;

"the Construction and Use Regulations" means the Road Vehicles (Construction and Use) Regulations 1986(6);

"design gross weight" means the weight which the vehicle is designed or adapted not to exceed when in normal use and travelling on a road laden;

"EEA State" means a State which is a contracting party to the Agreement on the European Economic Area signed at Oporto on 2nd May 1992 as adjusted by the Protocol signed at Brussels on 17th March 1993(7);

"family of types" has the same meaning as in Annex XII of the 1970 Directive;

"goods vehicle" means a vehicle of a kind specified in regulation 4(1)(b);

"kg" means kilograms;

"kph" means kilometres per hour;

"the Lighting Regulations" means the Road Vehicles Lighting Regulations 1989(8);

"mm" means millimetres;

"mph" means miles per hour;

"registered" means registered under the Vehicle Excise and Regulation Act 1994(9);

"relevant vehicle" has the meaning given in regulation 4(3);

"Schedule 2 vehicle" has the meaning given in Schedule 2;

"subject matter" means a subject matter in relation to which approval requirements are specified in Schedule 3 or 4 and "applicable subject matter" in relation to a vehicle means

- (2) O.J.L42.23.02.70,p.1.
- (3) O.J.L91.25.03.98,p.1.
- (4) S.I.1982/1271; relevant amending instruments are S.I.1987/1508,1988/1523, 1989/1579, 1991/1021, 1992/25, 1342 and 3084, 1993/2200 and 1995/1323.
- (5) S.I. 1984/981; relevant amending instruments are S.I. 1984/1761, 1987/1509, 1988/1522, 1989/1580, 1991/1022, 1992/1341, 2161 and 2908, 1993/2201 and 1995/1322.
- (6) S.I. 1986/1078, relevant amending instruments are S.I. 1987/676 and 1333, 1988/1178, 1989/1478, 1990/2212, 1992/2016, 3088 and 3285 and 1994/3270.
- (7) Cmnd. 2972 and 2183.
- (8) S.I. 1989/1796; the relevant amending instrument is S.I. 1994/2280.
- (9) 1994 c. 22.

a subject matter as respects which approval requirements are applicable to the vehicle in accordance with these Regulations;

"wheel" has the meaning given in regulation 3(2) of the Construction and Use Regulations.

- (2) References to vehicles of categories M1, M2, M3, N1, N2 and N3 are to vehicles of those categories as defined in Annex II.A of the 1970 Directive.
- (3) A reference in any provision of these Regulations to a prescribed fee is a reference to the fee (if any) for the time being prescribed for the purposes of that provision in regulations made under section 61 of the 1988 Act.
- (4) Paragraphs (7) and (8) of regulation 3 of the Construction and Use Regulations (determination of the numbers of wheels and axles of a vehicle) shall apply for the purposes of these Regulations other than item 16 of Schedule 3 as they apply for the purposes of the Construction and Use Regulations other than regulations 26 and 27.
- (5) For the purposes of these Regulations, a vehicle is to be regarded as being manufactured on or after a particular date if it is first assembled on or after that date, even if it includes one or more parts which were manufactured before that date.
 - (6) Schedule 6 of these Regulations—
 - (a) defines expressions relating to Community instruments and ECE Regulations (including references to complying with provisions of such instruments); and
 - (b) sets out details of Community instruments and ECE Regulations referred to in these Regulations.

Commencement Information

I3 Reg. 3 in force at 1.2.2001, see reg. 1

PART II

APPROVAL REQUIREMENTS FOR RELEVANT VEHICLES

Application of Regulations

- **4.**—(1) These Regulations apply to every motor vehicle—
 - (a) to which the 1984 Regulations apply; or
 - (b) to which the 1982 Regulations apply and which either has a design gross weight not exceeding 3,500 kg or complies with the requirements specified in paragraph (2).
- (2) The requirements referred to in paragraph (1)(b) are that the vehicle in question—
 - (a) has a design gross weight exceeding 3,500 kg but not exceeding 5,500 kg;
 - (b) has a kerbside weight not exceeding 3,425 kg; and
 - (c) belongs to the same family of types as at least one vehicle to which these Regulations apply by virtue of paragraph (1) and which has been granted a Minister's approval certificate on the basis that it complies with the approval requirements by virtue of these Regulations or the Motor Vehicles (Approval) Regulations 1996(10).
- (3) In these Regulations, "relevant vehicle" means a vehicle to which these Regulations apply.

Commencement Information

I4 Reg. 4 in force at 1.2.2001, see reg. 1

Approval requirements for relevant vehicles

- **5.**—(1) Subject to the following provisions of this regulation, the following are prescribed under section 54 of the 1988 Act as requirements as to the design, construction, equipment and marking of relevant vehicles—
 - (a) in the case of any relevant vehicle, compliance with the requirements set out in column 3 of the Table in Schedule 3; and
 - (b) in the case of any relevant vehicle which is not a Schedule 2 vehicle, and in relation to each item in the Table in Schedule 4 for which is specified in column 3(a) of that Table a date which is, or falls before, the date of manufacture of the vehicle, compliance with the requirements of the Community instruments set out in column 3(b) of that Table in relation to that item, or with any equivalent requirement of the ECE Regulations set out in column 3(c) of that Table.
- (2) Subject to paragraph (3), the requirements of paragraph (1)(b) shall not apply to a relevant vehicle until 1st August 2001.
- (3) Where, in the case of any relevant vehicle which is of category M1 and to which the requirements of paragraph (1)(b) would not otherwise apply, a person making an application in accordance with regulation 6 requests the Secretary of State in writing at the time of making the application that the provisions of paragraph (1)(b) be applied for the purposes of the application, those provisions shall so apply.
- (4) The items in Schedule 3 numbered 1, 3, 6, 7, 8, 9, 10, 11, 14, 15, 16 and 19 and the items in Schedule 4 numbered 3, 8, 10, 11, 26, 27 and 28 shall not apply to goods vehicles.
- (5) The requirements set out or referred to in column 3 of the Tables in Schedules 3 and 4 have effect subject to the exceptions and modifications set out in column 5 of those Tables.
- (6) An entry in column 4 of an item in the Table in Schedules 3 and 4 shall have effect for the purposes of interpreting or otherwise supplementing the entries in that item and, for convenience, expressions that are defined in that column are printed in bold type.
- (7) Where a provision of any Community instrument or ECE Regulation is applied by Schedule 4, that provision as so applied shall (except in so far as the contrary intention appears) have effect in relation to—
 - (a) a vehicle to which the 1984 Regulations apply as it has effect in relation to a vehicle of category M1; and
 - (b) a vehicle to which the 1982 Regulations apply as it has effect in relation to a vehicle of category N1.
- (8) A relevant vehicle shall be regarded as complying with all the requirements prescribed under section 54 of the 1988 Act if at least one of the following three conditions are satisfied in relation to each applicable subject matter mentioned in Schedule 3 or 4—
 - (a) that the vehicle complies with the requirements set out in paragraph (1);
 - (b) that requirements applicable to the vehicle are prescribed by regulation 4 of the 1984 Regulations or by regulation 4 of the 1982 Regulations in relation to the subject matter and the vehicle complies with those requirements;
 - (c) that there is produced to the Secretary of State evidence that satisfies him that the vehicle has been found by a competent authority in another EEA State to comply with

requirements applicable to the vehicle equivalent to those prescribed in relation to the subject matter.

- (9) For the purposes of paragraph (8)(b), the requirements prescribed by regulation 4 of the 1984 Regulations in relation to the subject matter mentioned in item 6 of column 2 of the Table in Schedule 3 to these Regulations (lamps, reflectors and devices) shall be regarded as the requirements prescribed in relation to—
 - (a) installation of lighting and signalling equipment;
 - (b) direction indicators;
 - (c) headlamps and filament lamps;
 - (d) side, rear and stop lamps;
 - (e) rear reflectors; and
 - (f) rear fog lamps.
- (10) For the purposes of paragraph (8), regulation 4(1A) of the 1984 Regulations shall have effect as if—
 - (a) for sub-paragraph (a), there were substituted—
 - "(a) an entry in column (6) of Part I of Schedule 1 shall not apply to the vehicle if the vehicle was manufactured before the date specified or having effect as if specified in that entry;"; and
 - (b) the words after sub-paragraph (b) were omitted.
- (11) For the purposes of paragraph (8), regulation 4(2A) of the 1982 Regulations shall have effect as if—
 - (a) for sub-paragraph (a), there were substituted—
 - "(a) an entry in column (6) of Part I of Schedule 1 shall not apply to the vehicle if the vehicle was manufactured before the date specified or having effect as if specified in that entry;"; and
 - (b) the words after sub-paragraph (b) were omitted.
 - (12) If a relevant vehicle complies with all the requirements prescribed by—
 - (a) regulation 4 of the 1984 Regulations (disregarding paragraph (9)); or
- (b) regulation 4 of the 1982 Regulations (disregarding paragraph (10)),

that are applicable to it, the requirements prescribed by this regulation shall not apply to it.

Commencement Information

I5 Reg. 5 in force at 1.2.2001, see reg. 1

PART III

MISCELLANEOUS

Application for Minister's approval certificate

6.—(1) An application for the issue for a Minister's approval certificate on the basis that the vehicle complies with the approval requirements by virtue of these Regulations shall be made to the Secretary of State.

- (2) The application shall be in a form which—
 - (a) has been approved by the Secretary of State; and
 - (b) has been duly completed so as to furnish all the information required by that form.
- (3) The application shall be accompanied by—
 - (a) the documents mentioned in the form as being required in connection with the application;
 and
 - (b) the prescribed fee.
- (4) As soon as reasonably practicable after he receives the application, the Secretary of State shall send to the applicant a notice stating the time when and the place where an examination for the purposes of the application is to be carried out.
- (5) The Secretary of State may by notice to the applicant alter the time when or the place where the examination is to be carried out, but he shall not alter the time to an earlier time without the consent of the applicant.
- (6) Where an application ("the original application") made in accordance with the paragraphs (1) to (3) is refused other than by virtue of regulation 10 or on the grounds that the vehicle is not a relevant vehicle, a further application by the same applicant in respect of the vehicle shall be regarded as having been made in accordance with and pursuant to those paragraphs if—
 - (a) it is made (orally or in writing) to the Secretary of State during the period of six months beginning with the date on which the original application was refused; and
 - (b) at the time that he makes the further application, the applicant requests an examination to be carried out for the purpose of the further application—
 - (i) during that period of six months; and
 - (ii) except in the case of a Schedule 2 vehicle other than a left hand drive vehicle or a personally imported vehicle, at the place where the examination took place for the purposes of the original application.
- (7) Paragraphs (4) and (5) shall not apply to an application made in accordance with paragraph (6); and in the case of such an application—
 - (a) the Secretary of State shall inform the applicant in such manner as he thinks fit of the time when and the place where the examination is to be carried out;
 - (b) the Secretary of State may alter the time when or the place where the examination is to be carried out, but he shall not alter the time to an earlier time without the consent of the applicant;
 - (c) if the Secretary of State so alters the time or place, he shall inform the applicant in such manner as he thinks fit of the time when and the place where the examination is to be carried out; and
 - (d) the applicant shall pay the prescribed fee to the Secretary of State before the examination is carried out.
- (8) Paragraphs (4) to (7) shall not apply to an application for the issue of a Minister's approval certificate under section 58(4) of the 1988 Act.

Commencement Information

I6 Reg. 6 in force at 1.2.2001, see reg. 1

Assignment of vehicle identification numbers

- 7.—(1) Where it appears to the Secretary of State when an application is made for a Minister's approval certificate in accordance with paragraphs (1) to (3) of regulation 6 that the vehicle to which the application relates does not have a vehicle identification number which—
 - (a) complies with paragraph 3.1.1 of the Annex to Directive 76/114/EEC(11) or that Directive as last amended by Directive 78/507/EEC(12);
 - (b) has been previously assigned to the vehicle under this regulation; or
 - (c) does not fall within sub-paragraph (a) or (b), but is adequate for the purpose of enabling the vehicle to be identified,

he shall assign a vehicle identification number to the vehicle.

(2) Where an application is made under regulation 6 for the issue of a Minister's approval certificate under section 58(4) of the 1988 Act, paragraph (1) shall have effect as if the words "in accordance with paragraphs (1) to (3) of regulation 6" were omitted.

Commencement Information

I7 Reg. 7 in force at 1.2.2001, see reg. 1

Criteria for determining design weights

- **8.** For the purposes of section 54(2) of the 1988 Act, where an application is made pursuant to regulation 6, the criteria for determining, as design weights, the axle weights and gross weights which in the opinion of the Secretary of State should not be exceeded in the case of a vehicle to which these Regulations apply are as follows—
 - (a) the design of the vehicle, its construction and equipment and the stresses to which it is likely to be subject when used on a road;
 - (b) any information which is available about the weight which a vehicle of that type was designed by the manufacturer to carry when used on a road; and
 - (c) any information obtained from an examination of a vehicle of that type or a similar type with a view to ascertaining whether at the time of the examination, it complied with any requirement prescribed under section 54 of the 1988 Act and applicable to it.

Commencement Information

I8 Reg. 8 in force at 1.2.2001, see reg. 1

Appeals

- **9.**—(1) An appeal under section 60 of the 1988 Act by a person aggrieved by a determination made by the Secretary of State pursuant to an application under regulation 6 shall be made by including with the documents submitted a form which—
 - (a) has been provided by the Secretary of State; and
 - (b) has been completed so as to include a description of the grounds upon which the appeal is made and such other information as may be reasonably required by that form.
 - (2) The appeal shall be accompanied by the prescribed fee.

⁽¹¹⁾ O.J.L24, 18.12.75, p.1.

⁽¹²⁾ O.J. L155 19.05.78, p.31.

- (3) The prescribed time within which an appeal against such a determination may be made is 14 days beginning with the date of the determination.
- (4) As soon as reasonably practicable after the date of the receipt of the appeal the Secretary of State shall send to the appellant a notice stating the time when and the place where the re-examination for the purpose of determining the issues raised on the appeal is to be carried out.
- (5) The Secretary of State may by notice to the applicant alter the time when or the place where the re-examination is to be carried out, but he shall not alter the time to an earlier time without the consent of the applicant.

Commencement Information

19 Reg. 9 in force at 1.2.2001, see **reg. 1**

Refusal of application or appeal without an examination or a complete examination

10.—(1) In this regulation—

"appeal" means an appeal under section 60 of the 1988 Act in respect of the determination of an application;

"application" means an application under regulation 6 for the issue of a Minister's approval certificate under section 58(1) of the 1988 Act;

"examination" means an examination for the purposes of an application or appeal; and

"examiner", in relation to an examination, means the person appointed by the Secretary of State to conduct the examination.

- (2) The Secretary of State may refuse an application or appeal even though an examination has not been carried out if—
 - (a) the vehicle is not submitted for examination at the time and place fixed under these Regulations for the examination;
 - (b) the fee in respect of the examination is not paid at or before the time fixed under these Regulations for the examination;
 - (c) the examiner is not able, with the facilities and apparatus available to him at the place at which the examination would otherwise be carried out, to complete the examination without the vehicle being driven or the engine run and the vehicle is not when submitted for examination, either for want of fuel or oil or for any other reason, fit to be driven or for the engine to be run to such extent as may be necessary for the purposes of carrying out the examination;
 - (d) when the vehicle is submitted for the examination, the vehicle or any item which forms part of the vehicle or its equipment is so dirty or dangerous as to make it unreasonable for the examination to be carried out;
 - (e) any things which are on the vehicle when it is submitted for the examination, and are not part of its equipment or accessories, are required by the examiner to be removed from the vehicle or to be secured in such a manner as he may think necessary and those things are not removed or secured accordingly;
 - (f) when the vehicle is submitted for the examination, a proper examination cannot be carried out as a consequence of any door, tailgate, boot lid, engine cover, fuel cap or other device designed to be capable of being readily opened, being locked or otherwise fixed so that it cannot readily be opened;

- (g) when the vehicle is submitted for the examination, its condition is such that, in the opinion of the examiner, a proper examination of the vehicle would involve a danger of—
 - (i) injury to any person, or
 - (ii) damage to the vehicle or any other property;
- (h) when the vehicle is submitted for the examination, there is not permanently fixed to the chassis or main structure of the vehicle in a conspicuous and easily accessible position so as to readily legible, a vehicle identification number which—
 - (i) complies with paragraph 3.1.1 of Annex to Directive 76/114/EEC or that Directive as last amended by Directive 78/507/EEC;
 - (ii) has been assigned to the vehicle under regulation 7(1); or
 - (iii) does not fall within sub-paragraph (i) or (ii), but appears to the Secretary of State to be adequate for the purpose of enabling the vehicle to be identified; or
- (i) the person who is the driver of the vehicle at the time it is submitted for the examination is requested to remain in it or its vicinity throughout the examination, to drive it, to operate its controls or to remove or refit its panels and he declines to do so.
- (3) Nothing in this regulation shall affect any power of the Secretary of State to refuse an application or to reject an appeal otherwise than under this regulation.

Commencement Information I10 Reg. 10 in force at 1.2.2001, see reg. 1

Form of certificate

- 11.—(1) Subject to the following paragraphs, where a Minister's approval certificate is issued under section 58(1) of the 1988 Act on the basis that the vehicle complies with the approval requirements by virtue of these Regulations, the certificate shall be in the form set out in Schedule 5 to these Regulations or in a form to the like effect.
- (2) Where the certificate is issued on the basis that it relates to a vehicle falling within a class specified in column (2) of an item in the Table below there shall be inserted in the box under the words "Class Code" the letter specified in column (3) of that item.

TABLE

(1)	(2)	(3)
Item	Class of vehicle	Letter
1.	Left hand drive vehicle	N
2.	Personally imported vehicle	P
3.	Amateur built vehicle	A
4.	Vehicle manufactured in very low volume	L
5.	Vehicle manufactured using parts from a registered vehicle	С
6.	Disabled persons vehicle	D
7.	Rebuilt vehicle	S

(1)	(2)	(3)
Item	Class of vehicle	Letter
8.	Motor caravan, ambulance or hearse	M
9.	Armoured vehicle	T
10.	Vehicle not falling within any of the preceding classes specified in this Table	R
11.	Vehicle which meets the condition set out in regulation 5(8)(c)	E

- (3) Any letter or letters inserted pursuant to paragraph (2) may be followed by a zero and then by any letters or numbers that the Secretary of State thinks fit to insert.
- (4) Expressions used in this regulation which are the subject of definitions in Schedule 2 shall have the meanings given by those definitions.
- (5) This regulation shall apply to a Minister's approval certificate issued under section 58(4) of the 1988 Act as it applies to such a certificate issued under section 58(1) of that Act as if for the words "section 58(1)" in the form set out in Schedule 5 to these Regulations there were substituted the words "section 58(4)".

Commencement Information III Reg. 11 in force at 1.2.2001, see reg. 1

Replacement certificates

- 12.—(1) If a Minister's approval certificate has been lost or defaced, an application for issue of a replacement for the original certificate may be made, either orally or in writing, to the Secretary of State at the place from which the original certificate was issued.
 - (2) The application shall—
 - (a) specify the identification number of the vehicle in respect of which the original certificate was issued; and
 - (b) be accompanied by the prescribed fee.
- (3) As soon as reasonably practicable after he receives the application and fee, the Secretary of State shall issue to the applicant a replacement for the certificate to which the application relates and any such replacement shall have the same effect as the certificate which it replaces and shall be marked "replacement".

```
Commencement Information
112 Reg. 12 in force at 1.2.2001, see reg. 1
```

Notices

13. Except as otherwise provided by these Regulations, every notice under them shall be in writing and may be given by post.

Commencement Information

II3 Reg. 13 in force at 1.2.2001, see reg. 1

Obligatory certificates

- **14.**—(1) Subject to paragraph (2) below, this regulation applies to all relevant vehicles.
- (2) This regulation does not apply—
 - (a) to any ambulance or a motor caravan;
 - (b) to any registered vehicle;
 - (c) to a vehicle more than 10 years after the time when it was manufactured; or
 - (d) to a vehicle that meets the requirements specified in paragraph (3).
- (3) The requirements referred to in paragraph (2)(d) are that—
 - (a) the person by whom the vehicle is kept ("the keeper") is a member of a visiting force or of a member of the civilian component of a visiting force;
 - (b) the vehicle has been imported into the United Kingdom for the personal use of the keeper or of his dependants;
 - (c) there is not in force with respect to the vehicle—
 - (i) a Minister's approval certificate issued in pursuance of these Regulations;
 - (ii) a certificate of conformity;
 - (iii) a Minister's approval certificate in a form prescribed by regulation 14 of the 1982 Regulations or regulation 9 of the 1984 Regulations; or
 - (iv) an EC certificate of conformity; and
 - (d) not more than one other vehicle which meets the requirements of sub-paragraphs (a), (b) and (c) is kept in the United Kingdom by the keeper.
- (4) In paragraph (3) the expressions "member of a visiting force" and "member of a civilian component of a visiting force" shall bear the same meanings as in Part I of the Visiting Forces Act 1952(13).
- (5) The day appointed for the purposes of section 63(1) of the 1988 Act in relation to every vehicle—
 - (a) to which this regulation applies; but
- (b) which is not of a class for which a day had previously been appointed for those purposes, is 1st February 2001.
- (6) Without prejudice to any other Regulations having effect by virtue of section 63(1) of the 1988 Act, all vehicles to which this regulation applies are vehicles of a prescribed class for the purposes of that section.
- (7) The type approval requirements prescribed for the purposes of section 63(1) of the 1988 Act, in relation to every vehicle to which this regulation applies, are the approval requirements.
 - (8) Section 63(1) of the 1988 Act shall not apply to the use of a relevant vehicle—
 - (a) for the purpose of submitting it (by previous arrangement for a specified time on a specified date) before it is registered for an examination pursuant to an application under these Regulations;

- (b) for the purpose of bringing it away, before it is registered, from such an examination;
- (c) by an authorised person for the purpose of—
 - (i) taking it to, or bringing it away from, a place where a part of such an examination is to be, or has been, carried out, or
 - (ii) carrying out a part of such an examination, or
 - (iii) warming up its engine in preparation for such an examination, before it is registered;
- (d) where an application under regulation 6 is refused following such an examination, for the purpose of—
 - (i) delivering it (by previous arrangement for a specified time on a specified date) at a place where relevant work is to be done on it, or
 - (ii) bringing it away from a place where relevant work has been done on it, before it is registered.
- (9) In this regulation—

"authorised person" means an examiner appointed under section 66A of the 1988 Act or a person carrying out such an examination under the direction of such an examiner;

"relevant work" means work done or to be done to remedy the defects on the grounds of which the application was refused (including work to alter the vehicle in some aspect of design, construction, equipment or marking on account of which the certificate was refused).

Commencement Information

I14 Reg. 14 in force at 1.2.2001, see reg. 1

Licences not to be issued for vehicles unless appropriate certificates are in force

15. Where application is made for a licence under the Vehicle Excise and Registration Act 1994(14) for a vehicle to which regulation 14 applies, the licence shall not be granted unless on the first application after the day appointed by Regulations made by virtue of the 1988 Act for a licence for that vehicle, there is produced evidence that there are one or more certificates in force for the vehicle under sections 54 to 58 of the 1988 Act from which it appears that the vehicle complies with the approval requirements.

Commencement Information

I15 Reg. 15 in force at 1.2.2001, see reg. 1

Signed by authority of the Secretary of State

Gus Macdonald
Minister of State,
Department of the Environment, Transport and
the Regions

9th January 2001

SCHEDULE 1

Regulation 2

INSTRUMENTS REVOKED

Commencement Information

I16 Sch. 1 in force at 1.2.2001, see reg. 1

Instrument	Number
The Motor Vehicles (Approval) Regulations 1996	S.I.1996/3013
The Motor Vehicles (Approval) (Amendment) Regulations 1997	S.I. 1997/1366
The Motor Vehicles (Approval) (Amendment) (No. 2) Regulations 1997	S.I. 1997/2934
The Motor Vehicles (Approval) (Amendment) Regulations 1998	S.I. 1998/1008
The Motor Vehicles (Approval) (Amendment) Regulations 1999	S.I. 1999/2082
The Motor Vehicles (Approval) (Amendment) (No. 2) Regulations 1999	S.I. 1999/3226
The Motor Vehicles (Approval) (Amendment) Regulations 2000	S.I. 2000/1972

SCHEDULE 2

Regulation 3(1)

SCHEDULE 2 VEHICLES

Meaning of "Schedule 2 vehicle"

- 1. A Schedule 2 vehicle is a relevant vehicle which is—
 - (a) a left hand drive vehicle;
 - (b) a personally imported vehicle;
 - (c) an amateur built vehicle;
 - (d) a vehicle manufactured in very low volume;
 - (e) a vehicle manufactured using parts of a registered vehicle;
 - (f) a disabled person's vehicle;
 - (g) a rebuilt vehicle;
 - (h) a motor caravan as defined in Annex II.A of the 1970 Directive;
 - (i) an ambulance as defined in Annex II.A of the 1970 Directive;
 - (j) a hearse as defined in Annex II.A of the 1970 Directive; or
 - (k) an armoured vehicle as defined in Annex II.A of the 1970 Directive.

Commencement Information

II7 Sch. 2 para. 1 in force at 1.2.2001, see reg. 1

Personally imported vehicles

- 2.—(1) A vehicle is a personally imported vehicle if—
 - (a) it has been imported by a person entering the United Kingdom;
 - (b) that person had, at the time the vehicle was imported, been normally resident in a country other than the United Kingdom for a continuous period of at least 12 months;
 - (c) that person intends to become normally resident in the United Kingdom;
 - (d) the vehicle has been in the possession of that person and used by him in the country where he has been normally resident for a period of at least 6 months before its importation; and
 - (e) the vehicle is intended for his personal or household use in the United Kingdom.
- (2) For the purposes of this paragraph a person shall be treated as being normally resident in the country where he usually lives—
 - (a) for a period of, or periods together amounting to, at least 185 days in a period of 12 months;
 - (b) because of his occupational ties; and
 - (c) because of his personal ties.
- (3) In the case of a person with no occupational ties, sub-paragraph (2) shall apply with the omission of paragraph (b), provided that his personal ties show close links with that country.
- (4) Where a person has his occupational ties in one country and his personal ties in another country, he will be treated, for the purposes of this paragraph, as being normally resident in that latter country provided that either—
 - (a) his stay in the former country is in order to carry out a task of a definite duration, or
 - (b) he returns regularly to the country where he has his personal ties.
- (5) Notwithstanding paragraph (4), a United Kingdom citizen whose personal ties are in the United Kingdom but whose occupational ties are in a country other than the United Kingdom shall be treated for the purpose of this paragraph as normally resident in the country of his occupational ties, provided that he has lived there for a period of, or periods together amounting to, at least 185 days in a period of 12 months.

Commencement Information

I18 Sch. 2 para. 2 in force at 1.2.2001, see reg. 1

Amateur built vehicles

- **3.**—(1) A vehicle is an amateur built vehicle if—
 - (a) the vehicle was constructed or assembled for the personal use of a relevant individual; and
 - (b) the construction or assembly or a substantial part of the construction or assembly was carried out by—
 - (i) the individual referred to in paragraph (a),
 - (ii) one or more relevant individuals acting on his behalf and under his direction, or

- (iii) the individual referred to in paragraph (a) and one or more relevant individuals acting on his behalf and under his direction.
- (2) For the purposes of this paragraph, a reference to a relevant individual, in relation to a motor vehicle, is a reference to an individual who did not, at any time during the period when the construction or assembly of the vehicle was being carried out, carry on a business in the course of which motor vehicles are normally constructed or assembled.

Commencement Information

I19 Sch. 2 para. 3 in force at 1.2.2001, see reg. 1

Vehicles manufactured in very low volume

- **4.**—(1) A vehicle is a vehicle manufactured in very low volume if the condition specified in either paragraph (2) or paragraph (3) is complied with.
- (2) The condition specified in this paragraph is that the total number of vehicles of the family of types to which the vehicle in question belongs which are manufactured in the world for any period of 12 months falling within the period of 36 months immediately preceding the month in which the vehicle was manufactured does not exceed 200.
- (3) The condition specified in this paragraph is that the number of vehicles of the type variant to which the vehicle in question belongs which are manufactured in the world for any period of 12 months falling within the period of 36 months immediately preceding the month in which the vehicle was manufactured does not exceed 20.
- (4) For the purposes of sub-paragraph (3), a type variant consists exclusively of vehicles which do not differ in at least the following essential respects—
 - (a) the manufacturer;
 - (b) essential aspects of construction and design, that is to say in:
 - (i) obvious and fundamental differences in the chassis, floor pan or other parts of the vehicle's structure, or
 - (ii) the power plant (whether internal combustion, electric or hybrid);
 - (c) body style (by way of example, saloon, hatchback, coupe, cabriolet or estate);
 - (d) the following further characteristics of the power plant:
 - (i) its working principle (whether positive ignition or compression ignition, and whether four stroke or two stroke),
 - (ii) the number and arrangement of its cylinders,
 - (iii) differences in maximum power of more than 30% (the highest is more than 1.3 times the lowest), or
 - (iv) engine capacity differences of more than 20% (the highest is more than 1.2 times the lowest);
 - (e) number, position or interconnection of the powered axles; or
 - (f) number or position of the steered axles.

Commencement Information

I20 Sch. 2 para. 4 in force at 1.2.2001, see reg. 1

Vehicles manufactured using parts of a registered vehicle

- 5. A vehicle is a vehicle manufactured using parts of a registered vehicle if—
 - (a) it is constructed or assembled by a person carrying on a business in the course of which motor vehicles are normally constructed or assembled;
 - (b) it is equipped with an engine which has previously been used as the engine of another vehicle which had been registered under the Vehicle Excise and Registration Act 1994 or any earlier Act relating to the registration of mechanically propelled vehicles; and
 - (c) it is equipped with one or more of the following components taken from the same vehicle as the engine—
 - (i) chassis;
 - (ii) body;
 - (iii) suspension;
 - (iv) an axle;
 - (v) transmission; or
 - (vi) steering assembly.

Commencement Information

I21 Sch. 2 para. 5 in force at 1.2.2001, see reg. 1

Disabled person's vehicle

- **6.**—(1) A vehicle is a disabled person's vehicle if it is adapted or specially constructed so as to enable a person who has a disability to travel in the vehicle, whether as the driver or a passenger, in safety and reasonable comfort.
- (2) In sub-paragraph (1), "disability" has the meaning given by section 1 of the Disability Discrimination Act 1995(15).

Commencement Information

I22 Sch. 2 para. 6 in force at 1.2.2001, see reg. 1

Rebuilt vehicles

- 7. A vehicle is a rebuilt vehicle if it—
 - (a) is a vehicle to which the Secretary of State is required by regulation 7 to assign a vehicle identification number;
 - (b) does not fall within either of the classes defined by paragraphs 3 or 5; and
 - (c) has been rebuilt using a replacement chassis, or an integral chassis body, which is of the same design and construction as that of the original vehicle and which—
 - (i) was supplied for the purpose without having been previously used, or
 - (ii) previously formed part of a registered vehicle.

^{(15) 1995} c. 50.

Commencement Information

I23 Sch. 2 para. 7 in force at 1.2.2001, see reg. 1

SCHEDULE 3

Regulation 5(1)(a)

APPROVAL REQUIREMENTS FOR RELEVANT VEHICLES

Commencement Information

I24 Sch. 3 in force at 1.2.2001, see reg. 1

(References to paragraphs (unless otherwise provided) mean references to the numbered paragraph in column 3 of the item in which the reference appears, and the expressions in bold type are defined in column 4)

1	2	3	4	5
Item	Subject matter	Requirement	Definitions and supplementary provisions	Exemptions and modifications
	Doors, their latches and hinges	the vehicle for the entry and exit of occupants,	means a vertical plane parallel to the longitudinal axis of a	Paragraph 3 shall not apply to doors which do not give direct access to a seat designed for normal use while a vehicle is travelling on a road. This includes any door, for which the longitudinal plane passing through the extreme inboard projecting point of such a door is more than 300mm distant from the longitudinal plane passing

Item	2 Subject matter	3 Requirement	4 Definitions and supplementary provisions	5 Exemptions and modifications
		a safety-bolt with an audible warning device is provided as specified in paragraph 2(b) below.		through the nearest edge of such a seat.
		2. Where hinges are used, the hinges shall be fitted at the front edge of the door. However, they may be fitted at the top or rear edge if either— (a) a device is fitted which autor close the door at least to the	mediate ed ion	The latching requirements in paragraphs 1 and 3 shall not apply to any power-operated door if the force applied by the power actuator is sufficient to keep the door completely closed even when any load is applied as described in paragraph 3.

1	2	3	4	5
Item	Subject matter	Requirement	Definitions and supplementary provisions	Exemptions and modifications

direction;

Ωt

(b) a safetybolt is fitted to prevent such unlatching and an audible warning device is provided which activates an audible warning if the vehicle is driven without the bolt in place.

3. On hinged doors, the latch and striker assembly shall be capable of withstanding any load which is likely to be applied in the course of normal driving (i.e. excluding

crash impacts)

1	2	3	4	5
Item	Subject matter	Requirement	Definitions and supplementary provisions	Exemptions and modifications
		in both the intermediate and fully latched positions. However if a safety-bolt with an audible warning device is provided as specified in paragraph 2(b) above, the requirement need be met only with the bolt in place.		
2	Radio- interference suppression	The vehicle shall comply with the design, construction and fitting requirements of paragraph 6.1 of Annex 1 to Directive 72/245/ EEC as last amended by Directive 89/491/ EEC, or of paragraph 6.1 of ECE Regulation 10.01.		This item shall only apply to vehicles propelled by a spark ignition engine.
3	Protective Steering	1. No part of the steering control surface directed towards the driver which can be contacted by	purposes of this item— "driver's air-bag" means a flexible bag fitted to	This item shall not apply to— (a) vehicles, the steering control of which has been specially

1	2	3	4	5
tem	Subject	Requirement	Definitions	Exemptions
	matter		and	and
			supplementary	modifications
			provisions	
		a sphere of	a vehicle	constructed
		165mm in	and	for the
		diameter shall	designed	use of a
		present any	to be	person
		roughness or	filled	suffering
		sharp edges	with gas	from
		with a radius	under	some
		of curvature	pressure	physical
		of less than	in order	defect or
		2.5mm.	to	disability;
		2. The	protect	(b) vehicles
		steering	the	manufactured
		control shall	driver in	before 1
		be designed,	the event	October
		constructed	of a	1997 in
		and fitted so as	collision	which
		not to embody	involving	the
		components or	the front	centre
		accessories,	end	of the
		including the	of the	steering
		horn control	vehicle.	control
		and other	"steering	is in the
		assemblies,	control"	forward
		capable of	has the	quarter
		catching in	same .	of the
		the driver's	meaning	total
		clothing or	as in	length
		jewellery in	Directive	of the
		normal driving	74/297/	vehicle,
		movements.	EEC.	including
		2 Tl.		any
		3. The		bumpers
		steering control and		and overriders;
		control and column		
				(c) goods vehicles
		assembly as fitted to the		having a
		vehicle or		maximum
		the steering		
		control itself		gross weight
		shall offer		of not
		a degree of		less than
		protection to		1500kg
		the driver in		and
		the driver in the event of a		
				goods vehicles
		frontal impact		venicies manufactured
		by absorbing		
		energy. This	_	before 1

1	2	3		4	5	
tem	Subject	Requirem	ent	Definitions	Exe	emptions
	matter	•		and	ana	
				supplementary		
				provisions		v
		requiremen		-		October
		shall be tre				1997;
		as met	if		(d)	ambulances,
		either—				motor
		(a) t	the			caravans
			vehicle	•		and
			compli			hearses
			with	CS		(in each
			the			case)
			me require	ments		having a
			require of	inclits		maximum
				nh		gross
			paragra 5.2	ıþii		weight
			of			of more
			Annex			than
			1 of			2,500
			i oi Directi	ve		kg if the
			74/297.			vehicle
			EEC;	,		has been
			or			derived
						from a
		(b) t				goods
			steering			vehicle
			control			either
			compli	es		having a
			with			maximum
			the .			gross
			require	ments		weight
			of			of not
			paragra	aphs		less than
			5.2,			1,500
			5.4.3,			kg or
			5.4.4			manufactured
			and			before
			5.4.5			1st
			of D:			October
			Directi			1997;
			74/297.	/		and
			EEC		(e)	armoured
			as 14			vehicles.
			last	. 1		
			amendo	ea		graph 1
			by Diagram			l not apply
			Directi			vehicle
			91/662	/	if—	
		I	EEC.		(a)	it is a
						Schedule 2
						wahiala

vehicle

1	2	3	4	5	
em	Subject matter	Requirement	Definitions and supplementary	Exempta and modifica	
			provisions	J	
		4. The		bu	
		vehicle shall		no	
		comply with		(i)	an
		the			amateur-
		requirements of paragraph			built vehicle;
		of paragraph 5.1 of Annex		(ii)	
		1 of Directive		(11)	vehicle
		74/297/EEC.			manufactured
		, . , , , , , , , , , , , , , , , , , , ,			using
					parts
					of
					a
					registered
					vehicle;
				<i>(</i> :::	or
				(iii) a rebuilt
					vehicle;
				(b) it i	
				fitt	
					th a
				dri	ver's
				air	bag;
				and	
				(c) the	
					ver's
					bag
				wa fitt	
				at 1	
					ne the
					nicle
				wa	
				ma	nufactured.
				Paragrap	
				shall not	
				to any sv	
				fitted to	tne
				steering	
				control ovehicle i	
				(a) it i	
					s a hedule 2
					.: -1-

vehicle

1	2	3	4	5
tem	Subject	Requirement	Definitions	Exemptions
	matter		and	and
			supplementary provisions	modifications
				but
				not—
				(i) an
				amateur- built
				vehicle;
				(ii) a
				vehicle
				manufactured
				using
				parts
				of
				a
				registered
				vehicle;
				or (iii) a
				rebuilt
				vehicle;
				and
				(b) the
				switch
				is an
				integral
				part
				of the
				steering
				control as
				originally
				fitted
				to the
				vehicle
				by its
				manufacturer
				and it
				can be
				depressed
				into the steering
				control
				by finger
				pressure.
	Exhaust	1. The	For the	Paragraphs 2,
	emissions		purposes of	3 and 4 shall
		not emit any	this item—	not apply to—

avoidable

1	2	3	4	5	
tem	Subject	Requirement	Definitions	Ехе	emptions
	matter		and	ana	
			supplementary	mo	difications
			provisions	()	1:1
		smoke or	"effective	(a)	vehicles
		avoidable	date"		not
		visible vapour.	means		propelled
		2. When	the		by a
		the engine	date of		spark
		by which it	manufactu	ire	ignition
		is propelled	of the	(b)	engine; vehicles
		is running	vehicle,	(b)	
		without load	except that in		having an
		at a normal	the case		effective
		idling speed,	of a		date
		the carbon	vehicle		before
		monoxide	which		1st
		content of	for the		August
		the exhaust	time		1975;
		emissions	being		and
	from the	meets	(c)	vehicles	
		engine shall	the	(-)	having
	not exceed—	requireme	nts	an	
	(a) if	of		effective	
		the	paragraph		date
		vehicle	3, 5 or		before
		has	6 of		1st
		an	Schedule 2	2	August
		effecti	ve to these		1987 and
		date	Regulation	ns,	propelled
		before	it shall		by a
		1st	mean		rotary
		Augus			piston
		1986,	January	_	engine.
		4.5%;	immediate		٠
		or	preceding		
		(b) if	the		and (b)
		the	date of		3 shall
		vehicle			
		has	of the		ehicles
		an	engine		elled by
		effecti			
		date	it is	engi	ne.
		on	propelled, if that		aranha
		or			igraphs
		after	date is		and 2(d)
		1st	earlier; t "the		l not apply ehicles
		Augus	emissions		
		1986			
			publication	mette	ctive date

is the before 1st

1	2	3		4			5	
tem	Subject	Requiren	ient .	Defini	itions	ns Exemptions		mptions
	matter	-		and			and	
						tary	mod	lifications
				provis				
			and					ary 1999
			not		ntitle	ed		h are
			being		In-		eithe	
			a		ervic		(i)	fuelled
			vehicle		Exhau			solely
			to which		Emiss			by either
					Standa			liquid
			sub-		or Ro		יםטו)	petroleum
			paragra					
			or (d)		ublis		-3-U ₂) natural
			(u) below		y the		(ii)	gas, or bi-
			applies) Depar			fuelled
			3.5%;		of the		.16	vehicles
			or		Envir		ent	when
		(a)			rans		,	controlled
		(c)	the		nd th			to
			une vehicle	D	Regio			operate
			is		a fas			on either
			of a		dling			of those
			descrip		peed [?]			gases.
			mention	11011	neans			
			in		,			graphs
			the					d 4(b)
			Annex					not apply
			to					chicles
			the			a		ed solely
			emissio	ons				atural gas
			publica	ation				bi-fuelled
			and			a daga		cles when
			is				_	nolled to
			either-	_				ate on
			(i) a			in the		er liquid oleum gas
				asseng				ntural gas.
				ar		to	UAI 116	iturai gas.
			h	aving			Para	graph 4(c)
			a					snot apply
				ffectiv				dniçles
			d	ate		a	fuell	
			Ol	n			iloyadi	
			Ol					oleum gas
				fter		_	_	itural gas.
				st	1	the		5
				ugust			mum	Į.
				992;	;	and		
			Ol	r	1	maxi	imum	ı

limits

1	2	3	4	5
tem	Subject	Requireme	ent Definitio	
	matter	1	and	and
				entary modifications
			provision	
			(ii) any	shown
			other	against
			vehicle	that
			having	description
			four	of
			or	vehicle
			more	in
			wheels	columns
			and	3(e)
			an	and
			effective	(f)
			date	respectively
			on	of
			or	that
			after	Annex;
			1st	or in
			Augus(b) 1994,	
			1994, the	any other
			relevant	case,
			percentag	
			or	rotational
		(1)		speed
		(d) it		of
			he ehicle	between
		v is		2,500
			ot	and
			f a	3,000
			escription	revolutions
			nentioned	per
		iı	n	minute;
			he "the	
			Annex lam	bada
		to	o valu	
			he mea	
			missions the	ratio
			ublication by r	nass
			iiu	ir to
		is		
		e	ither— vapo	
			(i) a in the	
			(1) a mix passenger	luic Oring
			car the	amg
			having	hustion
			all char	mherc
			effective	ded
			date by 1	4.7;
			₂ 8n	,
			or	

or

1	2	3	4		5
tem	Subject Requirer		nt Def	initions	Exemptions
	matter	-	and		and
			sup	plementary	modifications
			pro	visions	-
			after	"a	
			1st	normal	
			Augu	stdling	
			1995	; speed"	
			or	means	
			(ii) any	in the	
			other	case of a	
			vehic	levenicie	
			havin	g ^{OI} a	
			four	description	
			or	mentioned	
			more	in the	
			whee	ls ^{Annex}	
			and	to the emissions	
			an		an .
				ti ve blicatio a	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
			date	rotational	
			on	speed	
			or	between	
			after 1st	the	
			15t	stminimum	
			1007	and	
			0.5%	. maximum	
		of	6.570 f	' limits	
		th		shown	
			tal	against	
			khaust	that	
			nissions	description	1
		fr	om	of	
		th		vehicle	
			ngine	in	
		by	y	columns	
		V	olume.	2(b)	
		3. If	the	and 2(c)	l _v ,
		engine	by	respectivel of that	ıy
			the	Annex;	
		vehicle	is	"passenge	r
		propelled	is	car"	•
		run with		means	
		a load	at	a motor	
		a rotatio		vehicle	
		speed of 2,0		which—	
		revolutions		(a) is	
		minute,	the	` '	tructed
		hydrocarbo		or	
		content	of	adap	ted

1	2	3	4		5
tem	Subject	Requirement	Definition	ıs	Exemptions
	matter		and		and
					modifications
			provision		
		the exhaust		for	
		emission from		use	
		the engine		for	
		shall not		the .	
		exceed 0.12%		carri	age
		if the vehicle either—		of	on core
				and	engers
		(a) has		is	
		not		not	
		more		a	
		than		good	ls
		three	la:	vehic	
		wheel	is; (b)	has	,
		or	(-)	no	
		(b) is a	1	nore	
		vehic	ie	than	
		to		five	
		which		seats	S
		parag	rapn	in	
		2(a) or		addit	tion
		(b)		to	
		applie	es.	the	2
			,	drive	
		4. If the	(a)	seat;	
		vehicle is	(c)	has	
		one to which		a weig	ht
		paragraph 2(c)		not	iii.
		or (d) applies			eding
		and the engine by which it		2,50	
		is propelled is		kg	
		run without a			imum
		load at a fast		gross	
		idling speed—		and	
		(a) the	(d)	has	
		(a) the carbo	n	four	
		mono		or	
		conte		more	
		of		whee	els;
		the	"the		
		exhau	relev		
		emiss	ions limit		
		from	mear		
		the	(a)	in 41	
		engin	e	the	
		shall		case	
		_	0	of	

1	2	3	4			5
tem	Subject	Requirement	Defi	inition	!S	Exemptions
	matter	. 7	and			and
					ntarv	modifications
				isions?		
		not	T -		a	
		exce	eed		vehic	ele
		0.39			of	
		of			a	
		the			descr	ription
		tota	1			ioned
		exh	aust		in	
			ssions		the	
		fron	n		Anno	ex
		the			to	
		eng	ine		the	
		by			emis	sions
			ıme;			ication,
		(b) the			the	
			rocarbo	n	miniı	mum
		con			and	
		of				mum
		the			limit	
			aust		show	
			ssions		again	nst
		fron			that	
		the				ription
		eng	ine		of	
		shal			vehic	ele
		not			in	
		exce	eed		colur	nns
		0.02			3(c)	
		of			and	
		the			3(d)	1
		tota	l			ectively
		exh	aust		of	
			ssions		that	
		fron	n		Anne	ex;
		the		(1-)	or	
		eng	ine	(b)	in	
		by			any	
			ıme;		other	
		and			case, 0.97	
		(c) the				
			bda		and	
		valı		"the	1.03;	
		shal			ant	
		be		relev		,,
			veen		entage	
		the		mean		
			vant	in the		
		limi		case		
				vehic	ne	

1	2	3	4	5
Item	Subject matter	Requirement	Definitions and supplementary provisions	Exemptions and modifications
			of a	

description mentioned in the Annex to the emissions publication, the percentage shown against that description ofvehicle in column 2(a) of that Annex; and "rotary piston engine" means engine in which the torque is provided by means of one or more rotary pistons and not by any reciprocating piston; and any rotary piston engine shall be deemed

1	2	3	4	5
Item	Subject matter	Requirement	Definitions and supplementary provisions to be a four- stroke engine.	Exemptions and modifications
5	Smoke Emissions	If the vehicle has an effective date on or after 1 August 1979, when the engine by which it is propelled is subject to the free-acceleration test, the coefficient of absorption of the exhaust emissions from the engine immediately after leaving the exhaust shall not exceed— (a) if the engine of the vehicle is turbo-charged, 3.0 per metre, or (b) in any other case, 2.5 per metre.	For the purposes of this item— "co- efficient of absorption shall be construed in accordance with paragraph 3.5 of Annex VII to Directive 72/306; "effective date" has the same meaning as in item 4; and "free acceleration has the same meaning as in Annex II to Directive 77/143/ EEC as last amended by Directive 92/55/ EEC.	ee .

1	2	3		4		5		
Item	Subject	Regi	uirement	nt Definitions		Exe	Exemptions	
	matter	1		and		and		
		supplementary						
				11	risions		J	
6	Lamps,		The		For the		item,	
	reflectors and	const	truction	purp	ose of	in so	far as	
	devices	and e	equipment	this i	tem,	it rec	quires	
		of the	e vehicle	the L	ighting	any l	amp	
		shall	be such	Regu	ılations	(not	being	
		that i	ts use	shall	have	a fila	ment	
		on a	road	effec	t as if	lamp),	
		betw		for e			ctor or	
		sunse	et and	refer			ce to bear	
		sunri			e date	-	ticular	
		woul			hich a	stan		
			titute a	vehic			k (or one	
			avention	first			o or more	
			failure		were	stan		
		to co			ituted a	77		
	with—				not apply to a vehicle if—			
		(a)	regulation					
			12, 13,		ıfacture	(a)	in the	
			14, 15,	of the vehicle.			case of a	
			16, 17,	F 4	1		lamp or	
			19 or 20	For t	-		device,	
			of the		oses of		it meets	
			Lighting		tem—		the	
			Regulatio	118,	"approval mark"		requirements as to	
		(b)	or regulation	10	has the		intensity;	
		(0)	of those	110	same		and	
			Regulatio	ne	meaning	(b)	in the	
			except	113	as in	(0)	case of a	
			in so		Schedule	7	reflector,	
			far as it		of the	,	it meets	
			requires		Lighting		the	
			a		Regulation	ns.	standards	
			vehicle—		"coefficie		as to	
			(i) to		of		coefficient	
			com	ply	luminous		of	
			with		intensity"		luminous	
					has the		intensity,	
			12(0		same		of the	
			of		meaning		instrument	
			Part		as in		to which	
			1		ECE		the	
			of		Regulation	n	standard	
			Sch	edule 4	43.01;		mark	
			to		"special		(or as the	
			thos	e	purpose"		case may	
							be one	

1	2	3		4	5
tem	Subject	Requirement		Definitions	Exemptions
	matter	•		and	and
				supplementa	ry modifications
				provisions	
			Regu	ılation i n	of those
			and	relation	
		(ii)	to	to a	marks)
			be	vehicle,	relates.
			fitted		
			with		This item,
			a		n, in so far as
			dim-	,	it requires
			dip devic		me xtx mpliance with
			or		entregulation 14
			runni		e of the Lighting
			lamp		h Regulations
			-w111p	the	(filament
				vehicle	lamps), shall
				is a	not apply to
				special	a lamp, if by
				purpose	1 / 3
				vehicle	preceding
				for the	paragraphs, it
				purpose	
				of	with this
				Annex	
				IIA of	ی ع
				the 1970	
				"standa	ve; mark.
				mark"	This item, in
				means	so far as it
				a mark	requires the
				which,	headlamps
				when	(including
				applied	
				to a	lamp fitted to
				lamp,	a headlamp)
				reflecto	r fitted to a
				or	vehicle to bear
				device,	1
					s standard
					incemark (or one
				with the	
				-	menstandard
				of a	marks), shall
					ar not apply to
					entheadlamps
				and a	that emit
					ce sufficient light

to the

to illuminate

1			
1 2	3	4	5
Item Subject natter	1	Definitions and supplementary provisions	Exemptions and modifications

instrumentthe road in front of the to which a vehicle on both main and standard dipped beam. mark relates shall be In the case construed of a rear accordinglydirection indicator which is one of a number of lamps having a common housing and fitted to a left-hand drive vehicle, paragraph 2(b) (i) in Part 1 of Schedule 7 of the Lighting Regulations shall apply as if for "400 mm" there were substituted "480 mm".

> In the case of an ambulance, motor caravan, hearse or armoured vehicle, exemptions shall be permitted in so far as the special purpose of the vehicle makes it impossible fully to comply, provided that all obligatory

1	2	3	4	5
tem	Subject	Requirement	Definitions	Exemptions
	matter	1	and	and
			supplementary	modifications
			provisions	•
				lamps,
				reflectors and
				devices are
				installed and
				the angles of
				visibility are
				not affected.
	Rear-view	1. The	For the	This item
	mirrors	vehicle sha	ll purposes of	shall not apply
			h this item—	to vehicles
		at least on	e "extreme	having not
		offside	outer	more than
		exterior mirro	C	three wheels,
		which meets-		if they comply
		(a) if	meaning	with the
		the		requirements
		veh		1 B(2)motor-
		is	of the	tricycles in
		righ	t Lighting	Annex III
		han	u " <u>rı</u>	nto Directive
		driv	e "floor marking	97/24/EC.
		or	A",	The
		has	"floor	requirements
		a	markina	of paragraph
		cen	D" and	2 shall not
		driv	ing "floor	apply to motor
			ition, Hoor marking	caravans,
		the	C" maan	ambulances,
		-	the lines	hearses or
		rea	l ghorren	armoured
		viev and	as such	vehicles (in
		wik	ration in the	each case)
		rea	uirements	ehaving a
		or	1 and 2	maximum
			to this	gross weight
		(b) if		exceeding
		the		in2a,500 kg if the
		veh	plane	vehicle has
		is left	has the	been derived
		han	meaning	
			givenini	of category
		driv the	regulation	1 M(2) M3, N2
		rear	of the	or N3.
		viev	Construct	ion
		and	and Osc	
		anu	Regulatio	ns:

1	2	3	4	5
Item	Subject matter	Requirement	Definitions and supplementary provisions	Exemptions and modifications

vibration "longitudin aragraph 4(b) requirement plane a", (iii) shall not

2 It shall also be fitted with at least interior one which mirror meets the adjustment, rear view and vibration requirements unless interior mirror could provide any view to the rear.

3. If no interior mirror is fitted or if no interior meets the rear view requirements, a nearside exterior mirror shall be fitted which meets—

(a) if

the

vehicle
is
right
hand
drive
or
has
a
central
driving
position,
the
rear
view
and

"longitudinadplyplane (a) b" and "longitudinal plane c" mean the vertical planes "a", "b" and "c" in the Appendices 1 and 2 to this (b) Schedule: "pole Ā", "pole B" and "pole C" mean the vertical lines

projecting

upwards

from the

surface

(floor)

positions

at the

shown

horizontal (c)

in the
Appendices
1 and 2
to this
Schedule,
to the
height
of—

(a) in
the
case
of
pole

A,

to any mirror, no part of which is less than 2,000 mm above the ground, or to any mirror which does not protrude beyond an extreme outer edge of the vehicle, or any left hand drive vehicle.

vibration

2	3	4	5	
Subject	Requirement	Definitions	s Exemptions	
-	1	and	and	
		supplemen	tary modifications	
			y	
	reaui	*	the	
	-			
		ic.		
		Sument.		
	rear	(h)		
		เนยม		
	requi	n ements.		
	4. Each		_	
		/1 y		
		Territorito		
		ading .		
		8		
		,		
		()		
		//1		
	EEC			
	as			
		711 7 0		
		■ 1 /		
	EEC			
	Part			
	I of		the	
	1 01			
	ECE		nearside	
	ECE		nearside exterior	
		requirement matter Requirement (inch mark requirement requirement (inch mark requirement requirement (inch mark requirement requirement requirement requirement requirement requirement requirement requirement (inch mark requirement requirement requirement (inch mark requirement requirement requirement requirement (inch mark requirement requirement requirement requirement (inch mark requirement requirement requirement requirement requirement requirement requirement (inch mark requirement requir	Subject matter Requirement and supplement provisions requirements; or (b) if the vehicle is left hand drive, the adjustment, rear view, (b) and vibration requirements. 4. Each rear view mirror fitted to the vehicle shall either— (a) comply with the requirements (including marking requirements) of Annex (c) II to Directive 71/127/ EEC as last amended by Directive 88/321/ EEC or of	Subject matter Requirement and supplementary modifications provisions requirements; the highest of he vehicle is reflecting left surface hand of drive, the adjustment, rear view, the mirror fitted to the vehicle shall either— of (including marking requirements) (a) comply with reflecting surface of (including marking requirements) of (a) Annex (c) in II to Directive case of 1 the Directive case of 1 the 2 t

39

12345ItemSubjectRequirementDefinitionsExemptionsmatterandandsupplementarymodifications					
matter and and	1	2	3	4	5
provisions	Item	3	Requirement	and supplementary	and

for a "transverse Class eye I plane" mirror means the in the vertical case plane of passing through an interior the line mirror shown and as such a in the Class Appendices Ш 1 and 2 or a to this Class Schedule: II "transverse plane" mirror in means a the vertical plane case of normal an to a exterior longitudinal plane. mirror;

(b) comply the with adjustment the requirements" dimension requirements and meet the adjustment following uirements—requirements an

interior (i) the mirror edge shall be of capable the of being reflective surface by the shall driver be when enclosed his withindriving a

1	2	3	4	5
Item	Subject matter	Requirement	Definitions and supplementary provisions	Exemptions and modifications

protectiveition;

housinænd

(ii) all exterior parts mirror of mustthe be externar) capable surface of of being the adjusted mirror by which the are, driver in when the in case his of driving an position, interior the mirror, contactable door being by closed; a sphere (b) or be so 165 constructed mm that, diameter, when and knocked in out the of case alignment, of it an can exterior be mirror, returned by to a its sphere former of position 100 without mm need diameter, of shall adjustment. have a Proyided that a mirror shall

!	2	3	4	5
Item	Subject	Requirement	Definitions	Exemptions
	matter		and	and
			supplementary	modifications
			provisions	
			dfe regarded	
			carvateting the	
			onequirements montsub-	
			l pss ragraph (a)	
			thbove whether	
			205 not—	
			n(nan), it can	
			with meet	
			the those	
			except roq uiremen	nts
			of only	
			fixing with the	
			holes window	
			or in the	
			recesseriver's	
			less door	
			than being	
			open; or the	
			wide mirror is	
			if capable	
			these of being	
			are locked in	
			blunte dosition	
		(iii	exteriofrom the	
		(III)	mirrorsoutside	
			shall of the	
			be vehicle.	
			capable of <i>The</i>	
			dimension rotating irequirements"	
			inwards ments	
			towards In order for	
			an exterior	
			vehicle vehicle mirror to meet	
			the dimension	
			fequirements,	
			the	
			1dimensions of	
			the reflecting	
			¡surface must	
			be such that	
			Horizothogonal	
			appried little apprie	
			thato a vertical	
			surface	

1	2	3	4	5
Item	Subject matter	Requirement	Definitions and supplementary provisions	Exemptions and modifications

outermmodates eadgertical line invith a length aof 70 mm and longitudihal plathevertical fsides of 40 mm both horizontal thicles of 70 fnont. and the order for renrinterior Therror to meet athis dimension afequirements, rthetion shirtlensions of lthe reflecting withface must 500e such that namorthogonal ofrojection tbato a vertical ssurface atccommodates walniedtangle thaith vertical naidesrof40 mm iand horizontal atideheaf 80 tom. the vélihode boodywiank. requirements" (see the Appendices 1 and 2 to this Schedule)

In order for a mirror to meet the rear view requirements, it must be such that when the vehicle

1	2	3	4	5
tem	Subject	Requirement	Definitions	Exemptions
	matter		and	and
			supplementary	modifications
			provisions	
			is positioned	
			such that its	
			longitudinal	
			axis is	
			parallel to the	
			longitudinal	
			planes a, b	
			and c, with the driver	
			seated in his	
			normal upright	
			driving	
			position such	
			that his eyes	
			lie in the	
			transverse	
			eye plane	
			and with	
			the mirror	
			correctly	
			adjusted, he	
			shall be able	
			to see in that	
			mirror—	
			(a) in the	
			case	
			of an offside	
			exterior mirror,	
			with the	
			offside	
			extreme	
			outer	
			edge	
			of the	
			vehicle	
			positioned	
			so that	
			it is	
			tangential	
			to the	
			longitudir	nal
			plane	
			a, the	
			whole	
			of floor	

marking

Document Generated: 2024-01-12

Changes to legislation: There are outstanding changes not yet made by the legislation.gov.uk editorial team to The Motor Vehicles (Approval) Regulations 2001. Any changes that have already been made by the team appear in the content and are referenced with annotations. (See end of Document for details) View outstanding changes

1	2	3	4		5
Item	Subject Requirement			înitions	Exemptions
	matter		and		and
					modifications
			pro	visions A and	
				pole A;	
				and	
			(b)	in the	
			()	case	
				of an	
				interior	
				mirror,	
				with the	
				central	
				longitudin	al
				axis of the	
				or the vehicle	
				positioned	
				so that	
				it lies	
				on the	
				longitudir	nal
				plane	
				b, the	
				whole	
				of floor	
				marking B and	
				pole B;	
				or	
			(c)	in the	
			(-)	case of a	
				nearside	
				exterior	
				mirror,	
				with the	
				nearside	
				extreme	
				outer	
				edge	
				of the vehicle	
				positioned	
				so that	
				it is	
				tangential	
				to the	
				longitudir	

plane
c, the
whole

1	2	3	4	5
Item	Subject matter	Requirement	Definitions and supplementary provisions	Exemptions and modifications

of floor
marking
C and
pole C.
"The
vibration
requirements"

In order to comply with the vibration requirements, a mirror shall be fixed to the vehicle in such a way that under normal driving conditions, it neither moves so as to change the field of vision, nor vibrate to an extent which would cause the driver to misinterpret the nature of the image received.

8 Anti-theft devices

1. The vehicle shall be fitted with some form of anti-theft device, that is to say, a mechanical, electrical electronic immobiliser or a combination of these (in addition to any key operated This item shall not apply to disabled person's vehicles

1	2	3	4	5
Item	Subject matter	Requirement	Definitions and supplementary provisions	Exemptions and modifications

switch
normally used
to start the
engine) that
prevents the
vehicle being
driven or
moved under
its own power.

- **2.** No antitheft device shall operate on the braking system.
- **3.** If any anti-theft device is, or incorporates, any mechanical device that acts upon a system that affects the control of the vehicle (e.g. the steering control)-
 - (a) it shall not be possible to start the engine in the normal way until every such mechanical device has

1	2	3	4	5
Item	Subject matter	Requirement	Definitions and supplementary provisions	Exemptions and modifications

been deactivated,

- (b) it shall not be possible to activate any such mechanical device while the engine is running, and
- (c) the action of activating any such mechanical device shall be distinct and separate from that of stopping the engine.

9 Seat belts

1. Every		For the	This item shall
adult	belt	purposes of	not apply to
fitted to	the	this item—	an adult belt
vehicle,	not	"adult	fitted to a
being	a	belt"	vehicle if the
harness	belt	means a	belt provides a
or a pa			level of safety
belt,	shall	for an	equivalent to

1	2	3	4	5
tem	Subject	Requirement	Definitions	Exemptions
	matter		and	and
			supplementary	modifications
			provisions	
		comply with		that provided
		the	being a	by an adult
		requirements		belt which
		of	person's	
		regulation47(7)	belt;	with the
		of Construction		requirements
		Construction and Use	person's belt",	of this item
		Regulations to	"lap	as they would otherwise
		the extent (if	belt" and	
		any) that it	"seat	the belt but
		would apply	belt'	disregarding
		were the said	have the	paragraph 2(b)
		paragraph 7	same	and 3(b).
		to apply to	meanings	
		all motor	as in	
		vehicles.	regulation	47(8)
		2. If the	of the	_
		vehicle is	Construct	ion
		fitted with	and Use	
		one or more	Regulation	ns;
		passive belts,	"harness belt"	
		every such belt	means	
		shall—	an adult	
		(a) bear	belt	
		a	which is	
		mark	a harness	
		as	belt	
		descril	bed comprisin	g
		in	a lap	
			tion 476 and	
		(c)	shoulder	
		(i) of	straps;	
		the	"passive	
			belt" ructionmeans	
		and	an adult	
		Use	belt	
			ations comprised	1
		or	in a	
		(b) meet	passive	
		the	belt	
			ement§ystem.	
		referre		
		to in		
		ragula	tion 47(4)	

matter and supplementary modifications provisions (c) (iii) of those Regulations. 3. If the vehicle is fitted with one or more harness belts, every such belt shall— (a) bear a mark as described in regulation 47(4) (c) (ii) of the Construction and Use Regulations; or (b) meet the requirements referred to in regulation 47(4) (c) (iv) of those Regulations.	1	2	3	4	5	
supplementary modifications provisions (c) (iii) of those Regulations. 3. If the vehicle is fitted with one or more harness belts, every such belt shall— (a) bear a mark as described in regulation 47(4) (c) (ii) of the Construction and Use Regulations; or (b) meet the requirements referred to in regulation 47(4) (c) (iv) of those Regulations. Seat belt anchorages vehicle shall purposes of comply with this item—the "adult when we when used when used when used when used when used when used the suppressions.	Item	Subject	Requirement			
(c) (iii) of those Regulations. 3. If the vehicle is fitted with one or more harness belts, every such belt shall— (a) bear a mark as described in regulation 47(4) (c) (ii) of the Construction and Use Regulations; or (b) meet the requirements referred to in regulation 47(4) (c) (iii) of the Somethar and Use Regulations; or (b) meet the requirements referred to in regulation 47(4) (c) (iv) of those Regulations. Seat belt anchorages vehicle shall purposes of comply with this item— the under adult requirements belt", located that of paragraph "harness when used		matter				
(c) (iii) of those Regulations. 3. If the vehicle is fitted with one or more harness belts, every such belt shall— (a) bear a mark as described in regulation 47(4) (c) (ii) of the Construction and Use Regulations; or (b) meet the requirements referred to in regulation 47(4) (c) (iv) of those Regulation 47(4) (c) (iv) of those Regulations. Seat belt anchorages 1. The For the requirements referred to in regulation 47(4) (c) (iv) of those Regulations.					modifications	
of those Regulations. 3. If the vehicle is fitted with one or more harness belts, every such belt shall— (a) bear a mark as described in regulation 47(4) (c) (ii) of the Construction and Use Regulations; or (b) meet the requirements referred to in regulation 47(4) (c) (iv) of those Regulations. Seat belt anchorages vehicle shall purposes of comply with this item—the "adult requirements belt", located that of paragraph "harness when used				-		
those Regulations. 3. If the vehicle is fitted with one or more harness belts, every such belt shall— (a) bear a mark as described in regulation 47(4) (c) (ii) of the Construction and Use Regulations; or (b) meet the requirements referred to in regulation 47(4) (c) (iv) of those Regulations. Seat belt anchorages vehicle shall purposes of comply with this item—the "adult requirements of paragraph "harness when used" when used						
Regulations. 3. If the vehicle is fitted with one or more harness belts, every such belt shall— (a) bear a mark as described in regulation 47(4) (c) (ii) of the Construction and Use Regulations; or (b) meet the requirements referred to in regulation 47(4) (c) (iv) of those Regulations. Seat belt anchorages vehicle shall purposes of comply with this item— the "adult requirements of paragraph "harness when used" when used						
vehicle fitted with one or more harness belts, every such belt shall— (a) bear a mark as described in regulation 47(4) (c) (ii) of the Construction and Use Regulations; or (b) meet the requirements referred to in regulation 47(4) (c) (iv) of those Regulations. Seat belt 1. The For the Paragraph 3 shall not apply to anchorages vehicle shall purposes of comply with this item— the "adult which are so of paragraph "harness when used", located that of paragraph "harness when used"				ations.		
fitted with one or more harness belts, every such belt shall— (a) bear a mark as described in regulation 47(4) (c) (ii) of the Construction and Use Regulations; or (b) meet the requirements referred to in regulation 47(4) (c) (iv) of those Regulations. Seat belt 1. The For the Paragraph 3 shall not apply to anchorages which are so of paragraph "harness when used						
one or more harness belts, every such belt shall— (a) bear a mark as described in regulation 47(4) (c) (ii) of the Construction and Use Regulations; or (b) meet the requirements referred to in regulation 47(4) (c) (iv) of those Regulations. Seat belt 1. The For the Paragraph 3 shall not apply to anchorages which are so of paragraph "harness when used the venue of paragraph "harness when used to shall purpose of the solution of paragraph "harness when used the venue of paragraph the venue of para						
harness belts, every such belt shall— (a) bear a mark as described in regulation 47(4) (c) (ii) of the Construction and Use Regulations; or (b) meet the requirements referred to in regulation 47(4) (c) (iv) of those Regulations. Seat belt anchorages vehicle shall purposes of shall not apply to anchorages the "adult with are so located that of paragraph "harness when used						
every such belt shall— (a) bear a mark as described in regulation 47(4) (c) (ii) of the Construction and Use Regulations; or (b) meet the requirements referred to in regulation 47(4) (c) (iv) of those Regulations. Seat belt anchorages vehicle shall purposes of comply with this item— the requirements of paragraph 'harness when used						
shall— (a) bear a mark as described in regulation 47(4) (c) (ii) of the Construction and Use Regulations; or (b) meet the requirements referred to in regulation 47(4) (c) (iv) of those Regulations. Seat belt anchorages 1. The For the Paragraph 3 shall not apply to anchorages the "adult which are so of paragraph "harness when used						
a mark as described in regulation 47(4) (c) (ii) of the Construction and Use Regulations; or (b) meet the requirements referred to in regulation 47(4) (c) (iv) of those Regulations. Seat belt anchorages Vehicle shall purposes of shall not apply to anchorages the "adult which are so located that of paragraph "harness when used						
mark as described in regulation 47(4) (c) (ii) of the Construction and Use Regulations; or (b) meet the requirements referred to in regulation 47(4) (c) (iv) of those Regulations. Seat belt anchorages Vehicle shall purposes of comply with this item— to anchorages the "adult which are so requirements belt", located that of paragraph "harness when used						
as described in regulation 47(4) (c) (ii) of the Construction and Use Regulations; or (b) meet the requirements referred to in regulation 47(4) (c) (iv) of those Regulations. Seat belt anchorages vehicle shall purposes of shall not apply comply with this item— to anchorages the requirements belt", located that of paragraph "harness when used						
described in regulation 47(4) (c) (ii) of the Construction and Use Regulations; or (b) meet the requirements referred to in regulation 47(4) (c) (iv) of those Regulations. Seat belt anchorages vehicle shall purposes of shall not apply comply with this item—to anchorages the "adult which are so requirements belt", located that of paragraph "harness when used						
in regulation 47(4) (c) (ii) of the Construction and Use Regulations; or (b) meet the requirements referred to in regulation 47(4) (c) (iv) of those Regulations. Seat belt anchorages vehicle shall purposes of shall not apply comply with this item—to anchorages the "adult which are so requirements belt", located that of paragraph "harness when used				bed		
(c) (ii) of the Construction and Use Regulations; or (b) meet the requirements referred to in regulation 47(4) (c) (iv) of those Regulations. Seat belt anchorages Vehicle shall purposes of shall not apply comply with this item— to anchorages the "adult which are so requirements belt", located that of paragraph "harness when used						
(ii) of the Construction and Use Regulations; or (b) meet the requirements referred to in regulation 47(4) (c) (iv) of those Regulations. Seat belt anchorages vehicle shall purposes of shall not apply comply with this item—to anchorages the "adult which are so requirements belt", located that of paragraph "harness when used			regula	ation 47(4)		
of the Construction and Use Regulations; or (b) meet the requirements referred to in regulation 47(4) (c) (iv) of those Regulations. Seat belt anchorages vehicle shall purposes of shall not apply comply with this item—to anchorages the "adult which are so requirements belt", located that of paragraph "harness when used						
the Construction and Use Regulations; or (b) meet the requirements referred to in regulation 47(4) (c) (iv) of those Regulations. Seat belt anchorages vehicle shall purposes of shall not apply comply with this item—to anchorages the "adult which are so requirements belt", located that of paragraph "harness when used						
Construction and Use Regulations; or (b) meet the requirements referred to in regulation 47(4) (c) (iv) of those Regulations. Seat belt 1. The For the Paragraph 3 anchorages vehicle shall purposes of shall not apply comply with this item—to anchorages the "adult which are so requirements belt", located that of paragraph "harness when used						
and Use Regulations; or (b) meet the requirements referred to in regulation 47(4) (c) (iv) of those Regulations. Seat belt anchorages vehicle shall purposes of shall not apply comply with this item—to anchorages the "adult which are so requirements belt", located that of paragraph "harness when used				ruation		
Use Regulations; or (b) meet the requirements referred to in regulation 47(4) (c) (iv) of those Regulations. Seat belt anchorages vehicle shall purposes of shall not apply comply with this item—to anchorages the "adult which are so requirements belt", located that of paragraph "harness when used				ruction		
Regulations; or (b) meet the requirements referred to in regulation 47(4) (c) (iv) of those Regulations. Seat belt 1. The For the Paragraph 3 anchorages vehicle shall purposes of shall not apply comply with this item—to anchorages the "adult which are so requirements belt", located that of paragraph "harness when used						
or (b) meet the requirements referred to in regulation 47(4) (c) (iv) of those Regulations. Seat belt anchorages vehicle shall purposes of shall not apply comply with this item—to anchorages the "adult which are so requirements belt", located that of paragraph "harness when used				ations:		
the requirements referred to in regulation 47(4) (c) (iv) of those Regulations. Seat belt anchorages 1. The For the Paragraph 3 anchorages vehicle shall purposes of shall not apply comply with this item—to anchorages the "adult which are so requirements belt", located that of paragraph "harness when used			-	,		
the requirements referred to in regulation 47(4) (c) (iv) of those Regulations. Seat belt anchorages 1. The For the Paragraph 3 anchorages vehicle shall purposes of shall not apply comply with this item—to anchorages the "adult which are so requirements belt", located that of paragraph "harness when used						
requirements referred to in regulation 47(4) (c) (iv) of those Regulations. Seat belt anchorages 1. The For the Paragraph 3 vehicle shall purposes of shall not apply comply with this item—to anchorages the "adult which are so requirements belt", located that of paragraph "harness when used			` '			
referred to in regulation 47(4) (c) (iv) of those Regulations. Seat belt anchorages vehicle shall purposes of shall not apply comply with this item—to anchorages the "adult which are so requirements belt", located that of paragraph "harness when used				rements		
regulation 47(4) (c) (iv) of those Regulations. Seat belt anchorages vehicle shall purposes of shall not apply comply with this item—to anchorages the "adult which are so requirements belt", located that of paragraph "harness when used						
(c) (iv) of those Regulations. Seat belt anchorages 1. The For the Paragraph 3 vehicle shall purposes of shall not apply comply with this item—to anchorages the "adult which are so requirements belt", located that of paragraph "harness when used						
(iv) of those Regulations. Seat belt anchorages vehicle shall purposes of shall not apply comply with this item—to anchorages the "adult which are so requirements belt", located that of paragraph "harness when used				ation 47(4)		
of those Regulations. Seat belt anchorages vehicle shall purposes of shall not apply comply with this item—to anchorages the "adult which are so requirements belt", located that of paragraph "harness when used						
those Regulations. Seat belt anchorages vehicle shall purposes of shall not apply comply with this item—to anchorages the "adult which are so requirements belt", located that of paragraph "harness when used						
Regulations. Seat belt anchorages vehicle shall purposes of shall not apply comply with this item—to anchorages the "adult which are so requirements belt", located that of paragraph "harness when used						
anchorages vehicle shall purposes of shall not apply comply with this item—to anchorages the "adult which are so requirements belt", located that of paragraph "harness when used				ations.		
comply with this item— to anchorages the "adult which are so requirements belt", located that of paragraph "harness when used	10					
the "adult which are so requirements belt", located that of paragraph "harness when used		anchorages				
requirements belt", located that of paragraph "harness when used						
of paragraph "harness when used						
or paragraph 4.3 of Annex belt" and with an adult						
4.5 Of Annex Defi and With an adult						
			4.3 of Annex	beit and	with an adult	

1	2	3	4	5	
tem	Subject	Requirement	Definitions	Exemptions	
	matter	•	and	and	
			supplementary	modifications	
			provisions		
		I to Directive	"passive	belt of a type	
		76/115/EEC.	belt"	for which they	
		For outboard	have the	are intended	
		seating	same	to be used, if	
		positions other	_	they provide a	
		than in the	as in	level of safety	
		front, two	item 9;	equivalent to	
		lower		that provided	
		anchorages are	person's	by anchorages	
		allowed.	belt",	that meet the	
		2. Without		requirements	
		prejudice to	facing	of that	
		paragraph 1,	seat"	paragraph	
		the vehicle		when used	
		shall be fitted	belt"	with an adult	
		with an	have the	belt of a type	
		anchorage in	same	for which they	
		every position	_	are intended.	
		required to	as in		
		hold securely	_	#76(8)notor	
		every adult	of the	caravans,	
		belt or any part		i am bulances	
		of an adult	and Use	and hearses,	
		belt fitted to		nparagraph 1	
		the vehicle.	and	shall apply	
				only to seating	
		3. Every	Annex I to	positions	
		anchorage	Directive	where there is	
			76/115/EEC	a seat intended	
		an adult belt		for use while	
		1 5	shall have	the vehicle is	
			effect as if	travelling on a	
		requirements	for paragraph	road.	
		of paragraphs			
		4.2, 4.4 and		An armoured	
		4.5 of Annex		vehicle shall	
		I to Directive	"4.4.1	be exempted Every from any	
		76/115/EEC.	belt		
		4. The	anchorage	requirement	
		vehicle shall	shall	or paragraph	
		comply with	comply	1 if it can be	
		the	with the	demonstrated	
		requirements	following	to the	
		of paragraph	remiireme	satisfaction of the Secretary	
		5 of Annex	requireme		
		I to Directive		of State that it	
		76/115/EEC.		is impossible	
		/ U/ 113/ LLC.		for the vehicle	
		_	1		

1	2	3	4	5
tem	Subject	Requirement	Definitions	Exemptions
	matter		and	and
				modifications
			provisions	. 1 1
				to comply due
				to its special
				purpose.
11	Installation of	1. The	For the	The
	seat belts		purposes of	requirements
		be fitted with,		of paragraphs
		a harness belt, a passive belt	"adult belt",	1, 2 and 3 shall not apply
		or a three	"harness	in relation to
		point belt for		a seat fitted
		the driver's	"passive	to a disabled
		seat and the	belt"	person's
		specified	have the	vehicle if
		passenger	same	the vehicle
		seat (if any).		is fitted with
		2. If the	as in	a disabled
		vehicle has an	item 9;	person's belt
		effective date	belt", in	a fo r that seat.
		on or after	relation	Paragraph
		1st April 1987,	to a	2 shall have
		in addition to	seat in a	effect in
		the seat belts	vehicle,	relation
		required by		to motor
		paragraph 1 above, it shall	(a) in	caravans,
		be fitted with	a	ambulances
		an		and hearses
		appropriate		res if for "1st
		belt for every		April 1987"
		other		d there nwere
		forward-		substituted t ĕd st October
		facing seat	as	1988".
		in the front		tioned
		alongside the	in	Paragraph
		driver's seat,	para	graphall have
		not being a specified	3.1.7	7effect in
		passenger's		relation
		seat.		eto motor
			1	caravans,
		3. If the	to	ambulances
		vehicle has an		ective hearses as
		effective date		4f/- (a) for "1st
		on or after 1st April 1987,	EEC	
		in addition to	as last	April 1987"
		the seat belts	ame	

1	2	3	4 5
tem	Subject	Requirement	Definitions Exemptions
	matter		and and
			supplementary modifications
			provisions
		required by	by were
		paragraph 1	Directive substituted
		and 2 above, it	90/628/ "1st
		shall be fitted	EEC, April
		with a harness	a 1997";
		belt, a lap	harness and
		belt, a passive	belt , (b) there
		belt or three-	a were
		point belt for	lap added
		every other	belt, at the
		forward-	a end the
		facing seat.	passive words
		4. Every	belt, "intended
		adult belt and	or for use
		every disabled	a while the
		person's belt	three- vehicle
		fitted to the	point is
		vehicle shall	belt ; travelling
			and on a
		be properly secured to	(b) in road".
			any
		anchorages provided for it	otherAn armoured
		•	case, vehicle shall
		and installed	a be exempted
		so that it can be	harnessm any
		used properly	belt, requirement
		to restrain an	a of paragraphs
		occupant (e.g.	passive 2 or 3 if
		in the case	belt it can be
		of a lap	or demonstrated
		belt by passing	a to the
		over the pelvic	threesatisfaction of
		region and in the case of a	pointhe Secretary
			belt. of State that it
		harness belt, a	"child is impossible
		passive belt or	restraint", for the vehicle
		a three-point	"disabled to comply
		belt by also	person's on account
		restraining the	belt", of its special
		upper torso	"forward- purpose.
		and not being	facing
		liable to slip	seat",
		off the	"lap
		shoulder).	belt",
		Also, there	"seat
		shall be no	belt",
		sharp edges	"effective
		liable to cause	011001170

1	2	3	4	5
tem	Subject	Requirement	Definitions	Exemptions
	matter		and	and
			supplementary provisions	modifications
		abrasion or	date"	
		damage to the	means—	
		belts in normal	(a) in	
		use. In the case	the	_
		of every lap belt, passive	case of	2
		belt and three	a	
		point belt,		icle
		provision shall	whi	
		be made for	mee	ets
		their safe	the	
		and convenient		uirements
		storage.	of	
			para 3	agraph
			of	
				edule 2
			to	
			thes	se
				gulations—
			(i)	if
				the
				vehicle does
				not
				have
				a
				separate
				chassis,
				the
				date
				of manufacture
				of
				the
				integral
				chassis-
				body,
				or
			(ii)	if
				the
				vehicle
				has a
				a separate
				chassis,
				the
				date

1	2	3	4	5
tem	Subject	Requirement	Definitions	Exemptions
	matter	•	and	and
			supplementary	modifications
			provisions	
				of
				manufacture
				of
				the
				body
				or
				the
				chassis,
				whichever
				is
				the
				earlier;
			(b) in	or
			(b) In the	
			case	
			of	
			any	
			othe	r
			vehi	
			the	,
			date	
			of	
			man	ufacture
			of	
			the	
			vehi	cle;
			"Special	
			purpose"	
			has the	
			same .	
			meaning	
			as in	
			item 6;	
			"specified	
			passenger seat",	3
			and	
			"three-	
			point	
			belt''	
			have the	
			same	
			meanings	
			as in	
			regulation	47(8)
			of the	、 /
			Constructi	ion

I Item	2 Subject matter	3 Requirement	provisions and U	and tary modifications	
12	Brakes		item— "anti- lock device (a) and nce graph 2.4 (b) on ele h	The this requirements in paragraph 1 for the driver to be able e"—to operate excepthe service in braking relatisystem while to keeping both a hands on vehictle steering havingontrol, and not the secondary morebraking than system while threekeeping at wheeleast one hand has on the steering the control, shall samenot apply to mearaintisabled as person's in vehicle, Directive ided that 71/32thé vehicle EEC is adapted as to allow the last driver to amendantrol the by steering at all Directines while 88/190/perating EEC;either braking and system. in relatibaragraphs to 1 to 4 shall a not apply vehicte vehicles havingaving not not more than morethree wheels, than if they comply threewith the	

2	3	4	5
Subject	Requirement	Definitions	Exemptions
matter	1	and	and
		supplementar	v modifications
		provisions	
			eelle quirments
		C	for motor-
	a		tricycles in
			nethe following
			anpingvisions
			of Directive
			93/14/EEC—
		1.	pe(nad)ix paragraph 2.1
			2.1 of the
			Annex;
			2.2.4
		_	ective to 2.2.8
			14/ of the
	on		
			and
	of	means	case of
	the	maximu	m vehicles
	vehi	cle, total	equipped
	in	brake	with
	the	force	anti-
		t expresse	
		as a	devices,
			2 to the
	part		n Annex;
		_	T 1 . 4
			In relation
			, more tnan ss ion ee wheels,
			paragraph 5
		handrin a''	1 0 1
		grapii "	ryeffect as if—
		11	
			"60%"
		y "manlrina	and
		have the	there
	last	same	were
		maanina	substituted
	ant.	ance illualille	Sabstitutea
	sent	:	"50%"
	there	as in	"50%"
	there were	as in	"50%"
	Subject	Subject matter Requirement Action	Subject matter Requirement supplementary provisions device whe having has a the split- sam circuit met transmission as which in enables App braking 2 of to not the less Anithan of one Dir wheel 93/ on Efficiency of means the maximum vehicle, total in brake side efficiency of means the maximum vehicle, total in brake the force event expresses of as a failure percentagin a of the part maximum of gross the weight; transmission of device, the "control" service braking; "seconda braking; "seconda as if "parking braking" seconda as if "parking braking" in an of the part maximum of gross the weight; transmission braking of device", the "control" service braking; "seconda braking" seconda braking" have the "parking braking" have the

1	2	3	4		5	
tem	Subject	Requirement	Defini	itions	Exen	nptions
	matter	-	and		and	•
				ementary		ifications
			provisi	-		
		words	s as	s last		respectively,
		"This	aı	mended		and
		condi	tion by	y	(b)	for "50
		must	D	Directive		kg" and
		be	8	5/647/		"70 kg"
		met	E	EEC;		there
		by	"']	in		were
		auton		unning		substituted
		means	s". o	rder"		"40
		2. If the	n	neans—		kg", if a
		vehicle is	(a	a) with		manual
		equipped with		all		control
		an anti-lock		fluid		is used
		device it shall		(sucl	1	to apply
		comply with		as		the
		paragraph		oils		secondary
		2.2.1.23 of		and		braking.
		71/320/EEC as		engii		
		last amended			a Pa jag	
		by Directive			-	ll not
		88/194/EEC.			apply	
						dule 2
		3. The				ele other
		vehicle shall			than:	
		comply with			(a)	an
		the		drive	en,	amateur-
		requirements		the		built
		of paragraphs		fuel	-(l _a)	vehicle;
		2.2.1.11.1 and		tanks	(U)	a vehicle
		2.2.1.11.2 of		full,		manufactured
		Directive 71/320/EEC as		a spare	2	using parts of a
		last amended		spare whee		registered
		by Directive		and	/ 1	vehicle;
		91/422/EEC.			(c)	a rebuilt
				tool-		vehicle;
		4. The		kit;		and
		secondary	A	b) carry	(d)	the
		braking and	(1	a a	₹₩₽	brakes
		service		drive	er	acting on
		braking shall				its rear
		have the same		68kg		wheels
		control.		but	"	are fitted
		5. The	la	c) not		with an
		brake	(wise	anti-lock
		efficiency		carry		device
		shall be not		any	5	and were
		less than—		load		so fitted

2	3		4		5
Subject	Requiren	nent	Defir	iitions	Exemptions
matter	•		and		and
				lementary	modifications
				-	
	(a)			or	time
				passe	engersof its
					manufacture.
		brakiı			
		(i)	111		n",
			the		
			case		
			()I		
			passen	means ger	
			vehicle	une ratio	
			00,0,		
			OI		A
		(ii)			;)
			+la -		
			- C		
			goods	braking	
			vehicle	forces	
			50%	transmittea	1
	(b)	for			•
	(0)			-	
		in		for two	
		the		wheels,	
		case		on	
		when		opposite	
		the		sides	
					nal
					n''
		a			
					1
					1
				-	
		to			
		_		ine road	
	Subject	Subject Requirer (a)	Subject matter (a) for the service braking (i) (b) for the second braking in the case when the service braking (if any) fails and a force is	Subject matter Requirement befin and supported and supported for the service braking (i) in the case of a passen vehicle 60%; or (ii) in the case of a goods vehicle 50% (b) for the secondary braking in the case when the servo-assistance provided for the service braking (if any) fails and a force is applied to	Subject matter Requirement supplementary provisions (a) for or the passe service "lateral braking brake (i) in distribution in the case relation of to an a axle, passen entire file ratio 60%; (expressed as a percentage (ii) in of the lower case to the of higher a of the goods braking vehicle for expected in for two the the tyres to secondary the road braking surface in for two the wheels, case on when opposite the sides servo- assistance provided on the for same the axle; service "longitudin braking brake (if distribution any) means fails the ratio and of the a braking force forces is transmitted applied by the

2	3	4		5	
Subject	Requireme	ent Defi	nitions	Exemptions	
matter	1			and	
			lementary		
			-	v	
	tl		surface		
	c	ontrol	through		
		(i) in	the front		
			and rear		
			wheels		
			respective	ly	
			when the		
		naccei	yehicle		
		vehicl	is in		
		300/2	running		
		when	order		
		the	anu		
		force	being		
		annlie	braked		
		is	on a		
			surface;		
				1	
			the total		
		vehicl	braking		
		25%	Yorce		
			when the		
		the	brakes		
			appnea;		
		is		,	
		70kg	assistance		
	(a) 1	00/			
				ate.	
	I.	n aking.		11.5	
			means		
			means the total		
	Subject matter	matter ti c	matter and supp prov the control (i) in the case of a passer vehicl 30% when the force applie is 50kg; or (ii) in the case of a goods vehicl 25% when the force applie is	the surface control through (i) in the front the and rear wheels case when the passen vehicle vehicle is in 30% running when the being applied raked is on a 50kg; level or "maximun (ii) in total the brake case force" of means a the total goods braking vehicle force 25% when the when brakes the are fully force applied; applied; applied; applied; applied; applied; applied; applied; applied servo- is assistance' 70kg. means (c) 18% an for energy the supply parking which	the surface control through (i) in the front the and rear wheels of respectively a when the passengelicle vehicles in 30% running when order the being applied is 50kg; level surface; "maximum (ii) in total the brake case force" of means a the total goods braking vehicle 25% when the when brakes the are fully force applied applied servo- is assistance" 70kg. means (c) 18% an for energy the supply parking braking. (c) 18% an for energy of the muscular energy of the driver; "total braking

Document Generated: 2024-01-12

Changes to legislation: There are outstanding changes not yet made by the legislation.gov.uk editorial team to The Motor Vehicles (Approval) Regulations 2001. Any changes that have already been made by the team appear in the content and are referenced with annotations. (See end of Document for details) View outstanding changes

1	2	3	4	5
Item	Subject matter	Requirement	Definitions and supplementary provisions	Exemptions and modifications

braking forces transmitted by the tyres to the road surface when the brakes are applied.

6. The lateral brake distribution for the service braking shall—

- (a) in relation to each steering axle; and
- (b) for all values of total breaking force and vehicle speed,

be not less than 70%.

7. The longitudinal brake distribution for the service braking shall, for all values of total braking force,

1	2	3	4	5
Item	Subject matter	Requirement	Definitions and supplementary provisions	Exemptions and modifications

vehicle speed and adjustment settings (if any), be greater than the ratio of the vertical forces transmitted to the road through the front and wheels rear respectively when the vehicle is in running order and being braked on a level surface.

8. The capacity of the braking device to absorb and dissipate shall energy sufficient be to ensure that all the required aspects braking performance can be maintained under all normal operating conditions of the vehicle, including long hill descents, taking account of the vehicle's speed capability, weight and

1	2	3	4	5
Item	Subject matter	Requirement	Definitions and supplementary provisions	Exemptions and modifications
		weight distribution.		
13	Noise and silencers	be fitted with an exhaust system including a silencer such that the	For the purposes of this item, "S" means the rotational speed at which maximum power is produced.	Paragraph 1 shall only apply to vehicles propelled by an internal combustion engine.
		2. When— (a) the		
		vehic is held statio on a		
		level surfac	ce	
		such that		
		there is an	stan at a d	
		area	structed	
		not less		
		41		

(b) the engine

than 3 metres wide all around the vehicle; and

1	2	3	4	5
Item	Subject matter	Requirement	Definitions and supplementary provisions	Exemptions and modifications
		by which the vehich is proposed is run at a const rotati speed of 3/4 S, the noise measured at	elled eant onal	
		0.5 metres from the exhaust outlet at 45 degrees to the axis of the outlet pipe in a horizonatal plane, shall not exceed 101db(A).		
14	Glass in windscreens and other windows outside	The windows of the vehicle shall be fitted with glazing which complies with the requirements of regulations 31 and 32 of the Construction and Use Regulations to the extent (if any) that they apply to the vehicle. However, side	For the purposes of this item, the Construction and Use Regulations shall have effect as if every reference to the date on which a vehicle is first used were a reference to its effective date.	The requirements of regulation 32(2) and (7) of the Construction and Use Regulations shall not apply to the glazing fitted to any window, if that glazing provides a level of safety equivalent to glazing which complies with the

1	2	3	4	5
Item	Subject	Requirement	Definitions	Exemptions
	matter	_	and	and
			supplementary	modifications
			provisions	
		screens may	For the	requirements
		be constructed		set out in
		of safety	this item—	column 3 of
		glazing.	"effective	this item.
			date"	
				In relation to a
			()	vehicle fitted
				with a near-
				oside exterior
			of	mirror (in
				lationi32(2) the
				obligatory off-
			(10) of	side exterior
			_	mirror) which meets the
				steactivements
				of item 7
				(rear-view
				ulhatiroonss,), the
				requirements
			date	-
			of	regulation 32(10)
			man	uffichase
			of	Regulations
			the	shall not apply
				ctor the glazing
			or	fitted to any
			31st	window every
				chart of which
			1985	is behind the
				cheixer.
			is	
				In relation
				etr, any glass
			()	fitted in a
			all	window of
				ran armoured
				oxed sicle, the
			tne date	requirements
			of	regulation 32(10)
				• • •
			man "safety	u sachuse Regulations
			glazing"	shall apply as
			has the	if the values
			same	in column 4
			meaning	iii Columni T
			as in	
			as III	

1	2	3	4	5	
Item	Subject	Requirement	Definitions	Exemptions	
	matter	•	and	and	
			supplementary	modifications	
			provisions		
				32(Ilab)le II of	
			of the	that regulation	
				i@minimum	
				light	
				ntransmission)	
			and "side-	were all 60 per cent.	
			screen"	Cent.	
			means		
			an		
			item of		
			glazing		
			wholly		
			or partly		
			on either		
			side		
			of the		
			driver's		
			seat that		
			does not		
			slide or		
			move relative		
			to the		
			vehicle		
			or any of		
			its parts		
			(including		
			glazing)	,	
			in a		
			manner		
			likely		
			to cause		
			abrasion		
			to any		
			glazing		
			surface.		
	15	Seats and their	1. Every		This item
		anchorages	seat and seat		does not apply
			back		to seats not
			adjustment and		intended for
			displacement		normal use
			system		while the
			provided shall		vehicle is
			incorporate a		travelling
			locking system		on a road
			which operates		(including

1	2	3	4	5	
Item	Subject	Requirement	Definitions	Exemptions	
	matter	•	and	and	
			supplementary provisions	modifications	
			automatically		seats exempt
			in all positions		from Directive
			provided for		74/408/
			normal use		EEC as last
			and all seats, including		amended by Directive
			those which		81/577/EEC).
			can be tipped		61/3/ //EEC).
			forward or		This item
			have fold-		does not apply
			down backs,		to any seat
			shall lock		designed for
			automatically		a person with
			in their normal		a disability
			upright		and fitted in
			position.		a disabled
			2. The		person's vehicle.
			unlocking		vennere.
			controls for		
			displacement		
			systems which facilitate		
			access by		
			passengers		
			shall be		
			accessible		
			from outside		
			the vehicle		
			when the door		
			is open. They		
			shall be easily accessible,		
			even to the		
			occupant of		
			the seat		
			immediately		
			behind the seat		
			concerned if		
			such a seat is		
			designated as		
			suitable for an adult.		
			3. Seats shall be		
			constructed		
			and firmly		

and firmly attached to

1	2	3	4	5
Item	Subject matter	Requirement	Definitions and supplementary provisions the vehicle	Exemptions and modifications
			such that they and their anchorages comply with the design, construction and fitting requirements of paragraph 6.2 to Annex I of Directive 74/408/EEC.	
16	Tyres	tyre (not being a retreaded tyre) fitted to the vehicle shall bear an approval mark in accordance with the requirements of Directive 92/23/EEC or ECE Regulation 30. 2. Every retreaded tyre fitted to the vehicle shall bear a mark in accordance with paragraph 6 of BS AU 144e–1988 or a corresponding standard and the indication given by the mark must not be false in a material	"BS AU 144e– 1988" has the same meaning as in the Motor Vehicles Tyres (Safety) Regulatio 1994;(16) "correspo standard" shall be construed in accordanc with regulation of the Motor Vehicles Tyres (Safety) Regulatio 1994 as	Paragraph 1 shall not apply to a tyre fitted to a vehicle, if the tyre provides a level of safety equivalent to a tyre that meets the requirements of that paragraph. nBaragraph 2 shall not apply ntdiagtyre fitted to a vehicle, if the tyre provides a level of safety equivalent to that provided a by a tyre that complies with the requirements of that paragraph so nfar as it relates to BS AU 144e–1988.

1	2	3	4	5	
tem	Subject	Requirement	Definitions	Exemptions	
	matter		and	and	
			supplementary	modifications	
			provisions		
		3. Each	to BS	Paragraph 3(c)	
		tyre fitted to	144e-	and (d) shall	
		the vehicle	1988.	not apply to	
		shall bear		a tyre fitted	
		marks that		to a vehicle	
		were moulded		for which	
		on to or into		information	
		the tyre at		on the load	
		the time that		capacity	
		it was manufactured		and speed capability	
		which provide		have been	
		the following		separately	
		service		provided.	
		information—		p-011404.	
			- o1		
		(a) nomin	iai		
		size;	.•		
		(b) constr	ruction		
		type			
		(e.g.			
		radial			
		ply);			
		(c) load			
		capac	ıty;		
		and			
		(d) speed			
		capab	ility.		
		4. Each			
		tyre fitted to			
		the vehicle			
		shall be of			
		a nominal size			
		appropriate to			
		the wheel to			
		which it is			
		fitted.			
		5. Tyres on			
		the same axle			
		shall be of the			
		same nominal			
		size and of			
		the same			
		construction			
		type. If radial			

tyres are fitted

1	2	3	4	5
Item	Subject matter	Requirement	Definitions and supplementary provisions	Exemptions and modifications
		to the front axle, they shall also be fitted to the rear and if biasbelted tyres are fitted to the front axle, radial or biasbelted tyres shall be fitted to the rear.		
		wheel on each axle shall be equipped with a tyre which has a load capacity such that when the axle is loaded to its maximum permitted axle weight, the weight transmitted to the road surface by that tyre does not exceed that load capacity.		

17 Interior fittings

1. No surface (other purposes of than a surface this itemof a window) of the vehicle

speed capability all tyres fitted shall be not less than the maximum design speed of the vehicle.

> For the "air bag" means a

This item shall not apply to a goods vehicle.

1	2	3	4	5
tem	Subject	Requirement	Definitions	Exemptions
	matter	•	and	and
			supplementary	modifications
			provisions	-
		interior which	flexible	This item
		can be	bag	shall not apply
		contacted by	fitted to	to any area
		a sphere of	a vehicle	inside a motor
		165mm	and	caravan, an
		diameter and	designed	ambulance
		which is within	to be	or a hearse
		the specified	filled	which is not
		zone, shall	with gas	inside the
		include any	under	head impact
		fittings (e.g.	pressure	zone for any
		controls and	in order	designated
		instruments) or	to	seating
		design features	protect	position.
		which have	the	
		any dangerous	driver or	An armoured
		roughness or	a front	vehicle shall
		sharp edges.	seat	be exempted
		2. Switches	passenger	from any
		and other	in the	requirement
		controls	event	of this item
		mounted on	of a	if it can be
		the instrument	collision	demonstrated
			involving	to the
		1	the front	satisfaction of
		project by more than	of the	the Secretary
		9.5mm from	vehicle;	of State that it
		the surface of	"designate	eds impossible
		the panel, can	seating	for the vehicle
		be contacted	position"	to comply due
		by a sphere	means a	to its special
		of 165mm	position	purpose
		diameter and	where	
		which are	there is	Paragraphs
		within the	a seat	1 and 2 shall
		specified	designed	
		zone, shall be	for	any switches,
		so constructed	normal	controls or
		and mounted	use	associated
		that they	while the	equipment
		would either	vehicle	designed for
			is	the use of a
		retract into	travelling	person with
		the surface	on the	a disability
		of the panel	road;	and fitted in
		or become	"head	a disabled
		detached from	impact	person's
		the panel when	zono"	vahiala

zone"

vehicle

1	2	3	4	5
Item	Subject	Requirement	Definitions	Exemptions
	matter	•	and	and
			supplementary	modifications
			provisions	
		a horizontal	has the	Paragraph 4
		force of 40kg	same	shall not apply
		is applied to	meaning	to any seat
		them.	as in	designed for
		3. The	Directive	•
		lower edge of	74/60/	a disability
		the instrument	EEC;	and fitted in
		panel shall be	"non-	a disabled
		rounded to	rigid material"	person's vehicle
		a radius of		venicie
		curvature of	means a material	Paragraph 5
		not less than	which	shall not apply
		19mm, or if	has a	to—
		it is covered	hardness	(a) any
		with non-rigid	of less	floor-
		material, not	than 50	mounted
		less than 5mm.	shore A;	hand-
		4. The	"rigid	brake
		rearward and	material"	control
		upward-facing	means a	if, in
		parts of seat	material	the fully
		frames behind	which	released
		which there is	has a	position,
		a designated	hardness	no part
		seating	of no	of the
		position , shall	less than	control
		be both	50 shore	is in the
		covered with	A;	specified
		non-rigid	"sharp	zone; or
		material and	edge"	(b) any
		have a radius	means	hand-
		of curvature of	an edge	brake
		not less than 5mm.	of rigid	control
			material having a	mounted on or
		5. The	radius of	under
		handbrake	curvature	the
		control in the	of less	instrument
		fully released	than	panel,
		position and	2.5mm,	if in the
		the gear-lever	except	fully
		control in	in the	released
		any forward	case of	position,
		gear position	projection	•
		shall not have	of less	is no
		any radius	than	possibility
		of curvature	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	of the

of less than₇₂

3.2mm

of the

1	2	3	4	5	
tem	Subject	Requirement	Definitions	Exemptions	
	matter	-	and	and	
			supplementary	modifications	
			provisions		
		3.2mm on	from the	occupants	
		surfaces which	panel.	of the	
		can be	In this	vehicle	
		contacted by	case, the	contacting	
		a sphere of	minimum	it in the	
		165mm	radius of	event of	
		diameter.	curvature	a frontal	
		6. Shelves	shall not	impact.	
		and other	apply		
		similar items	-	Paragraph	
		shall be so	that the	7 shall not	
		constructed	height	apply to parts	
		that their	of the	covered with	
		supports have		a non-rigid	
		no protruding	is not	material and	
		edges and that	more	the hood-	
		all parts facing	than half	frames of	
		into the vehicle	its width	convertible	
		present a	and its	vehicles.	
		surface not less	edges	For opening	
		than 25mm	are	roofs, the	
		high with	blunted;	requirements	
		edges rounded	"special	shall apply	
		to a radius	purpose"	to parts,	
		of curvature	has the	including	
		of not less	same	devices for	
		than 3.2mm.	meaning	opening,	
		This surface	as in	closing and	
		shall also	item 6;	adjusting the	
		be covered	zone"	roof, with the roof in	
		with non-rigid	means	the closed	
		material.	the zone	position.	
		7. On that	which—	position.	
		part of the	(a) is	Paragraph 1	
		inner surface	` '	aird so far as	
		of the roof	of	it relates to	
		which is	the	the surface of	
		situated above		suerisestrument	
		or forward of		epanel) and	
		the occupants	of	paragraph 2	
		and can be	the	shall not apply	
		contacted by		oto a vehicle	
		a sphere of		efice	
		165mm	line		
				* *	
		diameter the	O.t	Schedule 7	
		diameter, the width of	of the	Schedule 2 vehicle	

!	2	3	4	5		
tem	Subject	Requirement	Definitions	Ex	emptio	ons
	matter	-	and	an		
			supplement	tary mo	odificat	tions
			provisions			
		parts made of		as	one	
		rigid	_	defined	of th	
		material, shall		in		owing
		not be less than		paragrap		
		the length of		2.5	(i)	an
		their		and		amateur-
		projection		appendi:	X	built
		from the		1	(::)	vehicle;
		surface and		of Annov	(ii)	a vohiolo
		their edges		Annex 3		vehicle manufactured
		shall have a radius of				
		a radius of curvature of		to Directiv	Δ	using
		not less than		77/649/	C	parts of
		5mm. Roof		EEC		a
		sticks or ribs		as		registered
		made of rigid		as last		vehicle;
		material with		amende	(iii)	a
		the exception		by	(111)	rebuilt
		of the header		Directiv	e	vehicle;
		rail of the		90/63(b))		· - · · - · · · · · · · · · · · · · · ·
		glazed		EEC	fitte	d
		surfaces and		with	with	
		door frames,		the	bag	
		shall not	1	manikin		
		project	1	position	ed prot	ection
		downwards by	•	in	of th	
		more than	t	the	driv	er
		19mm.		rearmos		
			(designa	ted ron	t
				seating		
				position		enger;
			()	is	and	
				abov e c)	thos	
				the		bags
				horizont		
			-	plane	fitte	
			-	passing	at th	
				through	time	
				the	vehi	cie
				point	was	u fo atumo d
				150mm	man	ufactured.
				above		
				the		
				lowest		
				part		
			(of		

the

1	2	3	4	5
Item	Subject	Requirement	Definitions	Exemptions
	matter	1	and	and
			supplementary	modifications
			provisions	
			top	
			of	
			the	
			fron	t
			seat	
				ions;
			and	
			(c) is	:4.
			outs: the	ide
			area	c.
			defii	
			by	ica
			-	graphs
			2.3.1	
			2.3.2	
			and	_
			2.3.3	3
			of	
			Ann	ex
			I to	
			Dire	ctive
			74/6	
			EEC	
			as	
			last	
				nded
			by	
				ective
			78/6	
			EEC	·•
18	External	1. The	For the	This item shall
	projections		purposes of	not apply to a
			this item—	goods vehicle.
		with any	"extreme	TI.
		mascot,	outer	Those parts
		emblem or	edge"	of a motor
		other	has the	caravan,
		ornamental	meaning	ambulance
		object unless it	given by	
		complies with		3other than
		the		the driver's
		requirements of		cabin shall
				nbe exempted from any
		regulation 53 of the	modified so as to	requirement
		Construction	disregard	of this item

1	2	3	4	5
em -	Subject	Requirement	Definitions	Exemptions
	matter	1 · · · · · · ·	and	and
			supplementary	modifications
			provisions	•
		and Use	the	if it can be
		Regulations.		demonstrated
		2. The	of	to the
		radius of	handles,	satisfaction of
		curvature of all	hinges,	the Secretary
		hard parts on	push	of State that it
		or protruding	buttons,	is impossible
		from the	fuel tank	
		external	filler	to comply due
		surface of the	caps and	to its special
		vehicle and	windows;	purpose.
		which can be	"external	A 1
		contacted by a	surface"	An armoured
		sphere of 100	of the	vehicle shall
		mm diameter,	vehicle	be exempted
		shall be not	means the	from any
		less than 2.5	outward	requirement of this item
		mm.		if it can be
		3. Headlamp	facing surface	demonstrated
		visors and	at any	to the
		rims shall not	height	satisfaction of
		project more	from the	the Secretary
		than30 mm	floor	of State that it
		beyond the	line	is impossible
		lens surface.	up to a	for the vehicle
			height	to comply due
		4. The ends	of2	to its special
		of bumpers	metres	purpose.
		shall be turned	from the	1 P
		inwards or		Paragraph 2
		recessed or	surface	shall not apply
		integrated	on which	
		within the	the	(a) parts
		bodywork.	vehicle	which
		5. Handles,	is	protrude
		hinges, push	standing;	by less
		buttons and	"floor	than 5.0
		fuel tank filler	line" has	mm but
		caps shall	the same	by not
		not project	meaning	less than
		more than	as in	1.5 mm,
		40 mm from	Directive	if the
		the external	74/483/	outward
		surface unless	EEC.	facing
		they cannot	"hard	angles
		under any	parts"	of such
		airaumatanaa	moone	porte oro

means

circumstance

parts are

1	2	3	4	5		
Item	Subject	Requirement	Definitions	Exer	nptions	
	matter		and	and		
			supplementary	mod	ifications	
			provisions			
		project beyond	those		blunted	
		the extreme	made		and any	
		outer edge of	of a		parts	
		the vehicle,	material		which	
		in which case	of		protrude	
		they may	hardness		by less	
		project by up	exceeding		than 1.5	
		to 50 mm from	60 shore	(h)	mm;	
		the external surface. All	A; "anacial	(b)	grills	
		surface. All handles shall	"special		such as air	
		be enclosed	purpose" has the		intakes,	
		in a protective	same		having	
		surround or	meaning		gaps of	
		be recessed,	as in		not more	
		unless they	item 6;		than 40	
		cannot in any	"vehicle		mm but	
		circumstances	body		more	
		project beyond	plan-		than 25	
		the extreme	form"		mm,	
		outer edge of	means		if they	
		the vehicle.	the area		have	
		6. The	resulting		radii of	
			from a		curvature	
		open ends of door handles	vertical		of not	
		which rotate	projection		less	
		parallel to the	of the		than 1	
		plane of the	complete		mm; and	
		door shall be	body		those	
		turned back	onto a		having	
		towards the	horizontal		gaps of	
		plane of the	surface;		not more	
		door. Such	and,		than 25	
		open ends shall	for the		mm but	
		be directed	purposes		more	
		rearwards	of this		than 10	
		unless the	definition-		mm,	
		handles cannot			if they	
		under any	body		have	
		circumstances	meai	IIS	radii of	
		project beyond	all	,	curvature	
		the extreme	parts of	•	of not	
		outer edge of			less	
		the vehicle and	the	morl.	than 0.5	
		at least one of	and	WUIK	mm; and those	
		the following	chas	cic	having	
				SIS,	•	

including gaps of

1	2	3		4		5	
Item	Subject	Requiren	nent	Definitions	7	Exe	mptions
	matter	•		and		and	
				supplemen	tary		
				provisions	•		
		requireme	ents		any		not more
		is met—			sepai		than 10
		(a)	the		whee	el-	mm; if
		()	open		guard	ds,	they are
			end		but		blunted;
			of		does	(c)	wind
			the		not		screen,
			handle	;	inclu		head
			is		runni	ing	lamp
			shielde		gear,		and rear
			to		such		window
			the		as		wiper
			front		whee		blades
			by a		axles	*	and
			protect				nsupports,
			surrou	nd.	brake	es	provided
			or		and		that
		(b)	the		steer	ıng.	they are
		(0)				. •	blunted;
			open end			(d)	wheels,
			of				if there
			the				are no
			handle				pointed
			is	,			or sharp
			recesso	ed			features
			into	ca			which
			the				projects
			vehicle	2			beyond
			bodyw				the
			or	·,			external
		(.)					plane
		(c)					of the
			gap	rad			wheel
			measu				rim, no
			lateral between				wing nuts are
			the	∠ 11			fitted
							above
			open end				the
			of				horizontal
			the				plane
			handle				passing
			and	,			through
			the				the
			vehicle	a			axis of
			body	0			rotation
			is no				of the
			more				wheels,
			41 70	•			wilceis,

than 78

1	2	3	4	5
tem	Subject	Requirement	Definitions	Exemptions
	matter	•	and	and
			supplementary	modifications
			provisions	
		2		and there
		mm		are no
		when		projections
		the		beyond
		handl 	e	the
		is in		vehicle
		its	. 1	body
		norm		plan 5
		positi	on	form
		with		apart
		the door		from
		latche	ad	tyres and wheel
			a.	discs,
		7. The		(including
		open ends		central
		of handles		wheel
		which pivot		securing
		outwards in		nuts) if
		any direction		the latter
		shall face		have a
		either		radius of
		rearwards or		curvature
		downwards,		of not
		unless they		less
		have an		than 30
		independent		mm and
		return		do not
		mechanism		project
		and cannot		by more
		project more		than
		than 15 mm		30 mm
		from the		beyond
		external		the
		surface should		vehicle
		the return		body
		mechanism fail.		plan-
		iaii.		form;
		8. Windows		(e) sheet
		which open		metal
		outwards from		edges if
		the external		they are
		surface of		folded
		the vehicle		back by
		shall have no		about
		forward facing		180
		exposed edge		degrees;
		and shall not		

1	2	3	4	5		
tem	Subject matter	Requirement	Definitions and supplementary provisions	and		
		project beyond the extreme outer edge of the vehicle. 9. No jacking bracket shall project by more than 10 mm beyond the vertical projection of the floor line lying directly above it. 10. No exhaust pipe shall project by more than 10 mm beyond the vertical projection of the floor line lying directly above it, unless it terminates in a rounded edge having a radius of curvature of no less than 2.5 mm.	provisions	(f) (g)	if the edge which are capa of be direct outwhave radiu curv of no less 1 mm and in the case	ectors, eir es ch ble eing eted vards e a us of ature ot than m; e of a edule 2 ele r an amateur-built vehicle; a vehicle manufactured using parts of a registered vehicle, or a rebuilt vehicle, or a rebuilt vehicle,

external

1	2	3	4	5
Item	Subject matter	Requirement	Definitions and supplementary provisions	Exemptions and modifications

surface of the body (including without prejudice to the generality of this paragraph cosmetic features such as trim and badges) of the vehicle as originally manufactured, or as subsequently altered in a manner approved by the manufacturer, and which it is not reasonably practicable remove.

Speed-ometers

19

1. The In this item shall "maximum vehicle be fitted with speed" has a speedometer the meaning capable of given in regulation 3(2) indicating speed in mph of the uniform Construction at not and Use intervals exceeding 20 Regulations. mph at all speeds up to

This item shall not apply to vehicles having a maximum speed of less than 25 mph.

1	2	3	4	5
Item	Subject matter	Requirement	Definitions and supplementary provisions	Exemptions and modifications
		the maximum speed of the vehicle and capable of being read by		

2. For all true speeds up to the design speed of the vehicle, the true speed shall not exceed the indicated speed.

the driver at all times of the day or night.

3. For all true speeds of between 25 mph and 70 mph (or the maximum speed if lower), the difference the between indicated speed and the true speed shall not exceed—

V/10+6.25 mph

where V = the true speed of the vehicle in mph.

Wiper and **1.** The washer system vehicle

1. The vehicle shall be fitted with one or more wipers which when switched

This item shall not apply to a goods vehicle.

This item shall not apply to

1	2	3	4	5
Item	Subject matter	Requirement	Definitions and supplementary provisions	Exemptions and modifications

on, operate automatically clear the to windscreen of water so that the driver has an adequate view of the road ahead, both directly in front of the vehicle and in front of both sides of the vehicle, in wet weather.

2. The wiper or wipers shall have at least one operating frequency at which it or they shall operate continuously at no less than 45 cycles per minute.

3. The wiper blade or blades shall return automatically to a position of rest which shall be at or beyond the outer edge of the area swept by the wiper and shall be capable of being displaced from this position on the windscreen

vehicles not equipped with a windscreen through which the driver must look to obtain an adequate view of the road ahead, both directly in front of the vehicle and in front of both sides of the vehicle, from all normal seating positions.

1	2	3	4	5
Item	Subject matter	Requirement	Definitions and supplementary provisions	Exemptions and modifications

to allow for windscreen cleaning.

4. The vehicle shall be fitted with a windscreen washer system capable cleaning, conjunction with the wiper or wipers, the area of windscreen swept by the wiper or wipers.

- 5. When this system is actuated with the nozzles plugged, it shall be capable of withstanding the pressures produced.
- 6. The capacity of the liquid reservoir for this system shall not be less than 1 litre.

Defrosting and demisting system

21

1. The vehicle shall be equipped with a system for removing frost and ice from the glazed surfaces of the windscreen.

This item shall not apply to a goods vehicle.

This item shall not apply to vehicles not equipped with a windscreen through which

1	2	3	4	5
Item	Subject matter	Requirement	Definitions and supplementary provisions	Exemptions and modifications
		This system shall be effective enough to ensure that the driver has an adequate view of the road ahead, both directly in front of the vehicle and in front of both sides of the vehicle, in cold weather.		the driver must look to obtain an adequate view of the road ahead, both directly in front of the vehicle and in front of both sides of the vehicle, from all normal seating positions.
		vehicle shall be equipped with a system for removing mist from the interior glazed surface of the windscreen. This system shall be effective enough to ensure that the driver has an adequate view of the road ahead, both directly in front of the vehicle and in front of both sides of the vehicle, in wet and humid weather.		
2	Fuel input	The vehicle shall be fitted with a fuel tank so		This item shall not apply to vehicles to which

paragraph

constructed

l Item	2 Subject matter	3 Requirement	4 Definitions and	5 Exemptions and
			supplementary provisions	
		that it cannot readily be filled from a petrol pump delivery nozzle which has an external diameter of not less than 23.6mm without the aid of a device (such as a funnel) not fitted to the vehicle.		2(c) or (d) in column 3 of item 4 (exhaust emissions) do not apply.
23	Design weights	1. The maximum gross weight of the vehicle shall be no less than the sum of the kerbside weight, and— (a) in the case of a vehicle other than a motor carava 75kg for each seat; and	vehicle is travelling on the	This item shall not apply to a goods vehicle.
		(b) in the case of a motor carava 85kg		

1	2	3	4	5
Item	Subject matter	Requirement	Definitions and supplementary provisions	Exemptions and modifications

for each seat and 10kg for each metre of the total length of the vehicle.

2. For all vehicles—

(a) the sum of the maximum permitted axle weights must not be less than the maximum gross weight of the vehicle;

(b) when the vehicle is loaded to its maximum gross weight

		5	4	J
Item	Subject matter	Requirement	Definitions and supplementary provisions	Exemptions and modifications

placing

weight

of

68kg

in

each

seat

and

by

distributing

remaining

weight

evenly

in

the

areas

designed

accommodate

luggage

(all

in

accordance

with

paragraph

2 of

the

Appendix

to

Directive

92/21/

EEC

as

last

amended

by

Directive

95/48/

EC),

the

axle

weight

of

each

axle

Document Generated: 2024-01-12

Changes to legislation: There are outstanding changes not yet made by the legislation.gov.uk editorial team to The Motor Vehicles (Approval) Regulations 2001. Any changes that have already been made by the team appear in the content and are referenced with annotations. (See end of Document for details) View outstanding changes

1	2	3	4	5	
Item	Subject matter	Requiremei	nt Definitions and supplementary provisions	Exemptions and modifications	
		sh	all		
		no	ot		
		ex	ceed		
		th	e		
		m	aximum		
		pe	rmitted		
		ax	le		
		W	eight;		
		an	d		
		(c) w	hen		

the vehicle is loaded to its maximum gross weight, and at the same time, its rear axle is loaded to its maximum permitted axle weight, the front axle weight shall not be less than 30% of the

maximum

1	2	3	4	5
Item	Subject matter	Requirement	Definitions and supplementary provisions	Exemptions and modifications

gross weight.

24 General vehicle construction

1. All aspects of the design construction of the vehicle and its equipment which are not covered other subject matters in this Schedule, shall be such that danger no is caused or likely to be caused to any person in the vehicle or on a road.

2. In particular, under all normal conditions likely to be encountered while the vehicle is being driven a road, on including when the vehicle is loaded to its maximum gross weight and the axle weight of any one axle equals its maximum permitted axle weight-

(a) it shall

Document Generated: 2024-01-12

Changes to legislation: There are outstanding changes not yet made by the legislation.gov.uk editorial team to The Motor Vehicles (Approval) Regulations 2001. Any changes that have already been made by the team appear in the content and are referenced with annotations. (See end of Document for details) View outstanding changes

1	2	3	4	5
Item	Subject matter	Requirement	Definitions and supplementary provisions	Exemptions and modifications

be possible to control the vehicle safely, taking account of the vehicle's speed and acceleration capabilities;

(b) it shall at all times be possible for the driver, while controlling the vehicle, to have a full view of the road and traffic ahead

(c) the clearance between any

of the vehicle;

1	2	3	4	5
Item	Subject matter	Requirement	Definitions and supplementary provisions	Exemptions and modifications

of

the

following

parts

of

the

vehicle,

namely

the

tyres,

wheels,

other

rotating

components

associated

with

the

transmission

of

engine

power

or

braking,

moveable

parts

of

the

steering

mechanism

and

fixed

parts

shall

be

sufficient

to

ensure

no

risk

of

fouling

and

the

wheels

and

wheel

fixings

shall

Document Generated: 2024-01-12

Changes to legislation: There are outstanding changes not yet made by the legislation.gov.uk editorial team to The Motor Vehicles (Approval) Regulations 2001. Any changes that have already been made by the team appear in the content and are referenced with annotations. (See end of Document for details) View outstanding changes

1	2	3	4	5
Item	Subject matter	Requirement	Definitions and supplementary provisions	Exemptions and modifications

be compatible;

(d) the

vehicle

structure

(chassis

or

integral

chassis-

body),

shall

be

so

designed

and

constructed

as to

withstand

the

forces

and

vibration

to

which

it is

likely

to be

subject;

(e) all

entries

and

exits

provided

for

the

vehicle

occupants (other

than

doors)

shall

be

so

designed

as to

allow

easy

1	2	3	4	5
Item	Subject matter	Requirement	Definitions and supplementary provisions	Exemptions and modifications

and safe

use.

(f) all

aperture

covers

(other

than

doors)

including

tail

gates,

boot and

bonnet

lids,

shall

be

capable

of

being

securely

latched

in

the

fully

closed

position;

(g) the

steering,

suspension,

axles

and

wheels

shall

be

so

designed,

constructed

and

fitted

as to

withstand

the

forces

and

vibration

Document Generated: 2024-01-12

Changes to legislation: There are outstanding changes not yet made by the legislation.gov.uk editorial team to The Motor Vehicles (Approval) Regulations 2001. Any changes that have already been made by the team appear in the content and are referenced with annotations. (See end of Document for details) View outstanding changes

1	2	3	4	5
Item	Subject matter	Requirement	Definitions and supplementary provisions	Exemptions and modifications
		to		

which they are likely to be subject;

(h) the

fuel

system,

including

the

fuel

tank,

shall

be

so

designed,

constructed

and

fitted

as to

withstand

the

forces,

vibration

and

corrosive

environment

which

it is

likely

to be

subject.

It

shall

also

be

so fitted

as to

avoid

the

risk

of

damage,

1	2	3	4	5		
tem	Subject	Requirement	Definitions	Exemptions		
	matter	1	and	and		
			supplementary	modifications		
			provisions			
		such				
		as				
		abras	ion,			
		due				
		to				
		foulii	ng			
		of				
		other				
		parts,	,			
		and				
		to	:			
		minir	mise			
		the risk				
		of				
		fire				
		in				
		the				
		event	t			
		of	•			
		any				
		leaka	ge			
		of				
		fuel.				
		The				
		fuel				
		tank				
		shall				
		comp	oly			
		with				
			regulation 39			
		of				
			the			
			truction			
		and				

Use

Regulations, except that it need not be made of metal.

Document Generated: 2024-01-12

Changes to legislation: There are outstanding changes not yet made by the legislation.gov.uk editorial team to The Motor Vehicles (Approval) Regulations 2001. Any changes that have already been made by the team appear in the content and are referenced with annotations. (See end of Document for details) View outstanding changes

1	2	3	4	5
Item	Subject matter	Requirement	Definitions and supplementary provisions	Exemptions and modifications

(i) the

electrical

system,

including

the

battery,

electrical

components

and

wires,

shall

be

securely

attached

to

the

vehicle.

In

particular,

the

maximum

distance

between

attachments

of

wires,

except

those

contained

within

hollow

components,

shall

be

300

mm

and

wires

shall

be

so

fitted

and

protected

as to


avoid

the


risk

1	2	3	4	5
Item	Subject	Requirement	Definitions	Exemptions
	matter		and	and
			supplementary	modifications
			provisions	
		of		
		dama	ige	
		to	-4:	
		such	ation,	
		as		
		abras	ion	
		All	1011.	
			onents	
		shall		
		be		
		so		
			ructed	
		and		
		fitted		
		as to minir	i	
		the	ilise	
		risk		
		of		
		corro	sion	
		and		
		fire.		
25	Plate for	Every goods		
23	goods vehicles			
	goods venicles	comply		
		with the		
		requirements		
		of paragraphs		
		(2) and (3) of		
		regulation 66		
		of the		
		Construction		
		and Use		
		Regulations.		

APPENDIX 1 TO SCHEDULE 3 (Item 7, Rear-view Mirrors) (All passenger vehicles and goods vehicles having a maximum gross weight not exceeding 2 tonnes)



APPENDIX 2 TO SCHEDULE 3 (Item 7, Rear-view Mirrors) (Goods Vehicles Exceeding 2000kg GVW)



SCHEDULE 4

Regulation 5(1)(b)

APPROVAL REQUIREMENTS FOR RELEVANT VEHICLES EXCEPT SCHEDULE 2 VEHICLES

Commencement Information Sch. 4 in force at 1.2.2001, see reg. 1 (The expressions in bold type are defined in column 4) 5 Item Subject Design, construction and Definitions Exemptions matter equipment requirements and and supplementamodifications provisions Date (b) Community ECE Instrument Regulation manufacture ofthe vehicle 3 Protective 1st July Directive **ECE** This item steering 1991 74/297/ Regulation shall not EEC, 12.01, apply tovehicles, annex 1, paragraphs (a) paragraphs 5 and 6 the 5 and 6 steering control 1st Directive ECE of October 74/297/ Regulation which EEC 1996 12.03, has as last paragraphs been amended 5 and 6 specially by constructed Directive for 91/662/ the EEC, use annex 1, of a

(b) ambulances, motor caravans and hearses

disability;

person

suffering from some physical defect

paragraphs

5 and 6

(in

Changes to legislation: There are outstanding changes not yet made by the legislation.gov.uk editorial team to The Motor Vehicles (Approval) Regulations 2001. Any changes that have already been made by the team appear in the content and are referenced with annotations. (See end of Document for details) View outstanding changes

1	2	3 4	5		
Item	Subject matter	equipment requirements and supplement	Definitions Exemptions and and supplementamyodifications provisions		
		(a) Date (b) Comm(w)ty ECE of Instrument Regulation manufacture of the vehicle			

each case) having maximum gross weight of more than 2,500 kg if the vehicle has been derived from a goods vehicle which either had maximum gross weight of not less than 1,500 kg or was manufactured before 1st October 1997; and

1 2 Item Subject matter		construction an nt requirements		and	5 ns Exemptions and entampodifications s
	of ma of the	Instru nufacture	n (w)ty ECE ment Regu	lation	
					(c) armoured vehicles.
4 Exhaust emissions	1st January 1993	70/220/ EEC as last amended	ECE Regulation 83.01, paragraphs 5, 8 amd 13	of this item—	ns or cle

I Item	2 Subject matter		onstruction a t requirement		and	Exemptions and cumpodifications
		of	Instr nufacture	m (w)jty ECE ument Regu	lation	
		1st October 1994	Directive 93/59/EEC, annex 1, paragraphs 5, 7 and 8 (applies only to vehicles other than passenger cars)	ECE Regulation 83.01, paragraphs 5, 8 and 13	*Note: paragra does not apply to vehicle	aph (b) es actured
		1st January 1997	Directive 94/12/EC, annex 1, paragraph 5 (applies only to passenger cars)	ECE Regulation 83.02, paragraph 5	"Reference mass" has the same meaning as in Directive 70/220/ EEC as last amended by	

l Item	2 Subject matter	_	nstruction a requirement		and	Exemptions and compodifications
		(a) Date of mant of the vehice	Instr ıfacture	m (w)ity ECE rument Regu	lation Directive	
		1st October 1997 (applies from this date to Class I vehicles)	Directive 96/69/EC, annex 1, paragraph 5	ECE Regulation 83.03, paragraph 5	96/69/EC. "Class I vehicle" means a goods vehicle (category N1) which has a reference mass not exceeding 1,250 kg (1,305 kg from 1st January 2001).	
		1st October 1998 (applies from this date to vehicles of category M1 other than passenger cars, Class II and Class III vehicles)	"		"Class II vehicle" means a goods vehicle (category N1) which has a reference mass exceeding 1,250 kg (1,305 kg from 2001) but not exceeding 1,700 kg (1,760 kg from 2001).	

l Item	2 Subject matter	_	nstruction and requirements	and	5 Exemptions and tamyodifications
		(a) Date of many of the vehic	Instrument Regu ufacture	•	
		1st October 1999	Directive 98/77/EC, Regulation annex 1, 83.04, paragraph 5 (applies to vehicles fuelled by liquid petroleum gas or compressed natural gas)	"Class III vehicle" means a goods vehicle (category N1) which has a reference mass exceeding 1,700 kg (1,760 kg from 2001).	
		1st January 2001 (applies from this date to passenger cars and Class I vehicles)	Directive 98/69/EC, annex 1, paragraph 5 (Phase I limits)		Does not apply until 1st January 2002 providing the vehicle is registered before that date.
		1st January 2002 (applies from this date to vehicles of category M1 other than passenger cars, Class II and	"	"Diesel passenger vehicle" means a vehicle of category M1 the maximum mass of which exceeds 2,000 kg, fitted with a	Does not apply until 1st January 2003 providing the vehicle is registered before that date.

1	2	3				4		5
em	Subject	Design, co	nstruction	and		Definitio	ons .	Exemptions
	matter	_	requireme			and		and
						supplem	enta	m odifications
						provision		
		(a) Date	(b) <i>Con</i>	nm (w)ity	ECE			
		of	Ins	trument	Regule	ation		
			ufacture					
		of						
		the						
		vehic	:le					
		Class III				compress	ion	
		vehicles)				ignition		
						engine,		
						and whicl	n	
					1	is:		
		1st	"			const(rai)c	:t- ((a)
		January					ed	
		2003					or	
		(until this						pted
		date, a					to	
		diesel					car	-
		passenger					mo	
		vehicle					tha	n
		is treated					6	unanta
		as a vehicle of						rupants luding
		category					the	
		N1)					driv	
		111)					or	vc1,
						(1.)		
						(b)	an off-	
							roa	u iicle
							as	iicie
								ined
							in	incu
								nex
							II	
							to	
							the	
							197	70
							Dir	ective.
		1st	Directive					
		Ist January	98/69/EC					
		2006	annex 1,					
		(applies	paragraph					
		from this	5 (Phase 2)				
		date to	limits)	-				
		passenger						
		cars and	"					

cars and

1	2	3			4	5
Item	Subject matter	_	nstruction a requirement		and	Exemptions and amodifications
		(a) Date of many of the vehic	Instra Ifacture	m(wijty ECE ument Regul		
		Class I				
		vehicles) 1st January 2007 (applies from this date to vehicles of category M1 other than passenger cars, Class II and Class III vehicles)				
8	Anti-theft devices	1st October 1998	Directive 74/61/EEC as last amended by Directive 95/56/EC, annex V (electronic immobilise and annex VI (alarm system)	r)system)	r)	
10	Seat belt anchorages		Directive 76/115/ EEC as last amended by:			

I Item	2 Subject matter	_	onstruction a t requirement		and	5 Exemptions and tampodifications
		of	Instr ufacture	m (w) ity ECE rument Regu	•	
		1st July 1991	Directive 82/318/ EEC, annex 1, paragraphs 4 and 5	ECE Regulation 14.02, paragraphs 5, 6 and 7		
		1st July 1997	Directive 90/629/ EEC, annex 1, paragraphs 4 and 5	ECE Regulation 14.03, paragraphs 5, 6 and 7		
11	Installation of seat belts	1st July 1997	Directive 77/541/EEC as last amended by: Directive 90/628/EEC, annex 1, paragraphs 3.1 to 3.1.9		"disabled person's belt" has the same meaning as in regulation 4 of the Constructio and Use Regulations	disabled merson's vehicle if
		1st October 1999	3.1 to	ECE Regulation 16.04, (Supplemer 8) paragraphs 8.1 to 8.1.10.3 and 8.1.11 to 8.1.12	nt	

I Item	2 Subject matter	_	onstruction a requirement		and	5 Exemptions and ampodifications
		of	Instr ufacture	m (w ijty ECE ument Regu		
12	Brakes		Directive 71/320/ EEC as last amended by:			
		1st April 1995 1st October 1999	Directive 91/442/ EEC, annex 1, paragraph 2	ECE Regulation 13.06 paragraph 5		
			Directive 98/12/EC, annex 1, paragraph 2.1.1.3 (Requirement for asbestosfree brake linings only)	Regulation 13.09, paragraph 5.1.1.3 or ECE erRegulation 13H, paragraph	nts	
				free brake linings only)		
		31st March 2001	Directive 98/12/EC, annex 1, paragraph 2 (All requiremen	13.09,	s)	
13	Noise and silencers		Directive 70/157/			

I Item	2 Subject matter		onstruction a requirement		4 5 Definitions Exemptions and and supplementamodifications provisions
		of	Instr ufacture	m (w ijty ECE rument Regu	
		1st July 1991	as last amended by: Directive 84/424/ EEC, annex 1, paragraph 5	ECE Regulation 51.01, paragraph 5	
	1st January 1997	Directive 92/97/ EEC or Directive 96/20/EC, annex 1, paragraph 5	ECE Regulation 51.02, paragraph 5		
26	Carbon dioxide emissions and fuel consumption	1st January 1997 on	Directive 80/1269/ EEC as last amended by Directive 93/116/ EC, annex 1, paragraph 5	ECE Regulation 101, paragraph 5	
27	Frontal impact	1st October 2003	Directive 96/79/EC, annex 2, paragraph 3	ECE Regulation 94.01, paragraph 5	
28	Side impact	1st October 2003	Directive 96/27/EC, annex 2,	ECE Regulation 95.01,	

1	2	3	4 5
Item	Subject matter	Design, construction and equipment requirements	Definitions Exemptions and and supplementamodifications provisions
		(a) Date (b) Comm(w)ty ECE of Instrument Regul manufacture of the vehicle	ation
		paragraph paragraph 3 5	

SCHEDULE 5

Regulation 11

FORM OF APPROVAL CERTIFICATE

Commencement Information

126 Sch. 5 in force at 1.2.2001, see **reg. 1**



British National Type Approval

Minister's Approval Certificate

issued under Section 58(1) of the Road Traffic Act 1988 by virtue of the Motor Vehicles (Approval) Regulations 2001

The motor vehicle having the identification/chassis number:				
having been examined under Section 58 of the certified that on the date of the examination the relevant requirements prescribed under Section	is vehicle complied with the			
Make:	Design Weights:			
Model:	Axle 1 kg			
	Axle 2 kg			
Class Code:	Axle 3 kg			
Contract (contract All)	Gross Weightkg			
Category (passenger(M1)/goods(N1)):	Train Weightkg			
Fuel Type e.g. (Petrol/Diesel/Gas Bi-Fuel):	NOTE: In the case of a goods vehicle the design weights shown are also the plated weights.			
CO2: HC	Signed by authority of the Secretary of State:			
Station Location:	Name in CAPITALS.			
Date of issue:	Authentication Stamp:			
Serial Number: AA				

SCHEDULE 6

Regulation 3(6)

COMMUNITY INSTRUMENTS AND ECE REGULATIONS

PART I

References to Community Instruments

- 1.—(1) The Directives referred to in these Regulations are set out in Part II of this Schedule; those marked with an asterisk are Commission Directives, those marked with a cross are Directives of the European Parliament and the Council and the other Directives are Council Directives.
- (2) A reference in these Regulations to a Directive shown in column 2 of Part II of this Schedule as last amended by a Directive shown in column 3 against that Directive shall be read as follows.
- (3) The reference shall be read as a reference to the Directive shown in column 2 as amended by the Directives shown in column 3 against that Directive down as far as (and including) the Directive referred to as the last amending Directive.

Commencement Information

I27 Sch. 6 Pt. I para. 1 in force at 1.2.2001, see reg. 1

- **2.**—(1) For the purposes of these Regulations, where a vehicle does not comply with an item in Schedule 3 or 4 of these Regulations, it shall nevertheless be regarded as complying with that item if—
 - (a) that item contains a reference to a Directive ("the base Directive") not followed by the words "as last amended by"; and
 - (b) the vehicle would comply with that item were there substituted for that reference, a reference to the base Directive as last amended by a Directive shown against the base Directive in column 3 of Part II of this Schedule.
- (2) For the purposes of these Regulations, where a vehicle does not comply with an item in Schedule 3 or 4 of these Regulations, it shall nevertheless be regarded as complying with that item if—
 - (a) that item contains a reference to a Directive ("the base Directive") as last amended by another Directive ("the amending Directive"); and
 - (b) the vehicle would comply with that item were there substituted for that reference, a reference to the base Directive as last amended by a Directive shown—
 - (i) against the base Directive, and
 - (ii) below the amending Directive in column 3 of Part II of this Schedule.

Commencement Information

I28 Sch. 6 para. 2 in force at 1.2.2001, see reg. 1

Commencement Information

127 Sch. 6 Pt. I para. 1 in force at 1.2.2001, see reg. 1

I28 Sch. 6 para. 2 in force at 1.2.2001, see **reg. 1**

References to ECE Regulations

- **3.**—(1) A reference in these Regulations to an ECE Regulation followed by a number which is not itself followed by a full-stop and 2 digits (for example "ECE Regulation 30") shall be read as a reference to the ECE Regulation of that number which came into force on the date shown against that number in column (4) of Part III of this Schedule.
- (2) A reference in these Regulations to an ECE Regulation followed by a number which is itself followed by a full-stop and 2 digits (for example "ECE Regulation 30.01") shall be read as a reference to the ECE Regulation of that number with the amendments in force on the dates shown against the number in column (4) of Part III of this Schedule.

Commencement Information

I29 Sch. 6 para. 3 in force at 1.2.2001, see reg. 1

- **4.**—(1) For the purposes of these Regulations, where a vehicle does not comply with an item in Schedule 3 or 4 of these Regulations, it shall nevertheless be regarded as complying with that item if—
 - (a) that item contains a reference to an ECE Regulation ("the base Regulation") that is not followed by a full-stop and 2 digits; and
 - (b) the vehicle would comply with that item were there substituted for that reference, a reference to an entry in column (3) of Part III of this Schedule shown against that Regulation.
- (2) For the purposes of these Regulations, where a vehicle does not comply with an item in Schedule 3 or 4 of these Regulations, it shall nevertheless be regarded as complying with that item if—
 - (a) that item contains a reference to an ECE Regulation ("the base Regulation") that is followed by a full-stop and 2 digits; and
 - (b) the vehicle would comply with that item were there substituted for that reference, a reference to an entry in column 3 of Part III of this Schedule shown—
 - (i) against that Regulation, and
 - (ii) below the entry in that column for that ECE Regulation and those 2 digits.

Commencement Information

I30 Sch. 6 para. 4 in force at 1.2.2001, see reg. 1

5. In these Regulations, "ECE Regulation" means a Regulation annexed to the Agreement concerning the adoption of uniform conditions of approval for motor vehicle equipment and parts and reciprocal recognition thereof concluded at Geneva on 20th March 1958(17) as amended(18) to which the United Kingdom is a party(19).

⁽¹⁷⁾ Cmnd. 2535.

⁽¹⁸⁾ Cmnd. 3562.

⁽¹⁹⁾ By an instrument of accession dated 14th January 1963 deposited with the Secretary General of the United Nations on 15th January 1963.

Commencement Information

I31 Sch. 6 para. 5 in force at 1.2.2001, see reg. 1

Commencement Information

- 29 Sch. 6 para. 3 in force at 1.2.2001, see reg. 1
- **I30** Sch. 6 para. 4 in force at 1.2.2001, see reg. 1
- **I31** Sch. 6 para. 5 in force at 1.2.2001, see reg. 1

PART II

REFERENCES TO COMMUNITY DIRECTIVES

(1) Subject matter of	(2) Directive	(3) Principal Directive	(4) Amending Directive	Official Journal reference
Radio interference suppression	72/245/EEC		L152, 6.7.72, p.	
		89/491/EEC*	L238, 15.8.89, p. 43	
		95/54/EC	L226, 8.11.95, p.	
Protective steering	74/297/EEC		L165, 20.6.74, p.	
		91/662/EEC*	L366, 31.12.91, p. 1	
Diesel smoke	72/306/EEC		L190, 20.8.72, p. 1	
		97/20/EC*	L125, 16.5.97, p. 21	
Roadworthiness	77/143/EEC		L47, 18.2.77, p. 47	
		88/449/EEC	L222, 12.8.88, p. 10	
		91/225/EEC	L103, 24.4.91, p.	
		91/328/EEC	L178, 6.7.91, p. 29	

(1)	(2)	(3)	(4)	0.00 . 1.7
Subject matter of	Directive	Principal Directive	Amending Directive	Official Journal reference
		92/55/EEC	L225, 10.8.92, p. 68	J
Rear view mirrors	71/127/EEC		L68, 22.3.71, p. 1	
		79/795/EEC*	L239, 22.9.79, p. 1	
		85/205/EEC*	L90, 29.3.85, p. 1	
		86/562/EEC*	L327, 02.11.86, p. 49	
		88/321/EEC*	L147, 14.6.88, p.	
Seat belt anchorages	76/115/EEC		L24, 30.1.76, p. 6	
		81/575/EEC	L209, 29.7.81, p. 30	
		82/318/EEC*	L139, 19.5.82, p.	
		90/629/EEC*	L341, 6.12.90, p. 14	
		96/38/EC*	L187, 26.7.96, p. 95	
Seat belts	77/541/EEC		L220, 29.8.77, p. 95	
		81/576/EEC	L209, 29.7.81, p. 32	
		82/319/EEC*	L139, 19.5.82, p. 17	
		90/628/EEC*	L341, 6.12.90, p.	
		96/36/EC*	L178. 17.7.96, p. 15	
Braking	71/320/EEC		L202, 6.9.71, p. 37	
		74/132/EEC*	L74, 19.3.74, p. 7	
		75/524/EEC*	L236, 8.9.75, p. 3	
		79/489/EEC*	L128, 26.5.79, p. 12	
		85/647/EEC*	L38, 31.12.85, p.	
		88/194/EEC* 117	L92, 9.4.88, p. 47	

(1) Subject matter	(2) Directive	(3) Principal Directive	(4) Amending Directive	Official Journal reference
of		91/422/EEC*	L233, 22.9.91. p. 21	rejerence
		98/12/EC*	L81, 18.3.98, p. 1	
Braking of 2/3 wheeled vehicles	93/14/EEC		L121, 15.5.93, p.	
Seat strength	74/408/EEC		L221, 12.8.74, p. 1	
		81/577/EEC	L209, 29.7.81, p. 34	
		96/37/EC*	L187, 25.7.96, p. 28	
Tyres	92/23/EEC		L129, 14.5.92, p. 95	
Interior fittings	74/60/EEC		L38, 11.2.74, p. 2	
		78/632/EEC*	L206, 29.7.68, p. 26	
Forward vision	77/649/EEC		L267, 19.10.77, p. 1	
		81/643/EEC*	L231, 15.8.81, p. 41	
		88/366/EEC*	L181, 12.7.88, p. 40	
		90/630/EEC*	L341, 6.12.90, p. 20	
External projections	74/483/EEC		L266, 2.10.74, p.	
		79/488/EEC*	L128, 26.5.79, p. 1	
Masses and dimensions	92/21/EEC		L129, 14.5.92, p. 1	
		95/48/EEC*	L233, 30.9.95, p. 73	

(1)	(2)	(3)	(4)	
Subject matter	Principal	Amending	Official Journal	
of Directive	Directive	Directive	reference	
Protective	74/297/EEC		L165, 20.6.74, p.	
steering			16	

(1) Subject matter of Directive	(2) Principal Directive	(3) Amending Directive	(4) Official Journal reference	
		91/662/EEC*		L366, 31.12.91, p. 1
Exhaust emissions	70/220/EEC		L76, 6.4.70, p. 1	
		91/441/EEC	L242, 30.8.91, p.	
		93/59/EEC	L186, 28.7.93, p. 21	
		94/12/EC+	L100, 19.4.94, p. 42	
		96/69/EC+	L282, 1.11.96, p. 64	
		98/77/EC+	L286, 23.10.98, p. 34	
		98/69/EC+	L350, 28.12.98, p. 1	
Anti-theft devices	74/61/EEC		L38, 11.2.70, p. 22	
		95/56/EC*	L286, 29.11.95, p. 1	
Seat belt anchorages	76/115/EEC		L24, 30.1.76, p. 1	
		82/318/EEC*	L139, 19.5.82, p.	
		90/629/EEC*	L341, 6.12.90, p. 14	
		96/38/EC*	L187, 26.7.96, p. 95	
Seat belts	77/541/EEC		L220, 29.8.77, p. 45	
		90/628/EEC	L341, 6.12.90, p.	
		96/36/EC*	L178, 17.7.90, p. 15	
Braking	71/320/EEC		L202, 6.9.71, p. 37	
		91/422/EEC*	L238, 27.8.91, p. 25	
		98/12/EC*	L81, 18.3.98, p. 1	

(1) Subject matter of Directive	(2) Principal Directive	(3) Amending Directive	(4) Official Journal reference	
Noise and silencers	70/157/EEC		L42, 23.2.70, p. 16	
		84/424/EEC	L238, 6.9.84, p. 31	
		92/97/EEC	L371, 19.12.92, p. 1	
Carbon dioxide emissions and fuel consumption	80/1268/EEC		L375, 31.12.80, p. 46	
			93/116/EC*	L329, 30.12.93, p. 39
Frontal impact	96/79/EC+		L18, 21.1.97, p. 7	
Side impact	96/27/EC+		L169, 8.7.96, p. 1	

PART III REFERENCES TO ECE REGULATIONS

(1) Subject matter of	(2) ECE Regulation	(3) Amending Series	(4) Date
Regulation			
Radio interference suppression	10		17 Dec 1968
		10.01	23 June 1978
		10.02	3 Sept 1997
Rear reflectors	3		1 Nov 1963
		3.01	18 Aug 1982
		3.02	11 July 1985
Rear view mirrors	46		29 Sept 1975
		46.01	5 Oct 1987
Tyres	30		1 April 1975
		30.01	10 Oct 1977
		30.02	21 April 1981

(1) Subject matter of Regulation	(2) ECE Regulation	(3) Amending Series	(4) Date
Protective steering	12		1 June 1969
		12.01	8 Oct 1980
		12.02	14 Nov 1982
		12.03	24 Aug 1993
Exhaust emissions	83		5 Nov 1989
		83.01	30 Dec 1992
		83.02	7 Dec 1996
		83.04	13 Nov 1999
Anti-theft devices	18		1 March 1971
		18.02	3 Sept 1997
Alarm systems	97		1 Jan 1996
		97.01	13 Jan 2000
Seat belt anchorages	14		1 April 1970
		14.02	22 Nov 1984
		14.03	29 Jan 1992
		14.04	18 Jan 1998
		14.05	4 Feb 1999
Seat belts	16		1 Dec 1970
		16.04	22 Dec 1985
Braking	13		1 June 1970
		13.06	22 Nov 1990
		13.07	18 Sep 1994
		13.08	26 March 1995
		13.09	28 Aug 1996
		13H	11 May 1998
Noise and silencers	51		15 July 1982
		51.01	27 April 1988
		51.02	18 April 1995
Carbon dioxide emissions from fuel consumption	101		1 Jan 1997
Frontal impact	94		1 Oct 1995

(1)	(2)	(3)	(4)
Subject matter of Regulation	ECE Regulation	Amending Series	Date
		94.01	2 Aug 1998
Side impact	95		6 July 1995
		95.01	12 Aug 1998

EXPLANATORY NOTE

(This note is not part of the Regulations)

These Regulations, which replace the Motor Vehicles (Approval) Regulations 1996 as amended, establish a revised system for approving the construction of single vehicles before they enter into service.

The Regulations apply to passenger vehicles and dual-purpose vehicles constructed to carry no more than 8 passengers excluding the driver (equivalent to EC category M1), certain 3 wheeled vehicles having a maximum unladen weight of more than 410 kg (ie not motorcycles), light goods vehicles (maximum gross weight not exceeding 3,500 kg, equivalent to EC category N1) and certain other goods vehicles with a design gross weight not exceeding 5,500 kg.

Part II concerns the approval requirements. Regulation 4 defines the vehicles to which the Regulations apply by reference to the regulations concerning national (Great Britain) type approval. Regulation 5 specifies two sets of approval requirements, namely basic requirements (Schedule 3) and, as from 1st August 2001, enhanced requirements (Schedule 4). However, the special classes of vehicle specified in Schedule 2 need only comply with the basic requirements and certain basic and enhanced requirements do not apply to goods vehicles. Regulation 5(3) allows persons applying for the approval of any vehicle of category M1 which would not otherwise be subject to the enhanced requirements to opt for them to be subject to those requirements. Regulation 5(8) provides for the recognition of equivalent approvals granted in other EEA States.

Part III deals with administrative arrangements. Regulation 6 relates to applications to the Secretary of State for a Minister's approval certificate and regulation 7 provides for the assignment of vehicle identification numbers to vehicles not having a number which meets the requirements specified in regulation 7(1).

Regulation 8 specifies criteria for determining design weights. The procedure for appeals under section 60 by persons aggrieved by a determination made on behalf of the Secretary of State following an application under regulation 6 is governed by regulation 9. Provision is made in regulation 10 for an application or appeal to be refused without an examination of the vehicle to which the application relates in the circumstances specified in regulation 10(2).

The form of a Minister's approval certificate is prescribed by *regulation 11* and *Schedule 5*. *Regulation 12* provides for the provision of replacement certificates. *Regulation 13* requires notices under the Regulations generally to be given in writing and permits them to be given by post.

Regulation 14 specifies the dates appointed for the purposes of section 63(1) of the Road Traffic Act 1988, on or after which it is an offence to use a vehicle of a relevant class without the appropriate

Document Generated: 2024-01-12

Changes to legislation: There are outstanding changes not yet made by the legislation.gov.uk editorial team to The Motor Vehicles (Approval) Regulations 2001. Any changes that have already been made by the team appear in the content and are referenced with annotations. (See end of Document for details) View outstanding changes

certificate in force under sections 54 to 58 of that Act. Regulations 14(2) to (4) and (8) disapply this requirement in respect of specified types of vehicle or types of use.

Regulation 14(5) specifies 1st February 2001 as the day appointed for all other vehicles to which these Regulations apply which are not of a class for which a day had previously been appointed.

Regulation 15 provides that a licence under the Vehicles Excise and Registration Act 1994 is not to be granted in respect of a vehicle to which regulation 14 applies unless, in the first application made for it after the relevant appointed day, there is produced evidence that a certificate (or certificates) is in force for the vehicle under sections 54 to 58 of the 1988 Act from which it appears that the vehicle complies with the approval requirements.

These Regulations have been notified to the European Commission and the other Member States in accordance with Directive 98/34/EC of the European Parliament and of the Council (OJ No. L204, 21.7.98, p.37), as amended by Directive 98/48/EC of the European Parliament and of the Council (OJ No. L217, 5.8.98, p.18).

Changes to legislation:

There are outstanding changes not yet made by the legislation.gov.uk editorial team to The Motor Vehicles (Approval) Regulations 2001. Any changes that have already been made by the team appear in the content and are referenced with annotations.

View outstanding changes

```
Changes and effects yet to be applied to:
      Sch. 2 para. 1(f) omitted by S.I. 2004/623 reg. 7(2)
      Sch. 2 para. 6 omitted by S.I. 2004/623 reg. 7(5)
      Sch. 2 para. 1 words substituted by S.I. 2009/815 reg. 2(8)
      Sch. 3 Table substituted by S.I. 2004/623 Sch. 1
      Sch. 3 Item 6 words substituted by S.I. 2009/815 reg. 2(9)
      Sch. 4 Table substituted by S.I. 2004/623 Sch. 2
      Sch. 5 certificate substituted by S.I. 2004/623 Sch. 3
      Sch. 6 Pt. 2 words inserted by S.I. 2004/623 reg. 11(1)(a)
      Sch. 6 Pt. 2 words inserted by S.I. 2004/623 reg. 11(1)(b)
      Sch. 6 Pt. 2 words inserted by S.I. 2004/623 reg. 11(1)(c)
      Sch. 6 Pt. 2 words inserted by S.I. 2004/623 reg. 11(2)(a)
      Sch. 6 Pt. 2 words inserted by S.I. 2004/623 reg. 11(2)(b)
      Sch. 6 Pt. 2 words inserted by S.I. 2004/623 reg. 11(2)(c)
      Sch. 6 Pt. 2 words inserted by S.I. 2004/623 reg. 11(2)(d)
      Sch. 6 Pt. 2 words inserted by S.I. 2004/623 reg. 11(2)(e)
      Sch. 6 Pt. 3 words inserted by S.I. 2004/623 reg. 11(3)(a)
      Regulations revoked by S.I. 2020/818 Sch. 6 para. 43
      reg. 3(1) words inserted by S.I. 2004/623 reg. 3(2)
      reg. 3(1) words omitted by S.I. 2009/815 reg. 2(2)(c)
      reg. 3(1) words substituted by S.I. 2009/815 reg. 2(2)(a)
      reg. 3(1) words substituted by S.I. 2009/815 reg. 2(2)(b)
      reg. 3(1) words substituted by S.I. 2009/815 reg. 2(2)(d)
      reg. 3(2) words substituted by S.I. 2009/815 reg. 2(3)
      reg. 4(1) substituted by S.I. 2009/815 reg. 2(4)
      reg. 5(2) substituted by S.I. 2004/623 reg. 4(2)
      reg. 5(7) substituted by S.I. 2009/815 reg. 2(5)
      reg. 5(8) substituted by S.I. 2004/623 reg. 4(3)
      reg. 6(1) word substituted by S.I. 2004/623 reg. 5(2)
      reg. 6(6)(b)(ii) substituted by S.I. 2004/623 reg. 5(3)
      reg. 6(8) omitted by S.I. 2009/815 reg. 2(7)
      reg. 11 Table substituted by S.I. 2004/623 reg. 6
```

Changes and effects yet to be applied to the whole Instrument associated Parts and Chapters:

Whole provisions yet to be inserted into this Instrument (including any effects on those provisions):

```
    Sch. 2 para. 2(1A) inserted by S.I. 2004/623 reg. 7(3)
```

- Sch. 2 para. 2(6) inserted by S.I. 2004/623 reg. 7(4)
- reg. 5(8A) inserted by S.I. 2004/623 reg. 4(4)
- reg. 5(8A) words substituted by S.I. 2009/815 reg. 2(6)