

SCHEDULE 1

Regulation 4(2)

Prohibited plant pests

PART A

Plant pests not known to occur in any part of the United Kingdom

**Insects, mites and nematodes**

- 
1. *Acleris* spp. (non-European)
  2. *Agrilus anxius* Gory
  3. *Agrilus plannipennis* Fairmaire
  4. *Amauromyza maculosa* (Malloch)
  5. *Anomala orientalis* Waterhouse
  6. *Anoplophora chinensis* (Forster)
  7. *Anoplophora glabripennis* (Motschulsky)
  8. *Anthonomus eugenii* Cano
  9. *Arrhenodes minutus* Drury
  10. *Bactericera cockerelli* (Sulc.)
  11. *Bemisia tabaci* Genn., a vector of viruses such as: Bean golden mosaic virus, Cowpea mild mottle virus, Lettuce infectious yellow virus, Pepper mild tigré virus, Squash leaf curl virus, Euphorbia mosaic virus or Florida tomato virus
  12. *Bursaphelenchus xylophilus* (Steiner & Bühner) Nickle et al.
  13. Cicadellidae (non-European) known to be vectors of Pierce's disease (caused by *Xylella fastidiosa*), such as: *Carneocephala fulgida* Nottingham, *Draeculacephala minerva* Ball or *Graphocephala atropunctata* (Signoret)
  14. *Choristoneura* spp. (non-European)
  15. *Conotrachelus nenuphar* (Herbst)
  16. *Dendrolimus sibiricus* Tschetverikov
  17. *Diabrotica barberi* Smith and Lawrence
  18. *Diabrotica undecimpunctata* howardi Barber
  19. *Diabrotica undecimpunctata undecimpunctata* Mannerheim
  20. *Diabrotica virgifera zea* Krysan & Smith
  21. *Diaphorina citri* Kuway
  22. *Dryocosmus kuriphilus* Yasumatsu
  23. *Heliothis zea* (Boddie)
  24. *Hirschmanniella* spp., other than *Hirschmanniella gracilis* (de Man) Luc and Goodey
  25. *Keiferia lycopersicella* (Walsingham)

**Status:** This is the original version (as it was originally made).

26. *Leptinotarsa decemlineata* Say
27. *Liriomyza sativae* Blanchard
28. *Longidorus diadecturus* Eveleigh and Allen
29. *Meloidogyne chitwoodi* Golden et al. (all populations)
30. *Monochamus* spp. (non-European)
31. *Myndus crudus* Van Duzee
32. *Nacobbus aberrans* (Thorne) Thorne and Allen
33. *Naupactus leucoloma* Boheman
34. *Popillia japonica* Newman
35. *Premnotypes* spp. (non-European)
36. *Pseudopityophthorus minutissimus* (Zimmermann)
38. *Rhizoecus hibisci* Kawai and Takagi
39. *Rhynchophorus ferrugineus* (Olivier)
40. *Rhynchophorus palmarum* (L.)
41. *Saperda candida* Fabricius
42. *Scaphoideus luteolus* Van Duzee
43. *Spodoptera eridania* (Cramer)
44. *Spodoptera frugiperda* (J E Smith)
45. *Spodoptera littoralis* (Boisduval)
46. *Spodoptera litura* (Fabricus)
47. *Thrips palmi* Karny
48. Tephritidae (non-European) such as *Anastrepha fraterculus* (Wiedemann), *Anastrepha ludens* (Loew), *Anastrepha obliqua* Macquart, *Anastrepha suspensa* (Loew), *Dacus ciliatus* Loew, *Dacus curcurbitae* Coquillet, *Dacus dorsalis* Hendel, *Dacus tryoni* (Froggatt), *Dacus tsuneonis* Miyake, *Dacus zonatus* Saund., *Epochra canadensis* (Loew), *Pardalaspis cyanescens* Bezzi, *Pardalaspis quinaria* Bezzi, *Pterandrus rosa* (Karsch), *Rhacochlaena japonica* Ito, *Rhagoletis cingulata* (Loew), *Rhagoletis completa* Cresson, *Rhagoletis fausta* (Osten-Sacken), *Rhagoletis indifferens* Curran, *Rhagoletis mendax* Curran, *Rhagoletis pomonella* Walsh, *Rhagoletis ribicola* Doane or *Rhagoletis suavis* (Loew)
49. *Thaumatotibia leucotreta* (Meyrick)
50. *Trioza erytraeae* Del Guercio
51. *Xiphinema americanum* Cobb *sensu lato* (non-European populations)
52. *Xiphinema californicum* Lamberti and Bleve-Zacheo

---

### Bacteria

1. *Candidatus Liberibacter* spp., a causal agent of Huanglongbing disease of citrus/citrus greening

2. *Clavibacter michiganensis* (Smith) Davis et al. spp. *sepedonicus* (Spieckermann and Kotthoff) Davis et al.
  3. *Xylella fastidiosa* (Wells et al.)
  4. *Xanthomonas citri* pv. *aurantifolii*
  5. *Xanthomonas citri* pv. *citri*
- 

### **Fungi**

---

1. *Ceratocystis fagacearum* (Bretz) Hunt
  2. *Chrysomyxa arctostaphyli* Dietel
  3. *Cronartium* spp. (non-European)
  4. *Endocronartium* spp. (non-European)
  5. *Guignardia loricata* (Sawada) Yamamoto and Ito
  6. *Gymnosporangium* spp. (non-European)
  7. *Inonotus weirii* (Murrill) Kotlaba and Pouzar
  8. *Melampsora farlowii* (Arthur) Davis
  9. *Melampsora medusa* Thümen
  10. *Mycosphaerella larici-leptolepis* Ito et al.
  11. *Mycosphaerella populorum* G E Thompson
  12. *Phoma andina* Turkensteen
  13. *Phyllosticta citricarpa* (McAlpine) Van der Aa
  14. *Phyllosticta solitaria* Ellis & Everhart
  15. *Septoria lycopersici* Speg. var. *malagutii* Ciccarone and Boerema
  16. *Thecaphora solani* Barrus
  17. *Tilletia indica* Mitra
  18. *Trechispora brinkmannii* (Bresad.) Rogers
- 

### **Viruses and virus-like organisms**

---

1. Apple proliferation mycoplasma
2. Apricot chlorotic leaf roll mycoplasma
3. *Candidatus Phytoplasma ulmi*
4. Potato viruses or virus-like organisms such as: Andean potato latent virus, Andean potato mottle virus, Arracacha virus B oca strain, Potato black ringspot virus, Potato spindle tuber viroid, Potato virus T or non-European isolates of potato viruses A, M, S, V, X and Y (including Y<sup>o</sup>, Y<sup>n</sup> and Y<sup>c</sup>) or Potato leafroll virus
5. Tobacco ringspot virus
6. Tomato ringspot virus

**Status:** This is the original version (as it was originally made).

7. Viruses or virus-like organisms of *Cydonia* Mill, *Fragaria* L., *Malus* Mill., *Prunus* L., *Pyrus* L., *Ribes* L., *Rubus* L., or *Vitis* L., such as: Blueberry leaf mottle virus, Cherry rasp leaf virus (American), Peach mosaic virus (American), Peach phony rickettsia, Peach rosette mosaic virus, Peach rosette mycoplasma, Peach X-disease mycoplasma, Peach yellows mycoplasma, Plum line pattern virus (American), Raspberry leaf curl virus (American), Strawberry latent “C” virus, Strawberry vein banding virus, Strawberry witches’ broom mycoplasma or non-European viruses or virus-like organisms of *Cydonia* Mill., *Fragaria* L., *Malus* Mill., *Prunus* L., *Pyrus* L., *Ribes* L., *Rubus* L. or *Vitis* L.
8. Viruses transmitted by *Bemisia tabaci* Genn., such as: Bean golden mosaic virus, Cowpea mild mottle virus, Lettuce infectious yellow virus, Pepper mild tigré virus, Squash leaf curl virus, Euphorbia mosaic virus or Florida tomato virus

**Parasitic plants**

1. *Arceuthobium* spp. (non-European)

**PART B**

Plant pests known to occur in the United Kingdom

**Insects, mites and nematodes**

1. *Globodera pallida* Stone Behrens
2. *Globodera rostochiensis* (Wollenweber) Behrens
3. *Meloidogyne fallax* Karssen
4. *Opogona sacchari* (Bojer)

**Bacteria**

1. *Ralstonia solanacearum* (Smith) Yabuuchi et al.

**Fungi**

1. *Synchytrium endobioticum* (Schilbersky) Percival

**Viruses and virus-like organisms**

1. Pear decline mycoplasma

## PART C

Plant pests which must not be introduced into,  
or spread within, a relevant UK pest free area

<i>Item</i>	<i>Plant pest</i>	<i>Description of UK pest free area</i>
1.	Beet necrotic yellow vein virus	Northern Ireland
2.	<i>Liriomyza bryoniae</i> (Kaltenbach)	Northern Ireland
3.	<i>Liriomyza huidobrensis</i> (Blanchard)	Northern Ireland
4.	<i>Liriomyza trifolii</i> (Burgess)	Northern Ireland
5.	<i>Thaumetopoea processionea</i> L.	The United Kingdom, except the local authority areas of Barking and Dagenham, Barnet, Basildon, Basingstoke and Dene, Bexley, Bracknell Forest, Brent, Brentwood, Bromley, Broxbourne, Camden, Castle Point, Chelmsford, Chiltern, City of London, City of Westminster, Crawley, Croydon, Dacorum, Dartford, Ealing, East Hertfordshire, Elmbridge District, Enfield, Epping Forest, Epsom and Ewell District, Gravesham, Greenwich, Guildford, Hackney, Hammersmith & Fulham, Haringey, Harlow, Harrow, Hart, Havering, Hertsmere, Hillingdon, Horsham, Hounslow, Islington, Kensington & Chelsea, Kingston upon Thames, Lambeth, Lewisham, Littleford, Medway, Merton, Mid Sussex, Mole Valley, Newham, North Hertfordshire, Reading, Redbridge, Reigate and Banstead, Richmond Upon Thames, Runnymede District, Rushmoor, Sevenoaks, Slough, South Bedfordshire, South Bucks, South Oxfordshire, Southwark, Spelthorne District, St Albans, Sutton, Surrey Heath, Tandridge, Three Rivers, Thurrock, Tonbridge and Malling, Tower Hamlets, Waltham Forest, Wandsworth, Watford, Waverley, Welwyn, Hatfield, West Berkshire, Windsor and Maidenhead, Woking, Wokingham and Wycombe

**Status:** This is the original version (as it was originally made).

## PART D

Plant pests which are subject to emergency control measures and must not be introduced into, or spread within, the relevant UK territories

- 
1. *Chalara fraxinea* T. Kowalski, including its teleomorph *Hymenoscyphus pseudoalbidus*
  2. *Epitrix cucumeris* (Harris), *Epitrix papa*. Orlova-Bienkowskaja, *Epitrix subcrinita* (Lec.) or *Epitrix tuberis* (Gentner)
  3. *Gibberella circinata* Nirenberg & O'Donnell
  4. *Pomacea* (Perry)
  5. *Phytophthora ramorum* Werres, De Cock & Man in't Veld sp. nov.
  6. *Pseudomonas syringae* pv. *actinidiae* Takikawa, Serizawa, Ichikawa, Tsuyumu & Goto
-