

Commission Decision of 20 November 1997 on the procedure for attesting the conformity of construction products pursuant to Article 20 (2) of Council Directive 89/106/EEC as regards floorings (Text with EEA relevance) (97/808/EC)

COMMISSION DECISION

of 20 November 1997

on the procedure for attesting the conformity of construction products pursuant to Article 20 (2) of Council Directive 89/106/EEC as regards floorings

(Text with EEA relevance)

(97/808/EC)

THE COMMISSION OF THE EUROPEAN COMMUNITIES,

Having regard to the Treaty establishing the European Community,

Having regard to Council Directive 89/106/EEC of 21 December 1988 on the approximation of the laws, regulations and administrative provisions of the Member States relating to construction products⁽¹⁾, as amended by Directive 93/68/EEC⁽²⁾, and in particular Article 13 (4) thereof,

Whereas the Commission is required to select, as between the two procedures under Article 13 (3) of Directive 89/106/EEC for attesting the conformity of a product, the ‘least onerous possible procedure consistent with safety’; whereas this means that it is necessary to decide whether, for a given product or family of products, the existence of a factory production control system under the responsibility of the manufacturer is a necessary and sufficient condition for an attestation of conformity, or whether, for reasons related to compliance with the criteria mentioned in Article 13 (4), the intervention of an approved certification body is required;

Whereas Article 13 (4) requires that the procedure thus determined must be indicated in the mandates and in the technical specifications; whereas, therefore, it is desirable to define the concept of ‘products or family of products’ as used in the mandates and in the technical specifications;

Whereas the two procedures provided for in Article 13 (3) are described in detail in Annex III to Directive 89/106/EEC; whereas it is necessary therefore to specify clearly the methods by which the two procedures must be implemented, by reference to Annex III, for each product or family of products, since Annex III gives preference to certain systems;

Whereas the procedure referred to in point (a) of Article 13 (3) corresponds to the systems set out in the first possibility, without continuous surveillance, and the second and third possibilities of point (ii) of Section 2 of Annex III, and the procedure referred to in point (b) of Article 13 (3) corresponds to the systems set out in point (i) of Section 2 of Annex III, and in the first possibility, with continuous surveillance, of point (ii) of Section 2 of Annex III;

Whereas the measures provided for in this Decision are in accordance with the opinion of the Standing Committee on Construction,

Changes to legislation: There are outstanding changes not yet made to Commission Decision of 20 November 1997 on the procedure for attesting the conformity of construction products pursuant to Article 20 (2) of Council Directive 89/106/EEC as regards floorings (Text with EEA relevance) (97/808/EC). Any changes that have already been made to the legislation appear in the content and are referenced with annotations. (See end of Document for details) [View outstanding changes](#)

HAS ADOPTED THIS DECISION:

Article 1 **U.K.**

The products and families of products set out in Annex I shall have their conformity attested by a procedure whereby the manufacturer has under its sole responsibility a factory production control system ensuring that the product is in conformity with the relevant technical specifications.

Article 2 **U.K.**

The products set out in Annex II shall have their conformity attested by a procedure whereby, in addition to a factory production control system operated by the manufacturer, an approved certification body is involved in assessment and surveillance of the production control or of the product itself.

Article 3 **U.K.**

The procedure for attesting conformity as set out in Annex III shall be indicated in mandates for harmonized standards.

Article 4 **U.K.**

This Decision is addressed to the Member States.

Changes to legislation: There are outstanding changes not yet made to Commission Decision of 20 November 1997 on the procedure for attesting the conformity of construction products pursuant to Article 20 (2) of Council Directive 89/106/EEC as regards floorings (Text with EEA relevance) (97/808/EC). Any changes that have already been made to the legislation appear in the content and are referenced with annotations. (See end of Document for details) View outstanding changes

ANNEX I U.K.

Floorings

Rigid floorings products for external uses and road finishes (paving units including pavers, flags, kerbs, blocks, pavement lights; self finished decking of metal sheet; rigid floor tiles; slate; tiles; mosaics; quarry tiles; terrazzotiles; expanded metal or grid floor decking; floor gratings).

Rigid flooring products for internal uses including enclosed public transport premises in the form of components (paving units, tiles, mosaics, parquet, decking of mesh or sheet, floor gratings, rigid laminated floorings, wood based products) and in the form of load bearing systems put on the market as kits (raised access floors; cavity floors), [F¹other than those specified in Annex II.

Textual Amendments

- F1** Substituted by Commission Decision of 8 January 2001 amending Decisions 95/467/EC, 96/578/EC, 96/580/EC, 97/176/EC, 97/462/EC, 97/556/EC, 97/740/EC, 97/808/EC, 98/213/EC, 98/214/EC, 98/279/EC, 98/436/EC, 98/437/EC, 98/599/EC, 98/600/EC, 98/601/EC, 1999/89/EC, 1999/90/EC, 1999/91/EC, 1999/454/EC, 1999/469/EC, 1999/470/EC, 1999/471/EC, 1999/472/EC, 2000/245/EC, 2000/273/EC and 2000/447/EC on the procedure for attesting the conformity of certain construction products pursuant to Article 20 of Council Directive 89/106/EEC (notified under document number C(2000) 3695) (Text with EEA relevance) (2001/596/EC).

Resilient and textile floorings for internal uses in the form of homogeneous and heterogeneous resilient floor coverings supplied either in tile, sheet or roll form (textile floor covering including tiles; plastic and rubber sheets (aminoplastic thermosetting floorings); linoleum and cork; anti-static sheet; floor loose laid tiles; resilient laminated floorings), other than those specified in Annex II.

Resilient and textile floorings for external uses in the form of homogeneous and heterogeneous resilient floor coverings supplied either in tile, sheet or roll form (textile floor covering including tiles; plastic and rubber sheets (aminoplastic thermosetting floorings); linoleum and cork; anti-static sheet; floor loose laid tiles; resilient laminated floorings).

[F²Floor screed materials for external uses.

Textual Amendments

- F2** Inserted by Commission Decision of 18 June 1999 amending Decisions 96/579/EC and 97/808/EC on the procedure for attesting the conformity of construction products pursuant to Article 20(2) of Council Directive 89/106/EEC as regards circulation fixtures and floorings respectively (notified under document number C(1999) 1484) (Text with EEA relevance) (1999/453/EC).

Floor screed materials for internal uses, other than those specified in Annex II].]

Changes to legislation: There are outstanding changes not yet made to Commission Decision of 20 November 1997 on the procedure for attesting the conformity of construction products pursuant to Article 20 (2) of Council Directive 89/106/EEC as regards floorings (Text with EEA relevance) (97/808/EC). Any changes that have already been made to the legislation appear in the content and are referenced with annotations. (See end of Document for details) View outstanding changes

ANNEX II U.K.

Floorings

Rigid flooring products for internal uses including enclosed public transport premises in the form of components (paving units, tiles, mosaics, parquet, decking of mesh or sheet, floor gratings, rigid laminated floorings, wood based products) and in the form of load bearing systems put on the market as kits (raised access floors; cavity floors) of reaction to fire [^{F1}classes A1_{FL}⁽³⁾, A2_{FL}⁽³⁾, B_{FL}⁽³⁾, C_{FL}⁽³⁾].

Resilient and textile floorings for internal uses in the form of homogeneous and heterogeneous resilient floor coverings supplied either in tile, sheet or roll form (textile floor covering including tiles; plastic and rubber sheets (aminoplastics thermosetting floorings); linoleum and cork; anti-static sheet; floor loose laid tiles; resilient laminated floorings), of reaction to fire classes A1_{FL}⁽³⁾, A2_{FL}⁽³⁾, B_{FL}⁽³⁾, C_{FL}⁽³⁾].

[^{F2}Floor screed materials for internal uses, of reaction to fire classes A1_{FL}⁽³⁾, A2_{FL}⁽³⁾, B_{FL}⁽³⁾, C_{FL}⁽³⁾].]

ANNEX III U.K.

PRODUCT FAMILY FLOORINGS (1/2)

Systems of attestation of conformity

For the products and intended uses listed below, CEN/Cenelec are requested to specify the following systems of attestation of conformity in the relevant harmonized standards:

Products	Intended uses	Levels or classes	Attestation of conformity systems
Rigid floorings products for external uses Paving units (with flat or tactile surface) including pavers; flags; kerbs; blocks; pavement lights; self finished decking of metal sheet; rigid floor tiles; slate; tiles; mosaics; quarry tiles; terrazzotiles; expanded metal or grid floor decking; floor gratings.	For external uses and road finishes, to cover external pedestrian and vehicular circulation areas		4 ^a

^a System 4: See Annex III, Section 2, point (ii) of Directive 89/106/EEC, third possibility.

The specification for the system should be such that it can be implemented even where performance does not need to be determined for a certain characteristic, because at least one Member State has no legal requirement at all for such characteristic [see Article 2 (1) of

Changes to legislation: There are outstanding changes not yet made to Commission Decision of 20 November 1997 on the procedure for attesting the conformity of construction products pursuant to Article 20 (2) of Council Directive 89/106/EEC as regards floorings (Text with EEA relevance) (97/808/EC). Any changes that have already been made to the legislation appear in the content and are referenced with annotations. (See end of Document for details) View outstanding changes

Directive 89/106/EEC and, where applicable, clause 1.2.3 of the Interpretative Documents]. In those cases the verification of such a characteristic must not be imposed on the manufacturer if he does not wish to declare the performance of the product in that respect.

[^{F3}PRODUCTS (2/2) U.K.]

FAMILY

Systems of attestation of conformity

For the products and intended uses listed below, CEN/CENELEC are requested to specify the following systems of attestation of conformity in the relevant harmonised standards:

Products	Intended uses	Levels or classes Reaction to fire	Attestation of conformity systems
Rigid flooring products (A) Components Paving units, tiles mosaics, parquet, decking of mesh or sheet, floor gratings, rigid laminated floorings, wood based products (B) Load bearing systems put on the market as kits Raised access floors, cavity floors	For internal uses including enclosed public transport premises	A1 _{FL} ^a — A2 _{FL} ^a — B _{FL} ^a — C _{FL} ^a	1 ^b
		A1 _{FL} ^c — A2 _{FL} ^c — B _{FL} ^c — C _{FL} ^c — D _{FL} — E _{FL}	3 ^d
		(A1 _{FL} to E _{FL}) ^e , F _{FL}	4 ^f
Resilient and textile floorings Homogenous and heterogeneous resilient floor coverings supplied either in tile, sheet or roll form (textile floor covering including tiles; plastic and rubber	For internal uses	A1 _{FL} ^a — A2 _{FL} ^a — B _{FL} ^a — C _{FL} ^a	1 ^b
		A1 _{FL} ^c — A2 _{FL} ^c — B _{FL} ^c — C _{FL} ^c — D _{FL} — E _{FL}	3 ^d
		(A1 _{FL} to E _{FL}) ^e , F _{FL}	4 ^f

a Products/materials for which a clearly identifiable stage in the production process results in an improvement of the reaction to fire classification (e.g. an addition of fire retardants or a limiting of organic material).

b System 1: See Annex III, Section 2, point (i), of Directive 89/106/EEC without audit-testing of samples.

c Products/materials not covered by footnote 1.

d System 3: See Annex III, Section 2, point (ii), of Directive 89/106/EEC, second possibility.

e Products/materials that do not require to be tested for reaction to fire (e.g. Products/materials of Classes A1 according to Commission Decision 96/603/EC (OJ L 267, 19.10.1996, p. 23)).

f System 4: See Annex III, Section 2, point (ii), of Directive 89/106/EEC, third possibility.

Changes to legislation: There are outstanding changes not yet made to Commission Decision of 20 November 1997 on the procedure for attesting the conformity of construction products pursuant to Article 20 (2) of Council Directive 89/106/EEC as regards floorings (Text with EEA relevance) (97/808/EC). Any changes that have already been made to the legislation appear in the content and are referenced with annotations. (See end of Document for details) View outstanding changes

sheets (aminoplastic thermosetting floorings); linoleum and cork; anti-static sheet; floor loose laid tiles; resilient laminated floorings)			
Resilient and textile floorings Homogenous and heterogeneous resilient floor coverings supplied either in tile, sheet or roll form (textile floor covering including tiles; plastic and rubber sheets (aminoplastic thermosetting floorings); linoleum and cork; anti-static sheet; floor loose laid tiles; resilient laminated floorings)	For external uses	—	4 ^f
Floor screed materials	For internal uses	A1 _{FL} ^a — A2 _{FL} ^a — B _{FL} ^a — C _{FL} ^a	1 ^b
		A1 _{FL} ^c — A2 _{FL} ^c — B _{FL} ^c — C _{FL} ^c — D _{FL} — E _{FL}	3 ^d
		(A1 _{FL} to E _{FL}) ^e , F _{FL}	4 ^f
	For external uses	—	4 ^f

a Products/materials for which a clearly identifiable stage in the production process results in an improvement of the reaction to fire classification (e.g. an addition of fire retardants or a limiting of organic material).

b System 1: See Annex III, Section 2, point (i), of Directive 89/106/EEC without audit-testing of samples.

c Products/materials not covered by footnote 1.

d System 3: See Annex III, Section 2, point (ii), of Directive 89/106/EEC, second possibility.

e Products/materials that do not require to be tested for reaction to fire (e.g. Products/materials of Classes A1 according to Commission Decision 96/603/EC (OJ L 267, 19.10.1996, p. 23)).

f System 4: See Annex III, Section 2, point (ii), of Directive 89/106/EEC, third possibility.

The specification for the system should be such that it can be implemented even where performance does not need to be determined for a certain characteristic, because at least one Member State has no legal requirement at all for such characteristic (see Article 2(1) of Directive 89/106/EEC and, where applicable, clause 1.2.3 of the Interpretative Documents). In those cases the verification of such characteristic must not be imposed on the manufacturer if he does not wish to declare the performance of the product in that respect.]

Changes to legislation: There are outstanding changes not yet made to Commission Decision of 20 November 1997 on the procedure for attesting the conformity of construction products pursuant to Article 20 (2) of Council Directive 89/106/EEC as regards floorings (Text with EEA relevance) (97/808/EC). Any changes that have already been made to the legislation appear in the content and are referenced with annotations. (See end of Document for details) [View outstanding changes](#)

Textual Amendments

- F3** Substituted by [Commission Decision of 1 March 2006 amending Decision 97/808/EC on the procedure for attesting the conformity of construction products pursuant to Article 20\(2\) of Council Directive 89/106/EEC as regards floorings \(notified under document number C\(2006\) 553\) \(Text with EEA relevance\) \(2006/190/EC\)](#).

Changes to legislation: There are outstanding changes not yet made to Commission Decision of 20 November 1997 on the procedure for attesting the conformity of construction products pursuant to Article 20 (2) of Council Directive 89/106/EEC as regards floorings (Text with EEA relevance) (97/808/EC). Any changes that have already been made to the legislation appear in the content and are referenced with annotations. (See end of Document for details) View outstanding changes

- (1) OJ L 40, 11. 2. 1989, p. 12.
- (2) OJ L 220, 30. 8. 1993, p. 1.
- (3) [^{F1}Products/materials for which a clearly identifiable stage in the production process results in an improvement of the reaction to fire classification (e.g. an addition of fire retardants or a limiting of organic material).]

Textual Amendments

- F1** Substituted by Commission Decision of 8 January 2001 amending Decisions 95/467/EC, 96/578/EC, 96/580/EC, 97/176/EC, 97/462/EC, 97/556/EC, 97/740/EC, 97/808/EC, 98/213/EC, 98/214/EC, 98/279/EC, 98/436/EC, 98/437/EC, 98/599/EC, 98/600/EC, 98/601/EC, 1999/89/EC, 1999/90/EC, 1999/91/EC, 1999/454/EC, 1999/469/EC, 1999/470/EC, 1999/471/EC, 1999/472/EC, 2000/245/EC, 2000/273/EC and 2000/447/EC on the procedure for attesting the conformity of certain construction products pursuant to Article 20 of Council Directive 89/106/EEC (notified under document number C(2000) 3695) (Text with EEA relevance) (2001/596/EC).

Changes to legislation:

There are outstanding changes not yet made to Commission Decision of 20 November 1997 on the procedure for attesting the conformity of construction products pursuant to Article 20 (2) of Council Directive 89/106/EEC as regards floorings (Text with EEA relevance) (97/808/EC). Any changes that have already been made to the legislation appear in the content and are referenced with annotations.

[View outstanding changes](#)

Changes and effects yet to be applied to :

- Decision modified by [S.I. 2019/465 Sch. 3 para. 2](#)