

**Changes to legislation:** There are outstanding changes not yet made to Commission decision of 25 January 1999 on the procedure for attesting the conformity of construction products pursuant to Article 20(2) of Council Directive 89/106/EEC as regards precast normal/lightweight/autoclaved aerated concrete products (notified under document number C(1999) 118) (Text with EEA relevance) (1999/94/EC). Any changes that have already been made to the legislation appear in the content and are referenced with annotations. (See end of Document for details) View outstanding changes

## ANNEX I

### Precast normal/lightweight/autoclaved aerated concrete products<sup>(1)</sup>:

- Intended for light structural<sup>(2)</sup> or non-structural use (in particular, boundary fences, junction boxes for telecommunications, small box culverts, non-loadbearing wall elements and cladding elements).

## ANNEX II

### Precast normal/lightweight/autoclaved aerated concrete products:

- Intended for structural use (in particular prestressed hollow core floor elements, posts and masts<sup>(3)</sup>, foundation piles, shuttering slabs, lattice girder elements, beam/block floor units and elements, ribbed floor slabs, linear structural elements (beams and columns), load-bearing wall elements, retaining wall elements, roof elements, silos<sup>(4)</sup>, stairs, bridge deck elements and large box culverts).

## ANNEX III

### PRODUCT FAMILY PRECAST NORMAL/LIGHTWEIGHT/AUTOCLAVED AERATED CONCRETE PRODUCTS (1/1)

#### 1. Systems of attestation of conformity

For the product(s) and intended use(s) listed below, CEN/Cenelec are requested to specify the following system(s) of attestation of conformity in the relevant harmonised standard(s):

Product(s)	Intended use(s)	Level(s) or class(es)	Attestation of conformity system(s)
Precast normal/lightweight/autoclaved aerated concrete products	for structural use	—	2 +
	for non-structural or light structural use <sup>a</sup>	—	4

**a** Light structural use refers to applications that in case of failure are not supposed to cause the collapse of the works or part of them, inadmissible deformations or injury to people (to be defined by Member States).

System 2+: See Directive 89/106/EEC, Annex III(2)(ii), First possibility, including certification of the factory production control by an approved body on the basis of initial inspection of factory and of factory production control as well as of continuous surveillance assessment and approval of factory production control.

System 4: See Directive 89/106/EEC, Annex III(2)(ii), Third possibility.

The specification for the system should be such that it can be implemented even where performance does not need to be determined for a certain characteristic, because at least one Member State has no legal requirement at all for such characteristic (see Article 2(1) of Directive 89/106/EEC and, where applicable, point 1.2.3. of the Interpretative Documents). In those cases the verification of such a characteristic must not be imposed on the manufacturer if he does not wish to declare the performance of the product in that respect.

[<sup>F1</sup>PRODUCT FAMILY

**Changes to legislation:** There are outstanding changes not yet made to Commission decision of 25 January 1999 on the procedure for attesting the conformity of construction products pursuant to Article 20(2) of Council Directive 89/106/EEC as regards precast normal/lightweight/autoclaved aerated concrete products (notified under document number C(1999) 118) (Text with EEA relevance) (1999/94/EC). Any changes that have already been made to the legislation appear in the content and are referenced with annotations. (See end of Document for details) View outstanding changes

## BEAM/BLOCK FLOOR UNITS AND ELEMENTS INCORPORATING ORGANIC MATERIALS

### Systems of attestation of conformity

For the product(s) and intended use(s) listed below, the European Committee for Standardisation (CEN) is requested to specify the following system of attestation of conformity in the relevant harmonised European standards:

Product(s)	Intended use(s)	Level(s) or class(es)(Reaction to fire)	Attestation of conformity system(s)
Beam/block floor units and elements incorporating organic materials	For uses subject to regulations on reaction to fire	(A1, A2, B, C) <sup>a</sup>	1
		(A1, A2, B, C) <sup>b</sup> , D, E	3
		(A1 to E) <sup>c</sup> , F	4

**a** Products or materials for which a clearly identifiable stage in the production process results in an improvement of the reaction to fire classification (for example, the addition of fire retardants or the limitation of organic material).

**b** Products or materials not covered by footnote

**c** Products or materials that are not required to be tested for reaction to fire (for example, products or materials of Class A1 in accordance with Commission Decision 96/603/EC (OJ L 267, 19.10.1996, p. 23)).

System 1: See Annex III(2)(i) to Directive 89/106/EEC, without audit-testing of samples.

System 3: See Annex III(2)(ii) to Directive 89/106/EEC, second possibility.

System 4: See Annex III(2)(ii) to Directive 89/106/EEC, third possibility.

The specification for the system must be such that it may be implemented even where it is not necessary to determine the performance for a certain characteristic, because at least one Member State has no legal requirement for that characteristic (see Article 2(1) of Directive 89/106/EEC and, where applicable, point 1.2.3 of the Interpretative Documents). In those cases, the verification of such a characteristic must not be imposed on the manufacturer if it does not wish to declare the performance of the product in that respect.]

---

**Changes to legislation:** There are outstanding changes not yet made to Commission decision of 25 January 1999 on the procedure for attesting the conformity of construction products pursuant to Article 20(2) of Council Directive 89/106/EEC as regards precast normal/lightweight/autoclaved aerated concrete products (notified under document number C(1999) 118) (Text with EEA relevance) (1999/94/EC). Any changes that have already been made to the legislation appear in the content and are referenced with annotations. (See end of Document for details) [View outstanding changes](#)

---

- (1) Excluding pipes and tanks.
- (2) Light structural use refers to applications that in case of failure are not supposed to cause the collapse of the works or part of them, inadmissible deformations or injury to people (to be defined by Member States).
- (3) Excluding lighting columns on highways.
- (4) Excluding the storage of liquids.

**Changes to legislation:**

There are outstanding changes not yet made to Commission decision of 25 January 1999 on the procedure for attesting the conformity of construction products pursuant to Article 20(2) of Council Directive 89/106/EEC as regards precast normal/lightweight/autoclaved aerated concrete products (notified under document number C(1999) 118) (Text with EEA relevance) (1999/94/EC). Any changes that have already been made to the legislation appear in the content and are referenced with annotations.

[View outstanding changes](#)

**Changes and effects yet to be applied to :**

- Decision modified by [S.I. 2019/465 Sch. 3 para. 2](#)