Commission Implementing Decision (EU) 2018/1614 of 25 October 2018 laying down specifications for the vehicle registers referred to in Article 47 of Directive (EU) 2016/797 of the European Parliament and of the Council and amending and repealing Commission Decision 2007/756/EC (Text with EEA relevance)

2

Changes to legislation: There are outstanding changes not yet made to Commission Implementing Decision (EU) 2018/1614. Any changes that have already been made to the legislation appear in the content and are referenced with annotations. (See end of Document for details) View outstanding changes

### ANNEX II

### 1. CONTENT AND DATA FORMAT

The content and data format of the European Vehicle Register ('EVR') shall be as set out in the following table.

### TABLE 1

Parameter number	Parameter name	Description	Format	Compulsory/ Optional
1	Vehicle Identification			
1.1	European Vehicle Number	European Vehicle Number. Numeric identification code as defined in Appendix 6.	See Appendix 6 <sup>b</sup>	Compulsory
1.2	Previous vehicle number	Previous number (if applicable, for renumbered vehicle)		Compulsory (when applicable)
2	Member State of Registration			
2.1	Member State of registration	Member State where the vehicle has been registered	2-letter code <sup>a</sup>	Compulsory
3	Member States where the vehicle is authorised			
3.1	Resulting area of use	Field automatically filled in by the system based on the values of parameter 11.4.	Text	Field automatically filled in by the system based on the values of parameter 11.4.
4	Additional conditions			
4.1	Additional conditions applicable to the vehicle	Identification of applicable bilateral or multilateral agreements such as RIV, RIC,	Text	Compulsory (when applicable)

## Parameters of the EVR

		TEN, TEN-CW, TEN-GE,		
5	Manufacturing			
5.1	Manufacturing year	Year in which the vehicle left the factory	ҮҮҮҮ	Compulsory
5.2	Manufacturing serial number	Manufacturing serial number as marked on the vehicle frame.	Text	Optional
5.3	ERATV Reference	Identification in ERATV of the authorised <sup>e</sup> vehicle type (or version or variant) the vehicle is in conformity to.	Alphanumeric code(s)	Compulsory (when available)
5.4	Series	Identification of the series the vehicle is part of.	Text	Compulsory (when applicable)
6	References to 'EC' Declarations of verification <sup>d</sup>			
6.1	Date of 'EC' declaration	Date of 'EC' declaration of verification	Date (YYYYMMDD)	Compulsory (when available)
6.2	'EC' declaration reference	Reference to the 'EC' declaration of verification	For existing vehicles: text. For new vehicles: alphanumeric code based on EIN, see Appendix 2	Compulsory (when available)
6.3	'EC' Declaration of verification issuing body (the applicant)			
6.3.1	Organisation name		Text	Compulsory (when available)
6.3.2	Registered business number		Text	Compulsory (when available)
6.3.3	Address	Address of organisation,	Text	Compulsory (when available)

		street and number		
6.3.4	Town		Text	Compulsory (when available)
6.3.5	Country code		2-letter code <sup>a</sup>	Compulsory (when available)
6.3.6	Post code		Alphanumeric code	Compulsory (when available)
6.3.7	Email address		Email	Compulsory (when available)
6.3.8	Organisation Code		Alphanumeric code	Compulsory (when available)
7	Owner	Identification of the owner of the vehicle		
7.1	Organisation Name		Text	Compulsory
7.2	Registered business number		Text	Compulsory
7.3	Address		Text	Compulsory
7.4	Town		Text	Compulsory
7.5	Country code		2-letter code <sup>a</sup>	Compulsory
7.6	Post code		Alphanumeric code	Compulsory
7.7	Email address		Email	Compulsory
7.8	Organisation Code		Alphanumeric code	Compulsory
8	Keeper	Identification of the keeper of the vehicle		
8.1	Organisation name		Text	Compulsory
8.2	Registered business number		Text	Compulsory
8.3	Address		Text	Compulsory
8.4	Town		Text	Compulsory
8.5	Country code		2-letter code <sup>a</sup>	Compulsory
8.6	Post code		Alphanumeric code	Compulsory
8.7	Email address		Email	Compulsory

8.8	Organisation Code		Alphanumeric code	Compulsory
8.9	Vehicle Keeper Marking		Alphanumeric code	Compulsory
9	Entity in charge of maintenance	Reference to the entity in charge of maintenance		
9.1	Organisation name		Text	Compulsory
9.2	Registered business number		Text	Compulsory
9.3	Address		Text	Compulsory
9.4	Town		Text	Compulsory
9.5	Country code		2-letter code <sup>a</sup>	Compulsory
9.6	Post code		Alphanumeric code	Compulsory
9.7	Email address		Email	Compulsory
9.8	Organisation Code		Alphanumeric code	Compulsory
10	Registration status			
10.1	Registration status (see Appendix 3)		2-digit code	Compulsory
10.2	Registration status date	Date of the status of the registration	Date (YYYYMMDD)	Compulsory
10.3	Registration status reason		Text	Compulsory (when applicable)
11	Authorisations <sup>e</sup> for placing on the market <sup>f</sup>			
11.1	Name of authorising entity	Entity (National Safety Authority or the Agency) that authorised the placing on the market	Text	Compulsory
11.2	Member State of authorising entity	Member State of authorising entity	2-letter code <sup>a</sup>	Compulsory

11.3	European identification number (EIN)	Harmonised authorisation number for placing in service, generated by authorising entity	Authorisation number. For new vehicles: alphanumeric code based on EIN, see Appendix 2.	Compulsory
11.4	Area of use	As stated in the issued vehicle authorisation.	Text	Compulsory
11.5	Date of authorisation		Date (YYYYMMDD)	Compulsory
11.6	Authorisation valid until (if specified)		Date (YYYYMMDD)	Compulsory (when applicable)
11.7	Date of suspension of authorisation		Date (YYYYMMDD)	Compulsory (when applicable)
11.8	Date of revocation of authorisation		Date (YYYYMMDD)	Compulsory (when applicable)
11.9	Conditions for use of the vehicle and other restrictions on how the vehicle may be used			
11.9.1	Coded conditions for use and restrictions	Conditions for use and restrictions on how the vehicle may be used	List of codes (see Appendix 1).	Compulsory (when applicable)
11.9.2	Non-coded conditions for use and restrictions	Conditions for use and restrictions on how the vehicle may be used	Text	Compulsory (when applicable)
12	Additional fields <sup>g</sup>			
<b>a</b> The codes are thos the multinational s	fields <sup>g</sup> e officially published and	unnel Intergovernmental (	bsite in the <i>Interinstitution</i> . Commission, the country co	

b Rolling stock placed in service for the first time in Estonia, Latvia or Lithuania and intended to be used outside the Union as part of common 1 520 mm rail system wagons fleet shall be registered in both the EVR and the Information Database of the Council of Railway Transport of the Commonwealth of Independent States. In this case, the 8-digit numbering system may be applied instead of the numbering system specified in Appendix 6.

- c For vehicle types authorised in accordance with Article 26 of Directive 2008/57/EC of the European Parliament and of the Council (OJ L 191, 18.7.2008, p. 1) and Article 24 of Directive (EU) 2016/797.
- **d** It must be possible to specify the references to the EC Declaration of verification of the rolling stock subsystem and the CCS subsystem.

e It must be possible to specify the data for all authorisations granted to the vehicle.

**f** Authorisation for placing on the market delivered in accordance with Chapter V of Directive (EU) 2016/797 or authorisation for placing in service delivered in accordance with Chapter V of Directive 2008/57/EC or in accordance with the authorisation regimes existing before transposition of Directive 2008/57/EC.

**g** When appropriate, additional fields as referred to in point 3.2.1.14.

### 2. ARCHITECTURE

### 2.1. **The EVR architecture**

### 2.1.1. Data search and consultation function (DSC function)

The DSC function shall be implemented by the Agency via a centralised web-based tool and an interface for machine to machine communication. The function shall enable the searching and consultation of data in the EVR after authentication.

The DSC function shall provide the registration entities with the means to extract the values of parameters in table 1 of their recorded vehicle registrations.

### 2.1.2. User creation and administration function (UCA function)

The UCA function shall be implemented via a centralised web-based tool setup by the Agency. The function shall enable persons and organisations to request access to EVR data and the competent registration entity ('RE') to create users and manage access rights.

### 2.1.3. *Reference data administration function (RDA function)*

The RDA function shall be implemented via a centralised web-based tool setup by the Agency. The function shall enable REs and the Agency to manage the common reference data.

### 2.1.4. Application, registration and data storage functions (ARS functions)

The ARS function shall enable keepers, after authentication, to submit applications for registration or update of an existing registration to the selected RE, via a web-based tool presenting the harmonised e-form (see Appendix 4). This function shall also allow the RE to register the registration data. The set of registrations for a given Member State shall be referred to as the vehicle register of such Member State.

Member States may decide to use the centralised ARS function (C-ARS) provided by the Agency or may implement the ARS function autonomously in a de-centralised manner. In the latter case, the Member State and the Agency shall ensure the compatibility and communication between the de-centralised ARS functions (D-ARS) and the centralised functions (DSC, UCA and RDA).

The centralised ARS function shall provide pre-reservation and management of vehicle numbers. The pre-reservation process shall allow for pre-filling of information required in the e-form by the applicant or the keeper.

### 2.2. Usability

The EVR functions shall be accessible to users with the most commonly used web browsers and in all Union official languages.

### 2.3. Availability

As a general rule, the EVR shall be permanently available, with a target system availability of 98 %.

However, in the case of a failure occurring out of business hours — Monday to Friday from 07:00 to 20:00 Central European Time — the restoration of the service shall be handled the next working day after the failure. The unavailability of the system shall be minimal during the maintenance.

### 2.4. Service level

Support shall be provided during business hours by a Help Desk to users on matters related to the use of the system and to the REs on the functioning of the system.

The Agency shall provide a test environment for the EVR.

### 2.5. **Change control**

The Agency shall establish a change control management process for the EVR.

### 2.6. **Data integrity**

The EVR shall ensure appropriate data integrity.

### 2.7. **Pre-check**

The EVR system shall provide automatic checks of data entered in the e-form, including checks against EVR vehicle registrations, completeness check and check of the format of data entered.

### 2.8. Facilitation of the use in the Union of vehicles registered in third countries

The Agency may implement the DSC function to allow for relevant entities in third countries to get access to appropriate data of the EVR when an international agreement to which the European Union is party provides for that.

The Agency may allow for the use of EVR functions by entities in third countries when an international agreement to which the European Union is party provides for that.

### 3. OPERATING MODE

### 3.1. Use of the EVR

The EVR may be used for purposes such as:

- checking if a vehicle is duly registered and the status of the registration;
- retrieving information on the authorisations for placing on the market, including the authorising entity, the area of use, the conditions for use and other restrictions;
- retrieving the reference to the authorised vehicle type to which the vehicle conforms to;
- identifying the keeper, the owner or the entity in charge of maintenance.

### 3.2. **Registration of vehicles**

### 3.2.1. *General rules*

1. A vehicle, after the authorisation for placing on the market and before being operated, shall be registered in the EVR at the request of the keeper. The keeper shall fill in the e-form and submit the application for registration to one Member State of its choice within the area of use. At the request of the applicant or keeper, the Member State

chosen for registering the vehicle shall offer procedures for the pre-reservation of a vehicle number or a range of vehicle numbers.

- 2. For a given vehicle, only one valid registration may exist in the EVR. A vehicle without a valid registration may not be operated.
- Upon registration, the vehicle is assigned a European vehicle number (EVN) by the RE in the registering Member State. The EVN shall comply with the rules set in Appendix
  In case the applicant or keeper upon their request received a pre-reserved vehicle number, that vehicle number shall be used for the first registration.
- 4. The EVN may be changed in the cases specified in points 3.2.2.8 and 3.2.2.9.
- 5. In case of vehicles entering the Union rail system from third countries and registered in a vehicle register not in conformity with this Annex or not connected to the EVR, the keeper shall submit the application for registration to the first Member State where the vehicle is intended to be operated on the Union rail system.
- 6. Rolling stock placed in service for the first time in a third country and intended to be used inside the Union as part of the common 1 520 mm rail system wagons fleet shall not be registered in the EVR. However, in accordance with Article 47(7) of Directive (EU) 2016/797, it shall be possible to retrieve information on the keeper of the vehicle concerned, the entity in charge of its maintenance and the restrictions on how the vehicle may be used.
- 7. When an international agreement to which the European Union is party provides for that, in case of vehicles entering the Union rail system from third countries and registered in a vehicle register connected to the EVR (via the DSC function), in conformity with this Annex, they shall be registered only in that vehicle register.
- 8. For each vehicle, the EVR shall contain the references of all authorisations granted to the vehicle and of non-Member States in which the vehicle is admitted to international traffic in accordance with Appendix G to the Convention concerning international carriage by rail, and the corresponding conditions for use and other restrictions.
- 9. The RE shall take reasonable steps to ensure the accuracy of the data registered in the EVR. To this end the RE may request information from other REs, in particular when the keeper applying for registration is established in another Member State. The RE may decide to suspend a vehicle registration in duly justified cases.
- If either the NSA or the Agency consider there is a justified case for suspension of registration of a vehicle in accordance with Article 54 of Commission Implementing Regulation (EU) 2018/545<sup>(1)</sup>, they shall request the registration entity to suspend it. The registration entity shall suspend the registration without delay upon such a request.
- 11. The keeper shall submit the applications for registration via the electronic web- based form to the competent RE. The web-based form and dashboard shall be made available as part of the ARS function and shall be accessible after authentication.
- 12. Applications for registration may concern a single vehicle or a list of vehicles.
- 13. In some registration cases, Member States may require supporting documents to be electronically attached to the application for registration; to that end the RE shall publish the list of supporting documents required in each registration case.

- 14. Besides the data referred to in Table 1, Member States may require additional fields to be provided in the registration application; to that end the RE shall publish the list of such fields.
- 15. The EVR shall provide the keeper and the RE with the possibility to review in the system the applications for registration and their related attachments and provide the recording of registrations and registration changes with the information related to these changes.
- 16. The RE shall register the data in the EVR within 20 working days of the receipt of a complete application. The RE shall, within that deadline, either register the vehicle or request correction or clarification.
- 17. The keeper shall be able to review the progress of its applications via a web-based dashboard.
- 18. The EVR shall notify the keeper and RE of any change of status of the application for registration.

### 3.2.2. *Registration cases*

The registration cases are specified below. If applicable, different registration cases may be merged in a single vehicle registration application.

### 3.2.2.1. New registration

All mandatory fields listed in Table 1 shall be filled, together with any additional field required by the Member State in accordance with point 3.2.1.14.

Applications shall be submitted by the keeper to the RE of a Member State in the area of use of the vehicle where registration is sought.

For vehicles entering the Union rail system from third countries in accordance with point 3.2.1.5, applications shall be submitted to the RE of the first Member State where the vehicle is intended to be operated. In that case the application shall contain at least the information on the identification of the keeper, the entity in charge of maintenance and the restrictions on how the vehicle may be used.

### 3.2.2.2. Update of an existing registration

Applications shall be submitted by the keeper to the RE of the Member State where the vehicle is registered. Only the parameters in Table 1 to be updated shall be filled.

### 3.2.2.3. Change of keeper

Should a keeper of a vehicle change, it is the responsibility of the currently registered keeper to inform the RE in due time, so that the latter may update the EVR. The former keeper shall be removed from the EVR registration and relieved of its responsibilities only when the new keeper has acknowledged its acceptance of keeper status. If on the date of de-registration of the currently registered keeper no new keeper has accepted the keeper status, the registration of the vehicle shall be suspended.

### 3.2.2.4. Change of entity in charge of maintenance ('ECM')

When there is a change of ECM of a vehicle, the keeper shall inform the RE in due time, so that the latter may update the EVR. The former ECM shall deliver the maintenance documentation to either the keeper or the new ECM. The former ECM is relieved of its responsibilities when it

is removed from the EVR registration. If on the date of de-registration of the former ECM any new entity has not acknowledged its acceptance of ECM status, the registration of the vehicle is suspended.

### 3.2.2.5. Change of owner

When there is a change of owner, the keeper shall inform the RE in due time, so that the latter may update the EVR.

### 3.2.2.6. Suspension or reactivation of a registration

The new status<sup>(2)</sup> and the status reason shall be filled. The status date shall be automatically filled by the EVR.

A vehicle that has its registration suspended may not be operated on the Union rail system.

A reactivation of a registration after suspension will require the reexamination by the RE of the conditions which caused the suspension and, if applicable, in coordination with the NSA that requested the suspension.

### 3.2.2.7. Withdrawal of a registration

The new status<sup>(2)</sup> and the status reason shall be filled. The status date is automatically filled by the system.

A vehicle that has its registration withdrawn may not be operated on the Union rail system under such registration.

### 3.2.2.8. Change of EVN following technical modifications

The EVN shall be changed when it does not reflect the interoperability capability or technical characteristics in accordance with Appendix 6 due to technical modifications of the vehicle. Such technical modifications may require a new authorisation for placing on the market and, where appropriate, a new vehicle type authorisation, in accordance with Articles 21 and 24 of Directive (EU) 2016/797. The keeper shall inform the RE of the Member State where the vehicle is registered of those changes and, if applicable, of the new authorisation for placing on the market. That RE shall assign to the vehicle a new EVN.

The change of EVN consists of a new registration of the vehicle and subsequent withdrawal of the old registration.

### 3.2.2.9. Change of EVN and of registering Member State

The EVN may be changed at the request of the keeper through a new registration of the vehicle by a different Member State in the area of use and subsequent withdrawal of the old registration.

### 3.2.3. Automatic notification of changes

Following a change to one or more registration items, the EVR IT system shall send to the keeper and to the concerned NSAs for the area of use of the vehicle an automatic email notification informing about the change, when they have subscribed to such notifications.

Following a change of keeper or owner or ECM, the EVR IT system shall send an automatic email notification to, respectively, the previous keeper and the new keeper or the previous owner and the new owner or the previous ECM and new ECM.

A keeper or owner or ECM or EC declaration issuing body may opt-in the reception of automatic email notifications informing about changes to registrations they are identified within.

### 3.2.4. *Historical records*

All data in the EVR shall be retained for 10 years from the date of withdrawal of a vehicle registration. As a minimum, data shall be available on-line for the first three years. After three years, data may be archived. If at any time during the 10-year period an investigation involving a vehicle or vehicles is started, data relating to those vehicles shall be retained beyond the 10-year period if so required by investigating bodies referred to in Article 22 of Directive (EU) 2016/798 of the European Parliament and of the Council<sup>(3)</sup> or national jurisdictions.

After withdrawal of a vehicle registration, any of the registration numbers assigned to the vehicle shall not be assigned to any other vehicle for 100 years from the date the vehicle registration is withdrawn.

Any changes to the data in the EVR shall be recorded.

### 3.3. Management of users

3.3.1. *Request of user* 

Any person or organisation shall be able to request access to EVR via a web-based form (part of the centralised UCA function) from the competent RE where the person or organisation is located.

The RE shall assess the request and, if appropriate, create a user account for the requestor and assign the appropriate access rights in accordance with points 3.3.2 and 3.3.3.

### 3.3.2. Access rights

The access rights to data of EVR are listed in the table below:

Entity	Read rights	Update rights
RE of Member State 'XX'	All data	All data in vehicle register of MS 'XX'
NSA	All data	None
Agency	All data	None
Keeper	All data on vehicles of which it is keeper	None
ECM	All data, except owner's references, of vehicles for which it is ECM	None
Owner	All data on vehicles of which it is owner	None
Railway undertaking	All data, except owner's references, based on one or more vehicle numbers	None
a Directive 2012/34/EU of the Euro European railway area (OJ L 343,	pean Parliament and of the Council of 21 Nov 14.12.2012, p. 32).	vember 2012 establishing a single
	with the NCA a define the presedure for reco	

### TABLE 2

**b** The Agency shall, in cooperation with the NSAs, define the procedure for recognising legitimate users.

Infrastructure manager	All data, except owner's references, based on one or more vehicle numbers	None
Investigating body referred to in Article 22 of Directive (EU) 2016/798 and regulatory body referred to in Article 55 of Directive 2012/34/EU of the European Parliament and of the Council <sup>a</sup>	All data on vehicles being checked or audited	None
EC declaration of verification issuing body (the applicant)	All data on vehicles of which it is EC declaration of verification issuing body (the applicant), except owner's references	None
Other legitimate user recognised by NSA or the Agency <sup>b</sup>	To be defined as appropriate, duration possibly limited, except owner's references	None
a Directive 2012/34/EU of the Europe European railway area (OJ L 343, 14	an Parliament and of the Council of 21 Nov 4.12.2012, p. 32).	vember 2012 establishing a single

European failway area (05 E 545, 14.12.2012, p. 52).

**b** The Agency shall, in cooperation with the NSAs, define the procedure for recognising legitimate users.

The access rights to data of EVR may be extended to relevant third country entities or intergovernmental organisation when an international agreement to which the European Union is party provides for that.

### 3.3.3. Other rights

Keepers shall be able to submit applications for registration.

Any organisation shall be able to submit changes to its own data kept in the reference data (see Section 3.4)

### 3.3.4. Security

Authentication of users shall be by means of username and password. In the case of keepers (applicants for vehicle registration) and REs, authentication shall provide the assurance level 'substantial' referred to in point 2.2.1 of the Annex to Commission Implementing Regulation (EU) 2015/1502<sup>(4)</sup>.

### 3.3.5. *Data protection*

Data in the EVR shall be managed according to Regulation (EU) 2016/679 of the European Parliament and of the Council<sup>(5)</sup> and applicable national legislation on data protection.

### 3.4. **Reference data**

In order to guarantee the harmonisation of data input in the registration process, the EVR shall make use of reference data. EVR reference data for parameters in Table 1 shall be available to keepers in the harmonised e-form via the ARS function.

### 3.4.1. Update of reference data

The Agency shall keep reference data updated and available in a central tool (part of the RDA function) in collaboration with the REs.

Any organisation recorded in the reference data shall be able to submit changes to its data via a web-based interface.

Following an application for registration, the RE shall ensure that the organisation data is recorded in the reference data with allocation of an organisation code by the Agency or, if already recorded, that the reference data is updated with the new data submitted by the keeper.

### 3.4.2. *Organisation codes*

### 3.4.2.1. Definition of organisation code

An organisation code is a unique identifier, consisting of four alphanumeric characters that shall be assigned by the Agency to one organisation.

### 3.4.2.2. *Format of organisation codes*

For each of the four alphanumeric characters, any of the 26 letters of ISO 8859-1 alphabet or any number from 0 to 9 may be used. Letters are written in capitals.

### 3.4.2.3. Allocation of organisation codes

Any organisation accessing EVR or identified therein shall be assigned an organisation code.

The Agency shall publish and keep up-to-date the procedure for the creation and allocation of organisation codes.

A range to be allocated only to companies under scope of TAP and TAF TSI shall be specified in the EVR Guidelines.

### 3.4.2.4. Publication of the list of organisation codes

The Agency shall make the list of organisation codes publicly available on its website.

### 4. EXISTING VEHICLES

### 4.1. Vehicle number

- 1. Vehicles already possessing a 12-digit number shall keep their current number. The 12-digit number shall be registered as such without any modification.
- 2. For vehicles without a 12-digit number<sup>(6)</sup>, a 12-digit number (in accordance with Appendix 6) shall be allocated in the EVR. The EVR IT system shall link this EVN to the current vehicle number. For vehicles used in international traffic, except those reserved for historical use, the 12-digit number is physically applied to the vehicle itself within a period of six years after allocation in the EVR. For vehicles used in domestic traffic and for those reserved for historical use, the physical application of the 12-digit number is voluntary.

### 4.2. Procedure for the migration from national vehicle registers (NVRs) to the EVR

The entity previously responsible for vehicle registration shall make all information available to the RE of the country where it is located.

Existing vehicles shall be registered only by one of the following Member States:

 the Member State where they were first authorised for placing in service in accordance with Articles 21 to 26 of Directive 2008/57/EC;

- the Member State where they were registered after they have been authorised in accordance with Articles 21 and 25 of Directive (EU) 2016/797;
- in the case of registrations transferred to the NVR of another Member State, by such Member State.

### 4.3. **Existing systems**

The standard NVR, translation engine and Virtual Vehicle Register systems referred to in Decision 2007/756/EC shall be discontinued.

### 5. GUIDELINES

To facilitate the implementation and usage of this Annex, the Agency shall publish and keep up-to-date guidelines.

Member States shall set up, publish and keep up to date guidelines, in particular describing their language policy including communication provisions.

### APPENDIX 1

### **RESTRICTION CODING**

### 1. PRINCIPLES

The restrictions referred to in the authorisation for placing on the market shall be assigned a harmonised code or a national code.

### 2. STRUCTURE

Each code is a combination of:

- category of restriction,
- type of restriction,
- value or specification,

which are joined by a dot (.):

[Category].[Type].[Value or specification].

- 3. **RESTRICTION CODES**
- 1. Harmonised restriction codes shall be applicable in all the Member States.

The Agency shall keep up-to-date and publish on its web site the list of harmonised restriction codes for the whole of the Union rail system.

If a NSA considers that a new code needs to be added to the list of harmonised restriction codes, it shall request the Agency to evaluate the inclusion of that new code.

The Agency shall evaluate the request, in consultation with other NSAs, where appropriate. Where appropriate, the Agency shall include a new restriction code in the list.

2. The Agency shall keep up-to-date the list of national restriction codes. The use of national restriction codes shall be limited to those restrictions that reflect particular characteristics of the existing rail system of a Member State and are unlikely to be applied with the same meaning in other Member States.

For types of restrictions not indicated in the list referred to in point 1, the NSA shall request the Agency the inclusion of a new code in the list of national restriction codes. The Agency shall evaluate the request, where appropriate in consultation with other NSAs. If appropriate, the Agency shall include a new restriction code in the list.

- 3. The restriction code for multinational safety authorities shall be treated as national restriction code.
- 4. The use of non-coded restrictions shall be limited to those restrictions that due to their particular character are unlikely to be applied to several types of vehicle.

The Agency shall keep a unique list of restriction codes for the EVR, the European Register of Authorised Types of Vehicles referred to in Article 48 of Directive (EU) 2016/797, the one-stop shop and the European Railway Agency Database of Interoperability and Safety.

5. Where relevant, the Agency may coordinate the process of harmonisation of restriction codes with relevant intergovernmental organisation when an international agreement to which the European Union is party provides for that.

### APPENDIX 2

### STRUCTURE AND CONTENT OF THE EUROPEAN IDENTIFICATION NUMBER

The Agency shall set out the structure and content of the European identification number (EIN), including the codification of the types of documents concerned, in a technical document and shall publish this technical document on its web site.

### **APPENDIX 3**

### Code Registration **Registration status** Description status<sup>a</sup> reason 00 Valid Not applicable The vehicle has a valid registration. 10 The vehicle's Suspended Not applicable registration is suspended at the request of the keeper or by a decision of the NSA of the registering Member State or RE. Code not to be used anymore. 11 Suspended Not applicable The vehicle registration is suspended at the request of the keeper. The vehicle is destined for storage in working order as an inactive or strategic reserve. 12 Suspended To be specified by the The vehicle Keeper and recorded registration is in parameter 10.3. suspended at the request of the keeper. Other reason. 13 Suspended To be specified The vehicle by the NSA of the registration is registering Member suspended at the request of the NSA State and recorded in parameter 10.3. of the registering Member State. 14 To be specified by the The vehicle Suspended RE and recorded in registration is parameter 10.3 suspended by decision of the RE. 20 Withdrawn Not applicable The vehicle registration is withdrawn at the request of the keeper. This table sets out registration status of completed registration only. a

### **REGISTRATION STATUS CODING**

			The vehicle is known to be re-registered under a different number, for continued use on (all or part of the) Union rail system. Code not to be used anymore.
21	Withdrawn	Not applicable	The vehicle registration is withdrawn at the request of the keeper. The vehicle is known to be re-registered under a different EVN due to technical modifications of the vehicle. See point 3.2.2.8.
22	Withdrawn	Not applicable	The vehicle registration is withdrawn at the request of the keeper. The vehicle is known to be re-registered under a different EVN and by a different Member State in the area of use. See point 3.2.2.9.
30	Withdrawn	To be specified by the keeper and recorded in parameter 10.3.	The vehicle registration is withdrawn at the request of the keeper. The vehicle's registration for operating on the Union rail system has ended without known re-registration.
31 a This table sets	Withdrawn out registration status of completed	Not applicable	The vehicle registration is withdrawn at the request of the keeper. The vehicle is destined for continued use as a

			rail vehicle outside the Union rail system.
32	Withdrawn	Not applicable	The vehicle registration is withdrawn at the request of the keeper. The vehicle is destined for the recovery of major interoperable constituents/modules/ spares or major rebuilding.
33	Withdrawn	Not applicable	The vehicle registration is withdrawn at the request of the keeper. The vehicle has been scrapped and disposed for materials (including major spares) for recycling.
34	Withdrawn	Not applicable	The vehicle registration is withdrawn at the request of the keeper. The vehicle is destined to be 'historic preserved rolling stock' for operation on a segregated network, or for static display, outside the Union rail system.

## Use of codes

The codes and the reason shall be based solely on information provided to the RE by the entity requesting the change of registration status.

### **APPENDIX 4**

### STANDARD E-FORM FOR REGISTRATION



### STANDARD E-FORM FOR REGISTRATION OF AUTHORISED VEHICLE

REGISTRATION CASE TYPE	REGISTRATION CASE (1)
New registration	New registration
Update	Update of registration
	Change of Keeper
	Change of ECM
	Change of Owner
	Update of organisation data
Change of registration status	Suspension
	Reactivation
	Withdrawal
Change of EVN	Change of EVN following technical modifications
	Change of EVN and registering MS ( <sup>2</sup> )

### INFORMATION ABOUT THE VEHICLE

#### 1. Vehicle identification

- 🛛 1.1 EVN (<sup>3</sup>):
- 1.2 Previous vehicle number:
- 2. Member State of Registration
- 2.1 Member State of registration (4): \_ \_

#### 3. Member States where the vehicle is authorised

3.1 Resulting area of use:

<sup>(1)</sup> 

Except for the case New registration, the box before each modified parameter shall also be ticked. In such case, the form addressed to the new RE shall also have the box New registration ticked and the form addressed to the Ô In case of *New registration*, the field may be left empty or filled with a pre-reserved vehicle number.

<sup>(3)</sup> 

<sup>(4)</sup> In case of New registration, Member State where registration is sought.

C	Decision (EU) 201	8/1614. Any chang	nutstanding changes not yet made to Commission Implementing ges that have already been made to the legislation appear in the tions. (See end of Document for details) View outstanding changes			
			nons. (see one of Document for adams) new outstanding enunges			
4.	Additional condi	tions applicable	to the vehicle			
4.1	Additional Condition					
	TEN-CW					
5.	Manufacturing					
□ 5.1 —	Manufacturing yea					
□ 5.2 —	Manufacturing ser	rial number:				
□ 5.3 —	ERATV reference	:				
5.4	Series:					
6.	References to EC	C declarations of	f verification			
a.	Rolling stock subs	system				
6.1	Date of EC declar	ration:				
6.2	EC declaration ref	ference:				
EC decla	aration of verificatio	n issuing body (th	he applicant)			
6.3.1	Organisation Nam	ne:				
6.3.2	Registered busine	ess number:				
6.3.3	Address:					
6.3.4	Town:					
6.3.5	Country code:					
6.3.6	Post code:					
6.3.7	Email address:					
6.3.8	Organisation Code:					
b.	On-board CCS su	uhsvstem				
D. □6.1	Date of EC declar					
□ 6.2						
	aration of verification					
		• • • •				
	Registered business number:					
	Town:					
	Country code:					
	Post code:					
	Organisation Code					
		TIES RESPONSIBL	LE FOR THE VEHICLE			
7.	Owner					

7.1	Organisation name:
7.2	Registered business number:

\_

□7.3	Address:
□7.4	Town:
7.5	Country code:
□7.6	Post code:
□7.7	Email address:
□7.8	Organisation Code:
Change	of Owner
Date of c	change of Owner (YYYYMMDD):
8.	Keeper
8.1	Organisation Name:
8.2	Registered business number:
8.3	Address:
8.4	Town:
8.5	Country code:
8.6	Post code:
8.7	Email address:
8.8	Organisation Code:
8.9	VKM:
Change	of Keeper
Date of o	change of Keeper (YYYYMMDD):
Accepta	nce by new Keeper:
Date (Y)	YYMMDD):
Title, nar	ne and signature of authorised representative:

### OPERATIONAL INFORMATION

9.	Entity in charge of maintenance
9.1	Organisation name:
9.2	Registered business number
9.3	Street and number:
9.4	Town:
9.5	Country code:
9.6	Post code:
9.7	Email address:
9.8	Organisation Code:
Change	of ECM
Date of c	hange of ECM (YYYYMMDD):
Acceptar	nce by new ECM:
Date (YY	YYMMDD):
Title, nar	ne and signature of authorised representative:

	<b>Changes to legislation:</b> There are outstanding changes not yet made to Commission Implementing
С	Decision (EU) 2018/1614. Any changes that have already been made to the legislation appear in the ontent and are referenced with annotations. (See end of Document for details) View outstanding changes
10.	Registration status
10.1	Registration status ( <sup>5</sup> ):
10.2	Registration status date (YYYYMMDD):
10.3	Registration status reason:
	N ON THE AUTHORISATION
11.	Authorisation for placing on the market
□ 11.1	Name of authorising entity:
□ 11.2	Member State of authorising entity:
□ 11.2 □ 11.3	
□ 11.4	Authorised area of use:
□ 11.4 □ 11.5	Date of authorisation (YYYYMMDD):
□ 11.6	Authorisation valid until (YYYYMMDD):
□ 11.7	Date of suspension of authorisation (YYYYMMDD):
□ 11.8	Date of revocation of authorisation (YYYYMMDD):
11.9.	Conditions for use of the vehicle and other restrictions
11.9.1	Coded restrictions (code):,,,,,,
	· , , , ,
	·
11.9.2	Non-coded restrictions (text):
ADDITIONAL	FIELDS
[Addition	al fields as referred to in point 3.2.1.14, to be included in this section]
Identificatio	n of the entity englying for registration.
	n of the entity applying for registration:
	Code:
	MMDD):
	and signature of authorised representative:
. nao, namo e	
Registration	n Entity references

Date application received (YYYYMMDD): \_\_\_\_\_

Date of update (YYYYMMDD): \_\_\_\_\_

<sup>(&</sup>lt;sup>5</sup>) In case of *New registration*, the field may be left empty.

### **APPENDIX 5**

### GLOSSARY

Acronym/Abbreviation	Definition
Agency	European Union Agency for Railways established by the Regulation (EU) 2016/796 of the European Parliament and of the Council <sup>a</sup>
Applicant	A natural or legal person requesting an authorisation for placing a vehicle on the market
Area of use of a vehicle	A network or networks within a Member State or a group of Member States in which a vehicle is intended to be used, as referred to in Article 2 of Directive (EU) 2016/797
ARS function	Application, Registration and data Storage functions
ATMF	Uniform Rules concerning the Technical Admission of Railway Material used in International Traffic (ATMF — Appendix G to COTIF)
Authorising entity	Entity (NSA or the Agency) that authorised the vehicle for placing on the market
Authorisation	Authorisation for placing on the market
C-ARS function	Application, Registration and data Storage (ARS) function (centralised)
COTIF	Convention concerning International Carriage by Rail
D-ARS function	Application, Registration and data Storage (ARS) function (decentralised)
DSC function	Data Search and Consultation function
ECM	Entity in Charge of Maintenance
EIN	European identification number
EVN	European vehicle number
EVR	European Vehicle Register, as referred to in Article 47 of Directive (EU) 2016/797
ERATV	European Register of Authorised Types of Vehicles, as referred to in Article 48 of Directive (EU) 2016/797
GDPR	Regulation (EU) 2016/679

ISO	International Organisation for Standardisation
IT	Information Technology
NSA	National Safety Authority
NVR	National vehicle register referred to in Article 47 of Directive (EU) 2016/797
OTIF	Intergovernmental Organisation for International Carriage by Rail
RDA function	Reference Data Administration function
RE	Registration Entity, that is the body designated by each Member State in accordance with this Decision
RIC	Regulations governing the reciprocal use of carriages and brake vans in international traffic
RIV	Regulations concerning the reciprocal use of wagons in international traffic
TAF (TSI)	Telematics Applications for Freight (TSI)
TAP (TSI)	Telematics Applications for Passengers (TSI)
TSI	Technical Specification for Interoperability
UCA function	User Creation and Administration function
VKM	Vehicle Keeper Marking
VKMR	Vehicle Keeper Marking Register
VVR	Virtual Vehicle Register, as defined in Decision 2007/756/EC

a Regulation (EU) 2016/796 of the European Parliament and of the Council of 11 May 2016 on the European Union Agency for Railways and repealing Regulation (EC) No 881/2004 (OJ L 138, 26.5.2016, p. 1).

### APPENDIX 6

### PART '0'

### Vehicle identification

### **General remarks**

This Appendix describes the European vehicle number and linked marking applied in a visible manner on the vehicle to identify it uniquely and in a permanent manner during operation. It does not describe other numbers or markings eventually engraved or fixed in a permanent manner on the chassis or the main components of the vehicle during its construction.

### European vehicle number and linked abbreviations

Each railway vehicle shall receive a number consisting of 12 figures (called European vehicle number (EVN)) with the following structure:

Rolling stock group	Interoperabi capability and vehicle type [2 figures]	litCountry in which the vehicle is registered [2 figures]	Technical characteristi [4 figures]	Serial csnumber [3 figures]	Check digit
Wagons	00 to 09 10 to 19 20 to 29 30 to 39 40 to 49 80 to 89 [details in part 6]	01 to 99 [details in part 4]	[4 figures] 0000 to 9999 [details in part 9]	000 to 999	0 to 9 [details in part 3]
Hauled passenger vehicles	50 to 59 60 to 69 70 to 79 [details in part 7]		0000 to 9999 [details in part 10]	000 to 999	
Tractive rolling stock and units in a trainset in fixed or pre-defined formation	90 to 99 [details in part 8]		is defined by the	of these figures he Member ally by bilateral	
Special vehicles			9000 to 9999 [details in part 11]	000 to 999	

In a given country, the 7 digits of technical characteristics and serial number are sufficient to identify uniquely a vehicle inside the groups of hauled passenger vehicles and special vehicles<sup>(7)</sup>.

Alphabetical markings complete the number:

(a) abbreviation of the country in which the vehicle is registered *(details in part 4)*;

- (b) Vehicle Keeper Marking *(details in part 1)*;
- (c) abbreviations of the technical characteristics (details in part 12 for the wagons, part 13 for the hauled passenger vehicles).

### PART 1

### Vehicle Keeper Marking

### 1. **Definition of the Vehicle Keeper Marking (VKM)**

A Vehicle Keeper Marking (VKM) is an alphabetic code, consisting of 2 to 5 letters<sup>(8)</sup>. A VKM shall be inscribed on each rail vehicle, near the EVN. The VKM shall identify the keeper as registered in the EVR.

A VKM shall be unique and valid in all countries covered by this Decision and all countries that enter into an agreement that involves the application of the system of vehicle numbering and VKM as described in this Decision.

A VKM for a keeper which has its main place of business in a non-EU OTIF Contracting State is to be requested from OTIF Secretariat-General.

### 2. Format of the Vehicle Keeper Marking

The VKM shall be a representation of the full name or abbreviation of the keeper, if possible in a recognisable manner. Any of the 26 letters of ISO 8859-1 alphabet may be used. The letters in the VKM shall be written in capitals. Letters that do not stand for first letters of words in the keeper's name may be written in lower case. For checking uniqueness, the letters written in lower case shall be taken as written in capitals.

Letters may contain diacritical signs<sup>(9)</sup>. Diacritical signs used by those letters shall be ignored for checking uniqueness.

For vehicles of keepers that reside in a country that does not use the Latin alphabet, a translation of the VKM in its own alphabet may be applied behind the VKM separated from it by a slash-sign ('/'). This translated VKM shall be disregarded for data-processing purposes.

### 3. **Provisions about allocation of Vehicle Keeper Markings**

More than one VKM may be assigned to a keeper, in case:

- the keeper has a formal name in more than one language;
- a keeper has good cause to distinguish between separate vehicle fleets within his organisation.

A single VKM may be issued for a group of companies:

- which belong to single corporate structure (e.g. holding structure);
- which belong to a single corporate structure that has appointed and mandated one organisation within this structure to handle all issues on behalf of all others;
- which have mandated a separate, single legal entity for handling all issues on their behalf. In that case the legal entity shall be the keeper.

### 4. **Register of Vehicle Keeper Markings and procedure for allocation**

The register of VKM shall be public and updated on a real-time basis.

An applicant shall request a VKM to the NSA of the Member State where the applicant has its main place of business. That NSA shall check the application and then forward it to the Agency. A VKM may be used only after publication by the Agency.

The holder of a VKM shall inform the competent national authority when it ends the use of a VKM, and the competent national authority shall forward the information to the Agency. A VKM shall then be revoked once the keeper has proved that the marking has been changed on all vehicles concerned. It shall not be reissued for 10 years, unless it is reissued to the original holder or at his request to another holder.

A VKM may be transferred to another holder, which is the legal successor to the original holder. A VKM shall stay valid when the VKM's holder changes his name to a name that does not bear resemblance to the VKM.

In case of a change of keeper which entails a change of VKM, the wagons concerned shall be marked with the new VKM within three months from the date of registration of the change of keeper in the EVR. In case of inconsistency between the VKM marked on the vehicle and the data registered in the EVR, the EVR-registration supersedes.

### PART 2

Not used

### PART 3

### Rules for the determination of the check-digit (digit 12)

The check-digit shall be determined in the following manner:

- the digits in the even positions of the basic number (counting from the right) are taken at their own decimal value;
- the digits in the odd positions of the basic number (counting from the right) are multiplied by 2;
- the sum formed by the digits in even position and by all the digits which constitute the partial products obtained from the odd positions is then established;
- the units digit of this sum is retained;
- the complement required to bring the units digit to 10 forms the check-digit; should this units digit be nought, then the check-digit shall also be nought.

### Examples

1 -	Let the basic numbe be	3 er	3	8	4	4	7	9	6	1	0	0
	Multipl2cation factor	on 1	2	1	2	1	2	1	2	1	2	
		6	3	16	4	8	7	18	6	2	0	0
	Sum: 0	Sum: $6 + 3 + 1 + 6 + 4 + 8 + 7 + 1 + 8 + 6 + 2 + 0 + 0 = 52$										

The unit's digit of this sum is 2.

## The check-digit number will therefore be 8 and the basic number thus becomes the registration number 33 84 4796 100 - 8.

2 -	Let the basic numbe be	3 er	1	5	1	3	3	2	0	1	9	8	
	Multip factor	12cation	n 1	2	1	2	1	2	1	2	1	2	
		6	1	10	1	6	3	4	0	2	9	16	
	Sum: 0	Sum: 6 + 1 + 1 + 0 + 1 + 6 + 3 + 4 + 0 + 2 + 9 + 1 + 6 = 40											
	The ch	The unit's digit of this sum is 0. The check-digit number will therefore be 0 and the basic number thus becomes the registration number $31\ 51\ 3320\ 198 - 0$ .											

### PART 4

### Coding of the countries in which the vehicles are registered (digits 3-4 and abbreviation)

The information relating to third countries is given for information purposes only.

Countries	Alphabetic	alNumerical	Countries	Alphabeti	calNumerical	
	countrycountrycode (1)code			country code ( <sup>1</sup> )	country code	
Albania	inia AL 41		Lithuania	LT	24	
Algeria	DZ	92	Luxembourg	L	82	
Armenia	AM	58	Former Yugoslav Republic of Macedonia	МК	65	
Austria	А	81 ( <sup>6</sup> )	Malta	М		
Azerbaijan	AZ	57	Moldova	$MD(^1)$	23	
Belarus	BY	21	Monaco	MC		
Belgium	В	88	Mongolia	MGL	31	
Bosnia- Herzegovina	BIH	50 and $44(^2)$	Montenegro	MNE	62	
Bulgaria	BG	52	Morocco	MA	93	
China	RC	33	Netherlands	NL 84		
Croatia	HR	78	North Korea	PRK ( <sup>1</sup> )	30	

Cuba	$CU(^{1})$	40	Norway	N	76		
Cyprus	CY		Poland	PL	51		
Czech Republic	CZ	54	Portugal	Р	94		
Denmark	DK	86	Romania	RO	53		
Egypt	ET	90	Russia	RUS	20		
Estonia	EST	26	Serbia	SRB	72		
Finland	FIN	10	Slovakia	SK	56		
France	F	87	Slovenia	SLO	79		
Georgia	GE	28	South Korea	ROK	61		
Germany	D	80 ( <sup>7</sup> )	Spain	Е	71		
Greece	GR	73	Sweden	S	74		
Hungary	Н	55 ( <sup>5</sup> )	Switzerland	СН	85 ( <sup>4</sup> )		
Iran	IR	96	Syria	SYR	97		
Iraq	$IRQ(^{1})$	99	Tajikistan	TJ	66		
Ireland	IRL	60	Tunisia	TN	91		
Israel	IL	95	Turkey	TR	75		
Italy	Ι	83 ( <sup>3</sup> )	Turkmenista	ınTM	67		
Japan	J	42	Ukraine	UA	22		
Kazakhstan	KZ	27	United Kingdom	GB	70		
Kyrgyzstan	KS	59	Uzbekistan	UZ	29		
Latvia	LV	25	Vietnam	VN ( <sup>1</sup> )	32		
Lebanon	RL	98		n accordance with the			
Liechtenstei	nFL		( <sup>2</sup> ) Bo 2 s nu res	scribed in A e 1949 conve ticle 45(4) o nvention on osnia-Herzeg specific railw	f the 1968 road traffic. govina uses vay codes. A ntry code 49 is		
			for	FNME (Fei ilano Eserciz	rrovie Nord		

		( <sup>4</sup> )	And specific code (*) 63 for BLS (Bern–Lötschberg– Simplon Eisenbahn) was used for vehicles authorised before 2007.
		( <sup>5</sup> ) ( <sup>6</sup> )	And specific code (*) 43 for GySEV/ROeEE (Győr- Sopron-Ebenfurti Vasút Részvénytársaság/Raab- Ödenburg-Ebenfurter Eisenbahn) was used for vehicles authorised before 2007.
		( <sup>7</sup> )	And specific code (*) 68 for AAE (Ahaus Alstätter Eisenbahn).
		(*)	Any new vehicles registered in EVR for AAE, BLS, FNME or GySEV/ROeEE are to be given the standard country code. The EVR IT system shall consider both codes (main country code and specific code) as relating to the same country.

### PART 5

Not used

### PART 6

Interoperability codes used for wagons (digits 1-2)

#### 9 0 2 5 8 2nd 1 3 4 6 7 2nd digit digit 1st digit

Track fixed fixed variabfexed variabfexed variabfexed variabfexed Track

1st

digit

Gauge

or

 a
 Commission Regulation (EU) No 321/2013 of 13 March 2013 concerning the technical specification for interoperability relating to the subsystem 'rolling stock — freight wagons' of the rail system in the European Union and repealing Decision 2006/861/EC (OJ L 104, 12.4.2013, p. 1).

**b** Fixed or variable gauge.

Gaugeor

c Except for wagons in category I (temperature-controlled wagons), not to be used for new vehicles authorised placed in service.

Wagonts conform to TSI WAG <sup>a</sup>	with axles with bogie	Not to be used	wago	ons	not	to be t	ısed <sup>¢</sup>				PPV/ PPW wago (varia gaugo		0 1 s
including section 7. and all co set 3 out in Appendix	with bogie	_	wago	ons							PPW (five	with wasgos with bogie	
Other 4 wagons 8	with	relate wago	d	æwago	ons						with speci numb for techn	eviith bogie ical cterist d	8 s <sup>b</sup>
1st dig	it	0	1	2	3	4	5	6	7	8	9		1st digit
	2nd digit											2nd digit	
relating	sion Regul to the subs n 2006/861	ystem 're	olling ste	ock — fr	eight wa								ability

c Except for wagons in category I (temperature-controlled wagons), not to be used for new vehicles authorised placed in service.

### PART 7

### International traffic ability codes used for hauled passenger vehicles (digits 1-2)

			st <b>ic</b> EN <sup>a</sup> and/or COTIF <sup>b</sup> and/ or PPV/PPW				traffic or	or a <b>tioppl</b> l			
	2nd digit	0	1	2	3	4	5	6	7	8	9
1st digit											
5		Vehicle for domest traffic	air- conditi vehicle	sconditi i <b>ng</b> hicle g	btlæbe 15300 oned		oned		Fixed- gauge vehicle	adjusta s(1435/2 vehicle with	Gauge- bldjustable 162035/152 svehicles with gauge- adjustable axles
6		Service vehicle	air- conditi	adjusta (1435/1	b <b>łe</b> hicle 520) oned	Gauge- sadjusta (1435/1 air- conditi vehicle	bdærryin I 66682jons oned	Not gto be sused <sup>c</sup>			
7		Air- conditi and pressur tight vehicle	used e-	Not to be used	Pressur tight fixed- gauge air- conditi vehicle	to be used	Other vehicle	Not sto be used	Not to be used	Not to be used	Not to be used
ame	nding Dec	ith the appl ision 2012/ ment' subsy	757/EU co	ncerning th	e technical	l specificati	on for inte	roperability	y relating to		

compliant with COTIF regulation in force at the moment of placing in service.

c Excepted for coaches with fixed gauge (56) and adjustable gauge (66) already in service, not to be used for new vehicles

### PART 8

### Types of tractive rolling stock and units in a trainset in fixed or pre- defined formation (digits 1-2)

The first digit shall be '9'.

If the second digit shall describe the type of tractive stock, following coding is mandatory:

Code	General vehicle type
0	Miscellaneous
1	Electric locomotive
2	Diesel locomotive
3	Electric multiple-unit set (high speed) [power car or trailer]
4	Electric multiple-unit set (except high speed) [power car or trailer]
5	Diesel multiple-unit set [power car or trailer]
6	Specialised trailer,
7	Electric shunting engine
8	Diesel shunting engine
9	Special vehicle

### PART 9

### Standard numerical marking of wagons (digits 5 to 8)

The Agency shall manage the numerical marking associated to the main technical characteristics of the wagon and publish them on its website (www.era.europa.eu).

An application for a new code shall be filed with the registration entity, which shall send it to the Agency. A new code may be used only after publication by the Agency.

### PART 10

### Codes for the technical characteristics of the hauled passenger stock (digits 5-6)

The Agency shall manage the codes for the technical characteristics of the hauled passenger stock and publish them on its website (www.era.europa.eu).

An application for a new code shall be filed with the registration entity, which shall send it to the Agency. A new code may be used only after publication by the Agency.

### PART 11

### Codes for the technical characteristics of the special vehicles (digit 6 to 8)

The Agency shall manage the codes for the technical characteristics of special vehicles and publish them on its website (www.era.europa.eu).

An application for a new code shall be filed with the registration entity, which shall send it to the Agency. A new code may be used only after publication by the Agency.

### PART 12

### Letter marking for wagons

The Agency shall manage the codes for letter marking for wagons (except articulated and multiple wagons) and publish them on its website (www.era.europa.eu).

An application for a new code shall be filed with the registration entity, which shall send it to the Agency. A new code may be used only after publication by the Agency.

### PART 13

### Letter marking for hauled passenger stock

The Agency shall manage the codes for letter marking for hauled passenger stock and publish them on its website (www.era.europa.eu).

An application for a new code shall be filed with the registration entity, which shall send it to the Agency. A new code may be used only after publication by the Agency.

- (1) Commission Implementing Regulation (EU) 2018/545 of 4 April 2018 establishing practical arrangements for the railway vehicle authorisation and railway vehicle type authorisation process pursuant to Directive (EU) 2016/797 of the European Parliament and of the Council (OJ L 90, 6.4.2018, p. 66).
- (2) As set out in Appendix 3.
- (3) Directive (EU) 2016/798 of the European Parliament and of the Council of 11 May 2016 on railway safety (OJ L 138, 26.5.2016, p. 102).
- (4) Commission Implementing Regulation (EU) 2015/1502 of 8 September 2015 on setting out minimum technical specifications and procedures for assurance levels for electronic identification means pursuant to Article 8(3) of Regulation (EU) No 910/2014 of the European Parliament and of the Council on electronic identification and trust services for electronic transactions in the internal market (OJ L 235, 9.9.2015, p. 7).
- (5) Regulation (EU) 2016/679 of the European Parliament and of the Council of 27 April 2016 on the protection of natural persons with regard to the processing of personal data and on the free movement of such data, and repealing Directive 95/46/EC (General Data Protection Regulation) (OJ L 119, 4.5.2016, p. 1).
- (6) Without prejudice to footnote (1) of Table 1.
- (7) For special vehicles, the number has to be unique in a given country with the first digit and the 5 last digits of the technical characteristics and serial number.
- (8) For NMBS/SNCB, the use of an encircled single letter B may be continued.
- (9) Diacritical marks are 'accent-signs', such as in À, Ç, Ö, Č, Ž, Å etc. Special letters such as Ø and Æ will be represented by a single letter; in tests for uniqueness Ø is treated as O and Æ as A.

### Changes to legislation:

There are outstanding changes not yet made to Commission Implementing Decision (EU) 2018/1614. Any changes that have already been made to the legislation appear in the content and are referenced with annotations.

View outstanding changes

## Changes and effects yet to be applied to the whole legislation item and associated provisions

Annex 2 omitted by S.I. 2020/318 reg. 20(4)