

This document is meant purely as documentation tool and the institutions do not assume any liability for its contents

► **B**

**COUNCIL DIRECTIVE
of 27 November 1990**

**on the fixing of maximum levels for pesticide residues in and on certain products of plant origin,
including fruit and vegetables**

(90/642/EEC)

(OJ L 350, 14.12.1990, p. 71)

Amended by:

		Official Journal		
		No	page	date
► <u>M1</u>	Council Directive 93/58/EEC of 29 June 1993	L 211	6	23.8.1993
► <u>M2</u>	Council Directive 94/30/EC of 23 June 1994	L 189	70	23.7.1994
► <u>M3</u>	Council Directive 95/38/EC of 17 July 1995	L 197	14	22.8.1995
► <u>M4</u>	Council Directive 95/61/EC of 29 November 1995	L 292	27	7.12.1995

Corrected by:

- **C1** Corrigendum, OJ L 219, 24.8.1994, p. 26 (93/58/EEC)
- **C2** Corrigendum, OJ L 155, 28.6.1996, p. 62 (95/38/EC)

**COUNCIL DIRECTIVE****of 27 November 1990****on the fixing of maximum levels for pesticide residues in and on certain products of plant origin, including fruit and vegetables**

(90/642/EEC)

THE COUNCIL OF THE EUROPEAN COMMUNITIES,

Having regard to the Treaty establishing the European Economic Community, and in particular Article 43 thereof,

Having regard to the proposal from the Commission⁽¹⁾,

Having regard to the opinion of the European Parliament⁽²⁾,

Having regard to the opinion of the Economic and Social Committee⁽³⁾,

Whereas crop production plays a very important role in the Community:

Whereas the yield from that production is continually affected by harmful organisms and weeds;

Whereas it is essential to protect plants and plant products against these organisms, not only to prevent a reduction in yield or damage to the products harvested but also to increase agricultural productivity;

Whereas one of the most important methods of protecting plants and plant products from the effects of these organisms is the use of chemical pesticides; whereas, however, mandatory maximum levels should be set as low as is consistent with good agricultural practice;

Whereas, however, their favourable effect on plant production is not the only effect of these pesticides, since they are generally dangerous substances or preparations with dangerous side-effects;

Whereas a large number of these pesticides and of their metabolites or breakdown products may have harmful effects on consumers of plant products; whereas these pesticides should not be used in circumstances which present a risk to human or animal health and to the environment;

Whereas the Community should encourage the use of alternative, organic farming methods;

Whereas Council Directive 76/895/EEC of 23 November 1976 relating to the fixing of maximum levels for pesticide residues in and on fruit and vegetables⁽⁴⁾, as last amended by Directive 89/186/EEC⁽⁵⁾, fixes maximum levels for the said residues and ensures the free movement throughout the Community of products with levels less than, or equal to, these maximum levels; whereas, however, the said Directive permits Member States, in cases where they consider this justified, to authorize products containing levels higher than the maximum levels to be put into circulation within their own territories;

Whereas this last provision leads in some cases to continuing differences between Member States as regards the maximum permissible levels for these pesticide residues, which can help to create barriers to trade and thus hinder the free movement of goods within the Community; whereas, with a view to achieving the single market in 1992, these barriers should be removed;

(1) OJ No C 46, 25. 2. 1989, p. 5.

(2) OJ No C 260, 15. 10. 1990, p. 56.

(3) OJ No C 329, 30. 12. 1989, p. 11.

(4) OJ No L 340, 9. 12. 1976, p. 26.

(5) OJ No L 66, 10. 3. 1989, p. 36.

▼B

Whereas, for these reasons, the possibility for Member States to authorize higher levels should be withdrawn and maximum levels mandatory in all Member States should be fixed for certain active substances in and on fruit and vegetables, which must be observed when these products are put into circulation;

Whereas, again with a view to ensuring the free movement of goods within the Community, mandatory maximum levels should also be fixed for certain pesticides in and on certain other products of plant origin;

Whereas, moreover, observance of the maximum levels will ensure that products can move freely and that the health of consumers and of animals is properly protected;

Whereas, however, the determination of mandatory maximum levels for pesticide residues requires lengthy technical consideration, so that such levels cannot be imposed immediately upon the pesticide residues regulated by Directive 76/895/EEC;

Whereas it is therefore necessary to adopt separate rules providing for these mandatory maximum levels, with a view to transferring pesticide residues from Directive 76/895/EEC to these separate rules progressively as mandatory levels are determined for them;

Whereas, accordingly, this Directive does not affect Directive 76/895/EEC, which shall continue to apply to certain pesticide residues not subject to this Directive;

Whereas the establishment of a list of pesticide residues and their maximum levels is a matter falling within the competence of the Council; whereas, however, this list should not include pesticide residues still covered by Directive 76/895/EEC;

Whereas it is appropriate to apply this Directive to products intended for export to third countries, except in certain cases where it can be established that importing countries require particular treatments which would necessitate higher maximum levels than those fixed for the Community pursuant to this Directive; whereas, however, it is not appropriate to apply this Directive to products intended for the manufacture of products other than foodstuffs and feedingstuffs, or for sowing or planting;

Whereas, in order to guarantee compliance with this Directive when products are put into circulation, Member States must take suitable control measures; whereas the necessary inspections should be programmed, carried out and their results reported in accordance with Council Directive 89/397/EEC of 14 June 1989 on the official inspection of foodstuffs⁽¹⁾;

Whereas Community methods of sampling and analysis should be established and, in the case of analysis methods, used at least as reference methods; whereas the establishment of these methods is a technical and scientific implementing measure which should be determined by means of a procedure involving close cooperation between the Member States and the Commission within the Standing Committee on Plant Health; whereas the analysis methods should comply with the criteria set out in the Annex to Council Directive 85/591/EEC of 20 December 1985 concerning the introduction of Community methods of sampling and analysis for the monitoring of foodstuffs intended for human consumption⁽²⁾;

Whereas future modifications of the list of products of plant origin in or on which pesticide residues may be present must be adopted by the Council;

Whereas Member States should be allowed to reduce temporarily the levels laid down if they subsequently prove dangerous to human or animal health; whereas it is appropriate in these cases also to establish close cooperation between the Member States and the Commission within the Standing Committee on Plant Health,

⁽¹⁾ OJ No L 186, 30. 6. 1989, p. 23.

⁽²⁾ OJ No L 372, 31. 12. 1985, p. 50.



HAS ADOPTED THIS DIRECTIVE:

Article 1

1. This Directive shall apply to products within the groups specified in column 1 of the Annex, examples of which are given in column 2, in so far as products in these groups, or the parts of product described in column 3, may contain certain pesticide residues.

The list of pesticide residues concerned and their maximum levels shall be established by the Council, acting by a qualified majority on a proposal from the Commission. A pesticide residue shall not be included on the list for as long as a maximum level is fixed for it by Directive 76/895/EEC.

2. This Directive shall apply without prejudice to:

- (a) the provisions of Council Directive 64/54/EEC of 5 November 1963 on the approximation of the laws of the Member States concerning the preservatives authorized for use in foodstuffs intended for human consumption⁽¹⁾, as last amended by Directive 85/585/EEC⁽²⁾, relating to biphenyl (diphenyl), orthophenylphenol, sodium orthophenyl phenate and 2-(4-thiazolyl)-benzimidazole (thiabendazole), which shall continue to regulate the use of those substances until they and their maximum levels are included in the list referred to in paragraph 1;
- (b) the provisions of Council Directive 74/63/EEC of 17 December 1973 on the fixing of maximum permitted levels for undesirable substances and products in feedingstuffs⁽³⁾, as last amended by Directive 87/519/EEC⁽⁴⁾;
- (c) the provisions of Directive 76/895/EEC;
- (d) the provisions of Council Directive 86/362/EEC of 24 July 1986 on the fixing of maximum levels for pesticide residues in and on cereals⁽⁵⁾, as last amended by Directive 88/298/EEC⁽⁶⁾.

3. This Directive shall also apply to products referred to in paragraph 1 intended for export to third countries. However, maximum pesticide residue levels set in accordance with this Directive shall not apply in the case of products treated before export where it can be satisfactorily proved that:

- (a) the third country of destination requires that particular treatment in order to prevent the introduction of harmful organisms into its territory; or
- (b) the treatment is necessary in order to protect the products against harmful organisms during transport to the third country of destination and storage there.

4. This Directive shall not apply to the products referred to in paragraph 1 where it can be established by appropriate evidence that they are intended for:

- (a) the manufacture of products other than foodstuffs and animal feed; or
- (b) sowing or planting.

Article 2

For the purposes of this Directive:

- (a) 'pesticide residues' shall mean residues of the pesticides and of their metabolites, and breakdown or reaction products, included in the list

⁽¹⁾ OJ No 12, 27. 1. 1964, p. 161/64.

⁽²⁾ OJ No L 372, 31. 12. 1985, p. 43.

⁽³⁾ OJ No L 38, 11. 2. 1974, p. 31.

⁽⁴⁾ OJ No L 304, 27. 10. 1987, p. 38.

⁽⁵⁾ OJ No L 221, 7. 8. 1986, p. 37.

⁽⁶⁾ OJ No L 126, 20. 5. 1988, p. 53.

▼**B**

referred to in Article 1, which are present in or on the products referred to in the said Article;

- (b) 'putting into circulation' shall mean any post-harvest handing over, whether or not for a consideration, of the products referred to in Article 1.

Article 3

1. The products or, as the case may be, the parts of products referred to in Article 1 shall not contain, from the time they are put into circulation, pesticide residue levels higher than those specified in the list referred to in Article 1.

In the case of dried products for which maximum levels are not fixed, the maximum level applicable shall be that laid down in the list referred to in Article 1, taking into account the residue concentration caused by the drying process.

2. Member States shall ensure, at least by check sampling, compliance with the maximum levels referred to in paragraph 1. The necessary inspections shall be carried out in accordance with Directive 89/397/EEC and in particular Article 4 thereof.

Article 4

1. The competent authority or authorities of the Member States shall draw up forward programmes laying down the nature and frequency of the inspections to be carried out in accordance with Article 3 (2) over a specific period.

2. By 1 August each year, the Member States shall send to the Commission all the necessary information on implementation during the previous year of the programmes referred to in paragraph 1, specifying:

- the criteria applied in drawing up these programmes,
- the number and type of inspections carried out,
- the number and type of infringements established.

3. By 1 November each year, and for the first time in 1993, the Commission shall forward to the Member States, after consulting them within the framework of the Standing Committee on Plant Health, a recommendation concerning a coordinated programme of inspections for the following year. This recommendation may be subsequently adjusted as required during implementation of the coordinated programme.

The coordinated programme shall set out in particular the priority criteria to be applied in its implementation.

The information provided for in paragraph 2 shall contain a special, separate section on implementation of the coordinated programme.

4. Five years after the adoption of this Directive the Commission shall forward to the Council a report on the application of this Article, accompanied, if necessary, by any appropriate proposals.

Article 5

Member States may not prohibit or impede the putting into circulation within their territories of the products referred to in Article 1 on the grounds that they contain pesticide residues, if the quantity of such residues in and on the products or parts of products concerned does not exceed the maximum levels specified in the list referred to in Article 1.



Article 6

1. The sampling methods necessary for carrying out the checks provided for in Article 3 on fruit and vegetables shall be those laid down by Commission Directive 79/700/EEC⁽¹⁾. The sampling methods necessary for carrying out such checks on products other than fruit and vegetables, and the methods of analysis for all products, shall be determined in accordance with the procedure laid down in Article 9.

The existence of Community methods of analysis shall not preclude Member States from using other tested and scientifically valid methods provided that this does not hinder the free movement of products recognized by virtue of Community methods as complying with the rules provided for in this Directive. In the event of differences in the interpretation of results, those obtained by the use of Community methods shall prevail.

2. The methods of analysis determined under paragraph 1 shall comply with the criteria set out in the Annex to Directive 85/591/EEC.

3. Member States shall inform the other Member States and the Commission of the other methods used pursuant to paragraph 1.

Article 7

Amendments to the Annex as a result of developments in scientific or technical knowledge shall be adopted by the Council acting by a qualified majority on a proposal from the Commission.

Article 8

1. Where a Member State, as a result of new information or of a reassessment of existing information, considers that a maximum level fixed in the list referred to in Article 1 endangers human or animal health, and therefore requires swift action to be taken, that Member State may temporarily reduce the level in its own territory. In that case, it shall immediately notify the other Member States and the Commission of the measures, attaching a statement of the reasons therefor.

2. The Commission shall quickly examine the grounds given by the Member State referred to in the first subparagraph and shall consult the Member States within the Standing Committee on Plant Health, hereinafter referred to as 'the Standing Committee'; it shall then deliver its opinion forthwith and take the appropriate measures. The Commission shall immediately notify the Council and the Member States of any measures taken. Any Member State may refer the Commission's measures to the Council within 15 days of such notification. The Council acting by a qualified majority may take a different decision within 15 days of the date on which the matter was referred to it.

3. If the Commission considers that the maximum levels laid down in the list referred to in Article 1 should be amended to resolve the difficulties mentioned in paragraph 1 and to ensure the protection of human health, it shall initiate the procedure laid down in Article 10, with a view to adopting those amendments. In this case, the Member State which has taken measures under paragraph 1 may in that event maintain them until the Council or the Commission has taken a decision in accordance with the said procedure.

Article 9

1. Where the procedure laid down in this Article is to be followed, the matter shall be referred without delay to the Standing Committee by its chairman, either on his own initiative or at the request of a Member State.

⁽¹⁾ OJ No L 207, 15. 8. 1979, p. 26.

▼B

2. The representative of the Commission shall submit to the Standing Committee a draft of the measures to be taken. The Standing Committee shall deliver its opinion on the draft within a time limit which the chairman may lay down according to the urgency of the matter. The opinion shall be delivered by the majority laid down in Article 148 (2) of the Treaty in the case of decisions which the Council is called upon to adopt on a proposal from the Commission. The votes of the representatives of the Member States within the Standing Committee shall be weighted in the manner set out in that Article. The chairman shall not vote.
3. The Commission shall adopt the measures envisaged if they are in accordance with the opinion of the Standing Committee.
4. If the measures are not in accordance with the opinion of the Standing Committee, or if no opinion is delivered, the Commission shall without delay submit to the Council a proposal relating to the measures to be taken. The Council shall act by a qualified majority.
5. If, within three months following the date on which the matter was referred to the Council, the Council has not acted, the proposed measures shall be adopted by the Commission.

Article 10

1. Where the procedure laid down in this Article is to be followed, the matter shall be referred without delay to the Standing Committee by its chairman, either on his own initiative or at the request of a Member State.
2. The representative of the Commission shall submit to the Standing Committee a draft of the measures to be taken. The Standing Committee shall deliver its opinion on the draft within a time limit which the chairman may lay down according to the urgency of the matter. The opinion shall be delivered by the majority laid down in Article 148 (2) of the Treaty in the case of decisions which the Council is called upon to adopt on a proposal from the Commission. The votes of the representatives of the Member States within the Standing Committee shall be weighted in the manner set out in that Article. The chairman shall not vote.
3. The Commission shall adopt the measures envisaged if they are in accordance with the opinion of the Standing Committee.
4. If the measures are not in accordance with the opinion of the Standing Committee, or if no opinion is delivered, the Commission shall without delay submit to the Council a proposal relating to the measures to be taken. The Council shall act by a qualified majority.
5. If, within 15 days following the date on which the matter was referred to the Council, the Council has not acted, the proposed measures shall be adopted by the Commission.

Article 11

1. Member States shall take the measures necessary to comply with this Directive not later than 31 December 1992.
2. 'When Member States adopt the measures referred to in paragraph 1, they shall contain a reference to this Directive or shall be accompanied by such reference on the occasion of their official publication. The methods of making such a reference shall be laid down by the Member States.'

Article 12

This Directive is addressed to the Member States.

ANNEX ►**M1** I ◀**List of products referred to in Article 1 and the portion of the products to which the maximum residue levels apply**

Note: The word 'fresh' is taken to extend to products which have been chilled or frozen ►**M1** and in the case of dried fruit and vegetables, attention is drawn to Article 3 (1) of the Directive ◀

Groups of products	Products included in the groups	Part of product to which maximum residue levels apply
--------------------	---------------------------------	---

1. Fruit, fresh, dried or uncooked, preserved by freezing, not containing added sugar; nuts

(i) CITRUS FRUIT	Grapefruit	} Whole product
	Lemons	
	Limes	
	Mandarins (including clementines and similar hybrids)	
	Oranges	
(ii) TREE NUTS (SHELLED OR UNSHELLED)	Pomelos	} Whole product after removal of shell
	Almonds	
	Brazil nuts	
	Cashew nuts	
	Chestnuts	
	Coconuts	
	Hazelnuts	
	Macadamia nuts	
	Pecans	
	Pine nuts	
	Pistachios	
Walnuts		
(iii) POME FRUIT	Apples	} Whole product after removal of stems
	Pears	
	Quinces	
(iv) STONE FRUIT	Apricots	} Whole product after removal of stems
	Cherries	
	Peaches (including nectarines and similar hybrids)	
	Plums	
(v) BERRIES AND SMALL FRUIT	(a) <i>Table and wine grapes</i>	} Whole product after removal of caps and stems (if any) and, in the case of currants, fruits with stems
	(b) <i>Strawberries</i> (other than wild)	
	(c) <i>Cane fruit</i> (other than wild):	
	Blackberries	
	Loganberries	
	Raspberries	
	(d) <i>Other small fruit and berries</i> (other than wild):	
	Bilberries	
	Cranberries	
	Currants (red, black and white)	
Gooseberries		
(e) <i>Wild berries and wild fruit</i>		

▼B

Groups of products	Products included in the groups	Part of product to which maximum residue levels apply
(vi) MISCELLANEOUS FRUIT	Avocados Bananas Dates Figs Kiwi fruit Kumquats Litchis Mangoes ► <u>M1</u> ————— ◀ Passion fruit Pineapples Pomegranates	Whole fruit after removal of stems (if any) and in the case of pineapple after removal of the crown
	Olives	Whole fruit after removal of stems (if any) after removal of soil (if any) by rinsing in running water

▼M1▼B

2. Vegetables, fresh or uncooked, frozen or dry

(i) ROOT AND TUBER VEGETABLES	Beetroot Carrots Celeriac Horseradish Jerusalem artichokes Parsnips Parsley root Radishes Salsify Sweet potatoes Swedes Turnips Yams	Whole product after removal of tops and adhering soil (if any) (removal of soil by rinsing in running water or by gentle brushing of the dry product)
(ii) BULB VEGETABLES	Garlic Onions Shallots Spring onions	Onions (dry), shallots (dry), garlic (dry): whole product after removal of easily detachable skin and soil (if any). Onions, shallots and garlic other than dry, spring onions: whole product after removal of roots and soil (if any)
(iii) FRUITING VEGETABLES	(a) <i>Solanacea</i> Tomatoes Peppers (b) <i>Cucurbits — edible peel</i> Cucumbers Gherkins Courgettes (c) <i>Cucurbits — inedible peel</i> Melons Squashes Watermelons (d) <i>Sweet corn</i>	Whole product after removal of stems Kernels or cobs without husks

▼B

Groups of products	Products included in the groups	Part of product to which maximum residue levels apply		
(iv) BRASSICA VEGETABLES	(a) <i>Flowering brassicas</i> Broccoli Cauliflower	} Cauliflower and broccoli: curd only		
	(b) <i>Head brassicas</i> Brussels sprouts Head cabbage			
	(c) <i>Leafy brassicas</i> Chinese cabbage Kale	} Product after removal of decayed leaves (if any)		
	(d) <i>Kohlrabi</i>			
(v) LEAF VEGETABLES AND FRESH HERBS	(a) <i>Lettuce and similar</i> Cress Lamb's lettuce Lettuce Broad-leaf endive	} Whole product after removal of decayed outer leaves, root and soil (if any)		
	(b) <i>Spinach and similar</i> Beet leaves (chard)			
	(c) <i>Watercress</i>			
	(d) <i>Witloof</i>			
	(e) <i>Herbs</i> Chervil Chives Parsley			
	(vi) LEGUME VEGETABLES (FRESH)		Beans Peas	} Whole product after removal of pods or with pods if they are intended to be eaten
(vii) STEM VEGETABLES	Asparagus Cardoons Celery Fennel Globe artichokes Leeks Rhubarb	} Whole product after removal of decayed tissue and soil (if any); leeks and fennel: whole product after removal of roots and soil (if any)		
	(viii) FUNGI		Mushrooms (other than wild) Wild mushrooms	} Whole product after removal of soil or growing medium

3. Pulses

Beans Lentils Peas	} Whole product
--------------------------	-----------------

▼B

Groups of products	Products included in the groups	Part of product to which maximum residue levels apply
4. Oil seeds	Linseed Peanuts Poppy seed Rape seed Sesame seed ► <u>M1</u> ← Colza seed Soya bean Sunflower seed	} Whole seed or kernel after removal of shell or husk, when possible } Whole seed including shell, when present, and whole seed without shell, when shell is absent?
▼ <u>M1</u>		
▼ <u>B</u>	5. Potatoes	Early and ware potatoes Whole product after removal of soil (if any) (removal of soil by rinsing in running water or by gentle brushing of the dry product)
	6. Tea (dried leaves and stalks, fermented or otherwise, <i>Camellia sinensis</i>)	Whole product
	7. Hops (dried), including hop pellets and unconcentrated powder	Whole product
▼ <u>M3</u>	8. Spices	Cumin seed Juniper berries Nutmeg Pepper, black and white Vanilla pods Others } Whole product

▼M1

ANNEX II

▼M3

PART A

▼M1

Groups and examples of individual products to which the MRLs apply	Pesticide residues and maximum residue levels (mg/kg)										
	Acephate	Chlorothaloni	Chlorpyrifos	Chlorpyrifos-methyl	Cypermethrin, including other mixtures of constituent isomers (sum of isomers)	Deltamethrin	Fenvalerate, including other mixtures of constituent isomers (sum of isomers)	Glyphosate	Imazalil	Iprodione	Permethrin (sum of isomers)
1. Fruit, fresh, dried or uncooked preserved by freezing not containing added sugar; nuts											
I) CITRUS FRUIT	1	0,01 *	0,3		2	0,05 *	(c)	0,1 *	5	▶ <u>C1</u>	0,5
Grapefruit										▶ <u>C1</u>	
Lemons				(c)						▶ <u>C1</u> (a)	
Limes				(c)						▶	
Mandarines (including clementines and similar hybrids)				(c)						▶	
Oranges				(c)						▶	
Pomelos										▶	
Others				0,05 *						0,02 *	
II) TREE NUTS (shelled or unshelled)	0,02 *	0,01 *	0,05 *	0,05 *	0,05 *	0,05 *	0,05 *	0,1 *	0,02 *		▶ <u>C1</u>
Almonds											▶ <u>C1</u>
Brazil nuts											▶ <u>C1</u> 0,1
Cashew nuts											▶
Chestnuts											▶
Coconuts											▶
Hazelnuts											▶
Macadamia										(a)	

Groups and examples of individual products to which the MRLs apply	Pesticide residues and maximum residue levels (mg/kg)										
	Acephate	Chlorothaloni	Chlorpyrifos	Chlorpyrifos-methyl	Cypermethrin, including other mixtures of constituent isomers (sum of isomers)	Deltamethrin	Fenvalerate, including other mixtures of constituent isomers (sum of isomers)	Glyphosate	Imazalil	Iprodione	Permethrin (sum of isomers)
Pecans Pine nuts Pistachios Walnuts Others										0,02 *	0,05 *
III) POME FRUIT Apples Pears Quinces Others	(a)	(b)	0,5	0,5	1	0,1	1	0,1 *	5	10	1
IV) STONE FRUIT Apricots Cherries Peaches (including nectarines and similar hybrids) Plums Others	0,02 * 0,02 * (a) (a) 0,02 *	(b) (b) (b) (b) 0,01 *	 (c) (c) 0,2 0,05 *	 (c) (c) (c) 0,05 *	2 1 2 1 0,05 *	0,1	(c) (c) (c) 0,05 *	0,1 * 0,1 * 0,1 * 0,1 * 0,1 *	0,02 * 0,02 * 0,02 * 0,02 * 0,02 *	5 5 5 5 5	1 1 1 1 1
V) BERRIES AND SMALL FRUIT Table and wine grapes Table grapes Wine grapes Strawberries (other than wild)	0,02 * 0,02 * 0,02 * 0,02 *	 1 (b) (b)	0,5 0,5 0,2	0,2 0,2 0,5 ▶ C1	0,5 0,5 (c)	0,1 0,1 0,05 *	1 1 0,05 *	0,1 * 0,1 * 0,1 * 0,1 *	0,02 * 0,02 * 0,02 * (a)	10 10 10 10	1 1 1 (c)
Cane fruit (other than wild) Blackberries Loganberries Raspberries Others Other small fruit and berries (other than wild)	0,02 * 0,02 * 0,02 * 0,02 * 0,02 *	(b) (b) (b) (b) (b)	(c) (c) (c) (c) (c)	0,05 * 0,05 * 0,05 * 0,05 * 0,05 *	0,5 0,5 0,5 0,5 0,5 ▶ M4 0,05 * ◀	(c) (c) (c) (c) (c)	0,05 * 0,05 * 0,05 * 0,05 * 0,05 *	0,1 * 0,1 * 0,1 * 0,1 * 0,1 *	0,02 * 0,02 * 0,02 * 0,02 * 0,02 *	5 5 5 5 5	▶ M4 0,05 * ▶ M4 0,05 * ▶ M4 0,05 * ▶ M4 0,05 * ▶ M4 0,05 *

▼M1

Groups and examples of individual products to which the MRLs apply	Pesticide residues and maximum residue levels (mg/kg)										
	Acephate	Chlorothalonil	Chlorpyrifos	Chlorpyrifos-methyl	Cypermethrin, including other mixtures of constituent isomers (sum of isomers)	Deltamethrin	Fenvalerate, including other mixtures of constituent isomers (sum of isomers)	Glyphosate	Imazalil	Iprodione	Permethrin (sum of isomers)
Bilberries					►M4 ▲					10	
Cranberries		2	(c)		►M4 ▲	0,2				10	►M4
Currants (red, black and white)		(b)	(c)		►M4 ▲	0,2				10	►M4
Gooseberries		(b)	(c)		►M4 ▲	0,2				10	►M4
Others		0,01 *	0,05 *		►M4 ▲	0,05 *				0,02 *	►M4
Wild berries and wild fruit	0,02 *	0,01 *	0,05 *	0,05 *	2 ▲	0,05 *	0,05 *	0,1 *	0,02 *	0,02 *	0,05 *
VI) MISCELLANEOUS FRUIT	0,02 *	0,01 *		0,05 *	0,05 *						
Avocados											
Bananas			(c)					2	(a)		
Dates											
Figs						(c)					
Kiwi			2			►M4 ▲				5	1
Kumquats											
Litchis											
Mangoes											
Olives			►M4 0,05 * ▲			0,1 *		(d)			►M4 ▲
Passion fruit											
Pineapples											
Pomegranates											
Others			0,05 *			0,05 *		0,1 *	0,02 *	0,02 *	0,05 *

▼M1

Groups and examples of individual products to which the MRLs apply	Pesticide residues and maximum residue levels (mg/kg)										
	Acephate	Chlorothalonil	Chlorpyrifos	Chlorpyrifos-methyl	Cypermethrin, including other mixtures of constituent isomers (sum of isomers)	Deltamethrin	Fenvalerate, including other mixtures of constituent isomers (sum of isomers)	Glyphosate	Imazalil	Iprodione	Permethrin (sum of isomers)
2. Vegetables, fresh or uncooked, frozen or dry											
I) ROOT AND TUBER VEGETABLES	0,02 *			0,05 *	►M4 0,05 * ◄	0,05 *	0,05 *	0,1 *	0,02 *		
Beetroot			►M4								
Carrots		(b)	◄ 0,1						(a)		
Celeriac		(b)							►M4		0,1
Horseradish									◄		
Jerusalem artichokes											
Parsnips			►M4								
Parsley root			◄								
Radishes					►M4					(a)	0,1
Salsify					◄						
Sweet potatoes											
Swedes			►M4		►M4						
Turnips			◄		◄						
			►M4		►M4						►M4
Yams			◄		◄						◄
Others		0,01 *	0,05 *		►M4				0,02 *		0,05 *
II) BULB VEGETABLES	0,02 *			0,05 *	◄						
Garlic		0,5			0,1	0,1	0,05 *	0,1 *	0,02 *	5	
Onions		0,5	(c)		0,1	0,1				5	(c)

Groups and examples of individual products to which the MRLs apply	Pesticide residues and maximum residue levels (mg/kg)										
	Acephate	Chlorothaloni	Chlorpyrifos	Chlorpyrifos-methyl	Cypermethrin, including other mixtures of constituent isomers (sum of isomers)	Deltamethrin	Fenvalerate, including other mixtures of constituent isomers (sum of isomers)	Glyphosate	Imazalil	Iprodione	Permethrin (sum of isomers)
Shallots		0,5			0,1	0,1				5	(c)
Springonions		(b)				(c)				(a)	(c)
Others		0,01 *	0,05 ► <u>C1</u> *		0,05 *	0,05 *				0,02 *	0,05 *
III) FRUITING VEGETABLES											
Solanacea		2	0,5	0,5	0,5	0,2	0,1 *	► <u>M4</u> 0,02 * ◄	5	0,5	
Tomatoes	0,5						1				
Peppers	(a)						0,2	► <u>M4</u>			
Aubergines	(a)							◄			
Others	0,02 *						0,05 *	► <u>M4</u>			
Cucurbits — edible peel			0,05 *	0,05 *	0,2	0,1		◄ 0,2	2	0,1	
Cucumbers	(a)	1					0,2				
Gherkins											
Courgettes											
Others	0,02 *	(b)					0,05 *				
Cucurbits — inedible peel	0,02 *	(b)	0,05 *	0,05 *	(c)	0,05 *				0,1	
Melons							0,2	(a)	(a)		
Squashes							0,5				
Watermelons							0,5				
Others							0,05 *	0,02 *	0,02 *		
Sweet corn	0,02 *	0,01 *	► <u>M4</u> 0,05 * ◄	0,05 *	0,05 *	(c)	0,05 *	0,1 *	0,02 *	0,02 *	0,1
IV) BRASSICA VEGETABLES											
Flowering brassica	(a)	(b)	(c)	0,05 *	0,5	0,1	1	0,1 *	0,02 *	(a)	
Broccoli											► <u>M4</u>
Cauliflower											◄ 0,1

Groups and examples of individual products to which the MRLs apply	Pesticide residues and maximum residue levels (mg/kg)										
	Acephate	Chlorothaloni	Chlorpyrifos	Chlorpyrifos-methyl	Cypermethrin, including other mixtures of constituent isomers (sum of isomers)	Deltamethrin	Fenvalerate, including other mixtures of constituent isomers (sum of isomers)	Glyphosate	Imazalil	Iprodione	Permethrin (sum of isomers)
Others											0,05 *
Head brassica	2		(c)	0,05 *	0,5	0,1	(c)	0,1 *	0,02 *		(c)
Brussels sprouts		0,5								(a)	
Head cabbage		(b)								5	
Others		0,01 *								0,02 *	
Leafy brassica	(a)	(b)	(c)	0,05 *	►C1 1◀	0,5		0,1 *	0,02 *	(a)	1
Chinese cabbage							1				
Kale							(c)				
Others							0,05 *				
Kohlrabi	0,02 *	0,01 *	0,05 *	0,05 *	0,2	0,05 *	(c)	0,1 *	0,02 *	0,1	0,05 *
V) LEAF VEGETABLES AND FRESH HERBS											
Lettuce and similar		►M4 0,01 *◀		0,05 *	2	0,5	0,05 *	0,1 *	0,02 *	10	2
Cress											
Lamb's lettuce			(c)								
Lettuce	1	►M4	(c)								
Scarole		◀	(c)								
Others	0,02 *	►M4	0,05 *								
Spinach and similar	0,02 *	◀		0,05 *	0,5	0,5	0,05 *	0,1 *	0,02 *	0,02 *	1
Beet leaves (chord)		0,01 *	0,05 *	0,05 *							
Water cress	0,02 *	0,01 *	0,05 *	0,05 *	0,05 *	0,05 *	0,05 *	0,1 *	0,02 *	0,02 *	0,05 *
Witloof	0,02 *	0,01 *	0,05 *	0,05 *	(c)	(c)	0,05 *	0,1 *	0,02 *	1	0,05 *
Herbs	0,02 *	(b)	(c)	0,05 *	2	0,5	0,05 *	0,1 *	0,02 *	10	2
Chervil											
Chives											
Parsley											

Groups and examples of individual products to which the MRLs apply	Pesticide residues and maximum residue levels (mg/kg)										
	Acephate	Chlorothaloni	Chlorpyrifos	Chlorpyrifos-methyl	Cypermethrin, including other mixtures of constituent isomers (sum of isomers)	Deltamethrin	Fenvalerate, including other mixtures of constituent isomers (sum of isomers)	Glyphosate	Imazalil	Iprodione	Permethrin (sum of isomers)
Celery leaves Others											
VI) LEGUME VEGETABLES (fresh)	(a)		(c)	0,05 *			(c)	0,1 *	0,02 *	(a)	
Beans (with pods)		(b)			0,5	0,2					0,5
Beans (without pods)		(b)			(c)	(c)					0,05 *
Peas (with pods)		2			(c)	0,1					0,1
Peas (without pods)		(b)			(c)						0,05 *
Others		0,01 *			0,05 *	0,05 *					0,05 *
VII) STEM VEGETABLES			(c)				0,05 *	0,1 *	0,02 *		
Asparagus											
Cardoons											
Celery		(b)			(c)					►M4	2
Fennel					►M4					◄	►M4
Globe artichokes	(a)			(c)	(c)	(c)					◄
Leek	(a)	(b)			0,5						0,5
Rhubarb											2
Others	0,02 *	0,01 *		0,05 *	0,05 *	0,05 *				0,02 *	0,05 *
VIII) FUNGI	0,02 *		0,05 *	0,05 *		0,05 *	0,05 *		0,02 *	0,02 *	0,05 *
Cultivated mushrooms		(b)			0,05 *			0,1 *			
Wild mushrooms		0,01 *			1			50			
3. Pulses		0,01 *	0,05 *	0,05 *		1	(c)		0,02 *	0,2	0,05 *
Beans	(a)				0,05 *			(d)			
Lentils	0,02 *				(c)			0,1 *			
Peas	(a)				(c)			(d)			
Others	0,02 *				0,05 *			0,1 *			
4. Oil seeds	0,02 *	0,01 *	0,05 *				0,1		0,02 *		
Linseed					0,2			10		(a)	

▼M1

Groups and examples of individual products to which the MRLs apply	Pesticide residues and maximum residue levels (mg/kg)										
	Acephate	Chlorothaloni	Chlorpyrifos	Chlorpyrifos-methyl	Cypermethrin, including other mixtures of constituent isomers (sum of isomers)	Deltamethrin	Fenvalerate, including other mixtures of constituent isomers (sum of isomers)	Glyphosate	Imazalil	Iprodione	Permethrin (sum of isomers)
Peanuts											0,1
Poppy seed					0,2						
Sesame seed					0,2						
Sunflower seed					0,2						►M4
Rape seed				(c)	0,2	0,1		10		0,5	◄ 0,1
Soya bean								(d)		(a)	0,1
Mustard					0,2						0,2
Cotton seed				0,05 *	0,05 *	0,05 *		0,1 *		0,02 *	0,05 *
Others											
5. Potatoes	0,02 *	0,01 *	0,05 *	0,05 *	0,05 *		0,05 *	0,1 *		0,02 *	0,05 *
Early potatoes						0,05 *			0,02 *		
Ware potatoes						(c)			5		
6. Tea (dried leaves and stalks, fermented or otherwise, <i>Camellia sinensis</i>)	0,1 *	0,1 *	0,1 *	0,1 *	(d)	5	(d)	0,1 *	0,1 *	0,1 *	(d)
7. Hops (dried), including hop pellets and un-concentrated powder	(d)	(d)	►M4 0,1 *	0,1 *	30	5	5	0,1 *	0,1 *	0,1 *	►M4 0,1 *

* Indicates lower limit of analytical determination.

(a) (b) (c) (d) Should levels not be adopted by 1 January 1998, the following maximum levels shall apply as indicated thereafter:

- (a) 0,02 *
- (b) 0,01 *
- (c) 0,05 *
- (d) 0,1 *

▼M1

Groups and examples of individual products to which the MRLs apply	Pesticide residues and maximum residue levels (mg/kg)				
	Benomyl Carbendazim Thiophanate- Methyl (sum expressed as carbendazim)	Maneb Manco- zeb Metiram Propineb, Zineb (sum expressed as CS ₂)	Methamidop- hos	Procymidone	Vinclozolin (sum of vinclo- zolins and all metabolites containing the 3,5 dichloroani- line moiety, expressed as vinclozolin)
1. Fruit, fresh, dried or uncooked pre- served by freezing not containing added sugar; nuts					
(I) CITRUS FRUIT	5		0,2	0,02 *	0,05 *
Grapefruit					
Lemons					
Limes					
Mandarines (including clemen- tines and similar hybrids)					
Oranges		2			
Pomelos					
Others		(c)			
(II) TREE NUTS (shelled or unshelled)	0,1 *	0,1 *	0,01 *	0,05 *	0,05 *
Almonds					
Brazil nuts					
Cashew nuts					
Chestnuts					
Coconuts					
Hazelnuts					
Macadamia					
Pecans					
Pine nuts					
Pistachios					
Walnuts					
Others					
(III) POME FRUIT	2	(c)	(b)		1
Apples				▶ M4 0,02 *	
Pears				◀ (a)	
Quinces					
Others				0,02 *	
(IV) STONE FRUIT			(b)	(a)	
Apricots	(d)	2			2
Cherries	(d)	1			0,5
Peaches (including nectarines and similar hybrids)	(d)	2			2
Plums	(d)	1			(c)
Others	0,1 *	0,05 *			0,05 *
(V) BERRIES AND SMALL FRUIT					
Table and wine grapes	(d)	2	▶ M4 0,01 *	5	5
Table grapes			◀		
Wine grapes					
Strawberries (other than wild)		2	▶ M4 0,01 *	5	5
Cane fruit (other than wild)	(d)	▶ M4	◀ 0,01 *		5
Blackberries		◀			
Dewberries					

▼M1

Groups and examples of individual products to which the MRLs apply	Pesticide residues and maximum residue levels (mg/kg)				
	Benomyl Carbendazim Thiophanate- Methyl (sum expressed as carbendazim)	Maneb Manco- zeb Metiram Propineb, Zineb (sum expressed as CS ₂)	Methamidop- hos	Procymidone	Vinclozolin (sum of vinclo- zolin and all metabolites containing the 3,5 dichloroani- line moiety, expressed as vinclozolin)
Loganberries		►M4 (c) ◀		10	
Raspberries		►M4 0,05 *		0,02 *	
Others		◀			
Other small fruit and berries (other than wild)			0,01 *	0,02 *	
Bilberries (fruit of species <i>vaccinium myrtyllus</i>)					
Cranberries					
Currants (red, black and white)	(d)	(c)			(c)
Gooseberries	(d)	(c)			
Others	0,1 *	0,05 *			0,05 *
Wild berries and wild fruit	0,1 *	0,05 *	0,01 *	0,02 *	0,05 *
(VI) MISCELLANEOUS FRUIT		0,05 *	0,01 *		0,05 * (except kiwi)
Avocados					
Bananas	1				
Dates					
Figs					
Kiwi				5	
Kumquats					
Litchis					
Mangoes					
Olives (table consumption)	►M4				
	◀				
Olives (oil extraction)	►M4				
	◀				
Passion fruit					
Pineapples					
Pomegranates					
Others	0,1 *			0,02 *	
2. Vegetables, fresh or uncooked, frozen or dry					
(I) ROOT AND TUBER VEGETABLES			0,01 *	0,02 *	
Beetroot		►M4			
		◀			
Carrots	(d)	(c)			(c)
Celeriac	(d)	0,2			
Horseradish					(c)
Jerusalem artichokes					
Parsnips		(c)			
Parsley root					
Radishes		(c)			(c)
Salsify	(d)	(c)			
Sweet potatoes					
Swedes	(d)				(c)
Turnips	(d)				
Yams					
Others	0,1 *	0,05 *			0,05 *

▼M1

Groups and examples of individual products to which the MRLs apply	Pesticide residues and maximum residue levels (mg/kg)				
	Benomyl Carbendazim Thiophanate- Methyl (sum expressed as carbendazim)	Maneb Manco- zeb Metiram Propineb, Zineb (sum expressed as CS ₂)	Methamidop- hos	Procymidone	Vinclozolin (sum of vinclo- zolin and all metabolites containing the 3,5 dichloroani- line moiety, expressed as vinclozolin)
(II) BULB VEGETABLES			0,01 *		1
Garlic		0,5		0,2	
Onions	(d)	0,5		0,2	
Shallots		0,5		0,2	
Spring onions		(c)		►M4	
Others	0,1 *	0,05 *		◄ 0,02 *	
(III) FRUITING VEGETABLES					
Solanacea				2	3
Tomatoes	(d)	(c)	0,5		
Peppers	(d)		(b)		
Aubergines	0,5		0,2		
Others	0,1 *	2	0,01 *		
Cucurbits — edible peel				1	1
Cucumbers	(d)	0,5	1		
Gherkins	(d)	(c)			
Courgettes		(c)			
Others	0,1 *	0,05 *	0,01 *		
Cucurbits — inedible peel		(c)	0,01 *	1	1
Melons	0,5				
Squashes	0,5				
Watermelons					
Others	0,1 *				
Sweet corn	0,1 *	0,05 *	0,01 *	0,02 *	0,05 *
(IV) BRASSICA VEGETABLES					
Flowering brassica	(d)	(c)	(b)	0,02 *	0,05 *
Broccoli					
Cauliflower					
Others					
Head brassica		(c)	0,5	0,02 *	0,05 *
Brussels sprouts	(d)				
Head cabbage					
Others					
Leafy brassica	0,1 *	(c)	►M4 0,01 *	0,02 *	
Chinese cabbage			◄		2
Kale					0,05 *
Others					0,05 *
Kohlrabi	0,1 *	(c)	0,01 *	0,02 *	0,05 *
(V) LEAF VEGETABLES AND FRESH HERBS					
Lettuce and similar	(d)	5		5	5
Cress					
Lamb's lettuce					
Lettuce			0,2		
Scarole					
Others			0,01 *		
Spinach and similar	0,1 *	0,05 *	0,01 *	0,02 *	0,05 *

▼M1

Groups and examples of individual products to which the MRLs apply	Pesticide residues and maximum residue levels (mg/kg)				
	Benomyl Carbendazim Thiophanate- Methyl (sum expressed as carbendazim)	Maneb Manco- zeb Metiram Propineb, Zineb (sum expressed as CS ₂)	Methamidop- hos	Procymidone	Vinclozolin (sum of vinclo- zolins and all metabolites containing the 3,5 dichloroani- line moiety, expressed as vinclozolin)
Beet leaves (chord)					
Water cress	►M4 0,1 * ◄	►M4 0,05 * ◄	0,01 *	0,02 *	0,05 *
Witloof	►M4 0,1 * ◄	0,2	0,01 *	(a)	2
Herbs	0,1 *	5	0,01 *	0,02 *	0,05 *
Chervil					
Chives					
Parsley					
Celery leaves					
Others					
(VI) LEGUME VEGETABLES (fresh)	(d)	(c)	(b)		
Beans (with pods)				2	2
Beans (without pods)				(a)	(c)
Peas (with pods)				(a)	2
Peas (without pods)				(a)	(c)
Others				►C1 0,02 * ◄	0,05 *
(VII) STEM VEGETABLES				0,02 *	
Asparagus					
Cardoons					
Celery	(d)	(c)			(c)
Fennel					
Globe artichokes		►M4 ◄	(b)		
Leek		(c)	(b)		
Rhubarb					
Others	0,1 *	0,05 *	0,01 *		0,05 *
(VIII) FUNGI		0,05 *	0,01 *	0,02 *	0,05 *
Cultivated mushrooms	1				
Wild mushrooms	0,1 *				
3. Pulses		(c)		(a)	(c)
Beans	(d)		(b)		
Lentils	0,1 *		0,01 *		
Peas	(d)		(b)		
Others	0,1 *		0,01 *		
4. Oil seeds					
Linseed					
Peanuts					
Poppy seed					
Sesame seed					
Sunflower seed (with shell)				1	
Sunflower seed (without shell)					
Rape seed		(c)		1	1
Soya bean	0,2			1	
Mustard					
Cotton seed			0,1		
Others	0,1 *	0,1 *	0,01 *	0,05 *	0,05 *
5. Potatoes	(d)	0,05 *	0,01 *	0,02 *	0,05 *
Early potatoes					
Ware potatoes					

▼M1

Groups and examples of individual products to which the MRLs apply	Pesticide residues and maximum residue levels (mg/kg)				
	Benomyl Carbendazim Thiophanate- Methyl (sum expressed as carbendazim)	Maneb Manco- zeb Metiram Propineb, Zineb (sum expressed as CS ₂)	Methamidop- hos	Procymidone	Vinclozolin (sum of vinclo- zolin and all metabolites containing the 3,5 dichloroani- line moiety, expressed as vinclozolin)
6. Tea (dried leaves and stalks, fermented or otherwise, <i>Camellia sinensis</i>)	0,1 *	0,1 *	0,1 *	0,1 *	0,1 *
7. Hops (dried), including hop pellets and unconcentrated powder	►M4 0,1 * ◄	25	2	0,1 *	40

* Indicates lower limit of analytical determination.

(a) (b) (c) (d) Should levels not be adopted by 1 January 1998, the following maximum levels shall apply as indicated thereafter:

(a) 0,02 *

(b) 0,01 *

(c) 0,05 *

(d) 0,1 *.

▼M1

Groups and examples of individual products to which the MRLs apply	Pesticide residues and maximum residue levels (mg/kg)
	DDT (sum of p,p'-DDT, o,p'-DDT, p,p'-DDE and p,p'-TDE (DDD) expressed as DDT)
1. Fruit, fresh, dried or uncooked preserved by freezing not containing added sugar; nuts	
(I) CITRUS FRUIT Grapefruit Lemons Limes Mandarines (including clementines and similar hybrids) Oranges Pomelos Others	0,05 *
(II) TREE NUTS (shelled or unshelled) Almonds Brazil nuts Cashew nuts Chestnuts Coconuts Hazelnuts Macadamia Pecans Pine nuts Pistachios Walnuts Others	0,05 *
(III) POME FRUIT Apples Pears Quinces Others	0,05 *
(IV) STONE FRUIT Apricots Cherries Peaches (including nectarines and similar hybrids) Plums Others	0,05 *
(V) BERRIES AND SMALL FRUIT Table and wine grapes Table grapes Wine grapes Strawberries (other than wild) Cane fruit (other than wild) Blackberries Dewberries Loganberries Raspberries Others Other small fruit and berries (other than wild) Bilberries (fruit of species <i>vaccinium myrtilus</i>) Cranberries Currants (red, black and white)	0,05 *

▼M1

Groups and examples of individual products to which the MRLs apply	Pesticide residues and maximum residue levels (mg/kg)
	DDT (sum of p,p'-DDT, o,p'-DDT, p,p'-DDE and p,p'-TDE (DDD) expressed as DDT)
Gooseberries Others	
Wild berries and wild fruit	
(VI) MISCELLANEOUS FRUIT	0,05 *
Avocados	
Bananas	
Dates	
Figs	
Kiwi	
Kumquats	
Litchis	
Mangoes	
Olives (table consumption)	
Olives (oil extraction)	
Passion fruit	
Pineapples	
Pomegranates	
Others	
2. Vegetables, fresh or uncooked, frozen or dry	
(I) ROOT AND TUBER VEGETABLES	0,05 *
Beetroot	
Carrots	
Celeriac	
Horseradish	
Jerusalem artichokes	
Parsnips	
Parsley root	
Radishes	
Salsify	
Sweet potatoes	
Swedes	
Turnips	
Yams	
Others	
(II) BULB VEGETABLES	0,05 *
Garlic	
Onions	
Shallots	
Spring onions	
Others	
(III) FRUITING VEGETABLES	0,05 *
Solanacea	
Tomatoes	
Peppers	
Aubergines	
Others	
Cucurbits — edible peel	
Cucumbers	
Gherkins	
Courgettes	
Others	
Cucurbits — inedible peel	
Melons	

▼M1

Groups and examples of individual products to which the MRLs apply	Pesticide residues and maximum residue levels (mg/kg)
	DDT (sum of p,p'-DDT, o,p'-DDT, p,p'-DDE and p,p'-TDE (DDD) expressed as DDT)
Squashes Watermelons Others	
Sweet corn	
(IV) BRASSICA VEGETABLES	0,05 *
Flowering brassica Broccoli Cauliflower Others	
Head brassica Brussels sprouts Head cabbage Others	
Leafy brassica Chinese cabbage Kale Others	
Kohlrabi	
(V) LEAF VEGETABLES AND FRESH HERBS	0,05 *
Lettuce and similar Cress Lamb's lettuce Lettuce Scarole Others	
Spinach and similar Beet leaves (chord)	
Water cress Witloof Herbs Chervil Chives Parsley Celery leaves Others	
(VI) LEGUME VEGETABLES (fresh)	0,05 *
Beans (with pods)	
Beans (without pods)	
Peas (with pods)	
Peas (without pods)	
Others	
(VII) STEM VEGETABLES	0,05 *
Asparagus	
Cardoons	
Celery	
Fennel	
Globe artichokes	
Leek	
Rhubarb	
Others	

▼M1

Groups and examples of individual products to which the MRLs apply	Pesticide residues and maximum residue levels (mg/kg)
	DDT (sum of p,p'-DDT, o,p'-DDT, p,p'-DDE and p,p'-TDE (DDD) expressed as DDT)
(VIII) FUNGI Cultivated mushrooms Wild mushrooms	0,05 *
3. Pulses Beans Lentils Peas Others	0,05 *
4. Oil seeds Linseed Peanuts Poppy seed Sesame seed Sunflower seed (with shell) Sunflower seed (without shell) Rape seed Soya bean Mustard Cotton seed Others	0,05 *
5. Potatoes Early potatoes Ware potatoes	0,05 *
6. Tea (dried leaves and stalks, fermented or otherwise, <i>Camellia sinensis</i>)	0,2 ► C1 ◀
7. Hops (dried), including hop pellets and unconcentrated powder	0,05 *

* Indicates lower limit of analytical determination.

(a) (b) (c) (d) Should levels not be adopted by 1 January 1998, the following maximum levels shall apply as indicated thereafter:

- (a) 0,02 *
- (b) 0,01 *
- (c) 0,05 *
- (d) 0,1 *

▼M1

Groups and examples of individual products to which the MRLs apply	Pesticide residues and maximum residue levels (mg/kg)					
	Aminotriazole (Amitrole)	Atrazine	Binapacryl	Bromophosetyl	Captafol	Dichlorprop (including dichlorprop P)
1. Fruit, fresh, dried or uncooked preserved by freezing not containing added sugar; nuts						
(I) CITRUS FRUIT Grapefruit Lemons Limes Mandarines (including clementines and similar hybrids) Oranges Pomelos Others	0,05 *	0,1 *	0,05 *	0,05 *	0,02 *	0,05 *
(II) TREE NUTS (shelled or unshelled) Almonds Brazil nuts Cashew nuts Chestnuts Coconuts Hazelnuts Macadamia Pecans Pine nuts Pistachios Walnuts Others	0,05 *	0,1 *	0,05 *	0,05 *	0,02 *	0,05 *
(III) POME FRUIT Apples Pears Quinces Others	0,05 *	0,1 *	0,05 *	0,05 *	0,02 *	0,05 *
(IV) STONE FRUIT Apricots Cherries Peaches (including nectarines and similar hybrids) Plums Others	0,05 *	0,1 *	0,05 *	0,05 *	0,02 *	0,05 *
(V) BERRIES AND SMALL FRUIT Table and wine grapes Table grapes Wine grapes Strawberries (other than wild) Cane fruit Blackberries Dewberries Loganberries Raspberries Others Other small fruit and berries (other than wild)	0,05 *	0,1 *	0,05 *	0,05 *	0,02 *	0,05 *

▼M1

Groups and examples of individual products to which the MRLs apply	Pesticide residues and maximum residue levels (mg/kg)					
	Aminotriazole (Amitrole)	Atrazine	Binapacryl	Bromophosetyl	Captafol	Dichlorprop (including dichlorprop P)
Bilberries (fruit of species <i>vaccinium myrtilus</i>) Cranberries Currants (red, black and white) Gooseberries Others Wild berries and wild fruit (VI) MISCELLANEOUS FRUIT Avocados Bananas Dates Figs Kiwi Kumquats Litchis Mangoes Olives Passion fruit Pineapples Pomegranates Others	0,05 *	0,1 *	0,05 *	0,05 *	0,02 *	0,05 *
2. Vegetables, fresh or uncooked, frozen or dry (I) ROOT AND TUBER VEGETABLES Beetroot Carrots Celeriac Horseradish Jerusalem artichokes Parsnips Parsley root Radishes Salsify Sweet potatoes Swedes Turnips Yams Others	0,05 *	0,1 *	0,05 *	0,05 *	0,02 *	0,05 *
(II) BULB VEGETABLES Garlic Onions Shallots Spring onions Others	0,05 *	0,1 *	0,05 *	0,05 *	0,02 *	0,05 *
(III) FRUITING VEGETABLES Solanacea Tomatoes Peppers Aubergines Others Cucurbits — edible peel	0,05 *	0,1 *	0,05 *	0,05 *	0,02 *	0,05 *

▼M1

Groups and examples of individual products to which the MRLs apply	Pesticide residues and maximum residue levels (mg/kg)					
	Aminotriazole (Amitrole)	Atrazine	Binapacryl	Bromophosetyl	Captafol	Dichlorprop (including dichlorprop P)
Cucumbers Gherkins Courgettes Others						
Cucurbits — inedible peel Melons Squashes Watermelons Others						
Sweet corn						
(IV) BRASSICA VEGETABLES	0,05 *	0,1 *	0,05 *	0,05 *	0,02 *	0,05 *
Flowering brassica Broccoli Cauliflower Others						
Head brassica Brussels sprouts Head cabbage Others						
Leafy brassica Chinese cabbage Kale Others						
Kohlrabi						
(V) LEAF VEGETABLES AND FRESH HERBS	0,05 *	0,1 *	0,05 *	0,05 *	0,02 *	0,05 *
Lettuce and similar Cress Lamb's lettuce Lettuce Scarole Others						
Spinach and similar Beet leaves (chord)						
Water cress Witloof Herbs Chervil Chives Parsley Celery leaves Others						
(VI) LEGUME VEGETABLES (fresh)	0,05 *	0,1 *	0,05 *	0,05 *	0,02 *	0,05 *
Beans (with pods) Beans (without pods) Peas (with pods) Peas (without pods) Others						
(VII) STEM VEGETABLES	0,05 *	0,1 *	0,05 *	0,05 *	0,02 *	0,05 *
Asparagus Cardoons						

▼M1

Groups and examples of individual products to which the MRLs apply	Pesticide residues and maximum residue levels (mg/kg)					
	Aminotriazole (Amitrole)	Atrazine	Binapacryl	Bromophosetyl	Captafol	Dichlorprop (including dichlorprop P)
Celery Fennel Globe artichokes Leek Rhubarb Others						
(VIII) FUNGI Cultivated mushrooms Wild mushrooms	0,05 *	0,1 *	0,05 *	0,05 *	0,02 *	0,05 *
3. Pulses Beans Lentils Peas Others	0,05 *	0,1 *	0,05 *	0,05 *	0,02 *	0,05 *
4. Oil seeds Linseed Peanuts Poppy seed Sesame seed Sunflower seed Rape seed Soya bean Mustard Cotton seed Others	0,05 *	0,1 *	0,05 *	0,05 *	0,02 *	0,05 *
5. Potatoes Early potatoes Ware potatoes	0,05 *	0,1 *	0,05 *	0,05 *	0,02 *	0,05 *
6. Tea (dried leaves and stalks, fermented or otherwise, <i>Camellia sinensis</i>)	0,1 *	0,1 *	0,1 *	0,1 *	0,1 *	0,1 *
7. Hops (dried), including hop pellets and unconcentrated powder	0,1 *	0,1 *	0,1 *	0,1 *	0,1 *	0,1 *

* Indicates lower limit of analytical determination.

(a) (b) (c) (d) Should levels not be adopted by 1 January 1998, the following maximum levels shall apply as indicated thereafter:

(a) 0,02 *

(b) 0,01 *

(c) 0,05 *

(d) 0,1 *.

▼M1

Groups and examples of individual products to which the MRLs apply	Pesticide residues and maximum residue levels (mg/kg)				
	Dinoseb	Dioxathion	Endrin	1,2-dibromoethane (ethylene dibromide)	Fenclorphos (sum of fenclorphos and fenclorphos oxon expressed as fenclorphos)
1. Fruit, fresh, dried or uncooked preserved by freezing not containing added sugar; nuts					
(I) CITRUS FRUIT Grapefruit Lemons Limes Mandarines (including clementines and similar hybrids) Oranges Pomelos Others	0,05 *	0,05 *	0,01 *	0,01 *	0,01 *
(II) TREE NUTS (shelled or unshelled) Almonds Brazil nuts Cashew nuts Chestnuts Coconuts Hazelnuts Macadamia Pecans Pine nuts Pistachios Walnuts Others	0,05 *	0,05 *	0,01 *	0,01 *	0,01 *
(III) POME FRUIT Apples Pears Quinces Others	0,05 *	0,05 *	0,01 *	0,01 *	0,01 *
(IV) STONE FRUIT Apricots Cherries Peaches (including nectarines and similar hybrids) Plums Others	0,05 *	0,05 *	0,01 *	0,01 *	0,01 *
(V) BERRIES AND SMALL FRUIT Table and wine grapes Table grapes Wine grapes Strawberries (other than wild) Cane fruit Blackberries Dewberries Loganberries Raspberries Others Other small fruit and berries (other than wild) Bilberries (fruit of species <i>vaccinium myrtyllus</i>)	0,05 *	0,05 *	0,01 *	0,01 *	0,01 *

▼M1

Groups and examples of individual products to which the MRLs apply	Pesticide residues and maximum residue levels (mg/kg)				
	Dinoseb	Dioxathion	Endrin	1,2-dibromoethane (ethylene dibromide)	Fenclorphos (sum of fenclorphos and fenclorphos oxon expressed as fenclorphos)
Cranberries Currants (red, black and white) Gooseberries Others Wild berries and wild fruit (VI) MISCELLANEOUS FRUIT Avocados Bananas Dates Figs Kiwis Kumquats Litchis Mangoes Olives Passion fruit Pineapples Pomegranates Others	0,05 *	0,05 *	0,01 *	0,01 *	0,01 *
2. Vegetables, fresh or uncooked, frozen or dry (I) ROOT AND TUBER VEGETABLES Beetroot Carrots Celeriac Horseradish Jerusalem artichokes Parsnips Parsley root Radishes Salsify Sweet potatoes Swedes Turnips Yams Others (II) BULB VEGETABLES Garlic Onions Shallots Spring onions Others (III) FRUITING VEGETABLES Solanacea Tomatoes Peppers Aubergines Others Cucurbits — edible peel Cucumbers	0,05 *	0,05 *	0,01 *	0,01 *	0,01 *

▼M1

Groups and examples of individual products to which the MRLs apply	Pesticide residues and maximum residue levels (mg/kg)				
	Dinoseb	Dioxathion	Endrin	1,2-dibromoethane (ethylene dibromide)	Fenclorphos (sum of fenclorphos and fenclorphos oxon expressed as fenclorphos)
Gherkins Courgettes Others					
Cucurbits — inedible peel Melons Squashes Watermelons Others					
Sweet corn					
(IV) BRASSICA VEGETABLES	0,05 *	0,05 *	0,01 *	0,01 *	0,01 *
Flowering brassica Broccoli Cauliflower Others					
Head brassica Brussels sprouts Head cabbage Others					
Leafy brassica Chinese cabbage Kale Others					
Kohlrabi					
(V) LEAF VEGETABLES AND FRESH HERBS	0,05 *	0,05 *	0,01 *	0,01 *	0,01 *
Lettuce and similar Cress Lamb's lettuce Lettuce Scarole Others					
Spinach and similar Beet leaves (chord)					
Water cress Witloof Herbs Chervil Chives Parsley Celery leaves Others					
(VI) LEGUME VEGETABLES (fresh)	0,05 *	0,05 *	0,01 *	0,01 *	0,01 *
Beans (with pods) Beans (without pods) Peas (with pods) Peas (without pods) Others					
(VII) STEM VEGETABLES	0,05 *	0,05 *	0,01 *	0,01 *	0,01 *
Asparagus Cardoons					

▼M1

Groups and examples of individual products to which the MRLs apply	Pesticide residues and maximum residue levels (mg/kg)				
	Dinoseb	Dioxathion	Endrin	1,2-dibromoethane (ethylene dibromide)	Fenchlorphos (sum of fenchlorphos and fenchlorphos oxon expressed as fenchlorphos)
Celery Fennel Globe artichokes Leek Rhubarb Others					
(VIII) FUNGI Cultivated mushrooms Wild mushrooms	0,05 *	0,05 *	0,01 *	0,01 *	0,01 *
3. Pulses Beans Lentils Peas Others	0,05 *	0,05 *	0,01 *	0,01 *	0,01 *
4. Oil seeds Linseed Peanuts Poppy seed Sesame seed Sunflower seed Rape seed Soya bean Mustard Cotton seed Others	0,05 *	0,05 *	0,01 *	0,01 *	0,01 *
5. Potatoes Early potatoes Ware potatoes	0,05 *	0,05 *	0,01 *	0,01 *	0,01 *
6. Tea (dried leaves and stalks, fermented or otherwise, <i>Camellia sinensis</i>)	0,1 *	0,1 *	0,01 *	0,1 *	0,1 *
7. Hops (dried), including hop pellets and unconcentrated powder	0,1 *	0,1 *	0,1 *	0,01 *	0,1 *

* Indicates lower limit of analytical determination.

(a) (b) (c) (d) Should levels not be adopted by 1 January 1998, the following maximum levels shall apply as indicated thereafter:

(a) 0,02 *

(b) 0,01 *

(c) 0,05 *

(d) 0,1 *

▼M1

Groups and examples of individual products to which the MRLs apply	Pesticide residues and maximum residue levels (mg/kg)			
	Heptachlor (sum of heptachlor and heptachlor epoxide)	Maleic hydrazide	Methyl bromide	Paraquat
1. Fruit, fresh, dried or uncooked preserved by freezing not containing added sugar; nuts				
(I) CITRUS FRUIT Grapefruit Lemons Limes Mandarines (including clementines and similar hybrids) Oranges Pomelos Others	0,01 *	1 *	0,05 *	0,05 *
(II) TREE NUTS (shelled or unshelled) Almonds Brazil nuts Cashew nuts Chestnuts Coconuts Hazelnuts Macadamia Pecans Pine nuts Pistachios Walnuts Others	0,01 *	1 *		0,05 *
(III) POME FRUIT Apples Pears Quinces Others	0,01 *	1 *	0,05 *	0,05 *
(IV) STONE FRUIT Apricots Cherries Peaches (including nectarines and similar hybrids) Plums Others	0,01 *	1 *		0,05 *
(V) BERRIES AND SMALL FRUIT Table and wine grapes Table grapes Wine grapes Strawberries (other than wild) Cane fruit (other than wild) Blackberries Dewberries Loganberries Raspberries Others Other small fruit and berries (other than wild) Bilberries (fruit of species <i>vaccinium myrtilus</i>) Cranberries Currants (red, black and white)	0,01 *	1 *	0,05 * 0,05 * 0,05 *	0,05 *

▼M1

Groups and examples of individual products to which the MRLs apply	Pesticide residues and maximum residue levels (mg/kg)			
	Heptachlor (sum of heptachlor and heptachlor epoxide)	Maleic hydrazide	Methyl bromide	Paraquat
Gooseberries Others				
Wild berries and wild fruit			0,05 *	
(VI) MISCELLANEOUS FRUIT	0,01 *	1 *	0,05 * (except figs)	0,05 *
Avocados				
Bananas				
Dates				
Figs				
Kiwi				
Kumquats				
Litchis				
Mangoes				
Olives				
Passion fruit				
Pineapples				
Pomegranates				
Others				
2. Vegetables, fresh or uncooked, frozen or dry				
(I) ROOT AND TUBER VEGETABLES	0,01 *	1 *	0,05 *	0,05 *
Beetroot				
Carrots				
Celeriac				
Horseradish				
Jerusalem artichokes				
Parsnips				
Parsley root				
Radishes				
Salsify				
Sweet potatoes				
Swedes				
Turnips				
Yams				
Others				
(II) BULB VEGETABLES	0,01 *		0,05 *	0,05 *
Garlic				
Onions				
Shallots				
Spring onions		1 *		
Others		10		
(III) FRUITING VEGETABLES	0,01 *	1 *	0,05 *	0,05 *
Solanacea				
Tomatoes				
Peppers				
Aubergines				
Others				
Cucurbits — edible peel				
Cucumbers				
Gherkins				
Courgettes				
Others				
Cucurbits — inedible peel				
Melons				

▼M1

Groups and examples of individual products to which the MRLs apply	Pesticide residues and maximum residue levels (mg/kg)			
	Heptachlor (sum of heptachlor and heptachlor epoxide)	Maleic hydrazide	Methyl bromide	Paraquat
Squashes Watermelons Others				
Sweet corn				
(IV) BRASSICA VEGETABLES	0,01 *	1 *	0,05 *	0,05 *
Flowering brassica				
Broccoli				
Cauliflower				
Others				
Head brassica				
Brussels sprouts				
Head cabbage				
Others				
Leafy brassica				
Chinese cabbage				
Kale				
Others				
Kohlrabi				
(V) LEAF VEGETABLES AND FRESH HERBS	0,01 *	1 *	0,05 *	0,05 *
Lettuce and similar				
Cress				
Lamb's lettuce				
Lettuce				
Scarole				
Others				
Spinach and similar				
Beet leaves (chord)				
Water cress				
Witloof				
Herbs				
Chervil				
Chives				
Parsley				
Celery leaves				
Others				
(VI) LEGUME VEGETABLES (fresh)	0,01 *	1 *	0,05 *	0,05 *
Beans (with pods)				
Beans (without pods)				
Peas (with pods)				
Peas (without pods)				
Others				
(VII) STEM VEGETABLES	0,01 *	1 *	0,05 *	0,05 *
Asparagus				
Cardoons				
Celery				
Fennel				
Globe artichokes				
Leek				
Rhubarb				
Others				

▼M1

Groups and examples of individual products to which the MRLs apply	Pesticide residues and maximum residue levels (mg/kg)			
	Heptachlor (sum of heptachlor and heptachlor epoxide)	Maleic hydrazide	Methyl bromide	Paraquat
(VIII) FUNGI Cultivated mushrooms Wild mushrooms	0,01 *	1 *	0,05 *	0,05 *
3. Pulses Beans Lentils Peas Others	0,01 *	1 *		0,05 *
4. Oil seeds Linseed Peanuts Poppy seed Sesame seed Sunflower seed Rape seed Soya bean Mustard Cotton seed Others	0,01 *	1 *	0,1 *	0,05 *
5. Potatoes Early potatoes Ware potatoes	0,01 *	1 * 50	0,05 *	0,05 *
6. Tea (dried leaves and stalks, fermented or otherwise, <i>Camellia sinensis</i>)	0,02 *	1 *	0,05 *	0,1 *
7. Hops (dried), including hop pellets and unconcentrated powder	0,01 *	1 *	0,05 *	0,1 *

* Indicates lower limit of analytical determination.

(a) (b) (c) (d) Should levels not be adopted by 1 January 1998, the following maximum levels shall apply as indicated thereafter:

- (a) 0,02 *
- (b) 0,01 *
- (c) 0,05 *
- (d) 0,1 *.

▼M1

Groups and examples of individual products to which the MRLs apply	Pesticide residues and maximum residue levels (mg/kg)		
	TEPP	Camphechlor (Toxaphene)	2,4,5-T
1. Fruit, fresh, dried or uncooked preserved by freezing not containing added sugar; nuts			
(I) CITRUS FRUIT Grapefruit Lemons Limes Mandarines (including clementines and similar hybrids) Oranges Pomelos Others	0,01 *	0,1 *	0,05 *
(II) TREE NUTS (shelled or unshelled) Almonds Brazil nuts Cashew nuts Chestnuts Coconuts Hazelnuts Macadamia Pecans Pine nuts Pistachios Walnuts Others	0,01 *	0,1 *	0,05 *
(III) POME FRUIT Apples Pears Quinces Others	0,01 *	0,1 *	0,05 *
(IV) STONE FRUIT Apricots Cherries Peaches (including nectarines and similar hybrids) Plums Others	0,01 *	0,1 *	0,05 *
(V) BERRIES AND SMALL FRUIT Table and wine grapes Table grapes Wine grapes Strawberries (other than wild) Cane fruit (other than wild) Blackberries Dewberries Loganberries Raspberries Others Other small fruit and berries (other than wild) Bilberries (fruit of species <i>vaccinium myrtyllus</i>) Cranberries Currants (red, black and white) Gooseberries Others Wild berries and wild fruit	0,01 *	0,1 *	0,05 *

▼M1

Groups and examples of individual products to which the MRLs apply	Pesticide residues and maximum residue levels (mg/kg)		
	TEPP	Camphchlor (Toxaphene)	2,4,5-T
(VI) MISCELLANEOUS FRUIT	0,01 *	0,1 *	0,05 *
Avocados			
Bananas			
Dates			
Figs			
Kiwi			
Kumquats			
Litchis			
Mangoes			
Olives			
Passion fruit			
Pineapples			
Pomegranates			
Others			
2. Vegetables, fresh or uncooked, frozen or dry			
(I) ROOT AND TUBER VEGETABLES	0,01 *	0,1 *	0,05 *
Beetroot			
Carrots			
Celeriac			
Horseradish			
Jerusalem artichokes			
Parsnips			
Parsley root			
Radishes			
Salsify			
Sweet potatoes			
Swedes			
Turnips			
Yams			
Others			
(II) BULB VEGETABLES	0,01 *	0,1 *	0,05 *
Garlic			
Onions			
Shallots			
Spring onions			
Others			
(III) FRUITING VEGETABLES	0,01 *	0,1 *	0,05 *
Solanacea			
Tomatoes			
Peppers			
Aubergines			
Others			
Cucurbits — edible peel			
Cucumbers			
Gherkins			
Courgettes			
Others			
Cucurbits — inedible peel			
Melons			
Squashes			
Watermelons			
Others			
Sweet corn			
(IV) BRASSICA VEGETABLES	0,01 *	0,1 *	0,05 *
Flowering brassica			

▼M1

Groups and examples of individual products to which the MRLs apply	Pesticide residues and maximum residue levels (mg/kg)		
	TEPP	Camphechlor (Toxaphene)	2,4,5-T
Broccoli Cauliflower Others Head brassica Brussels sprouts Head cabbage Others Leafy brassica Chinese cabbage Kale Others Kohlrabi			
(V) LEAF VEGETABLES AND FRESH HERBS Lettuce and similar Cress Lamb's lettuce Lettuce Scarole Others Spinach and similar Beet leaves (chord) Water cress Witloof Herbs Chervil Chives Parsley Celery leaves Others	0,01 *	0,1 *	0,05 *
(VI) LEGUME VEGETABLES (fresh) Beans (with pods) Beans (without pods) Peas (with pods) Peas (without pods) Others	0,01 *	0,1 *	0,05 *
(VII) STEM VEGETABLES Asparagus Cardoons Celery Fennel Globe artichokes Leek Rhubarb Others	0,01 *	0,1 *	0,05 *
(VIII) FUNGI Cultivated mushrooms Wild mushrooms	0,01 *	0,1 *	0,05 *
3. Pulses Beans Lentils Peas Others	0,01 *	0,1 *	0,05 *
4. Oil seeds Linseed	0,01 *	0,1 *	0,05 *

▼M1

Groups and examples of individual products to which the MRLs apply	Pesticide residues and maximum residue levels (mg/kg)		
	TEPP	Camphchlor (Toxaphene)	2,4,5-T
Peanuts Poppy seed Sesame seed Sunflower seed Rape seed Soya bean Mustard Cotton seed Others			
5. Potatoes Early potatoes Ware potatoes	0,01 *	0,1 *	0,05 *
6. Tea (dried leaves and stalks, fermented or otherwise, <i>Camellia sinensis</i>)	0,02 *	0,1 *	0,05 *
7. Hops (dried), including hop pellets and unconcentrated powder	0,02 *	0,1 *	0,05 *

* Indicates lower limit of analytical determination.

(a) (b) (c) (d) Should levels not be adopted by 1 January 1998, the following maximum levels shall apply as indicated thereafter:

(a) 0,02 *

(b) 0,01 *

(c) 0,05 *

(d) 0,1 *.

▼**M1****Pesticide residues and maximum residue levels specifically in respect of tea (dried leaves and stalks, fermented or otherwise, *Camellia sinensis*)**

Pesticide residues	Maximum levels in mg/kg (ppm)
1. Aldrin	0,02
2. Dieldrin	
} singly or combined expressed as dieldrin (HEOD)	
3. Endosulfan (sum of alpha- and beta-isomers and of endosulfan sulphate, expressed as endosulfan)	30
4. Hexachlorocyclohexane (HCH)	
4.1 alpha-isomer	0,2
4.2 beta-isomer	
} (sum)	
4.3 gamma-isomer (lindane)	0,2
5. ► C1 Bifenthrin ◀	(d)
6. Bromopropylate	► M4 0,1 * ◀
7. Cartap	20
8. Chlordane (sum of cis- and trans-isomers)	0,02 *
9. Dichlorvos	(d)
10. Dicofol	(d)
11. Dimethoate	0,2
12. Omethoate	0,1
13. Ethion	2
14. Fenitrothion	(d)
15. Flucythrinate (sum of isomers)	► M4 0,1 * ◀
16. Hexachlorobenzene (HCB)	0,01 *
17. Malathion (sum of malathion and malaaxon expressed as malathion)	(d)
18. Methidathion	► M4 0,1 * ◀
19. Monocrotophos	(d)
20. Phoxim	(d)
21. Profenophos	► M4 0,1 * ◀
22. Propargite	(d)
23. Quinalphos	(d)
24. Phosmet (sum of phosmet and phosmet oxon expressed as phosmet)	(d)

* Indicates lower limit of analytical determination.

(a) (b) (c) (d) Should levels not be adopted by 1 January 1998, the following maximum levels shall apply as indicated thereafter:

- (a) 0,02 *
- (b) 0,01 *
- (c) 0,05 *
- (d) 0,1 *

▼M2

Groups and examples of individual products to which the MRLs apply	Pesticide residues and maximum residue levels (mg/kg)		
	Daminozide (sum of daminozide and 1,1-dimethyl-hydrazine, expressed as daminazide)	Lambda-cyhalothrin	Propiconazole
1. Fruit, fresh, dried or uncooked preserved by freezing not containing added sugar; nuts			
(i) CITRUS FRUIT grapefruit lemons limes mandarins (including clementines and similar hybrids) oranges pommelo others	0,02 (*)	(a)	0,05 (*)
(ii) TREE NUTS (shelled or unshelled) almonds brazil nuts cashew nuts chestnuts coconuts hazelnuts macadamia pecans pine nuts pistachios walnuts others	0,05 (*)	0,05 (*)	0,05 (*)
(iii) POME FRUIT apples pears quinces others	0,02 (*) ^(x) 0,02 (*)	0,1	0,05 (*)
(iv) STONE FRUIT apricots cherries peaches (including nectarines and similar hybrids) plums others	0,02 (*)	0,2 0,2 0,1	0,2 (b) 0,2 (b) 0,05 (*)
(v) BERRIES AND SMALL FRUITS (a) <i>table and wine grapes</i> table grapes wine grapes (b) <i>strawberries (other than wild)</i> (c) <i>cane fruit (other than wild):</i> blackberries dewberries loganberries raspberries others (d) <i>other small fruit and berries (other than wild)</i> bilberries (fruits of species <i>vaccinium myrtilus</i>) cranberries	0,02 (*)	0,2 (a) 0,02	0,5 0,05 (*) 0,05 (*) 0,05

▼M2

Groups and examples of individual products to which the MRLs apply	Pesticide residues and maximum residue levels (mg/kg)		
	Daminozide (sum of daminozide and 1,1-dimethyl-hydrazine, expressed as daminazide)	Lambda-cyhalothrin	Propiconazole
currants (red, black and white)		0,1	
gooseberries		0,1	
others		0,02 (*)	
(e) <i>wild berries and wild fruit</i>		0,02 (*)	0,05 (*)
(vi) MISCELLANEOUS	0,02 (*)	0,02 (*)	
avocados			
bananas			
dates			
figs			
kiwi			
kumquats			
litchis			
mangoes			
olives			
passion fruit			
pineapples			
pomegranate			
others			0,05 (*)
2. Vegetables, fresh or uncooked, frozen or dry			
(i) ROOT AND TUBER VEGETABLES	0,02 (*)	0,02 (*)	0,05 (*)
Beetroot			
carrots			
celeriac			
horseradish			
jerusalem artichokes			
parsnip			
parsley root			
radishes			
salsify			
sweet potatoes			
swedes			
turnips			
yam			
others			
(ii) BULB VEGETABLES	0,02 (*)		0,05 (*)
garlic			
onions			
shallots			
spring onions		(a)	
others		0,02 (*)	
(iii) FRUITING	0,02 (*)		
(a) <i>Solanacea</i>		(a)	
tomatoes			
peppers			
aubergines			(b)
others			0,05 (*)
(b) <i>cucurbits — edible peel</i>		0,1	(b)
cucumbers			
gherkins			
courgettes			
others			
(c) <i>cucurbits — inedible peel</i>		(a)	(b)
melons			

▼M2

Groups and examples of individual products to which the MRLs apply	Pesticide residues and maximum residue levels (mg/kg)		
	Daminozide (sum of daminozide and 1,1-dimethyl-hydrazine, expressed as daminazide)	Lambda-cyhalothrin	Propiconazole
squashes watermelons others			
(d) <i>sweet corn</i>		0,02 (*)	0,05 (*)
(iv) BRASSICA VEGETABLES	0,02 (*)		0,05 (*)
(a) <i>flowering brassicas</i> broccoli cauliflower others		(a)	
(b) <i>head brassicas</i> brussels sprouts head cabbage others		0,05 0,2 0,02 (*)	
(c) <i>leafy brassicas</i> chinese cabbage kale others		(a)	
(d) <i>kohlrabi</i>		(a)	
(v) LEAF VEGETABLES AND FRESH HERBS	0,02 (*)		0,05 (*)
(a) <i>lettuce and similar</i> cress lamb's lettuce lettuce scarole others		1	
(b) <i>spinach and similar</i> beet leaves (chard)		(a)	
(c) <i>watercress</i>		0,02 (*)	
(d) <i>witloof</i>		(a)	
(e) <i>herbs</i> chervil chives parsley celery leaves others		1	
(vi) LEGUME VEGETABLES (fresh)	0,02 (*)		0,05 (*)
beans (with pods)		0,2	
beans (without pods)			
peas (with pods)		0,2	
peas (without pods)		0,2	
others		0,02 (*)	
(vii) STEM VEGETABLES	0,02 (*)		
asparagus		0,02 (*)	
cardoons			(b)
celery			
fennel			(b)
globe artichokes			
leek			
rhubarb			
others		(a)	0,05 (*)

▼M2

Groups and examples of individual products to which the MRLs apply	Pesticide residues and maximum residue levels (mg/kg)		
	Daminozide (sum of daminozide and 1,1-dimethyl-hydrazine, expressed as daminazide)	Lambda-cyhalothrin	Propiconazole
(viii) FUNGI cultivated mushrooms wild mushrooms	0,02 (*)	(a) 0,02 (*)	0,05 (*)
3. Pulses beans lentils peas others	0,02 (*)	0,02 (*)	0,05 (*)
4. Oil seeds linseed peanuts poppy seed sesame seed sunflower seed (with shell) rape seed soya bean mustard cotton seed others	0,05 (*)	0,02	(b) 0,05 (*)
5. Potatoes early and ware potatoes	0,02 (*)	0,02 (*)	0,05 (*)
6. Tea (black tea processed from the leaves of <i>camellia sinensis</i>)	0,1 (*)	1	0,1 (*)
7. Hops (dried), including hop pellets and unconcentrated powder	0,1 (*)	10	0,1 (*)

▼M2

Groups and examples of individual products to which the MRLs apply	Pesticide residues and maximum residue levels (mg/kg)			
	Carbofuran (sum of carbofuran and 3-hydroxy-carbofuran expressed as carbofuran)	Carbosulfan	Benfurocarb	Furathiocarb
currants (red, black and white) gooseberries (<i>cynorrhodon</i>) others				
(e) <i>wild berries and wild fruit</i>	0,1 (*)			
(vi) MISCELLANEOUS avocados bananas dates figs kiwi kumquats litchis mangoes olives (table consumption) olives (oil extraction) passion fruit pineapples pomegranate others	0,1 (*)	0,05 (*)	0,05 (*)	0,05 (*)
2. Vegetables, fresh or uncooked, frozen or dry				
(i) ROOT AND TUBER VEGETABLES beetroot carrots celeriac horseradish jerusalem artichokes parsnip parsley root radishes salsify sweet potatoes swedes turnips yam others	0,3 (c)	0,1	0,05 (*)	0,05 (*)
(ii) BULB VEGETABLES garlic onions shallots spring onions others	0,3 0,3 0,3	(b)	0,05 (*)	0,05 (*)
(iii) FRUITING (a) <i>Solanacea</i> tomatoes peppers aubergines others	0,1 (*)	0,05 (*)	0,05 (*)	0,05 (*)
(b) <i>cucurbits — edible peel</i> cucumbers gherkins courgettes others	0,1 (*)	0,05 (*)	0,05 (*)	0,05 (*)
(c) <i>cucurbits — inedible peel</i>		(b)	(b)	0,05 (*)

▼M2

Groups and examples of individual products to which the MRLs apply	Pesticide residues and maximum residue levels (mg/kg)			
	Carbofuran (sum of carbofuran and 3-hydroxy-carbofuran expressed as carbofuran)	Carbosulfan	Benfurocarb	Furathiocarb
melons	(c)			
squashes				
watermelons				
others	0,1 (*)			
(d) <i>sweet corn</i>	(c)	0,05 (*)	0,05 (*)	0,05 (*)
(iv) BRASSICA				
(a) <i>flowering brassicas</i>	0,2	(b)	(b)	0,1
broccoli				
cauliflower				
others				
(b) <i>head brassicas</i>	(c)	(b)	(b)	0,05
brussels sprouts				
head cabbage				
others				
(c) <i>leafy brassicas</i>	(c)	(b)	0,05 (*)	0,05 (*)
chinese cabbage				
kale				
others				
(d) <i>kohlrabi</i>	0,2	(b)	0,05 (*)	0,05 (*)
(v) LEAF VEGETABLES AND FRESH HERBS	0,1 (*)	0,05 (*)	0,05 (*)	0,05 (*)
(a) <i>lettuce and similar</i>				
crisp				
lamb's lettuce				
lettuce				
scarole				
others				
(b) <i>spinach and similar</i>				
beet leaves (chard)				
(c) <i>watercress</i>				
(d) <i>witloof</i>				
(e) <i>herbs</i>				
chervil				
chives				
parsley				
celery leaves				
others				
(vi) LEGUME VEGETABLES (fresh)		0,05 (*)	0,05 (*)	
beans (with pods)	(c)			(b)
beans (without pods)	(c)			(b)
peas (with pods)				
peas (without pods)				
others	0,1 (*)			0,05 (*)
(vii) STEM VEGETABLES			0,05 (*)	
asparagus				
cardoons				
celery	(c)	(b)		(b)
fennel				
globe artichokes				
leek	(c)	(b)		
rhubarb				

▼M2

Groups and examples of individual products to which the MRLs apply	Pesticide residues and maximum residue levels (mg/kg)			
	Carbofuran (sum of carbofuran and 3-hydroxy-carbofuran expressed as carbofuran)	Carbosulfan	Benfurocarb	Furathiocarb
others	0,1 (*)	0,05 (*)		0,05 (*)
(viii) FUNGI cultivates mushrooms wild mushrooms	0,1 (*)	0,05 (*)	0,05 (*)	0,05 (*)
3. Pulses		0,05 (*)	0,05 (*)	
beans	(c)			(b)
lentils				
peas				
others	0,1 (*)			0,05 (*)
4. Oil seeds		0,05 (*)		
linseed	(c)			
peanuts	(c)			
poppy seed				
sesame seed	(c)			
sunflower seed	(c)	(b)		
rape seed	(c)	(b)		(b)
soya bean	(c)			(b)
mustard				
cotton seed	(c)	(b)	(b)	(b)
others	0,1 (*)	0,05 (*)	0,05 (*)	0,05 (*)
5. Potatoes	(c)	0,05 (*)	0,05 (*)	0,05 (*)
Early and ware potatoes				
6. Tea (black tea processed from the leaves of <i>camellia sinensis</i>)	0,2 (*)	0,1 (*)	0,1 (*)	0,1 (*)
7. Hops (dried), including hop pellets and unconcentrated powder	10	(b)	5	5

▼M2

Groups and examples of individual products to which the MRLs apply	Pesticide residues and maximum residue levels (mg/kg)				
	Cyfluthrin including other mixed isomeric constituents (sum of isomers)	Metalaxyl	Benalaxyl	Fenarimol	Ethephon
1. Fruit, fresh, dried or uncooked, preserved by freezing not containing added sugar; nuts					
(i) CITRUS FRUIT grapefruit lemons limes mandarins (including clementines and similar hybrids) oranges pommelo others	0,02 (*)	(b)	0,05 (*)	0,02 (*)	(b)
(ii) TREE NUTS (shelled or unshelled) almonds brazil nuts cashew nuts chestnuts coconuts hazelnuts macadamia pecans pine nuts pistachios walnuts others	0,02 (*)	0,05 (*)	0,05 (*)	0,02 (*)	0,1 (*)
(iii) POME FRUIT apples pears quinces others	0,2	1	0,05 (*)	0,3	3
(iv) STONE FRUIT apricots cherries peaches (including nectarines and similar hybrids) plums others	0,2 0,2 (a)	(b) (b) 0,05 (*)	0,05 (*)	(a)	3 0,05 (*)
(v) BERRIES AND SMALL FRUIT (a) <i>table and wine grapes</i> table grapes wine grapes (b) <i>strawberries</i> (other than wild) (c) <i>cane fruit</i> (other than wild) blackberries dewberries loganberries raspberries others (d) <i>other small fruit and berries</i> (other than wild) bilberries (fruit of species <i>vaccinium myrtilus</i>)	0,3 (a) 0,02 (*)	 2 1 0,5 (b) 0,05 (*)	0,2 0,05 (*) 0,05 (*)	0,3 0,3 (a) 0,02 (*)	(b) 0,05 (*) 0,05 (*)

▼M2

Groups and examples of individual products to which the MRLs apply	Pesticide residues and maximum residue levels (mg/kg)				
	Cyfluthrin including other mixed isomeric constituents (sum of isomers)	Metalaxyl	Benalaxyl	Fenarimol	Ethephon
cranberries					
currants (red, black and white)	(a)			1	5
gooseberries	(a)			1	
others	0,02 (*)			0,02 (*)	0,05 (*)
(e) <i>wild berries and wild fruit</i>	0,02 (*)	0,05 (*)	0,05 (*)	0,02 (*)	0,05 (*)
(vi) MISCELLANEOUS	0,02 (*)		0,05 (*)	0,02 (*)	
avocados		(b)			
bananas					
dates					
figs					(b)
kiwi		(b)			
kumquats					
litchis					
mangoes					
olives (table consumption)					(b)
olives (oil extraction)					(b)
passion fruit					
pineapples					(b)
pomegranate					
others		0,05 (*)			0,05 (*)
2. Vegetables, fresh or uncooked, frozen or dry					
(i) ROOT AND TUBER VEGETABLES	0,02 (*)			0,02 (*)	0,05 (*)
beetroot					
carrots		0,1			
celeriac					
horseradish					
jerusalem artichokes					
parsnip		0,1			
parsley root					
radishes					
salsify			(b)		
sweet potatoes					
swedes					
turnips					
yam					
others		0,05 (*)	0,05 (*)		
(ii) BULB VEGETABLES	0,02 (*)	(b)		0,02 (*)	
garlic					
onions			0,2		(b)
shallots					
spring onions					
others			0,05 (*)		0,05 (*)
(iii) FRUITING					
(a) <i>solanacea</i>				(a)	
tomatoes	0,05 (*)	(b)	0,2		3
peppers	(a)	(b)	0,2		3
aubergines					
others	0,02 (*)	0,05 (*)	0,05 (*)		0,05 (*)
(b) <i>cucurbits — edible peel</i>	(a)	(b)	0,05 (*)	(a)	0,05 (*)
cucumbers					

▼M2

Groups and examples of individual products to which the MRLs apply	Pesticide residues and maximum residue levels (mg/kg)				
	Cyfluthrin including other mixed isomeric constituents (sum of isomers)	Metalaxyl	Benalaxyl	Fenarimol	Ethephon
gherkins courgettes others					
(c) <i>cucurbits — inedible peel</i>	0,02 (*)	(b)	(b)	(a)	0,05 (*)
melons		(b)	(b)		
squashes		(b)	(b)		
watermelons		0,05 (*)	0,05 (*)		
others					
(d) <i>sweet corn</i>	0,02 (*)	0,05 (*)	0,05 (*)	0,02 (*)	(b)
(iv) BRASSICA VEGETABLES			0,05 (*)	0,02 (*)	0,05 (*)
(a) <i>flowering brassicas</i>		(b)			
broccoli	(a)				
cauliflower	0,05				
others	0,02 (*)				
(b) <i>head brassicas</i>	0,2				
brussels sprouts		1			
head cabbage		0,05 (*)			
others					
(c) <i>leafy brassicas</i>	(a)				
chinese cabbage		(b)			
kale		(b)			
others		0,05 (*)			
(d) <i>kohlrabi</i>	0,02 (*)	0,05 (*)			
(v) LEAF VEGETABLES AND FRESH HERBS			0,02 (*)	0,05 (*)	
(a) <i>lettuce and similar</i>	0,5	(b)			
cress					
lamb's lettuce					
lettuce			(b)		
scarole					
others			0,05 (*)		
(b) <i>spinach and similar</i>	0,02 (*)	(b)	0,05 (*)		
beet leaves (chard)					
(c) <i>watercress</i>	0,02 (*)	(b)	0,05 (*)		
(d) <i>witloof</i>	0,02 (*)	(b)	0,05 (*)		
(e) <i>herbs</i>	0,02 (*)	(b)	0,05 (*)		
chervil					
chives					
parsley					
celery leaves					
others					
(vi) LEGUME VEGETABLES (fresh)	0,05	0,05 (*)	0,05 (*)		0,05 (*)
beans (with pods)					
beans (without pods)					
peas (with pods)				(a)	
peas (without pods)				(a)	
others				0,02 (*)	
(vii) STEM VEGETABLES			0,05 (*)		0,05 (*)
Asparagus					
cardoons					

▼M2

Groups and examples of individual products to which the MRLs apply	Pesticide residues and maximum residue levels (mg/kg)				
	Cyfluthrin including other mixed isomeric constituents (sum of isomers)	Metalaxyl	Benalaxyl	Fenarimol	Ethephon
celery					
fennel					
globe artichokes		(b)		(a)	
leek	(a)	(b)			
rhubarb					
others	0,02 (*)	0,05 (*)		0,02 (*)	
(viii) FUNGI	0,02 (*)	0,05 (*)	0,05 (*)	0,02 (*)	0,05 (*)
cultivated mushrooms					
wild mushrooms					
3. Pulses	0,02 (*)	0,05 (*)	0,05 (*)	0,02 (*)	0,05 (*)
beans					
lentils					
peas					
others					
4. Oil seeds				0,02 (*)	0,05 (*)
linseed		(b)			
peanuts					
poppy seed					
sesame seed					
sunflower seed					
rape seed	0,05		(b)		
soya bean			(b)		
mustard					
cotton seed					
others	0,02 (*)	0,05 (*)	0,05 (*)		
5. Potatoes	0,02 (*)	0,05 (*)	0,05 (*)	0,02 (*)	0,05 (*)
early and ware potatoes					
6. Tea (black tea processed from the leaves of <i>camellia sinensis</i>)	(c)	0,1 (*)	0,1 (*)	0,05 (*)	0,1 (*)
7. Hops (dried), including hop pellets and unconcentrated powder	20	10	0,1 (*)	5	0,1 (*)

(*) Indicates limit of analytical determination.

(x) As from 1 January 1996.

(a) (b) (c) As from 30 June 1999, and save for adoption of other levels, the following maximum limits shall apply:

(a) 0,02 (*)

(b) 0,05 (*)

(c) 0,1 (*)

▼M3

Groups and examples of individual products to which the MRLs apply	Pesticide residues and maximum residue levels (mg/kg)		
	►C2 Methidathion ◀	Methomyl Thiodicarb: sum of methomyl and thiodicarb expressed as methomyl	Amitraz residue: amitraz plus all its metabolites containing 2,4 dimethylamine, expressed as amitraz
1. Fruit, fresh, dried or uncooked preserved by freezing not containing added sugar; nuts			
(i) CITRUS FRUIT grapefruit lemons limes mandarins (including clementines and other hybrids) oranges pomelos others	2	(b)	1 (a)
(ii) TREE NUTS (shelled or unshelled) almonds brazil nuts cashew nuts chestnuts coconuts hazelnuts Macadamia Pecans pine nuts pistachios walnuts others	0,05 *	0,05 *	0,02 *
(iii) POME FRUIT apples pears quinces others	0,3	1 (b) 0,05 *	1
(iv) STONE FRUIT apricots cherries peaches (including nectarines, and similar hybrids) plums others	(a) 0,2	(b)	1 (a)
(v) BERRIES AND SMALL FRUIT (a) <i>table and wine grapes</i> table grapes wine grapes (b) <i>strawberries</i> (other than wild) (c) <i>cane fruit</i> (other than wild) blackberries dewberries loganberries raspberries others (d) <i>other small fruit and berries</i> (other than wild) bilberries (fruit of species <i>vaccinium myrtillus</i>) cranberries	0,5 0,02 * 0,02 * 0,02 *	3 0,05 * 0,05 *	(a) (a) 0,02 *

▼M3

Groups and examples of individual products to which the MRLs apply	Pesticide residues and maximum residue levels (mg/kg)		
	►C2 Methidathion ◄	Methomyl Thiodicarb: sum of methomyl and thiodicarb expressed as methomyl	Amitraz residue: amitraz plus all its metabolites containing 2,4 dimethylamine, expressed as amitraz
currants (red, black and white)		(b)	(a)
gooseberries			
others		0,05 *	0,02 *
(e) <i>wild berries and wild fruit</i>	0,02 *	0,05 *	0,02 *
(vi) MISCELLANEOUS			0,02 *
avocados			
bananas			
dates			
figs			
kiwi			
kumquats			
lychees			
mangoes			
olives	1	(b)	
passion fruit			
pineapples			
pomegranates			
others	0,02 *	0,05 *	
2. Vegetables, fresh or uncooked, frozen or dry			
(i) ROOT AND TUBER VEGETABLES	0,02 *		0,02 *
beetroot			
carrots			
celeriac			
horse radish			
jerusalem artichokes			
parsnips			
parsley root			
radishes		0,5	
salsify			
sweet potatoes			
swedes			
turnips			
yam			
others		0,05 *	
(ii) BULB VEGETABLES		0,05 *	0,02 *
garlic			
onions	(a)		
shallots	(a)		
spring onions			
others	0,02 *		
(iii) FRUITING VEGETABLES			
(a) <i>Solanacea</i>	0,02 *	(b)	
tomatoes			0,5
peppers			
aubergines			(a)
others			
(b) <i>Cucurbits — edible peel</i>	0,02 *		(a)
cucumbers		(b)	
gherkins			

▼C2

▼M3

▼C2

▼M3

▼M3

Groups and examples of individual products to which the MRLs apply	Pesticide residues and maximum residue levels (mg/kg)		
	►C2 Methidathion ◀	Methomyl Thiodicarb: sum of methomyl and thiodicarb expressed as methomyl	Amitraz residue: amitraz plus all its metabolites containing 2,4 dimethylamine, expressed as amitraz
courgettes others		(b) 0,05 *	
(c) <i>Cucurbits — inedible peel</i> melons squashes watermelons others	0,02 *	0,2	(a)
(d) <i>sweetcorn</i>	0,02 *	0,05 *	0,02 *
(iv) BRASSICA VEGETABLES			
(a) <i>flowering brassica</i> broccoli cauliflower others	0,02 *	(b)	0,02 *
(b) <i>head brassica</i> brussels sprouts head cabbage others	0,02 *	(b)	0,02 *
(c) <i>leaf brassica</i> chinese cabbage kale others	0,02 *	(b)	0,02 *
(d) <i>Kohlrabi</i>	0,02 *	0,05 *	0,02 *
(v) LEAF VEGETABLES AND FRESH HERBS			
(a) <i>lettuce and similar</i> cress lamb's lettuce lettuce scarole others	0,02 *	(b)	0,02 *
(b) <i>Spinach and similar</i> beet leaves (chard)	0,02 *	2	0,02 *
(c) <i>water cress</i>	0,02 *	0,05 *	0,02 *
(d) <i>witloof</i>	0,02 *	0,05 *	0,02 *
(e) <i>herbs</i> chervil chives parsley celery leaves others	0,02 *	(b)	0,02 *
(vi) LEGUME VEGETABLES (fresh)	0,02 *		0,02 *
beans (with pods)		(b)	
beans (without pods)		(b)	
peas (with pods)		(b)	
peas (without pods)		(b)	
others		0,05 *	
(vii) STEM VEGETABLES (fresh)			0,02 *
asparagus			
cardoons			
celery			
fennel		(b)	

▼M3

Groups and examples of individual products to which the MRLs apply	Pesticide residues and maximum residue levels (mg/kg)		
	► <u>C2</u> Methidathion ◀	Methomyl Thiodicarb: sum of methomyl and thiodicarb expressed as methomyl	Amitraz residue: amitraz plus all its metabolites containing 2,4 dimethylaniline, expressed as amitraz
globe artichokes		(b)	
leek	(a)		
rhubarb			
others	0,02 *	0,05 *	
(viii) FUNGI	0,02 *	0,05 *	0,02 *
cultivated mushrooms			
wild mushrooms			
3. Pulses	0,02 *	0,05 *	0,02 *
beans			
lentils			
peas			
others			
4. Oil seed			
linseed			
peanuts			
poppy seeds			
sesame seeds			
▼ <u>C2</u>			
sunflower seed			
rape seed	0,05		
▼ <u>M3</u>			
► <u>C2</u> soya bean ◀		0,2	
mustard seed			
cotton seed	(a)	0,5	(a)
others	0,02 *	0,05 *	0,02 *
5. Potatoes	0,02 *	0,05 *	0,02 *
early and ware potatoes			
6. Tea (Dried leaves and stalks, fermented or otherwise of camellia sinensis)	(b)	0,1 *	0,1 *
7. Hops (dried), including hop pellets and unconcentrated powder	3	10	50

▼M3

Groups and examples of individual products to which the MRLs apply	Pesticide residues and maximum residue levels (mg/kg)	
	Pirimiphosmethyl	Aldicarb residue: sum of aldicarb, its sulfoxide and its sulfone, expressed as aldicarb
1. Fruit, fresh, dried or uncooked preserved by freezing not containing added sugar; nuts		
(i) CITRUS FRUIT		0,2
grapefruit		
lemons		
limes		
mandarins (including clementines and other hybrids)	2	
oranges		
pomelo		
others	1	
(ii) TREE NUTS (shelled or unshelled)		
almonds	(b)	
brazil nuts		
cashew nuts		
chestnuts		
coconuts		
hazelnuts	(b)	
macadamia		
pecans		0,2
pine nuts		
pistachios	(b)	
walnuts	(b)	
others	0,05 *	0,05 *
(iii) POME FRUIT	(b)	0,05 *
apples		
pears		
quinces		
others		
(iv) STONE FRUIT	(b)	0,05 *
apricots		
cherries		
peaches (including nectarines and similar hybrids)		
plums		
others		
(v) BERRIES AND SMALL FRUIT		
(a) <i>table and wine grapes</i>	(b)	0,05 *
table grapes		
wine grapes		
(b) <i>strawberries</i> (other than wild)	(b)	(b)
(c) <i>cane fruit</i> (other than wild)	0,05 *	0,05 *
blackberries		
dewberries		
loganberries		
raspberries		
others		
(d) <i>other small fruit and berries</i> (other than wild)	0,05 *	0,05 *
bilberries (fruit of species <i>vaccinium myrtillus</i>)		
cranberries		
currants (red, black and white)		
gooseberries		
others		

▼C2▼M3

▼M3

Groups and examples of individual products to which the MRLs apply	Pesticide residues and maximum residue levels (mg/kg)	
	Pirimiphosmethyl	Aldicarb residue: sum of aldicarb, its sulfoxide and its sulfone, expressed as aldicarb
(e) <i>wild berries and wild fruit</i>	0,05 *	0,05 *
(vi) MISCELLANEOUS		
avocados		(b)
bananas		(b)
dates		
figs		
kiwi	2	
kumquats		
lychees		
mangoes		
olives	(b)	
passion fruit		
pineapples		
pomegranate		
others	0,05 *	0,05 *
2. Vegetables, fresh or uncooked, frozen or dry		
(i) ROOT AND TUBER VEGETABLES		
beetroot		(b)
carrots	1	(b)
celeriac		
horse radish		
jerusalem artichokes		
▼ <u>C2</u>		
parsnips		(b)
parsley root		
▼ <u>M3</u>		
radishes		
salsify		
sweet potatoes		
swedes		
turnips		
yam		
others	0,05 *	0,05 *
(ii) BULB VEGETABLES	(b)	0,05 *
garlic		
onions		
shallots		
spring onions		
others		
(iii) FRUITING VEGETABLES		
(a) <i>solanacea</i>	(b)	
▼ <u>C2</u>		
tomatoes		(b)
peppers		
aubergines		
▼ <u>M3</u>		
others		0,05 *
(b) <i>cucurbits — edible peel</i>	(b)	0,05 *
cucumbers		
gherkins		
courgettes		
others		
(c) <i>cucurbits — inedible peel</i>	(b)	0,05 *
melons		

▼M3

Groups and examples of individual products to which the MRLs apply	Pesticide residues and maximum residue levels (mg/kg)	
	Pirimiphosmethyl	Aldicarb residue: sum of aldicarb, its sulfoxide and its sulfone, expressed as aldicarb
squashes watermelons others		
(d) <i>sweetcorn</i>	0,05 *	0,05 *
(iv) BRASSICA VEGETABLES		
(a) <i>Flowering brassica</i> broccoli cauliflower others	1	(b) 0,2 0,05 *
(b) head brassica brussels sprouts head cabbage others	2 (b)	0,2 (b) 0,05 *
(c) <i>leafy brassica</i> chinese cabbage kale others	(b)	0,05 *
(d) <i>kohlrabi</i>	(b)	0,05 *
(v) LEAF VEGETABLES AND FRESH HERBS		
(a) <i>lettuce and similar</i> cress lamb's lettuce lettuce scarole others	(b)	0,05 *
(b) <i>spinach and similar</i> beet leaves (chard)	(b)	0,05 *
(c) <i>water cress</i>	0,05 *	0,05 *
(d) <i>Witloof</i>	0,05 *	0,05 *
(e) <i>herbs</i> chervil chives parsley celery leaves others	(b)	0,05 *
(vi) LEGUME VEGETABLES (fresh) beans (with pods) beans (without pods) peas (with pods) peas (without pods) others	0,05 * (b)	0,05 *
(vii) STEM VEGETABLES (fresh) asparagus cardoons celery fennel globe artichokes leek rhubarb others	(b)	(b) 0,05 *

▼M3

Groups and examples of individual products to which the MRLs apply	Pesticide residues and maximum residue levels (mg/kg)	
	Pirimiphosmethyl	Aldicarb residue: sum of aldicarb, its sulfoxide and its sulfone, expressed as aldicarb
(viii) FUNGI		0,05 *
▼ <u>C2</u> cultivated mushrooms	2	
▼ <u>M3</u> wild mushrooms	0,05 *	
3. Pulses beans lentils peas others	(b)	0,05 *
4. Oil seed linseed peanuts poppy seeds sesame seeds	(b) (b)	(b)
▼ <u>C2</u> sunflower seed		
▼ <u>M3</u> rape seed soya bean mustard seed cotton seed others	(b) (b) (b) 0,05 *	(b) (b) 0,05 *
5. Potatoes early and ware potatoes	0,05 *	(b)
6. Tea (Dried leaves and stalks, fermented or otherwise, <i>camellia sinensis</i>)	0,05 *	0,05 *
7. Hops (dried), including hop pellets and unconcentrated powder	0,05 *	(b)

▼M3

Groups and examples of individual products to which the MRLs apply	Pesticide residues and maximum residue levels (mg/kg)
	Thiabendazole
others	0,05 *
(e) <i>Wild berries and wild fruit</i>	0,05 *
(vi) MISCELLANEOUS	
avocados	
bananas	3
dates	
figs	
kiwi	
kumquat	
lychees	
mangoes	
olives	
passion fruit	
pineapples	
pomegranate	
►C2 others ◀	0,05 *
2. Vegetables, fresh or uncooked, frozen or dry	
(i) ROOT AND TUBER VEGETABLES	
beetroot	(b)
carrots	
celeriac	
horse radish	
jerusalem artichokes	
parsnip	
parsley root	
radishes	
salsify	
sweet potatoes	
swedes	
turnips	
yam	
others	0,05 *
(ii) BULB VEGETABLES	
garlic	(b)
onions	(b)
shallots	(b)
spring onions	
others	0,05 *
(iii) FRUITING VEGETABLES	
(a) solanacea	
tomatoes	(b)
peppers	(b)
aubergines	
others	0,05 *
(b) cucurbits — edible peel	
cucumbers	(b)
gherkins	
courgettes	
others	0,05 *
(c) cucurbits — inedible peel	
melons	(b)
squashes	
watermelons	(b)
others	0,05 *
(d) <i>sweetcorn</i>	0,05 *

▼M3

Groups and examples of individual products to which the MRLs apply	Pesticide residues and maximum residue levels (mg/kg)
	Thiabendazole
(iv) BRASSICA VEGETABLES	
(a) flowering brassica	
Broccoli	5
cauliflower	
others	0,05 *
(b) head brassica	
Brussels sprouts	
head cabbage	(b)
others	0,05 *
(c) <i>leafy brassica</i>	0,05 *
chinese cabbage	
kale	
others	
(d) <i>kohlrabi</i>	0,05 *
(v) LEAF VEGETABLES AND FRESH HERBS	
(a) lettuce and similar	
cress	
lamb's lettuce	
lettuce	(b)
scarole	
others	0,05 *
(b) <i>spinach and similar</i>	0,05 *
beet leaves (chard)	
(c) <i>water cress</i>	0,05 *
(d) <i>witloof</i>	0,05 *
(e) <i>herbs</i>	0,05 *
chervil	
chives	
parsley	
celery leaves	
others	
(vi) LEGUME VEGETABLES (fresh)	
beans (with pods)	(b)
beans (without pods)	(b)
peas (with pods)	
peas (without pods)	
others	0,05 *
(vii) STEM VEGETABLES (fresh)	
asparagus	(b)
cardoons	
celery	(b)
fennel	
globe artichokes	
leek	(b)
rhubarb	
others	0,05 *
(viii) FUNGI	
cultivated mushrooms	(b)
wild mushrooms	0,05 *
3. Pulses	0,05 *
beans	

▼M3

Groups and examples of individual products to which the MRLs apply	Pesticide residues and maximum residue levels (mg/kg)
	Thiabendazole
lentils peas others 4. Oil Seed linseed peanuts poppy seeds sesame seeds sunflower seed	0,05 *
rape seed soya bean mustard seed cotton seed others 5. Potatoes early potatoes ware potatoes	(b) 5
6. Tea (Dried leaves and stalks fermented or otherwise, <i>camellia sinensis</i>)	0,1 *
7. Hops (dried), including hop pellets and unconcentrated powder	0,1 *
_____ _____	

▼C2▼M3▼C2▼M3

* Indicates lower limit of analytical determination.

(a) (b) Should levels not be adopted by 1 July 2000, the following maximum levels shall apply:

- (a) 0,02 *
- (b) 0,05 *