This document is meant purely as a documentation tool and the institutions do not assume any liability for its contents

►B

COUNCIL DIRECTIVE

of 27 November 1990

on the fixing of maximum levels for pesticide residues in and on certain products of plant origin, including fruit and vegetables

(90/642/EEC)

(OJ L 350, 14.12.1990, p. 71)

Amended by:

		Official Journal		
		No	page	date
►M1	Council Directive 93/58/EEC of 29 June 1993	L 211	6	23.8.1993
►M2	Council Directive 94/30/EC of 23 June 1994	L 189	70	23.7.1994
►M3	Council Directive 95/38/EC of 17 July 1995	L 197	14	22.8.1995
►M4	Council Directive 95/61/EC of 29 November 1995	L 292	27	7.12.1995
►M5	Council Directive 96/32/EC of 21 May 1996	L 144	12	18.6.1996
►M6	Council Directive 97/41/EC of 25 June 1997	L 184	33	12.7.1997
►M7	Commission Directive 97/71/EC of 15 December 1997	L 347	42	18.12.1997
►M8	Commission Directive 98/82/EC of 27 October 1998	L 290	25	29.10.1998
►M9	Commission Directive 1999/65/EC of 24 June 1999	L 172	40	8.7.1999
►M10	Commission Directive 1999/71/EC of 14 July 1999	L 194	36	27.7.1999
►M11	Commission Directive 2000/24/EC of 28 April 2000	L 107	28	4.5.2000
►M12	Commission Directive 2000/42/EC of 22 June 2000	L 158	51	30.6.2000
►M13	Commission Directive 2000/48/EC of 25 July 2000	L 197	26	3.8.2000
►M14	Commission Directive 2000/57/EC of 22 September 2000	L 244	76	29.9.2000
►M15	Commission Directive 2000/58/EC of 22 September 2000	L 244	78	29.9.2000
►M16	Commission Directive 2000/81/EC of 18 December 2000	L 326	56	22.12.2000
►M17	Commission Directive 2000/82/EC of 20 December 2000	L 3	18	6.1.2001
►M18	Commission Directive 2001/35/EC of 11 May 2001	L 136	42	18.5.2001
►M19	Commission Directive 2001/39/EC of 23 May 2001	L 148	70	1.6.2001
►M20	Commission Directive 2001/48/EC of 28 June 2001	L 180	26	3.7.2001
►M21	Commission Directive 2001/57/EC of 25 July 2001	L 208	36	1.8.2001
►M22	Commission Directive 2002/5/EC of 30 January 2002	L 34	7	5.2.2002
►M23	Commission Directive 2002/23/EC of 26 February 2002	L 64	13	7.3.2002
►M24	Commission Directive 2002/42/EC of 17 May 2002	L 134	29	22.5.2002
►M25	Commission Directive 2002/66/EC of 16 July 2002	L 192	47	20.7.2002
►M26	Commission Directive 2002/71/EC of 19 August 2002	L 225	21	22.8.2002
►M27	Commission Directive 2002/76/EC of 6 September 2002	L 240	45	7.9.2002
►M28	Commission Directive 2002/79/EC of 2 October 2002	L 291	1	28.10.2002
►M29	Commission Directive 2002/97/EC of 16 December 2002	L 343	23	18.12.2002

►**M30** Commission Directive 2002/100/EC of 20 December 2002	L 2	33	7.1.2003

Corrected by:

►**C1** Corrigendum, OJ L 219, 24.8.1994, p. 26 (93/58/EEC)

►**C2** Corrigendum, OJ L 155, 28.6.1996, p. 62 (95/38/EC)

►**C3** Corrigendum, OJ L 175, 10.7.1999, p. 83 (98/82/EC)

►**C4** Corrigendum, OJ L 262, 17.10.2000, p. 46 (2000/42/EC)

►**C5** Corrigendum, OJ L 140, 30.5.2002, p. 39 (2002/42/EC)

▼B

COUNCIL DIRECTIVE

of 27 November 1990

on the fixing of maximum levels for pesticide residues in and on certain products of plant origin, including fruit and vegetables

(90/642/EEC)

THE COUNCIL OF THE EUROPEAN COMMUNITIES,

Having regard to the Treaty establishing the European Economic Community, and in particular Article 43 thereof,

Having regard to the proposal from the Commission [1],

Having regard to the opinion of the European Parliament [2],

Having regard to the opinion of the Economic and Social Committee [3],

Whereas crop production plays a very important role in the Community:

Whereas the yield from that production is continually affected by harmful organisms and weeds;

Whereas it is essential to protect plants and plant products against these organisms, not only to prevent a reduction in yield or damage to the products harvested but also to increase agricultural productivity;

Whereas one of the most important methods of protecting plants and plant products from the effects of these organisms is the use of chemical pesticides; whereas, however, mandatory maximum levels should be set as low as is consistent with good agricultural practice;

Whereas, however, their favourable effect on plant production is not the only effect of these pesticides, since they are generally dangerous substances or preparations with dangerous side-effects;

Whereas a large number of these pesticides and of their metabolites or breakdown products may have harmful effects on consumers of plant products; whereas these pesticides should not be used in circumstances which present a risk to human or animal health and to the environment;

Whereas the Community should encourage the use of alternative, organic farming methods;

Whereas Council Directive 76/895/EEC of 23 November 1976 relating to the fixing of maximum levels for pesticide residues in and on fruit and vegetables [4], as last amended by Directive 89/186/EEC [5], fixes maximum levels for the said residues and ensures the free movement throughout the Community of products with levels less than, or equal to, these maximum levels; whereas, however, the said Directive permits Member States, in cases where they consider this justified, to authorize products containing levels higher than the maximum levels to be put into circulation within their own territories;

Whereas this last provision leads in some cases to continuing differences between Member States as regards the maximum permissible levels for these pesticide residues, which can help to create barriers to trade and thus hinder the free movement of goods within the Community; whereas, with a view to achieving the single market in 1992, these barriers should be removed;

Whereas, for these reasons, the possibility for Member States to authorize higher levels should be withdrawn and maximum levels mandatory in all Member States should be fixed for certain active

---

[1] OJ No C 46, 25. 2. 1989, p. 5.
[2] OJ No C 260, 15. 10. 1990, p. 56.
[3] OJ No C 329, 30. 12. 1989, p. 11.
[4] OJ No L 340, 9. 12. 1976, p. 26.
[5] OJ No L 66, 10. 3. 1989, p. 36.

▼B

substances in and on fruit and vegetables, which must be observed when these products are put into circulation;

Whereas, again with a view to ensuring the free movement of goods within the Community, mandatory maximum levels should also be fixed for certain pesticides in and on certain other products of plant origin;

Whereas, moreover, observance of the maximum levels will ensure that products can move freely and that the health of consumers and of animals is properly protected;

Whereas, however, the determination of mandatory maximum levels for pesticide residues requires lengthy technical consideration, so that such levels cannot be imposed immediately upon the pesticide residues regulated by Directive 76/895/EEC;

Whereas it is therefore necessary to adopt separate rules providing for these mandatory maximum levels, with a view to transferring pesticide residues from Directive 76/895/EEC to these separate rules progressively as mandatory levels are determined for them;

Whereas, accordingly, this Directive does not affect Directive 76/895/EEC, which shall continue to apply to certain pesticide residues not subject to this Directive;

Whereas the establishment of a list of pesticide residues and their maximum levels is a matter falling within the competence of the Council; whereas, however, this list should not include pesticide residues still covered by Directive 76/895/EEC;

Whereas it is appropriate to apply this Directive to products intended for export to third countries, except in certain cases where it can be established that importing countries require particular treatments which would necessitate higher maximum levels than those fixed for the Community pursuant to this Directive; whereas, however, it is not appropriate to apply this Directive to products intended for the manufacture of products other than foodstuffs and feedingstuffs, or for sowing or planting;

Whereas, in order to guarantee compliance with this Directive when products are put into circulation, Member States must take suitable control measures; whereas the necessary inspections should be programmed, carried out and their results reported in accordance with Council Directive 89/397/EEC of 14 June 1989 on the official inspection of foodstuffs ([1]);

Whereas Community methods of sampling and analysis should be established and, in the case of analysis methods, used at least as reference methods; whereas the establishment of these methods is a technical and scientific implementing measure which should be determined by means of a procedure involving close cooperation between the Member States and the Commission within the Standing Committee on Plant Health; whereas the analysis methods should comply with the criteria set out in the Annex to Council Directive 85/591/EEC of 20 December 1985 concerning the introduction of Community methods of sampling and analysis for the monitoring of foodstuffs intended for human consumption ([2]);

Whereas future modifications of the list of products of plant origin in or on which pesticide residues may be present must be adopted by the Council;

Whereas Member States should be allowed to reduce temporarily the levels laid down if they subsequently prove dangerous to human or animal health; whereas it is appropriate in these cases also to establish close cooperation between the Member States and the Commission within the Standing Committee on Plant Health,

([1]) OJ No L 186, 30. 6. 1989, p. 23.
([2]) OJ No L 372, 31. 12. 1985, p. 50.

▼B

HAS ADOPTED THIS DIRECTIVE:

Article 1

▼M6

1. This Directive shall apply to products within the groups specified in column 1 of Annex I, examples of which are given in column 2, in so far as products in those groups, or the parts of product described in column 3, may contain certain pesticide residues.

The Directive shall also apply to the same products after drying or processing or after inclusion in a composite food in so far as they may contain certain pesticide residues.

▼B

2. This Directive shall apply without prejudice to:

(a) the provisions of Council Directive 64/54/EEC of 5 November 1963 on the approximation of the laws of the Member States concerning the preservatives authorized for use in foodstuffs intended for human consumption ([1]), as last amended by Directive 85/585/EEC ([2]), relating to biphenyl (diphenyl), orthophenylphenol, sodium orthophenyl phenate and 2-(4-thiazolyl)-benzimidazole (thiabendazole), which shall continue to regulate the use of those substances until they and their maximum levels are included in the list referred to in paragraph 1;

(b) the provisions of Council Directive 74/63/EEC of 17 December 1973 on the fixing of maximum permitted levels for undesirable substances and products in feedingstuffs ([3]), as last amended by Directive 87/519/EEC ([4]);

(c) the provisions of Directive 76/895/EEC;

(d) the provisions of Council Directive 86/362/EEC of 24 July 1986 on the fixing of maximum levels for pesticide residues in and on cereals ([5]), as last amended by Directive 88/298/EEC ([6]);

▼M6

(e) the provisions of Commission Directive 91/321/EEC of 14 May 1991 on infant formulae and follow-on formulae ([7]) and Commission Directive 96/5/EC of 16 February 1996 on processed cereal-based foods and baby foods for infants and young children ([8]). However, until maximum levels have been established in accordance with Article 6 of Directive 91/321/EEC or Article 6 of Directive 96/5/EC the provisions of Article 5a (1) and (3) to (6) of this Directive shall apply for the products concerned.

▼B

3. This Directive shall also apply to products referred to in paragraph 1 intended for export to third countries. However, maximum pesticide residue levels set in accordance with this Directive shall not apply in the case of products treated before export where it can be satisfactorily proved that:

(a) the third country of destination requires that particular treatment in order to prevent the introduction of harmful organisms into its territory; or

(b) the treatment is necessary in order to protect the products against harmful organisms during transport to the third country of destination and storage there.

([1]) OJ No 12, 27. 1. 1964, p. 161/64.
([2]) OJ No L 372, 31. 12. 1985, p. 43.
([3]) OJ No L 38, 11. 2. 1974, p. 31.
([4]) OJ No L 304, 27. 10. 1987, p. 38.
([5]) OJ No L 221, 7. 8. 1986, p. 37.
([6]) OJ No L 126, 20. 5. 1988, p. 53.
([7]) OJ No L 175, 4. 7. 1991, p. 35. Directive as last amended by Directive 96/4/EC (OJ No L 49, 28. 2. 1996, p. 12).
([8]) OJ No L 49, 28. 2. 1996, p. 17.

▼B

4. This Directive shall not apply to the products referred to in paragraph 1 where it can be established by appropriate evidence that they are intended for:

(a) the manufacture of products other than foodstuffs and animal feed; or

(b) sowing or planting.

Article 2

For the purposes of this Directive:

▼M6

(a) 'pesticide residues' shall mean residues of pesticides and of their metabolites, and breakdown or reaction products, which are present in or on the products referred to in Article 1.

▼B

(b) 'putting into circulation' shall mean any post-harvest handing over, whether or not for a consideration, of the products referred to in Article 1.

▼M6

Article 3

1. The products in the groups or, where applicable, the parts of products referred to in Article 1 shall not contain, from the time they are put into circulation, pesticide residue levels higher than those specified in the list referred to in Annex II.

The list of pesticide residues concerned and their maximum levels shall be established in Annex II in accordance with the procedure laid down in Article 10a having regard to current scientific and technical knowledge. A pesticide residue will be included on the list for as long as Directive 76/895/EEC fixes a maximum level for that residue.

2. In the case of dried and processed products for which maximum levels are not explicitly fixed in Annex II, the maximum residue level applicable shall be that laid down in Annex II, taking into account, respectively, the concentration caused by the drying process or the concentration or dilution caused by processing. A concentration or dilution factor covering the concentration and/or dilution caused by certain drying or processing operations may be determined for certain dried or processed products in accordance with the procedure laid down in Article 10a.

3. In the case of compound foods which contain a mixture of ingredients and for which maximum residue levels are not fixed, the maximum residue levels applied may not exceed the levels laid down in Annex II, taking into account the relative concentrations of the ingredients in the mixture and also the provisions of paragraph 2.

4. Member States shall ensure, at least by check sampling, compliance with the maximum levels referred to in paragraph 1. The necessary inspections and monitoring shall be carried out in accordance with Council Directive 89/397/EEC of 14 June 1989 on the official control of foodstuffs [1], except for Article 14 thereof, and Directive 93/99/EEC of 29 October 1993 on the subject of additional measures concerning the official control of foodstuffs [2] except for Articles 5, 6 and 8 thereof.

Article 4

1. Member States shall designate an authority to ensure that the monitoring specified in Article 3 (4) is carried out.

2. (a) By ►M9 30 September ◄ each year, Member States shall send to the Commission their forward national monitoring

[1] OJ No L 186, 30. 6. 1989, p. 23.
[2] OJ No L 290, 24. 11. 1993, p. 14.

▼M6

programmes for the following calendar year. These forward programmes shall specify at least:

— the products to be inspected and the number of inspections to be carried out,

— the pesticide residues to be inspected,

— the criteria applied in drawing up these programmes.

(b) By ►M9 31 December ◄ each year, the Commission shall submit to the Standing Committee on Plant Health a draft recommendation setting out a coordinated Community monitoring programme identifying the taking of specific samples to be included in the national monitoring programmes. The recommendation shall be adopted in accordance with the procedure laid down in Article 10. The basic objective of the Community monitoring programme shall be to make optimum use at Community level of the sampling of plant products included in the groups listed in Annex I, produced in the Community or imported into it, when problems have been identified, in order to ensure compliance with the maximum levels for pesticide residues set out in Annex II.

3. By 31 August each year, Member States shall send to the Commission and the other Member States the results of the analyses of the samples taken during the previous year under their national monitoring programmes and under the coordinated Community monitoring programme. The Commission shall collate and combine this information together with the results of the checks carried out in accordance with Directives 86/362/EEC and 86/363/EEC and analyse:

— infringements of the maximum residue levels, and

— the average actual levels of residues and their relative values with respect to the maximum residue levels established.

The Commission should progressively work towards a system, when preparing the coordinated monitoring programme, which could permit the estimation of actual pesticide dietary exposure.

The Commission shall forward this information to the Member States in the framework of the Standing Committee on Plant Health before ►M9 31 December ◄ for each year, for review and adoption of any necessary measures such as:

— any action to be taken at Community level in the case of reported infringements of the maximum levels,

— the desirability of publication of the collated and compiled information.

4. The following may be adopted in accordance with the procedure laid down in Article 9:

(a) amendments to paragraphs 2 and 3 of this Article in so far as these amendments concern the dates for notification;

(b) detailed implementing rules necessary for proper functioning of the provisions of paragraphs 2 and 3.

5. Not later than 31 December 1999 the Commission shall forward to the Council a report on the application of this Article, accompanied, if necessary, by any appropriate proposals.

▼B

Article 5

Member States may not prohibit or impede the putting into circulation within their territories of the products referred to in Article 1 on the grounds that they contain pesticide residues, if the quantity of such residues in and on the products or parts of products concerned does not exceed the maximum levels specified in the list referred to in Article 1.

▼**M6**

*Article 5*a

Where for a product belonging to a group referred to in Annex I, a provisional maximum residue level applicable throughout the Community is set by the Commission in accordance with the provisions of Article 4 (1) (f) of Council Directive 91/414/EEC of 15 July 1991 concerning the placing of plant protection products on the market [1], this level will be indicated in Annex II with a reference to that procedure.

*Article 5*b

1. For the purposes of this Article a Member State of origin shall be defined as the Member State in whose territory a product specified in Article 1 (1) is either legally produced and marketed or put into free circulation and a Member State of destination as the Member State into whose territory such product is introduced and put into circulation for operations other than transit to another Member State or third country.

2. Member States shall introduce arrangements for establishing maximum residue levels, whether permanent or temporary, for products referred to in Article 1 (1), brought into their territories from a Member State of origin, taking into account good agricultural practice in the Member State of origin, and without prejudice to conditions necessary to protect the health of consumers, in cases where no maximum residue levels have been established for these products in accordance with the provisions of Articles 3 (1) or 5a.

3. Where

— no maximum residue level has been established for a product referred to in Article 1 (1) in accordance with Articles 3 (1) or 5a, and

— that product, which satisfies the maximum residue levels applied by its Member State of origin, has been subjected in the Member State of destination to measures whose effect is to prohibit or restrict its putting into circulation, on the grounds that the product contains pesticide residue levels in excess of the maximum residue level accepted in the Member State of destination, and

— either the Member State of destination has introduced new maximum residue levels or has altered the levels laid down in its legislation, or it has made changes to its controls which are disproportionate and/or discriminatory compared with those for its domestic production, or the maximum residue level applied by the Member State of destination differs substantially from the corresponding levels established by other Member States, or the maximum residue level applied by the Member State of destination represents a disproportionate level of protection compared with the level of protection applied by the Member State to pesticides carrying a similar risk or to similar agricultural products or foodstuffs,

the following exceptional provisions shall apply:

(a) the Member State of destination shall communicate the measures adopted to the other Member State concerned and the Commission within 20 days of their application. The notification shall document the facts involved;

(b) on the basis of the notification referred to in (a), the two Member States concerned shall contact each other without delay in order to remove, whenever possible, the prohibitive or restrictive effect of the measures adopted by the Member State of destination by means of measures agreed between them; the Member States shall submit all the requisite information to each other.

[1] OJ No L 230, 19. 8. 1991, p. 1. Directive as last amended by Directive 96/32/EC (OJ No L 144, 18. 6. 1996, p. 12).

▼M6

Within a period of three months of the notification referred to in (a), the Member States concerned shall inform the Commission of the result of such contracts and in particular the measures they intend to apply, if any, including the maximum residue level they have agreed. The Member State of origin shall inform the other Member States of the result of such contacts;

(c) the Commission shall immediately refer the matter to the Standing Committee on Plant Health and, if possible, submit a proposal aimed at establishing in Annex II a temporary maximum residue level, which shall be adopted in accordance with the procedure laid down in Article 10a.

In its proposal, the Commission shall take account of existing technical and scientific knowledge on the matter and in particular data submitted by the Member States with an interest, especially the toxicological assessment and estimated ADI, good agricultural practice and the trial data which the Member State of origin used to establish the maximum residue level, together with the reasons given by the Member State of destination for deciding on the measures in question.

The period of validity of the temporary maximum level shall be laid down in the legal act adopted and may not exceed four years. That period may be linked to the supply, by the Member State of origin and/or other Member States with an interest, of the trial data required by the Commission in order to set the maximum residue level in accordance with Article 3 (1). At their request, the Commission and the Member States shall be kept informed regarding the programme of trials established.

4. Any measure provided for in paragraphs 2 or 3 shall be taken by a Member State with due regard for its obligations under the Treaty, in particular Articles 30 to 36 thereof.

5. Council Directive 83/189/EEC of 28 March 1983 laying down a procedure for the provision of information in the field of technical standards and regulations [1] shall not apply to measures adopted and notified by Member States in accordance with paragraph 3 of this Article.

6. Detailed measures for the implementation of the procedure set out in this Article may be adopted in accordance with the procedure laid down in Article 9.

▼B

Article 6

1. The sampling methods necessary for carrying out the checks provided for in Article 3 on fruit and vegetables shall be those laid down by Commission Directive 79/700/EEC [2]. The sampling methods necessary for carrying out such checks on products other than fruit and vegetables, and the methods of analysis for all products, shall be determined in accordance with the procedure laid down in Article 9.

The existence of Community methods of analysis shall not preclude Member States from using other tested and scientifically valid methods provided that this does not hinder the free movement of products recognized by virtue of Community methods as complying with the rules provided for in this Directive. In the event of differences in the interpretation of results, those obtained by the use of Community methods shall prevail.

2. The methods of analysis determined under paragraph 1 shall comply with the criteria set out in the Annex to Directive 85/591/EEC.

3. Member States shall inform the other Member States and the Commission of the other methods used pursuant to paragraph 1.

---

(1) OJ No L 109, 26. 4. 1983, p. 8. Directive as last amended by Decision 96/139/EC (OJ No L 32, 10. 2. 1996, p. 31).

(2) OJ No L 207, 15. 8. 1979, p. 26.

▼M6

Article 7

Without prejudice to the amendments made to the Annexes in accordance with Articles 5a, 5b (3) and 8, amendments to Annexes I and II as a result of developments in scientific or technical knowledge shall be adopted in accordance with the procedure laid down in Article 10a. In particular, when establishing maximum residue levels, account shall be taken of a relevant dietary intake risk assessment and of the number and quality of the data available.

▼B

Article 8

1. Where a Member State, as a result of new information or of a reassessment of existing information, considers that a maximum level fixed in the list referred to in Article 1 endangers human or animal health, and therefore requires swift action to be taken, that Member State may temporarily reduce the level in its own territory. In that case, it shall immediately notify the other Member States and the Commission of the measures, attaching a statement of the reasons therefor.

2. The Commision shall quickly examine the grounds given by the Member State referred to in the first subparagraph and shall consult the Member States within the Standing Committee on Plant Health, hereinafter referred to as 'the Standing Committee'; it shall then deliver its opinion forthwith and take the appropriate measures. The Commission shall immediately notify the Council and the Member States of any measures taken. Any Member State may refer the Commission's measures to the Council within 15 days of such notification. The Council acting by a qualified majority may take a different decision within 15 days of the date on which the matter was referred to it.

3. If the Commission considers that the maximum levels laid down in the list referred to in Article 1 should be amended to resolve the difficulties mentioned in paragraph 1 and to ensure the protection of human health, it shall initiate the procedure laid down in Article 10, with a view to adopting those amendments. In this case, the Member State which has taken measures under paragraph 1 may in that event maintain them until the Council or the Commission has taken a decision in accordance with the said procedure.

Article 9

1. Where the procedure laid down in this Article is to be followed, the matter shall be referred without delay to the Standing Committee by its chairman, either on his own initiative or at the request of a Member State.

2. The representative of the Commission shall submit to the Standing Committee a draft of the measures to be taken. The Standing Committee shall deliver its opinion on the draft within a time limit which the chairman may lay down according to the urgency of the matter. The opinion shall be delivered by the majority laid down in Article 148 (2) of the Treaty in the case of decisions which the Council is called upon to adopt on a proposal from the Commission. The votes of the representatives of the Member States within the Standing Committee shall be weighted in the manner set out in that Article. The chairman shall not vote.

3. The Commission shall adopt the measures envisaged if they are in accordance with the opinion of the Standing Committee.

4. If the measures are not in accordance with the opinion of the Standing Committee, or if no opinion is delivered, the Commission shall without delay submit to the Council a proposal relating to the measures to be taken. The Council shall act by a qualified majority.

5. If, within three months following the date on which the matter was referred to the Council, the Council has not acted, the proposed measures shall be adopted by the Commission.

▼B

Article 10

1. Where the procedure laid down in this Article is to be followed, the matter shall be referred without delay to the Standing Committee by its chairman, either on his own initiative or at the request of a Member State.

2. The representative of the Commission shall submit to the Standing Committee a draft of the measures to be taken. The Standing Committee shall deliver its opinion on the draft within a time limit which the chairman may lay down according to the urgency of the matter. The opinion shall be delivered by the majority laid down in Article 148 (2) of the Treaty in the case of decisions which the Council is called upon to adopt on a proposal from the Commission. The votes of the representatives of the Member States within the Standing Committee shall be weighted in the manner set out in that Article. The chairman shall not vote.

3. The Commission shall adopt the measures envisaged if they are in accordance with the opinion of the Standing Committee.

4. If the measures are not in accordance with the opinion of the Standing Committee, or if no opinion is delivered, the Commission shall without delay submit to the Council a proposal relating to the measures to be taken. The Council shall act by a qualified majority.

5. If, within 15 days following the date on which the matter was referred to the Council, the Council has not acted, the proposed measures shall be adopted by the Commission.

▼M6

*Article 10*a

The Commission shall be assisted by a committee composed of the representatives of the Member States and chaired by the representative of the Commission.

The representative of the Commission shall submit to the committee a draft of the measures to be taken. The committee shall deliver its opinion on the draft within a time limit which the chairman may lay down according to the urgency of the matter. The opinion shall be delivered by the majority laid down in Article 148 (2) of the Treaty in the case of Decisions which the Council is required to adopt on a proposal from the Commission. The votes of the representatives of the Member States within the committee shall be weighted in the manner set out in that Article. The chairman shall not vote.

The Commission shall adopt the measures envisaged if they are in accordance with the opinion of the committee.

If the measures envisaged are not in accordance with the opinion of the committee, or if no opinion is delivered, the Commission shall, without delay, submit to the Council a proposal relating to the measures to be taken. The Council shall act by a qualified majority.

If, on the expiry of a period of three months from the date of referral to the Council, the Council has not acted, the proposed measures shall be adopted by the Commission, save where the Council has decided against the said measures by a simple majority.

*Article 10*b

Member States shall bring into force the laws, regulations and administrative provisions necessary to ensure that the amendments in Annex II resulting from decisions referred to in Articles 3 (1) and (2), 5a, 5b (3), 7 and 8 (3) can be implemented in their territory within a maximum period of eight months from their adoption, and within a shorter implementation period when required for urgent reasons of human health protection.

In order to safeguard legitimate expectations, Community legal implementing acts may provide for transitional periods for the

▼M6

implementation of certain maximum residue levels allowing the normal marketing of the harvested products.

▼B

Article 11

1. Member States shall take the measures necessary to comply with this Directive not later than 31 December 1992.

2. 'When Member States adopt the measures referred to in paragraph 1, they shall contain a reference to this Directive or shall be accompanied by such reference on the occasion of their official publication. The methods of making such a reference shall be laid down by the Member States.'

Article 12

This Directive is addressed to the Member States.

▼B

ANNEX ►M1 *I* ◄

List of products referred to in Article 1 and the portion of the products to which the maximum residue levels apply

Note: The word 'fresh' is taken to extend to products which have been chilled or frozen ►M1 and in the case of dried fruit and vegetables, attention is drawn to Article 3 (1) of the Directive ◄

Groups of products	Products included in the groups	Part of product to which maximum residue levels apply
1. **Fruit, fresh, dried or uncooked, preserved by freezing, not containing added sugar; nuts**		
(i) CITRUS FRUIT	Grapefruit	Whole product
	Lemons	
	Limes	
	Mandarins (including clementines and similar hybrids)	
	Oranges	
	Pomelos	
(ii) TREE NUTS (SHELLED OR UNSHELLED)	Almonds	Whole product after removal of shell
	Brazil nuts	
	Cashew nuts	
	Chestnuts	
	Coconuts	
	Hazelnuts	
	Macadamia nuts	
	Pecans	
	Pine nuts	
	Pistachios	
	Walnuts	
(iii) POME FRUIT	Apples	Whole product after removal of stems
	Pears	
	Quinces	
(iv) STONE FRUIT	Apricots	Whole product after removal of stems
	Cherries	
	Peaches (including nectarines and similar hybrids)	
	Plums	
(v) BERRIES AND SMALL FRUIT	(a) *Table and wine grapes*	Whole product after removal of caps and stems (if any) and, in the case of currants, fruits with stems
	(b) *Strawberries* (other than wild)	
	(c) *Cane fruit* (other than wild):	
	Blackberries	
	Loganberries	
	Raspberries	
	(d) *Other small fruit and berries* (other than wild):	
	Bilberries	
	Cranberries	
	Currants (red, black and white)	
	Gooseberries	
	(e) *Wild berries and wild fruit*	

▼B

Groups of products	Products included in the groups	Part of product to which maximum residue levels apply
(vi) MISCELLANEOUS FRUIT	Avocados Bananas Dates Figs Kiwi fruit Kumquats Litchis Mangoes ►M1 ——— ◄ Passion fruit Pineapples Pomegranates	Whole fruit after removal of stems (if any) and in the case of pineapple after removal of the crown
▼M1	Olives	Whole fruit after removal of stems (if any) after removal of soil (if any) by rinsing in running water

▼B

2. **Vegetables, fresh or uncooked, frozen or dry**

(i) ROOT AND TUBER VEGETABLES	Beetroot Carrots Celeriac Horseradish Jerusalem artichokes Parsnips Parsley root Radishes Salsify Sweet potatoes Swedes Turnips Yams	Whole product after removal of tops and adhering soil (if any) (removal of soil by rinsing in running water or by gentle brushing of the dry product)
(ii) BULB VEGETABLES	Garlic Onions Shallots Spring onions	Onions (dry), shallots (dry), garlic (dry): whole product after removal of easily detachable skin and soil (if any). Onions, shallots and garlic other than dry, spring onions: whole product after removal of roots and soil (if any)
(iii) FRUITING VEGETABLES	(a) *Solanacea* Tomatoes Peppers (b) *Cucurbits — edible peel* Cucumbers Gherkins Courgettes (c) *Cucurbits — inedible peel* Melons Squashes Watermelons	Whole product after removal of stems
	(d) *Sweet corn*	Kernels or cobs without husks

▼B

Groups of products	Products included in the groups	Part of product to which maximum residue levels apply
(iv) BRASSICA VEGETABLES	(a) *Flowering brassicas* Broccoli Cauliflower	Cauliflower and broccoli: curd only
	(b) *Head brassicas* Brussels sprouts Head cabbage (c) *Leafy brassicas* Chinese cabbage Kale	Product after removal of decayed leaves (if any)
	(d) *Kohlrabi*	Whole product after removal of tops and adhering soil (if any) (removal of soil by rinsing in running water or by gentle brushing of the dry product)
(v) LEAF VEGETABLES AND FRESH HERBS	(a) *Lettuce and similar* Cress Lamb's lettuce Lettuce Broad-leaf endive (b) *Spinach and similar* Beet leaves (chard) (c) *Watercress* (d) *Witloof* (e) *Herbs* Chervil Chives Parsley	Whole product after removal of decayed outer leaves, root and soil (if any)
(vi) LEGUME VEGETABLES (FRESH)	Beans Peas	Whole product after removal of pods or with pods if they are intended to be eaten
(vii) STEM VEGETABLES	Asparagus Cardoons Celery Fennel Globe artichokes Leeks Rhubarb	Whole product after removal of decayed tissue and soil (if any); leeks and fennel: whole product after removal of roots and soil (if any)
(viii) FUNGI	Mushrooms (other than wild) Wild mushrooms	Whole product after removal of soil or growing medium
3. **Pulses**		
	Beans Lentils Peas	Whole product
4. **Oil seeds**		
	Linseed Peanuts Poppy seed Rape seed Sesame seed ►M1 ——— ◄ Colza seed Soya bean	Whole seed or kernel after removal of shell or husk, when possible
▼M1 Sunflower seed	Whole seed including shell, when present, and whole seed without shell, when shell is absent'	

▼M1

Groups of products	Products included in the groups	Part of product to which maximum residue levels apply
▼B 5. **Potatoes**		
	Early and ware potatoes	Whole product after removal of soil (if any) (removal of soil by rinsing in running water or by gentle brushing of the dry product)
6. **Tea (dried leaves and stalks, fermented or otherwise,** *Camellia sinensis)*		
		Whole product
7. **Hops (dried), including hop pellets and unconcentrated powder**		
		Whole product
▼M3 8. **Spices**		
	Cumin seed Juniper berries Nutmeg Pepper, black and white Vanilla pods Others	Whole product

▼M1

ANNEX II

▼M3

PART A

▼M1

Groups and examples of individual products to which the MRLs apply	Pesticide residues and maximum residue levels (mg/kg)										
	Acephate	Chlorothalonil	Chlorpyrifos	Chlorpyrifos-methyl	Cypermethrin, including other mixtures of constituent isomers (sum of isomers)	Deltamethrin	Fenvalerate, including other mixtures of constituent isomers (sum of isomers)	Glyphosate	Imazalil	Iprodione	Permethrin (sum of isomers)
1. **Fruit, fresh, dried or uncooked preserved by freezing not containing added sugar; nuts**											►**M25** 0,05 (*) ◄
I) CITRUS FRUIT	1	►**M8** 0,01 (*) ◄	►**M8** ——— ◄		►**M8** 2 ◄	►**M8** 0,05 (*) ◄	►**M8** 0,05 (*) ◄	►**M8** 0,1 (*) ◄	►**M8** 5 ◄		►**M25** ——— ◄
Grapefruit			►**M8** 0,3 ◄							►**C1** ——— ◄	
Lemons			►**M8** 0,2 ◄	►**M8** 0,3 ◄						►**M8** 5 ◄	
Limes			►**M8** 0,3 ◄								
Mandarines (including clementines and similar hybrids)			►**M8** 2 ◄	►**M8** 1 ◄						►**M8** 2 ◄	
Oranges			►**M8** 0,3 ◄	►**M8** 0,5 ◄							
Pomelos			►**M8** 0,3 ◄								
Others			►**M8** 0,3 ◄	►**M8** 0,05 (*) ◄						►**M8** 0,02 (*) ◄	

▼M1

Groups and examples of individual products to which the MRLs apply	Pesticide residues and maximum residue levels (mg/kg)										
	Acephate	Chlorothalonil	Chlorpyrifos	Chlorpyrifos-methyl	Cypermethrin, including other mixtures of constituent isomers (sum of isomers)	Deltamethrin	Fenvalerate, including other mixtures of constituent isomers (sum of isomers)	Glyphosate	Imazalil	Iprodione	Permethrin (sum of isomers)
II) TREE NUTS (shelled or unshelled)	0,02 (*)	►M8 0,01 (*) ◄	►M8 0,05 (*) ◄	►M8 0,05 (*) ◄	►M8 0,05 (*) ◄	►M8 0,05 (*) ◄	►M8 0,05 (*) ◄	►M8 0,1 (*) ◄	►M8 0,02 (*) ◄		►C1 ◄
Almonds											►M25 ◄
Brazil nuts											
Cashew nuts											
Chestnuts											
Coconuts											
Hazelnuts										►M8 0,2 ◄	
Macadamia											
Pecans											
Pine nuts											
Pistachios											
Walnuts											
Others										►M8 0,02 (*) ◄	►M25 ◄
III) POME FRUIT	(a)	►M8 1 ◄	►M8 0,5 ◄	►M8 0,5 ◄	►M8 1 ◄	►M8 0,1 ◄	►M8 1 x ◄	►M8 0,1 (*) ◄	►M8 5 ◄	►M8 10 ◄	►M25 ◄
Apples											
Pears											
Quinces											
Others											
IV) STONE FRUIT						►M8 0,1 ◄	►M8 0,05 (*) ◄	►M8 0,1 (*) ◄	►M8 0,02 (*) ◄	►M8 5 ◄	►M25 ◄

▼M1

Groups and examples of individual products to which the MRLs apply	Pesticide residues and maximum residue levels (mg/kg)										
	Acephate	Chlorothalonil	Chlorpyrifos	Chlorpyrifos-methyl	Cypermethrin, including other mixtures of constituent isomers (sum of isomers)	Deltamethrin	Fenvalerate, including other mixtures of constituent isomers (sum of isomers)	Glyphosate	Imazalil	Iprodione	Permethrin (sum of isomers)
Apricots	0,02 (*)	►M8 1 ◄			►M8 2 ◄		►M8 — ◄				
Cherries	0,02 (*)	►M8 — ◄	►M8 0,3 ◄		►M8 1 ◄						
Peaches (including nectarines and similar hybrids)	►M22 0,2 (1) ◄	►M8 1 ◄	►M8 0,2 ◄	►M8 0,5 ◄	►M8 2 ◄		►M8 — ◄				
Plums	(a)		►M8 0,2 ◄		►M8 1 ◄						
Others	0,02 (*)	►M8 0,01 (*) ◄	►M8 0,05 (*) ◄	►M8 0,05 (*) ◄	►M8 0,05 (*) ◄		►M8 — ◄				
V) BERRIES AND SMALL FRUIT											
Table and wine grapes	0,02 (*)		►M8 0,5 ◄	►M8 0,2 ◄	►M8 0,5 ◄	►M8 0,1 ◄	►M8 1 x ◄	►M8 0,1 (*) ◄	►M8 0,02 (*) ◄	►M8 10 ◄	►M25 — ◄
Table grapes		►M8 1 ◄									
Wine grapes		►M8 3 ◄									
Strawberries (other than wild)	0,02 (*)	►M8 3 ◄	►M8 0,2 ◄	►M8 0,5 ◄	►M8 0,05 (*) ◄	►M8 0,05 (*) ◄	►M8 0,05 (*) ◄	►M8 0,1 (*) ◄	►M8 0,02 (*) ◄	►M8 10 ◄	►M25 — ◄
Cane fruit (other than wild)	0,02 (*)	►M8 10 x ◄	►M8 — ◄	►M8 0,05 (*) ◄	►M8 0,5 ◄	►M8 — ◄	►M8 0,05 (*) ◄	►M8 0,1 (*) ◄	►M8 0,02 (*) ◄	►M8 5 ◄	►M25 — ◄
Blackberries		►M18 10 ◄	►M8 0,5 ◄			►M8 0,5 ◄					

▼M1

Groups and examples of individual products to which the MRLs apply	Pesticide residues and maximum residue levels (mg/kg)										
	Acephate	Chlorothalonil	Chlorpyrifos	Chlorpyrifos-methyl	Cypermethrin, including other mixtures of constituent isomers (sum of isomers)	Deltamethrin	Fenvalerate, including other mixtures of constituent isomers (sum of isomers)	Glyphosate	Imazalil	Iprodione	Permethrin (sum of isomers)
▼M8 Dewberries											
▼M1 Loganberries											
Raspberries			►M8 0,5 ◄			►M8 0,5 ◄					
Others		►M18 0,01 (*) ◄	►M8 0,05 (*) ◄			►M8 0,05 (*) ◄					
Other small fruit and berries (other than wild)	0,02 (*)			►M8 0,05 (*) ◄	►M8 0,05 (*) ◄		►M8 0,05 (*) ◄	►M8 0,1 (*) ◄	►M8 0,02 (*) ◄		►M25 ◄
Bilberries					►M4 ◄					10	
▼M8 Bilberries (fruit of species *Vaccinium myrtillus*)										►M8 10 ◄	
▼M1 Cranberries		►M8 2 ◄	►M8 ◄								
Currants (red, black and white)		►M8 10 ◄	►M8 1 ◄		►M4 ◄	►M8 0,2 ◄				►M8 10 ◄	►M4 ◄
Gooseberries		►M8 10 ◄	►M8 1 ◄		►M4 ◄	►M8 0,2 ◄				►M8 10 ◄	►M4 ◄
Others		►M8 0,01 (*) ◄	►M8 0,05 (*) ◄		►M4 ◄	►M8 0,05 (*) ◄				►M8 0,02 (*) ◄	►M4 ◄
Wild berries and wild fruit	0,02 (*)	►M8 0,01 (*) ◄	►M8 0,05 (*) ◄	►M8 0,05 (*) ◄	►M8 2 ◄	►M8 0,05 (*) ◄	►M8 0,05 (*) ◄	►M8 0,1 (*) ◄	►M8 0,02 (*) ◄	►M8 0,02 (*) ◄	►M25 ◄

▼M1

Groups and examples of individual products to which the MRLs apply	Pesticide residues and maximum residue levels (mg/kg)										
	Acephate	Chlorothalonil	Chlorpyrifos	Chlorpyrifos-methyl	Cypermethrin, including other mixtures of constituent isomers (sum of isomers)	Deltamethrin	Fenvalerate, including other mixtures of constituent isomers (sum of isomers)	Glyphosate	Imazalil	Iprodione	Permethrin (sum of isomers)
VI) MISCELLANEOUS FRUIT	0,02 (*)	►M8 — ◄		►M8 0,05 (*) ◄	►M8 0,05 (*) ◄		►M8 0,05 (*) ◄				
Avocados											
Bananas		►M8 0,2 ◄	►M8 3 ◄						►M8 2 ◄	►M8 3 ◄	
Dates											
Figs						►M8 — ◄					
Kiwi			►M8 2 ◄			►M4 — ◄				►M8 5 ◄	►M25 — ◄
Kumquats											
Litchis											
Mangoes											
Olives			►M8 — ◄			►M8 0,1 (*) ◄		►M8 — ◄			►M4 — ◄
▼M8											
Olives (table consumption)								0,1 (*)			
Olives (oil extraction)								2			
▼M1											
Passion fruit											
Pineapples											
Pomegranates											
Other		►M8 0,01 (*) ◄	►M8 0,05 (*) ◄			►M8 0,05 (*) ◄		►M8 0,1 (*) ◄	►M8 0,02 (*) ◄	►M8 0,02 (*) ◄	►M25 — ◄
2. **Vegetables, fresh or uncooked, frozen or dry**											►M25 0,05 (*) ◄

▼M1

Groups and examples of individual products to which the MRLs apply	Pesticide residues and maximum residue levels (mg/kg)										
	Acephate	Chlorothalonil	Chlorpyrifos	Chlorpyrifos-methyl	Cypermethrin, including other mixtures of constituent isomers (sum of isomers)	Deltamethrin	Fenvalerate, including other mixtures of constituent isomers (sum of isomers)	Glyphosate	Imazalil	Iprodione	Permethrin (sum of isomers)
I) ROOT AND TUBER VEGETABLES	0,02 (*)			►M8 0,05 (*) ◄	►M8 0,05 (*) ◄	►M8 0,05 (*) ◄	►M8 0,05 (*) ◄	►M8 0,1 (*) ◄	►M8 0,02 (*) ◄		
Beetroot			►M4 ◄							►M8 0,5 ◄	
Carrots		►M8 1 ◄	►M8 0,1 ◄							►M8 0,3 ◄	
Celeriac		►M22 1 (1) ◄								►M4 ◄	►M25 ◄
Horseradish										►M8 0,1 ◄	
Jerusalem artichokes											
Parsnips			►M4 ◄							►M8 0,1 ◄	
Parsley root											
Radishes			►M8 0,2 ◄		►M4 ◄					►M8 0,3 ◄	►M25 ◄
Salsify											
Sweet potatoes											
Swedes			►M4 ◄		►M4 ◄						
Turnips			►M4 ◄		►M4 ◄						►M4 ◄
Yams											

▼M1

Groups and examples of individual products to which the MRLs apply	Pesticide residues and maximum residue levels (mg/kg)										
	Acephate	Chlorothalonil	Chlorpyrifos	Chlorpyrifos-methyl	Cypermethrin, including other mixtures of constituent isomers (sum of isomers)	Deltamethrin	Fenvalerate, including other mixtures of constituent isomers (sum of isomers)	Glyphosate	Imazalil	Iprodione	Permethrin (sum of isomers)
Others		►M8 0,01 (*) ◄	►M8 0,05 (*) ◄		►M4 ——— ◄					►M8 0,02 (*) ◄	►M25 ——— ◄
II) BULB VEGETABLES	0,02 (*)			►M8 0,05 (*) ◄			►M8 0,05 (*) ◄	►M8 0,1 (*) ◄	►M8 0,02 (*) ◄		►M25 ——— ◄
Garlic		►M8 0,5 ◄			►M8 0,1 ◄	►M8 0,1 ◄				►M8 5 ◄	
Onions		►M8 0,5 ◄	►M8 0,2 ◄		►M8 0,1 ◄	►M8 0,1 ◄				►M8 5 ◄	►M8 ——— ◄
Shallots		►M8 0,5 ◄			►M8 0,1 ◄	►M8 0,1 ◄				►M8 5 ◄	►M8 ——— ◄
Springonions		►M8 5 ◄				►M8 0,1 ◄				►M8 3 ◄	►M8 ——— ◄
Others		►M8 0,01 (*) ◄	►M8 0,05 (*) ◄		►M8 0,05 (*) ◄	►M8 0,05 (*) ◄				►M8 0,02 (*) ◄	►M8 ——— ◄
III) FRUITING VEGETABLES											
Solanacea		►M8 2 ◄	►M8 0,5 ◄	►M8 0,5 ◄	►M8 0,5 ◄	►M8 0,2 ◄		►M8 0,1 (*) ◄	►M8 ——— ◄	►M8 5 ◄	►M25 ——— ◄
Tomatoes	0,5						►M8 1 x ◄		►M8 0,5 ◄		
Peppers	(a)						►M8 0,2 x ◄		►M4 ——— ◄		
Aubergines	(a)										

▼M1

Groups and examples of individual products to which the MRLs apply	Pesticide residues and maximum residue levels (mg/kg)										
	Acephate	Chlorothalonil	Chlorpyrifos	Chlorpyrifos-methyl	Cypermethrin, including other mixtures of constituent isomers (sum of isomers)	Deltamethrin	Fenvalerate, including other mixtures of constituent isomers (sum of isomers)	Glyphosate	Imazalil	Iprodione	Permethrin (sum of isomers)
Others	0,02 (*)						►M8 0,05 (*) ◄		►M8 0,02 (*) ◄		
Cucurbits — edible peel			►M8 0,05 (*) ◄	►M8 0,05 (*) ◄	►M8 0,2 ◄	►M8 0,1 ◄		►M8 0,1 (*) ◄	►M8 0,2 ◄	►M8 2 ◄	►M25 ——— ◄
Cucumbers	(a)	►M8 1 ◄					►M8 0,2 x ◄				
Gherkins		►M8 5 ◄									
Courgettes											
Others	0,02 (*)	►M8 0,01 (*) ◄					►M8 0,05 (*) ◄				
Cucurbits — inedible peel	0,02 (*)	►M8 1 ◄	►M8 0,05 (*) ◄	►M8 0,05 (*) ◄	►M8 0,2 ◄	►M8 0,05 (*) ◄		►M8 0,1 (*) ◄			►M25 ——— ◄
Melons							►M8 0,2 x ◄		►M8 2 ◄	►M8 0,3 ◄	
Squashes							►M8 0,5 x ◄				
Watermelons							►M8 0,5 x ◄				
Others							►M8 0,05 (*) ◄		►M8 0,02 (*) ◄	►M8 0,02 (*) ◄	
Sweet corn	0,02 (*)	►M8 0,01 (*) ◄	►M8 0,05 (*) ◄	►M8 0,05 (*) ◄	►M8 0,05 (*) ◄	►M8 0,05 (*) ◄	►M8 0,05 (*) ◄	►M8 0,1 (*) ◄	►M8 0,02 (*) ◄	►M8 0,02 (*) ◄	►M25 ——— ◄
IV) BRASSICA VEGETABLES											

▼M1

Groups and examples of individual products to which the MRLs apply	Pesticide residues and maximum residue levels (mg/kg)										
	Acephate	Chlorothalonil	Chlorpyrifos	Chlorpyrifos-methyl	Cypermethrin, including other mixtures of constituent isomers (sum of isomers)	Deltamethrin	Fenvalerate, including other mixtures of constituent isomers (sum of isomers)	Glyphosate	Imazalil	Iprodione	Permethrin (sum of isomers)
Flowering brassica	(a)	►M8 3 ◄	►M8 0,05 (*) ◄	►M8 0,05 (*) ◄	►M8 0,5 ◄	►M8 0,1 ◄	►M8 1 x ◄	►M8 0,1 (*) ◄	►M8 0,02 (*) ◄	►M8 0,05 ◄	
Broccoli											►M4 ◄
Cauliflower											►M25 ◄
Others											►M25 ◄
Head brassica	2		►M8 ◄	►M8 0,05 (*) ◄	►M8 0,5 ◄	►M8 0,1 ◄	►M8 0,05 (*) ◄	►M8 0,1 (*) ◄	►M8 0,02 (*) ◄		►M8 ◄
Brussels sprouts		►M8 0,5 ◄								►M8 0,5 ◄	
Head cabbage		►M8 3 ◄	►M8 1 ◄							►M8 5 ◄	►M25 ◄
Others		►M8 0,01 (*) ◄	►M8 0,05 (*) ◄							►M8 0,02 (*) ◄	►M25 ◄
Leafy brassica	(a)	►M8 0,01 (*) ◄	►M8 ◄	►M8 0,05 (*) ◄	►M8 1 ◄	►M8 0,5 ◄		►M8 0,1 (*) ◄	►M8 0,02 (*) ◄	►M8 ◄	►M25 ◄
Chinese cabbage			►M8 0,5 ◄				►M8 1 x ◄			►M8 5 ◄	
Kale							►M8 ◄				
Others			►M8 0,05 (*) ◄				►M8 0,05 (*) ◄			►M8 0,02 (*) ◄	

▼M1

Groups and examples of individual products to which the MRLs apply	Pesticide residues and maximum residue levels (mg/kg)										
	Acephate	Chlorothalonil	Chlorpyrifos	Chlorpyrifos-methyl	Cypermethrin, including other mixtures of constituent isomers (sum of isomers)	Deltamethrin	Fenvalerate, including other mixtures of constituent isomers (sum of isomers)	Glyphosate	Imazalil	Iprodione	Permethrin (sum of isomers)
Kohlrabi	0,02 (*)	►M8 0,01 (*) ◄	►M8 0,05 (*) ◄	►M8 0,05 (*) ◄	►M8 0,2 ◄	►M8 0,05 (*) ◄	►M8 0,05 (*) ◄	►M8 0,1 (*) ◄	►M8 0,02 (*) ◄	►M8 0,1 ◄	►M25 ◄
V) LEAF VEGETABLES AND FRESH HERBS											
Lettuce and similar		►M8 0,01 (*) ◄	►M8 0,05 (*) ◄	►M8 0,05 (*) ◄	►M8 2 ◄	►M8 0,5 ◄	►M8 0,05 (*) ◄	►M8 0,1 (*) ◄	►M8 0,02 (*) ◄	►M8 10 ◄	►M25 ◄
Cress											
Lamb's lettuce			►M8 ◄								
Lettuce	1	►M4 ◄	►M8 ◄								
Scarole			►M8 ◄								
Others	0,02 (*)	►M4 ◄	►M8 ◄								
Spinach and similar	0,02 (*)	►M8 0,01 (*) ◄	►M8 0,05 (*) ◄	►M8 0,05 (*) ◄	►M8 0,5 ◄	►M8 0,5 ◄	►M8 0,05 (*) ◄	►M8 0,1 (*) ◄	►M8 0,02 (*) ◄	►M8 0,02 (*) ◄	►M25 ◄
▼M8 Spinach											
▼M1 Beet leaves (chord)											
▼M8 Others											
▼M1 Water cress	0,02 (*)	►M8 0,01 (*) ◄	►M8 0,05 (*) ◄	►M8 0,05 (*) ◄	►M8 0,05 (*) ◄	►M8 0,05 (*) ◄	►M8 0,05 (*) ◄	►M8 0,1 (*) ◄	►M8 0,02 (*) ◄	►M8 0,02 (*) ◄	►M25 ◄

▼M1

Groups and examples of individual products to which the MRLs apply	Pesticide residues and maximum residue levels (mg/kg)										
	Acephate	Chlorothalonil	Chlorpyrifos	Chlorpyrifos-methyl	Cypermethrin, including other mixtures of constituent isomers (sum of isomers)	Deltamethrin	Fenvalerate, including other mixtures of constituent isomers (sum of isomers)	Glyphosate	Imazalil	Iprodione	Permethrin (sum of isomers)
Witloof	0,02 (*)	►M8 0,01 (*) ◄	►M8 0,05 (*) ◄	►M8 0,05 (*) ◄	►M8 0,05 (*) ◄	►M8 0,05 (*) ◄	►M8 0,05 (*) ◄	►M8 0,1 (*) ◄	►M8 0,02 (*) ◄	►M8 2 ◄	►M25 ◄
Herbs	0,02 (*)	►M8 5 ◄	►M8 0,05 (*) ◄	►M8 0,05 (*) ◄	►M8 2 ◄	►M8 0,5 ◄	►M8 0,05 (*) ◄	►M8 0,1 (*) ◄	►M8 0,02 (*) ◄	►M8 10 ◄	►M25 ◄
Chervil											
Chives											
Parsley											
Celery leaves											
Others											
VI) LEGUME VEGETABLES (fresh)	(a)		►M8 0,05 (*) ◄	►M8 0,05 (*) ◄			►M8 0,05 (*) ◄	►M8 0,1 (*) ◄	►M8 0,02 (*) ◄	►M8 ◄	
Beans (with pods)		►M8 ◄			►M8 0,5 ◄	►M8 0,2 ◄				►M8 5 ◄	►M25 ◄
Beans (without pods)		►M8 0,05 ◄			►M8 ◄	►M8 ◄					►M8 ◄
Peas (with pods)		►M8 2 ◄			►M8 0,5 ◄	►M8 0,1 ◄				►M8 1 ◄	►M25 ◄
Peas (without pods)		►M18 0,3 ◄			►M8 ◄					►M8 0,2 ◄	►M8 ◄
Others		►M8 0,01 (*) ◄			►M8 0,05 (*) ◄	►M8 0,05 (*) ◄				►M8 0,02 (*) ◄	►M25 ◄
VII) STEM VEGETABLES			►M8 ◄	►M8 0,05 (*) ◄			►M8 0,05 (*) ◄	►M8 0,1 (*) ◄	►M8 0,02 (*) ◄		

▼M1

Groups and examples of individual products to which the MRLs apply	Pesticide residues and maximum residue levels (mg/kg)										
	Acephate	Chlorothalonil	Chlorpyrifos	Chlorpyrifos-methyl	Cypermethrin, including other mixtures of constituent isomers (sum of isomers)	Deltamethrin	Fenvalerate, including other mixtures of constituent isomers (sum of isomers)	Glyphosate	Imazalil	Iprodione	Permethrin (sum of isomers)
Asparagus					►M22 0,1 (1) ◄						
Cardoons											
Celery		►M18 10 ◄			►M8 ◄					►M4 ◄	►M25 ◄
Fennel					►M4 ◄					►M8 ◄	►M4 ◄
Globe artichokes	(a)		►M8 1 ◄	►M8 ◄	►M8 2 ◄	►M8 0,1 ◄					
Leek	(a)	►M8 10 ◄			►M8 0,5 ◄	►M8 0,2 ◄					►M25 ◄
Rhubarb										►M8 0,2 ◄	►M25 ◄
Others	0,02 (*)	►M8 0,01 (*) ◄	►M8 0,05 (*) ◄	►M8 ◄	►M8 0,05 (*) ◄	►M8 0,05 (*) ◄				►M8 0,02 (*) ◄	►M25 ◄
VIII) FUNGI	0,02 (*)		►M8 0,05 (*) ◄	►M8 0,05 (*) ◄		►M8 0,05 (*) ◄	►M8 0,05 (*) ◄		►M8 0,02 (*) ◄	►M8 0,02 (*) ◄	►M25 ◄
Cultivated mushrooms		►M8 2 ◄			►M8 0,05 (*) ◄			►M8 0,1 (*) ◄			
Wild mushrooms		►M8 0,01 (*) ◄			►M8 1 ◄			►M8 50 ◄			
3. **Pulses**		►M8 0,01 (*) ◄	►M8 0,05 (*) ◄	►M8 0,05 (*) ◄	►M8 0,05 (*) ◄	►M8 1 ◄	►M8 0,05 (*) ◄		►M8 0,02 (*) ◄	►M8 0,2 ◄	►M25 0,05 (*) ◄

▼M1

Groups and examples of individual products to which the MRLs apply	Pesticide residues and maximum residue levels (mg/kg)										
	Acephate	Chlorothalonil	Chlorpyrifos	Chlorpyrifos-methyl	Cypermethrin, including other mixtures of constituent isomers (sum of isomers)	Deltamethrin	Fenvalerate, including other mixtures of constituent isomers (sum of isomers)	Glyphosate	Imazalil	Iprodione	Permethrin (sum of isomers)
Beans	(a)				►M8 — ◄			►M8 2 ◄			
Lentils	0,02 (*)				►M8 — ◄			►M8 — ◄			
Peas	(a)				►M8 — ◄			►M8 3 ◄			
Others	0,02 (*)				►M8 — ◄			►M8 0,1 (*) ◄			
4. **Oil seeds**	0,02 (*)	►M8 — ◄	►M8 0,05 (*) ◄	►M8 0,05 (*) ◄			►M8 0,1 x ◄		►M8 0,02 (*) ◄		►M25 0,05 ◄
Linseed					►M8 0,2 ◄			►M8 10 ◄		►M8 0,1 ◄	
Peanuts		►M8 0,05 ◄									►M25 — ◄
Poppy seed					►M8 0,2 ◄						
Sesame seed					►M8 0,2 ◄						
Sunflower seed					►M8 0,2 ◄						►M4 — ◄
Rape seed				►M8 — ◄	►M8 0,2 ◄	►M8 0,1 ◄		►M8 10 ◄		►M8 0,5 ◄	►M25 — ◄

▼M1

Groups and examples of individual products to which the MRLs apply	Pesticide residues and maximum residue levels (mg/kg)										
	Acephate	Chlorothalonil	Chlorpyrifos	Chlorpyrifos-methyl	Cypermethrin, including other mixtures of constituent isomers (sum of isomers)	Deltamethrin	Fenvalerate, including other mixtures of constituent isomers (sum of isomers)	Glyphosate	Imazalil	Iprodione	Permethrin (sum of isomers)
Soya bean								►M8 20 ◄			
Mustard								►M8 10 ◄		►M8 — ◄	►M25 — ◄
Cotton seed					►M8 0,2 ◄			►M14 10 ◄			►M25 — ◄
Others		►M8 0,01 (*) ◄		►M8 — ◄	►M8 0,05 (*) ◄	►M8 0,05 (*) ◄		►M8 0,1 (*) ◄		►M8 0,02 (*) ◄	►M25 — ◄
5. **Potatoes**	0,02 (*)	►M8 0,01 (*) ◄	►M8 0,05 (*) ◄	►M8 0,05 (*) ◄	►M8 0,05 (*) ◄		►M8 0,05 (*) ◄	►M8 0,1 (*) ◄		►M8 0,02 (*) ◄	►M25 0,05 (*) ◄
Early potatoes						►M8 0,05 (*) ◄			►M8 0,02 (*) ◄		
Ware potatoes						►M8 0,5 ◄			►M8 5 ◄		
6. **Tea** (dried leaves and stalks, fermented or otherwise, *Camellia sinensis*)	0,1 (*)	►M8 0,1 (*) ◄	►M8 0,1 (*) ◄	►M8 0,1 (*) ◄	►M8 0,5 ◄	►M8 5 ◄	►M8 10 x ◄	►M8 0,1 (*) ◄	►M8 0,1 (*) ◄	►M8 0,1 (*) ◄	►M25 0,1 (*) ◄

▼M1

Groups and examples of individual products to which the MRLs apply	Pesticide residues and maximum residue levels (mg/kg)											
	Acephate	Chlorothalonil	Chlorpyrifos	Chlorpyrifos-methyl	Cypermethrin, including other mixtures of constituent isomers (sum of isomers)	Deltamethrin	Fenvalerate, including other mixtures of constituent isomers (sum of isomers)	Glyphosate	Imazalil	Iprodione	Permethrin (sum of isomers)
7. **Hops** (dried), including hop pellets and unconcentrated powder	(d)	►M8 50 ◄	►M8 0,1 (*) ◄	►M8 0,1 ◄ (*)	►M8 30 ◄	►M8 5 ◄	►M8 5 x ◄	►M8 0,1 (*) ◄	►M8 0,1 (*) ◄	►M8 0,1 (*) ◄	►M25 0,1 (*) ◄

(*) Indicates lower limit of analytical determination.

(a) (b) (c) (d) Should levels not be adopted by ►M7 31 October 1998 ◄, the following maximum levels shall apply as indicated thereafter:

(a) 0,02 (*)

(b) 0,01 (*)

(c) 0,05 (*)

(d) 0,1 (*).

►M8 ►C3 x Should this level not be confirmed or amended by a directive, with effect from 1 July 2000, the appropriate lower limit of analytical determination shall apply. ◄ ◄

►M22 (1) Pending trials for the second season, results to be submitted before 1 September 2002. ◄

Groups and examples of individual products to which the MRLs apply	Pesticide residues and maximum residue levels (mg/kg)				
	Benomyl Carbendazim Thiophanate-Methyl (sum expressed as carbendazim)	Maneb Mancozeb Metiram Propineb, Zineb (sum expressed as CS_2)	Methamidophos	Procymidone	Vinclozolin (sum of vinclozolins and all metabolites containing the 3,5 dicloroaniline moiety, expresed as vinclozolin)
1. **Fruit, fresh, dried or uncooked preserved by freezing not containing added sugar; nuts**					
(I) CITRUS FRUIT	►M8 5 ◄	►M8 5 ◄	0,2	►M8 0,02 (*) ◄	0,05 (*)
Grapefruit					
Lemons					
Limes					
Mandarines (including clementines and similar hybrids)					
Oranges		►M8 ——— ◄			
Pomelos					
Others		►M8 ——— ◄			
(II) TREE NUTS (shelled or unshelled)	►M8 0,1 (*) ◄	►M8 0,1 (*) ◄	0,01 (*)	►M8 0,05 (*) ◄	0,05 (*)
Almonds					
Brazil nuts					
Cashew nuts					
Chestnuts					
Coconuts					
Hazelnuts					
Macadamia					
Pecans					
Pine nuts					
Pistachios					
Walnuts					

Groups and examples of individual products to which the MRLs apply	Pesticide residues and maximum residue levels (mg/kg)				
	Benomyl Carbendazim Thiophanate-Methyl (sum expressed as carbendazim)	Maneb Mancozeb Metiram Propineb, Zineb (sum expressed as CS_2)	Methamidophos	Procymidone	Vinclozolin (sum of vinclozolins and all metabolites containing the 3,5 dicloroaniline moiety, expresed as vinclozolin)
Others					
(III) POME FRUIT	►M8 2 ◄	►M8 3 ◄	(b)		1
Apples				►M8 — ◄	
Pears				►M8 1 ◄	
Quinces					
Others				►M8 0,02 (*) ◄	
(IV) STONE FRUIT			(b)	►M8 — ◄	
Apricots	►M8 1 ◄	►M8 2 ◄			2
Cherries	►M8 — ◄	►M8 1 ◄		►M8 0,02 (*) ◄	0,5
Peaches (including nectarines and similar hybrids)	►M8 1 ◄	►M8 2 ◄			►M14 0,05 (*) ◄
Plums	►M8 0,5 ◄	►M8 1 ◄			(c)
Others	►M8 0,1 (*) ◄	►M8 0,05 (*) ◄		►M8 2 ◄	0,05 (*)

Groups and examples of individual products to which the MRLs apply	Pesticide residues and maximum residue levels (mg/kg)				
	Benomyl Carbendazim Thiophanate-Methyl (sum expressed as carbendazim)	Maneb Mancozeb Metiram Propineb, Zineb (sum expressed as CS_2)	Methamidophos	Procymidone	Vinclozolin (sum of vinclozolins and all metabolites containing the 3,5 dicloroaniline moiety, expresed as vinclozolin)
(V) BERRIES AND SMALL FRUIT					
Table and wine grapes	►M8 2 ◄	►M8 2 ◄	►M4 0,01 (*) ◄	►M8 5 ◄	5
Table grapes					
Wine grapes					
Strawberries (other than wild)	►M12 0,1 (*) ◄	►M8 2 ◄	►M4 0,01 (*) ◄	►M8 5 ◄	5
Cane fruit (other than wild)	►M8 0,1 (*) ◄	►M8 0,05 (*) ◄	0,01 (*)		5
Blackberries					
Dewberries					
Loganberries					
Raspberries		►M8 — ◄		►M8 10 ◄	
Others		►M8 — ◄		►M8 0,02 (*) ◄	
Other small fruit and berries (other than wild)	►M8 0,1 (*) ◄		0,01 (*)	►M8 0,02 (*) ◄	
Bilberries (fruit of species *vaccinium myrtyllus*)					
Cranberries					
Currants (red, black and white)	►M8 — ◄	►M8 5 ◄			(c)
Gooseberries	►M8 — ◄	►M8 5 ◄			

▼M1

Groups and examples of individual products to which the MRLs apply	Pesticide residues and maximum residue levels (mg/kg)				
	Benomyl Carbendazim Thiophanate-Methyl (sum expressed as carbendazim)	Maneb Mancozeb Metiram Propineb, Zineb (sum expressed as CS_2)	Methamidophos	Procymidone	Vinclozolin (sum of vinclozolins and all metabolites containing the 3,5 dicloroaniline moiety, expresed as vinclozolin)
Others	►M8 ◄	►M8 0,05 (*) ◄			0,05 (*)
Wild berries and wild fruit	►M8 0,1 (*) ◄	►M8 0,05 (*) ◄	0,01 (*)	►M8 0,02 (*) ◄	0,05 (*)
(VI) MISCELLANEOUS FRUIT		►M8 0,05 (*) ◄	0,01 (*)		0,05 (*) (except kiwi)
Avocados					
Bananas	►M8 1 ◄				
Dates					
Figs					
Kiwi				►M8 5 ◄	
Kumquats					
Litchis					
Mangoes					
▼M8 Olives					
▼M1 Olives (table consumption)	►M4 ◄	►M14 5 ◄			
Olives (oil extraction)	►M4 ◄	►M14 5 ◄			
Passion fruit					
Pineapples					
Pomegranates					

Groups and examples of individual products to which the MRLs apply	Pesticide residues and maximum residue levels (mg/kg)				
	Benomyl Carbendazim Thiophanate-Methyl (sum expressed as carbendazim)	Maneb Mancozeb Metiram Propineb, Zineb (sum expressed as CS_2)	Methamidophos	Procymidone	Vinclozolin (sum of vinclozolins and all metabolites containing the 3,5 dicloroaniline moiety, expresed as vinclozolin)
Others	►M8 0,1 (*) ◄			►M8 0,02 (*) ◄	
2. **Vegetables, fresh or uncooked, frozen or dry**					
(I) ROOT AND TUBER VEGETABLES	►M8 0,1 (*) ◄		0,01 (*)	►M8 0,02 (*) ◄	
Beetroot		►M4 ◄			
Carrots	►M8 ◄	►M8 0,2 ◄			(c)
Celeriac	►M8 ◄	►M8 0,2 ◄			
Horseradish					(c)
Jerusalem artichokes					
Parsnips		►M8 ◄			
Parsley root					
Radishes		►M8 0,2 ◄			(c)
Salsify	►M8 ◄	►M8 0,2 ◄			
Sweet potatoes					
Swedes	►M8 ◄				(c)

▼M1

Groups and examples of individual products to which the MRLs apply	Pesticide residues and maximum residue levels (mg/kg)				
	Benomyl Carbendazim Thiophanate-Methyl (sum expressed as carbendazim)	Maneb Mancozeb Metiram Propineb, Zineb (sum expressed as CS_2)	Methamidophos	Procymidone	Vinclozolin (sum of vinclozolins and all metabolites containing the 3,5 dicloroaniline moiety, expresed as vinclozolin)
Turnips	►M8 — ◄				
Yams					
Others	►M8 — ◄	►M8 0,05 (*) ◄			0,05 (*)
(II) BULB VEGETABLES	►M8 0,1 (*) ◄		0,01 (*)		1
Garlic		►M8 0,5 ◄		►M8 0,2 ◄	
Onions	►M8 — ◄	►M8 0,5 ◄		►M8 0,2 ◄	
Shallots		►M8 0,5 ◄		►M8 0,2 ◄	
Spring onions		►M8 — ◄		►M4 — ◄	
Others	►M8 — ◄	►M8 0,05 (*) ◄		►M8 0,02 (*) ◄	
(III) FRUITING VEGETABLES					
Solanacea				►M8 2 ◄	3
Tomatoes	►M8 0,5 ◄	►M8 3 ◄	0,5		►M14 0,05 (*) ◄

▼M1

Groups and examples of individual products to which the MRLs apply	Pesticide residues and maximum residue levels (mg/kg)				
	Benomyl Carbendazim Thiophanate-Methyl (sum expressed as carbendazim)	Maneb Mancozeb Metiram Propineb, Zineb (sum expressed as CS_2)	Methamidophos	Procymidone	Vinclozolin (sum of vinclozolins and all metabolites containing the 3,5 dicloroaniline moiety, expresed as vinclozolin)
Peppers	►M8 — ◄		(b)		
Aubergines	►M8 0,5 ◄		0,2		
Others	►M8 0,1 (*) ◄	►M8 2 ◄	0,01 (*)		
Cucurbits — edible peel				►M8 1 ◄	1
Cucumbers	►M8 0,5 ◄	►M8 0,5 ◄	1		
Gherkins	►M8 — ◄	►M8 2 ◄			
Courgettes	►M8 0,3 ◄	►M8 2 ◄			
Others	►M8 0,1 (*) ◄	►M8 0,05 (*) ◄	0,01 (*)		
Cucurbits — inedible peel		►M8 0,5 ◄	0,01 (*)	►M8 1 ◄	1
Melons	►M8 0,5 ◄				
Squashes	►M8 0,5 ◄				
Watermelons					

▼M1

Groups and examples of individual products to which the MRLs apply	Pesticide residues and maximum residue levels (mg/kg)				
	Benomyl Carbendazim Thiophanate-Methyl (sum expressed as carbendazim)	Maneb Mancozeb Metiram Propineb, Zineb (sum expressed as CS_2)	Methamidophos	Procymidone	Vinclozolin (sum of vinclozolins and all metabolites containing the 3,5 dicloroaniline moiety, expresed as vinclozolin)
Others	►M8 0,1 (*) ◄				
Sweet corn	►M8 0,1 (*) ◄	►M8 0,05 (*) ◄	0,01 (*)	►M8 0,02 (*) ◄	0,05 (*)
(IV) BRASSICA VEGETABLES					
Flowering brassica	►M8 0,1 (*) ◄	►M8 1 ◄	(b)	►M8 0,02 (*) ◄	0,05 (*)
Broccoli					
Cauliflower					
Others					
Head brassica		►M8 1 ◄	0,5	►M8 0,02 (*) ◄	0,05 (*)
Brussels sprouts	►M8 0,5 ◄				
Head cabbage					
Others	►M8 3 ◄				
Leafy brassica	►M8 0,1 (*) ◄	►M8 0,5 ◄	►M4 0,01 (*) ◄	►M8 0,02 (*) ◄	
Chinese cabbage					2
Kale					
Others					0,05 (*)
Kohlrabi	►M8 0,1 (*) ◄	►M8 0,1 (*) ◄	0,01 (*)	►M8 0,02 (*) ◄	0,05 (*)

▼M1

Groups and examples of individual products to which the MRLs apply	Pesticide residues and maximum residue levels (mg/kg)				
	Benomyl Carbendazim Thiophanate-Methyl (sum expressed as carbendazim)	Maneb Mancozeb Metiram Propineb, Zineb (sum expressed as CS_2)	Methamidophos	Procymidone	Vinclozolin (sum of vinclozolins and all metabolites containing the 3,5 dicloroaniline moiety, expresed as vinclozolin)
(V) LEAF VEGETABLES AND FRESH HERBS					
Lettuce and similar	►M8 ◄	►M8 5 ◄		►M8 5 ◄	5
Cress					
Lamb's lettuce					
Lettuce	►M8 5 ◄		0,2		
Scarole					
Others	►M8 0,1 (*) ◄		0,01 (*)		
Spinach and similar	►M8 0,1 (*) ◄	►M8 0,05 (*) ◄	0,01 (*)	►M8 0,02 (*) ◄	0,05 (*)
▼M8 Spinach					
▼M1 Beet leaves (chord)					
▼M8 Others					
▼M1 Water cress	►M8 0,1 (*) ◄	►M4 0,03 ◄	0,01 (*)	►M8 0,02 (*) ◄	0,05 (*)
Witloof	►M8 0,1 (*) ◄	►M8 0,2 ◄	0,01 (*)	►M8 2 ◄	2
Herbs	►M8 0,1 (*) ◄	►M8 5 ◄	0,01 (*)	►M8 0,02 (*) ◄	0,05 (*)
Chervil					

▼M1

Groups and examples of individual products to which the MRLs apply	Pesticide residues and maximum residue levels (mg/kg)				
	Benomyl Carbendazim Thiophanate-Methyl (sum expressed as carbendazim)	Maneb Mancozeb Metiram Propineb, Zineb (sum expressed as CS_2)	Methamidophos	Procymidone	Vinclozolin (sum of vinclozolins and all metabolites containing the 3,5 dicloroaniline moiety, expresed as vinclozolin)
Chives					
Parsley					
Celery leaves					
Others					
(VI) LEGUME VEGETABLES (fresh)	►M8 0,1 (*) ◄	►M8 — ◄	(b)		
Beans (with pods)		►M8 1 ◄		►M8 2 ◄	2
Beans (without pods)		►M8 0,1 ◄		►M8 — ◄	(c)
Peas (with pods)		►M8 1 ◄		►M8 1 ◄	2
Peas (without pods)		►M8 0,1 ◄		►M8 0,3 ◄	(c)
Others		►M8 0,05 (*) ◄		►M8 0,02 (*) ◄	0,05 (*)
(VII) STEM VEGETABLES				►M8 0,02 (*) ◄	
Asparagus					
Cardoons					
Celery	►M12 2 ◄	►M8 0,5 ◄			(c)
Fennel					

Groups and examples of individual products to which the MRLs apply	Pesticide residues and maximum residue levels (mg/kg)				
	Benomyl Carbendazim Thiophanate-Methyl (sum expressed as carbendazim)	Maneb Mancozeb Metiram Propineb, Zineb (sum expressed as CS_2)	Methamidophos	Procymidone	Vinclozolin (sum of vinclozolins and all metabolites containing the 3,5 dicloroaniline moiety, expresed as vinclozolin)
Globe artichokes		►M4 — ◄	(b)		
Leek		►M8 3 ◄	(b)		
Rhubarb	►M8 2 ◄				
Others	►M8 0,1 (*) ◄	►M8 0,05 (*) ◄	0,01 (*)		0,05 (*)
(VIII) FUNGI		►M8 0,05 (*) ◄	0,01 (*)	►M8 0,02 (*) ◄	0,05 (*)
Cultivated mushrooms	►M8 1 ◄				
Wild mushrooms	►M8 0,1 (*) ◄				
3. **Pulses**		►M8 0,05 (*) ◄		►M8 — ◄	(c)
Beans	►M8 2 ◄		(b)		
Lentils	►M8 — ◄		0,01 (*)		
Peas	►M8 — ◄		(b)	►M8 0,2 ◄	

Groups and examples of individual products to which the MRLs apply	Pesticide residues and maximum residue levels (mg/kg)				
	Benomyl Carbendazim Thiophanate-Methyl (sum expressed as carbendazim)	Maneb Mancozeb Metiram Propineb, Zineb (sum expressed as CS_2)	Methamidophos	Procymidone	Vinclozolin (sum of vinclozolins and all metabolites containing the 3,5 dicloroaniline moiety, expresed as vinclozolin)
Others	►M8 0,1 (*) ◄		0,01 (*)	►M8 0,02 (*) ◄	
4. **Oil seeds**					
Linseed					
Peanuts					
Poppy seed					
Sesame seed					
Sunflower seed (with shell)				►M8 1 ◄	
Sunflower seed (without shell)					
Rape seed		►M8 0,5 ◄		►M8 1 ◄	1
Soya bean	►M8 0,2 ◄			►M8 1 ◄	
Mustard					
Cotton seed			0,1		
Others	►M8 0,1 (*) ◄	►M8 0,1 (*) ◄	0,01 (*)	►M8 0,05 (*) ◄	0,05 (*)
5. **Potatoes**	►M12 0,1 (*) ◄	►M8 0,05 (*) ◄	0,01 (*)	►M8 0,02 (*) ◄	0,05 (*)
Early potatoes					
Ware potatoes					
6. **Tea** (dried leaves and stalks, fermented or otherwise, *Camellia sinensis*)	►M8 0,1 (*) ◄	►M8 0,1 (*) ◄	0,1 (*)	►M8 0,1 (*) ◄	0,1 (*)

▼M1

Groups and examples of individual products to which the MRLs apply	Pesticide residues and maximum residue levels (mg/kg)				
	Benomyl Carbendazim Thiophanate-Methyl (sum expressed as carbendazim)	Maneb Mancozeb Metiram Propineb, Zineb (sum expressed as CS_2)	Methamidophos	Procymidone	Vinclozolin (sum of vinclozolins and all metabolites containing the 3,5 dicloroaniline moiety, expresed as vinclozolin)
7. **Hops** (dried), including hop pellets and unconcentrated powder	►M8 0,1 (*) ◄	►M8 25 ◄	2	►M8 0,1 (*) ◄	40

(*) Indicates lower limit of analytical determination.

(a) (b) (c) (d) Should levels not be adopted by ►M7 31 October 1998 ◄, the following maximum levels shall apply as indicated thereafter:
(a) 0,02 (*)
(b) 0,01 (*)
(c) 0,05 (*)
(d) 0,1 (*).

►M8 ►C3 x Should this level not be confirmed or amended by a directive, with effect from 1 July 2000, the appropriate lower limit of analytical determination shall apply. ◄ ◄

▼M1

Groups and examples of individual products to which the MRLs apply	Pesticide residues and maximum residue levels (mg/kg)
	DDT (sum of p,p′-DDT, o,p′-DDT, p,p′-DDE and p,p′-TDE (DDD) expressed as DDT)
1. **Fruit, fresh, dried or uncooked preserved by freezing not containing added sugar; nuts**	
(I) CITRUS FRUIT	0,05 (*)
Grapefruit	
Lemons	
Limes	
Mandarines (including clementines and similar hybrids)	
Oranges	
Pomelos	
Others	
(II) TREE NUTS (shelled or unshelled)	0,05 (*)
Almonds	
Brazil nuts	
Cashew nuts	
Chestnuts	
Coconuts	
Hazelnuts	
Macadamia	
Pecans	
Pine nuts	
Pistachios	
Walnuts	
Others	
(III) POME FRUIT	0,05 (*)
Apples	
Pears	
Quinces	
Others	
(IV) STONE FRUIT	0,05 (*)
Apricots	
Cherries	
Peaches (including nectarines and similar hybrids)	
Plums	
Others	
(V) BERRIES AND SMALL FRUIT	0,05 (*)
Table and wine grapes	
Table grapes	
Wine grapes	
Strawberries (other than wild)	
Cane fruit (other than wild)	
Blackberries	
Dewberries	
Loganberries	
Raspberries	
Others	
Other small fruit and berries (other than wild)	
Bilberries (fruit of species *vaccinium myrtyllus*)	
Cranberries	
Currants (red, black and white)	
Gooseberries	
Others	
Wild berries and wild fruit	
(VI) MISCELLANEOUS FRUIT	0,05 (*)
Avocados	

▼M1

Groups and examples of individual products to which the MRLs apply	Pesticide residues and maximum residue levels (mg/kg)
	DDT (sum of p,p′-DDT, o,p′-DDT, p,p′-DDE and p,p′-TDE (DDD) expressed as DDT)
Bananas	
Dates	
Figs	
Kiwi	
Kumquats	
Litchis	
Mangoes	
Olives (table consumption)	
Olives (oil extraction)	
Passion fruit	
Pineapples	
Pomegranates	
Others	
2. **Vegetables, fresh or uncooked, frozen or dry**	
(I) ROOT AND TUBER VEGETABLES	0,05 (*)
Beetroot	
Carrots	
Celeriac	
Horseradish	
Jerusalem artichokes	
Parsnips	
Parsley root	
Radishes	
Salsify	
Sweet potatoes	
Swedes	
Turnips	
Yams	
Others	
(II) BULB VEGETABLES	0,05 (*)
Garlic	
Onions	
Shallots	
Spring onions	
Others	
(III) FRUITING VEGETABLES	0,05 (*)
Solanacea	
Tomatoes	
Peppers	
Aubergines	
Others	
Cucurbits — edible peel	
Cucumbers	
Gherkins	
Courgettes	
Others	
Cucurbits — inedible peel	
Melons	
Squashes	
Watermelons	
Others	
Sweet corn	
(IV) BRASSICA VEGETABLES	0,05 (*)
Flowering brassica	
Broccoli	
Cauliflower	
Others	
Head brassica	

▼M1

Groups and examples of individual products to which the MRLs apply	Pesticide residues and maximum residue levels (mg/kg)
	DDT (sum of p,p′-DDT, o,p′-DDT, p,p′-DDE and p,p′-TDE (DDD) expressed as DDT)
Brussels sprouts	
Head cabbage	
Others	
Leafy brassica	
Chinese cabbage	
Kale	
Others	
Kohlrabi	
(V) LEAF VEGETABLES AND FRESH HERBS	0,05 (*)
Lettuce and similar	
Cress	
Lamb's lettuce	
Lettuce	
Scarole	
Others	
Spinach and similar	
Beet leaves (chord)	
Water cress	
Witloof	
Herbs	
Chervil	
Chives	
Parsley	
Celery leaves	
Others	
(VI) LEGUME VEGETABLES (fresh)	0,05 (*)
Beans (with pods)	
Beans (without pods)	
Peas (with pods)	
Peas (without pods)	
Others	
(VII) STEM VEGETABLES	0,05 (*)
Asparagus	
Cardoons	
Celery	
Fennel	
Globe artichokes	
Leek	
Rhubarb	
Others	
(VIII) FUNGI	0,05 (*)
Cultivated mushrooms	
Wild mushrooms	
3. **Pulses**	0,05 (*)
Beans	
Lentils	
Peas	
Others	
4. **Oil seeds**	0,05 (*)
Linseed	
Peanuts	
Poppy seed	
Sesame seed	
Sunflower seed (with shell)	
Sunflower seed (without shell)	
Rape seed	
Soya bean	

▼**M1**

Groups and examples of individual products to which the MRLs apply	Pesticide residues and maximum residue levels (mg/kg)
	DDT (sum of p,p′-DDT, o,p′-DDT, p,p′-DDE and p,p′-TDE (DDD) expressed as DDT)
Mustard	
Cotton seed	
Others	
5. **Potatoes**	0,05 (*)
Early potatoes	
Ware potatoes	
6. **Tea** (dried leaves and stalks, fermented or otherwise, *Camellia sinensis*)	0,2 ►**C1** ——————— ◄
7. **Hops** (dried), including hop pellets and unconcentrated powder	0,05 (*)

(*) Indicates lower limit of analytical determination.

(a) (b) (c) (d) Should levels not be adopted by ►**M7** 31 October 1998 ◄, the following maximum levels shall apply as indicated thereafter:
(a) 0,02 (*)
(b) 0,01 (*)
(c) 0,05 (*)
(d) 0,1 (*).

▼M1

Groups and examples of individual products to which the MRLs apply	Pesticide residues and maximum residue levels (mg/kg)									
	Aminotriazole (Amitrole)	Atrazine	Binapacryl	Bromophose-thyl	Captafol	Dichlorprop (including dichlorprop P)	►M12 Quinalphos ◄	►M12 Fenvalerate and esfenvalerate		►M12 Mecarbam ◄
								sum of RR and SS isomers	sum of RS and SR isomers ◄	
1. **Fruit, fresh, dried or uncooked preserved by freezing not containing added sugar; nuts**							►M12 0,05 (*) ◄			►M12 0,05 (*) ◄
(I) CITRUS FRUIT	0,05 (*)	0,1 (*)	0,05 (*)	0,05 (*)	0,02 (*)	0,05 (*)		►M12 0,02 (*) ◄	►M12 0,02 (*) ◄	
Grapefruit										
Lemons										
Limes										
Mandarines (including clementines and similar hybrids)										
Oranges										
Pomelos										
Others										
(II) TREE NUTS (shelled or unshelled)	0,05 (*)	0,1 (*)	0,05 (*)	0,05 (*)	0,02 (*)	0,05 (*)		►M12 0,02 (*) ◄	►M12 0,02 (*) ◄	
Almonds										
Brazil nuts										
Cashew nuts										
Chestnuts										
Coconuts										
Hazelnuts										
Macadamia										
Pecans										
Pine nuts										
Pistachios										
Walnuts										
Others										
(III) POME FRUIT	0,05 (*)	0,1 (*)	0,05 (*)	0,05 (*)	0,02 (*)	0,05 (*)		►M12 0,05 ◄	►M12 0,02 (*) ◄	

▼M1

Groups and examples of individual products to which the MRLs apply	Pesticide residues and maximum residue levels (mg/kg)									
	Aminotriazole (Amitrole)	Atrazine	Binapacryl	Bromophose-thyl	Captafol	Dichlorprop (including dichlorprop P)	►M12 Quinalphos ◄	►M12 Fenvalerate and esfenvalerate		►M12 Mecarbam ◄
								sum of RR and SS isomers	sum of RS and SR isomers ◄	
Apples										
Pears										
Quinces										
Others										
(IV) STONE FRUIT	0,05 (*)	0,1 (*)	0,05 (*)	0,05 (*)	0,02 (*)	0,05 (*)		►M12 0,02 (*) ◄	►M12 0,02 (*) ◄	
Apricots										
Cherries										
Peaches (including nectarines and similar hybrids)										
Plums										
Others										
(V) BERRIES AND SMALL FRUIT	0,05 (*)	0,1 (*)	0,05 (*)	0,05 (*)	0,02 (*)	0,05 (*)				
Table and wine grapes								►M12 0,1 ◄	►M12 0,02 (*) ◄	
Table grapes										
Wine grapes										
Strawberries (other than wild)								►M12 0,02 (*) ◄	►M12 0,02 (*) ◄	
Cane fruit								►M12 0,02 (*) ◄	►M12 0,02 (*) ◄	
Blackberries										
Dewberries										
Loganberries										
Raspberries										
Others										
Other small fruit and berries (other than wild)								►M12 0,02 (*) ◄	►M12 0,02 (*) ◄	

▼M1

Groups and examples of individual products to which the MRLs apply	Pesticide residues and maximum residue levels (mg/kg)									
	Aminotriazole (Amitrole)	Atrazine	Binapacryl	Bromophose-thyl	Captafol	Dichlorprop (including dichlorprop P)	►M12 Quinalphos ◄	►M12 Fenvalerate and esfenvalerate		►M12 Mecarbam ◄
								sum of RR and SS isomers	sum of RS and SR isomers ◄	
Bilberries (fruit of species *vaccinium myrtyllus*)										
Cranberries										
Currants (red, black and white)										
Gooseberries										
Others										
Wild berries and wild fruit								►M12 0,02 (*) ◄	►M12 0,02 (*) ◄	
(VI) MISCELLANEOUS FRUIT	0,05 (*)	0,1 (*)	0,05 (*)	0,05 (*)	0,02 (*)	0,05 (*)		►M12 0,02 (*) ◄	►M12 0,02 (*) ◄	
Avocados										
Bananas										
Dates										
Figs										
Kiwi										
Kumquats										
Litchis										
Mangoes										
Olives										
Passion fruit										
Pineapples										
Pomegranates										
Others										
2. **Vegetables, fresh or uncooked, frozen or dry**							►M12 0,05 (*) ◄			
(I) ROOT AND TUBER VEGETABLES	0,05 (*)	0,1 (*)	0,05 (*)	0,05 (*)	0,02 (*)	0,05 (*)		►M12 0,02 (*) ◄	►M12 0,02 (*) ◄	
Beetroot										

▼M1

Groups and examples of individual products to which the MRLs apply	Pesticide residues and maximum residue levels (mg/kg)									
	Aminotriazole (Amitrole)	Atrazine	Binapacryl	Bromophose-thyl	Captafol	Dichlorprop (including dichlorprop P)	►M12 Quinalphos ◄	►M12 Fenvalerate and esfenvalerate		►M12 Mecarbam ◄
								sum of RR and SS isomers	sum of RS and SR isomers ◄	
Carrots										
Celeriac										
Horseradish										
Jerusalem artichokes										
Parsnips										
Parsley root										
Radishes										
Salsify										
Sweet potatoes										
Swedes										
Turnips										
Yams										
Others										
(II) BULB VEGETABLES	0,05 (*)	0,1 (*)	0,05 (*)	0,05 (*)	0,02 (*)	0,05 (*)		►M12 0,02 (*) ◄	►M12 0,02 (*) ◄	
Garlic										
Onions										
Shallots										
Spring onions										
Others										
(III) FRUITING VEGETABLES	0,05 (*)	0,1 (*)	0,05 (*)	0,05 (*)	0,02 (*)	0,05 (*)				
Solanacea										
Tomatoes								►M12 0,05 ◄	►M12 0,02 (*) ◄	
Peppers										
Aubergines										
Others								►M12 0,02 (*) ◄	►M12 0,02 (*) ◄	

▼M1

Groups and examples of individual products to which the MRLs apply	Pesticide residues and maximum residue levels (mg/kg)									
	Aminotriazole (Amitrole)	Atrazine	Binapacryl	Bromophose-thyl	Captafol	Dichlorprop (including dichlorprop P)	►M12 Quinalphos ◄	►M12 Fenvalerate and esfenvalerate		►M12 Mecarbam ◄
								sum of RR and SS isomers	sum of RS and SR isomers ◄	
Cucurbits — edible peel								►M12 0,02 (*) ◄	►M12 0,02 (*) ◄	
Cucumbers										
Gherkins										
Courgettes										
Others										
Cucurbits — inedible peel								►M12 0,02 (*) ◄	►M12 0,02 (*) ◄	
Melons										
Squashes										
Watermelons										
Others										
Sweet corn								►M12 0,02 (*) ◄	►M12 0,02 (*) ◄	
(IV) BRASSICA VEGETABLES	0,05 (*)	0,1 (*)	0,05 (*)	0,05 (*)	0,02 (*)	0,05 (*)				
Flowering brassica								►M12 0,02 (*) ◄	►M12 0,02 (*) ◄	
Broccoli										
Cauliflower										
Others										
Head brassica									►M12 0,02 (*) ◄	
Brussels sprouts								►M12 0,05 ◄		
Head cabbage								►M12 0,05 ◄		

▼M1

Groups and examples of individual products to which the MRLs apply	Pesticide residues and maximum residue levels (mg/kg)									
	Aminotriazole (Amitrole)	Atrazine	Binapacryl	Bromophose-thyl	Captafol	Dichlorprop (including dichlorprop P)	►M12 Quinalphos ◄	►M12 Fenvalerate and esfenvalerate		►M12 Mecarbam ◄
								sum of RR and SS isomers	sum of RS and SR isomers ◄	
Others								►M12 0,02 (*) ◄		
Leafy brassica								►M12 0,02 (*) ◄	►M12 0,02 (*) ◄	
Chinese cabbage										
Kale										
Others										
Kohlrabi								►M12 0,02 (*) ◄	►M12 0,02 (*) ◄	
(V) LEAF VEGETABLES AND FRESH HERBS	0,05 (*)	0,1 (*)	0,05 (*)	0,05 (*)	0,02 (*)	0,05 (*)		►M12 0,02 (*) ◄	►M12 0,02 (*) ◄	
Lettuce and similar										
Cress										
Lamb's lettuce										
Lettuce										
Scarole										
Others										
Spinach and similar										
Beet leaves (chord)										
Water cress										
Witloof										
Herbs										
Chervil										
Chives										
Parsley										
Celery leaves										
Others										
(VI) LEGUME VEGETABLES (fresh)	0,05 (*)	0,1 (*)	0,05 (*)	0,05 (*)	0,02 (*)	0,05 (*)		►M12 0,02 (*) ◄	►M12 0,02 (*) ◄	

▼M1

Groups and examples of individual products to which the MRLs apply	Pesticide residues and maximum residue levels (mg/kg)									
	Aminotriazole (Amitrole)	Atrazine	Binapacryl	Bromophose-thyl	Captafol	Dichlorprop (including dichlorprop P)	►M12 Quinalphos ◄	►M12 Fenvalerate and esfenvalerate		►M12 Mecarbam ◄
								sum of RR and SS isomers	sum of RS and SR isomers ◄	
Beans (with pods)										
Beans (without pods)										
Peas (with pods)										
Peas (without pods)										
Others										
(VII) STEM VEGETABLES	0,05 (*)	0,1 (*)	0,05 (*)	0,05 (*)	0,02 (*)	0,05 (*)		►M12 0,02 (*) ◄	►M12 0,02 (*) ◄	
Asparagus										
Cardoons										
Celery										
Fennel										
Globe artichokes										
Leek										
Rhubarb										
Others										
(VIII) FUNGI	0,05 (*)	0,1 (*)	0,05 (*)	0,05 (*)	0,02 (*)	0,05 (*)		►M12 0,02 (*) ◄	►M12 0,02 (*) ◄	
Cultivated mushrooms										
Wild mushrooms										
3. **Pulses**	0,05 (*)	0,1 (*)	0,05 (*)	0,05 (*)	0,02 (*)	0,05 (*)	►M12 0,05 (*) ◄	►M12 0,02 (*) ◄	►M12 0,02 (*) ◄	
Beans										
Lentils										
Peas										
Others										
4. **Oil seeds**	0,05 (*)	0,1 (*)	0,05 (*)	0,05 (*)	0,02 (*)	0,05 (*)	►M12 0,05 (*) ◄	►M12 0,05 (*) ◄	►M12 0,05 (*) ◄	

▼M1

Groups and examples of individual products to which the MRLs apply	Pesticide residues and maximum residue levels (mg/kg)									
	Aminotriazole (Amitrole)	Atrazine	Binapacryl	Bromophose-thyl	Captafol	Dichlorprop (including dichlorprop P)	►M12 Quinalphos ◄	►M12 Fenvalerate and esfenvalerate		►M12 Mecarbam ◄
								sum of RR and SS isomers	sum of RS and SR isomers ◄	
Linseed										
Peanuts										
Poppy seed										
Sesame seed										
Sunflower seed										
Rape seed										
Soya bean										
Mustard										
Cotton seed										
Others										
5. **Potatoes**	0,05 (*)	0,1 (*)	0,05 (*)	0,05 (*)	0,02 (*)	0,05 (*)	►M12 0,05 (*) ◄	►M12 0,02 (*) ◄	►M12 0,02 (*) ◄	
Early potatoes										
Ware potatoes										
6. **Tea** (dried leaves and stalks, fermented or otherwise, *Camellia sinensis*)	0,1 (*)	0,1 (*)	0,1 (*)	0,1 (*)	0,1 (*)	0,1 (*)	►M12 0,1 (*) ◄	►M12 0,05 (*) ◄	►M12 0,05 (*) ◄	
7. **Hops** (dried), including hop pellets and unconcentrated powder	0,1 (*)	0,1 (*)	0,1 (*)	0,1 (*)	0,1 (*)	0,1 (*)	►M12 0,1 (*) ◄	►M12 0,05 (*) ◄	►M12 0,05 (*) ◄	

(*) Indicates lower limit of analytical determination.

(a) (b) (c) (d) Should levels not be adopted by ►M7 31 October 1998 ◄, the following maximum levels shall apply as indicated thereafter:
(a) 0,02 (*)
(b) 0,01 (*)
(c) 0,05 (*)
(d) 0,1 (*).

Groups and examples of individual products to which the MRLs apply	Pesticide residues and maximum residue levels (mg/kg)				
	Dinoseb	Dioxathion	Endrin	1,2-dibromo ethane (ethylene dibromide)	Fenchlorphos (sum of fenchlorphos and fenchlorphos oxon expressed as fenchlorphos)
1. **Fruit, fresh, dried or uncooked preserved by freezing not containing added sugar; nuts**					
(I) CITRUS FRUIT	0,05 (*)	0,05 (*)	0,01 (*)	0,01 (*)	0,01 (*)
Grapefruit					
Lemons					
Limes					
Mandarines (including clementines and similar hybrids)					
Oranges					
Pomelos					
Others					
(II) TREE NUTS (shelled or unshelled)	0,05 (*)	0,05 (*)	0,01 (*)	0,01 (*)	0,01 (*)
Almonds					
Brazil nuts					
Cashew nuts					
Chestnuts					
Coconuts					
Hazelnuts					
Macadamia					
Pecans					
Pine nuts					
Pistachios					
Walnuts					
Others					
(III) POME FRUIT	0,05 (*)	0,05 (*)	0,01 (*)	0,01 (*)	0,01 (*)
Apples					
Pears					
Quinces					
Others					

Groups and examples of individual products to which the MRLs apply	Pesticide residues and maximum residue levels (mg/kg)				
	Dinoseb	Dioxathion	Endrin	1,2-dibromo ethane (ethylene dibromide)	Fenchlorphos (sum of fenchlorphos and fenchlorphos oxon expressed as fenchlorphos)
(IV) STONE FRUIT	0,05 (*)	0,05 (*)	0,01 (*)	0,01 (*)	0,01 (*)
Apricots					
Cherries					
Peaches (including nectarines and similar hybrids)					
Plums					
Others					
(V) BERRIES AND SMALL FRUIT	0,05 (*)	0,05 (*)	0,01 (*)	0,01 (*)	0,01 (*)
Table and wine grapes					
Table grapes					
Wine grapes					
Strawberries (other than wild)					
Cane fruit					
Blackberries					
Dewberries					
Loganberries					
Raspberries					
Others					
Other small fruit and berries (other than wild)					
Bilberries (fruit of species *vaccinium myrtyllus*)					
Cranberries					
Currants (red, black and white)					
Gooseberries					
Others					
Wild berries and wild fruit					
VI) MISCELLANEOUS FRUIT	0,05 (*)	0,05 (*)	0,01 (*)	0,01 (*)	0,01 (*)
Avocados					
Bananas					
Dates					
Figs					

Groups and examples of individual products to which the MRLs apply	Pesticide residues and maximum residue levels (mg/kg)				
	Dinoseb	Dioxathion	Endrin	1,2-dibromo ethane (ethylene dibromide)	Fenchlorphos (sum of fenchlorphos and fenchlorphos oxon expressed as fenchlorphos)
Kiwis					
Kumquats					
Litchis					
Mangoes					
Olives					
Passion fruit					
Pineapples					
Pomegranates					
Others					
2. **Vegetables, fresh or uncooked, frozen or dry**					
(I) ROOT AND TUBER VEGETABLES	0,05 (*)	0,05 (*)	0,01 (*)	0,01 (*)	0,01 (*)
Beetroot					
Carrots					
Celeriac					
Horseradish					
Jerusalem artichokes					
Parsnips					
Parsley root					
Radishes					
Salsify					
Sweet potatoes					
Swedes					
Turnips					
Yams					
Others					
(II) BULB VEGETABLES	0,05 (*)	0,05 (*)	0,01 (*)	0,01 (*)	0,01 (*)
Garlic					
Onions					
Shallots					
Spring onions					
Others					

▼M1

Groups and examples of individual products to which the MRLs apply	Pesticide residues and maximum residue levels (mg/kg)				
	Dinoseb	Dioxathion	Endrin	1,2-dibromo ethane (ethylene dibromide)	Fenchlorphos (sum of fenchlorphos and fenchlorphos oxon expressed as fenchlorphos)
(III) FRUITING VEGETABLES	0,05 (*)	0,05 (*)	0,01 (*)	0,01 (*)	0,01 (*)
Solanacea					
Tomatoes					
Peppers					
Aubergines					
Others					
Cucurbits — edible peel					
Cucumbers					
Gherkins					
Courgettes					
Others					
Cucurbits — inedible peel					
Melons					
Squashes					
Watermelons					
Others					
Sweet corn					
(IV) BRASSICA VEGETABLES	0,05 (*)	0,05 (*)	0,01 (*)	0,01 (*)	0,01 (*)
Flowering brassica					
Broccoli					
Cauliflower					
Others					
Head brassica					
Brussels sprouts					
Head cabbage					
Others					
Leafy brassica					
Chinese cabbage					
Kale					
Others					
Kohlrabi					

▼M1

Groups and examples of individual products to which the MRLs apply	Pesticide residues and maximum residue levels (mg/kg)				
	Dinoseb	Dioxathion	Endrin	1,2-dibromo ethane (ethylene dibromide)	Fenchlorphos (sum of fenchlorphos and fenchlorphos oxon expressed as fenchlorphos)
(V) LEAF VEGETABLES AND FRESH HERBS	0,05 (*)	0,05 (*)	0,01 (*)	0,01 (*)	0,01 (*)
Lettuce and similar					
Cress					
Lamb's lettuce					
Lettuce					
Scarole					
Others					
Spinach and similar					
Beet leaves (chord)					
Water cress					
Witloof					
Herbs					
Chervil					
Chives					
Parsley					
Celery leaves					
Others					
(VI) LEGUME VEGETABLES (fresh)	0,05 (*)	0,05 (*)	0,01 (*)	0,01 (*)	0,01 (*)
Beans (with pods)					
Beans (without pods)					
Peas (with pods)					
Peas (without pods)					
Others					
(VII) STEM VEGETABLES	0,05 (*)	0,05 (*)	0,01 (*)	0,01 (*)	0,01 (*)
Asparagus					
Cardoons					
Celery					
Fennel					
Globe artichokes					
Leek					
Rhubarb					

Groups and examples of individual products to which the MRLs apply	Pesticide residues and maximum residue levels (mg/kg)				
	Dinoseb	Dioxathion	Endrin	1,2-dibromo ethane (ethylene dibromide)	Fenchlorphos (sum of fenchlorphos and fenchlorphos oxon expressed as fenchlorphos)
Others					
(VIII) FUNGI	0,05 (*)	0,05 (*)	0,01 (*)	0,01 (*)	0,01 (*)
Cultivated mushrooms					
Wild mushrooms					
3. **Pulses**	0,05 (*)	0,05 (*)	0,01 (*)	0,01 (*)	0,01 (*)
Beans					
Lentils					
Peas					
Others					
4. **Oil seeds**	0,05 (*)	0,05 (*)	0,01 (*)	0,01 (*)	0,01 (*)
Linseed					
Peanuts					
Poppy seed					
Sesame seed					
Sunflower seed					
Rape seed					
Soya bean					
Mustard					
Cotton seed					
Others					
5. **Potatoes**	0,05 (*)	0,05 (*)	0,01 (*)	0,01 (*)	0,01 (*)
Early potatoes					
Ware potatoes					
6. **Tea** (dried leaves and stalks, fermented or otherwise, *Camellia sinensis*)	0,1 (*)	0,1 (*)	0,01 (*)	0,1 (*)	0,1 (*)

▼M1

Groups and examples of individual products to which the MRLs apply	Pesticide residues and maximum residue levels (mg/kg)				
	Dinoseb	Dioxathion	Endrin	1,2-dibromo ethane (ethylene dibromide)	Fenchlorphos (sum of fenchlorphos and fenchlorphos oxon expressed as fenchlorphos)
7. **Hops** (dried), including hop pellets and unconcentrated powder	0,1 (*)	0,1 (*)	0,1 (*)	0,01 (*)	0,1 (*)

(*) Indicates lower limit of analytical determination.

(a) (b) (c) (d) Should levels not be adopted by ►M7 31 October 1998 ◄, the following maximum levels shall apply as indicated thereafter:

(a) 0,02 (*)
(b) 0,01 (*)
(c) 0,05 (*)
(d) 0,1 (*).

Groups and examples of individual products to which the MRLs apply	Pesticide residues and maximum residue levels (mg/kg)			
	Heptachlor (sum of heptachlor and heptachlor epoxide)	Maleic hydrazide	Methyl bromide	Paraquat
1. **Fruit, fresh, dried or uncooked preserved by freezing not containing added sugar; nuts**				
(I) CITRUS FRUIT	0,01 (*)	1 (*)	0,05 (*)	0,05 (*)
Grapefruit				
Lemons				
Limes				
Mandarines (including clementines and similar hybrids)				
Oranges				
Pomelos				
Others				
(II) TREE NUTS (shelled or unshelled)	0,01 (*)	1 (*)		0,05 (*)
Almonds				
Brazil nuts				
Cashew nuts				
Chestnuts				
Coconuts				
Hazelnuts				
Macadamia				
Pecans				
Pine nuts				
Pistachios				
Walnuts				
Others				
(III) POME FRUIT	0,01 (*)	1 (*)	0,05 (*)	0,05 (*)
Apples				
Pears				
Quinces				
Others				
(IV) STONE FRUIT	0,01 (*)	1 (*)		0,05 (*)
Apricots				
Cherries				

Groups and examples of individual products to which the MRLs apply	Pesticide residues and maximum residue levels (mg/kg)			
	Heptachlor (sum of heptachlor and heptachlor epoxide)	Maleic hydrazide	Methyl bromide	Paraquat
Peaches (including nectarines and similar hybrids)				
Plums				
Others				
(V) BERRIES AND SMALL FRUIT	0,01 (*)	1 (*)		0,05 (*)
Table and wine grapes				
Table grapes				
Wine grapes				
Strawberries (other than wild)			0,05 (*)	
Cane fruit (other than wild)			0,05 (*)	
Blackberries				
Dewberries				
Loganberries				
Raspberries				
Others				
Other small fruit and berries (other than wild)			0,05 (*)	
Bilberries (fruit of species *vaccinium myrtyllus*)				
Cranberries				
Currants (red, black and white)				
Gooseberries				
Others				
Wild berries and wild fruit			0,05 (*)	
(VI) MISCELLANEOUS FRUIT	0,01 (*)	1 (*)	0,05 (*) (except figs)	0,05 (*)
Avocados				
Bananas				
Dates				
Figs				
Kiwi				
Kumquats				
Litchis				
Mangoes				
Olives				
Passion fruit				
Pineapples				

▼M1

Groups and examples of individual products to which the MRLs apply	Pesticide residues and maximum residue levels (mg/kg)			
	Heptachlor (sum of heptachlor and heptachlor epoxide)	Maleic hydrazide	Methyl bromide	Paraquat
Pomegranates				
Others				
2. **Vegetables, fresh or uncooked, frozen or dry**				
(I) ROOT AND TUBER VEGETABLES	0,01 (*)	1 (*)	0,05 (*)	0,05 (*)
Beetroot				
Carrots		►M14 30 ◄		
Celeriac				
Horseradish				
Jerusalem artichokes				
Parsnips		►M14 30 ◄		
Parsley root				
Radishes				
Salsify				
Sweet potatoes				
Swedes				
Turnips				
Yams				
Others				
(II) BULB VEGETABLES	0,01 (*)		0,05 (*)	0,05 (*)
Garlic				
Onions				
Shallots				
Spring onions		1 (*)		
Others		10		
(III) FRUITING VEGETABLES	0,01 (*)	1 (*)	0,05 (*)	0,05 (*)
Solanacea				
Tomatoes				
Peppers				
Aubergines				
Others				
Cucurbits — edible peel				
Cucumbers				
Gherkins				

Groups and examples of individual products to which the MRLs apply	Pesticide residues and maximum residue levels (mg/kg)			
	Heptachlor (sum of heptachlor and heptachlor epoxide)	Maleic hydrazide	Methyl bromide	Paraquat
Courgettes				
Others				
Cucurbits — inedible peel				
Melons				
Squashes				
Watermelons				
Others				
Sweet corn				
(IV) BRASSICA VEGETABLES	0,01 (*)	1 (*)	0,05 (*)	0,05 (*)
Flowering brassica				
Broccoli				
Cauliflower				
Others				
Head brassica				
Brussels sprouts				
Head cabbage				
Others				
Leafy brassica				
Chinese cabbage				
Kale				
Others				
Kohlrabi				
(V) LEAF VEGETABLES AND FRESH HERBS	0,01 (*)	1 (*)	0,05 (*)	0,05 (*)
Lettuce and similar				
Cress				
Lamb's lettuce				
Lettuce				
Scarole				
Others				
Spinach and similar				
Beet leaves (chord)				
Water cress				
Witloof				
Herbs				
Chervil				

Groups and examples of individual products to which the MRLs apply	Pesticide residues and maximum residue levels (mg/kg)			
	Heptachlor (sum of heptachlor and heptachlor epoxide)	Maleic hydrazide	Methyl bromide	Paraquat
Chives				
Parsley				
Celery leaves				
Others				
(VI) LEGUME VEGETABLES (fresh)	0,01 (*)	1 (*)	0,05 (*)	0,05 (*)
Beans (with pods)				
Beans (without pods)				
Peas (with pods)				
Peas (without pods)				
Others				
(VII) STEM VEGETABLES	0,01 (*)	1 (*)	0,05 (*)	0,05 (*)
Asparagus				
Cardoons				
Celery				
Fennel				
Globe artichokes				
Leek				
Rhubarb				
Others				
(VIII) FUNGI	0,01 (*)	1 (*)	0,05 (*)	0,05 (*)
Cultivated mushrooms				
Wild mushrooms				
3. **Pulses**	0,01 (*)	1 (*)		0,05 (*)
Beans				
Lentils				
Peas				
Others				
4. **Oil seeds**	0,01 (*)	1 (*)	0,1 (*)	0,05 (*)
Linseed				
Peanuts				
Poppy seed				
Sesame seed				

▼M1

Groups and examples of individual products to which the MRLs apply	Pesticide residues and maximum residue levels (mg/kg)			
	Heptachlor (sum of heptachlor and heptachlor epoxide)	Maleic hydrazide	Methyl bromide	Paraquat
Sunflower seed				
Rape seed				
Soya bean				
Mustard				
Cotton seed				
Others				
5. **Potatoes**	0,01 (*)		0,05 (*)	0,05 (*)
Early potatoes		1 (*)		
Ware potatoes		50		
6. **Tea** (dried leaves and stalks, fermented or otherwise, *Camellia sinensis*)	0,02 (*)	1 (*)	0,05 (*)	0,1 (*)
7. **Hops** (dried), including hop pellets and unconcentrated powder	0,01 (*)	1 (*)	0,05 (*)	0,1 (*)

(*) Indicates lower limit of analytical determination.

(a) (b) (c) (d) Should levels not be adopted by ►M7 31 October 1998 ◄, the following maximum levels shall apply as indicated thereafter:

(a) 0,02 (*)
(b) 0,01 (*)
(c) 0,05 (*)
(d) 0,1 (*).

▼M1

Groups and examples of individual products to which the MRLs apply	Pesticide residues and maximum residue levels (mg/kg)		
	TEPP	Camphechlor (Toxaphene)	2,4,5-T
1. **Fruit, fresh, dried or uncooked preserved by freezing not containing added sugar; nuts**			
(I) CITRUS FRUIT	0,01 (*)	0,1 (*)	0,05 (*)
Grapefruit			
Lemons			
Limes			
Mandarines (including clementines and similar hybrids)			
Oranges			
Pomelos			
Others			
(II) TREE NUTS (shelled or unshelled)	0,01 (*)	0,1 (*)	0,05 (*)
Almonds			
Brazil nuts			
Cashew nuts			
Chestnuts			
Coconuts			
Hazelnuts			
Macadamia			
Pecans			
Pine nuts			
Pistachios			
Walnuts			
Others			
(III) POME FRUIT	0,01 (*)	0,1 (*)	0,05 (*)
Apples			
Pears			
Quinces			
Others			
(IV) STONE FRUIT	0,01 (*)	0,1 (*)	0,05 (*)
Apricots			
Cherries			
Peaches (including nectarines and similar hybrids)			
Plums			
Others			
(V) BERRIES AND SMALL FRUIT	0,01 (*)	0,1 (*)	0,05 (*)
Table and wine grapes			
Table grapes			
Wine grapes			
Strawberries (other than wild)			
Cane fruit (other than wild)			
Blackberries			
Dewberries			
Loganberries			
Raspberries			
Others			
Other small fruit and berries (other than wild)			
Bilberries (fruit of species *vaccinium myrtyllus*)			
Cranberries			
Currants (red, black and white)			
Gooseberries			
Others			
Wild berries and wild fruit			
(VI) MISCELLANEOUS FRUIT	0,01 (*)	0,1 (*)	0,05 (*)
Avocados			

▼**M1**

Groups and examples of individual products to which the MRLs apply	Pesticide residues and maximum residue levels (mg/kg)		
	TEPP	Camphechlor (Toxaphene)	2,4,5-T
Bananas			
Dates			
Figs			
Kiwi			
Kumquats			
Litchis			
Mangoes			
Olives			
Passion fruit			
Pineapples			
Pomegranates			
Others			
2. **Vegetables, fresh or uncooked, frozen or dry**			
(I) ROOT AND TUBER VEGETABLES	0,01 (*)	0,1 (*)	0,05 (*)
Beetroot			
Carrots			
Celeriac			
Horseradish			
Jerusalem artichokes			
Parsnips			
Parsley root			
Radishes			
Salsify			
Sweet potatoes			
Swedes			
Turnips			
Yams			
Others			
(II) BULB VEGETABLES	0,01 (*)	0,1 (*)	0,05 (*)
Garlic			
Onions			
Shallots			
Spring onions			
Others			
(III) FRUITING VEGETABLES	0,01 (*)	0,1 (*)	0,05 (*)
Solanacea			
Tomatoes			
Peppers			
Aubergines			
Others			
Cucurbits — edible peel			
Cucumbers			
Gherkins			
Courgettes			
Others			
Cucurbits — inedible peel			
Melons			
Squashes			
Watermelons			
Others			
Sweet corn			
(IV) BRASSICA VEGETABLES	0,01 (*)	0,1 (*)	0,05 (*)
Flowering brassica			
Broccoli			
Cauliflower			
Others			
Head brassica			
Brussels sprouts			

▼M1

Groups and examples of individual products to which the MRLs apply	Pesticide residues and maximum residue levels (mg/kg)		
	TEPP	Camphechlor (Toxaphene)	2,4,5-T
Head cabbage			
Others			
Leafy brassica			
Chinese cabbage			
Kale			
Others			
Kohlrabi			
(V) LEAF VEGETABLES AND FRESH HERBS	0,01 (*)	0,1 (*)	0,05 (*)
Lettuce and similar			
Cress			
Lamb's lettuce			
Lettuce			
Scarole			
Others			
Spinach and similar			
Beet leaves (chord)			
Water cress			
Witloof			
Herbs			
Chervil			
Chives			
Parsley			
Celery leaves			
Others			
(VI) LEGUME VEGETABLES (fresh)	0,01 (*)	0,1 (*)	0,05 (*)
Beans (with pods)			
Beans (without pods)			
Peas (with pods)			
Peas (without pods)			
Others			
(VII) STEM VEGETABLES	0,01 (*)	0,1 (*)	0,05 (*)
Asparagus			
Cardoons			
Celery			
Fennel			
Globe artichokes			
Leek			
Rhubarb			
Others			
(VIII) FUNGI	0,01 (*)	0,1 (*)	0,05 (*)
Cultivated mushrooms			
Wild mushrooms			
3. **Pulses**	0,01 (*)	0,1 (*)	0,05 (*)
Beans			
Lentils			
Peas			
Others			
4. **Oil seeds**	0,01 (*)	0,1 (*)	0,05 (*)
Linseed			
Peanuts			
Poppy seed			
Sesame seed			
Sunflower seed			
Rape seed			
Soya bean			
Mustard			
Cotton seed			

▼**M1**

Groups and examples of individual products to which the MRLs apply	Pesticide residues and maximum residue levels (mg/kg)		
	TEPP	Camphechlor (Toxaphene)	2,4,5-T
Others			
5. **Potatoes**	0,01 (*)	0,1 (*)	0,05 (*)
Early potatoes			
Ware potatoes			
6. **Tea** (dried leaves and stalks, fermented or otherwise, *Camellia sinensis*)	0,02 (*)	0,1 (*)	0,05 (*)
7. **Hops** (dried), including hop pellets and unconcentrated powder	0,02 (*)	0,1 (*)	0,05 (*)

(*) Indicates lower limit of analytical determination.

(a) (b) (c) (d) Should levels not be adopted by ►**M7** 31 October 1998 ◄, the following maximum levels shall apply as indicated thereafter:
(a) 0,02 (*)
(b) 0,01 (*)
(c) 0,05 (*)
(d) 0,1 (*).

▼**M2**

Groups and examples of individual products to which the MRLs apply	Pesticide residues and maximum residue levels (mg/kg)		
	Daminozide (sum of daminozide and 1,1-dimethyl-hydrazine, expressed as daminazide)	Lambda-cyhalothrin	Propiconazole
1. **Fruit, fresh, dried or uncooked preserved by freezing not containing added sugar; nuts**			
(i) CITRUS FRUIT	0,02 (*)	►**M22** ◄	0,05 (*)
grapefruit		►**M22** 0,1 ◄	
lemons			
limes			
mandarins (including clementines and similar hybrids)			
oranges		►**M22** 0,1 ◄	
pommelo		►**M22** 0,1 ◄	
others			
(ii) TREE NUTS (shelled or unshelled)	0,05 (*)	0,05 (*)	0,05 (*)
almonds			
brazil nuts			
cashew nuts			
chestnuts			
coconuts			
hazelnuts			
macadamia			
pecans			
pine nuts			
pistachios			
walnuts			
others			
(iii) POME FRUIT		0,1	0,05 (*)
apples	0,02 (*) x		
pears			
quinces			
others	0,02 (*)		
(iv) STONE FRUIT	0,02 (*)		
apricots		0,2	0,2
cherries			(b)
peaches (including nectarines and similar hybrids)		0,2	0,2
plums			(b)
others		0,1	►**M12** 0,05 (*) ◄
(v) BERRIES AND SMALL FRUITS	0,02 (*)		
(a) *table and wine grapes* table grapes wine grapes		0,2	0,5
(b) *strawberries (other than wild)*		►**M12** 0,5 ◄	0,05 (*)
(c) *cane fruit* (other than wild): blackberries dewberries		0,02	0,05 (*)

▼**M2**

Groups and examples of individual products to which the MRLs apply	Pesticide residues and maximum residue levels (mg/kg)		
	Daminozide (sum of daminozide and 1,1-dimethyl-hydrazine, expressed as daminazide)	Lambda-cyhalothrin	Propiconazole
loganberries			
raspberries			
others			
(d) *other small fruit and berries* (other than wild)			0,05
bilberries (fruits of species *vaccinium myrtyllus)*			
cranberries			
currants (red, black and white)		0,1	
gooseberries		0,1	
others		0,02 (*)	
(e) *wild berries and wild fruit*		►**M22** 0,2 ◄	0,05 (*)
(vi) MISCELLANEOUS	0,02 (*)	0,02 (*)	
avocados			
bananas			►**M12** 0,1 ◄
dates			
figs			
kiwi			
kumquats			
litchis			
mangoes			
olives			
passion fruit			
pineapples			
pomegranate			
others			►**M12** 0,05 (*) ◄
2. **Vegetables, fresh or uncooked, frozen or dry**			
(i) ROOT AND TUBER VEGETABLES	0,02 (*)	►**M22** ◄	0,05 (*)
Beetroot			
carrots			
celeriac			
horseradish			
jerusalem artichokes			
parsnip			
parsley root			
radishes			
salsify			
sweet potatoes			
swedes			
turnips			
yam			
others			
(ii) BULB VEGETABLES	0,02 (*)	►**M12** 0,02 (*) ◄	0,05 (*)
garlic			
onions			
shallots			

▼**M2**

Groups and examples of individual products to which the MRLs apply	Pesticide residues and maximum residue levels (mg/kg)		
	Daminozide (sum of daminozide and 1,1-dimethyl-hydrazine, expressed as daminazide)	Lambda-cyhalothrin	Propiconazole
spring onions		►**M22** ◄	
others		►**M22** ◄	
(iii) FRUITING	0,02 (*)		
(a) *Solanacea*		►**M22** ◄	
tomatoes		►**M22** 0,1 ◄	
peppers		►**M12** 0,1 ◄	
aubergines		►**M12** 0,5 ◄	(b)
others		►**M12** 0,02 (*) ◄	0,05 (*)
(b) *cucurbits — edible peel*		0,1	►**M12** 0,05 (*) ◄
cucumbers gherkins courgettes others			
(c) *cucurbits — inedible peel*		►**M12** 0,05 (*) ◄	(b)
melons squashes watermelons others			
(d) *sweet corn*		0,02 (*)	0,05 (*)
(iv) BRASSICA VEGETABLES	0,02 (*)		0,05 (*)
(a) *flowering brassicas*		►**M12** 0,1 ◄	
broccoli cauliflower others			
(b) *head brassicas*			
brussels sprouts		0,05	
head cabbage		0,2	
others		0,02 (*)	
(c) *leafy brassicas*		►**M12** 0,02 (*) ◄	
chinese cabbage kale others			
(d) *kohlrabi*		►**M12** 0,02 (*) ◄	
(v) LEAF VEGETABLES AND FRESH HERBS	0,02 (*)		0,05 (*)
(a) *lettuce and similar*		1	
cress lamb's lettuce			

▼M2

Groups and examples of individual products to which the MRLs apply	Pesticide residues and maximum residue levels (mg/kg)		
	Daminozide (sum of daminozide and 1,1-dimethyl-hydrazine, expressed as daminazide)	Lambda-cyhalothrin	Propiconazole
lettuce scarole others			
(b) *spinach and similar*		►M22 ◄	
beet leaves (chard)			
▼M22 Others		0,02 (*)	
▼M2			
(c) *watercress*		0,02 (*)	
(d) *witloof*		►M12 0,02 (*) ◄	
(e) *herbs* chervil chives parsley celery leaves others		1	
(vi) LEGUME VEGETABLES (fresh)	0,02 (*)		0,05 (*)
beans (with pods)		0,2	
beans (without pods)			
peas (with pods)		0,2	
peas (without pods)		0,2	
others		0,02 (*)	
(vii) STEM VEGETABLES	0,02 (*)		►M12 0,05 (*) ◄
asparagus		►M22 ◄	
cardoons			(b)
celery		►M12 0,3 (*) ◄	
fennel			(b)
globe artichokes leek rhubarb			
others		►M12 0,02 (*) ◄	0,05 (*)
(viii) FUNGI	0,02 (*)	►M22 ◄	0,05 (*)
cultivated mushrooms		(a)	
wild mushrooms		0,02 (*)	
3. **Pulses**	0,02 (*)	0,02 (*)	0,05 (*)
beans lentils peas others			
4. **Oil seeds**	0,05 (*)	0,02	►M12 0,05 (*) ◄
linseed			(b)
peanuts			

▼M2

Groups and examples of individual products to which the MRLs apply	Pesticide residues and maximum residue levels (mg/kg)		
	Daminozide (sum of daminozide and 1,1-dimethyl-hydrazine, expressed as daminazide)	Lambda-cyhalothrin	Propiconazole
poppy seed sesame seed sunflower seed (with shell) rape seed soya bean mustard cotton seed others			0,05 (*)
5. **Potatoes** early and ware potatoes	0,02 (*)	0,02 (*)	0,05 (*)
6. **Tea (black tea processed from the leaves of** *camellia sinensis)*	0,1 (*)	1	0,1 (*)
7. **Hops (dried), including hop pellets and unconcentrated powder**	0,1 (*)	10	0,1 (*)

Groups and examples of individual products to which the MRLs apply	Pesticide residues and maximum residue levels (mg/kg)			
	Carbofuran (sum of carbofuran and 3-hydroxy-carbofuran expressed ascarbo-furan)	Carbosulfan	Benfurocarb	Furathiocarb
1. **Fruit, fresh, dried or uncooked, preserved by freezing not containing added sugar; nuts**				
(i) CITRUS FRUIT	►M12 0,3 ◄	►M12 0,05 (*) ◄	►M12 0,05 (*) ◄	0,05 (*)
grapefruit				
lemons				
limes				
mandarins (including clementines and similar hybrids)				
oranges				
pommelo				
others				
(ii) TREE NUTS (shelled or unshelled)	►M12 0,1 (*) ◄	0,05 (*)	►M12 0,05 (*) ◄	0,05 (*)
almonds				
brazil nuts				
cashew nuts				
chestnuts				
coconuts				
hazelnuts	(c)		(b)	
macadamia				
pecans				
pine nuts				
pistachios				
walnuts				
others	0,1 (*)		0,05 (*)	
(iii) POME FRUIT	►M12 0,1 (*) ◄	►M12 0,05 (*) ◄	0,05 (*)	0,05 (*)
apples				

Groups and examples of individual products to which the MRLs apply	Pesticide residues and maximum residue levels (mg/kg)			
	Carbofuran (sum of carbofuran and 3-hydroxy-carbofuran expressed ascarbofuran)	Carbosulfan	Benfurocarb	Furathiocarb
pears quinces others				
(iv) STONE FRUIT	►M12 0,1 (*) ◄	►M12 0,05 (*) ◄	0,05 (*)	0,05 (*)
apricots cherries peaches (including nectarines and similar hybrids) plums others				
(v) BERRIES AND SMALL FRUIT	►M12 0,1 (*) ◄	0,05 (*)	0,05 (*)	0,05 (*)
(a) *Table and wine grapes* table grapes wine grapes	0,01 (*)			
(b) *strawberries* (other than wild)	(c)			
(c) *cane fruit* (other than wild) blackberries dewberries loganberries raspberries others	0,1 (*)			
(d) *other small fruit and berries* (other than wild) bilberries (fruit of species *vaccinium myrtyllus)* cranberries currants (red, black and white) gooseberries *(cynorrhodon)* others	0,1 (*)			
(e) *wild berries and wild fruit*	0,1 (*)			
(vi) MISCELLANEOUS	►M12 0,1 (*) ◄	0,05 (*)	0,05 (*)	0,05 (*)

Groups and examples of individual products to which the MRLs apply	Pesticide residues and maximum residue levels (mg/kg)			
	Carbofuran (sum of carbofuran and 3-hydroxy-carbofuran expressed ascarbo-furan)	Carbosulfan	Benfurocarb	Furathiocarb
avocados				
bananas				
dates				
figs				
kiwi				
kumquats				
litchis				
mangoes				
olives (table consumption)				
olives (oil extraction)				
passion fruit				
pineapples				
pomegranate				
others				
2. **Vegetables, fresh or uncooked, frozen or dry**				
(i) ROOT AND TUBER VEGETABLES			0,05 (*)	0,05 (*)
beetroot				
carrots	0,3	0,1		
celeriac	(c)			
horseradish				
jerusalem artichokes				
parsnip	0,3	0,1		
parsley root				
radishes	0,5			
salsify				
sweet potatoes				
swedes	►M12 0,2 ◄	(b)		
turnips	►M12 0,2 ◄	(b)		

▼M2

Groups and examples of individual products to which the MRLs apply	Pesticide residues and maximum residue levels (mg/kg)			
	Carbofuran (sum of carbofuran and 3-hydroxy-carbofuran expressed ascarbofuran)	Carbosulfan	Benfurocarb	Furathiocarb
yam				
others	►M12 0,1 (*) ◄	►M12 0,05 (*) ◄		
(ii) BULB VEGETABLES		►M12 0,05 (*) ◄	0,05 (*)	0,05 (*)
garlic	0,3			
onions	0,3	(b)		
shallots	0,3			
spring onions				
others	0,1 (*)	0,05 (*)		
(iii) FRUITING		►M12 0,05 (*) ◄	►M12 0,05 (*) ◄	
(a) *Solanacea*	0,1 (*)	0,05 (*)	0,05 (*)	0,05 (*)
tomatoes				
peppers				
aubergines				
others				
(b) *cucurbits — edible peel*	0,1 (*)	0,05 (*)	0,05 (*)	0,05 (*)
cucumbers				
gherkins				
courgettes				
others				
(c) *cucurbits — inedible peel*	►M12 0,2 ◄	(b)	(b)	0,05 (*)
melons	(c)			
squashes				
watermelons				
others	0,1 (*)			
(d) *sweet corn*	►M12 0,1 (*) ◄	0,05 (*)	0,05 (*)	0,05 (*)

Groups and examples of individual products to which the MRLs apply	Pesticide residues and maximum residue levels (mg/kg)			
	Carbofuran (sum of carbofuran and 3-hydroxy-carbofuran expressed ascarbofuran)	Carbosulfan	Benfurocarb	Furathiocarb
(iv) BRASSICA		►M12 0,05 (*) ◄	►M12 0,05 (*) ◄	
(a) *flowering brassicas* broccoli cauliflower others	0,2	(b)	(b)	0,1
(b) *head brassicas* brussels sprouts head cabbage others	►M12 0,1 (*) ◄	(b)	(b)	0,05
(c) *leafy brassicas* chinese cabbage kale others	►M12 0,1 (*) ◄	(b)	0,05 (*)	0,05 (*)
(d) *kohlrabi*	0,2	(b)	0,05 (*)	0,05 (*)
(v) LEAF VEGETABLES AND FRESH HERBS	0,1 (*)	0,05 (*)	0,05 (*)	0,05 (*)
(a) *lettuce and similar* cress lamb's lettuce lettuce scarole others				
(b) *spinach and similar* beet leaves (chard)				
(c) *watercress*				
(d) *witloof*				
(e) *herbs* chervil chives parsley				

Groups and examples of individual products to which the MRLs apply	Pesticide residues and maximum residue levels (mg/kg)			
	Carbofuran (sum of carbofuran and 3-hydroxy-carbofuran expressed ascarbofuran)	Carbosulfan	Benfurocarb	Furathiocarb
celery leaves				
others				
(vi) LEGUME VEGETABLES (fresh)	►M12 0,1 (*) ◄	0,05 (*)	0,05 (*)	►M12 0,05 (*) ◄
beans (with pods)	(c)			(b)
beans (without pods)	(c)			(b)
peas (with pods)				
peas (without pods)				
others	0,1 (*)			0,05 (*)
(vii) STEM VEGETABLES	►M12 0,1 (*) ◄	►M12 0,05 (*) ◄	0,05 (*)	►M12 0,05 (*) ◄
asparagus				
cardoons				
celery	(c)	(b)		(b)
fennel				
globe artichokes				
leek	(c)	(b)		
rhubarb				
others	0,1 (*)	0,05 (*)		0,05 (*)
(viii) FUNGI	0,1 (*)	0,05 (*)	0,05 (*)	0,05 (*)
cultivates mushrooms				
wild mushrooms				
3. **Pulses**	►M12 0,1 (*) ◄	0,05 (*)	0,05 (*)	►M12 0,05 (*) ◄
beans	(c)			(b)
lentils				
peas				
others	0,1 (*)			0,05 (*)

Groups and examples of individual products to which the MRLs apply	Pesticide residues and maximum residue levels (mg/kg)			
	Carbofuran (sum of carbofuran and 3-hydroxy-carbofuran expressed ascarbofuran)	Carbosulfan	Benfurocarb	Furathiocarb
4. **Oil seeds**	►M12 0,1 (*) ◄	►M12 0,05 (*) ◄		►M12 0,05 (*) ◄
linseed	(c)			
peanuts	(c)			
poppy seed				
sesame seed	(c)			
sunflower seed	(c)	(b)		
rape seed	(c)	(b)		(b)
soya bean	(c)			(b)
mustard				
cotton seed	(c)	(b)	(b)	(b)
others	0,1 (*)	0,05 (*)	0,05 (*)	0,05 (*)
5. **Potatoes**	►M12 0,1 (*) ◄	0,05 (*)	0,05 (*)	0,05 (*)
Early and ware potatoes				
6. **Tea (black tea processed from the leaves of** *camellia sinensis)*	0,2 (*)	0,1 (*)	0,1 (*)	0,1 (*)
7. **Hops (dried), including hop pellets and unconcentrated powder**	10	►M12 1 ◄	5	5

Groups and examples of individual products to which the MRLs apply	Pesticide residues and maximum residue levels (mg/kg)				
	Cyfluthrin including other mixed isomeric constituents (sum of isomers)	Metalaxyl	Benalaxyl	Fenarimol	Ethephon
1. **Fruit, fresh, dried or uncooked, preserved by freezing not containing added sugar; nuts**					
(i) CITRUS FRUIT	0,02 (*)	(b)	0,05 (*)	0,02 (*)	►**M12** 0,05 (*) ◄
grapefruit		►**M12** 0,5 ◄			
lemons					
limes					
mandarins (including clementines and similar hybrids)					
oranges		►**M12** 0,5 ◄			
pommelo		►**M12** 0,5 ◄			
others		►**M12** 0,05 (*) ◄			
(ii) TREE NUTS (shelled or unshelled)	0,02 (*)	0,05 (*)	0,05 (*)	0,02 (*)	0,1 (*)
almonds					
brazil nuts					
cashew nuts					
chestnuts					
coconuts					
hazelnuts					
macadamia					
pecans					
pine nuts					
pistachios					
walnuts					

Groups and examples of individual products to which the MRLs apply	Pesticide residues and maximum residue levels (mg/kg)				
	Cyfluthrin including other mixed isomeric constituents (sum of isomers)	Metalaxyl	Benalaxyl	Fenarimol	Ethephon
others					
(iii) POME FRUIT	0,2	1	0,05 (*)	0,3	3
apples					
pears					
quinces					
others					
(iv) STONE FRUIT		►**M12** 0,05 (*) ◄	0,05 (*)	(a)	
apricots				►**M12** 0,5 ◄	
cherries	0,2	(b)		►**M12** 1 ◄	3
peaches (including nectarines and similar hybrids)		(b)		►**M12** 0,5 ◄	
plums	0,2				
others	►**M12** 0,02 (*) ◄	0,05 (*)		►**M12** 0,02 (*) ◄	0,05 (*)
(v) BERRIES AND SMALL FRUIT					
(a) *table and wine grapes*	0,3		0,2	0,3	►**M12** 0,05 (*) ◄
table grapes		2			
wine grapes		1			
(b) *strawberries* (other than wild)	►**M12** 0,02 (*) ◄	0,5	0,05 (*)	0,3	0,05 (*)
(c) *cane fruit* (other than wild)	0,02 (*)	►**M12** 0,05 (*) ◄	0,05 (*)		0,05 (*)
blackberries					

Groups and examples of individual products to which the MRLs apply	Pesticide residues and maximum residue levels (mg/kg)				
	Cyfluthrin including other mixed isomeric constituents (sum of isomers)	Metalaxyl	Benalaxyl	Fenarimol	Ethephon
dewberries					
loganberries					
raspberries				►**M12** 0,1 ◄	
others				0,02 (*)	
(d) *other small fruit and berries* (other than wild)	►**M12** 0,02 (*) ◄	0,05 (*)	0,05 (*)		
bilberries (fruit of species *vaccinium myrtyllus)*					
cranberries					
currants (red, black and white)	(a)			1	5
gooseberries	(a)			1	
others	0,02 (*)			0,02 (*)	0,05 (*)
(e) *wild berries and wild fruit*	0,02 (*)	0,05 (*)	0,05 (*)	0,02 (*)	0,05 (*)
(vi) MISCELLANEOUS	0,02 (*)	►**M12** 0,05 (*) ◄	0,05 (*)	0,02 (*)	
avocados		(b)			
bananas				►**M5** 0,3 ◄	
dates					
figs					(b)
kiwi		(b)			
kumquats					
litchis					
mangoes					
olives (table consumption)					(b)
olives (oil extraction)					(b)
passion fruit					
pineapples					►**M22** 2 [1] ◄

▼M2

Groups and examples of individual products to which the MRLs apply	Pesticide residues and maximum residue levels (mg/kg)				
	Cyfluthrin including other mixed isomeric constituents (sum of isomers)	Metalaxyl	Benalaxyl	Fenarimol	Ethephon
pomegranate					
others		0,05 (*)			►M12 0,05 (*) ◄
2. **Vegetables, fresh or uncooked, frozen or dry**					
(i) ROOT AND TUBER VEGETABLES	0,02 (*)		►M12 0,05 (*) ◄	0,02 (*)	0,05 (*)
beetroot					
carrots		0,1			
celeriac					
horseradish					
jerusalem artichokes					
parsnip		0,1			
parsley root					
radishes					
salsify			(b)		
sweet potatoes					
swedes					
turnips					
yam					
others		0,05 (*)	0,05 (*)		
(ii) BULB VEGETABLES	0,02 (*)	(b)		0,02 (*)	►M12 0,05 (*) ◄
garlic					
onions		►M12 0,5 ◄	0,2		(b)
shallots		►M12 0,5 ◄			

Groups and examples of individual products to which the MRLs apply	Pesticide residues and maximum residue levels (mg/kg)				
	Cyfluthrin including other mixed isomeric constituents (sum of isomers)	Metalaxyl	Benalaxyl	Fenarimol	Ethephon
spring onions		►**M22** 0,2 (1) ◄			
others		►**M12** 0,05 (*) ◄	0,05 (*)		0,05 (*)
(iii) FRUITING					
(a) *solanacea*		►**M12** 0,05 (*) ◄		(a)	
tomatoes	0,05 (*)	(b)	0,2	►**M12** 0,5 ◄	3
peppers	►**M12** 0,3 ◄	(b)	0,2	►**M12** 0,5 ◄	3
aubergines others	►**M12** 0,02 (*) ◄	0,05 (*)	0,05 (*)	►**M12** 0,02 (*) ◄	0,05 (*)
(b) *cucurbits — edible peel*	(a)	(b)	0,05 (*)	►**M12** 0,2 ◄	0,05 (*)
cucumbers	►**M12** 0,1 ◄	►**M12** 0,5 ◄			
gherkins courgettes others	►**M12** 0,02 (*) ◄	►**M12** 0,05 (*) ◄			
(c) *cucurbits — inedible peel*	0,02 (*)			(a)	0,05 (*)
melons		►**M12** 0,2 ◄	►**M12** 0,1 ◄		
squashes					

▼M2

Groups and examples of individual products to which the MRLs apply	Pesticide residues and maximum residue levels (mg/kg)				
	Cyfluthrin including other mixed isomeric constituents (sum of isomers)	Metalaxyl	Benalaxyl	Fenarimol	Ethephon
watermelons		►M12 0,2 ◄	►M12 0,1 ◄		
others		0,05 (*)	0,05 (*)		
(d) *sweet corn*	0,02 (*)	0,05 (*)	0,05 (*)	0,02 (*)	►M12 0,05 (*) ◄
(iv) BRASSICA VEGETABLES			0,05 (*)	0,02 (*)	0,05 (*)
(a) *flowering brassicas*	►M12 0,05 ◄	►M12 0,1 ◄			
broccoli	(a)				
cauliflower	0,05				
others	0,02 (*)				
(b) *head brassicas*	0,2				
brussels sprouts					
head cabbage		1			
others		0,05 (*)			
(c) *leafy brassicas*	►M12 0,3 ◄	►M12 0,05 (*) ◄			
chinese cabbage		(b)			
kale		(b)			
others		0,05 (*)			
(d) *kohlrabi*	0,02 (*)	0,05 (*)			
(v) LEAF VEGETABLES AND FRESH HERBS			0,02 (*)	0,05 (*)	
(a) *lettuce and similar*	0,5	(b)			
cress					
lamb's lettuce					
lettuce		►M12 1 ◄	►M12 0,5 ◄		
scarole		►M22 1 (1) ◄			

Groups and examples of individual products to which the MRLs apply	Pesticide residues and maximum residue levels (mg/kg)				
	Cyfluthrin including other mixed isomeric constituents (sum of isomers)	Metalaxyl	Benalaxyl	Fenarimol	Ethephon
others		►**M12** 0,05 (*) ◄	0,05 (*)		
(b) *spinach and similar*	0,02 (*)	►**M12** 0,05 (*) ◄	0,05 (*)		
beet leaves (chard)					
(c) *watercress*	0,02 (*)	►**M12** 0,05 (*) ◄	0,05 (*)		
(d) *witloof*	0,02 (*)	►**M12** 0,05 (*) ◄	0,05 (*)		
(e) *herbs*	0,02 (*)	►**M22** 1 (1) ◄	0,05 (*)		
chervil					
chives					
parsley					
celery leaves					
others					
(vi) LEGUME VEGETABLES (fresh)	0,05	0,05 (*)	0,05 (*)	►**M12** 0,02 (*) ◄	0,05 (*)
beans (with pods)					
beans (without pods)					
peas (with pods)				(a)	
peas (without pods)				(a)	
others				0,02 (*)	
(vii) STEM VEGETABLES	►**M12** 0,02 (*) ◄		0,05 (*)	►**M12** 0,02 (*) ◄	0,05 (*)
Asparagus					
cardoons					
celery					

▼M2

Groups and examples of individual products to which the MRLs apply	Pesticide residues and maximum residue levels (mg/kg)				
	Cyfluthrin including other mixed isomeric constituents (sum of isomers)	Metalaxyl	Benalaxyl	Fenarimol	Ethephon
fennel					
globe artichokes		(b)		(a)	
leek	(a)	►M12 0,2 ◄			
rhubarb					
others	0,02 (*)	►M12 0,05 (*) ◄		0,02 (*)	
(viii) FUNGI	0,02 (*)	0,05 (*)	0,05 (*)	0,02 (*)	0,05 (*)
cultivated mushrooms					
wild mushrooms					
3. **Pulses**	0,02 (*)	0,05 (*)	0,05 (*)	0,02 (*)	0,05 (*)
beans					
lentils					
peas					
others					
4. **Oil seeds**		►M12 0,05 (*) ◄	►M12 0,05 (*) ◄	0,02 (*)	0,05 (*)
linseed		(b)			
peanuts					
poppy seed					
sesame seed					
sunflower seed					
rape seed	0,05		(b)		
soya bean			(b)		
mustard					
cotton seed					►M12 2 ◄

▼M2

Groups and examples of individual products to which the MRLs apply	Pesticide residues and maximum residue levels (mg/kg)				
	Cyfluthrin including other mixed isomeric constituents (sum of isomers)	Metalaxyl	Benalaxyl	Fenarimol	Ethephon
others	0,02 (*)	0,05 (*)	0,05 (*)		►M12 0,05 (*) ◄
5. **Potatoes**	0,02 (*)	0,05 (*)	0,05 (*)	0,02 (*)	0,05 (*)
early and ware potatoes					
6. **Tea (black tea processed from the leaves of** *camellia sinensis)*	►M12 0,1 (*) ◄	0,1 (*)	0,1 (*)	0,05 (*)	0,1 (*)
7. **Hops (dried), including hop pellets and unconcentrated powder**	20	10	0,1 (*)	5	0,1 (*)

x As from 1 January 1996.
(*) Indicates limit of analytical determination.

(a) (b) (c) As from ►M7 at the latest 1 July 2000 ◄, and save for adoption of other levels, the following maximum limits shall apply:
(a) 0,02 (*)
(b) 0,05 (*)
(c) 0,1 (*)
►M22 (1) Pending trials for the second season, results to be submitted before 1 September 2002. ◄

▼M3

Groups and examples of individual products to which the MRLs apply	Pesticide residues and maximum residue levels (mg/kg)		
	►C2 Methidathion ◄	Methomyl Thiodicarb: sum of methomyl and thiodicarb expressed as methomyl	Amitraz residue: amitraz plus all its metabolites containing 2,4 dimethylaniline, expressed as amitraz
1. **Fruit, fresh, dried or uncooked preserved by freezing not containing added sugar; nuts**			
(i) CITRUS FRUIT	2	(b)	►M22 0,05 (*) ◄
grapefruit		►M12 0,5 ◄	
lemons		►M12 1 ◄	
limes		►M12 1 ◄	
mandarins (including clementines and other hybrids)		►M12 1 ◄	
oranges		►M12 0,5 ◄	►M22 ◄
pomelos		►M12 0,5 ◄	
others		►M12 0,05 (*) ◄	►M22 ◄
(ii) TREE NUTS (shelled or unshelled)	0,05 (*)	0,05 (*)	►M22 0,05 (*) ◄
almonds			
brazil nuts			
cashew nuts			
chestnuts			
coconuts			
hazelnuts			
Macadamia			
Pecans			
pine nuts			
pistachios			
walnuts			
others			
(iii) POME FRUIT	0,3	►M12 0,2 ◄	1
apples		1	
pears		(b)	
quinces			
others		0,05 (*)	
(iv) STONE FRUIT		(b)	►M22 0,05 (*) ◄
apricots		►M12 0,2 ◄	
cherries	►M12 0,02 (*) ◄	►M12 0,1 ◄	

▼**M3**

Groups and examples of individual products to which the MRLs apply	Pesticide residues and maximum residue levels (mg/kg)		
	►**C2** Methidathion ◄	Methomyl Thiodicarb: sum of methomyl and thiodicarb expressed as methomyl	Amitraz residue: amitraz plus all its metabolites containing 2,4 dimethylaniline, expressed as amitraz
peaches (including nectarines, and similar hybrids)		►**M12** 0,2 ◄	►**M22** ——— ◄
plums		►**M12** 0,5 ◄	
others	0,2		►**M22** ——— ◄
(v) BERRIES AND SMALL FRUIT			►**M22** 0,05 (*) ◄
(a) *table and wine grapes*	0,5	3	►**M22** ——— ◄
table grapes		►**M12** 0,05 (*) ◄	
wine grapes		►**M12** 1 ◄	
(b) *strawberries* (other than wild)	0,02 (*)	0,05 (*)	►**M22** ——— ◄
(c) *cane fruit* (other than wild)	0,02 (*)	0,05 (*)	►**M22** ——— ◄
blackberries dewberries loganberries raspberries others			
(d) *other small fruit and berries* (other than wild)	0,02 (*)	►**M12** 0,05 (*) ◄	
bilberries (fruit of species *vaccinium myrtillus*) cranberries currants (red, black and white)		(b)	►**M22** ——— ◄
gooseberries others		0,05 (*)	►**M22** ——— ◄
(e) *wild berries and wild fruit*	0,02 (*)	0,05 (*)	►**M22** ——— ◄
(vi) MISCELLANEOUS		0,02 (*)	►**M22** 0,05 (*) ◄
avocados bananas dates figs kiwi kumquats lychees mangoes olives passion fruit	1	(b)	

▼M3

Groups and examples of individual products to which the MRLs apply	Pesticide residues and maximum residue levels (mg/kg)		
	►C2 Methidathion ◄	Methomyl Thiodicarb: sum of methomyl and thiodicarb expressed as methomyl	Amitraz residue: amitraz plus all its metabolites containing 2,4 dimethylaniline, expressed as amitraz
pineapples			
pomegranates			
others	0,02 (*)	0,05 (*)	
2. **Vegetables, fresh or uncooked, frozen or dry**			
(i) ROOT AND TUBER VEGETABLES	0,02 (*)		►M22 0,05 (*) ◄
beetroot			
carrots			
celeriac			
horse radish			
jerusalem artichokes			
parsnips			
parsley root			
▼C2 radishes		►M12 0,5 ◄	
▼M3 salsify			
sweet potatoes			
swedes			
turnips			
yam			
others		0,05 (*)	
(ii) BULB VEGETABLES	►M12 0,02 (*) ◄	0,05 (*)	0,02 (*)
garlic			
onions	(a)		
shallots	(a)		
spring onions			
others	0,02 (*)		
(iii) FRUITING VEGETABLES	►M12 0,02 (*) ◄		
(a) *Solanacea*	0,02 (*)	(b)	
tomatoes		►M12 0,5 ◄	►M22 0,05 ◄
peppers			
▼C2 aubergines		►M12 0,5 ◄	►M22 0,5 ◄
others		►M12 0,05 (*) ◄	►M22 0,05 (*) ◄
▼M3 (b) *Cucurbits — edible peel*	0,02 (*)	►M12 0,05 (*) ◄	►M22 0,05 (*) ◄
cucumbers		(b)	
gherkins			
courgettes		(b)	
others		0,05 (*)	

▼M3

Groups and examples of individual products to which the MRLs apply	Pesticide residues and maximum residue levels (mg/kg)		
	►C2 Methidathion ◄	Methomyl Thiodicarb: sum of methomyl and thiodicarb expressed as methomyl	Amitraz residue: amitraz plus all its metabolites containing 2,4 dimethylaniline, expressed as amitraz
(c) *Cucurbits — inedible peel*	0,02 (*)	►M12 0,05 (*) ◄	►M22 0,05 (*) ◄
melons			
squashes			
watermelons			
others			
(d) *sweetcorn*	0,02 (*)	►M12 0,05 (*) ◄	►M22 0,05 (*) ◄
(iv) BRASSICA VEGETABLES		►M12 0,05 (*) ◄	►M22 0,05 (*) ◄
(a) *flowering brassica*	0,02 (*)	(b)	►M22 ◄
broccoli			
cauliflower			
others			
(b) *head brassica*	0,02 (*)	(b)	►M22 ◄
brussels sprouts			
head cabbage			
others			
(c) *leaf brassica*	0,02 (*)	(b)	►M22 ◄
chinese cabbage			
kale			
others			
(d) *Kohlrabi*	0,02 (*)	0,05 (*)	►M22 ◄
(v) LEAF VEGETABLES AND FRESH HERBS			►M22 0,05 (*) ◄
(a) *lettuce and similar*	0,02 (*)	(b)	►M22 ◄
cress			
lamb's lettuce			
lettuce		►M12 2 ◄	
scarole			
others		►M12 0,05 (*) ◄	
(b) *Spinach and similar*	0,02 (*)	2	►M22 ◄
beet leaves (chard)			
(c) *water cress*	0,02 (*)	0,05 (*)	►M22 ◄
(d) *witloof*	0,02 (*)	0,05 (*)	►M22 ◄
(e) *herbs*	0,02 (*)	►M12 2 ◄	►M22 ◄

▼M3

Groups and examples of individual products to which the MRLs apply	Pesticide residues and maximum residue levels (mg/kg)		
	►C2 Methidathion ◄	Methomyl Thiodicarb: sum of methomyl and thiodicarb expressed as methomyl	Amitraz residue: amitraz plus all its metabolites containing 2,4 dimethylaniline, expressed as amitraz
chervil			
chives			
parsley			
celery leaves			
others			
(vi) LEGUME VEGETABLES (fresh)	0,02 (*)	►M12 0,05 (*) ◄	►M22 0,05 (*) ◄
beans (with pods)		(b)	
beans (without pods)			
peas (with pods)		(b)	
peas (without pods)			
others		0,05 (*)	
(vii) STEM VEGETABLES (fresh)	►M12 0,02 (*) ◄	►M12 0,05 (*) ◄	►M22 0,05 (*) ◄
asparagus			
cardoons			
celery			
fennel		(b)	
globe artichokes		(b)	
leek	(a)		
rhubarb			
others	0,02 (*)	0,05 (*)	
(viii) FUNGI	0,02 (*)	0,05 (*)	►M22 0,05 (*) ◄
cultivated mushrooms			
wild mushrooms			
3. **Pulses**	0,02 (*)	0,05 (*)	►M22 0,05 (*) ◄
beans			
lentils			
peas			
others			
4. **Oil seed**			
linseed			
peanuts		►M12 0,1 ◄	
poppy seeds			
sesame seeds			
▼C2 sunflower seed			
rape seed	0,05		
▼M3 ►C2 soya bean ◄		►M12 0,1 ◄	
mustard seed			
cotton seed	(a)	►M12 0,1 ◄	►M12 1 ◄
others	►M12 0,02 (*) ◄	►M12 0,05 (*) ◄	►M22 0,05 (*) ◄

▼M3

Groups and examples of individual products to which the MRLs apply	Pesticide residues and maximum residue levels (mg/kg)		
	►C2 Methidathion ◄	Methomyl Thiodicarb: sum of methomyl and thiodicarb expressed as methomyl	Amitraz residue: amitraz plus all its metabolites containing 2,4 dimethylaniline, expressed as amitraz
5. **Potatoes**	0,02 (*)	0,05 (*)	►M22 0,05 (*) ◄
early and ware potatoes			
6. **Tea (Dried leaves and stalks, fermented or otherwise of camellia sinensis)**	(b)	0,1 (*)	0,1 (*)
7. **Hops (dried), including hop pellets and unconcentrated powder**	3	10	►M22 20 ◄

▼M3

Groups and examples of individual products to which the MRLs apply	Pesticide residues and maximum residue levels (mg/kg)	
	Pirimiphosmethyl	Aldicarb residue: sum of aldicarb, its sulfoxide and its sulfone, expressed as aldicarb
1. **Fruit, fresh, dried or uncooked preserved by freezing not containing added sugar; nuts**		
(i) CITRUS FRUIT		0,2
grapefruit		
lemons		
limes		
mandarins (including clementines and other hybrids)	2	
oranges		
pomelo		
others	1	
(ii) TREE NUTS (shelled or unshelled)	►M12 0,05 (*) ◄	
almonds	(b)	
brazil nuts		
cashew nuts		
chestnuts		
coconuts		
hazelnuts	(b)	
▼C2 macadamia		
▼M3 pecans		0,2
pine nuts		
pistachios	(b)	
walnuts	(b)	
others	0,05 (*)	0,05 (*)
(iii) POME FRUIT	►M12 0,05 (*) ◄	0,05 (*)
apples		
pears		
quinces		
others		
(iv) STONE FRUIT	►M12 0,05 (*) ◄	0,05 (*)
apricots		
cherries		
peaches (including nectarines and similar hybrids)		
plums		
others		
(v) BERRIES AND SMALL FRUIT		
(a) *table and wine grapes*	(b)	0,05 (*)
table grapes	►M12 0,05 (*) ◄	
wine grapes	►M12 2 ◄	
(b) *strawberries* (other than wild)	►M12 0,05 (*) ◄	►M12 0,05 (*) ◄
(c) *cane fruit* (other than wild)	0,05 (*)	0,05 (*)
blackberries		
dewberries		

▼M3

Groups and examples of individual products to which the MRLs apply	Pesticide residues and maximum residue levels (mg/kg)	
	Pirimiphosmethyl	Aldicarb residue: sum of aldicarb, its sulfoxide and its sulfone, expressed as aldicarb
loganberries		
raspberries		
others		
(d) *other small fruit and berries* (other than wild)	0,05 (*)	0,05 (*)
bilberries (fruit of species vaccinium myrtillus)		
cranberries		
currants (red, black and white)		
gooseberries		
others		
(e) *wild berries and wild fruit*	0,05 (*)	0,05 (*)
(vi) MISCELLANEOUS		
avocados		
bananas		►M12 0,1 ◄
dates		
figs		
kiwi	2	
kumquats		
lychees		
mangoes		
olives	(b)	
passion fruit		
pineapples		
pomegranate		
others	►M12 0,05 (*) ◄	0,05 (*)
2. **Vegetables, fresh or uncooked, frozen or dry**		
(i) ROOT AND TUBER VEGETABLES		
beetroot		(b)
carrots	1	►M12 0,1 ◄
celeriac		
horse radish		
jerusalem artichokes		
▼C2		
parsnips		►M12 0,1 (*) ◄
parsley root		
▼M3		
radishes		
salsify		
sweet potatoes		
swedes		
turnips		
yam		
others	0,05 (*)	0,05 (*)
(ii) BULB VEGETABLES	►M12 0,05 (*) ◄	0,05 (*)
garlic		
onions		
shallots		
spring onions		
others		

▼M3

Groups and examples of individual products to which the MRLs apply	Pesticide residues and maximum residue levels (mg/kg)	
	Pirimiphosmethyl	Aldicarb residue: sum of aldicarb, its sulfoxide and its sulfone, expressed as aldicarb
(iii) FRUITING VEGETABLES		►M12 0,05 (*) ◄
(a) *solanacea*	(b)	
▼C2 tomatoes	►M12 1 ◄	(b)
peppers	►M12 1 ◄	
aubergines		
▼M3 others	►M12 0,05 (*) ◄	0,05 (*)
(b) *cucurbits — edible peel*	(b)	0,05 (*)
cucumbers	►M12 0,1 ◄	
gherkins		
courgettes		
others	►M12 0,05 (*) ◄	
(c) *cucurbits — inedible peel*	(b)	0,05 (*)
melons	►M12 1 ◄	
squashes		
watermelons		
others	►M12 0,05 (*) ◄	
(d) *sweetcorn*	0,05 (*)	0,05 (*)
(iv) BRASSICA VEGETABLES		
(a) *Flowering brassica*	1	
broccoli		(b)
cauliflower		0,2
others		►M12 0,05 (*) ◄
(b) *head brassica*		
brussels sprouts	2	0,2
head cabbage		(b)
others	►M12 0,05 (*) ◄	►M12 0,05 (*) ◄
(c) *leafy brassica*	►M12 0,05 (*) ◄	0,05 (*)
chinese cabbage		
kale		
others		
(d) *kohlrabi*	►M12 0,05 (*) ◄	0,05 (*)
(v) LEAF VEGETABLES AND FRESH HERBS	►M12 0,05 (*) ◄	
(a) *lettuce and similar*	(b)	0,05 (*)
cress		

▼M3

Groups and examples of individual products to which the MRLs apply	Pesticide residues and maximum residue levels (mg/kg)	
	Pirimiphosmethyl	Aldicarb residue: sum of aldicarb, its sulfoxide and its sulfone, expressed as aldicarb
lamb's lettuce		
lettuce		
scarole		
others		
(b) *spinach and similar*	(b)	0,05 (*)
beet leaves (chard)		
(c) *water cress*	0,05 (*)	0,05 (*)
(d) *Witloof*	0,05 (*)	0,05 (*)
(e) *herbs*	(b)	0,05 (*)
chervil		
chives		
parsley		
celery leaves		
others		
(vi) LEGUME VEGETABLES (fresh)	►M12 0,05 (*) ◄	0,05 (*)
beans (with pods)		
beans (without pods)		
peas (with pods)		
peas (without pods)	0,05 (*)	
others	(b)	
(vii) STEM VEGETABLES (fresh)	►M12 0,05 (*) ◄	►M12 0,05 (*) ◄
asparagus		
cardoons		
celery		
fennel		
globe artichokes		
leek		(b)
rhubarb		
others		0,05 (*)
(viii) FUNGI		0,05 (*)
▼C2		
cultivated mushrooms	2	
▼M3		
wild mushrooms	0,05 (*)	
3. **Pulses**	►M12 0,05 (*) ◄	0,05 (*)
beans		
lentils		
peas		
others		
4. **Oil seed**	►M12 0,05 (*) ◄	►M12 0,05 (*) ◄
linseed	(b)	(b)
peanuts	(b)	
poppy seeds		
sesame seeds		
▼C2		
sunflower seed		
▼M3		
rape seed	(b)	(b)
soya bean	(b)	

▼**M3**

Groups and examples of individual products to which the MRLs apply	Pesticide residues and maximum residue levels (mg/kg)	
	Pirimiphosmethyl	Aldicarb residue: sum of aldicarb, its sulfoxide and its sulfone, expressed as aldicarb
mustard seed		
cotton seed	(b)	(b)
others	0,05 (*)	0,05 (*)
5. **Potatoes**	0,05 (*)	►**M12** 0,5 ◄
early and ware potatoes		
6. **Tea (Dried leaves and stalks, fermented or otherwise,** *camellia sinensis)*	0,05 (*)	0,05 (*)
7. **Hops (dried), including hop pellets and unconcentrated powder**	0,05 (*)	(b)

▼**M3**

Groups and examples of individual products to which the MRLs apply	Pesticide residues and maximum residue levels (mg/kg)
	Thiabendazole
1. **Fruit, fresh, dried or uncooked preserved by freezing not containing added sugar; nuts**	
(i) CITRUS FRUIT	►**M12** 5 ◄
grapefruit	
lemons	
limes	
mandarins (including clementines and other hybrids)	
oranges	
pomelo	
others	
(ii) TREE NUTS (shelled or unshelled)	0,1 (*)
almonds	
brazil nuts	
cashew nuts	
chestnuts	
coconuts	
hazelnuts	
macadamia	
pecans	
pine nuts	
pistachios	
walnuts	
others	
(iii) POME FRUIT	5
apples	►**M12** 5 ◄
pears	►**M12** 5 ◄
quinces	
others	►**M12** 0,05 (*) ◄
(iv) STONE FRUIT	►**M12** 0,05 (*) ◄
apricots	
cherries	(b)
peaches (including, nectarines and similar hybrids)	
plums	
others	0,05 (*)
(v) BERRIES AND SMALL FRUIT	►**M12** 0,05 (*) ◄
(a) *table and wine grapes*	(b)
table grapes	
wine grapes	
(b) *strawberries* (other than wild)	5
(c) *cane fruit* (other than wild)	
blackberries	
dewberries	
loganberries	
raspberries	(b)
others	0,05 (*)
(d) *other small fruit and berries* (other than wild)	
bilberries (fruit of species vaccinium myrtillus)	
cranberries	
currants (red, black and white)	(b)
gooseberries	(b)
others	0,05 (*)
(e) *Wild berries and wild fruit*	0,05 (*)
(vi) MISCELLANEOUS	
avocados	►**M12** 15 ◄
bananas	►**M12** 5 ◄
dates	
figs	

▼M3

Groups and examples of individual products to which the MRLs apply	Pesticide residues and maximum residue levels (mg/kg)
	Thiabendazole
kiwi	
kumquat	
lychees	
mangoes	►M12 5 ◄
olives	
passion fruit	
pineapples	►M12 10 ◄
pomegranate	
►C2 others ◄	0,05 (*)
2. **Vegetables, fresh or uncooked, frozen or dry**	
(i) ROOT AND TUBER VEGETABLES	►M12 0,05 (*) ◄
beetroot	(b)
carrots	
celeriac	
horse radish	
jerusalem artichokes	
parsnip	
parsley root	
radishes	
salsify	
sweet potatoes	
swedes	
turnips	
yam	
others	0,05 (*)
(ii) BULB VEGETABLES	►M12 0,05 (*) ◄
garlic	(b)
onions	(b)
shallots	(b)
spring onions	
others	0,05 (*)
(iii) FRUITING VEGETABLES	►M12 0,05 (*) ◄
(a) *solanacea*	
tomatoes	(b)
peppers	(b)
aubergines	
others	0,05 (*)
(b) *cucurbits — edible peel*	
cucumbers	(b)
gherkins	
courgettes	
others	0,05 (*)
(c) *cucurbits — inedible peel*	
melons	(b)
squashes	
watermelons	(b)
others	0,05 (*)
(d) *sweetcorn*	0,05 (*)
(iv) BRASSICA VEGETABLES	
(a) *flowering brassica*	
Broccoli	5
cauliflower	
others	0,05 (*)

▼C2

(b) head brassica	►M12 0,05 (*) ◄
Brussels sprouts	
head cabbage	(b)
others	0,05 (*)

▼C2

Groups and examples of individual products to which the MRLs apply	Pesticide residues and maximum residue levels (mg/kg)
	Thiabendazole
(c) *leafy brassica*	0,05 (*)
▼M3	
chinese cabbage	
kale	
others	
(d) *kohlrabi*	0,05 (*)
(v) LEAF VEGETABLES AND FRESH HERBS	►M12 0,05 (*) ◄
(a) *lettuce and similar*	
cress	
lamb's lettuce	
lettuce	(b)
scarole	
others	0,05 (*)
(b) *spinach and similar*	0,05 (*)
beet leaves (chard)	
(c) *water cress*	0,05 (*)
(d) *witloof*	0,05 (*)
(e) *herbs*	0,05 (*)
chervil	
chives	
parsley	
celery leaves	
others	
(vi) LEGUME VEGETABLES (fresh)	►M12 0,05 (*) ◄
beans (with pods)	(b)
beans (without pods)	(b)
peas (with pods)	
peas (without pods)	
others	0,05 (*)
(vii) STEM VEGETABLES (fresh)	►M12 0,05 (*) ◄
asparagus	(b)
cardoons	
celery	(b)
fennel	
globe artichokes	
leek	(b)
rhubarb	
others	0,05 (*)
(viii) FUNGI	
cultivated mushrooms	►M12 10 ◄
wild mushrooms	0,05 (*)
3. **Pulses**	0,05 (*)
beans	
lentils	
peas	
others	
4. **Oil Seed**	0,05 (*)
linseed	
peanuts	
poppy seeds	
sesame seeds	
▼C2	
sunflower seed	
▼M3	
rape seed	
soya bean	
mustard seed	
cotton seed	

▼M3

Groups and examples of individual products to which the MRLs apply	Pesticide residues and maximum residue levels (mg/kg)
	Thiabendazole
others	
5. **Potatoes**	
early potatoes	►M12 0,05 (*) ◄
ware potatoes	►M12 15 ◄
6. **Tea (Dried leaves and stalks fermented or otherwise,** *camellia sinensis)*	0,1 (*)
7. **Hops (dried), including hop pellets and unconcentrated powder**	0,1 (*)

▼C2

▼M3

(*) Indicates lower limit of analytical determination.
(a) (b) Should levels not be adopted by 1 July 2000, the following maximum levels shall apply:
(a) 0,02 (*),
(b) 0,05 (*).

▼M5

Groups and examples of individual products to which the MRLs apply	Pesticide residues and maximum residue levels (mg/kg)		
	Triforine	Endosulfan (Sum of alpha and beta endosulfan and endosulfan sulphate expressed as endosulfan)	Fentin (Fentin, expressed as triphenyltin cation)
1. **Fruit, fresh, dried or uncooked preserved by freezing, not containing added sugar; nuts**			
(i) CITRUS FRUIT	0,05 (*)	►M18 0,5 ◄	0,05 (*)
Grapefruit			
Lemons			
Limes			
Mandarins (including clementines and other hybrids)			
Oranges			
Pomelos			
Others			
(ii) TREE NUTS (shelled or unshelled)	►M12 0,05 (*) ◄	►M18 0,1 (*) ◄	0,05 (*)
Almonds	(a)		
Brazil nuts			
Cashew nuts			
Chestnuts			
Coconuts			
Hazelnuts			
Macadamia			
Pecans			
Pine nuts			
Pistachios			
Walnuts			
Others	0,05 (*)		
(iii) POME FRUIT	2	►M18 0,3 ◄	0,05 (*)
Apples			
Pears			
Quinces			
Other			
(iv) STONE FRUIT		1 (a)	0,05 (*)
Apricots	►M12 2 ◄		
Cherries	2		
Peaches (including nectarines and similar hybrids)	►M12 2 ◄	►M18 0,5 ◄	
Plums	►M12 1 ◄		
Others	0,05 (*)	►M18 0,05 (*) ◄	
(v) BERRIES AND SMALL FRUIT			0,05 (*)
(a) *Table and wine grapes*	►M12 0,05 (*) ◄	►M18 0,5 ◄	

▼**M5**

Groups and examples of individual products to which the MRLs apply	Pesticide residues and maximum residue levels (mg/kg)		
	Triforine	Endosulfan (Sum of alpha and beta endosulfan and endosulfan sulphate expressed as endosulfan)	Fentin (Fentin, expressed as triphenyltin cation)
(b) *Strawberries* (other than wild)	►**M12** 0,05 (*) ◄	►**M18** 0,05 (*) ◄	
(c) *Cane fruit* (other than wild)	0,05 (*)	►**M18** 0,05 (*) ◄	
Blackberries		(x)	
Dewberries			
Loganberries			
Raspberries		1 (a)	
Others		0,05 (*)	
(d) *Other small fruit and berries* (other than wild)		►**M18** 0,05 (*) ◄	
Bilberries (fruit of species *Vaccinium myrtyllus)*			
Cranberries			
Currants (red, black and white)	2	(x)	
Gooseberries	2	(x)	
Others	►**M12** 0,05 (*) ◄	0,05 (*)	
(e) *Wild berries and wild fruit*	0,05 (*)	0,05 (*)	
(vi) MISCELLANEOUS	0,05 (*)	►**M18** 0,05 (*) ◄	0,05 (*)
Avocados			
Bananas			
Dates			
Figs			
Kiwis		1 (a)	
Kumquats			
Litchis			
Mangoes			
Olives		1 (a)	
Passion fruit			
Pineapples			
Pomegranates			
Others		0,05 (*)	
2. **Vegetables, fresh or uncooked, frozen or dry**			
(i) ROOT AND TUBER VEGETABLES	►**M12** 0,05 (*) ◄	►**M18** 0,05 (*) ◄	0,05 (*)
Beetroot		0,2 (a)	
Carrots		0,2 (a)	
Celeriac		0,2 (a)	
Horseradish			
Jerusalem artichokes			
Parsnips			
Parsley root			
Radishes		0,2 (a)	
Salsify			
Sweet potatoes			
Swedes	(a)	0,2 (a)	
Turnips		0,2 (a)	
Yams			

▼**M5**

Groups and examples of individual products to which the MRLs apply	Pesticide residues and maximum residue levels (mg/kg)		
	Triforine	Endosulfan (Sum of alpha and beta endosulfan and endosulfan sulphate expressed as endosulfan)	Fentin (Fentin, expressed as triphenyltin cation)
Others	0,05 (*)	0,05 (*)	
(ii) BULB VEGETABLES	►**M12** 0,05 (*) ◄	►**M18** 0,05 (*) ◄	0,05 (*)
Garlic			
Onions		1 (a)	
Shallots			
Spring onions			
Others		0,05 (*)	
(iii) FRUITING VEGETABLES			0,05 (*)
(a) *Solanacea*	►**M12** 0,05 (*) ◄	1 (a)	
Tomatoes		►**M18** 0,5 ◄	
Peppers		►**M18** 1 ◄	
Aubergines			
Others		►**M18** 0,05 (*) ◄	
(b) *Cucurbits — edible peel*	0,5	►**M18** 0,05 (*) ◄	
Cucumbers			
Gherkins			
Courgettes			
Others			
(c) *Cucurbits — inedible peel*	►**M12** 0,05 (*) ◄	►**M18** 0,3 ◄	
Melons			
Squashes			
Watermelons			
Others			
(d) *Sweetcorn*	0,05 (*)	►**M18** 0,05 (*) ◄	
(iv) BRASSICA VEGETABLES	►**M12** 0,05 (*) ◄	►**M18** 0,05 (*) ◄	0,05 (*)
(a) *Flowering brassica*		1 (a)	
Broccoli			
Cauliflower			
Others			
(b) *Head brassica*		1 (a)	
Brussels sprouts			
Head cabbage			
Others			
(c) *Leafy brassica*		1 (a)	
Chinese cabbage			
Kale			
Others			
(d) *Kohlrabi*		0,05 (*)	
(v) LEAF VEGETABLES AND FRESH HERBS	►**M12** 0,05 (*) ◄	►**M18** 0,05 (*) ◄	0,05 (*)

▼**M5**

Groups and examples of individual products to which the MRLs apply	Pesticide residues and maximum residue levels (mg/kg)		
	Triforine	Endosulfan (Sum of alpha and beta endosulfan and endosulfan sulphate expressed as endosulfan)	Fentin (Fentin, expressed as triphenyltin cation)
(a) *Lettuce and similar*		1 (a)	
Cress	(a)		
Lamb's lettuce			
Lettuce			
Scarole			
Others	0,05 (*)		
(b) *Spinach and similar*		1 (a)	
Spinach	(a)		
Beet leaves (chard)			
Others	0,05 (*)		
(c) *Watercress*	0,05 (*)	0,05 (*)	
(d) *Witloof*	0,05 (*)	0,05 (*)	
(e) *Herbs*		0,05 (*)	
Chervil			
Chives			
Parsley	(a)		
Celery leaves			
Others	0,05 (*)		
(vi) LEGUME VEGETABLES (fresh)	►**M12** 0,05 (*) ◄	►**M18** 0,05 (*) ◄	0,05 (*)
Beans (with pods)			
Beans (without pods)			
Peas (with pods)			
Peas (without pods)			
Others			
(vii) STEM VEGETABLES (fresh)	►**M12** 0,05 (*) ◄	►**M18** 0,05 (*) ◄	0,05 (*)
Asparagus	(a)		
Cardoons		1 (a)	
Celery	(a)	1 (a)	
Fennel			
Globe artichokes	(a)	1 (a)	
Leeks	(a)	1 (a)	
Rhubarb			
Others	0,05 (*)	0,05 (*)	
(viii) FUNGI	0,05 (*)	►**M18** 0,05 (*) ◄	0,05 (*)
(a) *Cultivated mushrooms*		1 (a)	
(b) *Wild mushrooms*		0,05 (*)	
3. **Pulses**	0,05 (*)	►**M18** 0,05 (*) ◄	0,05 (*)
Beans			
Lentils			
Peas			
Others			
4. **Oil seed**	0,05 (*)		0,05 (*)
Linseed		(a)	
Peanuts			
Poppy seeds			
Sesame seeds			
Sunflower seed		(a)	

▼**M5**

Groups and examples of individual products to which the MRLs apply	Pesticide residues and maximum residue levels (mg/kg)		
	Triforine	Endosulfan (Sum of alpha and beta endosulfan and endosulfan sulphate expressed as endosulfan)	Fentin (Fentin, expressed as triphenyltin cation)
Rapeseed		(a)	
Soya bean		►**M18** 0,5 ◄	
Mustard seed		(a)	
Cotton seed		0,3	
Others		►**M18** 0,1 (*) ◄	
5. **Potatoes**	0,05 (*)	►**M18** 0,05 (*) ◄	0,1
Early and ware potatoes			
6. **Tea** (Black tea processed from the leaves of *Camellia sinensis)*	0,1 (*)	30 (laid down in Directive 93/58/EEC)	0,1 (*)
7. **Hops** (dried), including hop pellets and unconcentrated powder	30	►**M18** 0,1 (*) ◄	0,5

▼M5

Groups and examples of individual products to which the MRLs apply	Pesticide residues and maximum residue levels (mg/kg)		
	Phorate (Sum of phorate, its oxygen analogue and their sulphoxides and sulphones expressed as phorate)	Dicofol (Sum of P, P′- and O, P′-isomers)	Chlormequat
1. **Fruit, fresh, dried or uncooked preserved by freezing not containing added sugar; nuts**	►M12 0,05 (*) ◄		
(i) CITRUS FRUIT	0,05 (*)	►M18 2 ◄	0,05 (*)
Grapefruit			
Lemons			
Limes			
Mandarins (including clementines and other hybrids)			
Oranges			
Pomelos			
Others			
(ii) TREE NUTS (shelled or unshelled)	0,05 (*)	0,05 (*)	0,1 (*)
Almonds			
Brazil nuts			
Cashew nuts			
Chestnuts			
Coconuts			
Hazelnuts			
Macadamia			
Pecans			
Pine nuts			
Pistachios			
Walnuts			
Others			
(iii) POME FRUIT	0,05 (*)	►M18 0,02 (*) ◄	►M18 ◄
Apples			(a)
Pears			►M18 0,5 (1) ◄
Quinces			
Other			►M18 0,05 (*) ◄
(iv) STONE FRUIT	0,05 (*)	►M18 0,02 (*) ◄	0,05 (*)
Apricots			
Cherries			
Peaches (including nectarines and similar hybrids)			
Plums			
Others			
(v) BERRIES AND SMALL FRUIT			
(a) *Table and wine grapes*	0,05 (*)	►M18 2 ◄	1 (a)
▼M12 Table grapes		►M18 ◄	

▼M12

Groups and examples of individual products to which the MRLs apply	Pesticide residues and maximum residue levels (mg/kg)		
	Phorate (Sum of phorate, its oxygen analogue and their sulphoxides and sulphones expressed as phorate)	Dicofol (Sum of P, P′- and O, P′-isomers)	Chlormequat
Wine grapes		►M18 ◄	

▼M5

(b) *Strawberries* (other than wild)	(a)	►M18 0,02 (*) ◄	(a)
(c) *Cane fruit* (other than wild)	0,05 (*)	►M18 0,02 (*) ◄	0,05 (*)
Blackberries			
Dewberries			
Loganberries			
Raspberries			
Others			
(d) *Other small fruit and berries* (other than wild)	0,05 (*)	►M18 0,02 (*) ◄	0,05 (*)
Bilberries (fruit of species *Vaccinium myrtyllus)*			
Cranberries			
Currants (red, black and white)		(b)	
Gooseberries			
Others		0,02 (*)	
(e) *Wild berries and wild fruit*	0,05 (*)	►M18 0,02 (*) ◄	0,05 (*)
(vi) MISCELLANEOUS	0,05 (*)	►M18 0,02 (*) ◄	
Avocados			
Bananas		2 (b)	
Dates			
Figs		(b)	
Kiwis			
Kumquats			
Litchis			
Mangoes			
Olives			0,1 (*)
Passion fruit			
Pineapples			
Pomegranates			
Others		0,02 (*)	0,05 (*)
2. **Vegetables, fresh or uncooked, frozen or dry**	►M12 0,05 (*) ◄		►M18 ◄
(i) ROOT AND TUBER VEGETABLES		0,02 (*)	0,05 (*)
Beetroot	(a)		
Carrots	(a)		
Celeriac			
Horseradish			
Jerusalem artichokes			
Parsnips	(a)		
Parsley root			
Radishes			
Salsify			
Sweet potatoes			

▼M5

Groups and examples of individual products to which the MRLs apply	Pesticide residues and maximum residue levels (mg/kg)		
	Phorate (Sum of phorate, its oxygen analogue and their sulphoxides and sulphones expressed as phorate)	Dicofol (Sum of P, P′- and O, P′-isomers)	Chlormequat
Swedes			
Turnips			
Yams			
Others	0,05 (*)		
(ii) BULB VEGETABLES	0,05 (*)	►M18 0,02 (*) ◄	0,05 (*)
Garlic		(b)	
Onions			
Shallots			
Spring onions			
Others		0,02 (*)	
(iii) FRUITING VEGETABLES			
(a) *Solanacea*	(a)	►M18 ◄	
Tomatoes		►M18 1 ◄	(a)
Peppers		0,5 (b)	
Aubergines			
Others		►M18 0,02 (*) ◄	0,05 (*)
(b) *Cucurbits — edible peel*		►M18 0,2 ◄	0,05 (*)
Cucumbers	0,05 (*)		
Gherkins			
Courgettes			
Others	(a)		
(c) *Cucurbits — inedible peel*	0,05 (*)	►M18 0,5 ◄	0,05 (*)
Melons			
Squashes			
Watermelons			
Others			
(d) *Sweetcorn*	(a)	0,02 (*)	0,05 (*)
(iv) BRASSICA VEGETABLES		0,02 (*)	0,05 (*)
(a) *Flowering brassica*	(a)		
Broccoli			
Cauliflower			
Others			
(b) *Head brassica*	(a)		
Brussels sprouts			
Head cabbage			
Others			
(c) *Leafy brassica*	(a)		
Chinese cabbage			
Kale			
Others			
(d) *Kohlrabi*	0,05 (*)		
(v) LEAF VEGETABLES AND FRESH HERBS		0,02 (*)	0,05 (*)
(a) *Lettuce and similar*	(a)		
Cress			

▼**M5**

Groups and examples of individual products to which the MRLs apply	Pesticide residues and maximum residue levels (mg/kg)		
	Phorate (Sum of phorate, its oxygen analogue and their sulphoxides and sulphones expressed as phorate)	Dicofol (Sum of P, P′- and O, P′-isomers)	Chlormequat
Lamb's lettuce			
Lettuce			
Scarole			
Others			
(b) *Spinach and similar*	0,05 (*)		
Spinach			
Beet leaves (chard)			
Others			
(c) *Watercress*	0,05 (*)		
(d) *Witloof*	0,05 (*)		
(e) *Herbs*	(a)		
Chervil			
Chives			
Parsley			
Celery leaves			
Others			
(vi) LEGUME VEGETABLES (fresh)	(a)	►**M18** 0,02 (*) ◄	
Beans (with pods)		0,5 (b)	(x)
Beans (without pods)		0,5 (b)	(x)
Peas (with pods)		0,5 (b)	(x)
Peas (without pods)		0,5 (b)	(x)
Others		0,02 (*)	0,05 (*)
(vii) STEM VEGETABLES (fresh)		►**M18** 0,02 (*) ◄	0,05 (*)
Asparagus			
Cardoons			
Celery	(a)		
Fennel			
Globe artichokes		(b)	
Leeks			
Rhubarb			
Others	0,05 (*)	0,02 (*)	
(viii) FUNGI	0,05 (*)	►**M18** 0,02 (*) ◄	
(a) *Cultivated mushrooms*		(b)	►**M18** 10 ◄
(b) *Wild mushrooms*		0,02 (*)	►**M18** 0,05 (*) ◄
3. **Pulses**	►**M12** 0,05 (*) ◄	►**M18** 0,02 (*) ◄	0,05 (*)
Beans	(a)	(b)	
Lentils			
Peas			
Others	0,05 (*)	0,02 (*)	
4. **Oilseed**			►**M18** 0,1 (*) ◄
Linseed	(a)		(c)
Peanuts	0,1		

▼**M5**

Groups and examples of individual products to which the MRLs apply	Pesticide residues and maximum residue levels (mg/kg)		
	Phorate (Sum of phorate, its oxygen analogue and their sulphoxides and sulphones expressed as phorate)	Dicofol (Sum of P, P′- and O, P′-isomers)	Chlormequat
Poppy seeds Sesame seeds Sunflower seed Rapeseed Soya bean Mustard seed	(a)		(c)
Cotton seed		0,1	(c)
Others	►**M12** 0,05 (*) ◄	0,05 (*)	0,1 (*)
5. **Potatoes**	(a)	0,02 (*)	►**M18** 0,05 (*) ◄
Early and Ware potatoes			
6. **Tea** (Black tea processed from the leaves of *Camellia sinensis)*	0,1 (*)	(d) (laid down in Directive 93/58/EEC)	0,1 (*)
7. **Hops** (dried), including hop pellets and unconcentrated powder	0,1 (*)	50	0,1 (*)

▼M5

Groups and examples of individual products to which the MRLs apply	Pesticide residues and maximum residue levels (mg/kg)		
	Propyzamide	Propoxur	Disulfoton (Sum of disulfoton, disulfoton sulphoxide and disulfoton sulphone expressed as disulfoton)
1. **Fruit, fresh, dried or uncooked preserved by freezing not containing added sugar; nuts**			►M12 0,02 (*) ◄
(i) CITRUS FRUIT	0,02 (*)	3 (a)	0,02 (*)
Grapefruit			
Lemons		►M12 0,3 ◄	
Limes		►M12 0,3 ◄	
Mandarins (including clementines and other hybrids)		►M12 0,3 ◄	
Oranges			
Pomelos			
Others		►M12 0,05 (*) ◄	
(ii) TREE NUTS (shelled or unshelled)	0,02 (*)	0,05 (*)	0,02 (*)
Almonds			
Brazil nuts			
Cashew nuts			
Chestnuts			
Coconuts			
Hazelnuts			
Macadamia			
Pecans			
Pine nuts			
Pistachios			
Walnuts			
Other			
(iii) POME FRUIT	0,02 (*)	►M12 0,05 (*) ◄	0,02 (*)
Apples			
Pears			
Quinces			
Other			
(iv) STONE FRUIT	0,02 (*)	►M12 0,05 (*) ◄	0,02 (*)
Apricots			
Cherries			
Peaches (including nectarines and similar hybrides)			
Plums			
Others			
(v) BERRIES AND SMALL FRUIT	►M12 0,02 (*) ◄		
(a) *Table and wine grapes*	0,02 (*)	►M12 0,05 (*) ◄	0,02 (*)

▼M5

Groups and examples of individual products to which the MRLs apply	Pesticide residues and maximum residue levels (mg/kg)		
	Propyzamide	Propoxur	Disulfoton (Sum of disulfoton, disulfoton sulphoxide and disulfoton sulphone expressed as disulfoton)
(b) *Strawberries* (other than wild)	(b)	►M12 0,05 (*) ◄	(b)
(c) *Cane fruit* (other than wild)	0,02 (*)	►M12 0,05 (*) ◄	0,02 (*)
Blackberries		3 (a)	
Dewberries			
Loganberries			
Raspberries		3 (a)	
Others		0,05 (*)	
(d) *Other small fruit and berries* (other than wild)			0,02 (*)
Bilberries (fruit of species *Vaccinium myrtyllus)*			
Cranberries			
Currants (red, black and white)	(b)	0,2	
Gooseberries	(b)	►M12 0,2 ◄	
Others	0,02 (*)	0,05 (*)	
(e) *Wild berries and wild fruit*	0,02 (*)	0,05 (*)	0,02 (*)
(vi) MISCELLANEOUS	0,02 (*)	►M12 0,05 (*) ◄	
Avocados			
Bananas			
Dates			
Figs			
Kiwis			
Kumquats			
Litchis			
Mangoes			
Olives		3 (a)	
Passion fruit			
Pineapples			(b)
Pomegranates			
Others		0,05 (*)	0,02 (*)
2. **Vegetables, fresh or uncooked, frozen or dry**			►M12 0,02 (*) ◄
(i) ROOT AND TUBER VEGETABLES	0,02 (*)	►M12 0,05 (*) ◄	
Beetroot		3 (a)	
Carrots			3 (b)
Celeriac		3 (a)	
Horseradish			
Jerusalem artichokes			
Parsnips			(b)
Parsley root			
Radishes			
Salsify			
Sweet potatoes			
Swedes			
Turnips			
Yams			

▼**M5**

Groups and examples of individual products to which the MRLs apply	Pesticide residues and maximum residue levels (mg/kg)		
	Propyzamide	Propoxur	Disulfoton (Sum of disulfoton, disulfoton sulphoxide and disulfoton sulphone expressed as disulfoton)
Others		0,05 (*)	0,02 (*)
(ii) BULB VEGETABLES	0,02 (*)	►**M12** 0,05 (*) ◄	0,02 (*)
Garlic			
Onions			
Shallots			
Spring onions			
Others			
(iii) FRUITING VEGETABLES	0,02 (*)	►**M12** 0,05 (*) ◄	
(a) *Solanacea*			0,02 (*)
Tomatoes		(x)	
Peppers		3 (a)	
Aubergines		3 (a)	
Others		3 (a)	
(b) *Cucurbits — edible peel*			0,02 (*)
Cucumbers		(x)	
Gherkins		3 (a)	
Courgettes		(a)	
Others			
(c) *Cucurbits— inedible peel*		3 (a)	
Melons			
Squashes			(b)
Watermelons			
Others			0,02 (*)
(d) *Sweet corn*		0,05 (*)	0,02 (*)
(iv) BRASSICA VEGETABLES	►**M12** 0,02 (*) ◄	3 (a)	
(a) *Flowering brassica*	0,02 (*)	►**M12** 0,5 ◄	
Broccoli (including calabrese)			(b)
Cauliflower			(b)
Others			0,02 (*)
(b) *Head brassica*			
Brussels sprouts			(b)
Head cabbage	(b)	►**M12** 0,5 ◄	(b)
Others	0,02 (*)	►**M12** 0,05 (*) ◄	0,02 (*)
(c) *Leafy brassica*	0,02 (*)	►**M12** 0,05 (*) ◄	0,02 (*)
Chinese cabbage			
Kale			
Others			
(d) *Kohlrabi*	0,02 (*)	►**M12** 0,05 (*) ◄	(b)
(v) LEAF VEGETABLES AND FRESH HERBS		►**M12** 0,05 (*) ◄	

▼M5

Groups and examples of individual products to which the MRLs apply	Pesticide residues and maximum residue levels (mg/kg)		
	Propyzamide	Propoxur	Disulfoton (Sum of disulfoton, disulfoton sulphoxide and disulfoton sulphone expressed as disulfoton)
(a) *Lettuce and similar*	►M12 1 ◄		0,02 (*)
Cress		0,05 (*)	
Lamb's lettuce			
Lettuce			
Scarole			
Others		3 (a)	
(b) *Spinach and similar*	0,02 (*)	3 (a)	0,02 (*)
Spinach			
Beet leaves (chard)			
Others			
(c) *Watercress*	0,02 (*)	0,05 (*)	0,02 (*)
(d) *Witloof*	0,02 (*)	0,05 (*)	0,02 (*)
(e) *Herbs*	►M12 1 ◄	3 (a)	(b)
Chervil			
Chives			
Parsley			
Celery leaves			
Others			
(vi) LEGUME VEGETABLES (fresh)	►M12 0,02 (*) ◄	►M12 0,05 (*) ◄	
Beans (with pods)	(b)	3 (a)	
Beans (without pods)	(b)		
Peas (with pods)		3 (a)	
Peas (without pods)			0,02 (*)
Others	0,02 (*)	0,05 (*)	(b)
(vii) STEM VEGETABLES (fresh)	►M12 0,02 (*) ◄		
Asparagus			
Cardoons		3 (a)	
Celery		3 (a)	(b)
Fennel		3 (a)	
Globe artichokes	(b)	3 (a)	
Leeks		1	
Rhubarb			
Others	0,02 (*)	►M12 0,05 (*) ◄	0,02 (*)
(viii) FUNGI	0,02 (*)	0,05 (*)	0,02 (*)
(a) *Cultivated mushrooms*			
(b) *Wild mushrooms*			
3. **Pulses**	0,02 (*)	0,05 (*)	►M12 0,02 (*) ◄
Beans			(b)
Lentils			
Peas			
Others			0,02 (*)
4. **Oilseed**		0,05 (*)	
Linseed	0,05 (*)		
Peanuts	(b)		

▼**M5**

Groups and examples of individual products to which the MRLs apply	Pesticide residues and maximum residue levels (mg/kg)		
	Propyzamide	Propoxur	Disulfoton (Sum of disulfoton, disulfoton sulphoxide and disulfoton sulphone expressed as disulfoton)
Poppy seeds Sesame seeds Sunflower seed Rapeseed	►**M12** 0,1 ◄		
Soya been Mustard seed Cotton seed	(b)		0,05 (*)
Others	►**M12** 0,05 (*) ◄		0,02 (*)
5. **Potatoes**	0,02 (*)	0,05 (*)	►**M12** 0,02 (*) ◄
Early and ware potatoes			
6. **Tea** (Black tea processed from the leaves of *Camillia sinensis)*	0,05 (*)	0,1 (*)	0,05 (*)
7. **Hops** (dried), including hop pellets and unconcentrated powder	►**M12** 0,05 (*) ◄	0,1 (*)	►**M12** 0,05 (*) ◄

▼M5

Groups and examples of individual products to which the MRLs apply	Pesticide residues and maximum residue levels (mg/kg)		
	Fenbutatin oxide	Triazophos	Diazinon
1. **Fruit, fresh, dried or uncooked preserved by freezing not containing added sugar; nuts**		►M12 0,02 (*) ◄	
(i) CITRUS FRUIT	►M12 5 ◄	(b)	0,5 (b)
Grapefruit			►M12 1 ◄
Lemons			
Limes			
Mandarins (including clementines and other hybrids)			
Oranges			►M12 1 ◄
Pomelos			►M12 1 ◄
Others			►M12 0,02 (*) ◄
(ii) TREE NUTS (shelled or unshelled)	0,05 (*)		0,05 (*)
Almonds		(b)	
Brazil nuts			
Cashew nuts			
Chestnuts			
Coconuts			
Hazelnuts		(b)	
Macadamia			
Pecans			
Pine nuts			
Pistachios		(b)	
Walnuts			
Others		0,02 (*)	
(iii) POME FRUIT	2	(b)	0,5 (b)
Apples			►M12 0,3 ◄
Pears			►M12 0,3 ◄
Quinces			
Others			►M12 0,02 (*) ◄
(iv) STONE FRUIT	►M12 0,05 (*) ◄		0,5 (b)
Apricots		(b)	
Cherries			►M12 0,3 ◄
Peaches (including nectarines and similar hybrids)		(b)	
Plums			►M12 0,1 ◄
Others		0,02 (*)	►M12 0,02 (*) ◄
(v) BERRIES AND SMALL FRUIT			

▼M5

Groups and examples of individual products to which the MRLs apply	Pesticide residues and maximum residue levels (mg/kg)		
	Fenbutatin oxide	Triazophos	Diazinon
(a) *Table and wine grapes*	2	0,02 (*)	►M12 0,02 (*) ◄
(b) *Strawberries* (other than wild)	►M12 1 ◄	(b)	►M12 0,02 (*) ◄
►M12 (c) *Cane fruit* (other than wild) ◄	0,05 (*)	0,02 (*)	►M12 0,02 (*) ◄
Blackberries			
Dewberries			
Loganberries			
Raspberries			
Others			
(d) *Other small fruit and berries* (others than wild)	0,05 (*)	0,02 (*)	
Bilberries (fruit of species *Vaccinium myrtyllus*)			0,2
Cranberries			
Currants (red, black and white)			0,2
Gooseberries			0,2
Others			0,02 (*)
(e) *Wild berries and wild fruit*	0,05 (*)	0,02 (*)	0,02 (*)
(vi) MISCELLANEOUS			
Avocados			
Bananas	►M12 3 ◄		0,5 (b)
Dates			
Figs			
Kiwis			►M12 0,2 ◄
Kumquats			
Litchis			
Mangoes			
Olives		(b)	0,5 (b)
Passion fruit			
Pineapples			
Pomegranates			
Others	0,05 (*)	0,02 (*)	►M12 0,02 (*) ◄
2. **Vegetables, fresh or uncooked, frozen or dry**			
(i) ROOT AND TUBER	0,05 (*)	►M12 0,02 (*) ◄	
Beetroot		(b)	0,5 (b)
Carrots		1	►M12 0,2 ◄
Celeriac		(b)	0,5 (b)
Horseradish			0,5 (b)
Jerusalem artichokes			
Parsnips		1	0,5 (b)
Parsley root			
Radishes			0,5 (b)
Salsify			
Sweet potatoes			
Swedes			0,5 (b)
Turnips			0,5 (b)

▼M5

Groups and examples of individual products to which the MRLs apply	Pesticide residues and maximum residue levels (mg/kg)		
	Fenbutatin oxide	Triazophos	Diazinon
Yams			
Others		0,02 (*)	►M12 0,02 (*) ◄
(ii) BULB VEGETABLES	0,05 (*)	►M12 0,02 (*) ◄	►M12 0,02 (*) ◄
Garlic		(b)	
Onions		(b)	
Shallots		(b)	
Spring onions			
Others		0,02 (*)	
(iii) FRUITING VEGETABLES		►M12 0,02 (*) ◄	0,5 (b)
(a) *Solanacea*	(a)	0,02 (*)	►M12 0,5 ◄
Tomatoes	►M12 1 ◄		
Peppers	►M22 1 (1) ◄		
Aubergines	►M12 1 ◄		
Others	►M12 0,05 (*) ◄		
(b) *Cucurbits — edible peel*		(b)	►M12 0,02 (*) ◄
Cucumbers	0,5 (*)		
Gherkins			
Courgettes	►M12 0,5 ◄		
Others	►M12 0,05 (*) ◄		
(c) *Cucurbits — inedible peel*	►M12 0,05 (*) ◄	(b)	►M12 0,02 (*) ◄
Melons			
Squashes			
Watermelons			
Others			
(d) *Sweetcorn*	0,05 (*)	0,02 (*)	►M12 0,02 (*) ◄
(iv) BRASSICA VEGETABLES	0,05 (*)	►M12 0,02 (*) ◄	►M12 0,02 (*) ◄
(a) *Flowering brassica*		(b)	
Broccoli			
Cauliflower			
Others			
(b) *Head brassica*		(b)	
Brussels sprouts			
Head cabbage			
Others			
(c) *Leafy brassica*		(b)	
Chinese cabbage			
Kale			

▼**M5**

Groups and examples of individual products to which the MRLs apply	Pesticide residues and maximum residue levels (mg/kg)		
	Fenbutatin oxide	Triazophos	Diazinon
Others			
(d) *Kohlrabi*		0,02 (*)	
(v) LEAF VEGETABLES AND FRESH HERBS	0,05 (*)	0,02 (*)	►**M12** 0,02 (*) ◄
(a) *Lettuce and similar*			
Cress			
Lamb's lettuce			
Lettuce			
Scarole			
Others			
(b) *Spinach and similar*			
Spinach			
Beet leaves (chard)			
Others			
(c) *Watercress*			
(d) *Witloof*			
(e) *Herbs*			
Chervil			
Chives			
Parsley			
Celery leaves			
Others			
(vi) LEGUME VEGETABLES	►**M12** 0,05 (*) ◄	►**M12** 0,02 (*) ◄	►**M12** 0,02 (*) ◄
Beans (with pods)	(a)	(b)	
Beans (without pods)	(a)	(b)	
Peas (with pods)		(b)	
Peas (without pods)		(b)	
Others	0,05 (*)	0,02 (*)	
(vii) STEM VEGETABLES (fresh)	0,05 (*)	►**M12** 0,02 (*) ◄	►**M12** 0,02 (*) ◄
Aspargus		(b)	0,5 (b)
Cardoons			
Celery		(b)	0,5 (b)
Fennel		(b)	
Globe artichokes		(b)	0,5 (b)
Leeks		(b)	0,5 (b)
Rhubarb		(b)	
Others		0,02 (*)	0,02 (*)
(viii) FUNGI	0,05 (*)	►**M12** 0,02 (*) ◄	►**M12** 0,02 (*) ◄
(a) *Cultivated mushrooms*			0,5 (b)
(b) *Wild mushrooms*			0,02 (*)
3. **Pulses**	0,05 (*)	►**M12** 0,02 (*) ◄	►**M12** 0,02 (*) ◄
Beans			
Lentils			
Peas			
Others			
4. **Oilseed**	►**M12** 0,05 (*) ◄		►**M12** 0,05 (*) ◄
Linseed		(b)	
Peanuts			(a)
Poppy seeds			

▼**M5**

Groups and examples of individual products to which the MRLs apply	Pesticide residues and maximum residue levels (mg/kg)		
	Fenbutatin oxide	Triazophos	Diazinon
Sesame seeds			
Sunflower seeds			(a)
Rapeseed		(b)	
Soya bean			
Mustard seed		(b)	
Cotton seed	(a)	0,1	(a)
Others	0,05 (*)	►**M12** 0,02 (*) ◄	0,05 (*)
5. **Potatoes**	0,05 (*)	►**M12** 0,02 (*) ◄	►**M12** 0,02 (*) ◄
Early and ware potatoes			
6. **Tea** (Black tea processed from the leaves of *Camellia sinensis)*	0,1 (*)	►**M12** 0,05 (*) ◄	0,05 (*)
7. **Hops** (dried), including hop pellets and unconcentrated powder	►**M12** 0,1 (*) ◄	►**M12** 0,05 (*) ◄	►**M12** 0,05 (*) ◄

▼M5

Groups and examples of individual products to which the MRLs apply	Pesticide residues and maximum residue levels (mg/kg)		
	Mecarbam		
1. **Fruit, fresh, dried or uncooked preserved by freezing not containing added sugar; nuts**			
(i) CITRUS FRUIT	2 (a)		
Grapefruit			
Lemons			
Limes			
Mandarins (including clementines and other hybrids)			
Oranges			
Pomelos			
Others			
(ii) TREE NUTS (shelled or unshelled)	0,05 (*)		
Almonds			
Brazil nuts			
Cashew nuts			
Chestnuts			
Coconuts			
Hazelnuts			
Macadamia			
Pecans			
Pine nuts			
Pistachios			
Walnuts			
Others			
(iii) POME FRUIT	0,05 (*)		
Apples			
Pears			
Quinces			
Other			
(iv) STONE FRUIT	0,05 (*)		
Apricots			
Cherries			
Peaches (including nectarines and similar hybrids)			
Plum			
Others			
(v) BERRIES AND SMALL FRUIT	0,05 (*)		
(a) *Table and wine grapes*			
(b) *Strawberries* (other than wild)			
(c) *Cane fruit* (other than wild)			
Blackberries			
Dewberries			
Loganberries			
Raspberries			
Others			
(d) *Other small fruit and berries* (other than wild)			
Bilberries (fruit of species *Vaccinium myrtyllus)*			
Cranberries			
Currants (red, black and white)			
Gooseberries			
Others			
(e) *Wildberries and wild fruit*			
(vi) MISCELLANEOUS	0,05 (*)		
Avocados			
Bananas			
Dates			

▼**M5**

Groups and examples of individual products to which the MRLs apply	Pesticide residues and maximum residue levels (mg/kg)		
	Mecarbam		
Figs			
Kiwis			
Kumquats			
Litchis			
Mangoes			
Olives			
Passion fruit			
Pineapples			
Pomegranates			
Others			
2. **Vegetables, fresh or uncooked, frozen or dry**			
(i) ROOT AND TUBER	0,05 (*)		
Beetroot			
Carrots			
Celeriac			
Horseradish			
Jerusalem artichokes			
Parsnips			
Parsley root			
Radishes			
Salsify			
Sweet potatoes			
Swedes			
Turnips			
Yams			
Others			
(ii) BULB VEGETABLES	0,05 (*)		
Garlic			
Onions			
Shallots			
Spring onions			
Others			
(iii) FRUITING VEGETABLES	0,05 (*)		
(a) *Solanacea*			
Tomatoes			
Peppers			
Aubergines			
Others			
(b) *Cucurbits — edible peel*			
Cucumbers			
Gherkins			
Courgettes			
Others			
(c) *Cucurbits — inedible peel*			
Melons			
Squashes			
Watermelons			
Others			
(d) *Sweetcorn*			
(iv) BRASSICA VEGETABLES	0,05 (*)		
(a) *Flowering brassica*			
Broccoli			
Cauliflower			
Others			
(b) *Head brassica*			
Brussels sprouts			
Head cabbage			
Others			
(c) *Leafy brassica*			

▼M5

Groups and examples of individual products to which the MRLs apply	Pesticide residues and maximum residue levels (mg/kg)		
	Mecarbam		
Chinese cabbage Kale Others (d) *Kohlrabi*			
(v) LEAF VEGETABLES AND FRESH HERBS	0,05 (*)		
(a) *Lettuce and similar* Cress Lamb's lettuce Lettuce Scarole Others (b) *Spinach and similar* Spinach Beet leaves (chard) Others (c) *Watercress* (d) *Witloof* (e) *Herbs* Chervil Chives Parsley Celery leaves Others			
(vi) LEGUME VEGETABLES (fresh)	0,05 (*)		
Beans (with pods) Beans (without pods) Peas (with pods) Peas (without pods) Others			
(vii) STEM VEGETABLES (fresh)	0,05 (*)		
Asparagus Cardoons Celery Fennel Globe artichokes Leek Rhubarb Others			
(viii) FUNGI	0,05 (*)		
(a) *Cultivated mushrooms* (b) *Wild mushrooms*			
3. **Pulses**	0,05 (*)		
Beans Lentils Peas Others			
4. **Oil seed**	0,05 (*)		
Linseed Peanuts Poppy seeds Sesame seeds Sunflower seed Rapeseed Soya bean Mustard seed Cotton seed Others			
5. **Potatoes**	0,05 (*)		

▼**M5**

Groups and examples of individual products to which the MRLs apply	Pesticide residues and maximum residue levels (mg/kg)		
	Mecarbam		
Early and ware potatoes			
6. **Tea** (Black tea processed from the leaves of *Camellia sinensis)*	0,05 (*)		
7. **Hops** (dried), including hop pellets and unconcentrated powder	0,1 (*)		

(*) Indicates lower limit of analytical determination.
([x]) See Article 1 and Article 2 (2).

(a) (b) (c) (d) Should levels not be adopted by ►**M7** at the latest 1 July 2000 ◄, the following levels shall apply as indicated thereafter:
(a) 0,05 (*)
(b) 0,02 (*)
(c) 0,1 (*)
(d) 0,01 (*)

►**M18** ([t]) Temporary MRL until 31 July 2003 based on carry over due to previous use, where presently no authorisations exist anymore. ◄

►**M22** ([1]) Pending trials for the second season, results to be submitted before 1 September 2002. ◄

▼**M23**

Groups and examples of individual products to which the MRLs apply	Pesticide residues and maximum residue levels (mg/kg)		
	Flupyrsulfuron-methyl	Azoxystrobin	Pymetrozine
1. Fruits, fresh, dried or uncooked, preserved by freezing, not containing added sugar; nuts	0,02 (P) (*)		
(i) CITRUS FRUIT		►**M30** 1 (P) ◄	0,3 (P)
Grapefruit			
Lemons			
Limes			
Mandarins (including clementines and other hybrids)			
Oranges			
Pomelos			
Others			
(ii) TREE NUTS (shelled or unshelled)		►**M30** 0,1 (P) (*) ◄	0,02 (P) (*)
Almonds			
Brazil nuts			
Cashew nuts			
Chestnuts			
Coconuts			
Hazelnuts			
Macadamia			
Pecans			
Pine nuts			
Pistachios			
Walnuts			
Others			
(iii) POME FRUIT		►**M30** 0,05 (P) (*) ◄	0,02 (P) (*)
Apples			
Pears			
Quinces			
Others			
(iv) STONE FRUIT		►**M30** 0,05 (P) (*) ◄	
Apricots			0,05 (P)
Cherries			
Peaches (including nectarines and similar hybrids)			0,05 (P)
Plums			
Others			0,02 (P) (*)
(v) BERRIES AND SMALL FRUIT			0,02 (P) (*)
(a) Table and wine grapes		►**M30** 2 ◄	
Table grapes			
Wine grapes			
(b) Strawberries (other than wild)		►**M30** 2 (P) ◄	
(c) Cane fruit (other than wild)		►**M30** 0,05 (P) (*) ◄	
Blackberries			
Dewberries			
Loganberries			

▼**M23**

Groups and examples of individual products to which the MRLs apply	Pesticide residues and maximum residue levels (mg/kg)		
	Flupyrsulfuron-methyl	Azoxystrobin	Pymetrozine
Raspberries			
Others			
(d) Other small fruit and berries (other than wild)		►**M30** 0,05 (P) (*) ◄	
Bilberries			
Cranberries			
Currants (red, black and white)			
Gooseberries			
Others			
(e) Wild berries and wild fruit		►**M30** 0,05 (P) (*) ◄	
(vi) MISCELLANEOUS			0,02 (P) (*)
Avocados			
Bananas		►**M30** 2 ◄	
Dates			
Figs			
Kiwi			
Kumquats			
Litchis			
Mangoes			
Olives			
Passion fruit			
Pineapples			
Pomegranate			
Others		►**M30** 0,05 (P) (*) ◄	
2. Vegetables, fresh or uncooked, frozen or dry	0,02 (P) (*)		
(i) ROOT AND TUBER VEGETABLES			0,02 (P) (*)
Beetroot			
Carrots		►**M30** 0,2 (P) ◄	
Celeriac			
Horseradish		►**M30** 0,2 (P) ◄	
Jerusalem artichokes			
Parsnips		►**M30** 0,2 (P) ◄	
Parsley root		►**M30** 0,2 (P) ◄	
Radishes			
Salsify		►**M30** 0,2 (P) ◄	
Sweet potatoes			
Swedes			
Turnips			
Yam			
Others		►**M30** 0,05 (P) (*) ◄	
(ii) BULB VEGETABLES		►**M30** 0,05 (P) (*) ◄	0,02 (P) (*)

▼**M23**

Groups and examples of individual products to which the MRLs apply	Pesticide residues and maximum residue levels (mg/kg)		
	Flupyrsulfuron-methyl	Azoxystrobin	Pymetrozine
Garlic			
Onions			
Shallots			
Spring onions			
Others			
(iii) FRUITING VEGETABLES			
(a) *Solanacea*			
Tomatoes		►**M30** 2 (P) ◄	0,5 (P)
Peppers		►**M30** 2 (P) ◄	1 (P)
Aubergines		►**M30** 2 (P) ◄	0,5 (P)
Others		►**M30** 0,05 (P) (*) ◄	0,02 (P) (*)
(b) Cucurbits — edible peel		►**M30** 1 (P) ◄	0,5 (P)
Cucumbers			
Gherkins			
Courgettes			
Others			
(c) Cucurbits — inedible peel		►**M30** 0,5 (P) ◄	0,2 (P)
Melons			
Squashes			
Watermelons			
Others			
(d) Sweetcorn		►**M30** 0,05 (P) (*) ◄	0,02 (P) (*)
(iv) BRASSICA VEGETABLES		►**M30** 0,05 (P) (*) ◄	
(a) Flowering brassica			0,02 (P) (*)
Broccoli			
Cauliflower			
Others			
(b) *Head brassica*			
Brussels sprouts			
Head cabbage			0,05 (P)
Others			0,02 (P) (*)
(c) Leafy brassica			0,02 (P) (*)
Chinese cabbage			
Kale			
Others			
(d) Kohlrabi			0,02 (P) (*)
(v) LEAF VEGETABLES AND FRESH HERBS			
(a) Lettuce and similar		►**M30** 3 (P) ◄	1 (P)
Cress			
Lamb's lettuce			
Lettuce			
Scarole			
Others			

▼**M23**

Groups and examples of individual products to which the MRLs apply	Pesticide residues and maximum residue levels (mg/kg)		
	Flupyrsulfuron-methyl	Azoxystrobin	Pymetrozine
(b) Spinach and similar		►**M30** 0,05 (P) (*) ◄	0,02 (P) (*)
Spinach			
Beet leaves (chard)			
Others			
(c) Water cress		►**M30** 0,05 (P) (*) ◄	0,02 (P) (*)
(d) Witloof		►**M30** 0,2 (P) ◄	0,02 (P) (*)
(e) Herbs		►**M30** 3 (P) ◄	1 (P)
Chervil			
Chives			
Parsley			
Celery leaves			
Others			
(vi) LEGUME VEGETABLES (fresh)			0,02 (P) (*)
Beans (with pods)		►**M30** 1 (P) ◄	
Beans (without pods)		►**M30** 0,2 (P) ◄	
Peas (with pods)		►**M30** 0,5 (P) ◄	
Peas (without pods)		►**M30** 0,2 (P) ◄	
Others		►**M30** 0,05 (P) (*) ◄	
(vii) STEM VEGETABLES (fresh)			0,02 (P) (*)
Asparagus			
Cardoons			
Celery		►**M30** 5 (P) ◄	
Fennel			
Globe artichokes		►**M30** 1 (P) ◄	
Leek		►**M30** 0,1 (P) ◄	
Rhubarb			
Others		►**M30** 0,05 (P) (*) ◄	
(viii) FUNGI		►**M30** 0,05 (P) (*) ◄	0,02 (P) (*)
(a) Cultivated mushrooms			
(b) Wild mushrooms			
3. Pulses	0,02 (P) (*)	►**M30** 0,1 (P) ◄	0,02 (P) (*)
Beans			
Lentils			

▼**M23**

Groups and examples of individual products to which the MRLs apply	Pesticide residues and maximum residue levels (mg/kg)		
	Flupyrsulfuron-methyl	Azoxystrobin	Pymetrozine
Peas			
Others			
4. Oils seeds	0,05 (P) (*)	►**M30** ◄	
Linseed			
Peanuts			
Poppy seed			
Sesame seed			
Sunflower seed			
Rapeseed		►**M30** 0,5 (P) ◄	
Soya bean			
Mustard seed			
Cotton seed			0,05 (P)
Others		►**M30** 0,05 (P) (*) ◄	0,02 (P) (*)
5. Potatoes	0,02 (P) (*)	►**M30** 0,05 (P) (*) ◄	0,02 (P) (*)
Early potatoes			
Ware potatoes			
6. Tea (leaves and stems, dried, fermented or otherwise, of *Camellia sinensis*)	0,05 (P) (*)	►**M30** 0,1 (P) (*) ◄	0,1 (P) (*)
7. Hops (dried), including hop pellets and unconcentrated powder	0,05 (P) (*)	►**M30** 20 (P) ◄	5 (P)

(P) Indicates provisional maximum residue level. For those agricultural products listed in Annex II to Directive 90/642/EEC where the maximum residue levels for flupyrsulfuron-methyl, pymetrozine and azoxystrobin are indicated as '(P)', this shall mean that they are provisional in accordance with the provisions of Article 4(1)(f) of Directive 91/414/EEC.

By 1 December 2005, provisional maximum residue levels for flupyrsulfuron-methyl and pymetrozine shall cease to be provisional and shall become definitive in the sense of Article 3 of Directive 90/624/EEC. For azoxystrobin this shall be 1 August 2003.

(*) Indicates lower limit of analytical determination.

▼M11

Groups and examples of individual products to which the MRLs would apply	Pesticide residue and maximum residue level (mg/kg)										
	Methoxy-chlor	Barban	Aramite	Chlorfenson	Chlorobenzi-late	Chlorbufam	Chloroxuron	Chlorben-side	Diallate	1,1-Dichloro-2,2-bis (4-ethyl-phenyl-) ethane	►M14 Diphenyla-mine ◄
1. **Fruit, fresh, dried or uncooked, preserved by freezing, not containing added sugar; nuts**	0,01 (*)	0,05 (*)	0,01 (*)	0,01 (*)	0,02 (*)	0,05 (*)	0,05 (*)	0,01 (*)	0,05 (*)	0,01 (*)	►M14 0,05 (*) ◄
(I) CITRUS FRUIT											
Grapefruit											
Lemons											
Limes											
Mandarins (including clementines and other hybrids)											
Oranges											
Pomelos											
Others											
(II) TREE NUTS (shelled or unshelled)											
Almonds											
Brazil nuts											
Cashew nuts											
Chestnuts											
Coconuts											
Hazelnuts											
Macadamia											
Pecans											
Pine nuts											
Pistachios											
Walnuts											
Others											
(III) POME FRUIT											
Apples											►M14 5 ◄

▼M11

Groups and examples of individual products to which the MRLs would apply	Pesticide residue and maximum residue level (mg/kg)										
	Methoxy-chlor	Barban	Aramite	Chlorfenson	Chlorobenzi-late	Chlorbufam	Chloroxuron	Chlorben-side	Diallate	1,1-Dichloro-2,2-bis (4-ethyl-phenyl-) ethane	►M14 Diphenyla-mine ◄
Pears											►M14 10 ◄
Quinces											
Others											
(IV) STONE FRUIT											
Apricots											
Cherries											
Peaches (including nectarines and similar hybrids)											
Plums											
Others											
(V) BERRIES AND SMALL FRUIT											
(a) Table and wine grapes											
Table grapes											
Wine grapes											
(b) Strawberries (other than wild)											
(c) Cane fruit (other than wild)											
Blackberries											
Dewberries											
Loganberries											
Raspberries											
Others											
(d) Other small fruit and berries (other than wild)											
Bilberries (fruit of species *Vaccinium myrtillus*)											
Cranberries											
Currants (red, black and white)											
Gooseberries											
Others											
(e) Wild berries and wild fruit											

▼M11

Groups and examples of individual products to which the MRLs would apply	Pesticide residue and maximum residue level (mg/kg)										
	Methoxy-chlor	Barban	Aramite	Chlorfenson	Chlorobenzi-late	Chlorbufam	Chloroxuron	Chlorben-side	Diallate	1,1-Dichloro-2,2-bis (4-ethyl-phenyl-) ethane	►M14 Diphenyla-mine ◄
(VI) MISCELLANEOUS											
Avocados											
Bananas											
Dates											
Figs											
Kiwi											
Kumquats											
Litchis											
Mangoes											
Olives											
Passion fruit											
Pineapples											
Pomegranate											
Others											
2. **Vegetables, fresh or uncooked, frozen or dry**	0,01 (*)	0,05 (*)	0,01 (*)	0,01 (*)	0,02 (*)	0,05 (*)	0,05 (*)	0,01 (*)	0,05 (*)	0,01 (*)	►M14 0,05 (*) ◄
(I) ROOT AND TUBER VEGETABLES											
Beetroot											
Carrots											
Celeriac											
Horseradish											
Jerusalem artichokes											
Parsnips											
Parsley root											
Radishes											
Salsify											
Sweet potatoes											
Swedes											
Turnips											

▼M11

Groups and examples of individual products to which the MRLs would apply	Pesticide residue and maximum residue level (mg/kg)										
	Methoxy-chlor	Barban	Aramite	Chlorfenson	Chlorobenzi-late	Chlorbufam	Chloroxuron	Chlorben-side	Diallate	1,1-Dichloro-2,2-bis (4-ethyl-phenyl-) ethane	►M14 Diphenyla-mine ◄
Yam											
Others											
(II) BULB VEGETABLES											
Garlic											
Onions											
Shallots											
Spring onions											
Others											
(III) FRUITING VEGETABLES											
(a) Solanacea											
Tomatoes											
Peppers											
Chili peppers											
Aubergines											
Others											
(b) Cucurbits — edible peel											
Cucumbers											
Gherkins											
Courgettes											
Others											
(c) Cucurbits — inedible peel											
Melons											
Squashes											
Watermelons											
Others											
(d) Sweet corn											
(IV) BRASSICA VEGETABLES											
(a) Flowering brassica											
Broccoli											
Cauliflower											
Others											

▼M11

Groups and examples of individual products to which the MRLs would apply	Pesticide residue and maximum residue level (mg/kg)										
	Methoxy-chlor	Barban	Aramite	Chlorfenson	Chlorobenzi-late	Chlorbufam	Chloroxuron	Chlorben-side	Diallate	1,1-Dichloro-2,2-bis (4-ethyl-phenyl-) ethane	►M14 Diphenyla-mine ◄
(b) Head brassica											
Brussels sprouts											
Head cabbage											
Others											
(c) Leafy brassica											
Chinese cabbage											
Kale											
Others											
(d) Kohlrabi											
(V) LEAF VEGETABLES AND FRESH HERBS											
(a) Lettuce and similar											
Cress											
Lamb's lettuce											
Lettuce											
Scarole (broad-leaf endive)											
Others											
(b) Spinach and similar											
Spinach											
Beet leaves (chard)											
Others											
(c) Water cress											
(d) Witloof											
(e) Herbs											
Chervil											
Chives											
Parsley											
Celery leaves											
Others											
(VI) LEGUME VEGETABLES (fresh)											
Beans (with pods)											
Beans (without pods)											

▼M11

Groups and examples of individual products to which the MRLs would apply	Pesticide residue and maximum residue level (mg/kg)										
	Methoxy-chlor	Barban	Aramite	Chlorfenson	Chlorobenzi-late	Chlorbufam	Chloroxuron	Chlorben-side	Diallate	1,1-Dichloro-2,2-bis (4-ethyl-phenyl-) ethane	►M14 Diphenyla-mine ◄
Peas (with pods)											
Peas (without pods)											
Others											
(VII) STEM VEGETABLES (fresh)											
Asparagus											
Cardoons											
Celery											
Fennel											
Globe artichokes											
Leek											
Rhubarb											
Others											
(VIII) FUNGI											
(a) Cultivated mushrooms											
(b) Wild mushrooms											
3. **Pulses**	0,01 (*)	0,05 (*)	0,01 (*)	0,01 (*)	0,02 (*)	0,05 (*)	0,05 (*)	0,01 (*)	0,05 (*)	0,01 (*)	►M14 0,05 (*) ◄
Beans											
Lentils											
Peas											
Others											
4. **Oil seed**	0,01 (*)	0,05 (*)	0,01 (*)	0,01 (*)	0,02 (*)	0,05 (*)	0,05 (*)	0,01 (*)	0,05 (*)	0,01 (*)	►M14 0,05 (*) ◄
Linseed											
Peanuts											
Poppy seed											
Sesame seed											
Sunflower seed											

▼M11

Groups and examples of individual products to which the MRLs would apply	Pesticide residue and maximum residue level (mg/kg)										
	Methoxy-chlor	Barban	Aramite	Chlorfenson	Chlorobenzi-late	Chlorbufam	Chloroxuron	Chlorben-side	Diallate	1,1-Dichloro-2,2-bis (4-ethyl-phenyl-) ethane	►M14 Diphenyla-mine ◄
Rape seed Soya bean Mustard seed Cotton seed Others											
5. **Potatoes**	0,01 (*)	0,05 (*)	0,01 (*)	0,01 (*)	0,02 (*)	0,05 (*)	0,05 (*)	0,01 (*)	0,05 (*)	0,01 (*)	►M14 0,05 (*) ◄
Early potatoes Ware potatoes											
6. **Tea** (dried leaves and stalks, fermented or otherwise, *Camellia sinensis*)	0,1 (*)	0,1 (*)	0,1 (*)	0,1 (*)	0,1 (*)	0,1 (*)	0,1 (*)	0,1 (*)	0,1 (*)	0,1 (*)	►M14 0,05 (*) ◄
7. **Hops** (dried), including hop pellets and unconcentrated powder	0,1 (*)	0,1 (*)	0,1 (*)	0,1 (*)	0,1 (*)	0,1 (*)	0,1 (*)	0,1 (*)	0,1 (*)	0,1 (*)	►M14 0,05 (*) ◄

(*) Indicates lower limit of analytical determination.

▼**M15**

Groups and examples of individual products to which the MRLs apply	Pesticide residues and maximum residue levels (mg/kg)
	Kresoxim methyl
1. **Fruit, fresh, dried or uncooked, preserved by freezing, not containing added sugar; nuts**	
(i) CITRUS FRUIT	►**M20** 0,05 (P) (*) ◄
Grapefruit	
Lemons	
Limes	
Mandarins (including clementines and other hybrids)	
Oranges	
Pomelos	
Others	
(ii) TREE NUTS (SHELLED OR UNSHELLED)	►**M20** 0,1 (P) (*) ◄
Almonds	
Brazil nuts	
Cashew nuts	
Chestnuts	
Coconuts	
Hazelnuts	
Macadamia	
Pecans	
Pine nuts	
Pistachios	
Walnuts	
Others	
(iii) POME FRUIT	►**M20** 0,2 (P) ◄
Apples	
Pears	
Quinces	
Others	
(iv) STONE FRUIT	►**M20** 0,05 (P) (*) ◄
Apricots	
Cherries	
Peaches (including nectarines and similar hybrids)	
Plums	
Others	
(v) BERRIES AND SMALL FRUIT	
(a) Table and wine grapes	►**M20** 1 (P) ◄
Table grapes	
Wine grapes	
(b) Strawberries (other than wild)	►**M23** 0,2 (P) (*) ◄
(c) Cane fruit (other than wild)	►**M20** 0,05 (P) (*) ◄
Blackberries	
Dewberries	
Loganberries	
Raspberries	
Others	
(d) Other small fruit and berries (other than wild)	►**M20** ——— ◄
Bilberries	
Cranberries	
Currants (red, black and white)	►**M20** 1 (P) ◄
Gooseberries	►**M20** 1 (P) ◄
Others	►**M20** 0,05 (P) (*) ◄
(e) Wild berries and wild fruit	►**M20** 0,05 (P) (*) ◄
(vi) MISCELLANEOUS	
Avocados	
Bananas	
Dates	

▼**M15**

Groups and examples of individual products to which the MRLs apply	Pesticide residues and maximum residue levels (mg/kg)
	Kresoxim methyl
Figs	
Kiwi	
Kumquats	
Litchis	
Mangoes	
Olives	►**M20** 0,2 (P) ◄
Passion fruit	
Pineapples	
Pomegranates	
Others	►**M20** 0,05 (P) (*) ◄
2. **Vegetables, fresh or uncooked, frozen or dry**	
(i) ROOT AND TUBER VEGETABLES	►**M20** 0,05 (P) (*) ◄
Beetroot	
Carrots	
Celeriac	
Horseradish	
Jerusalem artichokes	
Parsnips	
Parsley root	
Radishes	
Salsify	
Sweet potatoes	
Swedes	
Turnips	
Yam	
Others	
(ii) BULB VEGETABLES	►**M20** 0,05 (P) (*) ◄
Garlic	
Onions	
Shallots	
Spring onions	
Others	
(iii) FRUITING VEGETABLES	
(a) Solanacea	
Tomatoes	►**M20** 0,5 (P) ◄
Peppers	►**M20** 1 (P) ◄
Aubergines	►**M20** 0,5 (P) ◄
Others	►**M20** 0,05 (P) (*) ◄
(b) Cucurbits — edible peel	►**M20** 0,05 (P) (*) ◄
Cucumbers	
Gherkins	
Courgettes	
Others	
(c) Cucurbits — inedible peel	►**M20** 0,2 (P) ◄
Melons	
Squashes	
Watermelons	
Others	
(d) Sweetcorn	►**M20** 0,05 (P) (*) ◄
(iv) BRASSICA VEGETABLES	►**M20** 0,05 (P) (*) ◄
(a) Flowering brassica	
Broccoli	
Cauliflower	
Others	
(b) Head brassica	
Brussels sprouts	
Head cabbage	
Others	

▼**M15**

Groups and examples of individual products to which the MRLs apply	Pesticide residues and maximum residue levels (mg/kg)
	Kresoxim methyl
(c) Leafy brassica Chinese cabbage Kale Others (d) Kohlrabi	
(v) LEAF VEGETABLES AND FRESH HERBS	►**M20** 0,05 (P) (*) ◄
(a) Lettuce and similar Cress Lamb's lettuce Lettuce Scarole Others (b) Spinach and similar Spinach Beet leaves (chard) Others (c) Watercress (d) Witloof (e) Herbs Chervil Chives Parsley Celery leaves Others	
(vi) LEGUME VEGETABLES (fresh)	►**M20** 0,05 (P) (*) ◄
Beans (with pods) Beans (without pods) Peas (with pods) Peas (without pods) Others	
(vii) STEM VEGETABLES (fresh)	►**M20** 0,05 (P) (*) ◄
Asparagus Cardoons Celery Fennel Globe artichokes Leeks Rhubarb Others	
(viii) FUNGI	►**M20** 0,05 (P) (*) ◄
(a) Cultivated mushrooms (b) Wild mushrooms	
3. Pulses	►**M20** 0,05 (P) (*) ◄
Beans Lentils Peas Others	
4. Oil seeds	►**M20** 0,1 (P) (*) ◄
Linseed Peanuts Poppy seeds Sesame seeds Sunflower seed Rape seed Soya bean Mustard seed Cotton seed	

▼**M15**

Groups and examples of individual products to which the MRLs apply	Pesticide residues and maximum residue levels (mg/kg)
	Kresoxim methyl
Others	
5. Potatoes	►**M20** 0,05 (P) (*) ◄
Early potatoes	
Ware potatoes	
6. Tea (leaves and stems dried, fermented or otherwise, from the leaves of Camellia sinensis)	►**M20** 0,1 (P) (*) ◄
7. Hops (dried), including hop pellets and unconcentrated powder	►**M20** 0,1 (P) (*) ◄

(*) Indicates lower limit of analytical determination.

►**M20** (P) Indicates provisional maximum residue level established in accordance with Directive 91/414/EC Article 4(i)(f); all provisional maximum residue levels for these pesticides will be treated as definitive in accordance with Article 10 of the Directive with effect from 1 August 2003 for azoxystrobin and 19 October 2004 for kresoxim methyl. ◄

▼**M16**

Groups and examples of individual products to which the MRLs apply	Pesticide residues and maximum residue levels (mg/kg)
	Spiroxamine
1. **Fruit, fresh, dried or uncooked, preserved by freezing, not containing added sugar; nuts**	
(i) CITRUS FRUIT	0,05 (p) (*)
Grapefruit	
Lemons	
Limes	
Mandarins (including clementines and other hybrids)	
Oranges	
Pomelos	
Others	
(ii) TREE NUTS (SHELLED OR UNSHELLED)	0,05 (p) (*)
Almonds	
Brazil nuts	
Cashew nuts	
Chestnuts	
Coconuts	
Hazelnuts	
Macadamia	
Pecans	
Pine nuts	
Pistachios	
Walnuts	
Others	
(iii) POME FRUIT	0,05 (p) (*)
Apples	
Pears	
Quinces	
Others	
(iv) STONE FRUIT	0,05 (p) (*)
Apricots	
Cherries	
Peaches (including nectarines and similar hybrids)	
Plums	
Others	
(v) BERRIES AND SMALL FRUIT	
(a) Table and wine grapes	1 (p)
Table grapes	
Wine grapes	
(b) Strawberries (other than wild)	0,05 (p) (*)
(c) Cane fruit (other than wild)	0,05 (p) (*)
Blackberries	
Dewberries	
Loganberries	
Raspberries	
Others	
(d) Other small fruit and berries (other than wild)	0,05 (p) (*)
Bilberries	
Cranberries	
Currants (red, black and white)	
Gooseberries	
Others	
(e) Wild berries and wild fruit	0,05 (p) (*)
(vi) MISCELLANEOUS	0,05 (p) (*)
Avocados	
Bananas	
Dates	

▼**M16**

Groups and examples of individual products to which the MRLs apply	Pesticide residues and maximum residue levels (mg/kg)
	Spiroxamine
Figs	
Kiwi fruit	
Kumquats	
Litchis	
Mangoes	
Olives	
Passion fruit	
Pineapples	
Pomegranates	
Others	
2. Vegetables, fresh or uncooked, frozen or dry	0,05 (p) (*)
(i) ROOT AND TUBER VEGETABLES	
Beetroot	
Carrots	
Celeriac	
Horseradish	
Jerusalem artichokes	
Parsnips	
Parsley root	
Radishes	
Salsify	
Sweet potatoes	
Swedes	
Turnips	
Yam	
Others	
(ii) BULB VEGETABLES	
Garlic	
Onions	
Shallots	
Spring onions	
Others	
(iii) FRUITING VEGETABLES	
(a) Solanacea	
Tomatoes	
Peppers	
Aubergines	
Others	
(b) Cucurbits — edible peel	
Cucumbers	
Gherkins	
Courgettes	
Others	
(c) Cucurbits — inedible peel	
Melons	
Squashes	
Watermelons	
Others	
(d) Sweetcorn	
(iv) BRASSICA VEGETABLES	
(a) Flowering brassica	
Broccoli	
Cauliflower	
Others	
(b) Head brassica	
Brussels sprouts	
Head cabbage	
Others	

▼**M16**

Groups and examples of individual products to which the MRLs apply	Pesticide residues and maximum residue levels (mg/kg)
	Spiroxamine
(c) Leafy brassica	
Chinese cabbage	
Kale	
Others	
(d) Kohlrabi	
(v) LEAF VEGETABLES AND FRESH HERBS	
(a) Lettuce and similar	
Cress	
Lamb's lettuce	
Lettuce	
Scarole	
Others	
(b) Spinach and similar	
Spinach	
Beet leaves (chard)	
Others	
(c) Watercress	
(d) Witloof	
(e) Herbs	
Chervil	
Chives	
Parsley	
Celery leaves	
Others	
(vi) LEGUME VEGETABLES (fresh)	
Beans (with pods)	
Beans (without pods)	
Peas (with pods)	
Peas (without pods)	
Others	
(vii) STEM VEGETABLES (fresh)	
Asparagus	
Cardoons	
Celery	
Fennel	
Globe artichokes	
Leeks	
Rhubarb	
Others	
(viii) FUNGI	
(a) Cultivated mushrooms	
(b) Wild mushrooms	
3. Pulses	0,05 (p) (*)
Beans	
Lentils	
Peas	
Others	
4. Oil seeds	0,05 (p) (*)
Linseed	
Peanuts	
Poppy seeds	
Sesame seeds	
Sunflower seed	
Rape seed	
Soya bean	
Mustard seed	
Cotton seed	

▼**M16**

Groups and examples of individual products to which the MRLs apply	Pesticide residues and maximum residue levels (mg/kg)
	Spiroxamine
Others	
5. Potatoes	0,05 (p) (*)
Early potatoes	
Ware potatoes	
6. Tea (leaves and stems dried, fermented or otherwise, from the leaves of Camellia sinensis)	0,1 (p) (*)
7. Hops (dried), including hop pellets and unconcentrated powder	0,1 (p) (*)

(*) Indicates lower limit of analytical determination.
(p) Indicates provisional maximum residue level.

▼M17

Groups and examples of individual products to which the MRLs would apply	Pesticide residue and maximum residue level (mg/kg)							
	Azinphosethyl	Chlozolinate	Dinoterb	DNOC	Monolinuron	Propham	Pyrazophos	Tecnazene
1. **Fruit, fresh, dried or uncooked, preserved by freezing, not containing added sugar; nuts**	0,05 (*)	0,05 (*)	0,05 (*)	0,05 (*)	0,05 (*)	0,05 (*)	0,05 (*)	0,05 (*)
(I) CITRUS FRUIT								
Grapefruit								
Lemons								
Limes								
Mandarins (including clementines and other hybrids)								
Oranges								
Pomelos								
Others								
(II) TREE NUTS (shelled or unshelled)								
Almonds								
Brazil nuts								
Cashew nuts								
Chestnuts								
Coconuts								
Hazelnuts								
Macadamia								
Pecans								
Pine nuts								
Pistachios								
Walnuts								
Others								
(III) POME FRUIT								
Apples								
Pears								
Quinces								
Others								
(IV) STONE FRUIT								
Apricots								
Cherries								

▼M17

Groups and examples of individual products to which the MRLs would apply	Pesticide residue and maximum residue level (mg/kg)							
	Azinphosethyl	Chlozolinate	Dinoterb	DNOC	Monolinuron	Propham	Pyrazophos	Tecnazene
Peaches (including nectarines and similar hybrids)								
Plums								
Others								
(V) BERRIES AND SMALL FRUIT								
(a) Table and wine grapes								
Table grapes								
Wine grapes								
(b) Strawberries (other than wild)								
(c) Cane fruit (other than wild)								
Blackberries								
Dewberries								
Loganberries								
Raspberries								
Others								
(d) Other small fruit and berries (other than wild)								
Bilberries								
Cranberries								
Currants (red, black and white)								
Gooseberries								
Others								
(e) Wild berries and wild fruit								
(VI) MISCELLANEOUS								
Avocados								
Bananas								
Dates								
Figs								
Kiwi								
Kumquats								
Litchis								
Mangoes								
Olives								
Passion fruit								
Pineapples								

▼M17

Groups and examples of individual products to which the MRLs would apply	Pesticide residue and maximum residue level (mg/kg)							
	Azinphosethyl	Chlozolinate	Dinoterb	DNOC	Monolinuron	Propham	Pyrazophos	Tecnazene
Pomegranate								
Others								
2. **Vegetables, fresh or uncooked, frozen or dry**	0,05 (*)	0,05 (*)	0,05 (*)	0,05 (*)	0,05 (*)	0,05 (*)	0,05 (*)	0,05 (*)
(I) ROOT AND TUBER VEGETABLES								
Beetroot								
Carrots								
Celeriac								
Horseradish								
Jerusalem artichokes								
Parsnips								
Parsley root								
Radishes								
Salsify								
Sweet potatoes								
Swedes								
Turnips								
Yam								
Others								
(II) BULB VEGETABLES								
Garlic								
Onions								
Shallots								
Spring onions								
Others								
(III) FRUITING VEGETABLES								
(a) Solanacea								
Tomatoes								
Peppers								
Aubergines								
Others								
(b) Cucurbits — edible peel								
Cucumbers								
Gherkins								
Courgettes								

▼M17

Groups and examples of individual products to which the MRLs would apply	Pesticide residue and maximum residue level (mg/kg)							
	Azinphosethyl	Chlozolinate	Dinoterb	DNOC	Monolinuron	Propham	Pyrazophos	Tecnazene
Others								
(c) Cucurbits — inedible peel								
Melons								
Squashes								
Watermelons								
Others								
(d) Sweet corn								
(IV) BRASSICA VEGETABLES								
(a) Flowering brassica								
Broccoli (including Calabrese)								
Cauliflower								
Others								
(b) Head brassica								
Brussels sprouts								
Head cabbage								
Others								
(c) Leafy brassica								
Chinese cabbage								
Kale								
Others								
(d) Kohlrabi								
(V) LEAF VEGETABLES AND FRESH HERBS								
(a) Lettuce and similar								
Cress								
Lamb's lettuce								
Lettuce								
Scarole (broad-leaf endive)								
Others								
(b) Spinach and similar								
Spinach								
Beet leaves (chard)								
Others								
(c) Water cress								
(d) Witloof								
(e) Herbs								
Chervil								

▼M17

Groups and examples of individual products to which the MRLs would apply	Pesticide residue and maximum residue level (mg/kg)							
	Azinphosethyl	Chlozolinate	Dinoterb	DNOC	Monolinuron	Propham	Pyrazophos	Tecnazene
Chives								
Parsley								
Celery leaves								
Others								
(VI) LEGUME VEGETABLES (fresh)								
Beans (with pods)								
Beans (without pods)								
Peas (with pods)								
Peas (without pods)								
Others								
(VII) STEM VEGETABLES (fresh)								
Asparagus								
Cardoons								
Celery								
Fennel								
Globe artichokes								
Leek								
Rhubarb								
Others								
(VIII) FUNGI								
(a) Cultivated mushrooms								
(b) Wild mushrooms								
3. **Pulses**	0,05 (*)	0,05 (*)	0,05 (*)	0,05 (*)	0,05 (*)	0,05 (*)	0,05 (*)	0,05 (*)
Beans								
Lentils								
Peas								
Others								
4. **Oilseeds**	0,05 (*)	0,05 (*)	0,05 (*)	0,05 (*)	0,05 (*)	0,05 (*)	0,05 (*)	0,05 (*)
Linseed								
Peanuts								
Poppy seed								
Sesame seed								
Sunflower seed								

▼M17

Groups and examples of individual products to which the MRLs would apply	Pesticide residue and maximum residue level (mg/kg)							
	Azinphosethyl	Chlozolinate	Dinoterb	DNOC	Monolinuron	Propham	Pyrazophos	Tecnazene
Rape seed Soya bean Mustard seed Cotton seed Others								
5. **Potatoes** Early potatoes Ware potatoes	0,05 (*)	0,05 (*)	0,05 (*)	0,05 (*)	0,05 (*)	0,05 (*)	0,05 (*)	0,05 (*)
6. **Tea** (dried leaves and stalks, fermented or otherwise, *Camellia sinensis*)	0,1 (*)	0,1 (*)	0,1 (*)	0,1 (*)	0,1 (*)	0,1 (*)	0,1 (*)	0,1 (*)
7. **Hops** (dried), including hop pellets and unconcentrated powder	0,1 (*)	0,1 (*)	0,1 (*)	0,1 (*)	0,1 (*)	0,1 (*)	0,1 (*)	0,1 (*)

(*) Indicates lower limit of analytical determination.

▼**M19**

Groups and examples of individual products to which the MRLs apply	Pesticide residues and maximum residue levels (mg/kg)	
	Azimsulfuron	Prohexadione (prohexadione and its salts expressed as prohexadione)
1. **Fruits, fresh, dried or uncooked, preserved by freezing, not containing added sugar; nuts**	0,02 (P) (*)	0,05 (P) (*)
(i) CITRUS FRUIT		
Grapefruit		
Lemons		
Limes		
Mandarins (including clementines and other hybrids)		
Oranges		
Pomelos		
Others		
(ii) TREE NUTS (shelled or unshelled)		
Almonds		
Brazil nuts		
Cashew nuts		
Chestnuts		
Coconuts		
Hazelnuts		
Macadamia		
Pecans		
Pine nuts		
Pistachios		
Walnuts		
Others		
(iii) POME FRUIT		
Apples		
Pears		
Quinces		
Others		
(iv) STONE FRUIT		
Apricots		
Cherries		
Peaches (including nectarines and similar hybrids)		
Plums		
Others		
(v) BERRIES AND SMALL FRUIT		
(a) Table and wine grapes		
Table grapes		
Wine grapes		
(b) Strawberries (other than wild)		
(c) Cane fruit (other than wild)		
Blackberries		
Dewberries		
Loganberries		
Raspberries		
Others		
(d) Other small fruit and berries (other than wild)		
Bilberries		
Cranberries		
Currants (red, black and white)		
Gooseberries		
Others		
(e) Wild berries and wild fruit		
(vi) MISCELLANEOUS		

▼**M19**

Groups and examples of individual products to which the MRLs apply	Pesticide residues and maximum residue levels (mg/kg)	
	Azimsulfuron	Prohexadione (prohexadione and its salts expressed as prohexadione)
Avocados		
Bananas		
Dates		
Figs		
Kiwi		
Kumquats		
Litchis		
Mangoes		
Olives		
Passion fruit		
Pineapples		
Pomegranate		
Others		
2. **Vegetables, fresh or uncooked, frozen or dry**	0,02 (P) (*)	0,05 (P) (*)
(i) ROOT AND TUBER VEGETABLES		
Beetroot		
Carrots		
Celeriac		
Horseradish		
Jerusalem artichokes		
Parsnips		
Parsley root		
Radishes		
Salsify		
Sweet potatoes		
Swedes		
Turnips		
Yam		
Others		
(ii) BULB VEGETABLES		
Garlic		
Onions		
Shallots		
Spring onions		
Others		
(iii) FRUITING VEGETABLES		
(a) Solanacea		
Tomatoes		
Peppers		
Aubergines		
Others		
(b) Cucurbits — edible peel		
Cucumbers		
Gherkins		
Courgettes		
Others		
(c) Cucurbits — inedible peel		
Melons		
Squashes		
Watermelons		
Others		
(d) Sweetcorn		
(iv) BRASSICA VEGETABLES		
(a) Flowering brassica		
Broccoli		
Cauliflower		

▼**M19**

Groups and examples of individual products to which the MRLs apply	Pesticide residues and maximum residue levels (mg/kg)	
	Azimsulfuron	Prohexadione (prohexadione and its salts expressed as prohexadione)
Others		
(b) Head brassica		
Brussels sprouts		
Head cabbage		
Others		
(c) Leafy brassica		
Chinese cabbage		
Kale		
Others		
(d) Kohlrabi		
(v) LEAF VEGETABLES AND FRESH HERBS		
(a) Lettuce and similar		
Cress		
Lamb's lettuce		
Lettuce		
Scarole		
Others		
(b) Spinach and similar		
Spinach		
Beet leaves (chard)		
Others		
(c) Watercress		
(d) Witloof		
(e) Herbs		
Chervil		
Chives		
Parsley		
Celery leaves		
Others		
(vi) LEGUME VEGETABLES (fresh)		
Beans (with pods)		
Beans (without pods)		
Peas (with pods)		
Peas (without pods)		
Others		
(vii) STEM VEGETABLES (fresh)		
Asparagus		
Cardoons		
Celery		
Fennel		
Globe artichokes		
Leek		
Rhubarb		
Others		
(viii) FUNGI		
(a) Cultivated mushrooms		
(b) Wild mushrooms		
3. **Pulses**	0,02 (P) (*)	0,05 (P) (*)
Beans		
Lentils		
Peas		
Others		
4. **Oils seeds**	0,1 (P) (*)	0,1 (P) (*)
Linseed		
Peanuts		
Poppy seeds		

▼**M19**

Groups and examples of individual products to which the MRLs apply	Pesticide residues and maximum residue levels (mg/kg)	
	Azimsulfuron	Prohexadione (prohexadione and its salts expressed as prohexadione)
Sesame seeds		
Sunflower seed		
Rapeseed		
Soya bean		
Mustard seed		
Cotton seed		
Others		
5. **Potatoes**	0,02 (P) (*)	0,05 (P) (*)
Early potatoes		
Ware potatoes		
6. **Tea** (leaves and stems, dried, fermented or otherwise, from the leaves of *Camellia sinensis*)	0,1 (P) (*)	0,1 (P) (*)
7. **Hops** (dried), including hop pellets and unconcentrated powder	0,1 (P) (*)	0,1 (P) (*)

(*) Indicates lower limit of analytical determination.
(P) Indicates provisional maximum residue level established in accordance with Article 4(1)(f) of Directive 91/414/EEC: all provisional maximum residue levels for these pesticide residues will be treated as definitive in accordance with Article 10 of the Directive with effect from four years after the entry into force of this Directive.

▼**M21**

Groups and examples of individual products to which the maximum residue levels apply	Pesticide residues and maximum residue levels (mg/kg)
	Fluroxypyr including its esters expressed as fluroxypyr
1. **Fruit, fresh, dried or uncooked, preserved by freezing, not containing added sugar; nuts**	0,05 (*) (P)
(i) CITRUS FRUIT	
Grapefruit	
Lemons	
Limes	
Mandarins (including clementines and other hybrids)	
Oranges	
Pomelos	
Others	
(ii) TREE NUTS (shelled or unshelled)	
Almonds	
Brazil nuts	
Cashew nuts	
Chestnuts	
Coconuts	
Hazelnuts	
Macadamia	
Pecans	
Pine nuts	
Pistachios	
Walnuts	
Others	
(iii) POME FRUIT	
Apples	
Pears	
Quinces	
Others	
(iv) STONE FRUIT	
Apricots	
Cherries	
Peaches (including nectarines and similar hybrids)	
Plums	
Others	
(v) BERRIES AND SMALL FRUIT	
(a) Table and wine grapes	
Table grapes	
Wine grapes	
(b) Strawberries (other than wild)	
(c) Cane fruit (other than wild)	
Blackberries	
Dewberries	
Loganberries	
Raspberries	
Others	
(d) Other small fruit and berries (other than wild)	
Bilberries	
Cranberries	
Currants (red, black and white)	
Gooseberries	
Others	
(e) Wild berries and wild fruit	
(vi) MISCELLANEOUS	
Avocados	
Bananas	

▼**M21**

Groups and examples of individual products to which the maximum residue levels apply	Pesticide residues and maximum residue levels (mg/kg)
	Fluroxypyr including its esters expressed as fluroxypyr
Dates	
Figs	
Kiwi	
Kumquats	
Litchis	
Mangoes	
Olives	
Passion fruit	
Pineapples	
Pomegranates	
Others	
2. **Vegetables, fresh or uncooked, frozen or dry**	0,05 (*) (P)
(i) ROOT AND TUBER VEGETABLES	
Beetroot	
Carrots	
Celeriac	
Horseradish	
Jerusalem artichokes	
Parsnips	
Parsley root	
Radishes	
Salsify	
Sweet potatoes	
Swedes	
Turnips	
Yam	
Others	
(ii) BULB VEGETABLES	
Garlic	
Onions	
Shallots	
Spring onions	
Others	
(iii) FRUITING VEGETABLES	
(a) Solanacea	
Tomatoes	
Peppers	
Aubergines	
Others	
(b) Cucurbits — edible peel	
Cucumbers	
Gherkins	
Courgettes	
Others	
(c) Cucurbits — inedible peel	
Melons	
Squashes	
Watermelons	
Others	
(d) Sweetcorn	
(iv) BRASSICA VEGETABLES	
(a) Flowering brassica	
Broccoli	
Cauliflower	
Others	
(b) Head brassica	

▼**M21**

Groups and examples of individual products to which the maximum residue levels apply	Pesticide residues and maximum residue levels (mg/kg)
	Fluroxypyr including its esters expressed as fluroxypyr
Brussels sprouts	
Head cabbage	
Others	
(c) Leafy brassica	
Chinese cabbage	
Kale	
Others	
(d) Kohlrabi	
(v) LEAF VEGETABLES AND FRESH HERBS	
(a) Lettuce and similar	
Cress	
Lamb's lettuce	
Lettuce	
Scarole	
Others	
(b) Spinach and similar	
Spinach	
Beet leaves (chard)	
Others	
(c) Watercress	
(d) Witloof	
(e) Herbs	
Chervil	
Chives	
Parsley	
Celery leaves	
Others	
(vi) LEGUME VEGETABLES (fresh)	
Beans (with pods)	
Beans (without pods)	
Peas (with pods)	
Peas (without pods)	
Others	
(vii) STEM VEGETABLES (fresh)	
Asparagus	
Cardoons	
Celery	
Fennel	
Globe artichokes	
Leek	
Rhubarb	
Others	
(viii) FUNGI	
(a) Cultivated mushrooms	
(b) Wild mushrooms	
3. **Pulses**	0,05 (*) (P)
Beans	
Lentils	
Peas	
Others	
4. **Oil seeds**	0,05 (*) (P)
Linseed	
Peanuts	
Poppy seeds	
Sesame seeds	
Sunflower seeds	

▼**M21**

Groups and examples of individual products to which the maximum residue levels apply	Pesticide residues and maximum residue levels (mg/kg)
	Fluroxypyr including its esters expressed as fluroxypyr
Rape seed	
Soya bean	
Mustard seed	
Cotton seed	
Others	
5. **Potatoes**	0,05 (*) (P)
Early potatoes	
Ware potatoes	
6. **Tea** (leaves and stems, dried, fermented or otherwise, from the leaves of *Camellia sinensis*)	0,1 (*) (P)
7. **Hops** (dried), including hop pellets and unconcentrated powder	0,1 (*) (P)

(*) Indicates lower limit of analytical determination.
(P) Indicates provisional maximum residue level established in accordance with Article 4(1)(f) of Directive 91/414/EEC: all provisional maximum residue levels for these pesticide residues will be treated as definitive in accordance with Article 10 of the Directive with effect from four years after the entry into force of this Directive.

▼M24

Groups and examples of individual products to which the MRLs apply	Pesticide residues and maximum residue levels (mg/kg)	
	Bentazone (sum of bentazone and the conjugates of 6-OH- and 8-OH-bentazone expressed as bentazone)	Pyridate (sum of pyridate, its hydrolysis product CL 9673 (6-chloro-4-hydroxy-3-phenylpridazin) and hydrolysable conjugates of CL 9673 expressed as pyridate)
1. **Fruits, fresh, dried or uncooked, preserved by freezing, not containing added sugar: nuts**	0,1 (P) (*)	0,05 (P) (*)
(i) CITRUS FRUIT		
Grapefruit		
Lemons		
Limes		
Mandarins (including clementines and other hybrids)		
Oranges		
Pomelos		
Others		
(ii) TREE NUTS (shelled or unshelled)		
Almonds		
Brazil nuts		
Cashew nuts		
Chestnuts		
Coconuts		
Hazelnuts		
Macadamia		
Pecans		
Pine nuts		
Pistachios		
Walnuts		
Others		
(iii) POME FRUIT		
Apples		
Pears		
Quinces		
Others		
(iv) STONE FRUIT		
Apricots		
Cherries		
Peaches (including nectarines and similar hybrids)		
Plums		
Others		
(v) BERRIES AND SMALL FRUIT		
(a) Table and wine grapes		
Table grapes		
Wine grapes		
(b) Strawberries (other than wild)		
(c) Cane fruit (other than wild)		
Blackberries		
Dewberries		
Loganberries		
Raspberries		
Others		
(d) Other small fruit and berries (other than wild)		
Bilberries		
Cranberries		
Currants (red, black and white)		

▼M24

Groups and examples of individual products to which the MRLs apply	Pesticide residues and maximum residue levels (mg/kg)	
	Bentazone (sum of bentazone and the conjugates of 6-OH- and 8-OH-bentazone expressed as bentazone)	Pyridate (sum of pyridate, its hydrolysis product CL 9673 (6-chloro-4-hydroxy-3-phenylpridazin) and hydrolysable conjugates of CL 9673 expressed as pyridate)
Gooseberries		
Others		
(e) Wild berries and wild fruit		
(vi) MISCELLANEOUS		
Avocados		
Banans		
Dates		
Figs		
Kiwi		
Kumquats		
Litchis		
Mangoes		
Olives		
Passion fruit		
Pineapples		
Pomegranate		
Others		
2. **Vegetables, fresh or uncooked, frozen or dry**		
(i) ROOT AND TUBER VEGETABLES	0,1 (P) (*)	0,05 (P) (*)
Beetroot		
Carrots		
Celeriac		
Horseradish		
Jerusalem artichokes		
Parsnips		
Parsley root		
Radishes		
Salsify		
Sweet potatoes		
Swedes		
Turnips		
Yam		
Others		
(ii) BULB VEGETABLES	0,1 (P) (*)	0,05 (P) (*)
Garlic		
Onions		
Shallots		
Spring onions		
Others		
(iii) FRUITING VEGETABLES	0,1 (P) (*)	0,05 (P) (*)
(a) Solanacea		
Tomatoes		
Peppers		
Aubergines		
Others		
(b) Cucurbits — edible peel		
Cucumbers		
Gherkins		
Courgettes		
Others		
(c) Cucurbits — inedible peel		

▼**M24**

Groups and examples of individual products to which the MRLs apply	Pesticide residues and maximum residue levels (mg/kg)	
	Bentazone (sum of bentazone and the conjugates of 6-OH- and 8-OH-bentazone expressed as bentazone)	Pyridate (sum of pyridate, its hydrolysis product CL 9673 (6-chloro-4-hydroxy-3-phenylpridazin) and hydrolysable conjugates of CL 9673 expressed as pyridate)
Melons		
Squashes		
Watermelons		
Others		
(d) Sweetcorn		
(iv) BRASSICA VEGETABLES	0,1 (P) (*)	
(a) Flowering brassica		0,05 (P) (*)
Broccoli		
Cauliflower		
Others		
(b) Head brassica		0,05 (P) (*)
Brussels sprouts		
Head cabbage		
Others		
(c) Leafy brassica		
Chinese cabbage		
Kale		0,2 (P)
Others		0,05 (P) (*)
(d) Kohlrabi		0,05 (P) (*)
(v) LEAF VEGETABLES AND FRESH HERBS		0,05 (P) (*)
(a) Lettuce and similar	0,1 (P) (*)	
Cress		
Lamb's lettuce		
Lettuce		
Scarole		
Others		
(b) Spinach and similar	0,1 (P) (*)	
Spinach		
Beet leaves (chard)		
Others		
(c) Water cress	0,1 (P) (*)	
(d) Witloof	0,1 (P) (*)	
(e) Herbs	0,1 (P) (*)	
Chervil		
Chives		
Parsley		
Celery leaves		
Others		
(vi) LEGUME VEGETABLES (fresh)		0,05 (P) (*)
Beans (with pods)		
Beans (without pods)		
Peas (with pods)	0,5 (P)	
Peas (without pods)	0,2 (P)	
Others	0,1 (P) (*)	
(vii) STEM VEGETABLES (fresh)	0,1 (P) (*)	
Asparagus		
Cardoons		
Celery		
Fennel		
Globe artichokes		
Leek		1 (P)
Rhubarb		
Others		0,05 (P) (*)

▼**M24**

Groups and examples of individual products to which the MRLs apply	Pesticide residues and maximum residue levels (mg/kg)	
	Bentazone (sum of bentazone and the conjugates of 6-OH- and 8-OH-bentazone expressed as bentazone)	Pyridate (sum of pyridate, its hydrolysis product CL 9673 (6-chloro-4-hydroxy-3-phenyl-pridazin) and hydrolysable conjugates of CL 9673 expressed as pyridate)
(viii) FUNGI	0,1 (P) (*)	0,05 (P) (*)
(a) Cultivated mushrooms		
(b) Wild mushrooms		
3. **Pulses**	0,1 (P) (*)	0,05 (P) (*)
Beans		
Lentils		
Peas		
Others		
4. **Oils seeds**		0,05 (P) (*)
Linseed		
Peanuts		
Poppy seed		
Sesame seed		
Sunflower seed		
Rapeseed		
Soya bean	0,1 (P)	
Mustard seed		
Cotton seed		
Others	0,1 (P) (*)	
5. **Potatoes**	0,1 (P) (*)	0,05 (P) (*)
Early potatoes		
Ware potatoes		
6. **Tea** (leaves and stems, dried, fermented or otherwise, of *Camellia sinensis*)	0,1 (P)	0,1 (P) (*)
7. **Hops** (dried), including hop pellets and unconcentrated powder	0,1 (P) (*)	0,1 (P) (*)

►**C5** (P) Indicates provisional maximum residue level in accordance with Article 4(1)(f) of Directive 91/414/EEC: unless amended, this level will become definitive with effect from 4 years from date of coming into force of the Directive introducing this amendment. ◄

(*) Indicates lower limit of analtical determination.

▼**M25**

Groups and examples of individual products to which the MRLs apply	Pesticide residues and maximum residue levels (mg/kg)			
	Lindane	Quintozene (sum of quintozene, and pentachloroaniline expressed as quintozene)	Permethrin (sum of isomers)	Parathion
1. **Fruits, fresh, dried or uncooked, preserved by freezing, not containing added sugar: nuts**	0,01 (*)	0,02 (*)	0,05 (*)	
(i) CITRUS FRUIT				
Grapefruit				
Lemons				
Limes				
Mandarins (including clementines and other hybrids)				
Oranges				
Pomelos				
Others				
(ii) TREE NUTS (shelled or unshelled)				
Almonds				
Brazil nuts				
Cashew nuts				
Chestnuts				
Coconuts				
Hazelnuts				
Macadamia				
Pecans				
Pine nuts				
Pistachios				
Walnuts				
Others				
(iii) POME FRUIT				
Apples				
Pears				
Quinces				
Others				
(iv) STONE FRUIT				
Apricots				
Cherries				
Peaches (including nectarines and similar hybrids)				
Plums				
Others				
(v) BERRIES AND SMALL FRUIT				
(a) Table and wine grapes				
Table grapes				
Wine grapes				
(b) Strawberries (other than wild)				
(c) Cane fruit (other than wild)				
Blackberries				
Dewberries				
Loganberries				
Raspberries				
Others				
(d) Other small fruit and berries (other than wild)				
Bilberries				
Cranberries				
Currants (red, black and white)				

▼**M25**

Groups and examples of individual products to which the MRLs apply	Pesticide residues and maximum residue levels (mg/kg)			
	Lindane	Quintozene (sum of quintozene, and pentachloroaniline expressed as quintozene)	Permethrin (sum of isomers)	Parathion
Gooseberries				
Others				
(e) Wild berries and wild fruit				
(vi) MISCELLANEOUS				
Avocados				
Banans				
Dates				
Figs				
Kiwi				
Kumquats				
Litchis				
Mangoes				
Olives				
Passion fruit				
Pineapples				
Pomegranate				
Others				
2. **Vegetables, fresh or uncooked, frozen or dry**	0,01 (*)	0,02 (*)	0,05 (*)	
(i) ROOT AND TUBER VEGETABLES				
Beetroot				
Carrots				
Celeriac				
Horseradish				
Jerusalem artichokes				
Parsnips				
Parsley root				
Radishes				
Salsify				
Sweet potatoes				
Swedes				
Turnips				
Yam				
Others				
(ii) BULB VEGETABLES				
Garlic				
Onions				
Shallots				
Spring onions				
Others				
(iii) FRUITING VEGETABLES				
(a) Solanacea				
Tomatoes				
Peppers				
Aubergines				
Others				
(b) Cucurbits — edible peel				
Cucumbers				
Gherkins				
Courgettes				
Others				
(c) Cucurbits — inedible peel				
Melons				
Squashes				

▼**M25**

Groups and examples of individual products to which the MRLs apply	Pesticide residues and maximum residue levels (mg/kg)			
	Lindane	Quintozene (sum of quintozene, and pentachloroaniline expressed as quintozene)	Permethrin (sum of isomers)	Parathion
Watermelons				
Others				
(d) Sweetcorn				
(iv) BRASSICA VEGETABLES				
(a) Flowering brassica				
Broccoli				
Cauliflower				
Others				
(b) Head brassica				
Brussels sprouts				
Head cabbage				
Others				
(c) Leafy brassica				
Chinese cabbage				
Kale				
Others				
(d) Kohlrabi				
(v) LEAF VEGETABLES AND FRESH HERBS				
(a) Lettuce and similar				
Cress				
Lamb's lettuce				
Lettuce				
Scarole (broad-leaf endive)				
Others				
(b) Spinach and similar				
Spinach				
Beet leaves (chard)				
Others				
(c) Watercress				
(d) Witloof				
(e) Herbs				
Chervil				
Chives				
Parsley				
Celery leaves				
Others				
(vi) LEGUME VEGETABLES (fresh)				
Beans (with pods)				
Beans (without pods)				
Peas (with pods)				
Peas (without pods)				
Others				
(vii) STEM VEGETABLES (fresh)				
Asparagus				
Cardoons				
Celery				
Fennel				
Globe artichokes				
Leek				
Rhubarb				
Others				
(viii) FUNGI				
(a) Cultivated mushrooms				
(b) Wild mushrooms				

▼M25

Groups and examples of individual products to which the MRLs apply	Pesticide residues and maximum residue levels (mg/kg)			
	Lindane	Quintozene (sum of quintozene, and pentachloroaniline expressed as quintozene)	Permethrin (sum of isomers)	Parathion
3. **Pulses**	0,01 (*)	0,02 (*)	0,05 (*)	0,05 (*)
Beans				
Lentils				
Peas				
Others				
4. **Oils seeds**	0,01 (*)		0,05 (*)	
Linseed				
Peanuts		0,05 #		
Poppy seed				
Sesame seed				
Sunflower seed				
Rapeseed				
Soya bean				
Mustard seed				
Cotton seed				
Others		0,02 (*)		
5. **Potatoes**	0,01 (*)	0,02 (*)	0,05 (*)	
Early potatoes				
Ware potatoes				
6. **Tea** (leaves ans stems, dried, fermented or otherwise, of *Camellia sinensis*)	0,05 (*)	0,05 (*)	0,1 (*)	
7. **Hops** (dried), including hop pellets and unconcentrated powder	0,05 (*)	0,05 (*)	0,1 (*)	

(*) Indicates lower limit of analytical determination.
# Indicates that the MRL is based on Codex MRL.

▼**M26**

Groups and examples of individual products to which the MRLs would apply	Pesticide residue and maximum residue level (mg/kg)		
	Formothion	Oxydemeton-methyl (sum of oxydemeton-methyl and demeton-S-methylsulfone expressed as oxydemeton-methyl)	Dimethoate (sum of dimethoate and omethoate expressed as dimethoate)
1. **Fruit, fresh, dried or uncooked, preserved by freezing, not containing added sugar; nuts**		0,02 (*)	
(i) CITRUS FRUIT	0,02 (*)		0,02 (*)
Grapefruit			
Lemons			
Limes			
Mandarins (including clementines and other hybrids)			
Oranges			
Pomelos			
Others			
(ii) TREE NUTS (shelled or unshelled)	0,05 (*)		0,05 (*)
Almonds			
Brazil nuts			
Cashew nuts			
Chestnuts			
Coconuts			
Hazelnuts			
Macadamia			
Pecans			
Pine nuts			
Pistachios			
Walnuts			
Others			
(iii) POME FRUIT	0,02 (*)		0,02 (*)
Apples			
Pears			
Quinces			
Others			
(iv) STONE FRUIT	0,02 (*)		
Apricots			
Cherries			1
Peaches (including nectarines and similar hybrids)			
Plums			
Others			0,02 (*)
(v) BERRIES AND SMALL FRUIT	0,02 (*)		0,02 (*)
(a) Table and wine grapes			
Table grapes			
Wine grapes			
(b) Strawberries (other than wild)			
(c) Cane fruit (other than wild)			
Blackberries			
Dewberries			
Loganberries			
Raspberries			
Others			
(d) Other small fruit and berries (other than wild)			
Bilberries			
Cranberries			
Currants (red-, black- and white-)			

▼**M26**

Groups and examples of individual products to which the MRLs would apply	Pesticide residue and maximum residue level (mg/kg)		
	Formothion	Oxydemeton-methyl (sum of oxydemeton-methyl and demeton-S-methylsulfone expressed as oxydemeton-methyl)	Dimethoate (sum of dimethoate and omethoate expressed as dimethoate)
Gooseberries			
Others			
(e) Wild berries and wild fruit			
(vi) MISCELLANEOUS	0,02 (*)		
Avocados			
Bananas			
Dates			
Figs			
Kiwi			
Kumquats			
Litchis			
Mangoes			
Olives			2
Passion fruit			
Pineapples			
Pomegranate			
Others			0,02 (*)
2. **Vegetables, fresh or uncooked, frozen or dry**	0,02 (*)		
(i) ROOT AND TUBER VEGETABLES		0,02 (*)	0,02 (*)
Beetroot			
Carrots			
Celeriac			
Horseradish			
Jerusalem artichokes			
Parsnips			
Parsley root			
Radishes			
Salsify			
Sweet potatoes			
Swedes			
Turnips			
Yam			
Others			
(ii) BULB VEGETABLES		0,02 (*)	
Garlic			
Onions			
Shallots			
Spring onions			2
Others			0,02 (*)
(iii) FRUITING VEGETABLES		0,02 (*)	0,02 (*)
(a) Solanacea			
Tomatoes			
Peppers			
Aubergines			
Others			
(b) Cucurbits — edible peel			
Cucumbers			
Gherkins			
Courgettes			
Others			
(c) Cucurbits — inedible peel			
Melons			

▼**M26**

Groups and examples of individual products to which the MRLs would apply	Pesticide residue and maximum residue level (mg/kg)		
	Formothion	Oxydemeton-methyl (sum of oxydemeton-methyl and demeton-S-methylsulfone expressed as oxydemeton-methyl)	Dimethoate (sum of dimethoate and omethoate expressed as dimethoate)
Squashes			
Watermelons			
Others			
(d) Sweet corn			
(iv) BRASSICA VEGETABLES			
(a) Flowering brassica		0,02 (*)	
Broccoli (including Calabrese)			
Cauliflower			0,2
Others			0,02 (*)
(b) Head brassica			
Brussels sprouts		0,05	0,3
Head cabbage		0,05	1
Others		0,02 (*)	0,02 (*)
(c) Leafy brassica		0,02 (*)	0,02 (*)
Chinese cabbage			
Kale			
Others			
(d) Kohlrabi		0,05	0,02 (*)
(v) LEAF VEGETABLES AND FRESH HERBS			
(a) Lettuce and similar		0,05	
Cress			
Lamb's lettuce			
Lettuce			0,5
Scarole (broad-leaf endive)			
Others			0,02 (*)
(b) Spinach and similar		0,02 (*)	0,02 (*)
Spinach			
Beet leaves (chard)			
Others			
(c) Water cress		0,02 (*)	0,02 (*)
(d) Witloof		0,02 (*)	0,02 (*)
(e) Herbs		0,02 (*)	0,02 (*)
Chervil			
Chives			
Parsley			
Celery leaves			
Others			
(vi) LEGUME VEGETABLES (fresh)		0,02 (*)	
Beans (with pods)			
Beans (without pods)			
Peas (with pods)			1
Peas (without pods)			
Others			0,02 (*)
(vii) STEM VEGETABLES (fresh)		0,02 (*)	0,02 (*)
Asparagus			
Cardoons			
Celery			
Fennel			
Globe artichokes			
Leek			
Rhubarb			
Others			
(viii) FUNGI		0,02 (*)	0,02 (*)
Cultivated mushrooms			

▼**M26**

Groups and examples of individual products to which the MRLs would apply	Pesticide residue and maximum residue level (mg/kg)		
	Formothion	Oxydemeton-methyl (sum of oxydemeton-methyl and demeton-S-methylsulfone expressed as oxydemeton-methyl)	Dimethoate (sum of dimethoate and omethoate expressed as dimethoate)
Wild mushrooms			
3. **Pulses**	0,02 (*)	0,02 (*)	0,02 (*)
Beans			
Lentils			
Peas			
Others			
4. **Oilseeds**	0,05 (*)	0,05 (*)	0,05 (*)
Linseed			
Peanuts			
Poppy seed			
Sesame seed			
Sunflower seed			
Rape seed			
Soya bean			
Mustard seed			
Cotton seed			
Others			
5. **Potatoes**	0,02 (*)	0,02 (*)	0,02 (*)
Early potatoes			
Ware potatoes			
6. **Tea** (dried leaves and stalks, fermented or otherwise, *Camellia sinensis*)	0,05 (*)	0,05 (*)	0,05 (*)
7. **Hops** (dried), including hop pellets and unconcentrated powder	0,05 (*)	0,05 (*)	0,05 (*)

(*) Indicates lower limit of analytical determination.

▼**M27**

Groups and examples of individual products to which the MRLs apply	Pesticide residue and maximum residue levels (mg/kg)
	Metsulfuron methyl
1. **Fruit, fresh, dried or uncooked, preserved by freezing, not containing added sugar; nuts**	0,05 (*) ([a])
(i) CITRUS FRUIT	
Grapefruit	
Lemons	
Limes	
Mandarins (including clementines and other hybrids)	
Oranges	
Pomelos	
Others	
(ii) TREE NUTS (shelled or unshelled)	
Almonds	
Brazil nuts	
Cashew nuts	
Chestnuts	
Coconuts	
Hazelnuts	
Macadamia	
Pecans	
Pine nuts	
Pistachios	
Walnuts	
Others	
(iii) POME FRUIT	
Apples	
Pears	
Quinces	
Others	
(iv) STONE FRUIT	
Apricots	
Cherries	
Peaches (including nectarines and similar hybrids)	
Plums	
Others	
(v) BERRIES AND SMALL FRUIT	
(a) Table and wine grapes	
Table grapes	
Wine grapes	
(b) Strawberries (other than wild)	
(c) Cane fruit (other than wild)	
Blackberries	
Dewberries	
Loganberries	
Raspberries	
Others	
(d) Other small fruit and berries (other than wild)	
Bilberries	
Cranberries	
Currants (red, black and white)	
Gooseberries	
Others	
(e) Wild berries and wild fruit	
(vi) MISCELLANEOUS	
Avocados	
Bananas	
Dates	

▼**M27**

Groups and examples of individual products to which the MRLs apply	Pesticide residue and maximum residue levels (mg/kg)
	Metsulfuron methyl
Figs	
Kiwi	
Kumquats	
Litchis	
Mangoes	
Olives	
Passion fruit	
Pineapples	
Pomegranate	
Others	
2. **Vegetables, fresh or uncooked, frozen or dry**	0,05 (*) [a]
(i) ROOT AND TUBER VEGETABLES	
Beetroot	
Carrots	
Celeriac	
Horseradish	
Jerusalem artichokes	
Parsnips	
Parsley root	
Radishes	
Salsify	
Sweet potatoes	
Swedes	
Turnips	
Yam	
Others	
(ii) BULB VEGETABLES	
Garlic	
Onions	
Shallots	
Spring onions	
Others	
(iii) FRUITING VEGETABLES	
(a) Solanacea	
Tomatoes	
Peppers	
Aubergines	
Others	
(b) Cucurbits — edible peel	
Cucumbers	
Gherkins	
Courgettes	
Others	
(c) Cucurbits — inedible peel	
Melons	
Squashes	
Watermelons	
Others	
(d) Sweet corn	
(iv) BRASSICA VEGETABLES	
(a) Flowering brassica	
Broccoli	
Cauliflower	
Others	
(b) Head brassica	
Brussels sprouts	
Head cabbage	
Others	

▼**M27**

Groups and examples of individual products to which the MRLs apply	Pesticide residue and maximum residue levels (mg/kg)
	Metsulfuron methyl
(c) Leafy brassica	
Chinese cabbage	
Kale	
Others	
(d) Kohlrabi	
(v) LEAF VEGETABLES AND FRESH HERBS	
(a) Lettuce and similar	
Cress	
Lamb's lettuce	
Lettuce	
Scarole	
Others	
(b) Spinach and similar	
Spinach	
Beet leaves (chard)	
Others	
(c) Watercress	
(d) Witloof	
(e) Herbs	
Chervil	
Chives	
Parsley	
Celery leaves	
Others	
(vi) LEGUME VEGETABLES (fresh)	
Beans (with pods)	
Beans (without pods)	
Peas (with pods)	
Peas (without pods)	
Others	
(vii) STEM VEGETABLES (fresh)	
Asparagus	
Cardoons	
Celery	
Fennel	
Globe artichokes	
Leek	
Rhubarb	
Others	
(viii) FUNGI	
(a) Cultivated mushrooms	
(b) Wild mushrooms	
3. **Pulses**	0,05 (*) [a]
Beans	
Lentils	
Peas	
Others	
4. **Oil seeds**	0,1 (*) [a]
Linseed	
Peanuts	
Poppy seeds	
Sesame seeds	
Sunflower seed	
Rape seed	
Soya bean	
Mustard seed	
Cotton seed	

▼**M27**

Groups and examples of individual products to which the MRLs apply	Pesticide residue and maximum residue levels (mg/kg)
	Metsulfuron methyl
Others	
5. **Potatoes**	0,05 (*) ([a])
Early potatoes	
Ware potatoes	
6. **Tea** (leaves and stems, dried, fermented or otherwise, from the leaves of *Camellia sinensis*)	0,1 (*) ([a])
7. **Hops** (dried), including hop pellets and unconcentrated powder	0,1 (*) ([a])

(*) Indicates lower limit of analytical determination
([a]) Indicates provisional maximum residue level in accordance with Article 4(1)(f) of Directive 91/414/EEC: unless amended, this level will become definitive with effect from 4 years from date of coming into force of the Directive introducing this amendment.

Groups and examples of individual products to which the MRLs would apply	Abamectin (sum of avermectin B1a, avermectin B1b and delta-8,9 isomer of avermectin B1a)	Azocyclotin and Cyhexatin (sum of azocyclotin and cyhexatin expressed as cyhexatin)	Bifenthrin	Bitertanol	Bromopropylate	Clofentezine	Cyromazine	Fenpropimorph	Flucythrinate	Hexaconazole	Methacrifos	Myclobutanil	Penconazole	Prochloraz (sum of prochloraz and its metabolites containing the 2,4,6-Trichlorophenol moiety expressed as prochloraz)	Profenofos	Resmethrin, including other mixtures of constituent isomers (sum of isomers)	Tridemorph	Triadimefon and Triadimenol (sum of triadimefon and triadimenol)
1. Fruit, fresh, dried or uncooked, preserved by freezing, not containing added sugar; nuts					0,05 (*)				0,05 (*)	0,02 (*)	0,05 (*)				0,05 (*)			
(i) CITRUS FRUIT	0,01 (*)	0,2	0,1	0,05 (*)		0,02 (*)	0,05 (*)	0,05 (*)				3	0,05 (*)	10		0,1 (*)	0,05 (*)	0,1 (*)
Grapefruit																		
Lemons																		
Limes																		
Mandarins (including clementines and other hybrids)																		
Oranges																		
Pomelos																		
Others																		
(ii) TREE NUTS (shelled or unshelled)	0,02 (*)	0,1 (*)	0,05 (*)	0,1 (*)		0,05 (*)	0,05 (*)	0,05 (*)				0,05 (*)	0,05 (*)	0,1 (*)		0,2 (*)	0,1 (*)	0,2 (*)
Almonds																		
Brazil nuts																		
Cashew nuts																		
Chestnuts																		
Coconuts																		
Hazelnuts																		
Macadamia																		
Pecans																		
Pine nuts																		
Pistachios																		
Walnuts																		
Others																		

▼M28

Groups and examples of individual products to which the MRLs would apply	Abamectin (sum of avermectin B1a, avermectin B1b and delta-8,9 isomer of avermectin B1a)	Azocyclotin and Cyhexatin (sum of azocyclotin and cyhexatin expressed as cyhexatin)	Bifenthrin	Bitertanol	Bromopropylate	Clofentezine	Cyromazine	Fenpropimorph	Flucythrinate	Hexaconazole	Methacrifos	Myclobutanil	Penconazole	Prochloraz (sum of prochloraz and its metabolites containing the 2,4,6-Trichlorophenol moiety expressed as prochloraz)	Profenofos	Resmethrin, including other mixtures of constituent isomers (sum of isomers)	Tridemorph	Triadimefon and Triadimenol (sum of triadimefon and triadimenol)
(iii) POME FRUIT	0,01 (*)		0,3	2		0,5	0,05 (*)	0,05 (*)				0,5	0,2	0,05 (*)		0,1 (*)	0,05 (*)	
Apples		0,2																0,2
Pears		0,1																
Quinces																		
Others		0,05 (*)																0,1 (*)
(iv) STONE FRUIT	0,01 (*)		0,2				0,05 (*)	0,05 (*)						0,05 (*)		0,1 (*)	0,05 (*)	0,1 (*)
Apricots				1								0,3	0,1					
Cherries				1								1						
Peaches (including nectarines and similar hybrids)				1								0,5	0,1					
Plums		0,3		2		0,2						0,5						
Others		0,05 (*)		0,05 (*)		0,02 (*)						0,02 (*)	0,05 (*)					
(v) BERRIES AND SMALL FRUIT				0,05 (*)			0,05 (*)							0,05 (*)		0,1 (*)	0,05 (*)	
(a) Table and wine grapes	0,01 (*)		0,2					0,05 (*)				1	0,2					2
Table grapes		0,05 (*)				0,02 (*)												
Wine grapes		0,3				1												
(b) Strawberries (other than wild)	0,1	0,05 (*)	0,5			2		1				1	0,05 (*)					0,5
(c) Cane fruit (other than wild)	0,01 (*)	0,05 (*)	0,05 (*)									0,02 (*)	0,05 (*)					0,1 (*)
Blackberries						3												
Dewberries																		
Loganberries																		
Raspberries						3		1										

▼M28

Groups and examples of individual products to which the MRLs would apply	Abamectin (sum of avermectin B1a, avermectin B1b and delta-8,9 isomer of avermectin B1a)	Azocyclotin and Cyhexatin (sum of azocyclotin and cyhexatin expressed as cyhexatin)	Bifenthrin	Bitertanol	Bromopropylate	Clofentezine	Cyromazine	Fenpropimorph	Flucythrinate	Hexaconazole	Methacrifos	Myclobutanil	Penconazole	Prochloraz (sum of prochloraz and its metabolites containing the 2,4,6-Trichlorophenol moiety expressed as prochloraz)	Profenofos	Resmethrin, including other mixtures of constituent isomers (sum of isomers)	Tridemorph	Triadimefon and Triadimenol (sum of triadimefon and triadimenol)
Others						0,3		0,05 (*)										
(d) Other small fruit and berries (other than wild)	0,01 (*)	0,05 (*)	0,05 (*)					0,05 (*)					0,05 (*)					0,1 (*)
Bilberries (fruit of species *Vaccinium myrtillus*)																		
Cranberries																		
Currants (red, black and white)						0,5						1						
Gooseberries												1						
Others						0,02 (*)						0,02 (*)						
(e) Wild berries and wild fruit	0,01 (*)	0,05 (*)	0,05 (*)			0,02 (*)		0,05 (*)				0,02 (*)	0,05 (*)	0,05 (*)				0,1 (*)
(vi) MISCELLANEOUS	0,01 (*)	0,05 (*)				0,02 (*)	0,05 (*)						0,05 (*)			0,1 (*)	0,05 (*)	
Avocados														5				
Bananas			0,1	3				2				2						0,2
Dates																		
Figs																		
Kiwi																		
Kumquat																		
Litchis																		
Mangoes														5				
Olives																		
Passion fruit																		
Pineapples														5				3
Papaya														5				
Others			0,05 (*)	0,05 (*)				0,05 (*)				0,02 (*)		0,05 (*)				0,1 (*)

▼M28

Groups and examples of individual products to which the MRLs would apply	Abamectin (sum of avermectin B1a, avermectin B1b and delta-8,9 isomer of avermectin B1a)	Azocyclotin and Cyhexatin (sum of azocyclotin and cyhexatin expressed as cyhexatin)	Bifenthrin	Bitertanol	Bromopropylate	Clofentezine	Cyromazine	Fenpropimorph	Flucythrinate	Hexaconazole	Methacrifos	Myclobutanil	Penconazole	Prochloraz (sum of prochloraz and its metabolites containing the 2,4,6-Trichlorophenol moiety expressed as prochloraz)	Profenofos	Resmethrin, including other mixtures of constituent isomers (sum of isomers)	Tridemorph	Triadimefon and Triadimenol (sum of triadimefon and triadimenol)
2. Vegetables, fresh or uncooked, frozen or dry					0,05 (*)				0,05 (*)	0,02 (*)	0,05 (*)					0,1 (*)		
(i) ROOT AND TUBER VEGETABLES	0,01 (*)	0,05 (*)	0,05 (*)	0,05 (*)		0,02 (*)	0,05 (*)	0,05 (*)					0,05 (*)	0,05 (*)	0,05 (*)		0,05 (*)	0,1 (*)
Beetroot																		
Carrots												0,2						
Celeriac																		
Horseradish																		
Jerusalem artichokes																		
Parsnip																		
Parsley root																		
Radishes																		
Salsify																		
Sweet potatoes																		
Swedes																		
Turnips																		
Yam																		
Others												0,02 (*)						
(ii) BULB VEGETABLES	0,01 (*)	0,05 (*)	0,05 (*)	0,05 (*)		0,02 (*)	0,05 (*)	0,05 (*)				0,02 (*)	0,05 (*)		0,05 (*)		0,05 (*)	
Garlic														0,5				
Onions																		0,5
Shallots														5				
Spring onions																		1
Others														0,05 (*)				0,1 (*)

▼M28

Groups and examples of individual products to which the MRLs would apply	Abamectin (sum of avermectin B1a, avermectin B1b and delta-8,9 isomer of avermectin B1a)	Azocyclotin and Cyhexatin (sum of azocyclotin and cyhexatin expressed as cyhexatin)	Bifenthrin	Bitertanol	Bromopropylate	Clofentezine	Cyromazine	Fenpropimorph	Flucythrinate	Hexaconazole	Methacrifos	Myclobutanil	Penconazole	Prochloraz (sum of prochloraz and its metabolites containing the 2,4,6-Trichlorophenol moiety expressed as prochloraz)	Profenofos	Resmethrin, including other mixtures of constituent isomers (sum of isomers)	Tridemorph	Triadimefon and Triadimenol (sum of triadimefon and triadimenol)
(iii) FRUITING VEGETABLES								0,05 (*)						0,05 (*)			0,05 (*)	
(a) **Solanacea**		0,05 (*)											0,05 (*)					
Tomatoes	0,02		0,2	3		0,3	1					0,3						0,3
Peppers	0,05		0,2				0,05 (*)					0,5						0,5
Chilli Peppers												0,3			5			
Aubergines	0,02		0,2				1											
Others	0,01 (*)		0,05 (*)	0,05 (*)		0,02 (*)	0,05 (*)					0,02 (*)			0,05 (*)			0,1 (*)
(b) Cucurbits - edible peel	0,02 (*)	0,05 (*)	0,1	0,5		0,02 (*)						0,1	0,05 (*)		0,05 (*)			0,1 (*)
Cucumbers							1											
Gherkins							1											
Courgettes							1											
Others							0,05 (*)											
(c) Cucurbits - inedible peel	0,01 (*)	0,05 (*)	0,05 (*)	0,05 (*)								0,2			0,05 (*)			0,1 (*)
Melons						0,1	0,3						0,1					
Squashes																		
Watermelons							0,3						0,1					
Others						0,02 (*)	0,05 (*)						0,05 (*)					
(d) Sweetcorn	0,01 (*)	0,05 (*)	0,05 (*)	0,05 (*)		0,02 (*)	0,05 (*)					0,02 (*)	0,05 (*)		0,05 (*)			0,1 (*)
(iv) BRASSICA VEGETABLES	0,01 (*)	0,05 (*)		0,05 (*)		0,02 (*)	0,05 (*)					0,02 (*)	0,05 (*)	0,05 (*)	0,05 (*)		0,05 (*)	0,1 (*)
(a) Flowering brassica			0,2					0,05 (*)										
Broccoli (including calabrese)																		
Cauliflower																		
Others																		
(b) Head brassica			1															
Brussels sprouts								0,5										

▼M28

Groups and examples of individual products to which the MRLs would apply	Abamectin (sum of avermectin B1a, avermectin B1b and delta-8,9 isomer of avermectin B1a)	Azocyclotin and Cyhexatin (sum of azocyclotin and cyhexatin expressed as cyhexatin)	Bifenthrin	Bitertanol	Bromopropylate	Clofentezine	Cyromazine	Fenpropimorph	Flucythrinate	Hexaconazole	Methacrifos	Myclobutanil	Penconazole	Prochloraz (sum of prochloraz and its metabolites containing the 2,4,6-Trichlorophenol moiety expressed as prochloraz)	Profenofos	Resmethrin, including other mixtures of constituent isomers (sum of isomers)	Tridemorph	Triadimefon and Triadimenol (sum of triadimefon and triadimenol)
Head cabbage																		
Others								0,05 (*)										
(c) Leafy brassica			0,05 (*)					0,05 (*)										
Chinese cabbage																		
Kale																		
Others																		
(d) Kohlrabi			0,05 (*)					0,05 (*)										
(v) LEAF VEGETABLES AND FRESH		0,05 (*)		0,05 (*)		0,02 (*)		0,05 (*)				0,02 (*)	0,05 (*)		0,05 (*)		0,05 (*)	0,1 (*)
(a) Lettuce and similar	0,1		2				15							5				
Cress																		
Lamb's lettuce																		
Lettuce																		
Scarole (broad-leaf endive)																		
Others																		
(b) Spinach and similar	0,01 (*)		0,05 (*)				0,05 (*)							0,05 (*)				
Spinach																		
Beet leaves (chard)																		
Others																		
(c) Water cress	0,01 (*)		0,05 (*)				0,05 (*)							0,05 (*)				
(d) Witloof	0,01 (*)		0,05 (*)				0,05 (*)							0,05 (*)				
(e) Herbs	0,01 (*)		0,05 (*)				0,05 (*)							5				
Chervil																		
Chives																		
Parsley																		

▼M28

Groups and examples of individual products to which the MRLs would apply	Abamectin (sum of avermectin B1a, avermectin B1b and delta-8,9 isomer of avermectin B1a)	Azocyclotin and Cyhexatin (sum of azocyclotin and cyhexatin expressed as cyhexatin)	Bifenthrin	Bitertanol	Bromopropylate	Clofentezine	Cyromazine	Fenpropimorph	Flucythrinate	Hexaconazole	Methacrifos	Myclobutanil	Penconazole	Prochloraz (sum of prochloraz and its metabolites containing the 2,4,6-Trichlorophenol moiety expressed as prochloraz)	Profenofos	Resmethrin, including other mixtures of constituent isomers (sum of isomers)	Tridemorph	Triadimefon and Triadimenol (sum of triadimefon and triadimenol)
Celery leaves																		
Others																		
(vi) LEGUME VEGETABLES (fresh)	0,01 (*)			0,05 (*)		0,02 (*)	0,05 (*)	0,05 (*)				0,02 (*)	0,05 (*)	0,05 (*)	0,05 (*)		0,05 (*)	0,1 (*)
Beans (with pods)		0,5	0,5															
Beans (without pods)																		
Peas (with pods)			0,1															
Peas (without pods)																		
Others		0,05 (*)	0,05 (*)															
(vii) STEM VEGETABLES (fresh)	0,01 (*)	0,05 (*)	0,05 (*)	0,05 (*)		0,02 (*)								0,05 (*)	0,05 (*)		0,05 (*)	
Asparagus																		
Cardoons																		
Celery							2											
Fennel																		
Globe artichokes							2					0,5	0,2					1
Leek								0,5										0,1 (*)
Rhubarb																		
Others							0,05 (*)	0,05 (*)				0,02 (*)	0,05 (*)					0,1 (*)
(viii) FUNGI	0,01 (*)	0,05 (*)	0,05 (*)	0,05 (*)		0,02 (*)		0,05 (*)				0,02 (*)	0,05 (*)		0,05 (*)	0,1 (*)	0,05 (*)	0,1 (*)
(a) Cultivated mushrooms							5							2				
(b) Wild mushrooms							0,05 (*)							0,05 (*)				
3. Pulses	0,01 (*)	0,05 (*)	0,05 (*)	0,05 (*)	0,05 (*)	0,02 (*)	0,05 (*)	0,05 (*)	0,05 (*)	0,02 (*)	0,05 (*)	0,02 (*)	0,05 (*)		0,05 (*)	0,1 (*)	0,05 (*)	0,1 (*)
Beans																		
Lentils																		
Peas														0,3				
Others														0,05 (*)				

▼M28

Groups and examples of individual products to which the MRLs would apply	Abamectin (sum of avermectin B1a, avermectin B1b and delta-8,9 isomer of avermectin B1a)	Azocyclotin and Cyhexatin (sum of azocyclotin and cyhexatin expressed as cyhexatin)	Bifenthrin	Bitertanol	Bromopropylate	Clofentezine	Cyromazine	Fenpropimorph	Flucythrinate	Hexaconazole	Methacrifos	Myclobutanil	Penconazole	Prochloraz (sum of prochloraz and its metabolites containing the 2,4,6-Trichlorophenol moiety expressed as prochloraz)	Profenofos	Resmethrin, including other mixtures of constituent isomers (sum of isomers)	Tridemorph	Triadimefon and Triadimenol (sum of triadimefon and triadimenol)
4. Oil seed	0,02 (*)	0,05 (*)	0,1 (*)	0,1 (*)	0,1 (*)	0,05 (*)	0,05 (*)	0,05 (*)	0,05 (*)	0,05 (*)	0,05 (*)	0,05 (*)	0,05 (*)			0,2 (*)	0,1 (*)	0,2 (*)
Linseed														0,5				
Peanuts																		
Poppy seed																		
Sesame seed																		
Sunflower seed														0,5				
Rape seed														0,5				
Soya bean																		
Mustard seed																		
Cotton seed															2			
Others														0,1 (*)	0,05 (*)			
5. Potatoes	0,01 (*)	0,05 (*)	0,05 (*)	0,05 (*)	0,05 (*)	0,02 (*)	1	0,05 (*)	0,05 (*)	0,02 (*)	0,05 (*)	0,02 (*)	0,05 (*)	0,05 (*)	0,05 (*)	0,1 (*)	0,05 (*)	0,1 (*)
Early and ware potatoes																		
6. Tea (dried leaves and stalks, fermented or otherwise, *Camellia sinensis*)	0,02 (*)	0,1 (*)	5	0,1 (*)	0,1 (*)	0,05 (*)	0,05 (*)	0,1 (*)	0,1 (*)	0,05 (*)	0,1 (*)	0,05 (*)	0,1 (*)	0,1 (*)	0,1 (*)	0,2 (*)	20	0,2 (*)
7. Hops (dried), including hop pellets and unconcentrated powder	0,05	0,1 (*)	10	0,1 (*)	0,1 (*)	0,05 (*)	0,05 (*)	0,1 (*)	0,1 (*)	0,05 (*)	0,1 (*)	2	0,5	0,1 (*)	0,1 (*)	0,2 (*)	0,1 (*)	10

(*) Indicates lower limit of analytical determination.

▼M29

Groups and examples of individual products to which the MRLs apply	Pesticide residue and maximum residue levels (mg/kg)		
	Triasulfuron	Thifensulfuron methyl	2,4-D (sum of 2,4-D and its esters) expressed as 2,4-D)
1. **Fruit, fresh, dried or uncooked, preserved by freezing, not containing added sugar; nuts**	0,05 (*) (P)	0,05 (*) (P)	0,05 (*) (P)
(i) CITRUS FRUIT			
Grapefruit			
Lemons			
Limes			
Mandarins (including clementines and other hybrids)			
Oranges			
Pomelos			
Others			
(ii) TREE NUTS (shelled or unshelled)			
Almonds			
Brazil nuts			
Cashew nuts			
Chestnuts			
Coconuts			
Hazelnuts			
Macadamia			
Pecans			
Pine nuts			
Pistachios			
Walnuts			
Others			
(iii) POME FRUIT			
Apples			
Pears			
Quinces			
Others			
(iv) STONE FRUIT			
Apricots			
Cherries			
Peaches (including nectarines and similar hybrids)			
Plums			
Others			
(v) BERRIES AND SMALL FRUIT			
(a) Table and wine grapes			
Table grapes			
Wine grapes			
(b) Strawberries (other than wild)			
(c) Cane fruit (other than wild)			
Blackberries			
Dewberries			
Loganberries			
Raspberries			
Others			
(d) Other small fruit and berries (other than wild)			
Bilberries			
Cranberries			
Currants (red, black and white)			
Gooseberries			
Others			

▼**M29**

Groups and examples of individual products to which the MRLs apply	Pesticide residue and maximum residue levels (mg/kg)		
	Triasulfuron	Thifensulfuron methyl	2,4-D (sum of 2,4-D and its esters) expressed as 2,4-D)
(e) Wild berries and wild fruit			
(vi) MISCELLANEOUS			
Avocados			
Bananas			
Dates			
Figs			
Kiwi			
Kumquats			
Litchis			
Mangoes			
Olives			
Passion fruit			
Pineapples			
Pomegranate			
Others			
2. **Vegetables, fresh or uncooked, frozen or dry**	0,05 (*) (P)	0,05 (*) (P)	0,05 (*) (P)
(i) ROOT AND TUBER VEGETABLES			
Beetroot			
Carrots			
Celeriac			
Horseradish			
Jerusalem artichokes			
Parsnips			
Parsley root			
Radishes			
Salsify			
Sweet potatoes			
Swedes			
Turnips			
Yam			
Others			
(ii) BULB VEGETABLES			
Garlic			
Onions			
Shallots			
Spring onions			
Others			
(iii) FRUITING VEGETABLES			
(a) *Solanacea*			
Tomatoes			
Peppers			
Aubergines			
Others			
(b) *Cucurbits* — edible peel			
Cucumbers			
Gherkins			
Courgettes			
Others			
(c) *Cucurbits* — inedible peel			
Melons			
Squashes			
Watermelons			
Others			
(d) Sweet corn			

▼**M29**

Groups and examples of individual products to which the MRLs apply	Pesticide residue and maximum residue levels (mg/kg)		
	Triasulfuron	Thifensulfuron methyl	2,4-D (sum of 2,4-D and its esters) expressed as 2,4-D)
(iv) BRASSICA VEGETABLES			
(a) Flowering brassica			
Broccoli			
Cauliflower			
Others			
(b) Head brassica			
Brussels sprouts			
Head cabbage			
Others			
(c) Leafy brassica			
Chinese cabbage			
Kale			
Others			
(d) Kohlrabi			
(v) LEAF VEGETABLES AND FRESH HERBS			
(a) Lettuce & similar			
Cress			
Lamb's lettuce			
Lettuce			
Scarole			
Others			
(b) Spinach & similar			
Spinach			
Beet leaves (chard)			
Others			
(c) Water cress			
(d) Witloof			
(e) Herbs			
Chervil			
Chives			
Parsley			
Celery leaves			
Others			
(vi) LEGUME VEGETABLES (fresh)			
Beans (with pods)			
Beans (without pods)			
Peas (with pods)			
Peas (without pods)			
Others			
(vii) STEM VEGETABLES (fresh)			
Asparagus			
Cardoons			
Celery			
Fennel			
Globe artichokes			
Leek			
Rhubarb			
Others			
(viii) FUNGI			
(a) Cultivated mushrooms			
(b) Wild mushrooms			
3. **Pulses**	0,05 (*) (P)	0,05 (*) (P)	0,05 (*) (P)
Beans			
Lentils			
Peas			

▼M29

Groups and examples of individual products to which the MRLs apply	Pesticide residue and maximum residue levels (mg/kg)		
	Triasulfuron	Thifensulfuron methyl	2,4-D (sum of 2,4-D and its esters) expressed as 2,4-D)
Others			
4. **Oil seeds**	0,05 (*) (P)	0,05 (*) (P)	0,1 (*) (P)
Linseed			
Peanuts			
Poppy seeds			
Sesame seeds			
Sunflower seed			
Rape seed			
Soya bean			
Mustard seed			
Cotton seed			
Others			
5. **Potatoes**	0,05 (*) (P)	0,05 (*) (P)	0,05 (*) (P)
Early potatoes			
Ware potatoes			
6. **Tea (leaves and stems, dried, fermented or otherwise, from the leaves of *Camellia sinensis*)**	0,1 (*) (P)	0,1 (*) (P)	0,1 (*) (P)
7. **Hops (dried), including hop pellets and unconcentrated powder**	0,1 (*) (P)	0,1 (*) (P)	0,1 (*) (P)

(*) Indicates lower limit of analytical determination

(P) Indicates provisional maximum residue level in accordance with Article 4(1)(f) of Directive 91/414/EEC: unless amended, this level will become definitive with effect from 4 years from date of coming into force of this Directive.

▼**M1**

Pesticide residues and maximum residue levels specifically in respect of tea (dried leaves and stalks, fermented or otherwise, *Camellia sinensis*)

Pesticide residues	Maximum levels in mg/kg (ppm)
1. Aldrin 2. Dieldrin (singly or combined expressed as dieldrin (HEOD))	►**M8** 0,02 ◄
3. Endosulfan (sum of alpha- and beta-isomers and of endosulfan sulphate, expressed as endosulfan)	►**M8** 30 ◄
4. Hexachlorocyclohexane (HCH)	
4.1 alpha-isomer 4.2 beta-isomer (sum)	►**M8** 0,2 ◄
4.3 gamma-isomer (lindane)	►**M8** 0,2 ◄
5. ►**C1** Bifenthrin ◄	►**M8** 5 ◄
6. Bromopropylate	►**M8** 0,1 (*) ◄
7. Cartap	►**M11** 0,1 (*) ◄
8. Chlordane (sum of cis- and trans-isomers)	►**M8** 0,02 (*) ◄
9. Dichlorvos	►**M8** 0,1 (*) ◄
10. Dicofol	►**M8** 20 ◄
11. Dimethoate	►**M8** 0,2 ◄
12. Omethoate	►**M8** 0,1 ◄
13. Ethion	►**M8** 2 ◄
14. Fenitrothion	►**M8** 0,5 ◄
15. Flucythrinate (sum of isomers)	►**M8** 0,1 (*) ◄
16. Hexachlorobenzene (HCB)	►**M8** 0,01 (*) ◄
17. Malathion (sum of malathion and malaoxon expressed as malathion)	►**M8** 0,5 ◄
18. Methidathion	►**M8** 0,1 (*) ◄
19. Monocrotophos	►**M8** 0,1 (*) ◄
20. Phoxim	►**M8** 0,1 (*) ◄
21. Profenophos	►**M8** 0,1 (*) ◄
22. Propargite	►**M8** 5 ◄
23. Quinalphos	►**M8** 2 x ◄
24. Phosmet (sum of phosmet and phosmet oxon expressed as phosmet)	►**M8** 0,1 (*) ◄

(*) Indicates lower limit of analytical determination.

(a) (b) (c) (d) Should levels not be adopted by ►**M7** 31 October 1998 ◄, the following maximum levels shall apply as indicated thereafter:
(a) 0,02 (*)
(b) 0,01 (*)
(c) 0,05 (*)
(d) 0,1 (*).

►**M8** ►**C3** x Should this level not be confirmed or amended by a directive, with effect from 1 July 2000, the appropriate lower limit of analytical determination shall apply. ◄ ◄