

Council Directive 93/92/EEC of 29 October 1993 on the installation of lighting and light-signalling devices on two or three-wheel motor vehicles (repealed)

Article 1
Article 2
Article 3
Article 4
Article 5
Article 6
Article 7

ANNEX I
DEFINITIONS AND GENERAL REQUIREMENTS

A. DEFINITIONS

1. vehicle type
 - 1.1.
 - 1.2.
 - 1.3.
 - 1.3.1.
 - 1.3.2.
2. transverse plane
3. unladen vehicle
4. device
5. lamp
 - 5.1. single lamp
 - 5.2. equivalent lamps
 - 5.3. independent lamps
 - 5.4. grouped lamps
 - 5.5. combined lamps
 - 5.6. reciprocally incorporated lamps
 - 5.7. main-beam headlamp
 - 5.8. dipped-beam headlamp
 - 5.9. direction indicator lamp
 - 5.10. stop lamp
 - 5.11. front position lamp
 - 5.12. rear position lamp
 - 5.13. front fog lamp
 - 5.14. rear fog lamp
 - 5.15. reversing lamp
 - 5.16. hazard warning signal
 - 5.17. rear registration plate lamp
 - 5.18. retro reflector
6. illuminating surface (see Appendix 1)
 - 6.1.
 - 6.2. illuminating surface of a lighting device (see 5.7, 5.8, 5.13...)

- 6.3. illuminating surface of a light-signalling device other than a retro-reflector...
- 6.4. illuminating surface of a retro reflector (5.18)
- 7. apparent surface
- 8. axis of reference
- 9. centre of reference or reference centre
- 10. angles of geometric visibility
- 11. extreme outer edge
 - 11.1.
 - 11.2.
- 12. overall width
- 13. distance between two lamps pointing in the same direction
- 14. operational telltale
- 15. circuit-closed telltale

B. GENERAL SPECIFICATIONS

- 1.
- 2.
- 3.
- 4.
- 5.
 - 5.1.
 - 5.2.
 - 5.3.
 - 5.4.
- 6.
- 7.
- 8.
- 9.
 - 9.1.
 - 9.2.
 - 9.3.
 - 9.3.1.
 - 9.3.2.
- 10.
- 11.
- 12. Telltales
 - 12.1.
 - 12.2.
- 13. Colours emitted by the lamps:
- 14.

Appendix 1

Lamp surfaces, axis and centre of reference, and angles of geometric visibility

.....

Appendix 2

Definition of lamp colours

TRICHROMATIC COORDINATES

ANNEX II

REQUIREMENTS CONCERNING TWO-WHEEL MOPEDS

1.
1.1.
1.2.
1.3.
1.4.
1.5.
1.6.
2.
2.1.
2.2.
2.3.
2.4.
2.5.
3.
4.
5.
6.	SPECIFIC FITTING REQUIREMENTS
6.1.	Main-beam headlamps
6.1.1.
6.1.2.
6.1.3.	Location
6.1.3.1.
6.1.3.2.
6.1.3.3.
6.1.3.4.
6.1.4.	Geometrical visibility
6.1.5.	Alignment: forwards
6.1.6.
6.1.7.
6.1.8.
6.1.8.1.
6.1.8.2.
6.1.9.	Electrical connections
6.1.10.	Circuit-closed telltale: optional.
6.2.	Dipped-beam headlamps
6.2.1.
6.2.2.
6.2.3.	Position

6.2.3.1.	
6.2.3.2.	
6.2.3.3.	
6.2.3.4.	
6.2.4. Geometric visibility	
6.2.5. Alignment forwards	
6.2.6.	
6.2.7.	
6.2.8.	
6.2.9. Electrical connections	
6.2.10. Circuit-closed telltale: optional.	
6.2.11.	
6.3. Direction indicator lamps	
6.3.1.	
6.3.2.	
6.3.3. Position	
6.3.3.1.	
6.3.3.1.1.	
6.3.3.1.1.1.	
6.3.3.1.1.2.	
6.3.3.1.1.3.	
6.3.3.1.2.	
6.3.3.2.	
6.3.3.3.	
6.3.4. Geometric visibility	
6.3.5. Alignment	
6.3.6.	
6.3.7.	
6.3.8.	
6.3.9. Electrical connections	
6.3.10. Operational telltale: optional.	
6.3.11. Other requirements	
6.3.11.1.	
6.3.11.2.	
6.3.11.2.1.	
6.3.11.2.2.	
6.3.11.3.	
6.3.11.3.1.	
6.3.11.3.2.	
6.3.11.4.	
6.3.11.4.1.	
6.3.11.4.2.	
6.3.11.5.	
6.4. Stop lamps	
6.4.1.	
6.4.2.	
6.4.3. Position	
6.4.3.1.	
6.4.3.2.	
6.4.3.3.	
6.4.4. Geometric visibility	
6.4.5.	
6.4.6.	

6.4.7.	
6.4.8.	
6.4.9.	
6.4.10.	
6.5. Front position lamps	
6.5.1.	
6.5.2.	
6.5.3. Position	
6.5.3.1.	
6.5.3.2.	
6.5.3.3.	
6.5.4. Geometric visibility	
6.5.5. Alignment: towards the front.	
6.5.6.	
6.5.7.	
6.5.8.	
6.5.9. Circuit-closed telltale: optional.	
6.5.10.	
6.6. Rear position lamps	
6.6.1.	
6.6.2.	
6.6.3. Position	
6.6.3.1.	
6.6.3.2.	
6.6.3.3.	
6.6.4. Geometric visibility	
6.6.5.	
6.6.6.	
6.6.7.	
6.6.8.	
6.6.9. Circuit-closed telltale: optional.	
6.6.10.	
6.7. Non-triangular side retro-reflectors	
6.7.1.	
6.7.2.	
6.7.3. Position	
6.7.3.1.	
6.7.3.2.	
6.7.3.3.	
6.7.4. Geometric visibility	
6.7.5.	
6.7.6.	
6.8. Non-triangular rear retro-reflectors	
6.8.1.	
6.8.2.	
6.8.3. Position	
6.8.3.1.	
6.8.3.2.	
6.8.3.3.	
6.8.4. Geometric visibility	
6.8.5.	
6.8.6.	
6.8.7.	

6.9.	Pedal retro-reflectors
6.9.1.
6.9.2.
6.9.3.	Other requirements
6.10.	Non-triangular front retro-reflector
6.10.1.
6.10.2.
6.10.3.	Position
6.10.3.1.
6.10.3.2.
6.10.3.3.
6.10.4.	Geometric visibility
6.10.5.
6.10.6.
6.10.7.
6.11.	Rear registration plate lamp

Appendix 1

Visibility of red lights towards the front and white lights towards the rear

.....
.....

Appendix 2

Arrangement drawing

Appendix 3

Information document in respect of the installation of lighting and light-signalling devices on a type of two-wheel moped

Appendix 4

ANNEX III

REQUIREMENTS CONCERNING THREE-WHEEL MOPEDS AND LIGHT QUADRICYCLES

1.
1.1.
1.2.
1.3.
1.4.
1.5.
1.6.
1.7.

2.
2.1.
2.2.
2.3.
2.4.
2.5.
2.6.
2.7.
2.8.
3.
4.
5.
6.	SPECIFIC FITTING REQUIREMENTS
6.1.	Main-beam headlamps
6.1.1.	Number: one or two.
6.1.2.
6.1.3.	Location
6.1.3.1.
6.1.3.2.
6.1.3.3.
6.1.4.	Geometrical visibility
6.1.5.	Alignment: forwards.
6.1.6.
6.1.7.
6.1.8.
6.1.8.1.
6.1.8.2.
6.1.9.	Electrical connections
6.1.10.	Circuit-closed telltale: optional.
6.2.	Dipped-beam headlamps
6.2.1.	Number: one or two.
6.2.2.
6.2.3.	Position
6.2.3.1.
6.2.3.2.
6.2.3.3.
6.2.4.	Geometric visibility
6.2.5.	Alignment forwards.
6.2.6.
6.2.7.
6.2.8.
6.2.9.	Electrical connections
6.2.10.	Circuit-closed telltale: optional.
6.2.11.
6.3.	Direction indicator lamps
6.3.1.
6.3.2.
6.3.3.	Position
6.3.3.1.

6.3.3.2.	6.3.3.2.
6.3.4. Geometric visibility	6.3.4.
6.3.5. Alignment	6.3.5.
6.3.6.	6.3.6.
6.3.7.	6.3.7.
6.3.8.	6.3.8.
6.3.9. Electrical connections	6.3.9.
6.3.10. Operational telltale: optional.	6.3.10.
6.3.11. Other requirements	6.3.11.
	6.3.11.1.
	6.3.11.2.
	6.3.11.2.1.
	6.3.11.2.2.
	6.3.11.3.
	6.3.11.3.1.
	6.3.11.3.2.
	6.3.11.4.
	6.3.11.4.1.
	6.3.11.4.2.
	6.3.11.5.
6.4. Stop lamps	6.4.
6.4.1.	6.4.1.
6.4.2.	6.4.2.
6.4.3. Position	6.4.3.
	6.4.3.1.
	6.4.3.2.
	6.4.3.3.
6.4.4. Geometric visibility:	6.4.4.
	6.4.5.
	6.4.6.
	6.4.7.
	6.4.8.
	6.4.9.
	6.4.10.
6.5. Front position lamps	6.5.
6.5.1. Number: one or two.	6.5.1.
6.5.2.	6.5.2.
6.5.3. Position	6.5.3.
	6.5.3.1.
	6.5.3.2.
	6.5.3.3.
6.5.4. Geometric visibility	6.5.4.
6.5.5. Alignment: towards the front.	6.5.5.
	6.5.6.
	6.5.7.
	6.5.8.
	6.5.9. Circuit-closed telltale: optional.
	6.5.10.
6.6. Rear position lamps	6.6.
6.6.1. Number: one or two.	6.6.1.
6.6.2.	6.6.2.
6.6.3. Position	6.6.3.
	6.6.3.1.

6.6.3.2.	6.6.3.2.
6.6.3.3.	6.6.3.3.
6.6.4. Geometric visibility	6.6.4. Geometric visibility
6.6.5.	6.6.5.
6.6.6.	6.6.6.
6.6.7.	6.6.7.
6.6.8.	6.6.8.
6.6.9. Circuit-closed telltale: optional.	6.6.9. Circuit-closed telltale: optional.
6.6.10.	6.6.10.
6.7. Non-triangular rear retro-reflectors	6.7. Non-triangular rear retro-reflectors
6.7.1.	6.7.1.
6.7.2.	6.7.2.
6.7.3. Position	6.7.3. Position
6.7.3.1.	6.7.3.1.
6.7.3.2.	6.7.3.2.
6.7.3.3.	6.7.3.3.
6.7.4. Geometric visibility	6.7.4. Geometric visibility
6.7.5.	6.7.5.
6.7.6.	6.7.6.
6.7.7.	6.7.7.
6.8. Pedal retro-reflectors	6.8. Pedal retro-reflectors
6.8.1.	6.8.1.
6.8.2.	6.8.2.
6.8.3. Other requirements	6.8.3. Other requirements
6.9. Non-triangular side retro-reflectors	6.9. Non-triangular side retro-reflectors
6.9.1.	6.9.1.
6.9.2.	6.9.2.
6.9.3. Position	6.9.3. Position
6.9.3.1.	6.9.3.1.
6.9.3.2.	6.9.3.2.
6.9.3.3.	6.9.3.3.
6.9.4. Geometric visibility	6.9.4. Geometric visibility
6.9.5.	6.9.5.
6.9.6.	6.9.6.
6.10. Rear registration plate lamp	6.10. Rear registration plate lamp
6.11. Front fog lamps	6.11. Front fog lamps
6.11.1.	6.11.1.
6.12. Rear fog lamps	6.12. Rear fog lamps
6.12.1.	6.12.1.
6.13. Reversing lamps	6.13. Reversing lamps
6.13.1.	6.13.1.
6.14. Hazard warning device	6.14. Hazard warning device
6.14.1.	6.14.1.

Appendix 1

Visibility of red lights towards the front and white lights towards the rear

.....

.....

Appendix 2 Arrangement drawing

Appendix 3 Information document in respect of the installation of lighting and light-signalling devices on a type of three-wheel moped

Appendix 4

ANNEX IV REQUIREMENTS CONCERNING TWO-WHEEL MOTORCYCLES

1.
1.1.
1.2.
1.3.
1.4.
1.5.
1.6.
1.7.
1.8.
2.
2.1.
2.2.
2.3.
2.4.
3.
4.
5.
6.	SPECIFIC FITTING REQUIREMENTS
6.1.	Main-beam headlamps
6.1.1.
6.1.2.
6.1.3.	Location
6.1.3.1.
6.1.3.2
6.1.3.3.
6.1.3.4.
6.1.4.	Geometric visibility
6.1.5.	Alignment: forwards.
6.1.6.
6.1.7.
6.1.8.

6.1.8.1.
6.1.8.2.
6.1.8.3.
6.1.9. Electrical connections
6.1.10. Circuit-closed telltale: mandatory.
6.1.11.
6.2. Dipped-beam headlamps
6.2.1.
6.2.2.
6.2.3. Position
6.2.3.1.
6.2.3.2.
6.2.3.3.
6.2.3.4.
6.2.4. Geometric visibility
6.2.5. Alignment: forwards.
6.2.6.
6.2.7.
6.2.8.
6.2.9. Electrical connections
6.2.10. Circuit-closed telltale: optional.
6.2.11.
6.3. Direction indicator lamps
6.3.1.
6.3.2.
6.3.3. Position
6.3.3.1.
6.3.3.1.1.
6.3.3.1.1.1.
6.3.3.1.1.2.
6.3.3.1.1.3.
6.3.3.1.2.
6.3.3.2.
6.3.3.3.
6.3.4. Geometric visibility
6.3.5. Alignment
6.3.6.
6.3.7.
6.3.8.
6.3.9. Electrical connections:
6.3.10. Operational tell-tale: compulsory.
6.3.11. Other requirements
6.3.11.1.
6.3.11.2.
6.3.11.2.1.
6.3.11.2.2.
6.3.11.3.
6.3.11.3.1.
6.3.11.3.2.
6.3.11.4.
6.3.11.4.1.
6.3.11.4.2.
6.3.11.5.

6.4.	Stop lamps
6.4.1.
6.4.2.
6.4.3.	Position
6.4.3.1.
6.4.3.2.
6.4.3.3.
6.4.4.	Geometric visibility:
6.4.5.
6.4.6.
6.4.7.
6.4.8.
6.4.9
6.4.10.
6.5.	Front position lamps
6.5.1.
6.5.2.
6.5.3.	Position
6.5.3.1.
6.5.3.2.
6.5.3.3.
6.5.4.	Geometric visibility
6.5.5.	Alignment: towards the front.
6.5.6.
6.5.7.
6.5.8.
6.5.9.	Circuit-closed telltale: compulsory.
6.5.10.
6.6.	Rear position lamps
6.6.1.
6.6.2.
6.6.3.	Position
6.6.3.1.
6.6.3.2.
6.6.3.3.
6.6.4.	Geometric visibility
6.6.5.
6.6.6.
6.6.7.
6.6.8.
6.6.9.
6.6.10.	Circuit-closed telltale: optional.
6.6.11.
6.7.	Front fog lamps
6.7.1.
6.7.2.
6.7.3.	Position
6.7.3.1.
6.7.3.2.
6.7.3.3.
6.7.4.	Geometric visibility
6.7.5.	Alignment: towards the front.
6.7.6.

6.7.7.	
6.7.8.	
6.7.9. Electrical connections	
6.7.10. Circuit-closed telltale: optional.	
6.7.11.	
6.8. Rear fog lamps	
6.8.1.	
6.8.2.	
6.8.3. Position	
6.8.3.1.	
6.8.3.2.	
6.8.3.3.	
6.8.3.4.	
6.8.4. Geometrical visibility	
6.8.5.	
6.8.6.	
6.8.7.	
6.8.8.	
6.8.9. Electrical connections	
6.8.10. Circuit-closed telltale: compulsory.	
6.8.11.	
6.9. Hazard warning signal	
6.9.1.	
6.9.2. Electrical connections	
6.9.3. Circuit-closed telltale: compulsory.	
6.9.4. Other requirements	
6.10. Rear registration plate lamp	
6.11. Non-triangular side retro-reflectors	
6.11.1.	
6.11.2.	
6.11.3. Position	
6.11.3.1.	
6.11.3.2.	
6.11.3.3.	
6.11.4. Geometric visibility	
6.11.5.	
6.11.6.	
6.12. Non-triangular rear retro-reflectors	
6.12.1.	
6.12.2.	
6.12.3. Location	
6.12.3.1.	
6.12.3.2.	
6.12.3.3.	
6.12.4. Geometrical visibility	
6.12.5.	
6.12.6.	
6.12.7.	

Appendix 1

Visibility of red lights towards the front and white lights towards the rear

.....
.....

Appendix 2

Arrangement drawing

Appendix 3

Information document in respect of the installation of lighting and light-signalling devices on a type of two-wheel motorcycle

Appendix 4

ANNEX V

REQUIREMENTS CONCERNING MOTORCYCLES WITH SIDE-CAR

1.
1.1.
1.2.
1.3.
1.4.
1.5.
1.6.
1.7.
1.8.
2.
2.1.
2.2.
2.3.
2.4.
3.
4.
5.
6.	SPECIFIC FITTING REQUIREMENTS
6.1.	Main-beam headlamps
6.1.1.
6.1.2.
6.1.3.	Location
6.1.3.1.

6.1.3.2
6.1.3.3.
6.1.3.4.
6.1.4. Geometrical visibility
6.1.5. Alignment: forwards.
6.1.6.
6.1.7.
6.1.8.
6.1.8.1.
6.1.8.2.
6.1.8.3.
6.1.9. Electrical connections
6.1.10. Circuit-closed telltale: compulsory.
6.1.11.
6.2. Dipped-beam headlamps
6.2.1.
6.2.2.
6.2.3. Position
6.2.3.1.
6.2.3.2.
6.2.3.3.
6.2.3.4.
6.2.4. Geometric visibility
6.2.5. Alignment: forwards.
6.2.6.
6.2.7.
6.2.8.
6.2.9. Electrical connections
6.2.10. Circuit-closed telltale: optional.
6.2.11
6.3. Direction indicator lamps
6.3.1.
6.3.2.
6.3.3. Position
6.3.3.1.
6.3.3.2.
6.3.4. Geometric visibility
6.3.5. Alignment
6.3.6.
6.3.7.
6.3.8.
6.3.9. Electrical connections
6.3.10. Operational telltale: compulsory.
6.3.11. Other requirements
6.3.11.1.
6.3.11.2.
6.3.11.2.1.
6.3.11.2.2.
6.3.11.3.
6.3.11.3.1.
6.3.11.3.2.
6.3.11.4.
6.3.11.4.1.

6.3.11.4.2.....	6.3.11.4.2.....
6.3.11.5.....	6.3.11.5.....
6.4. Stop lamps	6.4.1.
	6.4.2.
	6.4.3. Position
	6.4.3.1.
	6.4.3.2.
	6.4.3.3.
	6.4.4. Geometric visibility:
	6.4.5.
	6.4.6.
	6.4.7.
	6.4.8.
	6.4.9.
	6.4.10.
6.5. Front position lamps	6.5.1.
	6.5.2.
	6.5.3. Position
	6.5.3.1.
	6.5.3.2.
	6.5.3.3.
	6.5.4. Geometric visibility
	6.5.5. Alignment: towards the front.
	6.5.6.
	6.5.7.
	6.5.8.
	6.5.9. Circuit-closed telltale: compulsory.
	6.5.10.
6.6. Rear position lamps	6.6.1.
	6.6.2.
	6.6.3. Position
	6.6.3.1.
	6.6.3.2.
	6.6.3.3.
	6.6.4. Geometric visibility
	6.6.5.
	6.6.6.
	6.6.7.
	6.6.8.
	6.6.9.
	6.6.10. Circuit-closed telltale: optional.
	6.6.11.
6.7. Front fog lamps	6.7.1.
	6.7.2.
	6.7.3. Position
	6.7.3.1.
	6.7.3.2.
	6.7.3.3.
	6.7.4. Geometric visibility

6.7.5.	Alignment: towards the front.
6.7.6.
6.7.7.
6.7.8.
6.7.9.	Electrical connections
6.7.10.	Circuit-closed telltale: optional.
6.7.11.
6.8.	Rear fog lamps
6.8.1.
6.8.2.
6.8.3.	Position
6.8.3.1.
6.8.3.2.
6.8.3.3.
6.8.3.4.
6.8.4.	Geometrical visibility
6.8.5.
6.8.6.
6.8.7.
6.8.8.
6.8.9.	Electrical connections
6.8.10.	Circuit-closed telltale: compulsory.
6.8.11.
6.9.	Hazard warning signal
6.9.1.
6.9.2.	Electrical connections
6.9.3	Circuit-closed telltale: compulsory.
6.9.4.	Other requirements
6.10.	Rear registration plate lamp
6.11.	Non-triangular side retro-reflectors
6.11.1.
6.11.2.
6.11.3.	Position
6.11.3.1.
6.11.3.2.
6.11.3.3.
6.11.4.	Geometric visibility
6.11.5.
6.11.6.
6.12.	Non-triangular rear retro-reflectors
6.12.1.
6.12.2.
6.12.3.	Location
6.12.3.1.
6.12.3.2.
6.12.3.3.
6.12.4.	Geometrical visibility
6.12.5.
6.12.6.
6.12.7.

Appendix 1

Visibility of red lights towards the front and white lights towards the rear

.....
.....

Appendix 2

Arrangement drawing

Appendix 3

Information document in respect of the installation of lighting and light-signalling devices on a type of motorcycle with side-car

Appendix 4

ANNEX VI REQUIREMENTS CONCERNING TRICYCLES

1.
 - 1.1.
 - 1.2.
 - 1.3.
 - 1.4.
 - 1.5.
 - 1.6.
 - 1.7.
 - 1.8.
 - 1.9.
2.
 - 2.1.
 - 2.2.
 - 2.3.
 - 2.4.
3.
4.
5.
6. SPECIFIC FITTING REQUIREMENTS
 - 6.1. Main-beam headlamps
 - 6.1.1. Number: one or two.
 - 6.1.2.
 - 6.1.3. Location

6.1.3.1.	6.1.3.2.	6.1.3.3.
6.1.4. Geometrical visibility		
6.1.5. Alignment: forwards.		
6.1.6.		
6.1.7.		
6.1.8.	6.1.8.1.	6.1.8.2.
	6.1.8.3.	
6.1.9. Electrical connections		
6.1.10. Circuit-closed telltale: compulsory.		
6.1.11.		
6.2. Dipped-beam headlamps		
6.2.1. Number: one or two.		
6.2.2.		
6.2.3. Position	6.2.3.1.	6.2.3.2.
	6.2.3.3.	
6.2.4. Geometric visibility		
6.2.5. Alignment: forwards.		
6.2.6.		
6.2.7.		
6.2.8.		
6.2.9. Electrical connections		
6.2.10. Circuit-closed telltale: optional.		
6.2.11.		
6.3. Direction indicator lamps		
6.3.1. Number: two per side.		
6.3.2.		
6.3.3. Position	6.3.3.1.	6.3.3.2.
6.3.4. Geometric visibility		
6.3.5. Alignment		
6.3.6.		
6.3.7.		
6.3.8.		
6.3.9. Electrical connections:		
6.3.10. Operational telltale: compulsory.		
6.3.11. Other requirements		
6.3.11.1.		
6.3.11.2.	6.3.11.2.1.	6.3.11.2.2.
6.3.11.3.		
	6.3.11.3.1.	6.3.11.3.2.
6.3.11.4.		
	6.3.11.4.1.	6.3.11.4.2.

	6.3.11.5.
6.4.	Stop lamps
6.4.1.	Number: one or two.
6.4.2.
6.4.3.	Position
6.4.3.1.
6.4.3.2.
6.4.3.3.
6.4.4.	Geometric visibility:
6.4.5.
6.4.6.
6.4.7.
6.4.8.
6.4.9
6.4.10.
6.5.	Front position lamps
6.5.1.	Number: one or two.
6.5.2.
6.5.3.	Position
6.5.3.1.
6.5.3.2.
6.5.3.3.
6.5.4.	Geometric visibility
6.5.5.	Alignment: towards the front.
6.5.6.
6.5.7.
6.5.8.
6.5.9.	Circuit-closed telltale: compulsory.
6.5.10.
6.6.	Rear position lamps
6.6.1.	Number: one or two.
6.6.2.
6.6.3.	Position
6.6.3.1.
6.6.3.2.
6.6.3.3.
6.6.4.	Geometric visibility
6.6.5.
6.6.6.
6.6.7.
6.6.8.
6.6.9.
6.6.10.	Circuit-closed telltale: optional.
6.6.11.
6.7.	Front fog lamps
6.7.1.
6.7.2.
6.7.3.	Position
6.7.3.1.
6.7.3.2.
6.7.3.3.
6.7.4.	Geometric visibility
6.7.5.	Alignment: towards the front.

6.7.6.
6.7.7.
6.7.8.
6.7.9.	Electrical connections
6.7.10.	Circuit-closed telltale: optional.
6.7.11.
6.8.	Rear fog lamps
6.8.1.
6.8.2.
6.8.3.	Position
6.8.3.1.
6.8.3.2.
6.8.3.3.
6.8.3.4.
6.8.4.	Geometrical visibility
6.8.5.
6.8.6.
6.8.7.
6.8.8.
6.8.9.	Electrical connections
6.8.10.	Circuit-closed telltale: compulsory.
6.8.11.
6.9.	Reversing lamps
6.9.1.
6.9.2.
6.9.3.	Position
6.9.3.1.
6.9.3.2.
6.9.3.3.
6.9.4.	Geometric visibility
6.9.5.
6.9.6.
6.9.7.
6.9.8.
6.9.9.	Electrical connections
6.9.10.
6.10.	Hazard warning signal
6.10.1.
6.10.2.	Electrical connections
6.10.3.	Circuit-closed telltale: compulsory.
6.10.4.	Other requirements
6.11.	Rear registration plate lamp
6.12.	Non-triangular rear retro-reflectors
6.12.1.	Number: one or two class IA.
6.12.2.
6.12.3.	Position
6.12.3.1.
6.12.3.2.
6.12.3.3.
6.12.4.	Geometric visibility
6.12.5.
6.12.6.
6.12.7.

6.13. Non-triangular side retro-reflectors

- 6.13.1.
- 6.13.2.
- 6.13.3. Position
 - 6.13.3.1.
 - 6.13.3.2.
 - 6.13.3.3.
- 6.13.4. Geometric visibility
- 6.13.5.
- 6.13.6.

Appendix 1

Visibility of red lights towards the front and white lights towards the rear

.....
.....

Appendix 2

Arrangement drawing

Appendix 3

Information document in respect of the installation of lighting and light-signalling devices on a type of tricycle

Appendix 4