Directive 94/20/EC of the European Parliament and of the Council of 30 May 1994 relating to the mechanical coupling devices of motor vehicles and their trailers and their attachment to those vehicles (repealed)

	Article 3 Article 4			
				ANNEX I
1.	SCOPI 1.1. 1.2. 1.3.	E 		
2.	DEFIN 2.1.	2.1.18. 2.1.19. 2.1.20. 2.1.2.1.	2.1.16.1. 2.1.16.2. 2.1.16.3. 2.1.16.4.	

Article 1

Article 2

3. EEC TYPE-APPROVAL FOR A COMPONENT

	3.1.	Application for EEC type-approval
	J.11.	3.1.1
		3.1.2
		3.1.3
		3.1.3.1
		3.1.3.2
	2.2	31.3.3
	3.2.	Marking of specimen 3.2.1
		3.2.2
		3.2.3
		3.2.4
	3.3.	Granting of EEC type-approval
		3.3.1
		3.3.2
		3.3.3
		3.3.4
		3.3.4.1
		3.3.4.2
		3.3.4.3
		3.3.5
	3.4.	Modification of the type of mechanical coupling device and extension
	J. T .	3.4.1
		5.1.1.
4.	EEC T	YPE-APPROVAL FOR A VEHICLE
	4.1.	Application for EEC type-approval
		4.1.1
		4.1.2.
		4.1.3
		4.1.3.1
	4.2.	4.1.3.2
	4.2.	Granting of EEC type-approval 4.2.1
		4.2.2
		4.2.3
	4.3.	Modification of the type of vehicle and extension of EEC
	1.5.	4.3.1
		4.3.2
		4.3.2.1
		4.3.2.2
		4.3.2.3
		4.3.3
_	DEOLII	DEMENTO
5.	5.1.	REMENTS
	5.2.	
	5.3.	
	5.4.	
	5.5.	
	5.6.	
	5.7.	
	5.8.	

	5.9. Loading requirements 5.9.1	
	5.10	
6.	CONFORMITY OF PRODUCTION 6.1	
	ANNEX II	
(a)	Specimen EEC approval marking for a drawbar coupling	
(b)	Specimen EEC approval marking for a drawbar eye	
(c)	Specimen EEC approval mark for a fifth wheel coupling	
(d)	Specimen EEC approval marking for a fifth wheel coupli	ng pin
(e)	Specimen EEC approval marking for a coupling ball and	towing
(f)	Specimen EEC approval marking for a coupling head	
(g)	Specimen EEC approval marking for a drawbar	
	ANNEX III	
	ANNEX IV	
	Appendix I	
	ANNEX V	
	Requirements for mechanical coupling de	vices
1.	COUPLING BALLS AND TOWING BRACKETS 1.1	

6.3.

	1.5.							
		1.5.1						
		1.5.2						
		1.5.3						
2.	COLI	PLING HEADS						
۷.	2.1.							
	2.2.							
	2.2.							
	2.3. 2.4.							
	2.4.							
3.	DRA	DRAWBAR COUPLINGS						
	3.1.	Load requirements						
	3.2.							
	3.3.	•						
	3.4.	Jaw						
	3.5.	Minimum freedom of movement of the coupled drawbar eye						
	3.6.	Minimum angle for coupling-up and uncoupling						
	3.0.	3.6.1						
		3.6.2						
	2.7	3.6.3						
	3.7.	Locking to prevent inadvertent uncoupling						
	3.8.	Hand levers						
	3.9.	Special requirements for standard drawbar couplings of Class C 50-1 3.9.1						
		3.9.2						
		3.9.3						
		3.9.4						
		3.9.5						
4.	DRA	DRAWBAR EYES						
	4.1.	General requirements for drawbar eyes						
	4.2.	Special requirements for drawbar eyes of Class D 50-A						
	4.3.	Special requirements for drawbar eyes of Class D 50-B						
	4.4.	Special requirements for drawbar eyes of Class D 50-C						
	4.5.	Load values for standard drawbar eyes						
-	DD 41	WID A D.C.						
5.		WBARS						
	5.1.							
	5.2.							
	5.3.							
	5.4.	Height adjusting devices for hinged drawbars						
		5.4.1						
		5.4.2						
		5.4.3						
		5.4.4						
	5.5.							
	5.6.							
6.	MOU	INTING FRAMES						
0.	6.1.							
	6.2.							
	0.4.							

Directive 94/20/EC of the European Parliament and of the Council of 30 May 1994 relating...

Document Generated: 2023-10-08

Status: EU Directives are being published on this site to aid cross referencing from UK legislation. After IP completion day (31 December 2020 11pm) no further amendments will be applied to this version.

7.	FIFTH 7.1. 7.2. 7.3. 7.4.	WHEEL COUPLINGS AND STEERING WEDGES Suitable fifth wheel coupling pins Automatic operation Guides Minimum free movement of the fifth wheel coupling with the 7.4.1
	7.5. 7.6. 7.7. 7.8. 7.9.	Locking devices to prevent uncoupling of fifth wheel couplings Operating devices Surface finish Load requirements Steering wedges 7.9.1
	7.10.	Special requirements for standard fifth wheels couplings 7.10.1 7.10.2 7.10.3 7.10.4
8.	FIFTH 8.1. 8.2.	WHEEL COUPLING PINS
9.	MOUN 9.1. 9.2. 9.3.	TTING PLATES
10.	DEVIC 10.1. 10.2.	EES FOR REMOTE INDICATION AND REMOTE CONTROL General requirements Remote indication 10.2.1
	10.3.	Remote control 10.3.1

ANNEX VI TESTING OF MECHANICAL COUPLING DEVICES

1.	. GENERAL TESTING REQUIREMENTS				
	1.1.				
	1.2.				
	1.3.				
	1.4.				
	1.5.				
	1.6.				
	1.0.				
2.	TEST	PROCEDURES			
	2.1.				
	2.2.				
	2.3.				
	2.4.				
	2.4.				
	2.6.				
3.	SYMI	BOLS AND DEFINITIONS IN ANNEX VI			
4.	SDEC	IFIC TESTING REQUIREMENTS			
4.	4.1.				
	4.1.	Coupling balls and towing brackets			
		4.1.1.			
		4.1.2			
		4.1.3			
		4.1.4			
		4.1.5			
		4.1.6			
		4.1.6.1			
		4.1.6.2			
		4.1.6.3			
		4.1.6.3.1			
		4.1.6.3.2			
		4.1.6.3.3			
	4.2.	COUPLING HEADS			
	4.2.				
		4.2.1			
		4.2.2			
		4.2.3			
	4.3.	Drawbar couplings and draw beams			
		4.3.1			
		4.3.2. Drawbar couplings for hinged drawbars (S=0)			
		4.3.3. Drawbar couplings for use with centre-axle trailers $(S > 0)$			
		4.3.3.1. Centre-axle trailer masses up to and including 3,5 tonnes			
		4.3.3.2. Centre-axle trailer masses exceeding 3,5 tonnes			
		4.3.4. Static test on coupling pin locking device			
	4.4.	Drawbar eyes			
	7.7.				
	4.5	4.4.2.			
	4.5.	Drawbars			
		4.5.1			
		4.5.2			

1.

2.

1.6	4.5.3.					
4.6.	Fifth wheel couplings					
	4.6.1					
	4.6.2. Static tests					
	4.6.2.1					
	4.6.2.2					
	4.6.3. Dynamcic test					
	4.6.3.1					
	4.6.3.2					
	4.6.3.3					
4.7.	Mounting plates for fifth wheel couplings					
4.8.	Fifth wheel coupling pins of semi-trailers					
	4.8.1					
	4.8.2					
	ANNEX VII					
VEH	QUIREMENTS RELATING TO THE TYPE-APPROVAL OF THE ICLE TYPE WITH REGARD TO THE OPTIONAL ATTACHMENT OF MECHANICAL COUPLING DEVICES TO THIS VEHICLE.					
GENE	ERAL REQUIREMENTS					
1.1.						
1.1.						
1 2						
1.3. 1.4						
1.3. 1.4.	······································					
1.4.						
1.4. SPEC	IAL REQUIREMENTS					
1.4.	IAL REQUIREMENTS Attachment of coupling balls and towing brackets					
1.4. SPEC	IAL REQUIREMENTS Attachment of coupling balls and towing brackets 2.1.1					
1.4. SPEC	IAL REQUIREMENTS Attachment of coupling balls and towing brackets 2.1.1					
1.4. SPEC	IAL REQUIREMENTS Attachment of coupling balls and towing brackets 2.1.1					
1.4. SPEC: 2.1.	IAL REQUIREMENTS Attachment of coupling balls and towing brackets 2.1.1					
1.4. SPEC	IAL REQUIREMENTS Attachment of coupling balls and towing brackets 2.1.1					
1.4. SPEC: 2.1.	Attachment of coupling balls and towing brackets 2.1.1					
1.4. SPECI 2.1.	Attachment of coupling balls and towing brackets 2.1.1					
1.4. SPEC: 2.1.	Attachment of coupling balls and towing brackets 2.1.1					
1.4. SPECI 2.1.	Attachment of coupling balls and towing brackets 2.1.1					
1.4. SPECI 2.1.	Attachment of coupling balls and towing brackets 2.1.1					
1.4. SPECI 2.1.	Attachment of coupling balls and towing brackets 2.1.1					
1.4. SPECI 2.1.	Attachment of coupling balls and towing brackets 2.1.1					
1.4. SPECI 2.1.	Attachment of coupling balls and towing brackets 2.1.1					
1.4. SPECI 2.1.	Attachment of coupling balls and towing brackets 2.1.1					
1.4. SPECI 2.1. 2.2.	Attachment of coupling balls and towing brackets 2.1.1					
1.4. SPECI 2.1.	Attachment of coupling balls and towing brackets 2.1.1					
1.4. SPECI 2.1. 2.2.	Attachment of coupling balls and towing brackets 2.1.1					
1.4. SPECI 2.1. 2.2. 2.3.	Attachment of coupling balls and towing brackets 2.1.1					
1.4. SPECI 2.1. 2.2.	Attachment of coupling balls and towing brackets 2.1.1					
1.4. SPECI 2.1. 2.2. 2.3.	Attachment of coupling balls and towing brackets 2.1.1					
1.4. SPECI 2.1. 2.2. 2.3.	Attachment of coupling balls and towing brackets 2.1.1					
1.4. SPECI 2.1. 2.2. 2.3.	Attachment of coupling balls and towing brackets 2.1.1					

ANNEX VIII					
	 		٠.	•	
ANNEX IX					
Appendix I					