COUNCIL DIRECTIVE 96/32/EC

of 21 May 1996

amending Annex II to Directive 76/895/EEC relating to the fixing of maximum levels for pesticide residues in and on fruit and vegetables and Annex II to Directive 90/642/EEC relating to the fixing of maximum levels for pesticide residues in and on certain products of plant origin, including fruit and vegetables, and providing for the establishment of a list of maximum levels

THE COUNCIL OF THE EUROPEAN UNION,

Having regard to the Treaty establishing the European Community,

Having regard to Council Directive 76/895/EEC of 23 November 1976 relating to the fixing of maximum levels for pesticide residues in and on fruit and vegetables (1), and in particular Article 5 thereof,

Having regard to Council Directive 90/642/EEC of 27 November 1990 relating to the fixing of maximum levels for pesticide residues in and on certain products of plant origin, including fruit and vegetables (2), and in particular Article 1 thereof,

Having regard to the proposal from the Commission,

Whereas, in order to establish mandatory maximum levels of pesticide residues at Community level, it is necessary to transfer provisions from Directive 76/895/EEC to Directive 90/642/EEC relating to the pesticides chlormequat, diazinon, dicofol, endosulfan, fentin and propoxur; whereas certain of those provisions should be amended in the light of technical and scientific progress;

Whereas the Commission has received a mandate in the framework of Directive 90/642/EEC to prepare the list of pesticide residues and their maximum levels for approval by the Council;

Whereas Directive 90/642/EEC provided for the establishment of a list of maximum levels for certain pesticide residues, including a maximum pesticide residue level for the herbicide glyphosate in and on soya bean (3), and for the fungicide fenarimol in and on bananas (*); whereas it is appropriate to amend to maximum pesticide residue levels for soya bean and bananas in order to reflect the authorized uses in certain third countries; whereas the new levels provided for are acceptable from a dietary intake point of view; whereas these levels should facilitate international trade:

Whereas Directive 90/642/EEC provided for the establishment of maximum pesticide residue levels for iprodione in and on rhubarb, and for benomyl in and on rhubarb and courgettes; whereas new data are available on these pesticide residue/product combinations; whereas on consideration of these data it is now appropriate to amend the maximum pesticide residue levels for rhubarb and courgettes; whereas the new levels provided for are acceptable from a dietary intake point of view;

Whereas pesticide residues may arise in products of plant origin including fruit and vegetables as a result of agricultural practices; whereas it is necessary to take into account relevant data for both authorized pesticide uses and supervised trials;

Whereas, in order better to estimate dietary intake of pesticide residues, it is prudent to establish simultaneously, where appropriate, maximum residue levels for individual pesticides in all major components of the diet; whereas these levels represent the use of minimum quantities of pesticide to achieve adequate control, applied in such a manner that the amount of residue is the smallest practicable and is toxicologically acceptable;

Whereas it is now appropriate that maximum levels be fixed for certain pesticide residues in products of plant origin, namely disulfoton, fenbutatin oxide, mecarbam, phorate, propyzamide, triazophos and triforine; whereas, however, it is not possible to establish maximum pesticide residue levels for all pesticide residue product combinations due to insufficient data;

Whereas, however, data are insufficient by current standards to establish maximum pesticide residue levels for certain pesticide residue/product combinations; whereas,

⁽¹⁾ OJ No L 340, 9. 12. 1976, p. 26. Directive as last amended by the 1994 Act of Accession.

⁽²⁾ OJ No L 350, 14. 12. 1990, p. 71. Directive as last amended by Directive 95/61/EC (OJ No L 292, 7. 12. 1995, p. 27).
(3) OJ No L 211, 23. 8. 1993, p. 6.
(4) OJ No L 189, 23. 7. 1994, p. 70.

in such cases, a period of time not exceeding four years would seem reasonable for the generation of the necessary data; whereas, therefore, maximum levels should be established on the basis of such data by 30 April 2000 at the latest; whereas failure to provide satisfactory data should normally result in the establishment of levels at the appropriate limit of determination; whereas satisfactory undertakings to generate the necessary data must be given within one year of the adoption of this Directive;

Whereas the maximum residue levels established in this Directive will have to be reviewed in the framework of the re-evalutation of active substances provided for in the work programme established in Article 8 (2) of Council Directive 91/414/EEC of 15 July 1991 concerning the placing of plant protection products on the market (¹),

2. The following entries shall be inserted:

HAS ADOPTED THIS DIRECTIVE:

Article 1

Annex II to Directive 76/895/EEC is hereby amended as follows:

1. The entries relating to the following pesticide residues shall be deleted:

chlormequat diazinon dicofol endosulfan fentin propoxur.

Pesticide	Product	Maximum pesticide residue content
Chlormequat Beans (fresh) Peas (fresh)		0,05 0,05
Endosulfan	Currants (red, black and white) Gooseberries Blackberries Strawberries	1 1 1 1
Ргорохиг	Tomatoes Cucumbers	3 3

3. The entries provided for in point 2 shall be deleted no later than 30 April 2000.

Article 2

1. Annex II to Directive 90/642/EEC is hereby amended as follows:

GLYPHOSATE

In the column under the heading 'Glyphosate', the figure '20,0' shall be added opposite the following product entry:

— in group '4. Oil seeds', 'Soya bean'.

FENARIMOL

In the column under the heading 'Fenarimol', the figure '0,3' shall be added opposite the following product entry:

- in group '1. (vi) Miscellaneous', 'Bananas'.

IPRODIONE

In the column under the heading 'Iprodione', the figure '0,2' shall be added opposite the following product entry:

— in group '2. (vii) Stem vegetables', 'Rhubarb'.

(¹) OJ No L 230, 19. 8. 1991, p. 1.

BENOMYL

In the column under the heading 'Benomyl', the figure '2,0' shall be added opposite the following product entry:

- in group '2. (vii) Stem vegetables', 'Rhubarb'.

In the column under the heading 'Benomyl', the figure '0,3' shall be added opposite the following product entry:

- in group '2. (iii) Fruiting vegetables', 'Courgettes'.

2. If maximum residue levels are not adopted for the pesticide/product combinations listed in point 2 of Article 1 by 30 April 2000, a maximum level of 0,05 (*) shall be introduced for each of those pesticide/product combinations.

Article 3

The following pesticide residues shall be added to Annex II to Directive 90/642/EEC:

	Pesticide residues and maximum residue levels (mg/kg)		
Groups and examples of individual products to which the MRLs apply	Triforine	Endosulfan (Sum of alpha and beta endosulfan and endosulfan sulphate expressed as endosulfan)	Fentin (Fentin, expressed as triphenyltin cation)
Fruit, fresh, dried or uncooked preserved by freezing, not containing added sugar; nuts			
(i) CITRUS FRUIT	0,05 (*)	1 (a)	0,05 (*)
Grapefruit Lemons			
Limes Mandarins (including clementines and other hybrids) Oranges Pomelos Others			
(ii) TREE NUTS (shelled or unshelled)		0,1 (*)	0,05 (*)
Almonds	(a)		
Brazil nuts			
Cashew nuts			
Chestnuts			
Coconuts			
Hazelnuts			
Macadamia			
Pecans			
Pine nuts			
Pistachios			
Walnuts			
Others	0,05 (*)		
(iii) POME FRUIT	2	1 (a)	0,05 (*)
Apples			
Pears			
Quinces			
Other		1	

	Pesticide residues and maximum residue levels (mg/kg)		
Groups and examples of individual products to which the MRLs apply	Triforine	Endosulfan (Sum of alpha- and beta endosulfan and endosulfan sulphate expressed as endosulfan)	Fentin (Fentin, expressed as triphenyltin cation)
(iv) STONE FRUIT		1 (a)	0,05 (*)
Apricots	(a)		
Cherries	2		
Peaches (including nectarines and similar hybrids) Plums	(a) 1		
Others	0,05 (*)		
(v) BERRIES AND SMALL FRUIT			0,05 (*)
(a) Table and wine grapes	(a)	1 (a)	0,00()
(b) Strawberries (other than wild)	(a)	(*)	
(c) Cane fruit (other than wild)	0,05 (*)		
Blackberries		(^x)	
Dewberries			
Loganberries		1 (a)	
Raspberries Others		1 (a) 0,05 (*)	
 (d) Other small fruit and berries (other than wild) Bilberries (fruit of species Vaccinium myrtyllus) Cranberries 		0,05()	
Currants (red, black and white)	2	(*)	
Gooseberries	2	(×)	
Others	0,05 (*)	0,05 (*)	
(e) Wild berries and wild fruit	0,05 (*)	0,05 (*)	
(vi) MISCELLANEOUS	0,05 (*)		0,05 (*)
Avocados			
Bananas Dates			
Figs			
Kiwis		1 (a)	
Kumquats			
Litchis			
Mangoes Olives		1 (a)	
Passion fruit		- (-)	
Pineapples			
Pomegranates			
Others		0,05 (*)	
2. Vegetables, fresh or uncooked, frozen or dry			
(i) ROOT AND TUBER VEGETABLES			0,05 (*)
Beetroot		0,2 (a)	
Carrots		0,2 (a)	
Celeriac Horseradish		0,2 (a)	
Jerusalem artichokes			
Parsnips			
Parsley root			
Radishes		0,2 (a)	
Salsify			
Sweet potatoes Swedes	(a)	0,2 (a)	
Turnips	(a)	0,2 (a)	
Yams			
Others	0,05 (*)	0,05 (*)	

	Pesticide residues and maximum residue levels (mg/kg)		
Groups and examples of individual products to which the MRLs apply	Triforine	Endosulfan (Sum of alpha- and beta endosulfan and endosulfan sulphate expressed as endosulfan)	Fentin (Fentin, expressed as triphenyltin cation)
(ii) BULB VEGETABLES	(a)		0,05 (*)
Garlic			
Onions		1 (a)	
Shallots Spring onions			
Others		0,05 (*)	
(iii) FRUITING VEGETABLES			0,05 (*)
(a) Solanacea	(a)	1 (a)	0,05()
Tomatoes	(4)	· (u)	
Peppers			
Aubergines			
Others			
(b) Cucurbits — edible peel Cucumbers	0,5	1 (a)	
Gherkins			
Courgettes			
Others			
(c) Cucurbits — inedible peel	(a)	1 (a)	
Melons Squashes			
Watermelons			
Others			
(d) Sweetcorn	0,05 (*)	0,05 (*)	
(iv) BRASSICA VEGETABLES	(a)		0,05 (*)
(a) Flowering brassica		1 (a)	
Broccoli			
Cauliflower			
Others (b) Head brassica			
(b) Flead brassica Brussels sprouts		1 (a)	
Head cabbage			
Others			
(c) Leafy brassica		1 (a)	
Chinese cabbage			
Kale Others			
(d) Kohlrabi		0.05 (*)	
		0,05 (*)	0.05 (7)
(v) LEAF VEGETABLES AND FRESH HERBS		1 (-)	0,05 (*)
(a) Lettuce and similar Cress	(a)	1 (a)	
Lamb's lettuce	(-)		
Lettuce			
Scarole			
Others	0,05 (*)		
(b) <i>Spinach and similar</i> Spinach	(a)	1 (a)	
Beet leaves (chard)	(a)		
Others	0,05 (*)		
(c) Watercress	0,05 (*)	0,05 (*)	

	Pesticide residues and maximum residue levels (mg/kg)		
Groups and examples of individual products to which the MRLs apply	Triforine	Endosulfan (Sum of alpha- and beta endosulfan and endosulfan sulphate expressed as endosulfan)	Fentin (Fentin, expressed as triphenyltin cation)
(d) Witloof	0,05 (*)	0,05 (*)	
(e) Herbs		0,05 (*)	
Chervil			
Chives			
Parsley Colory Jonator	(a)		
Celery leaves Others	0,05 (*)		
(vi) LEGUME VEGETABLES (fresh)	(a)	1 (a)	0,05 (*)
Beans (with pods)	(a)	1 (a)	0,03()
Beans (without pods)			
Peas (with pods)			
Peas (without pods)			
Others			
(vii) STEM VEGETABLES (fresh)			0,0 <i>5</i> (*)
Asparagus	(a)		
Cardoons		1 (a)	
Celery	(a)	1 (a)	
Fennel Globe artichokes		1()	
Leeks	(a) (a)	1 (a) 1 (a)	
Rhubarb	(4)	- (u)	
Others	0,05 (*)	0,05 (*)	
(viii) FUNGI	0,05 (*)		0,05 (*)
(a) Cultivated musbrooms		1 (a)	
(b) Wild musbrooms		0,05 (*)	
. Pulses	0,05 (*)	0,05 (*)	0,05 (*)
Beans			.,()
Lentils			
Peas			
Others			
. Oil seed	0,05 (*)		0,05 (*)
Linseed		(a)	
Peanuts			
Poppy seeds			
Sesame seeds			
Sunflower seed Rapeseed		(a) (a)	
Soya bean		(a) (a)	
Mustard seed		(a)	
Cotton seed		0,3	
Others		0,1 (*)	
. Potatoes	0,05 (*)	(a)	0,1
Early and ware potatoes			
. Tea (Black tea processed from the leaves of Camellia sinensis)	0,1 (*)	30 (laid down in Directive	0,1 (*)
		93/58/EEC)	

Groups and examples of individual products to which the MRLs apply	Pesticide residues and maximum residue levels (mg/kg)		
	Phorate (Sum of phorate, its oxygen analogue and their sulphoxides and sulphones expressed as phorate)	Dicofol (Sum of P, P'- and O, P'- isomers)	Chlormequat
Fruit, fresh, dried or uncooked preserved by freezing not containing added sugar; nuts			
(i) CITRUS FRUIT	0,05 (*)	2 (b)	0,05 (*)
Grapefruit			
Lemons			
Limes			
Mandarins (including clementines and other hybrids)			
Oranges			
Pomelos Others			
(ii) TREE NUTS (shelled or unshelled)	0,05 (*)	0,05 (*)	0,1 (*)
Almonds			
Brazil nuts			
Cashew nuts			
Chestnuts Coconuts			
Hazelnuts			
Macadamia			
Pecans			
Pine nuts			
Pistachios			
Walnuts			
Others			
(iii) POME FRUIT	0,05 (*)	1 (b)	
Apples			(a)
Pears			3 (a)
Quinces			0.05 (1)
Other			0,05 (*)
(iv) STONE FRUIT	0,05 (*)	(b)	0,05 (*)
Apricots			
Cherries			
Peaches (including nectarines and similar hybrids) Plums			
Others			
(v) BERRIES AND SMALL FRUIT	0.05 (%)	1 (1)	
(a) Table and wine grapes	0,05 (*)	1 (b)	1 (a)
(b) Strawberries (other than wild)	(a)	2 (b)	(a)
(c) <i>Cane fruit</i> (other than wild) Blackberries	0,05 (*)	0,02 (*)	0,05 (*)
Dewberries			
Loganberries			
Raspberries Others			

	Pesticide residues and maximum residue levels (mg/kg)		
Groups and examples of individual products to which the MRLs apply	Phorate (Sum of phorate, its oxygen analogue and their sulphoxides and sulphones expressed as phorate)	Dicofol (Sum of P, P'- and O, P'- isomers)	Chlormequat
(d) Other small fruit and berries (other than wild) Bilberries (fruit of species Vaccinium myrtyllus) Cranberries	0,05 (*)		0,05 (*)
Currants (red, black and white) Gooseberries		(b)	
Others		0,02 (*)	
(e) Wild berries and wild fruit	0,05 (*)	0,02 (*)	0,05 (*)
vi) MISCELLANEOUS	0,05 (*)		
Avocados Bananas		2 (b)	
Dates Figs Kiwis Kumquats Litchis		(b)	
Mangoes Olives Passion fruit Pineapples			0,1 (*)
Pomegranates Others		0,02 (*)	0,05 (*)
		.,	
/egetables, fresh or uncooked, frozen or dry			
(i) ROOT AND TUBER VEGETABLES		0,02 (*)	0,05 (*)
Beetroot Carrots Celeriac	(a) (a)		
Horseradish Jerusalem artichokes			
Parsnips Parsley root Radishes	(a)		
Salsify Sweet potatoes Swedes Turnips			
Yams			
Others	0,05 (*)		
(ii) BULB VEGETABLES	0,05 (*)		0,05 (*)
Garlic Onions Shallots		(b)	
Spring onions Others		0,02 (*)	
(iii) FRUITING VEGETABLES			
(a) <i>Solanacea</i> Tomatoes	(a)	0,5 (b)	(a)
Peppers Aubergines		0,5 (b)	

	Pesticide residues and maximum residue levels (mg/kg)		
Groups and examples of individual products to which the MRLs apply	Phorate (Sum of phorate, its oxygen analogue and their sulphoxides and sulphones expressed as phorate)	Dicofol (Sum of P, P'- and O, P'- isomers)	Chlormequat
(b) Cucurbits — edible peel		0,5 (b)	0,05 (*)
Cucumbers	0,05 (*)		
Gherkins			
Courgettes			
Others	(a)		
(c) Cucurbits — inedible peel	0,05 (*)	0,5 (b)	0,05 (*)
Melons Squashes			
Watermelons			
Others			
(d) Sweetcorn	(a)	0,02 (*)	0,05 (*)
			.,
(iv) BRASSICA VEGETABLES		0,02 (*)	0,05 (*)
(a) Flowering brassica Broccoli	(a)		
Cauliflower			
Others			
(b) Head brassica	(a)		
Brussels sprouts			
Head cabbage			
Others			
(c) Leafy brassica	(a)		
Chinese cabbage			
Kale			
Others	0.05 (%)		
(d) Kohlrabi	0,05 (*)		
(v) LEAF VEGETABLES AND FRESH HERBS		0,02 (*)	0,05 (*)
(a) Lettuce and similar	(a)		
Cress			
Lamb's lettuce Lettuce			
Scarole			
Others			
(b) Spinach and similar	0,05 (*)		
Spinach			
Beet leaves (chard)			
Others			
(c) Watercress	0,05 (*)		
(d) Witloof	0,05 (*)		
(e) Herbs	(a)		
Chervil			
Chives			
Parsley Celery leaves			
Others			

	Pesticide residues and maximum residue levels (mg/kg)		
Groups and examples of individual products to which the MRLs apply	Phorate (Sum of phorate, its oxygen analogue and their sulphoxides and sulphones expressed as phorate)	Dicofol (Sum of P, P'- and O, P'- isomers)	Chlormequat
(vi) LEGUME VEGETABLES (fresh)	(a)		
Beans (with pods)		0,5 (b)	(*)
Beans (without pods)		0,5 (b)	(×)
Peas (with pods)		0,5 (b)	(*)
Peas (without pods)		0,5 (b)	(*)
Others		0,02 (*)	0,05 (*)
(vii) STEM VEGETABLES (fresh)			0,05 (*)
Asparagus			
Cardoons			
Celery	(a)		
Fennel			
Globe artichokes Leeks		(b)	
Leeks Rhubarb			
Others	0,05 (*)	0,02 (*)	
		0,02()	
(viii) FUNGI	0,05 (*)		
(a) Cultivated musbrooms		(b)	(a)
(b) Wild musbrooms		0,02 (*)	0,05 (*)
Pulses			0,05 (*)
Beans	(a)	(b)	
Lentils			
Peas			
Others	0,05 (*)	0,02 (*)	
Oilseed			
Linseed	(a)		(c)
Peanuts	0,1		
Poppy seeds			
Sesame seeds			
Sunflower seed	(-)		
Rapeseed Soya bean	(a)		(c)
Mustard seed			
Cotton seed		0,1	(c)
Others	0,05 (*)	0,05 (*)	0,1 (*)
_			
Potatoes	(a)	0,02 (*)	(a)
Early and Ware potatoes			
Tea (Black tea processed from the leaves of Camellia sinensis)	0,1 (")	(d) (laid down in Directive 93/58/EEC)	0,1 (*)
Hops (dried), including hop pellets and unconcentrated powder	0,1 (*)	50	0,1 (*)

	Pesticide residues and maximum residue levels (mg/kg)		
Groups and examples of individual products to which the MRLs apply	Propyzamide	Propoxur	Disulfoton (Sum of disulfoton, disulfoton sulphoxide and disulfoton sulphone expressed as disulfoton)
. Fruit, fresh, dried or uncooked preserved by freezing not containing added sugar; nuts			
(i) CITRUS FRUIT	0,02 (*)	3 (a)	0,02 (*)
Grapefruit			
Lemons			
Limes			
Mandarins (including clementines and other hybrids)			
Oranges			
Pomelos			
Others			
(ii) TREE NUTS (shelled or unshelled)	0,02 (*)	0,05 (*)	0,02 (*)
Almonds			
Brazil nuts			
Cashew nuts			
Chestnuts			
Coconuts Hazelnuts			
Macadamia			
Pecans			
Pine nuts			
Pistachios			
Walnuts			
Other			
(iii) POME FRUIT	0,02 (*)	3 (a)	0,02 (*)
Apples			
Pears			
Quinces			
Other			
(iv) STONE FRUIT	0,02 (*)	3 (a)	0,02 (*)
Apricots			
Cherries			
Peaches (including nectarines and similar hybrides)			
Plums			
Others			
(v) BERRIES AND SMALL FRUIT			
(a) Table and wine grapes	0,02 (*)	3 (a)	0,02 (*)
(b) Strawberries (other than wild)	(b)	3 (a)	(b)
(c) Cane fruit (other than wild)	0,02 (*)		0,02 (*)
Blackberries		3 (a)	
Dewberries			
Loganberries			
Raspberries		3 (a)	
Others		0,05 (*)	l

	Pesticide residue	es and maximum resid	tue levels (mg/kg)
Groups and examples of individual products to which the MRLs apply	Propyzamide	Propoxur	Disulfoton (Sum of disulfoton, disulfoton sulphoxide and disulfoton sulphone expressed as disulfoton)
(d) Other small fruit and berries (other than wild)			0,02 (*)
Bilberries (fruit of species Vaccinium myrtyllus)			
Cranberries			
Currants (red, black and white)	(b)	0,2	
Gooseberries Others	(b)	0,2	
	0,02 (*)	0,0 <i>5</i> (*)	0.00 (%)
(e) Wild berries and wild fruit	0,02 (*)	0,05 (*)	0,02 (*)
(vi) MISCELLANEOUS	0,02 (*)		
Avocados			
Bananas			
Dates			
Figs Kiwis			
Kumquats			
Litchis			
Mangoes			
Olives		3 (a)	
Passion fruit			
Pineapples			(b)
Pomegranates			
Others		0,05 (*)	0,02 (*)
Vegetables, fresh or uncooked, frozen or dry			
(i) ROOT AND TUBER VEGETABLES	0,02 (*)		
Beetroot		3 (a)	
Carrots			3 (b)
Celeriac		3 (a)	
Horseradish			
Jerusalem artichokes			
Parsnips Parsley root			(b)
Radishes			
Salsify			
Sweet potatoes			
Swedes			
Turnips			
Yams			
Others		0,05 (*)	0,02 (*)
(ii) BULB VEGETABLES	0,02 (*)	0,05 (*)	0,02 (*)
Garlic			
Onions			
Shallots			
Spring onions			
Others	0.02 (*)		
(iii) FRUITING VEGETABLES	0,02 (*)		0.02 (*)
(a) Solanacea Tomatoes		(1)	0,02 (*)
Tomatoes Peppers		(*) 3 (a)	
Aubergines		3 (a)	
Others	1	3 (a)	

	Pesticide residues and maximum residue levels (mg/kg)		
Groups and examples of individual products to which the MRLs apply	Propyzamide	Propoxur	Disulfoton (Sum of disulfoton, disulfoton sulphoxide and disulfoton sulphone expresse as disulfoton)
(b) Cucurbits — edible peel			0,02 (*)
Cucumbers		(x)	
Gherkins		3 (a)	
Courgettes		(a)	
Others			
(c) Cucurbits — inedible peel		3 (a)	
Melons			
Squashes Watermelons			(b)
Watermeions Others			0,02 (*)
		0.05 (*)	
(d) Sweet corn		0,05 (*)	0,02 (*)
(iv) BRASSICA VEGETABLES		3 (a)	
(a) Flowering brassica	0,02 (*)		
Broccoli (including calabrese)			(b)
Cauliflower			(b)
Others			0,02 (*)
(b) Head brassica			A)
Brussels sprouts Head cabbage	(b)		(b) (b)
Others	0,02 (*)		0,02 (*)
(c) Leafy brassica	0,02 (*)		0,02 (*)
Chinese cabbage			()
Kale			
Others			
(d) Kohlrabi	0,02 (*)		(b)
(v) LEAF VEGETABLES AND FRESH HERBS			
(a) Lettuce and similar	(b)		0,02 (*)
Cress		0,05 (*)	
Lamb's lettuce			
Lettuce Scarole			
Others		3 (a)	
(b) Spinach and similar	0,02 (*)	3 (a)	0,02 (*)
Spinach	0,02()	5 (u)	0,02()
Beet leaves (chard)			
Others			
(c) Watercress	0,02 (*)	0,05 (*)	0,02 (*)
(d) Witloof	0,02 (*)	0,05 (*)	0,02 (*)
(e) Herbs	(b)	3 (a)	(b)
Chervil			
Chives			
Parsley			
Celery leaves Others			

	Pesticide residues and maximum residue levels (mg/kg)			
Groups and examples of individual products to which the MRLs apply	Propyzamide	Propoxur	Disulfoton (Sum of disulfoton, disulfoton sulphoxide and disulfoton sulphone expressed as disulfoton)	
(vi) LEGUME VEGETABLES (fresh)				
Beans (with pods)	(b)	3 (a)		
Beans (without pods)	(b)			
Peas (with pods)		3 (a)		
Peas (without pods)	0.02 (*)	0.05 (*)	0,02 (*)	
Others	0,02 (*)	0,05 (*)	(b)	
(vii) STEM VEGETABLES (fresh)				
Asparagus				
Cardoons		3 (a)		
Celery		3 (a)	(b)	
Fennel		3 (a)		
Globe artichokes Leeks	(b)	3 (a)		
Rhubarb		1		
Others	0,02 (*)	0,05 (*)	0,02 (*)	
(viii) FUNGI	0,02 (*)	0,05 (*)	0,02 (*)	
(a) Cultivated musbrooms				
(b) Wild musbrooms				
3. Pulses	0,02 (*)	0,05 (*)		
Beans			(b)	
Lentils				
Peas			0.00 (7)	
Others			0,02 (*)	
4. Oilseed		0,05 (*)		
Linseed	0,05 (*)			
Peanuts	(b)			
Poppy seeds				
Sesame seeds				
Sunflower seed Rapeseed	(b)			
Soya been				
Mustard seed				
Cotton seed	(b)		0,05 (*)	
Others	0,02 (*)		0,02 (*)	
5. Potatoes	0,02 (*)	0,05 (*)	(b)	
Early and ware potatoes				
6. Tea (Black tea processed from the leaves of Camillia sinensis)	0,05 (*)	0,1 (*)	0,05 (*)	
7. Hops (dried), including hop pellets and unconcentrated powder	(a)	0,1 (*)	(b)	

Groups and examples of individual products to which the MRLs apply	Pesticide residues and maximum residue levels (mg/kg)		
	Fenbutatin oxide	Triazophos	Diazinon
Fruit, fresh, dried or uncooked preserved by freezing not containing added sugar; nuts			
(i) CITRUS FRUIT	(a)	(Ь)	0,5 (b)
Grapefruit			
Lemons			
Limes			
Mandarins (including clementines and other hybrids)			
Oranges			
Pomelos			
Others			
(ii) TREE NUTS (shelled or unshelled)	0,05 (*)		0,05 (*)
Almonds		(b)	
Brazil nuts			
Cashew nuts			
Chestnuts			
Coconuts			
Hazelnuts		(b)	
Macadamia			
Pecans			
Pine nuts			
Pistachios		(b)	
Walnuts			
Others		0,02 (*)	
(iii) POME FRUIT	2	(b)	0,5 (b)
Apples			
Pears			
Quinces			
Others			
(iv) STONE FRUIT	(a)		0,5 (b)
Apricots		(b)	
Cherries			
Peaches (including nectarines and similar hybrids)		(b)	
Plums			
Others		0,02 (*)	
(v) BERRIES AND SMALL FRUIT			
(a) Table and wine grapes	2	0,02 (*)	0,5 (b)
(b) Strawberries (other than wild)	(a)	(b)	0,5 (b)
(c) Cane fruit (other than wild)	0,05 (*)	0,02 (*)	0,5 (b)
Blackberries	, (<i>)</i>	, - , ,	-,- (*)
Dewberries			
Loganberries			
Raspberries			
Others			

Groups and examples of individual products to which the MRLs apply	Pesticide residues and maximum residue levels (mg/kg)		
	Fenbutatin oxide	Triazophos	Diazinon
(d) Other small fruit and berries (others than wild)	0,05 (*)	0,02 (*)	
Bilberries (fruit of species <i>Vaccinium myrtyllus</i>) Cranberries			0,2
Currants (red, black and white)			0,2
Gooseberries			0,2
Others			0,02 (*)
(e) Wild berries and wild fruit	0,05 (*)	0,02 (*)	0,02 (*)
vi) MISCELLANEOUS			
Avocados			
Bananas	(a)		0,5 (b)
Dates			
Figs			
Kiwis			0,5 (b)
Kumquats			
Litchis			
Mangoes			0.5.4.)
Olives		(b)	0,5 (b)
Passion fruit			
Pineapples Pomegranates			
Others	0,05 (*)	0,02 (*)	0,02 (*)
(i) ROOT AND TUBER Beetroot Carrots Celerics	0,05 (*)	(b) 1	0,5 (b) 0,5 (b) 0,5 (b)
Celeriac		(b)	0,5 (b)
Horseradish			0,5 (b)
Jerusalem artichokes			
Parsnips		1	0,5 (b)
Parsley root			0.5.4.)
Radishes Salsify			0,5 (b)
Saising Sweet potatoes			
Swedes			0,5 (b)
Turnips			0,5 (b) 0,5 (b)
Yams			
Others		0,02 (*)	0,02 (*)
(ii) BULB VEGETABLES	0,05 (*)		0,5 (b)
Garlic		(b)	
Onions		(b)	
Shallots		(b)	
Spring onions			
Others		0,02 (*)	
iii) FRUITING VEGETABLES			0,5 (b)
(a) Solanacea	(a)	0,02 (*)	
Tomatoes			
Peppers			
Aubergines Others			

Groups and examples of individual products to which the MRLs apply		Pesticide residues and maximum residue levels (mg/kg)		
	Fenbutatin oxide	Triazophos	Diazinon	
 (b) Cucurbits — edible peel Cucumbers Gherkins Courgettes Others 	0,5 (°) (a)	(b)		
 (c) Cucurbits — inedible peel Melons Squashes Watermelons Others 	(a)	(Ь)		
(d) Sweetco rn	0,05 (*)	0,02 (*)		
iv) BRASSICA VEGETABLES (a) <i>Flowering brassica</i> Broccoli Cauliflower Others	0,05 (*)	(Ь)	0,5 (b)	
(b) <i>Head brassica</i> Brussels sprouts Head cabbage Others		(b)		
(c) <i>Leafy brassica</i> Chinese cabbage Kale Others		(b)		
(d) Kohlrabi		0,02 (*)		
 (a) Lettuce and similar Cress Lamb's lettuce Lettuce Scarole Others 	0,05 (*)	0,02 (*)	0,5 (b)	
(b) <i>Spinach and similar</i> Spinach Beet leaves (chard) Others				
(c) Watercress				
(d) Witloof				
(e) Herbs Chervil Chives Parsley Celery leaves				

Groups and examples of individual products to which the MRLs apply	Pesticide residues and maximum residue levels (mg/kg)		
	Fenbutatin oxide	Triazophos	Diazinon
(vi) LEGUME VEGETABLES			0,5 (b)
Beans (with pods)	(a)	(b)	
Beans (without pods)	(a)	(b)	
Peas (with pods)		(b)	
Peas (without pods)		(b)	
Others	0,05 (*)	0,02 (*)	
(vii) STEM VEGETABLES (fresh)	0,05 (*)		
Aspargus		(Ь)	0,5 (b)
Cardoons			
Celery		(b)	0,5 (b)
Fennel		(b)	
Globe artichokes		(b)	0,5 (b)
Leeks		(b)	0,5 (b)
Rhubarb		(b)	
Others		0,02 (*)	0,02 (*)
(viii) FUNGI	0,05 (*)	0,02 (*)	
(a) Cultivated musbrooms			0,5 (b)
(b) Wild mushrooms			0,02 (*)
. Pulses	0,05 (*)	0,02 (*)	(b)
Beans			-
Lentils			
Peas			
Others			
Oilseed			
Linseed		(b)	
Peanuts			(a)
Poppy seeds			
Sesame seeds			
Sunflower seeds			(a)
Rapeseed		(b)	
Soya bean			
Mustard seed		(b)	
Cotton seed	(a)	0,1	(a)
Others	0,05 (*)	0,02 (*)	0,05 (*)
Potatoes	0,05 (*)	(b)	(b)
Early and ware potatoes			
, , ,			
Tea (Black tea processed from the leaves of Camellia sinensis)	0,1 (*)	0,05 (*)	0,05 (*)
Hops (dried), including hop pellets and unconcentrated powder	(c)	0,05 (*)	(a)

.

Groups and examples of individual products to which the MRLs apply		de residues and maximum esidue levels (mg/kg)
	Mecarbam	
Fruit, fresh, dried or uncooked preserved by freezing not containing added sugar; nuts		
(i) CITRUS FRUIT	2 (a)	
Grapefruit		
Lemons		
Limes		
Mandarins (including clementines and other hybrids)		
Oranges		
Pomelos		
Others		
(ii) TREE NUTS (shelled or unshelled)	0,05 (*)	
Almonds		
Brazil nuts		
Cashew nuts		
Chestnuts		
Coconuts		
Hazelnuts		
Macadamia		
Pecans		
Pine nuts		
Pistachios		
Walnuts		
Others		
(iii) POME FRUIT	0,05 (*)	
Apples		
Pears		
Quinces		
Other		
(iv) STONE FRUIT	0,05 (*)	
Apricots		
Cherries		
Peaches (including nectarines and similar hybrids)		
Plum		
Others		
(v) BERRIES AND SMALL FRUIT	0,05 (*)	
(a) Table and wine grapes		
(b) Strawberries (other than wild)		
(c) Cane fruit (other than wild)		
Blackberries		
Dewberries		
Loganberries		
Raspberries		

Groups and examples of individual products to which the MRLs apply		esidues and maximum ne levels (mg/kg)
	Mecarbam	**
(d) Other small fruit and berries (other than wild) Bilberries (fruit of species Vaccinium myrtyllus) Cranberries Currants (red, black and white) Gooseberreis Others		
(e) Wildberries and wild fruit		
(vi) MISCELLANEOUS	0,05 (*)	
Avocados Bananas Dates Figs Kiwis Kumquats Litchis Mangoes Olives Passion fruit Pineapples Pomegranates		
Others		
Vegetables, fresh or uncooked, frozen or dry		
 (i) ROOT AND TUBER Beetroot Carrots Celeriac Horseradish Jerusalem artichokes Parsnips Parsley root Radishes Salsify Sweet potatoes Swedes Turnips Yams Others 	0,05 (*)	
 (ii) BULB VEGETABLES Garlic Onions Shallots Spring onions Others 	0,05 (*)	
 (iii) FRUITING VEGETABLES (a) Solanacea Tomatoes Peppers Aubergines Others 	0,05 (*)	

No L 144/32 EN

Groups and examples of individual products to which the MRLs apply	Pesticide residues residue level	Pesticide residues and maximum residue levels (mg/kg)		
	Mecarbam			
(b) <i>Cucurbits — edible peel</i> Cucumbers Gherkins Courgettes Others				
 (c) Cucurbits — inedible peel Melons Squashes Watermelons Others 				
(d) Sweetcorn				
 (iv) BRASSICA VEGETABLES (a) Flowering brassica Broccoli Cauliflower Others (b) Head brassica Brussele enroute 	0,05 (*)			
Brussels sprouts Head cabbage Others (c) Leafy brassica				
Chinese cabbage Kale Others				
(d) Kohlrabi				
 (v) LEAF VEGETABLES AND FRESH HERBS (a) Lettuce and similar Cress Lamb's lettuce Lettuce Scarole Others 	0,05 (*)			
 (b) Spinach and similar Spinach Beet leaves (chard) Others 				
(c) Watercress				
(d) Witloof (e) Herbs Chervil Chives Parsley Celery leaves Others				

Groups and examples of individual products to which the MRLs apply	Pesticide residues and maximum residue levels (mg/kg)		
	Mecarbam		
 (vi) LEGUME VEGETABLES (fresh) Beans (with pods) Beans (without pods) Peas (with pods) Peas (without pods) Others 	0,05 (")		
 (vii) STEM VEGETABLES (fresh) Asparagus Cardoons Celery Fennel Globe artichokes Leek Rhubarb Others 	0,05 (*)		
 (viii) FUNGI (a) Cultivated musbrooms (b) Wild musbrooms 	0,05 (*)		
3. Pulses Beans Lentils Peas Others	0,05 (*)		
4. Oil seed Linseed Peanuts Poppy seeds Sesame seeds Sunflower seed Rapeseed Soya bean Mustard seed Cotton seed Others	0,05 (*)		
5. Potatoes Early and ware potatoes	0,05 (*)		
6. Tea (Black tea processed from the leaves of Camellia sinensis)	0,05 (*)		
7. Hops (dried), including hop pellets and unconcentrated powder	0,1 (*)		

(') Indicates lower limit of analytical determination.

(*) See Article 1 and Article 2 (2).

(a) (b) (c) (d) Should levels not be adopted by 30 April 2000, the following levels shall apply as indicated thereafter:

(a) 0,05 (*) (b) 0,02 (*) (c) 0,1 (*) (d) 0,01 (*)

No L 144/34 EN

Article 4

Member States shall bring into force the laws, regulations and administrative provisions necessary to comply with this Directive no later than 30 April 1997.

When Member States adopt those measures, they shall contain references to this Directive or shall be accompanied by such references on the occasion of their publication. The methods of making such references shall be laid down by the Member States.

Article 5

This Directive shall enter into force on the day of its publication in the Official Journal of the European Communities.

Article 6

This Directive is addressed to the Member States.

Done at Brussels, 21 May 1996.

For the Council The President M. PINTO