Commission Directive 2004/93/EC of 21 September 2004 amending Council Directive 76/768/EEC for the purpose of adapting its Annexes II and III to technical progress (Text with EEA relevance) (repealed)

# COMMISSION DIRECTIVE 2004/93/EC

# of 21 September 2004

# amending Council Directive 76/768/EEC for the purpose of adapting its Annexes II and III to technical progress

(Text with EEA relevance) (repealed)

# THE COMMISSION OF THE EUROPEAN COMMUNITIES,

Having regard to the Treaty establishing the European Community,

Having regard to Council Directive 76/768/EEC of 27 July 1976 on the approximation of the laws of the Member States relating to cosmetic products,<sup>(1)</sup> and in particular Article 4b and Article 8(2) thereof,

After consulting the Scientific Committee on Cosmetic Products and Non-Food Products intended for consumers (SCCNFP),

Whereas:

- (1) Directive 76/768/EEC, as amended by Directive 2003/15/EC of the European Parliament and of the Council<sup>(2)</sup>, prohibits the use in cosmetic products of substances classified as carcinogenic, mutagenic or toxic for reproduction (CMR), of category 1, 2 and 3, under Annex I to Council Directive 67/548/EEC of 27 June 1967 on the approximation of laws, regulations and administrative provisions relating to the classification, packaging and labelling of dangerous substances<sup>(3)</sup>, but allows the use of substances classified in category 3 pursuant to Directive 67/548/EEC subject to evaluation and approval by the SCCNFP; Directive 76/768/EEC requires the Commission to adopt the necessary measures to that end.
- (2) In so far, as some of the substances classified as CMR of category 1 and 2 under Annex I to Directive 67/548/EEC are not yet listed in Annex II to Directive 76/768/EEC, it is necessary to include them in that Annex. Substances classified as CMR of category 3 under Annex I to Directive 67/548/EEC should also be included in Annex II to Directive 76/768/EEC, except if they have been evaluated by the SCCNFP and found acceptable for use in cosmetic products.
- (3) Substances classified as CMR of category 1 and 2 listed in Annex III, part 1 to Directive 76/768/EEC should be deleted.
- (4) Directive 76/768/EEC should therefore be amended accordingly.
- (5) The measures provided for in this Directive are in accordance with the opinion of the Standing Committee on Cosmetic Products,

# HAS ADOPTED THIS DIRECTIVE:

# Article 1

Annex II and Annex III, part 1 to Directive 76/768/EEC are amended in accordance with the text set out in the Annex to this Directive.

### Article 2

1 Member States shall take all necessary measures to ensure that from three months after the date of entry into force of the national provisions foreseen in Article 3, paragraph 1, cosmetic products which fail to comply with this Directive shall not be placed on the market by Community manufacturers or by importers established within the Community.

2 Member States shall take all necessary measures to ensure that the products referred to in paragraph 1 are not sold or disposed of to the final consumer after six months from the date of entry into force of the national provisions foreseen in Article 3, paragraph 1.

#### Article 3

1 Member States shall bring into force the laws, regulations and administrative provisions necessary to comply with this Directive by 1 October 2004 at the latest. They shall forthwith communicate to the Commission the text of those provisions and a correlation table between those provisions and this Directive.

When Member States adopt those provisions, they shall contain a reference to this Directive or be accompanied by such a reference on the occasion of their official publication. Member States shall determine how such reference is to be made.

2 Member States shall communicate to the Commission the text of the main provisions of national law which they adopt in the field covered by this Directive.

## Article 4

This Directive shall enter into force on the day of its publication in the *Official Journal* of the European Union.

## Article 5

This Directive is addressed to the Member States.

Done at Brussels, 21 September 2004.

## For the Commission

#### Olli REHN

#### Member of the Commission

#### ANNEX

Directive 76/768/EEC is amended as follows:

1. In Annex II, reference number 289 is replaced by the following:

| 289. Lead | and its compounds. |
|-----------|--------------------|
|-----------|--------------------|

2. In Annex II, reference numbers 452 to 1132 are added as indicated below:

| 452. | 6-(2-Chloroethyl)-6-(2-methoxyethoxy)-2,5,7,10-            |
|------|--|
|      | tetraoxa-6-silaundecane (Cas No. 37894-46-5)               |
| 453. | Cobalt dichloride (Cas No. 7646-79-9)                      |
| 454. | Cobalt sulphate (Cas No 10124-43-3)                        |
| 455. | Nickel monoxide (Cas No 1313-99-1)                         |
| 456. | Dinickel trioxide (Cas No 1314-06-3)                       |
| 457. | Nickel dioxide (Cas No 12035-36-8)                         |
| 458. | Trinickel disulphide (Cas No 12035-72-2)                   |
| 459. | Tetracarbonylnickel (Cas No 13463-39-3)                    |
| 460. | Nickel sulphide (Cas No 16812-54-7)                        |
| 461. | Potassium bromate (Cas No 7758-01-2)                       |
| 462. | Carbon monoxide (Cas No 630-08-0)                          |
| 463. | Buta-1,3-diene (Cas No 106-99-0)                           |
| 464. | Isobutane (Cas No 75-28-5), if it contains $\geq 0,1$ % w/ |
|      | w Butadiene  |
| 465. | Butane (Cas No 106-97-8), if it contains $\geq 0,1$ % w/w  |
|      | Butadiene  |
| 466. | Gases (petroleum), $C_{3-4}$ (Cas No 68131-75-9), if they  |
|      | contain $> 0,1$ % w/w Butadiene                            |
| 467. | Tail gas (petroleum), catalytic cracked distillate and     |
|      | catalytic cracked naphtha fractionation absorber (Cas      |
|      | No 68307-98-2), if it contains $> 0,1$ % w/w Butadiene     |
| 468. | Tail gas (petroleum), catalytic polymn. naphtha            |
|      | fractionation stabiliser (Cas No 68307-99-3), if it        |
|      | contains $> 0,1$ % w/w Butadiene                           |
| 469. | Tail gas (petroleum), catalytic reformed naphtha           |
|      | fractionation stabiliser, hydrogen sulfide-free (Cas No    |
|      | 68308-00-9), if it contains $> 0,1 \%$ w/w Butadiene       |
| 470. | Tail gas (petroleum), cracked distillate hydrotreater      |
|      | stripper (Cas No 68308-01-0), if it contains $> 0,1 \%$ w/ |
|      | w Butadiene  |
| 471. | Tail gas (petroleum), gas oil catalytic cracking           |
|      | absorber (Cas No 68308-03-2), if it contains $> 0,1 \%$    |
|      | w/w Butadiene  |
| 472. | Tail gas (petroleum), gas recovery plant (Cas No           |
| 1=0  | 68308-04-3), if it contains $> 0,1$ % w/w Butadiene        |
| 473. | Tail gas (petroleum), gas recovery plant deethaniser       |
|      | (Cas No 68308-05-4), if it contains $> 0,1 \%$ w/w         |
| 474  | Butadiene  |
| 474. | Tail gas (petroleum), hydrodesulfurised distillate and     |
|      | hydrodesulfurised naphtha fractionator, acid-free (Cas     |
|      | No 68308-06-5), if it contains $> 0.1$ % w/w Butadiene     |

| 475. | Tail gas (petroleum), hydrodesulfurised vacuum gas oil stripper, hydrogen sulfide-free (Cas No 68308-07-6), |
|------|---|
|      | if it contains $> 0,1$ % w/w Butadiene  |
| 476. | Tail gas (petroleum), isomerised naphtha fractionation  |
| .,   | stabiliser (Cas No 68308-08-7), if it contains $> 0,1$ %  |
|      | w/w Butadiene   |
| 477. | Tail gas (petroleum), light straight-run naphtha  |
|      | stabiliser, hydrogen sulfide-free (Cas No 68308-09-8),  |
|      | if it contains $> 0,1$ % w/w Butadiene  |
| 478. | Tail gas (petroleum), straight-run distillate   |
|      | hydrodesulferised, hydrogen sulfide-free (Cas No  |
|      | 68308-10-1), if it contains > 0,1 % w/w Butadiene   |
| 479. | Tail gas (petroleum), propane-propylene alkylation  |
|      | feed prep deethaniser (Cas No 68308-11-2), if it  |
|      | contains $> 0,1$ % w/w Butadiene  |
| 480. | Tail gas (petroleum), vacuum gas oil  |
|      | hydrodesulferised, hydrogen sulfide-free (Cas No  |
|      | 68308-12-3), if it contains $> 0,1$ % w/w Butadiene   |
| 481. | Gases (petroleum), catalytic cracked overheads (Cas   |
|      | No 68409-99-4), if they contain $> 0,1 \%$ w/w  |
|      | Butadiene   |
| 482. | Alkanes, $C_{1-2}$ (Cas No 68475-57-0), if they contain   |
|      | > 0,1 % w/w Butadiene   |
| 483. | Alkanes, C <sub>2-3</sub> (Cas No 68475-58-1), if they contain  |
|      | > 0,1 % w/w Butadiene   |
| 484. | Alkanes, $C_{3-4}$ (Cas No 68475-59-2), if they contain   |
| 40.5 | > 0,1 % w/w Butadiene   |
| 485. | Alkanes, $C_{4-5}$ (Cas No 68475-60-5), if they contain   |
| 100  | > 0,1 % w/w Butadiene   |
| 486. | Fuel-gases (Cas No 68476-26-6), if they contain $> 0.1.9$ (w/w Butadiana                                    |
| 487. | > 0,1 % w/w Butadiene<br>Fuel gases, crude oil distillates (Cas No 68476-29-9),                             |
| 407. | if they contain $> 0,1$ % w/w Butadiene   |
| 488. | Hydrocarbons, $C_{3-4}$ (Cas No 68476-40-4), if they  |
| 100. | contain $> 0,1$ % w/w Butadiene   |
| 489. | Hydrocarbons, $C_{4-5}$ (Cas No 68476-42-6), if they  |
| 107. | contain $> 0,1$ % w/w Butadiene   |
| 490. | Hydrocarbons, $C_{2-4}$ , $C_3$ -rich (Cas No 68476-49-3), if   |
|      | they contain $> 0,1$ % w/w Butadiene  |
| 491. | Petroleum gases, liquefied (Cas No 68476-85-7), if  |
|      | they contain $> 0,1$ % w/w Butadiene  |
| 492. | Petroleum gases, liquefied, sweetened (Cas No   |
|      | 68476-86-8), if they contain $> 0,1$ % w/w Butadiene  |
| 493. | Gases (petroleum), C <sub>3-4</sub> , isobutane-rich (Cas No  |
|      | 68477-33-8), if they contain $> 0,1$ % w/w Butadiene  |
| 494. | Distillates (petroleum), C <sub>3-6</sub> , piperylene-rich (Cas No   |
|      | 68477-35-0), if they contain $> 0,1$ % w/w Butadiene  |
| 495. | Gases (petroleum), amine system feed (Cas No  |
| 10.5 | 68477-65-6), if they contain $> 0,1$ % w/w Butadiene  |
| 496. | Gases (petroleum), benzene unit hydrodesulferised off   |
|      | (Cas No 68477-66-7), if they contain $> 0,1 \%$ w/w   |
|      | Butadiene   |

| 497. | Gases (petroleum), benzene unit recycle, hydrogenrich (Cas No 68477-67-8), if they contain $> 0,1 \%$ w/ w Butadiene   |
|------|--|
| 498. | Gases (petroleum), blend oil, hydrogen-nitrogen-rich (Cas No 68477-68-9), if they contain $> 0,1 \%$ w/w Butadiene   |
| 499. | Gases (petroleum), butane splitter overheads (Cas No $68477-69-0$ ), if they contain > 0,1 % w/w Butadiene   |
| 500. | Gases (petroleum), $C_{2-3}$ (Cas No 68477-70-3), if they contain > 0,1 % w/w Butadiene  |
| 501. | Gases (petroleum), catalytic-cracked gas oil depropaniser bottoms, C <sub>4</sub> -rich acid-free (Cas No 68477-71-4), if they contain $> 0,1$ % w/w Butadiene |
| 502. | Gases (petroleum), catalytic-cracked naphtha debutaniser bottoms, $C_{3-5}$ -rich (Cas No 68477-72-5), if they contain > 0,1 % w/w Butadiene                   |
| 503. | Gases (petroleum), catalytic cracked naphtha depropaniser overhead, $C_3$ -rich acid-free (Cas No 68477-73-6), if they contain > 0,1 % w/w Butadiene           |
| 504. | Gases (petroleum), catalytic cracker (Cas No $68477-74-7$ ), if they contain > 0,1 % w/w Butadiene   |
| 505. | Gases (petroleum), catalytic cracker, $C_{1-5}$ -rich (Cas No 68477-75-8), if they contain > 0,1 % w/w Butadiene   |
| 506. | Gases (petroleum), catalytic polymd. naphtha stabiliser overhead, C <sub>2-4</sub> -rich (Cas No 68477-76-9), if they contain > 0,1 % w/w Butadiene            |
| 507. | Gases (petroleum), catalytic reformed naphtha stripper<br>overheads (Cas No 68477-77-0), if they contain<br>> 0.1 % w/w Butadiene                              |
| 508. | Gases (petroleum), catalytic reformer, $C_{1-4}$ -rich (Cas No 68477-79-2), if they contain $> 0,1$ % w/w Butadiene  |
| 509. | Gases (petroleum), $C_{6-8}$ catalytic reformer recycle (Cas No 68477-80-5), if they contain > 0,1 % w/w Butadiene   |
| 510. | Gases (petroleum), C <sub>6-8</sub> catalytic reformer (Cas No 68477-81-6), if they contain $> 0,1$ % w/w Butadiene  |
| 511. | Gases (petroleum), C <sub>6-8</sub> catalytic reformer recycle,<br>hydrogen-rich (Cas No 68477-82-7), if they contain<br>> 0.1 % w/w Butadiene                 |
| 512. | Gases (petroleum), $C_{3-5}$ olefinic-paraffinic alkylation feed (Cas No 68477-83-8), if they contain > 0,1 % w/ w Butadiene                                   |
| 513. | Gases (petroleum), C <sub>2</sub> -return stream (Cas No $68477-84-9$ ), if they contain > 0,1 % w/w Butadiene   |
| 514. | Gases (petroleum), C <sub>4</sub> -rich (Cas No 68477-85-0), if<br>they contain > 0,1 % w/w Butadiene  |
| 515. | Gases (petroleum), deethaniser overheads (Cas No $68477-86-1$ ), if they contain > 0,1 % w/w Butadiene   |
| 516. | Gases (petroleum), deisobutaniser tower overheads (Cas No 68477-87-2), if they contain $> 0,1 \%$ w/w Butadiene  |

| 517. | Gases (petroleum), depropaniser dry, propene-rich (Cas No 68477-90-7), if they contain $> 0,1$ % w/w Butadiene   |
|------|--|
| 518. | Gases (petroleum), depropaniser overheads (Cas No $68477-91-8$ ), if they contain > 0,1 % w/w Butadiene  |
| 519. | Gases (petroleum), dry sour, gas-concnunit-off (Cas No 68477-92-9), if they contain $> 0,1 \%$ w/w Butadiene   |
| 520. | Gases (petroleum), gas concn. reabsorber distn. (Cas No 68477-93-0), if they contain $> 0,1 \%$ w/w Butadiene  |
| 521. | Gases (petroleum), gas recovery plant depropaniser<br>overheads (Cas No 68477-94-1), if they contain<br>> 0,1 % w/w Butadiene  |
| 522. | Gases (petroleum), Girbatol unit feed (Cas No $68477-95-2$ ), if they contain > 0,1 % w/w Butadiene  |
| 523. | Gases (petroleum), hydrogen absorber off (Cas No $68477-96-3$ ), if they contain > 0,1 % w/w Butadiene   |
| 524. | Gases (petroleum), hydrogen-rich (Cas No $68477-97-4$ ), if they contain > 0,1 % w/w Butadiene   |
| 525. | Gases (petroleum), hydrotreater blend oil recycle,<br>hydrogen-nitrogen-rich (Cas No 68477-98-5), if they<br>contain $> 0,1$ % w/w Butadiene                                     |
| 526. | Gases (petroleum), isomerised naphtha fractionator, C <sub>4</sub> -rich, hydrogen sulfide-free (Cas No 68477-99-6), if they contain $> 0,1 \%$ w/w Butadiene                    |
| 527. | Gases (petroleum), recycle, hydrogen-rich (Cas No $68478-00-2$ ), if they contain > 0,1 % w/w Butadiene  |
| 528. | Gases (petroleum), reformer make-up, hydrogen-rich (Cas No 68478-01-3), if they contain $> 0,1 \%$ w/w Butadiene   |
| 529. | Gases (petroleum), reforming hydrotreater (Cas No $68478-02-4$ ), if they contain > 0,1 % w/w Butadiene  |
| 530. | Gases (petroleum), reforming hydrotreater, hydrogen-<br>methane-rich (Cas No 68478-03-5), if they contain $> 0,1 \%$ w/w Butadiene   |
| 531. | Gases (petroleum), reforming hydrotreater make-up,<br>hydrogen-rich (Cas No 68478-04-6), if they contain<br>> 0,1 % w/w Butadiene  |
| 532. | Gases (petroleum), thermal cracking distn. (Cas No $68478-05-7$ ), if they contain > 0,1 % w/w Butadiene   |
| 533. | Tail gas (petroleum), catalytic cracked clarified oil and thermal cracked vacuum residue fractionation reflux drum (Cas No 68478-21-7), if it contains $> 0,1 \%$ w/ w Butadiene |
| 534. | Tail gas (petroleum), catalytic cracked naphtha stabilisation absorber (Cas No 68478-22-8), if it contains $> 0,1$ % w/w Butadiene   |
| 535. | Tail gas (petroleum), catalytic cracker, catalytic reformer and hydrodesulferised combined fractionater (Cas No 68478-24-0), if it contains $> 0,1 \%$ w/w Butadiene             |

| 536. | Tail gas (petroleum), catalytic cracker refractionation absorber (Cas No 68478-25-1), if it contains $> 0,1 \%$   |
|------|---|
|      | w/w Butadiene   |
| 537. | Tail gas (petroleum), catalytic reformed naphtha fractionation stabiliser (Cas No 68478-26-2), if it              |
|      | contains $> 0,1$ % w/w Butadiene  |
| 538. | Tail gas (petroleum), catalytic reformed naphtha  |
|      | separator (Cas No 68478-27-3), if it contains $> 0,1$ %   |
|      | w/w Butadiene   |
| 539. | Tail gas (petroleum), catalytic reformed naphtha  |
|      | stabiliser (Cas No 68478-28-4), if it contains $> 0,1$ %  |
|      | w/w Butadiene   |
| 540. | Tail gas (petroleum), cracked distillate hydrotreater   |
|      | separator (Cas No 68478-29-5), if it contains $> 0,1$ %   |
|      | w/w Butadiene   |
| 541. | Tail gas (petroleum), hydrodesulfurised straight-run  |
|      | naphtha separator (Cas No 68478-30-8), if it contains   |
|      | > 0.1 % w/w Butadiene   |
| 542. | Tail gas (petroleum), saturate gas plant mixed stream,  |
|      | C <sub>4</sub> -rich (Cas No 68478-32-0), if it contains $> 0,1 \%$ w/  |
|      | w Butadiene   |
| 543. | Tail gas (petroleum), saturate gas recovery plant, C <sub>1-2</sub> -   |
|      | rich (Cas No 68478-33-1), if it contains $> 0,1$ % w/w  |
|      | Butadiene   |
| 544. | Tail gas (petroleum), vacuum residues thermal cracker   |
| 511. | (Cas No 68478-34-2), if it contains $> 0,1 \%$ w/w  |
|      | Butadiene   |
| 545. | Hydrocarbons, C <sub>3-4</sub> -rich, petroleum distillate (Cas No  |
| 575. | 68512-91-4), if they contain > 0,1 % w/w Butadiene  |
| 546. | Gases (petroleum), catalytic reformed straight-run  |
| 540. | naphtha stabiliser overheads (Cas No 68513-14-4), if  |
|      | they contain $> 0,1$ % w/w Butadiene  |
| 547. | Gases (petroleum), full-range straight-run naphtha  |
| 347. | dehexaniser off (Cas No 68513-15-5), if they contain  |
|      |   |
| 548. | > 0,1 % w/w Butadiene<br>Gases (petroleum), hydrocracking depropaniser off,                                       |
| 340. | hydrocarbon-rich (Cas No 68513-16-6), if they contain   |
|      | > 0,1 % w/w Butadiene   |
| 549. |   |
| 549. | Gases (petroleum), light straight-run naphtha stabiliser<br>off (Coa No 68513 17.7), if they contain $> 0.1$ % w/ |
|      | off (Cas No 68513-17-7), if they contain $> 0,1 \%$ w/ w Butadiene  |
| 550. | Gases (petroleum), reformer effluent high-pressure  |
| 550. |   |
|      | flash drum off (Cas No 68513-18-8), if they contain $> 0.1.9$ (m/m Buta diana                                     |
| 551  | > 0,1 % w/w Butadiene   |
| 551. | Gases (petroleum), reformer effluent low-pressure   |
|      | flash drum off (Cas No 68513-19-9), if they contain $> 0.19$ (m/m Buta diana                                      |
| 550  | > 0,1 % w/w Butadiene   |
| 552. | Residues (petroleum), alkylation splitter, C <sub>4</sub> -rich (Cas  |
|      | No 68513-66-6), if they contain $> 0,1 \%$ w/w  |
| 552  | Butadiene   |
| 553. | Hydrocarbons, $C_{1-4}$ (Cas No 68514-31-8), if they  |
|      | contain $> 0,1$ % w/w Butadiene   |

| 554. | Hydrocarbons, $C_{1-4}$ , sweetened (Cas No 68514-36-3), if they contain > 0,1 % w/w Butadiene   |
|------|--|
| 555. | Gases (petroleum), oil refinery gas distn. off (Cas No $68527-15-1$ ), if they contain > 0,1 % w/w Butadiene   |
| 556. | Hydrocarbons, C <sub>1-3</sub> (Cas No 68527-16-2), if they contain $> 0,1 \%$ w/w Butadiene   |
| 557. | Hydrocarbons, C <sub>1-4</sub> , debutanizer fraction (Cas No $68527-19-5$ ), if they contain > 0,1 % w/w Butadiene  |
| 558. | Gases (petroleum), benzene unit hydrotreater<br>depentaniser overheads (Cas No 68602-82-4), if they<br>contain $> 0,1 \%$ w/w Butadiene                          |
| 559. | Gases (petroleum), $C_{1-5}$ , wet (Cas No 68602-83-5), if they contain > 0,1 % w/w Butadiene  |
| 560. | Gases (petroleum), secondary absorber off, fluidised<br>catalytic cracker overheads fractionator (Cas No<br>68602-84-6), if they contain $> 0,1$ % w/w Butadiene |
| 561. | Hydrocarbons, $C_{2-4}$ (Cas No 68606-25-7), if they contain > 0,1 % w/w Butadiene   |
| 562. | Hydrocarbons, C <sub>3</sub> (Cas No 68606-26-8), if they contain $> 0,1 \%$ w/w Butadiene   |
| 563. | Gases (petroleum), alkylation feed (Cas No $68606-27-9$ ), if they contain > 0,1 % w/w Butadiene   |
| 564. | Gases (petroleum), depropaniser bottoms fractionation off (Cas No 68606-34-8), if they contain $> 0,1 \%$ w/ w Butadiene   |
| 565. | Petroleum products, refinery gases (Cas No $68607-11-4$ ), if they contain > 0,1 % w/w Butadiene   |
| 566. | Gases (petroleum), hydrocracking low-pressure separator (Cas No 68783-06-2), if they contain $> 0,1 \%$ w/w Butadiene  |
| 567. | Gases (petroleum), refinery blend (Cas No $68783-07-3$ ), if they contain > 0,1 % w/w Butadiene  |
| 568. | Gases (petroleum), catalytic cracking (Cas No $68783-64-2$ ), if they contain > 0,1 % w/w Butadiene  |
| 569. | Gases (petroleum), $C_{2-4}$ , sweetened (Cas No 68783-65-3), if they contain > 0,1 % w/w Butadiene  |
| 570. | Gases (petroleum), refinery (Cas No 68814-67-5), if<br>they contain $> 0,1 \%$ w/w Butadiene   |
| 571. | Gases (petroleum), platformer products separator off (Cas No 68814-90-4), if they contain $> 0,1$ % w/w Butadiene  |
| 572. | Gases (petroleum), hydrotreated sour kerosine depentaniser stabiliser off (Cas No 68911-58-0), if they contain $> 0,1 \%$ w/w Butadiene                          |
| 573. | Gases (petroleum), hydrotreated sour kerosine flash drum (Cas No 68911-59-1), if they contain $> 0,1 \%$ w/ w Butadiene  |
| 574. | Gases (petroleum), crude oil fractionation off (Cas No 68918-99-0), if they contain $> 0,1$ % w/w Butadiene  |
| 575. | Gases (petroleum), dehexaniser off (Cas No $68919-00-6$ ), if they contain > 0,1 % w/w Butadiene   |

| 576. | Gases (petroleum), distillate unifiner desulfurisation tripper off (Cas No 68919-01-7), if they contain $> 0,1 \%$ w/w Butadiene                   |
|------|--|
| 577. | Gases (petroleum), fluidised catalytic cracker<br>fractionation off (Cas No 68919-02-8) if they contain<br>> 0,1 % w/w Butadiene                   |
| 578. | Gases (petroleum), fluidised catalytic cracker<br>scrubbing secondary absorber off (Cas No<br>68919-03-9), if they contain $> 0,1$ % w/w Butadiene |
| 579. | Gases (petroleum), heavy distillate hydrotreater desulfurisation stripper off (Cas No 68919-04-0), if they contain $> 0,1 \%$ w/w Butadiene        |
| 580. | Gases (petroleum), light straight run gasoline fractionation stabiliser off (Cas No 68919-05-1), if they contain $> 0,1 \%$ w/w Butadiene          |
| 581. | Gases (petroleum), naphtha unifiner desulfurisation<br>stripper off (Cas No 68919-06-2), if they contain<br>> 0,1 % w/w Butadiene                  |
| 582. | Gases (petroleum), platformer stabiliser off, light ends fractionation (Cas No 68919-07-3), if they contain $> 0,1 \%$ w/w Butadiene               |
| 583. | Gases (petroleum), preflash tower off, crude distn. (Cas No 68919-08-4), if they contain $> 0,1 \%$ w/w Butadiene                                  |
| 584. | Gases (petroleum), straight-run naphtha catalytic reforming off (Cas No 68919-09-5), if they contain $> 0,1 \%$ w/w Butadiene                      |
| 585. | Gases (petroleum), straight-run stabiliser off (Cas No $68919-10-8$ ), if they contain > 0,1 % w/w Butadiene                                       |
| 586. | Gases (petroleum), tar stripper off (Cas No $68919-11-9$ ), if they contain > 0,1 % w/w Butadiene  |
| 587. | Gases (petroleum), unifiner stripper off (Cas No $68919-12-0$ ), if they contain > 0,1 % w/w Butadiene   |
| 588. | Gases (petroleum), fluidised catalytic cracker splitter<br>overheads (Cas No 68919-20-0), if they contain<br>> 0,1 % w/w Butadiene                 |
| 589. | Gases (petroleum), catalytic cracked naphtha debutanizer (Cas No 68952-76-1), if they contain $> 0,1$ % w/w Butadiene                              |
| 590. | Tail gas (petroleum), catalytic cracked distillate and naphtha stabiliser (Cas No 68952-77-2), if it contains $> 0,1 \%$ w/w Butadiene             |
| 591. | Tail gas (petroleum), catalytic hydrodesulfurised<br>naphtha separator (Cas No 68952-79-4), if it contains<br>> 0,1 % w/w Butadiene                |
| 592. | Tail gas (petroleum), straight-run naphtha<br>hydrodesulferised (Cas No 68952-80-7), if it contains<br>> 0,1 % w/w Butadiene                       |
| 593. | Tail gas (petroleum), thermal-cracked distillate, gas oil and naphtha absorber (Cas No 68952-81-8), if it contains $> 0,1 \%$ w/w Butadiene        |

| 594. | Tail gas (petroleum), thermal cracked hydrocarbon fractionation stabiliser, petroleum coking (Cas No 68952-82-9), if it contains $> 0,1 \%$ w/w Butadiene   |
|------|---|
| 595. | Gases (petroleum), light steam-cracked, butadiene conc. (Cas No 68955-28-2), if they contain $> 0,1 \%$ w/ w Butadiene  |
| 596. | Gases (petroleum), sponge absorber off, fluidised catalytic cracker and gas oil desulfuriser overhead fractionation (Cas No 68955-33-9), if they contain $> 0,1 \%$ w/w Butadiene   |
| 597. | Gases (petroleum), straight-run naphtha catalytic<br>reformer stabiliser overhead (Cas No 68955-34-0), if<br>they contain $> 0,1 \%$ w/w Butadiene  |
| 598. | Gases (petroleum), crude distn. and catalytic cracking (Cas No 68989-88-8), if they contain $> 0,1 \%$ w/w Butadiene  |
| 599. | Hydrocarbons, C <sub>4</sub> (Cas No 87741-01-3), if they contain $> 0,1$ % w/w Butadiene   |
| 600. | Alkanes, C <sub>1-4</sub> , C <sub>3</sub> -rich (Cas No 90622-55-2), if they contain $> 0,1$ % w/w Butadiene   |
| 601. | Gases (petroleum), gas oil diethanolamine scrubber off (Cas No 92045-15-3), if they contain $> 0,1 \%$ w/w Butadiene  |
| 602. | Gases (petroleum), gas oil hydrodesulfurisation effluent (Cas No 92045-16-4), if they contain $> 0,1$ % w/w Butadiene   |
| 603. | Gases (petroleum), gas oil hydrodesulfurisation purge (Cas No 92045-17-5), if they contain $> 0,1 \%$ w/w Butadiene   |
| 604. | Gases (petroleum), hydrogenator effluent flash drum off (Cas No 92045-18-6), if they contain $> 0,1 \%$ w/ w Butadiene  |
| 605. | Gases (petroleum), naphtha steam cracking high-<br>pressure residual (Cas No 92045-19-7), if they contain<br>> 0,1 % w/w Butadiene  |
| 606. | Gases (petroleum), residue visbreaking off (Cas No 92045-20-0), if they contain $> 0,1$ % w/w Butadiene   |
| 607. | Gases (petroleum), steam-cracker $C_3$ -rich (Cas No 92045-22-2), if they contain > 0,1 % w/w Butadiene   |
| 608. | Hydrocarbons, C <sub>4</sub> , steam-cracker distillate (Cas No 92045-23-3), if they contain $> 0,1$ % w/w Butadiene  |
| 609. | Petroleum gases, liquefied, sweetened, C <sub>4</sub> fraction (Cas No 92045-80-2), if they contain $> 0,1$ % w/w Butadiene   |
| 610. | Hydrocarbons, C <sub>4</sub> , 1,3-butadiene- and isobutene-free (Cas No 95465-89-7), if they contain $> 0,1$ % w/w Butadiene   |
| 611. | Raffinates (petroleum), steam-cracked C <sub>4</sub> fraction cuprous ammonium acetate extn., C <sub>3-5</sub> and C <sub>3-5</sub> unsatd., butadiene-free (Cas No 97722-19-5), if they contain $> 0,1 \%$ w/w Butadiene |

| 612. | Benzo[def]chrysene (=benzo[a]pyrene) (Cas No 50-32-8)  |
|------|--|
| 613. | Pitch, coal tar-petroleum (Cas No 68187-57-5), if it contains $> 0,005$ % w/w benzo[a]pyrene   |
| 614. | Distillates (coal-petroleum), condensed-ring arom. (Cas No 68188-48-7), if they contain $> 0,005 $ % w/w   |
| 615. | benzo[a]pyrene<br>Distillates (coal tar), upper, fluorene-free (Cas No<br>84989-10-6), if they contain > 0,005 % w/w                                     |
| 616. | benzo[a]pyrene<br>Distillates (coal tar), upper, fluorene-rich (Cas No<br>84989-11-7), if they contain > 0,005 % w/w                                     |
| 617. | benzo[a]pyrene<br>Creosote oil, acenaphthene fraction, acenaphthene-<br>free (Cas No 90640-85-0), if it contains > 0,005 % w/<br>w benzo[a]pyrene        |
| 618. | Pitch, coal tar, low-temp. (Cas No 90669-57-1), if it contains $> 0,005$ % w/w benzo[a]pyrene  |
| 619. | Pitch, coal tar, low-temp., heat-treated (Cas No 90669-58-2), if it contains $> 0,005$ % w/w benzo[a]pyrene  |
| 620. | Pitch, coal tar, low-temp., oxidised (Cas No 90669-59-3), if it contains $> 0,005$ % w/w   |
| 621. | benzo[a]pyrene<br>Extract residues (coal), brown (Cas No 91697-23-3), if<br>they contain > 0,005 % w/w benzo[a]pyrene                                    |
| 622. | Paraffin waxes (coal), brown-coal high-temp. tar (Cas No 92045-71-1), if they contain $> 0,005$ % w/w  |
| 623. | benzo[a]pyrene<br>Paraffin waxes (coal), brown-coal high-temp. tar,<br>hydrotreated (Cas No 92045-72-2), if they contain<br>> 0,005 % w/w benzo[a]pyrene |
| 624. | Waste solids, coal-tar pitch coking (Cas No 92062-34-5), if they contain $> 0,005$ % w/w benzo[a]pyrene  |
| 625. | Pitch, coal tar, high-temp., secondary (Cas No 94114-13-3), if it contains $> 0,005$ % w/w benzo[a]pyrene  |
| 626. | Residues (coal), liq. solvent extn. (Cas No 94114-46-2), if they contain $> 0,005$ % w/w   |
| 627. | benzo[a]pyrene<br>Coal liquids, liq. solvent extn. soln. (Cas No<br>94114-47-3), if they contain $> 0,005$ % w/w   |
| 628. | benzo[a]pyrene<br>Coal liquids, liq. solvent extn. (Cas No 94114-48-4), if<br>they contain > 0,005 % w/w benzo[a]pyrene                                  |
| 629. | Paraffin waxes (coal), brown-coal high-temp. tar,<br>carbon-treated (Cas No 97926-76-6), if they contain<br>> 0,005 % w/w benzo[a]pyrene                 |
| 630. | Paraffin waxes (coal), brown-coal high-temp tar, clay-<br>treated (Cas No 97926-77-7), if they contain > 0,005 %<br>w/w benzo[a]pyrene                   |

| 631.         | Paraffin waxes (coal), brown-coal high-temp tar, silicic acid-treated (Cas No 97926-78-8), if they contain |
|--------------|--|
|              | > 0,005 % w/w benzo[a]pyrene   |
| 632.         | Absorption oils, bicyclo arom. and heterocylic   |
|              | hydrocarbon fraction (Cas No 101316-45-4), if they   |
|              | contain $> 0,005$ % w/w benzo[a]pyrene   |
| 633.         | Aromatic hydrocarbons, $C_{20-28}$ , polycyclic, mixed   |
| 055.         | coal-tar pitch-polyethylene polypropylene pyrolysis-   |
|              | derived (Cas No 101794-74-5), if they contain  |
|              |  |
| 624          | > 0,005 % w/w benzo[a]pyrene   |
| 634.         | Aromatic hydrocarbons, $C_{20-28}$ , polycyclic, mixed   |
|              | coal-tar pitch-polyethylene pyrolysis-derived (Cas No  |
|              | 101794-75-6), if they contain $> 0,005$ % w/w  |
| <i></i>      | benzo[a]pyrene   |
| 635.         | Aromatic hydrocarbons, C <sub>20-28</sub> , polycyclic, mixed  |
|              | coal-tar pitch-polystyrene pyrolysis-derived (Cas No   |
|              | 101794-76-7), if they contain $> 0,005$ % w/w  |
|              | benzo[a]pyrene   |
| 636.         | Pitch, coal tar, high-temp., heat-treated (Cas No  |
|              | 121575-60-8), if it contains > 0,005 % w/w   |
|              | benzo[a]pyrene   |
| 637.         | Dibenz[ $a,h$ ]anthracene (Cas No 53-70-3)   |
| 638.         | Benz[a]anthracene (Cas No 56-55-3)   |
| 639.         | Benzo[e]pyrene (Cas No 192-97-2)   |
| 640.         | Benzo[j]fluoranthene (Cas No 205-82-3)   |
| 641.         | Benz(e)acephenanthrylene (Cas No 205-99-2)   |
| 642.         | Benzo(k)fluoranthene (Cas No 207-08-9)   |
| 643.         | Chrysene (Cas No 218-01-9)   |
| 644.         | 2-Bromopropane (Cas No 75-26-3)  |
| 645.         | Trichloroethylene (Cas No 79-01-6)   |
| 646.         | 1,2-Dibromo-3-chloropropane (Cas No 96-12-8)   |
| 647.         | 2,3-Dibromopropan-1-ol (Cas No 96-13-9)  |
| 648.         | 1,3-Dichloropropan-2-ol (Cas No 96-23-1)   |
| 649.         | $\alpha, \alpha, \alpha$ -Trichlorotoluene (Cas No 98-07-7)  |
| 650.         | $\alpha$ -Chlorotoluene (Cas No 100-44-7)  |
| 651.         | 1,2-Dibromoethane (Cas No 106-93-4)  |
| 652.         | Hexachlorobenzene (Cas No 118-74-1)  |
| 653.         | Bromoethylene (Cas No 593-60-2)  |
| 654.         | 1,4-Dichlorobut-2-ene (Cas No 764-41-0)  |
| 655.         | Methyloxirane (Cas No 75-56-9)   |
| 656.         | (Epoxyethyl)benzene (Cas No 96-09-3)   |
| 657.         | 1-Chloro-2,3-epoxypropane (Cas No 106-89-8)  |
| 658.         | R-1-Chloro-2,3-epoxypropane (Cas No 51594-55-9)  |
| 659.         | 1,2-Epoxy-3-phenoxypropane (Cas No 122-60-1)   |
| 660.         | 2,3-Epoxypropan-1-ol (Cas No 556-52-5)   |
| 661.         | R-2,3-EpoxyPropan-1-or (Cas No 530-52-5)<br>R-2,3-Epoxy-1-propanol (Cas No 57044-25-4)                     |
| 662.         | 2,2'-Bioxirane (Cas No 1464-53-5)  |
| 662.<br>663. | (2RS,3RS)-3-(2-Chlorophenyl)-2-(4-fluorophenyl)-   |
| 005.         |  |
|              | [1H-1,2,4-triazol-1-yl]methyl]oxirane (Cas No  |
| 664          | 106325-08-0)<br>Chloromathyl mathyl athar (Cas No 107 30 2)  |
| 664.         | Chloromethyl methyl ether (Cas No 107-30-2)  |
| 665.         | 2-Methoxyethanol (Cas No 109-86-4)   |
| 666.         | 2-Ethoxyethanol (Cas No 110-80-5)  |

| 667.        | Oxybis[chloromethane], bis (Chloromethyl) ether (Cas    |
|-------------|---|
|             | No 542-88-1)  |
| 668.        | 2-Methoxypropanol (Cas No 1589-47-5)                    |
| 669.        | Propiolactone (Cas No 57-57-8)                          |
| 670.        | Dimethylcarbamoyl chloride (Cas No 79-44-7)             |
| 671.        | Urethane (Cas No 51-79-6)                               |
| 672.        | 2-Methoxyethyl acetate (Cas No 110-49-6)                |
| 673.        | 2-Ethoxyethyl acetate (Cas No 111-15-9)                 |
| 674.        | Methoxyacetic acid (Cas No 625-45-6)                    |
| 675.        | Dibutyl phthalate (Cas No 84-74-2)                      |
| 676.        | bis(2-Methyoxyethyl) ether (Cas No 111-96-6)            |
| 677.        | bis(2-Ethylhexyl) phthalate (Cas No 117-81-7)           |
| 678.        | bis(2-Methoxyethyl) phthalate (Cas No 117-82-8)         |
| 679.        | 2-Methoxypropyl acetate (Cas No 70657-70-4)             |
| 680.        | 2-Ethylhexyl[[[3,5-bis(1,1-dimethylethyl)-4-            |
|             | hydroxyphenyl]-methyl]thio]acetate (Cas No              |
|             | 80387-97-9)   |
| 681.        | Acrylamide, unless regulated elsewhere in this          |
| 001.        | Directive (Cas No 79-06-1)                              |
| 682.        | Acrylonitrile (Cas No 107-13-1)                         |
| 683.        | 2-Nitropropane (Cas No 79-46-9)                         |
| 684.        | Dinoseb (Cas No 88-85-7), its salts and esters with the |
| 004.        | exception of those specified elsewhere in this list     |
| 605         | 2-Nitroanisole (Cas No 91-23-6)                         |
| 685.<br>686 |   |
| 686.<br>(87 | 4-Nitrobiphenyl (Cas No 92-93-3)                        |
| 687.        | 2,4-Dinitrotoluene (Cas No 121-14-2)                    |
| 688.        | Binapacryl (Cas No 485-31-4)                            |
| 689.        | 2-Nitronaphthalene (Cas No 581-89-5)                    |
| 690.        | 2,3-Dinitrotoluene (Cas No 602-01-7)                    |
| 691.        | 5-Nitroacenaphthene (Cas No 602-87-9)                   |
| 692.        | 2,6-Dinitrotoluene (Cas No 606-20-2)                    |
| 693.        | 3,4-Dinitrotoluene (Cas No 610-39-9)                    |
| 694.        | 3,5-Dinitrotoluene (Cas No 618-85-9)                    |
| 695.        | 2,5-Dinitrotoluene (Cas No 619-15-8)                    |
| 696.        | Dinoterb (Cas No 1420-07-1), its salts and esters       |
| 697.        | Nitrofen (Cas No 1836-75-5)                             |
| 698.        | Dinitrotoluene (Cas No 25321-14-6)                      |
| 699.        | Diazomethane (Cas No 334-88-3)                          |
| 700.        | 1,4,5,8-Tetraaminoanthraquinone (Disperse Blue 1)       |
|             | (Cas No 2475-45-8)                                      |
| 701.        | Dimethylnitrosoamine (Cas No 62-75-9)                   |
| 702.        | 1-Methyl-3-nitro-1-nitrosoguanidine (Cas No             |
|             | 70-25-7)  |
| 703.        | Nitrosodipropylamine (Cas No 621-64-7)                  |
| 704.        | 2,2'-(Nitrosoimino)bisethanol (Cas No 1116-54-7)        |
| 705.        | 4,4'-Methylenedianiline (Cas No 101-77-9)               |
| 706.        | 4,4'-(4-Iminocyclohexa-2,5-dienylidenemethylene)        |
|             | dianiline hydrochloride (Cas No 569-61-9)               |
| 707.        | 4,4'-Methylenedi-o-toluidine (Cas No 838-88-0)          |
| 707.        | o-Anisidine (Cas No 90-04-0)                            |
| 708.        | 3,3'-Dimethoxybenzidine (Cas No 119-90-4)               |
| 710.        | Salts of o-dianisidine                                  |
| 710.        | o-Dianisidine based azo dyes                            |
| /11.        | 0-manisiunic vascu azu uyes                             |

| 710   | 2.27 Distributes in the contrast of the con |
|-------|---|
| 712.  | 3,3'-Dichlorobenzidine (Cas No 91-94-1)   |
| 713.  | Benzidine dihydrochloride (Cas No 531-85-1)   |
| 714.  | [[1,1'-Biphenyl]-4,4'-diyl]diammonium sulphate (Cas   |
| 715   | No 531-86-2)  |
| 715.  | 3,3'-Dichlorobenzidine dihydrochloride (Cas No  |
| 717   | 612-83-9)   |
| 716.  | Benzidine sulphate (Cas No 21136-70-9)  |
| 717.  | Benzidine acetate (Cas No 36341-27-2)   |
| 718.  | 3,3'-Dichlorobenzidine dihydrogen bis(sulphate) (Cas  |
| - 1 0 | No 64969-34-2)  |
| 719.  | 3,3'-Dichlorobenzidine sulphate (Cas No 74332-73-3)   |
| 720.  | Benzidine based azo dyes  |
| 721.  | 4,4'-Bi-o-toluidine (Cas No 119-93-7)   |
| 722.  | 4,4'-Bi-o-toluidine dihydrochloride (Cas No 612-82-8)   |
| 723.  | [3,3'-Dimethyl[1,1'-biphenyl]-4,4'-diyl]diammonium  |
|       | bis(hydrogen sulphate) (Cas No 64969-36-4)  |
| 724.  | 4,4'-Bi-o-toluidine sulphate (Cas No 74753-18-7)  |
| 725.  | o-Tolidine based dyes   |
| 726.  | Biphenyl-4-ylamine (Cas No 92-67-1) and its salts   |
| 727.  | Azobenzene (Cas No 103-33-3)  |
| 728.  | (Methyl-ONN-azoxy)methyl acetate (Cas No  |
| ,     | 592-62-1)   |
| 729.  | Cycloheximide (Cas No 66-81-9)  |
| 730.  | 2-Methylaziridine (Cas No 75-55-8)  |
| 731.  | Imidazolidine-2-thione (Cas No 96-45-7)   |
| 732.  | Furan (Cas No 110-00-9)   |
| 733.  | Aziridine (Cas No 151-56-4)   |
| 734.  | Captafol (2425-06-1)  |
|       |   |
| 735.  | Carbadox (Cas No 6804-07-5)   |
| 736.  | Flumioxazin (Cas No 103361-09-7)  |
| 737.  | Tridemorph (Cas No 24602-86-6)  |
| 738.  | Vinclozolin (Cas No 50471-44-8)   |
| 739.  | Fluazifop-butyl (Cas No 69806-50-4)   |
| 740.  | Flusilazole (Cas No 85509-19-9)   |
| 741.  | 1,3,5-Tris(oxiranylmethyl)-1,3,5-   |
|       | triazine-2,4,6(1 <i>H</i> ,3 <i>H</i> ,5 <i>H</i> )-trione (Cas No 2451-62-9)   |
| 742.  | Thioacetamide (Cas No 62-55-5)  |
| 743.  | N,N-Dimethylformamide (Cas No 68-12-2)  |
| 744.  | Formamide (Cas No 75-12-7)  |
| 745.  | <i>N</i> -Methylacetamide (Cas No 79-16-3)  |
| 746.  | <i>N</i> -Methylformamide (Cas No 123-39-7)   |
| 747.  | N,N-Dimethylacetamide (Cas No 127-19-5)   |
| 748.  | Hexamethylphosphoric-triamide (Cas No 680-31-9)   |
| 749.  | Diethyl sulphate (Cas No 64-67-5)   |
| 750.  | Dimethyl sulphate (Cas No 77-78-1)  |
| 751.  | 1,3-Propanesultone (Cas No 1120-71-4)   |
| 752.  | Dimethylsulphamoyl-chloride (Cas No 13360-57-1)   |
| 753.  | Sulfallate (Cas No 95-06-7)   |
| 754.  | A mixture of: 4-[[bis-(4-   |
|       | Fluorophenyl)methylsilyl]methyl]-4 <i>H</i> -1,2,4-triazole   |
|       | and 1-[[bis-(4-   |
|       | fluorophenyl)methylsilyl]methyl]-1 <i>H</i> -1,2,4-triazole   |
|       | (EC No 403-250-2)   |
|       |   |

| 755. | (+/–)-Tetrahydrofurfuryl –(R)-2-[4-(6-   |
|------|--|
|      | chloroquinoxalin-2-yloxy)phenyloxy]propionate (Cas   |
|      | No 119738-06-6)  |
| 756. | 6-Hydroxy-1-(3-Isopropoxypropyl)-4-methyl-2-   |
| ,    | oxo-5-[4-(phenylazo)phenylazo]-1,2-dihydro-3-  |
|      | pyridinecarbonitrile (Cas No 85136-74-9)   |
| 757. | (6-(4-Hydroxy-3-(2-methoxyphenylazo)-2-  |
| 131. |  |
|      | sulfonato-7-naphthylamino)-1,3,5-triazine-2,4-   |
|      | diyl)bis[(amino-1-methylethyl)ammonium] formate  |
| 760  | (Cas No 108225-03-2)   |
| 758. | Trisodium [4'-(8-acetylamino-3,6-disulfonato-2-  |
|      | naphthylazo)-4"-(6-benzoylamino-3-Sulfonato-2-   |
|      | naphthylazo)-biphenyl-1,3',3",1"'-   |
|      | tetraolato- <i>O</i> , <i>O</i> ', <i>O</i> ", <i>O</i> "]copper(II) (EC No 413-590-3)                         |
| 759. | A mixture of: <i>N</i> -[3-Hydroxy-2-(2-   |
|      | methylacryloylaminomethoxy)propoxymethyl]-2-   |
|      | methylacrylamideand N-2,3-bis-(2-  |
|      | Methylacryloylaminomethoxy)propoxymethyl]-2-   |
|      | methylacrylamide and methacrylamide and 2-   |
|      | methyl-N-(2-methylacryloylaminomethoxymethyl)-   |
|      | acrylamide and N-(2,3-dihydroxypropoxymethyl)-2-   |
|      | methylacrylamide (EC No 412-790-8)   |
| 760. | 1,3,5-tris-[(2S and 2R)-2,3-Epoxypropyl]-1,3,5-  |
| ,    | triazine-2,4,6-( $1H$ ,3 $H$ ,5 $H$ )-trione (Cas No   |
|      | 59653-74-6)  |
| 761. | Erionite (Cas No 12510-42-8)   |
| 762. | Asbestos (Cas No 12001-28-4)   |
| 762. | Petroleum (Cas No 8002-05-9)   |
| 764. |  |
| /04. | Distillates (petroleum), heavy hydrocracked (Cas No $(4741.760)$ if they contain $\geq 2.0$ / w/w DMSO extract |
| 765  | 64741-76-0), if they contain > 3 % w/w DMSO extract  |
| 765. | Distillates (petroleum), solvent-refined heavy   |
|      | paraffinic (Cas No 64741-88-4), if they contain > 3 %  |
| -    | w/w DMSO extract   |
| 766. | Distillates (petroleum), solvent-refined light paraffinic  |
|      | (Cas No 64741-89-5), if they contain $> 3 \%$ w/w  |
|      | DMSO extract   |
| 767. | Residual oils (petroleum), solvent deasphalted (Cas No   |
|      | 64741-95-3), if they contain $> 3 \%$ w/w DMSO extract   |
| 768. | Distillates (petroleum), solvent-refined heavy   |
|      | naphthenic (Cas No 64741-96-4), if they contain $> 3 \%$   |
|      | w/w DMSO extract   |
| 769. | Distillates (petroleum), solvent-refined light   |
|      | naphthenic (Cas No 64741-97-5), if they contain $> 3\%$  |
|      | w/w DMSO extract   |
| 770. | Residual oils (petroleum), solvent-refined (Cas No   |
|      | 64742-01-4), if they contain $> 3 \%$ w/w DMSO extract   |
| 771. | Distillates (petroleum), clay-treated heavy paraffinic   |
| //1. | (Cas No 64742-36-5), if they contain $> 3 \%$ w/w  |
|      | DMSO extract   |
| 772. | Distillates (petroleum), clay-treated light paraffinic   |
| 114. |  |
|      | (Cas No 64742-37-6), if they contain $> 3 \%$ w/w  |
|      | DMSO extract   |

| 773. | Residual oils (petroleum), clay-treated (Cas No $64742-41-2$ ), if they contain > 3 % w/w DMSO extract                      |
|------|---|
| 774. | Distillates (petroleum), clay-treated heavy naphthenic (Cas No 64742-44-5), if they contain $> 3 \%$ w/w DMSO extract       |
| 775. | Distillates (petroleum), clay-treated light naphthenic (Cas No 64742-45-6), if they contain $> 3 \%$ w/w DMSO extract       |
| 776. | Distillates (petroleum), hydrotreated heavy naphthenic (Cas No 64742-52-5), if they contain $> 3\%$ w/w DMSO extract        |
| 777. | Distillates (petroleum), hydrotreated light naphthenic (Cas No 64742-53-6), if they contain $> 3 \%$ w/w DMSO extract       |
| 778. | Distillates (petroleum), hydrotreated heavy paraffinic (Cas No 64742-54-7), if they contain $> 3 \%$ w/w DMSO extract       |
| 779. | Distillates (petroleum), hydrotreated light paraffinic (Cas No 64742-55-8), if they contain $> 3 \%$ w/w DMSO extract       |
| 780. | Distillates (petroleum), solvent-dewaxed light<br>paraffinic (Cas No 64742-56-9), if they contain > 3 %<br>w/w DMSO extract |
| 781. | Residual oils (petroleum), hydrotreated (Cas No 64742-57-0), if they contain > 3 % w/w DMSO extract                         |
| 782. | Residual oils (petroleum), solvent-dewaxed (Cas No $64742-62-7$ ), if they contain > 3 % w/w DMSO extract                   |
| 783. | Distillates (petroleum), solvent-dewaxed heavy<br>naphthenic (Cas No 64742-63-8), if they contain > 3 %<br>w/w DMSO extract |
| 784. | Distillates (petroleum), solvent-dewaxed light<br>naphthenic (Cas No 64742-64-9), if they contain > 3 %<br>w/w DMSO extract |
| 785. | Distillates (petroleum), solvent-dewaxed heavy<br>paraffinic (Cas No 64742-65-0), if they contain > 3 %<br>w/w DMSO extract |
| 786. | Foots oil (petroleum) (Cas No 64742-67-2), if it contains $> 3 \%$ w/w DMSO extract   |
| 787. | Naphthenic oils (petroleum), catalytic dewaxed heavy (Cas No 64742-68-3), if they contain $> 3 \%$ w/w DMSO extract         |
| 788. | Naphthenic oils (petroleum), catalytic dewaxed light (Cas No 64742-69-4), if they contain $> 3 \%$ w/w DMSO extract         |
| 789. | Paraffin oils (petroleum), catalytic dewaxed heavy (Cas No 64742-70-7), if they contain $> 3 \%$ w/w DMSO extract           |
| 790. | Paraffin oils (petroleum), catalytic dewaxed light (Cas No 64742-71-8), if they contain $> 3 \%$ w/w DMSO extract           |
| 791. | Naphthenic oils (petroleum), complex dewaxed heavy (Cas No 64742-75-2), if they contain $> 3 \%$ w/w DMSO extract           |

| 792. | Naphthenic oils (petroleum), complex dewaxed light (Cas No 64742-76-3), if they contain $> 3 \%$ w/w  |
|------|---|
| 793. | DMSO extract<br>Extracts (petroleum), heavy naphthenic distillate   |
| 704  | solvent, arom. conc. (Cas No 68783-00-6), if they contain > 3 % w/w DMSO extract  |
| 794. | Extracts (petroleum), solvent-refined heavy paraffinic distillate solvent (Cas No 68783-04-0), if they contain $> 3 \%$ w/w DMSO extract                                    |
| 795. | Extracts (petroleum), heavy paraffinic distillates, solvent-deasphalted (Cas No 68814-89-1), if they contain > 3 % w/w DMSO extract   |
| 796. | Lubricating oils (petroleum), C <sub>20-50</sub> , hydrotreated neutral oil-based, high-viscosity (Cas No 72623-85-9),  |
| 797. | if they contain > 3 % w/w DMSO extract<br>Lubricating oils (petroleum), $C_{15-30}$ , hydrotreated<br>neutral oil-based (Cas No 72623- 86-0), if they contain               |
| 798. | > 3 % w/w DMSO extract<br>Lubricating oils (petroleum), C <sub>20-50</sub> , hydrotreated<br>neutral oil-based (Cas No 72623- 87-1), if they contain                        |
| 799. | > 3 % w/w DMSO extract<br>Lubricating oils (Cas No 74869-22-0), if they contain<br>> 3 % w/w DMSO extract   |
| 800. | Distillates (petroleum), complex dewaxed heavy paraffinic (Cas No 90640-91-8), if they contain > 3 % w/w DMSO extract   |
| 801. | W/W DMSO extract<br>Distillates (petroleum), complex dewaxed light<br>paraffinic (Cas No 90640-92-9), if they contain > 3 %<br>W/W DMSO extract                             |
| 802. | Distillates (petroleum), solvent dewaxed heavy<br>paraffinic, clay-treated (Cas No 90640-94-1), if they<br>contain > 3 % w/w DMSO extract                                   |
| 803. | Hydrocarbons, $C_{20-50}$ , solvent dewaxed heavy paraffinic, hydrotreated (Cas No 90640-95-2), if they contain > 3 % w/w DMSO extract                                      |
| 804. | Distillates (petroleum), solvent dewaxed light<br>paraffinic, clay-treated (Cas No 90640-96-3), if they<br>contain > 3 % w/w DMSO extract                                   |
| 805. | Distillates (petroleum), solvent dewaxed light<br>paraffinic, hydrotreated (Cas No 90640-97-4), if they<br>contain > 3 % w/w DMSO extract                                   |
| 806. | Extracts (petroleum), heavy naphthenic distillate solvent, hydrotreated (Cas No 90641-07-9), if they contain $> 3 \%$ w/w DMSO extract                                      |
| 807. | Extracts (petroleum), heavy paraffinic distillate solvent, hydrotreated (Cas No 90641-08-0), if they  |
| 808. | contain > 3 % w/w DMSO extract<br>Extracts (petroleum), light paraffinic distillate solvent,<br>hydrotreated (Cas No 90641-09-1), if they contain<br>> 3 % w/w DMSO extract |

| 809. | Residual oils (petroleum), hydrotreated solvent dewaxed (Cas No 90669-74-2), if they contain > 3 % w/w DMSO extract                               |
|------|---|
| 810. | Residual oils (petroleum), catalytic dewaxed (Cas No $91770-57-9$ ), if they contain > 3 % w/w DMSO extract                                       |
| 811. | Distillates (petroleum), dewaxed heavy paraffinic,<br>hydrotreated (Cas No 91995-39-0) if they contain<br>> 3 % w/w DMSO extract                  |
| 812. | Distillates (petroleum), dewaxed light paraffinic, hydrotreated (Cas No 91995-40-3), if they contain $> 3 \%$ w/w DMSO extract                    |
| 813. | Distillates (petroleum), hydrocracked solvent-refined,<br>dewaxed (Cas No 91995-45-8), if they contain > 3 %<br>w/w DMSO extract                  |
| 814. | Distillates (petroleum), solvent-refined light<br>naphthenic, hydrotreated (Cas No 91995-54-9), if they<br>contain $> 3 \%$ w/w DMSO extract      |
| 815. | Extracts (petroleum), hydrotreated light paraffinic distillate solvent (Cas No 91995-73-2), if they contain $> 3 \%$ w/w DMSO extract             |
| 816. | Extracts (petroleum), light naphthenic distillate solvent, hydrodesulfurised (Cas No 91995-75-4), if they contain $> 3 \%$ w/w DMSO extract       |
| 817. | Extracts (petroleum), light paraffinic distillate solvent, acid-treated (Cas No 91995-76-5), if they contain $> 3 \%$ w/w DMSO extract            |
| 818. | Extracts (petroleum), light paraffinic distillate solvent,<br>hydrodesulfurised (Cas No 91995-77-6), if they<br>contain $> 3 \%$ w/w DMSO extract |
| 819. | Extracts (petroleum), light vacuum gas oil solvent,<br>hydrotreated (Cas No 91995-79-8), if they contain<br>> 3 % w/w DMSO extract                |
| 820. | Foots oil (petroleum), hydrotreated (Cas No 92045-12-0), if it contains > 3 % w/w DMSO extract  |
| 821. | Lubricating oils (petroleum), $C_{17-35}$ , solvent-extd., dewaxed, hydrotreated (Cas No 92045-42-6), if they contain > 3 % w/w DMSO extract      |
| 822. | Lubricating oils (petroleum), hydrocracked nonarom solvent-deparaffined (Cas No 92045-43-7), if they contain $> 3 \%$ w/w DMSO extract            |
| 823. | Residual oils (petroleum), hydrocracked acid-treated solvent-dewaxed (Cas No 92061-86-4), if they contain > 3 % w/w DMSO extract                  |
| 824. | Paraffin oils (petroleum), solvent-refined dewaxed<br>heavy (Cas No 92129-09-4), if they contain $> 3 \%$ w/<br>w DMSO extract                    |
| 825. | Extracts (petroleum), heavy paraffinic distillate<br>solvent, clay-treated (Cas No 92704- 08-0), if they<br>contain > $3 \%$ w/w DMSO extract     |
| 826. | Lubricating oils (petroleum), base oils, paraffinic (Cas No 93572-43-1), if they contain $> 3 \%$ w/w DMSO  |

extract

| 827.  | Extracts (petroleum), heavy naphthenic distillate solvent, hydrodesulfurised (Cas No 93763-10-1), if               |
|-------|--|
|       | they contain $> 3 \%$ w/w DMSO extract   |
| 828.  | Extracts (petroleum), solvent-dewaxed heavy  |
|       | paraffinic distillate solvent, hydrodesulfurised (Cas No   |
|       | 93763-11-2), if they contain $> 3$ % w/w DMSO extract  |
| 829.  | Hydrocarbons, hydrocracked paraffinic distn. residues,   |
|       | solvent-dewaxed (Cas No 93763-38-3), if they contain   |
|       | > 3 % w/w DMSO extract   |
| 830.  | Foots oil (petroleum), acid-treated (Cas No  |
|       | 93924-31-3), if it contains $> 3 \%$ w/w DMSO extract  |
| 831.  | Foots oil (petroleum), clay-treated (Cas No  |
|       | 93924-32-4), if it contains $> 3 \%$ w/w DMSO extract  |
| 832.  | Hydrocarbons, $C_{20-50}$ , residual oil hydrogenation   |
| 052.  | vacuum distillate (Cas No 93924- 61-9), if they contain  |
|       | > 3 % w/w DMSO extract   |
| 833.  | Distillates (petroleum), solvent-refined hydrotreated  |
| 855.  | heavy, hydrogenated (Cas No 94733-08-1), if they   |
|       | contain $> 3 \%$ w/w DMSO extract  |
| 071   |  |
| 834.  | Distillates (petroleum), solvent-refined hydrocracked<br>light (Coa No 04722, 00, 2) if they contain $> 2.0$ ( w/w |
|       | light (Cas No 94733-09-2), if they contain $> 3 \%$ w/w  |
| 025   | DMSO extract   |
| 835.  | Lubricating oils (petroleum), $C_{18-40}$ , solvent-dewaxed  |
|       | hydrocracked distillate-based (Cas No 94733-15-0), if  |
| 0.0   | they contain $> 3$ % w/w DMSO extract  |
| 836.  | Lubricating oils (petroleum), C <sub>18-40</sub> , solvent-dewaxed   |
|       | hydrogenated raffinate-based (Cas No 94733-16-1), if   |
|       | they contain $> 3 \%$ w/w DMSO extract   |
| 837.  | Hydrocarbons, $C_{13-30}$ , aromrich, solvent-extd.  |
|       | naphthenic distillate (Cas No 95371-04-3), if they   |
|       | contain $> 3 \%$ w/w DMSO extract  |
| 838.  | Hydrocarbons, C <sub>16-32</sub> , arom. rich, solvent-extd.   |
|       | naphthenic distillate (Cas No 95371-05-4), if they   |
|       | contain $> 3 \%$ w/w DMSO extract  |
| 839.  | Hydrocarbons, C <sub>37-68</sub> , dewaxed deasphalted   |
|       | hydrotreated vacuum distn. Residues (Cas No  |
|       | 95371-07-6), if they contain $> 3$ % w/w DMSO extract  |
| 840.  | Hydrocarbons, C <sub>37-65</sub> , hydrotreated deasphalted  |
|       | vacuum distn. Residues (Cas No 95371-08-7), if they  |
|       | contain > 3 % w/w DMSO extract   |
| 841.  | Distillates (petroleum), hydrocracked solvent-refined  |
|       | light (Cas No 97488-73-8), if they contain $> 3 \%$ w/w  |
|       | DMSO extract   |
| 842.  | Distillates (petroleum), solvent-refined hydrogenated  |
| 0.2.  | heavy (Cas No 97488-74-9), if they contain $> 3 \% \text{ w/}$   |
|       | w DMSO extract   |
| 843.  | Lubricating oils (petroleum), $C_{18-27}$ , hydrocracked   |
| 015.  | solvent-dewaxed (Cas No 97488-95-4), if they contain   |
|       | > 3 % w/w DMSO extract   |
| 844.  | Hydrocarbons, $C_{17-30}$ , hydrotreated solvent-  |
| U IT. | deasphalted atm. distn. residue, distn. lights (Cas No   |
|       |  |
|       | 97675-87-1), if they contain $> 3$ % w/w DMSO extract  |

| 845. | Hydrocarbons, $C_{17-40}$ , hydrotreated solvent-<br>deasphalted distn. residue, vacuum distn. lights (Cas<br>No 97722-06-0), if they contain > 3 % w/w DMSO<br>extract |
|------|---|
| 846. | Hydrocarbons, $C_{13-27}$ , solvent-extd. light naphthenic (Cas No 97722-09-3), if they contain > 3 % w/w DMSO extract  |
| 847. | Hydrocarbons, $C_{14-29}$ , solvent-extd. light naphthenic<br>(Cas No 97722-10-6), if they contain > 3 % w/w<br>DMSO extract  |
| 848. | Foots oil (petroleum), carbon-treated (Cas No 97862-76-5), if it contains $> 3 \%$ w/w DMSO extract   |
| 849. | Foots oil (petroleum), silicic acid-treated (Cas No 97862-77-6), if it contains $> 3 \%$ w/w DMSO extract   |
| 850. | Hydrocarbons, $C_{27-42}$ , dearomatised (Cas No 97862-81-2), if they contain > 3 % w/w DMSO extract  |
| 851. | Hydrocarbons, $C_{17-30}$ , hydrotreated distillates, distn.<br>Lights (Cas No 97862-82-3), if they contain > 3 % w/<br>w DMSO extract                                  |
| 852. | Hydrocarbons, $C_{27-45}$ , naphthenic vacuum distn. (Cas No 97862-83-4), if they contain > 3 % w/w DMSO extract  |
| 853. | Hydrocarbons, $C_{27-45}$ , dearomatised (Cas No 97926-68-6), if they contain > 3 % w/w DMSO extract  |
| 854. | Hydrocarbons, $C_{20-58}$ , hydrotreated (Cas No 97926-70-0), if they contain > 3 % w/w DMSO extract  |
| 855. | Hydrocarbons, $C_{27-42}$ , naphthenic (Cas No 97926-71-1), if they contain > 3 % w/w DMSO extract  |
| 856. | Extracts (petroleum), light paraffinic distillate solvent,<br>carbon-treated (Cas No 100684-02-4), if they contain<br>> 3 % w/w DMSO extract                            |
| 857. | Extracts (petroleum), light paraffinic distillate solvent,<br>clay-treated (Cas No 100684- 03-5), if they contain<br>> 3 % w/w DMSO extract                             |
| 858. | Extracts (petroleum), light vacuum, gas oil solvent, carbon-treated (Cas No 100684-04-6), if they contain $> 3 \%$ w/w DMSO extract                                     |
| 859. | Extracts (petroleum), light vacuum gas oil solvent,<br>clay-treated (Cas No 100684-05-7), if they contain<br>> 3 % w/w DMSO extract                                     |
| 860. | Residual oils (petroleum), carbon-treated solvent-<br>dewaxed (Cas No 100684-37-5), if they contain > 3 %<br>w/w DMSO extract   |
| 861. | Residual oils (petroleum), clay-treated solvent-<br>dewaxed (Cas No 100684-38-6), if they contain > 3 %<br>w/w DMSO extract   |
| 862. | Lubricating oils (petroleum), $C_{>25}$ , solvent-extd., deasphalted, dewaxed, hydrogenated (Cas No 101316-69-2), if they contain > 3 % w/w DMSO extract                |

| 863. | Lubricating oils (petroleum), C <sub>17-32</sub> , solvent-extd., |
|------|---|
|      | dewaxed, hydrogenated (Cas No 101316-70-5), if they               |
|      | contain $> 3 \%$ w/w DMSO extract                                 |
| 864. | Lubricating oils (petroleum), C <sub>20-35</sub> , solvent-extd., |
|      | dewaxed, hydrogenated (Cas No 101316-71-6), if they               |
|      | contain > 3 % w/w DMSO extract                                    |
| 865. | Lubricating oils (petroleum), C <sub>24-50</sub> , solvent-extd., |
|      | dewaxed, hydrogenated (Cas No 101316-72-7), if they               |
|      | contain $> 3 \%$ w/w DMSO extract                                 |
| 866. | Distillates (petroleum), sweetened middle (Cas No                 |
|      | 64741-86-2), except if the full refining history is               |
|      | known and it can be shown that the substance from                 |
|      | which it is produced is not a carcinogen                          |
| 867. | Gas oils (petroleum), solvent-refined (Cas No                     |
|      | 64741-90-8), except if the full refining history is               |
|      | known and it can be shown that the substance from                 |
|      | which it is produced is not a carcinogen                          |
| 868. | Distillates (petroleum), solvent-refined middle (Cas              |
|      | No 64741-91-9), except if the full refining history is            |
|      | known and it can be shown that the substance from                 |
|      | which it is produced is not a carcinogen                          |
| 869. | Gas oils (petroleum), acid-treated (Cas No                        |
|      | 64742-12-7), except if the full refining history is               |
|      | known and it can be shown that the substance from                 |
|      | which it is produced is not a carcinogen                          |
| 870. | Distillates (petroleum), acid-treated middle (Cas No              |
|      | 64742-13-8), except if the full refining history is               |
|      | known and it can be shown that the substance from                 |
|      | which it is produced is not a carcinogen                          |
| 871. | Distillates (petroleum), acid-treated light (Cas No               |
|      | 64742-14-9), except if the full refining history is               |
|      | known and it can be shown that the substance from                 |
|      | which it is produced is not a carcinogen                          |
| 872. | Gas oils (petroleum), chemically neutralised (Cas No              |
|      | 64742-29-6), except if the full refining history is               |
|      | known and it can be shown that the substance from                 |
|      | which it is produced is not a carcinogen                          |
| 873. | Distillates (petroleum), chemically neutralised middle            |
|      | (Cas No 64742-30-9), except if the full refining history          |
|      | is known and it can be shown that the substance from              |
|      | which it is produced is not a carcinogen                          |
| 874. | Distillates (petroleum), clay-treated middle (Cas No              |
|      | 64742-38-7), except if the full refining history is               |
|      | known and it can be shown that the substance from                 |
|      | which it is produced is not a carcinogen                          |
| 875. | Distillates (petroleum), hydrotreated middle (Cas No              |
|      | 64742-46-7), except if the full refining history is               |
|      | known and it can be shown that the substance from                 |
|      | which it is produced is not a carcinogen                          |
| 876. | Gas oils (petroleum), hydrodesulfurised (Cas No                   |
|      | 64742-79-6), except if the full refining history is               |
|      | known and it can be shown that the substance from                 |
|      | which it is produced is not a carcinogen                          |

| 877. | Distillates (petroleum), hydrodesulfurised middle (Cas<br>No 64742-80-9), except if the full refining history is<br>known and it can be shown that the substance from   |
|------|---|
| 878. | which it is produced is not a carcinogen<br>Distillates (petroleum), catalytic reformer fractionator<br>residue, high-boiling (Cas No 68477-29-2), except if  |
|      | the full refining history is known and it can be shown<br>that the substance from which it is produced is not a<br>carcinogen   |
| 879. | Distillates (petroleum), catalytic reformer fractionator<br>residue, intermediate-boiling (Cas No 68477-30-5),<br>except if the full refining history is known and it can   |
| 880. | be shown that the substance from which it is produced<br>is not a carcinogen<br>Distillates (petroleum), catalytic reformer fractionator  |
| 000. | residue, low-boiling (Cas No 68477-31-6), except if<br>the full refining history is known and it can be shown<br>that the substance from which it is produced is not a  |
| 881. | carcinogen<br>Alkanes, C <sub>12-26</sub> -branched and linear (Cas No  |
| 001. | 90622-53-0), except if the full refining history is<br>known and it can be shown that the substance from<br>which it is produced is not a carcinogen  |
| 882. | Distillates (petroleum), highly refined middle (Cas<br>No 90640-93-0), except if the full refining history is<br>known and it can be shown that the substance from  |
| 883. | which it is produced is not a carcinogen<br>Distillates (petroleum), catalytic reformer, heavy arom.<br>conc. Cas No 91995-34-5), except if the full refining<br>history is known and it can be shown that the substance  |
| 884. | from which it is produced is not a carcinogen<br>Gas oils, paraffinic (Cas No 93924-33-5), except if<br>the full refining history is known and it can be shown<br>that the substance from which it is produced is not a   |
| 885. | carcinogen<br>Naphtha (petroleum), solvent-refined<br>hydrodesulfurised heavy (Cas No 97488-96-5), except<br>if the full refining history is known and it can be shown<br>that the substance from which it is produced is not a   |
| 886. | that the substance from which it is produced is not a carcinogen Hydrocarbons, $C_{16-20}$ , hydrotreated middle distillate,  |
|      | distn. Lights (Cas No 97675- 85-9), except if the full<br>refining history is known and it can be shown that the<br>substance from which it is produced is not a carcinogen   |
| 887. | Hydrocarbons, $C_{12-20}$ , hydrotreated paraffinic, distn.<br>lights (Cas No 97675-86-0), except if the full refining<br>history is known and it can be shown that the substance   |
| 888. | from which it is produced is not a carcinogen<br>Hydrocarbons, $C_{11-17}$ , solvent-extd. light naphthenic<br>(Cas No 97722-08-2), except if the full refining history<br>is known and it can be shown that the substance from<br>which it is produced is not a carcinogen |

| 889. | Gas oils, hydrotreated (Cas No 97862-78-7), except if<br>the full refining history is known and it can be shown<br>that the substance from which it is produced is not a   |
|------|--|
| 890. | carcinogen<br>Distillates (petroleum), carbon-treated light paraffinic<br>(Cas No 100683-97-4), except if the full refining<br>history is known and it can be shown that the substance<br>from which it is produced is not a carcinogen                        |
| 891. | Distillates (petroleum), intermediate paraffinic,<br>carbon-treated (Cas No 100683-98-5), except if the full<br>refining history is known and it can be shown that the<br>substance from which it is produced is not a carcinogen                              |
| 892. | Distillates (petroleum), intermediate paraffinic, clay-<br>treated (Cas No 100683-99-6), except if the full<br>refining history is known and it can be shown that the<br>substance from which it is produced is not a carcinogen                               |
| 893. | Lubricating greases (Cas No 74869-21-9), except if<br>the full refining history is known and it can be shown<br>that the substance from which it is produced is not a<br>carcinogen  |
| 894. | Slack wax (petroleum) (Cas No 64742-61-6), except if<br>the full refining history is known and it can be shown<br>that the substance from which it is produced is not a  |
| 895. | carcinogen<br>Slack wax (petroleum), acid-treated (Cas No<br>90669-77-5), except if the full refining history is<br>known and it can be shown that the substance from  |
| 896. | which it is produced is not a carcinogen<br>Slack wax (petroleum), clay-treated (Cas No<br>90669-78-6), except if the full refining history is<br>known and it can be shown that the substance from  |
| 897. | which it is produced is not a carcinogen<br>Slack wax (petroleum), hydrotreated (Cas No<br>92062-09-4), except if the full refining history is<br>known and it can be shown that the substance from  |
| 898. | which it is produced is not a carcinogen<br>Slack wax (petroleum), low-melting (Cas No<br>92062-10-7), except if the full refining history is<br>known and it can be shown that the substance from<br>which it is produced is not a carcinogen                 |
| 899. | which it is produced is not a carcinogen<br>Slack wax (petroleum), low-melting, hydrotreated<br>(Cas No 92062-11-8), except if the full refining history<br>is known and it can be shown that the substance from<br>which it is produced is not a carcinogen   |
| 900. | which it is produced is not a carcinogen<br>Slack wax (petroleum), low-melting, carbon-treated<br>(Cas No 97863-04-2), except if the full refining history<br>is known and it can be shown that the substance from<br>which it is produced is not a carcinogen |
| 901. | which it is produced is not a carcinogen<br>Slack wax (petroleum), low-melting, clay-treated (Cas<br>No 97863-05-3), except if the full refining history is<br>known and it can be shown that the substance from<br>which it is produced is not a carcinogen   |

| 902. | Slack wax (petroleum), low-melting, silicic acid-<br>treated (Cas No 97863-06-4), except if the full refining |
|------|---|
|      | history is known and it can be shown that the substance   |
| 903. | from which it is produced is not a carcinogen<br>Slack wax (petroleum), carbon-treated (Cas No                |
| 903. | 100684-49-9), except if the full refining history is  |
|      | known and it can be shown that the substance from   |
|      |   |
| 904. | which it is produced is not a carcinogen  |
| 904. | Petrolatum (Cas No 8009-03-8), except if the full   |
|      | refining history is known and it can be shown that the  |
| 005  | substance from which it is produced is not a carcinogen   |
| 905. | Petrolatum (petroleum), oxidised (Cas No  |
|      | 64743-01-7), except if the full refining history is   |
|      | known and it can be shown that the substance from   |
| 007  | which it is produced is not a carcinogen  |
| 906. | Petrolatum (petroleum), alumina-treated (Cas No   |
|      | 85029-74-9), except if the full refining history is   |
|      | known and it can be shown that the substance from   |
| 0.07 | which it is produced is not a carcinogen  |
| 907. | Petrolatum (petroleum), hydrotreated (Cas No  |
|      | 92045-77-7), except if the full refining history is   |
|      | known and it can be shown that the substance from   |
| 000  | which it is produced is not a carcinogen  |
| 908. | Petrolatum (petroleum), carbon-treated (Cas No  |
|      | 97862-97-0), except if the full refining history is   |
|      | known and it can be shown that the substance from   |
| 000  | which it is produced is not a carcinogen  |
| 909. | Petrolatum (petroleum), silicic acid-treated (Cas No  |
|      | 97862-98-1), except if the full refining history is   |
|      | known and it can be shown that the substance from   |
| 010  | which it is produced is not a carcinogen  |
| 910. | Petrolatum (petroleum), clay-treated (Cas No  |
|      | 100684-33-1), except if the full refining history is  |
|      | known and it can be shown that the substance from   |
| 011  | which it is produced is not a carcinogen  |
| 911. | Distillates (petroleum), light catalytic cracked (Cas No  |
| 012  | 64741-59-9)<br>Distillatos (natroloum) intermodiate estalutio eraclead  |
| 912. | Distillates (petroleum), intermediate catalytic cracked   |
| 012  | (Cas No 64741-60-2)<br>Distillates (naterlaym), light thermal eracked (Cas No                                 |
| 913. | Distillates (petroleum), light thermal cracked (Cas No  |
| 014  | 64741-82-8)<br>Distillator (notroloum) hydrodosulfuriand light  |
| 914. | Distillates (petroleum), hydrodesulfurised light  |
| 915. | catalytic cracked (Cas No 68333-25-5)<br>Distillates (petroleum), light steam-cracked naphtha                 |
| 915. | (Cas No 68475-80-9)   |
| 916. | Distillates (petroleum), cracked steam-cracked  |
| 910. | petroleum distillates (Cas No 68477-38-3)   |
| 917. | Gas oils (petroleum), steam-cracked (Cas No   |
| 917. | 68527-18-4)   |
| 918. | Distillates (petroleum), hydrodesulfurised thermal  |
| 710. | cracked middle (Cas No 85116-53-6)  |
| 919. | Gas oils (petroleum), thermal-cracked,  |
| J1J. | hydrodesulfurised (Cas No 92045-29-9)   |
|      |   |

| 920. | Residues (petroleum), hydrogenated steam-cracked naphtha (Cas No 92062-00-5)  |
|------|---|
| 921. | Residues (petroleum), steam-cracked naphtha distn.  |
| 922. | (Cas No 92062-04-9)<br>Distillates (petroleum), light catalytic cracked,  |
| 923. | thermally degraded (Cas No 92201-60-0)<br>Residues (petroleum), steam-cracked heat-soaked                                 |
| 924. | naphtha (Cas No 93763-85-0)<br>Gas oils (petroleum), light vacuum, thermal-cracked  |
| 925. | hydrodesulfurised (Cas No 97926-59-5)<br>Distillates (petroleum), hydrodesulfurised middle<br>coker (Cas No 101316-59-0)  |
| 926. | Distillates (petroleum), heavy steam-cracked (Cas No 101631-14-5)   |
| 927. | Residues (petroleum), atm. Tower (Cas No 64741-45-3)  |
| 928. | Gas oils (petroleum), heavy vacuum (Cas No 64741-57-7)  |
| 929. | Distillates (petroleum), heavy catalytic cracked (Cas No 64741-61-3)  |
| 930. | Clarified oils (petroleum), catalytic cracked (Cas No 64741-62-4)   |
| 931. | Residues (petroleum), catalytic reformer fractionator<br>(Cas No 64741-67-9)  |
| 932. | Residues (petroleum), hydrocracked (Cas No 64741-75-9)  |
| 933. | Residues (petroleum), thermal cracked (Cas No 64741-80-6)   |
| 934. | Distillates (petroleum), heavy thermal cracked (Cas No 64741-81-7)  |
| 935. | Gas oils (petroleum), hydrotreated vacuum (Cas No 64742-59-2)   |
| 936. | Residues (petroleum), hydrodesulfurised atmospheric<br>tower (Cas No 64742-78-5)  |
| 937. | Gas oils (petroleum), hydrodesulfurised heavy vacuum<br>(Cas No 64742-86-5)   |
| 938. | Residues (petroleum), steam-cracked (Cas No 64742-90-1)   |
| 939. | Residues (petroleum), atmospheric (Cas No 68333-22-2)   |
| 940. | Clarified oils (petroleum), hydrodesulfurised catalytic cracked (Cas No 68333-26-6)                                       |
| 941. | Distillates (petroleum), hydrodesulfurised<br>intermediate catalytic cracked (Cas No 68333-27-7)                          |
| 942. | Distillates (petroleum), hydrodesulfurised heavy<br>catalytic cracked (Cas No 68333-28-8)                                 |
| 943. | Fuel oil, residues-straight-run gas oils, high-sulfur (Cas No 68476-32-4)   |
| 944. | Fuel oil, residual (Cas No 68476-33-5)  |
| 945. | Residues (petroleum), catalytic reformer fractionator   |
| 946. | residue distn. (Cas No 68478-13-7)<br>Residues (petroleum), heavy coker gas oil and vacuum<br>gas oil (Cas No 68478-17-1) |

| 947.            | Residues (petroleum), heavy coker and light vacuum $(C_{22} N_{23} (8512) (1.8))$               |
|-----------------|---|
| 948.            | (Cas No 68512-61-8)<br>Residues (petroleum), light vacuum (Cas No                               |
| 949.            | 68512-62-9)<br>Residues (petroleum), steam-cracked light (Cas No                                |
| 050             | 68513-69-9)   |
| 950.<br>051     | Fuel oil, No 6 (Cas No 68553-00-4)  |
| 951.            | Residues (petroleum), topping plant, low-sulfur (Cas No 68607-30-7)                             |
| 952.            | Gas oils (petroleum), heavy atmospheric (Cas No 68783-08-4)                                     |
| 953.            | Residues (petroleum), coker scrubber, condensed-ring-<br>aromcontg (Cas No 68783-13-1)          |
| 954.            | Distillates (petroleum), petroleum residues vacuum (Cas No 68955-27-1)                          |
| 955.            | Residues (petroleum), steam-cracked, resinous (Cas  |
|                 | No 68955-36-2)  |
| 956.            | Distillates (petroleum), intermediate vacuum (Cas No 70592-76-6)                                |
| 957.            | Distillates (petroleum), light vacuum (Cas No 70592-77-7)                                       |
| 958.            | Distillates (petroleum), vacuum (Cas No 70592-78-8)   |
| 959.            | Gas oils (petroleum), hydrodesulfurised coker heavy vacuum (Cas No 85117-03-9)                  |
| 960.            | Residues (petroleum), steam-cracked, distillates (Cas<br>No 90669-75-3)                         |
| 961.            | Residues (petroleum), vacuum, light (Cas No 90669-76-4)   |
| 962.            | Fuel oil, heavy, high-sulfur (Cas No 92045-14-2)  |
| 963.            | Residues (petroleum), catalytic cracking (Cas No 92061-97-7)                                    |
| 964.            | Distillates (petroleum), intermediate catalytic cracked, thermally degraded (Cas No 92201-59-7) |
| 965.            | Residual oils (petroleum) (Cas No 93821-66-0)   |
| 966.            | Residues, steam cracked, thermally treated (Cas No 98219-64-8)                                  |
| 967.            | Distillates (petroleum), hydrodesulfurised full-range middle (Cas No 101316-57-8)               |
| 968.            | Distillates (petroleum), light paraffinic (Cas No 64741-50-0)                                   |
| 969.            | Distillates (petroleum), heavy paraffinic (Cas No   |
| 970.            | 64741-51-1)<br>Distillates (petroleum), light naphthenic (Cas No                                |
| 971.            | 64741-52-2)<br>Distillates (petroleum), heavy naphthenic (Cas No                                |
| 972.            | 64741-53-3)<br>Distillates (petroleum), acid-treated heavy naphthenic                           |
| 973.            | (Cas No 64742-18-3)<br>Distillates (petroleum), acid-treated light naphthenic                   |
| <i>&gt;13</i> . | (Cas No 64742-19-4)   |
| 974.            | Distillates (petroleum), acid-treated heavy paraffinic (Cas No 64742-20-7)                      |
|                 |   |

| 975.         | Distillates (petroleum), acid-treated light paraffinic (Cas No 64742-21-8)   |
|--------------|--|
| 976.         | Distillates (petroleum), chemically neutralised heavy paraffinic (Cas No 64742-27-4)   |
| 977.         | Distillates (petroleum), chemically neutralised light<br>paraffinic (Cas No 64742-28-5)  |
| 978.         | Distillates (petroleum), chemically neutralised heavy<br>naphthenic (Cas No 64742-34-3)  |
| 979.         | Distillates (petroleum), chemically neutralised light<br>naphthenic (Cas No 64742-35-4)  |
| 980.         | Extracts (petroleum), light naphthenic distillate solvent<br>(Cas No 64742-03-6)   |
| 981.         | Extracts (petroleum), heavy paraffinic distillate solvent (Cas No 64742-04-7)  |
| 982.         | Extracts (petroleum), light paraffinic distillate solvent (Cas No 64742-05-8)  |
| 983.         | Extracts (petroleum), heavy naphthenic distillate solvent (Cas No 64742-11-6)  |
| 984.         | Extracts (petroleum), light vacuum gas oil solvent (Cas<br>No 91995-78-7)  |
| 985.         | Hydrocarbons, $C_{26-55}$ , arom. Rich (Cas No 97722-04-8)   |
| 986.         | Disodium 3,3'-[[1,1'-biphenyl]-4,4'-diylbis(azo)]<br>bis(4-aminonaphthalene-1- sulphonate) (Cas No   |
| 987.         | 573-58-0)<br>Disodium 4-amino-3-[[4'-[(2,4-diaminophenyl)azo]<br>[1,1'-biphenyl]-4-yl]azo]-5-hydroxy-6-<br>(phenylazo)naphthalene-2,7-disulphonate (Cas No |
| 988.         | 1937-37-7)<br>Tetrasodium 3,3'-[[1,1'-biphenyl]-4,4'-<br>diylbis(azo)]bis[5-amino-4- hydroxynaphthalene-2,7-<br>disulphonate] (Cas No 2602-46-2)           |
| 989.         | 4-o-Tolylazo-o-toluidine (Cas No 97-56-3)  |
| 990.         | 4-Aminoazobenzene (Cas No 60-09-3)   |
| 991.         | Disodium[5-[[4'-[[2,6-dihydroxy-3-[(2-hydroxy-5-   |
| <i>))</i> 1. | sulphophenyl)azo]phenyl]azo][1,1'-biphenyl]-4-   |
|              | yl]azo]salicylato(4-)]cuprate(2-) (Cas No 16071-86-6)  |
| 992.         | Resorcinol diglycidyl ether (Cas No 101-90-6)  |
| 993.         | 1,3-Diphenylguanidine (Cas No 102-06-7)  |
| 994.         | Heptachlor-epoxide (Cas No 1024-57-3)  |
| 995.         | 4-Nitrosophenol (Cas No 104-91-6)  |
| 996.         | Carbendazim (Cas No 10605-21-7)  |
| 997.         | Allyl glycidyl ether (Cas No 106-92-3)   |
| 998.         | Chloroacetaldehyde (Cas No 107-20-0)   |
| 999.         | Hexane (Cas No 110-54-3)   |
| 1000.        | 2-(2-Methoxyethoxy)ethanol (Cas No 111-77-3)   |
| 1001.        | (+/-)-2- $(2,4$ -Dichlorophenyl)-3- $(1H-1,2,4$ -triazol-1-<br>yl)propyl-1,1,2,2-tetrafluoroethylether (Cas No 112281-77-3)                                |
| 1002.        | 4-[4-(1,3-Dihydroxyprop-2-yl)phenylamino]-1,8-<br>dihydroxy-5-nitroanthraquinone (Cas No<br>114565-66-1)   |

| 1003. | 5,6,12,13-<br>Tetrachloroanthra(2,1,9- <i>def</i> :6,5,10- <i>d'e'f'</i> )diisoquinoline-1,3,8,10(2 <i>H</i> ,9 <i>H</i> )- |
|-------|---|
| 1004  | tetrone (Cas No 115662-06-1)<br>(2  Cl + 1) = 1 + (C + 115 + 06 + 1)  |
| 1004. | tris(2-Chloroethyl) phosphate (Cas No 115-96-8)   |
| 1005. | 4'-Ethoxy-2-benzimidazoleanilide (Cas No 120187-29-3)   |
| 1006. | Nickel dihydroxide (Cas No 12054-48-7)  |
| 1007. | N,N-Dimethylaniline (Cas No 121-69-7)   |
| 1008. | Simazine (Cas No 122-34-9)  |
| 1009. | Bis(cyclopentadienyl)-bis(2,6-difluoro-3-(pyrrol-1-<br>yl)-phenyl)titanium (Cas No 125051-32-3)                             |
| 1010. | N,N,N',N'-Tetraglycidyl-4,4'-diamino-3,3'-<br>diethyldiphenylmethane (Cas No 130728-76-6)                                   |
| 1011. | Divanadium pentaoxide (Cas No 1314-62-1)  |
| 1012. | Alkali salts of pentachlorophenol (Cas Nos 131-52-2 and 7778-73-6)  |
| 1013. | Phosphamidon (Cas No 13171-21-6)  |
| 1014. | N-(Trichloromethylthio)phthalimide (Cas No  |
|       | 133-07-3)   |
| 1015. | N-2-Naphthylaniline (Cas No 135-88-6)   |
| 1016. | Ziram (Cas No 137-30-4)   |
| 1017. | 1-Bromo-3,4,5-trifluorobenzene (Cas No  |
|       | 138526-69-9)  |
| 1018. | Propazine (Cas No 139-40-2)   |
| 1019. | 3-(4-Chlorophenyl)-1,1-dimethyluronium  |
|       | trichloroacetate; monuron-TCA (Cas No 140-41-0)   |
| 1020. | Isoxaflutole (Cas No 141112-29-0)   |
| 1021. | Kresoxim-methyl (Cas No 143390-89-0)  |
| 1022. | Chlordecone (Cas No 143-50-0)   |
| 1023. | 9-Vinylcarbazole (Cas No 1484-13-5)   |
| 1024. | 2-Ethylhexanoic acid (Cas No 149-57-5)  |
| 1025. | Monuron (Cas No 150-68-5)   |
| 1026. | Morpholine-4-carbonyl chloride (Cas No 15159-40-7)  |
| 1027. | Daminozide (Cas No 1596-84-5)   |
| 1028. | Alachlor (Cas No 15972-60-8)  |
| 1029. | UVCB condensation product of: tetrakis-   |
|       | hydroxymethylphosphonium chloride, urea and   |
|       | distilled hydrogenated $C_{16-18}$ tallow alkylamine (Cas   |
|       | No 166242-53-1)   |
| 1030. | Ioxynil (Cas No 1689-83-4)  |
| 1031. | 3,5-Dibromo-4-hydroxybenzonitrile (Cas No   |
| 1001. | 1689-84-5)  |
| 1032. | 2,6-Dibromo-4-cyanophenyl octanoate (Cas No<br>1689-99-2)   |
| 1033. | [4-[[4-(Dimethylamino)phenyl][4-[ethyl(3-   |
|       | sulphonatobenzyl)amino]phenyl]methylene]cyclohexa-2,5-  |
|       | dien-1-ylidene](ethyl)(3-   |
|       | sulphonatobenzyl)ammonium, sodium salt (Cas No 1694-09-3)   |
| 1034. | 5-Chloro-1,3-dihydro-2 <i>H</i> -indol-2-one (Cas No 17630-75-0)  |
| 1035. | Benomyl (Cas No 17804-35-2)   |
| 1036. | Chlorothalonil (Cas No 1897-45-6)   |
|       |   |

| 1037. | N'-(4-Chloro-o-tolyl)-N,N-dimethylformamidine   |
|-------|---|
| 1057. | monohydrochloride (Cas No 19750-95-9)   |
| 1038. | 4,4'-Methylenebis(2-ethylaniline) (Cas No 19900-65-3)                                     |
| 1039. | Valinamide (Cas No 20108-78-5)  |
| 1040. | [(p-Tolyloxy)methyl]oxirane (Cas No 2186-24-5)  |
| 1041. | [(m-Tolyloxy)methyl]oxirane (Cas No 2186-25-6)  |
| 1042. | 2,3-Epoxypropyl o-tolyl ether (Cas No 2210-79-9)  |
| 1043. | [(Tolyloxy)methyl]oxirane, cresyl glycidyl ether (Cas                                     |
| 1015. | No 26447-14-3)  |
| 1044. | Di-allate (Cas No 2303-16-4)  |
| 1045. | Benzyl 2,4-dibromobutanoate (Cas No 23085-60-1)   |
| 1046. | Trifluoroiodomethane (Cas No 2314-97-8)   |
| 1047. | Thiophanate-methyl (Cas No 23564-05-8)  |
| 1048. | Dodecachloropentacyclo[5.2.1.0 <sup>2,6</sup> .0 <sup>3,9</sup> .0 <sup>5,8</sup> ]decane |
| 10.00 | (Cas No 2385-85-5)  |
| 1049. | Propyzamide (Cas No 23950-58-5)   |
| 1049. | Butyl glycidyl ether (Cas No 2426-08-6)   |
| 1050. | 2,3,4-Trichlorobut-1-ene (Cas No 2420-08-0)   |
| 1051. | Chinomethionate (Cas No 2439-01-2)  |
| 1052. | $(R)$ - $\alpha$ -Phenylethylammonium (-)-(1 $R$ ,2 $S$ )-(1,2-                           |
| 1055. | epoxypropyl)phosphonate monohydrate (Cas No   |
|       | 25383-07-7)   |
| 1054. | 5-Ethoxy-3-trichloromethyl-1,2,4-thiadiazole (Cas No                                      |
|       | 2593-15-9)  |
| 1055. | Disperse Yellow 3 (Cas No 2832-40-8)  |
| 1056. | 1,2,4-Triazole (Cas No 288-88-0)  |
| 1057. | Aldrin (Cas No 309-00-2)  |
| 1058. | Diuron (Cas No 330-54-1)  |
| 1059. | Linuron (Cas No 330-55-2)   |
| 1060. | Nickel carbonate (Cas No 3333-67-3)   |
| 1061. | 3-(4-Isopropylphenyl)-1,1-dimethylurea (Cas No  |
|       | 34123-59-6)   |
| 1062. | Iprodione (Cas No 36734-19-7)   |
| 1063. | 4-Cyano-2,6-diiodophenyl octanoate (Cas No  |
|       | 3861-47-0)  |
| 1064. | 5-(2,4-Dioxo-1,2,3,4-tetrahydropyrimidine)-3-   |
|       | fluro-2-hydroxymethylterahydrofuran (Cas No   |
|       | 41107-56-6)   |
| 1065. | Crotonaldehyde (Cas No 4170-30-3)   |
| 1066. | Hexahydrocyclopenta(c)pyrrole-1-(1H)-ammonium   |
|       | N-ethoxycarbonyl-N-(p-olylsulfonyl)azanide (EC No   |
|       | 418-350-1)  |
| 1067. | 4,4'-Carbonimidoylbis[N,N-dimethylaniline] (Cas No  |
|       | 492-80-8)   |
| 1068. | DNOC (Cas No 534-52-1)  |
| 1069. | Toluidinium chloride (Cas No 540-23-8)  |
| 1070. | Toluidine sulphate (1:1) (Cas No 540-25-0)  |
| 1071. | 2-(4-tert-Butylphenyl)ethanol (Cas No 5406-86-0)  |
| 1072. | Fenthion (Cas No 55-38-9)   |
| 1073. | Chlordane, pur (Cas No 57-74-9)   |
| 1074. | Hexan-2-one (Cas No 591-78-6)   |
| 1075. | Fenarimol (Cas No 60168-88-9)   |
|       |   |

| 1076. | Acetamide (Cas No 60-35-5)                                      |
|-------|---|
| 1077. | <i>N</i> -cyclohexyl- <i>N</i> -methoxy-2,5-dimethyl-3-furamide |
|       | (Cas No 60568-05-0)   |
| 1078. | Dieldrin (Cas No 60-57-1)                                       |
| 1079. | 4,4'- Isobutylethylidenediphenol (Cas No 6807-17-6)             |
| 1080. | Chlordimeform (Cas No 6164-98-3)                                |
| 1081. | Amitrole (Cas No 61-82-5)                                       |
| 1082. | Carbaryl (Cas No 63-25-2)                                       |
| 1083. | Distillates (petroleum), light hydrocracked . (Cas No           |
| 1005. | 64741-77-1)   |
| 1084. | 1-Ethyl-1-methylmorpholinium bromide (Cas No                    |
| 1004. | 65756-41-4)   |
| 1085. |   |
| 1085. | (3-Chlorophenyl)-(4-methoxy-3-                                  |
| 1007  | nitrophenyl)methanone (Cas No 66938-41-8)                       |
| 1086. | Fuels, diesel (Cas No 68334-30-5), except if the full           |
|       | refining history is known and it can be shown that the          |
|       | substance from which it is produced is not a carcinogen         |
| 1087. | Fuel oil, no. 2 (Cas No 68476-30-2)                             |
| 1088. | Fuel oil, no. 4 (Cas No 68476-31-3)                             |
| 1089. | Fuels, diesel, no. 2 (Cas No 68476-34-6)                        |
| 1090. | 2,2-Dibromo-2-nitroethanol (Cas No 69094-18-4)                  |
| 1091. | 1-Ethyl-1-methylpyrrolidinium bromide (Cas No                   |
|       | 69227-51-6)   |
| 1092. | Monocrotophos (Cas No 6923-22-4)                                |
| 1093. | Nickel (Cas No 7440-02-0)                                       |
| 1094. | Bromomethane (Cas No 74-83-9)                                   |
| 1095. | Chloromethane (Cas No 74-87-3)                                  |
| 1096. | Iodomethane (Cas No 74-88-4)                                    |
| 1097. | Bromoethane (Cas No 74-96-4)                                    |
| 1098. | Heptachlor (Cas No 76-44-8)                                     |
| 1099. | Fentin hydroxide (Cas No 76-87-9)                               |
| 1100. | Nickel sulphate (Cas No 7786-81-4)                              |
| 1101. | 3,5,5-Trimethylcyclohex-2-enone (Cas No 78-59-1)                |
| 1102. | 2,3-Dichloropropene (Cas No 78-88-6)                            |
| 1103. | Fluazifop-P-butyl (Cas No 79241-46-6)                           |
| 1104. | (S)-2,3-Dihydro-1 <i>H</i> -indole-carboxylic acid (Cas No      |
| 1101. | 79815-20-6)   |
| 1105. | Toxaphene (Cas No 8001-35-2)                                    |
| 1105. | (4-Hydrazinophenyl)- <i>N</i> -methylmethanesulfonamide         |
| 1100. | hydrochloride (Cas No 81880-96-8)                               |
| 1107. | Solvent Yellow 14 (Cas No 842-07-9)                             |
| 1107. | Chlozolinate (Cas No 84332-86-5)                                |
|       |   |
| 1109. | Alkanes, $C_{10-13}$ , chloro (Cas No 85535-84-8)               |
| 1110. | Pentachlorophenol (Cas No 87-86-5)                              |
| 1111. | 2,4,6-Trichlorophenol (Cas No 88-06-2)                          |
| 1112. | Diethylcarbamoyl-chloride (Cas No 88-10-8)                      |
| 1113. | 1-Vinyl-2-pyrrolidone (Cas No 88-12-0)                          |
| 1114. | Myclobutanil; 2-(4-chlorophenyl)-2-(1 <i>H</i> -1,2,4-          |
|       | triazol-1-ylmethyl)hexanenitrile (Cas No 88671-89-0)            |
| 1115. | Fentin acetate (Cas No 900-95-8)                                |
| 1116. | Biphenyl-2-ylamine (Cas No 90-41-5)                             |
| 1117. | Trans-4-cyclohexyl-L-proline monohydro-chloride                 |
|       | (Cas No 90657-55-9)   |

| 1118.<br>1119. | 2-Methyl-m-phenylene diisocyanate (Cas No 91-08-7)<br>4-Methyl-m-phenylene diisocyanate (Cas No 584-84-9) |
|----------------|---|
| 1120.          | m-Tolylidene diisocyanate (Cas No 26471-62-5)   |
| 1120.          | Fuels, jet aircraft, coal solvent extn., hydrocracked   |
| 1121.          | hydrogenated (Cas No 94114-58-6)  |
| 1122.          | Fuels, diesel, coal solvent extr., hydrocracked   |
| 1122.          | hydrogenated (Cas No 94114-59-7)  |
| 1123.          | Pitch (Cas No 61789-60-4), if it contains > 0,005 % w/  |
| 1125.          | w benzo[a]pyrene  |
| 1124.          | 2-Butanone oxime (Cas No 96-29-7)   |
| 1125.          | Hydrocarbons, $C_{16-20}$ , solvent-dewaxed hydrocracked  |
| 1120.          | paraffinic distn. Residue (Cas No 97675-88-2)   |
| 1126.          | $\alpha,\alpha$ -Dichlorotoluene (Cas No 98-87-3)   |
| 1120.          | Mineral wool, with the exception of those specified   |
| 112/.          | elsewhere in this Annex; [Man-made vitreous (silicate)  |
|                | fibres with random orientation with alkaline oxide and  |
|                | alkali earth oxide (Na2O + K2O + CaO + MgO +  |
|                | BaO) content greater than 18 % by weight] (EC No  |
|                | 406-230-1)  |
| 1128.          | Reaction product of acetophenone, formaldehyde,   |
|                | cyclohexylamine, methanol and acetic acid   |
| 1129.          | Salts of 4,4'-carbonimidoylbis[N,N-dimethylaniline]   |
| 1130.          | 1,2,3,4,5,6-Hexachlorcyclohexanes with the exception  |
|                | of those specified elsewhere in this Annex  |
| 1131.          | Trisodium bis(7-acetamido-2-(4-nitro-2-   |
|                | oxidophenylazo)-3-sulfonato-1-  |
|                | naphtholato)chromate(1-)  |
| 1132.          | A mixture of: 4-allyl-2,6-bis(2,3-epoxypropyl)phenol,   |
|                | 4-allyl-6-(3-(6-(3-(6-(3-(4-allyl-2,6-bis(2,3-  |
|                | epoxypropyl)phenoxy)2-hydroxypropyl)-4-allyl-2-   |
|                | (2,3-epoxypropyl)phenoxy)-2-hydroxypropyl)-4-   |
|                | allyl-2-(2,3-epoxypropyl)phenoxy-2-   |
|                | hydroxypropyl-2-(2,3-epoxypropyl)phenol, 4-allyl-6-   |
|                | (3-(4-allyl-2,6-bis(2,3-epoxypropyl)phenoxy)-2-   |
|                | hydroxypropyl)-2-(2,3-epoxypropyl)phenoxy)phenol  |
|                | and 4-allyl-6-(3-(6-(3-(4-allyl-2,6-bis(2,3-  |
|                | epoxypropyl)phenoxy)-2-hydroxypropyl)-4-allyl-2-<br>(2,3-epoxypropyl)phenoxy)2-hydroxypropyl)-2-(2,3-     |
|                | epoxypropyl)phenol  |
|                | срохурторутрисног   |

3. In Annex III, Part 1 reference number 55 is deleted

- OJ L 262, 27.9.1976, p. 169. Directive as last amended by Commission Directive 2003/83/EC (OJ L 238, 25.9.2003, p. 23).
- (2) OJ L 66, 11.3.2003, p. 26.
- (3) OJ 196, 16.8.1967, p. 1. Directive as last amended by Commission Directive 2004/73/EC (OJ L 152, 30.4.2004, p. 1).