Status: This is the original version (as it was originally adopted).

## ANNEX II

## Energy content of selected fuels for end use — conversion $table^{(1)}$

Energy commodity	kJ (NCV)	kgoe (NCV)	kWh (NCV)
1 kg coke	28 500	0,676	7,917
1 kg hard coal	17 200 — 30 700	0,411 — 0,733	4,778 — 8,528
1 kg brown coal briquettes	20 000	0,478	5,556
1 kg black lignite	10 500 - 21 000	0,251 — 0,502	2,917 — 5,833
1 kg brown coal	5 600 - 10 500	0,134 — 0,251	1,556 — 2,917
1 kg oil shale	8 000 — 9 000	0,191 — 0,215	2,222 — 2,5
1 kg peat	7 800 — 13 800	0,186 — 0,33	2,167 — 3,833
1 kg peat briquettes	16 000 — 16 800	0,382 — 0,401	4,444 — 4,667
1 kg residual fuel oil (heavy oil)	40 000	0,955	11,111
1 kg light fuel oil	42 300	1,01	11,75
1 kg motor spirit (petrol)	44 000	1,051	12,222
1 kg paraffin	40 000	0,955	11,111
1 kg liquefied petroleum gas	46 000	1,099	12,778
1 kg natural gas <sup>a</sup>	47 200	1,126	13,1
1 kg liquefied natural gas	45 190	1,079	12,553
1 kg wood (25 % humidity) <sup>b</sup>	13 800	0,33	3,833
1 kg pellets/wood bricks	16 800	0,401	4,667
1 kg waste	7 400 — 10 700	0,177 — 0,256	2,056 — 2,972
1 MJ derived heat	1 000	0,024	0,278
1 kWh electrical energy	3 600	0,086	1°

**b** Member States may apply other values depending on the type of wood most used in the respective Member State.

c For savings in kWh electricity Member States may apply a default co-efficient of 2,5 reflecting the estimated 40 % average EU generation efficiency during the target period. Member States may apply a different co-efficient provided they can justify it.

Source: Eurostat.

Status: This is the original version (as it was originally adopted).

Status: This is the original version (as it was originally adopted).

(1) Member States may apply different conversion factors if these can be justified.