Document Generated: 2024-06-09

Status: EU Directives are being published on this site to aid cross referencing from UK legislation. After IP completion day (31 December 2020 11pm) no further amendments will be applied to this version.

ANNEX I

Pesticide residues	Maximum levels in mg/kg
'Captan	0,02 ^a Cereals
Ethion	0,01 ^a Cereals
Folpet	2 Wheat, Barley 0,02 ^a Other cereals
a Indicates lower limit of analytical determination.	,

ANNEX II

Pesticide residues	Maximum levels in mg/kg
'Dichlorvos	0,01 ^a Cereals
a Indicates lower limit of analytical determination.'	

ANNEX III

Pesticide residues and maximum residue levels (mg/kg)			
Groups and examples of individual products to which the MRLs apply	Captan	Folpet	
'1. Fruit, fresh, dried or uncooked, preserved by freezing, not containing added sugar; nuts			
(i) CITRUS FRUIT	0,02 ^b	0,02 ^b	
Grapefruit			
Lemons			
Limes			
Mandarins (including clementines and other hybrids)			
Oranges			
Pomelos			
a Sum of captan and folpet.			
b Indicates lower limit of analytical d	etermination.'		

Status: EU Directives are being published on this site to aid cross referencing from UK legislation. After IP completion day (31 December 2020 11pm) no further amendments will be applied to this version.

Others		
(ii) TREE NUTS (shelled or unshelled)		0,02 ^b
Almonds	0,3	
Brazil nuts		
Cashew nuts		
Chestnuts		
Coconuts		
Hazelnuts		
Macadamia		
Pecans		
Pine nuts		
Pistachios		
Walnuts		
Others	0,02 ^b	
(iii) POME FRUIT	3ª	3ª
Apples		
Pears		
Quinces		
Others		
(iv) STONE FRUIT		
Apricots	3	
Cherries	5	2
Peaches (including nectarines and similar hybrids)		
Plums	1	
Others	0,02 ^b	0,02 ^b
(v) BERRIES AND SMALL FRUIT		
(a) Table and wine grapes	0,02 ^b	
a Sum of captan and folpet.		

Document Generated: 2024-06-09

Status: EU Directives are being published on this site to aid cross referencing from UK legislation. After IP completion day (31 December 2020 11pm) no further amendments will be applied to this version.

Table g	rapes		0,02 ^b
Wine grapes			5
(b)	Strawberries (other than wild)	3ª	3ª
(c)	Cane fruit (other than wild)		
Blackb	erries	3ª	3ª
Dewbe	rries		
Logant	perries		
Raspbe	erries	3ª	3ª
Others		0,02 ^b	0,02 ^b
(d)	Other small fruit and berries (other than wild)		
Bilberr	ies		
Cranbe	erries		
Curran white)	ts (red, black and	3ª	3ª
Goosel	perries	3ª	3ª
Others		0,02 ^b	0,02 ^b
(e)	Wild berries and wild fruit	0,02 ^b	0,02 ^b
(vi)	MISCELLANEOUS		0,02 ^b
Avocac	los		
Banana	as		
Dates			
Figs			
Kiwi			
Kumquats			
Litchis			
Mango	es	2	
Olives (table consumption)			
a Sum	n of captan and folpet.		

Olives (oil extraction)		
Papaya		
Passion fruit		
Pineapples		
Pomegranate		
Others	0,02 ^b	
2. Vegetables, fresh or uncooked, frozen or dry		·
(i) ROOT AND TUBER VEGETABLES		0,02 ^b
Beetroot		
Carrots	0,1	
Cassava		
Celeriac	0,1	
Horseradish		
Jerusalem artichokes		
Parsnips		
Parsley root		
Radishes		
Salsify		
Sweet potatoes		
Swedes		
Turnips		
Yam		
Others	0,02 ^b	
(ii) BULB VEGETABLES	0,02 ^b	
Garlic		
Onions		0,1
Shallots		
Spring onions		
Others		0,02 ^b
a Sum of captan and folpet.	,	,
b Indicates lower limit of analytical of	letermination.'	

Document Generated: 2024-06-09

Status: EU Directives are being published on this site to aid cross referencing from UK legislation. After IP completion day (31 December 2020 11pm) no further amendments will be applied to this version.

(iii) FRUITING VEGETABLES		
(a) Solanacea		0,02 ^b
Tomatoes	2ª	2ª
Peppers	0,1	
Aubergines		
Okra		
Others	0,02 ^b	
(b) Cucurbits — edible peel	0,02 ^b	0,02 ^b
Cucumbers		
Gherkins		
Courgettes		
Others		
(c) Cucurbits — inedible peel		1
Melons	0,1	
Squashes		
Watermelons		
Others	0,02 ^b	
(d) Sweetcorn	0,02 ^b	0,02 ^b
(iv) BRASSICA VEGETABLES	0,02 ^b	
(a) Flowering brassica		0,02 ^b
Broccoli		
Cauliflower		
Others		
(b) Head brassica		0,02 ^b
Brussels sprouts		
Head cabbage		
a Sum of captan and folpet.		

	Ť	
Others		
(c) Leafy brassic	a	0,02 ^b
Chinese cabbage		
Kale		
Others		
(d) Kohlrabi		0,05
(v) LEAF VEGETABLI AND FRESH HERBS		
(a) Lettuce and s	imilar	
Cress		
Lamb's lettuce		
Lettuce		2
Scarole	2	
Ruccola		
Leaves and stems of br	assica	
Others	0,02 ^b	0,02 ^b
(b) Spinach and s	similar	0,02 ^b
Spinach	0,1	
Beet leaves (chard)		
Others	0,02 ^b	
(c) Watercress	0,02 ^b	0,02 ^b
(d) Witloof	0,02 ^b	0,02 ^b
(e) Herbs		0,02 ^b
Chervil		
Chives		
Parsley	0,1	
Celery leaves		
Others	0,02 ^b	
a Sum of captan and folpet.		

Document Generated: 2024-06-09

Status: EU Directives are being published on this site to aid cross referencing from UK legislation. After IP completion day (31 December 2020 11pm) no further amendments will be applied to this version.

(vi) LEGUME VEGETABLES (fresh)			
Beans (with pods)	2ª	2ª	
Beans (without pods)	2ª	2ª	
Peas (with pods)			
Peas (without pods)			
Others	0,02 ^b	0,02 ^b	
(vii) STEM VEGETABLES (fresh)			
Asparagus			
Cardoons			
Celery	0,1		
Fennel			
Globe artichokes			
Leek	2		
Rhubarb			
Others	0,02 ^b	0,02 ^b	
(viii) FUNGI	0,02 ^b	0,02 ^b	
(a) Cultivated mushrooms			
(b) Wild mushrooms			
3. Pulses	0,02 ^b	0,02 ^b	
Beans			
Lentils			
Peas			
Lupines			
Others			
4. Oil seed	0,02 ^b	0,02 ^b	
Linseed			
a Sum of captan and folpet.			

D.			
Peanu			
Poppy	seeds		
Sesan	ne seeds		
Sunflo	ower seed		
Rapes	seed		
Soya	bean		
Musta	ard seed		
Cotto	n seed		
Hemp	seed		
Other	S		
5.	Potatoes	0,05	0,1
Early	potatoes		
Ware	potatoes		
6.	Tea (leaves and stems, dried, fermented or otherwise, from the leaves of Camellia sinensis)	0,05 ^b	0,05 ^b
7.	Hops (dried), including hop pellets and unconcentrated powder	0,05 ^b	150

a Sum of captan and folpet.

ANNEX IV

indiv	ps and examples of idual products to the MRLs apply	Dichlorvos	Ethion	
' 1.	Fruit, fresh, dried or uncooked, preserved by freezing, not	0,01ª	0,01ª	

b Indicates lower limit of analytical determination.'

	containing added sugar; nuts		
(i)	CITRUS FRUIT		
Grapefru	it		
Lemons			
Limes			
Mandarii clementii hybrids)	ns (including nes and other		
Oranges			
Pomelos			
Others			
(ii)	TREE NUTS (shelled or unshelled)		
Almonds	}		
Brazil nu	its		
Cashew	nuts		
Chestnut	S		
Coconut	S		
Hazelnut	CS .		
Macadar	nia		
Pecans			
Pine nuts	3		
Pistachio	os		
Walnuts			
Others			
(iii)	POME FRUIT		
Apples			
Pears			
Quinces			
Others			
(iv)	STONE FRUIT		
a Indica	tes lower limit of analytical de	termination.'	

Apricots			
Cherries			
Peaches (including nectarines and similar hybrids)			
Plums			
Others			
(v)	BERRIES AND SMALL FRUIT		
(a)	Table and wine grapes		
Table gra	apes		
Wine gra	apes		
(b)	Strawberries (other than wild)		
(c)	Cane fruit (other than wild)		
Blackber	rries		
Dewberr	ries		
Loganbe	erries		
Raspberries			
Others			
(d)	Other small fruit and berries (other than wild)		
Bilberries			
Cranberries			
Currants (red, black and white)			
Gooseberries			
Others			
(e)	Wild berries and wild fruit		
(vi)	MISCELLANEOUS		
a Indicates lower limit of analytical determination.'			

Avocados			
Bananas			
Dates			
Figs			
Kiwi			
Kumqua	ts		
Litchis			
Mangoes	3		
Olives (t	able consumption)		
Olives (d	oil extraction)		
Papaya			
Passion	fruit		
Pineappl	es		
Pomegra	nate		
Others			
2.	Vegetables, fresh or uncooked, frozen or dry	0,01ª	
(i)	ROOT AND TUBER VEGETABLES		0,01ª
Beetroot			
Carrots			
Cassava			
Celeriac			
Horserac	lish		
Jerusalem artichokes			
Parsnips			
Parsley root			
Radishes			
Salsify			
Sweet potatoes			
Swedes			
Turnips			
a Indicates lower limit of analytical determination '			

Yam			
Others			
(ii)	BULB VEGETABLES		0,01*
Garlic			
Onions			
Shallots			
Spring o	nions		
Others			
(iii)	FRUITING VEGETABLES		0,01ª
(a)	Solanacea		
Tomatoe	es		
Peppers			
Aubergines			
Okra			
Others			
(b)	Cucurbits — edible peel		
Cucumbers			
Gherkins			
Courgettes			
Others			
(c)	Cucurbits — inedible peel		
Melons			
Squashes			
Watermelons			
Others			
(d)	Sweetcorn		
(iv)	BRASSICA VEGETABLES		0,01*
a Indicates lower limit of analytical determination.'			

(a)	Flowering brassica			
Broccoli	į			
Cauliflo	wer			
Others				
(b)	Head brassica			
Brussels	sprouts			
Head cal	bbage			
Others				
(c)	Leafy brassica			
Chinese	cabbage			
Kale				
Others				
(d)	Kohlrabi			
(v)	LEAF VEGETABLES AND FRESH HERBS			
(a)	Lettuce and similar		0,01ª	
Cress				
Lamb's l	lettuce			
Lettuce				
Scarole				
Ruccola				
Leaves and stems of brassica				
Others				
(b)	Spinach and similar		0,01ª	
Spinach				
Beet leaves (chard)				
Others	Others			
(c)	Watercress		0,01ª	
a Indica	ntes lower limit of analytical de	etermination.'		

(d)	Witloof		0,01ª
(e)	Herbs		
Chervil			
Chives			
Parsley			2
Celery leaves			
Others			0,01ª
(vi)	LEGUME VEGETABLES (fresh)		0,01ª
Beans (v	with pods)		
Beans (v	without pods)		
Peas (w	ith pods)		
Peas (w	ithout pods)		
Others			
(vii)	STEM VEGETABLES (fresh)		
Asparagus			
Cardoons			
Celery			0,1
Fennel			
Globe artichokes			
Leek			
Rhubarb			
Others			0,01ª
(viii)	FUNGI		0,01ª
(a)	Cultivated mushrooms		
(b)	Wild mushrooms		
3.	Pulses	0,01ª	0,01ª
a Indica	ates lower limit of analytical of	letermination.'	

ANNEX IV

Document Generated: 2024-06-09

		1	
Beans			
Lentils			
Peas			
Lupines	S		
Others			
4.	Oil seed	0,01ª	0,02ª
Linseed			
Peanuts	3		
Poppy s	seeds		
Sesame	e seeds		
Sunflov	wer seed		
Rapese	ed		
Soya be	ean		
Mustard seed			
Cotton seed			
Hemp s	seed		
Others			
5.	Potatoes	0,01ª	0,01ª
Early p	otatoes		
Ware po	otatoes		
6.	Tea (leaves and stems, dried, fermented or otherwise, from the leaves of <i>Camellia sinensis</i>)	0,02ª	3
7.	Hops (dried), including hop pellets and unconcentrated powder	0,02ª	0,02ª
a Indicates lower limit of analytical determination.'			