ANNEX

Annexes I, II, IV and V to Directive 2000/29/EC are amended as follows:

- 1. In Annex I, Part A is amended as follows:
 - (a) in heading (a) of Section I:
 - (i) the following point 10.0 is inserted after point 10:

10.0. Dendrolimus sibiricus Tschetverikov;

(ii) point 10.4 is replaced by the following:

10.4. Diabrotica virgifera zeae Krysan & Smith;

(iii) the following point 19.1 is inserted after point 19:

19.1. *Rhynchophorus palmarum* (L.)

(b) in heading (a) of Section II, the following point 0.1. is inserted before point 1:

0.1. *Diabrotica virgifera virgifera* Le Conte.

- 2. In Annex II, Part A is amended as follows:
 - (a) in heading (a) of Section I:
 - (i) the following point 1.1 is inserted after point 1:

1.1. <i>Agrilus planipennis</i> Fairmaire	Plants intended for planting, other than plants in tissue culture and seeds, wood and bark of <i>Fraxinus</i> L., <i>Juglans mandshurica</i> Maxim., <i>Ulmus davidiana</i> Planch., <i>Ulmus parvifolia</i> Jacq. and <i>Pterocarya rhoifolia</i> Siebold & Zucc., originating in Canada, China, Japan, Mongolia, Republic of Korea, Russia, Taiwan and USA
--	---

- (ii) point 24 is deleted;
- (iii) the following point 28.1 is inserted after point 28:

28.1.	<i>Scrobipalpopsis</i> <i>solanivora</i> Povolny	Tubers of <i>Solanum tuberosum</i> L.
-------	---	---------------------------------------

(b) in heading (c) of Section I, the following point 14.1 is inserted after point 14:

14.1.		Plants of <i>Ulmus</i> L. and <i>Zelkova</i> L., intended for planting, other than seeds
-------	--	--

(c) in heading (d) of Section I, the following point 5.1 is inserted after point 5:

5.1.	•	anthemum stem is virus	Plants of <i>Dendranthema</i> (DC.) Des Moul. and <i>Lycopersicon</i> <i>lycopersicum</i> (L.) Karsten ex Farw., intended for planting, other than seeds	
in head	ling (a) of	Section II:		
(i)	the foll	owing point 6.3 is	inserte	d after point 6.2:
	6.3.	Parasaissetia n (Nietner)	igra	Plants of <i>Citrus</i> L., <i>Fortunella</i> Swingle, <i>Poncirus</i> Raf., and their hybrids, other than fruit and seeds
(ii)	the following point 10 is inserted after point 9:			
	10.	Paysandisia ard (Burmeister)	chon	Plants of Palmae, intended for planting, having a diameter of the stem at the base of over 5 cm and belonging to the following genera: <i>Brahea</i> Mart., <i>Butia</i> Becc., <i>Chamaerops</i> L., <i>Jubaea</i> Kunth <i>Livistona</i> R. Br., <i>Phoenix</i> L., <i>Sabal</i> Adans., <i>Syagrus</i> Mart., <i>Trachycarpus</i> H. Wendl., <i>Trithrinax</i> Mart., <i>Washingtonia</i>

3. In Annex IV, Part A, Section I is amended as follows:

(a) the following points 2.3, 2.4 and 2.5 are inserted after point 2.2:

2.3. 	Whether or not listed among CN codes in Annex V, Part B, wood of <i>Fraxinus</i> L., <i>Juglans mandshurica</i> Maxim., <i>Ulmus davidiana</i> Planch., <i>Ulmus parvifolia</i> Jacqand <i>Pterocaryahoifolia</i> Siebold & Zucc., other than in the form of chips, obtained in whole or part from these trees, wood packaging material, in the form of packing cases, boxes, crates,	 Official statement that the wood: (a) originates in an area established by the national plant protection organisation in the country of export as being free from <i>Agrilus planipennis</i> Fairmaire in accordance with the relevant International Standards for Phytosanitary Measures; or (b) is squared so as to remove entirely the round surface.
----------	---	--

Raf.

(d)

kept its originat Japan, I	drums and similar packings, pallets, box pallets and other load boards, pallet collars, actually in use in the transport of objects of all kinds, wood used to wedge or support non-wood cargo, uding wood which has not natural round surface, ting in Canada, China, Mongolia, Republic of Russia, Taiwan and USA		
2.4.	Whether or not listed among CN codes in Annex V, Part B, wood in the form of chips obtained in whole or part from <i>Fraxinus</i> L., <i>Juglans mandshurica</i> Maxim., <i>Ulmus davidiana</i> Planch., <i>Ulmus parvifolia</i> Jacq. and <i>Pterocarya</i> <i>rhoifolia</i> Siebold & Zucc. originating in Canada, China, Japan, Mongolia, Republic of Korea, Russia, Taiwan and USA	Officia (a)	l statement that the wood: originates in an area established by the national plant protection organisation in the country of export as being free from <i>Agrilus planipennis</i> Fairmaire in accordance with the relevant International Standards for Phytosanitary Measures; or has been processed into pieces of not more than 2,5 cm thickness and width.
2.5.	Isolated bark of <i>Fraxinus</i> L., <i>Juglans mandshurica</i> Maxim., <i>Ulmus davidiana</i> Planch., <i>Ulmus parvifolia</i> Jacq. and <i>Pterocarya rhoifd</i> Siebold & Zucc. originating in Canada, China, Japan, Mongolia, Republic of Korea, Russia, Taiwan and USA	bark: (a)	I statement that the isolated originates in an area established by the national plant protection organisation in the country of export as being free from <i>Agrilus planipennis</i> Fairmaire in accordance with the relevant International Standards for Phytosanitary Measures; or has been processed into pieces of not more than 2,5 cm thickness and width.

11.4.	Plants of <i>Fraxinus</i> L., <i>Juglans mandshurica</i> Maxim., <i>Ulmus davidiana</i> Planch., <i>Ulmus parvifolia</i> Jacq. and <i>Pterocarya rhoifo</i> Siebold & Zucc., intended for planting, other than seeds and plants in tissue culture originating in Canada, China, Japan, Mongolia, Republic of Korea, Russia, Taiwan and USA	(a)	statement that the plants: have been grown throughout their life in an area free from <i>Agrilus planipennis</i> Fairmaire, established by the national plant protection organisation in accordance with relevant International Standards for Phytosanitary Measures; or have, for a period of at least two years prior to export, been grown in a place of production where no signs of <i>Agrilus planipennis</i> Fairmaire have been observed during two official inspections per year carried out at appropriate times, including immediately prior to export.

- (c) the text in the right hand column of point 14 is amended as follows: 'Without prejudice to the provisions applicable to the plants in Annex IV (A)(I)(11.4), official statement that no symptoms of Elm phlöem necrosis mycoplasm have been observed at the place of production or in its immediate vicinity since the beginning of the last complete cycle of vegetation.'
- (d) the following points 25.4.1 and 25.4.2 are inserted after point 25.4:

25.4.1.	Tubers of <i>Solanum</i> <i>tuberosum</i> L., other than those intended for planting	Without prejudice to the provisions applicable to tubers listed in Annex III(A)(12) and Annex IV(A)(I) (25.1), (25.2) and (25.3), official statement that the tubers originate in areas in which <i>Pseudomonas</i> <i>solanacearum</i> (Smith) Smith is not known to occur.
25.4.2.	Tubers of <i>Solanum</i> <i>tuberosum</i> L.	Without prejudice to the provisions applicable to tubers listed in Annex III(A)(10), (11) and (12) and Annex IV(A)(I)(25.1), (25.2), (25.3), (25.4) and (25.4.1), official statement that: (a) the tubers originate in a country where <i>Scrobipalpopsis</i>

	solanivora Povolny is not
	known to occur; or
(b)	the tubers originate
	in an area free from
	Scrobipalpopsis
	solanivora Povolny,
	established by the
	national plant protection
	organisation in
	accordance with relevant
	International Standards
	for Phytosanitary
	Measures.

(e) point 25.8 is deleted;

(f) the following point 28.1 is inserted after point 28:

28.1.	Plants of <i>Dendranthema</i> (DC.) Des Moul. and <i>Lycopersicon</i> <i>lycopersicum</i> (L.) Karsten ex Farw., intended for planting, other than seeds	Without prejudice to the requirements applicable to the plants listed in Annex III(A)(13), Annex IV(A)(I) (25.5), (25.6), (25.7), (27.1), (27.2) and (28), official statement that: (a) the plants have been grown throughout their life in a country free from Chrysanthemum stem	m
		 (b) the plants have been grown throughout their life in an area established by the national plant protection organisation in the country of export as being free from Chrysanthemum stem necrosis virus in accordance with the relevant International Standards for Phytosanitary Measures; 	
		 (c) the plants have been grown throughout their life in a place of production, established as being free from Chrysanthemum stem necrosis virus and verified through official inspections and, where appropriate, testing. 	,

(g) the following point 37.1 is inserted after point 37:

37.1.	Plants of Palmae, intended for planting, having a diameter of the stem at the base of over 5 cm and belonging to the following genera: <i>Brahea</i> Mart., <i>Butia</i> Becc., <i>Chamaerops</i> L., <i>Jubaea</i> Kunth, <i>Livistona</i> R. Br., <i>Phoenix</i> L., <i>Sabal</i> Adans., <i>Syagrus</i> Mart., <i>Trachycarpus</i> H. Wendl., <i>Trithrinax</i> Mart., <i>Washingtonia</i> Raf.	prohibiti listed in requirem	prejudice to the ons applicable to the plants Annex III(A)(17) and the nents listed in Annex IV(A) fficial statement that the have been grown throughout their life in a country where <i>Paysandisia archon</i> (Burmeister) is not known to occur; or have been grown throughout their life in an area free from <i>Paysandisia archon</i> (Burmeister), established by the national plant protection organisation in accordance with relevant International Standards for Phytosanitary Measures; or have, during a period of at least two years prior to export, been grown in a place of production: — which is registered and supervised by the national plant protection organisation in the country of
			supervised by the national plant protection organisation in
			 origin, and where the plants were placed in a site with complete physical protection against the introduction of <i>Paysandisia archon</i> (Burmeister) or with application of appropriate preventive treatments, and

where, during three official inspections per year carried out at appropriate times, including immediately prior to export, no signs of *Paysandisia archon* (Burmeister) have been observed.

4. In Annex IV, Part A, Section II, the following point 19.1 is inserted after point 19:

- Official statement that the plants: 19.1. Plants of Palmae, intended for (a) have been grown throughout planting, having a diameter their life in an area free of the stem at the base of from Paysandisia archon over 5 cm and belonging (Burmeister), established by to the following genera: the national plant protection Brahea Mart., Butia Becc., organisation in accordance Chamaerops L., Jubaea Kunth, with relevant International Livistona R. Br., Phoenix L., Standards for Phytosanitary Sabal Adans., Syagrus Mart., Measures; or Trachycarpus H. Wendl., have, during a period of (b) Trithrinax Mart., Washingtonia at least two years prior to Raf. movement, been grown in a place of production: which is registered and supervised by the
 - responsible official body in the Member State of origin, and where the plants were placed in a site with complete physical protection against the introduction of Paysandisia archon (Burmeister) or with application of appropriate preventive treatments, and where, during three official inspections per year carried out at appropriate times, no signs of Paysandisia archon

(Burmeister) have been observed.

5. Annex V is amended as follows:

- (a) In Section I of Part A, the following point 2.3.1 is inserted after point 2.3:
 - 2.3.1. Plants of Palmae, intended for planting, having a diameter of the stem at the base of over 5 cm and belonging to the following genera: *Brahea* Mart., *Butia* Becc., *Chamaerops* L., *Jubaea* Kunth, *Livistona* R. Br., *Phoenix* L., *Sabal* Adans., *Syagrus* Mart., *Trachycarpus* H. Wendl., *Trithrinax* Mart., *Washingtonia* Raf.
- (b) Section I of Part B is amended as follows:
 - (i) the following third indent is added to point 5:
 - Fraxinus L., Juglans mandshurica Maxim., Ulmus davidiana Planch., Ulmus parvifolia Jacq. and Pterocarya rhoifolia Siebold & Zucc., originating in Canada, China, Japan, Mongolia, Republic of Korea, Russia, Taiwan and USA.
 - (ii) the following sixth indent is added to point 6(a):
 - Fraxinus L., Juglans mandshurica Maxim., Ulmus davidiana Planch., Ulmus parvifolia Jacq. and Pterocarya rhoifolia Siebold & Zucc., including wood which has not kept its natural round surface, originating in Canada, China, Japan, Mongolia, Republic of Korea, Russia, Taiwan and USA.
 - (iii) in point 6(b), section

subheading note 1 to Chapter 44 or other tropical wood, oak (<i>Quercus</i> spp.) or beech		
	ex 4407 99	than tropical wood specified in subheading note 1 to Chapter 44 or other tropical wood, oak (<i>Quercus</i> spp.) or beech (<i>Fagus</i> spp.)), sawn or chipped lengthwise, sliced or peeled, whether or not planed, sanded or end-jointed, of a thickness

is deleted and replaced by:

ex 4407 93	Wood of Acer saccharum
	Marsh, sawn or chipped
	lengthwise, sliced or peeled,
	whether or not planed, sanded
	or end-jointed, of a thickness
	exceeding 6 mm
4407 95	Wood of ash (Fraxinus spp.)
	sawn or chipped lengthwise,

	sliced or peeled, whether or not planed, sanded or end-jointed, of a thickness exceeding 6 mm
ex 4407 99	Non-coniferous wood (other than tropical wood specified in subheading note 1 to Chapter 44 or other tropical wood, oak (<i>Quercus</i> spp.), beech (<i>Fagus</i> spp.), maple (<i>Acer</i> spp.), cherry (<i>Prunus</i> spp.) or ash (<i>Fraxinus</i> spp.)), sawn or chipped lengthwise, sliced or peeled, whether or not planed, sanded or end-jointed, of a thickness exceeding 6 mm