

COUNCIL DIRECTIVE 2013/17/EU**of 13 May 2013****adapting certain directives in the field of environment, by reason of the accession of the Republic of Croatia**

THE COUNCIL OF THE EUROPEAN UNION,

HAS ADOPTED THIS DIRECTIVE:

Having regard to the Treaty on the Functioning of the European Union,

Having regard to the Treaty of Accession of Croatia, and in particular Article 3(4) thereof,

Having regard to the Act of Accession of Croatia, and in particular Article 50 thereof,

Having regard to the proposal from the European Commission,

Whereas:

- (1) Pursuant to Article 50 of the Act of Accession of Croatia, where acts of the institutions adopted prior to accession require adaptation by reason of accession, and the necessary adaptations have not been provided for in that Act of Accession or in the Annexes thereto, the Council, acting by qualified majority on a proposal from the Commission, shall, to this end, adopt the necessary acts, if the original act was not adopted by the Commission.
- (2) The Final Act of the Conference which drew up and adopted the Treaty of Accession of Croatia indicated that the High Contracting Parties had reached political agreement on a set of adaptations to acts adopted by the institutions required by reason of accession and invited the Council and the Commission to adopt those adaptations before accession, completed and updated where necessary to take account of the evolution of the law of the Union.
- (3) Directives 92/43/EEC⁽¹⁾, 2001/81/EC⁽²⁾ and 2009/147/EC⁽³⁾ should therefore be amended accordingly.

⁽¹⁾ Council Directive 92/43/EEC of 21 May 1992 on the conservation of natural habitats and of wild fauna and flora (OJ L 206, 22.7.1992, p. 7).

⁽²⁾ Directive 2001/81/EC of the European Parliament and of the Council of 23 October 2001 on national emission ceilings for certain atmospheric pollutants (OJ L 309, 27.11.2001, p. 22).

⁽³⁾ Directive 2009/147/EC of the European Parliament and of the Council of 30 November 2009 on the conservation of wild birds (OJ L 20, 26.1.2010, p. 7).

Article 1

Directives 92/43/EEC, 2001/81/EC and 2009/147/EC are amended as set out in the Annex to this Directive.

Article 2

1. Member States shall adopt and publish, by the date of accession of Croatia to the Union at the latest, the laws, regulations and administrative provisions necessary to comply with this Directive. They shall forthwith communicate to the Commission the text of those provisions.

They shall apply those provisions from the date of accession of Croatia to the Union.

When Member States adopt those measures, they shall contain a reference to this Directive or be accompanied by such a reference on the occasion of their official publication. Member States shall determine how such reference is to be made.

2. Member States shall communicate to the Commission the text of the main provisions of national law which they adopt in the field covered by this Directive.

Article 3

This Directive shall enter into force subject to and as from the date of the entry into force of the Treaty of Accession of Croatia.

Article 4

This Directive is addressed to the Member States.

Done at Brussels, 13 May 2013.

*For the Council
The President
S. COVENEY*

ANNEX

PART A

INDUSTRIAL POLLUTION CONTROL AND RISK MANAGEMENT

Directive 2001/81/EC is amended as follows:

(1) Annex I is replaced by the following:

'ANNEX I

NATIONAL EMISSION CEILINGS FOR SO₂, NO_x, VOC AND NH₃, TO BE ATTAINED BY 2010 (¹)

Country	SO ₂ Kilotonnes	NO _x Kilotonnes	VOC Kilotonnes	NH ₃ Kilotonnes
Belgium	99	176	139	74
Bulgaria (²)	836	247	175	108
Czech Republic	265	286	220	80
Denmark	55	127	85	69
Germany	520	1 051	995	550
Estonia	100	60	49	29
Ireland	42	65	55	116
Greece	523	344	261	73
Spain	746	847	662	353
France	375	810	1 050	780
Croatia (³)	70	87	90	30
Italy	475	990	1 159	419
Cyprus	39	23	14	9
Latvia	101	61	136	44
Lithuania	145	110	92	84
Luxembourg	4	11	9	7
Hungary	500	198	137	90
Malta	9	8	12	3
Netherlands	50	260	185	128
Austria	39	103	159	66
Poland	1 397	879	800	468
Portugal	160	250	180	90
Romania (²)	918	437	523	210

Country	SO ₂ Kilotonnes	NO _x Kilotonnes	VOC Kilotonnes	NH ₃ Kilotonnes
Slovenia	27	45	40	20
Slovakia	110	130	140	39
Finland	110	170	130	31
Sweden	67	148	241	57
United Kingdom	585	1 167	1 200	297
EU 28	8 367	9 090	8 938	4 324

(¹) These national emission ceilings are designed with the aim of broadly meeting the interim environmental objectives set out in Article 5. Meeting those objectives is expected to result in a reduction of soil eutrophication to such an extent that the area of the Union with depositions of nutrient nitrogen in excess of the critical loads will be reduced by about 30 % compared with the situation in 1990.

(²) These national emission ceilings are temporary and are without prejudice to the review according to Article 10 of this Directive, which is to be completed in 2008.

(³) The national emission ceilings for Croatia are to be attained by the date of its accession to the Union.'

(2) In Annex II, the table is replaced by the following:

	'SO ₂ Kilotonnes	NO _x Kilotonnes	VOC Kilotonnes
EU 28 (¹)	7 902	8 267	7 675

(¹) These emission ceilings are temporary and are without prejudice to the review according to Article 10 of this Directive, which is to be completed in 2008.'

PART B

NATURE PROTECTION

(1) Directive 92/43/EEC is amended as follows:

(a) Annex I is replaced by the following:

'ANNEX I

NATURAL HABITAT TYPES OF COMMUNITY INTEREST WHOSE CONSERVATION REQUIRES THE DESIGNATION OF SPECIAL AREAS OF CONSERVATION

Interpretation

Guidance on the interpretation of habitat types is given in the *Interpretation Manual of European Union Habitats* as approved by the committee set up under Article 20 ("Habitats Committee") and published by the European Commission (¹).

The code corresponds to the Natura 2000 code.

The sign ** indicates priority habitat types.

1. COASTAL AND HALOPHYTIC HABITATS

11. Open sea and tidal areas

1110 Sandbanks which are slightly covered by sea water all the time

1120 * *Posidonia* beds (*Posidonia oceanicae*)

1130 Estuaries

(¹) *Interpretation Manual of European Union Habitats*, version EUR 15/2, adopted by the Habitats Committee on 4 October 1999 and Amendments to the "Interpretation Manual of European Union Habitats" with a view to EU enlargement (Hab. 01/11b-rev. 1), adopted by the Habitats Committee on 24 April 2002 after written consultation, European Commission, Directorate General for Environment;

1140 Mudflats and sandflats not covered by seawater at low tide

1150 * Coastal lagoons

1160 Large shallow inlets and bays

1170 Reefs

1180 Submarine structures made by leaking gases

12. Sea cliffs and shingle or stony beaches

1210 Annual vegetation of drift lines

1220 Perennial vegetation of stony banks

1230 Vegetated sea cliffs of the Atlantic and Baltic Coasts

1240 Vegetated sea cliffs of the Mediterranean coasts with endemic *Limonium* spp.

1250 Vegetated sea cliffs with endemic flora of the Macaronesian coasts

13. Atlantic and continental salt marshes and salt meadows

1310 *Salicornia* and other annuals colonizing mud and sand

1320 *Spartina* swards (*Spartinion maritimae*)

1330 Atlantic salt meadows (*Glauco-Puccinellietalia maritimae*)

1340 * Inland salt meadows

14. Mediterranean and thermo-Atlantic salt marshes and salt meadows

1410 Mediterranean salt meadows (*Juncetalia maritimi*)

1420 Mediterranean and thermo-Atlantic halophilous scrubs (*Sarcocornetea fruticosi*)

1430 Halo-nitrophilous scrubs (*Pegano-Salsoletea*)

15. Salt and gypsum inland steppes

1510 * Mediterranean salt steppes (*Limonietalia*)

1520 * Iberian gypsum vegetation (*Gypsophiletalia*)

1530 * Pannonic salt steppes and salt marshes

16. Boreal Baltic archipelago, coastal and landupheaval areas

1610 Baltic esker islands with sandy, rocky and shingle beach vegetation and sublittoral vegetation

1620 Boreal Baltic islets and small islands

1630 * Boreal Baltic coastal meadows

1640 Boreal Baltic sandy beaches with perennial vegetation

1650 Boreal Baltic narrow inlets

2. COASTAL SAND DUNES AND INLAND DUNES

21. Sea dunes of the Atlantic, North Sea and Baltic coasts

2110 Embryonic shifting dunes

2120 Shifting dunes along the shoreline with *Ammophila arenaria* ("white dunes")

2130 * Fixed coastal dunes with herbaceous vegetation ("grey dunes")

- 2140 * Decalcified fixed dunes with *Empetrum nigrum*
- 2150 * Atlantic decalcified fixed dunes (*Calluno-Ulicetea*)
- 2160 Dunes with *Hippophaë rhamnoides*
- 2170 Dunes with *Salix repens* ssp. *argentea* (*Salicion arenariae*)
- 2180 Wooded dunes of the Atlantic, Continental and Boreal region
- 2190 Humid dune slacks
- 21A0 Machairs (* in Ireland)

22. Sea dunes of the Mediterranean coast

- 2210 *Crucianellion maritimae* fixed beach dunes
- 2220 Dunes with *Euphorbia terracina*
- 2230 *Malcolmietalia* dune grasslands
- 2240 *Brachypodietalia* dune grasslands with annuals
- 2250 * Coastal dunes with *Juniperus* spp.
- 2260 *Cisto-Lavenduletalia* dune sclerophyllous scrubs
- 2270 * Wooded dunes with *Pinus pinea* and/or *Pinus pinaster*

23. Inland dunes, old and decalcified

- 2310 Dry sand heaths with *Calluna* and *Genista*
- 2320 Dry sand heaths with *Calluna* and *Empetrum nigrum*
- 2330 Inland dunes with open *Corynephorus* and *Agrostis* grasslands
- 2340 * Pannonic inland dunes

3. FRESHWATER HABITATS

31. Standing water

- 3110 Oligotrophic waters containing very few minerals of sandy plains (*Littorelletalia uniflorae*)
- 3120 Oligotrophic waters containing very few minerals generally on sandy soils of the West Mediterranean, with *Isoetes* spp.
- 3130 Oligotrophic to mesotrophic standing waters with vegetation of the *Littorelletea uniflorae* and/or of the *Isoëto-Nanojuncetea*
- 3140 Hard oligo-mesotrophic waters with benthic vegetation of *Chara* spp.
- 3150 Natural eutrophic lakes with *Magnopotamion* or *Hydrocharition* — type vegetation
- 3160 Natural dystrophic lakes and ponds
- 3170 * Mediterranean temporary ponds
- 3180 * Turloughs
- 3190 Lakes of gypsum karst
- 31A0 * Transylvanian hot-spring lotus beds

32. Running water — sections of water courses with natural or semi-natural dynamics (minor, average and major beds) where the water quality shows no significant deterioration

- 3210 Fennoscandian natural rivers
- 3220 Alpine rivers and the herbaceous vegetation along their banks
- 3230 Alpine rivers and their ligneous vegetation with *Myricaria germanica*

- 3240 Alpine rivers and their ligneous vegetation with *Salix elaeagnos*
- 3250 Constantly flowing Mediterranean rivers with *Glaucium flavum*
- 3260 Water courses of plain to montane levels with the *Ranunculion fluitantis* and *Callitricho-Batrachion* vegetation
- 3270 Rivers with muddy banks with *Chenopodion rubri* p.p. and *Bidention* p.p. vegetation
- 3280 Constantly flowing Mediterranean rivers with *Paspalo-Agrostidion* species and hanging curtains of *Salix* and *Populus alba*
- 3290 Intermittently flowing Mediterranean rivers of the *Paspalo-Agrostidion*
- 32A0 Tufa cascades of karstic rivers in the Dinaric Alps

4. TEMPERATE HEATH AND SCRUB

- 4010 Northern Atlantic wet heaths with *Erica tetralix*
- 4020 * Temperate Atlantic wet heaths with *Erica ciliaris* and *Erica tetralix*
- 4030 European dry heaths
- 4040 * Dry Atlantic coastal heaths with *Erica vagans*
- 4050 * Endemic macaronesian heaths
- 4060 Alpine and Boreal heaths
- 4070 * Bushes with *Pinus mugo* and *Rhododendron hirsutum* (*Mugo-Rhododendretum hirsuti*)
- 4080 Sub-Arctic *Salix* spp. Scrub
- 4090 Endemic oro-Mediterranean heaths with gorse
- 40A0 * Subcontinental peri-Pannonic scrub
- 40B0 Rhodope *Potentilla fruticosa* thickets
- 40C0 * Ponto-Sarmatic deciduous thickets

5. SCLEROPHYLLOUS SCRUB (MATORRAL)

51. Sub-Mediterranean and temperate scrub

- 5110 Stable xerothermophilous formations with *Buxus sempervirens* on rock slopes (*Berberidion* p.p.)
- 5120 Mountain *Cytisus purgans* formations
- 5130 *Juniperus communis* formations on heaths or calcareous grasslands
- 5140 * *Cistus palhinhae* formations on maritime wet heaths

52. Mediterranean arborescent matorral

- 5210 Arborescent matorral with *Juniperus* spp.
- 5220 * Arborescent matorral with *Ziziphus*
- 5230 * Arborescent matorral with *Laurus nobilis*

53. Thermo-Mediterranean and pre-steppe brush

- 5310 *Laurus nobilis* thickets
- 5320 Low formations of *Euphorbia* close to cliffs
- 5330 Thermo-Mediterranean and pre-desert scrub

54. Phrygana

- 5410 West Mediterranean clifftop phryganas (*Astragalo-Plantaginetum subulatae*)
- 5420 *Sarcopoterium spinosum* phryganas
- 5430 Endemic phryganas of the *Euphorbio-Verbascion*

6. NATURAL AND SEMI-NATURAL GRASSLAND FORMATIONS**61. Natural grasslands**

- 6110 * Rupicolous calcareous or basophilic grasslands of the *Alysso-Sedion albi*
- 6120 * Xeric sand calcareous grasslands
- 6130 Calaminarian grasslands of the *Violetalia calaminariae*
- 6140 Siliceous Pyrenean *Festuca eskia* grasslands
- 6150 Siliceous alpine and boreal grasslands
- 6160 Oro-Iberian *Festuca indigesta* grasslands
- 6170 Alpine and subalpine calcareous grasslands
- 6180 Macaronesian mesophile grasslands
- 6190 Rupicolous pannonic grasslands (*Stipo-Festucetalia pallentis*)

62. Semi-natural dry grasslands and scrubland facies

- 6210 Semi-natural dry grasslands and scrubland facies on calcareous substrates (*Festuco-Brometalia*) (* important orchid sites)
- 6220 * Pseudo-steppe with grasses and annuals of the *Thero-Brachypodietea*
- 6230 * Species-rich *Nardus* grasslands, on siliceous substrates in mountain areas (and submountain areas in Continental Europe)
- 6240 * Sub-Pannonic steppic grasslands
- 6250 * Pannonic loess steppic grasslands
- 6260 * Pannonic sand steppes
- 6270 * Fennoscandian lowland species-rich dry to mesic grasslands
- 6280 * Nordic alvar and precambrian calcareous flatrocks
- 62A0 Eastern sub-Mediterranean dry grasslands (*Scorzoneratalia villosae*)
- 62B0 * Serpentinophilous grassland of Cyprus
- 62C0 * Ponto-Sarmatic steppes
- 62D0 Oro-Moesian acidophilous grasslands

63. Sclerophillous grazed forests (dehesas)

- 6310 Dehesas with evergreen *Quercus* spp.

64. Semi-natural tall-herb humid meadows

- 6410 *Molinia* meadows on calcareous, peaty or clayey-silt-laden soils (*Molinion caeruleae*)
- 6420 Mediterranean tall humid grasslands of the *Molinio-Holoschoenion*
- 6430 Hydrophilous tall herb fringe communities of plains and of the montane to alpine levels

- 6440 Alluvial meadows of river valleys of the *Cnidion dubii*
- 6450 Northern boreal alluvial meadows
- 6460 Peat grasslands of Troodos

65. **Mesophile grasslands**

- 6510 Lowland hay meadows (*Alopecurus pratensis*, *Sanguisorba officinalis*)
- 6520 Mountain hay meadows
- 6530 * Fennoscandian wooded meadows
- 6540 Sub-Mediterranean grasslands of the *Molinio-Hordeion secalini*

7. RAISED BOGS AND MIRES AND FENS

71. **Sphagnum acid bogs**

- 7110 * Active raised bogs
- 7120 Degraded raised bogs still capable of natural regeneration
- 7130 Blanket bogs (* if active bog)
- 7140 Transition mires and quaking bogs
- 7150 Depressions on peat substrates of the *Rhynchosporion*
- 7160 Fennoscandian mineral-rich springs and springfens

72. **Calcareous fens**

- 7210 * Calcareous fens with *Cladium mariscus* and species of the *Caricion davallianae*
- 7220 * Petrifying springs with tufa formation (*Cratoneurion*)
- 7230 Alkaline fens
- 7240 * Alpine pioneer formations of the *Caricion bicoloris-atrofuscace*

73. **Boreal mires**

- 7310 * Aapa mires
- 7320 * Palsa mires

8. ROCKY HABITATS AND CAVES

81. **Scree**

- 8110 Siliceous scree of the montane to snow levels (*Androsacetalia alpinae* and *Galeopsietalia ladani*)
- 8120 Calcareous and calcshist screes of the montane to alpine levels (*Thlaspietea rotundifoli*)
- 8130 Western Mediterranean and thermophilous scree
- 8140 Eastern Mediterranean screes
- 8150 Medio-European upland siliceous screes
- 8160 * Medio-European calcareous scree of hill and montane levels

82. **Rocky slopes with chasmophytic vegetation**

- 8210 Calcareous rocky slopes with chasmophytic vegetation

- 8220 Siliceous rocky slopes with chasmophytic vegetation
- 8230 Siliceous rock with pioneer vegetation of the *Sedo-Scleranthion* or of the *Sedo albi-Veronicion dillenii*
- 8240 * Limestone pavements

83. Other rocky habitats

- 8310 Caves not open to the public
- 8320 Fields of lava and natural excavations
- 8330 Submerged or partially submerged sea caves
- 8340 Permanent glaciers

9. FORESTS

(Sub)natural woodland vegetation comprising native species forming forests of tall trees, with typical undergrowth, and meeting the following criteria: rare or residual, and/or hosting species of Community interest

90. Forests of Boreal Europe

- 9010 * Western Taïga
- 9020 * Fennoscandian hemiboreal natural old broad-leaved deciduous forests (*Quercus*, *Tilia*, *Acer*, *Fraxinus* or *Ulmus*) rich in epiphytes
- 9030 * Natural forests of primary succession stages of landupheaval coast
- 9040 Nordic subalpine/subarctic forests with *Betula pubescens* ssp. *czerepanovii*
- 9050 Fennoscandian herb-rich forests with *Picea abies*
- 9060 Coniferous forests on, or connected to, glaciofluvial eskers
- 9070 Fennoscandian wooded pastures
- 9080 * Fennoscandian deciduous swamp woods

91. Forests of Temperate Europe

- 9110 *Luzulo-Fagetum* beech forests
- 9120 Atlantic acidophilous beech forests with *Ilex* and sometimes also *Taxus* in the shrublayer (*Quercion robori-petraeae* or *Illici-Fagion*)
- 9130 *Asperulo-Fagetum* beech forests
- 9140 Medio-European subalpine beech woods with *Acer* and *Rumex arifolius*
- 9150 Medio-European limestone beech forests of the *Cephalanthero-Fagion*
- 9160 Sub-Atlantic and medio-European oak or oak-hornbeam forests of the *Carpinion betuli*
- 9170 *Galio-Carpinetum* oak-hornbeam forests
- 9180 * *Tilio-Acerion* forests of slopes, screes and ravines
- 9190 Old acidophilous oak woods with *Quercus robur* on sandy plains
- 91A0 Old sessile oak woods with *Ilex* and *Blechnum* in the British Isles
- 91B0 Thermophilous *Fraxinus angustifolia* woods

- 91C0 * Caledonian forest
- 91D0 * Bog woodland
- 91E0 * Alluvial forests with *Alnus glutinosa* and *Fraxinus excelsior* (*Alno-Padion*, *Alnion incanae*, *Salicion albae*)
- 91F0 Riparian mixed forests of *Quercus robur*, *Ulmus laevis* and *Ulmus minor*, *Fraxinus excelsior* or *Fraxinus angustifolia*, along the great rivers (*Ulmenion minoris*)
- 91G0 * Pannonic woods with *Quercus petraea* and *Carpinus betulus*
- 91H0 * Pannonian woods with *Quercus pubescens*
- 91I0 * Euro-Siberian steppic woods with *Quercus* spp.
- 91J0 * *Taxus baccata* woods of the British Isles
- 91K0 Illyrian *Fagus sylvatica* forests (*Aremonio-Fagion*)
- 91L0 Illyrian oak-hornbeam forests (*Erythronio-Carpinion*)
- 91M0 Pannonian-Balkanic turkey oak — sessile oak forests
- 91N0 * Pannonic inland sand dune thicket (*Junipero-Populetum albae*)
- 91P0 Holy Cross fir forest (*Abietetum polonicum*)
- 91Q0 Western Carpathian calcicolous *Pinus sylvestris* forests
- 91R0 Dinaric dolomite Scots pine forests (*Genisto januensis-Pinetum*)
- 91S0 * Western Pontic beech forests
- 91T0 Central European lichen Scots pine forests
- 91U0 Sarmatic steppe pine forest
- 91V0 Dacian Beech forests (*Sympyto-Fagion*)
- 91W0 Moesian beech forests
- 91X0 * Dobrogean beech forests
- 91Y0 Dacian oak & hornbeam forests
- 91Z0 Moesian silver lime woods
- 91AA * Eastern white oak woods
- 91BA Moesian silver fir forests
- 91CA Rhodopide and Balkan Range Scots pine forests

92. Mediterranean deciduous forests

- 9210 * Apeninne beech forests with *Taxus* and *Ilex*
- 9220 * Apennine beech forests with *Abies alba* and beech forests with *Abies nebrodensis*
- 9230 Galicio-Portuguese oak woods with *Quercus robur* and *Quercus pyrenaica*
- 9240 *Quercus faginea* and *Quercus canariensis* Iberian woods
- 9250 *Quercus trojana* woods
- 9260 *Castanea sativa* woods

- 9270 Hellenic beech forests with *Abies borisi-regis*
- 9280 *Quercus frainetto* woods
- 9290 Cupressus forests (*Acero-Cupression*)
- 92A0 *Salix alba* and *Populus alba* galleries
- 92B0 Riparian formations on intermittent Mediterranean water courses with *Rhododendron ponticum*, *Salix* and others
- 92C0 *Platanus orientalis* and *Liquidambar orientalis* woods (*Platanion orientalis*)
- 92D0 Southern riparian galleries and thickets (*Nerio-Tamaricetea* and *Securinegion tinctoriae*)

93. Mediterranean sclerophyllous forests

- 9310 Aegean *Quercus brachyphylla* woods
- 9320 *Olea* and *Ceratonia* forests
- 9330 *Quercus suber* forests
- 9340 *Quercus ilex* and *Quercus rotundifolia* forests
- 9350 *Quercus macrolepis* forests
- 9360 * Macaronesian laurel forests (*Laurus*, *Ocotea*)
- 9370 * Palm groves of *Phoenix*
- 9380 Forests of *Ilex aquifolium*
- 9390 * Scrub and low forest vegetation with *Quercus alnifolia*
- 93A0 Woodlands with *Quercus infectoria* (*Anagyro foetidae-Quercetum infectoriae*)

94. Temperate mountainous coniferous forests

- 9410 Acidophilous *Picea* forests of the montane to alpine levels (*Vaccinio-Piceetea*)
- 9420 Alpine *Larix decidua* and/or *Pinus cembra* forests
- 9430 Subalpine and montane *Pinus uncinata* forests (* if on gypsum or limestone)

95. Mediterranean and Macaronesian mountainous coniferous forests

- 9510 * Southern Apennine *Abies alba* forests
- 9520 *Abies pinsapo* forests
- 9530 * (Sub-) Mediterranean pine forests with endemic black pines
- 9540 Mediterranean pine forests with endemic Mesogean pines
- 9550 Canarian endemic pine forests
- 9560 * Endemic forests with *Juniperus* spp.
- 9570 * *Tetraclinis articulata* forests
- 9580 * Mediterranean *Taxus baccata* woods
- 9590 * *Cedrus brevifolia* forests (*Cedrosetum brevifoliae*)
- 95A0 High oro-Mediterranean pine forests'

(b) Annex II is replaced by the following:

'ANNEX II

**ANIMAL AND PLANT SPECIES OF COMMUNITY INTEREST WHOSE CONSERVATION REQUIRES
THE DESIGNATION OF SPECIAL AREAS OF CONSERVATION**

Interpretation

(a) Annex II follows on from Annex I for the establishment of a consistent network of special areas of conservation.

(b) The species listed in this Annex are indicated:

- by the name of the species or subspecies, or
- by all the species belonging to a higher taxon or to a designated part of that taxon.

The abbreviation "spp." after the name of a family or genus designates all the species belonging to that family or genus.

(c) Symbols

An asterisk (*) before the name of a species indicates that it is a priority species.

Most species listed in this Annex are also listed in Annex IV. Where a species appears in this Annex but does not appear in either Annex IV or Annex V, the species name is followed by the symbol (o); where a species which appears in this Annex also appears in Annex V but does not appear in Annex IV, its name is followed by the symbol (V).

(a) ANIMALS

VERTEBRATES

MAMMALS

INSECTIVORA

Talpidae

Galemys pyrenaicus

CHIROPTERA

Rhinolophidae

Rhinolophus blasii

Rhinolophus euryale

Rhinolophus ferrumequinum

Rhinolophus hipposideros

Rhinolophus mehelyi

Vespertilionidae

Barbastella barbastellus

Miniopterus schreibersii

Myotis bechsteinii

Myotis blythii

Myotis capaccinii

Myotis dasycneme

Myotis emarginatus

Myotis myotis

Pteropodidae

Rousettus aegyptiacus

RODENTIA

Gliridae

Myomimus roachi

Sciuridae

* *Marmota marmota laticostis*

* *Pteromys volans (Sciuropterus russicus)*

Spermophilus citellus (Citellus citellus)

* *Spermophilus suslicus (Citellus suslicus)*

Castoridae

Castor fiber (except the Estonian, Latvian, Lithuanian, Finnish and Swedish populations)

Cricetidae

Mesocricetus newtoni

Microtidae

Dinaromys bogdanovi

Microtus cabrerae

* *Microtus oeconomus arenicola*

* *Microtus oeconomus mehelyi*

Microtus tataricus

Zapodidae

Sicista subtilis

CARNIVORA

Canidae

* *Alopex lagopus*

* *Canis lupus* (except the Estonian population; Greek populations: only south of the 39th parallel; Spanish populations: only those south of the Duero; Latvian, Lithuanian and Finnish populations).

Ursidae

* *Ursus arctos* (except the Estonian, Finnish and Swedish populations)

Mustelidae

* *Gulo gulo*

Lutra lutra

Mustela eversmanii

* *Mustela lutreola*

Vormela peregusna

Felidae

Lynx lynx (except the Estonian, Latvian and Finnish populations)

* *Lynx pardinus*

Phocidae

Halichoerus grypus (V)

* *Monachus monachus*

Phoca hispida bottnica (V)

* *Phoca hispida saimensis*

Phoca vitulina (V)

ARTIODACTYLA

Cervidae

* *Cervus elaphus corsicanus*

Rangifer tarandus fennicus (o)

Bovidae

* *Bison bonasus*

Capra aegagrus (natural populations)

* *Capra pyrenaica pyrenaica*

Ovis gmelini musimon (*Ovis ammon musimon*) (natural populations — Corsica and Sardinia)

Ovis orientalis ophion (*Ovis gmelini ophion*)

* *Rupicapra pyrenaica ornata* (*Rupicapra rupicapra ornata*)

Rupicapra rupicapra balcanica

* *Rupicapra rupicapra tatraica*

CETACEA

Phocoena phocoena

Tursiops truncatus

REPTILES

CHELODIA (TESTUDINES)

Testudinidae

Testudo graeca

Testudo hermanni

Testudo marginata

Cheloniidae

* *Caretta caretta*

* *Chelonia mydas*

Emydidae

Emys orbicularis

Mauremys caspica

Mauremys leprosa

SAURIA

Lacertidae

Dinarolacerta mosorensis

Lacerta bonnali (*Lacerta monticola*)

Lacerta monticola

Lacerta schreiberi

Gallotia galloti insulanagae

* *Gallotia simonyi*

Podarcis lilfordi

Podarcis pityusensis

Scincidae

Chalcides simonyi (*Chalcides occidentalis*)

Gekkonidae

Phyllodactylus europaeus

OPHIDIA (SERPENTES)

Colubridae

* *Coluber cypriensis*

Elaphe quatuorlineata

Elaphe situla

* *Natrix natrix cypriaca*

Viperidae

* *Macrovipera schweizeri* (*Vipera lebetina schweizeri*)

Vipera ursinii (except *Vipera ursinii rakosiensis* and *Vipera ursinii macrops*)

* <i>Vipera ursinii macrops</i>	<i>Lampetra planeri</i> (o) (except the Estonian, Finnish, and Swedish populations)
* <i>Vipera ursinii rakosiensis</i>	<i>Lethenteron zanandreai</i> (V)
AMPHIBIANS	
CAUDATA	
Salamandridae	
<i>Chioglossa lusitanica</i>	ACIPENSERIFORMES
<i>Mertensiella luschani</i> (<i>Salamandra luschani</i>)	Acipenseridae
* <i>Salamandra aurorae</i> (<i>Salamandra atra aurorae</i>)	* <i>Acipenser naccarii</i>
<i>Salamandrina terdigitata</i>	* <i>Acipenser sturio</i>
<i>Triturus carnifex</i> (<i>Triturus cristatus carnifex</i>)	CLUPEIFORMES
<i>Triturus cristatus</i> (<i>Triturus cristatus cristatus</i>)	Clupeidae
<i>Triturus dobrogicus</i> (<i>Triturus cristatus dobrogicus</i>)	<i>Alosa</i> spp. (V)
<i>Triturus karelinii</i> (<i>Triturus cristatus karelinii</i>)	SALMONIFORMES
<i>Triturus montandoni</i>	Salmonidae
<i>Triturus vulgaris ampelensis</i>	<i>Hucho</i> <i>hucho</i> (natural populations) (V)
Proteidae	<i>Salmo</i> <i>macrostigma</i> (o)
* <i>Proteus anguinus</i>	<i>Salmo</i> <i>marmoratus</i> (o)
Plethodontidae	<i>Salmo</i> <i>salar</i> (only in fresh water) (V) (except the Finnish populations)
<i>Hydromantes</i> (<i>Speleomantes</i>) <i>ambrosii</i>	<i>Salmothymus obtusirostris</i> (o)
<i>Hydromantes</i> (<i>Speleomantes</i>) <i>flavus</i>	Coregonidae
<i>Hydromantes</i> (<i>Speleomantes</i>) <i>genei</i>	* <i>Coregonus oxyrinchus</i> (anadromous populations in certain sectors of the North Sea)
<i>Hydromantes</i> (<i>Speleomantes</i>) <i>imperialis</i>	Umbridae
<i>Hydromantes</i> (<i>Speleomantes</i>) <i>strinati</i>	<i>Umbra</i> <i>krameri</i> (o)
<i>Hydromantes</i> (<i>Speleomantes</i>) <i>supramontis</i>	CYPRINIFORMES
ANURA	Cyprinidae
Discoglossidae	<i>Auburnus albidus</i> (o) (<i>Alburnus vulturius</i>)
* <i>Alytes muletensis</i>	<i>Aulopyge huegelii</i> (o)
<i>Bombina bombina</i>	<i>Anaecypris hispanica</i>
<i>Bombina variegata</i>	<i>Aspius aspius</i> (V) (except the Finnish populations)
<i>Discoglossus galganoi</i> (including <i>Discoglossus "jeanneae"</i>)	<i>Barbus comiza</i> (V)
<i>Discoglossus montalentii</i>	<i>Barbus meridionalis</i> (V)
<i>Discoglossus sardus</i>	<i>Barbus plebejus</i> (V)
Ranidae	<i>Chalcalburnus chalcooides</i> (o)
<i>Rana latastei</i>	<i>Chondrostoma genei</i> (o)
Pelobatidae	<i>Chondrostoma knerii</i> (o)
* <i>Pelobates fuscus insubricus</i>	<i>Chondrostoma lusitanicum</i> (o)
FISH	<i>Chondrostoma phoxinus</i> (o)
PETROMYZONIFORMES	<i>Chondrostoma polylepis</i> (o) (including <i>C. willkommii</i>)
Petromyzonidae	<i>Chondrostoma soetta</i> (o)
<i>Eudontomyzon</i> spp. (o)	<i>Chondrostoma toxostoma</i> (o)
<i>Lampetra fluviatilis</i> (V) (except the Finnish and Swedish populations)	<i>Gobio albipinnatus</i> (o)

<i>Gobio kessleri</i> (o)	<i>Sabanejewia larvata</i> (o) (<i>Cobitis larvata</i> and <i>Cobitis conspersa</i>)
<i>Gobio uranoscopus</i> (o)	
<i>Iberocypris palaciosi</i> (o)	SILURIFORMES
* <i>Ladigesocypris ghigii</i> (o)	<i>Siluridae</i>
<i>Leuciscus lucumonis</i> (o)	<i>Silurus aristotelis</i> (V)
<i>Leuciscus souffia</i> (o)	ATHERINIFORMES
<i>Pelecus cultratus</i> (V)	<i>Cyprinodontidae</i>
<i>Phoxinellus</i> spp. (o)	<i>Aphanius iberus</i> (o)
* <i>Phoxinus percnurus</i>	<i>Aphanius fasciatus</i> (o)
<i>Rhodeus sericeus amarus</i> (o)	* <i>Valencia hispanica</i>
<i>Rutilus pigus</i> (V)	* <i>Valencia letourneuxi</i> (<i>Valencia hispanica</i>)
<i>Rutilus rubilio</i> (o)	PERCIFORMES
<i>Rutilus arcasi</i> (o)	<i>Percidae</i>
<i>Rutilus macrolepidotus</i> (o)	<i>Gymnocephalus baloni</i>
<i>Rutilus lemmingii</i> (o)	<i>Gymnocephalus schraetzer</i> (V)
<i>Rutilus frisii meidingeri</i> (V)	* <i>Romanichthys valsanicola</i>
<i>Rutilus alburnoides</i> (o)	<i>Zingel</i> spp. ((o) except <i>Zingel asper</i> and <i>Zingel zingel</i> (V))
<i>Scardinius graecus</i> (o)	Gobiidae
<i>Squalius microlepis</i> (o)	<i>Knipowitschia croatica</i> (o)
<i>Squalius svallize</i> (o)	<i>Knipowitschia (Padogobius) panizzae</i> (o)
Cobitidae	<i>Padogobius nigricans</i> (o)
<i>Cobitis elongata</i> (o)	<i>Pomatoschistus canestrini</i> (o)
<i>Cobitis taenia</i> (o) (except the Finnish populations)	SCORPAENIFORMES
<i>Cobitis trichonica</i> (o)	Cottidae
<i>Misgurnus fossilis</i> (o)	<i>Cottus gobio</i> (o) (except the Finnish populations)
<i>Sabanejewia aurata</i> (o)	<i>Cottus petiti</i> (o)

INVERTEBRATES

ARTHROPODS	<i>Buprestis splendens</i>
CRUSTACEA	<i>Carabus hampei</i>
Decapoda	<i>Carabus hungaricus</i>
<i>Austropotamobius pallipes</i> (V)	* <i>Carabus menetriesi pacholei</i>
* <i>Austropotamobius torrentium</i> (V)	* <i>Carabus olympiae</i>
Isopoda	<i>Carabus variolosus</i>
* <i>Armadillidium ghardalamensis</i>	<i>Carabus zawadzskii</i>
INSECTA	<i>Cerambyx cerdo</i>
Coleoptera	<i>Corticaria planula</i> (o)
<i>Agathidium pulchellum</i> (o)	<i>Cucujus cinnaberinus</i>
<i>Bolbelasmus unicornis</i>	<i>Dorcadion fulvum cervae</i>
<i>Boros schneideri</i> (o)	

<i>Duvalius gebhardti</i>	<i>Erebia christi</i>
<i>Duvalius hungaricus</i>	<i>Erebia medusa polaris</i> (o)
<i>Dytiscus latissimus</i>	<i>Eriogaster catax</i>
<i>Graphoderus bilineatus</i>	<i>Euphydryas (Eurodryas, Hypodryas) aurinia</i> (o)
<i>Leptodirus hochenwarti</i>	<i>Glyphipterix loricatella</i>
<i>Limoniscus violaceus</i> (o)	<i>Gortyna borelii lunata</i>
<i>Lucanus cervus</i> (o)	<i>Graellsia isabellae</i> (V)
<i>Macroplea pubipennis</i> (o)	<i>Hesperia comma catena</i> (o)
<i>Mesosa myops</i> (o)	<i>Hypodryas maturna</i>
<i>Morimus funereus</i> (o)	<i>Leptidea morsei</i>
* <i>Osmaderma eremita</i>	<i>Lignyoptera fumidaria</i>
<i>Oxyporus mannerheimii</i> (o)	<i>Lycaena dispar</i>
<i>Pilemia tigrina</i>	<i>Lycaena helle</i>
* <i>Phryganophilus ruficollis</i>	<i>Maculinea nausithous</i>
<i>Probaticus subrugosus</i>	<i>Maculinea teleius</i>
<i>Propomacrus cypriacus</i>	<i>Melanargia arge</i>
* <i>Pseudogaurotina excellens</i>	* <i>Nymphalis vualbum</i>
<i>Pseudosericius cameroni</i>	<i>Papilio hospiton</i>
<i>Pyro kolwensis</i>	<i>Phyllometra culminaria</i>
<i>Rhysodes sulcatus</i> (o)	<i>Plebicula golgus</i>
* <i>Rosalia alpina</i>	<i>Polymixis rufocincta isolata</i>
<i>Stephanopachys linearis</i> (o)	<i>Polyommatus eroides</i>
<i>Stephanopachys substriatus</i> (o)	<i>Proterebia afra dalmata</i>
<i>Xyletinus tremulicola</i> (o)	<i>Pseudophilotes bavius</i>
Hemiptera	<i>Xestia borealis</i> (o)
<i>Aradus angularis</i> (o)	<i>Xestia brunneopicta</i> (o)
Lepidoptera	* <i>Xylomoia strix</i>
<i>Agriades glandon aquilo</i> (o)	Mantodea
<i>Arytrura musculus</i>	<i>Apteromantis aptera</i>
* <i>Callimorpha (Euplagia, Panaxia) quadripunctaria</i> (o)	Odonata
<i>Catopta thrips</i>	<i>Coenagrion hylas</i> (o)
<i>Chondrosoma fiduciarium</i>	<i>Coenagrion mercuriale</i> (o)
<i>Clossiana improba</i> (o)	<i>Coenagrion ornatum</i> (o)
<i>Coenonympha oedippus</i>	<i>Cordulegaster heros</i>
<i>Colias myrmidone</i>	<i>Cordulegaster trinacriae</i>
<i>Cucullia mixta</i>	<i>Gomphus graslinii</i>
<i>Dioszeghyana schmidtii</i>	<i>Leucorrhinia pectoralis</i>
<i>Erannis ankeraria</i>	<i>Lindenia tetraphylla</i>
<i>Erebia calcaria</i>	<i>Macromia splendens</i>

<i>Ophiogomphus cecilia</i>	<i>Geomitra moniziana</i>
<i>Oxygastra curtisii</i>	<i>Gibbula nivosa</i>
Orthoptera	* <i>Helicopsis striata austriaca</i> (o)
<i>Baetica ustulata</i>	<i>Hygromia kovaci</i>
<i>Brachytrupes megacephalus</i>	<i>Idiomela (Helix) subplicata</i>
<i>Isophya costata</i>	<i>Lampedusa imitatrix</i>
<i>Isophya harzi</i>	* <i>Lampedusa melitensis</i>
<i>Isophya stysi</i>	<i>Leiostyla abbreviata</i>
<i>Myrmecophilus baronii</i>	<i>Leiostyla cassida</i>
<i>Odontopodisma rubripes</i>	<i>Leiostyla corneocostata</i>
<i>Paracaloptenus caloptenoides</i>	<i>Leiostyla gibba</i>
<i>Pholidoptera transsylvanica</i>	<i>Leiostyla lamellosa</i>
<i>Stenobothrus (Stenobothrodes) eurasius</i>	* <i>Paladilhia hungarica</i>
ARACHNIDA	<i>Sadleriana pannonica</i>
Pseudoscorpiones	<i>Theodoxus transversalis</i>
<i>Anthrenochernes stellae</i> (o)	<i>Vertigo angustior</i> (o)
MOLLUSCS	<i>Vertigo genesii</i> (o)
GASTROPODA	<i>Vertigo geyeri</i> (o)
<i>Anisus vorticulus</i>	<i>Vertigo moulinsiana</i> (o)
<i>Caseolus calculus</i>	BIVALVIA
<i>Caseolus commixta</i>	Unionoida
<i>Caseolus sphaerula</i>	<i>Margaritifera durrovensis (Margaritifera margaritifera)</i> (V)
<i>Chilostoma banaticum</i>	<i>Margaritifera margaritifera</i> (V)
<i>Discula leacockiana</i>	<i>Unio crassus</i>
<i>Discula tabellata</i>	Dreissenidae
<i>Discus guerinianus</i>	<i>Congeria kusceri</i>
<i>Elona quimperiana</i>	
<i>Geomalacus maculosus</i>	

(b) PLANTS

PTERIDOPHYTA	* <i>Dryopteris corleyi</i> Fraser-Jenk.
ASPLENIACEAE	<i>Dryopteris fragans</i> (L.) Schott
<i>Asplenium jahandiezii</i> (Litard.) Rouy	
<i>Asplenium adulterinum</i> Milde	HYMENOPHYLLACEAE
BLECHNACEAE	<i>Trichomanes speciosum</i> Willd.
<i>Woodwardia radicans</i> (L.) Sm.	ISOETACEAE
DICKSONIACEAE	<i>Isoetes boryana</i> Durieu
<i>Culcita macrocarpa</i> C. Presl	<i>Isoetes malinverniana</i> Ces. & De Not.
DRYOPTERIDACEAE	MARSILEACEAE
<i>Diplazium sibiricum</i> (Turcz. ex Kunze) Kurata	<i>Marsilea batardae</i> Launert

Marsilea quadrifolia L.	CAMPANULACEAE
Marsilea strigosa Willd.	Adenophora liliifolia (L.) Ledeb.
OPHIOGLOSSACEAE	Asyneuma giganteum (Boiss.) Bornm.
Botrychium simplex Hitchc.	* Campanula bohemica Hruby
Ophioglossum polypodium A. Braun	* Campanula gelida Kovanda
GYMNOSPERMAE	Campanula romanica Săvul.
PINACEAE	* Campanula sabatia De Not.
* Abies nebrodensis (Lojac.) Mattei	* Campanula serrata (Kit.) Hendrych
ANGIOSPERMAE	Campanula zoysii Wulfen
ALISMATACEAE	Jasione crispa (Pourret) Samp. subsp. serpentinica Pinto da Silva
* Alisma wahlenbergii (Holmberg) Juz.	Jasione lusitanica A. DC.
Caldesia parnassifolia (L.) Parl.	CARYOPHYLLACEAE
Luronium natans (L.) Raf.	Arenaria ciliata L. subsp. pseudofrigida Ostenf. & O.C. Dahl
AMARYLLIDACEAE	Arenaria humifusa Wahlenberg
Leucojum nicaeense Ard.	* Arenaria nevadensis Boiss. & Reuter
Narcissus asturiensis (Jordan) Pugsley	Arenaria provincialis Chater & Halliday
Narcissus calcicola Mendonça	* Cerastium alsinifolium Tausch Cerastium dinaricum G. Beck & Szysz.
Narcissus cyclamineus DC.	Dianthus arenarius L. subsp. arenarius
Narcissus fernandesii G. Pedro	* Dianthus arenarius subsp. boemicus (Novak) O. Schwarz
Narcissus humilis (Cav.) Traub	Dianthus cinranus Boiss. & Reuter subsp. cinranus Boiss. & Reuter
* Narcissus nevadensis Pugsley	* Dianthus diutinus Kit.
Narcissus pseudonarcissus L. subsp. nobilis (Haw.) A. Fernandes	* Dianthus lumnitzeri Wiesb.
Narcissus scaberulus Henriq.	Dianthus marizii (Samp.) Samp.
Narcissus triandrus L. subsp. capax (Salisb.) D. A. Webb.	* Dianthus moravicus Kovanda
Narcissus viridiflorus Schousboe	* Dianthus nitidus Waldst. et Kit.
ASCLEPIADACEAE	Dianthus plumarius subsp. regis-stephani (Rapcs.) Baksay
Vincetoxicum pannonicum (Borhidi) Holub	Dianthus rupicola Biv.
BORAGINACEAE	* Gypsophila papillosa P. Porta
* Anchusa crispa Viv.	Herniaria algarvica Chaudhri
Echium russicum J.F.Gmelin	* Herniaria latifolia Lapeyr. subsp. litardierei Gamis
* Lithodora nitida (H. Ern) R. Fernandes	Herniaria lusitanica (Chaudhri) subsp. berlengiana Chaudhri
Myosotis lusitanica Schuster	Herniaria maritima Link
Myosotis rehsteineri Wartm.	* Minuartia smejkalii Dvorakova
Myosotis retusifolia R. Afonso	Moehringia jankae Griseb. ex Janka
Omphalodes kuzinskyanae Willk.	Moehringia lateriflora (L.) Fenzl.
* Omphalodes littoralis Lehm.	Moehringia tommasinii Marches.
* Onosma tornensis Javorka	
Solenanthus albanicus (Degen & al.) Degen & Baldacci	
* Symphytum cycladense Pawl.	

Moehringia villosa (Wulfen) Fenzl

Petrocoptis grandiflora Rothm.

Petrocoptis montsicciana O. Bolos & Rivas Mart.

Petrocoptis pseudoviscosa Fernández Casas

Silene furcata Rafin. subsp. *angustiflora* (Rupr.) Walters

* *Silene hicesiae* Brullo & Signorello

Silene hifacensis Rouy ex Willk.

* *Silene holzmanii* Heldr. ex Boiss.

Silene longicilia (Brot.) Otth.

Silene mariana Pau

* *Silene orphanidis* Boiss

* *Silene rothmaleri* Pinto da Silva

* *Silene velutina* Pourret ex Loisel.

* *Centaurea balearica* J.D. Rodriguez

* *Centaurea borjae* Valdes-Berm. & Rivas Goday

* *Centaurea citricolor* Font Quer

Centaurea corymbosa Pourret

Centaurea gadorensis G. Blanca

* *Centaurea horrida* Badaro

Centaurea immanuelis-loewii Degen

Centaurea jankae Brandza

* *Centaurea kalambakensis* Freyn & Sint.

Centaurea kartschiana Scop.

* *Centaurea lactiflora* Halacsy

Centaurea micrantha Hoffmanns. & Link subsp. *herminii* (Rouy) Dostál

* *Centaurea niederi* Heldr.

* *Centaurea peucedanifolia* Boiss. & Orph.

* *Centaurea pinnata* Pau

Centaurea pontica Prodan & E.I. Nyárády

Centaurea pulvinata (G. Blanca) G. Blanca

Centaurea rothmalerana (Arènes) Dostál

Centaurea vicentina Mariz

Cirsium brachycephalum Juratzka

* *Crepis crocifolia* Boiss. & Heldr.

Crepis granatensis (Willk.) B. Blanca & M. Cueto

Crepis pusilla (Sommier) Merxmüller

Crepis tectorum L. subsp. *nigrescens*

Erigeron frigidus Boiss. ex DC.

* *Helichrysum melitense* (Pignatti) Brullo et al

Hymenostemma pseudanthemis (Kunze) Willd.

Hyoseris frutescens Brullo et Pavone

* *Jurinea cyanoides* (L.) Reichenb.

* *Jurinea fontqueri* Cuatrec.

* *Lamyropsis microcephala* (Moris) Dittrich & Greuter

Leontodon microcephalus (Boiss. ex DC.) Boiss.

Leontodon boryi Boiss.

* *Leontodon siculosus* (Guss.) Finch & Sell

Leuzea longifolia Hoffmanns. & Link

Ligularia sibirica (L.) Cass.

* *Palaeocyanus crassifolius* (Bertoloni) Dostal

Santolina impressa Hoffmanns. & Link

CHENOPODIACEAE

* *Bassia (Kochia) saxicola* (Guss.) A. J. Scott

* *Cremnophyton lanfrancoi* Brullo et Pavone

* *Salicornia veneta* Pignatti & Lausi

CISTACEAE

Cistus palhinhae Ingram

Halimium verticillatum (Brot.) Sennen

Helianthemum alypoides Losa & Rivas Goday

Helianthemum caput-felis Boiss.

* *Tuberaria major* (Willk.) Pinto da Silva & Rozeira

COMPOSITAE

* *Anthemis glaberrima* (Rech. f.) Greuter

Artemisia campestris L. subsp. *bottnica* A.N. Lundström ex Kindb.

* *Artemisia granatensis* Boiss.

* *Artemisia laciniata* Willd.

Artemisia oelandica (Besser) Komarov

* *Artemisia pancicii* (Janka) Ronn.

* *Aster pyrenaeus* Desf. ex DC

* *Aster sorrentinii* (Tod) Lojac.

Carlina onopordifolia Besser

* *Carduus myriacanthus* Salzm. ex DC.

* *Centaurea alba* L. subsp. *heldreichii* (Halacsy) Dostal

* *Centaurea alba* L. subsp. *princeps* (Boiss. & Heldr.) Gugler

* *Centaurea akamantis* T. Georgiadis & G. Chatzikyriakou

* *Centaurea attica* Nyman subsp. *megarensis* (Halacsy & Hayek) Dostal

<i>Santolina semidentata</i> Hoffmanns. & Link	<i>Iberis procumbens</i> Lange subsp. <i>microcarpa</i> Franco & Pinto da Silva
<i>Saussurea alpina</i> subsp. <i>estonica</i> (Baer ex Rupr) Kupffer	* <i>Jonopsidium acaule</i> (Desf.) Reichenb.
* <i>Senecio elodes</i> Boiss. ex DC.	<i>Jonopsidium savianum</i> (Caruel) Ball ex Arcang.
<i>Senecio jacobaea</i> L. subsp. <i>gotlandicus</i> (Neuman) Sternér	<i>Rhynchosinapis erucastrum</i> (L.) Dandy ex Clapham subsp. <i>cintrana</i> (Coutinho) Franco & P. Silva (<i>Coinya cintrana</i> (P. Cout.) Pinto da Silva)
<i>Senecio nevadensis</i> Boiss. & Reuter	<i>Sisymbrium cavanillesianum</i> Valdés & Castroviejo
* <i>Serratula lycopifolia</i> (Vill.) A. Kern	<i>Sisymbrium supinum</i> L.
<i>Tephroseris longifolia</i> (Jacq.) Griseb et Schenk subsp. <i>moravica</i>	<i>Thlaspi jankae</i> A. Kern.
CONVOLVULACEAE	CYPERACEAE
* <i>Convolvulus argyrothamnus</i> Greuter	<i>Carex holostoma</i> Drejer
* <i>Convolvulus fernandesii</i> Pinto da Silva & Teles	* <i>Carex panormitana</i> Guss.
CRUCIFERAE	DIOSCOREACEAE
<i>Alyssum pyrenaicum</i> Lapeyr.	* <i>Borderea chouardii</i> (Gaussien) Heslot
* <i>Arabis kennedyae</i> Meikle	DROSERACEAE
<i>Arabis sadina</i> (Samp.) P. Cout.	<i>Aldrovanda vesiculosa</i> L.
<i>Arabis scopoliana</i> Boiss	ELATINACEAE
* <i>Biscutella neustriaca</i> Bonnet	<i>Elatine gussonei</i> (Sommier) Brullo et al
<i>Biscutella vincentina</i> (Samp.) Rothm.	ERICACEAE
<i>Boleum asperum</i> (Pers.) Desvaux	<i>Rhododendron luteum</i> Sweet
<i>Brassica glabrescens</i> Poldini	EUPHORBIACEAE
<i>Brassica hilarionis</i> Post	* <i>Euphorbia margalidiana</i> Kuhbier & Lewejohann
<i>Brassica insularis</i> Moris	<i>Euphorbia transtagana</i> Boiss.
* <i>Brassica macrocarpa</i> Guss.	GENTIANACEAE
<i>Braya linearis</i> Rouy	* <i>Centaurium rigualii</i> Esteve
* <i>Cochlearia polonica</i> E. Fröhlich	* <i>Centaurium somedanum</i> Lainz
* <i>Cochlearia tatrae</i> Borbas	<i>Gentiana ligistica</i> R. de Vilm. & Chopinet
* <i>Coincyia rupestris</i> Rouy	<i>Gentianella anglica</i> (Pugsley) E.F. Warburg
* <i>Coronopus navasi</i> Pau	* <i>Gentianella bohemica</i> Skalicky
<i>Crambe tataria</i> Sebeok	GERANIACEAE
* <i>Degenia velebitica</i> (Degen) Hayek	* <i>Erodium astragaloides</i> Boiss. & Reuter
<i>Diplotaxis ibicensis</i> (Pau) Gómez-Campo	<i>Erodium paularense</i> Fernández-González & Izco
* <i>Diplotaxis siettiana</i> Maire	* <i>Erodium rupicola</i> Boiss.
<i>Diplotaxis vicentina</i> (P. Cout.) Rothm.	GLOBULARIACEAE
<i>Draba cacuminum</i> Elis Ekman	* <i>Globularia stygia</i> Orph. ex Boiss.
<i>Draba cinerea</i> Adams	GRAMINEAE
<i>Draba dorneri</i> Heuffel.	<i>Arctagrostis latifolia</i> (R. Br.) Griseb.
<i>Erucastrum palustre</i> (Pirona) Vis.	<i>Arctophila fulva</i> (Trin.) N.J. Anderson
* <i>Erysimum pieninicum</i> (Zapal.) Pawl.	<i>Avenula hackelii</i> (Henriq.) Holub
* <i>Iberis arbuscula</i> Runemark	<i>Bromus grossus</i> Desf. ex DC.

<i>Calamagrostis chalybea</i> (Laest.) Fries	LABIATAE
<i>Cinna latifolia</i> (Trev.) Griseb.	<i>Dracocephalum austriacum</i> L.
<i>Coleanthus subtilis</i> (Tratt.) Seidl	* <i>Micromeria taygetea</i> P.H. Davis
<i>Festuca brigantina</i> (Markgr.-Dannenb.) Markgr.-Dannenb.	<i>Nepeta dirphya</i> (Boiss.) Heldr. ex Halacsy
<i>Festuca duriotagana</i> Franco & R. Afonso	* <i>Nepeta sphaciotica</i> P.H. Davis
<i>Festuca elegans</i> Boiss.	<i>Origanum dictamnus</i> L.
<i>Festuca henriquesii</i> Hack.	<i>Phlomis brevibracteata</i> Turril
<i>Festuca summilisitana</i> Franco & R. Afonso	<i>Phlomis cypria</i> Post
<i>Gaudinia hispanica</i> Stace & Tutin	<i>Salvia veneris</i> Hedge
<i>Holcus setiglumis</i> Boiss. & Reuter subsp. <i>duriensis</i> Pinto da Silva	<i>Sideritis cypria</i> Post
<i>Micropyropsis tuberosa</i> Romero - Zarco & Cabezudo	<i>Sideritis incana</i> subsp. <i>glaucia</i> (Cav.) Malagarriga
<i>Poa granitica</i> Br.-Bl. subsp. <i>disparilis</i> (E. I. Nyárády) E. I. Nyárády	<i>Sideritis javalambreensis</i> Pau
* <i>Poa riphaea</i> (Ascher et Graebner) Fritsch	<i>Sideritis serrata</i> Cav. ex Lag.
<i>Pseudarrhenatherum pallens</i> (Link) J. Holub	<i>Teucrium lepicephalum</i> Pau
<i>Puccinellia phryganoides</i> (Trin.) Scribnier + Merr.	<i>Teucrium turrenam</i> Losa & Rivas Goday
<i>Puccinellia pungens</i> (Pau) Paunero	* <i>Thymus camphoratus</i> Hoffmanns. & Link
* <i>Stipa austroitalica</i> Martinovsky	<i>Thymus carnosus</i> Boiss.
* <i>Stipa bavarica</i> Martinovsky & H. Scholz	* <i>Thymus lotoccephalus</i> G. López & R. Morales (<i>Thymus cephalotes</i> L.)
<i>Stipa danubialis</i> Dihoru & Roman	LEGUMINOSAE
* <i>Stipa styriaca</i> Martinovsky	<i>Anthyllis hystrix</i> Cardona, Contandr. & E. Sierra
* <i>Stipa veneta</i> Moraldo	* <i>Astragalus algarbiensis</i> Coss. ex Bunge
* <i>Stipa zalesskii</i> Wilensky	* <i>Astragalus aquilanus</i> Anzalone
<i>Trisetum subalpestre</i> (Hartman) Neuman	<i>Astragalus centralpinus</i> Braun-Blanquet
GROSSULARIACEAE	* <i>Astragalus macrocarpus</i> DC. subsp. <i>lefkarensis</i>
* <i>Ribes sardoum</i> Martelli	* <i>Astragalus maritimus</i> Moris
HIPPURIDACEAE	<i>Astragalus peterii</i> Ját.
<i>Hippuris tetraphylla</i> L. Fil.	<i>Astragalus tremolsianus</i> Pau
HYPERICACEAE	* <i>Astragalus verrucosus</i> Moris
* <i>Hypericum aciferum</i> (Greuter) N.K.B. Robson	* <i>Cytisus aeolicus</i> Guss. ex Lindl.
IRIDACEAE	<i>Genista dorycnifolia</i> Font Quer
<i>Crocus cyprius</i> Boiss. et Kotschy	<i>Genista holopetala</i> (Fleischm. ex Koch) Baldacci
<i>Crocus hartmannianus</i> Holmboe	<i>Melilotus segetalis</i> (Brot.) Ser. subsp. <i>fallax</i> Franco
<i>Gladiolus palustris</i> Gaud.	* <i>Ononis hackelii</i> Lange
<i>Iris aphylla</i> L. subsp. <i>hungarica</i> Hegi	<i>Trifolium saxatile</i> All.
<i>Iris humilis</i> Georgi subsp. <i>arenaria</i> (Waldst. et Kit.) A. et D.Löve	* <i>Vicia bifoliolata</i> J.D. Rodríguez
JUNCACEAE	LENTIBULARIACEAE
<i>Juncus valvatus</i> Link	* <i>Pinguicula crystallina</i> Sm.
<i>Luzula arctica</i> Blytt	<i>Pinguicula nevadensis</i> (Lindb.) Casper

LILIACEAE

- Allium grosii* Font Quer
 * *Androcymbium rechingeri* Greuter
 * *Asphodelus bento-rainhae* P. Silva
 * *Chionodoxa lochiae* Meikle in Kew Bull.
Colchicum arenarium Waldst. et Kit.
Hyacinthoides vicentina (Hoffmans. & Link) Rothm.
 * *Muscari gussonei* (Parl.) Tod.

- Scilla litardierei* Breist.
 * *Scilla morrisii* Meikle
Tulipa cypria Stapf
Tulipa hungarica Borbas

LINACEAE

- * *Linum dolomiticum* Borbas
 * *Linum muelleri* Moris (*Linum maritimum muelleri*)

LYTHRACEAE

- * *Lythrum flexuosum* Lag.

MALVACEAE

- Kosteletzkya pentacarpos* (L.) Ledeb.

NAJADACEAE

- Najas flexilis* (Willd.) Rostk. & W.L. Schmidt
Najas tenuissima (A. Braun) Magnus

OLEACEAE

- Syringa josikaea* Jacq. Fil. ex Reichenb.

ORCHIDACEAE

- Anacamptis urvilleana* Sommier et Caruana Gatto
Calypso bulbosa L.
 * *Cephalanthera cucullata* Boiss. & Heldr.
Cypripedium calceolus L.
Dactylorhiza kalopissii E. Nelson
Gymnigritella runei Teppner & Klein
Himantoglossum adriaticum Baumann
Himantoglossum caprinum (Bieb.) V. Koch
Liparis loeselii (L.) Rich.
 * *Ophrys kotschi* H.Fleischm. et Soo
 * *Ophrys lunulata* Parl.
Ophrys melitensis (Salkowski) J et P Devillers-Terschuren
Platanthera obtusata (Pursh) subsp. *oligantha* (Turez.) Hulten

OROBANCHACEAE

- Orobanche densiflora* Salzm. ex Reut.

PAEONIACEAE

- Paeonia cambessedesii* (Willk.) Willk.
Paeonia clusii F.C. Stern subsp. *rhodia* (Stearn) Tzanoudakis
Paeonia officinalis L. subsp. *banatica* (Rachel) Soo
Paeonia parnassica Tzanoudakis

PALMAE

- Phoenix theophrasti* Greuter

PAPAVERACEAE

- Corydalis gotlandica* Lidén
Papaver laestadianum (Nordh.) Nordh.
Papaver radicatum Rottb. subsp. *hyperboreum* Nordh.

PLANTAGINACEAE

- Plantago algarbiensis* Sampaio (*Plantago bracteosa* (Willk.) G. Sampaio)
Plantago almogravensis Franco

PLUMBAGINACEAE

- Armeria berlengensis* Daveau
 * *Armeria helodes* Martini & Pold
Armeria neglecta Girard
Armeria pseudarmeria (Murray) Mansfeld
 * *Armeria rouhana* Daveau

- Armeria soleirolii* (Duby) Godron
Armeria velutina Welw. ex Boiss. & Reuter

- Limonium dodartii* (Girard) O. Kuntze subsp. *lusitanicum* (Daveau) Franco
 * *Limonium insulare* (Beg. & Landi) Arrig. & Diana
Limonium lanceolatum (Hoffmans. & Link) Franco
Limonium multiflorum Erben
 * *Limonium pseudolaetum* Arrig. & Diana
 * *Limonium strictissimum* (Salzmann) Arrig.

POLYGONACEAE

- Persicaria foliosa* (H. Lindb.) Kitag.
Polygonum praelongum Coode & Cullen
Rumex rupestris Le Gall

PRIMULACEAE

- Androsace mathildae* Levier
Androsace pyrenaica Lam.
 * *Cyclamen fatrense* Halda et Sojak
 * *Primula apennina* Widmer

<i>Primula carniolica</i> Jacq.	SALICACEAE
<i>Primula nutans</i> Georgi	<i>Salix salvifolia</i> Brot. subsp. <i>australis</i> Franco
<i>Primula palinuri</i> Petagna	SANTALACEAE
<i>Primula scandinavica</i> Bruun	<i>Thesium ebracteatum</i> Hayne
<i>Soldanella villosa</i> Darracq.	SAXIFRAGACEAE
RANUNCULACEAE	<i>Saxifraga berica</i> (Beguinot) D.A. Webb
* <i>Aconitum corsicum</i> Gayer (<i>Aconitum napellus</i> subsp. <i>corsicum</i>)	<i>Saxifraga florulenta</i> Moretti
<i>Aconitum firmum</i> (Reichenb.) Neilr subsp. <i>moravicum</i> Skalicky	<i>Saxifraga hirculus</i> L.
<i>Adonis distorta</i> Ten.	<i>Saxifraga osloensis</i> Knaben
<i>Aquilegia bertolonii</i> Schott	<i>Saxifraga tombeanensis</i> Boiss. ex Engl.
<i>Aquilegia kitaibelii</i> Schott	SCROPHULARIACEAE
* <i>Aquilegia pyrenaica</i> D.C. subsp. <i>cazorlensis</i> (Heywood) Galiano	<i>Antirrhinum charidemi</i> Lange
* <i>Consolida samia</i> P.H. Davis	<i>Chaenorhinum serpyllifolium</i> (Lange) Lange subsp. <i>lusitanicum</i> R. Fernandes
* <i>Delphinium caseyi</i> B.L. Burtt	* <i>Euphrasia genargentea</i> (Feoli) Diana
<i>Pulsatilla grandis</i> Wenderoth	<i>Euphrasia marchesettii</i> Wettst. ex Marches.
<i>Pulsatilla patens</i> (L.) Miller	<i>Linaria algarviana</i> Chav.
* <i>Pulsatilla pratensis</i> (L.) Miller subsp. <i>hungarica</i> Soo	<i>Linaria coutinhoi</i> Valdés
* <i>Pulsatilla slavica</i> G. Reuss.	<i>Linaria loeselii</i> Schweigger
* <i>Pulsatilla subslavica</i> Futak ex Goliasova	* <i>Linaria ficalhoana</i> Rouy
<i>Pulsatilla vulgaris</i> Hill. subsp. <i>gotlandica</i> (Johanss.) Zaemelis & Paegle	<i>Linaria flava</i> (Poiret) Desf.
<i>Ranunculus kykkoensis</i> Meikle	* <i>Linaria hellenica</i> Turrill
<i>Ranunculus lapponicus</i> L.	<i>Linaria pseudolaxiflora</i> Lojacono
* <i>Ranunculus weyleri</i> Mares	* <i>Linaria ricardoi</i> Cout.
RESEDACEAE	<i>Linaria tonzigii</i> Lona
<i>Reseda decursiva</i> Forssk.	* <i>Linaria tursica</i> B. Valdés & Cabezudo
ROSACEAE	<i>Odontites granatensis</i> Boiss.
<i>Agrimonia pilosa</i> Ledebour	* <i>Pedicularis sudetica</i> Willd.
<i>Potentilla delphinensis</i> Gren. & Godron	<i>Rhinanthus oesilensis</i> (Ronniger & Saarsoo) Vassilcz
<i>Potentilla emiliae-poppii</i> Nyárády	<i>Tozzia carpathica</i> Wol.
* <i>Pyrus magyarica</i> Terpo	<i>Verbascum litigiosum</i> Samp.
<i>Sorbus teodorii</i> Liljefors	<i>Veronica micrantha</i> Hoffmanns. & Link
RUBIACEAE	* <i>Veronica oetaea</i> L.-A. Gustavsson
<i>Galium cracoviense</i> Ehrend.	SOLANACEAE
* <i>Galium litorale</i> Guss.	* <i>Atropa baetica</i> Willk.
<i>Galium moldavicum</i> (Dobrescu) Franco	THYMELAEACEAE
* <i>Galium sudeticum</i> Tausch	* <i>Daphne arbuscula</i> Celak
* <i>Galium viridiflorum</i> Boiss. & Reuter	<i>Daphne petraea</i> Leybold
ULMACEAE	* <i>Daphne rodriguezii</i> Texidor
	<i>Zelkova abelicea</i> (Lam.) Boiss.

UMBELLIFERAE

- * *Angelica heterocarpa* Lloyd
- Angelica palustris* (Besser) Hoffm.
- * *Apium bermejoi* Llorens
- Apium repens* (Jacq.) Lag.
- Athamanta cortiana* Ferrarini
- * *Bupleurum capillare* Boiss. & Heldr.
- * *Bupleurum kakiskalae* Greuter
- Eryngium alpinum* L.
- * *Eryngium viviparum* Gay
- * *Ferula sadleriana* Lebed.
- Hladnikia pastinacifolia* Reichenb.
- * *Laserpitium longiradiatum* Boiss.
- * *Naufragia balearica* Constans & Cannon
- * *Oenanthe coniooides* Lange
- Petagnia saniculifolia* Guss.
- Rouya polygama* (Desf.) Coincy
- * *Seseli intricatum* Boiss.
- Seseli leucospermum* Waldst. et Kit
- Thorella verticillatinundata* (Thore) Briq.

VALERIANACEAE

- Centranthus trinervis* (Viv.) Beguinot

VIOLACEAE

- Viola delphinantha* Boiss.
- * *Viola hispida* Lam.
- Viola jaubertiana* Mares & Vigineix
- Viola rupestris* F.W. Schmidt subsp. *relicta* Jalas

LOWER PLANTS

BRYOPHYTA

- Bruchia vogesiaca* Schwaegr. (o)
- Bryhnia novae-angliae* (Sull & Lesq.) Grout (o)
- * *Bryoerythrophyllum campylocarpum* (C. Müll.) Crum.
Bryoerythrophyllum machadoanum (Sergio) M.O. Hill (o)
- Buxbaumia viridis* (Moug.) Moug. & Nestl. (o)
- Cephalozia macounii* (Aust.) Aust. (o)
- Cynodontium sueicum* (H. Arn. & C. Jens.) I. Hag. (o)
- Dichelyma capillaceum* (Dicks) Myr. (o)
- Dicranum viride* (Sull. & Lesq.) Lindb. (o)
- Distichophyllum carinatum* Dix. & Nich. (o)
- Drepanocladus (Hamatocaulis) vernicosus* (Mitt.) Warnst. (o)
- Encalypta mutica* (I. Hagen) (o)
- Hamatocaulis lapponicus* (Norrl.) Hedenäs (o)
- Herzogiella turfacea* (Lindb.) I. Wats. (o)
- Hygrohypnum montanum* (Lindb.) Broth. (o)
- Jungermannia handelii* (Schiffn.) Amak. (o)

- Mannia triandra* (Scop.) Grolle (o)
- * *Marsupella profunda* Lindb. (o)
- Meesia longisetata* Hedw. (o)
- Nothothylas orbicularis* (Schwein.) Sull. (o)
- Ochyraea tatreensis* Vana (o)
- Orthothecium lapponicum* (Schimp.) C. Hartm. (o)
- Orthotrichum rogeri* Brid. (o)
- Petalophyllum ralfsii* (Wils.) Nees & Gott. (o)
- Plagiomnium drummondii* (Bruch & Schimp.) T. Kop. (o)
- Riccia breidleri* Jur. (o)
- Riella helicophylla* (Bory & Mont.) Mont. (o)
- Scapania massolongi* (K. Müll.) K. Müll. (o)
- Sphagnum pylaisii* Brid. (o)
- Tayloria rudolphiana* (Garov) B. & S. (o)
- Tortella rigens* (N. Alberts) (o)

SPECIES FOR MACARONESIA

PTERIDOPHYTA

HYMENOPHYLLACEAE

- Hymenophyllum maderensis* Gibby & Lovis

DRYOPTERIDACEAE

- * *Polystichum drepanum* (Sw.) C. Presl.

ISOETACEAE

- Isoetes azorica* Durieu & Paiva ex Milde

MARSILEACEAE

- * *Marsilea azorica* Launert & Paiva

ANGIOSPERMAE

ASCLEPIADACEAE

- Caralluma burchardii* N. E. Brown

- * *Ceropogia chrysanthia* Svent.

BORAGINACEAE

- Echium candicans* L. fil.

- * *Echium gentianoides* Webb & Coincy

- Myosotis azorica* H.C. Watson

<i>Myosotis maritima</i> Hochst. in Seub.	CONVOLVULACEAE
CAMPANULACEAE	<ul style="list-style-type: none"> * <i>Convolvulus caput-medusae</i> Lowe * <i>Convolvulus lopez-socasii</i> Svent. * <i>Convolvulus massonii</i> A. Dietr.
* <i>Azorina vidalii</i> (H.C. Watson) Feer	
<i>Musschia aurea</i> (L. f.) DC.	
* <i>Musschia wollastonii</i> Lowe	
CAPRIFOLIACEAE	CRASSULACEAE
* <i>Sambucus palmensis</i> Link	<ul style="list-style-type: none"> <i>Aeonium gomeraense</i> Praeger <i>Aeonium saundersii</i> Bolle <i>Aichryson dumosum</i> (Lowe) Praeg. <i>Monanthes wildpretii</i> Banares & Scholz <i>Sedum brissemoretii</i> Raymond-Hamet
CARYOPHYLLACEAE	
<i>Spergularia azorica</i> (Kindb.) Lebel	
CELASTRACEAE	CRUCIFERAE
<i>Maytenus umbellata</i> (R. Br.) Mabb.	<ul style="list-style-type: none"> * <i>Crambe arborea</i> Webb ex Christ <i>Crambe laevigata</i> DC. ex Christ * <i>Crambe sventenii</i> R. Petters ex Bramwell & Sund. * <i>Parolinia schizogynoides</i> Svent. <i>Sinapidendron rupestre</i> (Ait.) Lowe
CHENOPODIACEAE	CYPERACEAE
<i>Beta patula</i> Ait.	<ul style="list-style-type: none"> <i>Carex malato-belizii</i> Raymond
CISTACEAE	DIPSACACEAE
<i>Cistus chinamadensis</i> Banares & Romero	<ul style="list-style-type: none"> <i>Scabiosa nitens</i> Roemer & J.A. Schultes
* <i>Helianthemum bystropogophyllum</i> Svent.	ERICACEAE
COMPOSITAE	<ul style="list-style-type: none"> <i>Erica scoparia</i> L. subsp. <i>azorica</i> (Hochst.) D.A. Webb
<i>Andryala crithmifolia</i> Ait.	EUPHORBIACEAE
* <i>Argyranthemum lidii</i> Humphries	<ul style="list-style-type: none"> * <i>Euphorbia handiensis</i> Burchard <i>Euphorbia lambii</i> Svent. <i>Euphorbia stygiana</i> H.C. Watson
<i>Argyranthemum thalassophyllum</i> (Svent.) Hump.	GERANIACEAE
<i>Argyranthemum winterii</i> (Svent.) Humphries	<ul style="list-style-type: none"> * <i>Geranium maderense</i> P.F. Yeo
* <i>Atractylis arbuscula</i> Svent. & Michaelis	GRAMINEAE
<i>Atractylis preauxiana</i> Schultz.	<ul style="list-style-type: none"> <i>Deschampsia maderensis</i> (Haeck. & Born.) Buschm. <i>Phalaris maderensis</i> (Menezes) Menezes
<i>Calendula maderensis</i> DC.	GLOBULARIACEAE
<i>Cheirolophus duranii</i> (Burchard) Holub	<ul style="list-style-type: none"> * <i>Globularia ascanii</i> D. Bramwell & Kunkel * <i>Globularia sarcophylla</i> Svent.
<i>Cheirolophus ghomerytus</i> (Svent.) Holub	LABIATAE
<i>Cheirolophus junonianus</i> (Svent.) Holub	<ul style="list-style-type: none"> * <i>Sideritis cystosiphon</i> Svent. * <i>Sideritis discolor</i> (Webb ex de Noe) Bolle <i>Sideritis infernalis</i> Bolle <i>Sideritis marmorea</i> Bolle <i>Teucrium abutiloides</i> L'Hér.
<i>Cheirolophus massonianus</i> (Lowe) Hansen & Sund.	
<i>Cirsium latifolium</i> Lowe	
<i>Helichrysum gossypinum</i> Webb	
<i>Helichrysum monogynum</i> Burtt & Sund.	
<i>Hypochoeris oligocephala</i> (Svent. & Bramw.) Lack	
* <i>Lactuca watsoniana</i> Trel.	
* <i>Onopordum nogalesii</i> Svent.	
* <i>Onopordum carduelinum</i> Bolle	
* <i>Pericallis hadrosoma</i> (Svent.) B. Nord.	
<i>Phagnalon benettii</i> Lowe	
<i>Stemmacantha cynaroides</i> (Chr. Son. in Buch) Ditt	
<i>Sventenia bupleuroides</i> Font Quer	
* <i>Tanacetum ptarmiciflorum</i> Webb & Berth	

<i>Teucrium betonicum</i> L'Hér.	ROSACEAE
LEGUMINOSAE	* <i>Bencomia brachystachya</i> Svent.
* <i>Anagyris latifolia</i> Brouss. ex. Willd.	<i>Bencomia sphaerocarpa</i> Svent.
<i>Anthyllis lemanniana</i> Lowe	* <i>Chamaemeles coriacea</i> Lindl.
* <i>Dorycnium spectabile</i> Webb & Berthel	<i>Dendriopoterium pulidoi</i> Svent.
* <i>Lotus azoricus</i> P.W. Ball	<i>Maracetella maderensis</i> (Born.) Svent.
<i>Lotus callis-viridis</i> D. Bramwell & D. H. Davis	<i>Prunus lusitanica</i> L. subsp. <i>azorica</i> (Mouillef.) Franco
* <i>Lotus kunkelii</i> (E. Chueca) D. Bramwell & al.	<i>Sorbus maderensis</i> (Lowe) Dode
* <i>Teline rosmarinifolia</i> Webb & Berthel.	SANTALACEAE
* <i>Teline salsoloides</i> Arco & Acebes.	<i>Kunkeliella subsucculenta</i> Kammer
<i>Vicia dennesiana</i> H.C. Watson	SCROPHULARIACEAE
LILIACEAE	* <i>Euphrasia azorica</i> H.C. Watson
* <i>Androcymbium psammophilum</i> Svent.	<i>Euphrasia grandiflora</i> Hochst. in Seub.
<i>Scilla maderensis</i> Menezes	* <i>Isoplexis chalcantha</i> Svent. & O'Shanahan
<i>Semele maderensis</i> Costa	<i>Isoplexis isabelliana</i> (Webb & Berthel.) Masferrer
LORANTHACEAE	<i>Odontites holliana</i> (Lowe) Benth.
<i>Arceuthobium azoricum</i> Wiens & Hawksw.	<i>Sibthorpia peregrina</i> L.
MYRICACEAE	SOLANACEAE
* <i>Myrica rivas-martinezii</i> Santos.	* <i>Solanum lidii</i> Sunding
OLEACEAE	UMBELLIFERAE
<i>Jasminum azoricum</i> L.	<i>Ammi trifoliatum</i> (H.C. Watson) Trelease
<i>Picconia azorica</i> (Tutin) Knobl.	<i>Bupleurum handiense</i> (Bolle) Kunkel
ORCHIDACEAE	<i>Chaerophyllum azoricum</i> Trelease
<i>Goodyera macrophylla</i> Lowe	<i>Ferula latipinna</i> Santos
PITTOSPORACEAE	<i>Melanoselinum decipiens</i> (Schrader & Wendl.) Hoffm.
* <i>Pittosporum coriaceum</i> Dryand. ex. Ait.	<i>Monizia edulis</i> Lowe
PLANTAGINACEAE	<i>Oenanthe divaricata</i> (R. Br.) Mabb.
<i>Plantago malato-belizii</i> Lawalree	<i>Sanicula azorica</i> Guthnick ex Seub.
PLUMBAGINACEAE	VIOLACEAE
* <i>Limonium arborescens</i> (Brouss.) Kuntze	<i>Viola paradoxa</i> Lowe
<i>Limonium dendroides</i> Svent.	LOWER PLANTS
* <i>Limonium spectabile</i> (Svent.) Kunkel & Sunding	
* <i>Limonium sventenii</i> Santos & Fernández Galván	
POLYGONACEAE	
<i>Rumex azoricus</i> Rech. fil.	
RHAMNACEAE	
<i>Frangula azorica</i> Tutin	
BRYOPHYTA	
* <i>Echinodium spinosum</i> (Mitt.) Jur. (o)	* <i>Thamnobryum fernandesii</i> Sergio (o);

(c) Annex IV is replaced by the following:

'ANNEX IV

ANIMAL AND PLANT SPECIES OF COMMUNITY INTEREST IN NEED OF STRICT PROTECTION

The species listed in this Annex are indicated:

- by the name of species or subspecies, or
- by the body of species belonging to a higher taxon or to a designated part of that taxon.

The abbreviation "spp." after the name of a family or genus designates all the species belonging to that family or genus.

(a) ANIMALS

VERTEBRATES

MAMMALS	<i>Microtus oeconomus arenicola</i>
INSECTIVORA	<i>Microtus oeconomus mehelyi</i>
Erinaceidae	<i>Microtus taticus</i>
<i>Erinaceus algirus</i>	Zapodidae
Soricidae	<i>Sicista betulina</i>
<i>Crocidura canariensis</i>	<i>Sicista subtilis</i>
<i>Crocidura sicula</i>	Hystricidae
Talpidae	<i>Hystrix cristata</i>
<i>Galemys pyrenaicus</i>	CARNIVORA
MICROCHIROPTERA	Canidae
All species	<i>Alopex lagopus</i>
MEGACHIROPTERA	<i>Canis lupus</i> (except the Greek populations north of the 39th parallel; Estonian populations, Spanish populations north of the Duero; Bulgarian, Latvian, Lithuanian, Polish, Slovak populations and Finnish populations within the reindeer management area as defined in paragraph 2 of the Finnish Act No 848/90 of 14 September 1990 on reindeer management)
Pteropodidae	<i>Ursidae</i>
<i>Rousettus aegyptiacus</i>	<i>Ursus arctos</i>
RODENTIA	Mustelidae
Gliridae	<i>Lutra lutra</i>
All species except <i>Glis glis</i> and <i>Eliomys quercinus</i>	<i>Mustela eversmannii</i>
Sciuridae	<i>Mustela lutreola</i>
<i>Marmota marmota lattrostris</i>	<i>Vormela peregusna</i>
<i>Pteromys volans</i> (<i>Sciuropterus russicus</i>)	Felidae
<i>Spermophilus citellus</i> (<i>Citellus citellus</i>)	<i>Felis silvestris</i>
<i>Spermophilus suslicus</i> (<i>Citellus suslicus</i>)	<i>Lynx lynx</i> (except the Estonian population)
<i>Sciurus anomalus</i>	<i>Lynx pardinus</i>
Castoridae	Phocidae
<i>Castor fiber</i> (except the Estonian, Latvian, Lithuanian, Polish, Finnish and Swedish populations)	<i>Monachus monachus</i>
Cricetidae	<i>Phoca hispida saimensis</i>
<i>Cricetus cricetus</i> (except the Hungarian populations)	
<i>Mesocricetus newtoni</i>	
Micromyidae	
<i>Dinaromys bogdanovi</i>	
<i>Microtus cabrerai</i>	

ARTIODACTYLA	
Cervidae	
<i>Cervus elaphus corsicanus</i>	<i>Gallotia stehlini</i>
Bovidae	
<i>Bison bonasus</i>	<i>Lacerta agilis</i>
<i>Capra aegagrus</i> (natural populations)	<i>Lacerta bedriagae</i>
<i>Capra pyrenaica pyrenaica</i>	<i>Lacerta bonnali</i> (<i>Lacerta monticola</i>)
<i>Ovis gmelini musimon</i> (<i>Ovis ammon musimon</i>) (natural populations – Corsica and Sardinia)	<i>Lacerta monticola</i>
<i>Ovis orientalis ophion</i> (<i>Ovis gmelini ophion</i>)	<i>Lacerta danfordi</i>
<i>Rupicapra pyrenaica ornata</i> (<i>Rupicapra rupicapra ornata</i>)	<i>Lacerta dugesii</i>
<i>Rupicapra rupicapra balcanica</i>	<i>Lacerta graeca</i>
<i>Rupicapra rupicapra tatra</i>	<i>Lacerta horvathi</i>
CETACEA	
All species	<i>Lacerta schreiberi</i>
REPTILES	
TESTUDINATA	
Testudinidae	
<i>Testudo graeca</i>	<i>Lacerta trilineata</i>
<i>Testudo hermanni</i>	<i>Lacerta viridis</i>
<i>Testudo marginata</i>	<i>Lacerta vivipara pannonica</i>
Cheloniidae	
<i>Caretta caretta</i>	<i>Ophisops elegans</i>
<i>Chelonia mydas</i>	<i>Podarcis erhardii</i>
<i>Lepidochelys kempii</i>	<i>Podarcis filfolensis</i>
<i>Eretmochelys imbricata</i>	<i>Podarcis hispanica atrata</i>
Dermochelyidae	
<i>Dermochelys coriacea</i>	<i>Podarcis lilfordi</i>
Emydidae	
<i>Emys orbicularis</i>	<i>Podarcis melisellensis</i>
<i>Mauremys caspica</i>	<i>Podarcis milensis</i>
<i>Mauremys leprosa</i>	<i>Podarcis muralis</i>
SAURIA	
Lacertidae	
<i>Algyroides fitzingeri</i>	<i>Podarcis peloponnesiaca</i>
<i>Algyroides marchi</i>	<i>Podarcis pityusensis</i>
<i>Algyroides moreoticus</i>	<i>Podarcis sicula</i>
<i>Algyroides nigropunctatus</i>	<i>Podarcis taurica</i>
<i>Dalmatolacerta oxycephala</i>	<i>Podarcis tiliguerta</i>
<i>Dinarolacerta mosorensis</i>	<i>Podarcis wagleriana</i>
<i>Gallotia atlantica</i>	Scincidae
<i>Gallotia galloti</i>	<i>Ablepharus kitaibelii</i>
<i>Gallotia galloti insulanagae</i>	<i>Chalcides bedriagai</i>
<i>Gallotia simonyi</i>	<i>Chalcides ocellatus</i>
Gekkonidae	
<i>Dinolacerta schreiberi</i>	<i>Chalcides sexlineatus</i>
<i>Cyrtopodion kotschyi</i>	<i>Chalcides simonyi</i> (<i>Chalcides occidentalis</i>)
<i>Phyllodactylus europaeus</i>	<i>Chalcides viridianus</i>
<i>Tarentola angustimentalis</i>	<i>Ophiomorus punctatissimus</i>
<i>Tarentola boettgeri</i>	
<i>Tarentola delalandii</i>	
<i>Tarentola gomerensis</i>	

Agamidae		<i>Salamandra aurorae</i>
	<i>Stellio stellio</i>	<i>Salamandra lanzai</i>
Chamaeleontidae		<i>Salamandrina terdigitata</i>
	<i>Chamaeleo chamaeleon</i>	<i>Triturus carnifex</i> (<i>Triturus cristatus carnifex</i>)
Anguidae		<i>Triturus cristatus</i> (<i>Triturus cristatus cristatus</i>)
	<i>Ophisaurus apodus</i>	<i>Triturus italicus</i>
OPHIDIA		<i>Triturus karelinii</i> (<i>Triturus cristatus karelinii</i>)
Colubridae		<i>Triturus marmoratus</i>
	<i>Coluber caspius</i>	<i>Triturus montandoni</i>
	<i>Coluber cypriensis</i>	<i>Triturus vulgaris ampelensis</i>
	<i>Coluber hippocrepis</i>	
	<i>Coluber jugularis</i>	
	<i>Coluber laurenti</i>	Proteidae
	<i>Coluber najadum</i>	<i>Proteus anguinus</i>
	<i>Coluber nummifer</i>	
	<i>Coluber viridiflavus</i>	Plethodontidae
	<i>Coronella austriaca</i>	<i>Hydromantes (Speleomantes) ambrosii</i>
	<i>Eirenis modesta</i>	<i>Hydromantes (Speleomantes) flavus</i>
	<i>Elaphe longissima</i>	<i>Hydromantes (Speleomantes) genei</i>
	<i>Elaphe quatuorlineata</i>	<i>Hydromantes (Speleomantes) imperialis</i>
	<i>Elaphe situla</i>	<i>Hydromantes (Speleomantes) strinatii</i> (<i>Hydromantes (Speleomantes) italicus</i>)
	<i>Natrix natrix cetti</i>	<i>Hydromantes (Speleomantes) supramontis</i>
	<i>Natrix natrix corsa</i>	
	<i>Natrix natrix cypriaca</i>	ANURA
	<i>Natrix tessellata</i>	
	<i>Telescopus falax</i>	Discoglossidae
Viperidae		<i>Alytes cisternasi</i>
	<i>Vipera ammodytes</i>	<i>Alytes muletensis</i>
	<i>Macrovipera schweizeri</i> (<i>Vipera lebetina schweizeri</i>)	<i>Alytes obstetricans</i>
	<i>Vipera seoanni</i> (except Spanish populations)	<i>Bombina bombina</i>
	<i>Vipera ursinii</i>	<i>Bombina variegata</i>
	<i>Vipera xanthina</i>	<i>Discoglossus galganoi</i> (including <i>Discoglossus "jeanneae"</i>)
Boidae		<i>Discoglossus montalentii</i>
	<i>Eryx jaculus</i>	<i>Discoglossus pictus</i>
AMPHIBIANS		<i>Discoglossus sardus</i>
CAUDATA		Ranidae
Salamandridae		<i>Rana arvalis</i>
	<i>Chioglossa lusitanica</i>	<i>Rana dalmatina</i>
	<i>Euproctus asper</i>	<i>Rana graeca</i>
	<i>Euproctus montanus</i>	<i>Rana iberica</i>
	<i>Euproctus platycephalus</i>	<i>Rana italica</i>
	<i>Mertensiella luschani</i> (<i>Salamandra luschani</i>)	<i>Rana latastei</i>
	<i>Salamandra atra</i>	<i>Rana lessonae</i>
		Pelobatidae
		<i>Pelobates cultripes</i>
		<i>Pelobates fuscus</i>
		<i>Pelobates syriacus</i>

Bufonidae	CYPRINIFORMES
<i>Bufo calamita</i>	Cyprinidae
<i>Bufo viridis</i>	<i>Anaecypris hispanica</i>
Hylidae	
<i>Hyla arborea</i>	<i>Phoxinus percnurus</i>
<i>Hyla meridionalis</i>	
<i>Hyla sarda</i>	ATHERINIFORMES
FISH	Cyprinodontidae
ACIPENSERIFORMES	<i>Valencia hispanica</i>
Acipenseridae	
<i>Acipenser naccarii</i>	PERCIFORMES
<i>Acipenser sturio</i>	Percidae
SALMONIFORMES	<i>Gymnocephalus baloni</i>
Coregonidae	
Coregonus oxyrinchus (anadromous populations in certain sectors of the North Sea, except the Finnish populations)	<i>Romanichthys valsanicola</i>
	<i>Zingel asper</i>

INVERTEBRATES

ARTHROPODS	<i>Propomacrus cypriacus</i>
CRUSTACEA	<i>Pseudogaurotina excellens</i>
Isopoda	<i>Pseudoseriscus cameroni</i>
<i>Armadillidium ghardalamensis</i>	
INSECTA	<i>Pytho kolwensis</i>
Coleoptera	<i>Rosalia alpina</i>
<i>Bolbelasmus unicornis</i>	Lepidoptera
<i>Buprestis splendens</i>	<i>Apatura metis</i>
<i>Carabus hampei</i>	<i>Arytrura musculus</i>
<i>Carabus hungaricus</i>	<i>Catopta thrips</i>
<i>Carabus olympiae</i>	<i>Chondrosoma fiduciarium</i>
<i>Carabus variolosus</i>	<i>Coenonympha hero</i>
<i>Carabus zawadszkii</i>	<i>Coenonympha oedippus</i>
<i>Cerambyx cerdo</i>	<i>Colias myrmidone</i>
<i>Cucujus cinnaberinus</i>	<i>Cucullia mixta</i>
<i>Dorcadion fulvum cervae</i>	<i>Dioszeghyana schmidti</i>
<i>Duvalius gebhardti</i>	<i>Erannis ankeraria</i>
<i>Duvalius hungaricus</i>	<i>Erebia calcaria</i>
<i>Dytiscus latissimus</i>	<i>Erebia christi</i>
<i>Graphoderus bilineatus</i>	<i>Erebia sudetica</i>
<i>Leptodirus hochenwartii</i>	<i>Eriogaster catax</i>
<i>Pilemia tigrina</i>	<i>Fabriciana elisa</i>
<i>Osmoderma eremita</i>	<i>Glyptipterix loricatella</i>
<i>Phryganophilus ruficollis</i>	<i>Gortyna borelii lunata</i>
<i>Probaticus subrugosus</i>	<i>Hypodryas maturna</i>

<i>Hyles hippophaes</i>	<i>Isophya costata</i>
<i>Leptidea morsei</i>	<i>Isophya harzi</i>
<i>Lignyoptera fumidaria</i>	<i>Isophya stysi</i>
<i>Lopinga achine</i>	<i>Myrmecophilus baronii</i>
<i>Lycaena dispar</i>	<i>Odontopodisma rubripes</i>
<i>Lycaena helle</i>	<i>Paracaloptenus caloptenoides</i>
<i>Maculinea arion</i>	<i>Pholidoptera transsylvanica</i>
<i>Maculinea nausithous</i>	<i>Saga pedo</i>
<i>Maculinea teleius</i>	<i>Stenobothrus (Stenobothrodes) eurasius</i>
<i>Melanargia arge</i>	ARACHNIDA
<i>Nymphalis vaualbum</i>	Araneae
<i>Papilio alexanor</i>	<i>Macrothele calpeiana</i>
<i>Papilio hospiton</i>	MOLLUSCS
<i>Parnassius apollo</i>	GASTROPODA
<i>Parnassius mnemosyne</i>	<i>Anisus vorticulus</i>
<i>Phyllometra culminaria</i>	<i>Caseolus calculus</i>
<i>Plebicula golgus</i>	<i>Caseolus commixta</i>
<i>Polymixis rufocincta isolata</i>	<i>Caseolus sphaerula</i>
<i>Polyommatus eroides</i>	<i>Chilostoma banaticum</i>
<i>Proserpinus proserpina</i>	<i>Discula leacockiana</i>
<i>Proterebia afra dalmata</i>	<i>Discula tabellata</i>
<i>Pseudophilotes bavius</i>	<i>Discula testudinalis</i>
<i>Xylomoia strix</i>	<i>Discula turricula</i>
<i>Zerynthia polyxena</i>	<i>Discus defloratus</i>
Mantodea	<i>Discus guerinianus</i>
<i>Apteromantis aptera</i>	<i>Elona quimperiana</i>
Odonata	<i>Geomalacus maculosus</i>
<i>Aeshna viridis</i>	<i>Geomitra moniziana</i>
<i>Cordulegaster heros</i>	<i>Gibbula nivosa</i>
<i>Cordulegaster trinacriae</i>	<i>Hygromia kovaci</i>
<i>Gomphus graslinii</i>	<i>Idiomela (Helix) subplicata</i>
<i>Leucorrhinia albifrons</i>	<i>Lampedusa imitatrix</i>
<i>Leucorrhinia caudalis</i>	<i>Lampedusa melitensis</i>
<i>Leucorrhinia pectoralis</i>	<i>Leiostyla abbreviata</i>
<i>Lindenia tetraphylla</i>	<i>Leiostyla cassida</i>
<i>Macromia splendens</i>	<i>Leiostyla corneocostata</i>
<i>Ophiogomphus cecilia</i>	<i>Leiostyla gibba</i>
<i>Oxygastra curtisii</i>	<i>Leiostyla lamellosa</i>
<i>Stylurus flavipes</i>	<i>Paladilhia hungarica</i>
<i>Sympetrum braueri</i>	<i>Patella ferruginea</i>
Orthoptera	<i>Sadleriana pannonica</i>
<i>Baetica ustulata</i>	<i>Theodoxus prevostianus</i>
<i>Brachytrupes megacephalus</i>	<i>Theodoxus transversalis</i>

BIVALVIA	<i>Unio crassus</i>
Anisomyaria	Dreissenidae
<i>Lithophaga lithophaga</i>	<i>Congeria kusceri</i>
<i>Pinna nobilis</i>	ECHINODERMATA
Unionoida	Echinoidea
<i>Margaritifera auricularia</i>	<i>Centrostephanus longispinus</i>

(b) PLANTS

Annex IV (b) contains all the plant species listed in Annex II (b) (*) plus those mentioned below:

PTERIDOPHYTA	<i>Ramonda serbica</i> Pancic
ASPLENIACEAE	IRIDACEAE
<i>Asplenium hemionitis</i> L.	<i>Crocus etruscus</i> Parl.
ANGIOSPERMAE	<i>Iris boissieri</i> Henriq.
AGAVACEAE	<i>Iris marisca</i> Ricci & Colasante
<i>Dracaena draco</i> (L.) L.	LABIATAE
AMARYLLIDACEAE	<i>Rosmarinus tomentosus</i> Huber-Morath & Maire
<i>Narcissus longispathus</i> Pugsley	<i>Teucrium charidemi</i> Sandwith
<i>Narcissus triandrus</i> L.	<i>Thymus capitellatus</i> Hoffmanns. & Link
BERBERIDACEAE	<i>Thymus villosus</i> L. subsp. <i>villosus</i> L.
<i>Berberis maderensis</i> Lowe	LILIACEAE
CAMPANULACEAE	<i>Androcymbium europaeum</i> (Lange) K. Richter
<i>Campanula morettiana</i> Reichenb.	<i>Bellevalia hackelii</i> Freyn
<i>Physoplexis comosa</i> (L.) Schur.	<i>Colchicum corsicum</i> Baker
CARYOPHYLLACEAE	<i>Colchicum cousturieri</i> Greuter
<i>Moehringia fontqueri</i> Pau	<i>Fritillaria conica</i> Rix
COMPOSITAE	<i>Fritillaria drenovskii</i> Degen & Stoy.
<i>Argyranthemum pinnatifidum</i> (L.f.) Lowe subsp. <i>succulentum</i> (Lowe) C. J. Humphries	<i>Fritillaria gussichiae</i> (Degen & Doerfler) Rix
<i>Helichrysum sibthorpii</i> Rouy	<i>Fritillaria obliqua</i> Ker-Gawl.
<i>Picris willkommii</i> (Schultz Bip.) Nyman	<i>Fritillaria rhodocanakis</i> Orph. ex Baker
<i>Santolina elegans</i> Boiss. ex DC.	<i>Ornithogalum reverchonii</i> Degen & Herv.-Bass.
<i>Senecio caespitosus</i> Brot.	<i>Scilla beirana</i> Samp.
<i>Senecio lagascanus</i> DC. subsp. <i>lusitanicus</i> (P. Cout.) Pinto da Silva	<i>Scilla odorata</i> Link
<i>Wagenitzia lancifolia</i> (Sieber ex Sprengel) Dostal	ORCHIDACEAE
CRUCIFERAE	<i>Ophrys argolica</i> Fleischm.
<i>Murbeckiella sousae</i> Rothm.	<i>Orchis scopolorum</i> Simsmerh.
EUPHORBIACEAE	<i>Spiranthes aestivalis</i> (Poiret) L.C.M. Richard
<i>Euphorbia nevadensis</i> Boiss. & Reuter	PRIMULACEAE
GESNERIACEAE	<i>Androsace cylindrica</i> DC.
<i>Jankaea heldreichii</i> (Boiss.) Boiss.	<i>Primula glaucescens</i> Moretti
	<i>Primula spectabilis</i> Tratt.
	RANUNCULACEAE
	<i>Aquilegia alpina</i> L.

(*) Except bryophytes in Annex II (b).

SAPOTACEAE	<i>Lindernia procumbens</i> (Krocker) Philcox
<i>Sideroxylon marmulano</i> Banks ex Lowe	
SAXIFRAGACEAE	<i>Mandragora officinarum</i> L.
<i>Saxifraga cintrana</i> Kuzinsky ex Willk.	
<i>Saxifraga portosanctana</i> Boiss.	<i>Thymelaea broteriana</i> P. Cout.
<i>Saxifraga presolanensis</i> Engl.	
<i>Saxifraga valdensis</i> DC.	<i>Bunium brevifolium</i> Lowe
<i>Saxifraga vayredana</i> Luizet	
SCROPHULARIACEAE	<i>Violaceae</i>
<i>Antirrhinum lopesianum</i> Rothm.	<i>Viola athois</i> W. Becker
	<i>Viola caazorlensis</i> Gandoer'

Annex II to Directive 2009/147/EC is replaced by the following:

'ANNEX II

PART A

ANSERIFORMES	Phasianidae
Anatidae	<i>Alectoris graeca</i>
<i>Anser fabalis</i>	<i>Alectoris rufa</i>
<i>Anser anser</i>	<i>Perdix perdix</i>
<i>Branta canadensis</i>	<i>Phasianus colchicus</i>
<i>Anas penelope</i>	GRUIFORMES
<i>Anas strepera</i>	Rallidae
<i>Anas crecca</i>	<i>Fulica atra</i>
<i>Anas platyrhynchos</i>	CHARADRIIFORMES
<i>Anas acuta</i>	Scolopacidae
<i>Anas querquedula</i>	<i>Lymnocryptes minimus</i>
<i>Anas clypeata</i>	<i>Gallinago gallinago</i>
<i>Aythya ferina</i>	<i>Scolopax rusticola</i>
<i>Aythya fuligula</i>	COLUMBIFORMES
GALLIFORMES	Columbidae
Tetraonidae	<i>Columba livia</i>
<i>Lagopus lagopus scoticus et hibernicus</i>	<i>Columba palumbus</i>
<i>Lagopus mutus</i>	

PART B

ANSERIFORMES	<i>Somateria mollissima</i>
Anatidae	<i>Clangula hyemalis</i>
<i>Cygnus olor</i>	<i>Melanitta nigra</i>
<i>Anser brachyrhynchus</i>	<i>Melanitta fusca</i>
<i>Anser albifrons</i>	<i>Bucephala clangula</i>
<i>Branta bernicla</i>	<i>Mergus serrator</i>
<i>Netta rufina</i>	<i>Mergus merganser</i>
<i>Aythya marila</i>	

GALLIFORMES	<i>Tringa totanus</i>
Meleagrididae	<i>Tringa nebularia</i>
<i>Meleagris gallopavo</i>	Laridae
Tetraonidae	<i>Larus ridibundus</i>
<i>Bonasa bonasia</i>	<i>Larus canus</i>
<i>Lagopus lagopus lagopus</i>	<i>Larus fuscus</i>
<i>Tetrao tetrix</i>	<i>Larus argentatus</i>
<i>Tetrao urogallus</i>	<i>Larus cachinnans</i>
Phasianidae	<i>Larus marinus</i>
<i>Francolinus francolinus</i>	COLUMBIFORMES
<i>Alectoris barbara</i>	Columbidae
<i>Alectoris chukar</i>	<i>Columba oenas</i>
<i>Coturnix coturnix</i>	<i>Streptopelia decaocto</i>
GRUIFORMES	<i>Streptopelia turtur</i>
Rallidae	PASSERIFORMES
<i>Rallus aquaticus</i>	Alaudidae
<i>Gallinula chloropus</i>	<i>Alauda arvensis</i>
CHARADRIIFORMES	Muscicapidae
Haematopodidae	<i>Turdus merula</i>
<i>Haematopus ostralegus</i>	<i>Turdus pilaris</i>
Charadriidae	<i>Turdus philomelos</i>
<i>Pluvialis apricaria</i>	<i>Turdus iliacus</i>
<i>Pluvialis squatarola</i>	<i>Turdus viscivorus</i>
<i>Vanellus vanellus</i>	Sturnidae
Scolopacidae	<i>Sturnus vulgaris</i>
<i>Calidris canutus</i>	Corvidae
<i>Philomachus pugnax</i>	<i>Garrulus glandarius</i>
<i>Limosa limosa</i>	<i>Pica pica</i>
<i>Limosa lapponica</i>	<i>Corvus monedula</i>
<i>Numenius phaeopus</i>	<i>Corvus frugilegus</i>
<i>Numenius arquata</i>	<i>Corvus corone</i>
<i>Tringa erythropus</i>	

	BE	BG	CZ	DK	DE	EE	IE	EL	ES	FR	HR	IT	CY	LV	LT	LU	HU	MT	NL	AT	PL	PT	RO	SI	SK	FI	SE	UK		
<i>Cygnus olor</i>					+															+										
<i>Anser brachyrhynchus</i>	+				+				+																			+		
<i>Anser albifrons</i>	+	+	+	+	+	+	+	+	+				+	+	+		+	+	+	+	+	+	+	+	+	+	+			
<i>Branta bernicla</i>						+	+																							
<i>Netta rufina</i>									+	+																				
<i>Aythya marila</i>	+				+	+		+	+			+			+				+			+					+			
<i>Somateria mollissima</i>							+	+	+				+														+	+		
<i>Clangula hyemalis</i>							+	+	+				+			+											+	+	+	
<i>Melanitta nigra</i>						+	+	+	+				+			+											+	+	+	
<i>Melanitta fusca</i>						+	+		+				+			+											+	+	+	
<i>Bucephala clangula</i>							+	+	+	+			+			+	+		+			+					+	+	+	
<i>Mergus serrator</i>								+												+								+	+	
<i>Mergus merganser</i>							+		+																			+	+	
<i>Bonasa bonasia</i>								+					+							+	+		+				+	+	+	
<i>Lagopus lagopus lagopus</i>																												+	+	
<i>Tetrao tetrix</i>	+												+		+	+												+	+	+
<i>Tetrao urogallus</i>		+											+		+	+												+	+	+
<i>Francolinus francolinus</i>																+														
<i>Alectoris barbara</i>																+														
<i>Alectoris chukar</i>		+											+		+	+														
<i>Coturnix coturnix</i>		+											+	+	+	+	+	+									+	+	+	

	BE	BG	CZ	DK	DE	EE	IE	EL	ES	FR	HR	IT	CY	LV	LT	LU	HU	MT	NL	AT	PL	PT	RO	SI	SK	FI	SE	UK		
<i>Meleagris gallopavo</i>			+		+														+						+					
<i>Rallus aquaticus</i>										+		+							+											
<i>Gallinula chloropus</i>	+							+		+		+						+				+	+					+		
<i>Haematopus ostralegus</i>						+				+																				
<i>Pluvialis apricaria</i>	+				+		+	+		+								+	+			+						+		
<i>Pluvialis squatarola</i>						+					+								+										+	
<i>Vanellus vanellus</i>	+				+			+	+	+	+	+		+				+												
<i>Calidris canutus</i>						+					+																			
<i>Philomachus pugnax</i>											+		+						+											
<i>Limosa limosa</i>						+					+																			
<i>Limosa lapponica</i>						+					+																		+	
<i>Numenius phaeopus</i>						+					+																		+	
<i>Numenius arquata</i>						+			+			+																+	+	
<i>Tringa erythropus</i>						+					+																			
<i>Tringa totanus</i>						+					+		+																+	
<i>Tringa nebularia</i>						+					+																			
<i>Larus ridibundus</i>	+					+	+	+			+							+			+					+	+			
<i>Larus canus</i>							+	+	+																			+	+	
<i>Larus fuscus</i>							+	+																						
<i>Larus argentatus</i>	+					+	+	+									+												+	+
<i>Larus cachinnans</i>											+							+												
<i>Larus marinus</i>							+	+	+								+												+	+
<i>Columba oenas</i>										+	+	+					+									+	+			

	BE	BG	CZ	DK	DE	EE	IE	EL	ES	FR	HR	IT	CY	LV	LT	LU	HU	MT	NL	AT	PL	PT	RO	SI	SK	FI	SE	UK
<i>Streptopelia decaocto</i>		+	+	+	+					+			+				+					+		+				
<i>Streptopelia turtur</i>		+							+	+	+		+	+				+		+		+	+					
<i>Alauda arvensis</i>									+		+		+	+				+						+				
<i>Turdus merula</i>									+		+		+	+				+				+					+	
<i>Turdus pilaris</i>								+		+	+		+	+				+		+		+	+				+	+
<i>Turdus philomelos</i>									+		+		+	+				+				+	+					
<i>Turdus iliacus</i>									+		+		+	+				+				+	+					
<i>Turdus viscivorus</i>									+		+			+				+				+	+					
<i>Sturnus vulgaris</i>		+							+		+			+				+		+			+	+				
<i>Garrulus glandarius</i>	+			+	+					+		+	+				+	+		+		+	+	+	+	+	+	+
<i>Pica pica</i>	+	+	+	+	+				+	+	+	+	+	+	+		+	+		+		+	+	+	+	+	+	+
<i>Corvus monedula</i>		+							+	+		+		+					+				+			+	+	+
<i>Corvus frugilegus</i>		+						+			+	+					+		+				+		+	+	+	+
<i>Corvus corone</i>	+	+	+	+	+	+	+		+	+	+	+	+	+	+	+	+	+		+		+	+	+	+	+	+	

AT = Österreich, BE = Belgique/België, BG = България, CY = Κύπρος, CZ = Česká republika, DE = Deutschland, DK = Danmark, EE = Eesti, ES = España, FI = Suomi/Finland, FR = France, EL = Ελλάδα, HR = Hrvatska, HU = Magyarország, IE = Ireland, IT = Italia, LT = Lietuva, LU = Luxembourg, LV = Latvija, MT = Malta, NL = Nederland, PL = Polska, PT = Portugal, RO = România, SE = Sverige, SI = Slovenija, SK = Slovensko, UK = United Kingdom

+ = Member States which under Article 7(3) may authorise hunting of the species listed.'