

## ANNEX

ANNEX General note for Annex A: SOLAS Regulations refer to SOLAS, as amended.  
A

General note for Annex A: Within certain item designations, column 5 shows some possible product variants under the same item designation. Product variants are independently provisioned and separated by a dotted line from each other. For certification purpose only the relevant product variant shall be chosen, as appropriate (Example: A.1/3.3).

*List of acronyms used*

- A.1, Amendment 1 concerning Standard Documents other than IMO.
- A.2, Amendment 2 concerning Standard Documents other than IMO.
- AC, Amending Corrigendum concerning Standard Documents other than IMO.
- CAT, Category for radar equipment as defined in section 1.3 of IEC 62388 (2007)
- Circ., Circular.
- COLREG, International Regulations for Preventing Collisions at Sea.
- COMSAR, IMO's Sub-Committee on Radiocommunications and Search and Rescue.
- EN, European Standard.
- ETSI, European Telecommunication Standardisation Institute.
- FSS, International Code for Fire Safety Systems.
- FTP, International Code for Application of Fire Test Procedures.
- HSC, High Speed Craft Code.
- IBC, International Bulk Chemical Code.
- ICAO, International Civil Aviation Organization.
- IEC, International Electro-technical Commission.
- IGC, International Code for the Construction and Equipment of Ships Carrying Liquefied Gases in Bulk.
- IMO, International Maritime Organization.
- ISO, International Standardisation Organisation.
- ITU, International Telecommunication Union.
- LSA, Life saving appliance.
- MARPOL, International Convention for the Prevention of Pollution from Ships.
- MEPC, Marine Environment Protection Committee
- MSC, Maritime Safety Committee.
- NO<sub>x</sub>, Nitrogen Oxides.
- O<sub>2</sub>/HC systems: Oxygen Hydro Carbon systems.
- SOLAS, International Convention for the Safety of Life at Sea.
- SO<sub>x</sub>, Sulphur Oxides.
- Reg., Regulation.
- Res., Resolution.

## ANNEX A.1

### EQUIPMENT FOR WHICH DETAILED TESTING STANDARDS ALREADY EXIST IN INTERNATIONAL INSTRUMENTS

Notes applicable to the whole of Annex A.1

**Status:** EU Directives are being published on this site to aid cross referencing from UK legislation. After IP completion day (31 December 2020 11pm) no further amendments will be applied to this version.

- (a) General: in addition to the testing standards specifically mentioned, a number of provisions, which must be checked during type-examination (type approval) as referred to in the modules for conformity assessment in Annex B, are to be found in the applicable requirements of the international conventions and the relevant resolutions and circulars of the IMO.
- (b) Column 1: Article 2 of Commission Directive 2013/52/EU<sup>(1)</sup> may apply. (9th Amendment of MED Annex A).
- (c) Column 1: Article 2 of Commission Directive 2014/93/EU<sup>(2)</sup> may apply. (10th Amendment of MED Annex A).
- (d) Column 5: Where IMO Resolutions are cited, only the testing standards contained in relevant parts of the Annexes to the Resolutions are applicable and exclude the provisions of the Resolutions themselves.
- (e) Column 5: International conventions and testing standards apply in their up-to-date version. For the purpose of identifying correctly the relevant standards, test reports, certificates of conformity and declarations of conformity shall identify the specific testing standard applied and its version.
- (f) Column 5: Where two sets of identifying standards are separated by “or”, each set fulfils all the testing requirements to meet IMO Performance Standards; thus testing to one of these sets is sufficient to demonstrate compliance with the requirements of the relevant International Instruments. Conversely, when other separators (comma) are used all the listed references apply.
- (g) The requirements laid down in this annex shall be without prejudice to carriage requirements in the international conventions

## 1. Life-saving appliances

Column 4: IMO MSC/ Circular 980 should apply except when superseded by the specific instruments referred to in Column 4.

No.	Item designation	Regulation SOLAS 74, as amended, where “type approval” is required	Regulations of SOLAS 74, as amended, and the relevant resolutions and circulars of the IMO, as applicable	Testing standards	Modules for conformity assessment
1	2	3	4	5	6
A.1/1.1	Lifebuoys	— Reg. III/4, — Reg. X/3.	— Reg. III/7, — Reg. III/34, — IMO Res.	— IMO Res.	B + D B + E B + F 81(70).

					MSC 36(63)- (1994 HSC Code) 8, IMO Res. MSC 48(66)- (LSA Code) I, II, IMO Res. MSC 97(73)- (2000 HSC Code) 8.	
A.1/1.2	Position-indicating lights for life-saving appliances: (a) for survival craft and rescue boats, (b) for lifebuoys, (c) for lifejackets.	— — —  Reg. III/4, Reg. X/3.	— — —  Reg. III/26, Reg. III/32, Reg. III/34, IMO Res. MSC 36(63)- (1994 HSC Code) 8, IMO Res. MSC 48(66)- (LSA Code) II, IV, IMO Res. MSC 97(73)- (2000 HSC Code) 8.	Reg. III/7, Reg. III/22, Reg. III/26, Reg. III/32, Reg. III/34, IMO Res. MSC 36(63)- (1994 HSC Code) 8, IMO Res. MSC 48(66)- (LSA Code) II, IV, IMO Res. MSC 97(73)- (2000 HSC Code) 8.	IMO Res. MSC 81(70).	B + D B + E B + F

**Status:** EU Directives are being published on this site to aid cross referencing from UK legislation. After IP completion day (31 December 2020 11pm) no further amendments will be applied to this version.

A.1/1.3	Lifebuoys self-activating smoke signals	—	Reg. III/4, —	Reg. III/7, —	—	IMO Res. MSC	B + D B + E B + F 81(70).
A.1/1.4	Lifejackets	—	Reg. III/4, —	Reg. III/7, —	—	IMO Res. MSC	B + D B + E B + F 81(70).

				—	IMO MSC/ Circ.922, IMO MSC.1/ Circ.1304, IMO MSC.1/ Circ.1470.	
A.1/1.5	Immersion suits and anti-exposure suits designed to be worn in conjunction WITH a lifejacket	— —	Reg. III/4, Reg. X/3.	— Reg. III/22, — Reg. III/32, — Reg. III/34, — IMO Res. MSC.36(63)- (1994 HSC Code) 8, — IMO Res. MSC.48(66)- (LSA Code) I, II, — IMO Res. MSC.97(73)- (2000 HSC Code) 8, — IMO MSC/ Circ.1046.	Reg. III/7, — Reg. III/22, — Reg. III/32, — Reg. III/34, — IMO Res. MSC.81(70).	B + D B + E B + F 81(70).
A.1/1.6	Immersion suits and anti-exposure suits designed to be worn WITHOUT a lifejacket	— —	Reg. III/4, Reg. X/3.	— Reg. III/22, — Reg. III/32, — Reg. III/34, — IMO Res. MSC.36(63)- (1994	Reg. III/7, — Reg. III/22, — Reg. III/32, — Reg. III/34, — IMO Res. MSC.81(70).	B + D B + E B + F 81(70).

**Status:** EU Directives are being published on this site to aid cross referencing from UK legislation. After IP completion day (31 December 2020 11pm) no further amendments will be applied to this version.

	b) immersion suit with inherent insulation anti exposure suits	—	HSC Code) 8, IMO Res. MSC.48(66)- (LSA Code) I, II, IMO Res. MSC.97(73)- (2000 HSC Code) 8, IMO MSC/ Circ.1046.			
A.1/1.7	Thermal protective aids	— Reg. III/4, — Reg. X/3	— Reg. III/22, — Reg. III/32, — Reg. III/34, — IMO Res. MSC.36(63)- (1994 HSC Code) 8, IMO Res. MSC.48(66)- (LSA Code) I, II, IMO Res. MSC.97(73)- (2000 HSC Code) 8, IMO MSC/ Circ.1046.	— Reg. III/22, — Reg. III/32, — Reg. III/34, — IMO Res. MSC.48(66)- (LSA Code) I, II, IMO Res. MSC.97(73)- (2000 HSC Code) 8, IMO MSC/ Circ.1046.	IMO Res. MSC	B + D B + E B + F 81(70).
A.1/1.8	Rocket parachute flares (pyrotechnics)	— Reg. III/4, — Reg. X/3.	— Reg. III/6, — Reg. III/34,	— Reg. III/6, — Reg. III/34,	IMO Res. MSC	B + D B + E B + F 81(70).

				—	IMO Res. MSC.36(63)- (1994 HSC Code) 8, IMO Res. MSC.48(66)- (LSA Code) I, III, IMO Res. MSC.97(73)- (2000 HSC Code) 8.		
A.1/1.9	Hand flares (pyrotechnics)	—	Reg. III/4, —	Reg. III/34, —	IMO Res. MSC.36(63)- (1994 HSC Code) 8, IMO Res. MSC.48(66)- (LSA Code) I, III, IMO Res. MSC.97(73)- (2000 HSC Code) 8.	B + D B + E B + F MSC.81(70).	
A.1/1.10	Buoyant smoke signals (pyrotechnics)	—	Reg. III/4, —	Reg. III/34, —	IMO Res. MSC.48(66)- (LSA Code)	B + D B + E B + F MSC.81(70).	

**Status:** EU Directives are being published on this site to aid cross referencing from UK legislation. After IP completion day (31 December 2020 11pm) no further amendments will be applied to this version.

				I, III.				
A.1/1.11	Line-throwing appliances	—	Reg. III/4, —	Reg. III/18, —	IMO Res. MSC	B + D B + E B + F 81(70).		
			Reg. X/3.	Reg. III/34, — IMO Res. MSC 36(63)- (1994 HSC Code) 8, IMO Res. MSC 48(66)- (LSA Code) I, VII, IMO Res. MSC 97(73)- (2000 HSC Code) 8.				
A.1/1.12	Inflatable liferafts	—	Reg. III/4, —	Reg. III/13, —	IMO Res. MSC	B + D B + E 81(70).		
			Reg. X/3.	Reg. III/21, And for — Reg. extended III/26, service — Reg. intervals: III/31, — IMO — Reg. MSC 1/ III/34, Circ. 1328. IMO Res. MSC 36(63)- (1994 HSC Code) 8, IMO Res. MSC 48(66)- (LSA Code) I, IV,				

				—	IMO Res. MSC.97(73)- (2000 HSC Code) 8, IMO MSC/ Circ.811, IMO MSC.1/ Circ.1328.		
A.1/1.13	Rigid liferafts	—	Reg. III/4, —	Reg. III/21, Reg. X/3.	IMO B + D Res. B + E MSC.81(70), IMO MSC/ Circ.1006.		
A.1/1.14	Automatically self-righting liferafts	—	Reg. III/4, —	Reg. III/26, Reg. X/3.	IMO B + D Res. B + E MSC.81(70). IMO Res. MSC.97(73)- (2000 HSC Code) 8, IMO MSC/ Circ.811.		

**Status:** EU Directives are being published on this site to aid cross referencing from UK legislation. After IP completion day (31 December 2020 11pm) no further amendments will be applied to this version.

				(1994— HSC Code) 8, IMO Res. MSC 48(66)- (LSA Code) I, IV, IMO Res. MSC 97(73)- (2000 HSC Code) 8, IMO MSC/ Circ.809, IMO MSC/ Circ.811, IMO MSC 1/ Circ.1328.	IMO MSC 1/ Circ.1328.	
A.1/1.15	Canopied reversible liferafts	—	Reg. III/4, Reg. X/3.	Reg. — III/26, Reg. III/34, And for IMO extended Res. service MSC 36(63) als: (1994— HSC Code) 8, IMO Res. MSC 48(66)- (LSA Code) I, IV, IMO Res. MSC 97(73)- (2000 HSC	IMO B + D Res. B + E MSC 31(70). IMO MSC 1/ Circ.1328.	

					Code) 8, IMO MSC/ Circ.809, IMO MSC/ Circ.811, IMO MSC.1/ Circ.1328.	
A.1/1.16	Float-free arrangements for liferafts (hydrostatic release units)	—	Reg. III/4, —	Reg. III/13, —	IMO Res. Reg. III/26, —	B + D B + E B + F MSC.81(70).
A.1/1.17	Lifeboats: (a) Davit-launched lifeboats: — partially enclosed, — totally enclosed. (b) Free-fall lifeboats.	—	Reg. X/3.	Reg. III/21, —	IMO Res. Reg. III/31,— —	B + D B + F MSC.81(70), IMO MSC/ Circ.1006. MSC.36(63)- (1994 HSC Code) 8, IMO Res. MSC.48(66)- (LSA Code) I, IV, IMO Res. MSC.97(73)- (2000 HSC Code) 8, IMO MSC/ Circ.811.

**Status:** EU Directives are being published on this site to aid cross referencing from UK legislation. After IP completion day (31 December 2020 11pm) no further amendments will be applied to this version.

					Code) 8, IMO Res. MSC.48(66)- (LSA Code) I, IV, IMO Res. MSC.97(73)- (2000 HSC Code) 8, IMO MSC.1/ Circ.1423.	
A.1/1.18	Rigid rescue boats	—	Reg. III/4,	—	Reg. III/21, Reg. III/31,—	IMO Res. B + D B + F MSC.81(70), IMO MSC/ Circ.1006.
		—	Reg. X/3.	—	IMO Res. MSC.36(63)- (1994 HSC Code) 8, IMO Res. MSC.48(66)- (LSA Code) I, V, IMO Res. MSC.97(73)- (2000 HSC Code) 8.	
A.1/1.19	Inflated rescue boats	—	Reg. III/4,	—	Reg. III/21, Reg. III/31,—	IMO Res. B + D B + F MSC.81(70), ISO Reg. 15372 III/34, (2000).

				—	IMO Res. MSC.36(63)- (1994 HSC Code) 8, IMO Res. MSC.48(66)- (LSA Code) I, V, IMO Res. MSC.97(73)- (2000 HSC Code) 8.		
A.1/1.20	Fast rescue boats: (a) inflated (b) rigid (c) rigid- inflated	—	Reg. III/4.	—	Reg. III/26, Reg. III/34, IMO Res. MSC.48(66)- (LSA Code) I, V, IMO MSC/ Circ.1016, IMO MSC/ Circ.1094.	IMO Res. MSC.81(70), IMO MSC/ Circ.1006, ISO 15372 (2000).	B + D B + F
A.1/1.21	Launching appliances using falls (davits)	—	Reg. III/4, Reg. X/3.	—	Reg. III/23, Reg. III/33, Reg. III/34, IMO Res. MSC.36(63)- (1994 HSC Code) 8, IMO Res. MSC.48(66)-	IMO Res. MSC.81(70).	B + D B + E B + F G

**Status:** EU Directives are being published on this site to aid cross referencing from UK legislation. After IP completion day (31 December 2020 11pm) no further amendments will be applied to this version.

				(LSA Code) I, VI, IMO Res. MSC.97(73)- (2000 HSC Code) 8.		
A.1/1.22	Float free launching appliances for survival craft		Moved to A.2/1.3			
A.1/1.23	Launching appliances for free-fall lifeboats	—	Reg. III/4, — Reg. X/3.	Reg. III/16, — Reg. III/23, — Reg. III/33, — Reg. III/34, — IMO Res. MSC.36(63)- (1994 HSC Code) 8, — IMO Res. MSC.48(66)- (LSA Code) I, VI, IMO Res. MSC.97(73)- (2000 HSC Code) 8.	— IMO Res. MSC.81(70).	B + D B + E B + F G
A.1/1.24	Liferaft launching appliances (Davits)	—	Reg. III/4, — Reg. X/3.	Reg. III/12, — Reg. III/16, — Reg. III/34,	— IMO Res. MSC.81(70).	B + D B + E B + F G

			—	IMO Res. MSC.36(63)- (1994 HSC Code) 8, IMO Res. MSC.48(66)- (LSA Code) I, VI, IMO Res. MSC.97(73)- (2000 HSC Code) 8.		
A.1/1.25	Fast rescue boat launching appliances (Davits)	—	Reg. III/4.	— Reg. III/26, — Reg. III/34, — IMO Res. MSC.48(66)- (LSA Code) I, VI.	— IMO Res. MSC.81(70).	B + D B + E B + F
A.1/1.26	Release mechanism for (a) Lifeboats and rescue boats (launched by a fall or falls) (b) Liferafts (launched by a fall or falls)	— — Reg. X/3.	Reg. III/4, — Reg. X/3.	— Reg. III/16, — Reg. III/34, — IMO Res. MSC.36(63)- (1994 HSC Code) 8, IMO Res. MSC.48(66)- (LSA Code) I, IV, VI,	— IMO Res. MSC.81(70).	B + D B + E B + F

**Status:** EU Directives are being published on this site to aid cross referencing from UK legislation. After IP completion day (31 December 2020 11pm) no further amendments will be applied to this version.

	(c) Free fall lifeboats	—	IMO Res. MSC.97(73)- (2000 HSC Code) 8, IMO MSC.1/ Circ.1419.			
A.1/1.27	Marine evacuation systems	— Reg. III/4, — Reg. X/3.	— Reg. III/15, — Reg. III/26, — Reg. III/34, — IMO Res. MSC.36(63)- (1994 HSC Code) 8, IMO Res. MSC.48(66)- (LSA Code) I, VI, IMO Res. MSC.97(73)- (2000 HSC Code) 8.	— IMO Res. MSC.81(70).	B + D B + F G	
A.1/1.28	Means of rescue	— Reg. III/4.	— Reg. III/26, — Reg. III/34, — IMO Res. MSC.48(66)- (LSA Code) I, VI.	— IMO Res. MSC.81(70), — IMO Res. MSC./ Circ.810.	B + D B + F	
A.1/1.29	Embarkation ladders	— Reg. III/4,	Reg. III/11,	— IMO Res. MSC.81(70),	B + D B + F	

		—	Reg. III/11, —	Reg. III/34, —	ISO 5489 (2008).	
A.1/1.30	Retro-reflective materials	—	Reg. III/4, —	Reg. III/34, —	IMO Res. A.658(16).	B + D B + E B + F
		—	Reg. X/3.	IMO Res. MSC.36(63)- (1994 HSC Code) 8, IMO Res. MSC.48(66)- (LSA Code) I, IMO Res. MSC.97(73)- (2000 HSC Code) 8.		
A.1/1.31	Survival craft two-way VHF radio telephone apparatus	Moved to A.1/5.17 and A.1/5.18				

**Status:** EU Directives are being published on this site to aid cross referencing from UK legislation. After IP completion day (31 December 2020 11pm) no further amendments will be applied to this version.

A.1/1.32	9 GHz SAR transponder (SART)	Moved to A.1/4.18						
A.1/1.33	Radar reflector for lifeboats and rescue boats (passive)	—	Reg. III/4, Reg. X/3.	Reg. III/34, IMO Res. A.384(X), IMO Res. MSC.36(63)- (1994 HSC Code) 8, IMO Res. MSC.48(66)- (LSA Code) I, IV, V, IMO Res. MSC.97(73)- (2000 HSC Code) 8, IMO Res. MSC.164(78).	—	EN ISO 8729 B + D B + E B + F (1998), EN 60945 (2002) including IEC 60945 Corrigendum 1 (2008). Or, EN ISO 8729 (1998), IEC 60945 (2002) including IEC 60945 Corrigendum 1 (2008). Or, ISO 8729-1 (2010), EN 60945 (2002) including IEC 60945 Corrigendum 1 (2008). Or, ISO 8729-1 (2010), IEC 60945 (2002) including IEC	—	—

---

**Status:** EU Directives are being published on this site to aid cross referencing from UK legislation. After IP completion day (31 December 2020 11pm) no further amendments will be applied to this version.

---

						60945 Corrigendum 1 (2008).
A.1/1.34	Compass for lifeboats and rescue boats	Moved to A.1/4.23				
A.1/1.35	Portable fire — extinguishing equipment for lifeboats and rescue boats	Moved to A.1/3.38				
A.1/1.36	Lifeboat/ rescue boat propulsion engine	— Reg. III/4, — Reg. X/3.	— Reg. III/34, — IMO Res. MSC IV, V.	—	IMO Res. MSC 48(66)- (LSA Code)	B + D B + E B + F 81(70).
A.1/1.37	Rescue boat propulsion engine- outboard motor	— Reg. III/4, — Reg. X/3.	— Reg. III/34, — IMO Res. MSC IV, V.	—	IMO Res. MSC 48(66)- (LSA Code)	B + D B + E B + F 81(70).
A.1/1.38	Searchlights for use in lifeboats and rescue boats	— Reg. III/4, — Reg. X/3.	— Reg. III/34, — IMO Res. MSC 36(63)- (1994 HSC Code) — IMO Res. MSC 48(66)- (LSA Code) — IMO Res. MSC 97(73)-	—	IMO Res. MSC I, IV, V, IMO Res. MSC	B + D B + E B + F 81(70).

**Status:** EU Directives are being published on this site to aid cross referencing from UK legislation. After IP completion day (31 December 2020 11pm) no further amendments will be applied to this version.

				(2000 HSC Code) 8.			
A.1/1.39	Open reversible liferafts	— Reg. III/4, — Reg. X/3.	—	IMO Res. MSC 36(63)- (1994 HSC Code) 8, Annex 10, — IMO Res. MSC 48(66)- (2000 LSA Code) I, Annex 11. Res. And for MSC 97(73)- (2000 service HSC intervals: Code) — IMO 8, MSC 1/ Annex 11, IMO MSC 1/ Circ. 1328.	IMO Res. MSC 36(63)- (1994 HSC Code) Annex 10, — IMO Res. MSC 97(73)- (2000 HSC Code) Annex 11. IMO MSC 1/ Circ. 1328.	B + D B + F	
A.1/1.40	Mechanical pilot hoist	Moved to A.1/4.48					
A.1/1.41	Winches for survival craft and rescue boats	— Reg. III/4, — Reg. X/3.	Reg. III/16, — Reg. III/17,	Reg. III/23, — Reg. III/24, — Reg. III/34, IMO Res. MSC 36(63)- (1994 HSC Code) 8,	IMO Res. MSC 81(70).	B + D B + E B + F	
	(a) davit launched lifeboats,						
	(b) free-fall lifeboats,						
	(c) liferafts,						
	(d) rescue boats,						
	(e) fast rescue boats,						

			—	IMO Res. MSC 48(66)- (LSA Code) I, VI, IMO Res. MSC 97(73)- (2000 HSC Code) 8.		
A.1/1.42	Pilot ladder	Moved to A.1/4.49				
A.1/1.43	Rigid/inflated rescue boats	—	Reg. III/4,	Reg. III/21,	IMO Res.	B + D B + F
		—	Reg. X/3.	Reg. III/31,—	MSC	§1(70),
				Reg. III/34,	IMO MSC/ Circ.1006,	
				IMO —	ISO Res. 15372	
				MSC 36(63)-	(1994 HSC Code) 8,	(2000).
				IMO Res.	48(66)-	
				MSC	(LSA Code) I, V, IMO Res.	
				MSC	97(73)- (2000 HSC Code) 8.	

## 2. Marine pollution prevention

No.	Item designation	Regulation MARPOL 73/78 as amended, where “type	Regulations MARPOL 73/78, as amended, and the relevant	Testing standards	Modules for conformity assessment

**Status:** EU Directives are being published on this site to aid cross referencing from UK legislation. After IP completion day (31 December 2020 11pm) no further amendments will be applied to this version.

		<b>approval” is required</b>	<b>resolutions and circulars of the IMO, as applicable</b>		
1	2	3	4	5	6
A.1/2.1	Oil-filtering equipment (for an oil content of the effluent not exceeding 15 p.p.m.)	— Annex I, Reg. 14.	Annex I, Reg. IMO MEPC.4/ Circ.643.	—	IMO Res. MEPC.108(49), IMO MEPC.1/ Circ.643.
A.1/2.2	Oil/water interface detectors	— Annex I, Reg. 32.	Annex I, Reg. 32.	—	IMO Res. MEPC.5(XIII).
A.1/2.3	Oil-content meters	— Annex I, Reg. 14.	Annex I, Reg. IMO MEPC.4/ Circ.643.	—	IMO Res. MEPC.108(49), IMO MEPC.1/ Circ.643.
A.1/2.4	Process units intended for attachment to existing oily water separating equipment (for an oil content of the effluent not exceeding 15 p.p.m.)	Deliberately left blank			
A.1/2.5	Oil discharge monitoring and control system for oil tankers	— Annex I, Reg. 31, IMO MEPC.1/ Circ.761 Rev.1.	Annex I, Reg. 31.	—	IMO Res. MEPC.108(49).
A.1/2.6	Sewage systems	— Annex IV, Reg. 9.	Annex IV, Reg. 9.	Until 31 December 2015:	B + D B + E B + F IMO Res. MEPC.159(55).

**Status:** EU Directives are being published on this site to aid cross referencing from UK legislation. After IP completion day (31 December 2020 11pm) no further amendments will be applied to this version.

					As from 1 January 2016: — IMO Res. MEPC.227(64).
A.1/2.7	Shipboard incinerators	— Annex VI, Reg. 16.	Annex VI, Reg. 16, IMO MEPC.1/ Circ.793	IMO Res. MEPC.76(40).	B + D B + E B + F
A.1/2.8	NO <sub>x</sub> analyser for use on board as per NO <sub>x</sub> Technical Code 2008	— IMO Res. MEPC.176(58) (Revised MARPOL Annex VI, Reg. 13)	IMO Res. MEPC.176(58) (Revised MARPOL Annex VI, Reg. 13); IMO Res. MEPC.177(58) (NO <sub>x</sub> Technical code 2008), IMO Res. MEPC.198(62), IMO MEPC.1/ Circ.638.	IMO Res. MEPC.177(58) (NO <sub>x</sub> Technical code 2008). —	B + D B + E B + F
A.1/2.9	Equipment using other technological methods to limit SO <sub>x</sub> emissions	Moved to A.2/2.4			
A.1/2.10	On board exhaust gas cleaning systems	— IMO Res. MEPC.176(58) (Revised MARPOL Annex VI, Reg. 4), IMO Res. MEPC.184(59).	IMO Res. MEPC.176(58) (Revised MARPOL Annex VI, Reg. 4).	IMO Res. MEPC.184(59).	B + D B + E B + F

**Status:** EU Directives are being published on this site to aid cross referencing from UK legislation. After IP completion day (31 December 2020 11pm) no further amendments will be applied to this version.

### 3. Fire protection equipment

No.	Item designation	Regulation SOLAS 74, as amended, where “type approval” is required	Regulations of SOLAS 74, as amended, and the relevant resolutions and circulars of the IMO, as applicable	Testing standards	Modules for conformity assessment
1	2	3	4	5	6
A.1/3.1	Primary decks covering	— Reg. II-2/4, — Reg. II-2/6, — Reg. X/3.	Reg. II-2/4, Reg. II-2/6, IMO Res. MSC.36(63)- (1994 HSC Code) 7, IMO Res. MSC.97(73)- (2000 HSC Code) 7.	IMO Res. MSC.307(88)- (2010 FTP Code).	B + D B + E B + F
A.1/3.2	Portable fire extinguishers	— Reg. II-2/10, — Reg. X/3, — IMO Res. MSC.98(73)- (FSS Code)	Reg. II-2/4, Reg. II-2/10, Reg. II-2/18, Reg. II-2/19, Reg. II-2/20, IMO Res. A.951(23), IMO Res. MSC.36(63)- (1994 HSC	EN 3-7 B + E B + F including A.1 (2007), EN 3-8 (2006) including AC (2007), EN 3-9 (2006) including AC (2007),	B + D B + E B + F

				Code) — 7, IMO Res. MSC 97(73)- (2000 HSC Code) 7, IMO Res. MSC 98(73)- (FSS Code) 4, IMO MSC/ Circ. 1239, IMO MSC/ Circ. 1275.	EN 3-10 (2009).	
A.1/3.3	Fire-fighter's outfit: protective clothing (close proximity clothing)	— Reg. II-2/10, — Reg. X/3, — IMO Res. MSC 98(73)- (FSS Code) 3.	— Reg. II-2/1 IMO Res. MSC 36(63)- (1994 HSC Code) 7, IMO Res. MSC 97(73)- (2000 HSC Code) 7, IMO Res. MSC 98(73)- (FSS Code) 3.	Protective clothing for fire fighting: EN 469 (2005) including A1 (2006) and AC (2006). Protective HSC clothing Code) for fire fighting — Reflective clothing for fire-fighting: EN 1486 (2007). Protective clothing for fire fighting — Protective clothing with a reflective outer surface:	B + D B + E B + F	

**Status:** EU Directives are being published on this site to aid cross referencing from UK legislation. After IP completion day (31 December 2020 11pm) no further amendments will be applied to this version.

					—	ISO 15538 (2001) Level 2.
A.1/3.4	Fire-fighter's outfit: boots	—	Reg. II-2/10, X/3, IMO MSC 98(73)- (FSS Code) 3.	Reg. II-2/10, IMO HSC Code) 7, IMO Res. MSC 97(73)- (2000 HSC Code) 7, IMO Res. MSC 98(73)- (FSS Code) 3.	EN 15090 (2012).	B + D B + E B + F
A.1/3.5	Fire-fighter's outfit: gloves	—	Reg. II-2/10, X/3, IMO MSC 98(73)- (FSS Code) 3.	Reg. II-2/10, IMO HSC Code) 7, IMO Res. MSC 97(73)- (2000 HSC Code) 7, IMO Res. MSC 98(73)- (FSS Code) 3.	EN 659 (2003) including A1 (2008) and AC (2009).	B + D B + E B + F
A.1/3.6	Fire-fighter's outfit: helmet	—	Reg. II-2/10,	Reg. II-2/10,	EN 443 (2008).	B + D B + E B + F

		—	Reg. X/3, IMO Res. MSC 98(73)- (FSS Code) 3.	—	IMO Res. MSC 36(63)- (1994 HSC Code) 7, IMO Res. MSC 97(73)- (2000 HSC Code) 7, IMO Res. MSC 98(73)- (FSS Code) 3.		
A.1/3.7	<p>Self-contained compressed-air-operated breathing apparatus</p> <p><i>Note: For use in accidents involving dangerous goods a positive pressure type mask is required.</i></p>	<p>—</p> <p>Reg. II-2/10, X/3, IMO Res. MSC 98(73)- (FSS Code) 3.</p> <p>—</p> <p>Reg. II-2/10, IMO Res. MSC 36(63)- (1994 HSC Code) 7, IMO Res. MSC 97(73)- (2000 HSC Code) 7, IMO Res. MSC 98(73)- (FSS Code) 3.</p> <p>—</p> <p>Reg. II-2/10, IMO Res. MSC 97(73)- (1998 HSC Code) 7, IMO Res. MSC 98(73)- (2003), AC EN 137 (2006). And where the apparatus use in (2000 accidents HSC with cargo: Code)— ISO 7, IMO Res. MSC 98(73)- (FSS Code) 3. And where the apparatus is for use in accidents with cargo: IMO Res. MSC 4(48)- (IBC)</p>	<p>EN</p> <p>B + D</p> <p>136</p> <p>B + E</p> <p>(1998) including</p> <p>AC</p> <p>EN</p> <p>137</p> <p>(2003), (2006).</p> <p>And where the apparatus use in (2000 accidents HSC with cargo: Code)— ISO 7, IMO Res. MSC 98(73)- (FSS Code) 3. And where the apparatus is for use in accidents with cargo: IMO Res. MSC 4(48)- (IBC)</p>				

**Status:** EU Directives are being published on this site to aid cross referencing from UK legislation. After IP completion day (31 December 2020 11pm) no further amendments will be applied to this version.

**Status:** EU Directives are being published on this site to aid cross referencing from UK legislation. After IP completion day (31 December 2020 11pm) no further amendments will be applied to this version.

				Code)		
			—	8. IMO MSC/ Circ.912.		
A.1/3.10	Nozzles for fixed pressure water spraying fire extinguishing systems for machinery spaces and cargo pump-rooms	— — —	Reg. II-2/10, Reg. — IMO Res. MSC(73)- (FSS Code) 7.	Reg. II-2/10, IMO Res. HSC Code) 7, IMO Res. MSC(73)- (2000 HSC Code) 7, IMO Res. MSC(73)- (FSS Code) 7, IMO MSC.1/ Circ.1313.	IMO MSC/ Circ.1165, Appendix A.	B + D B + E B + F
A.1/3.11	“A” & “B” Class divisions fire integrity (a) “A” class divisions, (b) “B” class divisions.	“A” Class: — Reg. II-2/3.2A” Class: “B” Class: — Reg. II-2/3.4. — Reg. II-2/3.4. — Reg. II-2/3.4.	— and, Reg. (2010 IMO Code). MSC/— Circ.1120 IMO MSC.1/ Circ.1434 “B” Class: — Reg. II-2/3.4.	Reg.II-2/9, and, Reg. (2010 IMO Code). MSC/— Circ.1120 IMO MSC.1/ Circ.1434 is only for “A” Class divisions)	IMO MSC/ Circ.107(88)- FTP IMO MSC.1/ Circ.1435 latter	B + D B + E B + F
A.1/3.12	Devices to prevent the passage of flame into the	— —	Reg. II-2/4, Reg. — II-2/16.	Reg II-2/4, Reg II-2/16.	EN ISO 16852 (2010)	For equipment other than valves:

**Status:** EU Directives are being published on this site to aid cross referencing from UK legislation. After IP completion day (31 December 2020 11pm) no further amendments will be applied to this version.

	cargo tanks in tankers			—	ISO 15364 (2007), IMO MSC/ Circ.677.	B + D B + B + E B + F For valves: B + F
A.1/3.13	Non-combustible materials	— Reg. II-2/3, — Reg. X/3.	— Reg. II-2/3, — Reg. II-2/5, — Reg. II-2/9, — IMO Res. Res. MSC.36(63)- (1994 HSC Code) 7, — IMO Res. Res. MSC.97(73)- (2000 HSC Code) 7.	— Reg. II-2/4, — Reg. X/3.	IMO Res. MSC.36(63)- (1994 HSC Code) 7, — IMO Res. Res. MSC.97(73)- (2000 HSC Code) 7.	B + D B + E B + F- (2010 FTP Code).
A.1/3.14	Materials other than steel for pipes penetrating “A” or “B” Class division	Item included in A.1/3.26 and A.1/3.27				
A.1/3.15	Materials other than steel for pipes conveying oil or fuel oil (a) plastic pipes and fittings, (b) valves, (c) flexible pipe assemblies and compensators, (d) metallic pipe	— Reg. II-2/4, — Reg. X/3.	— Reg. II-2/4, fittings: IMO Res. Res. MSC.36(63)- (1994 — HSC Code) 7, — 10, — IMO Res. Res. MSC.97(73)- (2000 HSC Code) 7.	— Reg. II-2/4, — IMO Res. Res. MSC.36(63)- (1994 — HSC Code) 7, — 10, — IMO Res. Res. MSC.97(73)- (2000 HSC Code) 7.	Pipes and fittings: IMO Res. Res. A.753(18), IMO Res. Res. MSC.307(88)- (2010 FTP Code). Valves: EN ISO 10497 (2010).	B + D B + E B + F B + E B + F B + D B + E B + F

	components with resilient and elastomeric seals.	—	7, 10. IMO — MSC/ Circ.1120.	Flexible pipe assemblies: EN ISO 15540 (2001) EN ISO 15541 (2001). Metallic pipe components with resilient and elastomeric seals. ISO 19921 (2005), ISO 19922 (2005).	
A.1/3.16	Fire Doors	— Reg. II-2/9.	— Reg. II-2/9.	— IMO Res. MSC/ B7(88)- (2010 FTP Code). IMO MSC/1/ Circ.1319.	B + D B + E
A.1/3.17	Fire door control systems components. <i>Note:</i> When the term “system components” is used in column 2 it may be that a single component, a group of components or a whole system needs to be tested to ensure that the international	— Reg. II-2/9, — Reg. X/3.	— Reg. II-2/9, — IMO Res. MSC/97(73)- (2000 HSC Code) 7.	IMO Res. MSC/307(88)- (2010 FTP Code).	B + D B + E B + F

**Status:** EU Directives are being published on this site to aid cross referencing from UK legislation. After IP completion day (31 December 2020 11pm) no further amendments will be applied to this version.

	requirements are fulfilled.						
A.1/3.18	<p>Surface materials and floor coverings with low flame-spread characteristics</p> <p>(a) decorative veneers</p> <p>(b) paint systems,</p> <p>(c) floor coverings,</p> <p>(d) pipe insulation covers—</p> <p>(e) adhesives used in the construction of “A”, “B” &amp; “C” class divisions, combustible ducts membrane</p> <p>(f)</p>	<p>—</p> <p>Reg. II-2/3,</p> <p>—</p> <p>Reg. II-2/5,</p> <p>—</p> <p>Reg. II-2/6 for</p> <p>(a), (b), —</p> <p>(c)</p> <p>Reg. II-2/9, for</p> <p>(e), (f)</p> <p>Reg. X/3.</p>	<p>Reg. II-2/3, —</p> <p>Reg. II-2/5,</p> <p>Reg. II-2/6, —</p> <p>II-2/9,</p> <p>—</p> <p>HSC</p> <p>Code)</p> <p>7,</p> <p>—</p> <p>IMO</p> <p>Res.</p> <p>MSC 36(63)- (1994</p> <p>HSC</p> <p>Code)</p> <p>7.</p> <p>IMO</p> <p>MSC/ Circ. 1120.</p>	<p>IMO</p> <p>Res.</p> <p>MSC 36(63)- (1994</p> <p>HSC</p> <p>Code)</p> <p>7.</p> <p>IMO</p> <p>MSC/ Circ. 1120.</p>		B + D	
A.1/3.19	Draperys, curtains and other suspended textile materials and films	<p>—</p> <p>Reg. II-2/3,</p> <p>—</p> <p>Reg. II-2/9,</p> <p>—</p> <p>Reg. X/3.</p>	<p>Reg. II-2/3, —</p> <p>Reg. II-2/9,</p> <p>IMO</p> <p>Res.</p> <p>MSC 36(63)- (1994</p> <p>HSC</p> <p>Code)</p> <p>7,</p> <p>IMO</p> <p>Res.</p> <p>MSC 97(73)- (2000</p> <p>HSC</p> <p>Code)</p> <p>7.</p>	<p>IMO</p> <p>Res.</p> <p>MSC 36(63)- (1994</p> <p>HSC</p> <p>Code)</p> <p>7.</p> <p>IMO</p> <p>MSC/ Circ. 1456.</p>		B + D	

A.1/3.20	Upholstered furniture	—	Reg. II-2/3, Reg. II-2/5, Reg. II-2/9, Reg. X/3.	—	Reg. II-2/3, Reg. II-2/5, Reg. II-2/9, IMO Res. MSC 36(63)- HSC Code) 7, IMO Res. MSC 97(73)- HSC Code) 7.	IMO Res. MSC 307(88)- (2010 FTP Code).	B + D B + E B + F
A.1/3.21	Bedding components	—	Reg. II-2/3, Reg. II-2/9, Reg. X/3.	—	Reg. II-2/3, Reg. II-2/9, IMO Res. MSC 36(63)- HSC Code) 7, IMO Res. MSC 97(73)- HSC Code) 7.	IMO Res. MSC 307(88)- (2010 FTP Code).	B + D B + E B + F
A.1/3.22	Fire dampers	—	Reg. II-2/9.	—	Reg. II-2/9.	IMO Res. MSC 307(88)- (2010 FTP Code),	B + D B + E B + F
A.1/3.23	Non-combustible duct penetrations through	Moved to A.1/3.26					

**Status:** EU Directives are being published on this site to aid cross referencing from UK legislation. After IP completion day (31 December 2020 11pm) no further amendments will be applied to this version.

	“A” class divisions						
A.1/3.24	Electric Cable Transits through “A” class divisions	Moved to A.1/3.26( a)					
A.1/3.25	“A” and “B” class fire proof windows and side scuttles	—	Reg. II-2/9.	—	Reg. II-2/9, IMO MSC/Circ.1120.	IMO Res. MSC.307(88)-(2010) FTP Code).	B + D B + E B + F
A.1/3.26	Penetrations through “A” class divisions (a) electric cable transits, (b) pipe, duct, trunk, etc penetrations.	—	Reg. II-2/9.	—	Reg. II-2/9, IMO MSC.1/Circ.1276. (only applicable to (b))	IMO Res. MSC.307(88)-(2010) FTP Code).	B + D B + E B + F
A.1/3.27	Penetrations through “B” class divisions (a) electric cable transits, (b) pipe, duct, trunk, etc penetrations.	—	Reg. II-2/9.	—	Reg. II-2/9.	IMO Res. MSC.307(88)-(2010) FTP Code).	B + D B + E B + F
A.1/3.28	Sprinkler systems (limited to sprinkler heads). (Nozzles for fixed sprinkler systems, for high speed craft (HSC) are included	—	Reg. II-2/7,	—	Reg. II-2/7, Reg. II-2/10, IMO X/3.	ISO 6182 (2014) Or, EN Res. 12259-1 MSC.36(63)-(1994) HSC Code) 7,	B + D B + E B + F (1999) including A1 (2001), A2 (2004)

	under this item)	—	IMO Res. MSC 44(65), IMO Res. MSC 97(73)-(2000 HSC Code) 7, IMO Res. MSC 98(73)-(FSS Code) 8, IMO MSC Circ.912.	and A3 (2006).	
A.1/3.29	Fire hoses with diameter ≤ 52 mm	— Reg. II-2/10, — Reg. X/3.	Reg. II-2/10, — IMO Res. MSC 36(63)-(1994 HSC Code) 7, IMO Res. MSC 97(73)-(2000 HSC Code) 7.	EN 14540 (2004) including A.1 (2007).	B + D B + E B + F
A.1/3.30	Portable oxygen analysis and gas detection equipment	— Reg. II-2/4, — Reg. VI/3.	Reg. II-2/4, — Reg. VI/3, — IMO Res. MSC 98(73)-(FSS Code) 15.	EN 60945 (2002) Corrigendum 1 (2008) or IEC 60945 (2002) including IEC 60945 Corrigendum	B + D B + E B + F

**Status:** EU Directives are being published on this site to aid cross referencing from UK legislation. After IP completion day (31 December 2020 11pm) no further amendments will be applied to this version.

				—	1 (2008), IEC 60092-504 (2001) including IEC 60092-504 Corrigendum 1 (2011), IEC 60533 (1999), and as applicable to: a) Category 1: (safe area): — EN 50104 (2010), — EN 60079-29-1 (2007). b) Category 2: (explosive gas atmospheres): — EN 50104 (2010), — EN 60079-29-1 (2007), — EN 60079-0 (2012) including A11:2013, — EN 60079-1 (2007) including IEC 60079-1 Corrigendum 1 (2008),
--	--	--	--	---	--

					—	EN 60079-10-1 (2009), EN 60079-11 (2012), EN 60079-15 (2010), EN 60079-26 (2007).
A.1/3.31	Nozzles for fixed sprinkler systems, for high speed craft (HSC)			Item deleted as it is covered by A.1/3.9 and A.1/3.28		
A.1/3.32	Fire restricting materials (except furniture) for high speed craft	—	Reg. X/3.	IMO Res. MSC.36(63)-(1994) HSC Code) 7, IMO Res. MSC.97(73)-(2000) HSC Code) 7. IMO MSC.1/Circ.1457.	— IMO Res. MSC.307(88)-(2010) FTP Code).	B + D B + E B + F
A.1/3.33	Fire restricting materials for furniture for high speed craft	—	Reg. X/3.	IMO Res. MSC.36(63)-(1994) HSC Code) 7, IMO Res. MSC.97(73)-(2000) HSC Code) 7.	— IMO Res. MSC.307(88)-(2010) FTP Code).	B + D B + E B + F

**Status:** EU Directives are being published on this site to aid cross referencing from UK legislation. After IP completion day (31 December 2020 11pm) no further amendments will be applied to this version.

A.1/3.34	Fire resisting divisions for high speed craft	—	Reg. X/3.	—	IMO Res. MSC.36(63)-(1994) HSC Code) 7, IMO Res. MSC.97(73)-(2000) HSC Code) 7. IMO MSC.1/Circ.1457.	IMO Res. MSC.307(88)-(2010) FTP Code).	B + D B + E B + F
A.1/3.35	Fire doors on high speed craft	—	Reg. X/3.	—	IMO Res. MSC.36(63)-(1994) HSC Code) 7, IMO Res. MSC.97(73)-(2000) HSC Code) 7.	IMO Res. MSC.307(88)-(2010) FTP Code).	B + D B + E B + F
A.1/3.36	Fire dampers on high speed craft	—	Reg. X/3.	—	IMO Res. MSC.36(63)-(1994) HSC Code) 7, IMO Res. MSC.97(73)-(2000) HSC Code) 7.	IMO Res. MSC.307(88)-(2010) FTP Code).	B + D B + E B + F
A.1/3.37	Penetrations through fire resisting divisions on high speed craft	—	Reg. X/3.	—	IMO Res. MSC.36(63)-(1994) HSC	IMO Res. MSC.307(88)-(2010)	B + D B + E B + F

	(a) electric cable transits, pipe, duct, trunk etc penetrations.  (b)			Code) 7, IMO Res. MSC.97(73)- (2000 HSC Code) 7.		FTP Code).
A.1/3.38	Portable fire-extinguishing equipment for lifeboats and rescue boats	— Reg. III/4, — Reg. X/3.	—	Reg. III/34, IMO Res. A.951(23), IMO Res. MSC.36(63)- (1994 HSC Code) 8, IMO Res. MSC.48(66)- (LSA Code) I, IV, V, IMO Res. MSC.97(73)- (2000 HSC Code) 8.	— EN 3-7 (2004) B + F including A1 (2007), EN 3-8 (2006) including AC (2007), EN 3-9 (2006) including AC (2007), EN 3-10 (2009).	B + D B + E
A.1/3.39	Nozzles for equivalent water-mist fire extinguishing systems for machinery spaces and cargo pump rooms	— Reg. II-2/10, — Reg. X/3, — IMO	—	Reg. II-2/10, IMO Res. MSC.36(63)- Res. MSC.98(73)- (1994 FSS Code) 7, IMO Res. MSC.97(73)- (2000 HSC Code) 7,	IMO MSC. Circ.1165.	B + D B + E B + F

**Status:** EU Directives are being published on this site to aid cross referencing from UK legislation. After IP completion day (31 December 2020 11pm) no further amendments will be applied to this version.

			—	IMO Res. MSC.98(73)- (FSS Code) 7, —		
			—	IMO MSC.1/ Circ.1313, —		
			—	IMO MSC.1/ Circ.1458.		
A.1/3.40	Low-location lighting systems (components only)	—	Reg. II-2/13, —	Reg. II-2/13, IMO Res. MSC.98(73)- (FSS Code) 11.	IMO Res. A.752(48), IMO Res. MSC.98(73)- (FSS Code) 11.	B + D B + E A.752(48)F Or, ISO 15370 (2010).
A.1/3.41	Emergency escape breathing devices (EEBD)	—	Reg. II-2/13. —	Reg. II-2/13, IMO Res. MSC.98(73)- (FSS Code) 3, —	ISO 23269 (2008) and alternatively: For self- contained: open — circuit compressed air breathing apparatus with full mask or mouthed piece assembly for escape: — EN 402(2003).  For self- contained: open —	B + D B + E B + F For self- contained: open — circuit compressed air breathing apparatus with full mask or mouthed piece assembly for escape: — EN 402(2003).  For self- contained: open —

					circuit compressed air breathing apparatus with a hood for escape: — EN 1146(2005). For self- contained: closed — circuit compressed air breathing apparatus: — EN 13794(2002).
A.1/3.42	Inert gas systems components	—	Reg. II-2/4.—	Reg. II-2/4,— IMO Res. A.567(14), IMO Res. MSC.98(73)- (FSS Code) 15, IMO MSC/ Circ.353, IMO MSC/ Circ.485, IMO MSC/ Circ.731, IMO MSC/ Circ.1120.	IMO MSC/ Circ.353, B + D B + E B + F G
A.1/3.43	Nozzles for deep fat cooking equipment fire extinguishing	—	Reg. II-2/1, Reg. II-2/10, Reg. X/3.	Reg. II-2/1,— Reg. II-2/10, IMO Res.	ISO 15371 (2009). B + D B + E B + F

**Status:** EU Directives are being published on this site to aid cross referencing from UK legislation. After IP completion day (31 December 2020 11pm) no further amendments will be applied to this version.

	systems (automatic or manual type).			MSC.97(73)- (2000 HSC Code) 7, IMO MSC.1/ Circ.1433.		
A.1/3.44	Fire-fighters outfit — lifeline	—	Reg. II-2/10, Reg. X/3, IMO MSC.98(73)- 3.	Reg. II-2/10, IMO Res. HSC Code) 7, IMO Res. MSC.97(73)- (2000 HSC Code) 7, IMO Res. MSC.98(73)- 3.	IMO Res. MSC.36(63)- (1994 3, IMO Res. MSC.97(73)- (2010 FTP Code). IMO Res. MSC.98(73)- (FSS Code) 3.	B + D B + E B + F 307(88)- 307(88)- Code).
A.1/3.45	Equivalent fixed gas fire extinguishing systems components (extinguishing medium, head valves and nozzles) for machinery spaces and cargo pump rooms	—	Reg. II-2/10, Reg. X/3, IMO MSC.98(73)- 5.	Reg. II-2/10, IMO Res. HSC Code) 7, IMO Res. MSC.97(73)- (2000 HSC Code) 7, IMO Res. MSC.98(73)- (FSS Code) 5,	IMO MSC.1/ Circ.1316.	B + D B + E Circ.818+ F

				— IMO MSC/ Circ.848, — IMO MSC.1/ Circ.1313, — IMO MSC.1/ Circ.1316.		
A.1/3.46	Equivalent fixed gas fire extinguishing systems for machinery spaces (aerosol systems)	— Reg. II-2/10, — Reg. — X/3, — IMO Res. — MSC (FSS Code) 98(73)-5.	— Reg. II-2/10, — IMO Res. — HSC Code) 7, — IMO Res. — MSC (2000 HSC Code) 7, — IMO Res. — MSC (FSS Code) 98(73)-5, — IMO MSC.1/ Circ.1270 including Corrigendum 1 — IMO MSC.1/ Circ.1313.	Reg. II-2/10, — IMO Res. — HSC Code) 7, — IMO Res. — MSC (FSS Code) 98(73)-5, — IMO MSC.1/ Circ.1270 including Corrigendum 1 — IMO MSC.1/ Circ.1313.	IMO MSC/ Circ.1270 including Corrigendum 1.	B + D B + E B + F
A.1/3.47	Concentrate for Fixed High Expansion Foam Fire Extinguishing Systems for Machinery Spaces and Cargo Pump Rooms. <i>Note:</i> The fixed high	— Reg. II-2/10.	— Reg. II-2/10, — IMO Res. — MSC (FSS Code) 98(73)-6.	Reg. II-2/10, — IMO Res. — MSC (FSS Code) 98(73)-6.	IMO MSC/ Circ.670.	B + D B + E B + F

**Status:** EU Directives are being published on this site to aid cross referencing from UK legislation. After IP completion day (31 December 2020 11pm) no further amendments will be applied to this version.

	expansion foam fire extinguishing system (including those systems which use inside air from their working spaces for their intended performance), for machinery spaces and cargo pump rooms must still be tested with the approved concentrate to the satisfaction of the Administration.					
A.1/3.48	Fixed water based local application fire fighting systems components for use in category "A" machinery spaces (Nozzles and performance tests).	—	Reg. II-2/10, —	Reg. II-2/10, IMO Res.	IMO MSC Circ. 1387.	B + D B + E B + F
A.1/3.49	Fixed water-based fire-fighting systems for ro-ro spaces, vehicle spaces and special category spaces	— — — — —	Reg. II-2/19, Reg. II-2/20, Reg. X/3, IMO Res.	Reg. II-2/19, Reg. II-2/20, IMO Res.	IMO MSC Circ. 1430.	B + D B + E B + F



**Status:** EU Directives are being published on this site to aid cross referencing from UK legislation. After IP completion day (31 December 2020 11pm) no further amendments will be applied to this version.

	detectors using scattered light, transmitted light or ionization	including A1(2002).
(e)	Flame detectors: Point detectors	Smoke detectors — Point detectors using scattered light, transmitted light or ionization:
(f)	Manual call points	— EN 54-7 (2000)
(g)	Short circuit isolators	including A1(2002) and A2(2006).
(h)	Input/output devices	Flame detectors —
(i)	Cables	Point detectors: — EN 54-10 (2002) including A1(2005). Manual call points: — EN 54-11 (2001) including A1(2005). Short circuit isolators: — EN 54-17 (2007) including AC(2007). Input/output devices: — EN 54-18 (2005) including AC(2007). Cables: — EN 60332-1-2 (2004).

**Status:** EU Directives are being published on this site to aid cross referencing from UK legislation. After IP completion day (31 December 2020 11pm) no further amendments will be applied to this version.

					— IEC 60092-376 (2003). And, as applicable, electrical and electronic installations in ships: — IEC 60092-504 (2001) including IEC 60092-504 Corrigendum 1 (2011), IEC 60533 (1999).	
A.1/3.52	Non-portable and transportable fire extinguishers	— Reg. II-2/10, — Reg. X/3.	— Reg. II-2/4, — Reg. II-2/10, — IMO Res. — MSC.36(63)- — MSC.97(73)- — IMO Res. — MSC.97(73)- — HSC Code)	— Reg. II-2/4, — Reg. II-2/10, — IMO Res. — MSC.36(63)- — MSC.97(73)- — HSC Code)	EN 1866-3 (2013). Or, ISO 11601 (2008). 7, IMO Res. MSC.97(73)- HSC Code) 7.	B + D B + E B + F
A.1/3.53	Fire alarm devices — Sounders	— Reg. II-2/7, — Reg. X/3, — IMO Res. — MSC.98(73)- — FSS Code) 9.	— Reg. II-2/7, — IMO Res. — MSC.36(63)- — HSC Code) 7, — IMO Res. — MSC.97(73)- — IEC 60092-504 Res. — IEC 60092-504 Res.	Sounders EN 54-3 including A1(2002) and A2(2006), IEC 60092-504 (2001) including IEC	B + D B + E B + F A1(2002) A2(2006), IEC 60092-504 (2001) including IEC	

**Status:** EU Directives are being published on this site to aid cross referencing from UK legislation. After IP completion day (31 December 2020 11pm) no further amendments will be applied to this version.

				HSC Code) 7, IMO Res. MSC 98(73)- (FSS Code) 9, IMO MSC 1/ Circ. 1242.	60092-504 Corrigendum 1 (2011), IEC 60533 (1999).	
A.1/3.54	Fixed oxygen analysis and gas detection equipment	—	Reg. II-2/4, —	Reg. II-2/4, Reg. VI/3, — IMO Res. MSC 98(73)- (FSS Code) 15. For combined O2/HC systems additionally: — IMO MSC 1/ Circ. 1370.	IEC 60092-504E (2001) B + F including IEC 60092-504 Corrigendum 1 (2011), IEC 60533 (1999), and as applicable to: (a) Category 4: (safe area) — EN 50104 (2010). (b) Category 3: (explosive gas atmospheres) — EN 50104 (2010), — EN 60079-0 (2012) including A11:2013, EN 60079-29-1 (2007). For combined O2/HC	B + D  B + F

---

**Status:** EU Directives are being published on this site to aid cross referencing from UK legislation. After IP completion day (31 December 2020 11pm) no further amendments will be applied to this version.

---

					systems additionally: — IMO MSC 1/ Circ.1370.	
A.1/3.55	Dual purpose type nozzles (spray/jet type)	— Reg. II-2/10, — Reg. X/3.	Reg. II-2/10, IMO for fire Res. service use — MSC 36(63)- (1994) branchpipes HSC PN 16: Code) — EN 7, — IMO (2007) Res. including MSC 97(73)- (2000) — EN HSC 15182-2 Code) (2007) 7. including A1(2009).  Hand-held branchpipes for fire service use — Smooth bore jet and/or one fixed spray jet angle branchpipes PN 16: — EN 15182-1 (2007) including A1(2009).	Hand-held branchpipes for fire service use — Smooth bore jet and/or one fixed spray jet angle branchpipes PN 16: — EN 15182-1 (2007) including A1(2009).	B + D B + E B + F	
A.1/3.56	Fire hoses (reel type)	— Reg. II-2/10, — Reg. X/3.	Reg. II-2/10, IMO Res. MSC 36(63)- (1994) HSC Code) 7, — IMO Res. MSC 97(73)- (2000) HSC	EN 671-1 (2012)	B + D B + E B + F	

**Status:** EU Directives are being published on this site to aid cross referencing from UK legislation. After IP completion day (31 December 2020 11pm) no further amendments will be applied to this version.

				Code) 7.		
A.1/3.57	Medium Expansion Foam Fire Extinguishing Systems components — Fixed Deck Foam for Tankers	— Reg. II-2/10.	—	Reg. II-2/10.8.1, IMO Res. MSC 98(73)- (FSS Code) 14, IMO MSC 1/ Circ. 1239, IMO MSC 1/ Circ. 1276.	IMO MSC Circ. 798.	B + D B + E B + F
A.1/3.58	Fixed Low Expansion Foam Fire Extinguishing Systems components for Machinery Spaces and Tanker Deck Protection.	— Reg. II-2/10.	—	Reg. II-2/10, IMO Res. MSC 98(73)- (FSS Code) 6, 14, IMO MSC 1/ Circ. 1239, IMO MSC 1/ Circ. 1276,	IMO MSC Circ. 1312/ Corr. 1.	B + D B + E B + F
A.1/3.59	Expansion Foam for Fixed Fire Extinguishing Systems for Chemical Tankers	— Reg. II-2/1, — IMO Res. MSC 4(48)- (IBC Code) 11	—	IMO Res. MSC 4(48)- (IBC Code) 11, IMO MSC Circ. 553.	IMO MSC Circ. 1312/ Corr. 1.	B + D B + E B + F
A.1/3.60	Nozzles for fixed pressure water-spraying fire-extinguishing systems for cabin balconies	— Reg. II-2/10, — IMO Res. MSC 98(73)- (FSS Code) 7.	Reg. II-2/10, — IMO Res. MSC 98(73)- (FSS Code) 7,	—	IMO MSC Circ. 1268.	B + D B + E B + F

				—	IMO MSC.1/ Circ.1313.		
A.1/3.61	(a)	Inside air high expansion foam systems for the protection of machinery spaces, cargo pump rooms, vehicle and ro-ro spaces, special category spaces and cargo spaces. Outside air high expansion foam systems for the protection of machinery spaces, cargo pump rooms, vehicle and ro-ro spaces, special category spaces	—	Reg. II-2/10.	Reg. II-2/10, IMO Res. MSC.98(73)-(FSS Code) 6.	IMO MSC.1/ Circ.1384.	B + D B + E B + F
	(b)						

**Status:** EU Directives are being published on this site to aid cross referencing from UK legislation. After IP completion day (31 December 2020 11pm) no further amendments will be applied to this version.

	and cargo spaces.  <i>Note:</i> Inside/Outside air high expansion foam systems for the protection of machinery spaces, cargo pump rooms, vehicle and ro-ro spaces, special category spaces and cargo spaces shall be tested with the approved concentrate to the satisfaction of the Administration					
A.1/3.62	Dry chemical powder extinguishing systems	—	Reg. II-2/1.—	Reg. II-2/1,— IMO Res. MSC.5(48)- (IGC Code) 11.	IMO MSC Circ.1315.	B + D B + E B + F
A.1/3.63	Sample extraction smoke detection systems components	— — —	Reg. II-2/7, Reg. II-2/19, Reg. II-2/20.	Reg. II-2/7, Reg. II-2/19, Reg. II-2/20, IMO and for: Res. MSC.98(73)- (FSS Code) 10.	IMO Res. MSC (FSS Code) 10,	B + D B + E B + F Control and indicating equipment. Electrical installations in ships: — EN 54-2

			(1997) including AC(1999) and A1(2006).
		Power supply equipment:	— EN 54-4 (1997) including AC(1999), A1(2002) and A2(2006).
		Aspiring smoke detectors:	— EN 54-20 (2006) including AC(2008).
		And, as applicable, electrical and electronic installations in ships:	— IEC 60092-504 (2001) including IEC 60092-504 Corrigendum 1 (2011), — IEC 60533 (1999).
		And, as applicable for explosive atmospheres:	— EN 60079-0

**Status:** EU Directives are being published on this site to aid cross referencing from UK legislation. After IP completion day (31 December 2020 11pm) no further amendments will be applied to this version.

						(2012) including A11:2013.
A.1/3.64	C class Divisions	—	Reg. II-2/3.	— Reg. II-2/3, Reg. II-2/9.	IMO Res. MSC 307(88)- (2010 FTP Code).	B + D B + E B + F
A.1/3.65	Fixed hydrocarbon gas detection system	—	Reg. II-2/4.	— Reg. II-2/4, IMO Res. MSC 98(73)-(FSS Code) 16, IMO MSC 1/ Circ. 1370.	IMO MSC Circ. 1370, EN 60079-0 (2012) including A11:2013. EN 60079-29-1 (2007), IEC 60092-504 (2001) including IEC 60092-504 Corrigendum 1 (2011), IEC 60533 (1999).	B + D B + E B + F
A.1/3.66	Evacuation guidance systems used as an alternative to low-location lighting systems	—	Reg. II-2/13.	— Reg. II-2/13, IMO MSC 1/ Circ. 1168.	IMO MSC Circ. 1168.	B + D B + E B + F
A.1/3.67 Refer to note b) of this Annex A.1	Helicopter facility foam fire-fighting appliances	—	Reg. II-2/18.	— Reg. II-2/18, IMO MSC 1/ Circ. 1431.	EN 13565-1 (2003) including A1 (2007).	B + D B + E B + F
A.1/3.68 Ex A.2/3.22	Galley Exhaust Duct Fixed Fire	—	Reg. II-2/9.	— Reg. II-2/9.	ISO 15371 (2009)	B + D B + E B + F

Extinguishing Systems components				
----------------------------------	--	--	--	--

#### 4. Navigation equipment

*Notes applicable to section 4: Navigation equipment.*

Column 4: Navigational equipment shall comply with relevant parts of IMO's Assembly Resolution A.1021(26) "Code on alerts and indicators, 2009", and MSC Resolution MSC.302(87) "Adoption of performance standards for bridge alert management", as applicable.

Column 5:

IEC 61162 series refer to the following reference standards for Maritime navigation and radiocommunication equipment and systems — Digital interfaces:

- IEC 61162-1 ed4.0 (2010-11) — Part 1: Single talker and multiple listeners
- IEC 61162-2 ed1.0 (1998-09) — Part 2: Single talker and multiple listeners, high-speed transmission
- IEC 61162-3 ed1.2 Consol. with am1 ed. 1.0 (2010-11) and am2 ed. 1.0 (2014-07) — Part 3: Serial data instrument network
  - IEC 61162-3 ed1.0 (2008-05) — Part 3: Serial data instrument network
  - IEC 61162-3-am1 ed1.0 (2010-06) Amendment 1 — Part 3: Serial data instrument network
  - IEC 61162-3-am2 ed1.0 (2014-07) Amendment 2 — Part 3: Serial data instrument network
- IEC 61162-450 ed1.0 (2011-06) — Part 450: Multiple talkers and multiple listeners — Ethernet interconnection

EN 61162 series refer to the following reference standards for Maritime navigation and radiocommunication equipment and systems — Digital interfaces:

- EN 61162-1 (2011) — Part 1: Single talker and multiple listeners
- EN 61162-2 (1998) — Part 2: Single talker and multiple listeners, high-speed transmission
- EN 61162-3 (2008) — Part 3: Serial data instrument network
  - EN 61162-3-am1 (2010) Amendment 1 — Part 3: Serial data instrument network
  - IEC 61162-3-am2 ed1.0 (2014-07) Amendment 2 — Part 3: Serial data instrument network
- EN 61162-450 (2011) — Part 450: Multiple talkers and multiple listeners — Ethernet interconnection

No.	Item designation	Regulation SOLAS 74, as amended, where “type approval” is required	Regulations of SOLAS 74, as amended, and the relevant resolutions and circulars of the	Testing standards	Modules for conformity assessment

**Status:** EU Directives are being published on this site to aid cross referencing from UK legislation. After IP completion day (31 December 2020 11pm) no further amendments will be applied to this version.

1	2	3	4	5	6
A.1/4.1	Magnetic compass Class A for ships	— Reg. V/18, — Reg. X/3, — IMO Res. MSC(63)- (1994) HSC — Code) 13, IMO Res. MSC(73)- (2000) HSC — Code) 13.	Reg. V/19, — IMO Res. A.382(X), — Res. — Res. — HSC — Code) 13, IMO Res. MSC(73)- (2000) HSC — Code) 13.	— ISO 1069 (1973) B + F ISO G 25862 EN 60945 (2009), IEC 60945 Corrigendum 1 (2008). Or, ISO 1069 (1973), ISO 25862 (2009), IEC 60945 (2002) including IEC 60945 Corrigendum 1 (2008).	ISO B + D B + E B + F G 25862 EN 60945 (2009), IEC 60945 Corrigendum 1 (2008).
A.1/4.2	Transmitting heading device THD (magnetic method)	— Reg. V/18, — Reg. V/19, — Reg. X/3, — IMO Res. MSC(63)- (1994) HSC — Code) 13,	Reg. V/19, — IMO Res. A.694(17), — IMO Res. — Res. — HSC — Code) 13,	— EN 60945 (2002) B + F including IEC 60945 Corrigendum 1 (2008), EN 61162 series;	EN B + D 60945 B + E B + F including IEC 60945 Corrigendum 1 (2008), EN 61162 series;

**Status:** EU Directives are being published on this site to aid cross referencing from UK legislation. After IP completion day (31 December 2020 11pm) no further amendments will be applied to this version.

		IMO Res. MSC 97(73)- (2000) HSC Code) 13.	IMO Res. MSC 97(73)- (2000) HSC Code) 13,	IMO Res. MSC 116(73), IMO Res. MSC 191(79).	ISO 22090-2 (2014), IEC 62288 Ed. 2.0 (2014-07). Or, IEC 60945 (2002) including IEC 60945 Corrigendum 1 (2008), IEC 61162 series. ISO 22090-2 (2014), IEC 62288 Ed. 2.0 (2014-07).
A.1/4.3	Gyro compass	Reg. V/18	—	Reg. V/19, IMO Res. A.424(XI), IMO Res. A.694(17), IMO Res. MSC 191(79).	EN ISO 8728 (1998)G EN 60945 (2002) including IEC 60945 Corrigendum 1 (2008), EN 61162 series, IEC 62288 Ed. 2.0 (2014-07). Or,

**Status:** EU Directives are being published on this site to aid cross referencing from UK legislation. After IP completion day (31 December 2020 11pm) no further amendments will be applied to this version.

						— ISO 8728 (1997), — IEC 60945 (2002) including IEC 60945 Corrigendum 1 (2008), — IEC 61162 series. — IEC 62288 Ed. 2.0 (2014-07).
A.1/4.4	Radar equipment	Moved to A.1/4.34, A.1/4.35 and A.1/4.36				
A.1/4.5	Automatic radar plotting aid (ARPA)	Moved to A.1/4.34				
A.1/4.6	Echo — sounding equipment	— Reg. V/18, — Reg. X/3, — IMO MSC.36(63)- Res. — HSC Code) 13, IMO MSC.97(73)- Res. HSC Code) 13. —	— Reg. V/19, — IMO Res. A.224(VII), IMO Res. MSC.36(63)- A.694(17), IMO Res. HSC Code) 13, IMO MSC.97(73)- Res. HSC Code) 13. Annex 4, IMO Res. MSC.97(73)- Res. HSC Code) 13,	— EN ISO 9875 B + D B + E B + F (2001)G including ISO Technical Corrigendum 1: 2006, EN 60945 (2002) including IEC 60945 Corrigendum 1 (2008), EN 61162 series, IEC 62288 Ed.		

		—	IMO Res. MSC.191(79).	2.0 (2014-07). Or, ISO 9875 (2000) including ISO Technical Corrigendum 1: 2006, IEC 60945 (2002) including IEC 60945 Corrigendum 1 (2008), IEC 61162 series, IEC 62288 Ed. 2.0 (2014-07).
A.1/4.7	Speed and distance measuring equipment (SDME)	— Reg. V/18, — Reg. X/3, — IMO Res. MSC.36(63)- (1994 HSC Code) 13, — IMO Res. MSC.97(73)- (2000 HSC Code) 13. —	Reg. V/19, — IMO Res. A.694(17), IMO Res. A.824(19), IMO Res. MSC.36(63)- (1994 HSC Code) 13, — HSC Code) 13, — IMO Res. MSC.97(73)- (2000 HSC Code) 13,	— EN 60945B + E (2002) including IEC 60945 Corrigendum 1 (2008), EN 61023 (2007), EN 61162 series, IEC 62288 Ed. 2.0 (2014-07). Or, IEC 60945

**Status:** EU Directives are being published on this site to aid cross referencing from UK legislation. After IP completion day (31 December 2020 11pm) no further amendments will be applied to this version.

			—	IMO Res. MSC.191(79).	(2002) including IEC 60945 Corrigendum 1 (2008), IEC 61023 (2007), IEC 61162 series, IEC 62288 Ed. 2.0 (2014-07).	
A.1/4.8	Rudder angle, rpm, pitch indicator				Moved to A.1/4.20, A.1/4.21 and A.1/4.22	
A.1/4.9	Rate-of-turn indicator	—	Reg. V/18, — Reg. X/3, — IMO Res. MSC.36(63)- (1994 HSC Code) 13, IMO Res. MSC.97(73)- (2000 HSC Code) 13.	Reg. V/19, — IMO Res. A.526(13), IMO Res. MSC.36(63)- A.694(17), IMO Res. MSC.36(63)- (1994 HSC Code) 13, IMO Res. MSC.97(73)- (2000 HSC Code) 13, IMO Res. MSC.191(79).	— EN 60945B + E (2002) B + F including IEC 60945 Corrigendum 1 (2008), EN 61162 series, ISO 20672 (2007) including Corrigendum 1 (2008), IEC 62288 Ed. 2.0 (2014-07). Or, IEC 60945 (2002) including IEC 60945 Corrigendum	B + D B + E B + F including IEC 60945 Corrigendum 1 series, ISO 20672 Corrigendum 1 (2008), IEC 62288 Ed. 2.0 (2014-07). Or, IEC 60945 (2002) including IEC 60945 Corrigendum

					—	1 (2008), IEC 61162 series, ISO 20672 (2007) including Corrigendum 1 (2008), IEC 62288 Ed. 2.0 (2014-07).
A.1/4.10	Direction finder					Deliberately left blank
A.1/4.11	Loran-C equipment					Moved to A.2/4.38
A.1/4.12	Chayka equipment					Moved to A.2/4.39
A.1/4.13	Decca navigator equipment					Deliberately left blank
A.1/4.14	GPS equipment	—	Reg. V/18,	— Reg. V/19,	—	EN 60945 B + D B + E (2002) B + F including IEC 60945 Corrigendum 1 (2008), EN 61108-1 (2003), EN 61162 series, IEC 62288 Or, IEC 60945 (2002)

**Status:** EU Directives are being published on this site to aid cross referencing from UK legislation. After IP completion day (31 December 2020 11pm) no further amendments will be applied to this version.

							including IEC 60945 Corrigendum 1 (2008), IEC 61108-1 Ed.2.0 (2003), IEC 61162 series, IEC 62288 Ed. 2.0 (2014-07).
A.1/4.15	GLONASS equipment	—	Reg. V/18,	—	Reg. V/19,	—	EN B + D 60945B + E (2002)B + F including IEC 60945 Corrigendum 1 (2008), EN 61108-2 (1998), EN 61162 series, IEC 62288 Ed. 2.0 (2014-07). Or, IEC 60945 (2002) including IEC 60945 Corrigendum 1 (2008), IEC 61108-2 Ed.1.0 (1998),

						—	IEC 61162 series, IEC 62288 Ed. 2.0 (2014-07).
A.1/4.16	Heading control system (HCS)	—	Reg. V/18	—	Reg. V/19, IMO Res. — A.342(IX), IMO Res. A.694(17), IMO Res. MSC.64(67) Annex 3, IMO Res. MSC.191(79).	—	ISO 11674B + E (2006)B + F EN G 60945 (2002) including IEC 60945 Corrigendum 1 (2008), EN 61162 series, EN 62288 (2008). Or, ISO 11674 (2006), IEC 60945 (2002) including IEC 60945 Corrigendum 1 (2008), IEC 61162 series, IEC 62288 Ed.1.0(2008).
A.1/4.17	Mechanical pilot hoist	Moved to A.1/1.40					
A.1/4.18	Search and rescue locating	—	Reg. III/4, Reg. IV/14,	—	Reg. III/6, Reg. III/26,	—	EN B + D 60945B + E (2002)B + F including

**Status:** EU Directives are being published on this site to aid cross referencing from UK legislation. After IP completion day (31 December 2020 11pm) no further amendments will be applied to this version.

	devices (SRLD): 9 GHz SAR transponder (SART)	—	Reg. V/18, Reg. X/3, IMO Res. MSC.36(63)- (1994 HSC Code) 13, IMO Res. MSC.97(73)- (2000 HSC Code) 13.	—	Reg. IV/7, IMO Res. A.530(13), IMO — Res. A.802(19), IMO Res. A.694(17), IMO Res. MSC.36(63)- (1994 HSC Code) 8, 14, IMO Res. MSC.97(73)- (2000 HSC Code) 8, 14, ITU-R M.628-3(11/93).	IEC 60945 Corrigendum 1 (2008), EN 61097-1 (2007). Or, IEC 60945 (2002) including IEC 60945 Corrigendum 1 (2008), IEC 61097-1 (2007). MSC.97(73)- (2000 HSC Code) 13, 14, ITU-R M.628-3(11/93).	
A.1/4.19	Radar equipment for high-speed craft		Moved to A.1/4.37				
A.1/4.20	Rudder angle indicator	—	Reg. V/18, Reg. X/3, IMO Res. MSC.36(63)- (1994 HSC Code) 13, IMO Res. MSC.97(73)- (2000 HSC Code) 13.	—	Reg. V/19, IMO Res. A.694(17), IMO Res. MSC.36(63)- (1994 HSC Code) 13, IMO Res. MSC.97(73)- (2000 HSC Code) 13.	EN 60945B + E (2002B + F including IEC 60945 Corrigendum 1 (2008), EN 61162 series, ISO 20673 (2007), IEC 62288 Ed.	B + D B + E B + F including IEC 60945 Corrigendum 1 series, ISO 20673 IEC 62288 Ed.

---

**Status:** EU Directives are being published on this site to aid cross referencing from UK legislation. After IP completion day (31 December 2020 11pm) no further amendments will be applied to this version.

---

				Code)	2.0	
				13,	(2014-07).	
			—	IMO	Or,	
				Res.	IEC	
				MSC.191(79).	60945	
					(2002)	
					including	
					IEC	
					60945	
					Corrigendum	
					1	
					(2008),	
					IEC	
					61162	
					series,	
					ISO	
					20673	
					(2007),	
					IEC	
					62288	
					Ed.	
					2.0	
					(2014-07).	
A.1/4.21	Propeller revolution indicator	—	Reg. V/18,	Reg. V/19,	EN 60945B + E	B + D
		—	Reg. X/3,	IMO Res.	(2002) B + F	
		—	IMO	A.694(17),	including	
			Res.	IMO	IEC	
			MSC.36(63)-	Res.	60945	
			(1994)	MSC.36(63)-	Corrigendum	
			HSC	(1994)	1	
			Code)	HSC	(2008),	
			13,	Code)	EN	
		—	IMO	13,	61162	
			Res.	IMO	series,	
			MSC.97(73)-	Res.	ISO	
			(2000)	MSC.97(73)-	22554	
			HSC	(2000)	(2007),	
			Code)	HSC	IEC	
			13.	Code)	62288	
					Ed.	
					2.0	
		—	IMO		(2014-07).	
				Res.	Or,	
				MSC.191(79).	IEC	
					60945	
					(2002)	
					including	
					IEC	
					60945	
					Corrigendum	

**Status:** EU Directives are being published on this site to aid cross referencing from UK legislation. After IP completion day (31 December 2020 11pm) no further amendments will be applied to this version.

						1 (2008), IEC 61162 series, ISO 22554 (2007), IEC 62288 Ed. 2.0 (2014-07).
A.1/4.22	Pitch indicator	—	Reg. V/18, — Reg. X/3, — IMO Res. MSC(36(63)- (1994) HSC Code) 13, IMO Res. MSC(97(73)- (2000) HSC Code) 13.	— V/19, IMO Res. A.694(17), IMO Res. MSC(36(63)- (1994) HSC Code) 13, IMO Res. MSC(97(73)- (2000) HSC Code) 13.	— IMO Res. MSC(36(63)- (1994) HSC Code) 13, IMO Res. MSC(97(73)- (2000) HSC Code) 13.	EN 60945B + E (2002)B + F including IEC 60945 Corrigendum 1 (2008), EN 61162 series, ISO 22555 (2007), IEC 62288 Ed. 2.0 (2014-07). Or, IEC 60945 (2002) including IEC 60945 Corrigendum 1 (2008), IEC 61162 series, ISO 22555 (2007), IEC 62288 Ed.

---

**Status:** EU Directives are being published on this site to aid cross referencing from UK legislation. After IP completion day (31 December 2020 11pm) no further amendments will be applied to this version.

---

						2.0 (2014-07).
A.1/4.23	Compass for lifeboats and rescue boats	— Reg. III/4, — Reg. X/3, — IMO MSC.36(63)-(1994) Res. MSC.97(73)-(2000) HSC Code) — 13. — IMO Res. MSC.97(73)-(2000) HSC Code) 8, 13. — IMO Res. MSC.97(73)-(2000) HSC Code) 8, 13.	— III/34, — IMO Res. — MSC.48(66)- (LSA Code) — IV, V, — IMO Res. MSC.36(63)-(1994) HSC Code) 13, — IMO Res. MSC.97(73)-(2000) HSC Code) 8, 13.	— ISO 1069 (1973) B + F ISO G IEC 60945 (2002) including IEC 60945 Corrigendum 1 (2008).	ISO 1069 (1973) B + F ISO G IEC 60945 (2002) including IEC 60945 Corrigendum 1 (2008).	B + D B + E B + F G
A.1/4.24	Automatic radar plotting aid (ARPA) for high-speed craft	Moved to A.1/4.37				
A.1/4.25	Automatic tracking aid (ATA)	Moved to A.1/4.35				
A.1/4.26	Automatic tracking aid (ATA) for high speed craft	Moved to A.1/4.38				
A.1/4.27	Electronic plotting aid (EPA)	Moved to A.1/4.36				
A.1/4.28	Integrated bridge system	Moved to A.2/4.30				
A.1/4.29	Voyage data recorder (VDR)	— Reg. V/18, — Reg. V/20,	— Reg. V/20, — IMO Res.	— EN 60945 (2002) B + F including	EN 60945 (2002) B + F including	B + D B + E B + F G

**Status:** EU Directives are being published on this site to aid cross referencing from UK legislation. After IP completion day (31 December 2020 11pm) no further amendments will be applied to this version.

		—	Reg. X/3,	—	A.694 (17),	IEC 60945
		—	IMO	—	IMO	Corrigendum
		Res.	Res.	—	Res.	1
		MSC	36(63)-	MSC	36(63)-	(2008),
		(1994	(1994	(1994	—	EN
		HSC	HSC	HSC	—	61162
		Code)	Code)	Code)	—	Series,
		13,	13,	13,	—	EN
		IMO	IMO	IMO	—	61996-1
		Res.	Res.	Res.	—	(2013),
		MSC	97(73)-	MSC	97(73)-	IEC
		(2000	(2000	(2000	—	62288
		HSC	HSC	HSC	—	Ed.
		Code)	Code)	Code)	—	2.0
		13.	13,	13,	—	(2014-07).
		—	IMO	IMO	—	Or,
		—	Res.	Res.	—	IEC
		—	MSC	191(79),	60945	
		—	IMO	IMO	—	(2002)
		—	Res.	Res.	—	including
		—	MSC	333(90).	IEC	
		—	—	—	60945	
		—	—	—	Corrigendum	
		—	—	—	1	
		—	—	—	(2008),	
		—	—	—	IEC	
		—	—	—	61162	
		—	—	—	Series,	
		—	—	—	IEC	
		—	—	—	61996-1	
		—	—	—	Ed.2.0	
		—	—	—	(2013-05),	
		—	—	—	IEC	
		—	—	—	62288	
		—	—	—	Ed.	
		—	—	—	2.0	
		—	—	—	(2014-07).	
A.1/4.30	Electronic chart display and information system (ECDIS) with backup, and raster chart display system (RCDS)	—	Reg. V/18,	—	Reg. V/19,	EN B + D
		—	Reg.	—	IMO	60945B + E
		—	X/3,	—	Res.	(2002)B + F
		—	IMO	A.694(17),	IEC	including
		Res.	—	IMO	60945	
		MSC	36(63)-	Res.	—	Corrigendum
		(1994	(1994	MSC	1	
		HSC	HSC	(1994	—	(2008),
		Code)	Code)	HSC	—	EN
		13,	13,	Code)	—	61162
		IMO	13	—	—	Series,
		Res.	IMO	—	—	
		MSC	97(73)-	Res.	—	

**Status:** EU Directives are being published on this site to aid cross referencing from UK legislation. After IP completion day (31 December 2020 11pm) no further amendments will be applied to this version.

Document Generated: 2024-01-14

**Status:** EU Directives are being published on this site to aid cross referencing from UK legislation. After IP completion day (31 December 2020 11pm) no further amendments will be applied to this version.

							ISO 16328 (2014), IEC 60945 (2002) including IEC 60945 Corrigendum 1 (2008), IEC 61162 Series, IEC 62288 Ed. 2.0 (2014-07).
A.1/4.32	Universal automatic identification system equipment (AIS)	—	Reg. V/18, —	Reg. V/19, IMO	—	EN 60945B + E (2002) B + F including	

				1371-5(2014) shall only be applicable in accordance with requirements of IMO Res.MSC.74(69).	—	IEC 61162 Series, IEC 61993-2 (2012), IEC 62288 Ed. 2.0 (2014-07).
A.1/4.33	Track control system (working at ship's speed from minimum manoeuvring speed up to 30 knots)	—	Reg. V/18	— IMO Res. A.694(17), IMO Res. MSC.74(69), IMO Res. MSC.191(79).	— Reg. V/19, IMO Res. A.694(17), IMO Res. MSC.74(69), IMO Res. MSC.191(79).	EN B + D 60945B + E (2002) B + F including IEC 60945 Corrigendum 1 (2008), EN 61162 Series, IEC 62065 Ed.2.0 (2014-02), IEC 62288 Ed. 2.0 (2014-07). Or, IEC 60945 (2002) including IEC 60945 Corrigendum 1 (2008), IEC 61162 Series, IEC 62065 Ed.2.0 (2014-02), IEC 62288 Ed.

**Status:** EU Directives are being published on this site to aid cross referencing from UK legislation. After IP completion day (31 December 2020 11pm) no further amendments will be applied to this version.

						2.0 (2014-07).
A.1/4.34	Radar equipment CAT 1	—	Reg. V/18	— Reg. V/19, — IMO Res. A.278(VIII), — IMO Res. A.694(17), — IMO Res. A.823(19), — IMO Res. MSC.191(79), — IMO Res. MSC.192(79), — ITU-R M.1177-4(04/11). Or, — IEC 60945 (2002) including IEC 60945 Corrigendum 1 (2008), IEC 61162 Series, IEC 62288 Ed. 2.0 (2014-07). IEC 62388 Ed. 2.0 (2013-06).	— EN 60945B + E (2002) B + F including IEC 60945 Corrigendum 1 (2008), IEC 61162 Series, IEC 62288 Ed. 2.0 (2014-07). IEC 62388 Ed. 2.0 (2013-06).	B + D
A.1/4.35	Radar equipment CAT 2	—	Reg. V/18	— Reg. V/19, — IMO Res. A.278(VIII), — IMO Res. A.694(17),	— EN 60945B + E (2002) B + F including IEC 60945 Corrigendum 1 (2008), IEC 61162 Series, IEC 62288 Ed. 2.0 (2014-07). IEC 62388 Ed. 2.0 (2013-06).	B + D

				—	IMO Res. MSC.191(79), EN	1 (2008),	
				—	IMO Res. MSC.192(79), IEC	61162 Series, IEC	
				—	ITU-R M. 1177-4(04/11).	62288 Ed. 2.0 (2014-07).	
				—		EN 62388 (2013). Or, IEC	
				—		60945 (2002) including IEC	
				—		60945 Corrigendum 1 (2008), IEC	
				—		61162 Series, IEC	
				—		62288 Ed. 2.0 (2014-07).	
				—		IEC 62388 Ed.2.0 (2013-06).	
A.1/4.36	Radar equipment CAT 3	Reg. V/18	—	Reg. V/19, —	IMO Res. A.278(VIII), —	EN 60945B + E (2002)B + F including IEC	B + D
				—	IMO Res. A.694(17), —	60945 Corrigendum 1 (2008), EN	
				—	IMO Res. MSC.191(79), EN	61162 Series, IEC	
				—	IMO Res. MSC.192(79), ITU-R	62288 Ed. 2.0 (2014-07).	

**Status:** EU Directives are being published on this site to aid cross referencing from UK legislation. After IP completion day (31 December 2020 11pm) no further amendments will be applied to this version.

					M. 1177-4(04/11).	EN (2013). Or, IEC 60945 (2002) including IEC 60945 Corrigendum 1 (2008), IEC 61162 Series, IEC 62288 Ed. 2.0 (2014-07). IEC 62388 Ed.2.0 (2013-06).
A.1/4.37	Radar equipment for high speed craft applications (CAT 1H and CAT 2H)	—	Reg. X/3, IMO Res. MSC 36(63)- (1994 HSC Code) 13, IMO Res. MSC 97(73)- (2000 HSC Code) 13.	—	IMO A.278(VIII), IMO Res. A.694(17), IMO Res. MSC 36(63)- (1994 HSC Code) 13, IMO Res. MSC 97(73)- (2000 HSC Code) 13,	EN B + D 60945B + E (2002B + F including IEC 60945 Corrigendum 1 (2008), EN 61162 Series, IEC 62288 Ed. 2.0 (2014-07). IEC 62388 Ed.2.0 (2013-06).

---

**Status:** EU Directives are being published on this site to aid cross referencing from UK legislation. After IP completion day (31 December 2020 11pm) no further amendments will be applied to this version.

---

				—	ITU-R M. 1177-4(04/11).	Corrigendum 1 (2008), IEC 61162 Series, IEC 62288 Ed. 2.0 (2014-07). IEC 62388 Ed.2.0 (2013-06).
A.1/4.38	Radar equipment approved with a chart option, namely: (a) CAT 1C (b) CAT 2C, (c) CAT 1HC for HSC (d) CAT 2HC for HSC	Reg. X/3, IMO Res. MSC 36(63)- (1994) HSC — Code)	— IMO Res. MSC 36(63)- (1994) 13, IMO Res. MSC 97(73)- (2000) HSC — Code)	IMO A.278(VIII), IMO Res. A.694(17), IMO Res. HSC Code)	— EN 60945B + E (2002)B + F including IEC 60945 Corrigendum 1 EN 61162 Series, IEC 62288 Ed. 2.0 (2014-07). IEC 62388 (2013-06). — Or, IEC 60945 (2002) including IEC 60945 Corrigendum 1 (2008), IEC 61162 Series, IEC 62288 Ed.	

**Status:** EU Directives are being published on this site to aid cross referencing from UK legislation. After IP completion day (31 December 2020 11pm) no further amendments will be applied to this version.

						2.0 (2014-07). IEC 62388 Ed.2.0 (2013-06).
A.1/4.39	Radar reflector — passive type	—	Reg. V/18, — Reg. X/3, — IMO Res. MSC.36(63)- (1994 Res. MSC.36(63)- (1994 HSC Code) — IMO Res. MSC.97(73)- (2000 HSC Code) — IMO Res. MSC.97(73)- (2000 HSC Code) — IMO Res. MSC.164(78). —	— V/19, IMO Res. MSC.36(63)- (1994 HSC 13, IMO Res. MSC.97(73)- (2000 HSC Code) — IMO Res. MSC.97(73)- (2000 HSC Code) — IMO Res. MSC.164(78). —	— IMO Res. A.694(17), IMO Res. A.822(19), IMO Res. MSC.36(63)- (1994 HSC Code) — IMO Res. MSC.97(73)- (2000 HSC Code) — IMO Res. MSC.97(73)- (2000 HSC Code) — IMO Res. MSC.97(73)- (2000 HSC Code)	ISO 8729- B + E (2010) B + F EN G 60945 (2002) including IEC 60945 Corrigendum 1 (2008), Or, ISO 8729-1 (2010), IEC 60945 Corrigendum 1 (2008). — ISO 16329- B + E (2003) B + F EN G 60945 (2002) including IEC 60945 Corrigendum 1 (2008), EN 61162 series, IEC 62288 Ed. 2.0 (2014-07). Or,
A.1/4.40	Heading control system for high speed craft	—	Reg. X/3, — IMO Res. MSC.36(63)- (1994 HSC Code) — IMO Res. MSC.97(73)- (2000 HSC Code) — IMO Res. MSC.97(73)- (2000 HSC Code) — IMO Res. MSC.97(73)- (2000 HSC Code) — IMO Res. MSC.97(73)- (2000 HSC Code) — IMO Res.	— Res. IMO Res. MSC.36(63)- (1994 HSC Code) — IMO Res. MSC.97(73)- (2000 HSC Code) — IMO Res. MSC.97(73)- (2000 HSC Code) — IMO Res. MSC.97(73)- (2000 HSC Code) — IMO Res.	ISO 16329- B + E (2003) B + F EN G 60945 (2002) including IEC 60945 Corrigendum 1 (2008), EN 61162 series, IEC 62288 Ed. 2.0 (2014-07). Or,	

			—	IMO Res. MSC 191(79).	— ISO 16329 (2003), IEC 60945 (2002) including IEC 60945 Corrigendum 1 (2008), IEC 61162 series, IEC 62288 Ed. 2.0 (2014-07).	
A.1/4.41	Transmitting heading device THD (GNSS method)	— Reg. V/18, — Reg. X/3, — IMO Res. MSC 36(63)- (1994 HSC Code) 13, — IMO Res. MSC 97(73)- (2000 HSC Code) 13. — IMO Res. MSC 116(73), — IMO Res. MSC 191(79).	— Reg. V/19, — IMO Res. A.694(17), — IMO Res. MSC 36(63)- (1994 HSC Code) 13, — IMO Res. MSC 97(73)- (2000 HSC Code) 13. — IMO Res. Or, — ISO 22090-3 (2014), IEC 60945 (2002) including IEC 60945 Corrigendum	— ISO (2014) B + F EN G 60945 including IEC 60945 Corrigendum 1 (2008), EN 61162 series, IEC 62288 Ed. 2.0 (2014-07). ISO 22090-3 (2014), IEC 60945 (2002) including IEC 60945 Corrigendum	B + D B + E G	

**Status:** EU Directives are being published on this site to aid cross referencing from UK legislation. After IP completion day (31 December 2020 11pm) no further amendments will be applied to this version.

						1 (2008), IEC 61162 series, IEC 62288 Ed. 2.0 (2014-07).
A.1/4.42	Searchlight for high speed craft	—	Reg. X/3, IMO Res. MSC (1994 HSC Code) 13, IMO Res. MSC (2000 HSC Code) 13.	—	IMO A.694(17), IMO Res. MSC (1994 HSC Code) 13, IMO Res. MSC (2000 HSC Code) 13.	ISO 17884B + E (2004)B + F EN G 60945 (2002) including IEC 60945 Corrigendum 1 (2008). Or, ISO 17884 (2004), IEC 60945 (2002) including IEC 60945 Corrigendum 1 (2008).
A.1/4.43	Night vision equipment for high speed craft	—	Reg. X/3, IMO Res. MSC (1994 HSC Code) 13, IMO Res. MSC (2000 HSC Code) 13.	—	IMO A.694(17), IMO Res. MSC (1994 HSC Code) 13, IMO Res. MSC (2000 HSC Code) 13.	ISO 16273B + E (2003)B + F EN G 60945 (2002) including IEC 60945 Corrigendum 1 (2008), IEC 62288 Ed. 2.0 (2014-07).

				Code)	Or,	
				13,	ISO	
				IMO	16273	
				Res.	(2003),	
				MSC.191(79).	IEC	
					60945	
					(2002)	
					including	
					IEC	
					60945	
					Corrigendum	
					1	
					(2008),	
					IEC	
					62288	
					Ed.	
					2.0	
					(2014-07).	
A.1/4.44	Differential beacon receiver for DGPS and DGLONASS Equipment	—	Reg. V/18,	Reg. V/19,	EN B + D	
		—	Reg. X/3,	IMO Res.	60945 B + E	
		—	IMO	A.694	(2002) B + F	
			Res.	(17),	including	
			MSC.36(63)-	IMO	IEC	
			(1994)	Res.	60945	
			HSC	MSC.36(63)-	Corrigendum	
			Code)	(1994)	1	
			13,	HSC	(2008),	
			IMO	Code)	IEC	
			Res.	13,	61108-4	
			MSC.97(73)-	IMO	(2004),	
			(2000)	Res.	EN	
			HSC	MSC.97(73)-	61108-4	
			Code)	(2000)	series.	
			13.	HSC	Or,	
				Code)	IEC	
				13,	60945	
				IMO	(2002)	
				Res.	including	
				MSC.114(73).	IEC	
					60945	
					Corrigendum	
					1	
					(2008),	
					IEC	
					61108-4	
					(2004),	
					IEC	
					61108-4	
					series.	
A.1/4.45	Chart facilities for	Item deleted, as it is covered by A.1/4.38				

**Status:** EU Directives are being published on this site to aid cross referencing from UK legislation. After IP completion day (31 December 2020 11pm) no further amendments will be applied to this version.

	shipborne radar						
A.1/4.46	Transmitting heading device THD (Gyroscopic method)	— Reg. V/18, — Reg. X/3, — IMO MSC.36(63)- (1994 HSC Code) 13, — IMO Res. 97(73)- (2000 HSC Code) 13.	— Reg. V/19, — IMO Res. A.694 (17), — IMO Res. MSC.36(63)- (1994 HSC Code) 13, — IMO Res. MSC.97(73)- (2000 HSC Code) 13.	— Reg. V/19, — IMO Res. A.694 (17), — IMO Res. MSC.36(63)- (1994 HSC Code) 13, — IMO Res. MSC.97(73)- (2000 HSC Code) 13.	ISO 22090 B + E (2014) B + F EN G 60945 (2002) including IEC 60945 Corrigendum 1 60945 (2008), EN 61162 series, IEC 62288 Ed. 2.0 (2014-07). Or, ISO 22090-1 (2014), IEC 60945 including IEC 60945 Corrigendum 1 (2008), IEC 61162 series, IEC 62288 Ed. 2.0 (2014-07).	B + D B + E B + F G	
A.1/4.47	Simplified voyage data recorder (S-VDR)	— Reg. V/20, — IMO Res. A.694(17), — IMO Res. MSC.163(78),	— Reg. V/20, — IMO Res. A.694(17), — IMO Res. MSC.163(78),	— Reg. V/20, — IMO Res. A.694(17), — IMO Res. MSC.163(78),	EN 60945 B + E (2002) B + F including IEC 60945 Corrigendum 1 (2008),	B + D B + E B + F	

			—	IMO Res. MSC.191(79).	EN 61162 series,	
			—		EN 61996-2 (2008),	
			—		IEC 62288 Ed. 2.0 (2014-07).	
			—		Or, IEC 60945 (2002) including IEC 60945 Corrigendum 1 (2008),	
			—		IEC 61162 series,	
			—		IEC 61996-2 (2007),	
			—		IEC 62288 Ed. 2.0 (2014-07).	
A.1/4.48	Mechanical pilot hoist	Deliberately left blank (as IMO Res. MSC.308(88), in force on 1 July 2012, quotes: "Mechanical pilot hoists shall not be used")				
A.1/4.49	Pilot ladder	— Reg. V/23, — Reg. X/3.	— Reg. V/23, — IMO — IMO — MSC/ Circ.1428.	IMO Res.A.1045(27)799	B + D AB04E(27), B + F G	
A.1/4.50	DGPS Equipment	— Reg. V/18, — Reg. X/3, — IMO — Res. MSC.36(63)- (1994) HSC	— Reg. V/19, — IMO — Res. A.694 (17), IMO Res. MSC.36(63)- (2008),	EN 60945B + E (2002) including IEC 60945 Corrigendum 1	B + D B + E B + F	

**Status:** EU Directives are being published on this site to aid cross referencing from UK legislation. After IP completion day (31 December 2020 11pm) no further amendments will be applied to this version.

			Code)	(1994—	EN	
		13,	HSC	61108-1		
		IMO	Code)	(2003),		
		Res.	13, —	EN		
		MSC 97(73)-	IMO	61108-4		
		(2000	Res.	(2004),		
		HSC	MSC 97(73)-	EN		
		Code)	(2000	61162		
		13.	HSC	series,		
			Code)—	IEC		
			13,	62288		
			IMO	Ed.		
			Res.	2.0		
			MSC 112(73),	(2014-07).		
			IMO	Or,		
			Res. —	IEC		
			MSC 114(73),	60945		
			IMO	(2002)		
			Res.	including		
			MSC 191(79).	IEC		
				60945		
				Corrigendum		
				1		
				(2008),		
				IEC		
				61108-1		
				(2003),		
				IEC		
				61108-4		
				(2004),		
				IEC		
				61162		
				series,		
				IEC		
				62288		
				Ed.		
				2.0		
				(2014-07).		
A.1/4.51	DGLONASS Equipment	—	Reg. V/18,	— Reg. V/19,	EN 60945B + E	B + D
		—	Reg. X/3,	IMO Res.	(2002) B + F	
		—	IMO	A.694	including IEC	
			Res.	(17),	60945	
			MSC 36(63)-	IMO	Corrigendum	
			(1994	Res.	1	
			HSC	MSC 36(63)-	(2008),	
			Code)	(1994—	EN	
		13,	HSC		61108-2	
		IMO	Code)		(1998),	
		Res.	13,			
		MSC 97(73)-				

		(2000— HSC Code) 13.	IMO Res. MSC 97(73)- (2000— HSC Code) 13, —	IMO Res. MSC 113(73), IMO Res. MSC 114(73), IMO Res. MSC 191(79).	— 97(73)- (2004), EN 61162 series, IEC 62288 Ed. 2.0 (2014-07). IMO (2014-07). Or, IEC 60945 (2002) including IEC 60945 Corrigendum 1 (2008), IEC 61108-2 (1998), IEC 61108-4 (2004), IEC 61162 series, IEC 62288 Ed. 2.0 (2014-07).	EN 61108-4 (2004), EN 61162 series, IEC 60945 Corrigendum 1 (2008), IEC 61108-2 (1998), IEC 61108-4 (2004), IEC 61162 series, IEC 62288 Ed. 2.0 (2014-07).
A.1/4.52	Daylight signalling lamp	— Reg. V/18, — Reg. X/3, — IMO Res. MSC 36(63)- (1994 HSC Code), — IMO Res. MSC 97(73)- (2000 HSC Code).	— Reg. V/19, IMO Res. A.694(17), IMO Res. MSC 36(63)- (1994 HSC Code), HSC Code), IMO Res. MSC 97(73)- (2000 HSC Code).	Reg. V/19, IMO Res. A.694(17), IMO Res. MSC 36(63)- (1994 HSC Code), HSC Code), IMO Res. MSC 95(72), IMO Res. MSC 97(73)-	— B + D 60945B + E (2002B + F including IEC 60945 Corrigendum 1 (2008), ISO 25861 (2007). Or, IEC 60945 (2002) including	EN 60945B + E (2002B + F including IEC 60945 Corrigendum 1 (2008), ISO 25861 (2007). Or, IEC 60945 (2002) including

**Status:** EU Directives are being published on this site to aid cross referencing from UK legislation. After IP completion day (31 December 2020 11pm) no further amendments will be applied to this version.

				(2000 HSC Code).	IEC 60945 Corrigendum 1 (2008), ISO 25861 (2007).
A.1/4.53	Radar target enhancer	—	Reg. V/18, —	Reg. V/19, —	ISO 8729 B + D
		—	Reg. —	IMO (2009)	B + E
		—	X/3, Res. —	Res. —	B + F
		—	IMO	A.694(17),	EN G
		—	Res. —	IMO	60945 (2002)
		—	MSC.36(63)-	Res.	including IEC
		—	(1994	MSC.36(63)-	60945
		—	HSC	(1994	Corrigendum
		—	Code)	HSC	1
		—	13,	Code)	(2008),
		—	IMO	13,	Or,
		—	Res. —	IMO	ISO
		—	MSC.97(73)-	Res. —	8729-2
		—	(2000	MSC.97(73)-	(2009),
		—	HSC	(2000	IEC
		—	Code)	HSC —	60945
		—	13.	Code)	(2002)
		—	IMO	13,	including
		—	Res.	IMO	IEC
		—	MSC.164(78),	Res. —	60945
		—	ITU-R M	ITU-R M	Corrigendum
		—	1176-1	1176-1	1
		—	(02/13)	(02/13)	(2008).
A.1/4.54	Bearing Device	—	Reg. V/18,	Reg. V/19,	ISO 25862 B + D
		—	—	—	B + E
		—	—	—	(2009)
		—	—	—	B + F
		—	—	—	EN G
		—	—	—	60945
		—	—	—	(2002)
		—	—	—	including
		—	—	—	IEC
		—	—	—	60945
		—	—	—	Corrigendum
		—	—	—	1
		—	—	—	(2008),
		—	—	—	Or,
		—	—	—	ISO
		—	—	—	25862
		—	—	—	(2009),
		—	—	—	IEC
		—	—	—	60945

						(2002) including IEC 60945 Corrigendum 1 (2008).
A.1/4.55	Search and rescue locating devices (SRLD): AIS SART equipment	— Reg. III/4, — Reg. IV/14.	— Reg. III/6, — Reg. III/26, — Reg. IV/7, — IMO Res. — MSC 246(83), — IMO Res. — MSC 256(84), — ITU-R M. — 1371-5(2014).	— Reg. IEC 60945B + E (2002)B + F including IEC 60945 Corrigendum 1 (2008), EN 61097-14 EN 61097-14 MSC 256(84), (2010). Or, IEC 60945 1371-5(2014). (2002) including IEC 60945 Corrigendum 1 (2008), IEC 61097-14 (2010).	EN	B + D 60945B + E (2002)B + F including IEC 60945 Corrigendum 1 (2008), IEC 61097-14 (2010).
A.1/4.56	Galileo Receiver	— Reg. V/18, — Reg. X/3, — IMO Res. — MSC 36(63)- (1994 HSC — Code) — 13, IMO Res. — MSC 97(73)- (2000 HSC — Code) — 13.	— Reg. V/19, — IMO Res. — A.694(17), — Res. A.813(19), — IMO Res. — MSC 36(63)- (1994 HSC — Code) — MSC 36(63)- (1994 HSC — Code) — MSC 97(73)- (2000 HSC — Code) — MSC 97(73)- (2000 HSC	— Reg. IEC 60945B + E (2002)B + F including IEC 60945 Corrigendum 1 (2008), EN 61097-3 EN 61162 Series, IEC 62288 Ed. 2.0 (2014-07).	EN	B + D 60945B + E (2002)B + F including IEC 60945 Corrigendum 1 (2008), IEC 61097-3 IEC 61162 Series, IEC 62288 Ed. 2.0 (2014-07).

**Status:** EU Directives are being published on this site to aid cross referencing from UK legislation. After IP completion day (31 December 2020 11pm) no further amendments will be applied to this version.

				Code)	Or,	
				13,	IEC	
			—	IMO	60945	
			—	Res.	(2002)	
			—	MSC.191(79),	including	
			—	IMO	IEC	
			—	Res.	60945	
			—	MSC.233(82).	Corrigendum	
				1		
					(2008),	
				—	IEC	
				—	61108-3	
				—	(2010),	
				—	IEC	
				—	61162	
				—	Series,	
				—	IEC	
				—	62288	
				—	Ed.	
				—	2.0	
				—	(2014-07).	
A.1/4.57	Bridge Navigational Watch Alarm System (BNWAS)	Reg. V/18	—	Reg. V/19,	EN	B + D
			—	IMO	60945	B + E
			—	Res.	(2002)	B + F
			—	A.694(17),	including	
			—	IMO	IEC	
			—	Res.	60945	
			—	MSC.128(75),	Corrigendum	
			—	1	1	
			—	IMO	(2008),	
			—	Res.	EN	
			—	MSC.191(79).	61162	
			—	—	Series,	
			—	—	IEC	
			—	—	62288	
			—	—	Ed.	
			—	—	2.0	
			—	—	(2014-07).	
			—	—	IEC	
			—	—	62616(2010)	
			—	—	including	
			—	—	IEC	
			—	—	62616	
			—	—	Corrigendum	
			—	—	1	
			—	—	(2012).	
			—	—	Or,	
			—	—	IEC	
			—	—	60945	
			—	—	(2002)	
			—	—	including	
			—	—	IEC	

						60945 Corrigendum 1 (2008), IEC 61162 Series, IEC 62288 Ed. 2.0 (2014-07). IEC 62616 (2010) including IEC 62616 Corrigendum 1 (2012).
A.1/4.58 Refer to note (b) of this Annex A.1	Sound reception system	—	Reg. V/18; —	Reg. V/19, IMO X/3, Res. IMO MSC.36(63)- (1994 HSC Code), IMO Res. MSC.97(73)- (2000 HSC Code).	—	EN B + D 60945B + E (2002)B + F including IEC 60945 Corrigendum 1 (2008), EN 61162 series, IEC 62288 Ed. 2.0 (2014-07). ISO 14859 (2012). Or, IEC 60945 (2002) including IEC 60945 Corrigendum 1 (2008),

**Status:** EU Directives are being published on this site to aid cross referencing from UK legislation. After IP completion day (31 December 2020 11pm) no further amendments will be applied to this version.

						IEC 61162 series, IEC 62288 Ed. 2.0 (2014-07). ISO 14859 (2012).
A.1/4.59 Refer to note (c) of this Annex A.1	Integrated navigation system	—	Reg. V/18,	—	Reg. V/19,	EN B + D 60945B + E (2002)B + F including IMO X/3, Res. IMO A.694(17), Res. MSC 36(63)- (1994 HSC Code) 13, IMO 13, Res. MSC 97(73)- (2000 HSC Code) 13. IMO 13, Res. MSC 191(79), IMO Res. MSC 252(83), IMO Res. MSC 302(83) (Bridge Alert Management, (BAM)).

## 5. Radiocommunication equipment

*Notes applicable to section 5: Radiocommunication equipment.*

Column 5: In case of conflicting requirements between IMO MSC/Circ.862 and the product testing standards, the IMO MSC/Circ.862 requirements shall take precedence.

Column 5:

IEC 61162 series refer to the following reference standards for Maritime navigation and radiocommunication equipment and systems — Digital interfaces:

- IEC 61162-1 ed4.0 (2010-11) — Part 1: Single talker and multiple listeners
- IEC 61162-2 ed1.0 (1998-09) — Part 2: Single talker and multiple listeners, high-speed transmission
- IEC 61162-3 ed1.2 Consol. with am1 ed. 1.0 (2010-11) and am2 ed. 1.0 (2014-07) — Part 3: Serial data instrument network
  - IEC 61162-3 ed1.0 (2008-05) — Part 3: Serial data instrument network
  - IEC 61162-3-am1 ed1.0 (2010-06) Amendment 1 — Part 3: Serial data instrument network
  - IEC 61162-3-am2 ed1.0 (2014-07) Amendment 2 — Part 3: Serial data instrument network
- IEC 61162-450 ed1.0 (2011-06) — Part 450: Multiple talkers and multiple listeners — Ethernet interconnection

EN 61162 series refer to the following reference standards for Maritime navigation and radiocommunication equipment and systems — Digital interfaces:

- EN 61162-1 (2011) — Part 1: Single talker and multiple listeners
- EN 61162-2 (1998) — Part 2: Single talker and multiple listeners, high-speed transmission
- EN 61162-3 (2008) — Part 3: Serial data instrument network
  - EN 61162-3-am1 (2010) Amendment 1 — Part 3: Serial data instrument network
  - IEC 61162-3-am2 ed1.0 (2014-07) Amendment 2 — Part 3: Serial data instrument network
- EN 61162-450 (2011) — Part 450: Multiple talkers and multiple listeners — Ethernet interconnection

No.	Item designation	Regulation SOLAS 74, as amended, where “type approval” is required	Regulations of SOLAS 74, as amended, and the relevant resolutions and circulars of the IMO, as applicable and ITU recommendations,	Testing standards	Modules for conformity assessment

**Status:** EU Directives are being published on this site to aid cross referencing from UK legislation. After IP completion day (31 December 2020 11pm) no further amendments will be applied to this version.

1	2	3	as applicable		5	6
A.1/5.1	VHF radio capable of transmitting and receiving DSC and radiotelephony	—	Reg. IV/14, —	Reg. IV/7, —	IMO	B + D
		—	Reg. X/3, —	Reg. X/3, —	MSC/B + E	
		—	IMO —	IMO	Circ.862, F	
		—	Res. MSC.36(63)- (1994)	Res. A.385(X),	EN	
		—	—	IMO	60945	
		—	HSC	Res.	(2002)	
		—	Code)	A.524(13),	including	
		—	14,	IMO	IEC	
		—	IMO	Res. A.694(47),	60945	
		—	Res.	IMO	Corrigendum	
		—	MSC.97(73)- (2000)	Res.	1	
		—	HSC	A.803(49),		
		—	Code)	IMO	61162	
		—	14.	Res.	series,	
		—	MSC.36(63)- (1994)	300	ETSI	
		—	HSC	338-1	EN	
		—	Code)	V1.3.1	300	
		—	14,	(2010-02),	338-2	
		—	IMO	ETSI	V1.3.1	
		—	Res.	EN	(2010-02),	
		—	MSC.97(73)- (2000)	301	ETSI	
		—	HSC	843-2	EN	
		—	Code)	V1.2.1	301	
		—	14,	(2004-06),	843-2	
		—	IMO	ETSI	V1.2.1	
		—	MSC.	EN	(2004-06),	
		—	Circ.862,	301	ETSI	
		—	IMO	925	EN	
		—	MSC.1/	925	Circ.1460,	
		—	Circ.1460,	301	COMSAR	
		—	IMO	V1.4.1	Circ.32,	
		—	COMSAR	(2013-05).	ITU-	
		—	Circ.32,		R	
		—	ITU-		M.489-2	
		—	R		(10/95),	
		—	ITU-		M.493-13	
		—	R		(10/09),	
		—	ITU-		ITU-	
		—	R		R	

				M.541-9 (05/04), ITU- R M.689-3 (03/12).		
A.1/5.2	VHF DSC watch- keeping receiver	— Reg. IV/14, — Reg. X/3, — IMO Res. MSC (1994— HSC Code) 14, — IMO Res. MSC (1994— HSC HSC Code) 14, 14.	— IV/7, Reg. X/3, IMO Res. A.694(17), IMO Res. A.803(+9), IMO Res. MSC (1994— HSC Code) 14, IMO Res. MSC (1994— HSC Code) 14, IMO Res. MSC (2000— HSC Code) 14, IMO Res. MSC (2000— HSC Code) 14, IMO Res. COMSAR Circ.32, ITU- R M.489-2 (10/95— ITU- R M.493-13 (10/09), ITU- R M.541-9 (05/04).	— EN 60945B + E (2002)B + F including IEC 60945 Corrigendum 1 (2008), EN 61162 series, ETSI EN 300 338-1 V1.3.1 (2010-02), ETSI EN 300 338-2 V1.3.1 (2010-02), ETSI EN 301 033 V1.4.1 (2013-09), ETSI EN 301 843-2 V1.2.1 (2004-06), Corrigendum	— B + D B + E B + F	
A.1/5.3	NAVTEX receiver	— Reg. IV/14, — Reg. X/3, — IMO Res. MSC 36(63)-	— IV/7, Reg. X/3, IMO Res. A.694(17),	— EN 60945B + E (2002)B + F including IEC 60945 Corrigendum	— B + D B + E B + F	

**Status:** EU Directives are being published on this site to aid cross referencing from UK legislation. After IP completion day (31 December 2020 11pm) no further amendments will be applied to this version.

		(1994— HSC Code) 14, IMO Res. MSC 97(73)- (2000— HSC Code) 14.	IMO Res. MSC 36(63)- (1994 HSC Code) 14, IMO Res. MSC 97(73)- (2000 HSC Code) 14. IMO Res. MSC 148(77), IMO COMSAR Circ.32, ITU- R M.540-2 (06/90), ITU- R M.625-4 (03/12)	1 (2008), ETSI EN 300 065-1 V1.2.1 (2009-01), ETSI EN 301 843-4 V1.2.1 (2004-06), Or, IEC 60945 (2002) including IEC 60945 Corrigendum 1 (2008), IEC 61097-6 (2012-01).	
A.1/5.4	EGC receiver	— Reg. IV/14, — Reg. X/3, — IMO — Res. MSC 36(63)- (1994— HSC Code) 14, — IMO — Res. MSC 97(73)- (2000— HSC Code) 14. —	Reg. — IV/7, — Reg. X/3, — IMO — Res. A.570(14), IMO Res. A.694(+7), IMO Res. MSC 36(63)- (1994 HSC Code) 14, — IMO — Res. MSC 97(73)- (2000 HSC Code) 14, — IMO Res. MSC 97(73)- (2000 HSC Code) 14,	EN 60945B + E B + F including IEC 60945 Corrigendum 1 (2008), ETSI ETS 300 460 Ed.1 (1996-05), ETSI ETS 300 460/ A1 (1997-11), ETSI EN 300	B + D B + E B + F including IEC 60945 Corrigendum 1 (2008), IEC 61097-6 (2012-01).

**Status:** EU Directives are being published on this site to aid cross referencing from UK legislation. After IP completion day (31 December 2020 11pm) no further amendments will be applied to this version.

		—	IMO Res. MSC.306(87), IMO — COMSAR Circ.32.	829 V1.1.1 (1998-03), ETSI EN 301 843-1 V1.3.1 (2012-08), Or, IEC 60945 (2002) including IEC 60945 Corrigendum 1 (2008), IEC 61097-4 (2012-05).	
A.1/5.5	HF marine safety information (MSI) equipment (HF NBDP receiver)	—	Reg. IV/14, Reg. X/3, IMO — Res. MSC.36(63)- (1994— HSC Code) 14, IMO — IMO Res. MSC.97(73)- (2000 HSC Code) 14	Reg. IV/7, Reg. X/3, IMO Res. A.694(17), IMO Res. A.699(17), IMO Res. A.700(17), IMO Res. A.806(19), IMO Res. MSC.36(63)- (1994 HSC Code) 14, IMO Res. MSC.97(73)- (2000 HSC Code) 14,	EN 60945B + E B + F including IEC 60945 Corrigendum 1 (2008), EN 61162 Series, ETSI ETS 300 067 Ed.1 (1990-11), ETSI ETS 300 067/ A1 Ed.1 (1993-10). Or, IEC 60945 (2002) including

**Status:** EU Directives are being published on this site to aid cross referencing from UK legislation. After IP completion day (31 December 2020 11pm) no further amendments will be applied to this version.

				—	IMO MSC.1/ Circ.1460, IMO COMSAR Circ.32, ITU-R M.492-6 (10/95), ITU-R M.540-2 (06/90), ITU-R M.625-4 (03/12), ITU-R M.688 (06/90).	IEC 60945 Corrigendum 1 (2008), IEC 61162 Series, ETSI ETS 300 067 Ed.1 (1990-11), ETSI ETS 300 067/ A1 Ed.1 (1993-10).
A.1/5.6	406 MHz EPIRB (COSPAS-SARSAT)	—	Reg. IV/14, Reg. X/3, IMO Res. MSC.36(63)- (1994— HSC Code) 14, IMO Res. MSC.97(73)- (2000 HSC Code) 14.	—	Reg. IV/7, Reg. X/3, IMO Res. A.662(16), IMO Res. A.694(17), IMO Res. A.696(17), IMO Res. A.810(19), IMO Res. MSC.36(63)- (1994 HSC Code) 14, IMO Res. MSC.97(73)- (2000 HSC Code) 14,	B + D MSC/B + E Circ.862, EN 60945 (2002) including IEC 60945 Corrigendum 1 (2008), ETSI EN 300 066 V 1.3.1 (2001-01). Or, IMO MSC/ Circ.862, IEC 60945 (2002) including IEC 60945 Corrigendum

**Status:** EU Directives are being published on this site to aid cross referencing from UK legislation. After IP completion day (31 December 2020 11pm) no further amendments will be applied to this version.

		—	IMO	1	
		—	MSC/ Circ.862,	(2008), IEC 61097-2	
		—	IMO	61097-2	
		—	COMSAR	(2008), Circ.32	Note: IMO
		—	ITU- R	MSC/ Circ. 862 is M.633	applicable (12/10)only to the ITU- optional R remote M.690activation (03/12)device, not to the EPIRB itself.
A.1/5.7	L- band EPIRB (INMARSAT)	Deliberately left blank			
A.1/5.8	MF DSC Receiver	Deliberately left blank			
A.1/5.9	Two-tone alarm generator	Deliberately left blank			
A.1/5.10	MF radio capable of transmitting and receiving DSC and radiotelephony <i>Note: In line with IMO and ITU decisions, the requirements for Two Tone Alarm generator and transmission on H3E are no longer applicable in the testing standards</i>	— Reg. IV/14, X/3, IMO Res. MSC 36(63)- (1994 HSC Code) 14, IMO Res. MSC 97(73)- (2000 HSC Code) 14.	— Reg. IV/9, Reg. IV/10,— Reg. IMO Res. IMO Res. IMO Res. Res. MSC 36(63)- (1994 HSC Code) 14, IMO Res. MSC 97(73)- (2000 HSC Code) 14,	— Reg. IV/9, Reg. IV/10,— Reg. IMO Res. IMO Res. IMO Res. IMO Res. IMO Res. IMO Res.	IMO B + D MSC/B + E Circ.862+ F EN 60945 (2002) including IEC 60945 Corrigendum 1 (2008), EN 61162 series, ETSI EN 300 338-1 V1.3.1 (2010-02), ETSI EN 300 338-2 V1.3.1 (2010-02),

**Status:** EU Directives are being published on this site to aid cross referencing from UK legislation. After IP completion day (31 December 2020 11pm) no further amendments will be applied to this version.

			—	IMO — MSC.1/ Circ.1460, IMO COMSAR Circ.32, ITU- R M.493-13 (10/09), ITU- R M.541-9 (05/04).	ETSI EN 300 373-1 V1.4.1 (2013-09), ETSI EN 301 843-5 V1.1.1 (2004-06).	
A.1/5.11	MF DSC watch- keeping receiver	—	Reg. IV/14, Reg. X/3, IMO — Res. MSC.36(63)- (1994 HSC Code) 14, IMO Res. MSC.97(73)- (2000 HSC Code) 14.	Reg. IV/9, Reg. IV/10, Reg. X/3, IMO Res. A.694(17), IMO — Res. A.804(19), IMO — Res. MSC.36(63)- (1994 HSC Code) 14, IMO Res. MSC.97(73)- (2000 HSC Code) 14, IMO Res. MSC.97(73)- (2000 HSC Code) 14, IMO Res. COMSAR Circ.32, ITU- R M.493-13 (10/09), ITU- R M.541-9 (05/04),	EN 60945 B + E (2002) including IEC 60945 Corrigendum 1 (2008), EN 61162 series, ETSI EN 300 338-1 V1.3.1 (2010-02), ETSI EN 300 338-2 V1.3.1 (2010-02), ETSI EN 301 033 V1.4.1 (2013-09), ETSI EN 301 843-5 V1.1.1 (2004-06).	B + D B + F B + F IEC B + D

---

**Status:** EU Directives are being published on this site to aid cross referencing from UK legislation. After IP completion day (31 December 2020 11pm) no further amendments will be applied to this version.

---

				—	ITU-R M.1173-1 (03/12).		
A.1/5.12	Inmarsat-B SES <i>Note: The service will be discontinued on and after 31 December 2016.</i>	—	Reg. IV/14, Reg. X/3, IMO Res. MSC.36(63)- (1994— HSC Code) 14, IMO Res. MSC.97(73)- (2000 HSC Code) 14.	— Reg. IV/10, Reg. X/3, IMO A.570(14), IMO Res. IMO Res. IMO Res. IMO Res. IMO Res. IMO Res. IMO MSC/ Circ.862, IMO COMSAR Circ.32.	— Reg. 60945 (2002) including IEC 60945 Corrigendum 1 (2008). Or, IMO MSC/ Circ 862, IEC 60945 (2002) including IEC 60945 Corrigendum 1 (2008). IMO MSC/ Circ.862, IMO COMSAR Circ.32.	IMO MSC/B + E Circ B + F EN 60945 including IEC 60945 Corrigendum 1 (2008). IMO MSC/ Circ.862, IMO COMSAR Circ.32.	B + D B + E B + F
A.1/5.13	Inmarsat-C SES	—	Reg. IV/14, Reg. X/3, IMO Res. MSC.36(63)- (1994— HSC Code) 14, IMO Res. MSC.97(73)- (2000	— Reg. IV/10, Reg. X/3, IMO Res. A.570(14), IMO Res. A.664 (16), (applicable only — if the	— Reg. 60945 (2002) including IEC 60945 Corrigendum 1 (2008), EN 61162 series,	IMO MSC/B + E Circ.862+ F EN 60945 including IEC 60945 Corrigendum 1 (2008), EN 61162 series,	B + D

**Status:** EU Directives are being published on this site to aid cross referencing from UK legislation. After IP completion day (31 December 2020 11pm) no further amendments will be applied to this version.

		HSC Code)	Inmarsat	ETSI
	14.	C	ETS	
		SES	300	
		comprises	460	
		EGC	Ed.1	
		functions),	(1996-05),	
		IMO —	ETSI	
		Res.	ETS	
		A.694(17),	300	
		IMO	460/	
		Res.	A1	
		A.807(19),	(1997-11),	
		IMO —	ETSI	
		Res.	EN	
		MSC.36(63)-	300	
		(1994	829	
		HSC	V1.1.1	
		Code)	(1998-03),	
		14,	ETSI	
		IMO	EN	
		Res.	301	
		MSC.97(73)-	843-1	
		(2000	V1.3.1	
		HSC	(2012-08),	
		Code)	Or,	
		14,	IEC	
		IMO	60945	
		Res.	(2002)	
		MSC.306(87),	including	
		IMO	IEC	
		MSC/	60945	
		Circ.862,	Corrigendum	
		IMO	1	
		COMSAR	(2008),	
		Circ.32-	IEC	
			61097-4	
			(2012),	
			IEC	
			61162	
			series.	
A.1/5.14	MF/HF radio capable of transmitting and receiving DSC, NBDP and radiotelephony <i>Note: In line with IMO and ITU decisions, the requirements</i>	— Reg. IV/14, — Reg. X/3, — IMO — Res. MSC.36(63)- (1994— HSC Code) 14,	Reg. IV/10, — Reg. X/3, — IMO A.694(17), — IMO Res. A.806(19), — IMO Res.	IMO B + D MSC/B + E Circ.862+ F EN 60945 (2002) including IEC 60945 Corrigendum 1 (2008),

	for Two Tone Alarm generator and transmission on A3H are no longer applicable in testing standards.	—	IMO Res. MSC 97(73)-(2000) HSC Code) — HSC Code) — 14. 14.	MSC 36(63)-(1994) HSC Code) — IMO Res. MSC 97(73)-(2000) HSC Code) — 14, 14, IMO MSC 14 Circ.862, IMO MSC 14 Circ.1460, IMO COMSAR Circ.32, ITU-R M.476-5 (10/95), ITU-R M.492-6 (10/95), ITU-R M.493-13 (10/09), ITU-R M.541-9 (05/04), ITU-R M.625-4 (03/12), ITU-R M.1173-1 (03/12).	36(63)- (1994) series, ETSI ETS 300 067 Ed.1 (1990-11), ETSI ETS 300 067/ A1 Ed.1 (1993-10), ETSI EN 300 338-1 V1.3.1 (2010-02), ETSI EN 300 338-2 V1.3.1 (2010-02), ETSI EN 300 373-1 V1.4.1 (2013-09), ETSI EN 301 843-5 V1.1.1 (2004-06).	EN 61162
A.1/5.15	MF/HF DSC scanning watch keeping receiver	—	Reg. IV/14, Reg. X/3, IMO	Reg. IV/10, Reg. X/3, IMO	Reg. IV/10, Reg. X/3, IMO	EN 60945 B + D B + E (2002) B + F including IEC 60945 Corrigendum

Document Generated: 2024-01-14

**Status:** EU Directives are being published on this site to aid cross referencing from UK legislation. After IP completion day (31 December 2020 11pm) no further amendments will be applied to this version.

	telephone apparatus						
A.1/5.17	Portable survival craft two-way VHF radiotelephone apparatus	— Reg. IV/14, — Reg. X/3, — IMO Res. MSC.36(63)- (1994) HSC — Code) 14, — IMO Res. MSC.97(73)- (2000) HSC — Code) 14. — MSC.97(73)- (2000) HSC — Code) 8, — IMO Res. MSC.149(77), — ITU-R M.489-2 (10/95). —	— III/6, — IMO Res. A.694(17), — IMO Res. A.809(19), — IMO Res. MSC.36(63)- (1994) HSC — Code) 14, — IMO Res. MSC.97(73)- (2000) HSC — Code) 8, — IMO Res. MSC.149(77), — ITU-R M.489-2 (10/95). —	— IEC Res. — ETSI — EN 300 225 V1.4.1 (2004-12), — EN 301 843-2 V1.2.1 (2004-06). Or, — IEC 60945 (2002) including IEC 60945 60945 Corrigendum 1 (2008), IEC 61097-12	EN 60945B + E (2002)B + F including IEC 60945 Corrigendum 1 (2008), ETSI EN 300 225 V1.4.1 (2004-12), EN 301 843-2 V1.2.1 (2004-06). Or, IEC 60945 (2002) including IEC 60945 60945 Corrigendum 1 (2008), IEC 61097-12	B + D B + E B + F	
A.1/5.18	Fixed survival craft two-way VHF radiotelephone apparatus	— Reg. IV/14, — Reg. X/3, — IMO Res. MSC.36(63)- (1994) HSC — Code) 14, — IMO Res. MSC.97(73)- (2000) HSC —	— III/6, — IMO Res. A.694(17), — IMO Res. A.809(19), — IMO Res. MSC.36(63)- (1994) HSC — Code) 14, — IMO Res. MSC.97(73)- (2000) HSC —	— IEC Res. — ETSI — EN 300 466 V1.1.1 (2000-10), Or,	EN 60945B + E (2002)B + F including IEC 60945 Corrigendum 1 (2008), ETSI EN 300 466 V1.1.1 (2000-10), Or,	B + D B + E	

**Status:** EU Directives are being published on this site to aid cross referencing from UK legislation. After IP completion day (31 December 2020 11pm) no further amendments will be applied to this version.

			Code) — 14.	IMO — Res. MSC 97(73)- (2000) HSC Code) 8, 14, ITU- R — M.489-2 (10/95).	IEC — 60945 (2002) including IEC 60945 Corrigendum 1 (2008), IEC 61097-12 (1996).
A1/ 5.19	Inmarsat-F77	—	Reg. — IV/14, — Reg. — X/3, — IMO Res. MSC 36(63)- (1994) HSC Code) 14, — IMO Res. A.694 — MSC 97(73)- (2000) HSC Code) 14.	Reg. — IV/10, IMO Res. A.570 (14), IMO Res. A.808 (19), IMO Res. A.694 — MSC 97(73)- (2000) HSC Code) 14, — IMO Res. MSC 36(63)- (1994) HSC Code) 14, — IMO Res. MSC 97(73)- (2000) HSC Code) 14, — IMO MSC / Circ.862, IMO COMSAR Circ.32.	IMO B + D MSC/B + E Circ.862, F EN 60945 (2002) including IEC 60945 Corrigendum 1 (2008), IEC 61097-13 (2003). Or, IMO MSC / Circ.862, IEC 60945 (2002) including IEC 60945 Corrigendum 1 (2008), IEC 61097-13 (2003).

## 6. Equipment required under COLREG 72

No.	Item designation	Regulation COLREG 72	Regulations of	Testing standards	Modules for
-----	------------------	----------------------	----------------	-------------------	-------------

1	2	3	where “type approval” is required	COLREG and the relevant resolutions and circulars of the IMO, as applicable	5	6	conformity assessment
A.1/6.1	Navigation lights	—	COLREG Annex I/14.	COLREG Annex I/14, IMO Res. A.694(17), IMO Res. MSC.253(83)	EN 14744B + E (2005) B + F including AC (2006), EN 60945 (2002) including IEC 60945 Corrigendum 1 (2008). Or, EN 14744 (2005) including AC (2006), IEC 60945 (2002) including IEC 60945 Corrigendum 1 (2008).	EN 14744B + E (2005) B + F including AC (2006), EN 60945 (2002) including IEC 60945 Corrigendum 1 (2008).	

## 7. Bulk carrier safety equipment

No items in Annex A.1.

## 8. Equipment under SOLAS Chapter II-1. Construction –structure, subdivision and stability, machinery and electrical installations

No.	Item designation	Regulation SOLAS 74, as	Regulations of SOLAS 74, as	Testing standards	Modules for
-----	------------------	-------------------------	-----------------------------	-------------------	-------------

**Status:** EU Directives are being published on this site to aid cross referencing from UK legislation. After IP completion day (31 December 2020 11pm) no further amendments will be applied to this version.

1	2	3	4	5	6
A.1/8.1	Water level detectors	— Reg. II-1/22-1, II-1/25, XII/12. — Reg. II-1/25, XII/12. — Reg. IMO XII/12. — IMO Res. A.1021(26) — IMO Res. 1 MSC.188(79), — IMO MSC.1/ Circ 1464 Rev. 1 — IMO Res. MSC.188(79), IMO MSC.1/ Circ. 1291.	Reg. — Reg. II-1/25, Reg. XII/12, IMO IMO Res. 1 MSC.188(79), IMO MSC.1/ Circ 1464 Rev. 1 — IMO Res. MSC.188(79), IMO MSC.1/ Circ. 1291.	IEC 60092-504E (2001) B + F including IEC Corrigendum 1 (2011), IEC 60529 Ed.2.2 (2001), IMO Res. MSC.188(79), IMO MSC.1/ Circ. 1291.	B + D B + E B + F

## ANNEX A.2

**EQUIPMENT FOR WHICH NO DETAILED TESTING STANDARDS EXIST IN INTERNATIONAL INSTRUMENTS**

## 1. Life-saving appliances

Column 4: IMO MSC/ Circular 980 should apply except when superseded by the specific instruments referred to in Column 4.

No.	Item designation	Regulation SOLAS 74, as amended, where “type approval” is required	Regulations of SOLAS 74, as amended, and the relevant resolutions and circulars of the IMO, as applicable	Testing standards	Modules for conformity assessment
-----	------------------	--	---	-------------------	-----------------------------------

1	2	3	4	5	6
A.2/1.1	Radar reflector for liferafts	— Reg. III/4, — Reg. III/34, — Reg. X/3.	— IMO Res. MSC.48(66)- (LSA Code).		
A.2/1.2	Immersion suit materials	Deliberately left blank			
A.2/1.3	Float-free launching appliances for survival craft	Deliberately left blank			
A.2/1.4	Embarkation ladders	Moved to A.1/1.29			
A.2/1.5	Public address & general emergency alarm system (when used as fire alarm device item A.1/3.53 shall apply)	— Reg. III/6.	— IMO Res. A.1021(26), — IMO Res. MSC.36(63)- (1994 HSC Code), — IMO Res. MSC.48(66)- (LSA Code), — IMO Res. MSC.97(73)- (2000 HSC Code), — IMO MSC/Circ.808.		

## 2. Marine pollution prevention

No.	Item designation	Regulation MARPOL 73/78 as amended, where “type approval” is required	Regulations MARPOL 73/78, as amended, and the relevant resolutions	Testing standards	Modules for conformity assessment

**Status:** EU Directives are being published on this site to aid cross referencing from UK legislation. After IP completion day (31 December 2020 11pm) no further amendments will be applied to this version.

			<b>and circulars of the IMO, applicable</b>		
1	2	3	4	5	6
A.2/2.1	NO <sub>x</sub> analyser of Chemiluminescent detector (CLD) or heated chemiluminescent detector type (HCLD) type for use in on board direct measurement	Moved to A.1/2.8			
A.2/2.2	On board exhaust gas cleaning systems	Moved to A.1/2.10			
A.2/2.3	Equipment using other equivalent methods to reduce on board NO <sub>x</sub> emissions	— Annex VI, Reg. 4.	— Annex VI, Reg. 4		
A.2/2.4	Equipment using other technological methods to limit SO <sub>x</sub> emissions	— IMO Res. MEPC.176(58) (Revised MARPOL Annex VI, Reg. 4), IMO Res. MEPC.184(59).	— IMO Res. MEPC.176(58) (Revised MARPOL Annex VI, Reg. 4).		
A.2/2.5	On board NO <sub>x</sub> analysers using a measurement method other than the Direct Measurement and	Deliberately left blank as this sort of equipment is included into A.1/2.8			

Monitoring Method of the NO <sub>x</sub> Technical Code 2008	
--	--

### 3. Fire protection equipment

No.	Item designation	Regulation SOLAS 74, as amended, where “type approval” is required	Regulations of SOLAS 74, as amended, and the relevant resolutions and circulars of the IMO, as applicable	Testing standards	Modules for conformity assessment
1	2	3	4	5	6
A.2/3.1	Non-portable and transportable extinguishers	Moved to A.1/3.52			
A.2/3.2	Nozzles for fixed pressure water-spraying fire-extinguishing systems for special category spaces, ro-ro cargo spaces, ro-ro spaces and vehicle spaces	Moved to A.1/3.49			
A.2/3.3	Cold-weather starting of generator sets (starting devices)	Moved to A.2/8.1			
A.2/3.4	Dual purpose type nozzles (spray/jet type)	Moved to A.1/3.55			
A.2/3.5	Fixed fire detection and	Moved to A.1/3.51			

**Status:** EU Directives are being published on this site to aid cross referencing from UK legislation. After IP completion day (31 December 2020 11pm) no further amendments will be applied to this version.

	fire alarm systems components for control stations, service spaces, accommodation spaces, machinery spaces and unattended machinery spaces						
A.2/3.6	Smoke detectors	Moved to A.1/3.51					
A.2/3.7	Heat detectors	Moved to A.1/3.51					
A.2/3.8	Electric safety lamp	— Reg. II-2/10, — Reg. — X/3, — IMO Res. MSC 98(73)- (FSS Code) 3.	— Reg. II-2/10, IMO Res. HSC Code) 7, IMO Res. MSC 97(73)- (2000 HSC Code) 7, IMO Res. MSC 98(73)- (FSS Code), 3.	— Reg. II-2/10, IMO Res. HSC Code) 7, IMO Res. EN 60079 series.			
A.2/3.9	Protective clothing resistant to chemical attack	— Reg. II-2/19.	— Reg. II-2/19, IMO Res. MSC 36(63)- (1994 HSC — Code) 7, IMO Res.	— Reg. II-2/19, IMO Res. HSC — Code) 7, IMO Res.	EN 943-1 (2002), including AC (2005), EN 943-2 (2002), EN ISO		

**Status:** EU Directives are being published on this site to aid cross referencing from UK legislation. After IP completion day (31 December 2020 11pm) no further amendments will be applied to this version.

			MSC 97(73)- (2000) HSC Code) 7.	6529 (2001), EN ISO 6530 (2005), EN 14605 (2005) including A1(2009), IMO MSC/ Circ.1120.
A.2/3.10	Low-location lighting systems	Moved to A.1/3.40		
A.2/3.11	Nozzles for fixed pressure water spraying fire extinguishing systems for machinery spaces	Moved to A.1/3.10		
A.2/3.12	Equivalent fixed gas fire extinguishing systems for machinery spaces and cargo pump rooms	Moved to A.1/3.45		
A.2/3.13	Compressed airline breathing apparatus (High Speed Craft)	Item deleted		
A.2/3.14	Fire hoses (reel type)	Moved to A.1/3.56		
A.2/3.15	Sample extraction smoke detection systems components	Moved to A.1/3.63		
A.2/3.16	Flame detectors	Moved to A.1/3.51		

**Status:** EU Directives are being published on this site to aid cross referencing from UK legislation. After IP completion day (31 December 2020 11pm) no further amendments will be applied to this version.

A.2/3.17	Manual call points	Moved to A.1/3.51				
A.2/3.18	Alarm devices	Moved to A.1/3.53				
A.2/3.19	Fixed water based local application fire fighting systems components for use in category "A" machinery spaces.	Moved to A.1/3.48				
A.2/3.20	Upholstered furniture	Moved to A.1/3.20				
A.2/3.21	Paint lockers and flammable liquid lockers fire extinguishing systems components	—	Reg. II-2/10. <u>10.</u>	—	Reg. II-2/10, IMO MSC.1/ Circ.1239.	
A.2/3.22	Galley Exhaust Duct Fixed Fire Extinguishing Systems components	Moved to A.1/3.68				
A.2/3.23	Helicopter Deck Fire Extinguishing Systems components	Moved to A.1/3.67				
A.2/3.24	Portable Foam Applicator Units	—	Reg. II-2/10,	—	Reg. II-2/10,	
		—	Reg. II-2/20,	—	Reg. II-2/20,	
		—	Reg. X/3.	—	IMO Res. MSC.36(63)- (1994 HSC Code) 7, IMO Res. MSC.97(73)-	

			(2000 HSC Code) 7, IMO Res. MSC.98(73)- (FSS Code) 4, IMO MSC.1/ Circ.1239, IMO MSC.1/ Circ.1313.	
A.2/3.25	C class Divisions	Moved to A.1/3.64		
A.2/3.26	Gaseous Fuel Systems Used for Domestic Purposes (components)	— Reg. II-2/4.	— II-2/4, IMO MSC.1/ Circ.1276.	
A.2/3.27	Fixed Gas Fire Extinguishing Systems (CO <sub>2</sub> ) components.	— Reg. II-2/10, — Reg. X/3.	Reg. II-2/10, Reg. control and II-2/20 delay devices: IMO — EN Res. 12094-1 MSC.36(63)- (2003). (1994 Non- HSC electrical Code)automatic 7, control and IMO delay devices: Res. — EN MSC.97(73)- 12094-2 (2000 (2003). HSC Manual Code)triggering and 7, stop devices: IMO — EN Res. 12094-3 MSC.98(73)- (2003). (FSS Container Code)valve 5, assemblies IMO and their MSC. actuators: Circ.1313,	

**Status:** EU Directives are being published on this site to aid cross referencing from UK legislation. After IP completion day (31 December 2020 11pm) no further amendments will be applied to this version.

		— IMO MSC 1/ Circ. 1318, IMO MSC Circ. 1456 valves and their actuators: — EN 12094-5 (2006). Non- electrical disable devices: — EN 12094-6 (2006). Nozzles for CO <sub>2</sub> systems: — EN 12094-7 (2000) including A1 (2005). Connectors: — EN 12094-8 (2006). Pressure gauges and pressure switches: — EN 12094-10 (2003). Mechanical weighing devices: — EN 12094-11 (2003). Check valves and non- return valves: — EN 12094-13 (2001) including AC (2002).	EN 12094-4 (2004). High and low pressure sector valves and their actuators: — EN 12094-5 (2006). Non- electrical disable devices: — EN 12094-6 (2006). Nozzles for CO <sub>2</sub> systems: — EN 12094-7 (2000) including A1 (2005). Connectors: — EN 12094-8 (2006). Pressure gauges and pressure switches: — EN 12094-10 (2003). Mechanical weighing devices: — EN 12094-11 (2003). Check valves and non- return valves: — EN 12094-13 (2001) including AC (2002).
--	--	---	--

					Odorizing devices for CO <sub>2</sub> low pressure systems: — EN 12094-16 (2003).	
A.2/3.28	Medium Expansion Foam Fire Extinguishing Systems components for Fixed Deck Foam for Tankers	Moved to A.1/3.57				
A.2/3.29	Fixed Low Expansion Foam Fire Extinguishing Systems components for Machinery Spaces and Tanker Deck Protection.	Moved to A.1/3.58				
A.2/3.30	Expansion Foam for Fixed Fire Extinguishing Systems for Chemical Tankers	Moved to A.1/3.59				
A.2/3.31	Water Spraying Hand Operated System	— Reg. II-2/10, — Reg. II-2/19.	— Reg. II-2/10, — Reg. II-2/19.			
A.2/3.32	Dry chemical powder extinguishing systems	Moved to A.1/3.62				
A.2/3.33 New item	Fire hoses with diameter > 52 mm	— Reg. II-2/10, — Reg. X/3.	— Reg. II-2/10, IMO Res. MSC.36(63)-			

**Status:** EU Directives are being published on this site to aid cross referencing from UK legislation. After IP completion day (31 December 2020 11pm) no further amendments will be applied to this version.

			(1994 HSC Code) 7, IMO Res. MSC.97(73)- (2000 HSC Code) 7.	
--	--	--	--	--

#### 4. Navigation equipment

*Notes applicable to section 4: Navigation equipment*

Columns 3 and 4: References to SOLAS Chapter V are to SOLAS 1974 as amended by MSC 73 and entering into force on 1 July 2002.

Column 4: Navigational equipment shall comply with relevant parts of IMO's Assembly Resolution A.1021(26) "Code on alerts and indicators, 2009", and MSC Resolution MSC.302(87) "Adoption of performance standards for bridge alert management", as applicable.

Column 5:

IEC 61162 series refer to the following reference standards for Maritime navigation and radiocommunication equipment and systems — Digital interfaces:

- IEC 61162-1 ed4.0 (2010-11) — Part 1: Single talker and multiple listeners
- IEC 61162-2 ed1.0 (1998-09) — Part 2: Single talker and multiple listeners, high-speed transmission
- IEC 61162-3 ed1.2 Consol. with am1 ed. 1.0 (2010-11) and am2 ed. 1.0 (2014-07) — Part 3: Serial data instrument network
  - IEC 61162-3 ed1.0 (2008-05) — Part 3: Serial data instrument network
  - IEC 61162-3-am1 ed1.0 (2010-06) Amendment 1 — Part 3: Serial data instrument network
  - IEC 61162-3-am2 ed1.0 (2014-07) Amendment 2 — Part 3: Serial data instrument network
- IEC 61162-450 ed1.0 (2011-06) — Part 450: Multiple talkers and multiple listeners — Ethernet interconnection

EN 61162 series refer to the following reference standards for Maritime navigation and radiocommunication equipment and systems — Digital interfaces:

- EN 61162-1 (2011) — Part 1: Single talker and multiple listeners
- EN 61162-2 (1998) — Part 2: Single talker and multiple listeners, high-speed transmission
- EN 61162-3 (2008) — Part 3: Serial data instrument network
  - EN 61162-3-am1 (2010) Amendment 1 — Part 3: Serial data instrument network
  - IEC 61162-3-am2 ed1.0 (2014-07) Amendment 2 — Part 3: Serial data instrument network
- EN 61162-450 (2011) — Part 450: Multiple talkers and multiple listeners — Ethernet interconnection

No.	Item designation	Regulation SOLAS 74, as amended, where “type approval” is required	Regulations of SOLAS 74, as amended, and the relevant resolutions and circulars of the IMO, as applicable and ITU recommendations, as applicable	Testing standards	Modules for conformity assessment
1	2	3	4	5	6
A.2/4.1	Gyro compass for high speed craft	Moved to A.1/4.31			
A.2/4.2	Heading control system for high speed craft (formerly auto-pilot)	Moved to A.1/4.40			
A.2/4.3	Transmitting heading device THD (GNSS method)	Moved to A.1/4.41			
A.2/4.4	Daylight signalling lamp	Moved to A.1/4.52			
A.2/4.5	Searchlight for high speed craft	Moved to A.1/4.42			
A.2/4.6	Night vision equipment for high speed craft	Moved to A.1/4.43			
A.2/4.7	Track control system	Moved to A.1/4.33			
A.2/4.8	Electronic Chart Display and	Moved to A.1/4.30			

**Status:** EU Directives are being published on this site to aid cross referencing from UK legislation. After IP completion day (31 December 2020 11pm) no further amendments will be applied to this version.

	Information System (ECDIS).	
A.2/4.9	Electronic Chart Display and Information System (ECDIS) backup	Moved to A.1/4.30
A.2/4.10	Raster Chart Display System (RCDS)	Moved to A.1/4.30
A.2/4.11	Combined GPS/ GLONASS equipment	— Reg. V/18, — Reg. V/19, — Reg. IMO X/3, Res. including IEC — IMO A.694(17), Res. MSC.36(63)- Res. Corrigendum 1 (1994) — HSC (1994) (2008), Code), HSC — EN — IMO Code), 61108-1 Res. — IMO (2003), MSC.97(73)- Res. — EN (2000) MSC.97(73)- Res. 61108-2 (2000) (1998), Code). HSC — EN Code), 61162 — IMO series, Res. — IEC MSC.115(73), 62288 — IMO Ed. Res. 2.0 MSC.191(79). (2014-07). Or, — IEC 60945 (2002) including IEC 60945 Corrigendum 1 (2008), IEC 61108-1 (2003),

**Status:** EU Directives are being published on this site to aid cross referencing from UK legislation. After IP completion day (31 December 2020 11pm) no further amendments will be applied to this version.

Document Generated: 2024-01-14

**Status:** EU Directives are being published on this site to aid cross referencing from UK legislation. After IP completion day (31 December 2020 11pm) no further amendments will be applied to this version.

**Status:** EU Directives are being published on this site to aid cross referencing from UK legislation. After IP completion day (31 December 2020 11pm) no further amendments will be applied to this version.

	shipborne radar	
A.2/4.22	Transmitting heading device THD (Gyroscopic method)	Moved to A.1/4.46
A.2/4.23	Transmitting heading device THD (Magnetic method)	Moved to A.1/4.2
A.2/4.24	Thrust indicator	— Reg. V/18, — Reg. X/3, — IMO MSC.36(63)- (1994) HSC Code), — IMO Res. — MSC.97(73)- (2000) HSC Code). — Reg. V/19, — IMO Res. — MSC.36(63)- (1994) HSC — IMO Res. — MSC.97(73)- (2000) HSC — IMO Res. — MSC.191(79). — IEC (2002) including IEC 60945 Corrigendum 1 (2008), IEC 61162 series, IEC 62288 Ed. 2.0 (2014-07). — IEC 60945 (2002) including IEC 60945 Corrigendum 1 (2008), IEC 61162 series, IEC 62288 Ed. 2.0 (2014-07).
A.2/4.25	Lateral thrust, pitch and mode indicators	— Reg. V/18, — Reg. X/3,

**Status:** EU Directives are being published on this site to aid cross referencing from UK legislation. After IP completion day (31 December 2020 11pm) no further amendments will be applied to this version.

	IMO Res. MSC.36(63)- (1994) HSC Code), IMO Res. MSC.97(73)- (2000) HSC Code).	— A.694(17), IMO Res. MSC.36(63)- (1994) HSC Code),— IMO Res. MSC.97(73)- (2000) HSC Code),— IMO Res. MSC.191(79).	IMO Res. Corrigendum 1 (2008), EN series, IEC 62288 Ed. 2.0 (2014-07). Or, IEC 60945 (2002) including IEC 60945 Corrigendum 1 (2008), IEC 61162 series, IEC 62288 Ed. 2.0 (2014-07).	IEC 60945 Corrigendum 1 series, IEC 61162 IEC 60945 Corrigendum 1 (2008), IEC 61162 series, IEC 62288 Ed. 2.0 (2014-07).
A.2/4.26	Rate-of-turn indicator	Moved to A.1/4.9		
A.2/4.27	Rudder angle indicator	Moved to A.1/4.20		
A.2/4.28	Propeller revolution indicator	Moved to A.1/4.21		
A.2/4.29	Pitch indicator	Moved to A.1/4.22		
A.2/4.30	Bridge equipment system	Deliberately left blank		
A.2/4.31	Bearing Device	Moved to A.1/4.54		
A.2/4.32	Bridge Navigational Watch Alarm	Moved to A.1/4.57		

	System (BNWAS)						
A.2/4.33	Track control system (working at ship's speed from 30 knots and above)	Deliberately left blank					
A.2/4.34	Equipment with Long Range Identification and Tracking (LRIT) capability	Deliberately left blank					
A.2/4.35	Galileo Receiver	Moved to A.1/4.56					
A.2/4.36	AIS SART equipment	Moved to A.1/4.55					
A.2/4.37 (new item)	Electronic Inclinometer	—	Reg. V/18+7.	IMO Res. A.694(17), — IMO Res. MSC.191(79), IMO Res. MSC.363(92), IMO MSC.1/ Circ.982, IMO MSC.1/ Circ.1228,	— including IEC 191(79), Corrigendum 1 363(92), EN 1/ Series. Or, IEC 1228, (2008), 60945 (2002) including IEC 60945 Corrigendum 1 (2008), IEC 61162 Series.	EN 60945 (2002) including IEC 60945 Corrigendum 1 (2008), IEC 61162 Series.	
A.2/4.38 Ex A.1/4.11	Loran-C equipment	—	Reg. V/18, — Reg. X/3, —	Reg. V/19, IMO Res. A.694(17), Res.	— — Res.	EN 60945 (2002) including IEC 60945	

**Status:** EU Directives are being published on this site to aid cross referencing from UK legislation. After IP completion day (31 December 2020 11pm) no further amendments will be applied to this version.

			MSC 36(63)- (1994) HSC Code) — 13, IMO Res. MSC 97(73)- (2000) HSC Code) — 13.	IMO Res. A.818(19), IMO — Res. MSC 36(63)- (1994) HSC Code) — 13, IMO Res. MSC 97(73)- (2000) HSC Code) — 13, IMO Res. MSC 191(79). —	Corrigendum 1 (2008), EN 61162 series, IEC 62288 Ed. 2.0 (2014-07). Or, IEC 60945 (2002) including IEC 60945 Corrigendum 1 (2008), IEC 61162 series, IEC 62288 Ed. 2.0 (2014-07).
A.2/4.39 Ex A.1/4.12	Chayka equipment	—	Reg. V/18, —	Reg. V/19, IMO Res. A.694 IMO Res. MSC 36(63)- (1994) HSC Code) — 13, IMO Res. MSC 97(73)- (2000) HSC Code) — 13.	EN 60945 (2002) including IEC 60945 Corrigendum 1 (2008), EN 61162 series, IEC 62288 Ed. 2.0 (2014-07). Or, IEC 60945 (2002) including IEC

			Code) 13, IMO Res. MSC.191(79).	60945 Corrigendum 1 (2008), IEC 61162 series, IEC 62288 Ed. 2.0 (2014-07).
--	--	--	---	---

## 5. Radiocommunication equipment

Notes applicable to section 5: Radiocommunication equipment.

Column 5:

IEC 61162 series refer to the following reference standards for Maritime navigation and radiocommunication equipment and systems — Digital interfaces:

- IEC 61162-1 ed4.0 (2010-11) — Part 1: Single talker and multiple listeners
- IEC 61162-2 ed1.0 (1998-09) — Part 2: Single talker and multiple listeners, high-speed transmission
- IEC 61162-3 ed1.2 Consol. with am1 ed. 1.0 (2010-11) and am2 ed. 1.0 (2014-07) — Part 3: Serial data instrument network
  - IEC 61162-3 ed1.0 (2008-05) — Part 3: Serial data instrument network
  - IEC 61162-3-am1 ed1.0 (2010-06) Amendment 1 — Part 3: Serial data instrument network
  - IEC 61162-3-am2 ed1.0 (2014-07) Amendment 2 — Part 3: Serial data instrument network
- IEC 61162-450 ed1.0 (2011-06) — Part 450: Multiple talkers and multiple listeners — Ethernet interconnection

EN 61162 series refer to the following reference standards for Maritime navigation and radiocommunication equipment and systems — Digital interfaces:

- EN 61162-1 (2011) — Part 1: Single talker and multiple listeners
- EN 61162-2 (1998) — Part 2: Single talker and multiple listeners, high-speed transmission
- EN 61162-3 (2008) — Part 3: Serial data instrument network
  - EN 61162-3-am1 (2010) Amendment 1 — Part 3: Serial data instrument network
  - IEC 61162-3-am2 ed1.0 (2014-07) Amendment 2 — Part 3: Serial data instrument network
- EN 61162-450 (2011) — Part 450: Multiple talkers and multiple listeners — Ethernet interconnection

No.	Item designation	Regulation SOLAS 74, as amended, where	Regulations of SOLAS 74, as amended, and the	Testing standards	Modules for conformity assessment
-----	------------------	--	--	-------------------	-----------------------------------

**Status:** EU Directives are being published on this site to aid cross referencing from UK legislation. After IP completion day (31 December 2020 11pm) no further amendments will be applied to this version.

1	2	3	4	5	6
A.2/5.1	VHF EPIRB	<p>— Reg. IV/8, IV/14,—</p> <p>— Reg. Res. X/3, A.662(16), including</p> <p>— IMO — IEC</p> <p>Res. Res. 60945</p> <p>MSC.36(63)- A.694(17), Corrigendum (1994) — IMO 1</p> <p>HSC Res. (2008). Code), A.805(19), Or, IMO — IEC</p> <p>Res. Res. 60945</p> <p>MSC.97(73)- MSC.36(63)- (2002) (2000) (1994) including</p> <p>HSC HSC IEC</p> <p>Code). Code), 60945</p> <p>— IMO Corrigendum Res. 1</p> <p>MSC.97(73)- (2008). (2000) HSC Code), — ITU- R M.489-2 (10/95), — ITU- R M.693-1 (03/12).</p>	<p>Reg. IV/8, IMO 60945</p> <p>Res. (2002)</p> <p>IMO IEC</p> <p>Res. 60945</p> <p>Corrigendum</p> <p>1</p> <p>Or,</p> <p>IMO IEC</p> <p>Res. 60945</p> <p>MSC.36(63)- (2002)</p> <p>(1994) including</p> <p>HSC IEC</p> <p>Code), 60945</p> <p>Corrigendum</p> <p>1</p> <p>MSC.97(73)- (2008).</p>		
A.2/5.2	Radio reserve source of energy	<p>— Reg. IV/13, IV/14,</p> <p>— Reg. IMO (2002)</p> <p>X/3, Res. including</p> <p>— IMO A.694(17),</p> <p>Res. IMO 60945</p> <p>MSC.36(63)- Res. Corrigendum (1994) A.702(17), 1</p>	<p>Reg. IV/13, IMO 60945</p> <p>Res. (2002)</p> <p>including</p> <p>A.694(17), IEC</p> <p>IMO 60945</p> <p>Corrigendum</p> <p>1</p> <p>(2008).</p>		

		HSC — Code), IMO Res. MSC 97(73)- (2000 HSC — Code).	IMO — Res. — MSC 36(63)- (1994 HSC Code), IMO Res. MSC 97(73)- (2000 HSC Code), IMO COMSAR Circ. 16, IMO COMSAR Circ. 32.	Or, IEC 60945 (2002) including IEC 60945 Corrigendum 1 (2008).
A.2/5.3	Inmarsat-F SES	Moved to A.1/5.19.		
A.2/5.4	Distress panel	— Reg. IV/14, — Reg. X/3, — IMO Res. MSC 36(63)- (1994 HSC Code), IMO Res. MSC 97(73)- (2000 HSC Code).	Reg. IV/6, IMO Res. A.694(17), IMO Res. MSC 36(63)- (1994 HSC Code), IMO Res. MSC 97(73)- (2000 HSC Code). — IMO MSC / Circ. 862, IMO COMSAR Circ. 32.	EN 60945 (2002) including IEC 60945 Corrigendum 1 (2008). Or, IEC 60945 (2002) including IEC 60945 Corrigendum 1 (2008).
A.2/5.5	Distress alarm or alert panel	— Reg. IV/14, — Reg. X/3, — IMO Res. MSC 36(63)- (1994	Reg. IV/6, IMO Res. A.694(17), IMO Res. MSC 36(63)- (1994	EN 60945 (2002) including IEC 60945 Corrigendum

**Status:** EU Directives are being published on this site to aid cross referencing from UK legislation. After IP completion day (31 December 2020 11pm) no further amendments will be applied to this version.

		HSC Code), IMO — Res. MSC 97(73)- (2000) HSC Code).	HSC Code), IMO Res. — MSC 97(73)- (2000) HSC Code), IMO MSC/ Circ. 862, IMO	1 (2008). Or, IEC 60945 (2002) including IEC 60945 Corrigendum 1 (2008). COMSAR Circ. 32.
A.2/5.6	L- band EPIRB (INMARSAT)	Deliberately left blank		
A.2/5.7	Ship security alert system	—	Reg. — XI-2/6, IMO Res. A.694(17), IMO Res. MSC 147(77), IMO MSC/— Circ. 1072.	EN 60945 (2002) including IEC 60945 Corrigendum 1 (2008), EN 61162 Series. Or, IEC 60945 (2002) including IEC 60945 Corrigendum 1 (2008), IEC 61162 Series.
A.2/5.8 Ex A.1/5.16	Aeronautical two way VHF radio telephone apparatus	—	Reg. — IV/14, Reg. — X/3, IMO Res. — MSC 36(63)- (1994) HSC	EN 60945 (2002) including IEC 60945 Corrigendum 1 (2008).

	Code)	HSC	—	ETSI
—	14,	Code)	EN	
IMO	14,	301		
Res.	—	688		
MSC	97(73)-	Res.	V1.1.1	
(2000	97(73)-	MSC	(2000-07).	
HSC	(2000	(2000	Or,	
Code)	Code)	—	IEC	
14.	Code)	60945		
	14,	(2002)		
—	IMO	including		
	Res.	IEC		
MSC	80(70),	60945		
—	IMO	Corrigendum		
	COMSAR	1		
	Circ.32,	(2008).		
—	ICAO—	ETSI		
	Convention,	EN		
	Annex	301		
	10,	688		
	Radio	V1.1.1		
	-	(2000-07).		
		Regulations.		

## 6. Equipment required under COLREG 72

No.	Item designation	Regulation COLREG 72 where “type approval” is required	Regulations of COLREG and the relevant resolutions and circulars of the IMO, as applicable	Testing standards	Modules for conformity assessment
1	2	3	4	5	6
A.2/6.1	Navigation lights	Moved to A.1/6.1.			
A.2/6.2	Sound signal appliances	— COLREG 72 Annex III/3.	COLREG 72 Annex III/3, IMO Res. A.694(17).	EN 60945 (2002) including IEC 60945 Corrigendum 1 (2008), Whistles — COLREG	

**Status:** EU Directives are being published on this site to aid cross referencing from UK legislation. After IP completion day (31 December 2020 11pm) no further amendments will be applied to this version.

				—	72 Annex III/1 (Performance), Bells or Gongs — COLREG 72 Annex III/2 (Performance). Or, IEC 60945 (2002) including IEC 60945 Corrigendum 1 (2008), Whistles — COLREG 72 Annex III/1 (Performance), Bells or Gongs — COLREG 72 Annex III/2 (Performance).
--	--	--	--	---	---

## 7. Bulk carrier safety equipment

No.	Item designation	Regulation SOLAS 74, as amended, where “type approval” is required	Regulations of SOLAS 74, as amended, and the relevant resolutions and circulars of the IMO, as applicable	Testing standards	Modules for conformity assessment

1	2	3	4	5	6
A.2/7.1	Loading instrument	— Reg. XII/11, 1997 — SOLAS Conference Res. 5.	— Reg. XII/11, 1997 — SOLAS Conference Res. 5.	—	IMO MSC Circ 1/1229.
A.2/7.2	Water level detectors on bulk carriers	Item deleted			

## 8. SOLAS Chapter II-1 equipment

No.	Item designation	Regulation SOLAS 74, as amended, where “type approval” is required	Regulations of SOLAS 74, as amended, and the relevant resolutions and circulars of the IMO, as applicable	Testing standards	Modules for conformity assessment
1	2	3	4	5	6
A.2/8.1	Cold-weather starting of generator sets (starting devices)	— Reg. II-1/44, — Reg. X/3.	Reg. II-1/44, IMO Res. MSC.36(63)-(1994 HSC Code) — 12, IMO Res. MSC.97(73)-(2000 HSC Code) — 12. IMO MSC.1/ Circ 1464 Rev.1.		

(1) [OJ L 304, 14.11.2013, p. 1.](#)

(2) [OJ L 220, 25.7.2014, p. 1.](#)