

Commission Implementing Directive (EU) 2016/2109 of 1 December 2016 amending Council Directive 66/401/EEC as regards the inclusion of new species and the botanical name of the species *Lolium x boucheanum* Kunth (Text with EEA relevance)

COMMISSION IMPLEMENTING DIRECTIVE (EU) 2016/2109

of 1 December 2016

amending Council Directive 66/401/EEC as regards the inclusion of new species and the botanical name of the species *Lolium x boucheanum* Kunth

(Text with EEA relevance)

THE EUROPEAN COMMISSION,

Having regard to the Treaty on the Functioning of the European Union,

Having regard to Council Directive 66/401/EEC of 14 June 1966 on the marketing of fodder plant seed⁽¹⁾, and in particular Article 2(1)(A) thereof,

Whereas:

- (1) Article 2(1)(A)(a) of Directive 66/401/EEC lists *Lolium x boucheanum* Kunth. The International Seed Testing Association has recently changed the botanical name of *Lolium x boucheanum* Kunth to *Lolium x hybridum* Hausskn. Consequently it is appropriate to change the name of that species in Directive 66/401/EEC.
- (2) Commission Decision 2009/109/EC⁽²⁾ provides for the organisation of a temporary experiment to assess whether certain species not covered by Directive 66/401/EEC may be marketed as or in seed mixtures. Experience gained during that temporary experiment has shown that the species *Biserrula pelecinus*, *Lathyrus cicera*, *Medicago doliata*, *Medicago italica*, *Medicago littoralis*, *Medicago murex*, *Medicago polymorpha*, *Medicago rugosa*, *Medicago scutellata*, *Medicago truncatula*, *Ornithopus compressus*, *Ornithopus sativus*, *Plantago lanceolata*, *Trifolium fragiferum*, *Trifolium glanduliferum*, *Trifolium hirtum*, *Trifolium isthmocarpum*, *Trifolium michelianum*, *Trifolium squarrosum*, *Trifolium subterraneum*, *Trifolium vesiculosum* and *Vicia benghalensis* contribute to establishing new fodder plant seed mixtures that offer solutions for persistent, productive and biodiverse pastures and forage crops. Those species should therefore be included in the list of species covered by Article 2(1)(A) (b) of Directive 66/401/EEC.
- (3) On the basis of the technical experience gained during the above temporary experiment, it is appropriate that certain requirements are set out for each of those species concerning minimum germination, minimum analytical purity, maximum content of seeds of other plant species, maximum content of seeds of other plant species in a sample of weight and marking.
- (4) Directive 66/401/EEC should therefore be amended accordingly.

Status: EU Directives are being published on this site to aid cross referencing from UK legislation. After IP completion day (31 December 2020 11pm) no further amendments will be applied to this version.

- (5) The measures provided for in this Directive are in accordance with the opinion of the Standing Committee on Plants, Animals, Food and Feed,

HAS ADOPTED THIS DIRECTIVE:

Article 1

Amendments to Directive 66/401/EEC

Directive 66/401/EEC is amended as follows:

- (1) Article 2(1)(A) is amended as follows:
- (a) In point (a), the words ‘*Lolium x boucheanum* Kunth’ are replaced by the words ‘*Lolium x hybridum* Hausskn’.
- (b) Point (b) is replaced by the following:

‘(b) <i>Fabaceae (Leguminosae)</i>	Legumes
<i>Biserrula pelecinus</i> L.	Biserrula
<i>Galega orientalis</i> Lam.	Fodder galega
<i>Hedysarum coronarium</i> L.	Sulla
<i>Lathyrus cicera</i> L.	Chickling vetch/Dwarf chickling vetch
<i>Lotus corniculatus</i> L.	Birdsfoot trefoil
<i>Lupinus albus</i> L.	White lupin
<i>Lupinus angustifolius</i> L.	Narrow-leaved lupin
<i>Lupinus luteus</i> L.	Yellow lupin
<i>Medicago doliata</i> Carmign.	Straight-spined medic
<i>Medicago italica</i> (Mill.) Fiori	Disc medic
<i>Medicago littoralis</i> Rohde ex Loisel.	Shore medic/Strand medic
<i>Medicago lupulina</i> L.	Trefoil
<i>Medicago murex</i> Willd.	Sphere medic
<i>Medicago polymorpha</i> L.	Bur medic
<i>Medicago rugosa</i> Desr.	Wrinkled medic/Gama medic
<i>Medicago sativa</i> L.	Lucerne
<i>Medicago scutellata</i> (L.) Mill.	Snail medic/Shield medic
<i>Medicago truncatula</i> Gaertn.	Barrel medic
<i>Medicago</i> × <i>varia</i> T. Martyn Sand	Sand lucerne
<i>Onobrychis viciifolia</i> Scop.	Sainfoin

<i>Ornithopus compressus</i> L.	Yellow serradella
<i>Ornithopus sativus</i> Brot.	Serradella
<i>Pisum sativum</i> L. (partim)	Field pea
<i>Trifolium alexandrinum</i> L.	Berseem, Egyptian clover
<i>Trifolium fragiferum</i> L.	Strawberry clover
<i>Trifolium glanduliferum</i> Boiss.	Glandular clover
<i>Trifolium hirtum</i> All.	Rose clover
<i>Trifolium hybridum</i> L.	Alsike clover
<i>Trifolium incarnatum</i> L.	Crimson clover
<i>Trifolium isthmocarpum</i> Brot.	Moroccan clover
<i>Trifolium michelianum</i> Savi	Balansa clover
<i>Trifolium pratense</i> L.	Red clover
<i>Trifolium repens</i> L.	White clover
<i>Trifolium resupinatum</i> L.	Persian clover
<i>Trifolium squarrosum</i> L.	Squarrose clover
<i>Trifolium subterraneum</i> L.	Subterranean clover
<i>Trifolium vesiculosum</i> Savi	Arrow-leaf clover
<i>Trigonella foenum-graecum</i> L.	Fenugreek
<i>Vicia benghalensis</i> L.	Purple vetch
<i>Vicia faba</i> L.	Field bean
<i>Vicia pannonica</i> Crantz	Hungarian vetch
<i>Vicia sativa</i> L.	Common vetch
<i>Vicia villosa</i> Roth	Hairy vetch’.

- (c) In point (c), the following entry is inserted after ‘*Phacelia tanacetifolia* Benth. California bluebell’:

‘ <i>Plantago lanceolata</i> L.	Ribwort plantain’
---------------------------------	-------------------

- (2) In Article 3(1), the words ‘*Lolium x boucheanum* Kunth’ are replaced by the words ‘*Lolium x hybridum* Hausskn’.
- (3) Annexes II and III are amended as set out in the Annex to this Directive.

*Status: EU Directives are being published on this site to aid cross referencing from UK legislation. After
IP completion day (31 December 2020 11pm) no further amendments will be applied to this version.*

Article 2

Transposition

1 Member States shall adopt and publish, by 31 December 2017 at the latest, the laws, regulations and administrative provisions necessary to comply with this Directive. They shall forthwith communicate to the Commission the text of those provisions.

They shall apply those provisions from 1 January 2018.

When Member States adopt those provisions, they shall contain a reference to this Directive or be accompanied by such a reference on the occasion of their official publication. Member States shall determine how such reference is to be made.

2 Member States shall communicate to the Commission the text of the main provisions of national law which they adopt in the field covered by this Directive.

Article 3

Entry into force

This Directive shall enter into force on the twentieth day following that of its publication in the *Official Journal of the European Union*.

Article 4

Addressees

This Directive is addressed to the Member States.

Done at Brussels, 1 December 2016.

For the Commission

The President

Jean-Claude JUNCKER

ANNEX

Annexes II and III to Directive 66/401/EEC are amended as follows:

(1) Annex II is amended as follows:

(a) The following paragraph is added to point I(1) after the entry concerning ‘*Pisum sativum*, *Vicia faba*’:

- *Trifolium subterraneum*, *Medicago* spp., except *M. lupulina*, *M. sativa*, *M. x varia*;
- for the production of basic seed: 99,5 %,
- for the production of certified seed for further multiplication: 98 %,
- for the production of certified seed: 95 %.

(b) The table in point I(2)(A) is replaced by the following:

1	2	3	4	5	Analytical purity							12	13	14	15	
					6	7	8	9	10	11	12					
Species		Germination of pure seed (%)	Minimum content of other plant species (% by weight)	Minimum content of other plant species (% by weight)	Maximum content of seeds of other plant species (% by weight)	Maximum content of seeds of other plant species in a sample of the weight specified in column 4 of Annex III (total per column)							Conditions as regards content of seeds of <i>Lupinus</i> spp. of another colour and			
		Minimum germination of pure seed (%)	Minimum content of other plant species (% by weight)	Minimum content of other plant species (% by weight)	Maximum content of seeds of other plant species (% by weight)	<i>Avena fatua</i>	<i>Cuscuta</i>	<i>Rumex</i>	<i>Rumex</i>	<i>Rumex</i>	<i>Rumex</i>	<i>Rumex</i>	<i>Rumex</i>	<i>Rumex</i>	<i>Rumex</i>	<i>Rumex</i>
		of pure seed	(weight)	(weight)	(weight)	sterilis	sterilis	sterilis	sterilis	sterilis	sterilis	sterilis	sterilis	sterilis	sterilis	sterilis
<i>Poaceae</i> (Gramineae)																
	<i>Agrostis canina</i> (a)	75	90	2,0	1,0	0,3	0,3					0	0 (j) (k)	2 (n)		
	<i>Agrostis capillaris</i> (a)	75	90	2,0	1,0	0,3	0,3					0	0 (j) (k)	2 (n)		
	<i>Agrostis gigantea</i> (a)	80	90	2,0	1,0	0,3	0,3					0	0 (j) (k)	2(n)		

Status: EU Directives are being published on this site to aid cross referencing from UK legislation. After IP completion day (31 December 2020 11pm) no further amendments will be applied to this version.

<i>Agrostis stolonifera</i>	75	90	2,0	1,0	0,3	0,3				0	0 (j) (k)	2 (n)
<i>Alopecurus pratensis</i>	70	75	2,5	1,0 (f)	0,3	0,3				0	0 (j) (k)	5 (n)
<i>Arrhenatherum elatius</i>	76	90	3,0	1,0 (f)	0,5	0,3				0 (g)	0 (j) (k)	5 (n)
<i>Bromus catharticus</i>	75	97	1,5	1,0	0,5	0,3				0 (g)	0 (j) (k)	10 (n)
<i>Bromus stichensis</i>	75	97	1,5	1,0	0,5	0,3				0 (g)	0 (j) (k)	10 (n)
<i>Cynodon dactylon</i>	70	90	2,0	1,0	0,3	0,3				0	0 (j) (k)	2
<i>Dactyloctenium aegyptium</i>	80	90	1,5	1,0	0,3	0,3				0	0 (j) (k)	5 (n)
<i>Festuca arundinacea</i>	80	95	1,5	1,0	0,5	0,3				0	0 (j) (k)	5 (n)
<i>Festuca filiformis</i>	75	85	2,0	1,0	0,5	0,3				0	0 (j) (k)	5 (n)
<i>Festuca ovina</i>	75	85	2,0	1,0	0,5	0,3				0	0 (j) (k)	5 (n)
<i>Festuca pratensis</i>	80	95	1,5	1,0	0,5	0,3				0	0 (j) (k)	5 (n)
<i>Festuca rubra</i>	75	90	1,5	1,0	0,5	0,3				0	0 (j) (k)	5 (n)
<i>Festuca trachypogon</i>	75	85	2,0	1,0	0,5	0,3				0	0 (j) (k)	5 (n)
× <i>Festuca ovina</i>	75	96	1,5	1,0	0,5	0,3				0	0 (j) (k)	5 (n)
<i>Lolium multiflorum</i>	75	96	1,5	1,0	0,5	0,3				0	0 (j) (k)	5 (n)

<i>Lolium perenne</i>	80 (a)		96	1,5	1,0	0,5	0,3				0	0 (j) (k)	5 (n)	
<i>Lolium × hybridum</i>	75 (a)		96	1,5	1,0	0,5	0,3				0	0 (j) (k)	5 (n)	
<i>Phalaris aquatica</i>	75 (a)		96	1,5	1,0	0,3	0,3				0	0 (j) (k)	5	
<i>Phlebotanum</i>	80 (a)		96	1,5	1,0	0,3	0,3				0	0 (k)	5	
<i>Phlebotanum</i>	80 (a)		96	1,5	1,0	0,3	0,3				0	0 (k)	5	
<i>Poa annua</i>	75 (a)		85	2,0 (c)	1,0 (c)	0,3	0,3				0	0 (j) (k)	5 (n)	
<i>Poa nemoralis</i>	75 (a)		85	2,0 (c)	1,0 (c)	0,3	0,3				0	0 (j) (k)	2 (n)	
<i>Poa palustris</i>	75 (a)		85	2,0 (c)	1,0 (c)	0,3	0,3				0	0 (j) (k)	2 (n)	
<i>Poa pratensis</i>	75 (a)		85	2,0 (c)	1,0 (c)	0,3	0,3				0	0 (j) (k)	2 (n)	
<i>Poa trivialis</i>	75 (a)		85	2,0 (c)	1,0 (c)	0,3	0,3				0	0 (j) (k)	2 (n)	
<i>Trisetum flavescens</i>	70 (a)		75	3,0	1,0 (f)	0,3	0,3				0 (h)	0 (j) (k)	2 (n)	
<i>Fabaceae</i> (Leguminosae)														
<i>Biserrula pelecinus</i>	70 (a)		98	0,5							0 (i)	0 (j) (k)	10	
<i>Galega orientalis</i>	60 (a)	40 (b)	97	2,0	1,5		0,3				0	0 (l) (m)	10 (n)	
<i>Hedysarum coronarium</i>	75 (a)	20 (b)	95	2,5	1,0		0,3				0	0 (k)	5	
<i>Lathyrus cicera</i>	80 (a)		95	1	0,5		0,3				0 (i)	0 (j) (k)	20	

Status: EU Directives are being published on this site to aid cross referencing from UK legislation. After IP completion day (31 December 2020 11pm) no further amendments will be applied to this version.

<i>Lotus corniculatus</i>	75 (a) (b)	40	95	1,8 (d)	1,0 (d)			0,3			0	0 (l) (m)	10	
<i>Lupinus albus</i>	80 (a) (b)	20	98	0,5 (e)	0,3 (e)			0,3			0 (i)	0 (j)	5 (n)	(o) (p)
<i>Lupinus angustifolius</i>	75 (a) (b)	20	98	0,5 (e)	0,3 (e)			0,3			0 (i)	0 (j)	5 (n)	(o) (p)
<i>Lupinus luteus</i>	80 (a) (b)	20	98	0,5 (e)	0,3 (e)			0,3			0 (i)	0 (j)	5 (n)	(o) (p)
<i>Medicago doliata</i>	70		98	2							0 (i)	0 (j) (k)	10	
<i>Medicago italica</i>	70 (b)	20	98	2							0 (i)	0 (j) (k)	10	
<i>Medicago littoralis</i>	70		98	2							0 (i)	0 (j) (k)	10	
<i>Medicago lupulina</i>	80 (a) (b)	20	97	1,5	1,0			0,3			0	0 (l) (m)	10	
<i>Medicago murex</i>	70 (b)	30	98	2							0 (i)	0 (j) (k)	10	
<i>Medicago polymorpha</i>	70 (b)	30	98	2							0 (i)	0 (j) (k)	10	
<i>Medicago rugosa</i>	70 (b)	20	98	2							0 (i)	0 (j) (k)	10	
<i>Medicago sativa</i>	80 (a) (b)	40	97	1,5	1,0			0,3			0	0 (l) (m)	10	
<i>Medicago scutellata</i>	70		98	2							0 (i)	0 (j) (k)	10	
<i>Medicago truncatula</i>	70 (a)	20	98	2							0 (i)	0 (j) (k)	10	
<i>Medicago × varia</i>	80 (a) (b)	40	97	1,5	1,0			0,3			0	0 (l) (m)	10	

Status: EU Directives are being published on this site to aid cross referencing from UK legislation. After IP completion day (31 December 2020 11pm) no further amendments will be applied to this version.

<i>Trifolium squarrosum</i>	75m (b)	20	97	1,5				0,3		0	0 (l) (m)	10	
<i>Trifolium subterraneum</i>	80m (b)	40	97	0,5						0 (i)	0 (j) (k)	10	
<i>Trifolium vesiculosum</i>	70m		98	1						0 (i)	0 (j) (k)	10	
<i>Trigonella foenugraecum</i>	80m (a)		95	1,0	0,5			0,3		0	0 (j)	5	
<i>Vicia benghalensis</i>	80m (b)	20	97 (e)	1						0 (i)	0 (j) (k)	10	
<i>Vicia faba</i>	80m (a) (b)	5	98	0,5	0,3			0,3		0	0 (j)	5 (n)	
<i>Vicia pannonica</i>	85m (a) (b)	20	98	1,0 (e)	0,5 (e)			0,3		0 (i)	0 (j)	5 (n)	
<i>Vicia sativa</i>	85m (a) (b)	20	98	1,0 (e)	0,5 (e)			0,3		0 (i)	0 (j)	5 (n)	
<i>Vicia villosa</i>	85m (a) (b)	20	98	1,0 (e)	0,5 (e)			0,3		0 (i)	0 (j)	5 (n)	
<i>Other species</i>													
<i>Brassica napus</i> var. <i>napobrassica</i>	80m (a)		98	1,0	0,5			0,3	0,3	0	0 (j) (k)	5	
<i>Brassica oleracea</i> convar. <i>acephala</i> (<i>acephala</i> var. <i>medullosa</i> + var. <i>viridis</i>)	75m (a)		98	1,0	0,5			0,3	0,3	0	0 (j) (k)	10	
<i>Phacelia tanacetifolia</i>	80m (a)		96	1,0	0,5					0	0 (j) (k)		

Status: EU Directives are being published on this site to aid cross referencing from UK legislation. After IP completion day (31 December 2020 11pm) no further amendments will be applied to this version.

<i>Plantago lanceolata</i>	85	1,5						0 (i)	0 (j) (k)	10	
<i>Raphanus sativus</i> var. <i>oleiformis</i>	97	1,0	0,5				0,3	0,3	0 (j)	5	

(c) Point I(2)(B)(e) is replaced by the following:

(e) a maximum total of 0,5 % by weight of seeds of *Lupinus albus*, *Lupinus angustifolius*, *Lupinus luteus*, *Pisum sativum*, *Vicia faba*, *Vicia* spp. in another relevant species shall not be regarded as an impurity;

(d) The table in point II(2)(A) is replaced by the following:

Species	Maximum content of seeds of other plant species						Other standards or conditions
	Total(% by weight)	Content by number in a sample of the weight specified in column 4 of Annex III(total per column)					
		A single species	<i>Rumex</i> spp. other than <i>Rumex acetosella</i> and <i>Rumex maritimus</i>	<i>Elytrigia repens</i>	<i>Alopecurus myosuroides</i>	<i>Melilotus sp.</i>	
1	2	3	4	5	6	7	8
<i>Poaceae</i> (Gramineae)							
<i>Agrostis canina</i>	0,3	20	1	1	1		(j)
<i>Agrostis capillaris</i>	0,3	20	1	1	1		(j)
<i>Agrostis gigantea</i>	0,3	20	1	1	1		(j)
<i>Agrostis stolonifera</i>	0,3	20	1	1	1		(j)
<i>Alopecurus pratensis</i>	0,3	20 (a)	2	5	5		(j)
<i>Arrhenatherum elatius</i>	0,3	20 (a)	2	5	5		(i) (j)
<i>Bromus catharticus</i>	0,4	20	5	5	5		(j)

Status: EU Directives are being published on this site to aid cross referencing from UK legislation. After IP completion day (31 December 2020 11pm) no further amendments will be applied to this version.

<i>Bromus sitchensis</i>	0,4	20	5	5	5		(j)
<i>Cynodon dactylon</i>	0,3	20 (a)	1	1	1		(j)
<i>Dactylis glomerata</i>	0,3	20 (a)	2	5	5		(j)
<i>Festuca arundinacea</i>	0,3	20 (a)	2	5	5		(j)
<i>Festuca filiformis</i>	0,3	20 (a)	2	5	5		(j)
<i>Festuca ovina</i>	0,3	20 (a)	2	5	5		(j)
<i>Festuca pratensis</i>	0,3	20 (a)	2	5	5		(j)
<i>Festuca rubra</i>	0,3	20 (a)	2	5	5		(j)
<i>Festuca trachyphylla</i>	0,3	20 (a)	2	5	5		(j)
× <i>Festulolium</i>	0,3	20 (a)	2	5	5		(j)
<i>Lolium multiflorum</i>	0,3	20 (a)	2	5	5		(j)
<i>Lolium perenne</i>	0,3	20 (a)	2	5	5		(j)
<i>Lolium</i> × <i>hybridum</i>	0,3	20 (a)	2	5	5		(j)
<i>Phalaris aquatica</i>	0,3	20	2	5	5		(j)
<i>Phleum nodosum</i>	0,3	20	2	1	1		(j)
<i>Phleum pratense</i>	0,3	20	2	1	1		(j)
<i>Poa annua</i>	0,3	20 (b)	1	1	1		(f) (j)
<i>Poa nemoralis</i>	0,3	20 (b)	1	1	1		(f) (j)
<i>Poa palustris</i>	0,3	20 (b)	1	1	1		(f) (j)
<i>Poa pratensis</i>	0,3	20 (b)	1	1	1		(f) (j)

Status: EU Directives are being published on this site to aid cross referencing from UK legislation. After IP completion day (31 December 2020 11pm) no further amendments will be applied to this version.

<i>Poa trivialis</i>	0,3	20 (b)	1	1	1		(f) (j)
<i>Trisetum flavescens</i>	0,3	20 (c)	1	1	1		(i) (j)
<i>Fabaceae</i> (<i>Leguminosae</i>)							
<i>Biserrula pelecinus</i>	0,3	20	5				
<i>Galega orientalis</i>	0,3	20	2			0 (e)	(j)
<i>Hedysarum coronarium</i>	0,3	20	2			0 (e)	(j)
<i>Lathyrus cicera</i>	0,3	20	5	—	—	0 (d)	
<i>Lotus corniculatus</i>	0,3	20	3			0 (e)	(g) (j)
<i>Lupinus albus</i>	0,3	20	2			0 (d)	(h) (k)
<i>Lupinus angustifolius</i>	0,3	20	2			0 (d)	(h) (k)
<i>Lupinus luteus</i>	0,3	20	2			0 (d)	(h) (k)
<i>Medicago doliata</i>	0,3	20	5	—	—	0 (e)	
<i>Medicago italica</i>	0,3	20	5	—	—	0 (e)	
<i>Medicago littoralis</i>	0,3	20	5	—	—	0 (e)	
<i>Medicago lupulina</i>	0,3	20	5	—	—	0 (e)	(j)
<i>Medicago murex</i>	0,3	20	5	—	—	0 (e)	
<i>Medicago polymorpha</i>	0,3	20	5	—	—	—	
<i>Medicago rugosa</i>	0,3	20	5	—	—	—	
<i>Medicago sativa</i>	0,3	20	3			0 (e)	(j)
<i>Medicago scutellata</i>	0,3	20	5				
<i>Medicago truncatula</i>	0,3	20	5				

Status: EU Directives are being published on this site to aid cross referencing from UK legislation. After IP completion day (31 December 2020 11pm) no further amendments will be applied to this version.

<i>Medicago</i> <i>× varia</i>	0,3	20	3			0 (e)	(j)
<i>Onobrychis</i> <i>viciifolia</i>	0,3	20	2			0 (d)	
<i>Ornithopus</i> <i>compressus</i>	0,3	20	5				
<i>Ornithopus</i> <i>sativus</i>	0,3	20	5				
<i>Pisum</i> <i>sativum</i>	0,3	20	2			0 (d)	
<i>Trifolium</i> <i>alexandrinum</i>	0,3	20	3			0 (e)	(j)
<i>Trifolium</i> <i>fragiferum</i>	0,3	20	5				
<i>Trifolium</i> <i>glanduliferum</i>	0,3	20	5				
<i>Trifolium</i> <i>hirtum</i>	0,3	20	5				
<i>Trifolium</i> <i>hybridum</i>	0,3	20	3			0 (e)	(j)
<i>Trifolium</i> <i>incarnatum</i>	0,3	20	3			0 (e)	(j)
<i>Trifolium</i> <i>isthmocarpum</i>	0,3	20	5	—	—	—	(j)
<i>Trifolium</i> <i>michelianum</i>	0,3	20	5	—	—	—	—
<i>Trifolium</i> <i>pratense</i>	0,3	20	5			0 (e)	(j)
<i>Trifolium</i> <i>repens</i>	0,3	20	5			0 (e)	(j)
<i>Trifolium</i> <i>resupinatum</i>	0,3	20	3			0 (e)	(j)
<i>Trifolium</i> <i>squarrosus</i>	0,3	20	5	—	—	—	—
<i>Trifolium</i> <i>subterraneum</i>	0,3	20	5	—	—	—	(j)
<i>Trifolium</i> <i>vesiculosum</i>	0,3	20	5	—	—	—	(j)
<i>Trigonella</i> <i>foenum-</i> <i>graecum</i>	0,3	20	2			0 (d)	

Status: EU Directives are being published on this site to aid cross referencing from UK legislation. After IP completion day (31 December 2020 11pm) no further amendments will be applied to this version.

<i>Vicia benghalensis</i>	0,3	20	5	—	—	0 (d)	—
<i>Vicia faba</i>	0,3	20	2			0 (d)	
<i>Vicia pannonica</i>	0,3	20	2			0 (d)	(h)
<i>Vicia sativa</i>	0,3	20	2			0 (d)	(h)
<i>Vicia villosa</i>	0,3	20	2			0 (d)	(h)
<i>Other species</i>							
<i>Brassica napus</i> var. <i>napobrassica</i>	0,3	20	2				(j)
<i>Brassica oleracea</i> convar. <i>acephala</i> (acephala var. <i>medullosa</i> + var. <i>viridis</i>)	0,3	20	3				(j)
<i>Phacelia tanacetifolia</i>	0,3	20					
<i>Plantago lanceolata</i>	0,3	20	3				
<i>Raphanus sativus</i> var. <i>oleiformis</i>	0,3	20	2				

(e) Point III(7) is replaced by the following:

7. In *Vicia* spp. a maximum total of 6 % by weight of seeds of *Vicia pannonica*, *Vicia villosa*, *Vicia benghalensis* or related cultivated species in another relevant species shall not be regarded as an impurity.

(f) Point III(8) is replaced by the following:

8. In *Vicia pannonica*, *Vicia sativa*, *Vicia villosa*, *Vicia benghalensis* the minimum analytical purity shall be 97,0 % by the weight.

(g) The following point III(9) is added:

Status: EU Directives are being published on this site to aid cross referencing from UK legislation. After IP completion day (31 December 2020 11pm) no further amendments will be applied to this version.

9. For *Lathyrus cicera* the minimum analytical purity shall be 90 % by the weight. A maximum total of 5 % by the weight of seeds of similar cultivated species shall not be regarded as an impurity.

- (2) Annex III is replaced by the following:

ANNEX III

LOT AND SAMPLE WEIGHTS

Species	Maximum weight of a lot(tonnes)	Minimum weight of a sample to be drawn from a lot(grams)	Weight of the sample for the determination by number provided for in columns 12 to 14 of Annex II (I) (2) (A) and columns 3 to 7 of Annex II (II) (2) (A)(grams)
1	2	3	4
<i>Poaceae</i> (Gramineae)			
<i>Agrostis canina</i>	10	50	5
<i>Agrostis capillaris</i>	10	50	5
<i>Agrostis gigantea</i>	10	50	5
<i>Agrostis stolonifera</i>	10	50	5
<i>Alopecurus pratensis</i>	10	100	30
<i>Arrhenatherum elatius</i>	10	200	80
<i>Bromus catharticus</i>	10	200	200
<i>Bromus sitchensis</i>	10	200	200
<i>Cynodon dactylon</i>	10	50	5
<i>Dactylis glomerata</i>	10	100	30
<i>Festuca arundinacea</i>	10	100	50
<i>Festuca filiformis</i>	10	100	30
<i>Festuca ovina</i>	10	100	30
<i>Festuca pratensis</i>	10	100	50
<i>Festuca rubra</i>	10	100	30

Status: EU Directives are being published on this site to aid cross referencing from UK legislation. After IP completion day (31 December 2020 11pm) no further amendments will be applied to this version.

<i>Festuca trachyphylla</i>	10	100	30
× <i>Festulolium</i>	10	200	60
<i>Lolium multiflorum</i>	10	200	60
<i>Lolium perenne</i>	10	200	60
<i>Lolium</i> × <i>hybridum</i>	10	200	60
<i>Phalaris aquatica</i>	10	100	50
<i>Phleum nodosum</i>	10	50	10
<i>Phleum pratense</i>	10	50	10
<i>Poa annua</i>	10	50	10
<i>Poa nemoralis</i>	10	50	5
<i>Poa palustris</i>	10	50	5
<i>Poa pratensis</i>	10	50	5
<i>Poa trivialis</i>	10	50	5
<i>Trisetum flavescens</i>	10	50	5
<i>Fabaceae</i> (<i>Leguminosae</i>)			
<i>Biserrula pelecinus</i>	10	30	3
<i>Galega orientalis</i>	10	250	200
<i>Hedysarum coronarium</i>			
— fruit	10	1 000	300
— seed	10	400	120
<i>Lathyrus cicera</i>	25	1 000	140
<i>Lotus corniculatus</i>	10	200	30
<i>Lupinus albus</i>	30	1 000	1 000
<i>Lupinus angustifolius</i>	30	1 000	1 000
<i>Lupinus luteus</i>	30	1 000	1 000
<i>Medicago doliata</i>	10	100	10
<i>Medicago italica</i>	10	100	10
<i>Medicago littoralis</i>	10	70	7
<i>Medicago lupulina</i>	10	300	50
<i>Medicago murex</i>	10	50	5

Status: EU Directives are being published on this site to aid cross referencing from UK legislation. After IP completion day (31 December 2020 11pm) no further amendments will be applied to this version.

<i>Medicago polymorpha</i>	10	70	7
<i>Medicago rugosa</i>	10	180	18
<i>Medicago sativa</i>	10	300	50
<i>Medicago scutellata</i>	10	400	40
<i>Medicago truncatula</i>	10	100	10
<i>Medicago × varia</i>	10	300	50
<i>Onobrychis viciifolia:</i>			
— fruit	10	600	600
— seed	10	400	400
<i>Ornithopus compressus</i>	10	120	12
<i>Ornithopus sativus</i>	10	90	9
<i>Pisum sativum</i>	30	1 000	1 000
<i>Trifolium alexandrinum</i>	10	400	60
<i>Trifolium fragiferum</i>	10	40	4
<i>Trifolium glanduliferum</i>	10	20	2
<i>Trifolium hirtum</i>	10	70	7
<i>Trifolium hybridum</i>	10	200	20
<i>Trifolium incarnatum</i>	10	500	80
<i>Trifolium isthmocarpum</i>	10	100	3
<i>Trifolium michelianum</i>	10	25	2
<i>Trifolium pratense</i>	10	300	50
<i>Trifolium repens</i>	10	200	20
<i>Trifolium resupinatum</i>	10	200	20
<i>Trifolium squarrosum</i>	10	150	15

ANNEX

Document Generated: 2023-09-27

Status: EU Directives are being published on this site to aid cross referencing from UK legislation. After IP completion day (31 December 2020 11pm) no further amendments will be applied to this version.

<i>Trifolium subterraneum</i>	10	250	25
<i>Trifolium vesiculosum</i>	10	100	3
<i>Trigonella foenum-graecum</i>	10	500	450
<i>Vicia benghalensis</i>	20	1 000	120
<i>Vicia faba</i>	30	1 000	1 000
<i>Vicia pannonica</i>	30	1 000	1 000
<i>Vicia sativa</i>	30	1 000	1 000
<i>Vicia villosa</i>	30	1 000	1 000
<i>Other species</i>			
<i>Brassica napus</i> var. <i>napobrassica</i>	10	200	100
<i>Brassica oleracea</i> convar. <i>acephala</i>	10	200	100
<i>Phacelia tanacetifolia</i>	10	300	40
<i>Plantago lanceolata</i>	5	20	2
<i>Raphanus sativus</i> var. <i>oleiformis</i>	10	300	300

The maximum lot weight shall not be exceeded by more than 5 %.

*Status: EU Directives are being published on this site to aid cross referencing from UK legislation. After
IP completion day (31 December 2020 11pm) no further amendments will be applied to this version.*

- (1) [OJ 125, 11.7.1966, p. 2298/66.](#)
- (2) Commission Decision 2009/109/EC of 9 February 2009 on the organisation of a temporary experiment providing for certain derogations for the marketing of seed mixtures intended for use as fodder plants pursuant to Council Directive 66/401/EEC to determine whether certain species not listed in the Council Directives 66/401/EEC, 66/402/EEC, 2002/55/EC or 2002/57/EC fulfil the requirements for being included in Article 2(1)(A) of Directive 66/401/EEC ([OJ L 40, 11.2.2009, p. 26](#)).