ANNEX

Annexes I to V to Directive 2000/29/EC are amended as follows:

- (1) Annex I is amended as follows:
 - (a) Part A is amended as follows:
 - (i) Section I is amended as follows:
 - heading (a) is amended as follows: point 5 is deleted; the following point is inserted after point 6: 6.1. Bactericera cockerelli (Sulc.) the following point is inserted after point 11.1: 11.2 *Keiferia lycopersicella* (Walsingham) the following point is inserted after point 19.1: 19.2. Saperda candida Fabricius the following point is inserted after point 25: 25.1. Thaumatotibia leucotreta (Meyrick) heading (b) is amended as follows: point 1 is deleted; the following points are inserted after point 0.1: 2. Xanthomonas citri pv. aurantifolii 2.1. Xanthomonas citri pv. citri heading (c) is amended as follows: the following point is inserted after point 12: 12.1. Phyllosticta citricarpa (McAlpine) Van der Aa in point 13, 'Phyloosticta solitaria Ell. and Ev.' is replaced by 'Phyllosticta solitaria Ellis & Everhart' heading (d) is amended as follows: point 1 is deleted; in point 2, subpoint (e) is deleted; (ii) Section II is amended as follows: in heading (a), point 8, 'Popilia japonica Newman', is replaced by 'Popillia japonica Newman' in heading (b), the following point is inserted after point 2: 3. *Xylella fastidiosa* (Wells *et al.*) in heading (d), the following point is inserted after point 2:
 - 2.1. *Candidatus* Phytoplasma ulmi'

(b) Part B is amended as follows:

(i) heading (a) is amended as follows: point 1 is replaced by the following:

	1.	<i>Bemisia tabaci</i> Genn. (European populations)	IRL, P (Azores, Beira Interior, Beira Litoral, Entre Douro e Minho and Trás-os-Montes), UK, S, FI
—	point 1.2	is replaced by the	following:
	1.2.	Dryocosmus kuriphilus Yasumatsu	IRL, UK
—	point 2 is	s replaced by the fo	llowing:
	2.	<i>Globodera</i> <i>pallida</i> (Stone) Behrens	FI, LV, P (Azores), SI, SK
—	the follow	wing point is insert	ed after point 2:
	2.1.	<i>Globodera</i> <i>rostochiensis</i> (Wollenweber) Behrens	P (Azores)
—	point 3 is	s replaced by the fo	llowing:
	3.	Leptinotarsa decemlineata Say	E (Ibiza and Menorca), IRL, CY, M, P (Azores and Madeira), UK, S (counties of Blekinge, Gotland, Halland, Kalmar and Skåne), FI (districts of Åland, Häme, Kymi, Pirkanmaa, Satakunta, Turku and Uusimaa)
	point 5 is	s replaced by the fo	llowing:
	5.	Thaumetopoea processionea L.	IRL, UK (excluding the local authority areas of Barnet; Brent; Bromley; Camden; City of London; City of Westminster; Croydon; Ealing; Elmbridge District; Epsom and Ewell District;

> Guildford; Hackney; Hammersmith & Fulham; Haringey; Harrow; Hillingdon; Hounslow: Islington; Kensington & Chelsea; Kingston upon Thames; Lambeth; Lewisham; Merton; Reading; Richmond Upon Thames; Runnymede District; Slough; South Oxfordshire; Southwark; Spelthorne District; Sutton; Tower Hamlets; Wandsworth; West Berkshire and Woking)

- in heading (b), point 2, in the right hand column, 'S, FI' is replaced (ii) by 'S'.
- Annex II is amended as follows: (2)
 - (a) Part A is amended as follows:
 - Section I is amended as follows: (i)

heading (a) is amended as follows:

- in point 2, in the left hand column, *Aleurocantus* replaced by spp.' is 'Aleurocanthus spp.
- in point 5, in the left hand column, 'Aonidella citrina Coquillet', is replaced by 'Aonidiella citrina Coquillet'
- heading (b) is amended as follows:
 - in point 3, in the right hand column, 'Seeds of Zea mais L.' is replaced by 'Seeds of Zea mays L.'
 - point 4 is deleted;

tuber viroid

in heading (c), point 11 is deleted;

(ii) Section II is amended as follows:

7.1.

- in heading (b), point 8, in the left hand column, 'Xanthomonas campestris pv. pruni (Smith) Dye' is replaced by '*Xanthomonas arboricola* pv. pruni (Smith) Vauterin et al.'
 - in heading (d), the following point is inserted after point 7:

Plants for planting Potato spindle (including seeds) of Solanum lycopersicum L. and its hybrids, Capsicum annuum L., Capsicum

frutescens L. and plants of *Solanum tuberosum* L.

(b) Part B is amended as follows:

(i) heading (a) is amended as follows:
 — the following points are inserted after point 6:

6.1.	arcnon	Plants of <i>Plants</i> of <i>Plantae</i> , intended for <i>Planting</i> , having a diameter of the stem at the base of over 5 cm and belonging to the following genera: <i>Brahea</i> Mart., <i>Butia</i> Becc., <i>Chamaerops</i> L., <i>Jubaea</i> Kunth, <i>Livistona</i> R. Br., <i>Phoenix</i> L., <i>Sabal</i> Adans., <i>Syagrus</i> Mart., <i>Trachycarpus</i> H. Wendl., <i>Trithrinax</i> Mart., <i>Washingtonia</i> Raf.	IRL, MT, UK
6.2.	Rhyncho ferrugin (Olivier)	Plants of Plants of Planting, having a diameter of the stem at the base of over 5 cm and belonging to the following taxa: Areca catechu L., Arenga pinnata (Wurmb) Merr., Bismarckia Hildebr. & H. Wendl., Borassus flabellifer L., Brahea armata S. Watson, Brahea edulis	IRL, P (Azores), UK

> H. Wendl., Butia capitata (Mart.) Becc., Calamus *merrillii* Becc., Caryota maxima Blume, Caryota *cumingii* Lodd. ex Mart., Chamaerops humilis L., *Cocos nucifera* L., Copernicia Mart., Corypha utan Lam., Elaeis guineensis Jacq., Howea forsteriana Becc., Jubaea chilensis (Molina) Baill., Livistona australis C. Martius, *Livistona decora* (W. Bull) Dowe, Livistona rotundifolia (Lam.) Mart., Metroxylon sagu Rottb., *Phoenix* canariensis Chabaud, Phoenix dactylifera L., Phoenix reclinata Jacq., Phoenix roebelenii O'Brien, *Phoenix* sylvestris (L.) Roxb., Phoenix theophrasti Greuter, Pritchardia Seem. & H. Wendl., Ravenea *rivularis* Jum. & H. Perrier, Roystonea regia (Kunth) O. F. Cook, Sabal palmetto

(Walter) Lodd.	
ex Schult.	
& Schult.	
f., Syagrus	
romanzoffiana	
(Cham.)	
Glassman,	
Trachycarpus	
fortunei (Ĥook.)	
H. Wendl. and	
Washingtonia	
Raf.	

— the following point is added after point 9:

10.	<i>pityocan</i> Denis	Plants of <i>Pinus</i> <i>Poeff</i> Planting, other than fruit and seeds	UK
	& Schiffen	seeds nüller	

heading (b) is amended as follows:

(ii)

in point 1, in the third column, 'P' is deleted;

in point 2, the text in the third column is replaced by the following:

E (except the autonomous communities of Andalucia, Aragón, Castilla la Mancha, Castilla y León, Extremadura, the autonomous community of Madrid, Murcia, Navarra and La Rioja, the province of Guipuzcoa (Basque Country), the Comarcas of Garrigues, Noguera, Pla d'Urgell, Segrià and Urgell in the province of Lleida (Communidad autonoma de Catalunya), the Comarcas de L'Alt Vinalopó and El Vinalopó Mitjà in the province of Alicante and the municipalities of Alborache and Turís in the province of Valencia (Comunidad Valenciana)), EE, F (Corsica), IRL (except Galway city), I (Abruzzo, Apulia, Basilicata, Calabria, Campania, Emilia-Romagna (the provinces of Parma and Piacenza), Lazio, Liguria, Lombardy (except the provinces of Mantua, Milano, Sondrio and Varese), Marche, Molise, Piedmont (except the communes of Busca, Centallo and Tarantasca in the province of Cuneo), Sardinia, Sicily, Tuscany, Umbria, Valle d'Aosta, Veneto (except the provinces of Rovigo and Venice, the communes of Barbona, Boara Pisani, Castelbaldo, Masi, Piacenza d'Adige, S. Urbano and, Vescovana in the province of Padova and the area situated to the south of highway A4 in the province of Verona)), LV, LT (except the municipalities of Babtai and Kedainiai (region of Kaunas)), P, SI (except the regions Gorenjska, Koroška, Maribor and Notranjska, and the communes of Lendava and Renče-Vogrsko (south from the highway H4)), SK (except the county of Dunajská Streda, Hronovce and Hronské Kľačany (Levice County), Dvory nad Žitavou (Nové Zámky County), Málinec (Poltár County), Hrhov (Rožňava County), Veľké Ripňany (Topoľčany County), Kazimír, Luhyňa, Malý Horeš, Svätuše and Zatín (Trebišov County)), FI, UK (Northern Ireland: excluding the townlands of Ballinran Upper, Carrigenagh Upper, Ballinran, and Carrigenagh in County Down, and the Electoral Area of Dunmurry Cross in Belfast, County Antrim; Isle of Man and Channel Islands).

— the following point is added after point 2:

3. Xanthom arborico pv. pruni (Smith) Vauterim et al.	<i>Panas</i> <i>P</i> :, intended for <i>P</i> flanting, other than seeds	UK
---	--	----

- (iii) in heading (c), point 0.0.1, in the third column, 'UK' is replaced by 'IRL, UK'
- (iv) heading (d) is amended as follows:

	 the following point is inserted b 	efore point 1:	
--	---	----------------	--

01.	' <i>Candida</i> Phytopla ulmi'	Plants of <i>Ulmus</i> atus, intended for splanting, other than seeds	UK
-----	---------------------------------------	--	----

— in point 1, the text in the third column is replaced by the following:

EL (except the Regional Units of Argolida and Chania), M, P (except Algarve, Madeira and the county of Odemira in Alentejo)

(3) Part B of Annex III, is amended as follows:

(a) in point 1, the text in the right hand column is replaced by the following:

E (except the autonomous communities of Andalucia, Aragón, Castilla la Mancha, Castilla y León, Extremadura, the autonomous community of Madrid, Murcia, Navarra and La Rioja, the province of Guipuzcoa (Basque Country), the Comarcas of Garrigues, Noguera, Pla d'Urgell, Segrià and Urgell in the province of Lleida (Communidad autonoma de Catalunya), the Comarcas de L'Alt Vinalopó and El Vinalopó Mitjà in the province of Alicante and the municipalities of Alborache and Turís in the province of Valencia (Comunidad Valenciana)), EE, F (Corsica), IRL (except Galway city), I (Abruzzo, Apulia, Basilicata, Calabria, Campania, Emilia-Romagna (the provinces of Parma and Piacenza), Lazio, Liguria, Lombardy (except the provinces of Mantua, Milano, Sondrio and Varese), Marche, Molise, Piedmont (except the communes of Busca, Centallo and Tarantasca in the province of Cuneo). Sardinia. Sicily. Tuscany. Umbria. Valle d'Aosta, Veneto (except the provinces of Rovigo and Venice, the communes of Barbona, Boara Pisani, Castelbaldo, Masi, Piacenza d'Adige, S. Urbano and, Vescovana in the province of Padova and the area situated to the south of highway A4 in the province of Verona)), LV, LT (except the municipalities of Babtai and Kedainiai (region of Kaunas)), P, SI (except the regions Gorenjska, Koroška, Maribor and Notranjska, and the communes of Lendava and Renče-Vogrsko (south from the highway H4)), SK (except the county of Dunajská Streda, Hronovce and Hronské Kľačany (Levice County), Dvory nad Žitavou (Nové Zámky County), Málinec (Poltár County), Hrhov (Rožňava County), Veľké Ripňany (Topol'čany County), Kazimír, Luhyňa, Malý Horeš, Svätuše and Zatín (Trebišov County)), FI, UK (Northern Ireland: excluding the townlands of Ballinran Upper, Carrigenagh Upper, Ballinran, and Carrigenagh in County Down, and the Electoral Area of Dunmurry Cross in Belfast, County Antrim; Isle of Man and Channel Islands).

(b) in point 2, the text in the right hand column is replaced by the following:

E (except the autonomous communities of Andalucia, Aragón, Castilla la Mancha, Castilla y León, Extremadura, the autonomous community of Madrid, Murcia, Navarra and La Rioja, the province of Guipuzcoa (Basque Country), the Comarcas of Garrigues, Noguera, Pla d'Urgell, Segrià and Urgell in the province of Lleida (Communidad autonoma de Catalunya), the Comarcas de L'Alt Vinalopó and El Vinalopó Mitjà in the province of Alicante and the municipalities of Alborache and Turís in the province of Valencia (Comunidad Valenciana)), EE, F (Corsica), IRL (except Galway city), I (Abruzzo, Apulia, Basilicata, Calabria, Campania, Emilia-Romagna (the provinces of Parma and Piacenza), Lazio, Liguria, Lombardy (except the provinces of Mantua, Milano, Sondrio and Varese), Marche, Molise, Piedmont (except the communes of Busca, Centallo and Tarantasca in the province of Cuneo), Sardinia, Sicily, Tuscany, Umbria, Valle d'Aosta, Veneto (except the provinces of Rovigo and Venice, the communes of Barbona, Boara Pisani, Castelbaldo, Masi, Piacenza d'Adige, S. Urbano and, Vescovana in the province of Padova and the area situated to the south of highway A4 in the province of Verona)), LV, LT (except the municipalities of Babtai and Kedainiai (region of Kaunas)), P, SI (except the regions Gorenjska, Koroška, Maribor and Notranjska, and the communes of Lendava and Renče-Vogrsko (south from the highway H4)), SK (except the county of Dunaiská Streda, Hronovce and Hronské Kľačany (Levice County), Dvory nad Žitavou (Nové Zámky County), Málinec (Poltár County), Hrhov (Rožňava County), Veľké Ripňany (Topol'čany County), Kazimír, Luhyňa, Malý Horeš, Svätuše and Zatín (Trebišov County)), FI, UK (Northern Ireland: excluding the townlands of Ballinran Upper, Carrigenagh Upper, Ballinran, and Carrigenagh in County Down, and the Electoral Area of Dunmurry Cross in Belfast, County Antrim; Isle of Man and Channel Islands).

- (4) Annex IV is amended as follows:
 - (a) Part A is amended as follows:

(i) Section I is amended as follows:

 in point 2, the text in the right hand column is replaced by the following:

The wood packaging material shall:

- be made of debarked wood, as specified in Annex I to FAO International Standard for Phytosanitary Measures No 15 on Regulation of wood packaging material in international trade
- be subject to one of the approved treatments as specified in Annex I to that International standard, and
 - display a mark as specified in Annex II to that International standard, indicating that the wood packaging material has been subjected to an approved phytosanitary treatment in accordance with this standard.
- in point 5, the text in the left hand column is replaced by the following:

Wood of *Platanus* L., except that in the form of:

- chips, particles, sawdust, shavings, wood waste and scrap,
- wood packaging material, in the form of packing cases, boxes, crates, drums and similar packings, pallets, box pallets and other load boards, pallet collars, dunnage, whether or not actually in use in the transport of objects of all kinds, except dunnage supporting consignments of wood, which is constructed from wood of the same type and quality as the wood in the consignment and which meets the same Union phytosanitary requirements as the wood in the consignment,

but including wood which has not kept its natural round surface, originating in Armenia, Switzerland or the USA.

- the following points are inserted after point 7.3:

7.4.	Whether or not listed among the CN codes in Part B of Annex V, wood of <i>Amelanchier</i> Medik., <i>Aronia</i> Medik., <i>Cotoneaster</i> Medik.,	Official statement that the wood: (a) originates in an area free from <i>Saperda candida</i> Fabricius, established by the national plant protection organisation in the country
------	---	--

IP completion day (31 December 2020 11pm) no further amendments will be applied to this version.

	Crataegus L., Cydonia Mill., Malus Mill., Prunus L., Pyracantha M. Roem., Pyrus L. and Sorbus L., other than in the form of: chips, sawdust and shavings, obtained in whole or part from these plants, wood packaging material, in the form of packing cases, boxes, crates, drums and similar packings, pallets, box pallets, box pallet,	(b) (c)	of origin, in accordance with the relevant International Standards for Phytosanitary Measures, which is mentioned on the certificates referred to in Article 13(1)(ii) under the rubric 'Additional declaration', or has undergone an appropriate heat treatment to achieve a minimum temperature of 56 °C for a minimum duration of 30 continuous minutes throughout the entire profile of the wood, which is to be indicated on the certificates referred to in Article 13(1)(ii), or has undergone an appropriate ionising radiation to achieve a minimum absorbed dose of 1 kGy throughout the wood, to be
has not k round su	phytosanitary requirements as the wood in the consignment, ding that which ept its natural rface, originating a and the USA.		wood, to be indicated on the certificates referred to in Article 13(1)(ii).

7.5.

	0.00 . 1	
Whether or not		statement that the
listed among	wood:	, .
the CN codes	(a)	originates in an
in Part B of		area established
Annex V, wood		by the national
in the form of		plant protection
chips obtained		organisation
in whole or		in the country
part from		of origin as being free from
Amelanchier		Saperda candida
Medik.,		Fabricius in
Aronia Medik.,		accordance with
Cotoneaster		the relevant
Medik.,		International
Crataegus L.,		Standards for
Cydonia Mill.,		Phytosanitary
Malus Mill.,		Measures, which
Prunus L.,		is mentioned on
<i>Pyracantha</i> M.		the certificates
Roem., <i>Pyrus</i> L.		referred to in
and Sorbus L.,		Article 13(1)(ii)
originating in		under the rubric
Canada and the USA.		'Additional
USA.		declaration',
		or
	(b)	has been
		processed into
		pieces of not
		more than
		2,5 cm thickness
		and width,
	(a)	0r bag undergene
	(c)	has undergone an appropriate
		heat treatment
		to achieve
		a minimum
		temperature
		of 56 °C for
		a minimum
		duration of
		30 minutes
		throughout the
		entire profile
		of the chips,
		which is to be
		indicated on
		the certificates
		referred to in
		Article 13(1)(ii).
	<u> </u>	

 in point 14, the text in the right hand column is replaced by the following:

Without prejudice to the provisions applicable to the plants in Annex IV(A)(I)(11.4), official statement that no symptoms of '*Candidatus* Phytoplasma ulmi' have been observed at the place of production or in its immediate vicinity since the beginning of the last complete cycle of vegetation.

- the following point is inserted after point 14:

14.1.	Plants intended for planting, other than scions, cuttings, plants in tissue culture, pollen and seeds, of <i>Amelanchier</i> Medik., <i>Aronia</i> Medik., <i>Cotoneaster</i> Medik., <i>Crataegus</i> L., <i>Cydonia</i> Mill., <i>Malus</i> Mill., <i>Prunus</i> L., <i>Pyracantha</i> M. Roem., <i>Pyrus</i> L. and <i>Sorbus</i> L. originating in Canada and the USA.	provision to the pla III(A)(9) Annex II Annex IV (19.1), (1) (22.2), (2) where ap	prejudice to the ns applicable ants in Annex) and (18), II(B)(1), (2) or V(A)(I), (17), 19.2), (20), (22.1), 23.1) and (23.2) propriate, official tt that the plants: have been grown throughout their life in an area free from <i>Saperda candida</i> Fabricius, established by the national plant protection organisation in the country of origin, in accordance with relevant International Standards for Phytosanitary Measures, which is mentioned on the certificates referred to in Article 13(1)(ii), under the rubric 'Additional declaration', or have been grown during a period of at least two years prior to export, or in the case

> of plants which are younger than two years have been grown throughout their life, in a place of production established as free from Saperda candida Fabricius in accordance with relevant International Standards for Phytosanitary Measures: which (i) is registered and supervised by the national plant protection organisation in the country of origin, and (ii) which has been subjected annually to two official inspections for any signs of Saperda candida Fabricius carried out at appropriate times, and (iii) where the plants

have been grown in a site: with complete physical protection against the introduction of Saperda candida Fabricius, or with the application of appropriate preventive treatments and surrounded by а buffer zone with а width of at least 500 m where the absence of Saperda candida Fabricius was confirmed by official surveys carried out annually

> at appropriate times, and (iv) immediately prior to export the plants have been subjected to a meticulous inspection for the presence of Saperda candida Fabricius, in particular in the stems of the plant, including, where appropriate, destructive sampling.

point 16.2 is replaced by the following:

Without prejudice to the 16.2. Fruits of Citrus provisions applicable to L., Fortunella Swingle, Poncirus Raf., Microcitrus Swingle, (a) Naringi Adans., Swinglea Merr., and their hybrids, originating in third countries

the fruits in Annex IV(A) (I)(16.1), (16.3), (16.4), (16.5) and (16.6), official statement that: the fruits originate in a country recognised as being free of Xanthomonas citri pv. citri and Xanthomonas citri pv. aurantifolii in accordance with relevant

International Standards for Phytosanitary Measures. provided that this freedom status has been communicated in advance in writing by the national plant protection organisation of the third country concerned to the Commission, or the fruits originate in an area established by the national plant protection organisation in the country of origin as being free from Xanthomonas citri pv. citri and *Xanthomonas* citri pv. aurantifolii, in accordance with the relevant International Standards for Phytosanitary Measures, which is mentioned on the certificates referred to in Article 13(1)(ii) under the rubric 'Additional declaration', provided that this freedom status has been communicated in advance in writing by the national plant protection organisation of

(b)

> the third country concerned to the Commission, or the fruits originate in a place of production established by the national plant protection organisation in the country of origin as being free from Xanthomonas *citri* pv. *citri* and Xanthomonas *citri* pv. aurantifolii in accordance with relevant International Standards for Phytosanitary Measures, which is mentioned on the certificates referred to in Article 13(1)(ii) under the rubric 'Additional declaration', or the site of production and the immediate vicinity are subject to appropriate treatments and cultural practices against Xanthomonas citri pv. citri and Xanthomonas *citri* pv. aurantifolii, and the fruits have been subjected to a treatment with sodium

(c)

(d)

IP completion day (31 December 2020 11pm) no further amendments will be applied to this version.

orthophenylphenate, or another effective treatment mentioned on the certificates referred to in Article 13(1)(ii), provided that the treatment method has been communicated in advance in writing by the national plant protection organisation of the third country concerned to the Commission, and official inspections carried out at appropriate times prior to export have shown that the fruits are free from symptoms of Xanthomonas citri pv. citri and Xanthomonas *citri* pv. aurantifolii, and information on traceability is included in the certificates referred to in Article 13(1)(ii), or in the case of fruits destined for industrial processing, official inspections prior to export have shown that the fruits are free

from symptoms

(e)

> of Xanthomonas citri pv. citri and Xanthomonas citri pv. aurantifolii, and the site of production and the immediate vicinity are subject to appropriate treatments and cultural practices against Xanthomonas citri pv. citri and *Xanthomonas* citri pv. aurantifolii, and movement, storage and processing takes place under conditions, approved in accordance with the procedure referred to in Article 18(2), and the fruits have been transported in individual packages bearing a label, which contains a traceability code and the indication that the fruits are destined for industrial processing, and information on traceability is included in the certificates referred to in Article 13(1)(ii).

16.3.

point 16.3 is replaced by the following:

Fruits of <i>Citrus</i> L., <i>Fortunella</i> Swingle, <i>Poncirus</i> Raf., and their hybrids, originating in third countries	Without prejudice to the provisions applicable to the fruits in Annex IV(A)(I)(16.1), (16.2), (16.4) and (16.5), official statement that: (a) the fruits originate in a country recognised as being free from <i>Cercospora</i> <i>angolensis</i> Carv. et Mendes in accordance with relevant International Standards for Phytosanitary Measures, provided that this freedom status has been communicated in advance in writing by the national plant protection organisation of the third country concerned to the Commission,
	(b) the fruits originate in an area recognised as being free from <i>Cercospora</i> <i>angolensis</i> Carv. et Mendes, in accordance with the relevant International Standards for Phytosanitary Measures, which is mentioned on the certificates referred to in

> Article 13(1)(ii) under the rubric 'Additional declaration'. provided that this freedom status has been communicated in advance in writing by the national plant protection organisation of the third country concerned to the Commission, or no symptoms of Cercospora angolensis Carv. et Mendes have been observed in the site of production and in its immediate vicinity since the beginning of the last cycle of vegetation, and none of the fruits harvested in the site of production has shown, in appropriate official examination. symptoms of this organism.

(c)

point 16.4 is replaced by the following:

Without prejudice to the 16.4. Fruits of Citrus provisions applicable to L., Fortunella the fruits in Annex IV(A)Swingle, (I)(16.1), (16.2), (16.3), Poncirus (16.5), and (16.6), official Raf., and statement that: their hybrids, the fruits (a) other than originate in fruits of Citrus a country aurantium L. recognised and Citrus as free from

<i>latifolia</i> Tanaka, originating in third countries	(b)	<i>Phyllosticta</i> <i>citricarpa</i> (McAlpine) Van der Aa, in accordance with relevant International Standards for Phytosanitary Measures, provided that this freedom status has been communicated in advance in writing by the national plant protection organisation of the third country concerned to the Commission, or the fruits originate in an area established by the national plant protection organisation in the country of origin as being free from <i>Phyllosticta</i> <i>citricarpa</i> (McAlpine) Van der Aa in accordance with relevant International Standards for Phytosanitary Measures, which is mentioned on the certificates referred to in Article 13(1)(ii) under the rubric 'Additional declaration', provided that this freedom status has been communicated
---	-----	--

> in advance in writing by the national plant protection organisation of the third country concerned to the Commission, or the fruits originate in a place of production established by the national plant protection organisation in the country of origin as being free from *Phyllosticta* citricarpa (McAlpine) Van der Aa in accordance with relevant International Standards for Phytosanitary Measures, which is mentioned on the certificates referred to in Article 13(1)(ii) under the rubric 'Additional declaration'. and the fruits are found free of symptoms of *Phyllosticta* citricarpa (McAlpine) Van der Aa by official inspection of a representative sample, defined in accordance with international standards,

(c)

(d)

Status: EU Directives are being published on this site to aid cross referencing from UK legislation. After IP completion day (31 December 2020 11pm) no further amendments will be applied to this version.

or the fruits originate in a site of production subjected to appropriate treatments and cultural measures against *Phyllosticta* citricarpa (McAlpine) van der Aa, and official inspections have been carried out in the site of production during the growing season since the beginning of the last cycle of vegetation, and no symptoms of Phyllosticta citricarpa (McAlpine) van der Aa have been detected in the fruits, and the harvested fruits from that site of production are found free of symptoms of *Phyllosticta* citricarpa (McAlpine) Van der Aa during an official inspection prior to export, of a representative sample, defined in accordance with international standards,

> and information on traceability is included in the certificates referred to in Article 13(1)(ii), or in the case of fruits destined for industrial processing, the fruits have been found free of symptoms of Phyllosticta citricarpa (McAlpine) Van der Aa prior to the export during an official inspection of a representative sample, defined in accordance with international standards, and a statement that the fruits originate in a site of production subjected to appropriate treatments against *Phyllosticta* citricarpa (McAlpine) Van der Aa carried out at the appropriate time is included in the certificates referred to in Article 13(1)(ii) under the rubric 'Additional declaration', and

(e)

IP completion day (31 December 2020 11pm) no further amendments will be applied to this version.

movement, storage and processing takes place under conditions. approved in accordance with the procedure referred to in Article 18(2), and the fruits have been transported in individual packages bearing a label, which contains a traceability code and the indication that the fruits are destined for industrial processing, and information on traceability is included in the certificates referred to in Article 13(1)(ii).

the following point is inserted after point 16.5:

(a)

16.6. Fruits of Capsicum (L.), Citrus L., other than Citrus limon (L.) Osbeck. and Citrus aurantiifolia (Christm.) Swingle, Prunus persica (L.) Batsch and Punica granatum L. originating in countries of the African continent.

(16.4), (16.5) and (36.3), official statement that the fruits: originate in a country recognised as being free of Thaumatotibia leucotreta (Meyrick) in accordance with relevant International

Standards for

Without prejudice to the

provisions applicable to

(I)(16.1), (16.2), (16.3),

the fruits in Annex IV(A)

Cape Verde, Saint Helena, Madagascar, La Reunion, Mauritius and Israel	(b)	Phytosanitary Measures, or originate in an area established by the national plant protection organisation in the country of origin as being free from <i>Thaumatotibia</i> <i>leucotreta</i> (Meyrick), in accordance with the relevant International Standards for Phytosanitary Measures, which is mentioned on the certificates referred to in Article 13(1)(ii) under the rubric 'Additional declaration',
	(c)	or originate in a place of production established by the national plant protection organisation in the country of origin as being free from <i>Thaumatotibia</i> <i>leucotreta</i> (Meyrick) in accordance with relevant International Standards for Phytosanitary Measures and information on traceability is included in the certificates referred to in the Article 13(1)(ii),

and official inspections have been carried out in the place of production at appropriate times during the growing season, including a visual examination on representative samples of fruit, shown to be free from Thaumatotibia leucotreta (Meyrick), or have been subjected to an effective cold treatment to ensure freedom from Thaumatotibia leucotreta (Meyrick) or another effective treatment to ensure freedom from Thaumatotibia leucotreta (Meyrick) and the treatment data should be indicated on the certificates referred to in Article 13(1)(ii), provided that the treatment method has been communicated in advance in writing by the national plant protection organisation of the third country

(d)

		concerned to the Commission.
point 18	3.2 is replaced by the	following:
18.2.	Plants of <i>Casimiroa</i> La Llave, <i>Choisya</i> Kunth <i>Clausena</i> Burm. f., <i>Murraya</i> J.Koenig ex L., <i>Vepris</i> Comm, <i>Zanthoxylum</i> L., other than fruits and seeds, originating in third countries	Without prejudice to the provisions applicable to the plants referred to in Annex IV(A)I(18.1) and (18.3), official statement that: (a) the plants originate in a country in which <i>Trioza erytreae</i> Del Guercio is known not to occur, or
		 (b) the plants originate in an area free from <i>Trioza erytreae</i> Del Guercio, established by the national plant protection organisation in accordance with relevant International Standards for Phytosanitary Measures, and which is mentioned on the certificates referred to in Article 13(1)(ii) under the rubric 'Additional declaration', or (c) the plants have been grown in a place of production, which is registered and supervised by

> the country of origin, and where the plants are placed in a site with complete physical protection against the introduction of Trioza erytreae Del Guercio, and where, during the last complete cycle of vegetation prior to the movement, two official inspections were carried out at appropriate times and no signs of Trioza *erytreae* Del Guercio have been observed in that site, and in the surrounding area with a width of at least 200 m.

the following point is inserted after point 18.3:

18.4.	Plants of <i>Microcitrus</i> Swingle, <i>Naringi</i> Adans. and <i>Swinglea</i> Merr., other than fruits and seeds, originating in third countries	Without prejudice to the provisions applicable to the plants in Annex IV(A)I (18.1), (18.2) and (18.3), official statement that the plants: (a) originate in a country recognised as being free of <i>Xanthomonas</i> <i>citri</i> pv. <i>citri</i> and <i>Xanthomonas</i> <i>citri</i> pv. <i>aurantifolii</i> in accordance
-------	--	--

> with relevant International Standards for Phytosanitary Measures, provided that this freedom status has been communicated in writing by the national plant protection organisation of the third country concerned to the Commission, or originate in an area established by the national plant protection organisation in the country of origin as being free from Xanthomonas citri pv. citri and Xanthomonas citri pv. aurantifolii, in accordance with the relevant International Standards for Phytosanitary Measures, which is mentioned on the certificates referred to in Article 13(1)(ii)under the rubric 'Additional declaration', provided that this freedom status has been communicated in writing by the national plant protection organisation of the third country

(b)

concerned to the Commission.

- in point 19.2, in the left hand column, 'Xanthomonas campestris pv. pruni (Smith) Dye' is replaced by 'Xanthomonas arboricola pv. pruni (Smith) Vauterin et al.'
- the following points are inserted after point 25.7:

25.7.1.	Plants of Solanum lycopersicum L. and Solanum melongena L., other than fruits and seeds	in Annex Annex IV (25.6), (2	by isions e to the plants III(A)(13) and I(A)(I)(25.5), I(5.7), (28.1), and ficial statement

			under the rubric 'Additional declaration'.
25.7.2.	Fruits of Solanum lycopersicum L. and Solanum melongena L.	Official fruits: (a) (b)	statement that the originate in a country recognised as being free of <i>Keiferia</i> <i>lycopersicella</i> (Walsingham) in accordance with relevant International Standards for Phytosanitary Measures, or originate in an area established by the national plant protection
		(c)	organisation in the country of origin as being free from <i>Keiferia</i> <i>lycopersicella</i> (Walsingham) in accordance with the relevant International Standards for Phytosanitary Measures, which is mentioned on the certificates referred to in Article 13(1)(ii) under the rubric 'Additional declaration', or originate in a place of production, actabliched by
			established by the national plant protection organisation in the country

of origin as being free from Keiferia lycopersicella (Walsingham), on the basis of official inspections and surveys carried out during the last three months prior to export, which is mentioned on the certificates referred to in Article 13(1)(ii) under the rubric 'Additional declaration'.

in point 52, in the left hand column, 'Seeds of Zea mais
 L.' is replaced by 'Seeds of Zea mays L.'

(ii) Section II is amended as follows:

the following point is inserted after point 8:

|--|

point 10.1 is replaced by the following:

plants are placed in a site with complete physical protection against the introduction of <i>Trioza erytreae</i> Del Guercio, and where, during the last complete cycle of vegetation prior to the movement, two official inspections were carried out at appropriate times and no signs of <i>Trioza</i> <i>erytreae</i> Del Guercio have been observed in that site, and in the surrounding area with a width of at least

in point 12, in the right hand column, 'Xanthomonas campestris pv. pruni (Smith) Dye' is replaced by 'Xanthomonas arboricola pv. pruni (Smith) Vauterin et al.'

(b) Part B is amended as follows:

(i) in point 6.4, the text in the third column is replaced by the following:

IRL, UK

(ii) in point 12.1, the text in the third column is replaced by the following:

IRL, UK

(iii) the following point 16.1 is inserted after point 16:

16.1.	Plants of <i>Pinus</i> L., intended for planting, other than fruits and seeds	to the pro- applicab plants lis Annex II Annex I ^V (8.1), (8. (10), An- (II) (4), (Annex I ^V (8), (9), ((12) and	le to the sted in II(A)(1), V(A)(I) 2), (9), nex IV(A) (5) or V(B) (7), (10), (11),	ller

> pityocampa Denis & Schiffermüller established by the national plant protection organisation in accordance with relevant International Standards for Phytosanitary Measures, or (c) the plants have been produced in nurseries which, including their vicinity, have been found free from Thaumetopoea pityocampa Denis & Schiffermüller on the basis of official inspections and official surveys carried out at appropriate times, or (d) the plants have been grown throughout their life in a

site with complete physical protection against the introduction of Thaumetopoea pityocampa Denis & Schiffermüller and have been inspected at appropriate times and found to be free from Thaumetopoea pityocampa Denis & Schiffermüller.

(iv) in point 20.3, the text in the third column is replaced by the following:

FI, LV, P (Azores), SI, SK

(v) the following points are inserted after point 20.3:

20.4.	Plants with roots, planted or intended for planting, grown in the open air	There shall be evidence that the plants originate from a field known to be free from <i>Globodera</i> <i>rostochiensis</i> (Wollenweber) Behrens.	P (Azores)
20.5.	Plants of <i>Prunus</i> L. intended for planting, other than seeds	Without prejudice to the provisions applicable to the plants listed in Annex III(A) (9) and (18) or Annex IV(A) (I)(19.2), (23.1) and (23.2) or Annex IV(A)(II) (12) and (16),	UK

> official statement that: the plants (a) have been grown throughout their life in places of production in countries where *Xanthomonas* arboricola pv. pruni (Smith) Vauterin et al. is not known to occur, or (b) the plants have been grown throughout their life in an area free from Xanthomonas arboricola pv. pruni (Smith) Vauterin et al. established by the national plant protection organisation in accordance with relevant International Standards for Phytosanitary Measures, or (c) the plants have been

derived in direct line from mother plants which have shown no symptoms of Xanthomonas arboricola pv. *pruni* (Smith) Vauterin et al. during the last complete cycle of vegetation, and no symptoms of Xanthomonas arboricola pv. pruni (Smith) Vauterin et al. have been observed on the plants at the place of production since the beginning of the last complete cycle of vegetation, or (d) for plants of *Prunus* laurocerasus L. and Prunus lusitanica L. for which there

> shall be evidence by their packing or by other means that they are intended for sale to final consumers not involved in professional plant production no symptoms of Xanthomonas arboricola pv. pruni (Smith) Vauterin et al. have been observed on plants at the place of production since the beginning of the last complete growing season.

(vi) in point 21, the text in the third column is replaced by the following:

E (except the autonomous communities of Andalucia, Aragón, Castilla la Mancha, Castilla y León, Extremadura, the autonomous community of Madrid, Murcia, Navarra and La Rioja, the province of Guipuzcoa (Basque Country), the Comarcas of Garrigues, Noguera, Pla d'Urgell, Segrià and Urgell in the province of Lleida (Communidad autonoma de Catalunya), the Comarcas de L'Alt Vinalopó and El Vinalopó Mitjà in the province of Alicante and the municipalities of Alborache and Turís in the province of Valencia (Comunidad Valenciana)), EE, F (Corsica), IRL (except Galway city), I (Abruzzo, Apulia, Basilicata, Calabria, Campania, Emilia-Romagna (the provinces of Parma and Piacenza), Lazio, Liguria, Lombardy (except the provinces of Mantua, Milano, Sondrio and Varese), Marche, Molise, Piedmont (except the communes of Busca, Centallo and Tarantasca in the province of Cuneo). Sardinia. Sicily. Tuscany. Umbria. Valle d'Aosta. Veneto (except the provinces of Rovigo and Venice, the communes of Barbona, Boara Pisani, Castelbaldo, Masi, Piacenza d'Adige, S. Urbano and, Vescovana in the province of Padova and the area situated to the south of highway A4 in the province of Verona)), LV, LT (except the municipalities of Babtai and Kedainiai (region of Kaunas)), P, SI (except the regions Gorenjska, Koroška, Maribor and Notranjska, and the communes of Lendava and Renče-Vogrsko (south from the highway H4)), SK (except the county of Dunajská Streda, Hronovce and Hronské Kl'ačany (Levice County), Dvory nad Žitavou (Nové Zámky County), Málinec (Poltár County), Hrhov (Rožňava County), Veľké Ripňany (Topoľčany County), Kazimír, Luhyňa, Malý Horeš, Svätuše and Zatín (Trebišov County)), FI, UK (Northern Ireland: excluding the townlands of Ballinran Upper, Carrigenagh Upper, Ballinran, and Carrigenagh in County Down, and the Electoral Area of Dunmurry Cross in Belfast, County Antrim; Isle of Man and Channel Islands).

(vii) in point 21.1, the text in the second column is replaced by the following:

Without prejudice to the prohibition in Annex III(A)(15), on introducing plants of *Vitis* L. other than fruits from third countries (except Switzerland) into the Union, official statement that the plants:

(a) originate in the protected zones listed in the right hand column;

or

- (b) have been subjected to an appropriate treatment to ensure freedom from *Daktulosphaira vitifoliae* (Fitch) according to a specification approved in accordance with the procedure referred to in Article 18(2).
- (viii) in point 21.3, the text in the third column is replaced by the following:

E (except the autonomous communities of Andalucia, Aragón, Castilla la Mancha, Castilla y León, Extremadura, the autonomous community of Madrid, Murcia, Navarra and La Rioja, the province of Guipuzcoa (Basque Country), the Comarcas of Garrigues, Noguera, Pla d'Urgell, Segrià and Urgell in the province of Lleida (Communidad autonoma de Catalunya), the Comarcas de L'Alt Vinalopó and El Vinalopó Mitjà in the province of Alicante and the municipalities of Alborache and Turís in the province of Valencia (Comunidad Valenciana)), EE, F (Corsica), IRL (except Galway city), I (Abruzzo, Apulia, Basilicata, Calabria, Campania, EmiliaRomagna (the provinces of Parma and Piacenza), Lazio, Liguria, Lombardy (except the provinces of Mantua, Milano, Sondrio and Varese), Marche, Molise, Piedmont (except the communes of Busca, Centallo and Tarantasca in the province of Cuneo), Sardinia, Sicily, Tuscany, Umbria, Valle d'Aosta, Veneto (except the provinces of Rovigo and Venice, the communes of Barbona, Boara Pisani, Castelbaldo, Masi, Piacenza d'Adige, S. Urbano and, Vescovana in the province of Padova and the area situated to the south of highway A4 in the province of Verona)), LV, LT (except the municipalities of Babtai and Kedainiai (region of Kaunas)), P, SI (except the regions Gorenjska, Koroška, Maribor and Notranjska, and the communes of Lendava and Renče-Vogrsko (south from the highway H4)), SK (except the county of Dunajská Streda, Hronovce and Hronské Kl'ačany (Levice County), Dvory nad Žitavou (Nové Zámky County), Málinec (Poltár County), Hrhov (Rožňava County), Veľké Ripňany (Topoľčany County), Kazimír, Luhyňa, Malý Horeš, Svätuše and Zatín (Trebišov County)), FI, UK (Northern Ireland: excluding the townlands of Ballinran Upper, Carrigenagh Upper, Ballinran, and Carrigenagh in County Down, and the Electoral Area of Dunmurry Cross in Belfast, County Antrim; Isle of Man and Channel Islands).

(ix) the following points are inserted after point 21.3:

21.4.	Plants of Palmae, intended for planting, having a diameter of the stem at the base of over 5 cm and belonging to the following genera: Brahea Mart., Butia Becc., Chamaerop L., Jubaea Kunth, Livistona R. Br., Phoenix	Without prejudice to the provisions applicable to the plants listed in Annex III(A)(17). or Annex IV(A) (I)(37) and (37.1) or Annex IV(A) (II)(19.1), official statement that the plants: (a) have been grown throughout their life in places of production in countries where <i>S Paysandisia</i> <i>archon</i> (Burmeisten is known not to occur;	

L., Sabal		or	
Adans.,	(b)	have been	1
Syagrus		grown	
Mart.,		throughou	ut
Trachycarp	us	their life	
H. Wendl.,		in an area	
Trithrinax Mort		free from	
Mart., Washington	ia	Paysandi: archon	sia
Washington Raf.	lα	(Burmeist	ter)
Ital.		establishe	
		by the	
		national	
		plant	
		protection	1
		organisati	
		in	
		accordance	ce
		with	
		relevant	1
		Internatio	
		Standards for	5
		Phytosani	itary
		Measures	
		or	,
	(c)	have,	
		during a	
		period of	
		at least	
		two years	
		prior to	
		export or	
		movemen	it,
		been	
		grown in a place of	
		productio	
			which
			is
			registered
			and
			supervised
			by
			the
			national
			plant
			protection
			organisation in
			the
			country
	I		- -

> of origin, and where the plants were placed in а site with complete physical protection against the introduction of Paysandisia archon (Burmeister), and where, during three official inspections per year carried out at appropriate times, including immediately prior to movement from this place of production, no signs of Paysandisia archon (Burmeister) have

			en served.
21.5.	Plants of	Without prejudice	IRL, P (Azores),
	Palmae,	to the provisions	UK
	intended	applicable to the	
	for	plants listed in $A = 1000 \text{ J}$	
	planting,	Annex III(A)(17) or A max $W(A)(I)(27)$	
	having a	Annex $IV(A)(I)(37)$	
	diameter	and (37.1) or Annex	
	of the	IV(A)(II)(19.1),	
	stem at	official statement	
	the base	that the plants:	
	of over 5	(a) have been	
	cm and	grown throughout	
	belonging	throughout	
	to the	their life in	
	following	-	
	taxa:	places of	
	Areca	production	
	catechu	in a a sum turi a a sus	h ana
	L., Arenga	countries w	
	pinnata	Rhynchoph	prus
	(Wurmb)	ferrugineus	
	Merr.,	(Olivier)	
	Bismarckia	is known	
	Hildebr. &	not to	
	H. Wendl.,	occur	
	Borassus	Or (1)	
	flabellifer	(b) have been	
	L., Brahea	grown	
	armata S.	throughout	
	Watson,	their life	
	Brahea	in an area	
	<i>edulis</i> H.	free from	
	Wendl.,	Rhynchoph	prus
	Butia	ferrugineus	
	capitata	(Olivier)	
	(Mart.)	established	
	Becc.,	by the	
	Calamus	national	
	merrillii	plant	
	Becc.,	protection	
	Caryota	organisation	n
	maxima	in	
	Blume,	accordance	
	Caryota	with	
	cumingii	relevant	1
	Lodd. ex	Internationa	LI
	Mart.,	Standards	
	Chamaerop	for	
	humilis	^s Phytosanita Measures,	ry

	I		1
nucifera		or	
L.,	(c)	have,	
Copernicia		during a	
Mart.,		period of	
Corypha		at least	-
			~
<i>utan</i> Lam.,		two years	8
Elaeis		prior to	
guineensis		export or	
Jacq.,		movemen	nt,
Howea		been	
forsteriana		grown in	
Becc.,		a place o	
Jubea		productio	
		production	
chilensis			which
(Molina)			is
Baill.,			registered
Livistona			and
australis			supervised
C.			by
Martius,			the
Livistona			national
decora			plant
(W. Bull)			protection
Dowe,			organisation
Livistona			in
rotundifolia			the
(Lam.)			country
Mart.,			of
Metroxylon			origin,
-			and
sagu Detth			1
Rottb.,			where
Phoenix			the
canariensis			plants
Chabaud,			were
Phoenix			placed
dactylifera			in
L.,			a
Phoenix			site
reclinata			with
Jacq.,			complete
Phoenix			physical
roebelenii			protection
O'Brien,			against
Phoenix			the
sylvestris			introduction
(L.)			of
Roxb.,			Rhynchophorus
Phoenix			ferrugineus
			(Olivier),
theophrasti			· · · · · · · · · · · · · · · · · · ·
Greuter,			and
Pritchardia		—	where,
Seem. &			during
			three
			·

H. Wendl.,		official
Ravenea		inspections
rivularis		-
		per
Jum. &		year
H. Perrier,		carried
Roystonea		out
regia		at
(Kunth)		appropriate
O. F.		times,
Cook,		including
Sabal		immediately
palmetto		prior
(Walter)		to
Lodd. ex		movement
Schult. &		from
Schult. f.,		this
Syagrus		place
romanzoffic	ina	of
(Cham.)		production,
Glassman,		no
Trachycarp	us	signs
fortunei		of
(Hook.)		Rhynchophorus
H. Wendl.		ferrugineus
and		(Olivier)
Washington	ia	have
Raf.	μu	been
Nal.		observed.
		ouserveu.

(x) in points 24.1 and 24.2, the text in the third column is replaced by the following:

IRL, P (Azores, Beira Interior, Beira Litoral, Entre Douro e Minho and Trás-os-Montes), UK, S, FI

(xi) point 24.3 is replaced by the following:

24.3.	Plants of Begonia L., intended for planting, other than seeds, tubers and corms, and plants of Dipladenia A.DC., Ficus L., Hibiscus	Without prejudice to the requirements applical to the plants listed in Annex IV(A) (I)(45.1), where appropriate, official statement that: (a) the plants orginate in an area known to be free from <i>Bemisia</i> <i>tabaci</i>	IRL, P (Azores, Beira Interior, Beira blatoral, Entre Douro e Minho and Trás- os-Montes), UK, S, FI
-------	--	--	--

L., <i>Mandevilla</i> Lindl. and <i>Nerium</i> <i>oleander</i> L., intended for planting, other than seeds	(b)	Genn. (European populations), or no signs of <i>Bemisia</i> <i>tabaci</i> Genn. (European populations) have been observed on plants at the place of production on official inspections carried out at least once each three weeks during the nine weeks prior to marketing, or
	(c)	in cases where <i>Bemisia</i> <i>tabaci</i> Genn. (European populations) has been found at the place of production, the plants, held or produced in this place of produced in this place of production have undergone an appropriate treatment to ensure

freedom from Bemisia tabaci Genn. (European populations) and subsequently this place of production shall have been found free from Bemisia tabaci Genn. (European populations) as a consequence of the implementation of appropriate procedures aiming at eradicating Bemisia tabaci Genn. (European populations), in both official inspections carried out weekly during the three weeks prior to the movement from this place of production and in monitoring procedures throughout

> the said period, or (d) for those plants for which there shall be evidence by their packing or their flower development or by other means that they are intended for direct sale to final consumers not involved in professional plant production, the plants have been officially inspected and found free from Bemisia tabaci Genn. (European populations) immediately prior to their movement.

(xii) in point 33, the text in the third column is replaced by the following: IRL, UK

(5) Annex V is amended as follows:

(a) Part A is amended as follows:

(i) Section I is amended as follows:

- point 1.4 is replaced by the following:

- 1.4. Plants of *Choisya* Kunth, *Fortunella* Swingle, *Poncirus* Raf., and their hybrids, *Casimiroa* La Llave, *Clausena* Burm. f., *Murraya* J. Koenig ex L., *Vepris* Comm., *Zanthoxylum* L. and *Vitis* L., other than fruits and seeds.
- in point 1.7, the table in point (b) is replaced by the following:

CN code	Description
4401 12 00	Non-coniferous fuel wood, in logs, in billets, in twigs, in faggots or in similar forms
4401 22 00	Non-coniferous wood, in chips or particles
4401 40 90	Wood waste and scrap (other than sawdust), not agglomerated
ex 4403 12 00	Non-coniferous wood in the rough, treated with paint, stains, creosote or other preservatives, not stripped of bark or sapwood, or roughly squared
ex 4403 99 00	Non-coniferous wood (other than tropical wood oak (<i>Quercus</i> spp.), beech (<i>Fagus</i> spp.), birch (<i>Betula</i> spp.), poplar and aspen (<i>Populus</i> spp.) or eucalyptus (<i>Eucalyptus</i> spp.)), in the rough, whether or not stripped of bark or sapwood, or roughly squared, other than treated with paint, stains, creosote or other preservatives
ex 4404 20 00	Non-coniferous split poles; piles, pickets and stakes of non-coniferous wood, pointed but not sawn lengthwise
ex 4407 99	Non-coniferous wood (other than tropical wood oak (<i>Quercus</i> spp.), beech

(*Fagus* spp.), maple (*Acer* spp.), cherry (*Prunus* spp.), ash (*Fraxinus* spp.), birch (*Betula* spp.) or poplar and aspen (*Populus* spp.)), sawn or chipped lengthwise, sliced or peeled, whether or not planed, sanded or end-jointed, of a thickness exceeding 6 mm.

- point 2.1 is replaced by the following:
 - 2.1. Plants intended for planting, other than seeds, of the genera Abies Mill., Apium graveolens L., Argyranthemum spp., Asparagus officinalis L., Aster spp., Brassica spp., Castanea Mill., Cucumis spp., Dendranthema (DC.) Des Moul., Dianthus L. and hybrids, Exacum spp., Fragaria L., Gerbera Cass., Gypsophila L., all varieties of New Guinea hybrids of Impatiens L., Lactuca spp., Larix Mill., Leucanthemum L., Lupinus L., Pelargonium l'Hérit. ex Ait., Picea A. Dietr., Pinus L., Platanus L., Populus L., Prunus laurocerasus L., Prunus lusitanica L., Pseudotsuga Carr., Quercus L., Rubus L., Spinacia L., Tanacetum L., Tsuga Carr., Ulmus L., Verbena L. and other plants of herbaceous species, other than plants of the family Gramineae, intended for planting, and other than bulbs, corms, rhizomes, seeds and tubers.
- (ii) Section II is amended as follows:
 - point 1.2 is replaced by the following:
 - 1.2. Plants intended for planting, other than seeds, of *Beta vulgaris* L., *Platanus* L., *Populus* L., *Prunus* L. and *Quercus* spp., other than *Quercus suber* and *Ulmus* L.
 - the following point is inserted after point 1.3:
 - 1.3.1. Plants of *Palmae*, intended for planting, having a diameter of the stem at the base of over 5 cm and belonging to the following taxa: *Areca catechu* L., *Arenga pinnata* (Wurmb) Merr., *Bismarckia* Hildebr. & H. Wendl., *Borassus flabellifer* L., *Brahea* Mart., *Butia* Becc., *Calamus merrillii* Becc., *Caryota maxima* Blume, *Caryota cumingii* Lodd. ex Mart., *Chamaerops* L., *Cocos nucifera* L., *Copernicia* Mart., *Corypha utan* Lam., *Elaeis guineensis* Jacq., *Howea forsteriana* Becc.,

Jubaea Kunth, Livistona R. Br., Metroxylon sagu Rottb., Phoenix L., Pritchardia Seem. & H. Wendl., Ravenea rivularis Jum. & H. Perrier, Roystonea regia (Kunth) O. F. Cook, Sabal Adans., Syagrus Mart., Trachycarpus H. Wendl., Trithrinax Mart., Washingtonia Raf.

in point 1.10, the table in point (b) is replaced by the following:

CN code	Description
4401 11 00	Coniferous fuel wood, in logs, in billets, in twigs, in faggots or in similar forms
4401 12 00	Non-coniferous fuel wood, in logs, in billets, in twigs, in faggots or in similar forms
4401 21 00	Coniferous wood, in chips or particles
4401 22 00	Non-coniferous wood, in chips or particles
4401 40 90	Wood waste and scrap (other than sawdust), not agglomerated
ex 4403 11 00	Coniferous wood in the rough, treated with paint, stains, creosote or other preservatives, not stripped of bark or sapwood, or roughly squared
ex 4403 12 00	Non-coniferous wood in the rough, treated with paint, stains, creosote or other preservatives, not stripped of bark or sapwood, or roughly squared
ex 4403 21	Coniferous wood of pine (<i>Pinus</i> spp.) in the rough, not stripped of bark or sapwood, or roughly squared, other than treated with paint, stains, creosote or other preservatives, of which any cross-sectional dimension is 15 cm or more

ex 4403 22 00	Coniferous wood of pine (<i>Pinus</i> spp.) in the rough, not stripped of bark or sapwood, or roughly squared, other than treated with paint, stains, creosote or other preservatives, other than of which any cross-sectional dimension is 15 cm or more
ex 4403 23	Coniferous wood of fir (<i>Abies</i> spp.) and spruce (<i>Picea</i> spp.) in the rough, not stripped of bark or sapwood, or roughly squared, other than treated with paint, stains, creosote or other preservatives, of which any cross-sectional dimension is 15 cm or more
ex 4403 24 00	Coniferous wood of fir (<i>Abies</i> spp.) and spruce (<i>Picea</i> spp.) in the rough, not stripped of bark or sapwood, or roughly squared, other than treated with paint, stains, creosote or other preservatives, other than of which any cross-sectional dimension is 15 cm or more
ex 4403 25	Coniferous wood, other than of pine (<i>Pinus</i> spp.), fir (<i>Abies</i> spp.) or spruce (<i>Picea</i> spp.), in the rough, not stripped of bark or sapwood, or roughly squared, other than treated with paint, stains, creosote or other preservatives, of which any cross-sectional dimension is 15 cm or more
ex 4403 26 00	Coniferous wood, other than of pine (<i>Pinus</i> spp.), fir (<i>Abies</i> spp.) or spruce (<i>Picea</i> spp.), in the rough, not stripped of bark or sapwood, or roughly

	squared, other than treated with paint, stains, creosote or other preservatives, other than of which any cross-sectional dimension is 15 cm or more
ex 4403 99 00	Non-coniferous wood (other than tropical wood, oak (<i>Quercus</i> spp.), beech (<i>Fagus</i> spp.), birch (<i>Betula</i> spp.), poplar and aspen (<i>Populus</i> spp.) or eucalyptus (<i>Eucalyptus</i> spp.)), in the rough, whether or not stripped of bark or sapwood, or roughly squared, other than treated with paint, stains, creosote or other preservatives
ex 4404	Split poles; piles, pickets and stakes of wood, pointed but not sawn lengthwise
4406	Railway or tramway sleepers (cross-ties) of wood
ex 4407	Coniferous wood, sawn or chipped lengthwise, sliced or peeled, whether or not planed, sanded or end-jointed, of a thickness exceeding 6 mm
ex 4407 99	Non-coniferous wood (other than tropical wood, oak (<i>Quercus</i> spp.), beech (<i>Fagus</i> spp.), maple (<i>Acer</i> spp.), cherry (<i>Prunus</i> spp.), ash (<i>Fraxinus</i> spp.), birch (<i>Betula</i> spp.) or poplar and aspen (<i>Populus</i> spp.)), sawn or chipped lengthwise, sliced or peeled, whether or not planed, sanded or end- jointed, of a thickness exceeding 6 mm

point 2.1 is replaced by the following:

- 2.1. Plants of *Begonia* L., intended for planting, other than corms, seeds and tubers, and plants of *Dipladenia* A.DC., *Euphorbia pulcherrima* Willd., *Ficus* L., *Hibiscus* L., *Mandevilla* Lindl. and *Nerium oleander* L., intended for planting, other than seeds.
- (b) Part B is amended as follows:
 - (i) Section I is amended as follows:
 - in point 1, 'Zea mais L.' is replaced by 'Zea mays L.'
 - in point 2, the tenth indent, '*Amiris* P. Browne' is replaced by '*Amyris* P. Browne'
 - point 3 is amended as follows:
 - the first indent is replaced by the following:
 - Citrus L., Fortunella Swingle, Poncirus Raf., Microcitrus Swingle, Naringi Adans., Swinglea Merr. and their hybrids, Momordica L., Solanum lycopersicum L., and Solanum melongena L.
 - the following indent is added:
 - *Punica granatum* L. originating in countries of the African continent, Cape Verde, Saint Helena, Madagascar, La Reunion, Mauritius and Israel.
 - point 6 is amended as follows:
 - in point (a), the following indent is added:
 - Amelanchier Medik., Aronia Medik., Cotoneaster Medik., Crataegus L., Cydonia Mill., Malus Mill., Prunus L., Pyracantha M. Roem., Pyrus L. and Sorbus L., including wood which has not kept its natural round surface, except sawdust or shavings, originating in Canada or the USA,
 - the table in point (b) is replaced by the following:

CN code	Description
4401 11 00	Coniferous fuel wood, in logs, in billets, in twigs, in faggots or in similar forms
4401 12 00	Non-coniferous fuel wood, in logs, in billets, in twigs, in

	faggots or in similar forms
4401 21 00	Coniferous wood, in chips or particles
4401 22 00	Non-coniferous wood, in chips or particles
4401 40 10	Sawdust, not agglomerated
4401 40 90	Wood waste and scrap (other than sawdust), not agglomerated
ex 4403 11 00	Coniferous wood in the rough, treated with paint, stains, creosote or other preservatives, not stripped of bark or sapwood, or roughly squared
ex 4403 12 00	Non-coniferous wood in the rough, treated with paint, stains, creosote or other preservatives, not stripped of bark or sapwood, or roughly squared
ex 4403 21	Coniferous wood of pine (<i>Pinus</i> spp.) in the rough, not stripped of bark or sapwood, or roughly squared, other than treated with paint, stains, creosote or other preservatives, of which any cross- sectional dimension is 15 cm or more
ex 4403 22 00	Coniferous wood of pine (<i>Pinus</i> spp.) in the rough, not stripped of bark or sapwood, or roughly squared, other than treated with paint,

	stains, creosote or other preservatives, other than of which any cross-sectional dimension is 15 cm or more
ex 4403 23	Coniferous wood of fir (<i>Abies</i> spp.) and spruce (<i>Picea</i> spp.) in the rough, not stripped of bark or sapwood, or roughly squared, other than treated with paint, stains, creosote or other preservatives, of which any cross- sectional dimension is 15 cm or more
ex 4403 24 00	Coniferous wood of fir (<i>Abies</i> spp.) and spruce (<i>Picea</i> spp.) in the rough, not stripped of bark or sapwood, or roughly squared, other than treated with paint, stains, creosote or other preservatives, other than of which any cross-sectional dimension is 15 cm or more
ex 4403 25	Coniferous wood, other than of pine (<i>Pinus</i> spp.), fir (<i>Abies</i> spp.) or spruce (<i>Picea</i> spp.), in the rough, not stripped of bark or sapwood, or roughly squared, other than treated with paint, stains, creosote or other preservatives, of which any cross- sectional dimension is 15 cm or more
ex 4403 26 00	Coniferous wood, other than of pine (<i>Pinus</i> spp.), fir

	(<i>Abies</i> spp.) or spruce (<i>Picea</i> spp.), in the rough, not stripped of bark or sapwood, or roughly squared, other than treated with paint, stains, creosote or other preservatives, other than of which any cross-sectional dimension is 15 cm or more
4403 91 00	Oak wood (<i>Quercus</i> spp.) in the rough, whether or not stripped of bark or sapwood, or roughly squared, other than treated with paint, stains, creosote or other preservatives
4403 95	Wood of birch (<i>Betula</i> spp.) in the rough, whether or not stripped of bark or sapwood, or roughly squared, other than treated with paint, stains, creosote or other preservatives, of which any cross- sectional dimension is 15 cm or more
4403 96 00	Wood of birch (<i>Betula</i> spp.) in the rough, whether or not stripped of bark or sapwood, or roughly squared, other than treated with paint, stains, creosote or other preservatives, other than of which any cross-sectional dimension is 15 cm or more
4403 97 00	Wood of poplar and aspen (<i>Populus</i> spp.) in the rough, whether or not stripped of

	bark or sapwood, or roughly squared, other than treated with paint, stains, creosote or other preservatives
ex 4403 99 00	Non-coniferous wood (other than tropical wood, oak (<i>Quercus</i> spp.), beech (<i>Fagus</i> spp.), birch (<i>Betula</i> spp.), poplar and aspen (<i>Populus</i> spp.) or eucalyptus (<i>Eucalyptus</i> spp.)), in the rough, whether or not stripped of bark or sapwood, or roughly squared, other than treated with paint, stains, creosote or other preservatives
ex 4404	Split poles; piles, pickets and stakes of wood, pointed but not sawn lengthwise
4406	Railway or tramway sleepers (cross-ties) of wood
ex 4407	Coniferous wood, sawn or chipped lengthwise, sliced or peeled, whether or not planed, sanded or end-jointed, of a thickness exceeding 6 mm
4407 91	Oak wood (<i>Quercus</i> spp.), sawn or chipped lengthwise, sliced or peeled, whether or not planed, sanded or end-jointed, of a thickness exceeding 6 mm
ex 4407 93	Wood of <i>Acer</i> saccharum Marsh, sawn or chipped

	lengthwise, sliced or peeled, whether or not planed, sanded or end-jointed, of a thickness exceeding 6 mm
4407 94	Wood of cherry (<i>Prunus</i> spp.) sawn or chipped lengthwise, sliced or peeled, whether or not planed, sanded or end-jointed, of a thickness exceeding 6 mm
4407 95	Wood of ash (<i>Fraxinus</i> spp.), sawn or chipped lengthwise, sliced or peeled, whether or not planed, sanded or end-jointed, of a thickness exceeding 6 mm
4407 96	Wood of birch (<i>Betula</i> spp.), sawn or chipped lengthwise, sliced or peeled, whether or not planed, sanded or end-jointed, of a thickness exceeding 6 mm
4407 97	Wood of poplar and aspen (<i>Populus</i> spp.), sawn or chipped lengthwise, sliced or peeled, whether or not planed, sanded or end-jointed, of a thickness exceeding 6 mm
ex 4407 99	Non-coniferous wood (other than tropical wood, oak (<i>Quercus</i> spp.), beech (<i>Fagus</i> spp.), maple (<i>Acer</i> spp.), cherry (<i>Prunus</i> spp.), ash (<i>Fraxinus</i> spp.),

	birch (<i>Betula</i> spp.) or poplar and aspen (<i>Populus</i> spp.)), sawn or chipped lengthwise, sliced or peeled, whether or not planed, sanded or end-jointed, of a thickness exceeding 6 mm
4408 10	Coniferous sheets for veneering (including those obtained by slicing laminated wood), for plywood or for similar laminated wood and other wood, sawn lengthwise, sliced or peeled, whether or not planed, sanded, spliced or end-jointed, of a thickness not exceeding 6 mm
4416 00 00	Casks, barrels, vats, tubs and other coopers' products and parts thereof, of wood, including staves
9406 10 00	Prefabricated buildings of wood

(ii) Section II is amended as follows:

- in point 7, the table in point (b) is replaced by the following:

CN code	Description
4401 11 00	Coniferous fuel wood, in logs, in billets, in twigs, in faggots or in similar forms
4401 12 00	Non-coniferous fuel wood, in logs, in billets, in twigs, in faggots or in similar forms
4401 21 00	Coniferous wood, in chips or particles

4401 22 00	Non-coniferous wood, in chips or particles
4401 40 90	Wood waste and scrap (other than sawdust), not agglomerated
ex 4403 11 00	Coniferous wood in the rough, treated with paint, stains, creosote or other preservatives, not stripped of bark or sapwood, or roughly squared
ex 4403 12 00	Non-coniferous wood in the rough, treated with paint, stains, creosote or other preservatives, not stripped of bark or sapwood, or roughly squared
ex 4403 21	Coniferous wood of pine (<i>Pinus</i> spp.) in the rough, not stripped of bark or sapwood, or roughly squared, other than treated with paint, stains, creosote or other preservatives, of which any cross-sectional dimension is 15 cm or more
ex 4403 22 00	Coniferous wood of pine (<i>Pinus</i> spp.) in the rough, not stripped of bark or sapwood, or roughly squared, other than treated with paint, stains, creosote or other preservatives, other than of which any cross-sectional dimension is 15 cm or more
ex 4403 23	Coniferous wood of fir (<i>Abies</i> spp.) and spruce (<i>Picea</i> spp.) in the rough, not stripped of bark or sapwood, or roughly squared, other than treated with paint, stains, creosote or other preservatives, of which any cross-sectional dimension is 15 cm or more

ex 4403 24 00	Coniferous wood of fir (<i>Abies</i> spp.) and spruce (<i>Picea</i> spp.) in the rough, not stripped of bark or sapwood, or roughly squared, other than treated with paint, stains, creosote or other preservatives, other than of which any cross-sectional dimension is 15 cm or more
ex 4403 25	Coniferous wood, other than of pine (<i>Pinus</i> spp.), fir (<i>Abies</i> spp.) or spruce (<i>Picea</i> spp.), in the rough, not stripped of bark or sapwood, or roughly squared, other than treated with paint, stains, creosote or other preservatives, of which any cross-sectional dimension is 15 cm or more
ex 4403 26 00	Coniferous wood, other than of pine (<i>Pinus</i> spp.), fir (<i>Abies</i> spp.) or spruce (<i>Picea</i> spp.), in the rough, not stripped of bark or sapwood, or roughly squared, other than treated with paint, stains, creosote or other preservatives, other than of which any cross-sectional dimension is 15 cm or more
ex 4403 99 00	Non-coniferous wood (other than tropical wood, oak (<i>Quercus</i> spp.), beech (<i>Fagus</i> spp.), birch (<i>Betula</i> spp.), poplar and aspen (<i>Populus</i> spp.) or eucalyptus (<i>Eucalyptus</i> spp.)), in the rough, whether or not stripped of bark or sapwood, or roughly squared, other than treated with paint, stains, creosote or other preservatives

ex 4404	Split poles; piles, pickets and stakes of wood, pointed but not sawn lengthwise
4406	Railway or tramway sleepers (cross-ties) of wood
ex 4407	Coniferous wood, sawn or chipped lengthwise, sliced or peeled, whether or not planed, sanded or end-jointed, of a thickness exceeding 6 mm
ex 4407 99	Non-coniferous wood (other than tropical wood, oak (<i>Quercus</i> spp.), beech (<i>Fagus</i> spp.), maple (<i>Acer</i> spp.), cherry (<i>Prunus</i> spp.), ash (<i>Fraxinus</i> spp.), birch (<i>Betula</i> spp.) or poplar and aspen (<i>Populus</i> spp.)), sawn or chipped lengthwise, sliced or peeled, whether or not planed, sanded or end- jointed, of a thickness exceeding 6 mm
4415	Packing cases, boxes, crates, drums and similar packings, of wood; cable- drums of wood; pallets, box pallets and other load boards, of wood; pallet collars of wood
9406 10 00	Prefabricated buildings of wood