

I

(Acts whose publication is obligatory)

COMMISSION REGULATION (EEC) No 1970/92

of 30 June 1992

amending Council Regulation (EEC) No 3626/82 on the implementation in the Community of the Convention on international trade in endangered species of wild fauna and flora

THE COMMISSION OF THE EUROPEAN COMMUNITIES,

Having regard to the Treaty establishing the European Economic Community,

Having regard to Council Regulation (EEC) No 3626/82 of 3 December 1982 on the implementation in the Community of the Convention on international trade in endangered species of wild fauna and flora⁽¹⁾, as last amended by Regulation (EEC) No 3675/91⁽²⁾, and in particular Article 4 thereof,

Whereas at the eighth session of the conference of the parties to the Convention on International Trade in Endangered Species of Wild Fauna and Flora, held in Kyoto from 2 to 13 March 1992, amendments were made to Appendices I and II to the Convention; whereas amendments were made to Appendix III to the Convention; whereas Appendices I, II and III of Annex A to Regulation (EEC) No 3626/82 should now be amended to incorporate the amendments accepted by the Member States, parties to

the present Convention, and parts 1 and 2 of Annex C to that Regulation should be altered;

Whereas the measures provided for in this Regulation are in accordance with the opinion of the Committee on the Convention on International Trade in Endangered Species of Wild Fauna and Flora,

HAS ADOPTED THIS REGULATION:

Article 1

Appendices I, II and III of Annex A and Parts 1 and 2 of Annex C to Regulation (EEC) No 3626/82 are hereby replaced by the Annexes to this Regulation.

Article 2

This Regulation shall enter into force on the day of its publication in the *Official Journal of the European Communities*.

This Regulation shall be binding in its entirety and directly applicable in all Member States.

Done at Brussels, 30 June 1992.

For the Commission

Carlo RIPA DI MEANA

Member of the Commission

⁽¹⁾ OJ No L 384, 31. 12. 1982, p. 1.

⁽²⁾ OJ No L 349, 18. 12. 1991, p. 13.

ANNEX A

Appendices I and II ⁽¹⁾ ⁽²⁾**Interpretation**

1. Species included in these appendices are referred to:
 - (a) by the name of the species; or
 - (b) as being all of the species included in a higher taxon or designated part thereof.
2. The abbreviation 'spp.' is used to denote all species of a higher taxon.
3. Other references to taxa higher than species are for the purposes of information or classification only.
4. The abbreviation 'p.e.' is used to denote species that are possibly extinct.
5. An asterisk (*) placed against the name of a species or higher taxon indicates that one or more geographically separate populations, subspecies or species of that species or taxon are included in Appendix I and that these populations, subspecies or species are excluded from Appendix II.
6. Two asterisks (**) placed against the name of a species or higher taxon indicate that one or more geographically separate populations, subspecies or species of that species or taxon are included in Appendix II and that these populations, subspecies or species are excluded from Appendix I.
7. The symbol (-) followed by a number placed against the name of a species or higher taxon denotes that designated geographically separate populations, species, groups of species or families of that species or taxon are excluded from the appendix concerned, as follows:
 - 101 Population of West Greenland
 - 102 Populations of Bhutan, India, Nepal and Pakistan
 - 103 Population of China
 - 104 Population of Australia
 - 105 Population of the United States of America
 - 106 — *Chile*: part of the population of Parinacota Province, Ia. Region of Tarapacá
 — *Peru*: populations of Pampa Galeras National Reserve and Nuclear Zone, Pedregal, Osconta and Sawacocho (Province of Lucanas), Sais Picotani (Province of Azangaro), Sais Tupac Amaru (Province of Janin), and of Salinas Aguada Blanca National Reserve (Provinces of Arequipa and Cailloma)
 - 107 Populations of Afghanistan, Bhutan, Burma, India, Nepal and Pakistan
 - 108 Cathartidae
 - 109 *Melospittacus undulatus*, *Nymphicus hollandicus* and *Psittacula krameri*
 - 110 Populations of Botswana, Ethiopia, Kenya, Malawi, Mozambique, the United Republic of Tanzania, Zambia and Zimbabwe and populations of the following countries subject to the specified annual export quotas:

(1) The entries '(C1)' and '(C2)' after the name of species or a higher taxon show that one or more subspecies or species of that species or higher taxon, appear in part 1 or 2 of Annex C to the Regulation.

(2) The translations of the Latin names are given as a guide only.

	1992	1993	1994
Madagascar	3 100	4 100	4 400
(ranchd specimens:	3 000	4 000	4 300
wild nuisance			
specimens:	100	100	100)
Somalia	500	0	0
South Africa	1 000	1 000	1 000
Uganda	2 500	2 500	2 500

Apart from ranchd specimens, the United Republic of Tanzania will authorize the export of no more than 100 hunting trophies each year, 400 nuisance animals in 1992, 200 a year in 1993 and 100 in 1995 and each following year.

- 111 Populations of Australia and Papua New Guinea and population of Indonesia subject to specified annual export quotas as follows:

	1992	1993	1994
Total	9 700	8 500	8 500
Ranchd/ Captive-bred specimens:	7 000	7 000	7 000
Wild specimens:	1 500	1 500	1 500
Skins in stock	1 200	0	0

- 112 Population of Indonesia
- 113 Population of Chile
- 114 All species that are not succulent

8. The symbol (+) followed by a number placed against the name of a species or higher taxon denotes that only designated geographically separate populations, subspecies or species of that species or taxon are included in the appendix concerned, as follows:

- + 201 Populations of South America (populations outside South America are not included in the appendices)
- + 202 Populations of Bhutan, India, Nepal and Pakistan
- + 203 Population of Bhutan, China, Mexico and Mongolia
- + 204 Populations of Cameroon and Nigeria
- + 205 Population of Asia
- + 206 Population of India
- + 207 Populations of Central and North America
- + 208 Population of Australia
- + 209 — *Chile*: part of the population of Parinacota Province, Ia. Region of Tarapacá
 — *Peru*: populations of Pampa Galeras National Reserve, Pedregal, Osconcta and Sawacocho (Province of Lucanas), Sais Picotani (Province of Azangaro), Sais Tupac Amaru (Province of Janin) and of Salinas Aguada Blanca National Reserve (Provinces of Arequipa and Cailloma)
- + 210 Populations of Afghanistan, Bhutan, India, Myanmar, Nepal and Pakistan
- + 211 Population of Mexico
- + 212 Populations of Algeria, Burkina Faso, Cameroon, the Central African Republic, Chad, Mali, Mauritania, Morocco, the Niger, Nigeria, Senegal and the Sudan

- + 213 Population of Sudan. This listing will enter into force on 11 July 1992 only, to allow the export of an existing stock of 8 000 skins between 11 June and 11 July 1992, under specific conditions (skins to be tagged, documented and exported under the supervision of an independent observer)
 - + 214 Population of Europe, except the area which formerly constituted the Union of Soviet Socialist Republics
 - + 215 Population of Indonesia with a zero export quota. Export of captive-bred specimens of a maximum length of 15 cm will be limited to 3 000 in 1993 and 4 000 in 1994 from the operation of P. D. Bintang Kalbar, Pontianak, West Kalimantan
 - + 216 All species of New Zealand
 - + 217 Population of Chile
9. The symbol (=) followed by a number placed against the name of a species or higher taxon denotes that the name of that species or taxon shall be interpreted as follows:
- = 301 Includes family Tupaiidae
 - = 302 Includes generic synonym *Leontideus*
 - = 303 Includes synonym *Saguinus geoffroyi*
 - = 304 Includes synonym *Cercopithecus roloway*
 - = 305 Includes synonym *Colobus badius kirki*
 - = 306 Includes synonym *Colobus badius rufomitratu*
 - = 307 Includes generic synonym *Simias*
 - = 308 Includes generic synonym *Mandrillus*
 - = 309 Includes generic synonym *Rhinopithecus*
 - = 310 Includes synonyms *Bradypus boliviensis* and *Bradypus griseus*
 - = 311 Includes synonym *Priodontes giganteus*
 - = 312 Includes synonym *Physeter catodon*
 - = 313 Includes synonym *Eschrichtius glaucus*
 - = 314 Includes generic synonym *Eubalaena*
 - = 315 Includes synonym *Dusicyon fulvipes*
 - = 316 Also referenced as *Cardocyn thons*
 - = 317 Includes generic synonym *Fennecus*
 - = 318 Also referenced as *Ursus thibetanus*
 - = 319 Also referenced as *Aonyx microdon* or *Paraonyx microdon*
 - = 320 Includes synonyms *Lutra annectens*, *Lutra enudris*, *Lutra incarum* and *Lutra platensis*
 - = 321 Includes synonym *Eupleres major*
 - = 322 Also referenced as *Lynx caracal*; includes generic synonym *Caracal*
 - = 323 Also referenced as *Lynx pardinus* or *Felis lynx pardina*
 - = 324 Includes synonyms *Equus kiang* and *Equus onager*

- = 325 Includes generic synonym *Dama*
- = 326 Includes generic synonyms *Axis* and *Hyelaphus*
- = 327 Includes synonym *Bos frontalis*
- = 328 Includes synonym *Bos grunniens*
- = 329 Includes generic synonym *Novibos*
- = 330 Includes generic synonym *Anoa*
- = 331 Includes synonym *Oryx tao*
- = 332 Includes synonym *Ovis aries ophion*
- = 333 Also referenced as *Sula abbotti*
- = 334 Also referenced as *Ciconia ciconia boyciana*
- = 335 Also referenced as *Anas platyrhynchos laysanensis*
- = 336 Also referenced as *Aquila heliaca adalberti*
- = 337 Also referenced as *Falco peregrinus pelegrinoides*
- = 338 Includes synonym *Falco babylonicus*
- = 339 Also referenced as *Crax mitu mitu*
- = 340 Includes generic synonym *Aburria*
- = 341 Formerly included in species *Crossoptilon crossoptilon*
- = 342 Formerly included in species *Polyplectron malacense*
- = 343 Includes synonym *Rheinardia nigrescens*
- = 344 Also referenced as *Tricholimnas sylvestris*
- = 345 Also referenced as *Choriotis nigriceps*
- = 346 Also referenced as *Houbaropsis bengalensis*
- = 347 Also referenced as *Amazona dufresniana rhodocorytha*
- = 348 Often traded under the incorrect designation *Ara caninde*
- = 349 Also referenced as *Opopsitta diophthalma coxeni*
- = 350 Also referenced as *Geopsittacus occidentalis*
- = 351 Formerly included in species *Psephotus chrysopterygius*
- = 352 Formerly included in genus *Gallirex*; also referenced as *Tauraco porphyreolophus*
- = 353 Formerly included in species *Tauraco corythaix*
- = 354 Also referenced as *Otus gurneyi*
- = 355 Also referenced as *Ninox novaeseelandiae royana*
- = 356 Formerly included in genus *Ramphodon*
- = 357 Formerly included in genus *Rhinoplax*
- = 358 Also referenced as *Muscicapa ruecki* or as *Niltava ruecki*
- = 359 Also referenced as *Meliphaga cassidix*
- = 360 Formerly included in genus *Spinus*
- = 361 Includes generic synonyms *Nicoria* and *Geoemyda* (part)
- = 362 Also referenced in genus *Testudo*
- = 363 Formerly included in *Podocnemis* spp.
- = 364 Includes *Alligatoridae*, *Crocodylidae* and *Gavialidae*
- = 365 Formerly included in *Chamaeleo* spp.
- = 366 Also referenced as *Constrictor constrictor occidentalis*
- = 367 Includes synonym *Pseudoboa cloelia*

- = 368 Also referenced as *Hydrodynastes gigas*
- = 369 Includes generic synonym *Megalobatrachus*
- = 370 *Sensu D'Abrera*
- = 371 Also referenced in genus *Dysnomia*
- = 372 Includes generic synonym *Proptera*
- = 373 Also referenced in genus *Carunculina*
- = 374 Includes generic synonym *Micromya*
- = 375 Includes generic synonym *Papuina*
- = 376 Also referenced as *Podophyllum emodi*
- = 377 Also referenced in genus *Echinocactus*
- = 378 Also referenced in genus *Escobaria*
- = 379 Also referenced as *Lobeira macdougallii* or as *Nopalxochia macdougallii*
- = 380 Also referenced as *Echinocereus lindsayi*
- = 381 Also referenced as *Wilcoxia schmollii*
- = 382 Also referenced as *Solisia pectinata*
- = 383 Also referenced as *Backebergia militaris*
- = 384 Also referenced in genus *Toumeyia*
- = 385 Also referenced in genus *Toumeyia* or in genus *Scleroactus*
- = 386 Also referenced as *Ancistroactus tobuschii*
- = 387 Also referenced in genus *Neolloydia* or in genus *Echinomastus*
- = 388 Also referenced in genus *Neolloydia*
- = 389 Also referenced as *Saussurea lappa*
- = 390 Also referenced as *Engelhardia pterocarpa*
- = 391 Includes families Apostasiaceae and Cyripediaceae as subfamilies Apostasioideae and Cyripedioideae
- = 392 Also referenced as *Lycaste virginalis* var. *alba*
- = 393 Also referenced as *Sarracenia rubra alabamensis*
- = 394 Also referenced as *Sarracenia rubra jonesii*
- = 395 Includes synonym *Stangeria paradoxa*
- = 396 Includes synonym *Welwitschia bainesii*

10. The symbol (°) followed by a number placed against the name of a species or higher taxon shall be interpreted as follows:

- °501 Annual exports quotas for live specimens and hunting trophies are granted as follows:
 Botswana: 5
 Namibia: 150
 Zimbabwe: 50
 The trade in such specimens is subject to the provisions of Article III of the Convention.
- °502 For the exclusive purpose of allowing international trade in cloth made from wool sheared from live vicuñas of the populations included in Appendix II (see +209), and of items thereof. The reverse side of the cloth must bear the logotype adopted by the range states of the species, which are signatories to the Convenio para la Conservación y Manejo de la Vicuña, and the selvages either the words VICU ANDES-CHILE or the words VICU ANDES-PERU, depending of the country of origin of the cloth.
- °503 Fossils are not subject to CITES provisions.

11. In accordance with Article I, paragraph b (iii), of the Convention, the symbol (#) followed by a number placed against the name of a species or higher taxon included in Appendix II designates parts of derivatives which are specified in relation thereto for the purposes of the Convention as follows:
- # 1 Designates all parts and derivatives, except:
 - (a) seeds, spores and pollen (including pollinia); and
 - (b) tissue cultures and flasks seedling cultures.
 - # 2 Designates all parts and derivatives, except:
 - (a) seeds and pollen;
 - (b) tissue cultures and flasks seedling cultures; and
 - (c) chemical derivatives.
 - # 3 Designates roots and readily recognizable parts thereof.
 - # 4 Designates all parts and derivatives, except:
 - (a) seeds and pollen;
 - (b) tissue cultures and flasks seedling cultures;
 - (c) fruits and parts and derivatives thereof of naturalized or artificially propagated plants; and
 - (d) separate stem joints (pads) and parts and derivatives thereof of naturalized or artificially propagated *Opuntia* subgenus *Opuntia* spp.
 - # 5 Designates saw-logs, sawn wood and veneers
 - # 6 Designates all parts and derivatives, except:
 - (a) seeds and pollen;
 - (b) tissue cultures and flasks seedling cultures; and
 - (c) separate leaves and parts and derivatives thereof of naturalized or artificially propagated *Aloe vera*.
 - # 7 Designates all parts and derivatives, except:
 - (a) seeds and pollen (including pollinia);
 - (b) tissue cultures and flasks seedling cultures;
 - (c) cut flowers of artificially propagated plants; and
 - (d) fruits and parts and derivatives thereof of artificially propagated *Vanilla* spp.
12. As none of the species or higher taxa of flora included in Appendix I are annotated, this means that artificially propagated hybrids produced from one or more of these species or taxa may be traded with a certificate of artificial propagation in accordance with Resolution Conf. 6.19, paragraph a).

	Appendix I	Appendix II
	FAUNA ANIMALS	
	MAMMALIA MAMMALS	
MONOTREMATA		
Monotremes		
<i>Tachyglossidae</i>		<i>Zaglossus</i> spp. (C 2)
Echidnas or spiny ant-eaters		All long-nosed echidnas (New Guinea echidnas), including egg-laying ant-eaters or long-snouted echidnas
MARSUPIALIA		
Marsupials		
<i>Dasyuridae</i>	<i>Sminthopsis longicaudata</i>	
Marsupial mice	Long-tailed cunnart or long-tailed marsupial-mouse or long-tailed sminthopsis	
	<i>Sminthopsis psammophila</i>	
	Sandhill dunnart or sandhill sminthopsis or large desert marsupial-mouse	
<i>Thylacinidae</i>	<i>Thylacinus cynocephalus</i> p.e.	
Thylacines	Tasmanian wolf or Thylacine or Tasmanian Tiger	
<i>Peramelidae</i>	<i>Chaeropus ecaudatus</i> p.e.	
Bandicoots	Pig-footed bandicoot	
	<i>Perameles bougainville</i>	
	(Western) barred bandicoot or (little) marl	
<i>Thylacomyidae</i>	<i>Macrotis lagotis</i>	
	Rabbit bandicoot or greater bilby or dalgite or rabbit-eared bandicoot	
	<i>Macrotis leucura</i>	
	White-tailed rabbit bandicoot or lesser rabbit (eared) bandicoot or yallara or lesser bilby	
<i>Phalangeridae</i>		<i>Phalanger maculatus</i>
Phalangers and cuscuses		Spotted cuscus or spotted phalanger
		<i>Phalanger orientalis</i>
		Grey cuscus or common phalanger
<i>Burramyidae</i>		<i>Burramys parvus</i>
Pygmy possums		Mountain pygmy possum or burramys or Broom's pygmy possum
<i>Vombatidae</i>	<i>Lasiorhinus krefftii</i>	
Wombats	Queensland or Northern hairy-nosed wombat	
<i>Macropodidae</i>	<i>Bettongia</i> spp.	
Wallabies and kangaroos	All rat-kangaroos or bettongs	
	<i>Caloprymnus campestris</i> p.e.	
	Desert rat-kangaroo or plains rat-kangaroo or bluff-nosed rat-kangaroo	
		<i>Dendrolagus bennettianus</i> (C 2)
		Bennett's tree kangaroo or dusty tree kangaroo or tcharibbeena
		<i>Dendrolagus inustus</i> (C 2)
		Grizzled grey tree kangaroo

	Appendix I	Appendix II
		<i>Dendrolagus lumholtzi</i> (C 2) Lumholtz's tree kangaroo or boongary
		<i>Dendrolagus ursinus</i> (C 2) Black tree kangaroo or Vogelkop tree-kangaroo
	<i>Lagorchestes hirsutus</i> Rufous or Western hare-wallaby or wurrup or ormalala	
	<i>Lagostrophus fasciatus</i> Band-hare-wallaby or munning	
	<i>Onychogalea fraenata</i> Bridled nail-tailed wallaby or merrin or bridled wallaby	
	<i>Onychogalea lunata</i> Crescent nail-tailed wallaby or wurrung	
CHIROPTERA Bats		
<i>Pteropodidae</i>		<i>Acerodon</i> spp. Flying foxes
		<i>Pteropus</i> spp. (*) Flying foxes
	<i>Pteropus insularis</i> Truk fruit-bat	
	<i>Pteropus mariannus</i> Mariana fruit bat	
	<i>Pteropus molossinus</i> Ponape fruit bat	
	<i>Pteropus phaeocephalus</i> Mortlock fruit bat	
	<i>Pteropus pilosus</i> Large palau fruit bat	
	<i>Pteropus samoensis</i> Samoan fruit bat	
	<i>Pteropus tonganus</i> Insular flying fox	
PRIMATES Primates		PRIMATES spp. (*) = 301 (C 2) All primates
<i>Lemuridae</i> Lemurs	<i>Lemuridae</i> spp. All lemurs or sportive lemurs or gentle lemurs	
<i>Cheirogaleidae</i>	<i>Cheirogaleidae</i> spp. All dwarf and mouse lemurs	
<i>Indriidae</i> Indris, sifakas and avahis	<i>Indriidae</i> spp. All indris, sifakas, avahis and woolly lemurs	
<i>Daubentoniidae</i> Ayes-eyes	<i>Daubentonia madagascariensis</i> Aye-aye	
<i>Callithricidae</i> Tamarins and marmosets	<i>Callithrix jacchus aurita</i> White-eared marmoset, Buffy-tufted-ear marmoset	
	<i>Callithrix jacchus flaviceps</i> Buff-headed marmoset	

	Appendix I	Appendix II
	<p><i>Leontopithecus</i> spp. = 302 Golden (lion) tamarins or golden marmosets or maned tamarins</p> <p><i>Saguinus bicolor</i> Pied or bare-faced tamarin</p> <p><i>Saguinus leucopus</i> White-footed tamarin</p> <p><i>Saguinus oedipus</i> = 303 Cotton-headed tamarin or cotton-top marmoset or pinche marmoset or Liszt monkey or cotton-top tamarin (Geoffroy tamarin included), Rufous-naped tamarin</p>	
<i>Callimiconidae</i>	<p><i>Callimico goeldii</i> Goeldi's marmoset, Goeldi's tamarin or Goeldi's Monkey</p>	
<i>Cebidae</i> New world monkeys	<p><i>Alouatta palliata</i> Mantled howler and Guatemalan howler monkey</p> <p><i>Ateles geoffroyi frontatus</i> Black-browed spider monkey</p> <p><i>Ateles geoffroyi panamensis</i> Red (bellied) spider monkey or Panama spider monkey</p> <p><i>Brachyteles arachnoides</i> Wooly spider monkey, muriqui</p> <p><i>Cacajao</i> spp. All uakaris</p> <p><i>Chiropotes albinasus</i> White-nosed saki, Red-nosed saki</p> <p><i>Lagothrix flavicauda</i> Yellow lated woolly monkey</p> <p><i>Saimiri oerstedii</i> Red-backed squirrel monkey or Central American squirrel monkey</p>	
<i>Cercopithecidae</i> Old world monkeys	<p><i>Cercocebus galeritus galeritus</i> Tana river mangabey (monkey)</p> <p><i>Cercopithecus diana</i> = 304 Diana monkey (Roloway monkey included) Diana guenon</p> <p><i>Colobus pennantii kirki</i> = 305 Kirk's or Zanzibar red colobus</p> <p><i>Colobus rufomitratu</i>s = 306 Tana river red colobus</p> <p><i>Macaca silenus</i> Lion-tailed macaque or wanderoo</p> <p><i>Nasalis</i> spp. = 307 Proboscis monkeys</p> <p><i>Papio leucophaeus</i> = 308 Drill</p> <p><i>Papio sphinx</i> = 308 Mandrill</p> <p><i>Presbytis entellus</i> Entellus, true, hanuman, grey or common langur</p>	

	Appendix I	Appendix II
	<i>Presbytis geei</i> Golden langur	
	<i>Presbytis pileata</i> Capped langur or capped monkey or bonneted langur	
	<i>Presbytis potenziani</i> Mentawai leaf monkey or long-tailed langur	
	<i>Pygathrix</i> spp. = 309 Douc langur and snub-nosed monkey	
<i>Hylobatidae</i> Gibbons	<i>Hylobatidae</i> spp. All gibbons	
<i>Pongidae</i> Great apes	<i>Pongidae</i> spp. All great apes (gorilla, orang-utan and chimpanzees)	
EDENTATA Edentates		
<i>Myrmecophagidae</i> Ant-eaters		<i>Myrmecophaga tridactyla</i> (C 1) Giant ant-eater
<i>Bradypodidae</i> Sloths		<i>Bradypus variegatus</i> = 310 Bolivian three-toed sloth or Brown-throated sloth
<i>Dasypodidae</i> Armadillos	<i>Priodontes maximus</i> = 311 Giant armadillo	
PHOLIDOTA Pangolins or scaly ant-eaters		
<i>Manidae</i> Pangolins		<i>Manis crassicaudata</i> (C 1) Indian pangolin
		<i>Manis javanica</i> (C 1) Malayan pangolin
		<i>Manis pentadactyla</i> (C 1) Chinese pangolin
	<i>Manis temminckii</i> South African or Cape pangolin or scaly ant-eater, Temminck's ground pangolin	
LAGOMORPHA Lagomorphs (double-toothed rodents)		
<i>Leporidae</i> Rabbits and hares	<i>Caprolagus hispidus</i> Assam rabbit or hispid hare	
	<i>Romerolagus diazi</i> Volcano rabbit or Teporingo	
RODENTIA Rodents		
<i>Sciuridae</i> Squirrels and marmots	<i>Cynomys mexicanus</i> Mexican prairie dog or Mexican prairie marmot	
		<i>Ratusfa</i> spp. (C 1) All giant squirrels

	Appendix I	Appendix II
<i>Muridae</i> Rats and mice	<i>Leporillus conditor</i> Greater stick-nest rat or house-building rat <i>Pseudomys praeconis</i> Shark Bay (false) mouse <i>Xeromys myoides</i> False water-rat <i>Zyzomys pedunculatus</i> Central thick-tailed rat or Macdonnell Range rock-rat	
<i>Chinchillidae</i> Chinchillas	<i>Chinchilla</i> spp. + 201 All chinchillas	
CETACEA Cetaceans (whales, dolphins and porpoises)		CETACEA spp. (*) (C 1) All whales, dolphins and porpoises
<i>Platanistidae</i> River dolphins	<i>Lipotes vexillifer</i> White flag dolphin or white fin dolphin or Chinese river dolphin or Yangtze River dolphin <i>Platanista</i> spp. Susus or Ganges and Indus river dolphins	
<i>Ziphiidae</i>	<i>Berardius</i> spp. Four-toothed whales <i>Hyperoodon</i> spp. Bottle-nosed whales	
<i>Physeteridae</i>	<i>Physeter macrocephalus</i> = 312 Sperm whale or spermacet whale or cachalot or pot whale	
<i>Delphinidae</i> Dolphins	<i>Sotalia</i> spp. All South American river dolphins <i>Sousa</i> spp. All humpbacked dolphins	
<i>Phocoenidae</i>	<i>Neophocaena phocaenoides</i> (Indian) finless porpoise or finless black porpoise or black finless porpoise <i>Phocoena sinus</i> Cochito or vagueta or Gulf of California harbour porpoise or Gulf porpoise	
<i>Eschrichtidae</i> Grey whales	<i>Eschrichtius robustus</i> = 313 Grey whale or gray whale or California gray or devil fish or hard head or mussel digger or gray back or rip sack	
<i>Balaenopteridae</i> Rorquals	<i>Balaenoptera acutorostrata</i> (**) - 101 Minke whale or lesser rorqual or little piked whale <i>Balaenoptera borealis</i> Sei whale or Rudolphi's rorqual or pollack whale or coalfish whale <i>Balaenoptera edeni</i> Bryde's whale or Tropical whale <i>Balaenoptera musculus</i> Blue whale or Sibbald's rorqual or sulphur bottom <i>Balaenoptera physalus</i> (True) fin whale or (common) finback or common rorqual or finner or herring whale or razorback or fin-backed whale	

	Appendix I	Appendix II
<i>Balaenidae</i> Right whales	<i>Megaptera novaeangliae</i> Humpback (whale) or humpbacked whale or hump whale or hunch or hunchbacked whale <i>Balaena</i> spp. = 314 Right whale <i>Caperea marginata</i> Pygmy right whale	
CARNIVORA Carnivores		
<i>Canidae</i> Dogs, wolves and foxes	<i>Canis lupus</i> (**) + 202 Grey wolf or wolf or gray wolf or common wolf or timber wolf	<i>Canis lupus</i> (*) - 102 (C 2) Grey wolf <i>Chrysocyon brachyurus</i> (C 2) Maned wolf <i>Cuon alpinus</i> Asiatic wild dog or dhole or Indian wild dog <i>Dusicyon culpaesus</i> Colpeo fox or colpeo, red fox or Andean wolf <i>Dusicyon griseus</i> = 315 Chico grey or chilla or Argentine grey fox, little fox or Pampa fox <i>Dusicyon gymnocerus</i> Pampas fox <i>Dusicyon thous</i> = 316 Crab-eating fox
	<i>Speothos venaticus</i> Bush dog or savannah dog	<i>Vulpes cana</i> Dog fox, coasac or steppe fox or Afghan fox, Blandford's fox or hoary fox <i>Vulpes zerda</i> = 317 Fennec fox
<i>Ursidae</i> Bears	<i>Ailuropoda melanoleuca</i> Giant panda <i>Helarctos malayanus</i> Sun bear <i>Melursus ursinus</i> Sloth bear <i>Selenarctos thibetanus</i> = 318 Asiatic black bear of Himalayan (black) bear <i>Tremarctos ornatus</i> Spectacled bear or Andean bear <i>Ursus arctos</i> (**) + 203 <i>Ursus arctos isabellinus</i> Himalayan brown bear or red bear	<i>Ursidae</i> spp. * C 2: <i>Ursus maritimus</i> All bears Polar bear
<i>Procyonidae</i> Raccoons		<i>Ailurus fulgens</i> (C 2) Lesser panda or red panda or red cat-bear
<i>Mustelidae</i> Weasels, badgers, skunks and others	<i>Aonyx congiga</i> (**) + 204 = 319 Cameroon clawless otter or small-toothed clawless otter or small-clawed otter	<i>Conepatus humboldtii</i> Patagonian (hog-nosed) skunk

	Appendix I	Appendix II
	<p><i>Enhydra lutris nereis</i> Southern sea otter or Californian sea otter</p> <p><i>Lutra felina</i> Marine otter or chungungo or sea cat or chingungo</p> <p><i>Lutra longicaudis</i> = 320 Long-tailed otter (La Plata otter or South American otter or lobito de rio and Central American otter included)</p> <p><i>Lutra lutra</i> Eurasian or European (river) otter or Old World otter or common otter</p> <p><i>Lutra provocax</i> Southern river otter or Huillin</p>	
	<p><i>Mustela nigripes</i> Black-footed ferret</p> <p><i>Pteronura brasiliensis</i> Giant otter or Brazilian otter</p>	<p><i>Lutrinae</i> spp. (*) All otters</p>
<i>Viverridae</i> Genets, civets and mongooses		<p><i>Cryptoprocta ferox</i> Fossa (cat)</p> <p><i>Cynogale bennettii</i> (C 1) Otter civet</p> <p><i>Eupleres goudotii</i> = 321 (C 1) Fanalouc or fanalouc (mongoose) or Malagasy mongoose or slender fanalouc</p> <p><i>Fossa fossa</i> (C 1) Malagasy civet, fanaloka (civet)</p> <p><i>Hemigalus derbyanus</i> Banded palm civet or Hardwick's civet banded musang</p> <p><i>Prionodon linsang</i> (C 1) (Banded) linsang</p>
	<p><i>Prionodon pardicolor</i> Spotted linsang or tiger-civet</p> <p><i>Hyaena brunnea</i> Brown hyaena</p>	
<i>Hyaenidae</i> Hyaenas		
<i>Felidae</i> Cats or felines		<p><i>Felidae</i> spp. (*) C 2: <i>Felis bengalensis</i> (*) All cats Leopard cat</p> <p><i>Felis canadensis</i> Canadian lynx</p> <p><i>Felis colocolo</i> Pampas cat</p> <p><i>Felis concolor</i> (*) Puma or cougar</p> <p><i>Felis iriamotensis</i> Iriomote cat</p> <p><i>Felis lynx</i> Eurasian lynx</p> <p><i>Felis serval</i> Serval</p> <p><i>Felis silvestris</i> Wild cat</p> <p><i>Felis yagouaroundi</i> (*) Jaguarundi</p>

	Appendix I	Appendix II
<p>PINNIPEDIA Seals and walruses</p> <p>Otariidae Eared seals</p>	<p><i>Acinonyx jubatus</i> ° 501 Cheetah or hunting leopard</p> <p><i>Felis bengalensis bengalensis</i> (**) - 103 Bengal leopard cat</p> <p><i>Felis caracal</i> (**) + 205 = 322 Asian caracal (lynx) or desert lynx</p> <p><i>Felis concolor coryi</i> Florida puma or Florida cougar or Florida panther</p> <p><i>Felis concolor costaricensis</i> Costa Rican puma or Central American puma</p> <p><i>Felis concolor cougar</i> Eastern puma or Eastern cougar or Eastern panther</p> <p><i>Felis geoffroyi</i> Geoffroy's cat</p> <p><i>Felis jacobita</i> Andean or mountain cat</p> <p><i>Felis marmorata</i> Marbled cat</p> <p><i>Felis nigripes</i> Black-footed cat or small-spotted cat</p> <p><i>Felis pardalis</i> Ocelot</p> <p><i>Felis pardina</i> = 323 Iberian lynx</p> <p><i>Felis planiceps</i> Flat-headed cat</p> <p><i>Felis rubiginosa</i> (**) + 206 Rusty-spotted cat</p> <p><i>Felis temmincki</i> Asiatic golden cat or Temminck's (golden) cat</p> <p><i>Felis tigrina</i> Little spotted cat</p> <p><i>Felis wiedii</i> Margay</p> <p><i>Felis yagouaroundi</i> (**) + 207 Jaguarundi</p> <p><i>Neofelis nebulosa</i> Clouded leopard</p> <p><i>Panthera leo persica</i> Asiatic lion or Indian lion</p> <p><i>Panthera onca</i> Jaguar</p> <p><i>Panthera pardus</i> Leopard</p> <p><i>Panthera tigris</i> Tiger</p> <p><i>Panthera uncia</i> Snow leopard</p>	<p><i>Arctocephalus</i> spp. (*) All (Southern) fur seals</p>

	Appendix I	Appendix II
<i>Phocidae</i> True seals	<i>Arctocephalus townsendi</i> Guadaloupe fur seal or Lower Californian fur seal	<i>Mirounga leonica</i> Southern elephant seal (C 1)
	<i>Monachus</i> spp. All monk seals	
PROBOSCIDEA Proboscideans		
<i>Elephantidae</i> Elephants	<i>Elephas maximus</i> Asian elephant or Indian elephant	
	<i>Loxodonta africana</i> African elephant	
SIRENIA Sea cows		
<i>Dugongidae</i> Dugongs	<i>Dugong dugon</i> (**) - 104 Dugong or sea cow	<i>Dugong dugon</i> (*) + 208 Dugong or sea cow (C 1)
<i>Trichechidae</i> Manatees	<i>Trichechus inunguis</i> Amazonian or South American manatee	
	<i>Trichechus manatus</i> West Indian or North American or Caribbean manatee	
		<i>Trichechus senegalensis</i> West African manatee (C 1)
PERISSODACTYLA Odd-toed ungulates		
<i>Equidae</i> Horses	<i>Equus africanus</i> African wild ass	
	<i>Equus grevyi</i> Grevy's zebra	
		<i>Equus hemionus</i> (*) = 324 Asiatic wild ass or Asian wild ass (C 1)
	<i>Equus hemionus hemionus</i> Mongolian wild ass or dziggetai or kulan	
	<i>Equus hemionus khur</i> Indian wild ass or khar or ghor-khar	
	<i>Equus przewalskii</i> Przewalski's horse or Mongolian wild horse	
		<i>Equus zebra hartmannae</i> Hartmann's mountain zebra (C 1)
	<i>Equus zebra zebra</i> Cape mountain zebra	
<i>Tapiridae</i> Tapirs	<i>Tapiridae</i> spp. (**) Tapirs	
		<i>Tapirus terrestris</i> South American or Brazilian tapir (C 1)
<i>Rhinocerotidae</i> Rhinoceroses	<i>Rhinocerotidae</i> spp. All rhinoceroses or rhinos	
ARTIODACTYLA Even-toed ungulates		
<i>Suidae</i> Old world pigs or swine	<i>Babryrousa babyrussa</i> Babirusa or deer hog or babiroussa	

	Appendix I	Appendix II
<i>Tayassuidae</i>	<i>Sus salvanius</i> Pygmy hog	<i>Tayassuidae</i> spp. (*) - 105 Peccaries
<i>Hippopotamidae</i> Hippopotamuses	<i>Catagonus wagneri</i> Chacoan peccary, chaco peccary	<i>Choeropsis liberiensis</i> (C 2) Pygmy hippopotamus
<i>Camelidae</i> Camels and lamas	<i>Vicugna vicugna</i> (**) - 106 Vicuna or vicugna	<i>Lama guanicoe</i> Guanaco <i>Vicugna vicugna</i> (*) + 209 °502 Vicuna or vicugna
<i>Cervidae</i> True deer	<i>Blastocerus dichotomus</i> Marsh deer or Guascu pucu <i>Cervus dama mesopotamicus</i> = 325 Persian fallow deer or Mesopotamian fallow deer <i>Cervus duvauceli</i> Swamp deer or barasingha <i>Cervus elaphus hanglu</i> Kashmir stag or hanglu or Kashmir deer <i>Cervus eldi</i> Brow-antlered deer or Eld's deer or thamin <i>Cervus porcinus annamiticus</i> = 326 Ganges or Thai hog deer <i>Cervus porcinus calamanensis</i> = 326 Calamian (hog) deer or Philippine deer <i>Cervus porcinus kuhli</i> = 326 Kuhl's (hog) deer or Bawean (hog) deer <i>Hippocamelus</i> spp. Andean, Chilean or Peruvian huemal or taruca or Chilean or Peruvian guemal or Andean huemul or Chilean or Peruvian huemul <i>Moschus</i> spp. (**) + 210 Musk deer <i>Muntiacus crinifrons</i> Black muntjac <i>Ozotoceros bezoarticus</i> Pampas deer <i>Pudu pudu</i> Southern or Chilean pudu <i>Addax nasomaculatus</i> Addax <i>Antilocapra americana</i> + 211 Pronghorn <i>Bison bison athabasca</i> Wood bison	<i>Cervus elaphus bactrianus</i> Bactrian (red) deer or Bokharan deer or Bactrian wapiti <i>Moschus</i> spp. (*) - 107 Musk deer <i>Pudu mephistophiles</i> (C 2) Northern pudu <i>Ammotragus lervia</i> Barbary sheep, Aoudad or Uaddan
<i>Bovidae</i> Cattle, sheep, goats, antelopes, etc.		

	Appendix I	Appendix II
	<p><i>Bos gaurus</i> = 327 Gaur or saladang or seladang, Indian wild ox or Indian bison</p> <p><i>Bos mutus</i> = 328 Wild yak</p> <p><i>Bos sauveli</i> = 329 Kouprey</p> <p><i>Bubalus depressicornis</i> = 330 Lowland anoa</p> <p><i>Bubalus mindorensis</i> = 330 Tamaraw or tamarou</p> <p><i>Bubalus quarlesi</i> = 330 Mountain anoa</p> <p><i>Capra falconeri</i> Markhor</p> <p><i>Capricornis sumatraensis</i> Serow</p> <p><i>Cephalophus jentinki</i> Jentink's duiker</p> <p><i>Gazella dama</i> Dama gazelle</p> <p><i>Hippotragus niger variani</i> Giant sable antelope</p> <p><i>Nemorhaedus goral</i> Goral</p> <p><i>Oryx dammah</i> = 331 Scimitar-horned or white oryx</p> <p><i>Oryx leucoryx</i> Arabian oryx</p> <p><i>Ovis ammon hodgsoni</i> Great Tibetan sheep, nyan or Tibetan argali</p>	<p><i>Budorcas taxicolor</i> Takin (Bovid)</p> <p><i>Cephalophus dorsalis</i> Bay duiker</p> <p><i>Cephalophus monticola</i> Blue duiker (antelope)</p> <p><i>Cephalophus ogilbyi</i> Ogilby's duiker</p> <p><i>Cephalophus sylvicultor</i> Yellow-backed duiker</p> <p><i>Cephalophus zebra</i> Banded or zebra duiker</p> <p><i>Damaliscus dorcas dorcas</i> Bontebok (antelope)</p> <p><i>Kobus leche</i> Lechwe (antelope)</p> <p><i>Ovis ammon</i> (*) (C 2) Argali or Marco Polo sheep</p> <p><i>Ovis canadensis</i> + 211 Mountain or bighorn sheep, Mexican big horn sheep</p>

	Appendix I	Appendix II
	<p><i>Ovis orientalis ophion</i> = 332 Cyprian mouflon</p> <p><i>Ovis vignei</i> Urial or shapu or shapo</p> <p><i>Pantholops hodgsoni</i> Chiru or orong or Tibetan antelope</p> <p><i>Rupicapra rupicapra ornata</i> Abruzzi chamois</p>	
	<p>AVES BIRDS</p>	
<p>STRUTHIONIFORMES <i>Struthionidae</i></p>	<p><i>Struthio camelus</i> + 212 North African Ostrich</p>	
<p>RHEIFORMES Rheas</p> <p><i>Rheidae</i> Rheas</p>	<p><i>Pterocnemia pennata</i> Lesser or Darwin's rhea or Puna rhea</p>	<p><i>Rhea americana</i> Argentine (greater) rhea or Argentine (common) rhea</p>
<p>TINAMIFORMES Tinamous</p> <p><i>Tinamidae</i> Tinamous</p>	<p><i>Tinamus solitarius</i> Solitary tinamou</p>	<p><i>Rhynchotus rufescens maculicollis</i> Bolivian red-winged tinamou; Bolivian rufous tinamou</p> <p><i>Rhynchotus rufescens pallescens</i> Argentine rufous tinamou or Argentine red-winged tinamou</p> <p><i>Rhynchotus rufescens rufescens</i> Brazilian rufous tinamou or Brazilian red-winged tinamou</p>
<p>SPHENISCIFORMES Penguins</p> <p><i>Spheniscidae</i> Penguins</p>	<p><i>Spheniscus humboldti</i> Humboldt penguin</p>	<p><i>Spheniscus demerus</i> (C 1) Black-footed penguin or jackass penguin</p>
<p>PODICIPEDIFORMES Grebes</p> <p><i>Podicipedidae</i> Grebes</p>	<p><i>Podilymbus gigas</i> Atitlan (pied-billed) grebe or giant pied-billed grebe</p>	
<p>PROCELLARIIFORMES Tube-nosed swimmers</p> <p><i>Diomedidae</i> Albatrosses</p>	<p><i>Diomedea albatrus</i> Short-tailed albatross or Steller's albatross</p>	

	Appendix I	Appendix II
PELECANIFORMES Pelicans and kin		
<i>Pelecanidae</i> Pelicans	<i>Pelecanus crispus</i> Dalmatian pelican	
<i>Sulidae</i> Boobies and gannets	<i>Papasula abbotti</i> = 333 Abbott's booby	
<i>Fregatidae</i> Frigate birds	<i>Fregata andrewsi</i> Christmas Island frigate bird	
CICONIIFORMES Wading birds (herons and kin)		
<i>Balaenicipitidae</i>		<i>Balaeniceps rex</i> Shoebill, whale-headed stork
<i>Ciconiidae</i> Storks	<i>Ciconia boyciana</i> = 334 Japanese white stork or white oriental stork	<i>Ciconia nigra</i> (C 1) Black stork
	<i>Jabiru mycteria</i> Jabiru stork	
	<i>Mycteria cinerea</i> Milky stork, milky wood stork	
<i>Threskiornithidae</i> Ibises and spoonbills		<i>Eudocimus ruber</i> Scarlet ibis
	<i>Geronticus eremita</i> Hermit ibis or Northern bald ibis	<i>Geronticus calvus</i> Bald ibis or Southern bald ibis
	<i>Nipponia nippon</i> Japanese crested ibis	
<i>Phoenicopteridae</i> Flamingos		<i>Platalea leucorodia</i> (C 1) White or Euroasian spoonbill
		<i>Phoenicopteridae</i> spp. (C 1: <i>Phoenicoparrus andinus</i> Andean flamingo <i>Phoenicoparrus jamesi</i> James' flamingo <i>Phoenicopterus chilensis</i> Chilean flamingo <i>Phoenicopterus ruber ruber</i> Caribbean flamingo or American flamingo or Cuban flamingo or rosy flamingo or West Indian flamingo or Roseate flamingo)
ANSERIFORMES Waterfowl		
<i>Anatidae</i> Ducks, geese and swans		<i>Anas aucklandica aucklandica</i> (C 2) Auckland Island flightless teal
		<i>Anas aucklandica chlorotis</i> (C 2) New Zealand brown teal
	<i>Anas aucklandica nesiotis</i> Campbell Island brown or Campbell Island flightless teal	
		<i>Anas bernieri</i> (C 2) Madagascar teal

	Appendix I	Appendix II
	<p><i>Anas laysanensis</i> = 335 Laysan duck or Laysan teal</p> <p><i>Anas oustaleti</i> Marianas (Island) duck or Oustalet's grey duck or Marianas mallard duck</p> <p><i>Branta canadensis leucopareia</i> Alcutian Canada goose</p> <p><i>Branta sandvicensis</i> Hawaiian goose or néné</p> <p><i>Cairina scutulata</i> White-winged wood duck</p> <p><i>Rhodonessa caryophyllacea</i> p.e. Pink-headed duck</p>	<p><i>Anas formosa</i> Baikal teal</p> <p><i>Branta ruficollis</i> (C 1) Red-breasted goose</p> <p><i>Coscoroba coscoroba</i> (C 1) Coscoroba (swan)</p> <p><i>Cygnus melanocorypha</i> Black-necked swan</p> <p><i>Dendrocygna arborea</i> Black-billed whistling duck, Cuban-tree duck or West Indian whistling duck</p> <p><i>Oxyura leucocephala</i> White-headed duck</p> <p><i>Sarkidiornis melanotos</i> Comb duck or knob-billed duck</p>
FALCONIFORMES Birds of prey		FALCONIFORMES spp. (*) - 108 (C 1) Diurnal birds of prey (except New World vultures)
<i>Cathartidae</i> New World vultures	<p><i>Gymnogyps californianus</i> California condor</p> <p><i>Vultur gryphus</i> Andean condor</p>	
<i>Accipitridae</i> True hawks	<p><i>Aquila adalberti</i> = 336 Spanish imperial eagle</p> <p><i>Aquila heliaca</i> Imperial eagle</p> <p><i>Chondrohierax uncinatus wilsonii</i> Cuba(n) hook-billed kite</p> <p><i>Haliaeetus albicilla</i> White-tailed (sea) eagle or grey sea eagle</p> <p><i>Haliaeetus leucocephalus</i> American bald eagle</p> <p><i>Harpia harpyja</i> Harpy eagle</p> <p><i>Pithecophaga jefferyi</i> Monkey-eating or Philippine eagle</p>	
<i>Falconidae</i> Falcons and caracaras	<p><i>Falco araea</i> Seychelles kestrel</p> <p><i>Falco jugger</i> Laggar falcon</p> <p><i>Falco newtoni aldabranus</i> Aldabra kestrel</p>	

	Appendix I	Appendix II
	<p><i>Falco pegrinoides</i> = 337 Barbary falcon</p> <p><i>Falco peregrinus</i> = 338 Peregrine falcon</p> <p><i>Falco punctatus</i> Mauritius kestrel</p> <p><i>Falco rusticolus</i> Gyr Falcon</p>	
GALLIFORMES		
Game birds of fowl-like birds		
<i>Megapodiidae</i> Mound or builders	<p><i>Macrocephalon maleo</i> Maleo (bird) or maleo megapode</p>	
<i>Cracidae</i> Curassows and guans	<p><i>Crax blumenbachi</i> Red-billed curassow or mutum</p> <p><i>Mitu mitu mitu</i> = 339 (Eastern) Razor-billed curassow, mitu</p> <p><i>Oreophasis derbianus</i> Horned guan</p> <p><i>Penelope albipennis</i> White-winged guan</p> <p><i>Pipile jacutinga</i> = 340 Black-fronted piping guan or black-faced piping guan or black-faced curassow or jacutinga</p> <p><i>Pipile pipile pipile</i> = 340 Trinidad white-headed curassow or Trinidad white-headed piping guan</p>	
<i>Phasianidae</i> Pheasants, partridges, quails and peacocks	<p><i>Catreus wallichii</i> Cheer pheasant</p> <p><i>Colinus virginianus ridgwayi</i> Masked bobwhite</p> <p><i>Crossoptilon crossoptilon</i> White-eared pheasant or Tibetan-eared pheasant</p> <p><i>Crossoptilon harmani</i> = 341 Tibetan eared-pheasant</p> <p><i>Crossoptilon mantchuricum</i> Brown-eared pheasant</p> <p><i>Lophophorus</i> spp. Monals or monal pheasants</p> <p><i>Lophura edwardsi</i> Edward's pheasant</p> <p><i>Lophura imperialis</i> Imperial pheasant</p> <p><i>Lophura swinhoii</i> Swinhoe's pheasant</p>	<p><i>Argusianus argus</i> (C 1) Great argus pheasant</p> <p><i>Gallus sonneratii</i> (C 1) Grey jungle fowl; Sonnerat's jungle fowl</p> <p><i>Ithaginis cruentus</i> (C 1) Blood pheasant</p>

	Appendix I	Appendix II
		<i>Pavo muticus</i> Green peafowl
	<i>Polyplectron emphanum</i> Palawan or peacock-pheasant	<i>Polyplectron bicalcaratum</i> Grey or common peacock pheasant (C 1)
		<i>Polyplectron germaini</i> Germain's peacock pheasant (C 1)
		<i>Polyplectron malacense</i> Malay(sian) peacock pheasant (C 1)
		<i>Polyplectron schleiermachersi</i> = 342 Bornean peacock-pheasant
	<i>Rheinartia ocellata</i> = 343 Rheinhart's crested argus pheasant	
	<i>Syrmaticus ellioti</i> Elliot's pheasant	
	<i>Syrmaticus humiae</i> Hume's pheasant or (Hume's) bar-tailed pheasant	
	<i>Syrmaticus mikado</i> Mikado pheasant	
	<i>Tetraogallus caspius</i> Caspian snowcock	
	<i>Tetraogallus tibetanus</i> Tibetan snowcock	
	<i>Tragopan blythii</i> Blyth's tragopan	
	<i>Tragopan caboti</i> Cabot's tragopan	
	<i>Tragopan melanocephalus</i> Western (horned) tragopan	
	<i>Tympanuchus cupido attwateri</i> Attwater's (greater) prairie chicken	
GRUIFORMES Cranes, rails and kin		
Turnicidae		<i>Turnix melanogaster</i> Black-breasted button quail
Pedionomidae		<i>Pedionomus torquatus</i> Plains wanderer
Gruidae Cranes	<i>Grus americana</i> Whooping crane	<i>Gruidae</i> spp. (*) C 1: <i>Grus canadensis pratensis</i> All cranes Florida sandhill crane
	<i>Grus canadensis nesiotes</i> Cuba sandhill crane	
	<i>Grus canadensis pulla</i> Mississippi sandhill crane	
	<i>Grus japonensis</i> Manchurian or red-crowned crane or Japanese crane	
	<i>Grus leucogeranus</i> Siberian white crane or snow crane	

	Appendix I	Appendix II
	<i>Grus monacha</i> Hooded crane	
	<i>Grus nigricollis</i> Black-necked crane or Tibetar crane	
	<i>Grus vipio</i> White-naped crane or white-necked crane	
<i>Rallidae</i> Rails		<i>Gallirallus australis hectori</i> (C 2) New Zealand wood rail or Eastern or Buff Weka rail
	<i>Gallirallus sylvestris</i> = 344 Lord Howe rail or Lord Howe Island wood hen	
<i>Rhynochetidae</i> Kagu	<i>Rhynochetos jubata</i> Kagu	
<i>Otididae</i> Bustards		<i>Otididae</i> spp. (*) C 1: <i>Otis tarda</i> Bustards Great bustard
	<i>Ardeotis nigriceps</i> = 345 Great Indian bustard	
	<i>Chlamydotis undulata</i> Houbara bustard	
	<i>Eupodotis bengalensis</i> = 346 Bengal florican or Bengal bustard	
CHARADRIIFORMES Waders, gulls and auks		
<i>Scolopacidae</i> Sandpipers	<i>Numenius borealis</i> Eskimo curlew	
	<i>Numenius tenuirostris</i> Slender-billed or long-billed curlew	
	<i>Tringa guttifer</i> Nordmann's or spotted greenshank	
<i>Laridae</i> Gulls and terns	<i>Larus relictus</i> Relict gull or khar turunt tsakhiai	
COLUMBIFORMES Pigeons, sandgrouse and dodos		
<i>Columbidae</i> Pigeons and doves	<i>Caloenas nicobarica</i> Nicobar dove or pigeon	
	<i>Ducula mindorensis</i> Mindoro imperial pigeon or Mindoro zone-tailed pigeon	
		<i>Gallicolumba luzonica</i> (C 2) Luzon bleeding heart pigeon or bled heart dove
		<i>Goura</i> spp. (C 1) All crowned pigeons or gouras
PSITTACIFORMES Parrots and kin		PSITTACIFORMES spp. (*) - 109 (C 2) Parrots and related birds (except: budgerigar, cockatiel and rose-ringed parakeet)
<i>Psittacidae</i> Parrots	<i>Amazona arausiaca</i> Red-necked amazon or jacquot or blue-faced amazon or lesser Dominican amazon	

	Appendix I	Appendix II
	<p><i>Amazona barbadensis</i> Yellow-shouldered amazon</p> <p><i>Amazona brasiliensis</i> Red-tailed amazon</p> <p><i>Amazona guildingii</i> St Vincent parrot or St Vincent amazon</p> <p><i>Amazona imperialis</i> Imperial amazon or imperial parrot</p> <p><i>Amazona leucocephala</i> Cuban amazon or Bahamas amazon or Bahaman amazon or Cayman amazon</p> <p><i>Amazona pretrei</i> Red-spectacled amazon or red-spectacled parrot</p> <p><i>Amazona rhodocorytha</i> = 347 Red-crowned or red-browed parrot or red-cromned parrot</p> <p><i>Amazona tucumana</i> Tucuman amazon</p> <p><i>Amazona versicolor</i> St Lucia amazon or St Lucia parrot</p> <p><i>Amazona vinacea</i> Vineaceous amazon or vinaceous (breasted) parrot</p> <p><i>Amazona vittata</i> Puerto Rican amazon or Puerto Rico parrot or Puerto Rican parrot or red-fronted amazon</p> <p><i>Anodorhynchus</i> spp. Macaws</p> <p><i>Ara ambigua</i> Buffon's macaw</p> <p><i>Ara glaucogularis</i> = 348 Blue-throated macaw, Wagler's macaw or Caninde macaw</p> <p><i>Ara macao</i> Scarlet macaw</p> <p><i>Ara maracana</i> Illiger's macaw</p> <p><i>Ara militaris</i> Military macaw</p> <p><i>Ara rubrogenys</i> Red-fronted macaw</p> <p><i>Aratinga guarouba</i> Golden parakeet or golden conure or Queen of Bavaria or Queen of Bavaria's conure</p> <p><i>Cacatua goffini</i> Goffin's codratoo</p> <p><i>Cacatua haematuraopygia</i> Red-vented codratoo</p> <p><i>Cacatua moluccensis</i> Moluccan cockatoo</p> <p><i>Cyanopsitta spixii</i> Little blue macaw or Spix's macaw</p> <p><i>Cyanoramphus auriceps forbesi</i> Forbes parakeet or Forbes' kakariki or Chatham island yellow-fronted parakeet</p>	

	Appendix I	Appendix II
	<p><i>Cyanoramphus cookii</i> Norfolk Island parakeet</p> <p><i>Cyanoramphus novaezelandiae</i> Red-fronted parakeet or red-fronted kakariki or New Zealand parakeet</p> <p><i>Cyclopsitta diophthalma coxeni</i> = 349 Coxen blue-browed fig parrot or Coxen two-eyed fig parrot or Coxen double-eyed fig parrot</p> <p><i>Neophema chrysogaster</i> Orange-bellied parakeet or orange-bellied parrot</p> <p><i>Ognorhynchus icterotis</i> Yellow eared conure</p> <p><i>Pezoporus occidentalis</i> p.e. = 350 (Australian) night parrot</p> <p><i>Pezoporus wallicus</i> Ground parrot or ground parakeet or swamp parakeet</p> <p><i>Pionopsitta pileata</i> Pileated parrot or red-capped parrot</p> <p><i>Probosciger aterrimus</i> Palm cockatoo, great black cockatoo, Cape York cockatoo</p> <p><i>Psephotus chrysopterygius</i> Golden-shouldered parakeet and hooded parakeet</p> <p><i>Psephotus dissimilis</i> = 351 Hooded parrot</p> <p><i>Psephotus pulcherrimus</i> p.e. Paradise parrot or beautiful parakeet</p> <p><i>Psittacula echo</i> Mauritius ring-necked parakeet</p> <p><i>Psittacus erithacus princeps</i> Fernando Po grey parrot or Principe parrot</p> <p><i>Pyrrhura cruentata</i> Blue-throated conure or ochre-marked parakeet or red-rumped conure</p> <p><i>Rhynchopsitta</i> spp. Thick-billed parrot and maroon-fronted parrot</p> <p><i>Strigops habroptilus</i> Kakapo or owl parrot</p>	<p><i>Musophaga porphyreolopha</i> = 352 (C 1)</p> <p><i>Tauraco corythaix</i> (C 1) Helmeted or knysna turaco</p> <p><i>Tauraco fischeri</i> = 353 (C 1) Fischer's turaco</p> <p><i>Tauraco livingstonii</i> = 353 (C 1) Livingstone's turaco</p>
<p>CUCULIFORMES Cuckoos and kin</p> <p><i>Musophagidae</i> Turacos and plantain eaters</p>		

	Appendix I	Appendix II
		<i>Tauraco persa</i> = 353 (C 1) Guinea turaco
		<i>Tauraco schalowi</i> = 353 (C 1) Schalow's turaco
		<i>Tauraco schuetti</i> = 353 (C 1) Black-billed turaco
STRIGIFORMES Owls		STRIGIFORMES spp. (*) (C 1) Owls
<i>Tytonidae</i> Barn owls	<i>Tyto soumagnei</i> Madagascar owl, Soumagne's owl or Madagascar Red owl	
<i>Strigidae</i> Typical owls	<i>Athene blewitti</i> Forest spotted owlet or forest little owl <i>Mimizuku gurneyi</i> = 354 Giant scops owl <i>Ninox novaeseelandiae undulata</i> = 355 Norfolk Island boobook owl <i>Ninox squamipila natalis</i> Christmas Island (hawk) owl	
APODIFORMES Swifts and hummingbirds		<i>Trochilidae</i> spp. (*) Hummingbirds
<i>Trochilidae</i> Hummingbirds	<i>Glaucis dohrnii</i> = 356 Hook-billed hermit	
TROGONIFORMES Trogons		
<i>Trogonidae</i> Trogons	<i>Pharomachrus mocinno</i> Resplendent quetzal	
CORACIIFORMES Kingfishers and kin		
<i>Bucerotidae</i> Hornbillis	<i>Aceros nipalensis</i> Rufous-necked hornbill <i>Aceros subruficollis</i> Plain-pouched hornbill	<i>Aceros</i> spp. * (C 1) (C 1: <i>Aceros narcondami</i>) Hornbills Narcondam hornbill
		<i>Anorrhinus</i> spp. Bushy-crested hornbill
		<i>Anthracoceros</i> spp. Hornbills
		<i>Buceros</i> spp. *(C 1): <i>Buceros hydrocorax hydrocorax</i> Hornbills Luzon rufous hornbill or Philippine hornbill <i>Buceros rhinoceros rhinoceros</i> Malayan rhinoceros hornbill
	<i>Buceros bicornis</i> Great hornbill or great Indian hornbill <i>Buceros vigil</i> = 357 Helmeted hornbill	
		<i>Penelopides</i> spp. Hornbills

	Appendix I	Appendix II
PICIFORMES Woodpeckers, toucans and kin <i>Ramphastidae</i>		<i>Ptilolaemus</i> spp. Brown hornbill
		<i>Pteroglossus aracari</i> Black-necked aracari
		<i>Pteroglossus viridis</i> Green aracari
		<i>Ramphastos sulfuratus</i> Keel-billed toucan
		<i>Ramphastos toco</i> Toco toucan
		<i>Ramphastos tucanus</i> Red-billed toucan
		<i>Ramphastos vitellinus</i> Channel-billed toucan
<i>Picidae</i> Woodpeckers	<i>Campephilus imperialis</i> Imperial woodpecker	
	<i>Dryocopus javensis richardsi</i> Tristram's or white-bellied black woodpecker	
PASSERIFORMES Songbirds or perching birds		
<i>Cotingidae</i> Cotingas	<i>Cotinga maculata</i> Banded or spotted cotinga	
	<i>Xipholena atropurpurea</i> White-winged cotinga	<i>Rupicola</i> spp. Cock-of-the rocks (C 2)
<i>Pittidae</i> Pittas		<i>Pitta nympha</i> Japanese fairy pitta or Fairy blue-winged pitta (C 2)
		<i>Pitta guajana</i> Banded pitta or blue-tailed pitta
<i>Atrichornithidae</i> Scrub-birds	<i>Pitta gurneyi</i> Gurney's pitta	
	<i>Pitta kochi</i> Koch's pitta	
<i>Hirundinidae</i> Swallows and martins	<i>Atrichornis clamosus</i> Noisy scrub-bird or Western scrub-bird	
<i>Muscicapidae</i> Old world flycatchers	<i>Pseudochelidon sirintarae</i> White-eyed river martin	
	<i>Dasyornis broadbenti litoralis</i> p. e. Western rufous bristlebird or lesser rufous bristlebird or rufous-headed bristlebird	
	<i>Dasyornis longirostris</i> Western (rufous) bristlebird or long-billed bristlebird	<i>Cyornis ruecki</i> = 358 Rueck's blue flycatcher or Rueck's niltava
<i>Zosteropidae</i> White-eyes	<i>Picathartes</i> spp. Rock-fowl	
	<i>Zosterops albogularis</i> White-breasted silver-eye	

	Appendix I	Appendix II
<p><i>Meliphagidae</i> Honeyeaters</p> <p><i>Emberizidae</i> Cardinals</p> <p><i>Fringillidae</i> Finches or New World seedeaters</p> <p><i>Estrildidae</i></p> <p><i>Sturnidae</i> Starlings</p> <p><i>Paradisaeidae</i> Birds of paradise</p>	<p><i>Lichenostomus melanops cassidix</i> = 359 Helmeted honeyeater or subcrested honeyeater</p> <p><i>Carduelis cucullata</i> = 347 Red siskin</p> <p><i>Leucopsar rothschildi</i> Rothschild's mynah or Rothschild's starling or Bali mynah or white starling</p>	<p><i>Gubernatrix cristata</i> Yellow cardinal, green cardinal</p> <p><i>Paroaria capitata</i> Yellow-billed cardinal</p> <p><i>Paroaria coronata</i> Red-crested cardinal</p> <p><i>Carduelis yarrellii</i> = 360 Yellow-faced siskin</p> <p><i>Poephila cincta cincta</i> Black-throated finch or Parson finch</p> <p><i>Paradisaeidae</i> spp. Birds of paradise</p>
<p>REPTILIA REPTILES</p>		
<p>TESTUDINATA Chelonians, tortoises, terrapins and turtles</p> <p><i>Dermatemydidae</i></p> <p><i>Emydidae</i> Freshwater turtles</p> <p><i>Testudinidae</i> Land tortoises</p>	<p><i>Batagur baska</i> Common batagur or river terrapin or tuntong</p> <p><i>Clemmys muhlenbergi</i> Bog turtle or Muhlenberg's turtle</p> <p><i>Geoclemys hamiltonii</i> Black pond turtle or Hamilton's terrapin or spotted pond turtle</p> <p><i>Kachuga tecta tecta</i> Indian tent turtle or India roof(ed) turtle or India sawback turtle or dura turtle</p> <p><i>Melanochelys tricarinata</i> = 361 Three-keeled turtle or Bengal three-keeled land terrapin or Asian three-keeled turtle or three-keeled land tortoise</p> <p><i>Morenia ocellata</i> Burmese swamp turtle or Bengal eyed terrapin or Burmese peacock turtle</p> <p><i>Terrapene coahuila</i> Aquatic box turtle or water bow turtle or coahuila turtle</p>	<p><i>Dermatemys mawii</i> Central American river turtle</p> <p><i>Clemmys insculpta</i> Bog turtle or Muhlenberg's turtle</p> <p><i>Testudinidae</i> spp. (*) Land tortoises (C 1): <i>Testudo graeca</i> Spur-thighed or common or Greek tortoise</p> <p><i>Testudo hermanni</i> Hermann's tortoise</p>

(C 1)

(C 2)

	Appendix I	Appendix II
		<i>Testudo marginata</i> Marginated tortoise
	<i>Geochelone elephantopus</i> = 362 Galapagos giant tortoise	
	<i>Geochelone radiata</i> = 362 (Madagascar) radiated tortoise	
	<i>Geochelone yniphora</i> = 362 Madagascar tortoise or angulated tortoise or angonoka	
	<i>Gopherus flavomarginatus</i> Bolson tortoise or Mexican giant gopher tortoise	
	<i>Psammobates geometricus</i> = 362 Geometric tortoise	
<i>Cheloniidae</i> Sea turtles	<i>Cheloniidae</i> spp. (True) sea turtles	
<i>Dermochelyidae</i> Leather-back turtles	<i>Dermochelys coriacea</i> Leather-back turtles or luth turtle or leathery turtle	
<i>Trionychidae</i> Soft-shelled turtles	<i>Lissemys punctata punctata</i> India flap-shell(ed) turtle or flap-shell(ed) spotted turtle	
	<i>Trionyx ater</i> Black soft-shell(ed) turtle or black mud turtle or Cuatro Cienages soft-shell(ed) turtle	
	<i>Trionyx gangeticus</i> Ganges soft-shell(ed) turtle or Indian soft-shell(ed) turtle	
	<i>Trionyx hurum</i> Peacock-marked soft-shell(ed) turtle or brown soft-shell(ed) turtle or peacock soft-shell(ed) turtle	
	<i>Trionyx nigricans</i> Dark coloured soft-shell(ed) turtle or sacred black mud turtle	
<i>Pelomedusidae</i> Side-necked turtles		<i>Erymnochelys madagascariensis</i> = 363 (C 2) Madagascar sidenecked turtle
		<i>Peltocephalus dumeriliana</i> = 363 Big headed Amazon river turtle
		<i>Podocnemis</i> spp. River turtles or sideneck turtles
<i>Chelidae</i> Snake-necked turtles	<i>Pseudemydura umbrina</i> Short-necked (swamp) turtle or (western) swamp turtle	
CROCODYLIA Crocodilians		CROCODYLIA spp. (*) = 364 (C 2) Crocodiles, caimans, alligators and ghavials
<i>Alligatoridae</i> Alligators and caimans	<i>Alligator sinensis</i> China alligator or Chinese alligator	
	<i>Caiman crocodilus apaporiensis</i> Rio apaporis (spectacled) caiman or Apaporis river caiman	
	<i>Caiman latirostris</i> Broad-nosed caiman or broad-snouted caiman	
	<i>Melanosuchus niger</i> Black caiman	

	Appendix I	Appendix II
<i>Crocodylidae</i> True crocodiles and false gavial	<i>Crocodylus acutus</i> American crocodile <i>Crocodylus cataphractus</i> African slender-snouted crocodile or African sharp-nosed crocodile <i>Crocodylus intermedius</i> Orinoco crocodile <i>Crocodylus moreletii</i> Morelet's crocodile <i>Crocodylus niloticus</i> (**) – 110 Nile crocodile or African crocodile <i>Crocodylus niloticus</i> = 213 <i>Crocodylus novaeguineae mindorensis</i> Philippine or Mindoro crocodile <i>Crocodylus palustris</i> Mugger (crocodile) or mash crocodile or broad-snouted crocodile <i>Crocodylus porosus</i> (**) – 111 Saltwater crocodile or estuarine crocodile <i>Crocodylus rhombifer</i> Cuban crocodile <i>Crocodylus siamensis</i> Siamese crocodile <i>Osteolaemus tetraspis</i> (African) dwarf crocodile <i>Tomistoma schlegelii</i> False gavial or tomistoma (crocodile) or false gharial	
<i>Gavialidae</i> Gavials	<i>Gavialis gangeticus</i> (Indian) gavial or gharial	
RHYNCHOCEPHALIA Mesozoic rhynchocephalia		
<i>Sphenodontidae</i> Tuatara	<i>Sphenodon punctatus</i> Tuatara	
SAURIA Lizards		
<i>Gekkonidae</i> Geckos		<i>Cyrtodactylus serpensinsula</i> Serpent Island gecko <i>Phelsuma</i> spp. (C 2) Day geckos <i>Uromastyx</i> spp. (C 2) Spiny-tailed lizards or mastigures or spiny-tailed agamids or dabb lizards or palm lizards <i>Bradypodion</i> spp. = 352 Dwarf chameleons <i>Chamaeleo</i> spp. (C 1: <i>Chamaeleo chamaeleon</i>) Chameleons Common chameleon or Mediterranean chameleon
<i>Agamidae</i> Agamids		
<i>Chamaeleonidae</i> Chameleons		
<i>Iguanidae</i> Iguanids	<i>Brachylophus</i> spp. Banded and Fiji crested iguanas	<i>Amblyrhynchus cristatus</i> (C 2) Galapagos marine iguana <i>Conolophus</i> spp. (C 2) (Galapagos) land iguanas or land lizards

	Appendix I	Appendix II
	<i>Cyclura</i> spp. Ground iguanas or West Indian rock iguanas	<i>Iguana</i> spp. (Common) iguanas
	<i>Sauromalus varius</i> San Esteban Island Cuckwalla	<i>Phrynosoma coronatum</i> San Diego or Blainville horned lizard
Lacertidae	<i>Gallotia simonyi</i> Hierro giant lizard	<i>Podarcis lilfordi</i> Lilford's wall lizard
		<i>Podarcis pityusensis</i> Ibiza wall lizard
Cordylidae		<i>Cordylus</i> spp. Girdled lizards
		<i>Pseudocordylus</i> spp. Crag lizards
Teiidae Teiid lizards		<i>Cnemidophorus hyperythrus</i> (C 1) Orange-throated whiptail (lizard) or orange-throated race runner
		<i>Crocodylurus lacertinus</i> Dragon lizard or dragon lizardet
		<i>Dracaena</i> spp. Caiman lizards
		<i>Tupinambis</i> spp. Tegus or tegu lizards
Scinidae Skinks		<i>Corucia zebrata</i> Prehensile-tailed skink
Xenosauridae Crocodile lizards		<i>Shinisaurus crocodilurus</i> Chinese crocodile lizard
Helodermatidae Gila monster or beaded lizards		<i>Heloderma</i> spp. (C 1) Gila monster and beaded lizard or poisonous lizards
Varanidae Monitors	<i>Varanus bengalensis</i> Bengal or Indian monitor	<i>Varanus</i> spp. (*) (C 2) Monitors or goannas
	<i>Varanus flavescens</i> Yellow monitor or ruddy snub-nosed monitor or yellow land lizard or (Indian) oralgrain lizard	
	<i>Varanus griseus</i> Desert or grey monitor	
	<i>Varanus komodoensis</i> Komodo dragon or Komodo (Island) monitor or ora	
SERPENTES Snakes		<i>Boidae</i> spp. (*) C 2: <i>Boa constrictor</i> Giant snakes or boids or boas and pythons or giant constricting snakes <i>Boa constrictor</i>
		<i>Eunectes</i> spp. Anacondas
		<i>Python</i> spp. (*) Pythons
		<i>Eryx jaculus</i> (Spotted) sand boa

	Appendix I	Appendix II
	<p><i>Acrantophis</i> spp. Madagascar boas</p> <p><i>Boa constrictor occidentalis</i> = 366 Argentine boa constrictor</p> <p><i>Bolyeria multocarinata</i> Round Island boa</p> <p><i>Casarea dussumieri</i> Keel-scaled boa or Round Island boa</p> <p><i>Epicrates inornatus</i> Yellow tree of Puerto Rica boa or Culebra grande</p> <p><i>Epicrates monensis</i> Virgin Island tree boa or Mona Island boa</p> <p><i>Epicrates subflavus</i> Jamaica(n) boa</p> <p><i>Python molurus molurus</i> Indian (rock) python or tiger python</p> <p><i>Sanzinia madagascariensis</i> Sanzinia or Madagascar tree boa</p>	<p><i>Clelia clelia</i> = 367 Mussurana (snake) or usurana</p> <p><i>Cyclagras gigas</i> = 368 (C 2) South American false cobra or South American water cobra or beach cobra or surucucu</p> <p><i>Elachistodon westermanni</i> Indian egg-eating snake or Indian egg-eater or Westermann's snake</p> <p><i>Ptyas mucosus</i> Common rat snake</p> <p><i>Hoplocephalus bungaroides</i> Broad-headed snake</p> <p><i>Naja naja</i> Asiatic cobra</p> <p><i>Ophiophagus hannah</i> King cobra</p> <p><i>Vipera wagneri</i> Wagner's viper</p>
Colubridae Colubrid snakes (water snakes, grass snakes and tree snakes)		
Elapidae Front-fanged snakes		
Viperidae Vipers	<p><i>Vipera ursinii</i> + 214 Orsini's viper, meadow viper</p>	
	<p>AMPHIBIA AMPHIBIANS</p>	
CAUDATA Tailed amphibians		
<i>Ambystomidae</i> Mole amphibians		<p><i>Ambystoma dumerilii</i> Lake Patzcuaro salamander or achoque</p> <p><i>Ambystoma mexicanum</i> Axolotl (salamander)</p>
<i>Cryptobranchidae</i> Giant salamanders	<p><i>Andrias</i> spp. = 369 Giant salamanders</p>	
ANURA Tailless amphibians (frogs and toads)		

	Appendix I	Appendix II
<i>Bufonidae</i> True toads	<i>Atelopus varius zeteki</i> Zetek's frog or (Panamanian) golden frog or golden arrow poison frog	<i>Bufo retiformis</i> Sonoran green toad (C 2)
	<i>Bufo superciliaris</i> Cameroon toad	
<i>Myobatrachidae</i>	<i>Nectophrynoides</i> spp. Viviparous African toad	<i>Rheobatrachus</i> spp. Gastric brooding frogs
<i>Dendrobatidae</i>		<i>Dendrobates</i> spp. Poison arrow frogs, poison dart frogs
		<i>Phyllobates</i> spp. Poison dart frogs, poison arrow frogs
<i>Ranidae</i>		<i>Rana hexadactyla</i> Six-fingered frog
		<i>Rana tigerina</i> Indian bullfrog
<i>Microhylidae</i>	<i>Dyscophus antongilii</i> Madagascar tomato frog	
PISCES FISH		
CERATODIFORMES		
<i>Ceratodidae</i> Ceratodes		<i>Neoceratodus forsteri</i> Australian lungfish or ceratodus or Queensland lungfish
COELACANTHIFORMES		
<i>Coelacanthidae</i>	<i>Latimeria chalumnae</i> Coelacanth	
ACIPENSERIFORMES Sturgeon and paddlefishes		
<i>Acipenseridae</i> Sturgeons	<i>Acipenser brevirostrum</i> Shortnose sturgeon	<i>Acipenser oxyrinchus</i> Atlantic sturgeon
	<i>Acipenser sturio</i> Common sturgeon or Baltic sturgeon	
<i>Polyodontidae</i>		<i>Polyodon spathula</i>
OSTEOGLOSSIFORMES Bony-tongues and kin		
<i>Osteoglossidae</i> Bony-tongues	<i>Scleropages formosus</i> (**) - 112 Asiatic bony-tongue or Asian bony-tongue or kelesa or golden dragon fish or golden arowana	<i>Arapaima gigas</i> (C 1) Arapaima or pirarucu
		<i>Scleropages formosus</i> (*) + 215 Asiatic bony-tongue or Asian bony-tongue or kelesa or golden dragon fish or golden arowana

	Appendix I	Appendix II
CYPRINIFORMES Carp and carp-like fish		
<i>Cyprinidae</i> Carp	<i>Probarbus jullieni</i> Ikan temoleh or pla eesok (Thai) or ikaa temelian (Malay)	<i>Caecobarbus geertsi</i> African blind barb fish or Congo blind barb
<i>Catastomidae</i>	<i>Chasmistes cujus</i> Cui-ui	
SILURIFORMES Catfish		
<i>Schilbeidae</i> Schilbeid catfish	<i>Pangasianodon gigas</i> Giant catfish	
PERCIFORMES Perch-like fish		
<i>Sciaenidae</i> Drumfish or croakers	<i>Cynoscion macdonaldi</i> Totoaba or MacDonald weakfish	
INSECTA INSECTS		
LEPIDOPTERA Butterflies and moths		
<i>Papilionidae</i> Swallowtails and parnassian	<i>Ornithoptera alexandrae</i> Queen Alexandra's birdwing	<i>Bhutanitis</i> spp. Bhutan glories
	<i>Papilio chikae</i> Luzon peacock swallowtail	<i>Ornithoptera</i> spp. (*) = 370 (C 2) Birdwing butterflies
	<i>Papilio homerus</i> Homerus swallowtail	
	<i>Papilio hospiton</i> Corsican swallowtail	<i>Parnassius apollo</i> (C 1) Apollo butterfly or mountain apollo
		<i>Teinopalpus</i> spp. Kaiser-I-hind, Golden Kaiser-I-hind
		<i>Trogonoptera</i> spp. = 370 (C 2) Birdwing butterflies
		<i>Troides</i> spp. = 370 (C 2) Birdwing butterflies
ARACHNIDA		
ARANEAE		
<i>Theraphosidae</i>		<i>Brachypelma smithi</i> Mexican red-legged or red-kneed tarantula

	Appendix I	Appendix II
	ANNELIDA	
ARHYNCHOBDELLAE		
<i>Hirudinidae</i> Leeches		<i>Hirudo medicinalis</i> Medicinal leech
	MOLLUSCA MOLLUSCS	
VENEROIDA		
<i>Tridacnidae</i> Giant clams		<i>Tridacnidae</i> spp. Giant clams
UNIONOIDA Naiads or freshwater bivalves		
<i>Unionidae</i> Freshwater mussels	<i>Conradilla caelata</i> Birdwing pearl mussel or rimosa naiad	
	<i>Dromus dromas</i> Dromedary pearly mussel or dromedary naiad	<i>Cyprogenia aberti</i> Edible pearl mussel or edible naiad
	<i>Epioblasma curtisi</i> = 371 Curtis' pearly mussel or Curtis' naiad	
	<i>Epioblasma florentina</i> = 371 Yellow-blossom pearly mussel or yellow-blossom naiad	
	<i>Epioblasma sampsoni</i> = 371 Sampson's pearly mussel or Sampson's naiad	
	<i>Epioblasma sulcata perobliqua</i> = 371 White catspaw mussel or white cat's paw mussel	
	<i>Epioblasma torulosa gubernaculum</i> = 371 Green-blossomed pearly mussel or green-blossomed naiad	
	<i>Epioblasma torulosa torulosa</i> = 371 Tuberculed blossom pearly mussel or tuberculed-blossom naiad	<i>Epioblasma torulosa rangiana</i> = 371 Tan-blossom naiad or tan-blossomed pearly mussel
	<i>Epioblasma turgidula</i> = 371 Turgid blossom pearly mussel or turgid-blossom naiad	
	<i>Epioblasma walkeri</i> = 371 Brown blossom pearly mussel or brown-blossom naiad or tan riffle shell	
	<i>Fusconaia cuneolus</i> Fine-rayed pigtoe pearly mussel or fine-rayed pigtoe	
	<i>Fusconaia edgariana</i> Shiny pigtoe pearly mussel	<i>Fusconaia subrotunda</i> Long solid mussel or long solid naiad
		<i>Lampsilis brevicula</i> Ozark lamp pearly mussel or ozark lamp naiad

	Appendix I	Appendix II
	<p><i>Lampsilis higginsii</i> Higgin's eye pearly mussel</p> <p><i>Lampsilis orbiculata orbiculata</i> Pink mucket pearly mussel</p> <p><i>Lampsilis satura</i> Plain pocketbook pearly mussel</p> <p><i>Lampsilis virescens</i> Alabama lamp pearly mussel or Alabama lamp naiad</p> <p><i>Plethobasus cicatricosus</i> White wartyback pearly mussel</p> <p><i>Plethobasus cooperianus</i> Orange-fronted pimpleback mussel</p> <p><i>Pleurobema plenum</i> Rough pigtoe mussel</p> <p><i>Potamilus capax</i> = 372 Fat pocketbook pearly mussel</p> <p><i>Quadrula intermedia</i> Cumberland monkey face pearly mussel</p> <p><i>Quadrula sparsa</i> Appalachian monkey face pearly mussel</p> <p><i>Toxolasma cylindrella</i> = 373 Pale lilliput pearly mussel or pale lilliput naiad</p> <p><i>Unio nickliniana</i> Nicklin's pearly mussel</p> <p><i>Unio tampicoensis tecomatensis</i> Tampico pearly mussel (sub-species)</p> <p><i>Villosa trabalis</i> = 374 Cumberland bean pearly mussel</p>	<p><i>Lexingtonia dolabelloides</i> Slab-sided naiad or slab-sided pearly mussel</p> <p><i>Pleurobema clava</i> Club pearly mussel</p>
<p>STYLOMMATOPHORA Land snails</p> <p><i>Achatinellidae</i></p> <p><i>Camaenidae</i> American land snails</p> <p><i>Paryphantidae</i></p>	<p><i>Achatinella</i> spp. Little agate snails, oahu tree snails</p>	<p><i>Papustyla pulcherrima</i> = 375 Manus green tree snail or emerald green snail</p> <p><i>Paryphanta</i> spp. + 216 New Zealand amber snails</p> <p><i>Strombus gigas</i> Queen conch</p>
<p>MESOGASTROPODA Strombidae</p>		
	ANTHOZOA	
<p>ANTIPATHARIA</p>		<p>ANTIPATHARIA spp. Black corals or antipatharians (C 2)</p>
<p>SCLERACTINIA Stony corals</p>		<p>SCLERACTINIA spp. °503 Stony corals</p>
	HYDROZOA	
<p>ATHECATA Stony corals</p>		

	Appendix I	Appendix II
<i>Milleporidae</i>		<i>Milleporidae</i> spp. °503 Wello fire corals
<i>Stylasteridae</i>		<i>Stylasteridae</i> spp. °503
	ALCYONARIA	
COENOTHECALIA		COENOTHECALIA spp. °503
STOLONIFERA		
<i>Tubiporidae</i>		<i>Tubiporidae</i> spp. °503 Organpipe corals
	FLORA	
AGAVACEAE	<i>Agave arizonica</i> <i>Agave parviflora</i>	<i>Agave victoriae-reginae</i> # 1
	<i>Nolina interrata</i>	
AMARYLLIDACEAE		<i>Galanthus</i> spp. # 1 <i>Sternbergia</i> spp. # 1
APOCYNACEAE	<i>Pachypodium baconii</i> <i>Pachypodium brevicaule</i> <i>Pachypodium decaryi</i> <i>Pachypodium namaguanum</i>	<i>Pachypodium</i> spp. (*) # 1 Elephant's trunks or halfmen <i>Rauwolfia serpentina</i> # 2
ARACEAE Arum family		<i>Alocasia sandieriana</i> # 1 Arum
ARALIACEAE		<i>Panax quinquefolius</i> # 3 American ginseng or celery-leaved panax
ARAUCARIACEAE Monkey-puzzle family	<i>Araucaria araucana</i> (**) + 217 Monkey-puzzle tree or hardy monkey-puzzle	<i>Araucaria araucana</i> (*) - 113 # 1 Monkey-puzzle tree or hardy monkey-puzzle
ASCLEPIADACEAE		<i>Ceropegia</i> spp. # 1 Rosary vines <i>Frerea indica</i> # 1 Milkweed
BERBERIDACEAE		<i>Podophyllum hexandrum</i> = 376 # 2
BROMELIACEAE		<i>Tillandsia harrisii</i> # 1 <i>Tillandsia kammii</i> # 1 <i>Tillandsia kautsklyi</i> # 1 <i>Tillandsia mauryana</i> # 1 <i>Tillandsia sprengeliana</i> # 1 <i>Tillandsia sucrei</i> # 1 <i>Tillandsia xerographica</i> # 1

	Appendix I	Appendix II
BYBLIDACEAE		<i>Byblis</i> spp. # 1 Byblis or rainbow plants
CACTACEAE Cactus family	<i>Ariocarpus</i> spp. Living rock cactus <i>Astrophytum asterias</i> = 377 Star cactus, sea-urchin cactus <i>Aztekium ritteri</i> Aztec cactus <i>Coryphanta minima</i> = 378 <i>Coryphanta sneedii</i> = 378 <i>Coryphanta werdermannii</i> <i>Discocactus</i> spp. <i>Sisocactus macdougallii</i> = 379 <i>Echinocereus ferreirianus</i> var. <i>lindsayi</i> = 380 Lindsay's cactus <i>Echinocereus schmollii</i> = 381 <i>Leuchtenbergia principis</i> <i>Mammillaria pectinifera</i> = 382 <i>Mammillaria plumosa</i> <i>Mammillaria solisioides</i> <i>Melocactus conoideus</i> <i>Melocactus deinacanthus</i> <i>Melocactus glaucescens</i> <i>Melocactus paucispinus</i> <i>Obregonia denegrii</i> <i>Pachycereus militaris</i> = 383 <i>Pediocactus bradyi</i> = 384 <i>Pediocactus despainii</i> <i>Pediocactus knowltonii</i> = 384 <i>Pediocactus papyracanthus</i> = 385 <i>Pediocactus paradinei</i> <i>Pediocactus peeblesianus</i> = 384 <i>Pediocactus sileri</i> <i>Pediocactus winkleri</i> <i>Pelecyphora</i> spp. <i>Sclerocactus brevihamaticus</i> = 386 <i>Sclerocactus erectocentrus</i> = 387 <i>Sclerocactus glaucus</i> <i>Sclerocactus mariposensis</i> = 387 <i>Sclerocactus mesae-verdae</i> <i>Sclerocactus pubispinus</i> <i>Sclerocactus wrightiae</i>	CACTACEAE spp. (*) # 4 Cacti

	Appendix I	Appendix II
	<i>Strombocactus disciformis</i>	
	<i>Turbincarpus</i> spp. = 388	
	<i>Uebelmannia</i> spp.	
CARYOCARACEAE		<i>Caryocar costaricense</i> # 1
CEPHALOTACEAE		<i>Cephalotus follicularis</i> # 1 Albany pitcher plant
COMPOSITAE (ASTERACEAE) Composite family	<i>Saussurea costus</i> = 389 Costas	
CRASSULACEAE	<i>Dudleya stolonifera</i> <i>Dudleya traskiae</i>	
CUPRESSACEAE Cypress family	<i>Fitzroya cupressoides</i> Chilean false larch, alerce <i>Pilgerodendron wuiferum</i>	
CYATHEACEAE		CYATHEACEAE spp. # 1 Tree ferns
CYCADACEAE		CYCADACEAE spp. (*) # 1 Cycas
	<i>Cycas beddomei</i> Beddomes cycad	
DIAPENSIACEAE		<i>Shortia galacifolia</i> # 1
DICKSONIACEAE Dicksonia family		DICKSONIACEAE spp. # 1 Tree ferns
DIDIEREACEAE		DIDIEREACEAE spp. # 1
DIOSCOREACEAE Yams		<i>Dioscorea deltoidea</i> # 1 Elephant's foot
DROSERACEAE		<i>Dionaea muscipula</i> # 1 Venus fly-trap
ERICACEAE		<i>Kalmia cuneata</i> # 1
EUPHORBIACEAE Euphorbias		<i>Euphorbia</i> spp. - 118 # 1 Euphorbias
	<i>Euphorbia ambovombensis</i> <i>Euphorbia cylindrifolia</i> <i>Euphorbia decaryi</i> <i>Euphorbia francoisii</i>	

	Appendix I	Appendix II
	<i>Euphorbia moratii</i> <i>Euphorbia parvicyathophora</i> <i>Euphorbia primulifolia</i> <i>Euphorbia quartzitcola</i> <i>Euphorbia tulearensis</i>	
FOUQUIERIACEAE	<i>Fouquieria fasciculata</i> <i>Fouquieria purpusii</i>	<i>Fouquieria columnaris</i> # 1
JUGLANDACEAE Walnut, hickory and pecan family		<i>Oreomunna pterocarpa</i> = 390 # 1
LEGUMINOSAE (FABACEAE) Laburnum family	<i>Dalbergia nigra</i> Brazilian rosewood, palisander	<i>Pericopsis elata</i> # 5 Afromosia <i>Platymiscium pleiostachyum</i> # 1 Quira macawood
LILIACEAE Lily family	<i>Aloe albida</i> <i>Aloe pillansii</i> <i>Aloe polyphylla</i> Spiral aloe <i>Aloe thorncroftii</i> <i>Aloe vossii</i>	<i>Aloe</i> spp. (*) # 6 Aloes
MELIACEAE Mahogany family		<i>Swietenia humilis</i> # 1 Honduras mahogany or baywood <i>Swietenia mahagoni</i> # 5 Caribbean mahogany, Spanish mahogany, small-leaf mahogany
NEPENTHACEAE	<i>Nepenthes khasiana</i> Indian pitcher plant <i>Nepenthes rajah</i> Giant tropical pitcher	<i>Nepenthes</i> spp. (*) # 1 Pitcher plants
ORCHIDACEAE Orchid family	<i>Cattleya skinneri</i> Skinner's cattleya or white nun <i>Cattleya trianae</i> Winter cattleya or Christmas orchid <i>Didickea cunninghamii</i> <i>Laelia jongheana</i> <i>Laelia lobata</i>	ORCHIDACEAE spp. (*) = 391 # 7 Orchids (C 1: 105 species)

	Appendix I	Appendix II
	<p><i>Lycaste skinneri</i> var. <i>alba</i> = 392</p> <p><i>Paphiopedilum</i> spp.</p> <p><i>Peristeria elata</i> Holy Ghost or dove orchid or dove flower or Holy Ghost flower</p> <p><i>Phragmipedium</i> spp.</p> <p><i>Renanthera imschootiana</i> Red vanda</p> <p><i>Vanda coerulea</i> Blue vanda</p>	
PALMAE (ARECACEAE) Palm family		<p><i>Chrysalidocarpus decipiens</i> # 1 Butterfly palm</p> <p><i>Neodypsis decaryi</i> # 1</p>
PINACEAE Pine family	<p><i>Abies guatemalensis</i> Guatemalan fir or pinabete</p>	
PODOCARPACEAE	<p><i>Podocarpus parlatorei</i> Parlatore's podocarp</p>	
PORTULACACEAE Purslane family		<p><i>Anacampseros</i> spp. # 1 Purselanes</p> <p><i>Lewisia cotyledon</i> # 1</p> <p><i>Lewisia maguirei</i> # 1</p> <p><i>Lewisia serrata</i> # 1</p> <p><i>Lewisia tweedyi</i> # 1</p>
PRIMULACEAE Primrose family		<p><i>Cyclamen</i> spp. # 1 (C 2) Cyclamens</p> <p>C 1: <i>Cyclamen graecum</i> (incl. <i>Cyclamen mindleri</i>)</p> <p><i>Cyclamen creticum</i></p> <p><i>Cyclamen balearicum</i></p>
PROTEACEAE Protea family	<p><i>Orothamnus zeyheri</i> Marsh-rose</p> <p><i>Protea odorata</i></p>	
RUBIACEAE Madder family	<p><i>Balmea stormiae</i> Ayugue</p>	
SARRACENIACEAE	<p><i>Sarracenia alabamensis alabamensis</i> = 393</p> <p><i>Sarracenia jonesii</i> = 394</p> <p><i>Sarracenia oreophila</i></p>	<p><i>Darlingtonia californica</i> # 1 Cobra pitcher</p> <p><i>Sarracenia</i> spp. (*) # 1 Pitcher plants, bog-bugle, eve's cups, frog bonnets</p>

	Appendix I	Appendix II
STANGERIACEAE Cycad family	<i>Stangeria eriopus</i> = 395 Hottentot's head	
THEACEAE		<i>Camellia chrysantha</i> # 1
WELWITSCHIACEAE		<i>Welwitschia mirabilis</i> = 396 # 1
ZAMIACEAE Cycad (palm) family	<i>Ceratozamia</i> spp. <i>Chiqua</i> spp. <i>Encephalartos</i> spp. Bread-palms or bread trees <i>Microcycas calocoma</i> Palma corcho	ZAMIACEAE spp. (*) # 1
ZINGIBERACEAE Ginger family		<i>Hedychium philippinense</i> # 1 Philippine garland-flower
ZYGOPHYLLACEAE Lignum-vitae family		<i>Guaiacum officinale</i> # 1 Lignum-vitae, commoner lignum-vitae, wood of life, tree of life, Guayac <i>Guaiacum sanctum</i> # 1 Lignum-vitae or holy wood or tree of life

ANNEX

Appendix III ⁽¹⁾ ⁽²⁾

Interpretation

1. References to taxa higher than species are for the purpose of information or classification only.
2. The symbol (=) followed by a number placed against the name of a species denotes that the name of that species shall be interpreted as follows:
 - = 397 Includes synonym *Tamandua mexicana*
 - = 398 Includes synonym *Cabassous gymnurus*
 - = 399 Includes synonym *Manis longicaudata*
 - = 400 Includes generic synonym *Coendou*
 - = 401 Includes generic synonym *Cuniculus*
 - = 403 Includes synonym *Nasua narica*
 - = 404 Includes synonym *Galictis allamandi*
 - = 405 Includes synonym *Martes quatkinsi*
 - = 406 Includes generic synonym *Viverra*
 - = 407 Also referenced as *Tragelaphus eurycerus*; includes generic synonym *Taurotragus*
 - = 408 Formerly included as *Bubalus bubalis* (domesticated form)
 - = 409 Also referenced as *Ardeola ibis*
 - = 410 Also referenced as *Egretta alba*
 - = 411 Also referenced as *Hagedashia hagedash*
 - = 412 Also referenced as *Lamprolaima rara*
 - = 413 Also referenced as *Spatula clypeata*
 - = 414 Also referenced as *Nyroca nyroca*
 - = 415 Includes synonym *Dendrocygna fulva*
 - = 416 Also referenced as *Cairina hartlaubii*
 - = 417 Also referenced as *Crax pauxi*
 - = 418 Also referenced as *Arborophila brunneopectus* (in part)
 - = 419 Also referenced as *Turturoena iriditorques* or as *Columba malherbii* (in part)
 - = 420 Also referenced as *Nesoenas mayeri*
 - = 421 Also referenced as *Treron australis* (in part)
 - = 422 Also referenced as *Calopelia brehmeri*; includes synonym *Calopelia puella*
 - = 423 Also referenced as *Tympanistria tympanistria*
 - = 424 Also referenced as *Tchitreia bourbonnensis*
 - = 425 Also referenced as *Estrilda subflava* or *Sporaeginthus subflavus*

(1) The entries '(C1)' and '(C2)' after the name of a species or a higher taxon show that one or more subspecies or species of that species or taxon appear in part 1 or 2 of Annex C to the Regulation.

(2) The translations of the Latin names are given as a guide only.

- = 426 Also referenced as *Lagonosticta larvata* (in part)
- = 427 Includes generic synonym *Spermestes*
- = 428 Also referenced as *Euodice cantans* includes synonym *Lonchura malabarica*
- = 429 Also referenced as *Hypargos nitidulus*
- = 430 Includes synonym *Parmoptila woodhousei* (in part)
- = 431 Includes synonyms *Pyrenestes frommi* and *Pyrenestes rothschildi*
- = 432 Also referenced as *Estrilda bengala*
- = 433 Also referenced as *Malimbus rubriceps* or as *Anaplectus melanotis*
- = 434 Also referenced as *Coliuspasser ardens*
- = 435 Also referenced as *Euplectes orix* (in part)
- = 436 Also referenced as *Coliuspasser macrourus*
- = 437 Also referenced as *Ploceus superciliosus*
- = 438 Includes synonym *Ploceus nigriceps*
- = 439 Also referenced as *Sitagra luteola*
- = 440 Also referenced as *Sitagra melanocephala*
- = 441 Also referenced as *Hypochoera chalybeata*; includes synonyms *Vidua amauropteryx*, *Vidua centralis*, *Vidua neumanni*, *Vidua okavangoensis* and *Vidua ultramarina*
- = 442 Also referenced as *Vidua paradisaea* (in part)
- = 443 Also referenced as *Pelusios subniger*
- = 444 Formerly included in genus *Natrix*

3. The names of the countries placed against the names of species are those of the Parties submitting these species for inclusion in this appendix.
4. In accordance with Article I (b), subparagraphs (ii) and (iii), of the Convention, and with Resolutions Conf. 4.24 and Conf. 6.18, the symbol (#) followed by a number placed against the name of a species included in Appendix III designates parts or derivatives which are specified in relation thereto for the purposes of the Convention as follows:

1 Designates all readily recognizable parts and derivatives, except:

- (a) seeds, spores and pollen (including pollinia); and
- (b) tissue cultures and flasks seedling cultures.

	Species	Country
FAUNA ANIMALS		
MAMMALIA ANIMALS		
CHIROPTERA Bats		
<i>Phyllostomidae</i> New World leaf-nosed bats	<i>Vampyrops lineatus</i> False vampire bat	Uruguay
EDENTATA Edentates		
<i>Myrmecophagidae</i> Ant-eaters	<i>Tamandua tetradactyla</i> (**) = 397 Collared ant-eater	Guatemala
<i>Choloepidae</i> Sloths	<i>Choloepus hoffmanni</i> Hoffmann's sloth	Costa Rica
<i>Dasypodidae</i> Armadillos	<i>Cabassous centralis</i> Northern naked-tailed armadillo	Costa Rica
	<i>Cabassous tatouay</i> = 398 Eleven-banded or broad-banded armadillo	Uruguay
PHOLIDOTA Pangolins or scaly ant-eaters		
<i>Manidae</i> Pangolins	<i>Manis gigantea</i> (C 1) Giant pangolin	Ghana
	<i>Manis tetradactyla</i> = 399 (C 1) Long-tailed pangolin	Ghana
	<i>Manis tricuspis</i> (C 1) Small-scaled tree pangolin	Ghana
RODENTIA Rodents		
<i>Sciuridae</i> Squirrels and marmots	<i>Epixerus ebii</i> Ebian's palm squirrel	Ghana
	<i>Marmota caudata</i> Long-tailed marmot	India
	<i>Marmota himalayana</i> Himalayan marmot	India
	<i>Sciurus deppei</i> Deppe's squirrel	Costa Rica
<i>Anomaluridae</i> Scaly-tailed squirrels	<i>Anomalurus beecrofti</i> Beecroft's flying squirrel	Ghana
	<i>Anomalurus derbianus</i> Lord Derby's flying squirrel	Ghana
	<i>Anomalurus peli</i> Pel's flying squirrel	Ghana
	<i>Idiurus macrotis</i> Long-eared flying squirrel	Ghana

	Species	Country
<i>Hystricidae</i> Old World porcupines	<i>Hystrix cristata</i> North African porcupine	Ghana
<i>Erethizontidae</i> New World porcupines	<i>Sphiggurus mexicanus</i> = 400 Mexican porcupine	Honduras
	<i>Sphiggurus spinosus</i> = 400 South American tree-porcupine	Uruguay
<i>Agoutidae</i>	<i>Agouti paca</i> = 401 Paca or spotted cavy	Honduras
<i>Dasyproctidae</i>	<i>Dasyprocta punctata</i> Agouti	Honduras
CARNIVORA		
Carnivores		
<i>Canidae</i> Dogs, wolves and foxes	<i>Canis aureus</i> Golden jackel, Northern jackel	India
	<i>Vulpes bengalensis</i> Bengal fox	India
<i>Procyonidae</i> Raccoons	<i>Bassaricyon gabbii</i> Bushy-tailed olingo	Costa Rica
	<i>Bassariscus sumichrasti</i> Central American cacomistle	Costa Rica
	<i>Nasua nasua</i> = 403 Coati	Honduras
	<i>Nasua nasua solitaria</i> South Brazilian coati	Uruguay
	<i>Potos flavus</i> Kinkajou	Honduras
<i>Mustelidae</i> Weasels, badgers, skunks and others	<i>Eira barbara</i> Tayra	Honduras
	<i>Galictis vittata</i> = 404 Grison	Costa Rica
	<i>Martes flavigula</i> = 405 Yellow-throated marten	India
	<i>Martes foina intermedia</i> Himalayan beech marten	India
	<i>Mellivora capensis</i> Ratel or honey-badger	Ghana, Botswana
	<i>Mustela altaica</i> Mountain weasel, pale weasel	India
	<i>Mustela kathiah</i> Yellow-bellied weasel	India
	<i>Mustela sibirica</i> Siberian weasel, Himalayan weasel	India
<i>Viverridae</i> Genets, civets and mongooses	<i>Arctictis binturong</i> Binturong	India
	<i>Civettictis civetta</i> = 406 African civet or civet cat	Botswana
	<i>Paguma larvata</i> Masked palm civet	India
	<i>Paradoxurus hermaphroditus</i> Common palm civet	India
	<i>Paradoxurus jerdoni</i> Jerdon's palm civet	India

	Species	Country
	<i>Viverra megaspila</i> Large spotted civet	India
	<i>Viverra zibetha</i> Large Indian civet	India
	<i>Viverricula indica</i> Small Indian civet	India
<i>Herpestidae</i>	<i>Herpestes auro punctatus</i> Small Indian mongoose	India
	<i>Herpestes edwardsi</i> Indian grey mongoose	India
	<i>Herpestes fuscus</i> Indian brown mongoose	India
	<i>Herpestes smithii</i> Ruddy mongoose	India
	<i>Herpestes urva</i> Crab-eating mongoose	India
	<i>Herpestes vitticollis</i> Stripe-necked mongoose	India
<i>Protelidae</i> Hyaenas	<i>Proteles cristatus</i> Aardwolf	Botswana
PINNIPEDIA Seals and walruses		
<i>Odobenidae</i> Walruses	<i>Odobenus rosmarus</i> Atlantic walrus	Canada
ARTIODACTYLA Even-toed ungulates		
<i>Hippopotamidae</i> Hippopotamuses	<i>Hippopotamus amphibius</i> Common hippopotamus	(C 2) Ghana
<i>Tragulidae</i> Chevrotains	<i>Hyemoschus aquaticus</i> Water chevrotain	Ghana
<i>Cervidae</i> True deer	<i>Cervus elaphus barbarus</i> Barbary deer	Tunisia
	<i>Mazama americana cerasina</i> Costa Rican red brocket	Guatemala
	<i>Odocoileus virginianus mayensis</i> Key deer or Toy deer	Guatemala
<i>Bovidae</i> Cattle, sheep goats, antelopes, etc.	<i>Antilope cervicapra</i> Blackbuck or Indian antelope	Nepal
	<i>Boocercus eurycerus</i> = 407 Bongo	Ghana
	<i>Bubalus arnee</i> = 408 Aseatic or water buffalo, or arna	Nepal
	<i>Damaliscus lunatus</i> Swift topi or sassaby	Ghana
	<i>Gazella cuvieri</i> Cuvier's gazelle	Tunisia
	<i>Gazella dorcas</i> Dorca's gazelle	Tunisia
	<i>Gazella leptoceros</i> Slender-horned or Loder's gazelle	Tunisia

	Species		Country
	<i>Tetracerus quadricornis</i> Four-horned antelope or chousingha		Nepal
	<i>Tragelaphus spekei</i> Sitatunga or marshbuck		Ghana
		AVES BIRDS	
CICONIIFORMES Wading birds (herons and kin)			
<i>Ardeidae</i> Herons and bitterns	<i>Ardea goliath</i> Goliath heron		Ghana
	<i>Bubulcus ibis</i> = 409 Cattle egret	(C 1)	Ghana
	<i>Casmerodius albus</i> = 410 Common or great egret	(C 1)	Ghana
	<i>Egretta garzetta</i> Little egret	(C 1)	Ghana
<i>Ciconiidae</i> Storks	<i>Ephippiorhynchus senegalensis</i> Saddle-billed stork		Ghana
	<i>Leptoptilos crumeniferus</i> Marabou (adjutant) stork		Ghana
<i>Threskiornithidae</i> Ibises and spoonbills	<i>Hagedashia hagedash</i> = 411 Hadada ibis		Ghana
	<i>Bostrychia rara</i> Spotted-breasted ibis		Ghana
	<i>Threskiornis aethiopicus</i> Sacred ibis		Ghana
ANSERIFORMES Waterfowl			
<i>Anatidae</i> Ducks, geese and swans	<i>Alopochen aegyptiacus</i> Egyptian goose	(C 1)	Ghana
	<i>Anas acuta</i> Common pintail		Ghana
	<i>Anas capensis</i> Cape teal		Ghana
	<i>Anas clypeata</i> = 413 Northern shoveller		Ghana
	<i>Anas crecca</i> Common teal		Ghana
	<i>Anas penelope</i> Eurasian wigeon		Ghana
	<i>Anas querquedula</i> Garganey	(C 1)	Ghana
	<i>Aythya nyroca</i> = 414 Ferruginous duck	(C 1)	Ghana
	<i>Cairina moschata</i> Muscovy duck		Honduras
	<i>Dendrocygna autumnalis</i> Red-billed whistling duck		Honduras

	Species	Country
	<i>Dendrocygna bicolor</i> = 415 Fulvous whistling duck	Ghana, Honduras
	<i>Dendrocygna viduata</i> White-faced tree duck	Ghana
	<i>Nettapus auritus</i> African pygmy goose	Ghana
	<i>Plectropterus gambensis</i> Spur-winged goose	Ghana
	<i>Pteronetta hartlaubii</i> = 416 Hartlaub's duck	Ghana
FALCONIFORMES		
<i>Cathartidae</i>	<i>Sarcoramphus papa</i> King vulture	Honduras
GALLIFORMES		
Gamebirds or fowl-like birds		
<i>Cracidae</i>		
Curassows and guans	<i>Crax alberti</i> Blue-billed curassow	Colombia
	<i>Crax daubentoni</i> Yellow-knobbed curassow	Colombia
	<i>Crax globulosa</i> Wattled curassow	Colombia
	<i>Crax pauxi</i> = 400 Helmeted curassow	Colombia
	<i>Crax rubra</i> (C 2) Great curassow	Colombia, Costa Rica, Guatemala, Honduras
	<i>Ortalis vetula</i> (C 2) Plain chanchalaca	Guatemala, Honduras
	<i>Pauxi pauxi</i> = 417 Helmeted curassow	Colombia
	<i>Penelope purpurascens</i> Crested guan	Honduras
	<i>Penelopina nigra</i> (C 2) Highland guan	Guatemala
<i>Phasianidae</i>		
Pheasants, partridges, quails and peacocks	<i>Agelastes meleagrides</i> White-breasted guinea fowl	Ghana
	<i>Agriocharis ocellata</i> Ocellated turkey	Guatemala
	<i>Arborophila charltonii</i> Chestnut-breasted tree partridge	Malaysia
	<i>Arborophila orientalis</i> = 418 Brown-breasted tree partridge	Malaysia
	<i>Caloperdix oculea</i> Ferruginous wood partridge	Malaysia
	<i>Lophura erythrophthalma</i> Crestless fireback pheasant	Malaysia
	<i>Lophura ignita</i> Crested fireback pheasant	Malaysia
	<i>Melanoperdix nigra</i> Black wood partridge	Malaysia

	Species	Country
	<i>Polyplectron inopinatum</i> Rothschild's peacock-pheasant, mountain peacock-pheasant	Malaysia
	<i>Rhizothera longirostris</i> Long-billed wood partridge	Malaysia
	<i>Rollulus rouloul</i> Crested wood partridge or roulroul	Malaysia
	<i>Tragopan satyra</i> Horned tragopan or pheasant, satyr tragopan	Nepal
CHARADRIIFORMES		
<i>Burhinidae</i> Thick-knees	<i>Burhinus bistriatus</i> Double-striped thick-knee	Guatemala
COLUMBIFORMES Pigeons, sandgrouse and dodos		
<i>Columbidae</i> Pigeons	<i>Columba guinea</i> Speckled pigeon or Guinea pigeon	Ghana
	<i>Columba iriditorques</i> = 419 Bronze-naped pigeon	Ghana
	<i>Columba livia</i> (C 1) Rock dove	Ghana
	<i>Columba mayeri</i> = 420 Pink pigeon	Mauritius
	<i>Columba unicincta</i> African wood pigeon or Afer pigeon	Ghana
	<i>Oena capensis</i> Masked, cape or namaqua dove	Ghana
	<i>Streptopelia decipiens</i> Mourning dove	Ghana
	<i>Streptopelia roseogrisea</i> Pink-headed dove	Ghana
	<i>Streptopelia semitorquata</i> Red-eyed dove	Ghana
	<i>Streptopelia senegalensis</i> Senegal, palm or laughing dove	Ghana
	<i>Streptopelia turtur</i> Turtle dove	Ghana
	<i>Streptopelia vinacea</i> Vinaceous dove	Ghana
	<i>Treron calva</i> = 421 African green pigeon	Ghana
	<i>Treron waalia</i> Yellow-bellied green pigeon	Ghana
	<i>Turtur abyssinicus</i> Black-billed wood dove	Ghana
	<i>Turtur afer</i> Blue-spotted wood dove	Ghana
	<i>Turtur brehmeri</i> = 422 Blue-headed wood dove	Ghana
	<i>Turtur tympanistris</i> = 423 Tambourine dove	Ghana

	Species	Country
PSITTACIFORMES Parrots and kin		
<i>Psittacidae</i> Parrots	<i>Psittacula krameri</i> Ring-necked parakeet	Ghana
CUCULIFORMES Cuckoos and kin		
<i>Musophagidae</i> Turacos or plantain eaters	<i>Corythaeola cristata</i> Great blue turaco	Ghana
	<i>Crinifer piscator</i> Western grey plantain-eater	Ghana
	<i>Musophaga violacea</i> Violet turaco	Ghana
	<i>Tauraco macrorhynchus</i> Crested turaco	Ghana
PICIFORMES		
<i>Capitonidae</i>	<i>Semnornis ramphastinus</i> Toucan barbet	Colombia
<i>Ramphastidae</i> Toucans	<i>Bailloni bailloni</i> Saffron toucanet	Argentina
	<i>Pteroglossus castanotis</i> Chestnut-eared aracari	Argentina
	<i>Ramphastos dicolorus</i> Red breasted toucan	Argentina
	<i>Selenidera maculirostris</i> Spot-billed toucanet	Argentina
PASSERIFORMES Song birds or perching birds		
<i>Cotingidae</i> Cotingas	<i>Cephalopterus ornatus</i> Amazonian umbrella bird	Colombia
	<i>Cephalopterus penduliger</i> Long-wattled umbrella bird	Colombia
<i>Muscicapidae</i> Old World flycatchers	<i>Bebornis rodericanus</i> Rodrigues warbler	Mauritius
	<i>Tchitrea bourbonnensis</i> = 424 Mascarene paradise flycatcher	Mauritius
<i>Icteridae</i> Icterids	<i>Agelaius flavus</i> Saffron-cowled blackbirds	Uruguay
<i>Fringillidae</i> Finches or New World seed-eaters	<i>Serinus canicapillus</i> West-African seed-eater	Ghana
	<i>Serinus leucopygius</i> Grey-fronted canary or grey singing finch	Ghana
	<i>Serinus mozambicus</i> Yellow-fronted canary or green singing finch	Ghana
<i>Estrildidae</i> Estrildid finches	<i>Amadina fasciata</i> Cut-throat weaver, cut-throat or ribbon finch	Ghana
	<i>Amandava subflava</i> = 425 Zebra waxbill, golden or orange-breasted waxbill	Ghana

	Species	Country
	<i>Estrilda astrild</i> Common waxbill or St Helena waxbill	Ghana
	<i>Estrilda caerulescens</i> Lavender finch or lavender waxbill	Ghana
	<i>Estrilda melpoda</i> Orange-cheeked waxbill	Ghana
	<i>Estrilda troglodytes</i> Gray, red-eared, pink-cheeked or black-rumped waxbill	Ghana
	<i>Lagonosticta rara</i> Black-bellied firefinch	Ghana
	<i>Lagonosticta rubricata</i> Blue-billed firefinch	Ghana
	<i>Lagonosticta rufopicta</i> Bar-breasted firefinch	Ghana
	<i>Lagonosticta senegala</i> Senegal or red-billed firefinch	Ghana
	<i>Lagonosticta vinacea</i> = 426 Black-faced or masked firefinch	
	<i>Lonchura bicolor</i> = 427 Black-and-white, black-breasted or rufous-backed mannikin	Ghana
	<i>Lonchura cantans</i> = 428 Silverbill, white-throated munia	Ghana
	<i>Lonchura cucullata</i> = 427 Bronze mannikin	Ghana
	<i>Lonchura fringilloides</i> = 427 Magpie mannikin	Ghana
	<i>Mandingoa nitidula</i> = 429 Green-backed twinspace	Ghana
	<i>Nesocharis capistrata</i> Grey-headed oliveback	Ghana
	<i>Nigrita bicolor</i> Chestnut-breasted negro-finch	Ghana
	<i>Nigrita canicapilla</i> Grey-crowed negro-finch	Ghana
	<i>Nigrita fusconota</i> White-breasted negro-finch	Ghana
	<i>Nigrita luteifrons</i> Pale-fronted negro-finch	Ghana
	<i>Ortygospiza atricollis</i> African quailfinch	Ghana
	<i>Parmoptila rubifrons</i> = 430 Jameson's antpecker	Ghana
	<i>Pholidornis rufiae</i> Tit-hylia	Ghana
	<i>Pyrenestes ostrinus</i> = 431 Black-bellied seedcracker	Ghana
	<i>Pytilia hypogrammica</i> Yellow-winged or red-faced pytilia	Ghana
	<i>Pytilia phoenicoptera</i> Crimson-winged pytilia or aurora finch	Ghana

	Species	Country
Ploceidae Weaver-birds	<i>Spermophaga haematina</i> Blue-billed weaver or western bluebill	Ghana
	<i>Uraeginthus bengalus</i> = 432 Cordon-bleu	Ghana
	<i>Amblyospiza albifrons</i> Grosbeak weaver	Ghana
	<i>Anaplectus rubriceps</i> = 433 Red-headed weaver	Ghana
	<i>Anomalospiza imberbis</i> Cuckoo weaver	Ghana
	<i>Bubalornis albirostris</i> White-billed buffalo weaver	Ghana
	<i>Euplectes afer</i> Yellow-crowned bishop, golden bishop, Napoleon weaver	Ghana
	<i>Euplectes ardens</i> = 434 Red-collared widow-bird or whydah	Ghana
	<i>Euplectes franciscanus</i> = 435 Orange bishop	Ghana
	<i>Euplectes hordeaceus</i> Black-winged red bishop	Ghana
	<i>Euplectes macrourus</i> = 436 Yellow-mantled widow-bird, yellow-backed or yellow-mantled whydah	Ghana
	<i>Malimbus cassini</i> Black-throated malimbe	Ghana
	<i>Malimbus malimbicus</i> Crested malimbe	Ghana
	<i>Malimbus nitens</i> Blue-billed malimbe	Ghana
	<i>Malimbus rubricollis</i> Red-necked weaver	Ghana
	<i>Malimbus scutatus</i> Red-vented malimbe	Ghana
	<i>Pachyphantes superciliosus</i> Chestnut-crowned sparrow-weaver	Ghana
	<i>Passer griseus</i> Grey-headed sparrow	Ghana
	<i>Petronia dentata</i> Bush-sparrow	Ghana
	<i>Plocepasser superciliosus</i> Chestnut-crowned sparrow-weaver	Ghana
<i>Ploceus albinucha</i> Maxwell's black weaver	Ghana	
<i>Ploceus aurantius</i> Orange weaver	Ghana	
<i>Ploceus cucullatus</i> = 438 Rufous-necked, black-headed, spotted-backed or village weaver	Ghana	
<i>Ploceus heuglini</i> Heuglin's masked weaver	Ghana	
<i>Ploceus luteolus</i> = 439 Little weaver	Ghana	

	Species	Country
	<i>Ploceus melanocephalus</i> = 440 Black-headed weaver	Ghana
	<i>Ploceus nigerrimus</i> Vieillot's black weaver	Ghana
	<i>Ploceus nigricollis</i> Black-necked weaver	Ghana
	<i>Ploceus pelzelni</i> Slender-billed weaver	Ghana
	<i>Ploceus preussi</i> Yellow-capped weaver	Ghana
	<i>Ploceus tricolor</i>	Ghana
	<i>Ploceus vitellinus</i> Vitelline-masked weaver	Ghana
	<i>Quelea erythrops</i> Red-headed quelea	Ghana
	<i>Sporopipes frontalis</i> Speckle-fronted weaver	Ghana
	<i>Vidua chalybeata</i> = 441 Village indigo-bird, steel finch, Senegal combassou	Ghana
	<i>Vidua interjecta</i> Uelle paradise whydah	Ghana
	<i>Vidua larvaticola</i> Bako indigo-bird	Ghana
	<i>Vidua macroura</i> Pin-tailed whydah	Ghana
	<i>Vidua orientalis</i> = 442 Broad-tailed paradise whydah	Ghana
	<i>Vidua raricola</i> Jambandu indigo-bird	Ghana
	<i>Vidua togoensis</i> Togo paradise whydah	Ghana
	<i>Vidua wilsoni</i> Pale-winged indigo-bird, Wilson's indigo-bird	Ghana
<i>Sturnidae</i>	<i>Gracula religiosa</i> Hill myna	Thailand

REPTILIA
REPTILES

TESTUDINATA

Chelonians (tortoises, terrapins and turtles)

Trionychidae
Soft-shelled turtles

Pelomedusidae
Side-necked turtles

Trionyx triunguis
Nile soft-shelled turtle

Pelomedusa subrufa
Helmeted turtle

Pelusios adansonii
Adanson's mud turtle

Ghana

Ghana

Ghana

	Species	Country
	<i>Pelusios castaneus</i> West African mud turtle	Ghana
	<i>Pelusios gabonensis</i> = 443 Stripe-backed side-necked turtle	Ghana
	<i>Pelusios niger</i> Black side-necked turtle	Ghana
SERPENTES Snakes		
<i>Colubridae</i> Colubrid snakes (water snakes, grass snakes, treesnakes)	<i>Atretium schistosum</i> Olive keelback water snake	India
	<i>Cerberus rhynchops</i> Dog-faced water snake	India
	<i>Xenochrophis piscator</i> = 444 Checkered water snake	India
<i>Elapidae</i> Front-fanged snakes	<i>Micrurus diastema</i> Atlantic coral snake	Honduras
	<i>Micrurus nigrocinctus</i> Black-banded coral snake	Honduras
<i>Viperidae</i> Vipers	<i>Agkistrodon bilineatus</i> Cantil	Honduras
	<i>Bothrops asper</i> Yellow-jawed tommygoff or Barba amarilla or Fer-de-lance	Honduras
	<i>Bothrops nasutus</i> Horned hog-nose viper	Honduras
	<i>Bothrops nummifer</i> Jumping viper	Honduras
	<i>Bothrops ophryomegas</i> Corniz	Honduras
	<i>Bothrops schlegelii</i> Horned palm viper or eyelash viper	Honduras
	<i>Crotalus durissus</i> Neotropical rattlesnake	Honduras
	<i>Vipera russellii</i> Russell's viper	India
FLORA PLANTS		
GNETACEAE	<i>Gnetum montanum</i> # 1	Nepal
MAGNOLIACEAE Magnolia family	<i>Talauma hodgsonii</i> # 1 Safan	Nepal
PAPAVERACEAE Poppy family	<i>Meconopsis regia</i> # 1	Nepal
PODOCARPACEAE Podocarpus family	<i>Podocarpus neriifolius</i> # 1 Yellow wood	Nepal
TETRACENTRACEAE	<i>Tetracentron sinense</i> # 1	Nepal

ANNEX C

LIST OF SPECIES

given special treatment by the Community

NB:

An asterisk (*) placed after the name of a species or a higher taxon shows that one or more geographically separate populations, subspecies or species, of that species or taxon, are already included in Appendix I to the Convention.

PART 1

SPECIES REFERRED TO IN ARTICLE 3 (1)

FAUNA

MAMMALIA

EDENTATA

*Myrmecophagidae**Myrmecophaga tridactyla**Fossa fossa**Prionodon linsang*

PHOLIDOTA

*Manidae**Manis* spp. (*)

PINNIPEDIA

*Phocidae**Mirounga leonina*

RODENTIA

*Sciuridae**Ratufa* spp.

SIRENIA

*Dugongidae**Dugong dugon* (*) + 208*Trichechidae**Trichechus senegalensis*CETACEA spp. (*)⁽¹⁾

CARNIVORA

*Viverridae**Cynogale bennettii**Euperes goudotii* = 321

PERISSODACTYLA

*Equidae**Equus hemionus* (*) = 324*Equus zebra hartmannae**Tapiridae**Tapirus terrestris*

⁽¹⁾ With the exception of specimens of the species listed in Appendix II to the convention, and the products and derivatives thereof, taken by the people of Greenland under licence granted by the competent authority of Greenland or Denmark.

Statement on Article 2:

The Council and the Commission state that, in view of the predominantly cultural nature of the making of certain handicraft articles in Greenland from species of Cetacea and of the low volume of such activity, it shall not be regarded as consistent with the relevant provisions of the Regulation. The management authorities in Denmark will, in consultation with the Commission monitor such exports and imports, which must not significantly exceed the present low level.

AVES

SPHENISCIFORMES

Spheniscidae*Spheniscus demersus*

CICONIIFORMES

Ardeidae*Bubulcus ibis* = 409*Casmerodius albus* = 410*Egretta garzetta***Ciconiidae***Ciconia nigra***Threskiornithidae***Platalea leucorodia***Phoenicopteridae***Phoenicoparrus andinus**Phoenicoparrus jamesi**Phoenicopterus chilensis**Phoenicopterus ruber ruber*

ANSERIFORMES

Anatidae*Branta ruficollis**Coscoroba coscoroba**Alopochen aegyptiacus**Anas querquedula**Aythya nyroca*

FALCONIFORMES spp. (*) - 108

GALLIFORMES

Phasianidae*Argusianus argus**Gallus sonneratii**Ithaginis cruentus**Polyplectron bicalcaratum**Polyplectron germaini**Polyplectron malacense**Polyplectron schleiermachersi*

GRUIFORMES

Gruidae*Grus canadensis pratensis***Otididae***Otis tarda*

COLUMBIFORMES

Columbidae*Columba livia**Goura* spp.

CUCULIFORMES

Musophagidae*Musophaga porphyreolopha* = 352*Tauraco corythaix* = 353*Tauraco fischeri* = 353*Taraco livingstonii* = 353*Taraco persa* = 353*Taraco schalowi* = 353*Taraco schuettii* = 353

STRIGIFORMES spp. (*)

CORACIIFORMES

Bucerotidae*Aceros narcondami*

PASSERIFORMES

Paradisacidae spp.

REPTILIA

TESTUDINATA

Testudinidae*Testudo graeca**Testudo hermanni**Testudo marginata*

SAURIA

Chamaeleonidae*Chamaeleo chamaeleon***Teiidae***Cnemidophorus hyperythrus***Helodermatidae***Heloderma* spp.

PISCES

OSTEOGLOSSIFORMES

Osteoglossidae*Arapaima gigas*

INSECTA

LEPIDOPTERA

Papilionidae

Parnassius apollo

FLORA

ORCHIDACEAE

Cypripedium calceolus
Epipactis palustris
Epipactis helleborine
Epipactis leptochila
Epipactis muelleri
Epipactis dunensis
Epipactis purpurata
Epipactis phyllanthes
Epipactis atrorubens
Epipactis microphylla
Cephalanthera damasonium
Cephalanthera longifolia
Cephalanthera cucullata
Cephalanthera epipactoides
Cephalanthera rubra
Limodorum abortivum
Epipogium aphyllum
Neottia nidus-avis
Listera ovata
Listera cordata
Spiranthes spiralis
Spiranthes aestivalis
Spiranthes romanzoffiana
Goodyera repens
Gennaria diphylla
Herminium monorchis
Neottianthe cucullata
Platanthera bifolia
Platanthera chlorantha
Chamorchis alpina
Gymnadenia conopsea
Gymnadenia odoratissima
Pseudorchis albida
Pseudorchis frivaldii
Nigritella nigra
Coeloglossum viride
Dactylorhiza iberica
Dactylorhiza latifolia (syn. *D. sambucina*)
Dactylorhiza romana (syn. *D. sulphurea*)
Dactylorhiza incarnata
Dactylorhiza fistulosa (syn. *D. majalis*)
Dactylorhiza cordigera
Dactylorhiza traunsteineri
Dactylorhiza russowii
Dactylorhiza elata
Dactylorhiza maculata (incl. *D. fuchsii*)
Dactylorhiza fuchsii
Dactylorhiza saccifera
Corallo rhiza trifida
Liparis loeselii
Malaxis monophyllos (syn. *Microstylis monophyllos*)
Hammarbya paludosa
Neotinea maculata
Traunsteinera globosa
Orchis papilionacea

Orchis boryi
Orchis morio
Orchis longicornu
Orchis coriophora
Orchis sancta
Orchis ustulata
Orchis tridentata
Orchis lactea
Orchis italica
Orchis simia
Orchis militaris
Orchis punctulata
Orchis purpurea
Orchis collina (syn. *O. saccata*)
Orchis patens
Orchis spitzelii
Orchis mascula
Orchis pallens
Orchis provincialis
Orchis anatolica
Orchis quadripunctata
Orchis laxiflora
Aceras anthropophorum
Himantoglossum hircinum
Barlia robertiana
Anacamptis pyramidalis
Serapias cordigera
Serapias neglecta
Serapias vomeracea
Serapias lingua
Serapias parviflora
Ophrys insectifera
Ophrys vernixia (syn. *O. speculum*)
Ophrys lutea
Ophrys fusca
Ophrys pallida
Ophrys sphegodes
Ophrys spruneri
Ophrys ferrum-equinum
Ophrys bertolonii
Ophrys lunulata
Ophrys argolica
Ophrys reinholdii
Ophrys doerfleri (syn. *O. cretica*)
Ophrys umbilicata (syn. *O. carmeli*)
Ophrys scolopax
Ophrys holosericea (syn. *O. fuciflora*)
Ophrys arachnitiformis
Ophrys tenthredinifera
Ophrys apifera
Ophrys bombyliflora

PRIMULACEAE
Cyclamen graecum (incl. *Cyclamen mindleri*)
Cyclamen creticum
Cyclamen balearicum

PART 2

SPECIES REFERRED TO IN ARTICLE 3 (2)

FAUNA

MAMMALIA

MONOTREMATA

Tachyglossidae*Zaglossus* spp.

MARSUPIALIA

Macropodidae*Dendrolagus bennettianus**Dendrolagus inustus**Dendrolagus lumholtzi**Dendrolagus ursinus*

PRIMATES spp. (*) = 301

CARNIVORA

Canidae*Canis lupus* (*) – 102*Chrysocyon brachyurus***Ursidae***Ursus maritimus***Procyonidae***Ailurus fulgens***Felidae***Felis bengalensis* (*)*Felis canadensis**Felis colocolo**Felis concolor* (*)*Felis iriomotensis**Felis lynx**Felis serval**Felis silvestris**Felis yagouaroundi* (*)

ARTIODACTYLA

Hippopotamidae*Choeropsis liberiensis**Hippopotamus amphibius***Cervidae***Pudu mephistophiles***Bovidae***Ovis ammon* (*)

AVES

ANSERIFORMES

Anatidae*Anas aucklandica aucklandica**Anas aucklandica chlorotis**Anas bernieri*

GRUIFORMES

Rallidae*Gallirallus australis hectori*

COLUMBIFORMES

Columbidae*Gallicolumba luzonica*

GALLIFORMES

Cracidae*Crax rubra**Ortalis vetula**Penelopina nigra*

PASSERIFORMES

Cotingidae*Rupicola* spp.**Pittidae***Pitta nympha*

PSITTACIFORMES spp. (*) – 109

REPTILIA

TESTUDINATA

Testudinidae spp. (except for *Testudo graeca*, *Testudo hermanni*, and *Testudo marginata*, which are included in Part 1 of Annex C)

Pelomedusidae

Erymnochelys madagascariensis = 363
Peltocephalus dumeriliana = 363
Podocnemis spp.

CROCODYLIA spp. (*) = 364

SAURIA

Gekkonidae

Phelsuma spp.

Agamidae

Uromastyx spp.

Iguanidae

Amblyrhynchus cristatus
Conolophus spp.

Varanidae

Varanus spp. (*)

SERPENTES

Boidae

Boa constrictor
Eunectes spp.
Python spp. (*)
Eryx jaculus

Colubridae

Cyclagras gigas = 368

AMPHIBIA

ANURA

Bufo

Bufo retiformis

INSECTA

LEPIDOPTERA

Papilionidae

Ornithoptera spp. (*) = 370
Trogonoptera spp. = 370
Troides spp. = 370

ANTHOZOA

ANTIPATHARIA spp.

FLORA

PRIMULACEAE

Cyclamen spp. (with the exception of *C. graecum*, *C. creticum* and *C. balearicum*, which are included in part 1)