

- ▶ C2 Corrigendum, OJ L 65, 5.3.1998, p. 35 (2631/97)
- ▶ C3 Corrigendum, OJ L 196, 2.8.2000, p. 11 (2745/1999)
- ▶ C4 Corrigendum, OJ L 88, 28.3.2001, p. 24 (2802/2000)
- ▶ C5 Corrigendum, OJ L 233, 31.8.2001, p. 58 (1142/2001)
- ▶ C6 Corrigendum, OJ L 137, 25.5.2002, p. 26 (2559/2001)
- ▶ C7 Corrigendum, OJ L 53, 28.2.2003, p. 65 (2287/2002)

▼B▼M2

COUNCIL REGULATION (EC) No 2505/96
of 20 December 1996

**opening and providing for the administration of autonomous
Community tariff quotas for certain agricultural and industrial
products**

▼B

THE COUNCIL OF THE EUROPEAN UNION,

Having regard to the Treaty establishing the European Community, and in particular Article 28 thereof,

Having regard to the proposal from the Commission,

Whereas production in the Community of certain agricultural and industrial products will be insufficient to meet the specific requirements of the user industries in the Community; whereas, consequently, Community supplies of products of this type will depend to a considerable extent on imports from third countries; whereas the most urgent Community requirements for the products in question should be met immediately on the most favourable terms; whereas Community tariff quotas at reduced or zero duty should therefore be opened within the limits of appropriate volumes taking account of the need not to disturb the markets for such products nor the starting out or development of Community production;

Whereas it is necessary, in particular, to ensure for all Community importers equal and uninterrupted access to the said quotas and to ensure the uninterrupted application of the rates laid down for the quotas to all imports of the products concerned into all Member States until the quotas have been used up;

Whereas the decision for the opening of autonomous tariff quotas should be taken by the Community; whereas, to ensure the efficiency of a common administration of these quotas, there is no reasonable obstacle to authorizing the Member States to draw from the quota-volumes the necessary quantities corresponding to actual imports; whereas, however, this method of administration requires close cooperation between the Member States and the Commission and the latter must in particular be able to monitor the rate at which the quotas are used up and inform the Member States accordingly;

Whereas production in the Community of certain industrial products will remain, in the course of 1996, unable to meet the specific requirements of the user industries in the Community; whereas, consequently, Community supplies of products of this type will depend to a considerable extent on imports from third countries; whereas the most urgent Community requirements for the products in question should be met immediately on the most favourable terms;

Whereas, by Regulation (EC) No 3059/95 ⁽¹⁾, the Council opened, for 1996, Community tariff quotas for certain agricultural and industrial products; whereas the volume of the quota for ferro-chromium (Order No 09.2711), for isopropylidene-bis (Order No 09.2859) and for oscillator (Order No 09.2939) should be increased;

Whereas the existing regulations opening autonomous Common Customs Tariff duties on certain industrial and agricultural products have largely renewed previous measures; whereas, therefore, in the interests of rationalizing implementation of the measures concerned, it would seem appropriate not to limit the period of validity of this Regulation as its scope can be adapted and products added to or removed from the list through a Council regulation, if necessary; whereas the transfer of unused quantities from one quota period to a subsequent one is not permissible;

⁽¹⁾ OJ No L 326, 30. 12. 1995, p. 19. Regulation as amended by Regulation (EC) No 1535/96 (OJ No L 191, 1. 8. 1996, p. 16).

▼B

Whereas the amendments to the combined nomenclature and the Taric codes do not give rise to any substantive amendment; whereas, for reasons of simplification, provision should be made to empower the Commission, following receipt of the opinion of the Customs Code Committee, to make the necessary amendments and technical adaptations of the Annex to this Regulation, including the publication of a consolidated version;

Whereas it should be possible for this procedure to be applied in order to speed up the procedure where it becomes clear during a calendar year that an increase of a tariff quota or extension of a quota period is required; whereas such measures shall be considered to be temporary ones pending expiry of the relevant calendar year,

HAS ADOPTED THIS REGULATION:

*Article 1***▼M24**

1. The import duties on the goods listed in Annexes I and III shall be suspended at the indicated duty rate for the periods and in the amounts indicated therein.

▼B

2. In Regulation (EC) No 3059/95, the table shown in the Annex shall be replaced, for Order Nos 09.2711, 09.2859 and 09.2939, by the table shown in Annex II to this Regulation.

Article 2

The tariff quotas referred to in Article 1 shall be managed by the Commission, which may take all appropriate administrative measures in order to ensure effective administration thereof.

Article 3

If an importer presents in a Member State an entry for release for free circulation, including a request for preferential benefit for a product covered by this Regulation and if this entry for release is accepted by the customs authorities, the Member States concerned shall inform the Commission and draw an amount corresponding to its requirements from the corresponding quota amount.

The drawing request, with indication of the date of acceptance of the said entries, must be transmitted to the Commission without delay.

The drawings are granted by the Commission by reference to the date of acceptance of the entries for release for free circulation by the customs authorities of the Member States concerned to the extent that the available balance so permits.

If a Member State does not use the quantities drawn it shall return them as soon as possible to the corresponding quota amount.

If the quantities requested are greater than the available balance of the quota amount, allocation shall be made on a pro rata basis with respect to the requests. Member States shall be informed by the Commission of the drawings made.

Article 4

Each Member State shall ensure that importers of the products concerned have equal and uninterrupted access to the quotas for such time as the residual balance of the quota volumes so permits.

Article 5

The Member States and the Commission shall cooperate closely to ensure that this Regulation is complied with.

▼B*Article 6*

The amendments and technical adaptations, including the publication of a consolidated version, arising from amendments of the combined nomenclature and Taric codes shall be adopted by the Commission in accordance with the procedure laid down in Article 7.

If it becomes apparent during a calendar year:

- a quota quantity is not sufficient to satisfy the needs of the Community industry, taking into account the production capacity inside the Community, or
- a prolongation of a tariff quota whose validity period has been limited is necessary beyond this period to satisfy the needs of the Community industry, taking into account the production capacity inside the Community,

the quota concerned may, until the end of the calendar year, be increased by not more than 50 % or the quota period extended for a period not exceeding six months in accordance with the procedure laid down in Article 7.

Article 7

1. The Commission shall be assisted by the Customs Code Committee set up by Article 247 of Council Regulation (EEC) No 2913/92 ⁽¹⁾.

2. The representative of the Commission shall submit to the Committee a draft of the measures to be adopted. The Committee shall deliver its opinion on the draft within a time limit which the chairman may lay down according to the urgency of the matter. The opinion shall be delivered by the majority laid down in Article 148 (2) of the Treaty in the case of decisions which the Council is required to adopt on a proposal from the Commission. The votes of the representatives of the Member States within the Committee shall be weighted in the manner set out in that Article. The chairman shall not vote.

The Commission shall adopt measures, which shall apply immediately. However, if those measures are not in accordance with the opinion of the Committee, they shall be communicated by the Commission to the Council forthwith. In that event the Commission shall defer application of the measures upon which it has decided for three months from the date of such communication.

The Council, acting by qualified majority, may take a different decision within the time limit referred to in the previous paragraph.

3. The Committee may examine any question concerning the application of this Regulation which is raised by its chairman, either on his own initiative or at the request of a Member State.

Article 8

This Regulation shall enter into force on the seventh day following its publication in the *Official Journal of the European Communities*.

It shall apply from 1 January 1997 with respect to Annex I and from 1 January 1996 with respect to Annex II.

This Regulation shall be binding in its entirety and directly applicable in all Member States.

⁽¹⁾ OJ No L 302, 19. 10. 1992, p. 1. Regulation as amended by the 1994 Act of Accession.

ANNEX I

Order No	CIN code	Taric code	Description	Amount of quota	Quota duty (%)	Quota period
09.2602	ex 2921 51 19	10	o-phenylenediamine	1 800 tonnes	0	1.1 to 31.12
09.2603	ex 2931 00 95	15	Bis(3-triethoxysilylpropyl) tetrasulfide	2 000 tonnes	0	1.1 to 31.12
09.2604	ex 3905 30 00	10	Poly(vinyl alcohol) partially acetalised with 5-(4-azido-2-sulfobenzylidene)-3-(formylpropyl)-rhodamine, sodium salt	100 tonnes	0	1.1 to 31.12
09.2605	ex 3824 90 99	78	Silver and palladium based chemical dispersion of a kind used for screen coatings, having a content not exceeding 0,4 % by weight of silver and palladium each	80 000 litres	0	1.1 to 31.12
09.2606	ex 3824 90 99	79	Silica sol for use as polishing agent in the manufacture of products falling within subheading 8542 21 01 ^(a)	1 200 tonnes	0	1.1 to 31.12
09.2607	ex 2922 50 00	60	Fesoterodine (INN) hydrogen fumarate	30 kg	0	1.1 to 31.12
09.2609	ex 2811 22 00	20	Fumed silica for use as a polish agent in the manufacture of products falling within subheading 8542 21 01 ^(a)	1 000 tonnes	0	1.1 to 31.12
09.2610	ex 2925 20 00	20	(Chloromethylene)dimethylammonium chloride	100 tonnes	0	1.1 to 31.12
09.2611	ex 2826 19 00	10	Calcium fluoride having a total content of aluminium, magnesium and sodium of 0,25 mg/kg or less, in the form of powder	55 tonnes	0	1.1 to 31.12

▼ M24

Order No	CN code	Taric code	Description	Amount of quota	Quota duty (%)	Quota period
09.2612	ex 2921 59 90	30	3,3'-dichlorobenzidine dihydrochloride	► M25 150 ◀ tonnes	3,5	1.1 to 30.6.2003
				150 tonnes	3,5	1.7 to 31.12.2003
09.2613	ex 2932 99 70	40	1,3,2,4-to-O-(3,4-dimethylbenzylidene)-D-glucitol	125 tonnes	3,3	1.7 to 31.12.2003
09.2614	ex 7011 20 00	85	Glass face-plate with a major diagonal measurement from the outer edge to the outer edge of 91,8 (± 0,2) cm and having a light transmission of 78 (± 3) % by a reference glass thickness of 11,43 mm	100 000 units	0	1.7 to 31.12.2003
09.2615	ex 2934 99 90	70	Ribonucleic acid	55 tonnes	0	1.7 to 31.12.2003
09.2916	ex 3910 00 00	30	Polydimethylsiloxane with a degree of polymerisation of 2 800 monomer units (± 100)	650 tonnes	0	1.7 to 31.12.2003
09.2703	ex 2825 30 00	10	Vanadium oxides and hydroxides, only for the production of alloys (*)	13 000 tonnes	0	1.1 to 31.12
09.2711	ex 7202 41 10 ex 7202 41 91 ex 7202 41 99	10 10 10	Ferro-chromium containing by weight more than 4 % of carbon for the manufacture or as additive of iron or steel of Chapter 72 or for the manufacture of nickel alloys of Chapter 75 of Combined Nomenclature (*)	250 000 tonnes	0	1.1 to 31.12
09.2713	ex 2008 60 19 ex 2008 60 39	10 11/19	Sweet cherries, marinated in alcohol, of a diameter not exceeding 19,9 mm, stoned, intended for the manufacture of chocolate products (*): — with a sugar content exceeding 9 % by weight — with a sugar content not exceeding 9 % by weight	2 000 tonnes	10 (*) 10	1.1 to 31.12
09.2719	ex 2008 60 19 ex 2008 60 39	20 20	Sour cherries (<i>Prunus cerasus</i>), marinated in alcohol, of a diameter not exceeding 19,9 mm, intended for the manufacture of chocolate products (*): — with a sugar content exceeding 9 % by weight — with a sugar content not exceeding 9 % by weight	2 000 tonnes	10 (*) 10	1.1 to 31.12
09.2727	ex 3902 90 90	93	Synthetic poly-alpha-olefin having a viscosity of not less than $38 \times 10^{-6} \text{ m}^2 \text{ s}^{-1}$ (38 centistokes) at 100 °C, measured using the ASTM D 445 method	10 000 tonnes	0	1.1 to 31.12

▼ M26

▼ M24

Order No	CN code	Taric code	Description	Amount of quota	Quota duty (%)	Quota period
09.2799	ex 7202 49 90	10	Ferro-chromium containing 1,5 % or more but not more than 4 % by weight of carbon and not more than 70 % by weight of chromium	50 000 tonnes	0	1.1 to 31.12
09.2809	ex 3802 90 00	10	Acid-activated montmorillonite for the manufacture of self-copy paper (*)	10 000 tonnes	0	1.1 to 31.12
09.2829	ex 3824 90 99	19	Solid extract of the residual insoluble in aliphatic solvents obtained during the extraction of resin from wood, having the following characteristics: — a resin acid content not exceeding 30 % by weight — an acid number not exceeding 110, and — melting point of not less than 100 °C	1 600 tonnes	0	1.1 to 31.12
09.2837	ex 2903 49 80	10	Bromochloromethane	450 tonnes	0	1.1 to 31.12
09.2841	ex 2712 90 99	10	Blend of 1-alkenes containing 80 % by weight or more of 1-alkenes of a chain-length of 20 and 22 carbon atoms	10 000 tonnes	0	1.1 to 31.12
09.2849	ex 0710 80 69	10	Mushrooms of the species <i>Auricularia polytricha</i> (uncooked or cooked by steaming or boiling), frozen, for the manufacture of prepared meals (*) (b)	700 tonnes	0	1.1 to 31.12
09.2851	ex 2907 12 00	10	o-Cresol having a purity of not less than 98,5 % by weight	20 000 tonnes	0	1.1 to 31.12
09.2853	ex 2930 90 70	35	Glutathione	15 tonnes	0	1.1 to 31.12
09.2867	ex 3207 40 80	10	Glass granulate, containing by weight: — 73 % or more but not more than 77 % of silicon dioxide, — 12 % or more but not more than 18 % of diboron trioxide, and — 4 % or more but not more than 8 % of polyethylene glycol	200 tonnes	0	1.1 to 30.6.2003
09.2881	ex 3901 90 90	92	Chlorosulphonated polyethylene	6 000 tonnes	0	1.1 to 31.12
09.2882	ex 2908 90 00	20	2,4-Dichloro-3-ethyl-6-nitrophenol, powdered	90 tonnes	0	1.1 to 31.12
09.2889	3805 10 90	—	Sulphate turpentine	20 000 tonnes	0	1.1 to 31.12

Order No	CN code	Taric code	Description	Amount of quota	Quota duty (%)	Quota period
09.2890	ex 4819 40 00	10	Sack of paper, printed, having dimensions of 139 mm × 303 mm (± 20 mm), for use in the packaging of microwave-popcorn (*)	66 000 000 units	0	1.1 to 31.12.2003
09.2902	ex 8540 11 15	91	Flat screen colour cathode-ray tube with a screen width/height ratio of 4/3, a diagonal measurement of the screen of 59 cm or more but not exceeding 61 cm and a curvature radius of 50 m or more	► M26 20 000 ◄ units	7	1.1 to 30.6.2003
09.2904	ex 8540 11 19	95	Flat screen colour cathode-ray tube with a screen width/height ratio of 4/3, a diagonal measurement of the screen of 79 cm or more but not exceeding 81 cm and a curvature radius of 50 m or more	13 000 units	7	1.7 to 31.12.2003
09.2913	ex 2401 10 41 ex 2401 10 49 ex 2401 10 50 ex 2401 10 70 ex 2401 10 90 ex 2401 20 41 ex 2401 20 49 ex 2401 20 50 ex 2401 20 70 ex 2401 20 90	10	Natural unmanufactured tobacco, whether or not cut in regular size, having a custom value of not less than EUR 450 per 100 kg net weight, for use as binder or wrapper for the manufacture of products falling within subheading 2402 10 00 (*)	► M26 8 500 ◄ units	0	1.1 to 31.12.2003
09.2914	ex 3824 90 99	26	Aqueous solution containing by weight not less than 40 % of dry betaine-extract and 5 % or more but not more than 30 % by weight of organic or inorganic salts	6 000 tonnes	0	1.1 to 31.12
09.2915	ex 3824 90 99	27	Silicon dioxide having a purity of 99 % or more by weight, in the form of spherical particles dispersed in monoethylene glycol	38 000 tonnes	0	1.1 to 31.12
09.2917	2930 90 14	—	Cystine	60 tonnes	0	1.1 to 31.12
09.2918	ex 2910 90 00	50	1,2-Epoxybutan	600 tonnes	0	1.1 to 31.12
09.2919	ex 8708 29 90	10	Folding bellows for the manufacture of articulated buses (*)	500 tonnes	0	1.1 to 31.12
				2 600 units	0	1.1 to 31.12

▼ **M24**▼ **M26**▼ **M24**

▼ M24

Order No	CN code	Taric code	Description	Amount of quota	Quota duty (%)	Quota period
09.2933	ex 2903 69 90	30	1,3-Dichlorobenzene	2 600 tonnes	0	1.1 to 31.12
09.2935	3806 10 10	—	Rosin and resin acids, obtained from fresh oleoresins	► M26 120 000 ◀ tonnes	0	1.1 to 30.6
09.2935	3806 10 10	—	Rosin and resin acids, obtained from fresh oleoresins	► M27 90 000 ◀ tonnes	0	1.7 to 31.12.2003
09.2945	ex 2940 00 90	10	D-Xylose	400 tonnes	0	1.1 to 31.12
09.2947	ex 3904 69 90	95	Poly(vinylidene fluoride), in powder form, for the preparation of paint or varnish for coating metal (*)	1 300 tonnes	0	1.1 to 31.12
09.2950	ex 2905 59 10	10	2-Chloroethanol, for the manufacture of liquid thioplasts of subheading 4002 99 90 (*)	6 500 tonnes	0	1.1 to 31.12
09.2954	ex 2926 90 95	55	3-[Trifluoromethyl] phenylacetone	100 tonnes	0	1.1 to 31.12
09.2955	ex 2932 19 00	60	Flutamide (ISO)	300 tonnes	0	1.1 to 31.12
09.2957	ex 8507 90 98	10	Stamped cylindrical can, in non-alloy steel, post-nickel-plated, for an accumulator, of a diameter of 13 mm or more but not exceeding 17 mm, and of a height of 27 mm or more but not exceeding 70 mm	70 000 000 units	0	1.1 to 31.12
09.2959	ex 4804 41 91 ex 4804 41 99 ex 4804 51 90	10 10 10	Kraft paper and paperboard, weighing more than 150 g/m ² , only consisting of unbleached virgin fibres obtained by the chemical sulphate process, for the manufacture of products falling within heading 3921 (*)	70 000 tonnes	0	1.1 to 31.12.2003
09.2964	ex 5502 00 80	20	Filament tow of cellulose produced by organic solvent spinning (Lyocell), for use in the paper industry (*)	1 200 tonnes	0	1.1 to 31.12
09.2966	ex 2839 19 00	20	Crystalline disodium disilicate, containing by weight: — 59 % or more of silicon-dioxide, and — 30 % or more of disodium oxide	12 000 tonnes	0	1.1 to 31.12
09.2975	ex 2918 30 00	10	Benzophenone-3,3',4,4'-tetracarboxylic dianhydride	500 tonnes	0	1.1 to 31.12

Order No	CN code	Taric code	Description	Amount of quota	Quota duty (%)	Quota period
▼ <u>M24</u>	09.2976	ex 8407 90 10	Four-stroke petrol engines of a cylinder capacity not exceeding 250 cm ³ , for use in the manufacture of lawnmowers of subheading 8433 11 ⁽⁴⁾	650 000 units ⁽¹⁾	0	1.7.2002 to 30.6.2003
				650 000 units	0	1.7.2003 to 30.6.2004
▼ <u>M24</u>	09.2978	ex 4804 52 90	Kraft paper and paperboard, bleached uniformly throughout the mass, weighing 250 g/m ² or more, for use in the manufacture of liquid food containers ⁽⁴⁾	48 000 tonnes	0	1.1 to 31.12.2003
	09.2979	ex 7011 20 00	Glass face-plate with a major diagonal measurement from the outer edge to the outer edge of 81,5 cm (± 0,2 cm) and having a light transmission of 80 % (± 3 %) by a reference thickness of the glass of 11,43 mm	► <u>M27</u> 800 000 ◄ units	0	1.1 to 31.12.2003
▼ <u>M24</u>	09.2980	ex 4810 32 10	Kraft paper and paperboard, in rolls, bleached uniformly throughout the mass, coated on one side with kaolin and/or calcium carbonate, weighing more than 150 g/m ² but less than 400 g/m ² , for use in the manufacture of liquid food containers ⁽⁴⁾	52 000 tonnes	0	1.1 to 31.12.2003
		ex 4810 32 90				
	09.2981	ex 8407 33 90 ex 8407 90 80 ex 8407 90 90	Spark-ignition reciprocating or rotary internal combustion piston engines, having a cylinder capacity of not less than 300 cm ³ and a power of not less than 6 but not exceeding 15,5 kW, for the manufacture of: — self-propelled lawn mowers, with a seat of subheading 8433 11 51 — tractors of subheading 8701 90 11, having the main function of a lawn mower or — four-stroke mowers with motor of a nominal cylinder capacity of 480 cm ³ of subheading 8433 20 10 ⁽⁴⁾	210 000 units	0	1.1 to 31.12
09.2985	ex 8540 91 00	33	Flat masks of a length of 685,6 mm (± 0,2 mm) or 687,2 mm (± 0,2 mm) and a height of 406,9 mm (± 0,2 mm) or 408,9 mm (± 0,2 mm), with a width of the slots at the end of the central vertical axe of 174 µm (± 8 µm)	► <u>M27</u> 600 000 ◄ units	0	1.1 to 31.12.2003

▼ M24

Order No	CN code	Taric code	Description	Amount of quota	Quota duty (%)	Quota period
09.2986	ex 3824 90 99	76	Mixture of tertiary amines containing: — 60 % by weight of dodecyl(dimethyl)amine, or more — 20 % by weight of dimethyl(tetradecyl)amine, or more — 0,5 % by weight of hexadecyl(dimethyl)amine, or more	14 000 tonnes	0	1.1 to 31.12
09.2988	ex 4804 31 51 ex 4804 31 90 ex 4805 91 99 ex 4805 92 99 ex 4823 90 50 ex 4823 90 90	10 10 10 10 30 13	Paper of a kind used for the production of electrolytic capacitors (condensator paper), made up from materials other than made up exclusively from esparto, containing not more than 5 mg/kg of sulphate and not more than 1 mg/kg of chlorine, having a thickness of 25 µm or more but not exceeding 100 µm and a width of not more than 800 mm	1 500 tonnes	0	1.1 to 31.12.2003
09.2991	ex 2846 90 00	20	Rare earth chloride, containing by weight 57 % or more of lanthanum trichloride heptahydrate, in solid form	5 300 tonnes	0	1.1 to 31.12
09.2992	ex 3902 30 00	93	Propylene-butylene copolymer, containing by weight not less than 60 % but not more than 68 % of propylene and not less than 32 % but not more than 40 % of butylene, of a melt viscosity not exceeding 3 000 mPA at 190 °C, as determined by the ASTM D 3236 method, for use as an adhesive in the manufacture of products falling within subheading 4818 40 (°)	1 000 tonnes	0	1.1 to 31.12
09.2993	ex 3920 10 28	93	Polyethylene film with a thickness of not more than 23 µm but not exceeding 27 µm, with a weight of not more than 32 g/m ² but not exceeding 42 g/m ² and with a water vapour permeability of not less than 900 g/m ² per day	120 000 000 m ²	0	1.1 to 31.12
09.2995	ex 8536 90 85 ex 8538 90 99	95 93	Keypads, — comprising a layer of silicone and polycarbonate keytops, or — wholly of silicone or wholly of polycarbonate, including printed keys, for the manufacture or repair of mobile radio-telephones of subheading 8525 20 91 (°)	20 000 000 units	0	1.1 to 31.12
09.2998	ex 2924 29 95	80	5'-Chloro-3-hydroxy-2',4'-dimethoxy-2-naphthamide	26 tonnes	0	1.1 to 31.12
09.2999	ex 7011 20 00	10	Glass face-plate with a major diagonal measurement from the outer edge to the outer edge of 72,4 cm (± 0,2 cm) and having a light transmission of 80 % (± 3 %) by a reference thickness of the glass of 11,43 mm	600 000 units	0	1.1 to 31.12

▼ M24

- (^a) Control of the use for this special purpose shall be carried out pursuant to the relevant Community provisions.
- (^b) However, the tariff quota is not allowed where processing is carried out by retail or catering undertakings.
- (^c) The quantities of goods subject to this quota and released for free circulation as from 1 July 2002, as provided for in Regulation (EC) No 1824/2002, shall be fully counted against this quantity.
- (^d) The specific additional duty is applicable.

ANNEX II

Order No	CN code	Taric code	Description	Amount of quota	Quota duty (%)	Quota period
09.2711	7202 41 10 7202 41 91 7202 41 99	—	Ferro-chromium — containing by weight more than 4 % of carbon	770 000 tonnes	0	1. 1 - 31. 12. 1996
09.2859	ex 2909 49 90	10	2,2″-Isopropylidene-bis (p-phenyleneoxy) diethanol solid form	1 300 tonnes	0	1. 1 - 31. 12. 1996
09.2939	8543 89 90	59	Voltage controlled oscillator (VCO), excluding temperature compensating oscillator, consisting of active and passive elements mounted on a printed circuit contained in a housing bearing: — an identification marking consisting of or including one of the following combinations of figures and letters: 1012TDK, 1019TDK, EK304, MQC403, MQC404, MQE001, MQE041, MQE042, MQE051, MQE201, MQE411, MQE501, URAE8X956A, URAB8, URAE8X960A, VD2S40, VD2S41, VD5S07 — or other identification markings relating to devices complying with the abovementioned description	6 870 000 units	0	1. 7 - 31. 12. 1996

ANNEX III

Order No	CN code	Taric code	Description	Amount of quota (tonnes)	Quota duty (%)	Quota period							
09.2921	ex 7209 16 90 ex 7209 17 90	10 10	Flat-rolled products of iron or non-alloy steel, of a width of 600 mm or more, cold-rolled (cold-reduced) not clad, plated or coated: of a thickness exceeding 1 mm but less than 3 mm of a thickness of 0,5 mm or more but not exceeding 1 mm ^(*)	360	0	1.1 to 31.12.2003							
							09.2922	ex 7219 32 10 ex 7219 33 10 ex 7219 34 10	11 12 11 12 11 12	Flat-rolled products of stainless steel, of a width of 600 mm or more not further worked than cold-rolled (cold-reduced): of a thickness of 3 mm or more but not exceeding 4,75 mm; containing by weight 2,5 % or more of nickel of a thickness exceeding 1 mm but less than 3 mm; containing by weight 2,5 % or more of nickel of a thickness of 0,5 mm or more but not exceeding 1 mm; containing by weight 2,5 % or more of nickel ^(*)	900	0	1.1 to 31.12.2003

Order No	CN code	Taric code	Description	Amount of quota (tonnes)	Quota duty (%)	Quota period
09.2927			0,03 % or less of sulphur 0,03 % or less of phosphorus 0,4 % or more but not more than 0,8 % of chrome 0,1 % or more but not more than 0,3 % of vanadium			
	ex 7219 33 10	13 14 15 16 17 18	Flat-rolled products of stainless steel, of a width of 600 mm or more not further worked than cold-rolled (cold-reduced): of a thickness exceeding 1 mm but less than 3 mm; containing by weight 2,5 % or more of nickel	1 200	0	1.1 to 31.12.2003
	ex 7219 34 10	13 14 15 16 17 18	of a thickness of 0,5 mm or more but not exceeding 1 mm; containing by weight 2,5 % or more of nickel ⁽⁴⁾			

⁽⁴⁾ The abovementioned products must, in addition, comply with the following physical specifications:

- (a) products with CN codes ex 7209 16 90 and ex 7209 17 90:
high carbon steel with a carbon content by weight of 0,64 % to 0,70 % for the production of assembly/conveyor belts with a permissible operating temperature of 400 °C. Tensile strength 1 200 N/mm² (± 10 %).
Other elements or properties following special technical specification (HM 1708);
- (b) products with CN codes ex 7219 32 10 11/12, ex 7219 33 10 11/12 and ex 7219 34 10 11/12:
'NICRO' stainless steel for the production of assembly/conveyor belts with a permissible operating temperature of 350 °C;
type (i) Tensile strength 1 050 N/mm² (± 10 %). Chemical composition: maximum carbon content 0,06 %, 13 % chromium content, 4 % nickel content; other elements or properties following special technical specification (HM 1708);
type (ii) Tensile strength 1 200 N/mm² (± 15 %). Chemical composition: maximum carbon content 0,15 %, 17 % chromium content, 7 % nickel content; other elements or properties following special technical specification (HM 1708);
- (c) products with CN codes ex 7219 33 10 13/14/15/16/17/18 and 7219 34 10 13/14/15/16/17/18:
stainless steel for the production of assembly/conveyor belts
type (i): Tensile strength 1 200 N/mm². Chemical composition: 0,1 % carbon content, 0,6 % silicon content, 1,4 % manganese content, 17,5 % chromium content, 7,5 % nickel content;
other elements or properties following special technical specification (HM 1712);
type (ii): Tensile strength 1 200 N/mm². Chemical composition: 0,06 % carbon content, 0,6 % silicon content, 1,4 % manganese content, 18,5 % chromium content, 8,5 % nickel content;

▼ **M24**

other elements or properties following special technical specification;
 type (iii): Tensile strength 1 000 N/mm². Chemical composition: 0,05 % carbon content, 1,7 % manganese content, 17,5 % chromium content, 12,5 % nickel content, 2,7 % molybdenum content;
 other elements or properties following special technical specification;
 type (iv): Tensile strength 1 080 N/mm². Chemical composition: maximum carbon content 0,05 %, maximum silicon content 1 %, 13 % chromium content, 4 % nickel content, 0,3 % titanium content;
 other elements or properties following special technical specification (HM 1710);
 type (v): Tensile strength 1 150 N/mm². Chemical composition: maximum carbon content 0,08 %, 1,5 % silicon content, 14 % chromium content, 7 % nickel content, 0,7 % copper content;
 other elements or properties following special technical specification (HM 1701);
 type (vi): Tensile strength 1 200 N/mm². Chemical composition: 0,03 % carbon content, 0,6 % silicon content, 15,25 % chromium content, 4,9 % nickel content, 3,25 % copper content;
 Other elements or properties following special technical specification.

Note: the composition of products (a), (b) and (c)(i) to (vi) may vary within the limits of the standards in force relating to analysis.