# [<sup>F1</sup>ANNEX III

## MONITORING SYSTEM

#### **Textual Amendments**

**F1** Substituted by Commission Regulation (EC) No 2245/2003 of 19 December 2003 amending Annex III to Regulation (EC) No 999/2001 of the European Parliament and of the Council as regards monitoring of transmissible spongiform encephalopathies in ovine and caprine animals.

## CHAPTER A

## I. MONITORING IN BOVINE ANIMALS

### 1. General

Monitoring in bovine animals shall be carried out in accordance with the laboratory methods laid down in Annex X, Chapter C, point 3(1)(b).

### [<sup>F2</sup>2. Monitoring in animals slaughtered for human consumption

- 2.1. All bovine animals over 24 months of age shall be tested for BSE where they have undergone:
- emergency slaughter in accordance with point 1 of Chapter VI of Section I of Annex III to Regulation (EC) No 853/2004<sup>(1)</sup>, or
- an ante mortem inspection with observations concerning accidents, or serious physiological and functional problems, or signs in accordance with point 2 of Part B of Chapter II of Section I of Annex I to Regulation (EC) No 854/2004<sup>(2)</sup>.
- 2.2. All healthy bovine animals over 30 months of age slaughtered normally for human consumption shall be tested for BSE.]

#### **Textual Amendments**

- **F2** Substituted by Commission Regulation (EU) No 630/2013 of 28 June 2013 amending the Annexes to Regulation (EC) No 999/2001 of the European Parliament and of the Council laying down rules for the prevention, control and eradication of certain transmissible spongiform encephalopathies (Text with EEA relevance).
- 3. Monitoring in animals not slaughtered for human consumption
- 3.1. All bovine animals over 24 months of age which have died or been killed but which were not:
- killed for destruction pursuant to Commission Regulation (EC) No  $716/96^{(3)}$ ,
- killed in the framework of an epidemic, such as foot-and-mouth disease,
- slaughtered for human consumption,

shall be tested for BSE.

3.2. Member States may decide to derogate from the provisions of point 3.1 in remote areas with a low animal density, where no collection of dead animals is organised. Member States making use of this derogation shall inform the Commission thereof, and submit

Status: Point in time view as at 01/01/2018.

Changes to legislation: There are currently no known outstanding effects for the Regulation (EC) No 999/2001 of the European Parliament and of the Council, ANNEX III. (See end of Document for details)

a list of the derogated areas. The derogation shall not cover more than 10 % of the bovine population in the Member State.

 $[^{F3}4.$  Monitoring in animals purchased for destruction pursuant to Regulation (EC) No 716/96

All animals born between 1 August 1995 and 1 August 1996 killed for destruction pursuant Regulation (EC) No 716/96 shall be tested for BSE.]

#### **Textual Amendments**

F3 Substituted by Commission Regulation (EC) No 657/2006 of 10 April 2006 amending Regulation (EC) No 999/2001 of the European Parliament and of the Council as regards the United Kingdom and repealing Council Decision 98/256/EC and Decisions 98/351/EC and 1999/514/EC (Text with EEA relevance).

#### 5. Monitoring in other animals

In addition to the testing referred to in points 2 to 4, Member States may on a voluntary basis decide to test other bovine animals on their territory, in particular where those animals originate from countries with indigenous BSE, have consumed potentially contaminated feedingstuffs or were born or derived from BSE infected dams.

- [<sup>F4</sup>6. Measures following testing
- 6.1. Where an animal slaughtered for human consumption has been selected for testing for BSE, the health marking provided for in Chapter III of Section I of Annex I to Regulation (EC) No 854/2004 shall not be carried out on the carcase of that animal until a negative result to the rapid test has been obtained.
- 6.2. Member States may derogate from point 6.1 where an official system is in place in the slaughterhouse ensuring that no parts of examined animals bearing the health mark leave the slaughterhouse until a negative result to the rapid test has been obtained.
- 6.3. All parts of the body of an animal tested for BSE including the hide shall be retained under official control until a negative result to the rapid test has been obtained, unless they are disposed of in accordance with Article 12(a) or (b) of Regulation (EC) No 1069/2009, or unless its fats are processed in accordance with Regulation (EU) No 142/2011 and used in accordance with Article 12(e) of Regulation (EC) No 1069/2009 or used for the manufacture of derived products referred to in Article 36 of that Regulation.
- 6.4. All parts of the body of an animal found positive or inconclusive to the rapid test including the hide shall be disposed of in accordance with Article 12(a) or (b) of Regulation (EC) No 1069/2009, apart from material to be retained in conjunction with the records provided for in Chapter B, Part III of this Annex, and apart from the fats obtained from such a body, provided that these fats are processed in accordance with Regulation (EU) No 142/2011 and used in accordance with Article 12(e) of Regulation (EC) No 1069/2009 or used for the manufacture of derived products referred to in Article 36 of that Regulation.
- 6.5. Where an animal slaughtered for human consumption is found positive or inconclusive to the rapid test, at least the carcase immediately preceding and the two carcases immediately following the animal tested positive or inconclusive on the same slaughter line shall be destroyed in accordance with point 6.4.

By way of derogation from the first paragraph of this point, Member States may decide to destroy the aforementioned carcases only if the result of the rapid test is confirmed to be positive or inconclusive by confirmatory examinations referred to in Annex X, Chapter C, point 3.1(b).

6.6. Member States may derogate from the provisions of point 6.5 where a system is in place in the slaughterhouse preventing contamination between carcases.]

#### **Textual Amendments**

- **F4** Substituted by Commission Regulation (EU) 2016/1396 of 18 August 2016 amending certain Annexes to Regulation (No 999/2001 of the European Parliament and of the Council laying down rules for the prevention, control and eradication of certain transmissible spongiform encephalopathies (Text with EEA relevance).
- [<sup>F5</sup>7. Revision of the annual monitoring programmes concerning BSE (BSE monitoring programmes), as provided for in Article 6(1b)
- 7.1. Member States' applications

Applications submitted to the Commission by Member States for revision of their annual BSE monitoring programme shall include at least the following:

- (a) information on the annual BSE monitoring system in place during the previous sixyear period within the territory of the Member State, including detailed documentation proving compliance with the epidemiological criteria set out in point 7.2;
- (b) information on the bovine identification and traceability system, as referred to in point (b) of the third subparagraph of Article 6(1b), in place during the previous six-year period within the territory of the Member State, including a detailed description of the functioning of the computerised database as referred to in Article 5 of Regulation (EC) No 1760/2000 of the European Parliament and of the Council<sup>(4)</sup>
- (c) information on prohibitions concerning animal feeding during the previous six-year period within the territory of the Member State, including a detailed description of the enforcement of the feed ban for farmed animals, as referred to in point (c) of the third subparagraph of Article 6(1b), including the sampling plan and the number and type of infringements found and the follow-up results;
- (d) a detailed description of the proposed revised BSE monitoring programme that includes the geographical area in which the programme is to be implemented and a description of subpopulations of bovine animals to be covered by the BSE revised monitoring programme, including indications of the age limits and the sample sizes for testing;
- (e) the result of a comprehensive risk analysis showing that the revised BSE monitoring programme will ensure the protection of human and animal health. This risk analysis shall include a birth cohort analysis or other relevant studies aiming to demonstrate that the TSE risk reducing measures, including the feeding prohibitions as referred to in point (c) of the third subparagraph of Article 6(1b), have been implemented in an efficient way.
- 7.2. Epidemiological criteria

Applications for revision of a BSE monitoring programme may only be accepted if the Member State concerned can demonstrate that, in addition to the requirements laid down in points (a),

<i>Status:</i> Point in time view as at 01/01/2018.
Changes to legislation: There are currently no known outstanding effects for the Regulation (EC) No
999/2001 of the European Parliament and of the Council. ANNEX III. (See end of Document for details)

(b) and (c) of the third subparagraph of Article 6(1b), the following epidemiological criteria are met within its territory:

(a) for a period of at least six consecutive years following the date of implementation of the Community BSE testing scheme as referred to in point (b) of the third subparagraph of Article 6(1b):

either

- (i) the average decrease of the annual BSE incidence rate observed within the adult bovine animal population (over 24 months of age) was superior to 20 %, and the total number of BSE affected cattle born after the implementation of the Community total feed ban for farmed animals, as referred to in point (c) of the third subparagraph of Article 6(1b), did not exceed 5 % of the total number of confirmed BSE cases;
  - or
- (ii) the annual observed BSE incidence rate within the adult bovine animal population (over 24 months of age) remained consistently less than 1/100 000;
  - or
- (iii) as a further option for a Member State with an adult bovine animal population (over 24 months of age) of less than 1 000 000 animals, the cumulated number of confirmed BSE cases remained under five;
- (b) following the six-year period referred to in point (a), there is no evidence that the BSE epidemiological situation is deteriorating.]

### **Textual Amendments**

F5 Inserted by Commission Regulation (EC) No 571/2008 of 19 June 2008 amending Annex III to Regulation (EC) No 999/2001 of the European Parliament and of the Council as regards the criteria for revision of the annual monitoring programmes concerning BSE (Text with EEA relevance).

## [<sup>F6</sup>[<sup>F7</sup>]]. MONITORING IN OVINE AND CAPRINE ANIMALS

### 1. General

Monitoring in ovine and caprine animals shall be carried out in accordance with the laboratory methods laid down in Annex X, Chapter C, point 3.2(b).

## [<sup>F2</sup>2. Monitoring in ovine and caprine animals slaughtered for human consumption

- (a) Member States in which the population of ewes and ewe lambs put to the ram exceeds 750 000 animals shall test, in accordance with the sampling rules set out in point 4, a minimum annual sample of 10 000 ovine animals slaughtered for human consumption;
- (b) Member States in which the population of goats which have already kidded and goats mated exceeds 750 000 animals shall test, in accordance with the sampling rules set out in point 4, a minimum annual sample of 10 000 caprine animals slaughtered for human consumption;
- (c) A Member State may choose to replace a maximum of:

#### Status: Point in time view as at 01/01/2018.

**Changes to legislation:** There are currently no known outstanding effects for the Regulation (EC) No 999/2001 of the European Parliament and of the Council, ANNEX III. (See end of Document for details)

- -- 50 % of its minimum sample size of ovine and caprine animals slaughtered for human consumption set out in points (a) and (b) by testing dead ovine or caprine animals over the age of 18 months at the ratio of one to one and in addition to the minimum sample size set out in point 3;
- 10 % of its minimum sample size set out in points (a) and (b) by testing ovine or caprine animals killed in the framework of a disease eradication campaign over the age of 18 months at the ratio of one to one.]
- 3. Monitoring in ovine and caprine animals not slaughtered for human consumption

Member States shall test, in accordance with the sampling rules set out in point 4 and the minimum sample sizes indicated in Table A and Table B, ovine and caprine animals which have died or been killed, but which were not:

- killed in the framework of a disease eradication campaign, or
- slaughtered for human consumption.

Member State population of ewes and ewe lambs put to the ram	Minimum sample size of dead ovine animals <sup>a</sup>
> 750 000	10 000
100 000750 000	1 500
40 000100 000	100 % up to 500
< 40 000	100 % up to 100

#### TABLE A

**a** Minimum sample sizes are set to take account of the size of the ovine populations in the individual Member States and are intended to provide achievable targets.

### TABLE B

Member State population of goats which have already kidded and goats mated	Minimum sample size of dead caprine animals <sup>a</sup>
> 750 000	10 000
250 000750 000	1 500
40 000250 000	100 % up to 500
< 40 000	100 % up to 100

**a** Minimum sample sizes are set to take account of the size of the caprine population in the individual Member States and are intended to provide achievable targets.

4. Sampling rules applicable to the animals referred to in points 2 and 3

The animals shall be over 18 months of age or have more than two permanent incisors erupted through the gum.

The age of the animals shall be estimated on the basis of dentition, obvious signs of maturity, or any other reliable information.

The sample selection shall be designed with a view to avoid the over-representation of any group as regards the origin, age, breed, production type or any other characteristic.

<b>Status:</b> Point in time view as at 01/01/2018.
Changes to legislation: There are currently no known outstanding effects for the Regulation (EC) No
999/2001 of the European Parliament and of the Council, ANNEX III. (See end of Document for details)

The sampling shall be representative for each region and season. Multiple sampling in the same flock shall be avoided, wherever possible. Member States shall aim their monitoring programmes to achieve, wherever possible, that in successive sampling years all officially registered holdings with more than 100 animals and where TSE cases have never been detected are subject to TSE testing.

The Member States shall put in place a system to check, on a targeted or other basis, that animals are not being diverted from sampling.

However, Member States may decide to exclude from the sampling remote areas with a low animal density, where no collection of dead animals is organised. Member States making use of this derogation shall inform the Commission thereof, and shall submit a list of those remote areas where the derogation applies. The derogation shall not cover more than 10 % of the ovine and caprine population in the Member State concerned.

## [<sup>F2</sup>5. Monitoring in holdings under TSE control and eradication measures

Animals over 18 months of age which are killed for destruction in accordance with Annex VII, Chapter B, Part 2, point 2.2.1. and point 2.2.2.(b) or (c), shall be tested for the presence of TSE in accordance with the laboratory methods and protocols set out in Annex X, Chapter C, Part 3, point 3.2.(b), based on the selection of a simple random sample, in accordance with the sample size set out in the following table.

Number of animals over 18 months of age killed for destruction in the herd or flock	Minimum sample size
70 or less	All eligible animals
80	68
90	73
100	78
120	86
140	92
160	97
180	101
200	105
250	112
300	117
350	121
400	124
450	127
500 or more	150]

6. Monitoring in other animals

In addition to the monitoring programmes set out in points 2, 3 and 4, Member States may on a voluntary basis carry out monitoring in other animals, in particular:

- animals used for dairy production,
- animals originating from countries with indigenous TSEs,
- animals which have consumed potentially contaminated feedingstuffs,
- animals born or derived from TSE infected dams.
- 7. Measures following testing of ovine and caprine animals
- 7.1. Where an ovine or caprine animal slaughtered for human consumption has been selected for TSE testing in accordance with point 2, its carcase shall not be marked with the health marking provided for in Section I, Chapter III of Annex I to Regulation (EC) No 854/2004 until a negative result to the rapid test has been obtained.
- 7.2. Member States may derogate from point 7.1. where a system approved by the competent authority is in place in the slaughterhouse ensuring that all parts of an animal can be traced and that no parts of the animals tested bearing the health mark can leave the slaughterhouse until a negative result to the rapid test has been obtained.
- [<sup>F47.3.</sup> All parts of the body of a tested animal, including the hide, shall be retained under official control until a negative result has been obtained to the rapid test, unless they are disposed of in accordance with Article 12(a) or (b) of Regulation (EC) No 1069/2009, or unless its fats are processed in accordance with Regulation (EU) No 142/2011 and used in accordance with Article 12(e) of Regulation (EC) No 1069/2009 or used for the manufacture of derived products referred to in Article 36 of that Regulation.
- 7.4. All parts of the body of an animal found positive to the rapid test, including the hide, shall be directly disposed of in accordance with Article 12(a) or (b) of Regulation (EC) No 1069/2009, apart from the material to be retained in conjunction with the records provided for in Chapter B, Part III of this Annex, and apart from rendered fats derived from such a body provided that these rendered fats are processed in accordance with Regulation (EU) No 142/2011 and used in accordance with Article 12(e) of Regulation (EC) No 1069/2009 or used for the manufacture of derived products referred to in Article 36 of that Regulation.]

#### [<sup>F8</sup>8. Genotyping

The prion protein genotype for the codons 136, 154 and 171 shall be determined for each positive TSE case in sheep. TSE cases found in sheep of genotypes which encode alanine on both alleles at codon 136, arginine on both alleles at codon 154 and arginine on both alleles at codon 171 shall immediately be reported to the Commission. Where the positive TSE case is an atypical scrapie case the prion protein genotype for the codon 141 shall also be determined.]]

#### **Textual Amendments**

**F8** Substituted by Commission Regulation (EU) 2017/894 of 24 May 2017 amending Annexes III and VII to Regulation (EC) No 999/2001 of the European Parliament and of the Council as regards the genotyping of ovine animals (Text with EEA relevance).

#### **Textual Amendments**

**F6** Substituted by Commission Regulation (EC) No 36/2005 of 12 January 2005 amending Annexes III and X to Regulation (EC) No 999/2001 of the European Parliament and of the Council as regards epidemio-

**Changes to legislation:** There are currently no known outstanding effects for the Regulation (EC) No 999/2001 of the European Parliament and of the Council, ANNEX III. (See end of Document for details)

surveillance for transmissible spongiform encephalopathies in bovine, ovine and caprine animals (Text with EEA relevance).

**F7** Substituted by Commission Regulation (EC) No 727/2007 of 26 June 2007 amending Annexes I, III, VII and X to Regulation (EC) No 999/2001 of the European Parliament and of the Council laying down rules for the prevention, control and eradication of certain transmissible spongiform encephalopathies (Text with EEA relevance).

## [<sup>F9</sup>III. MONITORING IN CERVIDS

### A. Three-year monitoring programme for chronic wasting disease (CWD)

- 1. General
- 1.1. The Member States which have a wild and/or farmed and/or semi-domesticated population of moose and/or reindeer (Estonia, Finland, Latvia, Lithuania, Poland and Sweden) shall carry out a three-year monitoring programme for CWD in cervids, from 1 January 2018 to 31 December 2020. The TSE tests performed for the purpose of this monitoring programme shall take place between 1 January 2018 and 31 December 2020, however, the collection of samples for the purpose of the monitoring programme may, however, start in 2017.
- 1.2. The three-year CWD monitoring programme shall cover the following cervid species:
- Eurasian tundra reindeer (*Rangifer tarandus tarandus*);
- Finnish forest reindeer (Rangifer tarandus fennicus);
- Moose (*Alces alces*);
- Roe deer (*Capreolus capreolus*);
- White-tailed deer (*Odocoileus virginianus*);
- Red deer (*Cervus elaphus*).
- 1.3. By way of derogation from point 1.2, a Member State may, based on a documented risk assessment submitted to the European Commission, select for the three-year CWD monitoring programme a subset of the species listed in that point.
- 2. Sampling design
- 2.1. The Member States referred to in point 1.1 shall identify Primary Sampling Units (PSU), which shall cover all territories in which cervid populations are present, using at least the following elements:
- (a) for farmed and captive cervids, each farm and each facility in which cervids are kept in an enclosed territory shall be considered as a PSU.
- (b) for wild and semi-domesticated cervids, PSU shall be defined geographically based on the following criteria:
  - (i) the areas in which wild and semi-domesticated animals of a species covered by the monitoring programme gather in at least a certain period of the year;
  - (ii) if no gathering takes place for a species, the areas delimited by natural or artificial barriers in which animals of the species covered by the monitoring programme are present;
  - (iii) the areas in which animals of the species covered by the monitoring programme are hunted and areas connected to other relevant activities related to the species covered by the monitoring programme.

- 2.2. The Member States referred to in point 1.1 shall select farmed, captive, wild and semi-domesticated cervids for TSE testing using the following two-stage sampling approach:
- (a) in the first stage, those Member States shall:
  - (i) for farmed and captive cervids:
    - select, on a random basis ensuring geographical representativeness, and if relevant taking into account relevant risk factors identified in a documented risk assessment carried out by the Member State, 100 PSU to be covered over the three-year period of the monitoring programme, or
    - if the Member State was unable to identify 100 PSU for farmed and captive cervids, select all PSU identified.
  - (ii) For wild and semi-domesticated cervids:
    - select, on a random basis ensuring geographical representativeness, and if relevant taking into account relevant risk factors identified in a documented risk assessment carried out by the Member State, 100 PSU to be covered over the three-year period of the monitoring programme, or
    - if the Member State was unable to identify 100 PSU for wild and semi-domesticated cervids, select all PSU identified.

## (b) in the second stage:

- (i) for farmed and captive cervids:
  - a Member State having selected 100 PSU shall, within every selected PSU, sample all animals belonging to the target groups listed under point 2.4.(a) over the three-year period until a target of 30 animals tested per PSU is reached. If however certain PSU are not be able to reach the target of 30 animals tested over the three-year period due to the limited size of their cervid population, the sampling of animals belonging to the target groups listed under point 2.4.(a) may continue in larger PSU even after having reached the target of 30 animals tested, with the objective of reaching a total number of up to 3 000 farmed and captive cervids, where possible, tested at national level over the three-year period of the monitoring programme;
  - a Member State having identified fewer than 100 PSU shall, within every PSU, sample all animals belonging to the target groups listed under point 2.4.(a) over the three-year period, with the objective of approaching a total number of up to 3 000 farmed and captive cervids, where possible, tested at national level over the three-year period of the monitoring programme.
- (ii) for wild and semi-domesticated cervids:
  - a Member State having selected 100 PSU shall, within every selected PSU, sample all animals belonging to the target groups listed under point 2.4.(b), over the three-year period until a target of 30 animals tested per PSU is reached, with the objective of reaching up to 3 000 wild and semi-domesticated cervids tested at national level over the three-year period;

Status: Point in time view as at 01/01/2018.

a Member State having identified fewer than 100 PSU shall, within every PSU, sample all animals belonging to the target groups listed under point 2.4.(b) over the three-year period, with the objective of approaching a total number of 3 000 wild and semi-domesticated cervids tested at national level over the three-year period of the monitoring programme.

- 2.3. All cervids selected must be over 12 months of age. The age shall be estimated on the basis of dentition, obvious signs of maturity, or any other reliable information.
- 2.4. The cervids must be selected from the following target groups:
- (a) for farmed and captive cervids:
  - fallen/culled farmed or captive cervids, defined as farmed or captive cervids found dead on the enclosed territory in which they are kept, during transport or at slaughterhouse, as well as farmed or captive cervids killed for health/ age reasons;
  - (ii) clinical/sick farmed or captive cervids, defined as farmed or captive cervids showing abnormal behavioural signs and/or locomotor disturbances and/or as being generally in poor condition;
  - (iii) slaughtered farmed cervids which have been declared unfit for human consumption;
  - (iv) slaughtered farmed cervids considered fit for human consumption if a Member State identifies fewer than 3 000 farmed and captive cervids from the groups (i) to (iii).
- (b) for wild and semi-domesticated cervids:
  - fallen/culled wild or semi-domesticated cervids, defined as cervids found dead in the wild as well as semi-domesticated cervids found dead or killed for health/age reasons;
  - (ii) road- or predator-injured or killed cervids, defined as wild or semidomesticated cervids hit by road vehicles, by trains or attacked by predators;
  - (iii) clinical/sick wild and semi-domesticated cervids, defined as wild and semidomesticated cervids which are observed as showing abnormal behavioural signs and/or locomotor disturbances and/or as being generally in poor health condition;
  - (iv) wild hunted cervids and slaughtered semi-domesticated cervids which have been declared unfit for human consumption;
  - (v) hunted wild game and slaughtered semi-domesticated cervids considered fit for human consumption if a Member State identifies fewer than 3 000 wild and semi-domesticated cervids from the groups (i) to (iv).
- 2.5. In case of a positive finding of TSE in a cervid, the number of samples from cervids collected in the zone where the positive TSE case was found must be increased, based on an assessment carried out by the Member State concerned.
- 3. Sampling and laboratory testing

3.1. For each cervid selected in accordance with point 2, a sample of obex shall be collected and tested for TSEs.

In addition, where feasible, a sample of one of the following tissues shall be collected in the following order of preference:

- (a) retropharyngeal lymph nodes;
- (b) tonsils;
- (c) other head lymph nodes.

For rapid testing a hemisection of obex shall be submitted in a fresh or frozen state. The remaining hemisection should be fixed. When collected, lymph nodes and tonsils should be fixed.

A portion of fresh tissue from each sample type shall be kept frozen until a negative result is obtained, in case bioassay is required.

- 3.2. Until the publication of guidelines on TSE testing in cervids of the EU Reference Laboratory for TSE, the following laboratory method shall be used for the purpose of the CWD monitoring programme:
- (a) rapid tests:

Rapid tests as referred to in point 4 of Chapter C of Annex X used for TSE detection in obex of bovine or small ruminant animals are considered suitable for TSE detection in obex of cervids. Rapid tests as referred to in point 4 of Chapter C of Annex X used for TSE detection in the lymph nodes of bovine or small ruminant animals are considered suitable for TSE detection in lymph nodes of cervids. Member States may also use immunohistochemistry for screening purposes for which purpose they shall satisfy a proficiency test organised by the EU Reference Laboratory for TSE.

(b) confirmatory tests:

When the result of the rapid test is inconclusive or positive, the sample shall be subjected to confirmatory examinations using at least one of the following methods and protocols as laid down in the latest edition of the Manual for diagnostic tests and vaccines for Terrestrial Animals of the World Organisation for Animal Health (OIE):

- the immunohistochemical (IHC) method;
- Western blot.

Where a Member State is unable to confirm a positive rapid test result, it shall send adequate tissue to the EU Reference laboratory for confirmation.

(c) isolate characterisation:

In the case of positive findings of TSE, further isolate characterisation should be undertaken, in consultation with the EU Reference Laboratory for TSE.

3.3. The prion protein genotype shall be determined for each positive finding of TSE in cervids.

In addition, for each cervid tested and found negative for TSE, either:

the prion protein genotype of the animal tested and found negative for TSE is determined, or

Status: Point in time view as at 01/01/2018.
<b>Changes to legislation:</b> There are currently no known outstanding effects for the Regulation (EC) No
999/2001 of the European Parliament and of the Council, ANNEX III. (See end of Document for details)

- a sample of a tissue, which may be the obex, shall be kept frozen until at least 31 December 2021, to allow for genotyping if so decided.

#### B. **Other monitoring in cervids**

Member States shall carry out additional monitoring for TSEs in cervids based on a risk assessment which may take into account the detection of a TSE in cervids in the same or neighbouring regions.

Member States other than those mentioned under point 1.1 of Part A may on a voluntary basis carry out monitoring for TSEs in cervids.

After the end of the three-year monitoring programme referred to in Part A, the Member States mentioned under point 1.1 may on a voluntary basis carry out monitoring for TSEs in cervids.]

#### Textual Amendments

**F9** Substituted by Commission Regulation (EU) 2017/1972 of 30 October 2017 amending Annexes I and III to Regulation (EC) No 999/2001 of the European Parliament and of the Council as regards a surveillance programme for chronic wasting disease in cervids in Estonia, Finland, Latvia, Lithuania, Poland and Sweden and repealing Commission Decision 2007/182/EC (Text with EEA relevance).

## [<sup>F10</sup>IV. MONITORING IN OTHER ANIMAL SPECIES

Member States may on a voluntary basis carry out monitoring for TSE in animal species other than bovine, ovine, caprine and cervid animals.]]

#### **Textual Amendments**

F10 Inserted by Commission Regulation (EU) 2017/1972 of 30 October 2017 amending Annexes I and III to Regulation (EC) No 999/2001 of the European Parliament and of the Council as regards a surveillance programme for chronic wasting disease in cervids in Estonia, Finland, Latvia, Lithuania, Poland and Sweden and repealing Commission Decision 2007/182/EC (Text with EEA relevance).

## [<sup>F11</sup>CHAPTER B

### **REPORTING AND RECORDING REQUIREMENTS**

I. REQUIREMENTS ON MEMBER STATES

# A. Information to be presented by Member States in their annual report as provided for in Article 6(4)

- 1. The number of suspected cases placed under official movement restrictions in accordance with Article 12(1), per animal species.
- 2. The number of suspected cases subject to laboratory examination in accordance with Article 12(2), per animal species, including the results of the rapid and confirmatory tests (number of positives and negatives) and, with regard to bovine animals, the age distribution of all tested animals. The age distribution should be grouped as follows: 'below 24 months', distribution per 12 months between 24 and 155 months, and 'above 155 months' of age.

- 3. The number of flocks where suspected cases in ovine and caprine animals have been reported and investigated pursuant to Article 12(1) and (2).
- 4. The number of bovine animals tested within each subpopulation referred to in Chapter A, Part I, points 2.1, 2.2, 3.1 and 5. The method of the sample selection, the results of the rapid and confirmatory tests and the age distribution of the tested animals grouped as set out in point 2 shall be provided.
- 5. The number of ovine and caprine animals and flocks tested within each subpopulation referred to in Chapter A, Part II, points 2, 3, 5 and 6 together with the method for sample selection and the results of the rapid and confirmatory tests.
- 6. The geographical distribution, including the country of origin if not the same as the reporting country, of positive cases of BSE and scrapie. The year, and where possible the month of birth shall be given for each TSE case in bovine, ovine and caprine animals. TSE cases which have been considered atypical shall be indicated. For scrapie cases, the results of the primary and secondary molecular testing, referred to in Annex X, Chapter C, point 3.2(c), shall be reported, where appropriate.
- [<sup>F9</sup>7. In animals other than bovine, ovine and caprine animals, as well as in cervids other than those covered by the three-year CWD monitoring programme referred to in Part III.A of Chapter A of this Annex, the number of samples and confirmed TSE cases per species.]
- [<sup>F8</sup>8. The genotype, and, where possible, the breed, of each ovine animal found positive to TSE and sampled in accordance with Chapter A, Part II, point 8.]
- [<sup>F10</sup>9. For Member States covered by the three-year CWD monitoring programme referred to in Part III.A of Chapter A of this Annex, the annual report for the years 2018, 2019 and 2020 shall include:
- (a) The number of cervid samples submitted for testing, by target group according to the following criteria:
  - primary Sampling Unit (PSU) identifier,
  - species,
  - management system: farmed, captive, wild or semi-domesticated,
  - target group,
  - sex,
- (b) The results of the rapid and confirmatory tests (number of positives and negatives) and, where applicable, of further isolate characterisation investigations, the tissue sampled and the rapid test and confirmatory technique used.
- (c) The geographical location, including the country of origin if not the same as the reporting Member State, of positive cases of TSE.
- (d) The genotype and species of each cervid found positive for TSE.
- (e) Where tested, the genotype of cervids tested and found negative for TSE.]

## B. **Reporting periods**

The compilation of reports containing the information referred to in Section A and submitted to the Commission (which shall send it to the European Food Safety Authority) on a monthly basis in the electronic format agreed between the Member States, the Commission and the European Food Safety Authority or, with regard to the information referred to in point 8 on a quarterly

Document Generated. 2024	07
<b>Status:</b> Point in time view as at 01/01/2018.	
<b>Changes to legislation:</b> There are currently no known outstanding effects for the Regulation (EC) No	
999/2001 of the European Parliament and of the Council, ANNEX III. (See end of Document for details)	

basis, may constitute the annual report as required by Article 6(4), provided that the information is updated whenever additional information becomes available.

# II. INFORMATION TO BE PRESENTED IN THE UNION SUMMARY REPORT

The Union summary shall be presented in a tabled format covering at least the information referred to in Part I.A for each Member State.

From 1 January 2016, the European Food Safety Authority shall analyse the information referred to in Part I and publish by the end of November a summary report on the trends and sources of Transmissible Spongiform Encephalopathies in the Union.

# III. RECORDS

- 1. The competent authority shall keep, for 7 years, records of the information referred to in Part I.A.
- 2. The investigating laboratory shall keep, for 7 years, all records of testing, in particular laboratory workbooks and, where appropriate, paraffin blocks and photographs of western blots.]]

# **Textual Amendments**

F11 Substituted by Commission Regulation (EU) 2016/27 of 13 January 2016 amending Annexes III and IV to Regulation (EC) No 999/2001 of the European Parliament and of the Council laying down rules for the prevention, control and eradication of certain transmissible spongiform encephalopathies.

- (1)  $[^{F1}[^{F2}OJ L 139, 30.4.2004, p. 55.]]$
- (2) [<sup>F1</sup>[<sup>F2</sup>OJ L 139, 30.4.2004, p. 206.]]
- (**3**) [<sup>F1</sup>OJ L 99, 20.4.1996, p. 14.]
- (4) [<sup>F1</sup>[<sup>F5</sup>OJ L 204, 11.8.2000, p. 1.]]

#### **Textual Amendments**

- **F1** Substituted by Commission Regulation (EC) No 2245/2003 of 19 December 2003 amending Annex III to Regulation (EC) No 999/2001 of the European Parliament and of the Council as regards monitoring of transmissible spongiform encephalopathies in ovine and caprine animals.
- F2 Substituted by Commission Regulation (EU) No 630/2013 of 28 June 2013 amending the Annexes to Regulation (EC) No 999/2001 of the European Parliament and of the Council laying down rules for the prevention, control and eradication of certain transmissible spongiform encephalopathies (Text with EEA relevance).
- F5 Inserted by Commission Regulation (EC) No 571/2008 of 19 June 2008 amending Annex III to Regulation (EC) No 999/2001 of the European Parliament and of the Council as regards the criteria for revision of the annual monitoring programmes concerning BSE (Text with EEA relevance).

## Status:

Point in time view as at 01/01/2018.

#### Changes to legislation:

There are currently no known outstanding effects for the Regulation (EC) No 999/2001 of the European Parliament and of the Council, ANNEX III.