

*Status: Point in time view as at 01/01/2005.*

*Changes to legislation: There are currently no known outstanding effects for the Regulation (EC) No 999/2001 of the European Parliament and of the Council, CHAPTER A. (See end of Document for details)*

## [<sup>F1</sup>ANNEX III U.K.]

### MONITORING SYSTEM

#### Textual Amendments

- F1** Substituted by Commission Regulation (EC) No 2245/2003 of 19 December 2003 amending Annex III to Regulation (EC) No 999/2001 of the European Parliament and of the Council as regards monitoring of transmissible spongiform encephalopathies in ovine and caprine animals.

## CHAPTER A U.K.

### I. MONITORING IN BOVINE ANIMALS U.K.

#### 1. General U.K.

Monitoring in bovine animals shall be carried out in accordance with the laboratory methods laid down in Annex X, Chapter C, point 3(1)(b).

#### 2. Monitoring in animals slaughtered for human consumption U.K.

##### 2.1. All bovine animals over 24 months of age: U.K.

- subject to ‘special emergency slaughtering’ as defined in Article 2(n) of Council Directive 64/433/EEC<sup>(1)</sup>, or
- slaughtered in accordance with Annex I, Chapter VI, point 28(c), to Directive 64/433/EEC, except animals without clinical signs of disease slaughtered in the context of a disease eradication campaign,

shall be tested for BSE.

##### 2.2. All bovine animals over 30 months of age: U.K.

- subject to normal slaughter for human consumption, or
- slaughtered in the context of a disease eradication campaign in accordance with Annex I, Chapter VI, point 28(c), to Directive 64/433/EEC, but showing no clinical signs of disease,

shall be tested for BSE.

2.3. By way of derogation from point 2.2, and with regard to bovine animals born, reared and slaughtered on its territory, Sweden may decide to examine only a random sample. The sample shall comprise at least 10 000 animals per year.

#### 3. Monitoring in animals not slaughtered for human consumption U.K.

##### 3.1. All bovine animals over 24 months of age which have died or been killed but which were not: U.K.

- killed for destruction pursuant to Commission Regulation (EC) No 716/96<sup>(2)</sup>,
- killed in the framework of an epidemic, such as foot-and-mouth disease,
- slaughtered for human consumption,

shall be tested for BSE.

3.2. Member States may decide to derogate from the provisions of point 3.1 in remote areas with a low animal density, where no collection of dead animals is organised. Member

*Status: Point in time view as at 01/01/2005.*

*Changes to legislation: There are currently no known outstanding effects for the Regulation (EC) No 999/2001 of the European Parliament and of the Council, CHAPTER A. (See end of Document for details)*

States making use of this derogation shall inform the Commission thereof, and submit a list of the derogated areas. The derogation shall not cover more than 10 % of the bovine population in the Member State.

4. Monitoring in animals purchased for destruction pursuant to Regulation (EC) No 716/96 **U.K.**
- 4.1. All animals subject to casualty slaughter or found sick at ante mortem inspection shall be tested for BSE.
- 4.2. All animals over 42 months of age born after 1 August 1996 shall be tested for BSE.
- 4.3. A random sample comprising at least 10 000 animals annually of animals not covered by point 4.1 or 4.2 shall be tested for BSE.
5. Monitoring in other animals **U.K.**

In addition to the testing referred to in points 2 to 4, Member States may on a voluntary basis decide to test other bovine animals on their territory, in particular where those animals originate from countries with indigenous BSE, have consumed potentially contaminated feedingstuffs or were born or derived from BSE infected dams.

6. Measures following testing **U.K.**
- 6.1. Where an animal slaughtered for human consumption has been selected for testing for BSE, the health marking provided for in Chapter XI of Annex I to Directive 64/433/EEC shall not be carried out on the carcase of that animal until a negative result to the rapid test has been obtained.
- 6.2. Member States may derogate from the provisions of point 6.1 where an official system is in place in the slaughterhouse ensuring that no parts of examined animals bearing the health mark leave the slaughterhouse until a negative result to the rapid test has been obtained.
- 6.3. All parts of the body of an animal tested for BSE including the hide shall be retained under official control until a negative result to the rapid test has been obtained, unless they are disposed of in accordance with Article 4(2)(a) and (b) of Regulation (EC) No 1774/2002 of the European Parliament and of the Council<sup>(3)</sup>.
- 6.4. All parts of the body of an animal found positive to the rapid test including the hide shall be disposed of in accordance with Article 4(2)(a) and (b) of Regulation (EC) No 1774/2002, apart from material to be retained in conjunction with the records provided for in Chapter B(III).
- 6.5. Where an animal slaughtered for human consumption is found positive to the rapid test, at least the carcase immediately preceding the test-positive carcase and two carcasses immediately following the test-positive carcase on the same slaughterline shall be destroyed in accordance with point 6.4, in addition to the test-positive carcase.
- 6.6. Member States may derogate from the provisions of point 6.5 where a system is in place in the slaughterhouse preventing contamination between carcase.
- II. MONITORING IN OVINE AND CAPRINE ANIMALS **U.K.**
1. General **U.K.**

Monitoring in ovine and caprine animals shall be carried out in accordance with the laboratory methods laid down in Annex X, Chapter C, point 3.2(b).

*Status: Point in time view as at 01/01/2005.*

*Changes to legislation: There are currently no known outstanding effects for the Regulation (EC) No 999/2001 of the European Parliament and of the Council, CHAPTER A. (See end of Document for details)*

2. Monitoring in ovine animals slaughtered for human consumption **U.K.**

Member States in which the population of ewes and ewe lambs put to the ram exceeds 750 000 animals shall test a minimum annual sample of 10 000 ovine animals which are slaughtered for human consumption<sup>(4)</sup>. The animals shall be over 18 months of age or have more than two permanent incisors erupted through the gum. The sampling shall be representative for each region and season. The sample selection shall be designed with a view to avoiding the over-representation of any group as regards the origin, age, breed, production type or any other characteristic. The age of the animals shall be estimated based on dentition, obvious signs of maturity or other reliable information. Multiple sampling in the same flock shall be avoided, where possible.

3. Monitoring in ovine and caprine animals not slaughtered for human consumption **U.K.**

Ovine and caprine animals over 18 months of age or which have more than two permanent incisors erupted through the gum which have died or been killed, but which were not:

- killed in the framework of a disease eradication campaign,
- slaughtered for human consumption,

shall be tested in accordance with the sample sizes indicated in table A and table B respectively. The sampling shall be representative for each region and season. The sample selection shall be designed with a view to avoiding the over-representation of any group as regards the origin, age, breed, production type or any other characteristic. The age of the animal shall be estimated based on dentition, obvious signs of maturity or other reliable information. Multiple sampling in the same flock shall be avoided, where possible. The Member State shall put in place a system to check, on a targeted or other basis, that animals are not being diverted from sampling

Member States may decide to exclude remote areas with a low animal density, where no collection of dead animals is organised, from the sampling. Member States making use of this derogation shall inform the Commission thereof, and submit a list of the derogated areas. The derogation shall not cover more than 10 % of the ovine and caprine population in the Member State.

TABLE A

| <b>Member State population of ewes and ewe lambs put to the ram</b> | <b>Minimum sample size of dead ovine animals<sup>a</sup></b> |
|---------------------------------------------------------------------|--------------------------------------------------------------|
| > 750 000                                                           | 10 000                                                       |
| 100 000750 000                                                      | 1 500                                                        |
| 40 000100 000                                                       | 500                                                          |
| < 40 000                                                            | 100                                                          |

**a** Sample sizes are set to take account of the size of the ovine populations in the individual Member States and are intended to provide achievable targets. The sample sizes of 10 000, 1 500, 500 and 100 animals will allow the detection of a prevalence of 0,03%, 0,2 %, 0,6 % and 3 % respectively with a 95 % confidence.

*Status: Point in time view as at 01/01/2005.**Changes to legislation: There are currently no known outstanding effects for the Regulation (EC) No 999/2001 of the European Parliament and of the Council, CHAPTER A. (See end of Document for details)*

TABLE B

| <b>Member State population of goats which have already kidded and goats mated</b> | <b>Minimum sample size of dead caprine animals<sup>a</sup></b> |
|-----------------------------------------------------------------------------------|----------------------------------------------------------------|
| > 750 000                                                                         | 5 000                                                          |
| 250 000/750 000                                                                   | 1 500                                                          |
| 40 000/250 000                                                                    | 500                                                            |
| < 40 000                                                                          | 50                                                             |

<sup>a</sup> Sample sizes are set to take account of the size of the caprine populations in the individual Member States and are intended to provide achievable targets. The sample sizes of 5 000, 1 500, 500 and 50 animals will allow the detection of a prevalence of 0,06 %, 0,2 %, 0,6 % and 6 % respectively with a 95 % confidence. Where a Member State experiences difficulty in collecting sufficient numbers of dead caprine animals to reach its allotted sample size, it may choose to supplement its sample by testing caprine animals slaughtered for human consumption over the age of 18 months at the ratio of three caprine animals slaughtered for human consumption to one dead caprine animal.

#### 4. Monitoring in infected flocks **U.K.**

From 1 October 2003, animals over 12 months or which have a permanent incisor erupted through the gum, which are killed in accordance with the provisions of Annex VII, point 2(b) (i) or (ii) or point 2(c), shall be tested based on the selection of a simple random sample, in accordance with the sample size indicated in the table

| <b>Number of culled animals over 12 months in the herd or flock</b> | <b>Minimum sample size<sup>a</sup></b> |
|---------------------------------------------------------------------|----------------------------------------|
| 70 or less                                                          | All eligible animals                   |
| 80                                                                  | 68                                     |
| 90                                                                  | 73                                     |
| 100                                                                 | 78                                     |
| 120                                                                 | 86                                     |
| 140                                                                 | 92                                     |
| 160                                                                 | 97                                     |
| 180                                                                 | 101                                    |
| 200                                                                 | 105                                    |
| 250                                                                 | 112                                    |
| 300                                                                 | 117                                    |
| 350                                                                 | 121                                    |
| 400                                                                 | 124                                    |
| 450                                                                 | 127                                    |
| 500 or more                                                         | 150                                    |

<sup>a</sup> The sample size is calculated to be 95 % certain of including at least one positive if the disease is present at a minimum prevalence of 2 % in the test population.

*Status: Point in time view as at 01/01/2005.*

*Changes to legislation: There are currently no known outstanding effects for the Regulation (EC) No 999/2001 of the European Parliament and of the Council, CHAPTER A. (See end of Document for details)*

## 5. Monitoring in other animals **U.K.**

In addition to the monitoring programmes set out in points 2, 3 and 4, Member States may on a voluntary basis carry out monitoring in other animals, in particular:

- animals used for dairy production,
- animals originating from countries with indigenous TSEs,
- animals which have consumed potentially contaminated feedingstuffs,
- animals born or derived from TSE-infected dams,

## 6. Measures following testing of ovine and caprine animals **U.K.**

- 6.1. Where an ovine or caprine animal slaughtered for human consumption has been selected for testing for TSE, the health marking provided for in Chapter XI of Annex I to Directive 64/433/EEC shall not be carried out on the carcass of that animal until a negative result to the rapid test has been obtained.
- 6.2. Member States may derogate from point 6.1 where an official system is in place in the slaughterhouse ensuring that no parts of examined animals bearing the health mark leave the slaughterhouse until a negative result to the rapid test has been obtained.
- 6.3. All parts of the body of a tested animal including the hide shall be retained under official control until a negative result to the rapid test has been obtained, unless they are disposed of in accordance with Article 4.2(a) and (b) of Regulation (EC) No 1774/2002.
- 6.4. All parts of the body of an animal found positive to the rapid test including the hide shall be disposed of in accordance with Article 4.(2)(a) and (b) of Regulation (EC) No 1774/2002, apart from material to be retained in conjunction with the records provided for in Chapter B(III).

## 7. Genotyping **U.K.**

- 7.1. The prion protein genotype shall be determined for each positive TSE case in sheep. TSE cases found in resistant genotypes (sheep of genotypes which encode alanin on both alleles at codon 136, arginin on both alleles at codon 154 and arginin on both alleles at codon 171) shall immediately be reported to the Commission. Where possible, such cases shall be submitted for strain-typing. Where strain-typing of such cases is not possible, the herd of origin and all other herds where the animal has been shall be subjected to enhanced monitoring with a view to find other TSE cases for strain-typing.
- 7.2. In addition to the animals genotyped under the provisions of point 7.1, the prion protein genotype of a sample of ovine animals shall be determined. In the case of Member States with an adult sheep population of more than 750 000 adult animals, this sample shall consist of at least 600 animals. In the case of other Member States the sample shall consist of at least 100 animals. The samples may be chosen from animals slaughtered for human consumption, from animals dead-on farm or from live animals. The sampling should be representative of the entire ovine population.

## III. MONITORING IN OTHER ANIMAL SPECIES **U.K.**

Member States may on a voluntary basis carry out monitoring for TSE in animal species other than bovine, ovine and caprine animals.]

**Status:** *Point in time view as at 01/01/2005.*

**Changes to legislation:** *There are currently no known outstanding effects for the Regulation (EC) No 999/2001 of the European Parliament and of the Council, CHAPTER A. (See end of Document for details)*

---

---

**Status:** Point in time view as at 01/01/2005.

**Changes to legislation:** There are currently no known outstanding effects for the Regulation (EC) No 999/2001 of the European Parliament and of the Council, CHAPTER A. (See end of Document for details)

---

- (1) [<sup>F1</sup>OJ 121, 29.7.1964, p. 2012/64.]
- (2) [<sup>F1</sup>OJ L 99, 20.4.1996, p. 14.]
- (3) [<sup>F1</sup>OJ L 273, 10.10.2002, p. 1.]
- (4) [<sup>F1</sup>The sample size has been calculated to detect a prevalence of 0,03 % with a 95 % confidence in slaughtered animals. The sample is restricted to Member States with a large sheep population.]

---

**Textual Amendments**

- F1** Substituted by Commission Regulation (EC) No 2245/2003 of 19 December 2003 amending Annex III to Regulation (EC) No 999/2001 of the European Parliament and of the Council as regards monitoring of transmissible spongiform encephalopathies in ovine and caprine animals.

**Status:**

Point in time view as at 01/01/2005.

**Changes to legislation:**

There are currently no known outstanding effects for the Regulation (EC) No 999/2001 of the European Parliament and of the Council, CHAPTER A.