►**B**

COMMISSION REGULATION (EC) No 1810/2005

of 4 November 2005

concerning a new authorisation for 10 years of an additive in feedingstuffs, the permanent authorisation of certain additives in feedingstuffs and the provisional authorisation of new uses of certain additives already authorised in feedingstuffs

(Text with EEA relevance)

(OJ L 291, 5.11.2005, p. 5)

Amended by:

		Official Journal		
		No	page	date
►**M1**	Commission Regulation (EC) No 184/2007 of 20 February 2007	L 63	1	1.3.2007
►**M2**	Commission Implementing Regulation (EU) No 651/2013 of 9 July 2013	L 189	1	10.7.2013
►**M3**	Commission Implementing Regulation (EU) 2017/1145 of 8 June 2017	L 166	1	29.6.2017

▼B

COMMISSION REGULATION (EC) No 1810/2005

of 4 November 2005

concerning a new authorisation for 10 years of an additive in feedingstuffs, the permanent authorisation of certain additives in feedingstuffs and the provisional authorisation of new uses of certain additives already authorised in feedingstuffs

(Text with EEA relevance)

▼M1

_____

▼B

Article 2

The additives belonging to the group ‘Binders, anti-caking agents and coagulants’, as specified in Annex II, are authorised without a time limit for use as additives in animal nutrition under the conditions laid down in that Annex.

Article 3

The preparation belonging to the group ‘Enzymes’, as specified in Annex III, are authorised for use without a time-limit as additives in animal nutrition under the conditions laid down in that Annex.

Article 4

The preparations belonging to the group ‘Micro-organisms’, as specified in Annex IV, are authorised provisionally for four years as additives in animal nutrition under the conditions laid down in that Annex.

Article 5

This Regulation shall enter into force on the 20th day following its publication in the *Official Journal of the European Union*.

This Regulation shall be binding in its entirety and directly applicable in all Member States.

▼B

ANNEX I

Registration number of additive	Name and registration number of person responsible for putting the additive into circulation	Additive (trade name)	Composition, chemical formula, description	Species or category of animal	Maximum age	Minimum content	Maximum content	Other provisions	End of period of authorisation
						mg of active substance/kg of complete feedingstuff			
Growth promoters									
E 800	BASF Aktiengesellschaft	Potassium diformate (Formi LHS)	**Additive composition** Potassium diformate, solid min. 98 % Silicate max. 1,5 % Water max. 0,5 % **Active substance:** Potassium diformate, solid $KH(COOH)_2$ CAS No 20642-05-1	Piglets (weaned)	—	6 000	18 000	For use in weaned piglets until approximately 35 kg	25.11.2015
				Pigs for fattening	—	6 000	12 000	—	25.11.2015

▼B

ANNEX II

No (or EC No)	Additive	Chemical formula, description	Species or category of animal	Maximum age	Minimum content	Maximum content	Other provisions	End of period of authorisation
					mg/kg of complete feedingstuff			
Binders, anti-caking agents and coagulants								
▼M2 _____								
▼B E 535	Sodium Ferrocyanide	$Na_4[Fe(CN)_6]. 10H_2O$	All species or categories of animals	—	—	—	Maximum content: 80 mg/kg NaCl (calculated as ferrocyanide anion)	Without a time-limit
E 536	Potassium Ferrocyanide	$K_4[Fe(CN)_6]. 3H_2O$	All species or categories of animals	—	—	—	Maximum content: 80 mg/kg NaCl (calculated as ferrocyanide anion)	Without a time-limit

▼B

ANNEX III

EC No	Additive	Chemical formula, description	Species or category of animal	Maximum age	Minimum content	Maximum content	Other provisions	End of period of authorisation
					Units of activity/kg of complete feedingstuff			
Enzymes								
E 1613	Endo-1,4-beta-xylanase EC 3.2.1.8	Preparation of endo-1,4-beta-xylanase produced by *Trichoderma longibrachiatum* (CNCM MA 6-10 W) having a minimum activity of: Powder form: 70 000 IFP ([1])/g Liquid form: 7 000 IFP/ml	Laying hens	—	840 IFP	—	1. In the directions for use of the additive and premixture, indicate the storage temperature, storage life and stability to pelleting. 2. Recommended dose per kg of complete feedingstuff: 840 IFP. 3. For use in compound feed rich in non-starch polysaccharides (mainly arabinoxylans), e.g. containing more than 40 % wheat.	Without a time-limit

([1]) 1 IFP is the amount of enzyme which liberates 1 micromole of reducing sugars (xylose equivalents) from oat xylan per minute at pH 4,8 and 50 °C.

▼B

ANNEX IV

	EC No or No	Additive	Chemical formula, description	Species or category of animal	Maximum age	Minimum content	Maximum content	Other provisions	End of period of authorisation
						CFU/kg of complete feeding-stuff			
	Micro-organisms								
▼M3	_____								
▼B	18	*Enterococcus faecium* CECT 4515	Preparation of *Enterococcus faecium* containing a minimum of: 1×10^9 CFU/g additives	Chickens for fattening	—	1×10^9	1×10^9	In the directions for use of the additive and premixture, indicate the storage temperature, storage life and stability to pelleting.	25.11.2009