

This document is meant purely as a documentation tool and the institutions do not assume any liability for its contents

► **B** REGULATION (EC) No 396/2005 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL

of 23 February 2005

on maximum residue levels of pesticides in or on food and feed of plant and animal origin and amending Council Directive 91/414/EEC

(Text with EEA relevance)

(OJ L 70, 16.3.2005, p. 1)

Amended by:

		Official Journal		
		No	page	date
► <b><u>M1</u></b>	Commission Regulation (EC) No 178/2006 of 1 February 2006	L 29	3	2.2.2006
► <b><u>M2</u></b>	Commission Regulation (EC) No 149/2008 of 29 January 2008	L 58	1	1.3.2008
► <b><u>M3</u></b>	Commission Regulation (EC) No 260/2008 of 18 March 2008	L 76	31	19.3.2008
► <b><u>M4</u></b>	Regulation (EC) No 299/2008 of the European Parliament and of the Council of 11 March 2008	L 97	67	9.4.2008
► <b><u>M5</u></b>	Commission Regulation (EC) No 839/2008 of 31 July 2008	L 234	1	30.8.2008
► <b><u>M6</u></b>	Commission Regulation (EC) No 256/2009 of 23 March 2009	L 81	3	27.3.2009
► <b><u>M7</u></b>	Commission Regulation (EC) No 822/2009 of 27 August 2009	L 239	5	10.9.2009
► <b><u>M8</u></b>	Commission Regulation (EC) No 1050/2009 of 28 October 2009	L 290	7	6.11.2009
► <b><u>M9</u></b>	Commission Regulation (EC) No 1097/2009 of 16 November 2009	L 301	6	17.11.2009
► <b><u>M10</u></b>	Commission Regulation (EU) No 304/2010 of 9 April 2010	L 94	1	15.4.2010
► <b><u>M11</u></b>	Commission Regulation (EU) No 459/2010 of 27 May 2010	L 129	3	28.5.2010
► <b><u>M12</u></b>	Commission Regulation (EU) No 600/2010 of 8 July 2010	L 174	18	9.7.2010
► <b><u>M13</u></b>	Commission Regulation (EU) No 750/2010 of 7 July 2010	L 220	1	21.8.2010
► <b><u>M14</u></b>	Commission Regulation (EU) No 765/2010 of 25 August 2010	L 226	1	28.8.2010
► <b><u>M15</u></b>	Commission Regulation (EU) No 893/2010 of 8 October 2010	L 266	10	9.10.2010
► <b><u>M16</u></b>	Commission Regulation (EU) No 310/2011 of 28 March 2011	L 86	1	1.4.2011
► <b><u>M17</u></b>	Commission Regulation (EU) No 460/2011 of 12 May 2011	L 124	23	13.5.2011
► <b><u>M18</u></b>	Commission Regulation (EU) No 508/2011 of 24 May 2011	L 137	3	25.5.2011
► <b><u>M19</u></b>	Commission Regulation (EU) No 520/2011 of 25 May 2011	L 140	2	27.5.2011

► <b><u>M20</u></b>	Commission Regulation (EU) No 524/2011 of 26 May 2011	L 142	1	28.5.2011
► <b><u>M21</u></b>	Commission Regulation (EU) No 559/2011 of 7 June 2011	L 152	1	11.6.2011
► <b><u>M22</u></b>	Commission Regulation (EU) No 812/2011 of 10 August 2011	L 208	1	13.8.2011
► <b><u>M23</u></b>	Commission Regulation (EU) No 813/2011 of 11 August 2011	L 208	23	13.8.2011
► <b><u>M24</u></b>	Commission Regulation (EU) No 978/2011 of 3 October 2011	L 258	12	4.10.2011
► <b><u>M25</u></b>	Commission Regulation (EU) No 270/2012 of 26 March 2012	L 89	5	27.3.2012
► <b><u>M26</u></b>	Commission Regulation (EU) No 322/2012 of 16 April 2012	L 105	1	17.4.2012
► <b><u>M27</u></b>	Commission Regulation (EU) No 441/2012 of 24 May 2012	L 135	4	25.5.2012
► <b><u>M28</u></b>	Commission Regulation (EU) No 473/2012 of 4 June 2012	L 144	25	5.6.2012
► <b><u>M29</u></b>	Commission Regulation (EU) No 556/2012 of 26 June 2012	L 166	67	27.6.2012
► <b><u>M30</u></b>	Commission Regulation (EU) No 592/2012 of 4 July 2012	L 176	1	6.7.2012
► <b><u>M31</u></b>	Commission Regulation (EU) No 897/2012 of 1 October 2012	L 266	1	2.10.2012
► <b><u>M32</u></b>	Commission Regulation (EU) No 899/2012 of 21 September 2012	L 273	1	6.10.2012
► <b><u>M33</u></b>	Commission Regulation (EU) No 34/2013 of 16 January 2013	L 25	1	26.1.2013
► <b><u>M34</u></b>	Commission Regulation (EU) No 35/2013 of 18 January 2013	L 25	49	26.1.2013
► <b><u>M35</u></b>	Commission Regulation (EU) No 212/2013 of 11 March 2013	L 68	30	12.3.2013
► <b><u>M36</u></b>	Commission Regulation (EU) No 241/2013 of 14 March 2013	L 75	1	19.3.2013
► <b><u>M37</u></b>	Commission Regulation (EU) No 251/2013 of 22 March 2013	L 88	1	27.3.2013
► <b><u>M38</u></b>	Commission Regulation (EU) No 293/2013 of 20 March 2013	L 96	1	5.4.2013
► <b><u>M39</u></b>	Commission Regulation (EU) No 500/2013 of 30 May 2013	L 151	1	4.6.2013
► <b><u>M40</u></b>	Commission Regulation (EU) No 668/2013 of 12 July 2013	L 192	39	13.7.2013
► <b><u>M41</u></b>	Commission Regulation (EU) No 772/2013 of 8 August 2013	L 217	1	13.8.2013
► <b><u>M42</u></b>	Commission Regulation (EU) No 777/2013 of 12 August 2013	L 221	1	17.8.2013
► <b><u>M43</u></b>	Commission Regulation (EU) No 834/2013 of 30 August 2013	L 233	11	31.8.2013
► <b><u>M44</u></b>	Commission Regulation (EU) No 1004/2013 of 15 October 2013	L 279	10	19.10.2013
► <b><u>M45</u></b>	Commission Regulation (EU) No 1138/2013 of 8 November 2013	L 307	1	16.11.2013
► <b><u>M46</u></b>	Commission Regulation (EU) No 1317/2013 of 16 December 2013	L 339	1	17.12.2013
► <b><u>M47</u></b>	Commission Regulation (EU) No 36/2014 of 16 January 2014	L 17	1	21.1.2014
► <b><u>M48</u></b>	Commission Regulation (EU) No 51/2014 of 20 January 2014	L 16	13	21.1.2014
► <b><u>M49</u></b>	Commission Regulation (EU) No 61/2014 of 24 January 2014	L 22	1	25.1.2014

► <b><u>M50</u></b>	Commission Regulation (EU) No 79/2014 of 29 January 2014	L 27	9	30.1.2014
► <b><u>M51</u></b>	Commission Regulation (EU) No 87/2014 of 31 January 2014	L 35	1	5.2.2014
► <b><u>M52</u></b>	Commission Regulation (EU) No 289/2014 of 21 March 2014	L 87	49	22.3.2014
► <b><u>M53</u></b>	Commission Regulation (EU) No 318/2014 of 27 March 2014	L 93	28	28.3.2014
► <b><u>M54</u></b>	Commission Regulation (EU) No 364/2014 of 4 April 2014	L 112	1	15.4.2014
► <b><u>M55</u></b>	Commission Regulation (EU) No 398/2014 of 22 April 2014	L 119	3	23.4.2014
► <b><u>M56</u></b>	Commission Regulation (EU) No 491/2014 of 5 May 2014	L 146	1	16.5.2014
► <b><u>M57</u></b>	Commission Regulation (EU) No 588/2014 of 2 June 2014	L 164	16	3.6.2014
► <b><u>M58</u></b>	Commission Regulation (EU) No 617/2014 of 3 June 2014	L 171	1	11.6.2014
► <b><u>M59</u></b>	Commission Regulation (EU) No 703/2014 of 19 June 2014	L 186	1	26.6.2014
► <b><u>M60</u></b>	Regulation (EU) No 652/2014 of the European Parliament and of the Council of 15 May 2014	L 189	1	27.6.2014
► <b><u>M61</u></b>	Commission Regulation (EU) No 737/2014 of 24 June 2014	L 202	1	10.7.2014
► <b><u>M62</u></b>	Commission Regulation (EU) No 752/2014 of 24 June 2014	L 208	1	15.7.2014
► <b><u>M63</u></b>	Commission Regulation (EU) No 991/2014 of 19 September 2014	L 279	1	23.9.2014
► <b><u>M64</u></b>	Commission Regulation (EU) No 1096/2014 of 15 October 2014	L 300	5	18.10.2014
► <b><u>M65</u></b>	Commission Regulation (EU) No 1119/2014 of 16 October 2014	L 304	43	23.10.2014
► <b><u>M66</u></b>	Commission Regulation (EU) No 1126/2014 of 17 October 2014	L 305	3	24.10.2014
► <b><u>M67</u></b>	Commission Regulation (EU) No 1127/2014 of 20 October 2014	L 305	47	24.10.2014
► <b><u>M68</u></b>	Commission Regulation (EU) No 1146/2014 of 23 October 2014	L 308	3	29.10.2014
► <b><u>M69</u></b>	Commission Regulation (EU) 2015/165 of 3 February 2015	L 28	1	4.2.2015
► <b><u>M70</u></b>	Commission Regulation (EU) 2015/399 of 25 February 2015	L 71	1	14.3.2015
► <b><u>M71</u></b>	Commission Regulation (EU) 2015/400 of 25 February 2015	L 71	56	14.3.2015
► <b><u>M72</u></b>	Commission Regulation (EU) 2015/401 of 25 February 2015	L 71	114	14.3.2015
► <b><u>M73</u></b>	Commission Regulation (EU) 2015/552 of 7 April 2015	L 92	20	8.4.2015
► <b><u>M74</u></b>	Commission Regulation (EU) 2015/845 of 27 May 2015	L 138	1	4.6.2015
► <b><u>M75</u></b>	Commission Regulation (EU) 2015/846 of 28 May 2015	L 140	1	5.6.2015
► <b><u>M76</u></b>	Commission Regulation (EU) 2015/896 of 11 June 2015	L 147	3	12.6.2015
► <b><u>M77</u></b>	Commission Regulation (EU) 2015/1040 of 30 June 2015	L 167	10	1.7.2015
► <b><u>M78</u></b>	Commission Regulation (EU) 2015/1101 of 8 July 2015	L 181	27	9.7.2015

Corrected by:

- **C1** Corrigendum, OJ L 240, 9.9.2008, p. 9 (149/2008)
- **C2** Corrigendum, OJ L 208, 12.8.2009, p. 39 (256/2009)
- **C3** Corrigendum, OJ L 307, 21.11.2009, p. 9 (1097/2009)
- **C4** Corrigendum, OJ L 338, 19.12.2009, p. 105 (1050/2009)
- **C5** Corrigendum, OJ L 60, 10.3.2010, p. 26 (822/2009)
- **C6** Corrigendum, OJ L 79, 21.3.2013, p. 33 (839/2008)
- **C7** Corrigendum, OJ L 79, 21.3.2013, p. 34 (524/2011)
- **C8** Corrigendum, OJ L 64, 7.3.2015, p. 46 (668/2013)



**REGULATION (EC) No 396/2005 OF THE EUROPEAN  
PARLIAMENT AND OF THE COUNCIL**

**of 23 February 2005**

**on maximum residue levels of pesticides in or on food and feed of  
plant and animal origin and amending Council Directive  
91/414/EEC**

**(Text with EEA relevance)**

THE EUROPEAN PARLIAMENT AND THE COUNCIL OF THE  
EUROPEAN UNION,

Having regard to the Treaty establishing the European Community, and  
in particular Articles 37 and 152(4)(b) thereof,

Having regard to the proposal from the Commission,

Having regard to the opinion of the European Economic and Social  
Committee <sup>(1)</sup>,

Having consulted the Committee of the Regions,

Acting in accordance with the procedure laid down in Article 251 of the  
Treaty <sup>(2)</sup>,

Whereas:

- (1) Council Directive 76/895/EEC of 23 November 1976 relating to the fixing of maximum levels for pesticide residues in and on fruit and vegetables <sup>(3)</sup>, Council Directive 86/362/EEC of 24 July 1986 on the fixing of maximum levels for pesticide residues in and on cereals <sup>(4)</sup>, Council Directive 86/363/EEC of 24 July 1986 on the fixing of maximum levels for pesticide residues in and on foodstuffs of animal origin <sup>(5)</sup>, and Council Directive 90/642/EEC of 27 November 1990 on the fixing of maximum levels for pesticide residues in and on products of plant origin, including fruit and vegetables <sup>(6)</sup>, have been substantially amended several times. In the interests of clarity and simplicity, those Directives should be repealed and replaced by a single act.
- (2) This Regulation directly concerns public health and is relevant to the functioning of the internal market. Differences in national maximum residue levels for pesticides can pose barriers to trade in products included in Annex I to the Treaty and products derived therefrom between Member States and trade between third countries and the Community. Accordingly, in the interest of free movement of goods, equal competition

<sup>(1)</sup> OJ C 234, 30.9.2003, p. 33.

<sup>(2)</sup> Opinion of the European Parliament of 20 April 2004 (not yet published in the Official Journal), Council Common Position of 19 July 2004 (OJ C 25 E, 1.2.2005, p. 1) and Position of the European Parliament of 15 December 2004 (not yet published in the Official Journal) and Council Decision of 24 January 2005.

<sup>(3)</sup> OJ L 340, 9.12.1976, p. 26. Directive as last amended by Regulation (EC) No 807/2003 (OJ L 122, 16.5.2003, p. 36).

<sup>(4)</sup> OJ L 221, 7.8.1986, p. 37. Directive as last amended by Commission Directive 2004/61/EC (OJ L 127, 29.4.2004, p. 81).

<sup>(5)</sup> OJ L 221, 7.8.1986, p. 43. Directive as last amended by Directive 2004/61/EC.

<sup>(6)</sup> OJ L 350, 14.12.1990, p. 71. Directive as last amended by Commission Directive 2004/95/EC (OJ L 301, 28.9.2004, p. 42).



**▼B**

conditions among the Member States, as well as a high level of consumer protection, it is appropriate that maximum residue levels (MRLs) for products of plant and animal origin be set at Community level, taking into account good agricultural practice.

- (3) A Regulation establishing MRLs does not require transposition into national law in the Member States. It is therefore the most appropriate legal instrument with which to set MRLs for pesticides in products of plant and animal origin, as its precise requirements are to be applied at the same time and in the same manner throughout the Community and accordingly permit a more efficient use of national resources.
- (4) The production and consumption of plant and animal products play a very important role in the Community. The yield from plant production is continually being affected by harmful organisms. It is essential to protect plants and plant products against such organisms in order to prevent a reduction in yield or damage to them, and ensure both the quality of the products harvested and high agricultural productivity. To this end, different methods are available, including non-chemical methods, practices such as using resistant varieties, crop rotation, mechanical weeding, biological control and chemical methods such as the use of plant protection products.
- (5) One of the most common methods of protecting plants and plant products from the effects of harmful organisms is the use of active substances in plant protection products. However, a possible consequence of their use may be the presence of residues in the treated products, in animals feeding on those products and in honey produced by bees exposed to those substances. According to Council Directive 91/414/EEC of 15 July 1991 concerning the placing of plant protection products on the market<sup>(1)</sup>, public health should be given priority over the interests of crop protection, thus it is necessary to ensure that such residues should not be present at levels presenting an unacceptable risk to humans and, where relevant, to animals. MRLs should be set at the lowest achievable level consistent with good agricultural practice for each pesticide with a view to protecting vulnerable groups such as children and the unborn.
- (6) It is also important to carry out further work to develop a methodology to take into account cumulative and synergistic effects. In view of human exposure to combinations of active substances and their cumulative and possible aggregate and synergistic effects on human health, MRLs should be set after consultation of the European Food Safety Authority established by Regulation (EC) No 178/2002 of the European Parliament and of the Council of 28 January 2002 laying down the general principles and requirements of food law, establishing the European Food Safety Authority and laying down procedures in matters of food safety<sup>(2)</sup> (hereinafter the Authority).

<sup>(1)</sup> OJ L 230, 19.8.1991, p. 1. Directive as last amended by Commission Directive 2004/99/EC (OJ L 309, 6.10.2004, p. 6).

<sup>(2)</sup> OJ L 31, 1.2.2002, p. 1. Regulation as amended by Regulation (EC) No 1642/2003 (OJ L 245, 29.9.2003, p. 4).

**▼B**

- (7) Directive 91/414/EEC provides that Member States, when issuing authorisations, are to prescribe that plant protection products be used properly. Proper use includes the application of the principles of good agricultural practice as well as the principles of integrated control. Where the MRLs arising from an authorised use of a pesticide under Directive 91/414/EEC present a risk to the consumer, such use should be revised to decrease the levels of pesticide residues. The Community should encourage the use of methods or products favouring a reduction in risk, and the use of amounts of pesticides at levels consistent with efficient pest control.
- (8) A number of active substances are banned under Council Directive 79/117/EEC of 21 December 1978 prohibiting the placing on the market and use of plant protection products containing certain active substances <sup>(1)</sup>. At the same time, many other active substances are not currently authorised under Directive 91/414/EEC. The residues of active substances in products of plant and animal origin arising from unauthorised use or from environmental contamination or from use in third countries should be carefully controlled and monitored.
- (9) The basic rules with regard to food and feed law are laid down in Regulation (EC) No 178/2002.
- (10) In addition to those basic rules, more specific rules are needed to ensure the effective functioning of the internal market and trade with third countries in relation to fresh, processed and/or composite plant and animal products intended for human consumption or animal feed in which pesticide residues may be present, whilst providing the basis for securing a high level of protection for human and animal health and the interests of consumers. Such rules should include the establishment of specific MRLs for each pesticide in food and feed products and the quality of the data underlying these MRLs.
- (11) Notwithstanding the fact that the principles of the general food law laid down in Regulation (EC) No 178/2002 apply only to feed for food-producing animals, in view of the difficulty of segregating products to be used as feed intended for animals which are not destined for food production and in order to facilitate the control and the enforcement of the provisions of this Regulation, it is appropriate to apply them also to feed which is not intended for food-producing animals. However, this Regulation should not be an obstacle to the tests which are necessary in order to assess pesticides.

<sup>(1)</sup> OJ L 33, 8.2.1979, p. 36. Directive as last amended by Regulation (EC) No 850/2004 of the European Parliament and of the Council (OJ L 158, 30.4.2004, p. 7. Regulation as corrected in OJ L 229, 29.6.2004, p. 5).

**▼B**

- (12) Directive 91/414/EEC lays down basic rules with respect to the use and placing on the market of plant protection products. In particular the use of those products should have no harmful effects on humans or on animals. Pesticide residues resulting from uses of plant protection products may have harmful effects on the health of consumers. It is therefore appropriate that rules for MRLs for products intended for human consumption be defined that are linked to the authorisation for use of plant protection products as defined under Directive 91/414/EEC. Similarly that Directive needs to be adapted in order to take into account the Community procedure for the establishment of MRLs under this Regulation. Pursuant to that Directive, a Member State may be designated as rapporteur for the evaluation of an active substance. It is appropriate to use the expertise in that Member State for the purposes of this Regulation.
- (13) It is appropriate that specific rules concerning the control of pesticide residues be introduced to complement the general Community provisions on the control of food and feed.
- (14) Whilst considering MRLs of pesticides, it should also be recognised that few consumers are aware of the risks arising from pesticides. It would be valuable to fully explain such risks to the public.
- (15) Member States should look into the possibility of publishing the names of companies whose products contain higher pesticide residues than the maximum permitted levels.
- (16) Specific rules for animal feed including marketing, storage of feed and feeding of animals are provided for in Directive 2002/32/EC of the European Parliament and of the Council of 7 May 2002 on undesirable substances in animal feed<sup>(1)</sup>. For certain products it is not possible to determine whether they will be transformed into food or animal feed. Therefore the pesticide residues in such products should be safe both for human and, where relevant, for animal consumption. Accordingly it is appropriate that the rules set out in this Regulation also apply to those products in addition to the specific rules for animal nutrition.
- (17) It is necessary to define at Community level certain terms used for the setting, control and reporting on controls of MRLs for products of plant and animal origin. It is important that the Member States apply proper sanctions in accordance with Regulation (EC) No 882/2004 of the European Parliament and of the Council of 29 April 2004 on official controls performed to ensure the verification of compliance with feed and food law, animal health and animal welfare rules<sup>(2)</sup>.

<sup>(1)</sup> OJ L 140, 30.5.2002, p. 10. Directive as last amended by Commission Directive 2003/100/EC (OJ L 285, 1.11.2003, p. 33).

<sup>(2)</sup> OJ L 165, 30.4.2004, p. 1. Regulation as corrected in OJ L 191, 28.5.2004, p. 1.

**▼B**

- (18) Directive 76/895/EEC provides that Member States may authorise higher levels of MRLs than are currently authorised at Community level. That possibility should cease to exist as, in view of the internal market, it could create obstacles to intra-Community trade.
- (19) The determination of MRLs for pesticides requires lengthy technical consideration and includes an assessment of potential risks to consumers. Therefore, MRLs cannot be set immediately for the residues of pesticides currently regulated by Directive 76/895/EEC or for pesticides for which Community MRLs have not yet been set.
- (20) It is appropriate that the minimum data requirements to be used when considering the setting of MRLs for pesticides be laid down at Community level.
- (21) In exceptional circumstances and in particular for unauthorised pesticides that may be present in the environment, it is appropriate to permit the use of monitoring data in setting MRLs.
- (22) MRLs for pesticides should be continually monitored and should be changed to take account of new information and data. MRLs should be set at the lower level of analytical determination where authorised uses of plant protection products do not result in detectable levels of pesticide residues. Where uses of pesticides are not authorised at Community level, MRLs should be set at an appropriately low level to protect the consumer from the intake of unauthorised or excessive levels of pesticides residues. In order to facilitate control of residues of pesticides, a default value is to be set for pesticide residues present in products or groups of products covered by Annex I for which no MRLs have been established in Annexes II or III, unless the active substance in question is listed in Annex IV. It is appropriate to set the default value at 0,01 mg/kg and to provide for the possibility of setting it at a different level for active substances covered by Annex V, taking into account the routine analytical methods available and/or consumer protection.
- (23) Regulation (EC) No 178/2002 establishes procedures for taking emergency measures in relation to food and feed of Community origin or imported from a third country. Those procedures allow the Commission to adopt such measures in situations where food is likely to constitute a serious risk to human health, animal health or the environment and where such risk cannot be contained satisfactorily by measures taken by the Member State(s) concerned. It is appropriate that these measures and their effect on humans and, where relevant, animals be assessed by the Authority.
- (24) The lifetime exposure, and where appropriate the acute exposure of consumers to pesticide residues via food products should be evaluated in accordance with Community procedures and practices, taking account of guidelines published by the World Health Organisation.

**▼B**

- (25) Through the World Trade Organisation, the Community's trading partners should be consulted about the MRLs proposed, and their observations should be taken into account before the MRLs are adopted. MRLs set at the international level by the Codex Alimentarius Commission should also be considered when Community MRLs are being set, taking into account the corresponding good agricultural practices.
- (26) For food and feed produced outside the Community, different agricultural practices as regards the use of plant protection products may be legally applied, sometimes resulting in pesticide residues differing from those resulting from uses legally applied in the Community. It is therefore appropriate that MRLs are set for imported products that take these uses and the resulting residues into account provided that the safety of the products can be demonstrated using the same criteria as for domestic produce.
- (27) It is necessary that the Authority assess MRL applications and evaluation reports prepared by the Member States, taking into account the full range of toxicological effects such as immunotoxicity, endocrine disruption and developmental toxicity, with a view to determining the associated risks to consumers and, where relevant, to animals.
- (28) Member States should lay down rules on sanctions applicable to infringements of this Regulation and ensure that they are implemented. Those sanctions are to be effective, proportionate and dissuasive.
- (29) The development of a Community-harmonised system for MRLs entails the development of guidelines, databases and other activities with associated costs. It is appropriate for the Community in certain cases to make a contribution to those costs.
- (30) It is good administrative practice and technically desirable to coordinate the timing of decisions on MRLs for active substances with decisions taken for those substances under Directive 91/414/EEC. For many substances for which Community MRLs have not yet been set, decisions are not due to be taken under that Directive before the date of entry into force of this Regulation.
- (31) It is therefore necessary to adopt separate rules providing for temporary but mandatory harmonised MRLs, with a view to setting MRLs progressively as decisions are taken on individual active substances as part of the evaluations under Directive 91/414/EEC. Such temporary harmonised MRLs should be based, in particular, on existing national MRLs established by the Member States and should respect the national arrangements by which they were established, provided that the MRLs do not present an unacceptable risk to consumers.
- (32) Following the inclusion of existing active substances in Annex I to Directive 91/414/EEC, Member States are to re-evaluate each plant protection product containing those active substances within four years of the date of inclusion. The MRLs concerned should be retained for a period of up to four years to provide for continuity of authorisations and, on completion of re-evaluation, should be made definitive if they are supported by dossiers

**▼B**

which satisfy Annex III to Directive 91/414/EEC, or be set to a default level if they are not so supported.

- (33) This Regulation establishes MRLs for the control of pesticide residues in food and feed. It is therefore appropriate that Member States establish national programmes to control these residues. The results of the national control programmes are to be submitted to the Commission, the Authority and the other Member States and included in the Community annual report.
- (34) To ensure that consumers are kept adequately informed, Member States should, in accordance with Regulation (EC) No 882/2004, publish the results of national monitoring residues annually on the Internet, providing all individual data, including the place of collection and the names of retailers, traders and/or producers.
- (35) The measures necessary for the implementation of this Regulation should be adopted in accordance with Council Decision 1999/468/EC of 28 June 1999 laying down the procedures for the exercise of implementing powers conferred on the Commission <sup>(1)</sup>.
- (36) In accordance with the principle of proportionality, it is necessary and appropriate for the achievement of the basic objectives of facilitating trade whilst protecting the consumer to lay down rules on MRLs for products of plant and animal origin. This Regulation does not go beyond what is necessary in order to achieve the objectives pursued in accordance with the third paragraph of Article 5 of the Treaty,

HAVE ADOPTED THIS REGULATION:

**CHAPTER I****SUBJECT MATTER, SCOPE AND DEFINITIONS***Article 1***Subject matter**

This Regulation establishes, in accordance with the general principles laid down in Regulation (EC) No 178/2002, in particular the need to ensure a high level of consumer protection and harmonised Community provisions relating to maximum levels of pesticide residues in or on food and feed of plant and animal origin.

*Article 2***Scope**

1. This Regulation shall apply to products of plant and animal origin or parts thereof covered by Annex I to be used as fresh, processed and/or composite food or feed in or on which pesticide residues may be present.

<sup>(1)</sup> OJ L 184, 17.7.1999, p. 23.

**▼B**

2. This Regulation shall not apply to the products covered by Annex I where it may be established by appropriate evidence that they are intended for:

- (a) the manufacture of products other than food or feed; or
- (b) sowing or planting; or
- (c) activities authorised by national law for the testing of active substances.

3. Maximum residue levels for pesticides set in accordance with this Regulation shall not apply to products covered by Annex I intended for export to third countries and treated before export, where it has been established by appropriate evidence that the third country of destination requires or agrees with that particular treatment in order to prevent the introduction of harmful organisms into its territory.

4. This Regulation shall apply without prejudice to Directives 98/8/EC <sup>(1)</sup>, 2002/32/EC and Regulation (EEC) No 2377/90 <sup>(2)</sup>.

*Article 3***Definitions**

1. For the purpose of this Regulation, the definitions in Regulation (EC) No 178/2002, and the definitions in Article 2, points 1 and 4 of Directive 91/414/EEC shall apply.

2. The following definitions shall also apply:

- (a) ‘good agricultural practice’ (GAP) means the nationally recommended, authorised or registered safe use of plant protection products under actual conditions at any stage of production, storage, transport, distribution and processing of food and feed. It also implies the application, in conformity with Directive 91/414/EEC, of the principles of integrated pest control in a given climate zone, as well as using the minimum quantity of pesticides and setting MRLs/temporary MRLs at the lowest level which allows the desired effect to be obtained;
- (b) ‘critical GAP’ means the GAP, where there is more than one GAP for an active substance/product combination, which gives rise to the highest acceptable level of pesticide residue in a treated crop and is the basis for establishing the MRL;
- (c) ‘pesticide residues’ means residues, including active substances, metabolites and/or breakdown or reaction products of active substances currently or formerly used in plant protection products as defined in Article 2, point 1 of Directive 91/414/EEC, which are present in or on the products covered by Annex I to this Regulation,

<sup>(1)</sup> Directive 98/8/EC of the European Parliament and of the Council of 16 February 1998 concerning the placing of biocidal products on the market (OJ L 123, 24.4.1998, p. 1). Directive as amended by Regulation (EC) No 1882/2003 (OJ L 284, 31.10.2003, p. 1).

<sup>(2)</sup> Council Regulation (EEC) No 2377/90 of 26 June 1990 laying down a Community procedure for the establishment of maximum residue limits of veterinary medicinal products in foodstuffs of animal origin (OJ L 224, 18.8.1990, p. 1). Regulation as last amended by Commission Regulation (EC) No 1875/2004 (OJ L 326, 29.10.2004, p. 19).



**▼B**

including in particular those which may arise as a result of use in plant protection, in veterinary medicine and as a biocide;

- (d) ‘maximum residue level’ (MRL) means the upper legal level of a concentration for a pesticide residue in or on food or feed set in accordance with this Regulation, based on good agricultural practice and the lowest consumer exposure necessary to protect vulnerable consumers;
- (e) ‘CXL’ means an MRL set by the Codex Alimentarius Commission;
- (f) ‘limit of determination’ (LOD) means the validated lowest residue concentration which can be quantified and reported by routine monitoring with validated control methods;
- (g) ‘import tolerance’ means an MRL set for imported products to meet the needs of international trade where:
- the use of the active substance in a plant protection product on a given product is not authorised in the Community for reasons other than public health reasons for the specific product and specific use; or
  - a different level is appropriate because the existing Community MRL was set for reasons other than public health reasons for the specific product and specific use;
- (h) ‘proficiency test’ means a comparative test in which several laboratories perform analyses on identical samples, allowing an evaluation of the quality of the analysis performed by each laboratory;
- (i) ‘acute reference dose’ means the estimate of the amount of substance in food, expressed on a body weight basis, that can be ingested over a short period of time, usually during one day, without appreciable risk to the consumer on the basis of the data produced by appropriate studies and taking into account sensitive groups within the population (e.g. children and the unborn);
- (j) ‘acceptable daily intake’ means the estimate of the amount of substances in food expressed on a body weight basis, that can be ingested daily over a lifetime, without appreciable risk to any consumer on the basis of all known facts at the time of evaluation, taking into account sensitive groups within the population (e.g. children and the unborn).

*Article 4***List of groups of products for which harmonised MRLs shall apply****▼M4**

1. The products, product groups and/or parts of products referred to in Article 2(1) to which harmonised MRLs shall apply shall be defined in and covered by Annex I. That measure, designed to amend non-essential elements of this Regulation, shall be adopted in accordance with the regulatory procedure with scrutiny referred to in Article 45(3). Annex I shall include all products for which MRLs are set, as well as the other products for which it is appropriate to apply harmonised MRLs, in particular in view of their relevance in the diet of consumers or in trade. Products shall be grouped in such a way that MRLs may as far as possible be set for a group of similar or related products.

**▼B**

2. Annex I shall be first established within three months from the entry into force of this Regulation and shall be revised when appropriate, in particular, at the request of a Member State.

*Article 5***Establishment of a list of active substances for which no MRLs are required****▼M4**

1. Active substances of plant protection products evaluated under Directive 91/414/EEC for which no MRLs are required shall be defined and listed in Annex IV to this Regulation, taking into account the uses of those active substances and the matters referred to in points (a), (c) and (d) of Article 14(2). Those measures, designed to amend non-essential elements of this Regulation, shall be adopted in accordance with the regulatory procedure with scrutiny referred to in Article 45(4).

**▼B**

2. Annex IV shall be first established within 12 months from the entry into force of this Regulation.

## CHAPTER II

## PROCEDURE FOR APPLICATIONS FOR MRLS

## SECTION 1

*Submission of applications for MRLs**Article 6***Applications**

1. Where a Member State envisages granting an authorisation or a provisional authorisation for the use of a plant protection product in accordance with Directive 91/414/EEC, that Member State shall consider whether, as a result of such use, an existing MRL set out in Annex II or III to this Regulation needs to be modified, whether it is necessary to set a new MRL, or whether the active substance should be included in Annex IV. If necessary it shall require the party requesting the authorisation to submit an application in accordance with Article 7.

2. All parties demonstrating, through adequate evidence, a legitimate interest in health, including civil society organisations, as well as commercially interested parties such as manufacturers, growers, importers and producers of products covered by Annex I may also submit an application to a Member State in accordance with Article 7.

3. Where a Member State considers that the setting, modification or deletion of an MRL is necessary, that Member State may also compile and evaluate an application for setting, modifying, or deleting the MRL in accordance with Article 7.

4. Applications for import tolerances shall be submitted to rapporteur Member States designated pursuant to Directive 91/414/EEC or, if no such rapporteur has been designated, applications shall be made to Member States designated by the Commission in accordance with the procedure referred to in Article 45(2) of this Regulation at the request of the applicant. Such applications shall be made in accordance with Article 7 of this Regulation.

**▼B***Article 7***Requirements relating to applications for MRLs**

1. The applicant shall include in an application for an MRL the following particulars and documents:
  - (a) the name and address of the applicant;
  - (b) a presentation of the application dossier including:
    - (i) a summary of the application;
    - (ii) the main substantive arguments;
    - (iii) an index of the documentation;
    - (iv) a copy of the relevant GAP applying to the specific use of that active substance;
  - (c) a comprehensive overview of relevant concerns raised in the available scientific literature about the plant protection product and/or its residue;
  - (d) the data listed in Annexes II and III to Directive 91/414/EEC relating to data requirements for the setting of MRLs for pesticides including, where appropriate, toxicological data and data on routine analytical methods for use in control laboratories, as well as plant and animal metabolism data.

However, where relevant data are already publicly available, in particular when an active substance has already been evaluated under Directive 91/414/EEC or when a CXL exists and such data are submitted by the applicant, a Member State may also use such information in evaluating an application. In such cases, the evaluation report shall include a justification for using or not using such data.

2. The evaluating Member State may, where appropriate, request the applicant to provide supplementary information in addition to information required under paragraph 1 within a time limit specified by the Member State. In no event may this period exceed two years.

*Article 8***Evaluation of applications**

1. A Member State to which an application complying with Article 7 is submitted pursuant to Article 6 shall immediately forward a copy to the Authority and the Commission and draw up an evaluation report without undue delay.

**▼M4**

2. Applications shall be evaluated in accordance with the relevant provisions of the Uniform Principles for the Evaluation and Authorisation of Plant Protection Products set out in Annex VI to Directive 91/414/EEC or specific evaluation principles to be laid down in a Commission regulation. That regulation, designed to amend non-essential elements of this Regulation by supplementing it, shall be adopted in accordance with the regulatory procedure with scrutiny referred to in Article 45(3).

**▼B**

3. By way of derogation from paragraph 1 and by agreement between the Member States concerned, evaluation of the application may be carried out by the rapporteur Member State designated pursuant to Directive 91/414/EEC for that active substance.
4. Where a Member State encounters difficulties in evaluating an application or in order to avoid duplication of work, it may be decided in accordance with the procedure referred to in Article 45(2) which Member State shall evaluate particular applications.



#### *Article 9*

### **Submission of evaluated applications to the Commission and the Authority**

1. After completion of the evaluation report, the Member State shall forward it to the Commission. The Commission shall without delay inform the Member States and forward the application, the evaluation report and the supporting dossier to the Authority.
2. The Authority shall acknowledge in writing receipt of the application to the applicant, the evaluating Member State and the Commission without delay. The acknowledgement shall state the date of receipt of the application and the accompanying documents.

#### *SECTION 2*

### ***Consideration of applications concerning MRLs by the authority***

#### *Article 10*

### **The Authority's opinion on applications concerning MRLs**

1. The Authority shall assess the applications and the evaluation reports and give a reasoned opinion on, in particular, the risks to the consumer and where relevant to animals associated with the setting, modification or deletion of an MRL. That opinion shall include:
  - (a) an assessment of whether the analytical method for routine monitoring proposed in the application is appropriate for the intended control purposes;
  - (b) the anticipated LOD for the pesticide/product combination;
  - (c) an assessment of the risks of the acceptable daily intake or acute reference dose being exceeded as a result of the modification of the MRL; the contribution to the intake due to the residues in the product for which the MRLs was requested;
  - (d) any other element relevant to the risk assessment.
2. The Authority shall forward its reasoned opinion to the applicant, the Commission and the Member States. The reasoned opinion shall clearly define the basis for each conclusion reached.
3. Without prejudice to Article 39 of Regulation (EC) No 178/2002, the Authority shall make its reasoned opinion public.

#### *Article 11*

### **Time limits for the Authority's opinion on applications concerning MRLs**

1. The Authority shall give its reasoned opinion as provided for in Article 10 as soon as possible and at the latest within three months from the date of receipt of the application.

In exceptional cases where more detailed evaluations need to be carried out, the time limit laid down in the first subparagraph may be extended to six months from the date of receipt of the valid application.
2. Where the Authority requests supplementary information, the time limit laid down in paragraph 1 shall be suspended until that information has been provided. Such suspensions are subject to Article 13.

**▼B***Article 12***Assessment of existing MRLs by the Authority**

1. The Authority shall, within a period of 12 months from the date of the inclusion or non-inclusion of an active substance in Annex I to Directive 91/414/EEC after the entry into force of this Regulation, submit a reasoned opinion based in particular on the relevant assessment report prepared under Directive 91/414/EEC to the Commission and the Member States on:

- (a) existing MRLs for that active substance set out in Annex II or III to this Regulation;
- (b) the necessity of setting new MRLs for that active substance, or its inclusion in Annex IV to this Regulation;
- (c) specific processing factors as referred to in Article 20(2) of this Regulation that may be needed for that active substance;
- (d) MRLs which the Commission may consider including in Annex II and/or Annex III to this Regulation and on those MRLs which may be deleted related to that active substance.

2. For substances included in Annex I to Directive 91/414/EEC before the entry into force of this Regulation, the reasoned opinion referred to in paragraph 1 of this Article shall be delivered within 12 months of the entry into force of this Regulation.

*Article 13***Administrative review**

Any decision taken under, or failure to exercise, the powers vested in the Authority by this Regulation may be reviewed by the Commission on its own initiative or in response to a request from a Member State or from any person directly and individually concerned.

For that purpose, a request shall be submitted to the Commission within two months after the day on which the party concerned became aware of the act or omission in question.

The Commission shall take a decision within two months requiring, if appropriate, the Authority to withdraw its decision or to remedy its failure to act within a set time-limit.

*SECTION 3****Setting, modifying or deletion of MRLs****Article 14***Decisions on applications concerning MRLs****▼M4**

1. Upon receipt of the opinion of the Authority and taking account of that opinion, one of the following shall be prepared by the Commission without delay and at the latest within three months:

- (a) a regulation on the setting, modification or deletion of an MRL. That regulation, designed to amend non-essential elements of this Regulation, shall be adopted in accordance with the regulatory procedure with scrutiny referred to in Article 45(4). On imperative grounds of urgency, the Commission may have recourse to the urgency procedure referred to in Article 45(5) in order to ensure a high level of consumer protection;

**▼M4**

- (b) a decision rejecting the application, which shall be adopted in accordance with the regulatory procedure referred to in Article 45(2).

**▼B**

2. With regard to the acts referred to in paragraph 1, account shall be taken of:

- (a) the scientific and technical knowledge available;
- (b) the possible presence of pesticide residues arising from sources other than current plant protection uses of active substances, and their known cumulative and synergistic effects, when the methods to assess such effects are available;
- (c) the results of an assessment of any potential risks to consumers with a high intake and high vulnerability and, where appropriate, to animals;
- (d) the results of any evaluations and decisions to modify the uses of plant protection products;
- (e) a CXL or a GAP implemented in a third country for the legal use of an active substance in that country;
- (f) other legitimate factors relevant to the matter under consideration.

3. The Commission may request at any time that supplementary information be provided by the applicant or by the Authority. The Commission shall make available any supplementary information received to the Member States and the Authority.

*Article 15***Inclusion of new or modified MRLs in Annexes II and III**

1. The Regulation referred in Article 14(1) shall:
  - (a) set new or modified MRLs and list them in Annex II to this Regulation where the active substances have been included in Annex I to Directive 91/414/EEC; or
  - (b) where the active substances have not been included in Annex I to Directive 91/414/EEC and where they are not included in Annex II to this Regulation, set or modify temporary MRLs and list them in Annex III to this Regulation; or
  - (c) in the cases mentioned in Article 16, set temporary MRLs and list them in Annex III to this Regulation.

**▼M4**

2. Where a temporary MRL is set as provided for in paragraph 1(b), it shall be deleted from Annex III by a regulation one year after the date of the inclusion or non-inclusion in Annex I to Directive 91/414/EEC of the active substance concerned. That regulation, designed to amend non-essential elements of this Regulation, shall be adopted in accordance with the regulatory procedure with scrutiny referred to in Article 45(4). On imperative grounds of urgency, the Commission may have recourse to the urgency procedure referred to in Article 45(5) in order to ensure a high level of consumer protection.

**▼M4**

However, where one or more Member States so request, the temporary MRL may be maintained for an additional year pending confirmation that any scientific studies necessary for supporting an application for setting a MRL have been undertaken. In cases where such confirmation is provided, the temporary MRL shall be maintained for a further two years, provided that no unacceptable safety concerns for consumers have been identified.

**▼B***Article 16***Procedure for setting temporary MRLs in certain circumstances**

1. The Regulation referred to in Article 14(1) may also set a temporary MRL to be included in Annex III in the following circumstances:

- (a) in exceptional cases, in particular where pesticide residues may arise as a result of environmental or other contamination or from uses of plant protection products pursuant to Article 8(4) of Directive 91/414/EEC; or
- (b) where the products concerned constitute a minor component of the diet of consumers, and do not constitute a major part of the diet of relevant subgroups, and, where relevant, of animals; or
- (c) for honey; or
- (d) for herbal infusions; or
- (e) where essential uses of plant protection products have been identified by a Decision to delete an active substance from, or not to include an active substance in, Annex I to Directive 91/414/EEC; or
- (f) where new products, product groups and/or parts of products have been included in Annex I, and one or more Member States so request, in order to allow any scientific studies necessary for supporting an MRL to be undertaken and evaluated, provided that no unacceptable safety concerns for the consumer have been identified.

2. The inclusion of temporary MRLs as referred to in paragraph 1 shall be based on the opinion of the Authority, monitoring data and an assessment demonstrating that there are no unacceptable risks to consumers or animals.

The continued validity of the temporary MRLs referred to in paragraphs 1(a), (b), (c) and (d) shall be reassessed at least once every 10 years and any such MRLs shall be modified or deleted as appropriate.

The MRLs referred to in paragraph 1(e) shall be reassessed at the expiry of the period for which the essential use was authorised. The MRLs referred to in paragraph 1(f) shall be reassessed when the scientific studies have been completed and evaluated, but no later than four years after their inclusion in Annex III.



**▼B***Article 17***Modifications of MRLs following revocation of authorisations of plant protection products**

Amendments to Annexes II or III needed to delete an MRL following the revocation of an existing authorisation for a plant protection product may be adopted without seeking the opinion of the Authority.

## CHAPTER III

**MRLS APPLICABLE TO PRODUCTS OF PLANT AND ANIMAL ORIGIN****▼M4***Article 18***Compliance with MRLs**

1. The products covered by Annex I shall not contain, from the time they are placed on the market as food or feed, or fed to animals, any pesticide residue exceeding:

- (a) the MRLs for those products set out in Annexes II and III;
- (b) 0,01 mg/kg for those products for which no specific MRL is set out in Annexes II or III, or for active substances not listed in Annex IV unless different default values are fixed for an active substance while taking into account the routine analytical methods available. Such default values shall be listed in Annex V. That measure, designed to amend non-essential elements of this Regulation, shall be adopted in accordance with the regulatory procedure with scrutiny referred to in Article 45(4). On imperative grounds of urgency, the Commission may have recourse to the urgency procedure referred to in Article 45(5) in order to ensure a high level of consumer protection.

2. Member States may not prohibit or impede the placing on the market or the feeding to food-producing animals within their territories of the products covered by Annex I on the grounds that they contain pesticide residues provided that:

- (a) such products comply with paragraph 1 and Article 20; or
- (b) the active substance is listed in Annex IV.

3. By way of derogation from paragraph 1, Member States may authorise, further to a post-harvest treatment with a fumigant on their own territory, residue levels for an active substance which exceed the limits specified in Annexes II and III for a product covered by Annex I where the active substance/product combinations are listed in Annex VII provided that:

- (a) such products are not intended for immediate consumption;
- (b) appropriate controls are in place to ensure that such products cannot be made available to the end user or consumer, if they are supplied directly to the latter, until the residues no longer exceed the maximum levels specified in Annexes II or III;
- (c) the other Member States and the Commission have been informed of the measures taken.

**▼ M4**

Measures designed to amend non-essential elements of this Regulation and defining the active substance/product combinations listed in Annex VII shall be adopted in accordance with the regulatory procedure with scrutiny referred to in Article 45(3).

4. In exceptional circumstances, and in particular further to the use of plant protection products in accordance with Article 8(4) of Directive 91/414/EEC or pursuant to obligations set out in Directive 2000/29/EC <sup>(1)</sup>, a Member State may authorise the placing on the market and/or the feeding to animals within its territory of treated food or feed not complying with paragraph 1, provided that such food or feed does not constitute an unacceptable risk. Such authorisations shall immediately be notified to the other Member States, the Commission and the Authority, together with an appropriate risk assessment for consideration without undue delay with a view to setting a temporary MRL for a specified period or taking any other necessary measure in relation to such products. Those measures, designed to amend non-essential elements of this Regulation by supplementing it, shall be adopted in accordance with the regulatory procedure with scrutiny referred to in Article 45(4). On imperative grounds of urgency, the Commission may have recourse to the urgency procedure referred to in Article 45(5) in order to ensure a high level of consumer protection.

**▼ B***Article 19***Prohibition concerning processed and/or composite products**

The processing, and/or mixing for dilution purposes with the same or other products, of the products covered by Annex I not complying with Articles 18(1) or 20 with a view to placing them on the market as food or feed or feeding them to animals shall be prohibited.

*Article 20***MRLs applicable to processed and/or composite products**

1. Where MRLs are not set out in Annexes II or III for processed and/or composite food or feed, the MRLs applicable shall be those provided in Article 18(1) for the relevant product covered by Annex I, taking into account changes in the levels of pesticide residues caused by processing and/or mixing.

**▼ M4**

2. Specific concentration or dilution factors for certain processing and/or mixing operations or for certain processed and/or composite products may be included in the list in Annex VI. That measure, designed to amend non-essential elements of this Regulation, shall be adopted in accordance with the regulatory procedure with scrutiny referred to in Article 45(3).

<sup>(1)</sup> Council Directive 2000/29/EC of 8 May 2000 on protective measures against the introduction into the Community of organisms harmful to plants or plant products and against their spread within the Community (OJ L 169, 10.7.2000, p. 1). Directive as last amended by Commission Directive 2007/41/EC (OJ L 169, 29.6.2007, p. 51).

**▼B**

## CHAPTER IV

**SPECIAL PROVISIONS RELATING TO THE INCORPORATION OF EXISTING MRLS INTO THIS REGULATION***Article 21***First establishment of MRLs****▼M4**

1. MRLs for products covered by Annex I shall be first established and listed in Annex II, incorporating the MRLs provided for under Directives 86/362/EEC, 86/363/EEC and 90/642/EEC, taking into account the criteria listed in Article 14(2) of this Regulation. Those measures, designed to amend non-essential elements of this Regulation, shall be adopted in accordance with the regulatory procedure with scrutiny referred to in Article 45(3).

**▼B**

2. Annex II shall be established within 12 months from the entry into force of this Regulation.

*Article 22***First establishment of temporary MRLs****▼M4**

1. Temporary MRLs for active substances for which a decision on inclusion or non-inclusion in Annex I to Directive 91/414/EEC has not yet been taken shall be first established and listed in Annex III to this Regulation, unless already listed in Annex II, taking into account the information provided by the Member States, where relevant the reasoned opinion referred to in Article 24, the factors referred to in Article 14(2) and the following MRLs:

- (a) remaining MRLs in the Annex to Directive 76/895/EEC; and
- (b) hitherto unharmonised national MRLs.

Those measures, designed to amend non-essential elements of this Regulation, shall be adopted in accordance with the regulatory procedure with scrutiny referred to in Article 45(3).

**▼B**

2. Annex III shall be established within 12 months from the entry into force of this Regulation in accordance with Articles 23, 24 and 25.

*Article 23***Information to be provided by the Member States on national MRLs**

Where an active substance is not yet included in Annex I to Directive 91/414/EEC and where a Member State has set, by the date of entry into force of Annex I to this Regulation at the latest, a national MRL for that active substance for a product covered by Annex I to this Regulation, or has decided that no MRL is required for that active substance, the Member State concerned shall notify the Commission, in a format and by a date to be established in accordance with the procedure referred to in Article 45(2), of the national MRL, or the fact that no MRL is required for an active substance, and where relevant and at the request of the Commission:

**▼B**

- (a) the GAP;
- (b) where the critical GAP is applied in the Member State and, where available, summary data on supervised trials and/or monitoring data;
- (c) the acceptable daily intake and, if relevant, the acute reference dose used for the national risk assessment, as well as the outcome of the assessment.

*Article 24***Opinion of the Authority on data underlying national MRLs**

1. The Authority shall provide a reasoned opinion to the Commission on potential risks to consumer health arising from:

- (a) temporary MRLs that may be included in Annex III;
- (b) active substances that may be included in Annex IV.

2. In preparing the reasoned opinion referred to in paragraph 1, the Authority shall take into account the scientific and technical knowledge available, and in particular, information provided by the Member States as required by Article 23.

*Article 25***Setting of temporary MRLs**

Taking into account the opinion of the Authority, if such an opinion is necessary, temporary MRLs for active substances referred to in Article 23 may be set and listed in Annex III pursuant to Article 22(1) or, as appropriate, the active substance may be included in Annex IV pursuant to Article 5(1). Temporary MRLs shall be set at the lowest level that can be achieved in all Member States on the basis of good agricultural practice.

## CHAPTER V

**OFFICIAL CONTROLS, REPORTS AND SANCTIONS***SECTION 1****Official controls of MRLs****Article 26***Official controls**

1. Without prejudice to Directive 96/23/EC <sup>(1)</sup>, Member States shall carry out official controls on pesticide residues in order to enforce compliance with this Regulation, in accordance with the relevant provisions of Community law relating to official controls for food and feed.

<sup>(1)</sup> Council Directive 96/23/EC of 29 April 1996 on measures to monitor certain substances and residues thereof in live animals and animal products and repealing Directives 85/358/EEC and 86/469/EEC and Decisions 89/187/EEC and 91/664/EEC (OJ L 125, 23.5.1996, p. 10). Directive as last amended by Regulation (EC) No 882/2004.

**▼B**

2. Such controls on pesticide residues shall, in particular, consist of sampling and subsequent analysis of the samples and identification of the pesticides present and their respective residue levels. Such controls shall also be carried out at the point of supply to the consumer.

*Article 27***Sampling**

1. Each Member State shall take a sufficient number and range of samples to ensure that the results are representative of the market, taking into account the results of previous control programmes. Such sampling shall be carried out as close to the point of supply as is reasonable, to allow for any subsequent enforcement action to be taken.

**▼M4**

2. Measures designed to amend non-essential elements of this Regulation by supplementing it and determining the sampling methods necessary for carrying out such controls of pesticide residues in products other than those provided for in Directive 2002/63/EC <sup>(1)</sup> shall be adopted in accordance with the regulatory procedure with scrutiny referred to in Article 45(3) of this Regulation.

**▼B***Article 28***Methods of analysis**

1. The methods of analysis of pesticide residues shall comply with the criteria set out in the relevant provisions of Community law relating to official controls for food and feed.

2. Technical guidelines dealing with the specific validation criteria and quality control procedures in relation to methods of analysis for the determination of pesticide residues may be adopted in accordance with the procedure referred to in Article 45(2).

3. All laboratories analysing samples for the official controls on pesticide residues shall participate in the Community proficiency tests for pesticide residues organised by the Commission.

*SECTION 2****Community control programme****Article 29***Community control programme**

1. The Commission shall prepare a coordinated multiannual Community control programme, identifying specific samples to be included in the national control programmes and taking into account problems that have been identified regarding compliance with the MRLs set out in this Regulation, with a view to assessing consumer exposure and the application of current legislation.

<sup>(1)</sup> Commission Directive 2002/63/EC of 11 July 2002 establishing Community methods of sampling for the official control of pesticide residues in and on products of plant and animal origin and repealing Directive 79/700/EEC (OJ L 187, 16.7.2002, p. 30).

**▼B**

2. The Community control programme shall be adopted and updated every year in accordance with the procedure referred to in Article 45(2). The draft Community control programme shall be presented to the Committee referred to in Article 45(1) at least six months before the end of each calendar year.

*SECTION 3**National control programmes**Article 30***National control programmes for pesticide residues**

1. Member States shall establish multiannual national control programmes for pesticide residues. They shall update their multiannual programme every year.

Those programmes shall be risk-based and aimed in particular at assessing consumer exposure and compliance with current legislation. They shall specify at least the following:

- (a) the products to be sampled;
- (b) the number of samples to be taken and analyses to be carried out;
- (c) the pesticides to be analysed;
- (d) the criteria applied in drawing up such programmes, including:
  - (i) the pesticide-product combinations to be selected;
  - (ii) the number of samples taken for domestic and non-domestic products respectively;
  - (iii) consumption of the products as a share of the national diet;
  - (iv) the Community control programme; and
  - (v) the results of previous control programmes.

2. Member States shall submit their updated national control programmes for pesticide residues, as mentioned in paragraph 1, to the Commission and to the Authority at least three months before the end of each calendar year.

3. Member States shall participate in the Community control programme as provided for in Article 29. They shall, on an annual basis, publish all results of national residue monitoring on the Internet. Where MRLs are exceeded, Member States may name the retailers, traders or producers concerned.

*SECTION 4**Information by the Member States and annual report**Article 31***Information by the Member States**

1. Member States shall submit the following information concerning the previous calendar year to the Commission, the Authority and the other Member States by 31 August each year:

- (a) the results of the official controls provided for in Article 26(1);

**▼B**

- (b) the LODs applied in the national control programmes referred to in Article 30 and under the Community control programme referred to in Article 29;
  - (c) details of the participation of the analytical laboratories in the Community proficiency tests referred to in Article 28(3) and other proficiency tests relevant to the pesticide-product combinations sampled in the national control programme;
  - (d) details of the accreditation status of the analytical laboratories involved in the controls referred to in point (a);
  - (e) where permitted by national legislation, details of enforcement measures taken.
2. Implementing measures relating to the submission of information by the Member States may be established in accordance with the procedure referred to in Article 45(2) after consultation with the Authority.

*Article 32***The Annual Report on Pesticide Residues**

1. On the basis of the information provided by the Member States under Article 31(1) the Authority shall draw up an Annual Report on pesticide residues.
2. The Authority shall include information on at least the following in the Annual Report:
- (a) an analysis of the results of the controls provided for in Article 26(2);
  - (b) a statement of the possible reasons why the MRLs were exceeded, together with any appropriate observations regarding risk management options;
  - (c) an analysis of chronic and acute risks to the health of consumers from pesticide residues;
  - (d) an assessment of consumer exposure to pesticide residues based on the information provided under point (a) and any other relevant available information, including reports submitted under Directive 96/23/EC.



**▼B**

3. Where a Member State has not provided information in accordance with Article 31, the Authority may disregard the information relating to that Member State when compiling the Annual Report.
4. The format of the Annual Report may be decided in accordance with the procedure referred to in Article 45(2).
5. The Authority shall submit the Annual Report to the Commission by the last day of February each year.
6. The Annual Report may include an opinion on the pesticides to be covered in future programmes.
7. The Authority shall make public the Annual Report, as well as any comments by the Commission or Member States.

*Article 33***Submission of the Annual Report on Pesticide Residues to the Committee**

The Commission shall submit the Annual Report on Pesticide Residues to the Committee referred to in Article 45(1) without delay, for review and recommendations on any necessary measures to be taken regarding reported infringements of the MRLs set out in Annexes II and III.

*SECTION 5****Sanctions****Article 34***Sanctions**

The Member States shall lay down rules on the sanctions applicable to infringements of the provisions of this Regulation and shall take all measures necessary to ensure that they are implemented. The sanctions provided for must be effective, proportionate and dissuasive.

The Member States shall notify those rules and any subsequent amendment to the Commission without delay.

## CHAPTER VI

**EMERGENCY MEASURES***Article 35***Emergency measures**

Articles 53 and 54 of Regulation (EC) No 178/2002 shall apply where, as a result of new information or of a reassessment of existing information, pesticide residues or MRLs covered by this Regulation may endanger human or animal health requiring immediate action. The time limit within which the Commission must take its decision shall be reduced to seven days in the case of fresh produce.

▼ M60

▼ B

CHAPTER VIII

**COORDINATION OF APPLICATIONS FOR MRLS**

*Article 38*

**Designation of national authorities**

Each Member State shall designate one or more national authorities to coordinate cooperation with the Commission, the Authority, other Member States, manufacturers, producers and growers for the purposes of this Regulation. Where more than one authority is designated by a Member State, it shall indicate which of the designated authorities shall act as a contact point.

The national authorities may delegate tasks to other bodies.

Each Member State shall inform the Commission and the Authority of the names and addresses of the designated national authorities.

*Article 39*

**Coordination by the Authority of information on MRLs**

The Authority shall:

- (a) coordinate with the rapporteur Member State designated in accordance with Directive 91/414/EEC for an active substance;
- (b) coordinate with the Member States and the Commission regarding MRLs, in particular for the purpose of fulfilling the requirements of Article 41.

*Article 40*

**Information to be submitted by the Member States**

Member States shall submit to the Authority, at its request, any available information necessary for the assessment of the safety of MRLs.

*Article 41*

**Database of the Authority on MRLs**

Without prejudice to the applicable provisions of Community and national law on access to documents, the Authority shall develop and maintain a database, accessible to the Commission and to the competent authorities of the Member States, containing the relevant scientific information and GAPs relating to the MRLs, the active substances and the processing factors set out in Annexes II, III, IV and VII. In particular it shall contain dietary intake assessments, processing factors and toxicological endpoints.

**▼B***Article 42***Member States and fees**

1. Member States may recover the costs of work associated with setting, modifying or deleting MRLs, or with any other work arising from obligations under this Regulation, by means of a fee or charge.
2. Member States shall ensure that the fee or charge referred to in paragraph 1:
  - (a) is established in a transparent manner; and
  - (b) corresponds to the actual cost of the work involved.

It may include a scale of fixed charges based on average costs for the work referred to in paragraph 1.

## CHAPTER IX

**IMPLEMENTATION***Article 43***Scientific opinion of the Authority**

The Commission or the Member States may request from the Authority a scientific opinion on any measure related to the assessment of risks under this Regulation. The Commission may specify the time limit within which such an opinion shall be provided.

*Article 44***Procedure for the adoption of the Authority's opinions**

1. When the Authority's opinions pursuant to this Regulation require only scientific or technical work involving the application of well-established scientific or technical principles they may, unless the Commission or a Member State objects, be issued by the Authority without consulting the scientific committee or the scientific panels mentioned in Article 28 of Regulation (EC) No 178/2002.
2. The implementing rules pursuant to Article 29(6)(a) of Regulation (EC) No 178/2002 shall specify the cases in which paragraph 1 of this Article shall apply.

**▼M4***Article 45***Committee procedure**

1. The Commission shall be assisted by the Standing Committee on the Food Chain and Animal Health established by Article 58 of Regulation (EC) No 178/2002.

**▼M4**

2. Where reference is made to this paragraph, Articles 5 and 7 of Decision 1999/468/EC shall apply, having regard to the provisions of Article 8 thereof.

The period laid down in Article 5(6) of Decision 1999/468/EC shall be set at three months.

3. Where reference is made to this paragraph, Article 5a(1) to (4) and Article 7 of Decision 1999/468/EC shall apply, having regard to the provisions of Article 8 thereof.

4. Where reference is made to this paragraph, Article 5a(1) to (4) and (5)(b), and Article 7 of Decision 1999/468/EC shall apply, having regard to the provisions of Article 8 thereof.

The time limits laid down in Article 5a(3)(c) and (4)(b) and (e) of Decision 1999/468/EC shall be set at two months, one month and two months respectively.

5. Where reference is made to this paragraph, Article 5a(1), (2), (4) and (6) and Article 7 of Decision 1999/468/EC shall apply, having regard to the provisions of Article 8 thereof.

*Article 46***Implementing measures**

1. Implementing measures to ensure the uniform application of this Regulation, technical guidance documents to assist in its application and detailed rules concerning the scientific data required for the setting of MRLs shall be established or may be amended in accordance with the regulatory procedure referred to in Article 45(2), taking into account, where appropriate, the opinion of the Authority.

2. Measures designed to amend non-essential elements of this Regulation and relating to the establishment or amendment of the dates referred to in Article 23, Article 29(2), Article 30(2), Article 31(1) and Article 32(5) shall be adopted in accordance with the regulatory procedure with scrutiny referred to in Article 45(3), taking into account, where appropriate, the opinion of the Authority.

**▼B***Article 47***Report on implementation of this Regulation**

Not later than 10 years after the entry into force of this Regulation, the Commission shall forward to the European Parliament and to the Council a report on its implementation and any appropriate proposals.

**▼B**CHAPTER X  
FINAL PROVISIONS*Article 48***Repeal and adaptation of legislation**

1. Directives 76/895/EEC, 86/362/EEC, 86/363/EEC and 90/642/EEC are hereby repealed with effect from the date referred to in the second paragraph of Article 50.

2. Article 4(1)(f) of Directive 91/414/EEC shall be replaced by the following:

‘(f) where appropriate, the MRLs for the agricultural products affected by the use referred to in the authorisation have been set or modified in accordance with Regulation (EC) No 396/2005 (\*)’

(\*) OJ L 70, 16.3.2005, p. 1.

**▼M4***Article 49***Transitional measures**

1. The requirements of Chapter III shall not apply to products lawfully produced or imported into the Community before the date referred to in the second paragraph of Article 50.

However, in order to ensure a high level of consumer protection, appropriate measures concerning those products may be taken. Those measures, designed to amend non-essential elements of this Regulation by supplementing it, shall be adopted in accordance with the regulatory procedure with scrutiny referred to in Article 45(5).

2. Where necessary to allow for the normal marketing, processing and consumption of products, further transitional measures may be laid down for the implementation of certain MRLs provided for in Articles 15, 16, 21, 22, and 25. Those measures, designed to amend non-essential elements of this Regulation by supplementing it, and without prejudice to the obligation to ensure a high level of consumer protection, shall be adopted in accordance with the regulatory procedure with scrutiny referred to in Article 45(4).

**▼B***Article 50***Entry into force**

This Regulation shall enter into force on the twentieth day following its publication in the *Official Journal of the European Union*.

Chapters II, III and V shall apply as from six months from the publication of the last of the Regulations establishing Annexes I, II, III and IV.

This Regulation shall be binding in its entirety and directly applicable in all Member States.

## ANNEX I

## PART A

## Products of plant and animal origin referred to in Article 2(1) to which MRLs apply

Code number	Category	Group	Main product of the group or subgroup <sup>(1)</sup>	Scientific names	Part of the product to which MRLs apply
		subgroup			
(1)	(2)	(3)	(4)	(5)	(6)
<b>0100000</b>	<b>FRUITS, FRESH or FROZEN; TREE NUTS</b>				
<b>0110000</b>		<b>Citrus fruits</b>			Whole product after removal of stems
0110010			Grapefruits	<i>Citrus paradisi</i>	
0110020			Oranges	<i>Citrus sinensis</i>	
0110030			Lemons	<i>Citrus limon</i>	
0110040			Limes	<i>Citrus aurantiifolia</i>	
0110050			Mandarins	<i>Citrus reticulata</i> ; syn: <i>Citrus deliciosa</i>	
0110990			Others <sup>(2)</sup>		
<b>0120000</b>		<b>Tree nuts</b>			Whole product after removal of shell (except chestnuts)
0120010			Almonds	<i>Amygdalus communis</i> ; syn: <i>Prunus dulcis</i>	

▼ **M62**

(1)	(2)	(3)	(4)	(5)	(6)
0120020			Brazil nuts	<i>Bertholletia excelsa</i>	
0120030			Cashew nuts	<i>Anacardium occidentale</i>	
0120040			Chestnuts	<i>Castanea crenata</i>	Whole product with shell
				<i>Castanea dentata</i>	
				<i>Castanea mollissima</i>	
				<i>Castanea sativa</i>	
0120050			Coconuts	<i>Cocos nucifera</i>	
0120060			Hazelnuts/cobnuts	<i>Corylus avellana</i>	
0120070			Macadamias	<i>Macadamia ternifolia</i> ; syn: <i>Macadamia integrifolia</i>	
				<i>Macadamia tetraphylla</i>	
0120080			Pecans	<i>Carya illinoensis</i>	
0120090			Pine nut kernels	<i>Pinus pinea</i>	
0120100			Pistachios	<i>Pistacia vera</i>	
0120110			Walnuts	<i>Juglans nigra</i>	
				<i>Juglans regia</i>	
0120990			Others <sup>(2)</sup>		
<b>0130000</b>		<b>Pome fruits</b>			Whole product after removal of stems
0130010			Apples	<i>Malus domestica</i>	



▼ **M62**

(1)	(2)	(3)	(4)	(5)	(6)
0130020			Pears	<i>Pyrus communis</i>	
0130030			Quinces	<i>Cydonia oblonga</i>	
0130040			Medlars	<i>Mespilus germanica</i>	
0130050			Loquats/Japanese medlars	<i>Eriobotrya japonica</i>	
0130990			Others <sup>(2)</sup>		
<b>0140000</b>		<b>Stone fruits</b>			Whole product after removal of stems
0140010			Apricots	<i>Armeniaca vulgaris</i> ; syn: <i>Prunus armeniaca</i>	
0140020			Cherries (sweet)	<i>Cerasus avium</i> ; syn: <i>Prunus avium</i>	
0140030			Peaches	<i>Persica vulgaris</i> ; syn: <i>Prunus persica</i>	
0140040			Plums	<i>Prunus domestica</i>	

▼ **M62**

(1)	(2)	(3)	(4)	(5)	(6)
0140990			Others <sup>(2)</sup>		
<b>0150000</b>		<b>Berries and small fruits</b>			Whole product after removal of caps, crown and stems (except currants)
0151000		(a) grapes			
0151010			Table grapes	<i>Vitis vinifera</i>	
0151020			Wine grapes	<i>Vitis vinifera</i>	
0152000		(b) strawberries		<i>Fragaria x ananassa</i>	
0153000		(c) cane fruits			
0153010			Blackberries	<i>Rubus</i> sect. <i>Rubus</i>	
0153020			Dewberries	<i>Rubus caesius</i>	
0153030			Raspberries (red and yellow)	<i>Rubus idaeus</i>	
0153990			Others <sup>(2)</sup>		
0154000		(d) other small fruits and berries			

▼ **M62**

(1)	(2)	(3)	(4)	(5)	(6)
0154010			Blueberries	<i>Vaccinium angustifolium</i> <i>Vaccinium corymbosum</i> <i>Vaccinium formosum</i> <i>Vaccinium virgatum</i>	
0154020			Cranberries	<i>Vaccinium macrocarpon</i>	
0154030			Currants (black, red and white)	<i>Ribes nigrum</i> <i>Ribes rubrum</i>	Fruits with stems
0154040			Gooseberries (green, red and yellow)	<i>Ribes uva-crispa</i>	
0154050			Rose hips	<i>Rosa canina</i> <i>Rosa majalis</i> <i>Rosa rugosa</i>	
0154060			Mulberries (black and white)	<i>Morus alba</i> <i>Morus nigra</i>	

▼ **M62**

(1)	(2)	(3)	(4)	(5)	(6)
0154070			Azaroles/Mediterranean medlars	<i>Crataegus azarolus</i>	
0154080			Elderberries	<i>Sambucus nigra</i>	
0154990			Others <sup>(2)</sup>		
<b>0160000</b>		<b>Miscellaneous fruits with</b>			Whole product after removal of stems (except pineapples)
0161000		(a) edible peel			
0161010			Dates	<i>Phoenix dactylifera</i>	
0161020			Figs	<i>Ficus carica</i>	
0161030			Table olives	<i>Olea europaea</i>	
0161040			Kumquats	<i>Fortunella japonica</i>	
				<i>Fortunella margarita</i>	
0161050			Carambolas	<i>Averrhoa carambola</i>	
0161060			Kaki/Japanese persimmons	<i>Diospyros kaki</i>	
0161070			Jambuls/jambolans	<i>Syzygium cuminii</i>	
0161990			Others <sup>(2)</sup>		

▼ **M62**

(1)	(2)	(3)	(4)	(5)	(6)
0162000		(b) inedible peel, small			
0162010			Kiwi fruits (green, red, yellow)	<i>Actinidia deliciosa</i>	
				<i>Actinidia chinensis</i>	
0162020			Litchis/lychees	<i>Litchi chinensis</i>	
0162030			Passionfruits/maracujas	<i>Passiflora edulis</i> ; syn: <i>Passiflora laurifolia</i>	
0162040			Prickly pears/cactus fruits	<i>Opuntia ficus-indica</i>	
0162050			Star apples/cainitos	<i>Chrysophyllum cainito</i>	
0162060			American persimmons/Virginia kaki	<i>Diospyros virginiana</i>	
0162990			Others (2)		
0163000		(c) inedible peel, large			
0163010			Avocados	<i>Persea americana</i>	
0163020			Bananas	<i>Musa acuminata</i>	
				<i>Musa balbisiana</i>	
				<i>Musa acuminata x Musa balbisiana</i>	

▼ **M62**

(1)	(2)	(3)	(4)	(5)	(6)
0163030			Mangoes	<i>Mangifera indica</i>	
0163040			Papayas	<i>Carica papaya</i>	
0163050			Granate apples/pomegranates	<i>Punica granatum</i>	
0163060			Cherimoyas	<i>Annona cherimola</i>	
0163070			Guavas	<i>Psidium guajava</i>	
0163080			Pineapples	<i>Ananas comosus</i>	Whole product after removal of crown
0163090			Breadfruits	<i>Artocarpus altilis</i>	
0163100			Durians	<i>Durio zibethinus</i>	
0163110			Soursops/guanabanas	<i>Annona muricata</i>	
0163990			Others <sup>(2)</sup>		
<b>0200000</b>	<b>VEGETABLES, FRESH or FROZEN</b>				
<b>0210000</b>		<b>Root and tuber vegetables</b>			Whole product after removal of tops (if any) and adhering soil
0211000		(a) potatoes		<i>Solanum tuberosum</i> subsp. <i>tuberosum</i>	

## ▼ M62

(1)	(2)	(3)	(4)	(5)	(6)
0212000		(b) tropical root and tuber vegetables			
0212010			Cassava roots/manioc	<i>Manihot esculenta</i>	
0212020			Sweet potatoes	<i>Ipomoea batatas</i>	
0212030			Yams	<i>Dioscorea</i> spp.	
0212040			Arrowroots	<i>Maranta arundinacea</i>	
0212990			Others (²)		
0213000		(c) other root and tuber vegetables except sugar beets			
0213010			Beetroots	<i>Beta vulgaris</i> var. <i>vulgaris</i>	
0213020			Carrots	<i>Daucus carota</i> subsp. <i>sativus</i>	
0213030			Celeriacs/turnip rooted celeries	<i>Apium graveolens</i> var. <i>rapaceum</i>	
0213040			Horseradishes	<i>Armoracia rusticana</i>	
0213050			Jerusalem artichokes	<i>Helianthus tuberosus</i>	
0213060			Parsnips	<i>Pastinaca sativa</i>	
0213070			Parsley roots/Hamburg roots parsley	<i>Petroselinum crispum</i> convar. <i>radicosum</i>	

## ▼ M62

(1)	(2)	(3)	(4)	(5)	(6)
0213080			Radishes	<i>Raphanus sativus</i> Radish Group	
0213090			Salsifies	<i>Tragopogon porrifolius</i>	
0213100			Swedes/rutabagas	<i>Brassica napus</i> subsp. <i>napobrassica</i>	
0213110			Turnips	<i>Brassica rapa</i> subsp. <i>rapa</i>	
0213990			Others (²)		
<b>0220000</b>		<b>Bulb vegetables</b>			Mature bulbs after removal of easily detachable skin and soil (except spring onions/green onions and welsh onions)
0220010			Garlic	<i>Allium sativum</i>	
0220020			Onions	<i>Allium cepa</i> Common Onion Group	
0220030			Shallots	<i>Allium cepa</i> Aggregatum Group; syn: <i>Allium ascalonicum</i>	
0220040			Spring onions/green onions and Welsh onions	<i>Allium cepa</i> Common Onion Group <i>Allium fistulosum</i>	Immature bulbs with pseudo-stems, leaves and in some cases buds
0220990			Others (²)		



## ▼ M62

(1)	(2)	(3)	(4)	(5)	(6)
<b>0230000</b>		<b>Fruiting vegetables</b>			
0231000		(a) solanacea			Whole product after removal of stems and (in case of species of genus <i>Physalis</i> ) sepals
0231010			Tomatoes	<i>Lycopersicon esculentum</i>	
0231020			Sweet peppers/bell peppers	<i>Capsicum annuum</i>	
0231030			Aubergines/eggplants	<i>Solanum melongena</i>	
0231040			Okra/lady's fingers	<i>Abelmoschus esculentus</i>	
0231990			Others <sup>(2)</sup>		
0232000		(b) cucurbits with edible peel			Whole product after removal of stems
0232010			Cucumbers	<i>Cucumis sativus</i>	
0232020			Gherkins	<i>Cucumis sativus</i>	
0232030			Courgettes	<i>Cucurbita pepo</i> Zucchini Group	
0232990			Others <sup>(2)</sup>		

## ▼ M62

(1)	(2)	(3)	(4)	(5)	(6)
0233000		(c) cucurbits with inedible peel			Whole product after removal of stems
0233010			Melons	<i>Cucumis melo</i>	
0233020			Pumpkins	<i>Cucurbita maxima</i>	
0233030			Watermelons	<i>Citrullus vulgaris</i> ; syn: <i>Citrullus lanatus</i>	
0233990			Others <sup>(2)</sup>		
0234000		(d) sweet corn		<i>Zea mays</i> convar. <i>saccharata</i>	Kernels with cob and without husks
0239000		(e) other fruiting vegetables			Whole product after removal of stems
<b>0240000</b>		<b>Brassica vegetables (excluding brassica roots and brassica baby leaf crops)</b>			Whole plant after removal of roots and decayed leaves (except Brussels sprouts and kohlrabies)
0241000		(a) flowering brassica			
0241010			Broccoli	<i>Brassica oleracea</i> var. <i>italica</i>	
0241020			Cauliflowers	<i>Brassica oleracea</i> var. <i>botrytis</i>	
0241990			Others <sup>(2)</sup>		
0242000		(b) head brassica			

## ▼ M62

(1)	(2)	(3)	(4)	(5)	(6)
0242010			Brussels sprouts	<i>Brassica oleracea</i> var. <i>gemmifera</i>	Only cabbage buttons
0242020			Head cabbages	<i>Brassica oleracea</i> var. <i>capitata</i>	
0242990			Others (²)		
0243000		(c) leafy brassica			
0243010			Chinese cabbages/pe-tsai	<i>Brassica rapa</i> subsp. <i>pekinensis</i>	
0243020			Kales	<i>Brassica oleracea</i> var. <i>sabellica</i>	
				<i>Brassica oleracea</i> var. <i>viridis</i>	
0243990			Others (²)		
0244000		(d) kohlrabies		<i>Brassica oleracea</i> var. <i>gongylodes</i>	Whole product after removal of roots, tops and adhering soil (if any)
<b>0250000</b>		<b>Leaf vegetables, herbs and edible flowers</b>			Whole product after removal of roots, decayed outer leaves and soil (if any) (except cresses and other sprouts and shoots, baby leaf crops (including brassica species) and chives)
0251000		(a) lettuces and salad plants			
0251010			Lamb's lettuces/corn salads	<i>Valerianella locusta</i>	
0251020			Lettuces	<i>Lactuca sativa</i>	

## ▼ M62

(1)	(2)	(3)	(4)	(5)	(6)
0251030			Escaroles/broad-leaved endives	<i>Cichorium endivia</i> var. <i>latifolia</i>	
0251040			Cresses and other sprouts and shoots	<i>Lepidium sativum</i> subsp. <i>sativum</i>	Whole products of the germination of true seeds (sometimes of tuber or bulbs) in water, soil, or hydroponic substrate, as they are defined in the EFSA Scientific Opinion, published in EFSA Journal 2011; 9(11):2424, page 9
0251050			Land cresses	<i>Barbarea verna</i>	
0251060			Roman rocket/rucola	<i>Eruca sativa</i>	
0251070			Red mustards	<i>Brassica juncea</i> var. <i>rugosa</i>	
0251080			Baby leaf crops (including brassica species)		Young leaves and petioles of any crops (including brassica) harvested up to 8 true leaf stage
0251990			Others <sup>(2)</sup>		
0252000		(b) spinaches and similar leaves			
0252010			Spinaches	<i>Spinacia oleracea</i>	
0252020			Purslanes	<i>Portulaca oleracea</i>	
0252030			Chards/beet leaves	<i>Beta vulgaris</i> var. <i>flavescens</i>	
0252990			Others <sup>(2)</sup>		

## ▼ M62

(1)	(2)	(3)	(4)	(5)	(6)
0253000		(c) grape leaves and similar species		<i>Vitis vinifera</i>	
0254000		(d) watercresses		<i>Nasturtium officinale</i>	
0255000		(e) witloofs/Belgian endives		<i>Cichorium intybus</i> Foliosum group	
0256000		(f) herbs and edible flowers			
0256010			Chervil	<i>Anthriscus cerefolium</i>	
0256020			Chives	<i>Allium schoenoprasum</i>	Leaves and buds
0256030			Celery leaves	<i>Apium graveolens</i> var. <i>secalinum</i>	
0256040			Parsley	<i>Petroselinum crispum</i>	
0256050			Sage	<i>Salvia officinalis</i>	
0256060			Rosemary	<i>Rosmarinus officinalis</i>	
0256070			Thyme	<i>Thymus vulgaris</i>	
0256080			Basil and edible flowers	<i>Ocimum basilicum</i>	
0256090			Laurel/bay leave	<i>Laurus nobilis</i>	
0256100			Tarragon	<i>Artemisia dracunculus</i>	
0256990			Others (2)		

## ▼ M62

(1)	(2)	(3)	(4)	(5)	(6)
<b>0260000</b>		<b>Legume vegetables</b>			Whole product
0260010			Beans (with pods)	<i>Phaseolus vulgaris</i>	
0260020			Beans (without pods)	<i>Phaseolus vulgaris</i>	
0260030			Peas (with pods)	<i>Pisum sativum</i>	
0260040			Peas (without pods)	<i>Pisum sativum</i>	
0260050			Lentils	<i>Lens culinaris</i> ; syn: <i>Lens esculenta</i>	
0260990			Others <sup>(2)</sup>		
<b>0270000</b>		<b>Stem vegetables</b>			Whole product after removal of decayed tissues, soil an roots (except globe artichokes and rhubarbs)
0270010			Asparagus	<i>Asparagus officinalis</i>	
0270020			Cardoons	<i>Cynara cardunculus</i> Cardoon group	
0270030			Celeries	<i>Apium graveolens</i> var. <i>dulce</i>	
0270040			Florence fennels	<i>Foeniculum vulgare</i> var. <i>azoricum</i>	
0270050			Globe artichokes	<i>Cynara cardunculus</i> Globe artichoke group	Whole flower head including receptacle
0270060			Leeks	<i>Allium ampeloprasum ampeloprasum</i> Leek Group; syn: <i>Allium porrum</i>	

▼ **M62**

(1)	(2)	(3)	(4)	(5)	(6)
0270070			Rhubarbs	<i>Rheum rhabarbarum</i>	Stalks after removal of roots and leaves
0270080			Bamboo shoots	<i>Bambusa vulgaris</i>	
				<i>Phyllostachys edulis</i>	
0270090			Palm hearts	<i>Bactris gasipaes</i>	
				<i>Cocos nucifera</i>	
				<i>Daemonorops jenkinsiana</i>	
				<i>Euterpe edulis</i>	
				<i>Euterpe oleracea</i>	
0270990			Others (2)		
<b>0280000</b>		<b>Fungi, mosses and lichens</b>			Whole product after removal of soil or growing medium
0280010			Cultivated fungi		
0280020			Wild fungi		
0280990			Mosses and lichens		
<b>0290000</b>		<b>Algae and prokaryotes organisms</b>			
<b>0300000</b>	<b>PULSES</b>				Dry seeds

▼ **M62**

(1)	(2)	(3)	(4)	(5)	(6)
0300010			Beans	<i>Phaseolus vulgaris</i>	
0300020			Lentils	<i>Lens culinaris</i> ; syn: <i>Lens esculenta</i>	
0300030			Peas	<i>Pisum sativum</i>	
0300040			Lupins/lupini beans	<i>Lupinus albus</i> subsp. <i>albus</i>	
				<i>Lupinus angustifolius</i>	
				<i>Lupinus luteus</i>	
				<i>Lupinus mutabilis</i>	
0300990			Others <sup>(2)</sup>		
<b>0400000</b>	<b>OILSEEDS AND OIL FRUITS</b>				
<b>0401000</b>		<b>Oilseeds</b>			Whole product after removal of capsules, shells and husk when possible (except cotton)
0401010			Linseeds	<i>Linum usitatissimum</i>	
0401020			Peanuts/groundnuts	<i>Arachis hypogaea</i>	
0401030			Poppy seeds	<i>Papaver somniferum</i> subsp. <i>somniferum</i>	
0401040			Sesame seeds	<i>Sesamum indicum</i>	
0401050			Sunflower seeds	<i>Helianthus annuus</i>	



## ▼ M62

(1)	(2)	(3)	(4)	(5)	(6)
0401060			Rapeseeds/canola seeds	<i>Brassica napus</i> subsp. <i>napus</i>	
0401070			Soyabeans	<i>Glycine max</i>	
0401080			Mustard seeds	<i>Brassica juncea</i>	
				<i>Brassica nigra</i>	
				<i>Sinapis alba</i>	
0401090			Cotton seeds	<i>Gossypium barbadense</i>	Undelinted
				<i>Gossypium herbaceum</i>	
0401100			Pumpkin seeds	<i>Cucurbita pepo</i> Styrian Hulless Group	
0401110			Safflower seeds	<i>Carthamus tinctorius</i>	
0401120			Borage seeds	<i>Borago officinalis</i>	
0401130			Gold of pleasure seeds	<i>Camelina sativa</i>	
0401140			Hemp seeds	<i>Cannabis sativa</i> subsp. <i>sativa</i>	
				<i>Cannabis sativa</i> subsp. <i>spontanea</i>	
0401150			Castor beans	<i>Ricinus communis</i>	
0401990			Others (2)		

▼ **M62**

(1)	(2)	(3)	(4)	(5)	(6)
<b>0402000</b>		<b>Oil fruits</b>			Whole product after removal of stems (except olives for oil production)
0402010			Olives for oil production	<i>Olea europaea</i> var. <i>europaea</i>	Whole fruit after removal of stems and soil
0402020			Oil palms kernels	<i>Attalea maripa</i>	
				<i>Elaeis guineensis</i>	
				<i>Elaeis oleifera</i>	
0402030			Oil palms fruits	<i>Attalea maripa</i>	
				<i>Elaeis guineensis</i>	
				<i>Elaeis oleifera</i>	
0402040			Kapok	<i>Ceiba pentandra</i>	
0402990			Others <sup>(2)</sup>		
<b>0500000</b>	<b>CEREALS</b>				Whole grains
0500010			Barley	<i>Hordeum vulgare</i>	
0500020			Buckwheat and other pseudo-cereals	<i>Fagopyrum esculentum</i>	
0500030			Maize/corn	<i>Zea mays</i>	
0500040			Common millet/proso millet	<i>Panicum miliaceum</i>	

▼ **M62**

(1)	(2)	(3)	(4)	(5)	(6)
0500050			Oat	<i>Avena sativa</i>	
0500060			Rice	<i>Oryza sativa</i>	
0500070			Rye	<i>Secale cereale</i>	
0500080			Sorghum	<i>Sorghum bicolor</i>	
0500090			Wheat	<i>Triticum aestivum</i>	
0500990			Others <sup>(2)</sup>		
<b>0600000</b>	<b>TEAS, COFFEE, HERBAL INFUSIONS, COCOA AND CAROBS</b>				
<b>0610000</b>		<b>Teas</b>		<i>Camellia sinensis</i>	Dried leaves, stalks and flowers, whether fermented or otherwise treated
<b>0620000</b>		<b>Coffee beans</b>		<i>Coffea arabica</i>	Green beans
				<i>Coffea canephora</i> ; syn: <i>Coffea robusta</i>	
				<i>Coffea liberica</i>	
<b>0630000</b>		<b>Herbal infusions from</b>			Dried product
0631000		(a) flowers			Flowers after removal of stalks and decayed parts (except Chamomile)

## ▼ M62

(1)	(2)	(3)	(4)	(5)	(6)
0631010			Chamomile	<i>Chamaemelum nobile</i> ; syn: <i>Anthemis nobilis</i>	Inflorescences including a technically unavoidable amount of other aerial parts
				<i>Matricaria recutita</i> ; syn: <i>Matricaria chamomilla</i>	
0631020			Hibiscus/roselle	<i>Hibiscus sabdariffa</i>	
0631030			Rose	<i>Rosa</i> spp.	
0631040			Jasmine	<i>Jasminum officinale</i>	
				<i>Jasminum sambac</i>	
0631050			Lime/linden	<i>Tilia cordata</i>	
				<i>Tilia platyphyllos</i>	
				<i>Tilia tomentosa</i> ; syn: <i>Tilia argentea</i>	
0631990			Others (2)		
0632000		(b) leaves and herbs			Leaves and aerial green parts, after removal of decayed leaves
0632010			Strawberry	<i>Fragaria x ananassa</i>	
0632020			Rooibos	<i>Aspalathus linearis</i>	
0632030			Mate/maté	<i>Ilex paraguariensis</i>	
0632990			Others (2)		

▼ **M62**

(1)	(2)	(3)	(4)	(5)	(6)
0633000		(c) roots			Roots after removal of tops and adhering soil
0633010			Valerian	<i>Valeriana officinalis</i>	
0633020			Ginseng	<i>Panax ginseng</i>	
				<i>Panax quinquefolius</i>	
0633990			Others <sup>(2)</sup>		
0639000		(d) any other parts of the plant			
<b>0640000</b>		<b>Cocoa beans</b>		<i>Theobroma cacao</i>	Beans fermented or dried, after removal of shells
<b>0650000</b>		<b>Carobs/Saint John's breads</b>		<i>Ceratonia siliqua</i>	Whole product after removal of stems
<b>0700000</b>	<b>HOPS</b>			<i>Humulus lupulus</i>	Dried cones, also in the form of pellets and unconcentrated powder
<b>0800000</b>	<b>SPICES</b>				Dried product whole, crushed or ground
<b>0810000</b>		<b>Seed spices</b>			
0810010			Anise/aniseed	<i>Pimpinella anisum</i>	
0810020			Black caraway/black cumin	<i>Bunium persicum</i>	

▼ **M62**

(1)	(2)	(3)	(4)	(5)	(6)
0810030			Celery	<i>Apium graveolens</i>	
0810040			Coriander	<i>Coriandrum sativum</i>	
0810050			Cumin	<i>Cuminum cyminum</i>	
0810060			Dill	<i>Anethum graveolens</i>	
0810070			Fennel	<i>Foeniculum vulgare</i>	
0810080			Fenugreek	<i>Trigonella foenum-graecum</i>	
0810090			Nutmeg	<i>Myristica fragrans</i>	
0810990			Others (²)		
<b>0820000</b>		<b>Fruit spices</b>			
0820010			Allspice/pimento	<i>Pimenta dioica</i> ; syn: <i>Pimenta officinalis</i>	
0820020			Sichuan pepper	<i>Zanthoxylum</i> spp.	
0820030			Caraway	<i>Carum carvi</i>	
0820040			Cardamom	<i>Elettaria cardamomum</i>	
0820050			Juniper berry	<i>Juniperus communis</i>	
0820060			Peppercorn (black, green and white)	<i>Piper nigrum</i>	

▼ **M62**

(1)	(2)	(3)	(4)	(5)	(6)
0820070			Vanilla	<i>Vanilla planifolia</i> ; syn: <i>Vanilla fragrans</i>	
0820080			Tamarind	<i>Tamarindus indica</i>	
0820990			Others (²)		
<b>0830000</b>		<b>Bark spices</b>			
0830010			Cinnamon	<i>Cinnamomum verum</i> ; syn: <i>Cinnamomum zeylanicum</i>	
0830990			Others (²)		
<b>0840000</b>		<b>Root and rhizome spices</b>			
0840010			Liquorice	<i>Glycyrrhiza glabra</i>	
0840020			Ginger	<i>Zingiber officinale</i>	
0840030			Turmeric/curcuma	<i>Curcuma longa</i> ; syn: <i>Curcuma domestica</i>	
0840040			Horseradish	<i>Armoracia rusticana</i>	
0840990			Others (²)		
<b>0850000</b>		<b>Bud spices</b>			
0850010			Cloves	<i>Syzygium aromaticum</i> ; syn: <i>Eugenia caryophyllata</i>	

## ▼ M62

(1)	(2)	(3)	(4)	(5)	(6)
0850020			Capers	<i>Capparis spinosa</i>	
0850990			Others (2)		
<b>0860000</b>		<b>Flower pistil spices</b>			
0860010			Saffron	<i>Crocus sativus</i>	
0860990			Others (2)		
<b>0870000</b>		<b>Aril spices</b>			
0870010			Mace	<i>Myristica fragrans</i>	
0870990			Others (2)		
<b>0900000</b>	<b>SUGAR PLANTS</b>				Whole product after removal of tops and adhering soil by rinsing or brushing (except sugar canes)
0900010			Sugar beet roots	<i>Beta vulgaris</i> ssp. <i>vulgaris</i> var. <i>altissima</i>	
0900020			Sugar canes	<i>Saccharum officinarum</i>	Whole product after removal of decayed tissues, soil and roots
0900030			Chicory roots	<i>Cichorium intybus</i> Sativum group	
0900990			Others (2)		



## ▼ M62

(1)	(2)	(3)	(4)	(5)	(6)
<b>1000000</b>	<b>PRODUCTS OF ANIMAL ORIGIN-TERRESTRIAL ANIMALS</b>				
<b>1010000</b>		<b>Tissues from</b>			Whole product (except muscle)
1011000		(a) swine		<i>Sus scrofa</i>	
1011010			Muscle		Meat after removal of trimmable fat
1011020			Fat tissue		
1011030			Liver		
1011040			Kidney		
1011050			Edible offals (other than liver and kidney)		
1011990			Others <sup>(2)</sup>		
1012000		(b) bovine		<i>Bos primigenius taurus</i>	
1012010			Muscle		Meat after removal of trimmable fat
1012020			Fat tissue		
1012030			Liver		
1012040			Kidney		

## ▼ M62

(1)	(2)	(3)	(4)	(5)	(6)
1012050			Edible offals (other than liver and kidney)		
1012990			Others (2)		
1013000		(c) sheep		<i>Ovis aries</i>	
1013010			Muscle		Meat after removal of trimmable fat
1013020			Fat tissue		
1013030			Liver		
1013040			Kidney		
1013050			Edible offals (other than liver and kidney)		
1013990			Others (2)		
1014000		d) goat		<i>Capra aegagrus hircus</i>	
1014010			Muscle		Meat after removal of trimmable fat
1014020			Fat tissue		
1014030			Liver		
1014040			Kidney		

▼ **M62**

(1)	(2)	(3)	(4)	(5)	(6)
1014050			Edible offals (other than liver and kidney)		
1014990			Others <sup>(2)</sup>		
1015000		(e) equine		<i>Equus</i> spp.	
1015010			Muscle		Meat after removal of trimmable fat
1015020			Fat tissue		
1015030			Liver		
1015040			Kidney		
1015050			Edible offals (other than liver and kidney)		
1015990			Others <sup>(2)</sup>		
1016000		(f) poultry			
1016010			Muscle		Meat after removal of trimmable fat
1016020			Fat tissue		
1016030			Liver		
1016040			Kidney		
1016050			Edible offals (other than liver and kidney)		

▼ **M62**

(1)	(2)	(3)	(4)	(5)	(6)
1016990			Others <sup>(2)</sup>		
1017000		(g) other farmed terrestrial animals			
1017010			Muscle		Meat after removal of trimmable fat
1017020			Fat tissue		
1017030			Liver		
1017040			Kidney		
1017050			Edible offals (other than liver and kidney)		
1017990			Others <sup>(2)</sup>		
<b>1020000</b>		<b>Milk</b>			Whole product based on a fat content of 4% by weight <sup>(3)</sup>
1020010			Cattle	<i>Bos primigenius taurus</i>	
1020020			Sheep	<i>Ovis aries</i>	
1020030			Goat	<i>Capra aegagrus hircus</i>	
1020040			Horse	<i>Equus caballus</i>	
1020990			Others <sup>(2)</sup>		

▼ **M62**

(1)	(2)	(3)	(4)	(5)	(6)
<b>1030000</b>		<b>Birds eggs</b>			Whole product after removal of the shell <sup>(4)</sup>
1030010			Chicken	<i>Gallus gallus</i>	
1030020			Duck	<i>Anas platyrhynchos</i>	
1030030			Geese	<i>Anser anser</i>	
1030040			Quail	<i>Coturnix coturnix</i>	
				<i>Coturnix japonica</i>	
1030990			Others <sup>(2)</sup>		
<b>1040000</b>		<b>Honey and other apiculture products</b>		N.A.	
<b>1050000</b>		<b>Amphibians and Reptiles</b>			
<b>1060000</b>		<b>Terrestrial invertebrate animals</b>			
<b>1070000</b>		<b>Wild terrestrial vertebrate animals</b>			
<b>1100000</b>	<b>PRODUCTS OF ANIMAL ORIGIN - FISH, FISH-PRODUCTS AND ANY OTHER MARINE AND FRESHWATER FOOD PRODUCTS <sup>(5)</sup></b>				

▼ **M62**

(1)	(2)	(3)	(4)	(5)	(6)
<b>1200000</b>	<b>CROPS OR PART OF CROPS EXCLUSIVELY USED FOR ANIMAL FEED PRODUCTION <sup>(5)</sup></b>				
<b>1300000</b>	<b>PROCESSED FOOD PRODUCTS <sup>(5)</sup></b>				

N.A. Not applicable.

<sup>(1)</sup> MRLs do not apply to products or parts of the product used exclusively as ingredients for animal feed, until separate MRLs will be applicable.

<sup>(2)</sup> The term 'Others' covers any other product not explicitly mentioned under the rest of the codes within the same group or subgroup, in the columns 'Main product of the group or subgroup' of Part A and 'Other products to which the same MRLs apply' of Part B.

<sup>(3)</sup> In all cases the MRL values are expressed as mg/kg of raw milk. Where the residue definition is marked as fat soluble (by letter F) the MRL is based on raw cow milk with a fat content of 4 % by weight; for raw milk of other species the MRL value shall be adjusted proportionally according to the fat content of the raw milk of that species.

<sup>(4)</sup> In all cases the MRL values are expressed as mg/kg of eggs. Where the residue definition is marked as fat soluble (by letter F) the MRL is based on hen eggs with a fat content of 10 % by weight; for eggs of other species the MRL value shall be adjusted proportionally according to the fat content of the eggs of that species, if the fat content is higher than 10 % by weight.

<sup>(5)</sup> No MRLs are applicable until individual products have been identified and listed within this category.

## PART B

## Other products referred to in Article 2(1)

References to Part A		
Category	Code number	Main product of the group or subgroup or Name of the group or subgroup
(1)	(2)	(3)
0100000	0110010	Grapefruits
	0110020	Oranges
	0110030	Lemons

Code number	Other products to which the same MRLs apply (1)	
	Common names/synonyms	Scientific names
(4)	(5)	(6)
0110010-001	Natsudaidais	<i>Citrus natsudaidai</i>
0110010-002	Shaddocks/pomelos	<i>Citrus maxima</i> ; syn: <i>Citrus grandis</i>
0110010-003	Sweeties/oroblancos	<i>Citrus grandis</i> x <i>Citrus paradisi</i>
0110010-004	Tangelolos	<i>Citrus paradisi</i> x <i>tangelo</i>
0110010-005	Tangelos (except minneolas)/Ugli®	<i>Citrus tangelo</i>
0110010-990	Other hybrids of <i>Citrus paradisi</i> , not elsewhere mentioned	
0110020-001	Bergamots	<i>Citrus bergamia</i>
0110020-002	Bitter oranges/sour oranges	<i>Citrus aurantium</i>
0110020-003	Blood oranges	<i>Citrus sinensis</i>
0110020-004	Cara caras	<i>Citrus sinensis</i>
0110020-005	Chinottos	<i>Citrus myrtifolia</i>
0110020-006	Trifoliolate oranges	<i>Poncirus trifoliata</i>
0110020-990	Other hybrids of <i>Citrus sinensis</i> , not elsewhere mentioned	
0110030-001	Buddha's hands/Buddha's fingers	<i>Citrus medica</i> var. <i>sarcodactyla</i>
0110030-002	Citrons	<i>Citrus medica</i>

## ▼ M62

(1)	(2)	(3)	(4)	(5)	(6)
	0110040	Limes	0110040-001	Indian sweet limes/Palestine sweet limes	<i>Citrus limettioides</i>
			0110040-002	Kaffir limes	<i>Citrus hystrix</i>
			0110040-003	Sweet limes/mosambis	<i>Citrus limetta</i>
			0110040-004	Tahiti limes	<i>Citrus latifolia</i>
	0110050	Mandarins	0110050-001	Calamondins	<i>Citrus madurensis</i>
			0110050-002	Clementines	<i>Citrus clementina</i>
			0110050-003	Cleopatra mandarins	<i>Citrus reshni</i>
			0110050-004	Minneolas	<i>Citrus tangelo</i>
			0110050-005	Satsumas	<i>Citrus unshiu</i>
			0110050-006	Tangerines/dancy mandarins	<i>Citrus tangerina</i>
			0110050-007	Tangors	<i>Citrus nobilis</i>
			0110050-990	Other hybrids of <i>Citrus reticulata</i> , not elsewhere mentioned	
	0120010	Almonds	0120010-001	Apricot kernels	<i>Armeniaca vulgaris</i> ; syn: <i>Prunus armeniaca</i>
			0120010-002	Bitter almonds	<i>Amygdalus communis</i> var. <i>amara</i> ; syn: <i>Prunus dulcis</i>
			0120010-003	Canarium nuts/galip nuts	<i>Canarium harveyi</i>
			0120010-005	Pili nuts	<i>Canarium ovatum</i>
	0120050	Coconuts	0120050-001	Areca nuts/betel nuts	<i>Areca catechu</i>
	0120060	Hazelnuts/cobnuts	0120060-001	Acorns	<i>Quercus</i> spp.
			0120060-002	Filberts	<i>Corylus maxima</i>



▼ M62

(1)	(2)	(3)
	0120080	Pecans
	0120090	Pine nut kernels
	0130010	Apples
	0130020	Pears
	0130030	Quinces
	0140010	Apricots

(4)	(5)	(6)
0120080-001	Hickory nuts	<i>Carya ovata</i>
0120090-001	Pine nut kernels from other species than <i>Pinus pinea</i>	<i>Pinus cembra</i>
0120090-002		<i>Pinus gerardiana</i>
0120090-003		<i>Pinus koraiensis</i>
0120090-004		<i>Pinus sibirica</i>
0120090-005		<i>Pinus pumila</i>
0120090-006		<i>Pinus yunnanensis</i>
0120090-007		<i>Pinus wallichiana</i>
0120090-990	Other species of genus <i>Pinus</i> , not elsewhere mentioned	
0130010-001	Crab apples/wild apples	<i>Malus sylvestris</i>
0130010-002	Tejocotes	<i>Crataegus mexicana</i>
0130020-001	Nashi pears/Oriental pears	<i>Pyrus pyrifolia</i>
0130020-002	Wild pears	<i>Pyrus pyraster</i>
0130020-003	Ya pears/Chinese white pears	<i>Pyrus bretschneideri</i>
0130030-001	Chinese quinces	<i>Pseudocdonia sinensis</i>
0130030-002	Japanese quinces	<i>Chaenomeles japonica</i>
0140010-001	Japanese apricots/Umes	<i>Prunus mume</i>
0140010-002	Nectarines	<i>Prunus armeniaca</i> x <i>Prunus persica</i> var. <i>nucipersica</i>

## ▼ M62

(1)	(2)	(3)	(4)	(5)	(6)
0140020	Cherries (sweet)	0140020-001	Black cherries	<i>Prunus serotina</i> var. <i>serotina</i>	
		0140020-002	Capulins	<i>Prunus serotina</i> var. <i>capuli</i>	
		0140020-003	Chokecherries	<i>Prunus virginiana</i>	
		0140020-004	Cornelian cherries/European corniols	<i>Cornus mas</i>	
		0140020-005	Nanking cherries	<i>Prunus tomentosa</i>	
		0140020-006	Sour cherries/morello cherries	<i>Cerasus vulgaris</i> ; syn: <i>Prunus cerasus</i>	
	0140030	Peaches	0140030-001	Flat peaches/saturn peaches/paraguayas	<i>Prunus persica</i> var. <i>platycarpa</i>
			0140030-002	Nectarines	<i>Persica vulgaris</i> var. <i>nectarina</i> ; syn: <i>Prunus persica</i> var. <i>nucipersica</i>
			0140030-990	Other hybrids of <i>Persica vulgaris</i> ; syn: <i>Prunus persica</i> , not elsewhere mentioned	
	0140040	Plums	0140040-001	American plums	<i>Prunus americana</i>
			0140040-002	Beach plums	<i>Prunus maritima</i>
			0140040-003	Cherry plums /myrabolans	<i>Prunus cerasifera</i>
			0140040-004	Chickasaw plums	<i>Prunus angustifolia</i>
0140040-005			Chinese jujubes/red dates/Chinese dates	<i>Ziziphus jujuba</i> ; syn: <i>Ziziphus zizyphus</i>	
0140040-006			Damsons/ bullaces	<i>Prunus domestica</i> subsp. <i>rotunda</i> ; syn: <i>Prunus domestica</i> subsp. <i>italica</i>	
0140040-007			Gages/greengages/Reine Claudes	<i>Prunus domestica</i> var. <i>italica</i> ; syn: <i>Prunus domestica</i> subsp. <i>rotunda</i>	
0140040-008			Japanese plums	<i>Prunus salicina</i>	
0140040-009			Klamath plums	<i>Prunus subcoradata</i>	
0140040-010			Mirabelles	<i>Prunus domestica</i> subsp. <i>syriaca</i>	
0140040-011			Plumcots	<i>Prunus domestica</i> x <i>Prunus armeniaca</i>	
0140040-012			Prunus Nadia®	<i>Prunus salicina</i> x <i>Prunus avium</i>	
0140040-013			Sloes/blackthorne berries	<i>Prunus spinosa</i>	

## ▼ M62

(1)	(2)	(3)	(4)	(5)	(6)
	0151010	Table grapes	0151010-001	Kiwiberries/dwarf kiwi (?)	<i>Actinidia arguta</i>
			0151010-002	Schisandra berries	<i>Schisandra chinensis</i>
	0151020	Wine grapes	0151020-001	Amur river grapes	<i>Vitis amurensis</i>
			0151020-002	Muscadine grapes	<i>Vitis rotundifolia</i>
	0152000	Strawberries	0152000-001	Musky strawberries	<i>Fragaria moschata</i>
			0152000-002	Wild strawberries	<i>Fragaria vesca</i>
	0153020	Dewberries	0153020-001	Boysenberries	<i>Rubus x loganobaccus</i> × <i>Rubus fruticosus</i> / <i>Rubus ursinus</i> × <i>Rubus idaeus</i>
			0153020-002	Loganberries	<i>Rubus x loganobaccus</i>
			0153020-003	Olallieberries	<i>Rubus x loganobaccus</i> × <i>Rubus ursinus</i> var. <i>young</i>
			0153020-004	Salmonberries	<i>Rubus spectabilis</i>
			0153020-005	Tayberries	<i>Rubus</i> sect <i>Rubus x Rubus idaeus</i>
			0153020-006	Thimbleberries	<i>Rubus parviflorus</i>
			0153020-007	Youngberries	<i>Rubus ursinus</i> var. <i>young</i>
			0153020-990	Other species and hybrids of genus <i>Rubus</i> , not elsewhere mentioned	
			0153030	Raspberries (red and yellow)	0153030-001
	0153030-002	Black raspberries			<i>Rubus occidentalis</i>
	0153030-003	Korean black raspberries			<i>Rubus coreanus</i>
	0153030-004	Korean raspberries			<i>Rubus crataegifolius</i>
	0153030-005	Nectar raspberries			<i>Rubus idaeus</i> × <i>Rubus arcticus</i>
	0153030-006	Wineberries/Japanese wineberries			<i>Rubus phoenicolasius</i>

## ▼ M62

(1)	(2)	(3)	(4)	(5)	(6)
0154010	Blueberries	0154010-001	Aronia berries/chokeberries (black, purple and red)	<i>Aronia arbutifolia</i>	
		0154010-002		<i>Aronia melanocarpa</i>	
		0154010-003		<i>Aronia prunifolia</i>	
		0154010-004	Bearberries	<i>Arctostaphylos uva-ursi</i>	
		0154010-005	Bilberries/European blueberries/whortleberries	<i>Vaccinium myrtillus</i>	
		0154010-006	Bog bilberries	<i>Vaccinium uliginosum</i>	
		0154010-007	European barberries	<i>Berberis vulgaris</i>	
		0154010-008	Golden currant/buffalo currant	<i>Ribes aureum</i>	
		0154010-009	Haskaps/blue honeysuckles	<i>Lonicera caerulea</i>	
		0154010-010	Huckleberries	<i>Vaccinium parvifolium</i>	
		0154010-011	Jostaberries	<i>Ribes × nidigrolaria</i>	
		0154010-012	Juneberries	<i>Amelanchier lamarckii</i>	
		0154010-013	Myrtle berries	<i>Myrtus communis</i>	
		0154010-014	Native currant	<i>Acrotriche depressa</i>	
		0154010-015	Red bilberries/cowberries	<i>Vaccinium vitis-idaea</i> var. <i>vitis-idaea</i>	
		0154010-016	Red bilberries/lingonberries	<i>Vaccinium vitis-idaea</i> var. <i>minus</i>	
		0154010-017	Salal/shallon berries	<i>Gaultheria shallon</i>	
		0154010-018	Sea buckthorns/sallow thorns	<i>Hippophae rhamnoides</i>	
		0154010-019	Serviceberries	<i>Amelanchier ovalis</i>	
		0154010-020	Ugniberries/Chilean guavas	<i>Ugni molinae</i>	
		0154010-021	Worcesterberries	<i>Ribes divaricatum</i>	
0154010-990	Other species and hybrids of genera <i>Ribes</i> and <i>Vaccinium</i> , not elsewhere mentioned				

▼ M62

(1)	(2)	(3)	(4)	(5)	(6)
	0154020	Cranberries	0154020-001	Cloudbberries	<i>Rubus chamaemorus</i>
			0154020-002	Crowberries	<i>Empetrum eamesii</i>
			0154020-003		<i>Empetrum hermaphroditum</i>
			0154020-004		<i>Empetrum nigrum</i>
			0154020-005		<i>Empetrum rubrum</i>
			0154020-006	Muntries	<i>Kunzea pomifera</i>
			0154020-007	Partridge berries	<i>Mitchella repens</i>
			0154020-008	Small cranberries/European cranberries	<i>Vaccinium oxycoccus</i>
	0154080	Elderberries	0154080-001	Bayberries	<i>Morella rubra</i>
			0154080-002	Buffalo berries	<i>Shepherdia argentea</i>
			0154080-003	Che berries	<i>Maclura tricuspidata</i>
			0154080-004	Dwarf elderberries	<i>Sambucus ebulus</i>
			0154080-005	Guelder rose berries	<i>Viburnum opulus</i>
			0154080-006	Hawberries	<i>Crataegus monogyna</i>
			0154080-007	Midland hawberries	<i>Crataegus laevigata</i> ; syn: <i>Crataegus oxyacantha</i>
			0154080-008	Phalsa fruits	<i>Grewia asiatica</i>
			0154080-009	Riberries	<i>Syzygium luehmannii</i>
			0154080-010	Rowan berries	<i>Sorbus aucuparia</i>
			0154080-011	Saskatoons/saskatoons berries/Pacific service-berries	<i>Amelanchier alnifolia</i>
			0154080-012	Silverberries/Russian olives	<i>Elaeagnus angustifolia</i>
			0154080-013	Sorb berries/sorb apples	<i>Sorbus domestica</i>

## ▼ M62

(1)	(2)	(3)	(4)	(5)	(6)
	0161010	Dates	0161010-001	Açaí berries	<i>Euterpe oleracea</i>
			0161010-002	Awara palm fruits	<i>Astrocaryum vulgare</i>
			0161010-003	Doum palm fruits	<i>Hyphaene thebaica</i>
	0161030	Table olives	0161030-001	Chinese black olives	<i>Canarium tramdenum</i>
			0161030-002	Chinese white olives	<i>Canarium album</i>
			0161030-003	Desert dates	<i>Balanites aegyptiacus</i>
	0161040	Kumquats	0161040-001	Limequats	<i>Citrus aurantiifolia</i> x <i>Fortunella</i> spp.
			0161040-002	Marumi kumquats/round kumquats	<i>Fortunella japonica</i>
			0161040-003	Nagami kumquats/oval kumquats	<i>Fortunella margarita</i>
			0161040-990	Other species and hybrids of genus <i>Fortunella</i> , not elsewhere mentioned	
	0161050	Carambolas	0161050-001	Ambarellas	<i>Spondias cytherea</i>
			0161050-002	Aonlas/Indian gooseberries	<i>Phyllanthus emblica</i>
			0161050-003	Babacos	<i>Vasconcellea</i> × <i>heilbornii</i>
			0161050-004	Bilimbis	<i>Averrhoa bilimbi</i>
			0161050-005	Cashew apples	<i>Anacardium occidentale</i>
			0161050-006	Indian jujubes/bers	<i>Ziziphus mauritiana</i>
			0161050-007	Jaboticabas	<i>Myrciaria cauliflora</i>
			0161050-008	Malay pommarosas/pomeracs	<i>Syzygium malaccense</i>
			0161050-009	Malayan mombins	<i>Spondias pinnata</i>
			0161050-010	Maprangs/marian plums	<i>Bouea macrophylla</i>
			0161050-011	Natal plums	<i>Carissa macrocarpa</i> ; syn: <i>Carissa grandiflora</i>
			0161050-012	Nonis	<i>Morinda citrifolia</i>
			0161050-013	Pommarosas/rose apples	<i>Syzygium jambos</i>
			0161050-014	Purple mombins	<i>Spondias purpurea</i>
			0161050-015	Santols/sentuls	<i>Sandoricum koetjape</i>

## ▼ M62

(1)	(2)	(3)	(4)	(5)	(6)
0161070	Jambuls/jambolans	0161070-001	Acerolas/Barbados cherries	<i>Malpighia glabra</i>	
		0161070-002	Arbutus berries	<i>Arbutus unedo</i>	
		0161070-003	Camu camu	<i>Myrciaria dubia</i>	
		0161070-004	Carandas	<i>Carissa carandas</i>	
		0161070-005	Coco plums	<i>Chrysobalanus icaco</i>	
		0161070-006	Grumichamas/Brazil cherries	<i>Eugenia dombeyi</i> ; syn: <i>Eugenia brasiliensis</i>	
		0161070-007	Hog plums/yellow mombins	<i>Spondias mombin</i>	
		0161070-008	Java apples	<i>Syzygium samarangense</i>	
		0161070-009	Otaheite gooseberries	<i>Phyllanthus acidus</i> ; syn: <i>Phyllanthus distichus</i>	
		0161070-010	Sea grapes	<i>Coccoloba uvifera</i>	
		0161070-011	Surinam cherries	<i>Eugenia uniflora</i>	
		0161070-012	Water apples	<i>Syzygium aqueum</i>	
		0161070-013	Water berries	<i>Syzygium cordatum</i>	
		0161070-014	Water pears	<i>Syzygium guineense</i>	
0162020	Litchis/lychees	0162020-001	Longans	<i>Dimocarpus longan</i>	
		0162020-002	Marulas	<i>Sclerocarya birrea</i>	
		0162020-003	Salaks/snake fruits	<i>Salacca zalacca</i> ; syn: <i>Salacca edulis</i>	
		0162020-004	Spanish limes/mamoncillos/genips	<i>Melicoccus bijugatus</i>	
0162030	Passionfruits/maracujas	0162030-001	Banana passionfruits	<i>Passiflora mollissima</i>	
		0162030-002	Giant granadillas	<i>Passiflora quadrangularis</i>	
		0162030-003	Granadillas	<i>Passiflora ligularis</i>	
		0162030-004	Monstera fruits	<i>Monstera deliciosa</i>	
		0162030-005	Wingedstem passionflower fruits	<i>Passiflora alata</i>	

▼ M62

(1)	(2)	(3)	(4)	(5)	(6)
	0162040	Prickly pears/cactus fruits	0162040-001	Pitayas/dragon fruits	<i>Hylocereus undatus</i>
			0162040-002	Red pitayas	<i>Hylocereus triangularis</i>
			0162040-003	Saguaro fruits	<i>Carnegiea gigantea</i>
	0162060	American persimmons/ Virginia kaki	0162060-001	Black sapotes	<i>Diospyros digyna</i>
			0162060-002	Green sapotes	<i>Pouteria viridis</i>
			0162060-003	White sapotes	<i>Casimiroa edulis</i>
			0162060-004	Yellow sapotes/canistels	<i>Pouteria campechiana</i>
	0163010	Avocados	0163010-001	Avocados for oil production	<i>Persea americana</i>
	0163020	Bananas	0163020-001	Cavendishes/grand nains	<i>Musa acuminata</i>
			0163020-002		<i>Musa balbisiana</i>
			0163020-003		<i>Musa acuminata x Musa balbisiana</i>
			0163020-004	Dwarf bananas/lady fingers bananas	<i>Musa acuminata</i>
			0163020-005	Plantains	<i>Musa acuminata</i>
			0163020-006		<i>Musa balbisiana</i>
			0163020-007		<i>Musa acuminata x Musa balbisiana</i>
	0163040	Papayas	0163040-001	Akee apples	<i>Blighia sapida</i>
			0163040-002	Feijoas/pineapple guavas	<i>Acca sellowiana</i> ; syn: <i>Feijoa sellowiana</i>
			0163040-003	Langsats/lanzones/longkongs	<i>Lansium domesticum</i>
			0163040-004	Mangosteens	<i>Garcinia mangostana</i>
			0163040-005	Naranjillas/lulos	<i>Solanum quitoense</i>
			0163040-006	Paw paws	<i>Asimina triloba</i>
			0163040-007	Tamarillos	<i>Cyphomandra betacea</i> ; syn: <i>Solanum betaceum</i>



## ▼ M62

(1)	(2)	(3)	(4)	(5)	(6)
	0163060	Cherimoyas	0163060-001	Elephant apples	<i>Limonia acidissima</i>
			0163060-002	Ilamas	<i>Annona diversifolia</i>
			0163060-003	Mammey sapotes	<i>Pouteria sapota</i>
			0163060-004	Marmeladedos	<i>Genipa americana</i>
			0163060-005	Pulasans	<i>Nephelium mutabile</i>
			0163060-006	Rambutans/hairy litchis	<i>Nephelium lappaceum</i>
			0163060-007	Sapodillas	<i>Manilkara zapota</i>
			0163060-008	Sweetsops/sugar apples	<i>Annona squamosa</i>
			0163060-009	Wild sweetsops/custard apples	<i>Annona reticulata</i>
	0163070	Guavas	0163070-001	Brazilian guavas	<i>Psidium guineense</i>
			0163070-002	Cattley guavas	<i>Psidium cattleianum</i> ; syn: <i>Psidium littorale</i>
			0163070-003	Costarican guavas	<i>Psidium friedrichsthalianum</i>
			0163070-004	Guayabillos	<i>Psidium sartorianum</i>
			0163070-005	Parà guavas	<i>Psidium acutangulum</i>
	0163090	Breadfruits	0163090-001	Jackfruits	<i>Artocarpus heterophyllus</i>
			0163090-990	Other species of genus <i>Artocarpus</i> , not elsewhere mentioned	

▼ **M62**

(1)	(2)	(3)
0200000	0211000	Subgroup (a) potatoes
	0212010	Cassava roots/manioc
	0212030	Yams
	0212040	Arrowroots
	0213020	Carrots
	0213040	Horseradishes
	0213050	Jerusalem artichokes

(4)	(5)	(6)
0211000-001	Andigena	<i>Solanum tuberosum</i> subsp. <i>andigena</i>
0212010-001	Blue taros/blue tannias	<i>Xanthosoma violaceum</i>
0212010-002	Canna	<i>Canna indica</i> ; syn: <i>Canna edulis</i>
0212010-003	Chayotes/christophines roots	<i>Sechium edule</i>
0212010-004	Dasheen taros	<i>Colocasia esculenta</i> var. <i>esculenta</i>
0212010-005	Eddoe taros	<i>Colocasia esculenta</i> var. <i>antiquorum</i>
0212010-006	Konjac roots	<i>Amorphophallus konjac</i>
0212010-007	Tannias/arrowleaf elephant ears/tajer	<i>Xanthosoma sagittifolium</i>
0212030-001	Amazonian yam beans/potato beans	<i>Pachyrhizus tuberosus</i>
0212030-002	American groundnuts tubers	<i>Apios americana</i>
0212030-003	Andean yam beans	<i>Pachyrhizus ahipa</i>
0212030-004	Mexican yam beans	<i>Pachyrhizus erosus</i>
0212040-001	Lotus roots	<i>Nelumbo nucifera</i>
0213020-001	Coloured carrots varieties	<i>Daucus carota</i> subsp. <i>sativus</i>
0213020-002	Baby carrots	<i>Daucus carota</i> subsp. <i>sativus</i>
0213040-001	Dandelion roots	<i>Taraxacum</i> sect. <i>Ruderalia</i> ; syn: <i>Taraxacum officinale</i>
0213040-002	Gentiana roots	<i>Gentiana lutea</i>
0213050-001	Crosnes/Chinese artichokes	<i>Stachys affinis</i>

## ▼ M62

(1)	(2)	(3)	(4)	(5)	(6)
	0213070	Parsley roots/Hamburg roots parsley	0213070-001	Angelica roots	<i>Angelica archangelica</i>
			0213070-002	Burnet saxifrage roots	<i>Pimpinella saxifraga</i>
			0213070-003	Lovage roots	<i>Levisticum officinale</i>
			0213070-004	Nettle roots	<i>Urtica dioica</i>
			0213070-005	Other species of the genus <i>Urtica</i> , not elsewhere mentioned	
			0213070-006	Turnip-rooted chervils	<i>Chaerophyllum bulbosum</i>
	0213080	Radishes	0213080-001	Black radishes/winter radishes/'Gros noir d'hiver'	<i>Raphanus sativus</i>
			0213080-002	Daikon/japanese radishes	<i>Raphanus sativus</i> var. <i>longipinnatus</i>
			0213080-003	Maca roots	<i>Lepidium meyenii</i>
			0213080-004	Small radishes	<i>Raphanus sativus</i> var. <i>radicula</i>
			0213080-005	Tigernuts	<i>Cyperus esculentus</i>
	0213090	Salsifies	0213090-001	Burdocks	<i>Arctium lappa</i>
			0213090-002	Rampion roots	<i>Campanula rapunculus</i>
			0213090-003	Scorzonera/black salsifies	<i>Scorzonera hispanica</i>
			0213090-004	Skirrets	<i>Sium sisarum</i>
			0213090-005	Spanish salsifies	<i>Scolymus hispanicus</i>
	0213110	Turnips	0213110-001	Tuberous-rooted mustards	<i>Brassica juncea</i> subsp. <i>napiformis</i>
	0220010	Garlic	0220010-001	Twistedleaf garlic	<i>Allium obliquum</i>

## ▼ M62

(1)	(2)	(3)	(4)	(5)	(6)
	0220020	Onions	0220020-001	'Cipollotto Nocerino PDO'	<i>Allium cepa</i> Common Onion Group
			0220020-002	Pearl onions	<i>Allium ampeloprasum ampeloprasum</i> Leek Group; syn: <i>Allium porrum</i>
			0220020-003	Rakkyo/Chinese onions	<i>Allium chinense</i>
			0220020-004	Silverskin onions/pickled onions	<i>Allium cepa</i> Common Onion Group
	0220030	Shallots	0220030-001	French grey shallots	<i>Allium oschaninii</i>
			0220030-002	Persian shallots	<i>Allium stipitatum</i>
	0220040	Spring onions/green onions and Welsh onions	0220040-001	Tree onions/Egyptian walking onions	<i>Allium ×proliferum</i> ; syn: <i>Allium cepa</i> var. <i>proliferum</i>
	0231010	Tomatoes	0231010-001	Alkekengi/Chinese lanterns/ground cherries	<i>Physalis alkekengi</i>
			0231010-002	Cape gooseberries	<i>Physalis peruviana</i>
			0231010-003	Cherry tomatoes	<i>Lycopersicon esculentum</i> var. <i>cerasiforme</i>
			0231010-004	Dwarf Cape gooseberries/strawberry tomatoes	<i>Physalis grisea</i> ; syn: <i>Physalis edulis</i>
			0231010-005	Gojiberries/wolfberries	<i>Lycium barbarum</i>
0231010-006			<i>Lycium chinense</i>		
0231010-007			Litchi tomatoes/sticky nightshades	<i>Solanum sisymbriifolium</i>	
0231010-008			Pear-shaped tomatoes	<i>Lycopersicon esculentum</i> var. <i>pyriforme</i>	
0231010-009			Tomatillos/husk tomatoes	<i>Physalis philadelphica</i>	

▼ M62

(1)	(2)	(3)	(4)	(5)	(6)	
0231020	Sweet peppers/bell peppers	0231020-001	Chili peppers	<i>Capsicum annuum</i> var. <i>annuum</i>		
				<i>Capsicum baccatum</i>		
				<i>Capsicum chinense</i>		
				<i>Capsicum frutescens</i>		
				<i>Capsicum pubescens</i>		
0231030	Aubergines/eggplants	0231030-001	Antroewas/African eggplants/gboma	<i>Solanum macrocarpon</i>		
				0231030-002	Ethiopian eggplants/gilo'	<i>Solanum aethiopicum</i>
				0231030-003	Pepinos	<i>Solanum muricatum</i>
				0231030-004	Thorn apples	<i>Solanum incanum</i>
				0231030-005	Turkey berries/devil's figs/pea eggplants/pea aubergines	<i>Solanum torvum</i>
0232010	Cucumbers	0232010-001	Armenian cucumbers	<i>Cucumis melo</i> var. <i>flexuosus</i>		
0232020	Gherkins	0232010-002	Dosakayi/Indian curry cucumbers	<i>Cucumis sativus</i>		
				0232020-001	Bur gherkins	<i>Cucumis anguria</i> subsp. <i>anguria</i>
0232030	Courgettes	0232030-001	Angled luffas/teroi	<i>Luffa acutangula</i>		
				0232030-002	Bottle gourds/calabashes/lauki	<i>Lagenaria siceraria</i>
				0232030-003	Chayotes/christophines	<i>Sechium edule</i>
				0232030-004	Ivy gourds	<i>Coccinia grandis</i>
				0232030-005	Pointed gourds/parwals	<i>Trichosanthes dioica</i>
				0232030-006	Snake gourds	<i>Trichosanthes cucumerina</i> var. <i>anguina</i>
				0232030-007	Sopropos/bitter melons/balsam pears	<i>Momordica charantia</i>
				0232030-008	Summer squashes/zucchini/pâtissons/pattypan squashes/marrows	<i>Cucurbita pepo</i>

## ▼ M62

(1)	(2)	(3)	(4)	(5)	(6)
	0233010	Melons	0233010-001	Kiwanos/horned melons	<i>Cucumis metuliferus</i>
	0233020	Pumpkins	0233020-001	Butternut squashes	<i>Cucurbita moschata</i>
			0233020-002	Winter melons/winter gourds/white gourds	<i>Benincasa hispida</i>
			0233020-003	Winter squashes/red kuri squashes/marrows (late varieties)	<i>Cucurbita maxima</i>
	0234000	Subgroup (d) sweet corn	0234000-001	Baby corn	<i>Zea mays</i>
	0241010	Broccoli	0241010-001	Calabrese	<i>Brassica oleracea</i> var. <i>italica</i>
			0241010-002	Chinese broccoli/kai-lan	<i>Brassica oleracea</i> var. <i>alboglabra</i>
			0241010-003	Choi sum/tsoi sam <sup>(3)</sup>	<i>Brassica rapa</i> var. <i>parachinensis</i>
			0241010-004	Rapini/broccoletti/broccoli raab	<i>Brassica rapa</i> Broccoletto Group
	0241020	Cauliflowers	0241020-001	Romanesco cauliflowers/Romanesco broccoli	<i>Brassica oleracea</i> var. <i>botrytis</i>
	0242020	Head cabbages	0242020-001	Pointed head cabbages	<i>Brassica oleracea</i> var. <i>capitata</i>
			0242020-002	Red cabbages	<i>Brassica oleracea</i> var. <i>capitata</i> f. <i>rubra</i>
			0242020-003	Savoy cabbages	<i>Brassica oleracea</i> var. <i>sabauda</i>
			0242020-004	White cabbage	<i>Brassica oleracea</i> var. <i>capitata</i> f. <i>alba</i>
	0243010	Chinese cabbages/petsai	0243010-001	Chinese flat cabbages/tatsoi/tai goo choi	<i>Brassica rapa</i> var. <i>rosularis</i>
			0243010-002	Indian mustards/mustard greens	<i>Brassica juncea</i>
			0243010-003	Komatsuna/mustard spinaches	<i>Brassica perviridis</i>
			0243010-004	Mizuna <sup>(4)</sup>	<i>Brassica rapa</i> subsp. <i>nipposinica</i>
			0243010-005	Pak-choi/paksoi	<i>Brassica chinensis</i>
			0243010-006	Turnip greens/turnip tops <sup>(5)</sup>	<i>Brassica rapa</i> subsp. <i>rapa</i>

## ▼ M62

(1)	(2)	(3)	(4)	(5)	(6)
	0243020	Kales	0243020-001	Borecoles/collards greens/curly kales	<i>Brassica oleracea</i> var. <i>viridis</i>
			0243020-002	Cow cabbages/stem kales	<i>Brassica oleracea</i> var. <i>acephala</i> subvar. <i>medullosa</i>
			0243020-003	Cow cabbages/Jersey kales	<i>Brassica oleracea</i> var. <i>longata</i>
			0243020-004	Kohlrabies leaves <sup>(6)</sup>	<i>Brassica oleracea</i> var. <i>gongylodes</i>
			0243020-005	Rape kales/Siberian kales	<i>Brassica napus</i> var. <i>pabularia</i>
			0243020-006	Portuguese kales/tronchuda kales/Portuguese cabbages	<i>Brassica oleracea</i> convar. <i>costata</i>
	0251010	Lamb's lettuces/corn salads	0251010-001	Italian corn salads	<i>Valerianella eriocarpa</i>
	0251020	Lettuces	0251020-001	Crisp lettuces/iceberg lettuces/lollo bionda/lollo rosso	<i>Lactuca sativa</i> Crisphead group
			0251020-002	Cutting lettuces	<i>Lactuca sativa</i> Cutting group
			0251020-003	Head lettuces/cabbage lettuces	<i>Lactuca sativa</i> Butterhead group
			0251020-004	Romaines/cos lettuces	<i>Lactuca sativa</i> Cos group
	0251030	Escaroles/broad-leaved endives	0251030-001	Curly endives/ frisée endives	<i>Cichorium endivia</i> var. <i>crispum</i>
			0251030-002	Dandelions	<i>Taraxacum</i> sect. <i>Ruderalia</i> ; syn: <i>Taraxacum officinale</i>
			0251030-003	Puntarelle	<i>Cichorium intybus</i>
			0251030-004	Radicchio/red-leaved chicories	<i>Cichorium intybus</i> var. <i>foliosum</i>
			0251030-005	Sugar loaf chicories	<i>Cichorium intybus</i> Sugar loaf group
			0251030-006	Wild chicories/common chicories	<i>Cichorium intybus</i> var. <i>foliosum</i>

▼ M62

(1)	(2)	(3)
	0251040	Cresses and other sprouts and shoots
	0251060	Roman rocket/rucola
	0251080	Baby leaf crops (including brassica species)

(4)	(5)	(6)
0251040-001	Alfalfa/lucerne sprouts	<i>Medicago sativa</i> subsp. <i>sativa</i>
0251040-002	Chinese chives/oriental garlic/garlic chives sprouts	<i>Allium tuberosum</i>
0251040-003	Broccoli sprouts	<i>Brassica oleracea</i> var. <i>italica</i>
0251040-004	Daikon/Japanese radish sprouts	<i>Raphanus sativus</i> var. <i>longipinnatus</i>
0251040-005	Ginger shoots	<i>Zingiber officinale</i>
0251040-006	Mung bean sprouts	<i>Vigna radiata</i>
0251040-007	Peas shoots and sprouts	<i>Pisum sativum</i>
0251040-008	Roman rocket/rucola sprouts	<i>Eruca sativa</i>
0251040-009	Soyabeans sprouts	<i>Glycine max</i>
0251040-010	Sunflower shoots and sprouts	<i>Helianthus annuus</i>
0251040-011	Wheatgrass/wheat shoots	<i>Triticum aestivum</i>
0251040-990	Other species used for the production of sprouts or shoots	
0251060-001	Wall rocket	<i>Diplotaxis tenuifolia</i>
0251080-001	Chards/beet leaves	<i>Beta vulgaris</i> var. <i>flavescens</i>
0251080-002	Escaroles/broad-leaved endives	<i>Cichorium endivia</i> var. <i>latifolia</i>
0251080-003	Indian mustards/mustard greens	<i>Brassica juncea</i>
0251080-004	Lettuces	<i>Lactuca sativa</i>
0251080-005	Spinaches	<i>Spinacia oleracea</i>
0251080-990	Other species harvested at baby leaf stage	



▼ M62

(1)	(2)	(3)	(4)	(5)	(6)
	0252010	Spinaches	0252010-001	Amaranths/Chinese spinaches/pak-khom	<i>Amaranthus blitum</i>
			0252010-002		<i>Amaranthus cruentus</i>
			0252010-003		<i>Amaranthus dubius</i>
			0252010-004		<i>Amaranthus tricolor</i>
			0252010-005		<i>Amaranthus viridis</i>
			0252010-006	Bitterblad/bitawiri	<i>Cestrum latifolium</i>
			0252010-007	Bitterleaves	<i>Vernonia</i> spp.
			0252010-008	Black eyed peas/cowpeas leaves	<i>Vigna unguiculata</i> var. <i>unguiculata</i>
			0252010-009	Cassava leaves	<i>Manihot esculenta</i>
			0252010-010	Garland chrysanthemums/tong ho	<i>Chrysanthemum coronarium</i>
			0252010-011	New Zealand spinaches	<i>Tetragonia tetragoniodes</i>
			0252010-012	Oraches	<i>Atriplex hortensis</i>
			0252010-013	Sweet potato leaves	<i>Ipomoea batatas</i>
			0252010-014	Tannias/arrowleaf elephant ears/tajer leaves	<i>Xanthosoma sagittifolium</i>
	0252020	Purslanes	0252020-001	Agretti	<i>Salsola soda</i>
			0252020-002	Glassworts/samphires	<i>Salicornia europaea</i>
			0252020-003	Rock samphires	<i>Crithmum maritimum</i>
			0252020-004	Sea asters	<i>Aster tripolium</i>
			0252020-005	Sea lavenders	<i>Limonium vulgare</i>
			0252020-006	Winter purslanes/miner's lettuces	<i>Montia perfoliata</i>

## ▼ M62

(1)	(2)	(3)	(4)	(5)	(6)
	0252030	Chards/beet leaves	0252030-001	Beetroot leaves	<i>Beta vulgaris</i> var. <i>vulgaris</i>
			0252030-002	Swiss chards	<i>Beta vulgaris</i> var. <i>cycla</i>
	0253000	Subgroup (c) grape leaves and similar species	0253000-001	Climbing wattle/acacia shoots	<i>Acacia pennata</i>
			0253000-002	Malabar nightshades	<i>Basella alba</i>
	0254000	Subgroup (d) watercresses	0254000-001	Morning glory/Chinese convolvulus/water convolvulus/kangkung	<i>Ipomea aquatica</i>
			0254000-002	Water clovers	<i>Marsilea crenata</i>
			0254000-003	Water mimosas	<i>Neptunia oleracea</i>
	0255000	Subgroup (e) witloofs/Belgian endives	0255000-001	Dandelion leaves (forced)	<i>Taraxacum</i> sect. <i>Ruderalia</i> ; syn: <i>Taraxacum officinale</i>
	0256020	Chives	0256020-001	Chinese chives/oriental garlic/garlic chives	<i>Allium tuberosum</i>
			0256020-002	Ramson/wild garlic/bear's garlic	<i>Allium ursinum</i>
			0256030-001	Angelica (leaves and stems)	<i>Angelica archangelica</i>
			0256030-002	Burnet	<i>Sanguisorba officinalis</i>
			0256030-003	Caraway leaves	<i>Carum carvii</i>
			0256030-004	Coriander leaves	<i>Coriandrum sativum</i>
			0256030-005	Culantro/false coriander leaves	<i>Eryngium foetidum</i>
			0256030-006	Dill leaves	<i>Anethum graveolens</i>
			0256030-007	Fennel leaves	<i>Foeniculum vulgare</i>
			0256030-008	Fenugreek leaves	<i>Trigonella foenum-graecum</i>
	0256030	Celery leaves			

## ▼ M62

(1)	(2)	(3)	(4)	(5)	(6)
			0256030-009	Herb of grace/rue	<i>Ruta graveolens</i>
			0256030-010	Lovage leaves	<i>Levisticum officinale</i>
			0256030-011	Pimpinel/greater burnet-saxifrage	<i>Pimpinella major</i>
			0256030-012	Salad burnet/lady's mantle	<i>Sanguisorba minor</i>
			0256030-013	Sorrel/dock	<i>Rumex flexuosus</i>
			0256030-014		<i>Rumex hydrolapathum</i>
			0256030-015		<i>Rumex rugosus</i> ; syn: <i>Rumex acetosa</i> subsp. <i>ambiguus</i>
			0256030-016		<i>Rumex sanguineus</i>
			0256030-017	Sweet cicely	<i>Myrrhis odorata</i>
	0256040	Parsley	0256040-001	Root parsley leaves	<i>Petroselinum crispum</i> convar. <i>radicosum</i>
	0256050	Sage	0256050-001	Borage	<i>Borago officinalis</i>
			0256050-002	Curry herb	<i>Helichrysum italicum</i>
			0256050-003	Greek sage	<i>Salvia fruticosa</i> ; syn: <i>Salvia triloba</i>
			0256050-004	Jamé's sage/Mexican sage	<i>Salvia leucantha</i>
			0256050-990	Other species and hybrids of genus <i>Salvia</i> , not elsewhere mentioned	
	0256060	Rosemary	0256060-001	Santolina/green lavender cotton	<i>Santolina rosmarinifolia</i> ; syn: <i>Santolina virens</i>
	0256070	Thyme	0256070-001	Creeping thyme	<i>Thymus serpyllum</i>
			0256070-002	Cretan oregano/Turkish oregano	<i>Origanum onites</i>
			0256070-003	Lemon savory	<i>Micromeria biflora</i> ; syn: <i>Satureja biflora</i>
			0256070-004	Lemon thyme/citrus thyme	<i>Thymus xcitriodorus</i>
			0256070-005	Marjoram	<i>Origanum majorana</i> ; syn: <i>Majorana hortensis</i>

▼ M62

(1)	(2)	(3)	(4)	(5)	(6)
			0256070-006	Mastic thyme	<i>Thymus mastichina</i>
			0256070-007	Oregano	<i>Origanum vulgare</i>
			0256070-008	Summer savory	<i>Satureja hortensis</i>
			0256070-009	Syrian oregano/bible hyssop/za'atar	<i>Origanum syriacum</i>
			0256070-010	Winter savory	<i>Satureja montana</i>
			0256080-001	Apple mint	<i>Mentha suaveolens</i>
			0256080-002	Asiatic pennywort	<i>Centella asiatica</i>
			0256080-003	Bergamot mint/eau-de-Cologne mint	<i>Mentha ×piperita</i> nm. <i>citrata</i>
			0256080-004	Corsican mint	<i>Mentha requienii</i>
			0256080-005	Courgette (edible flowers)	<i>Cucurbita pepo</i> Zucchini Group
			0256080-006	Gingermint	<i>Mentha ×gracilis</i>
			0256080-007	Greek bush basil	<i>Ocimum basilicum</i> var. <i>minimum</i>
			0256080-008	Hoary basil	<i>Ocimum americanum</i>
			0256080-009	Holy basil/tulsi	<i>Ocimum tenuiflorum</i>
			0256080-010	Lemon balm	<i>Melissa officinalis</i>
			0256080-011	Lemon basil	<i>Ocimum ×citriodorum</i>
			0256080-012	Lesser calamint	<i>Calamintha nepeta</i> ; syn: <i>Clinopodium nepeta</i>
			0256080-013	Lizard tail/dap ca	<i>Houttuynia cordata</i>
			0256080-014	Marigold (edible flowers)	<i>Tagetes minuta</i>
			0256080-015		<i>Tagetes tenuifolia</i>
0256080	Basil and edible flowers				

▼ M62

(1)	(2)	(3)	(4)	(5)	(6)
			0256080-016	Other species of the genus <i>Tagetes</i> , not elsewhere mentioned	
			0256080-017	Nasturtium (leaves and edible flowers)	<i>Tropaeolum majus</i>
			0256080-018		<i>Tropaeolum minus</i>
			0256080-019	Pennyroyal	<i>Mentha pulegium</i>
			0256080-020	Peppermint	<i>Mentha ×piperita</i>
			0256080-021	Pot marigold (edible flowers)	<i>Calendula officinalis</i>
			0256080-022	Rice paddy herb/phak ka yaeng	<i>Limnophila aromatica</i>
			0256080-023	Spearmint	<i>Mentha spicata</i> ; syn: <i>Mentha viridis</i>
			0256080-024	Thai basil	<i>Ocimum basilicum</i> var. <i>thyrsiflorum</i>
			0256080-025	Vietnamese mint	<i>Persicaria odorata</i>
			0256080-026	Water mint	<i>Mentha aquatica</i>
			0256080-990	Other edible flowers	
			0256080-991	Other species and hybrids of genus <i>Mentha</i> , not elsewhere mentioned	
			0256090-001	Curry leaves	<i>Murraya koenigii</i> ; syn: <i>Bergera koenigi</i>
			0256090-002	Kaffir lime leaves	<i>Citrus hystrix</i>
			0256090-003	Siamese cassia	<i>Senna siamea</i>
			0256090-004	Wild betel leaves	<i>Piper sarmentosum</i>
	0256090	Laurel/bay leave			

## ▼ M62

(1)	(2)	(3)	(4)	(5)	(6)
0256100	Tarragon	0256100-001	Aztec sweet herb	<i>Lippia dulcis</i> ; syn: <i>Phyla dulcis</i>	
		0256100-002	Epazote/Mexican tea/wormseed	<i>Dysphania ambrosioides</i>	
		0256100-003	Hyssop	<i>Hyssopus officinalis</i>	
		0256100-004	Lemongrass	<i>Cymbopogon citratus</i>	
		0256100-005	Mexican oregano	<i>Lippia graveolens</i>	
		0256100-006	Nettle	<i>Urtica dioica</i>	
		0256100-007	Other species of the genus <i>Urtica</i> , not elsewhere mentioned		
		0256100-008	Russian tarragon	<i>Artemisia dracunculoides</i>	
		0256100-009	Stevia	<i>Stevia rebaudiana</i>	
0260010	Beans (with pods)	0260010-001	Azuki beans	<i>Vigna angularis</i>	
		0260010-002	Black eyed peas/cowpeas	<i>Vigna unguiculata</i> var. <i>unguiculata</i>	
		0260010-003	Broad beans/fava beans/horse beans/tic beans	<i>Vicia faba</i> (any subspp. and var.)	
		0260010-004	Borlotti beans/cannellini beans/common beans/flageolets/French beans/slicing beans/snap beans	<i>Phaseolus vulgaris</i> (any subspp. and var.)	
		0260010-005	Ervils/lentil vetches	<i>Vicia ervilia</i> ; syn: <i>Ervum ervilia</i>	
		0260010-006	Guar beans	<i>Cyamopsis tetragonoloba</i>	
		0260010-007	Jack beans	<i>Canavalia ensiformis</i>	
		0260010-008	Lablab beans/hyacinth beans	<i>Lablab purpureus</i>	
		0260010-009	Lima beans/butter beans	<i>Phaseolus lunatus</i> var. <i>lunatus</i>	
		0260010-010	Monantha vetches	<i>Vicia monanthos</i>	

▼ M62

(1)	(2)	(3)
0260020	Beans (without pods)	
0260030	Peas (with pods)	
0260040	Peas (without pods)	
0260050	Lentils	
0270010	Asparagus	

(4)	(5)	(6)
0260010-011	Mung beans	<i>Vigna radiata</i>
0260010-012	Rice beans	<i>Vigna umbellata</i>
0260010-013	Runner beans/scarlet runner beans	<i>Phaseolus coccineus</i>
0260010-014	Soyabeans/edamame	<i>Glycine max</i>
0260010-015	Stink beans	<i>Parkia speciosa</i>
0260010-016	Vetches	<i>Vicia sativa</i> var. <i>sativa</i>
0260010-017	Yardlong beans	<i>Vigna unguiculata</i> var. <i>sesquipedalis</i>
0260020-001	Species listed with code numbers 0260010-xxx, without pods	
0260030-001	Asparagus peas	<i>Tetragonolobus purpureus</i>
0260030-002	Chickling vetches	<i>Lathyrus sativus</i>
0260030-003	Chickpeas/Bengal gram	<i>Cicer arietinum</i> subsp. <i>arietinum</i>
0260030-004	Garden peas/green peas/mangetout/snow peas/split peas/sugar peas	<i>Pisum sativum</i> (any subspp. and var.)
0260030-005	Moringa/drumstick tree pods	<i>Moringa oleifera</i> ; syn: <i>Moringa pterygosperma</i>
0260030-006	Pigeon peas	<i>Cajanus cajan</i>
0260040-001	Species listed with code numbers 0260030-xxx, without pods	
0260050-001	Lupins/lupini beans	<i>Lupinus albus</i> subsp. <i>albus</i>
0260050-002		<i>Lupinus angustifolius</i>
0260050-003		<i>Lupinus luteus</i>
0260050-004		<i>Lupinus mutabilis</i>
0270010-001	Hop sprouts	<i>Humulus lupulus</i>

## ▼ M62

(1)	(2)	(3)	(4)	(5)	(6)
	0270020	Cardoons	0270020-001	Borage stems	<i>Borago officinalis</i>
	0270050	Globe artichokes	0270050-001	Banana flowers	<i>Musa acuminata</i> <i>Musa balbisiana</i> hybrids <i>Musa acuminata</i> x <i>Musa balbisiana</i>
	0270060	Leeks	0270060-001	Kurrat/Egyptian leek	<i>Allium kurrat</i> ; syn: <i>Allium ampeloprasum ampeloprasum</i> var. <i>kurrat</i>
	0280010	Cultivated fungi	0280010-001	Common mushrooms/button mushrooms/champignons mushrooms	<i>Agaricus bisporus</i>
			0280010-002	Corn smuts/ Mexican truffles	<i>Ustilago maydis</i>
			0280010-003	Enokitake/winter mushrooms	<i>Flammulina velutipes</i>
			0280010-004	Fusarium venenatum	<i>Fusarium venenatum</i>
			0280010-005	Horse mushrooms	<i>Agaricus arvensis</i>
			0280010-006	Jew's ears/hirneola	<i>Auricularia auricula-judae</i>
			0280010-007	Nameko	<i>Pholiota nameko</i>
			0280010-008	Oyster mushrooms	<i>Pleurotus ostreatus</i>
			0280010-009	Paddy straw mushroom	<i>Volvariella volvacea</i>
			0280010-010	Pom-pom blancs/lion's mane mushrooms/monkeyhead mushrooms	<i>Hericium erinaceus</i>
			0280010-011	Shiitake	<i>Lentinula edodes</i>
			0280010-012	Shimeji/bunashimeji/beach mushrooms	<i>Hypsizygus tessulatus</i> ; syn: <i>Hypsizygus marmoreus</i>
			0280010-013	Snow mushrooms/white jelly mushrooms	<i>Tremella fuciformis</i>
			0280010-014	Wood blewits/pied bleus	<i>Clytocybe nuda</i> ; syn: <i>Lepista nuda</i>
	0280010-990	Other cultivated fungi			
	0280010-991	Other species of genus <i>Pleurotus</i> , not elsewhere mentioned			



▼ M62

(1)	(2)	(3)	(4)	(5)	(6)
	0280020	Wild fungi	0280020-001	Ceps/porcino mushrooms	<i>Boletus edulis</i>
			0280020-002	Chanterelles	<i>Cantharellus</i> spp.
			0280020-003	Hedgehog mushrooms	<i>Hydnum repandum</i>
			0280020-004	Horns of plenty/black trumpets	<i>Craterellus cornucopioides</i>
			0280020-005	Morels	<i>Morchella</i> spp.
			0280020-006	Périgord black truffles	<i>Tuber melanosporum</i>
			0280020-007	Piemont white truffles	<i>Tuber magnatum</i>
			0280020-008	Saint George's mushrooms	<i>Calocybe gambosa</i>
			0280020-009	Scotch bonnet mushrooms	<i>Marasmius oreades</i>
			0280020-010	Summer truffles	<i>Tuber aestivum</i> ; syn: <i>Tuber uncinatum</i>
			0280020-990	Other wild fungi	
	0280020-991	Other species of genus <i>Tuber</i> , not elsewhere mentioned			
	0280990	Mosses and lichens	0280990-001	Icelandic mosses	<i>Cetraria islandica</i>
			0280990-990	Other mosses and lichens	
	0290000	Group Algae and prokaryotes organisms	0290000-001	Carrageen mosses/Irish mosses	<i>Chondrus crispus</i>
			0290000-002	Kombu	<i>Saccharina japonica</i>
			0290000-003	Spirulina	<i>Arthrospira maxima</i>
			0290000-004		<i>Arthrospira platensis</i>
			0290000-990	Other algae	
	0290000-991	Other prokaryotes organisms			

## ▼ M62

(1)	(2)	(3)	(4)	(5)	(6)	
0300000	0300010	Beans	0300010-001	Species listed with code numbers 0260010-xxx, dried seeds		
	0300030	Peas	0300030-001	Species listed with code numbers 0260030-xxx, dried seeds		
0400000	0401060	Rapeseeds/canola seeds	0401060-001	Radish seeds	<i>Raphanus sativus</i> convar. <i>oleifer</i>	
			0401060-002	Turnip rape seeds	<i>Brassica rapa</i> subsp. <i>oleifera</i>	
	0401070	Soyabeans	0401070-001	Moringa/drumstick tree seeds	<i>Moringa oleifera</i> ; syn: <i>Moringa pterygosperma</i>	
	0401100	Pumpkin seeds	0401100-001	Watermelon seeds	<i>Citrullus vulgaris</i> ; syn: <i>Citrullus lanatus</i>	
			0401100-990	Other seeds of species of familia <i>Cucurbitaceae</i> , not elsewhere mentioned		
	0401110	Safflower seeds	0401110-001	Milk thistle seeds	<i>Silybum marianum</i>	
			0401110-002	Niger seeds	<i>Guizotia abyssinica</i>	
	0401120	Borage seeds	0401120-001	Corn gromwell seeds	<i>Buglossoides arvensis</i> ; syn: <i>Lithospermum arvense</i>	
			0401120-002	Evening primrose seeds	<i>Oenothera biennis</i>	
			0401120-003	Honesty seeds		<i>Lunaria annua</i>
			0401120-004			<i>Lunaria rediviva</i>
			0401120-005	Perilla seeds	<i>Perilla frutescens</i>	
			0401120-006	Purple viper's bugloss seeds	<i>Echium plantagineum</i>	
	0401150	Castor beans	0401150-001	Grape seeds	<i>Vitis vinifera</i>	
			0401150-002	Sea buckthorn/sallow thorn seeds	<i>Hippophaë rhamnoides</i>	
	0402020	Oil palms kernels	0402020-001	Argan nuts	<i>Argania spinosa</i>	
0402020-002			Babassu palm nuts	<i>Attalea speciosa</i> ; syn: <i>Orbignya phalerata</i>		
0402020-003			Jojoba nuts	<i>Simmondsia chinensis</i>		
0402020-004			Shea nuts	<i>Vitellaria paradoxa</i>		

▼ M62

(1)	(2)	(3)	(4)	(5)	(6)
0500000	0500020	Buckwheat and other pseudo-cereals	0500020-001	Amaranth/kiwicha	<i>Amaranthus caudatus</i>
			0500020-002		<i>Amaranthus cruentus</i>
			0500020-003		<i>Amaranthus hypochondriacus</i>
			0500020-004	Kaniwa/canihua	<i>Chenopodium pallidicaule</i>
			0500020-005	Quinoa	<i>Chenopodium quinoa</i>
	0500030	Maize/corn	0500030-001	Indian corn/flint corn	<i>Zea mays</i> var. <i>indurata</i>
	0500040	Common millet/proso millet	0500040-001	Black fonio	<i>Digitaria iburua</i>
			0500040-002	Canary grass	<i>Phalaris canariensis</i>
			0500040-003	Finger millet/African millet/koracan	<i>Eleusine coracana</i> subsp. <i>coracana</i>
			0500040-004	Foxtail millet	<i>Setaria italica</i>
			0500040-005	Job's tears	<i>Coix lacryma-jobi</i>
			0500040-006	Little millet	<i>Panicum sumatrense</i>
			0500040-007	Pearl millet	<i>Pennisetum glaucum</i>
			0500040-008	Teff/tef	<i>Eragrostis tef</i>
			0500040-009	White fonio	<i>Digitaria exilis</i>
	0500060	Rice	0500060-001	African rice	<i>Oryza glaberrima</i>
			0500060-002	Hybrid Nerica®	<i>Oryza sativa</i> x <i>oryza glaberrima</i>
			0500060-003	Indian rice/wild rice	<i>Zizania aquatica</i>
	0500080	Sorghum	0500080-001	Durra/jowari/milo	<i>Sorghum bicolor</i>
			0500080-002	Sudan grass	<i>Sorghum</i> × <i>drummondii</i>
0500080-990			Other species of genus <i>Sorghum</i> , not elsewhere mentioned		

## ▼ M62

(1)	(2)	(3)	(4)	(5)	(6)
	0500090	Wheat	0500090-001	Durum wheat	<i>Triticum turgidum</i> subsp. <i>durum</i> ; syn: <i>Triticum durum</i>
			0500090-002	Einkorn wheat/small spelt/one-grain wheat	<i>Triticum monococcum</i> subsp. <i>monococcum</i>
			0500090-003	Emmer wheat	<i>Triticum turgidum</i> subsp. <i>dicoccon</i> ; syn: <i>Triticum dicoccum</i>
			0500090-004	Khorasan wheat	<i>Triticum turgidum</i> subsp. <i>turanicum</i>
			0500090-005	Spelt	<i>Triticum aestivum</i> subsp. <i>spelta</i> ; syn: <i>Triticum spelta</i>
			0500090-006	Triticale	× <i>Triticosecale</i>
			0500090-990	Other species of genus <i>Triticum</i> , not elsewhere mentioned	
0600000	0631030	Rose	0631030-001	Almond	<i>Amygdalus communis</i> ; syn: <i>Prunus dulcis</i>
			0631030-002	Bee balm	<i>Monarda didyma</i>
			0631030-003	Bitter orange/sour orange	<i>Citrus aurantium</i>
			0631030-004	Black locust	<i>Robinia pseudoacacia</i>
			0631030-005	Cat's foot	<i>Antennaria dioica</i>
			0631030-006	Chrysanthemum	<i>Chrysanthemum morifolium</i>
			0631030-007	Cinnamon	<i>Cinnamomum</i> spp.
			0631030-008	Clary sage	<i>Salvia sclarea</i>
			0631030-009	Cornflower	<i>Centaurea cyanus</i>
			0631030-010	Cowslip/primrose	<i>Primula veris</i>
			0631030-011	Daisy	<i>Bellis perennis</i>
			0631030-012	Dyer's broom	<i>Genista tinctoria</i>
			0631030-013	Elder	<i>Sambucus nigra</i>
			0631030-014	Field poppy	<i>Papaver rhoeas</i>
			0631030-015	Great mullein	<i>Verbascum thapsus</i>
			0631030-016	Hawthorn	<i>Crataegus</i> spp.

## ▼ M62

(1)	(2)	(3)

(4)	(5)	(6)
0631030-017	Heather	<i>Calluna vulgaris</i>
0631030-018	Hollyhock	<i>Alcea rosea</i> ; syn: <i>Althaea rosea</i>
0631030-019	Horse-chestnut	<i>Aesculus hippocastanum</i>
0631030-020	Larkspur	<i>Consolida regalis</i> ; syn: <i>Delphinium consolida</i>
0631030-021	Lavender	<i>Lavandula angustifolia</i> ; syn: <i>Lavandula officinalis</i>
0631030-022	Mallow	<i>Malva sylvestris</i>
0631030-023	Meadow sweet	<i>Filipendula ulmaria</i>
0631030-024	Mullein	<i>Verbascum</i> spp.
0631030-025	Orange	<i>Citrus sinensis</i>
0631030-026	Peony	<i>Paeonia officinalis</i>
0631030-027	Red clover	<i>Trifolium pratense</i>
0631030-028	Sacred lotus	<i>Nelumbo nucifera</i>
0631030-029	Safflower	<i>Carthamus tinctorius</i>
0631030-030	Sandy everlasting	<i>Helichrysum arenarium</i>
0631030-031	St. John's wort	<i>Hypericum perforatum</i>
0631030-032	Sunflower	<i>Helianthus annuus</i>
0631030-033	Sweet olive/sweet osmanthus	<i>Osmanthus fragrans</i>
0631030-034	Sweet violet	<i>Viola odorata</i>
0631030-035	White deadnettle	<i>Lamium album</i>
0631030-036	Yarrow	<i>Achillea millefolium</i>
0631030-037	Ylang-ylang	<i>Cananga odorata</i>

## ▼ M62

(1)	(2)	(3)	(4)	(5)	(6)
			0632010-001	Absinth/common wormwood	<i>Artemisia absinthium</i>
			0632010-002	Agrimony	<i>Agrimonia eupatoria</i>
			0632010-003	Alfalfa/lucerne	<i>Medicago sativa</i>
			0632010-004	Aloe (leaf gel)	<i>Aloë barbadensis</i> ; syn: <i>Aloë vera</i>
			0632010-005	Alpine ladies mantle	<i>Alchemilla alpina</i>
			0632010-006	Bearberry	<i>Arctostaphylos uva-ursi</i>
			0632010-007	Bilberry/European blueberry/whortleberry	<i>Vaccinium myrtillus</i>
			0632010-008	Birch	<i>Betula pendula</i>
			0632010-009	Bitter orange/sour orange	<i>Citrus aurantium</i>
			0632010-010	Blackberry	<i>Rubus</i> sect. <i>Rubus</i>
	0632010	Strawberry	0632010-011	Boldu	<i>Peumus boldus</i>
			0632010-012	Buchu	<i>Barosma betulina</i> ; syn: <i>Agathosma betulina</i>
			0632010-013	Buckwheat	<i>Fagopyrum esculentum</i>
			0632010-014	Catmint	<i>Nepeta cataria</i>
			0632010-015	Centaury	<i>Centaurium erythraea</i>
			0632010-016	Chiretta	<i>Swertia chirata</i>
			0632010-017	Clary sage	<i>Salvia sclarea</i>
			0632010-018	Clubmoss	<i>Lycopodium clavatum</i>
			0632010-019	Common speedwell	<i>Veronica officinalis</i>
			0632010-020	Common vervain/common verbena	<i>Verbena officinalis</i>
			0632010-021	Cornflower	<i>Centaurea cyanus</i>

▼ **M62**

(1)	(2)	(3)	(4)	(5)	(6)
			0632010-022	Cowberry	<i>Vaccinium vitis-idaea</i>
			0632010-023	Currant (black, red and white)	<i>Ribes nigrum</i>
			0632010-024		<i>Ribes rubrum</i>
			0632010-025	Damiana	<i>Turnera diffusa</i>
			0632010-026	Downy hemp nettle	<i>Galeopsis segetum</i>
			0632010-027	Echinacea	<i>Echinacea angustifolia</i>
			0632010-028		<i>Echinacea pallida</i>
			0632010-029		<i>Echinacea purpurea</i>
			0632010-030	Elder	<i>Sambucus nigra</i>
			0632010-031	Eucalyptus	<i>Eucalyptus globulus</i>
			0632010-032	Eyebright	<i>Euphrasia officinalis</i>
			0632010-033	Field horsetail	<i>Equisetum arvense</i>
			0632010-034	Fumitory	<i>Fumaria officinalis</i>
			0632010-035	Goat's rue	<i>Galega officinalis</i>
			0632010-036	Golden root	<i>Rhodiola rosea</i>
			0632010-037	Goldenrod	<i>Solidago virgaurea</i>
			0632010-038	Ground ivy	<i>Glechoma hederacea</i>
			0632010-039	Gymnema	<i>Gymnema sylvestre</i>
			0632010-040	Hairy rupturewort	<i>Herniaria hirsuta</i>
			0632010-041	Hawthorn	<i>Crataegus</i> spp.
			0632010-042	Hazelnut/cobnut	<i>Corylus avellana</i>
			0632010-043	Hearts ease	<i>Viola tricolor</i>

## ▼ M62

(1)	(2)	(3)	(4)	(5)	(6)
			0632010-044	Heather	<i>Calluna vulgaris</i>
			0632010-045	Hemp	<i>Cannabis sativa</i> subsp. <i>sativa</i>
			0632010-046		<i>Cannabis sativa</i> subsp. <i>spontanea</i>
			0632010-047	Herb bennet	<i>Geum urbanum</i>
			0632010-048	Holy thistle	<i>Cnicus benedictus</i>
			0632010-049	Horehound	<i>Marrubium vulgare</i>
			0632010-050	Horse-chestnut	<i>Aesculus hippocastanum</i>
			0632010-051	Ironwort/Greek mountain tea	<i>Sideritis</i> spp.
			0632010-052	Jiaogulan	<i>Gynostemma pentaphyllum</i>
			0632010-053	Knotgrass	<i>Polygonum aviculare</i>
			0632010-054	Ladies mantle	<i>Alchemilla vulgaris</i>
			0632010-055	Lemon myrtle	<i>Backhousia citriodora</i>
			0632010-056	Lemon verbena	<i>Lippia triphylla</i> ; syn: <i>Lippia citriodora</i>
			0632010-057	Lime/linden	<i>Tilia cordata</i>
			0632010-058		<i>Tilia platyphyllos</i>
			0632010-059		<i>Tilia tomentosa</i> ; syn: <i>Tilia argentea</i>
			0632010-060	Mallow	<i>Malva sylvestris</i>
			0632010-061	Marshmallow	<i>Althaea officinalis</i>
			0632010-062	Meadowsweet	<i>Filipendula ulmaria</i>
			0632010-063	Mistletoe	<i>Viscum album</i>



▼ **M62**

(1)	(2)	(3)

(4)	(5)	(6)
0632010-064	Moldavian dragonhead	<i>Dracocephalum moldavica</i>
0632010-065	Mugwort	<i>Artemisia vulgaris</i>
0632010-066	Mulberry (black and white)	<i>Morus alba</i>
0632010-067		<i>Morus nigra</i>
0632010-068	Mullein	<i>Verbascum</i> spp.
0632010-069	Norway spruce	<i>Picea abies</i>
0632010-070	Oat	<i>Avena sativa</i>
0632010-071	Olive	<i>Olea europaea</i>
0632010-072	Papaya	<i>Carica papaya</i>
0632010-073	Passion flower	<i>Passiflora incarnata</i>
0632010-074	Plantain	<i>Plantago major</i>
0632010-075	Raspberry (red and yellow)	<i>Rubus idaeus</i>
0632010-076	Red clover	<i>Trifolium pratense</i>
0632010-077	Ribwort plantain	<i>Plantago lanceolata</i>
0632010-078	Rock rose	<i>Cistus incanus</i> ; syn: <i>Cistus creticus</i> ; syn: <i>Cistus villosus</i>
0632010-079	Roman wormwood	<i>Artemisia pontica</i>
0632010-080	Shepherd's purse	<i>Capsella bursa-pastoris</i>
0632010-081	Silverweed	<i>Potentilla anserina</i>
0632010-082	Smooth rupturewort	<i>Herniaria glabra</i>
0632010-083	Southernwood	<i>Artemisia abrotanum</i>

## ▼ M62

(1)	(2)	(3)	(4)	(5)	(6)
			0632010-084	St. John's Wort	<i>Hypericum perforatum</i>
			0632010-085	Sweet blackberry	<i>Rubus chingii</i> var. <i>suavissimus</i> ; syn: <i>Rubus suavissimus</i>
			0632010-086	Sweet orange	<i>Citrus sinensis</i>
			0632010-087	Sweet trefoil	<i>Trigonella caerulea</i> ; syn: <i>Trigonella coerulea</i>
			0632010-088	Sweet woodruff	<i>Galium odoratum</i>
			0632010-089	Tansy	<i>Tanacetum vulgare</i>
			0632010-090	Tea tree	<i>Melaleuca alternifolia</i>
			0632010-091	Toadflax	<i>Linaria vulgaris</i>
			0632010-092	Walnut	<i>Juglans nigra</i>
			0632010-093		<i>Juglans regia</i>
			0632010-094	White deadnettle	<i>Lamium album</i>
			0632010-095	Wild angelica	<i>Angelica sylvestris</i>
			0632010-096	Wild strawberry	<i>Fragaria vesca</i>
			0632010-097	Willow herb	<i>Epilobium angustifolium</i> ; syn: <i>Chamaenerium angustifolium</i>
			0632010-098	Witch hazel	<i>Hamamelis virginiana</i>
			0632010-099	Wood betony	<i>Stachys officinalis</i> ; syn: <i>Betonica officinalis</i>
			0632010-100	Yarrow	<i>Achillea millefolium</i>
			0632010-101	Yellow bedstraw	<i>Galium verum</i>
			0632010-102	Yellow sweet clover	<i>Melilotus officinalis</i>

## ▼ M62

(1)	(2)	(3)	(4)	(5)	(6)
0632020	Rooibos	0632020-001	Honeybush	<i>Cyclopia genistoides</i>	
				<i>Cyclopia intermedia</i>	
				<i>Cyclopia sessiflora</i>	
				<i>Cyclopia subternata</i>	
0632030	Mate/maté	0632030-001	Ginkgo	<i>Ginkgo biloba</i>	
		0632030-002	Noni	<i>Morinda citrifolia</i>	
0633010	Valerian	0633010-001	Blue flag	<i>Iris versicolor</i>	
		0633010-002	Calamus	<i>Acorus calamus</i>	
		0633010-003	Couch grass	<i>Elymus repens</i> ; syn: <i>Agropyron repens</i>	
		0633010-004	Cowslip/primrose	<i>Primula veris</i>	
		0633010-005	Echinacea	<i>Echinacea angustifolia</i>	
		0633010-006		<i>Echinacea pallida</i>	
		0633010-007		<i>Echinacea purpurea</i>	
		0633010-008	Elecampane	<i>Inula helenium</i>	
		0633010-009	Fragrant sumac	<i>Rhus aromatica</i>	
		0633010-010	Golden root	<i>Rhodiola rosea</i>	
		0633010-011	Herb bennet	<i>Geum urbanum</i>	
		0633010-012	Marshmallow	<i>Althaea officinalis</i>	
		0633010-013	Mexican valerian	<i>Valeriana edulis</i> subsp. <i>procera</i> ; syn: <i>Valeriana procera</i>	
		0633010-014	Pimpernel	<i>Pimpinella major</i>	

▼ **M62**

(1)	(2)	(3)
	0633020	Ginseng
	0639000	Subgroup (d) any other parts of the plant

(4)	(5)	(6)
0633010-015	Rhatany	<i>Krameria lappacea</i> ; syn: <i>Krameria triandra</i>
0633010-016	Sarsaparilla	<i>Smilax</i> spp.
0633010-017	Seneca snakeroot	<i>Polygala senega</i>
0633010-018	Tormentil	<i>Potentilla erecta</i>
0633010-019	Wild angelica	<i>Angelica sylvestris</i>
0633020-001	Siberian ginseng	<i>Eleutherococcus senticosus</i> ; syn: <i>Acanthopanax senticosus</i>
0639000-001	Blond psyllium (seeds, husks)	<i>Plantago ovata</i>
0639000-002	Chamomile (seeds)	<i>Matricaria recutita</i> ; syn: <i>Matricaria chamomilla</i>
0639000-003	Cherries (sweet) (stems)	<i>Cerasus avium</i> ; syn: <i>Prunus avium</i>
0639000-004	China/Jesuit's bark (bark)	<i>Cinchona calisaya</i>
0639000-005		<i>Cinchona pubescens</i> ; syn: <i>Cinchona succirubra</i>
0639000-006	Cocoa (husks)	<i>Theobroma cacao</i>
0639000-007	Condurango (bark)	<i>Marsdenia cundurango</i>
0639000-008	Dwarf mountain pine (shoots)	<i>Pinus mugo</i>
0639000-009	Fir (shoots)	<i>Abies</i> spp.
0639000-010	Fleawort (seeds)	<i>Plantago afra</i> ; syn: <i>Plantago psyllium</i>
0639000-011	Fragrant sumac (bark)	<i>Rhus aromatica</i>
0639000-012	Guarana (seeds)	<i>Paullinia cupana</i>
0639000-013	Hibiscus (seeds)	<i>Hibiscus sabdariffa</i>
0639000-014	Horse-chestnut (seeds, bark)	<i>Aesculus hippocastanum</i>

▼ M62

(1)	(2)	(3)
	0640000	Group Cocoa beans
	0650000	Group Carobs/Saint John's breads

(4)	(5)	(6)
0639000-015	Juniper (bark, wood, shoots)	<i>Juniperus communis</i>
0639000-016	Lapacho (bark)	<i>Handroanthus impetiginosus</i> ; syn: <i>Tabebuia impetiginosa</i>
0639000-017	Lignum vitae (bark, wood)	<i>Guajacum officinale</i>
0639000-018	Parsley (fruits)	<i>Petroselinum crispum</i>
0639000-019	Purging cassia (fruits)	<i>Cassia fistula</i>
0639000-020	Quassia (bark, wood)	<i>Quassia amara</i>
0639000-021	Red sandalwood (bark, wood)	<i>Pterocarpus santalinus</i>
0639000-022	Soap-bark tree (bark)	<i>Quillaja saponaria</i>
0639000-023	Sour cherry/morello cherry (stems)	<i>Cerasus vulgaris</i> ; syn: <i>Prunus cerasus</i>
0639000-024	Sweet corn (stigmas, styles)	<i>Zea mays</i> convar. <i>saccharata</i>
0639000-025	Wild angelica (fruits)	<i>Angelica sylvestris</i>
0639000-026	Witch hazel (bark)	<i>Hamamelis virginiana</i>
0639000-990	Other herbal infusions from any other parts of the plant	
0640000-001	Kola nuts/Cola nuts	<i>Cola acuminata</i>
0640000-002		<i>Cola nitida</i>
0650000-001	Jengkols/Luk neangs	<i>Archidendron pauciflorum</i>

## ▼ M62

(1)	(2)	(3)	(4)	(5)	(6)
0800000	0810020	Black caraway/black cumin	0810020-001	Nigella	<i>Nigella sativa</i>
	0810030	Celery	0810030-001	Angelica	<i>Angelica archangelica</i>
			0810030-002	Lovage	<i>Levisticum officinale</i>
	0810040	Coriander	0810040-001	Culantro/false coriander	<i>Eryngium foetidum</i>
	0810070	Fennel	0810070-001	Bitter fennel	<i>Foeniculum vulgare</i> var. <i>vulgare</i>
			0810070-002	Sweet fennel	<i>Foeniculum vulgare</i> var. <i>dulce</i>
	0810090	Nutmeg	0810090-001	Annatto	<i>Bixa orellana</i>
			0810090-002	Candlenut	<i>Aleurites moluccana</i>
			0810090-003	Wattleseeds	<i>Acacia</i> spp.
	0820020	Sichuan pepper	0820020-001	Japanese pepper	<i>Zanthoxylum piperitum</i>
			0820020-002	Uzazi	<i>Zanthoxylum tessmannii</i> ; syn: <i>Fagara tessmannii</i>
	0820030	Caraway	0820030-001	Ajowan	<i>Trachyspermum ammi</i>
	0820040	Cardamom	0820040-001	Marjoram	<i>Origanum majorana</i> ; syn: <i>Majorana hortensis</i>
			0820040-002	Star anise	<i>Illicium verum</i>
	0820060	Peppercorn (black, green and white)	0820060-001	Brazilian pepper	<i>Schinus terebinthifolius</i>
			0820060-002	Cubeb/tailed pepper	<i>Piper cubeba</i>
			0820060-003	Grain of paradise	<i>Aframomum melegueta</i>
			0820060-004	Long pepper/pipali	<i>Piper longum</i>
			0820060-005	Pink pepper	<i>Schinus molle</i>
		0820060-006	Sumac	<i>Rhus coriaria</i>	
		0820060-007	West African pepper	<i>Piper guineense</i>	

▼ M62

(1)	(2)	(3)
	0820070	Vanilla
	0830010	Cinnamon
	0840020	Ginger
	0840030	Turmeric/curcuma
	0850010	Cloves
	0850020	Capers

(4)	(5)	(6)
0820070-001	Tahiti vanilla	<i>Vanilla tahitiensis</i>
0820070-002	Tonka bean	<i>Dipteryx odorata</i>
0820070-003	West Indian vanilla	<i>Vanilla pompona</i>
0830010-001	Cassia	<i>Cinnamomum burmannii</i>
0830010-002		<i>Cinnamomum cassia</i> ; syn: <i>Cinnamomum aromaticum</i>
0830010-003		<i>Cinnamomum loureirii</i>
0840020-001	Fingerroot	<i>Boesenbergia rotunda</i>
0840020-002	Lesser galangal/smaller galangal	<i>Alpinia officinarum</i>
0840020-003	East Indian galangal/aromatic ginger/sand galangal	<i>Kaempferia galanga</i>
0840020-004	Greater galangal	<i>Alpinia galanga</i>
0840020-005	Wasabi roots	<i>Eutrema wasabi</i> ; syn: <i>Eutrema japonica</i>
0840030-001	Asafetida	<i>Ferula assa-foetida</i>
0840030-002	Temulawak	<i>Curcuma zanthorrhiza</i> ; syn: <i>Curcuma xanthorrhiza</i>
0840030-003	Zedoary	<i>Curcuma zedoaria</i>
0850010-001	Cassia buds	<i>Cinnamomum burmannii</i>
0850010-002		<i>Cinnamomum cassia</i> ; syn: <i>Cinnamomum aromaticum</i>
0850010-003		<i>Cinnamomum loureirii</i>
0850020-001	Nasturtium pods	<i>Tropaeolum majus</i>
0850020-002		<i>Tropaeolum minus</i>

▼ M62

(1)	(2)	(3)	(4)	(5)	(6)
0900000	0900020	Sugar canes	0900020-001	Agave leaves	<i>Agave</i> spp.
			0900020-002	Sweet sorghum canes	<i>Sorghum bicolor</i> subsp. <i>bicolor</i>
	0900030	Chicory roots	0900030-001	Common polypody roots	<i>Polypodium vulgare</i>
			0900030-002	Yacon roots	<i>Smallanthus sonchifolius</i>
	0900990	Others	0900990-001	Birches (trunk sap)	<i>Betula papyrifera</i>
			0900990-002	Manna ashes (trunk sap)	<i>Fraxinus ornus</i>
			0900990-003	Maples (trunk sap)	<i>Acer</i> spp.
			0900990-004	Palms (trunk sap)	<i>Jubaea chilensis</i>
			0900990-005		<i>Phoenix canariensis</i>
			0900990-990	Other sugar plants	
1000000	1011000	Subgroup (a) swine	1011000-001	Wild boar (farmed)	<i>Sus scrofa ferus</i>
	1012000	Subgroup (b) bovine	1012000-001	American buffalo	<i>Bison bison</i>
			1012000-002	Banteng	<i>Bos javanicus</i>
			1012000-003	Buffalo	<i>Bubalus arnee bubalis</i>
			1012000-004	European buffalo/wisent	<i>Bison bonasus</i>
			1012000-005	Gayal	<i>Bos gaurus frontalis</i>
			1012000-006	Yak (domestic)	<i>Poëphagus mutus grunniens</i>
			1012000-007	Zebu	<i>Bos taurus indicus</i>
			1012000-990	Hybrids of genera <i>Bison</i> , <i>Bos</i> , <i>Bubalus</i> and <i>Poëphagus</i>	



▼ **M62**

(1)	(2)	(3)	(4)	(5)	(6)
	1013000	Subgroup (c) sheep	1013000-001	Mouflon (farmed)	<i>Ovis aries musimon</i>
	1015000	Subgroup (e) equine	1015000-001	Ass	<i>Equus africanus asinus</i>
			1015000-002	Hinny	<i>Equus caballus x Equus africanus asinus</i>
			1015000-003	Horse	<i>Equus caballus</i>
			1015000-004	Mule	<i>Equus africanus asinus x Equus caballus</i>
	1016000	Subgroup (f) poultry	1016000-001	Bobwhite quail	<i>Colinus virginianus</i>
			1016000-002	Chicken	<i>Gallus gallus domesticus</i>
			1016000-003	Collared Dove	<i>Streptopelia decaocto</i>
			1016000-004	Duck	<i>Anas platyrhynchos</i>
			1016000-005	Geese	<i>Anser anser</i>
			1016000-006	Green peafowl	<i>Pavo muticus</i>
			1016000-007	Guinea fowl	<i>Numida meleagris</i>
			1016000-008	Japanese quail	<i>Coturnix japonica</i>
			1016000-009	Muskovy duck	<i>Cairina moschata</i>
			1016000-010	Mute swan	<i>Cygnus olor</i>
			1016000-011	Partridge	Genera <i>Alectoris</i> and <i>Perdix</i>
			1016000-012	Peafowl	<i>Pavo cristatus</i>

▼ **M62**

(1)	(2)	(3)	(4)	(5)	(6)
			1016000-013	Pheasant	<i>Phasianus colchicus</i>
			1016000-014	Pigeon	<i>Columba livia</i>
			1016000-015	Quail	<i>Coturnix coturnix</i>
			1016000-016	Turkey	<i>Meleagris gallopavo</i>
			1016000-017	Turtle dove	<i>Streptopelia turtur</i>
			1016000-990	Other farmed birds of order Anseriformes	
			1016000-991	Other farmed birds of order Columbiformes	
			1016000-992	Other farmed birds of order Galliformes	
			1017000-001	Alpaca	<i>Vicugna pacos</i>
			1017000-002	Bactrian camel	<i>Camelus ferus bactrianus</i>
			1017000-003	Capybara	<i>Hydrochoerus hydrochaeris</i>
			1017000-004	Cottontail/American rabbit	<i>Sylvilagus floridanus</i>
			1017000-005	Dromedary	<i>Camelus dromedarius</i>
			1017000-006	Eland	<i>Taurotragus oryx</i>
			1017000-007	Elk/moose	<i>Alces alces</i>
			1017000-008	Emu	<i>Dromaius novaehollandiae</i>
			1017000-009	Fallow deer	<i>Dama dama</i>
			1017000-010	Guinea pig	<i>Cavia aperea porcellus</i>
			1017000-011	Hare (farmed)	<i>Lepus europaeus</i>
			1017000-012	Llama	<i>Lama glama</i>
			1017000-013	Nandu/greater rhea	<i>Rhea americana</i>
	1017000	Subgroup (g) other farmed terrestrial animals			

▼ M62

(1)	(2)	(3)
	1020010	Milk. Cattle
	1020020	Milk. Sheep
	1020040	Milk. Horse
	1020990	Milk. Others
	1030990	Bird eggs. Others

(4)	(5)	(6)
1017000-014	Ostrich	<i>Struthio camelus</i>
1017000-015	Peccari (collared)	<i>Tayassu tajacu</i>
1017000-016	Rabbit	<i>Oryctolagus cuniculus</i>
1017000-017	Red deer	<i>Cervus elaphus</i>
1017000-018	Reindeer	<i>Rangifer tarandus</i>
1017000-019	Roe deer	<i>Capreolus capreolus</i>
1017000-990	Other farmed terrestrial animals	
1020010-001	Species listed with code numbers 1012000-xxx	
1020020-001	Species listed with code numbers 1013000-xxx	
1020040-001	Species listed with code numbers 1015000-xxx	
1020990-001	Bactrian camel	<i>Camelus ferus bactrianus</i>
1020990-002	Dromedary	<i>Camelus dromedarius</i>
1020990-003	Elk/moose	<i>Alces alces</i>
1020990-004	Reindeer	<i>Rangifer tarandus</i>
1020990-990	Other milk producer animals	
1030990-001	Emu	<i>Dromaius novaehollandiae</i>
1030990-002	Nandu/greater rhea	<i>Rhea americana</i>
1030990-003	Ostrich	<i>Struthio camelus</i>
1030990-990	Other eggs producer birds	

▼ **M62**

(1)	(2)	(3)	(4)	(5)	(6)
	1040000	Group Honey and other apiculture products	1040000-001	Pollen (residues of vegetal pollens)	N.A.
			1040000-002	Royal jelly	N.A.
	1050000	Group Amphibians and Reptiles	1050000-001	Crocodiles	<i>Crocodylia</i> spp.
			1050000-002	Frog legs	<i>Rana</i> spp.
			1050000-003	Snakes	suborder Serpentes
			1050000-004	Turtles	order Chelonia
			1050000-990	Other Amphibians and Reptiles	
			1050000-991	Other frog legs from frogs not belonging to the genus <i>Rana</i>	
	1060000	Group Terrestrial invertebrate animals	1060000-001	Earthworms	
			1060000-002	Insects	
			1060000-003	Snails	<i>Helix</i> spp.
			1060000-990	Other terrestrial invertebrate animals	
			1060000-991	Other edible snails not belonging to the genus <i>Helix</i>	

▼ **M62**

(1)	(2)	(3)	(4)	(5)	(6)
	1070000	Group Wild terrestrial vertebrate animals	1070000-001	Feathered wild game	
			1070000-002	Furred wild game	
			1070000-003	Kangaroos	<i>Macropus</i> spp.

N.A. Not applicable.

(1) MRLs do not apply to products or parts of the product used exclusively as ingredients for animal feed, until separate MRLs will be applicable.

(2) MRLs of 0154070 Azaroles/Mediterranean medlars in Part A still apply to kiwiberries/dwarf kiwi until 1 January 2017.

(3) MRLs of 0243010 Chinese cabbages/pe-tsai in Part A still apply to choy sum/tsoi sam until 1 January 2017.

(4) MRLs of 0251080 Baby leaf crops (including brassica species) in Part A still apply to mizuna until 1 January 2017.

(5) MRLs of 0251080 Baby leaf crops (including brassica species) in Part A still apply to turnip greens/turnip tops until 1 January 2017.

(6) MRLs shall apply to kohlrabi leaves as from 1 January 2017.

## ANNEX II

## MRLs formerly defined under Directives 86/362/EEC, 86/363/EEC and 90/642/EEC, referred to in Article 21(1)

Pesticide residues and maximum residue levels (mg/kg)

Code number	Groups and examples of individual products to which the MRLs apply <sup>(a)</sup>	1,1-dichloro-2,2-bis(4-ethylphenyl)ethane <sup>(1)</sup>	1,2-dibromoethane (ethylene dibromide) <sup>(1)</sup>	1,2-dichloroethane (ethylene dichloride) <sup>(1)</sup>	1-methylcyclopropene	►M40 2,4-DB (sum of 2,4-DB, its salts, its esters and its conjugates, expressed as 2,4-DB) <sup>(8)</sup> ▼	2,4,5-T <sup>(1)</sup>	►M46 2,4-D (sum of 2,4-D, its salts, its esters and its conjugates, expressed as 2,4-D) ▼
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)
0100000	1. <b>FRUIT FRESH OR FROZEN; NUTS</b>	0,01 (*)	0,01 (*)	0,01 (*)	0,01 (*)	►M40 — ◀	0,05 (*)	
0110000	(i) <b>Citrus fruit</b>					►M40 0,01 (*) ◀		►M46 1 ◀
0110010	Grapefruit							
0110020	Oranges							
0110030	Lemons							
0110040	Limes							
0110050	Mandarins							
0110990	Others							
0120000	(ii) <b>Tree nuts (shelled or unshelled)</b>					►M40 0,05 (*) ◀		►M46 0,2 ◀

▼ M2

<p>▶ <u>M18</u> Abamectin (sum of avermectin B1a, avermectinB1b and delta-8,9 isomer of avermectin B1a) (L) ▼</p>	<p>▶ <u>M32</u> Acephate ▼</p>	<p>▶ <u>M75</u> Acetamiprid (R) ▼</p>	<p>▶ <u>M59</u> Acibenzolar-S-methyl (sum of acibenzolar-S-methyl and acibenzolar acid (free and conjugated), expressed as acibenzolar-S-methyl) ▼</p>	<p>▶ <u>M16</u> Aldicarb (sum of aldicarb, its sulfoxide and its sulfone, expressed as aldicarb) ▼</p>	<p>▶ <u>M5</u> Aldrin and Dieldrin (Aldrin and dieldrin combined expressed as dieldrin) (L) ▼</p>	<p>Amitraz (amitraz including the metabolites containing the 2,4 -dimethylaniline moiety expressed as amitraz)</p>	<p>▶ <u>M67</u> Amitrole ▼</p>
(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)
	▶ <u>M32</u> — ▼			0,02 (*)	▶ <u>M5</u> 0,01 (*) ▼	0,05 (*)	
▶ <u>M18</u> 0,01 (*) ▼	▶ <u>M32</u> 0,01 (*) ▼	▶ <u>M75</u> 0,9 ▼	▶ <u>M59</u> 0,01 (*) ▼	▶ <u>M16</u> 0,02 (*) ▼			▶ <u>M67</u> 0,01 (*) (+) ▼
▶ <u>M18</u> 0,01 (*) ▼	▶ <u>M32</u> 0,02 (*) ▼	▶ <u>M75</u> 0,07 ▼		▶ <u>M16</u> 0,05 (*) ▼			▶ <u>M67</u> 0,02 (*) ▼

▼ M2

Aramite (L)	▶ <u>M5</u> Atrazine (L) ▼	▶ <u>M52</u> Azimsulfuron ▼	Azinphos-ethyl (L)	Azinphos-methyl (L)	▶ <u>M32</u> Azocyclotin and Cyhexatin (sum of azocyclotin and cyhexatin expressed as cyhexatin) ▼	▶ <u>M74</u> Azoxystrobin ▼	Barban (L)
(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)
0,01 (*)	▶ <u>M5</u> 0,05 (*) ◀	▶ <u>M52</u> 0,01 (*) ◀	0,02 (*)				0,05 (*)
				0,05 (*)	▶ <u>M32</u> — ◀	▶ <u>M74</u> 15 ◀	
					▶ <u>M32</u> 0,01 (*) ◀ ▶ <u>M32</u> 0,2 ◀ ▶ <u>M32</u> 0,01 (*) ◀ ▶ <u>M32</u> 0,01 (*) ◀ ▶ <u>M32</u> 0,01 (*) ◀		
					▶ <u>M32</u> 0,01 (*) ◀		
				0,5	▶ <u>M32</u> 0,02 (*) ◀	▶ <u>M11</u> — ◀	



▼ M2

<p>▶ <u>M19</u> Benalaxyl including other mixtures of constituent isomers including benalaxyl-M (sum of isomers) ▼</p>	<p>▶ <u>M32</u> — ▼</p>	<p>▶ <u>M68</u> Sum of bentazone, its salts and 6-hydroxy (free and conjugated) and 8-hydroxy bentazone (free and conjugated), expressed as bentazone <sup>(k)</sup> ▼</p>	<p>▶ <u>M52</u> Bifenazate (sum of bifenazate plus bifenazate-diazene expressed as bifenazate) (F) (A) ▼</p>	<p>▶ <u>M27</u> Bifenthrin <sup>(L)</sup> ▼</p>	<p>Binapacryl <sup>(L)</sup></p>
(26)	(27)	(28)	(29)	(30)	(31)
	▶ <u>M32</u> — ◀	▶ <u>M68</u> 0,03 (*) ◀			0,05 (*)
▶ <u>M19</u> 0,05 (*) ◀	▶ <u>M32</u> — ◀		▶ <u>M50</u> 0,9 ◀	▶ <u>M27</u> 0,1 ◀	
	▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀				
	▶ <u>M32</u> — ◀				
▶ <u>M19</u> 0,05 (*) ◀	▶ <u>M32</u> — ◀		▶ <u>M50</u> 0,2 ◀	▶ <u>M27</u> 0,05 (*) ◀	

▼ **M2**

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)
0120010	Almonds							► <b>M46</b> (+) ◀
0120020	Brazil nuts							► <b>M46</b> (+) ◀
0120030	Cashew nuts							► <b>M46</b> (+) ◀
0120040	Chestnuts							
0120050	Coconuts							► <b>M46</b> (+) ◀
0120060	Hazelnuts							► <b>M46</b> (+) ◀
0120070	Macadamia							► <b>M46</b> (+) ◀
0120080	Pecans							► <b>M46</b> (+) ◀
0120090	Pine nuts							► <b>M46</b> (+) ◀
0120100	Pistachios							► <b>M46</b> (+) ◀
0120110	Walnuts							► <b>M46</b> (+) ◀
0120990	Others							► <b>M46</b> (+) ◀
0130000	(iii) <b>Pome fruit</b>					► <b>M40</b> 0,01 (*) ◀		► <b>M46</b> 0,05 (*) ◀
0130010	Apples							
0130020	Pears							
0130030	Quinces							
0130040	Medlar	(**)	(**)	(**)	(**)	► <b>M40</b> — ◀	(**)	► <b>M46</b> — ◀
0130050	Loquat	(**)	(**)	(**)	(**)	► <b>M40</b> — ◀	(**)	► <b>M46</b> — ◀
0130990	Others							
0140000	(iv) <b>Stone fruit</b>					► <b>M40</b> 0,01 (*) ◀		► <b>M46</b> 0,05 (*) ◀
0140010	Apricots							
0140020	Cherries							
0140030	Peaches							
0140040	Plums							
0140990	Others							
0150000	(v) <b>Berries &amp; small fruit</b>					► <b>M40</b> 0,01 (*) ◀		► <b>M46</b> 0,1 ◀

▼ M2

(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)
			▶ <u>M59</u> 0,01 (*) ◀ ▶ <u>M59</u> 0,01 (*) ◀ ▶ <u>M59</u> 0,01 (*) ◀ ▶ <u>M59</u> 0,01 (*) ◀ ▶ <u>M59</u> 0,01 (*) ◀ ▶ <u>M59</u> 0,1 ◀ ▶ <u>M59</u> 0,01 (*) ◀ ▶ <u>M59</u> 0,01 (*) ◀ ▶ <u>M59</u> 0,01 (*) ◀ ▶ <u>M59</u> 0,01 (*) ◀ ▶ <u>M59</u> 0,01 (*) ◀ ▶ <u>M59</u> 0,01 (*) ◀				▶ <u>M67</u> (+) ◀  ▶ <u>M67</u> (+) ◀  ▶ <u>M67</u> (+) ◀
			▶ <u>M59</u> 0,01 (*) ◀				
▶ <u>M18</u> 0,01 (*) ◀	▶ <u>M32</u> 0,01 (*) ◀	▶ <u>M75</u> 0,8 ◀	▶ <u>M59</u> — ◀	▶ <u>M16</u> 0,02 (*) ◀			▶ <u>M67</u> 0,01 (*) (+) ◀
(**)	▶ <u>M32</u> (**) ◀	▶ <u>M39</u> — ◀	▶ <u>M59</u> 0,1 (+) ◀ ▶ <u>M59</u> 0,1 (+) ◀ ▶ <u>M59</u> 0,01 (*) ◀	(**)	▶ <u>M5</u> (**) ◀	(**)	▶ <u>M67</u> — ◀
(**)	▶ <u>M32</u> (**) ◀	▶ <u>M39</u> — ◀	▶ <u>M59</u> 0,01 (*) ◀	(**)	▶ <u>M5</u> (**) ◀	(**)	▶ <u>M67</u> — ◀
			▶ <u>M59</u> 0,01 (*) ◀				
0,01 (*)	▶ <u>M32</u> 0,01 (*) ◀		▶ <u>M13</u> — ◀	▶ <u>M16</u> 0,02 (*) ◀			▶ <u>M67</u> 0,01 (*) (+) ◀
▶ <u>M18</u> 0,02 ◀ ▶ <u>M18</u> 0,01 (*) ◀ ▶ <u>M18</u> 0,02 ◀ ▶ <u>M18</u> 0,01 (*) ◀		▶ <u>M75</u> 0,8 ◀ ▶ <u>M75</u> 1,5 ◀ ▶ <u>M75</u> 0,8 ◀ ▶ <u>M75</u> 0,03 ◀	▶ <u>M59</u> 0,2 ◀ ▶ <u>M59</u> 0,01 (*) ◀ ▶ <u>M59</u> 0,2 ◀ ▶ <u>M59</u> 0,01 (*) ◀				
▶ <u>M18</u> 0,01 (*) ◀		▶ <u>M75</u> 0,01 (*) ◀	▶ <u>M59</u> 0,01 (*) ◀				
	▶ <u>M32</u> 0,01 (*) ◀	▶ <u>M39</u> — ◀	▶ <u>M59</u> 0,01 (*) ◀	▶ <u>M16</u> 0,02 (*) ◀			▶ <u>M67</u> — ◀

▼ M2

(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)
						▶ <u>M74</u> 0,1 (*) ◀ ▶ <u>M74</u> 0,1 (*) ◀ ▶ <u>M74</u> 0,1 (*) ◀ ▶ <u>M74</u> 0,1 (*) ◀ ▶ <u>M74</u> 0,1 (*) ◀ ▶ <u>M74</u> 0,1 (*) ◀ ▶ <u>M74</u> 0,1 (*) ◀ ▶ <u>M74</u> 0,1 (*) ◀ ▶ <u>M74</u> 0,1 (*) ◀ ▶ <u>M74</u> 1 ◀ ▶ <u>M74</u> 0,1 (*) ◀	
						▶ <u>M74</u> 0,1 (*) ◀	
				0,5 <sup>(2)</sup>		▶ <u>M74</u> 0,05 (*) ◀	
(**)	▶ <u>M5</u> (**) ◀	▶ <u>M52</u> — ◀	(**)	(**)	▶ <u>M32</u> 0,2 ◀ ▶ <u>M32</u> 0,01 (*) ◀ ▶ <u>M32</u> 0,01 (*) ◀ ▶ <u>M32</u> (**) ◀	▶ <u>M74</u> (**) ◀	(**)
(**)	▶ <u>M5</u> (**) ◀	▶ <u>M52</u> — ◀	(**)	(**)	▶ <u>M32</u> (**) ◀	▶ <u>M74</u> (**) ◀	(**)
					▶ <u>M32</u> 0,01 (*) ◀		
				0,5 <sup>(2)</sup>	▶ <u>M32</u> 0,01 (*) ◀	▶ <u>M74</u> 2 ◀	
					▶ <u>M32</u> — ◀		
					▶ <u>M32</u> — ◀		
					▶ <u>M32</u> — ◀		
					▶ <u>M32</u> — ◀		
					▶ <u>M32</u> — ◀		

▼ M2

(26)	(27)	(28)	(29)	(30)	(31)
	▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀				
	▶ <u>M32</u> — ◀				
▶ <u>M19</u> 0,05 (*) ◀	▶ <u>M32</u> — ◀		▶ <u>M50</u> 0,7 (+) ◀	▶ <u>M27</u> 0,3 ◀	
▶ <u>M5</u> (**) ◀ ▶ <u>M5</u> (**) ◀	▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀	▶ <u>M68</u> — ◀ ▶ <u>M68</u> — ◀	▶ <u>M50</u> — ◀ ▶ <u>M50</u> — ◀	▶ <u>M27</u> (**) ◀ ▶ <u>M27</u> (**) ◀	(**) (**)
	▶ <u>M32</u> — ◀				
▶ <u>M19</u> 0,05 (*) ◀	▶ <u>M32</u> — ◀		▶ <u>M50</u> 2 ◀	▶ <u>M27</u> 0,2 ◀	
	▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀				
	▶ <u>M32</u> — ◀				
	▶ <u>M32</u> — ◀				

▼ **M2**

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)
0151000	(a) <i>Table and wine grapes</i>							
0151010	Table grapes							
0151020	Wine grapes							
0152000	(b) <i>Strawberries</i>							
0153000	(c) <i>Cane fruit</i>							
0153010	Blackberries							
0153020	Dewberries							
0153030	Raspberries							
0153990	Others							
0154000	(d) <i>Other small fruit &amp; berries</i>							
0154010	Blueberries							
0154020	Cranberries							
0154030	Currants (red, black and white)							
0154040	Gooseberries							
0154050	Rose hips	(**)	(**)	(**)	(**)	► <b>M40</b> — ◀	(**)	► <b>M46</b> — ◀
0154060	Mulberries	(**)	(**)	(**)	(**)	► <b>M40</b> — ◀	(**)	► <b>M46</b> — ◀
0154070	Azarole (mediterranean medlar)	(**)	(**)	(**)	(**)	► <b>M40</b> — ◀	(**)	► <b>M46</b> — ◀
0154080	Elderberries	(**)	(**)	(**)	(**)	► <b>M40</b> — ◀	(**)	► <b>M46</b> — ◀
0154990	Others							

▼ M2

(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)
▶ <u>M18</u> 0,01 (*) ◀		▶ <u>M75</u> 0,5 ◀					▶ <u>M67</u> 0,05 (+) ◀
▶ <u>M18</u> 0,1 ◀		▶ <u>M75</u> 0,5 ◀					▶ <u>M67</u> 0,01 (*) ◀
		▶ <u>M75</u> 2 ◀					▶ <u>M67</u> 0,01 (*) ◀
▶ <u>M18</u> 0,1 ◀ ▶ <u>M18</u> 0,01 (*) ◀ ▶ <u>M18</u> 0,1 ◀							
▶ <u>M18</u> 0,01 (*) ◀							
▶ <u>M18</u> 0,01 (*) ◀							▶ <u>M67</u> 0,01 (*) ◀
		▶ <u>M75</u> 2 ◀ ▶ <u>M75</u> 2 ◀ ▶ <u>M75</u> 2 ◀					▶ <u>M67</u> (+) ◀
(**)	▶ <u>M32</u> (**) ◀	▶ <u>M75</u> 2 ◀	▶ <u>M59</u> — ◀	(**)	▶ <u>M5</u> (**) ◀	(**)	▶ <u>M67</u> — ◀
(**)	▶ <u>M32</u> (**) ◀	▶ <u>M75</u> 2 ◀	▶ <u>M59</u> — ◀	(**)	▶ <u>M5</u> (**) ◀	(**)	▶ <u>M67</u> — ◀
(**)	▶ <u>M32</u> (**) ◀	▶ <u>M75</u> 0,01 (*) ◀	▶ <u>M59</u> — ◀	(**)	▶ <u>M5</u> (**) ◀	(**)	▶ <u>M67</u> — ◀
(**)	▶ <u>M32</u> (**) ◀	▶ <u>M75</u> 2 ◀	▶ <u>M59</u> — ◀	(**)	▶ <u>M5</u> (**) ◀	(**)	▶ <u>M67</u> — ◀
		▶ <u>M75</u> 0,01 (*) ◀					

▼ M2

(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)
				0,05 (*)		► <u>M74</u> 2 ◀	
					► <u>M32</u> 0,01 (*) ◀ ► <u>M32</u> 0,3 ◀		
				0,5 (2)	► <u>M32</u> 0,01 (*) ◀	► <u>M74</u> 10 ◀	
				0,5 (2)	► <u>M32</u> 0,01 (*) ◀	► <u>M74</u> 5 ◀	
						► <u>M11</u> — ◀ ► <u>M11</u> — ◀ ► <u>M11</u> — ◀	
						► <u>M11</u> — ◀	
					► <u>M32</u> 0,01 (*) ◀	► <u>M11</u> — ◀	
				0,05 (*) 0,1 0,5 (2)		► <u>M74</u> 5 ◀ ► <u>M74</u> 0,5 ◀ ► <u>M74</u> 5 ◀	
(**)	► <u>M5</u> (**) ◀	► <u>M52</u> — ◀	(**)	0,5 (2) (**)	► <u>M32</u> (**) ◀	► <u>M74</u> 5 ◀ ► <u>M74</u> (**) ◀	(**)
(**)	► <u>M5</u> (**) ◀	► <u>M52</u> — ◀	(**)	(**)	► <u>M32</u> (**) ◀	► <u>M74</u> (**) ◀	(**)
(**)	► <u>M5</u> (**) ◀	► <u>M52</u> — ◀	(**)	(**)	► <u>M32</u> (**) ◀	► <u>M74</u> (**) ◀	(**)
(**)	► <u>M5</u> (**) ◀	► <u>M52</u> — ◀	(**)	(**)	► <u>M32</u> (**) ◀	► <u>M74</u> (**) ◀	(**)
				0,05 (*)		► <u>M74</u> 5 ◀	



▼ M2

(26)	(27)	(28)	(29)	(30)	(31)
▶ <u>M19</u> 0,3 ◀	▶ <u>M32</u> — ◀		▶ <u>M50</u> 0,7 ◀	▶ <u>M27</u> 0,2 ◀	
	▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀				
▶ <u>M19</u> 0,05 (*) ◀	▶ <u>M32</u> — ◀		▶ <u>M50</u> 3 ◀	▶ <u>M27</u> 0,5 ◀	
▶ <u>M19</u> 0,05 (*) ◀	▶ <u>M32</u> — ◀		▶ <u>M50</u> 7 ◀		
	▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀			▶ <u>M27</u> 1 ◀ ▶ <u>M27</u> 1 ◀ ▶ <u>M27</u> 1 ◀	
	▶ <u>M32</u> — ◀			▶ <u>M27</u> 0,05 (*) ◀	
▶ <u>M19</u> 0,05 (*) ◀	▶ <u>M32</u> — ◀		▶ <u>M30</u> — ◀		
	▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀		▶ <u>M50</u> 0,01 (*) ◀ ▶ <u>M50</u> 0,01 (*) ◀ ▶ <u>M50</u> 0,7 ◀	▶ <u>M27</u> 0,05 (*) ◀ ▶ <u>M27</u> 0,05 (*) ◀ ▶ <u>M27</u> 0,5 ◀	
▶ <u>M5</u> (**) ◀	▶ <u>M32</u> — ◀	▶ <u>M68</u> — ◀	▶ <u>M50</u> 0,01 (*) ◀	▶ <u>M27</u> 0,05 (*) ◀	(**)
▶ <u>M5</u> (**) ◀	▶ <u>M32</u> — ◀	▶ <u>M68</u> — ◀	▶ <u>M50</u> 0,01 (*) ◀	▶ <u>M27</u> (**) ◀	(**)
▶ <u>M5</u> (**) ◀	▶ <u>M32</u> — ◀	▶ <u>M68</u> — ◀	▶ <u>M50</u> 0,01 (*) ◀	▶ <u>M27</u> (**) ◀	(**)
▶ <u>M5</u> (**) ◀	▶ <u>M32</u> — ◀	▶ <u>M68</u> — ◀	▶ <u>M50</u> 0,01 (*) ◀	▶ <u>M27</u> (**) ◀	(**)
	▶ <u>M32</u> — ◀		▶ <u>M50</u> 0,01 (*) ◀	▶ <u>M27</u> 0,05 (*) ◀	

## ▼ M2

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)
0160000	(vi) <b>Miscellaneous fruit</b>					► <b>M40</b> 0,01 (*) ◀		► <b>M46</b> 0,05 (*) ◀
0161000	(a) <i>Edible peel</i>							
0161010	Dates							
0161020	Figs							
0161030	Table olives							
0161040	Kumquats							
0161050	Carambola	(**)	(**)	(**)	(**)	► <b>M40</b> — ◀	(**)	► <b>M46</b> — ◀
0161060	Persimmon	(**)	(**)	(**)	(**)	► <b>M40</b> — ◀	(**)	► <b>M46</b> — ◀
0161070	Jambolan (java plum)	(**)	(**)	(**)	(**)	► <b>M40</b> — ◀	(**)	► <b>M46</b> — ◀
0161990	Others							
0162000	(b) <i>Inedible peel, small</i>							
0162010	Kiwi							
0162020	Lychee (Litchi)							
0162030	Passion fruit							
0162040	Prickly pear (cactus fruit)	(**)	(**)	(**)	(**)	► <b>M40</b> — ◀	(**)	► <b>M46</b> — ◀
0162050	Star apple	(**)	(**)	(**)	(**)	► <b>M40</b> — ◀	(**)	► <b>M46</b> — ◀
0162060	American persimmon (Virginia kaki)	(**)	(**)	(**)	(**)	► <b>M40</b> — ◀	(**)	► <b>M46</b> — ◀
0162990	Others							
0163000	(c) <i>Inedible peel, large</i>							
0163010	Avocados							

▼ M2

(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)
	▶ <u>M32</u> 0,01 (*) ◀	▶ <u>M39</u> — ◀		▶ <u>M16</u> 0,02 (*) ◀			
▶ <u>M18</u> 0,01 (*) ◀			▶ <u>M59</u> 0,01 (*) ◀				
		▶ <u>M75</u> 0,01 (*) ◀ ▶ <u>M75</u> 0,03 ◀ ▶ <u>M75</u> 0,01 (*) ◀ ▶ <u>M75</u> 0,01 (*) ◀					▶ <u>M67</u> 0,01 (*) ◀ ▶ <u>M67</u> 0,01 (*) ◀ ▶ <u>M67</u> 0,05 (*) (+) ◀ ▶ <u>M67</u> 0,01 (*) ◀
(**)	▶ <u>M32</u> (**) ◀	▶ <u>M75</u> 0,01 (*) ◀	▶ <u>M59</u> — ◀	(**)	▶ <u>M5</u> (**) ◀	(**)	▶ <u>M67</u> 0,01 (*) ◀
(**)	▶ <u>M32</u> (**) ◀	▶ <u>M75</u> 0,01 (*) ◀	▶ <u>M59</u> — ◀	(**)	▶ <u>M5</u> (**) ◀	(**)	▶ <u>M67</u> 0,01 (*) ◀
(**)	▶ <u>M32</u> (**) ◀	▶ <u>M75</u> 0,01 (*) ◀	▶ <u>M59</u> — ◀	(**)	▶ <u>M5</u> (**) ◀	(**)	▶ <u>M67</u> 0,01 (*) ◀
		▶ <u>M75</u> 0,01 (*) ◀					▶ <u>M67</u> 0,01 (*) ◀
▶ <u>M18</u> 0,01 (*) ◀		▶ <u>M75</u> 0,01 (*) ◀	▶ <u>M59</u> 0,01 (*) ◀				▶ <u>M67</u> 0,01 (*) ◀
(**)	▶ <u>M32</u> (**) ◀	▶ <u>M39</u> — ◀	▶ <u>M59</u> — ◀	(**)	▶ <u>M5</u> (**) ◀	(**)	▶ <u>M67</u> — ◀
(**)	▶ <u>M32</u> (**) ◀	▶ <u>M39</u> — ◀	▶ <u>M59</u> — ◀	(**)	▶ <u>M5</u> (**) ◀	(**)	▶ <u>M67</u> — ◀
(**)	▶ <u>M32</u> (**) ◀	▶ <u>M39</u> — ◀	▶ <u>M59</u> — ◀	(**)	▶ <u>M5</u> (**) ◀	(**)	▶ <u>M67</u> — ◀
		▶ <u>M75</u> — ◀					▶ <u>M67</u> 0,01 (*) ◀
▶ <u>M18</u> 0,01 (*) ◀		▶ <u>M75</u> 0,01 (*) ◀	▶ <u>M59</u> 0,01 (*) ◀				

▼ M2

(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)
				0,05 (*)	▶ <u>M32</u> 0,01 (*) ◀		
						▶ <u>M74</u> — ◀	
						▶ <u>M74</u> 0,05 (*) ◀ ▶ <u>M74</u> 0,05 (*) ◀ ▶ <u>M74</u> 0,05 (*) ◀ ▶ <u>M74</u> 0,05 (*) ◀	
(**)	▶ <u>M5</u> (**) ◀	▶ <u>M52</u> — ◀	(**)	(**)	▶ <u>M32</u> (**) ◀	▶ <u>M74</u> (**) ◀	(**)
(**)	▶ <u>M5</u> (**) ◀	▶ <u>M52</u> — ◀	(**)	(**)	▶ <u>M32</u> (**) ◀	▶ <u>M74</u> (**) ◀	(**)
(**)	▶ <u>M5</u> (**) ◀	▶ <u>M52</u> — ◀	(**)	(**)	▶ <u>M32</u> (**) ◀	▶ <u>M74</u> (**) ◀	(**)
						▶ <u>M74</u> 0,05 (*) ◀	
						▶ <u>M8</u> — ◀	
						▶ <u>M74</u> 0,05 (*) ◀ ▶ <u>M74</u> 0,05 (*) ◀ ▶ <u>M74</u> 4 ◀	
(**)	▶ <u>M5</u> (**) ◀	▶ <u>M52</u> — ◀	(**)	(**)	▶ <u>M32</u> (**) ◀	▶ <u>M74</u> (**) ◀	(**)
(**)	▶ <u>M5</u> (**) ◀	▶ <u>M52</u> — ◀	(**)	(**)	▶ <u>M32</u> (**) ◀	▶ <u>M74</u> (**) ◀	(**)
(**)	▶ <u>M5</u> (**) ◀	▶ <u>M52</u> — ◀	(**)	(**)	▶ <u>M32</u> (**) ◀	▶ <u>M74</u> (**) ◀	(**)
						▶ <u>M74</u> 0,05 (*) ◀	
						▶ <u>M74</u> 0,05 (*) ◀	

▼ M2

(26)	(27)	(28)	(29)	(30)	(31)
▶ <u>M19</u> 0,05 (*) ◀	▶ <u>M32</u> — ◀		▶ <u>M50</u> 0,01 (*) ◀		
	▶ <u>M32</u> — ◀			▶ <u>M27</u> 0,05 (*) ◀	
	▶ <u>M32</u> — ◀				
	▶ <u>M32</u> — ◀				
▶ <u>M5</u> (**) ◀	▶ <u>M32</u> — ◀	▶ <u>M68</u> — ◀	▶ <u>M50</u> — ◀	▶ <u>M27</u> (**) ◀	(**)
▶ <u>M5</u> (**) ◀	▶ <u>M32</u> — ◀	▶ <u>M68</u> — ◀	▶ <u>M50</u> — ◀	▶ <u>M27</u> (**) ◀	(**)
▶ <u>M5</u> (**) ◀	▶ <u>M32</u> — ◀	▶ <u>M68</u> — ◀	▶ <u>M50</u> — ◀	▶ <u>M27</u> (**) ◀	(**)
	▶ <u>M32</u> — ◀				
	▶ <u>M32</u> — ◀			▶ <u>M27</u> 0,05 (*) ◀	
	▶ <u>M32</u> — ◀				
	▶ <u>M32</u> — ◀				
▶ <u>M5</u> (**) ◀	▶ <u>M32</u> — ◀	▶ <u>M68</u> — ◀	▶ <u>M50</u> — ◀	▶ <u>M27</u> (**) ◀	(**)
▶ <u>M5</u> (**) ◀	▶ <u>M32</u> — ◀	▶ <u>M68</u> — ◀	▶ <u>M50</u> — ◀	▶ <u>M27</u> (**) ◀	(**)
▶ <u>M5</u> (**) ◀	▶ <u>M32</u> — ◀	▶ <u>M68</u> — ◀	▶ <u>M50</u> — ◀	▶ <u>M27</u> (**) ◀	(**)
	▶ <u>M32</u> — ◀				
	▶ <u>M32</u> — ◀				
	▶ <u>M32</u> — ◀			▶ <u>M27</u> 0,05 (*) ◀	

▼ **M2**

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)
0163020	Bananas							
0163030	Mangoes							
0163040	Papaya							
0163050	Pomegranate							
0163060	Cherimoya	(**)	(**)	(**)	(**)	► <b>M40</b> — ◀	(**)	► <b>M46</b> — ◀
0163070	Guava	(**)	(**)	(**)	(**)	► <b>M40</b> — ◀	(**)	► <b>M46</b> — ◀
0163080	Pineapples							
0163090	Bread fruit	(**)	(**)	(**)	(**)	► <b>M40</b> — ◀	(**)	► <b>M46</b> — ◀
0163100	Durian	(**)	(**)	(**)	(**)	► <b>M40</b> — ◀	(**)	► <b>M46</b> — ◀
0163110	Soursop (guanabana)	(**)	(**)	(**)	(**)	► <b>M40</b> — ◀	(**)	► <b>M46</b> — ◀
0163990	Others							
0200000	<b>2. VEGETABLES FRESH OR FROZEN</b>	0,01 (*)	0,01 (*)	0,01 (*)	0,01 (*)	► <b>M40</b> — ◀	0,05 (*)	► <b>M46</b> — ◀
0210000	(i) <b>Root and tuber vegetables</b>					► <b>M40</b> 0,01 (*) ◀		
0211000	(a) <i>Potatoes</i>							► <b>M46</b> 0,2 ◀
0212000	(b) <i>Tropical root and tuber vegetables</i>							► <b>M46</b> 0,05 (*) ◀
0212010	Cassava							
0212020	Sweet potatoes							
0212030	Yams							
0212040	Arrowroot	(**)	(**)	(**)	(**)	► <b>M40</b> — ◀	(**)	► <b>M46</b> — ◀
0212990	Others							

▼ M2

(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)
▶ <u>M18</u> 0,01 (*) ◀		▶ <u>M75</u> 0,4 ◀	▶ <u>M59</u> 0,08 ◀				
▶ <u>M18</u> 0,01 (*) ◀		▶ <u>M75</u> 0,01 (*) ◀	▶ <u>M59</u> 0,6 (+) ◀				
▶ <u>M18</u> 0,05 ◀		▶ <u>M75</u> 0,01 (*) ◀	▶ <u>M59</u> 0,01 (*) ◀				
▶ <u>M18</u> 0,01 (*) ◀		▶ <u>M75</u> 0,01 (*) ◀	▶ <u>M59</u> 0,01 (*) ◀				
(**)	▶ <u>M32</u> (**) ◀	▶ <u>M75</u> 0,01 (**) ◀	▶ <u>M59</u> 0,01 (*) ◀	(**)	▶ <u>M5</u> (**) ◀	(**)	▶ <u>M67</u> — ◀
(**)	▶ <u>M32</u> (**) ◀	▶ <u>M75</u> 0,01 (**) ◀	▶ <u>M59</u> 0,01 (*) ◀	(**)	▶ <u>M5</u> (**) ◀	(**)	▶ <u>M67</u> — ◀
▶ <u>M18</u> 0,01 (*) ◀		▶ <u>M75</u> 0,01 (*) ◀	▶ <u>M59</u> 0,01 (*) ◀				
(**)	▶ <u>M32</u> (**) ◀	▶ <u>M75</u> 0,01 (**) ◀	▶ <u>M59</u> 0,01 (*) ◀	(**)	▶ <u>M5</u> (**) ◀	(**)	▶ <u>M67</u> — ◀
(**)	▶ <u>M32</u> (**) ◀	▶ <u>M75</u> 0,01 (**) ◀	▶ <u>M59</u> 0,01 (*) ◀	(**)	▶ <u>M5</u> (**) ◀	(**)	▶ <u>M67</u> — ◀
(**)	▶ <u>M32</u> (**) ◀	▶ <u>M75</u> 0,01 (**) ◀	▶ <u>M59</u> 0,01 (*) ◀	(**)	▶ <u>M5</u> (**) ◀	(**)	▶ <u>M67</u> — ◀
▶ <u>M18</u> 0,01 (*) ◀		▶ <u>M75</u> 0,01 (*) ◀	▶ <u>M59</u> 0,01 (*) ◀				
	▶ <u>M32</u> — ◀				▶ <u>M5</u> — ◀	0,05 (*)	▶ <u>M67</u> — ◀
▶ <u>M18</u> 0,01 (*) ◀	▶ <u>M32</u> 0,01 (*) ◀	▶ <u>M75</u> 0,01 (*) ◀	▶ <u>M59</u> 0,01 (*) ◀	▶ <u>M16</u> 0,02 (*) ◀			▶ <u>M67</u> 0,01 (*) ◀
					▶ <u>M5</u> 0,01 (*) ◀		
					▶ <u>M5</u> 0,01 (*) ◀		
(**)	▶ <u>M32</u> (**) ◀	▶ <u>M39</u> — ◀	▶ <u>M59</u> — ◀	(**)	▶ <u>M5</u> (**) ◀	(**)	▶ <u>M67</u> — ◀

▼ M2

(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)
						▶ <u>M74</u> 2 ◀ ▶ <u>M74</u> 0,7 ◀ ▶ <u>M74</u> 0,3 ◀ ▶ <u>M74</u> 0,05 (*) ◀ ▶ <u>M74</u> (*) ◀	
(**)	▶ <u>M5</u> (**) ◀	▶ <u>M52</u> — ◀	(**)	(**)	▶ <u>M32</u> (**) ◀	▶ <u>M74</u> (*) ◀	(**)
(**)	▶ <u>M5</u> (**) ◀	▶ <u>M52</u> — ◀	(**)	(**)	▶ <u>M32</u> (**) ◀	▶ <u>M74</u> (*) ◀	(**)
(**)	▶ <u>M5</u> (**) ◀	▶ <u>M52</u> — ◀	(**)	(**)	▶ <u>M32</u> (**) ◀	▶ <u>M74</u> 0,05 (*) ◀	
(**)	▶ <u>M5</u> (**) ◀	▶ <u>M52</u> — ◀	(**)	(**)	▶ <u>M32</u> (**) ◀	▶ <u>M74</u> (*) ◀	(**)
(**)	▶ <u>M5</u> (**) ◀	▶ <u>M52</u> — ◀	(**)	(**)	▶ <u>M32</u> (**) ◀	▶ <u>M74</u> (*) ◀	(**)
						▶ <u>M74</u> 0,05 (*) ◀	
0,01 (*)		▶ <u>M52</u> — ◀	0,02 (*)				0,05 (*)
	▶ <u>M5</u> 0,05 (*) ◀	▶ <u>M52</u> 0,01 (*) ◀		0,05 (*)	▶ <u>M32</u> 0,01 (*) ◀	▶ <u>M74</u> — ◀	
						▶ <u>M74</u> 7 ◀	
						▶ <u>M74</u> 1 ◀	
(**)	▶ <u>M5</u> (**) ◀	▶ <u>M52</u> — ◀	(**)	(**)	▶ <u>M32</u> (**) ◀	▶ <u>M74</u> (*) ◀	(**)



▼ M2

(26)	(27)	(28)	(29)	(30)	(31)
	▶ <u>M32</u> — ◀			▶ <u>M27</u> 0,1 ◀	
	▶ <u>M32</u> — ◀			▶ <u>M27</u> 0,3 ◀	
	▶ <u>M32</u> — ◀			▶ <u>M27</u> 0,5 ◀	
	▶ <u>M32</u> — ◀			▶ <u>M27</u> 0,05 (*) ◀	
▶ <u>M5</u> (**) ◀	▶ <u>M32</u> — ◀	▶ <u>M68</u> — ◀	▶ <u>M50</u> — ◀	▶ <u>M27</u> (**) ◀	(**)
▶ <u>M5</u> (**) ◀	▶ <u>M32</u> — ◀	▶ <u>M68</u> — ◀	▶ <u>M50</u> — ◀	▶ <u>M27</u> (**) ◀	(**)
	▶ <u>M32</u> — ◀			▶ <u>M27</u> 0,05 (*) ◀	
▶ <u>M5</u> (**) ◀	▶ <u>M32</u> — ◀	▶ <u>M68</u> — ◀	▶ <u>M50</u> — ◀	▶ <u>M27</u> (**) ◀	(**)
▶ <u>M5</u> (**) ◀	▶ <u>M32</u> — ◀	▶ <u>M68</u> — ◀	▶ <u>M50</u> — ◀	▶ <u>M27</u> (**) ◀	(**)
▶ <u>M5</u> (**) ◀	▶ <u>M32</u> — ◀	▶ <u>M68</u> — ◀	▶ <u>M50</u> — ◀	▶ <u>M27</u> (**) ◀	(**)
	▶ <u>M32</u> — ◀			▶ <u>M27</u> 0,05 (*) ◀	
	▶ <u>M32</u> — ◀				0,05 (*)
▶ <u>M19</u> 0,05 (*) ◀	▶ <u>M32</u> — ◀	▶ <u>M68</u> — ◀	▶ <u>M50</u> 0,01 (*) ◀	▶ <u>M27</u> 0,05 (*) ◀	
	▶ <u>M32</u> — ◀	▶ <u>M68</u> 0,2 (+) ◀			
	▶ <u>M32</u> — ◀	▶ <u>M68</u> 0,03 (*) ◀			
	▶ <u>M32</u> — ◀				
▶ <u>M5</u> (**) ◀	▶ <u>M32</u> — ◀	▶ <u>M68</u> — ◀	▶ <u>M50</u> — ◀	▶ <u>M27</u> (**) ◀	(**)
	▶ <u>M32</u> — ◀				

▼ **M2**

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)
0213000	(c) <i>Other root and tuber vegetables except sugar beet</i>							► <b>M46</b> 0,05 (*) ◀
0213010	Beetroot							
0213020	Carrots							
0213030	Celeriac							
0213040	Horseradish							
0213050	Jerusalem artichokes							
0213060	Parsnips							
0213070	Parsley root							
0213080	Radishes							
0213090	Salsify							
0213100	Swedes							
0213110	Turnips							
0213990	Others							
0220000	(ii) <b>Bulb vegetables</b>					► <b>M40</b> 0,01 (*) ◀		► <b>M46</b> 0,05 (*) ◀
0220010	Garlic							
0220020	Onions							
0220030	Shallots							
0220040	Spring onions							
0220990	Others							
0230000	(iii) <b>Fruiting vegetables</b>					► <b>M40</b> 0,01 (*) ◀		► <b>M46</b> 0,05 (*) ◀
0231000	(a) <i>Solanacea</i>							

▼ M2

(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)
					► <u>M5</u> 0,01 (*) ◀ ► <u>M5</u> 0,01 (*) ◀ ► <u>M5</u> 0,01 (*) ◀ ► <u>M5</u> 0,01 (*) ◀ ► <u>M5</u> 0,01 (*) ◀  ► <u>M5</u> 0,02 ◀ ► <u>M5</u> 0,01 (*) ◀ ► <u>M5</u> 0,01 (*) ◀ ► <u>M5</u> 0,01 (*) ◀ ► <u>M5</u> 0,01 (*) ◀ ► <u>M5</u> 0,01 (*) ◀		
					► <u>M5</u> 0,01 (*) ◀		
► <u>M18</u> 0,01 (*) ◀	► <u>M32</u> 0,02 (*) ◀	► <u>M39</u> — ◀	► <u>M59</u> 0,01 (*) ◀	► <u>M16</u> 0,05 (*) ◀	► <u>M5</u> 0,01 (*) ◀		► <u>M67</u> 0,01 (*) ◀
		► <u>M75</u> 0,02 ◀ ► <u>M75</u> 0,02 ◀ ► <u>M75</u> 0,01 (*) ◀ ► <u>M75</u> 0,01 (*) ◀					
		► <u>M75</u> 0,01 (*) ◀					
	► <u>M32</u> 0,01 (*) ◀			► <u>M16</u> 0,02 (*) ◀			► <u>M67</u> 0,01 (*) ◀
					► <u>M5</u> 0,01 (*) ◀		

▼ M2

(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)
						▶ <u>M74</u> 1 ◀	
						▶ <u>M11</u> — ◀ ▶ <u>M11</u> — ◀ ▶ <u>M11</u> — ◀ ▶ <u>M11</u> — ◀ ▶ <u>M11</u> — ◀  ▶ <u>M11</u> — ◀ ▶ <u>M11</u> — ◀ ▶ <u>M11</u> — ◀ ▶ <u>M11</u> — ◀ ▶ <u>M11</u> — ◀ ▶ <u>M11</u> — ◀	
						▶ <u>M11</u> — ◀	
	▶ <u>M5</u> 0,05 (*) ◀	▶ <u>M52</u> 0,01 (*) ◀		0,05 (*)	▶ <u>M32</u> 0,02 (*) ◀	▶ <u>M74</u> 10 ◀	
						▶ <u>M11</u> — ◀ ▶ <u>M11</u> — ◀ ▶ <u>M11</u> — ◀ ▶ <u>M11</u> — ◀	
						▶ <u>M11</u> — ◀	
		▶ <u>M52</u> 0,01 (*) ◀			▶ <u>M32</u> 0,01 (*) ◀		
	▶ <u>M5</u> 0,05 (*) ◀			0,05 (*)		▶ <u>M74</u> 3 ◀	

▼ M2

(26)	(27)	(28)	(29)	(30)	(31)
	▶ <u>M32</u> — ◀	▶ <u>M68</u> 0,03 (*) ◀			
	▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀				
	▶ <u>M32</u> — ◀				
	▶ <u>M32</u> — ◀	▶ <u>M68</u> — ◀	▶ <u>M50</u> 0,01 (*) ◀	▶ <u>M27</u> 0,05 (*) ◀	
▶ <u>M19</u> 0,05 (*) ◀ ▶ <u>M19</u> 0,2 ◀ ▶ <u>M19</u> 0,05 (*) ◀ ▶ <u>M19</u> 0,05 (*) ◀	▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀	▶ <u>M68</u> 0,06 ◀ ▶ <u>M68</u> 0,1 ◀ ▶ <u>M68</u> 0,06 ◀ ▶ <u>M68</u> 0,03 (*) ◀			
▶ <u>M19</u> 0,05 (*) ◀	▶ <u>M32</u> — ◀	▶ <u>M68</u> 0,03 (*) ◀			
	▶ <u>M32</u> — ◀	▶ <u>M15</u> — ◀			
	▶ <u>M32</u> — ◀	▶ <u>M68</u> 0,03 (*) ◀		▶ <u>M27</u> — ◀	

▼ **M2**

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)
0231010	Tomatoes							
0231020	Peppers							
0231030	Aubergines (egg plants)							
0231040	Okra, lady's fingers							
0231990	Others							
0232000	(b) <i>Cucurbits — edible peel</i>							
0232010	Cucumbers							
0232020	Gherkins							
0232030	Courgettes							
0232990	Others							
0233000	(c) <i>Cucurbits- inedible peel</i>							
0233010	Melons							
0233020	Pumpkins							
0233030	Watermelons							
0233990	Others							
0234000	(d) <i>Sweet corn</i>							
0239000	(e) <i>Other fruiting vegetables</i>							
0240000	(iv) <b>Brassica vegetables</b>					► <b>M40</b> 0,01 (*) ◀		► <b>M46</b> 0,05 (*) ◀
0241000	(a) <i>Flowering brassica</i>							
0241010	Broccoli							
0241020	Cauliflower							

▼ M2

(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)
▶ <u>M18</u> 0,02 ◀ ▶ <u>M18</u> 0,05 ◀ ▶ <u>M18</u> 0,02 ◀ ▶ <u>M18</u> 0,01 (*) ◀		▶ <u>M75</u> 0,2 ◀ ▶ <u>M75</u> 0,3 ◀ ▶ <u>M75</u> 0,2 ◀ ▶ <u>M75</u> 0,2 ◀	▶ <u>M59</u> 0,9 ◀ ▶ <u>M59</u> 0,01 (*) ◀ ▶ <u>M59</u> 0,01 (*) ◀ ▶ <u>M59</u> 0,01 (*) ◀				
▶ <u>M18</u> 0,01 (*) ◀		▶ <u>M75</u> 0,2 ◀	▶ <u>M59</u> 0,01 (*) ◀				
▶ <u>M18</u> 0,02 ◀		▶ <u>M75</u> 0,3 ◀	▶ <u>M59</u> 0,01 (*) ◀				
					▶ <u>M5</u> 0,02 ◀ ▶ <u>M5</u> 0,02 ◀ ▶ <u>M5</u> 0,05 ◀		
					▶ <u>M5</u> 0,02 ◀		
▶ <u>M18</u> 0,01 (*) ◀		▶ <u>M75</u> 0,2 ◀	▶ <u>M59</u> 0,01 (*) ◀		▶ <u>M5</u> 0,03 ◀		
▶ <u>M18</u> 0,01 (*) ◀		▶ <u>M75</u> 0,01 (*) ◀	▶ <u>M59</u> 0,01 (*) ◀		▶ <u>M5</u> 0,01 (*) ◀		
▶ <u>M18</u> 0,01 (*) ◀		▶ <u>M75</u> 0,2 ◀	▶ <u>M59</u> 0,01 (*) ◀		▶ <u>M5</u> 0,01 (*) ◀		
▶ <u>M18</u> 0,01 (*) ◀	▶ <u>M32</u> 0,01 (*) ◀	▶ <u>M5</u> — ◀	▶ <u>M59</u> 0,01 (*) ◀	▶ <u>M16</u> 0,02 (*) ◀	▶ <u>M5</u> 0,01 (*) ◀		▶ <u>M67</u> 0,01 (*) ◀
		▶ <u>M75</u> 0,4 ◀					
		▶ <u>M39</u> — ◀ ▶ <u>M39</u> — ◀					

▼ M2

(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)
	▶ <u>M5</u> 0,05 (*) ◀					▶ <u>M74</u> 1 ◀	
				0,2 0,05 (*) 0,05 (*)			
				0,05 (*)			
	▶ <u>M5</u> 0,05 (*) ◀			0,05 (*)		▶ <u>M74</u> 1 ◀	
	▶ <u>M5</u> 0,1 ◀			0,05 (*)		▶ <u>M74</u> 0,05 (*) ◀	
	▶ <u>M5</u> 0,05 (*) ◀			0,05 (*)		▶ <u>M74</u> 0,05 (*) ◀	
	▶ <u>M5</u> 0,05 (*) ◀	▶ <u>M52</u> 0,01 (*) ◀		0,05 (*)	▶ <u>M32</u> 0,01 (*) ◀	▶ <u>M74</u> 5 ◀	
						▶ <u>M8</u> — ◀	
						▶ <u>M11</u> — ◀ ▶ <u>M11</u> — ◀	



▼ M2

(26)	(27)	(28)	(29)	(30)	(31)
▶ <u>M19</u> 0,5 ◀ ▶ <u>M19</u> 0,2 ◀ ▶ <u>M19</u> 0,5 ◀ ▶ <u>M19</u> 0,05 (*) ◀	▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀		▶ <u>M50</u> 0,5 ◀ ▶ <u>M50</u> 3 ◀ ▶ <u>M50</u> 0,5 ◀ ▶ <u>M50</u> 0,01 (*) ◀	▶ <u>M27</u> 0,3 ◀ ▶ <u>M27</u> 0,5 ◀ ▶ <u>M27</u> 0,3 ◀ ▶ <u>M27</u> 0,2 ◀	
▶ <u>M19</u> 0,05 (*) ◀	▶ <u>M32</u> — ◀		▶ <u>M50</u> 0,01 (*) ◀	▶ <u>M27</u> 0,2 ◀	
▶ <u>M19</u> 0,05 (*) ◀	▶ <u>M32</u> — ◀	▶ <u>M68</u> 0,03 (*) ◀	▶ <u>M50</u> 0,5 ◀	▶ <u>M27</u> 0,1 ◀	
	▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀				
	▶ <u>M32</u> — ◀				
	▶ <u>M32</u> — ◀	▶ <u>M68</u> 0,03 (*) ◀	▶ <u>M50</u> 0,5 ◀	▶ <u>M27</u> 0,05 (*) ◀	
▶ <u>M19</u> 0,3 ◀ ▶ <u>M19</u> 0,05 (*) ◀ ▶ <u>M19</u> 0,1 ◀	▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀				
▶ <u>M19</u> 0,05 (*) ◀	▶ <u>M32</u> — ◀				
▶ <u>M19</u> 0,05 (*) ◀	▶ <u>M32</u> — ◀	▶ <u>M68</u> 0,3 ◀	▶ <u>M50</u> 0,01 (*) ◀	▶ <u>M27</u> 0,05 (*) ◀	
▶ <u>M19</u> 0,05 (*) ◀	▶ <u>M32</u> — ◀	▶ <u>M68</u> 0,03 (*) ◀	▶ <u>M50</u> 0,01 (*) ◀	▶ <u>M27</u> 0,05 (*) ◀	
▶ <u>M19</u> 0,05 (*) ◀	▶ <u>M32</u> — ◀	▶ <u>M68</u> 0,03 (*) ◀	▶ <u>M50</u> 0,01 (*) ◀		
	▶ <u>M32</u> — ◀			▶ <u>M27</u> 0,2 ◀	
	▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀				

▼ **M2**

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)
0241990	Others							
0242000	(b) <i>Head brassica</i>							
0242010	Brussels sprouts							
0242020	Head cabbage							
0242990	Others							
0243000	(c) <i>Leafy brassica</i>							
0243010	Chinese cabbage							
0243020	Kale							
0243990	Others							
0244000	(d) <i>Kohlrabi</i>							
0250000	(v) <b>Leaf vegetables &amp; fresh herbs</b>							
0251000	(a) <i>Lettuce and other salad plants including Brassicacea</i>					► <b>M40</b> 0,01 (*) ◀		► <b>M46</b> 0,05 (*) ◀
0251010	Lamb's lettuce							
0251020	Lettuce							
0251030	Scarole (broad-leaf endive)							
0251040	Cress							
0251050	Land cress	(**)	(**)	(**)	(**)	► <b>M40</b> — ◀	(**)	► <b>M46</b> — ◀
0251060	Rocket, Rucola							

▼ M2

(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)
		▶ <u>M39</u> — ◀					
		▶ <u>M75</u> 0,05 ◀ ▶ <u>M75</u> 0,7 ◀					
		▶ <u>M75</u> 0,01 (*) ◀					
		▶ <u>M75</u> 0,01 (*) ◀					
		▶ <u>M75</u> 0,01 (*) ◀					
			▶ <u>M5</u> — ◀	▶ <u>M16</u> 0,02 (*) ◀	▶ <u>M5</u> 0,01 (*) ◀		
▶ <u>M18</u> 0,1 ◀	▶ <u>M32</u> 0,01 (*) ◀		▶ <u>M59</u> 0,3 ◀				▶ <u>M67</u> 0,01 (*) ◀
		▶ <u>M75</u> 3 ◀ ▶ <u>M75</u> 3 ◀ ▶ <u>M75</u> 1,5 ◀ ▶ <u>M75</u> 3 ◀ ▶ <u>M75</u> 3 ◀ ▶ <u>M75</u> 3 ◀	▶ <u>M59</u> — ◀				▶ <u>M67</u> — ◀
(**)	▶ <u>M32</u> (**) ◀			(**)	▶ <u>M5</u> (**) ◀	(**)	

▼ M2

(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)
						▶ <u>M11</u> — ◀	
						▶ <u>M11</u> — ◀	
						▶ <u>M11</u> — ◀	
						▶ <u>M11</u> — ◀	
	▶ <u>M5</u> 0,05 (*) ◀			0,05 (*)	▶ <u>M32</u> — ◀		
		▶ <u>M52</u> 0,01 (*) ◀			▶ <u>M32</u> 0,01 (*) ◀	▶ <u>M74</u> 15 ◀	
(**)	▶ <u>M5</u> (**) ◀	▶ <u>M52</u> — ◀	(**)	(**)	▶ <u>M32</u> (**) ◀	▶ <u>M74</u> (**) ◀	(**)

▼ M2

(26)	(27)	(28)	(29)	(30)	(31)
	▶ <u>M32</u> — ◀				
	▶ <u>M32</u> — ◀			▶ <u>M27</u> 1 ◀	
	▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀				
	▶ <u>M32</u> — ◀				
	▶ <u>M32</u> — ◀			▶ <u>M27</u> 0,05 (*) ◀	
	▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀				
	▶ <u>M32</u> — ◀				
	▶ <u>M32</u> — ◀			▶ <u>M27</u> 0,05 (*) ◀	
	▶ <u>M32</u> — ◀	▶ <u>M25</u> — ◀	▶ <u>M50</u> — ◀		
	▶ <u>M32</u> — ◀	▶ <u>M68</u> 0,03 (*) ◀	▶ <u>M50</u> 0,01 (*) ◀	▶ <u>M27</u> 2 ◀	
▶ <u>M19</u> 0,05 (*) ◀ ▶ <u>M19</u> 1 ◀ ▶ <u>M19</u> 0,05 (*) ◀ ▶ <u>M19</u> 0,05 (*) ◀ ▶ <u>M5</u> (**) ◀ ▶ <u>M19</u> 0,05 (*) ◀	▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀	▶ <u>M68</u> — ◀	▶ <u>M50</u> — ◀	▶ <u>M27</u> (**) ◀	(**)

## ▼ M2

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)
0251070	Red mustard	(**)	(**)	(**)	(**)	► <u>M40</u> — ◄	(**)	► <u>M46</u> — ◄
0251080	Leaves and sprouts of Brassica spp.							
0251990	Others							
0252000	(b) <i>Spinach</i> & similar (leaves)					► <u>M40</u> 0,01 (*) ◄		► <u>M46</u> 0,05 (*) ◄
0252010	Spinach							
0252020	Purslane	(**)	(**)	(**)	(**)	► <u>M40</u> — ◄	(**)	► <u>M46</u> — ◄
0252030	Beet leaves (chard)							
0252990	Others							
0253000	(c) <i>Vine leaves</i> (grape leaves)	(**)	(**)	(**)	(**)	► <u>M40</u> 0,01 (*) ◄	(**)	► <u>M46</u> 0,05 (*) ◄
0254000	(d) <i>Water cress</i>					► <u>M40</u> 0,01 (*) ◄		► <u>M46</u> 0,05 (*) ◄
0255000	(e) <i>Witloof</i>					► <u>M40</u> 0,01 (*) ◄		► <u>M46</u> 0,05 (*) ◄
0256000	(f) <i>Herbs</i>					► <u>M40</u> 0,02 (*) ◄		► <u>M46</u> 0,1 (*) ◄
0256010	Chervil							
0256020	Chives							
0256030	Celery leaves							
0256040	Parsley							
0256050	Sage	(**)	(**)	(**)	(**)	► <u>M40</u> — ◄	(**)	► <u>M46</u> — ◄
0256060	Rosemary	(**)	(**)	(**)	(**)	► <u>M40</u> — ◄	(**)	► <u>M46</u> — ◄
0256070	Thyme	(**)	(**)	(**)	(**)	► <u>M40</u> — ◄	(**)	► <u>M46</u> — ◄
0256080	Basil	(**)	(**)	(**)	(**)	► <u>M40</u> — ◄	(**)	► <u>M46</u> — ◄

▼ M2

(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)
(**)	▶ <u>M32</u> (**) ◀	▶ <u>M75</u> 3 ◀ ▶ <u>M75</u> 3 ◀	▶ <u>M59</u> — ◀	(**)	▶ <u>M5</u> (**) ◀	(**)	▶ <u>M67</u> — ◀
		▶ <u>M75</u> 0,01 (*) ◀					
▶ <u>M18</u> 0,01 (*) ◀	▶ <u>M32</u> 0,01 (*) ◀	▶ <u>M8</u> — ◀					▶ <u>M67</u> 0,01 (*) ◀
(**)	▶ <u>M32</u> (**) ◀	▶ <u>M75</u> 5 ◀ ▶ <u>M75</u> 3 ◀ ▶ <u>M75</u> 3 ◀	▶ <u>M59</u> 0,3 ◀ ▶ <u>M59</u> 0,01 (*) ◀ ▶ <u>M59</u> 0,01 (*) ◀	(**)	▶ <u>M5</u> (**) ◀	(**)	▶ <u>M67</u> — ◀
		▶ <u>M75</u> 0,01 (*) ◀	▶ <u>M59</u> 0,01 (*) ◀				
(**)	▶ <u>M32</u> (**) ◀	▶ <u>M75</u> 0,01 (*) ◀	▶ <u>M59</u> 0,01 (*) ◀	(**)	▶ <u>M5</u> (**) ◀	(**)	▶ <u>M67</u> 0,01 (*) ◀
▶ <u>M18</u> 0,01 (*) ◀	▶ <u>M32</u> 0,01 (*) ◀	▶ <u>M75</u> 0,01 (*) ◀	▶ <u>M59</u> 0,01 (*) ◀				▶ <u>M67</u> 0,01 (*) ◀
▶ <u>M18</u> 0,01 (*) ◀	▶ <u>M32</u> 0,01 (*) ◀	▶ <u>M75</u> 0,01 (*) ◀	▶ <u>M59</u> 0,01 (*) ◀				▶ <u>M67</u> 0,01 (*) ◀
▶ <u>M18</u> 1 ◀	▶ <u>M32</u> 0,02 (*) ◀	▶ <u>M75</u> 3 ◀	▶ <u>M59</u> 0,3 ◀				▶ <u>M67</u> 0,02 (*) ◀
(**)	▶ <u>M32</u> (**) ◀	▶ <u>M51</u> — ◀ ▶ <u>M51</u> — ◀ ▶ <u>M51</u> — ◀ ▶ <u>M51</u> — ◀	▶ <u>M59</u> — ◀	(**)	▶ <u>M5</u> (**) ◀	(**)	▶ <u>M67</u> — ◀
(**)	▶ <u>M32</u> (**) ◀	▶ <u>M51</u> — ◀	▶ <u>M59</u> — ◀	(**)	▶ <u>M5</u> (**) ◀	(**)	▶ <u>M67</u> — ◀
(**)	▶ <u>M32</u> (**) ◀	▶ <u>M51</u> — ◀	▶ <u>M59</u> — ◀	(**)	▶ <u>M5</u> (**) ◀	(**)	▶ <u>M67</u> — ◀
(**)	▶ <u>M32</u> (**) ◀	▶ <u>M51</u> — ◀	▶ <u>M59</u> — ◀	(**)	▶ <u>M5</u> (**) ◀	(**)	▶ <u>M67</u> — ◀

▼ M2

(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)
(**)	▶ <u>M5</u> (**) ◀	▶ <u>M52</u> — ◀	(**)	(**)	▶ <u>M32</u> (**) ◀	▶ <u>M74</u> (**) ◀	(**)
		▶ <u>M52</u> 0,01 (*) ◀			▶ <u>M32</u> 0,01 (*) ◀	▶ <u>M74</u> 15 ◀	
(**)	▶ <u>M5</u> (**) ◀	▶ <u>M52</u> — ◀	(**)	(**)	▶ <u>M32</u> (**) ◀	▶ <u>M39</u> — ◀ ▶ <u>M74</u> (**) ◀ ▶ <u>M39</u> — ◀	(**)
						▶ <u>M39</u> — ◀	
(**)	▶ <u>M5</u> (**) ◀	▶ <u>M52</u> 0,01 (*) ◀	(**)	(**)	▶ <u>M32</u> (**) ◀	▶ <u>M74</u> (**) ◀	(**)
		▶ <u>M52</u> 0,01 (*) ◀			▶ <u>M32</u> 0,01 (*) ◀	▶ <u>M74</u> 0,05 (*) ◀	
		▶ <u>M52</u> 0,01 (*) ◀			▶ <u>M32</u> 0,01 (*) ◀	▶ <u>M74</u> 0,2 ◀	
		▶ <u>M52</u> 0,02 (*) ◀			▶ <u>M32</u> 0,02 (*) ◀	▶ <u>M11</u> — ◀	
(**)	▶ <u>M5</u> (**) ◀	▶ <u>M52</u> — ◀	(**)	(**)	▶ <u>M32</u> (**) ◀	▶ <u>M74</u> 3 ◀ ▶ <u>M74</u> 70 ◀ ▶ <u>M74</u> 70 ◀ ▶ <u>M74</u> 70 ◀ ▶ <u>M74</u> (**) ◀	(**)
(**)	▶ <u>M5</u> (**) ◀	▶ <u>M52</u> — ◀	(**)	(**)	▶ <u>M32</u> (**) ◀	▶ <u>M74</u> (**) ◀	(**)
(**)	▶ <u>M5</u> (**) ◀	▶ <u>M52</u> — ◀	(**)	(**)	▶ <u>M32</u> (**) ◀	▶ <u>M74</u> (**) ◀	(**)
(**)	▶ <u>M5</u> (**) ◀	▶ <u>M52</u> — ◀	(**)	(**)	▶ <u>M32</u> (**) ◀	▶ <u>M74</u> (**) ◀	(**)



▼ M2

(26)	(27)	(28)	(29)	(30)	(31)
▶ <u>M5</u> (**) ◀ ▶ <u>M19</u> 0,05 (*) ◀	▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀	▶ <u>M68</u> — ◀	▶ <u>M50</u> — ◀	▶ <u>M27</u> (**) ◀	(**)
▶ <u>M19</u> 0,05 (*) ◀	▶ <u>M32</u> — ◀				
▶ <u>M19</u> 0,05 (*) ◀	▶ <u>M32</u> — ◀	▶ <u>M68</u> 0,03 (*) ◀	▶ <u>M50</u> 0,01 (*) ◀		
▶ <u>M5</u> (**) ◀	▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀	▶ <u>M68</u> — ◀	▶ <u>M50</u> — ◀	▶ <u>M27</u> 0,05 (*) ◀ ▶ <u>M27</u> (**) ◀ ▶ <u>M27</u> 0,05 (*) ◀	(**)
	▶ <u>M32</u> — ◀			▶ <u>M27</u> 0,05 (*) ◀	
▶ <u>M5</u> (**) ◀	▶ <u>M32</u> — ◀	▶ <u>M68</u> 0,03 (*) ◀	▶ <u>M50</u> 0,01 (*) ◀	▶ <u>M27</u> (**) ◀	(**)
▶ <u>M19</u> 0,05 (*) ◀	▶ <u>M32</u> — ◀	▶ <u>M68</u> 0,03 (*) ◀	▶ <u>M50</u> 0,01 (*) ◀	▶ <u>M27</u> 0,05 (*) ◀	
▶ <u>M19</u> 0,05 (*) ◀	▶ <u>M32</u> — ◀	▶ <u>M68</u> 0,03 (*) ◀	▶ <u>M50</u> 0,01 (*) ◀	▶ <u>M27</u> 0,05 (*) ◀	
▶ <u>M19</u> 0,05 (*) ◀	▶ <u>M32</u> — ◀	▶ <u>M68</u> 10 ◀		▶ <u>M27</u> 0,05 (*) ◀	
	▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀		▶ <u>M50</u> 0,02 (*) ◀ ▶ <u>M50</u> 0,02 (*) ◀ ▶ <u>M50</u> 0,02 (*) ◀ ▶ <u>M50</u> 0,02 (*) ◀		
▶ <u>M5</u> (**) ◀	▶ <u>M32</u> — ◀	▶ <u>M68</u> — ◀	▶ <u>M50</u> 0,02 (*) ◀	▶ <u>M27</u> (**) ◀	(**)
▶ <u>M5</u> (**) ◀	▶ <u>M32</u> — ◀	▶ <u>M68</u> — ◀	▶ <u>M50</u> 0,02 (*) ◀	▶ <u>M27</u> (**) ◀	(**)
▶ <u>M5</u> (**) ◀	▶ <u>M32</u> — ◀	▶ <u>M68</u> — ◀	▶ <u>M50</u> 0,02 (*) ◀	▶ <u>M27</u> (**) ◀	(**)
▶ <u>M5</u> (**) ◀	▶ <u>M32</u> — ◀	▶ <u>M68</u> — ◀	▶ <u>M50</u> 40 ◀	▶ <u>M27</u> (**) ◀	(**)

▼ **M2**

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)
0256090	Bay leaves (laurel)	(**)	(**)	(**)	(**)	► <b>M40</b> — ◀	(**)	► <b>M46</b> — ◀
0256100	Tarragon	(**)	(**)	(**)	(**)	► <b>M40</b> — ◀	(**)	► <b>M46</b> — ◀
0256990	Others							
0260000	(vi) <b>Legume vegetables (fresh)</b>					► <b>M40</b> 0,01 (*) ◀		► <b>M46</b> 0,05 (*) ◀
0260010	Beans (with pods)							
0260020	Beans (without pods)							
0260030	Peas (with pods)							
0260040	Peas (without pods)							
0260050	Lentils							
0260990	Others							
0270000	(vii) <b>Stem vegetables (fresh)</b>					► <b>M40</b> 0,01 (*) ◀		► <b>M46</b> 0,05 (*) ◀
0270010	Asparagus							
0270020	Cardoons							
0270030	Celery							
0270040	Fennel							
0270050	Globe artichokes							
0270060	Leek							
0270070	Rhubarb							
0270080	Bamboo shoots	(**)	(**)	(**)	(**)	► <b>M40</b> — ◀	(**)	► <b>M46</b> — ◀
0270090	Palm hearts	(**)	(**)	(**)	(**)	► <b>M40</b> — ◀	(**)	► <b>M46</b> — ◀
0270990	Others							

▼ M2

(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)
(**)	▶ <u>M32</u> (**) ◀	▶ <u>M51</u> — ◀	▶ <u>M59</u> — ◀	(**)	▶ <u>M5</u> (**) ◀	(**)	▶ <u>M67</u> — ◀
(**)	▶ <u>M32</u> (**) ◀	▶ <u>M51</u> — ◀	▶ <u>M59</u> — ◀	(**)	▶ <u>M5</u> (**) ◀	(**)	▶ <u>M67</u> — ◀
		▶ <u>M51</u> — ◀	▶ <u>M13</u> — ◀				
▶ <u>M18</u> 0,01 (*) ◀	▶ <u>M32</u> 0,01 (*) ◀	▶ <u>M39</u> — ◀	▶ <u>M59</u> 0,01 (*) ◀	▶ <u>M16</u> 0,02 (*) ◀	▶ <u>M5</u> 0,01 (*) ◀		▶ <u>M67</u> 0,01 (*) ◀
		▶ <u>M75</u> 0,15 ◀ ▶ <u>M75</u> 0,3 ◀  ▶ <u>M75</u> 0,4 ◀ ▶ <u>M75</u> 0,3 ◀ ▶ <u>M75</u> 0,01 (*) ◀					
		▶ <u>M75</u> 0,01 (*) ◀					
▶ <u>M18</u> 0,01 (*) ◀	▶ <u>M32</u> 0,01 (*) ◀	▶ <u>M39</u> — ◀	▶ <u>M59</u> 0,01 (*) ◀	▶ <u>M16</u> 0,02 (*) ◀	▶ <u>M5</u> 0,01 (*) ◀		▶ <u>M67</u> 0,01 (*) ◀
		▶ <u>M75</u> 0,01 (*) ◀ ▶ <u>M75</u> 0,01 (*) ◀ ▶ <u>M75</u> 1,5 ◀ ▶ <u>M75</u> 0,01 (*) ◀ ▶ <u>M75</u> 0,7 ◀ ▶ <u>M75</u> 0,01 (*) ◀ ▶ <u>M75</u> 0,01 (*) ◀					
(**)	▶ <u>M32</u> (**) ◀	▶ <u>M75</u> 0,01 (*) ◀	▶ <u>M59</u> — ◀	(**)	▶ <u>M5</u> (**) ◀	(**)	▶ <u>M67</u> — ◀
(**)	▶ <u>M32</u> (**) ◀	▶ <u>M75</u> 0,01 (*) ◀	▶ <u>M59</u> — ◀	(**)	▶ <u>M5</u> (**) ◀	(**)	▶ <u>M67</u> — ◀
		▶ <u>M75</u> 0,01 (*) ◀					

▼ M2

(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)
(**)	▶ <u>M5</u> (**) ◀	▶ <u>M52</u> — ◀	(**)	(**)	▶ <u>M32</u> (**) ◀	▶ <u>M74</u> (**) ◀	(**)
(**)	▶ <u>M5</u> (**) ◀	▶ <u>M52</u> — ◀	(**)	(**)	▶ <u>M32</u> (**) ◀	▶ <u>M74</u> (**) ◀	(**)
						▶ <u>M74</u> 70 ◀	
	▶ <u>M5</u> 0,05 (*) ◀	▶ <u>M52</u> 0,01 (*) ◀		0,05 (*)	▶ <u>M32</u> 0,01 (*) ◀	▶ <u>M74</u> 3 ◀	
					▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀	▶ <u>M11</u> — ◀ ▶ <u>M11</u> — ◀ ▶ <u>M11</u> — ◀ ▶ <u>M11</u> — ◀ ▶ <u>M11</u> — ◀	
					▶ <u>M32</u> — ◀	▶ <u>M11</u> — ◀	
	▶ <u>M5</u> 0,05 (*) ◀	▶ <u>M52</u> 0,01 (*) ◀		0,05 (*)	▶ <u>M32</u> 0,01 (*) ◀		
						▶ <u>M74</u> 0,05 (*) ◀ ▶ <u>M74</u> 15 ◀ ▶ <u>M74</u> 15 ◀ ▶ <u>M74</u> 10 ◀ ▶ <u>M74</u> 5 ◀ ▶ <u>M74</u> 10 ◀ ▶ <u>M74</u> 0,6 ◀	
(**)	▶ <u>M5</u> (**) ◀	▶ <u>M52</u> — ◀	(**)	(**)	▶ <u>M32</u> (**) ◀	▶ <u>M74</u> (**) ◀	(**)
(**)	▶ <u>M5</u> (**) ◀	▶ <u>M52</u> — ◀	(**)	(**)	▶ <u>M32</u> (**) ◀	▶ <u>M74</u> (**) ◀	(**)
						▶ <u>M74</u> 0,05 (*) ◀	

▼ M2

(26)	(27)	(28)	(29)	(30)	(31)
▶ <u>M5</u> (**) ◀	▶ <u>M32</u> — ◀	▶ <u>M68</u> — ◀	▶ <u>M50</u> 0,02 (*) ◀	▶ <u>M27</u> (**) ◀	(**)
▶ <u>M5</u> (**) ◀	▶ <u>M32</u> — ◀	▶ <u>M68</u> — ◀	▶ <u>M50</u> 0,02 (*) ◀	▶ <u>M27</u> (**) ◀	(**)
	▶ <u>M32</u> — ◀		▶ <u>M50</u> 0,02 (*) ◀		
▶ <u>M19</u> 0,05 (*) ◀	▶ <u>M32</u> — ◀		▶ <u>M30</u> — ◀		
	▶ <u>M32</u> — ◀	▶ <u>M68</u> 0,3 ◀	▶ <u>M50</u> 7 ◀	▶ <u>M27</u> 0,5 ◀	
	▶ <u>M32</u> — ◀	▶ <u>M68</u> 0,05 ◀	▶ <u>M50</u> 0,4 ◀	▶ <u>M27</u> 0,05 (*) ◀	
	▶ <u>M32</u> — ◀	▶ <u>M68</u> 0,3 ◀	▶ <u>M50</u> 7 ◀	▶ <u>M27</u> 0,1 ◀	
	▶ <u>M32</u> — ◀	▶ <u>M68</u> 0,05 ◀	▶ <u>M50</u> 0,4 ◀	▶ <u>M27</u> 0,05 (*) ◀	
	▶ <u>M32</u> — ◀	▶ <u>M68</u> 0,05 ◀	▶ <u>M50</u> 0,4 ◀	▶ <u>M27</u> 0,05 (*) ◀	
	▶ <u>M32</u> — ◀	▶ <u>M68</u> 0,03 (*) ◀	▶ <u>M50</u> 0,01 (*) ◀	▶ <u>M27</u> 0,05 (*) ◀	
▶ <u>M19</u> 0,05 (*) ◀	▶ <u>M32</u> — ◀	▶ <u>M68</u> — ◀	▶ <u>M50</u> 0,01 (*) ◀	▶ <u>M27</u> 0,05 (*) ◀	
	▶ <u>M32</u> — ◀	▶ <u>M68</u> 0,03 (*) ◀			
	▶ <u>M32</u> — ◀	▶ <u>M68</u> 0,03 (*) ◀			
	▶ <u>M32</u> — ◀	▶ <u>M68</u> 0,03 (*) ◀			
	▶ <u>M32</u> — ◀	▶ <u>M68</u> 0,03 (*) ◀			
	▶ <u>M32</u> — ◀	▶ <u>M68</u> 0,03 (*) ◀			
	▶ <u>M32</u> — ◀	▶ <u>M68</u> 0,15 (+) ◀			
	▶ <u>M32</u> — ◀	▶ <u>M68</u> 0,03 (*) ◀			
▶ <u>M5</u> (**) ◀	▶ <u>M32</u> — ◀	▶ <u>M68</u> 0,03 (*) ◀	▶ <u>M50</u> — ◀	▶ <u>M27</u> (**) ◀	(**)
▶ <u>M5</u> (**) ◀	▶ <u>M32</u> — ◀	▶ <u>M68</u> 0,03 (*) ◀	▶ <u>M50</u> — ◀	▶ <u>M27</u> (**) ◀	(**)
	▶ <u>M32</u> — ◀	▶ <u>M68</u> 0,03 (*) ◀			

▼ **M2**

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)
0280000	(viii) <b>Fungi</b>					► <b>M40</b> 0,01 (*) ◀		► <b>M46</b> 0,05 (*) ◀
0280010	Cultivated							
0280020	Wild							
0280990	Others							
0290000	(ix) <b>Sea weeds</b>	(**)	(**)	(**)	(**)	► <b>M40</b> 0,01 (*) ◀	(**)	► <b>M46</b> 0,05 (*) ◀
0300000	3. <b>PULSES, DRY</b>	0,01 (*)	0,01 (*)	0,01 (*)	0,01	► <b>M40</b> 0,01 (*) ◀	0,05 (*)	► <b>M46</b> 0,05 (*) ◀
0300010	Beans							
0300020	Lentils							
0300030	Peas							
0300040	Lupins							
0300990	Others							
0400000	4. <b>OILSEEDS AND OILFRUITS</b>	0,01 (*)				► <b>M40</b> ► <b>C8</b> 0,05 (*) ◀ ◀	0,05 (*)	► <b>M46</b> 0,05 (*) ◀
0401000	(i) <b>Oilseeds</b>		0,02 (*)	0,02 (*)	0,02 (*)			► <b>M46</b> — ◀
0401010	Linseed							
0401020	Peanuts							
0401030	Poppy seed							
0401040	Sesame seed							
0401050	Sunflower seed							
0401060	Rape seed							
0401070	Soya bean							► <b>M46</b> (+) ◀

▼ M2

(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)
▶ <u>M18</u> 0,01 (*) ◀	▶ <u>M32</u> 0,01 (*) ◀	▶ <u>M75</u> 0,01 (*) ◀	▶ <u>M59</u> 0,01 (*) ◀	▶ <u>M16</u> 0,02 (*) ◀	▶ <u>M5</u> 0,01 (*) ◀		▶ <u>M67</u> 0,01 (*) ◀
(**)	▶ <u>M32</u> (**) ◀	▶ <u>M75</u> 0,01 (*) ◀	▶ <u>M59</u> 0,01 (*) ◀	(**)	▶ <u>M5</u> (**) ◀	(**)	▶ <u>M67</u> 0,01 (*) ◀
▶ <u>M18</u> 0,01 (*) ◀	▶ <u>M32</u> 0,01 (*) ◀	▶ <u>M39</u> — ◀	▶ <u>M59</u> 0,01 (*) ◀	▶ <u>M16</u> 0,02 (*) ◀	▶ <u>M5</u> 0,01 (*) ◀	0,05 (*)	▶ <u>M67</u> 0,01 (*) ◀
		▶ <u>M75</u> 0,07 ◀ ▶ <u>M75</u> 0,01 (*) ◀ ▶ <u>M75</u> 0,07 ◀ ▶ <u>M75</u> 0,01 (*) ◀					
		▶ <u>M75</u> 0,01 (*) ◀					
			▶ <u>M59</u> 0,01 (*) ◀			0,05 (*)	
▶ <u>M18</u> 0,02 (*) ◀	▶ <u>M5</u> — ◀		▶ <u>M59</u> — ◀	▶ <u>M16</u> 0,05 (*) ◀	▶ <u>M5</u> 0,02 (*) (14) ◀		▶ <u>M67</u> 0,02 (*) ◀
	▶ <u>M32</u> 0,02 (*) ◀ ▶ <u>M32</u> 0,02 (*) ◀ ▶ <u>M32</u> 0,02 (*) ◀ ▶ <u>M32</u> 0,02 (*) ◀ ▶ <u>M32</u> 0,02 (*) ◀ ▶ <u>M32</u> 0,02 (*) ◀ ▶ <u>M32</u> 0,3 ◀	▶ <u>M75</u> 0,01 (*) ◀ ▶ <u>M75</u> 0,01 (*) ◀ ▶ <u>M75</u> 0,01 (*) ◀ ▶ <u>M75</u> 0,01 (*) ◀ ▶ <u>M75</u> 0,01 (*) ◀ ▶ <u>M75</u> 0,2 ◀ ▶ <u>M75</u> 0,01 (*) ◀					

▼ M2

(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)
	▶ <u>M5</u> 0,05 (*) ◀	▶ <u>M52</u> 0,01 (*) ◀		0,05 (*)	▶ <u>M32</u> 0,01 (*) ◀	▶ <u>M74</u> 0,05 (*) ◀	
						▶ <u>M8</u> — ◀	
(**)	▶ <u>M5</u> (**) ◀	▶ <u>M52</u> 0,01 (*) ◀	(**)	(**)	▶ <u>M32</u> (**) ◀	▶ <u>M74</u> (**) ◀	(**)
0,01 (*)	▶ <u>M5</u> 0,05 (*) ◀	▶ <u>M52</u> 0,01 (*) ◀	0,02 (*)	0,05 (*)	▶ <u>M32</u> 0,01 (*) ◀	▶ <u>M74</u> 0,1 ◀	0,05 (*)
0,01 (*)	▶ <u>M5</u> 0,05 (*) ◀	▶ <u>M52</u> 0,01 (*) ◀	0,02 (*)		▶ <u>M32</u> 0,02 (*) ◀		0,05 (*)
		▶ <u>M52</u> — ◀					
				0,05 (*)		▶ <u>M74</u> 0,05 (*) ◀	
				0,05 (*)		▶ <u>M74</u> 0,2 ◀	
				0,05 (*)		▶ <u>M74</u> 0,4 ◀	
				0,05 (*)		▶ <u>M74</u> 0,05 (*) ◀	
				0,05 (*)		▶ <u>M74</u> 0,5 ◀	
				0,05 (*)		▶ <u>M74</u> 0,5 ◀	
				0,05 (*)		▶ <u>M74</u> 0,5 ◀	



▼ M2

(26)	(27)	(28)	(29)	(30)	(31)
▶ <u>M19</u> 0,05 (*) ◀	▶ <u>M32</u> — ◀	▶ <u>M68</u> 0,03 (*) ◀	▶ <u>M50</u> 0,01 (*) ◀	▶ <u>M27</u> 0,05 (*) ◀	
	▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀				
	▶ <u>M32</u> — ◀				
▶ <u>M5</u> (**) ◀	▶ <u>M32</u> — ◀	▶ <u>M68</u> 0,03 (*) ◀	▶ <u>M50</u> 0,01 (*) ◀	▶ <u>M27</u> (**) ◀	(**)
▶ <u>M19</u> 0,05 (*) ◀	▶ <u>M32</u> — ◀	▶ <u>M68</u> — ◀	▶ <u>M30</u> — ◀	▶ <u>M27</u> 0,05 (*) ◀	0,05 (*)
	▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀	▶ <u>M68</u> 0,1 ◀ ▶ <u>M68</u> 0,03 (*) ◀ ▶ <u>M68</u> 1 ◀ ▶ <u>M68</u> 0,03 (*) ◀	▶ <u>M50</u> 0,3 ◀ ▶ <u>M50</u> 0,01 (*) ◀ ▶ <u>M50</u> 0,01 (*) ◀ ▶ <u>M50</u> 0,01 (*) ◀		
	▶ <u>M32</u> — ◀	▶ <u>M68</u> 0,03 (*) ◀	▶ <u>M50</u> 0,01 (*) ◀		
▶ <u>M19</u> 0,05 (*) ◀	▶ <u>M32</u> — ◀	▶ <u>M68</u> — ◀			0,05 (*)
	▶ <u>M32</u> — ◀		▶ <u>M50</u> — ◀	▶ <u>M27</u> — ◀	
	▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀	▶ <u>M68</u> 0,2 ◀ ▶ <u>M68</u> 0,05 ◀ ▶ <u>M68</u> 0,03 (*) ◀ ▶ <u>M68</u> 0,03 (*) ◀ ▶ <u>M68</u> 0,03 (*) ◀ ▶ <u>M68</u> 0,03 (*) ◀ ▶ <u>M68</u> 0,03 (*) ◀	▶ <u>M50</u> 0,02 (*) ◀ ▶ <u>M50</u> 0,02 (*) ◀ ▶ <u>M50</u> 0,02 (*) ◀ ▶ <u>M50</u> 0,02 (*) ◀ ▶ <u>M50</u> 0,02 (*) ◀ ▶ <u>M50</u> 0,02 (*) ◀ ▶ <u>M50</u> 0,02 (*) ◀	▶ <u>M27</u> 0,1 (*) ◀ ▶ <u>M27</u> 0,1 (*) ◀ ▶ <u>M27</u> 0,1 (*) ◀ ▶ <u>M27</u> 0,1 (*) ◀ ▶ <u>M27</u> 0,1 (*) ◀ ▶ <u>M27</u> 0,1 (*) ◀ ▶ <u>M27</u> 0,1 (*) ◀	

## ▼ M2

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)
0401080	Mustard seed							
0401090	Cotton seed							
0401100	Pumpkin seeds							
0401110	Safflower	(**)	(**)	(**)	(**)	► <u>M40</u> — ◀	(**)	► <u>M46</u> — ◀
0401120	Borage	(**)	(**)	(**)	(**)	► <u>M40</u> — ◀	(**)	► <u>M46</u> — ◀
0401130	Gold of pleasure	(**)	(**)	(**)	(**)	► <u>M40</u> — ◀	(**)	► <u>M46</u> — ◀
0401140	Hempseed							
0401150	Castor bean	(**)	(**)	(**)	(**)	► <u>M40</u> — ◀	(**)	► <u>M46</u> — ◀
0401990	Others							
0402000	(ii) <b>Oilfruits</b>							
0402010	Olives for oil production		0,01 (*)	0,01 (*)	0,01 (*)			► <u>M46</u> — ◀
0402020	Palm nuts (palmoil kernels)	(**)	(**)	(**)	(**)	► <u>M40</u> — ◀	(**)	► <u>M46</u> — ◀
0402030	Palmfruit	(**)	(**)	(**)	(**)	► <u>M40</u> — ◀	(**)	► <u>M46</u> — ◀
0402040	Kapok	(**)	(**)	(**)	(**)	► <u>M40</u> — ◀	(**)	► <u>M46</u> — ◀
0402990	Others		0,02 (*)	0,02 (*)	0,02 (*)			► <u>M46</u> — ◀
0500000	5. <b>CEREALS</b>	0,01 (*)	0,01 (*)	0,01 (*)	0,01 (*)	► <u>M40</u> — ◀	0,05 (*)	► <u>M46</u> — ◀
0500010	Barley					► <u>M40</u> 0,05 (+) ◀		► <u>M46</u> 0,05 (*) ◀
0500020	Buckwheat					► <u>M40</u> 0,01 (*) ◀		► <u>M46</u> 0,05 (*) (+) ◀
0500030	Maize					► <u>M40</u> 0,01 (*) ◀		► <u>M46</u> 0,05 (*) ◀
0500040	Millet					► <u>M40</u> 0,01 (*) ◀		► <u>M46</u> 0,05 (*) ◀
0500050	Oats					► <u>M40</u> 0,05 (+) ◀		► <u>M46</u> 0,05 (*) ◀
0500060	Rice					► <u>M40</u> 0,01 (*) ◀		► <u>M46</u> 0,1 ◀
0500070	Rye					► <u>M40</u> 0,05 (+) ◀		► <u>M46</u> 2 ◀

▼ **M2**

(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)
	▶ <b>M32</b> 0,02 (*) ◀	▶ <b>M75</b> 0,01 (*) ◀					
	▶ <b>M32</b> 0,02 (*) ◀	▶ <b>M75</b> 0,7 ◀					
	▶ <b>M32</b> 0,02 (*) ◀	▶ <b>M75</b> 0,01 (*) ◀					
(**)	▶ <b>M32</b> (**) ◀	▶ <b>M75</b> 0,01 (*) ◀	▶ <b>M59</b> — ◀	(**)	▶ <b>M5</b> (**) ◀	(**)	▶ <b>M67</b> — ◀
(**)	▶ <b>M32</b> (**) ◀	▶ <b>M75</b> 0,01 (*) ◀	▶ <b>M59</b> — ◀	(**)	▶ <b>M5</b> (**) ◀	(**)	▶ <b>M67</b> — ◀
(**)	▶ <b>M32</b> (**) ◀	▶ <b>M75</b> 0,01 (*) ◀	▶ <b>M59</b> — ◀	(**)	▶ <b>M5</b> (**) ◀	(**)	▶ <b>M67</b> — ◀
	▶ <b>M32</b> 0,02 (*) ◀	▶ <b>M75</b> 0,01 (*) ◀					
(**)	▶ <b>M32</b> (**) ◀	▶ <b>M75</b> 0,01 (*) ◀	▶ <b>M59</b> — ◀	(**)	▶ <b>M5</b> (**) ◀	(**)	▶ <b>M67</b> — ◀
	▶ <b>M32</b> 0,02 (*) ◀	▶ <b>M75</b> 0,01 (*) ◀					
	▶ <b>M32</b> 0,02 (*) ◀	▶ <b>M75</b> 0,01 (*) ◀					
▶ <b>M18</b> 0,01 (*) ◀	▶ <b>M32</b> — ◀		▶ <b>M59</b> — ◀	▶ <b>M16</b> 0,02 (*) ◀	▶ <b>M5</b> 0,01 (*) ◀		▶ <b>M67</b> 0,05 (*) (+) ◀
(**)	▶ <b>M32</b> (**) ◀	▶ <b>M39</b> — ◀	▶ <b>M59</b> — ◀	(**)	▶ <b>M5</b> (**) ◀	(**)	▶ <b>M67</b> 0,02 (*) ◀
(**)	▶ <b>M32</b> (**) ◀	▶ <b>M39</b> — ◀	▶ <b>M59</b> — ◀	(**)	▶ <b>M5</b> (**) ◀	(**)	▶ <b>M67</b> 0,02 (*) ◀
(**)	▶ <b>M32</b> (**) ◀	▶ <b>M39</b> — ◀	▶ <b>M59</b> — ◀	(**)	▶ <b>M5</b> (**) ◀	(**)	▶ <b>M67</b> 0,02 (*) ◀
▶ <b>M18</b> 0,02 (*) ◀	▶ <b>M32</b> — ◀		▶ <b>M59</b> — ◀	▶ <b>M16</b> 0,05 (*) ◀	▶ <b>M5</b> 0,02 (*) ◀		▶ <b>M67</b> 0,02 (*) ◀
▶ <b>M18</b> 0,01 (*) ◀	▶ <b>M32</b> 0,01 (*) ◀	▶ <b>M39</b> — ◀	▶ <b>M59</b> — ◀	0,05	▶ <b>M5</b> 0,01 (*) ◀	0,05 (*)	▶ <b>M67</b> 0,01 (*) ◀
		▶ <b>M75</b> 0,01 (*) ◀	▶ <b>M59</b> 0,05 ◀	▶ <b>M16</b> 0,02 (*) ◀			
		▶ <b>M75</b> 0,01 (*) ◀	▶ <b>M59</b> 0,01 (*) ◀	▶ <b>M16</b> 0,02 (*) ◀			
		▶ <b>M75</b> 0,01 (*) ◀	▶ <b>M59</b> 0,01 (*) ◀	▶ <b>M16</b> 0,05 ◀			
		▶ <b>M75</b> 0,01 (*) ◀	▶ <b>M59</b> 0,01 (*) ◀	▶ <b>M16</b> 0,02 (*) ◀			
		▶ <b>M75</b> 0,01 (*) ◀	▶ <b>M59</b> 0,01 (*) ◀	▶ <b>M16</b> 0,02 (*) ◀			
		▶ <b>M75</b> 0,01 (*) ◀	▶ <b>M59</b> 0,01 (*) ◀	▶ <b>M16</b> 0,02 (*) ◀			
		▶ <b>M75</b> 0,01 (*) ◀	▶ <b>M59</b> 0,01 (*) ◀	▶ <b>M16</b> 0,02 (*) ◀			

▼ M2

(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)
				0,05 (*)		► <u>M74</u> 0,4 ◀	
				0,2		► <u>M74</u> 0,7 ◀	
				0,05 (*)		► <u>M74</u> 0,05 (*) ◀	
(**)	► <u>M5</u> (**) ◀	► <u>M52</u> — ◀	(**)	(**)	► <u>M32</u> (**) ◀	► <u>M74</u> (**) ◀	(**)
(**)	► <u>M5</u> (**) ◀	► <u>M52</u> — ◀	(**)	(**)	► <u>M32</u> (**) ◀	► <u>M74</u> (**) ◀	(**)
(**)	► <u>M5</u> (**) ◀	► <u>M52</u> — ◀	(**)	(**)	► <u>M32</u> (**) ◀	► <u>M74</u> (**) ◀	(**)
				0,05 (*)		► <u>M74</u> 0,05 (*) ◀	
(**)	► <u>M5</u> (**) ◀	► <u>M52</u> — ◀	(**)	(**)	► <u>M32</u> (**) ◀	► <u>M74</u> (**) ◀	(**)
				0,05 (*)		► <u>M74</u> 0,05 (*) ◀	
		► <u>M52</u> — ◀		0,05 (*)		► <u>M74</u> 0,05 (*) ◀	
(**)	► <u>M5</u> (**) ◀	► <u>M52</u> — ◀	(**)	(**)	► <u>M32</u> (**) ◀	► <u>M74</u> (**) ◀	(**)
(**)	► <u>M5</u> (**) ◀	► <u>M52</u> — ◀	(**)	(**)	► <u>M32</u> (**) ◀	► <u>M74</u> (**) ◀	(**)
(**)	► <u>M5</u> (**) ◀	► <u>M52</u> — ◀	(**)	(**)	► <u>M32</u> (**) ◀	► <u>M74</u> (**) ◀	(**)
0,01	► <u>M5</u> 0,1 <sup>(1)</sup> ◀	► <u>M52</u> 0,01 (*) ◀	0,05 (*)	0,05 (*)	► <u>M32</u> 0,01 (*) ◀		0,05 (*)
						► <u>M74</u> 1,5 ◀	
						► <u>M74</u> 0,05 (*) ◀	
						► <u>M74</u> 0,05 (*) ◀	
						► <u>M74</u> 0,05 (*) ◀	
						► <u>M74</u> 1,5 ◀	
						► <u>M74</u> 5 ◀	
						► <u>M74</u> 0,3 ◀	



## ▼ M2

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)
0500080	Sorghum					► <u>M40</u> 0,01 (*) ◀		► <u>M46</u> 0,05 (*) ◀
0500090	Wheat					► <u>M40</u> 0,05 (+) ◀		► <u>M46</u> 2 ◀
0500990	Others					► <u>M40</u> 0,01 (*) ◀		► <u>M46</u> 0,05 (*) ◀
0600000	6. <b>TEA, COFFEE, HERBAL INFUSIONS AND COCOA</b>	0,1 (*)	0,02 (*)	0,02 (*)	0,02 (*)	► <u>M40</u> 0,05 (*) ◀	0,05 (*)	► <u>M46</u> 0,1 (*) ◀
0610000	(i) <b>Tea (dried leaves and stalks, fermented or otherwise of <i>Camellia sinensis</i>)</b>							
0620000	(ii) <b>Coffee beans</b>	(**)	(**)	(**)	(**)	► <u>M40</u> — ◀	(**)	► <u>M46</u> — ◀
0630000	(iii) <b>Herbal infusions (dried)</b>	(**)	(**)	(**)	(**)	► <u>M40</u> — ◀	(**)	► <u>M46</u> — ◀
0631000	(a) <i>Flowers</i>	(**)	(**)	(**)	(**)	► <u>M40</u> — ◀	(**)	► <u>M46</u> — ◀
0631010	Camomille flowers	(**)	(**)	(**)	(**)	► <u>M40</u> — ◀	(**)	► <u>M46</u> — ◀
0631020	Hybiscus flowers	(**)	(**)	(**)	(**)	► <u>M40</u> — ◀	(**)	► <u>M46</u> — ◀
0631030	Rose petals	(**)	(**)	(**)	(**)	► <u>M40</u> — ◀	(**)	► <u>M46</u> — ◀
0631040	Jasmine flowers	(**)	(**)	(**)	(**)	► <u>M40</u> — ◀	(**)	► <u>M46</u> — ◀
0631050	Lime (linden)	(**)	(**)	(**)	(**)	► <u>M40</u> — ◀	(**)	► <u>M46</u> — ◀
0631990	Others	(**)	(**)	(**)	(**)	► <u>M40</u> — ◀	(**)	► <u>M46</u> — ◀
0632000	(b) <i>Leaves</i>	(**)	(**)	(**)	(**)	► <u>M40</u> — ◀	(**)	► <u>M46</u> — ◀
0632010	Strawberry leaves	(**)	(**)	(**)	(**)	► <u>M40</u> — ◀	(**)	► <u>M46</u> — ◀

▼ **M2**

(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)
		▶ <b>M75</b> 0,01 (*) ◀ ▶ <b>M75</b> 0,03 ◀	▶ <b>M59</b> 0,01 (*) ◀ ▶ <b>M59</b> 0,05 ◀	▶ <b>M16</b> 0,02 (*) ◀ ▶ <b>M16</b> 0,02 (*) ◀			
		▶ <b>M75</b> 0,01 (*) ◀	▶ <b>M59</b> 0,01 (*) ◀	▶ <b>M16</b> 0,02 (*) ◀			
▶ <b>M18</b> 0,02 (*) ◀	▶ <b>M32</b> 0,05 (*) ◀	▶ <b>M75</b> 0,05 (*) ◀	▶ <b>M59</b> 0,05 (*) ◀			0,1 (*)	▶ <b>M67</b> 0,05 (*) ◀
	▶ <b>M32</b> — ◀			▶ <b>M16</b> 0,05 (*) ◀	▶ <b>M5</b> 0,02 (*) ◀		
(**)	▶ <b>M32</b> (**) ◀	▶ <b>M39</b> — ◀	▶ <b>M59</b> — ◀	(**)	▶ <b>M5</b> (**) ◀	(**)	▶ <b>M67</b> — ◀
(**)	▶ <b>M32</b> (**) ◀	▶ <b>M39</b> — ◀	▶ <b>M59</b> — ◀	(**)	▶ <b>M5</b> (**) ◀	(**)	▶ <b>M67</b> — ◀
(**)	▶ <b>M32</b> (**) ◀	▶ <b>M39</b> — ◀	▶ <b>M59</b> — ◀	(**)	▶ <b>M5</b> (**) ◀	(**)	▶ <b>M67</b> — ◀
(**)	▶ <b>M32</b> (**) ◀	▶ <b>M39</b> — ◀	▶ <b>M59</b> — ◀	(**)	▶ <b>M5</b> (**) ◀	(**)	▶ <b>M67</b> — ◀
(**)	▶ <b>M32</b> (**) ◀	▶ <b>M39</b> — ◀	▶ <b>M59</b> — ◀	(**)	▶ <b>M5</b> (**) ◀	(**)	▶ <b>M67</b> — ◀
(**)	▶ <b>M32</b> (**) ◀	▶ <b>M39</b> — ◀	▶ <b>M59</b> — ◀	(**)	▶ <b>M5</b> (**) ◀	(**)	▶ <b>M67</b> — ◀
(**)	▶ <b>M32</b> (**) ◀	▶ <b>M39</b> — ◀	▶ <b>M59</b> — ◀	(**)	▶ <b>M5</b> (**) ◀	(**)	▶ <b>M67</b> — ◀
(**)	▶ <b>M32</b> (**) ◀	▶ <b>M39</b> — ◀	▶ <b>M59</b> — ◀	(**)	▶ <b>M5</b> (**) ◀	(**)	▶ <b>M67</b> — ◀
(**)	▶ <b>M32</b> (**) ◀	▶ <b>M39</b> — ◀	▶ <b>M59</b> — ◀	(**)	▶ <b>M5</b> (**) ◀	(**)	▶ <b>M67</b> — ◀
(**)	▶ <b>M32</b> (**) ◀	▶ <b>M39</b> — ◀	▶ <b>M59</b> — ◀	(**)	▶ <b>M5</b> (**) ◀	(**)	▶ <b>M67</b> — ◀
(**)	▶ <b>M32</b> (**) ◀	▶ <b>M39</b> — ◀	▶ <b>M59</b> — ◀	(**)	▶ <b>M5</b> (**) ◀	(**)	▶ <b>M67</b> — ◀

▼ M2

(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)
						▶ <u>M74</u> 10 ◀ ▶ <u>M74</u> 0,3 ◀	
						▶ <u>M74</u> 0,05 (*) ◀	
0,1 (*)	▶ <u>M5</u> 0,1 (*) ◀	▶ <u>M52</u> 0,05 (*) ◀	0,05 (*)	0,1 (*)	▶ <u>M32</u> 0,05 (*) ◀		0,1 (*)
					▶ <u>M32</u> — ◀	▶ <u>M74</u> 0,1 (*) ◀	
(**)	▶ <u>M5</u> (**) ◀	▶ <u>M52</u> — ◀	(**)	(**)	▶ <u>M32</u> (**) ◀	▶ <u>M74</u> (**) ◀	(**)
(**)	▶ <u>M5</u> (**) ◀	▶ <u>M52</u> — ◀	(**)	(**)	▶ <u>M32</u> (**) ◀	▶ <u>M74</u> (**) ◀	(**)
(**)	▶ <u>M5</u> (**) ◀	▶ <u>M52</u> — ◀	(**)	(**)	▶ <u>M32</u> (**) ◀	▶ <u>M74</u> (**) ◀	(**)
(**)	▶ <u>M5</u> (**) ◀	▶ <u>M52</u> — ◀	(**)	(**)	▶ <u>M32</u> (**) ◀	▶ <u>M74</u> (**) ◀	(**)
(**)	▶ <u>M5</u> (**) ◀	▶ <u>M52</u> — ◀	(**)	(**)	▶ <u>M32</u> (**) ◀	▶ <u>M74</u> (**) ◀	(**)
(**)	▶ <u>M5</u> (**) ◀	▶ <u>M52</u> — ◀	(**)	(**)	▶ <u>M32</u> (**) ◀	▶ <u>M74</u> (**) ◀	(**)
(**)	▶ <u>M5</u> (**) ◀	▶ <u>M52</u> — ◀	(**)	(**)	▶ <u>M32</u> (**) ◀	▶ <u>M74</u> (**) ◀	(**)
(**)	▶ <u>M5</u> (**) ◀	▶ <u>M52</u> — ◀	(**)	(**)	▶ <u>M32</u> (**) ◀	▶ <u>M74</u> (**) ◀	(**)
(**)	▶ <u>M5</u> (**) ◀	▶ <u>M52</u> — ◀	(**)	(**)	▶ <u>M32</u> (**) ◀	▶ <u>M74</u> (**) ◀	(**)
(**)	▶ <u>M5</u> (**) ◀	▶ <u>M52</u> — ◀	(**)	(**)	▶ <u>M32</u> (**) ◀	▶ <u>M74</u> (**) ◀	(**)
(**)	▶ <u>M5</u> (**) ◀	▶ <u>M52</u> — ◀	(**)	(**)	▶ <u>M32</u> (**) ◀	▶ <u>M74</u> (**) ◀	(**)



▼ M2

(26)	(27)	(28)	(29)	(30)	(31)
	▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀	▶ <u>M68</u> 0,1 ◀ ▶ <u>M68</u> 0,1 ◀		▶ <u>M27</u> 0,05 (*) ◀ ▶ <u>M27</u> 0,5 ◀	
	▶ <u>M32</u> — ◀	▶ <u>M68</u> 0,03 (*) ◀		▶ <u>M27</u> 0,05 (*) ◀	
▶ <u>M19</u> 0,1 (*) ◀	▶ <u>M32</u> — ◀	▶ <u>M68</u> 0,1 (*) ◀	▶ <u>M50</u> 0,05 (*) ◀		0,1 (*)
	▶ <u>M32</u> — ◀			▶ <u>M27</u> 5 ◀	
▶ <u>M5</u> (**) ◀	▶ <u>M32</u> — ◀	▶ <u>M68</u> — ◀	▶ <u>M50</u> — ◀	▶ <u>M27</u> (**) ◀	(**)
▶ <u>M5</u> (**) ◀	▶ <u>M32</u> — ◀	▶ <u>M68</u> — ◀	▶ <u>M50</u> — ◀	▶ <u>M27</u> (**) ◀	(**)
▶ <u>M5</u> (**) ◀	▶ <u>M32</u> — ◀	▶ <u>M68</u> — ◀	▶ <u>M50</u> — ◀	▶ <u>M27</u> (**) ◀	(**)
▶ <u>M5</u> (**) ◀	▶ <u>M32</u> — ◀	▶ <u>M68</u> — ◀	▶ <u>M50</u> — ◀	▶ <u>M27</u> (**) ◀	(**)
▶ <u>M5</u> (**) ◀	▶ <u>M32</u> — ◀	▶ <u>M68</u> — ◀	▶ <u>M50</u> — ◀	▶ <u>M27</u> (**) ◀	(**)
▶ <u>M5</u> (**) ◀	▶ <u>M32</u> — ◀	▶ <u>M68</u> — ◀	▶ <u>M50</u> — ◀	▶ <u>M27</u> (**) ◀	(**)
▶ <u>M5</u> (**) ◀	▶ <u>M32</u> — ◀	▶ <u>M68</u> — ◀	▶ <u>M50</u> — ◀	▶ <u>M27</u> (**) ◀	(**)
▶ <u>M5</u> (**) ◀	▶ <u>M32</u> — ◀	▶ <u>M68</u> (+) ◀	▶ <u>M50</u> — ◀	▶ <u>M27</u> (**) ◀	(**)
▶ <u>M5</u> (**) ◀	▶ <u>M32</u> — ◀	▶ <u>M68</u> — ◀	▶ <u>M50</u> — ◀	▶ <u>M27</u> (**) ◀	(**)

## ▼ M2

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)
0632020	Rooibos leaves	(**)	(**)	(**)	(**)	► <u>M40</u> — ◄	(**)	► <u>M46</u> — ◄
0632030	Maté	(**)	(**)	(**)	(**)	► <u>M40</u> — ◄	(**)	► <u>M46</u> — ◄
0632990	Others	(**)	(**)	(**)	(**)	► <u>M40</u> — ◄	(**)	► <u>M46</u> — ◄
0633000	(c) <i>Roots</i>	(**)	(**)	(**)	(**)	► <u>M40</u> — ◄	(**)	► <u>M46</u> — ◄
0633010	Valerian root	(**)	(**)	(**)	(**)	► <u>M40</u> — ◄	(**)	► <u>M46</u> — ◄
0633020	Ginseng root	(**)	(**)	(**)	(**)	► <u>M40</u> — ◄	(**)	► <u>M46</u> — ◄
0633990	Others	(**)	(**)	(**)	(**)	► <u>M40</u> — ◄	(**)	► <u>M46</u> — ◄
0639000	(d) <i>Other herbal infusions</i>	(**)	(**)	(**)	(**)	► <u>M40</u> — ◄	(**)	► <u>M46</u> — ◄
0640000	(iv) <b>Cocoa (fermented beans)</b>	(**)	(**)	(**)	(**)	► <u>M40</u> — ◄	(**)	► <u>M46</u> — ◄
0650000	(v) <b>Carob (st johns bread)</b>	(**)	(**)	(**)	(**)	► <u>M40</u> — ◄	(**)	► <u>M46</u> — ◄
0700000	7. <b>HOPS (dried), including hop pellets and unconcentrated powder</b>	0,1 (*)	0,02 (*)	0,02 (*)	0,02 (*)	► <u>M40</u> 0,05 (*) ◄	0,05 (*)	► <u>M46</u> 0,1 (*) ◄
0800000	8. <b>SPICES</b>	(**)	(**)	(**)	(**)	► <u>M40</u> 0,05 (*) ◄	(**)	► <u>M46</u> 0,1 (*) ◄
0810000	(i) <b>Seeds</b>	(**)	(**)	(**)	(**)	► <u>M40</u> — ◄	(**)	► <u>M46</u> — ◄
0810010	Anise	(**)	(**)	(**)	(**)	► <u>M40</u> — ◄	(**)	► <u>M46</u> — ◄
0810020	Black caraway	(**)	(**)	(**)	(**)	► <u>M40</u> — ◄	(**)	► <u>M46</u> — ◄
0810030	Celery seed	(**)	(**)	(**)	(**)	► <u>M40</u> — ◄	(**)	► <u>M46</u> — ◄
0810040	Coriander seed	(**)	(**)	(**)	(**)	► <u>M40</u> — ◄	(**)	► <u>M46</u> — ◄
0810050	Cumin seed	(**)	(**)	(**)	(**)	► <u>M40</u> — ◄	(**)	► <u>M46</u> — ◄
0810060	Dill seed	(**)	(**)	(**)	(**)	► <u>M40</u> — ◄	(**)	► <u>M46</u> — ◄

▼ **M2**

(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)
(**)	▶ <b>M32</b> (**) ◀	▶ <b>M39</b> — ◀	▶ <b>M59</b> — ◀	(**)	▶ <b>M5</b> (**) ◀	(**)	▶ <b>M67</b> — ◀
(**)	▶ <b>M32</b> (**) ◀	▶ <b>M39</b> — ◀	▶ <b>M59</b> — ◀	(**)	▶ <b>M5</b> (**) ◀	(**)	▶ <b>M67</b> — ◀
(**)	▶ <b>M32</b> (**) ◀	▶ <b>M39</b> — ◀	▶ <b>M59</b> — ◀	(**)	▶ <b>M5</b> (**) ◀	(**)	▶ <b>M67</b> — ◀
(**)	▶ <b>M32</b> (**) ◀	▶ <b>M39</b> — ◀	▶ <b>M59</b> — ◀	(**)	▶ <b>M5</b> (**) ◀	(**)	▶ <b>M67</b> — ◀
(**)	▶ <b>M32</b> (**) ◀	▶ <b>M39</b> — ◀	▶ <b>M59</b> — ◀	(**)	▶ <b>M5</b> (**) ◀	(**)	▶ <b>M67</b> — ◀
(**)	▶ <b>M32</b> (**) ◀	▶ <b>M39</b> — ◀	▶ <b>M59</b> — ◀	(**)	▶ <b>M5</b> (**) ◀	(**)	▶ <b>M67</b> — ◀
(**)	▶ <b>M32</b> (**) ◀	▶ <b>M39</b> — ◀	▶ <b>M59</b> — ◀	(**)	▶ <b>M5</b> (**) ◀	(**)	▶ <b>M67</b> — ◀
(**)	▶ <b>M32</b> (**) ◀	▶ <b>M39</b> — ◀	▶ <b>M59</b> — ◀	(**)	▶ <b>M5</b> (**) ◀	(**)	▶ <b>M67</b> — ◀
(**)	▶ <b>M32</b> (**) ◀	▶ <b>M39</b> — ◀	▶ <b>M59</b> — ◀	(**)	▶ <b>M5</b> (**) ◀	(**)	▶ <b>M67</b> — ◀
(**)	▶ <b>M32</b> (**) ◀	▶ <b>M39</b> — ◀	▶ <b>M59</b> — ◀	(**)	▶ <b>M5</b> (**) ◀	(**)	▶ <b>M67</b> — ◀
▶ <b>M18</b> 0,05 ◀	▶ <b>M32</b> 0,05 (*) ◀	▶ <b>M75</b> 0,05 (*) ◀	▶ <b>M59</b> 0,05 (*) ◀	▶ <b>M16</b> 0,05 (*) ◀	▶ <b>M5</b> 0,02 (*) ◀	0,1 (*)	▶ <b>M67</b> 0,05 (*) ◀
(**)	▶ <b>M32</b> (**) ◀	▶ <b>M51</b> — ◀	▶ <b>M59</b> — ◀	(**)	▶ <b>M5</b> (**) ◀	(**)	▶ <b>M67</b> — ◀
(**)	▶ <b>M32</b> (**) ◀	▶ <b>M75</b> 0,05 (*) ◀	▶ <b>M59</b> 0,05 (*) ◀	(**)	▶ <b>M5</b> (**) ◀	(**)	▶ <b>M67</b> 0,05 (*) ◀
(**)	▶ <b>M32</b> (**) ◀	▶ <b>M39</b> — ◀	▶ <b>M59</b> — ◀	(**)	▶ <b>M5</b> (**) ◀	(**)	▶ <b>M67</b> — ◀
(**)	▶ <b>M32</b> (**) ◀	▶ <b>M39</b> — ◀	▶ <b>M59</b> — ◀	(**)	▶ <b>M5</b> (**) ◀	(**)	▶ <b>M67</b> — ◀
(**)	▶ <b>M32</b> (**) ◀	▶ <b>M39</b> — ◀	▶ <b>M59</b> — ◀	(**)	▶ <b>M5</b> (**) ◀	(**)	▶ <b>M67</b> — ◀
(**)	▶ <b>M32</b> (**) ◀	▶ <b>M39</b> — ◀	▶ <b>M59</b> — ◀	(**)	▶ <b>M5</b> (**) ◀	(**)	▶ <b>M67</b> — ◀
(**)	▶ <b>M32</b> (**) ◀	▶ <b>M39</b> — ◀	▶ <b>M59</b> — ◀	(**)	▶ <b>M5</b> (**) ◀	(**)	▶ <b>M67</b> — ◀
(**)	▶ <b>M32</b> (**) ◀	▶ <b>M39</b> — ◀	▶ <b>M59</b> — ◀	(**)	▶ <b>M5</b> (**) ◀	(**)	▶ <b>M67</b> — ◀

▼ M2

(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)
(**)	▶ <u>M5</u> (**) ◀	▶ <u>M52</u> — ◀	(**)	(**)	▶ <u>M32</u> (**) ◀	▶ <u>M74</u> (**) ◀	(**)
(**)	▶ <u>M5</u> (**) ◀	▶ <u>M52</u> — ◀	(**)	(**)	▶ <u>M32</u> (**) ◀	▶ <u>M74</u> (**) ◀	(**)
(**)	▶ <u>M5</u> (**) ◀	▶ <u>M52</u> — ◀	(**)	(**)	▶ <u>M32</u> (**) ◀	▶ <u>M74</u> (**) ◀	(**)
(**)	▶ <u>M5</u> (**) ◀	▶ <u>M52</u> — ◀	(**)	(**)	▶ <u>M32</u> (**) ◀	▶ <u>M74</u> (**) ◀	(**)
(**)	▶ <u>M5</u> (**) ◀	▶ <u>M52</u> — ◀	(**)	(**)	▶ <u>M32</u> (**) ◀	▶ <u>M74</u> (**) ◀	(**)
(**)	▶ <u>M5</u> (**) ◀	▶ <u>M52</u> — ◀	(**)	(**)	▶ <u>M32</u> (**) ◀	▶ <u>M74</u> (**) ◀	(**)
(**)	▶ <u>M5</u> (**) ◀	▶ <u>M52</u> — ◀	(**)	(**)	▶ <u>M32</u> (**) ◀	▶ <u>M74</u> (**) ◀	(**)
(**)	▶ <u>M5</u> (**) ◀	▶ <u>M52</u> — ◀	(**)	(**)	▶ <u>M32</u> (**) ◀	▶ <u>M74</u> (**) ◀	(**)
(**)	▶ <u>M5</u> (**) ◀	▶ <u>M52</u> — ◀	(**)	(**)	▶ <u>M32</u> (**) ◀	▶ <u>M74</u> (**) ◀	(**)
0,1 (*)	▶ <u>M5</u> 0,1 (*) ◀	▶ <u>M52</u> 0,05 (*) ◀	0,05 (*)	0,1 (*)	▶ <u>M32</u> 0,05 (*) ◀	▶ <u>M74</u> 30 ◀	0,1 (*)
(**)	▶ <u>M5</u> (**) ◀	▶ <u>M52</u> — ◀	(**)	(**)	▶ <u>M32</u> (**) ◀	▶ <u>M74</u> (**) ◀	(**)
(**)	▶ <u>M5</u> (**) ◀	▶ <u>M52</u> 0,05 (*) ◀	(**)	(**)	▶ <u>M32</u> (**) ◀	▶ <u>M74</u> (**) ◀	(**)
(**)	▶ <u>M5</u> (**) ◀	▶ <u>M52</u> — ◀	(**)	(**)	▶ <u>M32</u> (**) ◀	▶ <u>M74</u> (**) ◀	(**)
(**)	▶ <u>M5</u> (**) ◀	▶ <u>M52</u> — ◀	(**)	(**)	▶ <u>M32</u> (**) ◀	▶ <u>M74</u> (**) ◀	(**)
(**)	▶ <u>M5</u> (**) ◀	▶ <u>M52</u> — ◀	(**)	(**)	▶ <u>M32</u> (**) ◀	▶ <u>M74</u> (**) ◀	(**)
(**)	▶ <u>M5</u> (**) ◀	▶ <u>M52</u> — ◀	(**)	(**)	▶ <u>M32</u> (**) ◀	▶ <u>M74</u> (**) ◀	(**)

▼ M2

(26)	(27)	(28)	(29)	(30)	(31)
▶ <u>M5</u> (**) ◀	▶ <u>M32</u> — ◀	▶ <u>M68</u> — ◀	▶ <u>M50</u> — ◀	▶ <u>M27</u> (**) ◀	(**)
▶ <u>M5</u> (**) ◀	▶ <u>M32</u> — ◀	▶ <u>M68</u> — ◀	▶ <u>M50</u> — ◀	▶ <u>M27</u> (**) ◀	(**)
▶ <u>M5</u> (**) ◀	▶ <u>M32</u> — ◀	▶ <u>M68</u> — ◀	▶ <u>M50</u> — ◀	▶ <u>M27</u> (**) ◀	(**)
▶ <u>M5</u> (**) ◀	▶ <u>M32</u> — ◀	▶ <u>M68</u> — ◀	▶ <u>M50</u> — ◀	▶ <u>M27</u> (**) ◀	(**)
▶ <u>M5</u> (**) ◀	▶ <u>M32</u> — ◀	▶ <u>M68</u> — ◀	▶ <u>M50</u> — ◀	▶ <u>M27</u> (**) ◀	(**)
▶ <u>M5</u> (**) ◀	▶ <u>M32</u> — ◀	▶ <u>M68</u> — ◀	▶ <u>M50</u> — ◀	▶ <u>M27</u> (**) ◀	(**)
▶ <u>M5</u> (**) ◀	▶ <u>M32</u> — ◀	▶ <u>M68</u> — ◀	▶ <u>M50</u> — ◀	▶ <u>M27</u> (**) ◀	(**)
▶ <u>M5</u> (**) ◀	▶ <u>M32</u> — ◀	▶ <u>M68</u> — ◀	▶ <u>M50</u> — ◀	▶ <u>M27</u> (**) ◀	(**)
▶ <u>M5</u> (**) ◀	▶ <u>M32</u> — ◀	▶ <u>M68</u> — ◀	▶ <u>M50</u> — ◀	▶ <u>M27</u> (**) ◀	(**)
▶ <u>M5</u> (**) ◀	▶ <u>M32</u> — ◀	▶ <u>M68</u> — ◀	▶ <u>M50</u> — ◀	▶ <u>M27</u> (**) ◀	(**)
▶ <u>M19</u> 0,1 (*) ◀	▶ <u>M32</u> — ◀	▶ <u>M68</u> 0,1 (*) ◀	▶ <u>M50</u> 20 ◀	▶ <u>M27</u> 10 ◀	0,1 (*)
▶ <u>M5</u> (**) ◀	▶ <u>M32</u> — ◀	▶ <u>M68</u> — ◀	▶ <u>M50</u> — ◀	▶ <u>M27</u> (**) ◀	(**)
▶ <u>M5</u> (**) ◀	▶ <u>M32</u> — ◀	▶ <u>M68</u> 0,1 (*) ◀	▶ <u>M50</u> 0,05 (*) ◀	▶ <u>M27</u> (**) ◀	(**)
▶ <u>M5</u> (**) ◀	▶ <u>M32</u> — ◀	▶ <u>M68</u> — ◀	▶ <u>M50</u> — ◀	▶ <u>M27</u> (**) ◀	(**)
▶ <u>M5</u> (**) ◀	▶ <u>M32</u> — ◀	▶ <u>M68</u> — ◀	▶ <u>M50</u> — ◀	▶ <u>M27</u> (**) ◀	(**)
▶ <u>M5</u> (**) ◀	▶ <u>M32</u> — ◀	▶ <u>M68</u> — ◀	▶ <u>M50</u> — ◀	▶ <u>M27</u> (**) ◀	(**)
▶ <u>M5</u> (**) ◀	▶ <u>M32</u> — ◀	▶ <u>M68</u> — ◀	▶ <u>M50</u> — ◀	▶ <u>M27</u> (**) ◀	(**)
▶ <u>M5</u> (**) ◀	▶ <u>M32</u> — ◀	▶ <u>M68</u> — ◀	▶ <u>M50</u> — ◀	▶ <u>M27</u> (**) ◀	(**)

## ▼ M2

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)
0810070	Fennel seed	(**)	(**)	(**)	(**)	► <u>M40</u> — ◄	(**)	► <u>M46</u> — ◄
0810080	Fenugreek	(**)	(**)	(**)	(**)	► <u>M40</u> — ◄	(**)	► <u>M46</u> — ◄
0810090	Nutmeg	(**)	(**)	(**)	(**)	► <u>M40</u> — ◄	(**)	► <u>M46</u> — ◄
0810990	Others	(**)	(**)	(**)	(**)	► <u>M40</u> — ◄	(**)	► <u>M46</u> — ◄
0820000	(ii) <b>Fruits and berries</b>	(**)	(**)	(**)	(**)	► <u>M40</u> — ◄	(**)	► <u>M46</u> — ◄
0820010	Allspice	(**)	(**)	(**)	(**)	► <u>M40</u> — ◄	(**)	► <u>M46</u> — ◄
0820020	Anise pepper (Japan pepper)	(**)	(**)	(**)	(**)	► <u>M40</u> — ◄	(**)	► <u>M46</u> — ◄
0820030	Caraway	(**)	(**)	(**)	(**)	► <u>M40</u> — ◄	(**)	► <u>M46</u> — ◄
0820040	Cardamom	(**)	(**)	(**)	(**)	► <u>M40</u> — ◄	(**)	► <u>M46</u> — ◄
0820050	Juniper berries	(**)	(**)	(**)	(**)	► <u>M40</u> — ◄	(**)	► <u>M46</u> — ◄
0820060	Pepper, black and white	(**)	(**)	(**)	(**)	► <u>M40</u> — ◄	(**)	► <u>M46</u> — ◄
0820070	Vanilla pods	(**)	(**)	(**)	(**)	► <u>M40</u> — ◄	(**)	► <u>M46</u> — ◄
0820080	Tamarind	(**)	(**)	(**)	(**)	► <u>M40</u> — ◄	(**)	► <u>M46</u> — ◄
0820990	Others	(**)	(**)	(**)	(**)	► <u>M40</u> — ◄	(**)	► <u>M46</u> — ◄
0830000	(iii) <b>Bark</b>	(**)	(**)	(**)	(**)	► <u>M40</u> — ◄	(**)	► <u>M46</u> — ◄
0830010	Cinnamon	(**)	(**)	(**)	(**)	► <u>M40</u> — ◄	(**)	► <u>M46</u> — ◄
0830990	Others	(**)	(**)	(**)	(**)	► <u>M40</u> — ◄	(**)	► <u>M46</u> — ◄
0840000	(iv) <b>Roots or rhizome</b>	(**)	(**)	(**)	(**)	► <u>M40</u> — ◄	(**)	► <u>M46</u> — ◄
0840010	Liquorice	(**)	(**)	(**)	(**)	► <u>M40</u> — ◄	(**)	► <u>M46</u> — ◄
0840020	Ginger	(**)	(**)	(**)	(**)	► <u>M40</u> — ◄	(**)	► <u>M46</u> — ◄
0840030	Turmeric (Curcuma)	(**)	(**)	(**)	(**)	► <u>M40</u> — ◄	(**)	► <u>M46</u> — ◄

▼ M2

(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)
(**)	▶ <u>M32</u> (**) ◀	▶ <u>M39</u> — ◀	▶ <u>M59</u> — ◀	(**)	▶ <u>M5</u> (**) ◀	(**)	▶ <u>M67</u> — ◀
(**)	▶ <u>M32</u> (**) ◀	▶ <u>M39</u> — ◀	▶ <u>M59</u> — ◀	(**)	▶ <u>M5</u> (**) ◀	(**)	▶ <u>M67</u> — ◀
(**)	▶ <u>M32</u> (**) ◀	▶ <u>M39</u> — ◀	▶ <u>M59</u> — ◀	(**)	▶ <u>M5</u> (**) ◀	(**)	▶ <u>M67</u> — ◀
(**)	▶ <u>M32</u> (**) ◀	▶ <u>M39</u> — ◀	▶ <u>M59</u> — ◀	(**)	▶ <u>M5</u> (**) ◀	(**)	▶ <u>M67</u> — ◀
(**)	▶ <u>M32</u> (**) ◀	▶ <u>M75</u> 0,05 (*) ◀	▶ <u>M59</u> 0,05 (*) ◀	(**)	▶ <u>M5</u> (**) ◀	(**)	▶ <u>M67</u> 0,05 (*) ◀
(**)	▶ <u>M32</u> (**) ◀	▶ <u>M39</u> — ◀	▶ <u>M59</u> — ◀	(**)	▶ <u>M5</u> (**) ◀	(**)	▶ <u>M67</u> — ◀
(**)	▶ <u>M32</u> (**) ◀	▶ <u>M39</u> — ◀	▶ <u>M59</u> — ◀	(**)	▶ <u>M5</u> (**) ◀	(**)	▶ <u>M67</u> — ◀
(**)	▶ <u>M32</u> (**) ◀	▶ <u>M39</u> — ◀	▶ <u>M59</u> — ◀	(**)	▶ <u>M5</u> (**) ◀	(**)	▶ <u>M67</u> — ◀
(**)	▶ <u>M32</u> (**) ◀	▶ <u>M39</u> — ◀	▶ <u>M59</u> — ◀	(**)	▶ <u>M5</u> (**) ◀	(**)	▶ <u>M67</u> — ◀
(**)	▶ <u>M32</u> (**) ◀	▶ <u>M39</u> — ◀	▶ <u>M59</u> — ◀	(**)	▶ <u>M5</u> (**) ◀	(**)	▶ <u>M67</u> — ◀
(**)	▶ <u>M32</u> (**) ◀	▶ <u>M39</u> — ◀	▶ <u>M59</u> — ◀	(**)	▶ <u>M5</u> (**) ◀	(**)	▶ <u>M67</u> — ◀
(**)	▶ <u>M32</u> (**) ◀	▶ <u>M39</u> — ◀	▶ <u>M59</u> — ◀	(**)	▶ <u>M5</u> (**) ◀	(**)	▶ <u>M67</u> — ◀
(**)	▶ <u>M32</u> (**) ◀	▶ <u>M39</u> — ◀	▶ <u>M59</u> — ◀	(**)	▶ <u>M5</u> (**) ◀	(**)	▶ <u>M67</u> — ◀
(**)	▶ <u>M32</u> (**) ◀	▶ <u>M39</u> — ◀	▶ <u>M59</u> — ◀	(**)	▶ <u>M5</u> (**) ◀	(**)	▶ <u>M67</u> — ◀
(**)	▶ <u>M32</u> (**) ◀	▶ <u>M39</u> — ◀	▶ <u>M59</u> — ◀	(**)	▶ <u>M5</u> (**) ◀	(**)	▶ <u>M67</u> — ◀
(**)	▶ <u>M32</u> (**) ◀	▶ <u>M75</u> 0,05 (*) ◀	▶ <u>M59</u> 0,05 (*) ◀	(**)	▶ <u>M5</u> (**) ◀	(**)	▶ <u>M67</u> 0,05 (*) ◀
(**)	▶ <u>M32</u> (**) ◀	▶ <u>M75</u> 0,05 (*) ◀	▶ <u>M59</u> 0,05 (*) ◀	(**)	▶ <u>M5</u> (**) ◀	(**)	▶ <u>M67</u> 0,05 (*) ◀
(**)	▶ <u>M32</u> (**) ◀	▶ <u>M75</u> 0,05 (*) ◀	▶ <u>M59</u> 0,05 (*) ◀	(**)	▶ <u>M5</u> (**) ◀	(**)	▶ <u>M67</u> 0,05 (*) ◀

▼ M2

(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)
(**)	▶ <u>M5</u> (**) ◀	▶ <u>M52</u> — ◀	(**)	(**)	▶ <u>M32</u> (**) ◀	▶ <u>M74</u> (**) ◀	(**)
(**)	▶ <u>M5</u> (**) ◀	▶ <u>M52</u> — ◀	(**)	(**)	▶ <u>M32</u> (**) ◀	▶ <u>M74</u> (**) ◀	(**)
(**)	▶ <u>M5</u> (**) ◀	▶ <u>M52</u> — ◀	(**)	(**)	▶ <u>M32</u> (**) ◀	▶ <u>M74</u> (**) ◀	(**)
(**)	▶ <u>M5</u> (**) ◀	▶ <u>M52</u> — ◀	(**)	(**)	▶ <u>M32</u> (**) ◀	▶ <u>M74</u> (**) ◀	(**)
(**)	▶ <u>M5</u> (**) ◀	▶ <u>M52</u> 0,05 (*) ◀	(**)	(**)	▶ <u>M32</u> (**) ◀	▶ <u>M74</u> (**) ◀	(**)
(**)	▶ <u>M5</u> (**) ◀	▶ <u>M52</u> — ◀	(**)	(**)	▶ <u>M32</u> (**) ◀	▶ <u>M74</u> (**) ◀	(**)
(**)	▶ <u>M5</u> (**) ◀	▶ <u>M52</u> — ◀	(**)	(**)	▶ <u>M32</u> (**) ◀	▶ <u>M74</u> (**) ◀	(**)
(**)	▶ <u>M5</u> (**) ◀	▶ <u>M52</u> — ◀	(**)	(**)	▶ <u>M32</u> (**) ◀	▶ <u>M74</u> (**) ◀	(**)
(**)	▶ <u>M5</u> (**) ◀	▶ <u>M52</u> — ◀	(**)	(**)	▶ <u>M32</u> (**) ◀	▶ <u>M74</u> (**) ◀	(**)
(**)	▶ <u>M5</u> (**) ◀	▶ <u>M52</u> — ◀	(**)	(**)	▶ <u>M32</u> (**) ◀	▶ <u>M74</u> (**) ◀	(**)
(**)	▶ <u>M5</u> (**) ◀	▶ <u>M52</u> — ◀	(**)	(**)	▶ <u>M32</u> (**) ◀	▶ <u>M74</u> (**) ◀	(**)
(**)	▶ <u>M5</u> (**) ◀	▶ <u>M52</u> — ◀	(**)	(**)	▶ <u>M32</u> (**) ◀	▶ <u>M74</u> (**) ◀	(**)
(**)	▶ <u>M5</u> (**) ◀	▶ <u>M52</u> — ◀	(**)	(**)	▶ <u>M32</u> (**) ◀	▶ <u>M74</u> (**) ◀	(**)
(**)	▶ <u>M5</u> (**) ◀	▶ <u>M52</u> — ◀	(**)	(**)	▶ <u>M32</u> (**) ◀	▶ <u>M74</u> (**) ◀	(**)
(**)	▶ <u>M5</u> (**) ◀	▶ <u>M52</u> 0,05 (*) ◀	(**)	(**)	▶ <u>M32</u> (**) ◀	▶ <u>M74</u> (**) ◀	(**)
(**)	▶ <u>M5</u> (**) ◀	▶ <u>M52</u> 0,05 (*) ◀	(**)	(**)	▶ <u>M32</u> (**) ◀	▶ <u>M74</u> (**) ◀	(**)
(**)	▶ <u>M5</u> (**) ◀	▶ <u>M52</u> 0,05 (*) ◀	(**)	(**)	▶ <u>M32</u> (**) ◀	▶ <u>M74</u> (**) ◀	(**)



▼ M2

(26)	(27)	(28)	(29)	(30)	(31)
▶ <u>M5</u> (**) ◀	▶ <u>M32</u> — ◀	▶ <u>M68</u> — ◀	▶ <u>M50</u> — ◀	▶ <u>M27</u> (**) ◀	(**)
▶ <u>M5</u> (**) ◀	▶ <u>M32</u> — ◀	▶ <u>M68</u> — ◀	▶ <u>M50</u> — ◀	▶ <u>M27</u> (**) ◀	(**)
▶ <u>M5</u> (**) ◀	▶ <u>M32</u> — ◀	▶ <u>M68</u> — ◀	▶ <u>M50</u> — ◀	▶ <u>M27</u> (**) ◀	(**)
▶ <u>M5</u> (**) ◀	▶ <u>M32</u> — ◀	▶ <u>M68</u> — ◀	▶ <u>M50</u> — ◀	▶ <u>M27</u> (**) ◀	(**)
▶ <u>M5</u> (**) ◀	▶ <u>M32</u> — ◀	▶ <u>M68</u> 0,1 (*) ◀	▶ <u>M50</u> 0,05 (*) ◀	▶ <u>M27</u> (**) ◀	(**)
▶ <u>M5</u> (**) ◀	▶ <u>M32</u> — ◀	▶ <u>M68</u> — ◀	▶ <u>M50</u> — ◀	▶ <u>M27</u> (**) ◀	(**)
▶ <u>M5</u> (**) ◀	▶ <u>M32</u> — ◀	▶ <u>M68</u> — ◀	▶ <u>M50</u> — ◀	▶ <u>M27</u> (**) ◀	(**)
▶ <u>M5</u> (**) ◀	▶ <u>M32</u> — ◀	▶ <u>M68</u> — ◀	▶ <u>M50</u> — ◀	▶ <u>M27</u> (**) ◀	(**)
▶ <u>M5</u> (**) ◀	▶ <u>M32</u> — ◀	▶ <u>M68</u> — ◀	▶ <u>M50</u> — ◀	▶ <u>M27</u> (**) ◀	(**)
▶ <u>M5</u> (**) ◀	▶ <u>M32</u> — ◀	▶ <u>M68</u> — ◀	▶ <u>M50</u> — ◀	▶ <u>M27</u> (**) ◀	(**)
▶ <u>M5</u> (**) ◀	▶ <u>M32</u> — ◀	▶ <u>M68</u> — ◀	▶ <u>M50</u> — ◀	▶ <u>M27</u> (**) ◀	(**)
▶ <u>M5</u> (**) ◀	▶ <u>M32</u> — ◀	▶ <u>M68</u> — ◀	▶ <u>M50</u> — ◀	▶ <u>M27</u> (**) ◀	(**)
▶ <u>M5</u> (**) ◀	▶ <u>M32</u> — ◀	▶ <u>M68</u> — ◀	▶ <u>M50</u> — ◀	▶ <u>M27</u> (**) ◀	(**)
▶ <u>M5</u> (**) ◀	▶ <u>M32</u> — ◀	▶ <u>M68</u> — ◀	▶ <u>M50</u> — ◀	▶ <u>M27</u> (**) ◀	(**)
▶ <u>M5</u> (**) ◀	▶ <u>M32</u> — ◀	▶ <u>M68</u> — ◀	▶ <u>M50</u> — ◀	▶ <u>M27</u> (**) ◀	(**)
▶ <u>M5</u> (**) ◀	▶ <u>M32</u> — ◀	▶ <u>M68</u> — ◀	▶ <u>M50</u> — ◀	▶ <u>M27</u> (**) ◀	(**)
▶ <u>M5</u> (**) ◀	▶ <u>M32</u> — ◀	▶ <u>M68</u> 0,1 (*) ◀	▶ <u>M50</u> 0,05 (*) ◀	▶ <u>M27</u> (**) ◀	(**)
▶ <u>M5</u> (**) ◀	▶ <u>M32</u> — ◀	▶ <u>M68</u> 0,1 (*) ◀	▶ <u>M50</u> 0,05 (*) ◀	▶ <u>M27</u> (**) ◀	(**)
▶ <u>M5</u> (**) ◀	▶ <u>M32</u> — ◀	▶ <u>M68</u> 0,1 (*) ◀	▶ <u>M50</u> 0,05 (*) ◀	▶ <u>M27</u> (**) ◀	(**)

## ▼ M2

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)
0840040	Horseradish	(**)	(**)	(**)	(**)	► <u>M40</u> — ◄	(**)	► <u>M46</u> — ◄
0840990	Others	(**)	(**)	(**)	(**)	► <u>M40</u> — ◄	(**)	► <u>M46</u> — ◄
0850000	(v) <b>Buds</b>	(**)	(**)	(**)	(**)	► <u>M40</u> — ◄	(**)	► <u>M46</u> — ◄
0850010	Cloves	(**)	(**)	(**)	(**)	► <u>M40</u> — ◄	(**)	► <u>M46</u> — ◄
0850020	Capers	(**)	(**)	(**)	(**)	► <u>M40</u> — ◄	(**)	► <u>M46</u> — ◄
0850990	Others	(**)	(**)	(**)	(**)	► <u>M40</u> — ◄	(**)	► <u>M46</u> — ◄
0860000	(vi) <b>Flower stigma</b>	(**)	(**)	(**)	(**)	► <u>M40</u> — ◄	(**)	► <u>M46</u> — ◄
0860010	Saffron	(**)	(**)	(**)	(**)	► <u>M40</u> — ◄	(**)	► <u>M46</u> — ◄
0860990	Others	(**)	(**)	(**)	(**)	► <u>M40</u> — ◄	(**)	► <u>M46</u> — ◄
0870000	(vii) <b>Aril</b>	(**)	(**)	(**)	(**)	► <u>M40</u> — ◄	(**)	► <u>M46</u> — ◄
0870010	Mace	(**)	(**)	(**)	(**)	► <u>M40</u> — ◄	(**)	► <u>M46</u> — ◄
0870990	Others	(**)	(**)	(**)	(**)	► <u>M40</u> — ◄	(**)	► <u>M46</u> — ◄
0900000	9. <b>SUGAR PLANTS</b>	(**)	(**)	(**)	(**)	► <u>M40</u> 0,01 (*) ◄	(**)	► <u>M46</u> 0,05 (*) ◄
0900010	Sugar beet (root)	(**)	(**)	(**)	(**)	► <u>M40</u> — ◄	(**)	► <u>M46</u> — ◄
0900020	Sugar cane	(**)	(**)	(**)	(**)	► <u>M40</u> — ◄	(**)	► <u>M46</u> — ◄
0900030	Chicory roots	(**)	(**)	(**)	(**)	► <u>M40</u> — ◄	(**)	► <u>M46</u> — ◄
0900990	Others	(**)	(**)	(**)	(**)	► <u>M40</u> — ◄	(**)	► <u>M46</u> — ◄
1000000	10. <b>PRODUCTS OF ANIMAL ORIGIN- TERRESTRIAL ANIMALS</b>							

▼ M2

(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)
(**)	▶ <u>M32</u> (**) ◀	▶ <u>M75</u> (+) ◀	▶ <u>M59</u> (+) ◀	(**)	▶ <u>M5</u> (**) ◀	(**)	▶ <u>M67</u> (+) ◀
(**)	▶ <u>M32</u> (**) ◀	▶ <u>M75</u> 0,05 (*) ◀	▶ <u>M59</u> 0,05 (*) ◀	(**)	▶ <u>M5</u> (**) ◀	(**)	▶ <u>M67</u> 0,05 (*) ◀
(**)	▶ <u>M32</u> (**) ◀	▶ <u>M75</u> 0,05 (*) ◀	▶ <u>M59</u> 0,05 (*) ◀	(**)	▶ <u>M5</u> (**) ◀	(**)	▶ <u>M67</u> 0,05 (*) ◀
(**)	▶ <u>M32</u> (**) ◀	▶ <u>M39</u> — ◀	▶ <u>M59</u> — ◀	(**)	▶ <u>M5</u> (**) ◀	(**)	▶ <u>M67</u> — ◀
(**)	▶ <u>M32</u> (**) ◀	▶ <u>M39</u> — ◀	▶ <u>M59</u> — ◀	(**)	▶ <u>M5</u> (**) ◀	(**)	▶ <u>M67</u> — ◀
(**)	▶ <u>M32</u> (**) ◀	▶ <u>M39</u> — ◀	▶ <u>M59</u> — ◀	(**)	▶ <u>M5</u> (**) ◀	(**)	▶ <u>M67</u> — ◀
(**)	▶ <u>M32</u> (**) ◀	▶ <u>M75</u> 0,05 (*) ◀	▶ <u>M59</u> 0,05 (*) ◀	(**)	▶ <u>M5</u> (**) ◀	(**)	▶ <u>M67</u> 0,05 (*) ◀
(**)	▶ <u>M32</u> (**) ◀	▶ <u>M39</u> — ◀	▶ <u>M59</u> — ◀	(**)	▶ <u>M5</u> (**) ◀	(**)	▶ <u>M67</u> — ◀
(**)	▶ <u>M32</u> (**) ◀	▶ <u>M39</u> — ◀	▶ <u>M59</u> — ◀	(**)	▶ <u>M5</u> (**) ◀	(**)	▶ <u>M67</u> — ◀
(**)	▶ <u>M32</u> (**) ◀	▶ <u>M75</u> 0,05 (*) ◀	▶ <u>M59</u> 0,05 (*) ◀	(**)	▶ <u>M5</u> (**) ◀	(**)	▶ <u>M67</u> 0,05 (*) ◀
(**)	▶ <u>M32</u> (**) ◀	▶ <u>M39</u> — ◀	▶ <u>M59</u> — ◀	(**)	▶ <u>M5</u> (**) ◀	(**)	▶ <u>M67</u> — ◀
(**)	▶ <u>M32</u> (**) ◀	▶ <u>M39</u> — ◀	▶ <u>M59</u> — ◀	(**)	▶ <u>M5</u> (**) ◀	(**)	▶ <u>M67</u> — ◀
(**)	▶ <u>M32</u> (**) ◀	▶ <u>M75</u> 0,01 (*) ◀	▶ <u>M59</u> 0,01 (*) ◀	(**)	▶ <u>M5</u> (**) ◀	(**)	▶ <u>M67</u> 0,01 (*) ◀
(**)	▶ <u>M32</u> (**) ◀	▶ <u>M39</u> — ◀	▶ <u>M59</u> — ◀	(**)	▶ <u>M5</u> (**) ◀	(**)	▶ <u>M67</u> — ◀
(**)	▶ <u>M32</u> (**) ◀	▶ <u>M39</u> — ◀	▶ <u>M59</u> — ◀	(**)	▶ <u>M5</u> (**) ◀	(**)	▶ <u>M67</u> — ◀
(**)	▶ <u>M32</u> (**) ◀	▶ <u>M39</u> — ◀	▶ <u>M59</u> — ◀	(**)	▶ <u>M5</u> (**) ◀	(**)	▶ <u>M67</u> — ◀
(**)	▶ <u>M32</u> (**) ◀	▶ <u>M39</u> — ◀	▶ <u>M59</u> — ◀	(**)	▶ <u>M5</u> (**) ◀	(**)	▶ <u>M67</u> — ◀
	▶ <u>M32</u> 0,02 (*) ◀	▶ <u>M75</u> (+) ◀	▶ <u>M59</u> — ◀	▶ <u>M16</u> 0,01 (*) ◀			

▼ M2

(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)
(**)	▶ <u>M5</u> (**) ◀	▶ <u>M52</u> (+) ◀	(**)	(**)	▶ <u>M32</u> (**) ◀	▶ <u>M74</u> (**) ◀	(**)
(**)	▶ <u>M5</u> (**) ◀	▶ <u>M52</u> 0,05 (*) ◀	(**)	(**)	▶ <u>M32</u> (**) ◀	▶ <u>M74</u> (**) ◀	(**)
(**)	▶ <u>M5</u> (**) ◀	▶ <u>M52</u> 0,05 (*) ◀	(**)	(**)	▶ <u>M32</u> (**) ◀	▶ <u>M74</u> (**) ◀	(**)
(**)	▶ <u>M5</u> (**) ◀	▶ <u>M52</u> — ◀	(**)	(**)	▶ <u>M32</u> (**) ◀	▶ <u>M74</u> (*) ◀	(**)
(**)	▶ <u>M5</u> (**) ◀	▶ <u>M52</u> — ◀	(**)	(**)	▶ <u>M32</u> (**) ◀	▶ <u>M74</u> (**) ◀	(**)
(**)	▶ <u>M5</u> (**) ◀	▶ <u>M52</u> — ◀	(**)	(**)	▶ <u>M32</u> (**) ◀	▶ <u>M74</u> (**) ◀	(**)
(**)	▶ <u>M5</u> (**) ◀	▶ <u>M52</u> 0,05 (*) ◀	(**)	(**)	▶ <u>M32</u> (**) ◀	▶ <u>M74</u> (**) ◀	(**)
(**)	▶ <u>M5</u> (**) ◀	▶ <u>M52</u> — ◀	(**)	(**)	▶ <u>M32</u> (**) ◀	▶ <u>M74</u> (**) ◀	(**)
(**)	▶ <u>M5</u> (**) ◀	▶ <u>M52</u> — ◀	(**)	(**)	▶ <u>M32</u> (**) ◀	▶ <u>M74</u> (**) ◀	(**)
(**)	▶ <u>M5</u> (**) ◀	▶ <u>M52</u> 0,05 (*) ◀	(**)	(**)	▶ <u>M32</u> (**) ◀	▶ <u>M74</u> (**) ◀	(**)
(**)	▶ <u>M5</u> (**) ◀	▶ <u>M52</u> — ◀	(**)	(**)	▶ <u>M32</u> (**) ◀	▶ <u>M74</u> (**) ◀	(**)
(**)	▶ <u>M5</u> (**) ◀	▶ <u>M52</u> — ◀	(**)	(**)	▶ <u>M32</u> (**) ◀	▶ <u>M74</u> (**) ◀	(**)
(**)	▶ <u>M5</u> (**) ◀	▶ <u>M52</u> 0,01 (*) ◀	(**)	(**)	▶ <u>M32</u> (**) ◀	▶ <u>M74</u> (**) ◀	(**)
(**)	▶ <u>M5</u> (**) ◀	▶ <u>M52</u> — ◀	(**)	(**)	▶ <u>M32</u> (**) ◀	▶ <u>M74</u> (**) ◀	(**)
(**)	▶ <u>M5</u> (**) ◀	▶ <u>M52</u> — ◀	(**)	(**)	▶ <u>M32</u> (**) ◀	▶ <u>M74</u> (**) ◀	(**)
(**)	▶ <u>M5</u> (**) ◀	▶ <u>M52</u> — ◀	(**)	(**)	▶ <u>M32</u> (**) ◀	▶ <u>M74</u> (**) ◀	(**)
(**)	▶ <u>M5</u> (**) ◀	▶ <u>M52</u> — ◀	(**)	(**)	▶ <u>M32</u> (**) ◀	▶ <u>M74</u> (**) ◀	(**)
					▶ <u>M32</u> 0,01 (*) ◀		

▼ M2

(26)	(27)	(28)	(29)	(30)	(31)
▶ <u>M5</u> (**) ◀	▶ <u>M32</u> — ◀	▶ <u>M68</u> (+) ◀	▶ <u>M50</u> (+) ◀	▶ <u>M27</u> (**) ◀	(**)
▶ <u>M5</u> (**) ◀	▶ <u>M32</u> — ◀	▶ <u>M68</u> 0,1 (*) ◀	▶ <u>M50</u> 0,05 (*) ◀	▶ <u>M27</u> (**) ◀	(**)
▶ <u>M5</u> (**) ◀	▶ <u>M32</u> — ◀	▶ <u>M68</u> 0,1 (*) ◀	▶ <u>M50</u> 0,05 (*) ◀	▶ <u>M27</u> (**) ◀	(**)
▶ <u>M5</u> (**) ◀	▶ <u>M32</u> — ◀	▶ <u>M68</u> — ◀	▶ <u>M50</u> — ◀	▶ <u>M27</u> (**) ◀	(**)
▶ <u>M5</u> (**) ◀	▶ <u>M32</u> — ◀	▶ <u>M68</u> — ◀	▶ <u>M50</u> — ◀	▶ <u>M27</u> (**) ◀	(**)
▶ <u>M5</u> (**) ◀	▶ <u>M32</u> — ◀	▶ <u>M68</u> — ◀	▶ <u>M50</u> — ◀	▶ <u>M27</u> (**) ◀	(**)
▶ <u>M5</u> (**) ◀	▶ <u>M32</u> — ◀	▶ <u>M68</u> 0,1 (*) ◀	▶ <u>M50</u> 0,05 (*) ◀	▶ <u>M27</u> (**) ◀	(**)
▶ <u>M5</u> (**) ◀	▶ <u>M32</u> — ◀	▶ <u>M68</u> — ◀	▶ <u>M50</u> — ◀	▶ <u>M27</u> (**) ◀	(**)
▶ <u>M5</u> (**) ◀	▶ <u>M32</u> — ◀	▶ <u>M68</u> — ◀	▶ <u>M50</u> — ◀	▶ <u>M27</u> (**) ◀	(**)
▶ <u>M5</u> (**) ◀	▶ <u>M32</u> — ◀	▶ <u>M68</u> 0,1 (*) ◀	▶ <u>M50</u> 0,05 (*) ◀	▶ <u>M27</u> (**) ◀	(**)
▶ <u>M5</u> (**) ◀	▶ <u>M32</u> — ◀	▶ <u>M68</u> — ◀	▶ <u>M50</u> — ◀	▶ <u>M27</u> (**) ◀	(**)
▶ <u>M5</u> (**) ◀	▶ <u>M32</u> — ◀	▶ <u>M68</u> — ◀	▶ <u>M50</u> — ◀	▶ <u>M27</u> (**) ◀	(**)
▶ <u>M5</u> (**) ◀	▶ <u>M32</u> — ◀	▶ <u>M68</u> 0,03 (*) ◀	▶ <u>M50</u> 0,01 (*) ◀	▶ <u>M27</u> (**) ◀	(**)
▶ <u>M5</u> (**) ◀	▶ <u>M32</u> — ◀	▶ <u>M68</u> — ◀	▶ <u>M50</u> — ◀	▶ <u>M27</u> (**) ◀	(**)
▶ <u>M5</u> (**) ◀	▶ <u>M32</u> — ◀	▶ <u>M68</u> — ◀	▶ <u>M50</u> — ◀	▶ <u>M27</u> (**) ◀	(**)
▶ <u>M5</u> (**) ◀	▶ <u>M32</u> — ◀	▶ <u>M68</u> — ◀	▶ <u>M50</u> — ◀	▶ <u>M27</u> (**) ◀	(**)
	▶ <u>M32</u> — ◀		▶ <u>M37</u> — ◀		

▼ M2

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)
1010000	(i) <b>Meat, preparations of meat, offals, blood, animal fats fresh chilled or frozen, salted, in brine, dried or smoked or processed as flours or meals; other processed products such as sausages and food preparations based on these</b>	0,01 (*)		0,1 (*)				
1011000	(a) <i>Swine</i>					▶ <u>M40</u> 0,05 (*) ◀		
1011010	Meat					▶ <u>M40</u> (+) ◀		▶ <u>M46</u> 0,2 ◀
1011020	Fat free of lean meat					▶ <u>M40</u> (+) ◀		▶ <u>M46</u> 0,2 ◀
1011030	Liver					▶ <u>M40</u> (+) ◀		▶ <u>M46</u> 5 ◀
1011040	Kidney					▶ <u>M40</u> (+) ◀		▶ <u>M46</u> 5 ◀
1011050	Edible offal					▶ <u>M40</u> — ◀		▶ <u>M46</u> 5 ◀
1011990	Others					▶ <u>M40</u> — ◀		▶ <u>M46</u> 5 ◀
1012000	(b) <i>Bovine</i>							
1012010	Meat					▶ <u>M40</u> 0,2 (+) ◀		▶ <u>M46</u> 0,2 ◀
1012020	Fat					▶ <u>M40</u> 0,2 (+) ◀		▶ <u>M46</u> 0,2 ◀
1012030	Liver					▶ <u>M40</u> 0,4 (+) ◀		▶ <u>M46</u> 5 ◀

▼ M2

(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)
	▶ <u>M32</u> — ◀		▶ <u>M59</u> 0,02 (*) ◀	0,01 (*)	▶ <u>M5</u> 0,2 ◀		▶ <u>M67</u> 0,01 (*) ◀
▶ <u>M18</u> 0,01 (*) ◀							
		▶ <u>M75</u> 0,02 (*) ◀ ▶ <u>M75</u> 0,02 (*) ◀ ▶ <u>M75</u> 0,1 (*) ◀ ▶ <u>M75</u> 0,1 (*) ◀ ▶ <u>M75</u> 0,02 (*) ◀					
		▶ <u>M75</u> 0,02 (*) ◀					
▶ <u>M18</u> 0,01 (*) ◀ ▶ <u>M18</u> 0,01 (*) ◀ ▶ <u>M18</u> 0,02 ◀		▶ <u>M75</u> 0,05 ◀ ▶ <u>M75</u> 0,05 ◀ ▶ <u>M75</u> 0,1 (*) ◀					

▼ M2

(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)
0,01 (*)		▶ <u>M52</u> 0,02 (*) ◀	0,01 (*)	0,01 (*)		▶ <u>M11</u> — ◀	0,05 (*)
					▶ <u>M32</u> — ◀		
						▶ <u>M74</u> 0,05 (*) ◀ ▶ <u>M74</u> 0,05 (*) ◀  ▶ <u>M74</u> 0,07 ◀ ▶ <u>M74</u> 0,07 ◀ ▶ <u>M74</u> 0,07 ◀	
						▶ <u>M74</u> 0,05 (*) ◀	
					▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀	▶ <u>M74</u> 0,05 (*) ◀ ▶ <u>M74</u> 0,05 (*) ◀ ▶ <u>M74</u> 0,07 ◀	



▼ M2

(26)	(27)	(28)	(29)	(30)	(31)
▶ <u>M19</u> 0,05 (*) ◀	▶ <u>M32</u> — ◀	▶ <u>M68</u> — ◀	▶ <u>M50</u> — ◀		0,01 (*)
	▶ <u>M32</u> — ◀			▶ <u>M27</u> — ◀	
	▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀	▶ <u>M68</u> 0,02 (*) (+) ◀ ▶ <u>M68</u> 0,15 (+) ◀ ▶ <u>M68</u> 0,02 (*) (+) ◀ ▶ <u>M68</u> 0,05 (+) ◀ ▶ <u>M68</u> 0,15 (+) ◀	▶ <u>M50</u> 0,01 (*) ◀ ▶ <u>M50</u> 0,05 ◀ ▶ <u>M50</u> 0,01 (*) ◀ ▶ <u>M50</u> 0,01 (*) ◀ ▶ <u>M50</u> 0,01 (*) ◀	▶ <u>M27</u> 3 ◀ ▶ <u>M27</u> 3 ◀ ▶ <u>M27</u> 0,2 ◀ ▶ <u>M27</u> 0,2 ◀ ▶ <u>M27</u> 0,2 ◀	
	▶ <u>M32</u> — ◀	▶ <u>M68</u> 0,02 (*) ◀	▶ <u>M50</u> 0,01 (*) ◀	▶ <u>M27</u> 0,05 (*) ◀	
	▶ <u>M32</u> — ◀				
	▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀	▶ <u>M68</u> 0,02 (*) (+) ◀ ▶ <u>M68</u> 1 (+) ◀ ▶ <u>M68</u> 0,02 (*) (+) ◀	▶ <u>M50</u> 0,01 (*) ◀ ▶ <u>M50</u> 0,05 ◀ ▶ <u>M50</u> 0,01 (*) ◀	▶ <u>M27</u> 3 ◀ ▶ <u>M27</u> 3 ◀ ▶ <u>M27</u> 0,2 ◀	

## ▼ M2

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)
1012040	Kidney					► <u>M40</u> 0,1 (+) ◀		► <u>M46</u> 5 ◀
1012050	Edible offal					► <u>M40</u> 0,1 (+) ◀		► <u>M46</u> 5 ◀
1012990	Others					► <u>M40</u> 0,1 (+) ◀		► <u>M46</u> 5 ◀
1013000	(c) <i>Sheep</i>							
1013010	Meat					► <u>M40</u> 0,2 (+) ◀		► <u>M46</u> 0,2 ◀
1013020	Fat					► <u>M40</u> 0,2 (+) ◀		► <u>M46</u> 0,2 ◀
1013030	Liver					► <u>M40</u> 0,4 (+) ◀		► <u>M46</u> 5 ◀
1013040	Kidney					► <u>M40</u> 0,1 (+) ◀		► <u>M46</u> 5 ◀
1013050	Edible offal					► <u>M40</u> 0,1 (+) ◀		► <u>M46</u> 5 ◀
1013990	Others					► <u>M40</u> 0,1 (+) ◀		► <u>M46</u> 5 ◀
1014000	(d) <i>Goat</i>							
1014010	Meat					► <u>M40</u> 0,2 (+) ◀		► <u>M46</u> 0,2 ◀
1014020	Fat					► <u>M40</u> 0,2 (+) ◀		► <u>M46</u> 0,2 ◀
1014030	Liver					► <u>M40</u> 0,4 (+) ◀		► <u>M46</u> 5 ◀
1014040	Kidney					► <u>M40</u> 0,1 (+) ◀		► <u>M46</u> 5 ◀
1014050	Edible offal					► <u>M40</u> 0,1 (+) ◀		► <u>M46</u> 5 ◀
1014990	Others					► <u>M40</u> 0,1 (+) ◀		► <u>M46</u> 5 ◀
1015000	(e) <i>Horses, asses, mules or hinnies</i>	(**)	(**)	(**)	(**)	► <u>M40</u> — ◀	(**)	► <u>M46</u> — ◀
1015010	Meat	(**)	(**)	(**)	(**)	► <u>M40</u> 0,2 (+) ◀	(**)	► <u>M46</u> 0,2 ◀
1015020	Fat	(**)	(**)	(**)	(**)	► <u>M40</u> 0,2 (+) ◀	(**)	► <u>M46</u> 0,2 ◀
1015030	Liver	(**)	(**)	(**)	(**)	► <u>M40</u> 0,4 (+) ◀	(**)	► <u>M46</u> 5 ◀

▼ **M2**

(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)
▶ <b>M18</b> 0,01 (*) ◀		▶ <b>M75</b> 0,2 ◀					
▶ <b>M18</b> 0,01 (*) ◀		▶ <b>M75</b> 0,02 (*) ◀					
▶ <b>M18</b> 0,01 (*) ◀		▶ <b>M75</b> 0,02 (*) ◀					
▶ <b>M18</b> 0,01 (*) ◀							
		▶ <b>M75</b> 0,05 ◀ ▶ <b>M75</b> 0,05 ◀ ▶ <b>M75</b> 0,1 (*) ◀ ▶ <b>M75</b> 0,2 ◀ ▶ <b>M75</b> 0,02 (*) ◀					
		▶ <b>M75</b> 0,02 (*) ◀					
▶ <b>M18</b> 0,01 (*) ◀							
		▶ <b>M75</b> 0,05 ◀ ▶ <b>M75</b> 0,05 ◀ ▶ <b>M75</b> 0,1 (*) ◀ ▶ <b>M75</b> 0,2 ◀ ▶ <b>M75</b> 0,02 (*) ◀					
		▶ <b>M75</b> 0,02 (*) ◀					
(**)	▶ <b>M32</b> (**) ◀	▶ <b>M39</b> — ◀	▶ <b>M59</b> — ◀	(**)	▶ <b>M5</b> (**) ◀	(**)	▶ <b>M67</b> — ◀
(**)	▶ <b>M32</b> (**) ◀	▶ <b>M75</b> 0,05 ◀	▶ <b>M59</b> — ◀	(**)	▶ <b>M5</b> (**) ◀	(**)	▶ <b>M67</b> — ◀
(**)	▶ <b>M32</b> (**) ◀	▶ <b>M75</b> 0,05 ◀	▶ <b>M59</b> — ◀	(**)	▶ <b>M5</b> (**) ◀	(**)	▶ <b>M67</b> — ◀
(**)	▶ <b>M32</b> (**) ◀	▶ <b>M75</b> 0,1 (*) ◀	▶ <b>M59</b> — ◀	(**)	▶ <b>M5</b> (**) ◀	(**)	▶ <b>M67</b> — ◀

▼ M2

(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)
					► <u>M32</u> — ◀ ► <u>M32</u> — ◀	► <u>M74</u> 0,07 ◀ ► <u>M74</u> 0,07 ◀	
					► <u>M32</u> — ◀ ► <u>M32</u> — ◀	► <u>M74</u> 0,05 (*) ◀	
						► <u>M74</u> 0,05 (*) ◀ ► <u>M74</u> 0,05 (*) ◀ ► <u>M74</u> 0,07 ◀ ► <u>M74</u> 0,07 ◀ ► <u>M74</u> 0,07 ◀	
						► <u>M74</u> 0,05 (*) ◀	
					► <u>M32</u> — ◀		
						► <u>M74</u> 0,05 (*) ◀ ► <u>M74</u> 0,05 (*) ◀ ► <u>M74</u> 0,07 ◀ ► <u>M74</u> 0,07 ◀ ► <u>M74</u> 0,07 ◀	
						► <u>M74</u> 0,05 (*) ◀	
(**)	► <u>M5</u> (**) ◀	► <u>M52</u> — ◀	(**)	(**)	► <u>M32</u> (**) ◀	► <u>M74</u> (**) ◀	(**)
(**)	► <u>M5</u> (**) ◀	► <u>M52</u> — ◀	(**)	(**)	► <u>M32</u> (**) ◀	► <u>M74</u> (**) ◀	(**)
(**)	► <u>M5</u> (**) ◀	► <u>M52</u> — ◀	(**)	(**)	► <u>M32</u> (**) ◀	► <u>M74</u> (**) ◀	(**)

▼ M2

(26)	(27)	(28)	(29)	(30)	(31)
	▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀	▶ <u>M68</u> 0,3 (+) ◀ ▶ <u>M68</u> 1 (+) ◀	▶ <u>M50</u> 0,01 (*) ◀ ▶ <u>M50</u> 0,01 (*) ◀	▶ <u>M27</u> 0,2 ◀ ▶ <u>M27</u> 0,2 ◀	
	▶ <u>M32</u> — ◀	▶ <u>M68</u> 0,02 (*) ◀	▶ <u>M50</u> 0,01 (*) ◀	▶ <u>M27</u> 0,05 (*) ◀	
	▶ <u>M32</u> — ◀			▶ <u>M27</u> — ◀	
	▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀	▶ <u>M68</u> 0,02 (*) (+) ◀ ▶ <u>M68</u> 1 (+) ◀ ▶ <u>M68</u> 0,02 (*) (+) ◀ ▶ <u>M68</u> 0,3 (+) ◀ ▶ <u>M68</u> 1 (+) ◀	▶ <u>M50</u> 0,01 (*) ◀ ▶ <u>M50</u> 0,05 ◀ ▶ <u>M50</u> 0,01 (*) ◀ ▶ <u>M50</u> 0,01 (*) ◀ ▶ <u>M50</u> 0,01 (*) ◀	▶ <u>M27</u> 3 ◀ ▶ <u>M27</u> 3 ◀ ▶ <u>M27</u> 0,2 ◀ ▶ <u>M27</u> 0,2 ◀ ▶ <u>M27</u> 0,2 ◀	
	▶ <u>M32</u> — ◀	▶ <u>M68</u> 0,02 (*) ◀	▶ <u>M50</u> 0,01 (*) ◀	▶ <u>M27</u> 0,05 (*) ◀	
	▶ <u>M32</u> — ◀			▶ <u>M27</u> — ◀	
	▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀	▶ <u>M68</u> 0,02 (*) (+) ◀ ▶ <u>M68</u> 1 (+) ◀ ▶ <u>M68</u> 0,02 (*) (+) ◀ ▶ <u>M68</u> 0,3 (+) ◀ ▶ <u>M68</u> 1 (+) ◀	▶ <u>M50</u> 0,01 (*) ◀ ▶ <u>M50</u> 0,05 ◀ ▶ <u>M50</u> 0,01 (*) ◀ ▶ <u>M50</u> 0,01 (*) ◀ ▶ <u>M50</u> 0,01 (*) ◀	▶ <u>M27</u> 3 ◀ ▶ <u>M27</u> 3 ◀ ▶ <u>M27</u> 0,2 ◀ ▶ <u>M27</u> 0,2 ◀ ▶ <u>M27</u> 0,2 ◀	
	▶ <u>M32</u> — ◀	▶ <u>M68</u> 0,02 (*) ◀	▶ <u>M50</u> 0,01 (*) ◀	▶ <u>M27</u> 0,05 (*) ◀	
▶ <u>M5</u> (**) ◀	▶ <u>M32</u> — ◀	▶ <u>M68</u> — ◀	▶ <u>M50</u> — ◀	▶ <u>M27</u> (**) ◀	(**)
▶ <u>M5</u> (**) ◀	▶ <u>M32</u> — ◀	▶ <u>M68</u> 0,02 (*) (+) ◀	▶ <u>M50</u> 0,01 (*) ◀	▶ <u>M27</u> (**) ◀	(**)
▶ <u>M5</u> (**) ◀	▶ <u>M32</u> — ◀	▶ <u>M68</u> 1 (+) ◀	▶ <u>M50</u> 0,05 ◀	▶ <u>M27</u> (**) ◀	(**)
▶ <u>M5</u> (**) ◀	▶ <u>M32</u> — ◀	▶ <u>M68</u> 0,02 (*) (+) ◀	▶ <u>M50</u> 0,01 (*) ◀	▶ <u>M27</u> (**) ◀	(**)

## ▼ M2

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)
1015040	Kidney	(**)	(**)	(**)	(**)	► <u>M40</u> 0,1 (+) ◀	(**)	► <u>M46</u> 5 ◀
1015050	Edible offal	(**)	(**)	(**)	(**)	► <u>M40</u> 0,1 (+) ◀	(**)	► <u>M46</u> 5 ◀
1015990	Others	(**)	(**)	(**)	(**)	► <u>M40</u> 0,1 (+) ◀	(**)	► <u>M46</u> 5 ◀
1016000	(f) <i>Poultry -chicken, geese, duck, turkey and Guinea fowl- ostrich, pigeon</i>					► <u>M40</u> 0,05 (*) ◀		► <u>M46</u> 0,05 (*) ◀
1016010	Meat					► <u>M40</u> — ◀		
1016020	Fat					► <u>M40</u> — ◀		
1016030	Liver					► <u>M40</u> — ◀		
1016040	Kidney					► <u>M40</u> — ◀		
1016050	Edible offal					► <u>M40</u> — ◀		
1016990	Others					► <u>M40</u> — ◀		
1017000	(g) <i>Other farm animals</i>	(**)	(**)	(**)	(**)	► <u>M40</u> — ◀	(**)	► <u>M46</u> — ◀
1017010	Meat	(**)	(**)	(**)	(**)	► <u>M40</u> 0,2 (+) ◀	(**)	► <u>M46</u> 0,2 ◀
1017020	Fat	(**)	(**)	(**)	(**)	► <u>M40</u> 0,2 (+) ◀	(**)	► <u>M46</u> 0,2 ◀
1017030	Liver	(**)	(**)	(**)	(**)	► <u>M40</u> 0,4 (+) ◀	(**)	► <u>M46</u> 5 ◀
1017040	Kidney	(**)	(**)	(**)	(**)	► <u>M40</u> 0,1 (+) ◀	(**)	► <u>M46</u> 5 ◀
1017050	Edible offal	(**)	(**)	(**)	(**)	► <u>M40</u> 0,1 (+) ◀	(**)	► <u>M46</u> 5 ◀
1017990	Others	(**)	(**)	(**)	(**)	► <u>M40</u> 0,1 (+) ◀	(**)	► <u>M46</u> 5 ◀

▼ M2

(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)
(**)	▶ <u>M32</u> (**) ◀	▶ <u>M75</u> 0,2 ◀	▶ <u>M59</u> — ◀	(**)	▶ <u>M5</u> (**) ◀	(**)	▶ <u>M67</u> — ◀
(**)	▶ <u>M32</u> (**) ◀	▶ <u>M75</u> 0,02 (*) ◀	▶ <u>M59</u> — ◀	(**)	▶ <u>M5</u> (**) ◀	(**)	▶ <u>M67</u> — ◀
(**)	▶ <u>M32</u> (**) ◀	▶ <u>M75</u> 0,02 (*) ◀	▶ <u>M59</u> — ◀	(**)	▶ <u>M5</u> (**) ◀	(**)	▶ <u>M67</u> — ◀
▶ <u>M18</u> 0,01 (*) ◀						0,05 (*)	
		▶ <u>M75</u> 0,02 (*) ◀ ▶ <u>M75</u> 0,02 (*) ◀ ▶ <u>M75</u> 0,1 (*) ◀ ▶ <u>M75</u> 0,1 (*) ◀ ▶ <u>M75</u> 0,02 (*) ◀					
		▶ <u>M75</u> 0,02 (*) ◀					
(**)	▶ <u>M32</u> (**) ◀	▶ <u>M39</u> — ◀	▶ <u>M59</u> — ◀	(**)	▶ <u>M5</u> (**) ◀	(**)	▶ <u>M67</u> — ◀
(**)	▶ <u>M32</u> (**) ◀	▶ <u>M75</u> 0,05 ◀	▶ <u>M59</u> — ◀	(**)	▶ <u>M5</u> (**) ◀	(**)	▶ <u>M67</u> — ◀
(**)	▶ <u>M32</u> (**) ◀	▶ <u>M75</u> 0,05 ◀	▶ <u>M59</u> — ◀	(**)	▶ <u>M5</u> (**) ◀	(**)	▶ <u>M67</u> — ◀
(**)	▶ <u>M32</u> (**) ◀	▶ <u>M75</u> 0,1 (*) ◀	▶ <u>M59</u> — ◀	(**)	▶ <u>M5</u> (**) ◀	(**)	▶ <u>M67</u> — ◀
(**)	▶ <u>M32</u> (**) ◀	▶ <u>M75</u> 0,2 ◀	▶ <u>M59</u> — ◀	(**)	▶ <u>M5</u> (**) ◀	(**)	▶ <u>M67</u> — ◀
(**)	▶ <u>M32</u> (**) ◀	▶ <u>M75</u> 0,02 (*) ◀	▶ <u>M59</u> — ◀	(**)	▶ <u>M5</u> (**) ◀	(**)	▶ <u>M67</u> — ◀
(**)	▶ <u>M32</u> (**) ◀	▶ <u>M75</u> 0,02 (*) ◀	▶ <u>M59</u> — ◀	(**)	▶ <u>M5</u> (**) ◀	(**)	▶ <u>M67</u> — ◀

▼ M2

(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)
(**)	▶ <u>M5</u> (**)<	▶ <u>M52</u> —<	(**)	(**)	▶ <u>M32</u> (**)<	▶ <u>M74</u> (**)<	(**)
(**)	▶ <u>M5</u> (**)<	▶ <u>M52</u> —<	(**)	(**)	▶ <u>M32</u> (**)<	▶ <u>M74</u> (**)<	(**)
(**)	▶ <u>M5</u> (**)<	▶ <u>M52</u> —<	(**)	(**)	▶ <u>M32</u> (**)<	▶ <u>M74</u> (**)<	(**)
					▶ <u>M32</u> —<	▶ <u>M74</u> 0,05 (*)<	
(**)	▶ <u>M5</u> (**)<	▶ <u>M52</u> —<	(**)	(**)	▶ <u>M32</u> (**)<	▶ <u>M74</u> (**)<	(**)
(**)	▶ <u>M5</u> (**)<	▶ <u>M52</u> —<	(**)	(**)	▶ <u>M32</u> (**)<	▶ <u>M74</u> (**)<	(**)
(**)	▶ <u>M5</u> (**)<	▶ <u>M52</u> —<	(**)	(**)	▶ <u>M32</u> (**)<	▶ <u>M74</u> (**)<	(**)
(**)	▶ <u>M5</u> (**)<	▶ <u>M52</u> —<	(**)	(**)	▶ <u>M32</u> (**)<	▶ <u>M74</u> (**)<	(**)
(**)	▶ <u>M5</u> (**)<	▶ <u>M52</u> —<	(**)	(**)	▶ <u>M32</u> (**)<	▶ <u>M74</u> (**)<	(**)
(**)	▶ <u>M5</u> (**)<	▶ <u>M52</u> —<	(**)	(**)	▶ <u>M32</u> (**)<	▶ <u>M74</u> (**)<	(**)
(**)	▶ <u>M5</u> (**)<	▶ <u>M52</u> —<	(**)	(**)	▶ <u>M32</u> (**)<	▶ <u>M74</u> (**)<	(**)



▼ M2

(26)	(27)	(28)	(29)	(30)	(31)
▶ <u>M5</u> (**) ◀	▶ <u>M32</u> — ◀	▶ <u>M68</u> 0,3 (+) ◀	▶ <u>M50</u> 0,01 (*) ◀	▶ <u>M27</u> (**) ◀	(**)
▶ <u>M5</u> (**) ◀	▶ <u>M32</u> — ◀	▶ <u>M68</u> 1 (+) ◀	▶ <u>M50</u> 0,01 (*) ◀	▶ <u>M27</u> (**) ◀	(**)
▶ <u>M5</u> (**) ◀	▶ <u>M32</u> — ◀	▶ <u>M68</u> 0,02 (*) ◀	▶ <u>M50</u> 0,01 (*) ◀	▶ <u>M27</u> (**) ◀	(**)
	▶ <u>M32</u> — ◀	▶ <u>M68</u> 0,02 (*) ◀	▶ <u>M50</u> 0,01 (*) ◀	▶ <u>M27</u> 0,05 (*) ◀	
	▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀				
	▶ <u>M32</u> — ◀				
▶ <u>M5</u> (**) ◀	▶ <u>M32</u> — ◀	▶ <u>M68</u> — ◀	▶ <u>M50</u> — ◀	▶ <u>M27</u> (**) ◀	(**)
▶ <u>M5</u> (**) ◀	▶ <u>M32</u> — ◀	▶ <u>M68</u> 0,02 (*) (+) ◀	▶ <u>M50</u> 0,01 (*) ◀	▶ <u>M27</u> (**) ◀	(**)
▶ <u>M5</u> (**) ◀	▶ <u>M32</u> — ◀	▶ <u>M68</u> 1 (+) ◀	▶ <u>M50</u> 0,05 ◀	▶ <u>M27</u> (**) ◀	(**)
▶ <u>M5</u> (**) ◀	▶ <u>M32</u> — ◀	▶ <u>M68</u> 0,02 (*) (+) ◀	▶ <u>M50</u> 0,01 (*) ◀	▶ <u>M27</u> (**) ◀	(**)
▶ <u>M5</u> (**) ◀	▶ <u>M32</u> — ◀	▶ <u>M68</u> 0,3 (+) ◀	▶ <u>M50</u> 0,01 (*) ◀	▶ <u>M27</u> (**) ◀	(**)
▶ <u>M5</u> (**) ◀	▶ <u>M32</u> — ◀	▶ <u>M68</u> 1 (+) ◀	▶ <u>M50</u> 0,01 (*) ◀	▶ <u>M27</u> (**) ◀	(**)
▶ <u>M5</u> (**) ◀	▶ <u>M32</u> — ◀	▶ <u>M68</u> 0,02 (*) ◀	▶ <u>M50</u> 0,01 (*) ◀	▶ <u>M27</u> (**) ◀	(**)

▼ **M2**

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)
1020000	(ii) <b>Milk and cream, not concentrated, nor containing added sugar or sweetening matter, butter and other fats derived from milk, cheese and curd</b>	0,01 (*)		0,1 (*)		► <b>M40</b> 1,5 (+) ◀		► <b>M46</b> 0,01 (*) ◀
1020010	Cattle							
1020020	Sheep							
1020030	Goat							
1020040	Horse							
1020990	Others							
1030000	(iii) <b>Birds' eggs, fresh preserved or cooked; Shelled eggs and egg yolks fresh, dried, cooked by steaming or boiling in water, moulded, frozen or otherwise preserved whether or not containing added sugar or sweetening matter</b>	0,01 (*)		0,1 (*)		► <b>M40</b> 0,05 (*) ◀		► <b>M46</b> 0,01 (*) ◀
1030010	Chicken							
1030020	Duck	(**)	(**)	(**)	(**)	► <b>M40</b> — ◀	(**)	► <b>M46</b> — ◀
1030030	Goose	(**)	(**)	(**)	(**)	► <b>M40</b> — ◀	(**)	► <b>M46</b> — ◀

▼ M2

(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)
▶ <u>M18</u> 0,005 (*) ◀	▶ <u>M32</u> — ◀	▶ <u>M75</u> 0,05 ◀	▶ <u>M59</u> 0,01 (*) ◀	0,01 (*)	▶ <u>M5</u> 0,006 ◀		▶ <u>M67</u> 0,01 (*) ◀
▶ <u>M18</u> 0,01 (*) ◀	▶ <u>M32</u> — ◀	▶ <u>M75</u> 0,02 (*) ◀	▶ <u>M59</u> 0,02 (*) ◀	0,01 (*)	▶ <u>M5</u> 0,02 ◀	0,01 (*)	▶ <u>M67</u> 0,05 (*) ◀
(**)	▶ <u>M32</u> (**) ◀	▶ <u>M39</u> — ◀	▶ <u>M59</u> — ◀	(**)	▶ <u>M5</u> (**) ◀	(**)	▶ <u>M67</u> — ◀
(**)	▶ <u>M32</u> (**) ◀	▶ <u>M39</u> — ◀	▶ <u>M59</u> — ◀	(**)	▶ <u>M5</u> (**) ◀	(**)	▶ <u>M67</u> — ◀

▼ M2

(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)
0,01 (*)		▶ <u>M52</u> 0,02 (*) ◀	0,01 (*)	0,01 (*)	▶ <u>M32</u> — ◀	▶ <u>M74</u> 0,01 (*) ◀	0,05 (*)
0,01 (*)		▶ <u>M52</u> 0,02 (*) ◀	0,01 (*)	0,01 (*)	▶ <u>M32</u> — ◀	▶ <u>M74</u> 0,05 (*) ◀	0,05 (*)
(**)	▶ <u>M5</u> (**)* ◀	▶ <u>M52</u> — ◀	(**)	(**)	▶ <u>M32</u> (**)* ◀	▶ <u>M8</u> — ◀ ▶ <u>M74</u> (**)* ◀	(**)
(**)	▶ <u>M5</u> (**)* ◀	▶ <u>M52</u> — ◀	(**)	(**)	▶ <u>M32</u> (**)* ◀	▶ <u>M74</u> (**)* ◀	(**)

▼ M2

(26)	(27)	(28)	(29)	(30)	(31)
▶ <u>M19</u> 0,05 (*) ◀	▶ <u>M32</u> — ◀	▶ <u>M68</u> 0,02 (*) (+) ◀	▶ <u>M50</u> 0,01 (*) ◀	▶ <u>M27</u> 0,2 ◀	0,01 (*)
	▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀				
	▶ <u>M32</u> — ◀				
▶ <u>M19</u> 0,05 (*) ◀	▶ <u>M32</u> — ◀	▶ <u>M68</u> 0,02 (*) ◀	▶ <u>M50</u> 0,01 (*) ◀	▶ <u>M27</u> 0,01 (*) ◀	0,01 (*)
▶ <u>M5</u> (**) ◀	▶ <u>M32</u> — ◀	▶ <u>M68</u> — ◀	▶ <u>M50</u> — ◀	▶ <u>M27</u> (**) ◀	(**)
▶ <u>M5</u> (**) ◀	▶ <u>M32</u> — ◀	▶ <u>M68</u> — ◀	▶ <u>M50</u> — ◀	▶ <u>M27</u> (**) ◀	(**)

▼ M2

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)
1030040	Quail	(**)	(**)	(**)	(**)	► <u>M40</u> — ◄	(**)	► <u>M46</u> — ◄
1030990	Others	(**)	(**)	(**)	(**)	► <u>M40</u> — ◄	(**)	► <u>M46</u> — ◄
1040000	(iv) <b>Honey</b>	(**)	(**)	(**)	(**)	► <u>M40</u> 0,05 (*) ◄	(**)	► <u>M46</u> 0,05 (*) ◄
1050000	(v) <b>Amphibians and reptiles</b>	(**)	(**)	(**)	(**)	► <u>M40</u> 0,05 (*) ◄	(**)	► <u>M46</u> 0,05 (*) ◄
1060000	(vi) <b>Snails</b>	(**)	(**)	(**)	(**)	► <u>M40</u> 0,05 (*) ◄	(**)	► <u>M46</u> 0,05 (*) ◄
1070000	(vii) <b>Other terrestrial animal products</b>	(**)	(**)	(**)	(**)	► <u>M40</u> 0,05 (*) ◄	(**)	► <u>M46</u> 0,05 (*) ◄

▼ M2

(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)
(**)	▶ <u>M32</u> (**) ◀	▶ <u>M39</u> — ◀	▶ <u>M59</u> — ◀	(**)	▶ <u>M5</u> (**) ◀	(**)	▶ <u>M67</u> — ◀
(**)	▶ <u>M32</u> (**) ◀	▶ <u>M39</u> — ◀	▶ <u>M59</u> — ◀	(**)	▶ <u>M5</u> (**) ◀	(**)	▶ <u>M67</u> — ◀
(**)	▶ <u>M32</u> (**) ◀	▶ <u>M75</u> 0,05 (*) ◀	▶ <u>M59</u> 0,05 (*) ◀	(**)	▶ <u>M5</u> (**) ◀	(**)	▶ <u>M67</u> 0,05 (*) ◀
(**)	▶ <u>M32</u> (**) ◀	▶ <u>M75</u> 0,02 (*) ◀	▶ <u>M59</u> 0,02 (*) ◀	(**)	▶ <u>M5</u> (**) ◀	(**)	▶ <u>M67</u> 0,01 (*) ◀
(**)	▶ <u>M32</u> (**) ◀	▶ <u>M75</u> 0,02 (*) ◀	▶ <u>M59</u> 0,02 (*) ◀	(**)	▶ <u>M5</u> (**) ◀	(**)	▶ <u>M67</u> 0,01 (*) ◀
(**)	▶ <u>M32</u> (**) ◀	▶ <u>M75</u> 0,02 (*) ◀	▶ <u>M59</u> 0,02 (*) ◀	(**)	▶ <u>M5</u> (**) ◀	(**)	▶ <u>M67</u> 0,01 (*) ◀

▼ M2

(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)
(**)	▶ <u>M5</u> (**) ◀	▶ <u>M52</u> — ◀	(**)	(**)	▶ <u>M32</u> (**) ◀	▶ <u>M74</u> (**) ◀	(**)
(**)	▶ <u>M5</u> (**) ◀	▶ <u>M52</u> — ◀	(**)	(**)	▶ <u>M32</u> (**) ◀	▶ <u>M74</u> (**) ◀	(**)
(**)	▶ <u>M5</u> (**) ◀	▶ <u>M52</u> 0,05 (*) ◀	(**)	(**)	▶ <u>M32</u> (**) ◀	▶ <u>M74</u> (**) ◀	(**)
(**)	▶ <u>M5</u> (**) ◀	▶ <u>M52</u> 0,02 (*) ◀	(**)	(**)	▶ <u>M32</u> (**) ◀	▶ <u>M74</u> (**) ◀	(**)
(**)	▶ <u>M5</u> (**) ◀	▶ <u>M52</u> 0,02 (*) ◀	(**)	(**)	▶ <u>M32</u> (**) ◀	▶ <u>M74</u> (**) ◀	(**)
(**)	▶ <u>M5</u> (**) ◀	▶ <u>M52</u> 0,02 (*) ◀	(**)	(**)	▶ <u>M32</u> (**) ◀	▶ <u>M74</u> (**) ◀	(**)



▼ M2

(26)	(27)	(28)	(29)	(30)	(31)
▶ <u>M5</u> (**) ◀	▶ <u>M32</u> — ◀	▶ <u>M68</u> — ◀	▶ <u>M50</u> — ◀	▶ <u>M27</u> (**) ◀	(**)
▶ <u>M5</u> (**) ◀	▶ <u>M32</u> — ◀	▶ <u>M68</u> — ◀	▶ <u>M50</u> — ◀	▶ <u>M27</u> (**) ◀	(**)
▶ <u>M5</u> (**) ◀	▶ <u>M32</u> — ◀	▶ <u>M68</u> 0,05 (*) ◀	▶ <u>M50</u> 0,05 (*) ◀	▶ <u>M27</u> (**) ◀	(**)
▶ <u>M5</u> (**) ◀	▶ <u>M32</u> — ◀	▶ <u>M68</u> 0,02 (*) ◀	▶ <u>M50</u> 0,01 (*) ◀	▶ <u>M27</u> (**) ◀	(**)
▶ <u>M5</u> (**) ◀	▶ <u>M32</u> — ◀	▶ <u>M68</u> 0,02 (*) ◀	▶ <u>M50</u> 0,01 (*) ◀	▶ <u>M27</u> (**) ◀	(**)
▶ <u>M5</u> (**) ◀	▶ <u>M32</u> — ◀	▶ <u>M68</u> 0,02 (*) ◀	▶ <u>M50</u> 0,01 (*) ◀	▶ <u>M27</u> (**) ◀	(**)

▼ M2

## Pesticide residues and maximum residue levels (mg/kg)

Code number	Groups and examples of individual products to which the MRLs apply <sup>(a)</sup>	▼ <u>M45</u> Bitertanol <sup>(1)</sup> ▼	Bromophos-ethyl	▶ <u>M16</u> Bromopropylate <sup>(1)</sup> ▼	▶ <u>M68</u> Bromoxynil and its salts, expressed as bromoxynil ▼	Camphechlor (Toxaphene) <sup>(1)</sup> <sup>(6)</sup>	▼ <u>M32</u> — ▼
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)
0100000	1. <b>FRUIT FRESH OR FROZEN; NUTS</b>		0,05 (*)		▶ <u>M68</u> 0,01 (*) ◀	0,1 (*)	▶ <u>M32</u> — ◀
0110000	(i) <b>Citrus fruit</b>	▶ <u>M45</u> 0,01 (*) ◀		▶ <u>M16</u> 0,01 (*) ◀			▶ <u>M32</u> — ◀
0110010	Grapefruit						▶ <u>M32</u> — ◀
0110020	Oranges						▶ <u>M32</u> — ◀
0110030	Lemons						▶ <u>M32</u> — ◀
0110040	Limes						▶ <u>M32</u> — ◀
0110050	Mandarins						▶ <u>M32</u> — ◀
0110990	Others						▶ <u>M32</u> — ◀
0120000	(ii) <b>Tree nuts (shelled or unshelled)</b>	▶ <u>M45</u> 0,02 (*) ◀		▶ <u>M16</u> 0,02 (*) ◀			▶ <u>M32</u> — ◀

▼ M2

▶ <u>M37</u> Captan <sup>(8)</sup> ▼	▶ <u>M64</u> Carbaryl <sup>(1)</sup> ▼	▶ <u>M21</u> Carben-dazim and benomyl (sum of benomyl and carben-dazim) <sup>(8)</sup> ▼	▶ <u>M70</u> Carbofuran (including any carbofuran generated from carbosulfan, benfuracarb or furathiocarb) and 3-OH carbofuran expressed as carbofuran <sup>(8)</sup> ▼	Carbon disulphide (see dithiocarbamates)	Carbon tetrachloride	▶ <u>M70</u> — ▼	Carfentrazone-ethyl (determined as carfentrazone and expressed as carfentrazone-ethyl)
(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
						▶ <u>M70</u> — ◀	0,01 (*)
▶ <u>M37</u> 0,02 (*) ◀	▶ <u>M64</u> 0,01 (*) ◀	▶ <u>M5</u> 0,5 ◀	▶ <u>M70</u> 0,01 (*) ◀			▶ <u>M70</u> — ◀	
		▶ <u>M21</u> 0,2 ◀ ▶ <u>M21</u> 0,2 ◀ ▶ <u>M21</u> 0,7 ◀ ▶ <u>M21</u> 0,7 ◀ ▶ <u>M21</u> 0,7 ◀	▶ <u>M70</u> — ◀ ▶ <u>M70</u> — ◀ ▶ <u>M70</u> — ◀ ▶ <u>M70</u> — ◀ ▶ <u>M70</u> — ◀			▶ <u>M70</u> — ◀ ▶ <u>M70</u> — ◀ ▶ <u>M70</u> — ◀ ▶ <u>M70</u> — ◀ ▶ <u>M70</u> — ◀	
		▶ <u>M21</u> 0,1 (*) ◀	▶ <u>M70</u> — ◀			▶ <u>M70</u> — ◀	
	▶ <u>M64</u> 0,02 (*) ◀	▶ <u>M21</u> 0,1 (*) ◀	▶ <u>M70</u> 0,02 (*) ◀			▶ <u>M70</u> — ◀	

▼ M2

Cartap	Chlorbenside (L)	Chlorbufam	Chlordane (sum of cis- and trans-chlordane) (L) (6)	▶ <u>M32</u> Chlorfenapyr ▼	Chlorfenson (L)	▶ <u>M45</u> — ▼	▶ <u>M61</u> Chlormequat ▼
(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)
	0,01 (*)	0,05 (*)	0,01 (*)	▶ <u>M32</u> — ◀	0,01 (*)	▶ <u>M45</u> — ◀	
				▶ <u>M32</u> 0,01 (*) ◀		▶ <u>M45</u> — ◀	▶ <u>M61</u> 0,05 (*) ◀
						▶ <u>M45</u> — ◀ ▶ <u>M45</u> — ◀ ▶ <u>M45</u> — ◀ ▶ <u>M45</u> — ◀ ▶ <u>M45</u> — ◀	▶ <u>M61</u> — ◀ ▶ <u>M61</u> — ◀ ▶ <u>M61</u> — ◀ ▶ <u>M61</u> — ◀ ▶ <u>M61</u> — ◀
						▶ <u>M45</u> — ◀	▶ <u>M61</u> — ◀
				▶ <u>M32</u> 0,02 (*) ◀		▶ <u>M45</u> — ◀	▶ <u>M61</u> 0,1 (*) ◀

▼ M2

Chlorobenzilate (L)	▶ <u>M68</u> Chlorothalonil (R) ▼	Chloroxuron (L)	▶ <u>M52</u> Chlorpropham (F)(R)(A) ▼	▶ <u>M5</u> Chlorpyrifos (L) ▼	Chlorpyrifos-methyl (L)	Chlozolinate
(25)	(26)	(27)	(28)	(29)	(30)	(31)
0,02 (*)		0,05 (*)	▶ <u>M50</u> 0,01 (*) ◀			0,05 (*)
	▶ <u>M68</u> 0,01 (*) ◀					
				▶ <u>M5</u> 0,3 ◀ ▶ <u>M5</u> 0,3 ◀ ▶ <u>M5</u> 0,2 ◀ ▶ <u>M5</u> 0,3 ◀ ▶ <u>M5</u> 2 ◀	0,05 (*) 0,5 0,3 0,05 (*) 1	
				▶ <u>M5</u> 0,3 ◀	0,05 (*)	
	▶ <u>M68</u> 0,01 (*) ◀			▶ <u>M5</u> 0,05 (*) ◀	0,05 (*)	

▼ **M2**

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)
0120010	Almonds						► <u>M32</u> — ◄
0120020	Brazil nuts						► <u>M32</u> — ◄
0120030	Cashew nuts						► <u>M32</u> — ◄
0120040	Chestnuts						► <u>M32</u> — ◄
0120050	Coconuts						► <u>M32</u> — ◄
0120060	Hazelnuts						► <u>M32</u> — ◄
0120070	Macadamia						► <u>M32</u> — ◄
0120080	Pecans						► <u>M32</u> — ◄
0120090	Pine nuts						► <u>M32</u> — ◄
0120100	Pistachios						► <u>M32</u> — ◄
0120110	Walnuts						► <u>M32</u> — ◄
0120990	Others						► <u>M32</u> — ◄
0130000	(iii) <b>Pome fruit</b>	► <u>M45</u> 0,01 (*) ◄		► <u>M16</u> 0,01 (*) ◄			► <u>M32</u> — ◄
0130010	Apples						► <u>M32</u> — ◄
0130020	Pears						► <u>M32</u> — ◄
0130030	Quinces						► <u>M32</u> — ◄
0130040	Medlar	► <u>M45</u> (**) ◄	(**)	(**)	► <u>M68</u> — ◄	(**)	► <u>M32</u> — ◄
0130050	Loquat	► <u>M45</u> (**) ◄	(**)	(**)	► <u>M68</u> — ◄	(**)	► <u>M32</u> — ◄
0130990	Others						► <u>M32</u> — ◄
0140000	(iv) <b>Stone fruit</b>	► <u>M45</u> 0,01 (*) ◄		► <u>M16</u> 0,01 (*) ◄			► <u>M32</u> — ◄
0140010	Apricots	► <u>M45</u> — ◄					► <u>M32</u> — ◄
0140020	Cherries	► <u>M45</u> — ◄					► <u>M32</u> — ◄
0140030	Peaches	► <u>M45</u> — ◄					► <u>M32</u> — ◄
0140040	Plums	► <u>M45</u> — ◄					► <u>M32</u> — ◄
0140990	Others	► <u>M45</u> — ◄					► <u>M32</u> — ◄
0150000	(v) <b>Berries &amp; small fruit</b>	► <u>M45</u> 0,01 (*) ◄		► <u>M16</u> 0,01 (*) ◄			► <u>M32</u> — ◄

▼ M2

(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
▶ <u>M37</u> 0,3 ◀						▶ <u>M70</u> — ◀	
▶ <u>M37</u> 0,02 (*) ◀						▶ <u>M70</u> — ◀	
▶ <u>M37</u> 0,02 (*) ◀						▶ <u>M70</u> — ◀	
▶ <u>M37</u> 0,02 (*) ◀						▶ <u>M70</u> — ◀	
▶ <u>M37</u> 0,02 (*) ◀						▶ <u>M70</u> — ◀	
▶ <u>M37</u> 0,02 (*) ◀						▶ <u>M70</u> — ◀	
▶ <u>M37</u> 0,02 (*) ◀						▶ <u>M70</u> — ◀	
▶ <u>M37</u> 0,02 (*) ◀						▶ <u>M70</u> — ◀	
▶ <u>M37</u> 0,02 (*) ◀						▶ <u>M70</u> — ◀	
▶ <u>M37</u> 0,02 (*) ◀						▶ <u>M70</u> — ◀	
▶ <u>M37</u> 0,02 (*) ◀						▶ <u>M70</u> — ◀	
▶ <u>M37</u> 0,02 (*) ◀						▶ <u>M70</u> — ◀	
▶ <u>M37</u> 0,02 (*) ◀						▶ <u>M70</u> — ◀	
▶ <u>M37</u> 0,02 (*) ◀						▶ <u>M70</u> — ◀	
▶ <u>M37</u> 3 ◀	▶ <u>M64</u> 0,01 (*) ◀		▶ <u>M70</u> 0,001 (*) ◀			▶ <u>M70</u> — ◀	
	▶ <u>M32</u> — ◀	▶ <u>M21</u> 0,2 ◀				▶ <u>M70</u> — ◀	
	▶ <u>M32</u> — ◀	▶ <u>M21</u> 0,2 ◀				▶ <u>M70</u> — ◀	
	▶ <u>M32</u> — ◀	▶ <u>M21</u> 0,2 ◀				▶ <u>M70</u> — ◀	
▶ <u>M37</u> (**) ◀	▶ <u>M64</u> (**) ◀	▶ <u>M15</u> (**) ◀	▶ <u>M70</u> (**) ◀	(**)	(**)	▶ <u>M70</u> — ◀	(**)
▶ <u>M37</u> (**) ◀	▶ <u>M64</u> (**) ◀	▶ <u>M15</u> (**) ◀	▶ <u>M70</u> (**) ◀	(**)	(**)	▶ <u>M70</u> — ◀	(**)
	▶ <u>M32</u> — ◀	▶ <u>M21</u> 0,2 ◀				▶ <u>M70</u> — ◀	
	▶ <u>M64</u> 0,01 (*) ◀		▶ <u>M70</u> 0,002 (*) ◀			▶ <u>M70</u> — ◀	
▶ <u>M37</u> 4 ◀		▶ <u>M21</u> 0,2 ◀				▶ <u>M70</u> — ◀	
▶ <u>M37</u> 5 ◀		▶ <u>M21</u> 0,5 ◀				▶ <u>M70</u> — ◀	
▶ <u>M37</u> 4 ◀		▶ <u>M21</u> 0,2 ◀				▶ <u>M70</u> — ◀	
▶ <u>M37</u> 7 ◀		▶ <u>M21</u> 0,5 ◀				▶ <u>M70</u> — ◀	
▶ <u>M37</u> 0,02 (*) ◀		▶ <u>M21</u> 0,1 (*) ◀				▶ <u>M70</u> — ◀	
	▶ <u>M64</u> 0,01 (*) ◀		▶ <u>M70</u> — ◀			▶ <u>M70</u> — ◀	

▼ M2

(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)
						▶ <u>M45</u> — ◀ ▶ <u>M45</u> — ◀ ▶ <u>M45</u> — ◀ ▶ <u>M45</u> — ◀ ▶ <u>M45</u> — ◀ ▶ <u>M45</u> — ◀ ▶ <u>M45</u> — ◀ ▶ <u>M45</u> — ◀ ▶ <u>M45</u> — ◀ ▶ <u>M45</u> — ◀ ▶ <u>M45</u> — ◀	▶ <u>M61</u> — ◀ ▶ <u>M61</u> — ◀ ▶ <u>M61</u> — ◀ ▶ <u>M61</u> — ◀ ▶ <u>M61</u> — ◀ ▶ <u>M61</u> — ◀ ▶ <u>M61</u> — ◀ ▶ <u>M61</u> — ◀ ▶ <u>M61</u> — ◀ ▶ <u>M61</u> — ◀ ▶ <u>M61</u> — ◀
						▶ <u>M45</u> — ◀	▶ <u>M61</u> — ◀
				▶ <u>M32</u> 0,01 (*) ◀		▶ <u>M45</u> — ◀	
(**)	(**)	(**)	(**)	▶ <u>M32</u> (**) ◀	(**)	▶ <u>M45</u> — ◀ ▶ <u>M45</u> — ◀ ▶ <u>M45</u> — ◀ ▶ <u>M45</u> — ◀	▶ <u>M61</u> 0,05 (*) ◀ ▶ <u>M61</u> 0,1 (+) ◀ ▶ <u>M61</u> 0,05 (*) ◀ ▶ <u>M61</u> (**) ◀
(**)	(**)	(**)	(**)	▶ <u>M32</u> (**) ◀	(**)	▶ <u>M45</u> — ◀	▶ <u>M61</u> (**) ◀
						▶ <u>M45</u> — ◀	▶ <u>M61</u> 0,05 (*) ◀
				▶ <u>M32</u> 0,01 (*) ◀		▶ <u>M45</u> — ◀	▶ <u>M61</u> 0,05 (*) ◀
						▶ <u>M45</u> — ◀ ▶ <u>M45</u> — ◀ ▶ <u>M45</u> — ◀ ▶ <u>M45</u> — ◀	▶ <u>M61</u> — ◀ ▶ <u>M61</u> — ◀ ▶ <u>M61</u> — ◀ ▶ <u>M61</u> — ◀
						▶ <u>M45</u> — ◀	▶ <u>M61</u> — ◀
				▶ <u>M32</u> 0,01 (*) ◀		▶ <u>M45</u> — ◀	▶ <u>M61</u> 0,05 (*) ◀



▼ M2

(25)	(26)	(27)	(28)	(29)	(30)	(31)
	▶ <u>M68</u> 2 (+) ◀			▶ <u>M5</u> 0,5 ◀	0,5	
(**)	▶ <u>M68</u> — ◀	(**)	▶ <u>M50</u> — ◀	▶ <u>M5</u> (**) ◀	(**)	(**)
(**)	▶ <u>M68</u> — ◀	(**)	▶ <u>M50</u> — ◀	▶ <u>M5</u> (**) ◀	(**)	(**)
	▶ <u>M68</u> 1 (+) ◀			▶ <u>M5</u> 0,05 ◀	0,05 (*)	
	▶ <u>M68</u> 0,01 (*) ◀			▶ <u>M5</u> 0,3 ◀	0,05 (*)	
	▶ <u>M68</u> 1 (+) ◀			▶ <u>M5</u> 0,2 ◀	0,5	
	▶ <u>M68</u> 0,01 (*) ◀			▶ <u>M5</u> 0,2 ◀	0,05 (*)	
	▶ <u>M68</u> 0,01 (*) ◀			▶ <u>M5</u> 0,05 (*) ◀	0,05 (*)	

▼ M2

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)
0151000	(a) <i>Table and wine grapes</i>			2 <sup>(3)</sup>			► <u>M32</u> — ◀
0151010	Table grapes						► <u>M32</u> — ◀
0151020	Wine grapes						► <u>M32</u> — ◀
0152000	(b) <i>Strawberries</i>			0,05 (*)			► <u>M32</u> — ◀
0153000	(c) <i>Cane fruit</i>			0,05 (*)			► <u>M32</u> — ◀
0153010	Blackberries						► <u>M32</u> — ◀
0153020	Dewberries						► <u>M32</u> — ◀
0153030	Raspberries						► <u>M32</u> — ◀
0153990	Others						► <u>M32</u> — ◀
0154000	(d) <i>Other small fruit &amp; berries</i>			0,05 (*)			► <u>M32</u> — ◀
0154010	Blueberries						► <u>M32</u> — ◀
0154020	Cranberries						► <u>M32</u> — ◀
0154030	Currants (red, black and white)						► <u>M32</u> — ◀
0154040	Gooseberries						► <u>M32</u> — ◀
0154050	Rose hips	► <u>M45</u> (**) ◀	(**)	(**)	► <u>M68</u> — ◀	(**)	► <u>M32</u> — ◀
0154060	Mulberries	► <u>M45</u> (**) ◀	(**)	(**)	► <u>M68</u> — ◀	(**)	► <u>M32</u> — ◀
0154070	Azarole (mediterranean medlar)	► <u>M45</u> (**) ◀	(**)	(**)	► <u>M68</u> — ◀	(**)	► <u>M32</u> — ◀
0154080	Elderberries	► <u>M45</u> (**) ◀	(**)	(**)	► <u>M68</u> — ◀	(**)	► <u>M32</u> — ◀
0154990	Others						► <u>M32</u> — ◀

▼ M2

(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
▶ <u>M37</u> 0,02 (*) ◀	▶ <u>M32</u> — ◀		▶ <u>M70</u> 0,002 (*) ◀			▶ <u>M70</u> — ◀	
		▶ <u>M21</u> 0,3 ◀ ▶ <u>M21</u> 0,5 ◀				▶ <u>M70</u> — ◀ ▶ <u>M70</u> — ◀	
▶ <u>M37</u> 3 ◀	▶ <u>M32</u> — ◀	▶ <u>M21</u> 0,1 (*) ◀	▶ <u>M70</u> 0,005 (*) ◀			▶ <u>M70</u> — ◀	
	▶ <u>M32</u> — ◀	▶ <u>M21</u> 0,1 (*) ◀	▶ <u>M70</u> 0,01 (*) ◀			▶ <u>M70</u> — ◀	
▶ <u>M37</u> 10 ◀ ▶ <u>M37</u> 0,02 (*) ◀ ▶ <u>M37</u> 10 ◀						▶ <u>M70</u> — ◀ ▶ <u>M70</u> — ◀ ▶ <u>M70</u> — ◀	
▶ <u>M37</u> 0,02 (*) ◀						▶ <u>M70</u> — ◀	
		▶ <u>M21</u> 0,1 (*) ◀	▶ <u>M70</u> 0,01 (*) ◀			▶ <u>M70</u> — ◀	
▶ <u>M37</u> 15 ◀ ▶ <u>M37</u> 0,02 (*) ◀ ▶ <u>M37</u> 15 ◀	▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀					▶ <u>M70</u> — ◀ ▶ <u>M70</u> — ◀ ▶ <u>M70</u> — ◀	
▶ <u>M37</u> 15 ◀ ▶ <u>M37</u> (**) ◀ ▶ <u>M37</u> (**) ◀ ▶ <u>M37</u> (**) ◀	▶ <u>M32</u> — ◀ ▶ <u>M64</u> (**) ◀ ▶ <u>M64</u> (**) ◀ ▶ <u>M64</u> (**) ◀	▶ <u>M15</u> (**) ◀ ▶ <u>M15</u> (**) ◀ ▶ <u>M15</u> (**) ◀	▶ <u>M70</u> (**) ◀ ▶ <u>M70</u> (**) ◀ ▶ <u>M70</u> (**) ◀	(**) (**) (**)	(**) (**) (**)	▶ <u>M70</u> — ◀ ▶ <u>M70</u> — ◀ ▶ <u>M70</u> — ◀	(**) (**) (**)
▶ <u>M37</u> (**) ◀	▶ <u>M64</u> (**) ◀	▶ <u>M15</u> (**) ◀	▶ <u>M70</u> (**) ◀	(**)	(**)	▶ <u>M70</u> — ◀	(**)
▶ <u>M37</u> 0,02 (*) ◀	▶ <u>M32</u> — ◀					▶ <u>M70</u> — ◀	

▼ M2

(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)
						▶ <u>M45</u> — ◀	▶ <u>M61</u> — ◀
						▶ <u>M45</u> — ◀ ▶ <u>M45</u> — ◀	▶ <u>M61</u> — ◀ ▶ <u>M61</u> — ◀
						▶ <u>M45</u> — ◀	▶ <u>M61</u> — ◀
						▶ <u>M45</u> — ◀	▶ <u>M61</u> — ◀
						▶ <u>M45</u> — ◀ ▶ <u>M45</u> — ◀ ▶ <u>M45</u> — ◀	▶ <u>M61</u> — ◀ ▶ <u>M61</u> — ◀ ▶ <u>M61</u> — ◀
						▶ <u>M45</u> — ◀	▶ <u>M61</u> — ◀
						▶ <u>M45</u> — ◀	▶ <u>M61</u> — ◀
						▶ <u>M45</u> — ◀ ▶ <u>M45</u> — ◀ ▶ <u>M45</u> — ◀	▶ <u>M61</u> — ◀ ▶ <u>M61</u> — ◀ ▶ <u>M61</u> — ◀
(**)	(**)	(**)	(**)	▶ <u>M32</u> (**)	(**)	▶ <u>M45</u> — ◀	▶ <u>M61</u> (**)
(**)	(**)	(**)	(**)	▶ <u>M32</u> (**)	(**)	▶ <u>M45</u> — ◀	▶ <u>M61</u> (**)
(**)	(**)	(**)	(**)	▶ <u>M32</u> (**)	(**)	▶ <u>M45</u> — ◀	▶ <u>M61</u> (**)
(**)	(**)	(**)	(**)	▶ <u>M32</u> (**)	(**)	▶ <u>M45</u> — ◀	▶ <u>M61</u> (**)
						▶ <u>M45</u> — ◀	▶ <u>M61</u> — ◀

▼ M2

(25)	(26)	(27)	(28)	(29)	(30)	(31)
	▶ <u>M68</u> 3 (+) ◀			▶ <u>M5</u> 0,5 ◀	0,2	
	▶ <u>M27</u> — ◀ ▶ <u>M27</u> — ◀					
	▶ <u>M68</u> 4 (+) ◀			▶ <u>M5</u> 0,2 ◀	0,5	
	▶ <u>M68</u> 0,01 (*) ◀				0,05 (*)	
				▶ <u>M5</u> 0,5 ◀ ▶ <u>M5</u> 0,05 (*) ◀ ▶ <u>M5</u> 0,5 ◀		
				▶ <u>M5</u> 0,05 (*) ◀		
					0,05 (*)	
	▶ <u>M68</u> 0,01 (*) ◀ ▶ <u>M68</u> 0,01 (*) ◀ ▶ <u>M68</u> 0,01 (*) ◀  ▶ <u>M68</u> 15 (+) ◀			▶ <u>M5</u> 0,05 (*) ◀ ▶ <u>M5</u> 0,05 (*) ◀ ▶ <u>M5</u> 1 ◀  ▶ <u>M5</u> 1 ◀		
(**)	▶ <u>M68</u> 0,01 (*) ◀	(**)	▶ <u>M50</u> — ◀	▶ <u>M5</u> (**) ◀	(**)	(**)
(**)	▶ <u>M68</u> 0,01 (*) ◀	(**)	▶ <u>M50</u> — ◀	▶ <u>M5</u> (**) ◀	(**)	(**)
(**)	▶ <u>M68</u> 0,01 (*) ◀	(**)	▶ <u>M50</u> — ◀	▶ <u>M5</u> (**) ◀	(**)	(**)
(**)	▶ <u>M68</u> 0,01 (*) ◀	(**)	▶ <u>M50</u> — ◀	▶ <u>M5</u> (**) ◀	(**)	(**)
	▶ <u>M68</u> 0,01 (*) ◀			▶ <u>M5</u> 0,05 (*) ◀		

▼ **M2**

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)
0160000	(vi) <b>Miscellaneous fruit</b>	▶ <b>M45</b> 0,01 (*) ◀		▶ <b>M16</b> 0,01 (*) ◀			▶ <b>M32</b> — ◀
0161000	(a) <i>Edible peel</i>	▶ <b>M45</b> — ◀					▶ <b>M32</b> — ◀
0161010	Dates						▶ <b>M32</b> — ◀
0161020	Figs						▶ <b>M32</b> — ◀
0161030	Table olives						▶ <b>M32</b> — ◀
0161040	Kumquats						▶ <b>M32</b> — ◀
0161050	Carambola	▶ <b>M45</b> (**) ◀	(**)	(**)	▶ <b>M68</b> — ◀	(**)	▶ <b>M32</b> — ◀
0161060	Persimmon	▶ <b>M45</b> (**) ◀	(**)	(**)	▶ <b>M68</b> — ◀	(**)	▶ <b>M32</b> — ◀
0161070	Jambolan (java plum)	▶ <b>M45</b> (**) ◀	(**)	(**)	▶ <b>M68</b> — ◀	(**)	▶ <b>M32</b> — ◀
0161990	Others						▶ <b>M32</b> — ◀
0162000	(b) <i>Inedible peel, small</i>	▶ <b>M45</b> — ◀					▶ <b>M32</b> — ◀
0162010	Kiwi						▶ <b>M32</b> — ◀
0162020	Lychee (Litchi)						▶ <b>M32</b> — ◀
0162030	Passion fruit						▶ <b>M32</b> — ◀
0162040	Prickly pear (cactus fruit)	▶ <b>M45</b> (**) ◀	(**)	(**)	▶ <b>M68</b> — ◀	(**)	▶ <b>M32</b> — ◀
0162050	Star apple	▶ <b>M45</b> (**) ◀	(**)	(**)	▶ <b>M68</b> — ◀	(**)	▶ <b>M32</b> — ◀
0162060	American persimmon (Virginia kaki)	▶ <b>M45</b> (**) ◀	(**)	(**)	▶ <b>M68</b> — ◀	(**)	▶ <b>M32</b> — ◀
0162990	Others						▶ <b>M32</b> — ◀
0163000	(c) <i>Inedible peel, large</i>						▶ <b>M32</b> — ◀
0163010	Avocados	▶ <b>M45</b> — ◀					▶ <b>M32</b> — ◀

▼ M2

(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
	▶ <u>M64</u> 0,01 (*) ◀		▶ <u>M70</u> — ◀			▶ <u>M70</u> — ◀	
▶ <u>M37</u> 0,02 (*) ◀		▶ <u>M21</u> 0,1 (*) ◀	▶ <u>M70</u> 0,003 (*) ◀			▶ <u>M70</u> — ◀	
	▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀					▶ <u>M70</u> — ◀ ▶ <u>M70</u> — ◀ ▶ <u>M70</u> — ◀ ▶ <u>M70</u> — ◀	
▶ <u>M37</u> (**) ◀ ▶ <u>M37</u> (**) ◀ ▶ <u>M37</u> (**) ◀	▶ <u>M64</u> (**) ◀ ▶ <u>M64</u> (**) ◀ ▶ <u>M64</u> (**) ◀	▶ <u>M15</u> (**) ◀ ▶ <u>M15</u> (**) ◀ ▶ <u>M15</u> (**) ◀	▶ <u>M70</u> (**) ◀ ▶ <u>M70</u> (**) ◀ ▶ <u>M70</u> (**) ◀	(**) (**) (**)	(**) (**) (**)	▶ <u>M70</u> — ◀ ▶ <u>M70</u> — ◀ ▶ <u>M70</u> — ◀	(**) (**) (**)
	▶ <u>M32</u> — ◀					▶ <u>M70</u> — ◀	
▶ <u>M37</u> 0,02 (*) ◀		▶ <u>M21</u> 0,1 (*) ◀	▶ <u>M70</u> 0,01 (*) ◀			▶ <u>M70</u> — ◀	
	▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀					▶ <u>M70</u> — ◀ ▶ <u>M70</u> — ◀ ▶ <u>M70</u> — ◀	
▶ <u>M37</u> (**) ◀ ▶ <u>M37</u> (**) ◀ ▶ <u>M37</u> (**) ◀	▶ <u>M64</u> (**) ◀ ▶ <u>M64</u> (**) ◀ ▶ <u>M64</u> (**) ◀	▶ <u>M15</u> (**) ◀ ▶ <u>M15</u> (**) ◀ ▶ <u>M15</u> (**) ◀	▶ <u>M70</u> (**) ◀ ▶ <u>M70</u> (**) ◀ ▶ <u>M70</u> (**) ◀	(**) (**) (**)	(**) (**) (**)	▶ <u>M70</u> — ◀ ▶ <u>M70</u> — ◀ ▶ <u>M70</u> — ◀	(**) (**) (**)
	▶ <u>M32</u> — ◀					▶ <u>M70</u> — ◀	
			▶ <u>M70</u> 0,01 (*) ◀			▶ <u>M70</u> — ◀	
▶ <u>M37</u> 0,02 (*) ◀	▶ <u>M32</u> — ◀	▶ <u>M21</u> 0,1 (*) ◀				▶ <u>M70</u> — ◀	

▼ M2

(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)
				▶ <u>M32</u> 0,01 (*) ◀		▶ <u>M45</u> — ◀	
						▶ <u>M45</u> — ◀	
						▶ <u>M45</u> — ◀	▶ <u>M61</u> 0,05 (*) ◀
						▶ <u>M45</u> — ◀	▶ <u>M61</u> 0,05 (*) ◀
						▶ <u>M45</u> — ◀	▶ <u>M61</u> 0,1 (*) ◀
						▶ <u>M45</u> — ◀	▶ <u>M61</u> 0,05 (*) ◀
(**)	(**)	(**)	(**)	▶ <u>M32</u> (**) ◀	(**)	▶ <u>M45</u> — ◀	▶ <u>M61</u> (**) ◀
(**)	(**)	(**)	(**)	▶ <u>M32</u> (**) ◀	(**)	▶ <u>M45</u> — ◀	▶ <u>M61</u> (**) ◀
(**)	(**)	(**)	(**)	▶ <u>M32</u> (**) ◀	(**)	▶ <u>M45</u> — ◀	▶ <u>M61</u> (**) ◀
						▶ <u>M45</u> — ◀	▶ <u>M61</u> 0,05 (*) ◀
						▶ <u>M45</u> — ◀	▶ <u>M61</u> 0,05 (*) ◀
						▶ <u>M45</u> — ◀	▶ <u>M61</u> — ◀
(**)	(**)	(**)	(**)	▶ <u>M32</u> (**) ◀	(**)	▶ <u>M45</u> — ◀	▶ <u>M61</u> — ◀
(**)	(**)	(**)	(**)	▶ <u>M32</u> (**) ◀	(**)	▶ <u>M45</u> — ◀	▶ <u>M61</u> (**) ◀
(**)	(**)	(**)	(**)	▶ <u>M32</u> (**) ◀	(**)	▶ <u>M45</u> — ◀	▶ <u>M61</u> (**) ◀
						▶ <u>M45</u> — ◀	▶ <u>M61</u> — ◀
						▶ <u>M45</u> — ◀	▶ <u>M61</u> 0,05 (*) ◀
						▶ <u>M45</u> — ◀	▶ <u>M61</u> — ◀



▼ M2

(25)	(26)	(27)	(28)	(29)	(30)	(31)
					0,05 (*)	
	▶ <u>M68</u> 0,01 (*) ◀			▶ <u>M5</u> 0,05 (*) ◀		
(**)	▶ <u>M68</u> — ◀	(**)	▶ <u>M50</u> — ◀	▶ <u>M5</u> (**) ◀	(**)	(**)
(**)	▶ <u>M68</u> — ◀	(**)	▶ <u>M50</u> — ◀	▶ <u>M5</u> (**) ◀	(**)	(**)
(**)	▶ <u>M68</u> — ◀	(**)	▶ <u>M50</u> — ◀	▶ <u>M5</u> (**) ◀	(**)	(**)
	▶ <u>M68</u> 0,01 (*) ◀					
(**)	▶ <u>M68</u> — ◀	(**)	▶ <u>M50</u> — ◀	▶ <u>M5</u> 2 ◀ ▶ <u>M5</u> 0,05 (*) ◀ ▶ <u>M5</u> 0,05 (*) ◀ ▶ <u>M5</u> (**) ◀	(**)	(**)
(**)	▶ <u>M68</u> — ◀	(**)	▶ <u>M50</u> — ◀	▶ <u>M5</u> (**) ◀	(**)	(**)
(**)	▶ <u>M68</u> — ◀	(**)	▶ <u>M50</u> — ◀	▶ <u>M5</u> (**) ◀	(**)	(**)
				▶ <u>M5</u> 0,05 (*) ◀		
	▶ <u>M68</u> 0,01 (*) ◀			▶ <u>M5</u> 0,05 (*) ◀		

▼ M2

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)
0163020	Bananas	► <u>M45</u> — ◀					► <u>M32</u> — ◀
0163030	Mangoes	► <u>M45</u> — ◀					► <u>M32</u> — ◀
0163040	Papaya	► <u>M45</u> — ◀					► <u>M32</u> — ◀
0163050	Pomegranate	► <u>M45</u> — ◀					► <u>M32</u> — ◀
0163060	Cherimoya	► <u>M45</u> (**) ◀	(**)	(**)	► <u>M68</u> — ◀	(**)	► <u>M32</u> — ◀
0163070	Guava	► <u>M45</u> (**) ◀	(**)	(**)	► <u>M68</u> — ◀	(**)	► <u>M32</u> — ◀
0163080	Pineapples	► <u>M45</u> — ◀					► <u>M32</u> — ◀
0163090	Bread fruit	► <u>M45</u> (**) ◀	(**)	(**)	► <u>M68</u> — ◀	(**)	► <u>M32</u> — ◀
0163100	Durian	► <u>M45</u> (**) ◀	(**)	(**)	► <u>M68</u> — ◀	(**)	► <u>M32</u> — ◀
0163110	Soursop (guanabana)	► <u>M45</u> (**) ◀	(**)	(**)	► <u>M68</u> — ◀	(**)	► <u>M32</u> — ◀
0163990	Others	► <u>M45</u> — ◀					► <u>M32</u> — ◀
0200000	<b>2. VEGETABLES FRESH OR FROZEN</b>		0,05 (*)		► <u>M68</u> — ◀	0,1 (*)	► <u>M32</u> — ◀
0210000	(i) <b>Root and tuber vegetables</b>	► <u>M45</u> 0,01 (*) ◀		► <u>M16</u> 0,01 (*) ◀	► <u>M68</u> 0,01 (*) ◀		► <u>M32</u> — ◀
0211000	(a) <i>Potatoes</i>						► <u>M32</u> — ◀
0212000	(b) <i>Tropical root and tuber vegetables</i>						► <u>M32</u> — ◀
0212010	Cassava						► <u>M32</u> — ◀
0212020	Sweet potatoes						► <u>M32</u> — ◀
0212030	Yams						► <u>M32</u> — ◀
0212040	Arrowroot	► <u>M45</u> (**) ◀	(**)	(**)	► <u>M68</u> — ◀	(**)	► <u>M32</u> — ◀
0212990	Others						► <u>M32</u> — ◀

▼ M2

(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
▶ <u>M37</u> 0,02 (*) ◀	▶ <u>M32</u> — ◀	▶ <u>M21</u> 0,1 (*) ◀				▶ <u>M70</u> — ◀	
▶ <u>M37</u> 2 ◀	▶ <u>M32</u> — ◀	▶ <u>M21</u> 0,5 ◀				▶ <u>M70</u> — ◀	
▶ <u>M37</u> 0,02 (*) ◀	▶ <u>M32</u> — ◀	▶ <u>M21</u> 0,2 ◀				▶ <u>M70</u> — ◀	
▶ <u>M37</u> 0,02 (*) ◀	▶ <u>M32</u> — ◀	▶ <u>M21</u> 0,1 (*) ◀				▶ <u>M70</u> — ◀	
▶ <u>M37</u> (**) ◀	▶ <u>M64</u> (**) ◀	▶ <u>M15</u> (**) ◀	▶ <u>M70</u> (**) ◀	(**)	(**)	▶ <u>M70</u> — ◀	(**)
▶ <u>M37</u> (**) ◀	▶ <u>M64</u> (**) ◀	▶ <u>M15</u> (**) ◀	▶ <u>M70</u> (**) ◀	(**)	(**)	▶ <u>M70</u> — ◀	(**)
▶ <u>M37</u> 0,02 (*) ◀	▶ <u>M32</u> — ◀	▶ <u>M21</u> 0,1 (*) ◀				▶ <u>M70</u> — ◀	
▶ <u>M37</u> (**) ◀	▶ <u>M64</u> (**) ◀	▶ <u>M15</u> (**) ◀	▶ <u>M70</u> (**) ◀	(**)	(**)	▶ <u>M70</u> — ◀	(**)
▶ <u>M37</u> (**) ◀	▶ <u>M64</u> (**) ◀	▶ <u>M15</u> (**) ◀	▶ <u>M70</u> (**) ◀	(**)	(**)	▶ <u>M70</u> — ◀	(**)
▶ <u>M37</u> (**) ◀	▶ <u>M64</u> (**) ◀	▶ <u>M15</u> (**) ◀	▶ <u>M70</u> (**) ◀	(**)	(**)	▶ <u>M70</u> — ◀	(**)
▶ <u>M37</u> 0,02 (*) ◀	▶ <u>M32</u> — ◀	▶ <u>M21</u> 0,1 (*) ◀				▶ <u>M70</u> — ◀	
			▶ <u>M32</u> — ◀			▶ <u>M70</u> — ◀	0,01 (*)
		▶ <u>M21</u> 0,1 (*) ◀	▶ <u>M70</u> — ◀			▶ <u>M70</u> — ◀	
▶ <u>M37</u> 0,05 ◀	▶ <u>M64</u> 0,01 (*) ◀		▶ <u>M70</u> 0,001 (*) ◀			▶ <u>M70</u> — ◀	
▶ <u>M37</u> 0,02 (*) ◀			▶ <u>M70</u> 0,002 (*) ◀			▶ <u>M70</u> — ◀	
	▶ <u>M64</u> 0,01 (*) ◀					▶ <u>M70</u> — ◀	
	▶ <u>M64</u> 0,02 ◀					▶ <u>M70</u> — ◀	
	▶ <u>M64</u> 0,01 (*) ◀					▶ <u>M70</u> — ◀	
▶ <u>M37</u> (**) ◀	▶ <u>M64</u> (**) ◀	▶ <u>M15</u> (**) ◀	▶ <u>M70</u> (**) ◀	(**)	(**)	▶ <u>M70</u> — ◀	(**)
	▶ <u>M64</u> 0,01 (*) ◀					▶ <u>M70</u> — ◀	

▼ M2

(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)
						▶ <u>M45</u> — ◀	▶ <u>M61</u> — ◀
						▶ <u>M45</u> — ◀	▶ <u>M61</u> — ◀
						▶ <u>M45</u> — ◀	▶ <u>M61</u> — ◀
						▶ <u>M45</u> — ◀	▶ <u>M61</u> — ◀
(**)	(**)	(**)	(**)	▶ <u>M32</u> (**) ◀	(**)	▶ <u>M45</u> — ◀	▶ <u>M61</u> (**) ◀
(**)	(**)	(**)	(**)	▶ <u>M32</u> (**) ◀	(**)	▶ <u>M45</u> — ◀	▶ <u>M61</u> (**) ◀
						▶ <u>M45</u> — ◀	▶ <u>M61</u> — ◀
(**)	(**)	(**)	(**)	▶ <u>M32</u> (**) ◀	(**)	▶ <u>M45</u> — ◀	▶ <u>M61</u> (**) ◀
(**)	(**)	(**)	(**)	▶ <u>M32</u> (**) ◀	(**)	▶ <u>M45</u> — ◀	▶ <u>M61</u> (**) ◀
(**)	(**)	(**)	(**)	▶ <u>M32</u> (**) ◀	(**)	▶ <u>M45</u> — ◀	▶ <u>M61</u> (**) ◀
						▶ <u>M45</u> — ◀	▶ <u>M61</u> — ◀
	0,01 (*)	0,05 (*)	0,01 (*)	▶ <u>M32</u> — ◀	0,01 (*)	▶ <u>M45</u> — ◀	
				▶ <u>M32</u> 0,01 (*) ◀		▶ <u>M45</u> — ◀	▶ <u>M61</u> 0,05 (*) ◀
						▶ <u>M45</u> — ◀	▶ <u>M61</u> — ◀
						▶ <u>M45</u> — ◀	▶ <u>M61</u> — ◀
						▶ <u>M45</u> — ◀	▶ <u>M61</u> — ◀
						▶ <u>M45</u> — ◀	▶ <u>M61</u> — ◀
(**)	(**)	(**)	(**)	▶ <u>M32</u> (**) ◀	(**)	▶ <u>M45</u> — ◀	▶ <u>M61</u> (**) ◀
						▶ <u>M45</u> — ◀	▶ <u>M61</u> — ◀

▼ M2

(25)	(26)	(27)	(28)	(29)	(30)	(31)
	▶ <u>M68</u> 15 (+) ◀			▶ <u>M5</u> 3 ◀		
	▶ <u>M68</u> 0,01 (*) ◀			▶ <u>M5</u> 0,05 (*) ◀		
	▶ <u>M68</u> 15 (+) ◀			▶ <u>M5</u> 0,05 (*) ◀		
	▶ <u>M68</u> 0,01 (*) ◀			▶ <u>M5</u> 0,05 (*) ◀		
(**)	▶ <u>M68</u> 0,01 (*) ◀	(**)	▶ <u>M50</u> — ◀	▶ <u>M5</u> (**) ◀	(**)	(**)
(**)	▶ <u>M68</u> 0,01 (*) ◀	(**)	▶ <u>M50</u> — ◀	▶ <u>M5</u> (**) ◀	(**)	(**)
	▶ <u>M68</u> 0,01 (*) ◀			▶ <u>M5</u> 0,05 (*) ◀		
(**)	▶ <u>M68</u> 0,01 (*) ◀	(**)	▶ <u>M50</u> — ◀	▶ <u>M5</u> (**) ◀	(**)	(**)
(**)	▶ <u>M68</u> 0,01 (*) ◀	(**)	▶ <u>M50</u> — ◀	▶ <u>M5</u> (**) ◀	(**)	(**)
(**)	▶ <u>M68</u> 0,01 (*) ◀	(**)	▶ <u>M50</u> — ◀	▶ <u>M5</u> (**) ◀	(**)	(**)
	▶ <u>M68</u> 0,01 (*) ◀			▶ <u>M5</u> 0,05 (*) ◀		
0,02 (*)		0,05 (*)				0,05 (*)
					0,05 (*)	
	▶ <u>M68</u> 0,01 (*) (+) ◀		▶ <u>M50</u> 10 (+) ◀	▶ <u>M5</u> 0,05 (*) ◀		
	▶ <u>M68</u> 0,01 (*) ◀		▶ <u>M50</u> 0,01 (*) ◀	▶ <u>M5</u> 0,05 (*) ◀		
(**)	▶ <u>M68</u> — ◀	(**)	▶ <u>M50</u> — ◀	▶ <u>M5</u> (**) ◀	(**)	(**)

▼ **M2**

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)
0213000	(c) <i>Other root and tuber vegetables except sugar beet</i>						► <b>M32</b> — ◀
0213010	Beetroot						► <b>M32</b> — ◀
0213020	Carrots						► <b>M32</b> — ◀
0213030	Celeriac						► <b>M32</b> — ◀
0213040	Horseradish						► <b>M32</b> — ◀
0213050	Jerusalem artichokes						► <b>M32</b> — ◀
0213060	Parsnips						► <b>M32</b> — ◀
0213070	Parsley root						► <b>M32</b> — ◀
0213080	Radishes						► <b>M32</b> — ◀
0213090	Salsify						► <b>M32</b> — ◀
0213100	Swedes						► <b>M32</b> — ◀
0213110	Turnips						► <b>M32</b> — ◀
0213990	Others						► <b>M32</b> — ◀
0220000	(ii) <b>Bulb vegetables</b>	► <b>M45</b> 0,01 (*) ◀		► <b>M16</b> 0,02 (*) ◀			► <b>M32</b> — ◀
0220010	Garlic				► <b>M68</b> 0,01 (*) ◀		► <b>M32</b> — ◀
0220020	Onions				► <b>M68</b> 0,01 (*) ◀		► <b>M32</b> — ◀
0220030	Shallots				► <b>M68</b> 0,01 (*) ◀		► <b>M32</b> — ◀
0220040	Spring onions				► <b>M68</b> 0,05 ◀		► <b>M32</b> — ◀
0220990	Others				► <b>M68</b> 0,01 (*) ◀		► <b>M32</b> — ◀
0230000	(iii) <b>Fruiting vegetables</b>	► <b>M45</b> 0,01 (*) ◀		► <b>M16</b> 0,01 (*) ◀			► <b>M32</b> — ◀
0231000	(a) <i>Solanacea</i>				► <b>M68</b> 0,01 (*) ◀		► <b>M32</b> — ◀

▼ M2

(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
	▶ <u>M64</u> 0,01 (*) ◀		▶ <u>M70</u> 0,002 (*) ◀			▶ <u>M70</u> — ◀	
▶ <u>M37</u> 0,02 (*) ◀ ▶ <u>M37</u> 0,1 ◀ ▶ <u>M37</u> 0,1 ◀ ▶ <u>M37</u> 0,02 (*) ◀ ▶ <u>M37</u> 0,02 (*) ◀ ▶ <u>M37</u> 0,02 (*) ◀ ▶ <u>M37</u> 0,02 (*) ◀ ▶ <u>M37</u> 0,02 (*) ◀ ▶ <u>M37</u> 0,02 (*) ◀ ▶ <u>M37</u> 0,02 (*) ◀ ▶ <u>M37</u> 0,02 (*) ◀						▶ <u>M70</u> — ◀ ▶ <u>M70</u> — ◀ ▶ <u>M70</u> — ◀ ▶ <u>M70</u> — ◀ ▶ <u>M70</u> — ◀ ▶ <u>M70</u> — ◀ ▶ <u>M70</u> — ◀ ▶ <u>M70</u> — ◀ ▶ <u>M70</u> — ◀ ▶ <u>M70</u> — ◀	
▶ <u>M37</u> 0,02 (*) ◀						▶ <u>M70</u> — ◀	
▶ <u>M37</u> 0,02 (*) ◀	▶ <u>M64</u> 0,02 (*) ◀	▶ <u>M21</u> 0,1 (*) ◀	▶ <u>M70</u> 0,002 (*) ◀			▶ <u>M70</u> — ◀	
						▶ <u>M70</u> — ◀ ▶ <u>M70</u> — ◀ ▶ <u>M70</u> — ◀ ▶ <u>M70</u> — ◀	
						▶ <u>M70</u> — ◀	
	▶ <u>M64</u> 0,01 (*) ◀		▶ <u>M70</u> — ◀			▶ <u>M70</u> — ◀	
			▶ <u>M70</u> 0,002 (*) ◀			▶ <u>M70</u> — ◀	

▼ M2

(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)
						▶ <u>M45</u> — ◀	▶ <u>M61</u> — ◀
						▶ <u>M45</u> — ◀ ▶ <u>M45</u> — ◀ ▶ <u>M45</u> — ◀ ▶ <u>M45</u> — ◀ ▶ <u>M45</u> — ◀  ▶ <u>M45</u> — ◀ ▶ <u>M45</u> — ◀ ▶ <u>M45</u> — ◀ ▶ <u>M45</u> — ◀ ▶ <u>M45</u> — ◀ ▶ <u>M45</u> — ◀	▶ <u>M61</u> — ◀ ▶ <u>M61</u> — ◀ ▶ <u>M61</u> — ◀ ▶ <u>M61</u> — ◀ ▶ <u>M61</u> — ◀  ▶ <u>M61</u> — ◀ ▶ <u>M61</u> — ◀ ▶ <u>M61</u> — ◀ ▶ <u>M61</u> — ◀ ▶ <u>M61</u> — ◀ ▶ <u>M61</u> — ◀
						▶ <u>M45</u> — ◀	▶ <u>M61</u> — ◀
					▶ <u>M32</u> 0,02 (*) ◀	▶ <u>M45</u> — ◀	▶ <u>M61</u> 0,05 (*) ◀
						▶ <u>M45</u> — ◀ ▶ <u>M45</u> — ◀ ▶ <u>M45</u> — ◀ ▶ <u>M45</u> — ◀	▶ <u>M61</u> — ◀ ▶ <u>M61</u> — ◀ ▶ <u>M61</u> — ◀ ▶ <u>M61</u> — ◀
						▶ <u>M45</u> — ◀	▶ <u>M61</u> — ◀
					▶ <u>M32</u> 0,01 (*) ◀	▶ <u>M45</u> — ◀	▶ <u>M61</u> 0,05 (*) ◀
						▶ <u>M45</u> — ◀	▶ <u>M61</u> — ◀



▼ M2

(25)	(26)	(27)	(28)	(29)	(30)	(31)
			▶ <u>M50</u> — ◀			
	▶ <u>M68</u> 0,01 (*) ◀ ▶ <u>M68</u> 0,3 (+) ◀ ▶ <u>M68</u> 1 (+) ◀ ▶ <u>M68</u> 0,3 (+) ◀ ▶ <u>M68</u> 0,01 (*) ◀  ▶ <u>M68</u> 0,3 (+) ◀ ▶ <u>M68</u> 0,3 (+) ◀ ▶ <u>M68</u> 0,01 (*) ◀ ▶ <u>M68</u> 0,3 (+) ◀ ▶ <u>M68</u> 0,01 (*) ◀ ▶ <u>M68</u> 0,3 (+) ◀		▶ <u>M50</u> 0,01 (*) ◀ ▶ <u>M50</u> 0,01 (*) ◀ ▶ <u>M50</u> 0,05 (*) (+) ◀ ▶ <u>M50</u> 0,01 (*) ◀ ▶ <u>M50</u> 0,01 (*) ◀  ▶ <u>M50</u> 0,01 (*) ◀ ▶ <u>M50</u> 0,01 (*) ◀ ▶ <u>M50</u> 0,01 (*) ◀ ▶ <u>M50</u> 0,01 (*) ◀ ▶ <u>M50</u> 0,01 (*) ◀ ▶ <u>M50</u> 0,01 (*) ◀ ▶ <u>M50</u> 0,01 (*) ◀	▶ <u>M5</u> 0,05 (*) ◀ ▶ <u>M5</u> 0,1 ◀ ▶ <u>M5</u> 0,05 (*) ◀ ▶ <u>M5</u> 0,05 (*) ◀ ▶ <u>M5</u> 0,05 (*) ◀  ▶ <u>M5</u> 0,05 (*) ◀ ▶ <u>M5</u> 0,05 (*) ◀ ▶ <u>M5</u> 0,2 ◀ ▶ <u>M5</u> 0,05 (*) ◀ ▶ <u>M5</u> 0,05 (*) ◀ ▶ <u>M5</u> 0,05 (*) ◀		
	▶ <u>M68</u> 0,01 (*) ◀		▶ <u>M50</u> 0,01 (*) ◀	▶ <u>M5</u> 0,05 (*) ◀		
	▶ <u>M68</u> (+) ◀		▶ <u>M50</u> — ◀		0,05 (*)	
	▶ <u>M68</u> 0,01 (*) ◀ ▶ <u>M68</u> 0,01 (*) ◀ ▶ <u>M68</u> 0,01 (*) ◀ ▶ <u>M68</u> 10 ◀		▶ <u>M50</u> 0,01 (*) ◀ ▶ <u>M50</u> 0,05 (*) (+) ◀ ▶ <u>M50</u> 0,05 (*) (+) ◀ ▶ <u>M50</u> 0,01 (*) ◀	▶ <u>M5</u> 0,05 (*) ◀ ▶ <u>M5</u> 0,2 ◀ ▶ <u>M5</u> 0,05 (*) ◀ ▶ <u>M5</u> 0,05 (*) ◀		
	▶ <u>M68</u> 0,01 (*) ◀		▶ <u>M50</u> 0,01 (*) ◀	▶ <u>M5</u> 0,05 (*) ◀		
			▶ <u>M50</u> 0,01 (*) ◀			
	▶ <u>M68</u> — ◀			▶ <u>M5</u> 0,5 ◀	0,5	

▼ M2

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)
0231010	Tomatoes	► <u>M45</u> — ◀		1 <sup>(3)</sup>			► <u>M32</u> — ◀
0231020	Peppers	► <u>M45</u> — ◀		0,05 (*)			► <u>M32</u> — ◀
0231030	Aubergines (egg plants)	► <u>M45</u> — ◀		0,05 (*)			► <u>M32</u> — ◀
0231040	Okra, lady's fingers	► <u>M45</u> — ◀		0,05 (*)			► <u>M32</u> — ◀
0231990	Others	► <u>M45</u> — ◀		0,05 (*)			► <u>M32</u> — ◀
0232000	(b) <i>Cucurbits — edible peel</i>	► <u>M45</u> — ◀		0,05 (*)	► <u>M68</u> 0,01 (*) ◀		► <u>M32</u> — ◀
0232010	Cucumbers						► <u>M32</u> — ◀
0232020	Gherkins						► <u>M32</u> — ◀
0232030	Courgettes						► <u>M32</u> — ◀
0232990	Others						► <u>M32</u> — ◀
0233000	(c) <i>Cucurbits- inedible peel</i>	► <u>M45</u> — ◀		0,05 (*)	► <u>M68</u> 0,01 (*) ◀		► <u>M32</u> — ◀
0233010	Melons						► <u>M32</u> — ◀
0233020	Pumpkins						► <u>M32</u> — ◀
0233030	Watermelons						► <u>M32</u> — ◀
0233990	Others						► <u>M32</u> — ◀
0234000	(d) <i>Sweet corn</i>	► <u>M45</u> — ◀		0,05 (*)	► <u>M68</u> 0,04 ◀		► <u>M32</u> — ◀
0239000	(e) <i>Other fruiting vegetables</i>	► <u>M45</u> — ◀		0,05 (*)	► <u>M68</u> 0,01 (*) ◀		► <u>M32</u> — ◀
0240000	(iv) <b>Brassica vegetables</b>	► <u>M45</u> 0,01 (*) ◀		► <u>M16</u> 0,01 (*) ◀	► <u>M68</u> 0,01 (*) ◀		► <u>M32</u> — ◀
0241000	(a) <i>Flowering brassica</i>						► <u>M32</u> — ◀
0241010	Broccoli						► <u>M32</u> — ◀
0241020	Cauliflower						► <u>M32</u> — ◀

▼ M2

(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
▶ <u>M37</u> 3 ◀	▶ <u>M32</u> — ◀	▶ <u>M21</u> 0,3 ◀				▶ <u>M70</u> — ◀	
▶ <u>M37</u> 0,1 ◀	▶ <u>M32</u> — ◀	▶ <u>M21</u> 0,1 (*) ◀				▶ <u>M70</u> — ◀	
▶ <u>M37</u> 0,02 (*) ◀	▶ <u>M32</u> — ◀	▶ <u>M21</u> 0,5 ◀				▶ <u>M70</u> — ◀	
▶ <u>M37</u> 0,02 (*) ◀	▶ <u>M32</u> — ◀	▶ <u>M21</u> 2 ◀				▶ <u>M70</u> — ◀	
▶ <u>M37</u> 0,02 (*) ◀	▶ <u>M32</u> — ◀	▶ <u>M21</u> 0,1 (*) ◀				▶ <u>M70</u> — ◀	
▶ <u>M37</u> 0,02 (*) ◀	▶ <u>M32</u> — ◀	▶ <u>M21</u> 0,1 (*) ◀	▶ <u>M70</u> 0,002 (*) ◀			▶ <u>M70</u> — ◀	
						▶ <u>M70</u> — ◀	
						▶ <u>M70</u> — ◀	
						▶ <u>M70</u> — ◀	
	▶ <u>M32</u> — ◀	▶ <u>M21</u> 0,1 (*) ◀	▶ <u>M70</u> 0,01 (*) ◀			▶ <u>M70</u> — ◀	
▶ <u>M37</u> 0,1 ◀						▶ <u>M70</u> — ◀	
▶ <u>M37</u> 0,02 (*) ◀						▶ <u>M70</u> — ◀	
▶ <u>M37</u> 0,02 (*) ◀						▶ <u>M70</u> — ◀	
▶ <u>M37</u> 0,02 (*) ◀						▶ <u>M70</u> — ◀	
▶ <u>M37</u> 0,02 (*) ◀	▶ <u>M32</u> — ◀	▶ <u>M21</u> 0,1 (*) ◀	▶ <u>M70</u> 0,002 (*) ◀			▶ <u>M70</u> — ◀	
▶ <u>M37</u> 0,02 (*) ◀	▶ <u>M32</u> — ◀	▶ <u>M21</u> 0,1 (*) ◀	▶ <u>M70</u> 0,01 (*) ◀			▶ <u>M70</u> — ◀	
▶ <u>M37</u> 0,02 (*) ◀	▶ <u>M64</u> 0,01 (*) ◀		▶ <u>M70</u> 0,002 (*) ◀			▶ <u>M70</u> — ◀	
		▶ <u>M21</u> 0,1 (*) ◀				▶ <u>M70</u> — ◀	
						▶ <u>M70</u> — ◀	
						▶ <u>M70</u> — ◀	

▼ M2

(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)
						▶ <u>M45</u> — ◀ ▶ <u>M45</u> — ◀ ▶ <u>M45</u> — ◀ ▶ <u>M45</u> — ◀	▶ <u>M61</u> — ◀ ▶ <u>M61</u> — ◀ ▶ <u>M61</u> — ◀ ▶ <u>M61</u> — ◀
						▶ <u>M45</u> — ◀	▶ <u>M61</u> — ◀
						▶ <u>M45</u> — ◀	▶ <u>M61</u> — ◀
						▶ <u>M45</u> — ◀ ▶ <u>M45</u> — ◀ ▶ <u>M45</u> — ◀	▶ <u>M61</u> — ◀ ▶ <u>M61</u> — ◀ ▶ <u>M61</u> — ◀
						▶ <u>M45</u> — ◀	▶ <u>M61</u> — ◀
						▶ <u>M45</u> — ◀	▶ <u>M61</u> — ◀
						▶ <u>M45</u> — ◀ ▶ <u>M45</u> — ◀ ▶ <u>M45</u> — ◀	▶ <u>M61</u> — ◀ ▶ <u>M61</u> — ◀ ▶ <u>M61</u> — ◀
						▶ <u>M45</u> — ◀	▶ <u>M61</u> — ◀
						▶ <u>M45</u> — ◀	▶ <u>M61</u> — ◀
						▶ <u>M45</u> — ◀	▶ <u>M61</u> — ◀
					▶ <u>M32</u> 0,01 (*) ◀	▶ <u>M45</u> — ◀	▶ <u>M61</u> 0,05 (*) ◀
						▶ <u>M45</u> — ◀	▶ <u>M61</u> — ◀
						▶ <u>M45</u> — ◀ ▶ <u>M45</u> — ◀	▶ <u>M61</u> — ◀ ▶ <u>M61</u> — ◀

▼ M2

(25)	(26)	(27)	(28)	(29)	(30)	(31)
	<p>▶ <u>M68</u> 6 (+) ◀</p> <p>▶ <u>M68</u> 0,01 (*) ◀</p> <p>▶ <u>M68</u> 6 (+) ◀</p> <p>▶ <u>M68</u> 0,01 (*) ◀</p>					
	▶ <u>M68</u> 0,01 (*) ◀					
	▶ <u>M68</u> 5 (+) ◀			▶ <u>M5</u> 0,05 (*) ◀	0,05 (*)	
	<p>▶ <u>M68</u> — ◀</p> <p>▶ <u>M68</u> — ◀</p> <p>▶ <u>M68</u> — ◀</p>					
	▶ <u>M68</u> — ◀					
	▶ <u>M68</u> 1 (+) ◀			▶ <u>M5</u> 0,05 (*) ◀	0,05 (*)	
	<p>▶ <u>M68</u> — ◀</p> <p>▶ <u>M68</u> — ◀</p> <p>▶ <u>M68</u> — ◀</p>					
	▶ <u>M68</u> — ◀					
	▶ <u>M68</u> 0,01 (*) ◀			▶ <u>M5</u> 0,05 (*) ◀	0,05 (*)	
	▶ <u>M68</u> 0,01 (*) ◀			▶ <u>M5</u> 0,05 (*) ◀	0,05 (*)	
			▶ <u>M50</u> 0,01 (*) ◀		0,05 (*)	
	▶ <u>M68</u> — ◀			▶ <u>M5</u> 0,05 (*) ◀		
	<p>▶ <u>M68</u> 0,01 (*) ◀</p> <p>▶ <u>M68</u> 2 (+) ◀</p>					

▼ **M2**

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)
0241990	Others						► <b>M32</b> — ◀
0242000	(b) <i>Head brassica</i>						► <b>M32</b> — ◀
0242010	Brussels sprouts						► <b>M32</b> — ◀
0242020	Head cabbage						► <b>M32</b> — ◀
0242990	Others						► <b>M32</b> — ◀
0243000	(c) <i>Leafy brassica</i>						► <b>M32</b> — ◀
0243010	Chinese cabbage						► <b>M32</b> — ◀
0243020	Kale						► <b>M32</b> — ◀
0243990	Others						► <b>M32</b> — ◀
0244000	(d) <i>Kohlrabi</i>						► <b>M32</b> — ◀
0250000	(v) <b>Leaf vegetables &amp; fresh herbs</b>	► <b>M45</b> — ◀		► <b>M16</b> 0,01 (*) ◀			► <b>M32</b> — ◀
0251000	(a) <i>Lettuce and other salad plants including Brassicacea</i>	► <b>M45</b> 0,01 (*) ◀			► <b>M68</b> 0,01 (*) ◀		► <b>M32</b> — ◀
0251010	Lamb's lettuce						► <b>M32</b> — ◀
0251020	Lettuce						► <b>M32</b> — ◀
0251030	Scarole (broad-leaf endive)						► <b>M32</b> — ◀
0251040	Cress						► <b>M32</b> — ◀
0251050	Land cress	► <b>M45</b> (**) ◀	(**)	(**)	► <b>M68</b> — ◀	(**)	► <b>M32</b> — ◀
0251060	Rocket, Rucola						► <b>M32</b> — ◀

▼ M2

(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
						► <u>M70</u> — ◀	
						► <u>M70</u> — ◀	
		► <u>M21</u> 0,5 ◀ ► <u>M21</u> 0,1 (*) ◀				► <u>M70</u> — ◀ ► <u>M70</u> — ◀	
		► <u>M21</u> 0,1 (*) ◀				► <u>M70</u> — ◀	
		► <u>M21</u> 0,1 (*) ◀				► <u>M70</u> — ◀	
						► <u>M70</u> — ◀	
						► <u>M70</u> — ◀	
		► <u>M21</u> 0,1 (*) ◀				► <u>M70</u> — ◀	
		► <u>M21</u> 0,1 (*) ◀				► <u>M70</u> — ◀	
	► <u>M64</u> 0,01 (*) ◀		► <u>M70</u> — ◀			► <u>M70</u> — ◀	
► <u>M37</u> 0,02 (*) ◀ ► <u>M37</u> 0,02 (*) ◀ ► <u>M37</u> 2 ◀ ► <u>M37</u> 0,02 (*) ◀ ► <u>M37</u> (**) ◀ ► <u>M37</u> 0,02 (*) ◀	► <u>M32</u> — ◀ ► <u>M32</u> — ◀ ► <u>M32</u> — ◀ ► <u>M32</u> — ◀ ► <u>M64</u> (**) ◀ ► <u>M32</u> — ◀	► <u>M15</u> (**) ◀	► <u>M70</u> 0,002 (*) ◀ ► <u>M70</u> 0,002 (*) ◀ ► <u>M70</u> 0,001 (*) ◀ ► <u>M70</u> 0,002 (*) ◀ ► <u>M70</u> (**) ◀ ► <u>M70</u> 0,002 (*) ◀	(**)	(**)	► <u>M70</u> — ◀ ► <u>M70</u> — ◀ ► <u>M70</u> — ◀ ► <u>M70</u> — ◀ ► <u>M70</u> — ◀ ► <u>M70</u> — ◀	(**)

▼ M2

(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)
						▶ <u>M45</u> — ◀	▶ <u>M61</u> — ◀
						▶ <u>M45</u> — ◀	▶ <u>M61</u> — ◀
						▶ <u>M45</u> — ◀ ▶ <u>M45</u> — ◀	▶ <u>M61</u> — ◀ ▶ <u>M61</u> — ◀
						▶ <u>M45</u> — ◀	▶ <u>M61</u> — ◀
						▶ <u>M45</u> — ◀	▶ <u>M61</u> — ◀
						▶ <u>M45</u> — ◀ ▶ <u>M45</u> — ◀	▶ <u>M61</u> — ◀ ▶ <u>M61</u> — ◀
						▶ <u>M45</u> — ◀	▶ <u>M61</u> — ◀
						▶ <u>M45</u> — ◀	▶ <u>M61</u> — ◀
						▶ <u>M45</u> — ◀	▶ <u>M61</u> 0,05 (*) ◀
				▶ <u>M32</u> 0,01 (*) ◀		▶ <u>M45</u> — ◀	▶ <u>M61</u> — ◀
						▶ <u>M45</u> — ◀ ▶ <u>M45</u> — ◀ ▶ <u>M45</u> — ◀	▶ <u>M61</u> — ◀ ▶ <u>M61</u> — ◀ ▶ <u>M61</u> — ◀
(**)	(**)	(**)	(**)	▶ <u>M32</u> (**) ◀	(**)	▶ <u>M45</u> — ◀ ▶ <u>M45</u> — ◀ ▶ <u>M45</u> — ◀	▶ <u>M61</u> (**) ◀ ▶ <u>M61</u> — ◀ ▶ <u>M61</u> — ◀



▼ M2

(25)	(26)	(27)	(28)	(29)	(30)	(31)
	▶ <u>M68</u> 0,01 (*) ◀					
	▶ <u>M68</u> 3 (+) ◀ ▶ <u>M68</u> 0,6 (+) ◀			▶ <u>M5</u> 0,05 (*) ◀ ▶ <u>M5</u> 1 ◀		
	▶ <u>M68</u> 0,01 (*) ◀			▶ <u>M5</u> 0,05 (*) ◀		
	▶ <u>M68</u> 0,01 (*) ◀					
				▶ <u>M5</u> 0,5 ◀ ▶ <u>M5</u> 0,05 (*) ◀		
				▶ <u>M5</u> 0,05 (*) ◀		
	▶ <u>M68</u> 0,01 (*) ◀			▶ <u>M5</u> 0,05 (*) ◀		
			▶ <u>M50</u> — ◀	▶ <u>M5</u> 0,05 (*) ◀	0,05 (*)	
	▶ <u>M68</u> 0,01 (*) ◀					
(**)	▶ <u>M68</u> — ◀ ▶ <u>M68</u> — ◀ ▶ <u>M68</u> — ◀ ▶ <u>M68</u> — ◀ ▶ <u>M68</u> — ◀ ▶ <u>M68</u> — ◀	(**)	▶ <u>M50</u> 0,01 (*) ◀ ▶ <u>M50</u> 0,05 (*) (+) ◀ ▶ <u>M50</u> 0,05 (*) (+) ◀ ▶ <u>M50</u> 0,01 (*) ◀ ▶ <u>M50</u> 0,01 (*) ◀ ▶ <u>M50</u> 0,05 (*) (+) ◀	▶ <u>M5</u> (**) ◀	(**)	(**)

▼ **M2**

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)
0251070	Red mustard	► <b>M45</b> (**) ◀	(**)	(**)	► <b>M68</b> — ◀	(**)	► <b>M32</b> — ◀
0251080	Leaves and sprouts of Brassica spp.						► <b>M32</b> — ◀
0251990	Others						► <b>M32</b> — ◀
0252000	(b) <i>Spinach</i> & similar (leaves)	► <b>M45</b> 0,01 (*) ◀			► <b>M68</b> 0,01 (*) ◀		► <b>M32</b> — ◀
0252010	Spinach						► <b>M32</b> — ◀
0252020	Purslane	► <b>M45</b> (**) ◀	(**)	(**)	► <b>M68</b> — ◀	(**)	► <b>M32</b> — ◀
0252030	Beet leaves (chard)						► <b>M32</b> — ◀
0252990	Others						► <b>M32</b> — ◀
0253000	(c) <i>Vine leaves</i> (grape leaves)	► <b>M45</b> (**) ◀	(**)	(**)	► <b>M68</b> 0,01 (*) ◀	(**)	► <b>M32</b> — ◀
0254000	(d) <i>Water cress</i>	► <b>M45</b> 0,01 (*) ◀			► <b>M68</b> 0,01 (*) ◀		► <b>M32</b> — ◀
0255000	(e) <i>Witloof</i>	► <b>M45</b> 0,01 (*) ◀			► <b>M68</b> 0,01 (*) ◀		► <b>M32</b> — ◀
0256000	<sup>(L)</sup> <i>Herbs</i>	► <b>M45</b> 0,02 (*) ◀			► <b>M68</b> 0,02 (*) ◀		► <b>M32</b> — ◀
0256010	Chervil						► <b>M32</b> — ◀
0256020	Chives						► <b>M32</b> — ◀
0256030	Celery leaves						► <b>M32</b> — ◀
0256040	Parsley						► <b>M32</b> — ◀
0256050	Sage	► <b>M45</b> (**) ◀	(**)	(**)	► <b>M68</b> — ◀	(**)	► <b>M32</b> — ◀
0256060	Rosemary	► <b>M45</b> (**) ◀	(**)	(**)	► <b>M68</b> — ◀	(**)	► <b>M32</b> — ◀
0256070	Thyme	► <b>M45</b> (**) ◀	(**)	(**)	► <b>M68</b> — ◀	(**)	► <b>M32</b> — ◀
0256080	Basil	► <b>M45</b> (**) ◀	(**)	(**)	► <b>M68</b> — ◀	(**)	► <b>M32</b> — ◀

▼ M2

(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
▶ <u>M37</u> (**) ◀ ▶ <u>M37</u> 0,02 (*) ◀	▶ <u>M64</u> (**) ◀ ▶ <u>M32</u> — ◀	▶ <u>M15</u> (**) ◀	▶ <u>M70</u> (**) ◀ ▶ <u>M70</u> 0,002 (*) ◀	(**)	(**)	▶ <u>M70</u> — ◀ ▶ <u>M70</u> — ◀	(**)
▶ <u>M37</u> 0,02 (*) ◀	▶ <u>M32</u> — ◀		▶ <u>M70</u> 0,002 (*) ◀			▶ <u>M70</u> — ◀	
▶ <u>M37</u> 0,02 (*) ◀	▶ <u>M64</u> 0,01 (*) ◀		▶ <u>M70</u> 0,005 (*) ◀			▶ <u>M70</u> — ◀	
▶ <u>M30</u> — ◀ ▶ <u>M37</u> (**) ◀ ▶ <u>M30</u> — ◀	▶ <u>M32</u> — ◀ ▶ <u>M64</u> (**) ◀ ▶ <u>M32</u> — ◀	▶ <u>M15</u> (**) ◀	▶ <u>M70</u> (**) ◀	(**)	(**)	▶ <u>M70</u> — ◀ ▶ <u>M70</u> — ◀ ▶ <u>M70</u> — ◀	(**)
▶ <u>M30</u> — ◀	▶ <u>M32</u> — ◀					▶ <u>M70</u> — ◀	
▶ <u>M37</u> (**) ◀	▶ <u>M64</u> (**) ◀	▶ <u>M15</u> (**) ◀	▶ <u>M70</u> (**) ◀	(**)	(**)	▶ <u>M70</u> — ◀	(**)
▶ <u>M37</u> 0,02 (*) ◀	▶ <u>M64</u> 0,01 (*) ◀		▶ <u>M70</u> 0,01 (*) ◀			▶ <u>M70</u> — ◀	
▶ <u>M37</u> 0,02 (*) ◀	▶ <u>M64</u> 0,01 (*) ◀		▶ <u>M70</u> 0,002 (*) ◀			▶ <u>M70</u> — ◀	
▶ <u>M37</u> 0,02 (*) ◀	▶ <u>M64</u> 0,02 (*) ◀		▶ <u>M70</u> 0,02 (*) ◀			▶ <u>M70</u> — ◀	
▶ <u>M30</u> — ◀ ▶ <u>M30</u> — ◀ ▶ <u>M30</u> — ◀ ▶ <u>M30</u> — ◀	▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀					▶ <u>M70</u> — ◀ ▶ <u>M70</u> — ◀ ▶ <u>M70</u> — ◀ ▶ <u>M70</u> — ◀	
▶ <u>M37</u> (**) ◀	▶ <u>M64</u> (**) ◀	▶ <u>M15</u> (**) ◀	▶ <u>M70</u> (**) ◀	(**)	(**)	▶ <u>M70</u> — ◀	(**)
▶ <u>M37</u> (**) ◀	▶ <u>M64</u> (**) ◀	▶ <u>M15</u> (**) ◀	▶ <u>M70</u> (**) ◀	(**)	(**)	▶ <u>M70</u> — ◀	(**)
▶ <u>M37</u> (**) ◀	▶ <u>M64</u> (**) ◀	▶ <u>M15</u> (**) ◀	▶ <u>M70</u> (**) ◀	(**)	(**)	▶ <u>M70</u> — ◀	(**)
▶ <u>M37</u> (**) ◀	▶ <u>M64</u> (**) ◀	▶ <u>M15</u> (**) ◀	▶ <u>M70</u> (**) ◀	(**)	(**)	▶ <u>M70</u> — ◀	(**)

▼ M2

(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)
(**)	(**)	(**)	(**)	▶ <u>M32</u> (**) ◀	(**)	▶ <u>M45</u> — ◀ ▶ <u>M45</u> — ◀	▶ <u>M61</u> (**) ▶ <u>M61</u> — ◀
						▶ <u>M45</u> — ◀	▶ <u>M61</u> — ◀
				▶ <u>M32</u> 0,01 (*) ◀		▶ <u>M45</u> — ◀	▶ <u>M61</u> — ◀
(**)	(**)	(**)	(**)	▶ <u>M32</u> (**) ◀	(**)	▶ <u>M45</u> — ◀ ▶ <u>M45</u> — ◀ ▶ <u>M45</u> — ◀	▶ <u>M61</u> — ◀ ▶ <u>M61</u> (**) ▶ <u>M61</u> — ◀
						▶ <u>M45</u> — ◀	▶ <u>M61</u> — ◀
(**)	(**)	(**)	(**)	▶ <u>M32</u> (**) ◀	(**)	▶ <u>M45</u> — ◀	▶ <u>M61</u> (**) ◀
				▶ <u>M32</u> 0,01 (*) ◀		▶ <u>M45</u> — ◀	▶ <u>M61</u> — ◀
				▶ <u>M32</u> 0,01 (*) ◀		▶ <u>M45</u> — ◀	▶ <u>M61</u> — ◀
				▶ <u>M32</u> 0,02 (*) ◀		▶ <u>M45</u> — ◀	▶ <u>M61</u> — ◀
(**)	(**)	(**)	(**)	▶ <u>M32</u> (**) ◀	(**)	▶ <u>M45</u> — ◀ ▶ <u>M45</u> — ◀ ▶ <u>M45</u> — ◀ ▶ <u>M45</u> — ◀ ▶ <u>M45</u> — ◀	▶ <u>M61</u> — ◀ ▶ <u>M61</u> — ◀ ▶ <u>M61</u> — ◀ ▶ <u>M61</u> — ◀ ▶ <u>M61</u> (**) ◀
(**)	(**)	(**)	(**)	▶ <u>M32</u> (**) ◀	(**)	▶ <u>M45</u> — ◀	▶ <u>M61</u> (**) ◀
(**)	(**)	(**)	(**)	▶ <u>M32</u> (**) ◀	(**)	▶ <u>M45</u> — ◀	▶ <u>M61</u> (**) ◀
(**)	(**)	(**)	(**)	▶ <u>M32</u> (**) ◀	(**)	▶ <u>M45</u> — ◀	▶ <u>M61</u> (**) ◀

▼ M2

(25)	(26)	(27)	(28)	(29)	(30)	(31)
(**)	▶ <u>M68</u> — ◀ ▶ <u>M68</u> — ◀	(**)	▶ <u>M50</u> 0,01 (*) ◀ ▶ <u>M50</u> 0,01 (*) ◀	▶ <u>M5</u> (**) ◀	(**)	(**)
	▶ <u>M68</u> — ◀		▶ <u>M50</u> 0,01 (*) ◀			
	▶ <u>M68</u> 0,01 (*) ◀					
(**)	▶ <u>M68</u> — ◀ ▶ <u>M68</u> — ◀ ▶ <u>M68</u> — ◀	(**)	▶ <u>M50</u> 0,05 (*) (+) ◀ ▶ <u>M50</u> 0,01 (*) ◀ ▶ <u>M50</u> 0,01 (*) ◀	▶ <u>M5</u> (**) ◀	(**)	(**)
	▶ <u>M68</u> — ◀		▶ <u>M50</u> 0,01 (*) ◀			
(**)	▶ <u>M68</u> 0,01 (*) ◀	(**)	▶ <u>M50</u> 0,01 (*) ◀	▶ <u>M5</u> (**) ◀	(**)	(**)
	▶ <u>M68</u> 0,01 (*) ◀		▶ <u>M50</u> 0,01 (*) ◀			
	▶ <u>M68</u> 0,01 (*) ◀		▶ <u>M50</u> 0,05 (*) (+) ◀			
	▶ <u>M68</u> — ◀		▶ <u>M50</u> 0,02 (*) ◀			
(**)	▶ <u>M68</u> 0,02 (*) ◀ ▶ <u>M68</u> 0,02 (*) ◀ ▶ <u>M68</u> 5 (+) ◀ ▶ <u>M68</u> 5 (+) ◀	(**)	▶ <u>M50</u> — ◀	▶ <u>M5</u> (**) ◀	(**)	(**)
(**)	▶ <u>M68</u> 0,02 (*) ◀	(**)	▶ <u>M50</u> — ◀	▶ <u>M5</u> (**) ◀	(**)	(**)
(**)	▶ <u>M68</u> 0,02 (*) ◀	(**)	▶ <u>M50</u> — ◀	▶ <u>M5</u> (**) ◀	(**)	(**)
(**)	▶ <u>M68</u> 0,02 (*) ◀	(**)	▶ <u>M50</u> — ◀	▶ <u>M5</u> (**) ◀	(**)	(**)

▼ **M2**

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)
0256090	Bay leaves (laurel)	► <b>M45</b> (**) ◀	(**)	(**)	► <b>M68</b> — ◀	(**)	► <b>M32</b> — ◀
0256100	Tarragon	► <b>M45</b> (**) ◀	(**)	(**)	► <b>M68</b> — ◀	(**)	► <b>M32</b> — ◀
0256990	Others						► <b>M32</b> — ◀
0260000	(vi) <b>Legume vegetables (fresh)</b>	► <b>M45</b> 0,01 (*) ◀		► <b>M16</b> 0,01 (*) ◀	► <b>M68</b> 0,01 (*) ◀		► <b>M32</b> — ◀
0260010	Beans (with pods)			1 <sup>(3)</sup>			► <b>M32</b> — ◀
0260020	Beans (without pods)			0,05 (*)			► <b>M32</b> — ◀
0260030	Peas (with pods)			0,05 (*)			► <b>M32</b> — ◀
0260040	Peas (without pods)			0,05 (*)			► <b>M32</b> — ◀
0260050	Lentils			0,05 (*)			► <b>M32</b> — ◀
0260990	Others			0,05 (*)			► <b>M32</b> — ◀
0270000	(vii) <b>Stem vegetables (fresh)</b>	► <b>M45</b> 0,01 (*) ◀		► <b>M16</b> 0,01 (*) ◀	► <b>M68</b> 0,01 (*) ◀		► <b>M32</b> — ◀
0270010	Asparagus						► <b>M32</b> — ◀
0270020	Cardoons						► <b>M32</b> — ◀
0270030	Celery						► <b>M32</b> — ◀
0270040	Fennel						► <b>M32</b> — ◀
0270050	Globe artichokes						► <b>M32</b> — ◀
0270060	Leek						► <b>M32</b> — ◀
0270070	Rhubarb						► <b>M32</b> — ◀
0270080	Bamboo shoots	► <b>M45</b> (**) ◀	(**)	(**)	► <b>M68</b> — ◀	(**)	► <b>M32</b> — ◀
0270090	Palm hearts	► <b>M45</b> (**) ◀	(**)	(**)	► <b>M68</b> — ◀	(**)	► <b>M32</b> — ◀
0270990	Others						► <b>M32</b> — ◀

▼ M2

(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
▶ <u>M37</u> (**) ◀	▶ <u>M64</u> (**) ◀	▶ <u>M15</u> (**) ◀	▶ <u>M70</u> (**) ◀	(**)	(**)	▶ <u>M70</u> — ◀	(**)
▶ <u>M37</u> (**) ◀	▶ <u>M64</u> (**) ◀	▶ <u>M15</u> (**) ◀	▶ <u>M70</u> (**) ◀	(**)	(**)	▶ <u>M70</u> — ◀	(**)
▶ <u>M30</u> — ◀	▶ <u>M32</u> — ◀					▶ <u>M70</u> — ◀	
	▶ <u>M64</u> 0,01 (*) ◀		▶ <u>M70</u> 0,01 (*) ◀			▶ <u>M70</u> — ◀	
▶ <u>M37</u> 2 ◀	▶ <u>M32</u> — ◀	▶ <u>M21</u> 0,2 ◀				▶ <u>M70</u> — ◀	
▶ <u>M37</u> 2 ◀	▶ <u>M32</u> — ◀	▶ <u>M21</u> 0,1 (*) ◀				▶ <u>M70</u> — ◀	
▶ <u>M37</u> 0,02 (*) ◀	▶ <u>M32</u> — ◀	▶ <u>M21</u> 0,2 ◀				▶ <u>M70</u> — ◀	
▶ <u>M37</u> 0,02 (*) ◀	▶ <u>M32</u> — ◀	▶ <u>M21</u> 0,1 (*) ◀				▶ <u>M70</u> — ◀	
▶ <u>M37</u> 0,02 (*) ◀	▶ <u>M32</u> — ◀	▶ <u>M21</u> 0,1 (*) ◀				▶ <u>M70</u> — ◀	
▶ <u>M37</u> 0,02 (*) ◀	▶ <u>M32</u> — ◀	▶ <u>M21</u> 0,1 (*) ◀				▶ <u>M70</u> — ◀	
	▶ <u>M64</u> 0,01 (*) ◀	▶ <u>M21</u> 0,1 (*) ◀	▶ <u>M70</u> 0,002 (*) ◀			▶ <u>M70</u> — ◀	
▶ <u>M37</u> 0,02 (*) ◀	▶ <u>M32</u> — ◀					▶ <u>M70</u> — ◀	
▶ <u>M37</u> 0,02 (*) ◀	▶ <u>M32</u> — ◀					▶ <u>M70</u> — ◀	
▶ <u>M37</u> 0,02 (*) ◀	▶ <u>M32</u> — ◀					▶ <u>M70</u> — ◀	
▶ <u>M37</u> 0,02 (*) ◀	▶ <u>M32</u> — ◀					▶ <u>M70</u> — ◀	
▶ <u>M37</u> 0,02 (*) ◀	▶ <u>M32</u> — ◀					▶ <u>M70</u> — ◀	
▶ <u>M37</u> 2 ◀	▶ <u>M32</u> — ◀					▶ <u>M70</u> — ◀	
▶ <u>M37</u> 0,02 (*) ◀	▶ <u>M32</u> — ◀					▶ <u>M70</u> — ◀	
▶ <u>M37</u> (**) ◀	▶ <u>M64</u> (**) ◀	▶ <u>M15</u> (**) ◀	▶ <u>M70</u> (**) ◀	(**)	(**)	▶ <u>M70</u> — ◀	(**)
▶ <u>M37</u> (**) ◀	▶ <u>M64</u> (**) ◀	▶ <u>M15</u> (**) ◀	▶ <u>M70</u> (**) ◀	(**)	(**)	▶ <u>M70</u> — ◀	(**)
▶ <u>M37</u> 0,02 (*) ◀	▶ <u>M32</u> — ◀					▶ <u>M70</u> — ◀	

▼ M2

(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)
(**)	(**)	(**)	(**)	▶ <u>M32</u> (**) ◀	(**)	▶ <u>M45</u> — ◀	▶ <u>M61</u> (**) ◀
(**)	(**)	(**)	(**)	▶ <u>M32</u> (**) ◀	(**)	▶ <u>M45</u> — ◀	▶ <u>M61</u> (**) ◀
						▶ <u>M45</u> — ◀	▶ <u>M61</u> — ◀
				▶ <u>M32</u> 0,01 (*) ◀		▶ <u>M45</u> — ◀	▶ <u>M61</u> 0,05 (*) ◀
						▶ <u>M45</u> — ◀	▶ <u>M61</u> — ◀
						▶ <u>M45</u> — ◀	▶ <u>M61</u> — ◀
						▶ <u>M45</u> — ◀	▶ <u>M61</u> — ◀
						▶ <u>M45</u> — ◀	▶ <u>M61</u> — ◀
				▶ <u>M32</u> 0,01 (*) ◀		▶ <u>M45</u> — ◀	▶ <u>M61</u> 0,05 (*) ◀
						▶ <u>M45</u> — ◀	▶ <u>M61</u> — ◀
						▶ <u>M45</u> — ◀	▶ <u>M61</u> — ◀
						▶ <u>M45</u> — ◀	▶ <u>M61</u> — ◀
						▶ <u>M45</u> — ◀	▶ <u>M61</u> — ◀
						▶ <u>M45</u> — ◀	▶ <u>M61</u> — ◀
						▶ <u>M45</u> — ◀	▶ <u>M61</u> — ◀
(**)	(**)	(**)	(**)	▶ <u>M32</u> (**) ◀	(**)	▶ <u>M45</u> — ◀	▶ <u>M61</u> (**) ◀
(**)	(**)	(**)	(**)	▶ <u>M32</u> (**) ◀	(**)	▶ <u>M45</u> — ◀	▶ <u>M61</u> (**) ◀
						▶ <u>M45</u> — ◀	▶ <u>M61</u> — ◀



▼ M2

(25)	(26)	(27)	(28)	(29)	(30)	(31)
(**)	▶ <u>M68</u> 0,02 (*) ◀	(**)	▶ <u>M50</u> — ◀	▶ <u>M5</u> (**) ◀	(**)	(**)
(**)	▶ <u>M68</u> 0,02 (*) ◀	(**)	▶ <u>M50</u> — ◀	▶ <u>M5</u> (**) ◀	(**)	(**)
	▶ <u>M68</u> 0,02 (*) ◀					
			▶ <u>M50</u> 0,01 (*) ◀	▶ <u>M5</u> 0,05 (*) ◀	0,05 (*)	
	▶ <u>M68</u> 5 (+) ◀ ▶ <u>M68</u> 3 (+) ◀  ▶ <u>M68</u> 5 (+) ◀ ▶ <u>M68</u> 1 (+) ◀ ▶ <u>M68</u> 0,6 (+) ◀					
	▶ <u>M68</u> 0,01 (*) (+) ◀					
			▶ <u>M50</u> — ◀		0,05 (*)	
	▶ <u>M68</u> 0,01 (*) (+) ◀ ▶ <u>M68</u> 0,01 (*) ◀ ▶ <u>M68</u> 10 (+) ◀ ▶ <u>M68</u> 0,01 (*) ◀ ▶ <u>M68</u> 0,01 (*) ◀ ▶ <u>M68</u> 8 (+) ◀ ▶ <u>M68</u> 0,01 (*) ◀		▶ <u>M50</u> 0,01 (*) ◀ ▶ <u>M50</u> 0,01 (*) (+) ◀ ▶ <u>M50</u> 0,05 (*) (+) ◀ ▶ <u>M50</u> 0,05 (*) (+) ◀ ▶ <u>M50</u> 0,01 (*) ◀ ▶ <u>M50</u> 0,01 (*) ◀ ▶ <u>M50</u> 0,01 (*) ◀	▶ <u>M5</u> 0,05 (*) ◀ ▶ <u>M5</u> 0,05 (*) ◀ ▶ <u>M5</u> 0,05 (*) ◀ ▶ <u>M5</u> 0,05 (*) ◀ ▶ <u>M5</u> 1 ◀ ▶ <u>M5</u> 0,5 ◀ ▶ <u>M5</u> 0,05 (*) ◀		
(**)	▶ <u>M68</u> 0,01 (*) ◀	(**)	▶ <u>M50</u> 0,01 (*) ◀	▶ <u>M5</u> (**) ◀	(**)	(**)
(**)	▶ <u>M68</u> 0,01 (*) ◀	(**)	▶ <u>M50</u> 0,01 (*) ◀	▶ <u>M5</u> (**) ◀	(**)	(**)
	▶ <u>M68</u> 0,01 (*) ◀		▶ <u>M50</u> 0,01 (*) ◀	▶ <u>M5</u> 0,05 (*) ◀		

▼ **M2**

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)
0280000	(viii) <b>Fungi</b>	▶ <b>M45</b> 0,01 (*) ◀		▶ <b>M16</b> 0,01 (*) ◀	▶ <b>M68</b> 0,01 (*) ◀		▶ <b>M32</b> — ◀
0280010	Cultivated						▶ <b>M32</b> — ◀
0280020	Wild						▶ <b>M32</b> — ◀
0280990	Others						▶ <b>M32</b> — ◀
0290000	(ix) <b>Sea weeds</b>	▶ <b>M45</b> (**) ◀	(**)	(**)	▶ <b>M68</b> 0,01 (*) ◀	(**)	▶ <b>M32</b> — ◀
0300000	<b>3. PULSES, DRY</b>	▶ <b>M45</b> 0,01 (*) ◀	0,05 (*)	▶ <b>M16</b> 0,01 (*) ◀	▶ <b>M68</b> 0,01 (*) ◀	0,1 (*)	▶ <b>M32</b> — ◀
0300010	Beans						▶ <b>M32</b> — ◀
0300020	Lentils						▶ <b>M32</b> — ◀
0300030	Peas						▶ <b>M32</b> — ◀
0300040	Lupins						▶ <b>M32</b> — ◀
0300990	Others						▶ <b>M32</b> — ◀
0400000	<b>4. OILSEEDS AND OILFRUITS</b>	▶ <b>M45</b> 0,02 (*) ◀	0,05 (*)		▶ <b>M68</b> 0,01 (*) ◀	0,1 (*)	▶ <b>M32</b> — ◀
0401000	(i) <b>Oilseeds</b>	▶ <b>M45</b> — ◀		▶ <b>M16</b> 0,02 (*) ◀	▶ <b>M68</b> — ◀		▶ <b>M32</b> — ◀
0401010	Linseed						▶ <b>M32</b> — ◀
0401020	Peanuts						▶ <b>M32</b> — ◀
0401030	Poppy seed						▶ <b>M32</b> — ◀
0401040	Sesame seed						▶ <b>M32</b> — ◀
0401050	Sunflower seed						▶ <b>M32</b> — ◀
0401060	Rape seed						▶ <b>M32</b> — ◀
0401070	Soya bean						▶ <b>M32</b> — ◀

▼ M2

(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
▶ <u>M37</u> 0,02 (*) ◀	▶ <u>M64</u> 0,01 (*) ◀	▶ <u>M5</u> — ◀	▶ <u>M70</u> 0,01 (*) ◀			▶ <u>M70</u> — ◀	
		▶ <u>M21</u> 1 ◀				▶ <u>M70</u> — ◀	
		▶ <u>M21</u> 0,1 (*) ◀				▶ <u>M70</u> — ◀	
		▶ <u>M21</u> 0,1 (*) ◀				▶ <u>M70</u> — ◀	
▶ <u>M37</u> (**) ◀	▶ <u>M64</u> (**) ◀	▶ <u>M15</u> (**) ◀	▶ <u>M70</u> (**) ◀	(**)	(**)	▶ <u>M70</u> — ◀	(**)
▶ <u>M37</u> 0,02 (*) ◀	▶ <u>M64</u> 0,05 (*) ◀	▶ <u>M21</u> 0,1 (*) ◀	▶ <u>M70</u> 0,005 (*) ◀			▶ <u>M70</u> — ◀	0,01 (*)
						▶ <u>M70</u> — ◀	
						▶ <u>M70</u> — ◀	
						▶ <u>M70</u> — ◀	
▶ <u>M37</u> 0,02 (*) ◀	▶ <u>M32</u> — ◀					▶ <u>M70</u> — ◀	
	▶ <u>M64</u> 0,05 (*) ◀		▶ <u>M32</u> — ◀			▶ <u>M70</u> — ◀	0,02 (*)
		▶ <u>M21</u> 0,1 (*) ◀	▶ <u>M70</u> 0,02 (*) ◀			▶ <u>M70</u> — ◀	
		▶ <u>M21</u> 0,1 (*) ◀	▶ <u>M70</u> 0,02 (*) ◀			▶ <u>M70</u> — ◀	
		▶ <u>M21</u> 0,1 (*) ◀	▶ <u>M70</u> 0,02 (*) ◀			▶ <u>M70</u> — ◀	
		▶ <u>M21</u> 0,1 (*) ◀	▶ <u>M70</u> 0,02 (*) ◀			▶ <u>M70</u> — ◀	
		▶ <u>M21</u> 0,1 (*) ◀	▶ <u>M70</u> 0,02 (*) ◀			▶ <u>M70</u> — ◀	
		▶ <u>M21</u> 0,1 (*) ◀	▶ <u>M70</u> 0,02 (*) ◀			▶ <u>M70</u> — ◀	
		▶ <u>M21</u> 0,2 ◀	▶ <u>M70</u> 0,02 (*) ◀			▶ <u>M70</u> — ◀	

▼ M2

(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)
				▶ <u>M32</u> 0,01 (*) ◀		▶ <u>M45</u> — ◀	
						▶ <u>M45</u> — ◀	▶ <u>M61</u> 10 ◀
						▶ <u>M45</u> — ◀	▶ <u>M61</u> 0,05 (*) ◀
						▶ <u>M45</u> — ◀	▶ <u>M61</u> 0,05 (*) ◀
(**)	(**)	(**)	(**)	▶ <u>M32</u> (**) ◀	(**)	▶ <u>M45</u> — ◀	▶ <u>M61</u> (**) ◀
	0,01 (*)	0,05 (*)	0,01 (*)	▶ <u>M32</u> 0,01 (*) ◀	0,01 (*)	▶ <u>M45</u> — ◀	▶ <u>M61</u> 0,05 (*) ◀
						▶ <u>M45</u> — ◀	▶ <u>M61</u> — ◀
						▶ <u>M45</u> — ◀	▶ <u>M61</u> — ◀
						▶ <u>M45</u> — ◀	▶ <u>M61</u> — ◀
						▶ <u>M45</u> — ◀	▶ <u>M61</u> — ◀
	0,01 (*)	0,05 (*)	0,02 (*)	▶ <u>M32</u> 0,02 (*) ◀	0,01 (*)	▶ <u>M45</u> — ◀	▶ <u>M7</u> ▶ <u>C5</u> — ◀ ◀
						▶ <u>M45</u> — ◀	
						▶ <u>M45</u> — ◀	▶ <u>M61</u> 7 ◀
						▶ <u>M45</u> — ◀	▶ <u>M61</u> 0,1 (*) ◀
						▶ <u>M45</u> — ◀	▶ <u>M61</u> 0,1 (*) ◀
						▶ <u>M45</u> — ◀	▶ <u>M61</u> 0,1 (*) ◀
						▶ <u>M45</u> — ◀	▶ <u>M61</u> 0,1 (*) ◀
						▶ <u>M45</u> — ◀	▶ <u>M61</u> 7 ◀
						▶ <u>M45</u> — ◀	▶ <u>M61</u> 0,1 (*) ◀

▼ M2

(25)	(26)	(27)	(28)	(29)	(30)	(31)
			▶ <u>M50</u> 0,01 (*) ◀	▶ <u>M5</u> 0,05 (*) ◀	0,05 (*)	
	▶ <u>M68</u> 0,5 (+) ◀ ▶ <u>M68</u> 0,01 (*) ◀					
	▶ <u>M68</u> 0,01 (*) ◀					
(**)	▶ <u>M68</u> 0,01 (*) ◀	(**)	▶ <u>M50</u> 0,01 (*) ◀	▶ <u>M5</u> (**) ◀	(**)	(**)
0,02 (*)	▶ <u>M68</u> (+) ◀	0,05 (*)	▶ <u>M50</u> 0,01 (*) ◀	▶ <u>M5</u> 0,05 (*) ◀	0,05 (*)	0,05 (*)
	▶ <u>M68</u> 3 ◀ ▶ <u>M68</u> 0,2 ◀ ▶ <u>M68</u> 1 ◀ ▶ <u>M68</u> 0,2 ◀					
	▶ <u>M68</u> 0,01 (*) ◀					
0,02 (*)		0,05 (*)	▶ <u>M50</u> 0,01 (*) ◀	▶ <u>M5</u> 0,05 (*) ◀	0,05 (*)	0,05 (*)
			▶ <u>M50</u> — ◀			
	▶ <u>M68</u> 0,01 (*) ◀ ▶ <u>M68</u> 0,1 (+) ◀ ▶ <u>M68</u> 0,01 (*) ◀ ▶ <u>M68</u> 0,01 (*) ◀ ▶ <u>M68</u> 0,01 (*) ◀ ▶ <u>M68</u> 0,01 (*) ◀ ▶ <u>M68</u> 0,01 (*) ◀					

▼ **M2**

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)
0401080	Mustard seed						► <u>M32</u> — ◀
0401090	Cotton seed						► <u>M32</u> — ◀
0401100	Pumpkin seeds						► <u>M32</u> — ◀
0401110	Safflower	► <u>M45</u> (**) ◀	(**)	(**)	► <u>M68</u> — ◀	(**)	► <u>M32</u> — ◀
0401120	Borage	► <u>M45</u> (**) ◀	(**)	(**)	► <u>M68</u> — ◀	(**)	► <u>M32</u> — ◀
0401130	Gold of pleasure	► <u>M45</u> (**) ◀	(**)	(**)	► <u>M68</u> — ◀	(**)	► <u>M32</u> — ◀
0401140	Hempseed						► <u>M32</u> — ◀
0401150	Castor bean	► <u>M45</u> (**) ◀	(**)	(**)	► <u>M68</u> — ◀	(**)	► <u>M32</u> — ◀
0401990	Others						► <u>M32</u> — ◀
0402000	(ii) <b>Oilfruits</b>						► <u>M32</u> — ◀
0402010	Olives for oil production	► <u>M45</u> — ◀		► <u>M16</u> 0,01 (*) ◀	► <u>M68</u> — ◀		► <u>M32</u> — ◀
0402020	Palm nuts (palmoil kernels)	► <u>M45</u> (**) ◀	(**)	(**)	► <u>M68</u> — ◀	(**)	► <u>M32</u> — ◀
0402030	Palmfruit	► <u>M45</u> (**) ◀	(**)	(**)	► <u>M68</u> — ◀	(**)	► <u>M32</u> — ◀
0402040	Kapok	► <u>M45</u> (**) ◀	(**)	(**)	► <u>M68</u> — ◀	(**)	► <u>M32</u> — ◀
0402990	Others	► <u>M45</u> — ◀		► <u>M16</u> 0,02 (*) ◀	► <u>M68</u> — ◀		► <u>M32</u> — ◀
0500000	5. <b>CEREALS</b>	► <u>M45</u> 0,05 ◀	0,05 (*)	► <u>M16</u> 0,01 (*) ◀		0,1 (*)	► <u>M32</u> — ◀
0500010	Barley				► <u>M68</u> 0,05 ◀		► <u>M32</u> — ◀
0500020	Buckwheat				► <u>M68</u> 0,01 (*) ◀		► <u>M32</u> — ◀
0500030	Maize				► <u>M68</u> 0,1 ◀		► <u>M32</u> — ◀
0500040	Millet				► <u>M68</u> 0,1 ◀		► <u>M32</u> — ◀
0500050	Oats				► <u>M68</u> 0,05 ◀		► <u>M32</u> — ◀
0500060	Rice				► <u>M68</u> 0,01 (*) ◀		► <u>M32</u> — ◀
0500070	Rye				► <u>M68</u> 0,05 ◀		► <u>M32</u> — ◀

▼ M2

(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
		▶ <u>M21</u> 0,1 (*) ◀	▶ <u>M70</u> 0,02 (*) ◀			▶ <u>M70</u> — ◀	
		▶ <u>M21</u> 0,1 (*) ◀	▶ <u>M70</u> 0,1 ◀			▶ <u>M70</u> — ◀	
		▶ <u>M21</u> 0,1 (*) ◀	▶ <u>M70</u> 0,02 (*) ◀			▶ <u>M70</u> — ◀	
▶ <u>M37</u> (**) ◀	▶ <u>M64</u> (**) ◀	▶ <u>M15</u> (**) ◀	▶ <u>M70</u> (**) ◀	(**)	(**)	▶ <u>M70</u> — ◀	(**)
▶ <u>M37</u> (**) ◀	▶ <u>M64</u> (**) ◀	▶ <u>M15</u> (**) ◀	▶ <u>M70</u> (**) ◀	(**)	(**)	▶ <u>M70</u> — ◀	(**)
▶ <u>M37</u> (**) ◀	▶ <u>M64</u> (**) ◀	▶ <u>M15</u> (**) ◀	▶ <u>M70</u> (**) ◀	(**)	(**)	▶ <u>M70</u> — ◀	(**)
		▶ <u>M21</u> 0,1 (*) ◀	▶ <u>M70</u> 0,02 (*) ◀			▶ <u>M70</u> — ◀	
▶ <u>M37</u> (**) ◀	▶ <u>M64</u> (**) ◀	▶ <u>M15</u> (**) ◀	▶ <u>M70</u> (**) ◀	(**)	(**)	▶ <u>M70</u> — ◀	(**)
		▶ <u>M21</u> 0,1 (*) ◀	▶ <u>M70</u> 0,02 (*) ◀			▶ <u>M70</u> — ◀	
	▶ <u>M64</u> 0,02 (*) ◀	▶ <u>M21</u> 0,1 (*) ◀	▶ <u>M70</u> 0,02 (*) ◀			▶ <u>M70</u> — ◀	
			▶ <u>M32</u> — ◀			▶ <u>M70</u> — ◀	0,01 (*)
▶ <u>M37</u> (**) ◀	▶ <u>M64</u> (**) ◀	▶ <u>M15</u> (**) ◀	▶ <u>M70</u> (**) ◀	(**)	(**)	▶ <u>M70</u> — ◀	(**)
▶ <u>M37</u> (**) ◀	▶ <u>M64</u> (**) ◀	▶ <u>M15</u> (**) ◀	▶ <u>M70</u> (**) ◀	(**)	(**)	▶ <u>M70</u> — ◀	(**)
▶ <u>M37</u> (**) ◀	▶ <u>M64</u> (**) ◀	▶ <u>M15</u> (**) ◀	▶ <u>M70</u> (**) ◀	(**)	(**)	▶ <u>M70</u> — ◀	(**)
			▶ <u>M32</u> — ◀			▶ <u>M70</u> — ◀	0,02 (*)
▶ <u>M37</u> 0,02 (*) ◀			▶ <u>M70</u> 0,01 (*) ◀		0,1	▶ <u>M70</u> — ◀	0,05 (*)
	▶ <u>M64</u> 0,5 ◀	▶ <u>M21</u> 2 ◀				▶ <u>M70</u> — ◀	
	▶ <u>M64</u> 0,5 ◀	▶ <u>M21</u> 0,01 (*) ◀				▶ <u>M70</u> — ◀	
	▶ <u>M64</u> 0,5 ◀	▶ <u>M21</u> 0,01 (*) ◀				▶ <u>M70</u> — ◀	
	▶ <u>M64</u> 0,5 ◀	▶ <u>M21</u> 0,01 (*) ◀				▶ <u>M70</u> — ◀	
	▶ <u>M64</u> 0,5 ◀	▶ <u>M21</u> 2 ◀				▶ <u>M70</u> — ◀	
	▶ <u>M64</u> 0,01 (*) ◀	▶ <u>M21</u> 0,01 (*) ◀				▶ <u>M70</u> — ◀	
	▶ <u>M64</u> 0,5 ◀	▶ <u>M21</u> 0,1 ◀				▶ <u>M70</u> — ◀	

▼ M2

(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)
						▶ <u>M45</u> — ◀	▶ <u>M61</u> 0,1 (*) ◀
						▶ <u>M45</u> — ◀	▶ <u>M61</u> 0,1 (*) ◀
						▶ <u>M45</u> — ◀	▶ <u>M61</u> 0,1 (*) ◀
(**)	(**)	(**)	(**)	▶ <u>M32</u> (**) ◀	(**)	▶ <u>M45</u> — ◀	▶ <u>M61</u> (**) ◀
(**)	(**)	(**)	(**)	▶ <u>M32</u> (**) ◀	(**)	▶ <u>M45</u> — ◀	▶ <u>M61</u> (**) ◀
(**)	(**)	(**)	(**)	▶ <u>M32</u> (**) ◀	(**)	▶ <u>M45</u> — ◀	▶ <u>M61</u> (**) ◀
						▶ <u>M45</u> — ◀	▶ <u>M61</u> 0,1 (*) ◀
(**)	(**)	(**)	(**)	▶ <u>M32</u> (**) ◀	(**)	▶ <u>M45</u> — ◀	▶ <u>M61</u> (**) ◀
						▶ <u>M45</u> — ◀	▶ <u>M61</u> 0,1 (*) ◀
						▶ <u>M45</u> — ◀	▶ <u>M61</u> 0,1 (*) ◀
(**)	(**)	(**)	(**)	▶ <u>M32</u> (**) ◀	(**)	▶ <u>M45</u> — ◀	▶ <u>M61</u> (**) ◀
(**)	(**)	(**)	(**)	▶ <u>M32</u> (**) ◀	(**)	▶ <u>M45</u> — ◀	▶ <u>M61</u> (**) ◀
(**)	(**)	(**)	(**)	▶ <u>M32</u> (**) ◀	(**)	▶ <u>M45</u> — ◀	▶ <u>M61</u> (**) ◀
						▶ <u>M45</u> — ◀	▶ <u>M61</u> — ◀
	0,01 (*)	0,05 (*)		▶ <u>M32</u> 0,02 (*) ◀	0,01 (*)	▶ <u>M45</u> — ◀	
						▶ <u>M45</u> — ◀	▶ <u>M61</u> 2 ◀
						▶ <u>M45</u> — ◀	▶ <u>M61</u> 0,05 (*) ◀
						▶ <u>M45</u> — ◀	▶ <u>M61</u> 0,05 (*) ◀
						▶ <u>M45</u> — ◀	▶ <u>M61</u> 0,05 (*) ◀
						▶ <u>M45</u> — ◀	▶ <u>M61</u> 9 ◀
						▶ <u>M45</u> — ◀	▶ <u>M61</u> 0,05 (*) ◀
						▶ <u>M45</u> — ◀	▶ <u>M61</u> 3 ◀



▼ M2

(25)	(26)	(27)	(28)	(29)	(30)	(31)
	▶ <u>M68</u> 0,01 (*) ◀					
	▶ <u>M68</u> 0,01 (*) ◀					
	▶ <u>M68</u> 0,01 (*) ◀					
(**)	▶ <u>M68</u> 0,01 (*) ◀	(**)	▶ <u>M50</u> — ◀	▶ <u>M5</u> (**) ◀	(**)	(**)
(**)	▶ <u>M68</u> 0,01 (*) ◀	(**)	▶ <u>M50</u> — ◀	▶ <u>M5</u> (**) ◀	(**)	(**)
(**)	▶ <u>M68</u> 0,01 (*) ◀	(**)	▶ <u>M50</u> — ◀	▶ <u>M5</u> (**) ◀	(**)	(**)
	▶ <u>M68</u> 0,01 (*) ◀					
(**)	▶ <u>M68</u> 0,01 (*) ◀	(**)	▶ <u>M50</u> — ◀	▶ <u>M5</u> (**) ◀	(**)	(**)
	▶ <u>M68</u> 0,01 (*) ◀					
	▶ <u>M68</u> 0,01 (*) ◀					
(**)	▶ <u>M68</u> — ◀	(**)	▶ <u>M50</u> — ◀	▶ <u>M5</u> (**) ◀	(**)	(**)
(**)	▶ <u>M68</u> — ◀	(**)	▶ <u>M50</u> — ◀	▶ <u>M5</u> (**) ◀	(**)	(**)
(**)	▶ <u>M68</u> — ◀	(**)	▶ <u>M50</u> — ◀	▶ <u>M5</u> (**) ◀	(**)	(**)
			▶ <u>M50</u> — ◀			
0,02 (*)		0,05 (*)	▶ <u>M50</u> 0,01 (*) ◀		3	0,05 (*)
	▶ <u>M68</u> 0,4 (+) ◀			▶ <u>M5</u> 0,2 ◀		
	▶ <u>M68</u> 0,01 (*) ◀			▶ <u>M5</u> 0,05 (*) ◀		
	▶ <u>M68</u> 0,01 (*) ◀			▶ <u>M5</u> 0,05 (*) ◀		
	▶ <u>M68</u> 0,01 (*) ◀			▶ <u>M5</u> 0,05 (*) ◀		
	▶ <u>M68</u> 0,4 (+) ◀			▶ <u>M5</u> 0,05 (*) ◀		
	▶ <u>M68</u> 0,01 (*) ◀			▶ <u>M5</u> 0,05 (*) ◀		
	▶ <u>M68</u> 0,1 (+) ◀			▶ <u>M5</u> 0,05 (*) ◀		

## ▼ M2

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)
0500080	Sorghum				► <u>M68</u> 0,05 ◄		► <u>M32</u> — ◄
0500090	Wheat				► <u>M68</u> 0,05 ◄		► <u>M32</u> — ◄
0500990	Others				► <u>M68</u> 0,01 (*) ◄		► <u>M32</u> — ◄
0600000	6. TEA, COFFEE, HERBAL INFUSIONS AND COCOA	► <u>M45</u> 0,05 (*) ◄	0,1 (*)	► <u>M16</u> 0,05 (*) ◄	► <u>M68</u> 0,05 (*) ◄	0,1 (*)	► <u>M32</u> — ◄
0610000	(i) Tea (dried leaves and stalks, fermented or otherwise of <i>Camellia sinensis</i> )			0,1 (*)			► <u>M32</u> — ◄
0620000	(ii) Coffee beans	► <u>M45</u> (**) ◄	(**)	(**)	► <u>M68</u> — ◄	(**)	► <u>M32</u> — ◄
0630000	(iii) Herbal infusions (dried)	► <u>M45</u> (**) ◄	(**)	(**)	► <u>M68</u> — ◄	(**)	► <u>M32</u> — ◄
0631000	(a) <i>Flowers</i>	► <u>M45</u> (**) ◄	(**)	(**)	► <u>M68</u> — ◄	(**)	► <u>M32</u> — ◄
0631010	Camomille flowers	► <u>M45</u> (**) ◄	(**)	(**)	► <u>M68</u> — ◄	(**)	► <u>M32</u> — ◄
0631020	Hybiscus flowers	► <u>M45</u> (**) ◄	(**)	(**)	► <u>M68</u> — ◄	(**)	► <u>M32</u> — ◄
0631030	Rose petals	► <u>M45</u> (**) ◄	(**)	(**)	► <u>M68</u> — ◄	(**)	► <u>M32</u> — ◄
0631040	Jasmine flowers	► <u>M45</u> (**) ◄	(**)	(**)	► <u>M68</u> — ◄	(**)	► <u>M32</u> — ◄
0631050	Lime (linden)	► <u>M45</u> (**) ◄	(**)	(**)	► <u>M68</u> — ◄	(**)	► <u>M32</u> — ◄
0631990	Others	► <u>M45</u> (**) ◄	(**)	(**)	► <u>M68</u> — ◄	(**)	► <u>M32</u> — ◄
0632000	(b) <i>Leaves</i>	► <u>M45</u> (**) ◄	(**)	(**)	► <u>M68</u> — ◄	(**)	► <u>M32</u> — ◄
0632010	Strawberry leaves	► <u>M45</u> (**) ◄	(**)	(**)	► <u>M68</u> — ◄	(**)	► <u>M32</u> — ◄

▼ M2

(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
	▶ <u>M64</u> 0,5 ◀ ▶ <u>M64</u> 0,5 ◀	▶ <u>M21</u> 0,01 (*) ◀ ▶ <u>M21</u> 0,1 ◀				▶ <u>M70</u> — ◀ ▶ <u>M70</u> — ◀	
	▶ <u>M64</u> 0,5 ◀	▶ <u>M21</u> 0,01 (*) ◀				▶ <u>M70</u> — ◀	
▶ <u>M37</u> 0,05 (*) ◀	▶ <u>M64</u> 0,05 (*) ◀	▶ <u>M21</u> 0,1 (*) ◀	▶ <u>M70</u> 0,05 (*) ◀			▶ <u>M70</u> — ◀	0,02 (*)
	▶ <u>M64</u> — ◀					▶ <u>M70</u> — ◀	
▶ <u>M37</u> (**) ◀	▶ <u>M64</u> (**) ◀	▶ <u>M15</u> (**) ◀	▶ <u>M70</u> (**) ◀	(**)	(**)	▶ <u>M70</u> — ◀	(**)
▶ <u>M37</u> (**) ◀	▶ <u>M64</u> (**) ◀	▶ <u>M15</u> (**) ◀	▶ <u>M70</u> (**) ◀	(**)	(**)	▶ <u>M70</u> — ◀	(**)
▶ <u>M37</u> (**) ◀	▶ <u>M64</u> (**) ◀	▶ <u>M15</u> (**) ◀	▶ <u>M70</u> (**) ◀	(**)	(**)	▶ <u>M70</u> — ◀	(**)
▶ <u>M37</u> (**) ◀	▶ <u>M64</u> (**) ◀	▶ <u>M15</u> (**) ◀	▶ <u>M70</u> (**) ◀	(**)	(**)	▶ <u>M70</u> — ◀	(**)
▶ <u>M37</u> (**) ◀	▶ <u>M64</u> (**) ◀	▶ <u>M15</u> (**) ◀	▶ <u>M70</u> (**) ◀	(**)	(**)	▶ <u>M70</u> — ◀	(**)
▶ <u>M37</u> (**) ◀	▶ <u>M64</u> (**) ◀	▶ <u>M15</u> (**) ◀	▶ <u>M70</u> (**) ◀	(**)	(**)	▶ <u>M70</u> — ◀	(**)
▶ <u>M37</u> (**) ◀	▶ <u>M64</u> (**) ◀	▶ <u>M15</u> (**) ◀	▶ <u>M70</u> (**) ◀	(**)	(**)	▶ <u>M70</u> — ◀	(**)
▶ <u>M37</u> (**) ◀	▶ <u>M64</u> (**) ◀	▶ <u>M15</u> (**) ◀	▶ <u>M70</u> (**) ◀	(**)	(**)	▶ <u>M70</u> — ◀	(**)
▶ <u>M37</u> (**) ◀	▶ <u>M64</u> (**) ◀	▶ <u>M15</u> (**) ◀	▶ <u>M70</u> (**) ◀	(**)	(**)	▶ <u>M70</u> — ◀	(**)
▶ <u>M37</u> (**) ◀	▶ <u>M64</u> (**) ◀	▶ <u>M15</u> (**) ◀	▶ <u>M70</u> (**) ◀	(**)	(**)	▶ <u>M70</u> — ◀	(**)

▼ M2

(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)
						▶ <u>M45</u> — ◀ ▶ <u>M45</u> — ◀	▶ <u>M61</u> 0,05 (*) ◀ ▶ <u>M61</u> 2 ◀
						▶ <u>M45</u> — ◀	▶ <u>M61</u> 0,05 (*) ◀
	0,1 (*)	0,1 (*)	0,02 (*)		0,1 (*)	▶ <u>M45</u> — ◀	▶ <u>M61</u> 0,1 (*) ◀
0,1 (*)				▶ <u>M32</u> 50 ◀		▶ <u>M45</u> — ◀	▶ <u>M61</u> — ◀
(**)	(**)	(**)	(**)	▶ <u>M32</u> (**) ◀	(**)	▶ <u>M45</u> — ◀	▶ <u>M61</u> (**) ◀
(**)	(**)	(**)	(**)	▶ <u>M32</u> (**) ◀	(**)	▶ <u>M45</u> — ◀	▶ <u>M61</u> (**) ◀
(**)	(**)	(**)	(**)	▶ <u>M32</u> (**) ◀	(**)	▶ <u>M45</u> — ◀	▶ <u>M61</u> (**) ◀
(**)	(**)	(**)	(**)	▶ <u>M32</u> (**) ◀	(**)	▶ <u>M45</u> — ◀	▶ <u>M61</u> (**) ◀
(**)	(**)	(**)	(**)	▶ <u>M32</u> (**) ◀	(**)	▶ <u>M45</u> — ◀	▶ <u>M61</u> (**) ◀
(**)	(**)	(**)	(**)	▶ <u>M32</u> (**) ◀	(**)	▶ <u>M45</u> — ◀	▶ <u>M61</u> (**) ◀
(**)	(**)	(**)	(**)	▶ <u>M32</u> (**) ◀	(**)	▶ <u>M45</u> — ◀	▶ <u>M61</u> (**) ◀
(**)	(**)	(**)	(**)	▶ <u>M32</u> (**) ◀	(**)	▶ <u>M45</u> — ◀	▶ <u>M61</u> (**) ◀
(**)	(**)	(**)	(**)	▶ <u>M32</u> (**) ◀	(**)	▶ <u>M45</u> — ◀	▶ <u>M61</u> (**) ◀
(**)	(**)	(**)	(**)	▶ <u>M32</u> (**) ◀	(**)	▶ <u>M45</u> — ◀	▶ <u>M61</u> (**) ◀

▼ M2

(25)	(26)	(27)	(28)	(29)	(30)	(31)
	▶ <u>M68</u> 0,01 (*) ◀ ▶ <u>M68</u> 0,1 (+) ◀			▶ <u>M5</u> 0,05 (*) ◀ ▶ <u>M5</u> 0,05 (*) ◀		
	▶ <u>M68</u> 0,01 (*) ◀			▶ <u>M5</u> 0,05 (*) ◀		
0,1 (*)	▶ <u>M68</u> 0,05 (*) ◀	0,1 (*)	▶ <u>M50</u> 0,05 (*) ◀			0,1 (*)
				▶ <u>M5</u> 0,1 (*) ◀	0,1 (*)	
(**)	▶ <u>M68</u> — ◀	(**)	▶ <u>M50</u> — ◀	▶ <u>M5</u> (**) ◀	(**)	(**)
(**)	▶ <u>M68</u> — ◀	(**)	▶ <u>M50</u> — ◀	▶ <u>M5</u> (**) ◀	(**)	(**)
(**)	▶ <u>M68</u> — ◀	(**)	▶ <u>M50</u> — ◀	▶ <u>M5</u> (**) ◀	(**)	(**)
(**)	▶ <u>M68</u> — ◀	(**)	▶ <u>M50</u> (+) ◀	▶ <u>M5</u> (**) ◀	(**)	(**)
(**)	▶ <u>M68</u> — ◀	(**)	▶ <u>M50</u> (+) ◀	▶ <u>M5</u> (**) ◀	(**)	(**)
(**)	▶ <u>M68</u> — ◀	(**)	▶ <u>M50</u> (+) ◀	▶ <u>M5</u> (**) ◀	(**)	(**)
(**)	▶ <u>M68</u> — ◀	(**)	▶ <u>M50</u> (+) ◀	▶ <u>M5</u> (**) ◀	(**)	(**)
(**)	▶ <u>M68</u> — ◀	(**)	▶ <u>M50</u> — ◀	▶ <u>M5</u> (**) ◀	(**)	(**)
(**)	▶ <u>M68</u> — ◀	(**)	▶ <u>M50</u> — ◀	▶ <u>M5</u> (**) ◀	(**)	(**)
(**)	▶ <u>M68</u> — ◀	(**)	▶ <u>M50</u> — ◀	▶ <u>M5</u> (**) ◀	(**)	(**)

## ▼ M2

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)
0632020	Rooibos leaves	► <u>M45</u> (**) ◀	(**)	(**)	► <u>M68</u> — ◀	(**)	► <u>M32</u> — ◀
0632030	Maté	► <u>M45</u> (**) ◀	(**)	(**)	► <u>M68</u> — ◀	(**)	► <u>M32</u> — ◀
0632990	Others	► <u>M45</u> (**) ◀	(**)	(**)	► <u>M68</u> — ◀	(**)	► <u>M32</u> — ◀
0633000	(c) <i>Roots</i>	► <u>M45</u> (**) ◀	(**)	(**)	► <u>M68</u> — ◀	(**)	► <u>M32</u> — ◀
0633010	Valerian root	► <u>M45</u> (**) ◀	(**)	(**)	► <u>M68</u> — ◀	(**)	► <u>M32</u> — ◀
0633020	Ginseng root	► <u>M45</u> (**) ◀	(**)	(**)	► <u>M68</u> — ◀	(**)	► <u>M32</u> — ◀
0633990	Others	► <u>M45</u> (**) ◀	(**)	(**)	► <u>M68</u> — ◀	(**)	► <u>M32</u> — ◀
0639000	(d) <i>Other herbal infusions</i>	► <u>M45</u> (**) ◀	(**)	(**)	► <u>M68</u> — ◀	(**)	► <u>M32</u> — ◀
0640000	(iv) <b>Cocoa (fermented beans)</b>	► <u>M45</u> (**) ◀	(**)	(**)	► <u>M68</u> — ◀	(**)	► <u>M32</u> — ◀
0650000	(v) <b>Carob (st johns bread)</b>	► <u>M45</u> (**) ◀	(**)	(**)	► <u>M68</u> — ◀	(**)	► <u>M32</u> — ◀
0700000	7. <b>HOPS (dried), including hop pellets and unconcentrated powder</b>	► <u>M45</u> 0,05 (*) ◀	0,1 (*)	► <u>M16</u> 0,05 (*) ◀	► <u>M68</u> 0,05 (*) (+) ◀	0,1 (*)	► <u>M32</u> — ◀
0800000	8. <b>SPICES</b>	► <u>M45</u> (**) ◀	(**)	(**)	► <u>M68</u> — ◀	(**)	► <u>M32</u> — ◀
0810000	(i) <b>Seeds</b>	► <u>M45</u> (**) ◀	(**)	(**)	► <u>M68</u> 0,05 (*) ◀	(**)	► <u>M32</u> — ◀
0810010	Anise	► <u>M45</u> (**) ◀	(**)	(**)	► <u>M68</u> — ◀	(**)	► <u>M32</u> — ◀
0810020	Black caraway	► <u>M45</u> (**) ◀	(**)	(**)	► <u>M68</u> — ◀	(**)	► <u>M32</u> — ◀
0810030	Celery seed	► <u>M45</u> (**) ◀	(**)	(**)	► <u>M68</u> — ◀	(**)	► <u>M32</u> — ◀
0810040	Coriander seed	► <u>M45</u> (**) ◀	(**)	(**)	► <u>M68</u> — ◀	(**)	► <u>M32</u> — ◀
0810050	Cumin seed	► <u>M45</u> (**) ◀	(**)	(**)	► <u>M68</u> — ◀	(**)	► <u>M32</u> — ◀
0810060	Dill seed	► <u>M45</u> (**) ◀	(**)	(**)	► <u>M68</u> — ◀	(**)	► <u>M32</u> — ◀

▼ M2

(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
▶ <u>M37</u> (**) ◀	▶ <u>M64</u> (**) ◀	▶ <u>M15</u> (**) ◀	▶ <u>M70</u> (**) ◀	(**)	(**)	▶ <u>M70</u> — ◀	(**)
▶ <u>M37</u> (**) ◀	▶ <u>M64</u> (**) ◀	▶ <u>M15</u> (**) ◀	▶ <u>M70</u> (**) ◀	(**)	(**)	▶ <u>M70</u> — ◀	(**)
▶ <u>M37</u> (**) ◀	▶ <u>M64</u> (**) ◀	▶ <u>M15</u> (**) ◀	▶ <u>M70</u> (**) ◀	(**)	(**)	▶ <u>M70</u> — ◀	(**)
▶ <u>M37</u> (**) ◀	▶ <u>M64</u> (**) ◀	▶ <u>M15</u> (**) ◀	▶ <u>M70</u> (**) ◀	(**)	(**)	▶ <u>M70</u> — ◀	(**)
▶ <u>M37</u> (**) ◀	▶ <u>M64</u> (**) ◀	▶ <u>M15</u> (**) ◀	▶ <u>M70</u> (**) ◀	(**)	(**)	▶ <u>M70</u> — ◀	(**)
▶ <u>M37</u> (**) ◀	▶ <u>M64</u> (**) ◀	▶ <u>M15</u> (**) ◀	▶ <u>M70</u> (**) ◀	(**)	(**)	▶ <u>M70</u> — ◀	(**)
▶ <u>M37</u> (**) ◀	▶ <u>M64</u> (**) ◀	▶ <u>M15</u> (**) ◀	▶ <u>M70</u> (**) ◀	(**)	(**)	▶ <u>M70</u> — ◀	(**)
▶ <u>M37</u> (**) ◀	▶ <u>M64</u> (**) ◀	▶ <u>M15</u> (**) ◀	▶ <u>M70</u> (**) ◀	(**)	(**)	▶ <u>M70</u> — ◀	(**)
▶ <u>M37</u> (**) ◀	▶ <u>M64</u> (**) ◀	▶ <u>M15</u> (**) ◀	▶ <u>M70</u> (**) ◀	(**)	(**)	▶ <u>M70</u> — ◀	(**)
▶ <u>M37</u> 0,05 (*) ◀	▶ <u>M64</u> 0,05 (*) ◀	▶ <u>M21</u> 0,1 (*) ◀	▶ <u>M70</u> 0,05 (*) ◀			▶ <u>M70</u> — ◀	0,02 (*)
▶ <u>M37</u> (**) ◀	▶ <u>M64</u> (**) ◀	▶ <u>M15</u> (**) ◀	▶ <u>M70</u> (**) ◀	(**)	(**)	▶ <u>M70</u> — ◀	(**)
▶ <u>M37</u> (**) ◀	▶ <u>M64</u> (**) ◀	▶ <u>M15</u> (**) ◀	▶ <u>M70</u> (**) ◀	(**)	(**)	▶ <u>M70</u> — ◀	(**)
▶ <u>M37</u> (**) ◀	▶ <u>M64</u> (**) ◀	▶ <u>M15</u> (**) ◀	▶ <u>M70</u> (**) ◀	(**)	(**)	▶ <u>M70</u> — ◀	(**)
▶ <u>M37</u> (**) ◀	▶ <u>M64</u> (**) ◀	▶ <u>M15</u> (**) ◀	▶ <u>M70</u> (**) ◀	(**)	(**)	▶ <u>M70</u> — ◀	(**)
▶ <u>M37</u> (**) ◀	▶ <u>M64</u> (**) ◀	▶ <u>M15</u> (**) ◀	▶ <u>M70</u> (**) ◀	(**)	(**)	▶ <u>M70</u> — ◀	(**)
▶ <u>M37</u> (**) ◀	▶ <u>M64</u> (**) ◀	▶ <u>M15</u> (**) ◀	▶ <u>M70</u> (**) ◀	(**)	(**)	▶ <u>M70</u> — ◀	(**)

▼ M2

(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)
(**)	(**)	(**)	(**)	▶ <u>M32</u> (**) ◀	(**)	▶ <u>M45</u> — ◀	▶ <u>M61</u> (**) ◀
(**)	(**)	(**)	(**)	▶ <u>M32</u> (**) ◀	(**)	▶ <u>M45</u> — ◀	▶ <u>M61</u> (**) ◀
(**)	(**)	(**)	(**)	▶ <u>M32</u> (**) ◀	(**)	▶ <u>M45</u> — ◀	▶ <u>M61</u> (**) ◀
(**)	(**)	(**)	(**)	▶ <u>M32</u> (**) ◀	(**)	▶ <u>M45</u> — ◀	▶ <u>M61</u> (**) ◀
(**)	(**)	(**)	(**)	▶ <u>M32</u> (**) ◀	(**)	▶ <u>M45</u> — ◀	▶ <u>M61</u> (**) ◀
(**)	(**)	(**)	(**)	▶ <u>M32</u> (**) ◀	(**)	▶ <u>M45</u> — ◀	▶ <u>M61</u> (**) ◀
(**)	(**)	(**)	(**)	▶ <u>M32</u> (**) ◀	(**)	▶ <u>M45</u> — ◀	▶ <u>M61</u> (**) ◀
(**)	(**)	(**)	(**)	▶ <u>M32</u> (**) ◀	(**)	▶ <u>M45</u> — ◀	▶ <u>M61</u> (**) ◀
(**)	(**)	(**)	(**)	▶ <u>M32</u> (**) ◀	(**)	▶ <u>M45</u> — ◀	▶ <u>M61</u> (**) ◀
(**)	(**)	(**)	(**)	▶ <u>M32</u> (**) ◀	(**)	▶ <u>M45</u> — ◀	▶ <u>M61</u> (**) ◀
(**)	(**)	(**)	(**)	▶ <u>M32</u> (**) ◀	(**)	▶ <u>M45</u> — ◀	▶ <u>M61</u> (**) ◀
	0,1 (*)	0,1 (*)	0,02 (*)	▶ <u>M32</u> 0,05 (*) ◀	0,1 (*)	▶ <u>M45</u> — ◀	▶ <u>M61</u> 0,1 (*) ◀
(**)	(**)	(**)	(**)	▶ <u>M32</u> (**) ◀	(**)	▶ <u>M45</u> — ◀	▶ <u>M61</u> (**) ◀
(**)	(**)	(**)	(**)	▶ <u>M32</u> (**) ◀	(**)	▶ <u>M45</u> — ◀	▶ <u>M61</u> (**) ◀
(**)	(**)	(**)	(**)	▶ <u>M32</u> (**) ◀	(**)	▶ <u>M45</u> — ◀	▶ <u>M61</u> (**) ◀
(**)	(**)	(**)	(**)	▶ <u>M32</u> (**) ◀	(**)	▶ <u>M45</u> — ◀	▶ <u>M61</u> (**) ◀
(**)	(**)	(**)	(**)	▶ <u>M32</u> (**) ◀	(**)	▶ <u>M45</u> — ◀	▶ <u>M61</u> (**) ◀
(**)	(**)	(**)	(**)	▶ <u>M32</u> (**) ◀	(**)	▶ <u>M45</u> — ◀	▶ <u>M61</u> (**) ◀



▼ M2

(25)	(26)	(27)	(28)	(29)	(30)	(31)
(**)	▶ <u>M68</u> — ◀	(**)	▶ <u>M50</u> — ◀	▶ <u>M5</u> (**) ◀	(**)	(**)
(**)	▶ <u>M68</u> — ◀	(**)	▶ <u>M50</u> — ◀	▶ <u>M5</u> (**) ◀	(**)	(**)
(**)	▶ <u>M68</u> — ◀	(**)	▶ <u>M50</u> — ◀	▶ <u>M5</u> (**) ◀	(**)	(**)
(**)	▶ <u>M68</u> — ◀	(**)	▶ <u>M50</u> — ◀	▶ <u>M5</u> (**) ◀	(**)	(**)
(**)	▶ <u>M68</u> — ◀	(**)	▶ <u>M50</u> — ◀	▶ <u>M5</u> (**) ◀	(**)	(**)
(**)	▶ <u>M68</u> — ◀	(**)	▶ <u>M50</u> — ◀	▶ <u>M5</u> (**) ◀	(**)	(**)
(**)	▶ <u>M68</u> — ◀	(**)	▶ <u>M50</u> — ◀	▶ <u>M5</u> (**) ◀	(**)	(**)
(**)	▶ <u>M68</u> — ◀	(**)	▶ <u>M50</u> — ◀	▶ <u>M5</u> (**) ◀	(**)	(**)
(**)	▶ <u>M68</u> — ◀	(**)	▶ <u>M50</u> — ◀	▶ <u>M5</u> (**) ◀	(**)	(**)
(**)	▶ <u>M68</u> — ◀	(**)	▶ <u>M50</u> — ◀	▶ <u>M5</u> (**) ◀	(**)	(**)
0,1 (*)	▶ <u>M68</u> 60 (+) ◀	0,1 (*)	▶ <u>M50</u> 0,05 (*) ◀	▶ <u>M5</u> 0,1 (*) ◀	0,1 (*)	0,1 (*)
(**)	▶ <u>M68</u> — ◀	(**)	▶ <u>M50</u> — ◀	▶ <u>M5</u> (**) ◀	(**)	(**)
(**)	▶ <u>M68</u> 0,05 (*) ◀	(**)	▶ <u>M50</u> 0,05 (*) ◀	▶ <u>M5</u> (**) ◀	(**)	(**)
(**)	▶ <u>M68</u> — ◀	(**)	▶ <u>M50</u> — ◀	▶ <u>M5</u> (**) ◀	(**)	(**)
(**)	▶ <u>M68</u> — ◀	(**)	▶ <u>M50</u> — ◀	▶ <u>M5</u> (**) ◀	(**)	(**)
(**)	▶ <u>M68</u> — ◀	(**)	▶ <u>M50</u> — ◀	▶ <u>M5</u> (**) ◀	(**)	(**)
(**)	▶ <u>M68</u> — ◀	(**)	▶ <u>M50</u> — ◀	▶ <u>M5</u> (**) ◀	(**)	(**)
(**)	▶ <u>M68</u> — ◀	(**)	▶ <u>M50</u> — ◀	▶ <u>M5</u> (**) ◀	(**)	(**)

## ▼ M2

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)
0810070	Fennel seed	▶ <u>M45</u> (**) ◀	(**)	(**)	▶ <u>M68</u> — ◀	(**)	▶ <u>M32</u> — ◀
0810080	Fenugreek	▶ <u>M45</u> (**) ◀	(**)	(**)	▶ <u>M68</u> — ◀	(**)	▶ <u>M32</u> — ◀
0810090	Nutmeg	▶ <u>M45</u> (**) ◀	(**)	(**)	▶ <u>M68</u> — ◀	(**)	▶ <u>M32</u> — ◀
0810990	Others	▶ <u>M45</u> (**) ◀	(**)	(**)	▶ <u>M68</u> — ◀	(**)	▶ <u>M32</u> — ◀
0820000	(ii) <b>Fruits and berries</b>	▶ <u>M45</u> (**) ◀	(**)	(**)	▶ <u>M68</u> 0,05 (*) ◀	(**)	▶ <u>M32</u> — ◀
0820010	Allspice	▶ <u>M45</u> (**) ◀	(**)	(**)	▶ <u>M68</u> — ◀	(**)	▶ <u>M32</u> — ◀
0820020	Anise pepper (Japan pepper)	▶ <u>M45</u> (**) ◀	(**)	(**)	▶ <u>M68</u> — ◀	(**)	▶ <u>M32</u> — ◀
0820030	Caraway	▶ <u>M45</u> (**) ◀	(**)	(**)	▶ <u>M68</u> — ◀	(**)	▶ <u>M32</u> — ◀
0820040	Cardamom	▶ <u>M45</u> (**) ◀	(**)	(**)	▶ <u>M68</u> — ◀	(**)	▶ <u>M32</u> — ◀
0820050	Juniper berries	▶ <u>M45</u> (**) ◀	(**)	(**)	▶ <u>M68</u> — ◀	(**)	▶ <u>M32</u> — ◀
0820060	Pepper, black and white	▶ <u>M45</u> (**) ◀	(**)	(**)	▶ <u>M68</u> — ◀	(**)	▶ <u>M32</u> — ◀
0820070	Vanilla pods	▶ <u>M45</u> (**) ◀	(**)	(**)	▶ <u>M68</u> — ◀	(**)	▶ <u>M32</u> — ◀
0820080	Tamarind	▶ <u>M45</u> (**) ◀	(**)	(**)	▶ <u>M68</u> — ◀	(**)	▶ <u>M32</u> — ◀
0820990	Others	▶ <u>M45</u> (**) ◀	(**)	(**)	▶ <u>M68</u> — ◀	(**)	▶ <u>M32</u> — ◀
0830000	(iii) <b>Bark</b>	▶ <u>M45</u> (**) ◀	(**)	(**)	▶ <u>M68</u> 0,05 (*) ◀	(**)	▶ <u>M32</u> — ◀
0830010	Cinnamon	▶ <u>M45</u> (**) ◀	(**)	(**)	▶ <u>M68</u> — ◀	(**)	▶ <u>M32</u> — ◀
0830990	Others	▶ <u>M45</u> (**) ◀	(**)	(**)	▶ <u>M68</u> — ◀	(**)	▶ <u>M32</u> — ◀
0840000	(iv) <b>Roots or rhizome</b>	▶ <u>M45</u> (**) ◀	(**)	(**)	▶ <u>M68</u> — ◀	(**)	▶ <u>M32</u> — ◀
0840010	Liquorice	▶ <u>M45</u> (**) ◀	(**)	(**)	▶ <u>M68</u> 0,05 (*) ◀	(**)	▶ <u>M32</u> — ◀
0840020	Ginger	▶ <u>M45</u> (**) ◀	(**)	(**)	▶ <u>M68</u> 0,05 (*) ◀	(**)	▶ <u>M32</u> — ◀
0840030	Turmeric (Curcuma)	▶ <u>M45</u> (**) ◀	(**)	(**)	▶ <u>M68</u> 0,05 (*) ◀	(**)	▶ <u>M32</u> — ◀



▼ M2

(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)
(**)	(**)	(**)	(**)	► <u>M32</u> (**) ◄	(**)	► <u>M45</u> — ◄	► <u>M61</u> (**) ◄
(**)	(**)	(**)	(**)	► <u>M32</u> (**) ◄	(**)	► <u>M45</u> — ◄	► <u>M61</u> (**) ◄
(**)	(**)	(**)	(**)	► <u>M32</u> (**) ◄	(**)	► <u>M45</u> — ◄	► <u>M61</u> (**) ◄
(**)	(**)	(**)	(**)	► <u>M32</u> (**) ◄	(**)	► <u>M45</u> — ◄	► <u>M61</u> (**) ◄
(**)	(**)	(**)	(**)	► <u>M32</u> (**) ◄	(**)	► <u>M45</u> — ◄	► <u>M61</u> (**) ◄
(**)	(**)	(**)	(**)	► <u>M32</u> (**) ◄	(**)	► <u>M45</u> — ◄	► <u>M61</u> (**) ◄
(**)	(**)	(**)	(**)	► <u>M32</u> (**) ◄	(**)	► <u>M45</u> — ◄	► <u>M61</u> (**) ◄
(**)	(**)	(**)	(**)	► <u>M32</u> (**) ◄	(**)	► <u>M45</u> — ◄	► <u>M61</u> (**) ◄
(**)	(**)	(**)	(**)	► <u>M32</u> (**) ◄	(**)	► <u>M45</u> — ◄	► <u>M61</u> (**) ◄
(**)	(**)	(**)	(**)	► <u>M32</u> (**) ◄	(**)	► <u>M45</u> — ◄	► <u>M61</u> (**) ◄
(**)	(**)	(**)	(**)	► <u>M32</u> (**) ◄	(**)	► <u>M45</u> — ◄	► <u>M61</u> (**) ◄
(**)	(**)	(**)	(**)	► <u>M32</u> (**) ◄	(**)	► <u>M45</u> — ◄	► <u>M61</u> (**) ◄
(**)	(**)	(**)	(**)	► <u>M32</u> (**) ◄	(**)	► <u>M45</u> — ◄	► <u>M61</u> (**) ◄
(**)	(**)	(**)	(**)	► <u>M32</u> (**) ◄	(**)	► <u>M45</u> — ◄	► <u>M61</u> (**) ◄
(**)	(**)	(**)	(**)	► <u>M32</u> (**) ◄	(**)	► <u>M45</u> — ◄	► <u>M61</u> (**) ◄
(**)	(**)	(**)	(**)	► <u>M32</u> (**) ◄	(**)	► <u>M45</u> — ◄	► <u>M61</u> (**) ◄
(**)	(**)	(**)	(**)	► <u>M32</u> (**) ◄	(**)	► <u>M45</u> — ◄	► <u>M61</u> (**) ◄
(**)	(**)	(**)	(**)	► <u>M32</u> (**) ◄	(**)	► <u>M45</u> — ◄	► <u>M61</u> (**) ◄
(**)	(**)	(**)	(**)	► <u>M32</u> (**) ◄	(**)	► <u>M45</u> — ◄	► <u>M61</u> (**) ◄
(**)	(**)	(**)	(**)	► <u>M32</u> (**) ◄	(**)	► <u>M45</u> — ◄	► <u>M61</u> (**) ◄

▼ M2

(25)	(26)	(27)	(28)	(29)	(30)	(31)
(**)	▶ <u>M68</u> — ◀	(**)	▶ <u>M50</u> — ◀	▶ <u>M5</u> (**) ◀	(**)	(**)
(**)	▶ <u>M68</u> — ◀	(**)	▶ <u>M50</u> — ◀	▶ <u>M5</u> (**) ◀	(**)	(**)
(**)	▶ <u>M68</u> — ◀	(**)	▶ <u>M50</u> — ◀	▶ <u>M5</u> (**) ◀	(**)	(**)
(**)	▶ <u>M68</u> — ◀	(**)	▶ <u>M50</u> — ◀	▶ <u>M5</u> (**) ◀	(**)	(**)
(**)	▶ <u>M68</u> 0,05 (*) ◀	(**)	▶ <u>M50</u> 0,05 (*) (+) ◀	▶ <u>M5</u> (**) ◀	(**)	(**)
(**)	▶ <u>M68</u> — ◀	(**)	▶ <u>M50</u> — ◀	▶ <u>M5</u> (**) ◀	(**)	(**)
(**)	▶ <u>M68</u> — ◀	(**)	▶ <u>M50</u> — ◀	▶ <u>M5</u> (**) ◀	(**)	(**)
(**)	▶ <u>M68</u> — ◀	(**)	▶ <u>M50</u> — ◀	▶ <u>M5</u> (**) ◀	(**)	(**)
(**)	▶ <u>M68</u> — ◀	(**)	▶ <u>M50</u> — ◀	▶ <u>M5</u> (**) ◀	(**)	(**)
(**)	▶ <u>M68</u> — ◀	(**)	▶ <u>M50</u> — ◀	▶ <u>M5</u> (**) ◀	(**)	(**)
(**)	▶ <u>M68</u> — ◀	(**)	▶ <u>M50</u> — ◀	▶ <u>M5</u> (**) ◀	(**)	(**)
(**)	▶ <u>M68</u> — ◀	(**)	▶ <u>M50</u> — ◀	▶ <u>M5</u> (**) ◀	(**)	(**)
(**)	▶ <u>M68</u> — ◀	(**)	▶ <u>M50</u> — ◀	▶ <u>M5</u> (**) ◀	(**)	(**)
(**)	▶ <u>M68</u> — ◀	(**)	▶ <u>M50</u> — ◀	▶ <u>M5</u> (**) ◀	(**)	(**)
(**)	▶ <u>M68</u> 0,05 (*) ◀	(**)	▶ <u>M50</u> 0,05 (*) ◀	▶ <u>M5</u> (**) ◀	(**)	(**)
(**)	▶ <u>M68</u> — ◀	(**)	▶ <u>M50</u> — ◀	▶ <u>M5</u> (**) ◀	(**)	(**)
(**)	▶ <u>M68</u> — ◀	(**)	▶ <u>M50</u> — ◀	▶ <u>M5</u> (**) ◀	(**)	(**)
(**)	▶ <u>M68</u> — ◀	(**)	▶ <u>M50</u> — ◀	▶ <u>M5</u> (**) ◀	(**)	(**)
(**)	▶ <u>M68</u> 0,05 (*) ◀	(**)	▶ <u>M50</u> 0,05 (*) ◀	▶ <u>M5</u> (**) ◀	(**)	(**)
(**)	▶ <u>M68</u> 0,05 (*) ◀	(**)	▶ <u>M50</u> 0,05 (*) ◀	▶ <u>M5</u> (**) ◀	(**)	(**)
(**)	▶ <u>M68</u> 0,05 (*) ◀	(**)	▶ <u>M50</u> 0,05 (*) ◀	▶ <u>M5</u> (**) ◀	(**)	(**)

▼ **M2**

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)
0840040	Horseradish	▶ <b>M45</b> (**) ◀	(**)	(**)	▶ <b>M68</b> (+) ◀	(**)	▶ <b>M32</b> — ◀
0840990	Others	▶ <b>M45</b> (**) ◀	(**)	(**)	▶ <b>M68</b> 0,05 (*) ◀	(**)	▶ <b>M32</b> — ◀
0850000	(v) <b>Buds</b>	▶ <b>M45</b> (**) ◀	(**)	(**)	▶ <b>M68</b> 0,05 (*) ◀	(**)	▶ <b>M32</b> — ◀
0850010	Cloves	▶ <b>M45</b> (**) ◀	(**)	(**)	▶ <b>M68</b> — ◀	(**)	▶ <b>M32</b> — ◀
0850020	Capers	▶ <b>M45</b> (**) ◀	(**)	(**)	▶ <b>M68</b> — ◀	(**)	▶ <b>M32</b> — ◀
0850990	Others	▶ <b>M45</b> (**) ◀	(**)	(**)	▶ <b>M68</b> — ◀	(**)	▶ <b>M32</b> — ◀
0860000	(vi) <b>Flower stigma</b>	▶ <b>M45</b> (**) ◀	(**)	(**)	▶ <b>M68</b> 0,05 (*) ◀	(**)	▶ <b>M32</b> — ◀
0860010	Saffron	▶ <b>M45</b> (**) ◀	(**)	(**)	▶ <b>M68</b> — ◀	(**)	▶ <b>M32</b> — ◀
0860990	Others	▶ <b>M45</b> (**) ◀	(**)	(**)	▶ <b>M68</b> — ◀	(**)	▶ <b>M32</b> — ◀
0870000	(vii) <b>Aril</b>	▶ <b>M45</b> (**) ◀	(**)	(**)	▶ <b>M68</b> 0,05 (*) ◀	(**)	▶ <b>M32</b> — ◀
0870010	Mace	▶ <b>M45</b> (**) ◀	(**)	(**)	▶ <b>M68</b> — ◀	(**)	▶ <b>M32</b> — ◀
0870990	Others	▶ <b>M45</b> (**) ◀	(**)	(**)	▶ <b>M68</b> — ◀	(**)	▶ <b>M32</b> — ◀
0900000	<b>9. SUGAR PLANTS</b>	▶ <b>M45</b> (**) ◀	(**)	(**)	▶ <b>M68</b> 0,01 (*) ◀	(**)	▶ <b>M32</b> — ◀
0900010	Sugar beet (root)	▶ <b>M45</b> (**) ◀	(**)	(**)	▶ <b>M68</b> — ◀	(**)	▶ <b>M32</b> — ◀
0900020	Sugar cane	▶ <b>M45</b> (**) ◀	(**)	(**)	▶ <b>M68</b> — ◀	(**)	▶ <b>M32</b> — ◀
0900030	Chicory roots	▶ <b>M45</b> (**) ◀	(**)	(**)	▶ <b>M68</b> — ◀	(**)	▶ <b>M32</b> — ◀
0900990	Others	▶ <b>M45</b> (**) ◀	(**)	(**)	▶ <b>M68</b> — ◀	(**)	▶ <b>M32</b> — ◀
1000000	<b>10. PRODUCTS OF ANIMAL ORIGIN- TERRESTRIAL ANIMALS</b>			▶ <b>M16</b> 0,01 (*) ◀			▶ <b>M32</b> — ◀



▼ M2

(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)
(**)	(**)	(**)	(**)	► <u>M32</u> (**) ◄	(**)	► <u>M45</u> — ◄	► <u>M61</u> (**) ◄
(**)	(**)	(**)	(**)	► <u>M32</u> (**) ◄	(**)	► <u>M45</u> — ◄	► <u>M61</u> (**) ◄
(**)	(**)	(**)	(**)	► <u>M32</u> (**) ◄	(**)	► <u>M45</u> — ◄	► <u>M61</u> (**) ◄
(**)	(**)	(**)	(**)	► <u>M32</u> (**) ◄	(**)	► <u>M45</u> — ◄	► <u>M61</u> (**) ◄
(**)	(**)	(**)	(**)	► <u>M32</u> (**) ◄	(**)	► <u>M45</u> — ◄	► <u>M61</u> (**) ◄
(**)	(**)	(**)	(**)	► <u>M32</u> (**) ◄	(**)	► <u>M45</u> — ◄	► <u>M61</u> (**) ◄
(**)	(**)	(**)	(**)	► <u>M32</u> (**) ◄	(**)	► <u>M45</u> — ◄	► <u>M61</u> (**) ◄
(**)	(**)	(**)	(**)	► <u>M32</u> (**) ◄	(**)	► <u>M45</u> — ◄	► <u>M61</u> (**) ◄
(**)	(**)	(**)	(**)	► <u>M32</u> (**) ◄	(**)	► <u>M45</u> — ◄	► <u>M61</u> (**) ◄
(**)	(**)	(**)	(**)	► <u>M32</u> (**) ◄	(**)	► <u>M45</u> — ◄	► <u>M61</u> (**) ◄
(**)	(**)	(**)	(**)	► <u>M32</u> (**) ◄	(**)	► <u>M45</u> — ◄	► <u>M61</u> (**) ◄
(**)	(**)	(**)	(**)	► <u>M32</u> (**) ◄	(**)	► <u>M45</u> — ◄	► <u>M61</u> (**) ◄
(**)	(**)	(**)	(**)	► <u>M32</u> (**) ◄	(**)	► <u>M45</u> — ◄	► <u>M61</u> (**) ◄
(**)	(**)	(**)	(**)	► <u>M32</u> (**) ◄	(**)	► <u>M45</u> — ◄	► <u>M61</u> (**) ◄
(**)	(**)	(**)	(**)	► <u>M32</u> (**) ◄	(**)	► <u>M45</u> — ◄	► <u>M61</u> (**) ◄
(**)	(**)	(**)	(**)	► <u>M32</u> (**) ◄	(**)	► <u>M45</u> — ◄	► <u>M61</u> (**) ◄
						► <u>M45</u> — ◄	



▼ M2

(25)	(26)	(27)	(28)	(29)	(30)	(31)
(**)	▶ <u>M68</u> (+) ◀	(**)	▶ <u>M50</u> (+) ◀	▶ <u>M5</u> (**) ◀	(**)	(**)
(**)	▶ <u>M68</u> 0,05 (*) ◀	(**)	▶ <u>M50</u> 0,05 (*) ◀	▶ <u>M5</u> (**) ◀	(**)	(**)
(**)	▶ <u>M68</u> 0,05 (*) ◀	(**)	▶ <u>M50</u> 0,05 (*) ◀	▶ <u>M5</u> (**) ◀	(**)	(**)
(**)	▶ <u>M68</u> — ◀	(**)	▶ <u>M50</u> — ◀	▶ <u>M5</u> (**) ◀	(**)	(**)
(**)	▶ <u>M68</u> — ◀	(**)	▶ <u>M50</u> — ◀	▶ <u>M5</u> (**) ◀	(**)	(**)
(**)	▶ <u>M68</u> — ◀	(**)	▶ <u>M50</u> — ◀	▶ <u>M5</u> (**) ◀	(**)	(**)
(**)	▶ <u>M68</u> 0,05 (*) ◀	(**)	▶ <u>M50</u> 0,05 (*) ◀	▶ <u>M5</u> (**) ◀	(**)	(**)
(**)	▶ <u>M68</u> — ◀	(**)	▶ <u>M50</u> — ◀	▶ <u>M5</u> (**) ◀	(**)	(**)
(**)	▶ <u>M68</u> — ◀	(**)	▶ <u>M50</u> — ◀	▶ <u>M5</u> (**) ◀	(**)	(**)
(**)	▶ <u>M68</u> 0,05 (*) ◀	(**)	▶ <u>M50</u> 0,05 (*) ◀	▶ <u>M5</u> (**) ◀	(**)	(**)
(**)	▶ <u>M68</u> — ◀	(**)	▶ <u>M50</u> — ◀	▶ <u>M5</u> (**) ◀	(**)	(**)
(**)	▶ <u>M68</u> — ◀	(**)	▶ <u>M50</u> — ◀	▶ <u>M5</u> (**) ◀	(**)	(**)
(**)	▶ <u>M68</u> 0,01 (*) ◀	(**)	▶ <u>M50</u> — ◀	▶ <u>M5</u> (**) ◀	(**)	(**)
(**)	▶ <u>M68</u> — ◀	(**)	▶ <u>M50</u> 0,01 (*) ◀	▶ <u>M5</u> (**) ◀	(**)	(**)
(**)	▶ <u>M68</u> — ◀	(**)	▶ <u>M50</u> 0,01 (*) ◀	▶ <u>M5</u> (**) ◀	(**)	(**)
(**)	▶ <u>M68</u> — ◀	(**)	▶ <u>M50</u> 0,05 (*) (+) ◀	▶ <u>M5</u> (**) ◀	(**)	(**)
(**)	▶ <u>M68</u> — ◀	(**)	▶ <u>M50</u> 0,01 (*) ◀	▶ <u>M5</u> (**) ◀	(**)	(**)

▼ **M2**

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)
1010000	(i) <b>Meat, preparations of meat, offals, blood, animal fats fresh chilled or frozen, salted, in brine, dried or smoked or processed as flours or meals; other processed products such as sausages and food preparations based on these</b>	▶ <b>M45</b> — ◀		0,05 (*)			▶ <b>M32</b> — ◀
1011000	(a) <i>Swine</i>	▶ <b>M45</b> 0,05 ◀				0,05 (*)	▶ <b>M32</b> — ◀
1011010	Meat				▶ <b>M68</b> 0,05 (*) ◀		▶ <b>M32</b> — ◀
1011020	Fat free of lean meat				▶ <b>M68</b> 0,05 (*) ◀		▶ <b>M32</b> — ◀
1011030	Liver				▶ <b>M68</b> 0,1 ◀		▶ <b>M32</b> — ◀
1011040	Kidney				▶ <b>M68</b> 0,1 ◀		▶ <b>M32</b> — ◀
1011050	Edible offal				▶ <b>M68</b> 0,1 ◀		▶ <b>M32</b> — ◀
1011990	Others				▶ <b>M68</b> 0,05 (*) ◀		▶ <b>M32</b> — ◀
1012000	(b) <i>Bovine</i>	▶ <b>M45</b> 0,05 ◀				0,05 (*)	▶ <b>M32</b> — ◀
1012010	Meat				▶ <b>M68</b> 0,05 (*) ◀		▶ <b>M32</b> — ◀
1012020	Fat				▶ <b>M68</b> 0,2 ◀		▶ <b>M32</b> — ◀
1012030	Liver				▶ <b>M68</b> 0,5 ◀		▶ <b>M32</b> — ◀

▼ M2

(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
▶ <u>M37</u> 0,02 (*) ◀	▶ <u>M64</u> — ◀	▶ <u>M21</u> 0,05 (*) ◀	▶ <u>M70</u> 0,01 (*) ◀			▶ <u>M70</u> — ◀	
						▶ <u>M70</u> — ◀	
						▶ <u>M70</u> — ◀ ▶ <u>M70</u> — ◀ ▶ <u>M70</u> — ◀ ▶ <u>M70</u> — ◀ ▶ <u>M70</u> — ◀	
						▶ <u>M70</u> — ◀	
						▶ <u>M70</u> — ◀	
						▶ <u>M70</u> — ◀ ▶ <u>M70</u> — ◀ ▶ <u>M70</u> — ◀	

▼ M2

(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)
	0,05 (*)	0,05 (*)	0,05 (*)		0,05 (*)	▶ <u>M45</u> — ◀	
						▶ <u>M45</u> — ◀	▶ <u>M61</u> — ◀
						▶ <u>M45</u> — ◀ ▶ <u>M45</u> — ◀ ▶ <u>M45</u> — ◀ ▶ <u>M45</u> — ◀ ▶ <u>M45</u> — ◀	▶ <u>M61</u> 0,05 (*) ◀ ▶ <u>M61</u> 0,05 (*) ◀ ▶ <u>M61</u> 0,05 (*) ◀ ▶ <u>M61</u> 0,12 ◀ ▶ <u>M61</u> 0,05 (*) ◀
						▶ <u>M45</u> — ◀	▶ <u>M61</u> 0,05 (*) ◀
						▶ <u>M45</u> — ◀	
						▶ <u>M45</u> — ◀ ▶ <u>M45</u> — ◀ ▶ <u>M45</u> — ◀	▶ <u>M61</u> 0,08 ◀ ▶ <u>M61</u> 0,05 (*) ◀ ▶ <u>M61</u> 0,12 ◀

▼ M2

(25)	(26)	(27)	(28)	(29)	(30)	(31)
0,1 (*)	▶ <u>M14</u> — ◀	0,05 (*)			0,05 (*)	
	▶ <u>M68</u> (+) ◀					
	▶ <u>M68</u> 0,02 ◀ ▶ <u>M68</u> 0,07 ◀  ▶ <u>M68</u> 0,2 ◀ ▶ <u>M68</u> 0,2 ◀ ▶ <u>M68</u> 0,2 ◀		▶ <u>M50</u> 0,05 (*) ◀ ▶ <u>M50</u> 0,05 (*) ◀  ▶ <u>M50</u> 0,05 (*) ◀ ▶ <u>M50</u> 0,2 ◀ ▶ <u>M50</u> 0,05 (*) ◀			
	▶ <u>M68</u> 0,01 (*) ◀		▶ <u>M50</u> 0,05 (*) ◀			
	▶ <u>M68</u> 0,15 ◀ ▶ <u>M68</u> 0,1 ◀ ▶ <u>M68</u> 0,2 ◀		▶ <u>M50</u> 0,05 (*) ◀ ▶ <u>M50</u> 0,05 (*) ◀ ▶ <u>M50</u> 0,05 (*) ◀			

▼ M2

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)
1012040	Kidney				▶ <u>M68</u> 0,3 ◀		▶ <u>M32</u> — ◀
1012050	Edible offal				▶ <u>M68</u> 0,5 ◀		▶ <u>M32</u> — ◀
1012990	Others				▶ <u>M68</u> 0,05 (*) ◀		▶ <u>M32</u> — ◀
1013000	(c) <i>Sheep</i>	▶ <u>M45</u> 0,05 ◀				0,05 (*)	▶ <u>M32</u> — ◀
1013010	Meat				▶ <u>M68</u> 0,05 (*) ◀		▶ <u>M32</u> — ◀
1013020	Fat				▶ <u>M68</u> 0,2 ◀		▶ <u>M32</u> — ◀
1013030	Liver				▶ <u>M68</u> 0,5 ◀		▶ <u>M32</u> — ◀
1013040	Kidney				▶ <u>M68</u> 0,3 ◀		▶ <u>M32</u> — ◀
1013050	Edible offal				▶ <u>M68</u> 0,5 ◀		▶ <u>M32</u> — ◀
1013990	Others				▶ <u>M68</u> 0,05 (*) ◀		▶ <u>M32</u> — ◀
1014000	(d) <i>Goat</i>	▶ <u>M45</u> 0,05 ◀				0,05 (*)	▶ <u>M32</u> — ◀
1014010	Meat				▶ <u>M68</u> 0,05 (*) ◀		▶ <u>M32</u> — ◀
1014020	Fat				▶ <u>M68</u> 0,2 ◀		▶ <u>M32</u> — ◀
1014030	Liver				▶ <u>M68</u> 0,5 ◀		▶ <u>M32</u> — ◀
1014040	Kidney				▶ <u>M68</u> 0,3 ◀		▶ <u>M32</u> — ◀
1014050	Edible offal				▶ <u>M68</u> 0,5 ◀		▶ <u>M32</u> — ◀
1014990	Others				▶ <u>M68</u> 0,05 (*) ◀		▶ <u>M32</u> — ◀
1015000	(e) <i>Horses, asses, mules or hinnies</i>	▶ <u>M45</u> (**) ◀	(**)	(**)	▶ <u>M68</u> — ◀	(**)	▶ <u>M32</u> — ◀
1015010	Meat	▶ <u>M45</u> (**) ◀	(**)	(**)	▶ <u>M68</u> 0,05 (*) ◀	(**)	▶ <u>M32</u> — ◀
1015020	Fat	▶ <u>M45</u> (**) ◀	(**)	(**)	▶ <u>M68</u> 0,2 ◀	(**)	▶ <u>M32</u> — ◀
1015030	Liver	▶ <u>M45</u> (**) ◀	(**)	(**)	▶ <u>M68</u> 0,5 ◀	(**)	▶ <u>M32</u> — ◀

▼ M2

(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
						▶ <u>M70</u> — ◀	
						▶ <u>M70</u> — ◀	
						▶ <u>M70</u> — ◀	
						▶ <u>M70</u> — ◀	
						▶ <u>M70</u> — ◀	
						▶ <u>M70</u> — ◀	
						▶ <u>M70</u> — ◀	
						▶ <u>M70</u> — ◀	
						▶ <u>M70</u> — ◀	
						▶ <u>M70</u> — ◀	
						▶ <u>M70</u> — ◀	
▶ <u>M37</u> (**) ◀	▶ <u>M64</u> (**) ◀	▶ <u>M15</u> (**) ◀	▶ <u>M70</u> (**) ◀	(**)	(**)	▶ <u>M70</u> — ◀	(**)
▶ <u>M37</u> (**) ◀	▶ <u>M64</u> (**) ◀	▶ <u>M15</u> (**) ◀	▶ <u>M70</u> (**) ◀	(**)	(**)	▶ <u>M70</u> — ◀	(**)
▶ <u>M37</u> (**) ◀	▶ <u>M64</u> (**) ◀	▶ <u>M15</u> (**) ◀	▶ <u>M70</u> (**) ◀	(**)	(**)	▶ <u>M70</u> — ◀	(**)

▼ M2

(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)
						▶ <u>M45</u> — ◀ ▶ <u>M45</u> — ◀	▶ <u>M61</u> 0,4 ◀ ▶ <u>M61</u> 0,05 (*) ◀
						▶ <u>M45</u> — ◀	▶ <u>M61</u> 0,05 (*) ◀
						▶ <u>M45</u> — ◀	▶ <u>M61</u> — ◀
						▶ <u>M45</u> — ◀ ▶ <u>M45</u> — ◀ ▶ <u>M45</u> — ◀ ▶ <u>M45</u> — ◀ ▶ <u>M45</u> — ◀	▶ <u>M61</u> 0,08 ◀ ▶ <u>M61</u> 0,05 (*) ◀ ▶ <u>M61</u> 0,12 ◀ ▶ <u>M61</u> 0,4 ◀ ▶ <u>M61</u> 0,05 (*) ◀
						▶ <u>M45</u> — ◀	▶ <u>M61</u> 0,05 (*) ◀
						▶ <u>M45</u> — ◀	▶ <u>M61</u> — ◀
						▶ <u>M45</u> — ◀ ▶ <u>M45</u> — ◀ ▶ <u>M45</u> — ◀ ▶ <u>M45</u> — ◀ ▶ <u>M45</u> — ◀	▶ <u>M61</u> 0,08 ◀ ▶ <u>M61</u> 0,05 (*) ◀ ▶ <u>M61</u> 0,12 ◀ ▶ <u>M61</u> 0,4 ◀ ▶ <u>M61</u> 0,05 (*) ◀
						▶ <u>M45</u> — ◀	▶ <u>M61</u> 0,05 (*) ◀
(**)	(**)	(**)	(**)	▶ <u>M32</u> (**) ◀	(**)	▶ <u>M45</u> — ◀	▶ <u>M61</u> (**) ◀
(**)	(**)	(**)	(**)	▶ <u>M32</u> (**) ◀	(**)	▶ <u>M45</u> — ◀	▶ <u>M61</u> (**) ◀
(**)	(**)	(**)	(**)	▶ <u>M32</u> (**) ◀	(**)	▶ <u>M45</u> — ◀	▶ <u>M61</u> (**) ◀
(**)	(**)	(**)	(**)	▶ <u>M32</u> (**) ◀	(**)	▶ <u>M45</u> — ◀	▶ <u>M61</u> (**) ◀



▼ M2

(25)	(26)	(27)	(28)	(29)	(30)	(31)
	▶ <u>M68</u> 0,7 ◀ ▶ <u>M68</u> 0,7 ◀		▶ <u>M50</u> 0,2 ◀ ▶ <u>M50</u> 0,05 (*) ◀			
	▶ <u>M68</u> 0,01 (*) ◀		▶ <u>M50</u> 0,05 (*) ◀			
	▶ <u>M68</u> 0,15 ◀ ▶ <u>M68</u> 0,1 ◀ ▶ <u>M68</u> 0,2 ◀ ▶ <u>M68</u> 0,7 ◀ ▶ <u>M68</u> 0,7 ◀		▶ <u>M50</u> 0,05 (*) ◀ ▶ <u>M50</u> 0,05 (*) ◀ ▶ <u>M50</u> 0,05 (*) ◀ ▶ <u>M50</u> 0,2 ◀ ▶ <u>M50</u> 0,05 (*) ◀			
	▶ <u>M68</u> 0,01 (*) ◀		▶ <u>M50</u> 0,05 (*) ◀			
	▶ <u>M68</u> 0,15 ◀ ▶ <u>M68</u> 0,1 ◀ ▶ <u>M68</u> 0,2 ◀ ▶ <u>M68</u> 0,7 ◀ ▶ <u>M68</u> 0,7 ◀		▶ <u>M50</u> 0,05 (*) ◀ ▶ <u>M50</u> 0,05 (*) ◀ ▶ <u>M50</u> 0,05 (*) ◀ ▶ <u>M50</u> 0,2 ◀ ▶ <u>M50</u> 0,05 (*) ◀			
	▶ <u>M68</u> 0,01 (*) ◀		▶ <u>M50</u> 0,05 (*) ◀			
(**)	▶ <u>M68</u> — ◀	(**)	▶ <u>M50</u> — ◀	▶ <u>M5</u> (**) ◀	(**)	(**)
(**)	▶ <u>M68</u> 0,15 ◀	(**)	▶ <u>M50</u> 0,05 (*) ◀	▶ <u>M5</u> (**) ◀	(**)	(**)
(**)	▶ <u>M68</u> 0,1 ◀	(**)	▶ <u>M50</u> 0,05 (*) ◀	▶ <u>M5</u> (**) ◀	(**)	(**)
(**)	▶ <u>M68</u> 0,2 ◀	(**)	▶ <u>M50</u> 0,05 (*) ◀	▶ <u>M5</u> (**) ◀	(**)	(**)

▼ **M2**

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)
1015040	Kidney	► <b>M45</b> (**) ◀	(**)	(**)	► <b>M68</b> 0,3 ◀	(**)	► <b>M32</b> — ◀
1015050	Edible offal	► <b>M45</b> (**) ◀	(**)	(**)	► <b>M68</b> 0,5 ◀	(**)	► <b>M32</b> — ◀
1015990	Others	► <b>M45</b> (**) ◀	(**)	(**)	► <b>M68</b> 0,05 (*) ◀	(**)	► <b>M32</b> — ◀
1016000	(f) <i>Poultry -chicken, geese, duck, turkey and Guinea fowl-, ostrich, pigeon</i>	► <b>M45</b> 0,01 (*) ◀			► <b>M68</b> 0,05 (*) ◀		► <b>M32</b> — ◀
1016010	Meat				► <b>M68</b> — ◀		► <b>M32</b> — ◀
1016020	Fat				► <b>M68</b> — ◀		► <b>M32</b> — ◀
1016030	Liver				► <b>M68</b> — ◀		► <b>M32</b> — ◀
1016040	Kidney				► <b>M68</b> — ◀		► <b>M32</b> — ◀
1016050	Edible offal				► <b>M68</b> — ◀		► <b>M32</b> — ◀
1016990	Others				► <b>M68</b> — ◀		► <b>M32</b> — ◀
1017000	(g) <i>Other farm animals</i>	► <b>M45</b> (**) ◀	(**)	(**)	► <b>M68</b> — ◀	(**)	► <b>M32</b> — ◀
1017010	Meat	► <b>M45</b> (**) ◀	(**)	(**)	► <b>M68</b> 0,05 (*) ◀	(**)	► <b>M32</b> — ◀
1017020	Fat	► <b>M45</b> (**) ◀	(**)	(**)	► <b>M68</b> 0,2 ◀	(**)	► <b>M32</b> — ◀
1017030	Liver	► <b>M45</b> (**) ◀	(**)	(**)	► <b>M68</b> 0,5 ◀	(**)	► <b>M32</b> — ◀
1017040	Kidney	► <b>M45</b> (**) ◀	(**)	(**)	► <b>M68</b> 0,3 ◀	(**)	► <b>M32</b> — ◀
1017050	Edible offal	► <b>M45</b> (**) ◀	(**)	(**)	► <b>M68</b> 0,5 ◀	(**)	► <b>M32</b> — ◀
1017990	Others	► <b>M45</b> (**) ◀	(**)	(**)	► <b>M68</b> 0,05 (*) ◀	(**)	► <b>M32</b> — ◀

▼ M2

(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
▶ <u>M37</u> (**) ◀	▶ <u>M64</u> (**) ◀	▶ <u>M15</u> (**) ◀	▶ <u>M70</u> (**) ◀	(**)	(**)	▶ <u>M70</u> — ◀	(**)
▶ <u>M37</u> (**) ◀	▶ <u>M64</u> (**) ◀	▶ <u>M15</u> (**) ◀	▶ <u>M70</u> (**) ◀	(**)	(**)	▶ <u>M70</u> — ◀	(**)
▶ <u>M37</u> (**) ◀	▶ <u>M64</u> (**) ◀	▶ <u>M15</u> (**) ◀	▶ <u>M70</u> (**) ◀	(**)	(**)	▶ <u>M70</u> — ◀	(**)
						▶ <u>M70</u> — ◀	
						▶ <u>M70</u> — ◀ ▶ <u>M70</u> — ◀ ▶ <u>M70</u> — ◀ ▶ <u>M70</u> — ◀ ▶ <u>M70</u> — ◀	
						▶ <u>M70</u> — ◀	
▶ <u>M37</u> (**) ◀	▶ <u>M64</u> (**) ◀	▶ <u>M15</u> (**) ◀	▶ <u>M70</u> (**) ◀	(**)	(**)	▶ <u>M70</u> — ◀	(**)
▶ <u>M37</u> (**) ◀	▶ <u>M64</u> (**) ◀	▶ <u>M15</u> (**) ◀	▶ <u>M70</u> (**) ◀	(**)	(**)	▶ <u>M70</u> — ◀	(**)
▶ <u>M37</u> (**) ◀	▶ <u>M64</u> (**) ◀	▶ <u>M15</u> (**) ◀	▶ <u>M70</u> (**) ◀	(**)	(**)	▶ <u>M70</u> — ◀	(**)
▶ <u>M37</u> (**) ◀	▶ <u>M64</u> (**) ◀	▶ <u>M15</u> (**) ◀	▶ <u>M70</u> (**) ◀	(**)	(**)	▶ <u>M70</u> — ◀	(**)
▶ <u>M37</u> (**) ◀	▶ <u>M64</u> (**) ◀	▶ <u>M15</u> (**) ◀	▶ <u>M70</u> (**) ◀	(**)	(**)	▶ <u>M70</u> — ◀	(**)
▶ <u>M37</u> (**) ◀	▶ <u>M64</u> (**) ◀	▶ <u>M15</u> (**) ◀	▶ <u>M70</u> (**) ◀	(**)	(**)	▶ <u>M70</u> — ◀	(**)

▼ M2

(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)
(**)	(**)	(**)	(**)	► <u>M32</u> (**) ◄	(**)	► <u>M45</u> — ◄	► <u>M61</u> (**) ◄
(**)	(**)	(**)	(**)	► <u>M32</u> (**) ◄	(**)	► <u>M45</u> — ◄	► <u>M61</u> (**) ◄
(**)	(**)	(**)	(**)	► <u>M32</u> (**) ◄	(**)	► <u>M45</u> — ◄	► <u>M61</u> (**) ◄
						► <u>M45</u> — ◄	► <u>M61</u> 0,05 (*) ◄
						► <u>M45</u> — ◄ ► <u>M45</u> — ◄ ► <u>M45</u> — ◄ ► <u>M45</u> — ◄ ► <u>M45</u> — ◄	► <u>M61</u> — ◄ ► <u>M61</u> — ◄ ► <u>M61</u> — ◄ ► <u>M61</u> — ◄ ► <u>M61</u> — ◄
						► <u>M45</u> — ◄	► <u>M61</u> — ◄
(**)	(**)	(**)	(**)	► <u>M32</u> (**) ◄	(**)	► <u>M45</u> — ◄	► <u>M61</u> (**) ◄
(**)	(**)	(**)	(**)	► <u>M32</u> (**) ◄	(**)	► <u>M45</u> — ◄	► <u>M61</u> (**) ◄
(**)	(**)	(**)	(**)	► <u>M32</u> (**) ◄	(**)	► <u>M45</u> — ◄	► <u>M61</u> (**) ◄
(**)	(**)	(**)	(**)	► <u>M32</u> (**) ◄	(**)	► <u>M45</u> — ◄	► <u>M61</u> (**) ◄
(**)	(**)	(**)	(**)	► <u>M32</u> (**) ◄	(**)	► <u>M45</u> — ◄	► <u>M61</u> (**) ◄
(**)	(**)	(**)	(**)	► <u>M32</u> (**) ◄	(**)	► <u>M45</u> — ◄	► <u>M61</u> (**) ◄

▼ M2

(25)	(26)	(27)	(28)	(29)	(30)	(31)
(**)	▶ <u>M68</u> 0,7 ◀	(**)	▶ <u>M50</u> 0,2 ◀	▶ <u>M5</u> (**) ◀	(**)	(**)
(**)	▶ <u>M68</u> 0,7 ◀	(**)	▶ <u>M50</u> 0,05 (*) ◀	▶ <u>M5</u> (**) ◀	(**)	(**)
(**)	▶ <u>M68</u> 0,01 (*) ◀	(**)	▶ <u>M50</u> 0,05 (*) ◀	▶ <u>M5</u> (**) ◀	(**)	(**)
	▶ <u>M68</u> 0,01 (*) (+) ◀		▶ <u>M50</u> 0,05 (*) ◀	▶ <u>M5</u> 0,05 (*) ◀		
	▶ <u>M68</u> — ◀ ▶ <u>M68</u> — ◀ ▶ <u>M68</u> — ◀ ▶ <u>M68</u> — ◀ ▶ <u>M68</u> — ◀		▶ <u>M50</u> (+) ◀ ▶ <u>M50</u> (+) ◀ ▶ <u>M50</u> (+) ◀			
	▶ <u>M68</u> — ◀					
(**)	▶ <u>M68</u> — ◀	(**)	▶ <u>M50</u> — ◀	▶ <u>M5</u> (**) ◀	(**)	(**)
(**)	▶ <u>M68</u> 0,15 ◀	(**)	▶ <u>M50</u> 0,05 (*) ◀	▶ <u>M5</u> (**) ◀	(**)	(**)
(**)	▶ <u>M68</u> 0,1 ◀	(**)	▶ <u>M50</u> 0,05 (*) ◀	▶ <u>M5</u> (**) ◀	(**)	(**)
(**)	▶ <u>M68</u> 0,2 ◀	(**)	▶ <u>M50</u> 0,05 (*) ◀	▶ <u>M5</u> (**) ◀	(**)	(**)
(**)	▶ <u>M68</u> 0,7 ◀	(**)	▶ <u>M50</u> 0,2 ◀	▶ <u>M5</u> (**) ◀	(**)	(**)
(**)	▶ <u>M68</u> 0,7 ◀	(**)	▶ <u>M50</u> 0,05 (*) ◀	▶ <u>M5</u> (**) ◀	(**)	(**)
(**)	▶ <u>M68</u> 0,01 (*) ◀	(**)	▶ <u>M50</u> 0,05 (*) ◀	▶ <u>M5</u> (**) ◀	(**)	(**)

▼ M2

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)
1020000	(ii) <b>Milk and cream, not concentrated, nor containing added sugar or sweetening matter, butter and other fats derived from milk, cheese and curd</b>	▶ <u>M45</u> 0,05 ◀		0,05 (*)	▶ <u>M68</u> 0,01 (*) ◀	0,01 (*)	▶ <u>M32</u> — ◀
1020010	Cattle						▶ <u>M32</u> — ◀
1020020	Sheep						▶ <u>M32</u> — ◀
1020030	Goat						▶ <u>M32</u> — ◀
1020040	Horse						▶ <u>M32</u> — ◀
1020990	Others						▶ <u>M32</u> — ◀
1030000	(iii) <b>Birds' eggs, fresh preserved or cooked; Shelled eggs and egg yolks fresh, dried, cooked by steaming or boiling in water, moulded, frozen or otherwise preserved whether or not containing added sugar or sweetening matter</b>	▶ <u>M45</u> 0,01 (*) ◀		0,05 (*)	▶ <u>M68</u> 0,05 (*) ◀		▶ <u>M32</u> — ◀
1030010	Chicken						▶ <u>M32</u> — ◀
1030020	Duck	▶ <u>M45</u> (**) ◀	(**)	(**)	▶ <u>M68</u> — ◀	(**)	▶ <u>M32</u> — ◀
1030030	Goose	▶ <u>M45</u> (**) ◀	(**)	(**)	▶ <u>M68</u> — ◀	(**)	▶ <u>M32</u> — ◀

▼ M2

(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
▶ <u>M37</u> 0,02 (*) ◀	▶ <u>M64</u> — ◀	▶ <u>M21</u> 0,05 (*) ◀	▶ <u>M70</u> 0,001 (*) ◀			▶ <u>M70</u> — ◀	
						▶ <u>M70</u> — ◀ ▶ <u>M70</u> — ◀ ▶ <u>M70</u> — ◀ ▶ <u>M70</u> — ◀	
						▶ <u>M70</u> — ◀	
▶ <u>M37</u> 0,02 (*) ◀	▶ <u>M64</u> — ◀	▶ <u>M21</u> 0,05 (*) ◀	▶ <u>M70</u> 0,01 (*) ◀			▶ <u>M70</u> — ◀	
▶ <u>M37</u> (**) ◀	▶ <u>M64</u> (**) ◀	▶ <u>M15</u> (**) ◀	▶ <u>M70</u> (**) ◀	(**)	(**)	▶ <u>M70</u> — ◀	(**)
▶ <u>M37</u> (**) ◀	▶ <u>M64</u> (**) ◀	▶ <u>M15</u> (**) ◀	▶ <u>M70</u> (**) ◀	(**)	(**)	▶ <u>M70</u> — ◀	(**)

▼ M2

(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)
	0,05 (*)	0,05 (*)	0,002 (*)		0,05 (*)	▶ <u>M45</u> — ◀	▶ <u>M61</u> 0,06 ◀
						▶ <u>M45</u> — ◀ ▶ <u>M45</u> — ◀ ▶ <u>M45</u> — ◀ ▶ <u>M45</u> — ◀	▶ <u>M61</u> — ◀ ▶ <u>M61</u> — ◀ ▶ <u>M61</u> — ◀ ▶ <u>M61</u> — ◀
						▶ <u>M45</u> — ◀	▶ <u>M61</u> — ◀
	0,05 (*)	0,05 (*)	0,005 (*)		0,05 (*)	▶ <u>M45</u> — ◀	▶ <u>M61</u> 0,05 (*) ◀
(**)	(**)	(**)	(**)	▶ <u>M32</u> (**) ▶ <u>M32</u> (**)	(**)	▶ <u>M45</u> — ◀ ▶ <u>M45</u> — ◀ ▶ <u>M45</u> — ◀	▶ <u>M61</u> — ◀ ▶ <u>M61</u> (**) ▶ <u>M61</u> (**)



▼ M2

(25)	(26)	(27)	(28)	(29)	(30)	(31)
0,1 (*)	▶ <u>M68</u> 0,1 ◀	0,05 (*)	▶ <u>M50</u> 0,05 (*) ◀	▶ <u>M5</u> 0,01 (*) ◀	0,01 (*)	
0,1 (*)	▶ <u>M68</u> 0,01 (*) (+) ◀	0,05 (*)	▶ <u>M50</u> 0,05 (*) (+) ◀	▶ <u>M5</u> 0,01 (*) ◀	0,01 (*)	
(**)	▶ <u>M68</u> — ◀	(**)	▶ <u>M50</u> — ◀	▶ <u>M5</u> (**) ◀	(**)	(**)
(**)	▶ <u>M68</u> — ◀	(**)	▶ <u>M50</u> — ◀	▶ <u>M5</u> (**) ◀	(**)	(**)

▼ M2

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)
1030040	Quail	▶ <u>M45</u> (**) ◀	(**)	(**)	▶ <u>M68</u> — ◀	(**)	▶ <u>M32</u> — ◀
1030990	Others	▶ <u>M45</u> (**) ◀	(**)	(**)	▶ <u>M68</u> — ◀	(**)	▶ <u>M32</u> — ◀
1040000	(iv) <b>Honey</b>	▶ <u>M45</u> (**) ◀	(**)	(**)	▶ <u>M68</u> 0,05 (*) ◀	(**)	▶ <u>M32</u> — ◀
1050000	(v) <b>Amphibians and reptiles</b>	▶ <u>M45</u> (**) ◀	(**)	(**)	▶ <u>M68</u> 0,05 (*) ◀	(**)	▶ <u>M32</u> — ◀
1060000	(vi) <b>Snails</b>	▶ <u>M45</u> (**) ◀	(**)	(**)	▶ <u>M68</u> 0,05 (*) ◀	(**)	▶ <u>M32</u> — ◀
1070000	(vii) <b>Other terrestrial animal products</b>	▶ <u>M45</u> (**) ◀	(**)	(**)	▶ <u>M68</u> 0,05 (*) ◀	(**)	▶ <u>M32</u> — ◀

▼ M2

(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
▶ <u>M37</u> (**) ◀	▶ <u>M64</u> (**) ◀	▶ <u>M15</u> (**) ◀	▶ <u>M70</u> (**) ◀	(**)	(**)	▶ <u>M70</u> — ◀	(**)
▶ <u>M37</u> (**) ◀	▶ <u>M64</u> (**) ◀	▶ <u>M15</u> (**) ◀	▶ <u>M70</u> (**) ◀	(**)	(**)	▶ <u>M70</u> — ◀	(**)
▶ <u>M37</u> (**) ◀	▶ <u>M64</u> (**) ◀	▶ <u>M15</u> (**) ◀	▶ <u>M70</u> (**) ◀	(**)	(**)	▶ <u>M70</u> — ◀	(**)
▶ <u>M37</u> (**) ◀	▶ <u>M64</u> (**) ◀	▶ <u>M15</u> (**) ◀	▶ <u>M70</u> (**) ◀	(**)	(**)	▶ <u>M70</u> — ◀	(**)
▶ <u>M37</u> (**) ◀	▶ <u>M64</u> (**) ◀	▶ <u>M15</u> (**) ◀	▶ <u>M70</u> (**) ◀	(**)	(**)	▶ <u>M70</u> — ◀	(**)
▶ <u>M37</u> (**) ◀	▶ <u>M64</u> (**) ◀	▶ <u>M15</u> (**) ◀	▶ <u>M70</u> (**) ◀	(**)	(**)	▶ <u>M70</u> — ◀	(**)

▼ M2

(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)
(**)	(**)	(**)	(**)	▶ <u>M32</u> (**) ◀	(**)	▶ <u>M45</u> — ◀	▶ <u>M61</u> (**) ◀
(**)	(**)	(**)	(**)	▶ <u>M32</u> (**) ◀	(**)	▶ <u>M45</u> — ◀	▶ <u>M61</u> (**) ◀
(**)	(**)	(**)	(**)	▶ <u>M32</u> (**) ◀	(**)	▶ <u>M45</u> — ◀	▶ <u>M61</u> (**) ◀
(**)	(**)	(**)	(**)	▶ <u>M32</u> (**) ◀	(**)	▶ <u>M45</u> — ◀	▶ <u>M61</u> (**) ◀
(**)	(**)	(**)	(**)	▶ <u>M32</u> (**) ◀	(**)	▶ <u>M45</u> — ◀	▶ <u>M61</u> (**) ◀
(**)	(**)	(**)	(**)	▶ <u>M32</u> (**) ◀	(**)	▶ <u>M45</u> — ◀	▶ <u>M61</u> (**) ◀

▼ M2

(25)	(26)	(27)	(28)	(29)	(30)	(31)
(**)	▶ <u>M68</u> — ◀	(**)	▶ <u>M50</u> — ◀	▶ <u>M5</u> (**) ◀	(**)	(**)
(**)	▶ <u>M68</u> — ◀	(**)	▶ <u>M50</u> — ◀	▶ <u>M5</u> (**) ◀	(**)	(**)
(**)	▶ <u>M68</u> 0,05 (*) ◀	(**)	▶ <u>M50</u> 0,05 (*) ◀	▶ <u>M5</u> (**) ◀	(**)	(**)
(**)	▶ <u>M68</u> 0,01 (*) ◀	(**)	▶ <u>M50</u> 0,05 (*) ◀	▶ <u>M5</u> (**) ◀	(**)	(**)
(**)	▶ <u>M68</u> 0,01 (*) ◀	(**)	▶ <u>M50</u> 0,05 (*) ◀	▶ <u>M5</u> (**) ◀	(**)	(**)
(**)	▶ <u>M68</u> 0,01 (*) ◀	(**)	▶ <u>M50</u> 0,05 (*) ◀	▶ <u>M5</u> (**) ◀	(**)	(**)

▼ M2

*Pesticide residues and maximum residue levels (mg/kg)*

Code number	Groups and examples of individual products to which the MRLs apply (*)	Cimidon-ethyl (sum of cimidon ethyl and its E-isomer)	▶ <u>M75</u> Clofentezine (*) ▼	▶ <u>M72</u> Cyazofamid ▼	▶ <u>M46</u> — ▼	▶ <u>M56</u> Cyfluthrin (cyfluthrin including other mixtures of constituent isomers (sum of isomers)) (†) ▼	▶ <u>M55</u> Cyhalofop-butyl ▼
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)
0100000	1. <b>FRUIT FRESH OR FROZEN; NUTS</b>	0,05 (*)			▶ <u>M46</u> — ◀		▶ <u>M55</u> — ◀
0110000	(i) <b>Citrus fruit</b>		▶ <u>M75</u> 0,5 ◀	▶ <u>M72</u> 0,01 (*) ◀	▶ <u>M46</u> — ◀	▶ <u>M56</u> 0,02 (*) ◀	▶ <u>M55</u> 0,02 (*) ◀
0110010	Grapefruit				▶ <u>M46</u> — ◀		
0110020	Oranges				▶ <u>M46</u> — ◀		
0110030	Lemons				▶ <u>M46</u> — ◀		
0110040	Limes				▶ <u>M46</u> — ◀		
0110050	Mandarins				▶ <u>M46</u> — ◀		
0110990	Others				▶ <u>M46</u> — ◀		
0120000	(ii) <b>Tree nuts (shelled or unshelled)</b>		▶ <u>M75</u> 0,05 (*) ◀	▶ <u>M72</u> 0,02 (*) ◀	▶ <u>M46</u> — ◀	▶ <u>M56</u> 0,02 (*) ◀	▶ <u>M55</u> 0,05 (*) ◀

▼ M2

▶ <u>M19</u> Cypermethrin (cypermethrin including other mixtures of constituent isomers (sum of isomers)) <sup>(L)</sup> ▼	▶ <u>M49</u> Cyromazine ▼	▶ <u>M51</u> — ▼	DDT (sum of p,p'-DDT, o,p'-DDT, p,p'-DDE and p,p'-TDE (DDD) expressed as DDT) <sup>(L)</sup>	▶ <u>M20</u> Deltamethrin (cis-deltamethrin) <sup>(L)</sup> ▼	Desmedipham	Diallate	▶ <u>M43</u> Diazinon <sup>(L)</sup> ▼
(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
	▶ <u>M49</u> 0,05 (*) ◀	▶ <u>M51</u> — ◀	0,05 (*)		0,05 (*)	0,05 (*)	
▶ <u>M19</u> 2 ◀		▶ <u>M51</u> — ◀		▶ <u>M20</u> 0,05 (*) ◀			▶ <u>M43</u> 0,01 (*) ◀
		▶ <u>M51</u> — ◀ ▶ <u>M51</u> — ◀ ▶ <u>M51</u> — ◀ ▶ <u>M51</u> — ◀ ▶ <u>M51</u> — ◀					
		▶ <u>M51</u> — ◀					
▶ <u>M19</u> 0,05 (*) ◀		▶ <u>M51</u> — ◀		▶ <u>M20</u> 0,05 (*) ◀			

▼ M2

Dichlorvos	▲ <u>M32</u> Dicofof (sum of p, p' and o, p' isomers) (1) ▼	▲ <u>M73</u> Dimethenamid including other mixtures of constituent isomers, including dimethenamid-P (sum of isomers) ▼	▲ <u>M9</u> Dimethoate (sum of dimethoate and omethoate expressed as dimethoate) ▼	Dinoseb	Dinoterb	Dioxathion	▼ — ▲ <u>M41</u>
(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)
0,01 (*)		▶ <u>M73</u> 0,01 (*) ◀		0,05 (*)	0,05 (*)	0,05 (*)	▶ <u>M41</u> — ◀
	▶ <u>M32</u> 0,02 (*) ◀		▶ <u>M9</u> 0,02 (*) ◀				▶ <u>M41</u> — ◀
							▶ <u>M41</u> — ◀ ▶ <u>M41</u> — ◀ ▶ <u>M41</u> — ◀ ▶ <u>M41</u> — ◀ ▶ <u>M41</u> — ◀
							▶ <u>M41</u> — ◀
	▶ <u>M32</u> 0,05 (*) ◀		▶ <u>M9</u> 0,05 (*) ◀				▶ <u>M41</u> — ◀



▼ M2

Diquat	▶ <u>M32</u> Disulfoton (sum of disulfoton, disulfoton sulfoxide and disulfoton sulfone expressed as disulfoton) (L) ▼	▶ <u>M33</u> Dithiocarbamates (dithiocarbamates expressed as CS <sub>2</sub> , including maneb, mancozeb, metiram, propineb, thiram and ziram) ▼	DNOC	▶ <u>M16</u> Endosulfan (sum of alpha- and beta-isomers and endosulfan-sulphate expressed as endosulfan) (L) ▼	Endrin (L)	▶ <u>M75</u> Ethephon ▼
(25)	(26)	(27)	(28)	(29)	(30)	(31)
0,05 (*)	▶ <u>M32</u> — ◀		0,05 (*)		0,01 (*)	
	▶ <u>M32</u> 0,01 (*) ◀	▶ <u>M33</u> 5 ◀		▶ <u>M16</u> 0,05 (*) ◀		▶ <u>M75</u> 0,05 (*) ◀
		▶ <u>M13</u> — ◀ ▶ <u>M13</u> — ◀ ▶ <u>M13</u> — ◀ ▶ <u>M13</u> — ◀ ▶ <u>M13</u> — ◀				
		▶ <u>M13</u> — ◀				
	▶ <u>M32</u> 0,02 (*) ◀			▶ <u>M16</u> 0,1 (*) ◀		▶ <u>M11</u> — ◀

▼ **M2**

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)
0120010	Almonds				▶ <u>M46</u> — ◀		
0120020	Brazil nuts				▶ <u>M46</u> — ◀		
0120030	Cashew nuts				▶ <u>M46</u> — ◀		
0120040	Chestnuts				▶ <u>M46</u> — ◀		
0120050	Coconuts				▶ <u>M46</u> — ◀		
0120060	Hazelnuts				▶ <u>M46</u> — ◀		
0120070	Macadamia				▶ <u>M46</u> — ◀		
0120080	Pecans				▶ <u>M46</u> — ◀		
0120090	Pine nuts				▶ <u>M46</u> — ◀		
0120100	Pistachios				▶ <u>M46</u> — ◀		
0120110	Walnuts				▶ <u>M46</u> — ◀		
0120990	Others				▶ <u>M46</u> — ◀		
0130000	(iii) <b>Pome fruit</b>		▶ <u>M75</u> 0,5 ◀	▶ <u>M72</u> 0,01 (*) ◀	▶ <u>M46</u> — ◀	▶ <u>M56</u> 0,2 ◀	▶ <u>M55</u> 0,02 (*) ◀
0130010	Apples				▶ <u>M46</u> — ◀		
0130020	Pears				▶ <u>M46</u> — ◀		
0130030	Quinces				▶ <u>M46</u> — ◀		
0130040	Medlar	(**)	▶ <u>M75</u> (**) ◀	▶ <u>M55</u> — ◀	▶ <u>M46</u> — ◀	▶ <u>M56</u> (**) ◀	▶ <u>M55</u> — ◀
0130050	Loquat	(**)	▶ <u>M75</u> (**) ◀	▶ <u>M55</u> — ◀	▶ <u>M46</u> — ◀	▶ <u>M56</u> (**) ◀	▶ <u>M55</u> — ◀
0130990	Others				▶ <u>M46</u> — ◀		
0140000	(iv) <b>Stone fruit</b>			▶ <u>M72</u> 0,01 (*) ◀	▶ <u>M46</u> — ◀		▶ <u>M55</u> 0,02 (*) ◀
0140010	Apricots		▶ <u>M75</u> 0,02 (*) ◀		▶ <u>M46</u> — ◀	▶ <u>M56</u> 0,3 ◀	
0140020	Cherries		▶ <u>M75</u> 0,02 (*) ◀		▶ <u>M46</u> — ◀	▶ <u>M56</u> 0,2 ◀	
0140030	Peaches		▶ <u>M75</u> 0,02 (*) ◀		▶ <u>M46</u> — ◀	▶ <u>M56</u> 0,3 ◀	
0140040	Plums		▶ <u>M75</u> 0,2 ◀		▶ <u>M46</u> — ◀	▶ <u>M56</u> 0,2 ◀	
0140990	Others		▶ <u>M75</u> 0,02 (*) ◀		▶ <u>M46</u> — ◀	▶ <u>M56</u> 0,02 (*) ◀	
0150000	(v) <b>Berries &amp; small fruit</b>				▶ <u>M46</u> — ◀		▶ <u>M55</u> 0,02 (*) ◀

▼ M2

(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
		▶ <u>M51</u> — ◀ ▶ <u>M51</u> — ◀ ▶ <u>M51</u> — ◀ ▶ <u>M51</u> — ◀ ▶ <u>M51</u> — ◀ ▶ <u>M51</u> — ◀ ▶ <u>M51</u> — ◀ ▶ <u>M51</u> — ◀ ▶ <u>M51</u> — ◀ ▶ <u>M51</u> — ◀ ▶ <u>M51</u> — ◀					▶ <u>M43</u> 0,05 ◀ ▶ <u>M43</u> 0,02 (*) ◀ ▶ <u>M43</u> 0,02 (*) ◀ ▶ <u>M43</u> 0,02 (*) ◀ ▶ <u>M43</u> 0,02 (*) ◀ ▶ <u>M43</u> 0,02 (*) ◀ ▶ <u>M43</u> 0,02 (*) ◀ ▶ <u>M43</u> 0,02 (*) ◀ ▶ <u>M43</u> 0,02 (*) ◀ ▶ <u>M43</u> 0,02 (*) ◀ ▶ <u>M43</u> 0,02 (*) ◀
		▶ <u>M51</u> — ◀					▶ <u>M43</u> 0,02 (*) ◀
▶ <u>M19</u> 1 ◀		▶ <u>M51</u> — ◀					▶ <u>M43</u> 0,01 (*) ◀
▶ <u>M11</u> (**) ◀ ▶ <u>M11</u> (**) ◀	▶ <u>M49</u> — ◀ ▶ <u>M49</u> — ◀	▶ <u>M51</u> — ◀ ▶ <u>M51</u> — ◀ ▶ <u>M51</u> — ◀ ▶ <u>M51</u> — ◀	(**) (**)	▶ <u>M20</u> 0,2 ◀ ▶ <u>M20</u> 0,1 ◀ ▶ <u>M20</u> 0,1 ◀ ▶ <u>M5</u> (**) ◀ ▶ <u>M5</u> (**) ◀	(**) (**)	(**) (**)	▶ <u>M43</u> (**) ◀ ▶ <u>M43</u> (**) ◀
		▶ <u>M51</u> — ◀		▶ <u>M20</u> 0,1 ◀			
▶ <u>M19</u> 2 ◀		▶ <u>M51</u> — ◀					▶ <u>M43</u> 0,01 (*) ◀
▶ <u>M11</u> — ◀ ▶ <u>M11</u> — ◀ ▶ <u>M11</u> — ◀ ▶ <u>M5</u> 1 ◀		▶ <u>M51</u> — ◀ ▶ <u>M51</u> — ◀ ▶ <u>M51</u> — ◀ ▶ <u>M51</u> — ◀		▶ <u>M20</u> 0,1 ◀ ▶ <u>M20</u> 0,2 ◀ ▶ <u>M20</u> 0,1 ◀ ▶ <u>M20</u> 0,1 ◀			
▶ <u>M11</u> — ◀		▶ <u>M51</u> — ◀		▶ <u>M20</u> 0,1 ◀			
		▶ <u>M51</u> — ◀					

▼ M2

(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)
							▶ <u>M41</u> — ◀ ▶ <u>M41</u> — ◀ ▶ <u>M41</u> — ◀ ▶ <u>M41</u> — ◀ ▶ <u>M41</u> — ◀ ▶ <u>M41</u> — ◀ ▶ <u>M41</u> — ◀ ▶ <u>M41</u> — ◀ ▶ <u>M41</u> — ◀ ▶ <u>M41</u> — ◀ ▶ <u>M41</u> — ◀
							▶ <u>M41</u> — ◀
	▶ <u>M32</u> 0,02 (*) ◀		▶ <u>M9</u> 0,02 (*) ◀				▶ <u>M41</u> — ◀
(**)	▶ <u>M32</u> (***) ◀	▶ <u>M73</u> — ◀	▶ <u>M9</u> (***) ◀	(**)	(**)	(**)	▶ <u>M41</u> — ◀
(**)	▶ <u>M32</u> (***) ◀	▶ <u>M73</u> — ◀	▶ <u>M9</u> (***) ◀	(**)	(**)	(**)	▶ <u>M41</u> — ◀
							▶ <u>M41</u> — ◀
	▶ <u>M32</u> 0,02 (*) ◀						▶ <u>M41</u> — ◀
			▶ <u>M9</u> 0,02 (*) ◀ ▶ <u>M9</u> 0,2 (+) ◀ ▶ <u>M9</u> 0,02 (*) ◀ ▶ <u>M9</u> 0,02 (*) ◀				▶ <u>M41</u> — ◀ ▶ <u>M41</u> — ◀ ▶ <u>M41</u> — ◀ ▶ <u>M41</u> — ◀
			▶ <u>M9</u> 0,02 (*) ◀				▶ <u>M41</u> — ◀
	▶ <u>M32</u> 0,02 (*) ◀		▶ <u>M9</u> 0,02 (*) ◀				▶ <u>M41</u> — ◀

▼ M2

(25)	(26)	(27)	(28)	(29)	(30)	(31)
		<p>▶ <u>M33</u> 0,05 (*) ◀</p> <p>▶ <u>M33</u> 0,05 (*) ◀</p> <p>▶ <u>M33</u> 0,05 (*) ◀</p> <p>▶ <u>M33</u> 0,05 (*) ◀</p> <p>▶ <u>M33</u> 0,05 (*) ◀</p> <p>▶ <u>M33</u> 0,05 (*) ◀</p> <p>▶ <u>M33</u> 0,05 (*) ◀</p> <p>▶ <u>M33</u> 0,05 (*) ◀</p> <p>▶ <u>M33</u> 0,05 (*) ◀</p> <p>▶ <u>M33</u> 0,05 (*) ◀</p> <p>▶ <u>M33</u> 0,1 ◀</p>				<p>▶ <u>M75</u> 0,1 ◀</p> <p>▶ <u>M75</u> 0,1 ◀</p> <p>▶ <u>M75</u> 0,1 ◀</p> <p>▶ <u>M75</u> 0,1 ◀</p> <p>▶ <u>M75</u> 0,1 ◀</p> <p>▶ <u>M75</u> 0,1 ◀</p> <p>▶ <u>M75</u> 0,2 ◀</p> <p>▶ <u>M75</u> 0,1 ◀</p> <p>▶ <u>M75</u> 0,1 ◀</p> <p>▶ <u>M75</u> 0,1 ◀</p> <p>▶ <u>M75</u> 0,1 ◀</p> <p>▶ <u>M75</u> 0,5 ◀</p>
		▶ <u>M33</u> 0,05 (*) ◀				▶ <u>M75</u> 0,1 ◀
	▶ <u>M32</u> 0,01 (*) ◀	▶ <u>M33</u> 5 ◀		▶ <u>M16</u> 0,05 (*) ◀		
		<p>▶ <u>M13</u> — ◀</p> <p>▶ <u>M13</u> — ◀</p> <p>▶ <u>M13</u> — ◀</p>		<p>0,05 (*)</p> <p>0,3</p> <p>0,05 (*)</p>		<p>▶ <u>M75</u> 0,6 ◀</p> <p>▶ <u>M75</u> 0,05 (*) ◀</p> <p>▶ <u>M75</u> 0,05 (*) ◀</p>
(**)	▶ <u>M32</u> (**) ◀	▶ <u>M33</u> (**) ◀	(**)	(**)	(**)	▶ <u>M75</u> 0,05 (*) ◀
(**)	▶ <u>M32</u> (**) ◀	▶ <u>M33</u> (**) ◀	(**)	(**)	(**)	▶ <u>M75</u> 0,05 (*) ◀
		▶ <u>M13</u> — ◀		0,05 (*)		▶ <u>M75</u> 0,05 (*) ◀
	▶ <u>M32</u> 0,01 (*) ◀			▶ <u>M16</u> 0,05 (*) ◀		
		<p>▶ <u>M33</u> 2 (+) ◀</p> <p>▶ <u>M33</u> 2 (+) ◀</p> <p>▶ <u>M33</u> 2 (+) ◀</p> <p>▶ <u>M33</u> 2 (+) ◀</p>				<p>▶ <u>M75</u> 0,05 (*) ◀</p> <p>▶ <u>M75</u> 3 ◀</p> <p>▶ <u>M75</u> 0,05 (*) ◀</p> <p>▶ <u>M75</u> 0,05 (*) ◀</p>
		▶ <u>M33</u> 0,05 (*) ◀				▶ <u>M75</u> 0,05 (*) ◀
	▶ <u>M32</u> 0,01 (*) ◀			▶ <u>M16</u> 0,05 (*) ◀		

▼ **M2**

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)
0151000	(a) <i>Table and wine grapes</i>			► <b>M72</b> 2 ◄	► <b>M46</b> — ◄	► <b>M56</b> 0,3 ◄	
0151010	Table grapes		► <b>M75</b> 0,02 (*) ◄		► <b>M46</b> — ◄		
0151020	Wine grapes		► <b>M75</b> 1 ◄		► <b>M46</b> — ◄		
0152000	(b) <i>Strawberries</i>		► <b>M75</b> 2 ◄	► <b>M72</b> 0,01 (*) ◄	► <b>M46</b> — ◄	► <b>M56</b> 0,02 (*) ◄	
0153000	(c) <i>Cane fruit</i>			► <b>M72</b> 0,01 (*) ◄	► <b>M46</b> — ◄	► <b>M56</b> 0,02 (*) ◄	
0153010	Blackberries		► <b>M75</b> 3 ◄		► <b>M46</b> — ◄		
0153020	Dewberries		► <b>M75</b> 0,3 ◄		► <b>M46</b> — ◄		
0153030	Raspberries		► <b>M75</b> 3 ◄		► <b>M46</b> — ◄		
0153990	Others		► <b>M75</b> 0,3 ◄		► <b>M46</b> — ◄		
0154000	(d) <i>Other small fruit &amp; berries</i>			► <b>M72</b> 0,01 (*) ◄	► <b>M46</b> — ◄	► <b>M56</b> 0,02 (*) ◄	
0154010	Blueberries		► <b>M75</b> 0,02 (*) ◄		► <b>M46</b> — ◄		
0154020	Cranberries		► <b>M75</b> 0,02 (*) ◄		► <b>M46</b> — ◄		
0154030	Currants (red, black and white)		► <b>M75</b> 0,5 ◄		► <b>M46</b> — ◄		
0154040	Gooseberries		► <b>M75</b> 0,02 (*) ◄		► <b>M46</b> — ◄		
0154050	Rose hips	(**)	► <b>M75</b> (**) ◄	► <b>M55</b> — ◄	► <b>M46</b> — ◄	► <b>M56</b> (**) ◄	► <b>M55</b> — ◄
0154060	Mulberries	(**)	► <b>M75</b> (**) ◄	► <b>M55</b> — ◄	► <b>M46</b> — ◄	► <b>M56</b> (**) ◄	► <b>M55</b> — ◄
0154070	Azarole (mediterranean medlar)	(**)	► <b>M75</b> (**) ◄	► <b>M55</b> — ◄	► <b>M46</b> — ◄	► <b>M56</b> (**) ◄	► <b>M55</b> — ◄
0154080	Elderberries	(**)	► <b>M75</b> (**) ◄	► <b>M55</b> — ◄	► <b>M46</b> — ◄	► <b>M56</b> (**) ◄	► <b>M55</b> — ◄
0154990	Others		► <b>M75</b> 0,02 (*) ◄		► <b>M46</b> — ◄		

▼ M2

(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
▶ <u>M19</u> 0,5 ◀		▶ <u>M51</u> — ◀		▶ <u>M20</u> 0,2 ◀			▶ <u>M43</u> 0,01 (*) ◀
		▶ <u>M51</u> — ◀ ▶ <u>M51</u> — ◀					
▶ <u>M19</u> 0,07 ◀		▶ <u>M51</u> — ◀		▶ <u>M20</u> 0,2 ◀			▶ <u>M43</u> 0,01 (*) ◀
▶ <u>M19</u> 0,5 ◀		▶ <u>M51</u> — ◀					▶ <u>M43</u> 0,01 (*) ◀
		▶ <u>M51</u> — ◀ ▶ <u>M51</u> — ◀ ▶ <u>M51</u> — ◀		▶ <u>M20</u> 0,5 ◀ ▶ <u>M20</u> 0,05 (*) ◀ ▶ <u>M20</u> 0,5 ◀			
		▶ <u>M51</u> — ◀		▶ <u>M20</u> 0,05 (*) ◀			
▶ <u>M19</u> 0,05 (*) ◀		▶ <u>M51</u> — ◀					
		▶ <u>M51</u> — ◀ ▶ <u>M51</u> — ◀ ▶ <u>M51</u> — ◀		▶ <u>M20</u> 0,05 (*) ◀ ▶ <u>M20</u> 0,05 (*) ◀ ▶ <u>M20</u> 0,5 ◀			▶ <u>M43</u> 0,01 (*) ◀ ▶ <u>M43</u> 0,2 ◀ ▶ <u>M43</u> 0,01 (*) ◀
▶ <u>M11</u> (**) ◀	▶ <u>M49</u> — ◀	▶ <u>M51</u> — ◀	(**)	▶ <u>M20</u> 0,2 ◀ ▶ <u>M5</u> (**) ◀	(**)	(**)	▶ <u>M43</u> 0,01 (*) ◀ ▶ <u>M43</u> (**) ◀
▶ <u>M11</u> (**) ◀	▶ <u>M49</u> — ◀	▶ <u>M51</u> — ◀	(**)	▶ <u>M5</u> (**) ◀	(**)	(**)	▶ <u>M43</u> (**) ◀
▶ <u>M11</u> (**) ◀	▶ <u>M49</u> — ◀	▶ <u>M51</u> — ◀	(**)	▶ <u>M5</u> (**) ◀	(**)	(**)	▶ <u>M43</u> (**) ◀
▶ <u>M11</u> (**) ◀	▶ <u>M49</u> — ◀	▶ <u>M51</u> — ◀	(**)	▶ <u>M5</u> (**) ◀	(**)	(**)	▶ <u>M43</u> (**) ◀
		▶ <u>M51</u> — ◀		▶ <u>M20</u> 0,05 (*) ◀			▶ <u>M43</u> 0,01 (*) ◀

▼ M2

(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)
	▶ <u>M32</u> — ◀						▶ <u>M41</u> — ◀
							▶ <u>M41</u> — ◀ ▶ <u>M41</u> — ◀
	▶ <u>M32</u> — ◀						▶ <u>M41</u> — ◀
	▶ <u>M32</u> — ◀						▶ <u>M41</u> — ◀
							▶ <u>M41</u> — ◀ ▶ <u>M41</u> — ◀ ▶ <u>M41</u> — ◀
							▶ <u>M41</u> — ◀
	▶ <u>M32</u> — ◀						▶ <u>M41</u> — ◀
							▶ <u>M41</u> — ◀ ▶ <u>M41</u> — ◀ ▶ <u>M41</u> — ◀
(**)	▶ <u>M32</u> (**) ◀	▶ <u>M73</u> — ◀	▶ <u>M9</u> (**) ◀	(**)	(**)	(**)	▶ <u>M41</u> — ◀ ▶ <u>M41</u> — ◀
(**)	▶ <u>M32</u> (**) ◀	▶ <u>M73</u> — ◀	▶ <u>M9</u> (**) ◀	(**)	(**)	(**)	▶ <u>M41</u> — ◀
(**)	▶ <u>M32</u> (**) ◀	▶ <u>M73</u> — ◀	▶ <u>M9</u> (**) ◀	(**)	(**)	(**)	▶ <u>M41</u> — ◀
(**)	▶ <u>M32</u> (**) ◀	▶ <u>M73</u> — ◀	▶ <u>M9</u> (**) ◀	(**)	(**)	(**)	▶ <u>M41</u> — ◀
							▶ <u>M41</u> — ◀



▼ M2

(25)	(26)	(27)	(28)	(29)	(30)	(31)
		▶ <u>M33</u> 5 (+) ◀		0,5		▶ <u>M9</u> — ◀
		▶ <u>M13</u> — ◀ ▶ <u>M13</u> — ◀				▶ <u>M75</u> 1 ◀ ▶ <u>M75</u> 2 ◀
		▶ <u>M33</u> 10 (+) ◀		0,05 (*)		▶ <u>M75</u> 0,05 (*) ◀
		▶ <u>M33</u> 0,05 (*) ◀		0,05 (*)		▶ <u>M75</u> 0,05 (*) ◀
		▶ <u>M13</u> — ◀ ▶ <u>M13</u> — ◀ ▶ <u>M13</u> — ◀				
		▶ <u>M13</u> — ◀				
		▶ <u>M7</u> ▶ <u>C5</u> — ◀ ◀		0,05 (*)		▶ <u>M11</u> — ◀
		▶ <u>M33</u> 5 ◀ ▶ <u>M33</u> 5 ◀ ▶ <u>M33</u> 5 (+) ◀  ▶ <u>M33</u> 5 ◀				▶ <u>M75</u> 20 ◀ ▶ <u>M75</u> 0,05 (*) ◀ ▶ <u>M75</u> 0,05 (*) ◀  ▶ <u>M75</u> 0,05 (*) ◀
(**)	▶ <u>M32</u> (**) ◀	▶ <u>M33</u> (**) ◀	(**)	(**)	(**)	▶ <u>M75</u> 0,05 (*) ◀
(**)	▶ <u>M32</u> (**) ◀	▶ <u>M33</u> (**) ◀	(**)	(**)	(**)	▶ <u>M75</u> 0,05 (*) ◀
(**)	▶ <u>M32</u> (**) ◀	▶ <u>M33</u> (**) ◀	(**)	(**)	(**)	▶ <u>M75</u> 0,05 (*) ◀
(**)	▶ <u>M32</u> (**) ◀	▶ <u>M33</u> (**) ◀	(**)	(**)	(**)	▶ <u>M75</u> 0,05 (*) ◀
		▶ <u>M33</u> 5 ◀				▶ <u>M75</u> 0,05 (*) ◀

## ▼ M2

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)
0160000	(vi) <b>Miscellaneous fruit</b>		► <b>M75</b> — ◀	► <b>M72</b> 0,01 (*) ◀	► <b>M46</b> — ◀	► <b>M56</b> 0,02 (*) ◀	► <b>M55</b> 0,02 (*) ◀
0161000	(a) <i>Edible peel</i>		► <b>M75</b> 0,02 (*) ◀		► <b>M46</b> — ◀		
0161010	Dates				► <b>M46</b> — ◀		
0161020	Figs				► <b>M46</b> — ◀		
0161030	Table olives				► <b>M46</b> — ◀		
0161040	Kumquats				► <b>M46</b> — ◀		
0161050	Carambola	(**)	► <b>M75</b> (**) ◀	► <b>M55</b> — ◀	► <b>M46</b> — ◀	► <b>M56</b> (**) ◀	► <b>M55</b> — ◀
0161060	Persimmon	(**)	► <b>M75</b> (**) ◀	► <b>M55</b> — ◀	► <b>M46</b> — ◀	► <b>M56</b> (**) ◀	► <b>M55</b> — ◀
0161070	Jambolan (java plum)	(**)	► <b>M75</b> (**) ◀	► <b>M55</b> — ◀	► <b>M46</b> — ◀	► <b>M56</b> (**) ◀	► <b>M55</b> — ◀
0161990	Others				► <b>M46</b> — ◀		
0162000	(b) <i>Inedible peel, small</i>		► <b>M75</b> 0,02 (*) ◀		► <b>M46</b> — ◀		
0162010	Kiwi				► <b>M46</b> — ◀		
0162020	Lychee (Litchi)				► <b>M46</b> — ◀		
0162030	Passion fruit				► <b>M46</b> — ◀		
0162040	Prickly pear (cactus fruit)	(**)	► <b>M75</b> (**) ◀	► <b>M55</b> — ◀	► <b>M46</b> — ◀	► <b>M56</b> (**) ◀	► <b>M55</b> — ◀
0162050	Star apple	(**)	► <b>M75</b> (**) ◀	► <b>M55</b> — ◀	► <b>M46</b> — ◀	► <b>M56</b> (**) ◀	► <b>M55</b> — ◀
0162060	American persimmon (Virginia kaki)	(**)	► <b>M75</b> (**) ◀	► <b>M55</b> — ◀	► <b>M46</b> — ◀	► <b>M56</b> (**) ◀	► <b>M55</b> — ◀
0162990	Others				► <b>M46</b> — ◀		
0163000	(c) <i>Inedible peel, large</i>				► <b>M46</b> — ◀		
0163010	Avocados		► <b>M75</b> 0,02 (*) ◀		► <b>M46</b> — ◀		

▼ M2

(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
▶ <u>M11</u> — ◀		▶ <u>M51</u> — ◀					
		▶ <u>M51</u> — ◀					▶ <u>M43</u> 0,01 (*) ◀
▶ <u>M19</u> 0,05 (*) ◀ ▶ <u>M19</u> 0,05 (*) ◀ ▶ <u>M19</u> 0,05 (*) ◀ ▶ <u>M19</u> 0,05 (*) ◀ ▶ <u>M11</u> (**) ◀ ▶ <u>M11</u> (**) ◀ ▶ <u>M11</u> (**) ◀	▶ <u>M49</u> — ◀ ▶ <u>M49</u> — ◀ ▶ <u>M49</u> — ◀	▶ <u>M51</u> — ◀ ▶ <u>M51</u> — ◀ ▶ <u>M51</u> — ◀ ▶ <u>M51</u> — ◀ ▶ <u>M51</u> — ◀ ▶ <u>M51</u> — ◀ ▶ <u>M51</u> — ◀	(**) (**) (**)	▶ <u>M20</u> 0,05 (*) ◀ ▶ <u>M20</u> 0,05 (*) ◀ ▶ <u>M20</u> 1 ◀ ▶ <u>M20</u> 0,05 (*) ◀ ▶ <u>M5</u> (**) ◀ ▶ <u>M5</u> (**) ◀ ▶ <u>M5</u> (**) ◀	(**) (**) (**)	(**) (**) (**)	▶ <u>M43</u> (**) ◀ ▶ <u>M43</u> (**) ◀ ▶ <u>M43</u> (**) ◀
▶ <u>M19</u> 0,05 (*) ◀		▶ <u>M51</u> — ◀		▶ <u>M20</u> 0,05 (*) ◀			
		▶ <u>M51</u> — ◀					▶ <u>M43</u> 0,01 (*) ◀
▶ <u>M19</u> 0,05 (*) ◀ ▶ <u>M19</u> 2 ◀ ▶ <u>M19</u> 0,05 (*) ◀ ▶ <u>M11</u> (**) ◀ ▶ <u>M11</u> (**) ◀ ▶ <u>M11</u> (**) ◀	▶ <u>M49</u> — ◀ ▶ <u>M49</u> — ◀ ▶ <u>M49</u> — ◀	▶ <u>M51</u> — ◀ ▶ <u>M51</u> — ◀ ▶ <u>M51</u> — ◀ ▶ <u>M51</u> — ◀ ▶ <u>M51</u> — ◀ ▶ <u>M51</u> — ◀	(**) (**) (**)	▶ <u>M20</u> 0,2 ◀ ▶ <u>M20</u> 0,05 (*) ◀ ▶ <u>M20</u> 0,05 (*) ◀ ▶ <u>M5</u> (**) ◀ ▶ <u>M5</u> (**) ◀ ▶ <u>M5</u> (**) ◀	(**) (**) (**)	(**) (**) (**)	▶ <u>M43</u> (**) ◀ ▶ <u>M43</u> (**) ◀ ▶ <u>M43</u> (**) ◀
▶ <u>M19</u> 0,05 (*) ◀		▶ <u>M51</u> — ◀		▶ <u>M20</u> 0,05 (*) ◀			
		▶ <u>M51</u> — ◀		▶ <u>M20</u> 0,05 (*) ◀			
▶ <u>M19</u> 0,05 (*) ◀		▶ <u>M51</u> — ◀					▶ <u>M43</u> 0,01 (*) ◀

▼ M2

(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)
	▶ <u>M32</u> 0,02 (*) ◀						▶ <u>M41</u> — ◀
							▶ <u>M41</u> — ◀
			▶ <u>M9</u> 0,02 (*) ◀ ▶ <u>M9</u> 0,02 (*) ◀ ▶ <u>M9</u> 2 ◀ ▶ <u>M9</u> 0,02 (*) ◀				▶ <u>M41</u> — ◀ ▶ <u>M41</u> — ◀ ▶ <u>M41</u> — ◀ ▶ <u>M41</u> — ◀
(**)	▶ <u>M32</u> (**) ◀	▶ <u>M73</u> — ◀	▶ <u>M9</u> (**) ◀	(**)	(**)	(**)	▶ <u>M41</u> — ◀
(**)	▶ <u>M32</u> (**) ◀	▶ <u>M73</u> — ◀	▶ <u>M9</u> (**) ◀	(**)	(**)	(**)	▶ <u>M41</u> — ◀
(**)	▶ <u>M32</u> (**) ◀	▶ <u>M73</u> — ◀	▶ <u>M9</u> (**) ◀	(**)	(**)	(**)	▶ <u>M41</u> — ◀
			▶ <u>M9</u> 0,02 (*) ◀				▶ <u>M41</u> — ◀
			▶ <u>M9</u> 0,02 (*) ◀				▶ <u>M41</u> — ◀
							▶ <u>M41</u> — ◀ ▶ <u>M41</u> — ◀
(**)	▶ <u>M32</u> (**) ◀	▶ <u>M73</u> — ◀	▶ <u>M9</u> (**) ◀	(**)	(**)	(**)	▶ <u>M41</u> — ◀ ▶ <u>M41</u> — ◀
(**)	▶ <u>M32</u> (**) ◀	▶ <u>M73</u> — ◀	▶ <u>M9</u> (**) ◀	(**)	(**)	(**)	▶ <u>M41</u> — ◀
(**)	▶ <u>M32</u> (**) ◀	▶ <u>M73</u> — ◀	▶ <u>M9</u> (**) ◀	(**)	(**)	(**)	▶ <u>M41</u> — ◀
							▶ <u>M41</u> — ◀
			▶ <u>M9</u> 0,02 (*) ◀				▶ <u>M41</u> — ◀
							▶ <u>M41</u> — ◀

▼ M2

(25)	(26)	(27)	(28)	(29)	(30)	(31)
	▶ <u>M32</u> 0,01 (*) ◀			▶ <u>M16</u> 0,05 (*) ◀		
						▶ <u>M11</u> — ◀
		▶ <u>M33</u> 0,05 (*) ◀ ▶ <u>M33</u> 0,05 (*) ◀ ▶ <u>M33</u> 5 (+) ◀ ▶ <u>M33</u> 0,05 (*) ◀				▶ <u>M75</u> 0,05 (*) ◀ ▶ <u>M75</u> 0,05 (*) ◀ ▶ <u>M75</u> 7 ◀ ▶ <u>M75</u> 0,05 (*) ◀
(**)	▶ <u>M32</u> (**) ◀	▶ <u>M33</u> (**) ◀	(**)	(**)	(**)	▶ <u>M75</u> 0,05 (*) ◀
(**)	▶ <u>M32</u> (**) ◀	▶ <u>M33</u> (**) ◀	(**)	(**)	(**)	▶ <u>M75</u> 0,05 (*) ◀
(**)	▶ <u>M32</u> (**) ◀	▶ <u>M33</u> (**) ◀	(**)	(**)	(**)	▶ <u>M75</u> 0,05 (*) ◀
		▶ <u>M33</u> 0,05 (*) ◀				▶ <u>M75</u> 0,05 (*) ◀
		▶ <u>M33</u> 0,05 (*) ◀				▶ <u>M75</u> 0,05 (*) ◀
		▶ <u>M13</u> — ◀ ▶ <u>M13</u> — ◀ ▶ <u>M13</u> — ◀				
(**)	▶ <u>M32</u> (**) ◀	▶ <u>M33</u> (**) ◀	(**)	(**)	(**)	▶ <u>M75</u> — ◀
(**)	▶ <u>M32</u> (**) ◀	▶ <u>M33</u> (**) ◀	(**)	(**)	(**)	▶ <u>M75</u> — ◀
(**)	▶ <u>M32</u> (**) ◀	▶ <u>M33</u> (**) ◀	(**)	(**)	(**)	▶ <u>M75</u> — ◀
		▶ <u>M13</u> — ◀				
		▶ <u>M33</u> 0,05 (*) ◀				▶ <u>M75</u> 0,05 (*) ◀

## ▼ M2

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)
0163020	Bananas		▶ <u>M75</u> 2 ◀		▶ <u>M46</u> — ◀		
0163030	Mangoes		▶ <u>M75</u> 0,02 (*) ◀		▶ <u>M46</u> — ◀		
0163040	Papaya		▶ <u>M75</u> 0,02 (*) ◀		▶ <u>M46</u> — ◀		
0163050	Pomegranate		▶ <u>M75</u> 0,02 (*) ◀		▶ <u>M46</u> — ◀		
0163060	Cherimoya	(**)	▶ <u>M75</u> (**) ◀	▶ <u>M55</u> — ◀	▶ <u>M46</u> — ◀	▶ <u>M56</u> (**) ◀	▶ <u>M55</u> — ◀
0163070	Guava	(**)	▶ <u>M75</u> (**) ◀	▶ <u>M55</u> — ◀	▶ <u>M46</u> — ◀	▶ <u>M56</u> (**) ◀	▶ <u>M55</u> — ◀
0163080	Pineapples		▶ <u>M75</u> 0,02 (*) ◀		▶ <u>M46</u> — ◀		
0163090	Bread fruit	(**)	▶ <u>M75</u> (**) ◀	▶ <u>M55</u> — ◀	▶ <u>M46</u> — ◀	▶ <u>M56</u> (**) ◀	▶ <u>M55</u> — ◀
0163100	Durian	(**)	▶ <u>M75</u> (**) ◀	▶ <u>M55</u> — ◀	▶ <u>M46</u> — ◀	▶ <u>M56</u> (**) ◀	▶ <u>M55</u> — ◀
0163110	Soursop (guanabana)	(**)	▶ <u>M75</u> (**) ◀	▶ <u>M55</u> — ◀	▶ <u>M46</u> — ◀	▶ <u>M56</u> (**) ◀	▶ <u>M55</u> — ◀
0163990	Others		▶ <u>M75</u> 0,02 (*) ◀		▶ <u>M46</u> — ◀		
0200000	<b>2. VEGETABLES FRESH OR FROZEN</b>	0,05 (*)			▶ <u>M46</u> — ◀		▶ <u>M55</u> — ◀
0210000	(i) <b>Root and tuber vegetables</b>		▶ <u>M75</u> 0,02 (*) ◀	▶ <u>M31</u> — ◀	▶ <u>M46</u> — ◀	▶ <u>M15</u> — ◀	▶ <u>M55</u> 0,02 (*) ◀
0211000	(a) <i>Potatoes</i>			▶ <u>M72</u> 0,01 (*) (+) ◀	▶ <u>M46</u> — ◀	▶ <u>M56</u> 0,04 ◀	
0212000	(b) <i>Tropical root and tuber vegetables</i>			▶ <u>M72</u> 0,01 (*) ◀	▶ <u>M46</u> — ◀	▶ <u>M56</u> 0,02 (*) ◀	
0212010	Cassava				▶ <u>M46</u> — ◀		
0212020	Sweet potatoes				▶ <u>M46</u> — ◀		
0212030	Yams				▶ <u>M46</u> — ◀		
0212040	Arrowroot	(**)	▶ <u>M75</u> (**) ◀	▶ <u>M55</u> — ◀	▶ <u>M46</u> — ◀	▶ <u>M56</u> (**) ◀	▶ <u>M55</u> — ◀
0212990	Others				▶ <u>M46</u> — ◀		

▼ M2

(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
▶ <u>M19</u> 0,05 (*) ◀		▶ <u>M51</u> — ◀					▶ <u>M43</u> 0,01 (*) ◀
▶ <u>M19</u> 0,7 ◀		▶ <u>M51</u> — ◀					▶ <u>M43</u> 0,01 (*) ◀
▶ <u>M19</u> 0,5 ◀		▶ <u>M51</u> — ◀					▶ <u>M43</u> 0,01 (*) ◀
▶ <u>M19</u> 0,05 (*) ◀		▶ <u>M51</u> — ◀					▶ <u>M43</u> 0,01 (*) ◀
▶ <u>M11</u> (**) ◀	▶ <u>M49</u> — ◀	▶ <u>M51</u> — ◀	(**)	▶ <u>M5</u> (**) ◀	(**)	(**)	▶ <u>M43</u> (**) ◀
▶ <u>M11</u> (**) ◀	▶ <u>M49</u> — ◀	▶ <u>M51</u> — ◀	(**)	▶ <u>M5</u> (**) ◀	(**)	(**)	▶ <u>M43</u> (**) ◀
▶ <u>M19</u> 0,05 (*) ◀		▶ <u>M51</u> — ◀					▶ <u>M43</u> 0,3 ◀
▶ <u>M11</u> (**) ◀	▶ <u>M49</u> — ◀	▶ <u>M51</u> — ◀	(**)	▶ <u>M5</u> (**) ◀	(**)	(**)	▶ <u>M43</u> (**) ◀
▶ <u>M11</u> (**) ◀	▶ <u>M49</u> — ◀	▶ <u>M51</u> — ◀	(**)	▶ <u>M5</u> (**) ◀	(**)	(**)	▶ <u>M43</u> (**) ◀
▶ <u>M11</u> (**) ◀	▶ <u>M49</u> — ◀	▶ <u>M51</u> — ◀	(**)	▶ <u>M5</u> (**) ◀	(**)	(**)	▶ <u>M43</u> (**) ◀
▶ <u>M19</u> 0,05 (*) ◀		▶ <u>M51</u> — ◀					▶ <u>M43</u> 0,01 (*) ◀
		▶ <u>M51</u> — ◀	0,05 (*)		0,05 (*)	0,05 (*)	
▶ <u>M19</u> 0,05 (*) ◀	▶ <u>M49</u> 0,05 (*) ◀	▶ <u>M51</u> — ◀		▶ <u>M5</u> 0,05 (*) ◀			
	▶ <u>M49</u> — ◀	▶ <u>M51</u> — ◀		▶ <u>M20</u> 0,2 ◀			▶ <u>M43</u> 0,01 (*) ◀
	▶ <u>M49</u> — ◀	▶ <u>M51</u> — ◀		▶ <u>M20</u> 0,05 (*) ◀			▶ <u>M43</u> 0,01 (*) ◀
		▶ <u>M51</u> — ◀					
		▶ <u>M51</u> — ◀					
▶ <u>M11</u> (**) ◀	▶ <u>M49</u> — ◀	▶ <u>M51</u> — ◀	(**)	▶ <u>M5</u> (**) ◀	(**)	(**)	▶ <u>M43</u> (**) ◀
		▶ <u>M51</u> — ◀					

▼ M2

(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)
							► <u>M41</u> — ◄
							► <u>M41</u> — ◄
							► <u>M41</u> — ◄
							► <u>M41</u> — ◄
(**)	► <u>M32</u> (**) ◄	► <u>M73</u> — ◄	► <u>M9</u> (**) ◄	(**)	(**)	(**)	► <u>M41</u> — ◄
(**)	► <u>M32</u> (**) ◄	► <u>M73</u> — ◄	► <u>M9</u> (**) ◄	(**)	(**)	(**)	► <u>M41</u> — ◄
							► <u>M41</u> — ◄
(**)	► <u>M32</u> (**) ◄	► <u>M73</u> — ◄	► <u>M9</u> (**) ◄	(**)	(**)	(**)	► <u>M41</u> — ◄
(**)	► <u>M32</u> (**) ◄	► <u>M73</u> — ◄	► <u>M9</u> (**) ◄	(**)	(**)	(**)	► <u>M41</u> — ◄
(**)	► <u>M32</u> (**) ◄	► <u>M73</u> — ◄	► <u>M9</u> (**) ◄	(**)	(**)	(**)	► <u>M41</u> — ◄
							► <u>M41</u> — ◄
0,01 (*)		► <u>M73</u> 0,01 (*) ◄		0,05 (*)	0,05 (*)	0,05 (*)	► <u>M41</u> — ◄
	► <u>M32</u> 0,02 (*) ◄		► <u>M5</u> — ◄				► <u>M41</u> — ◄
			► <u>M9</u> 0,02 (*) ◄				► <u>M41</u> — ◄
			► <u>M9</u> 0,02 (*) ◄				► <u>M41</u> — ◄
							► <u>M41</u> — ◄
							► <u>M41</u> — ◄
(**)	► <u>M32</u> (**) ◄	► <u>M73</u> — ◄	► <u>M9</u> (**) ◄	(**)	(**)	(**)	► <u>M41</u> — ◄
							► <u>M41</u> — ◄



▼ M2

(25)	(26)	(27)	(28)	(29)	(30)	(31)
		<p>▶ <u>M33</u> 2 (+) ◀</p> <p>▶ <u>M33</u> 2 (+) ◀</p> <p>▶ <u>M33</u> 7 (+) ◀</p> <p>▶ <u>M33</u> 0,05 (*) ◀</p>				<p>▶ <u>M75</u> 0,05 (*) ◀</p> <p>▶ <u>M75</u> 0,05 (*) ◀</p> <p>▶ <u>M75</u> 0,05 (*) ◀</p> <p>▶ <u>M75</u> 0,05 (*) ◀</p>
(**)	▶ <u>M32</u> (**) ◀	▶ <u>M33</u> (**) ◀	(**)	(**)	(**)	▶ <u>M75</u> 0,05 (*) ◀
(**)	▶ <u>M32</u> (**) ◀	▶ <u>M33</u> (**) ◀	(**)	(**)	(**)	▶ <u>M75</u> 0,05 (*) ◀
		▶ <u>M33</u> 0,05 (*) ◀				▶ <u>M75</u> 2 ◀
(**)	▶ <u>M32</u> (**) ◀	▶ <u>M33</u> (**) ◀	(**)	(**)	(**)	▶ <u>M75</u> 0,05 (*) ◀
(**)	▶ <u>M32</u> (**) ◀	▶ <u>M33</u> (**) ◀	(**)	(**)	(**)	▶ <u>M75</u> 0,05 (*) ◀
(**)	▶ <u>M32</u> (**) ◀	▶ <u>M33</u> (**) ◀	(**)	(**)	(**)	▶ <u>M75</u> 0,05 (*) ◀
		▶ <u>M33</u> 0,05 (*) ◀				▶ <u>M75</u> 0,05 (*) ◀
0,05 (*)	▶ <u>M32</u> — ◀		0,05 (*)		0,01 (*)	
	▶ <u>M32</u> 0,01 (*) ◀			▶ <u>M16</u> 0,05 (*) ◀		▶ <u>M75</u> 0,05 (*) ◀
		▶ <u>M33</u> 0,3 (+) ◀				
		▶ <u>M33</u> 0,05 (*) ◀				
		▶ <u>M13</u> — ◀				
		▶ <u>M13</u> — ◀				
		▶ <u>M13</u> — ◀				
(**)	▶ <u>M32</u> (**) ◀	▶ <u>M33</u> (**) ◀	(**)	(**)	(**)	▶ <u>M75</u> — ◀
		▶ <u>M13</u> — ◀				

▼ **M2**

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)
0213000	(c) <i>Other root and tuber vegetables except sugar beet</i>				► <b>M46</b> — ◀	► <b>M56</b> 0,02 (*) ◀	
0213010	Beetroot			► <b>M72</b> 0,01 (*) ◀	► <b>M46</b> — ◀		
0213020	Carrots			► <b>M72</b> 0,01 (*) ◀	► <b>M46</b> — ◀		
0213030	Celeriac			► <b>M72</b> 0,01 (*) ◀	► <b>M46</b> — ◀		
0213040	Horseradish			► <b>M72</b> 0,1 ◀	► <b>M46</b> — ◀		
0213050	Jerusalem artichokes			► <b>M72</b> 0,01 (*) ◀	► <b>M46</b> — ◀		
0213060	Parsnips			► <b>M72</b> 0,01 (*) ◀	► <b>M46</b> — ◀		
0213070	Parsley root			► <b>M72</b> 0,01 (*) ◀	► <b>M46</b> — ◀		
0213080	Radishes			► <b>M72</b> 0,01 (*) ◀	► <b>M46</b> — ◀		
0213090	Salsify			► <b>M72</b> 0,01 (*) ◀	► <b>M46</b> — ◀		
0213100	Swedes			► <b>M72</b> 0,01 (*) ◀	► <b>M46</b> — ◀		
0213110	Turnips			► <b>M72</b> 0,01 (*) ◀	► <b>M46</b> — ◀		
0213990	Others			► <b>M72</b> 0,01 (*) ◀	► <b>M46</b> — ◀		
0220000	(ii) <b>Bulb vegetables</b>		► <b>M75</b> 0,02 (*) ◀	► <b>M72</b> 0,01 (*) ◀	► <b>M46</b> — ◀	► <b>M56</b> 0,02 (*) ◀	► <b>M55</b> 0,02 (*) ◀
0220010	Garlic				► <b>M46</b> — ◀		
0220020	Onions				► <b>M46</b> — ◀		
0220030	Shallots				► <b>M46</b> — ◀		
0220040	Spring onions				► <b>M46</b> — ◀		
0220990	Others				► <b>M46</b> — ◀		
0230000	(iii) <b>Fruiting vegetables</b>				► <b>M46</b> — ◀		► <b>M55</b> 0,02 (*) ◀
0231000	(a) <i>Solanacea</i>				► <b>M46</b> — ◀		

▼ M2

(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
		▶ <u>M51</u> — ◀		▶ <u>M20</u> 0,05 (*) ◀			
	▶ <u>M49</u> — ◀ ▶ <u>M49</u> — ◀ ▶ <u>M49</u> — ◀ ▶ <u>M49</u> — ◀ ▶ <u>M49</u> — ◀  ▶ <u>M49</u> — ◀ ▶ <u>M49</u> — ◀ ▶ <u>M49</u> — ◀ ▶ <u>M49</u> — ◀ ▶ <u>M49</u> — ◀ ▶ <u>M49</u> — ◀	▶ <u>M51</u> — ◀ ▶ <u>M51</u> — ◀ ▶ <u>M51</u> — ◀ ▶ <u>M51</u> — ◀ ▶ <u>M51</u> — ◀  ▶ <u>M51</u> — ◀ ▶ <u>M51</u> — ◀ ▶ <u>M51</u> — ◀ ▶ <u>M51</u> — ◀ ▶ <u>M51</u> — ◀ ▶ <u>M51</u> — ◀					▶ <u>M43</u> 0,01 (*) ◀ ▶ <u>M43</u> 0,01 (*) ◀ ▶ <u>M43</u> 0,01 (*) ◀ ▶ <u>M43</u> 0,01 (*) ◀ ▶ <u>M43</u> 0,01 (*) ◀  ▶ <u>M43</u> 0,01 (*) ◀ ▶ <u>M43</u> 0,01 (*) ◀ ▶ <u>M43</u> 0,1 ◀ ▶ <u>M43</u> 0,01 (*) ◀ ▶ <u>M43</u> 0,01 (*) ◀ ▶ <u>M43</u> 0,01 (*) ◀
	▶ <u>M49</u> — ◀	▶ <u>M51</u> — ◀					▶ <u>M43</u> 0,01 (*) ◀
	▶ <u>M49</u> 0,05 (*) ◀	▶ <u>M51</u> — ◀					
▶ <u>M19</u> 0,1 ◀ ▶ <u>M19</u> 0,1 ◀ ▶ <u>M19</u> 0,1 ◀ ▶ <u>M19</u> 0,05 (*) ◀		▶ <u>M51</u> — ◀ ▶ <u>M51</u> — ◀ ▶ <u>M51</u> — ◀ ▶ <u>M51</u> — ◀		▶ <u>M20</u> 0,1 ◀ ▶ <u>M20</u> 0,1 ◀ ▶ <u>M20</u> 0,1 ◀ ▶ <u>M20</u> 0,1 ◀			▶ <u>M43</u> 0,02 (*) ◀ ▶ <u>M43</u> 0,05 ◀ ▶ <u>M43</u> 0,02 (*) ◀ ▶ <u>M43</u> 0,02 (*) ◀
▶ <u>M19</u> 0,05 (*) ◀		▶ <u>M51</u> — ◀		▶ <u>M20</u> 0,05 (*) ◀			▶ <u>M43</u> 0,02 (*) ◀
		▶ <u>M51</u> — ◀					
▶ <u>M19</u> 0,5 ◀	▶ <u>M49</u> — ◀	▶ <u>M51</u> — ◀					

▼ M2

(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)
							▶ <u>M41</u> — ◀
			▶ <u>M9</u> 0,02 (*) ◀ ▶ <u>M9</u> 0,02 (*) ◀ ▶ <u>M9</u> 0,1 ◀ ▶ <u>M9</u> 0,02 (*) ◀ ▶ <u>M9</u> 0,02 (*) ◀  ▶ <u>M9</u> 0,02 (*) ◀ ▶ <u>M9</u> 0,02 (*) ◀ ▶ <u>M9</u> 0,02 (*) ◀ ▶ <u>M9</u> 0,02 (*) ◀ ▶ <u>M9</u> 0,02 (*) ◀ ▶ <u>M9</u> 0,02 (*) ◀				▶ <u>M41</u> — ◀ ▶ <u>M41</u> — ◀ ▶ <u>M41</u> — ◀ ▶ <u>M41</u> — ◀ ▶ <u>M41</u> — ◀  ▶ <u>M41</u> — ◀ ▶ <u>M41</u> — ◀ ▶ <u>M41</u> — ◀ ▶ <u>M41</u> — ◀ ▶ <u>M41</u> — ◀ ▶ <u>M41</u> — ◀
			▶ <u>M9</u> 0,02 (*) ◀				▶ <u>M41</u> — ◀
	▶ <u>M32</u> 0,05 (*) ◀						▶ <u>M41</u> — ◀
		▶ <u>M73</u> (+) ◀	▶ <u>M9</u> 0,02 (*) ◀ ▶ <u>M9</u> 0,02 (*) ◀ ▶ <u>M9</u> 0,02 (*) ◀ ▶ <u>M9</u> 2 ◀				▶ <u>M41</u> — ◀ ▶ <u>M41</u> — ◀ ▶ <u>M41</u> — ◀ ▶ <u>M41</u> — ◀
			▶ <u>M9</u> 0,02 (*) ◀				▶ <u>M41</u> — ◀
			▶ <u>M9</u> 0,02 (*) ◀				▶ <u>M41</u> — ◀
	▶ <u>M32</u> 0,02 (*) ◀						▶ <u>M41</u> — ◀

▼ M2

(25)	(26)	(27)	(28)	(29)	(30)	(31)
		<p>▶ <u>M33</u> 0,5 (+) ◀</p> <p>▶ <u>M33</u> 0,2 (+) ◀</p> <p>▶ <u>M33</u> 0,3 (+) ◀</p> <p>▶ <u>M33</u> 0,2 (+) ◀</p> <p>▶ <u>M33</u> 0,05 (*) ◀</p> <p>▶ <u>M33</u> 0,2 (+) ◀</p> <p>▶ <u>M33</u> 0,2 (+) ◀</p> <p>▶ <u>M33</u> 2 (+) ◀</p> <p>▶ <u>M33</u> 0,2 (+) ◀</p> <p>▶ <u>M33</u> 0,05 (*) ◀</p> <p>▶ <u>M33</u> 0,05 (*) ◀</p>				
		▶ <u>M33</u> 0,05 (*) ◀				
	▶ <u>M32</u> 0,02 (*) ◀			▶ <u>M16</u> 0,1 (*) ◀		▶ <u>M75</u> 0,05 (*) ◀
		<p>▶ <u>M33</u> 0,6 (+) ◀</p> <p>▶ <u>M33</u> 1 (+) ◀</p> <p>▶ <u>M33</u> 1 (+) ◀</p> <p>▶ <u>M33</u> 1 (+) ◀</p>				
		▶ <u>M33</u> 0,05 (*) ◀				
				▶ <u>M16</u> 0,05 (*) ◀		
	▶ <u>M32</u> 0,01 (*) ◀					

▼ M2

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)
0231010	Tomatoes		▶ <u>M75</u> 0,3 ◀	▶ <u>M72</u> 0,6 (+) ◀	▶ <u>M46</u> — ◀	▶ <u>M56</u> 0,05 ◀	
0231020	Peppers		▶ <u>M75</u> 0,02 (*) ◀	▶ <u>M72</u> 0,01 (*) ◀	▶ <u>M46</u> — ◀	▶ <u>M56</u> 0,3 ◀	
0231030	Aubergines (egg plants)		▶ <u>M75</u> 0,02 (*) ◀	▶ <u>M72</u> 0,01 (*) ◀	▶ <u>M46</u> — ◀	▶ <u>M56</u> 0,1 ◀	
0231040	Okra, lady's fingers		▶ <u>M75</u> 0,02 (*) ◀	▶ <u>M72</u> 0,01 (*) ◀	▶ <u>M46</u> — ◀	▶ <u>M56</u> 0,02 (*) ◀	
0231990	Others		▶ <u>M75</u> 0,02 (*) ◀	▶ <u>M72</u> 0,01 (*) ◀	▶ <u>M46</u> — ◀	▶ <u>M56</u> 0,02 (*) ◀	
0232000	(b) <i>Cucurbits — edible peel</i>		▶ <u>M75</u> — ◀	▶ <u>M72</u> 0,2 (+) ◀	▶ <u>M46</u> — ◀		
0232010	Cucumbers		▶ <u>M75</u> 0,2 ◀		▶ <u>M46</u> — ◀	▶ <u>M56</u> 0,1 ◀	
0232020	Gherkins		▶ <u>M75</u> 0,2 ◀		▶ <u>M46</u> — ◀	▶ <u>M56</u> 0,1 ◀	
0232030	Courgettes		▶ <u>M75</u> 0,02 (*) ◀		▶ <u>M46</u> — ◀	▶ <u>M56</u> 0,1 ◀	
0232990	Others		▶ <u>M75</u> 0,02 (*) ◀		▶ <u>M46</u> — ◀	▶ <u>M56</u> 0,02 (*) ◀	
0233000	(c) <i>Cucurbits- inedible peel</i>			▶ <u>M72</u> 0,15 (+) ◀	▶ <u>M46</u> — ◀	▶ <u>M56</u> 0,02 (*) ◀	
0233010	Melons		▶ <u>M75</u> 0,1 ◀		▶ <u>M46</u> — ◀		
0233020	Pumpkins		▶ <u>M75</u> 0,02 (*) ◀		▶ <u>M46</u> — ◀		
0233030	Watermelons		▶ <u>M75</u> 0,02 (*) ◀		▶ <u>M46</u> — ◀		
0233990	Others		▶ <u>M75</u> 0,02 (*) ◀		▶ <u>M46</u> — ◀		
0234000	(d) <i>Sweet corn</i>		▶ <u>M75</u> 0,02 (*) ◀	▶ <u>M72</u> 0,01 (*) ◀	▶ <u>M46</u> — ◀	▶ <u>M56</u> 0,02 (*) ◀	
0239000	(e) <i>Other fruiting vegetables</i>		▶ <u>M75</u> 0,02 (*) ◀	▶ <u>M72</u> 0,01 (*) ◀	▶ <u>M46</u> — ◀	▶ <u>M56</u> 0,02 (*) ◀	
0240000	(iv) <b>Brassica vegetables</b>		▶ <u>M75</u> 0,02 (*) ◀	▶ <u>M72</u> 0,01 (*) ◀	▶ <u>M46</u> — ◀		▶ <u>M55</u> 0,02 (*) ◀
0241000	(a) <i>Flowering brassica</i>				▶ <u>M46</u> — ◀	▶ <u>M56</u> 0,05 ◀	
0241010	Broccoli				▶ <u>M46</u> — ◀		
0241020	Cauliflower				▶ <u>M46</u> — ◀		

▼ M2

(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
	▶ <u>M49</u> 0,6 ◀ ▶ <u>M49</u> 1,5 ◀ ▶ <u>M49</u> 0,6 ◀ ▶ <u>M49</u> 0,05 (*) ◀	▶ <u>M51</u> — ◀ ▶ <u>M51</u> — ◀ ▶ <u>M51</u> — ◀ ▶ <u>M51</u> — ◀		▶ <u>M20</u> 0,3 ◀ ▶ <u>M20</u> 0,2 ◀ ▶ <u>M20</u> 0,3 ◀ ▶ <u>M20</u> 0,3 ◀			▶ <u>M43</u> 0,01 (*) ◀ ▶ <u>M43</u> 0,05 ◀ ▶ <u>M43</u> 0,01 (*) ◀ ▶ <u>M43</u> 0,01 (*) ◀
	▶ <u>M49</u> 0,05 (*) ◀	▶ <u>M51</u> — ◀		▶ <u>M20</u> 0,2 ◀			▶ <u>M43</u> 0,01 (*) ◀
▶ <u>M19</u> 0,2 ◀	▶ <u>M49</u> 2 ◀	▶ <u>M51</u> — ◀		▶ <u>M20</u> 0,2 ◀			▶ <u>M43</u> 0,01 (*) ◀
		▶ <u>M51</u> — ◀ ▶ <u>M51</u> — ◀ ▶ <u>M51</u> — ◀					
		▶ <u>M51</u> — ◀					
▶ <u>M19</u> 0,2 ◀	▶ <u>M49</u> 0,4 ◀	▶ <u>M51</u> — ◀		▶ <u>M20</u> 0,2 ◀			▶ <u>M43</u> 0,01 (*) ◀
	▶ <u>M49</u> — ◀ ▶ <u>M49</u> — ◀ ▶ <u>M49</u> — ◀	▶ <u>M51</u> — ◀ ▶ <u>M51</u> — ◀ ▶ <u>M51</u> — ◀					
	▶ <u>M49</u> — ◀	▶ <u>M51</u> — ◀					
▶ <u>M19</u> 0,05 (*) ◀	▶ <u>M49</u> 0,05 (*) ◀	▶ <u>M51</u> — ◀		▶ <u>M20</u> 0,05 (*) ◀			▶ <u>M43</u> 0,02 ◀
▶ <u>M19</u> 0,05 (*) ◀	▶ <u>M49</u> 0,05 (*) ◀	▶ <u>M51</u> — ◀		▶ <u>M20</u> 0,05 (*) ◀			▶ <u>M43</u> 0,01 (*) ◀
	▶ <u>M49</u> 0,05 (*) ◀	▶ <u>M51</u> — ◀					
▶ <u>M11</u> — ◀		▶ <u>M51</u> — ◀		▶ <u>M20</u> 0,1 ◀			▶ <u>M43</u> 0,01 (*) ◀
▶ <u>M19</u> 1 ◀ ▶ <u>M19</u> 0,5 ◀		▶ <u>M51</u> — ◀ ▶ <u>M51</u> — ◀					

▼ M2

(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)
	▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀						▶ <u>M41</u> — ◀ ▶ <u>M41</u> — ◀ ▶ <u>M41</u> — ◀ ▶ <u>M41</u> — ◀
	▶ <u>M32</u> — ◀						▶ <u>M41</u> — ◀
	▶ <u>M32</u> 0,02 (*) ◀						▶ <u>M41</u> — ◀
							▶ <u>M41</u> — ◀ ▶ <u>M41</u> — ◀ ▶ <u>M41</u> — ◀
							▶ <u>M41</u> — ◀
	▶ <u>M32</u> — ◀						▶ <u>M41</u> — ◀
	▶ <u>M32</u> 0,2 ◀ ▶ <u>M32</u> 0,02 (*) ◀ ▶ <u>M32</u> 0,02 (*) ◀						▶ <u>M41</u> — ◀ ▶ <u>M41</u> — ◀ ▶ <u>M41</u> — ◀
	▶ <u>M32</u> 0,02 (*) ◀						▶ <u>M41</u> — ◀
	▶ <u>M32</u> 0,02 (*) ◀						▶ <u>M41</u> — ◀
	▶ <u>M32</u> 0,02 (*) ◀						▶ <u>M41</u> — ◀
	▶ <u>M32</u> 0,02 (*) ◀		▶ <u>M9</u> 0,02 (*) ◀				▶ <u>M41</u> — ◀
							▶ <u>M41</u> — ◀
			▶ <u>M9</u> — ◀ ▶ <u>M9</u> — ◀				▶ <u>M41</u> — ◀ ▶ <u>M41</u> — ◀



▼ M2

(25)	(26)	(27)	(28)	(29)	(30)	(31)
		<p>▶ <u>M33</u> 3 (+) ◀</p> <p>▶ <u>M33</u> 5 (+) ◀</p> <p>▶ <u>M33</u> 3 (+) ◀</p> <p>▶ <u>M33</u> 0,5 (+) ◀</p>		<p>0,5</p> <p>1</p> <p>0,05 (*)</p> <p>0,05 (*)</p>		<p>▶ <u>M75</u> 1 ◀</p> <p>▶ <u>M75</u> 0,05 (*) ◀</p> <p>▶ <u>M75</u> 0,05 (*) ◀</p> <p>▶ <u>M75</u> 0,05 (*) ◀</p>
		▶ <u>M33</u> 0,05 (*) ◀		0,05 (*)		▶ <u>M75</u> 0,05 (*) ◀
	▶ <u>M32</u> 0,01 (*) ◀	▶ <u>M33</u> 2 (+) ◀		0,05 (*)		▶ <u>M75</u> 0,05 (*) ◀
	▶ <u>M32</u> 0,01 (*) ◀	▶ <u>M33</u> 1,5 (+) ◀		0,05 (*)		▶ <u>M75</u> 0,05 (*) ◀
		<p>▶ <u>M13</u> — ◀</p> <p>▶ <u>M13</u> — ◀</p> <p>▶ <u>M13</u> — ◀</p>				
		▶ <u>M13</u> — ◀				
	▶ <u>M32</u> 0,02 (*) ◀	▶ <u>M33</u> 0,05 (*) ◀		0,05 (*)		▶ <u>M75</u> 0,05 (*) ◀
	▶ <u>M32</u> 0,01 (*) ◀	▶ <u>M33</u> 0,05 (*) ◀		0,05 (*)		▶ <u>M75</u> 0,05 (*) ◀
	▶ <u>M32</u> 0,01 (*) ◀			▶ <u>M16</u> 0,05 (*) ◀		▶ <u>M75</u> 0,05 (*) ◀
		▶ <u>M33</u> 1 (+) ◀				

## ▼ M2

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)
0241990	Others				► <u>M46</u> — ◀		
0242000	(b) <i>Head brassica</i>				► <u>M46</u> — ◀	► <u>M5</u> — ◀	
0242010	Brussels sprouts				► <u>M46</u> — ◀	► <u>M56</u> 0,2 ◀	
0242020	Head cabbage				► <u>M46</u> — ◀	► <u>M56</u> 0,3 ◀	
0242990	Others				► <u>M46</u> — ◀	► <u>M56</u> 0,2 ◀	
0243000	(c) <i>Leafy brassica</i>				► <u>M46</u> — ◀	► <u>M56</u> 0,3 ◀	
0243010	Chinese cabbage				► <u>M46</u> — ◀		
0243020	Kale				► <u>M46</u> — ◀		
0243990	Others				► <u>M46</u> — ◀		
0244000	(d) <i>Kohlrabi</i>				► <u>M46</u> — ◀	► <u>M56</u> 0,02 (*) ◀	
0250000	(v) <b>Leaf vegetables &amp; fresh herbs</b>		► <u>M75</u> 0,02 (*) ◀	► <u>M55</u> — ◀	► <u>M46</u> — ◀		
0251000	(a) <i>Lettuce and other salad plants including Brassicacea</i>			► <u>M72</u> 0,01 (*) ◀	► <u>M46</u> — ◀	► <u>M56</u> 1 ◀	► <u>M55</u> 0,02 (*) ◀
0251010	Lamb's lettuce				► <u>M46</u> — ◀		
0251020	Lettuce				► <u>M46</u> — ◀		
0251030	Scarole (broad-leaf endive)				► <u>M46</u> — ◀		
0251040	Cress				► <u>M46</u> — ◀		
0251050	Land cress	(**)	► <u>M75</u> (**) ◀	► <u>M55</u> — ◀	► <u>M46</u> — ◀	► <u>M56</u> (**) ◀	► <u>M55</u> — ◀
0251060	Rocket, Rucola				► <u>M46</u> — ◀		

▼ M2

(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
▶ <u>M19</u> 1 ◀		▶ <u>M51</u> — ◀					
▶ <u>M19</u> 1 ◀		▶ <u>M51</u> — ◀		▶ <u>M20</u> 0,1 ◀			▶ <u>M43</u> 0,01 (*) ◀
		▶ <u>M51</u> — ◀ ▶ <u>M51</u> — ◀					▶ <u>M43</u> — ◀ ▶ <u>M43</u> — ◀
		▶ <u>M51</u> — ◀					▶ <u>M43</u> — ◀
▶ <u>M19</u> 1 ◀		▶ <u>M51</u> — ◀		▶ <u>M20</u> 0,5 ◀			
		▶ <u>M51</u> — ◀ ▶ <u>M51</u> — ◀					▶ <u>M43</u> 0,05 ◀ ▶ <u>M43</u> 0,01 (*) ◀
		▶ <u>M51</u> — ◀					▶ <u>M43</u> 0,01 (*) ◀
▶ <u>M19</u> 1 ◀		▶ <u>M51</u> — ◀		▶ <u>M20</u> 0,05 (*) ◀			▶ <u>M43</u> 0,2 ◀
		▶ <u>M51</u> — ◀					▶ <u>M43</u> — ◀
▶ <u>M19</u> 2 ◀		▶ <u>M51</u> — ◀		▶ <u>M20</u> 0,5 ◀			▶ <u>M43</u> 0,01 (*) ◀
	▶ <u>M49</u> 15 (+) ◀ ▶ <u>M49</u> 3 (+) ◀ ▶ <u>M49</u> 0,05 (*) ◀	▶ <u>M51</u> — ◀ ▶ <u>M51</u> — ◀ ▶ <u>M51</u> — ◀					
▶ <u>M11</u> (**) ◀	▶ <u>M49</u> 0,05 (*) ◀ ▶ <u>M49</u> 0,05 (*) ◀ ▶ <u>M49</u> 3 (+) ◀	▶ <u>M51</u> — ◀ ▶ <u>M51</u> — ◀ ▶ <u>M51</u> — ◀	(**)	▶ <u>M5</u> (**) ◀	(**)	(**)	▶ <u>M43</u> (**) ◀

▼ M2

(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)
			▶ <u>M9</u> — ◀				▶ <u>M41</u> — ◀
							▶ <u>M41</u> — ◀
			▶ <u>M9</u> — ◀ ▶ <u>M9</u> — ◀				▶ <u>M41</u> — ◀ ▶ <u>M41</u> — ◀
			▶ <u>M9</u> — ◀				▶ <u>M41</u> — ◀
			▶ <u>M9</u> — ◀				▶ <u>M41</u> — ◀
							▶ <u>M41</u> — ◀
							▶ <u>M41</u> — ◀
			▶ <u>M9</u> — ◀				▶ <u>M41</u> — ◀
	▶ <u>M32</u> 0,02 (*) ◀		▶ <u>M9</u> 0,02 (*) ◀				▶ <u>M41</u> — ◀
			▶ <u>M9</u> 0,02 (*) ◀				▶ <u>M41</u> — ◀
		▶ <u>M73</u> (+) ◀	▶ <u>M9</u> 0,02 (*) ◀ ▶ <u>M9</u> 0,02 (*) ◀ ▶ <u>M9</u> 0,02 (*) ◀				▶ <u>M41</u> — ◀ ▶ <u>M41</u> — ◀ ▶ <u>M41</u> — ◀
(**)	▶ <u>M32</u> (**) ◀	▶ <u>M73</u> — ◀	▶ <u>M9</u> 0,02 (*) ◀ ▶ <u>M9</u> (**) ◀ ▶ <u>M9</u> 0,02 (*) ◀	(**)	(**)	(**)	▶ <u>M41</u> — ◀ ▶ <u>M41</u> — ◀ ▶ <u>M41</u> — ◀

▼ M2

(25)	(26)	(27)	(28)	(29)	(30)	(31)
		▶ <u>M33</u> 2 (+) ◀				
		▶ <u>M33</u> 3 (+) ◀				
		▶ <u>M33</u> 0,05 (*) ◀				
		▶ <u>M33</u> 0,5 (+) ◀				
		▶ <u>M13</u> — ◀				
		▶ <u>M13</u> — ◀				
		▶ <u>M13</u> — ◀				
		▶ <u>M33</u> 1 (+) ◀				
				▶ <u>M16</u> 0,05 (*) ◀		▶ <u>M75</u> 0,05 (*) ◀
	▶ <u>M32</u> 0,01 (*) ◀	▶ <u>M33</u> 5 (+) ◀				
(**)	▶ <u>M32</u> (**) ◀	▶ <u>M33</u> (**) ◀	(**)	(**)	(**)	▶ <u>M75</u> — ◀

## ▼ M2

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)
0251070	Red mustard	(**)	▶ <u>M75</u> (**) ◀	▶ <u>M55</u> — ◀	▶ <u>M46</u> — ◀	▶ <u>M56</u> (**) ◀	▶ <u>M55</u> — ◀
0251080	Leaves and sprouts of Brassica spp.				▶ <u>M46</u> — ◀		
0251990	Others				▶ <u>M46</u> — ◀		
0252000	(b) <i>Spinach</i> & similar (leaves)			▶ <u>M72</u> 0,01 (*) ◀	▶ <u>M46</u> — ◀		▶ <u>M55</u> 0,02 (*) ◀
0252010	Spinach				▶ <u>M46</u> — ◀	▶ <u>M56</u> 0,02 (*) ◀	
0252020	Purslane	(**)	▶ <u>M75</u> (**) ◀	▶ <u>M55</u> — ◀	▶ <u>M46</u> — ◀	▶ <u>M56</u> (**) ◀	▶ <u>M55</u> — ◀
0252030	Beet leaves (chard)				▶ <u>M46</u> — ◀	▶ <u>M56</u> 0,02 (*) ◀	
0252990	Others				▶ <u>M46</u> — ◀	▶ <u>M56</u> 0,02 (*) ◀	
0253000	(c) <i>Vine leaves</i> (grape leaves)	(**)	▶ <u>M75</u> (**) ◀	▶ <u>M72</u> 0,01 (*) ◀	▶ <u>M46</u> — ◀	▶ <u>M56</u> (**) ◀	▶ <u>M55</u> 0,02 (*) ◀
0254000	(d) <i>Water cress</i>			▶ <u>M72</u> 0,01 (*) ◀	▶ <u>M46</u> — ◀	▶ <u>M56</u> 0,02 (*) ◀	▶ <u>M55</u> 0,02 (*) ◀
0255000	(e) <i>Witloof</i>			▶ <u>M72</u> 0,01 (*) ◀	▶ <u>M46</u> — ◀	▶ <u>M56</u> 0,02 (*) ◀	▶ <u>M55</u> 0,02 (*) ◀
0256000	(f) <i>Herbs</i>			▶ <u>M72</u> 0,02 (*) ◀	▶ <u>M46</u> — ◀	▶ <u>M56</u> 0,02 (*) ◀	▶ <u>M55</u> 0,05 (*) ◀
0256010	Chervil				▶ <u>M46</u> — ◀		
0256020	Chives				▶ <u>M46</u> — ◀		
0256030	Celery leaves				▶ <u>M46</u> — ◀		
0256040	Parsley				▶ <u>M46</u> — ◀		
0256050	Sage	(**)	▶ <u>M75</u> (**) ◀	▶ <u>M55</u> — ◀	▶ <u>M46</u> — ◀	▶ <u>M56</u> (**) ◀	▶ <u>M55</u> — ◀
0256060	Rosemary	(**)	▶ <u>M75</u> (**) ◀	▶ <u>M55</u> — ◀	▶ <u>M46</u> — ◀	▶ <u>M56</u> (**) ◀	▶ <u>M55</u> — ◀
0256070	Thyme	(**)	▶ <u>M75</u> (**) ◀	▶ <u>M55</u> — ◀	▶ <u>M46</u> — ◀	▶ <u>M56</u> (**) ◀	▶ <u>M55</u> — ◀
0256080	Basil	(**)	▶ <u>M75</u> (**) ◀	▶ <u>M55</u> — ◀	▶ <u>M46</u> — ◀	▶ <u>M56</u> (**) ◀	▶ <u>M55</u> — ◀

▼ M2

(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
▶ <u>M11</u> (**) ◀	▶ <u>M49</u> 0,05 (*) ◀ ▶ <u>M49</u> 0,05 (*) ◀	▶ <u>M51</u> — ◀ ▶ <u>M51</u> — ◀	(**)	▶ <u>M5</u> (**) ◀	(**)	(**)	▶ <u>M43</u> (**) ◀
	▶ <u>M49</u> 0,05 (*) ◀	▶ <u>M51</u> — ◀					
▶ <u>M19</u> 0,7 ◀	▶ <u>M49</u> 0,05 (*) ◀	▶ <u>M51</u> — ◀		▶ <u>M20</u> 0,5 ◀			▶ <u>M43</u> 0,01 (*) ◀
▶ <u>M11</u> (**) ◀	▶ <u>M49</u> — ◀ ▶ <u>M49</u> — ◀ ▶ <u>M49</u> — ◀	▶ <u>M51</u> — ◀ ▶ <u>M51</u> — ◀ ▶ <u>M51</u> — ◀	(**)	▶ <u>M5</u> (**) ◀	(**)	(**)	▶ <u>M43</u> (**) ◀
	▶ <u>M49</u> — ◀	▶ <u>M51</u> — ◀					
▶ <u>M11</u> (**) ◀	▶ <u>M49</u> 0,05 (*) ◀	▶ <u>M51</u> — ◀	(**)	▶ <u>M5</u> (**) ◀	(**)	(**)	▶ <u>M43</u> (**) ◀
▶ <u>M19</u> 0,7 ◀	▶ <u>M49</u> 0,05 (*) ◀	▶ <u>M51</u> — ◀		▶ <u>M20</u> 0,05 (*) ◀			▶ <u>M43</u> 0,01 (*) ◀
▶ <u>M19</u> 0,05 (*) ◀	▶ <u>M49</u> 0,05 (*) ◀	▶ <u>M51</u> — ◀		▶ <u>M20</u> 0,05 (*) ◀			▶ <u>M43</u> 0,01 (*) ◀
▶ <u>M19</u> 2 ◀	▶ <u>M49</u> 15 (+) ◀	▶ <u>M51</u> — ◀		▶ <u>M20</u> 0,5 ◀			▶ <u>M43</u> 0,02 (*) ◀
		▶ <u>M51</u> — ◀ ▶ <u>M51</u> — ◀ ▶ <u>M51</u> — ◀ ▶ <u>M51</u> — ◀					
▶ <u>M11</u> (**) ◀	▶ <u>M49</u> — ◀	▶ <u>M51</u> — ◀	(**)	▶ <u>M5</u> (**) ◀	(**)	(**)	▶ <u>M43</u> (**) ◀
▶ <u>M11</u> (**) ◀	▶ <u>M49</u> — ◀	▶ <u>M51</u> — ◀	(**)	▶ <u>M5</u> (**) ◀	(**)	(**)	▶ <u>M43</u> (**) ◀
▶ <u>M11</u> (**) ◀	▶ <u>M49</u> — ◀	▶ <u>M51</u> — ◀	(**)	▶ <u>M5</u> (**) ◀	(**)	(**)	▶ <u>M43</u> (**) ◀
▶ <u>M11</u> (**) ◀	▶ <u>M49</u> — ◀	▶ <u>M51</u> — ◀	(**)	▶ <u>M5</u> (**) ◀	(**)	(**)	▶ <u>M43</u> (**) ◀

▼ M2

(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)
(**)	▶ <u>M32</u> (**) ◀	▶ <u>M73</u> — ◀	▶ <u>M9</u> (**) ◀ ▶ <u>M9</u> 0,02 (*) ◀	(**)	(**)	(**)	▶ <u>M41</u> — ◀ ▶ <u>M41</u> — ◀
			▶ <u>M9</u> 0,02 (*) ◀				▶ <u>M41</u> — ◀
			▶ <u>M9</u> 0,02 (*) ◀				▶ <u>M41</u> — ◀
(**)	▶ <u>M32</u> (**) ◀	▶ <u>M73</u> — ◀	▶ <u>M9</u> 0,02 (*) ◀ ▶ <u>M9</u> (**) ◀ ▶ <u>M9</u> 0,02 (*) ◀	(**)	(**)	(**)	▶ <u>M41</u> — ◀ ▶ <u>M41</u> — ◀ ▶ <u>M41</u> — ◀
			▶ <u>M9</u> 0,02 (*) ◀				▶ <u>M41</u> — ◀
(**)	▶ <u>M32</u> (**) ◀	▶ <u>M73</u> — ◀	▶ <u>M9</u> (**) ◀	(**)	(**)	(**)	▶ <u>M41</u> — ◀
			▶ <u>M9</u> 0,02 (*) ◀				▶ <u>M41</u> — ◀
			▶ <u>M9</u> 0,02 (*) ◀				▶ <u>M41</u> — ◀
		▶ <u>M73</u> (+) ◀	▶ <u>M9</u> 0,02 (*) ◀				▶ <u>M41</u> — ◀
			▶ <u>M9</u> 0,02 (*) ◀ ▶ <u>M9</u> 0,02 (*) ◀ ▶ <u>M9</u> 0,02 (*) ◀ ▶ <u>M9</u> 0,02 (*) ◀				▶ <u>M41</u> — ◀ ▶ <u>M41</u> — ◀ ▶ <u>M41</u> — ◀ ▶ <u>M41</u> — ◀
(**)	▶ <u>M32</u> (**) ◀	▶ <u>M73</u> — ◀	▶ <u>M9</u> (**) ◀	(**)	(**)	(**)	▶ <u>M41</u> — ◀
(**)	▶ <u>M32</u> (**) ◀	▶ <u>M73</u> — ◀	▶ <u>M9</u> (**) ◀	(**)	(**)	(**)	▶ <u>M41</u> — ◀
(**)	▶ <u>M32</u> (**) ◀	▶ <u>M73</u> — ◀	▶ <u>M9</u> (**) ◀	(**)	(**)	(**)	▶ <u>M41</u> — ◀
(**)	▶ <u>M32</u> (**) ◀	▶ <u>M73</u> — ◀	▶ <u>M9</u> (**) ◀	(**)	(**)	(**)	▶ <u>M41</u> — ◀



▼ M2

(25)	(26)	(27)	(28)	(29)	(30)	(31)
(**)	▶ <u>M32</u> (**) ◀	▶ <u>M33</u> (**) ◀ ▶ <u>M13</u> — ◀	(**)	(**)	(**)	▶ <u>M75</u> — ◀
	▶ <u>M32</u> 0,01 (*) ◀					
(**)	▶ <u>M32</u> (**) ◀	▶ <u>M33</u> 0,05 (*) ◀ ▶ <u>M33</u> (**) ◀ ▶ <u>M33</u> 0,05 (*) ◀	(**)	(**)	(**)	▶ <u>M75</u> — ◀
		▶ <u>M33</u> 0,05 (*) ◀				
(**)	▶ <u>M32</u> (**) ◀	▶ <u>M33</u> (**) ◀	(**)	(**)	(**)	▶ <u>M75</u> — ◀
	▶ <u>M32</u> 0,01 (*) ◀	▶ <u>M33</u> 0,3 (+) ◀				
	▶ <u>M32</u> 0,01 (*) ◀	▶ <u>M33</u> 0,5 (+) ◀				
	▶ <u>M32</u> 0,02 (*) ◀	▶ <u>M33</u> 5 (+) ◀				
(**)	▶ <u>M32</u> (**) ◀	▶ <u>M33</u> (**) ◀	(**)	(**)	(**)	▶ <u>M75</u> — ◀
(**)	▶ <u>M32</u> (**) ◀	▶ <u>M33</u> (**) ◀	(**)	(**)	(**)	▶ <u>M75</u> — ◀
(**)	▶ <u>M32</u> (**) ◀	▶ <u>M33</u> (**) ◀	(**)	(**)	(**)	▶ <u>M75</u> — ◀
(**)	▶ <u>M32</u> (**) ◀	▶ <u>M33</u> (**) ◀	(**)	(**)	(**)	▶ <u>M75</u> — ◀

▼ M2

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)
0256090	Bay leaves (laurel)	(**)	▶ <u>M75</u> (**) ◀	▶ <u>M55</u> — ◀	▶ <u>M46</u> — ◀	▶ <u>M56</u> (**) ◀	▶ <u>M55</u> — ◀
0256100	Tarragon	(**)	▶ <u>M75</u> (**) ◀	▶ <u>M55</u> — ◀	▶ <u>M46</u> — ◀	▶ <u>M56</u> (**) ◀	▶ <u>M55</u> — ◀
0256990	Others				▶ <u>M46</u> — ◀		
0260000	(vi) <b>Legume vegetables (fresh)</b>		▶ <u>M75</u> 0,02 (*) ◀	▶ <u>M72</u> 0,01 (*) ◀	▶ <u>M46</u> — ◀	▶ <u>M15</u> — ◀	▶ <u>M55</u> 0,02 (*) ◀
0260010	Beans (with pods)				▶ <u>M46</u> — ◀	▶ <u>M56</u> 0,1 ◀	
0260020	Beans (without pods)				▶ <u>M46</u> — ◀	▶ <u>M56</u> 0,05 ◀	
0260030	Peas (with pods)				▶ <u>M46</u> — ◀	▶ <u>M56</u> 0,2 ◀	
0260040	Peas (without pods)				▶ <u>M46</u> — ◀	▶ <u>M56</u> 0,05 ◀	
0260050	Lentils				▶ <u>M46</u> — ◀	▶ <u>M56</u> 0,05 ◀	
0260990	Others				▶ <u>M46</u> — ◀	▶ <u>M56</u> 0,05 ◀	
0270000	(vii) <b>Stem vegetables (fresh)</b>		▶ <u>M75</u> 0,02 (*) ◀	▶ <u>M72</u> 0,01 (*) ◀	▶ <u>M46</u> — ◀	▶ <u>M56</u> 0,02 (*) ◀	▶ <u>M55</u> 0,02 (*) ◀
0270010	Asparagus				▶ <u>M46</u> — ◀		
0270020	Cardoons				▶ <u>M46</u> — ◀		
0270030	Celery				▶ <u>M46</u> — ◀		
0270040	Fennel				▶ <u>M46</u> — ◀		
0270050	Globe artichokes				▶ <u>M46</u> — ◀		
0270060	Leek				▶ <u>M46</u> — ◀		
0270070	Rhubarb				▶ <u>M46</u> — ◀		
0270080	Bamboo shoots	(**)	▶ <u>M75</u> (**) ◀	▶ <u>M55</u> — ◀	▶ <u>M46</u> — ◀	▶ <u>M56</u> (**) ◀	▶ <u>M55</u> — ◀
0270090	Palm hearts	(**)	▶ <u>M75</u> (**) ◀	▶ <u>M55</u> — ◀	▶ <u>M46</u> — ◀	▶ <u>M56</u> (**) ◀	▶ <u>M55</u> — ◀
0270990	Others				▶ <u>M46</u> — ◀		

▼ M2

(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
▶ <u>M11</u> (**) ◀	▶ <u>M49</u> — ◀	▶ <u>M51</u> — ◀	(**)	▶ <u>M5</u> (**) ◀	(**)	(**)	▶ <u>M43</u> (**) ◀
▶ <u>M11</u> (**) ◀	▶ <u>M49</u> — ◀	▶ <u>M51</u> — ◀	(**)	▶ <u>M5</u> (**) ◀	(**)	(**)	▶ <u>M43</u> (**) ◀
		▶ <u>M51</u> — ◀					
▶ <u>M19</u> 0,7 ◀		▶ <u>M51</u> — ◀		▶ <u>M20</u> 0,2 ◀			▶ <u>M43</u> 0,01 (*) ◀
▶ <u>M11</u> — ◀	▶ <u>M49</u> 5 (+) ◀	▶ <u>M51</u> — ◀					
▶ <u>M11</u> — ◀	▶ <u>M49</u> 0,05 (*) ◀	▶ <u>M51</u> — ◀					
▶ <u>M11</u> — ◀	▶ <u>M49</u> 5 (+) ◀	▶ <u>M51</u> — ◀					
▶ <u>M11</u> — ◀	▶ <u>M49</u> 0,05 (*) ◀	▶ <u>M51</u> — ◀					
▶ <u>M11</u> — ◀	▶ <u>M49</u> 0,05 (*) ◀	▶ <u>M51</u> — ◀					
▶ <u>M11</u> — ◀	▶ <u>M49</u> 0,05 (*) ◀	▶ <u>M51</u> — ◀					
		▶ <u>M51</u> — ◀					▶ <u>M43</u> 0,01 (*) ◀
▶ <u>M19</u> 0,1 ◀	▶ <u>M49</u> 0,05 (*) ◀	▶ <u>M51</u> — ◀		▶ <u>M20</u> 0,05 (*) ◀			
▶ <u>M19</u> 0,05 (*) ◀	▶ <u>M49</u> 0,05 (*) ◀	▶ <u>M51</u> — ◀		▶ <u>M20</u> 0,05 (*) ◀			
▶ <u>M19</u> 0,05 (*) ◀	▶ <u>M49</u> 3 (+) ◀	▶ <u>M51</u> — ◀		▶ <u>M20</u> 0,05 (*) ◀			
▶ <u>M19</u> 0,05 (*) ◀	▶ <u>M49</u> 0,05 (*) ◀	▶ <u>M51</u> — ◀		▶ <u>M20</u> 0,05 (*) ◀			
▶ <u>M19</u> 2 ◀	▶ <u>M49</u> 0,05 (*) ◀	▶ <u>M51</u> — ◀		▶ <u>M20</u> 0,1 ◀			
▶ <u>M19</u> 0,5 ◀	▶ <u>M49</u> 0,05 (*) ◀	▶ <u>M51</u> — ◀		▶ <u>M20</u> 0,2 ◀			
▶ <u>M19</u> 0,05 (*) ◀	▶ <u>M49</u> 0,05 (*) ◀	▶ <u>M51</u> — ◀		▶ <u>M20</u> 0,05 (*) ◀			
▶ <u>M11</u> (**) ◀	▶ <u>M49</u> 0,05 (*) ◀	▶ <u>M51</u> — ◀	(**)	▶ <u>M5</u> (**) ◀	(**)	(**)	▶ <u>M43</u> (**) ◀
▶ <u>M11</u> (**) ◀	▶ <u>M49</u> 0,05 (*) ◀	▶ <u>M51</u> — ◀	(**)	▶ <u>M5</u> (**) ◀	(**)	(**)	▶ <u>M43</u> (**) ◀
▶ <u>M19</u> 0,05 (*) ◀	▶ <u>M49</u> 0,05 (*) ◀	▶ <u>M51</u> — ◀		▶ <u>M20</u> 0,05 (*) ◀			

▼ M2

(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)
(**)	▶ <u>M32</u> (**) ◀	▶ <u>M73</u> — ◀	▶ <u>M9</u> (**) ◀	(**)	(**)	(**)	▶ <u>M41</u> — ◀
(**)	▶ <u>M32</u> (**) ◀	▶ <u>M73</u> — ◀	▶ <u>M9</u> (**) ◀	(**)	(**)	(**)	▶ <u>M41</u> — ◀
			▶ <u>M9</u> 0,02 (*) ◀				▶ <u>M41</u> — ◀
	▶ <u>M32</u> 0,02 (*) ◀		▶ <u>M9</u> 0,02 (*) ◀				▶ <u>M41</u> — ◀
			▶ <u>M9</u> — ◀				▶ <u>M41</u> — ◀
			▶ <u>M9</u> — ◀				▶ <u>M41</u> — ◀
			▶ <u>M9</u> — ◀				▶ <u>M41</u> — ◀
			▶ <u>M9</u> — ◀				▶ <u>M41</u> — ◀
			▶ <u>M9</u> — ◀				▶ <u>M41</u> — ◀
			▶ <u>M9</u> — ◀				▶ <u>M41</u> — ◀
	▶ <u>M32</u> 0,02 (*) ◀		▶ <u>M9</u> 0,02 (*) ◀				▶ <u>M41</u> — ◀
							▶ <u>M41</u> — ◀
							▶ <u>M41</u> — ◀
							▶ <u>M41</u> — ◀
							▶ <u>M41</u> — ◀
							▶ <u>M41</u> — ◀
(**)	▶ <u>M32</u> (**) ◀	▶ <u>M73</u> — ◀	▶ <u>M9</u> (**) ◀	(**)	(**)	(**)	▶ <u>M41</u> — ◀
(**)	▶ <u>M32</u> (**) ◀	▶ <u>M73</u> — ◀	▶ <u>M9</u> (**) ◀	(**)	(**)	(**)	▶ <u>M41</u> — ◀
							▶ <u>M41</u> — ◀

▼ M2

(25)	(26)	(27)	(28)	(29)	(30)	(31)
(**)	▶ <u>M32</u> (**) ◀	▶ <u>M33</u> (**) ◀	(**)	(**)	(**)	▶ <u>M75</u> — ◀
(**)	▶ <u>M32</u> (**) ◀	▶ <u>M33</u> (**) ◀	(**)	(**)	(**)	▶ <u>M75</u> — ◀
				▶ <u>M16</u> 0,05 (*) ◀		▶ <u>M75</u> 0,05 (*) ◀
	▶ <u>M32</u> 0,01 (*) ◀ ▶ <u>M32</u> 0,01 (*) ◀ ▶ <u>M32</u> 0,01 (*) ◀ ▶ <u>M32</u> 0,02 ◀ ▶ <u>M32</u> 0,01 (*) ◀	▶ <u>M33</u> 1 (+) ◀ ▶ <u>M33</u> 0,1 (+) ◀ ▶ <u>M33</u> 1 (+) ◀ ▶ <u>M33</u> 0,2 (+) ◀ ▶ <u>M33</u> 0,05 (*) ◀				
	▶ <u>M32</u> 0,01 (*) ◀	▶ <u>M33</u> 0,05 (*) ◀				
				▶ <u>M16</u> 0,05 (*) ◀		▶ <u>M75</u> 0,05 (*) ◀
	▶ <u>M32</u> 0,02 ◀ ▶ <u>M32</u> 0,01 (*) ◀ ▶ <u>M32</u> 0,01 (*) ◀ ▶ <u>M32</u> 0,01 (*) ◀ ▶ <u>M32</u> 0,01 (*) ◀ ▶ <u>M32</u> 0,01 (*) ◀ ▶ <u>M32</u> 0,01 (*) ◀ ▶ <u>M32</u> 0,01 (*) ◀	▶ <u>M33</u> 0,5 (+) ◀ ▶ <u>M33</u> 0,05 (*) ◀ ▶ <u>M33</u> 0,05 (*) ◀ ▶ <u>M33</u> 0,05 (*) ◀ ▶ <u>M33</u> 0,05 (*) ◀ ▶ <u>M33</u> 3 (+) ◀ ▶ <u>M33</u> 0,5 (+) ◀				
(**)	▶ <u>M32</u> (**) ◀	▶ <u>M33</u> (**) ◀	(**)	(**)	(**)	▶ <u>M75</u> — ◀
(**)	▶ <u>M32</u> (**) ◀	▶ <u>M33</u> (**) ◀	(**)	(**)	(**)	▶ <u>M75</u> — ◀
	▶ <u>M32</u> 0,01 (*) ◀	▶ <u>M33</u> 0,05 (*) ◀				

▼ **M2**

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)
0280000	(viii) <b>Fungi</b>		► <b>M75</b> 0,02 (*) ◀	► <b>M72</b> 0,01 (*) ◀	► <b>M46</b> — ◀	► <b>M56</b> 0,02 (*) ◀	► <b>M55</b> 0,02 (*) ◀
0280010	Cultivated				► <b>M46</b> — ◀		
0280020	Wild				► <b>M46</b> — ◀		
0280990	Others				► <b>M46</b> — ◀		
0290000	(ix) <b>Sea weeds</b>	(**)	► <b>M75</b> (**) ◀	► <b>M55</b> — ◀	► <b>M46</b> — ◀	► <b>M56</b> (**) ◀	► <b>M55</b> 0,02 (*) ◀
0300000	3. <b>PULSES, DRY</b>	0,05 (*)	► <b>M75</b> 0,02 (*) ◀	► <b>M72</b> 0,02 (*) ◀	► <b>M46</b> — ◀	► <b>M56</b> 0,02 (*) ◀	► <b>M55</b> 0,01 (*) ◀
0300010	Beans				► <b>M46</b> — ◀		
0300020	Lentils				► <b>M46</b> — ◀		
0300030	Peas				► <b>M46</b> — ◀		
0300040	Lupins				► <b>M46</b> — ◀		
0300990	Others				► <b>M46</b> — ◀		
0400000	4. <b>OILSEEDS AND OILFRUITS</b>			► <b>M72</b> 0,02 (*) ◀	► <b>M46</b> — ◀		► <b>M55</b> 0,05 (*) ◀
0401000	(i) <b>Oilseeds</b>	0,1 (*)	► <b>M75</b> 0,05 (*) ◀	► <b>M55</b> — ◀	► <b>M46</b> — ◀		► <b>M55</b> — ◀
0401010	Linseed				► <b>M46</b> — ◀	► <b>M56</b> 0,02 (*) ◀	
0401020	Peanuts				► <b>M46</b> — ◀	► <b>M56</b> 0,02 (*) ◀	
0401030	Poppy seed				► <b>M46</b> — ◀	► <b>M56</b> 0,02 (*) ◀	
0401040	Sesame seed				► <b>M46</b> — ◀	► <b>M56</b> 0,02 (*) ◀	
0401050	Sunflower seed				► <b>M46</b> — ◀	► <b>M56</b> 0,02 (*) ◀	
0401060	Rape seed				► <b>M46</b> — ◀	► <b>M56</b> 0,05 ◀	
0401070	Soya bean				► <b>M46</b> — ◀	► <b>M56</b> 0,03 ◀	

▼ M2

(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
		► <u>M51</u> — ◀		► <u>M20</u> 0,05 (*) ◀			► <u>M43</u> 0,01 (*) ◀
► <u>M19</u> 0,05 (*) ◀ ► <u>M19</u> 1 ◀	► <u>M49</u> 10 ◀ ► <u>M49</u> 0,05 (*) ◀	► <u>M51</u> — ◀ ► <u>M51</u> — ◀					
► <u>M19</u> 0,05 (*) ◀	► <u>M49</u> 0,05 (*) ◀	► <u>M51</u> — ◀					
► <u>M11</u> (**) ◀	► <u>M49</u> 0,05 (*) ◀	► <u>M51</u> — ◀	(**)	► <u>M5</u> (**) ◀	(**)	(**)	► <u>M43</u> (**) ◀
► <u>M19</u> 0,05 (*) ◀	► <u>M49</u> 0,05 (*) ◀	► <u>M51</u> — ◀	0,05 (*)	► <u>M20</u> 1 ◀	0,05 (*)	0,05 (*)	► <u>M43</u> 0,01 (*) ◀
		► <u>M51</u> — ◀ ► <u>M51</u> — ◀ ► <u>M51</u> — ◀ ► <u>M51</u> — ◀					
		► <u>M51</u> — ◀					
	► <u>M49</u> 0,05 (*) ◀	► <u>M51</u> — ◀	0,05 (*)			0,05 (*)	► <u>M43</u> 0,02 (*) ◀
		► <u>M51</u> — ◀			0,1 (*)		► <u>M43</u> — ◀
► <u>M19</u> 0,2 ◀ ► <u>M19</u> 0,1 ◀ ► <u>M19</u> 0,2 ◀ ► <u>M19</u> 0,2 ◀ ► <u>M19</u> 0,2 ◀ ► <u>M19</u> 0,2 ◀ ► <u>M19</u> 0,05 (*) ◀		► <u>M51</u> — ◀ ► <u>M51</u> — ◀ ► <u>M51</u> — ◀ ► <u>M51</u> — ◀ ► <u>M51</u> — ◀ ► <u>M51</u> — ◀ ► <u>M51</u> — ◀		► <u>M20</u> 0,05 (*) ◀ ► <u>M20</u> 0,05 (*) ◀ ► <u>M20</u> 0,05 (*) ◀ ► <u>M20</u> 0,05 (*) ◀ ► <u>M20</u> 0,05 (*) ◀ ► <u>M20</u> 0,1 ◀ ► <u>M20</u> 0,05 (*) ◀			

▼ M2

(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)
	▶ <u>M32</u> 0,02 (*) ◀		▶ <u>M9</u> 0,02 (*) ◀				▶ <u>M41</u> — ◀
							▶ <u>M41</u> — ◀ ▶ <u>M41</u> — ◀
							▶ <u>M41</u> — ◀
(**)	▶ <u>M32</u> (**) ◀	▶ <u>M73</u> — ◀	▶ <u>M9</u> (**) ◀	(**)	(**)	(**)	▶ <u>M41</u> — ◀
0,01 (*)	▶ <u>M32</u> 0,02 (*) ◀	▶ <u>M73</u> 0,01 (*) ◀	▶ <u>M9</u> 0,02 (*) ◀	0,05 (*)	0,05 (*)	0,05 (*)	▶ <u>M41</u> — ◀
							▶ <u>M41</u> — ◀ ▶ <u>M41</u> — ◀ ▶ <u>M41</u> — ◀ ▶ <u>M41</u> — ◀
							▶ <u>M41</u> — ◀
0,01 (*)		▶ <u>M73</u> 0,01 (*) ◀		0,05 (*)	0,05 (*)	0,05 (*)	▶ <u>M41</u> — ◀
		▶ <u>M73</u> — ◀	▶ <u>M9</u> 0,05 (*) ◀				▶ <u>M41</u> — ◀
	▶ <u>M32</u> 0,05 (*) ◀ ▶ <u>M32</u> 0,05 (*) ◀ ▶ <u>M32</u> 0,05 (*) ◀ ▶ <u>M32</u> 0,05 (*) ◀ ▶ <u>M32</u> 0,05 (*) ◀ ▶ <u>M32</u> 0,05 (*) ◀ ▶ <u>M32</u> 0,05 (*) ◀						▶ <u>M41</u> — ◀ ▶ <u>M41</u> — ◀ ▶ <u>M41</u> — ◀ ▶ <u>M41</u> — ◀ ▶ <u>M41</u> — ◀ ▶ <u>M41</u> — ◀ ▶ <u>M41</u> — ◀



▼ M2

(25)	(26)	(27)	(28)	(29)	(30)	(31)
	▶ <u>M32</u> 0,01 (*) ◀	▶ <u>M33</u> 0,05 (*) ◀		▶ <u>M16</u> 0,05 (*) ◀		▶ <u>M75</u> 0,05 (*) ◀
		▶ <u>M13</u> — ◀ ▶ <u>M13</u> — ◀				
		▶ <u>M13</u> — ◀				
(**)	▶ <u>M32</u> (**) ◀	▶ <u>M33</u> (**) ◀	(**)	(**)	(**)	▶ <u>M75</u> 0,05 (*) ◀
0,2	▶ <u>M32</u> 0,01 (*) ◀		0,05 (*)	▶ <u>M16</u> 0,05 (*) ◀	0,01 (*)	▶ <u>M75</u> 0,05 (*) ◀
		▶ <u>M33</u> 0,1 (+) ◀ ▶ <u>M33</u> 0,05 (*) ◀ ▶ <u>M33</u> 0,1 (+) ◀ ▶ <u>M33</u> 0,05 (*) ◀				
		▶ <u>M33</u> 0,05 (*) ◀				
	▶ <u>M32</u> 0,02 (*) ◀		0,05 (*)		0,01 (*)	
5		▶ <u>M33</u> 0,1 (*) ◀		▶ <u>M16</u> 0,1 (*) ◀		▶ <u>M75</u> 0,1 (*) ◀
0,1 (*)		▶ <u>M33</u> 0,1 (*) ◀		▶ <u>M16</u> 0,1 (*) ◀		▶ <u>M75</u> 0,1 (*) ◀
0,1 (*)		▶ <u>M33</u> 0,1 (*) ◀		▶ <u>M16</u> 0,1 (*) ◀		▶ <u>M75</u> 0,1 (*) ◀
0,1 (*)		▶ <u>M33</u> 0,1 (*) ◀		▶ <u>M16</u> 0,1 (*) ◀		▶ <u>M75</u> 0,1 (*) ◀
1		▶ <u>M33</u> 0,1 (*) ◀		▶ <u>M16</u> 0,1 (*) ◀		▶ <u>M75</u> 0,1 (*) ◀
2		▶ <u>M33</u> 0,5 (+) ◀		▶ <u>M16</u> 0,1 (*) ◀		▶ <u>M75</u> 0,1 (*) ◀
0,2		▶ <u>M33</u> 0,1 (*) ◀		▶ <u>M16</u> 0,5 ◀		▶ <u>M75</u> 0,1 (*) ◀

▼ **M2**

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)
0401080	Mustard seed				► <u>M46</u> — ◀	► <u>M56</u> 0,02 (*) ◀	
0401090	Cotton seed				► <u>M46</u> — ◀	► <u>M56</u> 0,02 (*) ◀	
0401100	Pumpkin seeds				► <u>M46</u> — ◀	► <u>M56</u> 0,02 (*) ◀	
0401110	Safflower	(**)	► <u>M75</u> (**) ◀	► <u>M55</u> — ◀	► <u>M46</u> — ◀	► <u>M56</u> (**) ◀	► <u>M55</u> — ◀
0401120	Borage	(**)	► <u>M75</u> (**) ◀	► <u>M55</u> — ◀	► <u>M46</u> — ◀	► <u>M56</u> (**) ◀	► <u>M55</u> — ◀
0401130	Gold of pleasure	(**)	► <u>M75</u> (**) ◀	► <u>M55</u> — ◀	► <u>M46</u> — ◀	► <u>M56</u> (**) ◀	► <u>M55</u> — ◀
0401140	Hempseed				► <u>M46</u> — ◀	► <u>M56</u> 0,02 (*) ◀	
0401150	Castor bean	(**)	► <u>M75</u> (**) ◀	► <u>M55</u> — ◀	► <u>M46</u> — ◀	► <u>M56</u> (**) ◀	► <u>M55</u> — ◀
0401990	Others				► <u>M46</u> — ◀	► <u>M56</u> 0,02 (*) ◀	
0402000	(ii) <b>Oilfruits</b>				► <u>M46</u> — ◀	► <u>M56</u> 0,02 (*) ◀	
0402010	Olives for oil production	0,05 (*)	► <u>M75</u> 0,02 (*) ◀	► <u>M55</u> — ◀	► <u>M46</u> — ◀		► <u>M55</u> — ◀
0402020	Palm nuts (palmoil kernels)	(**)	► <u>M75</u> (**) ◀	► <u>M55</u> — ◀	► <u>M46</u> — ◀	► <u>M56</u> (**) ◀	► <u>M55</u> — ◀
0402030	Palmfruit	(**)	► <u>M75</u> (**) ◀	► <u>M55</u> — ◀	► <u>M46</u> — ◀	► <u>M56</u> (**) ◀	► <u>M55</u> — ◀
0402040	Kapok	(**)	► <u>M75</u> (**) ◀	► <u>M55</u> — ◀	► <u>M46</u> — ◀	► <u>M56</u> (**) ◀	► <u>M55</u> — ◀
0402990	Others	0,1 (*)	► <u>M75</u> 0,05 (*) ◀	► <u>M55</u> — ◀	► <u>M46</u> — ◀		► <u>M55</u> — ◀
0500000	5. <b>CEREALS</b>	0,1 (*)	► <u>M75</u> 0,02 (*) ◀	► <u>M72</u> 0,02 (*) ◀	► <u>M46</u> — ◀		► <u>M55</u> 0,01 (*) ◀
0500010	Barley				► <u>M46</u> — ◀	► <u>M56</u> 0,02 (*) ◀	
0500020	Buckwheat				► <u>M46</u> — ◀	► <u>M56</u> 0,02 (*) ◀	
0500030	Maize				► <u>M46</u> — ◀	► <u>M56</u> 0,05 (*) ◀	
0500040	Millet				► <u>M46</u> — ◀	► <u>M56</u> 0,02 (*) ◀	
0500050	Oats				► <u>M46</u> — ◀	► <u>M56</u> 0,02 (*) ◀	
0500060	Rice				► <u>M46</u> — ◀	► <u>M56</u> 0,02 (*) ◀	► <u>M55</u> (+) ◀
0500070	Rye				► <u>M46</u> — ◀	► <u>M56</u> 0,02 (*) ◀	

▼ M2

(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
▶ <u>M19</u> 0,1 ◀		▶ <u>M51</u> — ◀		▶ <u>M20</u> 0,1 ◀			
▶ <u>M19</u> 0,2 ◀		▶ <u>M51</u> — ◀		▶ <u>M20</u> 0,05 (*) ◀			
▶ <u>M19</u> 0,05 (*) ◀		▶ <u>M51</u> — ◀		▶ <u>M20</u> 0,05 (*) ◀			
▶ <u>M11</u> (**) ◀	▶ <u>M49</u> — ◀	▶ <u>M51</u> — ◀	(**)	▶ <u>M5</u> (**) ◀	(**)	(**)	▶ <u>M43</u> (**) ◀
▶ <u>M11</u> (**) ◀	▶ <u>M49</u> — ◀	▶ <u>M51</u> — ◀	(**)	▶ <u>M5</u> (**) ◀	(**)	(**)	▶ <u>M43</u> (**) ◀
▶ <u>M11</u> (**) ◀	▶ <u>M49</u> — ◀	▶ <u>M51</u> — ◀	(**)	▶ <u>M5</u> (**) ◀	(**)	(**)	▶ <u>M43</u> (**) ◀
▶ <u>M19</u> 0,05 (*) ◀		▶ <u>M51</u> — ◀		▶ <u>M20</u> 0,05 (*) ◀			
▶ <u>M11</u> (**) ◀	▶ <u>M49</u> — ◀	▶ <u>M51</u> — ◀	(**)	▶ <u>M5</u> (**) ◀	(**)	(**)	▶ <u>M43</u> (**) ◀
▶ <u>M19</u> 0,05 (*) ◀		▶ <u>M51</u> — ◀		▶ <u>M20</u> 0,05 (*) ◀			
▶ <u>M19</u> 0,05 (*) ◀		▶ <u>M51</u> — ◀					
▶ <u>M11</u> (**) ◀	▶ <u>M49</u> — ◀	▶ <u>M51</u> — ◀	(**)	▶ <u>M20</u> 1 ◀	0,05 (*)		▶ <u>M43</u> — ◀
▶ <u>M11</u> (**) ◀	▶ <u>M49</u> — ◀	▶ <u>M51</u> — ◀	(**)	▶ <u>M5</u> (**) ◀	(**)	(**)	▶ <u>M43</u> (**) ◀
▶ <u>M11</u> (**) ◀	▶ <u>M49</u> — ◀	▶ <u>M51</u> — ◀	(**)	▶ <u>M5</u> (**) ◀	(**)	(**)	▶ <u>M43</u> (**) ◀
		▶ <u>M51</u> — ◀		▶ <u>M20</u> 0,05 (*) ◀	0,1 (*)		▶ <u>M43</u> — ◀
	▶ <u>M49</u> 0,05 (*) ◀	▶ <u>M51</u> — ◀	0,05 (*)	▶ <u>M20</u> 2 ◀	0,05 (*)	0,05 (*)	▶ <u>M43</u> 0,01 (*) ◀
▶ <u>M19</u> 2 ◀		▶ <u>M51</u> — ◀					
▶ <u>M19</u> 0,3 ◀		▶ <u>M51</u> — ◀					
▶ <u>M19</u> 0,3 ◀		▶ <u>M51</u> — ◀					
▶ <u>M19</u> 0,3 ◀		▶ <u>M51</u> — ◀					
▶ <u>M19</u> 2 ◀		▶ <u>M51</u> — ◀					
▶ <u>M19</u> 2 ◀		▶ <u>M51</u> — ◀					
▶ <u>M19</u> 2 ◀		▶ <u>M51</u> — ◀					

▼ M2

(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)
	▶ <u>M32</u> 0,05 (*) ◀						▶ <u>M41</u> — ◀
	▶ <u>M32</u> 0,1 ◀						▶ <u>M41</u> — ◀
	▶ <u>M32</u> 0,05 (*) ◀						▶ <u>M41</u> — ◀
(**)	▶ <u>M32</u> (**) ◀	▶ <u>M73</u> — ◀	▶ <u>M9</u> (**) ◀	(**)	(**)	(**)	▶ <u>M41</u> — ◀
(**)	▶ <u>M32</u> (**) ◀	▶ <u>M73</u> — ◀	▶ <u>M9</u> (**) ◀	(**)	(**)	(**)	▶ <u>M41</u> — ◀
(**)	▶ <u>M32</u> (**) ◀	▶ <u>M73</u> — ◀	▶ <u>M9</u> — ◀	(**)	(**)	(**)	▶ <u>M41</u> — ◀
	▶ <u>M32</u> 0,05 (*) ◀						▶ <u>M41</u> — ◀
(**)	▶ <u>M32</u> (**) ◀	▶ <u>M73</u> — ◀	▶ <u>M9</u> (**) ◀	(**)	(**)	(**)	▶ <u>M41</u> — ◀
	▶ <u>M32</u> 0,05 (*) ◀						▶ <u>M41</u> — ◀
	▶ <u>M32</u> 0,05 (*) ◀						▶ <u>M41</u> — ◀
	▶ <u>M32</u> — ◀	▶ <u>M73</u> — ◀	▶ <u>M9</u> 2 ◀				▶ <u>M41</u> — ◀
(**)	▶ <u>M32</u> (**) ◀	▶ <u>M73</u> — ◀	▶ <u>M9</u> (**) ◀	(**)	(**)	(**)	▶ <u>M41</u> — ◀
(**)	▶ <u>M32</u> (**) ◀	▶ <u>M73</u> — ◀	▶ <u>M9</u> (**) ◀	(**)	(**)	(**)	▶ <u>M41</u> — ◀
(**)	▶ <u>M32</u> (**) ◀	▶ <u>M73</u> — ◀	▶ <u>M9</u> (**) ◀	(**)	(**)	(**)	▶ <u>M41</u> — ◀
	▶ <u>M32</u> — ◀	▶ <u>M73</u> — ◀	▶ <u>M9</u> 0,05 (*) ◀				▶ <u>M41</u> — ◀
0,01 (*)	▶ <u>M32</u> 0,02 (*) ◀	▶ <u>M73</u> 0,01 (*) ◀		0,01 (*)	0,05 (*)	0,05 (*)	▶ <u>M41</u> — ◀
			▶ <u>M9</u> 0,02 (*) ◀				▶ <u>M41</u> — ◀
			▶ <u>M9</u> 0,02 (*) ◀				▶ <u>M41</u> — ◀
			▶ <u>M9</u> 0,02 (*) ◀				▶ <u>M41</u> — ◀
			▶ <u>M9</u> 0,02 (*) ◀				▶ <u>M41</u> — ◀
			▶ <u>M9</u> 0,02 (*) ◀				▶ <u>M41</u> — ◀
			▶ <u>M9</u> 0,02 (*) ◀				▶ <u>M41</u> — ◀
			▶ <u>M9</u> 0,05 ◀				▶ <u>M41</u> — ◀

▼ M2

(25)	(26)	(27)	(28)	(29)	(30)	(31)
0,5		▶ <u>M33</u> 0,1 (*) ◀		▶ <u>M16</u> 0,1 (*) ◀		▶ <u>M75</u> 0,1 (*) ◀
0,1 (*)		▶ <u>M33</u> 0,1 (*) ◀		▶ <u>M16</u> 0,3 ◀		▶ <u>M75</u> 2 (+) ◀
0,1 (*)		▶ <u>M33</u> 0,1 (*) ◀		▶ <u>M16</u> 0,1 (*) ◀		▶ <u>M75</u> 0,1 (*) ◀
(**)	▶ <u>M32</u> (**) ◀	▶ <u>M33</u> (**) ◀	(**)	(**)	(**)	▶ <u>M75</u> 0,1 (*) ◀
(**)	▶ <u>M32</u> (**) ◀	▶ <u>M33</u> (**) ◀	(**)	(**)	(**)	▶ <u>M75</u> 0,1 (*) ◀
(**)	▶ <u>M32</u> (**) ◀	▶ <u>M33</u> (**) ◀	(**)	(**)	(**)	▶ <u>M75</u> 0,1 (*) ◀
▶ <u>C1</u> 0,5 ◀ (*)		▶ <u>M33</u> 0,1 (*) ◀		▶ <u>M16</u> 0,1 (*) ◀		▶ <u>M75</u> 0,1 (*) ◀
(**)	▶ <u>M32</u> (**) ◀	▶ <u>M33</u> (**) ◀	(**)	(**)	(**)	▶ <u>M75</u> 0,1 (*) ◀
0,1 (*)		▶ <u>M33</u> 0,1 (*) ◀		▶ <u>M16</u> 0,1 (*) ◀		▶ <u>M75</u> 0,1 (*) ◀
						▶ <u>M11</u> — ◀
0,05 (*)		▶ <u>M33</u> 5 (+) ◀		▶ <u>M16</u> 0,05 (*) ◀		▶ <u>M75</u> 10 ◀
(**)	▶ <u>M32</u> (**) ◀	▶ <u>M33</u> (**) ◀	(**)	(**)	(**)	▶ <u>M75</u> 0,05 (*) ◀
(**)	▶ <u>M32</u> (**) ◀	▶ <u>M33</u> (**) ◀	(**)	(**)	(**)	▶ <u>M75</u> 0,05 (*) ◀
(**)	▶ <u>M32</u> (**) ◀	▶ <u>M33</u> (**) ◀	(**)	(**)	(**)	▶ <u>M75</u> 0,05 (*) ◀
0,1 (*)		▶ <u>M33</u> 0,1 (*) ◀		▶ <u>M16</u> 0,1 (*) ◀		▶ <u>M75</u> 0,05 (*) ◀
			0,05 (*)	▶ <u>M16</u> 0,05 (*) ◀	0,01 (*)	
10	▶ <u>M32</u> 0,2 ◀	▶ <u>M33</u> 2 (+) ◀				▶ <u>M75</u> 1 ◀
0,05 (*)	▶ <u>M32</u> 0,02 (*) ◀	▶ <u>M33</u> 0,05 (*) ◀				▶ <u>M75</u> 0,05 (*) ◀
1	▶ <u>M32</u> 0,02 (*) ◀	▶ <u>M33</u> 0,05 (*) ◀				▶ <u>M75</u> 0,05 (*) ◀
1	▶ <u>M32</u> 0,02 (*) ◀	▶ <u>M33</u> 0,05 (*) ◀				▶ <u>M75</u> 0,05 (*) ◀
2	▶ <u>M32</u> 0,02 (*) ◀	▶ <u>M33</u> 2 (+) ◀				▶ <u>M75</u> 0,05 (*) ◀
0,05 (*)	▶ <u>M32</u> 0,02 (*) ◀	▶ <u>M33</u> 0,05 (*) ◀				▶ <u>M75</u> 0,05 (*) ◀
0,05 (*)	▶ <u>M32</u> 0,02 (*) ◀	▶ <u>M33</u> 1 (+) ◀				▶ <u>M75</u> 1 ◀

## ▼ M2

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)
0500080	Sorghum				▶ <u>M46</u> — ◀	▶ <u>M56</u> 0,02 (*) ◀	
0500090	Wheat				▶ <u>M46</u> — ◀	▶ <u>M56</u> 0,02 (*) ◀	
0500990	Others				▶ <u>M46</u> — ◀	▶ <u>M56</u> 0,02 (*) ◀	
0600000	6. <b>TEA, COFFEE, HERBAL INFUSIONS AND COCOA</b>	0,1 (*)	▶ <u>M75</u> 0,05 (*) ◀	▶ <u>M72</u> 0,05 (*) ◀	▶ <u>M46</u> — ◀	▶ <u>M56</u> 0,1 (*) ◀	▶ <u>M55</u> 0,1 (*) ◀
0610000	(i) <b>Tea (dried leaves and stalks, fermented or otherwise of <i>Camellia sinensis</i>)</b>				▶ <u>M46</u> — ◀		
0620000	(ii) <b>Coffee beans</b>	(**)	▶ <u>M75</u> (**) ◀	▶ <u>M55</u> — ◀	▶ <u>M46</u> — ◀	▶ <u>M56</u> (**) ◀	▶ <u>M55</u> — ◀
0630000	(iii) <b>Herbal infusions (dried)</b>	(**)	▶ <u>M75</u> (**) ◀	▶ <u>M55</u> — ◀	▶ <u>M46</u> — ◀	▶ <u>M56</u> (**) ◀	▶ <u>M55</u> — ◀
0631000	(a) <i>Flowers</i>	(**)	▶ <u>M75</u> (**) ◀	▶ <u>M55</u> — ◀	▶ <u>M46</u> — ◀	▶ <u>M56</u> (**) ◀	▶ <u>M55</u> — ◀
0631010	Camomille flowers	(**)	▶ <u>M75</u> (**) ◀	▶ <u>M55</u> — ◀	▶ <u>M46</u> — ◀	▶ <u>M56</u> (**) ◀	▶ <u>M55</u> — ◀
0631020	Hybiscus flowers	(**)	▶ <u>M75</u> (**) ◀	▶ <u>M55</u> — ◀	▶ <u>M46</u> — ◀	▶ <u>M56</u> (**) ◀	▶ <u>M55</u> — ◀
0631030	Rose petals	(**)	▶ <u>M75</u> (**) ◀	▶ <u>M55</u> — ◀	▶ <u>M46</u> — ◀	▶ <u>M56</u> (**) ◀	▶ <u>M55</u> — ◀
0631040	Jasmine flowers	(**)	▶ <u>M75</u> (**) ◀	▶ <u>M55</u> — ◀	▶ <u>M46</u> — ◀	▶ <u>M56</u> (**) ◀	▶ <u>M55</u> — ◀
0631050	Lime (linden)	(**)	▶ <u>M75</u> (**) ◀	▶ <u>M55</u> — ◀	▶ <u>M46</u> — ◀	▶ <u>M56</u> (**) ◀	▶ <u>M55</u> — ◀
0631990	Others	(**)	▶ <u>M75</u> (**) ◀	▶ <u>M55</u> — ◀	▶ <u>M46</u> — ◀	▶ <u>M56</u> (**) ◀	▶ <u>M55</u> — ◀
0632000	(b) <i>Leaves</i>	(**)	▶ <u>M75</u> (**) ◀	▶ <u>M55</u> — ◀	▶ <u>M46</u> — ◀	▶ <u>M56</u> (**) ◀	▶ <u>M55</u> — ◀
0632010	Strawberry leaves	(**)	▶ <u>M75</u> (**) ◀	▶ <u>M55</u> — ◀	▶ <u>M46</u> — ◀	▶ <u>M56</u> (**) ◀	▶ <u>M55</u> — ◀

▼ M2

(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
▶ <u>M19</u> 0,3 ◀ ▶ <u>M19</u> 2 ◀		▶ <u>M51</u> — ◀ ▶ <u>M51</u> — ◀					
▶ <u>M19</u> 0,3 ◀		▶ <u>M51</u> — ◀					
	▶ <u>M49</u> 0,1 (*) ◀	▶ <u>M51</u> — ◀			0,1 (*)	0,1 (*)	▶ <u>M43</u> 0,05 (*) ◀
▶ <u>M19</u> 0,5 ◀		▶ <u>M51</u> — ◀	0,2 (*)	▶ <u>M20</u> 5 ◀			
▶ <u>M11</u> (**) ◀	▶ <u>M49</u> — ◀	▶ <u>M51</u> — ◀	(**)	▶ <u>M5</u> (**) ◀	(**)	(**)	▶ <u>M43</u> (**) ◀
▶ <u>M11</u> (**) ◀	▶ <u>M49</u> — ◀	▶ <u>M51</u> — ◀	(**)	▶ <u>M5</u> (**) ◀	(**)	(**)	▶ <u>M43</u> (**) ◀
▶ <u>M11</u> (**) ◀	▶ <u>M49</u> — ◀	▶ <u>M51</u> — ◀	(**)	▶ <u>M5</u> (**) ◀	(**)	(**)	▶ <u>M43</u> (**) ◀
▶ <u>M11</u> (**) ◀	▶ <u>M49</u> — ◀	▶ <u>M51</u> — ◀	(**)	▶ <u>M5</u> (**) ◀	(**)	(**)	▶ <u>M43</u> (**) ◀
▶ <u>M11</u> (**) ◀	▶ <u>M49</u> — ◀	▶ <u>M51</u> — ◀	(**)	▶ <u>M5</u> (**) ◀	(**)	(**)	▶ <u>M43</u> (**) ◀
▶ <u>M11</u> (**) ◀	▶ <u>M49</u> — ◀	▶ <u>M51</u> — ◀	(**)	▶ <u>M5</u> (**) ◀	(**)	(**)	▶ <u>M43</u> (**) ◀
▶ <u>M11</u> (**) ◀	▶ <u>M49</u> — ◀	▶ <u>M51</u> — ◀	(**)	▶ <u>M5</u> (**) ◀	(**)	(**)	▶ <u>M43</u> (**) ◀
▶ <u>M11</u> (**) ◀	▶ <u>M49</u> — ◀	▶ <u>M51</u> — ◀	(**)	▶ <u>M5</u> (**) ◀	(**)	(**)	▶ <u>M43</u> (**) ◀
▶ <u>M11</u> (**) ◀	▶ <u>M49</u> — ◀	▶ <u>M51</u> — ◀	(**)	▶ <u>M5</u> (**) ◀	(**)	(**)	▶ <u>M43</u> (**) ◀
▶ <u>M11</u> (**) ◀	▶ <u>M49</u> — ◀	▶ <u>M51</u> — ◀	(**)	▶ <u>M5</u> (**) ◀	(**)	(**)	▶ <u>M43</u> (**) ◀
▶ <u>M11</u> (**) ◀	▶ <u>M49</u> — ◀	▶ <u>M51</u> — ◀	(**)	▶ <u>M5</u> (**) ◀	(**)	(**)	▶ <u>M43</u> (**) ◀

▼ M2

(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)
			▶ <u>M9</u> 0,02 (*) ◀ ▶ <u>M9</u> 0,05 ◀				▶ <u>M41</u> — ◀ ▶ <u>M41</u> — ◀
			▶ <u>M9</u> 0,02 (*) ◀				▶ <u>M41</u> — ◀
0,02 (*)		▶ <u>M73</u> 0,05 (*) ◀		0,1 (*)	0,1 (*)	0,1 (*)	▶ <u>M41</u> — ◀
	▶ <u>M32</u> 20 ◀		▶ <u>M9</u> 0,05 (*) ◀				▶ <u>M41</u> — ◀
(**)	▶ <u>M32</u> (**) ◀	▶ <u>M73</u> — ◀	▶ <u>M9</u> (**) ◀	(**)	(**)	(**)	▶ <u>M41</u> — ◀
(**)	▶ <u>M32</u> (**) ◀	▶ <u>M73</u> — ◀	▶ <u>M9</u> (**) ◀	(**)	(**)	(**)	▶ <u>M41</u> — ◀
(**)	▶ <u>M32</u> (**) ◀	▶ <u>M73</u> — ◀	▶ <u>M9</u> (**) ◀	(**)	(**)	(**)	▶ <u>M41</u> — ◀
(**)	▶ <u>M32</u> (**) ◀	▶ <u>M73</u> — ◀	▶ <u>M9</u> (**) ◀	(**)	(**)	(**)	▶ <u>M41</u> — ◀
(**)	▶ <u>M32</u> (**) ◀	▶ <u>M73</u> — ◀	▶ <u>M9</u> (**) ◀	(**)	(**)	(**)	▶ <u>M41</u> — ◀
(**)	▶ <u>M32</u> (**) ◀	▶ <u>M73</u> — ◀	▶ <u>M9</u> (**) ◀	(**)	(**)	(**)	▶ <u>M41</u> — ◀
(**)	▶ <u>M32</u> (**) ◀	▶ <u>M73</u> — ◀	▶ <u>M9</u> (**) ◀	(**)	(**)	(**)	▶ <u>M41</u> — ◀
(**)	▶ <u>M32</u> (**) ◀	▶ <u>M73</u> — ◀	▶ <u>M9</u> (**) ◀	(**)	(**)	(**)	▶ <u>M41</u> — ◀
(**)	▶ <u>M32</u> (**) ◀	▶ <u>M73</u> — ◀	▶ <u>M9</u> (**) ◀	(**)	(**)	(**)	▶ <u>M41</u> — ◀
(**)	▶ <u>M32</u> (**) ◀	▶ <u>M73</u> — ◀	▶ <u>M9</u> (**) ◀	(**)	(**)	(**)	▶ <u>M41</u> — ◀
(**)	▶ <u>M32</u> (**) ◀	▶ <u>M73</u> — ◀	▶ <u>M9</u> (**) ◀	(**)	(**)	(**)	▶ <u>M41</u> — ◀



▼ M2

(25)	(26)	(27)	(28)	(29)	(30)	(31)
0,05 (*)	▶ <u>M32</u> 0,02 (*) ◀	▶ <u>M33</u> 0,05 (*) ◀				▶ <u>M75</u> 0,05 (*) ◀
0,05 (*)	▶ <u>M32</u> 0,02 (*) ◀	▶ <u>M33</u> 1 (+) ◀				▶ <u>M75</u> 1 ◀
0,05 (*)	▶ <u>M32</u> 0,02 (*) ◀	▶ <u>M33</u> 0,05 (*) ◀				▶ <u>M75</u> 0,05 (*) ◀
0,1 (*)	▶ <u>M32</u> 0,05 (*) ◀	▶ <u>M33</u> 0,1 (*) ◀	0,1 (*)			▶ <u>M75</u> 0,1 (*) ◀
		▶ <u>M13</u> — ◀		▶ <u>M16</u> 30 ◀	0,01 (*)	
(**)	▶ <u>M32</u> (**) ◀	▶ <u>M33</u> (**) ◀	(**)	(**)	(**)	▶ <u>M75</u> — ◀
(**)	▶ <u>M32</u> (**) ◀	▶ <u>M33</u> (**) ◀	(**)	(**)	(**)	▶ <u>M75</u> — ◀
(**)	▶ <u>M32</u> (**) ◀	▶ <u>M33</u> (**) ◀	(**)	(**)	(**)	▶ <u>M75</u> — ◀
(**)	▶ <u>M32</u> (**) ◀	▶ <u>M33</u> (**) ◀	(**)	(**)	(**)	▶ <u>M75</u> — ◀
(**)	▶ <u>M32</u> (**) ◀	▶ <u>M33</u> (**) ◀	(**)	(**)	(**)	▶ <u>M75</u> — ◀
(**)	▶ <u>M32</u> (**) ◀	▶ <u>M33</u> (**) ◀	(**)	(**)	(**)	▶ <u>M75</u> — ◀
(**)	▶ <u>M32</u> (**) ◀	▶ <u>M33</u> (**) ◀	(**)	(**)	(**)	▶ <u>M75</u> — ◀
(**)	▶ <u>M32</u> (**) ◀	▶ <u>M33</u> (**) ◀	(**)	(**)	(**)	▶ <u>M75</u> — ◀
(**)	▶ <u>M32</u> (**) ◀	▶ <u>M33</u> (**) ◀	(**)	(**)	(**)	▶ <u>M75</u> — ◀
(**)	▶ <u>M32</u> (**) ◀	▶ <u>M33</u> (**) ◀	(**)	(**)	(**)	▶ <u>M75</u> — ◀
(**)	▶ <u>M32</u> (**) ◀	▶ <u>M33</u> (**) ◀	(**)	(**)	(**)	▶ <u>M75</u> — ◀
(**)	▶ <u>M32</u> (**) ◀	▶ <u>M33</u> (**) ◀	(**)	(**)	(**)	▶ <u>M75</u> — ◀

## ▼ M2

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)
0632020	Rooibos leaves	(**)	▶ <u>M75</u> (**) ◀	▶ <u>M55</u> — ◀	▶ <u>M46</u> — ◀	▶ <u>M56</u> (**) ◀	▶ <u>M55</u> — ◀
0632030	Maté	(**)	▶ <u>M75</u> (**) ◀	▶ <u>M55</u> — ◀	▶ <u>M46</u> — ◀	▶ <u>M56</u> (**) ◀	▶ <u>M55</u> — ◀
0632990	Others	(**)	▶ <u>M75</u> (**) ◀	▶ <u>M55</u> — ◀	▶ <u>M46</u> — ◀	▶ <u>M56</u> (**) ◀	▶ <u>M55</u> — ◀
0633000	(c) <i>Roots</i>	(**)	▶ <u>M75</u> (**) ◀	▶ <u>M55</u> — ◀	▶ <u>M46</u> — ◀	▶ <u>M56</u> (**) ◀	▶ <u>M55</u> — ◀
0633010	Valerian root	(**)	▶ <u>M75</u> (**) ◀	▶ <u>M55</u> — ◀	▶ <u>M46</u> — ◀	▶ <u>M56</u> (**) ◀	▶ <u>M55</u> — ◀
0633020	Ginseng root	(**)	▶ <u>M75</u> (**) ◀	▶ <u>M55</u> — ◀	▶ <u>M46</u> — ◀	▶ <u>M56</u> (**) ◀	▶ <u>M55</u> — ◀
0633990	Others	(**)	▶ <u>M75</u> (**) ◀	▶ <u>M55</u> — ◀	▶ <u>M46</u> — ◀	▶ <u>M56</u> (**) ◀	▶ <u>M55</u> — ◀
0639000	(d) <i>Other herbal infusions</i>	(**)	▶ <u>M75</u> (**) ◀	▶ <u>M55</u> — ◀	▶ <u>M46</u> — ◀	▶ <u>M56</u> (**) ◀	▶ <u>M55</u> — ◀
0640000	(iv) <b>Cocoa (fermented beans)</b>	(**)	▶ <u>M75</u> (**) ◀	▶ <u>M55</u> — ◀	▶ <u>M46</u> — ◀	▶ <u>M56</u> (**) ◀	▶ <u>M55</u> — ◀
0650000	(v) <b>Carob (st johns bread)</b>	(**)	▶ <u>M75</u> (**) ◀	▶ <u>M55</u> — ◀	▶ <u>M46</u> — ◀	▶ <u>M56</u> (**) ◀	▶ <u>M55</u> — ◀
0700000	7. <b>HOPS (dried), including hop pellets and unconcentrated powder</b>	0,1 (*)	▶ <u>M75</u> 0,05 (*) ◀	▶ <u>M72</u> 0,05 (*) ◀	▶ <u>M46</u> — ◀	▶ <u>M56</u> 20 ◀	▶ <u>M55</u> 0,1 (*) ◀
0800000	8. <b>SPICES</b>	(**)	▶ <u>M75</u> (**) ◀	▶ <u>M55</u> — ◀	▶ <u>M46</u> — ◀	▶ <u>M56</u> (**) ◀	▶ <u>M55</u> — ◀
0810000	(i) <b>Seeds</b>	(**)	▶ <u>M75</u> (**) ◀	▶ <u>M72</u> 0,05 (*) ◀	▶ <u>M46</u> — ◀	▶ <u>M56</u> (**) ◀	▶ <u>M55</u> 0,1 (*) ◀
0810010	Anise	(**)	▶ <u>M75</u> (**) ◀	▶ <u>M55</u> — ◀	▶ <u>M46</u> — ◀	▶ <u>M56</u> (**) ◀	▶ <u>M55</u> — ◀
0810020	Black caraway	(**)	▶ <u>M75</u> (**) ◀	▶ <u>M55</u> — ◀	▶ <u>M46</u> — ◀	▶ <u>M56</u> (**) ◀	▶ <u>M55</u> — ◀
0810030	Celery seed	(**)	▶ <u>M75</u> (**) ◀	▶ <u>M55</u> — ◀	▶ <u>M46</u> — ◀	▶ <u>M56</u> (**) ◀	▶ <u>M55</u> — ◀
0810040	Coriander seed	(**)	▶ <u>M75</u> (**) ◀	▶ <u>M55</u> — ◀	▶ <u>M46</u> — ◀	▶ <u>M56</u> (**) ◀	▶ <u>M55</u> — ◀
0810050	Cumin seed	(**)	▶ <u>M75</u> (**) ◀	▶ <u>M55</u> — ◀	▶ <u>M46</u> — ◀	▶ <u>M56</u> (**) ◀	▶ <u>M55</u> — ◀
0810060	Dill seed	(**)	▶ <u>M75</u> (**) ◀	▶ <u>M55</u> — ◀	▶ <u>M46</u> — ◀	▶ <u>M56</u> (**) ◀	▶ <u>M55</u> — ◀

▼ M2

(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
▶ <u>M11</u> (**) ◀	▶ <u>M49</u> — ◀	▶ <u>M51</u> — ◀	(**)	▶ <u>M5</u> (**) ◀	(**)	(**)	▶ <u>M43</u> (**) ◀
▶ <u>M11</u> (**) ◀	▶ <u>M49</u> — ◀	▶ <u>M51</u> — ◀	(**)	▶ <u>M5</u> (**) ◀	(**)	(**)	▶ <u>M43</u> (**) ◀
▶ <u>M11</u> (**) ◀	▶ <u>M49</u> — ◀	▶ <u>M51</u> — ◀	(**)	▶ <u>M5</u> (**) ◀	(**)	(**)	▶ <u>M43</u> (**) ◀
▶ <u>M11</u> (**) ◀	▶ <u>M49</u> — ◀	▶ <u>M51</u> — ◀	(**)	▶ <u>M5</u> (**) ◀	(**)	(**)	▶ <u>M43</u> (**) ◀
▶ <u>M11</u> (**) ◀	▶ <u>M49</u> — ◀	▶ <u>M51</u> — ◀	(**)	▶ <u>M5</u> (**) ◀	(**)	(**)	▶ <u>M43</u> (**) ◀
▶ <u>M11</u> (**) ◀	▶ <u>M49</u> — ◀	▶ <u>M51</u> — ◀	(**)	▶ <u>M5</u> (**) ◀	(**)	(**)	▶ <u>M43</u> (**) ◀
▶ <u>M11</u> (**) ◀	▶ <u>M49</u> — ◀	▶ <u>M51</u> — ◀	(**)	▶ <u>M5</u> (**) ◀	(**)	(**)	▶ <u>M43</u> (**) ◀
▶ <u>M11</u> (**) ◀	▶ <u>M49</u> — ◀	▶ <u>M51</u> — ◀	(**)	▶ <u>M5</u> (**) ◀	(**)	(**)	▶ <u>M43</u> (**) ◀
▶ <u>M11</u> (**) ◀	▶ <u>M49</u> — ◀	▶ <u>M51</u> — ◀	(**)	▶ <u>M5</u> (**) ◀	(**)	(**)	▶ <u>M43</u> (**) ◀
▶ <u>M19</u> 30 ◀	▶ <u>M49</u> 0,1 (*) ◀	▶ <u>M51</u> — ◀	0,05 (*)	▶ <u>M20</u> 5 ◀	0,1 (*)	0,1 (*)	▶ <u>M43</u> 0,5 ◀
▶ <u>M11</u> (**) ◀	▶ <u>M49</u> — ◀	▶ <u>M51</u> — ◀	(**)	▶ <u>M5</u> (**) ◀	(**)	(**)	▶ <u>M43</u> (**) ◀
▶ <u>M11</u> (**) ◀	▶ <u>M49</u> 0,1 (*) ◀	▶ <u>M51</u> — ◀	(**)	▶ <u>M5</u> (**) ◀	(**)	(**)	▶ <u>M43</u> (**) ◀
▶ <u>M11</u> (**) ◀	▶ <u>M49</u> — ◀	▶ <u>M51</u> — ◀	(**)	▶ <u>M5</u> (**) ◀	(**)	(**)	▶ <u>M43</u> (**) ◀
▶ <u>M11</u> (**) ◀	▶ <u>M49</u> — ◀	▶ <u>M51</u> — ◀	(**)	▶ <u>M5</u> (**) ◀	(**)	(**)	▶ <u>M43</u> (**) ◀
▶ <u>M11</u> (**) ◀	▶ <u>M49</u> — ◀	▶ <u>M51</u> — ◀	(**)	▶ <u>M5</u> (**) ◀	(**)	(**)	▶ <u>M43</u> (**) ◀
▶ <u>M11</u> (**) ◀	▶ <u>M49</u> — ◀	▶ <u>M51</u> — ◀	(**)	▶ <u>M5</u> (**) ◀	(**)	(**)	▶ <u>M43</u> (**) ◀
▶ <u>M11</u> (**) ◀	▶ <u>M49</u> — ◀	▶ <u>M51</u> — ◀	(**)	▶ <u>M5</u> (**) ◀	(**)	(**)	▶ <u>M43</u> (**) ◀

▼ M2

(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)
(**)	▶ <u>M32</u> (**) ◀	▶ <u>M73</u> — ◀	▶ <u>M9</u> (**) ◀	(**)	(**)	(**)	▶ <u>M41</u> — ◀
(**)	▶ <u>M32</u> (**) ◀	▶ <u>M73</u> — ◀	▶ <u>M9</u> (**) ◀	(**)	(**)	(**)	▶ <u>M41</u> — ◀
(**)	▶ <u>M32</u> (**) ◀	▶ <u>M73</u> — ◀	▶ <u>M9</u> (**) ◀	(**)	(**)	(**)	▶ <u>M41</u> — ◀
(**)	▶ <u>M32</u> (**) ◀	▶ <u>M73</u> — ◀	▶ <u>M9</u> (**) ◀	(**)	(**)	(**)	▶ <u>M41</u> — ◀
(**)	▶ <u>M32</u> (**) ◀	▶ <u>M73</u> — ◀	▶ <u>M9</u> (**) ◀	(**)	(**)	(**)	▶ <u>M41</u> — ◀
(**)	▶ <u>M32</u> (**) ◀	▶ <u>M73</u> — ◀	▶ <u>M9</u> (**) ◀	(**)	(**)	(**)	▶ <u>M41</u> — ◀
(**)	▶ <u>M32</u> (**) ◀	▶ <u>M73</u> — ◀	▶ <u>M9</u> (**) ◀	(**)	(**)	(**)	▶ <u>M41</u> — ◀
(**)	▶ <u>M32</u> (**) ◀	▶ <u>M73</u> — ◀	▶ <u>M9</u> (**) ◀	(**)	(**)	(**)	▶ <u>M41</u> — ◀
(**)	▶ <u>M32</u> (**) ◀	▶ <u>M73</u> — ◀	▶ <u>M9</u> (**) ◀	(**)	(**)	(**)	▶ <u>M41</u> — ◀
(**)	▶ <u>M32</u> (**) ◀	▶ <u>M73</u> — ◀	▶ <u>M9</u> (**) ◀	(**)	(**)	(**)	▶ <u>M41</u> — ◀
0,02 (*)	▶ <u>M32</u> 50 ◀	▶ <u>M73</u> 0,05 (*) ◀	▶ <u>M9</u> 0,05 (*) ◀	0,1 (*)	0,1 (*)	0,1 (*)	▶ <u>M41</u> — ◀
(**)	▶ <u>M32</u> (**) ◀	▶ <u>M73</u> — ◀	▶ <u>M9</u> (**) ◀	(**)	(**)	(**)	▶ <u>M41</u> — ◀
(**)	▶ <u>M32</u> (**) ◀	▶ <u>M73</u> 0,05 (*) ◀	▶ <u>M9</u> (**) ◀	(**)	(**)	(**)	▶ <u>M41</u> — ◀
(**)	▶ <u>M32</u> (**) ◀	▶ <u>M73</u> — ◀	▶ <u>M9</u> (**) ◀	(**)	(**)	(**)	▶ <u>M41</u> — ◀
(**)	▶ <u>M32</u> (**) ◀	▶ <u>M73</u> — ◀	▶ <u>M9</u> (**) ◀	(**)	(**)	(**)	▶ <u>M41</u> — ◀
(**)	▶ <u>M32</u> (**) ◀	▶ <u>M73</u> — ◀	▶ <u>M9</u> (**) ◀	(**)	(**)	(**)	▶ <u>M41</u> — ◀
(**)	▶ <u>M32</u> (**) ◀	▶ <u>M73</u> — ◀	▶ <u>M9</u> (**) ◀	(**)	(**)	(**)	▶ <u>M41</u> — ◀
(**)	▶ <u>M32</u> (**) ◀	▶ <u>M73</u> — ◀	▶ <u>M9</u> (**) ◀	(**)	(**)	(**)	▶ <u>M41</u> — ◀

▼ M2

(25)	(26)	(27)	(28)	(29)	(30)	(31)
(**)	▶ <u>M32</u> (**) ◀	▶ <u>M33</u> (**) ◀	(**)	(**)	(**)	▶ <u>M75</u> — ◀
(**)	▶ <u>M32</u> (**) ◀	▶ <u>M33</u> (**) ◀	(**)	(**)	(**)	▶ <u>M75</u> — ◀
(**)	▶ <u>M32</u> (**) ◀	▶ <u>M33</u> (**) ◀	(**)	(**)	(**)	▶ <u>M75</u> — ◀
(**)	▶ <u>M32</u> (**) ◀	▶ <u>M33</u> (**) ◀	(**)	(**)	(**)	▶ <u>M75</u> — ◀
(**)	▶ <u>M32</u> (**) ◀	▶ <u>M33</u> (**) ◀	(**)	(**)	(**)	▶ <u>M75</u> — ◀
(**)	▶ <u>M32</u> (**) ◀	▶ <u>M33</u> (**) ◀	(**)	(**)	(**)	▶ <u>M75</u> — ◀
(**)	▶ <u>M32</u> (**) ◀	▶ <u>M33</u> (**) ◀	(**)	(**)	(**)	▶ <u>M75</u> — ◀
(**)	▶ <u>M32</u> (**) ◀	▶ <u>M33</u> (**) ◀	(**)	(**)	(**)	▶ <u>M75</u> — ◀
(**)	▶ <u>M32</u> (**) ◀	▶ <u>M33</u> (**) ◀	(**)	(**)	(**)	▶ <u>M75</u> — ◀
0,1 (*)	▶ <u>M32</u> 0,05 (*) ◀	▶ <u>M33</u> 25 (+) ◀	0,1 (*)	▶ <u>M16</u> 0,1 (*) ◀	0,1 (*)	▶ <u>M75</u> 0,1 (*) ◀
(**)	▶ <u>M32</u> (**) ◀	▶ <u>M33</u> (**) ◀	(**)	(**)	(**)	▶ <u>M75</u> — ◀
(**)	▶ <u>M32</u> (**) ◀	▶ <u>M33</u> (**) ◀	(**)	(**)	(**)	▶ <u>M75</u> 0,1 (**) ◀
(**)	▶ <u>M32</u> (**) ◀	▶ <u>M33</u> (**) ◀	(**)	(**)	(**)	▶ <u>M75</u> — ◀
(**)	▶ <u>M32</u> (**) ◀	▶ <u>M33</u> (**) ◀	(**)	(**)	(**)	▶ <u>M75</u> — ◀
(**)	▶ <u>M32</u> (**) ◀	▶ <u>M33</u> (**) ◀	(**)	(**)	(**)	▶ <u>M75</u> — ◀
(**)	▶ <u>M32</u> (**) ◀	▶ <u>M33</u> (**) ◀	(**)	(**)	(**)	▶ <u>M75</u> — ◀

## ▼ M2

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)
0810070	Fennel seed	(**)	▶ <u>M75</u> (**) ◀	▶ <u>M55</u> — ◀	▶ <u>M46</u> — ◀	▶ <u>M56</u> (**) ◀	▶ <u>M55</u> — ◀
0810080	Fenugreek	(**)	▶ <u>M75</u> (**) ◀	▶ <u>M55</u> — ◀	▶ <u>M46</u> — ◀	▶ <u>M56</u> (**) ◀	▶ <u>M55</u> — ◀
0810090	Nutmeg	(**)	▶ <u>M75</u> (**) ◀	▶ <u>M55</u> — ◀	▶ <u>M46</u> — ◀	▶ <u>M56</u> (**) ◀	▶ <u>M55</u> — ◀
0810990	Others	(**)	▶ <u>M75</u> (**) ◀	▶ <u>M55</u> — ◀	▶ <u>M46</u> — ◀	▶ <u>M56</u> (**) ◀	▶ <u>M55</u> — ◀
0820000	(ii) <b>Fruits and berries</b>	(**)	▶ <u>M75</u> (**) ◀	▶ <u>M72</u> 0,05 (*) ◀	▶ <u>M46</u> — ◀	▶ <u>M56</u> (**) ◀	▶ <u>M55</u> 0,1 (*) ◀
0820010	Allspice	(**)	▶ <u>M75</u> (**) ◀	▶ <u>M55</u> — ◀	▶ <u>M46</u> — ◀	▶ <u>M56</u> (**) ◀	▶ <u>M55</u> — ◀
0820020	Anise pepper (Japan pepper)	(**)	▶ <u>M75</u> (**) ◀	▶ <u>M55</u> — ◀	▶ <u>M46</u> — ◀	▶ <u>M56</u> (**) ◀	▶ <u>M55</u> — ◀
0820030	Caraway	(**)	▶ <u>M75</u> (**) ◀	▶ <u>M55</u> — ◀	▶ <u>M46</u> — ◀	▶ <u>M56</u> (**) ◀	▶ <u>M55</u> — ◀
0820040	Cardamom	(**)	▶ <u>M75</u> (**) ◀	▶ <u>M55</u> — ◀	▶ <u>M46</u> — ◀	▶ <u>M56</u> (**) ◀	▶ <u>M55</u> — ◀
0820050	Juniper berries	(**)	▶ <u>M75</u> (**) ◀	▶ <u>M55</u> — ◀	▶ <u>M46</u> — ◀	▶ <u>M56</u> (**) ◀	▶ <u>M55</u> — ◀
0820060	Pepper, black and white	(**)	▶ <u>M75</u> (**) ◀	▶ <u>M55</u> — ◀	▶ <u>M46</u> — ◀	▶ <u>M56</u> (**) ◀	▶ <u>M55</u> — ◀
0820070	Vanilla pods	(**)	▶ <u>M75</u> (**) ◀	▶ <u>M55</u> — ◀	▶ <u>M46</u> — ◀	▶ <u>M56</u> (**) ◀	▶ <u>M55</u> — ◀
0820080	Tamarind	(**)	▶ <u>M75</u> (**) ◀	▶ <u>M55</u> — ◀	▶ <u>M46</u> — ◀	▶ <u>M56</u> (**) ◀	▶ <u>M55</u> — ◀
0820990	Others	(**)	▶ <u>M75</u> (**) ◀	▶ <u>M55</u> — ◀	▶ <u>M46</u> — ◀	▶ <u>M56</u> (**) ◀	▶ <u>M55</u> — ◀
0830000	(iii) <b>Bark</b>	(**)	▶ <u>M75</u> (**) ◀	▶ <u>M72</u> 0,05 (*) ◀	▶ <u>M46</u> — ◀	▶ <u>M56</u> (**) ◀	▶ <u>M55</u> 0,1 (*) ◀
0830010	Cinnamon	(**)	▶ <u>M75</u> (**) ◀	▶ <u>M55</u> — ◀	▶ <u>M46</u> — ◀	▶ <u>M56</u> (**) ◀	▶ <u>M55</u> — ◀
0830990	Others	(**)	▶ <u>M75</u> (**) ◀	▶ <u>M55</u> — ◀	▶ <u>M46</u> — ◀	▶ <u>M56</u> (**) ◀	▶ <u>M55</u> — ◀
0840000	(iv) <b>Roots or rhizome</b>	(**)	▶ <u>M75</u> (**) ◀	▶ <u>M55</u> — ◀	▶ <u>M46</u> — ◀	▶ <u>M56</u> (**) ◀	▶ <u>M55</u> — ◀
0840010	Liquorice	(**)	▶ <u>M75</u> (**) ◀	▶ <u>M72</u> 0,05 (*) ◀	▶ <u>M46</u> — ◀	▶ <u>M56</u> (**) ◀	▶ <u>M55</u> 0,1 (*) ◀
0840020	Ginger	(**)	▶ <u>M75</u> (**) ◀	▶ <u>M72</u> 0,05 (*) ◀	▶ <u>M46</u> — ◀	▶ <u>M56</u> (**) ◀	▶ <u>M55</u> 0,1 (*) ◀
0840030	Turmeric (Curcuma)	(**)	▶ <u>M75</u> (**) ◀	▶ <u>M72</u> 0,05 (*) ◀	▶ <u>M46</u> — ◀	▶ <u>M56</u> (**) ◀	▶ <u>M55</u> 0,1 (*) ◀

▼ M2

(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
▶ <u>M11</u> (**) ◀	▶ <u>M49</u> — ◀	▶ <u>M51</u> — ◀	(**)	▶ <u>M5</u> (**) ◀	(**)	(**)	▶ <u>M43</u> (**) ◀
▶ <u>M11</u> (**) ◀	▶ <u>M49</u> — ◀	▶ <u>M51</u> — ◀	(**)	▶ <u>M5</u> (**) ◀	(**)	(**)	▶ <u>M43</u> (**) ◀
▶ <u>M11</u> (**) ◀	▶ <u>M49</u> — ◀	▶ <u>M51</u> — ◀	(**)	▶ <u>M5</u> (**) ◀	(**)	(**)	▶ <u>M43</u> (**) ◀
▶ <u>M11</u> (**) ◀	▶ <u>M49</u> — ◀	▶ <u>M51</u> — ◀	(**)	▶ <u>M5</u> (**) ◀	(**)	(**)	▶ <u>M43</u> (**) ◀
▶ <u>M11</u> (**) ◀	▶ <u>M49</u> 0,1 (*) ◀	▶ <u>M51</u> — ◀	(**)	▶ <u>M5</u> (**) ◀	(**)	(**)	▶ <u>M43</u> (**) ◀
▶ <u>M11</u> (**) ◀	▶ <u>M49</u> — ◀	▶ <u>M51</u> — ◀	(**)	▶ <u>M5</u> (**) ◀	(**)	(**)	▶ <u>M43</u> (**) ◀
▶ <u>M11</u> (**) ◀	▶ <u>M49</u> — ◀	▶ <u>M51</u> — ◀	(**)	▶ <u>M5</u> (**) ◀	(**)	(**)	▶ <u>M43</u> (**) ◀
▶ <u>M11</u> (**) ◀	▶ <u>M49</u> — ◀	▶ <u>M51</u> — ◀	(**)	▶ <u>M5</u> (**) ◀	(**)	(**)	▶ <u>M43</u> (**) ◀
▶ <u>M11</u> (**) ◀	▶ <u>M49</u> — ◀	▶ <u>M51</u> — ◀	(**)	▶ <u>M5</u> (**) ◀	(**)	(**)	▶ <u>M43</u> (**) ◀
▶ <u>M11</u> (**) ◀	▶ <u>M49</u> — ◀	▶ <u>M51</u> — ◀	(**)	▶ <u>M5</u> (**) ◀	(**)	(**)	▶ <u>M43</u> (**) ◀
▶ <u>M11</u> (**) ◀	▶ <u>M49</u> — ◀	▶ <u>M51</u> — ◀	(**)	▶ <u>M5</u> (**) ◀	(**)	(**)	▶ <u>M43</u> (**) ◀
▶ <u>M11</u> (**) ◀	▶ <u>M49</u> — ◀	▶ <u>M51</u> — ◀	(**)	▶ <u>M5</u> (**) ◀	(**)	(**)	▶ <u>M43</u> (**) ◀
▶ <u>M11</u> (**) ◀	▶ <u>M49</u> — ◀	▶ <u>M51</u> — ◀	(**)	▶ <u>M5</u> (**) ◀	(**)	(**)	▶ <u>M43</u> (**) ◀
▶ <u>M11</u> (**) ◀	▶ <u>M49</u> — ◀	▶ <u>M51</u> — ◀	(**)	▶ <u>M5</u> (**) ◀	(**)	(**)	▶ <u>M43</u> (**) ◀
▶ <u>M11</u> (**) ◀	▶ <u>M49</u> 0,1 (*) ◀	▶ <u>M51</u> — ◀	(**)	▶ <u>M5</u> (**) ◀	(**)	(**)	▶ <u>M43</u> (**) ◀
▶ <u>M11</u> (**) ◀	▶ <u>M49</u> 0,1 (*) ◀	▶ <u>M51</u> — ◀	(**)	▶ <u>M5</u> (**) ◀	(**)	(**)	▶ <u>M43</u> (**) ◀
▶ <u>M11</u> (**) ◀	▶ <u>M49</u> 0,1 (*) ◀	▶ <u>M51</u> — ◀	(**)	▶ <u>M5</u> (**) ◀	(**)	(**)	▶ <u>M43</u> (**) ◀

▼ M2

(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)
(**)	▶ <u>M32</u> (**) ◀	▶ <u>M73</u> — ◀	▶ <u>M9</u> (**) ◀	(**)	(**)	(**)	▶ <u>M41</u> — ◀
(**)	▶ <u>M32</u> (**) ◀	▶ <u>M73</u> — ◀	▶ <u>M9</u> (**) ◀	(**)	(**)	(**)	▶ <u>M41</u> — ◀
(**)	▶ <u>M32</u> (**) ◀	▶ <u>M73</u> — ◀	▶ <u>M9</u> (**) ◀	(**)	(**)	(**)	▶ <u>M41</u> — ◀
(**)	▶ <u>M32</u> (**) ◀	▶ <u>M73</u> — ◀	▶ <u>M9</u> (**) ◀	(**)	(**)	(**)	▶ <u>M41</u> — ◀
(**)	▶ <u>M32</u> (**) ◀	▶ <u>M73</u> 0,05 (*) ◀	▶ <u>M9</u> (**) ◀	(**)	(**)	(**)	▶ <u>M41</u> — ◀
(**)	▶ <u>M32</u> (**) ◀	▶ <u>M73</u> — ◀	▶ <u>M9</u> (**) ◀	(**)	(**)	(**)	▶ <u>M41</u> — ◀
(**)	▶ <u>M32</u> (**) ◀	▶ <u>M73</u> — ◀	▶ <u>M9</u> (**) ◀	(**)	(**)	(**)	▶ <u>M41</u> — ◀
(**)	▶ <u>M32</u> (**) ◀	▶ <u>M73</u> — ◀	▶ <u>M9</u> (**) ◀	(**)	(**)	(**)	▶ <u>M41</u> — ◀
(**)	▶ <u>M32</u> (**) ◀	▶ <u>M73</u> — ◀	▶ <u>M9</u> (**) ◀	(**)	(**)	(**)	▶ <u>M41</u> — ◀
(**)	▶ <u>M32</u> (**) ◀	▶ <u>M73</u> — ◀	▶ <u>M9</u> (**) ◀	(**)	(**)	(**)	▶ <u>M41</u> — ◀
(**)	▶ <u>M32</u> (**) ◀	▶ <u>M73</u> — ◀	▶ <u>M9</u> (**) ◀	(**)	(**)	(**)	▶ <u>M41</u> — ◀
(**)	▶ <u>M32</u> (**) ◀	▶ <u>M73</u> — ◀	▶ <u>M9</u> (**) ◀	(**)	(**)	(**)	▶ <u>M41</u> — ◀
(**)	▶ <u>M32</u> (**) ◀	▶ <u>M73</u> — ◀	▶ <u>M9</u> (**) ◀	(**)	(**)	(**)	▶ <u>M41</u> — ◀
(**)	▶ <u>M32</u> (**) ◀	▶ <u>M73</u> — ◀	▶ <u>M9</u> (**) ◀	(**)	(**)	(**)	▶ <u>M41</u> — ◀
(**)	▶ <u>M32</u> (**) ◀	▶ <u>M73</u> 0,05 (*) ◀	▶ <u>M9</u> (**) ◀	(**)	(**)	(**)	▶ <u>M41</u> — ◀
(**)	▶ <u>M32</u> (**) ◀	▶ <u>M73</u> 0,05 (*) ◀	▶ <u>M9</u> (**) ◀	(**)	(**)	(**)	▶ <u>M41</u> — ◀
(**)	▶ <u>M32</u> (**) ◀	▶ <u>M73</u> 0,05 (*) ◀	▶ <u>M9</u> (**) ◀	(**)	(**)	(**)	▶ <u>M41</u> — ◀



▼ M2

(25)	(26)	(27)	(28)	(29)	(30)	(31)
(**)	▶ <u>M32</u> (**) ◀	▶ <u>M33</u> (**) ◀	(**)	(**)	(**)	▶ <u>M75</u> — ◀
(**)	▶ <u>M32</u> (**) ◀	▶ <u>M33</u> (**) ◀	(**)	(**)	(**)	▶ <u>M75</u> — ◀
(**)	▶ <u>M32</u> (**) ◀	▶ <u>M33</u> (**) ◀	(**)	(**)	(**)	▶ <u>M75</u> — ◀
(**)	▶ <u>M32</u> (**) ◀	▶ <u>M33</u> (**) ◀	(**)	(**)	(**)	▶ <u>M75</u> — ◀
(**)	▶ <u>M32</u> (**) ◀	▶ <u>M33</u> (**) ◀	(**)	(**)	(**)	▶ <u>M75</u> 0,1 (**) ◀
(**)	▶ <u>M32</u> (**) ◀	▶ <u>M33</u> (**) ◀	(**)	(**)	(**)	▶ <u>M75</u> — ◀
(**)	▶ <u>M32</u> (**) ◀	▶ <u>M33</u> (**) ◀	(**)	(**)	(**)	▶ <u>M75</u> — ◀
(**)	▶ <u>M32</u> (**) ◀	▶ <u>M33</u> (**) ◀	(**)	(**)	(**)	▶ <u>M75</u> — ◀
(**)	▶ <u>M32</u> (**) ◀	▶ <u>M33</u> (**) ◀	(**)	(**)	(**)	▶ <u>M75</u> — ◀
(**)	▶ <u>M32</u> (**) ◀	▶ <u>M33</u> (**) ◀	(**)	(**)	(**)	▶ <u>M75</u> — ◀
(**)	▶ <u>M32</u> (**) ◀	▶ <u>M33</u> (**) ◀	(**)	(**)	(**)	▶ <u>M75</u> — ◀
(**)	▶ <u>M32</u> (**) ◀	▶ <u>M33</u> (**) ◀	(**)	(**)	(**)	▶ <u>M75</u> — ◀
(**)	▶ <u>M32</u> (**) ◀	▶ <u>M33</u> (**) ◀	(**)	(**)	(**)	▶ <u>M75</u> — ◀
(**)	▶ <u>M32</u> (**) ◀	▶ <u>M33</u> (**) ◀	(**)	(**)	(**)	▶ <u>M75</u> 0,1 (**) ◀
(**)	▶ <u>M32</u> (**) ◀	▶ <u>M33</u> (**) ◀	(**)	(**)	(**)	▶ <u>M75</u> — ◀
(**)	▶ <u>M32</u> (**) ◀	▶ <u>M33</u> (**) ◀	(**)	(**)	(**)	▶ <u>M75</u> — ◀
(**)	▶ <u>M32</u> (**) ◀	▶ <u>M33</u> (**) ◀	(**)	(**)	(**)	▶ <u>M75</u> — ◀
(**)	▶ <u>M32</u> (**) ◀	▶ <u>M33</u> (**) ◀	(**)	(**)	(**)	▶ <u>M75</u> 0,1 (**) ◀
(**)	▶ <u>M32</u> (**) ◀	▶ <u>M33</u> (**) ◀	(**)	(**)	(**)	▶ <u>M75</u> 0,1 (**) ◀
(**)	▶ <u>M32</u> (**) ◀	▶ <u>M33</u> (**) ◀	(**)	(**)	(**)	▶ <u>M75</u> 0,1 (**) ◀

## ▼ M2

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)
0840040	Horseradish	(**)	▶ <u>M75</u> (**) ◀	▶ <u>M72</u> (+) ◀	▶ <u>M46</u> — ◀	▶ <u>M56</u> (**) ◀	▶ <u>M55</u> (+) ◀
0840990	Others	(**)	▶ <u>M75</u> (**) ◀	▶ <u>M72</u> 0,05 (*) ◀	▶ <u>M46</u> — ◀	▶ <u>M56</u> (**) ◀	▶ <u>M55</u> 0,1 (*) ◀
0850000	(v) <b>Buds</b>	(**)	▶ <u>M75</u> (**) ◀	▶ <u>M72</u> 0,05 (*) ◀	▶ <u>M46</u> — ◀	▶ <u>M56</u> (**) ◀	▶ <u>M55</u> 0,1 (*) ◀
0850010	Cloves	(**)	▶ <u>M75</u> (**) ◀	▶ <u>M55</u> — ◀	▶ <u>M46</u> — ◀	▶ <u>M56</u> (**) ◀	▶ <u>M55</u> — ◀
0850020	Capers	(**)	▶ <u>M75</u> (**) ◀	▶ <u>M55</u> — ◀	▶ <u>M46</u> — ◀	▶ <u>M56</u> (**) ◀	▶ <u>M55</u> — ◀
0850990	Others	(**)	▶ <u>M75</u> (**) ◀	▶ <u>M55</u> — ◀	▶ <u>M46</u> — ◀	▶ <u>M56</u> (**) ◀	▶ <u>M55</u> — ◀
0860000	(vi) <b>Flower stigma</b>	(**)	▶ <u>M75</u> (**) ◀	▶ <u>M72</u> 0,05 (*) ◀	▶ <u>M46</u> — ◀	▶ <u>M56</u> (**) ◀	▶ <u>M55</u> 0,1 (*) ◀
0860010	Saffron	(**)	▶ <u>M75</u> (**) ◀	▶ <u>M55</u> — ◀	▶ <u>M46</u> — ◀	▶ <u>M56</u> (**) ◀	▶ <u>M55</u> — ◀
0860990	Others	(**)	▶ <u>M75</u> (**) ◀	▶ <u>M55</u> — ◀	▶ <u>M46</u> — ◀	▶ <u>M56</u> (**) ◀	▶ <u>M55</u> — ◀
0870000	(vii) <b>Aril</b>	(**)	▶ <u>M75</u> (**) ◀	▶ <u>M72</u> 0,05 (*) ◀	▶ <u>M46</u> — ◀	▶ <u>M56</u> (**) ◀	▶ <u>M55</u> 0,1 (*) ◀
0870010	Mace	(**)	▶ <u>M75</u> (**) ◀	▶ <u>M55</u> — ◀	▶ <u>M46</u> — ◀	▶ <u>M56</u> (**) ◀	▶ <u>M55</u> — ◀
0870990	Others	(**)	▶ <u>M75</u> (**) ◀	▶ <u>M55</u> — ◀	▶ <u>M46</u> — ◀	▶ <u>M56</u> (**) ◀	▶ <u>M55</u> — ◀
0900000	9. <b>SUGAR PLANTS</b>	(**)	▶ <u>M75</u> (**) ◀	▶ <u>M72</u> 0,01 (*) ◀	▶ <u>M46</u> — ◀	▶ <u>M56</u> (**) ◀	▶ <u>M55</u> 0,02 (*) ◀
0900010	Sugar beet (root)	(**)	▶ <u>M75</u> (**) ◀	▶ <u>M55</u> — ◀	▶ <u>M46</u> — ◀	▶ <u>M56</u> (**) ◀	▶ <u>M55</u> — ◀
0900020	Sugar cane	(**)	▶ <u>M75</u> (**) ◀	▶ <u>M55</u> — ◀	▶ <u>M46</u> — ◀	▶ <u>M56</u> (**) ◀	▶ <u>M55</u> — ◀
0900030	Chicory roots	(**)	▶ <u>M75</u> (**) ◀	▶ <u>M55</u> — ◀	▶ <u>M46</u> — ◀	▶ <u>M56</u> (**) ◀	▶ <u>M55</u> — ◀
0900990	Others	(**)	▶ <u>M75</u> (**) ◀	▶ <u>M55</u> — ◀	▶ <u>M46</u> — ◀	▶ <u>M56</u> (**) ◀	▶ <u>M55</u> — ◀
1000000	10. <b>PRODUCTS OF ANIMAL ORIGIN- TERRESTRIAL ANIMALS</b>			▶ <u>M55</u> — ◀	▶ <u>M46</u> — ◀		

▼ M2

(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
▶ <u>M11</u> (**) ◀	▶ <u>M49</u> (+) ◀	▶ <u>M51</u> — ◀	(**)	▶ <u>M5</u> (**) ◀	(**)	(**)	▶ <u>M43</u> (**) ◀
▶ <u>M11</u> (**) ◀	▶ <u>M49</u> 0,1 (*) ◀	▶ <u>M51</u> — ◀	(**)	▶ <u>M5</u> (**) ◀	(**)	(**)	▶ <u>M43</u> (**) ◀
▶ <u>M11</u> (**) ◀	▶ <u>M49</u> 0,1 (*) ◀	▶ <u>M51</u> — ◀	(**)	▶ <u>M5</u> (**) ◀	(**)	(**)	▶ <u>M43</u> (**) ◀
▶ <u>M11</u> (**) ◀	▶ <u>M49</u> — ◀	▶ <u>M51</u> — ◀	(**)	▶ <u>M5</u> (**) ◀	(**)	(**)	▶ <u>M43</u> (**) ◀
▶ <u>M11</u> (**) ◀	▶ <u>M49</u> — ◀	▶ <u>M51</u> — ◀	(**)	▶ <u>M5</u> (**) ◀	(**)	(**)	▶ <u>M43</u> (**) ◀
▶ <u>M11</u> (**) ◀	▶ <u>M49</u> — ◀	▶ <u>M51</u> — ◀	(**)	▶ <u>M5</u> (**) ◀	(**)	(**)	▶ <u>M43</u> (**) ◀
▶ <u>M11</u> (**) ◀	▶ <u>M49</u> — ◀	▶ <u>M51</u> — ◀	(**)	▶ <u>M5</u> (**) ◀	(**)	(**)	▶ <u>M43</u> (**) ◀
▶ <u>M11</u> (**) ◀	▶ <u>M49</u> — ◀	▶ <u>M51</u> — ◀	(**)	▶ <u>M5</u> (**) ◀	(**)	(**)	▶ <u>M43</u> (**) ◀
▶ <u>M11</u> (**) ◀	▶ <u>M49</u> — ◀	▶ <u>M51</u> — ◀	(**)	▶ <u>M5</u> (**) ◀	(**)	(**)	▶ <u>M43</u> (**) ◀
▶ <u>M11</u> (**) ◀	▶ <u>M49</u> 0,1 (*) ◀	▶ <u>M51</u> — ◀	(**)	▶ <u>M5</u> (**) ◀	(**)	(**)	▶ <u>M43</u> (**) ◀
▶ <u>M11</u> (**) ◀	▶ <u>M49</u> — ◀	▶ <u>M51</u> — ◀	(**)	▶ <u>M5</u> (**) ◀	(**)	(**)	▶ <u>M43</u> (**) ◀
▶ <u>M11</u> (**) ◀	▶ <u>M49</u> — ◀	▶ <u>M51</u> — ◀	(**)	▶ <u>M5</u> (**) ◀	(**)	(**)	▶ <u>M43</u> (**) ◀
▶ <u>M11</u> (**) ◀	▶ <u>M49</u> — ◀	▶ <u>M51</u> — ◀	(**)	▶ <u>M5</u> (**) ◀	(**)	(**)	▶ <u>M43</u> (**) ◀
▶ <u>M11</u> (**) ◀	▶ <u>M49</u> 0,05 (*) ◀	▶ <u>M51</u> — ◀	(**)	▶ <u>M5</u> (**) ◀	(**)	(**)	▶ <u>M43</u> (**) ◀
▶ <u>M11</u> (**) ◀	▶ <u>M49</u> — ◀	▶ <u>M51</u> — ◀	(**)	▶ <u>M5</u> (**) ◀	(**)	(**)	▶ <u>M43</u> (**) ◀
▶ <u>M11</u> (**) ◀	▶ <u>M49</u> — ◀	▶ <u>M51</u> — ◀	(**)	▶ <u>M5</u> (**) ◀	(**)	(**)	▶ <u>M43</u> (**) ◀
▶ <u>M11</u> (**) ◀	▶ <u>M49</u> — ◀	▶ <u>M51</u> — ◀	(**)	▶ <u>M5</u> (**) ◀	(**)	(**)	▶ <u>M43</u> (**) ◀
▶ <u>M11</u> (**) ◀	▶ <u>M49</u> — ◀	▶ <u>M51</u> — ◀	(**)	▶ <u>M5</u> (**) ◀	(**)	(**)	▶ <u>M43</u> (**) ◀
		▶ <u>M51</u> — ◀					

▼ M2

(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)
(**)	▶ <u>M32</u> (**) ◀	▶ <u>M73</u> (+) ◀	▶ <u>M9</u> (**) ◀	(**)	(**)	(**)	▶ <u>M41</u> — ◀
(**)	▶ <u>M32</u> (**) ◀	▶ <u>M73</u> 0,05 (*) ◀	▶ <u>M9</u> (**) ◀	(**)	(**)	(**)	▶ <u>M41</u> — ◀
(**)	▶ <u>M32</u> (**) ◀	▶ <u>M73</u> 0,05 (*) ◀	▶ <u>M9</u> (**) ◀	(**)	(**)	(**)	▶ <u>M41</u> — ◀
(**)	▶ <u>M32</u> (**) ◀	▶ <u>M73</u> — ◀	▶ <u>M9</u> (**) ◀	(**)	(**)	(**)	▶ <u>M41</u> — ◀
(**)	▶ <u>M32</u> (**) ◀	▶ <u>M73</u> — ◀	▶ <u>M9</u> (**) ◀	(**)	(**)	(**)	▶ <u>M41</u> — ◀
(**)	▶ <u>M32</u> (**) ◀	▶ <u>M73</u> — ◀	▶ <u>M9</u> (**) ◀	(**)	(**)	(**)	▶ <u>M41</u> — ◀
(**)	▶ <u>M32</u> (**) ◀	▶ <u>M73</u> 0,05 (*) ◀	▶ <u>M9</u> (**) ◀	(**)	(**)	(**)	▶ <u>M41</u> — ◀
(**)	▶ <u>M32</u> (**) ◀	▶ <u>M73</u> — ◀	▶ <u>M9</u> (**) ◀	(**)	(**)	(**)	▶ <u>M41</u> — ◀
(**)	▶ <u>M32</u> (**) ◀	▶ <u>M73</u> — ◀	▶ <u>M9</u> (**) ◀	(**)	(**)	(**)	▶ <u>M41</u> — ◀
(**)	▶ <u>M32</u> (**) ◀	▶ <u>M73</u> 0,05 (*) ◀	▶ <u>M9</u> (**) ◀	(**)	(**)	(**)	▶ <u>M41</u> — ◀
(**)	▶ <u>M32</u> (**) ◀	▶ <u>M73</u> — ◀	▶ <u>M9</u> (**) ◀	(**)	(**)	(**)	▶ <u>M41</u> — ◀
(**)	▶ <u>M32</u> (**) ◀	▶ <u>M73</u> — ◀	▶ <u>M9</u> (**) ◀	(**)	(**)	(**)	▶ <u>M41</u> — ◀
(**)	▶ <u>M32</u> (**) ◀	▶ <u>M73</u> 0,01 (*) ◀	▶ <u>M9</u> (**) ◀	(**)	(**)	(**)	▶ <u>M41</u> — ◀
(**)	▶ <u>M32</u> (**) ◀	▶ <u>M73</u> — ◀	▶ <u>M9</u> (**) ◀	(**)	(**)	(**)	▶ <u>M41</u> — ◀
(**)	▶ <u>M32</u> (**) ◀	▶ <u>M73</u> — ◀	▶ <u>M9</u> (**) ◀	(**)	(**)	(**)	▶ <u>M41</u> — ◀
(**)	▶ <u>M32</u> (**) ◀	▶ <u>M73</u> — ◀	▶ <u>M9</u> (**) ◀	(**)	(**)	(**)	▶ <u>M41</u> — ◀
(**)	▶ <u>M32</u> (**) ◀	▶ <u>M73</u> — ◀	▶ <u>M9</u> (**) ◀	(**)	(**)	(**)	▶ <u>M41</u> — ◀
							▶ <u>M41</u> — ◀

▼ M2

(25)	(26)	(27)	(28)	(29)	(30)	(31)
(**)	▶ <u>M32</u> (**) ◀	▶ <u>M33</u> (**) ◀	(**)	(**)	(**)	▶ <u>M75</u> (+) ◀
(**)	▶ <u>M32</u> (**) ◀	▶ <u>M33</u> (**) ◀	(**)	(**)	(**)	▶ <u>M75</u> 0,1 (**) ◀
(**)	▶ <u>M32</u> (**) ◀	▶ <u>M33</u> (**) ◀	(**)	(**)	(**)	▶ <u>M75</u> 0,1 (**) ◀
(**)	▶ <u>M32</u> (**) ◀	▶ <u>M33</u> (**) ◀	(**)	(**)	(**)	▶ <u>M75</u> — ◀
(**)	▶ <u>M32</u> (**) ◀	▶ <u>M33</u> (**) ◀	(**)	(**)	(**)	▶ <u>M75</u> — ◀
(**)	▶ <u>M32</u> (**) ◀	▶ <u>M33</u> (**) ◀	(**)	(**)	(**)	▶ <u>M75</u> — ◀
(**)	▶ <u>M32</u> (**) ◀	▶ <u>M33</u> (**) ◀	(**)	(**)	(**)	▶ <u>M75</u> 0,1 (**) ◀
(**)	▶ <u>M32</u> (**) ◀	▶ <u>M33</u> (**) ◀	(**)	(**)	(**)	▶ <u>M75</u> — ◀
(**)	▶ <u>M32</u> (**) ◀	▶ <u>M33</u> (**) ◀	(**)	(**)	(**)	▶ <u>M75</u> — ◀
(**)	▶ <u>M32</u> (**) ◀	▶ <u>M33</u> (**) ◀	(**)	(**)	(**)	▶ <u>M75</u> 0,1 (**) ◀
(**)	▶ <u>M32</u> (**) ◀	▶ <u>M33</u> (**) ◀	(**)	(**)	(**)	▶ <u>M75</u> — ◀
(**)	▶ <u>M32</u> (**) ◀	▶ <u>M33</u> (**) ◀	(**)	(**)	(**)	▶ <u>M75</u> — ◀
(**)	▶ <u>M32</u> (**) ◀	▶ <u>M33</u> (**) ◀	(**)	(**)	(**)	▶ <u>M75</u> 0,05 (*) ◀
(**)	▶ <u>M32</u> (**) ◀	▶ <u>M33</u> (**) ◀	(**)	(**)	(**)	▶ <u>M75</u> — ◀
(**)	▶ <u>M32</u> (**) ◀	▶ <u>M33</u> (**) ◀	(**)	(**)	(**)	▶ <u>M75</u> — ◀
(**)	▶ <u>M32</u> (**) ◀	▶ <u>M33</u> (**) ◀	(**)	(**)	(**)	▶ <u>M75</u> — ◀
(**)	▶ <u>M32</u> (**) ◀	▶ <u>M33</u> (**) ◀	(**)	(**)	(**)	▶ <u>M75</u> — ◀
		▶ <u>M33</u> 0,05 (*) ◀				▶ <u>M75</u> 0,05 (*) ◀

▼ **M2**

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)
1010000	(i) <b>Meat, preparations of meat, offals, blood, animal fats fresh chilled or frozen, salted, in brine, dried or smoked or processed as flours or meals; other processed products such as sausages and food preparations based on these</b>			▶ <b>M72</b> 0,01 (*) ◀	▶ <b>M46</b> — ◀	▶ <b>M56</b> — ◀	▶ <b>M55</b> 0,01 (*) ◀
1011000	(a) <i>Swine</i>		▶ <b>M75</b> 0,05 (*) ◀		▶ <b>M46</b> — ◀		
1011010	Meat				▶ <b>M46</b> — ◀	▶ <b>M56</b> 0,05 ◀	
1011020	Fat free of lean meat				▶ <b>M46</b> — ◀	▶ <b>M56</b> 0,2 ◀	
1011030	Liver				▶ <b>M46</b> — ◀	▶ <b>M56</b> 0,05 ◀	
1011040	Kidney				▶ <b>M46</b> — ◀	▶ <b>M56</b> 0,05 ◀	
1011050	Edible offal				▶ <b>M46</b> — ◀	▶ <b>M56</b> 0,05 ◀	
1011990	Others				▶ <b>M46</b> — ◀	▶ <b>M56</b> 0,05 ◀	
1012000	(b) <i>Bovine</i>				▶ <b>M46</b> — ◀		
1012010	Meat		▶ <b>M75</b> 0,05 (*) ◀		▶ <b>M46</b> — ◀	▶ <b>M56</b> 0,05 ◀	
1012020	Fat		▶ <b>M75</b> 0,05 (*) ◀		▶ <b>M46</b> — ◀	▶ <b>M56</b> 0,2 ◀	
1012030	Liver		▶ <b>M75</b> 0,1 ◀		▶ <b>M46</b> — ◀	▶ <b>M56</b> 0,05 ◀	

▼ M2

(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
		▶ <u>M51</u> — ◀	1			0,2 (*)	▶ <u>M43</u> — ◀
▶ <u>M11</u> — ◀	▶ <u>M49</u> 0,01 (*) ◀	▶ <u>M51</u> — ◀					
▶ <u>M19</u> 2 ◀ ▶ <u>M19</u> 2 ◀ ▶ <u>M19</u> 0,2 ◀ ▶ <u>M19</u> 0,2 ◀ ▶ <u>M19</u> 0,2 ◀		▶ <u>M51</u> — ◀ ▶ <u>M51</u> — ◀ ▶ <u>M51</u> — ◀ ▶ <u>M51</u> — ◀ ▶ <u>M51</u> — ◀		▶ <u>M20</u> 0,5 ◀ ▶ <u>M20</u> 0,5 ◀ ▶ <u>M20</u> 0,03 (*) ◀ ▶ <u>M20</u> 0,03 (*) ◀ ▶ <u>M20</u> 0,5 ◀			▶ <u>M43</u> 0,02 ◀ ▶ <u>M43</u> 0,7 ◀ ▶ <u>M43</u> 0,03 ◀ ▶ <u>M43</u> 0,03 ◀ ▶ <u>M43</u> 0,01 (*) ◀
▶ <u>M19</u> 0,2 ◀		▶ <u>M51</u> — ◀		▶ <u>M20</u> 0,5 ◀			▶ <u>M43</u> 0,01 (*) ◀
▶ <u>M11</u> — ◀	▶ <u>M49</u> 0,01 (*) ◀	▶ <u>M51</u> — ◀					
▶ <u>M19</u> 2 ◀ ▶ <u>M19</u> 2 ◀ ▶ <u>M19</u> 0,2 ◀		▶ <u>M51</u> — ◀ ▶ <u>M51</u> — ◀ ▶ <u>M51</u> — ◀		▶ <u>M20</u> 0,5 ◀ ▶ <u>M20</u> 0,5 ◀ ▶ <u>M20</u> 0,03 (*) ◀			▶ <u>M43</u> 0,02 ◀ ▶ <u>M43</u> 0,7 ◀ ▶ <u>M43</u> 0,03 ◀

▼ M2

(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)
		▶ <u>M73</u> 0,01 (*) ◀		0,01 (*)	0,05 (*)	0,05 (*)	▶ <u>M41</u> — ◀
	▶ <u>M32</u> 0,02 (*) ◀						▶ <u>M41</u> — ◀
							▶ <u>M41</u> — ◀ ▶ <u>M41</u> — ◀ ▶ <u>M41</u> — ◀ ▶ <u>M41</u> — ◀ ▶ <u>M41</u> — ◀
							▶ <u>M41</u> — ◀
	▶ <u>M32</u> 0,02 (*) ◀						▶ <u>M41</u> — ◀
							▶ <u>M41</u> — ◀ ▶ <u>M41</u> — ◀ ▶ <u>M41</u> — ◀



▼ M2

(25)	(26)	(27)	(28)	(29)	(30)	(31)
0,05 (*)	▶ <u>M32</u> — ◀	▶ <u>M13</u> — ◀	0,05 (*)	▶ <u>M16</u> 0,05 (*) ◀	0,05	▶ <u>M75</u> — ◀
	▶ <u>M32</u> 0,01 (*) ◀	▶ <u>M13</u> — ◀				
		▶ <u>M13</u> — ◀ ▶ <u>M13</u> — ◀ ▶ <u>M13</u> — ◀ ▶ <u>M13</u> — ◀ ▶ <u>M13</u> — ◀				
		▶ <u>M13</u> — ◀				
	▶ <u>M32</u> 0,01 (*) ◀	▶ <u>M13</u> — ◀				
		▶ <u>M13</u> — ◀ ▶ <u>M13</u> — ◀ ▶ <u>M13</u> — ◀				

▼ M2

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)
1012040	Kidney		▶ <u>M75</u> 0,05 (*) ◀		▶ <u>M46</u> — ◀	▶ <u>M56</u> 0,05 ◀	
1012050	Edible offal		▶ <u>M75</u> 0,05 (*) ◀		▶ <u>M46</u> — ◀	▶ <u>M56</u> 0,05 ◀	
1012990	Others		▶ <u>M75</u> 0,05 (*) ◀		▶ <u>M46</u> — ◀	▶ <u>M56</u> 0,05 ◀	
1013000	(c) <i>Sheep</i>				▶ <u>M46</u> — ◀		
1013010	Meat		▶ <u>M75</u> 0,05 (*) ◀		▶ <u>M46</u> — ◀	▶ <u>M56</u> 0,05 ◀	
1013020	Fat		▶ <u>M75</u> 0,05 (*) ◀		▶ <u>M46</u> — ◀	▶ <u>M56</u> 0,2 ◀	
1013030	Liver		▶ <u>M75</u> 0,1 ◀		▶ <u>M46</u> — ◀	▶ <u>M56</u> 0,05 ◀	
1013040	Kidney		▶ <u>M75</u> 0,05 (*) ◀		▶ <u>M46</u> — ◀	▶ <u>M56</u> 0,05 ◀	
1013050	Edible offal		▶ <u>M75</u> 0,05 (*) ◀		▶ <u>M46</u> — ◀	▶ <u>M56</u> 0,05 ◀	
1013990	Others		▶ <u>M75</u> 0,05 (*) ◀		▶ <u>M46</u> — ◀	▶ <u>M56</u> 0,05 ◀	
1014000	(d) <i>Goat</i>				▶ <u>M46</u> — ◀		
1014010	Meat		▶ <u>M75</u> 0,05 (*) ◀		▶ <u>M46</u> — ◀	▶ <u>M56</u> 0,05 ◀	
1014020	Fat		▶ <u>M75</u> 0,05 (*) ◀		▶ <u>M46</u> — ◀	▶ <u>M56</u> 0,2 ◀	
1014030	Liver		▶ <u>M75</u> 0,1 ◀		▶ <u>M46</u> — ◀	▶ <u>M56</u> 0,05 ◀	
1014040	Kidney		▶ <u>M75</u> 0,05 (*) ◀		▶ <u>M46</u> — ◀	▶ <u>M56</u> 0,05 ◀	
1014050	Edible offal		▶ <u>M75</u> 0,05 (*) ◀		▶ <u>M46</u> — ◀	▶ <u>M56</u> 0,05 ◀	
1014990	Others		▶ <u>M75</u> 0,05 (*) ◀		▶ <u>M46</u> — ◀	▶ <u>M56</u> 0,05 ◀	
1015000	(e) <i>Horses, asses, mules or hinnies</i>	(**)	▶ <u>M75</u> (**) ◀	▶ <u>M55</u> — ◀	▶ <u>M46</u> — ◀	▶ <u>M56</u> (**) ◀	▶ <u>M55</u> — ◀
1015010	Meat	(**)	▶ <u>M75</u> (**) ◀	▶ <u>M55</u> — ◀	▶ <u>M46</u> — ◀	▶ <u>M56</u> (**) ◀	▶ <u>M55</u> — ◀
1015020	Fat	(**)	▶ <u>M75</u> (**) ◀	▶ <u>M55</u> — ◀	▶ <u>M46</u> — ◀	▶ <u>M56</u> (**) ◀	▶ <u>M55</u> — ◀
1015030	Liver	(**)	▶ <u>M75</u> (**) ◀	▶ <u>M55</u> — ◀	▶ <u>M46</u> — ◀	▶ <u>M56</u> (**) ◀	▶ <u>M55</u> — ◀

▼ M2

(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
▶ <u>M19</u> 0,2 ◀ ▶ <u>M19</u> 0,2 ◀		▶ <u>M51</u> — ◀ ▶ <u>M51</u> — ◀		▶ <u>M20</u> 0,03 (*) ◀ ▶ <u>M20</u> 0,5 ◀			▶ <u>M43</u> 0,03 ◀ ▶ <u>M43</u> 0,01 (*) ◀
▶ <u>M19</u> 0,2 ◀		▶ <u>M51</u> — ◀		▶ <u>M20</u> 0,5 ◀			▶ <u>M43</u> 0,01 (*) ◀
▶ <u>M11</u> — ◀	▶ <u>M49</u> 0,3 (+) ◀	▶ <u>M51</u> — ◀					
▶ <u>M19</u> 2 ◀ ▶ <u>M19</u> 2 ◀ ▶ <u>M19</u> 0,2 ◀ ▶ <u>M19</u> 0,2 ◀ ▶ <u>M19</u> 0,2 ◀		▶ <u>M51</u> — ◀ ▶ <u>M51</u> — ◀ ▶ <u>M51</u> — ◀ ▶ <u>M51</u> — ◀ ▶ <u>M51</u> — ◀		▶ <u>M20</u> 0,5 ◀ ▶ <u>M20</u> 0,5 ◀ ▶ <u>M20</u> 0,03 (*) ◀ ▶ <u>M20</u> 0,03 (*) ◀ ▶ <u>M20</u> 0,5 ◀			▶ <u>M43</u> 0,02 ◀ ▶ <u>M43</u> 0,7 ◀ ▶ <u>M43</u> 0,03 ◀ ▶ <u>M43</u> 0,03 ◀ ▶ <u>M43</u> 0,01 (*) ◀
▶ <u>M19</u> 0,2 ◀		▶ <u>M51</u> — ◀		▶ <u>M20</u> 0,5 ◀			▶ <u>M43</u> 0,01 (*) ◀
▶ <u>M11</u> — ◀	▶ <u>M49</u> 0,01 (*) ◀	▶ <u>M51</u> — ◀					
▶ <u>M19</u> 2 ◀ ▶ <u>M19</u> 2 ◀ ▶ <u>M19</u> 0,2 ◀ ▶ <u>M19</u> 0,2 ◀ ▶ <u>M19</u> 0,2 ◀		▶ <u>M51</u> — ◀ ▶ <u>M51</u> — ◀ ▶ <u>M51</u> — ◀ ▶ <u>M51</u> — ◀ ▶ <u>M51</u> — ◀		▶ <u>M20</u> 0,5 ◀ ▶ <u>M20</u> 0,5 ◀ ▶ <u>M20</u> 0,03 (*) ◀ ▶ <u>M20</u> 0,03 (*) ◀ ▶ <u>M20</u> 0,5 ◀			▶ <u>M43</u> 0,02 ◀ ▶ <u>M43</u> 0,7 ◀ ▶ <u>M43</u> 0,03 ◀ ▶ <u>M43</u> 0,03 ◀ ▶ <u>M43</u> 0,01 (*) ◀
▶ <u>M19</u> 0,2 ◀		▶ <u>M51</u> — ◀		▶ <u>M20</u> 0,5 ◀			▶ <u>M43</u> 0,01 (*) ◀
▶ <u>M11</u> (**) ◀	▶ <u>M49</u> 0,01 (*) ◀	▶ <u>M51</u> — ◀	(**)	▶ <u>M5</u> (**) ◀	(**)	(**)	▶ <u>M43</u> (**) ◀
▶ <u>M11</u> (**) ◀ ▶ <u>M11</u> (**) ◀ ▶ <u>M11</u> (**) ◀	▶ <u>M49</u> — ◀ ▶ <u>M49</u> — ◀ ▶ <u>M49</u> — ◀	▶ <u>M51</u> — ◀ ▶ <u>M51</u> — ◀ ▶ <u>M51</u> — ◀	(**) (**) (**)	▶ <u>M5</u> (**) ◀ ▶ <u>M5</u> (**) ◀ ▶ <u>M5</u> (**) ◀	(**) (**) (**)	(**) (**) (**)	▶ <u>M43</u> (**) ◀ ▶ <u>M43</u> (**) ◀ ▶ <u>M43</u> (**) ◀

▼ M2

(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)
							► <u>M41</u> — ◄
							► <u>M41</u> — ◄
							► <u>M41</u> — ◄
	► <u>M32</u> 0,02 (*) ◄						► <u>M41</u> — ◄
							► <u>M41</u> — ◄
							► <u>M41</u> — ◄
							► <u>M41</u> — ◄
							► <u>M41</u> — ◄
							► <u>M41</u> — ◄
	► <u>M32</u> 0,02 (*) ◄						► <u>M41</u> — ◄
							► <u>M41</u> — ◄
							► <u>M41</u> — ◄
							► <u>M41</u> — ◄
							► <u>M41</u> — ◄
							► <u>M41</u> — ◄
(**)	► <u>M32</u> (**) ◄	► <u>M73</u> — ◄	► <u>M9</u> (**) ◄	(**)	(**)	(**)	► <u>M41</u> — ◄
(**)	► <u>M32</u> (**) ◄	► <u>M73</u> — ◄	► <u>M9</u> (**) ◄	(**)	(**)	(**)	► <u>M41</u> — ◄
(**)	► <u>M32</u> (**) ◄	► <u>M73</u> — ◄	► <u>M9</u> (**) ◄	(**)	(**)	(**)	► <u>M41</u> — ◄

▼ M2

(25)	(26)	(27)	(28)	(29)	(30)	(31)
		▶ <u>M13</u> — ◀ ▶ <u>M13</u> — ◀				
		▶ <u>M13</u> — ◀				
	▶ <u>M32</u> 0,01 (*) ◀	▶ <u>M13</u> — ◀				
		▶ <u>M13</u> — ◀ ▶ <u>M13</u> — ◀ ▶ <u>M13</u> — ◀ ▶ <u>M13</u> — ◀ ▶ <u>M13</u> — ◀				
		▶ <u>M13</u> — ◀				
	▶ <u>M32</u> 0,01 (*) ◀	▶ <u>M13</u> — ◀				
		▶ <u>M13</u> — ◀ ▶ <u>M13</u> — ◀ ▶ <u>M13</u> — ◀ ▶ <u>M13</u> — ◀ ▶ <u>M13</u> — ◀				
		▶ <u>M13</u> — ◀				
(**)	▶ <u>M32</u> (**) ◀	▶ <u>M33</u> (**) ◀	(**)	(**)	(**)	▶ <u>M75</u> — ◀
(**)	▶ <u>M32</u> (**) ◀	▶ <u>M33</u> (**) ◀	(**)	(**)	(**)	▶ <u>M75</u> — ◀
(**)	▶ <u>M32</u> (**) ◀	▶ <u>M33</u> (**) ◀	(**)	(**)	(**)	▶ <u>M75</u> — ◀

## ▼ M2

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)
1015040	Kidney	(**)	► <u>M75</u> (**) ◀	► <u>M55</u> — ◀	► <u>M46</u> — ◀	► <u>M56</u> (**) ◀	► <u>M55</u> — ◀
1015050	Edible offal	(**)	► <u>M75</u> (**) ◀	► <u>M55</u> — ◀	► <u>M46</u> — ◀	► <u>M56</u> (**) ◀	► <u>M55</u> — ◀
1015990	Others	(**)	► <u>M75</u> (**) ◀	► <u>M55</u> — ◀	► <u>M46</u> — ◀	► <u>M56</u> (**) ◀	► <u>M55</u> — ◀
1016000	(f) <i>Poultry -chicken, geese, duck, turkey and Guinea fowl-, ostrich, pigeon</i>		► <u>M75</u> 0,05 (*) ◀		► <u>M46</u> — ◀	► <u>M56</u> 0,05 ◀	
1016010	Meat				► <u>M46</u> — ◀		
1016020	Fat				► <u>M46</u> — ◀		
1016030	Liver				► <u>M46</u> — ◀		
1016040	Kidney				► <u>M46</u> — ◀		
1016050	Edible offal				► <u>M46</u> — ◀		
1016990	Others				► <u>M46</u> — ◀		
1017000	(g) <i>Other farm animals</i>	(**)	► <u>M75</u> (**) ◀	► <u>M55</u> — ◀	► <u>M46</u> — ◀	► <u>M56</u> (**) ◀	► <u>M55</u> — ◀
1017010	Meat	(**)	► <u>M75</u> (**) ◀	► <u>M55</u> — ◀	► <u>M46</u> — ◀	► <u>M56</u> (**) ◀	► <u>M55</u> — ◀
1017020	Fat	(**)	► <u>M75</u> (**) ◀	► <u>M55</u> — ◀	► <u>M46</u> — ◀	► <u>M56</u> (**) ◀	► <u>M55</u> — ◀
1017030	Liver	(**)	► <u>M75</u> (**) ◀	► <u>M55</u> — ◀	► <u>M46</u> — ◀	► <u>M56</u> (**) ◀	► <u>M55</u> — ◀
1017040	Kidney	(**)	► <u>M75</u> (**) ◀	► <u>M55</u> — ◀	► <u>M46</u> — ◀	► <u>M56</u> (**) ◀	► <u>M55</u> — ◀
1017050	Edible offal	(**)	► <u>M75</u> (**) ◀	► <u>M55</u> — ◀	► <u>M46</u> — ◀	► <u>M56</u> (**) ◀	► <u>M55</u> — ◀
1017990	Others	(**)	► <u>M75</u> (**) ◀	► <u>M55</u> — ◀	► <u>M46</u> — ◀	► <u>M56</u> (**) ◀	► <u>M55</u> — ◀

▼ M2

(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
▶ <u>M11</u> (**) ◀	▶ <u>M49</u> — ◀	▶ <u>M51</u> — ◀	(**)	▶ <u>M5</u> (**) ◀	(**)	(**)	▶ <u>M43</u> (**) ◀
▶ <u>M11</u> (**) ◀	▶ <u>M49</u> — ◀	▶ <u>M51</u> — ◀	(**)	▶ <u>M5</u> (**) ◀	(**)	(**)	▶ <u>M43</u> (**) ◀
▶ <u>M11</u> (**) ◀	▶ <u>M49</u> — ◀	▶ <u>M51</u> — ◀	(**)	▶ <u>M5</u> (**) ◀	(**)	(**)	▶ <u>M43</u> (**) ◀
▶ <u>M11</u> 0,05 (*) ◀	▶ <u>M49</u> 0,01 (*) ◀	▶ <u>M51</u> — ◀		▶ <u>M20</u> 0,1 ◀			
▶ <u>M19</u> 0,1 ◀		▶ <u>M51</u> — ◀					▶ <u>M43</u> 0,02 ◀
▶ <u>M19</u> 0,1 ◀		▶ <u>M51</u> — ◀					▶ <u>M43</u> 0,01 (*) ◀
▶ <u>M19</u> 0,05 (*) ◀		▶ <u>M51</u> — ◀					▶ <u>M43</u> 0,01 (*) ◀
▶ <u>M19</u> 0,05 (*) ◀		▶ <u>M51</u> — ◀					▶ <u>M43</u> 0,01 (*) ◀
▶ <u>M19</u> 0,05 (*) ◀		▶ <u>M51</u> — ◀					▶ <u>M43</u> 0,02 ◀
▶ <u>M19</u> 0,05 (*) ◀		▶ <u>M51</u> — ◀					▶ <u>M43</u> 0,01 (*) ◀
▶ <u>M11</u> (**) ◀	▶ <u>M49</u> 0,01 (*) ◀	▶ <u>M51</u> — ◀	(**)	▶ <u>M5</u> (**) ◀	(**)	(**)	▶ <u>M43</u> (**) ◀
▶ <u>M11</u> (**) ◀	▶ <u>M49</u> — ◀	▶ <u>M51</u> — ◀	(**)	▶ <u>M5</u> (**) ◀	(**)	(**)	▶ <u>M43</u> (**) ◀
▶ <u>M11</u> (**) ◀	▶ <u>M49</u> — ◀	▶ <u>M51</u> — ◀	(**)	▶ <u>M5</u> (**) ◀	(**)	(**)	▶ <u>M43</u> (**) ◀
▶ <u>M11</u> (**) ◀	▶ <u>M49</u> — ◀	▶ <u>M51</u> — ◀	(**)	▶ <u>M5</u> (**) ◀	(**)	(**)	▶ <u>M43</u> (**) ◀
▶ <u>M11</u> (**) ◀	▶ <u>M49</u> — ◀	▶ <u>M51</u> — ◀	(**)	▶ <u>M5</u> (**) ◀	(**)	(**)	▶ <u>M43</u> (**) ◀
▶ <u>M11</u> (**) ◀	▶ <u>M49</u> — ◀	▶ <u>M51</u> — ◀	(**)	▶ <u>M5</u> (**) ◀	(**)	(**)	▶ <u>M43</u> (**) ◀
▶ <u>M11</u> (**) ◀	▶ <u>M49</u> — ◀	▶ <u>M51</u> — ◀	(**)	▶ <u>M5</u> (**) ◀	(**)	(**)	▶ <u>M43</u> (**) ◀

▼ M2

(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)
(**)	▶ <u>M32</u> (**) ◀	▶ <u>M73</u> — ◀	▶ <u>M9</u> (**) ◀	(**)	(**)	(**)	▶ <u>M41</u> — ◀
(**)	▶ <u>M32</u> (**) ◀	▶ <u>M73</u> — ◀	▶ <u>M9</u> (**) ◀	(**)	(**)	(**)	▶ <u>M41</u> — ◀
(**)	▶ <u>M32</u> (**) ◀	▶ <u>M73</u> — ◀	▶ <u>M9</u> (**) ◀	(**)	(**)	(**)	▶ <u>M41</u> — ◀
	▶ <u>M32</u> — ◀						▶ <u>M41</u> — ◀
	▶ <u>M32</u> 0,1 ◀ ▶ <u>M32</u> 0,1 ◀ ▶ <u>M32</u> 0,05 ◀ ▶ <u>M32</u> 0,05 ◀ ▶ <u>M32</u> 0,05 ◀						▶ <u>M41</u> — ◀ ▶ <u>M41</u> — ◀ ▶ <u>M41</u> — ◀ ▶ <u>M41</u> — ◀ ▶ <u>M41</u> — ◀
	▶ <u>M32</u> 0,05 ◀						▶ <u>M41</u> — ◀
(**)	▶ <u>M32</u> (**) ◀	▶ <u>M73</u> — ◀	▶ <u>M9</u> (**) ◀	(**)	(**)	(**)	▶ <u>M41</u> — ◀
(**)	▶ <u>M32</u> (**) ◀	▶ <u>M73</u> — ◀	▶ <u>M9</u> (**) ◀	(**)	(**)	(**)	▶ <u>M41</u> — ◀
(**)	▶ <u>M32</u> (**) ◀	▶ <u>M73</u> — ◀	▶ <u>M9</u> (**) ◀	(**)	(**)	(**)	▶ <u>M41</u> — ◀
(**)	▶ <u>M32</u> (**) ◀	▶ <u>M73</u> — ◀	▶ <u>M9</u> (**) ◀	(**)	(**)	(**)	▶ <u>M41</u> — ◀
(**)	▶ <u>M32</u> (**) ◀	▶ <u>M73</u> — ◀	▶ <u>M9</u> (**) ◀	(**)	(**)	(**)	▶ <u>M41</u> — ◀
(**)	▶ <u>M32</u> (**) ◀	▶ <u>M73</u> — ◀	▶ <u>M9</u> (**) ◀	(**)	(**)	(**)	▶ <u>M41</u> — ◀



▼ M2

(25)	(26)	(27)	(28)	(29)	(30)	(31)
(**)	▶ <u>M32</u> (**) ◀	▶ <u>M33</u> (**) ◀	(**)	(**)	(**)	▶ <u>M75</u> — ◀
(**)	▶ <u>M32</u> (**) ◀	▶ <u>M33</u> (**) ◀	(**)	(**)	(**)	▶ <u>M75</u> — ◀
(**)	▶ <u>M32</u> (**) ◀	▶ <u>M33</u> (**) ◀	(**)	(**)	(**)	▶ <u>M75</u> — ◀
		▶ <u>M13</u> — ◀				
	▶ <u>M32</u> 0,02 ◀ ▶ <u>M32</u> 0,01 (*) ◀ ▶ <u>M32</u> 0,01 (*) ◀ ▶ <u>M32</u> 0,01 (*) ◀ ▶ <u>M32</u> 0,01 (*) ◀	▶ <u>M13</u> — ◀ ▶ <u>M13</u> — ◀ ▶ <u>M13</u> — ◀ ▶ <u>M13</u> — ◀ ▶ <u>M13</u> — ◀				
	▶ <u>M32</u> 0,01 (*) ◀	▶ <u>M13</u> — ◀				
(**)	▶ <u>M32</u> (**) ◀	▶ <u>M33</u> (**) ◀	(**)	(**)	(**)	▶ <u>M75</u> — ◀
(**)	▶ <u>M32</u> (**) ◀	▶ <u>M33</u> (**) ◀	(**)	(**)	(**)	▶ <u>M75</u> — ◀
(**)	▶ <u>M32</u> (**) ◀	▶ <u>M33</u> (**) ◀	(**)	(**)	(**)	▶ <u>M75</u> — ◀
(**)	▶ <u>M32</u> (**) ◀	▶ <u>M33</u> (**) ◀	(**)	(**)	(**)	▶ <u>M75</u> — ◀
(**)	▶ <u>M32</u> (**) ◀	▶ <u>M33</u> (**) ◀	(**)	(**)	(**)	▶ <u>M75</u> — ◀
(**)	▶ <u>M32</u> (**) ◀	▶ <u>M33</u> (**) ◀	(**)	(**)	(**)	▶ <u>M75</u> — ◀

▼ M2

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)
1020000	(ii) <b>Milk and cream, not concentrated, nor containing added sugar or sweetening matter, butter and other fats derived from milk, cheese and curd</b>		▶ <u>M75</u> 0,05 (*) ◀	▶ <u>M72</u> 0,01 (*) ◀	▶ <u>M46</u> — ◀	▶ <u>M56</u> 0,02 (*) ◀	▶ <u>M55</u> 0,01 (*) ◀
1020010	Cattle				▶ <u>M46</u> — ◀		
1020020	Sheep				▶ <u>M46</u> — ◀		
1020030	Goat				▶ <u>M46</u> — ◀		
1020040	Horse				▶ <u>M46</u> — ◀		
1020990	Others				▶ <u>M46</u> — ◀		
1030000	(iii) <b>Birds' eggs, fresh preserved or cooked; Shelled eggs and egg yolks fresh, dried, cooked by steaming or boiling in water, moulded, frozen or otherwise preserved whether or not containing added sugar or sweetening matter</b>		▶ <u>M75</u> 0,02 (*) ◀	▶ <u>M72</u> 0,01 (*) ◀	▶ <u>M46</u> — ◀	▶ <u>M56</u> 0,02 (*) ◀	▶ <u>M55</u> 0,01 (*) ◀
1030010	Chicken				▶ <u>M46</u> — ◀		
1030020	Duck	(**)	▶ <u>M75</u> (**) ◀	▶ <u>M55</u> — ◀	▶ <u>M46</u> — ◀	▶ <u>M56</u> (**) ◀	▶ <u>M55</u> — ◀
1030030	Goose	(**)	▶ <u>M75</u> (**) ◀	▶ <u>M55</u> — ◀	▶ <u>M46</u> — ◀	▶ <u>M56</u> (**) ◀	▶ <u>M55</u> — ◀

▼ M2

(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
▶ <u>M19</u> 0,05 ◀	▶ <u>M49</u> 0,01 (*) ◀	▶ <u>M51</u> — ◀	0,04	▶ <u>M20</u> 0,05 ◀		0,2 (*)	▶ <u>M43</u> 0,02 ◀
		▶ <u>M51</u> — ◀ ▶ <u>M51</u> — ◀ ▶ <u>M51</u> — ◀ ▶ <u>M51</u> — ◀					
		▶ <u>M51</u> — ◀					
▶ <u>M19</u> 0,05 (*) ◀	▶ <u>M49</u> 0,01 (*) ◀	▶ <u>M51</u> — ◀	0,05	▶ <u>M20</u> 0,05 (*) ◀		0,2 (*)	▶ <u>M43</u> 0,02 (*) ◀
		▶ <u>M51</u> — ◀					
▶ <u>M11</u> (**) ◀	▶ <u>M49</u> — ◀	▶ <u>M51</u> — ◀	(**)	▶ <u>M5</u> (**) ◀	(**)	(**)	▶ <u>M43</u> (**) ◀
▶ <u>M11</u> (**) ◀	▶ <u>M49</u> — ◀	▶ <u>M51</u> — ◀	(**)	▶ <u>M5</u> (**) ◀	(**)	(**)	▶ <u>M43</u> (**) ◀

▼ M2

(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)
	▶ <u>M32</u> 0,1 ◀	▶ <u>M73</u> 0,01 (*) ◀		0,01 (*)	0,05 (*)	0,05 (*)	▶ <u>M41</u> — ◀
							▶ <u>M41</u> — ◀ ▶ <u>M41</u> — ◀ ▶ <u>M41</u> — ◀ ▶ <u>M41</u> — ◀
							▶ <u>M41</u> — ◀
	▶ <u>M32</u> 0,05 ◀	▶ <u>M73</u> 0,01 (*) ◀		0,01 (*)	0,05 (*)	0,05 (*)	▶ <u>M41</u> — ◀
(**)	▶ <u>M32</u> (**) ◀	▶ <u>M73</u> — ◀	▶ <u>M9</u> (**) ◀	(**)	(**)	(**)	▶ <u>M41</u> — ◀ ▶ <u>M41</u> — ◀
(**)	▶ <u>M32</u> (**) ◀	▶ <u>M73</u> — ◀	▶ <u>M9</u> (**) ◀	(**)	(**)	(**)	▶ <u>M41</u> — ◀

▼ M2

(25)	(26)	(27)	(28)	(29)	(30)	(31)
0,05 (*)	▶ <u>M32</u> 0,01 (*) ◀	▶ <u>M13</u> — ◀	0,05 (*)	▶ <u>M16</u> 0,05 (*) ◀	0,0008	▶ <u>M75</u> — ◀
		▶ <u>M13</u> — ◀ ▶ <u>M13</u> — ◀ ▶ <u>M13</u> — ◀ ▶ <u>M13</u> — ◀				
		▶ <u>M13</u> — ◀				
0,05 (*)	▶ <u>M32</u> — ◀	▶ <u>M13</u> — ◀	0,05 (*)	▶ <u>M16</u> 0,05 (*) ◀	0,005	▶ <u>M75</u> — ◀
	▶ <u>M32</u> 0,02 ◀	▶ <u>M13</u> — ◀				
(**)	▶ <u>M32</u> (**)* ◀	▶ <u>M33</u> (**)* ◀	(**)	(**)	(**)	▶ <u>M75</u> — ◀
(**)	▶ <u>M32</u> (**)* ◀	▶ <u>M33</u> (**)* ◀	(**)	(**)	(**)	▶ <u>M75</u> — ◀

▼ M2

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)
1030040	Quail	(**)	▶ <u>M75</u> (**) ◀	▶ <u>M55</u> — ◀	▶ <u>M46</u> — ◀	▶ <u>M56</u> (**) ◀	▶ <u>M55</u> — ◀
1030990	Others	(**)	▶ <u>M75</u> (**) ◀	▶ <u>M55</u> — ◀	▶ <u>M46</u> — ◀	▶ <u>M56</u> (**) ◀	▶ <u>M55</u> — ◀
1040000	(iv) <b>Honey</b>	(**)	▶ <u>M75</u> (**) ◀	▶ <u>M72</u> 0,05 (*) ◀	▶ <u>M46</u> — ◀	▶ <u>M56</u> (**) ◀	▶ <u>M55</u> 0,05 (*) ◀
1050000	(v) <b>Amphibians and reptiles</b>	(**)	▶ <u>M75</u> (**) ◀	▶ <u>M72</u> 0,01 (*) ◀	▶ <u>M46</u> — ◀	▶ <u>M56</u> (**) ◀	▶ <u>M55</u> 0,01 (*) ◀
1060000	(vi) <b>Snails</b>	(**)	▶ <u>M75</u> (**) ◀	▶ <u>M72</u> 0,01 (*) ◀	▶ <u>M46</u> — ◀	▶ <u>M56</u> (**) ◀	▶ <u>M55</u> 0,01 (*) ◀
1070000	(vii) <b>Other terrestrial animal products</b>	(**)	▶ <u>M75</u> (**) ◀	▶ <u>M72</u> 0,01 (*) ◀	▶ <u>M46</u> — ◀	▶ <u>M56</u> (**) ◀	▶ <u>M55</u> 0,01 (*) ◀

▼ M2

(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
▶ <u>M11</u> (**) ◀	▶ <u>M49</u> — ◀	▶ <u>M51</u> — ◀	(**)	▶ <u>M5</u> (**) ◀	(**)	(**)	▶ <u>M43</u> (**) ◀
▶ <u>M11</u> (**) ◀	▶ <u>M49</u> — ◀	▶ <u>M51</u> — ◀	(**)	▶ <u>M5</u> (**) ◀	(**)	(**)	▶ <u>M43</u> (**) ◀
▶ <u>M11</u> (**) ◀	▶ <u>M49</u> 0,05 (*) ◀	▶ <u>M51</u> — ◀	(**)	▶ <u>M5</u> (**) ◀	(**)	(**)	▶ <u>M43</u> (**) ◀
▶ <u>M11</u> (**) ◀	▶ <u>M49</u> 0,01 (*) ◀	▶ <u>M51</u> — ◀	(**)	▶ <u>M5</u> (**) ◀	(**)	(**)	▶ <u>M43</u> (**) ◀
▶ <u>M11</u> (**) ◀	▶ <u>M49</u> 0,01 (*) ◀	▶ <u>M51</u> — ◀	(**)	▶ <u>M5</u> (**) ◀	(**)	(**)	▶ <u>M43</u> (**) ◀
▶ <u>M11</u> (**) ◀	▶ <u>M49</u> 0,01 (*) ◀	▶ <u>M51</u> — ◀	(**)	▶ <u>M5</u> (**) ◀	(**)	(**)	▶ <u>M43</u> (**) ◀

▼ M2

(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)
(**)	▶ <u>M32</u> (**) ◀	▶ <u>M73</u> — ◀	▶ <u>M9</u> (**) ◀	(**)	(**)	(**)	▶ <u>M41</u> — ◀
(**)	▶ <u>M32</u> (**) ◀	▶ <u>M73</u> — ◀	▶ <u>M9</u> (**) ◀	(**)	(**)	(**)	▶ <u>M41</u> — ◀
(**)	▶ <u>M32</u> (**) ◀	▶ <u>M73</u> 0,05 (*) ◀	▶ <u>M9</u> (**) ◀	(**)	(**)	(**)	▶ <u>M41</u> — ◀
(**)	▶ <u>M32</u> (**) ◀	▶ <u>M73</u> 0,01 (*) ◀	▶ <u>M9</u> (**) ◀	(**)	(**)	(**)	▶ <u>M41</u> — ◀
(**)	▶ <u>M32</u> (**) ◀	▶ <u>M73</u> 0,01 (*) ◀	▶ <u>M9</u> (**) ◀	(**)	(**)	(**)	▶ <u>M41</u> — ◀
(**)	▶ <u>M32</u> (**) ◀	▶ <u>M73</u> 0,01 (*) ◀	▶ <u>M9</u> (**) ◀	(**)	(**)	(**)	▶ <u>M41</u> — ◀



▼ M2

(25)	(26)	(27)	(28)	(29)	(30)	(31)
(**)	▶ <u>M32</u> (**) ◀	▶ <u>M33</u> (**) ◀	(**)	(**)	(**)	▶ <u>M75</u> — ◀
(**)	▶ <u>M32</u> (**) ◀	▶ <u>M33</u> (**) ◀	(**)	(**)	(**)	▶ <u>M75</u> — ◀
(**)	▶ <u>M32</u> (**) ◀	▶ <u>M33</u> (**) ◀	(**)	(**)	(**)	▶ <u>M75</u> — ◀
(**)	▶ <u>M32</u> (**) ◀	▶ <u>M33</u> (**) ◀	(**)	(**)	(**)	▶ <u>M75</u> — ◀
(**)	▶ <u>M32</u> (**) ◀	▶ <u>M33</u> (**) ◀	(**)	(**)	(**)	▶ <u>M75</u> — ◀
(**)	▶ <u>M32</u> (**) ◀	▶ <u>M33</u> (**) ◀	(**)	(**)	(**)	▶ <u>M75</u> — ◀

▼ M2

*Pesticide residues and maximum residue levels (mg/kg)*

Code number	Groups and examples of individual products to which the MRLs apply <sup>(*)</sup>	▶ <u>M16</u> Ethion ▼	▶ <u>M20</u> Ethofumesate (sum of ethofumesate and the metabolite 2,3-dihydro-3,3-dimethyl-2-oxo-benzofuran-5-yl methane sulphinate expressed as ethofumesate) ▼	▶ <u>M58</u> Ethoxysulfuron ▼	Ethylene oxide (sum of ethylene oxide and 2-chloro-ethanol expressed as ethylene oxide) <sup>(1)</sup>	▶ <u>M43</u> Etoxazole ▼	▶ <u>M68</u> Famoxadone <sup>(1)</sup> ▼
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)
0100000	1. <b>FRUIT FRESH OR FROZEN; NUTS</b>		▶ <u>M20</u> 0,05 (*) ◀	▶ <u>M58</u> — ◀	0,1 (*)		
0110000	(i) <b>Citrus fruit</b>	▶ <u>M16</u> 0,01 (*) ◀		▶ <u>M58</u> 0,01 (*) ◀		▶ <u>M43</u> 0,1 ◀	▶ <u>M68</u> 0,01 (*) ◀
0110010	Grapefruit						
0110020	Oranges						
0110030	Lemons						
0110040	Limes						
0110050	Mandarins						
0110990	Others						
0120000	(ii) <b>Tree nuts (shelled or unshelled)</b>	▶ <u>M16</u> 0,02 (*) ◀		▶ <u>M58</u> 0,02 (*) ◀		▶ <u>M43</u> 0,02 (*) ◀	▶ <u>M68</u> 0,01 (*) ◀

▼ M2

▶ <u>M70</u> Fenamidone ▼	▶ <u>M21</u> Fenamiphos (sum of fenamiphos and its sulphoxide and sulphone expressed as fenamiphos) ▼	▶ <u>M53</u> Fenarimol ▼	▶ <u>M8</u> Fenbutatin oxide (1) ▼	Fenclorphos (sum of fenclorphos and fenclorphos oxon expressed as fenclorphos)	▶ <u>M70</u> Fenhexamid ▼	▶ <u>M32</u> Fenitrothion ▼	Fenpropimorph (8)
(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
				0,01 (*)			
▶ <u>M70</u> 0,02 (*) ◀	▶ <u>M21</u> 0,02 (*) ◀	▶ <u>M53</u> 0,02 (*) ◀	▶ <u>M8</u> 5 ◀		▶ <u>M70</u> 0,05 (*) ◀	▶ <u>M32</u> 0,01 (*) ◀	0,05 (*)
▶ <u>M70</u> 0,02 (*) ◀	▶ <u>M21</u> 0,02 (*) ◀	▶ <u>M53</u> 0,02 (*) ◀	▶ <u>M8</u> 0,05 (*) ◀		▶ <u>M70</u> 0,05 (*) ◀	▶ <u>M32</u> 0,02 (*) ◀	0,05 (*)

▼ M2

▶ <u>M16</u> Fenthion (fenthion and its oxygen analogue, their sulfoxides and sulfone expressed as parent) <sup>(L)</sup> ▼	Fentin acetate <sup>(L)</sup> <sup>(8)</sup>	Fentin hydroxide <sup>(L)</sup> <sup>(8)</sup>	▶ <u>M70</u> Fenvalerate (any ratio of constituent isomers (RR, SS, RS & SR) including esfenvalerate) <sup>(L)</sup> <sup>(8)</sup> ▼	▶ <u>M50</u> — ▼	▶ <u>M52</u> Flazasulfuron ▼	▶ <u>M46</u> Florasulam ▼	Flucythrinate <sup>(L)</sup> <sup>(8)</sup>
(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)
	0,05 (*)	0,05 (*)		▶ <u>M50</u> — ◀	▶ <u>M52</u> 0,01 (*) ◀	▶ <u>M46</u> 0,01 (*) ◀	0,05 (*)
▶ <u>M16</u> 0,01 (*) ◀			▶ <u>M70</u> 0,02 (*) ◀	▶ <u>M50</u> — ◀	▶ <u>M52</u> — ◀	▶ <u>M46</u> — ◀	
				▶ <u>M50</u> — ◀			
				▶ <u>M50</u> — ◀			
				▶ <u>M50</u> — ◀			
				▶ <u>M50</u> — ◀			
				▶ <u>M50</u> — ◀			
▶ <u>M16</u> 0,02 (*) ◀			▶ <u>M70</u> 0,05 (*) ◀	▶ <u>M50</u> — ◀	▶ <u>M52</u> — ◀	▶ <u>M46</u> — ◀	

▼ M2

▶ <u>M67</u> Flufenacet (sum of all compounds containing the N-fluorophenyl-N-isopropyl moiety expressed as flufenacet) ▼	▶ <u>M66</u> Flumioxazine ▼	▶ <u>M66</u> Flupyrsulfuron-methyl ▼	▶ <u>M7</u> ▶ <u>C5</u> Fluroxypyr (fluroxypyr including its esters expressed as fluroxypyr) <sup>(R)</sup> ▼ ▼	Flurtamone	▶ <u>M37</u> Folpet <sup>(R)</sup> ▼	▶ <u>M52</u> Foramsulfuron ▼
(25)	(26)	(27)	(28)	(29)	(30)	(31)
▶ <u>M67</u> 0,05 (*) ◀	▶ <u>M66</u> — ◀	▶ <u>M66</u> 0,02 (*) ◀	▶ <u>M7</u> ▶ <u>C5</u> 0,05 (*) ◀ ◀	0,02 (*)		▶ <u>M52</u> — ◀
	▶ <u>M66</u> 0,02 (*) ◀		▶ <u>M7</u> ▶ <u>C5</u> 0,05 (*) ◀ ◀		▶ <u>M37</u> 0,02 (*) ◀	▶ <u>M52</u> 0,01 (*) ◀
			▶ <u>M7</u> ▶ <u>C5</u> 0,05 (*) ◀ ◀ ▶ <u>M7</u> ▶ <u>C5</u> 0,05 (*) ◀ ◀ ▶ <u>M7</u> ▶ <u>C5</u> 0,05 (*) ◀ ◀ ▶ <u>M7</u> ▶ <u>C5</u> 0,05 (*) ◀ ◀ ▶ <u>M7</u> ▶ <u>C5</u> 0,05 (*) ◀ ◀			
			▶ <u>M7</u> ▶ <u>C5</u> 0,05 (*) ◀ ◀			
	▶ <u>M66</u> 0,05 (*) ◀		▶ <u>M7</u> ▶ <u>C5</u> 0,05 (*) ◀ ◀		▶ <u>M37</u> 0,02 (*) ◀	▶ <u>M52</u> 0,02 (*) ◀

▼ **M2**

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)
0120010	Almonds						
0120020	Brazil nuts						
0120030	Cashew nuts						
0120040	Chestnuts						
0120050	Coconuts						
0120060	Hazelnuts						
0120070	Macadamia						
0120080	Pecans						
0120090	Pine nuts						
0120100	Pistachios						
0120110	Walnuts						
0120990	Others						
0130000	(iii) <b>Pome fruit</b>	▶ <b>M16</b> 0,01 (*) ◀		▶ <b>M58</b> 0,01 (*) ◀		▶ <b>M43</b> 0,07 ◀	▶ <b>M68</b> 0,01 (*) ◀
0130010	Apples	0,01 (*)					
0130020	Pears	0,01 (*)					
0130030	Quinces	0,01 (*)					
0130040	Medlar	(**)	(**)	▶ <b>M58</b> — ◀	(**)	▶ <b>M43</b> (**) ◀	▶ <b>M68</b> — ◀
0130050	Loquat	(**)	(**)	▶ <b>M58</b> — ◀	(**)	▶ <b>M43</b> (**) ◀	▶ <b>M68</b> — ◀
0130990	Others	0,01 (*)					
0140000	(iv) <b>Stone fruit</b>	▶ <b>M16</b> 0,01 (*) ◀		▶ <b>M58</b> 0,01 (*) ◀			▶ <b>M68</b> 0,01 (*) ◀
0140010	Apricots					▶ <b>M43</b> 0,1 ◀	
0140020	Cherries					▶ <b>M43</b> 0,3 ◀	
0140030	Peaches					▶ <b>M43</b> 0,1 ◀	
0140040	Plums					▶ <b>M43</b> 0,04 ◀	
0140990	Others					▶ <b>M43</b> 0,02 (*) ◀	
0150000	(v) <b>Berries &amp; small fruit</b>	▶ <b>M16</b> 0,01 (*) ◀		▶ <b>M58</b> 0,01 (*) ◀			

▼ M2

(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
▶ <u>M70</u> 0,02 (*) ◀	▶ <u>M21</u> 0,02 (*) ◀	▶ <u>M53</u> 0,1 ◀	▶ <u>M8</u> 2 ◀		▶ <u>M70</u> 0,05 (*) ◀	▶ <u>M32</u> 0,01 (*) ◀	0,05 (*)
▶ <u>M70</u> (**) ◀ ▶ <u>M70</u> (**) ◀	▶ <u>M9</u> (**) ◀ ▶ <u>M9</u> (**) ◀	▶ <u>M53</u> (**) ◀ ▶ <u>M53</u> (**) ◀	▶ <u>M8</u> (**) ◀ ▶ <u>M8</u> (**) ◀	(**) (**)	▶ <u>M70</u> (**) ◀ ▶ <u>M70</u> (**) ◀	▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> (**) ◀ ▶ <u>M32</u> (**) ◀	(**) (**)
▶ <u>M70</u> 0,02 (*) ◀	▶ <u>M21</u> 0,02 (*) ◀		▶ <u>M8</u> 0,05 (*) ◀			▶ <u>M32</u> — ◀ ▶ <u>M32</u> 0,01 (*) ◀	0,05 (*)
		▶ <u>M53</u> 0,5 ◀ ▶ <u>M53</u> 1,5 ◀ ▶ <u>M53</u> 0,5 ◀ ▶ <u>M53</u> 0,02 (*) ◀			▶ <u>M70</u> 5 ◀ ▶ <u>M70</u> 5 ◀ ▶ <u>M70</u> 5 ◀ ▶ <u>M70</u> 1 ◀		
		▶ <u>M53</u> 0,02 (*) ◀			▶ <u>M70</u> 0,05 (*) ◀		
	▶ <u>M9</u> 0,02 (*) ◀					▶ <u>M32</u> 0,01 (*) ◀	

▼ M2

(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)
			▶ <u>M70</u> (+) ◀	▶ <u>M50</u> — ◀ ▶ <u>M50</u> — ◀ ▶ <u>M50</u> — ◀ ▶ <u>M50</u> — ◀ ▶ <u>M50</u> — ◀ ▶ <u>M50</u> — ◀ ▶ <u>M50</u> — ◀ ▶ <u>M50</u> — ◀ ▶ <u>M50</u> — ◀ ▶ <u>M50</u> — ◀			
				▶ <u>M50</u> — ◀			
▶ <u>M16</u> 0,01 (*) ◀			▶ <u>M56</u> — ◀	▶ <u>M50</u> — ◀	▶ <u>M52</u> — ◀	▶ <u>M46</u> — ◀	
0,01 (*)			▶ <u>M70</u> 0,1 (+) ◀	▶ <u>M50</u> — ◀			
0,01 (*)			▶ <u>M70</u> 0,1 (+) ◀	▶ <u>M50</u> — ◀			
0,01 (*)			▶ <u>M70</u> 0,02 (*) ◀	▶ <u>M50</u> — ◀			
(**)	(**)	(**)	▶ <u>M70</u> 0,02 (***) ◀	▶ <u>M50</u> — ◀	▶ <u>M52</u> — ◀	▶ <u>M46</u> — ◀	(**)
(**)	(**)	(**)	▶ <u>M70</u> 0,02 (***) ◀	▶ <u>M50</u> — ◀	▶ <u>M52</u> — ◀	▶ <u>M46</u> — ◀	(**)
0,01 (*)			▶ <u>M70</u> 0,02 (*) ◀	▶ <u>M50</u> — ◀			
▶ <u>M16</u> 0,01 (*) ◀			▶ <u>M5</u> — ◀	▶ <u>M50</u> — ◀	▶ <u>M52</u> — ◀	▶ <u>M46</u> — ◀	
0,01 (*)			▶ <u>M70</u> 0,2 ◀	▶ <u>M50</u> — ◀			
2			▶ <u>M70</u> 0,02 (*) (+) ◀	▶ <u>M50</u> — ◀			
0,01 (*)			▶ <u>M70</u> 0,2 ◀	▶ <u>M50</u> — ◀			
0,01 (*)			▶ <u>M70</u> 0,02 (*) (+) ◀	▶ <u>M50</u> — ◀			
0,01 (*)			▶ <u>M70</u> 0,02 (*) ◀	▶ <u>M50</u> — ◀			
▶ <u>M16</u> 0,01 (*) ◀				▶ <u>M50</u> — ◀		▶ <u>M46</u> — ◀	



▼ M2

(25)	(26)	(27)	(28)	(29)	(30)	(31)
			▶ <u>M7</u> ▶ <u>C5</u> 0,05 (*) ◀ ◀ ▶ <u>M7</u> ▶ <u>C5</u> 0,05 (*) ◀ ◀ ▶ <u>M7</u> ▶ <u>C5</u> 0,05 (*) ◀ ◀ ▶ <u>M7</u> ▶ <u>C5</u> 0,05 (*) ◀ ◀ ▶ <u>M7</u> ▶ <u>C5</u> 0,05 (*) ◀ ◀ ▶ <u>M7</u> ▶ <u>C5</u> 0,05 (*) ◀ ◀ ▶ <u>M7</u> ▶ <u>C5</u> 0,05 (*) ◀ ◀ ▶ <u>M7</u> ▶ <u>C5</u> 0,05 (*) ◀ ◀ ▶ <u>M7</u> ▶ <u>C5</u> 0,05 (*) ◀ ◀ ▶ <u>M7</u> ▶ <u>C5</u> 0,05 (*) ◀ ◀			
			▶ <u>M7</u> ▶ <u>C5</u> 0,05 (*) ◀ ◀			
	▶ <u>M66</u> 0,02 (*) ◀		▶ <u>M7</u> ▶ <u>C5</u> 0,05 (*) ◀ ◀		▶ <u>M37</u> 3 ◀	▶ <u>M52</u> 0,01 (*) ◀
▶ <u>M67</u> — ◀ ▶ <u>M67</u> — ◀	▶ <u>M66</u> — ◀ ▶ <u>M66</u> — ◀	▶ <u>M66</u> — ◀ ▶ <u>M66</u> — ◀	▶ <u>M7</u> ▶ <u>C5</u> 0,05 (*) ◀ ◀ ▶ <u>M7</u> ▶ <u>C5</u> 0,05 (*) ◀ ◀ ▶ <u>M7</u> ▶ <u>C5</u> 0,05 (*) ◀ ◀ ▶ <u>M7</u> ▶ <u>C5</u> (**) ◀ ◀ ▶ <u>M7</u> ▶ <u>C5</u> (**) ◀ ◀	(**) (**)	▶ <u>M37</u> (**) ◀ ▶ <u>M37</u> (**) ◀	▶ <u>M52</u> — ◀ ▶ <u>M52</u> — ◀
			▶ <u>M7</u> ▶ <u>C5</u> 0,05 (*) ◀ ◀			
	▶ <u>M66</u> 0,02 (*) ◀		▶ <u>M7</u> ▶ <u>C5</u> 0,05 (*) ◀ ◀			▶ <u>M52</u> 0,01 (*) ◀
			▶ <u>M7</u> ▶ <u>C5</u> 0,05 (*) ◀ ◀ ▶ <u>M7</u> ▶ <u>C5</u> 0,05 (*) ◀ ◀ ▶ <u>M7</u> ▶ <u>C5</u> 0,05 (*) ◀ ◀ ▶ <u>M7</u> ▶ <u>C5</u> 0,05 (*) ◀ ◀		▶ <u>M37</u> 0,02 (*) ◀ ▶ <u>M37</u> 2 ◀ ▶ <u>M37</u> 0,02 (*) ◀ ▶ <u>M37</u> 0,02 (*) ◀	
			▶ <u>M7</u> ▶ <u>C5</u> 0,05 (*) ◀ ◀		▶ <u>M37</u> 0,02 (*) ◀	
			▶ <u>M7</u> ▶ <u>C5</u> 0,05 (*) ◀ ◀			▶ <u>M52</u> 0,01 (*) ◀

▼ **M2**

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)
0151000	(a) <i>Table and wine grapes</i>	0,01 (*)				► <b>M43</b> 0,5 ◀	► <b>M68</b> 2 ◀
0151010	Table grapes						
0151020	Wine grapes						
0152000	(b) <i>Strawberries</i>	0,01 (*)				► <b>M43</b> 0,2 ◀	► <b>M68</b> 0,01 (*) ◀
0153000	(c) <i>Cane fruit</i>	0,01 (*)				► <b>M43</b> 0,02 (*) ◀	► <b>M68</b> 0,01 (*) ◀
0153010	Blackberries						
0153020	Dewberries						
0153030	Raspberries						
0153990	Others						
0154000	(d) <i>Other small fruit &amp; berries</i>					► <b>M43</b> 0,02 (*) ◀	► <b>M68</b> 0,01 (*) ◀
0154010	Blueberries	0,01 (*)					
0154020	Cranberries	0,01 (*)					
0154030	Currants (red, black and white)	0,01 (*)					
0154040	Gooseberries	0,01 (*)					
0154050	Rose hips	(**)	(**)	► <b>M58</b> — ◀	(**)	► <b>M43</b> (**) ◀	► <b>M68</b> — ◀
0154060	Mulberries	(**)	(**)	► <b>M58</b> — ◀	(**)	► <b>M43</b> (**) ◀	► <b>M68</b> — ◀
0154070	Azarole (mediterranean medlar)	(**)	(**)	► <b>M58</b> — ◀	(**)	► <b>M43</b> (**) ◀	► <b>M68</b> — ◀
0154080	Elderberries	(**)	(**)	► <b>M58</b> — ◀	(**)	► <b>M43</b> (**) ◀	► <b>M68</b> — ◀
0154990	Others	0,01 (*)					

▼ M2

(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
▶ <u>M70</u> 0,5 ◀	▶ <u>M21</u> 0,03 ◀	▶ <u>M53</u> 0,3 ◀	▶ <u>M8</u> 2 ◀		▶ <u>M70</u> 5 ◀	▶ <u>M32</u> — ◀	0,05 (*)
		▶ <u>M53</u> — ◀ ▶ <u>M53</u> — ◀					
▶ <u>M70</u> 0,04 ◀	▶ <u>M21</u> 0,02 (*) ◀	▶ <u>M53</u> 0,3 ◀	▶ <u>M8</u> 1 ◀		▶ <u>M70</u> 5 ◀	▶ <u>M32</u> — ◀	1
▶ <u>M70</u> 0,02 (*) ◀	▶ <u>M21</u> 0,02 (*) ◀				▶ <u>M70</u> 10 ◀	▶ <u>M32</u> — ◀	1
		▶ <u>M53</u> 0,02 (*) ◀ ▶ <u>M53</u> 0,02 (*) ◀ ▶ <u>M53</u> 0,1 ◀	▶ <u>M8</u> 5 ◀ ▶ <u>M8</u> 0,05 (*) ◀ ▶ <u>M8</u> 5 ◀				
		▶ <u>M53</u> 0,02 (*) ◀	▶ <u>M8</u> 0,05 (*) ◀				
▶ <u>M70</u> 0,02 (*) ◀	▶ <u>M21</u> 0,02 (*) ◀		▶ <u>M8</u> 0,05 (*) ◀				1
		▶ <u>M53</u> 0,02 (*) ◀ ▶ <u>M53</u> 0,02 (*) ◀ ▶ <u>M53</u> 1 ◀  ▶ <u>M53</u> 1 ◀			▶ <u>M70</u> 15 ◀ ▶ <u>M70</u> 15 ◀ ▶ <u>M70</u> 15 ◀  ▶ <u>M70</u> 15 ◀	▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀  ▶ <u>M32</u> — ◀	
▶ <u>M70</u> (**) ◀	▶ <u>M9</u> (**) ◀	▶ <u>M53</u> (**) ◀	▶ <u>M8</u> (**) ◀	(**)	▶ <u>M70</u> (**) ◀	▶ <u>M32</u> (**) ◀	(**)
▶ <u>M70</u> (**) ◀	▶ <u>M9</u> (**) ◀	▶ <u>M53</u> (**) ◀	▶ <u>M8</u> (**) ◀	(**)	▶ <u>M70</u> (**) ◀	▶ <u>M32</u> (**) ◀	(**)
▶ <u>M70</u> (**) ◀	▶ <u>M9</u> (**) ◀	▶ <u>M53</u> (**) ◀	▶ <u>M8</u> (**) ◀	(**)	▶ <u>M70</u> (**) ◀	▶ <u>M32</u> (**) ◀	(**)
▶ <u>M70</u> (**) ◀	▶ <u>M9</u> (**) ◀	▶ <u>M53</u> (**) ◀	▶ <u>M8</u> (**) ◀	(**)	▶ <u>M70</u> (**) ◀	▶ <u>M32</u> (**) ◀	(**)
		▶ <u>M53</u> 0,02 (*) ◀			▶ <u>M70</u> 5 ◀	▶ <u>M32</u> — ◀	

▼ M2

(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)
			▶ <u>M70</u> 0,3 ◀	▶ <u>M50</u> — ◀	▶ <u>M52</u> — ◀		
				▶ <u>M50</u> — ◀ ▶ <u>M50</u> — ◀			
			▶ <u>M70</u> 0,02 (*) (+) ◀	▶ <u>M50</u> — ◀	▶ <u>M52</u> — ◀		
			▶ <u>M70</u> 0,02 (*) ◀	▶ <u>M50</u> — ◀	▶ <u>M52</u> — ◀		
			▶ <u>M70</u> (+) ◀	▶ <u>M50</u> — ◀ ▶ <u>M50</u> — ◀ ▶ <u>M50</u> — ◀			
				▶ <u>M50</u> — ◀			
			▶ <u>M70</u> 0,02 (*) ◀	▶ <u>M50</u> — ◀	▶ <u>M52</u> — ◀		
				▶ <u>M50</u> — ◀ ▶ <u>M50</u> — ◀ ▶ <u>M50</u> — ◀			
(**)	(**)	(**)	▶ <u>M70</u> — ◀	▶ <u>M50</u> — ◀	▶ <u>M52</u> — ◀	▶ <u>M46</u> — ◀	(**)
(**)	(**)	(**)	▶ <u>M70</u> — ◀	▶ <u>M50</u> — ◀	▶ <u>M52</u> — ◀	▶ <u>M46</u> — ◀	(**)
(**)	(**)	(**)	▶ <u>M70</u> — ◀	▶ <u>M50</u> — ◀	▶ <u>M52</u> — ◀	▶ <u>M46</u> — ◀	(**)
(**)	(**)	(**)	▶ <u>M70</u> — ◀	▶ <u>M50</u> — ◀	▶ <u>M52</u> — ◀	▶ <u>M46</u> — ◀	(**)
				▶ <u>M50</u> — ◀			

▼ M2

(25)	(26)	(27)	(28)	(29)	(30)	(31)
	▶ <u>M66</u> 0,05 (*) ◀		▶ <u>M7</u> ▶ <u>C5</u> 0,05 (*) ◀ ◀			
			▶ <u>M7</u> ▶ <u>C5</u> 0,05 (*) ◀ ◀ ▶ <u>M7</u> ▶ <u>C5</u> 0,05 (*) ◀ ◀		▶ <u>M37</u> 0,02 (*) ◀ ▶ <u>M37</u> 10 ◀	
▶ <u>M67</u> (+) ◀	▶ <u>M66</u> 0,02 (*) ◀		▶ <u>M7</u> ▶ <u>C5</u> 0,05 (*) ◀ ◀		▶ <u>M37</u> 3 ◀	
	▶ <u>M66</u> 0,02 (*) ◀		▶ <u>M7</u> ▶ <u>C5</u> 0,05 (*) ◀ ◀			
			▶ <u>M7</u> ▶ <u>C5</u> 0,05 (*) ◀ ◀ ▶ <u>M7</u> ▶ <u>C5</u> 0,05 (*) ◀ ◀ ▶ <u>M7</u> ▶ <u>C5</u> 0,05 (*) ◀ ◀		▶ <u>M37</u> 10 ◀ ▶ <u>M37</u> 0,02 (*) ◀ ▶ <u>M37</u> 10 ◀	
			▶ <u>M7</u> ▶ <u>C5</u> 0,05 (*) ◀ ◀		▶ <u>M37</u> 0,02 (*) ◀	
	▶ <u>M66</u> 0,02 (*) ◀		▶ <u>M7</u> ▶ <u>C5</u> 0,05 (*) ◀ ◀			
▶ <u>M67</u> (+) ◀ ▶ <u>M67</u> (+) ◀ ▶ <u>M67</u> (+) ◀			▶ <u>M7</u> ▶ <u>C5</u> 0,05 (*) ◀ ◀ ▶ <u>M7</u> ▶ <u>C5</u> 0,05 (*) ◀ ◀ ▶ <u>M7</u> ▶ <u>C5</u> 0,05 (*) ◀ ◀		▶ <u>M37</u> 0,02 (*) ◀ ▶ <u>M37</u> 0,02 (*) ◀ ▶ <u>M37</u> 15 ◀	
▶ <u>M67</u> (+) ◀			▶ <u>M7</u> ▶ <u>C5</u> 0,05 (*) ◀ ◀		▶ <u>M37</u> 15 ◀	
▶ <u>M67</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M7</u> ▶ <u>C5</u> (**) ◀ ◀	(**)	▶ <u>M37</u> (**) ◀	▶ <u>M52</u> — ◀
▶ <u>M67</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M7</u> ▶ <u>C5</u> (**) ◀ ◀	(**)	▶ <u>M37</u> (**) ◀	▶ <u>M52</u> — ◀
▶ <u>M67</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M7</u> ▶ <u>C5</u> (**) ◀ ◀	(**)	▶ <u>M37</u> (**) ◀	▶ <u>M52</u> — ◀
▶ <u>M67</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M7</u> ▶ <u>C5</u> (**) ◀ ◀	(**)	▶ <u>M37</u> (**) ◀	▶ <u>M52</u> — ◀
			▶ <u>M7</u> ▶ <u>C5</u> 0,05 (*) ◀ ◀		▶ <u>M37</u> 0,02 (*) ◀	

## ▼ M2

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)
0160000	(vi) <b>Miscellaneous fruit</b>	► <b>M16</b> 0,01 (*) ◀		► <b>M58</b> 0,01 (*) ◀		► <b>M43</b> — ◀	► <b>M68</b> 0,01 (*) ◀
0161000	(a) <i>Edible peel</i>					► <b>M43</b> 0,02 (*) ◀	
0161010	Dates	0,01 (*)					
0161020	Figs	0,01 (*)					
0161030	Table olives	0,01 (*)					
0161040	Kumquats	0,01 (*)					
0161050	Carambola	(**)	(**)	► <b>M58</b> — ◀	(**)	► <b>M43</b> (**) ◀	► <b>M68</b> — ◀
0161060	Persimmon	(**)	(**)	► <b>M58</b> — ◀	(**)	► <b>M43</b> (**) ◀	► <b>M68</b> — ◀
0161070	Jambolan (java plum)	(**)	(**)	► <b>M58</b> — ◀	(**)	► <b>M43</b> (**) ◀	► <b>M68</b> — ◀
0161990	Others	0,01 (*)					
0162000	(b) <i>Inedible peel, small</i>					► <b>M43</b> 0,02 (*) ◀	
0162010	Kiwi	0,01 (*)					
0162020	Lychee (Litchi)	0,01 (*)					
0162030	Passion fruit	0,01 (*)					
0162040	Prickly pear (cactus fruit)	(**)	(**)	► <b>M58</b> — ◀	(**)	► <b>M43</b> (**) ◀	► <b>M68</b> — ◀
0162050	Star apple	(**)	(**)	► <b>M58</b> — ◀	(**)	► <b>M43</b> (**) ◀	► <b>M68</b> — ◀
0162060	American persimmon (Virginia kaki)	(**)	(**)	► <b>M58</b> — ◀	(**)	► <b>M43</b> (**) ◀	► <b>M68</b> — ◀
0162990	Others	0,01 (*)					
0163000	(c) <i>Inedible peel, large</i>						
0163010	Avocados	0,01 (*)				► <b>M43</b> 0,02 (*) ◀	

▼ M2

(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
▶ <u>M70</u> 0,02 (*) ◀	▶ <u>M21</u> 0,02 (*) ◀					▶ <u>M32</u> 0,01 (*) ◀	
	▶ <u>M9</u> 0,02 (*) ◀	▶ <u>M53</u> 0,02 (*) ◀	▶ <u>M8</u> 0,05 (*) ◀		▶ <u>M70</u> 0,05 (*) ◀		0,05 (*)
▶ <u>M70</u> (**) ◀ ▶ <u>M70</u> (**) ◀ ▶ <u>M70</u> (**) ◀	▶ <u>M9</u> (**) ◀ ▶ <u>M9</u> (**) ◀ ▶ <u>M9</u> (**) ◀	▶ <u>M53</u> (**) ◀ ▶ <u>M53</u> (**) ◀ ▶ <u>M53</u> (**) ◀	▶ <u>M8</u> (**) ◀ ▶ <u>M8</u> (**) ◀ ▶ <u>M8</u> (**) ◀	(**) (**) (**)	▶ <u>M70</u> (**) ◀ ▶ <u>M70</u> (**) ◀ ▶ <u>M70</u> (**) ◀	▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> (**) ◀ ▶ <u>M32</u> (**) ◀ ▶ <u>M32</u> (**) ◀	(**) (**) (**)
						▶ <u>M32</u> — ◀	
	▶ <u>M9</u> 0,02 (*) ◀	▶ <u>M53</u> 0,02 (*) ◀	▶ <u>M8</u> 0,05 (*) ◀				0,05 (*)
▶ <u>M70</u> (**) ◀ ▶ <u>M70</u> (**) ◀ ▶ <u>M70</u> (**) ◀	▶ <u>M9</u> (**) ◀ ▶ <u>M9</u> (**) ◀ ▶ <u>M9</u> (**) ◀	▶ <u>M53</u> (**) ◀ ▶ <u>M53</u> (**) ◀ ▶ <u>M53</u> (**) ◀	▶ <u>M8</u> (**) ◀ ▶ <u>M8</u> (**) ◀ ▶ <u>M8</u> (**) ◀	(**) (**) (**)	▶ <u>M70</u> 10 ◀ ▶ <u>M70</u> 0,05 (*) ◀ ▶ <u>M70</u> 0,05 (*) ◀ ▶ <u>M70</u> (**) ◀ ▶ <u>M70</u> (**) ◀ ▶ <u>M70</u> (**) ◀	▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> (**) ◀ ▶ <u>M32</u> (**) ◀ ▶ <u>M32</u> (**) ◀	(**) (**) (**)
					▶ <u>M70</u> 0,05 (*) ◀	▶ <u>M32</u> — ◀	
					▶ <u>M70</u> 0,05 (*) ◀		
	▶ <u>M9</u> 0,02 (*) ◀	▶ <u>M53</u> 0,02 (*) ◀	▶ <u>M8</u> 0,05 (*) ◀			▶ <u>M32</u> — ◀	0,05 (*)

▼ M2

(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)
▶ <u>M16</u> 0,01 (*) ◀			▶ <u>M56</u> — ◀	▶ <u>M50</u> — ◀		▶ <u>M46</u> — ◀	
			▶ <u>M70</u> 0,02 (*) ◀	▶ <u>M50</u> — ◀			
0,01 (*)				▶ <u>M50</u> — ◀	▶ <u>M52</u> — ◀		
0,01 (*)				▶ <u>M50</u> — ◀	▶ <u>M52</u> — ◀		
1				▶ <u>M50</u> — ◀	▶ <u>M52</u> (+) ◀		
0,01 (*)				▶ <u>M50</u> — ◀	▶ <u>M52</u> — ◀		
(**)	(**)	(**)	▶ <u>M70</u> — ◀	▶ <u>M50</u> — ◀	▶ <u>M52</u> — ◀	▶ <u>M46</u> — ◀	(**)
(**)	(**)	(**)	▶ <u>M70</u> — ◀	▶ <u>M50</u> — ◀	▶ <u>M52</u> — ◀	▶ <u>M46</u> — ◀	(**)
(**)	(**)	(**)	▶ <u>M70</u> — ◀	▶ <u>M50</u> — ◀	▶ <u>M52</u> — ◀	▶ <u>M46</u> — ◀	(**)
0,01 (*)				▶ <u>M50</u> — ◀	▶ <u>M52</u> — ◀		
0,01 (*)			▶ <u>M70</u> 0,02 (*) ◀	▶ <u>M50</u> — ◀	▶ <u>M52</u> — ◀		
				▶ <u>M50</u> — ◀			
				▶ <u>M50</u> — ◀			
(**)	(**)	(**)	▶ <u>M70</u> — ◀	▶ <u>M50</u> — ◀	▶ <u>M52</u> — ◀	▶ <u>M46</u> — ◀	(**)
(**)	(**)	(**)	▶ <u>M70</u> — ◀	▶ <u>M50</u> — ◀	▶ <u>M52</u> — ◀	▶ <u>M46</u> — ◀	(**)
(**)	(**)	(**)	▶ <u>M70</u> — ◀	▶ <u>M50</u> — ◀	▶ <u>M52</u> — ◀	▶ <u>M46</u> — ◀	(**)
				▶ <u>M50</u> — ◀			
0,01 (*)				▶ <u>M50</u> — ◀	▶ <u>M52</u> — ◀		
			▶ <u>M70</u> 0,02 (*) ◀	▶ <u>M50</u> — ◀			



▼ M2

(25)	(26)	(27)	(28)	(29)	(30)	(31)
	▶ <u>M66</u> 0,02 (*) ◀		▶ <u>M7</u> ▶ <u>C5</u> 0,05 (*) ◀ ◀		▶ <u>M37</u> 0,02 (*) ◀	▶ <u>M52</u> 0,01 (*) ◀
			▶ <u>M7</u> ▶ <u>C5</u> 0,05 (*) ◀ ◀			
			▶ <u>M7</u> ▶ <u>C5</u> 0,05 (*) ◀ ◀			
			▶ <u>M7</u> ▶ <u>C5</u> 0,05 (*) ◀ ◀			
			▶ <u>M7</u> ▶ <u>C5</u> 0,05 (*) ◀ ◀			
▶ <u>M67</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M7</u> ▶ <u>C5</u> (**) ◀ ◀	(**)	▶ <u>M37</u> (**) ◀	▶ <u>M52</u> — ◀
▶ <u>M67</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M7</u> ▶ <u>C5</u> (**) ◀ ◀	(**)	▶ <u>M37</u> (**) ◀	▶ <u>M52</u> — ◀
▶ <u>M67</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M7</u> ▶ <u>C5</u> (**) ◀ ◀	(**)	▶ <u>M37</u> (**) ◀	▶ <u>M52</u> — ◀
			▶ <u>M7</u> ▶ <u>C5</u> 0,05 (*) ◀ ◀			
			▶ <u>M7</u> ▶ <u>C5</u> 0,05 (*) ◀ ◀			
			▶ <u>M7</u> ▶ <u>C5</u> 0,05 (*) ◀ ◀			
			▶ <u>M7</u> ▶ <u>C5</u> 0,05 (*) ◀ ◀			
▶ <u>M67</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M7</u> ▶ <u>C5</u> (**) ◀ ◀	(**)	▶ <u>M37</u> (**) ◀	▶ <u>M52</u> — ◀
▶ <u>M67</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M7</u> ▶ <u>C5</u> (**) ◀ ◀	(**)	▶ <u>M37</u> (**) ◀	▶ <u>M52</u> — ◀
▶ <u>M67</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M7</u> ▶ <u>C5</u> (**) ◀ ◀	(**)	▶ <u>M37</u> (**) ◀	▶ <u>M52</u> — ◀
			▶ <u>M7</u> ▶ <u>C5</u> 0,05 (*) ◀ ◀			
			▶ <u>M7</u> ▶ <u>C5</u> 0,05 (*) ◀ ◀			
			▶ <u>M7</u> ▶ <u>C5</u> 0,05 (*) ◀ ◀			

▼ M2

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)
0163020	Bananas	0,01 (*)				► <u>M43</u> 0,2 ◀	
0163030	Mangoes	0,01 (*)				► <u>M43</u> 0,02 (*) ◀	
0163040	Papaya	0,01 (*)				► <u>M43</u> 0,02 (*) ◀	
0163050	Pomegranate	0,01 (*)				► <u>M43</u> 0,02 (*) ◀	
0163060	Cherimoya	(**)	(**)	► <u>M58</u> — ◀	(**)	► <u>M43</u> (**) ◀	► <u>M68</u> — ◀
0163070	Guava	(**)	(**)	► <u>M58</u> — ◀	(**)	► <u>M43</u> (**) ◀	► <u>M68</u> — ◀
0163080	Pineapples	0,01 (*)				► <u>M43</u> 0,02 (*) ◀	
0163090	Bread fruit	(**)	(**)	► <u>M58</u> — ◀	(**)	► <u>M43</u> (**) ◀	► <u>M68</u> — ◀
0163100	Durian	(**)	(**)	► <u>M58</u> — ◀	(**)	► <u>M43</u> (**) ◀	► <u>M68</u> — ◀
0163110	Soursop (guanabana)	(**)	(**)	► <u>M58</u> — ◀	(**)	► <u>M43</u> (**) ◀	► <u>M68</u> — ◀
0163990	Others	0,01 (*)				► <u>M43</u> 0,02 (*) ◀	
0200000	<b>2. VEGETABLES FRESH OR FROZEN</b>			► <u>M58</u> — ◀	0,1 (*)		
0210000	(i) <b>Root and tuber vegetables</b>	► <u>M16</u> 0,01 (*) ◀		► <u>M58</u> 0,01 (*) ◀		► <u>M43</u> 0,02 (*) ◀	► <u>M68</u> — ◀
0211000	(a) <i>Potatoes</i>	0,01 (*)	► <u>M20</u> 0,05 (*) ◀				► <u>M68</u> 0,02 ◀
0212000	(b) <i>Tropical root and tuber vegetables</i>		► <u>M20</u> 0,05 (*) ◀				► <u>M68</u> 0,01 (*) ◀
0212010	Cassava	0,1					
0212020	Sweet potatoes	0,01 (*)					
0212030	Yams	0,01 (*)					
0212040	Arrowroot	(**)	(**)	► <u>M58</u> — ◀	(**)	► <u>M43</u> (**) ◀	► <u>M68</u> — ◀
0212990	Others	0,01 (*)					

▼ M2

(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
	▶ <u>M9</u> 0,05 ◀	▶ <u>M53</u> 0,2 ◀	▶ <u>M8</u> 3 ◀			▶ <u>M32</u> — ◀	2
	▶ <u>M9</u> 0,02 (*) ◀	▶ <u>M53</u> 0,02 (*) ◀	▶ <u>M8</u> 0,05 (*) ◀			▶ <u>M32</u> — ◀	0,05 (*)
	▶ <u>M9</u> 0,02 (*) ◀	▶ <u>M53</u> 0,02 (*) ◀	▶ <u>M8</u> 0,05 (*) ◀			▶ <u>M32</u> — ◀	0,05 (*)
	▶ <u>M9</u> 0,02 (*) ◀	▶ <u>M53</u> 0,02 (*) ◀	▶ <u>M8</u> 0,05 (*) ◀			▶ <u>M32</u> — ◀	0,05 (*)
▶ <u>M70</u> (**) ◀	▶ <u>M9</u> (**) ◀	▶ <u>M53</u> (**) ◀	▶ <u>M8</u> (**) ◀	(**)	▶ <u>M70</u> (**) ◀	▶ <u>M32</u> (**) ◀	(**)
▶ <u>M70</u> (**) ◀	▶ <u>M9</u> (**) ◀	▶ <u>M53</u> (**) ◀	▶ <u>M8</u> (**) ◀	(**)	▶ <u>M70</u> (**) ◀	▶ <u>M32</u> (**) ◀	(**)
	▶ <u>M9</u> 0,02 (*) ◀	▶ <u>M53</u> 0,02 (*) ◀	▶ <u>M8</u> 0,05 (*) ◀			▶ <u>M32</u> — ◀	0,05 (*)
▶ <u>M70</u> (**) ◀	▶ <u>M9</u> (**) ◀	▶ <u>M53</u> (**) ◀	▶ <u>M8</u> (**) ◀	(**)	▶ <u>M70</u> (**) ◀	▶ <u>M32</u> (**) ◀	(**)
▶ <u>M70</u> (**) ◀	▶ <u>M9</u> (**) ◀	▶ <u>M53</u> (**) ◀	▶ <u>M8</u> (**) ◀	(**)	▶ <u>M70</u> (**) ◀	▶ <u>M32</u> (**) ◀	(**)
▶ <u>M70</u> (**) ◀	▶ <u>M9</u> (**) ◀	▶ <u>M53</u> (**) ◀	▶ <u>M8</u> (**) ◀	(**)	▶ <u>M70</u> (**) ◀	▶ <u>M32</u> (**) ◀	(**)
	▶ <u>M9</u> 0,02 (*) ◀	▶ <u>M53</u> 0,02 (*) ◀	▶ <u>M8</u> 0,05 (*) ◀			▶ <u>M32</u> — ◀	0,05 (*)
				0,01 (*)		▶ <u>M32</u> — ◀	
▶ <u>M70</u> — ◀	▶ <u>M21</u> 0,02 (*) ◀	▶ <u>M53</u> 0,02 (*) ◀	▶ <u>M8</u> 0,05 (*) ◀		▶ <u>M70</u> 0,05 (*) ◀	▶ <u>M32</u> 0,01 (*) ◀	0,05 (*)
▶ <u>M70</u> 0,02 (*) ◀	▶ <u>M9</u> — ◀						
▶ <u>M70</u> 0,02 (*) ◀	▶ <u>M9</u> — ◀						
▶ <u>M70</u> (**) ◀	▶ <u>M9</u> (**) ◀	▶ <u>M53</u> (**) ◀	▶ <u>M8</u> (**) ◀	(**)	▶ <u>M70</u> (**) ◀	▶ <u>M32</u> (**) ◀	(**)

▼ M2

(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)
			▶ <u>M70</u> 0,02 (*) ◀ ▶ <u>M70</u> 1,5 ◀ ▶ <u>M70</u> 0,02 (*) ◀ ▶ <u>M70</u> 0,02 (*) ◀	▶ <u>M50</u> — ◀ ▶ <u>M50</u> — ◀ ▶ <u>M50</u> — ◀ ▶ <u>M50</u> — ◀			
(**)	(**)	(**)	▶ <u>M70</u> 0,02 (***) ◀	▶ <u>M50</u> — ◀	▶ <u>M52</u> — ◀	▶ <u>M46</u> — ◀	(**)
(**)	(**)	(**)	▶ <u>M70</u> 0,02 (***) ◀ ▶ <u>M70</u> 0,02 (*) ◀	▶ <u>M50</u> — ◀ ▶ <u>M50</u> — ◀	▶ <u>M52</u> — ◀	▶ <u>M46</u> — ◀	(**)
(**)	(**)	(**)	▶ <u>M70</u> 0,02 (***) ◀	▶ <u>M50</u> — ◀	▶ <u>M52</u> — ◀	▶ <u>M46</u> — ◀	(**)
(**)	(**)	(**)	▶ <u>M70</u> 0,02 (***) ◀	▶ <u>M50</u> — ◀	▶ <u>M52</u> — ◀	▶ <u>M46</u> — ◀	(**)
(**)	(**)	(**)	▶ <u>M70</u> 0,02 (***) ◀	▶ <u>M50</u> — ◀	▶ <u>M52</u> — ◀	▶ <u>M46</u> — ◀	(**)
			▶ <u>M70</u> 0,02 (*) ◀	▶ <u>M50</u> — ◀			
0,01 (*)	0,05 (*)	0,05 (*)		▶ <u>M50</u> — ◀	▶ <u>M52</u> — ◀	▶ <u>M46</u> — ◀	0,05 (*)
▶ <u>M16</u> 0,01 (*) ◀			▶ <u>M70</u> 0,02 (*) ◀	▶ <u>M50</u> — ◀	▶ <u>M52</u> 0,01 (*) ◀	▶ <u>M46</u> 0,01 (*) ◀	
				▶ <u>M50</u> — ◀			
				▶ <u>M50</u> — ◀			
				▶ <u>M50</u> — ◀ ▶ <u>M50</u> — ◀ ▶ <u>M50</u> — ◀			
(**)	(**)	(**)	▶ <u>M70</u> — ◀	▶ <u>M50</u> — ◀	▶ <u>M52</u> — ◀	▶ <u>M46</u> — ◀	(**)
				▶ <u>M50</u> — ◀			

▼ M2

(25)	(26)	(27)	(28)	(29)	(30)	(31)
			▶ <u>M7</u> ▶ <u>C5</u> 0,05 (*) ◀ ◀			
			▶ <u>M7</u> ▶ <u>C5</u> 0,05 (*) ◀ ◀			
			▶ <u>M7</u> ▶ <u>C5</u> 0,05 (*) ◀ ◀			
			▶ <u>M7</u> ▶ <u>C5</u> 0,05 (*) ◀ ◀			
▶ <u>M67</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M7</u> ▶ <u>C5</u> (**) ◀ ◀	(**)	▶ <u>M37</u> (**) ◀	▶ <u>M52</u> — ◀
▶ <u>M67</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M7</u> ▶ <u>C5</u> (**) ◀ ◀	(**)	▶ <u>M37</u> (**) ◀	▶ <u>M52</u> — ◀
			▶ <u>M7</u> ▶ <u>C5</u> 0,05 (*) ◀ ◀			
▶ <u>M67</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M7</u> ▶ <u>C5</u> (**) ◀ ◀	(**)	▶ <u>M37</u> (**) ◀	▶ <u>M52</u> — ◀
▶ <u>M67</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M7</u> ▶ <u>C5</u> (**) ◀ ◀	(**)	▶ <u>M37</u> (**) ◀	▶ <u>M52</u> — ◀
▶ <u>M67</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M7</u> ▶ <u>C5</u> (**) ◀ ◀	(**)	▶ <u>M37</u> (**) ◀	▶ <u>M52</u> — ◀
			▶ <u>M7</u> ▶ <u>C5</u> 0,05 (*) ◀ ◀			
	▶ <u>M66</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M7</u> ▶ <u>C5</u> — ◀ ◀	0,02 (*)		▶ <u>M52</u> — ◀
	▶ <u>M66</u> 0,02 (*) ◀	▶ <u>M66</u> 0,02 (*) ◀	▶ <u>M7</u> ▶ <u>C5</u> 0,05 (*) ◀ ◀			▶ <u>M52</u> 0,01 (*) ◀
▶ <u>M67</u> 0,15 ◀			▶ <u>M7</u> ▶ <u>C5</u> 0,05 (*) ◀ ◀		▶ <u>M37</u> 0,1 ◀	
▶ <u>M67</u> 0,05 (*) ◀			▶ <u>M7</u> ▶ <u>C5</u> 0,05 (*) ◀ ◀		▶ <u>M37</u> 0,02 (*) ◀	
			▶ <u>M7</u> ▶ <u>C5</u> 0,05 (*) ◀ ◀			
			▶ <u>M7</u> ▶ <u>C5</u> 0,05 (*) ◀ ◀			
			▶ <u>M7</u> ▶ <u>C5</u> 0,05 (*) ◀ ◀			
▶ <u>M67</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M7</u> ▶ <u>C5</u> (**) ◀ ◀	(**)	▶ <u>M37</u> (**) ◀	▶ <u>M52</u> — ◀
			▶ <u>M7</u> ▶ <u>C5</u> 0,05 (*) ◀ ◀			

▼ **M2**

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)
0213000	(c) <i>Other root and tuber vegetables except sugar beet</i>	0,01 (*)					► <b>M68</b> 0,01 (*) ◀
0213010	Beetroot		► <b>M20</b> 0,1 ◀				
0213020	Carrots		► <b>M20</b> 0,05 (*) ◀				
0213030	Celeriac		► <b>M20</b> 0,05 (*) ◀				
0213040	Horseradish		► <b>M20</b> 0,05 (*) ◀				
0213050	Jerusalem artichokes		► <b>M20</b> 0,05 (*) ◀				
0213060	Parsnips		► <b>M20</b> 0,05 (*) ◀				
0213070	Parsley root		► <b>M20</b> 0,05 (*) ◀				
0213080	Radishes		► <b>M20</b> 0,05 (*) ◀				
0213090	Salsify		► <b>M20</b> 0,05 (*) ◀				
0213100	Swedes		► <b>M20</b> 0,05 (*) ◀				
0213110	Turnips		► <b>M20</b> 0,05 (*) ◀				
0213990	Others		► <b>M20</b> 0,05 (*) ◀				
0220000	(ii) <b>Bulb vegetables</b>	► <b>M16</b> 0,02 (*) ◀	► <b>M20</b> 0,05 (*) ◀	► <b>M58</b> 0,01 (*) ◀		► <b>M43</b> 0,02 (*) ◀	► <b>M68</b> 0,01 (*) ◀
0220010	Garlic						
0220020	Onions						
0220030	Shallots						
0220040	Spring onions						
0220990	Others						
0230000	(iii) <b>Fruiting vegetables</b>	► <b>M16</b> 0,01 (*) ◀	► <b>M20</b> 0,05 (*) ◀	► <b>M58</b> 0,01 (*) ◀			
0231000	(a) <i>Solanacea</i>						

▼ M2

(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
▶ <u>M70</u> 0,15 ◀							
	▶ <u>M9</u> — ◀ ▶ <u>M9</u> — ◀ ▶ <u>M9</u> — ◀ ▶ <u>M9</u> — ◀ ▶ <u>M9</u> — ◀  ▶ <u>M9</u> — ◀ ▶ <u>M9</u> — ◀ ▶ <u>M9</u> — ◀ ▶ <u>M9</u> — ◀ ▶ <u>M9</u> — ◀ ▶ <u>M9</u> — ◀						
	▶ <u>M9</u> — ◀						
▶ <u>M70</u> — ◀	▶ <u>M21</u> 0,02 (*) ◀	▶ <u>M53</u> 0,02 (*) ◀	▶ <u>M8</u> 0,05 (*) ◀		▶ <u>M43</u> — ◀	▶ <u>M32</u> 0,02 (*) ◀	0,05 (*)
▶ <u>M70</u> 0,2 ◀ ▶ <u>M70</u> 0,2 ◀ ▶ <u>M70</u> 0,2 ◀ ▶ <u>M70</u> 1,5 ◀					▶ <u>M70</u> 0,05 (*) ◀ ▶ <u>M70</u> 0,6 ◀ ▶ <u>M70</u> 0,05 (*) ◀ ▶ <u>M70</u> 0,05 (*) ◀		
▶ <u>M70</u> 0,02 (*) ◀					▶ <u>M70</u> 0,05 (*) ◀		
						▶ <u>M32</u> 0,01 (*) ◀	0,05 (*)
		▶ <u>M53</u> 0,02 (*) ◀	▶ <u>M8</u> — ◀				

▼ M2

(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)
				▶ <u>M50</u> — ◀			
			▶ <u>M70</u> (+) ◀  ▶ <u>M70</u> (+) ◀  ▶ <u>M70</u> (+) ◀  ▶ <u>M70</u> (+) ◀	▶ <u>M50</u> — ◀ ▶ <u>M50</u> — ◀ ▶ <u>M50</u> — ◀ ▶ <u>M50</u> — ◀ ▶ <u>M50</u> — ◀ ▶ <u>M50</u> — ◀ ▶ <u>M50</u> — ◀ ▶ <u>M50</u> — ◀ ▶ <u>M50</u> — ◀			
				▶ <u>M50</u> — ◀			
▶ <u>M16</u> 0,02 (*) ◀			▶ <u>M70</u> 0,02 (*) ◀	▶ <u>M50</u> — ◀	▶ <u>M52</u> 0,01 (*) ◀	▶ <u>M46</u> 0,01 (*) ◀	
			▶ <u>M70</u> (+) ◀ ▶ <u>M70</u> (+) ◀	▶ <u>M50</u> — ◀ ▶ <u>M50</u> — ◀ ▶ <u>M50</u> — ◀ ▶ <u>M50</u> — ◀			
				▶ <u>M50</u> — ◀			
▶ <u>M16</u> 0,01 (*) ◀				▶ <u>M50</u> — ◀	▶ <u>M52</u> 0,01 (*) ◀	▶ <u>M46</u> 0,01 (*) ◀	
				▶ <u>M50</u> — ◀			



▼ M2

(25)	(26)	(27)	(28)	(29)	(30)	(31)
▶ <u>M67</u> 0,05 (*) ◀			▶ <u>M7</u> ▶ <u>C5</u> 0,05 (*) ◀ ◀		▶ <u>M37</u> 0,02 (*) ◀	
			▶ <u>M7</u> ▶ <u>C5</u> 0,05 (*) ◀ ◀ ▶ <u>M7</u> ▶ <u>C5</u> 0,05 (*) ◀ ◀ ▶ <u>M7</u> ▶ <u>C5</u> 0,05 (*) ◀ ◀ ▶ <u>M7</u> ▶ <u>C5</u> 0,05 (*) ◀ ◀ ▶ <u>M7</u> ▶ <u>C5</u> 0,05 (*) ◀ ◀  ▶ <u>M7</u> ▶ <u>C5</u> 0,05 (*) ◀ ◀ ▶ <u>M7</u> ▶ <u>C5</u> 0,05 (*) ◀ ◀ ▶ <u>M7</u> ▶ <u>C5</u> 0,05 (*) ◀ ◀ ▶ <u>M7</u> ▶ <u>C5</u> 0,05 (*) ◀ ◀ ▶ <u>M7</u> ▶ <u>C5</u> 0,05 (*) ◀ ◀ ▶ <u>M7</u> ▶ <u>C5</u> 0,05 (*) ◀ ◀			
			▶ <u>M7</u> ▶ <u>C5</u> 0,05 (*) ◀ ◀			
▶ <u>M67</u> 0,05 (*) ◀	▶ <u>M66</u> 0,02 (*) ◀	▶ <u>M66</u> 0,02 (*) ◀	▶ <u>M7</u> ▶ <u>C5</u> 0,05 (*) ◀ ◀			▶ <u>M52</u> 0,01 (*) ◀
	▶ <u>M66</u> (+) ◀		▶ <u>M7</u> ▶ <u>C5</u> 0,05 (*) ◀ ◀ ▶ <u>M7</u> ▶ <u>C5</u> 0,05 (*) ◀ ◀ ▶ <u>M7</u> ▶ <u>C5</u> 0,05 (*) ◀ ◀ ▶ <u>M7</u> ▶ <u>C5</u> 0,05 (*) ◀ ◀		▶ <u>M37</u> 0,1 ◀ ▶ <u>M37</u> 0,1 ◀ ▶ <u>M37</u> 0,02 (*) ◀ ▶ <u>M37</u> 0,02 (*) ◀	
			▶ <u>M7</u> ▶ <u>C5</u> 0,05 (*) ◀ ◀		▶ <u>M37</u> 0,02 (*) ◀	
▶ <u>M67</u> 0,05 (*) ◀	▶ <u>M66</u> 0,02 (*) ◀	▶ <u>M66</u> 0,02 (*) ◀	▶ <u>M7</u> ▶ <u>C5</u> 0,05 (*) ◀ ◀			▶ <u>M52</u> 0,01 (*) ◀
			▶ <u>M7</u> ▶ <u>C5</u> 0,05 (*) ◀ ◀			

▼ **M2**

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)
0231010	Tomatoes	0,01 (*)				► <b>M43</b> 0,1 ◀	► <b>M68</b> 2 ◀
0231020	Peppers	0,01 (*)				► <b>M43</b> 0,02 (*) ◀	► <b>M68</b> 0,01 (*) ◀
0231030	Aubergines (egg plants)	0,01 (*)				► <b>M43</b> 0,1 ◀	► <b>M68</b> 1.5 ◀
0231040	Okra, lady's fingers	0,1				► <b>M43</b> 0,02 (*) ◀	► <b>M68</b> 0,01 (*) ◀
0231990	Others	0,01 (*)				► <b>M43</b> 0,02 (*) ◀	► <b>M68</b> 0,01 (*) ◀
0232000	(b) <i>Cucurbits — edible peel</i>	0,01 (*)				► <b>M43</b> 0,02 (*) ◀	► <b>M68</b> 0,2 ◀
0232010	Cucumbers						
0232020	Gherkins						
0232030	Courgettes						
0232990	Others						
0233000	(c) <i>Cucurbits- inedible peel</i>	0,01 (*)				► <b>M43</b> 0,05 ◀	
0233010	Melons						► <b>M68</b> 0,7 ◀
0233020	Pumpkins						► <b>M68</b> 0,01 (*) ◀
0233030	Watermelons						► <b>M68</b> 0,01 (*) ◀
0233990	Others						► <b>M68</b> 0,01 (*) ◀
0234000	(d) <i>Sweet corn</i>	0,01 (*)				► <b>M43</b> 0,02 (*) ◀	► <b>M68</b> 0,01 (*) ◀
0239000	(e) <i>Other fruiting vegetables</i>	0,01 (*)					► <b>M68</b> 0,01 (*) ◀
0240000	(iv) <b>Brassica vegetables</b>	► <b>M16</b> 0,01 (*) ◀	► <b>M20</b> 0,05 (*) ◀	► <b>M58</b> 0,01 (*) ◀		► <b>M43</b> 0,02 (*) ◀	► <b>M5</b> — ◀
0241000	(a) <i>Flowering brassica</i>						► <b>M68</b> 0,1 ◀
0241010	Broccoli						
0241020	Cauliflower						

▼ M2

(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
▶ <u>M70</u> 1 ◀ ▶ <u>M70</u> 1 (+) ◀ ▶ <u>M70</u> 1 ◀ ▶ <u>M70</u> 0,02 (*) ◀	▶ <u>M21</u> 0,04 ◀ ▶ <u>M21</u> 0,04 ◀ ▶ <u>M21</u> 0,04 ◀ ▶ <u>M21</u> 0,02 (*) ◀	▶ <u>M9</u> — ◀ ▶ <u>M9</u> — ◀ ▶ <u>M9</u> — ◀ ▶ <u>M9</u> — ◀	▶ <u>M8</u> 2 ◀ ▶ <u>M8</u> 1 ◀ ▶ <u>M8</u> 1 ◀ ▶ <u>M8</u> 1 ◀		▶ <u>M70</u> 1 ◀ ▶ <u>M70</u> 2 ◀ ▶ <u>M70</u> 1 ◀ ▶ <u>M70</u> 0,05 (*) ◀		
▶ <u>M70</u> 0,02 (*) ◀	▶ <u>M21</u> 0,02 (*) ◀	▶ <u>M9</u> — ◀	▶ <u>M8</u> 1 ◀		▶ <u>M70</u> 0,05 (*) ◀		
▶ <u>M70</u> 0,2 ◀	▶ <u>M21</u> 0,02 (*) ◀	▶ <u>M53</u> 0,2 ◀			▶ <u>M70</u> 1 ◀		
	▶ <u>M9</u> 0,02 (*) ◀ ▶ <u>M9</u> 0,02 (*) ◀ ▶ <u>M9</u> 0,05 ◀		▶ <u>M8</u> 0,5 ◀ ▶ <u>M8</u> 0,05 (*) ◀ ▶ <u>M8</u> 0,5 ◀				
	▶ <u>M9</u> 0,02 (*) ◀		▶ <u>M8</u> 0,05 (*) ◀				
▶ <u>M70</u> 0,2 ◀	▶ <u>M21</u> 0,02 (*) ◀	▶ <u>M53</u> — ◀	▶ <u>M8</u> 0,05 (*) ◀		▶ <u>M70</u> 0,05 (*) ◀		
▶ <u>M15</u> — ◀ ▶ <u>M15</u> — ◀ ▶ <u>M15</u> — ◀	▶ <u>M9</u> 0,02 (+) ◀ ▶ <u>M9</u> 0,02 (*) ◀ ▶ <u>M9</u> 0,05 ◀	▶ <u>M53</u> 0,2 ◀ ▶ <u>M53</u> 0,2 ◀ ▶ <u>M53</u> 0,05 ◀					
▶ <u>M15</u> — ◀	▶ <u>M9</u> 0,02 (*) ◀	▶ <u>M53</u> 0,05 ◀					
▶ <u>M70</u> 0,02 (*) ◀	▶ <u>M21</u> 0,02 (*) ◀	▶ <u>M53</u> 0,02 (*) ◀	▶ <u>M8</u> 0,05 (*) ◀		▶ <u>M70</u> 0,05 (*) ◀		
▶ <u>M70</u> 0,02 (*) ◀	▶ <u>M21</u> 0,02 (*) ◀	▶ <u>M53</u> 0,02 (*) ◀	▶ <u>M8</u> 0,05 (*) ◀		▶ <u>M70</u> 0,05 (*) ◀		
▶ <u>M70</u> — ◀	▶ <u>M21</u> 0,02 (*) ◀	▶ <u>M53</u> 0,02 (*) ◀	▶ <u>M8</u> 0,05 (*) ◀		▶ <u>M70</u> 0,05 (*) ◀	▶ <u>M32</u> 0,01 (*) ◀	
	▶ <u>M9</u> 0,02 (*) ◀						0,05 (*)
▶ <u>M70</u> 5 ◀ ▶ <u>M70</u> 0,02 (*) ◀							

▼ M2

(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)
			▶ <u>M70</u> 0,1 ◀ ▶ <u>M70</u> 0,05 ◀ ▶ <u>M70</u> 0,06 ◀ ▶ <u>M70</u> 0,02 (*) ◀	▶ <u>M50</u> — ◀ ▶ <u>M50</u> — ◀ ▶ <u>M50</u> — ◀ ▶ <u>M50</u> — ◀			
			▶ <u>M70</u> 0,02 (*) ◀	▶ <u>M50</u> — ◀			
			▶ <u>M70</u> 0,02 (*) (+) ◀	▶ <u>M50</u> — ◀			
				▶ <u>M50</u> — ◀ ▶ <u>M50</u> — ◀ ▶ <u>M50</u> — ◀			
				▶ <u>M50</u> — ◀			
			▶ <u>M70</u> 0,02 (*) ◀	▶ <u>M50</u> — ◀			
			▶ <u>M70</u> (+) ◀	▶ <u>M50</u> — ◀ ▶ <u>M50</u> — ◀ ▶ <u>M50</u> — ◀			
				▶ <u>M50</u> — ◀			
			▶ <u>M70</u> 0,02 (*) (+) ◀	▶ <u>M50</u> — ◀			
			▶ <u>M70</u> 0,02 (*) ◀	▶ <u>M50</u> — ◀			
▶ <u>M16</u> 0,01 (*) ◀				▶ <u>M50</u> — ◀	▶ <u>M52</u> 0,01 (*) ◀	▶ <u>M46</u> 0,01 (*) ◀	
			▶ <u>M70</u> — ◀	▶ <u>M50</u> — ◀			
			▶ <u>M70</u> 0,05 ◀ ▶ <u>M70</u> 0,02 (*) (+) ◀	▶ <u>M50</u> — ◀ ▶ <u>M50</u> — ◀			

▼ M2

(25)	(26)	(27)	(28)	(29)	(30)	(31)
			▶ <u>M7</u> ▶ <u>C5</u> 0,05 (*) ◀ ◀ ▶ <u>M7</u> ▶ <u>C5</u> 0,05 (*) ◀ ◀ ▶ <u>M7</u> ▶ <u>C5</u> 0,05 (*) ◀ ◀ ▶ <u>M7</u> ▶ <u>C5</u> 0,05 (*) ◀ ◀		▶ <u>M37</u> 3 ◀ ▶ <u>M37</u> 0,02 (*) ◀ ▶ <u>M37</u> 0,02 (*) ◀ ▶ <u>M37</u> 0,02 (*) ◀	
			▶ <u>M7</u> ▶ <u>C5</u> 0,05 (*) ◀ ◀		▶ <u>M37</u> 0,02 (*) ◀	
			▶ <u>M7</u> ▶ <u>C5</u> 0,05 (*) ◀ ◀		▶ <u>M37</u> 0,02 (*) ◀	
			▶ <u>M7</u> ▶ <u>C5</u> 0,05 (*) ◀ ◀ ▶ <u>M7</u> ▶ <u>C5</u> 0,05 (*) ◀ ◀ ▶ <u>M7</u> ▶ <u>C5</u> 0,05 (*) ◀ ◀			
			▶ <u>M7</u> ▶ <u>C5</u> 0,05 (*) ◀ ◀			
			▶ <u>M7</u> ▶ <u>C5</u> 0,05 (*) ◀ ◀		▶ <u>M37</u> 1 ◀	
			▶ <u>M7</u> ▶ <u>C5</u> 0,05 (*) ◀ ◀ ▶ <u>M7</u> ▶ <u>C5</u> 0,05 (*) ◀ ◀ ▶ <u>M7</u> ▶ <u>C5</u> 0,05 (*) ◀ ◀			
			▶ <u>M7</u> ▶ <u>C5</u> 0,05 (*) ◀ ◀			
			▶ <u>M7</u> ▶ <u>C5</u> 0,05 (*) ◀ ◀		▶ <u>M37</u> 0,02 (*) ◀	
			▶ <u>M7</u> ▶ <u>C5</u> 0,05 (*) ◀ ◀		▶ <u>M37</u> 0,02 (*) ◀	
▶ <u>M67</u> 0,05 (*) ◀	▶ <u>M66</u> 0,02 (*) ◀	▶ <u>M66</u> 0,02 (*) ◀	▶ <u>M7</u> ▶ <u>C5</u> 0,05 (*) ◀ ◀			▶ <u>M52</u> 0,01 (*) ◀
			▶ <u>M7</u> ▶ <u>C5</u> 0,05 (*) ◀ ◀		▶ <u>M37</u> 0,02 (*) ◀	
			▶ <u>M7</u> ▶ <u>C5</u> 0,05 (*) ◀ ◀ ▶ <u>M7</u> ▶ <u>C5</u> 0,05 (*) ◀ ◀			

▼ **M2**

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)
0241990	Others						► <b>M68</b> — ◀
0242000	(b) <i>Head brassica</i>						► <b>M68</b> 0,01 (*) ◀
0242010	Brussels sprouts						
0242020	Head cabbage						
0242990	Others						
0243000	(c) <i>Leafy brassica</i>						► <b>M68</b> 0,01 (*) ◀
0243010	Chinese cabbage						
0243020	Kale						
0243990	Others						
0244000	(d) <i>Kohlrabi</i>						► <b>M68</b> 0,01 (*) ◀
0250000	(v) <b>Leaf vegetables &amp; fresh herbs</b>	► <b>M16</b> 0,01 (*) ◀				► <b>M27</b> — ◀	► <b>M68</b> — ◀
0251000	(a) <i>Lettuce and other salad plants including Brassicacea</i>		► <b>M20</b> 0,05 (*) ◀	► <b>M58</b> 0,01 (*) ◀		► <b>M43</b> 0,02 (*) ◀	► <b>M68</b> 0,01 (*) ◀
0251010	Lamb's lettuce	0,01 (*)					
0251020	Lettuce	0,01 (*)					
0251030	Scarole (broad-leaf endive)	0,01 (*)					
0251040	Cress	0,01 (*)					
0251050	Land cress	(**)	(**)	► <b>M58</b> — ◀	(**)	► <b>M43</b> (***) ◀	► <b>M68</b> — ◀
0251060	Rocket, Rucola	0,1					

▼ M2

(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
▶ <u>M70</u> 0,02 (*) ◀							
▶ <u>M70</u> 0,02 (*) ◀							
	▶ <u>M9</u> 0,05 ◀ ▶ <u>M9</u> 0,02 (*) ◀						0,5 0,05 (*)
	▶ <u>M9</u> 0,02 (*) ◀						0,05 (*)
	▶ <u>M9</u> 0,02 (*) ◀						0,05 (*)
▶ <u>M70</u> 55 ◀ ▶ <u>M70</u> 0,02 (*) ◀							
▶ <u>M70</u> 0,02 (*) ◀							
▶ <u>M70</u> 0,02 (*) ◀	▶ <u>M9</u> 0,02 (*) ◀						0,05 (*)
	▶ <u>M21</u> 0,02 (*) ◀	▶ <u>M53</u> 0,02 (*) ◀	▶ <u>M8</u> 0,05 (*) ◀				0,05 (*)
▶ <u>M70</u> — ◀					▶ <u>M14</u> — ◀	▶ <u>M32</u> 0,01 (*) ◀	
▶ <u>M70</u> 40 ◀ ▶ <u>M70</u> 30 ◀ ▶ <u>M70</u> 40 ◀  ▶ <u>M70</u> 40 ◀ ▶ <u>M70</u> (**) ◀ ▶ <u>M70</u> 40 ◀	▶ <u>M9</u> (**) ◀	▶ <u>M53</u> (**) ◀	▶ <u>M8</u> (**) ◀	(**)	▶ <u>M70</u> 30 ◀ ▶ <u>M70</u> 40 ◀ ▶ <u>M70</u> 30 ◀  ▶ <u>M70</u> 30 ◀ ▶ <u>M70</u> (**) ◀ ▶ <u>M70</u> 30 ◀	▶ <u>M32</u> (**) ◀	(**)

▼ M2

(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)
			▶ <u>M70</u> 0,02 (*) (+) ◀	▶ <u>M50</u> — ◀			
				▶ <u>M50</u> — ◀			
			▶ <u>M70</u> 0,05 (+) ◀ ▶ <u>M70</u> 0,08 ◀	▶ <u>M50</u> — ◀ ▶ <u>M50</u> — ◀			
			▶ <u>M70</u> 0,02 (*) ◀	▶ <u>M50</u> — ◀			
			▶ <u>M70</u> 0,02 (*) ◀	▶ <u>M50</u> — ◀			
				▶ <u>M50</u> — ◀ ▶ <u>M50</u> — ◀			
				▶ <u>M50</u> — ◀			
			▶ <u>M70</u> 0,02 (*) ◀	▶ <u>M50</u> — ◀			
▶ <u>M16</u> 0,01 (*) ◀			▶ <u>M56</u> — ◀	▶ <u>M50</u> — ◀			
			▶ <u>M70</u> — ◀	▶ <u>M50</u> — ◀	▶ <u>M52</u> 0,01 (*) ◀	▶ <u>M46</u> 0,01 (*) ◀	
			▶ <u>M70</u> 0,02 (*) ◀ ▶ <u>M70</u> 0,2 (+) ◀ ▶ <u>M70</u> 0,02 (*) ◀ ▶ <u>M70</u> 0,02 (*) ◀ ▶ <u>M70</u> 0,02 (**) ◀ ▶ <u>M70</u> 0,02 (*) ◀	▶ <u>M50</u> — ◀ ▶ <u>M50</u> — ◀ ▶ <u>M50</u> — ◀ ▶ <u>M50</u> — ◀ ▶ <u>M50</u> — ◀ ▶ <u>M50</u> — ◀			
(**)	(**)	(**)			▶ <u>M52</u> — ◀	▶ <u>M46</u> — ◀	(**)



▼ M2

(25)	(26)	(27)	(28)	(29)	(30)	(31)
			► <u>M7</u> ► <u>C5</u> 0,05 (*) ◀ ◀			
			► <u>M7</u> ► <u>C5</u> 0,05 (*) ◀ ◀		► <u>M37</u> 0,02 (*) ◀	
			► <u>M7</u> ► <u>C5</u> 0,05 (*) ◀ ◀ ► <u>M7</u> ► <u>C5</u> 0,05 (*) ◀ ◀			
			► <u>M7</u> ► <u>C5</u> 0,05 (*) ◀ ◀			
			► <u>M7</u> ► <u>C5</u> 0,05 (*) ◀ ◀		► <u>M37</u> 0,02 (*) ◀	
			► <u>M7</u> ► <u>C5</u> 0,05 (*) ◀ ◀ ► <u>M7</u> ► <u>C5</u> 0,05 (*) ◀ ◀			
			► <u>M7</u> ► <u>C5</u> 0,05 (*) ◀ ◀			
			► <u>M7</u> ► <u>C5</u> 0,05 (*) ◀ ◀		► <u>M37</u> 0,05 ◀	
► <u>M67</u> 0,05 (*) ◀			► <u>M7</u> ► <u>C5</u> 0,05 (*) ◀ ◀			
	► <u>M66</u> 0,02 (*) ◀	► <u>M66</u> 0,02 (*) ◀	► <u>M7</u> ► <u>C5</u> 0,05 (*) ◀ ◀			► <u>M52</u> 0,01 (*) ◀
			► <u>M7</u> ► <u>C5</u> 0,05 (*) ◀ ◀ ► <u>M7</u> ► <u>C5</u> 0,05 (*) ◀ ◀ ► <u>M7</u> ► <u>C5</u> 0,05 (*) ◀ ◀ ► <u>M7</u> ► <u>C5</u> 0,05 (*) ◀ ◀ ► <u>M7</u> ► <u>C5</u> 0,05 (*) ◀ ◀ ► <u>M7</u> ► <u>C5</u> 0,05 (*) ◀ ◀		► <u>M37</u> 0,02 (*) ◀ ► <u>M37</u> 2 ◀ ► <u>M37</u> 0,02 (*) ◀ ► <u>M37</u> 0,02 (*) ◀ ► <u>M37</u> (**) ◀	► <u>M52</u> — ◀
► <u>M67</u> — ◀	► <u>M66</u> — ◀	► <u>M66</u> — ◀	► <u>M7</u> ► <u>C5</u> (**) ◀ ◀ ► <u>M7</u> ► <u>C5</u> 0,05 (*) ◀ ◀	(**)	► <u>M37</u> 0,02 (*) ◀	

▼ **M2**

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)
0251070	Red mustard	(**)	(**)	► <b>M58</b> — ◀	(**)	► <b>M43</b> (**) ◀	► <b>M68</b> — ◀
0251080	Leaves and sprouts of Brassica spp.	0,1					
0251990	Others	0,01 (*)					
0252000	(b) <i>Spinach</i> & similar (leaves)			► <b>M58</b> 0,01 (*) ◀		► <b>M43</b> 0,02 (*) ◀	► <b>M68</b> 0,01 (*) ◀
0252010	Spinach	0,01 (*)	► <b>M20</b> 0,05 (*) ◀				
0252020	Purslane	(**)	(**)	► <b>M58</b> — ◀	(**)	► <b>M43</b> (**) ◀	► <b>M68</b> — ◀
0252030	Beet leaves (chard)	0,01 (*)	► <b>M20</b> 0,05 (*) ◀				
0252990	Others	0,01 (*)	► <b>M20</b> 0,05 (*) ◀				
0253000	(c) <i>Vine leaves</i> (grape leaves)	(**)	(**)	► <b>M58</b> 0,01 (*) ◀	(**)	► <b>M43</b> (**) ◀	► <b>M68</b> 0,01 (*) ◀
0254000	(d) <i>Water cress</i>	0,01 (*)	► <b>M20</b> 0,05 (*) ◀	► <b>M58</b> 0,01 (*) ◀		► <b>M43</b> 0,02 (*) ◀	► <b>M68</b> 0,01 (*) ◀
0255000	(e) <i>Witloof</i>	0,01 (*)	► <b>M20</b> 0,05 (*) ◀	► <b>M58</b> 0,01 (*) ◀		► <b>M43</b> 0,02 (*) ◀	► <b>M68</b> 0,01 (*) ◀
0256000	(f) <i>Herbs</i>		1	► <b>M58</b> 0,02 (*) ◀			► <b>M68</b> 0,02 (*) ◀
0256010	Chervil	0,01 (*)	► <b>M20</b> 1 ◀			► <b>M43</b> 0,02 (*) ◀	
0256020	Chives	0,01 (*)	► <b>M20</b> 1 ◀			► <b>M43</b> 0,02 (*) ◀	
0256030	Celery leaves	0,01 (*)	► <b>M20</b> 1 ◀			► <b>M43</b> 0,02 (*) ◀	
0256040	Parsley	2	► <b>M20</b> 1 ◀			► <b>M43</b> 0,02 (*) ◀	
0256050	Sage	(**)	(**)	► <b>M58</b> — ◀	(**)	► <b>M43</b> (**) ◀	► <b>M68</b> — ◀
0256060	Rosemary	(**)	(**)	► <b>M58</b> — ◀	(**)	► <b>M43</b> (**) ◀	► <b>M68</b> — ◀
0256070	Thyme	(**)	(**)	► <b>M58</b> — ◀	(**)	► <b>M43</b> (**) ◀	► <b>M68</b> — ◀
0256080	Basil	(**)	(**)	► <b>M58</b> — ◀	(**)	► <b>M43</b> (**) ◀	► <b>M68</b> — ◀

▼ M2

(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
▶ <u>M70</u> (**) ◀ ▶ <u>M70</u> 40 ◀	▶ <u>M9</u> (**) ◀	▶ <u>M53</u> (**) ◀	▶ <u>M8</u> (**) ◀	(**)	▶ <u>M70</u> (**) ◀ ▶ <u>M70</u> 30 ◀	▶ <u>M32</u> (**) ◀	(**)
▶ <u>M70</u> 2 ◀					▶ <u>M70</u> 30 ◀		
▶ <u>M70</u> 60 ◀					▶ <u>M70</u> 0,05 (*) ◀	▶ <u>M32</u> 0,01 (*) ◀	
▶ <u>M70</u> — ◀ ▶ <u>M70</u> (**) ◀ ▶ <u>M70</u> — ◀	▶ <u>M9</u> (**) ◀	▶ <u>M53</u> (**) ◀	▶ <u>M8</u> (**) ◀	(**)	▶ <u>M70</u> (**) ◀	▶ <u>M32</u> (**) ◀	(**)
▶ <u>M70</u> — ◀							
▶ <u>M70</u> (**) ◀	▶ <u>M9</u> (**) ◀	▶ <u>M53</u> (**) ◀	▶ <u>M8</u> (**) ◀	(**)	▶ <u>M70</u> (**) ◀	▶ <u>M32</u> (**) ◀	(**)
▶ <u>M70</u> 0,02 (*) ◀					▶ <u>M70</u> 0,05 (*) ◀	▶ <u>M32</u> 0,01 (*) ◀	
▶ <u>M70</u> 0,02 (*) ◀					▶ <u>M70</u> 0,05 (*) ◀	▶ <u>M32</u> 0,01 (*) ◀	
▶ <u>M70</u> 60 ◀					▶ <u>M70</u> 30 ◀	▶ <u>M32</u> 0,02 (*) ◀	
▶ <u>M70</u> (**) ◀	▶ <u>M9</u> (**) ◀	▶ <u>M53</u> (**) ◀	▶ <u>M8</u> (**) ◀	(**)	▶ <u>M70</u> (**) ◀	▶ <u>M32</u> (**) ◀	(**)
▶ <u>M70</u> (**) ◀	▶ <u>M9</u> (**) ◀	▶ <u>M53</u> (**) ◀	▶ <u>M8</u> (**) ◀	(**)	▶ <u>M70</u> (**) ◀	▶ <u>M32</u> (**) ◀	(**)
▶ <u>M70</u> (**) ◀	▶ <u>M9</u> (**) ◀	▶ <u>M53</u> (**) ◀	▶ <u>M8</u> (**) ◀	(**)	▶ <u>M70</u> (**) ◀	▶ <u>M32</u> (**) ◀	(**)
▶ <u>M70</u> (**) ◀	▶ <u>M9</u> (**) ◀	▶ <u>M53</u> (**) ◀	▶ <u>M8</u> (**) ◀	(**)	▶ <u>M70</u> (**) ◀	▶ <u>M32</u> (**) ◀	(**)

▼ M2

(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)
(**)	(**)	(**)	▶ <u>M70</u> 0,02 (**) ◀ ▶ <u>M70</u> 0,02 (*) ◀	▶ <u>M50</u> — ◀ ▶ <u>M50</u> — ◀	▶ <u>M52</u> — ◀	▶ <u>M46</u> — ◀	(**)
			▶ <u>M70</u> 0,02 (*) ◀	▶ <u>M50</u> — ◀			
			▶ <u>M70</u> 0,02 (*) ◀	▶ <u>M50</u> — ◀	▶ <u>M52</u> 0,01 (*) ◀	▶ <u>M46</u> 0,01 (*) ◀	
(**)	(**)	(**)	▶ <u>M70</u> (+) ◀ ▶ <u>M70</u> — ◀	▶ <u>M50</u> — ◀ ▶ <u>M50</u> — ◀ ▶ <u>M50</u> — ◀	▶ <u>M52</u> — ◀	▶ <u>M46</u> — ◀	(**)
				▶ <u>M50</u> — ◀			
(**)	(**)	(**)	▶ <u>M70</u> 0,02 (**) ◀	▶ <u>M50</u> — ◀	▶ <u>M52</u> 0,01 (*) ◀	▶ <u>M46</u> 0,01 (*) ◀	(**)
			▶ <u>M70</u> 0,02 (*) ◀	▶ <u>M50</u> — ◀	▶ <u>M52</u> 0,01 (*) ◀	▶ <u>M46</u> 0,01 (*) ◀	
			▶ <u>M70</u> 0,02 (*) ◀	▶ <u>M50</u> — ◀	▶ <u>M52</u> 0,01 (*) ◀	▶ <u>M46</u> 0,01 (*) ◀	
			▶ <u>M70</u> 0,05 (*) ◀	▶ <u>M50</u> — ◀	▶ <u>M52</u> 0,02 (*) ◀	▶ <u>M46</u> 0,02 (*) ◀	
(**)	(**)	(**)	▶ <u>M70</u> (+) ◀ ▶ <u>M70</u> — ◀	▶ <u>M50</u> — ◀ ▶ <u>M50</u> — ◀ ▶ <u>M50</u> — ◀ ▶ <u>M50</u> — ◀	▶ <u>M52</u> — ◀	▶ <u>M46</u> — ◀	(**)
(**)	(**)	(**)	▶ <u>M70</u> — ◀	▶ <u>M50</u> — ◀	▶ <u>M52</u> — ◀	▶ <u>M46</u> — ◀	(**)
(**)	(**)	(**)	▶ <u>M70</u> — ◀	▶ <u>M50</u> — ◀	▶ <u>M52</u> — ◀	▶ <u>M46</u> — ◀	(**)
(**)	(**)	(**)	▶ <u>M70</u> — ◀	▶ <u>M50</u> — ◀	▶ <u>M52</u> — ◀	▶ <u>M46</u> — ◀	(**)

▼ M2

(25)	(26)	(27)	(28)	(29)	(30)	(31)
▶ <u>M67</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M7</u> ▶ <u>C5</u> (**) ◀ ◀ ▶ <u>M7</u> ▶ <u>C5</u> (**) ◀ ◀	(**)	▶ <u>M37</u> (**) ◀ ▶ <u>M37</u> 0,02 (*) ◀	▶ <u>M52</u> — ◀
			▶ <u>M7</u> ▶ <u>C5</u> 0,05 (*) ◀ ◀		▶ <u>M37</u> 0,02 (*) ◀	
	▶ <u>M66</u> 0,02 (*) ◀	▶ <u>M66</u> 0,02 (*) ◀	▶ <u>M7</u> ▶ <u>C5</u> 0,05 (*) ◀ ◀			▶ <u>M52</u> 0,01 (*) ◀
▶ <u>M67</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M7</u> ▶ <u>C5</u> 0,05 (*) ◀ ◀ ▶ <u>M7</u> ▶ <u>C5</u> 0,05 (*) ◀ ◀ ▶ <u>M7</u> ▶ <u>C5</u> 0,05 (*) ◀ ◀	(**)	▶ <u>M37</u> 10 ◀ ▶ <u>M37</u> (**) ◀ ▶ <u>M37</u> 0,02 (*) ◀	▶ <u>M52</u> — ◀
			▶ <u>M7</u> ▶ <u>C5</u> 0,05 (*) ◀ ◀		▶ <u>M37</u> 0,02 (*) ◀	
▶ <u>M67</u> — ◀	▶ <u>M66</u> 0,02 (*) ◀	▶ <u>M66</u> 0,02 (*) ◀	▶ <u>M7</u> ▶ <u>C5</u> 0,05 (*) ◀ ◀	(**)	▶ <u>M37</u> (**) ◀	▶ <u>M52</u> 0,01 (*) ◀
	▶ <u>M66</u> 0,02 (*) ◀	▶ <u>M66</u> 0,02 (*) ◀	▶ <u>M7</u> ▶ <u>C5</u> 0,05 (*) ◀ ◀		▶ <u>M37</u> 0,02 (*) ◀	▶ <u>M52</u> 0,01 (*) ◀
	▶ <u>M66</u> 0,02 (*) ◀	▶ <u>M66</u> 0,02 (*) ◀	▶ <u>M7</u> ▶ <u>C5</u> 0,05 (*) ◀ ◀		▶ <u>M37</u> 0,02 (*) ◀	▶ <u>M52</u> 0,01 (*) ◀
	▶ <u>M66</u> 0,05 (*) ◀	▶ <u>M66</u> 0,05 (*) ◀	▶ <u>M7</u> ▶ <u>C5</u> 0,05 (*) ◀ ◀		▶ <u>M37</u> 0,02 (*) ◀	▶ <u>M52</u> 0,02 (*) ◀
▶ <u>M67</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M7</u> ▶ <u>C5</u> 0,05 (*) ◀ ◀	(**)	▶ <u>M37</u> (**) ◀	▶ <u>M52</u> — ◀
▶ <u>M67</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M7</u> ▶ <u>C5</u> 0,05 (*) ◀ ◀	(**)	▶ <u>M37</u> (**) ◀	▶ <u>M52</u> — ◀
▶ <u>M67</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M7</u> ▶ <u>C5</u> 0,05 (*) ◀ ◀	(**)	▶ <u>M37</u> (**) ◀	▶ <u>M52</u> — ◀
▶ <u>M67</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M7</u> ▶ <u>C5</u> 0,05 (*) ◀ ◀	(**)	▶ <u>M37</u> (**) ◀	▶ <u>M52</u> — ◀

▼ **M2**

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)
0256090	Bay leaves (laurel)	(**)	(**)	► <b>M58</b> — ◀	(**)	► <b>M43</b> (**) ◀	► <b>M68</b> — ◀
0256100	Tarragon	(**)	(**)	► <b>M58</b> — ◀	(**)	► <b>M43</b> (**) ◀	► <b>M68</b> — ◀
0256990	Others	0,01 (*)	► <b>M20</b> 1 ◀			► <b>M43</b> 0,02 (*) ◀	
0260000	(vi) <b>Legume vegetables (fresh)</b>	► <b>M16</b> 0,01 (*) ◀	► <b>M20</b> 0,05 (*) ◀	► <b>M58</b> 0,01 (*) ◀		► <b>M43</b> 0,02 (*) ◀	► <b>M68</b> 0,01 (*) ◀
0260010	Beans (with pods)	0,01 (*)					
0260020	Beans (without pods)	0,01 (*)					
0260030	Peas (with pods)	0,01 (*)					
0260040	Peas (without pods)	0,01 (*)					
0260050	Lentils	0,1					
0260990	Others	0,01 (*)					
0270000	(vii) <b>Stem vegetables (fresh)</b>	► <b>M16</b> 0,01 (*) ◀	► <b>M20</b> 0,05 (*) ◀	► <b>M58</b> 0,01 (*) ◀		► <b>M43</b> 0,02 (*) ◀	► <b>M5</b> — ◀
0270010	Asparagus	0,01 (*)					► <b>M68</b> 0,01 (*) ◀
0270020	Cardoons	0,01 (*)					► <b>M68</b> 0,01 (*) ◀
0270030	Celery	0,1					► <b>M68</b> 0,01 (*) ◀
0270040	Fennel	0,01 (*)					► <b>M68</b> 0,01 (*) ◀
0270050	Globe artichokes	0,01 (*)					► <b>M68</b> 0,01 (*) ◀
0270060	Leek	0,01 (*)					► <b>M68</b> 2 ◀
0270070	Rhubarb	0,01 (*)					► <b>M68</b> 0,01 (*) ◀
0270080	Bamboo shoots	(**)	(**)	► <b>M58</b> — ◀	(**)	► <b>M43</b> (**) ◀	► <b>M68</b> 0,01 (*) ◀
0270090	Palm hearts	(**)	(**)	► <b>M58</b> — ◀	(**)	► <b>M43</b> (**) ◀	► <b>M68</b> 0,01 (*) ◀
0270990	Others	0,01 (*)					► <b>M68</b> 0,01 (*) ◀

▼ M2

(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
▶ <u>M70</u> (**) ◀	▶ <u>M9</u> (**) ◀	▶ <u>M53</u> (**) ◀	▶ <u>M8</u> (**) ◀	(**)	▶ <u>M70</u> (**) ◀	▶ <u>M32</u> (**) ◀	(**)
▶ <u>M70</u> (**) ◀	▶ <u>M9</u> (**) ◀	▶ <u>M53</u> (**) ◀	▶ <u>M8</u> (**) ◀	(**)	▶ <u>M70</u> (**) ◀	▶ <u>M32</u> (**) ◀	(**)
▶ <u>M70</u> 0,02 (*) ◀	▶ <u>M21</u> 0,02 (*) ◀	▶ <u>M53</u> 0,02 (*) ◀	▶ <u>M8</u> 0,05 (*) ◀		▶ <u>M5</u> — ◀	▶ <u>M32</u> 0,01 (*) ◀	0,05 (*)
					▶ <u>M70</u> 5 ◀		
					▶ <u>M70</u> 0,05 (*) ◀		
					▶ <u>M70</u> 0,05 (*) ◀		
					▶ <u>M70</u> 0,05 (*) ◀		
					▶ <u>M70</u> 0,05 (*) ◀		
▶ <u>M70</u> — ◀	▶ <u>M21</u> 0,02 (*) ◀	▶ <u>M53</u> 0,02 (*) ◀	▶ <u>M8</u> 0,05 (*) ◀		▶ <u>M70</u> 0,05 (*) ◀	▶ <u>M32</u> 0,01 (*) ◀	
▶ <u>M70</u> 0,02 (*) ◀							0,05 (*)
▶ <u>M70</u> 40 ◀							0,05 (*)
▶ <u>M70</u> 40 ◀							0,05 (*)
▶ <u>M70</u> 4 ◀							0,05 (*)
▶ <u>M70</u> 0,02 (*) ◀							0,05 (*)
▶ <u>M70</u> 0,02 (*) ◀							1
▶ <u>M70</u> 4 ◀							0,05 (*)
▶ <u>M70</u> (**) ◀	▶ <u>M9</u> (**) ◀	▶ <u>M53</u> (**) ◀	▶ <u>M8</u> (**) ◀	(**)	▶ <u>M70</u> (**) ◀	▶ <u>M32</u> (**) ◀	(**)
▶ <u>M70</u> (**) ◀	▶ <u>M9</u> (**) ◀	▶ <u>M53</u> (**) ◀	▶ <u>M8</u> (**) ◀	(**)	▶ <u>M70</u> (**) ◀	▶ <u>M32</u> (**) ◀	(**)
▶ <u>M70</u> 0,02 (*) ◀							0,05 (*)

▼ M2

(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)
(**)	(**)	(**)	▶ <u>M70</u> — ◀	▶ <u>M50</u> — ◀	▶ <u>M52</u> — ◀	▶ <u>M46</u> — ◀	(**)
(**)	(**)	(**)	▶ <u>M70</u> — ◀	▶ <u>M50</u> — ◀	▶ <u>M52</u> — ◀	▶ <u>M46</u> — ◀	(**)
				▶ <u>M50</u> — ◀			
▶ <u>M16</u> 0,01 (*) ◀			▶ <u>M5</u> — ◀	▶ <u>M50</u> — ◀	▶ <u>M52</u> 0,01 (*) ◀	▶ <u>M46</u> 0,01 (*) ◀	
			▶ <u>M70</u> 0,1 ◀ ▶ <u>M70</u> 0,02 (*) ◀  ▶ <u>M70</u> 0,1 ◀ ▶ <u>M70</u> 0,02 (*) ◀ ▶ <u>M70</u> 0,02 (*) ◀	▶ <u>M50</u> — ◀  ▶ <u>M50</u> — ◀  ▶ <u>M50</u> — ◀ ▶ <u>M50</u> — ◀ ▶ <u>M50</u> — ◀			
			▶ <u>M70</u> 0,02 (*) ◀	▶ <u>M50</u> — ◀			
▶ <u>M16</u> 0,01 (*) ◀			▶ <u>M70</u> 0,02 (*) ◀	▶ <u>M50</u> — ◀	▶ <u>M52</u> 0,01 (*) ◀	▶ <u>M46</u> 0,01 (*) ◀	
				▶ <u>M50</u> — ◀ ▶ <u>M50</u> — ◀ ▶ <u>M50</u> — ◀ ▶ <u>M50</u> — ◀ ▶ <u>M50</u> — ◀ ▶ <u>M50</u> — ◀ ▶ <u>M50</u> — ◀ ▶ <u>M70</u> (+) ◀ ▶ <u>M50</u> — ◀ ▶ <u>M50</u> — ◀ ▶ <u>M50</u> — ◀			
(**)	(**)	(**)	▶ <u>M70</u> — ◀	▶ <u>M50</u> — ◀	▶ <u>M52</u> — ◀	▶ <u>M46</u> — ◀	(**)
(**)	(**)	(**)	▶ <u>M70</u> — ◀	▶ <u>M50</u> — ◀	▶ <u>M52</u> — ◀	▶ <u>M46</u> — ◀	(**)
				▶ <u>M50</u> — ◀			



▼ M2

(25)	(26)	(27)	(28)	(29)	(30)	(31)
▶ <u>M67</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M7</u> ▶ <u>C5</u> (**) ◀ ◀	(**)	▶ <u>M37</u> (**) ◀	▶ <u>M52</u> — ◀
▶ <u>M67</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M7</u> ▶ <u>C5</u> (**) ◀ ◀	(**)	▶ <u>M37</u> (**) ◀	▶ <u>M52</u> — ◀
			▶ <u>M7</u> ▶ <u>C5</u> 0,05 (*) ◀ ◀			
▶ <u>M67</u> 0,05 (*) ◀	▶ <u>M66</u> 0,02 (*) ◀	▶ <u>M66</u> 0,02 (*) ◀	▶ <u>M7</u> ▶ <u>C5</u> 0,05 (*) ◀ ◀			▶ <u>M52</u> 0,01 (*) ◀
			▶ <u>M7</u> ▶ <u>C5</u> 0,05 (*) ◀ ◀		▶ <u>M37</u> 2 ◀	
			▶ <u>M7</u> ▶ <u>C5</u> 0,05 (*) ◀ ◀		▶ <u>M37</u> 2 ◀	
			▶ <u>M7</u> ▶ <u>C5</u> 0,05 (*) ◀ ◀		▶ <u>M37</u> 0,02 (*) ◀	
			▶ <u>M7</u> ▶ <u>C5</u> 0,05 (*) ◀ ◀		▶ <u>M37</u> 0,02 (*) ◀	
			▶ <u>M7</u> ▶ <u>C5</u> 0,05 (*) ◀ ◀		▶ <u>M37</u> 0,02 (*) ◀	
▶ <u>M67</u> 0,05 (*) ◀	▶ <u>M66</u> 0,02 (*) ◀	▶ <u>M66</u> 0,02 (*) ◀			▶ <u>M37</u> 0,02 (*) ◀	▶ <u>M52</u> 0,01 (*) ◀
			▶ <u>M7</u> ▶ <u>C5</u> 0,05 (*) ◀ ◀			
			▶ <u>M7</u> ▶ <u>C5</u> 0,05 (*) ◀ ◀			
			▶ <u>M7</u> ▶ <u>C5</u> 0,05 (*) ◀ ◀			
			▶ <u>M7</u> ▶ <u>C5</u> 0,05 (*) ◀ ◀			
			▶ <u>M7</u> ▶ <u>C5</u> 0,05 (*) ◀ ◀			
			▶ <u>M7</u> ▶ <u>C5</u> 0,2 ◀ ◀			
			▶ <u>M7</u> ▶ <u>C5</u> 0,05 (*) ◀ ◀			
▶ <u>M67</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M7</u> ▶ <u>C5</u> (**) ◀ ◀	(**)	▶ <u>M37</u> (**) ◀	▶ <u>M52</u> — ◀
▶ <u>M67</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M7</u> ▶ <u>C5</u> (**) ◀ ◀	(**)	▶ <u>M37</u> (**) ◀	▶ <u>M52</u> — ◀
			▶ <u>M7</u> ▶ <u>C5</u> 0,05 (*) ◀ ◀			

▼ **M2**

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)
0280000	(viii) <b>Fungi</b>	▶ <b>M16</b> 0,01 (*) ◀	▶ <b>M20</b> 0,05 (*) ◀	▶ <b>M58</b> 0,01 (*) ◀		▶ <b>M43</b> 0,02 (*) ◀	▶ <b>M68</b> 0,01 (*) ◀
0280010	Cultivated						
0280020	Wild						
0280990	Others						
0290000	(ix) <b>Sea weeds</b>	(**)	(**)	▶ <b>M58</b> 0,01 (*) ◀	(**)	▶ <b>M43</b> (**) ◀	▶ <b>M68</b> 0,01 (*) ◀
0300000	3. <b>PULSES, DRY</b>	▶ <b>M16</b> 0,01 (*) ◀	▶ <b>M20</b> 0,05 (*) ◀	▶ <b>M58</b> 0,02 (*) ◀	0,1 (*)	▶ <b>M43</b> 0,02 (*) ◀	▶ <b>M68</b> 0,01 (*) ◀
0300010	Beans						
0300020	Lentils						
0300030	Peas						
0300040	Lupins						
0300990	Others						
0400000	4. <b>OILSEEDS AND OILFRUITS</b>			▶ <b>M58</b> 0,02 (*) ◀			▶ <b>M68</b> 0,01 (*) ◀
0401000	(i) <b>Oilseeds</b>	▶ <b>M16</b> 0,02 (*) ◀	▶ <b>M20</b> 0,1 (*) ◀		0,2 (*)	▶ <b>M43</b> 0,05 (*) ◀	▶ <b>M68</b> — ◀
0401010	Linseed						
0401020	Peanuts						
0401030	Poppy seed						
0401040	Sesame seed						
0401050	Sunflower seed						
0401060	Rape seed						▶ <b>M68</b> (+) ◀
0401070	Soya bean						

▼ M2

(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
▶ <u>M70</u> 0,02 (*) ◀	▶ <u>M21</u> 0,02 (*) ◀	▶ <u>M53</u> 0,02 (*) ◀	▶ <u>M8</u> 0,05 (*) ◀		▶ <u>M70</u> 0,05 (*) ◀	▶ <u>M32</u> 0,01 (*) ◀	0,05 (*)
▶ <u>M70</u> (**) ◀	▶ <u>M21</u> 0,02 (*) ◀	▶ <u>M53</u> (**) ◀	▶ <u>M8</u> (**) ◀	(**)	▶ <u>M70</u> (**) ◀	▶ <u>M32</u> (**) ◀	(**)
▶ <u>M70</u> 0,02 (*) ◀	▶ <u>M21</u> 0,02 (*) ◀	▶ <u>M53</u> 0,02 (*) ◀	▶ <u>M8</u> 0,05 (*) ◀	0,01 (*)	▶ <u>M70</u> 0,05 (*) ◀	▶ <u>M32</u> 0,01 (*) ◀	0,05 (*)
	▶ <u>M9</u> 0,05 (*) ◀	▶ <u>M53</u> 0,02 (*) ◀	▶ <u>M8</u> 0,05 (*) ◀	0,01 (*)		▶ <u>M32</u> 0,02 (*) ◀	0,05 (*)
▶ <u>M70</u> 0,05 (*) ◀	▶ <u>M21</u> 0,02 (*) ◀				▶ <u>M70</u> 0,1 (*) ◀		

▼ M2

(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)
▶ <u>M16</u> 0,01 (*) ◀			▶ <u>M70</u> 0,02 (*) ◀	▶ <u>M50</u> — ◀	▶ <u>M52</u> 0,01 (*) ◀	▶ <u>M46</u> 0,01 (*) ◀	
				▶ <u>M50</u> — ◀			
				▶ <u>M50</u> — ◀			
(**)	(**)	(**)	▶ <u>M70</u> 0,02 (**)* ◀	▶ <u>M50</u> — ◀	▶ <u>M52</u> 0,01 (*) ◀	▶ <u>M46</u> 0,01 (*) ◀	(**)
▶ <u>M16</u> 0,01 (*) ◀	0,05 (*)	0,05 (*)	▶ <u>M70</u> 0,02 (*) ◀	▶ <u>M50</u> — ◀	▶ <u>M52</u> 0,01 (*) ◀	▶ <u>M46</u> 0,01 (*) ◀	0,05 (*)
			▶ <u>M70</u> (+) ◀	▶ <u>M50</u> — ◀			
				▶ <u>M50</u> — ◀			
			▶ <u>M70</u> 0,05 (*) ◀	▶ <u>M50</u> — ◀	▶ <u>M52</u> 0,01 (*) ◀	▶ <u>M46</u> 0,01 (*) ◀	0,05 (*)
▶ <u>M16</u> 0,02 (*) ◀	0,1 (*)	0,1 (*)	▶ <u>M56</u> — ◀	▶ <u>M50</u> — ◀	▶ <u>M52</u> — ◀	▶ <u>M46</u> — ◀	
				▶ <u>M50</u> — ◀			
				▶ <u>M50</u> — ◀			
				▶ <u>M50</u> — ◀			
				▶ <u>M50</u> — ◀			
				▶ <u>M50</u> — ◀			
				▶ <u>M50</u> — ◀			
				▶ <u>M50</u> — ◀			

▼ M2

(25)	(26)	(27)	(28)	(29)	(30)	(31)
▶ <u>M67</u> 0,05 (*) ◀	▶ <u>M66</u> 0,02 (*) ◀	▶ <u>M66</u> 0,02 (*) ◀	▶ <u>M7</u> ▶ <u>C5</u> 0,05 (*) ◀ ◀		▶ <u>M37</u> 0,02 (*) ◀	▶ <u>M52</u> 0,01 (*) ◀
			▶ <u>M7</u> ▶ <u>C5</u> 0,05 (*) ◀ ◀ ▶ <u>M7</u> ▶ <u>C5</u> 0,05 (*) ◀ ◀			
			▶ <u>M7</u> ▶ <u>C5</u> 0,05 (*) ◀ ◀			
▶ <u>M67</u> 0,05 (*) ◀	▶ <u>M66</u> 0,02 (*) ◀	▶ <u>M66</u> 0,02 (*) ◀	▶ <u>M7</u> ▶ <u>C5</u> (**) ◀ ◀	(**)	▶ <u>M37</u> (**) ◀	▶ <u>M52</u> 0,01 (*) ◀
▶ <u>M67</u> 0,05 (*) ◀	▶ <u>M66</u> 0,02 (*) ◀	▶ <u>M66</u> 0,02 (*) ◀	▶ <u>M7</u> ▶ <u>C5</u> 0,05 (*) ◀ ◀	0,02 (*)	▶ <u>M37</u> 0,02 (*) ◀	▶ <u>M52</u> 0,01 (*) ◀
			▶ <u>M7</u> ▶ <u>C5</u> 0,05 (*) ◀ ◀ ▶ <u>M7</u> ▶ <u>C5</u> 0,05 (*) ◀ ◀ ▶ <u>M7</u> ▶ <u>C5</u> 0,05 (*) ◀ ◀ ▶ <u>M7</u> ▶ <u>C5</u> 0,05 (*) ◀ ◀			
			▶ <u>M7</u> ▶ <u>C5</u> 0,05 (*) ◀ ◀			
▶ <u>M67</u> 0,05 (*) ◀	▶ <u>M66</u> 0,05 (*) ◀	▶ <u>M66</u> 0,02 (*) ◀	▶ <u>M7</u> ▶ <u>C5</u> 0,05 (*) ◀ ◀		▶ <u>M37</u> 0,02 (*) ◀	▶ <u>M52</u> 0,02 (*) ◀
	▶ <u>M66</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M7</u> ▶ <u>C5</u> 0,05 (*) ◀ ◀	0,05 (*)		
			▶ <u>M7</u> ▶ <u>C5</u> 0,05 (*) ◀ ◀ ▶ <u>M7</u> ▶ <u>C5</u> 0,05 (*) ◀ ◀ ▶ <u>M7</u> ▶ <u>C5</u> 0,05 (*) ◀ ◀ ▶ <u>M7</u> ▶ <u>C5</u> 0,05 (*) ◀ ◀ ▶ <u>M7</u> ▶ <u>C5</u> 0,05 (*) ◀ ◀ ▶ <u>M7</u> ▶ <u>C5</u> 0,05 (*) ◀ ◀ ▶ <u>M7</u> ▶ <u>C5</u> 0,05 (*) ◀ ◀			

▼ **M2**

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)
0401080	Mustard seed						
0401090	Cotton seed						
0401100	Pumpkin seeds						
0401110	Safflower	(**)	(**)	► <b>M58</b> — ◀	(**)	► <b>M43</b> (**) ◀	► <b>M68</b> — ◀
0401120	Borage	(**)	(**)	► <b>M58</b> — ◀	(**)	► <b>M43</b> (**) ◀	► <b>M68</b> — ◀
0401130	Gold of pleasure	(**)	(**)	► <b>M58</b> — ◀	(**)	► <b>M43</b> (**) ◀	► <b>M68</b> — ◀
0401140	Hempseed						
0401150	Castor bean	(**)	(**)	► <b>M58</b> — ◀	(**)	► <b>M43</b> (**) ◀	► <b>M68</b> — ◀
0401990	Others						
0402000	(ii) <b>Oilfruits</b>	0,01 (*)			0,1 (*)	► <b>M43</b> 0,02 (*) ◀	
0402010	Olives for oil production	► <b>M16</b> 0,01 (*) ◀	► <b>M20</b> 0,05 (*) ◀				► <b>M68</b> — ◀
0402020	Palm nuts (palmoil kernels)	(**)	(**)	► <b>M58</b> — ◀	(**)	► <b>M43</b> (**) ◀	► <b>M68</b> — ◀
0402030	Palmfruit	(**)	(**)	► <b>M58</b> — ◀	(**)	► <b>M43</b> (**) ◀	► <b>M68</b> — ◀
0402040	Kapok	(**)	(**)	► <b>M58</b> — ◀	(**)	► <b>M43</b> (**) ◀	► <b>M68</b> — ◀
0402990	Others	► <b>M16</b> 0,02 (*) ◀	► <b>M20</b> 0,1 (*) ◀				► <b>M68</b> — ◀
0500000	5. <b>CEREALS</b>	► <b>M16</b> 0,01 (*) ◀	► <b>M20</b> 0,05 (*) ◀	► <b>M58</b> 0,02 (*) ◀	0,02 (*)	► <b>M43</b> 0,02 (*) ◀	
0500010	Barley						► <b>M68</b> 0,2 ◀
0500020	Buckwheat						► <b>M68</b> 0,01 (*) ◀
0500030	Maize						► <b>M68</b> 0,01 (*) ◀
0500040	Millet						► <b>M68</b> 0,01 (*) ◀
0500050	Oats						► <b>M68</b> 0,1 ◀
0500060	Rice			► <b>M58</b> (+) ◀			► <b>M68</b> 0,01 (*) ◀
0500070	Rye						► <b>M68</b> 0,05 ◀

▼ M2

(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
▶ <u>M70</u> (**) ◀	▶ <u>M9</u> (**) ◀	▶ <u>M53</u> (**) ◀	▶ <u>M8</u> (**) ◀	(**)	▶ <u>M70</u> (**) ◀	▶ <u>M32</u> (**) ◀	(**)
▶ <u>M70</u> (**) ◀	▶ <u>M9</u> (**) ◀	▶ <u>M53</u> (**) ◀	▶ <u>M8</u> (**) ◀	(**)	▶ <u>M70</u> (**) ◀	▶ <u>M32</u> (**) ◀	(**)
▶ <u>M70</u> (**) ◀	▶ <u>M9</u> (**) ◀	▶ <u>M53</u> (**) ◀	▶ <u>M8</u> (**) ◀	(**)	▶ <u>M70</u> (**) ◀	▶ <u>M32</u> (**) ◀	(**)
▶ <u>M70</u> (**) ◀	▶ <u>M9</u> (**) ◀	▶ <u>M53</u> (**) ◀	▶ <u>M8</u> (**) ◀	(**)	▶ <u>M70</u> (**) ◀	▶ <u>M32</u> (**) ◀	(**)
	▶ <u>M21</u> 0,05 (*) ◀						
▶ <u>M70</u> 0,02 (*) ◀	▶ <u>M9</u> — ◀				▶ <u>M70</u> 0,05 (*) ◀		
▶ <u>M70</u> (**) ◀	▶ <u>M9</u> (**) ◀	▶ <u>M53</u> (**) ◀	▶ <u>M8</u> (**) ◀	(**)	▶ <u>M70</u> (**) ◀	▶ <u>M32</u> (**) ◀	(**)
▶ <u>M70</u> (**) ◀	▶ <u>M9</u> (**) ◀	▶ <u>M53</u> (**) ◀	▶ <u>M8</u> (**) ◀	(**)	▶ <u>M70</u> (**) ◀	▶ <u>M32</u> (**) ◀	(**)
▶ <u>M70</u> (**) ◀	▶ <u>M9</u> (**) ◀	▶ <u>M53</u> (**) ◀	▶ <u>M8</u> (**) ◀	(**)	▶ <u>M70</u> (**) ◀	▶ <u>M32</u> (**) ◀	(**)
▶ <u>M70</u> 0,05 (*) ◀	▶ <u>M9</u> — ◀				▶ <u>M70</u> 0,1 (*) ◀		
▶ <u>M70</u> 0,02 (*) ◀	▶ <u>M21</u> 0,02 (*) ◀	▶ <u>M53</u> 0,02 (*) ◀	▶ <u>M8</u> 0,05 (*) ◀	0,01 (*)	▶ <u>M70</u> 0,05 (*) ◀	▶ <u>M32</u> 0,05 (*) ◀	
							0,5
							0,05 (*)
							0,05 (*)
							0,05 (*)
							0,5
							0,05 (*)
							0,5

▼ M2

(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)
				▶ <u>M50</u> — ◀			
				▶ <u>M50</u> — ◀			
				▶ <u>M50</u> — ◀			
(**)	(**)	(**)	▶ <u>M70</u> — ◀	▶ <u>M50</u> — ◀	▶ <u>M52</u> — ◀	▶ <u>M46</u> — ◀	(**)
(**)	(**)	(**)	▶ <u>M70</u> — ◀	▶ <u>M50</u> — ◀	▶ <u>M52</u> — ◀	▶ <u>M46</u> — ◀	(**)
(**)	(**)	(**)	▶ <u>M70</u> — ◀	▶ <u>M50</u> — ◀	▶ <u>M52</u> — ◀	▶ <u>M46</u> — ◀	(**)
				▶ <u>M50</u> — ◀			
				▶ <u>M50</u> — ◀			
▶ <u>M16</u> 0,01 (*) ◀	0,05 (*)	0,05 (*)	▶ <u>M56</u> — ◀	▶ <u>M50</u> — ◀	▶ <u>M52</u> (+) ◀	▶ <u>M46</u> — ◀	
(**)	(**)	(**)	▶ <u>M70</u> — ◀	▶ <u>M50</u> — ◀	▶ <u>M52</u> — ◀	▶ <u>M46</u> — ◀	(**)
(**)	(**)	(**)	▶ <u>M70</u> — ◀	▶ <u>M50</u> — ◀	▶ <u>M52</u> — ◀	▶ <u>M46</u> — ◀	(**)
(**)	(**)	(**)	▶ <u>M70</u> — ◀	▶ <u>M50</u> — ◀	▶ <u>M52</u> — ◀	▶ <u>M46</u> — ◀	(**)
▶ <u>M16</u> 0,02 (*) ◀	0,1 (*)	0,1 (*)	▶ <u>M56</u> — ◀	▶ <u>M50</u> — ◀	▶ <u>M52</u> — ◀	▶ <u>M46</u> — ◀	
▶ <u>M16</u> 0,01 (*) ◀	0,05 (*)	0,05 (*)		▶ <u>M50</u> — ◀	▶ <u>M52</u> 0,01 (*) ◀	▶ <u>M46</u> 0,01 (*) ◀	0,05 (*)
			▶ <u>M70</u> 0,3 (+) ◀	▶ <u>M50</u> — ◀			
			▶ <u>M70</u> 0,02 (*) ◀	▶ <u>M50</u> — ◀			
			▶ <u>M70</u> 0,02 (*) (+) ◀	▶ <u>M50</u> — ◀			
			▶ <u>M70</u> 0,02 (*) ◀	▶ <u>M50</u> — ◀			
			▶ <u>M70</u> 0,3 (+) ◀	▶ <u>M50</u> — ◀			
			▶ <u>M70</u> 0,02 (*) ◀	▶ <u>M50</u> — ◀			
			▶ <u>M70</u> 0,2 (+) ◀	▶ <u>M50</u> — ◀			



▼ M2

(25)	(26)	(27)	(28)	(29)	(30)	(31)
▶ <u>M67</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M7</u> ▶ <u>C5</u> 0,05 (*) ◀ ◀			
▶ <u>M67</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M7</u> ▶ <u>C5</u> 0,05 (*) ◀ ◀	(**)	▶ <u>M37</u> (**) ◀	▶ <u>M52</u> — ◀
▶ <u>M67</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M7</u> ▶ <u>C5</u> 0,05 (*) ◀ ◀	(**)	▶ <u>M37</u> (**) ◀	▶ <u>M52</u> — ◀
▶ <u>M67</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M7</u> ▶ <u>C5</u> (**) ◀ ◀	(**)	▶ <u>M37</u> (**) ◀	▶ <u>M52</u> — ◀
▶ <u>M67</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M7</u> ▶ <u>C5</u> (**) ◀ ◀	(**)	▶ <u>M37</u> (**) ◀	▶ <u>M52</u> — ◀
			▶ <u>M7</u> ▶ <u>C5</u> (**) ◀ ◀	(**)	▶ <u>M37</u> (**) ◀	▶ <u>M52</u> — ◀
			▶ <u>M7</u> ▶ <u>C5</u> 0,05 (*) ◀ ◀			
▶ <u>M67</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M7</u> ▶ <u>C5</u> 0,05 (*) ◀ ◀	0,02 (*)		
▶ <u>M67</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M7</u> ▶ <u>C5</u> (**) ◀ ◀	(**)	▶ <u>M37</u> (**) ◀	▶ <u>M52</u> — ◀
▶ <u>M67</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M7</u> ▶ <u>C5</u> (**) ◀ ◀	(**)	▶ <u>M37</u> (**) ◀	▶ <u>M52</u> — ◀
	▶ <u>M66</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M7</u> ▶ <u>C5</u> (**) ◀ ◀	(**)	▶ <u>M37</u> (**) ◀	▶ <u>M52</u> — ◀
▶ <u>M67</u> — ◀	▶ <u>M66</u> 0,02 (*) ◀	▶ <u>M66</u> 0,02 (*) ◀	▶ <u>M7</u> ▶ <u>C5</u> 0,05 (*) ◀ ◀	0,05 (*)		
				0,02 (*)		▶ <u>M52</u> 0,01 (*) ◀
▶ <u>M67</u> 0,1 ◀			▶ <u>M7</u> ▶ <u>C5</u> 0,1 ◀ ◀		▶ <u>M37</u> 2 ◀	
▶ <u>M67</u> 0,05 (*) ◀			▶ <u>M7</u> ▶ <u>C5</u> 0,1 ◀ ◀		▶ <u>M37</u> 0,02 (*) ◀	
▶ <u>M67</u> 0,05 (*) ◀			▶ <u>M7</u> ▶ <u>C5</u> 0,05 (*) ◀ ◀		▶ <u>M37</u> 0,02 (*) ◀	▶ <u>M52</u> (+) ◀
▶ <u>M67</u> 0,05 (*) ◀			▶ <u>M7</u> ▶ <u>C5</u> 0,05 (*) ◀ ◀		▶ <u>M37</u> 0,02 (*) ◀	
▶ <u>M67</u> 0,05 (*) ◀			▶ <u>M7</u> ▶ <u>C5</u> 0,1 ◀ ◀		▶ <u>M37</u> 0,02 (*) ◀	
▶ <u>M67</u> 0,05 (*) ◀			▶ <u>M7</u> ▶ <u>C5</u> 0,05 (*) ◀ ◀		▶ <u>M37</u> 0,02 (*) ◀	
▶ <u>M67</u> 0,05 (*) ◀			▶ <u>M7</u> ▶ <u>C5</u> 0,1 ◀ ◀		▶ <u>M37</u> 0,02 (*) ◀	

▼ **M2**

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)
0500080	Sorghum						► <b>M68</b> 0,01 (*) ◀
0500090	Wheat						► <b>M68</b> 0,1 ◀
0500990	Others						► <b>M68</b> 0,01 (*) ◀
0600000	6. <b>TEA, COFFEE, HERBAL INFUSIONS AND COCOA</b>			► <b>M58</b> 0,05 (*) ◀	0,2 (*)	► <b>M27</b> — ◀	► <b>M68</b> — ◀
0610000	(i) <b>Tea (dried leaves and stalks, fermented or otherwise of Camellia sinensis)</b>	► <b>M16</b> 3 ◀	► <b>M20</b> 0,1 (*) ◀			► <b>M43</b> 15 ◀	► <b>M68</b> 0,05 (*) ◀
0620000	(ii) <b>Coffee beans</b>	(**)	(**)	► <b>M58</b> — ◀	(**)	► <b>M43</b> (**) ◀	► <b>M68</b> 0,05 (*) ◀
0630000	(iii) <b>Herbal infusions (dried)</b>	(**)	(**)	► <b>M58</b> — ◀	(**)	► <b>M43</b> (**) ◀	► <b>M68</b> — ◀
0631000	(a) <i>Flowers</i>	(**)	(**)	► <b>M58</b> — ◀	(**)	► <b>M43</b> (**) ◀	► <b>M68</b> 2 ◀
0631010	Camomille flowers	(**)	(**)	► <b>M58</b> — ◀	(**)	► <b>M43</b> (**) ◀	► <b>M68</b> — ◀
0631020	Hybiscus flowers	(**)	(**)	► <b>M58</b> — ◀	(**)	► <b>M43</b> (**) ◀	► <b>M68</b> — ◀
0631030	Rose petals	(**)	(**)	► <b>M58</b> — ◀	(**)	► <b>M43</b> (**) ◀	► <b>M68</b> — ◀
0631040	Jasmine flowers	(**)	(**)	► <b>M58</b> — ◀	(**)	► <b>M43</b> (**) ◀	► <b>M68</b> — ◀
0631050	Lime (linden)	(**)	(**)	► <b>M58</b> — ◀	(**)	► <b>M43</b> (**) ◀	► <b>M68</b> — ◀
0631990	Others	(**)	(**)	► <b>M58</b> — ◀	(**)	► <b>M43</b> (**) ◀	► <b>M68</b> — ◀
0632000	(b) <i>Leaves</i>	(**)	(**)	► <b>M58</b> — ◀	(**)	► <b>M43</b> (**) ◀	► <b>M68</b> 0,05 (*) ◀
0632010	Strawberry leaves	(**)	(**)	► <b>M58</b> — ◀	(**)	► <b>M43</b> (**) ◀	► <b>M68</b> — ◀

▼ M2

(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
							0,05 (*) 0,5
							0,05 (*)
▶ <u>M70</u> 0,05 (*) ◀	▶ <u>M21</u> 0,05 (*) ◀	▶ <u>M53</u> 0,05 (*) ◀	▶ <u>M8</u> 0,1 (*) ◀	0,1 (*)	▶ <u>M70</u> 0,1 (*) ◀	▶ <u>M32</u> 0,05 (*) ◀	0,1 (*)
						▶ <u>M32</u> — ◀	
▶ <u>M70</u> (**) ◀	▶ <u>M9</u> (**) ◀	▶ <u>M53</u> (*) ◀	▶ <u>M8</u> (**) ◀	(**)	▶ <u>M70</u> (**) ◀	▶ <u>M32</u> (**) ◀	(**)
▶ <u>M70</u> (**) ◀	▶ <u>M9</u> (**) ◀	▶ <u>M53</u> (*) ◀	▶ <u>M8</u> (**) ◀	(**)	▶ <u>M70</u> (**) ◀	▶ <u>M32</u> (**) ◀	(**)
▶ <u>M70</u> (**) ◀	▶ <u>M9</u> (**) ◀	▶ <u>M53</u> (*) ◀	▶ <u>M8</u> (**) ◀	(**)	▶ <u>M70</u> (**) ◀	▶ <u>M32</u> (**) ◀	(**)
▶ <u>M70</u> (**) ◀	▶ <u>M9</u> (**) ◀	▶ <u>M53</u> (*) ◀	▶ <u>M8</u> (**) ◀	(**)	▶ <u>M70</u> (**) ◀	▶ <u>M32</u> (**) ◀	(**)
▶ <u>M70</u> (**) ◀	▶ <u>M9</u> (**) ◀	▶ <u>M53</u> (*) ◀	▶ <u>M8</u> (**) ◀	(**)	▶ <u>M70</u> (**) ◀	▶ <u>M32</u> (**) ◀	(**)
▶ <u>M70</u> (**) ◀	▶ <u>M9</u> (**) ◀	▶ <u>M53</u> (*) ◀	▶ <u>M8</u> (**) ◀	(**)	▶ <u>M70</u> (**) ◀	▶ <u>M32</u> (**) ◀	(**)
▶ <u>M70</u> (**) ◀	▶ <u>M9</u> (**) ◀	▶ <u>M53</u> (*) ◀	▶ <u>M8</u> (**) ◀	(**)	▶ <u>M70</u> (**) ◀	▶ <u>M32</u> (**) ◀	(**)
▶ <u>M70</u> (**) ◀	▶ <u>M9</u> (**) ◀	▶ <u>M53</u> (*) ◀	▶ <u>M8</u> (**) ◀	(**)	▶ <u>M70</u> (**) ◀	▶ <u>M32</u> (**) ◀	(**)
▶ <u>M70</u> (**) ◀	▶ <u>M9</u> (**) ◀	▶ <u>M53</u> (*) ◀	▶ <u>M8</u> (**) ◀	(**)	▶ <u>M70</u> (**) ◀	▶ <u>M32</u> (**) ◀	(**)
▶ <u>M70</u> (**) ◀	▶ <u>M9</u> (**) ◀	▶ <u>M53</u> (*) ◀	▶ <u>M8</u> (**) ◀	(**)	▶ <u>M70</u> (**) ◀	▶ <u>M32</u> (**) ◀	(**)
▶ <u>M70</u> (**) ◀	▶ <u>M9</u> (**) ◀	▶ <u>M53</u> (*) ◀	▶ <u>M8</u> (**) ◀	(**)	▶ <u>M70</u> (**) ◀	▶ <u>M32</u> (**) ◀	(**)

▼ M2

(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)
			▶ <u>M70</u> 0,02 (*) (+) ◀ ▶ <u>M70</u> 0,2 (+) ◀	▶ <u>M50</u> — ◀ ▶ <u>M50</u> — ◀			
			▶ <u>M70</u> 0,02 (*) ◀	▶ <u>M50</u> — ◀			
▶ <u>M16</u> 0,05 (*) ◀	0,1 (*)	0,1 (*)	▶ <u>M70</u> 0,1 (*) ◀	▶ <u>M50</u> — ◀	▶ <u>M52</u> 0,05 (*) ◀	▶ <u>M46</u> 0,05 (*) ◀	0,1 (*)
				▶ <u>M50</u> — ◀			
(**)	(**)	(**)	▶ <u>M70</u> — ◀	▶ <u>M50</u> — ◀	▶ <u>M52</u> — ◀	▶ <u>M46</u> — ◀	(**)
(**)	(**)	(**)	▶ <u>M70</u> — ◀	▶ <u>M50</u> — ◀	▶ <u>M52</u> — ◀	▶ <u>M46</u> — ◀	(**)
(**)	(**)	(**)	▶ <u>M70</u> — ◀	▶ <u>M50</u> — ◀	▶ <u>M52</u> — ◀	▶ <u>M46</u> — ◀	(**)
(**)	(**)	(**)	▶ <u>M70</u> — ◀	▶ <u>M50</u> — ◀	▶ <u>M52</u> — ◀	▶ <u>M46</u> — ◀	(**)
(**)	(**)	(**)	▶ <u>M70</u> — ◀	▶ <u>M50</u> — ◀	▶ <u>M52</u> — ◀	▶ <u>M46</u> — ◀	(**)
(**)	(**)	(**)	▶ <u>M70</u> — ◀	▶ <u>M50</u> — ◀	▶ <u>M52</u> — ◀	▶ <u>M46</u> — ◀	(**)
(**)	(**)	(**)	▶ <u>M70</u> — ◀	▶ <u>M50</u> — ◀	▶ <u>M52</u> — ◀	▶ <u>M46</u> — ◀	(**)
(**)	(**)	(**)	▶ <u>M70</u> — ◀	▶ <u>M50</u> — ◀	▶ <u>M52</u> — ◀	▶ <u>M46</u> — ◀	(**)
(**)	(**)	(**)	▶ <u>M70</u> — ◀	▶ <u>M50</u> — ◀	▶ <u>M52</u> — ◀	▶ <u>M46</u> — ◀	(**)
(**)	(**)	(**)	▶ <u>M70</u> — ◀	▶ <u>M50</u> — ◀	▶ <u>M52</u> — ◀	▶ <u>M46</u> — ◀	(**)
(**)	(**)	(**)	▶ <u>M70</u> — ◀	▶ <u>M50</u> — ◀	▶ <u>M52</u> — ◀	▶ <u>M46</u> — ◀	(**)

▼ M2

(25)	(26)	(27)	(28)	(29)	(30)	(31)
▶ <u>M67</u> 0,05 (*) ◀ ▶ <u>M67</u> 0,1 ◀			▶ <u>M7</u> ▶ <u>C5</u> 0,05 (*) ◀ ◀ ▶ <u>M7</u> ▶ <u>C5</u> 0,1 ◀ ◀		▶ <u>M37</u> 0,02 (*) ◀ ▶ <u>M37</u> 2 ◀	
▶ <u>M67</u> 0,05 (*) ◀			▶ <u>M7</u> ▶ <u>C5</u> 0,05 (*) ◀ ◀		▶ <u>M37</u> 0,02 (*) ◀	
▶ <u>M67</u> 0,05 (*) ◀	▶ <u>M66</u> 0,1 (*) ◀	▶ <u>M66</u> 0,1 (*) ◀	▶ <u>M7</u> ▶ <u>C5</u> — ◀ ◀	0,05 (*)	▶ <u>M37</u> 0,05 (*) ◀	▶ <u>M52</u> 0,05 (*) ◀
			▶ <u>M7</u> ▶ <u>C5</u> 0,1 (*) ◀ ◀			
▶ <u>M67</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M7</u> ▶ <u>C5</u> (**) ◀ ◀	(**)	▶ <u>M37</u> (**) ◀	▶ <u>M52</u> — ◀
▶ <u>M67</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M7</u> ▶ <u>C5</u> (**) ◀ ◀	(**)	▶ <u>M37</u> (**) ◀	▶ <u>M52</u> — ◀
▶ <u>M67</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M7</u> ▶ <u>C5</u> (**) ◀ ◀	(**)	▶ <u>M37</u> (**) ◀	▶ <u>M52</u> — ◀
▶ <u>M67</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M7</u> ▶ <u>C5</u> (**) ◀ ◀	(**)	▶ <u>M37</u> (**) ◀	▶ <u>M52</u> — ◀
▶ <u>M67</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M7</u> ▶ <u>C5</u> (**) ◀ ◀	(**)	▶ <u>M37</u> (**) ◀	▶ <u>M52</u> — ◀
▶ <u>M67</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M7</u> ▶ <u>C5</u> (**) ◀ ◀	(**)	▶ <u>M37</u> (**) ◀	▶ <u>M52</u> — ◀
▶ <u>M67</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M7</u> ▶ <u>C5</u> (**) ◀ ◀	(**)	▶ <u>M37</u> (**) ◀	▶ <u>M52</u> — ◀
▶ <u>M67</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M7</u> ▶ <u>C5</u> (**) ◀ ◀	(**)	▶ <u>M37</u> (**) ◀	▶ <u>M52</u> — ◀
▶ <u>M67</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M7</u> ▶ <u>C5</u> (**) ◀ ◀	(**)	▶ <u>M37</u> (**) ◀	▶ <u>M52</u> — ◀
▶ <u>M67</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M7</u> ▶ <u>C5</u> (**) ◀ ◀	(**)	▶ <u>M37</u> (**) ◀	▶ <u>M52</u> — ◀
▶ <u>M67</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M7</u> ▶ <u>C5</u> (**) ◀ ◀	(**)	▶ <u>M37</u> (**) ◀	▶ <u>M52</u> — ◀

▼ M2

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)
0632020	Rooibos leaves	(**)	(**)	► <u>M58</u> — ◄	(**)	► <u>M43</u> (**) ◄	► <u>M68</u> — ◄
0632030	Maté	(**)	(**)	► <u>M58</u> — ◄	(**)	► <u>M43</u> (**) ◄	► <u>M68</u> — ◄
0632990	Others	(**)	(**)	► <u>M58</u> — ◄	(**)	► <u>M43</u> (**) ◄	► <u>M68</u> — ◄
0633000	(c) <i>Roots</i>	(**)	(**)	► <u>M58</u> — ◄	(**)	► <u>M43</u> (**) ◄	► <u>M68</u> 0,05 (*) ◄
0633010	Valerian root	(**)	(**)	► <u>M58</u> — ◄	(**)	► <u>M43</u> (**) ◄	► <u>M68</u> — ◄
0633020	Ginseng root	(**)	(**)	► <u>M58</u> — ◄	(**)	► <u>M43</u> (**) ◄	► <u>M68</u> — ◄
0633990	Others	(**)	(**)	► <u>M58</u> — ◄	(**)	► <u>M43</u> (**) ◄	► <u>M68</u> — ◄
0639000	(d) <i>Other herbal infusions</i>	(**)	(**)	► <u>M58</u> — ◄	(**)	► <u>M43</u> (**) ◄	► <u>M68</u> 0,05 (*) ◄
0640000	(iv) <b>Cocoa (fermented beans)</b>	(**)	(**)	► <u>M58</u> — ◄	(**)	► <u>M43</u> (**) ◄	► <u>M68</u> 0,05 (*) ◄
0650000	(v) <b>Carob (st johns bread)</b>	(**)	(**)	► <u>M58</u> — ◄	(**)	► <u>M43</u> (**) ◄	► <u>M68</u> 0,05 (*) ◄
0700000	7. <b>HOPS (dried), including hop pellets and unconcentrated powder</b>	► <u>M16</u> 0,05 (*) ◄	► <u>M20</u> 0,1 (*) ◄	► <u>M58</u> 0,05 (*) ◄	0,2 (*)	► <u>M43</u> 15 ◄	► <u>M68</u> 0,05 (*) ◄
0800000	8. <b>SPICES</b>	(**)	(**)	► <u>M58</u> — ◄	(**)	► <u>M43</u> (**) ◄	► <u>M68</u> — ◄
0810000	(i) <b>Seeds</b>	(**)	(**)	► <u>M58</u> 0,05 (*) ◄	(**)	► <u>M43</u> (**) ◄	► <u>M68</u> 0,05 (*) ◄
0810010	Anise	(**)	(**)	► <u>M58</u> — ◄	(**)	► <u>M43</u> (**) ◄	► <u>M68</u> — ◄
0810020	Black caraway	(**)	(**)	► <u>M58</u> — ◄	(**)	► <u>M43</u> (**) ◄	► <u>M68</u> — ◄
0810030	Celery seed	(**)	(**)	► <u>M58</u> — ◄	(**)	► <u>M43</u> (**) ◄	► <u>M68</u> — ◄
0810040	Coriander seed	(**)	(**)	► <u>M58</u> — ◄	(**)	► <u>M43</u> (**) ◄	► <u>M68</u> — ◄
0810050	Cumin seed	(**)	(**)	► <u>M58</u> — ◄	(**)	► <u>M43</u> (**) ◄	► <u>M68</u> — ◄
0810060	Dill seed	(**)	(**)	► <u>M58</u> — ◄	(**)	► <u>M43</u> (**) ◄	► <u>M68</u> — ◄

▼ M2

(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
▶ <u>M70</u> (**) ◀	▶ <u>M9</u> (**) ◀	▶ <u>M53</u> (*) ◀	▶ <u>M8</u> (**) ◀	(**)	▶ <u>M70</u> (**) ◀	▶ <u>M32</u> (**) ◀	(**)
▶ <u>M70</u> (**) ◀	▶ <u>M9</u> (**) ◀	▶ <u>M53</u> (*) ◀	▶ <u>M8</u> (**) ◀	(**)	▶ <u>M70</u> (**) ◀	▶ <u>M32</u> (**) ◀	(**)
▶ <u>M70</u> (**) ◀	▶ <u>M9</u> (**) ◀	▶ <u>M53</u> (*) ◀	▶ <u>M8</u> (**) ◀	(**)	▶ <u>M70</u> (**) ◀	▶ <u>M32</u> (**) ◀	(**)
▶ <u>M70</u> (**) ◀	▶ <u>M9</u> (**) ◀	▶ <u>M53</u> (*) ◀	▶ <u>M8</u> (**) ◀	(**)	▶ <u>M70</u> (**) ◀	▶ <u>M32</u> (**) ◀	(**)
▶ <u>M70</u> (**) ◀	▶ <u>M9</u> (**) ◀	▶ <u>M53</u> (*) ◀	▶ <u>M8</u> (**) ◀	(**)	▶ <u>M70</u> (**) ◀	▶ <u>M32</u> (**) ◀	(**)
▶ <u>M70</u> (**) ◀	▶ <u>M9</u> (**) ◀	▶ <u>M53</u> (*) ◀	▶ <u>M8</u> (**) ◀	(**)	▶ <u>M70</u> (**) ◀	▶ <u>M32</u> (**) ◀	(**)
▶ <u>M70</u> (**) ◀	▶ <u>M9</u> (**) ◀	▶ <u>M53</u> (*) ◀	▶ <u>M8</u> (**) ◀	(**)	▶ <u>M70</u> (**) ◀	▶ <u>M32</u> (**) ◀	(**)
▶ <u>M70</u> (**) ◀	▶ <u>M9</u> (**) ◀	▶ <u>M53</u> (*) ◀	▶ <u>M8</u> (**) ◀	(**)	▶ <u>M70</u> (**) ◀	▶ <u>M32</u> (**) ◀	(**)
▶ <u>M70</u> (**) ◀	▶ <u>M9</u> (**) ◀	▶ <u>M53</u> (*) ◀	▶ <u>M8</u> (**) ◀	(**)	▶ <u>M70</u> (**) ◀	▶ <u>M32</u> (**) ◀	(**)
▶ <u>M70</u> (**) ◀	▶ <u>M9</u> (**) ◀	▶ <u>M53</u> (*) ◀	▶ <u>M8</u> (**) ◀	(**)	▶ <u>M70</u> (**) ◀	▶ <u>M32</u> (**) ◀	(**)
▶ <u>M70</u> 0,05 (*) ◀	▶ <u>M21</u> 0,05 (*) ◀	▶ <u>M53</u> 5 ◀	▶ <u>M8</u> 0,1 (*) ◀	0,1 (*)	▶ <u>M70</u> 0,1 (*) ◀	▶ <u>M32</u> 0,05 (*) ◀	10
▶ <u>M70</u> (**) ◀	▶ <u>M21</u> 0,05 (*) ◀	▶ <u>M53</u> (**) ◀	▶ <u>M8</u> (**) ◀	(**)	▶ <u>M70</u> (**) ◀	▶ <u>M32</u> (**) ◀	(**)
▶ <u>M70</u> (**) ◀	▶ <u>M9</u> (**) ◀	▶ <u>M53</u> (**) ◀	▶ <u>M8</u> (**) ◀	(**)	▶ <u>M70</u> (**) ◀	▶ <u>M32</u> (**) ◀	(**)
▶ <u>M70</u> (**) ◀	▶ <u>M9</u> (**) ◀	▶ <u>M53</u> (**) ◀	▶ <u>M8</u> (**) ◀	(**)	▶ <u>M70</u> (**) ◀	▶ <u>M32</u> (**) ◀	(**)
▶ <u>M70</u> (**) ◀	▶ <u>M9</u> (**) ◀	▶ <u>M53</u> (**) ◀	▶ <u>M8</u> (**) ◀	(**)	▶ <u>M70</u> (**) ◀	▶ <u>M32</u> (**) ◀	(**)
▶ <u>M70</u> (**) ◀	▶ <u>M9</u> (**) ◀	▶ <u>M53</u> (**) ◀	▶ <u>M8</u> (**) ◀	(**)	▶ <u>M70</u> (**) ◀	▶ <u>M32</u> (**) ◀	(**)
▶ <u>M70</u> (**) ◀	▶ <u>M9</u> (**) ◀	▶ <u>M53</u> (**) ◀	▶ <u>M8</u> (**) ◀	(**)	▶ <u>M70</u> (**) ◀	▶ <u>M32</u> (**) ◀	(**)

▼ M2

(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)
(**)	(**)	(**)	▶ <u>M70</u> — ◀	▶ <u>M50</u> — ◀	▶ <u>M52</u> — ◀	▶ <u>M46</u> — ◀	(**)
(**)	(**)	(**)	▶ <u>M70</u> — ◀	▶ <u>M50</u> — ◀	▶ <u>M52</u> — ◀	▶ <u>M46</u> — ◀	(**)
(**)	(**)	(**)	▶ <u>M70</u> — ◀	▶ <u>M50</u> — ◀	▶ <u>M52</u> — ◀	▶ <u>M46</u> — ◀	(**)
(**)	(**)	(**)	▶ <u>M70</u> — ◀	▶ <u>M50</u> — ◀	▶ <u>M52</u> — ◀	▶ <u>M46</u> — ◀	(**)
(**)	(**)	(**)	▶ <u>M70</u> — ◀	▶ <u>M50</u> — ◀	▶ <u>M52</u> — ◀	▶ <u>M46</u> — ◀	(**)
(**)	(**)	(**)	▶ <u>M70</u> — ◀	▶ <u>M50</u> — ◀	▶ <u>M52</u> — ◀	▶ <u>M46</u> — ◀	(**)
(**)	(**)	(**)	▶ <u>M70</u> — ◀	▶ <u>M50</u> — ◀	▶ <u>M52</u> — ◀	▶ <u>M46</u> — ◀	(**)
(**)	(**)	(**)	▶ <u>M70</u> — ◀	▶ <u>M50</u> — ◀	▶ <u>M52</u> — ◀	▶ <u>M46</u> — ◀	(**)
(**)	(**)	(**)	▶ <u>M70</u> — ◀	▶ <u>M50</u> — ◀	▶ <u>M52</u> — ◀	▶ <u>M46</u> — ◀	(**)
(**)	(**)	(**)	▶ <u>M70</u> — ◀	▶ <u>M50</u> — ◀	▶ <u>M52</u> — ◀	▶ <u>M46</u> — ◀	(**)
▶ <u>M16</u> 0,05 (*) ◀	0,1 (*)	0,1 (*)	▶ <u>M70</u> 0,1 (*) ◀	▶ <u>M50</u> — ◀	▶ <u>M52</u> 0,05 (*) ◀	▶ <u>M46</u> 0,05 (*) ◀	0,1 (*)
(**)	(**)	(**)	▶ <u>M70</u> — ◀	▶ <u>M50</u> — ◀	▶ <u>M52</u> — ◀	▶ <u>M46</u> 0,05 (*) ◀	(**)
(**)	(**)	(**)	▶ <u>M70</u> 0,1 (**)(+) ◀	▶ <u>M50</u> — ◀	▶ <u>M52</u> 0,05 (*) ◀	▶ <u>M46</u> — ◀	(**)
(**)	(**)	(**)	▶ <u>M70</u> — ◀	▶ <u>M50</u> — ◀	▶ <u>M52</u> — ◀	▶ <u>M46</u> — ◀	(**)
(**)	(**)	(**)	▶ <u>M70</u> — ◀	▶ <u>M50</u> — ◀	▶ <u>M52</u> — ◀	▶ <u>M46</u> — ◀	(**)
(**)	(**)	(**)	▶ <u>M70</u> — ◀	▶ <u>M50</u> — ◀	▶ <u>M52</u> — ◀	▶ <u>M46</u> — ◀	(**)
(**)	(**)	(**)	▶ <u>M70</u> — ◀	▶ <u>M50</u> — ◀	▶ <u>M52</u> — ◀	▶ <u>M46</u> — ◀	(**)
(**)	(**)	(**)	▶ <u>M70</u> — ◀	▶ <u>M50</u> — ◀	▶ <u>M52</u> — ◀	▶ <u>M46</u> — ◀	(**)



▼ M2

(25)	(26)	(27)	(28)	(29)	(30)	(31)
▶ <u>M67</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M7</u> ▶ <u>C5</u> (**) ◀ ◀	(**)	▶ <u>M37</u> (**) ◀	▶ <u>M52</u> — ◀
▶ <u>M67</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M7</u> ▶ <u>C5</u> (**) ◀ ◀	(**)	▶ <u>M37</u> (**) ◀	▶ <u>M52</u> — ◀
▶ <u>M67</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M7</u> ▶ <u>C5</u> (**) ◀ ◀	(**)	▶ <u>M37</u> (**) ◀	▶ <u>M52</u> — ◀
▶ <u>M67</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M7</u> ▶ <u>C5</u> (**) ◀ ◀	(**)	▶ <u>M37</u> (**) ◀	▶ <u>M52</u> — ◀
▶ <u>M67</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M7</u> ▶ <u>C5</u> (**) ◀ ◀	(**)	▶ <u>M37</u> (**) ◀	▶ <u>M52</u> — ◀
▶ <u>M67</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M7</u> ▶ <u>C5</u> (**) ◀ ◀	(**)	▶ <u>M37</u> (**) ◀	▶ <u>M52</u> — ◀
▶ <u>M67</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M7</u> ▶ <u>C5</u> (**) ◀ ◀	(**)	▶ <u>M37</u> (**) ◀	▶ <u>M52</u> — ◀
▶ <u>M67</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M7</u> ▶ <u>C5</u> (**) ◀ ◀	(**)	▶ <u>M37</u> (**) ◀	▶ <u>M52</u> — ◀
▶ <u>M67</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M7</u> ▶ <u>C5</u> (**) ◀ ◀	(**)	▶ <u>M37</u> (**) ◀	▶ <u>M52</u> — ◀
▶ <u>M67</u> 0,05 (*) ◀	▶ <u>M66</u> 0,1 (*) ◀	▶ <u>M66</u> 0,1 (*) ◀	▶ <u>M7</u> ▶ <u>C5</u> 0,1 (*) ◀ ◀	0,05 (*)	▶ <u>M37</u> 150 ◀	▶ <u>M52</u> 0,05 (*) ◀
▶ <u>M67</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M7</u> ▶ <u>C5</u> (**) ◀ ◀	(**)	▶ <u>M37</u> (**) ◀	▶ <u>M52</u> — ◀
▶ <u>M67</u> 0,05 (*) ◀	▶ <u>M66</u> 0,1 (*) ◀	▶ <u>M66</u> 0,1 (*) ◀	▶ <u>M7</u> ▶ <u>C5</u> (**) ◀ ◀	(**)	▶ <u>M37</u> (**) ◀	▶ <u>M52</u> 0,05 (*) ◀
▶ <u>M67</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M7</u> ▶ <u>C5</u> (**) ◀ ◀	(**)	▶ <u>M37</u> (**) ◀	▶ <u>M52</u> — ◀
▶ <u>M67</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M7</u> ▶ <u>C5</u> (**) ◀ ◀	(**)	▶ <u>M37</u> (**) ◀	▶ <u>M52</u> — ◀
▶ <u>M67</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M7</u> ▶ <u>C5</u> (**) ◀ ◀	(**)	▶ <u>M37</u> (**) ◀	▶ <u>M52</u> — ◀
▶ <u>M67</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M7</u> ▶ <u>C5</u> (**) ◀ ◀	(**)	▶ <u>M37</u> (**) ◀	▶ <u>M52</u> — ◀
▶ <u>M67</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M7</u> ▶ <u>C5</u> (**) ◀ ◀	(**)	▶ <u>M37</u> (**) ◀	▶ <u>M52</u> — ◀
▶ <u>M67</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M7</u> ▶ <u>C5</u> (**) ◀ ◀	(**)	▶ <u>M37</u> (**) ◀	▶ <u>M52</u> — ◀

## ▼ M2

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)
0810070	Fennel seed	(**)	(**)	▶ <u>M58</u> — ◀	(**)	▶ <u>M43</u> (**) ◀	▶ <u>M68</u> — ◀
0810080	Fenugreek	(**)	(**)	▶ <u>M58</u> — ◀	(**)	▶ <u>M43</u> (**) ◀	▶ <u>M68</u> — ◀
0810090	Nutmeg	(**)	(**)	▶ <u>M58</u> — ◀	(**)	▶ <u>M43</u> (**) ◀	▶ <u>M68</u> — ◀
0810990	Others	(**)	(**)	▶ <u>M58</u> — ◀	(**)	▶ <u>M43</u> (**) ◀	▶ <u>M68</u> — ◀
0820000	(ii) <b>Fruits and berries</b>	(**)	(**)	▶ <u>M58</u> 0,05 (*) ◀	(**)	▶ <u>M43</u> (**) ◀	▶ <u>M68</u> 0,05 (*) ◀
0820010	Allspice	(**)	(**)	▶ <u>M58</u> — ◀	(**)	▶ <u>M43</u> (**) ◀	▶ <u>M68</u> — ◀
0820020	Anise pepper (Japan pepper)	(**)	(**)	▶ <u>M58</u> — ◀	(**)	▶ <u>M43</u> (**) ◀	▶ <u>M68</u> — ◀
0820030	Caraway	(**)	(**)	▶ <u>M58</u> — ◀	(**)	▶ <u>M43</u> (**) ◀	▶ <u>M68</u> — ◀
0820040	Cardamom	(**)	(**)	▶ <u>M58</u> — ◀	(**)	▶ <u>M43</u> (**) ◀	▶ <u>M68</u> — ◀
0820050	Juniper berries	(**)	(**)	▶ <u>M58</u> — ◀	(**)	▶ <u>M43</u> (**) ◀	▶ <u>M68</u> — ◀
0820060	Pepper, black and white	(**)	(**)	▶ <u>M58</u> — ◀	(**)	▶ <u>M43</u> (**) ◀	▶ <u>M68</u> — ◀
0820070	Vanilla pods	(**)	(**)	▶ <u>M58</u> — ◀	(**)	▶ <u>M43</u> (**) ◀	▶ <u>M68</u> — ◀
0820080	Tamarind	(**)	(**)	▶ <u>M58</u> — ◀	(**)	▶ <u>M43</u> (**) ◀	▶ <u>M68</u> — ◀
0820990	Others	(**)	(**)	▶ <u>M58</u> — ◀	(**)	▶ <u>M43</u> (**) ◀	▶ <u>M68</u> — ◀
0830000	(iii) <b>Bark</b>	(**)	(**)	▶ <u>M58</u> 0,05 (*) ◀	(**)	▶ <u>M43</u> (**) ◀	▶ <u>M68</u> 0,05 (*) ◀
0830010	Cinnamon	(**)	(**)	▶ <u>M58</u> — ◀	(**)	▶ <u>M43</u> (**) ◀	▶ <u>M68</u> — ◀
0830990	Others	(**)	(**)	▶ <u>M58</u> — ◀	(**)	▶ <u>M43</u> (**) ◀	▶ <u>M68</u> — ◀
0840000	(iv) <b>Roots or rhizome</b>	(**)	(**)	▶ <u>M58</u> — ◀	(**)	▶ <u>M43</u> (**) ◀	▶ <u>M68</u> — ◀
0840010	Liquorice	(**)	(**)	▶ <u>M58</u> 0,05 (*) ◀	(**)	▶ <u>M43</u> (**) ◀	▶ <u>M68</u> 0,05 (*) ◀
0840020	Ginger	(**)	(**)	▶ <u>M58</u> 0,05 (*) ◀	(**)	▶ <u>M43</u> (**) ◀	▶ <u>M68</u> 0,05 (*) ◀
0840030	Turmeric (Curcuma)	(**)	(**)	▶ <u>M58</u> 0,05 (*) ◀	(**)	▶ <u>M43</u> (**) ◀	▶ <u>M68</u> 0,05 (*) ◀



▼ M2

(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)
(**)	(**)	(**)	▶ <u>M70</u> — ◀	▶ <u>M50</u> — ◀	▶ <u>M52</u> — ◀	▶ <u>M46</u> — ◀	(**)
(**)	(**)	(**)	▶ <u>M70</u> — ◀	▶ <u>M50</u> — ◀	▶ <u>M52</u> — ◀	▶ <u>M46</u> — ◀	(**)
(**)	(**)	(**)	▶ <u>M70</u> — ◀	▶ <u>M50</u> — ◀	▶ <u>M52</u> — ◀	▶ <u>M46</u> — ◀	(**)
(**)	(**)	(**)	▶ <u>M70</u> — ◀	▶ <u>M50</u> — ◀	▶ <u>M52</u> — ◀	▶ <u>M46</u> — ◀	(**)
(**)	(**)	(**)	▶ <u>M70</u> 0,1 (**) ◀	▶ <u>M50</u> — ◀	▶ <u>M52</u> 0,05 (*) ◀	▶ <u>M46</u> — ◀	(**)
(**)	(**)	(**)	▶ <u>M70</u> — ◀	▶ <u>M50</u> — ◀	▶ <u>M52</u> — ◀	▶ <u>M46</u> — ◀	(**)
(**)	(**)	(**)	▶ <u>M70</u> — ◀	▶ <u>M50</u> — ◀	▶ <u>M52</u> — ◀	▶ <u>M46</u> — ◀	(**)
(**)	(**)	(**)	▶ <u>M70</u> — ◀	▶ <u>M50</u> — ◀	▶ <u>M52</u> — ◀	▶ <u>M46</u> — ◀	(**)
(**)	(**)	(**)	▶ <u>M70</u> — ◀	▶ <u>M50</u> — ◀	▶ <u>M52</u> — ◀	▶ <u>M46</u> — ◀	(**)
(**)	(**)	(**)	▶ <u>M70</u> — ◀	▶ <u>M50</u> — ◀	▶ <u>M52</u> — ◀	▶ <u>M46</u> — ◀	(**)
(**)	(**)	(**)	▶ <u>M70</u> — ◀	▶ <u>M50</u> — ◀	▶ <u>M52</u> — ◀	▶ <u>M46</u> — ◀	(**)
(**)	(**)	(**)	▶ <u>M70</u> — ◀	▶ <u>M50</u> — ◀	▶ <u>M52</u> — ◀	▶ <u>M46</u> — ◀	(**)
(**)	(**)	(**)	▶ <u>M70</u> — ◀	▶ <u>M50</u> — ◀	▶ <u>M52</u> — ◀	▶ <u>M46</u> — ◀	(**)
(**)	(**)	(**)	▶ <u>M70</u> — ◀	▶ <u>M50</u> — ◀	▶ <u>M52</u> — ◀	▶ <u>M46</u> — ◀	(**)
(**)	(**)	(**)	▶ <u>M70</u> — ◀	▶ <u>M50</u> — ◀	▶ <u>M52</u> — ◀	▶ <u>M46</u> — ◀	(**)
(**)	(**)	(**)	▶ <u>M70</u> 0,1 (**) ◀	▶ <u>M50</u> — ◀	▶ <u>M52</u> 0,05 (*) ◀	▶ <u>M46</u> — ◀	(**)
(**)	(**)	(**)	▶ <u>M70</u> 0,1 (**) ◀	▶ <u>M50</u> — ◀	▶ <u>M52</u> 0,05 (*) ◀	▶ <u>M46</u> — ◀	(**)
(**)	(**)	(**)	▶ <u>M70</u> 0,1 (**) ◀	▶ <u>M50</u> — ◀	▶ <u>M52</u> 0,05 (*) ◀	▶ <u>M46</u> — ◀	(**)



▼ **M2**

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)
0840040	Horseradish	(**)	(**)	▶ <b>M58</b> (+) ◀	(**)	▶ <b>M43</b> (**) ◀	▶ <b>M68</b> (+) ◀
0840990	Others	(**)	(**)	▶ <b>M58</b> 0,05 (*) ◀	(**)	▶ <b>M43</b> (**) ◀	▶ <b>M68</b> 0,05 (*) ◀
0850000	(v) <b>Buds</b>	(**)	(**)	▶ <b>M58</b> 0,05 (*) ◀	(**)	▶ <b>M43</b> (**) ◀	▶ <b>M68</b> 0,05 (*) ◀
0850010	Cloves	(**)	(**)	▶ <b>M58</b> — ◀	(**)	▶ <b>M43</b> (**) ◀	▶ <b>M68</b> — ◀
0850020	Capers	(**)	(**)	▶ <b>M58</b> — ◀	(**)	▶ <b>M43</b> (**) ◀	▶ <b>M68</b> — ◀
0850990	Others	(**)	(**)	▶ <b>M58</b> — ◀	(**)	▶ <b>M43</b> (**) ◀	▶ <b>M68</b> — ◀
0860000	(vi) <b>Flower stigma</b>	(**)	(**)	▶ <b>M58</b> 0,05 (*) ◀	(**)	▶ <b>M43</b> (**) ◀	▶ <b>M68</b> 0,05 (*) ◀
0860010	Saffron	(**)	(**)	▶ <b>M58</b> — ◀	(**)	▶ <b>M43</b> (**) ◀	▶ <b>M68</b> — ◀
0860990	Others	(**)	(**)	▶ <b>M58</b> — ◀	(**)	▶ <b>M43</b> (**) ◀	▶ <b>M68</b> — ◀
0870000	(vii) <b>Aril</b>	(**)	(**)	▶ <b>M58</b> 0,05 (*) ◀	(**)	▶ <b>M43</b> (**) ◀	▶ <b>M68</b> 0,05 (*) ◀
0870010	Mace	(**)	(**)	▶ <b>M58</b> — ◀	(**)	▶ <b>M43</b> (**) ◀	▶ <b>M68</b> — ◀
0870990	Others	(**)	(**)	▶ <b>M58</b> — ◀	(**)	▶ <b>M43</b> (**) ◀	▶ <b>M68</b> — ◀
0900000	9. <b>SUGAR PLANTS</b>	(**)	(**)	▶ <b>M58</b> 0,01 (*) ◀	(**)	▶ <b>M43</b> (**) ◀	▶ <b>M68</b> 0,01 (*) ◀
0900010	Sugar beet (root)	(**)	(**)	▶ <b>M58</b> — ◀	(**)	▶ <b>M43</b> (**) ◀	▶ <b>M68</b> — ◀
0900020	Sugar cane	(**)	(**)	▶ <b>M58</b> — ◀	(**)	▶ <b>M43</b> (**) ◀	▶ <b>M68</b> — ◀
0900030	Chicory roots	(**)	(**)	▶ <b>M58</b> — ◀	(**)	▶ <b>M43</b> (**) ◀	▶ <b>M68</b> — ◀
0900990	Others	(**)	(**)	▶ <b>M58</b> — ◀	(**)	▶ <b>M43</b> (**) ◀	▶ <b>M68</b> — ◀
1000000	10. <b>PRODUCTS OF ANIMAL ORIGIN- TERRESTRIAL ANIMALS</b>	▶ <b>M16</b> 0,01 (*) ◀	▶ <b>M20</b> 0,1 (*) ◀			▶ <b>M43</b> — ◀	▶ <b>M68</b> (+) ◀



▼ M2

(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)
(**)	(**)	(**)	▶ <u>M70</u> (+) ◀	▶ <u>M50</u> — ◀	▶ <u>M52</u> (+) ◀	▶ <u>M46</u> — ◀	(**)
(**)	(**)	(**)	▶ <u>M70</u> 0,1 (**) ◀	▶ <u>M50</u> — ◀	▶ <u>M52</u> 0,05 (*) ◀	▶ <u>M46</u> — ◀	(**)
(**)	(**)	(**)	▶ <u>M70</u> 0,1 (**) ◀	▶ <u>M50</u> — ◀	▶ <u>M52</u> 0,05 (*) ◀	▶ <u>M46</u> — ◀	(**)
(**)	(**)	(**)	▶ <u>M70</u> — ◀	▶ <u>M50</u> — ◀	▶ <u>M52</u> — ◀	▶ <u>M46</u> — ◀	(**)
(**)	(**)	(**)	▶ <u>M70</u> — ◀	▶ <u>M50</u> — ◀	▶ <u>M52</u> — ◀	▶ <u>M46</u> — ◀	(**)
(**)	(**)	(**)	▶ <u>M70</u> — ◀	▶ <u>M50</u> — ◀	▶ <u>M52</u> — ◀	▶ <u>M46</u> — ◀	(**)
(**)	(**)	(**)	▶ <u>M70</u> 0,1 (**) ◀	▶ <u>M50</u> — ◀	▶ <u>M52</u> 0,05 (*) ◀	▶ <u>M46</u> — ◀	(**)
(**)	(**)	(**)	▶ <u>M70</u> — ◀	▶ <u>M50</u> — ◀	▶ <u>M52</u> — ◀	▶ <u>M46</u> — ◀	(**)
(**)	(**)	(**)	▶ <u>M70</u> — ◀	▶ <u>M50</u> — ◀	▶ <u>M52</u> — ◀	▶ <u>M46</u> — ◀	(**)
(**)	(**)	(**)	▶ <u>M70</u> 0,1 (**) ◀	▶ <u>M50</u> — ◀	▶ <u>M52</u> 0,05 (*) ◀	▶ <u>M46</u> — ◀	(**)
(**)	(**)	(**)	▶ <u>M70</u> — ◀	▶ <u>M50</u> — ◀	▶ <u>M52</u> — ◀	▶ <u>M46</u> — ◀	(**)
(**)	(**)	(**)	▶ <u>M70</u> — ◀	▶ <u>M50</u> — ◀	▶ <u>M52</u> — ◀	▶ <u>M46</u> — ◀	(**)
(**)	(**)	(**)	▶ <u>M70</u> 0,02 (**) ◀	▶ <u>M50</u> — ◀	▶ <u>M52</u> 0,01 (*) ◀	▶ <u>M46</u> 0,01 (*) ◀	(**)
(**)	(**)	(**)	▶ <u>M70</u> — ◀	▶ <u>M50</u> — ◀	▶ <u>M52</u> — ◀	▶ <u>M46</u> — ◀	(**)
(**)	(**)	(**)	▶ <u>M70</u> — ◀	▶ <u>M50</u> — ◀	▶ <u>M52</u> — ◀	▶ <u>M46</u> — ◀	(**)
(**)	(**)	(**)	▶ <u>M70</u> — ◀	▶ <u>M50</u> — ◀	▶ <u>M52</u> — ◀	▶ <u>M46</u> — ◀	(**)
				▶ <u>M50</u> — ◀			



▼ M2

(25)	(26)	(27)	(28)	(29)	(30)	(31)
▶ <u>M67</u> (+) ◀	▶ <u>M66</u> (+) ◀	▶ <u>M66</u> (+) ◀	▶ <u>M7</u> ▶ <u>C5</u> (**) ◀ ◀	(**)	▶ <u>M37</u> (**) ◀	▶ <u>M52</u> (+) ◀
▶ <u>M67</u> 0,05 (*) ◀	▶ <u>M66</u> 0,1 (*) ◀	▶ <u>M66</u> 0,1 (*) ◀	▶ <u>M7</u> ▶ <u>C5</u> (**) ◀ ◀	(**)	▶ <u>M37</u> (**) ◀	▶ <u>M52</u> 0,05 (*) ◀
▶ <u>M67</u> 0,05 (*) ◀	▶ <u>M66</u> 0,1 (*) ◀	▶ <u>M66</u> 0,1 (*) ◀	▶ <u>M7</u> ▶ <u>C5</u> (**) ◀ ◀	(**)	▶ <u>M37</u> (**) ◀	▶ <u>M52</u> 0,05 (*) ◀
▶ <u>M67</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M7</u> ▶ <u>C5</u> (**) ◀ ◀	(**)	▶ <u>M37</u> (**) ◀	▶ <u>M52</u> — ◀
▶ <u>M67</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M7</u> ▶ <u>C5</u> (**) ◀ ◀	(**)	▶ <u>M37</u> (**) ◀	▶ <u>M52</u> — ◀
▶ <u>M67</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M7</u> ▶ <u>C5</u> (**) ◀ ◀	(**)	▶ <u>M37</u> (**) ◀	▶ <u>M52</u> — ◀
▶ <u>M67</u> 0,05 (*) ◀	▶ <u>M66</u> 0,1 (*) ◀	▶ <u>M66</u> 0,1 (*) ◀	▶ <u>M7</u> ▶ <u>C5</u> (**) ◀ ◀	(**)	▶ <u>M37</u> (**) ◀	▶ <u>M52</u> 0,05 (*) ◀
▶ <u>M67</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M7</u> ▶ <u>C5</u> (**) ◀ ◀	(**)	▶ <u>M37</u> (**) ◀	▶ <u>M52</u> — ◀
▶ <u>M67</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M7</u> ▶ <u>C5</u> (**) ◀ ◀	(**)	▶ <u>M37</u> (**) ◀	▶ <u>M52</u> — ◀
▶ <u>M67</u> 0,05 (*) ◀	▶ <u>M66</u> 0,1 (*) ◀	▶ <u>M66</u> 0,1 (*) ◀	▶ <u>M7</u> ▶ <u>C5</u> (**) ◀ ◀	(**)	▶ <u>M37</u> (**) ◀	▶ <u>M52</u> 0,05 (*) ◀
▶ <u>M67</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M7</u> ▶ <u>C5</u> (**) ◀ ◀	(**)	▶ <u>M37</u> (**) ◀	▶ <u>M52</u> — ◀
▶ <u>M67</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M7</u> ▶ <u>C5</u> (**) ◀ ◀	(**)	▶ <u>M37</u> (**) ◀	▶ <u>M52</u> — ◀
▶ <u>M67</u> 0,05 (*) ◀	▶ <u>M66</u> 0,02 (*) ◀	▶ <u>M66</u> 0,02 (*) ◀	▶ <u>M7</u> ▶ <u>C5</u> (**) ◀ ◀	(**)	▶ <u>M37</u> (**) ◀	▶ <u>M52</u> 0,01 (*) ◀
▶ <u>M67</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M7</u> ▶ <u>C5</u> (**) ◀ ◀	(**)	▶ <u>M37</u> (**) ◀	▶ <u>M52</u> — ◀
▶ <u>M67</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M7</u> ▶ <u>C5</u> (**) ◀ ◀	(**)	▶ <u>M37</u> (**) ◀	▶ <u>M52</u> — ◀
▶ <u>M67</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M7</u> ▶ <u>C5</u> (**) ◀ ◀	(**)	▶ <u>M37</u> (**) ◀	▶ <u>M52</u> — ◀
▶ <u>M67</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M7</u> ▶ <u>C5</u> (**) ◀ ◀	(**)	▶ <u>M37</u> (**) ◀	▶ <u>M52</u> — ◀

▼ M2

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)
1010000	(i) <b>Meat, preparations of meat, offals, blood, animal fats fresh chilled or frozen, salted, in brine, dried or smoked or processed as flours or meals; other processed products such as sausages and food preparations based on these</b>		0,1 (*)	► <u>M58</u> 0,01 (*) ◀	0,02 (*)	► <u>M43</u> 0,01 (*) ◀	► <u>M68</u> — ◀
1011000	(a) <i>Swine</i>						
1011010	Meat						► <u>M68</u> 0,05 ◀
1011020	Fat free of lean meat						► <u>M68</u> 0,5 ◀
1011030	Liver						► <u>M68</u> 0,5 ◀
1011040	Kidney						► <u>M68</u> 0,5 ◀
1011050	Edible offal						► <u>M68</u> 0,5 ◀
1011990	Others						► <u>M68</u> 0,05 (*) ◀
1012000	(b) <i>Bovine</i>						
1012010	Meat						► <u>M68</u> 0,05 ◀
1012020	Fat						► <u>M68</u> 0,5 ◀
1012030	Liver						► <u>M68</u> 0,5 ◀

▼ M2

(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
▶ <u>M70</u> 0,01 (*) ◀	▶ <u>M9</u> 0,02 (*) ◀	▶ <u>M53</u> 0,02 (*) ◀	▶ <u>M8</u> 0,05 (*) ◀		▶ <u>M43</u> — ◀		
	▶ <u>M21</u> 0,02 (*) ◀						
							0,02 (*) 0,01 (*) 0,3 0,05 (*) 0,01 (*)
							0,01 (*)
	▶ <u>M21</u> 0,02 (*) ◀						
							0,02 (*) 0,01 (*) 0,3

▼ M2

(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)
▶ <u>M16</u> 0,05 (*) ◀	0,05 (*)	0,05 (*)		▶ <u>M50</u> — ◀	▶ <u>M52</u> 0,01 (*) ◀	▶ <u>M46</u> 0,01 (*) ◀	0,05 (*)
			▶ <u>M70</u> (+) ◀	▶ <u>M50</u> — ◀			
			▶ <u>M70</u> 0,02 (*) ◀ ▶ <u>M70</u> 0,03 ◀ ▶ <u>M70</u> 0,02 (*) ◀ ▶ <u>M70</u> 0,02 (*) ◀ ▶ <u>M70</u> 0,02 (*) ◀	▶ <u>M50</u> — ◀ ▶ <u>M50</u> — ◀ ▶ <u>M50</u> — ◀ ▶ <u>M50</u> — ◀ ▶ <u>M50</u> — ◀			
			▶ <u>M70</u> 0,02 (*) ◀	▶ <u>M50</u> — ◀			
			▶ <u>M70</u> (+) ◀	▶ <u>M50</u> — ◀		▶ <u>M46</u> (+) ◀	
			▶ <u>M70</u> 0,025 ◀ ▶ <u>M70</u> 0,25 ◀ ▶ <u>M70</u> 0,07 ◀	▶ <u>M50</u> — ◀ ▶ <u>M50</u> — ◀ ▶ <u>M50</u> — ◀			

▼ M2

(25)	(26)	(27)	(28)	(29)	(30)	(31)
	▶ <u>M66</u> 0,02 (*) ◀	▶ <u>M66</u> 0,02 (*) ◀				▶ <u>M52</u> 0,01 (*) ◀
▶ <u>M67</u> 0,05 (*) ◀			▶ <u>M7</u> ▶ <u>C5</u> 0,05 (*) ◀ ◀			
▶ <u>M67</u> 0,05 (*) ◀			▶ <u>M7</u> ▶ <u>C5</u> 0,05 (*) ◀ ◀			
▶ <u>M67</u> 0,02 (*) ◀			▶ <u>M7</u> ▶ <u>C5</u> 0,05 (*) ◀ ◀			
▶ <u>M67</u> 0,05 (*) ◀			▶ <u>M7</u> ▶ <u>C5</u> 0,5 ◀ ◀			
▶ <u>M67</u> 0,05 (*) ◀			▶ <u>M7</u> ▶ <u>C5</u> 0,05 (*) ◀ ◀			
▶ <u>M67</u> 0,05 (*) ◀			▶ <u>M7</u> ▶ <u>C5</u> 0,05 (*) ◀ ◀			
▶ <u>M67</u> 0,05 (*) ◀			▶ <u>M7</u> ▶ <u>C5</u> 0,05 (*) ◀ ◀			
▶ <u>M67</u> 0,05 (*) ◀			▶ <u>M7</u> ▶ <u>C5</u> 0,05 (*) ◀ ◀			
▶ <u>M67</u> 0,02 (*) ◀			▶ <u>M7</u> ▶ <u>C5</u> 0,05 (*) ◀ ◀			

▼ M2

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)
1012040	Kidney						► <u>M68</u> 0,5 ◀
1012050	Edible offal						► <u>M68</u> 0,5 ◀
1012990	Others						► <u>M68</u> 0,05 (*) ◀
1013000	(c) <i>Sheep</i>						
1013010	Meat						► <u>M68</u> 0,05 ◀
1013020	Fat						► <u>M68</u> 0,5 ◀
1013030	Liver						► <u>M68</u> 0,5 ◀
1013040	Kidney						► <u>M68</u> 0,5 ◀
1013050	Edible offal						► <u>M68</u> 0,5 ◀
1013990	Others						► <u>M68</u> 0,05 (*) ◀
1014000	(d) <i>Goat</i>						
1014010	Meat						► <u>M68</u> 0,05 ◀
1014020	Fat						► <u>M68</u> 0,5 ◀
1014030	Liver						► <u>M68</u> 0,5 ◀
1014040	Kidney						► <u>M68</u> 0,5 ◀
1014050	Edible offal						► <u>M68</u> 0,5 ◀
1014990	Others						► <u>M68</u> 0,05 (*) ◀
1015000	(e) <i>Horses, asses, mules or hinnies</i>	(**)	(**)	► <u>M58</u> — ◀	(**)	► <u>M43</u> (**) ◀	► <u>M68</u> — ◀
1015010	Meat	(**)	(**)	► <u>M58</u> — ◀	(**)	► <u>M43</u> (**) ◀	► <u>M68</u> 0,05 ◀
1015020	Fat	(**)	(**)	► <u>M58</u> — ◀	(**)	► <u>M43</u> (**) ◀	► <u>M68</u> 0,5 ◀
1015030	Liver	(**)	(**)	► <u>M58</u> — ◀	(**)	► <u>M43</u> (**) ◀	► <u>M68</u> 0,5 ◀

▼ M2

(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
							0,05 (*) 0,01 (*)
							0,01 (*)
	▶ <u>M21</u> 0,02 (*) ◀						
							0,02 (*) 0,01 (*) 0,3 0,05 (*) 0,01 (*)
							0,01 (*)
	▶ <u>M21</u> 0,02 (*) ◀						
							0,02 (*) 0,01 (*) 0,05 (*) 0,01 (*) 0,01 (*)
							0,01 (*)
▶ <u>M70</u> (**) ◀	▶ <u>M21</u> 0,01 (*) ◀	▶ <u>M53</u> (**) ◀	▶ <u>M8</u> (**) ◀	(**)	▶ <u>M70</u> (**) ◀	▶ <u>M32</u> (**) ◀	(**)
▶ <u>M70</u> (**) ◀	▶ <u>M9</u> (**) ◀	▶ <u>M53</u> (**) ◀	▶ <u>M8</u> (**) ◀	(**)	▶ <u>M70</u> (**) ◀	▶ <u>M32</u> (**) ◀	(**)
▶ <u>M70</u> (**) ◀	▶ <u>M9</u> (**) ◀	▶ <u>M53</u> (**) ◀	▶ <u>M8</u> (**) ◀	(**)	▶ <u>M70</u> (**) ◀	▶ <u>M32</u> (**) ◀	(**)
▶ <u>M70</u> (**) ◀	▶ <u>M9</u> (**) ◀	▶ <u>M53</u> (**) ◀	▶ <u>M8</u> (**) ◀	(**)	▶ <u>M70</u> (**) ◀	▶ <u>M32</u> (**) ◀	(**)

▼ M2

(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)
			▶ <u>M70</u> 0,05 ◀ ▶ <u>M70</u> 0,02 (*) ◀	▶ <u>M50</u> — ◀ ▶ <u>M50</u> — ◀			
			▶ <u>M70</u> 0,02 (*) ◀	▶ <u>M50</u> — ◀			
			▶ <u>M70</u> (+) ◀	▶ <u>M50</u> — ◀		▶ <u>M46</u> (+) ◀	
			▶ <u>M70</u> 0,02 (*) ◀ ▶ <u>M70</u> 0,2 ◀ ▶ <u>M70</u> 0,07 ◀ ▶ <u>M70</u> 0,05 ◀ ▶ <u>M70</u> 0,02 (*) ◀	▶ <u>M50</u> — ◀ ▶ <u>M50</u> — ◀ ▶ <u>M50</u> — ◀ ▶ <u>M50</u> — ◀ ▶ <u>M50</u> — ◀			
			▶ <u>M70</u> 0,02 (*) ◀	▶ <u>M50</u> — ◀			
			▶ <u>M70</u> (+) ◀	▶ <u>M50</u> — ◀		▶ <u>M46</u> (+) ◀	
			▶ <u>M70</u> 0,02 (*) ◀ ▶ <u>M70</u> 0,2 ◀ ▶ <u>M70</u> 0,07 ◀ ▶ <u>M70</u> 0,05 ◀ ▶ <u>M70</u> 0,02 (*) ◀	▶ <u>M50</u> — ◀ ▶ <u>M50</u> — ◀ ▶ <u>M50</u> — ◀ ▶ <u>M50</u> — ◀ ▶ <u>M50</u> — ◀			
			▶ <u>M70</u> 0,02 (*) ◀	▶ <u>M50</u> — ◀			
(**)	(**)	(**)	▶ <u>M70</u> (+) ◀	▶ <u>M50</u> — ◀	▶ <u>M52</u> — ◀	▶ <u>M46</u> — ◀	(**)
(**)	(**)	(**)	▶ <u>M70</u> 0,02 (**)* ◀	▶ <u>M50</u> — ◀	▶ <u>M52</u> — ◀	▶ <u>M46</u> — ◀	(**)
(**)	(**)	(**)	▶ <u>M70</u> 0,2 ◀	▶ <u>M50</u> — ◀	▶ <u>M52</u> — ◀	▶ <u>M46</u> — ◀	(**)
(**)	(**)	(**)	▶ <u>M70</u> 0,07 ◀	▶ <u>M50</u> — ◀	▶ <u>M52</u> — ◀	▶ <u>M46</u> — ◀	(**)



▼ M2

(25)	(26)	(27)	(28)	(29)	(30)	(31)
▶ <u>M67</u> 0,05 (*) ◀			▶ <u>M7</u> ▶ <u>C5</u> 0,5 ◀ ◀			
▶ <u>M67</u> 0,05 (*) ◀			▶ <u>M7</u> ▶ <u>C5</u> 0,05 (*) ◀ ◀			
▶ <u>M67</u> 0,05 (*) ◀			▶ <u>M7</u> ▶ <u>C5</u> 0,05 (*) ◀ ◀			
▶ <u>M67</u> 0,05 (*) ◀			▶ <u>M7</u> ▶ <u>C5</u> 0,05 (*) ◀ ◀			
▶ <u>M67</u> 0,05 (*) ◀			▶ <u>M7</u> ▶ <u>C5</u> 0,05 (*) ◀ ◀			
▶ <u>M67</u> 0,02 (*) ◀			▶ <u>M7</u> ▶ <u>C5</u> 0,05 (*) ◀ ◀			
▶ <u>M67</u> 0,05 (*) ◀			▶ <u>M7</u> ▶ <u>C5</u> 0,5 ◀ ◀			
▶ <u>M67</u> 0,05 (*) ◀			▶ <u>M7</u> ▶ <u>C5</u> 0,05 (*) ◀ ◀			
▶ <u>M67</u> 0,05 (*) ◀			▶ <u>M7</u> ▶ <u>C5</u> 0,05 (*) ◀ ◀			
▶ <u>M67</u> 0,05 (*) ◀			▶ <u>M7</u> ▶ <u>C5</u> 0,05 (*) ◀ ◀			
▶ <u>M67</u> 0,05 (*) ◀			▶ <u>M7</u> ▶ <u>C5</u> 0,05 (*) ◀ ◀			
▶ <u>M67</u> 0,02 (*) ◀			▶ <u>M7</u> ▶ <u>C5</u> 0,05 (*) ◀ ◀			
▶ <u>M67</u> 0,05 (*) ◀			▶ <u>M7</u> ▶ <u>C5</u> 0,5 ◀ ◀			
▶ <u>M67</u> 0,05 (*) ◀			▶ <u>M7</u> ▶ <u>C5</u> 0,05 (*) ◀ ◀			
▶ <u>M67</u> 0,05 (*) ◀			▶ <u>M7</u> ▶ <u>C5</u> 0,05 (*) ◀ ◀			
▶ <u>M67</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M7</u> ▶ <u>C5</u> (**) ◀ ◀	(**)	▶ <u>M37</u> (**) ◀	▶ <u>M52</u> — ◀
▶ <u>M67</u> 0,05 (*) ◀	▶ <u>M66</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M7</u> ▶ <u>C5</u> (**) ◀ ◀	(**)	▶ <u>M37</u> (**) ◀	▶ <u>M52</u> — ◀
▶ <u>M67</u> 0,05 (*) ◀	▶ <u>M66</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M7</u> ▶ <u>C5</u> (**) ◀ ◀	(**)	▶ <u>M37</u> (**) ◀	▶ <u>M52</u> — ◀
▶ <u>M67</u> 0,02 (*) ◀	▶ <u>M66</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M7</u> ▶ <u>C5</u> (**) ◀ ◀	(**)	▶ <u>M37</u> (**) ◀	▶ <u>M52</u> — ◀

▼ **M2**

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)
1015040	Kidney	(**)	(**)	► <b>M58</b> — ◄	(**)	► <b>M43</b> (**) ◄	► <b>M68</b> 0,5 ◄
1015050	Edible offal	(**)	(**)	► <b>M58</b> — ◄	(**)	► <b>M43</b> (**) ◄	► <b>M68</b> 0,5 ◄
1015990	Others	(**)	(**)	► <b>M58</b> — ◄	(**)	► <b>M43</b> (**) ◄	► <b>M68</b> 0,05 (*) ◄
1016000	<sup>(L)</sup> <i>Poultry -chicken, geese, duck, turkey and Guinea fowl-, ostrich, pigeon</i>						
1016010	Meat						► <b>M68</b> 0,01 (*) ◄
1016020	Fat						► <b>M68</b> 0,01 (*) ◄
1016030	Liver						► <b>M68</b> 0,05 (*) ◄
1016040	Kidney						► <b>M68</b> 0,05 (*) ◄
1016050	Edible offal						► <b>M68</b> 0,05 (*) ◄
1016990	Others						► <b>M68</b> 0,05 (*) ◄
1017000	(g) <i>Other farm animals</i>	(**)	(**)	► <b>M58</b> — ◄	(**)	► <b>M43</b> (**) ◄	► <b>M68</b> — ◄
1017010	Meat	(**)	(**)	► <b>M58</b> — ◄	(**)	► <b>M43</b> (**) ◄	► <b>M68</b> 0,05 ◄
1017020	Fat	(**)	(**)	► <b>M58</b> — ◄	(**)	► <b>M43</b> (**) ◄	► <b>M68</b> 0,5 ◄
1017030	Liver	(**)	(**)	► <b>M58</b> — ◄	(**)	► <b>M43</b> (**) ◄	► <b>M68</b> 0,5 ◄
1017040	Kidney	(**)	(**)	► <b>M58</b> — ◄	(**)	► <b>M43</b> (**) ◄	► <b>M68</b> 0,5 ◄
1017050	Edible offal	(**)	(**)	► <b>M58</b> — ◄	(**)	► <b>M43</b> (**) ◄	► <b>M68</b> 0,5 ◄
1017990	Others	(**)	(**)	► <b>M58</b> — ◄	(**)	► <b>M43</b> (**) ◄	► <b>M68</b> 0,05 (*) ◄

▼ M2

(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
▶ <u>M70</u> (**) ◀	▶ <u>M9</u> (**) ◀	▶ <u>M53</u> (**) ◀	▶ <u>M8</u> (**) ◀	(**)	▶ <u>M70</u> (**) ◀	▶ <u>M32</u> (**) ◀	(**)
▶ <u>M70</u> (**) ◀	▶ <u>M9</u> (**) ◀	▶ <u>M53</u> (**) ◀	▶ <u>M8</u> (**) ◀	(**)	▶ <u>M70</u> (**) ◀	▶ <u>M32</u> (**) ◀	(**)
▶ <u>M70</u> (**) ◀	▶ <u>M9</u> (**) ◀	▶ <u>M53</u> (**) ◀	▶ <u>M8</u> (**) ◀	(**)	▶ <u>M70</u> (**) ◀	▶ <u>M32</u> (**) ◀	(**)
	▶ <u>M21</u> 0,02 (*) ◀						0,01 (*)
▶ <u>M70</u> (**) ◀	▶ <u>M21</u> 0,01 (*) ◀	▶ <u>M53</u> (**) ◀	▶ <u>M8</u> (**) ◀	(**)	▶ <u>M70</u> (**) ◀	▶ <u>M32</u> (**) ◀	(**)
▶ <u>M70</u> (**) ◀	▶ <u>M9</u> (**) ◀	▶ <u>M53</u> (**) ◀	▶ <u>M8</u> (**) ◀	(**)	▶ <u>M70</u> (**) ◀	▶ <u>M32</u> (**) ◀	(**)
▶ <u>M70</u> (**) ◀	▶ <u>M9</u> (**) ◀	▶ <u>M53</u> (**) ◀	▶ <u>M8</u> (**) ◀	(**)	▶ <u>M70</u> (**) ◀	▶ <u>M32</u> (**) ◀	(**)
▶ <u>M70</u> (**) ◀	▶ <u>M9</u> (**) ◀	▶ <u>M53</u> (**) ◀	▶ <u>M8</u> (**) ◀	(**)	▶ <u>M70</u> (**) ◀	▶ <u>M32</u> (**) ◀	(**)
▶ <u>M70</u> (**) ◀	▶ <u>M9</u> (**) ◀	▶ <u>M53</u> (**) ◀	▶ <u>M8</u> (**) ◀	(**)	▶ <u>M70</u> (**) ◀	▶ <u>M32</u> (**) ◀	(**)
▶ <u>M70</u> (**) ◀	▶ <u>M9</u> (**) ◀	▶ <u>M53</u> (**) ◀	▶ <u>M8</u> (**) ◀	(**)	▶ <u>M70</u> (**) ◀	▶ <u>M32</u> (**) ◀	(**)
▶ <u>M70</u> (**) ◀	▶ <u>M9</u> (**) ◀	▶ <u>M53</u> (**) ◀	▶ <u>M8</u> (**) ◀	(**)	▶ <u>M70</u> (**) ◀	▶ <u>M32</u> (**) ◀	(**)

▼ M2

(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)
(**)	(**)	(**)	▶ <u>M70</u> 0,05 ◀	▶ <u>M50</u> — ◀	▶ <u>M52</u> — ◀	▶ <u>M46</u> — ◀	(**)
(**)	(**)	(**)	▶ <u>M70</u> 0,02 (**) ◀	▶ <u>M50</u> — ◀	▶ <u>M52</u> — ◀	▶ <u>M46</u> — ◀	(**)
(**)	(**)	(**)	▶ <u>M70</u> 0,02 (**) ◀	▶ <u>M50</u> — ◀	▶ <u>M52</u> — ◀	▶ <u>M46</u> — ◀	(**)
			▶ <u>M70</u> 0,02 (*) (+) ◀	▶ <u>M50</u> — ◀			
			▶ <u>M56</u> — ◀ ▶ <u>M56</u> — ◀ ▶ <u>M56</u> — ◀ ▶ <u>M56</u> — ◀ ▶ <u>M56</u> — ◀	▶ <u>M50</u> — ◀ ▶ <u>M50</u> — ◀ ▶ <u>M50</u> — ◀ ▶ <u>M50</u> — ◀ ▶ <u>M50</u> — ◀			
			▶ <u>M56</u> — ◀	▶ <u>M50</u> — ◀			
(**)	(**)	(**)	▶ <u>M70</u> (+) ◀	▶ <u>M50</u> — ◀	▶ <u>M52</u> — ◀	▶ <u>M46</u> — ◀	(**)
(**)	(**)	(**)	▶ <u>M70</u> 0,02 (**) ◀	▶ <u>M50</u> — ◀	▶ <u>M52</u> — ◀	▶ <u>M46</u> — ◀	(**)
(**)	(**)	(**)	▶ <u>M70</u> 0,2 ◀	▶ <u>M50</u> — ◀	▶ <u>M52</u> — ◀	▶ <u>M46</u> — ◀	(**)
(**)	(**)	(**)	▶ <u>M70</u> 0,07 ◀	▶ <u>M50</u> — ◀	▶ <u>M52</u> — ◀	▶ <u>M46</u> — ◀	(**)
(**)	(**)	(**)	▶ <u>M70</u> 0,05 ◀	▶ <u>M50</u> — ◀	▶ <u>M52</u> — ◀	▶ <u>M46</u> — ◀	(**)
(**)	(**)	(**)	▶ <u>M70</u> 0,02 (**) ◀	▶ <u>M50</u> — ◀	▶ <u>M52</u> — ◀	▶ <u>M46</u> — ◀	(**)
(**)	(**)	(**)	▶ <u>M70</u> 0,02 (**) ◀	▶ <u>M50</u> — ◀	▶ <u>M52</u> — ◀	▶ <u>M46</u> — ◀	(**)

▼ M2

(25)	(26)	(27)	(28)	(29)	(30)	(31)
▶ <u>M67</u> 0,05 (*) ◀	▶ <u>M66</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M7</u> ▶ <u>C5</u> (**) ◀ ◀	(**)	▶ <u>M37</u> (**) ◀	▶ <u>M52</u> — ◀
▶ <u>M67</u> 0,05 (*) ◀	▶ <u>M66</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M7</u> ▶ <u>C5</u> (**) ◀ ◀	(**)	▶ <u>M37</u> (**) ◀	▶ <u>M52</u> — ◀
▶ <u>M67</u> 0,05 (*) ◀	▶ <u>M66</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M7</u> ▶ <u>C5</u> (**) ◀ ◀	(**)	▶ <u>M37</u> (**) ◀	▶ <u>M52</u> — ◀
			▶ <u>M7</u> ▶ <u>C5</u> 0,05 (*) ◀ ◀			
▶ <u>M67</u> 0,05 (*) ◀			▶ <u>M7</u> ▶ <u>C5</u> 0,05 (*) ◀ ◀			
▶ <u>M67</u> 0,05 (*) ◀			▶ <u>M7</u> ▶ <u>C5</u> 0,05 (*) ◀ ◀			
▶ <u>M67</u> 0,02 (*) ◀			▶ <u>M7</u> ▶ <u>C5</u> 0,05 (*) ◀ ◀			
▶ <u>M67</u> 0,05 (*) ◀			▶ <u>M7</u> ▶ <u>C5</u> 0,05 (*) ◀ ◀			
▶ <u>M67</u> 0,05 (*) ◀			▶ <u>M7</u> ▶ <u>C5</u> 0,05 (*) ◀ ◀			
▶ <u>M67</u> 0,05 (*) ◀			▶ <u>M7</u> ▶ <u>C5</u> 0,05 (*) ◀ ◀			
▶ <u>M67</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M7</u> ▶ <u>C5</u> (**) ◀ ◀	(**)	▶ <u>M37</u> (**) ◀	▶ <u>M52</u> — ◀
▶ <u>M67</u> 0,05 (*) ◀	▶ <u>M66</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M7</u> ▶ <u>C5</u> (**) ◀ ◀	(**)	▶ <u>M37</u> (**) ◀	▶ <u>M52</u> — ◀
▶ <u>M67</u> 0,05 (*) ◀	▶ <u>M66</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M7</u> ▶ <u>C5</u> (**) ◀ ◀	(**)	▶ <u>M37</u> (**) ◀	▶ <u>M52</u> — ◀
▶ <u>M67</u> 0,02 (*) ◀	▶ <u>M66</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M7</u> ▶ <u>C5</u> (**) ◀ ◀	(**)	▶ <u>M37</u> (**) ◀	▶ <u>M52</u> — ◀
▶ <u>M67</u> 0,05 (*) ◀	▶ <u>M66</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M7</u> ▶ <u>C5</u> (**) ◀ ◀	(**)	▶ <u>M37</u> (**) ◀	▶ <u>M52</u> — ◀
▶ <u>M67</u> 0,05 (*) ◀	▶ <u>M66</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M7</u> ▶ <u>C5</u> (**) ◀ ◀	(**)	▶ <u>M37</u> (**) ◀	▶ <u>M52</u> — ◀
▶ <u>M67</u> 0,05 (*) ◀	▶ <u>M66</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M7</u> ▶ <u>C5</u> (**) ◀ ◀	(**)	▶ <u>M37</u> (**) ◀	▶ <u>M52</u> — ◀

▼ M2

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)
1020000	(ii) <b>Milk and cream, not concentrated, nor containing added sugar or sweetening matter, butter and other fats derived from milk, cheese and curd</b>		0,1 (*)	► <u>M58</u> 0,01 (*) ◀	0,02 (*)	► <u>M43</u> 0,01 (*) ◀	► <u>M68</u> 0,03 ◀
1020010	Cattle						
1020020	Sheep						
1020030	Goat						
1020040	Horse						
1020990	Others						
1030000	(iii) <b>Birds' eggs, fresh preserved or cooked; Shelled eggs and egg yolks fresh, dried, cooked by steaming or boiling in water, moulded, frozen or otherwise preserved whether or not containing added sugar or sweetening matter</b>		0,1 (*)	► <u>M58</u> 0,01 (*) ◀	0,02 (*)	► <u>M43</u> 0,01 (*) ◀	► <u>M68</u> 0,02 (*) ◀
1030010	Chicken						
1030020	Duck	(**)	(**)	► <u>M58</u> — ◀	(**)	► <u>M43</u> (**) ◀	► <u>M68</u> — ◀
1030030	Goose	(**)	(**)	► <u>M58</u> — ◀	(**)	► <u>M43</u> (**) ◀	► <u>M68</u> — ◀

▼ M2

(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
▶ <u>M70</u> 0,01 (*) ◀	▶ <u>M21</u> 0,005 (*) ◀	▶ <u>M53</u> 0,02 (*) ◀	▶ <u>M8</u> 0,05 (*) ◀		▶ <u>M43</u> — ◀		0,01 (*)
▶ <u>M70</u> 0,01 (*) ◀	▶ <u>M21</u> 0,01 (*) ◀	▶ <u>M53</u> 0,02 (*) ◀	▶ <u>M8</u> 0,05 (*) ◀		▶ <u>M43</u> — ◀		0,01 (*)
▶ <u>M70</u> (**) ◀	▶ <u>M9</u> (**) ◀	▶ <u>M53</u> (**) ◀	▶ <u>M8</u> (**) ◀	(**)	▶ <u>M70</u> (**) ◀	▶ <u>M32</u> (**) ◀	(**)
▶ <u>M70</u> (**) ◀	▶ <u>M9</u> (**) ◀	▶ <u>M53</u> (**) ◀	▶ <u>M8</u> (**) ◀	(**)	▶ <u>M70</u> (**) ◀	▶ <u>M32</u> (**) ◀	(**)

▼ M2

(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)
▶ <u>M16</u> 0,01 (*) ◀	0,05 (*)	0,05 (*)	▶ <u>M70</u> (+) ◀	▶ <u>M50</u> — ◀	▶ <u>M52</u> 0,01 (*) ◀	▶ <u>M46</u> 0,01 (*) ◀	0,05 (*)
			▶ <u>M70</u> 0,04 ◀ ▶ <u>M70</u> 0,02 (*) ◀ ▶ <u>M70</u> 0,02 (*) ◀ ▶ <u>M70</u> 0,02 (*) ◀	▶ <u>M50</u> — ◀ ▶ <u>M50</u> — ◀ ▶ <u>M50</u> — ◀ ▶ <u>M50</u> — ◀		▶ <u>M46</u> (+) ◀ ▶ <u>M46</u> (+) ◀ ▶ <u>M46</u> (+) ◀	
			▶ <u>M70</u> 0,02 (*) ◀	▶ <u>M50</u> — ◀			
▶ <u>M16</u> 0,01 (*) ◀	0,05 (*)	0,05 (*)	▶ <u>M70</u> 0,02 (*) (+) ◀	▶ <u>M50</u> — ◀	▶ <u>M52</u> 0,01 (*) ◀	▶ <u>M46</u> 0,01 (*) ◀	0,05 (*)
(**)	(**)	(**)	▶ <u>M70</u> — ◀	▶ <u>M50</u> — ◀	▶ <u>M52</u> — ◀	▶ <u>M46</u> — ◀	(**)
(**)	(**)	(**)	▶ <u>M70</u> — ◀	▶ <u>M50</u> — ◀	▶ <u>M52</u> — ◀	▶ <u>M46</u> — ◀	(**)



▼ M2

(25)	(26)	(27)	(28)	(29)	(30)	(31)
▶ <u>M67</u> 0,01 (*) ◀	▶ <u>M66</u> 0,02 (*) ◀	▶ <u>M66</u> 0,02 (*) ◀	▶ <u>M7</u> ▶ <u>C5</u> 0,05 (*) ◀ ◀			▶ <u>M52</u> 0,01 (*) ◀
			▶ <u>M7</u> ▶ <u>C5</u> 0,05 (*) ◀ ◀ ▶ <u>M7</u> ▶ <u>C5</u> 0,05 (*) ◀ ◀ ▶ <u>M7</u> ▶ <u>C5</u> 0,05 (*) ◀ ◀ ▶ <u>M7</u> ▶ <u>C5</u> 0,05 (*) ◀ ◀			
			▶ <u>M7</u> ▶ <u>C5</u> 0,05 (*) ◀ ◀			
▶ <u>M67</u> 0,05 (*) ◀	▶ <u>M66</u> 0,02 (*) ◀	▶ <u>M66</u> 0,02 (*) ◀	▶ <u>M7</u> ▶ <u>C5</u> 0,05 (*) ◀ ◀			▶ <u>M52</u> 0,01 (*) ◀
			▶ <u>M7</u> ▶ <u>C5</u> 0,05 (*) ◀ ◀ ▶ <u>M7</u> ▶ <u>C5</u> (**) ◀ ◀ ▶ <u>M7</u> ▶ <u>C5</u> (**) ◀ ◀	(**) (**)	▶ <u>M37</u> (**) ◀ ▶ <u>M37</u> (**) ◀	▶ <u>M52</u> — ◀ ▶ <u>M52</u> — ◀

▼ M2

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)
1030040	Quail	(**)	(**)	▶ <u>M58</u> — ◀	(**)	▶ <u>M43</u> (**) ◀	▶ <u>M68</u> — ◀
1030990	Others	(**)	(**)	▶ <u>M58</u> — ◀	(**)	▶ <u>M43</u> (**) ◀	▶ <u>M68</u> — ◀
1040000	(iv) <b>Honey</b>	(**)	(**)	▶ <u>M58</u> 0,05 (*) ◀	(**)	▶ <u>M43</u> (**) ◀	▶ <u>M68</u> 0,05 (*) ◀
1050000	(v) <b>Amphibians and reptiles</b>	(**)	(**)	▶ <u>M58</u> 0,01 (*) ◀	(**)	▶ <u>M43</u> (**) ◀	▶ <u>M68</u> 0,01 (*) ◀
1060000	(vi) <b>Snails</b>	(**)	(**)	▶ <u>M58</u> 0,01 (*) ◀	(**)	▶ <u>M43</u> (**) ◀	▶ <u>M68</u> 0,01 (*) ◀
1070000	(vii) <b>Other terrestrial animal products</b>	(**)	(**)	▶ <u>M58</u> 0,01 (*) ◀	(**)	▶ <u>M43</u> (**) ◀	▶ <u>M68</u> 0,01 (*) ◀

▼ M2

(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
▶ <u>M70</u> (**) ◀	▶ <u>M9</u> (**) ◀	▶ <u>M53</u> (**) ◀	▶ <u>M8</u> (**) ◀	(**)	▶ <u>M70</u> (**) ◀	▶ <u>M32</u> (**) ◀	(**)
▶ <u>M70</u> (**) ◀	▶ <u>M9</u> (**) ◀	▶ <u>M53</u> (**) ◀	▶ <u>M8</u> (**) ◀	(**)	▶ <u>M70</u> (**) ◀	▶ <u>M32</u> (**) ◀	(**)
▶ <u>M70</u> (**) ◀	▶ <u>M21</u> 0,01 (*) ◀	▶ <u>M53</u> (**) ◀	▶ <u>M8</u> (**) ◀	(**)	▶ <u>M70</u> (**) ◀	▶ <u>M32</u> (**) ◀	(**)
▶ <u>M70</u> (**) ◀	▶ <u>M21</u> 0,01 (*) ◀	▶ <u>M53</u> (**) ◀	▶ <u>M8</u> (**) ◀	(**)	▶ <u>M70</u> (**) ◀	▶ <u>M32</u> (**) ◀	(**)
▶ <u>M70</u> (**) ◀	▶ <u>M21</u> 0,01 (*) ◀	▶ <u>M53</u> (**) ◀	▶ <u>M8</u> (**) ◀	(**)	▶ <u>M70</u> (**) ◀	▶ <u>M32</u> (**) ◀	(**)
▶ <u>M70</u> (**) ◀	▶ <u>M21</u> 0,01 (*) ◀	▶ <u>M53</u> (**) ◀	▶ <u>M8</u> (**) ◀	(**)	▶ <u>M70</u> (**) ◀	▶ <u>M32</u> (**) ◀	(**)

▼ M2

(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)
(**)	(**)	(**)	▶ <u>M70</u> — ◀	▶ <u>M50</u> — ◀	▶ <u>M52</u> — ◀	▶ <u>M46</u> — ◀	(**)
(**)	(**)	(**)	▶ <u>M70</u> — ◀	▶ <u>M50</u> — ◀	▶ <u>M52</u> — ◀	▶ <u>M46</u> — ◀	(**)
(**)	(**)	(**)	▶ <u>M70</u> 0,05 (**) ◀	▶ <u>M50</u> — ◀	▶ <u>M52</u> 0,05 (*) ◀	▶ <u>M46</u> 0,05 (*) ◀	(**)
(**)	(**)	(**)	▶ <u>M70</u> 0,02 (**) (+) ◀	▶ <u>M50</u> — ◀	▶ <u>M52</u> 0,01 (*) ◀	▶ <u>M46</u> 0,01 (*) ◀	(**)
(**)	(**)	(**)	▶ <u>M70</u> 0,02 (**) (+) ◀	▶ <u>M50</u> — ◀	▶ <u>M52</u> 0,01 (*) ◀	▶ <u>M46</u> 0,01 (*) ◀	(**)
(**)	(**)	(**)	▶ <u>M70</u> 0,02 (**) (+) ◀	▶ <u>M50</u> — ◀	▶ <u>M52</u> 0,01 (*) ◀	▶ <u>M46</u> 0,01 (*) ◀	(**)

▼ M2

(25)	(26)	(27)	(28)	(29)	(30)	(31)
▶ <u>M67</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M7</u> ▶ <u>C5</u> (**) ◀ ◀	(**)	▶ <u>M37</u> (**) ◀	▶ <u>M52</u> — ◀
▶ <u>M67</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M7</u> ▶ <u>C5</u> (**) ◀ ◀	(**)	▶ <u>M37</u> (**) ◀	▶ <u>M52</u> — ◀
▶ <u>M67</u> 0,05 (*) ◀	▶ <u>M66</u> 0,05 (*) ◀	▶ <u>M66</u> 0,05 (*) ◀	▶ <u>M7</u> ▶ <u>C5</u> (**) ◀ ◀	(**)	▶ <u>M37</u> (**) ◀	▶ <u>M52</u> 0,05 (*) ◀
▶ <u>M67</u> 0,05 (*) ◀	▶ <u>M66</u> 0,02 (*) ◀	▶ <u>M66</u> 0,02 (*) ◀	▶ <u>M7</u> ▶ <u>C5</u> (**) ◀ ◀	(**)	▶ <u>M37</u> (**) ◀	▶ <u>M52</u> 0,01 (*) ◀
▶ <u>M67</u> 0,05 (*) ◀	▶ <u>M66</u> 0,02 (*) ◀	▶ <u>M66</u> 0,02 (*) ◀	▶ <u>M7</u> ▶ <u>C5</u> (**) ◀ ◀	(**)	▶ <u>M37</u> (**) ◀	▶ <u>M52</u> 0,01 (*) ◀
▶ <u>M67</u> 0,05 (*) ◀	▶ <u>M66</u> 0,02 (*) ◀	▶ <u>M66</u> 0,02 (*) ◀	▶ <u>M7</u> ▶ <u>C5</u> (**) ◀ ◀	(**)	▶ <u>M37</u> (**) ◀	▶ <u>M52</u> 0,01 (*) ◀

▼ **M2**

*Pesticide residues and maximum residue levels (mg/kg)*

Code number	Groups and examples of individual products to which the MRLs apply <sup>(a)</sup>	Formothion	Fosthiazate	▼ <u>M32</u> ▶	▶ <u>M38</u> Glyphosate ▼	Heptachlor (sum of heptachlor and heptachlor epoxide expressed as heptachlor) <sup>(1)</sup>	Hexachlorobenzene <sup>(1)</sup>	Hexachlorocyclohexane (HCH), alpha-isomer <sup>(1)</sup>
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)
0100000	1. <b>FRUIT FRESH OR FROZEN; NUTS</b>			▶ <u>M32</u> — ◀			0,01 (*)	
0110000	(i) <b>Citrus fruit</b>	0,02 (*)	0,02 (*)	▶ <u>M32</u> — ◀		0,01 (*)		
0110010	Grapefruit			▶ <u>M32</u> — ◀	▶ <u>M38</u> 0,1 (*) ◀			
0110020	Oranges			▶ <u>M32</u> — ◀	▶ <u>M38</u> 0,5 ◀			
0110030	Lemons			▶ <u>M32</u> — ◀	▶ <u>M38</u> 0,1 (*) ◀			
0110040	Limes			▶ <u>M32</u> — ◀	▶ <u>M38</u> 0,1 (*) ◀			
0110050	Mandarins			▶ <u>M32</u> — ◀	▶ <u>M38</u> 0,5 ◀			
0110990	Others			▶ <u>M32</u> — ◀	▶ <u>M38</u> 0,1 (*) ◀			
0120000	(ii) <b>Tree nuts (shelled or unshelled)</b>	0,05 (*)	0,02 (*)	▶ <u>M32</u> — ◀	▶ <u>M38</u> 0,1 (*) ◀	0,01 (*)		

▼ M2

Hexachlorocyclohexane (HCH), beta-isomer (L)	Hexachlorocyclohexane (HCH), sum of isomers, except the gamma isomer	▶ <u>M32</u> — ◀	Hydrogen cyanide (cyanides expressed as hydrogen cyanide)	Hydrogen phosphide (phosphides expressed as hydrogen phosphide)	▶ <u>M13</u> Imazalil ◀	▶ <u>M68</u> Sum of imazamox and its salts, expressed as imazamox ◀	▶ <u>M52</u> Imazosulfuron ◀
(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)
	0,01 (*)	▶ <u>M32</u> — ◀				▶ <u>M68</u> 0,05 (*) ◀	▶ <u>M52</u> — ◀
		▶ <u>M32</u> — ◀			▶ <u>M13</u> 5 ◀		▶ <u>M52</u> 0,01 (*) ◀
		▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀					
		▶ <u>M32</u> — ◀					
		▶ <u>M32</u> — ◀			▶ <u>M13</u> 0,05 (*) ◀		▶ <u>M52</u> 0,02 (*) ◀

▼ M2

▶ <u>M74</u> Indoxacarb (sum of indoxacarb and its R enantiomer) <sup>(L)</sup> ▼	▶ <u>M52</u> Iodosulfuron-methyl (sum of idosulfuron-methyl and its salts, expressed as idosulfuron-methyl) ▼	▶ <u>M42</u> Ioxynil (sum of Ioxynil, its salts and its esters, expressed as Ioxynil <sup>(L)</sup> ) ▼	▶ <u>M71</u> Iprodione <sup>(K)</sup> ▼	▶ <u>M42</u> Iprovalicarb ▼	▶ <u>M51</u> Isoproturon ▼	▶ <u>M74</u> Isoxaflutole (sum of isoxaflutole and its diketonitrile-metabolite, expressed as isoxaflutole) ▼	▶ <u>M37</u> Kresoxim-methyl <sup>(L)</sup> <sup>(K)</sup> ▼
(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)
	▶ <u>M52</u> — ◀	▶ <u>M42</u> — ◀			▶ <u>M51</u> 0,01 (*) ◀	▶ <u>M74</u> 0,02 (*) ◀	
▶ <u>M74</u> 0,02 (*) ◀	▶ <u>M52</u> 0,01 (*) ◀	▶ <u>M42</u> 0,01 (*) ◀		▶ <u>M42</u> 0,01 (*) ◀			▶ <u>M37</u> 0,05 (*) ◀
			▶ <u>M71</u> 0,01 (*) ◀ ▶ <u>M71</u> 0,01 (*) ◀ ▶ <u>M71</u> 6 (+) ◀ ▶ <u>M71</u> 0,01 (*) ◀ ▶ <u>M71</u> 0,01 (*) ◀				
			▶ <u>M71</u> 0,01 (*) ◀				
▶ <u>M74</u> 0,02 (*) ◀	▶ <u>M52</u> 0,02 (*) ◀	▶ <u>M42</u> 0,02 (*) ◀		▶ <u>M42</u> 0,02 (*) ◀			▶ <u>M37</u> 0,1 (*) ◀



▼ M2

▶ <u>M43</u> Lambda-Cyhalothrin (1) (8) ▼	Lindane (Gamma-isomer of hexachlorocyclohexane (HCH)) (1)	Linuron	Malathion (sum of malathion and malaoxon expressed as malathion)	▶ <u>M42</u> Maleic hydrazide ▼	▶ <u>M56</u> MCPA and MCPB (MCPA, MCPB including their salts, esters and conjugates expressed as MCPA) (1) (8) ▼
(26)	(27)	(28)	(29)	(30)	(31)
	0,01 (*)	0,05 (*)		▶ <u>M42</u> 0,2 (*) (+) ◀	▶ <u>M56</u> 0,05 (*) ◀
▶ <u>M43</u> 0,2 ◀					
▶ <u>M11</u> — ◀					
▶ <u>M11</u> — ◀					
▶ <u>M11</u> — ◀					
▶ <u>M11</u> — ◀					
▶ <u>M11</u> — ◀					
▶ <u>M11</u> — ◀					
▶ <u>M43</u> 0,05 (*) ◀					

▼ **M2**

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)
0120010	Almonds			► <u>M32</u> — ◄				
0120020	Brazil nuts			► <u>M32</u> — ◄				
0120030	Cashew nuts			► <u>M32</u> — ◄				
0120040	Chestnuts			► <u>M32</u> — ◄				
0120050	Coconuts			► <u>M32</u> — ◄				
0120060	Hazelnuts			► <u>M32</u> — ◄				
0120070	Macadamia			► <u>M32</u> — ◄				
0120080	Pecans			► <u>M32</u> — ◄				
0120090	Pine nuts			► <u>M32</u> — ◄				
0120100	Pistachios			► <u>M32</u> — ◄				
0120110	Walnuts			► <u>M32</u> — ◄				
0120990	Others			► <u>M32</u> — ◄				
0130000	(iii) <b>Pome fruit</b>	0,02 (*)	0,02 (*)	► <u>M32</u> — ◄	► <u>M38</u> 0,1 (*) ◄	0,01 (*)		
0130010	Apples			► <u>M32</u> — ◄				
0130020	Pears			► <u>M32</u> — ◄				
0130030	Quinces			► <u>M32</u> — ◄				
0130040	Medlar	(**)	(**)	► <u>M32</u> — ◄	► <u>M38</u> (**) ◄	(**)	(**)	(**)
0130050	Loquat	(**)	(**)	► <u>M32</u> — ◄	► <u>M38</u> (**) ◄	(**)	(**)	(**)
0130990	Others			► <u>M32</u> — ◄				
0140000	(iv) <b>Stone fruit</b>	0,02 (*)	0,02 (*)	► <u>M32</u> — ◄	► <u>M38</u> 0,1 (*) ◄	0,01 (*)		
0140010	Apricots			► <u>M32</u> — ◄				
0140020	Cherries			► <u>M32</u> — ◄				
0140030	Peaches			► <u>M32</u> — ◄				
0140040	Plums			► <u>M32</u> — ◄				
0140990	Others			► <u>M32</u> — ◄				
0150000	(v) <b>Berries &amp; small fruit</b>	0,02 (*)	0,02 (*)	► <u>M32</u> — ◄	► <u>M5</u> — ◄	0,01 (*)		

▼ M2

(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)
		▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀					
		▶ <u>M32</u> — ◀					
		▶ <u>M32</u> — ◀			▶ <u>M13</u> — ◀		▶ <u>M52</u> 0,01 (*) ◀
		▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀			▶ <u>M13</u> 2 ◀ ▶ <u>M13</u> 2 ◀ ▶ <u>M13</u> 2 ◀		
(**)	(**)	▶ <u>M32</u> — ◀	(**)	(**)	▶ <u>M13</u> (**) ◀	▶ <u>M68</u> — ◀	▶ <u>M52</u> — ◀
(**)	(**)	▶ <u>M32</u> — ◀	(**)	(**)	▶ <u>M13</u> (**) ◀	▶ <u>M68</u> — ◀	▶ <u>M52</u> — ◀
		▶ <u>M32</u> — ◀			▶ <u>M13</u> 2 ◀		
		▶ <u>M32</u> — ◀			▶ <u>M13</u> 0,05 (*) ◀		▶ <u>M52</u> 0,01 (*) ◀
		▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀					
		▶ <u>M32</u> — ◀					
		▶ <u>M32</u> — ◀			▶ <u>M13</u> 0,05 (*) ◀		▶ <u>M52</u> 0,01 (*) ◀

▼ M2

(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)
			▶ <u>M71</u> 0,2 (+) ◀ ▶ <u>M71</u> 0,01 (*) ◀ ▶ <u>M71</u> 0,01 (*) ◀ ▶ <u>M71</u> 0,01 (*) ◀ ▶ <u>M71</u> 0,01 (*) ◀ ▶ <u>M71</u> 0,01 (*) ◀ ▶ <u>M71</u> 0,01 (*) ◀ ▶ <u>M71</u> 0,01 (*) ◀ ▶ <u>M71</u> 0,01 (*) ◀ ▶ <u>M71</u> 0,01 (*) ◀ ▶ <u>M71</u> 0,01 (*) ◀				
			▶ <u>M71</u> 0,01 (*) ◀				
	▶ <u>M52</u> 0,01 (*) ◀	▶ <u>M42</u> 0,01 (*) ◀	▶ <u>M71</u> (+) ◀	▶ <u>M42</u> 0,01 (*) ◀			▶ <u>M37</u> 0,2 ◀
▶ <u>M74</u> 0,5 (+) ◀ ▶ <u>M74</u> 0,5 ◀ ▶ <u>M74</u> 0,02 (*) ◀ ▶ <u>M74</u> 0,02 (*) ◀ ▶ <u>M74</u> 0,02 (*) ◀			▶ <u>M71</u> 6 ◀ ▶ <u>M71</u> 6 ◀ ▶ <u>M71</u> 5 ◀ ▶ <u>M71</u> 5 ◀ ▶ <u>M71</u> 5 ◀				
	▶ <u>M52</u> — ◀	▶ <u>M42</u> — ◀	▶ <u>M71</u> 5 ◀	▶ <u>M42</u> — ◀	▶ <u>M51</u> — ◀	▶ <u>M59</u> — ◀	▶ <u>M37</u> (**) ◀
	▶ <u>M52</u> — ◀	▶ <u>M42</u> — ◀	▶ <u>M71</u> 5 ◀	▶ <u>M42</u> — ◀	▶ <u>M51</u> — ◀	▶ <u>M59</u> — ◀	▶ <u>M37</u> (**) ◀
▶ <u>M74</u> 0,02 (*) ◀			▶ <u>M71</u> 0,01 (*) ◀				
▶ <u>M74</u> 1 ◀	▶ <u>M52</u> 0,01 (*) ◀	▶ <u>M42</u> 0,01 (*) ◀	▶ <u>M71</u> (+) ◀	▶ <u>M42</u> 0,01 (*) ◀			▶ <u>M37</u> 0,05 (*) ◀
▶ <u>M40</u> — ◀ ▶ <u>M40</u> — ◀ ▶ <u>M40</u> — ◀ ▶ <u>M40</u> — ◀			▶ <u>M71</u> 6 ◀ ▶ <u>M71</u> 10 ◀ ▶ <u>M71</u> 10 ◀ ▶ <u>M71</u> 3 ◀				
▶ <u>M40</u> — ◀			▶ <u>M71</u> 0,01 (*) ◀				
	▶ <u>M52</u> 0,01 (*) ◀	▶ <u>M42</u> 0,01 (*) ◀					

▼ M2

(26)	(27)	(28)	(29)	(30)	(31)
▶ <u>M43</u> 0,1 ◀					
▶ <u>M43</u> (**) ◀ ▶ <u>M43</u> (**) ◀	(**) (**)	(**) (**)	(**) (**)	▶ <u>M42</u> — ◀ ▶ <u>M42</u> — ◀	▶ <u>M56</u> (**) ◀ ▶ <u>M56</u> (**) ◀
▶ <u>M43</u> 0,2 ◀ ▶ <u>M43</u> 0,3 ◀ ▶ <u>M43</u> 0,2 ◀ ▶ <u>M43</u> 0,2 ◀					
▶ <u>M43</u> 0,1 ◀					

▼ M2

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)
0151000	(a) <i>Table and wine grapes</i>			► <u>M32</u> — ◀	► <u>M38</u> 0,5 ◀			
0151010	Table grapes			► <u>M32</u> — ◀				
0151020	Wine grapes			► <u>M32</u> — ◀				
0152000	(b) <i>Strawberries</i>			► <u>M32</u> — ◀	► <u>M38</u> 0,1 (*) ◀			
0153000	(c) <i>Cane fruit</i>			► <u>M32</u> — ◀	► <u>M38</u> 0,1 (*) ◀			
0153010	Blackberries			► <u>M32</u> — ◀				
0153020	Dewberries			► <u>M32</u> — ◀				
0153030	Raspberries			► <u>M32</u> — ◀				
0153990	Others			► <u>M32</u> — ◀				
0154000	(d) <i>Other small fruit &amp; berries</i>			► <u>M32</u> — ◀	► <u>M38</u> 0,1 (*) ◀			
0154010	Blueberries			► <u>M32</u> — ◀				
0154020	Cranberries			► <u>M32</u> — ◀				
0154030	Currants (red, black and white)			► <u>M32</u> — ◀				
0154040	Gooseberries			► <u>M32</u> — ◀				
0154050	Rose hips	(**)	(**)	► <u>M32</u> — ◀	► <u>M38</u> (**) ◀	(**)	(**)	(**)
0154060	Mulberries	(**)	(**)	► <u>M32</u> — ◀	► <u>M38</u> (**) ◀	(**)	(**)	(**)
0154070	Azarole (mediterranean medlar)	(**)	(**)	► <u>M32</u> — ◀	► <u>M38</u> (**) ◀	(**)	(**)	(**)
0154080	Elderberries	(**)	(**)	► <u>M32</u> — ◀	► <u>M38</u> (**) ◀	(**)	(**)	(**)
0154990	Others			► <u>M32</u> — ◀				

▼ M2

(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)
		▶ <u>M32</u> — ◀					
		▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀					
		▶ <u>M32</u> — ◀					
		▶ <u>M32</u> — ◀					
		▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀					
		▶ <u>M32</u> — ◀					
		▶ <u>M32</u> — ◀					
		▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀					
(**)	(**)	▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀	(**)	(**)	▶ <u>M13</u> (**) ▶ <u>M13</u> (**)	▶ <u>M68</u> — ◀	▶ <u>M52</u> — ◀
(**)	(**)	▶ <u>M32</u> — ◀	(**)	(**)	▶ <u>M13</u> (**)	▶ <u>M68</u> — ◀	▶ <u>M52</u> — ◀
(**)	(**)	▶ <u>M32</u> — ◀	(**)	(**)	▶ <u>M13</u> (**)	▶ <u>M68</u> — ◀	▶ <u>M52</u> — ◀
(**)	(**)	▶ <u>M32</u> — ◀	(**)	(**)	▶ <u>M13</u> (**)	▶ <u>M68</u> — ◀	▶ <u>M52</u> — ◀
		▶ <u>M32</u> — ◀					

▼ M2

(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)
▶ <u>M74</u> 2 ◀			▶ <u>M71</u> 20 (+) ◀	▶ <u>M42</u> 2 ◀			▶ <u>M37</u> 1 ◀
▶ <u>M74</u> 0,6 ◀			▶ <u>M71</u> 20 (+) ◀	▶ <u>M42</u> 0,01 (*) ◀			▶ <u>M37</u> 1 ◀
▶ <u>M8</u> — ◀			▶ <u>M71</u> (+) ◀	▶ <u>M42</u> 0,01 (*) ◀			▶ <u>M37</u> 0,05 (*) ◀
▶ <u>M74</u> 0,5 ◀ ▶ <u>M74</u> 0,02 (*) ◀ ▶ <u>M74</u> 0,6 ◀			▶ <u>M71</u> 30 ◀ ▶ <u>M71</u> 15 ◀ ▶ <u>M71</u> 30 ◀				
▶ <u>M74</u> 0,02 (*) ◀			▶ <u>M71</u> 0,01 (*) ◀				
▶ <u>M40</u> — ◀			▶ <u>M71</u> — ◀	▶ <u>M42</u> 0,01 (*) ◀			
▶ <u>M74</u> 0,8 ◀ ▶ <u>M74</u> 1 ◀ ▶ <u>M74</u> 0,8 ◀  ▶ <u>M74</u> 0,8 ◀ ▶ <u>M74</u> 0,8 ◀ ▶ <u>M74</u> 0,8 ◀ ▶ <u>M74</u> 0,8 ◀			▶ <u>M71</u> 20 (+) ◀ ▶ <u>M71</u> 20 (+) ◀ ▶ <u>M71</u> 20 (+) ◀  ▶ <u>M71</u> 20 (+) ◀ ▶ <u>M71</u> 0,01 (*) ◀ ▶ <u>M71</u> 0,01 (*) ◀ ▶ <u>M71</u> 20 (+) ◀				▶ <u>M37</u> 0,9 ◀ ▶ <u>M37</u> 0,9 ◀ ▶ <u>M37</u> 1 ◀  ▶ <u>M37</u> 1 ◀ ▶ <u>M37</u> (**) ◀ ▶ <u>M37</u> (**) ◀ ▶ <u>M37</u> (**) ◀
▶ <u>M74</u> 0,8 ◀	▶ <u>M52</u> — ◀	▶ <u>M42</u> — ◀	▶ <u>M71</u> 0,01 (*) ◀	▶ <u>M42</u> — ◀	▶ <u>M51</u> — ◀	▶ <u>M59</u> — ◀	▶ <u>M37</u> (**) ◀
▶ <u>M74</u> 0,8 ◀	▶ <u>M52</u> — ◀	▶ <u>M42</u> — ◀	▶ <u>M71</u> 0,01 (*) ◀	▶ <u>M42</u> — ◀	▶ <u>M51</u> — ◀	▶ <u>M59</u> — ◀	▶ <u>M37</u> (**) ◀
▶ <u>M74</u> 0,8 ◀	▶ <u>M52</u> — ◀	▶ <u>M42</u> — ◀	▶ <u>M71</u> 20 (+) ◀	▶ <u>M42</u> — ◀	▶ <u>M51</u> — ◀	▶ <u>M59</u> — ◀	▶ <u>M37</u> (**) ◀
▶ <u>M74</u> 0,8 ◀	▶ <u>M52</u> — ◀	▶ <u>M42</u> — ◀	▶ <u>M71</u> 0,01 (*) ◀	▶ <u>M42</u> — ◀	▶ <u>M51</u> — ◀	▶ <u>M59</u> — ◀	▶ <u>M37</u> (**) ◀
▶ <u>M74</u> 0,8 ◀			▶ <u>M71</u> 0,01 (*) ◀				▶ <u>M37</u> 0,05 (*) ◀



▼ M2

(26)	(27)	(28)	(29)	(30)	(31)
▶ <u>M43</u> 0,2 ◀					
▶ <u>M43</u> 0,5 ◀					
▶ <u>M43</u> 0,2 ◀					
▶ <u>M11</u> — ◀					
▶ <u>M11</u> — ◀					
▶ <u>M11</u> — ◀					
▶ <u>M11</u> — ◀					
▶ <u>M43</u> 0,2 ◀					
▶ <u>M43</u> — ◀					
▶ <u>M43</u> — ◀					
▶ <u>M43</u> — ◀					
▶ <u>M43</u> — ◀					
▶ <u>M43</u> (**) ◀	(**)	(**)	(**)	▶ <u>M42</u> — ◀	▶ <u>M56</u> (**) ◀
▶ <u>M43</u> (**) ◀	(**)	(**)	(**)	▶ <u>M42</u> — ◀	▶ <u>M56</u> (**) ◀
▶ <u>M43</u> (**) ◀	(**)	(**)	(**)	▶ <u>M42</u> — ◀	▶ <u>M56</u> (**) ◀
▶ <u>M43</u> (**) ◀	(**)	(**)	(**)	▶ <u>M42</u> — ◀	▶ <u>M56</u> (**) ◀
▶ <u>M43</u> — ◀					

## ▼ M2

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)
0160000	(vi) <b>Miscellaneous fruit</b>	0,02 (*)		► <u>M32</u> — ◀				
0161000	(a) <i>Edible peel</i>		0,02 (*)	► <u>M32</u> — ◀		0,01 (*)		
0161010	Dates			► <u>M32</u> — ◀	► <u>M38</u> 0,1 (*) ◀			
0161020	Figs			► <u>M32</u> — ◀	► <u>M38</u> 0,1 (*) ◀			
0161030	Table olives			► <u>M32</u> — ◀	► <u>M38</u> 1 ◀			
0161040	Kumquats			► <u>M32</u> — ◀	► <u>M38</u> 0,1 (*) ◀			
0161050	Carambola	(**)	(**)	► <u>M32</u> — ◀	► <u>M38</u> (**) ◀	(**)	(**)	(**)
0161060	Persimmon	(**)	(**)	► <u>M32</u> — ◀	► <u>M38</u> (**) ◀	(**)	(**)	(**)
0161070	Jambolan (java plum)	(**)	(**)	► <u>M32</u> — ◀	► <u>M38</u> (**) ◀	(**)	(**)	(**)
0161990	Others			► <u>M32</u> — ◀	► <u>M38</u> 0,1 (*) ◀			
0162000	(b) <i>Inedible peel, small</i>		0,02 (*)	► <u>M32</u> — ◀	► <u>M38</u> 0,1 (*) ◀	0,01 (*)		
0162010	Kiwi			► <u>M32</u> — ◀				
0162020	Lychee (Litchi)			► <u>M32</u> — ◀				
0162030	Passion fruit			► <u>M32</u> — ◀				
0162040	Prickly pear (cactus fruit)	(**)	(**)	► <u>M32</u> — ◀	► <u>M38</u> (**) ◀	(**)	(**)	(**)
0162050	Star apple	(**)	(**)	► <u>M32</u> — ◀	► <u>M38</u> (**) ◀	(**)	(**)	(**)
0162060	American persimmon (Virginia kaki)	(**)	(**)	► <u>M32</u> — ◀	► <u>M38</u> (**) ◀	(**)	(**)	(**)
0162990	Others			► <u>M32</u> — ◀				
0163000	(c) <i>Inedible peel, large</i>			► <u>M32</u> — ◀	► <u>M38</u> 0,1 (*) ◀			
0163010	Avocados		0,02 (*)	► <u>M32</u> — ◀		0,01 (*)		

▼ M2

(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)
		▶ <u>M32</u> — ◀					▶ <u>M52</u> 0,01 (*) ◀
		▶ <u>M32</u> — ◀			▶ <u>M13</u> 0,05 (*) ◀		
		▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀					
(**)	(**)	▶ <u>M32</u> — ◀	(**)	(**)	▶ <u>M13</u> (**) ◀	▶ <u>M68</u> — ◀	▶ <u>M52</u> — ◀
(**)	(**)	▶ <u>M32</u> — ◀	(**)	(**)	▶ <u>M13</u> (**) ◀	▶ <u>M68</u> — ◀	▶ <u>M52</u> — ◀
(**)	(**)	▶ <u>M32</u> — ◀	(**)	(**)	▶ <u>M13</u> (**) ◀	▶ <u>M68</u> — ◀	▶ <u>M52</u> — ◀
		▶ <u>M32</u> — ◀					
		▶ <u>M32</u> — ◀			▶ <u>M13</u> 0,05 (*) ◀		
		▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀					
(**)	(**)	▶ <u>M32</u> — ◀	(**)	(**)	▶ <u>M13</u> (**) ◀	▶ <u>M68</u> — ◀	▶ <u>M52</u> — ◀
(**)	(**)	▶ <u>M32</u> — ◀	(**)	(**)	▶ <u>M13</u> (**) ◀	▶ <u>M68</u> — ◀	▶ <u>M52</u> — ◀
(**)	(**)	▶ <u>M32</u> — ◀	(**)	(**)	▶ <u>M13</u> (**) ◀	▶ <u>M68</u> — ◀	▶ <u>M52</u> — ◀
		▶ <u>M32</u> — ◀					
		▶ <u>M32</u> — ◀					
		▶ <u>M32</u> — ◀			▶ <u>M13</u> 0,05 (*) ◀		

▼ M2

(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)
▶ <u>M8</u> — ◀	▶ <u>M52</u> 0,01 (*) ◀	▶ <u>M42</u> 0,01 (*) ◀		▶ <u>M42</u> 0,01 (*) ◀			
▶ <u>M74</u> 0,02 (*) ◀			▶ <u>M71</u> 0,01 (*) ◀				
▶ <u>M40</u> — ◀ ▶ <u>M40</u> — ◀ ▶ <u>M40</u> — ◀	▶ <u>M52</u> — ◀ ▶ <u>M52</u> — ◀ ▶ <u>M52</u> — ◀	▶ <u>M42</u> — ◀ ▶ <u>M42</u> — ◀ ▶ <u>M42</u> — ◀	▶ <u>M71</u> — ◀ ▶ <u>M71</u> — ◀ ▶ <u>M71</u> — ◀	▶ <u>M42</u> — ◀ ▶ <u>M42</u> — ◀ ▶ <u>M42</u> — ◀	▶ <u>M51</u> — ◀ ▶ <u>M51</u> — ◀ ▶ <u>M51</u> — ◀	▶ <u>M59</u> — ◀ ▶ <u>M59</u> — ◀ ▶ <u>M59</u> — ◀	▶ <u>M37</u> 0,05 (*) ◀ ▶ <u>M37</u> 0,05 (*) ◀ ▶ <u>M37</u> 0,2 ◀ ▶ <u>M37</u> 0,05 (*) ◀ ▶ <u>M37</u> (**) ◀ ▶ <u>M37</u> (**) ◀ ▶ <u>M37</u> (**) ◀
							▶ <u>M37</u> 0,05 (*) ◀
▶ <u>M74</u> 0,02 (*) ◀							▶ <u>M37</u> 0,05 (*) ◀
▶ <u>M40</u> — ◀ ▶ <u>M40</u> — ◀ ▶ <u>M40</u> — ◀	▶ <u>M52</u> — ◀ ▶ <u>M52</u> — ◀ ▶ <u>M52</u> — ◀	▶ <u>M42</u> — ◀ ▶ <u>M42</u> — ◀ ▶ <u>M42</u> — ◀	▶ <u>M71</u> 5 (+) ◀ ▶ <u>M71</u> 0,01 (*) ◀ ▶ <u>M71</u> 0,01 (*) ◀ ▶ <u>M71</u> 0,01 (*) ◀	▶ <u>M42</u> — ◀ ▶ <u>M42</u> — ◀ ▶ <u>M42</u> — ◀	▶ <u>M51</u> — ◀ ▶ <u>M51</u> — ◀ ▶ <u>M51</u> — ◀	▶ <u>M59</u> — ◀ ▶ <u>M59</u> — ◀ ▶ <u>M59</u> — ◀	▶ <u>M37</u> (**) ◀ ▶ <u>M37</u> (**) ◀ ▶ <u>M37</u> (**) ◀
			▶ <u>M71</u> 0,01 (*) ◀				
			▶ <u>M71</u> 0,01 (*) ◀				▶ <u>M37</u> 0,05 (*) ◀
▶ <u>M74</u> 0,02 (*) ◀							

▼ M2

(26)	(27)	(28)	(29)	(30)	(31)
<p>▶ <u>M43</u> 0,02 (*) ◀</p> <p>▶ <u>M43</u> 0,02 (*) ◀</p> <p>▶ <u>M43</u> 1 ◀</p> <p>▶ <u>M43</u> 0,02 (*) ◀</p> <p>▶ <u>M43</u> (**) ◀</p> <p>▶ <u>M43</u> (**) ◀</p> <p>▶ <u>M43</u> (**) ◀</p>					
	(**)	(**)	(**)	▶ <u>M42</u> — ◀	▶ <u>M56</u> (**) ◀
	(**)	(**)	(**)	▶ <u>M42</u> — ◀	▶ <u>M56</u> (**) ◀
	(**)	(**)	(**)	▶ <u>M42</u> — ◀	▶ <u>M56</u> (**) ◀
▶ <u>M43</u> 0,02 (*) ◀					
▶ <u>M43</u> 0,02 (*) ◀					
▶ <u>M43</u> (**) ◀	(**)	(**)	(**)	▶ <u>M42</u> — ◀	▶ <u>M56</u> (**) ◀
▶ <u>M43</u> (**) ◀	(**)	(**)	(**)	▶ <u>M42</u> — ◀	▶ <u>M56</u> (**) ◀
▶ <u>M43</u> (**) ◀	(**)	(**)	(**)	▶ <u>M42</u> — ◀	▶ <u>M56</u> (**) ◀
▶ <u>M43</u> 0,02 (*) ◀					

▼ M2

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)
0163020	Bananas		0,05	► <u>M32</u> — ◀		0,01 (*)		
0163030	Mangoes		0,02 (*)	► <u>M32</u> — ◀		0,01 (*)		
0163040	Papaya		0,02 (*)	► <u>M32</u> — ◀		0,01		
0163050	Pomegranate		0,02 (*)	► <u>M32</u> — ◀		0,01 (*)		
0163060	Cherimoya	(**)	(**)	► <u>M32</u> — ◀	► <u>M38</u> (**) ◀	(**)	(**)	(**)
0163070	Guava	(**)	(**)	► <u>M32</u> — ◀	► <u>M38</u> (**) ◀	(**)	(**)	(**)
0163080	Pineapples		0,02 (*)	► <u>M32</u> — ◀		0,01 (*)		
0163090	Bread fruit	(**)	(**)	► <u>M32</u> — ◀	► <u>M38</u> (**) ◀	(**)	(**)	(**)
0163100	Durian	(**)	(**)	► <u>M32</u> — ◀	► <u>M38</u> (**) ◀	(**)	(**)	(**)
0163110	Soursop (guanabana)	(**)	(**)	► <u>M32</u> — ◀	► <u>M38</u> (**) ◀	(**)	(**)	(**)
0163990	Others		0,02 (*)	► <u>M32</u> — ◀				
0200000	<b>2. VEGETABLES FRESH OR FROZEN</b>	0,02 (*)	0,02 (*)	► <u>M32</u> — ◀		0,01 (*)	0,01 (*)	
0210000	(i) <b>Root and tuber vegetables</b>			► <u>M32</u> — ◀				
0211000	(a) <i>Potatoes</i>			► <u>M32</u> — ◀	► <u>M38</u> 0,5 ◀			
0212000	(b) <i>Tropical root and tuber vegetables</i>			► <u>M32</u> — ◀	► <u>M38</u> 0,1 (*) ◀			
0212010	Cassava			► <u>M32</u> — ◀				
0212020	Sweet potatoes			► <u>M32</u> — ◀				
0212030	Yams			► <u>M32</u> — ◀				
0212040	Arrowroot	(**)	(**)	► <u>M32</u> — ◀	► <u>M38</u> (**) ◀	(**)	(**)	(**)
0212990	Others			► <u>M32</u> — ◀				

▼ M2

(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)
		▶ <u>M32</u> — ◀			▶ <u>M13</u> 2 ◀		
		▶ <u>M32</u> — ◀			▶ <u>M13</u> 0,05 (*) ◀		
		▶ <u>M32</u> — ◀			▶ <u>M13</u> 0,05 (*) ◀		
		▶ <u>M32</u> — ◀			▶ <u>M13</u> 0,05 (*) ◀		
(**)	(**)	▶ <u>M32</u> — ◀	(**)	(**)	▶ <u>M13</u> (**) ◀	▶ <u>M68</u> — ◀	▶ <u>M52</u> — ◀
(**)	(**)	▶ <u>M32</u> — ◀	(**)	(**)	▶ <u>M13</u> (**) ◀	▶ <u>M68</u> — ◀	▶ <u>M52</u> — ◀
		▶ <u>M32</u> — ◀			▶ <u>M13</u> 0,05 (*) ◀		
(**)	(**)	▶ <u>M32</u> — ◀	(**)	(**)	▶ <u>M13</u> (**) ◀	▶ <u>M68</u> — ◀	▶ <u>M52</u> — ◀
(**)	(**)	▶ <u>M32</u> — ◀	(**)	(**)	▶ <u>M13</u> (**) ◀	▶ <u>M68</u> — ◀	▶ <u>M52</u> — ◀
(**)	(**)	▶ <u>M32</u> — ◀	(**)	(**)	▶ <u>M13</u> (**) ◀	▶ <u>M68</u> — ◀	▶ <u>M52</u> — ◀
		▶ <u>M32</u> — ◀			▶ <u>M13</u> 0,05 (*) ◀		
	0,01 (*)	▶ <u>M32</u> — ◀				▶ <u>M68</u> — ◀	▶ <u>M52</u> — ◀
		▶ <u>M32</u> — ◀				▶ <u>M68</u> 0,05 (*) ◀	▶ <u>M52</u> 0,01 (*) ◀
		▶ <u>M32</u> — ◀			▶ <u>M13</u> 3 ◀		
		▶ <u>M32</u> — ◀			▶ <u>M13</u> 0,05 (*) ◀		
		▶ <u>M32</u> — ◀					
(**)	(**)	▶ <u>M32</u> — ◀	(**)	(**)	▶ <u>M13</u> (**) ◀	▶ <u>M68</u> — ◀	▶ <u>M52</u> — ◀
		▶ <u>M32</u> — ◀					

▼ M2

(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)
▶ <u>M74</u> 0,2 ◀							
▶ <u>M74</u> 0,02 (*) ◀							
▶ <u>M74</u> 0,02 (*) ◀							
▶ <u>M74</u> 0,02 (*) ◀							
▶ <u>M74</u> 0,02 (*) ◀	▶ <u>M52</u> — ◀	▶ <u>M42</u> — ◀	▶ <u>M71</u> — ◀	▶ <u>M42</u> — ◀	▶ <u>M51</u> — ◀	▶ <u>M59</u> — ◀	▶ <u>M37</u> (**) ◀
▶ <u>M74</u> 0,02 (*) ◀	▶ <u>M52</u> — ◀	▶ <u>M42</u> — ◀	▶ <u>M71</u> — ◀	▶ <u>M42</u> — ◀	▶ <u>M51</u> — ◀	▶ <u>M59</u> — ◀	▶ <u>M37</u> (**) ◀
▶ <u>M74</u> 0,02 (*) ◀							
▶ <u>M74</u> 0,02 (*) ◀	▶ <u>M52</u> — ◀	▶ <u>M42</u> — ◀	▶ <u>M71</u> — ◀	▶ <u>M42</u> — ◀	▶ <u>M51</u> — ◀	▶ <u>M59</u> — ◀	▶ <u>M37</u> (**) ◀
▶ <u>M74</u> 0,02 (*) ◀	▶ <u>M52</u> — ◀	▶ <u>M42</u> — ◀	▶ <u>M71</u> — ◀	▶ <u>M42</u> — ◀	▶ <u>M51</u> — ◀	▶ <u>M59</u> — ◀	▶ <u>M37</u> (**) ◀
▶ <u>M74</u> 0,02 (*) ◀	▶ <u>M52</u> — ◀	▶ <u>M42</u> — ◀	▶ <u>M71</u> — ◀	▶ <u>M42</u> — ◀	▶ <u>M51</u> — ◀	▶ <u>M59</u> — ◀	▶ <u>M37</u> (**) ◀
▶ <u>M74</u> 0,02 (*) ◀							
	▶ <u>M52</u> — ◀				▶ <u>M51</u> — ◀	▶ <u>M59</u> — ◀	
▶ <u>M5</u> — ◀	▶ <u>M52</u> 0,01 (*) ◀	▶ <u>M42</u> 0,01 (*) ◀		▶ <u>M42</u> 0,01 (*) ◀	▶ <u>M51</u> 0,01 (*) ◀	▶ <u>M74</u> 0,02 (*) ◀	▶ <u>M37</u> 0,05 (*) ◀
▶ <u>M74</u> 0,02 (*) ◀		▶ <u>M42</u> — ◀	▶ <u>M71</u> 0,05 (+) ◀				
▶ <u>M74</u> 0,02 (*) ◀		▶ <u>M42</u> — ◀	▶ <u>M71</u> 0,01 (*) ◀				
▶ <u>M40</u> — ◀	▶ <u>M52</u> — ◀	▶ <u>M42</u> — ◀	▶ <u>M71</u> — ◀	▶ <u>M42</u> — ◀	▶ <u>M51</u> — ◀	▶ <u>M59</u> — ◀	▶ <u>M37</u> (**) ◀



▼ M2

(26)	(27)	(28)	(29)	(30)	(31)
▶ <u>M43</u> 0,1 ◀					
▶ <u>M43</u> 0,2 ◀					
▶ <u>M43</u> 0,02 (*) ◀					
▶ <u>M43</u> 0,02 (*) ◀					
▶ <u>M43</u> (**) ◀	(**)	(**)	(**)	▶ <u>M42</u> — ◀	▶ <u>M56</u> (**) ◀
▶ <u>M43</u> (**) ◀	(**)	(**)	(**)	▶ <u>M42</u> — ◀	▶ <u>M56</u> (**) ◀
▶ <u>M43</u> 0,02 (*) ◀					
▶ <u>M43</u> (**) ◀	(**)	(**)	(**)	▶ <u>M42</u> — ◀	▶ <u>M56</u> (**) ◀
▶ <u>M43</u> (**) ◀	(**)	(**)	(**)	▶ <u>M42</u> — ◀	▶ <u>M56</u> (**) ◀
▶ <u>M43</u> (**) ◀	(**)	(**)	(**)	▶ <u>M42</u> — ◀	▶ <u>M56</u> (**) ◀
▶ <u>M43</u> 0,02 (*) ◀					
	0,01 (*)				
					▶ <u>M56</u> 0,05 (*) ◀
▶ <u>M43</u> 0,02 (*) ◀		0,05 (*)		▶ <u>M42</u> 50 (+) ◀	
▶ <u>M43</u> 0,02 (*) ◀		0,05 (*)		▶ <u>M42</u> 0,2 (+) ◀	
▶ <u>M43</u> (**) ◀	(**)	(**)	(**)	▶ <u>M42</u> — ◀	▶ <u>M56</u> (**) ◀

▼ **M2**

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)
0213000	(c) <i>Other root and tuber vegetables except sugar beet</i>			► <u>M32</u> — ◀	► <u>M38</u> 0,1 (*) ◀			
0213010	Beetroot			► <u>M32</u> — ◀				
0213020	Carrots			► <u>M32</u> — ◀				
0213030	Celeriac			► <u>M32</u> — ◀				
0213040	Horseradish			► <u>M32</u> — ◀				
0213050	Jerusalem artichokes			► <u>M32</u> — ◀				
0213060	Parsnips			► <u>M32</u> — ◀				
0213070	Parsley root			► <u>M32</u> — ◀				
0213080	Radishes			► <u>M32</u> — ◀				
0213090	Salsify			► <u>M32</u> — ◀				
0213100	Swedes			► <u>M32</u> — ◀				
0213110	Turnips			► <u>M32</u> — ◀				
0213990	Others			► <u>M32</u> — ◀				
0220000	(ii) <b>Bulb vegetables</b>			► <u>M32</u> — ◀	► <u>M38</u> 0,1 (*) ◀			
0220010	Garlic			► <u>M32</u> — ◀				
0220020	Onions			► <u>M32</u> — ◀				
0220030	Shallots			► <u>M32</u> — ◀				
0220040	Spring onions			► <u>M32</u> — ◀				
0220990	Others			► <u>M32</u> — ◀				
0230000	(iii) <b>Fruiting vegetables</b>			► <u>M32</u> — ◀	► <u>M38</u> — ◀			
0231000	(a) <i>Solanacea</i>			► <u>M32</u> — ◀	► <u>M38</u> 0,1 (*) ◀			

▼ M2

(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)
		▶ <u>M32</u> — ◀			▶ <u>M13</u> 0,05 (*) ◀		
		▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀  ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀					
		▶ <u>M32</u> — ◀					
		▶ <u>M32</u> — ◀			▶ <u>M13</u> 0,05 (*) ◀	▶ <u>M68</u> 0,05 (*) ◀	▶ <u>M52</u> 0,01 (*) ◀
		▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀					
		▶ <u>M32</u> — ◀					
		▶ <u>M32</u> — ◀				▶ <u>M68</u> 0,05 (*) ◀	▶ <u>M52</u> 0,01 (*) ◀
		▶ <u>M32</u> — ◀					

▼ M2

(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)
▶ <u>M74</u> 0,02 (*) ◀ ▶ <u>M74</u> 0,02 (*) ◀ ▶ <u>M74</u> 0,02 (*) ◀ ▶ <u>M74</u> 0,02 (*) ◀ ▶ <u>M74</u> 0,02 (*) ◀  ▶ <u>M74</u> 0,02 (*) ◀ ▶ <u>M74</u> 0,02 (*) ◀ ▶ <u>M74</u> 0,3 ◀ ▶ <u>M74</u> 0,02 (*) ◀ ▶ <u>M74</u> 0,02 (*) ◀ ▶ <u>M74</u> 0,02 (*) ◀		▶ <u>M42</u> — ◀ ▶ <u>M42</u> — ◀ ▶ <u>M42</u> — ◀ ▶ <u>M42</u> — ◀ ▶ <u>M42</u> — ◀  ▶ <u>M42</u> — ◀ ▶ <u>M42</u> — ◀ ▶ <u>M42</u> — ◀ ▶ <u>M42</u> — ◀ ▶ <u>M42</u> — ◀ ▶ <u>M42</u> — ◀	▶ <u>M71</u> 0,1 (+) ◀ ▶ <u>M71</u> 10 (+) ◀ ▶ <u>M71</u> 0,01 (*) ◀ ▶ <u>M71</u> 0,06 (+) ◀ ▶ <u>M71</u> 0,01 (*) ◀  ▶ <u>M71</u> 0,5 (+) ◀ ▶ <u>M71</u> 0,5 (+) ◀ ▶ <u>M71</u> 0,6 (+) ◀ ▶ <u>M71</u> 0,01 (*) ◀ ▶ <u>M71</u> 0,01 (*) ◀ ▶ <u>M71</u> 0,01 (*) ◀				
▶ <u>M74</u> 0,02 (*) ◀	▶ <u>M52</u> 0,01 (*) ◀	▶ <u>M42</u> — ◀	▶ <u>M71</u> 0,01 (*) ◀		▶ <u>M51</u> 0,01 (*) ◀	▶ <u>M74</u> 0,02 (*) ◀	▶ <u>M37</u> 0,05 (*) ◀
		▶ <u>M42</u> 0,2 ◀ ▶ <u>M42</u> 0,2 ◀ ▶ <u>M42</u> 0,2 ◀ ▶ <u>M42</u> 3 ◀	▶ <u>M71</u> 0,4 ◀ ▶ <u>M71</u> 0,2 ◀ ▶ <u>M71</u> 0,2 ◀ ▶ <u>M71</u> 4 ◀	▶ <u>M42</u> 0,01 (*) ◀ ▶ <u>M42</u> 0,1 ◀ ▶ <u>M42</u> 0,01 (*) ◀ ▶ <u>M42</u> 0,01 (*) ◀			
		▶ <u>M42</u> 0,01 (*) ◀	▶ <u>M71</u> 0,01 (*) ◀	▶ <u>M42</u> 0,01 (*) ◀			
	▶ <u>M52</u> 0,01 (*) ◀	▶ <u>M42</u> 0,01 (*) ◀			▶ <u>M51</u> 0,01 (*) ◀	▶ <u>M74</u> 0,02 (*) ◀	
			▶ <u>M71</u> — ◀				

▼ M2

(26)	(27)	(28)	(29)	(30)	(31)
				► <u>M42</u> (+) ◀	
► <u>M43</u> 0,02 (*) ◀		0,05 (*)		► <u>M42</u> 0,2 (*) ◀	
► <u>M43</u> 0,02 (*) ◀		0,2		► <u>M42</u> 30 ◀	
► <u>M43</u> 0,1 ◀		0,5		► <u>M42</u> 0,2 (*) ◀	
► <u>M43</u> 0,02 (*) ◀		0,05 (*)		► <u>M42</u> 0,2 (*) ◀	
► <u>M43</u> 0,02 (*) ◀		0,05 (*)		► <u>M42</u> 0,2 (*) ◀	
► <u>M43</u> 0,02 (*) ◀		0,2		► <u>M42</u> 30 ◀	
► <u>M43</u> 0,02 (*) ◀		0,2		► <u>M42</u> 0,2 (*) ◀	
► <u>M43</u> 0,1 ◀		0,05 (*)		► <u>M42</u> 0,2 (*) ◀	
► <u>M43</u> 0,02 (*) ◀		0,05 (*)		► <u>M42</u> 0,2 (*) ◀	
► <u>M43</u> 0,02 (*) ◀		0,05 (*)		► <u>M42</u> 0,2 (*) ◀	
► <u>M43</u> 0,02 (*) ◀		0,05 (*)		► <u>M42</u> 0,2 (*) ◀	
► <u>M43</u> 0,02 (*) ◀		0,05 (*)		► <u>M42</u> 0,2 (*) ◀	
► <u>M43</u> 0,02 (*) ◀		0,05 (*)		► <u>M42</u> 0,2 (*) ◀	
► <u>M43</u> 0,02 (*) ◀		0,05 (*)		► <u>M42</u> 0,2 (*) ◀	
► <u>M43</u> 0,2 ◀		0,05 (*)		► <u>M42</u> (+) ◀	► <u>M56</u> 0,05 (*) ◀
► <u>M11</u> — ◀				► <u>M42</u> 15 ◀	
► <u>M11</u> — ◀				► <u>M42</u> 15 ◀	
► <u>M11</u> — ◀				► <u>M42</u> 15 ◀	
► <u>M11</u> — ◀				► <u>M42</u> 0,2 (*) ◀	
► <u>M11</u> — ◀				► <u>M42</u> 0,2 (*) ◀	
		0,05 (*)		► <u>M42</u> 0,2 (*) ◀	► <u>M56</u> 0,05 (*) ◀

▼ **M2**

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)
0231010	Tomatoes			► <u>M32</u> — ◀				
0231020	Peppers			► <u>M32</u> — ◀				
0231030	Aubergines (egg plants)			► <u>M32</u> — ◀				
0231040	Okra, lady's fingers			► <u>M32</u> — ◀				
0231990	Others			► <u>M32</u> — ◀				
0232000	(b) <i>Cucurbits — edible peel</i>			► <u>M32</u> — ◀	► <u>M38</u> 0,1 (*) ◀			
0232010	Cucumbers			► <u>M32</u> — ◀				
0232020	Gherkins			► <u>M32</u> — ◀				
0232030	Courgettes			► <u>M32</u> — ◀				
0232990	Others			► <u>M32</u> — ◀				
0233000	(c) <i>Cucurbits- inedible peel</i>			► <u>M32</u> — ◀	► <u>M38</u> 0,1 (*) ◀			
0233010	Melons			► <u>M32</u> — ◀				
0233020	Pumpkins			► <u>M32</u> — ◀				
0233030	Watermelons			► <u>M32</u> — ◀				
0233990	Others			► <u>M32</u> — ◀				
0234000	(d) <i>Sweet corn</i>			► <u>M32</u> — ◀	► <u>M38</u> 3 ◀			
0239000	(e) <i>Other fruiting vegetables</i>			► <u>M32</u> — ◀	► <u>M38</u> 0,1 (*) ◀			
0240000	(iv) <b>Brassica vegetables</b>			► <u>M32</u> — ◀	► <u>M38</u> 0,1 (*) ◀			
0241000	(a) <i>Flowering brassica</i>			► <u>M32</u> — ◀				
0241010	Broccoli			► <u>M32</u> — ◀				
0241020	Cauliflower			► <u>M32</u> — ◀				

▼ M2

(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)
		▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀			▶ <u>M13</u> 0,5 ◀ ▶ <u>M13</u> 0,05 (*) ◀ ▶ <u>M13</u> 0,05 (*) ◀ ▶ <u>M13</u> 0,05 (*) ◀		
		▶ <u>M32</u> — ◀			▶ <u>M13</u> 0,05 (*) ◀		
		▶ <u>M32</u> — ◀			▶ <u>M13</u> 0,2 ◀		
		▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀					
		▶ <u>M32</u> — ◀					
		▶ <u>M32</u> — ◀					
		▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀			▶ <u>M13</u> 2 ◀ ▶ <u>M13</u> 0,05 (*) ◀ ▶ <u>M13</u> 0,05 (*) ◀		
		▶ <u>M32</u> — ◀			▶ <u>M13</u> 0,05 (*) ◀		
		▶ <u>M32</u> — ◀			▶ <u>M13</u> 0,05 (*) ◀		
		▶ <u>M32</u> — ◀			▶ <u>M13</u> 0,05 (*) ◀		
		▶ <u>M32</u> — ◀			▶ <u>M13</u> 0,05 (*) ◀	▶ <u>M68</u> 0,05 (*) ◀	▶ <u>M52</u> 0,01 (*) ◀
		▶ <u>M32</u> — ◀					
		▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀					

▼ M2

(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)
▶ <u>M74</u> 0,5 ◀ ▶ <u>M74</u> 0,3 ◀ ▶ <u>M74</u> 0,5 ◀ ▶ <u>M74</u> 0,02 (*) ◀			▶ <u>M71</u> 5 (+) ◀ ▶ <u>M71</u> 7 (+) ◀ ▶ <u>M71</u> 6 (+) ◀ ▶ <u>M71</u> 0,01 (*) ◀	▶ <u>M42</u> 0,7 ◀ ▶ <u>M42</u> 0,01 (*) ◀ ▶ <u>M42</u> 0,01 (*) ◀ ▶ <u>M42</u> 0,01 (*) ◀			▶ <u>M37</u> 0,5 ◀ ▶ <u>M37</u> 1 ◀ ▶ <u>M37</u> 0,5 ◀ ▶ <u>M37</u> 0,05 (*) ◀
▶ <u>M74</u> 0,02 (*) ◀ ▶ <u>M74</u> 0,5 ◀			▶ <u>M71</u> 0,01 (*) ◀ ▶ <u>M71</u> 4 (+) ◀	▶ <u>M42</u> 0,01 (*) ◀ ▶ <u>M42</u> 0,1 ◀			▶ <u>M37</u> 0,05 (*) ◀ ▶ <u>M37</u> 0,05 (*) ◀
				▶ <u>M42</u> — ◀ ▶ <u>M42</u> — ◀ ▶ <u>M42</u> — ◀ ▶ <u>M42</u> — ◀			
▶ <u>M74</u> 0,5 ◀			▶ <u>M71</u> 1,5 (+) ◀				▶ <u>M37</u> 0,2 ◀
				▶ <u>M42</u> 0,2 ◀ ▶ <u>M42</u> 0,01 (*) ◀ ▶ <u>M42</u> 0,2 ◀ ▶ <u>M42</u> 0,01 (*) ◀			
▶ <u>M74</u> 0,02 (*) ◀			▶ <u>M71</u> 0,01 (*) ◀	▶ <u>M42</u> 0,01 (*) ◀			▶ <u>M37</u> 0,05 (*) ◀
▶ <u>M74</u> 0,02 (*) ◀			▶ <u>M71</u> 0,01 (*) ◀	▶ <u>M42</u> 0,01 (*) ◀			▶ <u>M37</u> 0,05 (*) ◀
	▶ <u>M52</u> 0,01 (*) ◀	▶ <u>M42</u> 0,01 (*) ◀		▶ <u>M42</u> 0,01 (*) ◀	▶ <u>M51</u> 0,01 (*) ◀	▶ <u>M74</u> 0,02 (*) ◀	▶ <u>M37</u> 0,05 (*) ◀
▶ <u>M74</u> 0,3 ◀			▶ <u>M71</u> (+) ◀				
▶ <u>M74</u> (+) ◀ ▶ <u>M74</u> (+) ◀			▶ <u>M71</u> 25 ◀ ▶ <u>M71</u> 0,5 ◀				



▼ M2

(26)	(27)	(28)	(29)	(30)	(31)
▶ <u>M43</u> 0,1 ◀					
▶ <u>M43</u> 0,1 ◀					
▶ <u>M43</u> 0,5 ◀					
▶ <u>M43</u> 0,3 ◀					
▶ <u>M43</u> 0,3 ◀					
▶ <u>M43</u> 0,1 ◀					
▶ <u>M43</u> 0,05 ◀					
▶ <u>M43</u> 0,05 ◀					
▶ <u>M43</u> 0,02 (*) ◀					
		0,05 (*)		▶ <u>M42</u> 0,2 (*) ◀	▶ <u>M56</u> 0,05 (*) ◀
▶ <u>M11</u> — ◀					
▶ <u>M43</u> 0,1 ◀					
▶ <u>M43</u> 0,1 ◀					

▼ **M2**

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)
0241990	Others			► <u>M32</u> — ◄				
0242000	(b) <i>Head brassica</i>			► <u>M32</u> — ◄				
0242010	Brussels sprouts			► <u>M32</u> — ◄				
0242020	Head cabbage			► <u>M32</u> — ◄				
0242990	Others			► <u>M32</u> — ◄				
0243000	(c) <i>Leafy brassica</i>			► <u>M32</u> — ◄				
0243010	Chinese cabbage			► <u>M32</u> — ◄				
0243020	Kale			► <u>M32</u> — ◄				
0243990	Others			► <u>M32</u> — ◄				
0244000	(d) <i>Kohlrabi</i>			► <u>M32</u> — ◄				
0250000	(v) <b>Leaf vegetables &amp; fresh herbs</b>			► <u>M32</u> — ◄	► <u>M38</u> 0,1 (*) ◄			
0251000	(a) <i>Lettuce and other salad plants including Brassicacea</i>			► <u>M32</u> — ◄				
0251010	Lamb's lettuce			► <u>M32</u> — ◄				
0251020	Lettuce			► <u>M32</u> — ◄				
0251030	Scarole (broad-leaf endive)			► <u>M32</u> — ◄				
0251040	Cress			► <u>M32</u> — ◄				
0251050	Land cress	(**)	(**)	► <u>M32</u> — ◄	► <u>M38</u> (**) ◄	(**)	(**)	(**)
0251060	Rocket, Rucola			► <u>M32</u> — ◄				

▼ M2

(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)
		▶ <u>M32</u> — ◀					
		▶ <u>M32</u> — ◀					
		▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀					
		▶ <u>M32</u> — ◀					
		▶ <u>M32</u> — ◀					
		▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀					
		▶ <u>M32</u> — ◀					
		▶ <u>M32</u> — ◀					
		▶ <u>M32</u> — ◀			▶ <u>M13</u> 0,05 (*) ◀		
		▶ <u>M32</u> — ◀				▶ <u>M68</u> 0,05 (*) ◀	▶ <u>M52</u> 0,01 (*) ◀
(**)	(**)	▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀	(**)	(**)	▶ <u>M13</u> (**) ◀	▶ <u>M68</u> — ◀	▶ <u>M52</u> — ◀

▼ M2

(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)
			▶ <u>M71</u> 0,01 (*) ◀				
			▶ <u>M71</u> (+) ◀				
▶ <u>M74</u> 0,06 ◀ ▶ <u>M74</u> 0,2 ◀			▶ <u>M71</u> 0,7 ◀ ▶ <u>M71</u> 15 ◀				
▶ <u>M74</u> 0,02 (*) ◀			▶ <u>M71</u> 0,01 (*) ◀				
▶ <u>M74</u> 3 ◀ ▶ <u>M74</u> 0,4 ◀			▶ <u>M71</u> 0,7 (+) ◀ ▶ <u>M71</u> 0,01 (*) ◀				
▶ <u>M74</u> 0,4 ◀			▶ <u>M71</u> 0,01 (*) ◀				
▶ <u>M74</u> 0,02 (*) ◀			▶ <u>M71</u> 0,01 (*) ◀				
		▶ <u>M15</u> — ◀					▶ <u>M37</u> 0,05 (*) ◀
	▶ <u>M52</u> 0,01 (*) ◀	▶ <u>M42</u> 0,01 (*) ◀	▶ <u>M71</u> — ◀	▶ <u>M42</u> — ◀	▶ <u>M51</u> 0,01 (*) ◀	▶ <u>M74</u> 0,02 (*) ◀	
▶ <u>M74</u> 30 ◀ ▶ <u>M74</u> 3 ◀ ▶ <u>M74</u> 1 ◀  ▶ <u>M74</u> 1 ◀ ▶ <u>M74</u> 1 ◀ ▶ <u>M74</u> 2 (+) ◀			▶ <u>M71</u> 20 (+) ◀ ▶ <u>M71</u> 25 (+) ◀ ▶ <u>M71</u> 20 (+) ◀  ▶ <u>M71</u> 7 (+) ◀ ▶ <u>M71</u> 0,01 (*) ◀ ▶ <u>M71</u> 20 (+) ◀	▶ <u>M42</u> 0,01 (*) ◀ ▶ <u>M42</u> 0,8 (+) ◀ ▶ <u>M42</u> 0,8 (+) ◀  ▶ <u>M42</u> 0,01 (*) ◀ ▶ <u>M42</u> 0,01 (*) ◀ ▶ <u>M42</u> 0,8 (+) ◀			
	▶ <u>M52</u> — ◀	▶ <u>M42</u> — ◀	▶ <u>M71</u> 0,01 (*) ◀	▶ <u>M42</u> 0,01 (*) ◀	▶ <u>M51</u> — ◀	▶ <u>M59</u> — ◀	▶ <u>M37</u> (**) ◀

▼ M2

(26)	(27)	(28)	(29)	(30)	(31)
▶ <u>M43</u> 0,5 ◀					
▶ <u>M43</u> 0,05 ◀					
▶ <u>M43</u> 0,2 ◀					
▶ <u>M43</u> 0,02 (*) ◀					
▶ <u>M43</u> 1 ◀					
▶ <u>M43</u> 0,02 (*) ◀					
				▶ <u>M42</u> 0,2 (*) ◀	▶ <u>M56</u> 0,05 (*) ◀
		0,05 (*)			
▶ <u>M43</u> 1 ◀					
▶ <u>M43</u> 0,5 ◀					
▶ <u>M43</u> 1 ◀					
▶ <u>M43</u> 1 ◀					
▶ <u>M43</u> (**) ◀	(**)	(**)	(**)	▶ <u>M42</u> — ◀	▶ <u>M56</u> (**) ◀
▶ <u>M43</u> 1 ◀					

## ▼ M2

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)
0251070	Red mustard	(**)	(**)	► <u>M32</u> — ◀	► <u>M38</u> (**) ◀	(**)	(**)	(**)
0251080	Leaves and sprouts of Brassica spp.			► <u>M32</u> — ◀				
0251990	Others			► <u>M32</u> — ◀				
0252000	(b) <i>Spinach</i> & similar (leaves)			► <u>M32</u> — ◀				
0252010	Spinach			► <u>M32</u> — ◀				
0252020	Purslane	(**)	(**)	► <u>M32</u> — ◀	► <u>M38</u> (**) ◀	(**)	(**)	(**)
0252030	Beet leaves (chard)			► <u>M32</u> — ◀				
0252990	Others			► <u>M32</u> — ◀				
0253000	(c) <i>Vine leaves</i> (grape leaves)	(**)	(**)	► <u>M32</u> — ◀	► <u>M38</u> (**) ◀	(**)	(**)	(**)
0254000	(d) <i>Water cress</i>			► <u>M32</u> — ◀				
0255000	(e) <i>Witloof</i>			► <u>M32</u> — ◀				
0256000	(f) <i>Herbs</i>			► <u>M32</u> — ◀				
0256010	Chervil			► <u>M32</u> — ◀				
0256020	Chives			► <u>M32</u> — ◀				
0256030	Celery leaves			► <u>M32</u> — ◀				
0256040	Parsley			► <u>M32</u> — ◀				
0256050	Sage	(**)	(**)	► <u>M32</u> — ◀	► <u>M38</u> (**) ◀	(**)	(**)	(**)
0256060	Rosemary	(**)	(**)	► <u>M32</u> — ◀	► <u>M38</u> (**) ◀	(**)	(**)	(**)
0256070	Thyme	(**)	(**)	► <u>M32</u> — ◀	► <u>M38</u> (**) ◀	(**)	(**)	(**)
0256080	Basil	(**)	(**)	► <u>M32</u> — ◀	► <u>M38</u> (**) ◀	(**)	(**)	(**)

▼ M2

(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)
(**)	(**)	▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀	(**)	(**)	▶ <u>M13</u> (**) ◀	▶ <u>M68</u> — ◀	▶ <u>M52</u> — ◀
		▶ <u>M32</u> — ◀					
		▶ <u>M32</u> — ◀				▶ <u>M68</u> 0,05 (*) ◀	▶ <u>M52</u> 0,01 (*) ◀
(**)	(**)	▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀	(**)	(**)	▶ <u>M13</u> (**) ◀	▶ <u>M68</u> — ◀	▶ <u>M52</u> — ◀
		▶ <u>M32</u> — ◀					
(**)	(**)	▶ <u>M32</u> — ◀	(**)	(**)	▶ <u>M13</u> (**) ◀	▶ <u>M68</u> 0,05 (*) ◀	▶ <u>M52</u> 0,01 (*) ◀
		▶ <u>M32</u> — ◀				▶ <u>M68</u> 0,05 (*) ◀	▶ <u>M52</u> 0,01 (*) ◀
		▶ <u>M32</u> — ◀				▶ <u>M68</u> 0,05 (*) ◀	▶ <u>M52</u> 0,01 (*) ◀
		▶ <u>M32</u> — ◀				▶ <u>M68</u> 0,1 (*) ◀	▶ <u>M52</u> 0,02 (*) ◀
(**)	(**)	▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀	(**)	(**)	▶ <u>M13</u> (**) ◀	▶ <u>M68</u> — ◀	▶ <u>M52</u> — ◀
(**)	(**)	▶ <u>M32</u> — ◀	(**)	(**)	▶ <u>M13</u> (**) ◀	▶ <u>M68</u> — ◀	▶ <u>M52</u> — ◀
(**)	(**)	▶ <u>M32</u> — ◀	(**)	(**)	▶ <u>M13</u> (**) ◀	▶ <u>M68</u> — ◀	▶ <u>M52</u> — ◀
(**)	(**)	▶ <u>M32</u> — ◀	(**)	(**)	▶ <u>M13</u> (**) ◀	▶ <u>M68</u> — ◀	▶ <u>M52</u> — ◀

▼ M2

(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)
▶ <u>M74</u> 1 ◀ ▶ <u>M74</u> 2 (+) ◀	▶ <u>M52</u> — ◀	▶ <u>M42</u> — ◀	▶ <u>M71</u> 0,01 (*) ◀ ▶ <u>M71</u> 20 (+) ◀	▶ <u>M42</u> 0,01 (*) ◀ ▶ <u>M42</u> 0,01 (*) ◀	▶ <u>M51</u> — ◀	▶ <u>M59</u> — ◀	▶ <u>M37</u> (**) ◀
▶ <u>M74</u> 1 ◀			▶ <u>M71</u> 0,01 (*) ◀	▶ <u>M42</u> 0,01 (*) ◀			
▶ <u>M5</u> — ◀	▶ <u>M52</u> 0,01 (*) ◀	▶ <u>M42</u> 0,01 (*) ◀	▶ <u>M71</u> 0,02 ◀	▶ <u>M42</u> 0,01 (*) ◀	▶ <u>M51</u> 0,01 (*) ◀	▶ <u>M74</u> 0,02 (*) ◀	
▶ <u>M74</u> 2 ◀ ▶ <u>M74</u> 1 ◀ ▶ <u>M74</u> 1 ◀	▶ <u>M52</u> — ◀	▶ <u>M42</u> — ◀	▶ <u>M71</u> — ◀ ▶ <u>M71</u> — ◀ ▶ <u>M71</u> — ◀	▶ <u>M42</u> — ◀ ▶ <u>M42</u> — ◀ ▶ <u>M42</u> — ◀	▶ <u>M51</u> — ◀	▶ <u>M59</u> — ◀	▶ <u>M37</u> (**) ◀
▶ <u>M74</u> 1 ◀			▶ <u>M71</u> — ◀	▶ <u>M42</u> — ◀			
▶ <u>M74</u> 0,02 (*) ◀	▶ <u>M52</u> 0,01 (*) ◀	▶ <u>M42</u> 0,01 (*) ◀	▶ <u>M71</u> 0,01 (*) ◀	▶ <u>M42</u> 0,01 (*) ◀	▶ <u>M51</u> 0,01 (*) ◀	▶ <u>M74</u> 0,02 (*) ◀	▶ <u>M37</u> (**) ◀
▶ <u>M74</u> 0,02 (*) ◀	▶ <u>M52</u> 0,01 (*) ◀	▶ <u>M42</u> 0,01 (*) ◀	▶ <u>M71</u> 0,01 (*) ◀	▶ <u>M42</u> 0,01 (*) ◀	▶ <u>M51</u> 0,01 (*) ◀	▶ <u>M74</u> 0,02 (*) ◀	
▶ <u>M74</u> 0,02 (*) ◀	▶ <u>M52</u> 0,01 (*) ◀	▶ <u>M42</u> 0,01 (*) ◀	▶ <u>M71</u> 3 (+) ◀	▶ <u>M42</u> 0,01 (*) ◀	▶ <u>M51</u> 0,01 (*) ◀	▶ <u>M74</u> 0,02 (*) ◀	
▶ <u>M40</u> — ◀	▶ <u>M52</u> 0,02 (*) ◀		▶ <u>M71</u> 20 (+) ◀	▶ <u>M42</u> 0,02 (*) ◀		▶ <u>M74</u> 0,05 (*) ◀	
▶ <u>M74</u> 2 ◀ ▶ <u>M74</u> 2 ◀ ▶ <u>M74</u> 2 ◀ ▶ <u>M74</u> 2 ◀ ▶ <u>M74</u> 2 ◀ ▶ <u>M74</u> 2 ◀ ▶ <u>M74</u> 2 ◀ ▶ <u>M74</u> 15 ◀	▶ <u>M52</u> — ◀ ▶ <u>M52</u> — ◀ ▶ <u>M52</u> — ◀ ▶ <u>M52</u> — ◀	▶ <u>M42</u> 0,02 (*) ◀ ▶ <u>M42</u> 3 ◀ ▶ <u>M42</u> 0,02 (*) ◀ ▶ <u>M42</u> 0,02 (*) ◀ ▶ <u>M42</u> 0,02 (*) ◀ ▶ <u>M42</u> 0,02 (*) ◀ ▶ <u>M42</u> 0,02 (*) ◀ ▶ <u>M42</u> 0,02 (*) ◀	▶ <u>M71</u> — ◀ ▶ <u>M71</u> — ◀ ▶ <u>M71</u> — ◀	▶ <u>M42</u> — ◀ ▶ <u>M42</u> — ◀ ▶ <u>M42</u> — ◀ ▶ <u>M42</u> — ◀	▶ <u>M51</u> 0,02 (*) ◀ ▶ <u>M51</u> 0,05 (+) ◀ ▶ <u>M51</u> 0,02 (*) ◀ ▶ <u>M51</u> 0,02 (*) ◀ ▶ <u>M51</u> 0,02 (*) ◀ ▶ <u>M51</u> 0,02 (*) ◀ ▶ <u>M51</u> 0,05 (+) ◀ ▶ <u>M51</u> 0,02 (*) ◀	▶ <u>M59</u> — ◀ ▶ <u>M59</u> — ◀ ▶ <u>M59</u> — ◀ ▶ <u>M59</u> — ◀	▶ <u>M37</u> (**) ◀ ▶ <u>M37</u> (**) ◀ ▶ <u>M37</u> (**) ◀ ▶ <u>M37</u> (**) ◀



▼ M2

(26)	(27)	(28)	(29)	(30)	(31)
▶ <u>M43</u> (**) ◀ ▶ <u>M43</u> 1 ◀	(**)	(**)	(**)	▶ <u>M42</u> — ◀	▶ <u>M56</u> (**) ◀
▶ <u>M43</u> 1 ◀					
▶ <u>M43</u> 0,5 ◀		0,05 (*)			
▶ <u>M43</u> (**) ◀	(**)	(**)	(**)	▶ <u>M42</u> — ◀	▶ <u>M56</u> (**) ◀
▶ <u>M43</u> (**) ◀	(**)	(**)	(**)	▶ <u>M42</u> — ◀	▶ <u>M56</u> (**) ◀
▶ <u>M43</u> 0,02 (*) ◀		0,05 (*)			
▶ <u>M43</u> 0,02 (*) ◀		0,05 (*)			
▶ <u>M43</u> 1 ◀		1			
▶ <u>M43</u> (**) ◀	(**)	(**)	(**)	▶ <u>M42</u> — ◀	▶ <u>M56</u> (**) ◀
▶ <u>M43</u> (**) ◀	(**)	(**)	(**)	▶ <u>M42</u> — ◀	▶ <u>M56</u> (**) ◀
▶ <u>M43</u> (**) ◀	(**)	(**)	(**)	▶ <u>M42</u> — ◀	▶ <u>M56</u> (**) ◀
▶ <u>M43</u> (**) ◀	(**)	(**)	(**)	▶ <u>M42</u> — ◀	▶ <u>M56</u> (**) ◀

▼ **M2**

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)
0256090	Bay leaves (laurel)	(**)	(**)	► <u>M32</u> — ◄	► <u>M38</u> (**) ◄	(**)	(**)	(**)
0256100	Tarragon	(**)	(**)	► <u>M32</u> — ◄	► <u>M38</u> (**) ◄	(**)	(**)	(**)
0256990	Others			► <u>M32</u> — ◄				
0260000	(vi) <b>Legume vegetables (fresh)</b>			► <u>M32</u> — ◄	► <u>M38</u> 0,1 (*) ◄			
0260010	Beans (with pods)			► <u>M32</u> — ◄				
0260020	Beans (without pods)			► <u>M32</u> — ◄				
0260030	Peas (with pods)			► <u>M32</u> — ◄				
0260040	Peas (without pods)			► <u>M32</u> — ◄				
0260050	Lentils			► <u>M32</u> — ◄				
0260990	Others			► <u>M32</u> — ◄				
0270000	(vii) <b>Stem vegetables (fresh)</b>			► <u>M32</u> — ◄	► <u>M38</u> 0,1 (*) ◄			
0270010	Asparagus			► <u>M32</u> — ◄				
0270020	Cardoons			► <u>M32</u> — ◄				
0270030	Celery			► <u>M32</u> — ◄				
0270040	Fennel			► <u>M32</u> — ◄				
0270050	Globe artichokes			► <u>M32</u> — ◄				
0270060	Leek			► <u>M32</u> — ◄				
0270070	Rhubarb			► <u>M32</u> — ◄				
0270080	Bamboo shoots	(**)	(**)	► <u>M32</u> — ◄	► <u>M38</u> (**) ◄	(**)	(**)	(**)
0270090	Palm hearts	(**)	(**)	► <u>M32</u> — ◄	► <u>M38</u> (**) ◄	(**)	(**)	(**)
0270990	Others			► <u>M32</u> — ◄				

▼ M2

(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)
(**)	(**)	▶ <u>M32</u> — ◀	(**)	(**)	▶ <u>M13</u> (**) ◀	▶ <u>M68</u> — ◀	▶ <u>M52</u> — ◀
(**)	(**)	▶ <u>M32</u> — ◀	(**)	(**)	▶ <u>M13</u> (**) ◀	▶ <u>M68</u> — ◀	▶ <u>M52</u> — ◀
		▶ <u>M32</u> — ◀					
		▶ <u>M32</u> — ◀			▶ <u>M13</u> 0,05 (*) ◀	▶ <u>M68</u> 0,05 (*) ◀	▶ <u>M52</u> 0,01 (*) ◀
		▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀  ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀				▶ <u>M68</u> (+) ◀  ▶ <u>M68</u> (+) ◀	
		▶ <u>M32</u> — ◀					
		▶ <u>M32</u> — ◀			▶ <u>M13</u> 0,05 (*) ◀	▶ <u>M68</u> 0,05 (*) ◀	▶ <u>M52</u> 0,01 (*) ◀
		▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀					
(**)	(**)	▶ <u>M32</u> — ◀	(**)	(**)	▶ <u>M13</u> (**) ◀	▶ <u>M68</u> — ◀	▶ <u>M52</u> — ◀
(**)	(**)	▶ <u>M32</u> — ◀	(**)	(**)	▶ <u>M13</u> (**) ◀	▶ <u>M68</u> — ◀	▶ <u>M52</u> — ◀
		▶ <u>M32</u> — ◀					

▼ M2

(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)
▶ <u>M74</u> 2 ◀	▶ <u>M52</u> — ◀	▶ <u>M42</u> 0,02 (*) ◀	▶ <u>M71</u> — ◀	▶ <u>M42</u> — ◀	▶ <u>M51</u> 0,02 (*) ◀	▶ <u>M59</u> — ◀	▶ <u>M37</u> (**) ◀
▶ <u>M74</u> 2 ◀	▶ <u>M52</u> — ◀	▶ <u>M42</u> 0,02 (*) ◀	▶ <u>M71</u> — ◀	▶ <u>M42</u> — ◀	▶ <u>M51</u> 0,02 (*) ◀	▶ <u>M59</u> — ◀	▶ <u>M37</u> (**) ◀
▶ <u>M74</u> 2 ◀		▶ <u>M42</u> 0,02 (*) ◀			▶ <u>M51</u> 0,02 (*) ◀		
▶ <u>M40</u> — ◀	▶ <u>M52</u> 0,01 (*) ◀	▶ <u>M42</u> 0,01 (*) ◀		▶ <u>M42</u> 0,01 (*) ◀	▶ <u>M51</u> 0,01 (*) ◀	▶ <u>M74</u> 0,02 (*) ◀	▶ <u>M37</u> 0,05 (*) ◀
▶ <u>M74</u> 0,5 ◀			▶ <u>M71</u> 2 (+) ◀				
▶ <u>M74</u> 0,02 (*) ◀			▶ <u>M71</u> 0,08 (+) ◀				
▶ <u>M74</u> 0,02 (*) ◀			▶ <u>M71</u> 2 (+) ◀				
▶ <u>M74</u> 0,02 (*) ◀			▶ <u>M71</u> 0,3 (+) ◀				
▶ <u>M74</u> 0,02 (*) ◀			▶ <u>M71</u> 0,01 (*) ◀				
▶ <u>M74</u> 0,02 (*) ◀			▶ <u>M71</u> 0,01 (*) ◀				
	▶ <u>M52</u> 0,01 (*) ◀			▶ <u>M42</u> 0,01 (*) ◀	▶ <u>M51</u> 0,01 (*) ◀	▶ <u>M74</u> 0,02 (*) ◀	
▶ <u>M74</u> 0,02 (*) ◀		▶ <u>M42</u> 0,01 (*) ◀	▶ <u>M71</u> 0,01 (*) ◀				▶ <u>M37</u> 0,05 (*) ◀
▶ <u>M74</u> 3 ◀		▶ <u>M42</u> 0,01 (*) ◀	▶ <u>M71</u> 0,01 (*) ◀				▶ <u>M37</u> 0,05 (*) ◀
▶ <u>M74</u> 2 ◀		▶ <u>M42</u> 0,01 (*) ◀	▶ <u>M71</u> 0,01 (*) ◀				▶ <u>M37</u> 0,05 (*) ◀
▶ <u>M74</u> 3 ◀		▶ <u>M42</u> 0,01 (*) ◀	▶ <u>M71</u> 0,01 (*) ◀				▶ <u>M37</u> 0,05 (*) ◀
▶ <u>M74</u> 0,2 ◀		▶ <u>M42</u> 0,01 (*) ◀	▶ <u>M71</u> 0,01 (*) ◀				▶ <u>M37</u> 0,05 (*) ◀
▶ <u>M74</u> 0,02 (*) ◀		▶ <u>M42</u> 3 ◀	▶ <u>M71</u> 0,01 (*) ◀				▶ <u>M37</u> 5 ◀
▶ <u>M74</u> 3 ◀		▶ <u>M42</u> 0,01 (*) ◀	▶ <u>M71</u> 0,15 (+) ◀				▶ <u>M37</u> 0,05 (*) ◀
▶ <u>M74</u> 0,02 (*) ◀	▶ <u>M52</u> — ◀	▶ <u>M42</u> 0,01 (*) ◀	▶ <u>M71</u> 0,01 (*) ◀	▶ <u>M42</u> — ◀	▶ <u>M51</u> — ◀	▶ <u>M59</u> — ◀	▶ <u>M37</u> (**) ◀
▶ <u>M74</u> 0,02 (*) ◀	▶ <u>M52</u> — ◀	▶ <u>M42</u> 0,01 (*) ◀	▶ <u>M71</u> 0,01 (*) ◀	▶ <u>M42</u> — ◀	▶ <u>M51</u> — ◀	▶ <u>M59</u> — ◀	▶ <u>M37</u> (**) ◀
▶ <u>M74</u> 0,02 (*) ◀		▶ <u>M42</u> 0,01 (*) ◀	▶ <u>M71</u> 0,01 (*) ◀				▶ <u>M37</u> 0,05 (*) ◀

▼ M2

(26)	(27)	(28)	(29)	(30)	(31)
▶ <u>M43</u> (**) ◀	(**)	(**)	(**)	▶ <u>M42</u> — ◀	▶ <u>M56</u> (**) ◀
▶ <u>M43</u> (**) ◀	(**)	(**)	(**)	▶ <u>M42</u> — ◀	▶ <u>M56</u> (**) ◀
▶ <u>M43</u> 0,2 ◀				▶ <u>M42</u> 0,2 (*) ◀	
▶ <u>M11</u> — ◀		0,05 (*)			▶ <u>M56</u> 0,05 (*) ◀
▶ <u>M11</u> — ◀		0,1			▶ <u>M56</u> 0,1 ◀
▶ <u>M11</u> — ◀		0,05 (*)			▶ <u>M56</u> 0,1 ◀
▶ <u>M11</u> — ◀		0,1			▶ <u>M56</u> 0,1 ◀
▶ <u>M11</u> — ◀		0,05 (*)			▶ <u>M56</u> 0,05 (*) ◀
▶ <u>M11</u> — ◀		0,05 (*)			▶ <u>M56</u> 0,05 (*) ◀
				▶ <u>M42</u> 0,2 (*) ◀	▶ <u>M56</u> 0,05 (*) ◀
▶ <u>M43</u> 0,02 (*) ◀		0,05 (*)			
▶ <u>M43</u> 0,02 (*) ◀		0,05 (*)			
▶ <u>M43</u> 0,3 ◀		0,1			
▶ <u>M43</u> 0,3 ◀		0,1			
▶ <u>M43</u> 0,2 ◀		0,05 (*)			
▶ <u>M43</u> 0,3 ◀		0,05 (*)			
▶ <u>M43</u> 0,02 (*) ◀		0,05 (*)			
▶ <u>M43</u> (**) ◀	(**)	(**)	(**)	▶ <u>M42</u> — ◀	▶ <u>M56</u> (**) ◀
▶ <u>M43</u> (**) ◀	(**)	(**)	(**)	▶ <u>M42</u> — ◀	▶ <u>M56</u> (**) ◀
▶ <u>M43</u> 0,02 (*) ◀		0,05 (*)			

▼ **M2**

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)
0280000	(viii) <b>Fungi</b>			▶ <b>M32</b> — ◀				
0280010	Cultivated			▶ <b>M32</b> — ◀	▶ <b>M38</b> 0,1 (*) ◀			
0280020	Wild			▶ <b>M32</b> — ◀	▶ <b>M38</b> 50 ◀			
0280990	Others			▶ <b>M32</b> — ◀	▶ <b>M38</b> 0,1 (*) ◀			
0290000	(ix) <b>Sea weeds</b>	(**)	(**)	▶ <b>M32</b> — ◀	▶ <b>M38</b> (**) ◀	(**)	(**)	(**)
0300000	3. <b>PULSES, DRY</b>	0,02 (*)	0,02 (*)	▶ <b>M32</b> — ◀		0,01 (*)	0,01 (*)	
0300010	Beans			▶ <b>M32</b> — ◀	▶ <b>M38</b> 2 ◀			
0300020	Lentils			▶ <b>M32</b> — ◀	▶ <b>M38</b> 10 ◀			
0300030	Peas			▶ <b>M32</b> — ◀	▶ <b>M38</b> 10 ◀			
0300040	Lupins			▶ <b>M32</b> — ◀	▶ <b>M38</b> 10 ◀			
0300990	Others			▶ <b>M32</b> — ◀	▶ <b>M38</b> 0,1 (*) ◀			
0400000	4. <b>OILSEEDS AND OILFRUITS</b>			▶ <b>M32</b> — ◀		0,01 (*)		
0401000	(i) <b>Oilseeds</b>	0,05 (*)	0,05 (*)	▶ <b>M32</b> — ◀				
0401010	Linseed			▶ <b>M32</b> — ◀	▶ <b>M38</b> 10 ◀		0,02	
0401020	Peanuts			▶ <b>M32</b> — ◀	▶ <b>M38</b> 0,1 (*) ◀		0,02	
0401030	Poppy seed			▶ <b>M32</b> — ◀	▶ <b>M38</b> 0,1 (*) ◀		0,02	
0401040	Sesame seed			▶ <b>M32</b> — ◀	▶ <b>M38</b> 0,1 (*) ◀		0,02	
0401050	Sunflower seed			▶ <b>M32</b> — ◀	▶ <b>M38</b> 20 ◀		0,02	
0401060	Rape seed			▶ <b>M32</b> — ◀	▶ <b>M38</b> 10 ◀		0,02	
0401070	Soya bean			▶ <b>M32</b> — ◀	▶ <b>M38</b> 20 ◀		0,02	

▼ M2

(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)
		▶ <u>M32</u> — ◀			▶ <u>M13</u> 0,05 (*) ◀	▶ <u>M68</u> 0,05 (*) ◀	▶ <u>M52</u> 0,01 (*) ◀
		▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀					
		▶ <u>M32</u> — ◀					
(**)	(**)	▶ <u>M32</u> — ◀	(**)	(**)	▶ <u>M13</u> (**) ◀	▶ <u>M68</u> 0,05 (*) ◀	▶ <u>M52</u> 0,01 (*) ◀
	0,01 (*)	▶ <u>M32</u> — ◀			▶ <u>M13</u> 0,05 (*) ◀	▶ <u>M68</u> 0,05 (*) ◀	▶ <u>M52</u> 0,01 (*) ◀
		▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀				▶ <u>M68</u> (+) ◀ ▶ <u>M68</u> (+) ◀ ▶ <u>M68</u> (+) ◀	
		▶ <u>M32</u> — ◀					
		▶ <u>M32</u> — ◀			▶ <u>M13</u> 0,05 (*) ◀	▶ <u>M68</u> 0,05 (*) (+) ◀	▶ <u>M52</u> 0,02 (*) ◀
	0,02 (*)	▶ <u>M32</u> — ◀					
		▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀					

▼ M2

(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)
▶ <u>M74</u> 0,02 (*) ◀	▶ <u>M52</u> 0,01 (*) ◀	▶ <u>M42</u> 0,01 (*) ◀	▶ <u>M71</u> 0,01 (*) ◀	▶ <u>M42</u> 0,01 (*) ◀	▶ <u>M51</u> 0,01 (*) ◀	▶ <u>M74</u> 0,02 (*) ◀	▶ <u>M37</u> 0,05 (*) ◀
▶ <u>M74</u> 0,02 (*) ◀	▶ <u>M52</u> 0,01 (*) ◀	▶ <u>M42</u> 0,01 (*) ◀	▶ <u>M71</u> 0,01 (*) ◀	▶ <u>M42</u> 0,01 (*) ◀	▶ <u>M51</u> 0,01 (*) ◀	▶ <u>M74</u> 0,02 (*) ◀	▶ <u>M37</u> (**) ◀
▶ <u>M40</u> — ◀	▶ <u>M52</u> 0,01 (*) ◀	▶ <u>M42</u> 0,01 (*) ◀	▶ <u>M71</u> — ◀	▶ <u>M42</u> 0,01 (*) ◀	▶ <u>M51</u> 0,01 (*) ◀	▶ <u>M74</u> 0,02 (*) ◀	▶ <u>M37</u> 0,05 (*) ◀
▶ <u>M74</u> 0,2 ◀ ▶ <u>M74</u> 0,01 (*) ◀ ▶ <u>M74</u> 0,2 ◀ ▶ <u>M74</u> 0,01 (*) ◀			▶ <u>M71</u> 0,4 (+) ◀ ▶ <u>M71</u> 0,4 (+) ◀ ▶ <u>M71</u> 0,2 (+) ◀ ▶ <u>M71</u> 0,02 (*) ◀				
▶ <u>M74</u> 0,01 (*) ◀			▶ <u>M71</u> 0,02 (*) ◀				
	▶ <u>M52</u> 0,02 (*) ◀	▶ <u>M42</u> 0,02 (*) ◀		▶ <u>M42</u> 0,02 (*) ◀	▶ <u>M51</u> 0,01 (*) ◀	▶ <u>M74</u> 0,02 (*) ◀	
		▶ <u>M42</u> — ◀		▶ <u>M42</u> — ◀	▶ <u>M51</u> — ◀	▶ <u>M59</u> — ◀	▶ <u>M37</u> 0,1 (*) ◀
▶ <u>M74</u> 0,02 (*) ◀ ▶ <u>M74</u> 0,02 (*) ◀ ▶ <u>M74</u> 0,02 (*) ◀ ▶ <u>M74</u> 0,02 (*) ◀ ▶ <u>M74</u> 0,02 (*) ◀ ▶ <u>M74</u> 0,05 ◀ ▶ <u>M74</u> 0,5 ◀	▶ <u>M52</u> (+) ◀		▶ <u>M71</u> 0,06 (+) ◀ ▶ <u>M71</u> 0,01 (*) ◀ ▶ <u>M71</u> 0,01 (*) ◀ ▶ <u>M71</u> 0,01 (*) ◀ ▶ <u>M71</u> 0,5 (+) ◀ ▶ <u>M71</u> 0,5 (+) ◀ ▶ <u>M71</u> 0,01 (*) ◀				



▼ M2

(26)	(27)	(28)	(29)	(30)	(31)
		0,05 (*)		▶ <u>M42</u> 0,2 (*) ◀	▶ <u>M56</u> 0,05 (*) ◀
▶ <u>M43</u> 0,02 (*) ◀ ▶ <u>M43</u> 0,5 ◀					
▶ <u>M43</u> 0,02 (*) ◀					
▶ <u>M43</u> (**) ◀	(**)	(**)	(**)	▶ <u>M42</u> 0,2 (*) ◀	▶ <u>M56</u> (**) ◀
▶ <u>M43</u> 0,05 ◀	0,01 (*)	0,05 (*)		▶ <u>M42</u> 0,2 (*) ◀	
					▶ <u>M56</u> 0,1 ◀ ▶ <u>M56</u> 0,05 (*) ◀ ▶ <u>M56</u> 0,1 ◀ ▶ <u>M56</u> 0,05 (*) ◀
					▶ <u>M56</u> 0,05 (*) ◀
	0,01 (*)			▶ <u>M42</u> 0,5 (*) ◀	
▶ <u>M11</u> — ◀		0,1 (*)		▶ <u>M42</u> — ◀	▶ <u>M56</u> 0,1 (*) ◀
▶ <u>M43</u> 0,2 ◀ ▶ <u>M43</u> 0,2 ◀ ▶ <u>M43</u> 0,2 ◀ ▶ <u>M43</u> 0,2 ◀ ▶ <u>M43</u> 0,2 ◀ ▶ <u>M43</u> 0,2 ◀ ▶ <u>M43</u> 0,05 (*) ◀					

## ▼ M2

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)
0401080	Mustard seed			► <u>M32</u> — ◄	► <u>M38</u> 10 ◄		0,02	
0401090	Cotton seed			► <u>M32</u> — ◄	► <u>M38</u> 10 ◄		0,02	
0401100	Pumpkin seeds			► <u>M32</u> — ◄	► <u>M38</u> 0,1 (*) ◄		0,05	
0401110	Safflower	(**)	(**)	► <u>M32</u> — ◄	► <u>M38</u> (**) ◄	(**)	(**)	(**)
0401120	Borage	(**)	(**)	► <u>M32</u> — ◄	► <u>M38</u> (**) ◄	(**)	(**)	(**)
0401130	Gold of pleasure	(**)	(**)	► <u>M32</u> — ◄	► <u>M38</u> (**) ◄	(**)	(**)	(**)
0401140	Hempseed			► <u>M32</u> — ◄	► <u>M38</u> 0,1 (*) ◄		0,02	
0401150	Castor bean	(**)	(**)	► <u>M32</u> — ◄	► <u>M38</u> (**) ◄	(**)	(**)	(**)
0401990	Others			► <u>M32</u> — ◄	► <u>M38</u> 0,1 (*) ◄		0,02	
0402000	(ii) <b>Oilfruits</b>			► <u>M32</u> — ◄			0,01 (*)	
0402010	Olives for oil production	0,02 (*)	0,02 (*)	► <u>M32</u> — ◄	► <u>M38</u> 1 ◄			
0402020	Palm nuts (palmoil kernels)	(**)	(**)	► <u>M32</u> — ◄	► <u>M38</u> (**) ◄	(**)	(**)	(**)
0402030	Palmfruit	(**)	(**)	► <u>M32</u> — ◄	► <u>M38</u> (**) ◄	(**)	(**)	(**)
0402040	Kapok	(**)	(**)	► <u>M32</u> — ◄	► <u>M38</u> (**) ◄	(**)	(**)	(**)
0402990	Others	0,05 (*)	0,05 (*)	► <u>M32</u> — ◄	► <u>M38</u> 0,1 (*) ◄			
0500000	5. <b>CEREALS</b>	0,02 (*)	0,02 (*)	► <u>M32</u> — ◄		0,01	0,01 (*)	
0500010	Barley			► <u>M32</u> — ◄	► <u>M38</u> 20 ◄			
0500020	Buckwheat			► <u>M32</u> — ◄	► <u>M38</u> 0,1 (*) ◄			
0500030	Maize			► <u>M32</u> — ◄	► <u>M38</u> 1 ◄			
0500040	Millet			► <u>M32</u> — ◄	► <u>M38</u> 0,1 (*) ◄			
0500050	Oats			► <u>M32</u> — ◄	► <u>M38</u> 20 ◄			
0500060	Rice			► <u>M32</u> — ◄	► <u>M38</u> 0,1 (*) ◄			
0500070	Rye			► <u>M32</u> — ◄	► <u>M38</u> 10 ◄			

▼ M2

(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)
		▶ <u>M32</u> — ◀					
		▶ <u>M32</u> — ◀					
		▶ <u>M32</u> — ◀					
(**)	(**)	▶ <u>M32</u> — ◀	(**)	(**)	▶ <u>M13</u> (**) ◀	▶ <u>M68</u> — ◀	▶ <u>M52</u> — ◀
(**)	(**)	▶ <u>M32</u> — ◀	(**)	(**)	▶ <u>M13</u> (**) ◀	▶ <u>M68</u> — ◀	▶ <u>M52</u> — ◀
(**)	(**)	▶ <u>M32</u> — ◀	(**)	(**)	▶ <u>M13</u> (**) ◀	▶ <u>M68</u> — ◀	▶ <u>M52</u> — ◀
		▶ <u>M32</u> — ◀					
(**)	(**)	▶ <u>M32</u> — ◀	(**)	(**)	▶ <u>M13</u> (**) ◀	▶ <u>M68</u> — ◀	▶ <u>M52</u> — ◀
		▶ <u>M32</u> — ◀					
	0,01 (*)	▶ <u>M32</u> — ◀					
		▶ <u>M32</u> — ◀					
(**)	(**)	▶ <u>M32</u> — ◀	(**)	(**)	▶ <u>M13</u> (**) ◀	▶ <u>M68</u> — ◀	▶ <u>M52</u> — ◀
(**)	(**)	▶ <u>M32</u> — ◀	(**)	(**)	▶ <u>M13</u> (**) ◀	▶ <u>M68</u> — ◀	▶ <u>M52</u> — ◀
(**)	(**)	▶ <u>M32</u> — ◀	(**)	(**)	▶ <u>M13</u> (**) ◀	▶ <u>M68</u> — ◀	▶ <u>M52</u> — ◀
		▶ <u>M32</u> — ◀					
	0,02	▶ <u>M32</u> — ◀	15	0,1	▶ <u>M13</u> 0,05 (*) ◀	▶ <u>M68</u> 0,05 (*) ◀	▶ <u>M52</u> 0,01 (*) ◀
		▶ <u>M32</u> — ◀					▶ <u>M52</u> (+) ◀
		▶ <u>M32</u> — ◀				▶ <u>M68</u> (+) ◀	
		▶ <u>M32</u> — ◀					
		▶ <u>M32</u> — ◀					
		▶ <u>M32</u> — ◀				▶ <u>M68</u> (+) ◀	▶ <u>M52</u> (+) ◀
		▶ <u>M32</u> — ◀					▶ <u>M52</u> (+) ◀

▼ M2

(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)
▶ <u>M74</u> 0,05 ◀			▶ <u>M71</u> 0,01 (*) ◀				
▶ <u>M74</u> 1 ◀			▶ <u>M71</u> 0,01 (*) ◀				
▶ <u>M74</u> 0,02 (*) ◀			▶ <u>M71</u> 0,01 (*) ◀				
▶ <u>M74</u> 0,02 (*) ◀	▶ <u>M52</u> — ◀	▶ <u>M42</u> — ◀	▶ <u>M71</u> 0,01 (*) ◀	▶ <u>M42</u> — ◀	▶ <u>M51</u> — ◀	▶ <u>M59</u> — ◀	▶ <u>M37</u> (**) ◀
▶ <u>M74</u> 0,02 (*) ◀	▶ <u>M52</u> — ◀	▶ <u>M42</u> — ◀	▶ <u>M71</u> 0,01 (*) ◀	▶ <u>M42</u> — ◀	▶ <u>M51</u> — ◀	▶ <u>M59</u> — ◀	▶ <u>M37</u> (**) ◀
▶ <u>M74</u> 0,02 (*) ◀	▶ <u>M52</u> — ◀	▶ <u>M42</u> — ◀	▶ <u>M71</u> 0,01 (*) ◀	▶ <u>M42</u> — ◀	▶ <u>M51</u> — ◀	▶ <u>M59</u> — ◀	▶ <u>M37</u> (**) ◀
▶ <u>M74</u> 0,02 (*) ◀			▶ <u>M71</u> 0,01 (*) ◀				
▶ <u>M74</u> 0,02 (*) ◀	▶ <u>M52</u> — ◀	▶ <u>M42</u> — ◀	▶ <u>M71</u> 0,01 (*) ◀	▶ <u>M42</u> — ◀	▶ <u>M51</u> — ◀	▶ <u>M59</u> — ◀	▶ <u>M37</u> (**) ◀
▶ <u>M74</u> 0,02 (*) ◀			▶ <u>M71</u> 0,01 (*) ◀				
▶ <u>M74</u> 0,02 (*) ◀			▶ <u>M71</u> 0,01 (*) ◀				
		▶ <u>M42</u> — ◀		▶ <u>M42</u> — ◀	▶ <u>M51</u> — ◀	▶ <u>M59</u> — ◀	▶ <u>M37</u> 0,05 (*) ◀
▶ <u>M40</u> — ◀	▶ <u>M52</u> — ◀	▶ <u>M42</u> — ◀	▶ <u>M71</u> — ◀	▶ <u>M42</u> — ◀	▶ <u>M51</u> — ◀	▶ <u>M59</u> — ◀	▶ <u>M37</u> (**) ◀
▶ <u>M40</u> — ◀	▶ <u>M52</u> — ◀	▶ <u>M42</u> — ◀	▶ <u>M71</u> — ◀	▶ <u>M42</u> — ◀	▶ <u>M51</u> — ◀	▶ <u>M59</u> — ◀	▶ <u>M37</u> (**) ◀
▶ <u>M40</u> — ◀	▶ <u>M52</u> — ◀	▶ <u>M42</u> — ◀	▶ <u>M71</u> — ◀	▶ <u>M42</u> — ◀	▶ <u>M51</u> — ◀	▶ <u>M59</u> — ◀	▶ <u>M37</u> (**) ◀
		▶ <u>M42</u> — ◀		▶ <u>M42</u> — ◀	▶ <u>M51</u> — ◀	▶ <u>M59</u> — ◀	▶ <u>M37</u> 0,1 (*) ◀
▶ <u>M74</u> 0,01 (*) ◀	▶ <u>M52</u> 0,01 (*) ◀	▶ <u>M42</u> — ◀		▶ <u>M42</u> 0,01 (*) ◀	▶ <u>M51</u> — ◀	▶ <u>M74</u> 0,02 (*) ◀	▶ <u>M37</u> — ◀
		▶ <u>M42</u> 0,05 ◀	▶ <u>M71</u> 2 (+) ◀		▶ <u>M51</u> 0,05 ◀		▶ <u>M37</u> 0,1 ◀
	▶ <u>M52</u> (+) ◀	▶ <u>M42</u> 0,01 (*) ◀	▶ <u>M71</u> 0,02 (*) ◀		▶ <u>M51</u> 0,01 (*) ◀		▶ <u>M37</u> 0,05 (*) ◀
		▶ <u>M42</u> 0,01 (*) ◀	▶ <u>M71</u> 0,02 (*) ◀		▶ <u>M51</u> 0,01 (*) ◀		▶ <u>M37</u> 0,05 (*) ◀
		▶ <u>M42</u> 0,01 (*) ◀	▶ <u>M71</u> 0,02 (*) ◀		▶ <u>M51</u> 0,01 (*) ◀		▶ <u>M37</u> 0,05 (*) ◀
		▶ <u>M42</u> 0,05 ◀	▶ <u>M71</u> 0,02 (*) ◀		▶ <u>M51</u> 0,01 (*) ◀		▶ <u>M37</u> 0,05 (*) ◀
		▶ <u>M42</u> 0,01 (*) ◀	▶ <u>M71</u> 10 (+) ◀		▶ <u>M51</u> 0,01 (*) ◀		▶ <u>M37</u> 0,05 (*) ◀
		▶ <u>M42</u> 0,05 ◀	▶ <u>M71</u> 0,02 (*) ◀		▶ <u>M51</u> 0,05 ◀		▶ <u>M37</u> 0,1 ◀

▼ M2

(26)	(27)	(28)	(29)	(30)	(31)
▶ <u>M43</u> 0,2 ◀					
▶ <u>M43</u> 0,2 ◀					
▶ <u>M43</u> 0,05 (*) ◀					
▶ <u>M43</u> (**) ◀	(**)	(**)	(**)	▶ <u>M42</u> — ◀	▶ <u>M56</u> (**) ◀
▶ <u>M43</u> (**) ◀	(**)	(**)	(**)	▶ <u>M42</u> — ◀	▶ <u>M56</u> (**) ◀
▶ <u>M43</u> (**) ◀	(**)	(**)	(**)	▶ <u>M42</u> — ◀	▶ <u>M56</u> (**) ◀
▶ <u>M43</u> 0,05 (*) ◀					
▶ <u>M43</u> (**) ◀	(**)	(**)	(**)	▶ <u>M42</u> — ◀	▶ <u>M56</u> (**) ◀
▶ <u>M43</u> 0,2 ◀					
▶ <u>M43</u> 1 ◀		0,05 (*)		▶ <u>M42</u> — ◀	▶ <u>M56</u> 0,05 (*) ◀
▶ <u>M43</u> (**) ◀	(**)	(**)	(**)	▶ <u>M42</u> — ◀	▶ <u>M56</u> (**) ◀
▶ <u>M43</u> (**) ◀	(**)	(**)	(**)	▶ <u>M42</u> — ◀	▶ <u>M56</u> (**) ◀
▶ <u>M43</u> (**) ◀	(**)	(**)	(**)	▶ <u>M42</u> — ◀	▶ <u>M56</u> (**) ◀
▶ <u>M43</u> 0,05 (*) ◀		0,1 (*)		▶ <u>M42</u> — ◀	▶ <u>M56</u> 0,1 (*) ◀
	0,01 (*)	0,05 (*)	8	▶ <u>M42</u> 0,2 (*) ◀	▶ <u>M56</u> — ◀
▶ <u>M43</u> 0,5 ◀					▶ <u>M56</u> 0,2 ◀
▶ <u>M43</u> 0,02 (*) ◀					▶ <u>M56</u> 0,05 (*) ◀
▶ <u>M43</u> 0,02 (*) ◀					▶ <u>M56</u> 0,05 (*) ◀
▶ <u>M43</u> 0,02 (*) ◀					▶ <u>M56</u> 0,05 (*) ◀
▶ <u>M43</u> 0,05 ◀					▶ <u>M56</u> 0,2 ◀
▶ <u>M43</u> 1 ◀					▶ <u>M56</u> 0,05 (*) ◀
▶ <u>M43</u> 0,05 ◀					▶ <u>M56</u> 0,2 ◀

## ▼ M2

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)
0500080	Sorghum			► <u>M32</u> — ◄	► <u>M38</u> 20 ◄			
0500090	Wheat			► <u>M32</u> — ◄	► <u>M38</u> 10 ◄			
0500990	Others			► <u>M32</u> — ◄	► <u>M38</u> 0,1 (*) ◄			
0600000	6. <b>TEA, COFFEE, HERBAL INFUSIONS AND COCOA</b>	0,05 (*)	0,05 (*)	► <u>M32</u> — ◄			0,02 (*)	
0610000	(i) <b>Tea (dried leaves and stalks, fermented or otherwise of <i>Camellia sinensis</i>)</b>			► <u>M32</u> — ◄	► <u>M38</u> 2 ◄	0,02 (*)		
0620000	(ii) <b>Coffee beans</b>	(**)	(**)	► <u>M32</u> — ◄	► <u>M38</u> (**) ◄	(**)	(**)	(**)
0630000	(iii) <b>Herbal infusions (dried)</b>	(**)	(**)	► <u>M32</u> — ◄	► <u>M38</u> (**) ◄	(**)	(**)	(**)
0631000	(a) <i>Flowers</i>	(**)	(**)	► <u>M32</u> — ◄	► <u>M38</u> (**) ◄	(**)	(**)	(**)
0631010	Camomille flowers	(**)	(**)	► <u>M32</u> — ◄	► <u>M38</u> (**) ◄	(**)	(**)	(**)
0631020	Hybiscus flowers	(**)	(**)	► <u>M32</u> — ◄	► <u>M38</u> (**) ◄	(**)	(**)	(**)
0631030	Rose petals	(**)	(**)	► <u>M32</u> — ◄	► <u>M38</u> (**) ◄	(**)	(**)	(**)
0631040	Jasmine flowers	(**)	(**)	► <u>M32</u> — ◄	► <u>M38</u> (**) ◄	(**)	(**)	(**)
0631050	Lime (linden)	(**)	(**)	► <u>M32</u> — ◄	► <u>M38</u> (**) ◄	(**)	(**)	(**)
0631990	Others	(**)	(**)	► <u>M32</u> — ◄	► <u>M38</u> (**) ◄	(**)	(**)	(**)
0632000	(b) <i>Leaves</i>	(**)	(**)	► <u>M32</u> — ◄	► <u>M38</u> (**) ◄	(**)	(**)	(**)
0632010	Strawberry leaves	(**)	(**)	► <u>M32</u> — ◄	► <u>M38</u> (**) ◄	(**)	(**)	(**)

▼ M2

(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)
		▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀					▶ <u>M52</u> (+) ◀
		▶ <u>M32</u> — ◀					
	0,02 (*)	▶ <u>M32</u> — ◀			▶ <u>M13</u> 0,1 (*) ◀	▶ <u>M68</u> 0,1 (*) ◀	▶ <u>M52</u> 0,05 (*) ◀
		▶ <u>M32</u> — ◀					
(**)	(**)	▶ <u>M32</u> — ◀	(**)	(**)	▶ <u>M13</u> (**) ◀	▶ <u>M68</u> — ◀	▶ <u>M52</u> — ◀
(**)	(**)	▶ <u>M32</u> — ◀	(**)	(**)	▶ <u>M13</u> (**) ◀	▶ <u>M68</u> — ◀	▶ <u>M52</u> — ◀
(**)	(**)	▶ <u>M32</u> — ◀	(**)	(**)	▶ <u>M13</u> (**) ◀	▶ <u>M68</u> — ◀	▶ <u>M52</u> — ◀
(**)	(**)	▶ <u>M32</u> — ◀	(**)	(**)	▶ <u>M13</u> (**) ◀	▶ <u>M68</u> — ◀	▶ <u>M52</u> — ◀
(**)	(**)	▶ <u>M32</u> — ◀	(**)	(**)	▶ <u>M13</u> (**) ◀	▶ <u>M68</u> — ◀	▶ <u>M52</u> — ◀
(**)	(**)	▶ <u>M32</u> — ◀	(**)	(**)	▶ <u>M13</u> (**) ◀	▶ <u>M68</u> — ◀	▶ <u>M52</u> — ◀
(**)	(**)	▶ <u>M32</u> — ◀	(**)	(**)	▶ <u>M13</u> (**) ◀	▶ <u>M68</u> — ◀	▶ <u>M52</u> — ◀
(**)	(**)	▶ <u>M32</u> — ◀	(**)	(**)	▶ <u>M13</u> (**) ◀	▶ <u>M68</u> — ◀	▶ <u>M52</u> — ◀
(**)	(**)	▶ <u>M32</u> — ◀	(**)	(**)	▶ <u>M13</u> (**) ◀	▶ <u>M68</u> — ◀	▶ <u>M52</u> — ◀
(**)	(**)	▶ <u>M32</u> — ◀	(**)	(**)	▶ <u>M13</u> (**) ◀	▶ <u>M68</u> — ◀	▶ <u>M52</u> — ◀
(**)	(**)	▶ <u>M32</u> — ◀	(**)	(**)	▶ <u>M13</u> (**) ◀	▶ <u>M68</u> — ◀	▶ <u>M52</u> — ◀

▼ M2

(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)
		▶ <u>M42</u> 0,01 (*) ◀ ▶ <u>M42</u> 0,05 ◀	▶ <u>M71</u> 0,02 (*) ◀ ▶ <u>M71</u> 0,02 (*) (+) ◀		▶ <u>M51</u> 0,01 (*) ◀ ▶ <u>M51</u> 0,05 ◀		▶ <u>M37</u> 0,05 (*) ◀ ▶ <u>M37</u> 0,1 ◀
		▶ <u>M42</u> 0,01 (*) ◀	▶ <u>M71</u> 0,02 (*) ◀		▶ <u>M51</u> 0,01 (*) ◀		▶ <u>M37</u> 0,05 (*) ◀
▶ <u>M74</u> — ◀	▶ <u>M52</u> 0,05 (*) ◀	▶ <u>M42</u> 0,05 (*) ◀	▶ <u>M71</u> — ◀	▶ <u>M42</u> 0,05 (*) ◀	▶ <u>M51</u> 0,05 (*) ◀	▶ <u>M74</u> 0,1 (*) ◀	▶ <u>M37</u> 0,1 (*) ◀
▶ <u>M74</u> 5 ◀			▶ <u>M71</u> 0,05 (*) ◀				
▶ <u>M74</u> 0,05 (**) ◀	▶ <u>M52</u> — ◀	▶ <u>M42</u> — ◀	▶ <u>M71</u> 0,05 (*) ◀	▶ <u>M42</u> — ◀	▶ <u>M51</u> — ◀	▶ <u>M59</u> — ◀	▶ <u>M37</u> (**) ◀
▶ <u>M74</u> 0,05 (**) ◀	▶ <u>M52</u> — ◀	▶ <u>M42</u> — ◀	▶ <u>M71</u> — ◀	▶ <u>M42</u> — ◀	▶ <u>M51</u> — ◀	▶ <u>M59</u> — ◀	▶ <u>M37</u> (**) ◀
▶ <u>M40</u> — ◀	▶ <u>M52</u> — ◀	▶ <u>M42</u> — ◀	▶ <u>M71</u> 0,05 (*) ◀	▶ <u>M42</u> — ◀	▶ <u>M51</u> — ◀	▶ <u>M59</u> — ◀	▶ <u>M37</u> (**) ◀
▶ <u>M40</u> — ◀	▶ <u>M52</u> — ◀	▶ <u>M42</u> — ◀	▶ <u>M71</u> — ◀	▶ <u>M42</u> — ◀	▶ <u>M51</u> — ◀	▶ <u>M59</u> — ◀	▶ <u>M37</u> (**) ◀
▶ <u>M40</u> — ◀	▶ <u>M52</u> — ◀	▶ <u>M42</u> — ◀	▶ <u>M71</u> — ◀	▶ <u>M42</u> — ◀	▶ <u>M51</u> — ◀	▶ <u>M59</u> — ◀	▶ <u>M37</u> (**) ◀
▶ <u>M40</u> — ◀	▶ <u>M52</u> — ◀	▶ <u>M42</u> — ◀	▶ <u>M71</u> — ◀	▶ <u>M42</u> — ◀	▶ <u>M51</u> — ◀	▶ <u>M59</u> — ◀	▶ <u>M37</u> (**) ◀
▶ <u>M40</u> — ◀	▶ <u>M52</u> — ◀	▶ <u>M42</u> — ◀	▶ <u>M71</u> — ◀	▶ <u>M42</u> — ◀	▶ <u>M51</u> — ◀	▶ <u>M59</u> — ◀	▶ <u>M37</u> (**) ◀
▶ <u>M40</u> — ◀	▶ <u>M52</u> — ◀	▶ <u>M42</u> — ◀	▶ <u>M71</u> — ◀	▶ <u>M42</u> — ◀	▶ <u>M51</u> — ◀	▶ <u>M59</u> — ◀	▶ <u>M37</u> (**) ◀
▶ <u>M40</u> — ◀	▶ <u>M52</u> — ◀	▶ <u>M42</u> — ◀	▶ <u>M71</u> 0,05 (*) ◀	▶ <u>M42</u> — ◀	▶ <u>M51</u> — ◀	▶ <u>M59</u> — ◀	▶ <u>M37</u> (**) ◀
▶ <u>M40</u> — ◀	▶ <u>M52</u> — ◀	▶ <u>M42</u> — ◀	▶ <u>M71</u> — ◀	▶ <u>M42</u> — ◀	▶ <u>M51</u> — ◀	▶ <u>M59</u> — ◀	▶ <u>M37</u> (**) ◀



▼ M2

(26)	(27)	(28)	(29)	(30)	(31)
▶ <u>M43</u> 0,02 (*) ◀ ▶ <u>M43</u> 0,05 ◀					▶ <u>M56</u> 0,05 (*) ◀ ▶ <u>M56</u> 0,2 ◀
▶ <u>M43</u> 0,02 (*) ◀					▶ <u>M56</u> 0,05 (*) ◀
		0,1 (*)		▶ <u>M42</u> 0,5 (*) ◀	▶ <u>M56</u> 0,1 (*) ◀
▶ <u>M43</u> 1 ◀	0,05 (*)		0,5		
▶ <u>M43</u> (**) ◀	(**)	(**)	(**)	▶ <u>M42</u> — ◀	▶ <u>M56</u> (**) ◀
▶ <u>M43</u> (**) ◀	(**)	(**)	(**)	▶ <u>M42</u> — ◀	▶ <u>M56</u> (**) ◀
▶ <u>M43</u> (**) ◀	(**)	(**)	(**)	▶ <u>M42</u> — ◀	▶ <u>M56</u> (**) ◀
▶ <u>M43</u> (**) ◀	(**)	(**)	(**)	▶ <u>M42</u> — ◀	▶ <u>M56</u> (**) ◀
▶ <u>M43</u> (**) ◀	(**)	(**)	(**)	▶ <u>M42</u> — ◀	▶ <u>M56</u> (**) ◀
▶ <u>M43</u> (**) ◀	(**)	(**)	(**)	▶ <u>M42</u> — ◀	▶ <u>M56</u> (**) ◀
▶ <u>M43</u> (**) ◀	(**)	(**)	(**)	▶ <u>M42</u> — ◀	▶ <u>M56</u> (**) ◀
▶ <u>M43</u> (**) ◀	(**)	(**)	(**)	▶ <u>M42</u> — ◀	▶ <u>M56</u> (**) ◀
▶ <u>M43</u> (**) ◀	(**)	(**)	(**)	▶ <u>M42</u> — ◀	▶ <u>M56</u> (**) ◀
▶ <u>M43</u> (**) ◀	(**)	(**)	(**)	▶ <u>M42</u> — ◀	▶ <u>M56</u> (**) ◀
▶ <u>M43</u> (**) ◀	(**)	(**)	(**)	▶ <u>M42</u> — ◀	▶ <u>M56</u> (**) ◀

▼ **M2**

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)
0632020	Rooibos leaves	(**)	(**)	► <u>M32</u> — ◄	► <u>M38</u> (**) ◄	(**)	(**)	(**)
0632030	Maté	(**)	(**)	► <u>M32</u> — ◄	► <u>M38</u> (**) ◄	(**)	(**)	(**)
0632990	Others	(**)	(**)	► <u>M32</u> — ◄	► <u>M38</u> (**) ◄	(**)	(**)	(**)
0633000	(c) <i>Roots</i>	(**)	(**)	► <u>M32</u> — ◄	► <u>M38</u> (**) ◄	(**)	(**)	(**)
0633010	Valerian root	(**)	(**)	► <u>M32</u> — ◄	► <u>M38</u> (**) ◄	(**)	(**)	(**)
0633020	Ginseng root	(**)	(**)	► <u>M32</u> — ◄	► <u>M38</u> (**) ◄	(**)	(**)	(**)
0633990	Others	(**)	(**)	► <u>M32</u> — ◄	► <u>M38</u> (**) ◄	(**)	(**)	(**)
0639000	(d) <i>Other herbal infusions</i>	(**)	(**)	► <u>M32</u> — ◄	► <u>M38</u> (**) ◄	(**)	(**)	(**)
0640000	(iv) <b>Cocoa (fermented beans)</b>	(**)	(**)	► <u>M32</u> — ◄	► <u>M38</u> (**) ◄	(**)	(**)	(**)
0650000	(v) <b>Carob (st johns bread)</b>	(**)	(**)	► <u>M32</u> — ◄	► <u>M38</u> (**) ◄	(**)	(**)	(**)
0700000	7. <b>HOPS (dried), including hop pellets and unconcentrated powder</b>	0,05 (*)	0,05 (*)	► <u>M32</u> — ◄	► <u>M38</u> 0,1 (*) ◄	0,02 (*)	0,02	
0800000	8. <b>SPICES</b>	(**)	(**)	► <u>M32</u> — ◄	► <u>M38</u> (**) ◄	(**)	(**)	(**)
0810000	(i) <b>Seeds</b>	(**)	(**)	► <u>M32</u> — ◄	► <u>M38</u> (**) ◄	(**)	(**)	(**)
0810010	Anise	(**)	(**)	► <u>M32</u> — ◄	► <u>M38</u> (**) ◄	(**)	(**)	(**)
0810020	Black caraway	(**)	(**)	► <u>M32</u> — ◄	► <u>M38</u> (**) ◄	(**)	(**)	(**)
0810030	Celery seed	(**)	(**)	► <u>M32</u> — ◄	► <u>M38</u> (**) ◄	(**)	(**)	(**)
0810040	Coriander seed	(**)	(**)	► <u>M32</u> — ◄	► <u>M38</u> (**) ◄	(**)	(**)	(**)
0810050	Cumin seed	(**)	(**)	► <u>M32</u> — ◄	► <u>M38</u> (**) ◄	(**)	(**)	(**)
0810060	Dill seed	(**)	(**)	► <u>M32</u> — ◄	► <u>M38</u> (**) ◄	(**)	(**)	(**)





▼ M2

(26)	(27)	(28)	(29)	(30)	(31)
▶ <u>M43</u> (**) ◀	(**)	(**)	(**)	▶ <u>M42</u> — ◀	▶ <u>M56</u> (**) ◀
▶ <u>M43</u> (**) ◀	(**)	(**)	(**)	▶ <u>M42</u> — ◀	▶ <u>M56</u> (**) ◀
▶ <u>M43</u> (**) ◀	(**)	(**)	(**)	▶ <u>M42</u> — ◀	▶ <u>M56</u> (**) ◀
▶ <u>M43</u> (**) ◀	(**)	(**)	(**)	▶ <u>M42</u> — ◀	▶ <u>M56</u> (**) ◀
▶ <u>M43</u> (**) ◀	(**)	(**)	(**)	▶ <u>M42</u> — ◀	▶ <u>M56</u> (**) ◀
▶ <u>M43</u> (**) ◀	(**)	(**)	(**)	▶ <u>M42</u> — ◀	▶ <u>M56</u> (**) ◀
▶ <u>M43</u> (**) ◀	(**)	(**)	(**)	▶ <u>M42</u> — ◀	▶ <u>M56</u> (**) ◀
▶ <u>M43</u> (**) ◀	(**)	(**)	(**)	▶ <u>M42</u> — ◀	▶ <u>M56</u> (**) ◀
▶ <u>M43</u> (**) ◀	(**)	(**)	(**)	▶ <u>M42</u> — ◀	▶ <u>M56</u> (**) ◀
▶ <u>M43</u> (**) ◀	(**)	(**)	(**)	▶ <u>M42</u> — ◀	▶ <u>M56</u> (**) ◀
▶ <u>M43</u> 10 ◀	0,05 (*)	0,1 (*)		▶ <u>M42</u> 0,5 (*) ◀	▶ <u>M56</u> 0,1 (*) ◀
▶ <u>M43</u> (**) ◀	(**)	(**)	(**)	▶ <u>M42</u> 0,5 (*) ◀	▶ <u>M56</u> (**) ◀
▶ <u>M43</u> (**) ◀	(**)	(**)	(**)	▶ <u>M42</u> — ◀	▶ <u>M56</u> (**) ◀
▶ <u>M43</u> (**) ◀	(**)	(**)	(**)	▶ <u>M42</u> — ◀	▶ <u>M56</u> (**) ◀
▶ <u>M43</u> (**) ◀	(**)	(**)	(**)	▶ <u>M42</u> — ◀	▶ <u>M56</u> (**) ◀
▶ <u>M43</u> (**) ◀	(**)	(**)	(**)	▶ <u>M42</u> — ◀	▶ <u>M56</u> (**) ◀
▶ <u>M43</u> (**) ◀	(**)	(**)	(**)	▶ <u>M42</u> — ◀	▶ <u>M56</u> (**) ◀

▼ **M2**

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)
0810070	Fennel seed	(**)	(**)	▶ <u>M32</u> — ◀	▶ <u>M38</u> (**) ◀	(**)	(**)	(**)
0810080	Fenugreek	(**)	(**)	▶ <u>M32</u> — ◀	▶ <u>M38</u> (**) ◀	(**)	(**)	(**)
0810090	Nutmeg	(**)	(**)	▶ <u>M32</u> — ◀	▶ <u>M38</u> (**) ◀	(**)	(**)	(**)
0810990	Others	(**)	(**)	▶ <u>M32</u> — ◀	▶ <u>M38</u> (**) ◀	(**)	(**)	(**)
0820000	(ii) <b>Fruits and berries</b>	(**)	(**)	▶ <u>M32</u> — ◀	▶ <u>M38</u> (**) ◀	(**)	(**)	(**)
0820010	Allspice	(**)	(**)	▶ <u>M32</u> — ◀	▶ <u>M38</u> (**) ◀	(**)	(**)	(**)
0820020	Anise pepper (Japan pepper)	(**)	(**)	▶ <u>M32</u> — ◀	▶ <u>M38</u> (**) ◀	(**)	(**)	(**)
0820030	Caraway	(**)	(**)	▶ <u>M32</u> — ◀	▶ <u>M38</u> (**) ◀	(**)	(**)	(**)
0820040	Cardamom	(**)	(**)	▶ <u>M32</u> — ◀	▶ <u>M38</u> (**) ◀	(**)	(**)	(**)
0820050	Juniper berries	(**)	(**)	▶ <u>M32</u> — ◀	▶ <u>M38</u> (**) ◀	(**)	(**)	(**)
0820060	Pepper, black and white	(**)	(**)	▶ <u>M32</u> — ◀	▶ <u>M38</u> (**) ◀	(**)	(**)	(**)
0820070	Vanilla pods	(**)	(**)	▶ <u>M32</u> — ◀	▶ <u>M38</u> (**) ◀	(**)	(**)	(**)
0820080	Tamarind	(**)	(**)	▶ <u>M32</u> — ◀	▶ <u>M38</u> (**) ◀	(**)	(**)	(**)
0820990	Others	(**)	(**)	▶ <u>M32</u> — ◀	▶ <u>M38</u> (**) ◀	(**)	(**)	(**)
0830000	(iii) <b>Bark</b>	(**)	(**)	▶ <u>M32</u> — ◀	▶ <u>M38</u> (**) ◀	(**)	(**)	(**)
0830010	Cinnamon	(**)	(**)	▶ <u>M32</u> — ◀	▶ <u>M38</u> (**) ◀	(**)	(**)	(**)
0830990	Others	(**)	(**)	▶ <u>M32</u> — ◀	▶ <u>M38</u> (**) ◀	(**)	(**)	(**)
0840000	(iv) <b>Roots or rhizome</b>	(**)	(**)	▶ <u>M32</u> — ◀	▶ <u>M38</u> (**) ◀	(**)	(**)	(**)
0840010	Liquorice	(**)	(**)	▶ <u>M32</u> — ◀	▶ <u>M38</u> (**) ◀	(**)	(**)	(**)
0840020	Ginger	(**)	(**)	▶ <u>M32</u> — ◀	▶ <u>M38</u> (**) ◀	(**)	(**)	(**)
0840030	Turmeric (Curcuma)	(**)	(**)	▶ <u>M32</u> — ◀	▶ <u>M38</u> (**) ◀	(**)	(**)	(**)

▼ M2

(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)
(**)	(**)	▶ <u>M32</u> — ◀	(**)	(**)	▶ <u>M13</u> (**) ◀	▶ <u>M68</u> — ◀	▶ <u>M52</u> — ◀
(**)	(**)	▶ <u>M32</u> — ◀	(**)	(**)	▶ <u>M13</u> (**) ◀	▶ <u>M68</u> — ◀	▶ <u>M52</u> — ◀
(**)	(**)	▶ <u>M32</u> — ◀	(**)	(**)	▶ <u>M13</u> (**) ◀	▶ <u>M68</u> — ◀	▶ <u>M52</u> — ◀
(**)	(**)	▶ <u>M32</u> — ◀	(**)	(**)	▶ <u>M13</u> (**) ◀	▶ <u>M68</u> — ◀	▶ <u>M52</u> — ◀
(**)	(**)	▶ <u>M32</u> — ◀	(**)	(**)	▶ <u>M13</u> (**) ◀	▶ <u>M68</u> 0,1 (*) ◀	▶ <u>M52</u> 0,05 (*) ◀
(**)	(**)	▶ <u>M32</u> — ◀	(**)	(**)	▶ <u>M13</u> (**) ◀	▶ <u>M68</u> — ◀	▶ <u>M52</u> — ◀
(**)	(**)	▶ <u>M32</u> — ◀	(**)	(**)	▶ <u>M13</u> (**) ◀	▶ <u>M68</u> — ◀	▶ <u>M52</u> — ◀
(**)	(**)	▶ <u>M32</u> — ◀	(**)	(**)	▶ <u>M13</u> (**) ◀	▶ <u>M68</u> — ◀	▶ <u>M52</u> — ◀
(**)	(**)	▶ <u>M32</u> — ◀	(**)	(**)	▶ <u>M13</u> (**) ◀	▶ <u>M68</u> — ◀	▶ <u>M52</u> — ◀
(**)	(**)	▶ <u>M32</u> — ◀	(**)	(**)	▶ <u>M13</u> (**) ◀	▶ <u>M68</u> — ◀	▶ <u>M52</u> — ◀
(**)	(**)	▶ <u>M32</u> — ◀	(**)	(**)	▶ <u>M13</u> (**) ◀	▶ <u>M68</u> — ◀	▶ <u>M52</u> — ◀
(**)	(**)	▶ <u>M32</u> — ◀	(**)	(**)	▶ <u>M13</u> (**) ◀	▶ <u>M68</u> — ◀	▶ <u>M52</u> — ◀
(**)	(**)	▶ <u>M32</u> — ◀	(**)	(**)	▶ <u>M13</u> (**) ◀	▶ <u>M68</u> — ◀	▶ <u>M52</u> — ◀
(**)	(**)	▶ <u>M32</u> — ◀	(**)	(**)	▶ <u>M13</u> (**) ◀	▶ <u>M68</u> — ◀	▶ <u>M52</u> — ◀
(**)	(**)	▶ <u>M32</u> — ◀	(**)	(**)	▶ <u>M13</u> (**) ◀	▶ <u>M68</u> 0,1 (*) ◀	▶ <u>M52</u> 0,05 (*) ◀
(**)	(**)	▶ <u>M32</u> — ◀	(**)	(**)	▶ <u>M13</u> (**) ◀	▶ <u>M68</u> 0,1 (*) ◀	▶ <u>M52</u> 0,05 (*) ◀
(**)	(**)	▶ <u>M32</u> — ◀	(**)	(**)	▶ <u>M13</u> (**) ◀	▶ <u>M68</u> 0,1 (*) ◀	▶ <u>M52</u> 0,05 (*) ◀





▼ M2

(26)	(27)	(28)	(29)	(30)	(31)
▶ <u>M43</u> (**) ◀	(**)	(**)	(**)	▶ <u>M42</u> — ◀	▶ <u>M56</u> (**) ◀
▶ <u>M43</u> (**) ◀	(**)	(**)	(**)	▶ <u>M42</u> — ◀	▶ <u>M56</u> (**) ◀
▶ <u>M43</u> (**) ◀	(**)	(**)	(**)	▶ <u>M42</u> — ◀	▶ <u>M56</u> (**) ◀
▶ <u>M43</u> (**) ◀	(**)	(**)	(**)	▶ <u>M42</u> — ◀	▶ <u>M56</u> (**) ◀
▶ <u>M43</u> (**) ◀	(**)	(**)	(**)	▶ <u>M42</u> — ◀	▶ <u>M56</u> (**) ◀
▶ <u>M43</u> (**) ◀	(**)	(**)	(**)	▶ <u>M42</u> — ◀	▶ <u>M56</u> (**) ◀
▶ <u>M43</u> (**) ◀	(**)	(**)	(**)	▶ <u>M42</u> — ◀	▶ <u>M56</u> (**) ◀
▶ <u>M43</u> (**) ◀	(**)	(**)	(**)	▶ <u>M42</u> — ◀	▶ <u>M56</u> (**) ◀
▶ <u>M43</u> (**) ◀	(**)	(**)	(**)	▶ <u>M42</u> — ◀	▶ <u>M56</u> (**) ◀
▶ <u>M43</u> (**) ◀	(**)	(**)	(**)	▶ <u>M42</u> — ◀	▶ <u>M56</u> (**) ◀
▶ <u>M43</u> (**) ◀	(**)	(**)	(**)	▶ <u>M42</u> — ◀	▶ <u>M56</u> (**) ◀
▶ <u>M43</u> (**) ◀	(**)	(**)	(**)	▶ <u>M42</u> — ◀	▶ <u>M56</u> (**) ◀
▶ <u>M43</u> (**) ◀	(**)	(**)	(**)	▶ <u>M42</u> — ◀	▶ <u>M56</u> (**) ◀
▶ <u>M43</u> (**) ◀	(**)	(**)	(**)	▶ <u>M42</u> — ◀	▶ <u>M56</u> (**) ◀
▶ <u>M43</u> (**) ◀	(**)	(**)	(**)	▶ <u>M42</u> — ◀	▶ <u>M56</u> (**) ◀
▶ <u>M43</u> (**) ◀	(**)	(**)	(**)	▶ <u>M42</u> — ◀	▶ <u>M56</u> (**) ◀
▶ <u>M43</u> (**) ◀	(**)	(**)	(**)	▶ <u>M42</u> — ◀	▶ <u>M56</u> (**) ◀
▶ <u>M43</u> (**) ◀	(**)	(**)	(**)	▶ <u>M42</u> — ◀	▶ <u>M56</u> (**) ◀
▶ <u>M43</u> (**) ◀	(**)	(**)	(**)	▶ <u>M42</u> — ◀	▶ <u>M56</u> (**) ◀
▶ <u>M43</u> (**) ◀	(**)	(**)	(**)	▶ <u>M42</u> — ◀	▶ <u>M56</u> (**) ◀

## ▼ M2

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)
0840040	Horseradish	(**)	(**)	▶ <u>M32</u> — ◀	▶ <u>M38</u> (**) ◀	(**)	(**)	(**)
0840990	Others	(**)	(**)	▶ <u>M32</u> — ◀	▶ <u>M38</u> (**) ◀	(**)	(**)	(**)
0850000	(v) <b>Buds</b>	(**)	(**)	▶ <u>M32</u> — ◀	▶ <u>M38</u> (**) ◀	(**)	(**)	(**)
0850010	Cloves	(**)	(**)	▶ <u>M32</u> — ◀	▶ <u>M38</u> (**) ◀	(**)	(**)	(**)
0850020	Capers	(**)	(**)	▶ <u>M32</u> — ◀	▶ <u>M38</u> (**) ◀	(**)	(**)	(**)
0850990	Others	(**)	(**)	▶ <u>M32</u> — ◀	▶ <u>M38</u> (**) ◀	(**)	(**)	(**)
0860000	(vi) <b>Flower stigma</b>	(**)	(**)	▶ <u>M32</u> — ◀	▶ <u>M38</u> (**) ◀	(**)	(**)	(**)
0860010	Saffron	(**)	(**)	▶ <u>M32</u> — ◀	▶ <u>M38</u> (**) ◀	(**)	(**)	(**)
0860990	Others	(**)	(**)	▶ <u>M32</u> — ◀	▶ <u>M38</u> (**) ◀	(**)	(**)	(**)
0870000	(vii) <b>Aril</b>	(**)	(**)	▶ <u>M32</u> — ◀	▶ <u>M38</u> (**) ◀	(**)	(**)	(**)
0870010	Mace	(**)	(**)	▶ <u>M32</u> — ◀	▶ <u>M38</u> (**) ◀	(**)	(**)	(**)
0870990	Others	(**)	(**)	▶ <u>M32</u> — ◀	▶ <u>M38</u> (**) ◀	(**)	(**)	(**)
0900000	9. <b>SUGAR PLANTS</b>	(**)	(**)	▶ <u>M32</u> — ◀	▶ <u>M38</u> (**) ◀	(**)	(**)	(**)
0900010	Sugar beet (root)	(**)	(**)	▶ <u>M32</u> — ◀	▶ <u>M38</u> (**) ◀	(**)	(**)	(**)
0900020	Sugar cane	(**)	(**)	▶ <u>M32</u> — ◀	▶ <u>M38</u> (**) ◀	(**)	(**)	(**)
0900030	Chicory roots	(**)	(**)	▶ <u>M32</u> — ◀	▶ <u>M38</u> (**) ◀	(**)	(**)	(**)
0900990	Others	(**)	(**)	▶ <u>M32</u> — ◀	▶ <u>M38</u> (**) ◀	(**)	(**)	(**)
1000000	10. <b>PRODUCTS OF ANIMAL ORIGIN- TERRESTRIAL ANIMALS</b>			▶ <u>M32</u> — ◀				

▼ M2

(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)
(**)	(**)	▶ <u>M32</u> — ◀	(**)	(**)	▶ <u>M13</u> (**) ◀	▶ <u>M68</u> (+) ◀	▶ <u>M52</u> (+) ◀
(**)	(**)	▶ <u>M32</u> — ◀	(**)	(**)	▶ <u>M13</u> (**) ◀	▶ <u>M68</u> 0,1 (*) ◀	▶ <u>M52</u> 0,05 (*) ◀
(**)	(**)	▶ <u>M32</u> — ◀	(**)	(**)	▶ <u>M13</u> (**) ◀	▶ <u>M68</u> 0,1 (*) ◀	▶ <u>M52</u> 0,05 (*) ◀
(**)	(**)	▶ <u>M32</u> — ◀	(**)	(**)	▶ <u>M13</u> (**) ◀	▶ <u>M68</u> — ◀	▶ <u>M52</u> — ◀
(**)	(**)	▶ <u>M32</u> — ◀	(**)	(**)	▶ <u>M13</u> (**) ◀	▶ <u>M68</u> — ◀	▶ <u>M52</u> — ◀
(**)	(**)	▶ <u>M32</u> — ◀	(**)	(**)	▶ <u>M13</u> (**) ◀	▶ <u>M68</u> — ◀	▶ <u>M52</u> — ◀
(**)	(**)	▶ <u>M32</u> — ◀	(**)	(**)	▶ <u>M13</u> (**) ◀	▶ <u>M68</u> 0,1 (*) ◀	▶ <u>M52</u> 0,05 (*) ◀
(**)	(**)	▶ <u>M32</u> — ◀	(**)	(**)	▶ <u>M13</u> (**) ◀	▶ <u>M68</u> — ◀	▶ <u>M52</u> — ◀
(**)	(**)	▶ <u>M32</u> — ◀	(**)	(**)	▶ <u>M13</u> (**) ◀	▶ <u>M68</u> — ◀	▶ <u>M52</u> — ◀
(**)	(**)	▶ <u>M32</u> — ◀	(**)	(**)	▶ <u>M13</u> (**) ◀	▶ <u>M68</u> 0,1 (*) ◀	▶ <u>M52</u> 0,05 (*) ◀
(**)	(**)	▶ <u>M32</u> — ◀	(**)	(**)	▶ <u>M13</u> (**) ◀	▶ <u>M68</u> — ◀	▶ <u>M52</u> — ◀
(**)	(**)	▶ <u>M32</u> — ◀	(**)	(**)	▶ <u>M13</u> (**) ◀	▶ <u>M68</u> — ◀	▶ <u>M52</u> — ◀
(**)	(**)	▶ <u>M32</u> — ◀	(**)	(**)	▶ <u>M13</u> (**) ◀	▶ <u>M68</u> 0,05 (*) ◀	▶ <u>M52</u> 0,01 (*) ◀
(**)	(**)	▶ <u>M32</u> — ◀	(**)	(**)	▶ <u>M13</u> (**) ◀	▶ <u>M68</u> — ◀	▶ <u>M52</u> — ◀
(**)	(**)	▶ <u>M32</u> — ◀	(**)	(**)	▶ <u>M13</u> (**) ◀	▶ <u>M68</u> — ◀	▶ <u>M52</u> — ◀
(**)	(**)	▶ <u>M32</u> — ◀	(**)	(**)	▶ <u>M13</u> (**) ◀	▶ <u>M68</u> — ◀	▶ <u>M52</u> — ◀
(**)	(**)	▶ <u>M32</u> — ◀	(**)	(**)	▶ <u>M13</u> (**) ◀	▶ <u>M68</u> — ◀	▶ <u>M52</u> — ◀
		▶ <u>M32</u> — ◀			▶ <u>M13</u> 0,05 (*) ◀	▶ <u>M68</u> (+) ◀	

▼ M2

(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)
▶ <u>M74</u> (+) ◀	▶ <u>M52</u> (+) ◀	▶ <u>M42</u> — ◀	▶ <u>M71</u> (+) ◀	▶ <u>M42</u> — ◀	▶ <u>M51</u> (+) ◀	▶ <u>M74</u> (+) ◀	▶ <u>M37</u> (**) ◀
▶ <u>M74</u> 0,05 (*) ◀	▶ <u>M52</u> 0,05 (*) ◀	▶ <u>M42</u> — ◀	▶ <u>M71</u> 0,05 (*) ◀	▶ <u>M42</u> — ◀	▶ <u>M51</u> 0,05 (*) ◀	▶ <u>M74</u> 0,1 (*) ◀	▶ <u>M37</u> (**) ◀
▶ <u>M74</u> 0,05 (*) ◀	▶ <u>M52</u> 0,05 (*) ◀	▶ <u>M42</u> — ◀	▶ <u>M71</u> 0,05 (*) ◀	▶ <u>M42</u> — ◀	▶ <u>M51</u> 0,05 (*) ◀	▶ <u>M74</u> 0,1 (*) ◀	▶ <u>M37</u> (**) ◀
▶ <u>M40</u> — ◀	▶ <u>M52</u> — ◀	▶ <u>M42</u> — ◀	▶ <u>M71</u> — ◀	▶ <u>M42</u> — ◀	▶ <u>M51</u> — ◀	▶ <u>M59</u> — ◀	▶ <u>M37</u> (**) ◀
▶ <u>M40</u> — ◀	▶ <u>M52</u> — ◀	▶ <u>M42</u> — ◀	▶ <u>M71</u> — ◀	▶ <u>M42</u> — ◀	▶ <u>M51</u> — ◀	▶ <u>M59</u> — ◀	▶ <u>M37</u> (**) ◀
▶ <u>M40</u> — ◀	▶ <u>M52</u> — ◀	▶ <u>M42</u> — ◀	▶ <u>M71</u> — ◀	▶ <u>M42</u> — ◀	▶ <u>M51</u> — ◀	▶ <u>M59</u> — ◀	▶ <u>M37</u> (**) ◀
▶ <u>M74</u> 0,05 (*) ◀	▶ <u>M52</u> 0,05 (*) ◀	▶ <u>M42</u> — ◀	▶ <u>M71</u> 0,05 (*) ◀	▶ <u>M42</u> — ◀	▶ <u>M51</u> 0,05 (*) ◀	▶ <u>M74</u> 0,1 (*) ◀	▶ <u>M37</u> (**) ◀
▶ <u>M40</u> — ◀	▶ <u>M52</u> — ◀	▶ <u>M42</u> — ◀	▶ <u>M71</u> — ◀	▶ <u>M42</u> — ◀	▶ <u>M51</u> — ◀	▶ <u>M59</u> — ◀	▶ <u>M37</u> (**) ◀
▶ <u>M40</u> — ◀	▶ <u>M52</u> — ◀	▶ <u>M42</u> — ◀	▶ <u>M71</u> — ◀	▶ <u>M42</u> — ◀	▶ <u>M51</u> — ◀	▶ <u>M59</u> — ◀	▶ <u>M37</u> (**) ◀
▶ <u>M74</u> 0,05 (*) ◀	▶ <u>M52</u> 0,05 (*) ◀	▶ <u>M42</u> — ◀	▶ <u>M71</u> 0,05 (*) ◀	▶ <u>M42</u> — ◀	▶ <u>M51</u> 0,05 (*) ◀	▶ <u>M74</u> 0,1 (*) ◀	▶ <u>M37</u> (**) ◀
▶ <u>M40</u> — ◀	▶ <u>M52</u> — ◀	▶ <u>M42</u> — ◀	▶ <u>M71</u> — ◀	▶ <u>M42</u> — ◀	▶ <u>M51</u> — ◀	▶ <u>M59</u> — ◀	▶ <u>M37</u> (**) ◀
▶ <u>M40</u> — ◀	▶ <u>M52</u> — ◀	▶ <u>M42</u> — ◀	▶ <u>M71</u> — ◀	▶ <u>M42</u> — ◀	▶ <u>M51</u> — ◀	▶ <u>M59</u> — ◀	▶ <u>M37</u> (**) ◀
▶ <u>M40</u> — ◀	▶ <u>M52</u> 0,01 (*) ◀	▶ <u>M42</u> 0,01 (*) ◀	▶ <u>M71</u> — ◀	▶ <u>M42</u> 0,01 (*) ◀	▶ <u>M51</u> 0,01 (*) ◀	▶ <u>M74</u> 0,02 (*) ◀	▶ <u>M37</u> (**) ◀
▶ <u>M74</u> 0,1 ◀	▶ <u>M52</u> — ◀	▶ <u>M42</u> — ◀	▶ <u>M71</u> 0,1 (+) ◀	▶ <u>M42</u> — ◀	▶ <u>M51</u> — ◀	▶ <u>M59</u> — ◀	▶ <u>M37</u> (**) ◀
▶ <u>M74</u> 0,02 (*) ◀	▶ <u>M52</u> — ◀	▶ <u>M42</u> — ◀	▶ <u>M71</u> 0,01 (*) ◀	▶ <u>M42</u> — ◀	▶ <u>M51</u> — ◀	▶ <u>M59</u> — ◀	▶ <u>M37</u> (**) ◀
▶ <u>M74</u> 0,02 (*) ◀	▶ <u>M52</u> — ◀	▶ <u>M42</u> — ◀	▶ <u>M71</u> 0,01 (*) ◀	▶ <u>M42</u> — ◀	▶ <u>M51</u> — ◀	▶ <u>M59</u> — ◀	▶ <u>M37</u> (**) ◀
▶ <u>M74</u> 0,02 (*) ◀	▶ <u>M52</u> — ◀	▶ <u>M42</u> — ◀	▶ <u>M71</u> 0,01 (*) ◀	▶ <u>M42</u> — ◀	▶ <u>M51</u> — ◀	▶ <u>M59</u> — ◀	▶ <u>M37</u> (**) ◀
			▶ <u>M71</u> (+) ◀				



▼ **M2**

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)
1010000	(i) <b>Meat, preparations of meat, offals, blood, animal fats fresh chilled or frozen, salted, in brine, dried or smoked or processed as flours or meals; other processed products such as sausages and food preparations based on these</b>			► <b>M32</b> — ◀		0,2	0,2	0,2
1011000	(a) <i>Swine</i>			► <b>M32</b> — ◀				
1011010	Meat			► <b>M32</b> — ◀	► <b>M38</b> 0,05 (*) ◀			
1011020	Fat free of lean meat			► <b>M32</b> — ◀	► <b>M38</b> 0,05 (*) ◀			
1011030	Liver			► <b>M32</b> — ◀	► <b>M38</b> 0,05 (*) ◀			
1011040	Kidney			► <b>M32</b> — ◀	► <b>M38</b> 0,5 ◀			
1011050	Edible offal			► <b>M32</b> — ◀	► <b>M38</b> 0,05 (*) ◀			
1011990	Others			► <b>M32</b> — ◀	► <b>M38</b> 0,05 (*) ◀			
1012000	(b) <i>Bovine</i>			► <b>M32</b> — ◀				
1012010	Meat			► <b>M32</b> — ◀	► <b>M38</b> 0,05 (*) ◀			
1012020	Fat			► <b>M32</b> — ◀	► <b>M38</b> 0,05 (*) ◀			
1012030	Liver			► <b>M32</b> — ◀	► <b>M38</b> 0,2 ◀			

▼ M2

(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)
0,1		▶ <u>M32</u> — ◀			▶ <u>M13</u> — ◀	▶ <u>M68</u> 0,01 (*) ◀	▶ <u>M52</u> 0,02 (*) ◀
		▶ <u>M32</u> — ◀					
		▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀					
		▶ <u>M32</u> — ◀					
		▶ <u>M32</u> — ◀					
		▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀					

▼ M2

(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)
	▶ <u>M52</u> 0,02 (*) ◀		▶ <u>M71</u> — ◀	▶ <u>M42</u> 0,05 (*) ◀	▶ <u>M51</u> — ◀	▶ <u>M74</u> — ◀	
		▶ <u>M42</u> 0,05 (*) ◀	▶ <u>M71</u> 0,1 ◀				
▶ <u>M74</u> 2 ◀ ▶ <u>M74</u> 2 ◀ ▶ <u>M74</u> 0,05 ◀ ▶ <u>M74</u> 0,05 ◀ ▶ <u>M74</u> 0,05 ◀		▶ <u>M42</u> — ◀ ▶ <u>M42</u> — ◀ ▶ <u>M42</u> — ◀ ▶ <u>M42</u> — ◀ ▶ <u>M42</u> — ◀			▶ <u>M51</u> 0,02 (*) ◀ ▶ <u>M51</u> 0,02 (*) ◀ ▶ <u>M51</u> 0,01 (*) ◀ ▶ <u>M51</u> 0,01 (*) ◀ ▶ <u>M51</u> 0,02 (*) ◀	▶ <u>M74</u> 0,02 (*) ◀ ▶ <u>M74</u> 0,02 (*) ◀ ▶ <u>M74</u> 0,1 ◀ ▶ <u>M74</u> 0,1 ◀ ▶ <u>M74</u> 0,1 ◀	▶ <u>M37</u> 0,02 (*) ◀ ▶ <u>M37</u> 0,02 (*) ◀ ▶ <u>M37</u> 0,02 (*) ◀ ▶ <u>M37</u> 0,05 ◀ ▶ <u>M37</u> 0,02 (*) ◀
▶ <u>M74</u> 0,05 ◀		▶ <u>M42</u> — ◀			▶ <u>M51</u> 0,02 (*) ◀	▶ <u>M74</u> 0,02 (*) ◀	▶ <u>M37</u> 0,02 (*) ◀
▶ <u>M74</u> 2 ◀ ▶ <u>M74</u> 2 ◀ ▶ <u>M74</u> 0,05 ◀		▶ <u>M42</u> 1 ◀ ▶ <u>M42</u> 1 ◀ ▶ <u>M42</u> 1 ◀	▶ <u>M71</u> 0,1 ◀ ▶ <u>M71</u> 0,1 ◀ ▶ <u>M71</u> 0,2 ◀		▶ <u>M51</u> 0,05 (+) ◀ ▶ <u>M51</u> 0,05 ◀ ▶ <u>M51</u> 0,05 (+) ◀	▶ <u>M74</u> 0,02 (*) ◀ ▶ <u>M74</u> 0,02 (*) ◀ ▶ <u>M74</u> 0,1 ◀	▶ <u>M37</u> 0,02 (*) ◀ ▶ <u>M37</u> 0,02 (*) ◀ ▶ <u>M37</u> 0,02 (*) ◀



▼ M2

(26)	(27)	(28)	(29)	(30)	(31)
	0,02				
▶ <u>M43</u> 0,5 ◀					
				▶ <u>M42</u> 0,05 ◀ ▶ <u>M42</u> 0,1 ◀ ▶ <u>M42</u> 0,1 ◀ ▶ <u>M42</u> 1,5 ◀ ▶ <u>M42</u> 0,02 (*) ◀	▶ <u>M56</u> 0,1 ◀ ▶ <u>M56</u> 0,2 ◀ ▶ <u>M56</u> 3 ◀ ▶ <u>M56</u> 3 ◀ ▶ <u>M56</u> 3 ◀
				▶ <u>M42</u> 0,02 (*) ◀	▶ <u>M56</u> 0,1 (*) ◀
▶ <u>M43</u> 0,5 ◀					
				▶ <u>M42</u> 0,1 ◀ ▶ <u>M42</u> 0,1 ◀ ▶ <u>M42</u> 0,1 ◀	▶ <u>M56</u> 0,1 ◀ ▶ <u>M56</u> 0,2 ◀ ▶ <u>M56</u> 3 ◀

▼ M2

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)
1012040	Kidney			► <u>M32</u> — ◄	► <u>M38</u> 2 ◄			
1012050	Edible offal			► <u>M32</u> — ◄	► <u>M38</u> 0,05 (*) ◄			
1012990	Others			► <u>M32</u> — ◄	► <u>M38</u> 0,05 (*) ◄			
1013000	(c) <i>Sheep</i>			► <u>M32</u> — ◄	► <u>M38</u> 0,05 (*) ◄			
1013010	Meat			► <u>M32</u> — ◄				
1013020	Fat			► <u>M32</u> — ◄				
1013030	Liver			► <u>M32</u> — ◄				
1013040	Kidney			► <u>M32</u> — ◄				
1013050	Edible offal			► <u>M32</u> — ◄				
1013990	Others			► <u>M32</u> — ◄				
1014000	(d) <i>Goat</i>			► <u>M32</u> — ◄	► <u>M38</u> 0,05 (*) ◄			
1014010	Meat			► <u>M32</u> — ◄				
1014020	Fat			► <u>M32</u> — ◄				
1014030	Liver			► <u>M32</u> — ◄				
1014040	Kidney			► <u>M32</u> — ◄				
1014050	Edible offal			► <u>M32</u> — ◄				
1014990	Others			► <u>M32</u> — ◄				
1015000	(e) <i>Horses, asses, mules or hinnies</i>	(**)	(**)	► <u>M32</u> — ◄	► <u>M38</u> (**) ◄	(**)	(**)	(**)
1015010	Meat	(**)	(**)	► <u>M32</u> — ◄	► <u>M38</u> (**) ◄	(**)	(**)	(**)
1015020	Fat	(**)	(**)	► <u>M32</u> — ◄	► <u>M38</u> (**) ◄	(**)	(**)	(**)
1015030	Liver	(**)	(**)	► <u>M32</u> — ◄	► <u>M38</u> (**) ◄	(**)	(**)	(**)

▼ M2

(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)
		▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀					
		▶ <u>M32</u> — ◀					
		▶ <u>M32</u> — ◀					
		▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀					
		▶ <u>M32</u> — ◀					
		▶ <u>M32</u> — ◀					
		▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀					
		▶ <u>M32</u> — ◀					
(**)	(**)	▶ <u>M32</u> — ◀	(**)	(**)	▶ <u>M13</u> (**) ◀	▶ <u>M68</u> — ◀	▶ <u>M52</u> — ◀
(**)	(**)	▶ <u>M32</u> — ◀	(**)	(**)	▶ <u>M13</u> (**) ◀	▶ <u>M68</u> — ◀	▶ <u>M52</u> — ◀
(**)	(**)	▶ <u>M32</u> — ◀	(**)	(**)	▶ <u>M13</u> (**) ◀	▶ <u>M68</u> — ◀	▶ <u>M52</u> — ◀
(**)	(**)	▶ <u>M32</u> — ◀	(**)	(**)	▶ <u>M13</u> (**) ◀	▶ <u>M68</u> — ◀	▶ <u>M52</u> — ◀

▼ M2

(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)
▶ <u>M74</u> 0,05 ◀ ▶ <u>M74</u> 0,05 ◀		▶ <u>M42</u> 3 ◀ ▶ <u>M42</u> 1 ◀	▶ <u>M71</u> 0,3 ◀ ▶ <u>M71</u> 0,3 ◀		▶ <u>M51</u> 0,05 (+) ◀ ▶ <u>M51</u> 0,02 (*) ◀	▶ <u>M74</u> 0,1 ◀ ▶ <u>M74</u> 0,1 ◀	▶ <u>M37</u> 0,05 ◀ ▶ <u>M37</u> 0,02 (*) ◀
▶ <u>M74</u> 0,05 ◀		▶ <u>M42</u> 1 ◀	▶ <u>M71</u> 0,01 (*) ◀		▶ <u>M51</u> 0,02 (*) ◀	▶ <u>M74</u> 0,02 (*) ◀	▶ <u>M37</u> 0,02 (*) ◀
▶ <u>M74</u> 2 ◀ ▶ <u>M74</u> 2 ◀ ▶ <u>M74</u> 0,05 ◀ ▶ <u>M74</u> 0,05 ◀ ▶ <u>M74</u> 0,05 ◀		▶ <u>M42</u> 1 ◀ ▶ <u>M42</u> 1 ◀ ▶ <u>M42</u> 1 ◀ ▶ <u>M42</u> 3 ◀ ▶ <u>M42</u> 1 ◀	▶ <u>M71</u> 0,1 ◀ ▶ <u>M71</u> 0,1 ◀ ▶ <u>M71</u> 0,2 ◀ ▶ <u>M71</u> 0,3 ◀ ▶ <u>M71</u> 0,3 ◀		▶ <u>M51</u> 0,05 (+) ◀ ▶ <u>M51</u> 0,05 ◀ ▶ <u>M51</u> 0,05 (+) ◀ ▶ <u>M51</u> 0,05 (+) ◀ ▶ <u>M51</u> 0,02 (*) ◀	▶ <u>M74</u> 0,02 (*) ◀ ▶ <u>M74</u> 0,02 (*) ◀ ▶ <u>M74</u> 0,1 ◀ ▶ <u>M74</u> 0,1 ◀ ▶ <u>M74</u> 0,1 ◀	▶ <u>M37</u> 0,02 (*) ◀ ▶ <u>M37</u> 0,02 (*) ◀ ▶ <u>M37</u> 0,02 (*) ◀ ▶ <u>M37</u> 0,05 ◀ ▶ <u>M37</u> 0,02 (*) ◀
▶ <u>M74</u> 0,05 ◀		▶ <u>M42</u> 1 ◀	▶ <u>M71</u> 0,01 (*) ◀		▶ <u>M51</u> 0,02 (*) ◀	▶ <u>M74</u> 0,02 (*) ◀	▶ <u>M37</u> 0,02 (*) ◀
▶ <u>M74</u> 2 ◀ ▶ <u>M74</u> 2 ◀ ▶ <u>M74</u> 0,05 ◀ ▶ <u>M74</u> 0,05 ◀ ▶ <u>M74</u> 0,05 ◀		▶ <u>M42</u> 1 ◀ ▶ <u>M42</u> 1 ◀ ▶ <u>M42</u> 1 ◀ ▶ <u>M42</u> 3 ◀ ▶ <u>M42</u> 1 ◀	▶ <u>M71</u> 0,1 ◀ ▶ <u>M71</u> 0,1 ◀ ▶ <u>M71</u> 0,2 ◀ ▶ <u>M71</u> 0,3 ◀ ▶ <u>M71</u> 0,3 ◀		▶ <u>M51</u> 0,05 (+) ◀ ▶ <u>M51</u> 0,05 ◀ ▶ <u>M51</u> 0,05 (+) ◀ ▶ <u>M51</u> 0,05 (+) ◀ ▶ <u>M51</u> 0,02 (*) ◀	▶ <u>M74</u> 0,02 (*) ◀ ▶ <u>M74</u> 0,02 (*) ◀ ▶ <u>M74</u> 0,1 ◀ ▶ <u>M74</u> 0,1 ◀ ▶ <u>M74</u> 0,1 ◀	▶ <u>M37</u> 0,02 (*) ◀ ▶ <u>M37</u> 0,02 (*) ◀ ▶ <u>M37</u> 0,02 (*) ◀ ▶ <u>M37</u> 0,05 ◀ ▶ <u>M37</u> 0,02 (*) ◀
▶ <u>M74</u> 0,05 ◀		▶ <u>M42</u> 1 ◀	▶ <u>M71</u> 0,01 (*) ◀		▶ <u>M51</u> 0,02 (*) ◀	▶ <u>M74</u> 0,02 (*) ◀	▶ <u>M37</u> 0,02 (*) ◀
▶ <u>M40</u> — ◀	▶ <u>M52</u> — ◀	▶ <u>M42</u> — ◀	▶ <u>M71</u> — ◀	▶ <u>M42</u> — ◀	▶ <u>M51</u> — ◀	▶ <u>M59</u> — ◀	▶ <u>M37</u> (**) ◀
▶ <u>M74</u> 2 ◀ ▶ <u>M74</u> 2 ◀ ▶ <u>M74</u> 0,05 ◀	▶ <u>M52</u> — ◀ ▶ <u>M52</u> — ◀ ▶ <u>M52</u> — ◀	▶ <u>M42</u> 1 ◀ ▶ <u>M42</u> 1 ◀ ▶ <u>M42</u> 1 ◀	▶ <u>M71</u> 0,1 ◀ ▶ <u>M71</u> 0,1 ◀ ▶ <u>M71</u> 0,2 ◀	▶ <u>M42</u> — ◀ ▶ <u>M42</u> — ◀ ▶ <u>M42</u> — ◀	▶ <u>M51</u> 0,05 (+) ◀ ▶ <u>M51</u> 0,05 ◀ ▶ <u>M51</u> 0,05 (+) ◀	▶ <u>M74</u> 0,02 (**) ◀ ▶ <u>M74</u> 0,02 (**) ◀ ▶ <u>M74</u> 0,1 ◀	▶ <u>M37</u> (**) ◀ ▶ <u>M37</u> (**) ◀ ▶ <u>M37</u> (**) ◀

▼ M2

(26)	(27)	(28)	(29)	(30)	(31)
				▶ <u>M42</u> 2 ◀ ▶ <u>M42</u> 0,02 (*) ◀	▶ <u>M56</u> 3 ◀ ▶ <u>M56</u> 3 ◀
				▶ <u>M42</u> 0,02 (*) ◀	▶ <u>M56</u> 0,1 (*) ◀
▶ <u>M43</u> 0,5 ◀					
				▶ <u>M42</u> 0,1 ◀ ▶ <u>M42</u> 0,1 ◀ ▶ <u>M42</u> 0,1 ◀ ▶ <u>M42</u> 2 ◀ ▶ <u>M42</u> 0,02 (*) ◀	▶ <u>M56</u> 0,1 ◀ ▶ <u>M56</u> 0,2 ◀ ▶ <u>M56</u> 3 ◀ ▶ <u>M56</u> 3 ◀ ▶ <u>M56</u> 3 ◀
				▶ <u>M42</u> 0,02 (*) ◀	▶ <u>M56</u> 0,1 (*) ◀
▶ <u>M43</u> 0,5 ◀					
				▶ <u>M42</u> 0,1 ◀ ▶ <u>M42</u> 0,1 ◀ ▶ <u>M42</u> 0,1 ◀ ▶ <u>M42</u> 2 ◀ ▶ <u>M42</u> 0,02 (*) ◀	▶ <u>M56</u> 0,1 ◀ ▶ <u>M56</u> 0,2 ◀ ▶ <u>M56</u> 3 ◀ ▶ <u>M56</u> 3 ◀ ▶ <u>M56</u> 3 ◀
				▶ <u>M42</u> 0,02 (*) ◀	▶ <u>M56</u> 0,1 (*) ◀
▶ <u>M43</u> (**) ◀	(**)	(**)	(**)	▶ <u>M42</u> — ◀	▶ <u>M56</u> (**) ◀
▶ <u>M43</u> (**) ◀	(**)	(**)	(**)	▶ <u>M42</u> 0,1 ◀	▶ <u>M56</u> (**) ◀
▶ <u>M43</u> (**) ◀	(**)	(**)	(**)	▶ <u>M42</u> 0,1 ◀	▶ <u>M56</u> (**) ◀
▶ <u>M43</u> (**) ◀	(**)	(**)	(**)	▶ <u>M42</u> 0,1 ◀	▶ <u>M56</u> (**) ◀

▼ **M2**

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)
1015040	Kidney	(**)	(**)	► <b>M32</b> — ◄	► <b>M38</b> (**) ◄	(**)	(**)	(**)
1015050	Edible offal	(**)	(**)	► <b>M32</b> — ◄	► <b>M38</b> (**) ◄	(**)	(**)	(**)
1015990	Others	(**)	(**)	► <b>M32</b> — ◄	► <b>M38</b> (**) ◄	(**)	(**)	(**)
1016000	(f) <i>Poultry -chicken, geese, duck, turkey and Guinea fowl- ostrich, pigeon</i>			► <b>M32</b> — ◄				
1016010	Meat			► <b>M32</b> — ◄	► <b>M38</b> 0,05 (*) ◄			
1016020	Fat			► <b>M32</b> — ◄	► <b>M38</b> 0,05 (*) ◄			
1016030	Liver			► <b>M32</b> — ◄	► <b>M38</b> 0,05 (*) ◄			
1016040	Kidney			► <b>M32</b> — ◄	► <b>M38</b> 0,1 (*) ◄			
1016050	Edible offal			► <b>M32</b> — ◄	► <b>M38</b> 0,05 (*) ◄			
1016990	Others			► <b>M32</b> — ◄	► <b>M38</b> 0,05 (*) ◄			
1017000	(g) <i>Other farm animals</i>	(**)	(**)	► <b>M32</b> — ◄	► <b>M38</b> (**) ◄	(**)	(**)	(**)
1017010	Meat	(**)	(**)	► <b>M32</b> — ◄	► <b>M38</b> (**) ◄	(**)	(**)	(**)
1017020	Fat	(**)	(**)	► <b>M32</b> — ◄	► <b>M38</b> (**) ◄	(**)	(**)	(**)
1017030	Liver	(**)	(**)	► <b>M32</b> — ◄	► <b>M38</b> (**) ◄	(**)	(**)	(**)
1017040	Kidney	(**)	(**)	► <b>M32</b> — ◄	► <b>M38</b> (**) ◄	(**)	(**)	(**)
1017050	Edible offal	(**)	(**)	► <b>M32</b> — ◄	► <b>M38</b> (**) ◄	(**)	(**)	(**)
1017990	Others	(**)	(**)	► <b>M32</b> — ◄	► <b>M38</b> (**) ◄	(**)	(**)	(**)

▼ M2

(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)
(**)	(**)	▶ <u>M32</u> — ◀	(**)	(**)	▶ <u>M13</u> (**) ◀	▶ <u>M68</u> — ◀	▶ <u>M52</u> — ◀
(**)	(**)	▶ <u>M32</u> — ◀	(**)	(**)	▶ <u>M13</u> (**) ◀	▶ <u>M68</u> — ◀	▶ <u>M52</u> — ◀
(**)	(**)	▶ <u>M32</u> — ◀	(**)	(**)	▶ <u>M13</u> (**) ◀	▶ <u>M68</u> — ◀	▶ <u>M52</u> — ◀
		▶ <u>M32</u> — ◀					
		▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀					
		▶ <u>M32</u> — ◀					
(**)	(**)	▶ <u>M32</u> — ◀	(**)	(**)	▶ <u>M13</u> (**) ◀	▶ <u>M68</u> — ◀	▶ <u>M52</u> — ◀
(**)	(**)	▶ <u>M32</u> — ◀	(**)	(**)	▶ <u>M13</u> (**) ◀	▶ <u>M68</u> — ◀	▶ <u>M52</u> — ◀
(**)	(**)	▶ <u>M32</u> — ◀	(**)	(**)	▶ <u>M13</u> (**) ◀	▶ <u>M68</u> — ◀	▶ <u>M52</u> — ◀
(**)	(**)	▶ <u>M32</u> — ◀	(**)	(**)	▶ <u>M13</u> (**) ◀	▶ <u>M68</u> — ◀	▶ <u>M52</u> — ◀
(**)	(**)	▶ <u>M32</u> — ◀	(**)	(**)	▶ <u>M13</u> (**) ◀	▶ <u>M68</u> — ◀	▶ <u>M52</u> — ◀
(**)	(**)	▶ <u>M32</u> — ◀	(**)	(**)	▶ <u>M13</u> (**) ◀	▶ <u>M68</u> — ◀	▶ <u>M52</u> — ◀
(**)	(**)	▶ <u>M32</u> — ◀	(**)	(**)	▶ <u>M13</u> (**) ◀	▶ <u>M68</u> — ◀	▶ <u>M52</u> — ◀

▼ M2

(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)
▶ <u>M74</u> 0,05 ◀	▶ <u>M52</u> — ◀	▶ <u>M42</u> 3 ◀	▶ <u>M71</u> 0,3 ◀	▶ <u>M42</u> — ◀	▶ <u>M51</u> 0,05 (+) ◀	▶ <u>M74</u> 0,1 ◀	▶ <u>M37</u> (**) ◀
▶ <u>M74</u> 0,05 ◀	▶ <u>M52</u> — ◀	▶ <u>M42</u> 1 ◀	▶ <u>M71</u> 0,3 ◀	▶ <u>M42</u> — ◀	▶ <u>M51</u> 0,02 (*) ◀	▶ <u>M74</u> 0,1 ◀	▶ <u>M37</u> (**) ◀
▶ <u>M74</u> 0,05 ◀	▶ <u>M52</u> — ◀	▶ <u>M42</u> 1 ◀	▶ <u>M71</u> 0,01 (*) ◀	▶ <u>M42</u> — ◀	▶ <u>M51</u> 0,02 (*) ◀	▶ <u>M74</u> 0,02 (**) ◀	▶ <u>M37</u> (**) ◀
▶ <u>M74</u> 0,01 (*) (+) ◀		▶ <u>M42</u> 0,05 (*) ◀					
▶ <u>M40</u> — ◀		▶ <u>M42</u> — ◀	▶ <u>M71</u> 0,1 ◀		▶ <u>M51</u> 0,02 (*) ◀	▶ <u>M74</u> 0,02 (*) ◀	▶ <u>M37</u> 0,02 (*) ◀
▶ <u>M40</u> — ◀		▶ <u>M42</u> — ◀	▶ <u>M71</u> 0,2 ◀		▶ <u>M51</u> 0,02 (*) ◀	▶ <u>M74</u> 0,02 (*) ◀	▶ <u>M37</u> 0,02 (*) ◀
▶ <u>M40</u> — ◀		▶ <u>M42</u> — ◀	▶ <u>M71</u> 1 ◀		▶ <u>M51</u> 0,01 (*) ◀	▶ <u>M74</u> 0,2 ◀	▶ <u>M37</u> 0,02 (*) ◀
▶ <u>M40</u> — ◀		▶ <u>M42</u> — ◀	▶ <u>M71</u> 0,01 (*) ◀		▶ <u>M51</u> 0,01 (*) ◀	▶ <u>M74</u> 0,2 ◀	▶ <u>M37</u> 0,05 ◀
▶ <u>M40</u> — ◀		▶ <u>M42</u> — ◀	▶ <u>M71</u> 1 ◀		▶ <u>M51</u> 0,02 (*) ◀	▶ <u>M74</u> 0,2 ◀	▶ <u>M37</u> 0,02 (*) ◀
▶ <u>M40</u> — ◀		▶ <u>M42</u> — ◀	▶ <u>M71</u> 0,01 (*) ◀		▶ <u>M51</u> 0,02 (*) ◀	▶ <u>M74</u> 0,02 (*) ◀	▶ <u>M37</u> 0,02 (*) ◀
▶ <u>M40</u> — ◀	▶ <u>M52</u> — ◀	▶ <u>M42</u> — ◀	▶ <u>M71</u> — ◀	▶ <u>M42</u> — ◀	▶ <u>M51</u> — ◀	▶ <u>M59</u> — ◀	▶ <u>M37</u> (**) ◀
▶ <u>M74</u> 2 ◀	▶ <u>M52</u> — ◀	▶ <u>M42</u> 1 ◀	▶ <u>M71</u> 0,1 ◀	▶ <u>M42</u> — ◀	▶ <u>M51</u> 0,05 (+) ◀	▶ <u>M74</u> 0,02 (**) ◀	▶ <u>M37</u> (**) ◀
▶ <u>M74</u> 2 ◀	▶ <u>M52</u> — ◀	▶ <u>M42</u> 1 ◀	▶ <u>M71</u> 0,1 ◀	▶ <u>M42</u> — ◀	▶ <u>M51</u> 0,05 ◀	▶ <u>M74</u> 0,02 (**) ◀	▶ <u>M37</u> (**) ◀
▶ <u>M74</u> 0,05 ◀	▶ <u>M52</u> — ◀	▶ <u>M42</u> 1 ◀	▶ <u>M71</u> 0,2 ◀	▶ <u>M42</u> — ◀	▶ <u>M51</u> 0,05 (+) ◀	▶ <u>M74</u> 0,1 ◀	▶ <u>M37</u> (**) ◀
▶ <u>M74</u> 0,05 ◀	▶ <u>M52</u> — ◀	▶ <u>M42</u> 3 ◀	▶ <u>M71</u> 0,3 ◀	▶ <u>M42</u> — ◀	▶ <u>M51</u> 0,05 (+) ◀	▶ <u>M74</u> 0,1 ◀	▶ <u>M37</u> (**) ◀
▶ <u>M74</u> 0,05 ◀	▶ <u>M52</u> — ◀	▶ <u>M42</u> 1 ◀	▶ <u>M71</u> 0,3 ◀	▶ <u>M42</u> — ◀	▶ <u>M51</u> 0,02 (*) ◀	▶ <u>M74</u> 0,1 ◀	▶ <u>M37</u> (**) ◀
▶ <u>M74</u> 0,05 ◀	▶ <u>M52</u> — ◀	▶ <u>M42</u> 1 ◀	▶ <u>M71</u> 0,01 (*) ◀	▶ <u>M42</u> — ◀	▶ <u>M51</u> 0,02 (*) ◀	▶ <u>M74</u> 0,02 (**) ◀	▶ <u>M37</u> (**) ◀



▼ M2

(26)	(27)	(28)	(29)	(30)	(31)
▶ <u>M43</u> (**) ◀	(**)	(**)	(**)	▶ <u>M42</u> 2 ◀	▶ <u>M56</u> (**) ◀
▶ <u>M43</u> (**) ◀	(**)	(**)	(**)	▶ <u>M42</u> 0,02 (*) ◀	▶ <u>M56</u> (**) ◀
▶ <u>M43</u> (**) ◀	(**)	(**)	(**)	▶ <u>M42</u> 0,02 (*) ◀	▶ <u>M56</u> (**) ◀
▶ <u>M43</u> 0,02 (*) ◀				▶ <u>M42</u> — ◀	
				▶ <u>M42</u> 0,05 ◀	▶ <u>M56</u> 0,1 (*) ◀
				▶ <u>M42</u> 0,1 ◀	▶ <u>M56</u> 0,1 (*) ◀
				▶ <u>M42</u> 0,02 ◀	▶ <u>M56</u> 0,1 (*) ◀
				▶ <u>M42</u> 0,02 (*) ◀	▶ <u>M56</u> 0,1 (*) ◀
				▶ <u>M42</u> 0,02 (*) ◀	▶ <u>M56</u> 0,5 (*) ◀
				▶ <u>M42</u> 0,02 (*) ◀	▶ <u>M56</u> 0,1 (*) ◀
▶ <u>M43</u> (**) ◀	(**)	(**)	(**)	▶ <u>M42</u> — ◀	▶ <u>M56</u> (**) ◀
▶ <u>M43</u> (**) ◀	(**)	(**)	(**)	▶ <u>M42</u> 0,1 ◀	▶ <u>M56</u> (**) ◀
▶ <u>M43</u> (**) ◀	(**)	(**)	(**)	▶ <u>M42</u> 0,1 ◀	▶ <u>M56</u> (**) ◀
▶ <u>M43</u> (**) ◀	(**)	(**)	(**)	▶ <u>M42</u> 0,1 ◀	▶ <u>M56</u> (**) ◀
▶ <u>M43</u> (**) ◀	(**)	(**)	(**)	▶ <u>M42</u> 2 ◀	▶ <u>M56</u> (**) ◀
▶ <u>M43</u> (**) ◀	(**)	(**)	(**)	▶ <u>M42</u> 0,02 (*) ◀	▶ <u>M56</u> (**) ◀
▶ <u>M43</u> (**) ◀	(**)	(**)	(**)	▶ <u>M42</u> 0,02 (*) ◀	▶ <u>M56</u> (**) ◀

▼ **M2**

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)
1020000	(ii) <b>Milk and cream, not concentrated, nor containing added sugar or sweetening matter, butter and other fats derived from milk, cheese and curd</b>			► <b>M32</b> — ◀	► <b>M38</b> 0,05 (*) ◀	0,004	0,01	0,004
1020010	Cattle			► <b>M32</b> — ◀				
1020020	Sheep			► <b>M32</b> — ◀				
1020030	Goat			► <b>M32</b> — ◀				
1020040	Horse			► <b>M32</b> — ◀				
1020990	Others			► <b>M32</b> — ◀				
1030000	(iii) <b>Birds' eggs, fresh preserved or cooked; Shelled eggs and egg yolks fresh, dried, cooked by steaming or boiling in water, moulded, frozen or otherwise preserved whether or not containing added sugar or sweetening matter</b>			► <b>M32</b> — ◀	► <b>M38</b> 0,05 (*) ◀	0,02	0,02	0,02
1030010	Chicken			► <b>M32</b> — ◀				
1030020	Duck	(**)	(**)	► <b>M32</b> — ◀	► <b>M38</b> (**) ◀	(**)	(**)	(**)
1030030	Goose	(**)	(**)	► <b>M32</b> — ◀	► <b>M38</b> (**) ◀	(**)	(**)	(**)

▼ M2

(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)
0,003		▶ <u>M32</u> — ◀			▶ <u>M13</u> — ◀	▶ <u>M68</u> 0,01 (*) ◀	▶ <u>M52</u> 0,02 (*) ◀
		▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀					
		▶ <u>M32</u> — ◀					
0,01		▶ <u>M32</u> — ◀			▶ <u>M13</u> — ◀	▶ <u>M68</u> 0,01 (*) ◀	▶ <u>M52</u> 0,02 (*) ◀
(**)	(**)	▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀	(**)	(**)	▶ <u>M13</u> (***) ◀	▶ <u>M68</u> — ◀	▶ <u>M52</u> — ◀
(**)	(**)	▶ <u>M32</u> — ◀	(**)	(**)	▶ <u>M13</u> (***) ◀	▶ <u>M68</u> — ◀	▶ <u>M52</u> — ◀

▼ M2

(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)
▶ <u>M74</u> 0,1 ◀	▶ <u>M52</u> 0,02 (*) ◀	▶ <u>M42</u> 0,01 (*) ◀	▶ <u>M71</u> — ◀	▶ <u>M42</u> 0,01 (*) ◀	▶ <u>M51</u> 0,01 ◀	▶ <u>M74</u> 0,02 (*) ◀	▶ <u>M37</u> 0,05 (*) ◀
			▶ <u>M71</u> 0,1 ◀ ▶ <u>M71</u> 0,1 ◀ ▶ <u>M71</u> 0,1 ◀ ▶ <u>M71</u> 0,05 (*) ◀				
			▶ <u>M71</u> 0,05 (*) ◀				
▶ <u>M74</u> 0,02 (+) ◀	▶ <u>M52</u> 0,02 (*) ◀	▶ <u>M42</u> 0,05 (*) ◀	▶ <u>M71</u> 0,1 ◀	▶ <u>M42</u> 0,05 (*) ◀	▶ <u>M51</u> 0,01 (*) ◀	▶ <u>M74</u> 0,02 (*) ◀	▶ <u>M37</u> 0,02 (*) ◀
▶ <u>M40</u> — ◀ ▶ <u>M40</u> — ◀	▶ <u>M52</u> — ◀ ▶ <u>M52</u> — ◀	▶ <u>M42</u> — ◀ ▶ <u>M42</u> — ◀	▶ <u>M71</u> — ◀ ▶ <u>M71</u> — ◀	▶ <u>M42</u> — ◀ ▶ <u>M42</u> — ◀	▶ <u>M51</u> — ◀ ▶ <u>M51</u> — ◀	▶ <u>M59</u> — ◀ ▶ <u>M59</u> — ◀	▶ <u>M37</u> (**) ◀ ▶ <u>M37</u> (**) ◀

▼ M2

(26)	(27)	(28)	(29)	(30)	(31)
▶ <u>M43</u> 0,05 ◀	0,001 (*)			▶ <u>M42</u> 0,05 ◀	▶ <u>M56</u> 0,05 (*) ◀
▶ <u>M43</u> 0,02 (*) ◀	0,01 (*)			▶ <u>M42</u> 0,1 ◀	▶ <u>M56</u> 0,05 (*) ◀
▶ <u>M43</u> (**) ◀	(**)	(**)	(**)	▶ <u>M42</u> — ◀	▶ <u>M56</u> (**) ◀
▶ <u>M43</u> (**) ◀	(**)	(**)	(**)	▶ <u>M42</u> — ◀	▶ <u>M56</u> (**) ◀

▼ M2

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)
1030040	Quail	(**)	(**)	▶ <u>M32</u> — ◀	▶ <u>M38</u> (**) ◀	(**)	(**)	(**)
1030990	Others	(**)	(**)	▶ <u>M32</u> — ◀	▶ <u>M38</u> (**) ◀	(**)	(**)	(**)
1040000	(iv) <b>Honey</b>	(**)	(**)	▶ <u>M32</u> — ◀	▶ <u>M38</u> (**) ◀	(**)	(**)	(**)
1050000	(v) <b>Amphibians and reptiles</b>	(**)	(**)	▶ <u>M32</u> — ◀	▶ <u>M38</u> (**) ◀	(**)	(**)	(**)
1060000	(vi) <b>Snails</b>	(**)	(**)	▶ <u>M32</u> — ◀	▶ <u>M38</u> (**) ◀	(**)	(**)	(**)
1070000	(vii) <b>Other terrestrial animal products</b>	(**)	(**)	▶ <u>M32</u> — ◀	▶ <u>M38</u> (**) ◀	(**)	(**)	(**)

▼ M2

(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)
(**)	(**)	▶ <u>M32</u> — ◀	(**)	(**)	▶ <u>M13</u> (**) ◀	▶ <u>M68</u> — ◀	▶ <u>M52</u> — ◀
(**)	(**)	▶ <u>M32</u> — ◀	(**)	(**)	▶ <u>M13</u> (**) ◀	▶ <u>M68</u> — ◀	▶ <u>M52</u> — ◀
(**)	(**)	▶ <u>M32</u> — ◀	(**)	(**)	▶ <u>M13</u> (**) ◀	▶ <u>M68</u> 0,05 (*) ◀	▶ <u>M52</u> 0,05 (*) ◀
(**)	(**)	▶ <u>M32</u> — ◀	(**)	(**)	▶ <u>M13</u> (**) ◀	▶ <u>M68</u> 0,01 (*) ◀	▶ <u>M52</u> 0,02 (*) ◀
(**)	(**)	▶ <u>M32</u> — ◀	(**)	(**)	▶ <u>M13</u> (**) ◀	▶ <u>M68</u> 0,01 (*) ◀	▶ <u>M52</u> 0,02 (*) ◀
(**)	(**)	▶ <u>M32</u> — ◀	(**)	(**)	▶ <u>M13</u> (**) ◀	▶ <u>M68</u> 0,01 (*) ◀	▶ <u>M52</u> 0,02 (*) ◀

▼ M2

(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)
▶ <u>M40</u> — ◀	▶ <u>M52</u> — ◀	▶ <u>M42</u> — ◀	▶ <u>M71</u> — ◀	▶ <u>M42</u> — ◀	▶ <u>M51</u> — ◀	▶ <u>M59</u> — ◀	▶ <u>M37</u> (**) ◀
▶ <u>M40</u> — ◀	▶ <u>M52</u> — ◀	▶ <u>M42</u> — ◀	▶ <u>M71</u> — ◀	▶ <u>M42</u> — ◀	▶ <u>M51</u> — ◀	▶ <u>M59</u> — ◀	▶ <u>M37</u> (**) ◀
▶ <u>M74</u> 0,05 (*) ◀	▶ <u>M52</u> 0,05 (*) ◀	▶ <u>M42</u> 0,05 (*) ◀	▶ <u>M71</u> 0,05 (*) ◀	▶ <u>M42</u> 0,05 (*) ◀	▶ <u>M51</u> 0,05 (*) ◀	▶ <u>M74</u> 0,05 (*) ◀	▶ <u>M37</u> (**) ◀
▶ <u>M74</u> 0,01 (*) ◀	▶ <u>M52</u> 0,02 (*) ◀	▶ <u>M42</u> 0,05 (*) ◀	▶ <u>M71</u> 0,01 (*) ◀	▶ <u>M42</u> 0,05 (*) ◀	▶ <u>M51</u> 0,02 (*) ◀	▶ <u>M74</u> 0,02 (*) ◀	▶ <u>M37</u> (**) ◀
▶ <u>M74</u> 0,01 (*) ◀	▶ <u>M52</u> 0,02 (*) ◀	▶ <u>M42</u> 0,05 (*) ◀	▶ <u>M71</u> 0,01 (*) ◀	▶ <u>M42</u> 0,05 (*) ◀	▶ <u>M51</u> 0,02 (*) ◀	▶ <u>M74</u> 0,02 (*) ◀	▶ <u>M37</u> (**) ◀
▶ <u>M74</u> 0,01 (*) ◀	▶ <u>M52</u> 0,02 (*) ◀	▶ <u>M42</u> 0,05 (*) ◀	▶ <u>M71</u> 0,01 (*) ◀	▶ <u>M42</u> 0,05 (*) ◀	▶ <u>M51</u> 0,02 (*) ◀	▶ <u>M74</u> 0,02 (*) ◀	▶ <u>M37</u> (**) ◀



▼ M2

(26)	(27)	(28)	(29)	(30)	(31)
▶ <u>M43</u> (**) ◀	(**)	(**)	(**)	▶ <u>M42</u> — ◀	▶ <u>M56</u> (**) ◀
▶ <u>M43</u> (**) ◀	(**)	(**)	(**)	▶ <u>M42</u> — ◀	▶ <u>M56</u> (**) ◀
▶ <u>M43</u> (**) ◀	(**)	(**)	(**)	▶ <u>M42</u> 0,05 (*) ◀	▶ <u>M56</u> (**) ◀
▶ <u>M43</u> (**) ◀	(**)	(**)	(**)	▶ <u>M42</u> 0,05 (*) ◀	▶ <u>M56</u> (**) ◀
▶ <u>M43</u> (**) ◀	(**)	(**)	(**)	▶ <u>M42</u> 0,05 (*) ◀	▶ <u>M56</u> (**) ◀
▶ <u>M43</u> (**) ◀	(**)	(**)	(**)	▶ <u>M42</u> 0,05 (*) ◀	▶ <u>M56</u> (**) ◀

▼ **M2***Pesticide residues and maximum residue levels (mg/kg)*

Code number	Groups and examples of individual products to which the MRLs apply <sup>(a)</sup>	Mecarbam	Mecoprop (sum of mecoprop-p and mecoprop expressed as mecoprop)	▲ <b>M42</b> Mepanipyrim ▼	Mercury compounds (sum of mercury compounds expressed as mercury) <sup>(1)</sup>	▶ <b>M52</b> Mesosulfuron-methyl ▼	Mesotrione (Sum of mesotrione and MNBA (4-methylsulfonyl- 2-nitro benzoic acid), expressed as mesotrione)
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)
0100000	1. <b>FRUIT FRESH OR FROZEN; NUTS</b>	0,05 (*)	0,05 (*)		0,01 (*)	▶ <b>M52</b> — ◀	0,05 (*)
0110000	(i) <b>Citrus fruit</b>			▶ <b>M42</b> 0,01 (*) ◀		▶ <b>M52</b> 0,01 (*) ◀	
0110010	Grapefruit						
0110020	Oranges						
0110030	Lemons						
0110040	Limes						
0110050	Mandarins						
0110990	Others						
0120000	(ii) <b>Tree nuts (shelled or unshelled)</b>			▶ <b>M42</b> 0,02 (*) ◀		▶ <b>M52</b> 0,02 (*) ◀	

▼ M2

<p>▶ <u>M47</u> Metaxyl and metaxyl-M (metaxyl including other mixtures of constituent isomers including metaxyl-M (sum of isomers)) ▼</p>	<p>Methacrifos (L)</p>	<p>▶ <u>M32</u> Methamidophos ▼</p>	<p>▶ <u>M16</u> Methidathion ▼</p>	<p>▶ <u>M46</u> Metolachlor and S-metolachlor (metolachlor including other mixtures of constituent isomers including S-metolachlor (sum of isomers)) ▼</p>	<p>▶ <u>M11</u> Methomyl and Thiodicarb (sum of methomyl and thiodicarb expressed as methomyl) ▼</p>	<p>Methoxychlor (L)</p>	<p>▶ <u>M56</u> Methoxyfenozide (L) ▼</p>
<p>(9)</p>	<p>(10)</p>	<p>(11)</p>	<p>(12)</p>	<p>(13)</p>	<p>(14)</p>	<p>(15)</p>	<p>(16)</p>
<p>▶ <u>M47</u> 0,5 ▼</p>	<p>0,05 (*)</p>	<p>▶ <u>M32</u> 0,01 (*) ▼</p>	<p>▶ <u>M16</u> 0,02 (*) ▼</p>	<p>▶ <u>M46</u> 0,05 (*) ▼</p>	<p>▶ <u>M11</u> 0,02 (*) ▼</p>	<p>0,01 (*)</p>	<p>▶ <u>M56</u> 2 ▼</p>
<p>▶ <u>M47</u> 0,05 (*) ▼</p>	<p>▶ <u>M32</u> 0,02 (*) ▼</p>	<p>▶ <u>M16</u> 0,05 (*) ▼</p>	<p>▶ <u>M11</u> 0,02 (*) ▼</p>	<p>▶ <u>M9</u> — ▼</p> <p>▶ <u>M9</u> — ▼</p> <p>▶ <u>M9</u> — ▼</p> <p>▶ <u>M9</u> — ▼</p> <p>▶ <u>M9</u> — ▼</p>	<p>▶ <u>M9</u> — ▼</p>	<p>▶ <u>M56</u> 0,02 (*) ▼</p>	<p>▶ <u>M56</u> 0,02 (*) ▼</p>

▼ M2

▶ <u>M58</u> Metsulfuron-methyl ▼	Mevinphos (sum of E- and Z-isomers)	▶ <u>M46</u> Milbectin (sum of milbemycin A4 and milbemycin A3, expressed as milbectin) ▼	▶ <u>M59</u> Molinate ▼	▶ <u>M32</u> — ▼	Monolinuron	Myclobutanyl (*)	Nitrofen (4)	▶ <u>M77</u> — ▼
(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)
▶ <u>M58</u> 0,01 (*) ◀	0,01 (*)	▶ <u>M46</u> 0,02 (*) ◀	▶ <u>M59</u> — ◀	▶ <u>M32</u> — ◀	0,05 (*)		0,01 (*)	▶ <u>M77</u> — ◀
		▶ <u>M46</u> — ◀	▶ <u>M59</u> 0,01 (*) ◀	▶ <u>M32</u> — ◀		3		▶ <u>M77</u> — ◀
				▶ <u>M32</u> — ◀				▶ <u>M77</u> — ◀
				▶ <u>M32</u> — ◀				▶ <u>M77</u> — ◀
				▶ <u>M32</u> — ◀				▶ <u>M77</u> — ◀
				▶ <u>M32</u> — ◀				▶ <u>M77</u> — ◀
				▶ <u>M32</u> — ◀				▶ <u>M77</u> — ◀
		▶ <u>M46</u> — ◀	▶ <u>M59</u> 0,02 (*) ◀	▶ <u>M32</u> — ◀		0,05 (*)		▶ <u>M77</u> — ◀

▼ M2

▶ <u>M49</u> Oxamyl ▼	▶ <u>M52</u> Oxasulfuron ▼	▶ <u>M32</u> Oxydemeton-methyl (sum of oxydemeton-methyl and demeton-S-methyl/sulfone expressed as oxydemeton-methyl) ▼	▶ <u>M19</u> Paraquat ▼	Parathion ( <sup>L</sup> )	▶ <u>M32</u> Parathion-methyl (sum of Parathion-methyl and paraoxon-methyl expressed as Parathion-methyl) ▼
(26)	(27)	(28)	(29)	(30)	(31)
▶ <u>M49</u> 0,01 (*) ◀	▶ <u>M52</u> 0,01 (*) ◀	▶ <u>M32</u> — ◀	▶ <u>M19</u> 0,02 (*) ◀	0,05 (*)	▶ <u>M32</u> — ◀
		▶ <u>M32</u> 0,01 (*) ◀			▶ <u>M32</u> 0,01 (*) ◀
▶ <u>M49</u> — ◀					
▶ <u>M49</u> (+) ◀					
▶ <u>M49</u> — ◀					
▶ <u>M49</u> — ◀					
▶ <u>M49</u> (+) ◀					
▶ <u>M49</u> — ◀					
▶ <u>M49</u> — ◀		▶ <u>M32</u> 0,02 (*) ◀			▶ <u>M32</u> 0,02 (*) ◀

▼ **M2**

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)
0120010	Almonds						
0120020	Brazil nuts						
0120030	Cashew nuts						
0120040	Chestnuts						
0120050	Coconuts						
0120060	Hazelnuts						
0120070	Macadamia						
0120080	Pecans						
0120090	Pine nuts						
0120100	Pistachios						
0120110	Walnuts						
0120990	Others						
0130000	(iii) <b>Pome fruit</b>			► <b>M42</b> 0,01 (*) ◀		► <b>M52</b> 0,01 (*) ◀	
0130010	Apples						
0130020	Pears						
0130030	Quinces						
0130040	Medlar	(**)	(**)	► <b>M42</b> — ◀	(**)	► <b>M52</b> — ◀	(**)
0130050	Loquat	(**)	(**)	► <b>M42</b> — ◀	(**)	► <b>M52</b> — ◀	(**)
0130990	Others						
0140000	(iv) <b>Stone fruit</b>			► <b>M42</b> 0,01 (*) ◀		► <b>M52</b> 0,01 (*) ◀	
0140010	Apricots						
0140020	Cherries						
0140030	Peaches						
0140040	Plums						
0140990	Others						
0150000	(v) <b>Berries &amp; small fruit</b>					► <b>M52</b> 0,01 (*) ◀	

▼ M2

(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
▶ <u>M47</u> 1 ◀		▶ <u>M32</u> 0,01 (*) ◀	▶ <u>M16</u> 0,03 ◀		▶ <u>M9</u> — ◀		▶ <u>M56</u> 2 ◀
▶ <u>M47</u> (**) ◀ ▶ <u>M47</u> (**) ◀	(**) (**)	▶ <u>M9</u> — ◀ ▶ <u>M9</u> — ◀ ▶ <u>M9</u> — ◀ ▶ <u>M32</u> (**) ◀ ▶ <u>M32</u> (**) ◀	▶ <u>M5</u> — ◀ ▶ <u>M5</u> — ◀ ▶ <u>M5</u> — ◀ ▶ <u>M5</u> (**) ◀ ▶ <u>M5</u> (**) ◀	▶ <u>M46</u> — ◀ ▶ <u>M46</u> — ◀	▶ <u>M11</u> 0,02 (*) ◀ ▶ <u>M11</u> 0,02 (*) ◀ ▶ <u>M11</u> 0,02 (*) ◀ ▶ <u>M11</u> (**) ◀ ▶ <u>M11</u> (**) ◀	(**) (**)	▶ <u>M56</u> (**) ◀ ▶ <u>M56</u> (**) ◀
		▶ <u>M9</u> — ◀	▶ <u>M5</u> — ◀		▶ <u>M11</u> 0,2 ◀		
▶ <u>M47</u> 0,05 (*) ◀		▶ <u>M32</u> 0,01 (*) ◀	▶ <u>M16</u> 0,02 (*) ◀				
		▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀	▶ <u>M5</u> 0,02 (*) ◀ ▶ <u>M5</u> 0,2 ◀ ▶ <u>M5</u> 0,05 ◀ ▶ <u>M5</u> 0,2 ◀		▶ <u>M11</u> 0,02 (*) ◀ ▶ <u>M11</u> 0,1 ◀ ▶ <u>M11</u> 0,02 (*) ◀ ▶ <u>M11</u> 0,02 (*) ◀		▶ <u>M56</u> 0,3 ◀ ▶ <u>M56</u> 0,02 (*) ◀ ▶ <u>M56</u> 0,3 ◀ ▶ <u>M56</u> 0,1 ◀
		▶ <u>M32</u> — ◀	▶ <u>M5</u> 0,02 (*) ◀		▶ <u>M11</u> 0,02 (*) ◀		▶ <u>M56</u> 0,02 (*) ◀
		▶ <u>M32</u> 0,01 (*) ◀	▶ <u>M16</u> 0,02 (*) ◀				

▼ M2

(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	
				▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀					▶ <u>M77</u> — ◀ ▶ <u>M77</u> — ◀ ▶ <u>M77</u> — ◀ ▶ <u>M77</u> — ◀ ▶ <u>M77</u> — ◀ ▶ <u>M77</u> — ◀ ▶ <u>M77</u> — ◀ ▶ <u>M77</u> — ◀ ▶ <u>M77</u> — ◀ ▶ <u>M77</u> — ◀
				▶ <u>M32</u> — ◀				▶ <u>M77</u> — ◀	
		▶ <u>M46</u> — ◀	▶ <u>M59</u> 0,01 (*) ◀	▶ <u>M32</u> — ◀		0,5		▶ <u>M77</u> — ◀	
▶ <u>M58</u> — ◀ ▶ <u>M58</u> — ◀	(**) (**)	▶ <u>M46</u> — ◀ ▶ <u>M46</u> — ◀	▶ <u>M59</u> — ◀ ▶ <u>M59</u> — ◀	▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀	(**) (**)	(**) (**)	(**) (**)	▶ <u>M77</u> — ◀ ▶ <u>M77</u> — ◀ ▶ <u>M77</u> — ◀ ▶ <u>M77</u> — ◀	
				▶ <u>M32</u> — ◀				▶ <u>M77</u> — ◀	
		▶ <u>M46</u> — ◀	▶ <u>M59</u> 0,01 (*) ◀	▶ <u>M32</u> — ◀				▶ <u>M77</u> — ◀	
				▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀		0,3 1 0,5 0,5		▶ <u>M77</u> — ◀ ▶ <u>M77</u> — ◀ ▶ <u>M77</u> — ◀ ▶ <u>M77</u> — ◀	
				▶ <u>M32</u> — ◀		0,02 (*)		▶ <u>M77</u> — ◀	
		▶ <u>M46</u> — ◀	▶ <u>M59</u> 0,01 (*) ◀	▶ <u>M32</u> — ◀				▶ <u>M77</u> — ◀	



▼ M2

(26)	(27)	(28)	(29)	(30)	(31)
▶ <u>M49</u> — ◀		▶ <u>M32</u> 0,01 (*) ◀			▶ <u>M32</u> 0,01 (*) ◀
▶ <u>M49</u> — ◀ ▶ <u>M49</u> — ◀	▶ <u>M52</u> — ◀ ▶ <u>M52</u> — ◀	▶ <u>M32</u> (**) ◀ ▶ <u>M32</u> (**) ◀	(**) (**)	(**) (**)	▶ <u>M32</u> (**) ◀ ▶ <u>M32</u> (**) ◀
▶ <u>M49</u> — ◀		▶ <u>M32</u> 0,01 (*) ◀			▶ <u>M32</u> 0,01 (*) ◀
▶ <u>M49</u> — ◀		▶ <u>M32</u> 0,01 (*) ◀			▶ <u>M32</u> 0,01 (*) ◀

▼ **M2**

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)
0151000	(a) <i>Table and wine grapes</i>			► <b>M42</b> 2 ◀			
0151010	Table grapes						
0151020	Wine grapes						
0152000	(b) <i>Strawberries</i>			► <b>M42</b> 1,5 ◀			
0153000	(c) <i>Cane fruit</i>			► <b>M42</b> 0,01 (*) ◀			
0153010	Blackberries						
0153020	Dewberries						
0153030	Raspberries						
0153990	Others						
0154000	(d) <i>Other small fruit &amp; berries</i>			► <b>M42</b> 0,01 (*) ◀			
0154010	Blueberries						
0154020	Cranberries						
0154030	Currants (red, black and white)						
0154040	Gooseberries						
0154050	Rose hips	(**)	(**)	► <b>M42</b> — ◀	(**)	► <b>M52</b> — ◀	(**)
0154060	Mulberries	(**)	(**)	► <b>M42</b> — ◀	(**)	► <b>M52</b> — ◀	(**)
0154070	Azarole (mediterranean medlar)	(**)	(**)	► <b>M42</b> — ◀	(**)	► <b>M52</b> — ◀	(**)
0154080	Elderberries	(**)	(**)	► <b>M42</b> — ◀	(**)	► <b>M52</b> — ◀	(**)
0154990	Others						

▼ M2

(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
							► <u>M56</u> 1 ◀
► <u>M47</u> 2 ◀ ► <u>M47</u> 1 ◀					► <u>M11</u> 0,02 (*) ◀ ► <u>M11</u> 0,5 ◀		
► <u>M47</u> 0,5 ◀				► <u>M46</u> (+) ◀	► <u>M11</u> 0,02 (*) ◀		► <u>M56</u> 2 ◀
► <u>M47</u> 0,05 (*) ◀					► <u>M11</u> 0,02 (*) ◀		► <u>M56</u> 0,02 (*) ◀
► <u>M47</u> — ◀					► <u>M11</u> — ◀		► <u>M31</u> — ◀
► <u>M47</u> 0,05 (*) ◀ ► <u>M47</u> 0,05 (*) ◀ ► <u>M47</u> 0,4 ◀					► <u>M11</u> 0,02 (*) ◀ ► <u>M11</u> 0,02 (*) ◀ ► <u>M11</u> 0,02 (*) ◀		► <u>M56</u> 4 ◀ ► <u>M56</u> 0,7 ◀ ► <u>M56</u> 0,02 (*) ◀
► <u>M47</u> 0,05 (*) ◀ ► <u>M47</u> (**) ◀ ► <u>M47</u> (**) ◀ ► <u>M47</u> (**) ◀	(**) (**) (**)	► <u>M32</u> (**) ◀ ► <u>M32</u> (**) ◀ ► <u>M32</u> (**) ◀	► <u>M5</u> (**) ◀ ► <u>M5</u> (**) ◀ ► <u>M5</u> (**) ◀	► <u>M46</u> — ◀ ► <u>M46</u> — ◀ ► <u>M46</u> — ◀	► <u>M11</u> 0,02 (*) ◀ ► <u>M11</u> (**) ◀ ► <u>M11</u> (**) ◀ ► <u>M11</u> (**) ◀	(**) (**) (**)	► <u>M56</u> 0,02 (*) ◀ ► <u>M56</u> (**) ◀ ► <u>M56</u> (**) ◀ ► <u>M56</u> (**) ◀
► <u>M47</u> (**) ◀	(**)	► <u>M32</u> (**) ◀	► <u>M5</u> (**) ◀	► <u>M46</u> — ◀	► <u>M11</u> (**) ◀	(**)	► <u>M56</u> (**) ◀
► <u>M47</u> 0,05 (*) ◀					► <u>M11</u> 0,02 (*) ◀		► <u>M56</u> 0,02 (*) ◀

▼ M2

(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)
				▶ <u>M32</u> — ◀		1		▶ <u>M77</u> — ◀
				▶ <u>M32</u> — ◀				▶ <u>M77</u> — ◀
				▶ <u>M32</u> — ◀				▶ <u>M77</u> — ◀
				▶ <u>M32</u> — ◀		1		▶ <u>M77</u> — ◀
				▶ <u>M32</u> — ◀		0,02 (*)		▶ <u>M77</u> — ◀
				▶ <u>M32</u> — ◀		1		▶ <u>M77</u> — ◀
				▶ <u>M32</u> — ◀		0,02 (*)		▶ <u>M77</u> — ◀
				▶ <u>M32</u> — ◀				▶ <u>M77</u> — ◀
				▶ <u>M32</u> — ◀		0,02 (*)		▶ <u>M77</u> — ◀
				▶ <u>M32</u> — ◀		0,02 (*)		▶ <u>M77</u> — ◀
				▶ <u>M32</u> — ◀		1		▶ <u>M77</u> — ◀
▶ <u>M58</u> — ◀	(**)	▶ <u>M46</u> — ◀	▶ <u>M59</u> — ◀	▶ <u>M32</u> — ◀	(**)	1	(**)	▶ <u>M77</u> — ◀
▶ <u>M58</u> — ◀	(**)	▶ <u>M46</u> — ◀	▶ <u>M59</u> — ◀	▶ <u>M32</u> — ◀	(**)	(**)	(**)	▶ <u>M77</u> — ◀
▶ <u>M58</u> — ◀	(**)	▶ <u>M46</u> — ◀	▶ <u>M59</u> — ◀	▶ <u>M32</u> — ◀	(**)	(**)	(**)	▶ <u>M77</u> — ◀
▶ <u>M58</u> — ◀	(**)	▶ <u>M46</u> — ◀	▶ <u>M59</u> — ◀	▶ <u>M32</u> — ◀	(**)	(**)	(**)	▶ <u>M77</u> — ◀
				▶ <u>M32</u> — ◀		0,02 (*)		▶ <u>M77</u> — ◀



▼ **M2**

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)
0160000	(vi) <b>Miscellaneous fruit</b>			► <b>M42</b> 0,01 (*) ◀		► <b>M52</b> 0,01 (*) ◀	
0161000	(a) <i>Edible peel</i>						
0161010	Dates						
0161020	Figs						
0161030	Table olives						
0161040	Kumquats						
0161050	Carambola	(**)	(**)	► <b>M42</b> — ◀	(**)	► <b>M52</b> — ◀	(**)
0161060	Persimmon	(**)	(**)	► <b>M42</b> — ◀	(**)	► <b>M52</b> — ◀	(**)
0161070	Jambolan (java plum)	(**)	(**)	► <b>M42</b> — ◀	(**)	► <b>M52</b> — ◀	(**)
0161990	Others						
0162000	(b) <i>Inedible peel, small</i>						
0162010	Kiwi						
0162020	Lychee (Litchi)						
0162030	Passion fruit						
0162040	Prickly pear (cactus fruit)	(**)	(**)	► <b>M42</b> — ◀	(**)	► <b>M52</b> — ◀	(**)
0162050	Star apple	(**)	(**)	► <b>M42</b> — ◀	(**)	► <b>M52</b> — ◀	(**)
0162060	American persimmon (Virginia kaki)	(**)	(**)	► <b>M42</b> — ◀	(**)	► <b>M52</b> — ◀	(**)
0162990	Others						
0163000	(c) <i>Inedible peel, large</i>						
0163010	Avocados						

▼ M2

(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
▶ <u>M47</u> 0,05 (*) ◀		▶ <u>M32</u> 0,01 (*) ◀	▶ <u>M16</u> 0,02 (*) ◀		▶ <u>M11</u> — ◀		
							▶ <u>M56</u> 0,02 (*) ◀
▶ <u>M47</u> (**) ◀	(**)	▶ <u>M32</u> (**) ◀	▶ <u>M5</u> 0,02 (*) ◀ ▶ <u>M5</u> 0,02 (*) ◀ ▶ <u>M5</u> 1 ◀ ▶ <u>M5</u> 0,02 (*) ◀	▶ <u>M46</u> — ◀	▶ <u>M11</u> 0,02 (*) ◀ ▶ <u>M11</u> 0,02 (*) ◀ ▶ <u>M11</u> 0,02 (*) ◀ ▶ <u>M11</u> 0,02 (*) ◀	(**)	▶ <u>M56</u> (**) ◀
▶ <u>M47</u> (**) ◀	(**)	▶ <u>M32</u> (**) ◀	▶ <u>M5</u> (**) ◀	▶ <u>M46</u> — ◀	▶ <u>M11</u> (**) ◀	(**)	▶ <u>M56</u> (**) ◀
▶ <u>M47</u> (**) ◀	(**)	▶ <u>M32</u> (**) ◀	▶ <u>M5</u> (**) ◀	▶ <u>M46</u> — ◀	▶ <u>M11</u> (**) ◀	(**)	▶ <u>M56</u> (**) ◀
			▶ <u>M5</u> 0,02 (*) ◀		▶ <u>M11</u> 0,02 (*) ◀		
			▶ <u>M5</u> 0,02 (*) ◀				
▶ <u>M47</u> (**) ◀	(**)	▶ <u>M32</u> (**) ◀	▶ <u>M5</u> (**) ◀	▶ <u>M46</u> — ◀	▶ <u>M11</u> 0,02 (*) ◀ ▶ <u>M11</u> 0,02 (*) ◀ ▶ <u>M11</u> 0,02 (*) ◀	(**)	▶ <u>M56</u> 1 ◀ ▶ <u>M56</u> 0,02 (*) ◀ ▶ <u>M56</u> 0,02 (*) ◀
▶ <u>M47</u> (**) ◀	(**)	▶ <u>M32</u> (**) ◀	▶ <u>M5</u> (**) ◀	▶ <u>M46</u> — ◀	▶ <u>M11</u> (**) ◀	(**)	▶ <u>M56</u> (**) ◀
▶ <u>M47</u> (**) ◀	(**)	▶ <u>M32</u> (**) ◀	▶ <u>M5</u> (**) ◀	▶ <u>M46</u> — ◀	▶ <u>M11</u> (**) ◀	(**)	▶ <u>M56</u> (**) ◀
					▶ <u>M11</u> 0,02 (*) ◀		▶ <u>M56</u> 0,02 (*) ◀
			▶ <u>M5</u> — ◀				▶ <u>M31</u> — ◀
					▶ <u>M11</u> 0,02 (*) ◀		▶ <u>M56</u> 0,7 ◀

▼ M2

(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)
		▶ <u>M46</u> — ◀	▶ <u>M59</u> 0,01 (*) ◀	▶ <u>M32</u> — ◀				▶ <u>M77</u> — ◀
				▶ <u>M32</u> — ◀		0,02 (*)		▶ <u>M77</u> — ◀
				▶ <u>M32</u> — ◀				▶ <u>M77</u> — ◀
				▶ <u>M32</u> — ◀				▶ <u>M77</u> — ◀
				▶ <u>M32</u> — ◀				▶ <u>M77</u> — ◀
▶ <u>M58</u> — ◀	(**)	▶ <u>M46</u> — ◀	▶ <u>M59</u> — ◀	▶ <u>M32</u> — ◀	(**)	(**)	(**)	▶ <u>M77</u> — ◀
▶ <u>M58</u> — ◀	(**)	▶ <u>M46</u> — ◀	▶ <u>M59</u> — ◀	▶ <u>M32</u> — ◀	(**)	(**)	(**)	▶ <u>M77</u> — ◀
▶ <u>M58</u> — ◀	(**)	▶ <u>M46</u> — ◀	▶ <u>M59</u> — ◀	▶ <u>M32</u> — ◀	(**)	(**)	(**)	▶ <u>M77</u> — ◀
				▶ <u>M32</u> — ◀				▶ <u>M77</u> — ◀
				▶ <u>M32</u> — ◀		0,02 (*)		▶ <u>M77</u> — ◀
				▶ <u>M32</u> — ◀				▶ <u>M77</u> — ◀
				▶ <u>M32</u> — ◀				▶ <u>M77</u> — ◀
▶ <u>M58</u> — ◀	(**)	▶ <u>M46</u> — ◀	▶ <u>M59</u> — ◀	▶ <u>M32</u> — ◀	(**)	(**)	(**)	▶ <u>M77</u> — ◀
▶ <u>M58</u> — ◀	(**)	▶ <u>M46</u> — ◀	▶ <u>M59</u> — ◀	▶ <u>M32</u> — ◀	(**)	(**)	(**)	▶ <u>M77</u> — ◀
▶ <u>M58</u> — ◀	(**)	▶ <u>M46</u> — ◀	▶ <u>M59</u> — ◀	▶ <u>M32</u> — ◀	(**)	(**)	(**)	▶ <u>M77</u> — ◀
				▶ <u>M32</u> — ◀				▶ <u>M77</u> — ◀
				▶ <u>M32</u> — ◀				▶ <u>M77</u> — ◀
				▶ <u>M32</u> — ◀		0,02 (*)		▶ <u>M77</u> — ◀



▼ M2

(26)	(27)	(28)	(29)	(30)	(31)
▶ <u>M49</u> — ◀		▶ <u>M32</u> 0,01 (*) ◀			▶ <u>M32</u> 0,01 (*) ◀
▶ <u>M49</u> — ◀	▶ <u>M52</u> — ◀	▶ <u>M32</u> (**) ◀	(**)	(**)	▶ <u>M32</u> (**) ◀
▶ <u>M49</u> — ◀	▶ <u>M52</u> — ◀	▶ <u>M32</u> (**) ◀	(**)	(**)	▶ <u>M32</u> (**) ◀
▶ <u>M49</u> — ◀	▶ <u>M52</u> — ◀	▶ <u>M32</u> (**) ◀	(**)	(**)	▶ <u>M32</u> (**) ◀
▶ <u>M49</u> — ◀	▶ <u>M52</u> — ◀	▶ <u>M32</u> (**) ◀	(**)	(**)	▶ <u>M32</u> (**) ◀
▶ <u>M49</u> — ◀	▶ <u>M52</u> — ◀	▶ <u>M32</u> (**) ◀	(**)	(**)	▶ <u>M32</u> (**) ◀
▶ <u>M49</u> — ◀	▶ <u>M52</u> — ◀	▶ <u>M32</u> (**) ◀	(**)	(**)	▶ <u>M32</u> (**) ◀

▼ M2

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)
0163020	Bananas						
0163030	Mangoes						
0163040	Papaya						
0163050	Pomegranate						
0163060	Cherimoya	(**)	(**)	► <u>M42</u> — ◀	(**)	► <u>M52</u> — ◀	(**)
0163070	Guava	(**)	(**)	► <u>M42</u> — ◀	(**)	► <u>M52</u> — ◀	(**)
0163080	Pineapples						
0163090	Bread fruit	(**)	(**)	► <u>M42</u> — ◀	(**)	► <u>M52</u> — ◀	(**)
0163100	Durian	(**)	(**)	► <u>M42</u> — ◀	(**)	► <u>M52</u> — ◀	(**)
0163110	Soursop (guanabana)	(**)	(**)	► <u>M42</u> — ◀	(**)	► <u>M52</u> — ◀	(**)
0163990	Others						
0200000	<b>2. VEGETABLES FRESH OR FROZEN</b>	0,05 (*)	0,05 (*)		0,01 (*)	► <u>M52</u> — ◀	0,05 (*)
0210000	(i) <b>Root and tuber vegetables</b>			► <u>M42</u> 0,01 (*) ◀		► <u>M52</u> 0,01 (*) ◀	
0211000	(a) <i>Potatoes</i>						
0212000	(b) <i>Tropical root and tuber vegetables</i>						
0212010	Cassava						
0212020	Sweet potatoes						
0212030	Yams						
0212040	Arrowroot	(**)	(**)	► <u>M42</u> — ◀	(**)	► <u>M52</u> — ◀	(**)
0212990	Others						

▼ M2

(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
▶ <u>M47</u> (**) ◀ ▶ <u>M47</u> (**) ◀  ▶ <u>M47</u> (**) ◀ ▶ <u>M47</u> (**) ◀ ▶ <u>M47</u> (**) ◀	(**) (**)  (**) (**) (**)	▶ <u>M32</u> (**) ◀ ▶ <u>M32</u> (**) ◀  ▶ <u>M32</u> (**) ◀ ▶ <u>M32</u> (**) ◀ ▶ <u>M32</u> (**) ◀	▶ <u>M5</u> (**) ◀ ▶ <u>M5</u> (**) ◀ ▶ <u>M5</u> 0,05 ◀ ▶ <u>M5</u> (**) ◀ ▶ <u>M5</u> (**) ◀ ▶ <u>M5</u> (**) ◀	▶ <u>M46</u> — ◀ ▶ <u>M46</u> — ◀ ▶ <u>M46</u> (+) ◀ ▶ <u>M46</u> — ◀ ▶ <u>M46</u> — ◀ ▶ <u>M46</u> — ◀	▶ <u>M11</u> 0,02 (*) ◀ ▶ <u>M11</u> 0,02 (*) ◀ ▶ <u>M11</u> 0,02 (*) ◀ ▶ <u>M11</u> 0,02 (*) ◀  ▶ <u>M11</u> (**) ◀ ▶ <u>M11</u> (**) ◀ ▶ <u>M11</u> 0,02 (*) ◀  ▶ <u>M11</u> (**) ◀ ▶ <u>M11</u> (**) ◀ ▶ <u>M11</u> (**) ◀	(**) (**)  (**) (**) (**)	▶ <u>M56</u> 0,02 (*) ◀ ▶ <u>M56</u> 0,02 (*) ◀ ▶ <u>M56</u> 1 ◀ ▶ <u>M56</u> 0,6 ◀ ▶ <u>M56</u> (**) ◀ ▶ <u>M56</u> (**) ◀ ▶ <u>M56</u> 0,02 (*) ◀ ▶ <u>M56</u> (**) ◀ ▶ <u>M56</u> (**) ◀
			▶ <u>M5</u> 0,02 (*) ◀		▶ <u>M11</u> 0,02 (*) ◀		▶ <u>M56</u> 0,02 (*) ◀
	0,05 (*)		▶ <u>M5</u> — ◀	▶ <u>M46</u> 0,05 (*) ◀		0,01 (*)	
		▶ <u>M32</u> 0,01 (*) ◀	▶ <u>M16</u> 0,02 (*) ◀		▶ <u>M11</u> — ◀		▶ <u>M31</u> — ◀
▶ <u>M47</u> 0,05 (*) ◀					▶ <u>M11</u> 0,02 (*) ◀		▶ <u>M56</u> 0,02 (*) ◀
▶ <u>M47</u> 0,05 (*) ◀					▶ <u>M9</u> — ◀		▶ <u>M56</u> 0,02 (*) ◀
▶ <u>M47</u> (**) ◀	(**)	▶ <u>M32</u> (**) ◀	▶ <u>M5</u> (**) ◀	▶ <u>M46</u> — ◀	▶ <u>M11</u> 0,02 (*) ◀ ▶ <u>M11</u> 0,02 (*) ◀ ▶ <u>M11</u> 0,02 (*) ◀ ▶ <u>M11</u> (**) ◀	(**)	▶ <u>M56</u> (**) ◀
					▶ <u>M11</u> 0,02 (*) ◀		

▼ M2

(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)
				▶ <u>M32</u> — ◀		2		▶ <u>M77</u> — ◀
				▶ <u>M32</u> — ◀		0,02 (*)		▶ <u>M77</u> — ◀
				▶ <u>M32</u> — ◀		0,02 (*)		▶ <u>M77</u> — ◀
				▶ <u>M32</u> — ◀		0,02 (*)		▶ <u>M77</u> — ◀
▶ <u>M58</u> — ◀	(**)	▶ <u>M46</u> — ◀	▶ <u>M59</u> — ◀	▶ <u>M32</u> — ◀	(**)	(**)	(**)	▶ <u>M77</u> — ◀
▶ <u>M58</u> — ◀	(**)	▶ <u>M46</u> — ◀	▶ <u>M59</u> — ◀	▶ <u>M32</u> — ◀	(**)	(**)	(**)	▶ <u>M77</u> — ◀
				▶ <u>M32</u> — ◀		0,02 (*)		▶ <u>M77</u> — ◀
▶ <u>M58</u> — ◀	(**)	▶ <u>M46</u> — ◀	▶ <u>M59</u> — ◀	▶ <u>M32</u> — ◀	(**)	(**)	(**)	▶ <u>M77</u> — ◀
▶ <u>M58</u> — ◀	(**)	▶ <u>M46</u> — ◀	▶ <u>M59</u> — ◀	▶ <u>M32</u> — ◀	(**)	(**)	(**)	▶ <u>M77</u> — ◀
▶ <u>M58</u> — ◀	(**)	▶ <u>M46</u> — ◀	▶ <u>M59</u> — ◀	▶ <u>M32</u> — ◀	(**)	(**)	(**)	▶ <u>M77</u> — ◀
				▶ <u>M32</u> — ◀		0,02 (*)		▶ <u>M77</u> — ◀
▶ <u>M58</u> — ◀	0,01 (*)	▶ <u>M46</u> — ◀	▶ <u>M59</u> — ◀	▶ <u>M32</u> — ◀	0,05 (*)		0,01 (*)	▶ <u>M77</u> — ◀
▶ <u>M58</u> 0,01 (*) ◀		▶ <u>M46</u> 0,02 (*) ◀	▶ <u>M59</u> 0,01 (*) ◀	▶ <u>M32</u> — ◀				▶ <u>M77</u> — ◀
				▶ <u>M32</u> — ◀		0,02 (*)		▶ <u>M77</u> — ◀
				▶ <u>M32</u> — ◀		0,02 (*)		▶ <u>M77</u> — ◀
				▶ <u>M32</u> — ◀				▶ <u>M77</u> — ◀
				▶ <u>M32</u> — ◀				▶ <u>M77</u> — ◀
▶ <u>M58</u> — ◀	(**)	▶ <u>M46</u> — ◀	▶ <u>M59</u> — ◀	▶ <u>M32</u> — ◀	(**)	(**)	(**)	▶ <u>M77</u> — ◀
				▶ <u>M32</u> — ◀				▶ <u>M77</u> — ◀

▼ M2

(26)	(27)	(28)	(29)	(30)	(31)
▶ <u>M49</u> (+) ◀					
▶ <u>M49</u> — ◀	▶ <u>M52</u> — ◀	▶ <u>M32</u> (**) ◀	(**)	(**)	▶ <u>M32</u> (**) ◀
▶ <u>M49</u> — ◀	▶ <u>M52</u> — ◀	▶ <u>M32</u> (**) ◀	(**)	(**)	▶ <u>M32</u> (**) ◀
▶ <u>M49</u> — ◀	▶ <u>M52</u> — ◀	▶ <u>M32</u> (**) ◀	(**)	(**)	▶ <u>M32</u> (**) ◀
▶ <u>M49</u> — ◀	▶ <u>M52</u> — ◀	▶ <u>M32</u> (**) ◀	(**)	(**)	▶ <u>M32</u> (**) ◀
	▶ <u>M52</u> — ◀	▶ <u>M32</u> — ◀	▶ <u>M19</u> 0,02 (*) ◀	0,05 (*)	▶ <u>M32</u> — ◀
▶ <u>M49</u> 0,01 (*) ◀	▶ <u>M52</u> 0,01 (*) ◀	▶ <u>M32</u> 0,01 (*) ◀			▶ <u>M32</u> 0,01 (*) ◀
▶ <u>M49</u> — ◀	▶ <u>M52</u> — ◀	▶ <u>M32</u> (**) ◀	(**)	(**)	▶ <u>M32</u> (**) ◀

▼ **M2**

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)
0213000	(c) <i>Other root and tuber vegetables except sugar beet</i>						
0213010	Beetroot						
0213020	Carrots						
0213030	Celeriac						
0213040	Horseradish						
0213050	Jerusalem artichokes						
0213060	Parsnips						
0213070	Parsley root						
0213080	Radishes						
0213090	Salsify						
0213100	Swedes						
0213110	Turnips						
0213990	Others						
0220000	(ii) <b>Bulb vegetables</b>			► <b>M42</b> 0,01 (*) ◀		► <b>M52</b> 0,01 (*) ◀	
0220010	Garlic						
0220020	Onions						
0220030	Shallots						
0220040	Spring onions						
0220990	Others						
0230000	(iii) <b>Fruiting vegetables</b>					► <b>M52</b> 0,01 (*) ◀	
0231000	(a) <i>Solanacea</i>						

▼ M2

(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
					► <u>M11</u> 0,02 (*) ◀		
► <u>M47</u> 0,05 (*) ◀ ► <u>M47</u> 0,1 ◀ ► <u>M47</u> 0,05 (*) ◀ ► <u>M47</u> 0,1 ◀ ► <u>M47</u> 0,05 (*) ◀  ► <u>M47</u> 0,1 ◀ ► <u>M47</u> 0,05 (*) ◀ ► <u>M47</u> 0,1 ◀ ► <u>M47</u> 0,05 (*) ◀ ► <u>M47</u> 0,05 (*) ◀ ► <u>M47</u> 0,05 (*) ◀					► <u>M9</u> — ◀ ► <u>M9</u> — ◀ ► <u>M9</u> — ◀ ► <u>M9</u> — ◀ ► <u>M9</u> — ◀  ► <u>M9</u> — ◀ ► <u>M9</u> — ◀ ► <u>M9</u> — ◀ ► <u>M9</u> — ◀ ► <u>M9</u> — ◀		► <u>M56</u> 0,02 (*) ◀ ► <u>M56</u> 0,5 ◀ ► <u>M56</u> 0,02 (*) ◀ ► <u>M56</u> 0,02 (*) ◀ ► <u>M56</u> 0,02 (*) ◀  ► <u>M56</u> 0,02 (*) ◀ ► <u>M56</u> 0,02 (*) ◀ ► <u>M56</u> 0,4 ◀ ► <u>M56</u> 0,02 (*) ◀ ► <u>M56</u> 0,02 (*) ◀ ► <u>M56</u> 0,02 (*) ◀
► <u>M47</u> 0,05 (*) ◀					► <u>M9</u> — ◀		► <u>M56</u> 0,02 (*) ◀
		► <u>M32</u> 0,02 (*) ◀	► <u>M16</u> 0,05 (*) ◀		► <u>M11</u> 0,02 (*) ◀		► <u>M56</u> 0,02 (*) ◀
► <u>M47</u> 0,5 ◀ ► <u>M47</u> 0,5 ◀ ► <u>M47</u> 0,5 ◀ ► <u>M47</u> 0,2 ◀			► <u>M5</u> 0,02 (*) ◀ ► <u>M5</u> 0,1 ◀ ► <u>M5</u> 0,02 (*) ◀ ► <u>M5</u> 0,02 (*) ◀				
► <u>M47</u> 0,05 (*) ◀			► <u>M5</u> 0,02 (*) ◀				
		► <u>M32</u> 0,01 (*) ◀	► <u>M16</u> 0,02 (*) ◀		► <u>M11</u> — ◀		
					► <u>M11</u> 0,02 (*) ◀		

▼ M2

(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)
				▶ <u>M32</u> — ◀				▶ <u>M77</u> — ◀
				▶ <u>M32</u> — ◀		0,02 (*)		▶ <u>M77</u> — ◀
				▶ <u>M32</u> — ◀		0,2		▶ <u>M77</u> — ◀
				▶ <u>M32</u> — ◀		0,02 (*)		▶ <u>M77</u> — ◀
				▶ <u>M32</u> — ◀		0,2		▶ <u>M77</u> — ◀
				▶ <u>M32</u> — ◀		0,02 (*)		▶ <u>M77</u> — ◀
				▶ <u>M32</u> — ◀		0,2		▶ <u>M77</u> — ◀
				▶ <u>M32</u> — ◀		0,02 (*)		▶ <u>M77</u> — ◀
				▶ <u>M32</u> — ◀		0,02 (*)		▶ <u>M77</u> — ◀
				▶ <u>M32</u> — ◀		0,02 (*)		▶ <u>M77</u> — ◀
				▶ <u>M32</u> — ◀		0,02 (*)		▶ <u>M77</u> — ◀
				▶ <u>M32</u> — ◀		0,02 (*)		▶ <u>M77</u> — ◀
				▶ <u>M32</u> — ◀		0,02 (*)		▶ <u>M77</u> — ◀
				▶ <u>M32</u> — ◀		0,02 (*)		▶ <u>M77</u> — ◀
				▶ <u>M32</u> — ◀		0,02 (*)		▶ <u>M77</u> — ◀
				▶ <u>M32</u> — ◀		0,02 (*)		▶ <u>M77</u> — ◀
				▶ <u>M32</u> — ◀		0,02 (*)		▶ <u>M77</u> — ◀
▶ <u>M58</u> 0,01 (*) ◀		▶ <u>M46</u> 0,02 (*) ◀	▶ <u>M59</u> 0,01 (*) ◀	▶ <u>M32</u> — ◀		0,02 (*)		▶ <u>M77</u> — ◀
				▶ <u>M32</u> — ◀				▶ <u>M77</u> — ◀
				▶ <u>M32</u> — ◀				▶ <u>M77</u> — ◀
				▶ <u>M32</u> — ◀				▶ <u>M77</u> — ◀
				▶ <u>M32</u> — ◀				▶ <u>M77</u> — ◀
				▶ <u>M32</u> — ◀				▶ <u>M77</u> — ◀
				▶ <u>M32</u> — ◀				▶ <u>M77</u> — ◀
				▶ <u>M32</u> — ◀				▶ <u>M77</u> — ◀
▶ <u>M58</u> 0,01 (*) ◀		▶ <u>M46</u> 0,02 (*) ◀	▶ <u>M59</u> 0,01 (*) ◀	▶ <u>M32</u> — ◀				▶ <u>M77</u> — ◀
				▶ <u>M32</u> — ◀				▶ <u>M77</u> — ◀
				▶ <u>M32</u> — ◀				▶ <u>M77</u> — ◀



▼ M2

(26)	(27)	(28)	(29)	(30)	(31)
▶ <u>M49</u> 0,01 (*) ◀	▶ <u>M52</u> 0,01 (*) ◀	▶ <u>M32</u> 0,02 (*) ◀			▶ <u>M32</u> 0,02 (*) ◀
	▶ <u>M52</u> 0,01 (*) ◀	▶ <u>M32</u> 0,01 (*) ◀			▶ <u>M32</u> 0,01 (*) ◀

▼ **M2**

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)
0231010	Tomatoes			► <b>M42</b> 0,8 ◀			
0231020	Peppers			► <b>M42</b> 0,01 (*) ◀			
0231030	Aubergines (egg plants)			► <b>M42</b> 0,8 ◀			
0231040	Okra, lady's fingers			► <b>M42</b> 0,01 (*) ◀			
0231990	Others			► <b>M42</b> 0,01 (*) ◀			
0232000	(b) <i>Cucurbits — edible peel</i>			► <b>M8</b> — ◀			
0232010	Cucumbers			► <b>M42</b> 0,01 (*) ◀			
0232020	Gherkins			► <b>M42</b> 0,01 (*) ◀			
0232030	Courgettes			► <b>M42</b> 0,6 ◀			
0232990	Others			► <b>M42</b> 0,01 (*) ◀			
0233000	(c) <i>Cucurbits- inedible peel</i>			► <b>M42</b> 0,01 (*) ◀			
0233010	Melons						
0233020	Pumpkins						
0233030	Watermelons						
0233990	Others						
0234000	(d) <i>Sweet corn</i>			► <b>M42</b> 0,01 (*) ◀			
0239000	(e) <i>Other fruiting vegetables</i>			► <b>M42</b> 0,01 (*) ◀			
0240000	(iv) <b>Brassica vegetables</b>			► <b>M42</b> 0,01 (*) ◀		► <b>M52</b> 0,01 (*) ◀	
0241000	(a) <i>Flowering brassica</i>						
0241010	Broccoli						
0241020	Cauliflower						

▼ M2

(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
▶ <u>M47</u> 0,2 ◀ ▶ <u>M47</u> 0,5 ◀ ▶ <u>M47</u> 0,05 (*) ◀ ▶ <u>M47</u> 0,05 (*) ◀			▶ <u>M5</u> 0,1 ◀ ▶ <u>M5</u> 0,02 (*) ◀ ▶ <u>M5</u> 0,02 (*) ◀ ▶ <u>M5</u> 0,02 (*) ◀		▶ <u>M9</u> — ◀ ▶ <u>M9</u> — ◀ ▶ <u>M9</u> — ◀ ▶ <u>M9</u> — ◀		▶ <u>M56</u> 2 ◀ ▶ <u>M56</u> 1 ◀ ▶ <u>M56</u> 0,5 ◀ ▶ <u>M56</u> 0,02 (*) ◀
▶ <u>M47</u> 0,05 (*) ◀			▶ <u>M5</u> 0,02 (*) ◀		▶ <u>M9</u> — ◀		▶ <u>M56</u> 0,02 (*) ◀
					▶ <u>M11</u> 0,1 ◀		▶ <u>M56</u> 0,02 (*) ◀
▶ <u>M47</u> 0,5 ◀ ▶ <u>M47</u> 0,05 (*) ◀ ▶ <u>M47</u> 0,05 (*) ◀			▶ <u>M5</u> 0,05 ◀ ▶ <u>M5</u> 0,02 (*) ◀ ▶ <u>M5</u> 0,02 (*) ◀				
▶ <u>M47</u> 0,05 (*) ◀			▶ <u>M5</u> 0,02 (*) ◀				
			▶ <u>M5</u> 0,02 (*) ◀		▶ <u>M11</u> 0,1 ◀		▶ <u>M56</u> 0,02 (*) ◀
▶ <u>M47</u> 0,2 ◀ ▶ <u>M47</u> 0,05 (*) ◀ ▶ <u>M47</u> 0,2 ◀							
▶ <u>M47</u> 0,05 (*) ◀							
▶ <u>M47</u> 0,05 (*) ◀			▶ <u>M5</u> 0,02 (*) ◀ ▶ <u>M5</u> 0,02 (*) ◀		▶ <u>M11</u> 0,02 (*) ◀ ▶ <u>M11</u> 0,02 (*) ◀		▶ <u>M56</u> 0,02 (*) ◀ ▶ <u>M56</u> 0,02 (*) ◀
		▶ <u>M32</u> 0,01 (*) ◀	▶ <u>M16</u> 0,02 (*) ◀				▶ <u>M56</u> 0,02 (*) ◀
▶ <u>M47</u> 0,2 ◀		▶ <u>M32</u> — ◀	▶ <u>M5</u> 0,02 (*) ◀		▶ <u>M11</u> 0,02 (*) ◀		
					▶ <u>M9</u> — ◀ ▶ <u>M9</u> — ◀		

▼ M2

(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)
				▶ <u>M32</u> — ◀		0,3		▶ <u>M77</u> — ◀
				▶ <u>M32</u> — ◀		0,5		▶ <u>M77</u> — ◀
				▶ <u>M32</u> — ◀		0,3		▶ <u>M77</u> — ◀
				▶ <u>M32</u> — ◀		0,02 (*)		▶ <u>M77</u> — ◀
				▶ <u>M32</u> — ◀		0,02 (*)		▶ <u>M77</u> — ◀
				▶ <u>M32</u> — ◀		0,1		▶ <u>M77</u> — ◀
				▶ <u>M32</u> — ◀				▶ <u>M77</u> — ◀
				▶ <u>M32</u> — ◀				▶ <u>M77</u> — ◀
				▶ <u>M32</u> — ◀				▶ <u>M77</u> — ◀
				▶ <u>M32</u> — ◀		0,2		▶ <u>M77</u> — ◀
				▶ <u>M32</u> — ◀				▶ <u>M77</u> — ◀
				▶ <u>M32</u> — ◀				▶ <u>M77</u> — ◀
				▶ <u>M32</u> — ◀		0,02 (*)		▶ <u>M77</u> — ◀
				▶ <u>M32</u> — ◀		0,02 (*)		▶ <u>M77</u> — ◀
▶ <u>M58</u> 0,01 (*) ◀		▶ <u>M46</u> 0,02 (*) ◀	▶ <u>M59</u> 0,01 (*) ◀	▶ <u>M32</u> — ◀		0,02 (*)		▶ <u>M77</u> — ◀
				▶ <u>M32</u> — ◀				▶ <u>M77</u> — ◀
				▶ <u>M32</u> — ◀				▶ <u>M77</u> — ◀
				▶ <u>M32</u> — ◀				▶ <u>M77</u> — ◀

▼ M2

(26)	(27)	(28)	(29)	(30)	(31)
▶ <u>M49</u> 0,01 (*) (+) ◀					
▶ <u>M49</u> 0,01 (*) ◀					
▶ <u>M49</u> 0,02 (+) ◀					
▶ <u>M49</u> 0,01 (*) ◀					
▶ <u>M49</u> 0,01 (*) ◀					
▶ <u>M49</u> 0,01 (*) (+) ◀					
▶ <u>M49</u> — ◀					
▶ <u>M49</u> — ◀					
▶ <u>M49</u> — ◀					
▶ <u>M49</u> — ◀					
▶ <u>M49</u> 0,01 (*) ◀					
▶ <u>M49</u> 0,01 (*) ◀					
▶ <u>M49</u> 0,01 (*) ◀					
▶ <u>M49</u> 0,01 (*) ◀	▶ <u>M52</u> 0,01 (*) ◀	▶ <u>M32</u> 0,01 (*) ◀			▶ <u>M32</u> 0,01 (*) ◀
		▶ <u>M9</u> — ◀			

▼ **M2**

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)
0241990	Others						
0242000	(b) <i>Head brassica</i>						
0242010	Brussels sprouts						
0242020	Head cabbage						
0242990	Others						
0243000	(c) <i>Leafy brassica</i>						
0243010	Chinese cabbage						
0243020	Kale						
0243990	Others						
0244000	(d) <i>Kohlrabi</i>						
0250000	(v) <b>Leaf vegetables &amp; fresh herbs</b>			► <b>M42</b> — ◀			
0251000	(a) <i>Lettuce and other salad plants including Brassicacea</i>			► <b>M42</b> 0,01 (*) ◀		► <b>M52</b> 0,01 (*) ◀	
0251010	Lamb's lettuce						
0251020	Lettuce						
0251030	Scarole (broad-leaf endive)						
0251040	Cress						
0251050	Land cress	(**)	(**)	► <b>M42</b> — ◀	(**)	► <b>M52</b> — ◀	(**)
0251060	Rocket, Rucola						

▼ M2

(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
					► <u>M9</u> — ◀		
		► <u>M32</u> — ◀	► <u>M5</u> 0,1 ◀		► <u>M9</u> — ◀		
► <u>M47</u> 0,05 (*) ◀ ► <u>M47</u> 1 ◀					► <u>M11</u> 0,05 ◀ ► <u>M11</u> 0,02 (*) ◀		
► <u>M47</u> 0,05 (*) ◀					► <u>M11</u> 0,02 (*) ◀		
		► <u>M32</u> — ◀	► <u>M5</u> 0,02 (*) ◀		► <u>M11</u> 0,02 (*) ◀		
► <u>M47</u> 0,05 (*) ◀ ► <u>M47</u> 0,2 ◀							
► <u>M47</u> 0,05 (*) ◀							
► <u>M47</u> 0,05 (*) ◀		► <u>M32</u> — ◀			► <u>M11</u> 0,02 (*) ◀		
		► <u>M32</u> — ◀	► <u>M16</u> 0,02 (*) ◀				► <u>M31</u> — ◀
► <u>M47</u> 3 ◀		► <u>M32</u> 0,01 (*) ◀					
► <u>M27</u> — ◀ ► <u>M27</u> — ◀ ► <u>M27</u> — ◀ ► <u>M27</u> — ◀ ► <u>M47</u> (**) ◀ ► <u>M27</u> — ◀	(**)	► <u>M32</u> (**) ◀	► <u>M5</u> (**) ◀	► <u>M46</u> — ◀	► <u>M11</u> 0,02 (*) ◀ ► <u>M11</u> 0,2 ◀ ► <u>M11</u> 0,02 (*) ◀ ► <u>M11</u> 0,02 (*) ◀ ► <u>M11</u> (**) ◀ ► <u>M11</u> 0,02 (*) ◀	(**)	► <u>M56</u> 4 ◀ ► <u>M56</u> 4 ◀ ► <u>M56</u> 0,02 (*) ◀ ► <u>M56</u> 4 ◀ ► <u>M56</u> (**) ◀ ► <u>M56</u> 4 ◀

▼ M2

(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)
				► <u>M32</u> — ◀				► <u>M77</u> — ◀
				► <u>M32</u> — ◀				► <u>M77</u> — ◀
				► <u>M32</u> — ◀				► <u>M77</u> — ◀
				► <u>M32</u> — ◀				► <u>M77</u> — ◀
				► <u>M32</u> — ◀				► <u>M77</u> — ◀
				► <u>M32</u> — ◀				► <u>M77</u> — ◀
				► <u>M32</u> — ◀				► <u>M77</u> — ◀
				► <u>M32</u> — ◀				► <u>M77</u> — ◀
				► <u>M32</u> — ◀				► <u>M77</u> — ◀
				► <u>M32</u> — ◀				► <u>M77</u> — ◀
				► <u>M32</u> — ◀				► <u>M77</u> — ◀
► <u>M58</u> 0,01 (*) ◀		► <u>M46</u> 0,02 (*) ◀	► <u>M59</u> 0,01 (*) ◀	► <u>M32</u> — ◀				► <u>M77</u> — ◀
				► <u>M32</u> — ◀		5		► <u>M77</u> — ◀
				► <u>M32</u> — ◀		0,02 (*)		► <u>M77</u> — ◀
				► <u>M32</u> — ◀		0,02 (*)		► <u>M77</u> — ◀
				► <u>M32</u> — ◀		0,02 (*)		► <u>M77</u> — ◀
► <u>M58</u> — ◀	(**)	► <u>M46</u> — ◀	► <u>M59</u> — ◀	► <u>M32</u> — ◀	(**)	(**)	(**)	► <u>M77</u> — ◀
				► <u>M32</u> — ◀		0,02 (*)		► <u>M77</u> — ◀



▼ M2

(26)	(27)	(28)	(29)	(30)	(31)
		▶ <u>M9</u> — ◀			
		▶ <u>M9</u> — ◀			
		▶ <u>M9</u> — ◀			
		▶ <u>M9</u> — ◀			
		▶ <u>M9</u> — ◀			
▶ <u>M49</u> — ◀					
▶ <u>M49</u> 0,01 (*) ◀	▶ <u>M52</u> 0,01 (*) ◀	▶ <u>M32</u> 0,01 (*) ◀			▶ <u>M32</u> 0,01 (*) ◀
▶ <u>M49</u> — ◀	▶ <u>M52</u> — ◀	▶ <u>M32</u> (**) ◀	(**)	(**)	▶ <u>M32</u> (**) ◀

## ▼ M2

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)
0251070	Red mustard	(**)	(**)	► <u>M42</u> — ◀	(**)	► <u>M52</u> — ◀	(**)
0251080	Leaves and sprouts of Brassica spp.						
0251990	Others						
0252000	(b) <i>Spinach</i> & similar (leaves)			► <u>M42</u> 0,01 (*) ◀		► <u>M52</u> 0,01 (*) ◀	
0252010	Spinach						
0252020	Purslane	(**)	(**)	► <u>M42</u> — ◀	(**)	► <u>M52</u> — ◀	(**)
0252030	Beet leaves (chard)						
0252990	Others						
0253000	(c) <i>Vine leaves</i> (grape leaves)	(**)	(**)	► <u>M42</u> 0,01 (*) ◀	(**)	► <u>M52</u> 0,01 (*) ◀	(**)
0254000	(d) <i>Water cress</i>			► <u>M42</u> 0,01 (*) ◀		► <u>M52</u> 0,01 (*) ◀	
0255000	(e) <i>Witloof</i>			► <u>M42</u> 0,01 (*) ◀		► <u>M52</u> 0,01 (*) ◀	
0256000	(f) <i>Herbs</i>			► <u>M42</u> 0,02 (*) ◀		► <u>M52</u> 0,02 (*) ◀	
0256010	Chervil						
0256020	Chives						
0256030	Celery leaves						
0256040	Parsley						
0256050	Sage	(**)	(**)	► <u>M42</u> — ◀	(**)	► <u>M52</u> — ◀	(**)
0256060	Rosemary	(**)	(**)	► <u>M42</u> — ◀	(**)	► <u>M52</u> — ◀	(**)
0256070	Thyme	(**)	(**)	► <u>M42</u> — ◀	(**)	► <u>M52</u> — ◀	(**)
0256080	Basil	(**)	(**)	► <u>M42</u> — ◀	(**)	► <u>M52</u> — ◀	(**)

▼ M2

(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
▶ <u>M47</u> (**) ◀ ▶ <u>M27</u> — ◀	(**)	▶ <u>M32</u> (**) ◀	▶ <u>M5</u> (**) ◀	▶ <u>M46</u> — ◀	▶ <u>M11</u> (**) ◀ ▶ <u>M11</u> 0,02 (*) ◀	(**)	▶ <u>M56</u> (**) ◀ ▶ <u>M56</u> 4 ◀
▶ <u>M27</u> — ◀					▶ <u>M11</u> 0,02 (*) ◀		▶ <u>M56</u> 4 ◀
		▶ <u>M32</u> 0,01 (*) ◀					▶ <u>M56</u> 4 ◀
▶ <u>M47</u> 0,05 (*) ◀ ▶ <u>M47</u> (**) ◀ ▶ <u>M47</u> 0,05 (*) ◀	(**)	▶ <u>M32</u> (**) ◀	▶ <u>M5</u> (**) ◀	▶ <u>M46</u> — ◀	▶ <u>M11</u> 0,05 ◀ ▶ <u>M11</u> (**) ◀ ▶ <u>M11</u> 0,02 (*) ◀	(**)	▶ <u>M56</u> (**) ◀
▶ <u>M47</u> 0,05 (*) ◀					▶ <u>M11</u> 0,02 (*) ◀		
▶ <u>M47</u> (**) ◀	(**)	▶ <u>M32</u> (**) ◀	▶ <u>M5</u> (**) ◀	▶ <u>M46</u> — ◀	▶ <u>M11</u> (**) ◀	(**)	▶ <u>M56</u> (**) ◀
▶ <u>M47</u> 0,05 (*) ◀		▶ <u>M32</u> 0,01 (*) ◀			▶ <u>M11</u> 0,02 (*) ◀		▶ <u>M56</u> 0,02 (*) ◀
▶ <u>M47</u> 0,3 ◀		▶ <u>M32</u> 0,01 (*) ◀			▶ <u>M11</u> 0,02 (*) ◀		▶ <u>M56</u> 0,02 (*) ◀
▶ <u>M47</u> 2 ◀		▶ <u>M32</u> 0,02 (*) ◀					▶ <u>M56</u> 4 ◀
▶ <u>M47</u> (**) ◀ ▶ <u>M47</u> (**) ◀ ▶ <u>M47</u> (**) ◀ ▶ <u>M47</u> (**) ◀	(**) (**) (**) (**)	▶ <u>M32</u> (**) ◀ ▶ <u>M32</u> (**) ◀ ▶ <u>M32</u> (**) ◀ ▶ <u>M32</u> (**) ◀	▶ <u>M5</u> (**) ◀ ▶ <u>M5</u> (**) ◀ ▶ <u>M5</u> (**) ◀ ▶ <u>M5</u> (**) ◀	▶ <u>M46</u> — ◀ ▶ <u>M46</u> — ◀ ▶ <u>M46</u> — ◀ ▶ <u>M46</u> — ◀	▶ <u>M11</u> 0,3 ◀ ▶ <u>M11</u> 0,3 ◀ ▶ <u>M11</u> 0,3 ◀ ▶ <u>M11</u> 0,3 ◀ ▶ <u>M11</u> (**) ◀ ▶ <u>M11</u> (**) ◀ ▶ <u>M11</u> (**) ◀ ▶ <u>M11</u> (**) ◀	(**) (**) (**) (**)	▶ <u>M56</u> (**) ◀ ▶ <u>M56</u> (**) ◀ ▶ <u>M56</u> (**) ◀ ▶ <u>M56</u> (**) ◀

▼ M2

(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)
▶ <u>M58</u> — ◀	(**)	▶ <u>M46</u> — ◀	▶ <u>M59</u> — ◀	▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀	(**)	(**) 0,02 (*)	(**)	▶ <u>M77</u> — ◀ ▶ <u>M77</u> — ◀
				▶ <u>M32</u> — ◀		0,02 (*)		▶ <u>M77</u> — ◀
▶ <u>M58</u> 0,01 (*) ◀		▶ <u>M46</u> 0,02 (*) ◀	▶ <u>M59</u> 0,01 (*) ◀	▶ <u>M32</u> — ◀		0,02 (*)		▶ <u>M77</u> — ◀
▶ <u>M58</u> — ◀	(**)	▶ <u>M46</u> — ◀	▶ <u>M59</u> — ◀	▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀	(**)	(**)	(**)	▶ <u>M77</u> — ◀ ▶ <u>M77</u> — ◀ ▶ <u>M77</u> — ◀
				▶ <u>M32</u> — ◀				▶ <u>M77</u> — ◀
▶ <u>M58</u> 0,01 (*) ◀	(**)	▶ <u>M46</u> 0,02 (*) ◀	▶ <u>M59</u> 0,01 (*) ◀	▶ <u>M32</u> — ◀	(**)	(**)	(**)	▶ <u>M77</u> — ◀
▶ <u>M58</u> 0,01 (*) ◀		▶ <u>M46</u> 0,02 (*) ◀	▶ <u>M59</u> 0,01 (*) ◀	▶ <u>M32</u> — ◀		0,02 (*)		▶ <u>M77</u> — ◀
▶ <u>M58</u> 0,01 (*) ◀		▶ <u>M46</u> 0,02 (*) ◀	▶ <u>M59</u> 0,01 (*) ◀	▶ <u>M32</u> — ◀		0,02 (*)		▶ <u>M77</u> — ◀
▶ <u>M58</u> 0,02 (*) ◀		▶ <u>M46</u> 0,05 (*) ◀	▶ <u>M59</u> 0,02 (*) ◀	▶ <u>M32</u> — ◀		0,02 (*)		▶ <u>M77</u> — ◀
				▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀				▶ <u>M77</u> — ◀ ▶ <u>M77</u> — ◀ ▶ <u>M77</u> — ◀ ▶ <u>M77</u> — ◀
▶ <u>M58</u> — ◀	(**)	▶ <u>M46</u> — ◀	▶ <u>M59</u> — ◀	▶ <u>M32</u> — ◀	(**)	(**)	(**)	▶ <u>M77</u> — ◀
▶ <u>M58</u> — ◀	(**)	▶ <u>M46</u> — ◀	▶ <u>M59</u> — ◀	▶ <u>M32</u> — ◀	(**)	(**)	(**)	▶ <u>M77</u> — ◀
▶ <u>M58</u> — ◀	(**)	▶ <u>M46</u> — ◀	▶ <u>M59</u> — ◀	▶ <u>M32</u> — ◀	(**)	(**)	(**)	▶ <u>M77</u> — ◀
▶ <u>M58</u> — ◀	(**)	▶ <u>M46</u> — ◀	▶ <u>M59</u> — ◀	▶ <u>M32</u> — ◀	(**)	(**)	(**)	▶ <u>M77</u> — ◀

▼ M2

(26)	(27)	(28)	(29)	(30)	(31)
▶ <u>M49</u> — ◀	▶ <u>M52</u> — ◀	▶ <u>M32</u> (**) ◀	(**)	(**)	▶ <u>M32</u> (**) ◀
▶ <u>M49</u> 0,01 (*) ◀	▶ <u>M52</u> 0,01 (*) ◀	▶ <u>M32</u> 0,01 (*) ◀			▶ <u>M32</u> 0,01 (*) ◀
▶ <u>M49</u> — ◀	▶ <u>M52</u> — ◀	▶ <u>M9</u> — ◀ ▶ <u>M32</u> (**) ◀ ▶ <u>M9</u> — ◀	(**)	(**)	▶ <u>M32</u> (**) ◀
		▶ <u>M9</u> — ◀			
▶ <u>M49</u> 0,01 (*) ◀	▶ <u>M52</u> 0,01 (*) ◀	▶ <u>M32</u> (**) ◀	(**)	(**)	▶ <u>M32</u> (**) ◀
▶ <u>M49</u> 0,01 (*) ◀	▶ <u>M52</u> 0,01 (*) ◀	▶ <u>M32</u> 0,01 (*) ◀			▶ <u>M32</u> 0,01 (*) ◀
▶ <u>M49</u> 0,01 (*) ◀	▶ <u>M52</u> 0,01 (*) ◀	▶ <u>M32</u> 0,01 (*) ◀			▶ <u>M32</u> 0,01 (*) ◀
▶ <u>M49</u> 0,02 (*) ◀	▶ <u>M52</u> 0,02 (*) ◀	▶ <u>M32</u> 0,02 (*) ◀			▶ <u>M32</u> 0,02 (*) ◀
▶ <u>M49</u> — ◀	▶ <u>M52</u> — ◀	▶ <u>M32</u> (**) ◀	(**)	(**)	▶ <u>M32</u> (**) ◀
▶ <u>M49</u> — ◀	▶ <u>M52</u> — ◀	▶ <u>M32</u> (**) ◀	(**)	(**)	▶ <u>M32</u> (**) ◀
▶ <u>M49</u> — ◀	▶ <u>M52</u> — ◀	▶ <u>M32</u> (**) ◀	(**)	(**)	▶ <u>M32</u> (**) ◀
▶ <u>M49</u> — ◀	▶ <u>M52</u> — ◀	▶ <u>M32</u> (**) ◀	(**)	(**)	▶ <u>M32</u> (**) ◀

▼ M2

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)
0256090	Bay leaves (laurel)	(**)	(**)	► <u>M42</u> — ◀	(**)	► <u>M52</u> — ◀	(**)
0256100	Tarragon	(**)	(**)	► <u>M42</u> — ◀	(**)	► <u>M52</u> — ◀	(**)
0256990	Others						
0260000	(vi) <b>Legume vegetables (fresh)</b>			► <u>M42</u> 0,01 (*) ◀		► <u>M52</u> 0,01 (*) ◀	
0260010	Beans (with pods)						
0260020	Beans (without pods)						
0260030	Peas (with pods)						
0260040	Peas (without pods)						
0260050	Lentils						
0260990	Others						
0270000	(vii) <b>Stem vegetables (fresh)</b>			► <u>M42</u> 0,01 (*) ◀		► <u>M52</u> 0,01 (*) ◀	
0270010	Asparagus						
0270020	Cardoons						
0270030	Celery						
0270040	Fennel						
0270050	Globe artichokes						
0270060	Leek						
0270070	Rhubarb						
0270080	Bamboo shoots	(**)	(**)	► <u>M42</u> — ◀	(**)	► <u>M52</u> — ◀	(**)
0270090	Palm hearts	(**)	(**)	► <u>M42</u> — ◀	(**)	► <u>M52</u> — ◀	(**)
0270990	Others						

▼ M2

(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
▶ <u>M47</u> (**) ◀	(**)	▶ <u>M32</u> (**) ◀	▶ <u>M5</u> (**) ◀	▶ <u>M46</u> — ◀	▶ <u>M11</u> (**) ◀	(**)	▶ <u>M56</u> (**) ◀
▶ <u>M47</u> (**) ◀	(**)	▶ <u>M32</u> (**) ◀	▶ <u>M5</u> (**) ◀	▶ <u>M46</u> — ◀	▶ <u>M11</u> (**) ◀	(**)	▶ <u>M56</u> (**) ◀
					▶ <u>M11</u> 0,3 ◀		
▶ <u>M47</u> 0,05 (*) ◀		▶ <u>M32</u> 0,01 (*) ◀	▶ <u>M16</u> 0,02 (*) ◀		▶ <u>M11</u> 0,02 (*) ◀		
		▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀  ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀	▶ <u>M5</u> 0,02 (*) ◀ ▶ <u>M5</u> 0,02 (*) ◀  ▶ <u>M5</u> 0,1 ◀ ▶ <u>M5</u> 0,02 (*) ◀ ▶ <u>M5</u> 0,02 (*) ◀				▶ <u>M56</u> 2 ◀ ▶ <u>M56</u> 0,3 ◀  ▶ <u>M56</u> 2 ◀ ▶ <u>M56</u> 0,3 ◀ ▶ <u>M56</u> 0,02 (*) ◀
		▶ <u>M32</u> — ◀	▶ <u>M5</u> 0,02 (*) ◀				▶ <u>M56</u> 0,02 (*) ◀
		▶ <u>M32</u> 0,01 (*) ◀	▶ <u>M16</u> 0,02 (*) ◀		▶ <u>M11</u> — ◀		▶ <u>M56</u> 0,02 (*) ◀
▶ <u>M47</u> 0,05 (*) ◀ ▶ <u>M47</u> 0,05 (*) ◀ ▶ <u>M47</u> 0,05 (*) ◀ ▶ <u>M47</u> 0,05 (*) ◀ ▶ <u>M47</u> 0,05 (*) ◀ ▶ <u>M47</u> 0,2 ◀ ▶ <u>M47</u> 0,05 (*) ◀		▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀			▶ <u>M11</u> 0,02 (*) ◀ ▶ <u>M11</u> 0,02 (*) ◀ ▶ <u>M11</u> 0,02 (*) ◀ ▶ <u>M11</u> 0,02 (*) ◀ ▶ <u>M11</u> 0,02 (*) ◀ ▶ <u>M11</u> 0,02 (*) ◀ ▶ <u>M11</u> 0,02 (*) ◀		
▶ <u>M47</u> (**) ◀	(**)	▶ <u>M32</u> (**) ◀	▶ <u>M5</u> (**) ◀	▶ <u>M46</u> — ◀	▶ <u>M11</u> (**) ◀	(**)	▶ <u>M56</u> (**) ◀
▶ <u>M47</u> (**) ◀	(**)	▶ <u>M32</u> (**) ◀	▶ <u>M5</u> (**) ◀	▶ <u>M46</u> — ◀	▶ <u>M11</u> (**) ◀	(**)	▶ <u>M56</u> (**) ◀
▶ <u>M47</u> 0,05 (*) ◀		▶ <u>M32</u> — ◀			▶ <u>M11</u> 0,02 (*) ◀		

▼ M2

(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)
▶ <u>M58</u> — ◀	(**)	▶ <u>M46</u> — ◀	▶ <u>M59</u> — ◀	▶ <u>M32</u> — ◀	(**)	(**)	(**)	▶ <u>M77</u> — ◀
▶ <u>M58</u> — ◀	(**)	▶ <u>M46</u> — ◀	▶ <u>M59</u> — ◀	▶ <u>M32</u> — ◀	(**)	(**)	(**)	▶ <u>M77</u> — ◀
				▶ <u>M32</u> — ◀				▶ <u>M77</u> — ◀
▶ <u>M58</u> 0,01 (*) ◀		▶ <u>M46</u> 0,02 (*) ◀	▶ <u>M59</u> 0,01 (*) ◀	▶ <u>M32</u> — ◀				▶ <u>M77</u> — ◀
				▶ <u>M32</u> — ◀		0,3		▶ <u>M77</u> — ◀
				▶ <u>M32</u> — ◀		0,02 (*)		▶ <u>M77</u> — ◀
				▶ <u>M32</u> — ◀		0,02 (*)		▶ <u>M77</u> — ◀
				▶ <u>M32</u> — ◀		0,02 (*)		▶ <u>M77</u> — ◀
				▶ <u>M32</u> — ◀		0,02 (*)		▶ <u>M77</u> — ◀
				▶ <u>M32</u> — ◀		0,02 (*)		▶ <u>M77</u> — ◀
▶ <u>M58</u> 0,01 (*) ◀		▶ <u>M46</u> 0,02 (*) ◀	▶ <u>M59</u> 0,01 (*) ◀	▶ <u>M32</u> — ◀				▶ <u>M77</u> — ◀
				▶ <u>M32</u> — ◀		0,02 (*)		▶ <u>M77</u> — ◀
				▶ <u>M32</u> — ◀		0,02 (*)		▶ <u>M77</u> — ◀
				▶ <u>M32</u> — ◀		0,02 (*)		▶ <u>M77</u> — ◀
				▶ <u>M32</u> — ◀		0,02 (*)		▶ <u>M77</u> — ◀
				▶ <u>M32</u> — ◀		0,5		▶ <u>M77</u> — ◀
				▶ <u>M32</u> — ◀		0,02 (*)		▶ <u>M77</u> — ◀
				▶ <u>M32</u> — ◀		0,02 (*)		▶ <u>M77</u> — ◀
▶ <u>M58</u> — ◀	(**)	▶ <u>M46</u> — ◀	▶ <u>M59</u> — ◀	▶ <u>M32</u> — ◀	(**)	(**)	(**)	▶ <u>M77</u> — ◀
▶ <u>M58</u> — ◀	(**)	▶ <u>M46</u> — ◀	▶ <u>M59</u> — ◀	▶ <u>M32</u> — ◀	(**)	(**)	(**)	▶ <u>M77</u> — ◀
				▶ <u>M32</u> — ◀		0,02 (*)		▶ <u>M77</u> — ◀



▼ M2

(26)	(27)	(28)	(29)	(30)	(31)
▶ <u>M49</u> — ◀	▶ <u>M52</u> — ◀	▶ <u>M32</u> (**) ◀	(**)	(**)	▶ <u>M32</u> (**) ◀
▶ <u>M49</u> — ◀	▶ <u>M52</u> — ◀	▶ <u>M32</u> (**) ◀	(**)	(**)	▶ <u>M32</u> (**) ◀
▶ <u>M49</u> 0,01 (*) ◀	▶ <u>M52</u> 0,01 (*) ◀	▶ <u>M32</u> 0,01 (*) ◀			▶ <u>M32</u> 0,01 (*) ◀
▶ <u>M49</u> 0,01 (*) ◀	▶ <u>M52</u> 0,01 (*) ◀	▶ <u>M32</u> 0,01 (*) ◀			▶ <u>M32</u> 0,01 (*) ◀
▶ <u>M49</u> — ◀	▶ <u>M52</u> — ◀	▶ <u>M32</u> (**) ◀	(**)	(**)	▶ <u>M32</u> (**) ◀
▶ <u>M49</u> — ◀	▶ <u>M52</u> — ◀	▶ <u>M32</u> (**) ◀	(**)	(**)	▶ <u>M32</u> (**) ◀

▼ **M2**

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)
0280000	(viii) <b>Fungi</b>			► <b>M42</b> 0,01 (*) ◀		► <b>M52</b> 0,01 (*) ◀	
0280010	Cultivated						
0280020	Wild						
0280990	Others						
0290000	(ix) <b>Sea weeds</b>	(**)	(**)	► <b>M42</b> 0,01 (*) ◀	(**)	► <b>M52</b> 0,01 (*) ◀	(**)
0300000	<b>3. PULSES, DRY</b>	0,05 (*)	0,05 (*)	► <b>M42</b> 0,01 (*) ◀	0,01 (*)	► <b>M52</b> 0,01 (*) ◀	0,05 (*)
0300010	Beans						
0300020	Lentils						
0300030	Peas						
0300040	Lupins						
0300990	Others						
0400000	<b>4. OILSEEDS AND OILFRUITS</b>	0,05 (*)	0,05 (*)	► <b>M42</b> 0,02 (*) ◀		► <b>M52</b> 0,02 (*) ◀	0,05 (*)
0401000	(i) <b>Oilseeds</b>			► <b>M42</b> — ◀	0,02 (*)	► <b>M52</b> — ◀	
0401010	Linseed						
0401020	Peanuts						
0401030	Poppy seed						
0401040	Sesame seed						
0401050	Sunflower seed						
0401060	Rape seed						
0401070	Soya bean						

▼ M2

(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
▶ <u>M47</u> 0,05 (*) ◀		▶ <u>M32</u> 0,01 (*) ◀	▶ <u>M16</u> 0,02 (*) ◀		▶ <u>M11</u> 0,02 (*) ◀		▶ <u>M56</u> 0,02 (*) ◀
▶ <u>M47</u> (**) ◀	(**)	▶ <u>M32</u> (**) ◀	▶ <u>M5</u> (**) ◀	▶ <u>M46</u> — ◀	▶ <u>M11</u> (**) ◀	(**)	▶ <u>M56</u> (**) ◀
▶ <u>M47</u> 0,05 (*) ◀	0,05 (*)	▶ <u>M32</u> 0,01 (*) ◀	▶ <u>M16</u> 0,02 (*) ◀	▶ <u>M46</u> 0,05 (*) ◀	▶ <u>M11</u> 0,02 (*) ◀	0,01 (*)	▶ <u>M31</u> — ◀
			▶ <u>M5</u> 0,02 (*) ◀ ▶ <u>M5</u> 0,02 (*) ◀ ▶ <u>M5</u> 0,1 ◀ ▶ <u>M5</u> 0,02 (*) ◀				▶ <u>M56</u> 5 ◀ ▶ <u>M56</u> 0,02 (*) ◀ ▶ <u>M56</u> 5 ◀ ▶ <u>M56</u> 0,02 (*) ◀
			▶ <u>M5</u> 0,02 (*) ◀				▶ <u>M56</u> 0,02 (*) ◀
	0,05 (*)			▶ <u>M46</u> 0,05 (*) ◀		0,01 (*)	
▶ <u>M47</u> 0,1 (*) ◀				▶ <u>M46</u> — ◀			
		▶ <u>M32</u> 0,02 (*) ◀ ▶ <u>M32</u> 0,02 (*) ◀ ▶ <u>M32</u> 0,02 (*) ◀ ▶ <u>M32</u> 0,02 (*) ◀ ▶ <u>M32</u> 0,02 (*) ◀ ▶ <u>M32</u> 0,02 (*) ◀ ▶ <u>M32</u> 0,1 ◀	▶ <u>M16</u> 0,05 (*) ◀ ▶ <u>M16</u> 0,05 (*) ◀ ▶ <u>M16</u> 0,05 (*) ◀ ▶ <u>M16</u> 0,05 (*) ◀ ▶ <u>M16</u> 0,05 (*) ◀ ▶ <u>M16</u> 0,05 (*) ◀ ▶ <u>M16</u> 0,05 (*) ◀		▶ <u>M11</u> 0,05 (*) ◀ ▶ <u>M11</u> 0,1 ◀ ▶ <u>M11</u> 0,05 (*) ◀ ▶ <u>M11</u> 0,05 (*) ◀ ▶ <u>M11</u> 0,05 (*) ◀ ▶ <u>M11</u> 0,05 (*) ◀ ▶ <u>M11</u> 0,1 ◀		▶ <u>M56</u> 0,05 (*) ◀ ▶ <u>M56</u> 0,05 (*) ◀ ▶ <u>M56</u> 0,05 (*) ◀ ▶ <u>M56</u> 0,05 (*) ◀ ▶ <u>M56</u> 0,05 (*) ◀ ▶ <u>M56</u> 0,05 (*) ◀ ▶ <u>M56</u> 2 ◀

▼ M2

(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)
▶ <u>M58</u> 0,01 (*) ◀		▶ <u>M46</u> 0,02 (*) ◀	▶ <u>M59</u> 0,01 (*) ◀	▶ <u>M32</u> — ◀		0,02 (*)		▶ <u>M77</u> — ◀
				▶ <u>M32</u> — ◀				▶ <u>M77</u> — ◀
				▶ <u>M32</u> — ◀				▶ <u>M77</u> — ◀
▶ <u>M58</u> 0,01 (*) ◀	(**)	▶ <u>M46</u> 0,02 (*) ◀	▶ <u>M59</u> 0,01 (*) ◀	▶ <u>M32</u> — ◀	(**)	(**)	(**)	▶ <u>M77</u> — ◀
▶ <u>M58</u> 0,01 (*) ◀	0,01 (*)	▶ <u>M46</u> 0,02 (*) ◀	▶ <u>M59</u> 0,01 (*) ◀	▶ <u>M32</u> — ◀	0,05 (*)	0,02 (*)	0,01 (*)	▶ <u>M77</u> — ◀
				▶ <u>M32</u> — ◀				▶ <u>M77</u> — ◀
				▶ <u>M32</u> — ◀				▶ <u>M77</u> — ◀
				▶ <u>M32</u> — ◀				▶ <u>M77</u> — ◀
				▶ <u>M32</u> — ◀				▶ <u>M77</u> — ◀
	0,01 (*)	▶ <u>M46</u> 0,02 (*) ◀	▶ <u>M59</u> 0,02 (*) ◀	▶ <u>M32</u> — ◀	0,05 (*)			▶ <u>M77</u> — ◀
▶ <u>M58</u> — ◀		▶ <u>M46</u> — ◀		▶ <u>M32</u> — ◀		0,05 (*)	0,02 (*)	▶ <u>M77</u> — ◀
▶ <u>M58</u> 0,02 (+) ◀				▶ <u>M32</u> — ◀				▶ <u>M77</u> — ◀
▶ <u>M58</u> 0,01 (*) ◀				▶ <u>M32</u> — ◀				▶ <u>M77</u> — ◀
▶ <u>M58</u> 0,01 (*) ◀				▶ <u>M32</u> — ◀				▶ <u>M77</u> — ◀
▶ <u>M58</u> 0,01 (*) ◀				▶ <u>M32</u> — ◀				▶ <u>M77</u> — ◀
▶ <u>M58</u> 0,01 (*) ◀				▶ <u>M32</u> — ◀				▶ <u>M77</u> — ◀
▶ <u>M58</u> 0,01 (*) ◀				▶ <u>M32</u> — ◀				▶ <u>M77</u> — ◀
▶ <u>M58</u> 0,01 (*) ◀				▶ <u>M32</u> — ◀				▶ <u>M77</u> — ◀

▼ M2

(26)	(27)	(28)	(29)	(30)	(31)
▶ <u>M49</u> 0,01 (*) ◀	▶ <u>M52</u> 0,01 (*) ◀	▶ <u>M32</u> 0,01 (*) ◀			▶ <u>M32</u> 0,01 (*) ◀
▶ <u>M49</u> 0,01 (*) ◀	▶ <u>M52</u> 0,01 (*) ◀	▶ <u>M32</u> (**) ◀	(**)	(**)	▶ <u>M32</u> (**) ◀
▶ <u>M49</u> 0,01 (*) ◀	▶ <u>M52</u> 0,01 (*) ◀	▶ <u>M32</u> 0,01 (*) ◀	▶ <u>M19</u> 0,02 (*) ◀	0,05 (*)	▶ <u>M32</u> 0,01 (*) ◀
					▶ <u>M32</u> — ◀
					▶ <u>M32</u> — ◀
					▶ <u>M32</u> — ◀
					▶ <u>M32</u> — ◀
					▶ <u>M32</u> — ◀
▶ <u>M49</u> 0,01 (*) ◀	▶ <u>M52</u> 0,01 (*) ◀	▶ <u>M32</u> 0,02 (*) ◀	▶ <u>M19</u> 0,02 (*) ◀	0,05 (*)	▶ <u>M32</u> 0,02 (*) ◀
▶ <u>M49</u> — ◀		▶ <u>M9</u> — ◀			▶ <u>M32</u> — ◀

▼ **M2**

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)
0401080	Mustard seed						
0401090	Cotton seed						
0401100	Pumpkin seeds						
0401110	Safflower	(**)	(**)	► <u>M42</u> — ◀	(**)	► <u>M52</u> — ◀	(**)
0401120	Borage	(**)	(**)	► <u>M42</u> — ◀	(**)	► <u>M52</u> — ◀	(**)
0401130	Gold of pleasure	(**)	(**)	► <u>M42</u> — ◀	(**)	► <u>M52</u> — ◀	(**)
0401140	Hempseed						
0401150	Castor bean	(**)	(**)	► <u>M42</u> — ◀	(**)	► <u>M52</u> — ◀	(**)
0401990	Others						
0402000	(ii) <b>Oilfruits</b>						
0402010	Olives for oil production			► <u>M42</u> — ◀	0,01 (*)	► <u>M52</u> — ◀	
0402020	Palm nuts (palmoil kernels)	(**)	(**)	► <u>M42</u> — ◀	(**)	► <u>M52</u> — ◀	(**)
0402030	Palmfruit	(**)	(**)	► <u>M42</u> — ◀	(**)	► <u>M52</u> — ◀	(**)
0402040	Kapok	(**)	(**)	► <u>M42</u> — ◀	(**)	► <u>M52</u> — ◀	(**)
0402990	Others			► <u>M42</u> — ◀	0,02 (*)	► <u>M52</u> — ◀	
0500000	5. <b>CEREALS</b>	0,05 (*)	0,05 (*)	► <u>M42</u> 0,01 (*) ◀	0,01 (*)	► <u>M52</u> 0,01 (*) ◀	0,05 (*)
0500010	Barley						
0500020	Buckwheat						
0500030	Maize						
0500040	Millet						
0500050	Oats						
0500060	Rice						
0500070	Rye						

▼ M2

(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
		▶ <u>M32</u> 0,02 (*) ◀ ▶ <u>M32</u> 0,2 ◀ ▶ <u>M32</u> 0,02 (*) ◀ ▶ <u>M32</u> (**) ◀ ▶ <u>M32</u> (**) ◀ ▶ <u>M32</u> (**) ◀ ▶ <u>M32</u> 0,02 (*) ◀ ▶ <u>M32</u> (**) ◀	▶ <u>M16</u> 0,05 (*) ◀ ▶ <u>M16</u> 1 ◀ ▶ <u>M16</u> 0,02 (*) ◀ ▶ <u>M5</u> (**) ◀ ▶ <u>M5</u> (**) ◀ ▶ <u>M5</u> (**) ◀ ▶ <u>M16</u> 0,05 (*) ◀ ▶ <u>M5</u> (**) ◀		▶ <u>M11</u> 0,05 (*) ◀ ▶ <u>M11</u> 0,1 ◀ ▶ <u>M11</u> 0,05 (*) ◀ ▶ <u>M11</u> (**) ◀ ▶ <u>M11</u> (**) ◀ ▶ <u>M11</u> (**) ◀ ▶ <u>M11</u> 0,05 (*) ◀ ▶ <u>M11</u> (**) ◀		▶ <u>M56</u> 0,05 (*) ◀ ▶ <u>M56</u> 2 ◀ ▶ <u>M56</u> 0,05 (*) ◀ ▶ <u>M56</u> (**) ◀ ▶ <u>M56</u> (**) ◀ ▶ <u>M56</u> (**) ◀ ▶ <u>M56</u> 0,05 (*) ◀ ▶ <u>M56</u> (**) ◀
▶ <u>M47</u> (**) ◀	(**)			▶ <u>M46</u> — ◀		(**)	
▶ <u>M47</u> (**) ◀	(**)			▶ <u>M46</u> — ◀		(**)	
▶ <u>M47</u> (**) ◀	(**)			▶ <u>M46</u> — ◀		(**)	
▶ <u>M47</u> (**) ◀	(**)			▶ <u>M46</u> — ◀		(**)	
		▶ <u>M32</u> 0,02 (*) ◀	▶ <u>M16</u> 0,05 (*) ◀		▶ <u>M11</u> 0,05 (*) ◀		▶ <u>M56</u> 0,05 (*) ◀
		▶ <u>M32</u> 0,02 (*) ◀			▶ <u>M11</u> 0,05 (*) ◀		
▶ <u>M47</u> 0,05 (*) ◀			▶ <u>M16</u> 0,02 (*) ◀	▶ <u>M46</u> — ◀			▶ <u>M56</u> 0,02 (*) ◀
▶ <u>M47</u> (**) ◀	(**)	▶ <u>M32</u> (**) ◀	▶ <u>M5</u> (**) ◀	▶ <u>M46</u> — ◀	▶ <u>M11</u> (**) ◀	(**)	▶ <u>M56</u> (**) ◀
▶ <u>M47</u> (**) ◀	(**)	▶ <u>M32</u> (**) ◀	▶ <u>M5</u> (**) ◀	▶ <u>M46</u> — ◀	▶ <u>M11</u> (**) ◀	(**)	▶ <u>M56</u> (**) ◀
▶ <u>M47</u> (**) ◀	(**)	▶ <u>M32</u> (**) ◀	▶ <u>M5</u> (**) ◀	▶ <u>M46</u> — ◀	▶ <u>M11</u> (**) ◀	(**)	▶ <u>M56</u> (**) ◀
▶ <u>M47</u> 0,1 (*) ◀			▶ <u>M16</u> 0,05 (*) ◀	▶ <u>M46</u> — ◀			▶ <u>M56</u> 0,05 (*) ◀
▶ <u>M47</u> 0,05 (*) ◀	0,05 (*)	▶ <u>M32</u> 0,01 (*) ◀	▶ <u>M5</u> — ◀	▶ <u>M46</u> 0,05 (*) ◀	▶ <u>M11</u> 0,02 (*) ◀	0,01 (*)	▶ <u>M56</u> 0,05 (*) ◀
			▶ <u>M16</u> 0,02 (*) ◀ ▶ <u>M16</u> 0,02 (*) ◀ ▶ <u>M16</u> 0,02 (*) ◀ ▶ <u>M16</u> 0,02 (*) ◀ ▶ <u>M16</u> 0,02 (*) ◀ ▶ <u>M16</u> 0,02 (*) ◀ ▶ <u>M16</u> 0,02 (*) ◀				

▼ M2

(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)
▶ <u>M58</u> 0,01 (*) ◀				▶ <u>M32</u> — ◀				▶ <u>M77</u> — ◀
▶ <u>M58</u> 0,01 (*) ◀				▶ <u>M32</u> — ◀				▶ <u>M77</u> — ◀
▶ <u>M58</u> 0,01 (*) ◀				▶ <u>M32</u> — ◀				▶ <u>M77</u> — ◀
▶ <u>M58</u> 0,01 (*) ◀	(**)	▶ <u>M46</u> — ◀	▶ <u>M59</u> — ◀	▶ <u>M32</u> — ◀	(**)	(**)	(**)	▶ <u>M77</u> — ◀
▶ <u>M58</u> 0,01 (*) ◀	(**)	▶ <u>M46</u> — ◀	▶ <u>M59</u> — ◀	▶ <u>M32</u> — ◀	(**)	(**)	(**)	▶ <u>M77</u> — ◀
▶ <u>M58</u> 0,01 (*) ◀	(**)	▶ <u>M46</u> — ◀	▶ <u>M59</u> — ◀	▶ <u>M32</u> — ◀	(**)	(**)	(**)	▶ <u>M77</u> — ◀
▶ <u>M58</u> 0,01 (*) ◀				▶ <u>M32</u> — ◀				▶ <u>M77</u> — ◀
▶ <u>M58</u> 0,01 (*) ◀	(**)	▶ <u>M46</u> — ◀	▶ <u>M59</u> — ◀	▶ <u>M32</u> — ◀	(**)	(**)	(**)	▶ <u>M77</u> — ◀
▶ <u>M58</u> 0,01 (*) ◀				▶ <u>M32</u> — ◀				▶ <u>M77</u> — ◀
▶ <u>M58</u> 0,01 (*) ◀				▶ <u>M32</u> — ◀				▶ <u>M77</u> — ◀
▶ <u>M58</u> — ◀		▶ <u>M46</u> — ◀		▶ <u>M32</u> — ◀		0,02 (*)	0,01 (*)	▶ <u>M77</u> — ◀
▶ <u>M58</u> — ◀	(**)	▶ <u>M46</u> — ◀	▶ <u>M59</u> — ◀	▶ <u>M32</u> — ◀	(**)	(**)	(**)	▶ <u>M77</u> — ◀
▶ <u>M58</u> — ◀	(**)	▶ <u>M46</u> — ◀	▶ <u>M59</u> — ◀	▶ <u>M32</u> — ◀	(**)	(**)	(**)	▶ <u>M77</u> — ◀
▶ <u>M58</u> — ◀	(**)	▶ <u>M46</u> — ◀	▶ <u>M59</u> — ◀	▶ <u>M32</u> — ◀	(**)	(**)	(**)	▶ <u>M77</u> — ◀
▶ <u>M58</u> — ◀		▶ <u>M46</u> — ◀		▶ <u>M32</u> — ◀		0,05 (*)	0,02 (*)	▶ <u>M77</u> — ◀
▶ <u>M58</u> 0,01 (*) ◀	0,01 (*)	▶ <u>M46</u> 0,02 (*) ◀	▶ <u>M59</u> 0,01 (*) ◀	▶ <u>M32</u> — ◀	0,05 (*)	0,02 (*)	0,01 (*)	▶ <u>M77</u> — ◀
				▶ <u>M32</u> — ◀				▶ <u>M77</u> — ◀
				▶ <u>M32</u> — ◀				▶ <u>M77</u> — ◀
				▶ <u>M32</u> — ◀				▶ <u>M77</u> — ◀
				▶ <u>M32</u> — ◀				▶ <u>M77</u> — ◀
			▶ <u>M59</u> (+) ◀	▶ <u>M32</u> — ◀				▶ <u>M77</u> — ◀
				▶ <u>M32</u> — ◀				▶ <u>M77</u> — ◀



▼ M2

(26)	(27)	(28)	(29)	(30)	(31)
▶ <u>M49</u> — ◀	▶ <u>M52</u> — ◀	▶ <u>M32</u> (**) ◀	(**)	(**)	▶ <u>M32</u> (**) ◀
▶ <u>M49</u> — ◀	▶ <u>M52</u> — ◀	▶ <u>M32</u> (**) ◀	(**)	(**)	▶ <u>M32</u> (**) ◀
▶ <u>M49</u> — ◀	▶ <u>M52</u> — ◀	▶ <u>M32</u> (**) ◀	(**)	(**)	▶ <u>M32</u> (**) ◀
▶ <u>M49</u> — ◀	▶ <u>M52</u> — ◀	▶ <u>M32</u> (**) ◀	(**)	(**)	▶ <u>M32</u> (**) ◀
▶ <u>M49</u> — ◀		▶ <u>M9</u> — ◀			▶ <u>M32</u> — ◀
▶ <u>M49</u> — ◀	▶ <u>M52</u> — ◀	▶ <u>M32</u> (**) ◀	(**)	(**)	▶ <u>M32</u> (**) ◀
▶ <u>M49</u> — ◀	▶ <u>M52</u> — ◀	▶ <u>M32</u> (**) ◀	(**)	(**)	▶ <u>M32</u> (**) ◀
▶ <u>M49</u> — ◀	▶ <u>M52</u> — ◀	▶ <u>M32</u> (**) ◀	(**)	(**)	▶ <u>M32</u> (**) ◀
▶ <u>M49</u> — ◀		▶ <u>M9</u> — ◀			▶ <u>M32</u> — ◀
▶ <u>M49</u> 0,01 (*) ◀	▶ <u>M52</u> 0,01 (*) ◀	▶ <u>M32</u> — ◀	0,02 (*)	0,05 (*)	▶ <u>M32</u> 0,02 (*) ◀
		▶ <u>M32</u> 0,02 ◀	▶ <u>M19</u> 0,02 (*) ◀		
		▶ <u>M32</u> 0,01 (*) ◀	▶ <u>M19</u> 0,02 (*) ◀		
		▶ <u>M32</u> 0,01 (*) ◀	▶ <u>M19</u> 0,02 (*) ◀		
		▶ <u>M32</u> 0,01 (*) ◀	▶ <u>M19</u> 0,02 (*) ◀		
		▶ <u>M32</u> 0,01 (*) ◀	▶ <u>M19</u> 0,02 (*) ◀		
		▶ <u>M32</u> 0,01 (*) ◀	▶ <u>M19</u> 0,05 ◀		
		▶ <u>M32</u> 0,02 ◀	▶ <u>M19</u> 0,02 (*) ◀		

▼ **M2**

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)
0500080	Sorghum						
0500090	Wheat						
0500990	Others						
0600000	<b>6. TEA, COFFEE, HERBAL INFUSIONS AND COCOA</b>	0,1 (*)	0,1 (*)	► <b>M42</b> 0,05 (*) ◀	0,02 (*)	► <b>M52</b> 0,05 (*) ◀	0,1 (*)
0610000	(i) <b>Tea (dried leaves and stalks, fermented or otherwise of <i>Camellia sinensis</i>)</b>						
0620000	(ii) <b>Coffee beans</b>	(**)	(**)	► <b>M42</b> — ◀	(**)	► <b>M52</b> — ◀	(**)
0630000	(iii) <b>Herbal infusions (dried)</b>	(**)	(**)	► <b>M42</b> — ◀	(**)	► <b>M52</b> — ◀	(**)
0631000	(a) <i>Flowers</i>	(**)	(**)	► <b>M42</b> — ◀	(**)	► <b>M52</b> — ◀	(**)
0631010	Camomille flowers	(**)	(**)	► <b>M42</b> — ◀	(**)	► <b>M52</b> — ◀	(**)
0631020	Hybiscus flowers	(**)	(**)	► <b>M42</b> — ◀	(**)	► <b>M52</b> — ◀	(**)
0631030	Rose petals	(**)	(**)	► <b>M42</b> — ◀	(**)	► <b>M52</b> — ◀	(**)
0631040	Jasmine flowers	(**)	(**)	► <b>M42</b> — ◀	(**)	► <b>M52</b> — ◀	(**)
0631050	Lime (linden)	(**)	(**)	► <b>M42</b> — ◀	(**)	► <b>M52</b> — ◀	(**)
0631990	Others	(**)	(**)	► <b>M42</b> — ◀	(**)	► <b>M52</b> — ◀	(**)
0632000	(b) <i>Leaves</i>	(**)	(**)	► <b>M42</b> — ◀	(**)	► <b>M52</b> — ◀	(**)
0632010	Strawberry leaves	(**)	(**)	► <b>M42</b> — ◀	(**)	► <b>M52</b> — ◀	(**)

▼ M2

(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
			▶ <u>M16</u> 0,2 ◀ ▶ <u>M16</u> 0,02 (*) ◀				
			▶ <u>M16</u> 0,02 (*) ◀				
▶ <u>M47</u> 0,1 (*) ◀	0,1 (*)	▶ <u>M32</u> 0,05 (*) ◀	▶ <u>M16</u> 0,1 (*) ◀	▶ <u>M46</u> 0,05 (*) ◀	▶ <u>M11</u> 0,1 (*) ◀	0,1 (*)	▶ <u>M56</u> 0,05 (*) ◀
		▶ <u>M32</u> — ◀	▶ <u>M5</u> 0,5 ◀				
▶ <u>M47</u> (**) ◀	(**)	▶ <u>M32</u> (**) ◀	▶ <u>M5</u> (**) ◀	▶ <u>M46</u> — ◀	▶ <u>M11</u> (**) ◀	(**)	▶ <u>M56</u> (**) ◀
▶ <u>M47</u> (**) ◀	(**)	▶ <u>M32</u> (**) ◀	▶ <u>M5</u> (**) ◀	▶ <u>M46</u> — ◀	▶ <u>M11</u> (**) ◀	(**)	▶ <u>M56</u> (**) ◀
▶ <u>M47</u> (**) ◀	(**)	▶ <u>M32</u> (**) ◀	▶ <u>M5</u> (**) ◀	▶ <u>M46</u> — ◀	▶ <u>M11</u> (**) ◀	(**)	▶ <u>M56</u> (**) ◀
▶ <u>M47</u> (**) ◀	(**)	▶ <u>M32</u> (**) ◀	▶ <u>M5</u> (**) ◀	▶ <u>M46</u> — ◀	▶ <u>M11</u> (**) ◀	(**)	▶ <u>M56</u> (**) ◀
▶ <u>M47</u> (**) ◀	(**)	▶ <u>M32</u> (**) ◀	▶ <u>M5</u> (**) ◀	▶ <u>M46</u> — ◀	▶ <u>M11</u> (**) ◀	(**)	▶ <u>M56</u> (**) ◀
▶ <u>M47</u> (**) ◀	(**)	▶ <u>M32</u> (**) ◀	▶ <u>M5</u> (**) ◀	▶ <u>M46</u> — ◀	▶ <u>M11</u> (**) ◀	(**)	▶ <u>M56</u> (**) ◀
▶ <u>M47</u> (**) ◀	(**)	▶ <u>M32</u> (**) ◀	▶ <u>M5</u> (**) ◀	▶ <u>M46</u> — ◀	▶ <u>M11</u> (**) ◀	(**)	▶ <u>M56</u> (**) ◀
▶ <u>M47</u> (**) ◀	(**)	▶ <u>M32</u> (**) ◀	▶ <u>M5</u> (**) ◀	▶ <u>M46</u> — ◀	▶ <u>M11</u> (**) ◀	(**)	▶ <u>M56</u> (**) ◀
▶ <u>M47</u> (**) ◀	(**)	▶ <u>M32</u> (**) ◀	▶ <u>M5</u> (**) ◀	▶ <u>M46</u> — ◀	▶ <u>M11</u> (**) ◀	(**)	▶ <u>M56</u> (**) ◀
▶ <u>M47</u> (**) ◀	(**)	▶ <u>M32</u> (**) ◀	▶ <u>M5</u> (**) ◀	▶ <u>M46</u> — ◀	▶ <u>M11</u> (**) ◀	(**)	▶ <u>M56</u> (**) ◀

▼ M2

(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)
				▶ <u>M32</u> — ◀				▶ <u>M77</u> — ◀
				▶ <u>M32</u> — ◀				▶ <u>M77</u> — ◀
				▶ <u>M32</u> — ◀				▶ <u>M77</u> — ◀
▶ <u>M58</u> 0,05 (*) ◀	0,02 (*)	▶ <u>M46</u> 0,1 (*) ◀	▶ <u>M59</u> 0,05 (*) ◀	▶ <u>M32</u> — ◀	0,1 (*)	0,05 (*)	0,02 (*)	▶ <u>M77</u> — ◀
				▶ <u>M32</u> — ◀				▶ <u>M77</u> — ◀
▶ <u>M58</u> — ◀	(**)	▶ <u>M46</u> — ◀	▶ <u>M59</u> — ◀	▶ <u>M32</u> — ◀	(**)	(**)	(**)	▶ <u>M77</u> — ◀
▶ <u>M58</u> — ◀	(**)	▶ <u>M46</u> — ◀	▶ <u>M59</u> — ◀	▶ <u>M32</u> — ◀	(**)	(**)	(**)	▶ <u>M77</u> — ◀
▶ <u>M58</u> — ◀	(**)	▶ <u>M46</u> — ◀	▶ <u>M59</u> — ◀	▶ <u>M32</u> — ◀	(**)	(**)	(**)	▶ <u>M77</u> — ◀
▶ <u>M58</u> — ◀	(**)	▶ <u>M46</u> — ◀	▶ <u>M59</u> — ◀	▶ <u>M32</u> — ◀	(**)	(**)	(**)	▶ <u>M77</u> — ◀
▶ <u>M58</u> — ◀	(**)	▶ <u>M46</u> — ◀	▶ <u>M59</u> — ◀	▶ <u>M32</u> — ◀	(**)	(**)	(**)	▶ <u>M77</u> — ◀
▶ <u>M58</u> — ◀	(**)	▶ <u>M46</u> — ◀	▶ <u>M59</u> — ◀	▶ <u>M32</u> — ◀	(**)	(**)	(**)	▶ <u>M77</u> — ◀
▶ <u>M58</u> — ◀	(**)	▶ <u>M46</u> — ◀	▶ <u>M59</u> — ◀	▶ <u>M32</u> — ◀	(**)	(**)	(**)	▶ <u>M77</u> — ◀
▶ <u>M58</u> — ◀	(**)	▶ <u>M46</u> — ◀	▶ <u>M59</u> — ◀	▶ <u>M32</u> — ◀	(**)	(**)	(**)	▶ <u>M77</u> — ◀
▶ <u>M58</u> — ◀	(**)	▶ <u>M46</u> — ◀	▶ <u>M59</u> — ◀	▶ <u>M32</u> — ◀	(**)	(**)	(**)	▶ <u>M77</u> — ◀
▶ <u>M58</u> — ◀	(**)	▶ <u>M46</u> — ◀	▶ <u>M59</u> — ◀	▶ <u>M32</u> — ◀	(**)	(**)	(**)	▶ <u>M77</u> — ◀
▶ <u>M58</u> — ◀	(**)	▶ <u>M46</u> — ◀	▶ <u>M59</u> — ◀	▶ <u>M32</u> — ◀	(**)	(**)	(**)	▶ <u>M77</u> — ◀
▶ <u>M58</u> — ◀	(**)	▶ <u>M46</u> — ◀	▶ <u>M59</u> — ◀	▶ <u>M32</u> — ◀	(**)	(**)	(**)	▶ <u>M77</u> — ◀
▶ <u>M58</u> — ◀	(**)	▶ <u>M46</u> — ◀	▶ <u>M59</u> — ◀	▶ <u>M32</u> — ◀	(**)	(**)	(**)	▶ <u>M77</u> — ◀
▶ <u>M58</u> — ◀	(**)	▶ <u>M46</u> — ◀	▶ <u>M59</u> — ◀	▶ <u>M32</u> — ◀	(**)	(**)	(**)	▶ <u>M77</u> — ◀
▶ <u>M58</u> — ◀	(**)	▶ <u>M46</u> — ◀	▶ <u>M59</u> — ◀	▶ <u>M32</u> — ◀	(**)	(**)	(**)	▶ <u>M77</u> — ◀

▼ M2

(26)	(27)	(28)	(29)	(30)	(31)
		▶ <u>M32</u> 0,01 (*) ◀ ▶ <u>M32</u> 0,02 ◀	▶ <u>M19</u> 0,02 (*) ◀ ▶ <u>M19</u> 0,02 (*) ◀		
		▶ <u>M32</u> 0,01 (*) ◀	▶ <u>M19</u> 0,02 (*) ◀		
▶ <u>M49</u> 0,05 (*) ◀	▶ <u>M52</u> 0,05 (*) ◀	▶ <u>M32</u> 0,05 (*) ◀	▶ <u>M19</u> 0,05 (*) ◀	0,1 (*)	▶ <u>M32</u> 0,05 (*) ◀
▶ <u>M49</u> — ◀	▶ <u>M52</u> — ◀	▶ <u>M32</u> (**) ◀	(**)	(**)	▶ <u>M32</u> (**) ◀
▶ <u>M49</u> — ◀	▶ <u>M52</u> — ◀	▶ <u>M32</u> (**) ◀	(**)	(**)	▶ <u>M32</u> (**) ◀
▶ <u>M49</u> — ◀	▶ <u>M52</u> — ◀	▶ <u>M32</u> (**) ◀	(**)	(**)	▶ <u>M32</u> (**) ◀
▶ <u>M49</u> — ◀	▶ <u>M52</u> — ◀	▶ <u>M32</u> (**) ◀	(**)	(**)	▶ <u>M32</u> (**) ◀
▶ <u>M49</u> — ◀	▶ <u>M52</u> — ◀	▶ <u>M32</u> (**) ◀	(**)	(**)	▶ <u>M32</u> (**) ◀
▶ <u>M49</u> — ◀	▶ <u>M52</u> — ◀	▶ <u>M32</u> (**) ◀	(**)	(**)	▶ <u>M32</u> (**) ◀
▶ <u>M49</u> — ◀	▶ <u>M52</u> — ◀	▶ <u>M32</u> (**) ◀	(**)	(**)	▶ <u>M32</u> (**) ◀
▶ <u>M49</u> — ◀	▶ <u>M52</u> — ◀	▶ <u>M32</u> (**) ◀	(**)	(**)	▶ <u>M32</u> (**) ◀
▶ <u>M49</u> — ◀	▶ <u>M52</u> — ◀	▶ <u>M32</u> (**) ◀	(**)	(**)	▶ <u>M32</u> (**) ◀
▶ <u>M49</u> — ◀	▶ <u>M52</u> — ◀	▶ <u>M32</u> (**) ◀	(**)	(**)	▶ <u>M32</u> (**) ◀
▶ <u>M49</u> — ◀	▶ <u>M52</u> — ◀	▶ <u>M32</u> (**) ◀	(**)	(**)	▶ <u>M32</u> (**) ◀
▶ <u>M49</u> — ◀	▶ <u>M52</u> — ◀	▶ <u>M32</u> (**) ◀	(**)	(**)	▶ <u>M32</u> (**) ◀

## ▼ M2

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)
0632020	Rooibos leaves	(**)	(**)	► <u>M42</u> — ◀	(**)	► <u>M52</u> — ◀	(**)
0632030	Maté	(**)	(**)	► <u>M42</u> — ◀	(**)	► <u>M52</u> — ◀	(**)
0632990	Others	(**)	(**)	► <u>M42</u> — ◀	(**)	► <u>M52</u> — ◀	(**)
0633000	(c) <i>Roots</i>	(**)	(**)	► <u>M42</u> — ◀	(**)	► <u>M52</u> — ◀	(**)
0633010	Valerian root	(**)	(**)	► <u>M42</u> — ◀	(**)	► <u>M52</u> — ◀	(**)
0633020	Ginseng root	(**)	(**)	► <u>M42</u> — ◀	(**)	► <u>M52</u> — ◀	(**)
0633990	Others	(**)	(**)	► <u>M42</u> — ◀	(**)	► <u>M52</u> — ◀	(**)
0639000	(d) <i>Other herbal infusions</i>	(**)	(**)	► <u>M42</u> — ◀	(**)	► <u>M52</u> — ◀	(**)
0640000	(iv) <b>Cocoa (fermented beans)</b>	(**)	(**)	► <u>M42</u> — ◀	(**)	► <u>M52</u> — ◀	(**)
0650000	(v) <b>Carob (st johns bread)</b>	(**)	(**)	► <u>M42</u> — ◀	(**)	► <u>M52</u> — ◀	(**)
0700000	7. <b>HOPS (dried), including hop pellets and unconcentrated powder</b>	0,1 (*)	0,1 (*)	► <u>M42</u> 0,05 (*) ◀	0,02 (*)	► <u>M52</u> 0,05 (*) ◀	0,1 (*)
0800000	8. <b>SPICES</b>	(**)	(**)	► <u>M42</u> 0,05 (*) ◀	(**)	► <u>M52</u> — ◀	(**)
0810000	(i) <b>Seeds</b>	(**)	(**)	► <u>M42</u> — ◀	(**)	► <u>M52</u> 0,05 (*) ◀	(**)
0810010	Anise	(**)	(**)	► <u>M42</u> — ◀	(**)	► <u>M52</u> — ◀	(**)
0810020	Black caraway	(**)	(**)	► <u>M42</u> — ◀	(**)	► <u>M52</u> — ◀	(**)
0810030	Celery seed	(**)	(**)	► <u>M42</u> — ◀	(**)	► <u>M52</u> — ◀	(**)
0810040	Coriander seed	(**)	(**)	► <u>M42</u> — ◀	(**)	► <u>M52</u> — ◀	(**)
0810050	Cumin seed	(**)	(**)	► <u>M42</u> — ◀	(**)	► <u>M52</u> — ◀	(**)
0810060	Dill seed	(**)	(**)	► <u>M42</u> — ◀	(**)	► <u>M52</u> — ◀	(**)

▼ M2

(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
▶ <u>M47</u> (**) ◀	(**)	▶ <u>M32</u> (**) ◀	▶ <u>M5</u> (**) ◀	▶ <u>M46</u> — ◀	▶ <u>M11</u> (**) ◀	(**)	▶ <u>M56</u> (**) ◀
▶ <u>M47</u> (**) ◀	(**)	▶ <u>M32</u> (**) ◀	▶ <u>M5</u> (**) ◀	▶ <u>M46</u> — ◀	▶ <u>M11</u> (**) ◀	(**)	▶ <u>M56</u> (**) ◀
▶ <u>M47</u> (**) ◀	(**)	▶ <u>M32</u> (**) ◀	▶ <u>M5</u> (**) ◀	▶ <u>M46</u> — ◀	▶ <u>M11</u> (**) ◀	(**)	▶ <u>M56</u> (**) ◀
▶ <u>M47</u> (**) ◀	(**)	▶ <u>M32</u> (**) ◀	▶ <u>M5</u> (**) ◀	▶ <u>M46</u> — ◀	▶ <u>M11</u> (**) ◀	(**)	▶ <u>M56</u> (**) ◀
▶ <u>M47</u> (**) ◀	(**)	▶ <u>M32</u> (**) ◀	▶ <u>M5</u> (**) ◀	▶ <u>M46</u> — ◀	▶ <u>M11</u> (**) ◀	(**)	▶ <u>M56</u> (**) ◀
▶ <u>M47</u> (**) ◀	(**)	▶ <u>M32</u> (**) ◀	▶ <u>M5</u> (**) ◀	▶ <u>M46</u> — ◀	▶ <u>M11</u> (**) ◀	(**)	▶ <u>M56</u> (**) ◀
▶ <u>M47</u> (**) ◀	(**)	▶ <u>M32</u> (**) ◀	▶ <u>M5</u> (**) ◀	▶ <u>M46</u> — ◀	▶ <u>M11</u> (**) ◀	(**)	▶ <u>M56</u> (**) ◀
▶ <u>M47</u> (**) ◀	(**)	▶ <u>M32</u> (**) ◀	▶ <u>M5</u> (**) ◀	▶ <u>M46</u> — ◀	▶ <u>M11</u> (**) ◀	(**)	▶ <u>M56</u> (**) ◀
▶ <u>M47</u> (**) ◀	(**)	▶ <u>M32</u> (**) ◀	▶ <u>M5</u> (**) ◀	▶ <u>M46</u> — ◀	▶ <u>M11</u> (**) ◀	(**)	▶ <u>M56</u> (**) ◀
▶ <u>M47</u> 10 ◀	0,1 (*)	▶ <u>M32</u> 0,05 (*) ◀	▶ <u>M16</u> 0,1 (*) ◀	▶ <u>M46</u> 0,05 (*) ◀	▶ <u>M11</u> 10 ◀	0,1 (*)	▶ <u>M56</u> 0,05 (*) ◀
▶ <u>M47</u> (**) ◀	(**)	▶ <u>M32</u> (**) ◀	▶ <u>M5</u> (**) ◀	▶ <u>M46</u> 0,05 (*) ◀	▶ <u>M11</u> (**) ◀	(**)	▶ <u>M56</u> (**) ◀
▶ <u>M47</u> (**) ◀	(**)	▶ <u>M32</u> (**) ◀	▶ <u>M5</u> (**) ◀	▶ <u>M46</u> — ◀	▶ <u>M11</u> (**) ◀	(**)	▶ <u>M56</u> (**) ◀
▶ <u>M47</u> (**) ◀	(**)	▶ <u>M32</u> (**) ◀	▶ <u>M5</u> (**) ◀	▶ <u>M46</u> — ◀	▶ <u>M11</u> (**) ◀	(**)	▶ <u>M56</u> (**) ◀
▶ <u>M47</u> (**) ◀	(**)	▶ <u>M32</u> (**) ◀	▶ <u>M5</u> (**) ◀	▶ <u>M46</u> — ◀	▶ <u>M11</u> (**) ◀	(**)	▶ <u>M56</u> (**) ◀
▶ <u>M47</u> (**) ◀	(**)	▶ <u>M32</u> (**) ◀	▶ <u>M5</u> (**) ◀	▶ <u>M46</u> — ◀	▶ <u>M11</u> (**) ◀	(**)	▶ <u>M56</u> (**) ◀
▶ <u>M47</u> (**) ◀	(**)	▶ <u>M32</u> (**) ◀	▶ <u>M5</u> (**) ◀	▶ <u>M46</u> — ◀	▶ <u>M11</u> (**) ◀	(**)	▶ <u>M56</u> (**) ◀

▼ M2

(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)
▶ <u>M58</u> — ◀	(**)	▶ <u>M46</u> — ◀	▶ <u>M59</u> — ◀	▶ <u>M32</u> — ◀	(**)	(**)	(**)	▶ <u>M77</u> — ◀
▶ <u>M58</u> — ◀	(**)	▶ <u>M46</u> — ◀	▶ <u>M59</u> — ◀	▶ <u>M32</u> — ◀	(**)	(**)	(**)	▶ <u>M77</u> — ◀
▶ <u>M58</u> — ◀	(**)	▶ <u>M46</u> — ◀	▶ <u>M59</u> — ◀	▶ <u>M32</u> — ◀	(**)	(**)	(**)	▶ <u>M77</u> — ◀
▶ <u>M58</u> — ◀	(**)	▶ <u>M46</u> — ◀	▶ <u>M59</u> — ◀	▶ <u>M32</u> — ◀	(**)	(**)	(**)	▶ <u>M77</u> — ◀
▶ <u>M58</u> — ◀	(**)	▶ <u>M46</u> — ◀	▶ <u>M59</u> — ◀	▶ <u>M32</u> — ◀	(**)	(**)	(**)	▶ <u>M77</u> — ◀
▶ <u>M58</u> — ◀	(**)	▶ <u>M46</u> — ◀	▶ <u>M59</u> — ◀	▶ <u>M32</u> — ◀	(**)	(**)	(**)	▶ <u>M77</u> — ◀
▶ <u>M58</u> — ◀	(**)	▶ <u>M46</u> — ◀	▶ <u>M59</u> — ◀	▶ <u>M32</u> — ◀	(**)	(**)	(**)	▶ <u>M77</u> — ◀
▶ <u>M58</u> — ◀	(**)	▶ <u>M46</u> — ◀	▶ <u>M59</u> — ◀	▶ <u>M32</u> — ◀	(**)	(**)	(**)	▶ <u>M77</u> — ◀
▶ <u>M58</u> — ◀	(**)	▶ <u>M46</u> — ◀	▶ <u>M59</u> — ◀	▶ <u>M32</u> — ◀	(**)	(**)	(**)	▶ <u>M77</u> — ◀
▶ <u>M58</u> — ◀	(**)	▶ <u>M46</u> — ◀	▶ <u>M59</u> — ◀	▶ <u>M32</u> — ◀	(**)	(**)	(**)	▶ <u>M77</u> — ◀
▶ <u>M58</u> 0,05 (*) ◀	0,02 (*)	▶ <u>M46</u> 0,2 (*) ◀	▶ <u>M59</u> 0,05 (*) ◀	▶ <u>M32</u> — ◀	0,1 (*)	2	0,02 (*)	▶ <u>M77</u> — ◀
▶ <u>M58</u> — ◀	(**)	▶ <u>M46</u> 0,1 (*) ◀	▶ <u>M59</u> — ◀	▶ <u>M32</u> — ◀	(**)	(**)	(**)	▶ <u>M77</u> — ◀
▶ <u>M58</u> 0,05 (*) ◀	(**)	▶ <u>M46</u> — ◀	▶ <u>M59</u> 0,05 (*) ◀	▶ <u>M32</u> — ◀	(**)	(**)	(**)	▶ <u>M77</u> — ◀
▶ <u>M58</u> — ◀	(**)	▶ <u>M46</u> — ◀	▶ <u>M59</u> — ◀	▶ <u>M32</u> — ◀	(**)	(**)	(**)	▶ <u>M77</u> — ◀
▶ <u>M58</u> — ◀	(**)	▶ <u>M46</u> — ◀	▶ <u>M59</u> — ◀	▶ <u>M32</u> — ◀	(**)	(**)	(**)	▶ <u>M77</u> — ◀
▶ <u>M58</u> — ◀	(**)	▶ <u>M46</u> — ◀	▶ <u>M59</u> — ◀	▶ <u>M32</u> — ◀	(**)	(**)	(**)	▶ <u>M77</u> — ◀
▶ <u>M58</u> — ◀	(**)	▶ <u>M46</u> — ◀	▶ <u>M59</u> — ◀	▶ <u>M32</u> — ◀	(**)	(**)	(**)	▶ <u>M77</u> — ◀
▶ <u>M58</u> — ◀	(**)	▶ <u>M46</u> — ◀	▶ <u>M59</u> — ◀	▶ <u>M32</u> — ◀	(**)	(**)	(**)	▶ <u>M77</u> — ◀



▼ M2

(26)	(27)	(28)	(29)	(30)	(31)
▶ <u>M49</u> — ◀	▶ <u>M52</u> — ◀	▶ <u>M32</u> (**) ◀	(**)	(**)	▶ <u>M32</u> (**) ◀
▶ <u>M49</u> — ◀	▶ <u>M52</u> — ◀	▶ <u>M32</u> (**) ◀	(**)	(**)	▶ <u>M32</u> (**) ◀
▶ <u>M49</u> — ◀	▶ <u>M52</u> — ◀	▶ <u>M32</u> (**) ◀	(**)	(**)	▶ <u>M32</u> (**) ◀
▶ <u>M49</u> — ◀	▶ <u>M52</u> — ◀	▶ <u>M32</u> (**) ◀	(**)	(**)	▶ <u>M32</u> (**) ◀
▶ <u>M49</u> — ◀	▶ <u>M52</u> — ◀	▶ <u>M32</u> (**) ◀	(**)	(**)	▶ <u>M32</u> (**) ◀
▶ <u>M49</u> — ◀	▶ <u>M52</u> — ◀	▶ <u>M32</u> (**) ◀	(**)	(**)	▶ <u>M32</u> (**) ◀
▶ <u>M49</u> — ◀	▶ <u>M52</u> — ◀	▶ <u>M32</u> (**) ◀	(**)	(**)	▶ <u>M32</u> (**) ◀
▶ <u>M49</u> — ◀	▶ <u>M52</u> — ◀	▶ <u>M32</u> (**) ◀	(**)	(**)	▶ <u>M32</u> (**) ◀
▶ <u>M49</u> — ◀	▶ <u>M52</u> — ◀	▶ <u>M32</u> (**) ◀	(**)	(**)	▶ <u>M32</u> (**) ◀
▶ <u>M49</u> — ◀	▶ <u>M52</u> — ◀	▶ <u>M32</u> (**) ◀	(**)	(**)	▶ <u>M32</u> (**) ◀
▶ <u>M49</u> 0,05 (*) ◀	▶ <u>M52</u> 0,05 (*) ◀	▶ <u>M32</u> 0,05 (*) ◀	▶ <u>M19</u> 0,05 (*) ◀	0,1 (*)	▶ <u>M32</u> 0,05 (*) ◀
▶ <u>M49</u> — ◀	▶ <u>M52</u> — ◀	▶ <u>M32</u> (**) ◀	(**)	(**)	▶ <u>M32</u> (**) ◀
▶ <u>M49</u> 0,05 (*) ◀	▶ <u>M52</u> 0,05 (*) ◀	▶ <u>M32</u> (**) ◀	(**)	(**)	▶ <u>M32</u> (**) ◀
▶ <u>M49</u> — ◀	▶ <u>M52</u> — ◀	▶ <u>M32</u> (**) ◀	(**)	(**)	▶ <u>M32</u> (**) ◀
▶ <u>M49</u> — ◀	▶ <u>M52</u> — ◀	▶ <u>M32</u> (**) ◀	(**)	(**)	▶ <u>M32</u> (**) ◀
▶ <u>M49</u> — ◀	▶ <u>M52</u> — ◀	▶ <u>M32</u> (**) ◀	(**)	(**)	▶ <u>M32</u> (**) ◀
▶ <u>M49</u> — ◀	▶ <u>M52</u> — ◀	▶ <u>M32</u> (**) ◀	(**)	(**)	▶ <u>M32</u> (**) ◀
▶ <u>M49</u> — ◀	▶ <u>M52</u> — ◀	▶ <u>M32</u> (**) ◀	(**)	(**)	▶ <u>M32</u> (**) ◀

▼ **M2**

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)
0810070	Fennel seed	(**)	(**)	▶ <u>M42</u> — ◀	(**)	▶ <u>M52</u> — ◀	(**)
0810080	Fenugreek	(**)	(**)	▶ <u>M42</u> — ◀	(**)	▶ <u>M52</u> — ◀	(**)
0810090	Nutmeg	(**)	(**)	▶ <u>M42</u> — ◀	(**)	▶ <u>M52</u> — ◀	(**)
0810990	Others	(**)	(**)	▶ <u>M42</u> — ◀	(**)	▶ <u>M52</u> — ◀	(**)
0820000	(ii) <b>Fruits and berries</b>	(**)	(**)	▶ <u>M42</u> — ◀	(**)	▶ <u>M52</u> 0,05 (*) ◀	(**)
0820010	Allspice	(**)	(**)	▶ <u>M42</u> — ◀	(**)	▶ <u>M52</u> — ◀	(**)
0820020	Anise pepper (Japan pepper)	(**)	(**)	▶ <u>M42</u> — ◀	(**)	▶ <u>M52</u> — ◀	(**)
0820030	Caraway	(**)	(**)	▶ <u>M42</u> — ◀	(**)	▶ <u>M52</u> — ◀	(**)
0820040	Cardamom	(**)	(**)	▶ <u>M42</u> — ◀	(**)	▶ <u>M52</u> — ◀	(**)
0820050	Juniper berries	(**)	(**)	▶ <u>M42</u> — ◀	(**)	▶ <u>M52</u> — ◀	(**)
0820060	Pepper, black and white	(**)	(**)	▶ <u>M42</u> — ◀	(**)	▶ <u>M52</u> — ◀	(**)
0820070	Vanilla pods	(**)	(**)	▶ <u>M42</u> — ◀	(**)	▶ <u>M52</u> — ◀	(**)
0820080	Tamarind	(**)	(**)	▶ <u>M42</u> — ◀	(**)	▶ <u>M52</u> — ◀	(**)
0820990	Others	(**)	(**)	▶ <u>M42</u> — ◀	(**)	▶ <u>M52</u> — ◀	(**)
0830000	(iii) <b>Bark</b>	(**)	(**)	▶ <u>M42</u> — ◀	(**)	▶ <u>M52</u> 0,05 (*) ◀	(**)
0830010	Cinnamon	(**)	(**)	▶ <u>M42</u> — ◀	(**)	▶ <u>M52</u> — ◀	(**)
0830990	Others	(**)	(**)	▶ <u>M42</u> — ◀	(**)	▶ <u>M52</u> — ◀	(**)
0840000	(iv) <b>Roots or rhizome</b>	(**)	(**)	▶ <u>M42</u> — ◀	(**)	▶ <u>M52</u> — ◀	(**)
0840010	Liquorice	(**)	(**)	▶ <u>M42</u> — ◀	(**)	▶ <u>M52</u> 0,05 (*) ◀	(**)
0840020	Ginger	(**)	(**)	▶ <u>M42</u> — ◀	(**)	▶ <u>M52</u> 0,05 (*) ◀	(**)
0840030	Turmeric (Curcuma)	(**)	(**)	▶ <u>M42</u> — ◀	(**)	▶ <u>M52</u> 0,05 (*) ◀	(**)





▼ M2

(26)	(27)	(28)	(29)	(30)	(31)
▶ <u>M49</u> — ◀	▶ <u>M52</u> — ◀	▶ <u>M32</u> (**) ◀	(**)	(**)	▶ <u>M32</u> (**) ◀
▶ <u>M49</u> — ◀	▶ <u>M52</u> — ◀	▶ <u>M32</u> (**) ◀	(**)	(**)	▶ <u>M32</u> (**) ◀
▶ <u>M49</u> — ◀	▶ <u>M52</u> — ◀	▶ <u>M32</u> (**) ◀	(**)	(**)	▶ <u>M32</u> (**) ◀
▶ <u>M49</u> — ◀	▶ <u>M52</u> — ◀	▶ <u>M32</u> (**) ◀	(**)	(**)	▶ <u>M32</u> (**) ◀
▶ <u>M49</u> 0,05 (*) ◀	▶ <u>M52</u> 0,05 (*) ◀	▶ <u>M32</u> (**) ◀	(**)	(**)	▶ <u>M32</u> (**) ◀
▶ <u>M49</u> — ◀	▶ <u>M52</u> — ◀	▶ <u>M32</u> (**) ◀	(**)	(**)	▶ <u>M32</u> (**) ◀
▶ <u>M49</u> — ◀	▶ <u>M52</u> — ◀	▶ <u>M32</u> (**) ◀	(**)	(**)	▶ <u>M32</u> (**) ◀
▶ <u>M49</u> — ◀	▶ <u>M52</u> — ◀	▶ <u>M32</u> (**) ◀	(**)	(**)	▶ <u>M32</u> (**) ◀
▶ <u>M49</u> — ◀	▶ <u>M52</u> — ◀	▶ <u>M32</u> (**) ◀	(**)	(**)	▶ <u>M32</u> (**) ◀
▶ <u>M49</u> — ◀	▶ <u>M52</u> — ◀	▶ <u>M32</u> (**) ◀	(**)	(**)	▶ <u>M32</u> (**) ◀
▶ <u>M49</u> — ◀	▶ <u>M52</u> — ◀	▶ <u>M32</u> (**) ◀	(**)	(**)	▶ <u>M32</u> (**) ◀
▶ <u>M49</u> — ◀	▶ <u>M52</u> — ◀	▶ <u>M32</u> (**) ◀	(**)	(**)	▶ <u>M32</u> (**) ◀
▶ <u>M49</u> — ◀	▶ <u>M52</u> — ◀	▶ <u>M32</u> (**) ◀	(**)	(**)	▶ <u>M32</u> (**) ◀
▶ <u>M49</u> — ◀	▶ <u>M52</u> — ◀	▶ <u>M32</u> (**) ◀	(**)	(**)	▶ <u>M32</u> (**) ◀
▶ <u>M49</u> — ◀	▶ <u>M52</u> — ◀	▶ <u>M32</u> (**) ◀	(**)	(**)	▶ <u>M32</u> (**) ◀
▶ <u>M49</u> 0,05 (*) ◀	▶ <u>M52</u> 0,05 (*) ◀	▶ <u>M32</u> (**) ◀	(**)	(**)	▶ <u>M32</u> (**) ◀
▶ <u>M49</u> 0,05 (*) ◀	▶ <u>M52</u> 0,05 (*) ◀	▶ <u>M32</u> (**) ◀	(**)	(**)	▶ <u>M32</u> (**) ◀
▶ <u>M49</u> 0,05 (*) ◀	▶ <u>M52</u> 0,05 (*) ◀	▶ <u>M32</u> (**) ◀	(**)	(**)	▶ <u>M32</u> (**) ◀

▼ **M2**

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)
0840040	Horseradish	(**)	(**)	▶ <u>M42</u> — ◀	(**)	▶ <u>M52</u> (+) ◀	(**)
0840990	Others	(**)	(**)	▶ <u>M42</u> — ◀	(**)	▶ <u>M52</u> 0,05 (*) ◀	(**)
0850000	(v) <b>Buds</b>	(**)	(**)	▶ <u>M42</u> — ◀	(**)	▶ <u>M52</u> 0,05 (*) ◀	(**)
0850010	Cloves	(**)	(**)	▶ <u>M42</u> — ◀	(**)	▶ <u>M52</u> — ◀	(**)
0850020	Capers	(**)	(**)	▶ <u>M42</u> — ◀	(**)	▶ <u>M52</u> — ◀	(**)
0850990	Others	(**)	(**)	▶ <u>M42</u> — ◀	(**)	▶ <u>M52</u> — ◀	(**)
0860000	(vi) <b>Flower stigma</b>	(**)	(**)	▶ <u>M42</u> — ◀	(**)	▶ <u>M52</u> 0,05 (*) ◀	(**)
0860010	Saffron	(**)	(**)	▶ <u>M42</u> — ◀	(**)	▶ <u>M52</u> — ◀	(**)
0860990	Others	(**)	(**)	▶ <u>M42</u> — ◀	(**)	▶ <u>M52</u> — ◀	(**)
0870000	(vii) <b>Aril</b>	(**)	(**)	▶ <u>M42</u> — ◀	(**)	▶ <u>M52</u> 0,05 (*) ◀	(**)
0870010	Mace	(**)	(**)	▶ <u>M42</u> — ◀	(**)	▶ <u>M52</u> — ◀	(**)
0870990	Others	(**)	(**)	▶ <u>M42</u> — ◀	(**)	▶ <u>M52</u> — ◀	(**)
0900000	9. <b>SUGAR PLANTS</b>	(**)	(**)	▶ <u>M42</u> 0,01 (*) ◀	(**)	▶ <u>M52</u> 0,01 (*) ◀	(**)
0900010	Sugar beet (root)	(**)	(**)	▶ <u>M42</u> — ◀	(**)	▶ <u>M52</u> — ◀	(**)
0900020	Sugar cane	(**)	(**)	▶ <u>M42</u> — ◀	(**)	▶ <u>M52</u> — ◀	(**)
0900030	Chicory roots	(**)	(**)	▶ <u>M42</u> — ◀	(**)	▶ <u>M52</u> — ◀	(**)
0900990	Others	(**)	(**)	▶ <u>M42</u> — ◀	(**)	▶ <u>M52</u> — ◀	(**)
1000000	10. <b>PRODUCTS OF ANIMAL ORIGIN- TERRESTRIAL ANIMALS</b>						



▼ M2

(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)
▶ <u>M58</u> (+) ◀	(**)	▶ <u>M46</u> — ◀	▶ <u>M59</u> (+) ◀	▶ <u>M32</u> — ◀	(**)	(**)	(**)	▶ <u>M77</u> — ◀
▶ <u>M58</u> 0,05 (*) ◀	(**)	▶ <u>M46</u> — ◀	▶ <u>M59</u> 0,05 (*) ◀	▶ <u>M32</u> — ◀	(**)	(**)	(**)	▶ <u>M77</u> — ◀
▶ <u>M58</u> 0,05 (*) ◀	(**)	▶ <u>M46</u> — ◀	▶ <u>M59</u> 0,05 (*) ◀	▶ <u>M32</u> — ◀	(**)	(**)	(**)	▶ <u>M77</u> — ◀
▶ <u>M58</u> — ◀	(**)	▶ <u>M46</u> — ◀	▶ <u>M59</u> — ◀	▶ <u>M32</u> — ◀	(**)	(**)	(**)	▶ <u>M77</u> — ◀
▶ <u>M58</u> — ◀	(**)	▶ <u>M46</u> — ◀	▶ <u>M59</u> — ◀	▶ <u>M32</u> — ◀	(**)	(**)	(**)	▶ <u>M77</u> — ◀
▶ <u>M58</u> — ◀	(**)	▶ <u>M46</u> — ◀	▶ <u>M59</u> — ◀	▶ <u>M32</u> — ◀	(**)	(**)	(**)	▶ <u>M77</u> — ◀
▶ <u>M58</u> 0,05 (*) ◀	(**)	▶ <u>M46</u> — ◀	▶ <u>M59</u> 0,05 (*) ◀	▶ <u>M32</u> — ◀	(**)	(**)	(**)	▶ <u>M77</u> — ◀
▶ <u>M58</u> — ◀	(**)	▶ <u>M46</u> — ◀	▶ <u>M59</u> — ◀	▶ <u>M32</u> — ◀	(**)	(**)	(**)	▶ <u>M77</u> — ◀
▶ <u>M58</u> — ◀	(**)	▶ <u>M46</u> — ◀	▶ <u>M59</u> — ◀	▶ <u>M32</u> — ◀	(**)	(**)	(**)	▶ <u>M77</u> — ◀
▶ <u>M58</u> 0,05 (*) ◀	(**)	▶ <u>M46</u> — ◀	▶ <u>M59</u> 0,05 (*) ◀	▶ <u>M32</u> — ◀	(**)	(**)	(**)	▶ <u>M77</u> — ◀
▶ <u>M58</u> — ◀	(**)	▶ <u>M46</u> — ◀	▶ <u>M59</u> — ◀	▶ <u>M32</u> — ◀	(**)	(**)	(**)	▶ <u>M77</u> — ◀
▶ <u>M58</u> — ◀	(**)	▶ <u>M46</u> — ◀	▶ <u>M59</u> — ◀	▶ <u>M32</u> — ◀	(**)	(**)	(**)	▶ <u>M77</u> — ◀
▶ <u>M58</u> 0,01 (*) ◀	(**)	▶ <u>M46</u> 0,02 (*) ◀	▶ <u>M59</u> 0,01 (*) ◀	▶ <u>M32</u> — ◀	(**)	(**)	(**)	▶ <u>M77</u> — ◀
▶ <u>M58</u> — ◀	(**)	▶ <u>M46</u> — ◀	▶ <u>M59</u> — ◀	▶ <u>M32</u> — ◀	(**)	(**)	(**)	▶ <u>M77</u> — ◀
▶ <u>M58</u> — ◀	(**)	▶ <u>M46</u> — ◀	▶ <u>M59</u> — ◀	▶ <u>M32</u> — ◀	(**)	(**)	(**)	▶ <u>M77</u> — ◀
▶ <u>M58</u> — ◀	(**)	▶ <u>M46</u> — ◀	▶ <u>M59</u> — ◀	▶ <u>M32</u> — ◀	(**)	(**)	(**)	▶ <u>M77</u> — ◀
				▶ <u>M32</u> — ◀				▶ <u>M77</u> — ◀



▼ M2

(26)	(27)	(28)	(29)	(30)	(31)
▶ <u>M49</u> (+) ◀	▶ <u>M52</u> (+) ◀	▶ <u>M32</u> (**) ◀	(**)	(**)	▶ <u>M32</u> (**) ◀
▶ <u>M49</u> 0,05 (*) ◀	▶ <u>M52</u> 0,05 (*) ◀	▶ <u>M32</u> (**) ◀	(**)	(**)	▶ <u>M32</u> (**) ◀
▶ <u>M49</u> 0,05 (*) ◀	▶ <u>M52</u> 0,05 (*) ◀	▶ <u>M32</u> (**) ◀	(**)	(**)	▶ <u>M32</u> (**) ◀
▶ <u>M49</u> — ◀	▶ <u>M52</u> — ◀	▶ <u>M32</u> (**) ◀	(**)	(**)	▶ <u>M32</u> (**) ◀
▶ <u>M49</u> — ◀	▶ <u>M52</u> — ◀	▶ <u>M32</u> (**) ◀	(**)	(**)	▶ <u>M32</u> (**) ◀
▶ <u>M49</u> — ◀	▶ <u>M52</u> — ◀	▶ <u>M32</u> (**) ◀	(**)	(**)	▶ <u>M32</u> (**) ◀
▶ <u>M49</u> 0,05 (*) ◀	▶ <u>M52</u> 0,05 (*) ◀	▶ <u>M32</u> (**) ◀	(**)	(**)	▶ <u>M32</u> (**) ◀
▶ <u>M49</u> — ◀	▶ <u>M52</u> — ◀	▶ <u>M32</u> (**) ◀	(**)	(**)	▶ <u>M32</u> (**) ◀
▶ <u>M49</u> — ◀	▶ <u>M52</u> — ◀	▶ <u>M32</u> (**) ◀	(**)	(**)	▶ <u>M32</u> (**) ◀
▶ <u>M49</u> 0,05 (*) ◀	▶ <u>M52</u> 0,05 (*) ◀	▶ <u>M32</u> (**) ◀	(**)	(**)	▶ <u>M32</u> (**) ◀
▶ <u>M49</u> — ◀	▶ <u>M52</u> — ◀	▶ <u>M32</u> (**) ◀	(**)	(**)	▶ <u>M32</u> (**) ◀
▶ <u>M49</u> — ◀	▶ <u>M52</u> — ◀	▶ <u>M32</u> (**) ◀	(**)	(**)	▶ <u>M32</u> (**) ◀
▶ <u>M49</u> 0,01 (*) ◀	▶ <u>M52</u> 0,01 (*) ◀	▶ <u>M32</u> (**) ◀	(**)	(**)	▶ <u>M32</u> (**) ◀
▶ <u>M49</u> — ◀	▶ <u>M52</u> — ◀	▶ <u>M32</u> (**) ◀	(**)	(**)	▶ <u>M32</u> (**) ◀
▶ <u>M49</u> — ◀	▶ <u>M52</u> — ◀	▶ <u>M32</u> (**) ◀	(**)	(**)	▶ <u>M32</u> (**) ◀
▶ <u>M49</u> — ◀	▶ <u>M52</u> — ◀	▶ <u>M32</u> (**) ◀	(**)	(**)	▶ <u>M32</u> (**) ◀
▶ <u>M49</u> — ◀	▶ <u>M52</u> — ◀	▶ <u>M32</u> (**) ◀	(**)	(**)	▶ <u>M32</u> (**) ◀
		▶ <u>M32</u> 0,01 (*) ◀			▶ <u>M32</u> 0,01 (*) ◀

▼ **M2**

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)
1010000	(i) <b>Meat, preparations of meat, offals, blood, animal fats fresh chilled or frozen, salted, in brine, dried or smoked or processed as flours or meals; other processed products such as sausages and food preparations based on these</b>			► <b>M42</b> 0,01 (*) ◀	0,01 (*)	► <b>M52</b> 0,02 (*) ◀	
1011000	(a) <i>Swine</i>						
1011010	Meat						
1011020	Fat free of lean meat						
1011030	Liver						
1011040	Kidney						
1011050	Edible offal						
1011990	Others						
1012000	(b) <i>Bovine</i>						
1012010	Meat						
1012020	Fat						
1012030	Liver						

▼ M2

(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
▶ <u>M27</u> — ◀	0,01 (*)	▶ <u>M32</u> 0,01 (*) ◀	▶ <u>M5</u> 0,02 (*) ◀	▶ <u>M46</u> 0,01 (*) ◀	▶ <u>M11</u> — ◀	0,01 (*)	▶ <u>M31</u> — ◀
							▶ <u>M56</u> 0,2 ◀ ▶ <u>M56</u> 0,3 ◀ ▶ <u>M56</u> 0,2 ◀ ▶ <u>M56</u> 0,2 ◀ ▶ <u>M56</u> 0,2 ◀
							▶ <u>M56</u> 0,01 (*) ◀
							▶ <u>M56</u> 0,2 ◀ ▶ <u>M56</u> 0,3 ◀ ▶ <u>M56</u> 0,2 ◀

▼ M2

(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)
▶ <u>M58</u> 0,01 (*) ◀		▶ <u>M46</u> 0,02 (*) ◀	▶ <u>M59</u> 0,01 (*) ◀	▶ <u>M32</u> — ◀	0,05 (*)	0,01 (*)	0,01 (*)	▶ <u>M77</u> — ◀
				▶ <u>M32</u> — ◀				▶ <u>M77</u> — ◀
				▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀				▶ <u>M77</u> — ◀ ▶ <u>M77</u> — ◀ ▶ <u>M77</u> — ◀ ▶ <u>M77</u> — ◀ ▶ <u>M77</u> — ◀
				▶ <u>M32</u> — ◀				▶ <u>M77</u> — ◀
				▶ <u>M32</u> — ◀				▶ <u>M77</u> — ◀
				▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀				▶ <u>M77</u> — ◀ ▶ <u>M77</u> — ◀ ▶ <u>M77</u> — ◀

▼ M2

(26)	(27)	(28)	(29)	(30)	(31)
▶ <u>M49</u> 0,01 (*) ◀	▶ <u>M52</u> 0,01 (*) ◀	▶ <u>M9</u> — ◀		0,05 (*)	▶ <u>M32</u> — ◀

▼ **M2**

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)
1012040	Kidney						
1012050	Edible offal						
1012990	Others						
1013000	(c) <i>Sheep</i>						
1013010	Meat						
1013020	Fat						
1013030	Liver						
1013040	Kidney						
1013050	Edible offal						
1013990	Others						
1014000	(d) <i>Goat</i>						
1014010	Meat						
1014020	Fat						
1014030	Liver						
1014040	Kidney						
1014050	Edible offal						
1014990	Others						
1015000	(e) <i>Horses, asses, mules or hinnies</i>	(**)	(**)	► <b>M42</b> — ◄	(**)	► <b>M52</b> — ◄	(**)
1015010	Meat	(**)	(**)	► <b>M42</b> — ◄	(**)	► <b>M52</b> — ◄	(**)
1015020	Fat	(**)	(**)	► <b>M42</b> — ◄	(**)	► <b>M52</b> — ◄	(**)
1015030	Liver	(**)	(**)	► <b>M42</b> — ◄	(**)	► <b>M52</b> — ◄	(**)

▼ M2

(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
							▶ <u>M56</u> 0,2 ◀ ▶ <u>M56</u> 0,2 ◀
							▶ <u>M56</u> 0,01 (*) ◀
							▶ <u>M56</u> 0,2 ◀ ▶ <u>M56</u> 0,3 ◀ ▶ <u>M56</u> 0,2 ◀ ▶ <u>M56</u> 0,2 ◀ ▶ <u>M56</u> 0,2 ◀
							▶ <u>M56</u> 0,01 (*) ◀
							▶ <u>M56</u> 0,2 ◀ ▶ <u>M56</u> 0,3 ◀ ▶ <u>M56</u> 0,2 ◀ ▶ <u>M56</u> 0,2 ◀ ▶ <u>M56</u> 0,2 ◀
							▶ <u>M56</u> 0,01 (*) ◀
▶ <u>M47</u> (**) ◀	(**)	▶ <u>M32</u> (**) ◀	▶ <u>M5</u> (**) ◀	▶ <u>M46</u> — ◀	▶ <u>M11</u> (**) ◀	(**)	▶ <u>M56</u> (**) ◀
▶ <u>M47</u> (**) ◀	(**)	▶ <u>M32</u> (**) ◀	▶ <u>M5</u> (**) ◀	▶ <u>M46</u> — ◀	▶ <u>M11</u> (**) ◀	(**)	▶ <u>M56</u> (**) ◀
▶ <u>M47</u> (**) ◀	(**)	▶ <u>M32</u> (**) ◀	▶ <u>M5</u> (**) ◀	▶ <u>M46</u> — ◀	▶ <u>M11</u> (**) ◀	(**)	▶ <u>M56</u> (**) ◀

▼ M2

(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)
				▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀				▶ <u>M77</u> — ◀ ▶ <u>M77</u> — ◀
				▶ <u>M32</u> — ◀				▶ <u>M77</u> — ◀
				▶ <u>M32</u> — ◀				▶ <u>M77</u> — ◀
				▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀				▶ <u>M77</u> — ◀ ▶ <u>M77</u> — ◀ ▶ <u>M77</u> — ◀ ▶ <u>M77</u> — ◀ ▶ <u>M77</u> — ◀
				▶ <u>M32</u> — ◀				▶ <u>M77</u> — ◀
				▶ <u>M32</u> — ◀				▶ <u>M77</u> — ◀
				▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀				▶ <u>M77</u> — ◀ ▶ <u>M77</u> — ◀ ▶ <u>M77</u> — ◀ ▶ <u>M77</u> — ◀ ▶ <u>M77</u> — ◀
				▶ <u>M32</u> — ◀				▶ <u>M77</u> — ◀
▶ <u>M58</u> — ◀	(**)	▶ <u>M46</u> — ◀	▶ <u>M59</u> — ◀	▶ <u>M32</u> — ◀	(**)	(**)	(**)	▶ <u>M77</u> — ◀
▶ <u>M58</u> — ◀	(**)	▶ <u>M46</u> — ◀	▶ <u>M59</u> — ◀	▶ <u>M32</u> — ◀	(**)	(**)	(**)	▶ <u>M77</u> — ◀
▶ <u>M58</u> — ◀	(**)	▶ <u>M46</u> — ◀	▶ <u>M59</u> — ◀	▶ <u>M32</u> — ◀	(**)	(**)	(**)	▶ <u>M77</u> — ◀



▼ M2

(26)	(27)	(28)	(29)	(30)	(31)
▶ <u>M49</u> — ◀	▶ <u>M52</u> — ◀	▶ <u>M32</u> (**) ◀	(**)	(**)	▶ <u>M32</u> (**) ◀
▶ <u>M49</u> — ◀	▶ <u>M52</u> — ◀	▶ <u>M32</u> (**) ◀	(**)	(**)	▶ <u>M32</u> (**) ◀
▶ <u>M49</u> — ◀	▶ <u>M52</u> — ◀	▶ <u>M32</u> (**) ◀	(**)	(**)	▶ <u>M32</u> (**) ◀
▶ <u>M49</u> — ◀	▶ <u>M52</u> — ◀	▶ <u>M32</u> (**) ◀	(**)	(**)	▶ <u>M32</u> (**) ◀

▼ **M2**

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)
1015040	Kidney	(**)	(**)	► <b>M42</b> — ◄	(**)	► <b>M52</b> — ◄	(**)
1015050	Edible offal	(**)	(**)	► <b>M42</b> — ◄	(**)	► <b>M52</b> — ◄	(**)
1015990	Others	(**)	(**)	► <b>M42</b> — ◄	(**)	► <b>M52</b> — ◄	(**)
1016000	(f) <i>Poultry -chicken, geese, duck, turkey and Guinea fowl- ostrich, pigeon</i>						
1016010	Meat						
1016020	Fat						
1016030	Liver						
1016040	Kidney						
1016050	Edible offal						
1016990	Others						
1017000	(g) <i>Other farm animals</i>	(**)	(**)	► <b>M42</b> — ◄	(**)	► <b>M52</b> — ◄	(**)
1017010	Meat	(**)	(**)	► <b>M42</b> — ◄	(**)	► <b>M52</b> — ◄	(**)
1017020	Fat	(**)	(**)	► <b>M42</b> — ◄	(**)	► <b>M52</b> — ◄	(**)
1017030	Liver	(**)	(**)	► <b>M42</b> — ◄	(**)	► <b>M52</b> — ◄	(**)
1017040	Kidney	(**)	(**)	► <b>M42</b> — ◄	(**)	► <b>M52</b> — ◄	(**)
1017050	Edible offal	(**)	(**)	► <b>M42</b> — ◄	(**)	► <b>M52</b> — ◄	(**)
1017990	Others	(**)	(**)	► <b>M42</b> — ◄	(**)	► <b>M52</b> — ◄	(**)

▼ M2

(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
▶ <u>M47</u> (**) ◀	(**)	▶ <u>M32</u> (**) ◀	▶ <u>M5</u> (**) ◀	▶ <u>M46</u> — ◀	▶ <u>M11</u> (**) ◀	(**)	▶ <u>M56</u> (**) ◀
▶ <u>M47</u> (**) ◀	(**)	▶ <u>M32</u> (**) ◀	▶ <u>M5</u> (**) ◀	▶ <u>M46</u> — ◀	▶ <u>M11</u> (**) ◀	(**)	▶ <u>M56</u> (**) ◀
▶ <u>M47</u> (**) ◀	(**)	▶ <u>M32</u> (**) ◀	▶ <u>M5</u> (**) ◀	▶ <u>M46</u> — ◀	▶ <u>M11</u> (**) ◀	(**)	▶ <u>M56</u> (**) ◀
							▶ <u>M56</u> 0,01 (*) ◀
▶ <u>M47</u> (**) ◀	(**)	▶ <u>M32</u> (**) ◀	▶ <u>M5</u> (**) ◀	▶ <u>M46</u> — ◀	▶ <u>M11</u> (**) ◀	(**)	▶ <u>M56</u> (**) ◀
▶ <u>M47</u> (**) ◀	(**)	▶ <u>M32</u> (**) ◀	▶ <u>M5</u> (**) ◀	▶ <u>M46</u> — ◀	▶ <u>M11</u> (**) ◀	(**)	▶ <u>M56</u> (**) ◀
▶ <u>M47</u> (**) ◀	(**)	▶ <u>M32</u> (**) ◀	▶ <u>M5</u> (**) ◀	▶ <u>M46</u> — ◀	▶ <u>M11</u> (**) ◀	(**)	▶ <u>M56</u> (**) ◀
▶ <u>M47</u> (**) ◀	(**)	▶ <u>M32</u> (**) ◀	▶ <u>M5</u> (**) ◀	▶ <u>M46</u> — ◀	▶ <u>M11</u> (**) ◀	(**)	▶ <u>M56</u> (**) ◀
▶ <u>M47</u> (**) ◀	(**)	▶ <u>M32</u> (**) ◀	▶ <u>M5</u> (**) ◀	▶ <u>M46</u> — ◀	▶ <u>M11</u> (**) ◀	(**)	▶ <u>M56</u> (**) ◀
▶ <u>M47</u> (**) ◀	(**)	▶ <u>M32</u> (**) ◀	▶ <u>M5</u> (**) ◀	▶ <u>M46</u> — ◀	▶ <u>M11</u> (**) ◀	(**)	▶ <u>M56</u> (**) ◀

▼ M2

(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)
▶ <u>M58</u> — ◀	(**)	▶ <u>M46</u> — ◀	▶ <u>M59</u> — ◀	▶ <u>M32</u> — ◀	(**)	(**)	(**)	▶ <u>M77</u> — ◀
▶ <u>M58</u> — ◀	(**)	▶ <u>M46</u> — ◀	▶ <u>M59</u> — ◀	▶ <u>M32</u> — ◀	(**)	(**)	(**)	▶ <u>M77</u> — ◀
▶ <u>M58</u> — ◀	(**)	▶ <u>M46</u> — ◀	▶ <u>M59</u> — ◀	▶ <u>M32</u> — ◀	(**)	(**)	(**)	▶ <u>M77</u> — ◀
				▶ <u>M32</u> — ◀				▶ <u>M77</u> — ◀
				▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀				▶ <u>M77</u> — ◀ ▶ <u>M77</u> — ◀ ▶ <u>M77</u> — ◀ ▶ <u>M77</u> — ◀ ▶ <u>M77</u> — ◀
				▶ <u>M32</u> — ◀				▶ <u>M77</u> — ◀
▶ <u>M58</u> — ◀	(**)	▶ <u>M46</u> — ◀	▶ <u>M59</u> — ◀	▶ <u>M32</u> — ◀	(**)	(**)	(**)	▶ <u>M77</u> — ◀
▶ <u>M58</u> — ◀	(**)	▶ <u>M46</u> — ◀	▶ <u>M59</u> — ◀	▶ <u>M32</u> — ◀	(**)	(**)	(**)	▶ <u>M77</u> — ◀
▶ <u>M58</u> — ◀	(**)	▶ <u>M46</u> — ◀	▶ <u>M59</u> — ◀	▶ <u>M32</u> — ◀	(**)	(**)	(**)	▶ <u>M77</u> — ◀
▶ <u>M58</u> — ◀	(**)	▶ <u>M46</u> — ◀	▶ <u>M59</u> — ◀	▶ <u>M32</u> — ◀	(**)	(**)	(**)	▶ <u>M77</u> — ◀
▶ <u>M58</u> — ◀	(**)	▶ <u>M46</u> — ◀	▶ <u>M59</u> — ◀	▶ <u>M32</u> — ◀	(**)	(**)	(**)	▶ <u>M77</u> — ◀
▶ <u>M58</u> — ◀	(**)	▶ <u>M46</u> — ◀	▶ <u>M59</u> — ◀	▶ <u>M32</u> — ◀	(**)	(**)	(**)	▶ <u>M77</u> — ◀

▼ M2

(26)	(27)	(28)	(29)	(30)	(31)
▶ <u>M49</u> — ◀	▶ <u>M52</u> — ◀	▶ <u>M32</u> (**) ◀	(**)	(**)	▶ <u>M32</u> (**) ◀
▶ <u>M49</u> — ◀	▶ <u>M52</u> — ◀	▶ <u>M32</u> (**) ◀	(**)	(**)	▶ <u>M32</u> (**) ◀
▶ <u>M49</u> — ◀	▶ <u>M52</u> — ◀	▶ <u>M32</u> (**) ◀	(**)	(**)	▶ <u>M32</u> (**) ◀
▶ <u>M49</u> — ◀	▶ <u>M52</u> — ◀	▶ <u>M32</u> (**) ◀	(**)	(**)	▶ <u>M32</u> (**) ◀
▶ <u>M49</u> — ◀	▶ <u>M52</u> — ◀	▶ <u>M32</u> (**) ◀	(**)	(**)	▶ <u>M32</u> (**) ◀
▶ <u>M49</u> — ◀	▶ <u>M52</u> — ◀	▶ <u>M32</u> (**) ◀	(**)	(**)	▶ <u>M32</u> (**) ◀
▶ <u>M49</u> — ◀	▶ <u>M52</u> — ◀	▶ <u>M32</u> (**) ◀	(**)	(**)	▶ <u>M32</u> (**) ◀
▶ <u>M49</u> — ◀	▶ <u>M52</u> — ◀	▶ <u>M32</u> (**) ◀	(**)	(**)	▶ <u>M32</u> (**) ◀
▶ <u>M49</u> — ◀	▶ <u>M52</u> — ◀	▶ <u>M32</u> (**) ◀	(**)	(**)	▶ <u>M32</u> (**) ◀
▶ <u>M49</u> — ◀	▶ <u>M52</u> — ◀	▶ <u>M32</u> (**) ◀	(**)	(**)	▶ <u>M32</u> (**) ◀

▼ M2

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)
1020000	(ii) <b>Milk and cream, not concentrated, nor containing added sugar or sweetening matter, butter and other fats derived from milk, cheese and curd</b>			► <u>M42</u> 0,01 (*) ◀	0,01 (*)	► <u>M52</u> 0,02 (*) ◀	
1020010	Cattle						
1020020	Sheep						
1020030	Goat						
1020040	Horse						
1020990	Others						
1030000	(iii) <b>Birds' eggs, fresh preserved or cooked; Shelled eggs and egg yolks fresh, dried, cooked by steaming or boiling in water, moulded, frozen or otherwise preserved whether or not containing added sugar or sweetening matter</b>			► <u>M42</u> 0,01 (*) ◀	0,01 (*)	► <u>M52</u> 0,02 (*) ◀	
1030010	Chicken						
1030020	Duck	(**)	(**)	► <u>M42</u> — ◀	(**)	► <u>M52</u> — ◀	(**)
1030030	Goose	(**)	(**)	► <u>M42</u> — ◀	(**)	► <u>M52</u> — ◀	(**)

▼ M2

(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
▶ <u>M27</u> — ◀	0,01 (*)	▶ <u>M32</u> 0,01 (*) ◀	▶ <u>M5</u> 0,02 (*) ◀	▶ <u>M46</u> 0,01 (*) ◀	▶ <u>M11</u> — ◀	0,01 (*)	▶ <u>M56</u> 0,05 ◀
▶ <u>M27</u> — ◀	0,01 (*)	▶ <u>M32</u> 0,01 (*) ◀	▶ <u>M5</u> 0,02 (*) ◀	▶ <u>M46</u> 0,01 (*) ◀	▶ <u>M11</u> — ◀	0,01 (*)	▶ <u>M56</u> 0,01 (*) ◀
▶ <u>M47</u> (**) ◀	(**)	▶ <u>M32</u> (**) ◀	▶ <u>M5</u> (**) ◀	▶ <u>M46</u> — ◀	▶ <u>M11</u> (**) ◀	(**)	▶ <u>M56</u> (**) ◀
▶ <u>M47</u> (**) ◀	(**)	▶ <u>M32</u> (**) ◀	▶ <u>M5</u> (**) ◀	▶ <u>M46</u> — ◀	▶ <u>M11</u> (**) ◀	(**)	▶ <u>M56</u> (**) ◀

▼ M2

(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)
▶ <u>M58</u> 0,01 (*) ◀		▶ <u>M46</u> 0,02 (*) ◀	▶ <u>M59</u> 0,01 (*) ◀	▶ <u>M32</u> — ◀	0,05 (*)	0,01 (*)	0,01 (*)	▶ <u>M77</u> — ◀
				▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀				▶ <u>M77</u> — ◀ ▶ <u>M77</u> — ◀ ▶ <u>M77</u> — ◀ ▶ <u>M77</u> — ◀
				▶ <u>M32</u> — ◀				▶ <u>M77</u> — ◀
▶ <u>M58</u> 0,01 (*) ◀		▶ <u>M46</u> 0,02 (*) ◀	▶ <u>M59</u> 0,01 (*) ◀	▶ <u>M32</u> — ◀	0,05 (*)	0,01 (*)	0,01 (*)	▶ <u>M77</u> — ◀
▶ <u>M58</u> — ◀	(**)	▶ <u>M46</u> — ◀	▶ <u>M59</u> — ◀	▶ <u>M32</u> — ◀	(**)	(**)	(**)	▶ <u>M77</u> — ◀
▶ <u>M58</u> — ◀	(**)	▶ <u>M46</u> — ◀	▶ <u>M59</u> — ◀	▶ <u>M32</u> — ◀	(**)	(**)	(**)	▶ <u>M77</u> — ◀



▼ M2

(26)	(27)	(28)	(29)	(30)	(31)
▶ <u>M49</u> 0,01 (*) ◀	▶ <u>M52</u> 0,01 (*) ◀	▶ <u>M9</u> — ◀		0,05 (*)	▶ <u>M32</u> — ◀
▶ <u>M49</u> 0,01 (*) ◀	▶ <u>M52</u> 0,01 (*) ◀	▶ <u>M9</u> — ◀		0,05 (*)	▶ <u>M32</u> — ◀
▶ <u>M49</u> — ◀	▶ <u>M52</u> — ◀	▶ <u>M32</u> (**) ◀	(**)	(**)	▶ <u>M32</u> (**) ◀
▶ <u>M49</u> — ◀	▶ <u>M52</u> — ◀	▶ <u>M32</u> (**) ◀	(**)	(**)	▶ <u>M32</u> (**) ◀

▼ M2

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)
1030040	Quail	(**)	(**)	▶ <u>M42</u> — ◀	(**)	▶ <u>M52</u> — ◀	(**)
1030990	Others	(**)	(**)	▶ <u>M42</u> — ◀	(**)	▶ <u>M52</u> — ◀	(**)
1040000	(iv) <b>Honey</b>	(**)	(**)	▶ <u>M42</u> 0,05 (*) ◀	(**)	▶ <u>M52</u> 0,05 (*) ◀	(**)
1050000	(v) <b>Amphibians and reptiles</b>	(**)	(**)	▶ <u>M42</u> 0,01 (*) ◀	(**)	▶ <u>M52</u> 0,02 (*) ◀	(**)
1060000	(vi) <b>Snails</b>	(**)	(**)	▶ <u>M42</u> 0,01 (*) ◀	(**)	▶ <u>M52</u> 0,02 (*) ◀	(**)
1070000	(vii) <b>Other terrestrial animal products</b>	(**)	(**)	▶ <u>M42</u> 0,01 (*) ◀	(**)	▶ <u>M52</u> 0,02 (*) ◀	(**)

▼ M2

(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
▶ <u>M47</u> (**) ◀	(**)	▶ <u>M32</u> (**) ◀	▶ <u>M5</u> (**) ◀	▶ <u>M46</u> — ◀	▶ <u>M11</u> (**) ◀	(**)	▶ <u>M56</u> (**) ◀
▶ <u>M47</u> (**) ◀	(**)	▶ <u>M32</u> (**) ◀	▶ <u>M5</u> (**) ◀	▶ <u>M46</u> — ◀	▶ <u>M11</u> (**) ◀	(**)	▶ <u>M56</u> (**) ◀
▶ <u>M47</u> (**) ◀	(**)	▶ <u>M32</u> (**) ◀	▶ <u>M5</u> (**) ◀	▶ <u>M46</u> 0,05 (*) ◀	▶ <u>M11</u> (**) ◀	(**)	▶ <u>M56</u> (**) ◀
▶ <u>M47</u> (**) ◀	(**)	▶ <u>M32</u> (**) ◀	▶ <u>M5</u> (**) ◀	▶ <u>M46</u> 0,01 (*) ◀	▶ <u>M11</u> (**) ◀	(**)	▶ <u>M56</u> (**) ◀
▶ <u>M47</u> (**) ◀	(**)	▶ <u>M32</u> (**) ◀	▶ <u>M5</u> (**) ◀	▶ <u>M46</u> 0,01 (*) ◀	▶ <u>M11</u> (**) ◀	(**)	▶ <u>M56</u> (**) ◀
▶ <u>M47</u> (**) ◀	(**)	▶ <u>M32</u> (**) ◀	▶ <u>M5</u> (**) ◀	▶ <u>M46</u> 0,01 (*) ◀	▶ <u>M11</u> (**) ◀	(**)	▶ <u>M56</u> (**) ◀

▼ M2

(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)
▶ <u>M58</u> — ◀	(**)	▶ <u>M46</u> — ◀	▶ <u>M59</u> — ◀	▶ <u>M32</u> — ◀	(**)	(**)	(**)	▶ <u>M77</u> — ◀
▶ <u>M58</u> — ◀	(**)	▶ <u>M46</u> — ◀	▶ <u>M59</u> — ◀	▶ <u>M32</u> — ◀	(**)	(**)	(**)	▶ <u>M77</u> — ◀
▶ <u>M58</u> 0,05 (*) ◀	(**)	▶ <u>M46</u> 0,05 (*) ◀	▶ <u>M59</u> 0,05 (*) ◀	▶ <u>M32</u> — ◀	(**)	(**)	(**)	▶ <u>M77</u> — ◀
▶ <u>M58</u> 0,01 (*) ◀	(**)	▶ <u>M46</u> 0,02 (*) ◀	▶ <u>M59</u> 0,01 (*) ◀	▶ <u>M32</u> — ◀	(**)	(**)	(**)	▶ <u>M77</u> — ◀
▶ <u>M58</u> 0,01 (*) ◀	(**)	▶ <u>M46</u> 0,02 (*) ◀	▶ <u>M59</u> 0,01 (*) ◀	▶ <u>M32</u> — ◀	(**)	(**)	(**)	▶ <u>M77</u> — ◀
▶ <u>M58</u> 0,01 (*) ◀	(**)	▶ <u>M46</u> 0,02 (*) ◀	▶ <u>M59</u> 0,01 (*) ◀	▶ <u>M32</u> — ◀	(**)	(**)	(**)	▶ <u>M77</u> — ◀

▼ M2

(26)	(27)	(28)	(29)	(30)	(31)
▶ <u>M49</u> — ◀	▶ <u>M52</u> — ◀	▶ <u>M32</u> (**) ◀	(**)	(**)	▶ <u>M32</u> (**) ◀
▶ <u>M49</u> — ◀	▶ <u>M52</u> — ◀	▶ <u>M32</u> (**) ◀	(**)	(**)	▶ <u>M32</u> (**) ◀
▶ <u>M49</u> 0,05 (*) ◀	▶ <u>M52</u> 0,05 (*) ◀	▶ <u>M32</u> (**) ◀	(**)	(**)	▶ <u>M32</u> (**) ◀
▶ <u>M49</u> 0,01 (*) ◀	▶ <u>M52</u> 0,01 (*) ◀	▶ <u>M32</u> (**) ◀	(**)	(**)	▶ <u>M32</u> (**) ◀
▶ <u>M49</u> 0,01 (*) ◀	▶ <u>M52</u> 0,01 (*) ◀	▶ <u>M32</u> (**) ◀	(**)	(**)	▶ <u>M32</u> (**) ◀
▶ <u>M49</u> 0,01 (*) ◀	▶ <u>M52</u> 0,01 (*) ◀	▶ <u>M32</u> (**) ◀	(**)	(**)	▶ <u>M32</u> (**) ◀

▼ M2

Pesticide residues and maximum residue levels (mg/kg)

(1) Code number	(2) Groups and examples of individual products to which the MRLs apply <sup>(a)</sup>	(3) ▶ <u>M72</u> Penconazole <sup>(1)</sup> ▼	(4) ▶ <u>M78</u> Pendimethalin <sup>(1)</sup> ▼	(5) Pethoxamid	(6) Phenmedipham <sup>(8)</sup>	(7) ▶ <u>M32</u> Phorate (sum of phorate, its oxygen analogue and their sulfones expressed as phorate) ▼	(8) Phosphamidon	(9) ▶ <u>M66</u> Picoimafen ▼
0100000	1. <b>FRUIT FRESH OR FROZEN; NUTS</b>		▶ <u>M78</u> 0,05 (*) ◀	0,01 (*)		▶ <u>M32</u> — ◀	0,01 (*)	▶ <u>M66</u> 0,01 (*) ◀
0110000	(i) <b>Citrus fruit</b>	▶ <u>M72</u> 0,05 (*) ◀			0,05 (*)	▶ <u>M32</u> 0,01 (*) ◀		
0110010	Grapefruit							
0110020	Oranges							
0110030	Lemons							
0110040	Limes							
0110050	Mandarins							
0110990	Others							
0120000	(ii) <b>Tree nuts (shelled or unshelled)</b>	▶ <u>M72</u> 0,05 (*) ◀			0,05 (*)	▶ <u>M32</u> 0,02 (*) ◀		

▼ M2

▶ <u>M70</u> Picoxystrobin (1) ▼	Pririmphos-methyl (1)	▶ <u>M19</u> Prochloraz (sum of prochloraz and its metabolites containing the 2,4,6-Trichlorophenol moiety expressed as prochloraz) ▼	▶ <u>M64</u> — ▼	▶ <u>M64</u> Profenofos (1) ▼	▶ <u>M73</u> Prohexadione (prohexadione (acid) and its salts expressed as prohexadione-calcium) ▼	▶ <u>M74</u> Propiconazole ▼	Propineb (expressed as propilendiamine) (13)
(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)
▶ <u>M70</u> 0,01 (*) ◀			▶ <u>M64</u> — ◀	▶ <u>M11</u> — ◀	▶ <u>M73</u> — ◀		
		▶ <u>M19</u> 10 ◀	▶ <u>M64</u> — ◀	▶ <u>M64</u> 0,01 (*) ◀	▶ <u>M73</u> 0,01 (*) ◀	▶ <u>M74</u> — ◀	0,05 (*)
	1		▶ <u>M64</u> — ◀			▶ <u>M74</u> 6 ◀	
	1		▶ <u>M64</u> — ◀			▶ <u>M74</u> 9 ◀	
	1		▶ <u>M64</u> — ◀			▶ <u>M74</u> 6 ◀	
	1		▶ <u>M64</u> — ◀			▶ <u>M74</u> 6 ◀	
	2		▶ <u>M64</u> — ◀			▶ <u>M74</u> 6 ◀	
	1		▶ <u>M64</u> — ◀			▶ <u>M74</u> 6 ◀	
	0,05 (*)	▶ <u>M19</u> 0,1 (*) ◀	▶ <u>M64</u> — ◀	▶ <u>M64</u> 0,02 (*) ◀	▶ <u>M73</u> 0,01 (*) ◀	▶ <u>M74</u> 0,05 (*) ◀	0,05 (*)

▼ M2

Propoxur	► <u>M59</u> Propoxycarbazone (A) (propoxycarbazone, its salts and 2-hydroxypropoxycarbazone expressed as propoxycarbazone) ▼	► <u>M67</u> Propyzamide (L) (8) ▼	► <u>M58</u> Prosulfuron ▼	► <u>M72</u> Pymetrozine (A) (8) ▼	► <u>M75</u> Pyraclostrobin (L) ▼	► <u>M59</u> Pyraflufen-ethyl (A) (Sum of pyraflufen-ethyl and pyraflufen, expressed as pyraflufen-ethyl) ▼	Pyrazophos (L)
(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)
	► <u>M59</u> — ◀	► <u>M67</u> — ◀	► <u>M58</u> — ◀			► <u>M59</u> 0,02 (*) ◀	0,05 (*)
	► <u>M59</u> 0,02 (*) ◀	► <u>M67</u> 0,01 (*) ◀	► <u>M58</u> 0,01 (*) ◀	► <u>M72</u> 0,3 (+) ◀	► <u>M40</u> — ◀	► <u>M59</u> (+) ◀	
0,05 (*)					► <u>M75</u> 1 ◀		
0,05 (*)					► <u>M75</u> 2 ◀		
0,3					► <u>M75</u> 1 ◀		
0,3					► <u>M75</u> 1 ◀		
0,3					► <u>M75</u> 1 ◀		
0,05 (*)					► <u>M75</u> 1 ◀		
0,05 (*)	► <u>M59</u> 0,05 (*) ◀		► <u>M58</u> 0,02 (*) ◀	► <u>M55</u> — ◀		► <u>M59</u> (+) ◀	



▼ M2

<p>▶ <u>M67</u> Pyridate (sum of pyridate, its hydrolysis product CL 9673 (6-chloro-4-hydroxy-3-phenylpyridazin) and hydrolysable conjugates of CL 9673 expressed as pyridate) ▼</p>	<p>▶ <u>M74</u> Pyrimethanil <sup>(6)</sup> ▼</p>	<p>Quinalphos</p>	<p>▶ <u>M47</u> Quinoxifen <sup>(L)</sup> ▼</p>	<p>▶ <u>M32</u> Quintozene (sum of quintozene and pentachloro-aniline expressed as quintozene) <sup>(L)</sup> ▼</p>	<p>Resmethrin (resmethrin including other mixtures of constituent isomers (sum of isomers)) <sup>(L)</sup></p>
(26)	(27)	(28)	(29)	(30)	(31)
<p>▶ <u>M67</u> 0,05 (*) ◀</p>		<p>0,05 (*)</p>		<p>▶ <u>M32</u> — ◀</p>	
	<p>▶ <u>M74</u> 8 ◀</p>		<p>▶ <u>M47</u> 0,02 (*) ◀</p>	<p>▶ <u>M32</u> 0,02 (*) ◀</p>	<p>0,1 (*)</p>
			<p>▶ <u>M47</u> 0,02 (*) ◀</p>	<p>▶ <u>M32</u> 0,05 (*) ◀</p>	<p>0,2 (*)</p>

▼ **M2**

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)
0120010	Almonds							
0120020	Brazil nuts							
0120030	Cashew nuts							
0120040	Chestnuts							
0120050	Coconuts							
0120060	Hazelnuts							
0120070	Macadamia							
0120080	Pecans							
0120090	Pine nuts							
0120100	Pistachios							
0120110	Walnuts							
0120990	Others							
0130000	(iii) <b>Pome fruit</b>	▶ <u>M72</u> 0,2 ◀			0,05 (*)	▶ <u>M32</u> 0,01 (*) ◀		
0130010	Apples							
0130020	Pears							
0130030	Quinces							
0130040	Medlar	▶ <u>M72</u> (**) ◀	▶ <u>M67</u> — ◀	(**)	(**)	▶ <u>M32</u> (**) ◀	(**)	▶ <u>M66</u> — ◀
0130050	Loquat	▶ <u>M72</u> (**) ◀	▶ <u>M67</u> — ◀	(**)	(**)	▶ <u>M32</u> (**) ◀	(**)	▶ <u>M66</u> — ◀
0130990	Others							
0140000	(iv) <b>Stone fruit</b>				0,05 (*)	▶ <u>M32</u> 0,01 (*) ◀		
0140010	Apricots	▶ <u>M72</u> 0,1 ◀						
0140020	Cherries	▶ <u>M72</u> 0,05 (*) ◀						
0140030	Peaches	▶ <u>M72</u> 0,1 ◀						
0140040	Plums	▶ <u>M72</u> 0,05 (*) ◀						
0140990	Others	▶ <u>M72</u> 0,05 (*) ◀						
0150000	(v) <b>Berries &amp; small fruit</b>					▶ <u>M32</u> 0,01 (*) ◀		

▼ M2

(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)
			▶ <u>M64</u> — ◀ ▶ <u>M64</u> — ◀ ▶ <u>M64</u> — ◀ ▶ <u>M64</u> — ◀ ▶ <u>M64</u> — ◀ ▶ <u>M64</u> — ◀ ▶ <u>M64</u> — ◀ ▶ <u>M64</u> — ◀ ▶ <u>M64</u> — ◀ ▶ <u>M64</u> — ◀				
			▶ <u>M64</u> — ◀				
	0,05 (*)	▶ <u>M19</u> 0,05 (*) ◀	▶ <u>M64</u> — ◀	▶ <u>M64</u> 0,01 (*) ◀	▶ <u>M73</u> 0,1 ◀	▶ <u>M25</u> — ◀	0,3
▶ <u>M51</u> — ◀ ▶ <u>M51</u> — ◀	(**) (**)	(**) (**)	▶ <u>M64</u> — ◀ ▶ <u>M64</u> — ◀ ▶ <u>M64</u> — ◀ ▶ <u>M64</u> — ◀	▶ <u>M64</u> (***) ◀ ▶ <u>M64</u> (***) ◀	▶ <u>M73</u> — ◀ ▶ <u>M73</u> — ◀	▶ <u>M74</u> 0,15 ◀ ▶ <u>M74</u> 0,05 (*) ◀ ▶ <u>M74</u> 0,05 (*) ◀ ▶ <u>M74</u> (***) ◀ ▶ <u>M74</u> (***) ◀	(**) (**)
			▶ <u>M64</u> — ◀			▶ <u>M74</u> 0,05 (*) ◀	
	0,05 (*)	▶ <u>M19</u> 0,05 (*) ◀	▶ <u>M64</u> — ◀	▶ <u>M64</u> 0,01 (*) ◀	▶ <u>M73</u> 0,01 (*) ◀		
			▶ <u>M64</u> — ◀ ▶ <u>M64</u> — ◀ ▶ <u>M64</u> — ◀ ▶ <u>M64</u> — ◀			▶ <u>M74</u> 0,2 ◀ ▶ <u>M74</u> 0,05 (*) ◀ ▶ <u>M74</u> 5 ◀ ▶ <u>M74</u> 0,05 (*) ◀	0,05 (*) 0,3 0,05 (*) 0,05 (*)
			▶ <u>M64</u> — ◀			▶ <u>M74</u> 0,05 (*) ◀	0,05 (*)
		▶ <u>M19</u> 0,05 (*) ◀	▶ <u>M64</u> — ◀	▶ <u>M64</u> 0,01 (*) ◀	▶ <u>M73</u> 0,01 (*) ◀	▶ <u>M25</u> — ◀	

▼ M2

(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)
		<p>▶ <u>M67</u> 0,02 ◀</p> <p>▶ <u>M67</u> 0,01 (*) ◀</p> <p>▶ <u>M67</u> 0,01 (*) ◀</p> <p>▶ <u>M67</u> 0,02 ◀</p> <p>▶ <u>M67</u> 0,01 (*) ◀</p> <p>▶ <u>M67</u> 0,02 ◀</p> <p>▶ <u>M67</u> 0,01 (*) ◀</p> <p>▶ <u>M67</u> 0,01 (*) ◀</p> <p>▶ <u>M67</u> 0,01 (*) ◀</p> <p>▶ <u>M67</u> 0,01 (*) ◀</p> <p>▶ <u>M67</u> 0,02 ◀</p>		<p>▶ <u>M72</u> 0,02 (*) ◀</p> <p>▶ <u>M72</u> 0,02 (*) ◀</p> <p>▶ <u>M72</u> 0,02 (*) ◀</p> <p>▶ <u>M72</u> 0,05 ◀</p> <p>▶ <u>M72</u> 0,02 (*) ◀</p> <p>▶ <u>M72</u> 0,05 ◀</p> <p>▶ <u>M72</u> 0,02 (*) ◀</p> <p>▶ <u>M72</u> 0,02 (*) ◀</p> <p>▶ <u>M72</u> 0,02 (*) ◀</p> <p>▶ <u>M72</u> 0,02 (*) ◀</p> <p>▶ <u>M72</u> 0,02 (*) ◀</p> <p>▶ <u>M72</u> 0,05 ◀</p>	<p>▶ <u>M75</u> 0,02 (*) ◀</p> <p>▶ <u>M75</u> 0,02 (*) ◀</p> <p>▶ <u>M75</u> 0,02 (*) ◀</p> <p>▶ <u>M75</u> 0,02 (*) ◀</p> <p>▶ <u>M75</u> 0,02 (*) ◀</p> <p>▶ <u>M75</u> 0,02 (*) ◀</p> <p>▶ <u>M75</u> 0,02 (*) ◀</p> <p>▶ <u>M75</u> 0,02 (*) ◀</p> <p>▶ <u>M75</u> 1 ◀</p> <p>▶ <u>M75</u> 0,02 (*) ◀</p>		
		▶ <u>M67</u> 0,01 (*) ◀		▶ <u>M72</u> 0,02 (*) ◀	▶ <u>M75</u> 0,02 (*) ◀		
0,05 (*)	▶ <u>M59</u> 0,02 (*) ◀	▶ <u>M67</u> 0,02 ◀	▶ <u>M58</u> 0,01 (*) ◀	▶ <u>M72</u> 0,02 (*) ◀	▶ <u>M75</u> 0,5 ◀	▶ <u>M59</u> (+) ◀	
(**)	▶ <u>M59</u> — ◀	▶ <u>M67</u> — ◀	▶ <u>M58</u> — ◀	▶ <u>M72</u> (+) ◀			(**)
(**)	▶ <u>M59</u> — ◀	▶ <u>M67</u> — ◀	▶ <u>M58</u> — ◀	▶ <u>M72</u> (+) ◀	▶ <u>M55</u> — ◀	▶ <u>M40</u> — ◀	▶ <u>M59</u> — ◀
				▶ <u>M55</u> — ◀	▶ <u>M40</u> — ◀	▶ <u>M59</u> — ◀	(**)
0,05 (*)	▶ <u>M59</u> 0,02 (*) ◀	▶ <u>M67</u> 0,02 ◀	▶ <u>M58</u> 0,01 (*) ◀			▶ <u>M59</u> (+) ◀	
				▶ <u>M72</u> 0,03 (+) ◀	▶ <u>M75</u> 1 ◀		
				▶ <u>M72</u> 0,02 (*) ◀	▶ <u>M75</u> 3 ◀		
				▶ <u>M72</u> 0,03 (+) ◀	▶ <u>M75</u> 0,3 ◀		
				▶ <u>M72</u> 0,02 (*) ◀	▶ <u>M75</u> 0,8 ◀		
				▶ <u>M72</u> 0,02 (*) ◀	▶ <u>M75</u> 0,02 (*) ◀		
	▶ <u>M59</u> 0,02 (*) ◀	▶ <u>M67</u> 0,01 (*) ◀	▶ <u>M58</u> 0,01 (*) ◀			▶ <u>M59</u> — ◀	

▼ M2

(26)	(27)	(28)	(29)	(30)	(31)
	<p>▶ <u>M74</u> 0,2 ◀</p> <p>▶ <u>M74</u> 0,02 (*) ◀</p> <p>▶ <u>M74</u> 0,02 (*) ◀</p> <p>▶ <u>M74</u> 0,02 (*) ◀</p> <p>▶ <u>M74</u> 0,02 (*) ◀</p> <p>▶ <u>M74</u> 0,02 (*) ◀</p> <p>▶ <u>M74</u> 0,02 (*) ◀</p> <p>▶ <u>M74</u> 0,02 (*) ◀</p> <p>▶ <u>M74</u> 0,02 (*) ◀</p> <p>▶ <u>M74</u> 0,2 ◀</p> <p>▶ <u>M74</u> 0,02 (*) ◀</p>				
	▶ <u>M74</u> 0,02 (*) ◀				
	▶ <u>M74</u> 15 ◀			▶ <u>M32</u> 0,02 (*) ◀	0,1 (*)
▶ <u>M67</u> — ◀	▶ <u>M51</u> — ◀	(**)	▶ <u>M47</u> 0,05 ◀		
▶ <u>M67</u> — ◀	▶ <u>M51</u> — ◀	(**)	▶ <u>M47</u> 0,02 (*) ◀	▶ <u>M32</u> (**) ◀	(**)
			▶ <u>M47</u> 0,02 (*) ◀	▶ <u>M32</u> (**) ◀	(**)
				▶ <u>M32</u> 0,02 (*) ◀	0,1 (*)
	▶ <u>M74</u> 10 ◀		▶ <u>M47</u> 0,05 ◀		
	▶ <u>M74</u> 4 ◀		▶ <u>M47</u> 0,3 ◀		
	▶ <u>M74</u> 10 ◀		▶ <u>M47</u> 0,05 ◀		
	▶ <u>M74</u> 2 ◀		▶ <u>M47</u> 0,02 (*) ◀		
	▶ <u>M74</u> 0,01 (*) ◀		▶ <u>M47</u> 0,02 (*) ◀		
				▶ <u>M32</u> 0,02 (*) ◀	0,1 (*)

▼ **M2**

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)
0151000	(a) <i>Table and wine grapes</i>	► <b>M72</b> 0,2 ◀			0,05 (*)			
0151010	Table grapes							
0151020	Wine grapes							
0152000	(b) <i>Strawberries</i>	► <b>M72</b> 0,5 ◀	► <b>M78</b> (+) ◀		0,1			
0153000	(c) <i>Cane fruit</i>	► <b>M72</b> — ◀			0,05 (*)			
0153010	Blackberries	► <b>M72</b> 0,1 ◀						
0153020	Dewberries	► <b>M72</b> 0,05 (*) ◀						
0153030	Raspberries	► <b>M72</b> 0,1 ◀						
0153990	Others	► <b>M72</b> 0,05 (*) ◀						
0154000	(d) <i>Other small fruit &amp; berries</i>				0,05 (*)			
0154010	Blueberries	► <b>M72</b> 0,05 (*) ◀						
0154020	Cranberries	► <b>M72</b> 0,05 (*) ◀						
0154030	Currants (red, black and white)	► <b>M72</b> 0,5 ◀						
0154040	Gooseberries	► <b>M72</b> 0,05 (*) ◀						
0154050	Rose hips	► <b>M72</b> (**) ◀	► <b>M67</b> — ◀	(**)	(**)	► <b>M32</b> (**) ◀	(**)	► <b>M66</b> — ◀
0154060	Mulberries	► <b>M72</b> (**) ◀	► <b>M67</b> — ◀	(**)	(**)	► <b>M32</b> (**) ◀	(**)	► <b>M66</b> — ◀
0154070	Azarole (mediterranean medlar)	► <b>M72</b> (**) ◀	► <b>M67</b> — ◀	(**)	(**)	► <b>M32</b> (**) ◀	(**)	► <b>M66</b> — ◀
0154080	Elderberries	► <b>M72</b> (**) ◀	► <b>M67</b> — ◀	(**)	(**)	► <b>M32</b> (**) ◀	(**)	► <b>M66</b> — ◀
0154990	Others	► <b>M72</b> 0,05 (*) ◀						

▼ M2

(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)
			▶ <u>M64</u> — ◀			▶ <u>M74</u> 0,3 ◀	1
	0,05 (*) 2		▶ <u>M64</u> — ◀ ▶ <u>M64</u> — ◀				
	0,05 (*)		▶ <u>M64</u> — ◀			▶ <u>M74</u> 0,05 (*) ◀	0,05 (*)
	0,05 (*)		▶ <u>M64</u> — ◀			▶ <u>M74</u> 0,05 (*) ◀	0,05 (*)
			▶ <u>M64</u> — ◀ ▶ <u>M64</u> — ◀ ▶ <u>M64</u> — ◀				
			▶ <u>M64</u> — ◀				
	0,05 (*)		▶ <u>M64</u> — ◀			▶ <u>M74</u> 0,05 (*) ◀	0,05 (*)
			▶ <u>M64</u> — ◀ ▶ <u>M64</u> — ◀ ▶ <u>M64</u> — ◀				
▶ <u>M51</u> — ◀	(**)	(**)	▶ <u>M64</u> — ◀ ▶ <u>M64</u> — ◀ ▶ <u>M64</u> — ◀	▶ <u>M64</u> (**) ▶ <u>M64</u> (**) ▶ <u>M64</u> (**)	▶ <u>M73</u> — ◀ ▶ <u>M73</u> — ◀ ▶ <u>M73</u> — ◀	▶ <u>M74</u> (**) ▶ <u>M74</u> (**) ▶ <u>M74</u> (**)	(**) (**) (**)
▶ <u>M51</u> — ◀	(**)	(**)	▶ <u>M64</u> — ◀	▶ <u>M64</u> (**)	▶ <u>M73</u> — ◀	▶ <u>M74</u> (**)	(**)
▶ <u>M51</u> — ◀	(**)	(**)	▶ <u>M64</u> — ◀	▶ <u>M64</u> (**)	▶ <u>M73</u> — ◀	▶ <u>M74</u> (**)	(**)
▶ <u>M51</u> — ◀	(**)	(**)	▶ <u>M64</u> — ◀	▶ <u>M64</u> (**)	▶ <u>M73</u> — ◀	▶ <u>M74</u> (**)	(**)
			▶ <u>M64</u> — ◀				

▼ M2

(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)
0,05 (*)				▶ <u>M72</u> 0,02 (*) ◀		▶ <u>M59</u> (+) ◀	
					▶ <u>M75</u> 1 (+) ◀ ▶ <u>M75</u> 2 ◀		
0,05 (*)				▶ <u>M72</u> 0,3 (+) ◀	▶ <u>M75</u> 1,5 ◀		
0,05 (*)					▶ <u>M40</u> — ◀		
				▶ <u>M72</u> 3 (+) ◀ ▶ <u>M72</u> 0,02 (*) ◀ ▶ <u>M72</u> 3 (+) ◀	▶ <u>M75</u> 3 ◀ ▶ <u>M75</u> 2 ◀ ▶ <u>M75</u> 3 ◀		
				▶ <u>M72</u> 0,02 (*) ◀	▶ <u>M75</u> 2 ◀		
					▶ <u>M40</u> — ◀		
0,05 (*) 0,05 (*) 0,2				▶ <u>M72</u> 0,7 (+) ◀ ▶ <u>M72</u> 0,02 (*) ◀ ▶ <u>M72</u> 0,7 (+) ◀	▶ <u>M75</u> 4 ◀ ▶ <u>M75</u> 3 ◀ ▶ <u>M75</u> 3 ◀	▶ <u>M59</u> (+) ◀	
0,2				▶ <u>M72</u> 0,7 (+) ◀	▶ <u>M75</u> 3 ◀	▶ <u>M59</u> (+) ◀	
(**)	▶ <u>M59</u> — ◀	▶ <u>M67</u> — ◀	▶ <u>M58</u> — ◀	▶ <u>M72</u> 0,02 (*) ◀	▶ <u>M75</u> 3 ◀	▶ <u>M59</u> — ◀	(**)
(**)	▶ <u>M59</u> — ◀	▶ <u>M67</u> — ◀	▶ <u>M58</u> — ◀	▶ <u>M72</u> 0,02 (*) ◀	▶ <u>M75</u> 3 ◀	▶ <u>M59</u> — ◀	(**)
(**)	▶ <u>M59</u> — ◀	▶ <u>M67</u> — ◀	▶ <u>M58</u> — ◀	▶ <u>M72</u> 0,7 (+) ◀	▶ <u>M75</u> 3 ◀	▶ <u>M59</u> — ◀	(**)
(**)	▶ <u>M59</u> — ◀	▶ <u>M67</u> — ◀	▶ <u>M58</u> — ◀	▶ <u>M72</u> 0,02 (*) ◀	▶ <u>M75</u> 3 ◀	▶ <u>M59</u> (+) ◀	(**)
0,05 (*)				▶ <u>M72</u> 0,02 (*) ◀	▶ <u>M75</u> 3 ◀		



▼ M2

(26)	(27)	(28)	(29)	(30)	(31)
	▶ <u>M74</u> 5 ◀		▶ <u>M47</u> 1 ◀		
	▶ <u>M74</u> 5 ◀		▶ <u>M47</u> 0,3 ◀		
			▶ <u>M47</u> 0,02 (*) ◀		
	▶ <u>M74</u> 10 ◀ ▶ <u>M74</u> 0,01 (*) ◀ ▶ <u>M74</u> 10 ◀				
	▶ <u>M74</u> 0,01 (*) ◀				
	▶ <u>M74</u> — ◀		▶ <u>M47</u> 2 ◀		
	▶ <u>M74</u> 5 ◀ ▶ <u>M74</u> 5 ◀ ▶ <u>M74</u> 5 ◀				
▶ <u>M67</u> — ◀	▶ <u>M74</u> 5 ◀	(**)	▶ <u>M47</u> (**) ◀	▶ <u>M32</u> (**) ◀	(**)
▶ <u>M67</u> — ◀	▶ <u>M74</u> 5 ◀	(**)	▶ <u>M47</u> (**) ◀	▶ <u>M32</u> (**) ◀	(**)
▶ <u>M67</u> — ◀	▶ <u>M74</u> 15 ◀	(**)	▶ <u>M47</u> (**) ◀	▶ <u>M32</u> (**) ◀	(**)
▶ <u>M67</u> — ◀	▶ <u>M74</u> 5 ◀	(**)	▶ <u>M47</u> (**) ◀	▶ <u>M32</u> (**) ◀	(**)
	▶ <u>M74</u> 5 ◀				

▼ **M2**

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)
0160000	(vi) <b>Miscellaneous fruit</b>	▶ <b>M72</b> 0,05 (*) ◀			0,05 (*)	▶ <b>M32</b> 0,01 (*) ◀		
0161000	(a) <i>Edible peel</i>							
0161010	Dates							
0161020	Figs							
0161030	Table olives							
0161040	Kumquats							
0161050	Carambola	▶ <b>M72</b> (**) ◀	▶ <b>M67</b> — ◀	(**)	(**)	▶ <b>M32</b> (**) ◀	(**)	▶ <b>M66</b> — ◀
0161060	Persimmon	▶ <b>M72</b> (**) ◀	▶ <b>M67</b> — ◀	(**)	(**)	▶ <b>M32</b> (**) ◀	(**)	▶ <b>M66</b> — ◀
0161070	Jambolan (java plum)	▶ <b>M72</b> (**) ◀	▶ <b>M67</b> — ◀	(**)	(**)	▶ <b>M32</b> (**) ◀	(**)	▶ <b>M66</b> — ◀
0161990	Others							
0162000	(b) <i>Inedible peel, small</i>							
0162010	Kiwi							
0162020	Lychee (Litchi)							
0162030	Passion fruit							
0162040	Prickly pear (cactus fruit)	▶ <b>M72</b> (**) ◀	▶ <b>M67</b> — ◀	(**)	(**)	▶ <b>M32</b> (**) ◀	(**)	▶ <b>M66</b> — ◀
0162050	Star apple	▶ <b>M72</b> (**) ◀	▶ <b>M67</b> — ◀	(**)	(**)	▶ <b>M32</b> (**) ◀	(**)	▶ <b>M66</b> — ◀
0162060	American persimmon (Virginia kaki)	▶ <b>M72</b> (**) ◀	▶ <b>M67</b> — ◀	(**)	(**)	▶ <b>M32</b> (**) ◀	(**)	▶ <b>M66</b> — ◀
0162990	Others							
0163000	(c) <i>Inedible peel, large</i>							
0163010	Avocados							

▼ M2

(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)
			▶ <u>M64</u> — ◀		▶ <u>M73</u> 0,01 (*) ◀		
	0,05 (*)	▶ <u>M19</u> 0,05 (*) ◀	▶ <u>M64</u> — ◀	▶ <u>M64</u> 0,01 (*) ◀		▶ <u>M74</u> 0,05 (*) ◀	
▶ <u>M51</u> — ◀ ▶ <u>M51</u> — ◀ ▶ <u>M51</u> — ◀	(**) (**) (**)	(**) (**) (**)	▶ <u>M64</u> — ◀ ▶ <u>M64</u> — ◀ ▶ <u>M64</u> — ◀ ▶ <u>M64</u> — ◀ ▶ <u>M64</u> — ◀	▶ <u>M64</u> (**) ▶ <u>M64</u> (**) ▶ <u>M64</u> (**)	▶ <u>M73</u> — ◀ ▶ <u>M73</u> — ◀ ▶ <u>M73</u> — ◀	▶ <u>M74</u> (**) ▶ <u>M74</u> (**) ▶ <u>M74</u> (**)	0,05 (*) 0,05 (*) 0,3 0,05 (*) (**) (**) (**)
			▶ <u>M64</u> — ◀				0,05 (*)
		▶ <u>M19</u> 0,05 (*) ◀	▶ <u>M64</u> — ◀	▶ <u>M64</u> 0,01 (*) ◀		▶ <u>M74</u> 0,05 (*) ◀	0,05 (*)
▶ <u>M51</u> — ◀ ▶ <u>M51</u> — ◀ ▶ <u>M51</u> — ◀	2 0,05 (*) 0,05 (*) (**)	(**) (**) (**)	▶ <u>M64</u> — ◀ ▶ <u>M64</u> — ◀ ▶ <u>M64</u> — ◀ ▶ <u>M64</u> — ◀	▶ <u>M64</u> (**) ▶ <u>M64</u> (**) ▶ <u>M64</u> (**)	▶ <u>M73</u> — ◀ ▶ <u>M73</u> — ◀ ▶ <u>M73</u> — ◀	▶ <u>M74</u> (**) ▶ <u>M74</u> (**) ▶ <u>M74</u> (**)	(**) (**) (**)
	0,05 (*)		▶ <u>M64</u> — ◀				
	0,05 (*)		▶ <u>M64</u> — ◀				0,05 (*)
		▶ <u>M19</u> 5 ◀	▶ <u>M64</u> — ◀	▶ <u>M64</u> 0,01 (*) ◀		▶ <u>M74</u> 0,05 (*) ◀	

▼ M2

(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)
0,05 (*)	▶ <u>M59</u> 0,02 (*) ◀	▶ <u>M67</u> 0,01 (*) ◀	▶ <u>M58</u> 0,01 (*) ◀	▶ <u>M55</u> — ◀		▶ <u>M59</u> — ◀	
					▶ <u>M75</u> 0,02 (*) ◀		
				▶ <u>M72</u> 0,02 (*) ◀ ▶ <u>M72</u> 0,02 (*) ◀ ▶ <u>M72</u> 0,05 (*) ◀ ▶ <u>M72</u> 0,02 (*) ◀		▶ <u>M59</u> (+) ◀	
(**)	▶ <u>M59</u> — ◀	▶ <u>M67</u> — ◀	▶ <u>M58</u> — ◀	▶ <u>M72</u> 0,02 (*) ◀	▶ <u>M40</u> — ◀	▶ <u>M59</u> — ◀	(**)
(**)	▶ <u>M59</u> — ◀	▶ <u>M67</u> — ◀	▶ <u>M58</u> — ◀	▶ <u>M72</u> 0,02 (*) ◀	▶ <u>M40</u> — ◀	▶ <u>M59</u> — ◀	(**)
(**)	▶ <u>M59</u> — ◀	▶ <u>M67</u> — ◀	▶ <u>M58</u> — ◀	▶ <u>M72</u> 0,02 (*) ◀	▶ <u>M40</u> — ◀	▶ <u>M59</u> — ◀	(**)
				▶ <u>M72</u> 0,02 (*) ◀			
				▶ <u>M72</u> 0,02 (*) ◀	▶ <u>M75</u> 0,02 (*) ◀		
(**)	▶ <u>M59</u> — ◀	▶ <u>M67</u> — ◀	▶ <u>M58</u> — ◀	▶ <u>M55</u> — ◀	▶ <u>M40</u> — ◀	▶ <u>M59</u> — ◀	(**)
(**)	▶ <u>M59</u> — ◀	▶ <u>M67</u> — ◀	▶ <u>M58</u> — ◀	▶ <u>M55</u> — ◀	▶ <u>M40</u> — ◀	▶ <u>M59</u> — ◀	(**)
(**)	▶ <u>M59</u> — ◀	▶ <u>M67</u> — ◀	▶ <u>M58</u> — ◀	▶ <u>M55</u> — ◀	▶ <u>M40</u> — ◀	▶ <u>M59</u> — ◀	(**)
				▶ <u>M72</u> 0,05 (*) ◀	▶ <u>M75</u> 0,02 (*) ◀		

▼ M2

(26)	(27)	(28)	(29)	(30)	(31)
			▶ <u>M47</u> 0,02 (*) ◀	▶ <u>M32</u> 0,02 (*) ◀	0,1 (*)
	▶ <u>M51</u> — ◀				
	▶ <u>M74</u> 0,01 (*) ◀ ▶ <u>M74</u> 0,01 (*) ◀ ▶ <u>M74</u> 0,02 (*) ◀ ▶ <u>M74</u> 0,01 (*) ◀				
▶ <u>M67</u> — ◀	▶ <u>M74</u> 0,01 (*) ◀	(**)	▶ <u>M47</u> (**) ◀	▶ <u>M32</u> (**) ◀	(**)
▶ <u>M67</u> — ◀	▶ <u>M74</u> 15 ◀	(**)	▶ <u>M47</u> (**) ◀	▶ <u>M32</u> (**) ◀	(**)
▶ <u>M67</u> — ◀	▶ <u>M74</u> 0,01 (*) ◀	(**)	▶ <u>M47</u> (**) ◀	▶ <u>M32</u> (**) ◀	(**)
	▶ <u>M74</u> 0,01 (*) ◀				
	▶ <u>M74</u> 0,01 (*) ◀				
▶ <u>M67</u> — ◀	▶ <u>M51</u> — ◀	(**)	▶ <u>M47</u> (**) ◀	▶ <u>M32</u> (**) ◀	(**)
▶ <u>M67</u> — ◀	▶ <u>M51</u> — ◀	(**)	▶ <u>M47</u> (**) ◀	▶ <u>M32</u> (**) ◀	(**)
▶ <u>M67</u> — ◀	▶ <u>M51</u> — ◀	(**)	▶ <u>M47</u> (**) ◀	▶ <u>M32</u> (**) ◀	(**)
	▶ <u>M74</u> 0,01 (*) ◀				

▼ **M2**

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)
0163020	Bananas							
0163030	Mangoes							
0163040	Papaya							
0163050	Pomegranate							
0163060	Cherimoya	▶ <b>M72</b> (**) ◀	▶ <b>M67</b> — ◀	(**)	(**)	▶ <b>M32</b> (**) ◀	(**)	▶ <b>M66</b> — ◀
0163070	Guava	▶ <b>M72</b> (**) ◀	▶ <b>M67</b> — ◀	(**)	(**)	▶ <b>M32</b> (**) ◀	(**)	▶ <b>M66</b> — ◀
0163080	Pineapples							
0163090	Bread fruit	▶ <b>M72</b> (**) ◀	▶ <b>M67</b> — ◀	(**)	(**)	▶ <b>M32</b> (**) ◀	(**)	▶ <b>M66</b> — ◀
0163100	Durian	▶ <b>M72</b> (**) ◀	▶ <b>M67</b> — ◀	(**)	(**)	▶ <b>M32</b> (**) ◀	(**)	▶ <b>M66</b> — ◀
0163110	Soursop (guanabana)	▶ <b>M72</b> (**) ◀	▶ <b>M67</b> — ◀	(**)	(**)	▶ <b>M32</b> (**) ◀	(**)	▶ <b>M66</b> — ◀
0163990	Others							
0200000	<b>2. VEGETABLES FRESH OR FROZEN</b>			0,01 (*)		▶ <b>M32</b> — ◀	0,01 (*)	▶ <b>M66</b> — ◀
0210000	(i) <b>Root and tuber vegetables</b>	▶ <b>M72</b> 0,05 (*) ◀				▶ <b>M32</b> 0,01 (*) ◀		▶ <b>M66</b> 0,01 (*) ◀
0211000	(a) <i>Potatoes</i>		▶ <b>M78</b> 0,05 (*) ◀		0,05 (*)			
0212000	(b) <i>Tropical root and tuber vegetables</i>		▶ <b>M78</b> 0,05 (*) ◀		0,05 (*)			
0212010	Cassava							
0212020	Sweet potatoes							
0212030	Yams							
0212040	Arrowroot	▶ <b>M72</b> (**) ◀	▶ <b>M67</b> — ◀	(**)	(**)	▶ <b>M32</b> (**) ◀	(**)	▶ <b>M66</b> — ◀
0212990	Others							

▼ M2

(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)
		▶ <u>M19</u> 0,05 (*) ◀	▶ <u>M64</u> — ◀	▶ <u>M64</u> 0,01 (*) ◀		▶ <u>M74</u> 0,1 ◀	
		▶ <u>M19</u> 5 ◀	▶ <u>M64</u> — ◀	▶ <u>M64</u> 0,2 ◀		▶ <u>M74</u> 0,05 (*) ◀	
		▶ <u>M19</u> 5 ◀	▶ <u>M64</u> — ◀	▶ <u>M64</u> 0,01 (*) ◀		▶ <u>M74</u> 0,05 (*) ◀	
		▶ <u>M19</u> 0,05 (*) ◀	▶ <u>M64</u> — ◀	▶ <u>M64</u> 0,01 (*) ◀		▶ <u>M74</u> 0,05 (*) ◀	
▶ <u>M51</u> — ◀	(**)	(**)	▶ <u>M64</u> — ◀	▶ <u>M64</u> (**) ◀	▶ <u>M73</u> — ◀	▶ <u>M74</u> (**) ◀	(**)
▶ <u>M51</u> — ◀	(**)	(**)	▶ <u>M64</u> — ◀	▶ <u>M64</u> (**) ◀	▶ <u>M73</u> — ◀	▶ <u>M74</u> (**) ◀	(**)
		▶ <u>M19</u> 5 ◀	▶ <u>M64</u> — ◀	▶ <u>M64</u> 0,01 (*) ◀		▶ <u>M74</u> 0,05 (*) ◀	
▶ <u>M51</u> — ◀	(**)	(**)	▶ <u>M64</u> — ◀	▶ <u>M64</u> (**) ◀	▶ <u>M73</u> — ◀	▶ <u>M74</u> (**) ◀	(**)
▶ <u>M51</u> — ◀	(**)	(**)	▶ <u>M64</u> — ◀	▶ <u>M64</u> (**) ◀	▶ <u>M73</u> — ◀	▶ <u>M74</u> (**) ◀	(**)
▶ <u>M51</u> — ◀	(**)	(**)	▶ <u>M64</u> — ◀	▶ <u>M64</u> (**) ◀	▶ <u>M73</u> — ◀	▶ <u>M74</u> (**) ◀	(**)
		▶ <u>M19</u> 0,05 (*) ◀	▶ <u>M64</u> — ◀	▶ <u>M64</u> 0,01 (*) ◀		▶ <u>M74</u> 0,05 (*) ◀	
▶ <u>M51</u> — ◀			▶ <u>M64</u> — ◀	▶ <u>M11</u> — ◀	▶ <u>M73</u> — ◀		
▶ <u>M70</u> 0,01 (*) ◀		▶ <u>M19</u> 0,05 (*) ◀	▶ <u>M64</u> — ◀	▶ <u>M64</u> 0,01 (*) ◀	▶ <u>M73</u> 0,01 (*) ◀	▶ <u>M74</u> 0,05 (*) ◀	
	0,05 (*)	0,05 (*)	▶ <u>M64</u> — ◀				0,2
	0,05 (*)	0,05 (*)	▶ <u>M64</u> — ◀				0,05 (*)
			▶ <u>M64</u> — ◀				
			▶ <u>M64</u> — ◀				
▶ <u>M51</u> — ◀	(**)	(**)	▶ <u>M64</u> — ◀	▶ <u>M64</u> (**) ◀	▶ <u>M73</u> — ◀	▶ <u>M74</u> (**) ◀	(**)
			▶ <u>M64</u> — ◀				

▼ M2

(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)
				▶ <u>M72</u> 0,02 (*) ◀ ▶ <u>M72</u> 0,02 (*) ◀ ▶ <u>M72</u> 0,02 (*) ◀ ▶ <u>M72</u> 0,02 (*) ◀	▶ <u>M75</u> 0,02 (*) ◀ ▶ <u>M75</u> 0,05 ◀ ▶ <u>M75</u> 0,07 ◀ ▶ <u>M75</u> 0,02 (*) ◀		
(**)	▶ <u>M59</u> — ◀	▶ <u>M67</u> — ◀	▶ <u>M58</u> — ◀	▶ <u>M72</u> 0,02 (*) ◀	▶ <u>M75</u> 0,02 (*) ◀	▶ <u>M59</u> — ◀	(**)
(**)	▶ <u>M59</u> — ◀	▶ <u>M67</u> — ◀	▶ <u>M58</u> — ◀	▶ <u>M72</u> 0,02 (*) ◀	▶ <u>M75</u> 0,02 (*) ◀	▶ <u>M59</u> — ◀	(**)
				▶ <u>M72</u> 0,02 (*) ◀	▶ <u>M75</u> 0,02 (*) ◀		
(**)	▶ <u>M59</u> — ◀	▶ <u>M67</u> — ◀	▶ <u>M58</u> — ◀	▶ <u>M72</u> 0,02 (*) ◀	▶ <u>M75</u> 0,02 (*) ◀	▶ <u>M59</u> — ◀	(**)
(**)	▶ <u>M59</u> — ◀	▶ <u>M67</u> — ◀	▶ <u>M58</u> — ◀	▶ <u>M72</u> 0,02 (*) ◀	▶ <u>M75</u> 0,02 (*) ◀	▶ <u>M59</u> — ◀	(**)
(**)	▶ <u>M59</u> — ◀	▶ <u>M67</u> — ◀	▶ <u>M58</u> — ◀	▶ <u>M72</u> 0,02 (*) ◀	▶ <u>M75</u> 0,02 (*) ◀	▶ <u>M59</u> — ◀	(**)
				▶ <u>M72</u> 0,02 (*) ◀	▶ <u>M75</u> 0,02 (*) ◀		
	▶ <u>M59</u> — ◀		▶ <u>M58</u> — ◀			▶ <u>M59</u> 0,02 (*) ◀	0,05 (*)
0,05 (*)	▶ <u>M59</u> 0,02 (*) ◀	▶ <u>M67</u> 0,01 (*) ◀	▶ <u>M58</u> 0,01 (*) ◀	▶ <u>M72</u> 0,02 (*) ◀			
				▶ <u>M72</u> (+) ◀	▶ <u>M75</u> 0,02 (*) ◀	▶ <u>M59</u> (+) ◀	
					▶ <u>M75</u> 0,02 (*) ◀		
(**)	▶ <u>M59</u> — ◀	▶ <u>M67</u> — ◀	▶ <u>M58</u> — ◀	▶ <u>M55</u> — ◀	▶ <u>M40</u> — ◀	▶ <u>M59</u> — ◀	(**)



▼ M2

(26)	(27)	(28)	(29)	(30)	(31)
	▶ <u>M74</u> 0,1 ◀				
	▶ <u>M74</u> 0,01 (*) ◀				
	▶ <u>M74</u> 0,01 (*) ◀				
	▶ <u>M74</u> 0,01 (*) ◀				
▶ <u>M67</u> — ◀	▶ <u>M74</u> 0,01 (*) ◀	(**)	▶ <u>M47</u> (**) ◀	▶ <u>M32</u> (**) ◀	(**)
▶ <u>M67</u> — ◀	▶ <u>M74</u> 0,01 (*) ◀	(**)	▶ <u>M47</u> (**) ◀	▶ <u>M32</u> (**) ◀	(**)
	▶ <u>M74</u> 0,01 (*) ◀				
▶ <u>M67</u> — ◀	▶ <u>M74</u> 0,01 (*) ◀	(**)	▶ <u>M47</u> (**) ◀	▶ <u>M32</u> (**) ◀	(**)
▶ <u>M67</u> — ◀	▶ <u>M74</u> 0,01 (*) ◀	(**)	▶ <u>M47</u> (**) ◀	▶ <u>M32</u> (**) ◀	(**)
▶ <u>M67</u> — ◀	▶ <u>M74</u> 0,01 (*) ◀	(**)	▶ <u>M47</u> (**) ◀	▶ <u>M32</u> (**) ◀	(**)
	▶ <u>M74</u> 0,01 (*) ◀				
		0,05 (*)		▶ <u>M32</u> — ◀	0,1 (*)
▶ <u>M67</u> 0,05 (*) ◀			▶ <u>M47</u> 0,02 (*) ◀	▶ <u>M32</u> 0,02 (*) ◀	
	▶ <u>M74</u> 0,05 (*) ◀				
	▶ <u>M74</u> 0,01 (*) ◀				
▶ <u>M67</u> — ◀	▶ <u>M51</u> — ◀	(**)	▶ <u>M47</u> (**) ◀	▶ <u>M32</u> (**) ◀	(**)

▼ **M2**

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)
0213000	(c) <i>Other root and tuber vegetables except sugar beet</i>							
0213010	Beetroot		► <b>M78</b> 0,05 (*) ◀		0,1			
0213020	Carrots		► <b>M78</b> 0,7 ◀		0,05 (*)			
0213030	Celeriac		► <b>M78</b> 0,2 ◀		0,05 (*)			
0213040	Horseradish		► <b>M78</b> 0,7 ◀		0,05 (*)			
0213050	Jerusalem artichokes		► <b>M78</b> 0,05 (*) ◀		0,05 (*)			
0213060	Parsnips		► <b>M78</b> 0,7 ◀		0,05 (*)			
0213070	Parsley root		► <b>M78</b> 0,7 ◀		0,05 (*)			
0213080	Radishes		► <b>M78</b> 0,05 (*) ◀		0,05 (*)			
0213090	Salsify		► <b>M78</b> 0,7 ◀		0,05 (*)			
0213100	Swedes		► <b>M78</b> 0,4 ◀		0,05 (*)			
0213110	Turnips		► <b>M78</b> 0,4 ◀		0,05 (*)			
0213990	Others		► <b>M78</b> 0,05 (*) ◀		0,05 (*)			
0220000	(ii) <b>Bulb vegetables</b>	► <b>M72</b> 0,05 (*) ◀	► <b>M78</b> 0,05 (*) ◀		0,05 (*)	► <b>M32</b> 0,02 (*) ◀		► <b>M66</b> 0,01 (*) ◀
0220010	Garlic		► <b>M78</b> (+) ◀					
0220020	Onions		► <b>M78</b> (+) ◀					
0220030	Shallots		► <b>M78</b> (+) ◀					
0220040	Spring onions							
0220990	Others							
0230000	(iii) <b>Fruiting vegetables</b>		► <b>M78</b> 0,05 (*) ◀		0,05 (*)	► <b>M32</b> 0,01 (*) ◀		► <b>M66</b> 0,01 (*) ◀
0231000	(a) <i>Solanacea</i>							

▼ M2

(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)
			▶ <u>M64</u> — ◀				
	0,05 (*) 1 0,05 (*) 0,05 (*) 0,05 (*)  0,05 (*) 0,05 (*) 0,05 (*) 0,05 (*) 0,05 (*) 0,05 (*) 0,05 (*)	0,05 (*)  0,05 (*) 0,05 (*) 0,05 (*)  0,05 (*) ▶ <u>C1</u> 0,05 ◀ 0,05 (*) 0,05 (*) 0,05 (*) 0,05 (*)	▶ <u>M64</u> — ◀ ▶ <u>M64</u> — ◀ ▶ <u>M64</u> — ◀ ▶ <u>M64</u> — ◀  ▶ <u>M64</u> — ◀ ▶ <u>M64</u> — ◀ ▶ <u>M64</u> — ◀ ▶ <u>M64</u> — ◀ ▶ <u>M64</u> — ◀				0,05 (*) 0,05 (*) 0,3 0,05 (*) 0,05 (*)  0,05 (*) 0,05 (*) 0,05 (*) 0,05 (*) 0,05 (*) 0,05 (*)
	0,05 (*)	0,05 (*)	▶ <u>M64</u> — ◀				0,05 (*)
▶ <u>M70</u> 0,01 (*) ◀	0,05 (*)		▶ <u>M64</u> — ◀	▶ <u>M64</u> 0,02 (*) ◀	▶ <u>M73</u> 0,01 (*) ◀	▶ <u>M74</u> 0,05 (*) ◀	0,05 (*)
		▶ <u>M19</u> 0,5 ◀ ▶ <u>M19</u> 0,05 (*) ◀ ▶ <u>M19</u> 5 ◀ ▶ <u>M19</u> 0,05 (*) ◀	▶ <u>M64</u> — ◀ ▶ <u>M64</u> — ◀ ▶ <u>M64</u> — ◀ ▶ <u>M64</u> — ◀				
		▶ <u>M19</u> 0,05 (*) ◀	▶ <u>M64</u> — ◀				
▶ <u>M70</u> 0,01 (*) ◀		▶ <u>M19</u> 0,05 (*) ◀	▶ <u>M64</u> — ◀		▶ <u>M73</u> 0,01 (*) ◀	▶ <u>M74</u> — ◀	
			▶ <u>M64</u> — ◀				

▼ M2

(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)
				<p>▶ <u>M72</u> (+) ◀</p> <p>▶ <u>M72</u> (+) ◀</p>	<p>▶ <u>M75</u> 0,1 ◀</p> <p>▶ <u>M75</u> 0,5 ◀</p> <p>▶ <u>M75</u> 0,3 ◀</p> <p>▶ <u>M75</u> 0,3 ◀</p> <p>▶ <u>M75</u> 0,06 ◀</p> <p>▶ <u>M75</u> 0,3 ◀</p> <p>▶ <u>M75</u> 0,1 ◀</p> <p>▶ <u>M75</u> 0,5 ◀</p> <p>▶ <u>M75</u> 0,1 ◀</p> <p>▶ <u>M75</u> 0,09 ◀</p> <p>▶ <u>M75</u> 0,09 ◀</p>		
					▶ <u>M75</u> 0,02 (*) ◀		
0,05 (*)	▶ <u>M59</u> 0,02 (*) ◀	▶ <u>M67</u> 0,01 (*) ◀	▶ <u>M58</u> 0,01 (*) ◀	▶ <u>M72</u> 0,02 (*) ◀			
					<p>▶ <u>M75</u> 0,3 ◀</p> <p>▶ <u>M75</u> 1,5 ◀</p> <p>▶ <u>M75</u> 0,3 ◀</p> <p>▶ <u>M75</u> 1,5 ◀</p>		
					▶ <u>M75</u> 0,02 (*) ◀		
0,05 (*)	▶ <u>M59</u> 0,02 (*) ◀	▶ <u>M67</u> — ◀	▶ <u>M58</u> 0,01 (*) ◀				
		▶ <u>M67</u> 0,01 (*) ◀					

▼ M2

(26)	(27)	(28)	(29)	(30)	(31)
	<p>▶ <u>M74</u> 0,01 (*) ◀</p> <p>▶ <u>M74</u> 1 ◀</p> <p>▶ <u>M74</u> 0,01 (*) ◀</p> <p>▶ <u>M74</u> 0,01 (*) ◀</p> <p>▶ <u>M74</u> 0,01 (*) ◀</p> <p>▶ <u>M74</u> 0,01 (*) ◀</p> <p>▶ <u>M74</u> 0,01 (*) ◀</p> <p>▶ <u>M74</u> 0,01 (*) ◀</p> <p>▶ <u>M74</u> 0,01 (*) ◀</p> <p>▶ <u>M74</u> 0,01 (*) ◀</p> <p>▶ <u>M74</u> 0,01 (*) ◀</p>				
▶ <u>M67</u> (+) ◀					
	▶ <u>M74</u> 0,01 (*) ◀				
▶ <u>M67</u> — ◀			▶ <u>M47</u> 0,02 (*) ◀	▶ <u>M32</u> 0,05 (*) ◀	
▶ <u>M67</u> 0,05 (*) (+) ◀	▶ <u>M74</u> 0,01 (*) ◀				
▶ <u>M67</u> 0,05 (*) (+) ◀	▶ <u>M74</u> 0,2 ◀				
▶ <u>M67</u> 0,05 (*) (+) ◀	▶ <u>M74</u> 0,01 (*) ◀				
▶ <u>M67</u> 1 (+) ◀	▶ <u>M74</u> 3 ◀				
▶ <u>M67</u> 0,05 (*) ◀	▶ <u>M74</u> 0,01 (*) ◀				
▶ <u>M67</u> 0,05 (*) ◀				▶ <u>M32</u> 0,02 (*) ◀	
			▶ <u>M47</u> 0,02 (*) ◀		

▼ **M2**

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)
0231010	Tomatoes	► <b>M72</b> 0,1 ◀	► <b>M78</b> (+) ◀					
0231020	Peppers	► <b>M72</b> 0,2 ◀	► <b>M78</b> (+) ◀					
0231030	Aubergines (egg plants)	► <b>M72</b> 0,1 ◀	► <b>M78</b> (+) ◀					
0231040	Okra, lady's fingers	► <b>M72</b> 0,05 (*) ◀						
0231990	Others	► <b>M72</b> 0,05 (*) ◀						
0232000	(b) <i>Cucurbits — edible peel</i>	► <b>M72</b> 0,1 ◀	► <b>M78</b> (+) ◀					
0232010	Cucumbers							
0232020	Gherkins							
0232030	Courgettes							
0232990	Others							
0233000	(c) <i>Cucurbits- inedible peel</i>	► <b>M72</b> 0,1 ◀	► <b>M78</b> (+) ◀					
0233010	Melons							
0233020	Pumpkins							
0233030	Watermelons							
0233990	Others							
0234000	(d) <i>Sweet corn</i>	► <b>M72</b> 0,05 (*) ◀						
0239000	(e) <i>Other fruiting vegetables</i>	► <b>M72</b> 0,05 (*) ◀						
0240000	(iv) <b>Brassica vegetables</b>	► <b>M72</b> 0,05 (*) ◀	► <b>M26</b> — ◀		0,05 (*)	► <b>M32</b> 0,01 (*) ◀		► <b>M66</b> 0,01 (*) ◀
0241000	(a) <i>Flowering brassica</i>		► <b>M78</b> 0,05 (*) ◀					
0241010	Broccoli							
0241020	Cauliflower							

▼ M2

(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)
	1		▶ <u>M64</u> — ◀	▶ <u>M64</u> 10 ◀		▶ <u>M74</u> 3 ◀	2
	1		▶ <u>M64</u> — ◀	▶ <u>M64</u> 0,01 (*) (+) ◀		▶ <u>M74</u> 0,05 (*) ◀	1
	0,05 (*)		▶ <u>M64</u> — ◀	▶ <u>M64</u> 0,01 (*) ◀		▶ <u>M74</u> 0,05 (*) ◀	0,05 (*)
	0,05 (*)		▶ <u>M64</u> — ◀	▶ <u>M64</u> 0,01 (*) ◀		▶ <u>M74</u> 0,05 (*) ◀	0,05 (*)
	0,05 (*)		▶ <u>M64</u> — ◀	▶ <u>M64</u> 0,01 (*) ◀		▶ <u>M74</u> 0,05 (*) ◀	0,05 (*)
	0,1		▶ <u>M64</u> — ◀				2
	0,05 (*)		▶ <u>M64</u> — ◀				0,05 (*)
	0,05 (*)		▶ <u>M64</u> — ◀				0,05 (*)
	0,05 (*)		▶ <u>M64</u> — ◀				0,05 (*)
			▶ <u>M64</u> — ◀	▶ <u>M64</u> 0,01 (*) ◀		▶ <u>M74</u> 0,05 (*) ◀	
	1		▶ <u>M64</u> — ◀				1
	0,05 (*)		▶ <u>M64</u> — ◀				0,5
	0,05 (*)		▶ <u>M64</u> — ◀				1
	0,05 (*)		▶ <u>M64</u> — ◀				0,5
	0,05 (*)		▶ <u>M64</u> — ◀	▶ <u>M64</u> 0,01 (*) ◀		▶ <u>M74</u> 0,05 (*) ◀	0,05 (*)
	0,05 (*)		▶ <u>M64</u> — ◀	▶ <u>M64</u> 0,01 (*) ◀		▶ <u>M74</u> 0,05 (*) ◀	0,05 (*)
▶ <u>M70</u> 0,01 (*) ◀		▶ <u>M19</u> 0,05 (*) ◀	▶ <u>M64</u> — ◀	▶ <u>M64</u> 0,01 (*) ◀	▶ <u>M73</u> 0,01 (*) ◀	▶ <u>M74</u> 0,05 (*) ◀	0,05 (*)
	1		▶ <u>M64</u> — ◀				
			▶ <u>M64</u> — ◀				
			▶ <u>M64</u> — ◀				

▼ M2

(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)
				<p>▶ <u>M72</u> 0,5 (+) ◀</p> <p>▶ <u>M72</u> 3 (+) ◀</p> <p>▶ <u>M72</u> 0,5 (+) ◀</p> <p>▶ <u>M72</u> 0,02 (*) (+) ◀</p>	<p>▶ <u>M75</u> 0,3 ◀</p> <p>▶ <u>M75</u> 0,5 ◀</p> <p>▶ <u>M75</u> 0,3 ◀</p> <p>▶ <u>M75</u> 0,02 (*) ◀</p>		
				▶ <u>M72</u> 0,02 (*) ◀	▶ <u>M75</u> 0,02 (*) ◀		
				▶ <u>M72</u> 1 (+) ◀	▶ <u>M75</u> 0,5 ◀		
		<p>▶ <u>M67</u> 0,01 (*) ◀</p> <p>▶ <u>M67</u> 0,01 (*) ◀</p> <p>▶ <u>M67</u> 0,02 ◀</p>			<p>▶ <u>M40</u> — ◀</p> <p>▶ <u>M40</u> — ◀</p> <p>▶ <u>M40</u> — ◀</p>		
		▶ <u>M67</u> 0,01 (*) ◀			▶ <u>M40</u> — ◀		
				▶ <u>M72</u> 0,3 (+) ◀	▶ <u>M75</u> 0,5 ◀		
		<p>▶ <u>M67</u> 0,01 (*) ◀</p> <p>▶ <u>M67</u> 0,02 ◀</p> <p>▶ <u>M67</u> 0,01 (*) ◀</p>					
		▶ <u>M67</u> 0,01 (*) ◀					
		▶ <u>M67</u> 0,01 (*) ◀		▶ <u>M72</u> 0,02 (*) (+) ◀	▶ <u>M75</u> 0,02 (*) ◀		
		▶ <u>M67</u> 0,01 (*) ◀		▶ <u>M72</u> 0,02 (*) ◀	▶ <u>M75</u> 0,02 (*) ◀		
	▶ <u>M59</u> 0,02 (*) ◀	▶ <u>M67</u> — ◀	▶ <u>M58</u> 0,01 (*) ◀				
0,5		▶ <u>M67</u> 0,02 ◀		▶ <u>M72</u> 0,03 (+) ◀	▶ <u>M75</u> 0,1 ◀		



▼ M2

(26)	(27)	(28)	(29)	(30)	(31)
	<p>▶ <u>M74</u> 1 ◀</p> <p>▶ <u>M74</u> 2 ◀</p> <p>▶ <u>M74</u> 1 ◀</p> <p>▶ <u>M74</u> 0,01 (*) ◀</p>				
	▶ <u>M74</u> 0,01 (*) ◀				
	▶ <u>M74</u> 0,7 ◀		▶ <u>M47</u> 0,02 (*) ◀		
	▶ <u>M74</u> 0,01 (*) ◀		▶ <u>M47</u> 0,05 ◀		
▶ <u>M67</u> (+) ◀	▶ <u>M74</u> 0,01 (*) ◀		▶ <u>M47</u> 0,02 (*) ◀		
	▶ <u>M74</u> 0,01 (*) ◀		▶ <u>M47</u> 0,02 (*) ◀		
	▶ <u>M74</u> 0,01 (*) ◀		▶ <u>M47</u> 0,02 (*) ◀	▶ <u>M32</u> 0,02 (*) ◀	
▶ <u>M67</u> 0,05 (*) (+) ◀					

▼ **M2**

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)
0241990	Others							
0242000	(b) <i>Head brassica</i>		► <b>M78</b> 0,05 (*) ◀					
0242010	Brussels sprouts							
0242020	Head cabbage							
0242990	Others							
0243000	(c) <i>Leafy brassica</i>		► <b>M78</b> 0,5 ◀					
0243010	Chinese cabbage							
0243020	Kale							
0243990	Others							
0244000	(d) <i>Kohlrabi</i>		► <b>M78</b> 0,3 ◀					
0250000	(v) <b>Leaf vegetables &amp; fresh herbs</b>	► <b>M72</b> 0,05 (*) ◀	► <b>M26</b> — ◀					
0251000	(a) <i>Lettuce and other salad plants including Brassicacea</i>		► <b>M67</b> — ◀		0,05 (*)	► <b>M32</b> 0,01 (*) ◀		► <b>M66</b> 0,01 (*) ◀
0251010	Lamb's lettuce		► <b>M78</b> 0,6 ◀					
0251020	Lettuce		► <b>M78</b> 0,05 (*) ◀					
0251030	Scarole (broad-leaf endive)		► <b>M78</b> 0,05 (*) ◀					
0251040	Cress		► <b>M78</b> 0,6 ◀					
0251050	Land cress	► <b>M72</b> (**) ◀	► <b>M78</b> 0,05 (*) ◀	(**)	(**)	► <b>M32</b> (**) ◀	(**)	► <b>M66</b> — ◀
0251060	Rocket, Rucola		► <b>M78</b> 0,6 ◀					

▼ M2

(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)
			▶ <u>M64</u> — ◀				
			▶ <u>M64</u> — ◀				
	2 0,05 (*)		▶ <u>M64</u> — ◀ ▶ <u>M64</u> — ◀				
	0,05 (*)		▶ <u>M64</u> — ◀				
	0,05 (*)		▶ <u>M64</u> — ◀				
			▶ <u>M64</u> — ◀ ▶ <u>M64</u> — ◀				
			▶ <u>M64</u> — ◀				
	0,05 (*)		▶ <u>M64</u> — ◀				
	0,05 (*)		▶ <u>M64</u> — ◀	▶ <u>M43</u> — ◀		▶ <u>M74</u> 0,05 (*) ◀	
▶ <u>M70</u> 0,01 (*) ◀		▶ <u>M19</u> 5 ◀	▶ <u>M64</u> — ◀	▶ <u>M64</u> 0,01 (*) ◀	▶ <u>M73</u> 0,01 (*) ◀		
			▶ <u>M64</u> — ◀ ▶ <u>M64</u> — ◀ ▶ <u>M64</u> — ◀ ▶ <u>M64</u> — ◀ ▶ <u>M64</u> — ◀ ▶ <u>M64</u> — ◀				0,05 (*) 0,05 (*) 0,05 (*) 0,05 (*)
▶ <u>M51</u> — ◀	(**)	(**)	▶ <u>M64</u> — ◀ ▶ <u>M64</u> — ◀ ▶ <u>M64</u> — ◀	▶ <u>M64</u> (***) ◀	▶ <u>M73</u> — ◀	▶ <u>M74</u> (***) ◀	(**) 5

▼ M2

(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)
		▶ <u>M67</u> 0,01 (*) ◀					
0,05 (*) 0,5				▶ <u>M72</u> 0,08 (+) ◀ ▶ <u>M72</u> 0,05 (+) ◀	▶ <u>M75</u> 0,3 ◀ ▶ <u>M75</u> 0,2 ◀		
0,05 (*)				▶ <u>M72</u> 0,02 (*) ◀	▶ <u>M75</u> 0,02 (*) ◀		
0,05 (*)		▶ <u>M67</u> 0,01 (*) ◀		▶ <u>M72</u> 0,2 (+) ◀	▶ <u>M75</u> 1,5 ◀		
0,05 (*)		▶ <u>M67</u> 0,01 (*) ◀		▶ <u>M72</u> 0,02 (*) (+) ◀	▶ <u>M75</u> 0,02 (*) ◀		
0,05 (*)							
	▶ <u>M59</u> 0,02 (*) ◀		▶ <u>M58</u> 0,01 (*) ◀	▶ <u>M55</u> — ◀	▶ <u>M5</u> — ◀		
		▶ <u>M67</u> 0,6 (+) ◀ ▶ <u>M67</u> 0,6 (+) ◀ ▶ <u>M67</u> 0,6 (+) ◀ ▶ <u>M67</u> 0,2 (+) ◀ ▶ <u>M67</u> 0,01 (*) ◀ ▶ <u>M67</u> 0,2 (+) ◀	▶ <u>M58</u> — ◀	▶ <u>M72</u> 3 (+) ◀ ▶ <u>M72</u> 3 (+) ◀ ▶ <u>M72</u> 0,6 (+) ◀ ▶ <u>M72</u> 0,6 (+) ◀ ▶ <u>M72</u> 3 (+) ◀ ▶ <u>M72</u> 3 (+) ◀	▶ <u>M75</u> 10 ◀ ▶ <u>M75</u> 2 ◀ ▶ <u>M75</u> 0,4 ◀ ▶ <u>M75</u> 10 ◀ ▶ <u>M75</u> 10 ◀ ▶ <u>M75</u> 10 ◀	▶ <u>M59</u> — ◀	(**)

▼ M2

(26)	(27)	(28)	(29)	(30)	(31)
▶ <u>M67</u> — ◀					
▶ <u>M67</u> 0,05 (*) (+) ◀					
▶ <u>M67</u> 1,5 (+) ◀					
▶ <u>M67</u> 0,05 (*) ◀					
▶ <u>M67</u> 0,05 (*) ◀					
▶ <u>M67</u> 0,2 (+) ◀					
▶ <u>M67</u> 0,05 (*) ◀					
▶ <u>M67</u> 0,05 (*) (+) ◀					
▶ <u>M37</u> — ◀			▶ <u>M47</u> 0,02 (*) ◀		
▶ <u>M67</u> 0,05 (*) ◀				▶ <u>M32</u> 0,02 (*) ◀	
	▶ <u>M74</u> 0,01 (*) ◀ ▶ <u>M74</u> 20 ◀ ▶ <u>M74</u> 20 ◀				
▶ <u>M67</u> — ◀	▶ <u>M74</u> 0,01 (*) ◀ ▶ <u>M74</u> 0,01 (*) ◀ ▶ <u>M74</u> 0,01 (*) ◀	(**)	▶ <u>M47</u> (**) ◀	▶ <u>M32</u> (**) ◀	(**)

▼ **M2**

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)
0251070	Red mustard	► <b>M72</b> (**) ◀	► <b>M78</b> 0,05 (*) ◀	(**)	(**)	► <b>M32</b> (**) ◀	(**)	► <b>M66</b> — ◀
0251080	Leaves and sprouts of Brassica spp.		► <b>M78</b> 0,6 ◀					
0251990	Others		► <b>M78</b> 0,05 (*) ◀					
0252000	(b) <i>Spinach</i> & similar (leaves)		► <b>M78</b> 0,05 (*) ◀		0,5	► <b>M32</b> 0,01 (*) ◀		► <b>M66</b> 0,01 (*) ◀
0252010	Spinach							
0252020	Purslane	► <b>M72</b> (**) ◀	► <b>M67</b> — ◀	(**)	(**)	► <b>M32</b> (**) ◀	(**)	► <b>M66</b> — ◀
0252030	Beet leaves (chard)							
0252990	Others							
0253000	(c) <i>Vine leaves</i> (grape leaves)	► <b>M72</b> (**) ◀	► <b>M78</b> 0,05 (*) ◀	(**)	(**)	► <b>M32</b> (**) ◀	(**)	► <b>M66</b> 0,01 (*) ◀
0254000	(d) <i>Water cress</i>		► <b>M78</b> 0,05 (*) ◀		0,05 (*)	► <b>M32</b> 0,01 (*) ◀		► <b>M66</b> 0,01 (*) ◀
0255000	(e) <i>Witloof</i>		► <b>M78</b> 0,05 (*) ◀		0,05 (*)	► <b>M32</b> 0,01 (*) ◀		► <b>M66</b> 0,01 (*) ◀
0256000	(f) <i>Herbs</i>				7	► <b>M32</b> 0,02 (*) ◀		► <b>M66</b> 0,02 (*) ◀
0256010	Chervil		► <b>M78</b> 0,6 ◀					
0256020	Chives		► <b>M78</b> 0,6 ◀					
0256030	Celery leaves		► <b>M78</b> 0,6 ◀					
0256040	Parsley		► <b>M78</b> 2 ◀					
0256050	Sage	► <b>M72</b> (**) ◀	► <b>M78</b> 2 ◀	(**)	(**)	► <b>M32</b> (**) ◀	(**)	► <b>M66</b> — ◀
0256060	Rosemary	► <b>M72</b> (**) ◀	► <b>M78</b> 0,6 ◀	(**)	(**)	► <b>M32</b> (**) ◀	(**)	► <b>M66</b> — ◀
0256070	Thyme	► <b>M72</b> (**) ◀	► <b>M78</b> 0,6 ◀	(**)	(**)	► <b>M32</b> (**) ◀	(**)	► <b>M66</b> — ◀
0256080	Basil	► <b>M72</b> (**) ◀	► <b>M78</b> 0,6 ◀	(**)	(**)	► <b>M32</b> (**) ◀	(**)	► <b>M66</b> — ◀

▼ M2

(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)
▶ <u>M51</u> — ◀	(**)	(**)	▶ <u>M64</u> — ◀ ▶ <u>M64</u> — ◀	▶ <u>M64</u> (**)	▶ <u>M73</u> — ◀	▶ <u>M74</u> (**)	(**) 0,05 (*)
			▶ <u>M64</u> — ◀				0,05 (*)
▶ <u>M70</u> 0,01 (*) ◀			▶ <u>M64</u> — ◀	▶ <u>M64</u> 0,01 (*) ◀	▶ <u>M73</u> 0,01 (*) ◀		0,05 (*)
▶ <u>M51</u> — ◀	(**)	▶ <u>M19</u> 0,05 (*) ◀ (**) ▶ <u>M19</u> 0,05 (*) ◀	▶ <u>M64</u> — ◀ ▶ <u>M64</u> — ◀ ▶ <u>M64</u> — ◀	▶ <u>M64</u> (**)	▶ <u>M73</u> — ◀	▶ <u>M74</u> (**)	(**)
		▶ <u>M19</u> 0,05 (*) ◀	▶ <u>M64</u> — ◀				
▶ <u>M70</u> 0,01 (*) ◀	(**)	(**)	▶ <u>M64</u> — ◀	▶ <u>M64</u> (**)	▶ <u>M73</u> 0,01 (*) ◀	▶ <u>M74</u> (**)	(**)
▶ <u>M70</u> 0,01 (*) ◀		▶ <u>M19</u> 0,05 (*) ◀	▶ <u>M64</u> — ◀	▶ <u>M64</u> 0,01 (*) ◀	▶ <u>M73</u> 0,01 (*) ◀		0,05 (*)
▶ <u>M70</u> 0,01 (*) ◀		▶ <u>M19</u> 0,05 (*) ◀	▶ <u>M64</u> — ◀	▶ <u>M64</u> 0,01 (*) ◀	▶ <u>M73</u> 0,01 (*) ◀		0,05 (*)
▶ <u>M70</u> 0,02 (*) ◀		▶ <u>M19</u> 5 ◀	▶ <u>M64</u> — ◀	▶ <u>M64</u> 0,05 (+) ◀	▶ <u>M73</u> 0,02 (*) ◀		
▶ <u>M51</u> — ◀	(**)	(**)	▶ <u>M64</u> — ◀ ▶ <u>M64</u> — ◀ ▶ <u>M64</u> — ◀ ▶ <u>M64</u> — ◀	▶ <u>M64</u> (**)	▶ <u>M73</u> — ◀	▶ <u>M74</u> (**)	0,05 (*) 0,05 (*) 0,05 (*) 0,05 (*) (**)
▶ <u>M51</u> — ◀	(**)	(**)	▶ <u>M64</u> — ◀	▶ <u>M64</u> (**)	▶ <u>M73</u> — ◀	▶ <u>M74</u> (**)	(**)
▶ <u>M51</u> — ◀	(**)	(**)	▶ <u>M64</u> — ◀	▶ <u>M64</u> (**)	▶ <u>M73</u> — ◀	▶ <u>M74</u> (**)	(**)
▶ <u>M51</u> — ◀	(**)	(**)	▶ <u>M64</u> — ◀	▶ <u>M64</u> (**)	▶ <u>M73</u> — ◀	▶ <u>M74</u> (**)	(**)

▼ **M2**

(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)
(**)	▶ <b>M59</b> — ◀	▶ <b>M67</b> 0,01 (*) ◀ ▶ <b>M67</b> 0,2 (+) ◀	▶ <b>M58</b> — ◀	▶ <b>M72</b> 0,6 (+) ◀ ▶ <b>M72</b> 3 (+) ◀	▶ <b>M75</b> 10 ◀ ▶ <b>M75</b> 10 ◀	▶ <b>M59</b> — ◀	(**)
		▶ <b>M67</b> 0,01 (*) ◀		▶ <b>M72</b> 0,02 (*) ◀	▶ <b>M75</b> 10 ◀		
	▶ <b>M59</b> 0,02 (*) ◀	▶ <b>M67</b> 0,01 (*) ◀	▶ <b>M58</b> 0,01 (*) ◀	▶ <b>M55</b> — ◀			
(**)	▶ <b>M59</b> — ◀	▶ <b>M67</b> — ◀ ▶ <b>M67</b> — ◀ ▶ <b>M67</b> — ◀	▶ <b>M58</b> — ◀	▶ <b>M72</b> 0,6 (+) ◀ ▶ <b>M72</b> 0,4 (+) ◀ ▶ <b>M72</b> 0,6 (+) ◀	▶ <b>M75</b> 0,5 ◀ ▶ <b>M75</b> 0,02 (*) ◀ ▶ <b>M75</b> 0,5 ◀	▶ <b>M59</b> — ◀	(**)
		▶ <b>M67</b> — ◀		▶ <b>M72</b> 0,02 (*) ◀	▶ <b>M75</b> 0,02 (*) ◀		
(**)	▶ <b>M59</b> 0,02 (*) ◀	▶ <b>M67</b> 0,01 (*) ◀	▶ <b>M58</b> 0,01 (*) ◀	▶ <b>M72</b> 0,02 (*) ◀	▶ <b>M75</b> 0,02 (*) ◀	▶ <b>M59</b> — ◀	(**)
	▶ <b>M59</b> 0,02 (*) ◀	▶ <b>M67</b> 0,01 (*) ◀	▶ <b>M58</b> 0,01 (*) ◀	▶ <b>M72</b> 0,02 (*) ◀	▶ <b>M75</b> 0,02 (*) ◀		
	▶ <b>M59</b> 0,02 (*) ◀	▶ <b>M67</b> 0,01 (*) ◀	▶ <b>M58</b> 0,01 (*) ◀	▶ <b>M72</b> 0,02 (*) ◀	▶ <b>M75</b> 0,02 (*) ◀		
	▶ <b>M59</b> 0,05 (*) ◀	▶ <b>M67</b> 0,2 (+) ◀	▶ <b>M58</b> 0,02 (*) ◀	▶ <b>M72</b> 3 ◀	▶ <b>M75</b> 2 ◀		
(**)	▶ <b>M59</b> — ◀	▶ <b>M67</b> — ◀	▶ <b>M58</b> — ◀	▶ <b>M72</b> (+) ◀ ▶ <b>M72</b> (+) ◀ ▶ <b>M72</b> (+) ◀ ▶ <b>M72</b> (+) ◀ ▶ <b>M72</b> (+) ◀	▶ <b>M40</b> — ◀	▶ <b>M59</b> — ◀	(**)
(**)	▶ <b>M59</b> — ◀	▶ <b>M67</b> — ◀	▶ <b>M58</b> — ◀	▶ <b>M72</b> (+) ◀	▶ <b>M40</b> — ◀	▶ <b>M59</b> — ◀	(**)
(**)	▶ <b>M59</b> — ◀	▶ <b>M67</b> — ◀	▶ <b>M58</b> — ◀	▶ <b>M72</b> (+) ◀	▶ <b>M40</b> — ◀	▶ <b>M59</b> — ◀	(**)
(**)	▶ <b>M59</b> — ◀	▶ <b>M67</b> — ◀	▶ <b>M58</b> — ◀	▶ <b>M72</b> (+) ◀	▶ <b>M40</b> — ◀	▶ <b>M59</b> — ◀	(**)



▼ M2

(26)	(27)	(28)	(29)	(30)	(31)
▶ <u>M67</u> — ◀	▶ <u>M74</u> 0,01 (*) ◀ ▶ <u>M74</u> 20 ◀	(**)	▶ <u>M47</u> (**) ◀	▶ <u>M32</u> (**) ◀	(**)
	▶ <u>M74</u> 0,01 (*) ◀				
▶ <u>M67</u> 0,05 (*) ◀	▶ <u>M74</u> 0,01 (*) ◀			▶ <u>M32</u> 0,02 (*) ◀	
▶ <u>M67</u> — ◀	▶ <u>M51</u> — ◀	(**)	▶ <u>M47</u> (**) ◀	▶ <u>M32</u> (**) ◀	(**)
▶ <u>M67</u> 0,05 (*) ◀	▶ <u>M74</u> 0,01 (*) ◀	(**)	▶ <u>M47</u> (**) ◀	▶ <u>M32</u> (**) ◀	(**)
▶ <u>M67</u> 0,05 (*) ◀	▶ <u>M74</u> 0,01 (*) ◀			▶ <u>M32</u> 0,02 (*) ◀	
▶ <u>M67</u> 0,05 (*) ◀	▶ <u>M74</u> 0,01 (*) ◀			▶ <u>M32</u> 0,02 (*) ◀	
	▶ <u>M74</u> 20 ◀			▶ <u>M32</u> 0,05 (*) ◀	
▶ <u>M67</u> 0,05 (*) ◀ ▶ <u>M67</u> 0,05 (*) (+) ◀ ▶ <u>M67</u> 0,3 ◀ ▶ <u>M67</u> 0,05 (*) ◀					
▶ <u>M67</u> 0,05 (*) ◀	▶ <u>M51</u> — ◀	(**)	▶ <u>M47</u> (**) ◀	▶ <u>M32</u> (**) ◀	(**)
▶ <u>M67</u> 0,05 (*) ◀	▶ <u>M51</u> — ◀	(**)	▶ <u>M47</u> (**) ◀	▶ <u>M32</u> (**) ◀	(**)
▶ <u>M67</u> 0,05 (*) ◀	▶ <u>M51</u> — ◀	(**)	▶ <u>M47</u> (**) ◀	▶ <u>M32</u> (**) ◀	(**)
▶ <u>M67</u> 0,05 (*) ◀	▶ <u>M51</u> — ◀	(**)	▶ <u>M47</u> (**) ◀	▶ <u>M32</u> (**) ◀	(**)

## ▼ M2

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)
0256090	Bay leaves (laurel)	► <u>M72</u> (**) ◀	► <u>M78</u> 0,6 ◀	(**)	(**)	► <u>M32</u> (**) ◀	(**)	► <u>M66</u> — ◀
0256100	Tarragon	► <u>M72</u> (**) ◀	► <u>M78</u> 0,6 ◀	(**)	(**)	► <u>M32</u> (**) ◀	(**)	► <u>M66</u> — ◀
0256990	Others		► <u>M78</u> 0,6 ◀					
0260000	(vi) <b>Legume vegetables (fresh)</b>	► <u>M72</u> 0,05 (*) ◀	► <u>M78</u> 0,05 (*) ◀		0,05 (*)			► <u>M66</u> 0,01 (*) ◀
0260010	Beans (with pods)					► <u>M32</u> 0,05 ◀		
0260020	Beans (without pods)					► <u>M32</u> 0,05 ◀		
0260030	Peas (with pods)					► <u>M32</u> 0,01 (*) ◀		
0260040	Peas (without pods)					► <u>M32</u> 0,01 (*) ◀		
0260050	Lentils					► <u>M32</u> 0,01 (*) ◀		
0260990	Others					► <u>M32</u> 0,01 (*) ◀		
0270000	(vii) <b>Stem vegetables (fresh)</b>		► <u>M5</u> — ◀			► <u>M32</u> 0,01 (*) ◀		► <u>M66</u> 0,01 (*) ◀
0270010	Asparagus	► <u>M72</u> 0,05 (*) ◀	► <u>M78</u> 0,05 (*) ◀		0,05 (*)			
0270020	Cardoons	► <u>M72</u> 0,05 (*) ◀	► <u>M78</u> 0,05 (*) ◀		0,05 (*)			
0270030	Celery	► <u>M72</u> 0,05 (*) ◀	► <u>M78</u> 0,1 ◀		0,05 (*)			
0270040	Fennel	► <u>M72</u> 0,05 (*) ◀	► <u>M78</u> 0,1 ◀		0,05 (*)			
0270050	Globe artichokes	► <u>M72</u> 0,2 ◀	► <u>M78</u> 0,05 (*) (+) ◀		0,2			
0270060	Leek	► <u>M72</u> 0,05 (*) ◀	► <u>M78</u> 0,05 (*) (+) ◀		0,05 (*)			
0270070	Rhubarb	► <u>M72</u> 0,05 (*) ◀	► <u>M78</u> 0,05 (*) ◀		0,05 (*)			
0270080	Bamboo shoots	► <u>M72</u> (**) ◀	► <u>M78</u> 0,05 (*) ◀	(**)	(**)	► <u>M32</u> (**) ◀	(**)	► <u>M66</u> — ◀
0270090	Palm hearts	► <u>M72</u> (**) ◀	► <u>M78</u> 0,05 (*) ◀	(**)	(**)	► <u>M32</u> (**) ◀	(**)	► <u>M66</u> — ◀
0270990	Others	► <u>M72</u> 0,05 (*) ◀	► <u>M78</u> 0,05 (*) ◀		0,05 (*)			

▼ M2

(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)
▶ <u>M51</u> — ◀	(**)	(**)	▶ <u>M64</u> — ◀	▶ <u>M64</u> (**) ◀	▶ <u>M73</u> — ◀	▶ <u>M74</u> (**) ◀	(**)
▶ <u>M51</u> — ◀	(**)	(**)	▶ <u>M64</u> — ◀	▶ <u>M64</u> (**) ◀	▶ <u>M73</u> — ◀	▶ <u>M74</u> (**) ◀	(**)
			▶ <u>M64</u> — ◀				0,05 (*)
▶ <u>M70</u> 0,01 (*) ◀	0,05 (*)	▶ <u>M19</u> 0,05 (*) ◀	▶ <u>M64</u> — ◀	▶ <u>M64</u> 0,01 (*) ◀	▶ <u>M73</u> 0,01 (*) ◀	▶ <u>M74</u> 0,05 (*) ◀	0,05 (*)
			▶ <u>M64</u> — ◀				
			▶ <u>M64</u> — ◀				
			▶ <u>M64</u> — ◀				
			▶ <u>M64</u> — ◀				
			▶ <u>M64</u> — ◀				
			▶ <u>M64</u> — ◀				
▶ <u>M70</u> 0,01 (*) ◀	0,05 (*)	▶ <u>M19</u> 0,05 (*) ◀	▶ <u>M64</u> — ◀	▶ <u>M64</u> 0,01 (*) ◀	▶ <u>M73</u> 0,01 (*) ◀		0,05 (*)
			▶ <u>M64</u> — ◀			▶ <u>M74</u> 0,05 (*) ◀	
			▶ <u>M64</u> — ◀			▶ <u>M74</u> 0,05 (*) ◀	
			▶ <u>M64</u> — ◀			▶ <u>M74</u> 0,05 (*) ◀	
			▶ <u>M64</u> — ◀			▶ <u>M74</u> 0,05 (*) ◀	
			▶ <u>M64</u> — ◀			▶ <u>M74</u> 0,05 (*) ◀	
			▶ <u>M64</u> — ◀			▶ <u>M74</u> 0,05 (*) ◀	
			▶ <u>M64</u> — ◀			▶ <u>M74</u> 0,05 (*) ◀	
			▶ <u>M64</u> — ◀			▶ <u>M74</u> 0,05 (*) ◀	
			▶ <u>M64</u> — ◀			▶ <u>M74</u> 0,1 ◀	
			▶ <u>M64</u> — ◀			▶ <u>M74</u> 0,05 (*) ◀	
▶ <u>M51</u> — ◀	(**)	(**)	▶ <u>M64</u> — ◀	▶ <u>M64</u> (**) ◀	▶ <u>M73</u> — ◀	▶ <u>M74</u> (**) ◀	(**)
▶ <u>M51</u> — ◀	(**)	(**)	▶ <u>M64</u> — ◀	▶ <u>M64</u> (**) ◀	▶ <u>M73</u> — ◀	▶ <u>M74</u> (**) ◀	(**)
			▶ <u>M64</u> — ◀			▶ <u>M74</u> 0,05 (*) ◀	

▼ M2

(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)
(**)	▶ <u>M59</u> — ◀	▶ <u>M67</u> — ◀	▶ <u>M58</u> — ◀	▶ <u>M72</u> (+) ◀	▶ <u>M40</u> — ◀	▶ <u>M59</u> — ◀	(**)
(**)	▶ <u>M59</u> — ◀	▶ <u>M67</u> — ◀	▶ <u>M58</u> — ◀	▶ <u>M72</u> (+) ◀	▶ <u>M40</u> — ◀	▶ <u>M59</u> — ◀	(**)
				▶ <u>M55</u> — ◀			
0,05 (*)	▶ <u>M59</u> 0,02 (*) ◀	▶ <u>M67</u> 0,01 (*) ◀	▶ <u>M58</u> 0,01 (*) ◀	▶ <u>M5</u> — ◀	▶ <u>M75</u> 0,02 (*) ◀		
				▶ <u>M72</u> 2 (+) ◀ ▶ <u>M72</u> 0,02 (*) (+) ◀ ▶ <u>M72</u> 0,02 (*) (+) ◀ ▶ <u>M72</u> 0,02 (*) ◀ ▶ <u>M72</u> 0,02 (*) ◀			
				▶ <u>M72</u> 0,02 (*) ◀			
	▶ <u>M59</u> 0,02 (*) ◀	▶ <u>M67</u> — ◀	▶ <u>M58</u> 0,01 (*) ◀	▶ <u>M55</u> — ◀			
0,05 (*)		▶ <u>M67</u> 0,01 (*) ◀		▶ <u>M72</u> 0,02 (*) ◀	▶ <u>M75</u> 0,02 (*) ◀		
0,05 (*)		▶ <u>M67</u> 0,02 ◀		▶ <u>M72</u> 0,02 (*) ◀	▶ <u>M75</u> 0,02 (*) ◀		
0,05 (*)		▶ <u>M67</u> 0,01 (*) ◀		▶ <u>M72</u> 0,04 (+) ◀	▶ <u>M75</u> 0,02 (*) (+) ◀		
0,05 (*)		▶ <u>M67</u> 0,01 (*) ◀		▶ <u>M72</u> 0,04 (+) ◀	▶ <u>M75</u> 0,02 (*) ◀		
0,05 (*)		▶ <u>M67</u> 0,02 ◀		▶ <u>M72</u> 0,02 (*) (+) ◀	▶ <u>M75</u> 2 ◀		
1		▶ <u>M67</u> 0,01 (*) ◀		▶ <u>M72</u> 0,02 (*) ◀	▶ <u>M75</u> 0,7 ◀		
0,05 (*)		▶ <u>M67</u> 0,01 (*) ◀		▶ <u>M72</u> 0,02 (*) ◀	▶ <u>M75</u> 0,02 (*) ◀		
(**)	▶ <u>M59</u> — ◀	▶ <u>M67</u> 0,01 (*) ◀	▶ <u>M58</u> — ◀	▶ <u>M72</u> 0,02 (*) ◀	▶ <u>M75</u> 0,02 (*) ◀	▶ <u>M59</u> — ◀	(**)
(**)	▶ <u>M59</u> — ◀	▶ <u>M67</u> 0,01 (*) ◀	▶ <u>M58</u> — ◀	▶ <u>M72</u> 0,02 (*) ◀	▶ <u>M75</u> 0,02 (*) ◀	▶ <u>M59</u> — ◀	(**)
0,05 (*)		▶ <u>M67</u> 0,01 (*) ◀		▶ <u>M72</u> 0,02 (*) ◀	▶ <u>M75</u> 0,02 (*) ◀		

▼ M2

(26)	(27)	(28)	(29)	(30)	(31)
▶ <u>M67</u> 0,05 (*) ◀	▶ <u>M51</u> — ◀	(**)	▶ <u>M47</u> (**) ◀	▶ <u>M32</u> (**) ◀	(**)
▶ <u>M67</u> 0,05 (*) ◀	▶ <u>M51</u> — ◀	(**)	▶ <u>M47</u> (**) ◀	▶ <u>M32</u> (**) ◀	(**)
▶ <u>M67</u> 0,05 (*) ◀					
▶ <u>M67</u> 0,05 (*) ◀			▶ <u>M47</u> 0,02 (*) ◀	▶ <u>M32</u> 0,02 (*) ◀	
	▶ <u>M74</u> 3 ◀ ▶ <u>M74</u> 0,01 (*) ◀  ▶ <u>M74</u> 3 ◀ ▶ <u>M74</u> 0,2 ◀ ▶ <u>M74</u> 0,01 (*) ◀				
	▶ <u>M74</u> 0,01 (*) ◀				
				▶ <u>M32</u> 0,02 (*) ◀	
▶ <u>M67</u> 0,05 (*) (+) ◀	▶ <u>M74</u> 0,01 (*) ◀		▶ <u>M47</u> 0,02 (*) ◀		
▶ <u>M67</u> 0,05 (*) ◀	▶ <u>M74</u> 0,01 (*) ◀		▶ <u>M47</u> 0,02 (*) ◀		
▶ <u>M67</u> 0,05 (*) ◀	▶ <u>M74</u> 0,01 (*) ◀		▶ <u>M47</u> 0,02 (*) ◀		
▶ <u>M67</u> 0,05 (*) ◀	▶ <u>M74</u> 0,01 (*) ◀		▶ <u>M47</u> 0,02 (*) ◀		
▶ <u>M67</u> 0,05 (*) ◀	▶ <u>M74</u> 0,01 (*) ◀		▶ <u>M47</u> 0,3 ◀		
▶ <u>M67</u> 1 (+) ◀	▶ <u>M74</u> 1 ◀		▶ <u>M47</u> 0,02 (*) ◀		
▶ <u>M67</u> 0,05 (*) ◀	▶ <u>M74</u> 0,01 (*) ◀		▶ <u>M47</u> 0,02 (*) ◀		
▶ <u>M67</u> 0,05 (*) ◀	▶ <u>M74</u> 0,01 (*) ◀	(**)	▶ <u>M47</u> (**) ◀	▶ <u>M32</u> (**) ◀	(**)
▶ <u>M67</u> 0,05 (*) ◀	▶ <u>M74</u> 0,01 (*) ◀	(**)	▶ <u>M47</u> (**) ◀	▶ <u>M32</u> (**) ◀	(**)
▶ <u>M67</u> 0,05 (*) ◀	▶ <u>M74</u> 0,01 (*) ◀		▶ <u>M47</u> 0,02 (*) ◀		

▼ **M2**

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)
0280000	(viii) <b>Fungi</b>	► <b>M72</b> 0,05 (*) ◀	► <b>M78</b> 0,05 (*) ◀		0,05 (*)	► <b>M32</b> 0,01 (*) ◀		► <b>M66</b> 0,01 (*) ◀
0280010	Cultivated							
0280020	Wild							
0280990	Others							
0290000	(ix) <b>Sea weeds</b>	► <b>M72</b> (**) ◀	► <b>M78</b> 0,05 (*) ◀	(**)	(**)	► <b>M32</b> (**) ◀	(**)	► <b>M66</b> 0,01 (*) ◀
0300000	3. <b>PULSES, DRY</b>	► <b>M72</b> 0,05 (*) ◀	► <b>M78</b> 0,15 ◀	0,01 (*)	0,05 (*)	► <b>M32</b> — ◀	0,01 (*)	► <b>M66</b> 0,05 (*) ◀
0300010	Beans					► <b>M32</b> 0,05 ◀		
0300020	Lentils					► <b>M32</b> 0,01 (*) ◀		
0300030	Peas					► <b>M32</b> 0,01 (*) ◀		
0300040	Lupins					► <b>M32</b> 0,01 (*) ◀		
0300990	Others					► <b>M32</b> 0,01 (*) ◀		
0400000	4. <b>OILSEEDS AND OILFRUITS</b>	► <b>M72</b> 0,05 (*) ◀	► <b>M78</b> 0,05 (*) ◀	0,01 (*)			0,01 (*)	► <b>M66</b> 0,01 (*) ◀
0401000	(i) <b>Oilseeds</b>		► <b>M67</b> — ◀		0,1 (*)			► <b>M66</b> — ◀
0401010	Linseed					► <b>M32</b> 0,02 (*) ◀		
0401020	Peanuts					► <b>M32</b> 0,02 (*) ◀		
0401030	Poppy seed					► <b>M32</b> 0,02 (*) ◀		
0401040	Sesame seed					► <b>M32</b> 0,02 (*) ◀		
0401050	Sunflower seed					► <b>M32</b> 0,02 (*) ◀		
0401060	Rape seed					► <b>M32</b> 0,02 (*) ◀		
0401070	Soya bean					► <b>M32</b> 0,05 (*) ◀		

▼ M2

(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)
▶ <u>M70</u> 0,01 (*) ◀			▶ <u>M64</u> — ◀	▶ <u>M64</u> 0,01 (*) ◀	▶ <u>M73</u> 0,01 (*) ◀	▶ <u>M74</u> 0,05 (*) ◀	0,05 (*)
	2 0,05 (*)	▶ <u>M19</u> 3 ◀ ▶ <u>M19</u> 0,05 (*) ◀	▶ <u>M64</u> — ◀ ▶ <u>M64</u> — ◀				
	0,05 (*)	▶ <u>M19</u> 0,05 (*) ◀	▶ <u>M64</u> — ◀				
▶ <u>M70</u> 0,01 (*) ◀	(**)	(**)	▶ <u>M64</u> — ◀	▶ <u>M64</u> (**) ◀	▶ <u>M73</u> 0,01 (*) ◀	▶ <u>M74</u> (**) ◀	(**)
▶ <u>M70</u> 0,01 (*) ◀	0,05 (*)		▶ <u>M64</u> — ◀	▶ <u>M64</u> 0,01 (*) ◀	▶ <u>M73</u> 0,02 (*) ◀	▶ <u>M74</u> 0,05 (*) ◀	0,05 (*)
		▶ <u>M19</u> 0,05 (*) ◀ ▶ <u>M19</u> 0,05 (*) ◀ ▶ <u>M19</u> 0,3 ◀ ▶ <u>M19</u> 0,05 (*) ◀	▶ <u>M64</u> — ◀ ▶ <u>M64</u> — ◀ ▶ <u>M64</u> — ◀ ▶ <u>M64</u> — ◀				
		▶ <u>M19</u> 0,05 (*) ◀	▶ <u>M64</u> — ◀				
▶ <u>M51</u> — ◀	0,05 (*)		▶ <u>M64</u> — ◀				
			▶ <u>M64</u> — ◀		▶ <u>M36</u> — ◀		0,1 (*)
▶ <u>M70</u> 0,01 (*) ◀ ▶ <u>M70</u> 0,01 (*) ◀ ▶ <u>M70</u> 0,01 (*) ◀ ▶ <u>M70</u> 0,01 (*) ◀ ▶ <u>M70</u> 0,01 (*) ◀ ▶ <u>M70</u> 0,02 (+) ◀ ▶ <u>M70</u> 0,01 (*) ◀		▶ <u>M19</u> 0,5 ◀ ▶ <u>M19</u> 0,1 (*) ◀ ▶ <u>M19</u> 0,1 (*) ◀ ▶ <u>M19</u> 0,1 (*) ◀ ▶ <u>M19</u> 0,5 ◀ ▶ <u>M19</u> 0,5 ◀ ▶ <u>M19</u> 0,1 (*) ◀	▶ <u>M64</u> — ◀ ▶ <u>M64</u> — ◀ ▶ <u>M64</u> — ◀ ▶ <u>M64</u> — ◀ ▶ <u>M64</u> — ◀ ▶ <u>M64</u> — ◀ ▶ <u>M64</u> — ◀	▶ <u>M64</u> 0,02 (*) ◀ ▶ <u>M64</u> 0,02 (*) ◀ ▶ <u>M64</u> 0,02 (*) ◀ ▶ <u>M64</u> 0,02 (*) ◀ ▶ <u>M64</u> 0,02 (*) ◀ ▶ <u>M64</u> 0,02 (*) ◀ ▶ <u>M64</u> 0,02 (*) ◀	▶ <u>M73</u> 0,01 (*) ◀ ▶ <u>M73</u> 0,9 ◀ ▶ <u>M73</u> 0,01 (*) ◀ ▶ <u>M73</u> 0,01 (*) ◀ ▶ <u>M73</u> 0,01 (*) ◀ ▶ <u>M73</u> 0,01 (*) ◀ ▶ <u>M73</u> 0,01 (*) ◀	▶ <u>M74</u> 0,1 (*) ◀ ▶ <u>M74</u> 0,2 ◀ ▶ <u>M74</u> 0,1 (*) ◀ ▶ <u>M74</u> 0,1 (*) ◀ ▶ <u>M74</u> 0,1 (*) ◀ ▶ <u>M74</u> 0,1 (*) ◀ ▶ <u>M74</u> 0,1 (*) ◀	

▼ M2

(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)
0,05 (*)	▶ <u>M59</u> 0,02 (*) ◀	▶ <u>M67</u> 0,01 (*) ◀	▶ <u>M58</u> 0,01 (*) ◀	▶ <u>M72</u> 0,02 (*) ◀	▶ <u>M75</u> 0,02 (*) ◀		
(**)	▶ <u>M59</u> 0,02 (*) ◀	▶ <u>M67</u> 0,01 (*) ◀	▶ <u>M58</u> 0,01 (*) ◀	▶ <u>M72</u> 0,02 (*) ◀	▶ <u>M75</u> 0,02 (*) ◀	▶ <u>M59</u> — ◀	(**)
0,05 (*)	▶ <u>M59</u> 0,02 (*) ◀	▶ <u>M67</u> 0,01 (*) ◀	▶ <u>M58</u> 0,01 (*) ◀	▶ <u>M72</u> 0,05 (*) ◀	▶ <u>M40</u> — ◀	▶ <u>M59</u> 0,02 (*) ◀	0,05 (*)
		▶ <u>M67</u> (+) ◀ ▶ <u>M67</u> (+) ◀ ▶ <u>M67</u> (+) ◀			▶ <u>M75</u> 0,3 ◀ ▶ <u>M75</u> 0,5 ◀ ▶ <u>M75</u> 0,3 ◀ ▶ <u>M75</u> 0,05 ◀		
					▶ <u>M75</u> 0,3 ◀		
0,05 (*)	▶ <u>M59</u> 0,05 (*) ◀	▶ <u>M67</u> 0,01 (*) ◀	▶ <u>M58</u> 0,02 (*) ◀		▶ <u>M13</u> — ◀	▶ <u>M59</u> 0,02 (*) ◀	0,05 (*)
		▶ <u>M67</u> — ◀	▶ <u>M58</u> — ◀			▶ <u>M59</u> — ◀	
				▶ <u>M72</u> 0,02 (*) ◀ ▶ <u>M72</u> 0,02 (*) ◀ ▶ <u>M72</u> 0,02 (*) ◀ ▶ <u>M72</u> 0,02 (*) ◀ ▶ <u>M72</u> 0,02 (*) ◀ ▶ <u>M72</u> 0,02 (*) ◀ ▶ <u>M72</u> 0,02 (*) ◀	▶ <u>M75</u> 0,2 ◀ ▶ <u>M75</u> 0,04 ◀ ▶ <u>M75</u> 0,2 ◀ ▶ <u>M75</u> 0,2 ◀ ▶ <u>M75</u> 0,3 ◀ ▶ <u>M75</u> 0,2 ◀ ▶ <u>M75</u> 0,05 ◀	▶ <u>M59</u> (+) ◀	



▼ M2

(26)	(27)	(28)	(29)	(30)	(31)
▶ <u>M67</u> 0,05 (*) ◀	▶ <u>M74</u> 0,01 (*) ◀		▶ <u>M47</u> 0,02 (*) ◀	▶ <u>M32</u> 0,02 (*) ◀	
▶ <u>M67</u> 0,05 (*) ◀	▶ <u>M74</u> 0,01 (*) ◀	(**)	▶ <u>M47</u> (**) ◀	▶ <u>M32</u> (**) ◀	(**)
▶ <u>M67</u> 0,05 (*) ◀	▶ <u>M51</u> — ◀	0,05 (*)	▶ <u>M47</u> 0,02 (*) ◀	▶ <u>M32</u> 0,02 (*) ◀	0,1 (*)
	▶ <u>M74</u> 0,5 ◀ ▶ <u>M74</u> 0,5 ◀ ▶ <u>M74</u> 0,5 ◀ ▶ <u>M74</u> 0,5 ◀				
▶ <u>M67</u> (+) ◀	▶ <u>M74</u> 0,01 (*) ◀				
▶ <u>M67</u> 0,05 (*) ◀	▶ <u>M74</u> 0,02 (*) ◀	0,05 (*)		▶ <u>M32</u> 0,05 (*) ◀	
	▶ <u>M51</u> — ◀		▶ <u>M47</u> 0,05 (*) ◀		0,2 (*)
▶ <u>M67</u> (+) ◀				▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀	
▶ <u>M67</u> (+) ◀					

▼ **M2**

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)
0401080	Mustard seed					► <b>M32</b> 0,02 (*) ◀		
0401090	Cotton seed					► <b>M32</b> 0,05 (*) ◀		
0401100	Pumpkin seeds					► <b>M32</b> 0,02 (*) ◀		
0401110	Safflower	► <b>M72</b> (**) ◀	► <b>M67</b> — ◀	(**)	(**)	► <b>M32</b> (**) ◀	(**)	► <b>M66</b> — ◀
0401120	Borage	► <b>M72</b> (**) ◀	► <b>M67</b> — ◀	(**)	(**)	► <b>M32</b> (**) ◀	(**)	► <b>M66</b> — ◀
0401130	Gold of pleasure	► <b>M72</b> (**) ◀	► <b>M67</b> — ◀	(**)	(**)	► <b>M32</b> (**) ◀	(**)	► <b>M66</b> — ◀
0401140	Hempseed					► <b>M32</b> 0,02 (*) ◀		
0401150	Castor bean	► <b>M72</b> (**) ◀	► <b>M67</b> — ◀	(**)	(**)	► <b>M32</b> (**) ◀	(**)	► <b>M66</b> — ◀
0401990	Others					► <b>M32</b> 0,02 (*) ◀		
0402000	(ii) <b>Oilfruits</b>					► <b>M32</b> 0,02 (*) ◀		
0402010	Olives for oil production		► <b>M67</b> — ◀		0,05 (*)			► <b>M66</b> — ◀
0402020	Palm nuts (palmoil kernels)	► <b>M72</b> (**) ◀	► <b>M67</b> — ◀	(**)	(**)	► <b>M32</b> (**) ◀	(**)	► <b>M66</b> — ◀
0402030	Palmfruit	► <b>M72</b> (**) ◀	► <b>M67</b> — ◀	(**)	(**)	► <b>M32</b> (**) ◀	(**)	► <b>M66</b> — ◀
0402040	Kapok	► <b>M72</b> (**) ◀	► <b>M67</b> — ◀	(**)	(**)	► <b>M32</b> (**) ◀	(**)	► <b>M66</b> — ◀
0402990	Others		► <b>M67</b> — ◀		0,1 (*)			► <b>M66</b> — ◀
0500000	<b>5. CEREALS</b>	► <b>M72</b> 0,05 (*) ◀	► <b>M78</b> 0,05 (*) ◀	0,01 (*)	0,05 (*)	► <b>M32</b> — ◀	0,01 (*)	► <b>M66</b> — ◀
0500010	Barley					► <b>M32</b> 0,02 (*) ◀		► <b>M66</b> 0,05 (*) (+) ◀
0500020	Buckwheat					► <b>M32</b> 0,02 (*) ◀		► <b>M66</b> 0,05 (*) ◀
0500030	Maize					► <b>M32</b> 0,05 ◀		► <b>M66</b> 0,05 (*) ◀
0500040	Millet					► <b>M32</b> 0,02 (*) ◀		► <b>M66</b> 0,05 (*) ◀
0500050	Oats					► <b>M32</b> 0,02 (*) ◀		► <b>M66</b> 0,05 (*) (+) ◀
0500060	Rice					► <b>M32</b> 0,02 (*) ◀		► <b>M66</b> 0,05 (*) ◀
0500070	Rye					► <b>M32</b> 0,02 (*) ◀		► <b>M66</b> 0,05 (*) (+) ◀

▼ M2

(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)
▶ <u>M70</u> 0,01 (*) ◀		▶ <u>M19</u> 0,1 (*) ◀	▶ <u>M64</u> — ◀	▶ <u>M64</u> 0,02 (*) ◀	▶ <u>M73</u> 0,01 (*) ◀	▶ <u>M74</u> 0,1 (*) ◀	
▶ <u>M70</u> 0,01 (*) ◀		▶ <u>M19</u> 0,1 (*) ◀	▶ <u>M64</u> — ◀	▶ <u>M64</u> 3 ◀	▶ <u>M73</u> 0,01 (*) ◀	▶ <u>M74</u> 0,1 (*) ◀	
▶ <u>M70</u> 0,01 (*) ◀		▶ <u>M19</u> 0,1 (*) ◀	▶ <u>M64</u> — ◀	▶ <u>M64</u> 0,02 (*) ◀	▶ <u>M73</u> 0,01 (*) ◀	▶ <u>M74</u> 0,1 (*) ◀	
▶ <u>M70</u> 0,01 (*) ◀	(**)	(**)	▶ <u>M64</u> — ◀	▶ <u>M64</u> (**) ◀	▶ <u>M73</u> 0,01 (*) ◀	▶ <u>M74</u> (**) ◀	(**)
▶ <u>M70</u> 0,01 (*) ◀	(**)	(**)	▶ <u>M64</u> — ◀	▶ <u>M64</u> (**) ◀	▶ <u>M73</u> 0,01 (*) ◀	▶ <u>M74</u> (**) ◀	(**)
▶ <u>M70</u> 0,01 (*) ◀	(**)	(**)	▶ <u>M64</u> — ◀	▶ <u>M64</u> (**) ◀	▶ <u>M73</u> 0,01 (*) ◀	▶ <u>M74</u> (**) ◀	(**)
▶ <u>M70</u> 0,01 (*) ◀		▶ <u>M19</u> 0,1 (*) ◀	▶ <u>M64</u> — ◀	▶ <u>M64</u> 0,02 (*) ◀	▶ <u>M73</u> 0,01 (*) ◀	▶ <u>M74</u> 0,1 (*) ◀	
▶ <u>M70</u> 0,01 (*) ◀	(**)	(**)	▶ <u>M64</u> — ◀	▶ <u>M64</u> (**) ◀	▶ <u>M73</u> 0,01 (*) ◀	▶ <u>M74</u> (**) ◀	(**)
▶ <u>M70</u> 0,01 (*) ◀		▶ <u>M19</u> 0,1 (*) ◀	▶ <u>M64</u> — ◀	▶ <u>M64</u> 0,02 (*) ◀	▶ <u>M73</u> 0,01 (*) ◀	▶ <u>M74</u> 0,1 (*) ◀	
▶ <u>M70</u> 0,01 (*) ◀			▶ <u>M64</u> — ◀	▶ <u>M64</u> 0,02 (*) ◀	▶ <u>M73</u> 0,01 (*) ◀		
▶ <u>M51</u> — ◀	(**)	▶ <u>M19</u> 0,05 (*) ◀	▶ <u>M64</u> — ◀	▶ <u>M64</u> (**) ◀	▶ <u>M73</u> — ◀	▶ <u>M74</u> 0,05 (*) ◀	0,3
▶ <u>M51</u> — ◀	(**)	(**)	▶ <u>M64</u> — ◀	▶ <u>M64</u> (**) ◀	▶ <u>M73</u> — ◀	▶ <u>M74</u> (**) ◀	(**)
▶ <u>M51</u> — ◀	(**)	(**)	▶ <u>M64</u> — ◀	▶ <u>M64</u> (**) ◀	▶ <u>M73</u> — ◀	▶ <u>M74</u> (**) ◀	(**)
		▶ <u>M19</u> 0,1 (*) ◀	▶ <u>M64</u> — ◀		▶ <u>M73</u> — ◀	▶ <u>M74</u> 0,1 (*) ◀	0,1 (*)
	5		▶ <u>M64</u> — ◀	▶ <u>M64</u> 0,01 (*) ◀			0,05 (*)
▶ <u>M70</u> 0,3 ◀		▶ <u>M19</u> 1 ◀	▶ <u>M64</u> — ◀		▶ <u>M73</u> 0,1 ◀	▶ <u>M74</u> 0,2 ◀	
▶ <u>M70</u> 0,01 (*) ◀		▶ <u>M19</u> 0,05 (*) ◀	▶ <u>M64</u> — ◀		▶ <u>M73</u> 0,02 (*) ◀	▶ <u>M74</u> 0,05 (*) ◀	
▶ <u>M70</u> 0,01 (*) ◀		▶ <u>M19</u> 0,05 (*) ◀	▶ <u>M64</u> — ◀		▶ <u>M73</u> 0,02 (*) ◀	▶ <u>M74</u> 0,05 (*) ◀	
▶ <u>M70</u> 0,01 (*) ◀		▶ <u>M19</u> 0,05 (*) ◀	▶ <u>M64</u> — ◀		▶ <u>M73</u> 0,02 (*) ◀	▶ <u>M74</u> 0,05 (*) ◀	
▶ <u>M70</u> 0,3 ◀		▶ <u>M19</u> 1 ◀	▶ <u>M64</u> — ◀		▶ <u>M73</u> 0,1 ◀	▶ <u>M74</u> 0,2 ◀	
▶ <u>M70</u> 0,01 (*) ◀		▶ <u>M19</u> 1 ◀	▶ <u>M64</u> — ◀		▶ <u>M73</u> 0,02 (*) ◀	▶ <u>M74</u> 0,7 ◀	
▶ <u>M70</u> 0,05 ◀		▶ <u>M19</u> 0,5 ◀	▶ <u>M64</u> — ◀		▶ <u>M73</u> 0,1 ◀	▶ <u>M74</u> 0,05 (*) ◀	

▼ M2

(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)
				▶ <u>M72</u> 0,02 (*) ◀ ▶ <u>M72</u> 0,03 ◀ ▶ <u>M72</u> 0,02 (*) ◀ ▶ <u>M72</u> 0,02 (*) ◀ ▶ <u>M72</u> 0,02 (*) ◀ ▶ <u>M72</u> 0,02 (*) ◀ ▶ <u>M72</u> 0,02 (*) ◀	▶ <u>M75</u> 0,2 ◀ ▶ <u>M75</u> 0,3 ◀ ▶ <u>M75</u> 0,02 (*) ◀ ▶ <u>M75</u> 0,2 ◀ ▶ <u>M75</u> 0,2 ◀ ▶ <u>M75</u> 0,2 ◀ ▶ <u>M75</u> 0,02 (*) ◀ ▶ <u>M75</u> 0,2 ◀		
(**)	▶ <u>M59</u> — ◀	▶ <u>M67</u> — ◀	▶ <u>M58</u> — ◀			▶ <u>M59</u> — ◀	(**)
(**)	▶ <u>M59</u> — ◀	▶ <u>M67</u> — ◀	▶ <u>M58</u> — ◀			▶ <u>M59</u> — ◀	(**)
(**)	▶ <u>M59</u> — ◀	▶ <u>M67</u> — ◀	▶ <u>M58</u> — ◀			▶ <u>M59</u> — ◀	(**)
(**)	▶ <u>M59</u> — ◀	▶ <u>M67</u> — ◀	▶ <u>M58</u> — ◀			▶ <u>M59</u> — ◀	(**)
				▶ <u>M72</u> 0,02 (*) ◀	▶ <u>M75</u> 0,02 (*) ◀		
				▶ <u>M72</u> 0,05 (*) ◀	▶ <u>M75</u> 0,02 (*) ◀		
		▶ <u>M67</u> — ◀	▶ <u>M58</u> — ◀			▶ <u>M59</u> (+) ◀	
(**)	▶ <u>M59</u> — ◀	▶ <u>M67</u> — ◀	▶ <u>M58</u> — ◀	▶ <u>M55</u> — ◀	▶ <u>M40</u> — ◀	▶ <u>M59</u> — ◀	(**)
(**)	▶ <u>M59</u> — ◀	▶ <u>M67</u> — ◀	▶ <u>M58</u> — ◀	▶ <u>M55</u> — ◀	▶ <u>M40</u> — ◀	▶ <u>M59</u> — ◀	(**)
(**)	▶ <u>M59</u> — ◀	▶ <u>M67</u> — ◀	▶ <u>M58</u> — ◀	▶ <u>M55</u> — ◀	▶ <u>M40</u> — ◀	▶ <u>M59</u> — ◀	(**)
		▶ <u>M67</u> — ◀	▶ <u>M58</u> — ◀			▶ <u>M59</u> — ◀	
0,05 (*)	▶ <u>M59</u> 0,02 (*) ◀	▶ <u>M67</u> 0,01 (*) ◀	▶ <u>M58</u> 0,01 (*) ◀	▶ <u>M72</u> 0,05 (*) ◀		▶ <u>M59</u> 0,02 (*) ◀	0,05 (*)
			▶ <u>M58</u> (+) ◀		▶ <u>M75</u> 1 ◀ ▶ <u>M75</u> 0,02 (*) ◀ ▶ <u>M75</u> 0,02 (*) ◀ ▶ <u>M75</u> 0,02 (*) ◀ ▶ <u>M75</u> 1 ◀ ▶ <u>M75</u> 0,02 (*) ◀ ▶ <u>M75</u> 0,2 ◀	▶ <u>M59</u> (+) ◀    ▶ <u>M59</u> (+) ◀  ▶ <u>M59</u> (+) ◀	

▼ M2

(26)	(27)	(28)	(29)	(30)	(31)
				▶ <u>M32</u> — ◀	
				▶ <u>M32</u> — ◀	
				▶ <u>M32</u> — ◀	
▶ <u>M67</u> — ◀	▶ <u>M51</u> — ◀	(**)	▶ <u>M47</u> (**)* ◀	▶ <u>M32</u> (**)* ◀	(**)
▶ <u>M67</u> — ◀	▶ <u>M51</u> — ◀	(**)	▶ <u>M47</u> (**)* ◀	▶ <u>M32</u> (**)* ◀	(**)
▶ <u>M67</u> — ◀	▶ <u>M51</u> — ◀	(**)	▶ <u>M47</u> (**)* ◀	▶ <u>M32</u> (**)* ◀	(**)
				▶ <u>M32</u> — ◀	
▶ <u>M67</u> — ◀	▶ <u>M51</u> — ◀	(**)	▶ <u>M47</u> (**)* ◀	▶ <u>M32</u> (**)* ◀	(**)
				▶ <u>M32</u> — ◀	
				▶ <u>M32</u> — ◀	
	▶ <u>M51</u> — ◀		▶ <u>M47</u> 0,02 (*)* ◀		0,1 (*)*
▶ <u>M67</u> — ◀	▶ <u>M51</u> — ◀	(**)	▶ <u>M47</u> (**)* ◀	▶ <u>M32</u> (**)* ◀	(**)
▶ <u>M67</u> — ◀	▶ <u>M51</u> — ◀	(**)	▶ <u>M47</u> (**)* ◀	▶ <u>M32</u> (**)* ◀	(**)
▶ <u>M67</u> — ◀	▶ <u>M51</u> — ◀	(**)	▶ <u>M47</u> (**)* ◀	▶ <u>M32</u> (**)* ◀	(**)
	▶ <u>M51</u> — ◀		▶ <u>M47</u> 0,05 (*)* ◀		0,2 (*)*
▶ <u>M67</u> 0,05 (*)* ◀	▶ <u>M51</u> — ◀	0,05 (*)*		▶ <u>M32</u> 0,02 (*)* ◀	0,05 (*)*
	▶ <u>M74</u> 0,05 (*)* (+)* ◀		▶ <u>M47</u> 0,2 ◀		
	▶ <u>M74</u> 0,01 (*)* ◀		▶ <u>M47</u> 0,02 (*)* ◀		
▶ <u>M67</u> (+)* ◀	▶ <u>M74</u> 0,01 (*)* ◀		▶ <u>M47</u> 0,02 (*)* ◀		
	▶ <u>M74</u> 0,01 (*)* ◀		▶ <u>M47</u> 0,02 (*)* ◀		
	▶ <u>M74</u> 0,05 (*)* (+)* ◀		▶ <u>M47</u> 0,2 ◀		
	▶ <u>M74</u> 0,05 (*)* ◀		▶ <u>M47</u> 0,02 (*)* ◀		
	▶ <u>M74</u> 0,05 (*)* (+)* ◀		▶ <u>M47</u> 0,02 (*)* ◀		

## ▼ M2

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)
0500080	Sorghum					► <u>M32</u> 0,05 ◀		► <u>M66</u> 0,05 (*) ◀
0500090	Wheat					► <u>M32</u> 0,02 (*) ◀		► <u>M66</u> 0,05 (*) (+) ◀
0500990	Others					► <u>M32</u> 0,02 (*) ◀		
0600000	6. TEA, COFFEE, HERBAL INFUSIONS AND COCOA	► <u>M72</u> — ◀	► <u>M44</u> — ◀	0,02 (*)	0,1 (*)	► <u>M32</u> 0,05 (*) ◀	0,02 (*)	► <u>M66</u> 0,05 (*) ◀
0610000	(i) Tea (dried leaves and stalks, fermented or otherwise of Camellia sinensis)	► <u>M72</u> 0,1 ◀	► <u>M78</u> 0,05 (*) ◀					
0620000	(ii) Coffee beans	► <u>M72</u> (**) ◀	► <u>M78</u> 0,05 (*) ◀	(**)	(**)	► <u>M32</u> (**) ◀	(**)	► <u>M66</u> — ◀
0630000	(iii) Herbal infusions (dried)	► <u>M72</u> (**) ◀	► <u>M67</u> — ◀	(**)	(**)	► <u>M32</u> (**) ◀	(**)	► <u>M66</u> — ◀
0631000	(a) Flowers	► <u>M72</u> (**) ◀	► <u>M78</u> 0,05 (*) ◀	(**)	(**)	► <u>M32</u> (**) ◀	(**)	► <u>M66</u> — ◀
0631010	Camomille flowers	► <u>M72</u> (**) ◀	► <u>M67</u> — ◀	(**)	(**)	► <u>M32</u> (**) ◀	(**)	► <u>M66</u> — ◀
0631020	Hybiscus flowers	► <u>M72</u> (**) ◀	► <u>M67</u> — ◀	(**)	(**)	► <u>M32</u> (**) ◀	(**)	► <u>M66</u> — ◀
0631030	Rose petals	► <u>M72</u> (**) ◀	► <u>M67</u> — ◀	(**)	(**)	► <u>M32</u> (**) ◀	(**)	► <u>M66</u> — ◀
0631040	Jasmine flowers	► <u>M72</u> (**) ◀	► <u>M67</u> — ◀	(**)	(**)	► <u>M32</u> (**) ◀	(**)	► <u>M66</u> — ◀
0631050	Lime (linden)	► <u>M72</u> (**) ◀	► <u>M67</u> — ◀	(**)	(**)	► <u>M32</u> (**) ◀	(**)	► <u>M66</u> — ◀
0631990	Others	► <u>M72</u> (**) ◀	► <u>M67</u> — ◀	(**)	(**)	► <u>M32</u> (**) ◀	(**)	► <u>M66</u> — ◀
0632000	(b) Leaves	► <u>M72</u> (**) ◀	► <u>M78</u> 0,05 (*) ◀	(**)	(**)	► <u>M32</u> (**) ◀	(**)	► <u>M66</u> — ◀
0632010	Strawberry leaves	► <u>M72</u> (**) ◀	► <u>M67</u> — ◀	(**)	(**)	► <u>M32</u> (**) ◀	(**)	► <u>M66</u> — ◀

▼ M2

(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)
▶ <u>M70</u> 0,01 (*) ◀ ▶ <u>M70</u> 0,05 ◀		▶ <u>M19</u> 0,05 (*) ◀ ▶ <u>M19</u> 0,5 ◀	▶ <u>M64</u> — ◀ ▶ <u>M64</u> — ◀		▶ <u>M73</u> 0,02 (*) ◀ ▶ <u>M73</u> 0,1 ◀	▶ <u>M74</u> 0,05 (*) ◀ ▶ <u>M74</u> 0,05 (*) ◀	
▶ <u>M70</u> 0,01 (*) ◀		▶ <u>M19</u> 0,05 (*) ◀	▶ <u>M64</u> — ◀		▶ <u>M73</u> 0,02 (*) ◀	▶ <u>M74</u> 0,05 (*) ◀	
▶ <u>M70</u> 0,05 (*) ◀			▶ <u>M64</u> — ◀	▶ <u>M43</u> — ◀	▶ <u>M73</u> 0,05 (*) ◀	▶ <u>M74</u> 0,1 (*) ◀	0,1 (*)
	0,05 (*)	▶ <u>M19</u> 0,1 (*) ◀	▶ <u>M64</u> — ◀	▶ <u>M64</u> 0,05 (*) ◀			
▶ <u>M51</u> — ◀	(**)	(**)	▶ <u>M64</u> — ◀	▶ <u>M64</u> (**) ◀	▶ <u>M73</u> — ◀	▶ <u>M74</u> (**) ◀	(**)
▶ <u>M51</u> — ◀	(**)	(**)	▶ <u>M64</u> — ◀	▶ <u>M64</u> (**) ◀	▶ <u>M73</u> — ◀	▶ <u>M74</u> (**) ◀	(**)
▶ <u>M51</u> — ◀	(**)	(**)	▶ <u>M64</u> — ◀	▶ <u>M64</u> (**) ◀	▶ <u>M73</u> — ◀	▶ <u>M74</u> (**) ◀	(**)
▶ <u>M51</u> — ◀	(**)	(**)	▶ <u>M64</u> — ◀	▶ <u>M64</u> (**) ◀	▶ <u>M73</u> — ◀	▶ <u>M74</u> (**) ◀	(**)
▶ <u>M51</u> — ◀	(**)	(**)	▶ <u>M64</u> — ◀	▶ <u>M64</u> (**) ◀	▶ <u>M73</u> — ◀	▶ <u>M74</u> (**) ◀	(**)
▶ <u>M51</u> — ◀	(**)	(**)	▶ <u>M64</u> — ◀	▶ <u>M64</u> (**) ◀	▶ <u>M73</u> — ◀	▶ <u>M74</u> (**) ◀	(**)
▶ <u>M51</u> — ◀	(**)	(**)	▶ <u>M64</u> — ◀	▶ <u>M64</u> (**) ◀	▶ <u>M73</u> — ◀	▶ <u>M74</u> (**) ◀	(**)
▶ <u>M51</u> — ◀	(**)	(**)	▶ <u>M64</u> — ◀	▶ <u>M64</u> (**) ◀	▶ <u>M73</u> — ◀	▶ <u>M74</u> (**) ◀	(**)
▶ <u>M51</u> — ◀	(**)	(**)	▶ <u>M64</u> — ◀	▶ <u>M64</u> (**) ◀	▶ <u>M73</u> — ◀	▶ <u>M74</u> (**) ◀	(**)
▶ <u>M51</u> — ◀	(**)	(**)	▶ <u>M64</u> — ◀	▶ <u>M64</u> (**) ◀	▶ <u>M73</u> — ◀	▶ <u>M74</u> (**) ◀	(**)

▼ M2

(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)
			▶ <u>M58</u> (+) ◀		▶ <u>M75</u> 0,5 ◀ ▶ <u>M75</u> 0,2 ◀	▶ <u>M59</u> (+) ◀	
					▶ <u>M75</u> 0,02 (*) ◀		
0,1 (*)	▶ <u>M59</u> 0,1 (*) ◀	▶ <u>M67</u> — ◀	▶ <u>M58</u> 0,05 (*) ◀	▶ <u>M20</u> ▶ <u>C7</u> — ◀ ◀	▶ <u>M13</u> — ◀	▶ <u>M59</u> 0,1 (*) ◀	0,1 (*)
		▶ <u>M67</u> 0,05 (*) ◀		▶ <u>M72</u> 0,1 (*) ◀	▶ <u>M75</u> 0,1 (*) ◀		
(**)	▶ <u>M59</u> — ◀	▶ <u>M67</u> 0,05 (*) ◀	▶ <u>M58</u> — ◀	▶ <u>M72</u> 0,1 (*) ◀	▶ <u>M75</u> 0,3 (+) ◀	▶ <u>M59</u> — ◀	(**)
(**)	▶ <u>M59</u> — ◀	▶ <u>M67</u> — ◀	▶ <u>M58</u> — ◀	▶ <u>M55</u> — ◀	▶ <u>M75</u> 0,1 (*) ◀	▶ <u>M59</u> — ◀	(**)
(**)	▶ <u>M59</u> — ◀	▶ <u>M67</u> 0,4 ◀	▶ <u>M58</u> — ◀	▶ <u>M72</u> 5 (+) ◀	▶ <u>M40</u> — ◀	▶ <u>M59</u> — ◀	(**)
(**)	▶ <u>M59</u> — ◀	▶ <u>M67</u> — ◀	▶ <u>M58</u> — ◀	▶ <u>M55</u> — ◀	▶ <u>M40</u> — ◀	▶ <u>M59</u> — ◀	(**)
(**)	▶ <u>M59</u> — ◀	▶ <u>M67</u> — ◀	▶ <u>M58</u> — ◀	▶ <u>M55</u> — ◀	▶ <u>M40</u> — ◀	▶ <u>M59</u> — ◀	(**)
(**)	▶ <u>M59</u> — ◀	▶ <u>M67</u> — ◀	▶ <u>M58</u> — ◀	▶ <u>M55</u> — ◀	▶ <u>M40</u> — ◀	▶ <u>M59</u> — ◀	(**)
(**)	▶ <u>M59</u> — ◀	▶ <u>M67</u> — ◀	▶ <u>M58</u> — ◀	▶ <u>M55</u> — ◀	▶ <u>M40</u> — ◀	▶ <u>M59</u> — ◀	(**)
(**)	▶ <u>M59</u> — ◀	▶ <u>M67</u> 0,4 ◀	▶ <u>M58</u> — ◀	▶ <u>M72</u> 5 (+) ◀	▶ <u>M40</u> — ◀	▶ <u>M59</u> — ◀	(**)
(**)	▶ <u>M59</u> — ◀	▶ <u>M67</u> — ◀	▶ <u>M58</u> — ◀	▶ <u>M55</u> — ◀	▶ <u>M40</u> — ◀	▶ <u>M59</u> — ◀	(**)



▼ M2

(26)	(27)	(28)	(29)	(30)	(31)
	▶ <u>M74</u> 0,05 (*) ◀ ▶ <u>M74</u> 0,05 (*) (+) ◀		▶ <u>M47</u> 0,02 (*) ◀ ▶ <u>M47</u> 0,02 (*) ◀		
	▶ <u>M74</u> 0,01 (*) ◀		▶ <u>M47</u> 0,02 (*) ◀		
	▶ <u>M74</u> — ◀	0,1 (*)	▶ <u>M47</u> 0,05 (*) ◀	▶ <u>M32</u> 0,1 (*) ◀	0,2 (*)
▶ <u>M67</u> 0,05 (*) ◀	▶ <u>M74</u> 0,05 (*) ◀			▶ <u>M32</u> — ◀	
▶ <u>M67</u> 0,05 (*) ◀	▶ <u>M74</u> 0,05 (**) ◀	(**)	▶ <u>M47</u> (**) ◀	▶ <u>M32</u> (**) ◀	(**)
▶ <u>M67</u> — ◀	▶ <u>M51</u> — ◀	(**)	▶ <u>M47</u> (**) ◀	▶ <u>M32</u> (**) ◀	(**)
▶ <u>M67</u> 2 (+) ◀	▶ <u>M74</u> 0,05 (**) ◀	(**)	▶ <u>M47</u> (**) ◀	▶ <u>M32</u> (**) ◀	(**)
▶ <u>M67</u> — ◀	▶ <u>M51</u> — ◀	(**)	▶ <u>M47</u> (**) ◀	▶ <u>M32</u> (**) ◀	(**)
▶ <u>M67</u> — ◀	▶ <u>M51</u> — ◀	(**)	▶ <u>M47</u> (**) ◀	▶ <u>M32</u> (**) ◀	(**)
▶ <u>M67</u> — ◀	▶ <u>M51</u> — ◀	(**)	▶ <u>M47</u> (**) ◀	▶ <u>M32</u> (**) ◀	(**)
▶ <u>M67</u> — ◀	▶ <u>M51</u> — ◀	(**)	▶ <u>M47</u> (**) ◀	▶ <u>M32</u> (**) ◀	(**)
▶ <u>M67</u> — ◀	▶ <u>M51</u> — ◀	(**)	▶ <u>M47</u> (**) ◀	▶ <u>M32</u> (**) ◀	(**)
▶ <u>M67</u> 2 (+) ◀	▶ <u>M74</u> 0,05 (**) ◀	(**)	▶ <u>M47</u> (**) ◀	▶ <u>M32</u> (**) ◀	(**)
▶ <u>M67</u> — ◀	▶ <u>M51</u> — ◀	(**)	▶ <u>M47</u> (**) ◀	▶ <u>M32</u> (**) ◀	(**)

▼ **M2**

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)
0632020	Rooibos leaves	► <b>M72</b> (**) ◄	► <b>M67</b> — ◄	(**)	(**)	► <b>M32</b> (**) ◄	(**)	► <b>M66</b> — ◄
0632030	Maté	► <b>M72</b> (**) ◄	► <b>M67</b> — ◄	(**)	(**)	► <b>M32</b> (**) ◄	(**)	► <b>M66</b> — ◄
0632990	Others	► <b>M72</b> (**) ◄	► <b>M67</b> — ◄	(**)	(**)	► <b>M32</b> (**) ◄	(**)	► <b>M66</b> — ◄
0633000	(c) <i>Roots</i>	► <b>M72</b> (**) ◄	► <b>M78</b> 0,5 ◄	(**)	(**)	► <b>M32</b> (**) ◄	(**)	► <b>M66</b> — ◄
0633010	Valerian root	► <b>M72</b> (**) ◄	► <b>M67</b> — ◄	(**)	(**)	► <b>M32</b> (**) ◄	(**)	► <b>M66</b> — ◄
0633020	Ginseng root	► <b>M72</b> (**) ◄	► <b>M67</b> — ◄	(**)	(**)	► <b>M32</b> (**) ◄	(**)	► <b>M66</b> — ◄
0633990	Others	► <b>M72</b> (**) ◄	► <b>M67</b> — ◄	(**)	(**)	► <b>M32</b> (**) ◄	(**)	► <b>M66</b> — ◄
0639000	(d) <i>Other herbal infusions</i>	► <b>M72</b> (**) ◄	► <b>M78</b> 0,05 (*) ◄	(**)	(**)	► <b>M32</b> (**) ◄	(**)	► <b>M66</b> — ◄
0640000	(iv) <b>Cocoa (fermented beans)</b>	► <b>M72</b> (**) ◄	► <b>M78</b> 0,05 (*) ◄	(**)	(**)	► <b>M32</b> (**) ◄	(**)	► <b>M66</b> — ◄
0650000	(v) <b>Carob (st johns bread)</b>	► <b>M72</b> (**) ◄	► <b>M78</b> 0,05 (*) ◄	(**)	(**)	► <b>M32</b> (**) ◄	(**)	► <b>M66</b> — ◄
0700000	<b>7. HOPS (dried), including hop pellets and unconcentrated powder</b>	► <b>M72</b> 0,5 ◄	► <b>M78</b> 0,05 (*) ◄	0,02 (*)	0,1 (*)	► <b>M32</b> 0,05 (*) ◄	0,02 (*)	► <b>M66</b> 0,05 (*) ◄
0800000	<b>8. SPICES</b>	► <b>M72</b> (**) ◄	► <b>M67</b> — ◄	(**)	(**)	► <b>M32</b> (**) ◄	(**)	► <b>M66</b> — ◄
0810000	(i) <b>Seeds</b>	► <b>M72</b> (**) ◄	► <b>M78</b> 0,05 (*) ◄	(**)	(**)	► <b>M32</b> (**) ◄	(**)	► <b>M66</b> 0,05 (*) ◄
0810010	Anise	► <b>M72</b> (**) ◄	► <b>M67</b> — ◄	(**)	(**)	► <b>M32</b> (**) ◄	(**)	► <b>M66</b> — ◄
0810020	Black caraway	► <b>M72</b> (**) ◄	► <b>M67</b> — ◄	(**)	(**)	► <b>M32</b> (**) ◄	(**)	► <b>M66</b> — ◄
0810030	Celery seed	► <b>M72</b> (**) ◄	► <b>M67</b> — ◄	(**)	(**)	► <b>M32</b> (**) ◄	(**)	► <b>M66</b> — ◄
0810040	Coriander seed	► <b>M72</b> (**) ◄	► <b>M67</b> — ◄	(**)	(**)	► <b>M32</b> (**) ◄	(**)	► <b>M66</b> — ◄
0810050	Cumin seed	► <b>M72</b> (**) ◄	► <b>M67</b> — ◄	(**)	(**)	► <b>M32</b> (**) ◄	(**)	► <b>M66</b> — ◄
0810060	Dill seed	► <b>M72</b> (**) ◄	► <b>M67</b> — ◄	(**)	(**)	► <b>M32</b> (**) ◄	(**)	► <b>M66</b> — ◄

▼ M2

(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)
▶ <u>M51</u> — ◀	(**)	(**)	▶ <u>M64</u> — ◀	▶ <u>M64</u> (**) ◀	▶ <u>M73</u> — ◀	▶ <u>M74</u> (**) ◀	(**)
▶ <u>M51</u> — ◀	(**)	(**)	▶ <u>M64</u> — ◀	▶ <u>M64</u> (**) ◀	▶ <u>M73</u> — ◀	▶ <u>M74</u> (**) ◀	(**)
▶ <u>M51</u> — ◀	(**)	(**)	▶ <u>M64</u> — ◀	▶ <u>M64</u> (**) ◀	▶ <u>M73</u> — ◀	▶ <u>M74</u> (**) ◀	(**)
▶ <u>M51</u> — ◀	(**)	(**)	▶ <u>M64</u> — ◀	▶ <u>M64</u> (**) ◀	▶ <u>M73</u> — ◀	▶ <u>M74</u> (**) ◀	(**)
▶ <u>M51</u> — ◀	(**)	(**)	▶ <u>M64</u> — ◀	▶ <u>M64</u> (**) ◀	▶ <u>M73</u> — ◀	▶ <u>M74</u> (**) ◀	(**)
▶ <u>M51</u> — ◀	(**)	(**)	▶ <u>M64</u> — ◀	▶ <u>M64</u> (**) ◀	▶ <u>M73</u> — ◀	▶ <u>M74</u> (**) ◀	(**)
▶ <u>M51</u> — ◀	(**)	(**)	▶ <u>M64</u> — ◀	▶ <u>M64</u> (**) ◀	▶ <u>M73</u> — ◀	▶ <u>M74</u> (**) ◀	(**)
▶ <u>M51</u> — ◀	(**)	(**)	▶ <u>M64</u> — ◀	▶ <u>M64</u> (**) ◀	▶ <u>M73</u> — ◀	▶ <u>M74</u> (**) ◀	(**)
▶ <u>M51</u> — ◀	(**)	(**)	▶ <u>M64</u> — ◀	▶ <u>M64</u> (**) ◀	▶ <u>M73</u> — ◀	▶ <u>M74</u> (**) ◀	(**)
▶ <u>M70</u> 0,05 (*) ◀	0,05 (*)	▶ <u>M19</u> 0,1 (*) ◀	▶ <u>M64</u> — ◀	▶ <u>M64</u> 0,05 (*) ◀	▶ <u>M73</u> 0,01 (*) ◀	▶ <u>M74</u> 0,1 (*) ◀	25
▶ <u>M51</u> — ◀	(**)	(**)	▶ <u>M64</u> — ◀	▶ <u>M64</u> (**) ◀	▶ <u>M73</u> — ◀	▶ <u>M74</u> (**) ◀	(**)
▶ <u>M70</u> 0,05 (*) ◀	(**)	(**)	▶ <u>M64</u> — ◀	▶ <u>M64</u> (**) ◀	▶ <u>M73</u> 0,05 (*) ◀	▶ <u>M74</u> (**) ◀	(**)
▶ <u>M51</u> — ◀	(**)	(**)	▶ <u>M64</u> — ◀	▶ <u>M64</u> (**) ◀	▶ <u>M73</u> — ◀	▶ <u>M74</u> (**) ◀	(**)
▶ <u>M51</u> — ◀	(**)	(**)	▶ <u>M64</u> — ◀	▶ <u>M64</u> (**) ◀	▶ <u>M73</u> — ◀	▶ <u>M74</u> (**) ◀	(**)
▶ <u>M51</u> — ◀	(**)	(**)	▶ <u>M64</u> — ◀	▶ <u>M64</u> (**) ◀	▶ <u>M73</u> — ◀	▶ <u>M74</u> (**) ◀	(**)
▶ <u>M51</u> — ◀	(**)	(**)	▶ <u>M64</u> — ◀	▶ <u>M64</u> (**) ◀	▶ <u>M73</u> — ◀	▶ <u>M74</u> (**) ◀	(**)
▶ <u>M51</u> — ◀	(**)	(**)	▶ <u>M64</u> — ◀	▶ <u>M64</u> (**) ◀	▶ <u>M73</u> — ◀	▶ <u>M74</u> (**) ◀	(**)

▼ M2

(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)
(**)	▶ <u>M59</u> — ◀	▶ <u>M67</u> — ◀	▶ <u>M58</u> — ◀	▶ <u>M55</u> — ◀	▶ <u>M40</u> — ◀	▶ <u>M59</u> — ◀	(**)
(**)	▶ <u>M59</u> — ◀	▶ <u>M67</u> — ◀	▶ <u>M58</u> — ◀	▶ <u>M55</u> — ◀	▶ <u>M40</u> — ◀	▶ <u>M59</u> — ◀	(**)
(**)	▶ <u>M59</u> — ◀	▶ <u>M67</u> — ◀	▶ <u>M58</u> — ◀	▶ <u>M55</u> — ◀	▶ <u>M40</u> — ◀	▶ <u>M59</u> — ◀	(**)
(**)	▶ <u>M59</u> — ◀	▶ <u>M67</u> 0,05 (*) ◀	▶ <u>M58</u> — ◀	▶ <u>M72</u> 0,1 (*) ◀	▶ <u>M40</u> — ◀	▶ <u>M59</u> — ◀	(**)
(**)	▶ <u>M59</u> — ◀	▶ <u>M67</u> — ◀	▶ <u>M58</u> — ◀	▶ <u>M55</u> — ◀	▶ <u>M40</u> — ◀	▶ <u>M59</u> — ◀	(**)
(**)	▶ <u>M59</u> — ◀	▶ <u>M67</u> — ◀	▶ <u>M58</u> — ◀	▶ <u>M55</u> — ◀	▶ <u>M40</u> — ◀	▶ <u>M59</u> — ◀	(**)
(**)	▶ <u>M59</u> — ◀	▶ <u>M67</u> — ◀	▶ <u>M58</u> — ◀	▶ <u>M55</u> — ◀	▶ <u>M40</u> — ◀	▶ <u>M59</u> — ◀	(**)
(**)	▶ <u>M59</u> — ◀	▶ <u>M67</u> 0,05 (*) ◀	▶ <u>M58</u> — ◀	▶ <u>M72</u> 0,1 (*) ◀	▶ <u>M40</u> — ◀	▶ <u>M59</u> — ◀	(**)
(**)	▶ <u>M59</u> — ◀	▶ <u>M67</u> 0,05 (*) ◀	▶ <u>M58</u> — ◀	▶ <u>M72</u> 0,1 (*) ◀	▶ <u>M75</u> 0,1 (*) ◀	▶ <u>M59</u> — ◀	(**)
(**)	▶ <u>M59</u> — ◀	▶ <u>M67</u> 0,05 (*) ◀	▶ <u>M58</u> — ◀	▶ <u>M72</u> 0,1 (*) ◀	▶ <u>M75</u> 0,1 (*) ◀	▶ <u>M59</u> — ◀	(**)
0,1 (*)	▶ <u>M59</u> 0,1 (*) ◀	▶ <u>M67</u> 0,05 (*) ◀	▶ <u>M58</u> 0,05 (*) ◀	▶ <u>M72</u> 15 (+) ◀	▶ <u>M75</u> 15 ◀	▶ <u>M59</u> 0,1 (*) (+) ◀	0,1 (*)
(**)	▶ <u>M59</u> — ◀	▶ <u>M67</u> — ◀	▶ <u>M58</u> — ◀	▶ <u>M55</u> — ◀	▶ <u>M48</u> — ◀	▶ <u>M59</u> — ◀	(**)
(**)	▶ <u>M59</u> 0,1 (*) ◀	▶ <u>M67</u> 0,05 (*) ◀	▶ <u>M58</u> 0,05 (*) ◀	▶ <u>M72</u> 0,1 (*) ◀	▶ <u>M75</u> 0,1 (*) ◀	▶ <u>M59</u> 0,1 (*) ◀	(**)
(**)	▶ <u>M59</u> — ◀	▶ <u>M67</u> — ◀	▶ <u>M58</u> — ◀	▶ <u>M55</u> — ◀	▶ <u>M40</u> — ◀	▶ <u>M59</u> — ◀	(**)
(**)	▶ <u>M59</u> — ◀	▶ <u>M67</u> — ◀	▶ <u>M58</u> — ◀	▶ <u>M55</u> — ◀	▶ <u>M40</u> — ◀	▶ <u>M59</u> — ◀	(**)
(**)	▶ <u>M59</u> — ◀	▶ <u>M67</u> — ◀	▶ <u>M58</u> — ◀	▶ <u>M55</u> — ◀	▶ <u>M40</u> — ◀	▶ <u>M59</u> — ◀	(**)
(**)	▶ <u>M59</u> — ◀	▶ <u>M67</u> — ◀	▶ <u>M58</u> — ◀	▶ <u>M55</u> — ◀	▶ <u>M40</u> — ◀	▶ <u>M59</u> — ◀	(**)
(**)	▶ <u>M59</u> — ◀	▶ <u>M67</u> — ◀	▶ <u>M58</u> — ◀	▶ <u>M55</u> — ◀	▶ <u>M40</u> — ◀	▶ <u>M59</u> — ◀	(**)
(**)	▶ <u>M59</u> — ◀	▶ <u>M67</u> — ◀	▶ <u>M58</u> — ◀	▶ <u>M55</u> — ◀	▶ <u>M40</u> — ◀	▶ <u>M59</u> — ◀	(**)

▼ M2

(26)	(27)	(28)	(29)	(30)	(31)
▶ <u>M67</u> — ◀	▶ <u>M51</u> — ◀	(**)	▶ <u>M47</u> (**) ◀	▶ <u>M32</u> (**) ◀	(**)
▶ <u>M67</u> — ◀	▶ <u>M51</u> — ◀	(**)	▶ <u>M47</u> (**) ◀	▶ <u>M32</u> (**) ◀	(**)
▶ <u>M67</u> — ◀	▶ <u>M51</u> — ◀	(**)	▶ <u>M47</u> (**) ◀	▶ <u>M32</u> (**) ◀	(**)
▶ <u>M67</u> 0,05 (*) (+) ◀	▶ <u>M51</u> — ◀	(**)	▶ <u>M47</u> (**) ◀	▶ <u>M32</u> (**) ◀	(**)
▶ <u>M67</u> — ◀	▶ <u>M74</u> 0,05 (**) ◀	(**)	▶ <u>M47</u> (**) ◀	▶ <u>M32</u> (**) ◀	(**)
▶ <u>M67</u> — ◀	▶ <u>M74</u> 1,5 ◀	(**)	▶ <u>M47</u> (**) ◀	▶ <u>M32</u> (**) ◀	(**)
▶ <u>M67</u> — ◀	▶ <u>M74</u> 0,05 (**) ◀	(**)	▶ <u>M47</u> (**) ◀	▶ <u>M32</u> (**) ◀	(**)
▶ <u>M67</u> 0,05 (*) ◀	▶ <u>M74</u> 0,05 (**) ◀	(**)	▶ <u>M47</u> (**) ◀	▶ <u>M32</u> (**) ◀	(**)
▶ <u>M67</u> 0,05 (*) ◀	▶ <u>M74</u> 0,05 (**) ◀	(**)	▶ <u>M47</u> (**) ◀	▶ <u>M32</u> (**) ◀	(**)
▶ <u>M67</u> 0,05 (*) ◀	▶ <u>M74</u> 0,05 (**) ◀	(**)	▶ <u>M47</u> (**) ◀	▶ <u>M32</u> (**) ◀	(**)
▶ <u>M67</u> 0,05 (*) ◀	▶ <u>M74</u> 0,05 (*) ◀	0,1 (*)	▶ <u>M47</u> 2 ◀	▶ <u>M32</u> 0,1 (*) ◀	0,2 (*)
▶ <u>M67</u> — ◀	▶ <u>M51</u> — ◀	(**)	▶ <u>M47</u> (**) ◀	▶ <u>M32</u> (**) ◀	(**)
▶ <u>M67</u> 0,15 (+) ◀	▶ <u>M74</u> 0,05 (*) ◀	(**)	▶ <u>M47</u> (**) ◀	▶ <u>M32</u> (**) ◀	(**)
▶ <u>M67</u> — ◀	▶ <u>M51</u> — ◀	(**)	▶ <u>M47</u> (**) ◀	▶ <u>M32</u> (**) ◀	(**)
▶ <u>M67</u> — ◀	▶ <u>M51</u> — ◀	(**)	▶ <u>M47</u> (**) ◀	▶ <u>M32</u> (**) ◀	(**)
▶ <u>M67</u> — ◀	▶ <u>M51</u> — ◀	(**)	▶ <u>M47</u> (**) ◀	▶ <u>M32</u> (**) ◀	(**)
▶ <u>M67</u> — ◀	▶ <u>M51</u> — ◀	(**)	▶ <u>M47</u> (**) ◀	▶ <u>M32</u> (**) ◀	(**)
▶ <u>M67</u> — ◀	▶ <u>M51</u> — ◀	(**)	▶ <u>M47</u> (**) ◀	▶ <u>M32</u> (**) ◀	(**)

## ▼ M2

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)
0810070	Fennel seed	▶ <u>M72</u> (**) ◀	▶ <u>M67</u> — ◀	(**)	(**)	▶ <u>M32</u> (**) ◀	(**)	▶ <u>M66</u> — ◀
0810080	Fenugreek	▶ <u>M72</u> (**) ◀	▶ <u>M67</u> — ◀	(**)	(**)	▶ <u>M32</u> (**) ◀	(**)	▶ <u>M66</u> — ◀
0810090	Nutmeg	▶ <u>M72</u> (**) ◀	▶ <u>M67</u> — ◀	(**)	(**)	▶ <u>M32</u> (**) ◀	(**)	▶ <u>M66</u> — ◀
0810990	Others	▶ <u>M72</u> (**) ◀	▶ <u>M67</u> — ◀	(**)	(**)	▶ <u>M32</u> (**) ◀	(**)	▶ <u>M66</u> — ◀
0820000	(ii) <b>Fruits and berries</b>	▶ <u>M72</u> (**) ◀	▶ <u>M78</u> 0,05 (*) ◀	(**)	(**)	▶ <u>M32</u> (**) ◀	(**)	▶ <u>M66</u> 0,05 (*) ◀
0820010	Allspice	▶ <u>M72</u> (**) ◀	▶ <u>M67</u> — ◀	(**)	(**)	▶ <u>M32</u> (**) ◀	(**)	▶ <u>M66</u> — ◀
0820020	Anise pepper (Japan pepper)	▶ <u>M72</u> (**) ◀	▶ <u>M67</u> — ◀	(**)	(**)	▶ <u>M32</u> (**) ◀	(**)	▶ <u>M66</u> — ◀
0820030	Caraway	▶ <u>M72</u> (**) ◀	▶ <u>M67</u> — ◀	(**)	(**)	▶ <u>M32</u> (**) ◀	(**)	▶ <u>M66</u> — ◀
0820040	Cardamom	▶ <u>M72</u> (**) ◀	▶ <u>M67</u> — ◀	(**)	(**)	▶ <u>M32</u> (**) ◀	(**)	▶ <u>M66</u> — ◀
0820050	Juniper berries	▶ <u>M72</u> (**) ◀	▶ <u>M67</u> — ◀	(**)	(**)	▶ <u>M32</u> (**) ◀	(**)	▶ <u>M66</u> — ◀
0820060	Pepper, black and white	▶ <u>M72</u> (**) ◀	▶ <u>M67</u> — ◀	(**)	(**)	▶ <u>M32</u> (**) ◀	(**)	▶ <u>M66</u> — ◀
0820070	Vanilla pods	▶ <u>M72</u> (**) ◀	▶ <u>M67</u> — ◀	(**)	(**)	▶ <u>M32</u> (**) ◀	(**)	▶ <u>M66</u> — ◀
0820080	Tamarind	▶ <u>M72</u> (**) ◀	▶ <u>M67</u> — ◀	(**)	(**)	▶ <u>M32</u> (**) ◀	(**)	▶ <u>M66</u> — ◀
0820990	Others	▶ <u>M72</u> (**) ◀	▶ <u>M67</u> — ◀	(**)	(**)	▶ <u>M32</u> (**) ◀	(**)	▶ <u>M66</u> — ◀
0830000	(iii) <b>Bark</b>	▶ <u>M72</u> (**) ◀	▶ <u>M78</u> 0,05 (*) ◀	(**)	(**)	▶ <u>M32</u> (**) ◀	(**)	▶ <u>M66</u> 0,05 (*) ◀
0830010	Cinnamon	▶ <u>M72</u> (**) ◀	▶ <u>M67</u> — ◀	(**)	(**)	▶ <u>M32</u> (**) ◀	(**)	▶ <u>M66</u> — ◀
0830990	Others	▶ <u>M72</u> (**) ◀	▶ <u>M67</u> — ◀	(**)	(**)	▶ <u>M32</u> (**) ◀	(**)	▶ <u>M66</u> — ◀
0840000	(iv) <b>Roots or rhizome</b>	▶ <u>M72</u> (**) ◀	▶ <u>M67</u> — ◀	(**)	(**)	▶ <u>M32</u> (**) ◀	(**)	▶ <u>M66</u> — ◀
0840010	Liquorice	▶ <u>M72</u> (**) ◀	▶ <u>M78</u> 0,05 (*) ◀	(**)	(**)	▶ <u>M32</u> (**) ◀	(**)	▶ <u>M66</u> 0,05 (*) ◀
0840020	Ginger	▶ <u>M72</u> (**) ◀	▶ <u>M78</u> 0,05 (*) ◀	(**)	(**)	▶ <u>M32</u> (**) ◀	(**)	▶ <u>M66</u> 0,05 (*) ◀
0840030	Turmeric (Curcuma)	▶ <u>M72</u> (**) ◀	▶ <u>M78</u> 0,05 (*) ◀	(**)	(**)	▶ <u>M32</u> (**) ◀	(**)	▶ <u>M66</u> 0,05 (*) ◀







▼ M2

(26)	(27)	(28)	(29)	(30)	(31)
▶ <u>M67</u> — ◀	▶ <u>M51</u> — ◀	(**)	▶ <u>M47</u> (**) ◀	▶ <u>M32</u> (**) ◀	(**)
▶ <u>M67</u> — ◀	▶ <u>M51</u> — ◀	(**)	▶ <u>M47</u> (**) ◀	▶ <u>M32</u> (**) ◀	(**)
▶ <u>M67</u> — ◀	▶ <u>M51</u> — ◀	(**)	▶ <u>M47</u> (**) ◀	▶ <u>M32</u> (**) ◀	(**)
▶ <u>M67</u> — ◀	▶ <u>M51</u> — ◀	(**)	▶ <u>M47</u> (**) ◀	▶ <u>M32</u> (**) ◀	(**)
▶ <u>M67</u> 0,15 (+) ◀	▶ <u>M74</u> 0,05 (*) ◀	(**)	▶ <u>M47</u> (**) ◀	▶ <u>M32</u> (**) ◀	(**)
▶ <u>M67</u> — ◀	▶ <u>M51</u> — ◀	(**)	▶ <u>M47</u> (**) ◀	▶ <u>M32</u> (**) ◀	(**)
▶ <u>M67</u> — ◀	▶ <u>M51</u> — ◀	(**)	▶ <u>M47</u> (**) ◀	▶ <u>M32</u> (**) ◀	(**)
▶ <u>M67</u> — ◀	▶ <u>M51</u> — ◀	(**)	▶ <u>M47</u> (**) ◀	▶ <u>M32</u> (**) ◀	(**)
▶ <u>M67</u> — ◀	▶ <u>M51</u> — ◀	(**)	▶ <u>M47</u> (**) ◀	▶ <u>M32</u> (**) ◀	(**)
▶ <u>M67</u> — ◀	▶ <u>M51</u> — ◀	(**)	▶ <u>M47</u> (**) ◀	▶ <u>M32</u> (**) ◀	(**)
▶ <u>M67</u> — ◀	▶ <u>M51</u> — ◀	(**)	▶ <u>M47</u> (**) ◀	▶ <u>M32</u> (**) ◀	(**)
▶ <u>M67</u> — ◀	▶ <u>M51</u> — ◀	(**)	▶ <u>M47</u> (**) ◀	▶ <u>M32</u> (**) ◀	(**)
▶ <u>M67</u> — ◀	▶ <u>M51</u> — ◀	(**)	▶ <u>M47</u> (**) ◀	▶ <u>M32</u> (**) ◀	(**)
▶ <u>M67</u> — ◀	▶ <u>M51</u> — ◀	(**)	▶ <u>M47</u> (**) ◀	▶ <u>M32</u> (**) ◀	(**)
▶ <u>M67</u> 0,05 (*) ◀	▶ <u>M74</u> 0,05 (*) ◀	(**)	▶ <u>M47</u> (**) ◀	▶ <u>M32</u> (**) ◀	(**)
▶ <u>M67</u> — ◀	▶ <u>M51</u> — ◀	(**)	▶ <u>M47</u> (**) ◀	▶ <u>M32</u> (**) ◀	(**)
▶ <u>M67</u> — ◀	▶ <u>M51</u> — ◀	(**)	▶ <u>M47</u> (**) ◀	▶ <u>M32</u> (**) ◀	(**)
▶ <u>M67</u> — ◀	▶ <u>M51</u> — ◀	(**)	▶ <u>M47</u> (**) ◀	▶ <u>M32</u> (**) ◀	(**)
▶ <u>M67</u> 0,05 (*) ◀	▶ <u>M74</u> 0,05 (*) ◀	(**)	▶ <u>M47</u> (**) ◀	▶ <u>M32</u> (**) ◀	(**)
▶ <u>M67</u> 0,05 (*) ◀	▶ <u>M74</u> 0,05 (*) ◀	(**)	▶ <u>M47</u> (**) ◀	▶ <u>M32</u> (**) ◀	(**)
▶ <u>M67</u> 0,05 (*) ◀	▶ <u>M74</u> 0,05 (*) ◀	(**)	▶ <u>M47</u> (**) ◀	▶ <u>M32</u> (**) ◀	(**)

## ▼ M2

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)
0840040	Horseradish	▶ <u>M72</u> (**) ◀	▶ <u>M78</u> (+) ◀	(**)	(**)	▶ <u>M32</u> (**) ◀	(**)	▶ <u>M66</u> (+) ◀
0840990	Others	▶ <u>M72</u> (**) ◀	▶ <u>M78</u> 0,05 (*) ◀	(**)	(**)	▶ <u>M32</u> (**) ◀	(**)	▶ <u>M66</u> 0,05 (*) ◀
0850000	(v) <b>Buds</b>	▶ <u>M72</u> (**) ◀	▶ <u>M78</u> 0,05 (*) ◀	(**)	(**)	▶ <u>M32</u> (**) ◀	(**)	▶ <u>M66</u> 0,05 (*) ◀
0850010	Cloves	▶ <u>M72</u> (**) ◀	▶ <u>M67</u> — ◀	(**)	(**)	▶ <u>M32</u> (**) ◀	(**)	▶ <u>M66</u> — ◀
0850020	Capers	▶ <u>M72</u> (**) ◀	▶ <u>M67</u> — ◀	(**)	(**)	▶ <u>M32</u> (**) ◀	(**)	▶ <u>M66</u> — ◀
0850990	Others	▶ <u>M72</u> (**) ◀	▶ <u>M67</u> — ◀	(**)	(**)	▶ <u>M32</u> (**) ◀	(**)	▶ <u>M66</u> — ◀
0860000	(vi) <b>Flower stigma</b>	▶ <u>M72</u> (**) ◀	▶ <u>M78</u> 0,05 (*) ◀	(**)	(**)	▶ <u>M32</u> (**) ◀	(**)	▶ <u>M66</u> 0,05 (*) ◀
0860010	Saffron	▶ <u>M72</u> (**) ◀	▶ <u>M67</u> — ◀	(**)	(**)	▶ <u>M32</u> (**) ◀	(**)	▶ <u>M66</u> — ◀
0860990	Others	▶ <u>M72</u> (**) ◀	▶ <u>M67</u> — ◀	(**)	(**)	▶ <u>M32</u> (**) ◀	(**)	▶ <u>M66</u> — ◀
0870000	(vii) <b>Aril</b>	▶ <u>M72</u> (**) ◀	▶ <u>M78</u> 0,05 (*) ◀	(**)	(**)	▶ <u>M32</u> (**) ◀	(**)	▶ <u>M66</u> 0,05 (*) ◀
0870010	Mace	▶ <u>M72</u> (**) ◀	▶ <u>M67</u> — ◀	(**)	(**)	▶ <u>M32</u> (**) ◀	(**)	▶ <u>M66</u> — ◀
0870990	Others	▶ <u>M72</u> (**) ◀	▶ <u>M67</u> — ◀	(**)	(**)	▶ <u>M32</u> (**) ◀	(**)	▶ <u>M66</u> — ◀
0900000	9. <b>SUGAR PLANTS</b>	▶ <u>M72</u> (**) ◀	▶ <u>M78</u> — ◀	(**)	(**)	▶ <u>M32</u> (**) ◀	(**)	▶ <u>M66</u> 0,01 (*) ◀
0900010	Sugar beet (root)	▶ <u>M72</u> (**) ◀	▶ <u>M78</u> 0,05 (*) ◀	(**)	(**)	▶ <u>M32</u> (**) ◀	(**)	▶ <u>M66</u> — ◀
0900020	Sugar cane	▶ <u>M72</u> (**) ◀	▶ <u>M78</u> 0,05 (*) ◀	(**)	(**)	▶ <u>M32</u> (**) ◀	(**)	▶ <u>M66</u> — ◀
0900030	Chicory roots	▶ <u>M72</u> (**) ◀	▶ <u>M78</u> 0,2 ◀	(**)	(**)	▶ <u>M32</u> (**) ◀	(**)	▶ <u>M66</u> — ◀
0900990	Others	▶ <u>M72</u> (**) ◀	▶ <u>M78</u> 0,05 (*) ◀	(**)	(**)	▶ <u>M32</u> (**) ◀	(**)	▶ <u>M66</u> — ◀
1000000	10. <b>PRODUCTS OF ANIMAL ORIGIN-TERRESTRIAL ANIMALS</b>		▶ <u>M67</u> — ◀					

▼ M2

(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)
▶ <u>M70</u> (+) ◀	(**)	(**)	▶ <u>M64</u> — ◀	▶ <u>M64</u> (**) ◀	▶ <u>M73</u> (+) ◀	▶ <u>M74</u> (**) ◀	(**)
▶ <u>M70</u> 0,05 (*) ◀	(**)	(**)	▶ <u>M64</u> — ◀	▶ <u>M64</u> (**) ◀	▶ <u>M73</u> 0,05 (*) ◀	▶ <u>M74</u> (**) ◀	(**)
▶ <u>M70</u> 0,05 (*) ◀	(**)	(**)	▶ <u>M64</u> — ◀	▶ <u>M64</u> (**) ◀	▶ <u>M73</u> 0,05 (*) ◀	▶ <u>M74</u> (**) ◀	(**)
▶ <u>M51</u> — ◀	(**)	(**)	▶ <u>M64</u> — ◀	▶ <u>M64</u> (**) ◀	▶ <u>M73</u> — ◀	▶ <u>M74</u> (**) ◀	(**)
▶ <u>M51</u> — ◀	(**)	(**)	▶ <u>M64</u> — ◀	▶ <u>M64</u> (**) ◀	▶ <u>M73</u> — ◀	▶ <u>M74</u> (**) ◀	(**)
▶ <u>M51</u> — ◀	(**)	(**)	▶ <u>M64</u> — ◀	▶ <u>M64</u> (**) ◀	▶ <u>M73</u> — ◀	▶ <u>M74</u> (**) ◀	(**)
▶ <u>M70</u> 0,05 (*) ◀	(**)	(**)	▶ <u>M64</u> — ◀	▶ <u>M64</u> (**) ◀	▶ <u>M73</u> 0,05 (*) ◀	▶ <u>M74</u> (**) ◀	(**)
▶ <u>M51</u> — ◀	(**)	(**)	▶ <u>M64</u> — ◀	▶ <u>M64</u> (**) ◀	▶ <u>M73</u> — ◀	▶ <u>M74</u> (**) ◀	(**)
▶ <u>M51</u> — ◀	(**)	(**)	▶ <u>M64</u> — ◀	▶ <u>M64</u> (**) ◀	▶ <u>M73</u> — ◀	▶ <u>M74</u> (**) ◀	(**)
▶ <u>M70</u> 0,05 (*) ◀	(**)	(**)	▶ <u>M64</u> — ◀	▶ <u>M64</u> (**) ◀	▶ <u>M73</u> 0,05 (*) ◀	▶ <u>M74</u> (**) ◀	(**)
▶ <u>M51</u> — ◀	(**)	(**)	▶ <u>M64</u> — ◀	▶ <u>M64</u> (**) ◀	▶ <u>M73</u> — ◀	▶ <u>M74</u> (**) ◀	(**)
▶ <u>M51</u> — ◀	(**)	(**)	▶ <u>M64</u> — ◀	▶ <u>M64</u> (**) ◀	▶ <u>M73</u> — ◀	▶ <u>M74</u> (**) ◀	(**)
▶ <u>M70</u> — ◀	(**)	(**)	▶ <u>M64</u> — ◀	▶ <u>M64</u> (**) ◀	▶ <u>M73</u> 0,01 (*) ◀	▶ <u>M74</u> (**) ◀	(**)
▶ <u>M70</u> 0,015 ◀	(**)	(**)	▶ <u>M64</u> — ◀	▶ <u>M64</u> (**) ◀	▶ <u>M73</u> — ◀	▶ <u>M74</u> (**) ◀	(**)
▶ <u>M70</u> 0,01 (**) ◀	(**)	(**)	▶ <u>M64</u> — ◀	▶ <u>M64</u> (**) ◀	▶ <u>M73</u> — ◀	▶ <u>M74</u> (**) ◀	(**)
▶ <u>M70</u> 0,01 (**) ◀	(**)	(**)	▶ <u>M64</u> — ◀	▶ <u>M64</u> (**) ◀	▶ <u>M73</u> — ◀	▶ <u>M74</u> (**) ◀	(**)
▶ <u>M70</u> 0,01 (**) ◀	(**)	(**)	▶ <u>M64</u> — ◀	▶ <u>M64</u> (**) ◀	▶ <u>M73</u> — ◀	▶ <u>M74</u> (**) ◀	(**)
			▶ <u>M64</u> — ◀	▶ <u>M43</u> — ◀			

▼ M2

(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)
(**)	▶ <u>M59</u> (+) ◀	▶ <u>M67</u> (+) ◀	▶ <u>M58</u> (+) ◀	▶ <u>M72</u> (+) ◀	▶ <u>M75</u> (+) ◀	▶ <u>M59</u> (+) ◀	(**)
(**)	▶ <u>M59</u> 0,1 (*) ◀	▶ <u>M67</u> 0,05 (*) ◀	▶ <u>M58</u> 0,05 (*) ◀	▶ <u>M72</u> 0,1 (*) ◀	▶ <u>M75</u> 0,1 (*) ◀	▶ <u>M59</u> 0,1 (*) ◀	(**)
(**)	▶ <u>M59</u> 0,1 (*) ◀	▶ <u>M67</u> 0,05 (*) ◀	▶ <u>M58</u> 0,05 (*) ◀	▶ <u>M72</u> 0,1 (*) ◀	▶ <u>M75</u> 0,1 (*) ◀	▶ <u>M59</u> 0,1 (*) ◀	(**)
(**)	▶ <u>M59</u> — ◀	▶ <u>M67</u> — ◀	▶ <u>M58</u> — ◀	▶ <u>M55</u> — ◀	▶ <u>M40</u> — ◀	▶ <u>M59</u> — ◀	(**)
(**)	▶ <u>M59</u> — ◀	▶ <u>M67</u> — ◀	▶ <u>M58</u> — ◀	▶ <u>M55</u> — ◀	▶ <u>M40</u> — ◀	▶ <u>M59</u> — ◀	(**)
(**)	▶ <u>M59</u> — ◀	▶ <u>M67</u> — ◀	▶ <u>M58</u> — ◀	▶ <u>M55</u> — ◀	▶ <u>M40</u> — ◀	▶ <u>M59</u> — ◀	(**)
(**)	▶ <u>M59</u> 0,1 (*) ◀	▶ <u>M67</u> 0,05 (*) ◀	▶ <u>M58</u> 0,05 (*) ◀	▶ <u>M72</u> 0,1 (*) ◀	▶ <u>M75</u> 0,1 (*) ◀	▶ <u>M59</u> 0,1 (*) ◀	(**)
(**)	▶ <u>M59</u> — ◀	▶ <u>M67</u> — ◀	▶ <u>M58</u> — ◀	▶ <u>M55</u> — ◀	▶ <u>M40</u> — ◀	▶ <u>M59</u> — ◀	(**)
(**)	▶ <u>M59</u> — ◀	▶ <u>M67</u> — ◀	▶ <u>M58</u> — ◀	▶ <u>M55</u> — ◀	▶ <u>M40</u> — ◀	▶ <u>M59</u> — ◀	(**)
(**)	▶ <u>M59</u> 0,1 (*) ◀	▶ <u>M67</u> 0,05 (*) ◀	▶ <u>M58</u> 0,05 (*) ◀	▶ <u>M72</u> 0,1 (*) ◀	▶ <u>M75</u> 0,1 (*) ◀	▶ <u>M59</u> 0,1 (*) ◀	(**)
(**)	▶ <u>M59</u> — ◀	▶ <u>M67</u> — ◀	▶ <u>M58</u> — ◀	▶ <u>M55</u> — ◀	▶ <u>M40</u> — ◀	▶ <u>M59</u> — ◀	(**)
(**)	▶ <u>M59</u> — ◀	▶ <u>M67</u> — ◀	▶ <u>M58</u> — ◀	▶ <u>M55</u> — ◀	▶ <u>M40</u> — ◀	▶ <u>M59</u> — ◀	(**)
(**)	▶ <u>M59</u> 0,02 (*) ◀	▶ <u>M67</u> — ◀	▶ <u>M58</u> 0,01 (*) ◀	▶ <u>M72</u> 0,02 (*) ◀	▶ <u>M40</u> — ◀	▶ <u>M59</u> 0,02 (*) ◀	(**)
(**)	▶ <u>M59</u> — ◀	▶ <u>M67</u> 0,08 ◀	▶ <u>M58</u> — ◀	▶ <u>M55</u> — ◀	▶ <u>M75</u> 0,2 ◀	▶ <u>M59</u> — ◀	(**)
(**)	▶ <u>M59</u> — ◀	▶ <u>M67</u> 0,01 (*) ◀	▶ <u>M58</u> — ◀	▶ <u>M55</u> — ◀	▶ <u>M75</u> 0,02 (*) ◀	▶ <u>M59</u> — ◀	(**)
(**)	▶ <u>M59</u> — ◀	▶ <u>M67</u> 0,01 (*) ◀	▶ <u>M58</u> — ◀	▶ <u>M55</u> — ◀	▶ <u>M75</u> 0,08 ◀	▶ <u>M59</u> — ◀	(**)
(**)	▶ <u>M59</u> — ◀	▶ <u>M67</u> 0,01 (*) ◀	▶ <u>M58</u> — ◀	▶ <u>M55</u> — ◀	▶ <u>M75</u> 0,02 (*) ◀	▶ <u>M59</u> — ◀	(**)
				▶ <u>M55</u> — ◀			

▼ M2

(26)	(27)	(28)	(29)	(30)	(31)
▶ <u>M67</u> (+) ◀	▶ <u>M74</u> (+) ◀	(**)	▶ <u>M47</u> (**) ◀	▶ <u>M32</u> (**) ◀	(**)
▶ <u>M67</u> 0,05 (*) ◀	▶ <u>M74</u> 0,05 (*) ◀	(**)	▶ <u>M47</u> (**) ◀	▶ <u>M32</u> (**) ◀	(**)
▶ <u>M67</u> 0,05 (*) ◀	▶ <u>M74</u> 0,05 (*) ◀	(**)	▶ <u>M47</u> (**) ◀	▶ <u>M32</u> (**) ◀	(**)
▶ <u>M67</u> — ◀	▶ <u>M51</u> — ◀	(**)	▶ <u>M47</u> (**) ◀	▶ <u>M32</u> (**) ◀	(**)
▶ <u>M67</u> — ◀	▶ <u>M51</u> — ◀	(**)	▶ <u>M47</u> (**) ◀	▶ <u>M32</u> (**) ◀	(**)
▶ <u>M67</u> — ◀	▶ <u>M51</u> — ◀	(**)	▶ <u>M47</u> (**) ◀	▶ <u>M32</u> (**) ◀	(**)
▶ <u>M67</u> 0,05 (*) ◀	▶ <u>M74</u> 0,05 (*) ◀	(**)	▶ <u>M47</u> (**) ◀	▶ <u>M32</u> (**) ◀	(**)
▶ <u>M67</u> — ◀	▶ <u>M51</u> — ◀	(**)	▶ <u>M47</u> (**) ◀	▶ <u>M32</u> (**) ◀	(**)
▶ <u>M67</u> — ◀	▶ <u>M51</u> — ◀	(**)	▶ <u>M47</u> (**) ◀	▶ <u>M32</u> (**) ◀	(**)
▶ <u>M67</u> 0,05 (*) ◀	▶ <u>M74</u> 0,05 (*) ◀	(**)	▶ <u>M47</u> (**) ◀	▶ <u>M32</u> (**) ◀	(**)
▶ <u>M67</u> — ◀	▶ <u>M51</u> — ◀	(**)	▶ <u>M47</u> (**) ◀	▶ <u>M32</u> (**) ◀	(**)
▶ <u>M67</u> — ◀	▶ <u>M51</u> — ◀	(**)	▶ <u>M47</u> (**) ◀	▶ <u>M32</u> (**) ◀	(**)
▶ <u>M67</u> 0,05 (*) ◀	▶ <u>M74</u> 0,01 (*) ◀	(**)	▶ <u>M47</u> (**) ◀	▶ <u>M32</u> (**) ◀	(**)
▶ <u>M67</u> — ◀	▶ <u>M51</u> — ◀	(**)	▶ <u>M47</u> (**) ◀	▶ <u>M32</u> (**) ◀	(**)
▶ <u>M67</u> — ◀	▶ <u>M51</u> — ◀	(**)	▶ <u>M47</u> (**) ◀	▶ <u>M32</u> (**) ◀	(**)
▶ <u>M67</u> — ◀	▶ <u>M51</u> — ◀	(**)	▶ <u>M47</u> (**) ◀	▶ <u>M32</u> (**) ◀	(**)
	▶ <u>M74</u> (+) ◀			▶ <u>M32</u> 0,01 (*) ◀	

▼ M2

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)
1010000	(i) <b>Meat, preparations of meat, offals, blood, animal fats fresh chilled or frozen, salted, in brine, dried or smoked or processed as flours or meals; other processed products such as sausages and food preparations based on these</b>	▶ <u>M72</u> 0,05 (*) ◀	▶ <u>M78</u> 0,01 (*) ◀		0,05 (*)	▶ <u>M32</u> — ◀		▶ <u>M66</u> 0,02 (*) ◀
1011000	(a) <i>Swine</i>							
1011010	Meat					▶ <u>M32</u> 0,02 ◀		
1011020	Fat free of lean meat					▶ <u>M32</u> 0,01 (*) ◀		
1011030	Liver		▶ <u>M78</u> (+) ◀			▶ <u>M32</u> 0,02 ◀		
1011040	Kidney		▶ <u>M78</u> (+) ◀			▶ <u>M32</u> 0,02 ◀		
1011050	Edible offal					▶ <u>M32</u> 0,02 ◀		
1011990	Others					▶ <u>M32</u> 0,01 (*) ◀		
1012000	(b) <i>Bovine</i>							
1012010	Meat					▶ <u>M32</u> 0,02 ◀		▶ <u>M66</u> (+) ◀
1012020	Fat					▶ <u>M32</u> 0,01 (*) ◀		▶ <u>M66</u> (+) ◀
1012030	Liver		▶ <u>M78</u> (+) ◀			▶ <u>M32</u> 0,02 ◀		▶ <u>M66</u> (+) ◀

▼ M2

(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)
▶ <u>M70</u> 0,01 (*) ◀	0,05 (*)		▶ <u>M64</u> — ◀	▶ <u>M64</u> 0,05 ◀	▶ <u>M73</u> 0,01 (*) ◀		
		▶ <u>M19</u> 0,1 (*) ◀	▶ <u>M64</u> — ◀			▶ <u>M74</u> 0,01 (*) ◀	
			▶ <u>M64</u> — ◀ ▶ <u>M64</u> — ◀ ▶ <u>M64</u> — ◀ ▶ <u>M64</u> — ◀ ▶ <u>M64</u> — ◀				
			▶ <u>M64</u> — ◀				
			▶ <u>M64</u> — ◀				
		▶ <u>M19</u> 0,1 (*) ◀ ▶ <u>M19</u> 0,2 ◀ ▶ <u>M19</u> 2 ◀	▶ <u>M64</u> — ◀ ▶ <u>M64</u> — ◀ ▶ <u>M64</u> — ◀			▶ <u>M74</u> 0,05 ◀ ▶ <u>M74</u> 0,05 ◀ ▶ <u>M74</u> 0,1 ◀	

▼ M2

(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)
0,05 (*)	▶ <u>M59</u> 0,05 (*) ◀			▶ <u>M72</u> 0,01 (*) ◀	▶ <u>M75</u> 0,05 (*) ◀	▶ <u>M59</u> 0,02 (*) ◀	0,02 (*)
		▶ <u>M67</u> (+) ◀					
		▶ <u>M67</u> 0,01 (*) ◀ ▶ <u>M67</u> 0,01 (*) ◀ ▶ <u>M67</u> 0,1 (*) ◀ ▶ <u>M67</u> 0,1 (*) ◀ ▶ <u>M67</u> 0,1 (*) ◀	▶ <u>M58</u> 0,02 (*) ◀ ▶ <u>M58</u> 0,02 (*) ◀ ▶ <u>M58</u> 0,05 (*) ◀ ▶ <u>M58</u> 0,02 (*) ◀ ▶ <u>M58</u> 0,05 (*) ◀				
		▶ <u>M67</u> 0,1 (*) ◀	▶ <u>M58</u> 0,05 (*) ◀				
		▶ <u>M67</u> (+) ◀					
		▶ <u>M67</u> 0,01 (*) ◀ ▶ <u>M67</u> 0,01 (*) ◀ ▶ <u>M67</u> 0,1 (*) ◀	▶ <u>M58</u> 0,02 (*) ◀ ▶ <u>M58</u> 0,02 (*) ◀ ▶ <u>M58</u> 0,05 (*) ◀				



▼ M2

(26)	(27)	(28)	(29)	(30)	(31)
			▶ <u>M47</u> 0,2 ◀	▶ <u>M32</u> — ◀	0,1 (*)
	▶ <u>M74</u> 0,1 (*) ◀				
▶ <u>M67</u> 0,05 (*) (+) ◀					
▶ <u>M67</u> 0,05 (*) (+) ◀					
▶ <u>M67</u> 0,1 (+) ◀					
▶ <u>M67</u> 0,3 (+) ◀					
▶ <u>M67</u> 0,3 (+) ◀					
▶ <u>M67</u> 0,3 (+) ◀					
▶ <u>M67</u> 0,05 (*) (+) ◀	▶ <u>M74</u> 0,1 (*) ◀				
▶ <u>M67</u> 0,05 (*) (+) ◀	▶ <u>M74</u> 0,1 (*) ◀				
▶ <u>M67</u> 0,2 (+) ◀	▶ <u>M74</u> 0,1 (*) ◀				

▼ M2

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)
1012040	Kidney		▶ <u>M78</u> (+) ◀			▶ <u>M32</u> 0,02 ◀		▶ <u>M66</u> (+) ◀
1012050	Edible offal					▶ <u>M32</u> 0,02 ◀		
1012990	Others					▶ <u>M32</u> 0,01 (*) ◀		
1013000	(c) <i>Sheep</i>							
1013010	Meat					▶ <u>M32</u> 0,02 ◀		▶ <u>M66</u> (+) ◀
1013020	Fat					▶ <u>M32</u> 0,01 (*) ◀		▶ <u>M66</u> (+) ◀
1013030	Liver		▶ <u>M78</u> (+) ◀			▶ <u>M32</u> 0,02 ◀		▶ <u>M66</u> (+) ◀
1013040	Kidney		▶ <u>M78</u> (+) ◀			▶ <u>M32</u> 0,02 ◀		▶ <u>M66</u> (+) ◀
1013050	Edible offal					▶ <u>M32</u> 0,02 ◀		
1013990	Others					▶ <u>M32</u> 0,01 (*) ◀		
1014000	(d) <i>Goat</i>							
1014010	Meat					▶ <u>M32</u> 0,02 ◀		▶ <u>M66</u> (+) ◀
1014020	Fat					▶ <u>M32</u> 0,01 (*) ◀		▶ <u>M66</u> (+) ◀
1014030	Liver		▶ <u>M78</u> (+) ◀			▶ <u>M32</u> 0,02 ◀		▶ <u>M66</u> (+) ◀
1014040	Kidney		▶ <u>M78</u> (+) ◀			▶ <u>M32</u> 0,02 ◀		▶ <u>M66</u> (+) ◀
1014050	Edible offal					▶ <u>M32</u> 0,02 ◀		
1014990	Others					▶ <u>M32</u> 0,01 (*) ◀		
1015000	(e) <i>Horses, asses, mules or hinnies</i>	▶ <u>M72</u> (**) ◀	▶ <u>M67</u> — ◀	(**)	(**)	▶ <u>M32</u> (**) ◀	(**)	▶ <u>M66</u> — ◀
1015010	Meat	▶ <u>M72</u> (**) ◀	▶ <u>M67</u> — ◀	(**)	(**)	▶ <u>M32</u> (**) ◀	(**)	▶ <u>M66</u> — ◀
1015020	Fat	▶ <u>M72</u> (**) ◀	▶ <u>M67</u> — ◀	(**)	(**)	▶ <u>M32</u> (**) ◀	(**)	▶ <u>M66</u> — ◀
1015030	Liver	▶ <u>M72</u> (**) ◀	▶ <u>M67</u> — ◀	(**)	(**)	▶ <u>M32</u> (**) ◀	(**)	▶ <u>M66</u> — ◀

▼ M2

(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)
		▶ <u>M19</u> 0,5 ◀ ▶ <u>M19</u> 0,1 (*) ◀	▶ <u>M64</u> — ◀ ▶ <u>M64</u> — ◀			▶ <u>M74</u> 0,05 ◀ ▶ <u>M74</u> 0,01 (*) ◀	
		▶ <u>M19</u> 0,1 (*) ◀	▶ <u>M64</u> — ◀			▶ <u>M74</u> 0,01 (*) ◀	
		▶ <u>M19</u> 0,1 (*) ◀	▶ <u>M64</u> — ◀				
			▶ <u>M64</u> — ◀ ▶ <u>M64</u> — ◀ ▶ <u>M64</u> — ◀ ▶ <u>M64</u> — ◀ ▶ <u>M64</u> — ◀			▶ <u>M74</u> 0,05 ◀ ▶ <u>M74</u> 0,05 ◀ ▶ <u>M74</u> 0,1 ◀ ▶ <u>M74</u> 0,05 ◀ ▶ <u>M74</u> 0,01 (*) ◀	
			▶ <u>M64</u> — ◀			▶ <u>M74</u> 0,01 (*) ◀	
		▶ <u>M19</u> 0,1 (*) ◀	▶ <u>M64</u> — ◀				
			▶ <u>M64</u> — ◀ ▶ <u>M64</u> — ◀ ▶ <u>M64</u> — ◀ ▶ <u>M64</u> — ◀ ▶ <u>M64</u> — ◀			▶ <u>M74</u> 0,05 ◀ ▶ <u>M74</u> 0,05 ◀ ▶ <u>M74</u> 0,1 ◀ ▶ <u>M74</u> 0,05 ◀ ▶ <u>M74</u> 0,01 (*) ◀	
			▶ <u>M64</u> — ◀			▶ <u>M74</u> 0,01 (*) ◀	
▶ <u>M51</u> — ◀	(**)	(**)	▶ <u>M64</u> — ◀	▶ <u>M64</u> (**) ▶ <u>M64</u> (**)	▶ <u>M73</u> — ◀	▶ <u>M74</u> (**) ▶ <u>M74</u> (**)	(**)
▶ <u>M51</u> — ◀	(**)	(**)	▶ <u>M64</u> — ◀	▶ <u>M64</u> (**) ▶ <u>M64</u> (**)	▶ <u>M73</u> — ◀	▶ <u>M74</u> (**) ▶ <u>M74</u> (**)	(**)
▶ <u>M51</u> — ◀	(**)	(**)	▶ <u>M64</u> — ◀	▶ <u>M64</u> (**) ▶ <u>M64</u> (**)	▶ <u>M73</u> — ◀	▶ <u>M74</u> (**) ▶ <u>M74</u> (**)	(**)

▼ M2

(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)
		▶ <u>M67</u> 0,1 (*) ◀ ▶ <u>M67</u> 0,1 (*) ◀	▶ <u>M58</u> 0,02 (*) ◀ ▶ <u>M58</u> 0,05 (*) ◀				
		▶ <u>M67</u> 0,1 (*) ◀	▶ <u>M58</u> 0,05 (*) ◀				
		▶ <u>M67</u> (+) ◀					
		▶ <u>M67</u> 0,01 (*) ◀ ▶ <u>M67</u> 0,01 (*) ◀ ▶ <u>M67</u> 0,1 (*) ◀ ▶ <u>M67</u> 0,1 (*) ◀ ▶ <u>M67</u> 0,1 (*) ◀	▶ <u>M58</u> 0,02 (*) ◀ ▶ <u>M58</u> 0,02 (*) ◀ ▶ <u>M58</u> 0,05 (*) ◀ ▶ <u>M58</u> 0,02 (*) ◀ ▶ <u>M58</u> 0,05 (*) ◀				
		▶ <u>M67</u> 0,1 (*) ◀	▶ <u>M58</u> 0,05 (*) ◀				
		▶ <u>M67</u> (+) ◀					
		▶ <u>M67</u> 0,01 (*) ◀ ▶ <u>M67</u> 0,01 (*) ◀ ▶ <u>M67</u> 0,1 (*) ◀ ▶ <u>M67</u> 0,1 (*) ◀ ▶ <u>M67</u> 0,1 (*) ◀	▶ <u>M58</u> 0,02 (*) ◀ ▶ <u>M58</u> 0,02 (*) ◀ ▶ <u>M58</u> 0,05 (*) ◀ ▶ <u>M58</u> 0,02 (*) ◀ ▶ <u>M58</u> 0,05 (*) ◀				
		▶ <u>M67</u> 0,1 (*) ◀	▶ <u>M58</u> 0,05 (*) ◀				
(**)	▶ <u>M59</u> — ◀	▶ <u>M67</u> (+) ◀	▶ <u>M58</u> — ◀	▶ <u>M55</u> — ◀	▶ <u>M40</u> — ◀	▶ <u>M59</u> — ◀	(**)
(**)	▶ <u>M59</u> — ◀	▶ <u>M67</u> 0,01 (*) ◀	▶ <u>M58</u> 0,02 (*) ◀	▶ <u>M55</u> — ◀	▶ <u>M40</u> — ◀	▶ <u>M59</u> — ◀	(**)
(**)	▶ <u>M59</u> — ◀	▶ <u>M67</u> 0,01 (*) ◀	▶ <u>M58</u> 0,02 (*) ◀	▶ <u>M55</u> — ◀	▶ <u>M40</u> — ◀	▶ <u>M59</u> — ◀	(**)
(**)	▶ <u>M59</u> — ◀	▶ <u>M67</u> 0,1 (*) ◀	▶ <u>M58</u> 0,05 (*) ◀	▶ <u>M55</u> — ◀	▶ <u>M40</u> — ◀	▶ <u>M59</u> — ◀	(**)

▼ M2

(26)	(27)	(28)	(29)	(30)	(31)
▶ <u>M67</u> 2 (+) ◀	▶ <u>M74</u> 0,2 ◀				
▶ <u>M67</u> 2 (+) ◀	▶ <u>M74</u> 0,1 (*) ◀				
▶ <u>M67</u> 2 (+) ◀	▶ <u>M74</u> 0,1 (*) ◀				
▶ <u>M67</u> 0,05 (*) (+) ◀	▶ <u>M74</u> 0,1 (*) ◀				
▶ <u>M67</u> 0,05 (*) (+) ◀	▶ <u>M74</u> 0,1 (*) ◀				
▶ <u>M67</u> 0,2 (+) ◀	▶ <u>M74</u> 0,1 (*) ◀				
▶ <u>M67</u> 2 (+) ◀	▶ <u>M74</u> 0,2 ◀				
▶ <u>M67</u> 2 (+) ◀	▶ <u>M74</u> 0,1 (*) ◀				
▶ <u>M67</u> 2 (+) ◀	▶ <u>M74</u> 0,1 (*) ◀				
▶ <u>M67</u> 0,05 (*) (+) ◀	▶ <u>M74</u> 0,1 (*) ◀				
▶ <u>M67</u> 0,05 (*) (+) ◀	▶ <u>M74</u> 0,1 (*) ◀				
▶ <u>M67</u> 0,2 (+) ◀	▶ <u>M74</u> 0,1 (*) ◀				
▶ <u>M67</u> 2 (+) ◀	▶ <u>M74</u> 0,2 ◀				
▶ <u>M67</u> 2 (+) ◀	▶ <u>M74</u> 0,1 (*) ◀				
▶ <u>M67</u> 2 (+) ◀	▶ <u>M74</u> 0,1 (*) ◀				
▶ <u>M67</u> — ◀	▶ <u>M51</u> — ◀	(**)	▶ <u>M47</u> (**)* ◀	▶ <u>M32</u> (**)* ◀	(**)
▶ <u>M67</u> 0,05 (*) (+) ◀	▶ <u>M74</u> 0,1 (*) ◀	(**)	▶ <u>M47</u> (**)* ◀	▶ <u>M32</u> (**)* ◀	(**)
▶ <u>M67</u> 0,05 (*) (+) ◀	▶ <u>M74</u> 0,1 (*) ◀	(**)	▶ <u>M47</u> (**)* ◀	▶ <u>M32</u> (**)* ◀	(**)
▶ <u>M67</u> 0,2 (+) ◀	▶ <u>M74</u> 0,1 (*) ◀	(**)	▶ <u>M47</u> (**)* ◀	▶ <u>M32</u> (**)* ◀	(**)

▼ **M2**

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)
1015040	Kidney	► <b>M72</b> (**) ◄	► <b>M67</b> — ◄	(**)	(**)	► <b>M32</b> (**) ◄	(**)	► <b>M66</b> — ◄
1015050	Edible offal	► <b>M72</b> (**) ◄	► <b>M67</b> — ◄	(**)	(**)	► <b>M32</b> (**) ◄	(**)	► <b>M66</b> — ◄
1015990	Others	► <b>M72</b> (**) ◄	► <b>M67</b> — ◄	(**)	(**)	► <b>M32</b> (**) ◄	(**)	► <b>M66</b> — ◄
1016000	(f) <i>Poultry -chicken, geese, duck, turkey and Guinea fowl-, ostrich, pigeon</i>							
1016010	Meat					► <b>M32</b> 0,05 ◄		
1016020	Fat					► <b>M32</b> 0,01 (*) ◄		
1016030	Liver		► <b>M78</b> (+) ◄			► <b>M32</b> 0,01 (*) ◄		
1016040	Kidney					► <b>M32</b> 0,01 (*) ◄		
1016050	Edible offal					► <b>M32</b> 0,01 (*) ◄		
1016990	Others					► <b>M32</b> 0,01 (*) ◄		
1017000	(g) <i>Other farm animals</i>	► <b>M72</b> (**) ◄	► <b>M67</b> — ◄	(**)	(**)	► <b>M32</b> (**) ◄	(**)	► <b>M66</b> — ◄
1017010	Meat	► <b>M72</b> (**) ◄	► <b>M67</b> — ◄	(**)	(**)	► <b>M32</b> (**) ◄	(**)	► <b>M66</b> — ◄
1017020	Fat	► <b>M72</b> (**) ◄	► <b>M67</b> — ◄	(**)	(**)	► <b>M32</b> (**) ◄	(**)	► <b>M66</b> — ◄
1017030	Liver	► <b>M72</b> (**) ◄	► <b>M67</b> — ◄	(**)	(**)	► <b>M32</b> (**) ◄	(**)	► <b>M66</b> — ◄
1017040	Kidney	► <b>M72</b> (**) ◄	► <b>M67</b> — ◄	(**)	(**)	► <b>M32</b> (**) ◄	(**)	► <b>M66</b> — ◄
1017050	Edible offal	► <b>M72</b> (**) ◄	► <b>M67</b> — ◄	(**)	(**)	► <b>M32</b> (**) ◄	(**)	► <b>M66</b> — ◄
1017990	Others	► <b>M72</b> (**) ◄	► <b>M67</b> — ◄	(**)	(**)	► <b>M32</b> (**) ◄	(**)	► <b>M66</b> — ◄

▼ M2

(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)
▶ <u>M51</u> — ◀	(**)	(**)	▶ <u>M64</u> — ◀	▶ <u>M64</u> (**) ◀	▶ <u>M73</u> — ◀	▶ <u>M74</u> (**) ◀	(**)
▶ <u>M51</u> — ◀	(**)	(**)	▶ <u>M64</u> — ◀	▶ <u>M64</u> (**) ◀	▶ <u>M73</u> — ◀	▶ <u>M74</u> (**) ◀	(**)
▶ <u>M51</u> — ◀	(**)	(**)	▶ <u>M64</u> — ◀	▶ <u>M64</u> (**) ◀	▶ <u>M73</u> — ◀	▶ <u>M74</u> (**) ◀	(**)
		▶ <u>M19</u> 0,1 (*) ◀	▶ <u>M64</u> — ◀			▶ <u>M74</u> 0,01 (*) ◀	
			▶ <u>M64</u> — ◀ ▶ <u>M64</u> — ◀ ▶ <u>M64</u> — ◀ ▶ <u>M64</u> — ◀ ▶ <u>M64</u> — ◀				
			▶ <u>M64</u> — ◀				
▶ <u>M51</u> — ◀	(**)	(**)	▶ <u>M64</u> — ◀	▶ <u>M64</u> (**) ◀	▶ <u>M73</u> — ◀	▶ <u>M74</u> (**) ◀	(**)
▶ <u>M51</u> — ◀	(**)	(**)	▶ <u>M64</u> — ◀	▶ <u>M64</u> (**) ◀	▶ <u>M73</u> — ◀	▶ <u>M74</u> (**) ◀	(**)
▶ <u>M51</u> — ◀	(**)	(**)	▶ <u>M64</u> — ◀	▶ <u>M64</u> (**) ◀	▶ <u>M73</u> — ◀	▶ <u>M74</u> (**) ◀	(**)
▶ <u>M51</u> — ◀	(**)	(**)	▶ <u>M64</u> — ◀	▶ <u>M64</u> (**) ◀	▶ <u>M73</u> — ◀	▶ <u>M74</u> (**) ◀	(**)
▶ <u>M51</u> — ◀	(**)	(**)	▶ <u>M64</u> — ◀	▶ <u>M64</u> (**) ◀	▶ <u>M73</u> — ◀	▶ <u>M74</u> (**) ◀	(**)
▶ <u>M51</u> — ◀	(**)	(**)	▶ <u>M64</u> — ◀	▶ <u>M64</u> (**) ◀	▶ <u>M73</u> — ◀	▶ <u>M74</u> (**) ◀	(**)

▼ M2

(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)
(**)	▶ <u>M59</u> — ◀	▶ <u>M67</u> 0,1 (*) ◀	▶ <u>M58</u> 0,02 (*) ◀	▶ <u>M55</u> — ◀	▶ <u>M40</u> — ◀	▶ <u>M59</u> — ◀	(**)
(**)	▶ <u>M59</u> — ◀	▶ <u>M67</u> 0,1 (*) ◀	▶ <u>M58</u> 0,05 (*) ◀	▶ <u>M55</u> — ◀	▶ <u>M40</u> — ◀	▶ <u>M59</u> — ◀	(**)
(**)	▶ <u>M59</u> — ◀	▶ <u>M67</u> 0,1 (*) ◀	▶ <u>M58</u> 0,05 (*) ◀	▶ <u>M55</u> — ◀	▶ <u>M40</u> — ◀	▶ <u>M59</u> — ◀	(**)
		▶ <u>M67</u> 0,01 (*) ◀ ▶ <u>M67</u> 0,01 (*) ◀ ▶ <u>M67</u> 0,1 (*) ◀ ▶ <u>M67</u> 0,1 (*) ◀ ▶ <u>M67</u> 0,1 (*) ◀	▶ <u>M58</u> 0,02 (*) ◀ ▶ <u>M58</u> 0,02 (*) ◀ ▶ <u>M58</u> 0,05 (*) ◀ ▶ <u>M58</u> 0,02 (*) ◀ ▶ <u>M58</u> 0,05 (*) ◀				
		▶ <u>M67</u> 0,1 (*) ◀	▶ <u>M58</u> 0,05 (*) ◀				
(**)	▶ <u>M59</u> — ◀	▶ <u>M67</u> (+) ◀	▶ <u>M58</u> — ◀	▶ <u>M55</u> — ◀	▶ <u>M40</u> — ◀	▶ <u>M59</u> — ◀	(**)
(**)	▶ <u>M59</u> — ◀	▶ <u>M67</u> 0,01 (*) ◀	▶ <u>M58</u> 0,02 (*) ◀	▶ <u>M55</u> — ◀	▶ <u>M40</u> — ◀	▶ <u>M59</u> — ◀	(**)
(**)	▶ <u>M59</u> — ◀	▶ <u>M67</u> 0,01 (*) ◀	▶ <u>M58</u> 0,02 (*) ◀	▶ <u>M55</u> — ◀	▶ <u>M40</u> — ◀	▶ <u>M59</u> — ◀	(**)
(**)	▶ <u>M59</u> — ◀	▶ <u>M67</u> 0,1 (*) ◀	▶ <u>M58</u> 0,05 (*) ◀	▶ <u>M55</u> — ◀	▶ <u>M40</u> — ◀	▶ <u>M59</u> — ◀	(**)
(**)	▶ <u>M59</u> — ◀	▶ <u>M67</u> 0,1 (*) ◀	▶ <u>M58</u> 0,02 (*) ◀	▶ <u>M55</u> — ◀	▶ <u>M40</u> — ◀	▶ <u>M59</u> — ◀	(**)
(**)	▶ <u>M59</u> — ◀	▶ <u>M67</u> 0,1 (*) ◀	▶ <u>M58</u> 0,05 (*) ◀	▶ <u>M55</u> — ◀	▶ <u>M40</u> — ◀	▶ <u>M59</u> — ◀	(**)
(**)	▶ <u>M59</u> — ◀	▶ <u>M67</u> 0,1 (*) ◀	▶ <u>M58</u> 0,05 (*) ◀	▶ <u>M55</u> — ◀	▶ <u>M40</u> — ◀	▶ <u>M59</u> — ◀	(**)



▼ M2

(26)	(27)	(28)	(29)	(30)	(31)
▶ <u>M67</u> 2 (+) ◀	▶ <u>M74</u> 0,2 ◀	(**)	▶ <u>M47</u> (**) ◀	▶ <u>M32</u> (**) ◀	(**)
▶ <u>M67</u> 2 (+) ◀	▶ <u>M74</u> 0,1 (*) ◀	(**)	▶ <u>M47</u> (**) ◀	▶ <u>M32</u> (**) ◀	(**)
▶ <u>M67</u> 2 (+) ◀	▶ <u>M74</u> 0,1 (*) ◀	(**)	▶ <u>M47</u> (**) ◀	▶ <u>M32</u> (**) ◀	(**)
▶ <u>M67</u> 0,05 (*) ◀	▶ <u>M74</u> 0,05 (*) ◀				
▶ <u>M67</u> (+) ◀ ▶ <u>M67</u> (+) ◀ ▶ <u>M67</u> (+) ◀					
▶ <u>M67</u> — ◀	▶ <u>M51</u> — ◀	(**)	▶ <u>M47</u> (**) ◀	▶ <u>M32</u> (**) ◀	(**)
▶ <u>M67</u> 0,05 (*) (+) ◀	▶ <u>M74</u> 0,1 (*) ◀	(**)	▶ <u>M47</u> (**) ◀	▶ <u>M32</u> (**) ◀	(**)
▶ <u>M67</u> 0,05 (*) (+) ◀	▶ <u>M74</u> 0,1 (*) ◀	(**)	▶ <u>M47</u> (**) ◀	▶ <u>M32</u> (**) ◀	(**)
▶ <u>M67</u> 0,2 (+) ◀	▶ <u>M74</u> 0,1 (*) ◀	(**)	▶ <u>M47</u> (**) ◀	▶ <u>M32</u> (**) ◀	(**)
▶ <u>M67</u> 2 (+) ◀	▶ <u>M74</u> 0,2 ◀	(**)	▶ <u>M47</u> (**) ◀	▶ <u>M32</u> (**) ◀	(**)
▶ <u>M67</u> 2 (+) ◀	▶ <u>M74</u> 0,1 (*) ◀	(**)	▶ <u>M47</u> (**) ◀	▶ <u>M32</u> (**) ◀	(**)
▶ <u>M67</u> 2 (+) ◀	▶ <u>M74</u> 0,1 (*) ◀	(**)	▶ <u>M47</u> (**) ◀	▶ <u>M32</u> (**) ◀	(**)

▼ **M2**

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)
1020000	(ii) <b>Milk and cream, not concentrated, nor containing added sugar or sweetening matter, butter and other fats derived from milk, cheese and curd</b>	► <b>M72</b> 0,01 (*) ◀	► <b>M78</b> 0,01 (*) ◀		0,05 (*)	► <b>M32</b> 0,01 (*) ◀		► <b>M66</b> 0,01 (*) ◀
1020010	Cattle							► <b>M66</b> (+) ◀
1020020	Sheep							► <b>M66</b> (+) ◀
1020030	Goat							► <b>M66</b> (+) ◀
1020040	Horse							
1020990	Others							
1030000	(iii) <b>Birds' eggs, fresh preserved or cooked; Shelled eggs and egg yolks fresh, dried, cooked by steaming or boiling in water, moulded, frozen or otherwise preserved whether or not containing added sugar or sweetening matter</b>	► <b>M72</b> 0,05 (*) ◀	► <b>M78</b> 0,01 (*) ◀		0,05 (*)	► <b>M32</b> 0,05 (*) ◀		► <b>M66</b> 0,02 (*) ◀
1030010	Chicken							
1030020	Duck	► <b>M72</b> (**) ◀	► <b>M67</b> — ◀	(**)	(**)	► <b>M32</b> (**) ◀	(**)	► <b>M66</b> — ◀
1030030	Goose	► <b>M72</b> (**) ◀	► <b>M67</b> — ◀	(**)	(**)	► <b>M32</b> (**) ◀	(**)	► <b>M66</b> — ◀

▼ M2

(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)
▶ <u>M70</u> 0,01 ◀	0,05 (*)	▶ <u>M19</u> 0,02 (*) ◀	▶ <u>M64</u> — ◀	▶ <u>M64</u> 0,01 (*) ◀	▶ <u>M73</u> 0,01 (*) ◀	▶ <u>M74</u> 0,01 (*) ◀	
			▶ <u>M64</u> — ◀ ▶ <u>M64</u> — ◀ ▶ <u>M64</u> — ◀ ▶ <u>M64</u> — ◀				
			▶ <u>M64</u> — ◀				
▶ <u>M70</u> 0,01 (*) ◀	0,05 (*)	▶ <u>M19</u> 0,1 (*) ◀	▶ <u>M64</u> — ◀	▶ <u>M64</u> 0,02 (*) ◀	▶ <u>M73</u> 0,01 (*) ◀	▶ <u>M74</u> 0,01 (*) ◀	
▶ <u>M51</u> — ◀	(**)	(**)	▶ <u>M64</u> — ◀ ▶ <u>M64</u> — ◀	▶ <u>M64</u> (**) ◀ ▶ <u>M64</u> (**) ◀	▶ <u>M73</u> — ◀ ▶ <u>M73</u> — ◀	▶ <u>M74</u> (**) ◀ ▶ <u>M74</u> (**) ◀	(**) (**)
▶ <u>M51</u> — ◀	(**)	(**)	▶ <u>M64</u> — ◀	▶ <u>M64</u> (**) ◀	▶ <u>M73</u> — ◀	▶ <u>M74</u> (**) ◀	(**)

▼ M2

(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)
0,05 (*)	▶ <u>M59</u> 0,02 (*) ◀	▶ <u>M67</u> 0,01 (*) (+) ◀	▶ <u>M58</u> 0,02 (*) ◀	▶ <u>M72</u> 0,02 (*) (+) ◀	▶ <u>M75</u> 0,01 (*) ◀	▶ <u>M59</u> 0,02 (*) ◀	0,02 (*)
0,05 (*)	▶ <u>M59</u> 0,05 (*) ◀	▶ <u>M67</u> 0,01 (*) ◀	▶ <u>M58</u> 0,02 (*) ◀	▶ <u>M72</u> 0,01 (*) ◀	▶ <u>M75</u> 0,05 (*) ◀	▶ <u>M59</u> 0,02 (*) ◀	0,1 (*)
(**)	▶ <u>M59</u> — ◀	▶ <u>M67</u> — ◀	▶ <u>M58</u> — ◀	▶ <u>M55</u> — ◀	▶ <u>M40</u> — ◀	▶ <u>M59</u> — ◀	(**)
(**)	▶ <u>M59</u> — ◀	▶ <u>M67</u> — ◀	▶ <u>M58</u> — ◀	▶ <u>M55</u> — ◀	▶ <u>M40</u> — ◀	▶ <u>M59</u> — ◀	(**)

▼ M2

(26)	(27)	(28)	(29)	(30)	(31)
▶ <u>M67</u> 0,05 (*) (+) ◀	▶ <u>M74</u> 0,05 ◀		▶ <u>M47</u> 0,05 ◀	▶ <u>M32</u> — ◀	0,1 (*)
▶ <u>M67</u> 0,05 (*) (+) ◀	▶ <u>M74</u> 0,01 (*) ◀		▶ <u>M47</u> 0,02 (*) ◀	▶ <u>M32</u> — ◀	0,1 (*)
▶ <u>M67</u> — ◀	▶ <u>M51</u> — ◀	(**)	▶ <u>M47</u> (**) ◀	▶ <u>M32</u> (**) ◀	(**)
▶ <u>M67</u> — ◀	▶ <u>M51</u> — ◀	(**)	▶ <u>M47</u> (**) ◀	▶ <u>M32</u> (**) ◀	(**)

▼ M2

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)
1030040	Quail	▶ <u>M72</u> (**) ◀	▶ <u>M67</u> — ◀	(**)	(**)	▶ <u>M32</u> (**) ◀	(**)	▶ <u>M66</u> — ◀
1030990	Others	▶ <u>M72</u> (**) ◀	▶ <u>M67</u> — ◀	(**)	(**)	▶ <u>M32</u> (**) ◀	(**)	▶ <u>M66</u> — ◀
1040000	(iv) <b>Honey</b>	▶ <u>M72</u> (**) ◀	▶ <u>M78</u> 0,05 (*) ◀	(**)	(**)	▶ <u>M32</u> (**) ◀	(**)	▶ <u>M66</u> 0,05 (*) ◀
1050000	(v) <b>Amphibians and reptiles</b>	▶ <u>M72</u> (**) ◀	▶ <u>M78</u> 0,01 (*) ◀	(**)	(**)	▶ <u>M32</u> (**) ◀	(**)	▶ <u>M66</u> 0,02 (*) ◀
1060000	(vi) <b>Snails</b>	▶ <u>M72</u> (**) ◀	▶ <u>M78</u> 0,01 (*) ◀	(**)	(**)	▶ <u>M32</u> (**) ◀	(**)	▶ <u>M66</u> 0,02 (*) ◀
1070000	(vii) <b>Other terrestrial animal products</b>	▶ <u>M72</u> (**) ◀	▶ <u>M78</u> 0,01 (*) ◀	(**)	(**)	▶ <u>M32</u> (**) ◀	(**)	▶ <u>M66</u> 0,02 (*) ◀

▼ M2

(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)
▶ <u>M51</u> — ◀	(**)	(**)	▶ <u>M64</u> — ◀	▶ <u>M64</u> (**) ◀	▶ <u>M73</u> — ◀	▶ <u>M74</u> (**) ◀	(**)
▶ <u>M51</u> — ◀	(**)	(**)	▶ <u>M64</u> — ◀	▶ <u>M64</u> (**) ◀	▶ <u>M73</u> — ◀	▶ <u>M74</u> (**) ◀	(**)
▶ <u>M70</u> 0,05 (*) ◀	(**)	(**)	▶ <u>M64</u> — ◀	▶ <u>M64</u> (**) ◀	▶ <u>M73</u> 0,05 (*) ◀	▶ <u>M74</u> (**) ◀	(**)
▶ <u>M70</u> 0,01 (*) ◀	(**)	(**)	▶ <u>M64</u> — ◀	▶ <u>M64</u> (**) ◀	▶ <u>M73</u> 0,01 (*) ◀	▶ <u>M74</u> (**) ◀	(**)
▶ <u>M70</u> 0,01 (*) ◀	(**)	(**)	▶ <u>M64</u> — ◀	▶ <u>M64</u> (**) ◀	▶ <u>M73</u> 0,01 (*) ◀	▶ <u>M74</u> (**) ◀	(**)
▶ <u>M70</u> 0,01 (*) ◀	(**)	(**)	▶ <u>M64</u> — ◀	▶ <u>M64</u> (**) ◀	▶ <u>M73</u> 0,01 (*) ◀	▶ <u>M74</u> (**) ◀	(**)

▼ M2

(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)
(**)	▶ <u>M59</u> — ◀	▶ <u>M67</u> — ◀	▶ <u>M58</u> — ◀	▶ <u>M55</u> — ◀	▶ <u>M40</u> — ◀	▶ <u>M59</u> — ◀	(**)
(**)	▶ <u>M59</u> — ◀	▶ <u>M67</u> — ◀	▶ <u>M58</u> — ◀	▶ <u>M55</u> — ◀	▶ <u>M40</u> — ◀	▶ <u>M59</u> — ◀	(**)
(**)	▶ <u>M59</u> 0,05 (*) ◀	▶ <u>M67</u> 0,05 (*) ◀	▶ <u>M58</u> 0,05 (*) ◀	▶ <u>M72</u> 0,05 (*) ◀	▶ <u>M75</u> 0,05 (*) ◀	▶ <u>M59</u> 0,05 (*) ◀	(**)
(**)	▶ <u>M59</u> 0,05 (*) ◀	▶ <u>M67</u> 0,02 (*) ◀	▶ <u>M58</u> 0,02 (*) ◀	▶ <u>M72</u> 0,01 (*) ◀	▶ <u>M75</u> 0,05 (*) ◀	▶ <u>M59</u> 0,02 (*) ◀	(**)
(**)	▶ <u>M59</u> 0,05 (*) ◀	▶ <u>M67</u> 0,02 (*) ◀	▶ <u>M58</u> 0,02 (*) ◀	▶ <u>M72</u> 0,01 (*) ◀	▶ <u>M75</u> 0,05 (*) ◀	▶ <u>M59</u> 0,02 (*) ◀	(**)
(**)	▶ <u>M59</u> 0,05 (*) ◀	▶ <u>M67</u> 0,02 (*) ◀	▶ <u>M58</u> 0,02 (*) ◀	▶ <u>M72</u> 0,01 (*) ◀	▶ <u>M75</u> 0,05 (*) ◀	▶ <u>M59</u> 0,02 (*) ◀	(**)



▼ M2

(26)	(27)	(28)	(29)	(30)	(31)
▶ <u>M67</u> — ◀	▶ <u>M51</u> — ◀	(**)	▶ <u>M47</u> (**) ◀	▶ <u>M32</u> (**) ◀	(**)
▶ <u>M67</u> — ◀	▶ <u>M51</u> — ◀	(**)	▶ <u>M47</u> (**) ◀	▶ <u>M32</u> (**) ◀	(**)
▶ <u>M67</u> 0,05 (*) ◀	▶ <u>M74</u> 0,05 (*) ◀	(**)	▶ <u>M47</u> (**) ◀	▶ <u>M32</u> (**) ◀	(**)
▶ <u>M67</u> 0,05 (*) ◀	▶ <u>M74</u> 0,05 (*) ◀	(**)	▶ <u>M47</u> (**) ◀	▶ <u>M32</u> (**) ◀	(**)
▶ <u>M67</u> 0,05 (*) ◀	▶ <u>M74</u> 0,05 (*) ◀	(**)	▶ <u>M47</u> (**) ◀	▶ <u>M32</u> (**) ◀	(**)
▶ <u>M67</u> 0,05 (*) ◀	▶ <u>M74</u> 0,05 (*) ◀	(**)	▶ <u>M47</u> (**) ◀	▶ <u>M32</u> (**) ◀	(**)

▼ **M2**

*Pesticide residues and maximum residue levels (mg/kg)*

Code number	Groups and examples of individual products to which the MRLs apply <sup>(a)</sup>	▼ <u>M58</u> Rimsulfuron ▲	▼ <u>M55</u> Siltiofam ▲	▼ <u>M5</u> Spiroxamine <sup>(k)</sup> ▲	▼ <u>M58</u> Sulfosulfuron ▲	Ternazene <sup>(l)</sup>	TEPP	Thiabendazole <sup>(k)</sup>
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)
010000	1. <b>FRUIT FRESH OR FROZEN; NUTS</b>	▶ <u>M58</u> — ◀	▶ <u>M55</u> — ◀		▶ <u>M58</u> — ◀	0,05 (*)	0,01 (*)	
0110000	(i) <b>Citrus fruit</b>	▶ <u>M58</u> 0,01 (*) ◀	▶ <u>M55</u> 0,01 (*) ◀	▶ <u>M5</u> 0,05 (*) ◀	▶ <u>M58</u> 0,01 (*) ◀			5
0110010	Grapefruit							
0110020	Oranges							
0110030	Lemons							
0110040	Limes							
0110050	Mandarins							
0110990	Others							
0120000	(ii) <b>Tree nuts (shelled or unshelled)</b>	▶ <u>M58</u> 0,02 (*) ◀	▶ <u>M55</u> 0,02 (*) ◀	▶ <u>M5</u> 0,05 (*) ◀	▶ <u>M58</u> 0,02 (*) ◀			0,1 (*)

▼ M2

▶ <u>M54</u> Thiachloprid <sup>(L)</sup> ▼	▶ <u>M58</u> Thifensulfuron-methyl ▼	▶ <u>M21</u> Thiophanate-methyl <sup>(8)</sup> ▼	▶ <u>M7</u> ▶ <u>C5</u> Thiram (expressed as thiram) <sup>(13)</sup> ▼ ▼	▶ <u>M32</u> — ▼	▶ <u>M11</u> Triadimefon and triadimenol (sum of triadimefon and triadimenol) <sup>(L)</sup> ▼	▶ <u>M21</u> Triasulfuron ▼	▶ <u>M27</u> Triazophos <sup>(L)</sup> ▼
(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)
	▶ <u>M58</u> 0,01 (*) ◀			▶ <u>M32</u> — ◀		▶ <u>M21</u> 0,05 (*) ◀	▶ <u>M27</u> 0,01 (*) ◀
▶ <u>M54</u> 0,02 (*) ◀		▶ <u>M15</u> — ◀	▶ <u>M7</u> ▶ <u>C5</u> 0,1 (*) ◀ ◀	▶ <u>M32</u> — ◀	▶ <u>M11</u> 0,1 (*) ◀		
		▶ <u>M21</u> 6 ◀ ▶ <u>M21</u> 6 ◀ ▶ <u>M21</u> 6 ◀ ▶ <u>M21</u> 6 ◀ ▶ <u>M21</u> 6 ◀	▶ <u>M7</u> ▶ <u>C5</u> 0,1 (*) ◀ ◀ ▶ <u>M7</u> ▶ <u>C5</u> 0,1 (*) ◀ ◀ ▶ <u>M7</u> ▶ <u>C5</u> 0,1 (*) ◀ ◀ ▶ <u>M7</u> ▶ <u>C5</u> 0,1 (*) ◀ ◀ ▶ <u>M7</u> ▶ <u>C5</u> 0,1 (*) ◀ ◀	▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀			
		▶ <u>M21</u> 0,1 (*) ◀	▶ <u>M7</u> ▶ <u>C5</u> 0,1 (*) ◀ ◀	▶ <u>M32</u> — ◀			
▶ <u>M54</u> 0,02 (*) ◀		▶ <u>M21</u> 0,2 (*) ◀	▶ <u>M7</u> ▶ <u>C5</u> 0,1 (*) ◀ ◀	▶ <u>M32</u> — ◀	▶ <u>M11</u> 0,2 (*) ◀		

▼ M2

Tribenuron-methyl	▼ <u>M32</u>	▼ <u>M70</u> Trifloxystrobin (L) (6)	▼ <u>M16</u> Triforine	Trimethyl-sulfonium cation, resulting from the use of glyphosate (L)	▼ <u>M21</u> Triticonazole	▼ <u>M45</u>	Ziram (L)
(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)
0,01 (*)	▶ <u>M32</u> — ◀				▶ <u>M21</u> 0,01 (*) ◀	▶ <u>M45</u> — ◀	
	▶ <u>M32</u> — ◀	▶ <u>M70</u> 0,3 ◀	▶ <u>M16</u> 0,01 (*) ◀			▶ <u>M45</u> — ◀	0,1 (*)
	▶ <u>M32</u> — ◀			0,05 (*)		▶ <u>M45</u> — ◀	
	▶ <u>M32</u> — ◀			0,5		▶ <u>M45</u> — ◀	
	▶ <u>M32</u> — ◀			0,05 (*)		▶ <u>M45</u> — ◀	
	▶ <u>M32</u> — ◀			0,05 (*)		▶ <u>M45</u> — ◀	
	▶ <u>M32</u> — ◀			0,5		▶ <u>M45</u> — ◀	
	▶ <u>M32</u> — ◀			0,05 (*)		▶ <u>M45</u> — ◀	
	▶ <u>M32</u> — ◀	▶ <u>M70</u> 0,02 (*) ◀	▶ <u>M16</u> 0,02 (*) ◀	0,05 (*)		▶ <u>M45</u> — ◀	0,1 (*)

▼ M2

▶ <u>M19</u> Zoxamide ◀
(26)
▶ <u>M19</u> 0,02 (*) ◀
▶ <u>M19</u> 0,02 (*) ◀

▼ M2

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)
0120010	Almonds							
0120020	Brazil nuts							
0120030	Cashew nuts							
0120040	Chestnuts							
0120050	Coconuts							
0120060	Hazelnuts							
0120070	Macadamia							
0120080	Pecans							
0120090	Pine nuts							
0120100	Pistachios							
0120110	Walnuts							
0120990	Others							
0130000	(iii) <b>Pome fruit</b>	▶ <u>M58</u> 0,01 (*) ◀	▶ <u>M55</u> 0,01 (*) ◀	▶ <u>M5</u> 0,05 (*) ◀	▶ <u>M58</u> 0,01 (*) ◀			
0130010	Apples							5
0130020	Pears							5
0130030	Quinces							0,05 (*)
0130040	Medlar	▶ <u>M58</u> — ◀	▶ <u>M55</u> — ◀	▶ <u>M5</u> (**) ◀	▶ <u>M58</u> — ◀	(**)	(**)	(**)
0130050	Loquat	▶ <u>M58</u> — ◀	▶ <u>M55</u> — ◀	▶ <u>M5</u> (**) ◀	▶ <u>M58</u> — ◀	(**)	(**)	(**)
0130990	Others							0,05 (*)
0140000	(iv) <b>Stone fruit</b>	▶ <u>M58</u> 0,01 (*) ◀	▶ <u>M55</u> 0,01 (*) ◀	▶ <u>M5</u> 0,05 (*) ◀	▶ <u>M58</u> 0,01 (*) ◀			0,05 (*)
0140010	Apricots							
0140020	Cherries							
0140030	Peaches							
0140040	Plums							
0140990	Others							
0150000	(v) <b>Berries &amp; small fruit</b>	▶ <u>M58</u> 0,01 (*) ◀	▶ <u>M55</u> 0,01 (*) ◀		▶ <u>M58</u> 0,01 (*) ◀			0,05 (*)

▼ M2

(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)
			▶ <u>M7</u> ▶ <u>C5</u> 0,1 (*) ◀ ◀ ▶ <u>M7</u> ▶ <u>C5</u> 0,1 (*) ◀ ◀ ▶ <u>M7</u> ▶ <u>C5</u> 0,1 (*) ◀ ◀ ▶ <u>M7</u> ▶ <u>C5</u> 0,1 (*) ◀ ◀ ▶ <u>M7</u> ▶ <u>C5</u> 0,1 (*) ◀ ◀ ▶ <u>M7</u> ▶ <u>C5</u> 0,1 (*) ◀ ◀ ▶ <u>M7</u> ▶ <u>C5</u> 0,1 (*) ◀ ◀ ▶ <u>M7</u> ▶ <u>C5</u> 0,1 (*) ◀ ◀ ▶ <u>M7</u> ▶ <u>C5</u> 0,1 (*) ◀ ◀ ▶ <u>M7</u> ▶ <u>C5</u> 0,1 (*) ◀ ◀	▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀			
			▶ <u>M7</u> ▶ <u>C5</u> 0,1 (*) ◀ ◀	▶ <u>M32</u> — ◀			
▶ <u>M54</u> 0,3 ◀				▶ <u>M32</u> — ◀			
▶ <u>M54</u> (**) ◀ ▶ <u>M54</u> (**) ◀	▶ <u>M58</u> — ◀ ▶ <u>M58</u> — ◀	▶ <u>M21</u> 0,5 ◀ ▶ <u>M21</u> 0,5 ◀ ▶ <u>M21</u> 0,5 ◀ ▶ <u>M15</u> (**) ◀ ▶ <u>M15</u> (**) ◀	▶ <u>M7</u> ▶ <u>C5</u> 5 ◀ ◀ ▶ <u>M7</u> ▶ <u>C5</u> 5 ◀ ◀ ▶ <u>M7</u> ▶ <u>C5</u> 0,1 (*) ◀ ◀ ▶ <u>M7</u> ▶ <u>C5</u> (**) ◀ ◀ ▶ <u>M7</u> ▶ <u>C5</u> (**) ◀ ◀	▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀	▶ <u>M11</u> 0,2 (*) ◀ ▶ <u>M11</u> 0,1 (*) ◀ ▶ <u>M11</u> 0,1 (*) ◀ ▶ <u>M11</u> (**) ◀ ▶ <u>M11</u> (**) ◀	(**) (**)	▶ <u>M27</u> (**) ◀ ▶ <u>M27</u> (**) ◀
		▶ <u>M21</u> 0,5 ◀	▶ <u>M7</u> ▶ <u>C5</u> 0,1 (*) ◀ ◀	▶ <u>M32</u> — ◀	▶ <u>M11</u> 0,1 (*) ◀		
				▶ <u>M32</u> — ◀	▶ <u>M11</u> 0,1 (*) ◀		
▶ <u>M54</u> 0,3 ◀ ▶ <u>M54</u> 0,3 ◀ ▶ <u>M54</u> 0,3 ◀ ▶ <u>M54</u> 0,1 ◀		▶ <u>M21</u> 2 ◀ ▶ <u>M21</u> 0,3 ◀ ▶ <u>M21</u> 2 ◀ ▶ <u>M21</u> 0,3 ◀	▶ <u>M7</u> ▶ <u>C5</u> 3 ◀ ◀ ▶ <u>M7</u> ▶ <u>C5</u> 3 ◀ ◀ ▶ <u>M7</u> ▶ <u>C5</u> 3 ◀ ◀ ▶ <u>M7</u> ▶ <u>C5</u> 2 ◀ ◀	▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀			
▶ <u>M54</u> 0,02 (*) ◀		▶ <u>M21</u> 0,1 (*) ◀	▶ <u>M7</u> ▶ <u>C5</u> 0,1 (*) ◀ ◀	▶ <u>M32</u> — ◀			
				▶ <u>M32</u> — ◀			

▼ M2

(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)
	▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀					▶ <u>M45</u> — ◀ ▶ <u>M45</u> — ◀ ▶ <u>M45</u> — ◀ ▶ <u>M45</u> — ◀ ▶ <u>M45</u> — ◀ ▶ <u>M45</u> — ◀ ▶ <u>M45</u> — ◀ ▶ <u>M45</u> — ◀ ▶ <u>M45</u> — ◀ ▶ <u>M45</u> — ◀ ▶ <u>M45</u> — ◀	
	▶ <u>M32</u> — ◀					▶ <u>M45</u> — ◀	
	▶ <u>M32</u> — ◀	▶ <u>M70</u> 0,5 ◀	▶ <u>M16</u> 0,01 (*) ◀	0,05 (*)		▶ <u>M45</u> — ◀	
	▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀					▶ <u>M45</u> — ◀ ▶ <u>M45</u> — ◀ ▶ <u>M45</u> — ◀	0,1 (*) 1 0,1 (*)
(**)	▶ <u>M32</u> — ◀	▶ <u>M70</u> (**) ◀	(**)	(**)	(**)	▶ <u>M45</u> — ◀	(**)
(**)	▶ <u>M32</u> — ◀	▶ <u>M70</u> (**) ◀	(**)	(**)	(**)	▶ <u>M45</u> — ◀	(**)
	▶ <u>M32</u> — ◀					▶ <u>M45</u> — ◀	0,1 (*)
	▶ <u>M32</u> — ◀		▶ <u>M16</u> 0,01 (*) ◀	0,05 (*)		▶ <u>M45</u> — ◀	
	▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀	▶ <u>M70</u> 1 ◀ ▶ <u>M70</u> 1 ◀ ▶ <u>M70</u> 1 ◀ ▶ <u>M70</u> 0,2 ◀	2 2 2 1			▶ <u>M45</u> — ◀ ▶ <u>M45</u> — ◀ ▶ <u>M45</u> — ◀ ▶ <u>M45</u> — ◀	0,1 (*) 5 0,1 (*) 2
	▶ <u>M32</u> — ◀	▶ <u>M70</u> 0,02 (*) ◀	0,05 (*)			▶ <u>M45</u> — ◀	0,1 (*)
	▶ <u>M32</u> — ◀		▶ <u>M16</u> 0,01 (*) ◀	0,05 (*)		▶ <u>M45</u> — ◀	0,1 (*)



▼ M2

(26)
► <u>M19</u> 0,02 (*) ◀
(**)
(**)
► <u>M19</u> 0,02 (*) ◀

▼ **M2**

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)
0151000	(a) <i>Table and wine grapes</i>			► <b>M5</b> 1 ◀				
0151010	Table grapes							
0151020	Wine grapes							
0152000	(b) <i>Strawberries</i>			► <b>M5</b> 0,05 (*) ◀				
0153000	(c) <i>Cane fruit</i>			► <b>M5</b> 0,05 (*) ◀				
0153010	Blackberries							
0153020	Dewberries							
0153030	Raspberries							
0153990	Others							
0154000	(d) <i>Other small fruit &amp; berries</i>			► <b>M5</b> 0,05 (*) ◀				
0154010	Blueberries							
0154020	Cranberries							
0154030	Currants (red, black and white)							
0154040	Gooseberries							
0154050	Rose hips	► <b>M58</b> — ◀	► <b>M55</b> — ◀	► <b>M5</b> (**) ◀	► <b>M58</b> — ◀	(**)	(**)	(**)
0154060	Mulberries	► <b>M58</b> — ◀	► <b>M55</b> — ◀	► <b>M5</b> (**) ◀	► <b>M58</b> — ◀	(**)	(**)	(**)
0154070	Azarole (mediterranean medlar)	► <b>M58</b> — ◀	► <b>M55</b> — ◀	► <b>M5</b> (**) ◀	► <b>M58</b> — ◀	(**)	(**)	(**)
0154080	Elderberries	► <b>M58</b> — ◀	► <b>M55</b> — ◀	► <b>M5</b> (**) ◀	► <b>M58</b> — ◀	(**)	(**)	(**)
0154990	Others							

▼ M2

(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)
▶ <u>M54</u> 0,02 (*) ◀				▶ <u>M32</u> — ◀	▶ <u>M11</u> 2 ◀		
		▶ <u>M21</u> 0,1 (*) ◀ ▶ <u>M21</u> 3 ◀	▶ <u>M7</u> ▶ <u>C5</u> 0,1 (*) ◀ ◀ ◀ ▶ <u>M7</u> ▶ <u>C5</u> 3 ◀ ◀ ◀	▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀			
▶ <u>M54</u> 1 ◀		▶ <u>M21</u> 0,1 (*) ◀	▶ <u>M7</u> ▶ <u>C5</u> 10 ◀ ◀ ◀	▶ <u>M32</u> — ◀	▶ <u>M11</u> 0,5 ◀		
▶ <u>M5</u> — ◀		▶ <u>M21</u> 0,1 (*) ◀	▶ <u>M7</u> ▶ <u>C5</u> 0,1 (*) ◀ ◀ ◀	▶ <u>M32</u> — ◀	▶ <u>M11</u> 0,1 (*) ◀		
▶ <u>M54</u> 3 ◀ ▶ <u>M54</u> 1 ◀ ▶ <u>M54</u> 3 ◀			▶ <u>M7</u> ▶ <u>C5</u> 0,1 (*) ◀ ◀ ◀ ▶ <u>M7</u> ▶ <u>C5</u> 0,1 (*) ◀ ◀ ◀ ▶ <u>M7</u> ▶ <u>C5</u> 0,1 (*) ◀ ◀ ◀	▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀			
▶ <u>M54</u> 1 ◀			▶ <u>M7</u> ▶ <u>C5</u> 0,1 (*) ◀ ◀ ◀	▶ <u>M32</u> — ◀			
▶ <u>M54</u> 1 ◀		▶ <u>M21</u> 0,1 (*) ◀	▶ <u>M7</u> ▶ <u>C5</u> 0,1 (*) ◀ ◀ ◀	▶ <u>M32</u> — ◀	▶ <u>M11</u> 1 ◀		
			▶ <u>M7</u> ▶ <u>C5</u> 0,1 (*) ◀ ◀ ◀ ▶ <u>M7</u> ▶ <u>C5</u> 0,1 (*) ◀ ◀ ◀ ▶ <u>M7</u> ▶ <u>C5</u> 0,1 (*) ◀ ◀ ◀  ▶ <u>M7</u> ▶ <u>C5</u> 0,1 (*) ◀ ◀ ◀	▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀  ▶ <u>M32</u> — ◀			
▶ <u>M54</u> (**) ◀ ▶ <u>M54</u> (**) ◀ ▶ <u>M54</u> (**) ◀  ▶ <u>M54</u> (**) ◀	▶ <u>M58</u> — ◀ ▶ <u>M58</u> — ◀ ▶ <u>M58</u> — ◀  ▶ <u>M58</u> — ◀	▶ <u>M15</u> (**) ◀ ▶ <u>M15</u> (**) ◀ ▶ <u>M15</u> (**) ◀  ▶ <u>M15</u> (**) ◀	▶ <u>M7</u> ▶ <u>C5</u> (**) ◀ ◀ ◀ ▶ <u>M7</u> ▶ <u>C5</u> (**) ◀ ◀ ◀ ▶ <u>M7</u> ▶ <u>C5</u> (**) ◀ ◀ ◀  ▶ <u>M7</u> ▶ <u>C5</u> (**) ◀ ◀ ◀	▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀  ▶ <u>M32</u> — ◀	▶ <u>M11</u> (**) ◀ ▶ <u>M11</u> (**) ◀ ▶ <u>M11</u> (**) ◀  ▶ <u>M11</u> (**) ◀	(**) (**) (**)  (**)	▶ <u>M27</u> (**) ◀ ▶ <u>M27</u> (**) ◀ ▶ <u>M27</u> (**) ◀  ▶ <u>M27</u> (**) ◀
			▶ <u>M7</u> ▶ <u>C5</u> 0,1 (*) ◀ ◀ ◀	▶ <u>M32</u> — ◀			

▼ M2

(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)
	▶ <u>M32</u> — ◀	▶ <u>M70</u> 5 ◀	0,05 (*)			▶ <u>M45</u> — ◀	
	▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀					▶ <u>M45</u> — ◀ ▶ <u>M45</u> — ◀	
	▶ <u>M32</u> — ◀	▶ <u>M70</u> 1 ◀	0,05 (*)			▶ <u>M45</u> — ◀	
	▶ <u>M32</u> — ◀	▶ <u>M70</u> 3 ◀	0,05 (*)			▶ <u>M45</u> — ◀	
	▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀					▶ <u>M45</u> — ◀ ▶ <u>M45</u> — ◀ ▶ <u>M45</u> — ◀	
	▶ <u>M32</u> — ◀					▶ <u>M45</u> — ◀	
	▶ <u>M32</u> — ◀					▶ <u>M45</u> — ◀	
	▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀	▶ <u>M70</u> 2 ◀ ▶ <u>M70</u> 0,02 (*) ◀ ▶ <u>M70</u> 1 ◀	0,05 (*) 0,05 (*) 2			▶ <u>M45</u> — ◀ ▶ <u>M45</u> — ◀ ▶ <u>M45</u> — ◀	
(**)	▶ <u>M32</u> — ◀	▶ <u>M70</u> 1 ◀	2			▶ <u>M45</u> — ◀	
(**)	▶ <u>M32</u> — ◀	▶ <u>M70</u> (**) ◀	(**)	(**)	(**)	▶ <u>M45</u> — ◀	(**)
(**)	▶ <u>M32</u> — ◀	▶ <u>M70</u> (**) ◀	(**)	(**)	(**)	▶ <u>M45</u> — ◀	(**)
(**)	▶ <u>M32</u> — ◀	▶ <u>M70</u> (**) ◀	(**)	(**)	(**)	▶ <u>M45</u> — ◀	(**)
(**)	▶ <u>M32</u> — ◀	▶ <u>M70</u> (**) ◀	(**)	(**)	(**)	▶ <u>M45</u> — ◀	(**)
	▶ <u>M32</u> — ◀	▶ <u>M70</u> 0,02 (*) ◀	0,05 (*)			▶ <u>M45</u> — ◀	

▼ M2

(26)
▶ <u>M19</u> 5 ◀
▶ <u>M19</u> 0,02 (*) ◀
▶ <u>M19</u> 0,02 (*) ◀
▶ <u>M19</u> 0,02 (*) ◀
(**)
(**)
(**)
(**)

▼ M2

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)
0160000	(vi) <b>Miscellaneous fruit</b>	► <b>M58</b> 0,01 (*) ◀	► <b>M55</b> 0,01 (*) ◀	► <b>M5</b> — ◀	► <b>M58</b> 0,01 (*) ◀			
0161000	(a) <i>Edible peel</i>			► <b>M5</b> 0,05 (*) ◀				0,05 (*)
0161010	Dates							
0161020	Figs							
0161030	Table olives							
0161040	Kumquats							
0161050	Carambola	► <b>M58</b> — ◀	► <b>M55</b> — ◀	► <b>M5</b> (**) ◀	► <b>M58</b> — ◀	(**)	(**)	(**)
0161060	Persimmon	► <b>M58</b> — ◀	► <b>M55</b> — ◀	► <b>M5</b> (**) ◀	► <b>M58</b> — ◀	(**)	(**)	(**)
0161070	Jambolan (java plum)	► <b>M58</b> — ◀	► <b>M55</b> — ◀	► <b>M5</b> (**) ◀	► <b>M58</b> — ◀	(**)	(**)	(**)
0161990	Others							
0162000	(b) <i>Inedible peel, small</i>			► <b>M5</b> 0,05 (*) ◀				0,05 (*)
0162010	Kiwi							
0162020	Lychee (Litchi)							
0162030	Passion fruit							
0162040	Prickly pear (cactus fruit)	► <b>M58</b> — ◀	► <b>M55</b> — ◀	► <b>M5</b> (**) ◀	► <b>M58</b> — ◀	(**)	(**)	(**)
0162050	Star apple	► <b>M58</b> — ◀	► <b>M55</b> — ◀	► <b>M5</b> (**) ◀	► <b>M58</b> — ◀	(**)	(**)	(**)
0162060	American persimmon (Virginia kaki)	► <b>M58</b> — ◀	► <b>M55</b> — ◀	► <b>M5</b> (**) ◀	► <b>M58</b> — ◀	(**)	(**)	(**)
0162990	Others							
0163000	(c) <i>Inedible peel, large</i>							
0163010	Avocados			► <b>M5</b> 0,05 (*) ◀				15

▼ **M2**

(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)
▶ <b>M5</b> — ◀			▶ <b>M7</b> ▶ <b>C5</b> — ◀ ◀	▶ <b>M32</b> — ◀			
▶ <b>M14</b> — ◀		▶ <b>M21</b> 0,1 (*) ◀	▶ <b>M7</b> ▶ <b>C5</b> 0,1 (*) ◀ ◀	▶ <b>M32</b> — ◀	▶ <b>M11</b> 0,1 (*) ◀		
▶ <b>M54</b> 0,02 (*) ◀ ▶ <b>M54</b> 0,4 ◀ ▶ <b>M54</b> 4 ◀ ▶ <b>M54</b> 0,02 (*) ◀ ▶ <b>M54</b> (**) ◀ ▶ <b>M54</b> (**) ◀ ▶ <b>M54</b> (**) ◀	▶ <b>M58</b> — ◀ ▶ <b>M58</b> — ◀ ▶ <b>M58</b> — ◀	▶ <b>M15</b> (**) ◀ ▶ <b>M15</b> (**) ◀ ▶ <b>M15</b> (**) ◀	▶ <b>M7</b> ▶ <b>C5</b> 0,1 (*) ◀ ◀ ▶ <b>M7</b> ▶ <b>C5</b> 0,1 (*) ◀ ◀ ▶ <b>M7</b> ▶ <b>C5</b> 0,1 (*) ◀ ◀ ▶ <b>M7</b> ▶ <b>C5</b> 0,1 (*) ◀ ◀ ▶ <b>M7</b> ▶ <b>C5</b> (**) ◀ ◀ ▶ <b>M7</b> ▶ <b>C5</b> (**) ◀ ◀ ▶ <b>M7</b> ▶ <b>C5</b> (**) ◀ ◀	▶ <b>M32</b> — ◀ ▶ <b>M32</b> — ◀ ▶ <b>M32</b> — ◀ ▶ <b>M32</b> — ◀ ▶ <b>M32</b> — ◀ ▶ <b>M32</b> — ◀ ▶ <b>M32</b> — ◀	▶ <b>M11</b> (**) ◀ ▶ <b>M11</b> (**) ◀ ▶ <b>M11</b> (**) ◀	(**) (**) (**)	▶ <b>M27</b> (**) ◀ ▶ <b>M27</b> (**) ◀ ▶ <b>M27</b> (**) ◀
▶ <b>M54</b> 0,02 (*) ◀			▶ <b>M7</b> ▶ <b>C5</b> 0,1 (*) ◀ ◀	▶ <b>M32</b> — ◀			
▶ <b>M54</b> 0,02 (*) ◀		▶ <b>M21</b> 0,1 (*) ◀	▶ <b>M7</b> ▶ <b>C5</b> 0,1 (*) ◀ ◀	▶ <b>M32</b> — ◀	▶ <b>M11</b> 0,1 (*) ◀		
▶ <b>M54</b> (**) ◀ ▶ <b>M54</b> (**) ◀ ▶ <b>M54</b> (**) ◀	▶ <b>M58</b> — ◀ ▶ <b>M58</b> — ◀ ▶ <b>M58</b> — ◀	▶ <b>M15</b> (**) ◀ ▶ <b>M15</b> (**) ◀ ▶ <b>M15</b> (**) ◀	▶ <b>M7</b> ▶ <b>C5</b> 0,1 (*) ◀ ◀ ▶ <b>M7</b> ▶ <b>C5</b> 0,1 (*) ◀ ◀ ▶ <b>M7</b> ▶ <b>C5</b> 0,1 (*) ◀ ◀ ▶ <b>M7</b> ▶ <b>C5</b> (**) ◀ ◀ ▶ <b>M7</b> ▶ <b>C5</b> (**) ◀ ◀ ▶ <b>M7</b> ▶ <b>C5</b> (**) ◀ ◀	▶ <b>M32</b> — ◀ ▶ <b>M32</b> — ◀ ▶ <b>M32</b> — ◀ ▶ <b>M32</b> — ◀ ▶ <b>M32</b> — ◀ ▶ <b>M32</b> — ◀	▶ <b>M11</b> (**) ◀ ▶ <b>M11</b> (**) ◀ ▶ <b>M11</b> (**) ◀	(**) (**) (**)	▶ <b>M27</b> (**) ◀ ▶ <b>M27</b> (**) ◀ ▶ <b>M27</b> (**) ◀
			▶ <b>M7</b> ▶ <b>C5</b> 0,1 (*) ◀ ◀	▶ <b>M32</b> — ◀			
				▶ <b>M32</b> — ◀			
▶ <b>M54</b> 0,02 (*) ◀		▶ <b>M21</b> 0,1 (*) ◀	▶ <b>M7</b> ▶ <b>C5</b> 0,1 (*) ◀ ◀	▶ <b>M32</b> — ◀	▶ <b>M11</b> 0,1 (*) ◀		

▼ M2

(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)
	▶ <u>M32</u> — ◀		▶ <u>M16</u> 0,01 (*) ◀	0,05 (*)		▶ <u>M45</u> — ◀	0,1 (*)
	▶ <u>M32</u> — ◀	▶ <u>M5</u> — ◀				▶ <u>M45</u> — ◀	
	▶ <u>M32</u> — ◀	▶ <u>M70</u> 0,02 (*) ◀				▶ <u>M45</u> — ◀	
	▶ <u>M32</u> — ◀	▶ <u>M70</u> 0,02 (*) ◀				▶ <u>M45</u> — ◀	
	▶ <u>M32</u> — ◀	▶ <u>M70</u> 0,3 ◀				▶ <u>M45</u> — ◀	
	▶ <u>M32</u> — ◀	▶ <u>M70</u> 0,02 (*) ◀				▶ <u>M45</u> — ◀	
(**)	▶ <u>M32</u> — ◀	▶ <u>M70</u> (**) ◀	(**)	(**)	(**)	▶ <u>M45</u> — ◀	(**)
(**)	▶ <u>M32</u> — ◀	▶ <u>M70</u> (**) ◀	(**)	(**)	(**)	▶ <u>M45</u> — ◀	(**)
(**)	▶ <u>M32</u> — ◀	▶ <u>M70</u> (**) ◀	(**)	(**)	(**)	▶ <u>M45</u> — ◀	(**)
	▶ <u>M32</u> — ◀	▶ <u>M70</u> 0,02 (*) ◀				▶ <u>M45</u> — ◀	
	▶ <u>M32</u> — ◀	▶ <u>M8</u> — ◀				▶ <u>M45</u> — ◀	
	▶ <u>M32</u> — ◀	▶ <u>M70</u> 0,02 (*) ◀				▶ <u>M45</u> — ◀	
	▶ <u>M32</u> — ◀	▶ <u>M70</u> 0,02 (*) ◀				▶ <u>M45</u> — ◀	
	▶ <u>M32</u> — ◀	▶ <u>M70</u> 4 ◀				▶ <u>M45</u> — ◀	
(**)	▶ <u>M32</u> — ◀	▶ <u>M70</u> (**) ◀	(**)	(**)	(**)	▶ <u>M45</u> — ◀	(**)
(**)	▶ <u>M32</u> — ◀	▶ <u>M70</u> (**) ◀	(**)	(**)	(**)	▶ <u>M45</u> — ◀	(**)
(**)	▶ <u>M32</u> — ◀	▶ <u>M70</u> (**) ◀	(**)	(**)	(**)	▶ <u>M45</u> — ◀	(**)
	▶ <u>M32</u> — ◀	▶ <u>M70</u> 0,02 (*) ◀				▶ <u>M45</u> — ◀	
	▶ <u>M32</u> — ◀					▶ <u>M45</u> — ◀	
	▶ <u>M32</u> — ◀	▶ <u>M70</u> 0,02 (*) ◀				▶ <u>M45</u> — ◀	



▼ M2

(26)
► <u>M19</u> 0,02 (*) ◀
(**)
(**)
(**)
(**)
(**)
(**)

▼ **M2**

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)
0163020	Bananas			▶ <b>M5</b> 3 ◀				5
0163030	Mangoes			▶ <b>M5</b> 0,05 (*) ◀				5
0163040	Papaya			▶ <b>M5</b> 0,05 (*) ◀				10
0163050	Pomegranate			▶ <b>M5</b> 0,05 (*) ◀				0,05 (*)
0163060	Cherimoya	▶ <b>M58</b> — ◀	▶ <b>M55</b> — ◀	▶ <b>M5</b> (**) ◀	▶ <b>M58</b> — ◀	(**)	(**)	(**)
0163070	Guava	▶ <b>M58</b> — ◀	▶ <b>M55</b> — ◀	▶ <b>M5</b> (**) ◀	▶ <b>M58</b> — ◀	(**)	(**)	(**)
0163080	Pineapples			▶ <b>M5</b> 0,05 (*) ◀				0,05 (*)
0163090	Bread fruit	▶ <b>M58</b> — ◀	▶ <b>M55</b> — ◀	▶ <b>M5</b> (**) ◀	▶ <b>M58</b> — ◀	(**)	(**)	(**)
0163100	Durian	▶ <b>M58</b> — ◀	▶ <b>M55</b> — ◀	▶ <b>M5</b> (**) ◀	▶ <b>M58</b> — ◀	(**)	(**)	(**)
0163110	Soursop (guanabana)	▶ <b>M58</b> — ◀	▶ <b>M55</b> — ◀	▶ <b>M5</b> (**) ◀	▶ <b>M58</b> — ◀	(**)	(**)	(**)
0163990	Others			▶ <b>M5</b> 0,05 (*) ◀				0,05 (*)
0200000	<b>2. VEGETABLES FRESH OR FROZEN</b>	▶ <b>M58</b> — ◀	▶ <b>M55</b> — ◀	▶ <b>M5</b> 0,05 (*) ◀	▶ <b>M58</b> — ◀	0,05 (*)	0,01 (*)	
0210000	(i) <b>Root and tuber vegetables</b>	▶ <b>M58</b> 0,01 (*) ◀	▶ <b>M55</b> 0,01 (*) ◀		▶ <b>M58</b> 0,01 (*) ◀			
0211000	(a) <i>Potatoes</i>							15
0212000	(b) <i>Tropical root and tuber vegetables</i>							
0212010	Cassava							15
0212020	Sweet potatoes							15
0212030	Yams							15
0212040	Arrowroot	▶ <b>M58</b> — ◀	▶ <b>M55</b> — ◀	▶ <b>M5</b> (**) ◀	▶ <b>M58</b> — ◀	(**)	(**)	(**)
0212990	Others							0,05 (*)

▼ M2

(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)
▶ <u>M54</u> 0,02 (*) ◀		▶ <u>M21</u> 0,1 (*) ◀	▶ <u>M7</u> ▶ <u>C5</u> 0,2 ◀ ◀	▶ <u>M32</u> — ◀	▶ <u>M11</u> 1 ◀		
▶ <u>M54</u> 0,02 (*) ◀		▶ <u>M21</u> 1 ◀	▶ <u>M7</u> ▶ <u>C5</u> 0,1 (*) ◀ ◀	▶ <u>M32</u> — ◀	▶ <u>M11</u> 0,1 (*) ◀		
▶ <u>M54</u> 0,5 ◀		▶ <u>M21</u> 1 ◀	▶ <u>M7</u> ▶ <u>C5</u> 0,1 (*) ◀ ◀	▶ <u>M32</u> — ◀	▶ <u>M11</u> 0,1 (*) ◀		
▶ <u>M54</u> 0,02 (*) ◀		▶ <u>M21</u> 0,1 (*) ◀	▶ <u>M7</u> ▶ <u>C5</u> 0,1 (*) ◀ ◀	▶ <u>M32</u> — ◀	▶ <u>M11</u> 0,1 (*) ◀		
▶ <u>M54</u> (**) ◀	▶ <u>M58</u> — ◀	▶ <u>M15</u> (**) ◀	▶ <u>M7</u> ▶ <u>C5</u> (**) ◀ ◀	▶ <u>M32</u> — ◀	▶ <u>M11</u> (**) ◀	(**)	▶ <u>M27</u> (**) ◀
▶ <u>M54</u> (**) ◀	▶ <u>M58</u> — ◀	▶ <u>M15</u> (**) ◀	▶ <u>M7</u> ▶ <u>C5</u> (**) ◀ ◀	▶ <u>M32</u> — ◀	▶ <u>M11</u> (**) ◀	(**)	▶ <u>M27</u> (**) ◀
▶ <u>M54</u> 0,02 (*) ◀		▶ <u>M21</u> 0,1 (*) ◀	▶ <u>M7</u> ▶ <u>C5</u> 0,1 (*) ◀ ◀	▶ <u>M32</u> — ◀	▶ <u>M11</u> 3 ◀		
▶ <u>M54</u> (**) ◀	▶ <u>M58</u> — ◀	▶ <u>M15</u> (**) ◀	▶ <u>M7</u> ▶ <u>C5</u> (**) ◀ ◀	▶ <u>M32</u> — ◀	▶ <u>M11</u> (**) ◀	(**)	▶ <u>M27</u> (**) ◀
▶ <u>M54</u> (**) ◀	▶ <u>M58</u> — ◀	▶ <u>M15</u> (**) ◀	▶ <u>M7</u> ▶ <u>C5</u> (**) ◀ ◀	▶ <u>M32</u> — ◀	▶ <u>M11</u> (**) ◀	(**)	▶ <u>M27</u> (**) ◀
▶ <u>M54</u> (**) ◀	▶ <u>M58</u> — ◀	▶ <u>M15</u> (**) ◀	▶ <u>M7</u> ▶ <u>C5</u> (**) ◀ ◀	▶ <u>M32</u> — ◀	▶ <u>M11</u> (**) ◀	(**)	▶ <u>M27</u> (**) ◀
▶ <u>M54</u> 0,02 (*) ◀		▶ <u>M21</u> 0,1 (*) ◀	▶ <u>M7</u> ▶ <u>C5</u> 0,1 (*) ◀ ◀	▶ <u>M32</u> — ◀	▶ <u>M11</u> 0,1 (*) ◀		
	▶ <u>M58</u> — ◀			▶ <u>M32</u> — ◀		▶ <u>M21</u> 0,05 (*) ◀	▶ <u>M27</u> 0,01 (*) ◀
▶ <u>M5</u> — ◀	▶ <u>M58</u> 0,01 (*) ◀	▶ <u>M21</u> 0,1 (*) ◀	▶ <u>M7</u> ▶ <u>C5</u> 0,1 (*) ◀ ◀	▶ <u>M32</u> — ◀	▶ <u>M11</u> 0,1 (*) ◀		
▶ <u>M54</u> 0,02 (*) ◀			▶ <u>M7</u> ▶ <u>C5</u> 0,1 (*) ◀ ◀	▶ <u>M32</u> — ◀			
▶ <u>M54</u> 0,02 (*) ◀			▶ <u>M7</u> ▶ <u>C5</u> 0,1 (*) ◀ ◀	▶ <u>M32</u> — ◀			
			▶ <u>M7</u> ▶ <u>C5</u> 0,1 (*) ◀ ◀	▶ <u>M32</u> — ◀			
			▶ <u>M7</u> ▶ <u>C5</u> 0,1 (*) ◀ ◀	▶ <u>M32</u> — ◀			
▶ <u>M54</u> (**) ◀	▶ <u>M58</u> — ◀	▶ <u>M15</u> (**) ◀	▶ <u>M7</u> ▶ <u>C5</u> (**) ◀ ◀	▶ <u>M32</u> — ◀	▶ <u>M11</u> (**) ◀	(**)	▶ <u>M27</u> (**) ◀
			▶ <u>M7</u> ▶ <u>C5</u> 0,1 (*) ◀ ◀	▶ <u>M32</u> — ◀			

▼ M2

(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)
	▶ <u>M32</u> — ◀	▶ <u>M70</u> 0,05 ◀				▶ <u>M45</u> — ◀	
	▶ <u>M32</u> — ◀	▶ <u>M70</u> 0,5 ◀				▶ <u>M45</u> — ◀	
	▶ <u>M32</u> — ◀	▶ <u>M70</u> 1 ◀				▶ <u>M45</u> — ◀	
	▶ <u>M32</u> — ◀	▶ <u>M70</u> 0,02 (*) ◀				▶ <u>M45</u> — ◀	
(**)	▶ <u>M32</u> — ◀	▶ <u>M70</u> (**) ◀	(**)	(**)	(**)	▶ <u>M45</u> — ◀	(**)
(**)	▶ <u>M32</u> — ◀	▶ <u>M70</u> (**) ◀	(**)	(**)	(**)	▶ <u>M45</u> — ◀	(**)
	▶ <u>M32</u> — ◀	▶ <u>M70</u> 0,02 (*) ◀				▶ <u>M45</u> — ◀	
(**)	▶ <u>M32</u> — ◀	▶ <u>M70</u> (**) ◀	(**)	(**)	(**)	▶ <u>M45</u> — ◀	(**)
(**)	▶ <u>M32</u> — ◀	▶ <u>M70</u> (**) ◀	(**)	(**)	(**)	▶ <u>M45</u> — ◀	(**)
(**)	▶ <u>M32</u> — ◀	▶ <u>M70</u> (**) ◀	(**)	(**)	(**)	▶ <u>M45</u> — ◀	(**)
	▶ <u>M32</u> — ◀	▶ <u>M70</u> 0,02 (*) ◀				▶ <u>M45</u> — ◀	
0,01 (*)	▶ <u>M32</u> — ◀				▶ <u>M21</u> 0,01 (*) ◀	▶ <u>M45</u> — ◀	0,1 (*)
	▶ <u>M32</u> — ◀		▶ <u>M16</u> 0,01 (*) ◀	0,05 (*)		▶ <u>M45</u> — ◀	
	▶ <u>M32</u> — ◀	▶ <u>M70</u> 0,02 (*) ◀				▶ <u>M45</u> — ◀	
	▶ <u>M32</u> — ◀	▶ <u>M70</u> 0,02 (*) ◀				▶ <u>M45</u> — ◀	
(**)	▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀	▶ <u>M70</u> (**) ◀	(**)	(**)	(**)	▶ <u>M45</u> — ◀ ▶ <u>M45</u> — ◀ ▶ <u>M45</u> — ◀ ▶ <u>M45</u> — ◀	(**)
	▶ <u>M32</u> — ◀					▶ <u>M45</u> — ◀	

▼ M2

(26)
(**)
(**)
(**)
(**)
(**)
► <u>M19</u> 0,02 (*) ◀
(**)

▼ **M2**

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)
0213000	(c) <i>Other root and tuber vegetables except sugar beet</i>							0,05 (*)
0213010	Beetroot							
0213020	Carrots							
0213030	Celeriac							
0213040	Horseradish							
0213050	Jerusalem artichokes							
0213060	Parsnips							
0213070	Parsley root							
0213080	Radishes							
0213090	Salsify							
0213100	Swedes							
0213110	Turnips							
0213990	Others							
0220000	(ii) <b>Bulb vegetables</b>	► <b>M58</b> 0,01 (*) ◀	► <b>M55</b> 0,01 (*) ◀		► <b>M58</b> 0,01 (*) ◀			0,05 (*)
0220010	Garlic							
0220020	Onions							
0220030	Shallots							
0220040	Spring onions							
0220990	Others							
0230000	(iii) <b>Fruiting vegetables</b>	► <b>M58</b> 0,01 (*) ◀	► <b>M55</b> 0,01 (*) ◀		► <b>M58</b> 0,01 (*) ◀			0,05 (*)
0231000	(a) <i>Solanacea</i>							



▼ M2

(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)
	▶ <u>M32</u> — ◀					▶ <u>M45</u> — ◀	
	▶ <u>M32</u> — ◀	▶ <u>M70</u> 0,02 (*) ◀				▶ <u>M45</u> — ◀	
	▶ <u>M32</u> — ◀	▶ <u>M70</u> 0,05 ◀				▶ <u>M45</u> — ◀	
	▶ <u>M32</u> — ◀	▶ <u>M70</u> 0,02 (*) ◀				▶ <u>M45</u> — ◀	
	▶ <u>M32</u> — ◀	▶ <u>M70</u> 0,08 ◀				▶ <u>M45</u> — ◀	
	▶ <u>M32</u> — ◀	▶ <u>M70</u> 0,02 (*) ◀				▶ <u>M45</u> — ◀	
	▶ <u>M32</u> — ◀	▶ <u>M70</u> 0,04 ◀				▶ <u>M45</u> — ◀	
	▶ <u>M32</u> — ◀	▶ <u>M70</u> 0,08 ◀				▶ <u>M45</u> — ◀	
	▶ <u>M32</u> — ◀	▶ <u>M70</u> 0,08 ◀				▶ <u>M45</u> — ◀	
	▶ <u>M32</u> — ◀	▶ <u>M70</u> 0,04 ◀				▶ <u>M45</u> — ◀	
	▶ <u>M32</u> — ◀	▶ <u>M70</u> 0,04 ◀				▶ <u>M45</u> — ◀	
	▶ <u>M32</u> — ◀	▶ <u>M70</u> 0,04 ◀				▶ <u>M45</u> — ◀	
	▶ <u>M32</u> — ◀	▶ <u>M70</u> 0,04 ◀				▶ <u>M45</u> — ◀	
	▶ <u>M32</u> — ◀	▶ <u>M70</u> 0,02 (*) ◀				▶ <u>M45</u> — ◀	
	▶ <u>M32</u> — ◀	▶ <u>M44</u> — ◀	▶ <u>M16</u> 0,02 (*) ◀	0,05 (*)		▶ <u>M45</u> — ◀	
	▶ <u>M32</u> — ◀	▶ <u>M70</u> 0,02 (*) ◀				▶ <u>M45</u> — ◀	
	▶ <u>M32</u> — ◀	▶ <u>M70</u> 0,02 (*) ◀				▶ <u>M45</u> — ◀	
	▶ <u>M32</u> — ◀	▶ <u>M70</u> 0,02 (*) ◀				▶ <u>M45</u> — ◀	
	▶ <u>M32</u> — ◀	▶ <u>M70</u> 0,1 ◀				▶ <u>M45</u> — ◀	
	▶ <u>M32</u> — ◀	▶ <u>M70</u> 0,02 (*) ◀				▶ <u>M45</u> — ◀	
	▶ <u>M32</u> — ◀		▶ <u>M16</u> 0,01 (*) ◀	0,05 (*)		▶ <u>M45</u> — ◀	
	▶ <u>M32</u> — ◀		0,05 (*)			▶ <u>M45</u> — ◀	



▼ M2

(26)
► <u>M19</u> 0,02 (*) ◀

▼ **M2**

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)
0231010	Tomatoes							
0231020	Peppers							
0231030	Aubergines (egg plants)							
0231040	Okra, lady's fingers							
0231990	Others							
0232000	(b) <i>Cucurbits — edible peel</i>							
0232010	Cucumbers							
0232020	Gherkins							
0232030	Courgettes							
0232990	Others							
0233000	(c) <i>Cucurbits- inedible peel</i>							
0233010	Melons							
0233020	Pumpkins							
0233030	Watermelons							
0233990	Others							
0234000	(d) <i>Sweet corn</i>							
0239000	(e) <i>Other fruiting vegetables</i>							
0240000	(iv) <b>Brassica vegetables</b>	► <b>M58</b> 0,01 (*) ◀	► <b>M55</b> 0,01 (*) ◀		► <b>M58</b> 0,01 (*) ◀			
0241000	(a) <i>Flowering brassica</i>							
0241010	Broccoli							5
0241020	Cauliflower							0,05 (*)

▼ M2

(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)
▶ <u>M54</u> 0,5 ◀ ▶ <u>M54</u> 1 ◀ ▶ <u>M54</u> 0,5 ◀ ▶ <u>M54</u> 0,02 (*) ◀		▶ <u>M21</u> 1 ◀ ▶ <u>M21</u> 0,1 (*) ◀ ▶ <u>M21</u> 2 ◀ ▶ <u>M21</u> 1 ◀	▶ <u>M7</u> ▶ <u>C5</u> 0,1 (*) ◀ ◀ ▶ <u>M7</u> ▶ <u>C5</u> 0,1 (*) ◀ ◀ ▶ <u>M7</u> ▶ <u>C5</u> 0,1 (*) ◀ ◀ ▶ <u>M7</u> ▶ <u>C5</u> 0,1 (*) ◀ ◀	▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀	▶ <u>M11</u> — ◀ ▶ <u>M11</u> — ◀ ▶ <u>M11</u> — ◀ ▶ <u>M11</u> — ◀		
▶ <u>M54</u> 0,02 (*) ◀		▶ <u>M21</u> 0,1 (*) ◀	▶ <u>M7</u> ▶ <u>C5</u> 0,1 (*) ◀ ◀	▶ <u>M32</u> — ◀	▶ <u>M11</u> — ◀		
▶ <u>M54</u> 0,3 ◀		▶ <u>M21</u> 0,1 (*) ◀	▶ <u>M7</u> ▶ <u>C5</u> 0,1 (*) ◀ ◀	▶ <u>M32</u> — ◀	▶ <u>M11</u> 0,2 ◀		
			▶ <u>M7</u> ▶ <u>C5</u> 0,1 (*) ◀ ◀ ▶ <u>M7</u> ▶ <u>C5</u> 0,1 (*) ◀ ◀ ▶ <u>M7</u> ▶ <u>C5</u> 0,1 (*) ◀ ◀	▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀			
			▶ <u>M7</u> ▶ <u>C5</u> 0,1 (*) ◀ ◀	▶ <u>M32</u> — ◀			
			▶ <u>M7</u> ▶ <u>C5</u> 0,1 (*) ◀ ◀	▶ <u>M32</u> — ◀	▶ <u>M11</u> 0,2 ◀		
▶ <u>M54</u> 0,2 ◀ ▶ <u>M54</u> 0,02 (*) ◀ ▶ <u>M54</u> 0,2 ◀		▶ <u>M21</u> 0,3 ◀ ▶ <u>M21</u> 0,5 ◀ ▶ <u>M21</u> 0,3 ◀	▶ <u>M7</u> ▶ <u>C5</u> 0,1 (*) ◀ ◀ ▶ <u>M7</u> ▶ <u>C5</u> 0,1 (*) ◀ ◀ ▶ <u>M7</u> ▶ <u>C5</u> 0,1 (*) ◀ ◀	▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀			
▶ <u>M54</u> 0,02 (*) ◀		▶ <u>M21</u> 0,3 ◀	▶ <u>M7</u> ▶ <u>C5</u> 0,1 (*) ◀ ◀	▶ <u>M32</u> — ◀			
▶ <u>M54</u> 0,1 ◀		▶ <u>M21</u> 0,1 (*) ◀	▶ <u>M7</u> ▶ <u>C5</u> 0,1 (*) ◀ ◀	▶ <u>M32</u> — ◀	▶ <u>M11</u> 0,1 (*) ◀		
▶ <u>M54</u> 0,02 (*) ◀		▶ <u>M21</u> 0,1 (*) ◀	▶ <u>M7</u> ▶ <u>C5</u> 0,1 (*) ◀ ◀	▶ <u>M32</u> — ◀	▶ <u>M11</u> 0,1 (*) ◀		
▶ <u>M5</u> — ◀	▶ <u>M58</u> 0,01 (*) ◀		▶ <u>M7</u> ▶ <u>C5</u> 0,1 (*) ◀ ◀	▶ <u>M32</u> — ◀	▶ <u>M11</u> 0,1 (*) ◀		
▶ <u>M54</u> 0,1 ◀		▶ <u>M21</u> 0,1 (*) ◀	▶ <u>M7</u> ▶ <u>C5</u> 0,1 (*) ◀ ◀	▶ <u>M32</u> — ◀			
			▶ <u>M7</u> ▶ <u>C5</u> 0,1 (*) ◀ ◀ ▶ <u>M7</u> ▶ <u>C5</u> 0,1 (*) ◀ ◀	▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀			

▼ M2

(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)
	▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀	▶ <u>M70</u> 0,5 ◀ ▶ <u>M70</u> 0,3 ◀ ▶ <u>M70</u> 0,7 ◀ ▶ <u>M70</u> 0,02 (*) ◀				▶ <u>M45</u> — ◀ ▶ <u>M45</u> — ◀ ▶ <u>M45</u> — ◀ ▶ <u>M45</u> — ◀	
	▶ <u>M32</u> — ◀	▶ <u>M70</u> 0,02 (*) ◀				▶ <u>M45</u> — ◀	
	▶ <u>M32</u> — ◀	▶ <u>M70</u> 0,2 ◀	0,5			▶ <u>M45</u> — ◀	
	▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀					▶ <u>M45</u> — ◀ ▶ <u>M45</u> — ◀ ▶ <u>M45</u> — ◀	
	▶ <u>M32</u> — ◀					▶ <u>M45</u> — ◀	
	▶ <u>M32</u> — ◀		0,05 (*)			▶ <u>M45</u> — ◀	
	▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀	▶ <u>M70</u> 0,3 ◀ ▶ <u>M70</u> 0,2 ◀ ▶ <u>M70</u> 0,2 ◀				▶ <u>M45</u> — ◀ ▶ <u>M45</u> — ◀ ▶ <u>M45</u> — ◀	
	▶ <u>M32</u> — ◀	▶ <u>M70</u> 0,02 (*) ◀				▶ <u>M45</u> — ◀	
	▶ <u>M32</u> — ◀	▶ <u>M70</u> 0,02 (*) ◀	0,05 (*)			▶ <u>M45</u> — ◀	
	▶ <u>M32</u> — ◀	▶ <u>M70</u> 0,02 (*) ◀	0,05 (*)			▶ <u>M45</u> — ◀	
	▶ <u>M32</u> — ◀	▶ <u>M5</u> — ◀	▶ <u>M16</u> 0,01 (*) ◀	0,05 (*)		▶ <u>M45</u> — ◀	
	▶ <u>M32</u> — ◀					▶ <u>M45</u> — ◀	
	▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀	▶ <u>M70</u> 0,05 ◀ ▶ <u>M70</u> 0,05 ◀				▶ <u>M45</u> — ◀ ▶ <u>M45</u> — ◀	

▼ M2

(26)
▶ <u>M19</u> 0,5 ◀
▶ <u>M19</u> 0,02 (*) ◀
▶ <u>M19</u> 0,02 (*) ◀
▶ <u>M19</u> 0,02 (*) ◀
▶ <u>M19</u> 0,02 (*) ◀
▶ <u>M19</u> 0,02 (*) ◀
▶ <u>M19</u> 2 ◀
▶ <u>M19</u> 2 ◀
▶ <u>M19</u> 2 ◀
▶ <u>M19</u> 0,02 (*) ◀
▶ <u>M19</u> 0,02 (*) ◀

▼ **M2**

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)
0241990	Others							0,05 (*)
0242000	(b) <i>Head brassica</i>							0,05 (*)
0242010	Brussels sprouts							
0242020	Head cabbage							
0242990	Others							
0243000	(c) <i>Leafy brassica</i>							0,05 (*)
0243010	Chinese cabbage							
0243020	Kale							
0243990	Others							
0244000	(d) <i>Kohlrabi</i>							0,05 (*)
0250000	(v) <b>Leaf vegetables &amp; fresh herbs</b>							
0251000	(a) <i>Lettuce and other salad plants including Brassicacea</i>	► <b>M58</b> 0,01 (*) ◀	► <b>M55</b> 0,01 (*) ◀			► <b>M58</b> 0,01 (*) ◀		0,05 (*)
0251010	Lamb's lettuce							
0251020	Lettuce							
0251030	Scarole (broad-leaf endive)							
0251040	Cress							
0251050	Land cress	► <b>M58</b> — ◀	► <b>M55</b> — ◀	► <b>M5</b> (**) ◀	► <b>M58</b> — ◀	(**)	(**)	(**)
0251060	Rocket, Rucola							

▼ M2

(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)
			▶ <u>M7</u> ▶ <u>C5</u> 0,1 (*) ◀ ◀	▶ <u>M32</u> — ◀			
			▶ <u>M7</u> ▶ <u>C5</u> 0,1 (*) ◀ ◀	▶ <u>M32</u> — ◀			
▶ <u>M54</u> 0,05 ◀		▶ <u>M21</u> 1 ◀	▶ <u>M7</u> ▶ <u>C5</u> 0,1 (*) ◀ ◀	▶ <u>M32</u> — ◀			
▶ <u>M54</u> 0,2 ◀		▶ <u>M21</u> 0,1 (*) ◀	▶ <u>M7</u> ▶ <u>C5</u> 0,1 (*) ◀ ◀	▶ <u>M32</u> — ◀			
▶ <u>M54</u> 0,02 (*) ◀		▶ <u>M21</u> 0,1 (*) ◀	▶ <u>M7</u> ▶ <u>C5</u> 0,1 (*) ◀ ◀	▶ <u>M32</u> — ◀			
▶ <u>M54</u> 1 ◀		▶ <u>M21</u> 0,1 (*) ◀	▶ <u>M7</u> ▶ <u>C5</u> 0,1 (*) ◀ ◀	▶ <u>M32</u> — ◀			
			▶ <u>M7</u> ▶ <u>C5</u> 0,1 (*) ◀ ◀	▶ <u>M32</u> — ◀			
			▶ <u>M7</u> ▶ <u>C5</u> 0,1 (*) ◀ ◀	▶ <u>M32</u> — ◀			
▶ <u>M54</u> 0,05 ◀		▶ <u>M21</u> 0,1 (*) ◀	▶ <u>M7</u> ▶ <u>C5</u> 0,1 (*) ◀ ◀	▶ <u>M32</u> — ◀			
		▶ <u>M21</u> 0,1 (*) ◀		▶ <u>M32</u> — ◀	▶ <u>M11</u> 0,1 (*) ◀		
▶ <u>M5</u> — ◀	▶ <u>M58</u> 0,01 (*) ◀			▶ <u>M32</u> — ◀			
▶ <u>M54</u> 5 ◀			▶ <u>M7</u> ▶ <u>C5</u> 0,1 (*) ◀ ◀	▶ <u>M32</u> — ◀			
▶ <u>M54</u> 2 ◀			▶ <u>M7</u> ▶ <u>C5</u> 2 ◀ ◀	▶ <u>M32</u> — ◀			
▶ <u>M54</u> 2 ◀			▶ <u>M7</u> ▶ <u>C5</u> 2 ◀ ◀	▶ <u>M32</u> — ◀			
▶ <u>M54</u> 2 ◀			▶ <u>M7</u> ▶ <u>C5</u> 0,1 (*) ◀ ◀	▶ <u>M32</u> — ◀			
▶ <u>M54</u> (**) ◀	▶ <u>M58</u> — ◀	▶ <u>M15</u> (**) ◀	▶ <u>M7</u> ▶ <u>C5</u> (**) ◀ ◀	▶ <u>M32</u> — ◀	▶ <u>M11</u> (**) ◀	(**)	▶ <u>M27</u> (**) ◀
▶ <u>M54</u> 3 ◀			▶ <u>M7</u> ▶ <u>C5</u> 0,1 (*) ◀ ◀	▶ <u>M32</u> — ◀			

▼ M2

(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)
	▶ <u>M32</u> — ◀	▶ <u>M70</u> 0,02 (*) ◀				▶ <u>M45</u> — ◀	
	▶ <u>M32</u> — ◀	▶ <u>M8</u> — ◀				▶ <u>M45</u> — ◀	
	▶ <u>M32</u> — ◀	▶ <u>M70</u> 0,5 ◀				▶ <u>M45</u> — ◀	
	▶ <u>M32</u> — ◀	▶ <u>M70</u> 0,3 ◀				▶ <u>M45</u> — ◀	
	▶ <u>M32</u> — ◀	▶ <u>M70</u> 0,02 (*) ◀				▶ <u>M45</u> — ◀	
	▶ <u>M32</u> — ◀	▶ <u>M70</u> 3 ◀				▶ <u>M45</u> — ◀	
	▶ <u>M32</u> — ◀					▶ <u>M45</u> — ◀	
	▶ <u>M32</u> — ◀					▶ <u>M45</u> — ◀	
	▶ <u>M32</u> — ◀					▶ <u>M45</u> — ◀	
	▶ <u>M32</u> — ◀	▶ <u>M70</u> 0,5 ◀				▶ <u>M45</u> — ◀	
	▶ <u>M32</u> — ◀	▶ <u>M8</u> — ◀	▶ <u>M16</u> 0,01 (*) ◀	0,05 (*)		▶ <u>M45</u> — ◀	
	▶ <u>M32</u> — ◀					▶ <u>M45</u> — ◀	
(**)	▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀	▶ <u>M70</u> 0,02 (*) ◀ ▶ <u>M70</u> 15 ◀ ▶ <u>M70</u> 10 ◀ ▶ <u>M70</u> 0,02 (*) ◀ ▶ <u>M70</u> (**) ◀ ▶ <u>M70</u> 0,02 (*) ◀	(**)	(**)	(**)	▶ <u>M45</u> — ◀ ▶ <u>M45</u> — ◀ ▶ <u>M45</u> — ◀ ▶ <u>M45</u> — ◀ ▶ <u>M45</u> — ◀ ▶ <u>M45</u> — ◀	(**)



▼ **M2**

(26)
► <b><u>M19</u></b> 0,02 (*) ◀
(**)

## ▼ M2

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)
0251070	Red mustard	► <u>M58</u> — ◀	► <u>M55</u> — ◀	► <u>M5</u> (**) ◀	► <u>M58</u> — ◀	(**)	(**)	(**)
0251080	Leaves and sprouts of Brassica spp.							
0251990	Others							
0252000	(b) <i>Spinach</i> & similar (leaves)	► <u>M58</u> 0,01 (*) ◀	► <u>M55</u> 0,01 (*) ◀		► <u>M58</u> 0,01 (*) ◀			0,05 (*)
0252010	Spinach							
0252020	Purslane	► <u>M58</u> — ◀	► <u>M55</u> — ◀	► <u>M5</u> (**) ◀	► <u>M58</u> — ◀	(**)	(**)	(**)
0252030	Beet leaves (chard)							
0252990	Others							
0253000	(c) <i>Vine leaves</i> (grape leaves)	► <u>M58</u> 0,01 (*) ◀	► <u>M55</u> 0,01 (*) ◀	► <u>M5</u> (**) ◀	► <u>M58</u> 0,01 (*) ◀	(**)	(**)	(**)
0254000	(d) <i>Water cress</i>	► <u>M58</u> 0,01 (*) ◀	► <u>M55</u> 0,01 (*) ◀		► <u>M58</u> 0,01 (*) ◀			0,05 (*)
0255000	(e) <i>Witloof</i>	► <u>M58</u> 0,01 (*) ◀	► <u>M55</u> 0,01 (*) ◀		► <u>M58</u> 0,01 (*) ◀			1
0256000	(f) <i>Herbs</i>	► <u>M58</u> 0,02 (*) ◀	► <u>M55</u> 0,02 (*) ◀		► <u>M58</u> 0,02 (*) ◀			0,05 (*)
0256010	Chervil							
0256020	Chives							
0256030	Celery leaves							
0256040	Parsley							
0256050	Sage	► <u>M58</u> — ◀	► <u>M55</u> — ◀	► <u>M5</u> (**) ◀	► <u>M58</u> — ◀	(**)	(**)	(**)
0256060	Rosemary	► <u>M58</u> — ◀	► <u>M55</u> — ◀	► <u>M5</u> (**) ◀	► <u>M58</u> — ◀	(**)	(**)	(**)
0256070	Thyme	► <u>M58</u> — ◀	► <u>M55</u> — ◀	► <u>M5</u> (**) ◀	► <u>M58</u> — ◀	(**)	(**)	(**)
0256080	Basil	► <u>M58</u> — ◀	► <u>M55</u> — ◀	► <u>M5</u> (**) ◀	► <u>M58</u> — ◀	(**)	(**)	(**)

▼ M2

(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)
▶ <u>M54</u> (**) ◀ ▶ <u>M54</u> 2 ◀	▶ <u>M58</u> — ◀	▶ <u>M15</u> (**) ◀	▶ <u>M7</u> ▶ <u>C5</u> (**) ◀ ◀ ▶ <u>M7</u> ▶ <u>C5</u> (**) ◀ ◀	▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀	▶ <u>M11</u> (**) ◀	(**)	▶ <u>M27</u> (**) ◀
▶ <u>M54</u> 2 ◀			▶ <u>M7</u> ▶ <u>C5</u> 0,1 (*) ◀ ◀	▶ <u>M32</u> — ◀			
▶ <u>M54</u> — ◀	▶ <u>M58</u> 0,01 (*) ◀		▶ <u>M7</u> ▶ <u>C5</u> 0,1 (*) ◀ ◀	▶ <u>M32</u> — ◀			
▶ <u>M54</u> 0,15 ◀ ▶ <u>M54</u> (**) ◀ ▶ <u>M54</u> 0,15 ◀	▶ <u>M58</u> — ◀	▶ <u>M15</u> (**) ◀	▶ <u>M7</u> ▶ <u>C5</u> 0,1 (*) ◀ ◀ ▶ <u>M7</u> ▶ <u>C5</u> 0,1 (*) ◀ ◀ ▶ <u>M7</u> ▶ <u>C5</u> 0,1 (*) ◀ ◀	▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀	▶ <u>M11</u> (**) ◀	(**)	▶ <u>M27</u> (**) ◀
▶ <u>M54</u> 0,02 (*) ◀			▶ <u>M7</u> ▶ <u>C5</u> 0,1 (*) ◀ ◀	▶ <u>M32</u> — ◀			
▶ <u>M54</u> (**) ◀	▶ <u>M58</u> 0,01 (*) ◀	▶ <u>M15</u> (**) ◀	▶ <u>M7</u> ▶ <u>C5</u> 0,1 (*) ◀ ◀	▶ <u>M32</u> — ◀	▶ <u>M11</u> (**) ◀	(**)	▶ <u>M27</u> (**) ◀
▶ <u>M54</u> 0,02 (*) ◀	▶ <u>M58</u> 0,01 (*) ◀		▶ <u>M7</u> ▶ <u>C5</u> 0,1 (*) ◀ ◀	▶ <u>M32</u> — ◀			
▶ <u>M54</u> 0,02 (*) ◀	▶ <u>M58</u> 0,01 (*) ◀		▶ <u>M7</u> ▶ <u>C5</u> 0,1 (*) ◀ ◀	▶ <u>M32</u> — ◀			
▶ <u>M54</u> 5 ◀	▶ <u>M58</u> 0,02 (*) ◀		▶ <u>M7</u> ▶ <u>C5</u> 0,1 (*) ◀ ◀	▶ <u>M32</u> — ◀			
▶ <u>M54</u> (**) ◀ ▶ <u>M54</u> (**) ◀ ▶ <u>M54</u> (**) ◀ ▶ <u>M54</u> (**) ◀	▶ <u>M58</u> — ◀ ▶ <u>M58</u> — ◀ ▶ <u>M58</u> — ◀ ▶ <u>M58</u> — ◀	▶ <u>M15</u> (**) ◀ ▶ <u>M15</u> (**) ◀ ▶ <u>M15</u> (**) ◀ ▶ <u>M15</u> (**) ◀	▶ <u>M7</u> ▶ <u>C5</u> 0,1 (*) ◀ ◀ ▶ <u>M7</u> ▶ <u>C5</u> 0,1 (*) ◀ ◀ ▶ <u>M7</u> ▶ <u>C5</u> 0,1 (*) ◀ ◀ ▶ <u>M7</u> ▶ <u>C5</u> 0,1 (*) ◀ ◀ ▶ <u>M7</u> ▶ <u>C5</u> (**) ◀ ◀ ▶ <u>M7</u> ▶ <u>C5</u> (**) ◀ ◀ ▶ <u>M7</u> ▶ <u>C5</u> (**) ◀ ◀ ▶ <u>M7</u> ▶ <u>C5</u> (**) ◀ ◀	▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀	▶ <u>M11</u> (**) ◀ ▶ <u>M11</u> (**) ◀ ▶ <u>M11</u> (**) ◀ ▶ <u>M11</u> (**) ◀	(**) (**) (**) (**)	▶ <u>M27</u> (**) ◀ ▶ <u>M27</u> (**) ◀ ▶ <u>M27</u> (**) ◀ ▶ <u>M27</u> (**) ◀

▼ M2

(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)
(**)	▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀	▶ <u>M70</u> (**) ▶ <u>M70</u> 15 ◀	(**)	(**)	(**)	▶ <u>M45</u> — ◀ ▶ <u>M45</u> — ◀	(**)
	▶ <u>M32</u> — ◀	▶ <u>M70</u> 0,02 (*) ◀				▶ <u>M45</u> — ◀	
	▶ <u>M32</u> — ◀	▶ <u>M70</u> 0,02 (*) ◀				▶ <u>M45</u> — ◀	
(**)	▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀	▶ <u>M70</u> (**) ▶ <u>M70</u> (**) ▶ <u>M70</u> (**)	(**)	(**)	(**)	▶ <u>M45</u> — ◀ ▶ <u>M45</u> — ◀ ▶ <u>M45</u> — ◀	(**)
	▶ <u>M32</u> — ◀					▶ <u>M45</u> — ◀	
(**)	▶ <u>M32</u> — ◀	▶ <u>M70</u> (**) ▶ <u>M70</u> (**)	(**)	(**)	(**)	▶ <u>M45</u> — ◀ ▶ <u>M45</u> — ◀	(**)
	▶ <u>M32</u> — ◀	▶ <u>M70</u> 0,02 (*) ◀				▶ <u>M45</u> — ◀	
	▶ <u>M32</u> — ◀	▶ <u>M70</u> 0,02 (*) ◀				▶ <u>M45</u> — ◀	
	▶ <u>M32</u> — ◀	▶ <u>M70</u> 10 ◀				▶ <u>M45</u> — ◀	
(**)	▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀	▶ <u>M70</u> (**) ▶ <u>M70</u> (**) ▶ <u>M70</u> (**)	(**)	(**)	(**)	▶ <u>M45</u> — ◀ ▶ <u>M45</u> — ◀ ▶ <u>M45</u> — ◀ ▶ <u>M45</u> — ◀	(**)
(**)	▶ <u>M32</u> — ◀	▶ <u>M70</u> (**)	(**)	(**)	(**)	▶ <u>M45</u> — ◀	(**)
(**)	▶ <u>M32</u> — ◀	▶ <u>M70</u> (**)	(**)	(**)	(**)	▶ <u>M45</u> — ◀	(**)
(**)	▶ <u>M32</u> — ◀	▶ <u>M70</u> (**)	(**)	(**)	(**)	▶ <u>M45</u> — ◀	(**)

▼ M2

(26)
(**)
(**)
(**)
(**)
(**)
(**)
(**)

▼ **M2**

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)
0256090	Bay leaves (laurel)	► <b>M58</b> — ◀	► <b>M55</b> — ◀	► <b>M5</b> (**) ◀	► <b>M58</b> — ◀	(**)	(**)	(**)
0256100	Tarragon	► <b>M58</b> — ◀	► <b>M55</b> — ◀	► <b>M5</b> (**) ◀	► <b>M58</b> — ◀	(**)	(**)	(**)
0256990	Others							
0260000	(vi) <b>Legume vegetables (fresh)</b>	► <b>M58</b> 0,01 (*) ◀	► <b>M55</b> 0,01 (*) ◀		► <b>M58</b> 0,01 (*) ◀			0,05 (*)
0260010	Beans (with pods)							
0260020	Beans (without pods)							
0260030	Peas (with pods)							
0260040	Peas (without pods)							
0260050	Lentils							
0260990	Others							
0270000	(vii) <b>Stem vegetables (fresh)</b>	► <b>M58</b> 0,01 (*) ◀	► <b>M55</b> 0,01 (*) ◀		► <b>M58</b> 0,01 (*) ◀			0,05 (*)
0270010	Asparagus							
0270020	Cardoons							
0270030	Celery							
0270040	Fennel							
0270050	Globe artichokes							
0270060	Leek							
0270070	Rhubarb							
0270080	Bamboo shoots	► <b>M58</b> — ◀	► <b>M55</b> — ◀	► <b>M5</b> (**) ◀	► <b>M58</b> — ◀	(**)	(**)	(**)
0270090	Palm hearts	► <b>M58</b> — ◀	► <b>M55</b> — ◀	► <b>M5</b> (**) ◀	► <b>M58</b> — ◀	(**)	(**)	(**)
0270990	Others							

▼ M2

(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)
▶ <u>M54</u> (**) ◀	▶ <u>M58</u> — ◀	▶ <u>M15</u> (**) ◀	▶ <u>M7</u> ▶ <u>C5</u> (**) ◀ ◀	▶ <u>M32</u> — ◀	▶ <u>M11</u> (**) ◀	(**)	▶ <u>M27</u> (**) ◀
▶ <u>M54</u> (**) ◀	▶ <u>M58</u> — ◀	▶ <u>M15</u> (**) ◀	▶ <u>M7</u> ▶ <u>C5</u> (**) ◀ ◀	▶ <u>M32</u> — ◀	▶ <u>M11</u> (**) ◀	(**)	▶ <u>M27</u> (**) ◀
			▶ <u>M7</u> ▶ <u>C5</u> 0,1 (*) ◀ ◀	▶ <u>M32</u> — ◀			
	▶ <u>M58</u> 0,01 (*) ◀	▶ <u>M21</u> 0,1 (*) ◀	▶ <u>M7</u> ▶ <u>C5</u> 0,1 (*) ◀ ◀	▶ <u>M32</u> — ◀	▶ <u>M11</u> 0,1 (*) ◀		
▶ <u>M54</u> 1 ◀			▶ <u>M7</u> ▶ <u>C5</u> 0,1 (*) ◀ ◀	▶ <u>M32</u> — ◀			
▶ <u>M54</u> 0,02 (*) ◀			▶ <u>M7</u> ▶ <u>C5</u> 0,1 (*) ◀ ◀	▶ <u>M32</u> — ◀			
▶ <u>M54</u> 0,2 ◀			▶ <u>M7</u> ▶ <u>C5</u> 0,1 (*) ◀ ◀	▶ <u>M32</u> — ◀			
▶ <u>M54</u> 0,2 ◀			▶ <u>M7</u> ▶ <u>C5</u> 0,1 (*) ◀ ◀	▶ <u>M32</u> — ◀			
▶ <u>M54</u> 0,02 (*) ◀			▶ <u>M7</u> ▶ <u>C5</u> 0,1 (*) ◀ ◀	▶ <u>M32</u> — ◀			
▶ <u>M54</u> 0,02 (*) ◀			▶ <u>M7</u> ▶ <u>C5</u> 0,1 (*) ◀ ◀	▶ <u>M32</u> — ◀			
▶ <u>M5</u> — ◀	▶ <u>M58</u> 0,01 (*) ◀	▶ <u>M21</u> 0,1 (*) ◀	▶ <u>M7</u> ▶ <u>C5</u> 0,1 (*) ◀ ◀	▶ <u>M32</u> — ◀			
▶ <u>M54</u> 0,02 (*) ◀			▶ <u>M7</u> ▶ <u>C5</u> 0,1 (*) ◀ ◀	▶ <u>M32</u> — ◀	▶ <u>M11</u> 0,1 (*) ◀		
▶ <u>M54</u> 0,02 (*) ◀			▶ <u>M7</u> ▶ <u>C5</u> 0,1 (*) ◀ ◀	▶ <u>M32</u> — ◀	▶ <u>M11</u> 0,1 (*) ◀		
▶ <u>M54</u> 0,5 ◀			▶ <u>M7</u> ▶ <u>C5</u> 0,1 (*) ◀ ◀	▶ <u>M32</u> — ◀	▶ <u>M11</u> 0,1 (*) ◀		
▶ <u>M54</u> 0,5 ◀			▶ <u>M7</u> ▶ <u>C5</u> 0,1 (*) ◀ ◀	▶ <u>M32</u> — ◀	▶ <u>M11</u> 0,1 (*) ◀		
▶ <u>M54</u> 0,02 (*) ◀			▶ <u>M7</u> ▶ <u>C5</u> 0,1 (*) ◀ ◀	▶ <u>M32</u> — ◀	▶ <u>M11</u> 1 ◀		
▶ <u>M54</u> 0,1 ◀			▶ <u>M7</u> ▶ <u>C5</u> 0,1 (*) ◀ ◀	▶ <u>M32</u> — ◀	▶ <u>M11</u> 0,1 (*) ◀		
▶ <u>M54</u> 0,02 (*) ◀			▶ <u>M7</u> ▶ <u>C5</u> 0,1 (*) ◀ ◀	▶ <u>M32</u> — ◀	▶ <u>M11</u> 0,1 (*) ◀		
▶ <u>M54</u> (**) ◀	▶ <u>M58</u> — ◀	▶ <u>M15</u> (**) ◀	▶ <u>M7</u> ▶ <u>C5</u> (**) ◀ ◀	▶ <u>M32</u> — ◀	▶ <u>M11</u> (**) ◀	(**)	▶ <u>M27</u> (**) ◀
▶ <u>M54</u> (**) ◀	▶ <u>M58</u> — ◀	▶ <u>M15</u> (**) ◀	▶ <u>M7</u> ▶ <u>C5</u> (**) ◀ ◀	▶ <u>M32</u> — ◀	▶ <u>M11</u> (**) ◀	(**)	▶ <u>M27</u> (**) ◀
▶ <u>M54</u> 0,02 (*) ◀			▶ <u>M7</u> ▶ <u>C5</u> 0,1 (*) ◀ ◀	▶ <u>M32</u> — ◀	▶ <u>M11</u> 0,1 (*) ◀		

▼ M2

(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)
(**)	▶ <u>M32</u> — ◀	▶ <u>M70</u> (**) ◀	(**)	(**)	(**)	▶ <u>M45</u> — ◀	(**)
(**)	▶ <u>M32</u> — ◀	▶ <u>M70</u> (**) ◀	(**)	(**)	(**)	▶ <u>M45</u> — ◀	(**)
	▶ <u>M32</u> — ◀					▶ <u>M45</u> — ◀	
	▶ <u>M32</u> — ◀		▶ <u>M16</u> 0,01 (*) ◀	0,05 (*)		▶ <u>M45</u> — ◀	
	▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀	▶ <u>M70</u> 1 ◀ ▶ <u>M70</u> 0,02 (*) ◀ ▶ <u>M70</u> 0,02 (*) ◀ ▶ <u>M70</u> 0,02 (*) ◀ ▶ <u>M70</u> 0,02 (*) ◀				▶ <u>M45</u> — ◀ ▶ <u>M45</u> — ◀ ▶ <u>M45</u> — ◀ ▶ <u>M45</u> — ◀ ▶ <u>M45</u> — ◀	
	▶ <u>M32</u> — ◀	▶ <u>M70</u> 0,02 (*) ◀				▶ <u>M45</u> — ◀	
	▶ <u>M32</u> — ◀	▶ <u>M5</u> — ◀	▶ <u>M16</u> 0,01 (*) ◀	0,05 (*)		▶ <u>M45</u> — ◀	
	▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀	▶ <u>M70</u> 0,05 ◀ ▶ <u>M70</u> 0,02 (*) ◀ ▶ <u>M70</u> 1 ◀ ▶ <u>M70</u> 0,02 (*) ◀ ▶ <u>M70</u> 0,2 ◀ ▶ <u>M70</u> 0,2 ◀ ▶ <u>M70</u> 0,02 (*) ◀				▶ <u>M45</u> — ◀ ▶ <u>M45</u> — ◀ ▶ <u>M45</u> — ◀ ▶ <u>M45</u> — ◀ ▶ <u>M45</u> — ◀ ▶ <u>M45</u> — ◀ ▶ <u>M45</u> — ◀	
(**)	▶ <u>M32</u> — ◀	▶ <u>M70</u> (**) ◀	(**)	(**)	(**)	▶ <u>M45</u> — ◀	(**)
(**)	▶ <u>M32</u> — ◀	▶ <u>M70</u> (**) ◀	(**)	(**)	(**)	▶ <u>M45</u> — ◀	(**)
	▶ <u>M32</u> — ◀	▶ <u>M70</u> 0,02 (*) ◀				▶ <u>M45</u> — ◀	



▼ M2

(26)
(**)
(**)
▶ <u>M19</u> 0,02 (*) ◀
▶ <u>M19</u> 0,02 (*) ◀
(**)
(**)

▼ **M2**

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)
0280000	(viii) <b>Fungi</b>	▶ <b>M58</b> 0,01 (*) ◀	▶ <b>M55</b> 0,01 (*) ◀		▶ <b>M58</b> 0,01 (*) ◀			
0280010	Cultivated							10
0280020	Wild							0,05 (*)
0280990	Others							0,05 (*)
0290000	(ix) <b>Sea weeds</b>	▶ <b>M58</b> 0,01 (*) ◀	▶ <b>M55</b> 0,01 (*) ◀	▶ <b>M5</b> (**) ◀	▶ <b>M58</b> 0,01 (*) ◀	(**)	(**)	(**)
0300000	<b>3. PULSES, DRY</b>	▶ <b>M58</b> 0,01 (*) ◀	▶ <b>M55</b> 0,01 (*) ◀	▶ <b>M5</b> 0,05 (*) ◀	▶ <b>M58</b> 0,02 (*) ◀	0,05 (*)	0,01 (*)	0,05 (*)
0300010	Beans							
0300020	Lentils							
0300030	Peas							
0300040	Lupins							
0300990	Others							
0400000	<b>4. OILSEEDS AND OILFRUITS</b>	▶ <b>M58</b> 0,02 (*) ◀	▶ <b>M55</b> 0,02 (*) ◀	▶ <b>M5</b> 0,05 (*) ◀	▶ <b>M58</b> 0,02 (*) ◀	0,05 (*)	0,01 (*)	0,05 (*)
0401000	(i) <b>Oilseeds</b>				▶ <b>M58</b> — ◀			
0401010	Linseed							
0401020	Peanuts							
0401030	Poppy seed							
0401040	Sesame seed							
0401050	Sunflower seed							
0401060	Rape seed							
0401070	Soya bean							

▼ M2

(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)
▶ <u>M54</u> 0,02 (*) ◀	▶ <u>M58</u> 0,01 (*) ◀	▶ <u>M21</u> 0,1 (*) ◀	▶ <u>M7</u> ▶ <u>C5</u> 0,1 (*) ◀ ◀	▶ <u>M32</u> — ◀	▶ <u>M11</u> 0,1 (*) ◀		
			▶ <u>M7</u> ▶ <u>C5</u> 0,1 (*) ◀ ◀ ▶ <u>M7</u> ▶ <u>C5</u> 0,1 (*) ◀ ◀	▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀			
			▶ <u>M7</u> ▶ <u>C5</u> 0,1 (*) ◀ ◀	▶ <u>M32</u> — ◀			
▶ <u>M54</u> (**) ◀	▶ <u>M58</u> 0,01 (*) ◀	▶ <u>M15</u> (**) ◀	▶ <u>M7</u> ▶ <u>C5</u> (**) ◀ ◀	▶ <u>M32</u> — ◀	▶ <u>M11</u> (**) ◀	(**)	▶ <u>M27</u> (**) ◀
▶ <u>M54</u> 0,1 ◀	▶ <u>M58</u> 0,01 (*) ◀	▶ <u>M21</u> 0,1 (*) ◀	▶ <u>M7</u> ▶ <u>C5</u> 0,1 (*) ◀ ◀	▶ <u>M32</u> — ◀	▶ <u>M11</u> 0,1 (*) ◀	▶ <u>M21</u> 0,05 (*) ◀	▶ <u>M27</u> 0,01 (*) ◀
			▶ <u>M7</u> ▶ <u>C5</u> 0,1 (*) ◀ ◀ ▶ <u>M7</u> ▶ <u>C5</u> 0,1 (*) ◀ ◀ ▶ <u>M7</u> ▶ <u>C5</u> 0,1 (*) ◀ ◀ ▶ <u>M7</u> ▶ <u>C5</u> 0,1 (*) ◀ ◀	▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀			
			▶ <u>M7</u> ▶ <u>C5</u> 0,1 (*) ◀ ◀	▶ <u>M32</u> — ◀			
	▶ <u>M58</u> 0,01 (*) ◀		▶ <u>M7</u> ▶ <u>C5</u> 0,1 (*) ◀ ◀	▶ <u>M32</u> — ◀		▶ <u>M21</u> 0,05 (*) ◀	▶ <u>M27</u> 0,01 (*) ◀
			▶ <u>M7</u> ▶ <u>C5</u> 0,1 (*) ◀ ◀	▶ <u>M32</u> — ◀	▶ <u>M11</u> 0,2 (*) ◀		
▶ <u>M54</u> 0,05 (*) ◀ ▶ <u>M54</u> 0,05 (*) ◀ ▶ <u>M54</u> 0,3 ◀ ▶ <u>M54</u> 0,05 (*) ◀ ▶ <u>M54</u> 0,05 (*) ◀ ▶ <u>M54</u> 0,3 ◀ ▶ <u>M54</u> 0,05 (*) ◀		▶ <u>M21</u> 0,1 (*) ◀ ▶ <u>M21</u> 0,1 (*) ◀ ▶ <u>M21</u> 0,1 (*) ◀ ▶ <u>M21</u> 0,1 (*) ◀ ▶ <u>M21</u> 0,1 (*) ◀ ▶ <u>M21</u> 0,1 (*) ◀ ▶ <u>M21</u> 0,3 ◀	▶ <u>M7</u> ▶ <u>C5</u> 0,1 (*) ◀ ◀ ▶ <u>M7</u> ▶ <u>C5</u> 0,1 (*) ◀ ◀ ▶ <u>M7</u> ▶ <u>C5</u> 0,1 (*) ◀ ◀ ▶ <u>M7</u> ▶ <u>C5</u> 0,1 (*) ◀ ◀ ▶ <u>M7</u> ▶ <u>C5</u> 0,1 (*) ◀ ◀ ▶ <u>M7</u> ▶ <u>C5</u> 0,1 (*) ◀ ◀ ▶ <u>M7</u> ▶ <u>C5</u> 0,1 (*) ◀ ◀	▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀			

▼ M2

(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)
	▶ <u>M32</u> — ◀	▶ <u>M70</u> 0,02 (*) ◀	▶ <u>M16</u> 0,01 (*) ◀			▶ <u>M45</u> — ◀	
	▶ <u>M32</u> — ◀			0,05 (*)		▶ <u>M45</u> — ◀	
	▶ <u>M32</u> — ◀			20		▶ <u>M45</u> — ◀	
	▶ <u>M32</u> — ◀			0,05 (*)		▶ <u>M45</u> — ◀	
(**)	▶ <u>M32</u> — ◀	▶ <u>M70</u> (**) ◀	(**)	(**)	(**)	▶ <u>M45</u> — ◀	(**)
0,01 (*)	▶ <u>M32</u> — ◀	▶ <u>M70</u> 0,02 (*) ◀	▶ <u>M16</u> 0,01 (*) ◀	0,05 (*)	▶ <u>M21</u> 0,01 (*) ◀	▶ <u>M45</u> — ◀	0,1 (*)
	▶ <u>M32</u> — ◀					▶ <u>M45</u> — ◀	
	▶ <u>M32</u> — ◀					▶ <u>M45</u> — ◀	
	▶ <u>M32</u> — ◀					▶ <u>M45</u> — ◀	
	▶ <u>M32</u> — ◀					▶ <u>M45</u> — ◀	
	▶ <u>M32</u> — ◀					▶ <u>M45</u> — ◀	
0,01 (*)	▶ <u>M32</u> — ◀	▶ <u>M5</u> — ◀	0,05 (*)			▶ <u>M45</u> — ◀	0,1 (*)
	▶ <u>M32</u> — ◀	▶ <u>M70</u> 0,05 (*) ◀	▶ <u>M16</u> 0,02 (*) ◀		▶ <u>M21</u> 0,02 (*) ◀	▶ <u>M45</u> — ◀	
	▶ <u>M32</u> — ◀			0,05 (*)		▶ <u>M45</u> — ◀	
	▶ <u>M32</u> — ◀			0,05 (*)		▶ <u>M45</u> — ◀	
	▶ <u>M32</u> — ◀			0,05 (*)		▶ <u>M45</u> — ◀	
	▶ <u>M32</u> — ◀			0,05 (*)		▶ <u>M45</u> — ◀	
	▶ <u>M32</u> — ◀			0,05 (*)		▶ <u>M45</u> — ◀	
	▶ <u>M32</u> — ◀			0,05 (*)		▶ <u>M45</u> — ◀	
	▶ <u>M32</u> — ◀			10		▶ <u>M45</u> — ◀	

▼ M2

(26)
► <u>M19</u> 0,02 (*) ◀
(**)
► <u>M19</u> 0,02 (*) ◀
► <u>M19</u> 0,05 (*) ◀

▼ **M2**

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)
0401080	Mustard seed							
0401090	Cotton seed							
0401100	Pumpkin seeds							
0401110	Safflower	► <b>M58</b> — ◀	► <b>M55</b> — ◀	► <b>M5</b> (**) ◀	► <b>M58</b> — ◀	(**)	(**)	(**)
0401120	Borage	► <b>M58</b> — ◀	► <b>M55</b> — ◀	► <b>M5</b> (**) ◀	► <b>M58</b> — ◀	(**)	(**)	(**)
0401130	Gold of pleasure	► <b>M58</b> — ◀	► <b>M55</b> — ◀	► <b>M5</b> (**) ◀	► <b>M58</b> — ◀	(**)	(**)	(**)
0401140	Hempseed							
0401150	Castor bean	► <b>M58</b> — ◀	► <b>M55</b> — ◀	► <b>M5</b> (**) ◀	► <b>M58</b> — ◀	(**)	(**)	(**)
0401990	Others							
0402000	(ii) <b>Oilfruits</b>							
0402010	Olives for oil production				► <b>M58</b> — ◀			
0402020	Palm nuts (palmoil kernels)	► <b>M58</b> — ◀	► <b>M55</b> — ◀	► <b>M5</b> (**) ◀	► <b>M58</b> — ◀	(**)	(**)	(**)
0402030	Palmfruit	► <b>M58</b> — ◀	► <b>M55</b> — ◀	► <b>M5</b> (**) ◀	► <b>M58</b> — ◀	(**)	(**)	(**)
0402040	Kapok	► <b>M58</b> — ◀	► <b>M55</b> — ◀	► <b>M5</b> (**) ◀	► <b>M58</b> — ◀	(**)	(**)	(**)
0402990	Others				► <b>M58</b> — ◀			
0500000	5. <b>CEREALS</b>	► <b>M58</b> 0,01 (*) ◀	► <b>M55</b> 0,01 (*) ◀		► <b>M58</b> 0,02 (*) ◀	0,05 (*)	0,01 (*)	0,05 (*)
0500010	Barley		► <b>M55</b> (+) ◀	► <b>M5</b> 0,3 ◀				
0500020	Buckwheat			► <b>M5</b> 0,05 (*) ◀				
0500030	Maize			► <b>M5</b> 0,05 (*) ◀				
0500040	Millet			► <b>M5</b> 0,05 (*) ◀				
0500050	Oats			► <b>M5</b> 0,3 ◀				
0500060	Rice			► <b>M5</b> 0,05 (*) ◀				
0500070	Rye		► <b>M55</b> (+) ◀	► <b>M5</b> 0,05 (*) ◀	► <b>M58</b> (+) ◀			

▼ M2

(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)
▶ <u>M54</u> 0,2 ◀		▶ <u>M21</u> 0,1 (*) ◀	▶ <u>M7</u> ▶ <u>C5</u> 0,1 (*) ◀ ◀	▶ <u>M32</u> — ◀			
▶ <u>M54</u> 0,15 ◀		▶ <u>M21</u> 0,1 (*) ◀	▶ <u>M7</u> ▶ <u>C5</u> 0,1 (*) ◀ ◀	▶ <u>M32</u> — ◀			
▶ <u>M54</u> 0,05 (*) ◀		▶ <u>M21</u> 0,1 (*) ◀	▶ <u>M7</u> ▶ <u>C5</u> 0,1 (*) ◀ ◀	▶ <u>M32</u> — ◀			
▶ <u>M54</u> (**) ◀	▶ <u>M58</u> — ◀	▶ <u>M15</u> (**) ◀	▶ <u>M7</u> ▶ <u>C5</u> 0,1 (*) ◀ ◀	▶ <u>M32</u> — ◀	▶ <u>M11</u> (**) ◀	(**)	▶ <u>M27</u> (**) ◀
▶ <u>M54</u> (**) ◀	▶ <u>M58</u> — ◀	▶ <u>M15</u> (**) ◀	▶ <u>M7</u> ▶ <u>C5</u> (**) ◀ ◀	▶ <u>M32</u> — ◀	▶ <u>M11</u> (**) ◀	(**)	▶ <u>M27</u> (**) ◀
▶ <u>M54</u> (**) ◀	▶ <u>M58</u> — ◀	▶ <u>M15</u> (**) ◀	▶ <u>M7</u> ▶ <u>C5</u> (**) ◀ ◀	▶ <u>M32</u> — ◀	▶ <u>M11</u> (**) ◀	(**)	▶ <u>M27</u> (**) ◀
▶ <u>M54</u> 0,05 (*) ◀		▶ <u>M21</u> 0,1 (*) ◀	▶ <u>M7</u> ▶ <u>C5</u> (**) ◀ ◀	▶ <u>M32</u> — ◀			
▶ <u>M54</u> (**) ◀	▶ <u>M58</u> — ◀	▶ <u>M15</u> (**) ◀	▶ <u>M7</u> ▶ <u>C5</u> (**) ◀ ◀	▶ <u>M32</u> — ◀	▶ <u>M11</u> (**) ◀	(**)	▶ <u>M27</u> (**) ◀
▶ <u>M54</u> 0,05 (*) ◀		▶ <u>M21</u> 0,1 (*) ◀	▶ <u>M7</u> ▶ <u>C5</u> 0,1 (*) ◀ ◀	▶ <u>M32</u> — ◀			
		▶ <u>M21</u> 0,1 (*) ◀	▶ <u>M7</u> ▶ <u>C5</u> 0,1 (*) ◀ ◀	▶ <u>M32</u> — ◀			
▶ <u>M54</u> 4 ◀			▶ <u>M7</u> ▶ <u>C5</u> 0,1 (*) ◀ ◀	▶ <u>M32</u> — ◀	▶ <u>M11</u> 0,1 (*) ◀		
▶ <u>M54</u> (**) ◀	▶ <u>M58</u> — ◀	▶ <u>M15</u> (**) ◀	▶ <u>M7</u> ▶ <u>C5</u> (**) ◀ ◀	▶ <u>M32</u> — ◀	▶ <u>M11</u> (**) ◀	(**)	▶ <u>M27</u> (**) ◀
▶ <u>M54</u> (**) ◀	▶ <u>M58</u> — ◀	▶ <u>M15</u> (**) ◀	▶ <u>M7</u> ▶ <u>C5</u> (**) ◀ ◀	▶ <u>M32</u> — ◀	▶ <u>M11</u> (**) ◀	(**)	▶ <u>M27</u> (**) ◀
▶ <u>M54</u> (**) ◀	▶ <u>M58</u> — ◀	▶ <u>M15</u> (**) ◀	▶ <u>M7</u> ▶ <u>C5</u> (**) ◀ ◀	▶ <u>M32</u> — ◀	▶ <u>M11</u> (**) ◀	(**)	▶ <u>M27</u> (**) ◀
▶ <u>M54</u> 0,05 (*) ◀			▶ <u>M7</u> ▶ <u>C5</u> 0,1 (*) ◀ ◀	▶ <u>M32</u> — ◀	▶ <u>M11</u> 0,2 (*) ◀		
▶ <u>M5</u> — ◀	▶ <u>M58</u> 0,01 (*) ◀		▶ <u>M7</u> ▶ <u>C5</u> 0,1 (*) ◀ ◀	▶ <u>M32</u> — ◀		▶ <u>M21</u> 0,05 (*) ◀	▶ <u>M27</u> 0,02 (*) ◀
▶ <u>M54</u> 1 ◀		▶ <u>M21</u> 0,3 ◀	▶ <u>M7</u> ▶ <u>C5</u> 0,1 (*) ◀ ◀	▶ <u>M32</u> — ◀	▶ <u>M11</u> 0,2 ◀		
▶ <u>M54</u> 0,05 ◀		▶ <u>M21</u> 0,01 (*) ◀	▶ <u>M7</u> ▶ <u>C5</u> 0,1 (*) ◀ ◀	▶ <u>M32</u> — ◀	▶ <u>M11</u> 0,1 (*) ◀		
▶ <u>M54</u> 0,05 ◀		▶ <u>M21</u> 0,01 (*) ◀	▶ <u>M7</u> ▶ <u>C5</u> 0,1 (*) ◀ ◀	▶ <u>M32</u> — ◀	▶ <u>M11</u> 0,1 (*) ◀		
▶ <u>M54</u> 0,05 ◀		▶ <u>M21</u> 0,01 (*) ◀	▶ <u>M7</u> ▶ <u>C5</u> 0,1 (*) ◀ ◀	▶ <u>M32</u> — ◀	▶ <u>M11</u> 0,1 (*) ◀		
▶ <u>M54</u> 1 ◀		▶ <u>M21</u> 0,3 ◀	▶ <u>M7</u> ▶ <u>C5</u> 0,1 (*) ◀ ◀	▶ <u>M32</u> — ◀	▶ <u>M11</u> 0,2 ◀		
▶ <u>M54</u> 0,05 ◀		▶ <u>M21</u> 0,01 (*) ◀	▶ <u>M7</u> ▶ <u>C5</u> 0,1 (*) ◀ ◀	▶ <u>M32</u> — ◀	▶ <u>M11</u> 0,1 (*) ◀		
▶ <u>M54</u> 0,05 ◀		▶ <u>M21</u> 0,05 ◀	▶ <u>M7</u> ▶ <u>C5</u> 0,1 (*) ◀ ◀	▶ <u>M32</u> — ◀	▶ <u>M11</u> 0,2 ◀		

▼ M2

(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)
	▶ <u>M32</u> — ◀			0,05 (*)		▶ <u>M45</u> — ◀	
	▶ <u>M32</u> — ◀			0,05 (*)		▶ <u>M45</u> — ◀	
	▶ <u>M32</u> — ◀			0,05 (*)		▶ <u>M45</u> — ◀	
(**)	▶ <u>M32</u> — ◀	▶ <u>M70</u> (**) ◀	(**)	(**)	(**)	▶ <u>M45</u> — ◀	(**)
(**)	▶ <u>M32</u> — ◀	▶ <u>M70</u> (**) ◀	(**)	(**)	(**)	▶ <u>M45</u> — ◀	(**)
(**)	▶ <u>M32</u> — ◀	▶ <u>M70</u> (**) ◀	(**)	(**)	(**)	▶ <u>M45</u> — ◀	(**)
	▶ <u>M32</u> — ◀			0,05 (*)		▶ <u>M45</u> — ◀	
(**)	▶ <u>M32</u> — ◀	▶ <u>M70</u> (**) ◀	(**)	(**)	(**)	▶ <u>M45</u> — ◀	(**)
	▶ <u>M32</u> — ◀			0,05 (*)		▶ <u>M45</u> — ◀	
	▶ <u>M32</u> — ◀					▶ <u>M45</u> — ◀	
(**)	▶ <u>M32</u> — ◀	▶ <u>M70</u> 0,3 ◀	▶ <u>M16</u> 0,01 (*) ◀	1	▶ <u>M21</u> 0,01 (*) ◀	▶ <u>M45</u> — ◀	
(**)	▶ <u>M32</u> — ◀	▶ <u>M70</u> (**) ◀	(**)	(**)	▶ <u>M21</u> 0,02 (*) ◀	▶ <u>M45</u> — ◀	(**)
(**)	▶ <u>M32</u> — ◀	▶ <u>M70</u> (**) ◀	(**)	(**)	▶ <u>M21</u> 0,02 (*) ◀	▶ <u>M45</u> — ◀	(**)
(**)	▶ <u>M32</u> — ◀	▶ <u>M70</u> (**) ◀	(**)	(**)	▶ <u>M21</u> 0,02 (*) ◀	▶ <u>M45</u> — ◀	(**)
	▶ <u>M32</u> — ◀	▶ <u>M70</u> 0,05 (*) ◀	▶ <u>M16</u> 0,02 (*) ◀	0,05 (*)	▶ <u>M21</u> 0,02 (*) ◀	▶ <u>M45</u> — ◀	
0,01 (*)	▶ <u>M32</u> — ◀		▶ <u>M16</u> 0,01 (*) ◀		▶ <u>M21</u> 0,01 (*) ◀	▶ <u>M45</u> — ◀	0,1 (*)
	▶ <u>M32</u> — ◀	▶ <u>M70</u> 0,3 ◀	0,1	10		▶ <u>M45</u> — ◀	
	▶ <u>M32</u> — ◀	▶ <u>M70</u> 0,02 (*) ◀	0,05 (*)	0,05 (*)		▶ <u>M45</u> — ◀	
	▶ <u>M32</u> — ◀	▶ <u>M70</u> 0,02 (*) ◀	0,05 (*)	0,05 (*)		▶ <u>M45</u> — ◀	
	▶ <u>M32</u> — ◀	▶ <u>M70</u> 0,02 (*) ◀	0,05 (*)	0,05 (*)		▶ <u>M45</u> — ◀	
	▶ <u>M32</u> — ◀	▶ <u>M70</u> 0,02 (*) ◀	0,1	10		▶ <u>M45</u> — ◀	
	▶ <u>M32</u> — ◀	▶ <u>M70</u> 0,02 (*) ◀	0,05 (*)	0,05 (*)		▶ <u>M45</u> — ◀	
	▶ <u>M32</u> — ◀	▶ <u>M70</u> 0,05 ◀	0,1	5		▶ <u>M45</u> — ◀	



▼ M2

(26)
(**)
(**)
(**)
(**)
► <u>M19</u> 0,02 (*) ◀
(**)
(**)
(**)
► <u>M19</u> 0,05 (*) ◀
► <u>M19</u> 0,02 (*) ◀

## ▼ M2

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)
0500080	Sorghum			► <u>M5</u> 0,05 (*) ◀				
0500090	Wheat		► <u>M55</u> (+) ◀	► <u>M5</u> 0,05 (*) ◀	► <u>M58</u> (+) ◀			
0500990	Others			► <u>M5</u> 0,05 (*) ◀				
0600000	6. TEA, COFFEE, HERBAL INFUSIONS AND COCOA	► <u>M58</u> 0,05 (*) ◀	► <u>M55</u> 0,05 (*) ◀	► <u>M5</u> 0,1 (*) ◀	► <u>M58</u> 0,05 (*) ◀	0,1 (*)	0,02 (*)	0,1 (*)
0610000	(i) Tea (dried leaves and stalks, fermented or otherwise of <i>Camellia sinensis</i> )							
0620000	(ii) Coffee beans	► <u>M58</u> — ◀	► <u>M55</u> — ◀	► <u>M5</u> (**) ◀	► <u>M58</u> — ◀	(**)	(**)	(**)
0630000	(iii) Herbal infusions (dried)	► <u>M58</u> — ◀	► <u>M55</u> — ◀	► <u>M5</u> (**) ◀	► <u>M58</u> — ◀	(**)	(**)	(**)
0631000	(a) <i>Flowers</i>	► <u>M58</u> — ◀	► <u>M55</u> — ◀	► <u>M5</u> (**) ◀	► <u>M58</u> — ◀	(**)	(**)	(**)
0631010	Camomille flowers	► <u>M58</u> — ◀	► <u>M55</u> — ◀	► <u>M5</u> (**) ◀	► <u>M58</u> — ◀	(**)	(**)	(**)
0631020	Hybiscus flowers	► <u>M58</u> — ◀	► <u>M55</u> — ◀	► <u>M5</u> (**) ◀	► <u>M58</u> — ◀	(**)	(**)	(**)
0631030	Rose petals	► <u>M58</u> — ◀	► <u>M55</u> — ◀	► <u>M5</u> (**) ◀	► <u>M58</u> — ◀	(**)	(**)	(**)
0631040	Jasmine flowers	► <u>M58</u> — ◀	► <u>M55</u> — ◀	► <u>M5</u> (**) ◀	► <u>M58</u> — ◀	(**)	(**)	(**)
0631050	Lime (linden)	► <u>M58</u> — ◀	► <u>M55</u> — ◀	► <u>M5</u> (**) ◀	► <u>M58</u> — ◀	(**)	(**)	(**)
0631990	Others	► <u>M58</u> — ◀	► <u>M55</u> — ◀	► <u>M5</u> (**) ◀	► <u>M58</u> — ◀	(**)	(**)	(**)
0632000	(b) <i>Leaves</i>	► <u>M58</u> — ◀	► <u>M55</u> — ◀	► <u>M5</u> (**) ◀	► <u>M58</u> — ◀	(**)	(**)	(**)
0632010	Strawberry leaves	► <u>M58</u> — ◀	► <u>M55</u> — ◀	► <u>M5</u> (**) ◀	► <u>M58</u> — ◀	(**)	(**)	(**)

▼ M2

(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)
▶ <u>M54</u> 0,05 ◀ ▶ <u>M54</u> 0,1 ◀		▶ <u>M21</u> 0,01 (*) ◀ ▶ <u>M21</u> 0,05 ◀	▶ <u>M7</u> ▶ <u>C5</u> 0,1 (*) ◀ ◀ ▶ <u>M7</u> ▶ <u>C5</u> 0,1 (*) ◀ ◀	▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀	▶ <u>M11</u> 0,1 (*) ◀ ▶ <u>M11</u> 0,2 ◀		
▶ <u>M54</u> 0,05 ◀		▶ <u>M21</u> 0,01 (*) ◀	▶ <u>M7</u> ▶ <u>C5</u> 0,1 (*) ◀ ◀	▶ <u>M32</u> — ◀	▶ <u>M11</u> 0,1 (*) ◀		
▶ <u>M11</u> — ◀	▶ <u>M58</u> 0,05 (*) ◀	▶ <u>M21</u> 0,1 (*) ◀	▶ <u>M7</u> ▶ <u>C5</u> 0,2 (*) ◀ ◀	▶ <u>M32</u> — ◀	▶ <u>M11</u> 0,2 (*) ◀	▶ <u>M21</u> 0,1 (*) ◀	▶ <u>M27</u> 0,02 (*) ◀
▶ <u>M54</u> 10 ◀			▶ <u>M7</u> ▶ <u>C5</u> 0,2 (*) ◀ ◀	▶ <u>M32</u> — ◀			
▶ <u>M54</u> (**) ◀	▶ <u>M58</u> — ◀	▶ <u>M15</u> (**) ◀	▶ <u>M7</u> ▶ <u>C5</u> (**) ◀ ◀	▶ <u>M32</u> — ◀	▶ <u>M11</u> (**) ◀	(**)	▶ <u>M27</u> (**) ◀
▶ <u>M54</u> (**) ◀	▶ <u>M58</u> — ◀	▶ <u>M15</u> (**) ◀	▶ <u>M7</u> ▶ <u>C5</u> (**) ◀ ◀	▶ <u>M32</u> — ◀	▶ <u>M11</u> (**) ◀	(**)	▶ <u>M27</u> (**) ◀
▶ <u>M54</u> (**) ◀	▶ <u>M58</u> — ◀	▶ <u>M15</u> (**) ◀	▶ <u>M7</u> ▶ <u>C5</u> (**) ◀ ◀	▶ <u>M32</u> — ◀	▶ <u>M11</u> (**) ◀	(**)	▶ <u>M27</u> (**) ◀
▶ <u>M54</u> (**) ◀	▶ <u>M58</u> — ◀	▶ <u>M15</u> (**) ◀	▶ <u>M7</u> ▶ <u>C5</u> (**) ◀ ◀	▶ <u>M32</u> — ◀	▶ <u>M11</u> (**) ◀	(**)	▶ <u>M27</u> (**) ◀
▶ <u>M54</u> (**) ◀	▶ <u>M58</u> — ◀	▶ <u>M15</u> (**) ◀	▶ <u>M7</u> ▶ <u>C5</u> (**) ◀ ◀	▶ <u>M32</u> — ◀	▶ <u>M11</u> (**) ◀	(**)	▶ <u>M27</u> (**) ◀
▶ <u>M54</u> (**) ◀	▶ <u>M58</u> — ◀	▶ <u>M15</u> (**) ◀	▶ <u>M7</u> ▶ <u>C5</u> (**) ◀ ◀	▶ <u>M32</u> — ◀	▶ <u>M11</u> (**) ◀	(**)	▶ <u>M27</u> (**) ◀
▶ <u>M54</u> (**) ◀	▶ <u>M58</u> — ◀	▶ <u>M15</u> (**) ◀	▶ <u>M7</u> ▶ <u>C5</u> (**) ◀ ◀	▶ <u>M32</u> — ◀	▶ <u>M11</u> (**) ◀	(**)	▶ <u>M27</u> (**) ◀
▶ <u>M54</u> (**) ◀	▶ <u>M58</u> — ◀	▶ <u>M15</u> (**) ◀	▶ <u>M7</u> ▶ <u>C5</u> (**) ◀ ◀	▶ <u>M32</u> — ◀	▶ <u>M11</u> (**) ◀	(**)	▶ <u>M27</u> (**) ◀
▶ <u>M54</u> (**) ◀	▶ <u>M58</u> — ◀	▶ <u>M15</u> (**) ◀	▶ <u>M7</u> ▶ <u>C5</u> (**) ◀ ◀	▶ <u>M32</u> — ◀	▶ <u>M11</u> (**) ◀	(**)	▶ <u>M27</u> (**) ◀

▼ M2

(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)
	▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀	▶ <u>M70</u> 0,02 (*) ◀ ▶ <u>M70</u> 0,05 ◀	0,05 (*) 0,1	0,05 (*) 5		▶ <u>M45</u> — ◀ ▶ <u>M45</u> — ◀	
	▶ <u>M32</u> — ◀	▶ <u>M70</u> 0,02 (*) ◀	0,05 (*)	0,05 (*)		▶ <u>M45</u> — ◀	
0,02 (*)	▶ <u>M32</u> — ◀	▶ <u>M70</u> 0,05 (*) ◀	▶ <u>M16</u> 0,05 (*) ◀	0,05 (*)	▶ <u>M21</u> 0,02 (*) ◀	▶ <u>M45</u> — ◀	0,2 (*)
	▶ <u>M32</u> — ◀					▶ <u>M45</u> — ◀	
(**)	▶ <u>M32</u> — ◀	▶ <u>M70</u> (**) ◀	(**)	(**)	(**)	▶ <u>M45</u> — ◀	(**)
(**)	▶ <u>M32</u> — ◀	▶ <u>M70</u> (**) ◀	(**)	(**)	(**)	▶ <u>M45</u> — ◀	(**)
(**)	▶ <u>M32</u> — ◀	▶ <u>M70</u> (**) ◀	(**)	(**)	(**)	▶ <u>M45</u> — ◀	(**)
(**)	▶ <u>M32</u> — ◀	▶ <u>M70</u> (**) ◀	(**)	(**)	(**)	▶ <u>M45</u> — ◀	(**)
(**)	▶ <u>M32</u> — ◀	▶ <u>M70</u> (**) ◀	(**)	(**)	(**)	▶ <u>M45</u> — ◀	(**)
(**)	▶ <u>M32</u> — ◀	▶ <u>M70</u> (**) ◀	(**)	(**)	(**)	▶ <u>M45</u> — ◀	(**)
(**)	▶ <u>M32</u> — ◀	▶ <u>M70</u> (**) ◀	(**)	(**)	(**)	▶ <u>M45</u> — ◀	(**)
(**)	▶ <u>M32</u> — ◀	▶ <u>M70</u> (**) ◀	(**)	(**)	(**)	▶ <u>M45</u> — ◀	(**)
(**)	▶ <u>M32</u> — ◀	▶ <u>M70</u> (**) ◀	(**)	(**)	(**)	▶ <u>M45</u> — ◀	(**)
(**)	▶ <u>M32</u> — ◀	▶ <u>M70</u> (**) ◀	(**)	(**)	(**)	▶ <u>M45</u> — ◀	(**)

▼ M2

(26)
► <u>M19</u> 0,05 (*) ◀
(**)
(**)
(**)
(**)
(**)
(**)
(**)
(**)
(**)
(**)
(**)
(**)

## ▼ M2

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)
0632020	Rooibos leaves	▶ <u>M58</u> — ◀	▶ <u>M55</u> — ◀	▶ <u>M5</u> (**) ◀	▶ <u>M58</u> — ◀	(**)	(**)	(**)
0632030	Maté	▶ <u>M58</u> — ◀	▶ <u>M55</u> — ◀	▶ <u>M5</u> (**) ◀	▶ <u>M58</u> — ◀	(**)	(**)	(**)
0632990	Others	▶ <u>M58</u> — ◀	▶ <u>M55</u> — ◀	▶ <u>M5</u> (**) ◀	▶ <u>M58</u> — ◀	(**)	(**)	(**)
0633000	(c) <i>Roots</i>	▶ <u>M58</u> — ◀	▶ <u>M55</u> — ◀	▶ <u>M5</u> (**) ◀	▶ <u>M58</u> — ◀	(**)	(**)	(**)
0633010	Valerian root	▶ <u>M58</u> — ◀	▶ <u>M55</u> — ◀	▶ <u>M5</u> (**) ◀	▶ <u>M58</u> — ◀	(**)	(**)	(**)
0633020	Ginseng root	▶ <u>M58</u> — ◀	▶ <u>M55</u> — ◀	▶ <u>M5</u> (**) ◀	▶ <u>M58</u> — ◀	(**)	(**)	(**)
0633990	Others	▶ <u>M58</u> — ◀	▶ <u>M55</u> — ◀	▶ <u>M5</u> (**) ◀	▶ <u>M58</u> — ◀	(**)	(**)	(**)
0639000	(d) <i>Other herbal infusions</i>	▶ <u>M58</u> — ◀	▶ <u>M55</u> — ◀	▶ <u>M5</u> (**) ◀	▶ <u>M58</u> — ◀	(**)	(**)	(**)
0640000	(iv) <b>Cocoa (fermented beans)</b>	▶ <u>M58</u> — ◀	▶ <u>M55</u> — ◀	▶ <u>M5</u> (**) ◀	▶ <u>M58</u> — ◀	(**)	(**)	(**)
0650000	(v) <b>Carob (st johns bread)</b>	▶ <u>M58</u> — ◀	▶ <u>M55</u> — ◀	▶ <u>M5</u> (**) ◀	▶ <u>M58</u> — ◀	(**)	(**)	(**)
0700000	7. <b>HOPS (dried), including hop pellets and unconcentrated powder</b>	▶ <u>M58</u> 0,05 (*) ◀	▶ <u>M55</u> 0,05 (*) ◀	▶ <u>M5</u> 0,1 (*) ◀	▶ <u>M58</u> 0,05 (*) ◀	0,1 (*)	0,02 (*)	0,1 (*)
0800000	8. <b>SPICES</b>	▶ <u>M58</u> — ◀	▶ <u>M55</u> — ◀	▶ <u>M5</u> (**) ◀	▶ <u>M58</u> — ◀	(**)	(**)	(**)
0810000	(i) <b>Seeds</b>	▶ <u>M58</u> 0,05 (*) ◀	▶ <u>M55</u> 0,05 (*) ◀	▶ <u>M5</u> (**) ◀	▶ <u>M58</u> 0,05 (*) ◀	(**)	(**)	(**)
0810010	Anise	▶ <u>M58</u> — ◀	▶ <u>M55</u> — ◀	▶ <u>M5</u> (**) ◀	▶ <u>M58</u> — ◀	(**)	(**)	(**)
0810020	Black caraway	▶ <u>M58</u> — ◀	▶ <u>M55</u> — ◀	▶ <u>M5</u> (**) ◀	▶ <u>M58</u> — ◀	(**)	(**)	(**)
0810030	Celery seed	▶ <u>M58</u> — ◀	▶ <u>M55</u> — ◀	▶ <u>M5</u> (**) ◀	▶ <u>M58</u> — ◀	(**)	(**)	(**)
0810040	Coriander seed	▶ <u>M58</u> — ◀	▶ <u>M55</u> — ◀	▶ <u>M5</u> (**) ◀	▶ <u>M58</u> — ◀	(**)	(**)	(**)
0810050	Cumin seed	▶ <u>M58</u> — ◀	▶ <u>M55</u> — ◀	▶ <u>M5</u> (**) ◀	▶ <u>M58</u> — ◀	(**)	(**)	(**)
0810060	Dill seed	▶ <u>M58</u> — ◀	▶ <u>M55</u> — ◀	▶ <u>M5</u> (**) ◀	▶ <u>M58</u> — ◀	(**)	(**)	(**)

▼ M2

(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)
▶ <u>M54</u> (**) ◀	▶ <u>M58</u> — ◀	▶ <u>M15</u> (**) ◀	▶ <u>M7</u> ▶ <u>C5</u> (**) ◀ ◀	▶ <u>M32</u> — ◀	▶ <u>M11</u> (**) ◀	(**)	▶ <u>M27</u> (**) ◀
▶ <u>M54</u> (**) ◀	▶ <u>M58</u> — ◀	▶ <u>M15</u> (**) ◀	▶ <u>M7</u> ▶ <u>C5</u> (**) ◀ ◀	▶ <u>M32</u> — ◀	▶ <u>M11</u> (**) ◀	(**)	▶ <u>M27</u> (**) ◀
▶ <u>M54</u> (**) ◀	▶ <u>M58</u> — ◀	▶ <u>M15</u> (**) ◀	▶ <u>M7</u> ▶ <u>C5</u> (**) ◀ ◀	▶ <u>M32</u> — ◀	▶ <u>M11</u> (**) ◀	(**)	▶ <u>M27</u> (**) ◀
▶ <u>M54</u> (**) ◀	▶ <u>M58</u> — ◀	▶ <u>M15</u> (**) ◀	▶ <u>M7</u> ▶ <u>C5</u> (**) ◀ ◀	▶ <u>M32</u> — ◀	▶ <u>M11</u> (**) ◀	(**)	▶ <u>M27</u> (**) ◀
▶ <u>M54</u> (**) ◀	▶ <u>M58</u> — ◀	▶ <u>M15</u> (**) ◀	▶ <u>M7</u> ▶ <u>C5</u> (**) ◀ ◀	▶ <u>M32</u> — ◀	▶ <u>M11</u> (**) ◀	(**)	▶ <u>M27</u> (**) ◀
▶ <u>M54</u> (**) ◀	▶ <u>M58</u> — ◀	▶ <u>M15</u> (**) ◀	▶ <u>M7</u> ▶ <u>C5</u> (**) ◀ ◀	▶ <u>M32</u> — ◀	▶ <u>M11</u> (**) ◀	(**)	▶ <u>M27</u> (**) ◀
▶ <u>M54</u> (**) ◀	▶ <u>M58</u> — ◀	▶ <u>M15</u> (**) ◀	▶ <u>M7</u> ▶ <u>C5</u> (**) ◀ ◀	▶ <u>M32</u> — ◀	▶ <u>M11</u> (**) ◀	(**)	▶ <u>M27</u> (**) ◀
▶ <u>M54</u> (**) ◀	▶ <u>M58</u> — ◀	▶ <u>M15</u> (**) ◀	▶ <u>M7</u> ▶ <u>C5</u> (**) ◀ ◀	▶ <u>M32</u> — ◀	▶ <u>M11</u> (**) ◀	(**)	▶ <u>M27</u> (**) ◀
▶ <u>M54</u> (**) ◀	▶ <u>M58</u> — ◀	▶ <u>M15</u> (**) ◀	▶ <u>M7</u> ▶ <u>C5</u> (**) ◀ ◀	▶ <u>M32</u> — ◀	▶ <u>M11</u> (**) ◀	(**)	▶ <u>M27</u> (**) ◀
▶ <u>M54</u> 0,1 ◀	▶ <u>M58</u> 0,05 (*) ◀	▶ <u>M21</u> 0,1 (*) ◀	▶ <u>M7</u> ▶ <u>C5</u> 0,2 (*) ◀ ◀	▶ <u>M32</u> — ◀	▶ <u>M11</u> 10 ◀	▶ <u>M21</u> 0,1 (*) ◀	▶ <u>M27</u> 0,02 (*) ◀
▶ <u>M54</u> (**) ◀	▶ <u>M58</u> — ◀	▶ <u>M15</u> (**) ◀	▶ <u>M7</u> ▶ <u>C5</u> (**) ◀ ◀	▶ <u>M32</u> — ◀	▶ <u>M11</u> (**) ◀	▶ <u>M21</u> 0,1 (*) ◀	▶ <u>M27</u> (**) ◀
▶ <u>M54</u> (**) ◀	▶ <u>M58</u> 0,05 (*) ◀	▶ <u>M15</u> (**) ◀	▶ <u>M7</u> ▶ <u>C5</u> (**) ◀ ◀	▶ <u>M32</u> — ◀	▶ <u>M11</u> (**) ◀	(**)	▶ <u>M27</u> (**) ◀
▶ <u>M54</u> (**) ◀	▶ <u>M58</u> — ◀	▶ <u>M15</u> (**) ◀	▶ <u>M7</u> ▶ <u>C5</u> (**) ◀ ◀	▶ <u>M32</u> — ◀	▶ <u>M11</u> (**) ◀	(**)	▶ <u>M27</u> (**) ◀
▶ <u>M54</u> (**) ◀	▶ <u>M58</u> — ◀	▶ <u>M15</u> (**) ◀	▶ <u>M7</u> ▶ <u>C5</u> (**) ◀ ◀	▶ <u>M32</u> — ◀	▶ <u>M11</u> (**) ◀	(**)	▶ <u>M27</u> (**) ◀
▶ <u>M54</u> (**) ◀	▶ <u>M58</u> — ◀	▶ <u>M15</u> (**) ◀	▶ <u>M7</u> ▶ <u>C5</u> (**) ◀ ◀	▶ <u>M32</u> — ◀	▶ <u>M11</u> (**) ◀	(**)	▶ <u>M27</u> (**) ◀
▶ <u>M54</u> (**) ◀	▶ <u>M58</u> — ◀	▶ <u>M15</u> (**) ◀	▶ <u>M7</u> ▶ <u>C5</u> (**) ◀ ◀	▶ <u>M32</u> — ◀	▶ <u>M11</u> (**) ◀	(**)	▶ <u>M27</u> (**) ◀
▶ <u>M54</u> (**) ◀	▶ <u>M58</u> — ◀	▶ <u>M15</u> (**) ◀	▶ <u>M7</u> ▶ <u>C5</u> (**) ◀ ◀	▶ <u>M32</u> — ◀	▶ <u>M11</u> (**) ◀	(**)	▶ <u>M27</u> (**) ◀

▼ M2

(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)
(**)	▶ <u>M32</u> — ◀	▶ <u>M70</u> (**) ◀	(**)	(**)	(**)	▶ <u>M45</u> — ◀	(**)
(**)	▶ <u>M32</u> — ◀	▶ <u>M70</u> (**) ◀	(**)	(**)	(**)	▶ <u>M45</u> — ◀	(**)
(**)	▶ <u>M32</u> — ◀	▶ <u>M70</u> (**) ◀	(**)	(**)	(**)	▶ <u>M45</u> — ◀	(**)
(**)	▶ <u>M32</u> — ◀	▶ <u>M70</u> (**) ◀	(**)	(**)	(**)	▶ <u>M45</u> — ◀	(**)
(**)	▶ <u>M32</u> — ◀	▶ <u>M70</u> (**) ◀	(**)	(**)	(**)	▶ <u>M45</u> — ◀	(**)
(**)	▶ <u>M32</u> — ◀	▶ <u>M70</u> (**) ◀	(**)	(**)	(**)	▶ <u>M45</u> — ◀	(**)
(**)	▶ <u>M32</u> — ◀	▶ <u>M70</u> (**) ◀	(**)	(**)	(**)	▶ <u>M45</u> — ◀	(**)
(**)	▶ <u>M32</u> — ◀	▶ <u>M70</u> (**) ◀	(**)	(**)	(**)	▶ <u>M45</u> — ◀	(**)
(**)	▶ <u>M32</u> — ◀	▶ <u>M70</u> (**) ◀	(**)	(**)	(**)	▶ <u>M45</u> — ◀	(**)
0,02 (*)	▶ <u>M32</u> — ◀	▶ <u>M70</u> 30 ◀	▶ <u>M16</u> 0,05 (*) ◀	0,05 (*)	▶ <u>M21</u> 0,02 (*) ◀	▶ <u>M45</u> — ◀	0,2 (*)
(**)	▶ <u>M32</u> — ◀	▶ <u>M70</u> (**) ◀	(**)	(**)	▶ <u>M21</u> 0,02 (*) ◀	▶ <u>M45</u> — ◀	(**)
(**)	▶ <u>M32</u> — ◀	▶ <u>M70</u> (**) ◀	(**)	(**)	(**)	▶ <u>M45</u> — ◀	(**)
(**)	▶ <u>M32</u> — ◀	▶ <u>M70</u> (**) ◀	(**)	(**)	(**)	▶ <u>M45</u> — ◀	(**)
(**)	▶ <u>M32</u> — ◀	▶ <u>M70</u> (**) ◀	(**)	(**)	(**)	▶ <u>M45</u> — ◀	(**)
(**)	▶ <u>M32</u> — ◀	▶ <u>M70</u> (**) ◀	(**)	(**)	(**)	▶ <u>M45</u> — ◀	(**)
(**)	▶ <u>M32</u> — ◀	▶ <u>M70</u> (**) ◀	(**)	(**)	(**)	▶ <u>M45</u> — ◀	(**)



▼ M2

(26)
(**)
(**)
(**)
(**)
(**)
(**)
(**)
(**)
(**)
► <u>M19</u> 0,05 (*) ◀
(**)
(**)
(**)
(**)
(**)
(**)
(**)

▼ M2

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)
0810070	Fennel seed	▶ <u>M58</u> — ◀	▶ <u>M55</u> — ◀	▶ <u>M5</u> (**) ◀	▶ <u>M58</u> — ◀	(**)	(**)	(**)
0810080	Fenugreek	▶ <u>M58</u> — ◀	▶ <u>M55</u> — ◀	▶ <u>M5</u> (**) ◀	▶ <u>M58</u> — ◀	(**)	(**)	(**)
0810090	Nutmeg	▶ <u>M58</u> — ◀	▶ <u>M55</u> — ◀	▶ <u>M5</u> (**) ◀	▶ <u>M58</u> — ◀	(**)	(**)	(**)
0810990	Others	▶ <u>M58</u> — ◀	▶ <u>M55</u> — ◀	▶ <u>M5</u> (**) ◀	▶ <u>M58</u> — ◀	(**)	(**)	(**)
0820000	(ii) <b>Fruits and berries</b>	▶ <u>M58</u> 0,05 (*) ◀	▶ <u>M55</u> 0,05 (*) ◀	▶ <u>M5</u> (**) ◀	▶ <u>M58</u> 0,05 (*) ◀	(**)	(**)	(**)
0820010	Allspice	▶ <u>M58</u> — ◀	▶ <u>M55</u> — ◀	▶ <u>M5</u> (**) ◀	▶ <u>M58</u> — ◀	(**)	(**)	(**)
0820020	Anise pepper (Japan pepper)	▶ <u>M58</u> — ◀	▶ <u>M55</u> — ◀	▶ <u>M5</u> (**) ◀	▶ <u>M58</u> — ◀	(**)	(**)	(**)
0820030	Caraway	▶ <u>M58</u> — ◀	▶ <u>M55</u> — ◀	▶ <u>M5</u> (**) ◀	▶ <u>M58</u> — ◀	(**)	(**)	(**)
0820040	Cardamom	▶ <u>M58</u> — ◀	▶ <u>M55</u> — ◀	▶ <u>M5</u> (**) ◀	▶ <u>M58</u> — ◀	(**)	(**)	(**)
0820050	Juniper berries	▶ <u>M58</u> — ◀	▶ <u>M55</u> — ◀	▶ <u>M5</u> (**) ◀	▶ <u>M58</u> — ◀	(**)	(**)	(**)
0820060	Pepper, black and white	▶ <u>M58</u> — ◀	▶ <u>M55</u> — ◀	▶ <u>M5</u> (**) ◀	▶ <u>M58</u> — ◀	(**)	(**)	(**)
0820070	Vanilla pods	▶ <u>M58</u> — ◀	▶ <u>M55</u> — ◀	▶ <u>M5</u> (**) ◀	▶ <u>M58</u> — ◀	(**)	(**)	(**)
0820080	Tamarind	▶ <u>M58</u> — ◀	▶ <u>M55</u> — ◀	▶ <u>M5</u> (**) ◀	▶ <u>M58</u> — ◀	(**)	(**)	(**)
0820990	Others	▶ <u>M58</u> — ◀	▶ <u>M55</u> — ◀	▶ <u>M5</u> (**) ◀	▶ <u>M58</u> — ◀	(**)	(**)	(**)
0830000	(iii) <b>Bark</b>	▶ <u>M58</u> 0,05 (*) ◀	▶ <u>M55</u> 0,05 (*) ◀	▶ <u>M5</u> (**) ◀	▶ <u>M58</u> 0,05 (*) ◀	(**)	(**)	(**)
0830010	Cinnamon	▶ <u>M58</u> — ◀	▶ <u>M55</u> — ◀	▶ <u>M5</u> (**) ◀	▶ <u>M58</u> — ◀	(**)	(**)	(**)
0830990	Others	▶ <u>M58</u> — ◀	▶ <u>M55</u> — ◀	▶ <u>M5</u> (**) ◀	▶ <u>M58</u> — ◀	(**)	(**)	(**)
0840000	(iv) <b>Roots or rhizome</b>	▶ <u>M58</u> — ◀	▶ <u>M55</u> — ◀	▶ <u>M5</u> (**) ◀	▶ <u>M58</u> — ◀	(**)	(**)	(**)
0840010	Liquorice	▶ <u>M58</u> 0,05 (*) ◀	▶ <u>M55</u> 0,05 (*) ◀	▶ <u>M5</u> (**) ◀	▶ <u>M58</u> 0,05 (*) ◀	(**)	(**)	(**)
0840020	Ginger	▶ <u>M58</u> 0,05 (*) ◀	▶ <u>M55</u> 0,05 (*) ◀	▶ <u>M5</u> (**) ◀	▶ <u>M58</u> 0,05 (*) ◀	(**)	(**)	(**)
0840030	Turmeric (Curcuma)	▶ <u>M58</u> 0,05 (*) ◀	▶ <u>M55</u> 0,05 (*) ◀	▶ <u>M5</u> (**) ◀	▶ <u>M58</u> 0,05 (*) ◀	(**)	(**)	(**)



▼ M2

(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)
(**)	▶ <u>M32</u> — ◀	▶ <u>M70</u> (**) ◀	(**)	(**)	(**)	▶ <u>M45</u> — ◀	(**)
(**)	▶ <u>M32</u> — ◀	▶ <u>M70</u> (**) ◀	(**)	(**)	(**)	▶ <u>M45</u> — ◀	(**)
(**)	▶ <u>M32</u> — ◀	▶ <u>M70</u> (**) ◀	(**)	(**)	(**)	▶ <u>M45</u> — ◀	(**)
(**)	▶ <u>M32</u> — ◀	▶ <u>M70</u> (**) ◀	(**)	(**)	(**)	▶ <u>M45</u> — ◀	(**)
(**)	▶ <u>M32</u> — ◀	▶ <u>M70</u> (**) ◀	(**)	(**)	(**)	▶ <u>M45</u> — ◀	(**)
(**)	▶ <u>M32</u> — ◀	▶ <u>M70</u> (**) ◀	(**)	(**)	(**)	▶ <u>M45</u> — ◀	(**)
(**)	▶ <u>M32</u> — ◀	▶ <u>M70</u> (**) ◀	(**)	(**)	(**)	▶ <u>M45</u> — ◀	(**)
(**)	▶ <u>M32</u> — ◀	▶ <u>M70</u> (**) ◀	(**)	(**)	(**)	▶ <u>M45</u> — ◀	(**)
(**)	▶ <u>M32</u> — ◀	▶ <u>M70</u> (**) ◀	(**)	(**)	(**)	▶ <u>M45</u> — ◀	(**)
(**)	▶ <u>M32</u> — ◀	▶ <u>M70</u> (**) ◀	(**)	(**)	(**)	▶ <u>M45</u> — ◀	(**)
(**)	▶ <u>M32</u> — ◀	▶ <u>M70</u> (**) ◀	(**)	(**)	(**)	▶ <u>M45</u> — ◀	(**)
(**)	▶ <u>M32</u> — ◀	▶ <u>M70</u> (**) ◀	(**)	(**)	(**)	▶ <u>M45</u> — ◀	(**)
(**)	▶ <u>M32</u> — ◀	▶ <u>M70</u> (**) ◀	(**)	(**)	(**)	▶ <u>M45</u> — ◀	(**)
(**)	▶ <u>M32</u> — ◀	▶ <u>M70</u> (**) ◀	(**)	(**)	(**)	▶ <u>M45</u> — ◀	(**)
(**)	▶ <u>M32</u> — ◀	▶ <u>M70</u> (**) ◀	(**)	(**)	(**)	▶ <u>M45</u> — ◀	(**)
(**)	▶ <u>M32</u> — ◀	▶ <u>M70</u> (**) ◀	(**)	(**)	(**)	▶ <u>M45</u> — ◀	(**)
(**)	▶ <u>M32</u> — ◀	▶ <u>M70</u> (**) ◀	(**)	(**)	(**)	▶ <u>M45</u> — ◀	(**)
(**)	▶ <u>M32</u> — ◀	▶ <u>M70</u> (**) ◀	(**)	(**)	(**)	▶ <u>M45</u> — ◀	(**)
(**)	▶ <u>M32</u> — ◀	▶ <u>M70</u> (**) ◀	(**)	(**)	(**)	▶ <u>M45</u> — ◀	(**)
(**)	▶ <u>M32</u> — ◀	▶ <u>M70</u> (**) ◀	(**)	(**)	(**)	▶ <u>M45</u> — ◀	(**)

▼ M2

(26)
(**)
(**)
(**)
(**)
(**)
(**)
(**)
(**)
(**)
(**)
(**)
(**)
(**)
(**)
(**)
(**)
(**)
(**)
(**)
(**)

## ▼ M2

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)
0840040	Horseradish	▶ <u>M58</u> (+) ◀	▶ <u>M55</u> (+) ◀	▶ <u>M5</u> (**) ◀	▶ <u>M58</u> (+) ◀	(**)	(**)	(**)
0840990	Others	▶ <u>M58</u> 0,05 (*) ◀	▶ <u>M55</u> 0,05 (*) ◀	▶ <u>M5</u> (**) ◀	▶ <u>M58</u> 0,05 (*) ◀	(**)	(**)	(**)
0850000	(v) <b>Buds</b>	▶ <u>M58</u> 0,05 (*) ◀	▶ <u>M55</u> 0,05 (*) ◀	▶ <u>M5</u> (**) ◀	▶ <u>M58</u> 0,05 (*) ◀	(**)	(**)	(**)
0850010	Cloves	▶ <u>M58</u> — ◀	▶ <u>M55</u> — ◀	▶ <u>M5</u> (**) ◀	▶ <u>M58</u> — ◀	(**)	(**)	(**)
0850020	Capers	▶ <u>M58</u> — ◀	▶ <u>M55</u> — ◀	▶ <u>M5</u> (**) ◀	▶ <u>M58</u> — ◀	(**)	(**)	(**)
0850990	Others	▶ <u>M58</u> — ◀	▶ <u>M55</u> — ◀	▶ <u>M5</u> (**) ◀	▶ <u>M58</u> — ◀	(**)	(**)	(**)
0860000	(vi) <b>Flower stigma</b>	▶ <u>M58</u> 0,05 (*) ◀	▶ <u>M55</u> 0,05 (*) ◀	▶ <u>M5</u> (**) ◀	▶ <u>M58</u> 0,05 (*) ◀	(**)	(**)	(**)
0860010	Saffron	▶ <u>M58</u> — ◀	▶ <u>M55</u> — ◀	▶ <u>M5</u> (**) ◀	▶ <u>M58</u> — ◀	(**)	(**)	(**)
0860990	Others	▶ <u>M58</u> — ◀	▶ <u>M55</u> — ◀	▶ <u>M5</u> (**) ◀	▶ <u>M58</u> — ◀	(**)	(**)	(**)
0870000	(vii) <b>Aril</b>	▶ <u>M58</u> 0,05 (*) ◀	▶ <u>M55</u> 0,05 (*) ◀	▶ <u>M5</u> (**) ◀	▶ <u>M58</u> 0,05 (*) ◀	(**)	(**)	(**)
0870010	Mace	▶ <u>M58</u> — ◀	▶ <u>M55</u> — ◀	▶ <u>M5</u> (**) ◀	▶ <u>M58</u> — ◀	(**)	(**)	(**)
0870990	Others	▶ <u>M58</u> — ◀	▶ <u>M55</u> — ◀	▶ <u>M5</u> (**) ◀	▶ <u>M58</u> — ◀	(**)	(**)	(**)
0900000	9. <b>SUGAR PLANTS</b>	▶ <u>M58</u> 0,01 (*) ◀	▶ <u>M55</u> 0,01 (*) ◀	▶ <u>M5</u> (**) ◀	▶ <u>M58</u> 0,01 (*) ◀	(**)	(**)	(**)
0900010	Sugar beet (root)	▶ <u>M58</u> — ◀	▶ <u>M55</u> — ◀	▶ <u>M5</u> (**) ◀	▶ <u>M58</u> — ◀	(**)	(**)	(**)
0900020	Sugar cane	▶ <u>M58</u> — ◀	▶ <u>M55</u> — ◀	▶ <u>M5</u> (**) ◀	▶ <u>M58</u> — ◀	(**)	(**)	(**)
0900030	Chicory roots	▶ <u>M58</u> — ◀	▶ <u>M55</u> — ◀	▶ <u>M5</u> (**) ◀	▶ <u>M58</u> — ◀	(**)	(**)	(**)
0900990	Others	▶ <u>M58</u> — ◀	▶ <u>M55</u> — ◀	▶ <u>M5</u> (**) ◀	▶ <u>M58</u> — ◀	(**)	(**)	(**)
1000000	10. <b>PRODUCTS OF ANIMAL ORIGIN- TERRESTRIAL ANIMALS</b>							









▼ **M2**

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)
1010000	(i) <b>Meat, preparations of meat, offals, blood, animal fats fresh chilled or frozen, salted, in brine, dried or smoked or processed as flours or meals; other processed products such as sausages and food preparations based on these</b>		▶ <b>M55</b> 0,01 (*) ◀		▶ <b>M58</b> — ◀	0,05 (*)		
1011000	(a) <i>Swine</i>							0,1
1011010	Meat	▶ <b>M58</b> 0,02 (*) ◀		▶ <b>M5</b> 0,05 (*) ◀	▶ <b>M58</b> 0,02 (*) ◀			
1011020	Fat free of lean meat	▶ <b>M58</b> 0,02 (*) ◀		▶ <b>M5</b> 0,05 (*) ◀	▶ <b>M58</b> 0,02 (*) ◀			
1011030	Liver	▶ <b>M58</b> 0,05 (*) ◀		▶ <b>M5</b> 0,2 ◀	▶ <b>M58</b> 0,05 (*) ◀			
1011040	Kidney	▶ <b>M58</b> 0,02 (*) ◀		▶ <b>M5</b> 0,2 ◀	▶ <b>M58</b> 0,02 (*) ◀			
1011050	Edible offal	▶ <b>M58</b> 0,05 (*) ◀		▶ <b>M5</b> 0,05 (*) ◀	▶ <b>M58</b> 0,05 (*) ◀			
1011990	Others	▶ <b>M58</b> 0,05 (*) ◀		▶ <b>M5</b> 0,05 (*) ◀	▶ <b>M58</b> 0,05 (*) ◀			
1012000	(b) <i>Bovine</i>							
1012010	Meat	▶ <b>M58</b> 0,02 (*) ◀		▶ <b>M5</b> 0,05 (*) ◀	▶ <b>M58</b> 0,02 (*) ◀			
1012020	Fat	▶ <b>M58</b> 0,02 (*) ◀		▶ <b>M5</b> 0,05 (*) ◀	▶ <b>M58</b> 0,02 (*) ◀			
1012030	Liver	▶ <b>M58</b> 0,05 (*) ◀		▶ <b>M5</b> 0,2 ◀	▶ <b>M58</b> 0,05 (*) ◀			

▼ M2

(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)
	▶ <u>M58</u> 0,01 (*) ◀	▶ <u>M21</u> 0,05 (*) ◀		▶ <u>M32</u> — ◀	▶ <u>M11</u> — ◀		▶ <u>M27</u> — ◀
				▶ <u>M32</u> — ◀			
▶ <u>M54</u> 0,05 ◀ ▶ <u>M54</u> 0,05 ◀ ▶ <u>M54</u> 0,3 ◀ ▶ <u>M54</u> 0,3 ◀ ▶ <u>M54</u> 0,01 (*) ◀				▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀			
▶ <u>M54</u> 0,01 (*) ◀				▶ <u>M32</u> — ◀			
				▶ <u>M32</u> — ◀			
▶ <u>M54</u> 0,05 ◀ ▶ <u>M54</u> 0,05 ◀ ▶ <u>M54</u> 0,3 ◀				▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀			

▼ M2

(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)
	▶ <u>M32</u> — ◀	▶ <u>M70</u> 0,04 (*) ◀	0,05 (*)			▶ <u>M45</u> — ◀	
	▶ <u>M32</u> — ◀			0,05 (*)		▶ <u>M45</u> — ◀	
	▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀					▶ <u>M45</u> — ◀ ▶ <u>M45</u> — ◀ ▶ <u>M45</u> — ◀ ▶ <u>M45</u> — ◀ ▶ <u>M45</u> — ◀	
	▶ <u>M32</u> — ◀					▶ <u>M45</u> — ◀	
	▶ <u>M32</u> — ◀					▶ <u>M45</u> — ◀	
	▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀			0,2 0,05 (*) 0,5		▶ <u>M45</u> — ◀ ▶ <u>M45</u> — ◀ ▶ <u>M45</u> — ◀	

▼ M2

(26)

▼ M2

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)
1012040	Kidney	► <u>M58</u> 0,02 (*) ◀		► <u>M5</u> 0,2 ◀	► <u>M58</u> 0,02 (*) ◀			
1012050	Edible offal	► <u>M58</u> 0,05 (*) ◀		► <u>M5</u> 0,05 (*) ◀	► <u>M58</u> 0,05 (*) ◀			
1012990	Others	► <u>M58</u> 0,05 (*) ◀		► <u>M5</u> 0,05 (*) ◀	► <u>M58</u> 0,05 (*) ◀			
1013000	(c) <i>Sheep</i>							
1013010	Meat	► <u>M58</u> 0,02 (*) ◀		► <u>M5</u> 0,05 (*) ◀	► <u>M58</u> 0,02 (*) ◀			
1013020	Fat	► <u>M58</u> 0,02 (*) ◀		► <u>M5</u> 0,05 (*) ◀	► <u>M58</u> 0,02 (*) ◀			
1013030	Liver	► <u>M58</u> 0,05 (*) ◀		► <u>M5</u> 0,2 ◀	► <u>M58</u> 0,05 (*) ◀			
1013040	Kidney	► <u>M58</u> 0,02 (*) ◀		► <u>M5</u> 0,2 ◀	► <u>M58</u> 0,02 (*) ◀			
1013050	Edible offal	► <u>M58</u> 0,05 (*) ◀		► <u>M5</u> 0,05 (*) ◀	► <u>M58</u> 0,05 (*) ◀			
1013990	Others	► <u>M58</u> 0,05 (*) ◀		► <u>M5</u> 0,05 (*) ◀	► <u>M58</u> 0,05 (*) ◀			
1014000	(d) <i>Goat</i>							
1014010	Meat	► <u>M58</u> 0,02 (*) ◀		► <u>M5</u> 0,05 (*) ◀	► <u>M58</u> 0,02 (*) ◀			
1014020	Fat	► <u>M58</u> 0,02 (*) ◀		► <u>M5</u> 0,05 (*) ◀	► <u>M58</u> 0,02 (*) ◀			
1014030	Liver	► <u>M58</u> 0,05 (*) ◀		► <u>M5</u> 0,2 ◀	► <u>M58</u> 0,05 (*) ◀			
1014040	Kidney	► <u>M58</u> 0,02 (*) ◀		► <u>M5</u> 0,2 ◀	► <u>M58</u> 0,02 (*) ◀			
1014050	Edible offal	► <u>M58</u> 0,05 (*) ◀		► <u>M5</u> 0,05 (*) ◀	► <u>M58</u> 0,05 (*) ◀			
1014990	Others	► <u>M58</u> 0,05 (*) ◀		► <u>M5</u> 0,05 (*) ◀	► <u>M58</u> 0,05 (*) ◀			
1015000	(e) <i>Horses, asses, mules or hinnies</i>	► <u>M58</u> — ◀	► <u>M55</u> — ◀	► <u>M5</u> (**) ◀	► <u>M58</u> — ◀	(**)	(**)	(**)
1015010	Meat	► <u>M58</u> 0,02 (*) ◀	► <u>M55</u> — ◀	► <u>M5</u> (**) ◀	► <u>M58</u> 0,02 (*) ◀	(**)	(**)	(**)
1015020	Fat	► <u>M58</u> 0,02 (*) ◀	► <u>M55</u> — ◀	► <u>M5</u> (**) ◀	► <u>M58</u> 0,02 (*) ◀	(**)	(**)	(**)
1015030	Liver	► <u>M58</u> 0,05 (*) ◀	► <u>M55</u> — ◀	► <u>M5</u> (**) ◀	► <u>M58</u> 0,05 (*) ◀	(**)	(**)	(**)

▼ M2

(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)
▶ <u>M54</u> 0,3 ◀ ▶ <u>M54</u> 0,01 (*) ◀				▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀			
▶ <u>M54</u> 0,01 (*) ◀				▶ <u>M32</u> — ◀			
				▶ <u>M32</u> — ◀			
▶ <u>M54</u> 0,05 ◀ ▶ <u>M54</u> 0,05 ◀ ▶ <u>M54</u> 0,3 ◀ ▶ <u>M54</u> 0,3 ◀ ▶ <u>M54</u> 0,01 (*) ◀				▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀			
▶ <u>M54</u> 0,01 (*) ◀				▶ <u>M32</u> — ◀			
				▶ <u>M32</u> — ◀			
▶ <u>M54</u> 0,05 ◀ ▶ <u>M54</u> 0,05 ◀ ▶ <u>M54</u> 0,3 ◀ ▶ <u>M54</u> 0,3 ◀ ▶ <u>M54</u> 0,01 (*) ◀				▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀			
▶ <u>M54</u> 0,01 (*) ◀				▶ <u>M32</u> — ◀			
▶ <u>M54</u> (**) ◀	▶ <u>M58</u> — ◀	▶ <u>M15</u> (**) ◀	▶ <u>M7</u> ▶ <u>C5</u> (**) ◀ ◀	▶ <u>M32</u> — ◀	▶ <u>M11</u> (**) ◀	(**)	▶ <u>M27</u> (**) ◀
▶ <u>M54</u> (**) ◀ ▶ <u>M54</u> (**) ◀ ▶ <u>M54</u> (**) ◀	▶ <u>M58</u> — ◀ ▶ <u>M58</u> — ◀ ▶ <u>M58</u> — ◀	▶ <u>M15</u> (**) ◀ ▶ <u>M15</u> (**) ◀ ▶ <u>M15</u> (**) ◀	▶ <u>M7</u> ▶ <u>C5</u> (**) ◀ ◀ ▶ <u>M7</u> ▶ <u>C5</u> (**) ◀ ◀ ▶ <u>M7</u> ▶ <u>C5</u> (**) ◀ ◀	▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀	▶ <u>M11</u> (**) ◀ ▶ <u>M11</u> (**) ◀ ▶ <u>M11</u> (**) ◀	(**) (**) (**)	▶ <u>M27</u> (**) ◀ ▶ <u>M27</u> (**) ◀ ▶ <u>M27</u> (**) ◀

▼ M2

(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)
	▶ <u>M32</u> — ◀			0,2		▶ <u>M45</u> — ◀	
	▶ <u>M32</u> — ◀			0,05 (*)		▶ <u>M45</u> — ◀	
	▶ <u>M32</u> — ◀			0,05 (*)		▶ <u>M45</u> — ◀	
	▶ <u>M32</u> — ◀			0,05 (*)		▶ <u>M45</u> — ◀	
	▶ <u>M32</u> — ◀					▶ <u>M45</u> — ◀	
	▶ <u>M32</u> — ◀					▶ <u>M45</u> — ◀	
	▶ <u>M32</u> — ◀					▶ <u>M45</u> — ◀	
	▶ <u>M32</u> — ◀					▶ <u>M45</u> — ◀	
	▶ <u>M32</u> — ◀			0,05 (*)		▶ <u>M45</u> — ◀	
	▶ <u>M32</u> — ◀					▶ <u>M45</u> — ◀	
	▶ <u>M32</u> — ◀					▶ <u>M45</u> — ◀	
	▶ <u>M32</u> — ◀					▶ <u>M45</u> — ◀	
	▶ <u>M32</u> — ◀					▶ <u>M45</u> — ◀	
	▶ <u>M32</u> — ◀					▶ <u>M45</u> — ◀	
(**)	▶ <u>M32</u> — ◀	▶ <u>M70</u> (**)	(**)	(**)	(**)	▶ <u>M45</u> — ◀	(**)
(**)	▶ <u>M32</u> — ◀	▶ <u>M70</u> (**)	(**)	(**)	(**)	▶ <u>M45</u> — ◀	(**)
(**)	▶ <u>M32</u> — ◀	▶ <u>M70</u> (**)	(**)	(**)	(**)	▶ <u>M45</u> — ◀	(**)





## ▼ M2

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)
1015040	Kidney	► <u>M58</u> 0,02 (*) ◀	► <u>M55</u> — ◀	► <u>M5</u> (**) ◀	► <u>M58</u> 0,02 (*) ◀	(**)	(**)	(**)
1015050	Edible offal	► <u>M58</u> 0,05 (*) ◀	► <u>M55</u> — ◀	► <u>M5</u> (**) ◀	► <u>M58</u> 0,05 (*) ◀	(**)	(**)	(**)
1015990	Others	► <u>M58</u> 0,05 (*) ◀	► <u>M55</u> — ◀	► <u>M5</u> (**) ◀	► <u>M58</u> 0,05 (*) ◀	(**)	(**)	(**)
1016000	(f) <i>Poultry -chicken, geese, duck, turkey and Guinea fowl- ostrich, pigeon</i>							0,1
1016010	Meat	► <u>M58</u> 0,02 (*) ◀		► <u>M5</u> 0,05 (*) ◀	► <u>M58</u> 0,02 (*) ◀			
1016020	Fat	► <u>M58</u> 0,02 (*) ◀		► <u>M5</u> 0,05 (*) ◀	► <u>M58</u> 0,02 (*) ◀			
1016030	Liver	► <u>M58</u> 0,05 (*) ◀		► <u>M5</u> 0,2 ◀	► <u>M58</u> 0,05 (*) ◀			
1016040	Kidney	► <u>M58</u> 0,02 (*) ◀		► <u>M5</u> 0,2 ◀	► <u>M58</u> 0,02 (*) ◀			
1016050	Edible offal	► <u>M58</u> 0,05 (*) ◀		► <u>M5</u> 0,05 (*) ◀	► <u>M58</u> 0,05 (*) ◀			
1016990	Others	► <u>M58</u> 0,05 (*) ◀		► <u>M5</u> 0,05 (*) ◀	► <u>M58</u> 0,05 (*) ◀			
1017000	(g) <i>Other farm animals</i>	► <u>M58</u> — ◀	► <u>M55</u> — ◀	► <u>M5</u> (**) ◀	► <u>M58</u> — ◀	(**)	(**)	(**)
1017010	Meat	► <u>M58</u> 0,02 (*) ◀	► <u>M55</u> — ◀	► <u>M5</u> (**) ◀	► <u>M58</u> 0,02 (*) ◀	(**)	(**)	(**)
1017020	Fat	► <u>M58</u> 0,02 (*) ◀	► <u>M55</u> — ◀	► <u>M5</u> (**) ◀	► <u>M58</u> 0,02 (*) ◀	(**)	(**)	(**)
1017030	Liver	► <u>M58</u> 0,05 (*) ◀	► <u>M55</u> — ◀	► <u>M5</u> (**) ◀	► <u>M58</u> 0,05 (*) ◀	(**)	(**)	(**)
1017040	Kidney	► <u>M58</u> 0,02 (*) ◀	► <u>M55</u> — ◀	► <u>M5</u> (**) ◀	► <u>M58</u> 0,02 (*) ◀	(**)	(**)	(**)
1017050	Edible offal	► <u>M58</u> 0,05 (*) ◀	► <u>M55</u> — ◀	► <u>M5</u> (**) ◀	► <u>M58</u> 0,05 (*) ◀	(**)	(**)	(**)
1017990	Others	► <u>M58</u> 0,05 (*) ◀	► <u>M55</u> — ◀	► <u>M5</u> (**) ◀	► <u>M58</u> 0,05 (*) ◀	(**)	(**)	(**)

▼ M2

(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)
▶ <u>M54</u> (**) ◀	▶ <u>M58</u> — ◀	▶ <u>M15</u> (**) ◀	▶ <u>M7</u> ▶ <u>C5</u> (**) ◀ ◀	▶ <u>M32</u> — ◀	▶ <u>M11</u> (**) ◀	(**)	▶ <u>M27</u> (**) ◀
▶ <u>M54</u> (**) ◀	▶ <u>M58</u> — ◀	▶ <u>M15</u> (**) ◀	▶ <u>M7</u> ▶ <u>C5</u> (**) ◀ ◀	▶ <u>M32</u> — ◀	▶ <u>M11</u> (**) ◀	(**)	▶ <u>M27</u> (**) ◀
▶ <u>M54</u> (**) ◀	▶ <u>M58</u> — ◀	▶ <u>M15</u> (**) ◀	▶ <u>M7</u> ▶ <u>C5</u> (**) ◀ ◀	▶ <u>M32</u> — ◀	▶ <u>M11</u> (**) ◀	(**)	▶ <u>M27</u> (**) ◀
				▶ <u>M32</u> — ◀			
▶ <u>M54</u> 0,05 ◀				▶ <u>M32</u> — ◀			
▶ <u>M54</u> 0,05 ◀				▶ <u>M32</u> — ◀			
▶ <u>M54</u> 0,3 ◀				▶ <u>M32</u> — ◀			
▶ <u>M54</u> 0,3 ◀				▶ <u>M32</u> — ◀			
▶ <u>M54</u> 0,01 (*) ◀				▶ <u>M32</u> — ◀			
▶ <u>M54</u> 0,01 (*) ◀				▶ <u>M32</u> — ◀			
▶ <u>M54</u> (**) ◀	▶ <u>M58</u> — ◀	▶ <u>M15</u> (**) ◀	▶ <u>M7</u> ▶ <u>C5</u> (**) ◀ ◀	▶ <u>M32</u> — ◀	▶ <u>M11</u> (**) ◀	(**)	▶ <u>M27</u> (**) ◀
▶ <u>M54</u> (**) ◀	▶ <u>M58</u> — ◀	▶ <u>M15</u> (**) ◀	▶ <u>M7</u> ▶ <u>C5</u> (**) ◀ ◀	▶ <u>M32</u> — ◀	▶ <u>M11</u> (**) ◀	(**)	▶ <u>M27</u> (**) ◀
▶ <u>M54</u> (**) ◀	▶ <u>M58</u> — ◀	▶ <u>M15</u> (**) ◀	▶ <u>M7</u> ▶ <u>C5</u> (**) ◀ ◀	▶ <u>M32</u> — ◀	▶ <u>M11</u> (**) ◀	(**)	▶ <u>M27</u> (**) ◀
▶ <u>M54</u> (**) ◀	▶ <u>M58</u> — ◀	▶ <u>M15</u> (**) ◀	▶ <u>M7</u> ▶ <u>C5</u> (**) ◀ ◀	▶ <u>M32</u> — ◀	▶ <u>M11</u> (**) ◀	(**)	▶ <u>M27</u> (**) ◀
▶ <u>M54</u> (**) ◀	▶ <u>M58</u> — ◀	▶ <u>M15</u> (**) ◀	▶ <u>M7</u> ▶ <u>C5</u> (**) ◀ ◀	▶ <u>M32</u> — ◀	▶ <u>M11</u> (**) ◀	(**)	▶ <u>M27</u> (**) ◀
▶ <u>M54</u> (**) ◀	▶ <u>M58</u> — ◀	▶ <u>M15</u> (**) ◀	▶ <u>M7</u> ▶ <u>C5</u> (**) ◀ ◀	▶ <u>M32</u> — ◀	▶ <u>M11</u> (**) ◀	(**)	▶ <u>M27</u> (**) ◀

▼ M2

(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)
(**)	▶ <u>M32</u> — ◀	▶ <u>M70</u> (**) ◀	(**)	(**)	(**)	▶ <u>M45</u> — ◀	(**)
(**)	▶ <u>M32</u> — ◀	▶ <u>M70</u> (**) ◀	(**)	(**)	(**)	▶ <u>M45</u> — ◀	(**)
(**)	▶ <u>M32</u> — ◀	▶ <u>M70</u> (**) ◀	(**)	(**)	(**)	▶ <u>M45</u> — ◀	(**)
	▶ <u>M32</u> — ◀					▶ <u>M45</u> — ◀	
	▶ <u>M32</u> — ◀			0,05 (*)		▶ <u>M45</u> — ◀	
	▶ <u>M32</u> — ◀			0,05 (*)		▶ <u>M45</u> — ◀	
	▶ <u>M32</u> — ◀			0,05 (*)		▶ <u>M45</u> — ◀	
	▶ <u>M32</u> — ◀			0,1		▶ <u>M45</u> — ◀	
	▶ <u>M32</u> — ◀			0,05 (*)		▶ <u>M45</u> — ◀	
	▶ <u>M32</u> — ◀			0,05 (*)		▶ <u>M45</u> — ◀	
(**)	▶ <u>M32</u> — ◀	▶ <u>M70</u> (**) ◀	(**)	(**)	(**)	▶ <u>M45</u> — ◀	(**)
(**)	▶ <u>M32</u> — ◀	▶ <u>M70</u> (**) ◀	(**)	(**)	(**)	▶ <u>M45</u> — ◀	(**)
(**)	▶ <u>M32</u> — ◀	▶ <u>M70</u> (**) ◀	(**)	(**)	(**)	▶ <u>M45</u> — ◀	(**)
(**)	▶ <u>M32</u> — ◀	▶ <u>M70</u> (**) ◀	(**)	(**)	(**)	▶ <u>M45</u> — ◀	(**)
(**)	▶ <u>M32</u> — ◀	▶ <u>M70</u> (**) ◀	(**)	(**)	(**)	▶ <u>M45</u> — ◀	(**)
(**)	▶ <u>M32</u> — ◀	▶ <u>M70</u> (**) ◀	(**)	(**)	(**)	▶ <u>M45</u> — ◀	(**)

▼ M2

(26)
(**)
(**)
(**)
(**)
(**)
(**)
(**)
(**)
(**)
(**)

▼ **M2**

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)
1020000	(ii) <b>Milk and cream, not concentrated, nor containing added sugar or sweetening matter, butter and other fats derived from milk, cheese and curd</b>	► <b>M58</b> 0,02 (*) ◀	► <b>M55</b> 0,01 (*) ◀	► <b>M5</b> 0,02 ◀	► <b>M58</b> 0,02 (*) ◀	0,05 (*)		
1020010	Cattle							
1020020	Sheep							
1020030	Goat							
1020040	Horse							
1020990	Others							
1030000	(iii) <b>Birds' eggs, fresh preserved or cooked; Shelled eggs and egg yolks fresh, dried, cooked by steaming or boiling in water, moulded, frozen or otherwise preserved whether or not containing added sugar or sweetening matter</b>	► <b>M58</b> 0,02 (*) ◀	► <b>M55</b> 0,01 (*) ◀	► <b>M5</b> 0,05 (*) ◀	► <b>M58</b> 0,02 (*) ◀	0,05 (*)		0,1 (*)
1030010	Chicken							
1030020	Duck	► <b>M58</b> — ◀	► <b>M55</b> — ◀	► <b>M5</b> (**) ◀	► <b>M58</b> — ◀	(**)	(**)	(**)
1030030	Goose	► <b>M58</b> — ◀	► <b>M55</b> — ◀	► <b>M5</b> (**) ◀	► <b>M58</b> — ◀	(**)	(**)	(**)

▼ M2

(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)
▶ <u>M54</u> 0,03 ◀	▶ <u>M58</u> 0,01 (*) ◀	▶ <u>M21</u> 0,05 (*) ◀		▶ <u>M32</u> — ◀	▶ <u>M11</u> — ◀		▶ <u>M27</u> — ◀
				▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀			
				▶ <u>M32</u> — ◀			
▶ <u>M54</u> 0,01 (*) ◀	▶ <u>M58</u> 0,01 (*) ◀	▶ <u>M21</u> 0,05 (*) ◀		▶ <u>M32</u> — ◀	▶ <u>M11</u> — ◀		▶ <u>M27</u> — ◀
▶ <u>M54</u> (**) ◀	▶ <u>M58</u> — ◀	▶ <u>M15</u> (**) ◀	▶ <u>M7</u> ▶ <u>C5</u> (**) ◀ ◀	▶ <u>M32</u> — ◀	▶ <u>M11</u> (**) ◀	(**)	▶ <u>M27</u> (**) ◀
▶ <u>M54</u> (**) ◀	▶ <u>M58</u> — ◀	▶ <u>M15</u> (**) ◀	▶ <u>M7</u> ▶ <u>C5</u> (**) ◀ ◀	▶ <u>M32</u> — ◀	▶ <u>M11</u> (**) ◀	(**)	▶ <u>M27</u> (**) ◀

▼ M2

(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)
	▶ <u>M32</u> — ◀	▶ <u>M70</u> 0,02 (*) ◀	0,05 (*)	0,1		▶ <u>M45</u> — ◀	
	▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀					▶ <u>M45</u> — ◀ ▶ <u>M45</u> — ◀ ▶ <u>M45</u> — ◀ ▶ <u>M45</u> — ◀	
	▶ <u>M32</u> — ◀					▶ <u>M45</u> — ◀	
	▶ <u>M32</u> — ◀	▶ <u>M70</u> 0,04* ◀	0,05 (*)	0,01 (*)		▶ <u>M45</u> — ◀	
(**)	▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀	▶ <u>M70</u> (**) ◀	(**)	(**)	(**)	▶ <u>M45</u> — ◀ ▶ <u>M45</u> — ◀	(**)
(**)	▶ <u>M32</u> — ◀	▶ <u>M70</u> (**) ◀	(**)	(**)	(**)	▶ <u>M45</u> — ◀	(**)





▼ M2

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)
1030040	Quail	▶ <u>M58</u> — ◀	▶ <u>M55</u> — ◀	▶ <u>M5</u> (**) ◀	▶ <u>M58</u> — ◀	(**)	(**)	(**)
1030990	Others	▶ <u>M58</u> — ◀	▶ <u>M55</u> — ◀	▶ <u>M5</u> (**) ◀	▶ <u>M58</u> — ◀	(**)	(**)	(**)
1040000	(iv) Honey	▶ <u>M58</u> 0,05 (*) ◀	▶ <u>M55</u> 0,05 (*) ◀	▶ <u>M5</u> (**) ◀	▶ <u>M58</u> 0,05 (*) ◀	(**)	(**)	(**)
1050000	(v) Amphibians and reptiles	▶ <u>M58</u> 0,02 (*) ◀	▶ <u>M55</u> 0,01 (*) ◀	▶ <u>M5</u> (**) ◀	▶ <u>M58</u> 0,02 (*) ◀	(**)	(**)	(**)
1060000	(vi) Snails	▶ <u>M58</u> 0,02 (*) ◀	▶ <u>M55</u> 0,01 (*) ◀	▶ <u>M5</u> (**) ◀	▶ <u>M58</u> 0,02 (*) ◀	(**)	(**)	(**)
1070000	(vii) Other terrestrial animal products	▶ <u>M58</u> 0,02 (*) ◀	▶ <u>M55</u> 0,01 (*) ◀	▶ <u>M5</u> (**) ◀	▶ <u>M58</u> 0,02 (*) ◀	(**)	(**)	(**)

▼ M2

(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)
▶ <u>M54</u> (**) ◀	▶ <u>M58</u> — ◀	▶ <u>M15</u> (**) ◀	▶ <u>M7</u> ▶ <u>C5</u> (**) ◀ ◀	▶ <u>M32</u> — ◀	▶ <u>M11</u> (**) ◀	(**)	▶ <u>M27</u> (**) ◀
▶ <u>M54</u> (**) ◀	▶ <u>M58</u> — ◀	▶ <u>M15</u> (**) ◀	▶ <u>M7</u> ▶ <u>C5</u> (**) ◀ ◀	▶ <u>M32</u> — ◀	▶ <u>M11</u> (**) ◀	(**)	▶ <u>M27</u> (**) ◀
▶ <u>M54</u> (**) ◀	▶ <u>M58</u> 0,05 (*) ◀	▶ <u>M15</u> (**) ◀	▶ <u>M7</u> ▶ <u>C5</u> (**) ◀ ◀	▶ <u>M32</u> — ◀	▶ <u>M11</u> (**) ◀	(**)	▶ <u>M27</u> (**) ◀
▶ <u>M54</u> (**) ◀	▶ <u>M58</u> 0,01 (*) ◀	▶ <u>M15</u> (**) ◀	▶ <u>M7</u> ▶ <u>C5</u> (**) ◀ ◀	▶ <u>M32</u> — ◀	▶ <u>M11</u> (**) ◀	(**)	▶ <u>M27</u> (**) ◀
▶ <u>M54</u> (**) ◀	▶ <u>M58</u> 0,01 (*) ◀	▶ <u>M15</u> (**) ◀	▶ <u>M7</u> ▶ <u>C5</u> (**) ◀ ◀	▶ <u>M32</u> — ◀	▶ <u>M11</u> (**) ◀	(**)	▶ <u>M27</u> (**) ◀
▶ <u>M54</u> (**) ◀	▶ <u>M58</u> 0,01 (*) ◀	▶ <u>M15</u> (**) ◀	▶ <u>M7</u> ▶ <u>C5</u> (**) ◀ ◀	▶ <u>M32</u> — ◀	▶ <u>M11</u> (**) ◀	(**)	▶ <u>M27</u> (**) ◀

▼ M2

(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)
(**)	▶ <u>M32</u> — ◀	▶ <u>M70</u> (**) ◀	(**)	(**)	(**)	▶ <u>M45</u> — ◀	(**)
(**)	▶ <u>M32</u> — ◀	▶ <u>M70</u> (**) ◀	(**)	(**)	(**)	▶ <u>M45</u> — ◀	(**)
(**)	▶ <u>M32</u> — ◀	▶ <u>M70</u> (**) ◀	(**)	(**)	(**)	▶ <u>M45</u> — ◀	(**)
(**)	▶ <u>M32</u> — ◀	▶ <u>M70</u> (**) ◀	(**)	(**)	(**)	▶ <u>M45</u> — ◀	(**)
(**)	▶ <u>M32</u> — ◀	▶ <u>M70</u> (**) ◀	(**)	(**)	(**)	▶ <u>M45</u> — ◀	(**)
(**)	▶ <u>M32</u> — ◀	▶ <u>M70</u> (**) ◀	(**)	(**)	(**)	▶ <u>M45</u> — ◀	(**)

▼ M2

(26)
(**)
(**)
(**)
(**)
(**)
(**)

▼ **M5***Pesticide residues and maximum residue levels (mg/kg)*

Code number	Groups and examples of individual products to which the MRLs apply <sup>(a)</sup>	Permethrin (sum of isomers)	Propham
(1)	(2)	(3)	(4)
0100000	1. <b>FRUIT FRESH OR FROZEN; NUTS</b>	0,05 (*)	0,05 (*)
0110000	(i) <b>Citrus fruit</b>		
0110010	Grapefruit		
0110020	Oranges		
0110030	Lemons		
0110040	Limes		
0110050	Mandarins		
0110990	Others		
0120000	(ii) <b>Tree nuts (shelled or unshelled)</b>		
0120010	Almonds		
0120020	Brazil nuts		
0120030	Cashew nuts		
0120040	Chestnuts		
0120050	Coconuts		
0120060	Hazelnuts		
0120070	Macadamia		
0120080	Pecans		
0120090	Pine nuts		
0120100	Pistachios		
0120110	Walnuts		
0120990	Others		
0130000	(iii) <b>Pome fruit</b>		
0130010	Apples		
0130020	Pears		
0130030	Quinces		
0130040	Medlar	(**)	(**)
0130050	Loquat	(**)	(**)
0130990	Others		
0140000	(iv) <b>Stone fruit</b>		
0140010	Apricots		
0140020	Cherries		
0140030	Peaches		
0140040	Plums		
0140990	Others		

▼ **M5**

(1)	(2)	(3)	(4)
0150000	(v) <b>Berries &amp; small fruit</b>		
0151000	(a) <i>Table and wine grapes</i>		
0151010	Table grapes		
0151020	Wine grapes		
0152000	(b) <i>Strawberries</i>		
0153000	(c) <i>Cane fruit</i>		
0153010	Blackberries		
0153020	Dewberries		
0153030	Raspberries		
0153990	Others		
0154000	(d) <i>Other small fruit &amp; berries</i>		
0154010	Blueberries		
0154020	Cranberries		
0154030	Currants (red, black and white)		
0154040	Gooseberries		
0154050	Rose hips	(**)	(**)
0154060	Mulberries	(**)	(**)
0154070	Azarole (mediteranean medlar)	(**)	(**)
0154080	Elderberries	(**)	(**)
0154990	Others		
0160000	(vi) <b>Miscellaneous fruit</b>		
0161000	(a) <i>Edible peel</i>		
0161010	Dates		
0161020	Figs		
0161030	Table olives		
0161040	Kumquats		
0161050	Carambola	(**)	(**)
0161060	Persimmon	(**)	(**)
0161070	Jambolan (java plum)	(**)	(**)
0161990	Others		
0162000	(b) <i>Inedible peel, small</i>		
0162010	Kiwi		
0162020	Lychee (Litchi)		
0162030	Passion fruit		
0162040	Prickly pear (cactus fruit)	(**)	(**)

## ▼ M5

(1)	(2)	(3)	(4)
0162050	Star apple	(**)	(**)
0162060	American persimmon (Virginia kaki)	(**)	(**)
0162990	Others		
0163000	(c) <i>Inedible peel, large</i>		
0163010	Avocados		
0163020	Bananas		
0163030	Mangoes		
0163040	Papaya		
0163050	Pomegranate		
0163060	Cherimoya	(**)	(**)
0163070	Guava	(**)	(**)
0163080	Pineapples		
0163090	Bread fruit	(**)	(**)
0163100	Durian	(**)	(**)
0163110	Soursop (guanabana)	(**)	(**)
0163990	Others		
0200000	<b>2. VEGETABLES FRESH OR FROZEN</b>	0,05 (*)	0,05 (*)
0210000	(i) <b>Root and tuber vegetables</b>		
0211000	(a) <i>Potatoes</i>		
0212000	(b) <i>Tropical root and tuber vegetables</i>		
0212010	Cassava		
0212020	Sweet potatoes		
0212030	Yams		
0212040	Arrowroot	(**)	(**)
0212990	Others		
0213000	(c) <i>Other root and tuber vegetables except sugar beet</i>		
0213010	Beetroot		
0213020	Carrots		
0213030	Celeriac		
0213040	Horseradish		
0213050	Jerusalem artichokes		
0213060	Parsnips		



▼ **M5**

(1)	(2)	(3)	(4)
0213070	Parsley root		
0213080	Radishes		
0213090	Salsify		
0213100	Swedes		
0213110	Turnips		
0213990	Others		
0220000	(ii) <b>Bulb vegetables</b>		
0220010	Garlic		
0220020	Onions		
0220030	Shallots		
0220040	Spring onions		
0220990	Others		
0230000	(iii) <b>Fruiting vegetables</b>		
0231000	(a) <i>Solanacea</i>		
0231010	Tomatoes		
0231020	Peppers		
0231030	Aubergines (egg plants)		
0231040	Okra, lady's fingers		
0231990	Others		
0232000	(b) <i>Cucurbits — edible peel</i>		
0232010	Cucumbers		
0232020	Gherkins		
0232030	Courgettes		
0232990	Others		
0233000	(c) <i>Cucurbits — inedible peel</i>		
0233010	Melons		
0233020	Pumpkins		
0233030	Watermelons		
0233990	Others		
0234000	(d) <i>Sweet corn</i>		
0239000	(e) <i>Other fruiting vegetables</i>		
0240000	(iv) <b>Brassica vegetables</b>		
0241000	(a) <i>Flowering brassica</i>		
0241010	Broccoli		
0241020	Cauliflower		
0241990	Others		
0242000	(b) <i>Head brassica</i>		
0242010	Brussels sprouts		

## ▼ M5

(1)	(2)	(3)	(4)
0242020	Head cabbage		
0242990	Others		
0243000	(c) <i>Leafy brassica</i>		
0243010	Chinese cabbage		
0243020	Kale		
0243990	Others		
0244000	(d) <i>Kohlrabi</i>		
0250000	(v) <b>Leaf vegetables &amp; fresh herbs</b>		
0251000	(a) <i>Lettuce and other salad plants including Brassicaceae</i>		
0251010	Lamb's lettuce		
0251020	Lettuce		
0251030	Scarole (broad-leaf endive)		
0251040	Cress		
0251050	Land cress	(**)	(**)
0251060	Rocket, Rucola		
0251070	Red mustard	(**)	(**)
0251080	Leaves and sprouts of <i>Brassica spp.</i>		
0251990	Others		
0252000	(b) <i>Spinach &amp; similar (leaves)</i>		
0252010	Spinach		
0252020	Purslane	(**)	(**)
0252030	Beet leaves (chard)		
0252990	Others		
0253000	(c) <i>Vine leaves (grape leaves)</i>	(**)	(**)
0254000	(d) <i>Water cress</i>		
0255000	(e) <i>Witloof</i>		
0256000	(f) <i>Herbs</i>		
0256010	Chervil		
0256020	Chives		
0256030	Celery leaves		
0256040	Parsley		
0256050	Sage	(**)	(**)
0256060	Rosemary	(**)	(**)
0256070	Thyme	(**)	(**)
0256080	Basil	(**)	(**)
0256090	Bay leaves (laurel)	(**)	(**)
0256100	Tarragon	(**)	(**)
0256990	Others		

▼ **M5**

(1)	(2)	(3)	(4)
0260000	(vi) <b>Legume vegetables (fresh)</b>		
0260010	Beans (with pods)		
0260020	Beans (without pods)		
0260030	Peas (with pods)		
0260040	Peas (without pods)		
0260050	Lentils		
0260990	Others		
0270000	(vii) <b>Stem vegetables (fresh)</b>		
0270010	Asparagus		
0270020	Cardoons		
0270030	Celery		
0270040	Fennel		
0270050	Globe artichokes		
0270060	Leek		
0270070	Rhubarb		
0270080	Bamboo shoots	(**)	(**)
0270090	Palm hearts	(**)	(**)
0270990	Others		
0280000	(viii) <b>Fungi</b>		
0280010	Cultivated		
0280020	Wild		
0280990	Others		
0290000	(ix) <b>Sea weeds</b>	(**)	(**)
0300000	3. <b>PULSES, DRY</b>	0,05 (*)	0,05 (*)
0300010	Beans		
0300020	Lentils		
0300030	Peas		
0300040	Lupins		
0300990	Others		
0400000	4. <b>OILSEEDS AND OILFRUITS</b>	0,05 (*)	0,05 (*)
0401000	(i) <b>Oilseeds</b>		
0401010	Linseed		
0401020	Peanuts		
0401030	Poppy seed		
0401040	Sesame seed		
0401050	Sunflower seed		
0401060	Rape seed		
0401070	Soya bean		
0401080	Mustard seed		

▼ **M5**

(1)	(2)	(3)	(4)
0401090	Cotton seed		
0401100	Pumpkin seeds		
0401110	Safflower	(**)	(**)
0401120	Borage	(**)	(**)
0401130	Gold of pleasure	(**)	(**)
0401140	Hempseed		
0401150	Castor bean	(**)	(**)
0401990	Others		
0402000	(ii) <b>Oilfruits</b>		
0402010	Olives for oil production		
0402020	Palm nuts (palmoil kernels)	(**)	(**)
0402030	Palmfruit	(**)	(**)
0402040	Kapok	(**)	(**)
0402990	Others		
0500000	5. <b>CEREALS</b>	0,05 (*)	0,05 (*)
0500010	Barley		
0500020	Buckwheat		
0500030	Maize		
0500040	Millet		
0500050	Oats		
0500060	Rice		
0500070	Rye		
0500080	Sorghum		
0500090	Wheat		
0500990	Others		
0600000	6. <b>TEA, COFFEE, HERBAL INFUSIONS AND COCOA</b>	0,1 (*)	0,1 (*)
0610000	(i) <b>Tea (dried leaves and stalks, fermented or otherwise of <i>Camellia sinensis</i>)</b>		
0620000	(ii) <b>Coffee beans</b>	(**)	(**)
0630000	(iii) <b>Herbal infusions (dried)</b>	(**)	(**)
0631000	(a) <i>Flowers</i>	(**)	(**)
0631010	Camomille flowers	(**)	(**)
0631020	Hybiscus flowers	(**)	(**)
0631030	Rose petals	(**)	(**)
0631040	Jasmine flowers	(**)	(**)
0631050	Lime (linden)	(**)	(**)
0631990	Others	(**)	(**)

## ▼M5

(1)	(2)	(3)	(4)
0632000	(b) <i>Leaves</i>	(**)	(**)
0632010	Strawberry leaves	(**)	(**)
0632020	Rooibos leaves	(**)	(**)
0632030	Maté	(**)	(**)
0632990	Others	(**)	(**)
0633000	(c) <i>Roots</i>	(**)	(**)
0633010	Valerian root	(**)	(**)
0633020	Ginseng root	(**)	(**)
0633990	Others	(**)	(**)
0639000	(d) <i>Other herbal infusions</i>	(**)	(**)
0640000	(iv) <b>Cocoa (fermented beans)</b>	(**)	(**)
0650000	(v) <b>Carob (st johns bread)</b>	(**)	(**)
0700000	7. <b>HOPS (dried), including hop pellets and unconcentrated powder</b>	0,1 (*)	0,1 (*)
0800000	8. <b>SPICES</b>	(**)	(**)
0810000	(i) <b>Seeds</b>	(**)	(**)
0810010	Anise	(**)	(**)
0810020	Black caraway	(**)	(**)
0810030	Celery seed	(**)	(**)
0810040	Coriander seed	(**)	(**)
0810050	Cumin seed	(**)	(**)
0810060	Dill seed	(**)	(**)
0810070	Fennel seed	(**)	(**)
0810080	Fenugreek	(**)	(**)
0810090	Nutmeg	(**)	(**)
0810990	Others	(**)	(**)
0820000	(ii) <b>Fruits and berries</b>	(**)	(**)
0820010	Allspice	(**)	(**)
0820020	Anise pepper (Japan pepper)	(**)	(**)
0820030	Caraway	(**)	(**)
0820040	Cardamom	(**)	(**)
0820050	Juniper berries	(**)	(**)
0820060	Pepper, black and white	(**)	(**)
0820070	Vanilla pods	(**)	(**)
0820080	Tamarind	(**)	(**)
0820990	Others	(**)	(**)

▼ **M5**

(1)	(2)	(3)	(4)
0830000	(iii) <b>Bark</b>	(**)	(**)
0830010	Cinnamon	(**)	(**)
0830990	Others	(**)	(**)
0840000	(iv) <b>Roots or rhizome</b>	(**)	(**)
0840010	Liquorice	(**)	(**)
0840020	Ginger	(**)	(**)
0840030	Turmeric (Curcuma)	(**)	(**)
0840040	Horseradish	(**)	(**)
0840990	Others	(**)	(**)
0850000	(v) <b>Buds</b>	(**)	(**)
0850010	Cloves	(**)	(**)
0850020	Capers	(**)	(**)
0850990	Others	(**)	(**)
0860000	(vi) <b>Flower stigma</b>	(**)	(**)
0860010	Saffron	(**)	(**)
0860990	Others	(**)	(**)
0870000	(vii) <b>Aril</b>	(**)	(**)
0870010	Mace	(**)	(**)
0870990	Others	(**)	(**)
0900000	<b>9. SUGAR PLANTS</b>	(**)	(**)
0900010	Sugar beet (root)	(**)	(**)
0900020	Sugar cane	(**)	(**)
0900030	Chicory roots	(**)	(**)
0900990	Others	(**)	(**)
1000000	<b>10. PRODUCTS OF ANIMAL ORIGIN — TERRESTRIAL ANIMALS</b>		
1010000	(i) <b>Meat, preparations of meat, offals, blood, animal fats fresh chilled or frozen, salted, in brine, dried or smoked or processed as flours or meals; other processed products such as sausages and food preparations based on these</b>	0,05 (*)	0,05 (*)
1011000	(a) <i>Swine</i>		
1011010	Meat		

▼ **M5**

(1)	(2)	(3)	(4)
1011020	Fat free of lean meat		
1011030	Liver		
1011040	Kidney		
1011050	Edible offal		
1011990	Others		
1012000	(b) <i>Bovine</i>		
1012010	Meat		
1012020	Fat		
1012030	Liver		
1012040	Kidney		
1012050	Edible offal		
1012990	Others		
1013000	(c) <i>Sheep</i>		
1013010	Meat		
1013020	Fat		
1013030	Liver		
1013040	Kidney		
1013050	Edible offal		
1013990	Others		
1014000	(d) <i>Goat</i>		
1014010	Meat		
1014020	Fat		
1014030	Liver		
1014040	Kidney		
1014050	Edible offal		
1014990	Others		
1015000	(e) <i>Horses, asses, mules or hinnies</i>	(**)	(**)
1015010	Meat	(**)	(**)
1015020	Fat	(**)	(**)
1015030	Liver	(**)	(**)
1015040	Kidney	(**)	(**)
1015050	Edible offal	(**)	(**)
1015990	Others	(**)	(**)

▼ **M5**

(1)	(2)	(3)	(4)
1016000	(f) <i>Poultry — chicken, geese, duck, turkey and Guinea fowl —, ostrich, pigeon</i>		
1016010	Meat		
1016020	Fat		
1016030	Liver		
1016040	Kidney		
1016050	Edible offal		
1016990	Others		
1017000	(g) <i>Other farm animals</i>	(**)	(**)
1017010	Meat	(**)	(**)
1017020	Fat	(**)	(**)
1017030	Liver	(**)	(**)
1017040	Kidney	(**)	(**)
1017050	Edible offal	(**)	(**)
1017990	Others	(**)	(**)
1020000	(ii) <b>Milk and cream, not concentrated, nor containing added sugar or sweetening matter, butter and other fats derived from milk, cheese and curd</b>	0,05 (*)	0,05 (*)
1020010	Cattle		
1020020	Sheep		
1020030	Goat		
1020040	Horse		
1020990	Others		
1030000	(iii) <b>Birds' eggs, fresh preserved or cooked; Shelled eggs and egg yolks fresh, dried, cooked by steaming or boiling in water, moulded, frozen or otherwise preserved whether or not containing added sugar or sweetening matter</b>	0,05 (*)	0,05 (*)
1030010	Chicken		
1030020	Duck	(**)	(**)
1030030	Goose	(**)	(**)



▼ **M5**

(1)	(2)	(3)	(4)
1030040	Quail	(**)	(**)
1030990	Others	(**)	(**)
1040000	(iv) <b>Honey</b>	(**)	(**)
1050000	(v) <b>Amphibians and reptiles</b>	(**)	(**)
1060000	(vi) <b>Snails</b>	(**)	(**)
1070000	(vii) <b>Other terrestrial animal products</b>	(**)	(**)

▼ **M10****Pesticide residues and maximum residue levels (mg/kg)**

Code number	Groups and examples of individual products to which the MRLs apply <sup>(a)</sup>	► <b>M61</b> 2-phenylphenol ◀
(1)	(2)	(3)
0100000	<b>1. FRUIT FRESH OR FROZEN; NUTS</b>	
0110000	(i) <b>Citrus fruit</b>	► <b>M61</b> 5 (+) ◀
0110010	Grapefruit	
0110020	Oranges	
0110030	Lemons	
0110040	Limes	
0110050	Mandarins	
0110990	Others	
0120000	(ii) <b>Tree nuts (shelled or unshelled)</b>	► <b>M61</b> 0,1 (*) ◀
0120010	Almonds	
0120020	Brazil nuts	
0120030	Cashew nuts	
0120040	Chestnuts	
0120050	Coconuts	
0120060	Hazelnuts	
0120070	Macadamia	
0120080	Pecans	
0120090	Pine nuts	
0120100	Pistachios	
0120110	Walnuts	
0120990	Others	
0130000	(iii) <b>Pome fruit</b>	► <b>M61</b> 0,05 (*) ◀
0130010	Apples	
0130020	Pears	
0130030	Quinces	
0130040	Medlar	► <b>M61</b> (**) ◀
0130050	Loquat	► <b>M61</b> (**) ◀
0130990	Others	
0140000	(iv) <b>Stone fruit</b>	► <b>M61</b> 0,05 (*) ◀
0140010	Apricots	
0140020	Cherries	
0140030	Peaches	
0140040	Plums	
0140990	Others	
0150000	(v) <b>Berries and small fruit</b>	► <b>M61</b> 0,05 (*) ◀
0151000	(a) <i>Table and wine grapes</i>	
0151010	Table grapes	
0151020	Wine grapes	
0152000	(b) <i>Strawberries</i>	

▼ **M10**

(1)	(2)	(3)
0153000	(c) <i>Cane fruit</i>	
0153010	Blackberries	
0153020	Dewberries	
0153030	Raspberries	
0153990	Others	
0154000	(d) <i>Other small fruit and berries</i>	
0154010	Blueberries	
0154020	Cranberries	
0154030	Currants (red, black and white)	
0154040	Gooseberries	
0154050	Rose hips	► <b>M61</b> (**) ◀
0154060	Mulberries	► <b>M61</b> (**) ◀
0154070	Azarole (Mediterranean medlar)	► <b>M61</b> (**) ◀
0154080	Elderberries	► <b>M61</b> (**) ◀
0154990	Others	
0160000	(vi) <b>Miscellaneous fruit</b>	► <b>M61</b> 0,05 (*) ◀
0161000	(a) <i>Edible peel</i>	
0161010	Dates	
0161020	Figs	
0161030	Table olives	
0161040	Kumquats	
0161050	Carambola	► <b>M61</b> (**) ◀
0161060	Persimmon	► <b>M61</b> (**) ◀
0161070	Jambolan (java plum)	► <b>M61</b> (**) ◀
0161990	Others	
0162000	(b) <i>Inedible peel, small</i>	
0162010	Kiwi	
0162020	Lychee (Litchi)	
0162030	Passion fruit	
0162040	Prickly pear (cactus fruit)	► <b>M61</b> (**) ◀
0162050	Star apple	► <b>M61</b> (**) ◀
0162060	American persimmon (Virginia kaki)	► <b>M61</b> (**) ◀
0162990	Others	
0163000	(c) <i>Inedible peel, large</i>	
0163010	Avocados	
0163020	Bananas	
0163030	Mangoes	
0163040	Papaya	

▼ **M10**

(1)	(2)	(3)
0163050	Pomegranate	
0163060	Cherimoya (Custard apple, sugar apple (sweetsop), llama and other medium sized Annonaceae)	► <b>M61</b> (**) ◀
0163070	Guava	► <b>M61</b> (**) ◀
0163080	Pineapples	
0163090	Bread fruit	► <b>M61</b> (**) ◀
0163100	Durian	► <b>M61</b> (**) ◀
0163110	Soursop (guanabana)	► <b>M61</b> (**) ◀
0163990	Others	
0200000	<b>2. VEGETABLES FRESH OR FROZEN</b>	► <b>M61</b> 0,05 (*) ◀
0210000	<b>(i) Root and tuber vegetables</b>	
0211000	(a) <i>Potatoes</i>	
0212000	(b) <i>Tropical root and tuber vegetables</i>	
0212010	Cassava	
0212020	Sweet potatoes	
0212030	Yams	
0212040	Arrowroot	► <b>M61</b> (**) ◀
0212990	Others	
0213000	(c) <i>Other root and tuber vegetables except sugar beet</i>	
0213010	Beetroot	
0213020	Carrots	
0213030	Celeriac	
0213040	Horseradish	
0213050	Jerusalem artichokes	
0213060	Parsnips	
0213070	Parsley root	
0213080	Radishes	
0213090	Salsify	
0213100	Swedes	
0213110	Turnips	
0213990	Others	
0220000	<b>(ii) Bulb vegetables</b>	
0220010	Garlic	
0220020	Onions	
0220030	Shallots	
0220040	Spring onions	
0220990	Others	

▼ **M10**

(1)	(2)	(3)
0230000	(iii) <b>Fruiting vegetables</b>	
0231000	(a) <i>Solanacea</i>	
0231010	Tomatoes	
0231020	Peppers	
0231030	Aubergines	
0231040	Okra, lady's fingers	
0231990	Others	
0232000	(b) <i>Cucurbits — edible peel</i>	
0232010	Cucumbers	
0232020	Gherkins	
0232030	Courgettes (Summer squash, marrow (patisson))	
0232990	Others	
0233000	(c) <i>Cucurbitsinedible peel</i>	
0233010	Melons	
0233020	Pumpkins	
0233030	Watermelons	
0233990	Others	
0234000	(d) <i>Sweet corn</i>	
0239000	(e) <i>Other fruiting vegetables</i>	
0240000	(iv) <b>Brassica vegetables</b>	
0241000	(a) <i>Flowering brassica</i>	
0241010	Broccoli	
0241020	Cauliflower	
0241990	Others	
0242000	(b) <i>Head brassica</i>	
0242010	Brussels sprouts	
0242020	Head cabbage	
0242990	Others	
0243000	(c) <i>Leafy brassica</i>	
0243010	Chinese cabbage	
0243020	Kale	
0243990	Others	
0244000	(d) <i>Kohlrabi</i>	
0250000	(v) <b>Leaf vegetables and fresh herbs</b>	
0251000	(a) <i>Lettuce and other salad plants including Brassicacea</i>	
0251010	Lamb's lettuce	
0251020	Lettuce	

▼ **M10**

(1)	(2)	(3)
0251030	Scarole	
0251040	Cress	
0251050	Land cress	► <b>M61</b> (**) ◀
0251060	Rocket, Rucola	
0251070	Red mustard	► <b>M61</b> (**) ◀
0251080	Leaves and sprouts of Brassica spp.	
0251990	Others	
0252000	(b) <i>Spinach and similar (leaves)</i>	
0252010	Spinach	
0252020	Purslane	► <b>M61</b> (**) ◀
0252030	Beet leaves (chard)	
0252990	Others	
0253000	(c) <i>Vine leaves (grape leaves)</i>	► <b>M61</b> (**) ◀
0254000	(d) <i>Water cress</i>	
0255000	(e) <i>Witloof</i>	
0256000	(f) <i>Herbs</i>	
0256010	Chervil	
0256020	Chives	
0256030	Celery leaves	
0256040	Parsley	
0256050	Sage	► <b>M61</b> (**) ◀
0256060	Rosemary	► <b>M61</b> (**) ◀
0256070	Thyme	► <b>M61</b> (**) ◀
0256080	Basil	► <b>M61</b> (**) ◀
0256090	Bay leaves	► <b>M61</b> (**) ◀
0256100	Tarragon	► <b>M61</b> (**) ◀
0256990	Others	
0260000	(vi) <b>Legume vegetables (fresh)</b>	
0260010	Beans (with pods)	
0260020	Beans (without pods)	
0260030	Peas (with pods)	
0260040	Peas (without pods)	
0260050	Lentils	
0260990	Others	
0270000	(vii) <b>Stem vegetables (fresh)</b>	
0270010	Asparagus	
0270020	Cardoons	
0270030	Celery	
0270040	Fennel	

▼ **M10**

(1)	(2)	(3)
0270050	Globe artichokes	
0270060	Leek	
0270070	Rhubarb	
0270080	Bamboo shoots	► <b>M61</b> (**) ◀
0270090	Palm hearts	► <b>M61</b> (**) ◀
0270990	Others	
0280000	(viii) <b>Fungi</b>	
0280010	Cultivated	
0280020	Wild	
0280990	Others	
0290000	(ix) <b>Sea weeds</b>	► <b>M61</b> (**) ◀
0300000	3. <b>PULSES, DRY</b>	► <b>M61</b> 0,05 (*) ◀
0300010	Beans	
0300020	Lentils	
0300030	Peas	
0300040	Lupins	
0300990	Others	
0400000	4. <b>OILSEEDS AND OILFRUITS</b>	
0401000	(i) <b>Oilseeds</b>	► <b>M61</b> 0,1 (*) ◀
0401010	Linseed	
0401020	Peanuts	
0401030	Poppy seed	
0401040	Sesame seed	
0401050	Sunflower seed	
0401060	Rape seed	
0401070	Soya bean	
0401080	Mustard seed	
0401090	Cotton seed	
0401100	Pumpkin seeds	
0401110	Safflower	► <b>M61</b> (**) ◀
0401120	Borage	► <b>M61</b> (**) ◀
0401130	Gold of pleasure	► <b>M61</b> (**) ◀
0401140	Hempseed	
0401150	Castor bean	► <b>M61</b> (**) ◀
0401990	Others	
0402000	(ii) <b>Oilfruits</b>	
0402010	Olives for oil production	► <b>M61</b> 0,05 (*) ◀
0402020	Palm nuts (palmoil kernels)	► <b>M61</b> (**) ◀
0402030	Palmfruit	► <b>M61</b> (**) ◀

▼ **M10**

(1)	(2)	(3)
0402040	Kapok	► <b>M61</b> (**) ◀
0402990	Others	► <b>M61</b> 0,1 (*) ◀
0500000	5. <b>CEREALS</b>	► <b>M61</b> 0,05 (*) ◀
0500010	Barley	
0500020	Buckwheat	
0500030	Maize	
0500040	Millet	
0500050	Oats	
0500060	Rice	
0500070	Rye	
0500080	Sorghum	
0500090	Wheat	
0500990	Others	
0600000	6. <b>TEA, COFFEE, HERBAL INFUSIONS AND COCOA</b>	► <b>M61</b> 0,1 (*) ◀
0610000	(i) <b>Tea (dried leaves and stalks, fermented or otherwise of <i>Camellia sinensis</i>)</b>	
0620000	(ii) <b>Coffee beans</b>	► <b>M61</b> (**) ◀
0630000	(iii) <b>Herbal infusions (dried)</b>	► <b>M61</b> (**) ◀
0631000	(a) <i>Flowers</i>	► <b>M61</b> (**) ◀
0631010	Camomille flowers	► <b>M61</b> (**) ◀
0631020	Hybiscus flowers	► <b>M61</b> (**) ◀
0631030	Rose petals	► <b>M61</b> (**) ◀
0631040	Jasmine flowers	► <b>M61</b> (**) ◀
0631050	Lime (linden)	► <b>M61</b> (**) ◀
0631990	Others	► <b>M61</b> (**) ◀
0632000	(b) <i>Leaves</i>	► <b>M61</b> (**) ◀
0632010	Strawberry leaves	► <b>M61</b> (**) ◀
0632020	Rooibos leaves	► <b>M61</b> (**) ◀
0632030	Maté	► <b>M61</b> (**) ◀
0632990	Others	► <b>M61</b> (**) ◀
0633000	(c) <i>Roots</i>	► <b>M61</b> (**) ◀
0633010	Valerian root	► <b>M61</b> (**) ◀
0633020	Ginseng root	► <b>M61</b> (**) ◀
0633990	Others	► <b>M61</b> (**) ◀
0639000	(d) <i>Other herbal infusions</i>	► <b>M61</b> (**) ◀
0640000	(iv) <b>Cocoa (fermented beans)</b>	► <b>M61</b> (**) ◀
0650000	(v) <b>Carob (St Johns bread)</b>	► <b>M61</b> (**) ◀
0700000	7. <b>HOPS (dried), including hop pellets and unconcentrated powder</b>	► <b>M61</b> 0,1 (*) ◀



▼ **M10**

(1)	(2)	(3)
0800000	8. <b>SPICES</b>	► <b>M61</b> (**) ◀
0810000	(i) <b>Seeds</b>	► <b>M61</b> (**) ◀
0810010	Anise	► <b>M61</b> (**) ◀
0810020	Black caraway	► <b>M61</b> (**) ◀
0810030	Celery seed	► <b>M61</b> (**) ◀
0810040	Coriander seed	► <b>M61</b> (**) ◀
0810050	Cumin seed	► <b>M61</b> (**) ◀
0810060	Dill seed	► <b>M61</b> (**) ◀
0810070	Fennel seed	► <b>M61</b> (**) ◀
0810080	Fenugreek	► <b>M61</b> (**) ◀
0810090	Nutmeg	► <b>M61</b> (**) ◀
0810990	Others	► <b>M61</b> (**) ◀
0820000	(ii) <b>Fruits and berries</b>	► <b>M61</b> (**) ◀
0820010	Allspice	► <b>M61</b> (**) ◀
0820020	Anise pepper (Japan pepper)	► <b>M61</b> (**) ◀
0820030	Caraway	► <b>M61</b> (**) ◀
0820040	Cardamom	► <b>M61</b> (**) ◀
0820050	Juniper berries	► <b>M61</b> (**) ◀
0820060	Pepper, black and white	► <b>M61</b> (**) ◀
0820070	Vanilla pods	► <b>M61</b> (**) ◀
0820080	Tamarind	► <b>M61</b> (**) ◀
0820990	Others	► <b>M61</b> (**) ◀
0830000	(iii) <b>Bark</b>	► <b>M61</b> (**) ◀
0830010	Cinnamon	► <b>M61</b> (**) ◀
0830990	Others	► <b>M61</b> (**) ◀
0840000	(iv) <b>Roots or rhizome</b>	► <b>M61</b> (**) ◀
0840010	Liquorice	► <b>M61</b> (**) ◀
0840020	Ginger	► <b>M61</b> (**) ◀
0840030	Turmeric (Curcuma)	► <b>M61</b> (**) ◀
0840040	Horseradish	► <b>M61</b> (**) ◀
0840990	Others	► <b>M61</b> (**) ◀
0850000	(v) <b>Buds</b>	► <b>M61</b> (**) ◀
0850010	Cloves	► <b>M61</b> (**) ◀
0850020	Capers	► <b>M61</b> (**) ◀
0850990	Others	► <b>M61</b> (**) ◀
0860000	(vi) <b>Flower stigma</b>	► <b>M61</b> (**) ◀
0860010	Saffron	► <b>M61</b> (**) ◀

▼ **M10**

(1)	(2)	(3)
0860990	Others	► <b>M61</b> (**) ◀
0870000	(vii) <b>Aril</b>	► <b>M61</b> (**) ◀
0870010	Mace	► <b>M61</b> (**) ◀
0870990	Others	► <b>M61</b> (**) ◀
0900000	9. <b>SUGAR PLANTS</b>	► <b>M61</b> (**) ◀
0900010	Sugar beet (root)	► <b>M61</b> (**) ◀
0900020	Sugar cane	► <b>M61</b> (**) ◀
0900030	Chicory roots	► <b>M61</b> (**) ◀
0900990	Others	► <b>M61</b> (**) ◀
1000000	10. <b>PRODUCTS OF ANIMAL ORIGIN — TERRESTRIAL ANIMALS</b>	► <b>M61</b> 0,05 (*) ◀
1010000	(i) <b>Meat, preparations of meat, offals, blood, animal fats fresh chilled or frozen, salted, in brine, dried or smoked or processed as flours or meals; other processed products such as sausages and food preparations based on these</b>	
1011000	(a) <i>Swine</i>	
1011010	Meat	
1011020	Fat free of lean meat	
1011030	Liver	
1011040	Kidney	
1011050	Edible offal	
1011990	Others	
1012000	(b) <i>Bovine</i>	
1012010	Meat	
1012020	Fat	
1012030	Liver	
1012040	Kidney	
1012050	Edible offal	
1012990	Others	
1013000	(c) <i>Sheep</i>	
1013010	Meat	
1013020	Fat	
1013030	Liver	
1013040	Kidney	
1013050	Edible offal	
1013990	Others	

▼ **M10**

(1)	(2)	(3)
1014000	(d) <i>Goat</i>	
1014010	Meat	
1014020	Fat	
1014030	Liver	
1014040	Kidney	
1014050	Edible offal	
1014990	Others	
1015000	(e) <i>Horses, asses, mules or hinnies</i>	► <b>M61</b> (**) ◀
1015010	Meat	► <b>M61</b> (**) ◀
1015020	Fat	► <b>M61</b> (**) ◀
1015030	Liver	► <b>M61</b> (**) ◀
1015040	Kidney	► <b>M61</b> (**) ◀
1015050	Edible offal	► <b>M61</b> (**) ◀
1015990	Others	► <b>M61</b> (**) ◀
1016000	(f) <i>Poultry — chicken, geese, duck, turkey and Guinea fowl-, ostrich, pigeon</i>	
1016010	Meat	
1016020	Fat	
1016030	Liver	
1016040	Kidney	
1016050	Edible offal	
1016990	Others	
1017000	(g) <i>Other farm animals</i>	► <b>M61</b> (**) ◀
1017010	Meat	► <b>M61</b> (**) ◀
1017020	Fat	► <b>M61</b> (**) ◀
1017030	Liver	► <b>M61</b> (**) ◀
1017040	Kidney	► <b>M61</b> (**) ◀
1017050	Edible offal	► <b>M61</b> (**) ◀
1017990	Others	► <b>M61</b> (**) ◀
1020000	(ii) <b>Milk and cream, not concentrated, nor containing added sugar or sweetening matter, butter and other fats derived from milk, cheese and curd</b>	
1020010	Cattle	
1020020	Sheep	
1020030	Goat	
1020040	Horse	
1020990	Others	

▼ **M10**

(1)	(2)	(3)
1030000	(iii) <b>Birds' eggs, fresh preserved or cooked; Shelled eggs and egg yolks fresh, dried, cooked by steaming or boiling in water, moulded, frozen or otherwise preserved whether or not containing added sugar or sweetening matter</b>	
1030010	Chicken	
1030020	Duck	▶ <b>M61</b> (**) ◀
1030030	Goose	▶ <b>M61</b> (**) ◀
1030040	Quail	▶ <b>M61</b> (**) ◀
1030990	Others	▶ <b>M61</b> (**) ◀
1040000	(iv) <b>Honey</b>	▶ <b>M61</b> (**) ◀
1050000	(v) <b>Amphibians and reptiles</b>	▶ <b>M61</b> (**) ◀
1060000	(vi) <b>Snails</b>	▶ <b>M61</b> (**) ◀
1070000	(vii) <b>Other terrestrial animal products</b>	▶ <b>M61</b> (**) ◀

▼ **M40****Pesticide residues and maximum residue levels (mg/kg)**

Code number	Groups and examples of individual products to which the MRLs apply (*)	► <b>M48</b> Dimethomorph (sum of isomers) ◀
(1)	(2)	(3)
0100000	1. <b>FRUIT FRESH OR FROZEN; NUTS</b>	
0110000	(i) <b>Citrus fruit</b>	
0110010	Grapefruit (Shaddocks, pomelos, sweeties, tangelo (except mineola), ugli and other hybrids)	► <b>M48</b> 0,01 (*) ◀
0110020	Oranges (Bergamot, bitter orange, chinotto and other hybrids)	► <b>M48</b> 0,8 ◀
0110030	Lemons (Citron, lemon)	► <b>M48</b> 0,01 (*) ◀
0110040	Limes	► <b>M48</b> 0,01 (*) ◀
0110050	Mandarins (Clementine, tangerine, mineola and other hybrids)	► <b>M48</b> 0,01 (*) ◀
0110990	Others	► <b>M48</b> 0,01 (*) ◀
0120000	(ii) <b>Tree nuts (shelled or unshelled)</b>	► <b>M48</b> 0,02 (*) ◀
0120010	Almonds	
0120020	Brazil nuts	
0120030	Cashew nuts	
0120040	Chestnuts	
0120050	Coconuts	
0120060	Hazelnuts (Filbert)	
0120070	Macadamia	
0120080	Pecans	
0120090	Pine nuts	
0120100	Pistachios	
0120110	Walnuts	
0120990	Others	
0130000	(iii) <b>Pome fruit</b>	► <b>M48</b> 0,01 (*) ◀
0130010	Apples (Crab apple)	
0130020	Pears (Oriental pear)	
0130030	Quinces	
0130040	Medlar	
0130050	Loquat	
0130990	Others	
0140000	(iv) <b>Stone fruit</b>	► <b>M48</b> 0,01 (*) ◀
0140010	Apricots	
0140020	Cherries (sweet cherries, sour cherries)	
0140030	Peaches (Nectarines and similar hybrids)	
0140040	Plums (Damson, greengage, mirabelle, sloe)	
0140990	Others	

▼ **M40**

(1)	(2)	(3)
0150000	(v) <b>Berries &amp; small fruit</b>	
0151000	(a) <i>Table and wine grapes</i>	► <b>M48</b> 3 ◀
0151010	Table grapes	
0151020	Wine grapes	
0152000	(b) <i>Strawberries</i>	► <b>M48</b> 0,7 ◀
0153000	(c) <i>Cane fruit</i>	
0153010	Blackberries	► <b>M48</b> 0,05 (+) ◀
0153020	Dewberries (Loganberries, boysenberries, and cloudberrries)	► <b>M48</b> 0,01 (*) ◀
0153030	Raspberries (Wineberries, arctic bramble/raspberry, ( <i>Rubus arcticus</i> ), nectar raspberries ( <i>Rubus arcticus x idaeus</i> ))	► <b>M48</b> 0,05 (+) ◀
0153990	Others	► <b>M48</b> 0,01 (*) ◀
0154000	(d) <i>Other small fruit &amp; berries</i>	► <b>M48</b> 0,01 (*) ◀
0154010	Blueberries (Bilberries)	
0154020	Cranberries (Cowberries (red bilberries))	
0154030	Currants (red, black and white)	
0154040	Gooseberries (Including hybrids with other ribes species)	
0154050	Rose hips	
0154060	Mulberries ( <i>arbutus berry</i> )	
0154070	Azarole (mediteranean medlar) (Kiwiberry ( <i>Actinidia arguta</i> ))	
0154080	Elderberries (Black chokeberry (appleberry), mountain ash, buckthorn (sea sallowthorn), hawthorn, service berries, and other treeberries)	
0154990	Others	
0160000	(vi) <b>Miscellaneous fruit</b>	► <b>M48</b> 0,01 (*) ◀
0161000	(a) <i>Edible peel</i>	
0161010	Dates	
0161020	Figs	
0161030	Table olives	
0161040	Kumquats (Marumi kumquats, nagami kumquats, limequats ( <i>Citrus aurantifolia x Fortunella</i> spp.))	
0161050	Carambola (Bilimbi)	
0161060	Persimmon	
0161070	Jambolan (java plum) (Java apple (water apple), pomerac, rose apple, Brazilian cherry Surinam cherry ( <i>grumichama Eugenia uniflora</i> ),)	
0161990	Others	

▼ **M40**

(1)	(2)	(3)
0162000	(b) <i>Inedible peel, small</i>	
0162010	Kiwi	
0162020	Lychee (Litchi) (Pulasan, rambutan (hairy litchi), mangosteen)	
0162030	Passion fruit	
0162040	Prickly pear (cactus fruit)	
0162050	Star apple	
0162060	American persimmon (Virginia kaki) (Black sapote, white sapote, green sapote, canistel (yellow sapote), and mamme sapote)	
0162990	Others	
0163000	(c) <i>Inedible peel, large</i>	
0163010	Avocados	
0163020	Bananas (Dwarf banana, plantain, apple banana)	
0163030	Mangoes	
0163040	Papaya	
0163050	Pomegranate	
0163060	Cherimoya (Custard apple, sugar apple (sweetsop), llama and other medium sized Annonaceae)	
0163070	Guava (Red pitaya or dragon fruit (Hylocereus undatus))	
0163080	Pineapples	
0163090	Bread fruit (Jackfruit)	
0163100	Durian	
0163110	Soursop (guanabana)	
0163990	Others	
0200000	<b>2. VEGETABLES FRESH OR FROZEN</b>	
0210000	(i) <b>Root and tuber vegetables</b>	
0211000	(a) <i>Potatoes</i>	► <b>M48</b> 0,05 ◀
0212000	(b) <i>Tropical root and tuber vegetables</i>	► <b>M48</b> 0,01 (*) ◀
0212010	Cassava (Dasheen, eddoe (Japanese taro), tannia)	
0212020	Sweet potatoes	
0212030	Yams (Potato bean (yam bean), Mexican yam bean)	
0212040	Arrowroot	
0212990	Others	
0213000	(c) <i>Other root and tuber vegetables except sugar beet</i>	
0213010	Beetroot	► <b>M48</b> 0,01 (*) ◀

▼ **M40**

(1)	(2)	(3)
0213020	Carrots	► <b>M48</b> 0,01 (*) ◀
0213030	Celeriac	► <b>M48</b> 0,01 (*) ◀
0213040	Horseradish (Angelica roots, lovage roots, gentiana roots,)	► <b>M48</b> 0,01 (*) ◀
0213050	Jerusalem artichokes	► <b>M48</b> 0,01 (*) ◀
0213060	Parsnips	► <b>M48</b> 0,01 (*) ◀
0213070	Parsley root	► <b>M48</b> 0,01 (*) ◀
0213080	Radishes (Black radish, Japanese radish, small radish and similar varieties, tiger nut ( <i>Cyperus esculentus</i> ))	► <b>M48</b> 1,5 ◀
0213090	Salsify (Scorzonera, Spanish salsify (Spanish oysterplant))	► <b>M48</b> 0,01 (*) ◀
0213100	Swedes	► <b>M48</b> 0,01 (*) ◀
0213110	Turnips	► <b>M48</b> 0,01 (*) ◀
0213990	Others	► <b>M48</b> 0,01 (*) ◀
0220000	(ii) <b>Bulb vegetables</b>	
0220010	Garlic	► <b>M48</b> 0,6 ◀
0220020	Onions (Silverskin onions)	► <b>M48</b> 0,6 ◀
0220030	Shallots	► <b>M48</b> 0,6 ◀
0220040	Spring onions (Welsh onion and similar varieties)	► <b>M48</b> 0,2 ◀
0220990	Others	► <b>M48</b> 0,15 ◀
0230000	(iii) <b>Fruiting vegetables</b>	
0231000	(a) <i>Solanacea</i>	► <b>M48</b> 1 ◀
0231010	Tomatoes (Cherry tomatoes, tree tomato, Physalis, gojiberry, wolfberry ( <i>Lycium barbarum</i> and <i>L. chinense</i> ))	
0231020	Peppers (Chilli peppers)	
0231030	Aubergines (egg plants) (Pepino)	
0231040	Okra, lady's fingers	
0231990	Others	
0232000	(b) <i>Cucurbits - edible peel</i>	► <b>M48</b> 0,5 ◀
0232010	Cucumbers	
0232020	Gherkins	
0232030	Courgettes (Summer squash, marrow (patisson))	
0232990	Others	
0233000	(c) <i>Cucurbits-inedible peel</i>	► <b>M48</b> 0,5 ◀
0233010	Melons (Kiwano)	
0233020	Pumpkins (Winter squash)	
0233030	Watermelons	
0233990	Others	
0234000	(d) <i>Sweet corn</i>	► <b>M48</b> 0,01 (*) ◀
0239000	(e) <i>Other fruiting vegetables</i>	► <b>M48</b> 0,01 (*) ◀



▼ **M40**

(1)	(2)	(3)
0240000	(iv) <b>Brassica vegetables</b>	
0241000	(a) <i>Flowering brassica</i>	
0241010	Broccoli (Calabrese, Chinese broccoli, broccoli raab)	► <b>M48</b> 5 ◀
0241020	Cauliflower	► <b>M48</b> 0,05 ◀
0241990	Others	► <b>M48</b> 0,01 (*) ◀
0242000	(b) <i>Head brassica</i>	
0242010	Brussels sprouts	► <b>M48</b> 0,01 (*) ◀
0242020	Head cabbage (Pointed head cabbage, red cabbage, savoy cabbage, white cabbage)	► <b>M48</b> 6 ◀
0242990	Others	► <b>M48</b> 0,01 (*) ◀
0243000	(c) <i>Leafy brassica</i>	► <b>M48</b> 3 ◀
0243010	Chinese cabbage (Indian (Chinese) mustard, pak choi, Chinese flat cabbage (tai goo choi), choi sum, peking cabbage (pe-tsai), )	
0243020	Kale (Borecole (curly kale), collards, Portuguese Kale, Portuguese cabbage, cow cabbage)	
0243990	Others	
0244000	(d) <i>Kohlrabi</i>	► <b>M48</b> 0,02 ◀
0250000	(v) <b>Leaf vegetables &amp; fresh herbs</b>	
0251000	(a) <i>Lettuce and other salad plants including Brassicacea</i>	
0251010	Lamb's lettuce (Italian cornsalad)	► <b>M48</b> 10 ◀
0251020	Lettuce (Head lettuce, lollo rosso (cutting lettuce), iceberg lettuce, romaine (cos) lettuce)	► <b>M48</b> 15 ◀
0251030	Scarole (broad-leaf endive) (Wild chicory, red-leaved chicory, radicchio, curld leave endive, sugar loaf)	► <b>M48</b> 6 ◀
0251040	Cress	► <b>M48</b> 10 ◀
0251050	Land cress	► <b>M48</b> 10 ◀
0251060	Rocket, Rucola (Wild rocket)	► <b>M48</b> 10 ◀
0251070	Red mustard	► <b>M48</b> 10 ◀
0251080	Leaves and sprouts of <i>Brassica</i> spp (Mizuna, leaves of peas and radish and other babyleaf <i>brassica</i> crops (crops harvested up to 8 true leaf stage))	► <b>M48</b> 10 ◀
0251990	Others	► <b>M48</b> 10 ◀
0252000	(b) <i>Spinach &amp; similar (leaves)</i>	
0252010	Spinach (New Zealand spinach, amaranthus spinach)	► <b>M48</b> 1 ◀

▼ **M40**

(1)	(2)	(3)
0252020	Purslane (Winter purslane (miner's lettuce), garden purslane, common purslane, sorrel, glassworth, Agretti ( <i>Salsola soda</i> ))	► <b>M48</b> 0,01 (*) ◀
0252030	Beet leaves (chard) (Leaves of beetroot)	► <b>M48</b> 1 ◀
0252990	Others	► <b>M48</b> 0,01 (*) ◀
0253000	(c) <i>Vine leaves (grape leaves)</i>	► <b>M48</b> 0,01 (*) ◀
0254000	(d) <i>Water cress</i>	► <b>M48</b> 0,01 (*) ◀
0255000	(e) <i>Witloof</i>	► <b>M48</b> 0,05 ◀
0256000	(f) <i>Herbs</i>	► <b>M48</b> 10 ◀
0256010	Chervil	
0256020	Chives	
0256030	Celery leaves (Fennel leaves, Coriander leaves, dill leaves, Caraway leaves, lovage, angelica, sweet cicely and other Apiacea leaves)	
0256040	Parsley	
0256050	Sage (Winter savory, summer savory,)	
0256060	Rosemary	
0256070	Thyme (Marjoram, oregano)	
0256080	Basil (Balm leaves, mint, peppermint)	
0256090	Bay leaves (laurel)	
0256100	Tarragon (Hyssop)	
0256990	Others (Edible flowers)	
0260000	(vi) <b>Legume vegetables (fresh)</b>	
0260010	Beans (with pods) (Green bean (french beans, snap beans), scarlet runner bean, slicing bean, yardlong beans)	► <b>M48</b> 0,01 (*) ◀
0260020	Beans (without pods) (Broad beans, Flageolets, jack bean, lima bean, cowpea)	► <b>M48</b> 0,04 ◀
0260030	Peas (with pods) (Mangetout (sugar peas, snow peas))	► <b>M48</b> 0,01 (*) ◀
0260040	Peas (without pods) (Garden pea, green pea, chickpea)	► <b>M48</b> 0,1 ◀
0260050	Lentils	► <b>M48</b> 0,01 (*) ◀
0260990	Others	► <b>M48</b> 0,01 (*) ◀
0270000	(vii) <b>Stem vegetables (fresh)</b>	
0270010	Asparagus	► <b>M48</b> 0,01 (*) ◀
0270020	Cardoons	► <b>M48</b> 0,01 (*) ◀
0270030	Celery	► <b>M48</b> 15 ◀
0270040	Fennel	► <b>M48</b> 0,01 (*) ◀
0270050	Globe artichokes	► <b>M48</b> 2 ◀
0270060	Leek	► <b>M48</b> 1,5 ◀

▼ **M40**

(1)	(2)	(3)
0270070	Rhubarb	► <b>M48</b> 0,01 (*) ◀
0270080	Bamboo shoots	► <b>M48</b> 0,01 (*) ◀
0270090	Palm hearts	► <b>M48</b> 0,01 (*) ◀
0270990	Others	► <b>M48</b> 0,01 (*) ◀
0280000	(viii) <b>Fungi</b>	► <b>M48</b> 0,01 (*) ◀
0280010	Cultivated (Common mushroom, Oyster mushroom, Shi-take)	
0280020	Wild (Chanterelle, Truffle, Morel, Cep)	
0280990	Others	
0290000	(ix) <b>Sea weeds</b>	► <b>M48</b> 0,01 (*) ◀
0300000	3. <b>PULSES, DRY</b>	► <b>M48</b> 0,01 (*) ◀
0300010	Beans (Broad beans, navy beans, flageolets, jack beans, lima beans, field beans, cowpeas)	
0300020	Lentils	
0300030	Peas (Chickpeas, field peas, chickling vetch)	
0300040	Lupins	
0300990	Others	
0400000	4. <b>OILSEEDS AND OILFRUITS</b>	► <b>M48</b> 0,02 (*) ◀
0401000	(i) <b>Oilseeds</b>	
0401010	Linseed	
0401020	Peanuts	
0401030	Poppy seed	
0401040	Sesame seed	
0401050	Sunflower seed	
0401060	Rape seed (Bird rapeseed, turnip rape)	
0401070	Soya bean	
0401080	Mustard seed	
0401090	Cotton seed	
0401100	Pumpkin seeds (Other seeds of cucurbitaceae)	
0401110	Safflower	
0401120	Borage	
0401130	Gold of pleasure	
0401140	Hempseed	
0401150	Castor bean	
0401990	Others	
0402000	(ii) <b>Oilfruits</b>	
0402010	Olives for oil production	
0402020	Palm nuts (palmoil kernels)	

▼ **M40**

(1)	(2)	(3)
0402030	Palmfruit	
0402040	Kapok	
0402990	Others	
0500000	<b>5. CEREALS</b>	► <b>M48</b> 0,01 (*) ◀
0500010	Barley	
0500020	Buckwheat (Amaranthus, quinoa)	
0500030	Maize	
0500040	Millet (Foxtail millet, teff)	
0500050	Oats	
0500060	Rice	
0500070	Rye	
0500080	Sorghum	
0500090	Wheat (Spelt, triticale)	
0500990	Others	
0600000	<b>6. TEA, COFFEE, HERBAL INFUSIONS AND COCOA</b>	► <b>M48</b> 0,05 (*) ◀
0610000	(i) <b>Tea (dried leaves and stalks, fermented or otherwise of <i>Camellia sinensis</i>)</b>	
0620000	(ii) <b>Coffee beans</b>	
0630000	(iii) <b>Herbal infusions (dried)</b>	
0631000	(a) <i>Flowers</i>	
0631010	Camomille flowers	
0631020	Hybiscus flowers	
0631030	Rose petals	
0631040	Jasmine flowers (Elderflowers ( <i>Sambucus nigra</i> ))	
0631050	Lime (linden)	
0631990	Others	
0632000	(b) <i>Leaves</i>	
0632010	Strawberry leaves	
0632020	Rooibos leaves (Ginkgo leaves)	
0632030	Maté	
0632990	Others	
0633000	(c) <i>Roots</i>	
0633010	Valerian root	
0633020	Ginseng root	
0633990	Others	
0639000	(d) <i>Other herbal infusions</i>	
0640000	(iv) <b>Cocoa (fermented beans)</b>	
0650000	(v) <b>Carob (St johns bread)</b>	
0700000	<b>7. HOPS (dried), including hop pellets and unconcentrated powder</b>	► <b>M48</b> 80 ◀

▼ **M40**

(1)	(2)	(3)
0800000	8. <b>SPICES</b>	► <b>M48</b> — ◄
0810000	(i) <b>Seeds</b>	
0810010	Anise	► <b>M48</b> 30 ◄
0810020	Black caraway	► <b>M48</b> 30 ◄
0810030	Celery seed (Lovage seed)	► <b>M48</b> 30 ◄
0810040	Coriander seed	► <b>M48</b> 30 ◄
0810050	Cumin seed	► <b>M48</b> 30 ◄
0810060	Dill seed	► <b>M48</b> 30 ◄
0810070	Fennel seed	► <b>M48</b> 30 ◄
0810080	Fenugreek	► <b>M48</b> 30 ◄
0810090	Nutmeg	► <b>M48</b> 0,05 (*) ◄
0810990	Others	► <b>M48</b> 30 ◄
0820000	(ii) <b>Fruits and berries</b>	
0820010	Allspice	► <b>M48</b> 0,05 (*) ◄
0820020	Anise pepper (Japan pepper)	► <b>M48</b> 0,05 (*) ◄
0820030	Caraway	► <b>M48</b> 30 ◄
0820040	Cardamom	► <b>M48</b> 0,05 (*) ◄
0820050	Juniper berries	► <b>M48</b> 0,05 (*) ◄
0820060	Pepper, black and white (Long pepper, pink pepper)	► <b>M48</b> 0,05 (*) ◄
0820070	Vanilla pods	► <b>M48</b> 0,05 (*) ◄
0820080	Tamarind	► <b>M48</b> 0,05 (*) ◄
0820990	Others	► <b>M48</b> 0,05 (*) ◄
0830000	(iii) <b>Bark</b>	► <b>M48</b> 0,05 (*) ◄
0830010	Cinnamon (Cassia)	
0830990	Others	
0840000	(iv) <b>Roots or rhizome</b>	
0840010	Liquorice	► <b>M48</b> 0,05 (*) ◄
0840020	Ginger	► <b>M48</b> 0,05 (*) ◄
0840030	Turmeric (Curcuma)	► <b>M48</b> 0,05 (*) ◄
0840040	Horseradish	► <b>M48</b> (+) ◄
0840990	Others	► <b>M48</b> 0,05 (*) ◄
0850000	(v) <b>Buds</b>	► <b>M48</b> 0,05 (*) ◄
0850010	Cloves	
0850020	Capers	
0850990	Others	
0860000	(vi) <b>Flower stigma</b>	► <b>M48</b> 0,05 (*) ◄
0860010	Saffron	
0860990	Others	
0870000	(vii) <b>Aril</b>	► <b>M48</b> 0,05 (*) ◄
0870010	Mace	

▼ **M40**

(1)	(2)	(3)
0870990	Others	
0900000	9. <b>SUGAR PLANTS</b>	► <b>M48</b> 0,01 (*) ◀
0900010	Sugar beet (root)	
0900020	Sugar cane	
0900030	Chicory roots	
0900990	Others	
1000000	10. <b>PRODUCTS OF ANIMAL ORIGIN — TERRESTRIAL ANIMALS</b>	
1010000	(i) <b>Meat, preparations of meat, offals, blood, animal fats fresh chilled or frozen, salted, in brine, dried or smoked or processed as flours or meals other processed products such as sausages and food preparations based on these</b>	► <b>M48</b> 0,01 (*) ◀
1011000	(a) <i>Swine</i>	
1011010	Meat	
1011020	Fat free of lean meat	
1011030	Liver	
1011040	Kidney	
1011050	Edible offal	
1011990	Others	
1012000	(b) <i>Bovine</i>	
1012010	Meat	
1012020	Fat	
1012030	Liver	
1012040	Kidney	
1012050	Edible offal	
1012990	Others	
1013000	(c) <i>Sheep</i>	
1013010	Meat	
1013020	Fat	
1013030	Liver	
1013040	Kidney	
1013050	Edible offal	
1013990	Others	
1014000	(d) <i>Goat</i>	
1014010	Meat	
1014020	Fat	
1014030	Liver	
1014040	Kidney	
1014050	Edible offal	

▼ **M40**

(1)	(2)	(3)
1014990	Others	
1015000	(e) <i>Horses, asses, mules or hinnies</i>	
1015010	Meat	
1015020	Fat	
1015030	Liver	
1015040	Kidney	
1015050	Edible offal	
1015990	Others	
1016000	(f) <i>Poultry — chicken, geese, duck, turkey and Guinea fowl — ostrich, pigeon</i>	
1016010	Meat	
1016020	Fat	
1016030	Liver	
1016040	Kidney	
1016050	Edible offal	
1016990	Others	
1017000	(g) <i>Other farm animals (Rabbit, Kangaroo)</i>	
1017010	Meat	
1017020	Fat	
1017030	Liver	
1017040	Kidney	
1017050	Edible offal	
1017990	Others	
1020000	(ii) <b>Milk and cream, not concentrated, nor containing added sugar or sweetening matter, butter and other fats derived from milk, cheese and curd</b>	► <b>M48</b> 0,01 (*) ◀
1020010	Cattle	
1020020	Sheep	
1020030	Goat	
1020040	Horse	
1020990	Others	
1030000	(iii) <b>Birds' eggs, fresh preserved or cooked Shelled eggs and egg yolks fresh, dried, cooked by steaming or boiling in water, moulded, frozen or otherwise preserved whether or not containing added sugar or sweetening matter</b>	► <b>M48</b> 0,01 (*) ◀
1030010	Chicken	
1030020	Duck	
1030030	Goose	
1030040	Quail	
1030990	Others	

▼ **M40**

(1)	(2)	(3)
1040000	(iv) <b>Honey (Royal jelly, pollen)</b>	► <b>M48</b> 0,05 (*) ◀
1050000	(v) <b>Amphibians and reptiles (Frog legs, crocodiles)</b>	► <b>M48</b> 0,01 (*) ◀
1060000	(vi) <b>Snails</b>	► <b>M48</b> 0,01 (*) ◀
1070000	(vii) <b>Other terrestrial animal products</b>	► <b>M48</b> 0,01 (*) ◀



▼ **M42****Pesticide residues and maximum residue levels (mg/kg)**

Code number	Groups and examples of individual products to which the MRLs apply <sup>(a)</sup>	Clodinafop and its S-isomers and their salts, expressed as clodinafop (F)	Clomazone
(1)	(2)	(3)	(4)
0100000	<b>1. FRUIT FRESH OR FROZEN; NUTS</b>		
0110000	<b>(i) Citrus fruit</b>	0,02 (*)	0,01 (*)
0110010	Grapefruit (Shaddocks, pomelos, sweeties, tangelo (except mineola), ugli and other hybrids)		
0110020	Oranges (Bergamot, bitter orange, chinotto and other hybrids)		
0110030	Lemons (Citron, lemon)		
0110040	Limes		
0110050	Mandarins (Clementine, tangerine, mineola and other hybrids)		
0110990	Others		
0120000	<b>(ii) Tree nuts (shelled or unshelled)</b>	0,05 (*)	<b>0,02 (*)</b>
0120010	Almonds		
0120020	Brazil nuts		
0120030	Cashew nuts		
0120040	Chestnuts		
0120050	Coconuts		
0120060	Hazelnuts (Filbert)		
0120070	Macadamia		
0120080	Pecans		
0120090	Pine nuts		
0120100	Pistachios		
0120110	Walnuts		
0120990	Others		
0130000	<b>(iii) Pome fruit</b>	0,02 (*)	0,01 (*)
0130010	Apples (Crab apple)		
0130020	Pears (Oriental pear)		
0130030	Quinces		
0130040	Medlar		
0130050	Loquat		
0130990	Others		
0140000	<b>(iv) Stone fruit</b>	0,02 (*)	0,01 (*)
0140010	Apricots		
0140020	Cherries (sweet cherries, sour cherries)		
0140030	Peaches (Nectarines and similar hybrids)		

▼ M42

Diuron	► <u>M61</u> Metconazole (L) ◀	Prosulfocarb	► <u>M70</u> Tepraloxymidim (sum of tepraloxymidim and its metabolites that can be hydrolysed either to the moiety 3-(tetrahydropyran-4-yl)-glutaric acid or to the moiety 3-hydroxy-(tetrahydropyran-4-yl)-glutaric acid, expressed as tepraloxymidim) ◀
(5)	(6)	(7)	(8)
			► <u>M70</u> 0,1 (*) ◀
<b>0,01 (*)</b>	► <u>M61</u> 0,02 (*) ◀	<b>0,01 (*)</b>	
<b>0,02 (*)</b>	► <u>M61</u> 0,05 (*) ◀	<b>0,02 (*)</b>	
<b>0,01 (*) (+)</b>	► <u>M61</u> 0,02 (*) ◀	<b>0,01 (*)</b>	
<b>0,01 (*)</b>		<b>0,01 (*)</b>	
	► <u>M61</u> 0,1 ◀ ► <u>M61</u> 0,2 ◀ ► <u>M61</u> 0,1 ◀		

## ▼ M42

(1)	(2)	(3)	(4)
0140040	Plums (Damson, greengage, mirabelle, sloe)		
0140990	Others		
0150000	(v) <b>Berries &amp; small fruit</b>	0,02 (*)	0,01 (*)
0151000	(a) <i>Table and wine grapes</i>		
0151010	Table grapes		
0151020	Wine grapes		
0152000	(b) <i>Strawberries</i>		
0153000	(c) <i>Cane fruit</i>		
0153010	Blackberries		
0153020	Dewberries (Loganberries, boysenberries, and cloudberrries)		
0153030	Raspberries (Wineberries, arctic bramble/raspberry, ( <i>Rubus arcticus</i> ), nectar raspberries ( <i>Rubus arcticus x idaeus</i> ))		
0153990	Others		
0154000	(d) <i>Other small fruit &amp; berries</i>		
0154010	Blueberries (Bilberries)		
0154020	Cranberries (Cowberries (red bilberries))		
0154030	Currants (red, black and white)		
0154040	Gooseberries (Including hybrids with other ribes species)		
0154050	Rose hips		
0154060	Mulberries (arbutus berry)		
0154070	Azarole (mediteranean medlar) (Kiwiberry ( <i>Actinidia arguta</i> ))		
0154080	Elderberries (Black chokeberry (apple-berry), mountain ash, buckthorn (sea sallowthorn), hawthorn, service berries, and other treeberries)		
0154990	Others		
0160000	(vi) <b>Miscellaneous fruit</b>	0,02 (*)	0,01 (*)
0161000	(a) <i>Edible peel</i>		
0161010	Dates		
0161020	Figs		
0161030	Table olives		
0161040	Kumquats (Marumi kumquats, nagami kumquats, limequats ( <i>Citrus aurantifolia x Fortunella</i> spp.))		
0161050	Carambola (Bilimbi)		
0161060	Persimmon		
0161070	Jambolan (java plum) (Java apple (water apple), pomerac, rose apple, Brazilian cherry Surinam cherry (grumichama <i>Eugenia uniflora</i> ),)		
0161990	Others		

▼ M42

(5)	(6)	(7)	(8)
	► <u>M61</u> 0,02 (*) ◀		
	► <u>M61</u> 0,02 (*) ◀		
0,01 (*)	► <u>M61</u> 0,02 (*) ◀		
		0,01 (*)	
(+)			
		0,05 (+)	► <u>M70</u> (+) ◀
		0,01 (*)	
		0,01 (*)	► <u>M70</u> (+) ◀
0,01 (*)		0,01 (*)	
	► <u>M61</u> 0,02 (*) ◀		

▼ **M42**

(1)	(2)	(3)	(4)
0162000	(b) <i>Inedible peel, small</i>		
0162010	Kiwi		
0162020	Lychee (Litchi) (Pulasan, rambutan (hairy litchi), mangosteen)		
0162030	Passion fruit		
0162040	Prickly pear (cactus fruit)		
0162050	Star apple		
0162060	American persimmon (Virginia kaki) (Black sapote, white sapote, green sapote, canistel (yellow sapote), and mammy sapote)		
0162990	Others		
0163000	(c) <i>Inedible peel, large</i>		
0163010	Avocados		
0163020	Bananas (Dwarf banana, plantain, apple banana)		
0163030	Mangoes		
0163040	Papaya		
0163050	Pomegranate		
0163060	Cherimoya (Custard apple, sugar apple (sweetsop), llama and other medium sized Annonaceae)		
0163070	Guava (Red pitaya or dragon fruit ( <i>Hylocereus undatus</i> ))		
0163080	Pineapples		
0163090	Bread fruit (Jackfruit)		
0163100	Durian		
0163110	Soursop (guanabana)		
0163990	Others		
0200000	<b>2. VEGETABLES FRESH OR FROZEN</b>		
0210000	(i) <b>Root and tuber vegetables</b>	0,02 (*)	0,01 (*)
0211000	(a) <i>Potatoes</i>		
0212000	(b) <i>Tropical root and tuber vegetables</i>		
0212010	Cassava (Dasheen, eddoe (Japanese taro), tannia)		
0212020	Sweet potatoes		
0212030	Yams (Potato bean (yam bean), Mexican yam bean)		
0212040	Arrowroot		
0212990	Others		
0213000	(c) <i>Other root and tuber vegetables except sugar beet</i>		
0213010	Beetroot		

▼ M42

(5)	(6)	(7)	(8)
	▶ <u>M61</u> 0,02 (*) ◀		
	▶ <u>M61</u> 0,02 (*) ◀ ▶ <u>M61</u> 0,1 ◀  ▶ <u>M61</u> 0,02 (*) ◀ ▶ <u>M61</u> 0,02 (*) ◀ ▶ <u>M61</u> 0,02 (*) ◀ ▶ <u>M61</u> 0,02 (*) ◀  ▶ <u>M61</u> 0,02 (*) ◀  ▶ <u>M61</u> 0,02 (*) ◀ ▶ <u>M61</u> 0,02 (*) ◀ ▶ <u>M61</u> 0,02 (*) ◀ ▶ <u>M61</u> 0,02 (*) ◀		
	▶ <u>M61</u> 0,02 (*) ◀		
0,01 (*)	▶ <u>M61</u> 0,02 (*) ◀		
		0,01 (*)	▶ <u>M70</u> 0,4 ◀
		0,01 (*)	▶ <u>M70</u> 0,1 (*) ◀
		0,01 (*)	▶ <u>M70</u> 0,2 ◀

▼ **M42**

(1)	(2)	(3)	(4)
0213020	Carrots		
0213030	Celeriac		
0213040	Horseradish (Angelica roots, lovage roots, gentiana roots,)		
0213050	Jerusalem artichokes		
0213060	Parsnips		
0213070	Parsley root		
0213080	Radishes (Black radish, Japanese radish, small radish and similar varieties, tiger nut ( <i>Cyperus esculentus</i> ))		
0213090	Salsify (Scorzoneria, Spanish salsify (Spanish oysterplant))		
0213100	Swedes		
0213110	Turnips		
0213990	Others		
0220000	(ii) <b>Bulb vegetables</b>	0,02 (*)	0,01 (*)
0220010	Garlic		
0220020	Onions (Silverskin onions)		
0220030	Shallots		
0220040	Spring onions (Welsh onion and similar varieties)		
0220990	Others		
0230000	(iii) <b>Fruiting vegetables</b>	0,02 (*)	0,01 (*)
0231000	(a) <i>Solanacea</i>		
0231010	Tomatoes (Cherry tomatoes, tree tomato, Physalis, gojiberry, wolfberry ( <i>Lycium barbarum</i> and <i>L. chinense</i> ))		
0231020	Peppers (Chilli peppers)		
0231030	Aubergines (egg plants) (Pepino)		
0231040	Okra, lady's fingers		
0231990	Others		
0232000	(b) <i>Cucurbits — edible peel</i>		
0232010	Cucumbers		(+)
0232020	Gherkins		
0232030	Courgettes (Summer squash, marrow (patisson))		
0232990	Others		
0233000	(c) <i>Cucurbits — inedible peel</i>		
0233010	Melons (Kiwano)		(+)
0233020	Pumpkins (Winter squash)		
0233030	Watermelons		
0233990	Others		

▼ M42

(5)	(6)	(7)	(8)
		1 (+)	► <u>M70</u> 0,4 ◀
		0,08 (+)	► <u>M70</u> 0,3 ◀
		0,08 (+)	► <u>M70</u> 0,4 ◀
		0,01 (*)	► <u>M70</u> 0,4 ◀
		0,08 (+)	► <u>M70</u> 0,4 ◀
		0,08 (+)	► <u>M70</u> 0,4 ◀
		0,01 (*)	► <u>M70</u> 0,4 ◀
		0,08 (+)	► <u>M70</u> 0,4 ◀
		0,01 (*)	► <u>M70</u> 0,3 ◀
		0,01 (*)	► <u>M70</u> 0,3 ◀
		0,01 (*)	► <u>M70</u> 0,1 (*) ◀
0,01 (*)	► <u>M61</u> 0,02 (*) ◀		► <u>M70</u> 0,3 ◀
		0,01 (*)	
		0,03	
		0,03	
		0,02	
		0,01 (*)	
0,01 (*)		0,01 (*)	► <u>M70</u> 0,1 (*) ◀
	► <u>M61</u> 0,02 (*) ◀		
	► <u>M61</u> 0,02 (*) ◀		► <u>M70</u> (+) ◀
	► <u>M61</u> 0,05 (+) ◀		
	► <u>M61</u> 0,02 (*) ◀		
	► <u>M61</u> 0,02 (*) ◀		
	► <u>M61</u> 0,02 (*) ◀		



▼ **M42**

(1)	(2)	(3)	(4)
0234000	(d) <i>Sweet corn</i>		
0239000	(e) <i>Other fruiting vegetables</i>		
0240000	(iv) <b>Brassica vegetables</b>	0,02 (*)	0,01 (*)
0241000	(a) <i>Flowering brassica</i>		
0241010	Broccoli (Calabrese, Chinese broccoli, broccoli raab)		
0241020	Cauliflower		
0241990	Others		
0242000	(b) <i>Head brassica</i>		
0242010	Brussels sprouts		
0242020	Head cabbage (Pointed head cabbage, red cabbage, savoy cabbage, white cabbage)		
0242990	Others		
0243000	(c) <i>Leafy brassica</i>		
0243010	Chinese cabbage (Indian (Chinese) mustard, pak choi, Chinese flat cabbage (tai goo choi), choi sum, peking cabbage (pe-tsai),)		
0243020	Kale (Borecole (curly kale), collards, Portuguese Kale, Portuguese cabbage, cow cabbage)		
0243990	Others		
0244000	(d) <i>Kohlrabi</i>		
0250000	(v) <b>Leaf vegetables &amp; fresh herbs</b>		(+)
0251000	(a) <i>Lettuce and other salad plants including Brassicaceae</i>	0,02 (*)	0,01 (*)
0251010	Lamb's lettuce (Italian cornsalad)		
0251020	Lettuce (Head lettuce, lollo rosso (cutting lettuce), iceberg lettuce, romaine (cos) lettuce)		
0251030	Scarole (broad-leaf endive) (Wild chicory, red-leaved chicory, radicchio, curld leave endive, sugar loaf)		
0251040	Cress		
0251050	Land cress		
0251060	Rocket, Rucola (Wild rocket)		
0251070	Red mustard		
0251080	Leaves and sprouts of <i>Brassica</i> spp (Mizuna, leaves of peas and radish and other babyleaf brassica crops (crops harvested up to 8 true leaf stage))		
0251990	Others		
0252000	(b) <i>Spinach &amp; similar (leaves)</i>	0,02 (*)	0,01 (*)
0252010	Spinach (New Zealand spinach, amar-anthus spinach)		
0252020	Purslane (Winter purslane (miner's lettuce), garden purslane, common purslane, sorrel, glassworth, Agretti (Salsola soda))		
0252030	Beet leaves (chard) (Leaves of beetroot)		

▼ M42

(5)	(6)	(7)	(8)
	► <u>M61</u> 0,02 (*) ◀		
	► <u>M61</u> 0,02 (*) ◀		
0,01 (*)	► <u>M61</u> 0,02 (*) ◀	0,01 (*)	► <u>M70</u> — ◀
			► <u>M70</u> 0,5 (+) ◀
			► <u>M70</u> 0,6 (+) ◀
			► <u>M70</u> 0,8 (+) ◀
			► <u>M70</u> 0,1 (*) (+) ◀
			► <u>M70</u> 1 (+) ◀
			► <u>M70</u> 0,5 (+) ◀
			► <u>M70</u> — ◀
0,01 (*)	► <u>M61</u> 0,02 (*) ◀	0,01 (*)	► <u>M70</u> 0,1 (*) ◀
0,01 (*)	► <u>M61</u> 0,02 (*) ◀	0,01 (*)	► <u>M70</u> 0,1 (*) ◀

▼ **M42**

(1)	(2)	(3)	(4)
0252990	Others		
0253000	(c) <i>Vine leaves (grape leaves)</i>	0,02 (*)	0,01 (*)
0254000	(d) <i>Water cress</i>	0,02 (*)	0,01 (*)
0255000	(e) <i>Witloof</i>	0,02 (*)	0,01 (*)
0256000	(f) <i>Herbs</i>	<b>0,05 (*)</b>	<b>0,15</b>
0256010	Chervil		
0256020	Chives		
0256030	Celery leaves (Fennel leaves, Coriander leaves, dill leaves, Caraway leaves, lovage, angelica, sweet cicely and other <i>Apiacea</i> leaves)		
0256040	Parsley		
0256050	Sage (Winter savory, summer savory,)		
0256060	Rosemary		
0256070	Thyme (Marjoram, oregano)		
0256080	Basil (Balm leaves, mint, peppermint)		
0256090	Bay leaves (laurel)		
0256100	Tarragon (Hyssop)		
0256990	Others (Edible flowers)		
0260000	(vi) <b>Legume vegetables (fresh)</b>	0,02 (*)	0,01 (*)
0260010	Beans (with pods) (Green bean (french beans, snap beans), scarlet runner bean, slicing bean, yardlong beans)		
0260020	Beans (without pods) (Broad beans, Flageolets, jack bean, lima bean, cowpea)		
0260030	Peas (with pods) (Mangetout (sugar peas, snow peas))		
0260040	Peas (without pods) (Garden pea, green pea, chickpea)		
0260050	Lentils		
0260990	Others		
0270000	(vii) <b>Stem vegetables (fresh)</b>	0,02 (*)	0,01 (*)
0270010	Asparagus		
0270020	Cardoons		
0270030	Celery		
0270040	Fennel		
0270050	Globe artichokes		
0270060	Leek		
0270070	Rhubarb		
0270080	Bamboo shoots		
0270090	Palm hearts		

▼ M42

(5)	(6)	(7)	(8)
0,01 (*)	► <u>M61</u> 0,02 (*) ◀	0,01 (*)	► <u>M70</u> 0,1 (*) ◀
0,01 (*)	► <u>M61</u> 0,02 (*) ◀	0,01 (*)	► <u>M70</u> 0,1 (*) ◀
0,01 (*)	► <u>M61</u> 0,02 (*) ◀	0,01 (*)	► <u>M70</u> 0,1 (*) ◀
0,02 (*)	► <u>M61</u> 0,05 (*) ◀	0,05 (+)	
			► <u>M70</u> 0,1 (*) ◀ ► <u>M70</u> 0,3 ◀ ► <u>M70</u> 0,1 (*) (+) ◀
			► <u>M70</u> 0,1 (*) ◀ ► <u>M70</u> 0,1 (*) ◀ ► <u>M70</u> 0,1 (*) ◀ ► <u>M70</u> 0,1 (*) ◀ ► <u>M70</u> 0,1 (*) ◀ ► <u>M70</u> 0,1 (*) ◀ ► <u>M70</u> 0,1 (*) ◀
			► <u>M70</u> 0,1 (*) ◀
0,01 (*)	► <u>M61</u> 0,02 (*) ◀	0,01 (*)	► <u>M70</u> 0,1 (*) ◀
0,01 (*)	► <u>M61</u> 0,02 (*) ◀		
		0,01 (*)	► <u>M70</u> 0,1 (*) ◀
		0,01 (*)	► <u>M70</u> 0,1 (*) ◀
		1,5 (+)	► <u>M70</u> 0,1 (*) ◀
		0,01 (*)	► <u>M70</u> 0,1 (*) ◀
		0,01 (*)	► <u>M70</u> 0,1 (*) ◀
		0,01 (*)	► <u>M70</u> 0,3 (+) ◀
		0,01 (*)	► <u>M70</u> 0,1 (*) ◀
		0,01 (*)	► <u>M70</u> 0,1 (*) ◀
		0,01 (*)	► <u>M70</u> 0,1 (*) ◀

▼ **M42**

(1)	(2)	(3)	(4)
0270990	Others		
0280000	(viii) <b>Fungi</b>	0,02 (*)	0,01 (*)
0280010	Cultivated (Common mushroom, Oyster mushroom, Shi-take)		
0280020	Wild (Chanterelle, Truffle, Morel, Cep)		
0280990	Others		
0290000	(ix) <b>Sea weeds</b>	0,02 (*)	0,01 (*)
0300000	3. <b>PULSES, DRY</b>	0,02 (*)	0,01 (*)
0300010	Beans (Broad beans, navy beans, flageolets, jack beans, lima beans, field beans, cowpeas)		
0300020	Lentils		
0300030	Peas (Chickpeas, field peas, chickling vetch)		
0300040	Lupins		
0300990	Others		
0400000	4. <b>OILSEEDS AND OILFRUITS</b>	0,05 (*)	<b>0,02 (*)</b>
0401000	(i) <b>Oilseeds</b>		
0401010	Linseed		
0401020	Peanuts		
0401030	Poppy seed		
0401040	Sesame seed		
0401050	Sunflower seed		
0401060	Rape seed (Bird rapeseed, turnip rape)		
0401070	Soya bean		
0401080	Mustard seed		
0401090	Cotton seed		
0401100	Pumpkin seeds (Other seeds of <i>cucurbitacea</i> )		
0401110	Safflower		
0401120	Borage		
0401130	Gold of pleasure		
0401140	Hempseed		
0401150	Castor bean		
0401990	Others		
0402000	(ii) <b>Oilfruits</b>		
0402010	Olives for oil production		



▼ **M42**

(1)	(2)	(3)	(4)
0402020	Palm nuts (palmoil kernels)		
0402030	Palmfruit		
0402040	Kapok		
0402990	Others		
0500000	5. <b>CEREALS</b>	<b>0,02 (*)</b>	0,01 (*)
0500010	Barley		
0500020	Buckwheat (Amaranthus, quinoa)		
0500030	Maize		
0500040	Millet (Foxtail millet, teff)		
0500050	Oats		
0500060	Rice		
0500070	Rye		
0500080	Sorghum		
0500090	Wheat (Spelt, triticale)		
0500990	Others		
0600000	6. <b>TEA, COFFEE, HERBAL INFUSIONS AND COCOA</b>	<b>0,1 (*)</b>	<b>0,05 (*)</b>
0610000	(i) <b>Tea (dried leaves and stalks, fermented or otherwise of <i>Camellia sinensis</i>)</b>		
0620000	(ii) <b>Coffee beans</b>		
0630000	(iii) <b>Herbal infusions (dried)</b>		
0631000	(a) <i>Flowers</i>		
0631010	Camomille flowers		
0631020	Hybiscus flowers		
0631030	Rose petals		
0631040	Jasmine flowers (Elderflowers ( <i>Sambucus nigra</i> ))		
0631050	Lime (linden)		
0631990	Others		

▼ M42

(5)	(6)	(7)	(8)
0,01 (*)		0,01 (*)	► <u>M70</u> 0,1 (*) ◀
	► <u>M61</u> 0,4 ◀ ► <u>M61</u> 0,02 (*) ◀ ► <u>M61</u> 0,1 ◀ ► <u>M61</u> 0,02 (*) ◀ ► <u>M61</u> 0,4 ◀ ► <u>M61</u> 0,02 (*) ◀ ► <u>M61</u> 0,06 ◀ ► <u>M61</u> 0,02 (*) ◀ ► <u>M61</u> 0,15 ◀		
	► <u>M61</u> 0,02 (*) ◀		
0,05 (*)	► <u>M61</u> 0,1 (*) ◀		► <u>M70</u> 0,1 (*) ◀
		0,05 (*)	
		0,05 (*)	
		2	



▼ **M42**

(1)	(2)	(3)	(4)
0632000	(b) <i>Leaves</i>		
0632010	Strawberry leaves		
0632020	Rooibos leaves (Ginkgo leaves)		
0632030	Maté		
0632990	Others		
0633000	(c) <i>Roots</i>		
0633010	Valerian root		
0633020	Ginseng root		
0633990	Others		
0639000	(d) <i>Other herbal infusions</i>		
0640000	(iv) <b>Cocoa (fermented beans)</b>		
0650000	(v) <b>Carob (St johns bread)</b>		
0700000	7. <b>HOPS (dried), including hop pellets and unconcentrated powder</b>	<b>0,1 (*)</b>	<b>0,05 (*)</b>
0800000	8. <b>SPICES</b>	<b>0,1 (*)</b>	<b>0,05 (*)</b>
0810000	(i) <b>Seeds</b>		
0810010	Anise		
0810020	Black caraway		
0810030	Celery seed (Lovage seed)		
0810040	Coriander seed		
0810050	Cumin seed		
0810060	Dill seed		
0810070	Fennel seed		
0810080	Fenugreek		
0810090	Nutmeg		
0810990	Others		
0820000	(ii) <b>Fruits and berries</b>		
0820010	Allspice		
0820020	Anise pepper (Japan pepper)		
0820030	Caraway		
0820040	Cardamom		
0820050	Juniper berries		
0820060	Pepper, black and white (Long pepper, pink pepper)		
0820070	Vanilla pods		
0820080	Tamarind		
0820990	Others		

▼ M42

(5)	(6)	(7)	(8)
		2	
		<b>0,05 (*)</b>	
		<b>0,05 (*)</b>	
		0,05 (*)	
		0,05 (*)	
<b>0,05 (*)</b>	▶ <u>M61</u> 0,1 (*) ◀	0,05 (*)	▶ <u>M70</u> 0,1 (*) ◀
<b>0,05 (*)</b>	▶ <u>M61</u> — ◀		▶ <u>M70</u> — ◀
	▶ <u>M61</u> 0,1 (*) ◀	<b>0,3 (+)</b>	▶ <u>M70</u> 0,1 (*) ◀
	▶ <u>M61</u> 0,1 (*) ◀	<b>0,3 (+)</b>	▶ <u>M70</u> 0,1 (*) ◀

▼ **M42**

(1)	(2)	(3)	(4)
0830000	(iii) <b>Bark</b>		
0830010	Cinnamon (Cassia)		
0830990	Others		
0840000	(iv) <b>Roots or rhizome</b>		
0840010	Liquorice		
0840020	Ginger		
0840030	Turmeric (Curcuma)		
0840040	Horseradish		
0840990	Others		
0850000	(v) <b>Buds</b>		
0850010	Cloves		
0850020	Capers		
0850990	Others		
0860000	(vi) <b>Flower stigma</b>		
0860010	Saffron		
0860990	Others		
0870000	(vii) <b>Aril</b>		
0870010	Mace		
0870990	Others		
0900000	9. <b>SUGAR PLANTS</b>	0,02 (*)	0,01 (*)
0900010	Sugar beet (root)		
0900020	Sugar cane		
0900030	Chicory roots		
0900990	Others		
1000000	10. <b>PRODUCTS OF ANIMAL ORIGIN — TERRESTRIAL ANIMALS</b>		
1010000	(i) <b>Meat, preparations of meat, offals, blood, animal fats fresh chilled or frozen, salted, in brine, dried or smoked or processed as flours or meals other processed products such as sausages and food preparations based on these</b>	0,02 (*)	<b>0,01 (*)</b>
1011000	(a) <i>Swine</i>		
1011010	Meat		

▼ M42

(5)	(6)	(7)	(8)
	▶ <u>M61</u> 0,1 (*) ◀	0,05 (*)	▶ <u>M70</u> 0,1 (*) ◀
		0,05 (*)	
	▶ <u>M61</u> 0,1 (*) ◀ ▶ <u>M61</u> 0,1 (*) ◀ ▶ <u>M61</u> 0,1 (*) ◀ ▶ <u>M61</u> (+) ◀		▶ <u>M70</u> 0,1 (*) ◀ ▶ <u>M70</u> 0,1 (*) ◀ ▶ <u>M70</u> 0,1 (*) ◀ ▶ <u>M70</u> (+) ◀
	▶ <u>M61</u> 0,1 (*) ◀		▶ <u>M70</u> 0,1 (*) ◀
	▶ <u>M61</u> 0,1 (*) ◀	0,05 (*)	▶ <u>M70</u> 0,1 (*) ◀
	▶ <u>M61</u> 0,1 (*) ◀	0,05 (*)	▶ <u>M70</u> 0,1 (*) ◀
	▶ <u>M61</u> 0,1 (*) ◀	0,05 (*)	▶ <u>M70</u> 0,1 (*) ◀
0,01 (*)		0,01 (*)	▶ <u>M70</u> 0,1 (*) ◀
	▶ <u>M61</u> 0,06 ◀ ▶ <u>M61</u> 0,02 (*) ◀ ▶ <u>M61</u> 0,02 (*) ◀		
	▶ <u>M61</u> 0,02 (*) ◀		
0,05 (*)			
	▶ <u>M61</u> 0,02 (*) ◀	0,01 (*)	
			▶ <u>M70</u> 0,1 (*) ◀

▼ **M42**

(1)	(2)	(3)	(4)
1011020	Fat free of lean meat		
1011030	Liver		
1011040	Kidney		
1011050	Edible offal		
1011990	Others		
1012000	(b) <i>Bovine</i>		
1012010	Meat		
1012020	Fat		
1012030	Liver		
1012040	Kidney		
1012050	Edible offal		
1012990	Others		
1013000	(c) <i>Sheep</i>		
1013010	Meat		
1013020	Fat		
1013030	Liver		
1013040	Kidney		
1013050	Edible offal		
1013990	Others		
1014000	(d) <i>Goat</i>		
1014010	Meat		
1014020	Fat		
1014030	Liver		
1014040	Kidney		
1014050	Edible offal		
1014990	Others		
1015000	(e) <i>Horses, asses, mules or hinnies</i>		
1015010	Meat		
1015020	Fat		
1015030	Liver		
1015040	Kidney		
1015050	Edible offal		
1015990	Others		



▼ **M42**

(1)	(2)	(3)	(4)
1016000	(f) <i>Poultry — chicken, geese, duck, turkey and Guinea fowl — ostrich, pigeon</i>		
1016010	Meat		
1016020	Fat		
1016030	Liver		
1016040	Kidney		
1016050	Edible offal		
1016990	Others		
1017000	(g) <i>Other farm animals (Rabbit, Kangaroo)</i>		
1017010	Meat		
1017020	Fat		
1017030	Liver		
1017040	Kidney		
1017050	Edible offal		
1017990	Others		
1020000	(ii) <b>Milk and cream, not concentrated, nor containing added sugar or sweetening matter, butter and other fats derived from milk, cheese and curd</b>	0,02 (*)	<b>0,01 (*)</b>
1020010	Cattle		
1020020	Sheep		
1020030	Goat		
1020040	Horse		
1020990	Others		
1030000	(iii) <b>Birds' eggs, fresh preserved or cooked Shelled eggs and egg yolks fresh, dried, cooked by steaming or boiling in water, moulded, frozen or otherwise preserved whether or not containing added sugar or sweetening matter</b>	0,02 (*)	<b>0,01 (*)</b>
1030010	Chicken		
1030020	Duck		
1030030	Goose		
1030040	Quail		
1030990	Others		

▼ M42

(5)	(6)	(7)	(8)
			▶ <u>M70</u> 0,1 (*) ◀ ▶ <u>M70</u> 0,1 (*) ◀ ▶ <u>M70</u> 0,2 ◀ ▶ <u>M70</u> 0,1 (*) ◀ ▶ <u>M70</u> 0,1 (*) ◀
			▶ <u>M70</u> 0,1 (*) ◀
			▶ <u>M70</u> 0,1 (*) ◀
	▶ <u>M61</u> 0,02 (*) ◀	0,01 (*)	▶ <u>M70</u> 0,02 (*) ◀
	▶ <u>M61</u> 0,02 (*) ◀	0,01 (*)	▶ <u>M70</u> 0,1 (*) ◀



▼ **M42**

(1)	(2)	(3)	(4)
1040000	(iv) <b>Honey (Royal jelly, pollen)</b>	<b>0,05 (*)</b>	<b>0,05 (*)</b>
1050000	(v) <b>Amphibians and reptiles (Frog legs, crocodiles)</b>	<b>0,02 (*)</b>	<b>0,01 (*)</b>
1060000	(vi) <b>Snails</b>	<b>0,02 (*)</b>	<b>0,01 (*)</b>
1070000	(vii) <b>Other terrestrial animal products</b>	<b>0,02 (*)</b>	<b>0,01 (*)</b>

▼ M42

(5)	(6)	(7)	(8)
	▶ <u>M61</u> 0,05 (*) ◀	0,05 (*)	▶ <u>M70</u> 0,05 (*) ◀
	▶ <u>M61</u> 0,02 (*) ◀	<b>0,01 (*)</b>	▶ <u>M70</u> 0,1 (*) ◀
	▶ <u>M61</u> 0,02 (*) ◀	<b>0,01 (*)</b>	▶ <u>M70</u> 0,1 (*) ◀
	▶ <u>M61</u> 0,02 (*) ◀	<b>0,01 (*)</b>	▶ <u>M70</u> 0,1 (*) ◀

▼ **M46****Pesticide residues and maximum residue levels (mg/kg)**

Code number	Groups and examples of individual products to which the MRLs apply (*)	Beflubutamid
(1)	(2)	(3)
0100000	1. <b>FRUIT FRESH OR FROZEN NUTS</b>	<b>0,02 (*)</b>
0110000	(i) <b>Citrus fruit</b>	
0110010	Grapefruit (Shaddocks, pomelos, sweeties, tangelo (except mineola), ugli and other hybrids)	
0110020	Oranges (Bergamot, bitter orange, chinotto and other hybrids)	
0110030	Lemons (Citron, lemon, Buddha's hand ( <i>Citrus medica</i> var. <i>sarcodactylis</i> ))	
0110040	Limes	
0110050	Mandarins (Clementine, tangerine, mineola and other hybrids tangor ( <i>Citrus reticulata</i> x <i>sinensis</i> ))	
0110990	Others	
0120000	(ii) <b>Tree nuts</b>	
0120010	Almonds	
0120020	Brazil nuts	
0120030	Cashew nuts	
0120040	Chestnuts	
0120050	Coconuts	
0120060	Hazelnuts (Filbert)	
0120070	Macadamia	
0120080	Pecans	
0120090	Pine nuts	
0120100	Pistachios	
0120110	Walnuts	
0120990	Others	
0130000	(iii) <b>Pome fruit</b>	
0130010	Apples (Crab apple)	
0130020	Pears (Oriental pear)	
0130030	Quinces	
0130040	Medlar	
0130050	Loquat	
0130990	Others	
0140000	(iv) <b>Stone fruit</b>	
0140010	Apricots	
0140020	Cherries (Sweet cherries, sour cherries)	
0140030	Peaches (Nectarines and similar hybrids)	

▼ **M46**

(1)	(2)	(3)
0140040	Plums (Damson, greengage, mirabelle, sloe, red date/Chinese date/Chinese jujube ( <i>Ziziphus zizyphus</i> ))	
0140990	Others	
0150000	(v) <b>Berries &amp; small fruit</b>	
0151000	(a) <i>Table and wine grapes</i>	
0151010	Table grapes	
0151020	Wine grapes	
0152000	(b) <i>Strawberries</i>	
0153000	(c) <i>Cane fruit</i>	
0153010	Blackberries	
0153020	Dewberries (Loganberries, tayberries, boysenberries, cloudberrries and other <i>Rubus</i> hybrids)	
0153030	Raspberries (Wineberries, arctic bramble/raspberry, ( <i>Rubus arcticus</i> ), nectar raspberries ( <i>Rubus arcticus</i> x <i>Rubus idaeus</i> ))	
0153990	Others	
0154000	(d) <i>Other small fruit &amp; berries</i>	
0154010	Blueberries (Bilberries)	
0154020	Cranberries (Cowberries/red bilberries ( <i>V. vitis-idaea</i> ))	
0154030	Currants (red, black and white)	
0154040	Gooseberries (Including hybrids with other <i>Ribes</i> species)	
0154050	Rose hips	
0154060	Mulberries ( <i>Arbutus berry</i> )	
0154070	Azarole (mediteranean medlar) (Kiwiberry ( <i>Actinidia arguta</i> ))	
0154080	Elderberries (Black chokeberry/appleberry, mountain ash, buck-thorn/sea sallowthorn, hawthorn, serviceberries, and other treeberries)	
0154990	Others	
0160000	(vi) <b>Miscellaneous fruit</b>	
0161000	(a) <i>Edible peel</i>	
0161010	Dates	
0161020	Figs	
0161030	Table olives	
0161040	Kumquats (Marumi kumquats, nagami kumquats, limequats ( <i>Citrus aurantifolia</i> x <i>Fortunella</i> spp.))	
0161050	Carambola (Bilimbi)	
0161060	Persimmon	

## ▼ M46

(1)	(2)	(3)
0161070	Jambolan (java plum) (Java apple/ water apple, pomerac, rose apple, Brazilian cherry, Surinam cherry/ grumichama ( <i>Eugenia uniflora</i> ))	
0161990	Others	
0162000	(b) <i>Inedible peel, small</i>	
0162010	Kiwi	
0162020	Lychee (Litchi) (Pulasan, rambutan/ hairy litchi, longan, mangosteen, langsats, salak)	
0162030	Passion fruit	
0162040	Prickly pear (cactus fruit)	
0162050	Star apple	
0162060	American persimmon (Virginia kaki) (Black sapote, white sapote, green sapote, canistel/yellow sapote, mammey sapote)	
0162990	Others	
0163000	(c) <i>Inedible peel, large</i>	
0163010	Avocados	
0163020	Bananas (Dwarf banana, plantain, apple banana)	
0163030	Mangoes	
0163040	Papaya	
0163050	Pomegranate	
0163060	Cherimoya (Custard apple, sugar apple/sweetsop, ilama ( <i>Annona diversifolia</i> ) and other medium sized <i>Annonaceae</i> fruits)	
0163070	Guava (Red pitaya/dragon fruit ( <i>Hylocereus undatus</i> ))	
0163080	Pineapples	
0163090	Bread fruit (Jackfruit)	
0163100	Durian	
0163110	Soursop (guanabana)	
0163990	Others	
0200000	2. <b>VEGETABLES FRESH OR FROZEN</b>	
0210000	(i) <b>Root and tuber vegetables</b>	<b>0,02 (*)</b>
0211000	(a) <i>Potatoes</i>	
0212000	(b) <i>Tropical root and tuber vegetables</i>	
0212010	Cassava (Dasheen, eddoe/Japanese taro, tannia)	
0212020	Sweet potatoes	
0212030	Yams (Potato bean/yam bean, Mexican yam bean)	

▼ **M46**

(1)	(2)	(3)
0212040	Arrowroot	
0212990	Others	
0213000	(c) <i>Other root and tuber vegetables except sugar beet</i>	
0213010	Beetroot	
0213020	Carrots	
0213030	Celeriac	
0213040	Horseradish (Angelica roots, lovage roots, gentiana roots)	
0213050	Jerusalem artichokes (Crosne)	
0213060	Parsnips	
0213070	Parsley root	
0213080	Radishes (Black radish, Japanese radish, small radish and similar varieties, tiger nut ( <i>Cyperus esculentus</i> ))	
0213090	Salsify (Scorzonera, Spanish salsify/ Spanish oysterplant, edible burdock)	
0213100	Swedes	
0213110	Turnips	
0213990	Others	
0220000	(ii) <b>Bulb vegetables</b>	<b>0,02 (*)</b>
0220010	Garlic	
0220020	Onions (Other bulb onions, silverskin onions)	
0220030	Shallots	
0220040	Spring onions and welsh onions (Other green onions and similar varieties)	
0220990	Others	
0230000	(iii) <b>Fruiting vegetables</b>	<b>0,02 (*)</b>
0231000	(a) <i>Solanacea</i>	
0231010	Tomatoes (Cherry tomatoes, <i>Physalis</i> spp., gojiberry, wolfberry ( <i>Lycium barbarum</i> and <i>L. chinense</i> ), tree tomato)	
0231020	Peppers (Chilli peppers)	
0231030	Aubergines (egg plants) (Pepino, antroewa/white eggplant ( <i>S. macrocarpon</i> ))	
0231040	Okra (lady's fingers)	
0231990	Others	
0232000	(b) <i>Cucurbits — edible peel</i>	
0232010	Cucumbers	
0232020	Gherkins	

▼ **M46**

(1)	(2)	(3)
0232030	Courgettes (Summer squash, marrow (patisson), lauki ( <i>Lagenaria siceraria</i> ), chayote, sopropo/bitter melon, snake gourd, angled luffa/teroi)	
0232990	Others	
0233000	(c) <i>Cucurbits — inedible peel</i>	
0233010	Melons (Kiwano)	
0233020	Pumpkins (Winter squash, marrow (late variety))	
0233030	Watermelons	
0233990	Others	
0234000	(d) <i>Sweet corn (Baby corn)</i>	
0239000	(e) <i>Other fruiting vegetables</i>	
0240000	(iv) <b>Brassica vegetables</b>	<b>0,02 (*)</b>
0241000	(a) <i>Flowering brassica</i>	
0241010	Broccoli (Calabrese, Broccoli raab, Chinese broccoli)	
0241020	Cauliflower	
0241990	Others	
0242000	(b) <i>Head brassica</i>	
0242010	Brussels sprouts	
0242020	Head cabbage (Pointed head cabbage, red cabbage, savoy cabbage, white cabbage)	
0242990	Others	
0243000	(c) <i>Leafy brassica</i>	
0243010	Chinese cabbage (Indian or Chinese) mustard, pak choi, Chinese flat cabbage/ai goo choi), choi sum, Peking cabbage/pe-tsai)	
0243020	Kale (Borecole/curly kale, collards, Portuguese Kale, Portuguese cabbage, cow cabbage)	
0243990	Others	
0244000	(d) <i>Kohlrabi</i>	
0250000	(v) <b>Leaf vegetables &amp; fresh herbs</b>	
0251000	(a) <i>Lettuce and other salad plants including Brassicacea</i>	<b>0,02 (*)</b>
0251010	Lamb's lettuce (Italian corn salad)	
0251020	Lettuce (Head lettuce, lollo rosso (cutting lettuce), iceberg lettuce, romaine (cos) lettuce)	
0251030	Scarole (broad-leaf endive) (Wild chicory, red-leaved chicory, radicchio, curly leaf endive, sugar loaf ( <i>C. endivia</i> var. <i>crispum</i> / <i>C. intybus</i> var. <i>foliosum</i> ), dandelion greens)	

▼ **M46**

(1)	(2)	(3)
0251040	Cress (Mung bean sprouts, alfalfa sprouts)	
0251050	Land cress	
0251060	Rocket, Rucola (Wild rocket ( <i>Diplotaxis</i> spp.))	
0251070	Red mustard	
0251080	Leaves and sprouts of <i>Brassica</i> spp, including turnip greens (Mizuna, leaves of peas and radish and other babyleaf crops, including brassica crops (crops harvested up to 8 true leaf stage), kohlrabi leaves)	
0251990	Others	
0252000	(b) <i>Spinach &amp; similar (leaves)</i>	<b>0,02 (*)</b>
0252010	Spinach (New Zealand spinach, amaranthus spinach (pak-khom, tampara), tajar leaves, bitterblad/bitawiri)	
0252020	Purslane (Winter purslane/miner's lettuce, garden purslane, common purslane, sorrel, glassworth, agretti ( <i>Salsola soda</i> ))	
0252030	Beet leaves (chard) (Leaves of beetroot)	
0252990	Others	
0253000	(c) <i>Vine leaves (grape leaves) (Malabar nightshade, banana leaves, climbing wattle (Acacia pennata))</i>	<b>0,02 (*)</b>
0254000	(d) <i>Water cress (Morning glory/Chinese convolvulus/water convolvulus/water spinach/kangkung (Ipomea aquatica), water clover, water mimosa)</i>	<b>0,02 (*)</b>
0255000	(e) <i>Witloof</i>	<b>0,02 (*)</b>
0256000	(f) <i>Herbs</i>	0,05 (*)
0256010	Chervil	
0256020	Chives	
0256030	Celery leaves (Fennel leaves, coriander leaves, dill leaves, caraway leaves, lovage, angelica, sweet ciselny and other <i>Apiacea</i> leaves, culantro/stinking/long coriander/stink weed ( <i>Eryngium foetidum</i> ))	
0256040	Parsley (leaves of root parsley)	
0256050	Sage (Winter savory, summer savory, <i>Borago officinalis</i> leaves)	
0256060	Rosemary	
0256070	Thyme (Marjoram, oregano)	



▼ **M46**

(1)	(2)	(3)
0256080	Basil (Balm leaves, mint, peppermint, holy basil, sweet basil, hairy basil, edible flowers (marigold flower and others), pennywort, wild betel leaf, curry leaves)	
0256090	Bay leaves (laurel) (Lemon grass)	
0256100	Tarragon (Hyssop)	
0256990	Others	
0260000	<b>(vi) Legume vegetables (fresh)</b>	<b>0,02 (*)</b>
0260010	Beans (with pods) (Green bean/French beans/snap beans, scarlet runner bean, slicing bean, yard long beans, guar beans, soya beans)	
0260020	Beans (without pods) (Broad beans, flageolets, jack bean, lima bean, cowpea)	
0260030	Peas (with pods) (Mangetout/sugar peas/snow peas)	
0260040	Peas (without pods) (Garden pea, green pea, chickpea)	
0260050	Lentils	
0260990	Others	
0270000	<b>(vii) Stem vegetables (fresh)</b>	<b>0,02 (*)</b>
0270010	Asparagus	
0270020	Cardoons ( <i>Borago officinalis</i> stems)	
0270030	Celery	
0270040	Fennel	
0270050	Globe artichokes (Banana flower)	
0270060	Leek	
0270070	Rhubarb	
0270080	Bamboo shoots	
0270090	Palm hearts	
0270990	Others	
0280000	<b>(viii) Fungi</b>	<b>0,02 (*)</b>
0280010	Cultivated fungi (Common mushroom, oyster mushroom, shiitake, fungus mycelium (vegetative parts))	
0280020	Wild fungi (Chanterelle, truffle, morel, cep)	
0280990	Others	
0290000	<b>(ix) Sea weeds</b>	<b>0,02 (*)</b>
0300000	<b>3. PULSES, DRY</b>	<b>0,01 (*)</b>
0300010	Beans (Broad beans, navy beans, flageolets, jack beans, lima beans, field beans, cowpeas)	
0300020	Lentils	
0300030	Peas (Chickpeas, field peas, chickling vetch)	

▼ **M46**

(1)	(2)	(3)
0300040	Lupins	
0300990	Others	
0400000	<b>4. OILSEEDS AND OILFRUITS</b>	<b>0,02 (*)</b>
0401000	<b>(i) Oilseeds</b>	
0401010	Linseed	
0401020	Peanuts	
0401030	Poppy seed	
0401040	Sesame seed	
0401050	Sunflower seed	
0401060	Rape seed (Bird rapeseed, turnip rape)	
0401070	Soya bean	
0401080	Mustard seed	
0401090	Cotton seed	
0401100	Pumpkin seeds (Other seeds of <i>Cucurbitaceae</i> )	
0401110	Safflower	
0401120	Borage (Purple viper's bugloss/Canary flower ( <i>Echium plantagineum</i> ), Corn Gromwell ( <i>Buglossoides arvensis</i> ))	
0401130	Gold of pleasure	
0401140	Hempseed	
0401150	Castor bean	
0401990	Others	
0402000	<b>(ii) Oilfruits</b>	
0402010	Olives for oil production	
0402020	Palm nuts (palmoil kernels)	
0402030	Palmfruit	
0402040	Kapok	
0402990	Others	
0500000	<b>5. CEREALS</b>	
0500010	Barley	0,05 (*)
0500020	Buckwheat ( <i>Amaranthus, quinoa</i> )	<b>0,01 (*)</b>
0500030	Maize	<b>0,01 (*)</b>
0500040	Millet (Foxtail millet, teff, finger millet, pearl millet)	<b>0,01 (*)</b>
0500050	Oats	0,05 (*)
0500060	Rice (Indian/wild rice ( <i>Zizania aquatica</i> ))	<b>0,01 (*)</b>
0500070	Rye	0,05 (*)
0500080	Sorghum	<b>0,01 (*)</b>
0500090	Wheat (Spelt, triticale)	<b>0,05 (*)</b>
0500990	Others (Canary grass seeds ( <i>Phalaris canariensis</i> ))	<b>0,01 (*)</b>

▼ **M46**

(1)	(2)	(3)
0600000	6. <b>TEA, COFFEE, HERBAL INFUSIONS AND COCOA</b>	<b>0,05 (*)</b>
0610000	(i) <b>Tea</b>	
0620000	(ii) <b>Coffee beans</b>	
0630000	(iii) <b>Herbal infusions (dried)</b>	
0631000	(a) <i>Flowers</i>	
0631010	Camomille flowers	
0631020	Hybiscus flowers	
0631030	Rose petals	
0631040	Jasmine flowers (Elderflowers ( <i>Sambucus nigra</i> ))	
0631050	Lime (linden)	
0631990	Others	
0632000	(b) <i>Leaves</i>	
0632010	Strawberry leaves	
0632020	Rooibos leaves (Ginkgo leaves)	
0632030	Maté	
0632990	Others	
0633000	(c) <i>Roots</i>	
0633010	Valerian root	
0633020	Ginseng root	
0633990	Others	
0639000	(d) <i>Other herbal infusions</i>	
0640000	(iv) <b>Cocoabeans (fermented or dried)</b>	
0650000	(v) <b>Carob (st johns bread)</b>	
0700000	7. <b>HOPS (dried)</b>	<b>0,05 (*)</b>
0800000	8. <b>SPICES</b>	<b>0,05 (*)</b>
0810000	(i) <b>Seeds</b>	
0810010	Anise	
0810020	Black caraway	
0810030	Celery seed (Lovage seed)	
0810040	Coriander seed	
0810050	Cumin seed	
0810060	Dill seed	
0810070	Fennel seed	
0810080	Fenugreek	
0810090	Nutmeg	
0810990	Others	
0820000	(ii) <b>Fruits and berries</b>	
0820010	Allspice	

▼ **M46**

(1)	(2)	(3)
0820020	Sichuan pepper (Anise pepper, Japan pepper)	
0820030	Caraway	
0820040	Cardamom	
0820050	Juniper berries	
0820060	Pepper, black, green and white (Long pepper, pink pepper)	
0820070	Vanilla pods	
0820080	Tamarind	
0820990	Others	
0830000	<b>(iii) Bark</b>	
0830010	Cinnamon (Cassia)	
0830990	Others	
0840000	<b>(iv) Roots or rhizome</b>	
0840010	Liquorice	
0840020	Ginger	
0840030	Turmeric (Curcuma)	
0840040	Horseradish	
0840990	Others	
0850000	<b>(v) Buds</b>	
0850010	Cloves	
0850020	Capers	
0850990	Others	
0860000	<b>(vi) Flower stigma</b>	
0860010	Saffron	
0860990	Others	
0870000	<b>(vii) Aril</b>	
0870010	Mace	
0870990	Others	
0900000	<b>9. SUGAR PLANTS</b>	<b>0,02 (*)</b>
0900010	Sugar beet (root)	
0900020	Sugar cane	
0900030	Chicory roots	
0900990	Others	

▼ **M46**

(1)	(2)	(3)
1000000	<b>10. PRODUCTS OF ANIMAL ORIGIN- TERRESTRIAL ANIMALS</b>	
1010000	(i) <b>Tissue</b>	<b>0,01 (*)</b>
1011000	(a) <i>Swine</i>	
1011010	Muscle	
1011020	Fat	
1011030	Liver	
1011040	Kidney	
1011050	Edible offal	
1011990	Others	
1012000	(b) <i>Bovine</i>	
1012010	Muscle	
1012020	Fat	
1012030	Liver	
1012040	Kidney	
1012050	Edible offal	
1012990	Others	
1013000	(c) <i>Sheep</i>	
1013010	Muscle	
1013020	Fat	
1013030	Liver	
1013040	Kidney	
1013050	Edible offal	
1013990	Others	
1014000	(d) <i>Goat</i>	
1014010	Muscle	
1014020	Fat	
1014030	Liver	
1014040	Kidney	
1014050	Edible offal	
1014990	Others	
1015000	(e) <i>Horses, asses, mules or hinnies</i>	
1015010	Muscle	
1015020	Fat	
1015030	Liver	

▼ **M46**

(1)	(2)	(3)
1015040	Kidney	
1015050	Edible offal	
1015990	Others	
1016000	(f) <i>Poultry -chicken, geese, duck, turkey and Guinea fowl-, ostrich, pigeon</i>	
1016010	Muscle	
1016020	Fat	
1016030	Liver	
1016040	Kidney	
1016050	Edible offal	
1016990	Others	
1017000	(g) <i>Other farm animals (Rabbit, kangaroo, deer)</i>	
1017010	Muscle	
1017020	Fat	
1017030	Liver	
1017040	Kidney	
1017050	Edible offal	
1017990	Others	
1020000	(ii) <b>Milk</b>	<b>0,01 (*)</b>
1020010	Cattle	
1020020	Sheep	
1020030	Goat	
1020040	Horse	
1020990	Others	
1030000	(iii) <b>Bird eggs</b>	<b>0,01 (*)</b>
1030010	Chicken	
1030020	Duck	
1030030	Goose	
1030040	Quail	
1030990	Others	

▼ **M46**

(1)	(2)	(3)
1040000	(iv) <b>Honey (Royal jelly, pollen, honey comb with honey (comb honey))</b>	0,05 (*)
1050000	(v) <b>Amphibians and reptiles (Frog legs, crocodiles)</b>	<b>0,01</b> (*)
1060000	(vi) <b>Snails</b>	<b>0,01</b> (*)
1070000	(vii) <b>Other terrestrial animal products (Wild game)</b>	<b>0,01</b> (*)

▼ **M49****Pesticide residues and maximum residue levels (mg/kg)**

Code number	Groups and examples of individual products to which the MRLs apply (*)	Fenpropidin (sum of fenpropidin and its salts, expressed as fenpropidin) (R) (S)	► <b>M72</b> Formetanate: Sum of formetanate and its salts expressed as formetanate(hydrochloride) ◀	► <b>M72</b> Tebuconazole (R) ◀
(1)	(2)	(3)	(4)	(5)
0100000	<b>1. FRUIT FRESH OR FROZEN NUTS</b>			
0110000	(i) <b>Citrus fruit</b>	<b>0,01 (*)</b>	► <b>M72</b> 0,01 (*) ◀	
0110010	Grapefruit (Shaddocks, pomelos, sweeties, tangelo (except mineola), ugli and other hybrids)			► <b>M72</b> 5 ◀
0110020	Oranges (Bergamot, bitter orange, chinotto and other hybrids)			► <b>M72</b> 0,9 ◀
0110030	Lemons (Citron, lemon, Buddha's hand ( <i>Citrus medica</i> var. <i>sarcodactylis</i> ))			► <b>M72</b> 5 ◀
0110040	Limes			► <b>M72</b> 5 ◀
0110050	Mandarins (Clementine, tangerine, mineola and other hybrids tangor ( <i>Citrus reticulata</i> x <i>sinensis</i> ))			► <b>M72</b> 5 ◀
0110990	Others			► <b>M72</b> 5 ◀
0120000	(ii) <b>Tree nuts</b>	<b>0,01 (*)</b>	► <b>M72</b> 0,01 (*) ◀	► <b>M72</b> 0,05 ◀
0120010	Almonds			
0120020	Brazil nuts			
0120030	Cashew nuts			
0120040	Chestnuts			
0120050	Coconuts			
0120060	Hazelnuts (Filbert)			
0120070	Macadamia			
0120080	Pecans			
0120090	Pine nuts			
0120100	Pistachios			
0120110	Walnuts			
0120990	Others			
0130000	(iii) <b>Pome fruit</b>	<b>0,01 (*)</b>	► <b>M72</b> 0,01 (*) ◀	
0130010	Apples (Crab apple)			► <b>M72</b> 0,3 ◀
0130020	Pears (Oriental pear)			► <b>M72</b> 0,3 ◀
0130030	Quinces			► <b>M72</b> 0,5 ◀
0130040	Medlar			► <b>M72</b> 0,5 ◀
0130050	Loquat			► <b>M72</b> 0,5 ◀
0130990	Others			► <b>M72</b> 0,5 ◀
0140000	(iv) <b>Stone fruit</b>	<b>0,01 (*)</b>	► <b>M72</b> 0,01 (*) ◀	
0140010	Apricots			► <b>M72</b> 0,6 ◀
0140020	Cherries (Sweet cherries, sour cherries)			► <b>M72</b> 1 (+) ◀
0140030	Peaches (Nectarines and similar hybrids)			► <b>M72</b> 0,6 ◀



▼ **M49**

(1)	(2)	(3)	(4)	(5)
0140040	Plums (Damson, greengage, mirabelle, sloe, red date/Chinese date/Chinese jujube ( <i>Ziziphus zizyphus</i> ))			► <b>M72</b> 1 ◀
0140990	Others			► <b>M72</b> 0,02 (*) ◀
0150000	(v) <b>Berries &amp; small fruit</b>	<b>0,01 (*)</b>		
0151000	(a) <i>Table and wine grapes</i>		► <b>M72</b> 0,1 ◀	
0151010	Table grapes			► <b>M72</b> 0,5 ◀
0151020	Wine grapes			► <b>M72</b> 1 (+) ◀
0152000	(b) <i>Strawberries</i>		► <b>M72</b> 0,4 ◀	► <b>M72</b> 0,02 (*) ◀
0153000	(c) <i>Cane fruit</i>		► <b>M72</b> 0,01 (*) ◀	► <b>M72</b> 0,5 ◀
0153010	Blackberries			
0153020	Dewberries (Loganberries, tayberries, boysenberries, cloudberries and other <i>Rubus</i> hybrids)			► <b>M72</b> (+) ◀
0153030	Raspberries (Wineberries, arctic bramble/raspberry, ( <i>Rubus arcticus</i> ), nectar raspberries ( <i>Rubus arcticus</i> x <i>Rubus idaeus</i> ))			
0153990	Others			► <b>M72</b> (+) ◀
0154000	(d) <i>Other small fruit &amp; berries</i>		► <b>M72</b> 0,01 (*) ◀	► <b>M72</b> 1.5 ◀
0154010	Blueberries (Bilberries)			
0154020	Cranberries (Cowberries/red bilberries ( <i>V. vitis-idaea</i> ))			
0154030	Currants (red, black and white)			
0154040	Gooseberries (Including hybrids with other <i>Ribes</i> species)			
0154050	Rose hips			
0154060	Mulberries ( <i>Arbutus</i> berry)			
0154070	Azarole (mediteranean medlar) (Kiwiberry ( <i>Actinidia arguta</i> ))			
0154080	Elderberries (Black chokeberry/appleberry, mountain ash, buckthorn/sea allowthorn, hawthorn, serviceberries, and other treeberries)			
0154990	Others			
0160000	(vi) <b>Miscellaneous fruit</b>		► <b>M72</b> 0,01 (*) ◀	
0161000	(a) <i>Edible peel</i>	<b>0,01 (*)</b>		
0161010	Dates			► <b>M72</b> 0,02 (*) ◀
0161020	Figs			► <b>M72</b> 0,02 (*) ◀
0161030	Table olives			► <b>M72</b> 0,05 ◀
0161040	Kumquats (Marumi kumquats, nagami kumquats, limequats ( <i>Citrus aurantifolia</i> x <i>Fortunella</i> spp.))			► <b>M72</b> 0,02 (*) ◀
0161050	Carambola (Bilimbi)			► <b>M72</b> 0,02 (*) ◀
0161060	Persimmon			► <b>M72</b> 0,02 (*) ◀

▼ **M49**

(1)	(2)	(3)	(4)	(5)
0161070	Jambolan (java plum) (Java apple/water apple, pomerac, rose apple, Brazilian cherry, Surinam cherry/grumichama ( <i>Eugenia uniflora</i> ))			► <b>M72</b> 0,02 (*) ◀
0161990	Others			► <b>M72</b> 0,02 (*) ◀
0162000	(b) <i>Inedible peel, small</i>	<b>0,01 (*)</b>		
0162010	Kiwi			► <b>M72</b> 0,02 (*) ◀
0162020	Lychee (Litchi) (Pulasan, rambutan/hairy litchi, longan, mangosteen, langsung, salak)			► <b>M72</b> 0,02 (*) ◀
0162030	Passion fruit			► <b>M72</b> 1 ◀
0162040	Prickly pear (cactus fruit)			► <b>M72</b> 0,02 (*) ◀
0162050	Star apple			► <b>M72</b> 0,02 (*) ◀
0162060	American persimmon (Virginia kaki) (Black sapote, white sapote, green sapote, canistel/ yellow sapote, mammey sapote)			► <b>M72</b> 0,02 (*) ◀
0162990	Others			► <b>M72</b> 0,02 (*) ◀
0163000	(c) <i>Inedible peel, large</i>			
0163010	Avocados	<b>0,01 (*)</b>		► <b>M72</b> 0,02 (*) ◀
0163020	Bananas (Dwarf banana, plantain, apple banana)	<b>0,2</b>		► <b>M72</b> 0,05 ◀
0163030	Mangoes	<b>0,01 (*)</b>		► <b>M72</b> 0,1 ◀
0163040	Papaya	<b>0,01 (*)</b>		► <b>M72</b> 2 ◀
0163050	Pomegranate	<b>0,01 (*)</b>		► <b>M72</b> 0,02 (*) ◀
0163060	Cherimoya (Custard apple, sugar apple/sweetsop, ilama ( <i>Annona diversifolia</i> ) and other medium sized <i>Annonaceae</i> fruits)	<b>0,01 (*)</b>		► <b>M72</b> 0,02 (*) ◀
0163070	Guava (Red pitaya/dragon fruit ( <i>Hylocereus undatus</i> ))	<b>0,01 (*)</b>		► <b>M72</b> 0,02 (*) ◀
0163080	Pineapples	<b>0,01 (*)</b>		► <b>M72</b> 0,02 (*) ◀
0163090	Bread fruit (Jackfruit)	<b>0,01 (*)</b>		► <b>M72</b> 0,02 (*) ◀
0163100	Durian	<b>0,01 (*)</b>		► <b>M72</b> 0,02 (*) ◀
0163110	Soursop (guanabana)	<b>0,01 (*)</b>		► <b>M72</b> 0,02 (*) ◀
0163990	Others	<b>0,01 (*)</b>		► <b>M72</b> 0,02 (*) ◀
0200000	<b>2. VEGETABLES FRESH OR FROZEN</b>			
0210000	(i) <b>Root and tuber vegetables</b>	<b>0,01 (*)</b>	► <b>M72</b> 0,01 (*) ◀	
0211000	(a) <i>Potatoes</i>			► <b>M72</b> 0,02 (*) ◀
0212000	(b) <i>Tropical root and tuber vegetables</i>			► <b>M72</b> 0,02 (*) ◀
0212010	Cassava (Dasheen, eddoe/ Japanese taro, tannia)			
0212020	Sweet potatoes			
0212030	Yams (Potato bean/yam bean, Mexican yam bean)			

▼ **M49**

(1)	(2)	(3)	(4)	(5)
0212040	Arrowroot			
0212990	Others			
0213000	(c) <i>Other root and tuber vegetables except sugar beet</i>			
0213010	Beetroot			► <b>M72</b> 0,02 (*) ◀
0213020	Carrots			► <b>M72</b> 0,4 ◀
0213030	Celeriac			► <b>M72</b> 0,5 ◀
0213040	Horseradish (Angelica roots, lovage roots, gentiana roots)			► <b>M72</b> 0,4 ◀
0213050	Jerusalem artichokes (Crosne)			► <b>M72</b> 0,02 (*) ◀
0213060	Parsnips			► <b>M72</b> 0,4 ◀
0213070	Parsley root			► <b>M72</b> 0,4 ◀
0213080	Radishes (Black radish, Japanese radish, small radish and similar varieties, tiger nut ( <i>Cyperus esculentus</i> ))			► <b>M72</b> 0,02 (*) ◀
0213090	Salsify (Scorzonera, Spanish salsify/Spanish oysterplant, edible burdock)			► <b>M72</b> 0,4 (+) ◀
0213100	Swedes			► <b>M72</b> 0,3 ◀
0213110	Turnips			► <b>M72</b> 0,3 ◀
0213990	Others			► <b>M72</b> 0,02 (*) ◀
0220000	(ii) <b>Bulb vegetables</b>	<b>0,01 (*)</b>	► <b>M72</b> 0,01 (*) ◀	
0220010	Garlic			► <b>M72</b> 0,1 ◀
0220020	Onions (Other bulb onions, silverskin onions)			► <b>M72</b> 0,1 ◀
0220030	Shallots			► <b>M72</b> 0,05 ◀
0220040	Spring onions and welsh onions (Other green onions and similar varieties)			► <b>M72</b> 0,6 ◀
0220990	Others			► <b>M72</b> 0,02 (*) ◀
0230000	(iii) <b>Fruiting vegetables</b>	<b>0,01 (*)</b>		
0231000	(a) <i>Solanacea</i>			
0231010	Tomatoes (Cherry tomatoes, <i>Physalis</i> spp., gojiberry, wolfberry ( <i>Lycium barbarum</i> and <i>L. chinense</i> ), tree tomato)		► <b>M72</b> 0,3 ◀	► <b>M72</b> 0,9 ◀
0231020	Peppers (Chilli peppers)		► <b>M72</b> 0,01 (*) ◀	► <b>M72</b> 0,6 ◀
0231030	Aubergines (egg plants) (Pepino, antroewa/white eggplant ( <i>S. macrocarpon</i> ))		► <b>M72</b> 0,3 ◀	► <b>M72</b> 0,4 (+) ◀
0231040	Okra (lady's fingers)		► <b>M72</b> 0,01 (*) ◀	► <b>M72</b> 0,02 (*) ◀
0231990	Others		► <b>M72</b> 0,01 (*) ◀	► <b>M72</b> 0,02 (*) ◀
0232000	(b) <i>Cucurbits — edible peel</i>			
0232010	Cucumbers		► <b>M72</b> 0,01 (*) ◀	► <b>M72</b> 0,2 ◀
0232020	Gherkins		► <b>M72</b> 0,3 ◀	► <b>M72</b> 0,02 (*) ◀

▼ **M49**

(1)	(2)	(3)	(4)	(5)
0232030	Courgettes (Summer squash, marrow (patisson), lauki ( <i>Lagenaria siceraria</i> ), chayote, sopropo/bitter melon, snake gourd, angled luffa/teroi)		► <b>M72</b> 0,01 (*) ◀	► <b>M72</b> 0,2 ◀
0232990	Others		► <b>M72</b> 0,01 (*) ◀	► <b>M72</b> 0,02 (*) ◀
0233000	(c) <i>Cucurbits-inedible peel</i>		► <b>M72</b> 0,3 ◀	
0233010	Melons (Kiwano)			► <b>M72</b> 0,2 (+) ◀
0233020	Pumpkins (Winter squash, marrow (late variety))			► <b>M72</b> 0,15 ◀
0233030	Watermelons			► <b>M72</b> 0,15 ◀
0233990	Others			► <b>M72</b> 0,15 ◀
0234000	(d) <i>Sweet corn (Baby corn)</i>		► <b>M72</b> 0,01 (*) ◀	► <b>M72</b> 0,6 ◀
0239000	(e) <i>Other fruiting vegetables</i>		► <b>M72</b> 0,01 (*) ◀	► <b>M72</b> 0,02 (*) ◀
0240000	(iv) <b>Brassica vegetables</b>	<b>0,01 (*)</b>	► <b>M72</b> 0,01 (*) ◀	
0241000	(a) <i>Flowering brassica</i>			
0241010	Broccoli (Calabrese, Broccoli raab, Chinese broccoli)			► <b>M72</b> 0,15 ◀
0241020	Cauliflower			► <b>M72</b> 0,05 ◀
0241990	Others			► <b>M72</b> 0,02 (*) ◀
0242000	(b) <i>Head brassica</i>			► <b>M72</b> 0,7 ◀
0242010	Brussels sprouts			
0242020	Head cabbage (Pointed head cabbage, red cabbage, savoy cabbage, white cabbage)			
0242990	Others			
0243000	(c) <i>Leafy brassica</i>			► <b>M72</b> 0,02 (*) ◀
0243010	Chinese cabbage (Indian or Chinese) mustard, pak choi, Chinese flat cabbage/ai goo choi, choi sum, Peking cabbage/pe-tsai)			
0243020	Kale (Borecole/curly kale, collards, Portuguese Kale, Portuguese cabbage, cow cabbage)			
0243990	Others			
0244000	(d) <i>Kohlrabi</i>			► <b>M72</b> 0,02 (*) ◀
0250000	(v) <b>Leaf vegetables &amp; fresh herbs</b>			
0251000	(a) <i>Lettuce and other salad plants including Brassicacea</i>	<b>0,01 (*)</b>	► <b>M72</b> 0,01 (*) ◀	► <b>M72</b> 0,5 ◀
0251010	Lamb's lettuce (Italian corn salad)			
0251020	Lettuce (Head lettuce, lollo rosso (cutting lettuce), iceberg lettuce, romaine (cos) lettuce)			
0251030	Scarole (broad-leaf endive) (Wild chicory, red-leaved chicory, radicchio, curly leaf endive, sugar loaf ( <i>C. endivia</i> var. <i>crispum</i> / <i>C. intybus</i> var. <i>foliosum</i> ), dandelion greens)			

▼ **M49**

(1)	(2)	(3)	(4)	(5)
0251040	Cress (Mung bean sprouts, alfalfa sprouts)			
0251050	Land cress			
0251060	Rocket, Rucola (Wild rocket ( <i>Diplotaxis</i> spp.))			
0251070	Red mustard			
0251080	Leaves and sprouts of <i>Brassica</i> spp, including turnip greens (Mizuna, leaves of peas and radish and other babyleaf crops, including brassica crops (crops harvested up to 8 true leaf stage), kohlrabi leaves)			
0251990	Others			
0252000	(b) <i>Spinach &amp; similar (leaves)</i>	<b>0,01 (*)</b>	► <b>M72</b> 0,01 (*) ◀	► <b>M72</b> 0,02 (*) ◀
0252010	Spinach (New Zealand spinach, amaranthus spinach (pak-khom, tampara), tajar leaves, bitterblad/bitawiri)			
0252020	Purslane (Winter purslane/miner's lettuce, garden purslane, common purslane, sorrel, glass-worth, agretti ( <i>Salsola soda</i> ))			
0252030	Beet leaves (chard) (Leaves of beetroot)			
0252990	Others			
0253000	(c) <i>Vine leaves (grape leaves) (Malabar nightshade, banana leaves, climbing wattle (<i>Acacia pennata</i>))</i>	<b>0,01 (*)</b>	► <b>M72</b> 0,01 (*) ◀	► <b>M72</b> 0,02 (*) ◀
0254000	(d) <i>Water cress (Morning glory/Chinese convolvulus/water convolvulus/water spinach/kangkung (<i>Ipomea aquatica</i>), water clover, water mimosa)</i>	<b>0,01 (*)</b>	► <b>M72</b> 0,01 (*) ◀	► <b>M72</b> 0,02 (*) ◀
0255000	(e) <i>Witloof</i>	<b>0,01 (*)</b>	► <b>M72</b> 0,01 (*) ◀	► <b>M72</b> 0,15 ◀
0256000	(f) <i>Herbs</i>	<b>0,02 (*)</b>	► <b>M72</b> 0,02 (*) ◀	
0256010	Chervil			► <b>M72</b> 0,05 (*) ◀
0256020	Chives			► <b>M72</b> 2 ◀
0256030	Celery leaves (Fennel leaves, coriander leaves, dill leaves, caraway leaves, lovage, angelica, sweet cicely and other <i>Apiacea</i> leaves, culantro/stinking/long coriander/stink weed ( <i>Eryngium foetidum</i> ))			► <b>M72</b> 0,05 (*) ◀
0256040	Parsley (leaves of root parsley)			► <b>M72</b> 2 ◀
0256050	Sage (Winter savory, summer savory, <i>Borago officinalis</i> leaves)			► <b>M72</b> 0,05 (*) ◀
0256060	Rosemary			► <b>M72</b> 0,05 (*) ◀
0256070	Thyme (Marjoram, oregano)			► <b>M72</b> 0,05 (*) ◀

▼ **M49**

(1)	(2)	(3)	(4)	(5)
0256080	Basil (Balm leaves, mint, peppermint, holy basil, sweet basil, hairy basil, edible flowers (marigold flower and others), pennywort, wild betel leaf, curry leaves)			► <b>M72</b> 0,05 (*) ◀
0256090	Bay leaves (laurel) (Lemon grass)			► <b>M72</b> 0,05 (*) ◀
0256100	Tarragon (Hyssop)			► <b>M72</b> 0,05 (*) ◀
0256990	Others			► <b>M72</b> 0,05 (*) ◀
0260000	(vi) <b>Legume vegetables (fresh)</b>	<b>0,01 (*)</b>	► <b>M72</b> 0,01 (*) ◀	
0260010	Beans (with pods) (Green bean/French beans/snap beans, scarlet runner bean, slicing bean, yard long beans, guar beans, soya beans)			► <b>M72</b> 2 (+) ◀
0260020	Beans (without pods) (Broad beans, flageolets, jack bean, lima bean, cowpea)			► <b>M72</b> 2 (+) ◀
0260030	Peas (with pods) (Mangetout/sugar peas/snow peas)			► <b>M72</b> 2 (+) ◀
0260040	Peas (without pods) (Garden pea, green pea, chickpea)			► <b>M72</b> 0,02 (*) ◀
0260050	Lentils			► <b>M72</b> 0,02 (*) ◀
0260990	Others			► <b>M72</b> 0,02 (*) ◀
0270000	(vii) <b>Stem vegetables (fresh)</b>	<b>0,01 (*)</b>	► <b>M72</b> 0,01 (*) ◀	
0270010	Asparagus			► <b>M72</b> 0,02 (*) ◀
0270020	Cardoons ( <i>Borago officinalis</i> stems)			► <b>M72</b> 0,02 (*) ◀
0270030	Celery			► <b>M72</b> 0,5 (+) ◀
0270040	Fennel			► <b>M72</b> 0,02 (*) ◀
0270050	Globe artichokes (Banana flower)			► <b>M72</b> 0,6 ◀
0270060	Leek			► <b>M72</b> 0,6 ◀
0270070	Rhubarb			► <b>M72</b> 0,02 (*) ◀
0270080	Bamboo shoots			► <b>M72</b> 0,02 (*) ◀
0270090	Palm hearts			► <b>M72</b> 0,02 (*) ◀
0270990	Others			► <b>M72</b> 0,02 (*) ◀
0280000	(viii) <b>Fungi</b>	<b>0,01 (*)</b>	► <b>M72</b> 0,01 (*) ◀	► <b>M72</b> 0,02 (*) ◀
0280010	Cultivated fungi (Common mushroom, oyster mushroom, shiitake, <i>fungus mycelium</i> (vegetative parts))			
0280020	Wild fungi (Chanterelle, truffle, morel, cep)			
0280990	Others			
0290000	(ix) <b>Sea weeds</b>	<b>0,01 (*)</b>	► <b>M72</b> 0,01 (*) ◀	► <b>M72</b> 0,02 (*) ◀
0300000	3. <b>PULSES, DRY</b>	<b>0,01 (*)</b>	► <b>M72</b> 0,01 (*) ◀	
0300010	Beans (Broad beans, navy beans, flageolets, jack beans, lima beans, field beans, cowpeas)			► <b>M72</b> 0,3 ◀
0300020	Lentils			► <b>M72</b> 0,2 ◀
0300030	Peas (Chickpeas, field peas, chickling vetch)			► <b>M72</b> 0,2 ◀

▼ **M49**

(1)	(2)	(3)	(4)	(5)
0300040	Lupins			► <b>M72</b> 0,2 ◀
0300990	Others			► <b>M72</b> 0,2 ◀
0400000	4. <b>OILSEEDS AND OILFRUITS</b>	<b>0,01 (*)</b>	► <b>M72</b> 0,01 (*) ◀	
0401000	(i) <b>Oilseeds</b>			
0401010	Linseed			► <b>M72</b> 0,6 ◀
0401020	Peanuts			► <b>M72</b> 0,15 ◀
0401030	Poppy seed			► <b>M72</b> 0,2 ◀
0401040	Sesame seed			► <b>M72</b> 0,02 (*) ◀
0401050	Sunflower seed			► <b>M72</b> 0,02 (*) ◀
0401060	Rape seed (Bird rapeseed, turnip rape)			► <b>M72</b> 0,5 ◀
0401070	Soya bean			► <b>M72</b> 0,15 ◀
0401080	Mustard seed			► <b>M72</b> 0,3 ◀
0401090	Cotton seed			► <b>M72</b> 2 ◀
0401100	Pumpkin seeds (Other seeds of <i>Cucurbitaceae</i> )			► <b>M72</b> 0,02 (*) ◀
0401110	Safflower			► <b>M72</b> 0,02 (*) ◀
0401120	Borage (Purple viper's bugloss/Canary flower ( <i>Echium plantagineum</i> ), Corn Gromwell ( <i>Buglossoides arvensis</i> ))			► <b>M72</b> 0,02 (*) ◀
0401130	Gold of pleasure			► <b>M72</b> 0,3 ◀
0401140	Hempseed			► <b>M72</b> 0,02 (*) ◀
0401150	Castor bean			► <b>M72</b> 0,02 (*) ◀
0401990	Others			► <b>M72</b> 0,02 (*) ◀
0402000	(ii) <b>Oilfruits</b>			
0402010	Olives for oil production			► <b>M72</b> 0,05 ◀
0402020	Palm nuts (palmoil kernels)			► <b>M72</b> 0,02 (*) ◀
0402030	Palmfruit			► <b>M72</b> 0,02 (*) ◀
0402040	Kapok			► <b>M72</b> 0,02 (*) ◀
0402990	Others			► <b>M72</b> 0,02 (*) ◀
0500000	5. <b>CEREALS</b>		► <b>M72</b> 0,01 (*) ◀	
0500010	Barley	<b>0,6</b>		► <b>M72</b> 2 ◀
0500020	Buckwheat ( <i>Amaranthus, quinoa</i> )	<b>0,01 (*)</b>		► <b>M72</b> 0,02 (*) ◀
0500030	Maize	<b>0,01 (*)</b>		► <b>M72</b> 0,02 (*) ◀
0500040	Millet (Foxtail millet, teff, finger millet, pearl millet)	<b>0,01 (*)</b>		► <b>M72</b> 0,02 (*) ◀
0500050	Oats	<b>0,3</b>		► <b>M72</b> 2 ◀
0500060	Rice (Indian/wild rice ( <i>Zizania aquatica</i> ))	<b>0,01 (*)</b>		► <b>M72</b> 1 (+) ◀
0500070	Rye	<b>0,1</b>		► <b>M72</b> 0,1 ◀
0500080	Sorghum	<b>0,01 (*)</b>		► <b>M72</b> 0,02 (*) ◀
0500090	Wheat (Spelt, triticale)	<b>0,1</b>		► <b>M72</b> 0,1 ◀
0500990	Others (Canary grass seeds ( <i>Phalaris canariensis</i> ))	<b>0,01 (*)</b>		► <b>M72</b> 0,02 (*) ◀

▼ **M49**

(1)	(2)	(3)	(4)	(5)
0600000	<b>6. TEA, COFFEE, HERBAL INFUSIONS AND COCOA</b>	0,05 (*)	► <b>M72</b> 0,05 (*) ◀	
0610000	(i) <b>Tea</b>			► <b>M72</b> 0,05 (*) ◀
0620000	(ii) <b>Coffee beans</b>			► <b>M72</b> 0,1 ◀
0630000	(iii) <b>Herbal infusions (dried)</b>			► <b>M72</b> 0,05 (*) ◀
0631000	(a) <i>Flowers</i>			
0631010	Camomille flowers			
0631020	Hybiscus flowers			
0631030	Rose petals			
0631040	Jasmine flowers (Elderflowers ( <i>Sambucus nigra</i> ))			
0631050	Lime (linden)			
0631990	Others			
0632000	(b) <i>Leaves</i>			
0632010	Strawberry leaves			
0632020	Rooibos leaves (Ginkgo leaves)			
0632030	Maté			
0632990	Others			
0633000	(c) <i>Roots</i>			
0633010	Valerian root			
0633020	Ginseng root			
0633990	Others			
0639000	(d) <i>Other herbal infusions</i>			
0640000	(iv) <b>Cocoabeans (fermented or dried)</b>			► <b>M72</b> 0,05 (*) ◀
0650000	(v) <b>Carob (st johns bread)</b>			► <b>M72</b> 0,05 (*) ◀
0700000	<b>7. HOPS (dried)</b>	0,05 (*)	► <b>M72</b> 0,05 (*) ◀	► <b>M72</b> 40 (+) ◀
0800000	<b>8. SPICES</b>			
0810000	(i) <b>Seeds</b>	0,05 (*)	► <b>M72</b> 0,05 (*) ◀	► <b>M72</b> 1,5 (+) ◀
0810010	Anise			
0810020	Black caraway			
0810030	Celery seed (Lovage seed)			
0810040	Coriander seed			
0810050	Cumin seed			
0810060	Dill seed			
0810070	Fennel seed			
0810080	Fenugreek			
0810090	Nutmeg			
0810990	Others			
0820000	(ii) <b>Fruits and berries</b>	0,05 (*)	► <b>M72</b> 0,05 (*) ◀	
0820010	Allspice			► <b>M72</b> 0,05 (*) ◀



▼ **M49**

(1)	(2)	(3)	(4)	(5)
0820020	Sichuan pepper (Anise pepper, Japan pepper)			► <b>M72</b> 0,05 (*) ◀
0820030	Caraway			► <b>M72</b> 1.5 (+) ◀
0820040	Cardamom			► <b>M72</b> 0,05 (*) ◀
0820050	Juniper berries			► <b>M72</b> 0,05 (*) ◀
0820060	Pepper, black, green and white (Long pepper, pink pepper)			► <b>M72</b> 0,05 (*) ◀
0820070	Vanilla pods			► <b>M72</b> 0,05 (*) ◀
0820080	Tamarind			► <b>M72</b> 0,05 (*) ◀
0820990	Others			► <b>M72</b> 0,05 (*) ◀
0830000	(iii) <b>Bark</b>	0,05 (*)	► <b>M72</b> 0,05 (*) ◀	► <b>M72</b> 0,05 (*) ◀
0830010	Cinnamon (Cassia)			
0830990	Others			
0840000	(iv) <b>Roots or rhizome</b>			
0840010	Liquorice	0,05 (*)	► <b>M72</b> 0,05 (*) ◀	► <b>M72</b> 0,05 (*) ◀
0840020	Ginger	0,05 (*)	► <b>M72</b> 0,05 (*) ◀	► <b>M72</b> 0,05 (*) ◀
0840030	Turmeric (Curcuma)	0,05 (*)	► <b>M72</b> 0,05 (*) ◀	► <b>M72</b> 0,05 (*) ◀
0840040	Horseradish	(+)	► <b>M72</b> (+) ◀	► <b>M72</b> (+) ◀
0840990	Others	0,05 (*)	► <b>M72</b> 0,05 (*) ◀	► <b>M72</b> 0,05 (*) ◀
0850000	(v) <b>Buds</b>	0,05 (*)	► <b>M72</b> 0,05 (*) ◀	► <b>M72</b> 0,05 (*) ◀
0850010	Cloves			
0850020	Capers			
0850990	Others			
0860000	(vi) <b>Flower stigma</b>	0,05 (*)	► <b>M72</b> 0,05 (*) ◀	► <b>M72</b> 0,05 (*) ◀
0860010	Saffron			
0860990	Others			
0870000	(vii) <b>Aril</b>	0,05 (*)	► <b>M72</b> 0,05 (*) ◀	► <b>M72</b> 0,05 (*) ◀
0870010	Mace			
0870990	Others			
0900000	9. <b>SUGAR PLANTS</b>		► <b>M72</b> 0,01 (*) ◀	► <b>M72</b> 0,02 (*) ◀
0900010	Sugar beet (root)	<b>0,07</b>		
0900020	Sugar cane	<b>0,01 (*)</b>		
0900030	Chicory roots	<b>0,01 (*)</b>		
0900990	Others	<b>0,01 (*)</b>		

▼ **M49**

(1)	(2)	(3)	(4)	(5)
1000000	<b>10. PRODUCTS OF ANIMAL ORIGIN- TERRESTRIAL ANIMALS</b>			
1010000	(i) <b>Tissue</b>		► <b>M72</b> 0,01 (*) ◀	
1011000	(a) <i>Swine</i>			
1011010	Muscle	0,02 (*)		► <b>M72</b> 0,1 (*) ◀
1011020	Fat	0,02 (*)		► <b>M72</b> 0,1 (*) ◀
1011030	Liver	<b>0,2</b>		► <b>M72</b> 0,2 ◀
1011040	Kidney	<b>0,05</b>		► <b>M72</b> 0,2 ◀
1011050	Edible offal	0,02 (*)		► <b>M72</b> 0,2 ◀
1011990	Others	0,02 (*)		► <b>M72</b> 0,1 (*) ◀
1012000	(b) <i>Bovine</i>			
1012010	Muscle	0,02 (*)		► <b>M72</b> 0,1 (*) ◀
1012020	Fat	0,02 (*)		► <b>M72</b> 0,1 (*) ◀
1012030	Liver	<b>0,5</b>		► <b>M72</b> 0,2 ◀
1012040	Kidney	<b>0,1</b>		► <b>M72</b> 0,2 ◀
1012050	Edible offal	0,02 (*)		► <b>M72</b> 0,2 ◀
1012990	Others	0,02 (*)		► <b>M72</b> 0,1 (*) ◀
1013000	(c) <i>Sheep</i>			
1013010	Muscle	0,02 (*)		► <b>M72</b> 0,1 (*) ◀
1013020	Fat	0,02 (*)		► <b>M72</b> 0,1 (*) ◀
1013030	Liver	<b>0,5</b>		► <b>M72</b> 0,2 ◀
1013040	Kidney	<b>0,1</b>		► <b>M72</b> 0,2 ◀
1013050	Edible offal	0,02 (*)		► <b>M72</b> 0,2 ◀
1013990	Others	0,02 (*)		► <b>M72</b> 0,1 (*) ◀
1014000	(d) <i>Goat</i>			
1014010	Muscle	0,02 (*)		► <b>M72</b> 0,1 (*) ◀
1014020	Fat	0,02 (*)		► <b>M72</b> 0,1 (*) ◀
1014030	Liver	<b>0,5</b>		► <b>M72</b> 0,2 ◀
1014040	Kidney	<b>0,1</b>		► <b>M72</b> 0,2 ◀
1014050	Edible offal	0,02 (*)		► <b>M72</b> 0,2 ◀
1014990	Others	0,02 (*)		► <b>M72</b> 0,1 (*) ◀
1015000	(e) <i>Horses, asses, mules or hinnies</i>			
1015010	Muscle	0,02 (*)		► <b>M72</b> 0,1 (*) ◀
1015020	Fat	0,02 (*)		► <b>M72</b> 0,1 (*) ◀
1015030	Liver	<b>0,5</b>		► <b>M72</b> 0,2 ◀

▼ **M49**

(1)	(2)	(3)	(4)	(5)
1015040	Kidney	<b>0,1</b>		► <b>M72</b> 0,2 ◀
1015050	Edible offal	0,02 (*)		► <b>M72</b> 0,2 ◀
1015990	Others	0,02 (*)		► <b>M72</b> 0,1 (*) ◀
1016000	(f) <i>Poultry -chicken, geese, duck, turkey and Guinea fowl-, ostrich, pigeon</i>	0,02 (*)		► <b>M72</b> 0,1 (*) ◀
1016010	Muscle			
1016020	Fat			
1016030	Liver			
1016040	Kidney			
1016050	Edible offal			
1016990	Others			
1017000	(g) <i>Other farm animals (Rabbit, kangaroo, deer)</i>			
1017010	Muscle	0,02 (*)		► <b>M72</b> 0,1 (*) ◀
1017020	Fat	0,02 (*)		► <b>M72</b> 0,1 (*) ◀
1017030	Liver	<b>0,5</b>		► <b>M72</b> 0,2 ◀
1017040	Kidney	<b>0,1</b>		► <b>M72</b> 0,2 ◀
1017050	Edible offal	0,02 (*)		► <b>M72</b> 0,2 ◀
1017990	Others	0,02 (*)		► <b>M72</b> 0,1 (*) ◀
1020000	(ii) <b>Milk</b>	<b>0,02</b>	► <b>M72</b> 0,01 (*) ◀	► <b>M72</b> 0,02 (*) ◀
1020010	Cattle			
1020020	Sheep			
1020030	Goat			
1020040	Horse			
1020990	Others			
1030000	(iii) <b>Bird eggs</b>	0,02 (*)	► <b>M72</b> 0,01 (*) ◀	► <b>M72</b> 0,1 (*) ◀
1030010	Chicken			
1030020	Duck			
1030030	Goose			
1030040	Quail			
1030990	Others			

▼ **M49**

(1)	(2)	(3)	(4)	(5)
1040000	(iv) <b>Honey (Royal jelly, pollen, honey comb with honey (comb honey))</b>	0,05 (*)	► <b>M72</b> 0,05 (*) ◀	► <b>M72</b> 0,05 (*) ◀
1050000	(v) <b>Amphibians and reptiles (Frog legs, crocodiles)</b>	0,02 (*)	► <b>M72</b> 0,01 (*) ◀	► <b>M72</b> 0,1 (*) ◀
1060000	(vi) <b>Snails</b>	0,02 (*)	► <b>M72</b> 0,01 (*) ◀	► <b>M72</b> 0,1 (*) ◀
1070000	(vii) <b>Other terrestrial animal products (Wild game)</b>	0,02 (*)	► <b>M72</b> 0,01 (*) ◀	► <b>M72</b> 0,1 (*) ◀

▼ **M50****Pesticide residues and maximum residue levels (mg/kg)**

Code number	Groups and examples of individual products to which the MRLs apply <sup>(*)</sup>	► <b>M74</b> Fludioxonil <sup>(+)</sup> <sup>(R)</sup> ◀
(1)	(2)	(3)
0100000	1. <b>FRUIT FRESH OR FROZEN NUTS</b>	
0110000	(i) <b>Citrus fruit</b>	► <b>M74</b> 10 ◀
0110010	Grapefruit (Shaddocks, pomelos, sweeties, tangelo (except mineola), ugli and other hybrids)	
0110020	Oranges (Bergamot, bitter orange, chinotto and other hybrids)	
0110030	Lemons (Citron, lemon, Buddha's hand ( <i>Citrus medica</i> var. <i>sarcodactylis</i> ))	
0110040	Limes	
0110050	Mandarins (Clementine, tangerine, mineola and other hybrids tangor ( <i>Citrus reticulata</i> x <i>sinensis</i> ))	
0110990	Others	
0120000	(ii) <b>Tree nuts</b>	
0120010	Almonds	► <b>M74</b> 0,01 (*) ◀
0120020	Brazil nuts	► <b>M74</b> 0,01 (*) ◀
0120030	Cashew nuts	► <b>M74</b> 0,01 (*) ◀
0120040	Chestnuts	► <b>M74</b> 0,01 (*) ◀
0120050	Coconuts	► <b>M74</b> 0,01 (*) ◀
0120060	Hazelnuts (Filbert)	► <b>M74</b> 0,01 (*) ◀
0120070	Macadamia	► <b>M74</b> 0,01 (*) ◀
0120080	Pecans	► <b>M74</b> 0,01 (*) ◀
0120090	Pine nuts	► <b>M74</b> 0,01 (*) ◀
0120100	Pistachios	► <b>M74</b> 0,2 ◀
0120110	Walnuts	► <b>M74</b> 0,01 (*) ◀
0120990	Others	► <b>M74</b> 0,01 (*) ◀
0130000	(iii) <b>Pome fruit</b>	► <b>M74</b> 5 ◀
0130010	Apples (Crab apple)	
0130020	Pears (Oriental pear)	
0130030	Quinces	
0130040	Medlar	► <b>M74</b> — ◀
0130050	Loquat	► <b>M74</b> — ◀
0130990	Others	
0140000	(iv) <b>Stone fruit</b>	
0140010	Apricots	► <b>M74</b> 5 ◀
0140020	Cherries (Sweet cherries, sour cherries)	► <b>M74</b> 5 ◀
0140030	Peaches (Nectarines and similar hybrids)	► <b>M74</b> 10 ◀

▼ **M50**

(1)	(2)	(3)
0140040	Plums (Damson, greengage, mirabelle, sloe, red date/Chinese date/Chinese jujube ( <i>Ziziphus zizyphus</i> ))	► <b>M74</b> 5 ◀
0140990	Others	► <b>M74</b> 0,01 (*) ◀
0150000	(v) <b>Berries &amp; small fruit</b>	
0151000	(a) <i>Table and wine grapes</i>	
0151010	Table grapes	► <b>M74</b> 5 ◀
0151020	Wine grapes	► <b>M74</b> 4 ◀
0152000	(b) <i>Strawberries</i>	► <b>M74</b> 4 (+) ◀
0153000	(c) <i>Cane fruit</i>	► <b>M74</b> 5 ◀
0153010	Blackberries	
0153020	Dewberries (Loganberries, tayberries, boysenberries, cloudberries and other <i>Rubus hybrids</i> )	
0153030	Raspberries (Wineberries, arctic bramble/raspberry, ( <i>Rubus arcticus</i> ), nectar raspberries ( <i>Rubus arcticus</i> x <i>Rubus idaeus</i> ))	
0153990	Others	
0154000	(d) <i>Other small fruit &amp; berries</i>	
0154010	Blueberries (Bilberries)	► <b>M74</b> 2 ◀
0154020	Cranberries (Cowberries/red bilberries ( <i>V. vitis-idaea</i> ))	► <b>M74</b> 2 ◀
0154030	Currants (red, black and white)	► <b>M74</b> 2 ◀
0154040	Gooseberries (Including hybrids with other <i>Ribes</i> species)	► <b>M74</b> 2 ◀
0154050	Rose hips	► <b>M74</b> 0,01 (**) ◀
0154060	Mulberries (Arbutus berry)	► <b>M74</b> 0,01 (**) ◀
0154070	Azarole (mediteranean medlar) (Kiwiberry ( <i>Actinidia arguta</i> ))	► <b>M74</b> 0,01 (**) ◀
0154080	Elderberries (Black chokeberry/appleberry, mountain ash, buck-thorn/sea sallowthorn, hawthorn, serviceberries, and other treeberries)	► <b>M74</b> 0,8 ◀
0154990	Others	► <b>M74</b> 0,01 (*) ◀
0160000	(vi) <b>Miscellaneous fruit</b>	
0161000	(a) <i>Edible peel</i>	► <b>M74</b> 0,01 (*) ◀
0161010	Dates	
0161020	Figs	
0161030	Table olives	
0161040	Kumquats (Marumi kumquats, nagami kumquats, limequats ( <i>Citrus aurantifolia</i> x <i>Fortunella</i> spp.))	
0161050	Carambola (Bilimbi)	► <b>M74</b> — ◀
0161060	Persimmon	► <b>M74</b> — ◀

▼ **M50**

(1)	(2)	(3)
0161070	Jambolan (java plum) (Java apple/ water apple, pomerac, rose apple, Brazilian cherry, Surinam cherry/ grumichama ( <i>Eugenia uniflora</i> ))	► <b>M74</b> — ◀
0161990	Others	
0162000	(b) <i>Inedible peel, small</i>	
0162010	Kiwi	► <b>M74</b> 15 ◀
0162020	Lychee (Litchi) (Pulasan, rambutan/ hairy litchi, longan, mangosteen, langsak, salak)	► <b>M74</b> 0,01 (*) ◀
0162030	Passion fruit	► <b>M74</b> 0,01 (*) ◀
0162040	Prickly pear (cactus fruit)	► <b>M74</b> 0,01 (**) ◀
0162050	Star apple	► <b>M74</b> 0,01 (**) ◀
0162060	American persimmon (Virginia kaki) (Black sapote, white sapote, green sapote, canistel/yellow sapote, mammey sapote)	► <b>M74</b> 0,01 (**) ◀
0162990	Others	► <b>M74</b> 0,01 (*) ◀
0163000	(c) <i>Inedible peel, large</i>	
0163010	Avocados	► <b>M74</b> 0,4 ◀
0163020	Bananas (Dwarf banana, plantain, apple banana)	► <b>M74</b> 0,01 (*) ◀
0163030	Mangoes	► <b>M74</b> 2 ◀
0163040	Papaya	► <b>M74</b> 0,01 (*) ◀
0163050	Pomegranate	► <b>M74</b> 3 ◀
0163060	Cherimoya (Custard apple, sugar apple/sweetsop, ilama ( <i>Annona diversifolia</i> ) and other medium sized <i>Annonaceae</i> fruits)	► <b>M74</b> 0,01 (**) ◀
0163070	Guava (Red pitaya/dragon fruit ( <i>Hylocereus undatus</i> ))	► <b>M74</b> 0,01 (**) ◀
0163080	Pineapples	► <b>M74</b> 0,01 (*) ◀
0163090	Bread fruit (Jackfruit)	► <b>M74</b> 0,01 (**) ◀
0163100	Durian	► <b>M74</b> 0,01 (**) ◀
0163110	Soursop (guanabana)	► <b>M74</b> 0,01 (**) ◀
0163990	Others	► <b>M74</b> 0,01 (*) ◀
0200000	<b>2. VEGETABLES FRESH OR FROZEN</b>	
0210000	(i) <b>Root and tuber vegetables</b>	
0211000	(a) <i>Potatoes</i>	► <b>M74</b> 5 ◀
0212000	(b) <i>Tropical root and tuber vegetables</i>	
0212010	Cassava (Dasheen, eddoe/Japanese taro, tannia)	► <b>M74</b> 0,01 (*) ◀
0212020	Sweet potatoes	► <b>M74</b> 10 ◀
0212030	Yams (Potato bean/yam bean, Mexican yam bean)	► <b>M74</b> 10 ◀

▼ **M50**

(1)	(2)	(3)
0212040	Arrowroot	► <b>M74</b> 0,01 (**) ◀
0212990	Others	► <b>M74</b> 0,01 (*) ◀
0213000	(c) <i>Other root and tuber vegetables except sugar beet</i>	
0213010	Beetroot	► <b>M74</b> 1 ◀
0213020	Carrots	► <b>M74</b> 1 ◀
0213030	Celeriac	► <b>M74</b> 0,2 ◀
0213040	Horseradish (Angelica roots, lovage roots, gentiana roots)	► <b>M74</b> 1 ◀
0213050	Jerusalem artichokes (Crosne)	► <b>M74</b> 0,01 (*) ◀
0213060	Parsnips	► <b>M74</b> 1 ◀
0213070	Parsley root	► <b>M74</b> 1 ◀
0213080	Radishes (Black radish, Japanese radish, small radish and similar varieties, tiger nut ( <i>Cyperus esculentus</i> ))	► <b>M74</b> 0,3 ◀
0213090	Salsify (Scorzonera, Spanish salsify/ Spanish oysterplant, edible burdock)	► <b>M74</b> 1 ◀
0213100	Swedes	► <b>M74</b> 0,01 (*) ◀
0213110	Turnips	► <b>M74</b> 0,01 (*) ◀
0213990	Others	► <b>M74</b> 0,01 (*) ◀
0220000	(ii) <b>Bulb vegetables</b>	
0220010	Garlic	► <b>M74</b> 0,02 ◀
0220020	Onions (Other bulb onions, silverskin onions)	► <b>M74</b> 0,5 ◀
0220030	Shallots	► <b>M74</b> 0,02 ◀
0220040	Spring onions and welsh onions (Other green onions and similar varieties)	► <b>M74</b> 5 ◀
0220990	Others	► <b>M74</b> 0,01 (*) ◀
0230000	(iii) <b>Fruiting vegetables</b>	
0231000	(a) <i>Solanacea</i>	
0231010	Tomatoes (Cherry tomatoes, <i>Physalis</i> spp., gojiberry, wolfberry ( <i>Lycium barbarum</i> and <i>L. chinense</i> ), tree tomato)	► <b>M74</b> 3 ◀
0231020	Peppers (Chilli peppers)	► <b>M74</b> 1 ◀
0231030	Aubergines (egg plants) (Pepino, antroewa/white eggplant ( <i>S. macrocarpon</i> ))	► <b>M74</b> 0,4 ◀
0231040	Okra (lady's fingers)	► <b>M74</b> 0,01 (*) ◀
0231990	Others	► <b>M74</b> 0,01 (*) ◀
0232000	(b) <i>Cucurbits — edible peel</i>	► <b>M74</b> 0,4 ◀
0232010	Cucumbers	
0232020	Gherkins	



▼ **M50**

(1)	(2)	(3)
0232030	Courgettes (Summer squash, marrow (patisson), lauki ( <i>Lagenaria siceraria</i> ), chayote, sopropo/bitter melon, snake gourd, angled luffa/teroi)	
0232990	Others	
0233000	(c) <i>Cucurbits-inedible peel</i>	► <b>M74</b> 0,3 ◀
0233010	Melons (Kiwano)	
0233020	Pumpkins (Winter squash, marrow (late variety))	
0233030	Watermelons	
0233990	Others	
0234000	(d) <i>Sweet corn (Baby corn)</i>	► <b>M74</b> 0,01 (*) ◀
0239000	(e) <i>Other fruiting vegetables</i>	► <b>M74</b> 0,01 (*) ◀
0240000	(iv) <b>Brassica vegetables</b>	
0241000	(a) <i>Flowering brassica</i>	
0241010	Broccoli (Calabrese, Broccoli raab, Chinese broccoli)	► <b>M74</b> 0,7 ◀
0241020	Cauliflower	► <b>M74</b> 0,01 (*) ◀
0241990	Others	► <b>M74</b> 0,01 (*) ◀
0242000	(b) <i>Head brassica</i>	
0242010	Brussels sprouts	► <b>M74</b> 0,01 (*) ◀
0242020	Head cabbage (Pointed head cabbage, red cabbage, savoy cabbage, white cabbage)	► <b>M74</b> 2 ◀
0242990	Others	► <b>M74</b> 0,01 (*) ◀
0243000	(c) <i>Leafy brassica</i>	
0243010	Chinese cabbage (Indian or Chinese) mustard, pak choi, Chinese flat cabbage/ai goo choi), choi sum, Peking cabbage/pe-tsai)	► <b>M74</b> 10 ◀
0243020	Kale (Borecole/curly kale, collards, Portuguese Kale, Portuguese cabbage, cow cabbage)	► <b>M74</b> 0,01 (*) ◀
0243990	Others	► <b>M74</b> 0,01 (*) ◀
0244000	(d) <i>Kohlrabi</i>	► <b>M74</b> 0,01 (*) ◀
0250000	(v) <b>Leaf vegetables &amp; fresh herbs</b>	
0251000	(a) <i>Lettuce and other salad plants including Brassicacea</i>	► <b>M74</b> — ◀
0251010	Lamb's lettuce (Italian corn salad)	► <b>M74</b> 15 ◀
0251020	Lettuce (Head lettuce, lollo rosso (cutting lettuce), iceberg lettuce, romaine (cos) lettuce)	► <b>M74</b> 40 ◀
0251030	Scarole (broad-leaf endive) (Wild chicory, red-leaved chicory, radicchio, curly leaf endive, sugar loaf ( <i>C. endivia</i> var. <i>crispum</i> / <i>C. intybus</i> var. <i>foliosum</i> ), dandelion greens)	► <b>M74</b> 15 ◀

▼ **M50**

(1)	(2)	(3)
0251040	Cress (Mung bean sprouts, alfalfa sprouts)	► <b>M74</b> 15 ◀
0251050	Land cress	► <b>M74</b> 15 ◀
0251060	Rocket, Rucola (Wild rocket ( <i>Diplotaxis</i> spp.))	► <b>M74</b> 15 ◀
0251070	Red mustard	► <b>M74</b> 15 ◀
0251080	Leaves and sprouts of <i>Brassica</i> spp, including turnip greens ( <i>Mizuna</i> , leaves of peas and radish and other babyleaf crops, including brassica crops (crops harvested up to 8 true leaf stage), kohlrabi leaves)	► <b>M74</b> 15 ◀
0251990	Others	► <b>M74</b> 15 ◀
0252000	(b) <i>Spinach &amp; similar (leaves)</i>	► <b>M74</b> — ◀
0252010	Spinach (New Zealand spinach, amaranthus spinach (pak-khom, tampara), tajar leaves, bitterblad/bitawiri)	► <b>M74</b> 30 ◀
0252020	Purslane (Winter purslane/miner's lettuce, garden purslane, common purslane, sorrel, glassworth, agretti ( <i>Salsola soda</i> ))	► <b>M74</b> 15 ◀
0252030	Beet leaves (chard) (Leaves of beetroot)	► <b>M74</b> 15 ◀
0252990	Others	► <b>M74</b> 15 ◀
0253000	(c) <i>Vine leaves (grape leaves) (Malabar nightshade, banana leaves, climbing wattle (Acacia pennata))</i>	► <b>M74</b> 0,01 (*) ◀
0254000	(d) <i>Water cress (Morning glory/Chinese convolvulus/water convolvulus/water spinach/kangkung (Ipomea aquatica), water clover, water mimosa)</i>	► <b>M74</b> 10 ◀
0255000	(e) <i>Witloof</i>	► <b>M74</b> 0,02 ◀
0256000	(f) <i>Herbs</i>	► <b>M74</b> 15 ◀
0256010	Chervil	
0256020	Chives	
0256030	Celery leaves (Fennel leaves, coriander leaves, dill leaves, caraway leaves, lovage, angelica, sweet ciselny and other <i>Apiacea</i> leaves, culantro/stinking/long coriander/stink weed ( <i>Eryngium foetidum</i> ))	
0256040	Parsley (leaves of root parsley)	
0256050	Sage (Winter savory, summer savory, <i>Borago officinalis</i> leaves)	► <b>M74</b> — ◀
0256060	Rosemary	► <b>M74</b> — ◀
0256070	Thyme (Marjoram, oregano)	► <b>M74</b> — ◀

▼ **M50**

(1)	(2)	(3)
0256080	Basil (Balm leaves, mint, peppermint, holy basil, sweet basil, hairy basil, edible flowers (marigold flower and others), pennywort, wild betel leaf, curry leaves)	► <b>M74</b> — ◄
0256090	Bay leaves (laurel) (Lemon grass)	► <b>M74</b> — ◄
0256100	Tarragon (Hyssop)	► <b>M74</b> — ◄
0256990	Others	
0260000	<b>(vi) Legume vegetables (fresh)</b>	
0260010	Beans (with pods) (Green bean/French beans/snap beans, scarlet runner bean, slicing bean, yard long beans, guar beans, soya beans)	► <b>M74</b> 1 ◄
0260020	Beans (without pods) (Broad beans, flageolet, jack bean, lima bean, cowpea)	► <b>M74</b> 0,4 ◄
0260030	Peas (with pods) (Mangetout/sugar peas/snow peas)	► <b>M74</b> 1 ◄
0260040	Peas (without pods) (Garden pea, green pea, chickpea)	► <b>M74</b> 0,05 ◄
0260050	Lentils	► <b>M74</b> 0,05 ◄
0260990	Others	► <b>M74</b> 0,01 (*) ◄
0270000	<b>(vii) Stem vegetables (fresh)</b>	
0270010	Asparagus	► <b>M74</b> 0,01 (*) ◄
0270020	Cardoons ( <i>Borago officinalis</i> stems)	► <b>M74</b> 0,01 (*) ◄
0270030	Celery	► <b>M74</b> 1,5 ◄
0270040	Fennel	► <b>M74</b> 0,05 ◄
0270050	Globe artichokes (Banana flower)	► <b>M74</b> 0,01 (*) ◄
0270060	Leek	► <b>M74</b> 0,01 (*) ◄
0270070	Rhubarb	► <b>M74</b> 0,01 (*) ◄
0270080	Bamboo shoots	► <b>M74</b> 0,01 (**) ◄
0270090	Palm hearts	► <b>M74</b> 0,01 (**) ◄
0270990	Others	► <b>M74</b> 0,01 (*) ◄
0280000	<b>(viii) Fungi</b>	► <b>M74</b> 0,01 (*) ◄
0280010	Cultivated fungi (Common mushroom, oyster mushroom, shiitake, fungus mycelium (vegetative parts))	
0280020	Wild fungi (Chanterelle, truffle, morel, cep)	
0280990	Others	
0290000	<b>(ix) Sea weeds</b>	► <b>M74</b> 0,01 (**) ◄
0300000	<b>3. PULSES, DRY</b>	► <b>M74</b> — ◄
0300010	Beans (Broad beans, navy beans, flageolet, jack beans, lima beans, field beans, cowpeas)	► <b>M74</b> 0,5 ◄
0300020	Lentils	► <b>M74</b> 0,4 ◄
0300030	Peas (Chickpeas, field peas, chickling vetch)	► <b>M74</b> 0,4 ◄

▼ **M50**

(1)	(2)	(3)
0300040	Lupins	► <b>M74</b> 0,4 ◀
0300990	Others	► <b>M74</b> 0,4 ◀
0400000	<b>4. OILSEEDS AND OILFRUITS</b>	► <b>M74</b> 0,01 (*) ◀
0401000	<b>(i) Oilseeds</b>	
0401010	Linseed	
0401020	Peanuts	
0401030	Poppy seed	
0401040	Sesame seed	
0401050	Sunflower seed	
0401060	Rape seed (Bird rapeseed, turnip rape)	
0401070	Soya bean	
0401080	Mustard seed	
0401090	Cotton seed	
0401100	Pumpkin seeds (Other seeds of <i>Cucurbitaceae</i> )	
0401110	Safflower	► <b>M74</b> — ◀
0401120	Borage (Purple viper's bugloss/Canary flower ( <i>Echium plantagineum</i> ), Corn Gromwell ( <i>Buglossoides arvensis</i> ))	► <b>M74</b> — ◀
0401130	Gold of pleasure	► <b>M74</b> — ◀
0401140	Hempseed	
0401150	Castor bean	► <b>M74</b> — ◀
0401990	Others	
0402000	<b>(ii) Oilfruits</b>	
0402010	Olives for oil production	
0402020	Palm nuts (palmoil kernels)	► <b>M74</b> — ◀
0402030	Palmfruit	► <b>M74</b> — ◀
0402040	Kapok	► <b>M74</b> — ◀
0402990	Others	
0500000	<b>5. CEREALS</b>	► <b>M74</b> 0,01 (*) ◀
0500010	Barley	
0500020	Buckwheat ( <i>Amaranthus</i> , quinoa)	
0500030	Maize	
0500040	Millet (Foxtail millet, teff, finger millet, pearl millet)	
0500050	Oats	
0500060	Rice (Indian/wild rice ( <i>Zizania aquatica</i> ))	
0500070	Rye	
0500080	Sorghum	
0500090	Wheat (Spelt, triticale)	
0500990	Others (Canary grass seeds ( <i>Phalaris canariensis</i> ))	

▼ **M50**

(1)	(2)	(3)
0600000	<b>6. TEA, COFFEE, HERBAL INFUSIONS AND COCOA</b>	
0610000	(i) <b>Tea</b>	► <b>M74</b> 0,05 (*) ◀
0620000	(ii) <b>Coffee beans</b>	► <b>M74</b> 0,05 (**) ◀
0630000	(iii) <b>Herbal infusions (dried)</b>	► <b>M74</b> — ◀
0631000	(a) <i>Flowers</i>	► <b>M74</b> 0,05 (**) ◀
0631010	Camomille flowers	► <b>M74</b> — ◀
0631020	Hybiscus flowers	► <b>M74</b> — ◀
0631030	Rose petals	► <b>M74</b> — ◀
0631040	Jasmine flowers (Elderflowers ( <i>Sambucus nigra</i> ))	► <b>M74</b> — ◀
0631050	Lime (linden)	► <b>M74</b> — ◀
0631990	Others	► <b>M74</b> — ◀
0632000	(b) <i>Leaves</i>	► <b>M74</b> 0,05 (**) ◀
0632010	Strawberry leaves	► <b>M74</b> — ◀
0632020	Rooibos leaves (Ginkgo leaves)	► <b>M74</b> — ◀
0632030	Maté	► <b>M74</b> — ◀
0632990	Others	► <b>M74</b> — ◀
0633000	(c) <i>Roots</i>	► <b>M74</b> — ◀
0633010	Valerian root	► <b>M74</b> 1 ◀
0633020	Ginseng root	► <b>M74</b> 4 ◀
0633990	Others	► <b>M74</b> 1 ◀
0639000	(d) <i>Other herbal infusions</i>	► <b>M74</b> 0,05 (**) ◀
0640000	(iv) <b>Cocoabeans (fermented or dried)</b>	► <b>M74</b> 0,05 (**) ◀
0650000	(v) <b>Carob (st johns bread)</b>	► <b>M74</b> 0,05 (**) ◀
0700000	<b>7. HOPS (dried)</b>	► <b>M74</b> 0,05 (*) ◀
0800000	<b>8. SPICES</b>	► <b>M74</b> — ◀
0810000	(i) <b>Seeds</b>	► <b>M74</b> 0,05 (**) ◀
0810010	Anise	► <b>M74</b> — ◀
0810020	Black caraway	► <b>M74</b> — ◀
0810030	Celery seed (Lovage seed)	► <b>M74</b> — ◀
0810040	Coriander seed	► <b>M74</b> — ◀
0810050	Cumin seed	► <b>M74</b> — ◀
0810060	Dill seed	► <b>M74</b> — ◀
0810070	Fennel seed	► <b>M74</b> — ◀
0810080	Fenugreek	► <b>M74</b> — ◀
0810090	Nutmeg	► <b>M74</b> — ◀
0810990	Others	► <b>M74</b> — ◀
0820000	(ii) <b>Fruits and berries</b>	► <b>M74</b> 0,05 (**) ◀
0820010	Allspice	► <b>M74</b> — ◀

▼ **M50**

(1)	(2)	(3)
0820020	Sichuan pepper (Anise pepper, Japan pepper)	► <u>M74</u> — ◀
0820030	Caraway	► <u>M74</u> — ◀
0820040	Cardamom	► <u>M74</u> — ◀
0820050	Juniper berries	► <u>M74</u> — ◀
0820060	Pepper, black, green and white (Long pepper, pink pepper)	► <u>M74</u> — ◀
0820070	Vanilla pods	► <u>M74</u> — ◀
0820080	Tamarind	► <u>M74</u> — ◀
0820990	Others	► <u>M74</u> — ◀
0830000	(iii) <b>Bark</b>	► <u>M74</u> 0,05 (**) ◀
0830010	Cinnamon ( <i>Cassia</i> )	► <u>M74</u> — ◀
0830990	Others	► <u>M74</u> — ◀
0840000	(iv) <b>Roots or rhizome</b>	► <u>M74</u> — ◀
0840010	Liquorice	► <u>M74</u> 1 ◀
0840020	Ginger	► <u>M74</u> 1 ◀
0840030	Turmeric ( <i>Curcuma</i> )	► <u>M74</u> 1 ◀
0840040	Horseradish	► <u>M74</u> (+) ◀
0840990	Others	► <u>M74</u> 1 ◀
0850000	(v) <b>Buds</b>	► <u>M74</u> 0,05 (**) ◀
0850010	Cloves	► <u>M74</u> — ◀
0850020	Capers	► <u>M74</u> — ◀
0850990	Others	► <u>M74</u> — ◀
0860000	(vi) <b>Flower stigma</b>	► <u>M74</u> 0,05 (**) ◀
0860010	Saffron	► <u>M74</u> — ◀
0860990	Others	► <u>M74</u> — ◀
0870000	(vii) <b>Aril</b>	► <u>M74</u> 0,05 (**) ◀
0870010	Mace	► <u>M74</u> — ◀
0870990	Others	► <u>M74</u> — ◀
0900000	9. <b>SUGAR PLANTS</b>	► <u>M74</u> 0,01 (**) ◀
0900010	Sugar beet (root)	► <u>M74</u> — ◀
0900020	Sugar cane	► <u>M74</u> — ◀
0900030	Chicory roots	► <u>M74</u> — ◀
0900990	Others	► <u>M74</u> — ◀

▼ **M50**

(1)	(2)	(3)
1000000	<b>10. PRODUCTS OF ANIMAL ORIGIN- TERRESTRIAL ANIMALS</b>	
1010000	(i) <b>Tissue</b>	
1011000	(a) <i>Swine</i>	
1011010	Muscle	► <b>M74</b> 0,01 (*) ◀
1011020	Fat	► <b>M74</b> 0,05 (*) ◀
1011030	Liver	► <b>M74</b> 0,05 (*) ◀
1011040	Kidney	► <b>M74</b> 0,05 (*) ◀
1011050	Edible offal	► <b>M74</b> 0,05 (*) ◀
1011990	Others	► <b>M74</b> 0,05 (*) ◀
1012000	(b) <i>Bovine</i>	► <b>M74</b> (+) ◀
1012010	Muscle	► <b>M74</b> 0,04 ◀
1012020	Fat	► <b>M74</b> 0,2 ◀
1012030	Liver	► <b>M74</b> 0,2 ◀
1012040	Kidney	► <b>M74</b> 0,2 ◀
1012050	Edible offal	► <b>M74</b> 0,05 (*) ◀
1012990	Others	► <b>M74</b> 0,05 (*) ◀
1013000	(c) <i>Sheep</i>	► <b>M74</b> (+) ◀
1013010	Muscle	► <b>M74</b> 0,04 ◀
1013020	Fat	► <b>M74</b> 0,2 ◀
1013030	Liver	► <b>M74</b> 0,2 ◀
1013040	Kidney	► <b>M74</b> 0,2 ◀
1013050	Edible offal	► <b>M74</b> 0,05 (*) ◀
1013990	Others	► <b>M74</b> 0,05 (*) ◀
1014000	(d) <i>Goat</i>	► <b>M74</b> (+) ◀
1014010	Muscle	► <b>M74</b> 0,04 ◀
1014020	Fat	► <b>M74</b> 0,2 ◀
1014030	Liver	► <b>M74</b> 0,2 ◀
1014040	Kidney	► <b>M74</b> 0,2 ◀
1014050	Edible offal	► <b>M74</b> 0,05 (*) ◀
1014990	Others	► <b>M74</b> 0,05 (*) ◀
1015000	(e) <i>Horses, asses, mules or hinnies</i>	► <b>M74</b> — ◀
1015010	Muscle	► <b>M74</b> 0,01 (**) ◀
1015020	Fat	► <b>M74</b> 0,2 ◀
1015030	Liver	► <b>M74</b> 0,2 ◀

▼ **M50**

(1)	(2)	(3)
1015040	Kidney	► <b>M74</b> 0,2 ◀
1015050	Edible offal	► <b>M74</b> 0,05 (**) ◀
1015990	Others	► <b>M74</b> 0,05 (**) ◀
1016000	(f) <i>Poultry -chicken, geese, duck, turkey and Guinea fowl-, ostrich, pigeon</i>	
1016010	Muscle	► <b>M74</b> 0,01 (*) ◀
1016020	Fat	► <b>M74</b> 0,05 (*) ◀
1016030	Liver	► <b>M74</b> 0,05 (*) ◀
1016040	Kidney	► <b>M74</b> 0,05 (*) ◀
1016050	Edible offal	► <b>M74</b> 0,05 (*) ◀
1016990	Others	► <b>M74</b> 0,05 (*) ◀
1017000	(g) <i>Other farm animals (Rabbit, kangaroo, deer)</i>	► <b>M74</b> — ◀
1017010	Muscle	► <b>M74</b> 0,01 (**) ◀
1017020	Fat	► <b>M74</b> 0,2 ◀
1017030	Liver	► <b>M74</b> 0,2 ◀
1017040	Kidney	► <b>M74</b> 0,2 ◀
1017050	Edible offal	► <b>M74</b> 0,05 (**) ◀
1017990	Others	► <b>M74</b> 0,05 (**) ◀
1020000	(ii) <b>Milk</b>	► <b>M74</b> 0,01 (*) ◀
1020010	Cattle	
1020020	Sheep	
1020030	Goat	
1020040	Horse	
1020990	Others	
1030000	(iii) <b>Bird eggs</b>	► <b>M74</b> 0,05 (*) ◀
1030010	Chicken	
1030020	Duck	► <b>M74</b> — ◀
1030030	Goose	► <b>M74</b> — ◀
1030040	Quail	► <b>M74</b> — ◀
1030990	Others	► <b>M74</b> — ◀



▼ **M50**

(1)	(2)	(3)
1040000	(iv) <b>Honey (Royal jelly, pollen, honey comb with honey (comb honey))</b>	► <b>M74</b> 0,05 (**) ◀
1050000	(v) <b>Amphibians and reptiles (Frog legs, crocodiles)</b>	► <b>M74</b> 0,01 (**) ◀
1060000	(vi) <b>Snails</b>	► <b>M74</b> 0,01 (**) ◀
1070000	(vii) <b>Other terrestrial animal products (Wild game)</b>	► <b>M74</b> 0,01 (**) ◀

▼ **M51****Pesticide residues and maximum residue levels (mg/kg)**

Code number	Groups and examples of individual products to which the MRLs apply (*)	Chlorotoluron	► <b>M74</b> Trinexapac (sum of trinexapac (acid) and its salts, expressed as trinexapac) ◀
(1)	(2)	(3)	(4)
0100000	1. <b>FRUIT FRESH OR FROZEN NUTS</b>		► <b>M74</b> 0,01 (*) ◀
0110000	(i) <b>Citrus fruit</b>	<b>0,01 (*)</b>	
0110010	Grapefruit (Shaddocks, pomelos, sweeties, tangelo (except mineola), ugli and other hybrids)		
0110020	Oranges (Bergamot, bitter orange, chinotto and other hybrids)		
0110030	Lemons (Citron, lemon, Buddha's hand ( <i>Citrus medica</i> var. <i>sarcodactylis</i> ))		
0110040	Limes		
0110050	Mandarins (Clementine, tangerine, mineola and other hybrids tangor ( <i>Citrus reticulata</i> x <i>sinensis</i> ))		
0110990	Others		
0120000	(ii) <b>Tree nuts</b>	<b>0,02 (*)</b>	
0120010	Almonds		
0120020	Brazil nuts		
0120030	Cashew nuts		
0120040	Chestnuts		
0120050	Coconuts		
0120060	Hazelnuts (Filbert)		
0120070	Macadamia		
0120080	Pecans		
0120090	Pine nuts		
0120100	Pistachios		
0120110	Walnuts		
0120990	Others		
0130000	(iii) <b>Pome fruit</b>		
0130010	Apples (Crab apple)	<b>0,05 (*) (+)</b>	
0130020	Pears (Oriental pear)	<b>0,05 (*) (+)</b>	
0130030	Quinces	<b>0,01 (*)</b>	
0130040	Medlar	<b>0,01 (*)</b>	
0130050	Loquat	<b>0,01 (*)</b>	
0130990	Others	<b>0,01 (*)</b>	
0140000	(iv) <b>Stone fruit</b>	<b>0,01 (*)</b>	
0140010	Apricots		
0140020	Cherries (Sweet cherries, sour cherries)		
0140030	Peaches (Nectarines and similar hybrids)		

▼ **M51**

(1)	(2)	(3)	(4)
0140040	Plums (Damson, greengage, mirabelle, sloe, red date/Chinese date/Chinese jujube ( <i>Zizyphus zizyphus</i> ))		
0140990	Others		
0150000	<b>(v) Berries &amp; small fruit</b>	<b>0,01 (*)</b>	
0151000	<b>(a) Table and wine grapes</b>		
0151010	Table grapes		
0151020	Wine grapes		
0152000	<b>(b) Strawberries</b>		
0153000	<b>(c) Cane fruit</b>		
0153010	Blackberries		
0153020	Dewberries (Loganberries, tayberries, boysenberries, cloudberrries and other <i>Rubus</i> hybrids)		
0153030	Raspberries (Wineberries, arctic bramble/raspberry, ( <i>Rubus arcticus</i> ), nectar raspberries ( <i>Rubus arcticus</i> x <i>Rubus idaeus</i> ))		
0153990	Others		
0154000	<b>(d) Other small fruit &amp; berries</b>		
0154010	Blueberries (Bilberries)		
0154020	Cranberries (Cowberries/red bilberries ( <i>V. vitis-idaea</i> ))		
0154030	Currants (red, black and white)		
0154040	Gooseberries (Including hybrids with other <i>Ribes</i> species)		
0154050	Rose hips		
0154060	Mulberries ( <i>Arbutus</i> berry)		
0154070	Azarole (mediteranean medlar) (Kiwiberry ( <i>Actinidia arguta</i> ))		
0154080	Elderberries (Black chokeberry/apple-berry, mountain ash, buckthorn/sea sallowthorn, hawthorn, serviceberries, and other treeberries)		
0154990	Others		
0160000	<b>(vi) Miscellaneous fruit</b>	<b>0,01 (*)</b>	
0161000	<b>(a) Edible peel</b>		
0161010	Dates		
0161020	Figs		
0161030	Table olives		
0161040	Kumquats (Marumi kumquats, nagami kumquats, limequats ( <i>Citrus aurantifolia</i> x <i>Fortunella</i> spp.))		
0161050	Carambola (Bilimbi)		
0161060	Persimmon		

▼ **M51**

(1)	(2)	(3)	(4)
0161070	Jambolan (java plum) (Java apple/water apple, pomerac, rose apple, Brazilian cherry, Surinam cherry/grumichama ( <i>Eugenia uniflora</i> ))		
0161990	Others		
0162000	(b) <i>Inedible peel, small</i>		
0162010	Kiwi		
0162020	Lychee (Litchi) (Pulasan, rambutan/hairy litchi, longan, mangosteen, langsat, salak)		
0162030	Passion fruit		
0162040	Prickly pear (cactus fruit)		
0162050	Star apple		
0162060	American persimmon (Virginia kaki) (Black sapote, white sapote, green sapote, canistel/yellow sapote, mammey sapote)		
0162990	Others		
0163000	(c) <i>Inedible peel, large</i>		
0163010	Avocados		
0163020	Bananas (Dwarf banana, plantain, apple banana)		
0163030	Mangoes		
0163040	Papaya		
0163050	Pomegranate		
0163060	Cherimoya (Custard apple, sugar apple/sweetsop, ilama ( <i>Annona diversifolia</i> ) and other medium sized <i>Annonaceae</i> fruits)		
0163070	Guava (Red pitaya/dragon fruit ( <i>Hylocereus undatus</i> ))		
0163080	Pineapples		
0163090	Bread fruit (Jackfruit)		
0163100	Durian		
0163110	Soursop (guanabana)		
0163990	Others		
0200000	<b>2. VEGETABLES FRESH OR FROZEN</b>		
0210000	(i) <b>Root and tuber vegetables</b>	<b>0,01 (*)</b>	► <b>M74</b> 0,01 (*) ◀
0211000	(a) <i>Potatoes</i>		
0212000	(b) <i>Tropical root and tuber vegetables</i>		
0212010	Cassava (Dasheen, eddoe/Japanese taro, tannia)		
0212020	Sweet potatoes		
0212030	Yams (Potato bean/yam bean, Mexican yam bean)		

▼ **M51**

(1)	(2)	(3)	(4)
0212040	Arrowroot		
0212990	Others		
0213000	(c) <i>Other root and tuber vegetables except sugar beet</i>		
0213010	Beetroot		
0213020	Carrots		
0213030	Celeriac		
0213040	Horseradish (Angelica roots, lovage roots, gentiana roots)		
0213050	Jerusalem artichokes (Crosne)		
0213060	Parsnips		
0213070	Parsley root		
0213080	Radishes (Black radish, Japanese radish, small radish and similar varieties, tiger nut ( <i>Cyperus esculentus</i> ))		
0213090	Salsify (Scorzonera, Spanish salsify/ Spanish oysterplant, edible burdock)		
0213100	Swedes		
0213110	Turnips		
0213990	Others		
0220000	(ii) <b>Bulb vegetables</b>	<b>0,01 (*)</b>	► <b>M74</b> 0,01 (*) ◀
0220010	Garlic		
0220020	Onions (Other bulb onions, silverskin onions)		
0220030	Shallots		
0220040	Spring onions and welsh onions (Other green onions and similar varieties)		
0220990	Others		
0230000	(iii) <b>Fruiting vegetables</b>	<b>0,01 (*)</b>	► <b>M74</b> 0,01 (*) ◀
0231000	(a) <i>Solanacea</i>		
0231010	Tomatoes (Cherry tomatoes, <i>Physalis</i> spp., gojiberry, wolfberry ( <i>Lycium barbarum</i> and <i>L. chinense</i> ), tree tomato)		
0231020	Peppers (Chilli peppers)		
0231030	Aubergines (egg plants) (Pepino, antroewa/white eggplant ( <i>S. macrocarpon</i> ))		
0231040	Okra (lady's fingers)		
0231990	Others		
0232000	(b) <i>Cucurbits — edible peel</i>		
0232010	Cucumbers		
0232020	Gherkins		

▼ **M51**

(1)	(2)	(3)	(4)
0232030	Courgettes (Summer squash, marrow (patisson), lauki ( <i>Lagenaria siceraria</i> ), chayote, sopropo/bitter melon, snake gourd, angled luffa/teroi)		
0232990	Others		
0233000	(c) <i>Cucurbits-inedible peel</i>		
0233010	Melons (Kiwano)		
0233020	Pumpkins (Winter squash, marrow (late variety))		
0233030	Watermelons		
0233990	Others		
0234000	(d) <i>Sweet corn (Baby corn)</i>		
0239000	(e) <i>Other fruiting vegetables</i>		
0240000	(iv) <b>Brassica vegetables</b>	<b>0,01 (*)</b>	► <b>M74</b> 0,01 (*) ◀
0241000	(a) <i>Flowering brassica</i>		
0241010	Broccoli (Calabrese, Broccoli raab, Chinese broccoli)		
0241020	Cauliflower		
0241990	Others		
0242000	(b) <i>Head brassica</i>		
0242010	Brussels sprouts		
0242020	Head cabbage (Pointed head cabbage, red cabbage, savoy cabbage, white cabbage)		
0242990	Others		
0243000	(c) <i>Leafy brassica</i>		
0243010	Chinese cabbage (Indian or Chinese) mustard, pak choi, Chinese flat cabbage/ ai goo choi), choy sum, Peking cabbage/ pe-tsai)		
0243020	Kale (Borecole/curly kale, collards, Portuguese Kale, Portuguese cabbage, cow cabbage)		
0243990	Others		
0244000	(d) <i>Kohlrabi</i>		
0250000	(v) <b>Leaf vegetables &amp; fresh herbs</b>		
0251000	(a) <i>Lettuce and other salad plants including Brassicacea</i>	<b>0,01 (*)</b>	► <b>M74</b> 0,01 (*) ◀
0251010	Lamb's lettuce (Italian corn salad)		
0251020	Lettuce (Head lettuce, lollo rosso (cutting lettuce), iceberg lettuce, romaine (cos) lettuce)		
0251030	Scarole (broad-leaf endive) (Wild chicory, red-leaved chicory, radicchio, curly leaf endive, sugar loaf ( <i>C. endivia</i> var. <i>crispum</i> / <i>C. intybus</i> var. <i>foliosum</i> ), dandelion greens)		

▼ **M51**

(1)	(2)	(3)	(4)
0251040	Cress (Mung bean sprouts, alfalfa sprouts)		
0251050	Land cress		
0251060	Rocket, Rucola (Wild rocket ( <i>Diplotaxis</i> spp.))		
0251070	Red mustard		
0251080	Leaves and sprouts of <i>Brassica</i> spp, including turnip greens (Mizuna, leaves of peas and radish and other babyleaf crops, including brassica crops (crops harvested up to 8 true leaf stage), kohlrabi leaves)		
0251990	Others		
0252000	(b) <i>Spinach &amp; similar (leaves)</i>	<b>0,01 (*)</b>	► <b>M74</b> 0,01 (*) ◀
0252010	Spinach (New Zealand spinach, amaranthus spinach (pak-khom, tampara), tajar leaves, bitterblad/bitawiri)		
0252020	Purslane (Winter purslane/miner's lettuce, garden purslane, common purslane, sorrel, glassworth, agretti ( <i>Salsola soda</i> ))		
0252030	Beet leaves (chard) (Leaves of beetroot)		
0252990	Others		
0253000	(c) <i>Vine leaves (grape leaves) (Malabar nightshade, banana leaves, climbing wattle (Acacia pennata))</i>	<b>0,01 (*)</b>	► <b>M74</b> 0,01 (*) ◀
0254000	(d) <i>Water cress (Morning glory/Chinese convolvulus/water convolvulus/water spinach/kangkung (Ipomea aquatica), water clover, water mimosa)</i>	<b>0,01 (*)</b>	► <b>M74</b> 0,01 (*) ◀
0255000	(e) <i>Witloof</i>	<b>0,01 (*)</b>	► <b>M74</b> 0,01 (*) ◀
0256000	(f) <i>Herbs</i>	<b>0,02 (*)</b>	► <b>M74</b> 0,02 (*) ◀
0256010	Chervil		
0256020	Chives		
0256030	Celery leaves (Fennel leaves, coriander leaves, dill leaves, caraway leaves, lovage, angelica, sweet cisel and other <i>Apiacea</i> leaves, culantro/stinking/long coriander/stink weed ( <i>Eryngium foetidum</i> ))		
0256040	Parsley (leaves of root parsley)		
0256050	Sage (Winter savory, summer savory, <i>Borago officinalis</i> leaves)		
0256060	Rosemary		
0256070	Thyme (Marjoram, oregano)		

▼ **M51**

(1)	(2)	(3)	(4)
0256080	Basil (Balm leaves, mint, peppermint, holy basil, sweet basil, hairy basil, edible flowers (marigold flower and others), pennywort, wild betel leaf, curry leaves)		
0256090	Bay leaves (laurel) (Lemon grass)		
0256100	Tarragon (Hyssop)		
0256990	Others		
0260000	<b>(vi) Legume vegetables (fresh)</b>	<b>0,01 (*)</b>	► <b>M74</b> 0,01 (*) ◀
0260010	Beans (with pods) (Green bean/French beans/snap beans, scarlet runner bean, slicing bean, yard long beans, guar beans, soya beans)		
0260020	Beans (without pods) (Broad beans, flageolets, jack bean, lima bean, cowpea)		
0260030	Peas (with pods) (Mangetout/sugar peas/snow peas)		
0260040	Peas (without pods) (Garden pea, green pea, chickpea)		
0260050	Lentils		
0260990	Others		
0270000	<b>(vii) Stem vegetables (fresh)</b>	<b>0,01 (*)</b>	► <b>M74</b> 0,01 (*) ◀
0270010	Asparagus		
0270020	Cardoons ( <i>Borago officinalis</i> stems)		
0270030	Celery		
0270040	Fennel		
0270050	Globe artichokes (Banana flower)		
0270060	Leek		
0270070	Rhubarb		
0270080	Bamboo shoots		
0270090	Palm hearts		
0270990	Others		
0280000	<b>(viii) Fungi</b>	<b>0,01 (*)</b>	► <b>M74</b> 0,01 (*) ◀
0280010	Cultivated fungi (Common mushroom, oyster mushroom, shiitake, fungus mycelium (vegetative parts))		
0280020	Wild fungi (Chanterelle, truffle, morel, cep)		
0280990	Others		
0290000	<b>(ix) Sea weeds</b>	<b>0,01 (*)</b>	► <b>M74</b> 0,01 (*) ◀
0300000	<b>3. PULSES, DRY</b>	<b>0,01 (*)</b>	
0300010	Beans (Broad beans, navy beans, flageolets, jack beans, lima beans, field beans, cowpeas)		► <b>M74</b> 10 (+) ◀
0300020	Lentils		► <b>M74</b> 0,02 (*) ◀
0300030	Peas (Chickpeas, field peas, chickling vetch)		► <b>M74</b> 0,02 (*) ◀



▼ **M51**

(1)	(2)	(3)	(4)
0300040	Lupins		► <b>M74</b> 0,02 (*) ◀
0300990	Others		► <b>M74</b> 0,02 (*) ◀
0400000	<b>4. OILSEEDS AND OILFRUITS</b>	<b>0,02 (*)</b>	
0401000	<b>(i) Oilseeds</b>		
0401010	Linseed		► <b>M74</b> 0,01 (*) ◀
0401020	Peanuts		► <b>M74</b> 0,01 (*) ◀
0401030	Poppy seed		► <b>M74</b> 2 ◀
0401040	Sesame seed		► <b>M74</b> 0,01 (*) ◀
0401050	Sunflower seed		► <b>M74</b> 0,01 (*) ◀
0401060	Rape seed (Bird rapeseed, turnip rape)		► <b>M74</b> 2 ◀
0401070	Soya bean		► <b>M74</b> 0,01 (*) ◀
0401080	Mustard seed		► <b>M74</b> 0,01 (*) ◀
0401090	Cotton seed		► <b>M74</b> 0,01 (*) ◀
0401100	Pumpkin seeds (Other seeds of <i>Cucurbitaceae</i> )		► <b>M74</b> 0,01 (*) ◀
0401110	Safflower		► <b>M74</b> 0,01 (*) ◀
0401120	Borage (Purple viper's bugloss/Canary flower ( <i>Echium plantagineum</i> ), Corn Gromwell ( <i>Buglossoides arvensis</i> ))		► <b>M74</b> 0,01 (*) ◀
0401130	Gold of pleasure		► <b>M74</b> 0,01 (*) ◀
0401140	Hempseed		► <b>M74</b> 0,01 (*) ◀
0401150	Castor bean		► <b>M74</b> 0,01 (*) ◀
0401990	Others		► <b>M74</b> 0,01 (*) ◀
0402000	<b>(ii) Oilfruits</b>		► <b>M74</b> 0,01 (*) ◀
0402010	Olives for oil production		
0402020	Palm nuts (palmoil kernels)		
0402030	Palmfruit		
0402040	Kapok		
0402990	Others		
0500000	<b>5. CEREALS</b>		
0500010	Barley	<b>0,1 (+)</b>	► <b>M74</b> 3 ◀
0500020	Buckwheat ( <i>Amaranthus</i> , quinoa)	<b>0,01 (*)</b>	► <b>M74</b> 0,02 (*) ◀
0500030	Maize	<b>0,01 (*)</b>	► <b>M74</b> 0,02 (*) ◀
0500040	Millet (Foxtail millet, teff, finger millet, pearl millet)	<b>0,01 (*)</b>	► <b>M74</b> 0,02 (*) ◀
0500050	Oats	<b>0,1 (+)</b>	► <b>M74</b> 3 ◀
0500060	Rice (Indian/wild rice ( <i>Zizania aquatica</i> ))	<b>0,01 (*)</b>	► <b>M74</b> 0,02 (*) ◀
0500070	Rye	<b>0,1 (+)</b>	► <b>M74</b> 0,5 ◀
0500080	Sorghum	<b>0,01 (*)</b>	► <b>M74</b> 0,02 (*) ◀
0500090	Wheat (Spelt, triticale)	<b>0,1 (+)</b>	► <b>M74</b> 3 ◀
0500990	Others (Canary grass seeds ( <i>Phalaris canariensis</i> ))	<b>0,01 (*)</b>	► <b>M74</b> 0,02 (*) ◀

▼ **M51**

(1)	(2)	(3)	(4)
0600000	6. <b>TEA, COFFEE, HERBAL INFUSIONS AND COCOA</b>	0,05 (*)	► <b>M74</b> 0,05 (*) ◀
0610000	(i) <b>Tea</b>		
0620000	(ii) <b>Coffee beans</b>		
0630000	(iii) <b>Herbal infusions (dried)</b>		
0631000	(a) <i>Flowers</i>		
0631010	Camomille flowers		
0631020	Hybiscus flowers		
0631030	Rose petals		
0631040	Jasmine flowers (Elderflowers ( <i>Sambucus nigra</i> ))		
0631050	Lime (linden)		
0631990	Others		
0632000	(b) <i>Leaves</i>		
0632010	Strawberry leaves		
0632020	Rooibos leaves (Ginkgo leaves)		
0632030	Maté		
0632990	Others		
0633000	(c) <i>Roots</i>		
0633010	Valerian root		
0633020	Ginseng root		
0633990	Others		
0639000	(d) <i>Other herbal infusions</i>		
0640000	(iv) <b>Cocoabeans (fermented or dried)</b>		
0650000	(v) <b>Carob (st johns bread)</b>		
0700000	7. <b>HOPS (dried)</b>	0,05 (*)	► <b>M74</b> 0,05 (*) ◀
0800000	8. <b>SPICES</b>		
0810000	(i) <b>Seeds</b>	0,05 (*)	► <b>M74</b> 0,05 (*) ◀
0810010	Anise		
0810020	Black caraway		
0810030	Celery seed (Lovage seed)		
0810040	Coriander seed		
0810050	Cumin seed		
0810060	Dill seed		
0810070	Fennel seed		
0810080	Fenugreek		
0810090	Nutmeg		
0810990	Others		
0820000	(ii) <b>Fruits and berries</b>	0,05 (*)	► <b>M74</b> 0,05 (*) ◀
0820010	Allspice		

▼ **M51**

(1)	(2)	(3)	(4)
0820020	Sichuan pepper (Anise pepper, Japan pepper)		
0820030	Caraway		
0820040	Cardamom		
0820050	Juniper berries		
0820060	Pepper, black, green and white (Long pepper, pink pepper)		
0820070	Vanilla pods		
0820080	Tamarind		
0820990	Others		
0830000	(iii) <b>Bark</b>	0,05 (*)	► <b>M74</b> 0,05 (*) ◀
0830010	Cinnamon ( <i>Cassia</i> )		
0830990	Others		
0840000	(iv) <b>Roots or rhizome</b>		
0840010	Liquorice	0,05 (*)	► <b>M74</b> 0,05 (*) ◀
0840020	Ginger	0,05 (*)	► <b>M74</b> 0,05 (*) ◀
0840030	Turmeric ( <i>Curcuma</i> )	0,05 (*)	► <b>M74</b> 0,05 (*) ◀
0840040	Horseradish	(+)	► <b>M74</b> (+) ◀
0840990	Others	0,05 (*)	► <b>M74</b> 0,05 (*) ◀
0850000	(v) <b>Buds</b>	0,05 (*)	► <b>M74</b> 0,05 (*) ◀
0850010	Cloves		
0850020	Capers		
0850990	Others		
0860000	(vi) <b>Flower stigma</b>	0,05 (*)	► <b>M74</b> 0,05 (*) ◀
0860010	Saffron		
0860990	Others		
0870000	(vii) <b>Aril</b>	0,05 (*)	► <b>M74</b> 0,05 (*) ◀
0870010	Mace		
0870990	Others		
0900000	9. <b>SUGAR PLANTS</b>	<b>0,01 (*)</b>	► <b>M74</b> — ◀
0900010	Sugar beet (root)		► <b>M74</b> 0,01 (*) ◀
0900020	Sugar cane		► <b>M74</b> 0,5 ◀
0900030	Chicory roots		► <b>M74</b> 0,01 (*) ◀
0900990	Others		► <b>M74</b> 0,01 (*) ◀

▼ **M51**

(1)	(2)	(3)	(4)
1000000	<b>10. PRODUCTS OF ANIMAL ORIGIN- TERRESTRIAL ANIMALS</b>		
1010000	<b>(i) Tissue</b>		
1011000	<b>(a) Swine</b>		
1011010	Muscle	<b>0,02 (*)</b>	► <b>M74</b> 0,01 (*) ◀
1011020	Fat	<b>0,01 (*)</b>	► <b>M74</b> 0,01 (*) ◀
1011030	Liver	<b>0,01 (*)</b>	► <b>M74</b> 0,01 (*) ◀
1011040	Kidney	<b>0,01 (*)</b>	► <b>M74</b> 0,05 ◀
1011050	Edible offal	<b>0,01 (*)</b>	► <b>M74</b> 0,01 (*) ◀
1011990	Others	<b>0,01 (*)</b>	► <b>M74</b> 0,01 (*) ◀
1012000	<b>(b) Bovine</b>	<b>0,05</b>	
1012010	Muscle	<b>(+)</b>	► <b>M74</b> 0,01 (*) ◀
1012020	Fat		► <b>M74</b> 0,01 (*) ◀
1012030	Liver		► <b>M74</b> 0,01 (*) ◀
1012040	Kidney		► <b>M74</b> 0,05 ◀
1012050	Edible offal		► <b>M74</b> 0,01 (*) ◀
1012990	Others		► <b>M74</b> 0,01 (*) ◀
1013000	<b>(c) Sheep</b>	<b>0,05</b>	
1013010	Muscle	<b>(+)</b>	► <b>M74</b> 0,01 (*) ◀
1013020	Fat		► <b>M74</b> 0,01 (*) ◀
1013030	Liver		► <b>M74</b> 0,01 (*) ◀
1013040	Kidney		► <b>M74</b> 0,05 ◀
1013050	Edible offal		► <b>M74</b> 0,01 (*) ◀
1013990	Others		► <b>M74</b> 0,01 (*) ◀
1014000	<b>(d) Goat</b>	<b>0,05</b>	
1014010	Muscle	<b>(+)</b>	► <b>M74</b> 0,01 (*) ◀
1014020	Fat		► <b>M74</b> 0,01 (*) ◀
1014030	Liver		► <b>M74</b> 0,01 (*) ◀
1014040	Kidney		► <b>M74</b> 0,05 ◀
1014050	Edible offal		► <b>M74</b> 0,01 (*) ◀
1014990	Others		► <b>M74</b> 0,01 (*) ◀
1015000	<b>(e) Horses, asses, mules or hinnies</b>	<b>0,05</b>	
1015010	Muscle	<b>(+)</b>	► <b>M74</b> 0,01 (*) ◀
1015020	Fat		► <b>M74</b> 0,01 (*) ◀
1015030	Liver		► <b>M74</b> 0,01 (*) ◀

▼ **M51**

(1)	(2)	(3)	(4)
1015040	Kidney		► <b>M74</b> 0,05 ◀
1015050	Edible offal		► <b>M74</b> 0,01 (*) ◀
1015990	Others		► <b>M74</b> 0,01 (*) ◀
1016000	(f) <i>Poultry -chicken, geese, duck, turkey and Guinea fowl-, ostrich, pigeon</i>		► <b>M74</b> — ◀
1016010	Muscle	<b>0,02</b> (*)	► <b>M74</b> 0,01 (*) ◀
1016020	Fat	<b>0,01</b> (*)	► <b>M74</b> 0,01 (*) ◀
1016030	Liver	<b>0,01</b> (*)	► <b>M74</b> 0,05 ◀
1016040	Kidney	<b>0,01</b> (*)	► <b>M74</b> 0,05 ◀
1016050	Edible offal	<b>0,01</b> (*)	► <b>M74</b> 0,05 ◀
1016990	Others	<b>0,01</b> (*)	► <b>M74</b> 0,01 (*) ◀
1017000	(g) <i>Other farm animals (Rabbit, kangaroo, deer)</i>	<b>0,05</b>	
1017010	Muscle	(+)	► <b>M74</b> 0,01 (*) ◀
1017020	Fat		► <b>M74</b> 0,01 (*) ◀
1017030	Liver		► <b>M74</b> 0,01 (*) ◀
1017040	Kidney		► <b>M74</b> 0,05 ◀
1017050	Edible offal		► <b>M74</b> 0,01 (*) ◀
1017990	Others		► <b>M74</b> 0,01 (*) ◀
1020000	(ii) <b>Milk</b>	<b>0,01</b>	► <b>M74</b> 0,01 ◀
1020010	Cattle		
1020020	Sheep		
1020030	Goat		
1020040	Horse		
1020990	Others		
1030000	(iii) <b>Bird eggs</b>	<b>0,02</b> (*)	► <b>M74</b> 0,01 (*) ◀
1030010	Chicken		
1030020	Duck		
1030030	Goose		
1030040	Quail		
1030990	Others		

▼ **M51**

(1)	(2)	(3)	(4)
1040000	(iv) <b>Honey (Royal jelly, pollen, honey comb with honey (comb honey))</b>	<b>0,05 (*)</b>	► <b>M74</b> 0,05 (*) ◀
1050000	(v) <b>Amphibians and reptiles (Frog legs, crocodiles)</b>	<b>0,02 (*)</b>	► <b>M74</b> 0,01 (*) ◀
1060000	(vi) <b>Snails</b>	<b>0,02 (*)</b>	► <b>M74</b> 0,01 (*) ◀
1070000	(vii) <b>Other terrestrial animal products (Wild game)</b>	<b>0,02 (*)</b>	► <b>M74</b> 0,01 (*) ◀

▼ **M52****Pesticide residues and maximum residue levels (mg/kg)**

Code number	Groups and examples of individual products to which the MRLs apply <sup>(a)</sup>	► <b>M75</b> Propamocarb (Sum of propamocarb and its salts, expressed as propamocarb) <sup>(b)</sup> ◀
(1)	(2)	(3)
0100000	1. <b>FRUIT FRESH OR FROZEN NUTS</b>	► <b>M75</b> 0,01 (*) ◀
0110000	(i) <b>Citrus fruit</b>	
0110010	Grapefruit (Shaddocks, pomelos, sweeties, tangelo (except mineola), ugli and other hybrids)	
0110020	Oranges (Bergamot, bitter orange, chinotto and other hybrids)	
0110030	Lemons (Citron, lemon, Buddha's hand ( <i>Citrus medica</i> var. <i>sarcodactylis</i> ))	
0110040	Limes	
0110050	Mandarins (Clementine, tangerine, mineola and other hybrids tangor ( <i>Citrus reticulata</i> x <i>sinensis</i> ))	
0110990	Others	
0120000	(ii) <b>Tree nuts</b>	
0120010	Almonds	
0120020	Brazil nuts	
0120030	Cashew nuts	
0120040	Chestnuts	
0120050	Coconuts	
0120060	Hazelnuts (Filbert)	
0120070	Macadamia	
0120080	Pecans	
0120090	Pine nuts	
0120100	Pistachios	
0120110	Walnuts	
0120990	Others	
0130000	(iii) <b>Pome fruit</b>	
0130010	Apples (Crab apple)	
0130020	Pears (Oriental pear)	
0130030	Quinces	
0130040	Medlar	
0130050	Loquat	
0130990	Others	
0140000	(iv) <b>Stone fruit</b>	
0140010	Apricots	
0140020	Cherries (Sweet cherries, sour cherries)	
0140030	Peaches (Nectarines and similar hybrids)	

▼ **M52**

(1)	(2)	(3)
0140040	Plums (Damson, greengage, mirabelle, sloe, red date/Chinese date/Chinese jujube ( <i>Ziziphus zizyphus</i> ))	
0140990	Others	
0150000	<b>(v) Berries &amp; small fruit</b>	
0151000	<b>(a) Table and wine grapes</b>	
0151010	Table grapes	
0151020	Wine grapes	
0152000	<b>(b) Strawberries</b>	
0153000	<b>(c) Cane fruit</b>	
0153010	Blackberries	
0153020	Dewberries (Loganberries, tayberries, boysenberries, cloudberries and other <i>Rubus</i> hybrids)	
0153030	Raspberries (Wineberries, arctic bramble/raspberry, ( <i>Rubus arcticus</i> ), nectar raspberries ( <i>Rubus arcticus</i> x <i>Rubus idaeus</i> ))	
0153990	Others	
0154000	<b>(d) Other small fruit &amp; berries</b>	
0154010	Blueberries (Bilberries)	
0154020	Cranberries (Cowberries/red bilberries ( <i>V. vitis-idaea</i> ))	
0154030	Currants (red, black and white)	
0154040	Gooseberries (Including hybrids with other <i>Ribes</i> species)	
0154050	Rose hips	
0154060	Mulberries ( <i>Arbutus</i> berry)	
0154070	Azarole (mediteranean medlar) (Kiwiberry ( <i>Actinidia arguta</i> ))	
0154080	Elderberries (Black chokeberry/appleberry, mountain ash, buck-thorn/sea sallowthorn, hawthorn, serviceberries, and other treeberries)	
0154990	Others	
0160000	<b>(vi) Miscellaneous fruit</b>	
0161000	<b>(a) Edible peel</b>	
0161010	Dates	
0161020	Figs	
0161030	Table olives	
0161040	Kumquats (Marumi kumquats, nagami kumquats, limequats ( <i>Citrus aurantifolia</i> x <i>Fortunella</i> spp.))	
0161050	Carambola (Bilimbi)	
0161060	Persimmon	



▼ **M52**

(1)	(2)	(3)
0161070	Jambolan (java plum) (Java apple/ water apple, pomerac, rose apple, Brazilian cherry, Surinam cherry/ grumichama ( <i>Eugenia uniflora</i> ))	
0161990	Others	
0162000	(b) <i>Inedible peel, small</i>	
0162010	Kiwi	
0162020	Lychee (Litchi) (Pulasan, rambutan/ hairy litchi, longan, mangosteen, langsats, salak)	
0162030	Passion fruit	
0162040	Prickly pear (cactus fruit)	
0162050	Star apple	
0162060	American persimmon (Virginia kaki) (Black sapote, white sapote, green sapote, canistel/yellow sapote, mammey sapote)	
0162990	Others	
0163000	(c) <i>Inedible peel, large</i>	
0163010	Avocados	
0163020	Bananas (Dwarf banana, plantain, apple banana)	
0163030	Mangoes	
0163040	Papaya	
0163050	Pomegranate	
0163060	Cherimoya (Custard apple, sugar apple/sweetsop, ilama ( <i>Annona diversifolia</i> ) and other medium sized <i>Annonaceae</i> fruits)	
0163070	Guava (Red pitaya/dragon fruit ( <i>Hylocereus undatus</i> ))	
0163080	Pineapples	
0163090	Bread fruit (Jackfruit)	
0163100	Durian	
0163110	Soursop (guanabana)	
0163990	Others	
0200000	<b>2. VEGETABLES FRESH OR FROZEN</b>	
0210000	(i) <b>Root and tuber vegetables</b>	
0211000	(a) <i>Potatoes</i>	► <b>M75</b> 0,3 ◀
0212000	(b) <i>Tropical root and tuber vegetables</i>	► <b>M75</b> 0,01 (*) ◀
0212010	Cassava (Dasheen, eddoe/Japanese taro, tannia)	
0212020	Sweet potatoes	
0212030	Yams (Potato bean/yam bean, Mexican yam bean)	

▼ **M52**

(1)	(2)	(3)
0212040	Arrowroot	
0212990	Others	
0213000	(c) <i>Other root and tuber vegetables except sugar beet</i>	
0213010	Beetroot	► <b>M75</b> 0,01 (*) ◀
0213020	Carrots	► <b>M75</b> 0,01 (*) ◀
0213030	Celeriac	► <b>M75</b> 0,01 (*) ◀
0213040	Horseradish (Angelica roots, lovage roots, gentiana roots)	► <b>M75</b> 0,01 (*) ◀
0213050	Jerusalem artichokes (Crosne)	► <b>M75</b> 0,01 (*) ◀
0213060	Parsnips	► <b>M75</b> 0,01 (*) ◀
0213070	Parsley root	► <b>M75</b> 0,01 (*) ◀
0213080	Radishes (Black radish, Japanese radish, small radish and similar varieties, tiger nut ( <i>Cyperus esculentus</i> ))	► <b>M75</b> 3 ◀
0213090	Salsify (Scorzonera, Spanish salsify/ Spanish oysterplant, edible burdock)	► <b>M75</b> 0,01 (*) ◀
0213100	Swedes	► <b>M75</b> 0,01 (*) ◀
0213110	Turnips	► <b>M75</b> 0,01 (*) ◀
0213990	Others	► <b>M75</b> 0,01 (*) ◀
0220000	(ii) <b>Bulb vegetables</b>	
0220010	Garlic	► <b>M75</b> 0,01 (*) ◀
0220020	Onions (Other bulb onions, silverskin onions)	► <b>M75</b> 2 ◀
0220030	Shallots	► <b>M75</b> 0,01 (*) ◀
0220040	Spring onions and welsh onions (Other green onions and similar varieties)	► <b>M75</b> 30 ◀
0220990	Others	► <b>M75</b> 0,01 (*) ◀
0230000	(iii) <b>Fruiting vegetables</b>	
0231000	(a) <i>Solanacea</i>	
0231010	Tomatoes (Cherry tomatoes, <i>Physalis</i> spp., gojiberry, wolfberry ( <i>Lycium barbarum</i> and <i>L. chinense</i> ), tree tomato)	► <b>M75</b> 4 ◀
0231020	Peppers (Chilli peppers)	► <b>M75</b> 3 ◀
0231030	Aubergines (egg plants) (Pepino, antroewa/white eggplant ( <i>S. macrocarpon</i> ))	► <b>M75</b> 4 ◀
0231040	Okra (lady's fingers)	► <b>M75</b> 0,01 (*) ◀
0231990	Others	► <b>M75</b> 0,01 (*) ◀
0232000	(b) <i>Cucurbits — edible peel</i>	► <b>M75</b> 5 ◀
0232010	Cucumbers	
0232020	Gherkins	

▼ **M52**

(1)	(2)	(3)
0232030	Courgettes (Summer squash, marrow (patisson), lauki ( <i>Lagenaria siceraria</i> ), chayote, sopropo/bitter melon, snake gourd, angled luffa/teroi)	
0232990	Others	
0233000	(c) <i>Cucurbits-inedible peel</i>	► <b>M75</b> 5 ◀
0233010	Melons (Kiwano)	
0233020	Pumpkins (Winter squash, marrow (late variety))	
0233030	Watermelons	
0233990	Others	
0234000	(d) <i>Sweet corn (Baby corn)</i>	► <b>M75</b> 0,01 (*) ◀
0239000	(e) <i>Other fruiting vegetables</i>	► <b>M75</b> 0,01 (*) ◀
0240000	(iv) <b>Brassica vegetables</b>	
0241000	(a) <i>Flowering brassica</i>	
0241010	Broccoli (Calabrese, Broccoli raab, Chinese broccoli)	► <b>M75</b> 3 ◀
0241020	Cauliflower	► <b>M75</b> 10 (+) ◀
0241990	Others	► <b>M75</b> 0,01 (*) ◀
0242000	(b) <i>Head brassica</i>	
0242010	Brussels sprouts	► <b>M75</b> 2 ◀
0242020	Head cabbage (Pointed head cabbage, red cabbage, savoy cabbage, white cabbage)	► <b>M75</b> 0,7 ◀
0242990	Others	► <b>M75</b> 0,01 (*) ◀
0243000	(c) <i>Leafy brassica</i>	
0243010	Chinese cabbage (Indian or Chinese) mustard, pak choi, Chinese flat cabbage/ai goo choi), choi sum, Peking cabbage/pe-tsai)	► <b>M75</b> 20 ◀
0243020	Kale (Borecole/curly kale, collards, Portuguese Kale, Portuguese cabbage, cow cabbage)	► <b>M75</b> 20 ◀
0243990	Others	► <b>M75</b> 0,01 (*) ◀
0244000	(d) <i>Kohlrabi</i>	► <b>M75</b> 0,3 ◀
0250000	(v) <b>Leaf vegetables &amp; fresh herbs</b>	
0251000	(a) <i>Lettuce and other salad plants including Brassicacea</i>	
0251010	Lamb's lettuce (Italian corn salad)	► <b>M75</b> 20 (+) ◀
0251020	Lettuce (Head lettuce, lollo rosso (cutting lettuce), iceberg lettuce, romaine (cos) lettuce)	► <b>M75</b> 40 ◀
0251030	Scarole (broad-leaf endive) (Wild chicory, red-leaved chicory, radicchio, curly leaf endive, sugar loaf ( <i>C. endivia</i> var. <i>crispum</i> / <i>C. intybus</i> var. <i>foliosum</i> ), dandelion greens)	► <b>M75</b> 20 (+) ◀

▼ **M52**

(1)	(2)	(3)
0251040	Cress (Mung bean sprouts, alfalfa sprouts)	► <b>M75</b> 20 (+) ◀
0251050	Land cress	► <b>M75</b> 20 (+) ◀
0251060	Rocket, Rucola (Wild rocket ( <i>Diplotaxis</i> spp.))	► <b>M75</b> 30 ◀
0251070	Red mustard	► <b>M75</b> 20 (+) ◀
0251080	Leaves and sprouts of <i>Brassica</i> spp, including turnip greens (Mizuna, leaves of peas and radish and other babyleaf crops, including brassica crops (crops harvested up to 8 true leaf stage), kohlrabi leaves)	► <b>M75</b> 20 (+) ◀
0251990	Others	► <b>M75</b> 0,01 (*) ◀
0252000	(b) <i>Spinach &amp; similar (leaves)</i>	
0252010	Spinach (New Zealand spinach, amaranthus spinach (pak-khom, tampara), tajar leaves, bitterblad/bitawiri)	► <b>M75</b> 40 ◀
0252020	Purslane (Winter purslane/miner's lettuce, garden purslane, common purslane, sorrel, glassworth, agretti ( <i>Salsola soda</i> ))	► <b>M75</b> 0,01 (*) ◀
0252030	Beet leaves (chard) (Leaves of beetroot)	► <b>M75</b> 0,01 (*) ◀
0252990	Others	► <b>M75</b> 0,01 (*) ◀
0253000	(c) <i>Vine leaves (grape leaves) (Malabar nightshade, banana leaves, climbing wattle (Acacia pennata))</i>	► <b>M75</b> 0,01 (*) ◀
0254000	(d) <i>Water cress (Morning glory/Chinese convolvulus/water convolvulus/water spinach/kangkung (Ipomea aquatica), water clover, water mimosa)</i>	► <b>M75</b> 0,01 (*) ◀
0255000	(e) <i>Witloof</i>	► <b>M75</b> 15 ◀
0256000	(f) <i>Herbs</i>	► <b>M75</b> 30 (+) ◀
0256010	Chervil	
0256020	Chives	
0256030	Celery leaves (Fennel leaves, coriander leaves, dill leaves, caraway leaves, lovage, angelica, sweet ciselny and other <i>Apiacea</i> leaves, culantro/stinking/long coriander/stink weed ( <i>Eryngium foetidum</i> ))	
0256040	Parsley (leaves of root parsley)	
0256050	Sage (Winter savory, summer savory, <i>Borago officinalis</i> leaves)	
0256060	Rosemary	
0256070	Thyme (Marjoram, oregano)	

▼ **M52**

(1)	(2)	(3)
0256080	Basil (Balm leaves, mint, peppermint, holy basil, sweet basil, hairy basil, edible flowers (marigold flower and others), pennywort, wild betel leaf, curry leaves)	
0256090	Bay leaves (laurel) (Lemon grass)	
0256100	Tarragon (Hyssop)	
0256990	Others	
0260000	<b>(vi) Legume vegetables (fresh)</b>	
0260010	Beans (with pods) (Green bean/French beans/snap beans, scarlet runner bean, slicing bean, yard long beans, guar beans, soya beans)	► <b>M75</b> 0,1 ◀
0260020	Beans (without pods) (Broad beans, flageolets, jack bean, lima bean, cowpea)	► <b>M75</b> 0,01 (*) ◀
0260030	Peas (with pods) (Mangetout/sugar peas/snow peas)	► <b>M75</b> 0,01 (*) ◀
0260040	Peas (without pods) (Garden pea, green pea, chickpea)	► <b>M75</b> 0,01 (*) ◀
0260050	Lentils	► <b>M75</b> 0,01 (*) ◀
0260990	Others	► <b>M75</b> 0,01 (*) ◀
0270000	<b>(vii) Stem vegetables (fresh)</b>	► <b>M75</b> 0,01 (*) ◀
0270010	Asparagus	
0270020	Cardoons ( <i>Borago officinalis</i> stems)	
0270030	Celery	
0270040	Fennel	
0270050	Globe artichokes (Banana flower)	
0270060	Leek	
0270070	Rhubarb	
0270080	Bamboo shoots	
0270090	Palm hearts	
0270990	Others	
0280000	<b>(viii) Fungi</b>	► <b>M75</b> 0,01 (*) ◀
0280010	Cultivated fungi (Common mushroom, oyster mushroom, shiitake, fungus mycelium (vegetative parts))	
0280020	Wild fungi (Chanterelle, truffle, morel, cep)	
0280990	Others	
0290000	<b>(ix) Sea weeds</b>	► <b>M75</b> 0,01 (*) ◀
0300000	<b>3. PULSES, DRY</b>	► <b>M75</b> 0,01 (*) ◀
0300010	Beans (Broad beans, navy beans, flageolets, jack beans, lima beans, field beans, cowpeas)	
0300020	Lentils	
0300030	Peas (Chickpeas, field peas, chickling vetch)	

▼ **M52**

(1)	(2)	(3)
0300040	Lupins	
0300990	Others	
0400000	<b>4. OILSEEDS AND OILFRUITS</b>	► <b>M75</b> 0,01 (*) ◀
0401000	(i) <b>Oilseeds</b>	
0401010	Linseed	
0401020	Peanuts	
0401030	Poppy seed	
0401040	Sesame seed	
0401050	Sunflower seed	
0401060	Rape seed (Bird rapeseed, turnip rape)	
0401070	Soya bean	
0401080	Mustard seed	
0401090	Cotton seed	
0401100	Pumpkin seeds (Other seeds of <i>Cucurbitaceae</i> )	
0401110	Safflower	
0401120	Borage (Purple viper's bugloss/Canary flower ( <i>Echium plantagineum</i> ), Corn Gromwell ( <i>Buglossoides arvensis</i> ))	
0401130	Gold of pleasure	
0401140	Hempseed	
0401150	Castor bean	
0401990	Others	
0402000	(ii) <b>Oilfruits</b>	
0402010	Olives for oil production	
0402020	Palm nuts (palmoil kernels)	
0402030	Palmfruit	
0402040	Kapok	
0402990	Others	
0500000	<b>5. CEREALS</b>	► <b>M75</b> 0,01 (*) ◀
0500010	Barley	
0500020	Buckwheat ( <i>Amaranthus</i> , quinoa)	
0500030	Maize	
0500040	Millet (Foxtail millet, teff, finger millet, pearl millet)	
0500050	Oats	
0500060	Rice (Indian/wild rice ( <i>Zizania aquatica</i> ))	
0500070	Rye	
0500080	Sorghum	
0500090	Wheat (Spelt, triticale)	
0500990	Others (Canary grass seeds ( <i>Phalaris canariensis</i> ))	

▼ **M52**

(1)	(2)	(3)
0600000	6. <b>TEA, COFFEE, HERBAL INFUSIONS AND COCOA</b>	► <b>M75</b> 0,05 (*) ◀
0610000	(i) <b>Tea</b>	
0620000	(ii) <b>Coffee beans</b>	
0630000	(iii) <b>Herbal infusions (dried)</b>	
0631000	(a) <i>Flowers</i>	
0631010	Camomille flowers	
0631020	Hybiscus flowers	
0631030	Rose petals	
0631040	Jasmine flowers (Elderflowers ( <i>Sambucus nigra</i> ))	
0631050	Lime (linden)	
0631990	Others	
0632000	(b) <i>Leaves</i>	
0632010	Strawberry leaves	
0632020	Rooibos leaves (Ginkgo leaves)	
0632030	Maté	
0632990	Others	
0633000	(c) <i>Roots</i>	
0633010	Valerian root	
0633020	Ginseng root	
0633990	Others	
0639000	(d) <i>Other herbal infusions</i>	
0640000	(iv) <b>Cocoabeans (fermented or dried)</b>	
0650000	(v) <b>Carob (st johns bread)</b>	
0700000	7. <b>HOPS (dried)</b>	► <b>M75</b> 0,05 (*) ◀
0800000	8. <b>SPICES</b>	
0810000	(i) <b>Seeds</b>	► <b>M75</b> 0,05 (*) ◀
0810010	Anise	
0810020	Black caraway	
0810030	Celery seed (Lovage seed)	
0810040	Coriander seed	
0810050	Cumin seed	
0810060	Dill seed	
0810070	Fennel seed	
0810080	Fenugreek	
0810090	Nutmeg	
0810990	Others	
0820000	(ii) <b>Fruits and berries</b>	► <b>M75</b> 0,05 (*) ◀
0820010	Allspice	

▼ **M52**

(1)	(2)	(3)
0820020	Sichuan pepper (Anise pepper, Japan pepper)	
0820030	Caraway	
0820040	Cardamom	
0820050	Juniper berries	
0820060	Pepper, black, green and white (Long pepper, pink pepper)	
0820070	Vanilla pods	
0820080	Tamarind	
0820990	Others	
0830000	(iii) <b>Bark</b>	► <b>M75</b> 0,05 (*) ◀
0830010	Cinnamon ( <i>Cassia</i> )	
0830990	Others	
0840000	(iv) <b>Roots or rhizome</b>	
0840010	Liquorice	► <b>M75</b> 0,05 (*) ◀
0840020	Ginger	► <b>M75</b> 0,05 (*) ◀
0840030	Turmeric ( <i>Curcuma</i> )	► <b>M75</b> 0,05 (*) ◀
0840040	Horseradish	► <b>M75</b> (+) ◀
0840990	Others	► <b>M75</b> 0,05 (*) ◀
0850000	(v) <b>Buds</b>	► <b>M75</b> 0,05 (*) ◀
0850010	Cloves	
0850020	Capers	
0850990	Others	
0860000	(vi) <b>Flower stigma</b>	► <b>M75</b> 0,05 (*) ◀
0860010	Saffron	
0860990	Others	
0870000	(vii) <b>Aril</b>	► <b>M75</b> 0,05 (*) ◀
0870010	Mace	
0870990	Others	
0900000	9. <b>SUGAR PLANTS</b>	► <b>M75</b> 0,01 (*) ◀
0900010	Sugar beet (root)	
0900020	Sugar cane	
0900030	Chicory roots	
0900990	Others	



▼ **M52**

(1)	(2)	(3)
1000000	<b>10. PRODUCTS OF ANIMAL ORIGIN- TERRESTRIAL ANIMALS</b>	
1010000	<b>(i) Tissue</b>	
1011000	<b>(a) Swine</b>	
1011010	Muscle	► <b>M75</b> 0,01 (+) ◀
1011020	Fat	► <b>M75</b> 0,01 (+) ◀
1011030	Liver	► <b>M75</b> 0,1 (+) ◀
1011040	Kidney	► <b>M75</b> 0,02 (+) ◀
1011050	Edible offal	► <b>M75</b> 0,1 ◀
1011990	Others	► <b>M75</b> 0,01 (*) ◀
1012000	<b>(b) Bovine</b>	
1012010	Muscle	► <b>M75</b> 0,01 (+) ◀
1012020	Fat	► <b>M75</b> 0,01 (+) ◀
1012030	Liver	► <b>M75</b> 0,2 (+) ◀
1012040	Kidney	► <b>M75</b> 0,05 (+) ◀
1012050	Edible offal	► <b>M75</b> 0,2 ◀
1012990	Others	► <b>M75</b> 0,01 (*) ◀
1013000	<b>(c) Sheep</b>	
1013010	Muscle	► <b>M75</b> 0,01 (+) ◀
1013020	Fat	► <b>M75</b> 0,01 (+) ◀
1013030	Liver	► <b>M75</b> 0,2 (+) ◀
1013040	Kidney	► <b>M75</b> 0,05 (+) ◀
1013050	Edible offal	► <b>M75</b> 0,2 ◀
1013990	Others	► <b>M75</b> 0,01 (*) ◀
1014000	<b>(d) Goat</b>	
1014010	Muscle	► <b>M75</b> 0,01 (+) ◀
1014020	Fat	► <b>M75</b> 0,01 (+) ◀
1014030	Liver	► <b>M75</b> 0,2 (+) ◀
1014040	Kidney	► <b>M75</b> 0,05 (+) ◀
1014050	Edible offal	► <b>M75</b> 0,2 ◀
1014990	Others	► <b>M75</b> 0,01 (*) ◀
1015000	<b>(e) Horses, asses, mules or hinnies</b>	
1015010	Muscle	► <b>M75</b> 0,01 ◀
1015020	Fat	► <b>M75</b> 0,01 ◀
1015030	Liver	► <b>M75</b> 0,2 ◀

▼ **M52**

(1)	(2)	(3)
1015040	Kidney	► <b>M75</b> 0,05 ◀
1015050	Edible offal	► <b>M75</b> 0,2 ◀
1015990	Others	► <b>M75</b> 0,01 (*) ◀
1016000	(f) <i>Poultry -chicken, geese, duck, turkey and Guinea fowl-, ostrich, pigeon</i>	
1016010	Muscle	► <b>M75</b> 0,02 (+) ◀
1016020	Fat	► <b>M75</b> 0,01 (+) ◀
1016030	Liver	► <b>M75</b> 0,05 (+) ◀
1016040	Kidney	► <b>M75</b> 0,01 (*) ◀
1016050	Edible offal	► <b>M75</b> 0,05 ◀
1016990	Others	► <b>M75</b> 0,01 (*) ◀
1017000	(g) <i>Other farm animals (Rabbit, kangaroo, deer)</i>	
1017010	Muscle	► <b>M75</b> 0,01 ◀
1017020	Fat	► <b>M75</b> 0,01 ◀
1017030	Liver	► <b>M75</b> 0,2 ◀
1017040	Kidney	► <b>M75</b> 0,05 ◀
1017050	Edible offal	► <b>M75</b> 0,2 ◀
1017990	Others	► <b>M75</b> 0,01 (*) ◀
1020000	(ii) <b>Milk</b>	► <b>M75</b> 0,01 (+) ◀
1020010	Cattle	
1020020	Sheep	
1020030	Goat	
1020040	Horse	
1020990	Others	
1030000	(iii) <b>Bird eggs</b>	► <b>M75</b> 0,05 (+) ◀
1030010	Chicken	
1030020	Duck	
1030030	Goose	
1030040	Quail	
1030990	Others	

▼ **M52**

(1)	(2)	(3)
1040000	(iv) <b>Honey (Royal jelly, pollen, honey comb with honey (comb honey))</b>	► <b>M75</b> 0,05 (*) ◀
1050000	(v) <b>Amphibians and reptiles (Frog legs, crocodiles)</b>	► <b>M75</b> 0,01 (*) ◀
1060000	(vi) <b>Snails</b>	► <b>M75</b> 0,01 (*) ◀
1070000	(vii) <b>Other terrestrial animal products (Wild game)</b>	► <b>M75</b> 0,01 (*) ◀

▼ **M55****Pesticide residues and maximum residue levels(mg/kg)**

Code number	Groups and examples of individual products to which the MRLs apply <sup>(a)</sup>	Benthiavalicarb (Benthiavalicarb-isopropyl(KIF-230 R-L) and its enantiomer (KIF-230 S-D) and its diastereomers(KIF-230 S-L and KIF-230 R-D), expressed as benthiavalicarb-isopropyl)(A)	Forchlorfenuron
(1)	(2)	(3)	(4)
0100000	<b>1. FRUIT FRESH OR FROZEN NUTS</b>		
0110000	<b>(i) Citrus fruit</b>	0,01 (*)	<b>0,01 (*)</b>
0110010	Grapefruit (Shaddocks, pomelos, sweeties, tangelo(except mineola), ugli and other hybrids)		
0110020	Oranges (Bergamot, bitter orange, chinotto and otherhybrids)		
0110030	Lemons (Citron, lemon, Buddha's hand ( <i>Citrus medica</i> var. <i>sarcodactylis</i> ))		
0110040	Limes		
0110050	Mandarins (Clementine, tangerine, mineola and otherhybrids tangor ( <i>Citrus reticulata</i> × <i>sinensis</i> ))		
0110990	Others		
0120000	<b>(ii) Tree nuts</b>	<b>0,02 (*)</b>	<b>0,02 (*)</b>
0120010	Almonds		
0120020	Brazil nuts		
0120030	Cashew nuts		
0120040	Chestnuts		
0120050	Coconuts		
0120060	Hazelnuts (Filbert)		
0120070	Macadamia		
0120080	Pecans		
0120090	Pine nuts		
0120100	Pistachios		
0120110	Walnuts		
0120990	Others		
0130000	<b>(iii) Pome fruit</b>	0,01 (*)	<b>0,01 (*)</b>
0130010	Apples (Crab apple)		
0130020	Pears (Oriental pear)		
0130030	Quinces		
0130040	Medlar		
0130050	Loquat		
0130990	Others		
0140000	<b>(iv) Stone fruit</b>	0,01 (*)	<b>0,01 (*)</b>
0140010	Apricots		
0140020	Cherries (Sweet cherries, sour cherries)		

▼ **M55**

(1)	(2)	(3)	(4)
0140030	Peaches (Nectarines and similar hybrids)		
0140040	Plums (Damson, greengage, mirabelle, sloe, redden/Chinese date/Chinese jujube ( <i>Ziziphus-zizyphus</i> ))		
0140990	Others		
0150000	(v) <b>Berries &amp; small fruit</b>		<b>0,01 (*)</b>
0151000	(a) <b>Table and wine grapes</b>	<b>0,3</b>	
0151010	Table grapes		
0151020	Wine grapes		
0152000	(b) <b>Strawberries</b>	0,01 (*)	
0153000	(c) <b>Cane fruit</b>	0,01 (*)	
0153010	Blackberries		
0153020	Dewberries (Loganberries, tayberries, boysenberries, cloudberries and other <i>Rubus</i> hybrids)		
0153030	Raspberries (Wineberries, arctic bramble/raspberry, ( <i>Rubus arcticus</i> ), nectar raspberries ( <i>Rubus arcticus</i> × <i>Rubus idaeus</i> ))		
0153990	Others		
0154000	(d) <b>Other small fruit &amp; berries</b>	0,01 (*)	
0154010	Blueberries (Bilberries)		
0154020	Cranberries (Cowberries/red bilberries ( <i>V. vitis-idaea</i> ))		
0154030	Currants (red, black and white)		
0154040	Gooseberries (Including hybrids with other <i>Ribes</i> species)		
0154050	Rose hips		
0154060	Mulberries ( <i>Arbutus</i> berry)		
0154070	Azarole (Mediterranean medlar) (Kiwiberry ( <i>Actinidia arguta</i> ))		
0154080	Elderberries (Black chokeberry/apple-berry, mountainash, buckthorn/sea-sallowthorn, hawthorn, serviceberries, and other treeberries)		
0154990	Others		
0160000	(vi) <b>Miscellaneous fruit</b>	0,01 (*)	<b>0,01 (*)</b>
0161000	(a) <b>Edible peel</b>		
0161010	Dates		
0161020	Figs		
0161030	Table olives		
0161040	Kumquats (Marumi kumquats, nagami kumquats, limequats ( <i>Citrus aurantifolia</i> × <i>Fortunella</i> spp.))		
0161050	Carambola (Bilimbi)		

▼ **M55**

(1)	(2)	(3)	(4)
0161060	Persimmon		
0161070	Jambolan (java plum) (Java apple/water apple, pomerac, rose apple, Brazilian cherry, Surinam cherry/grumichama ( <i>Eugenia uniflora</i> ))		
0161990	Others		
0162000	<b>(b) Inedible peel, small</b>		
0162010	Kiwi		
0162020	Lychee (Litchi) (Pulasan, rambutan/hairy litchi, longan, mangosteen, langsung, salak)		
0162030	Passion fruit		
0162040	Prickly pear (cactus fruit)		
0162050	Star apple		
0162060	American persimmon (Virginia kaki) (Black sapote, white sapote, green sapote, canistel/yellow sapote, mammeysapote)		
0162990	Others		
0163000	<b>(c) Inedible peel, large</b>		
0163010	Avocados		
0163020	Bananas (Dwarf banana, plantain, apple banana)		
0163030	Mangoes		
0163040	Papaya		
0163050	Pomegranate		
0163060	Cherimoya (Custard apple, sugar apple/sweetsop, ilama ( <i>Annona diversifolia</i> ) and other medium-sized <i>Annonaceae</i> fruits)		
0163070	Guava (Red pitaya/dragon fruit ( <i>Hylocereus undatus</i> ))		
0163080	Pineapples		
0163090	Bread fruit (Jackfruit)		
0163100	Durian		
0163110	Soursop (guanabana)		
0163990	Others		
0200000	<b>2. VEGETABLES FRESH OR FROZEN</b>		
0210000	<b>(i) Root and tuber vegetables</b>		<b>0,01 (*)</b>
0211000	<b>(a) Potatoes</b>	<b>0,02 (*)</b>	
0212000	<b>(b) Tropical root and tuber vegetables</b>	0,01 (*)	
0212010	Cassava (Dasheen, eddoe/Japanese taro, tannia)		
0212020	Sweet potatoes		

▼ **M55**

(1)	(2)	(3)	(4)
0212030	Yams (Potato bean/yam bean, Mexican yam bean)		
0212040	Arrowroot		
0212990	Others		
0213000	<b>(c) Other root and tuber vegetables except sugar beet</b>	0,01 (*)	
0213010	Beetroot		
0213020	Carrots		
0213030	Celeriac		
0213040	Horseradish (Angelica roots, lovage roots, gentianaroots)		
0213050	Jerusalem artichokes (Crosne)		
0213060	Parsnips		
0213070	Parsley root		
0213080	Radishes (Black radish, Japanese radish, small radish and similar varieties, tiger nut ( <i>Cyperus esculentus</i> ))		
0213090	Salsify (Scorzonera, Spanish salsify/Spanish oysterplant, edible burdock)		
0213100	Swedes		
0213110	Turnips		
0213990	Others		
0220000	<b>(ii) Bulb vegetables</b>		<b>0,01 (*)</b>
0220010	Garlic	<b>0,02 (*)</b>	
0220020	Onions (Other bulb onions, silverskin onions)	<b>0,02 (*)</b>	
0220030	Shallots	<b>0,02 (*)</b>	
0220040	Spring onions and welsh onions (Other green onions and similar varieties)	0,01 (*)	
0220990	Others	0,01 (*)	
0230000	<b>(iii) Fruiting vegetables</b>		<b>0,01 (*)</b>
0231000	<b>(a) Solanacea</b>		
0231010	Tomatoes (Cherry tomatoes, <i>Physalis</i> spp., goji berry, wolfberry ( <i>Lycium barbarum</i> and <i>L. chinense</i> ), tree tomato)	0,3	
0231020	Peppers (Chilli peppers)	0,01 (*)	
0231030	Aubergines (egg plants) (Pepino, antroewa/white eggplant ( <i>S. macrocarpon</i> ))	0,01 (*)	
0231040	Okra (lady's fingers)	0,01 (*)	
0231990	Others	0,01 (*)	
0232000	<b>(b) Cucurbits — edible peel</b>	0,01 (*)	
0232010	Cucumbers	(+)	

## ▼ M55

(1)	(2)	(3)	(4)
0232020	Gherkins		
0232030	Courgettes (Summer squash, marrow (patisson), lauki( <i>Lagenaria siceraria</i> ), chayote,sopropo/bitter melon, snake gourd, angled luffa/teroi)		
0232990	Others		
0233000	(c) <b>Cucurbits-inedible peel</b>	0,01 (*)	
0233010	Melons (Kiwano)		
0233020	Pumpkins (Winter squash, marrow (late variety))		
0233030	Watermelons		
0233990	Others		
0234000	(d) <b>Sweet corn (Baby corn)</b>	0,01 (*)	
0239000	(e) <b>Other fruiting vegetables</b>	0,01 (*)	
0240000	(iv) <b>Brassica vegetables</b>	0,01 (*)	<b>0,01 (*)</b>
0241000	(a) <b>Flowering brassica</b>		
0241010	Broccoli (Calabrese, Broccoli raab, Chinesebroccoli)		
0241020	Cauliflower		
0241990	Others		
0242000	(b) <b>Head brassica</b>		
0242010	Brussels sprouts		
0242020	Head cabbage (Pointed head cabbage, red cabbage, savoycabbage, white cabbage)		
0242990	Others		
0243000	(c) <b>Leafy brassica</b>		
0243010	Chinese cabbage (Indian or Chinese) mustard, pak choi,Chinese flat cabbage/ ai goo choi), choi sum, Pekingcabbage/ pe-tsai)		
0243020	Kale (Borecole/curly kale, collards, Portuguese Kale,Portuguese cabbage, cow cabbage)		
0243990	Others		
0244000	(d) <b>Kohlrabi</b>		
0250000	(v) <b>Leaf vegetables &amp; fresh herbs</b>		
0251000	(a) <b>Lettuce and other salad plants including Brassicacea</b>	0,01 (*)	<b>0,01 (*)</b>
0251010	Lamb's lettuce (Italian corn salad)		
0251020	Lettuce (Head lettuce, lollo rosso (cutting lettuce),iceberg lettuce, romaine (cos) lettuce)		



▼ **M55**

(1)	(2)	(3)	(4)
0251030	Scarole (broad-leaf endive) (Wild chicory, red-leavedchicory, radicchio, curly leaf endive, sugar loaf ( <i>C. endivia</i> var. <i>crispum</i> / <i>C. intybus</i> var. <i>foliosum</i> ), dandelion greens)		
0251040	Cress (Mung bean sprouts, alfalfa sprouts)		
0251050	Land cress		
0251060	Rocket, Rucola (Wild rocket ( <i>Diplotaxis</i> spp.))		
0251070	Red mustard		
0251080	Leaves and sprouts of Brassica spp, including turnipgreens (Mizuna, leaves of peas and radish and other babyleaf-crops, including brassica crops (crops harvested up to 8 true leafstage), kohlrabi leaves)		
0251990	Others		
0252000	<b>(b) Spinach &amp; similar (leaves)</b>	0,01 (*)	<b>0,01 (*)</b>
0252010	Spinach (New Zealand spinach, amaranthus spinach(pak-khom, tampara), tajar leaves, bitterblad/bitawiri)		
0252020	Purslane (Winter purslane/miner's lettuce, gardenpurslane, common purslane, sorrel, glassworth, agretti ( <i>Salsola soda</i> ))		
0252030	Beet leaves (chard) (Leaves of beetroot)		
0252990	Others		
0253000	<b>(c) Vine leaves (grape leaves) (Malabar-nightshade, banana leaves, climbing wattle (Acaciapennata))</b>	0,01 (*)	<b>0,01 (*)</b>
0254000	<b>(d) Water cress (Morning glory/Chinese-convolvulus/water convolvulus/water spinach/kangkung (Ipomeaaquatica), water clover, water mimosa)</b>	0,01 (*)	<b>0,01 (*)</b>
0255000	<b>(e) Witloof</b>	0,01 (*)	<b>0,01 (*)</b>
0256000	<b>(f) Herbs</b>	<b>0,02 (*)</b>	<b>0,02 (*)</b>
0256010	Chervil		
0256020	Chives		
0256030	Celery leaves (Fennel leaves, coriander leaves, dillleaves, caraway leaves, lovage, angelica, sweet cisely and otherApiacea leaves, culantro/stinking/ long coriander/stink weed ( <i>Eryngium foetidum</i> ))		
0256040	Parsley (leaves of root parsley)		
0256050	Sage (Winter savory, summer savory, <i>Borago officinalis</i> leaves)		
0256060	Rosemary		

▼ **M55**

(1)	(2)	(3)	(4)
0256070	Thyme (Marjoram, oregano)		
0256080	Basil (Balm leaves, mint, peppermint, holy basil, sweet basil, hairy basil, edible flowers (marigold flower and others), pennywort, wild betel leaf, curry leaves)		
0256090	Bay leaves (laurel) (Lemon grass)		
0256100	Tarragon (Hyssop)		
0256990	Others		
0260000	<b>(vi) Legume vegetables (fresh)</b>	<b>0,01 (*)</b>	<b>0,01 (*)</b>
0260010	Beans (with pods) (Green bean/French beans/snap beans, scarlet runner bean, slicing bean, yard long beans, guar beans, soybeans)		
0260020	Beans (without pods) (Broad beans, flageolets, jackbean, lima bean, cowpea)		
0260030	Peas (with pods) (Mangetout/sugar peas/snow peas)		
0260040	Peas (without pods) (Garden pea, green pea, chickpea)		
0260050	Lentils		
0260990	Others		
0270000	<b>(vii) Stem vegetables (fresh)</b>	<b>0,01 (*)</b>	<b>0,01 (*)</b>
0270010	Asparagus		
0270020	Cardoons ( <i>Borago officinalis</i> stems)		
0270030	Celery		
0270040	Fennel		
0270050	Globe artichokes (Banana flower)		
0270060	Leek		
0270070	Rhubarb		
0270080	Bamboo shoots		
0270090	Palm hearts		
0270990	Others		
0280000	<b>(viii) Fungi</b>	<b>0,01 (*)</b>	<b>0,01 (*)</b>
0280010	Cultivated fungi (Common mushroom, oyster mushroom, shiitake, fungus mycelium (vegetative parts))		
0280020	Wild fungi (Chanterelle, truffle, morel, cep)		
0280990	Others		
0290000	<b>(ix) Sea weeds</b>	<b>0,01 (*)</b>	<b>0,01 (*)</b>
0300000	<b>3. PULSES, DRY</b>	<b>0,02 (*)</b>	<b>0,02 (*)</b>
0300010	Beans (Broad beans, navy beans, flageolets, jack beans, lima beans, field beans, cowpeas)		
0300020	Lentils		

▼ **M55**

(1)	(2)	(3)	(4)
0300030	Peas (Chickpeas, field peas, chickling vetch)		
0300040	Lupins		
0300990	Others		
0400000	<b>4. OILSEEDS AND OILFRUITS</b>	<b>0,02 (*)</b>	<b>0,02 (*)</b>
0401000	<b>(i) Oilseeds</b>		
0401010	Linseed		
0401020	Peanuts		
0401030	Poppy seed		
0401040	Sesame seed		
0401050	Sunflower seed		
0401060	Rape seed (Bird rapeseed, turnip rape)		
0401070	Soya bean		
0401080	Mustard seed		
0401090	Cotton seed		
0401100	Pumpkin seeds (Other seeds of Cucurbitaceae)		
0401110	Safflower		
0401120	Borage (Purple viper's bugloss/Canary flower ( <i>Echium plantagineum</i> ), Corn Gromwell ( <i>Buglossoides arvensis</i> ))		
0401130	Gold of pleasure		
0401140	Hempseed		
0401150	Castor bean		
0401990	Others		
0402000	<b>(ii) Oilfruits</b>		
0402010	Olives for oil production		
0402020	Palm nuts (palmoil kernels)		
0402030	Palmfruit		
0402040	Kapok		
0402990	Others		
0500000	<b>5. CEREALS</b>	<b>0,02 (*)</b>	<b>0,02 (*)</b>
0500010	Barley		
0500020	Buckwheat ( <i>Amaranthus, quinoa</i> )		
0500030	Maize		
0500040	Millet (Foxtail millet, teff, finger millet, pearl millet)		
0500050	Oats		
0500060	Rice (Indian/wild rice ( <i>Zizania aquatica</i> ))		
0500070	Rye		
0500080	Sorghum		
0500090	Wheat (Spelt, triticale)		

▼ **M55**

(1)	(2)	(3)	(4)
0500990	Others (Canary grass seeds ( <i>Phalariscanariensis</i> ))		
0600000	<b>6. TEA, COFFEE, HERBAL INFUSIONS AND COCOA</b>	<b>0,05 (*)</b>	0,05 (*)
0610000	(i) <b>Tea</b>		
0620000	(ii) <b>Coffee beans</b>		
0630000	(iii) <b>Herbal infusions (dried)</b>		
0631000	(a) <b>Flowers</b>		
0631010	Camomille flowers		
0631020	Hybiscus flowers		
0631030	Rose petals		
0631040	Jasmine flowers (Elderflowers ( <i>Sambucus nigra</i> ))		
0631050	Lime (linden)		
0631990	Others		
0632000	(b) <b>Leaves</b>		
0632010	Strawberry leaves		
0632020	Rooibos leaves (Ginkgo leaves)		
0632030	Maté		
0632990	Others		
0633000	(c) <b>Roots</b>		
0633010	Valerian root		
0633020	Ginseng root		
0633990	Others		
0639000	(d) <b>Other herbal infusions</b>		
0640000	(iv) <b>Cocoabeans (fermented or dried)</b>		
0650000	(v) <b>Carob (st johns bread)</b>		
0700000	<b>7. HOPS (dried)</b>	<b>0,05 (*)</b>	0,05 (*)
0800000	<b>8. SPICES</b>		
0810000	(i) <b>Seeds</b>	<b>0,05 (*)</b>	0,05 (*)
0810010	Anise		
0810020	Black caraway		
0810030	Celery seed (Lovage seed)		
0810040	Coriander seed		
0810050	Cumin seed		
0810060	Dill seed		
0810070	Fennel seed		
0810080	Fenugreek		
0810090	Nutmeg		
0810990	Others		
0820000	(ii) <b>Fruits and berries</b>	<b>0,05 (*)</b>	0,05 (*)

▼ **M55**

(1)	(2)	(3)	(4)
0820010	Allspice		
0820020	Sichuan pepper (Anise pepper, Japan pepper)		
0820030	Caraway		
0820040	Cardamom		
0820050	Juniper berries		
0820060	Pepper, black, green and white (Long pepper, pinkpepper)		
0820070	Vanilla pods		
0820080	Tamarind		
0820990	Others		
0830000	<b>(iii) Bark</b>	<b>0,05 (*)</b>	0,05 (*)
0830010	Cinnamon (Cassia)		
0830990	Others		
0840000	<b>(iv) Roots or rhizome</b>		
0840010	Liquorice	<b>0,05 (*)</b>	0,05 (*)
0840020	Ginger	<b>0,05 (*)</b>	0,05 (*)
0840030	Turmeric (Curcuma)	<b>0,05 (*)</b>	0,05 (*)
0840040	Horseradish	(+)	(+)
0840990	Others	<b>0,05 (*)</b>	0,05 (*)
0850000	<b>(v) Buds</b>	<b>0,05 (*)</b>	0,05 (*)
0850010	Cloves		
0850020	Capers		
0850990	Others		
0860000	<b>(vi) Flower stigma</b>	<b>0,05 (*)</b>	0,05 (*)
0860010	Saffron		
0860990	Others		
0870000	<b>(vii) Aril</b>	<b>0,05 (*)</b>	0,05 (*)
0870010	Mace		
0870990	Others		
0900000	<b>9. SUGAR PLANTS</b>	<b>0,01 (*)</b>	<b>0,01 (*)</b>
0900010	Sugar beet (root)		
0900020	Sugar cane		
0900030	Chicory roots		

▼ **M55**

(1)	(2)	(3)	(4)
0900990	Others		
1000000	<b>10. PRODUCTS OF ANIMAL ORIGIN- TERRESTRIAL ANIMALS</b>		
1010000	<b>(i) Tissue</b>	<b>0,01 (*)</b>	<b>0,01 (*)</b>
1011000	<b>(a) Swine</b>		
1011010	Muscle		
1011020	Fat		
1011030	Liver		
1011040	Kidney		
1011050	Edible offal		
1011990	Others		
1012000	<b>(b) Bovine</b>		
1012010	Muscle		
1012020	Fat		
1012030	Liver		
1012040	Kidney		
1012050	Edible offal		
1012990	Others		
1013000	<b>(c) Sheep</b>		
1013010	Muscle		
1013020	Fat		
1013030	Liver		
1013040	Kidney		
1013050	Edible offal		
1013990	Others		
1014000	<b>(d) Goat</b>		
1014010	Muscle		
1014020	Fat		
1014030	Liver		
1014040	Kidney		
1014050	Edible offal		
1014990	Others		
1015000	<b>(e) Horses, asses, mules or hinnies</b>		
1015010	Muscle		
1015020	Fat		

▼ **M55**

(1)	(2)	(3)	(4)
1015030	Liver		
1015040	Kidney		
1015050	Edible offal		
1015990	Others		
1016000	<b>(f) Poultry -chicken, geese, duck, turkey and Guinea fowl-, ostrich, pigeon</b>		
1016010	Muscle		
1016020	Fat		
1016030	Liver		
1016040	Kidney		
1016050	Edible offal		
1016990	Others		
1017000	<b>(g) Other farm animals (Rabbit, kangaroo, deer)</b>		
1017010	Muscle		
1017020	Fat		
1017030	Liver		
1017040	Kidney		
1017050	Edible offal		
1017990	Others		
1020000	<b>(ii) Milk</b>	<b>0,01 (*)</b>	<b>0,01 (*)</b>
1020010	Cattle		
1020020	Sheep		
1020030	Goat		
1020040	Horse		
1020990	Others		
1030000	<b>(iii) Bird eggs</b>	<b>0,01 (*)</b>	<b>0,01 (*)</b>
1030010	Chicken		
1030020	Duck		
1030030	Goose		
1030040	Quail		

▼ **M55**

(1)	(2)	(3)	(4)
1030990	Others		
1040000	(iv) <b>Honey (Royal jelly, pollen, honey comb withhoney (comb honey))</b>	<b>0,05 (*)</b>	0,05 (*)
1050000	(v) <b>Amphibians and reptiles (Frog legs,crocodiles)</b>	<b>0,01 (*)</b>	<b>0,01 (*)</b>
1060000	(vi) <b>Snails</b>	<b>0,01 (*)</b>	<b>0,01 (*)</b>
1070000	(vii) <b>Other terrestrial animal products (Wildgame)</b>	<b>0,01 (*)</b>	<b>0,01 (*)</b>



▼ **M58****Pesticide residues and maximum residue levels (mg/kg)**

Code number	Groups and examples of individual products to which the MRLs apply (*)	Nicosulfuron
(1)	(2)	(3)
0100000	<b>1. FRUIT FRESH OR FROZEN NUTS</b>	
0110000	<b>(i) Citrus fruit</b>	<b>0,01 (*)</b>
0110010	Grapefruit (Shaddocks, pomelos, sweeties, tangelo (except mineola), ugli and other hybrids)	
0110020	Oranges (Bergamot, bitter orange, chinotto and other hybrids)	
0110030	Lemons (Citron, lemon, Buddha's hand ( <i>Citrus medica</i> var. <i>sarcodactylis</i> ))	
0110040	Limes	
0110050	Mandarins (Clementine, tangerine, mineola and other hybrids tangor ( <i>Citrus reticulata</i> x <i>sinensis</i> ))	
0110990	Others	
0120000	<b>(ii) Tree nuts</b>	<b>0,02 (*)</b>
0120010	Almonds	
0120020	Brazil nuts	
0120030	Cashew nuts	
0120040	Chestnuts	
0120050	Coconuts	
0120060	Hazelnuts (Filbert)	
0120070	Macadamia	
0120080	Pecans	
0120090	Pine nuts	
0120100	Pistachios	
0120110	Walnuts	
0120990	Others	
0130000	<b>(iii) Pome fruit</b>	<b>0,01 (*)</b>
0130010	Apples (Crab apple)	
0130020	Pears (Oriental pear)	
0130030	Quinces	
0130040	Medlar	
0130050	Loquat	
0130990	Others	
0140000	<b>(iv) Stone fruit</b>	<b>0,01 (*)</b>
0140010	Apricots	
0140020	Cherries (Sweet cherries, sour cherries)	
0140030	Peaches (Nectarines and similar hybrids)	

▼ **M58**

(1)	(2)	(3)
0140040	Plums (Damson, greengage, mirabelle, sloe, red date/Chinese date/Chinese jujube ( <i>Ziziphus zizyphus</i> ))	
0140990	Others	
0150000	<b>(v) Berries &amp; small fruit</b>	<b>0,01 (*)</b>
0151000	<b>(a) Table and wine grapes</b>	
0151010	Table grapes	
0151020	Wine grapes	
0152000	<b>(b) Strawberries</b>	
0153000	<b>(c) Cane fruit</b>	
0153010	Blackberries	
0153020	Dewberries (Loganberries, tayberries, boysenberries, cloudberrries and other <i>Rubus</i> hybrids)	
0153030	Raspberries (Wineberries, arctic bramble/raspberry, ( <i>Rubus arcticus</i> ), nectar raspberries ( <i>Rubus arcticus</i> x <i>Rubus idaeus</i> ))	
0153990	Others	
0154000	<b>(d) Other small fruit &amp; berries</b>	
0154010	Blueberries (Bilberries)	
0154020	Cranberries (Cowberries/red bilberries ( <i>V. vitis-idaea</i> ))	
0154030	Currants (red, black and white)	
0154040	Gooseberries (Including hybrids with other <i>Ribes</i> species)	
0154050	Rose hips	
0154060	Mulberries (Arbutus berry)	
0154070	Azarole (mediteranean medlar) (Kiwiberry ( <i>Actinidia arguta</i> ))	
0154080	Elderberries (Black chokeberry/appleberry, mountain ash, buck-thorn/sea sallowthorn, hawthorn, serviceberries, and other treeberries)	
0154990	Others	
0160000	<b>(vi) Miscellaneous fruit</b>	<b>0,01 (*)</b>
0161000	<b>(a) Edible peel</b>	
0161010	Dates	
0161020	Figs	
0161030	Table olives	
0161040	Kumquats (Marumi kumquats, nagami kumquats, limequats ( <i>Citrus aurantifolia</i> x <i>Fortunella</i> spp.))	
0161050	Carambola (Bilimbi)	
0161060	Persimmon	

## ▼ M58

(1)	(2)	(3)
0161070	Jambolan (java plum) (Java apple/ water apple, pomerac, rose apple, Brazilian cherry, Surinam cherry/ grumichama ( <i>Eugenia uniflora</i> ))	
0161990	Others	
0162000	(b) <i>Inedible peel, small</i>	
0162010	Kiwi	
0162020	Lychee (Litchi) (Pulasan, rambutan/ hairy litchi, longan, mangosteen, langsats, salak)	
0162030	Passion fruit	
0162040	Prickly pear (cactus fruit)	
0162050	Star apple	
0162060	American persimmon (Virginia kaki) (Black sapote, white sapote, green sapote, canistel/yellow sapote, mammey sapote)	
0162990	Others	
0163000	(c) <i>Inedible peel, large</i>	
0163010	Avocados	
0163020	Bananas (Dwarf banana, plantain, apple banana)	
0163030	Mangoes	
0163040	Papaya	
0163050	Pomegranate	
0163060	Cherimoya (Custard apple, sugar apple/sweetsop, ilama ( <i>Annona diversifolia</i> ) and other medium sized <i>Annonaceae</i> fruits)	
0163070	Guava (Red pitaya/dragon fruit ( <i>Hylocereus undatus</i> ))	
0163080	Pineapples	
0163090	Bread fruit (Jackfruit)	
0163100	Durian	
0163110	Soursop (guanabana)	
0163990	Others	
0200000	2. <b>VEGETABLES FRESH OR FROZEN</b>	
0210000	(i) <b>Root and tuber vegetables</b>	<b>0,01 (*)</b>
0211000	(a) <i>Potatoes</i>	
0212000	(b) <i>Tropical root and tuber vegetables</i>	
0212010	Cassava (Dasheen, eddoe/Japanese taro, tannia)	
0212020	Sweet potatoes	
0212030	Yams (Potato bean/yam bean, Mexican yam bean)	

## ▼ M58

(1)	(2)	(3)
0212040	Arrowroot	
0212990	Others	
0213000	(c) <i>Other root and tuber vegetables except sugar beet</i>	
0213010	Beetroot	
0213020	Carrots	
0213030	Celeriac	
0213040	Horseradish (Angelica roots, lovage roots, gentiana roots)	
0213050	Jerusalem artichokes (Crosne)	
0213060	Parsnips	
0213070	Parsley root	
0213080	Radishes (Black radish, Japanese radish, small radish and similar varieties, tiger nut ( <i>Cyperus esculentus</i> ))	
0213090	Salsify (Scorzonera, Spanish salsify/ Spanish oysterplant, edible burdock)	
0213100	Swedes	
0213110	Turnips	
0213990	Others	
0220000	(ii) <b>Bulb vegetables</b>	<b>0,01 (*)</b>
0220010	Garlic	
0220020	Onions (Other bulb onions, silverskin onions)	
0220030	Shallots	
0220040	Spring onions and welsh onions (Other green onions and similar varieties)	
0220990	Others	
0230000	(iii) <b>Fruiting vegetables</b>	<b>0,01 (*)</b>
0231000	(a) <i>Solanacea</i>	
0231010	Tomatoes (Cherry tomatoes, <i>Physalis</i> spp., gojiberry, wolfberry ( <i>Lycium barbarum</i> and <i>L. chinense</i> ), tree tomato)	
0231020	Peppers (Chilli peppers)	
0231030	Aubergines (egg plants) (Pepino, antroewa/white eggplant ( <i>S. macrocarpon</i> ))	
0231040	Okra (lady's fingers)	
0231990	Others	
0232000	(b) <i>Cucurbits — edible peel</i>	
0232010	Cucumbers	
0232020	Gherkins	

▼ **M58**

(1)	(2)	(3)
0232030	Courgettes (Summer squash, marrow (patisson), lauki ( <i>Lagenaria siceraria</i> ), chayote, sopropo/bitter melon, snake gourd, angled luffa/teroi)	
0232990	Others	
0233000	(c) <i>Cucurbits-inedible peel</i>	
0233010	Melons (Kiwano)	
0233020	Pumpkins (Winter squash, marrow (late variety))	
0233030	Watermelons	
0233990	Others	
0234000	(d) <i>Sweet corn (Baby corn)</i>	(+)
0239000	(e) <i>Other fruiting vegetables</i>	
0240000	(iv) <b>Brassica vegetables</b>	<b>0,01 (*)</b>
0241000	(a) <i>Flowering brassica</i>	
0241010	Broccoli (Calabrese, Broccoli raab, Chinese broccoli)	
0241020	Cauliflower	
0241990	Others	
0242000	(b) <i>Head brassica</i>	
0242010	Brussels sprouts	
0242020	Head cabbage (Pointed head cabbage, red cabbage, savoy cabbage, white cabbage)	
0242990	Others	
0243000	(c) <i>Leafy brassica</i>	
0243010	Chinese cabbage (Indian or Chinese) mustard, pak choi, Chinese flat cabbage/ai goo choi), choi sum, Peking cabbage/pe-tsai)	
0243020	Kale (Borecole/curly kale, collards, Portuguese Kale, Portuguese cabbage, cow cabbage)	
0243990	Others	
0244000	(d) <i>Kohlrabi</i>	
0250000	(v) <b>Leaf vegetables &amp; fresh herbs</b>	
0251000	(a) <i>Lettuce and other salad plants including Brassicacea</i>	<b>0,01 (*)</b>
0251010	Lamb's lettuce (Italian corn salad)	
0251020	Lettuce (Head lettuce, lollo rosso (cutting lettuce), iceberg lettuce, romaine (cos) lettuce)	
0251030	Scarole (broad-leaf endive) (Wild chicory, red-leaved chicory, radicchio, curly leaf endive, sugar loaf ( <i>C. endivia</i> var. <i>crispum</i> / <i>C. intybus</i> var. <i>foliosum</i> ), dandelion greens)	

▼ **M58**

(1)	(2)	(3)
0251040	Cress (Mung bean sprouts, alfalfa sprouts)	
0251050	Land cress	
0251060	Rocket, Rucola (Wild rocket ( <i>Diplotaxis</i> spp.))	
0251070	Red mustard	
0251080	Leaves and sprouts of <i>Brassica</i> spp, including turnip greens (Mizuna, leaves of peas and radish and other babyleaf crops, including brassica crops (crops harvested up to 8 true leaf stage), kohlrabi leaves)	
0251990	Others	
0252000	(b) <i>Spinach &amp; similar (leaves)</i>	<b>0,01 (*)</b>
0252010	Spinach (New Zealand spinach, amaranthus spinach (pak-khom, tampara), tajar leaves, bitterblad/bitawiri)	
0252020	Purslane (Winter purslane/miner's lettuce, garden purslane, common purslane, sorrel, glassworth, agretti ( <i>Salsola soda</i> ))	
0252030	Beet leaves (chard) (Leaves of beetroot)	
0252990	Others	
0253000	(c) <i>Vine leaves (grape leaves) (Malabar nightshade, banana leaves, climbing wattle (Acacia pennata)</i>	<b>0,01 (*)</b>
0254000	(d) <i>Water cress (Morning glory/Chinese convolvulus/water convolvulus/water spinach/kangkung (Ipomea aquatica), water clover, water mimosa)</i>	<b>0,01 (*)</b>
0255000	(e) <i>Witloof</i>	<b>0,01 (*)</b>
0256000	(f) <i>Herbs</i>	<b>0,02 (*)</b>
0256010	Chervil	
0256020	Chives	
0256030	Celery leaves (Fennel leaves, coriander leaves, dill leaves, caraway leaves, lovage, angelica, sweet cicely and other <i>Apiacea</i> leaves, culantro/stinking/long coriander/stink weed ( <i>Eryngium foetidum</i> ))	
0256040	Parsley (leaves of root parsley)	
0256050	Sage (Winter savory, summer savory, <i>Borago officinalis</i> leaves)	
0256060	Rosemary	
0256070	Thyme (Marjoram, oregano)	

▼ **M58**

(1)	(2)	(3)
0256080	Basil (Balm leaves, mint, peppermint, holy basil, sweet basil, hairy basil, edible flowers (marigold flower and others), pennywort, wild betel leaf, curry leaves)	
0256090	Bay leaves (laurel) (Lemon grass)	
0256100	Tarragon (Hyssop)	
0256990	Others	
0260000	<b>(vi) Legume vegetables (fresh)</b>	<b>0,01 (*)</b>
0260010	Beans (with pods) (Green bean/French beans/snap beans, scarlet runner bean, slicing bean, yard long beans, guar beans, soya beans)	
0260020	Beans (without pods) (Broad beans, flageolets, jack bean, lima bean, cowpea)	
0260030	Peas (with pods) (Mangetout/sugar peas/snow peas)	
0260040	Peas (without pods) (Garden pea, green pea, chickpea)	
0260050	Lentils	
0260990	Others	
0270000	<b>(vii) Stem vegetables (fresh)</b>	<b>0,01 (*)</b>
0270010	Asparagus	
0270020	Cardoons ( <i>Borago officinalis</i> stems)	
0270030	Celery	
0270040	Fennel	
0270050	Globe artichokes (Banana flower)	
0270060	Leek	
0270070	Rhubarb	
0270080	Bamboo shoots	
0270090	Palm hearts	
0270990	Others	
0280000	<b>(viii) Fungi</b>	<b>0,01 (*)</b>
0280010	Cultivated fungi (Common mushroom, oyster mushroom, shiitake, <i>fungus mycelium</i> (vegetative parts))	
0280020	Wild fungi (Chanterelle, truffle, morel, cep)	
0280990	Others	
0290000	<b>(ix) Sea weeds</b>	<b>0,01 (*)</b>
0300000	<b>3. PULSES, DRY</b>	<b>0,01 (*)</b>
0300010	Beans (Broad beans, navy beans, flageolets, jack beans, lima beans, field beans, cowpeas)	
0300020	Lentils	
0300030	Peas (Chickpeas, field peas, chickling vetch)	

▼ **M58**

(1)	(2)	(3)
0300040	Lupins	
0300990	Others	
0400000	<b>4. OILSEEDS AND OILFRUITS</b>	<b>0,02 (*)</b>
0401000	<b>(i) Oilseeds</b>	
0401010	Linseed	
0401020	Peanuts	
0401030	Poppy seed	
0401040	Sesame seed	
0401050	Sunflower seed	
0401060	Rape seed (Bird rapeseed, turnip rape)	
0401070	Soya bean	
0401080	Mustard seed	
0401090	Cotton seed	
0401100	Pumpkin seeds (Other seeds of Cucurbitaceae)	
0401110	Safflower	
0401120	Borage (Purple viper's bugloss/Canary flower ( <i>Echium plantagineum</i> ), Corn Gromwell ( <i>Buglossoides arvensis</i> ))	
0401130	Gold of pleasure	
0401140	Hempseed	
0401150	Castor bean	
0401990	Others	
0402000	<b>(ii) Oilfruits</b>	
0402010	Olives for oil production	
0402020	Palm nuts (palmoil kernels)	
0402030	Palmfruit	
0402040	Kapok	
0402990	Others	
0500000	<b>5. CEREALS</b>	<b>0,01 (*)</b>
0500010	Barley	
0500020	Buckwheat ( <i>Amaranthus</i> , quinoa)	
0500030	Maize	(+)
0500040	Millet (Foxtail millet, teff, finger millet, pearl millet)	
0500050	Oats	
0500060	Rice (Indian/wild rice ( <i>Zizania aquatica</i> ))	
0500070	Rye	
0500080	Sorghum	
0500090	Wheat (Spelt, triticale)	
0500990	Others (Canary grass seeds ( <i>Phalaris canariensis</i> ))	



▼ **M58**

(1)	(2)	(3)
0600000	6. <b>TEA, COFFEE, HERBAL INFUSIONS AND COCOA</b>	0,05 (*)
0610000	(i) <b>Tea</b>	
0620000	(ii) <b>Coffee beans</b>	
0630000	(iii) <b>Herbal infusions (dried)</b>	
0631000	(a) <i>Flowers</i>	
0631010	Camomille flowers	
0631020	Hybiscus flowers	
0631030	Rose petals	
0631040	Jasmine flowers (Elderflowers ( <i>Sambucus nigra</i> ))	
0631050	Lime (linden)	
0631990	Others	
0632000	(b) <i>Leaves</i>	
0632010	Strawberry leaves	
0632020	Rooibos leaves (Ginkgo leaves)	
0632030	Maté	
0632990	Others	
0633000	(c) <i>Roots</i>	
0633010	Valerian root	
0633020	Ginseng root	
0633990	Others	
0639000	(d) <i>Other herbal infusions</i>	
0640000	(iv) <b>Cocoabeans (fermented or dried)</b>	
0650000	(v) <b>Carob (st johns bread)</b>	
0700000	7. <b>HOPS (dried)</b>	0,05 (*)
0800000	8. <b>SPICES</b>	
0810000	(i) <b>Seeds</b>	0,05 (*)
0810010	Anise	
0810020	Black caraway	
0810030	Celery seed (Lovage seed)	
0810040	Coriander seed	
0810050	Cumin seed	
0810060	Dill seed	
0810070	Fennel seed	
0810080	Fenugreek	
0810090	Nutmeg	
0810990	Others	
0820000	(ii) <b>Fruits and berries</b>	0,05 (*)
0820010	Allspice	

▼ **M58**

(1)	(2)	(3)
0820020	Sichuan pepper (Anise pepper, Japan pepper)	
0820030	Caraway	
0820040	Cardamom	
0820050	Juniper berries	
0820060	Pepper, black, green and white (Long pepper, pink pepper)	
0820070	Vanilla pods	
0820080	Tamarind	
0820990	Others	
0830000	<b>(iii) Bark</b>	0,05 (*)
0830010	Cinnamon (Cassia)	
0830990	Others	
0840000	<b>(iv) Roots or rhizome</b>	
0840010	Liquorice	0,05 (*)
0840020	Ginger	0,05 (*)
0840030	Turmeric (Curcuma)	0,05 (*)
0840040	Horseradish	(+)
0840990	Others	0,05 (*)
0850000	<b>(v) Buds</b>	0,05 (*)
0850010	Cloves	
0850020	Capers	
0850990	Others	
0860000	<b>(vi) Flower stigma</b>	0,05 (*)
0860010	Saffron	
0860990	Others	
0870000	<b>(vii) Aril</b>	0,05 (*)
0870010	Mace	
0870990	Others	
0900000	<b>9. SUGAR PLANTS</b>	<b>0,01 (*)</b>
0900010	Sugar beet (root)	
0900020	Sugar cane	
0900030	Chicory roots	
0900990	Others	

▼ **M58**

(1)	(2)	(3)
1000000	<b>10. PRODUCTS OF ANIMAL ORIGIN- TERRESTRIAL ANIMALS</b>	
1010000	<b>(i) Tissue</b>	
1011000	<b>(a) Swine</b>	
1011010	Muscle	<b>0,02 (*)</b>
1011020	Fat	<b>0,02 (*)</b>
1011030	Liver	0,05 (*)
1011040	Kidney	<b>0,02 (*)</b>
1011050	Edible offal	0,05 (*)
1011990	Others	0,05 (*)
1012000	<b>(b) Bovine</b>	
1012010	Muscle	<b>0,02 (*)</b>
1012020	Fat	<b>0,02 (*)</b>
1012030	Liver	0,05 (*)
1012040	Kidney	<b>0,02 (*)</b>
1012050	Edible offal	0,05 (*)
1012990	Others	0,05 (*)
1013000	<b>(c) Sheep</b>	
1013010	Muscle	<b>0,02 (*)</b>
1013020	Fat	<b>0,02 (*)</b>
1013030	Liver	0,05 (*)
1013040	Kidney	<b>0,02 (*)</b>
1013050	Edible offal	0,05 (*)
1013990	Others	0,05 (*)
1014000	<b>(d) Goat</b>	
1014010	Muscle	<b>0,02 (*)</b>
1014020	Fat	<b>0,02 (*)</b>
1014030	Liver	0,05 (*)
1014040	Kidney	<b>0,02 (*)</b>
1014050	Edible offal	0,05 (*)
1014990	Others	0,05 (*)
1015000	<b>(e) Horses, asses, mules or hinnies</b>	
1015010	Muscle	<b>0,02 (*)</b>
1015020	Fat	<b>0,02 (*)</b>
1015030	Liver	0,05 (*)

▼ **M58**

(1)	(2)	(3)
1015040	Kidney	<b>0,02</b> (*)
1015050	Edible offal	0,05 (*)
1015990	Others	0,05 (*)
1016000	(f) <i>Poultry -chicken, geese, duck, turkey and Guinea fowl-, ostrich, pigeon</i>	
1016010	Muscle	<b>0,02</b> (*)
1016020	Fat	<b>0,02</b> (*)
1016030	Liver	0,05 (*)
1016040	Kidney	<b>0,02</b> (*)
1016050	Edible offal	0,05 (*)
1016990	Others	0,05 (*)
1017000	(g) <i>Other farm animals (Rabbit, kangaroo, deer)</i>	
1017010	Muscle	<b>0,02</b> (*)
1017020	Fat	<b>0,02</b> (*)
1017030	Liver	0,05 (*)
1017040	Kidney	<b>0,02</b> (*)
1017050	Edible offal	0,05 (*)
1017990	Others	0,05 (*)
1020000	(ii) <b>Milk</b>	<b>0,02</b> (*)
1020010	Cattle	
1020020	Sheep	
1020030	Goat	
1020040	Horse	
1020990	Others	
1030000	(iii) <b>Bird eggs</b>	<b>0,02</b> (*)
1030010	Chicken	
1030020	Duck	
1030030	Goose	
1030040	Quail	
1030990	Others	

▼ **M58**

(1)	(2)	(3)
1040000	(iv) <b>Honey (Royal jelly, pollen, honey comb with honey (comb honey))</b>	<b>0,05 (*)</b>
1050000	(v) <b>Amphibians and reptiles (Frog legs, crocodiles)</b>	<b>0,02 (*)</b>
1060000	(vi) <b>Snails</b>	<b>0,02 (*)</b>
1070000	(vii) <b>Other terrestrial animal products (Wild game)</b>	<b>0,02 (*)</b>

▼ **M66****Pesticide residues and maximum residue levels (mg/kg)**

Code number	Groups and examples of individual products to which the MRLs apply (*)	Dicloran
0100000	1. <b>FRUIT FRESH OR FROZEN NUTS</b>	0,01 (*)
0110000	(i) <b>Citrus fruit</b>	
0110010	Grapefruit (Shaddocks, pomelos, sweeties, tangelo (except mineola), ugli and other hybrids)	
0110020	Oranges (Bergamot, bitter orange, chinotto and other hybrids)	
0110030	Lemons (Citron, lemon, Buddha's hand ( <i>Citrus medica</i> var. <i>sarcodactylis</i> ))	
0110040	Limes	
0110050	Mandarins (Clementine, tangerine, mineola and other hybrids tangor ( <i>Citrus reticulata</i> × <i>sinensis</i> ))	
0110990	Others	
0120000	(ii) <b>Tree nuts</b>	
0120010	Almonds	
0120020	Brazil nuts	
0120030	Cashew nuts	
0120040	Chestnuts	
0120050	Coconuts	
0120060	Hazelnuts (Filbert)	
0120070	Macadamia	
0120080	Pecans	
0120090	Pine nuts	
0120100	Pistachios	
0120110	Walnuts	
0120990	Others	
0130000	(iii) <b>Pome fruit</b>	
0130010	Apples (Crab apple)	
0130020	Pears (Oriental pear)	
0130030	Quinces	
0130040	Medlar	
0130050	Loquat	
0130990	Others	
0140000	(iv) <b>Stone fruit</b>	
0140010	Apricots	
0140020	Cherries (Sweet cherries, sour cherries)	
0140030	Peaches (Nectarines and similar hybrids)	

▼ **M66**

Code number	Groups and examples of individual products to which the MRLs apply <sup>(a)</sup>	Dicloran
0140040	Plums (Damson, greengage, mirabelle, sloe, red date/Chinese date/Chinese jujube ( <i>Ziziphus zizyphus</i> ))	
0140990	Others	
0150000	(v) <b>Berries &amp; small fruit</b>	
0151000	(a) <i>Table and wine grapes</i>	
0151010	Table grapes	
0151020	Wine grapes	
0152000	(b) <i>Strawberries</i>	
0153000	(c) <i>Cane fruit</i>	
0153010	Blackberries	
0153020	Dewberries (Loganberries, tayberries, boysenberries, cloudberries and other <i>Rubus</i> hybrids)	
0153030	Raspberries (Wineberries, arctic bramble/raspberry, ( <i>Rubus arcticus</i> ), nectar raspberries ( <i>Rubus arcticus</i> × <i>Rubus idaeus</i> ))	
0153990	Others	
0154000	(d) <i>Other small fruit &amp; berries</i>	
0154010	Blueberries (Bilberries)	
0154020	Cranberries (Cowberries/red bilberries ( <i>V. vitis-idaea</i> ))	
0154030	Currants (red, black and white)	
0154040	Gooseberries (Including hybrids with other <i>Ribes</i> species)	
0154050	Rose hips	
0154060	Mulberries (Arbutus berry)	
0154070	Azarole (mediteranean medlar) (Kiwiberry ( <i>Actinidia arguta</i> ))	
0154080	Elderberries (Black chokeberry/appleberry, mountain ash, buck-thorn/sea sallowthorn, hawthorn, serviceberries, and other treeberries)	
0154990	Others	
0160000	(vi) <b>Miscellaneous fruit</b>	
0161000	(a) <i>Edible peel</i>	
0161010	Dates	
0161020	Figs	
0161030	Table olives	
0161040	Kumquats (Marumi kumquats, nagami kumquats, limequats ( <i>Citrus aurantifolia</i> × <i>Fortunella</i> spp.))	
0161050	Carambola (Bilimbi)	
0161060	Persimmon	

▼ **M66**

Code number	Groups and examples of individual products to which the MRLs apply <sup>(a)</sup>	Dicloran
0161070	Jambolan (java plum) (Java apple/water apple, pomerac, rose apple, Brazilian cherry, Surinam cherry/grumichama ( <i>Eugenia uniflora</i> ))	
0161990	Others	
0162000	(b) <i>Inedible peel, small</i>	
0162010	Kiwi	
0162020	Lychee (Litchi) (Pulasan, rambutan/hairy litchi, longan, mangosteen, langsung, salak)	
0162030	Passion fruit	
0162040	Prickly pear (cactus fruit)	
0162050	Star apple	
0162060	American persimmon (Virginia kaki) (Black sapote, white sapote, green sapote, canistel/yellow sapote, mamme sapote)	
0162990	Others	
0163000	(c) <i>Inedible peel, large</i>	
0163010	Avocados	
0163020	Bananas (Dwarf banana, plantain, apple banana)	
0163030	Mangoes	
0163040	Papaya	
0163050	Pomegranate	
0163060	Cherimoya (Custard apple, sugar apple/sweetsop, ilama ( <i>Annona diversifolia</i> ) and other medium sized <i>Annonaceae</i> fruits)	
0163070	Guava (Red pitaya/dragon fruit ( <i>Hylocereus undatus</i> ))	
0163080	Pineapples	
0163090	Bread fruit (Jackfruit)	
0163100	Durian	
0163110	Soursop (guanabana)	
0163990	Others	
0200000	<b>2. VEGETABLES FRESH OR FROZEN</b>	
0210000	(i) <b>Root and tuber vegetables</b>	0,01 (*)
0211000	(a) <i>Potatoes</i>	
0212000	(b) <i>Tropical root and tuber vegetables</i>	
0212010	Cassava (Dasheen, eddoe/Japanese taro, tannia)	
0212020	Sweet potatoes	
0212030	Yams (Potato bean/yam bean, Mexican yam bean)	



## ▼ M66

Code number	Groups and examples of individual products to which the MRLs apply (a)	Dicloran
0212040	Arrowroot	
0212990	Others	
0213000	(c) <i>Other root and tuber vegetables except sugar beet</i>	
0213010	Beetroot	
0213020	Carrots	
0213030	Celeriac	
0213040	Horseradish (Angelica roots, lovage roots, gentiana roots)	
0213050	Jerusalem artichokes (Crosne)	
0213060	Parsnips	
0213070	Parsley root	
0213080	Radishes (Black radish, Japanese radish, small radish and similar varieties, tiger nut ( <i>Cyperus esculentus</i> ))	
0213090	Salsify (Scorzonera, Spanish salsify/ Spanish oysterplant, edible burdock)	
0213100	Swedes	
0213110	Turnips	
0213990	Others	
0220000	(ii) <b>Bulb vegetables</b>	
0220010	Garlic	0,01 (*)
0220020	Onions (Other bulb onions, silverskin onions)	0,2 (+)
0220030	Shallots	0,01 (*)
0220040	Spring onions and welsh onions (Other green onions and similar varieties)	0,01 (*)
0220990	Others	0,01 (*)
0230000	(iii) <b>Fruiting vegetables</b>	0,01 (*)
0231000	(a) Solanacea	
0231010	Tomatoes (Cherry tomatoes, <i>Physalis</i> spp., gojiberry, wolfberry ( <i>Lycium barbarum</i> and <i>L. chinense</i> ), tree tomato)	
0231020	Peppers (Chilli peppers)	
0231030	Aubergines (egg plants) (Pepino, antroewa/white eggplant ( <i>S. macrocarpon</i> ))	
0231040	Okra (lady's fingers)	
0231990	Others	
0232000	(b) <i>Cucurbits — edible peel</i>	
0232010	Cucumbers	
0232020	Gherkins	

## ▼ M66

Code number	Groups and examples of individual products to which the MRLs apply <sup>(a)</sup>	Dicloran
0232030	Courgettes (Summer squash, marrow (patisson), lauki ( <i>Lagenaria siceraria</i> ), chayote, sopropo/bitter melon, snake gourd, angled luffa/teroi)	
0232990	Others	
0233000	(c) <i>Cucurbits — inedible peel</i>	
0233010	Melons (Kiwano)	
0233020	Pumpkins (Winter squash, marrow (late variety))	
0233030	Watermelons	
0233990	Others	
0234000	(d) <i>Sweet corn (Baby corn)</i>	
0239000	(e) <i>Other fruiting vegetables</i>	
0240000	(iv) <b>Brassica vegetables</b>	0,01 (*)
0241000	(a) <i>Flowering brassica</i>	
0241010	Broccoli (Calabrese, Broccoli raab, Chinese broccoli)	
0241020	Cauliflower	
0241990	Others	
0242000	(b) <i>Head brassica</i>	
0242010	Brussels sprouts	
0242020	Head cabbage (Pointed head cabbage, red cabbage, savoy cabbage, white cabbage)	
0242990	Others	
0243000	(c) <i>Leafy brassica</i>	
0243010	Chinese cabbage (Indian or Chinese) mustard, pak choi, Chinese flat cabbage/ai goo choi), choy sum, Peking cabbage/pe-tsai)	
0243020	Kale (Borecole/curly kale, collards, Portuguese Kale, Portuguese cabbage, cow cabbage)	
0243990	Others	
0244000	(d) <i>Kohlrabi</i>	
0250000	(v) <b>Leaf vegetables &amp; fresh herbs</b>	
0251000	(a) <i>Lettuce and other salad plants including Brassicacea</i>	0,01 (*)
0251010	Lamb's lettuce (Italian corn salad)	
0251020	Lettuce (Head lettuce, lollo rosso (cutting lettuce), iceberg lettuce, romaine (cos) lettuce)	
0251030	Scarole (broad-leaf endive) (Wild chicory, red-leaved chicory, radicchio, curly leaf endive, sugar loaf ( <i>C. endivia</i> var. <i>crispum</i> / <i>C. intybus</i> var. <i>foliosum</i> ), dandelion greens)	

## ▼ M66

Code number	Groups and examples of individual products to which the MRLs apply (a)	Dicloran
0251040	Cress (Mung bean sprouts, alfalfa sprouts)	
0251050	Land cress	
0251060	Rocket, Rucola (Wild rocket ( <i>Diplotaxis</i> spp.))	
0251070	Red mustard	
0251080	Leaves and sprouts of <i>Brassica</i> spp, including turnip greens (Mizuna, leaves of peas and radish and other babyleaf crops, including brassica crops (crops harvested up to 8 true leaf stage), kohlrabi leaves)	
0251990	Others	
0252000	(b) <i>Spinach &amp; similar (leaves)</i>	0,01 (*)
0252010	Spinach (New Zealand spinach, amaranthus spinach (pak-khom, tampara), tajar leaves, bitterblad/bitawiri)	
0252020	Purslane (Winter purslane/miner's lettuce, garden purslane, common purslane, sorrel, glassworth, agretti ( <i>Salsola soda</i> ))	
0252030	Beet leaves (chard) (Leaves of beetroot)	
0252990	Others	
0253000	(c) <i>Vine leaves (grape leaves) (Malabar nightshade, banana leaves, climbing wattle (Acacia pennata)</i>	0,01 (*)
0254000	(d) <i>Water cress (Morning glory/Chinese convolvulus/water convolvulus/water spinach/kangkung (Ipomea aquatica), water clover, water mimosa)</i>	0,01 (*)
0255000	(e) <i>Witloof</i>	0,01 (*)
0256000	(f) <i>Herbs</i>	0,02 (*)
0256010	Chervil	
0256020	Chives	
0256030	Celery leaves (Fennel leaves, coriander leaves, dill leaves, caraway leaves, lovage, angelica, sweet ciselny and other <i>Apiacea</i> leaves, culantro/stinking/long coriander/stink weed ( <i>Eryngium foetidum</i> ))	
0256040	Parsley (leaves of root parsley)	
0256050	Sage (Winter savory, summer savory, <i>Borago officinalis</i> leaves)	
0256060	Rosemary	
0256070	Thyme (Marjoram, oregano)	

▼ **M66**

Code number	Groups and examples of individual products to which the MRLs apply (6)	Dicloran
0256080	Basil (Balm leaves, mint, peppermint, holy basil, sweet basil, hairy basil, edible flowers (marigold flower and others), pennywort, wild betel leaf, curry leaves)	
0256090	Bay leaves (laurel) (Lemon grass)	
0256100	Tarragon (Hyssop)	
0256990	Others	
0260000	(vi) <b>Legume vegetables (fresh)</b>	0,01 (*)
0260010	Beans (with pods) (Green bean/French beans/snap beans, scarlet runner bean, slicing bean, yard long beans, guar beans, soya beans)	
0260020	Beans (without pods) (Broad beans, flageolets, jack bean, lima bean, cowpea)	
0260030	Peas (with pods) (Mangetout/sugar peas/snow peas)	
0260040	Peas (without pods) (Garden pea, green pea, chickpea)	
0260050	Lentils	
0260990	Others	
0270000	(vii) <b>Stem vegetables (fresh)</b>	0,01 (*)
0270010	Asparagus	
0270020	Cardoons ( <i>Borago officinalis</i> stems)	
0270030	Celery	
0270040	Fennel	
0270050	Globe artichokes (Banana flower)	
0270060	Leek	
0270070	Rhubarb	
0270080	Bamboo shoots	
0270090	Palm hearts	
0270990	Others	
0280000	(viii) <b>Fungi</b>	0,01 (*)
0280010	Cultivated fungi (Common mushroom, oyster mushroom, shiitake, <i>fungus mycelium</i> (vegetative parts))	
0280020	Wild fungi (Chanterelle, truffle, morel, cep)	
0280990	Others	
0290000	(ix) <b>Sea weeds</b>	0,01 (*)
0300000	3. <b>PULSES, DRY</b>	0,02 (*)
0300010	Beans (Broad beans, navy beans, flageolets, jack beans, lima beans, field beans, cowpeas)	
0300020	Lentils	
0300030	Peas (Chickpeas, field peas, chickling vetch)	

▼ **M66**

Code number	Groups and examples of individual products to which the MRLs apply (*)	Dicloran
0300040	Lupins	
0300990	Others	
0400000	4. <b>OILSEEDS AND OILFRUITS</b>	0,01 (*)
0401000	(i) <b>Oilseeds</b>	
0401010	Linseed	
0401020	Peanuts	
0401030	Poppy seed	
0401040	Sesame seed	
0401050	Sunflower seed	
0401060	Rape seed (Bird rapeseed, turnip rape)	
0401070	Soya bean	
0401080	Mustard seed	
0401090	Cotton seed	
0401100	Pumpkin seeds (Other seeds of <i>Cucurbitaceae</i> )	
0401110	Safflower	
0401120	Borage (Purple viper's bugloss/Canary flower ( <i>Echium plantagineum</i> ), Corn Gromwell ( <i>Buglossoides arvensis</i> ))	
0401130	Gold of pleasure	
0401140	Hempseed	
0401150	Castor bean	
0401990	Others	
0402000	(ii) <b>Oilfruits</b>	
0402010	Olives for oil production	
0402020	Palm nuts (palmoil kernels)	
0402030	Palmfruit	
0402040	Kapok	
0402990	Others	
0500000	5. <b>CEREALS</b>	0,02 (*)
0500010	Barley	
0500020	Buckwheat ( <i>Amaranthus</i> , quinoa)	
0500030	Maize	
0500040	Millet (Foxtail millet, teff, finger millet, pearl millet)	
0500050	Oats	
0500060	Rice (Indian/wild rice ( <i>Zizania aquatica</i> ))	
0500070	Rye	
0500080	Sorghum	
0500090	Wheat (Spelt, triticale)	
0500990	Others (Canary grass seeds ( <i>Phalaris canariensis</i> ))	

▼ **M66**

Code number	Groups and examples of individual products to which the MRLs apply (*)	Dicloran
0600000	6. <b>TEA, COFFEE, HERBAL INFUSIONS AND COCOA</b>	0,05 (*)
0610000	(i) <b>Tea</b>	
0620000	(ii) <b>Coffee beans</b>	
0630000	(iii) <b>Herbal infusions (dried)</b>	
0631000	(a) <i>Flowers</i>	
0631010	Camomille flowers	
0631020	Hybiscus flowers	
0631030	Rose petals	
0631040	Jasmine flowers (Elderflowers ( <i>Sambucus nigra</i> ))	
0631050	Lime (linden)	
0631990	Others	
0632000	(b) <i>Leaves</i>	
0632010	Strawberry leaves	
0632020	Rooibos leaves (Ginkgo leaves)	
0632030	Maté	
0632990	Others	
0633000	(c) <i>Roots</i>	
0633010	Valerian root	
0633020	Ginseng root	
0633990	Others	
0639000	(d) <i>Other herbal infusions</i>	
0640000	(iv) <b>Cocoabeans (fermented or dried)</b>	
0650000	(v) <b>Carob (st johns bread)</b>	
0700000	7. <b>HOPS (dried)</b>	0,05 (*)
0800000	8. <b>SPICES</b>	
0810000	(i) <b>Seeds</b>	0,05 (*)
0810010	Anise	
0810020	Black caraway	
0810030	Celery seed (Lovage seed)	
0810040	Coriander seed	
0810050	Cumin seed	
0810060	Dill seed	
0810070	Fennel seed	
0810080	Fenugreek	
0810090	Nutmeg	
0810990	Others	
0820000	(ii) <b>Fruits and berries</b>	0,05 (*)
0820010	Allspice	

▼ **M66**

Code number	Groups and examples of individual products to which the MRLs apply (*)	Dicloran
0820020	Sichuan pepper (Anise pepper, Japan pepper)	
0820030	Caraway	
0820040	Cardamom	
0820050	Juniper berries	
0820060	Pepper, black, green and white (Long pepper, pink pepper)	
0820070	Vanilla pods	
0820080	Tamarind	
0820990	Others	
0830000	(iii) <b>Bark</b>	0,05 (*)
0830010	Cinnamon (Cassia)	
0830990	Others	
0840000	(iv) <b>Roots or rhizome</b>	
0840010	Liquorice	0,05 (*)
0840020	Ginger	0,05 (*)
0840030	Turmeric (Curcuma)	0,05 (*)
0840040	Horseradish	(+)
0840990	Others	0,05 (*)
0850000	(v) <b>Buds</b>	0,05 (*)
0850010	Cloves	
0850020	Capers	
0850990	Others	
0860000	(vi) <b>Flower stigma</b>	0,05 (*)
0860010	Saffron	
0860990	Others	
0870000	(vii) <b>Aril</b>	0,05 (*)
0870010	Mace	
0870990	Others	
0900000	9. <b>SUGAR PLANTS</b>	0,01 (*)
0900010	Sugar beet (root)	
0900020	Sugar cane	
0900030	Chicory roots	
0900990	Others	

▼ **M66**

Code number	Groups and examples of individual products to which the MRLs apply (a)	Dicloran
1000000	<b>10. PRODUCTS OF ANIMAL ORIGIN- TERRESTRIAL ANIMALS</b>	
1010000	(i) <b>Tissue</b>	
1011000	(a) <i>Swine</i>	
1011010	Muscle	0,01 (*)
1011020	Fat	0,01 (*)
1011030	Liver	0,02 (*)
1011040	Kidney	0,01 (*)
1011050	Edible offal	0,01 (*)
1011990	Others	0,01 (*)
1012000	(b) <i>Bovine</i>	
1012010	Muscle	0,01 (*)
1012020	Fat	0,01 (*)
1012030	Liver	0,02 (*)
1012040	Kidney	0,01 (*)
1012050	Edible offal	0,01 (*)
1012990	Others	0,01 (*)
1013000	(c) <i>Sheep</i>	
1013010	Muscle	0,01 (*)
1013020	Fat	0,01 (*)
1013030	Liver	0,02 (*)
1013040	Kidney	0,01 (*)
1013050	Edible offal	0,01 (*)
1013990	Others	0,01 (*)
1014000	(d) <i>Goat</i>	
1014010	Muscle	0,01 (*)
1014020	Fat	0,01 (*)
1014030	Liver	0,02 (*)
1014040	Kidney	0,01 (*)
1014050	Edible offal	0,01 (*)
1014990	Others	0,01 (*)
1015000	(e) <i>Horses, asses, mules or hinnies</i>	
1015010	Muscle	0,01 (*)
1015020	Fat	0,01 (*)
1015030	Liver	0,02 (*)



▼ **M66**

Code number	Groups and examples of individual products to which the MRLs apply (*)	Dicloran
1015040	Kidney	0,01 (*)
1015050	Edible offal	0,01 (*)
1015990	Others	0,01 (*)
1016000	(f) <i>Poultry -chicken, geese, duck, turkey and Guinea fowl-, ostrich, pigeon</i>	
1016010	Muscle	0,01 (*)
1016020	Fat	0,01 (*)
1016030	Liver	0,02 (*)
1016040	Kidney	0,01 (*)
1016050	Edible offal	0,01 (*)
1016990	Others	0,01 (*)
1017000	(g) <i>Other farm animals (Rabbit, kangaroo, deer)</i>	
1017010	Muscle	0,01 (*)
1017020	Fat	0,01 (*)
1017030	Liver	0,02 (*)
1017040	Kidney	0,01 (*)
1017050	Edible offal	0,01 (*)
1017990	Others	0,01 (*)
1020000	(ii) <b>Milk</b>	0,01 (*)
1020010	Cattle	
1020020	Sheep	
1020030	Goat	
1020040	Horse	
1020990	Others	
1030000	(iii) <b>Bird eggs</b>	0,01 (*)
1030010	Chicken	
1030020	Duck	
1030030	Goose	
1030040	Quail	
1030990	Others	

▼ **M66**

Code number	Groups and examples of individual products to which the MRLs apply (*)	Dicloran
1040000	(iv) <b>Honey (Royal jelly, pollen, honey comb with honey (comb honey))</b>	0,05 (*)
1050000	(v) <b>Amphibians and reptiles (Frog legs, crocodiles)</b>	0,01 (*)
1060000	(vi) <b>Snails</b>	0,01 (*)
1070000	(vii) <b>Other terrestrial animal products (Wild game)</b>	0,01 (*)

▼ **M67****Pesticide residues and maximum residue levels (mg/kg)**

Code number	Groups and examples of individual products to which the MRLs apply (*)	Dinocap (sum of dinocap isomers and their corresponding phenols expressed as dinocap) (F) (Where only meptyldinocap or its corresponding phenol are detected but none of the other components constituting dinocap (including their corresponding phenols), the MRLs and residue definition of meptyldinocap are to be applied.)	Fipronil (sum fipronil + sulfone metabolite (MB46136) expressed as fipronil) (F)
0100000	1. <b>FRUIT FRESH OR FROZEN NUTS</b>		0,005 (*)
0110000	(i) <b>Citrus fruit</b>	0,02 (*)	
0110010	Grapefruit (Shaddocks, pomelos, sweeties, tangelo (except mineola), ugli and other hybrids)		
0110020	Oranges (Bergamot, bitter orange, chinotto and other hybrids)		
0110030	Lemons (Citron, lemon, Buddha's hand ( <i>Citrus medica</i> var. <i>sarcodactylis</i> ))		
0110040	Limes		
0110050	Mandarins (Clementine, tangerine, mineola and other hybrids tangor ( <i>Citrus reticulata</i> × <i>sinensis</i> ))		
0110990	Others		
0120000	(ii) <b>Tree nuts</b>	0,05 (*)	
0120010	Almonds		
0120020	Brazil nuts		
0120030	Cashew nuts		
0120040	Chestnuts		
0120050	Coconuts		
0120060	Hazelnuts (Filbert)		
0120070	Macadamia		
0120080	Pecans		
0120090	Pine nuts		
0120100	Pistachios		
0120110	Walnuts		
0120990	Others		
0130000	(iii) <b>Pome fruit</b>	0,02 (*)	
0130010	Apples (Crab apple)		
0130020	Pears (Oriental pear)		
0130030	Quinces		
0130040	Medlar		
0130050	Loquat		
0130990	Others		
0140000	(iv) <b>Stone fruit</b>	0,02 (*)	

## ▼ M67

Code number	Groups and examples of individual products to which the MRLs apply (*)	Dinocap (sum of dinocap isomers and their corresponding phenols expressed as dinocap) (F) (Where only meptyldinocap or its corresponding phenol are detected but none of the other components constituting dinocap (including their corresponding phenols), the MRLs and residue definition of meptyldinocap are to be applied.)	Fipronil (sum fipronil + sulfone metabolite (MB46136) expressed as fipronil) (F)
0140010	Apricots		
0140020	Cherries (Sweet cherries, sour cherries)		
0140030	Peaches (Nectarines and similar hybrids)		
0140040	Plums (Damson, greengage, mirabelle, sloe, red date/Chinese date/Chinese jujube ( <i>Ziziphus zizyphus</i> ))		
0140990	Others		
0150000	(v) <b>Berries &amp; small fruit</b>	0,02 (*)	
0151000	(a) <i>Table and wine grapes</i>		
0151010	Table grapes		
0151020	Wine grapes		
0152000	(b) <i>Strawberries</i>		
0153000	(c) <i>Cane fruit</i>		
0153010	Blackberries		
0153020	Dewberries (Loganberries, tayberries, boysenberries, cloudberrries and other <i>Rubus</i> hybrids)		
0153030	Raspberries (Wineberries, arctic bramble/raspberry, ( <i>Rubus arcticus</i> ), nectar raspberries ( <i>Rubus arcticus</i> × <i>Rubus idaeus</i> ))		
0153990	Others		
0154000	(d) <i>Other small fruit &amp; berries</i>		
0154010	Blueberries (Bilberries)		
0154020	Cranberries (Cowberries/red bilberries ( <i>V. vitis-idaea</i> ))		
0154030	Currants (red, black and white)		
0154040	Gooseberries (Including hybrids with other <i>Ribes</i> species)		
0154050	Rose hips		
0154060	Mulberries (Arbutus berry)		
0154070	Azarole (mediteranean medlar) (Kiwiberry ( <i>Actinidia arguta</i> ))		
0154080	Elderberries (Black chokeberry/apple-berry, mountain ash, buckthorn/sea sallowthorn, hawthorn, serviceberries, and other treeberries)		
0154990	Others		
0160000	(vi) <b>Miscellaneous fruit</b>	0,02 (*)	

## ▼ M67

Code number	Groups and examples of individual products to which the MRLs apply (*)	Dinocap (sum of dinocap isomers and their corresponding phenols expressed as dinocap) (F) (Where only meptyldinocap or its corresponding phenol are detected but none of the other components constituting dinocap (including their corresponding phenols), the MRLs and residue definition of meptyldinocap are to be applied.)	Fipronil (sum fipronil + sulfone metabolite (MB46136) expressed as fipronil) (F)
0161000	(a) <i>Edible peel</i>		
0161010	Dates		
0161020	Figs		
0161030	Table olives		
0161040	Kumquats (Marumi kumquats, nagami kumquats, limequats ( <i>Citrus aurantifolia</i> × <i>Fortunella</i> spp.))		
0161050	Carambola (Bilimbi)		
0161060	Persimmon		
0161070	Jambolan (java plum) (Java apple/water apple, pomerac, rose apple, Brazilian cherry, Surinam cherry/grumichama ( <i>Eugenia uniflora</i> ))		
0161990	Others		
0162000	(b) <i>Inedible peel, small</i>		
0162010	Kiwi		
0162020	Lychee (Litchi) (Pulasan, rambutan/hairy litchi, longan, mangosteen, langsung, salak)		
0162030	Passion fruit		
0162040	Prickly pear (cactus fruit)		
0162050	Star apple		
0162060	American persimmon (Virginia kaki) (Black sapote, white sapote, green sapote, canistel/yellow sapote, mammey sapote)		
0162990	Others		
0163000	(c) <i>Inedible peel, large</i>		
0163010	Avocados		
0163020	Bananas (Dwarf banana, plantain, apple banana)		
0163030	Mangoes		
0163040	Papaya		
0163050	Pomegranate		
0163060	Cherimoya (Custard apple, sugar apple/sweetsop, ilama ( <i>Annona diversifolia</i> ) and other medium sized Annonaceae fruits)		
0163070	Guava (Red pitaya/dragon fruit ( <i>Hylocereus undatus</i> ))		
0163080	Pineapples		

## ▼ M67

Code number	Groups and examples of individual products to which the MRLs apply (*)	Dinocap (sum of dinocap isomers and their corresponding phenols expressed as dinocap) (F) (Where only meptyldinocap or its corresponding phenol are detected but none of the other components constituting dinocap (including their corresponding phenols), the MRLs and residue definition of meptyldinocap are to be applied.)	Fipronil (sum fipronil + sulfone metabolite (MB46136) expressed as fipronil) (F)
0163090	Bread fruit (Jackfruit)		
0163100	Durian		
0163110	Soursop (guanabana)		
0163990	Others		
0200000	<b>2. VEGETABLES FRESH OR FROZEN</b>		
0210000	(i) <b>Root and tuber vegetables</b>	0,02 (*)	
0211000	(a) <i>Potatoes</i>		0,01 (+)
0212000	(b) <i>Tropical root and tuber vegetables</i>		0,005 (*)
0212010	Cassava (Dasheen, eddoe/Japanese taro, tannia)		
0212020	Sweet potatoes		
0212030	Yams (Potato bean/yam bean, Mexican yam bean)		
0212040	Arrowroot		
0212990	Others		
0213000	(c) <i>Other root and tuber vegetables except sugar beet</i>		0,005 (*)
0213010	Beetroot		
0213020	Carrots		
0213030	Celeriac		
0213040	Horseradish (Angelica roots, lovage roots, gentiana roots)		
0213050	Jerusalem artichokes (Crosne)		
0213060	Parsnips		
0213070	Parsley root		
0213080	Radishes (Black radish, Japanese radish, small radish and similar varieties, tiger nut ( <i>Cyperus esculentus</i> ))		
0213090	Salsify (Scorzonera, Spanish salsify/ Spanish oysterplant, edible burdock)		
0213100	Swedes		
0213110	Turnips		
0213990	Others		
0220000	(ii) <b>Bulb vegetables</b>	0,02 (*)	
0220010	Garlic		0,005 (*)
0220020	Onions (Other bulb onions, silverskin onions)		0,02

## ▼ M67

Code number	Groups and examples of individual products to which the MRLs apply (*)	Dinocap (sum of dinocap isomers and their corresponding phenols expressed as dinocap) (F) (Where only meptyldinocap or its corresponding phenol are detected but none of the other components constituting dinocap (including their corresponding phenols), the MRLs and residue definition of meptyldinocap are to be applied.)	Fipronil (sum fipronil + sulfone metabolite (MB46136) expressed as fipronil) (F)
0220030	Shallots		0,02
0220040	Spring onions and welsh onions (Other green onions and similar varieties)		0,005 (*)
0220990	Others		0,005 (*)
0230000	<b>(iii) Fruiting vegetables</b>		0,005 (*)
0231000	<b>(a) Solanacea</b>	0,02 (*)	
0231010	Tomatoes (Cherry tomatoes, <i>Physalis</i> spp., gojiberry, wolfberry ( <i>Lycium barbarum</i> and <i>L. chinense</i> ), tree tomato)		
0231020	Peppers (Chilli peppers)		
0231030	Aubergines (egg plants) (Pepino, antroewa/white eggplant ( <i>S. macrocarpon</i> ))		
0231040	Okra (lady's fingers)		
0231990	Others		
0232000	<b>(b) Cucurbits — edible peel</b>	0,05 (*)	
0232010	Cucumbers		
0232020	Gherkins		
0232030	Courgettes (Summer squash, marrow (patisson), lauki ( <i>Lagenaria siceraria</i> ), chayote, sopropo/bitter melon, snake gourd, angled luffa/teroi)		
0232990	Others		
0233000	<b>(c) Cucurbits-inedible peel</b>		
0233010	Melons (Kiwano)	0,02 (*)	
0233020	Pumpkins (Winter squash, marrow (late variety))	0,05 (*)	
0233030	Watermelons	0,02 (*)	
0233990	Others	0,05 (*)	
0234000	<b>(d) Sweet corn (Baby corn)</b>	0,02 (*)	
0239000	<b>(e) Other fruiting vegetables</b>	0,02 (*)	
0240000	<b>(iv) Brassica vegetables</b>	0,02 (*)	
0241000	<b>(a) Flowering brassica</b>		0,01
0241010	Broccoli (Calabrese, Broccoli raab, Chinese broccoli)		
0241020	Cauliflower		
0241990	Others		

## ▼ M67

Code number	Groups and examples of individual products to which the MRLs apply (*)	Dinocap (sum of dinocap isomers and their corresponding phenols expressed as dinocap) (F) (Where only meptyldinocap or its corresponding phenol are detected but none of the other components constituting dinocap (including their corresponding phenols), the MRLs and residue definition of meptyldinocap are to be applied.)	Fipronil (sum fipronil + sulfone metabolite (MB46136) expressed as fipronil) (F)
0242000	(b) <i>Head brassica</i>		
0242010	Brussels sprouts		0,01
0242020	Head cabbage (Pointed head cabbage, red cabbage, savoy cabbage, white cabbage)		0,005 (*)
0242990	Others		0,005 (*)
0243000	(c) <i>Leafy brassica</i>		0,005 (*)
0243010	Chinese cabbage (Indian or Chinese) mustard, pak choi, Chinese flat cabbage/ ai goo choi), choy sum, Peking cabbage/ pe-tsai)		
0243020	Kale (Borecole/curly kale, collards, Portuguese Kale, Portuguese cabbage, cow cabbage)		
0243990	Others		
0244000	(d) <i>Kohlrabi</i>		0,005 (*)
0250000	(v) <b>Leaf vegetables &amp; fresh herbs</b>		0,005 (*)
0251000	(a) <i>Lettuce and other salad plants including Brassicacea</i>	0,02 (*)	
0251010	Lamb's lettuce (Italian corn salad)		
0251020	Lettuce (Head lettuce, lollo rosso (cutting lettuce), iceberg lettuce, romaine (cos) lettuce)		
0251030	Scarole (broad-leaf endive) (Wild chicory, red-leaved chicory, radicchio, curly leaf endive, sugar loaf ( <i>C. endivia</i> var. <i>crispum</i> / <i>C. intybus</i> var. <i>foliosum</i> ), dandelion greens)		
0251040	Cress (Mung bean sprouts, alfalfa sprouts)		
0251050	Land cress		
0251060	Rocket, Rucola (Wild rocket ( <i>Diplotaxis</i> spp.))		
0251070	Red mustard		
0251080	Leaves and sprouts of <i>Brassica</i> spp, including turnip greens (Mizuna, leaves of peas and radish and other babyleaf crops, including brassica crops (crops harvested up to 8 true leaf stage), kohlrabi leaves)		



## ▼ M67

Code number	Groups and examples of individual products to which the MRLs apply (*)	Dinocap (sum of dinocap isomers and their corresponding phenols expressed as dinocap) (F) (Where only meptyldinocap or its corresponding phenol are detected but none of the other components constituting dinocap (including their corresponding phenols), the MRLs and residue definition of meptyldinocap are to be applied.)	Fipronil (sum fipronil + sulfone metabolite (MB46136) expressed as fipronil) (F)
0251990	Others		
0252000	(b) <i>Spinach &amp; similar (leaves)</i>	0,02 (*)	
0252010	Spinach (New Zealand spinach, amaranthus spinach (pak-khom, tampara), tajar leaves, bitterblad/bitawiri)		
0252020	Purslane (Winter purslane/miner's lettuce, garden purslane, common purslane, sorrel, glassworth, agretti ( <i>Salsola soda</i> ))		
0252030	Beet leaves (chard) (Leaves of beetroot)		
0252990	Others		
0253000	(c) <i>Vine leaves (grape leaves) (Malabar nightshade, banana leaves, climbing wattle (Acacia pennata))</i>	0,02 (*)	
0254000	(d) <i>Water cress (Morning glory/Chinese convolvulus/water convolvulus/water spinach/kangkung (Ipomea aquatica), water clover, water mimosa)</i>	0,02 (*)	
0255000	(e) <i>Witloof</i>	0,02 (*)	
0256000	(f) <i>Herbs</i>	0,05 (*)	
0256010	Chervil		
0256020	Chives		
0256030	Celery leaves (Fennel leaves, coriander leaves, dill leaves, caraway leaves, lovage, angelica, sweet cisel and other <i>Apiacea</i> leaves, culantro/stinking/long coriander/stink weed ( <i>Eryngium foetidum</i> ))		
0256040	Parsley (leaves of root parsley)		
0256050	Sage (Winter savory, summer savory, <i>Borago officinalis</i> leaves)		
0256060	Rosemary		
0256070	Thyme (Marjoram, oregano)		
0256080	Basil (Balm leaves, mint, peppermint, holy basil, sweet basil, hairy basil, edible flowers (marigold flower and others), pennywort, wild betel leaf, curry leaves)		
0256090	Bay leaves (laurel) (Lemon grass)		
0256100	Tarragon (Hyssop)		
0256990	Others		

▼ **M67**

Code number	Groups and examples of individual products to which the MRLs apply (*)	Dinocap (sum of dinocap isomers and their corresponding phenols expressed as dinocap) (F) (Where only meptyldinocap or its corresponding phenol are detected but none of the other components constituting dinocap (including their corresponding phenols), the MRLs and residue definition of meptyldinocap are to be applied.)	Fipronil (sum fipronil + sulfone metabolite (MB46136) expressed as fipronil) (F)
0260000	(vi) <b>Legume vegetables (fresh)</b>	0,02 (*)	0,005 (*)
0260010	Beans (with pods) (Green bean/French beans/snap beans, scarlet runner bean, slicing bean, yard long beans, guar beans, soya beans)		
0260020	Beans (without pods) (Broad beans, flageolets, jack bean, lima bean, cowpea)		
0260030	Peas (with pods) (Mangetout/sugar peas/snow peas)		
0260040	Peas (without pods) (Garden pea, green pea, chickpea)		
0260050	Lentils		
0260990	Others		
0270000	(vii) <b>Stem vegetables (fresh)</b>	0,02 (*)	
0270010	Asparagus		0,005 (*)
0270020	Cardoons ( <i>Borago officinalis</i> stems)		0,005 (*)
0270030	Celery		0,005 (*)
0270040	Fennel		0,005 (*)
0270050	Globe artichokes (Banana flower)		0,005 (*)
0270060	Leek		0,01
0270070	Rhubarb		0,005 (*)
0270080	Bamboo shoots		0,005 (*)
0270090	Palm hearts		0,005 (*)
0270990	Others		0,005 (*)
0280000	(viii) <b>Fungi</b>	0,02 (*)	0,005 (*)
0280010	Cultivated fungi (Common mushroom, oyster mushroom, shiitake, <i>fungus mycelium</i> (vegetative parts))		
0280020	Wild fungi (Chanterelle, truffle, morel, cep)		
0280990	Others		
0290000	(ix) <b>Sea weeds</b>	0,02 (*)	0,005 (*)
0300000	3. <b>PULSES, DRY</b>	0,05 (*)	0,005 (*)

## ▼ M67

Code number	Groups and examples of individual products to which the MRLs apply (*)	Dinocap (sum of dinocap isomers and their corresponding phenols expressed as dinocap) (F) (Where only meptyldinocap or its corresponding phenol are detected but none of the other components constituting dinocap (including their corresponding phenols), the MRLs and residue definition of meptyldinocap are to be applied.)	Fipronil (sum fipronil + sulfone metabolite (MB46136) expressed as fipronil) (F)
0300010	Beans (Broad beans, navy beans, flageolets, jack beans, lima beans, field beans, cowpeas)		
0300020	Lentils		
0300030	Peas (Chickpeas, field peas, chickling vetch)		
0300040	Lupins		
0300990	Others		
0400000	4. <b>OILSEEDS AND OILFRUITS</b>	0,05 (*)	0,005 (*)
0401000	(i) <b>Oilseeds</b>		
0401010	Linseed		
0401020	Peanuts		
0401030	Poppy seed		
0401040	Sesame seed		
0401050	Sunflower seed		
0401060	Rape seed (Bird rapeseed, turnip rape)		
0401070	Soya bean		
0401080	Mustard seed		
0401090	Cotton seed		
0401100	Pumpkin seeds (Other seeds of <i>Cucurbitaceae</i> )		
0401110	Safflower		
0401120	Borage (Purple viper's bugloss/Canary flower ( <i>Echium plantagineum</i> ), Corn Gromwell ( <i>Buglossoides arvensis</i> ))		
0401130	Gold of pleasure		
0401140	Hempseed		
0401150	Castor bean		
0401990	Others		
0402000	(ii) <b>Oilfruits</b>		
0402010	Olives for oil production		
0402020	Palm nuts (palmoil kernels)		
0402030	Palmfruit		
0402040	Kapok		
0402990	Others		
0500000	5. <b>CEREALS</b>	0,05 (*)	0,005 (*)
0500010	Barley		
0500020	Buckwheat ( <i>Amaranthus</i> , quinoa)		
0500030	Maize		
0500040	Millet (Foxtail millet, teff, finger millet, pearl millet)		
0500050	Oats		
0500060	Rice (Indian/wild rice ( <i>Zizania aquatica</i> ))		
0500070	Rye		

## ▼ M67

Code number	Groups and examples of individual products to which the MRLs apply (*)	Dinocap (sum of dinocap isomers and their corresponding phenols expressed as dinocap) (F) (Where only meptyldinocap or its corresponding phenol are detected but none of the other components constituting dinocap (including their corresponding phenols), the MRLs and residue definition of meptyldinocap are to be applied.)	Fipronil (sum fipronil + sulfone metabolite (MB46136) expressed as fipronil) (F)
0500080	Sorghum		
0500090	Wheat (Spelt, triticale)		
0500990	Others (Canary grass seeds ( <i>Phalaris canariensis</i> ))		
0600000	6. <b>TEA, COFFEE, HERBAL INFUSIONS AND COCOA</b>	0.1 (*)	0,005 (*)
0610000	(i) <b>Tea</b>		
0620000	(ii) <b>Coffee beans</b>		
0630000	(iii) <b>Herbal infusions (dried)</b>		
0631000	(a) <i>Flowers</i>		
0631010	Camomille flowers		
0631020	Hybiscus flowers		
0631030	Rose petals		
0631040	Jasmine flowers (Elderflowers ( <i>Sambucus nigra</i> ))		
0631050	Lime (linden)		
0631990	Others		
0632000	(b) <i>Leaves</i>		
0632010	Strawberry leaves		
0632020	Rooibos leaves (Ginkgo leaves)		
0632030	Maté		
0632990	Others		
0633000	(c) <i>Roots</i>		
0633010	Valerian root		
0633020	Ginseng root		
0633990	Others		
0639000	(d) <i>Other herbal infusions</i>		
0640000	(iv) <b>Cocoabeans (fermented or dried)</b>		
0650000	(v) <b>Carob (st johns bread)</b>		
0700000	7. <b>HOPS (dried)</b>	0.1 (*)	0,005 (*)
0800000	8. <b>SPICES</b>		
0810000	(i) <b>Seeds</b>	0.1 (*)	0,005 (*)
0810010	Anise		
0810020	Black caraway		
0810030	Celery seed (Lovage seed)		
0810040	Coriander seed		
0810050	Cumin seed		
0810060	Dill seed		
0810070	Fennel seed		
0810080	Fenugreek		
0810090	Nutmeg		

## ▼ M67

Code number	Groups and examples of individual products to which the MRLs apply (*)	Dinocap (sum of dinocap isomers and their corresponding phenols expressed as dinocap) (F) (Where only meptyldinocap or its corresponding phenol are detected but none of the other components constituting dinocap (including their corresponding phenols), the MRLs and residue definition of meptyldinocap are to be applied.)	Fipronil (sum fipronil + sulfone metabolite (MB46136) expressed as fipronil) (F)
0810990	Others		
0820000	(ii) <b>Fruits and berries</b>	0.1 (*)	0,005 (*)
0820010	Allspice		
0820020	Sichuan pepper (Anise pepper, Japan pepper)		
0820030	Caraway		
0820040	Cardamom		
0820050	Juniper berries		
0820060	Pepper, black, green and white (Long pepper, pink pepper)		
0820070	Vanilla pods		
0820080	Tamarind		
0820990	Others		
0830000	(iii) <b>Bark</b>	0.1 (*)	0,005 (*)
0830010	Cinnamon (Cassia)		
0830990	Others		
0840000	(iv) <b>Roots or rhizome</b>		
0840010	Liquorice	0.1 (*)	0,005 (*)
0840020	Ginger	0.1 (*)	0,005 (*)
0840030	Turmeric (Curcuma)	0.1 (*)	0,005 (*)
0840040	Horseradish	(+)	(+)
0840990	Others	0.1 (*)	0,005 (*)
0850000	(v) <b>Buds</b>	0.1 (*)	0,005 (*)
0850010	Cloves		
0850020	Capers		
0850990	Others		
0860000	(vi) <b>Flower stigma</b>	0.1 (*)	0,005 (*)
0860010	Saffron		
0860990	Others		
0870000	(vii) <b>Aril</b>	0.1 (*)	0,005 (*)
0870010	Mace		
0870990	Others		
0900000	9. <b>SUGAR PLANTS</b>	0,02 (*)	0,005 (*)

## ▼ M67

Code number	Groups and examples of individual products to which the MRLs apply (*)	Dinocap (sum of dinocap isomers and their corresponding phenols expressed as dinocap) (F) (Where only meptyldinocap or its corresponding phenol are detected but none of the other components constituting dinocap (including their corresponding phenols), the MRLs and residue definition of meptyldinocap are to be applied.)	Fipronil (sum fipronil + sulfone metabolite (MB46136) expressed as fipronil) (F)
0900010	Sugar beet (root)		
0900020	Sugar cane		
0900030	Chicory roots		
0900990	Others		
1000000	<b>10. PRODUCTS OF ANIMAL ORIGIN- TERRESTRIAL ANIMALS</b>		
1010000	(i) <b>Tissue</b>		
1011000	(a) <i>Swine</i>		
1011010	Muscle	0,05 (*)	0,005 (*)
1011020	Fat	0,05 (*)	0,07 (+)
1011030	Liver	0.1 (*)	0,015 (+)
1011040	Kidney	0,05 (*)	0,015 (+)
1011050	Edible offal	0.1 (*)	0,07 (+)
1011990	Others	0.1 (*)	0,07 (+)
1012000	(b) <i>Bovine</i>		
1012010	Muscle	0,05 (*)	0,006 (+)
1012020	Fat	0,05 (*)	0,09 (+)
1012030	Liver	0.1 (*)	0,02 (+)
1012040	Kidney	0,05 (*)	0,015 (+)
1012050	Edible offal	0.1 (*)	0,09 (+)
1012990	Others	0.1 (*)	0,09 (+)
1013000	(c) <i>Sheep</i>		
1013010	Muscle	0,05 (*)	0,006 (+)
1013020	Fat	0,05 (*)	0.9 (+)
1013030	Liver	0.1 (*)	0,02 (+)
1013040	Kidney	0,05 (*)	0,015 (+)
1013050	Edible offal	0.1 (*)	0,09 (+)
1013990	Others	0.1 (*)	0,09 (+)
1014000	(d) <i>Goat</i>		
1014010	Muscle	0,05 (*)	0,006 (+)
1014020	Fat	0,05 (*)	0,09 (+)
1014030	Liver	0.1 (*)	0,02 (+)
1014040	Kidney	0,05 (*)	0,015 (+)
1014050	Edible offal	0.1 (*)	0,09 (+)
1014990	Others	0.1 (*)	0,09 (+)
1015000	(e) <i>Horses, asses, mules or hinnies</i>		

## ▼ M67

Code number	Groups and examples of individual products to which the MRLs apply (*)	Dinocap (sum of dinocap isomers and their corresponding phenols expressed as dinocap) (F) (Where only meptyldinocap or its corresponding phenol are detected but none of the other components constituting dinocap (including their corresponding phenols), the MRLs and residue definition of meptyldinocap are to be applied.)	Fipronil (sum fipronil + sulfone metabolite (MB46136) expressed as fipronil) (F)
1015010	Muscle	0,05 (*)	0,006 (+)
1015020	Fat	0,05 (*)	0,09 (+)
1015030	Liver	0.1 (*)	0,02 (+)
1015040	Kidney	0,05 (*)	0,015 (+)
1015050	Edible offal	0.1 (*)	0,09 (+)
1015990	Others	0.1 (*)	0,09 (+)
1016000	(f) <i>Poultry -chicken, geese, duck, turkey and Guinea fowl-, ostrich, pigeon</i>		
1016010	Muscle	0,05 (*)	0,015 (+)
1016020	Fat	0,05 (*)	0,02 (+)
1016030	Liver	0.1 (*)	0,015 (+)
1016040	Kidney	0,05 (*)	0,005 (*)
1016050	Edible offal	0.1 (*)	0,005 (*)
1016990	Others	0.1 (*)	0,005 (*)
1017000	(g) <i>Other farm animals (Rabbit, kangaroo, deer)</i>		
1017010	Muscle	0,05 (*)	0,006 (+)
1017020	Fat	0,05 (*)	0,09 (+)
1017030	Liver	0.1 (*)	0,02 (+)
1017040	Kidney	0,05 (*)	0,015 (+)
1017050	Edible offal	0.1 (*)	0,09 (+)
1017990	Others	0.1 (*)	0,09 (+)
1020000	(ii) <b>Milk</b>	0,03 (*)	0,01 (+)
1020010	Cattle		
1020020	Sheep		
1020030	Goat		
1020040	Horse		
1020990	Others		
1030000	(iii) <b>Bird eggs</b>	0,05 (*)	0,015 (+)
1030010	Chicken		
1030020	Duck		

▼ **M67**

Code number	Groups and examples of individual products to which the MRLs apply (*)	Dinocap (sum of dinocap isomers and their corresponding phenols expressed as dinocap) (F) (Where only meptyldinocap or its corresponding phenol are detected but none of the other components constituting dinocap (including their corresponding phenols), the MRLs and residue definition of meptyldinocap are to be applied.)	Fipronil (sum fipronil + sulfone metabolite (MB46136) expressed as fipronil) (F)
1030030	Goose		
1030040	Quail		
1030990	Others		
1040000	(iv) <b>Honey (Royal jelly, pollen, honey comb with honey (comb honey))</b>	0,05 (*)	0,005 (*)
1050000	(v) <b>Amphibians and reptiles (Frog legs, crocodiles)</b>	0,05 (*)	0,005 (*)
1060000	(vi) <b>Snails</b>	0,05 (*)	0,005 (*)
1070000	(vii) <b>Other terrestrial animal products (Wild game)</b>	0,05 (*)	0,005 (*)



▼ **M68****Pesticide residues and maximum residue levels (mg/kg)**

Code number	Groups and examples of individual products to which the MRLs apply (*)	Benfluralin (F)
0100000	1. <b>FRUIT FRESH OR FROZEN NUTS</b>	0,02 (*)
0110000	(i) <b>Citrus fruit</b>	
0110010	Grapefruit (Shaddocks, pomelos, sweeties, tangelo (except mineola), ugli and other hybrids)	
0110020	Oranges (Bergamot, bitter orange, chinotto and other hybrids)	
0110030	Lemons (Citron, lemon, Buddha's hand ( <i>Citrus medica</i> var. <i>sarcodactylis</i> ))	
0110040	Limes	
0110050	Mandarins (Clementine, tangerine, mineola and other hybrids tangor ( <i>Citrus reticulata</i> × <i>sinensis</i> ))	
0110990	Others	
0120000	(ii) <b>Tree nuts</b>	
0120010	Almonds	
0120020	Brazil nuts	
0120030	Cashew nuts	
0120040	Chestnuts	
0120050	Coconuts	
0120060	Hazelnuts (Filbert)	
0120070	Macadamia	
0120080	Pecans	
0120090	Pine nuts	
0120100	Pistachios	
0120110	Walnuts	
0120990	Others	
0130000	(iii) <b>Pome fruit</b>	
0130010	Apples (Crab apple)	
0130020	Pears (Oriental pear)	
0130030	Quinces	
0130040	Medlar	
0130050	Loquat	
0130990	Others	
0140000	(iv) <b>Stone fruit</b>	
0140010	Apricots	
0140020	Cherries (Sweet cherries, sour cherries)	
0140030	Peaches (Nectarines and similar hybrids)	

▼ **M68**

Code number	Groups and examples of individual products to which the MRLs apply (a)	Benfluralin (F)
0140040	Plums (Damson, greengage, mirabelle, sloe, red date/Chinese date/Chinese jujube ( <i>Ziziphus zizyphus</i> ))	
0140990	Others	
0150000	(v) <b>Berries &amp; small fruit</b>	
0151000	(a) <i>Table and wine grapes</i>	
0151010	Table grapes	
0151020	Wine grapes	
0152000	(b) <i>Strawberries</i>	
0153000	(c) <i>Cane fruit</i>	
0153010	Blackberries	
0153020	Dewberries (Loganberries, tayberries, boysenberries, cloudberrries and other <i>Rubus</i> hybrids)	
0153030	Raspberries (Wineberries, arctic bramble/raspberry, ( <i>Rubus arcticus</i> ), nectar raspberries ( <i>Rubus arcticus</i> × <i>Rubus idaeus</i> ))	
0153990	Others	
0154000	(d) <i>Other small fruit &amp; berries</i>	
0154010	Blueberries (Bilberries)	
0154020	Cranberries (Cowberries/red bilberries ( <i>V. vitis-idaea</i> ))	
0154030	Currants (red, black and white)	
0154040	Gooseberries (Including hybrids with other <i>Ribes</i> species)	
0154050	Rose hips	
0154060	Mulberries ( <i>Arbutus</i> berry)	
0154070	Azarole (mediteranean medlar) (Kiwiberry ( <i>Actinidia arguta</i> ))	
0154080	Elderberries (Black chokeberry/appleberry, mountain ash, buck-thorn/sea sallowthorn, hawthorn, serviceberries, and other treeberries)	
0154990	Others	
0160000	(vi) <b>Miscellaneous fruit</b>	
0161000	(a) <i>Edible peel</i>	
0161010	Dates	
0161020	Figs	
0161030	Table olives	
0161040	Kumquats (Marumi kumquats, nagami kumquats, limequats ( <i>Citrus aurantifolia</i> × <i>Fortunella</i> spp.))	
0161050	Carambola (Bilimbi)	
0161060	Persimmon	

▼ **M68**

Code number	Groups and examples of individual products to which the MRLs apply (a)	Benfluralin (F)
0161070	Jambolan (java plum) (Java apple/water apple, pomerac, rose apple, Brazilian cherry, Surinam cherry/grumichama ( <i>Eugenia uniflora</i> ))	
0161990	Others	
0162000	(b) <i>Inedible peel, small</i>	
0162010	Kiwi	
0162020	Lychee (Litchi) (Pulasan, rambutan/hairy litchi, longan, mangosteen, langsung, salak)	
0162030	Passion fruit	
0162040	Prickly pear (cactus fruit)	
0162050	Star apple	
0162060	American persimmon (Virginia kaki) (Black sapote, white sapote, green sapote, canistel/yellow sapote, mammey sapote)	
0162990	Others	
0163000	(c) <i>Inedible peel, large</i>	
0163010	Avocados	
0163020	Bananas (Dwarf banana, plantain, apple banana)	
0163030	Mangoes	
0163040	Papaya	
0163050	Pomegranate	
0163060	Cherimoya (Custard apple, sugar apple/sweetsop, ilama ( <i>Annona diversifolia</i> ) and other medium sized <i>Annonaceae</i> fruits)	
0163070	Guava (Red pitaya/dragon fruit ( <i>Hylocereus undatus</i> ))	
0163080	Pineapples	
0163090	Bread fruit (Jackfruit)	
0163100	Durian	
0163110	Soursop (guanabana)	
0163990	Others	
0200000	<b>2. VEGETABLES FRESH OR FROZEN</b>	
0210000	(i) <b>Root and tuber vegetables</b>	
0211000	(a) <i>Potatoes</i>	0,02 (*)
0212000	(b) <i>Tropical root and tuber vegetables</i>	0,02 (*)
0212010	Cassava (Dasheen, eddoe/Japanese taro, tannia)	
0212020	Sweet potatoes	
0212030	Yams (Potato bean/yam bean, Mexican yam bean)	

## ▼ M68

Code number	Groups and examples of individual products to which the MRLs apply (*)	Benfluralin (F)
0212040	Arrowroot	
0212990	Others	
0213000	(c) <i>Other root and tuber vegetables except sugar beet</i>	
0213010	Beetroot	0,02 (*)
0213020	Carrots	0,02 (*)
0213030	Celeriac	0,02 (*)
0213040	Horseradish (Angelica roots, lovage roots, gentiana roots)	0,02 (*)
0213050	Jerusalem artichokes (Crosne)	0,02 (*)
0213060	Parsnips	0,02 (*)
0213070	Parsley root	0,02 (*)
0213080	Radishes (Black radish, Japanese radish, small radish and similar varieties, tiger nut ( <i>Cyperus esculentus</i> ))	0,02 (*)
0213090	Salsify (Scorzonera, Spanish salsify/ Spanish oysterplant, edible burdock)	0,05
0213100	Swedes	0,02 (*)
0213110	Turnips	0,02 (*)
0213990	Others	0,02 (*)
0220000	(ii) <b>Bulb vegetables</b>	0,02 (*)
0220010	Garlic	
0220020	Onions (Other bulb onions, silverskin onions)	
0220030	Shallots	
0220040	Spring onions and welsh onions (Other green onions and similar varieties)	
0220990	Others	
0230000	(iii) <b>Fruiting vegetables</b>	0,02 (*)
0231000	(a) Solanacea	
0231010	Tomatoes (Cherry tomatoes, <i>Physalis</i> spp., gojiberry, wolfberry ( <i>Lycium barbarum</i> and <i>L. chinense</i> ), tree tomato)	
0231020	Peppers (Chilli peppers)	
0231030	Aubergines (egg plants) (Pepino, antroewa/white eggplant ( <i>S. macrocarpon</i> ))	
0231040	Okra (lady's fingers)	
0231990	Others	
0232000	(b) <i>Cucurbits — edible peel</i>	
0232010	Cucumbers	
0232020	Gherkins	

▼ **M68**

Code number	Groups and examples of individual products to which the MRLs apply (*)	Benfluralin (F)
0232030	Courgettes (Summer squash, marrow (patisson), lauki ( <i>Lagenaria siceraria</i> ), chayote, sopropo/bitter melon, snake gourd, angled luffa/teroi)	
0232990	Others	
0233000	(c) <i>Cucurbits — inedible peel</i>	
0233010	Melons (Kiwano)	
0233020	Pumpkins (Winter squash, marrow (late variety))	
0233030	Watermelons	
0233990	Others	
0234000	(d) <i>Sweet corn (Baby corn)</i>	
0239000	(e) <i>Other fruiting vegetables</i>	
0240000	(iv) <b>Brassica vegetables</b>	0,02 (*)
0241000	(a) <i>Flowering brassica</i>	
0241010	Broccoli (Calabrese, Broccoli raab, Chinese broccoli)	
0241020	Cauliflower	
0241990	Others	
0242000	(b) <i>Head brassica</i>	
0242010	Brussels sprouts	
0242020	Head cabbage (Pointed head cabbage, red cabbage, savoy cabbage, white cabbage)	
0242990	Others	
0243000	(c) <i>Leafy brassica</i>	
0243010	Chinese cabbage (Indian or Chinese) mustard, pak choi, Chinese flat cabbage/ai goo choi), choy sum, Peking cabbage/pe-tsai)	
0243020	Kale (Borecole/curly kale, collards, Portuguese Kale, Portuguese cabbage, cow cabbage)	
0243990	Others	
0244000	(d) <i>Kohlrabi</i>	
0250000	(v) <b>Leaf vegetables &amp; fresh herbs</b>	
0251000	(a) <i>Lettuce and other salad plants including Brassicacea</i>	0,02 (*)
0251010	Lamb's lettuce (Italian corn salad)	
0251020	Lettuce (Head lettuce, lollo rosso (cutting lettuce), iceberg lettuce, romaine (cos) lettuce)	
0251030	Scarole (broad-leaf endive) (Wild chicory, red-leaved chicory, radicchio, curly leaf endive, sugar loaf ( <i>C. endivia</i> var. <i>crispum</i> / <i>C. intybus</i> var. <i>foliosum</i> ), dandelion greens)	

## ▼ M68

Code number	Groups and examples of individual products to which the MRLs apply (a)	Benfluralin (F)
0251040	Cress (Mung bean sprouts, alfalfa sprouts)	
0251050	Land cress	
0251060	Rocket, Rucola (Wild rocket ( <i>Diplotaxis</i> spp.))	
0251070	Red mustard	
0251080	Leaves and sprouts of <i>Brassica</i> spp, including turnip greens (Mizuna, leaves of peas and radish and other babyleaf crops, including brassica crops (crops harvested up to 8 true leaf stage), kohlrabi leaves)	
0251990	Others	
0252000	(b) <i>Spinach &amp; similar (leaves)</i>	0,02 (*)
0252010	Spinach (New Zealand spinach, amaranthus spinach (pak-khom, tampara), tajar leaves, bitterblad/bitawiri)	
0252020	Purslane (Winter purslane/miner's lettuce, garden purslane, common purslane, sorrel, glassworth, agretti ( <i>Salsola soda</i> ))	
0252030	Beet leaves (chard) (Leaves of beetroot)	
0252990	Others	
0253000	(c) <i>Vine leaves (grape leaves) (Malabar nightshade, banana leaves, climbing wattle (Acacia pennata)</i>	0,02 (*)
0254000	(d) <i>Water cress (Morning glory/Chinese convolvulus/water convolvulus/water spinach/kangkung (Ipomea aquatica), water clover, water mimosa)</i>	0,02 (*)
0255000	(e) <i>Witloof</i>	0,02 (*)
0256000	(f) <i>Herbs</i>	0,05 (*)
0256010	Chervil	
0256020	Chives	
0256030	Celery leaves (Fennel leaves, coriander leaves, dill leaves, caraway leaves, lovage, angelica, sweet cicely and other <i>Apiacea</i> leaves, culantro/stinking/long coriander/stink weed ( <i>Eryngium foetidum</i> ))	
0256040	Parsley (leaves of root parsley)	
0256050	Sage (Winter savory, summer savory, <i>Borago officinalis</i> leaves)	
0256060	Rosemary	
0256070	Thyme (Marjoram, oregano)	

▼ **M68**

Code number	Groups and examples of individual products to which the MRLs apply (*)	Benfluralin (F)
0256080	Basil (Balm leaves, mint, peppermint, holy basil, sweet basil, hairy basil, edible flowers (marigold flower and others), pennywort, wild betel leaf, curry leaves)	
0256090	Bay leaves (laurel) (Lemon grass)	
0256100	Tarragon (Hyssop)	
0256990	Others	
0260000	(vi) <b>Legume vegetables (fresh)</b>	0,02 (*)
0260010	Beans (with pods) (Green bean/French beans/snap beans, scarlet runner bean, slicing bean, yard long beans, guar beans, soya beans)	
0260020	Beans (without pods) (Broad beans, flageolets, jack bean, lima bean, cowpea)	
0260030	Peas (with pods) (Mangetout/sugar peas/snow peas)	
0260040	Peas (without pods) (Garden pea, green pea, chickpea)	
0260050	Lentils	
0260990	Others	
0270000	(vii) <b>Stem vegetables (fresh)</b>	0,02 (*)
0270010	Asparagus	
0270020	Cardoons ( <i>Borago officinalis</i> stems)	
0270030	Celery	
0270040	Fennel	
0270050	Globe artichokes (Banana flower)	
0270060	Leek	
0270070	Rhubarb	
0270080	Bamboo shoots	
0270090	Palm hearts	
0270990	Others	
0280000	(viii) <b>Fungi</b>	0,02 (*)
0280010	Cultivated fungi (Common mushroom, oyster mushroom, shiitake, <i>fungus mycelium</i> (vegetative parts))	
0280020	Wild fungi (Chanterelle, truffle, morel, cep)	
0280990	Others	
0290000	(ix) <b>Sea weeds</b>	0,02 (*)
0300000	3. <b>PULSES, DRY</b>	0,05 (*)
0300010	Beans (Broad beans, navy beans, flageolets, jack beans, lima beans, field beans, cowpeas)	
0300020	Lentils	
0300030	Peas (Chickpeas, field peas, chickling vetch)	

▼ **M68**

Code number	Groups and examples of individual products to which the MRLs apply (*)	Benfluralin (F)
0300040	Lupins	
0300990	Others	
0400000	4. <b>OILSEEDS AND OILFRUITS</b>	0,02 (*)
0401000	(i) <b>Oilseeds</b>	
0401010	Linseed	
0401020	Peanuts	
0401030	Poppy seed	
0401040	Sesame seed	
0401050	Sunflower seed	
0401060	Rape seed (Bird rapeseed, turnip rape)	
0401070	Soya bean	
0401080	Mustard seed	
0401090	Cotton seed	
0401100	Pumpkin seeds (Other seeds of <i>Cucurbitaceae</i> )	
0401110	Safflower	
0401120	Borage (Purple viper's bugloss/Canary flower ( <i>Echium plantagineum</i> ), Corn Gromwell ( <i>Buglossoides arvensis</i> ))	
0401130	Gold of pleasure	
0401140	Hempseed	
0401150	Castor bean	
0401990	Others	
0402000	(ii) <b>Oilfruits</b>	
0402010	Olives for oil production	
0402020	Palm nuts (palmoil kernels)	
0402030	Palmfruit	
0402040	Kapok	
0402990	Others	
0500000	5. <b>CEREALS</b>	0,02 (*)
0500010	Barley	
0500020	Buckwheat ( <i>Amaranthus</i> , quinoa)	
0500030	Maize	
0500040	Millet (Foxtail millet, teff, finger millet, pearl millet)	
0500050	Oats	
0500060	Rice (Indian/wild rice ( <i>Zizania aquatica</i> ))	
0500070	Rye	
0500080	Sorghum	
0500090	Wheat (Spelt, triticale)	
0500990	Others (Canary grass seeds ( <i>Phalaris canariensis</i> ))	



▼ **M68**

Code number	Groups and examples of individual products to which the MRLs apply (*)	Benfluralin (F)
0600000	6. <b>TEA, COFFEE, HERBAL INFUSIONS AND COCOA</b>	0,1 (*)
0610000	(i) <b>Tea</b>	
0620000	(ii) <b>Coffee beans</b>	
0630000	(iii) <b>Herbal infusions (dried)</b>	
0631000	(a) <i>Flowers</i>	
0631010	Camomille flowers	
0631020	Hybiscus flowers	
0631030	Rose petals	
0631040	Jasmine flowers (Elderflowers ( <i>Sambucus nigra</i> ))	
0631050	Lime (linden)	
0631990	Others	
0632000	(b) <i>Leaves</i>	
0632010	Strawberry leaves	
0632020	Rooibos leaves (Ginkgo leaves)	
0632030	Maté	
0632990	Others	
0633000	(c) <i>Roots</i>	
0633010	Valerian root	
0633020	Ginseng root	
0633990	Others	
0639000	(d) <i>Other herbal infusions</i>	
0640000	(iv) <b>Cocoabeans (fermented or dried)</b>	
0650000	(v) <b>Carob (st johns bread)</b>	
0700000	7. <b>HOPS (dried)</b>	0,1 (*)
0800000	8. <b>SPICES</b>	
0810000	(i) <b>Seeds</b>	0,1 (*)
0810010	Anise	
0810020	Black caraway	
0810030	Celery seed (Lovage seed)	
0810040	Coriander seed	
0810050	Cumin seed	
0810060	Dill seed	
0810070	Fennel seed	
0810080	Fenugreek	
0810090	Nutmeg	
0810990	Others	
0820000	(ii) <b>Fruits and berries</b>	0,1 (*)
0820010	Allspice	

▼ **M68**

Code number	Groups and examples of individual products to which the MRLs apply (*)	Benfluralin (F)
0820020	Sichuan pepper (Anise pepper, Japan pepper)	
0820030	Caraway	
0820040	Cardamom	
0820050	Juniper berries	
0820060	Pepper, black, green and white (Long pepper, pink pepper)	
0820070	Vanilla pods	
0820080	Tamarind	
0820990	Others	
0830000	(iii) <b>Bark</b>	0,1 (*)
0830010	Cinnamon (Cassia)	
0830990	Others	
0840000	(iv) <b>Roots or rhizome</b>	
0840010	Liquorice	0,1 (*)
0840020	Ginger	0,1 (*)
0840030	Turmeric (Curcuma)	0,1 (*)
0840040	Horseradish	(+)
0840990	Others	0,1 (*)
0850000	(v) <b>Buds</b>	0,1 (*)
0850010	Cloves	
0850020	Capers	
0850990	Others	
0860000	(vi) <b>Flower stigma</b>	0,1 (*)
0860010	Saffron	
0860990	Others	
0870000	(vii) <b>Aril</b>	0,1 (*)
0870010	Mace	
0870990	Others	
0900000	9. <b>SUGAR PLANTS</b>	0,02 (*)
0900010	Sugar beet (root)	
0900020	Sugar cane	
0900030	Chicory roots	
0900990	Others	

▼ **M68**

Code number	Groups and examples of individual products to which the MRLs apply (4)	Benfluralin (F)
1000000	<b>10. PRODUCTS OF ANIMAL ORIGIN- TERRESTRIAL ANIMALS</b>	
1010000	(i) <b>Tissue</b>	0,02 (*)
1011000	(a) <i>Swine</i>	
1011010	Muscle	
1011020	Fat	
1011030	Liver	
1011040	Kidney	
1011050	Edible offal	
1011990	Others	
1012000	(b) <i>Bovine</i>	
1012010	Muscle	
1012020	Fat	
1012030	Liver	
1012040	Kidney	
1012050	Edible offal	
1012990	Others	
1013000	(c) <i>Sheep</i>	
1013010	Muscle	
1013020	Fat	
1013030	Liver	
1013040	Kidney	
1013050	Edible offal	
1013990	Others	
1014000	(d) <i>Goat</i>	
1014010	Muscle	
1014020	Fat	
1014030	Liver	
1014040	Kidney	
1014050	Edible offal	
1014990	Others	
1015000	(e) <i>Horses, asses, mules or hinnies</i>	
1015010	Muscle	
1015020	Fat	

▼ **M68**

Code number	Groups and examples of individual products to which the MRLs apply (*)	Benfluralin (F)
1015030	Liver	
1015040	Kidney	
1015050	Edible offal	
1015990	Others	
1016000	(f) <i>Poultry -chicken, geese, duck, turkey and Guinea fowl-, ostrich, pigeon</i>	
1016010	Muscle	
1016020	Fat	
1016030	Liver	
1016040	Kidney	
1016050	Edible offal	
1016990	Others	
1017000	(g) <i>Other farm animals (Rabbit, kangaroo, deer)</i>	
1017010	Muscle	
1017020	Fat	
1017030	Liver	
1017040	Kidney	
1017050	Edible offal	
1017990	Others	
1020000	(ii) <b>Milk</b>	0,02 (*)
1020010	Cattle	
1020020	Sheep	
1020030	Goat	
1020040	Horse	
1020990	Others	
1030000	(iii) <b>Bird eggs</b>	0,02 (*)
1030010	Chicken	
1030020	Duck	
1030030	Goose	
1030040	Quail	
1030990	Others	

▼ **M68**

Code number	Groups and examples of individual products to which the MRLs apply <sup>(4)</sup>	Benfluralin (F)
1040000	(iv) <b>Honey (Royal jelly, pollen, honey comb with honey (comb honey))</b>	0,05 (*)
1050000	(v) <b>Amphibians and reptiles (Frog legs, crocodiles)</b>	0,02 (*)
1060000	(vi) <b>Snails</b>	0,02 (*)
1070000	(vii) <b>Other terrestrial animal products (Wild game)</b>	0,02 (*)

▼ **M71****Pesticide residues and maximum residue levels (mg/kg)**

Code number	Groups and examples of individual products to which the MRLs apply (*)	Cyprodinil (F) (R)	Metaldehyde	Sum of metabolites 479M04, 479M08, 479M16, expressed as etazachlor (R)
0100000	1. <b>FRUIT FRESH OR FROZEN NUTS</b>		<b>0,05 (*)</b>	<b>0,02 (*)</b>
0110000	(i) <b>Citrus fruit</b>	<b>0,02 (*)</b>		
0110010	Grapefruit (Shaddocks, pomelos, sweeties, tangelo (except mineola), ugli and other hybrids)			
0110020	Oranges (Bergamot, bitter orange, chinotto and other hybrids)			
0110030	Lemons (Citron, lemon, Buddha's hand (Citrus medica var. sarcodactylis))			
0110040	Limes			
0110050	Mandarins (Clementine, tangerine, mineola and other hybrids tangor (Citrus reticulata × sinensis))			
0110990	Others			
0120000	(ii) <b>Tree nuts</b>	<b>0,02 (*)</b>		
0120010	Almonds	(+)		
0120020	Brazil nuts			
0120030	Cashew nuts			
0120040	Chestnuts			
0120050	Coconuts			
0120060	Hazelnuts (Filbert)			
0120070	Macadamia			
0120080	Pecans			
0120090	Pine nuts			
0120100	Pistachios			
0120110	Walnuts			
0120990	Others			
0130000	(iii) <b>Pome fruit</b>			
0130010	Apples (Crab apple)	<b>1,5</b>		
0130020	Pears (Oriental pear)	<b>1,5</b>		
0130030	Quinces	<b>1,5</b>		
0130040	Medlar	<b>0,9</b>		
0130050	Loquat	<b>0,9</b>		
0130990	Others	<b>0,02 (*)</b>		
0140000	(iv) <b>Stone fruit</b>	<b>2</b>		
0140010	Apricots			
0140020	Cherries (Sweet cherries, sour cherries)			
0140030	Peaches (Nectarines and similar hybrids)			

## ▼ M71

Code number	Groups and examples of individual products to which the MRLs apply (*)	Cyprodinil (F) (R)	Metaldehyde	Sum of metabolites 479M04, 479M08, 479M16, expressed as etazachlor (R)
0140040	Plums (Damson, greengage, mirabelle, sloe, red date/Chinese date/Chinese jujube ( <i>Ziziphus zizyphus</i> ))			
0140990	Others			
0150000	(v) <b>Berries &amp; small fruit</b>			
0151000	(a) <i>Table and wine grapes</i>	<b>3</b>		
0151010	Table grapes			
0151020	Wine grapes			
0152000	(b) <i>Strawberries</i>	5		
0153000	(c) <i>Cane fruit</i>			
0153010	Blackberries	<b>3</b>		
0153020	Dewberries (Loganberries, tayberries, boysenberries, cloudberries and other <i>Rubus</i> hybrids)	<b>0,02 (*)</b>		
0153030	Raspberries (Wineberries, arctic bramble/raspberry, ( <i>Rubus arcticus</i> ), nectar raspberries ( <i>Rubus arcticus</i> × <i>Rubus idaeus</i> ))	<b>3</b>		
0153990	Others	<b>0,02 (*)</b>		
0154000	(d) <i>Other small fruit &amp; berries</i>	<b>3</b>		
0154010	Blueberries (Bilberries)			
0154020	Cranberries (Cowberries/red bilberries ( <i>V. vitis-idaea</i> ))			
0154030	Currants (red, black and white)			
0154040	Gooseberries (Including hybrids with other <i>Ribes</i> species)			
0154050	Rose hips			
0154060	Mulberries ( <i>Arbutus</i> berry)			
0154070	Azarole (mediteranean medlar) (Kiwiberry ( <i>Actinidia arguta</i> ))			
0154080	Elderberries (Black chokeberry/appleberry, mountain ash, buckthorn/sea sallowthorn, hawthorn, serviceberries, and other tree-berries)			
0154990	Others			
0160000	(vi) <b>Miscellaneous fruit</b>	<b>0,02 (*)</b>		
0161000	(a) <i>Edible peel</i>			
0161010	Dates			
0161020	Figs			
0161030	Table olives			
0161040	Kumquats (Marumi kumquats, nagami kumquats, limequats ( <i>Citrus aurantifolia</i> × <i>Fortunella</i> spp.))			
0161050	Carambola (Bilimbi)			
0161060	Persimmon			

▼ **M71**

Code number	Groups and examples of individual products to which the MRLs apply (*)	Cyprodinil (F) (R)	Metaldehyde	Sum of metabolites 479M04, 479M08, 479M16, expressed as etazachlor (R)
0161070	Jambolan (java plum) (Java apple/water apple, pomerac, rose apple, Brazilian cherry, Surinam cherry/grumichama ( <i>Eugenia uniflora</i> ))			
0161990	Others			
0162000	(b) <i>Inedible peel, small</i>			
0162010	Kiwi			
0162020	Lychee (Litchi) (Pulasan, rambutan/hairy litchi, longan, mangosteen, langsung, salak)			
0162030	Passion fruit			
0162040	Prickly pear (cactus fruit)			
0162050	Star apple			
0162060	American persimmon (Virginia kaki) (Black sapote, white sapote, green sapote, canistel/yellow sapote, mammey sapote)			
0162990	Others			
0163000	(c) <i>Inedible peel, large</i>			
0163010	Avocados			
0163020	Bananas (Dwarf banana, plantain, apple banana)			
0163030	Mangoes			
0163040	Papaya			
0163050	Pomegranate			
0163060	Cherimoya (Custard apple, sugar apple/sweetsop, ilama ( <i>Annona diversifolia</i> ) and other medium sized Annonaceae fruits)			
0163070	Guava (Red pitaya/dragon fruit ( <i>Hylocereus undatus</i> ))			
0163080	Pineapples			
0163090	Bread fruit (Jackfruit)			
0163100	Durian			
0163110	Soursop (guanabana)			
0163990	Others			
0200000	<b>2. VEGETABLES FRESH OR FROZEN</b>			
0210000	(i) <b>Root and tuber vegetables</b>			
0211000	(a) <i>Potatoes</i>	<b>0,02 (*)</b>	<b>0,15 (+)</b>	<b>0,02 (*)</b>
0212000	(b) <i>Tropical root and tuber vegetables</i>	<b>0,02 (*)</b>	<b>0,05 (*)</b>	<b>0,02 (*)</b>
0212010	Cassava (Dasheen, eddoe/Japanese taro, tannia)			
0212020	Sweet potatoes			
0212030	Yams (Potato bean/yam bean, Mexican yam bean)			



▼ **M71**

Code number	Groups and examples of individual products to which the MRLs apply (*)	Cyprodinil (F) (R)	Metaldehyde	Sum of metabolites 479M04, 479M08, 479M16, expressed as etazachlor (R)
0212040	Arrowroot			
0212990	Others			
0213000	(c) <i>Other root and tuber vegetables except sugar beet</i>		(+)	
0213010	Beetroot	1,5	0,3	0,02 (*)
0213020	Carrots	1,5	0,3	0,02 (*)
0213030	Celeriac	0,3	0,3	0,02 (*)
0213040	Horseradish (Angelica roots, lovage roots, gentiana roots)	1,5	0,3	0,15 (+)
0213050	Jerusalem artichokes (Crosne)	0,02 (*)	0,3	0,02 (*)
0213060	Parsnips	1,5	0,3	0,02 (*)
0213070	Parsley root	1,5	0,3	0,02 (*)
0213080	Radishes (Black radish, Japanese radish, small radish and similar varieties, tiger nut (Cyperus esculentus))	0,08	0,3	0,4 (+)
0213090	Salsify (Scorzonera, Spanish salsify/Spanish oysterplant, edible burdock)	1,5	0,3	0,02 (*)
0213100	Swedes	0,02 (*)	0,05 (*)	0,15 (+)
0213110	Turnips	0,02 (*)	0,3	0,15 (+)
0213990	Others	0,02 (*)	0,05 (*)	0,02 (*)
0220000	(ii) <b>Bulb vegetables</b>		0,05 (*)	
0220010	Garlic	0,07		0,06 (*)
0220020	Onions (Other bulb onions, silverskin onions)	0,3		0,02 (*)
0220030	Shallots	0,07		0,02 (*)
0220040	Spring onions and welsh onions (Other green onions and similar varieties)	0,8		0,02 (*)
0220990	Others	0,02 (*)		0,02 (*)
0230000	(iii) <b>Fruiting vegetables</b>			0,02 (*)
0231000	(a) <i>Solanacea</i>			
0231010	Tomatoes (Cherry tomatoes, Physalis spp., gojiberry, wolfberry (Lycium barbarum and L. chinense), tree tomato)	1,5	0,15 (+)	
0231020	Peppers (Chilli peppers)	1,5	0,05 (*)	
0231030	Aubergines (egg plants) (Pepino, antroewa/white eggplant (S. macrocarpon))	1,5	0,15 (+)	
0231040	Okra (lady's fingers)	0,02 (*)	0,05 (*)	
0231990	Others	0,02 (*)	0,05 (*)	
0232000	(b) <i>Cucurbits — edible peel</i>	0,5	0,05 (*)	
0232010	Cucumbers			
0232020	Gherkins			

▼ **M71**

Code number	Groups and examples of individual products to which the MRLs apply (*)	Cyprodinil (F) (R)	Metaldehyde	Sum of metabolites 479M04, 479M08, 479M16, expressed as etazachlor (R)
0232030	Courgettes (Summer squash, marrow (patisson), lauki (Lagenaria siceraria), chayote, sopropo/bitter melon, snake gourd, angled luffa/teroi)			
0232990	Others			
0233000	(c) <i>Cucurbits-inedible peel</i>	0,6	0,05 (*)	
0233010	Melons (Kiwano)			
0233020	Pumpkins (Winter squash, marrow (late variety))			
0233030	Watermelons			
0233990	Others			
0234000	(d) <i>Sweet corn (Baby corn)</i>	<b>0,02</b> (*)	0,05 (*)	
0239000	(e) <i>Other fruiting vegetables</i>	<b>0,02</b> (*)	0,05 (*)	
0240000	(iv) <b>Brassica vegetables</b>	<b>0,02</b> (*)	(+)	
0241000	(a) <i>Flowering brassica</i>		<b>0,4</b>	<b>0,4</b> (+)
0241010	Broccoli (Calabrese, Broccoli raab, Chinese broccoli)			
0241020	Cauliflower			
0241990	Others			
0242000	(b) <i>Head brassica</i>		<b>0,4</b>	
0242010	Brussels sprouts			<b>0,06</b> (*)
0242020	Head cabbage (Pointed head cabbage, red cabbage, savoy cabbage, white cabbage)			<b>0,4</b> (+)
0242990	Others			<b>0,02</b> (*)
0243000	(c) <i>Leafy brassica</i>		<b>0,4</b>	<b>0,2</b> (+)
0243010	Chinese cabbage (Indian or Chinese) mustard, pak choi, Chinese flat cabbage/ai goo choi, choi sum, Peking cabbage/pe-tsai)			
0243020	Kale (Borecole/curly kale, collards, Portuguese Kale, Portuguese cabbage, cow cabbage)			
0243990	Others			
0244000	(d) <i>Kohlrabi</i>		<b>0,15</b>	<b>0,3</b> (+)
0250000	(v) <b>Leaf vegetables &amp; fresh herbs</b>			
0251000	(a) <i>Lettuce and other salad plants including Brassicacea</i>	15	<b>2</b> (+)	<b>0,02</b> (*)
0251010	Lamb's lettuce (Italian corn salad)			
0251020	Lettuce (Head lettuce, lollo rosso (cutting lettuce), iceberg lettuce, romaine (cos) lettuce)			
0251030	Scarole (broad-leaf endive) (Wild chicory, red-leaved chicory, radicchio, curly leaf endive, sugar loaf (C. endivia var. crispum/C. intybus var. foliosum), dandelion greens)			

## ▼ M71

Code number	Groups and examples of individual products to which the MRLs apply (*)	Cyprodinil (F) (R)	Metaldehyde	Sum of metabolites 479M04, 479M08, 479M16, expressed as etazachlor (R)
0251040	Cress (Mung bean sprouts, alfalfa sprouts)			
0251050	Land cress			
0251060	Rocket, Rucola (Wild rocket (Diplotaxis spp.))			
0251070	Red mustard			
0251080	Leaves and sprouts of Brassica spp, including turnip greens (Mizuna, leaves of peas and radish and other babyleaf crops, including brassica crops (crops harvested up to 8 true leaf stage), kohlrabi leaves)			
0251990	Others			
0252000	(b) <i>Spinach &amp; similar (leaves)</i>	15	2 (+)	0,02 (*)
0252010	Spinach (New Zealand spinach, amaranthus spinach (pak-khom, tampara), tajar leaves, bitterblad/bitawiri)			
0252020	Purslane (Winter purslane/miner's lettuce, garden purslane, common purslane, sorrel, glassworth, agretti (Salsola soda))			
0252030	Beet leaves (chard) (Leaves of beetroot)			
0252990	Others			
0253000	(c) <i>Vine leaves (grape leaves) (Malabar nightshade, banana leaves, climbing wattle (Acacia pennata))</i>	0,02 (*)	0,05 (*)	0,02 (*)
0254000	(d) <i>Water cress (Morning glory/ Chinese convolvulus/water convolvulus/water spinach/ kangkung (Ipomea aquatica), water clover, water mimosa)</i>	0,02 (*)	0,05 (*)	0,02 (*)
0255000	(e) <i>Witloof</i>	0,06	0,05 (*)	0,02 (*)
0256000	(f) <i>Herbs</i>	15	2	0,1 (*)
0256010	Chervil			
0256020	Chives			
0256030	Celery leaves (Fennel leaves, coriander leaves, dill leaves, caraway leaves, lovage, angelica, sweet cicely and other Apiacea leaves, culantro/stinking/long coriander/stink weed (Eryngium foetidum))			
0256040	Parsley (leaves of root parsley)			
0256050	Sage (Winter savory, summer savory, Borago officinalis leaves)			
0256060	Rosemary			
0256070	Thyme (Marjoram, oregano)			

▼ **M71**

Code number	Groups and examples of individual products to which the MRLs apply (*)	Cyprodinil (F) (R)	Metaldehyde	Sum of metabolites 479M04, 479M08, 479M16, expressed as etazachlor (R)
0256080	Basil (Balm leaves, mint, peppermint, holy basil, sweet basil, hairy basil, edible flowers (marigold flower and others), pennywort, wild betel leaf, curry leaves)			
0256090	Bay leaves (laurel) (Lemon grass)			
0256100	Tarragon (Hyssop)			
0256990	Others			
0260000	<b>(vi) Legume vegetables (fresh)</b>			<b>0,02 (*)</b>
0260010	Beans (with pods) (Green bean/French beans/snap beans, scarlet runner bean, slicing bean, yard long beans, guar beans, soya beans)	2	<b>0,4</b>	
0260020	Beans (without pods) (Broad beans, flageolets, jack bean, lima bean, cowpea)	<b>0,08</b>	<b>0,3</b>	
0260030	Peas (with pods) (Mangetout/sugar peas/snow peas)	2	<b>0,4</b>	
0260040	Peas (without pods) (Garden pea, green pea, chickpea)	<b>0,08</b>	<b>0,3</b>	
0260050	Lentils	0,2	0,05 (*)	
0260990	Others	<b>0,02 (*)</b>	0,05 (*)	
0270000	<b>(vii) Stem vegetables (fresh)</b>			
0270010	Asparagus	<b>0,02 (*)</b>	<b>0,05 (*)</b>	<b>0,02 (*)</b>
0270020	Cardoons ( <i>Borago officinalis</i> stems)	<b>0,02 (*)</b>	<b>0,05 (*)</b>	<b>0,02 (*)</b>
0270030	Celery	5	<b>0,05 (*)</b>	<b>0,02 (*)</b>
0270040	Fennel	<b>0,3</b>	<b>0,05 (*)</b>	<b>0,02 (*)</b>
0270050	Globe artichokes (Banana flower)	<b>0,02 (*)</b>	<b>0,07 (+)</b>	<b>0,06 (*)</b>
0270060	Leek	<b>0,02 (*)</b>	<b>0,5 (+)</b>	<b>0,06 (*)</b>
0270070	Rhubarb	<b>0,02 (*)</b>	<b>0,05 (*)</b>	<b>0,02 (*)</b>
0270080	Bamboo shoots	<b>0,02 (*)</b>	<b>0,05 (*)</b>	<b>0,02 (*)</b>
0270090	Palm hearts	<b>0,02 (*)</b>	<b>0,05 (*)</b>	<b>0,02 (*)</b>
0270990	Others	<b>0,02 (*)</b>	<b>0,05 (*)</b>	<b>0,02 (*)</b>
0280000	<b>(viii) Fungi</b>	<b>0,02 (*)</b>	0,05 (*)	<b>0,02 (*)</b>
0280010	Cultivated fungi (Common mushroom, oyster mushroom, shiitake, fungus mycelium (vegetative parts))			
0280020	Wild fungi (Chanterelle, truffle, morel, cep)			
0280990	Others			
0290000	<b>(ix) Sea weeds</b>	<b>0,02 (*)</b>	0,05 (*)	<b>0,02 (*)</b>
0300000	<b>3. PULSES, DRY</b>		<b>0,2</b>	<b>0,02 (*)</b>
0300010	Beans (Broad beans, navy beans, flageolets, jack beans, lima beans, field beans, cowpeas)	0,2		
0300020	Lentils	<b>0,02 (*)</b>		
0300030	Peas (Chickpeas, field peas, chickling vetch)	<b>0,1</b>		

▼ **M71**

Code number	Groups and examples of individual products to which the MRLs apply (*)	Cyprodinil (F) (R)	Metaldehyde	Sum of metabolites 479M04, 479M08, 479M16, expressed as etazachlor (R)
0300040	Lupins	<b>0,1</b>		
0300990	Others	<b>0,02 (*)</b>		
0400000	<b>4. OILSEEDS AND OILFRUITS</b>	<b>0,02 (*)</b>		
0401000	(i) <b>Oilseeds</b>			
0401010	Linseed		<b>0,6</b>	<b>0,06 (*)</b>
0401020	Peanuts		0,05 (*)	<b>0,02 (*)</b>
0401030	Poppy seed		<b>0,6</b>	<b>0,02 (*)</b>
0401040	Sesame seed		<b>0,6</b>	<b>0,02 (*)</b>
0401050	Sunflower seed		<b>0,6</b>	<b>0,06 (*)</b>
0401060	Rape seed (Bird rapeseed, turnip rape)		0,6	<b>0,06 (*)</b>
0401070	Soya bean		<b>0,6</b>	<b>0,02 (*)</b>
0401080	Mustard seed		<b>0,6</b>	<b>0,06 (*)</b>
0401090	Cotton seed		<b>0,6</b>	<b>0,02 (*)</b>
0401100	Pumpkin seeds (Other seeds of Cucurbitaceae)		<b>0,6</b>	<b>0,02 (*)</b>
0401110	Safflower		<b>0,6</b>	<b>0,02 (*)</b>
0401120	Borage (Purple viper's bugloss/Canary flower (Echium plantagineum), Corn Gromwell (Buglossoides arvensis))		<b>0,6</b>	<b>0,06 (*)</b>
0401130	Gold of pleasure		<b>0,6</b>	<b>0,06 (*)</b>
0401140	Hempseed		<b>0,6</b>	<b>0,02 (*)</b>
0401150	Castor bean		0,05 (*)	<b>0,02 (*)</b>
0401990	Others		0,05 (*)	<b>0,02 (*)</b>
0402000	(ii) <b>Oilfruits</b>		0,05 (*)	<b>0,02 (*)</b>
0402010	Olives for oil production			
0402020	Palm nuts (palmoil kernels)			
0402030	Palmfruit			
0402040	Kapok			
0402990	Others			
0500000	<b>5. CEREALS</b>		0,05 (*)	<b>0,02 (*)</b>
0500010	Barley	<b>4</b>		
0500020	Buckwheat (Amaranthus, quinoa)	<b>0,02 (*)</b>		
0500030	Maize	<b>0,02 (*)</b>		
0500040	Millet (Foxtail millet, teff, finger millet, pearl millet)	<b>0,02 (*)</b>		
0500050	Oats	<b>4</b>		
0500060	Rice (Indian/wild rice (Zizania aquatica))	<b>0,02 (*)</b>		
0500070	Rye	0,5		
0500080	Sorghum	<b>0,02 (*)</b>		
0500090	Wheat (Spelt, triticale)	0,5		
0500990	Others (Canary grass seeds (Phalaris canariensis))	<b>0,02 (*)</b>		

▼ **M71**

Code number	Groups and examples of individual products to which the MRLs apply (*)	Cyprodinil (F) (R)	Metaldehyde	Sum of metabolites 479M04, 479M08, 479M16, expressed as etazachlor (R)
0600000	<b>6. TEA, COFFEE, HERBAL INFUSIONS AND COCOA</b>		<b>0,1 (*)</b>	<b>0,1 (*)</b>
0610000	(i) <b>Tea</b>	<b>0,1 (*)</b>		
0620000	(ii) <b>Coffee beans</b>	<b>0,1 (*)</b>		
0630000	(iii) <b>Herbal infusions (dried)</b>			
0631000	(a) <i>Flowers</i>	<b>0,1 (*)</b>		
0631010	Camomille flowers			
0631020	Hybiscus flowers			
0631030	Rose petals			
0631040	Jasmine flowers (Elderflowers (Sambucus nigra))			
0631050	Lime (linden)			
0631990	Others			
0632000	(b) <i>Leaves</i>	<b>0,1 (*)</b>		
0632010	Strawberry leaves			
0632020	Rooibos leaves (Ginkgo leaves)			
0632030	Maté			
0632990	Others			
0633000	(c) <i>Roots</i>	<b>1,5 (+)</b>		
0633010	Valerian root			
0633020	Ginseng root			
0633990	Others			
0639000	(d) <i>Other herbal infusions</i>	<b>0,1 (*)</b>		
0640000	(iv) <b>Cocoabeans (fermented or dried)</b>	<b>0,1 (*)</b>		
0650000	(v) <b>Carob (st johns bread)</b>	<b>0,1 (*)</b>		
0700000	<b>7. HOPS (dried)</b>	<b>0,1 (*)</b>	<b>0,1 (*)</b>	<b>0,1 (*)</b>
0800000	<b>8. SPICES</b>			
0810000	(i) <b>Seeds</b>	<b>0,1 (*)</b>	<b>0,1 (*)</b>	<b>0,1 (*)</b>
0810010	Anise			
0810020	Black caraway			
0810030	Celery seed (Lovage seed)			
0810040	Coriander seed			
0810050	Cumin seed			
0810060	Dill seed			
0810070	Fennel seed			
0810080	Fenugreek			
0810090	Nutmeg			
0810990	Others			
0820000	(ii) <b>Fruits and berries</b>	<b>0,1 (*)</b>	<b>0,1 (*)</b>	<b>0,1 (*)</b>
0820010	Allspice			

▼ **M71**

Code number	Groups and examples of individual products to which the MRLs apply (*)	Cyprodinil (F) (R)	Metaldehyde	Sum of metabolites 479M04, 479M08, 479M16, expressed as etazachlor (R)
0820020	Sichuan pepper (Anise pepper, Japan pepper)			
0820030	Caraway			
0820040	Cardamom			
0820050	Juniper berries			
0820060	Pepper, black, green and white (Long pepper, pink pepper)			
0820070	Vanilla pods			
0820080	Tamarind			
0820990	Others			
0830000	(iii) <b>Bark</b>	<b>0,1 (*)</b>	<b>0,1 (*)</b>	<b>0,1 (*)</b>
0830010	Cinnamon (Cassia)			
0830990	Others			
0840000	(iv) <b>Roots or rhizome</b>	(+)		
0840010	Liquorice	<b>1,5</b>	<b>0,1 (*)</b>	<b>0,1 (*)</b>
0840020	Ginger	<b>1,5</b>	<b>0,1 (*)</b>	<b>0,1 (*)</b>
0840030	Turmeric (Curcuma)	<b>1,5</b>	<b>0,1 (*)</b>	<b>0,1 (*)</b>
0840040	Horseradish		(+)	(+)
0840990	Others	<b>1,5</b>	<b>0,1 (*)</b>	<b>0,1 (*)</b>
0850000	(v) <b>Buds</b>	<b>0,1 (*)</b>	<b>0,1 (*)</b>	<b>0,1 (*)</b>
0850010	Cloves			
0850020	Capers			
0850990	Others			
0860000	(vi) <b>Flower stigma</b>	<b>0,1 (*)</b>	<b>0,1 (*)</b>	<b>0,1 (*)</b>
0860010	Saffron			
0860990	Others			
0870000	(vii) <b>Aril</b>	<b>0,1 (*)</b>	<b>0,1 (*)</b>	<b>0,1 (*)</b>
0870010	Mace			
0870990	Others			
0900000	9. <b>SUGAR PLANTS</b>	<b>0,02 (*)</b>	0,05 (*)	<b>0,02 (*)</b>
0900010	Sugar beet (root)			
0900020	Sugar cane			
0900030	Chicory roots			
0900990	Others			

▼ **M71**

Code number	Groups and examples of individual products to which the MRLs apply (*)	Cyprodinil (F) (R)	Metaldehyde	Sum of metabolites 479M04, 479M08, 479M16, expressed as etazachlor (R)
1000000	<b>10. PRODUCTS OF ANIMAL ORIGIN- TERRESTRIAL ANIMALS</b>	(+)	(+)	
1010000	(i) <b>Tissue</b>		<b>0,01 (*)</b>	
1011000	(a) <i>Swine</i>	<b>0,02 (*)</b>		
1011010	Muscle			0,05 (*)
1011020	Fat			0,05 (*)
1011030	Liver			0,2
1011040	Kidney			0,05 (*)
1011050	Edible offal			0,05 (*)
1011990	Others			0,05 (*)
1012000	(b) <i>Bovine</i>			
1012010	Muscle	<b>0,02 (*)</b>		0,05 (*)
1012020	Fat	<b>0,02 (*)</b>		0,05 (*)
1012030	Liver	<b>0,05</b>		0,3
1012040	Kidney	<b>0,05</b>		0,05 (*)
1012050	Edible offal	<b>0,02 (*)</b>		0,05 (*)
1012990	Others	<b>0,02 (*)</b>		0,05 (*)
1013000	(c) <i>Sheep</i>			
1013010	Muscle	<b>0,02 (*)</b>		0,05 (*)
1013020	Fat	<b>0,02 (*)</b>		0,05 (*)
1013030	Liver	<b>0,05</b>		0,3
1013040	Kidney	<b>0,05</b>		0,05 (*)
1013050	Edible offal	<b>0,02 (*)</b>		0,05 (*)
1013990	Others	<b>0,02 (*)</b>		0,05 (*)
1014000	(d) <i>Goat</i>			
1014010	Muscle	<b>0,02 (*)</b>		0,05 (*)
1014020	Fat	<b>0,02 (*)</b>		0,05 (*)
1014030	Liver	<b>0,05</b>		0,3
1014040	Kidney	<b>0,05</b>		0,05 (*)
1014050	Edible offal	<b>0,02 (*)</b>		0,05 (*)
1014990	Others	<b>0,02 (*)</b>		0,05 (*)
1015000	(e) <i>Horses, asses, mules or hinnies</i>			
1015010	Muscle	<b>0,02 (*)</b>		0,05 (*)
1015020	Fat	<b>0,02 (*)</b>		0,05 (*)



▼ **M71**

Code number	Groups and examples of individual products to which the MRLs apply (*)	Cyprodinil (F) (R)	Metaldehyde	Sum of metabolites 479M04, 479M08, 479M16, expressed as etazachlor (R)
1015030	Liver	<b>0,05</b>		<b>0,3</b>
1015040	Kidney	<b>0,05</b>		0,05 (*)
1015050	Edible offal	<b>0,02 (*)</b>		0,05 (*)
1015990	Others	<b>0,02 (*)</b>		0,05 (*)
1016000	(f) <i>Poultry -chicken, geese, duck, turkey and Guinea fowl-, ostrich, pigeon</i>	<b>0,02 (*)</b>		0,05 (*)
1016010	Muscle			
1016020	Fat			
1016030	Liver			
1016040	Kidney			
1016050	Edible offal			
1016990	Others			
1017000	(g) <i>Other farm animals (Rabbit, kangaroo, deer)</i>			
1017010	Muscle	<b>0,02 (*)</b>		0,05 (*)
1017020	Fat	<b>0,02 (*)</b>		0,05 (*)
1017030	Liver	<b>0,05</b>		<b>0,3</b>
1017040	Kidney	<b>0,05</b>		0,05 (*)
1017050	Edible offal	<b>0,02 (*)</b>		0,05 (*)
1017990	Others	<b>0,02 (*)</b>		0,05 (*)
1020000	(ii) <b>Milk</b>	<b>0,02 (*)</b>	<b>0,01 (*)</b>	<b>0,01 (*)</b>
1020010	Cattle			
1020020	Sheep			
1020030	Goat			
1020040	Horse			
1020990	Others			
1030000	(iii) <b>Bird eggs</b>	<b>0,02 (*)</b>	<b>0,01 (*)</b>	0,05 (*)
1030010	Chicken			
1030020	Duck			
1030030	Goose			
1030040	Quail			
1030990	Others			

▼ **M71**

Code number	Groups and examples of individual products to which the MRLs apply (*)	Cyprodinil (F) (R)	Metaldehyde	Sum of metabolites 479M04, 479M08, 479M16, expressed as etazachlor (R)
1040000	(iv) <b>Honey (Royal jelly, pollen, honey comb with honey (comb honey))</b>	0,05 (*)	0,05 (*)	0,05 (*)
1050000	(v) <b>Amphibians and reptiles (Frog legs, crocodiles)</b>	<b>0,02</b> (*)	<b>0,01</b> (*)	0,05 (*)
1060000	(vi) <b>Snails</b>	<b>0,02</b> (*)	<b>0,01</b> (*)	0,05 (*)
1070000	(vii) <b>Other terrestrial animal products (Wild game)</b>	<b>0,02</b> (*)	<b>0,01</b> (*)	0,05 (*)

▼ **M73****Pesticide residues and maximum residue levels (mg/kg)**

Code number	Groups and examples of individual products to which the MRLs apply (*)	BifenoX (F)
0100000	1. <b>FRUIT FRESH OR FROZEN NUTS</b>	<b>0,01 (*)</b>
0110000	(i) <b>Citrus fruit</b>	
0110010	Grapefruit (Shaddocks, pomelos, sweeties, tangelo (except mineola), ugli and other hybrids)	
0110020	Oranges (Bergamot, bitter orange, chinotto and other hybrids)	
0110030	Lemons (Citron, lemon, Buddha's hand (Citrus medica var. sarcodactylis))	
0110040	Limes	
0110050	Mandarins (Clementine, tangerine, mineola and other hybrids tangor (Citrus reticulata × sinensis))	
0110990	Others	
0120000	(ii) <b>Tree nuts</b>	
0120010	Almonds	
0120020	Brazil nuts	
0120030	Cashew nuts	
0120040	Chestnuts	
0120050	Coconuts	
0120060	Hazelnuts (Filbert)	
0120070	Macadamia	
0120080	Pecans	
0120090	Pine nuts	
0120100	Pistachios	
0120110	Walnuts	
0120990	Others	
0130000	(iii) <b>Pome fruit</b>	
0130010	Apples (Crab apple)	
0130020	Pears (Oriental pear)	
0130030	Quinces	
0130040	Medlar	
0130050	Loquat	
0130990	Others	
0140000	(iv) <b>Stone fruit</b>	
0140010	Apricots	
0140020	Cherries (Sweet cherries, sour cherries)	
0140030	Peaches (Nectarines and similar hybrids)	

▼ **M73**

Code number	Groups and examples of individual products to which the MRLs apply (4)	Bifenox (F)
0140040	Plums (Damson, greengage, mirabelle, sloe, red date/Chinese date/Chinese jujube ( <i>Ziziphus zizyphus</i> ))	
0140990	Others	
0150000	(v) <b>Berries &amp; small fruit</b>	
0151000	(a) <i>Table and wine grapes</i>	
0151010	Table grapes	
0151020	Wine grapes	
0152000	(b) <i>Strawberries</i>	
0153000	(c) <i>Cane fruit</i>	
0153010	Blackberries	
0153020	Dewberries (Loganberries, tayberries, boysenberries, cloudberries and other <i>Rubus</i> hybrids)	
0153030	Raspberries (Wineberries, arctic bramble/raspberry, ( <i>Rubus arcticus</i> ), nectar raspberries ( <i>Rubus arcticus</i> × <i>Rubus idaeus</i> ))	
0153990	Others	
0154000	(d) <i>Other small fruit &amp; berries</i>	
0154010	Blueberries (Bilberries)	
0154020	Cranberries (Cowberries/red bilberries ( <i>V. vitis-idaea</i> ))	
0154030	Currants (red, black and white)	
0154040	Gooseberries (Including hybrids with other <i>Ribes</i> species)	
0154050	Rose hips	
0154060	Mulberries ( <i>Arbutus</i> berry)	
0154070	Azarole (mediteranean medlar) (Kiwiberry ( <i>Actinidia arguta</i> ))	
0154080	Elderberries (Black chokeberry/appleberry, mountain ash, buck-thorn/sea sallowthorn, hawthorn, serviceberries, and other treeberries)	
0154990	Others	
0160000	(vi) <b>Miscellaneous fruit</b>	
0161000	(a) <i>Edible peel</i>	
0161010	Dates	
0161020	Figs	
0161030	Table olives	
0161040	Kumquats (Marumi kumquats, nagami kumquats, limequats ( <i>Citrus aurantifolia</i> × <i>Fortunella</i> spp.))	
0161050	Carambola (Bilimbi)	
0161060	Persimmon	

▼ **M73**

Code number	Groups and examples of individual products to which the MRLs apply (a)	Bifenox (F)
0161070	Jambolan (java plum) (Java apple/water apple, pomerac, rose apple, Brazilian cherry, Surinam cherry/grumichama ( <i>Eugenia uniflora</i> ))	
0161990	Others	
0162000	(b) <i>Inedible peel, small</i>	
0162010	Kiwi	
0162020	Lychee (Litchi) (Pulasan, rambutan/hairy litchi, longan, mangosteen, langsung, salak)	
0162030	Passion fruit	
0162040	Prickly pear (cactus fruit)	
0162050	Star apple	
0162060	American persimmon (Virginia kaki) (Black sapote, white sapote, green sapote, canistel/yellow sapote, mammey sapote)	
0162990	Others	
0163000	(c) <i>Inedible peel, large</i>	
0163010	Avocados	
0163020	Bananas (Dwarf banana, plantain, apple banana)	
0163030	Mangoes	
0163040	Papaya	
0163050	Pomegranate	
0163060	Cherimoya (Custard apple, sugar apple/sweetsop, ilama ( <i>Annona diversifolia</i> ) and other medium sized Annonaceae fruits)	
0163070	Guava (Red pitaya/dragon fruit ( <i>Hylocereus undatus</i> ))	
0163080	Pineapples	
0163090	Bread fruit (Jackfruit)	
0163100	Durian	
0163110	Soursop (guanabana)	
0163990	Others	
0200000	<b>2. VEGETABLES FRESH OR FROZEN</b>	
0210000	(i) <b>Root and tuber vegetables</b>	<b>0,01 (*)</b>
0211000	(a) <i>Potatoes</i>	
0212000	(b) <i>Tropical root and tuber vegetables</i>	
0212010	Cassava (Dasheen, eddoe/Japanese taro, tannia)	
0212020	Sweet potatoes	
0212030	Yams (Potato bean/yam bean, Mexican yam bean)	

▼ **M73**

Code number	Groups and examples of individual products to which the MRLs apply (4)	Bifenox (F)
0212040	Arrowroot	
0212990	Others	
0213000	(c) <i>Other root and tuber vegetables except sugar beet</i>	
0213010	Beetroot	
0213020	Carrots	
0213030	Celeriac	
0213040	Horseradish (Angelica roots, lovage roots, gentiana roots)	
0213050	Jerusalem artichokes (Crosne)	
0213060	Parsnips	
0213070	Parsley root	
0213080	Radishes (Black radish, Japanese radish, small radish and similar varieties, tiger nut ( <i>Cyperus esculentus</i> ))	
0213090	Salsify ( <i>Scorzonera</i> , Spanish salsify/ Spanish oysterplant, edible burdock)	
0213100	Swedes	
0213110	Turnips	
0213990	Others	
0220000	(ii) <b>Bulb vegetables</b>	<b>0,01 (*)</b>
0220010	Garlic	
0220020	Onions (Other bulb onions, silverskin onions)	
0220030	Shallots	
0220040	Spring onions and welsh onions (Other green onions and similar varieties)	
0220990	Others	
0230000	(iii) <b>Fruiting vegetables</b>	<b>0,01 (*)</b>
0231000	(a) <i>Solanacea</i>	
0231010	Tomatoes (Cherry tomatoes, <i>Physalis</i> spp., gojiberry, wolfberry ( <i>Lycium barbarum</i> and <i>L. chinense</i> ), tree tomato)	
0231020	Peppers (Chilli peppers)	
0231030	Aubergines (egg plants) (Pepino, antroewa/white eggplant ( <i>S. macrocarpon</i> ))	
0231040	Okra (lady's fingers)	
0231990	Others	
0232000	(b) <i>Cucurbits — edible peel</i>	
0232010	Cucumbers	
0232020	Gherkins	

▼ **M73**

Code number	Groups and examples of individual products to which the MRLs apply (*)	Bifenox (F)
0232030	Courgettes (Summer squash, marrow (patisson), lauki ( <i>Lagenaria siceraria</i> ), chayote, sopropo/bitter melon, snake gourd, angled luffa/teroi)	
0232990	Others	
0233000	(c) <i>Cucurbits-inedible peel</i>	
0233010	Melons (Kiwano)	
0233020	Pumpkins (Winter squash, marrow (late variety))	
0233030	Watermelons	
0233990	Others	
0234000	(d) <i>Sweet corn (Baby corn)</i>	
0239000	(e) <i>Other fruiting vegetables</i>	
0240000	(iv) <b>Brassica vegetables</b>	<b>0,01 (*)</b>
0241000	(a) <i>Flowering brassica</i>	
0241010	Broccoli (Calabrese, Broccoli raab, Chinese broccoli)	
0241020	Cauliflower	
0241990	Others	
0242000	(b) <i>Head brassica</i>	
0242010	Brussels sprouts	
0242020	Head cabbage (Pointed head cabbage, red cabbage, savoy cabbage, white cabbage)	
0242990	Others	
0243000	(c) <i>Leafy brassica</i>	
0243010	Chinese cabbage (Indian or Chinese) mustard, pak choi, Chinese flat cabbage/ai goo choi), choi sum, Peking cabbage/pe-tsai)	
0243020	Kale (Borecole/curly kale, collards, Portuguese Kale, Portuguese cabbage, cow cabbage)	
0243990	Others	
0244000	(d) <i>Kohlrabi</i>	
0250000	(v) <b>Leaf vegetables &amp; fresh herbs</b>	
0251000	(a) <i>Lettuce and other salad plants including Brassicacea</i>	<b>0,01 (*)</b>
0251010	Lamb's lettuce (Italian corn salad)	
0251020	Lettuce (Head lettuce, lollo rosso (cutting lettuce), iceberg lettuce, romaine (cos) lettuce)	
0251030	Scarole (broad-leaf endive) (Wild chicory, red-leaved chicory, radicchio, curly leaf endive, sugar loaf ( <i>C. endivia</i> var. <i>crispum</i> / <i>C. intybus</i> var. <i>foliosum</i> ), dandelion greens)	

▼ **M73**

Code number	Groups and examples of individual products to which the MRLs apply (*)	Bifenox (F)
0251040	Cress (Mung bean sprouts, alfalfa sprouts)	
0251050	Land cress	
0251060	Rocket, Rucola (Wild rocket (Diplotaxis spp.))	
0251070	Red mustard	
0251080	Leaves and sprouts of Brassica spp, including turnip greens (Mizuna, leaves of peas and radish and other babyleaf crops, including brassica crops (crops harvested up to 8 true leaf stage), kohlrabi leaves)	
0251990	Others	
0252000	(b) <i>Spinach &amp; similar (leaves)</i>	<b>0,01 (*)</b>
0252010	Spinach (New Zealand spinach, amaranthus spinach (pak-khom, tampara), tajar leaves, bitterblad/bitawiri)	
0252020	Purslane (Winter purslane/miner's lettuce, garden purslane, common purslane, sorrel, glassworth, agretti (Salsola soda))	
0252030	Beet leaves (chard) (Leaves of beetroot)	
0252990	Others	
0253000	(c) <i>Vine leaves (grape leaves) (Malabar nightshade, banana leaves, climbing wattle (Acacia pennata))</i>	<b>0,01 (*)</b>
0254000	(d) <i>Water cress (Morning glory/Chinese convolvulus/water convolvulus/water spinach/kangkung (Ipomea aquatica), water clover, water mimosa)</i>	<b>0,01 (*)</b>
0255000	(e) <i>Witloof</i>	<b>0,01 (*)</b>
0256000	(f) <i>Herbs</i>	<b>0,02 (*)</b>
0256010	Chervil	
0256020	Chives	
0256030	Celery leaves (Fennel leaves, coriander leaves, dill leaves, caraway leaves, lovage, angelica, sweet cisel and other Apiacea leaves, culantro/stinking/long coriander/stink weed (Eryngium foetidum))	
0256040	Parsley (leaves of root parsley)	
0256050	Sage (Winter savory, summer savory, Borago officinalis leaves)	
0256060	Rosemary	
0256070	Thyme (Marjoram, oregano)	



▼ **M73**

Code number	Groups and examples of individual products to which the MRLs apply (*)	Bifenox (F)
0256080	Basil (Balm leaves, mint, peppermint, holy basil, sweet basil, hairy basil, edible flowers (marigold flower and others), pennywort, wild betel leaf, curry leaves)	
0256090	Bay leaves (laurel) (Lemon grass)	
0256100	Tarragon (Hyssop)	
0256990	Others	
0260000	<b>(vi) Legume vegetables (fresh)</b>	<b>0,01 (*)</b>
0260010	Beans (with pods) (Green bean/French beans/snap beans, scarlet runner bean, slicing bean, yard long beans, guar beans, soya beans)	
0260020	Beans (without pods) (Broad beans, flageolets, jack bean, lima bean, cowpea)	
0260030	Peas (with pods) (Mangetout/sugar peas/snow peas)	
0260040	Peas (without pods) (Garden pea, green pea, chickpea)	
0260050	Lentils	
0260990	Others	
0270000	<b>(vii) Stem vegetables (fresh)</b>	<b>0,01 (*)</b>
0270010	Asparagus	
0270020	Cardoons ( <i>Borago officinalis</i> stems)	
0270030	Celery	
0270040	Fennel	
0270050	Globe artichokes (Banana flower)	
0270060	Leek	
0270070	Rhubarb	
0270080	Bamboo shoots	
0270090	Palm hearts	
0270990	Others	
0280000	<b>(viii) Fungi</b>	<b>0,01 (*)</b>
0280010	Cultivated fungi (Common mushroom, oyster mushroom, shiitake, fungus mycelium (vegetative parts))	
0280020	Wild fungi (Chanterelle, truffle, morel, cep)	
0280990	Others	
0290000	<b>(ix) Sea weeds</b>	<b>0,01 (*)</b>
0300000	<b>3. PULSES, DRY</b>	<b>0,01 (*)</b>
0300010	Beans (Broad beans, navy beans, flageolets, jack beans, lima beans, field beans, cowpeas)	
0300020	Lentils	
0300030	Peas (Chickpeas, field peas, chickling vetch)	

▼ **M73**

Code number	Groups and examples of individual products to which the MRLs apply (*)	Bifenox (F)
0300040	Lupins	
0300990	Others	
0400000	<b>4. OILSEEDS AND OILFRUITS</b>	<b>0,01 (*)</b>
0401000	(i) <b>Oilseeds</b>	
0401010	Linseed	
0401020	Peanuts	
0401030	Poppy seed	
0401040	Sesame seed	
0401050	Sunflower seed	(+)
0401060	Rape seed (Bird rapeseed, turnip rape)	(+)
0401070	Soya bean	
0401080	Mustard seed	
0401090	Cotton seed	
0401100	Pumpkin seeds (Other seeds of Cucurbitaceae)	
0401110	Safflower	
0401120	Borage (Purple viper's bugloss/Canary flower ( <i>Echium plantagineum</i> ), Corn Gromwell ( <i>Buglossoides arvensis</i> ))	
0401130	Gold of pleasure	
0401140	Hempseed	
0401150	Castor bean	
0401990	Others	
0402000	(ii) <b>Oilfruits</b>	
0402010	Olives for oil production	
0402020	Palm nuts (palmoil kernels)	
0402030	Palmfruit	
0402040	Kapok	
0402990	Others	
0500000	<b>5. CEREALS</b>	
0500010	Barley	<b>0,02</b>
0500020	Buckwheat ( <i>Amaranthus</i> , quinoa)	<b>0,01 (*)</b>
0500030	Maize	<b>0,01 (*)</b>
0500040	Millet (Foxtail millet, teff, finger millet, pearl millet)	<b>0,01 (*)</b>
0500050	Oats	<b>0,02</b>
0500060	Rice (Indian/wild rice ( <i>Zizania aquatica</i> ))	<b>0,01 (*)</b>
0500070	Rye	<b>0,02</b>
0500080	Sorghum	<b>0,01 (*)</b>
0500090	Wheat (Spelt, triticale)	<b>0,02</b>
0500990	Others (Canary grass seeds ( <i>Phalaris canariensis</i> ))	<b>0,01 (*)</b>

▼ **M73**

Code number	Groups and examples of individual products to which the MRLs apply (*)	Bifenox (F)
0600000	6. <b>TEA, COFFEE, HERBAL INFUSIONS AND COCOA</b>	0,05 (*)
0610000	(i) <b>Tea</b>	
0620000	(ii) <b>Coffee beans</b>	
0630000	(iii) <b>Herbal infusions (dried)</b>	
0631000	(a) <i>Flowers</i>	
0631010	Camomille flowers	
0631020	Hybiscus flowers	
0631030	Rose petals	
0631040	Jasmine flowers (Elderflowers (Sambucus nigra))	
0631050	Lime (linden)	
0631990	Others	
0632000	(b) <i>Leaves</i>	
0632010	Strawberry leaves	
0632020	Rooibos leaves (Ginkgo leaves)	
0632030	Maté	
0632990	Others	
0633000	(c) <i>Roots</i>	
0633010	Valerian root	
0633020	Ginseng root	
0633990	Others	
0639000	(d) <i>Other herbal infusions</i>	
0640000	(iv) <b>Cocoabeans (fermented or dried)</b>	
0650000	(v) <b>Carob (st johns bread)</b>	
0700000	7. <b>HOPS (dried)</b>	0,05 (*)
0800000	8. <b>SPICES</b>	
0810000	(i) <b>Seeds</b>	0,05 (*)
0810010	Anise	
0810020	Black caraway	
0810030	Celery seed (Lovage seed)	
0810040	Coriander seed	
0810050	Cumin seed	
0810060	Dill seed	
0810070	Fennel seed	
0810080	Fenugreek	
0810090	Nutmeg	
0810990	Others	
0820000	(ii) <b>Fruits and berries</b>	0,05 (*)
0820010	Allspice	

▼ **M73**

Code number	Groups and examples of individual products to which the MRLs apply (*)	Bifenox (F)
0820020	Sichuan pepper (Anise pepper, Japan pepper)	
0820030	Caraway	
0820040	Cardamom	
0820050	Juniper berries	
0820060	Pepper, black, green and white (Long pepper, pink pepper)	
0820070	Vanilla pods	
0820080	Tamarind	
0820990	Others	
0830000	(iii) <b>Bark</b>	0,05 (*)
0830010	Cinnamon (Cassia)	
0830990	Others	
0840000	(iv) <b>Roots or rhizome</b>	
0840010	Liquorice	0,05 (*)
0840020	Ginger	0,05 (*)
0840030	Turmeric (Curcuma)	0,05 (*)
0840040	Horseradish	(+)
0840990	Others	0,05 (*)
0850000	(v) <b>Buds</b>	0,05 (*)
0850010	Cloves	
0850020	Capers	
0850990	Others	
0860000	(vi) <b>Flower stigma</b>	0,05 (*)
0860010	Saffron	
0860990	Others	
0870000	(vii) <b>Aril</b>	0,05 (*)
0870010	Mace	
0870990	Others	
0900000	9. <b>SUGAR PLANTS</b>	<b>0,01 (*)</b>
0900010	Sugar beet (root)	
0900020	Sugar cane	
0900030	Chicory roots	
0900990	Others	

▼ **M73**

Code number	Groups and examples of individual products to which the MRLs apply (4)	Bifenox (F)
1000000	<b>10. PRODUCTS OF ANIMAL ORIGIN- TERRESTRIAL ANIMALS</b>	
1010000	(i) <b>Tissue</b>	<b>0,01 (*)</b>
1011000	(a) <i>Swine</i>	
1011010	Muscle	
1011020	Fat	
1011030	Liver	
1011040	Kidney	
1011050	Edible offal	
1011990	Others	
1012000	(b) <i>Bovine</i>	
1012010	Muscle	
1012020	Fat	
1012030	Liver	
1012040	Kidney	
1012050	Edible offal	
1012990	Others	
1013000	(c) <i>Sheep</i>	
1013010	Muscle	
1013020	Fat	
1013030	Liver	
1013040	Kidney	
1013050	Edible offal	
1013990	Others	
1014000	(d) <i>Goat</i>	
1014010	Muscle	
1014020	Fat	
1014030	Liver	
1014040	Kidney	
1014050	Edible offal	
1014990	Others	
1015000	(e) <i>Horses, asses, mules or hinnies</i>	
1015010	Muscle	
1015020	Fat	

▼ **M73**

Code number	Groups and examples of individual products to which the MRLs apply (*)	Bifenox (F)
1015030	Liver	
1015040	Kidney	
1015050	Edible offal	
1015990	Others	
1016000	(f) <i>Poultry -chicken, geese, duck, turkey and Guinea fowl-, ostrich, pigeon</i>	
1016010	Muscle	
1016020	Fat	
1016030	Liver	
1016040	Kidney	
1016050	Edible offal	
1016990	Others	
1017000	(g) <i>Other farm animals (Rabbit, kangaroo, deer)</i>	
1017010	Muscle	
1017020	Fat	
1017030	Liver	
1017040	Kidney	
1017050	Edible offal	
1017990	Others	
1020000	(ii) <b>Milk</b>	<b>0,01 (*)</b>
1020010	Cattle	
1020020	Sheep	
1020030	Goat	
1020040	Horse	
1020990	Others	
1030000	(iii) <b>Bird eggs</b>	<b>0,01 (*)</b>
1030010	Chicken	
1030020	Duck	
1030030	Goose	
1030040	Quail	
1030990	Others	

▼ **M73**

Code number	Groups and examples of individual products to which the MRLs apply <sup>(*)</sup>	BifenoX (F)
1040000	(iv) <b>Honey (Royal jelly, pollen, honey comb with honey (comb honey))</b>	<b>0,05 (*)</b>
1050000	(v) <b>Amphibians and reptiles (Frog legs, crocodiles)</b>	<b>0,01 (*)</b>
1060000	(vi) <b>Snails</b>	<b>0,01 (*)</b>
1070000	(vii) <b>Other terrestrial animal products (Wild game)</b>	<b>0,01 (*)</b>

▼ **M2**

(\*) Indicates lower limit of analytical determination

(\*\*) Pesticide-code combination for which the MRL as set in Annex III Part B applies.

► **M7** <sup>(1)</sup> Temporary MRLs valid until 1 June 2010, pending the European Food Safety Authority's residue data opinion. After this date the MRL will be 0,1 mg/kg, unless modified by a Regulation. ◀

<sup>(2)</sup> Temporary MRL valid until 18 September 2008. After this date the MRL will be 0,05 (\*) mg/kg unless modified by a Directive or a Regulation.

<sup>(3)</sup> Temporary MRL valid until 31 December 2008 to accommodate and essential use in accordance with regulation 2076/2002/EC.

<sup>(13)</sup> As all dithiocarbamates result in the final CS<sub>2</sub> residue, discrimination among them is generally not possible. However single residue methods are available for propineb, ziram and thiram. These methods should be implemented on a case by case basis when the specific quantification of propineb, ziram and/or thiram is required.

► **M5** <sup>(14)</sup> Monitoring data show that levels up to 0,02 mg/kg of dieldrin can be found in pumpkin seeds used for oil extraction. ◀

<sup>(\*)</sup> For the complete list of products of plant and animal origin to which MRLs apply, reference should be made to Annex I.

<sup>(L)</sup> = Fat soluble

<sup>(R)</sup> = The residue definition differs for the following combinations pesticide-code number:

► **M40** 2,4-DB-code 1000000 except 1040000: sum of 2,4-DB and its conjugates, expressed as 2,4-DB ◀

► **M21** Carbendazim — code 1000000: Carbendazim and thiophanate-methyl, expressed as carbendazim ◀

Camphchlor — code 1000000: Sum of the three indicator compounds Parlar No 26, 50 and 62, where:

Parlar No 26 = 2-endo,3-exo,5-endo,6-exo,8,8,10,10-octachlorobornane

Parlar No 50 = 2-endo,3-exo,5-endo,6-exo,8,8,9,10,10-nonachlorobornane

Parlar No 62 = 2,2,5,5,8,9,9,10,10,-nonachlorobornane

Camphchlor — code 0500000: Camphchlor (chlorinated camphen with 67-69 % chlorine)

► **M37 Captan (R)**: The enforcement residue definition for the following codes is 'the sum of captan and folpet': 0130000; 0152000; 0153010; 0153030; 0154030; 0154040; 0231010; 0260010; 0260020; ◀

Chlordane — code 1000000: Sum of cis- and trans-isomers and oxychlordane expressed as chlordane

Chlorpropham — code 0211000: Chlorpropham

Chlorpropham — code 1000000: Chlorpropham and 4'-hydroxychlorpropham-O-sulphonic acid (4-HSA), expressed as chlorpropham

► **M5** Clofentazine — codes 0500000 and 1000000: Sum of all compounds containing the 2-chlorobenzoyl moiety expressed as clofentazine ◀

► **M9** (+): Dimethoate — code 0140020: The maximum residue level has been established temporarily pending the finalisation of the review under article 12(2)

(+): Fenamiphos — code 0233010: The maximum residue level has been established temporarily pending the finalisation of the review under article 12(2) ◀

Fenpropimorph — code 1000000: Fenpropimorph carboxylic acid (BF 421-2) expressed as fenpropimorph

Fentin acetate — code 1000000: Fentin, expressed as triphenyltin cation

Fentin hydroxide — code 1000000: Fentin, expressed as triphenyltin cation

Flucythrinate — codes 0500000 and 1000000: Sum of isomers expressed as flucythrinate

Fluroxypyr — code 1000000: Fluroxypyr

► **M37 Folpet (R)**: The enforcement residue definition for the following codes is 'the sum of captan and folpet': 0130000; 0152000; 0153010; 0153030; 0154030; 0154040; 0231010; 0260010; 0260020; ◀

▼ **M2**

- **M37** Kresoxim-methyl -code 1010000: 490M1 expressed as kresoxim-methyl  
Kresoxim-methyl -code 1020000: 490M9 expressed as kresoxim-methyl  
Metabolite 490M1 = 2-methoxyimino-2-[2-(o-tolyloxymethyl)phenyl]acetic acid. Metabolite 490M9 = 2-[2-(4-hydroxy-2-methylphenoxy-methyl)phenyl]-2-methoxy-iminoacetic acid ◀
- **M43** Lambda-Cyhalothrin - code 1000000 except 1040000: Lambda-cyhalothrin, including other mixed isomeric constituents (sum of isomers) ◀  
Milbemectin — code 0500000: Milbemectin  
Myclobutanil — code 1000000: Alpha-(3-hydroxybutyl) — alpha — (4-chloro-phenyl) — 1H — 1,2,4 — triazole -1-propanenitrile (RH9090) expressed as myclobutanil
- **M5** Spiroxamine — code 1000000: Spiroxamine carboxylic acid expressed as spiroxamine ◀  
Phenmedipham — code 1000000: Phenmedipham (Methyl-N-(3-hydroxyphenyl) carbamate (MHPC) expressed as phenmediphan  
Thiabendazole — code 1000000: Sum of thiabendazole and 5-hydroxythiabendazole
- **M21** Thiofanate-methyl — code 1000000: Carbendazim and thiophanate-methyl, expressed as carbendazim ◀

▼ **M33****Dithiocarbamates (dithiocarbamates expressed as CS2, including maneb, mancozeb, metiram, propineb, thiram and ziram)**

The MRLs expressed as CS2 can arise from different dithiocarbamates and therefore they do not reflect a single Good Agricultural Practice (GAP). It is therefore not appropriate to use these MRLs to check compliance with a GAP.

- (+) In brackets the origin of the residue (ma: maneb mz: mancozeb me: metiram pr: propineb t: thiram z: ziram).
- 0140010 Apricots
- (+) (mz, me, pr, t, z)
- 0140020 Cherries (sweet cherries, sour cherries)
- (+) In brackets the origin of the residue (ma: maneb mz: mancozeb me: metiram pr: propineb t: thiram z: ziram).
- (+) (mz, t)
- 0140030 Peaches (Nectarines and similar hybrids)
- (+) In brackets the origin of the residue (ma: maneb mz: mancozeb me: metiram pr: propineb t: thiram z: ziram).
- (+) (mz, me, t, z)
- 0140040 Plums (Damson, greengage, mirabelle, sloe)
- (+) In brackets the origin of the residue (ma: maneb mz: mancozeb me: metiram pr: propineb t: thiram z: ziram).
- (+) (ma, mz, me, pr, t)
- 0151000 (a) Table and wine grapes
- (+) In brackets the origin of the residue (ma: maneb mz: mancozeb me: metiram pr: propineb t: thiram z: ziram).
- (+) (t)
- 0152000 (b) Strawberries
- (+) In brackets the origin of the residue (ma: maneb mz: mancozeb me: metiram pr: propineb t: thiram z: ziram).
- (+) (mz)
- 0154030 Currants (red, black and white)
- (+) In brackets the origin of the residue (ma: maneb mz: mancozeb me: metiram pr: propineb t: thiram z: ziram).
- (+) (mz, pr)
- 0161030 Table olives
- (+) In brackets the origin of the residue (ma: maneb mz: mancozeb me: metiram pr: propineb t: thiram z: ziram).
- (+) (mz, me, t)
- 0163020 Bananas (Dwarf banana, plantain, apple banana)
- (+) In brackets the origin of the residue (ma: maneb mz: mancozeb me: metiram pr: propineb t: thiram z: ziram).
- (+) (mz)
- 0163030 Mangoes
- (+) In brackets the origin of the residue (ma: maneb mz: mancozeb me: metiram pr: propineb t: thiram z: ziram).
- (+) (mz)
- 0163040 Papaya



▼ **M33**

- (+) In brackets the origin of the residue (ma: maneb mz: mancozeb me: metiram pr: propineb t: thiram z: ziram).
- (+) (ma, mz, me, pr)
- 0211000 (a) Potatoes
- (+) In brackets the origin of the residue (ma: maneb mz: mancozeb me: metiram pr: propineb t: thiram z: ziram).
- (+) (mz)
- 0213010 Beetroot
- (+) In brackets the origin of the residue (ma: maneb mz: mancozeb me: metiram pr: propineb t: thiram z: ziram).
- (+) (mz)
- 0213020 Carrots
- (+) In brackets the origin of the residue (ma: maneb mz: mancozeb me: metiram pr: propineb t: thiram z: ziram).
- (+) (ma, me, pr, t)
- 0213030 Celeriac
- (+) In brackets the origin of the residue (ma: maneb mz: mancozeb me: metiram pr: propineb t: thiram z: ziram).
- (+) (mz)
- 0213040 Horseradish (Angelica roots, lovage roots, gentiana roots,)
- (+) In brackets the origin of the residue (ma: maneb mz: mancozeb me: metiram pr: propineb t: thiram z: ziram).
- (+) (mz)
- 0213060 Parsnips
- (+) In brackets the origin of the residue (ma: maneb mz: mancozeb me: metiram pr: propineb t: thiram z: ziram).
- (+) (mz)
- 0213070 Parsley root
- (+) In brackets the origin of the residue (ma: maneb mz: mancozeb me: metiram pr: propineb t: thiram z: ziram).
- (+) (mz)
- 0213080 Radishes (Black radish, Japanese radish, small radish and similar varieties, tiger nut (Cyperus esculentus))
- (+) In brackets the origin of the residue (ma: maneb mz: mancozeb me: metiram pr: propineb t: thiram z: ziram).
- (+) (mz)
- 0213090 Salsify (Scorzonera, Spanish salsify (Spanish oysterplant))
- (+) In brackets the origin of the residue (ma: maneb mz: mancozeb me: metiram pr: propineb t: thiram z: ziram).
- (+) (me) In brackets the origin of the residue (ma: maneb mz: mancozeb me: metiram pr: propineb t: thiram z: ziram).
- 0220010 Garlic
- (+) In brackets the origin of the residue (ma: maneb mz: mancozeb me: metiram pr: propineb t: thiram z: ziram).
- (+) (ma, mz)
- 0220020 Onions (Silverskin onions)
- (+) In brackets the origin of the residue (ma: maneb mz: mancozeb me: metiram pr: propineb t: thiram z: ziram).
- (+) (ma, mz)
- 0220030 Shallots

▼ **M33**

- (+) In brackets the origin of the residue (ma: maneb mz: mancozeb me: metiram pr: propineb t: thiram z: ziram).
- (+) (mz)  
0220040 Spring onions (Welsh onion and similar varieties)
- (+) In brackets the origin of the residue (ma: maneb mz: mancozeb me: metiram pr: propineb t: thiram z: ziram).
- (+) (ma, mz, me, pr)  
0231010 Tomatoes (Cherry tomatoes, tree tomato, Physalis, gojiberry, wolfberry (Lycium barbarum and L. chinense))
- (+) In brackets the origin of the residue (ma: maneb mz: mancozeb me: metiram pr: propineb t: thiram z: ziram).
- (+) (mz, pr)  
0231020 Peppers (Chilli peppers)
- (+) In brackets the origin of the residue (ma: maneb mz: mancozeb me: metiram pr: propineb t: thiram z: ziram).
- (+) (mz, me)  
0231030 Aubergines (egg plants) (Pepino)
- (+) In brackets the origin of the residue (ma: maneb mz: mancozeb me: metiram pr: propineb t: thiram z: ziram).
- (+) (mz)  
0231040 Okra, lady's fingers
- (+) In brackets the origin of the residue (ma: maneb mz: mancozeb me: metiram pr: propineb t: thiram z: ziram).
- (+) (mz, pr)  
0232000 (b) Cucurbits - edible peel
- (+) In brackets the origin of the residue (ma: maneb mz: mancozeb me: metiram pr: propineb t: thiram z: ziram).
- (+) (me) In brackets the origin of the residue (ma: maneb mz: mancozeb me: metiram pr: propineb t: thiram z: ziram).
- 0233000 (c) Cucurbits-inedible peel
- (+) In brackets the origin of the residue (ma: maneb mz: mancozeb me: metiram pr: propineb t: thiram z: ziram).
- (+) (me) In brackets the origin of the residue (ma: maneb mz: mancozeb me: metiram pr: propineb t: thiram z: ziram).
- 0233010 Melons (Kiwano)  
0233020 Pumpkins (Winter squash)  
0233030 Watermelons  
0233990 Others
- (+) (mz)  
0241000 (a) Flowering brassica
- (+) In brackets the origin of the residue (ma: maneb mz: mancozeb me: metiram pr: propineb t: thiram z: ziram).
- (+) (mz)  
0242010 Brussels sprouts
- (+) In brackets the origin of the residue (ma: maneb mz: mancozeb me: metiram pr: propineb t: thiram z: ziram).
- (+) (mz)  
0242020 Head cabbage (Pointed head cabbage, red cabbage, savoy cabbage, white cabbage)
- (+) In brackets the origin of the residue (ma: maneb mz: mancozeb me: metiram pr: propineb t: thiram z: ziram).
- (+) (mz)  
0243000 (c) Leafy brassica

▼ **M33**

- (+) In brackets the origin of the residue (ma: maneb mz: mancozeb me: metiram pr: propineb t: thiram z: ziram).
- (+) (mz)  
0244000 (d) Kohlrabi
- (+) In brackets the origin of the residue (ma: maneb mz: mancozeb me: metiram pr: propineb t: thiram z: ziram).
- (+) (mz, me, t)  
0251000 (a) Lettuce and other salad plants including Brassicacea
- (+) In brackets the origin of the residue (ma: maneb mz: mancozeb me: metiram pr: propineb t: thiram z: ziram).
- (+) (mz)  
0254000 (d) Water cress
- (+) In brackets the origin of the residue (ma: maneb mz: mancozeb me: metiram pr: propineb t: thiram z: ziram).
- (+) (mz)  
0255000 (e) Witloof
- (+) In brackets the origin of the residue (ma: maneb mz: mancozeb me: metiram pr: propineb t: thiram z: ziram).
- (+) (mz, me)  
0256000 (f) Herbs
- (+) In brackets the origin of the residue (ma: maneb mz: mancozeb me: metiram pr: propineb t: thiram z: ziram).
- (+) (mz)  
0260010 Beans (with pods) (Green bean (french beans, snap beans), scarlet runner bean, slicing bean, yardlong beans)
- (+) In brackets the origin of the residue (ma: maneb mz: mancozeb me: metiram pr: propineb t: thiram z: ziram).
- (+) (mz)  
0260020 Beans (without pods) (Broad beans, Flageolets, jack bean, lima bean, cowpea)
- (+) In brackets the origin of the residue (ma: maneb mz: mancozeb me: metiram pr: propineb t: thiram z: ziram).
- (+) (ma, mz)  
0260030 Peas (with pods) (Mangetout (sugar peas, snow peas))
- (+) In brackets the origin of the residue (ma: maneb mz: mancozeb me: metiram pr: propineb t: thiram z: ziram).
- (+) (mz)  
0260040 Peas (without pods) (Garden pea, green pea, chickpea)
- (+) In brackets the origin of the residue (ma: maneb mz: mancozeb me: metiram pr: propineb t: thiram z: ziram).
- (+) (mz)  
0270010 Asparagus
- (+) In brackets the origin of the residue (ma: maneb mz: mancozeb me: metiram pr: propineb t: thiram z: ziram).
- (+) (ma, mz)  
0270060 Leek
- (+) In brackets the origin of the residue (ma: maneb mz: mancozeb me: metiram pr: propineb t: thiram z: ziram).
- (+) (mz)  
0270070 Rhubarb

▼ **M33**

(+) In brackets the origin of the residue (ma: maneb mz: mancozeb me: metiram pr: propineb t: thiram z: ziram).

(+) (mz)

0300010 Beans (Broad beans, navy beans, flageolets, jack beans, lima beans, field beans, cowpeas)

(+) In brackets the origin of the residue (ma: maneb mz: mancozeb me: metiram pr: propineb t: thiram z: ziram).

(+) (mz)

0300030 Peas (Chickpeas, field peas, chickling vetch)

(+) In brackets the origin of the residue (ma: maneb mz: mancozeb me: metiram pr: propineb t: thiram z: ziram).

(+) (ma, mz)

0401060 Rape seed (Bird rapeseed, turnip rape)

(+) In brackets the origin of the residue (ma: maneb mz: mancozeb me: metiram pr: propineb t: thiram z: ziram).

(+) (mz, pr)

0402010 Olives for oil production

(+) In brackets the origin of the residue (ma: maneb mz: mancozeb me: metiram pr: propineb t: thiram z: ziram).

(+) (ma, mz)

0500010 Barley

(+) In brackets the origin of the residue (ma: maneb mz: mancozeb me: metiram pr: propineb t: thiram z: ziram).

(+) (ma, mz)

0500050 Oats

(+) In brackets the origin of the residue (ma: maneb mz: mancozeb me: metiram pr: propineb t: thiram z: ziram).

(+) (ma, mz)

0500070 Rye

(+) In brackets the origin of the residue (ma: maneb mz: mancozeb me: metiram pr: propineb t: thiram z: ziram).

(+) (ma, mz)

0500090 Wheat (Spelt, triticale)

(+) In brackets the origin of the residue (ma: maneb mz: mancozeb me: metiram pr: propineb t: thiram z: ziram).

(+) (pr)

0700000 7. HOPS (dried), including hop pellets and unconcentrated powder

(+) In brackets the origin of the residue (ma: maneb mz: mancozeb me: metiram pr: propineb t: thiram z: ziram).

**Folpet**

(+) Sum of captan and folpet.

0130000

(iii) **Pome fruit**

0152000

(b) *Strawberries*

0153010

Blackberries

0153030

Raspberries (Wineberries, arctic bramble/raspberry, (*Rubus arcticus*), nectar raspberries (*Rubus arcticus* x *idaeus*))

0154030

Currants (red, black and white)

0154040

Gooseberries (Including hybrids with other *ribes* species)

0231010

Tomatoes (Cherry tomatoes, tree tomato, *Physalis*, gojiberry, wolfberry (*Lycium barbarum* and *L. chinense*))

**▼ M33**

0260010	Beans (with pods) (Green bean (french beans, snap beans), scarlet runner bean, slicing bean, yardlong beans)
0260020	Beans (without pods) (Broad beans, Flageolets, jack bean, lima bean, cowpea)

**▼ M75****Ethephon**

(+) MRL will be valid until 1 July 2011 pending submission and evaluation of an additional metabolism study

0401090	Cotton seed
---------	-------------

(+) The applicable maximum residue level for horseradish (*Armoracia rusticana*) in the spice group (code 0840040) is the one set for horseradish (*Armoracia rusticana*) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

0840040	Horseradish
---------	-------------

**▼ M59****Acibenzolar-S-methyl (sum of acibenzolar-S-methyl and acibenzolar acid (free and conjugated), expressed as acibenzolar-S-methyl)**

(+) The European Food Safety Authority identified some information on residue trials as unavailable. When reviewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 26 June 2016, or, if that information is not submitted by that date, the lack of it.

<b>0130010</b>	<b>Apples (Crab apple)</b>
<b>0130020</b>	<b>Pears (Oriental pear)</b>
<b>0163030</b>	Mangoes

(+) The applicable maximum residue level for horseradish (*Armoracia rusticana*) in the spice group (code 0840040) is the one set for horseradish (*Armoracia rusticana*) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

<b>0840040</b>	<b>Horseradish</b>
----------------	--------------------

**▼ M61****2-phenylphenol**

(+) MRL valid until the entry into force of the Regulation reviewing the existing MRLs for 2-phenylphenol.

<b>0110000</b>	<b>(i) Citrus fruit</b>
<b>0110010</b>	<b>Grapefruit (Shaddocks, pomelos, sweeties, tangelo (except mineola), ugli and other hybrids)</b>
<b>0110020</b>	<b>Oranges (Bergamot, bitter orange, chinotto and other hybrids)</b>
<b>0110030</b>	<b>Lemons (Citron, lemon, Buddha's hand (<i>Citrus medica</i> var. <i>sarcodactylis</i>))</b>
<b>0110040</b>	<b>Limes</b>
<b>0110050</b>	<b>Mandarins (Clementine, tangerine, mineola and other hybrids tangor (<i>Citrus reticulata</i> x <i>sinensis</i>))</b>
<b>0110990</b>	<b>Others</b>

**▼ M64****Profenofos (F)**

(+) The following MRL applies to chilli peppers: 3 mg/kg.

<b>0231020</b>	<b>Peppers (Chilli peppers)</b>
----------------	---------------------------------

(+) Monitoring data carried out in 2012, show that residues of profenofos occur in herbs. Further monitoring data is necessary to compare the evolution of the occurrence of profenofos in herbs. When reviewing the MRL, the Commission will take into account the information, if it is submitted by 18 October 2016, or, if that information is not submitted by that date, the lack of it.

<b>0256000</b>	<b>(f) Herbs</b>
<b>0256010</b>	<b>Chervil</b>
<b>0256020</b>	<b>Chives</b>

**▼ M64**

0256030	Celery leaves (Fennel leaves, coriander leaves, dill leaves, caraway leaves, lovage, angelica, sweet cicely and other Apiacea leaves, culantro/stinking/long coriander/stink weed ( <i>Eryngium foetidum</i> ))
0256040	Parsley (leaves of root parsley)
0256990	Others

**▼ M40****2,4-DB (sum of 2,4-DB, its salts, its esters and its conjugates, expressed as 2,4-DB) (R)**

- (+) The European Food Safety Authority identified some information on analytical methods and metabolism as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 13 July 2015, or, if that information is not submitted by that date, the lack of it.

0500010	Barley
0500050	Oats
0500070	Rye
0500090	Wheat (Spelt, triticale)

- (+) The European Food Safety Authority identified some information on analytical methods as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 13 July 2015, or, if that information is not submitted by that date, the lack of it.

1011010	Meat
1011020	Fat free of lean meat
1011030	Liver
1011040	Kidney

- (+) The European Food Safety Authority identified some information on analytical methods and feeding for ruminants as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 13 July 2015, or, if that information is not submitted by that date, the lack of it.

1012010	Meat
1012020	Fat
1012030	Liver
1012040	Kidney
1012050	Edible offal
1012990	Others
1013010	Meat
1013020	Fat
1013030	Liver
1013040	Kidney
1013050	Edible offal
1013990	Others
1014010	Meat
1014020	Fat
1014030	Liver
1014040	Kidney
1014050	Edible offal
1014990	Others
1015010	Meat
1015020	Fat
1015030	Liver
1015040	Kidney
1015050	Edible offal
1015990	Others
1017010	Meat
1017020	Fat
1017030	Liver
1017040	Kidney
1017050	Edible offal

**▼ M40**

1017990	Others
1020000	(ii) <b>Milk and cream, not concentrated, nor containing added sugar or sweetening matter, butter and other fats derived from milk, cheese and curd</b>
1020010	Cattle
1020020	Sheep
1020030	Goat
1020040	Horse
1020990	Others

**▼ M74****Indoxacarb (sum of indoxacarb and its R enantiomer) (F)**

- (+) The European Food Safety Authority identified some information on hydrolysis as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 13 July 2015, or, if that information is not submitted by that date, the lack of it.

0130010 Apples (Crab apple)

- (+) The European Food Safety Authority identified some information on residue trials as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 13 July 2015, or, if that information is not submitted by that date, the lack of it.

0241010 Broccoli (Calabrese, Broccoli raab, Chinese broccoli)

0241020 Cauliflower

0251060 Rocket, Rucola (Wild rocket (*Diplotaxis* spp.))

0251080 Leaves and sprouts of *Brassica* spp, including turnip greens (*Mizuna*, leaves of peas and radish and other babyleaf crops, including brassica crops (crops harvested up to 8 true leaf stage), kohlrabi leaves)

- (+) The applicable maximum residue level for horseradish (*Armoracia rusticana*) in the spice group (code 0840040) is the one set for horseradish (*Armoracia rusticana*) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

0840040 Horseradish

- (+) The European Food Safety Authority identified some information on metabolism as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 13 July 2015, or, if that information is not submitted by that date, the lack of it.

1016000 (f) *Poultry -chicken, geese, duck, turkey and Guinea fowl-, ostrich, pigeon*

1016010 Muscle

1016020 Fat

1016030 Liver

1016040 Kidney

1016050 Edible offal

1016990 Others

- (+) The European Food Safety Authority identified some information on storage stability as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 13 July 2015, or, if that information is not submitted by that date, the lack of it.

1030000 (iii) **Bird eggs**

1030010 Chicken

1030020 Duck

1030030 Goose

1030040 Quail

1030990 Others

**▼ M75****Pyraclostrobin (F)**

- (+) The European Food Safety Authority identified some information on residue trials as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 13 July 2015, or, if that information is not submitted by that date, the lack of it.

0151010	Table grapes
0270030	Celery

- (+) The European Food Safety Authority identified some information on analytical methods as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 13 July 2015, or, if that information is not submitted by that date, the lack of it.

0620000	(ii) <b>Coffee beans</b>
---------	--------------------------

- (+) The applicable maximum residue level for horseradish (*Armoracia rusticana*) in the spice group (code 0840040) is the one set for horseradish (*Armoracia rusticana*) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

0840040	Horseradish
---------	-------------

**▼ M48****Dimethomorph (sum of isomers)**

- (+) The European Food Safety Authority identified some information on residue trials as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 13 July 2015, or, if that information is not submitted by that date, the lack of it.

<b>0153010</b>	<b>Blackberries</b>
<b>0153030</b>	<b>Raspberries (Wineberries, arctic bramble/raspberry, (<i>Rubus arcticus</i>), nectar raspberries (<i>Rubus arcticus</i> x <i>Rubus idaeus</i>))</b>

- (+) The applicable maximum residue level for horseradish (*Armoracia rusticana*) in the spice group (code 0840040) is the one set for horseradish (*Armoracia rusticana*) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

<b>0840040</b>	<b>Horseradish</b>
----------------	--------------------

**▼ M42****Iprovalicarb**

- (+) The European Food Safety Authority identified some information on crop metabolism as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 17 August 2015, or, if that information is not submitted by that date, the lack of it.

<b>0251020</b>	<b>Lettuce (Head lettuce, lollo rosso (cutting lettuce), iceberg lettuce, romaine (cos) lettuce)</b>
----------------	--

<b>0251030</b>	<b>Scarole (broad-leaf endive) (Wild chicory, red-leaved chicory, radicchio, curld leave endive, sugar loaf)</b>
----------------	--

<b>0251060</b>	<b>Rocket, Rucola (Wild rocket)</b>
----------------	-------------------------------------

**Maleic hydrazide**

- (R) = The residue definition differs for the following combinations pesticide-code number:

Maleic hydrazide - code 1020000: Maleic hydrazide and its conjugates expressed as maleic hydrazide

- (+) The European Food Safety Authority identified some information on analytical methods as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 17 August 2015, or, if that information is not submitted by that date, the lack of it.

<b>0100000</b>	<b>1. FRUIT FRESH OR FROZEN; NUTS</b>
<b>0110000</b>	<b>(i) Citrus fruit</b>
<b>0110010</b>	<b>Grapefruit (Shaddocks, pomelos, sweeties, tangelo (except mineola), ugli and other hybrids)</b>
<b>0110020</b>	<b>Oranges (Bergamot, bitter orange, chinotto and other hybrids)</b>
<b>0110030</b>	<b>Lemons (Citron, lemon)</b>
<b>0110040</b>	<b>Limes</b>
<b>0110050</b>	<b>Mandarins (Clementine, tangerine, mineola and other hybrids)</b>
<b>0110990</b>	<b>Others</b>



▼ M42

0120000	(ii) Tree nuts (shelled or unshelled)
0120010	Almonds
0120020	Brazil nuts
0120030	Cashew nuts
0120040	Chestnuts
0120050	Coconuts
0120060	Hazelnuts (Filbert)
0120070	Macadamia
0120080	Pecans
0120090	Pine nuts
0120100	Pistachios
0120110	Walnuts
0120990	Others
0130000	(iii) Pome fruit
0130010	Apples (Crab apple)
0130020	Pears (Oriental pear)
0130030	Quinces
0130990	Others
0140000	(iv) Stone fruit
0140010	Apricots
0140020	Cherries (sweet cherries, sour cherries)
0140030	Peaches (Nectarines and similar hybrids)
0140040	Plums (Damson, greengage, mirabelle, sloe)
0140990	Others
0150000	(v) Berries & small fruit
0151000	(a) Table and wine grapes
0151010	Table grapes
0151020	Wine grapes
0152000	(b) Strawberries
0153000	(c) Cane fruit
0153010	Blackberries
0153020	Dewberries (Loganberries, boysenberries, and cloudberrries)
0153030	Raspberries (Wineberries, arctic bramble/raspberry, ( <i>Rubus arcticus</i> ), nectar raspberries ( <i>Rubus arcticus</i> x <i>idaeus</i> ))
0153990	Others
0154000	(d) Other small fruit & berries
0154010	Blueberries (Bilberries)
0154020	Cranberries (Cowberries (red bilberries))
0154030	Currants (red, black and white)
0154040	Gooseberries (Including hybrids with other ribes species)
0154990	Others
0160000	(vi) Miscellaneous fruit
0161000	(a) Edible peel
0161010	Dates
0161020	Figs
0161030	Table olives
0161040	Kumquats (Marumi kumquats, nagami kumquats, limequats ( <i>Citrus aurantifolia</i> x <i>Fortunella</i> spp.))
0161990	Others
0162000	(b) Inedible peel, small
0162010	Kiwi
0162020	Lychee (Litchi) (Pulasan, rambutan (hairy litchi), mangosteen)
0162030	Passion fruit
0162990	Others
0163000	(c) Inedible peel, large
0163010	Avocados
0163020	Bananas (Dwarf banana, plantain, apple banana)
0163030	Mangoes
0163040	Papaya
0163050	Pomegranate
0163080	Pineapples
0163990	Others

▼ **M42**

- (+) The European Food Safety Authority identified some information on analytical methods and hydrolysis as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 17 August 2015, or, if that information is not submitted by that date, the lack of it.

**0211000** (a) **Potatoes**

- (+) The European Food Safety Authority identified some information on analytical methods as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 17 August 2015, or, if that information is not submitted by that date, the lack of it.

**0212000** (b) **Tropical root and tuber vegetables**  
**0212010** Cassava (Dasheen, eddoe (Japanese taro), tannia)  
**0212020** Sweet potatoes  
**0212030** Yams (Potato bean (yam bean), Mexican yam bean)  
**0212990** Others  
**0213010** Beetroot  
**0213020** Carrots  
**0213030** Celeriac  
**0213040** Horseradish (Angelica roots, lovage roots, gentiana roots, )  
**0213050** Jerusalem artichokes  
**0213060** Parsnips  
**0213070** Parsley root  
**0213080** Radishes (Black radish, Japanese radish, small radish and similar varieties, tiger nut (Cyperus esculentus))  
**0213090** Salsify (Scorzonera, Spanish salsify (Spanish oysterplant))  
**0213100** Swedes  
**0213110** Turnips  
**0213990** Others

- (+) The European Food Safety Authority identified some information on analytical methods and hydrolysis as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 17 August 2015, or, if that information is not submitted by that date, the lack of it.

**0220010** Garlic  
**0220020** Onions (Silverskin onions)  
**0220030** Shallots

- (+) The European Food Safety Authority identified some information on analytical methods as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 17 August 2015, or, if that information is not submitted by that date, the lack of it.

**0220040** Spring onions (Welsh onion and similar varieties)  
**0220990** Others

**Clomazone**

- (+) The European Food Safety Authority identified some information on residue trials as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 17 August 2015, or, if that information is not submitted by that date, the lack of it.

**0232010** Cucumbers

- (+) The European Food Safety Authority identified some information on residue trials as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 17 August 2015, or, if that information is not submitted by that date, the lack of it.

**0233010** Melons (Kiwano)  
**0244000** (d) Kohlrabi

**▼ M42****Diuron**

- (+) The European Food Safety Authority identified some information on residue trials as unavailable. When reviewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 17 August 2015, or, if that information is not submitted by that date, the lack of it.

<b>0130000</b>	<b>(iii) Pome fruit</b>
<b>0130010</b>	<b>Apples (Crab apple)</b>
<b>0130020</b>	<b>Pears (Oriental pear)</b>
<b>0130030</b>	<b>Quinces</b>
<b>0130040</b>	<b>Medlar</b>
<b>0130050</b>	<b>Loquat</b>
<b>0130990</b>	<b>Others</b>
<b>0151020</b>	<b>Wine grapes</b>

**▼ M61****Metconazole (F)**

- (+) The European Food Safety Authority identified some information on residue trials as unavailable. When reviewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 17 August 2015, or, if that information is not submitted by that date, the lack of it.

<b>0233010</b>	<b>Melons (Kiwano)</b>
----------------	------------------------

**▼ M42****Prosulfocarb**

- (+) The European Food Safety Authority identified some information on residue trials as unavailable. When reviewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 17 August 2015, or, if that information is not submitted by that date, the lack of it.

<b>0152000</b>	<b>(b) Strawberries</b>
----------------	-------------------------

- (+) The European Food Safety Authority identified some information on crop metabolism as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 17 August 2015, or, if that information is not submitted by that date, the lack of it.

<b>0213020</b>	<b>Carrots</b>
<b>0213030</b>	<b>Celeriac</b>
<b>0213040</b>	<b>Horseradish (Angelica roots, lovage roots, gentiana roots,)</b>
<b>0213060</b>	<b>Parsnips</b>
<b>0213070</b>	<b>Parsley root</b>
<b>0213090</b>	<b>Salsify (Scorzoner, Spanish salsify (Spanish oysterplant))</b>

- (+) The European Food Safety Authority identified some information on residue trials as unavailable. When reviewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 17 August 2015, or, if that information is not submitted by that date, the lack of it.

<b>0256000</b>	<b>(f) Herbs</b>
<b>0256010</b>	<b>Chervil</b>
<b>0256020</b>	<b>Chives</b>
<b>0256030</b>	<b>Celery leaves (Fennel leaves, Coriander leaves, dill leaves, Caraway leaves, lovage, angelica, sweet cicely and other Apiacea leaves)</b>
<b>0256040</b>	<b>Parsley</b>
<b>0256050</b>	<b>Sage (Winter savory, summer savory,)</b>
<b>0256060</b>	<b>Rosemary</b>
<b>0256070</b>	<b>Thyme (Marjoram, oregano)</b>
<b>0256080</b>	<b>Basil (Balm leaves, mint, peppermint)</b>
<b>0256090</b>	<b>Bay leaves (laurel)</b>
<b>0256100</b>	<b>Tarragon (Hyssop)</b>
<b>0256990</b>	<b>Others (Edible flowers)</b>

**▼ M42**

- (+) The European Food Safety Authority identified some information on crop metabolism as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 17 August 2015, or, if that information is not submitted by that date, the lack of it.

**0270030** Celery

- (+) The European Food Safety Authority identified some information on analytical methods as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 17 August 2015, or, if that information is not submitted by that date, the lack of it.

**0810000** (i) Seeds  
**0810010** Anise  
**0810020** Black caraway  
**0810030** Celery seed (Lovage seed)  
**0810040** Coriander seed  
**0810050** Cumin seed  
**0810060** Dill seed  
**0810070** Fennel seed  
**0810080** Fenugreek  
**0810090** Nutmeg  
**0810990** Others  
**0820000** (ii) Fruits and berries  
**0820010** Allspice  
**0820020** Anise pepper (Japan pepper)  
**0820030** Caraway  
**0820040** Cardamom  
**0820050** Juniper berries  
**0820060** Pepper, black and white (Long pepper, pink pepper)  
**0820070** Vanilla pods  
**0820080** Tamarind  
**0820990** Others

**▼ M70**

**Tepraloxydim** (sum of tepraloxydim and its metabolites that can be hydrolysed either to the moiety 3-(tetrahydro-pyran-4-yl)-glutaric acid or to the moiety 3-hydroxy-(tetrahydro-pyran-4-yl)-glutaric acid, expressed as tepraloxydim)

- (+) The European Food Safety Authority identified some information on crop metabolism as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 17 August 2015, or, if that information is not submitted by that date, the lack of it.

**0152000** (b) Strawberries  
**0154000** (d) Other small fruit & berries  
**0154010** Blueberries (Bilberries)  
**0154020** Cranberries (Cowberries/red bilberries (*V. vitis-idaea*))  
**0154030** Currants (red, black and white)  
**0154040** Gooseberries (Including hybrids with other *Ribes* species)  
**0154050** Rose hips  
**0154060** Mulberries (*Arbutus* berry)  
**0154070** Azarole (mediteranean medlar) (*Kiwiberry* (*Actinidia arguta*))  
**0154080** Elderberries (Black chokeberry/appleberry, mountain ash, buckthorn/sea shallowthorn, hawthorn, serviceberries, and other treeberries)  
**0154990** Others  
**0232000** (b) Cucurbits — edible peel  
**0232010** Cucumbers  
**0232020** Gherkins  
**0232030** Courgettes (Summer squash, marrow (*patisson*), lauki (*Lagenaria siceraria*), chayote, sopropo/bitter melon, snake gourd, angled luffa/teroi)  
**0232990** Others

**▼ M70**

0241000	(a) Flowering brassica
0241010	Broccoli (Calabrese, Broccoli raab, Chinese broccoli)
0241020	Cauliflower
0241990	Others
0242010	Brussels sprouts
0242020	Head cabbage (Pointed head cabbage, red cabbage, savoy cabbage, white cabbage)
0242990	Others
0243000	(c) Leafy brassica
0243010	Chinese cabbage (Indian or Chinese) mustard, pak choi, Chinese flat cabbage/ai goo choi, choi sum, Peking cabbage/pe-tsai)
0243020	Kale (Borecole/curly kale, collards, Portuguese Kale, Portuguese cabbage, cow cabbage)
0243990	Others
0244000	(d) Kohlrabi
0256030	Celery leaves (Fennel leaves, coriander leaves, dill leaves, caraway leaves, lovage, angelica, sweet cicely and other Apiacea leaves, culantro/stinking/long coriander/stink weed ( <i>Eryngium foetidum</i> ))
0270060	Leek

- (+) The European Food Safety Authority identified some information on analytical methods as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 17 August 2015, or, if that information is not submitted by that date, the lack of it.

0300010	Beans (Broad beans, navy beans, flageolets, jack beans, lima beans, field beans, cowpeas)
0300020	Lentils
0300030	Peas (Chickpeas, field peas, chickling vetch)

- (+) The applicable maximum residue level for horseradish (*Armoracia rusticana*) in the spice group (code 0840040) is the one set for horseradish (*Armoracia rusticana*) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

0840040	Horseradish
---------	-------------

**▼ M46****2,4-D (sum of 2,4-D, its salts, its esters and its conjugates, expressed as 2,4-D)**

- (+) The European Food Safety Authority identified some information on analytical methods as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 17 December 2015, or, if that information is not submitted by that date, the lack of it.

0120010	Almonds
0120020	Brazil nuts
0120030	Cashew nuts
0120050	Coconuts
0120060	Hazelnuts (Filbert)
0120070	Macadamia
0120080	Pecans
0120090	Pine nuts
0120100	Pistachios
0120110	Walnuts
0120990	Others
0401070	Soya bean

**▼ M46**

- (+) The European Food Safety Authority identified some information on residue trials as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 17 December 2015, or, if that information is not submitted by that date, the lack of it.

0500020                      Buckwheat (*Amaranthus, quinoa*)

**Florasulam**

- (+) The European Food Safety Authority identified some information on analytical methods as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 17 December 2015, or, if that information is not submitted by that date, the lack of it.

1012000                      (b) Bovine

1012010                      Muscle

1012020                      Fat

1012030                      Liver

1012040                      Kidney

1012050                      Edible offal

1012990                      Others

1013000                      (c) Sheep

1013010                      Muscle

1013020                      Fat

1013030                      Liver

1013040                      Kidney

1013050                      Edible offal

1013990                      Others

1014000                      (d) Goat

1014010                      Muscle

1014020                      Fat

1014030                      Liver

1014040                      Kidney

1014050                      Edible offal

1014990                      Others

1020010                      Cattle

1020020                      Sheep

1020030                      Goat

**Metolachlor and S-metolachlor (metolachlor including other mixtures of constituent isomers including S-metolachlor (sum of isomers))**

- (+) The European Food Safety Authority identified some information on storage stability as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 17 December 2015, or, if that information is not submitted by that date, the lack of it.

0152000                      (b) Strawberries

- (+) The European Food Safety Authority identified some information on residue trials and storage stability as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 17 December 2015, or, if that information is not submitted by that date, the lack of it.

0163080                      Pineapples

**▼ M61****Chlormequat**

- (+) MRL valid until the entry into force of the Regulation reviewing the existing MRLs for chlormequat.

**0130020                      Pears (Oriental pear)**

**▼ M70****Trifloxystrobin (f) (R)**

(R) = The residue definition differs for the following combinations pesticide-code number:

Trifloxystrobin- code 1000000: the sum of trifloxystrobin and its metabolite (E, E)-methoxyimino- {2-[1-(3-trifluoromethyl-phenyl)-ethylideneamino-oxymethyl]-phenyl}-acetic acid (CGA 321113)

**▼ M49****Cyromazine**

(+) The European Food Safety Authority identified some information on residue trials and melamine formation as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 25 January 2016, or, if that information is not submitted by that date, the lack of it.

<b>0251010</b>	<b>Lamb's lettuce (Italian corn salad)</b>
<b>0251020</b>	<b>Lettuce (Head lettuce, lollo rosso (cutting lettuce), iceberg lettuce, romaine (cos) lettuce)</b>
<b>0251060</b>	<b>Rocket, Rucola (Wild rocket (<i>Diplotaxis</i> spp.))</b>
<b>0256000</b>	<b>(f) Herbs</b>
<b>0256010</b>	<b>Chervil</b>
<b>0256020</b>	<b>Chives</b>
<b>0256030</b>	<b>Celery leaves (Fennel leaves, coriander leaves, dill leaves, caraway leaves, lovage, angelica, sweet cicely and other <i>Apiacea</i> leaves, culantro/stinking/long coriander/stink weed (<i>Eryngium foetidum</i>))</b>
<b>0256040</b>	<b>Parsley (leaves of root parsley)</b>
<b>0256050</b>	<b>Sage (Winter savory, summer savory, <i>Borago officinalis</i> leaves)</b>
<b>0256060</b>	<b>Rosemary</b>
<b>0256070</b>	<b>Thyme (Marjoram, oregano)</b>
<b>0256080</b>	<b>Basil (Balm leaves, mint, peppermint, holy basil, sweet basil, hairy basil, edible flowers (marigold flower and others), pennywort, wild betel leaf, curry leaves)</b>
<b>0256090</b>	<b>Bay leaves (laurel) (Lemon grass)</b>
<b>0256100</b>	<b>Tarragon (Hyssop)</b>
<b>0256990</b>	<b>Others</b>

(+) The European Food Safety Authority identified some information on crop metabolism as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 25 January 2016, or, if that information is not submitted by that date, the lack of it.

<b>0260010</b>	<b>Beans (with pods) (Green bean/French beans/snap beans, scarlet runner bean, slicing bean, yard long beans, guar beans, soya beans)</b>
<b>0260030</b>	<b>Peas (with pods) (Mangetout/sugar peas/snow peas)</b>

(+) The European Food Safety Authority identified some information on residue trials and melamine formation as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 25 January 2016, or, if that information is not submitted by that date, the lack of it.

<b>0270030</b>	<b>Celery</b>
----------------	---------------

(+) The applicable maximum residue level for horseradish (*Armoracia rusticana*) in the spice group (code 0840040) is the one set for horseradish (*Armoracia rusticana*) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

<b>0840040</b>	<b>Horseradish</b>
----------------	--------------------

(+) veterinary medicinal MRL

<b>1013000</b>	<b>(c) Sheep</b>
<b>1013010</b>	<b>Muscle</b>
<b>1013020</b>	<b>Fat</b>
<b>1013030</b>	<b>Liver</b>

▼ **M49**

<b>1013040</b>	<b>Kidney</b>
<b>1013050</b>	<b>Edible offal</b>
<b>1013990</b>	<b>Others</b>

**Oxamyl**

- (+) The European Food Safety Authority identified some information on storage stability, crop metabolism and residue trials as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 25 January 2016, or, if that information is not submitted by that date, the lack of it.

<b>0110020</b>	<b>Oranges (Bergamot, bitter orange, chinotto and other hybrids)</b>
<b>0110050</b>	<b>Mandarins (Clementine, tangerine, mineola and other hybrids tangor (<i>Citrus reticulata</i> x <i>sinensis</i>))</b>

- (+) The European Food Safety Authority identified some information on crop metabolism as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 25 January 2016, or, if that information is not submitted by that date, the lack of it.

<b>0163020</b>	<b>Bananas (Dwarf banana, plantain, apple banana)</b>
<b>0231010</b>	<b>Tomatoes (Cherry tomatoes, <i>Physalis</i> spp., gojiberry, wolfberry (<i>Lycium barbarum</i> and <i>L. chinense</i>), tree tomato)</b>
<b>0231030</b>	<b>Aubergines (egg plants) (Pepino, antroewa/white eggplant (<i>S. macrocarpon</i>))</b>
<b>0232000</b>	<b>(b) Cucurbits — edible peel</b>
<b>0232010</b>	<b>Cucumbers</b>
<b>0232020</b>	<b>Gherkins</b>
<b>0232030</b>	<b>Courgettes (Summer squash, marrow (patisson), lauki (<i>Lagenaria siceraria</i>), chayote, sopropo/bitter melon, snake gourd, angled luffa/teroi)</b>
<b>0232990</b>	<b>Others</b>

- (+) The applicable maximum residue level for horseradish (*Armoracia rusticana*) in the spice group (code 0840040) is the one set for horseradish (*Armoracia rusticana*) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

<b>0840040</b>	<b>Horseradish</b>
----------------	--------------------

**Fenpropidin (sum of fenpropidin and its salts, expressed as fenpropidin) (R) (S)**

- (R) = The residue definition differs for the following combinations pesticide-code number:

fenpropidin-code 1000000 except 1040000: sum of fenpropidin, 2-methyl-2-[4-(2-methyl-3-piperidin-1-yl-propyl)-phenyl]propionic acid, and their salts, expressed as fenpropidin

- (S) = The EU Reference Laboratories for Residues of Pesticides identified the reference standard for 2-methyl-2-[4-(2-methyl-3-piperidin-1-yl-propyl)-phenyl]propionic acid as commercially not available. When re-viewing the MRL, the Commission will take into account the commercial availability of the reference standard referred to in the first sentence by 25 January 2015, or, if that reference standard is not commercially available by that date, the unavailability of it.

- (+) The applicable maximum residue level for horseradish (*Armoracia rusticana*) in the spice group (code 0840040) is the one set for horseradish (*Armoracia rusticana*) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

<b>0840040</b>	<b>Horseradish</b>
----------------	--------------------

▼ **M72****Formetanate: Sum of formetanate and its salts expressed as formetanate(hydrochloride)**

- (+) The applicable maximum residue level for horseradish (*Armoracia rusticana*) in the spice group (code 0840040) is the one set for horseradish (*Armoracia rusticana*) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

<b>0840040</b>	<b>Horseradish</b>
----------------	--------------------



▼ **M72****Tebuconazole (R)**

(R) = The residue definition differs for the following combinations pesticide-code number:

tebuconazole-code 1000000 except 1040000: sum of tebuconazole, hydroxy-tebuconazole, and their conjugates, expressed as tebuconazole

(+) The European Food Safety Authority identified some information on residue trials as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 25 January 2016, or, if that information is not submitted by that date, the lack of it.

0140020	<b>Cherries (Sweet cherries, sour cherries)</b>
0151020	<b>Wine grapes</b>
0153020	<b>Dewberries (Loganberries, tayberries, boysenberries, cloudberrries and other Rubus hybrids)</b>
0153990	<b>Others</b>
0213090	<b>Salsify (Scorzonera, Spanish salsify/Spanish oysterplant, edible burdock)</b>
0231030	<b>Aubergines (egg plants) (Pepino, antroewa/white eggplant (S. macrocarpon))</b>
0233010	<b>Melons (Kiwano)</b>
0260010	<b>Beans (with pods) (Green bean/French beans/snap beans, scarlet runner bean, slicing bean, yard long beans, guar beans, soya beans)</b>
0260020	<b>Beans (without pods) (Broad beans, flageolets, jack bean, lima bean, cowpea)</b>
0260030	<b>Peas (with pods) (Mangetout/sugar peas/snow peas)</b>
0270030	<b>Celery</b>
0500060	<b>Rice (Indian/wild rice (Zizania aquatica))</b>

(+) The European Food Safety Authority identified some information on analytical methods as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 25 January 2016, or, if that information is not submitted by that date, the lack of it.

0700000	<b>7. HOPS (dried)</b>
0810000	<b>(i) Seeds</b>
0810010	<b>Anise</b>
0810020	<b>Black caraway</b>
0810030	<b>Celery seed (Lovage seed)</b>
0810040	<b>Coriander seed</b>
0810050	<b>Cumin seed</b>
0810060	<b>Dill seed</b>
0810070	<b>Fennel seed</b>
0810080	<b>Fenugreek</b>
0810090	<b>Nutmeg</b>
0810990	<b>Others</b>
0820030	<b>Caraway</b>

(+) The applicable maximum residue level for horseradish (*Armoracia rusticana*) in the spice group (code 0840040) is the one set for horseradish (*Armoracia rusticana*) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

0840040	<b>Horseradish</b>
---------	--------------------

▼ **M50****Bifenazate (bifenazate plus bifenazate-diazene) (F) ► **M52** (A) ◀**

(+) The European Food Safety Authority identified some information on hydrolysis as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 30 January 2016, or, if that information is not submitted by that date, the lack of it.

0130000	<b>(iii) Pome fruit</b>
0130010	<b>Apples (Crab apple)</b>
0130020	<b>Pears (Oriental pear)</b>
0130030	<b>Quinces</b>
0130040	<b>Medlar</b>
0130050	<b>Loquat</b>
0130990	<b>Others</b>

▼ M50

- (+) The applicable maximum residue level for horseradish (*Armoracia rusticana*) in the spice group (code 0840040) is the one set for horseradish (*Armoracia rusticana*) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

**0840040**                              **Horseradish**

▼ M52

- (A) The European Union reference laboratories identified the reference standard for bifenazate-diazene as commercially not available. When re-viewing the MRL, the Commission will take into account the commercial availability of the reference standard referred to in the first sentence by 22 March 2015, or, if that reference standard is not commercially available by that date, the unavailability of it.

▼ M50

**Chlorpropham (F) (R) ► M52 (A) ◄**

- (R) = The residue definition differs for the following combinations pesticide-code number:

Chlorpropham - codes 1016000 and 1030000: chlorpropham and 3-chloro-4-hydroxyaniline conjugates, expressed as chlorpropham; Chlorpropham - code 1000000 except 1016000, 1030000 and 1040000 : Chlorpropham and 4'-hydroxychlorpropham-O-sulphonic acid (4-HSA), expressed as chlorpropham

- (+) The European Food Safety Authority identified some information on the effect of processing and the toxicological properties of 3-chloroaniline as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 30 January 2016, or, if that information is not submitted by that date, the lack of it.

**0211000**                              **(a) Potatoes**

- (+) The European Food Safety Authority identified some information on the toxicological properties of 3-chloroaniline, metabolism and storage stability as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 30 January 2016, or, if that information is not submitted by that date, the lack of it.

**0213030**                              **Celeriac**

**0220020**                              **Onions (Other bulb onions, silverskin onions)**

**0220030**                              **Shallots**

- (+) The European Food Safety Authority identified some information on some residue trials, the toxicological properties of 3-chloroaniline, metabolism and storage stability as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 30 January 2016, or, if that information is not submitted by that date, the lack of it.

**0251020**                              **Lettuce (Head lettuce, lollo rosso (cutting lettuce), iceberg lettuce, romaine (cos) lettuce)**

- (+) The European Food Safety Authority identified some information on some residue trials, the toxicological properties of 3-chloroaniline, metabolism and storage stability as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 30 January 2016, or, if that information is not submitted by that date, the lack of it.

**0251030**                              **Scarole (broad-leaf endive) (Wild chicory, red-leaved chicory, radicchio, curly leaf endive, sugar loaf (*C. endivia* var. *crispum*/*C. intybus* var. *foliosum*), dandelion greens)**

- (+) The European Food Safety Authority identified some information on the toxicological properties of 3-chloroaniline, metabolism and storage stability as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 30 January 2016, or, if that information is not submitted by that date, the lack of it.

**0251060**                              **Rocket, Rucola (Wild rocket (*Diplotaxis* spp.))**

**0252010**                              **Spinach (New Zealand spinach, amaranthus spinach (pak-khom, tampara), tajar leaves, bitterblad/bitawiri)**

**0255000**                              **(e) Witloof**

- (+) The European Food Safety Authority identified some information on some residue trials, the toxicological properties of 3-chloroaniline, metabolism and storage stability as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 30 January 2016, or, if that information is not submitted by that date, the lack of it.

**0270020**                              **Cardoons (*Borago officinalis* stems)**

▼ **M50**

- (+) The European Food Safety Authority identified some information on the toxicological properties of 3-chloroaniline, metabolism and storage stability as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 30 January 2016, or, if that information is not submitted by that date, the lack of it.

**0270030**                      **Celery**  
**0270040**                      **Fennel**

- (+) The European Food Safety Authority identified some information on some residue trials, the analytical method, metabolism, storage stability and the toxicological properties of 3-chloroaniline as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 30 January 2016, or, if that information is not submitted by that date, the lack of it.

**0631010**                      **Camomille flowers**

- (+) The European Food Safety Authority identified some information on some residue trials, the analytical method, metabolism, storage stability and the toxicological properties of 3-chloroaniline as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 30 January 2016, or, if that information is not submitted by that date, the lack of it.

**0631020**                      **Hybiscus flowers**  
**0631030**                      **Rose petals**  
**0631040**                      **Jasmine flowers (Elderflowers (*Sambucus nigra*))**  
**0631050**                      **Lime (linden)**

- (+) The European Food Safety Authority identified some information on some residue trials, the analytical method and the toxicological properties of 3-chloroaniline as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 30 January 2016, or, if that information is not submitted by that date, the lack of it.

**0820000**                      **(ii) Fruits and berries**  
**0820010**                      **Allspice**  
**0820020**                      **Sichuan pepper (Anise pepper, Japan pepper)**  
**0820030**                      **Caraway**  
**0820040**                      **Cardamom**  
**0820050**                      **Juniper berries**  
**0820060**                      **Pepper, black, green and white (Long pepper, pink pepper)**  
**0820070**                      **Vanilla pods**  
**0820080**                      **Tamarind**

- (+) The applicable maximum residue level for horseradish (*Armoracia rusticana*) in the spice group (code 0840040) is the one set for horseradish (*Armoracia rusticana*) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

**0840040**                      **Horseradish**

- (+) The European Food Safety Authority identified some information on the toxicological properties of 3-chloroaniline, metabolism and storage stability as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 30 January 2016, or, if that information is not submitted by that date, the lack of it.

**0900030**                      **Chicory roots**

- (+) The European Food Safety Authority identified some information on analytical methods and the toxicological properties of 3-chloro-4-hydroxyaniline as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 30 January 2016, or, if that information is not submitted by that date, the lack of it.

**1016010**                      **Muscle**

- (+) The European Food Safety Authority identified some information on analytical methods and the toxicological properties of 3-chloro-4-hydroxyaniline as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 30 January 2016, or, if that information is not submitted by that date, the lack of it.

**1016020**                      **Fat**

**▼ M50**

- (+) The European Food Safety Authority identified some information on analytical methods and the toxicological properties of 3-chloro-4-hydroxyaniline as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 30 January 2016, or, if that information is not submitted by that date, the lack of it.

**1016030**                      **Liver**

- (+) The European Food Safety Authority identified some information on analytical methods, a feeding study and the toxicological properties of 3-chloro-4-hydroxyaniline as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 30 January 2016, or, if that information is not submitted by that date, the lack of it.

**1030000**                      **(iii) Bird eggs**

**1030010**                      **Chicken**

**1030020**                      **Duck**

**1030030**                      **Goose**

**1030040**                      **Quail**

**▼ M52**

- (A) The European Union reference laboratories identified the reference standard for 4'-hydroxychlorpropham-O-sulphonic acid (4-HSA) as commercially not available. When re-viewing the MRL, the Commission will take into account the commercial availability of the reference standard referred to in the first sentence by 22 March 2015, or, if that reference standard is not commercially available by that date, the unavailability of it.

**▼ M70**

**Fenvalerate (any ratio of constituent isomers (RR, SS, RS & SR) including esfenvalerate) (f) (R)**

- (R) = The residue definition differs for the following combinations pesticide-code number:

Esfenvalerate — codes 1011030, 1011040, 1012030, 1012040, 1013030, 1013040, 1014030, 1014040, 1015030, 1015040, 1016030, 1016040, 1017030 and 1017040: sum of fenvalerate (any ratio of constituent isomers including esfenvalerate) and CPIA (chlorophenyl isovaleric acid), expressed as fenvalerate

- (+) The European Food Safety Authority identified some information on residue trials as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 30 January 2016, or, if that information is not submitted by that date, the lack of it.

**0120010**                      **Almonds**

**0130010**                      **Apples (Crab apple)**

**0130020**                      **Pears (Oriental pear)**

**0140020**                      **Cherries (Sweet cherries, sour cherries)**

**0140040**                      **Plums (Damson, greengage, mirabelle, sloe, red date/Chinese date/Chinese jujube (*Ziziphus zizyphus*))**

**0152000**                      **(b) Strawberries**

**0153030**                      **Raspberries (Wineberries, arctic bramble/raspberry, (*Rubus arcticus*), nectar raspberries (*Rubus arcticus* × *Rubus idaeus*))**

**0213020**                      **Carrots**

**0213040**                      **Horseradish (*Angelica* roots, lovage roots, gentiana roots)**

**0213070**                      **Parsley root**

**0213080**                      **Radishes (Black radish, Japanese radish, small radish and similar varieties, tiger nut (*Cyperus esculentus*))**

**0220010**                      **Garlic**

**0220020**                      **Onions (Other bulb onions, silverskin onions)**

**0232000**                      **(b) Cucurbits — edible peel**

**0232010**                      **Cucumbers**

**0232020**                      **Gherkins**

**0232030**                      **Courgettes (Summer squash, marrow (*patisson*), lauki (*Lagenaria siceraria*), chayote, sopropo/bitter melon, snake gourd, angled luffa/teroi)**

**0232990**                      **Others**

**0233010**                      **Melons (Kiwano)**

▼ **M70**

0234000	(d) Sweet corn (Baby corn)
0241020	Cauliflower
0241990	Others
0242010	Brussels sprouts
0251020	Lettuce (Head lettuce, lollo rosso (cutting lettuce), iceberg lettuce, romaine (cos) lettuce)
0252010	Spinach (New Zealand spinach, amaranthus spinach (pak-khom, tampara), tajar leaves, bitterblad/bitawiri)
0256040	Parsley (leaves of root parsley)
0270060	Leek
0300020	Lentils
0500010	Barley
0500030	Maize
0500050	Oats
0500070	Rye
0500080	Sorghum
0500090	Wheat (Spelt, triticale)
0810000	(i) Seeds
0810010	Anise
0810020	Black caraway
0810030	Celery seed (Lovage seed)
0810040	Coriander seed
0810050	Cumin seed
0810060	Dill seed
0810070	Fennel seed
0810080	Fenugreek
0810090	Nutmeg
0810990	Others

- (+) The applicable maximum residue level for horseradish (*Armoracia rusticana*) in the spice group (code 0840040) is the one set for horseradish (*Armoracia rusticana*) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

**0840040**                      **Horseradish**

- (+) The European Food Safety Authority identified some information on analytical methods as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 30 January 2016, or, if that information is not submitted by that date, the lack of it.

1011000	(a) Swine
1011010	Muscle
1011020	Fat
1011030	Liver
1011040	Kidney
1011050	Edible offal
1011990	Others

- (+) The European Food Safety Authority identified some information on analytical methods and a feeding study for lactating ruminants as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 30 January 2016, or, if that information is not submitted by that date, the lack of it.

▼ **M70**

1012000	(b) Bovine
1012010	Muscle
1012020	Fat
1012030	Liver
1012040	Kidney
1012050	Edible offal
1012990	Others

- (+) The European Food Safety Authority identified some information on analytical methods and a feeding study for lactating ruminants as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 30 January 2016, or, if that information is not submitted by that date, the lack of it.

1013000	(c) Sheep
1013010	Muscle
1013020	Fat
1013030	Liver
1013040	Kidney
1013050	Edible offal
1013990	Others

- (+) The European Food Safety Authority identified some information on analytical methods and a feeding study for lactating ruminants as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 30 January 2016, or, if that information is not submitted by that date, the lack of it.

1014000	(d) Goat
1014010	Muscle
1014020	Fat
1014030	Liver
1014040	Kidney
1014050	Edible offal
1014990	Others

- (+) The European Food Safety Authority identified some information on analytical methods as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 30 January 2016, or, if that information is not submitted by that date, the lack of it.

1015000	(e) Horses, asses, mules or hinnies
1015010	Muscle
1015020	Fat
1015030	Liver
1015040	Kidney
1015050	Edible offal
1015990	Others
1016000	(f) Poultry -chicken, geese, duck, turkey and Guinea fowl-, ostrich, pigeon
1016010	Muscle
1016020	Fat
1016030	Liver
1016040	Kidney
1016050	Edible offal
1016990	Others

**▼ M70**

<b>1017000</b>	<b>(g) Other farm animals (Rabbit, kangaroo, deer)</b>
<b>1017010</b>	<b>Muscle</b>
<b>1017020</b>	<b>Fat</b>
<b>1017030</b>	<b>Liver</b>
<b>1017040</b>	<b>Kidney</b>
<b>1017050</b>	<b>Edible offal</b>
<b>1017990</b>	<b>Others</b>

- (+) The European Food Safety Authority identified some information on analytical methods and a feeding study for lactating ruminants as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 30 January 2016, or, if that information is not submitted by that date, the lack of it.

<b>1020000</b>	<b>(ii) Milk</b>
<b>1020010</b>	<b>Cattle</b>
<b>1020020</b>	<b>Sheep</b>
<b>1020030</b>	<b>Goat</b>
<b>1020040</b>	<b>Horse</b>
<b>1020990</b>	<b>Others</b>

- (+) The European Food Safety Authority identified some information on analytical methods as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 30 January 2016, or, if that information is not submitted by that date, the lack of it.

<b>1030000</b>	<b>(iii) Bird eggs</b>
<b>1030010</b>	<b>Chicken</b>
<b>1030020</b>	<b>Duck</b>
<b>1030030</b>	<b>Goose</b>
<b>1030040</b>	<b>Quail</b>
<b>1030990</b>	<b>Others</b>
<b>1050000</b>	<b>(v) Amphibians and reptiles (Frog legs, crocodiles)</b>
<b>1060000</b>	<b>(vi) Snails</b>
<b>1070000</b>	<b>(vii) Other terrestrial animal products (Wild game)</b>

**▼ M74****Fludioxonil (F) (R)**

- (R) = The residue definition differs for the following combinations pesticide-code number:

Fludioxonil - code 1000000 except 1040000: sum of fludioxonil and its metabolites oxidized to metabolite 2,2-difluoro-benzo[1,3]dioxole-4 carboxylic acid

- (+) The European Food Safety Authority identified some information on residue trials as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 30 January 2016, or, if that information is not submitted by that date, the lack of it.

<b>0152000</b>	<b>(b) Strawberries</b>
----------------	-------------------------

- (+) The applicable maximum residue level for horseradish (*Armoracia rusticana*) in the spice group (code 0840040) is the one set for horseradish (*Armoracia rusticana*) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

<b>0840040</b>	<b>Horseradish</b>
----------------	--------------------

**▼ M74**

- (+) The European Food Safety Authority identified some information on a livestock feeding study as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 30 January 2016, or, if that information is not submitted by that date, the lack of it.

1012000	(b) <i>Bovine</i>
1012010	Muscle
1012020	Fat
1012030	Liver
1012040	Kidney
1012050	Edible offal
1012990	Others
1013000	(c) <i>Sheep</i>
1013010	Muscle
1013020	Fat
1013030	Liver
1013040	Kidney
1013050	Edible offal
1013990	Others
1014000	(d) <i>Goat</i>
1014010	Muscle
1014020	Fat
1014030	Liver
1014040	Kidney
1014050	Edible offal
1014990	Others

**▼ M56**

**MCPA and MCPB (MCPA, MCPB including their salts, esters and conjugates expressed as MCPA) (F) (R)**

- (R) = The residue definition differs for the following combinations pesticide-code number:

MCPA and MCPB - code 1000000: MCPA, MCPB and MCPA thioethyl expressed as MCPA

**▼ M75**

**Acetamiprid (R)**

- (R) = The residue definition differs for the following combinations pesticide-code number:

Acetamiprid - code 1000000 except 1040000: Sum of acetamiprid and N-desmethyl-acetamiprid (IM-2-1), expressed as acetamiprid

- (+) The applicable maximum residue level for horseradish (*Armoracia rusticana*) in the spice group (code 0840040) is the one set for horseradish (*Armoracia rusticana*) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

0840040	Horseradish
---------	-------------

- (+) The European Food Safety Authority identified some information on analytical methods as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 5 February 2016, or, if that information is not submitted by that date, the lack of it.



▼ M75

1000000	10. PRODUCTS OF ANIMAL ORIGIN-TERRESTRIAL ANIMALS
1010000	(i) <b>Tissue</b>
1011000	(a) <i>Swine</i>
1011010	Muscle
1011020	Fat
1011030	Liver
1011040	Kidney
1011050	Edible offal
1011990	Others
1012000	(b) <i>Bovine</i>
1012010	Muscle
1012020	Fat
1012030	Liver
1012040	Kidney
1012050	Edible offal
1012990	Others
1013000	(c) <i>Sheep</i>
1013010	Muscle
1013020	Fat
1013030	Liver
1013040	Kidney
1013050	Edible offal
1013990	Others
1014000	(d) <i>Goat</i>
1014010	Muscle
1014020	Fat
1014030	Liver
1014040	Kidney
1014050	Edible offal
1014990	Others
1015000	(e) <i>Horses, asses, mules or hinnies</i>
1015010	Muscle
1015020	Fat
1015030	Liver
1015040	Kidney
1015050	Edible offal
1015990	Others
1016000	(f) <i>Poultry -chicken, geese, duck, turkey and Guinea fowl-, ostrich, pigeon</i>
1016010	Muscle
1016020	Fat
1016030	Liver
1016040	Kidney
1016050	Edible offal
1016990	Others
1017000	(g) <i>Other farm animals (Rabbit, kangaroo, deer)</i>
1017010	Muscle
1017020	Fat
1017030	Liver

**▼ M75**

1017040	Kidney
1017050	Edible offal
1017990	Others
1020000	(ii) <b>Milk</b>
1020010	Cattle
1020020	Sheep
1020030	Goat
1020040	Horse
1020990	Others
1030000	(iii) <b>Bird eggs</b>
1030010	Chicken
1030020	Duck
1030030	Goose
1030040	Quail
1030990	Others
1040000	(iv) <b>Honey (Royal jelly, pollen, honey comb with honey (comb honey))</b>
1050000	(v) <b>Amphibians and reptiles (Frog legs, crocodiles)</b>
1060000	(vi) <b>Snails</b>
1070000	(vii) <b>Other terrestrial animal products (Wild game)</b>

**▼ M51****Isoproturon**

- (+) The European Food Safety Authority identified some information on storage stability, crop metabolism and residue trials as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 5 February 2016 or, if that information is not submitted by that date, the lack of it.

<b>0256020</b>	<b>Chives</b>
<b>0256070</b>	<b>Thyme (Marjoram, oregano)</b>

- (+) The applicable maximum residue level for horseradish (*Armoracia rusticana*) in the spice group (code 0840040) is the one set for horseradish (*Armoracia rusticana*) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

<b>0840040</b>	<b>Horseradish</b>
----------------	--------------------

- (+) The European Food Safety Authority identified some information on livestock metabolism and feeding studies as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 5 February 2016 or, if that information is not submitted by that date, the lack of it.

<b>1012010</b>	<b>Muscle</b>
----------------	---------------

- (+) The European Food Safety Authority identified some information on analytical methods on liver and kidneys as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 5 February 2016 or, if that information is not submitted by that date, the lack of it.

<b>1012030</b>	<b>Liver</b>
<b>1012040</b>	<b>Kidney</b>

- (+) The European Food Safety Authority identified some information on livestock metabolism and feeding studies as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 5 February 2016 or, if that information is not submitted by that date, the lack of it.

<b>1013010</b>	<b>Muscle</b>
----------------	---------------

**▼ M51**

- (+) The European Food Safety Authority identified some information on analytical methods on liver and kidneys as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 5 February 2016 or, if that information is not submitted by that date, the lack of it.

**1013030**                      **Liver**  
**1013040**                      **Kidney**

- (+) The European Food Safety Authority identified some information on livestock metabolism and feeding studies as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 5 February 2016 or, if that information is not submitted by that date, the lack of it.

**1014010**                      **Muscle**

- (+) The European Food Safety Authority identified some information on analytical methods on liver and kidneys as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 5 February 2016 or, if that information is not submitted by that date, the lack of it.

**1014030**                      **Liver**  
**1014040**                      **Kidney**

- (+) The European Food Safety Authority identified some information on livestock metabolism and feeding studies as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 5 February 2016 or, if that information is not submitted by that date, the lack of it.

**1015010**                      **Muscle**

- (+) The European Food Safety Authority identified some information on analytical methods on liver and kidneys as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 5 February 2016 or, if that information is not submitted by that date, the lack of it.

**1015030**                      **Liver**  
**1015040**                      **Kidney**

- (+) The European Food Safety Authority identified some information on livestock metabolism and feeding studies as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 5 February 2016 or, if that information is not submitted by that date, the lack of it.

**1017010**                      **Muscle**

- (+) The European Food Safety Authority identified some information on analytical methods on liver and kidneys as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 5 February 2016 or, if that information is not submitted by that date, the lack of it.

**1017030**                      **Liver**  
**1017040**                      **Kidney**

**▼ M70****Picoxystrobin (F)**

- (+) The European Food Safety Authority identified some information on analytical methods as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 5 February 2016, or, if that information is not submitted by that date, the lack of it.

**0401060**                      **Rape seed (Bird rapeseed, turnip rape)**

- (+) The applicable maximum residue level for horseradish (*Armoracia rusticana*) in the spice group (code 0840040) is the one set for horseradish (*Armoracia rusticana*) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

**0840040**                      **Horseradish**

▼ **M74****Pyrimethanil (R)**

(R) = The residue definition differs for the following combinations pesticide-code number:

Pyrimethanil - code 1020000: Sum of pyrimethanil and 2-anilino-4,6-dimethylpyrimidine-5-ol, expressed as pyrimethanil

Pyrimethanil - codes 1011000/1012000/1013000/1014000/1015000/1017000: Sum of pyrimethanil and 2-(4-hydroxyanilino)-4,6-dimethylpyrimidine, expressed as pyrimethanil

(+) The European Food Safety Authority identified some information on crop metabolism with seed treatment as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 5 February 2016, or, if that information is not submitted by that date, the lack of it.

0500010	Barley
0500050	Oats
0500070	Rye
0500090	Wheat (Spelt, triticale)

(+) The applicable maximum residue level for horseradish (*Armoracia rusticana*) in the spice group (code 0840040) is the one set for horseradish (*Armoracia rusticana*) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

0840040	Horseradish
---------	-------------

(+) The European Food Safety Authority identified some information on analytical methods as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 5 February 2016, or, if that information is not submitted by that date, the lack of it.

1000000	10. PRODUCTS OF ANIMAL ORIGIN-TERRESTRIAL ANIMALS
1010000	(i) <b>Tissue</b>
1011000	(a) <i>Swine</i>
1011010	Muscle
1011020	Fat
1011030	Liver
1011040	Kidney
1011050	Edible offal
1011990	Others
1012000	(b) <i>Bovine</i>
1012010	Muscle
1012020	Fat
1012030	Liver
1012040	Kidney
1012050	Edible offal
1012990	Others
1013000	(c) <i>Sheep</i>
1013010	Muscle
1013020	Fat
1013030	Liver
1013040	Kidney
1013050	Edible offal
1013990	Others
1014000	(d) <i>Goat</i>
1014010	Muscle
1014020	Fat
1014030	Liver
1014040	Kidney
1014050	Edible offal
1014990	Others

▼ **M74**

1015000	(e) <i>Horses, asses, mules or hinnies</i>
1015010	Muscle
1015020	Fat
1015030	Liver
1015040	Kidney
1015050	Edible offal
1015990	Others
1016000	(f) <i>Poultry -chicken, geese, duck, turkey and Guinea fowl-, ostrich, pigeon</i>
1016010	Muscle
1016020	Fat
1016030	Liver
1016040	Kidney
1016050	Edible offal
1016990	Others
1017000	(g) <i>Other farm animals (Rabbit, kangaroo, deer)</i>
1017010	Muscle
1017020	Fat
1017030	Liver
1017040	Kidney
1017050	Edible offal
1017990	Others
1020000	(ii) <b>Milk</b>
1020010	Cattle
1020020	Sheep
1020030	Goat
1020040	Horse
1020990	Others
1030000	(iii) <b>Bird eggs</b>
1030010	Chicken
1030020	Duck
1030030	Goose
1030040	Quail
1030990	Others
1040000	(iv) <b>Honey (Royal jelly, pollen, honey comb with honey (comb honey))</b>
1050000	(v) <b>Amphibians and reptiles (Frog legs, crocodiles)</b>
1060000	(vi) <b>Snails</b>
1070000	(vii) <b>Other terrestrial animal products (Wild game)</b>

▼ **M51****Chlorotoluron**

- (+) The European Food Safety Authority identified some information on storage stability, analytical methods, crop metabolism and residue trials as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 5 February 2016 or, if that information is not submitted by that date, the lack of it.

**0130010 Apples (Crab apple)**

**0130020 Pears (Oriental pear)**

- (+) The European Food Safety Authority identified some information on storage stability as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 5 February 2016 or, if that information is not submitted by that date, the lack of it.

**0500010 Barley**

**0500050 Oats**

**0500070 Rye**

**0500090 Wheat (Spelt, triticale)**

- (+) The applicable maximum residue level for horseradish (*Armoracia rusticana*) in the spice group (code 0840040) is the one set for horseradish (*Armoracia rusticana*) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

**0840040 Horseradish**

**▼ M51**

- (+) The European Food Safety Authority identified some information on livestock metabolism and feeding studies as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 5 February 2016 or, if that information is not submitted by that date, the lack of it.

<b>1012010</b>	<b>Muscle</b>
<b>1013010</b>	<b>Muscle</b>
<b>1014010</b>	<b>Muscle</b>
<b>1015010</b>	<b>Muscle</b>
<b>1017010</b>	<b>Muscle</b>

**▼ M74****Trinexapac (sum of trinexapac (acid) and its salts, expressed as trinexapac)**

- (+) The European Food Safety Authority identified some information on residue trials as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 5 February 2016, or, if that information is not submitted by that date, the lack of it.

0300010	Beans (Broad beans, navy beans, flageolets, jack beans, lima beans, field beans, cowpeas)
---------	---

- (+) The applicable maximum residue level for horseradish (*Armoracia rusticana*) in the spice group (code 0840040) is the one set for horseradish (*Armoracia rusticana*) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

0840040	Horseradish
---------	-------------

**▼ M52****Azimsulfuron**

- (+) The applicable maximum residue level for horseradish (*Armoracia rusticana*) in the spice group (code 0840040) is the one set for horseradish (*Armoracia rusticana*) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

<b>0840040</b>	<b>Horseradish</b>
----------------	--------------------

**Flazasulfuron**

- (+) The European Food Safety Authority identified some information on storage stability as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 22 March 2016 or, if that information is not submitted by that date, the lack of it.

<b>0161030</b>	<b>Table olives</b>
<b>0402010</b>	<b>Olives for oil production</b>

- (+) The applicable maximum residue level for horseradish (*Armoracia rusticana*) in the spice group (code 0840040) is the one set for horseradish (*Armoracia rusticana*) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

<b>0840040</b>	<b>Horseradish</b>
----------------	--------------------

**Foramsulfuron**

- (+) The European Food Safety Authority identified some information on analytical methods as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 22 March 2016 or, if that information is not submitted by that date, the lack of it.

<b>0500030</b>	<b>Maize</b>
----------------	--------------

- (+) The applicable maximum residue level for horseradish (*Armoracia rusticana*) in the spice group (code 0840040) is the one set for horseradish (*Armoracia rusticana*) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

<b>0840040</b>	<b>Horseradish</b>
----------------	--------------------

▼ M52**Imazosulfuron**

- (+) The European Food Safety Authority identified some information on storage stability as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 22 March 2016 or, if that information is not submitted by that date, the lack of it.

<b>0500010</b>	<b>Barley</b>
<b>0500060</b>	<b>Rice (Indian/wild rice (<i>Zizania aquatica</i>))</b>
<b>0500070</b>	<b>Rye</b>
<b>0500090</b>	<b>Wheat (Spelt, triticale)</b>

- (+) The applicable maximum residue level for horseradish (*Armoracia rusticana*) in the spice group (code 0840040) is the one set for horseradish (*Armoracia rusticana*) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

<b>0840040</b>	<b>Horseradish</b>
----------------	--------------------

**Iodosulfuron-methyl (sum of iodosulfuron-methyl and its salts, expressed as iodosulfuron-methyl)**

- (+) The European Food Safety Authority identified some information on analytical methods, storage stability, crop metabolism and residue trials as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 22 March 2016 or, if that information is not submitted by that date, the lack of it.

<b>0401010</b>	<b>Linseed</b>
----------------	----------------

- (+) The European Food Safety Authority identified some information on residue trials as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 22 March 2016 or, if that information is not submitted by that date, the lack of it.

<b>0500030</b>	<b>Maize</b>
----------------	--------------

- (+) The applicable maximum residue level for horseradish (*Armoracia rusticana*) in the spice group (code 0840040) is the one set for horseradish (*Armoracia rusticana*) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

<b>0840040</b>	<b>Horseradish</b>
----------------	--------------------

**Mesosulfuron-methyl**

- (+) The applicable maximum residue level for horseradish (*Armoracia rusticana*) in the spice group (code 0840040) is the one set for horseradish (*Armoracia rusticana*) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

<b>0840040</b>	<b>Horseradish</b>
----------------	--------------------

**Oxasulfuron**

- (+) The applicable maximum residue level for horseradish (*Armoracia rusticana*) in the spice group (code 0840040) is the one set for horseradish (*Armoracia rusticana*) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

<b>0840040</b>	<b>Horseradish</b>
----------------	--------------------

▼ M75**Propamocarb (Sum of propamocarb and its salts, expressed as propamocarb) (R)**

- (R) = The residue definition differs for the following combinations pesticide-code number: code 1000000 except 1016000, 1030000 and 1040000: N-oxide propamocarb; codes 1016000 and 1030000: N-desmethyl propamocarb

- (+) The European Food Safety Authority identified some information on residue trials as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 22 March 2016, or, if that information is not submitted by that date, the lack of it.

0241020	Cauliflower
0251010	Lamb's lettuce (Italian corn salad)
0251030	Scarole (broad-leaf endive) (Wild chicory, red-leaved chicory, radicchio, curly leaf endive, sugar loaf ( <i>C. endivia</i> var. <i>crispum</i> / <i>C. intybus</i> var. <i>foliosum</i> ), dandelion greens)
0251040	Cress (Mung bean sprouts, alfalfa sprouts)
0251050	Land cress
0251070	Red mustard

▼ **M75**

- |         |   |
|---------|---|
| 0251080 | Leaves and sprouts of Brassica spp, including turnip greens (Mizuna, leaves of peas and radish and other babyleaf crops, including brassica crops (crops harvested up to 8 true leaf stage), kohlrabi leaves)   |
| 0256000 | (f) <i>Herbs</i>  |
| 0256010 | Chervil   |
| 0256020 | Chives  |
| 0256030 | Celery leaves (Fennel leaves, coriander leaves, dill leaves, caraway leaves, lovage, angelica, sweet cicely and other Apiacea leaves, culantro/stinking/long coriander/stink weed ( <i>Eryngium foetidum</i> )) |
| 0256040 | Parsley (leaves of root parsley)  |
| 0256050 | Sage (Winter savory, summer savory, <i>Borago officinalis</i> leaves)   |
| 0256060 | Rosemary  |
| 0256070 | Thyme (Marjoram, oregano)   |
| 0256080 | Basil (Balm leaves, mint, peppermint, holy basil, sweet basil, hairy basil, edible flowers (marigold flower and others), pennywort, wild betel leaf, curry leaves)  |
| 0256090 | Bay leaves (laurel) (Lemon grass)   |
| 0256100 | Tarragon (Hyssop)   |
| 0256990 | Others  |
- (+) The applicable maximum residue level for horseradish (*Armoracia rusticana*) in the spice group (code 0840040) is the one set for horseradish (*Armoracia rusticana*) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.
- |         |             |
|---------|-------------|
| 0840040 | Horseradish |
|---------|-------------|
- (+) The European Food Safety Authority identified some information on analytical methods as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 22 March 2016, or, if that information is not submitted by that date, the lack of it.
- |         |        |
|---------|--------|
| 1011010 | Muscle |
| 1011020 | Fat    |
| 1011030 | Liver  |
| 1011040 | Kidney |
- (+) The European Food Safety Authority identified some information on analytical methods and a feeding study as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 22 March 2016 or, if that information is not submitted by that date, the lack of it.
- |         |        |
|---------|--------|
| 1012010 | Muscle |
| 1012020 | Fat    |
| 1012030 | Liver  |
| 1012040 | Kidney |
| 1013010 | Muscle |
| 1013020 | Fat    |
| 1013030 | Liver  |
| 1013040 | Kidney |
| 1014010 | Muscle |
| 1014020 | Fat    |
| 1014030 | Liver  |
| 1014040 | Kidney |
- (+) The European Food Safety Authority identified some information on analytical methods and the hen feeding study as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 22 March 2016 or, if that information is not submitted by that date, the lack of it.
- |         |        |
|---------|--------|
| 1016010 | Muscle |
| 1016020 | Fat    |
| 1016030 | Liver  |
- (+) The European Food Safety Authority identified some information on analytical methods and a feeding study as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 22 March 2016 or, if that information is not submitted by that date, the lack of it.
- |         |                  |
|---------|------------------|
| 1020000 | (ii) <b>Milk</b> |
|---------|------------------|



▼ M75

1020010	Cattle
1020020	Sheep
1020030	Goat
1020040	Horse
1020990	Others
(+)	The European Food Safety Authority identified some information on analytical methods and the hen feeding study as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 22 March 2016 or, if that information is not submitted by that date, the lack of it.
1030000	(iii) <b>Bird eggs</b>
1030010	Chicken
1030020	Duck
1030030	Goose
1030040	Quail
1030990	Others

▼ M72**Cyazofamid**

- (+) The European Food Safety Authority identified some information on residue trials as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 23 April 2016, or, if that information is not submitted by that date, the lack of it.
- |                |  |
|----------------|--|
| <b>0211000</b> | <b>(a) Potatoes</b>  |
| <b>0231010</b> | <b>Tomatoes (Cherry tomatoes, <i>Physalis</i> spp., gojiberry, wolfberry (<i>Lycium barbarum</i> and <i>L. chinense</i>), tree tomato)</b>               |
| <b>0232000</b> | <b>(b) Cucurbits — edible peel</b>   |
| <b>0232010</b> | <b>Cucumbers</b>   |
| <b>0232020</b> | <b>Gherkins</b>  |
| <b>0232030</b> | <b>Courgettes (Summer squash, marrow (patisson), lauki (<i>Lagenaria siceraria</i>), chayote, sopropo/bitter melon, snake gourd, angled luffa/teroi)</b> |
| <b>0232990</b> | <b>Others</b>  |
| <b>0233000</b> | <b>(c) Cucurbits-inedible peel</b>   |
| <b>0233010</b> | <b>Melons (Kiwano)</b>   |
| <b>0233020</b> | <b>Pumpkins (Winter squash, marrow (late variety))</b>   |
| <b>0233030</b> | <b>Watermelons</b>   |
| <b>0233990</b> | <b>Others</b>  |
- (+) The applicable maximum residue level for horseradish (*Armoracia rusticana*) in the spice group (code 0840040) is the one set for horseradish (*Armoracia rusticana*) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.
- |                |                    |
|----------------|--------------------|
| <b>0840040</b> | <b>Horseradish</b> |
|----------------|--------------------|

▼ M55**Cyhalofop-butyl**

- (+) The European Food Safety Authority identified some information on analytical methods as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 23 April 2016, or, if that information is not submitted by that date, the lack of it.
- |                |  |
|----------------|--|
| <b>0500060</b> | <b>Rice (Indian/wild rice (<i>Zizania aquatica</i>))</b> |
|----------------|--|
- (+) The applicable maximum residue level for horseradish (*Armoracia rusticana*) in the spice group (code 0840040) is the one set for horseradish (*Armoracia rusticana*) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20(1) of Regulation (EC) No 396/2005.
- |                |                    |
|----------------|--------------------|
| <b>0840040</b> | <b>Horseradish</b> |
|----------------|--------------------|

▼ M72**Pymetrozine (A) (R)**

- (A) = The EU reference labs identified the reference standards for 6-hydroxymethylpymetrozine and its phosphate conjugate as commercially not available. When re-viewing the MRL, the Commission will take into account the commercial availability of the reference standards referred to in the first sentence by 23 April 2015, or, if those reference standards are not commercially available by that date, the unavailability of them.

▼ **M72**

(R) = The residue definition differs for the following combinations pesticide-code number: Pymetrozine — code 1020000: pymetrozine, 6-hydroxymethylpymetrozine and its phosphate conjugate, expressed as pymetrozine

(+) The European Food Safety Authority identified some information on storage stability as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 23 April 2016, or, if that information is not submitted by that date, the lack of it.

<b>0110000</b>	<b>(i) Citrus fruit</b>
<b>0110010</b>	<b>Grapefruit (Shaddocks, pomelos, sweeties, tangelo (except mineola), ugli and other hybrids)</b>
<b>0110020</b>	<b>Oranges (Bergamot, bitter orange, chinotto and other hybrids)</b>
<b>0110030</b>	<b>Lemons (Citron, lemon, Buddha's hand (Citrus medica var. sarcodactylis))</b>
<b>0110040</b>	<b>Limes</b>
<b>0110050</b>	<b>Mandarins (Clementine, tangerine, mineola and other hybrids tangor (Citrus reticulata × sinensis))</b>
<b>0110990</b>	<b>Others</b>

(+) The European Food Safety Authority identified some information on residue trials and storage stability as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 23 April 2016, or, if that information is not submitted by that date, the lack of it.

<b>0130010</b>	<b>Apples (Crab apple)</b>
<b>0130020</b>	<b>Pears (Oriental pear)</b>

(+) The European Food Safety Authority identified some information on storage stability as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 23 April 2016, or, if that information is not submitted by that date, the lack of it.

<b>0140010</b>	<b>Apricots</b>
<b>0140030</b>	<b>Peaches (Nectarines and similar hybrids)</b>

(+) The European Food Safety Authority identified some information on residue trials and storage stability as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 23 April 2016, or, if that information is not submitted by that date, the lack of it.

<b>0152000</b>	<b>(b) Strawberries</b>
----------------	-------------------------

(+) The European Food Safety Authority identified some information on storage stability as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 23 April 2016, or, if that information is not submitted by that date, the lack of it.

<b>0153010</b>	<b>Blackberries</b>
<b>0153030</b>	<b>Raspberries (Wineberries, arctic bramble/raspberry, (Rubus arcticus), nectar raspberries (Rubus arcticus × Rubus idaeus))</b>

▼ **M72**

- (+) The European Food Safety Authority identified some information on residue trials and storage stability as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 23 April 2016, or, if that information is not submitted by that date, the lack of it.

<b>0154010</b>	<b>Blueberries (Bilberries)</b>
<b>0154030</b>	<b>Currants (red, black and white)</b>
<b>0154040</b>	<b>Gooseberries (Including hybrids with other Ribes species)</b>
<b>0154070</b>	<b>Azarole (mediteranean medlar) (Kiwiberry (Actinidia arguta))</b>

- (+) The European Food Safety Authority identified some information on storage stability as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 23 April 2016, or, if that information is not submitted by that date, the lack of it

<b>0211000</b>	<b>(a) Potatoes</b>
<b>0213030</b>	<b>Celeriac</b>
<b>0213080</b>	<b>Radishes (Black radish, Japanese radish, small radish and similar varieties, tiger nut (Cyperus esculentus))</b>

- (+) The European Food Safety Authority identified some information on residue trials and storage stability as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 23 April 2016, or, if that information is not submitted by that date, the lack of it.

<b>0231010</b>	<b>Tomatoes (Cherry tomatoes, Physalis spp., gojiberry, wolfberry (Lycium barbarum and L. chinense), tree tomato)</b>
<b>0231020</b>	<b>Peppers (Chilli peppers)</b>
<b>0231030</b>	<b>Aubergines (egg plants) (Pepino, antroewa/white eggplant (S. macrocarpon))</b>
<b>0231040</b>	<b>Okra (lady's fingers)</b>
<b>0232000</b>	<b>(b) Cucurbits — edible peel</b>
<b>0232010</b>	<b>Cucumbers</b>
<b>0232020</b>	<b>Gherkins</b>
<b>0232030</b>	<b>Courgettes (Summer squash, marrow (patisson), lauki (Lagenaria siceraria), chayote, sopropo/bitter melon, snake gourd, angled luffa/teroi)</b>
<b>0232990</b>	<b>Others</b>
<b>0233000</b>	<b>(c) Cucurbits-inedible peel</b>
<b>0233010</b>	<b>Melons (Kiwano)</b>
<b>0233020</b>	<b>Pumpkins (Winter squash, marrow (late variety))</b>
<b>0233030</b>	<b>Watermelons</b>
<b>0233990</b>	<b>Others</b>

- (+) The European Food Safety Authority identified some information on storage stability as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 23 April 2016, or, if that information is not submitted by that date, the lack of it.

<b>0234000</b>	<b>(d) Sweet corn (Baby corn)</b>
<b>0241000</b>	<b>(a) Flowering brassica</b>
<b>0241010</b>	<b>Broccoli (Calabrese, Broccoli raab, Chinese broccoli)</b>
<b>0241020</b>	<b>Cauliflower</b>
<b>0241990</b>	<b>Others</b>

▼ M72

0242010	Brussels sprouts
0242020	Head cabbage (Pointed head cabbage, red cabbage, savoy cabbage, white cabbage)
0243000	(c) Leafy brassica
0243010	Chinese cabbage (Indian or Chinese) mustard, pak choi, Chinese flat cabbage/ai goo choi), choi sum, Peking cabbage/pe-tsai)
0243020	Kale (Borecole/curly kale, collards, Portuguese Kale, Portuguese cabbage, cow cabbage)
0243990	Others
0244000	(d) Kohlrabi
0251010	Lamb's lettuce (Italian corn salad)
0251020	Lettuce (Head lettuce, lollo rosso (cutting lettuce), iceberg lettuce, romaine (cos) lettuce)
0251030	Scarole (broad-leaf endive) (Wild chicory, red-leaved chicory, radicchio, curly leaf endive, sugar loaf (C. endivia var. crispum/C. intybus var. foliosum), dandelion greens)
0251040	Cress (Mung bean sprouts, alfalfa sprouts)
0251050	Land cress
0251060	Rocket, Rucola (Wild rocket (Diplotaxis spp.))
0251070	Red mustard
0251080	Leaves and sprouts of Brassica spp, including turnip greens (Mizuna, leaves of peas and radish and other babyleaf crops, including brassica crops (crops harvested up to 8 true leaf stage), kohlrabi leaves)
0252010	Spinach (New Zealand spinach, amaranthus spinach (pak-khom, tampara), tajar leaves, bitterblad/bitawiri)
0252020	Purslane (Winter purslane/miner's lettuce, garden purslane, common purslane, sorrel, glasswort, agretti (Salsola soda))
0252030	Beet leaves (chard) (Leaves of beetroot)
0256010	Chervil
0256020	Chives
0256030	Celery leaves (Fennel leaves, coriander leaves, dill leaves, caraway leaves, lovage, angelica, sweet cicely and other Apiacea leaves, culantro/stinking/long coriander/stink weed (Eryngium foetidum))
0256040	Parsley (leaves of root parsley)
0256050	Sage (Winter savory, summer savory, Borago officinalis leaves)
0256060	Rosemary
0256070	Thyme (Marjoram, oregano)
0256080	Basil (Balm leaves, mint, peppermint, holy basil, sweet basil, hairy basil, edible flowers (marigold flower and others), pennywort, wild betel leaf, curry leaves)
0256090	Bay leaves (laurel) (Lemon grass)
0256100	Tarragon (Hyssop)
0260010	Beans (with pods) (Green bean/French beans/snap beans, scarlet runner bean, slicing bean, yard long beans, guar beans, soya beans)

▼ **M72**

- (+) The European Food Safety Authority identified some information on residue trials and storage stability as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 23 April 2016, or, if that information is not submitted by that date, the lack of it.

**0260020**                                **Beans (without pods) (Broad beans, flageolets, jack bean, lima bean, cowpea)**

- (+) The European Food Safety Authority identified some information on storage stability as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 23 April 2016, or, if that information is not submitted by that date, the lack of it.

**0260030**                                **Peas (with pods) (Mangetout/sugar peas/snow peas)**

**0270030**                                **Celery**

**0270040**                                **Fennel**

**0270050**                                **Globe artichokes (Banana flower)**

- (+) The European Food Safety Authority identified some information on analytical methods as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 23 April 2016, or, if that information is not submitted by that date, the lack of it.

**0631000**                                (a)    **Flowers**

**0631010**                                **Camomille flowers**

**0631020**                                **Hybiscus flowers**

**0631030**                                **Rose petals**

**0631040**                                **Jasmine flowers (Elderflowers (*Sambucus nigra*))**

**0631050**                                **Lime (linden)**

**0631990**                                **Others**

**0632000**                                (b)    **Leaves**

**0632010**                                **Strawberry leaves**

**0632020**                                **Rooibos leaves (Ginkgo leaves)**

**0632030**                                **Maté**

**0632990**                                **Others**

**0700000**                                **7.    HOPS (dried)**

- (+) The applicable maximum residue level for horseradish (*Armoracia rusticana*) in the spice group (code 0840040) is the one set for horseradish (*Armoracia rusticana*) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

**0840040**                                **Horseradish**

- (+) The European Food Safety Authority identified some information on analytical methods as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 23 April 2016, or, if that information is not submitted by that date, the lack of it.

**1020000**                                (ii)   **Milk**

**1020010**                                **Cattle**

**1020020**                                **Sheep**

**1020030**                                **Goat**

▼ **M55****Silthiofam**

- (+) The European Food Safety Authority identified some information on analytical methods as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 23 April 2016, or, if that information is not submitted by that date, the lack of it.

<b>0500010</b>	<b>Barley</b>
<b>0500070</b>	<b>Rye</b>
<b>0500090</b>	<b>Wheat (Spelt, triticale)</b>

- (+) The applicable maximum residue level for horseradish (*Armoracia rusticana*) in the spice group (code 0840040) is the one set for horseradish (*Armoracia rusticana*) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

<b>0840040</b>	<b>Horseradish</b>
----------------	--------------------

**Benthiavalicarb (Benthiavalicarb-isopropyl (KIF-230 R-L) and its enantiomer (KIF-230 S-D) and its diastereomers (KIF-230 S-L and KIF-230 R-D), expressed as benthiavalicarb-isopropyl) (A)**

- (A) The EU reference labs identified the reference standards for enantiomer (KIF-230 S-D) and diastereomers (KIF-230 S-L and KIF-230 R-D) as commercially not available. When re-viewing the MRL, the Commission will take into account the commercial availability of the reference standards referred to in the first sentence by 23 April 2015, or, if those reference standards are not commercially available by that date, the unavailability of them.

- (+) The European Food Safety Authority identified some information on residue trials as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 23 April 2016, or, if that information is not submitted by that date, the lack of it.

<b>0232010</b>	<b>Cucumbers</b>
----------------	------------------

- (+) The applicable maximum residue level for horseradish (*Armoracia rusticana*) in the spice group (code 0840040) is the one set for horseradish (*Armoracia rusticana*) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

<b>0840040</b>	<b>Horseradish</b>
----------------	--------------------

**Forchlorfenuron**

- (+) The applicable maximum residue level for horseradish (*Armoracia rusticana*) in the spice group (code 0840040) is the one set for horseradish (*Armoracia rusticana*) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

<b>0840040</b>	<b>Horseradish</b>
----------------	--------------------

▼ **M58****Ethoxysulfuron**

- (+) The European Food Safety Authority identified some information on analytical methods as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 11 June 2016, or, if that information is not submitted by that date, the lack of it.

<b>0500060</b>	<b>Rice (Indian/wild rice (<i>Zizania aquatica</i>))</b>
----------------	--

- (+) The applicable maximum residue level for horseradish (*Armoracia rusticana*) in the spice group (code 0840040) is the one set for horseradish (*Armoracia rusticana*) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

<b>0840040</b>	<b>Horseradish</b>
----------------	--------------------

▼ **M58****Metsulfuron-methyl**

- (+) The European Food Safety Authority identified some information on storage stability and analytical methods as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 11 June 2016, or, if that information is not submitted by that date, the lack of it.

**0401010** **Linseed**

- (+) The applicable maximum residue level for horseradish (*Armoracia rusticana*) in the spice group (code 0840040) is the one set for horseradish (*Armoracia rusticana*) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

**0840040** **Horseradish**

**Prosulfuron**

- (+) The European Food Safety Authority identified some information on residue trials as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 11 June 2016, or, if that information is not submitted by that date, the lack of it.

**0500010** **Barley**  
**0500090** **Wheat (Spelt, triticale)**

- (+) The applicable maximum residue level for horseradish (*Armoracia rusticana*) in the spice group (code 0840040) is the one set for horseradish (*Armoracia rusticana*) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

**0840040** **Horseradish**

**Rimsulfuron**

- (+) The applicable maximum residue level for horseradish (*Armoracia rusticana*) in the spice group (code 0840040) is the one set for horseradish (*Armoracia rusticana*) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

**0840040** **Horseradish**

**Sulfosulfuron**

- (+) The European Food Safety Authority identified some information on analytical methods and residues in rotational crops as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 11 June 2016, or, if that information is not submitted by that date, the lack of it.

**0500070** **Rye**  
**0500090** **Wheat (Spelt, triticale)**

- (+) The applicable maximum residue level for horseradish (*Armoracia rusticana*) in the spice group (code 0840040) is the one set for horseradish (*Armoracia rusticana*) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

**0840040** **Horseradish**

**Thifensulfuron-methyl**

- (+) The applicable maximum residue level for horseradish (*Armoracia rusticana*) in the spice group (code 0840040) is the one set for horseradish (*Armoracia rusticana*) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

**0840040** **Horseradish**

**Nicosulfuron**

- (+) The European Food Safety Authority identified some information on analytical methods as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 11 June 2016, or, if that information is not submitted by that date, the lack of it.

**0234000** (d) **Sweet corn (Baby corn)**  
**0500030** **Maize**

**▼ M58**

- (+) The applicable maximum residue level for horseradish (*Armoracia rusticana*) in the spice group (code 0840040) is the one set for horseradish (*Armoracia rusticana*) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

**0840040**                      **Horseradish**

**▼ M74****Isoxaflutole (sum of isoxaflutole and its diketonitrile-metabolite, expressed as isoxaflutole)**

RPA 202248 is 2-cyano-3-cyclopropyl-1-(2-methylsulfonyl-4-trifluoromethylphenyl) propane-1,3-dione. RPA 203328 is 2-methanesulfonyl-4-trifluoromethylbenzoic acid.

- (+) The applicable maximum residue level for horseradish (*Armoracia rusticana*) in the spice group (code 0840040) is the one set for horseradish (*Armoracia rusticana*) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

0840040                      Horseradish

**▼ M59****Molinate**

- (+) The European Food Safety Authority identified some information on analytical methods as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 26 June 2016, or, if that information is not submitted by that date, the lack of it.

**0500060**                      **Rice (Indian/wild rice (*Zizania aquatica*))**

- (+) The applicable maximum residue level for horseradish (*Armoracia rusticana*) in the spice group (code 0840040) is the one set for horseradish (*Armoracia rusticana*) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

**0840040**                      **Horseradish**

**Propoxycarbazono (A) (propoxycarbazono, its salts and 2-hydroxy-propoxycarbazono expressed as propoxycarbazono)**

- (A) = The EU reference labs identified the reference standard for 2-hydroxy-propoxycarbazono as commercially not available. When re-viewing the MRL, the Commission will take into account the commercial availability of the reference standard referred to in the first sentence by 26 June 2015, or, if that reference standard is not commercially available by that date, the unavailability of it.

- (+) The applicable maximum residue level for horseradish (*Armoracia rusticana*) in the spice group (code 0840040) is the one set for horseradish (*Armoracia rusticana*) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

**0840040**                      **Horseradish**

**Pyraflufen-ethyl (A) (Sum of pyraflufen-ethyl and pyraflufen, expressed as pyraflufen-ethyl)**

- (A) = The EU reference labs identified the reference standard for pyraflufen as commercially not available. When re-viewing the MRL, the Commission will take into account the commercial availability of the reference standard referred to in the first sentence by 26 June 2015, or, if that reference standard is not commercially available by that date, the unavailability of it.



▼ **M59**

- (+) The European Food Safety Authority identified some information on analytical methods as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 26 June 2016, or, if that information is not submitted by that date, the lack of it.

<b>0110000</b>	<b>(i) Citrus fruit</b>
<b>0110010</b>	Grapefruit (Shaddocks, pomelos, sweeties, tangelo (except mineola), ugli and other hybrids)
<b>0110020</b>	Oranges (Bergamot, bitter orange, chinotto and other hybrids)
<b>0110030</b>	Lemons (Citron, lemon, Buddha's hand (Citrus medica var. sarcodactylis))
<b>0110040</b>	Limes
<b>0110050</b>	Mandarins (Clementine, tangerine, mineola and other hybrids tangor (Citrus reticulata x sinensis))
<b>0110990</b>	Others
<b>0120000</b>	<b>(ii) Tree nuts</b>
<b>0120010</b>	Almonds
<b>0120020</b>	Brazil nuts
<b>0120030</b>	Cashew nuts
<b>0120040</b>	Chestnuts
<b>0120050</b>	Coconuts
<b>0120060</b>	Hazelnuts (Filbert)
<b>0120070</b>	Macadamia
<b>0120080</b>	Pecans
<b>0120090</b>	Pine nuts
<b>0120100</b>	Pistachios
<b>0120110</b>	Walnuts
<b>0120990</b>	Others
<b>0130000</b>	<b>(iii) Pome fruit</b>
<b>0130010</b>	Apples (Crab apple)
<b>0130020</b>	Pears (Oriental pear)
<b>0130030</b>	Quinces
<b>0130040</b>	Medlar
<b>0130050</b>	Loquat
<b>0130990</b>	Others
<b>0140000</b>	<b>(iv) Stone fruit</b>
<b>0140010</b>	Apricots
<b>0140020</b>	Cherries (Sweet cherries, sour cherries)
<b>0140030</b>	Peaches (Nectarines and similar hybrids)
<b>0140040</b>	Plums (Damson, greengage, mirabelle, sloe, red date/Chinese date/Chinese jujube (Ziziphus zizyphus))
<b>0140990</b>	Others
<b>0151000</b>	<b>(a) Table and wine grapes</b>
<b>0151010</b>	Table grapes
<b>0151020</b>	Wine grapes
<b>0154030</b>	Currants (red, black and white)
<b>0154040</b>	Gooseberries (Including hybrids with other Ribes species)
<b>0154080</b>	Elderberries (Black chokeberry/appleberry, mountain ash, buckthorn/sea sallowthorn, hawthorn, serviceberries, and other treeberries)
<b>0161030</b>	Table olives
<b>0211000</b>	<b>(a) Potatoes</b>
<b>0401060</b>	Rape seed (Bird rapeseed, turnip rape)
<b>0402010</b>	Olives for oil production



▼ M67

- (+) The European Food Safety Authority identified some information on storage stability and analytical methods as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 24.10.2016, or, if that information is not submitted by that date, the lack of it.

<b>0161030</b>	<b>Table olives</b>
<b>0402010</b>	<b>Olives for oil production</b>

- (+) The applicable maximum residue level for horseradish (*Armoracia rusticana*) in the spice group (code 0840040) is the one set for horseradish (*Armoracia rusticana*) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

<b>0840040</b>	<b>Horseradish</b>
----------------	--------------------

**Flufenacet (sum of all compounds containing the N fluorophenyl-N-isopropyl moiety expressed as flufenacet)**

- (+) The European Food Safety Authority identified some information on analytical methods as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 24.10.2016, or, if that information is not submitted by that date, the lack of it.

0152000	(b) <b>Strawberries</b>
0154010	Blueberries (Bilberries)
0154020	Cranberries (Cowberries/red bilberries ( <i>V. vitis-idaea</i> ))
0154030	Currants (red, black and white)
0154040	Gooseberries (Including hybrids with other <i>Ribes</i> species)

- (+) The applicable maximum residue level for horseradish (*Armoracia rusticana*) in the spice group (code 0840040) is the one set for horseradish (*Armoracia rusticana*) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

<b>0840040</b>	<b>Horseradish</b>
----------------	--------------------

▼ M78**Pendimethalin (F)**

- (+) The European Food Safety Authority identified some information on residue trials as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 24.10.2016, or, if that information is not submitted by that date, the lack of it.

<b>0152000</b>	<b>(b) strawberries</b>
<b>0220010</b>	<b>Garlic</b>
<b>0220020</b>	<b>Onions</b>
<b>0220030</b>	<b>Shallots</b>
<b>0231010</b>	<b>Tomatoes</b>
<b>0231020</b>	<b>Sweet peppers/bell peppers</b>
<b>0231030</b>	<b>Aubergines/eggplants</b>
<b>0232000</b>	<b>(b) cucurbits with edible peel</b>
<b>0232010</b>	<b>Cucumbers</b>
<b>0232020</b>	<b>Gherkins</b>
<b>0232030</b>	<b>Courgettes</b>
<b>0232990</b>	<b>Others</b>
<b>0233000</b>	<b>(c) cucurbits with inedible peel</b>
<b>0233010</b>	<b>Melons</b>
<b>0233020</b>	<b>Pumpkins</b>
<b>0233030</b>	<b>Watermelons</b>
<b>0233990</b>	<b>Others</b>
<b>0270050</b>	<b>Globe artichokes</b>
<b>0270060</b>	<b>Leeks</b>

▼ **M78**

- (+) The applicable maximum residue level for horseradish (*Armoracia rusticana*) in the spice group (code 0840040) is the one set for horseradish (*Armoracia rusticana*) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

**0840040**                      **Horseradish**

- (+) The European Food Safety Authority identified some information on analytical methods as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 24.10.2016, or, if that information is not submitted by that date, the lack of it.

**1011030**                      **Liver**  
**1011040**                      **Kidney**  
**1012030**                      **Liver**  
**1012040**                      **Kidney**  
**1013030**                      **Liver**  
**1013040**                      **Kidney**  
**1014030**                      **Liver**  
**1014040**                      **Kidney**  
**1016030**                      **Liver**

▼ **M67****Propyzamide (F) (R)**

- (R) = The residue definition differs for the following combinations pesticide-code number:

Propyzamide — code 1000000: Sum of propyzamide and all metabolites containing the 3,5-dichlorobenzoic acid moiety, expressed as propyzamide

- (+) The European Food Safety Authority identified some information on residue trials as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 24.10.2016, or, if that information is not submitted by that date, the lack of it.

**0251010**                      **Lamb's lettuce (Italian corn salad)**  
**0251020**                      **Lettuce (Head lettuce, lollo rosso (cutting lettuce), iceberg lettuce, romaine (cos) lettuce)**  
**0251030**                      **Scarole (broad-leaf endive) (Wild chicory, red-leaved chicory, radicchio, curly leaf endive, sugar loaf (*C. endivia* var. *crispum*/*C. intybus* var. *foliosum*), dandelion greens)**  
**0251040**                      **Cress (Mung bean sprouts, alfalfa sprouts)**  
**0251060**                      **Rocket, Rucola (Wild rocket (*Diplotaxis* spp.))**  
**0251080**                      **Leaves and sprouts of *Brassica* spp, including turnip greens (Mizuna, leaves of peas and radish and other babyleaf crops, including brassica crops (crops harvested up to 8 true leaf stage), kohlrabi leaves)**  
**0256000**                      **(f) Herbs**  
**0256010**                      **Chervil**  
**0256020**                      **Chives**  
**0256030**                      **Celery leaves (Fennel leaves, coriander leaves, dill leaves, caraway leaves, lovage, angelica, sweet cicely and other *Apiacea* leaves, culantro/stinking/long coriander/stink weed (*Eryngium foetidum*))**  
**0256040**                      **Parsley (leaves of root parsley)**  
**0256050**                      **Sage (Winter savory, summer savory, *Borago officinalis* leaves)**  
**0256060**                      **Rosemary**  
**0256070**                      **Thyme (Marjoram, oregano)**  
**0256080**                      **Basil (Balm leaves, mint, peppermint, holy basil, sweet basil, hairy basil, edible flowers (marigold flower and others), pennywort, wild betel leaf, curry leaves)**  
**0256090**                      **Bay leaves (laurel) (Lemon grass)**  
**0256100**                      **Tarragon (Hyssop)**  
**0256990**                      **Others**

- (+) The European Food Safety Authority identified some information on storage stability as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 24.10.2016, or, if that information is not submitted by that date, the lack of it.

**0300010**                      **Beans (Broad beans, navy beans, flageolets, jack beans, lima beans, field beans, cowpeas)**  
**0300020**                      **Lentils**  
**0300030**                      **Peas (Chickpeas, field peas, chickling vetch)**



▼ **M67**

**Pyridate (sum of pyridate, its hydrolysis product CL 9673 (6-chloro-4-hydroxy-3-phenylpyridazin) and hydrolysable conjugates of CL 9673 expressed as pyridate)**

(+) The European Food Safety Authority identified some information on analytical methods as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 24.10.2016+B814, or, if that information is not submitted by that date, the lack of it.

0213090	Salsify (Scorzoneria, Spanish salsify/Spanish oysterplant, edible burdock)
0220010	Garlic
0220020	Onions (Other bulb onions, silverskin onions)
0220030	Shallots
0220040	Spring onions and welsh onions (Other green onions and similar varieties)
0234000	(d) Sweet corn (Baby corn)
0241000	(a) Flowering brassica
0241010	Broccoli (Calabrese, Broccoli raab, Chinese broccoli)
0241020	Cauliflower
0241990	Others
0242010	Brussels sprouts
0242020	Head cabbage (Pointed head cabbage, red cabbage, savoy cabbage, white cabbage)
0243020	Kale (Borecole/curly kale, collards, Portuguese Kale, Portuguese cabbage, cow cabbage)
0244000	(d) Kohlrabi
0256020	Chives
0270010	Asparagus
0270060	Leek
0300040	Lupins
0401030	Poppy seed
0401060	Rape seed (Bird rapeseed, turnip rape)
0500030	Maize
0631000	(a) Flowers
0631010	Camomille flowers
0631020	Hybiscus flowers
0631030	Rose petals
0631040	Jasmine flowers (Elderflowers ( <i>Sambucus nigra</i> ))
0631050	Lime (linden)
0631990	Others
0632000	(b) Leaves
0632010	Strawberry leaves
0632020	Rooibos leaves (Ginkgo leaves)
0632030	Maté
0632990	Others
0633000	(c) Roots
0633010	Valerian root
0633020	Ginseng root
0633990	Others
0810000	(i) Seeds

▼ M67

0810010	Anise
0810020	Black caraway
0810030	Celery seed (Lovage seed)
0810040	Coriander seed
0810050	Cumin seed
0810060	Dill seed
0810070	Fennel seed
0810080	Fenugreek
0810090	Nutmeg
0810990	Others
0820000	(ii) Fruits and berries
0820010	Allspice
0820020	Sichuan pepper (Anise pepper, Japan pepper)
0820030	Caraway
0820040	Cardamom
0820050	Juniper berries
0820060	Pepper, black, green and white (Long pepper, pink pepper)
0820070	Vanilla pods
0820080	Tamarind
0820990	Others

- (+) The applicable maximum residue level for horseradish (*Armoracia rusticana*) in the spice group (code 0840040) is the one set for horseradish (*Armoracia rusticana*) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

0840040	Horseradish
---------	-------------

- (+) The European Food Safety Authority identified some information on storage stability and analytical methods as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 24.10.2016, or, if that information is not submitted by that date, the lack of it.

1011010	Muscle
1011020	Fat
1011030	Liver
1011040	Kidney
1011050	Edible offal
1011990	Others
1012010	Muscle
1012020	Fat
1012030	Liver
1012040	Kidney
1012050	Edible offal
1012990	Others
1013010	Muscle
1013020	Fat
1013030	Liver
1013040	Kidney
1013050	Edible offal
1013990	Others
1014010	Muscle
1014020	Fat
1014030	Liver

▼ M67

1014040	Kidney
1014050	Edible offal
1014990	Others
1015010	Muscle
1015020	Fat
1015030	Liver
1015040	Kidney
1015050	Edible offal
1015990	Others
1016010	Muscle
1016020	Fat
1016030	Liver
1017010	Muscle
1017020	Fat
1017030	Liver
1017040	Kidney
1017050	Edible offal
1017990	Others
1020000	(ii) Milk
1020010	Cattle
1020020	Sheep
1020030	Goat
1020040	Horse
1020990	Others
1030000	(iii) Bird eggs
1030010	Chicken
1030020	Duck
1030030	Goose
1030040	Quail
1030990	Others

▼ M68

**Sum of bentazone, its salts and 6-hydroxy (free and conjugated) and 8-hydroxy bentazone (free and conjugated), expressed as bentazone (R)**

(R) = The residue definition differs for the following combinations pesticide-code number:

Bentazone — codes from 1010000 to 1070000, except 1040000:

**Sum of bentazone, its salts and 6-hydroxy (free and conjugated), expressed as bentazone**

(+) The European Food Safety Authority identified some information on residue trials as unavailable. When reviewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 29 October 2016, or, if that information is not submitted by that date, the lack of it.

0211000	(a) Potatoes
0270060	Leek

(+) The European Food Safety Authority identified some information on analytical methods and GAP parameters as unavailable. When reviewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 29 October 2016, or, if that information is not submitted by that date, the lack of it.

0632000	(b) Leaves
0632010	Strawberry leaves
0632020	Rooibos leaves (Ginkgo leaves)
0632030	Maté
0632990	Others

(+) The applicable maximum residue level for horseradish (*Armoracia rusticana*) in the spice group (code 0840040) is the one set for horseradish (*Armoracia rusticana*) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

0840040	Horseradish
---------	-------------



▼ **M68**

- (+) The European Food Safety Authority identified some information on storage stability and feeding studies as unavailable. When reviewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 29 October 2016, or, if that information is not submitted by that date, the lack of it.

**1011010                      Muscle**

- (+) The European Food Safety Authority identified some information on storage stability, feeding studies and analytical methods for fat as unavailable. When reviewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 29 October 2016, or, if that information is not submitted by that date, the lack of it.

**1011020                      Fat**

- (+) The European Food Safety Authority identified some information on storage stability and feeding studies as unavailable. When reviewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 29 October 2016, or, if that information is not submitted by that date, the lack of it.

**1011030                      Liver**  
**1011040                      Kidney**  
**1011050                      Edible offal**  
**1012010                      Muscle**

- (+) The European Food Safety Authority identified some information on storage stability, feeding studies and analytical methods for fat as unavailable. When reviewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 29 October 2016, or, if that information is not submitted by that date, the lack of it.

**1012020 Fat**

- (+) The European Food Safety Authority identified some information on storage stability and feeding studies as unavailable. When reviewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 29 October 2016, or, if that information is not submitted by that date, the lack of it.

**1012030                      Liver**  
**1012040                      Kidney**  
**1012050                      Edible offal**  
**1013010                      Muscle**

- (+) The European Food Safety Authority identified some information on storage stability, feeding studies and analytical methods for fat as unavailable. When reviewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 29 October 2016, or, if that information is not submitted by that date, the lack of it.

**1013020                      Fat**

- (+) The European Food Safety Authority identified some information on storage stability and feeding studies as unavailable. When reviewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 29 October 2016, or, if that information is not submitted by that date, the lack of it.

**1013030                      Liver**  
**1013040                      Kidney**  
**1013050                      Edible offal**  
**1014010                      Muscle**

- (+) The European Food Safety Authority identified some information on storage stability, feeding studies and analytical methods for fat as unavailable. When reviewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 29 October 2016, or, if that information is not submitted by that date, the lack of it.

**1014020                      Fat**

- (+) The European Food Safety Authority identified some information on storage stability and feeding studies as unavailable. When reviewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 29 October 2016, or, if that information is not submitted by that date, the lack of it.

**1014030                      Liver**  
**1014040                      Kidney**  
**1014050                      Edible offal**  
**1015010                      Muscle**

**▼ M68**

- (+) The European Food Safety Authority identified some information on storage stability, feeding studies and analytical methods for fat as unavailable. When reviewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 29 October 2016, or, if that information is not submitted by that date, the lack of it.

**1015020**                      **Fat**

- (+) The European Food Safety Authority identified some information on storage stability and feeding studies as unavailable. When reviewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 29 October 2016, or, if that information is not submitted by that date, the lack of it.

**1015030**                      **Liver**  
**1015040**                      **Kidney**  
**1015050**                      **Edible offal**  
**1017010**                      **Muscle**

- (+) The European Food Safety Authority identified some information on storage stability, feeding studies and analytical methods for fat as unavailable. When reviewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 29 October 2016, or, if that information is not submitted by that date, the lack of it.

**1017020**                      **Fat**

- (+) The European Food Safety Authority identified some information on storage stability and feeding studies as unavailable. When reviewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 29 October 2016, or, if that information is not submitted by that date, the lack of it.

**1017030**                      **Liver**  
**1017040**                      **Kidney**  
**1017050**                      **Edible offal**  
**1020000**                      **(ii) Milk**  
**1020010**                      **Cattle**  
**1020020**                      **Sheep**  
**1020030**                      **Goat**  
**1020040**                      **Horse**  
**1020990**                      **Others**

**Bromoxynil and its salts, expressed as bromoxynil**

- (+) The European Food Safety Authority identified some information on analytical methods as unavailable. When reviewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 29 October 2016, or, if that information is not submitted by that date, the lack of it.

**0700000**                      **7. HOPS (dried)**

- (+) The applicable maximum residue level for horseradish (*Armoracia rusticana*) in the spice group (code 0840040) is the one set for horseradish (*Armoracia rusticana*) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

**0840040**                      **Horseradish**

**Chlorothalonil (R)**

- (R) = The residue definition differs for the following combinations pesticide-code number:

Chlorothalonil — codes from 1010000 to 1070000, except 1040000:

**2,5,6-trichloro-4-hydroxyphthalonitrile (SDS-3701)**

▼ **M68**

- (+) The European Food Safety Authority identified some information on residue trials as unavailable. When reviewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 29 October 2016, or, if that information is not submitted by that date, the lack of it. Moreover, the European Food Safety Authority highlights that the metabolite 2,5,6-trichloro-4-hydroxyphthalonitrile (SDS-3701) has not been taken into account, given that a validated method for enforcement, a complete set of residue trials, storage stability studies and data on processing of SDS-3701 are unavailable for all plant commodities. When reviewing the MRL, the Commission will take this information into account, if it is submitted by 29 October 2016, or, if that information is not submitted by that date, the lack of it.

<b>0130000</b>	<b>(iii) Pome fruit</b>
<b>0130010</b>	<b>Apples (Crab apple)</b>
<b>0130020</b>	<b>Pears (Oriental pear)</b>
<b>0130030</b>	<b>Quinces</b>
<b>0130040</b>	<b>Medlar</b>
<b>0130050</b>	<b>Loquat</b>
<b>0130990</b>	<b>Others</b>
<b>0140010</b>	<b>Apricots</b>
<b>0140030</b>	<b>Peaches (Nectarines and similar hybrids)</b>

- (+) The European Food Safety Authority identified some information on storage stability as unavailable. When reviewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 29 October 2016, or, if that information is not submitted by that date, the lack of it. Moreover, the European Food Safety Authority highlights that the metabolite 2,5,6-trichloro-4-hydroxyphthalonitrile (SDS-3701) has not been taken into account, given that a validated method for enforcement, a complete set of residue trials, storage stability studies and data on processing of SDS-3701 are unavailable for all plant commodities. When reviewing the MRL, the Commission will take this information into account, if it is submitted by 29 October 2016, or, if that information is not submitted by that date, the lack of it.

<b>0151000</b>	<b>(a) Table and wine grapes</b>
<b>0151010</b>	<b>Table grapes</b>
<b>0151020</b>	<b>Wine grapes</b>
<b>0152000</b>	<b>(b) Strawberries</b>
<b>0154040</b>	<b>Gooseberries (Including hybrids with other <i>Ribes</i> species)</b>

- (+) The European Food Safety Authority highlights that the metabolite 2,5,6-trichloro-4-hydroxyphthalonitrile (SDS-3701) has not been taken into account, given that a validated method for enforcement, a complete set of residue trials, storage stability studies and data on processing of SDS-3701 are unavailable for all plant commodities. When reviewing the MRL, the Commission will take this information into account, if it is submitted by 29 October 2016, or, if that information is not submitted by that date, the lack of it.

<b>0163020</b>	<b>Bananas (Dwarf banana, plantain, apple banana)</b>
<b>0163040</b>	<b>Papaya</b>
<b>0211000</b>	<b>(a) Potatoes</b>
<b>0213020</b>	<b>Carrots</b>
<b>0213030</b>	<b>Celeriac</b>
<b>0213040</b>	<b>Horseradish (Angelica roots, lovage roots, gentiana roots)</b>
<b>0213060</b>	<b>Parsnips</b>
<b>0213070</b>	<b>Parsley root</b>
<b>0213090</b>	<b>Salsify (Scorzonera, Spanish salsify/Spanish oysterplant, edible burdock)</b>

- (+) The European Food Safety Authority identified some information on residue trials as unavailable. When reviewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 29 October 2016, or, if that information is not submitted by that date, the lack of it. Moreover, the European Food Safety Authority highlights that the metabolite 2,5,6-trichloro-4-hydroxyphthalonitrile (SDS-3701) has not been taken into account, given that a validated method for enforcement, a complete set of residue trials, storage stability studies and data on processing of SDS-3701 are unavailable for all plant commodities. When reviewing the MRL, the Commission will take this information into account, if it is submitted by 29 October 2016, or, if that information is not submitted by that date, the lack of it.

<b>0213110</b>	<b>Turnips</b>
----------------	----------------

▼ **M68**

- (+) The European Food Safety Authority highlights that the metabolite 2,5,6-trichloro-4-hydroxyphthalonitrile (SDS-3701) has not been taken into account, given that a validated method for enforcement, a complete set of residue trials, storage stability studies and data on processing of SDS-3701 are unavailable for all plant commodities. When reviewing the MRL, the Commission will take this information into account, if it is submitted by 29 October 2016, or, if that information is not submitted by that date, the lack of it.

<b>0220000</b>	<b>(ii) Bulb vegetables</b>
<b>0220010</b>	<b>Garlic</b>
<b>0220020</b>	<b>Onions (Other bulb onions, silverskin onions)</b>
<b>0220030</b>	<b>Shallots</b>
<b>0220040</b>	<b>Spring onions and welsch onions (Other green onions and similar varieties)</b>
<b>0220990</b>	<b>Others</b>
<b>0231010</b>	<b>Tomatoes (Cherry tomatoes, <i>Physalis</i> spp., gojiberry, wolfberry (<i>Lycium barbarum</i> and <i>L. chinense</i>), tree tomato)</b>
<b>0231030</b>	<b>Aubergines (egg plants) (Pepino, antroewa/white eggplant (<i>S. macrocarpon</i>))</b>
<b>0232000</b>	<b>(b) Cucurbits — edible peel</b>
<b>0232010</b>	<b>Cucumbers</b>
<b>0232020</b>	<b>Gherkins</b>
<b>0232030</b>	<b>Courgettes (Summer squash, marrow (patisson), lauki (<i>Lagenaria siceraria</i>), chayote, sopropo/bitter melon, snake gourd, angled luffa/teroi)</b>
<b>0232990</b>	<b>Others</b>
<b>0233000</b>	<b>(c) Cucurbits-inedible peel</b>
<b>0233010</b>	<b>Melons (Kiwano)</b>
<b>0233020</b>	<b>Pumpkins (Winter squash, marrow (late variety))</b>
<b>0233030</b>	<b>Watermelons</b>
<b>0233990</b>	<b>Others</b>
<b>0241020</b>	<b>Cauliflower</b>
<b>0242010</b>	<b>Brussels sprouts</b>

- (+) The European Food Safety Authority identified some information on residue trials as unavailable. When reviewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 29 October 2016, or, if that information is not submitted by that date, the lack of it. Moreover, the European Food Safety Authority highlights that the metabolite 2,5,6-trichloro-4-hydroxyphthalonitrile (SDS-3701) has not been taken into account, given that a validated method for enforcement, a complete set of residue trials, storage stability studies and data on processing of SDS-3701 are unavailable for all plant commodities. When reviewing the MRL, the Commission will take this information into account, if it is submitted by 29 October 2016, or, if that information is not submitted by that date, the lack of it.

<b>0242020</b>	<b>Head cabbage (Pointed head cabbage, red cabbage, savoy cabbage, white cabbage)</b>
----------------	---

- (+) The European Food Safety Authority highlights that the metabolite 2,5,6-trichloro-4-hydroxyphthalonitrile (SDS-3701) has not been taken into account, given that a validated method for enforcement, a complete set of residue trials, storage stability studies and data on processing of SDS-3701 are unavailable for all plant commodities. When reviewing the MRL, the Commission will take this information into account, if it is submitted by 29 October 2016, or, if that information is not submitted by that date, the lack of it.

<b>0256030</b>	<b>Celery leaves (Fennel leaves, coriander leaves, dill leaves, caraway leaves, lovage, angelica, sweet cicely and other <i>Apiacea</i> leaves, culantro/stinking/long coriander/stink weed (<i>Eryngium foetidum</i>))</b>
<b>0256040</b>	<b>Parsley (leaves of root parsley)</b>
<b>0260010</b>	<b>Beans (with pods) (Green bean/French beans/snap beans, scarlet runner bean, slicing bean, yard long beans, guar beans, soya beans)</b>
<b>0260020</b>	<b>Beans (without pods) (Broad beans, flageolets, jack bean, lima bean, cowpea)</b>
<b>0260030</b>	<b>Peas (with pods) (Mangetout/sugar peas/snow peas)</b>

▼ **M68**

- (+) The European Food Safety Authority identified some information on residue trials as unavailable. When reviewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 29 October 2016, or, if that information is not submitted by that date, the lack of it. Moreover, the European Food Safety Authority highlights that the metabolite 2,5,6-trichloro-4-hydroxyphthalonitrile (SDS-3701) has not been taken into account, given that a validated method for enforcement, a complete set of residue trials, storage stability studies and data on processing of SDS-3701 are unavailable for all plant commodities. When reviewing the MRL, the Commission will take this information into account, if it is submitted by 29 October 2016, or, if that information is not submitted by that date, the lack of it.

**0260040 Peas (without pods) (Garden pea, green pea, chickpea)**

- (+) The European Food Safety Authority highlights that the metabolite 2,5,6-trichloro-4-hydroxyphthalonitrile (SDS-3701) has not been taken into account, given that a validated method for enforcement, a complete set of residue trials, storage stability studies and data on processing of SDS-3701 are unavailable for all plant commodities. When reviewing the MRL, the Commission will take this information into account, if it is submitted by 29 October 2016, or, if that information is not submitted by that date, the lack of it.

**0260050 Lentils****0260990 Others****0270010 Asparagus****0270030 Celery**

- (+) The European Food Safety Authority identified some information on residue trials as unavailable. When reviewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 29 October 2016, or, if that information is not submitted by that date, the lack of it. Moreover, the European Food Safety Authority highlights that the metabolite 2,5,6-trichloro-4-hydroxyphthalonitrile (SDS-3701) has not been taken into account, given that a validated method for enforcement, a complete set of residue trials, storage stability studies and data on processing of SDS-3701 are unavailable for all plant commodities. When reviewing the MRL, the Commission will take this information into account, if it is submitted by 29 October 2016, or, if that information is not submitted by that date, the lack of it.

**0270060 Leek**

- (+) The European Food Safety Authority highlights that the metabolite 2,5,6-trichloro-4-hydroxyphthalonitrile (SDS-3701) has not been taken into account, given that a validated method for enforcement, a complete set of residue trials, storage stability studies and data on processing of SDS-3701 are unavailable for all plant commodities. When reviewing the MRL, the Commission will take this information into account, if it is submitted by 29 October 2016, or, if that information is not submitted by that date, the lack of it.

**0280010 Cultivated fungi (Common mushroom, oyster mushroom, shiitake, fungus mycelium (vegetative parts))****0300000 3. PULSES, DRY****0300010 Beans (Broad beans, navy beans, flageolets, jack beans, lima beans, field beans, cowpeas)****0300020 Lentils****0300030 Peas (Chickpeas, field peas, chickling vetch)****0300040 Lupins****0300990 Others****0401020 Peanuts****0500010 Barley****0500050 Oats****0500070 Rye****0500090 Wheat (Spelt, triticale)**

- (+) The European Food Safety Authority identified some information on analytical methods and residue trials as unavailable. When reviewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 29 October 2016, or, if that information is not submitted by that date, the lack of it. Moreover, the European Food Safety Authority highlights that the metabolite 2,5,6-trichloro-4-hydroxyphthalonitrile (SDS-3701) has not been taken into account, given that a validated method for enforcement, a complete set of residue trials, storage stability studies and data on processing of SDS-3701 are unavailable for all plant commodities. When reviewing the MRL, the Commission will take this information into account, if it is submitted by 29 October 2016, or, if that information is not submitted by that date, the lack of it.

**0700000 7. HOPS (dried)**



**▼M68**

1012030	Liver
1012040	Kidney
1012050	Edible offal
1012990	Others
1013000	(c) Sheep
1013010	Muscle
1013020	Fat
1013030	Liver
1013040	Kidney
1013050	Edible offal
1013990	Others
1014000	(d) Goat
1014010	Muscle
1014020	Fat
1014030	Liver
1014040	Kidney
1014050	Edible offal
1014990	Others
1015000	(e) Horses, asses, mules or hinnies
1015010	Muscle
1015020	Fat
1015030	Liver
1015040	Kidney
1015050	Edible offal
1015990	Others
1016000	(f) Poultry -chicken, geese, duck, turkey and Guinea fowl-, ostrich, pigeon
1016010	Muscle
1016020	Fat
1016030	Liver
1016040	Kidney
1016050	Edible offal
1016990	Others
1017000	(g) Other farm animals (Rabbit, kangaroo, deer)
1017010	Muscle
1017020	Fat
1017030	Liver
1017040	Kidney
1017050	Edible offal
1017990	Others
1020000	(ii) Milk

▼ **M68**

1020010	Cattle
1020020	Sheep
1020030	Goat
1020040	Horse
1020990	Others
1030000	(iii) Bird eggs
1030010	Chicken
1030020	Duck
1030030	Goose
1030040	Quail
1030990	Others
1040000	(iv) Honey (Royal jelly, pollen, honey comb with honey (comb honey))
1050000	(v) Amphibians and reptiles (Frog legs, crocodiles)
1060000	(vi) Snails
1070000	(vii) Other terrestrial animal products (Wild game)

**Sum of imazamox and its salts, expressed as imazamox**

- (+) The European Food Safety Authority identified some information on plant metabolism with imazamox labelled at the imidazolinone ring as unavailable. When reviewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 29 October 2016, or, if that information is not submitted by that date, the lack of it.

0260010	Beans (with pods) (Green bean/French beans/snap beans, scarlet runner bean, slicing bean, yard long beans, guar beans, soya beans)
0260030	Peas (with pods) (Mangetout/sugar peas/snow peas)
0300010	Beans (Broad beans, navy beans, flageolets, jack beans, lima beans, field beans, cowpeas)
0300020	Lentils
0300030	Peas (Chickpeas, field peas, chickling vetch)

- (+) The European Food Safety Authority identified some information on analytical methods and plant metabolism studies with imazamox labelled at the imidazolinone ring as unavailable. When reviewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 29 October 2016, or, if that information is not submitted by that date, the lack of it.

0400000	<b>4. OILSEEDS AND OILFRUITS</b>
0401000	(i) Oilseeds
0401050	Sunflower seed
0401060	Rape seed (Bird rapeseed, turnip rape)
0401070	Soya bean

- (+) The European Food Safety Authority identified some information on plant metabolism with imazamox labelled at the imidazolinone ring as unavailable. When reviewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 29 October 2016, or, if that information is not submitted by that date, the lack of it.

0500030	Maize
---------	-------

- (+) The European Food Safety Authority identified some information on residue trials and plant metabolism with imazamox labelled at the imidazolinone ring as unavailable. When reviewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 29 October 2016, or, if that information is not submitted by that date, the lack of it.

0500060	Rice (Indian/wild rice ( <i>Zizania aquatica</i> ))
---------	---





▼ **M68**

1015050	Edible offal
1015990	Others
1016000	(f) Poultry -chicken, geese, duck, turkey and Guinea fowl-, ostrich, pigeon
1016010	Muscle
1016020	Fat
1016030	Liver
1016040	Kidney
1016050	Edible offal
1016990	Others
1017000	(g) Other farm animals (Rabbit, kangaroo, deer)
1017010	Muscle
1017020	Fat
1017030	Liver
1017040	Kidney
1017050	Edible offal
1017990	Others
1020000	(ii) Milk
1020010	Cattle
1020020	Sheep
1020030	Goat
1020040	Horse
1020990	Others
1030000	(iii) Bird eggs
1030010	Chicken
1030020	Duck
1030030	Goose
1030040	Quail
1030990	Others
1040000	(iv) Honey (Royal jelly, pollen, honey comb with honey (comb honey))
1050000	(v) Amphibians and reptiles (Frog legs, crocodiles)
1060000	(vi) Snails
1070000	(vii) Other terrestrial animal products (Wild game)

▼ **M66****Flumioxazin**

- (+) The European Food Safety Authority identified some information on residue trials as unavailable. When reviewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 24.10.2016, or, if that information is not submitted by that date, the lack of it.

**0220020 Onions (Other bulb onions, silverskin onions)**

- (+) The applicable maximum residue level for horseradish (*Armoracia rusticana*) in the spice group (code 0840040) is the one set for horseradish (*Armoracia rusticana*) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

**0840040 Horseradish**

▼ **M66****Flupyr sulfuron-methyl**

- (+) The applicable maximum residue level for horseradish (*Armoracia rusticana*) in the spice group (code 0840040) is the one set for horseradish (*Armoracia rusticana*) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

**0840040**                      **Horseradish**

**Picolinafen**

- (+) The European Food Safety Authority identified some information on analytical methods as unavailable. When reviewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 24.10.2016, or, if that information is not submitted by that date, the lack of it.

**0500010**                      **Barley**  
**0500050**                      **Oats**  
**0500070**                      **Rye**  
**0500090**                      **Wheat (Spelt, triticale)**

- (+) The applicable maximum residue level for horseradish (*Armoracia rusticana*) in the spice group (code 0840040) is the one set for horseradish (*Armoracia rusticana*) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

**0840040**                      **Horseradish**

- (+) The European Food Safety Authority identified some information on analytical methods and feeding study for ruminants as unavailable. When reviewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 24.10.2016, or, if that information is not submitted by that date, the lack of it.

**1012010**                      **Muscle**  
**1012020**                      **Fat**  
**1012030**                      **Liver**  
**1012040**                      **Kidney**  
**1013010**                      **Muscle**  
**1013020**                      **Fat**  
**1013030**                      **Liver**  
**1013040**                      **Kidney**  
**1014010**                      **Muscle**  
**1014020**                      **Fat**  
**1014030**                      **Liver**  
**1014040**                      **Kidney**  
**1020010**                      **Cattle**  
**1020020**                      **Sheep**  
**1020030**                      **Goat**

**Dicloran**

- (+) The European Food Safety Authority highlights that the metabolite DCHA has not been taken into account and therefore identified some information on residue trials as unavailable. When reviewing the MRL, the Commission will take this information into account, if it is submitted by 24.10.2016, or, if that information is not submitted by that date, the lack of it.

**0220020**                      **Onions (Other bulb onions, silverskin onions)**

- (+) The applicable maximum residue level for horseradish (*Armoracia rusticana*) in the spice group (code 0840040) is the one set for horseradish (*Armoracia rusticana*) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

**0840040**                      **Horseradish**





▼ **M67**

- (+) MRL applicable until 31 December 2016, after that date 0,06 will be applicable unless modified by a Regulation.

<b>1015050</b>	<b>Edible offal</b>
<b>1015990</b>	<b>Others</b>

- (+) MRL applicable until 31 December 2016, after that date 0,005 (\*) will be applicable unless modified by a Regulation.

<b>1016010</b>	<b>Muscle</b>
----------------	---------------

- (+) MRL applicable until 31 December 2016, after that date 0,006 will be applicable unless modified by a Regulation.

<b>1016020</b>	<b>Fat</b>
----------------	------------

- (+) MRL applicable until 31 December 2016, after that date 0,005 (\*) will be applicable unless modified by a Regulation.

<b>1016030</b>	<b>Liver</b>
<b>1017010</b>	<b>Muscle</b>

- (+) MRL applicable until 31 December 2016, after that date 0,06 will be applicable unless modified by a Regulation.

<b>1017020</b>	<b>Fat</b>
----------------	------------

- (+) MRL applicable until 31 December 2016, after that date 0,015 will be applicable unless modified by a Regulation.

<b>1017030</b>	<b>Liver</b>
----------------	--------------

- (+) MRL applicable until 31 December 2016, after that date 0,009 will be applicable unless modified by a Regulation.

<b>1017040</b>	<b>Kidney</b>
----------------	---------------

- (+) MRL applicable until 31 December 2016, after that date 0,06 will be applicable unless modified by a Regulation.

<b>1017050</b>	<b>Edible offal</b>
<b>1017990</b>	<b>Others</b>

- (+) MRL applicable until 31 December 2016, after that date 0,008 will be applicable unless modified by a Regulation.

<b>1020000</b>	<b>(ii) Milk</b>
<b>1020010</b>	<b>Cattle</b>
<b>1020020</b>	<b>Sheep</b>
<b>1020030</b>	<b>Goat</b>
<b>1020040</b>	<b>Horse</b>
<b>1020990</b>	<b>Others</b>

- (+) MRL applicable until 31 December 2016, after that date 0,005 (\*) will be applicable unless modified by a Regulation.

<b>1030000</b>	<b>(iii) Bird eggs</b>
<b>1030010</b>	<b>Chicken</b>
<b>1030020</b>	<b>Duck</b>
<b>1030030</b>	<b>Goose</b>
<b>1030040</b>	<b>Quail</b>
<b>1030990</b>	<b>Others</b>

**▼ M68****Benfluralin (F)**

- (+) The applicable maximum residue level for horseradish (*Armoracia rusticana*) in the spice group (code 0840040) is the one set for horseradish (*Armoracia rusticana*) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

0840040                      **Horseradish**

**▼ M70****Fenamidone**

- (+) The following MRL applies to Chilli peppers: 3,5 mg/kg.

0231020                      **Peppers (Chilli peppers)**

**▼ M75****Clofentezine (R)**

- (R) = The residue definition differs for the following combinations pesticide-code number:

Clofentezine - codes 0500000 and 1000000: Sum of all compounds containing the 2-chlorobenzoyl moiety expressed as clofentezine

**▼ M71****Iprodione (R)**

- (R) = The residue definition differs for the following combinations pesticide-code number:

Iprodione — code 1000000: Sum of iprodione and all metabolites containing the 3,5-dichloroaniline moiety expressed as iprodione

- (+) The European Food Safety Authority identified some information on storage stability, analytical methods, crop metabolism and residue trials as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 14 March 2017, or, if that information is not submitted by that date, the lack of it.

0110030	<b>Lemons (Citron, lemon, Buddha's hand (Citrus medica var. sarcodactylis))</b>
0120010	<b>Almonds</b>
0130000	(iii) <b>Pome fruit</b>
0130010	<b>Apples (Crab apple)</b>
0130020	<b>Pears (Oriental pear)</b>
0130030	<b>Quinces</b>
0130040	<b>Medlar</b>
0130050	<b>Loquat</b>
0140000	(iv) <b>Stone fruit</b>
0140010	<b>Apricots</b>
0140020	<b>Cherries (Sweet cherries, sour cherries)</b>
0140030	<b>Peaches (Nectarines and similar hybrids)</b>
0140040	<b>Plums (Damson, greengage, mirabelle, sloe, red date/Chinese date/Chinese jujube (Ziziphus zizyphus))</b>
0151000	(a) <b>Table and wine grapes</b>
0151010	<b>Table grapes</b>
0151020	<b>Wine grapes</b>
0152000	(b) <b>Strawberries</b>
0153000	(c) <b>Cane fruit</b>
0153010	<b>Blackberries</b>
0153020	<b>Dewberries (Loganberries, tayberries, boysenberries, cloudberrries and other Rubus hybrids)</b>
0153030	<b>Raspberries (Wineberries, arctic bramble/raspberry, (Rubus arcticus), nectar raspberries (Rubus arcticus × Rubus idaeus))</b>

▼ M71

0154010	Blueberries (Bilberries)
0154020	Cranberries (Cowberries/red bilberries ( <i>V. vitis-idaea</i> ))
0154030	Currants (red, black and white)
0154040	Gooseberries (Including hybrids with other <i>Ribes</i> species)
0154070	Azarole (mediteranean medlar) (Kiwiberry ( <i>Actinidia arguta</i> ))
0162010	Kiwi
0211000	(a) Potatoes
0213010	Beetroot
0213020	Carrots
0213040	Horseradish ( <i>Angelica</i> roots, lovage roots, gentiana roots)
0213060	Parsnips
0213070	Parsley root
0213080	Radishes (Black radish, Japanese radish, small radish and similar varieties, tiger nut ( <i>Cyperus esculentus</i> ))
0220000	(ii) Bulb vegetables
0220010	Garlic
0220020	Onions (Other bulb onions, silverskin onions)
0220030	Shallots
0220040	Spring onions and welsh onions (Other green onions and similar varieties)
0231010	Tomatoes (Cherry tomatoes, <i>Physalis</i> spp., gojiberry, wolfberry ( <i>Lycium barbarum</i> and <i>L. chinense</i> ), tree tomato)
0231020	Peppers (Chilli peppers)
0231030	Aubergines (egg plants) (Pepino, antroewa/white eggplant ( <i>S. macrocarpon</i> ))
0232000	(b) Cucurbits — edible peel
0232010	Cucumbers
0232020	Gherkins
0232030	Courgettes (Summer squash, marrow ( <i>patisson</i> ), lauki ( <i>Lagenaria siceraria</i> ), chayote, sopropo/bitter melon, snake gourd, angled luffa/teroi)
0232990	Others
0233000	(c) Cucurbits-inedible peel
0233010	Melons (Kiwano)
0233020	Pumpkins (Winter squash, marrow (late variety))
0233030	Watermelons
0233990	Others
0241000	(a) Flowering brassica
0241010	Broccoli (Calabrese, Broccoli raab, Chinese broccoli)
0241020	Cauliflower
0242000	(b) Head brassica
0242010	Brussels sprouts
0242020	Head cabbage (Pointed head cabbage, red cabbage, savoy cabbage, white cabbage)
0243010	Chinese cabbage (Indian or Chinese) mustard, pak choi, Chinese flat cabbage/ai goo choi, choi sum, Peking cabbage/pe-tsai)
0251010	Lamb's lettuce (Italian corn salad)
0251020	Lettuce (Head lettuce, lollo rosso (cutting lettuce), iceberg lettuce, romaine (cos) lettuce)
0251030	Scarole (broad-leaf endive) (Wild chicory, red-leaved chicory, radicchio, curly leaf endive, sugar loaf ( <i>C. endivia</i> var. <i>crispum</i> / <i>C. intybus</i> var. <i>foliosum</i> ), dandelion greens)
0251040	Cress (Mung bean sprouts, alfalfa sprouts)
0251060	Rocket, Rucola (Wild rocket ( <i>Diplotaxis</i> spp.))



▼ M71

0251080	Leaves and sprouts of Brassica spp, including turnip greens (Mizuna, leaves of peas and radish and other babyleaf crops, including brassica crops (crops harvested up to 8 true leaf stage), kohlrabi leaves)
0255000	(e) Witloof
0256000	(f) Herbs
0256010	Chervil
0256020	Chives
0256030	Celery leaves (Fennel leaves, coriander leaves, dill leaves, caraway leaves, lovage, angelica, sweet cicely and other Apiacea leaves, culantro/stinking/long coriander/stink weed ( <i>Eryngium foetidum</i> ))
0256040	Parsley (leaves of root parsley)
0256050	Sage (Winter savory, summer savory, <i>Borago officinalis</i> leaves)
0256060	Rosemary
0256070	Thyme (Marjoram, oregano)
0256080	Basil (Balm leaves, mint, peppermint, holy basil, sweet basil, hairy basil, edible flowers (marigold flower and others), pennywort, wild betel leaf, curry leaves)
0256090	Bay leaves (laurel) (Lemon grass)
0256100	Tarragon (Hyssop)
0256990	Others
0260010	Beans (with pods) (Green bean/French beans/snap beans, scarlet runner bean, slicing bean, yard long beans, guar beans, soya beans)
0260020	Beans (without pods) (Broad beans, flageolets, jack bean, lima bean, cowpea)
0260030	Peas (with pods) (Mangetout/sugar peas/snow peas)

(+) Footnotes: The European Food Safety Authority identified some information on storage stability, analytical methods, crop metabolism and residue trials as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 14 March 2017, or, if that information is not submitted by that date, the lack of it.

0260040 Peas (without pods) (Garden pea, green pea, chickpea)

(+) The European Food Safety Authority identified some information on storage stability, analytical methods, crop metabolism and residue trials as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 14 March 2017, or, if that information is not submitted by that date, the lack of it.

0270070	Rhubarb
0300010	Beans (Broad beans, navy beans, flageolets, jack beans, lima beans, field beans, cowpeas)
0300020	Lentils
0300030	Peas (Chickpeas, field peas, chickling vetch)
0401010	Linseed
0401050	Sunflower seed
0401060	Rape seed (Bird rapeseed, turnip rape)
0500010	Barley
0500060	Rice (Indian/wild rice ( <i>Zizania aquatica</i> ))
0500090	Wheat (Spelt, triticale)
0633000	(c) Roots
0633010	Valerian root
0633020	Ginseng root
0633990	Others



▼ M71

1015030	Liver
1015040	Kidney
1015050	Edible offal
1015990	Others
1016000	(f) Poultry -chicken, geese, duck, turkey and Guinea fowl-, ostrich, pigeon
1016010	Muscle
1016020	Fat
1016030	Liver
1016050	Edible offal
1016990	Others
1017000	(g) Other farm animals (Rabbit, kangaroo, deer)
1017010	Muscle
1017020	Fat
1017030	Liver
1017040	Kidney
1017050	Edible offal
1017990	Others
1020000	(ii) Milk
1020010	Cattle
1020020	Sheep
1020030	Goat
1030000	(iii) Bird eggs
1030010	Chicken
1030020	Duck
1030030	Goose
1030040	Quail
1030990	Others

**Cyprodinil (F) (R)**

(R) = The residue definition differs for the following combinations pesticide-code number:

Cyprodinil — code 1000000, except 1020000: Sum of cyprodinil and CGA 304075 (free), expressed as cyprodinil

Cyprodinil — code 1020000: Sum of cyprodinil and CGA 304075 (free and conjugated), expressed as cyprodinil

(+) The European Food Safety Authority identified some information on analytical and/or confirmatory methods as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 14 March 2017, or, if that information is not submitted by that date, the lack of it.

0120010	Almonds
0633000	(c) Roots
0633010	Valerian root
0633020	Ginseng root
0633990	Others
0840000	(iv) Roots or rhizome
0840010	Liquorice
0840020	Ginger

▼ M71**0840030**                      **Turmeric (Curcuma)**

- (+) The applicable maximum residue level for horseradish (*Armoracia rusticana*) in the spice group (code 0840040) is the one set for horseradish (*Armoracia rusticana*) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

**0840040**                      **Horseradish**

- (+) The European Food Safety Authority identified some information on analytical and/or confirmatory methods as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 14 March 2017, or, if that information is not submitted by that date, the lack of it.

**0840990**                      **Others****1000000**                      **10. PRODUCTS OF ANIMAL ORIGIN-TERRESTRIAL ANIMALS****1010000**                      **(i) Tissue****1011000**                      **(a) Swine****1011010**                      **Muscle****1011020**                      **Fat****1011030**                      **Liver****1011040**                      **Kidney****1011050**                      **Edible offal****1011990**                      **Others****1012000**                      **(b) Bovine****1012010**                      **Muscle****1012020**                      **Fat****1012030**                      **Liver****1012040**                      **Kidney****1012050**                      **Edible offal****1012990**                      **Others****1013000**                      **(c) Sheep****1013010**                      **Muscle****1013020**                      **Fat****1013030**                      **Liver****1013040**                      **Kidney****1013050**                      **Edible offal****1013990**                      **Others****1014000**                      **(d) Goat****1014010**                      **Muscle****1014020**                      **Fat****1014030**                      **Liver****1014040**                      **Kidney****1014050**                      **Edible offal****1014990**                      **Others****1015000**                      **(e) Horses, asses, mules or hinnies****1015010**                      **Muscle****1015020**                      **Fat****1015030**                      **Liver****1015040**                      **Kidney**

▼ M71

1015050	Edible offal
1015990	Others
1016000	(f) Poultry -chicken, geese, duck, turkey and Guinea fowl-, ostrich, pigeon
1016010	Muscle
1016020	Fat
1016030	Liver
1016050	Edible offal
1016990	Others
1017000	(g) Other farm animals (Rabbit, kangaroo, deer)
1017010	Muscle
1017020	Fat
1017030	Liver
1017040	Kidney
1017050	Edible offal
1017990	Others
1020000	(ii) Milk
1020010	Cattle
1020020	Sheep
1020030	Goat
1030000	(iii) Bird eggs
1030010	Chicken
1030020	Duck
1030030	Goose
1030040	Quail
1030990	Others

**Metaldehyde**

- (+) The European Food Safety Authority identified an hydrolysis study investigating the effect of sterilisation on the nature of the residues as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 14 March 2017, or, if that information is not submitted by that date, the lack of it.

0211000 (a) Potatoes

- (+) The European Food Safety Authority identified some information on residue trials and an hydrolysis study investigating the effect of sterilisation on the nature of the residues, as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 14 March 2017, or, if that information is not submitted by that date, the lack of it.

0213000 (c) Other root and tuber vegetables except sugar beet

0213010 Beetroot

0213020 Carrots

0213030 Celeriac

0213040 Horseradish (Angelica roots, lovage roots, gentiana roots)

0213050 Jerusalem artichokes (Crosne)

0213060 Parsnips

0213070 Parsley root

0213080 Radishes (Black radish, Japanese radish, small radish and similar varieties, tiger nut (Cyperus esculentus))

0213090 Salsify (Scorzonera, Spanish salsify/Spanish oysterplant, edible burdock)

▼ **M71**

0213110	<b>Turnips</b>
0231010	<b>Tomatoes (Cherry tomatoes, Physalis spp., gojiberry, wolfberry (<i>Lycium barbarum</i> and <i>L. chinense</i>), tree tomato)</b>
0231030	<b>Aubergines (egg plants) (Pepino, antroewa/white eggplant (<i>S. macrocarpon</i>))</b>

- (+) The European Food Safety Authority identified an hydrolysis study investigating the effect of sterilisation on the nature of the residues as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 14 March 2017, or, if that information is not submitted by that date, the lack of it.

0240000	(iv) <b>Brassica vegetables</b>
0241000	(a) <b>Flowering brassica</b>
0241010	<b>Broccoli (Calabrese, Broccoli raab, Chinese broccoli)</b>
0241020	<b>Cauliflower</b>
0241990	<b>Others</b>
0242000	(b) <b>Head brassica</b>
0242010	<b>Brussels sprouts</b>
0242020	<b>Head cabbage (Pointed head cabbage, red cabbage, savoy cabbage, white cabbage)</b>
0242990	<b>Others</b>
0243000	(c) <b>Leafy brassica</b>
0243010	<b>Chinese cabbage (Indian or Chinese) mustard, pak choi, Chinese flat cabbage/ai goo choi, choi sum, Peking cabbage/pe-tsai)</b>

- (+) The European Food Safety Authority identified some information on residue trials and an hydrolysis study investigating the effect of sterilisation on the nature of the residues, as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 14 March 2017, or, if that information is not submitted by that date, the lack of it.

0243020	<b>Kale (Borecole/curly kale, collards, Portuguese Kale, Portuguese cabbage, cow cabbage)</b>
---------	---

- (+) The European Food Safety Authority identified an hydrolysis study investigating the effect of sterilisation on the nature of the residues as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 14 March 2017, or, if that information is not submitted by that date, the lack of it.

0243990	<b>Others</b>
0244000	(d) <b>Kohlrabi</b>
0251000	(a) <b>Lettuce and other salad plants including Brassicacea</b>
0251010	<b>Lamb's lettuce (Italian corn salad)</b>
0251020	<b>Lettuce (Head lettuce, lollo rosso (cutting lettuce), iceberg lettuce, romaine (cos) lettuce)</b>
0251030	<b>Scarole (broad-leaf endive) (Wild chicory, red-leaved chicory, radicchio, curly leaf endive, sugar loaf (<i>C. endivia</i> var. <i>crispum</i>/<i>C. intybus</i> var. <i>foliosum</i>), dandelion greens)</b>
0251040	<b>Cress (Mung bean sprouts, alfalfa sprouts)</b>
0251050	<b>Land cress</b>
0251060	<b>Rocket, Rucola (Wild rocket (<i>Diplotaxis</i> spp.))</b>
0251070	<b>Red mustard</b>
0251080	<b>Leaves and sprouts of Brassica spp, including turnip greens (Mizuna, leaves of peas and radish and other babyleaf crops, including brassica crops (crops harvested up to 8 true leaf stage), kohlrabi leaves)</b>
0251990	<b>Others</b>
0252000	(b) <b>Spinach &amp; similar (leaves)</b>
0252010	<b>Spinach (New Zealand spinach, amaranthus spinach (pak-khom, tampara), tajar leaves, bitterblad/bitawiri)</b>

▼ M71

0252020	<b>Purslane (Winter purslane/miner's lettuce, garden purslane, common purslane, sorrel, glassworth, agretti (Salsola soda))</b>
0252030	<b>Beet leaves (chard) (Leaves of beetroot)</b>
0252990	<b>Others</b>
0270050	<b>Globe artichokes (Banana flower)</b>
0270060	<b>Leek</b>

- (+) The applicable maximum residue level for horseradish (*Armoracia rusticana*) in the spice group (code 0840040) is the one set for horseradish (*Armoracia rusticana*) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

0840040	<b>Horseradish</b>
---------	--------------------

- (+) The European Food Safety Authority identified some information on analytical methods as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 14 March 2017, or, if that information is not submitted by that date, the lack of it.

1000000	<b>10. PRODUCTS OF ANIMAL ORIGIN-TERRESTRIAL ANIMALS</b>
1010000	<b>(i) Tissue</b>
1011000	<b>(a) Swine</b>
1011010	<b>Muscle</b>
1011020	<b>Fat</b>
1011030	<b>Liver</b>
1011040	<b>Kidney</b>
1011050	<b>Edible offal</b>
1011990	<b>Others</b>
1012000	<b>(b) Bovine</b>
1012010	<b>Muscle</b>
1012020	<b>Fat</b>
1012030	<b>Liver</b>
1012040	<b>Kidney</b>
1012050	<b>Edible offal</b>
1012990	<b>Others</b>
1013000	<b>(c) Sheep</b>
1013010	<b>Muscle</b>
1013020	<b>Fat</b>
1013030	<b>Liver</b>
1013040	<b>Kidney</b>
1013050	<b>Edible offal</b>
1013990	<b>Others</b>
1014000	<b>(d) Goat</b>
1014010	<b>Muscle</b>
1014020	<b>Fat</b>
1014030	<b>Liver</b>
1014040	<b>Kidney</b>
1014050	<b>Edible offal</b>
1014990	<b>Others</b>
1015000	<b>(e) Horses, asses, mules or hinnies</b>
1015010	<b>Muscle</b>
1015020	<b>Fat</b>

▼ **M71**

1015030	Liver
1015040	Kidney
1015050	Edible offal
1015990	Others
1016000	(f) Poultry -chicken, geese, duck, turkey and Guinea fowl-, ostrich, pigeon
1016010	Muscle
1016020	Fat
1016030	Liver
1016040	Kidney
1016050	Edible offal
1016990	Others
1017000	(g) Other farm animals (Rabbit, kangaroo, deer)
1017010	Muscle
1017020	Fat
1017030	Liver
1017040	Kidney
1017050	Edible offal
1017990	Others
1020000	(ii) Milk
1020010	Cattle
1020020	Sheep
1020030	Goat
1020040	Horse
1020990	Others
1030000	(iii) Bird eggs
1030010	Chicken
1030020	Duck
1030030	Goose
1030040	Quail
1030990	Others
1050000	(v) Amphibians and reptiles (Frog legs, crocodiles)
1060000	(vi) Snails
1070000	(vii) Other terrestrial animal products (Wild game)

**Sum of metabolites 479M04, 479M08, 479M16, expressed as metazachlor (R)**

(R) = The residue definition differs for the following combinations pesticide-code number:

Metazachlor — code 1000000: Sum of metazachlor and its metabolites containing the 2,6-dimethylaniline moiety, expressed as metazachlor

(+) The European Food Safety Authority identified some information on residue trials as unavailable. When reviewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 14 March 2017, or, if that information is not submitted by that date, the lack of it.

0213040	Horseradish (Angelica roots, lovage roots, gentiana roots)
0213080	Radishes (Black radish, Japanese radish, small radish and similar varieties, tiger nut (Cyperus esculentus))
0213100	Swedes
0213110	Turnips



▼ **M71**

0241000	(a) Flowering brassica
0241010	Broccoli (Calabrese, Broccoli raab, Chinese broccoli)
0241020	Cauliflower
0241990	Others
0242020	Head cabbage (Pointed head cabbage, red cabbage, savoy cabbage, white cabbage)
0243000	(c) Leafy brassica
0243010	Chinese cabbage (Indian or Chinese) mustard, pak choi, Chinese flat cabbage/ai goo choi, choi sum, Peking cabbage/pe-tsai)
0243020	Kale (Borecole/curly kale, collards, Portuguese Kale, Portuguese cabbage, cow cabbage)
0243990	Others
0244000	(d) Kohlrabi

- (+) The applicable maximum residue level for horseradish (*Armoracia rusticana*) in the spice group (code 0840040) is the one set for horseradish (*Armoracia rusticana*) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

0840040                      **Horseradish**

▼ **M73**

**Dimethenamid including other mixtures of constituent isomers including dimethenamid-P (sum of isomers)**

- (+) The European Food Safety Authority identified some information on plant metabolism as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 8 April 2017, or, if that information is not submitted by that date, the lack of it.

0220040	Spring onions and welsh onions (Other green onions and similar varieties)
0251020	Lettuce (Head lettuce, lollo rosso (cutting lettuce), iceberg lettuce, romaine (cos) lettuce)
0256000	(f) Herbs
0256010	Chervil
0256020	Chives
0256030	Celery leaves (Fennel leaves, coriander leaves, dill leaves, caraway leaves, lovage, angelica, sweet cicely and other Apiacea leaves, culantro/stinking/long coriander/stink weed ( <i>Eryngium foetidum</i> ))
0256040	Parsley (leaves of root parsley)
0256050	Sage (Winter savory, summer savory, <i>Borago officinalis</i> leaves)
0256060	Rosemary
0256070	Thyme (Marjoram, oregano)
0256080	Basil (Balm leaves, mint, peppermint, holy basil, sweet basil, hairy basil, edible flowers (marigold flower and others), pennywort, wild betel leaf, curry leaves)
0256090	Bay leaves (laurel) (Lemon grass)
0256100	Tarragon (Hyssop)
0256990	Others

- (+) The applicable maximum residue level for horseradish (*Armoracia rusticana*) in the spice group (code 0840040) is the one set for horseradish (*Armoracia rusticana*) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

0840040                      **Horseradish**



## ANNEX III

## Temporary MRLs referred to in Articles 16(1) and 22(1)

## PART A

## Temporary MRLs for substances without MRLs under Directives 86/362/EEC, 86/363/EEC and 90/642/EEC

Pesticide residues and maximum residue levels (mg/kg)

Code number	Groups and examples of individual products to which the MRLs apply <sup>(a)</sup>	▼ — ▶ <u>M73</u>	1-Naphthylacetamide	1-Naphthylacetic acid	▶ <u>M43</u> Acequimoeyl ▼	Acetochlor	Aclomifen	▶ <u>M5</u> Acrinathrin <sup>(1)</sup> ▼
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)
0100000	1. <b>FRUIT FRESH OR FROZEN; NUTS</b>	▶ <u>M73</u> — ◀				0,02	0,05 (*)	
0110000	(i) <b>Citrus fruit</b>	▶ <u>M73</u> — ◀	0,05 (*)	0,05 (*)	▶ <u>M43</u> — ◀			▶ <u>M5</u> 0,2 ◀
0110010	Grapefruit	▶ <u>M73</u> — ◀			▶ <u>M43</u> 0,2 ◀			
0110020	Oranges	▶ <u>M73</u> — ◀			▶ <u>M43</u> 0,4 ◀			
0110030	Lemons	▶ <u>M73</u> — ◀			▶ <u>M43</u> 0,2 ◀			
0110040	Limes	▶ <u>M73</u> — ◀			▶ <u>M43</u> 0,2 ◀			
0110050	Mandarins	▶ <u>M73</u> — ◀			▶ <u>M43</u> 0,4 ◀			
0110990	Others	▶ <u>M73</u> — ◀			▶ <u>M43</u> 0,2 ◀			

▼ M2

▼ <u>M32</u>	▼ <u>M25</u> Amidosulfuron (8)	▼ <u>M32</u>	▼ <u>M66</u>	Azadirachtin	▼ <u>M46</u>	▼ <u>M68</u>	▼ <u>M55</u>	▼ <u>M73</u>
(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)
▶ <u>M32</u> — ◀	▶ <u>M25</u> 0,01 (*) ◀	▶ <u>M32</u> — ◀	▶ <u>M66</u> — ◀		▶ <u>M46</u> — ◀	▶ <u>M68</u> — ◀	▶ <u>M55</u> — ◀	▶ <u>M73</u> — ◀
▶ <u>M32</u> — ◀		▶ <u>M32</u> — ◀	▶ <u>M66</u> — ◀		▶ <u>M46</u> — ◀	▶ <u>M68</u> — ◀	▶ <u>M55</u> — ◀	▶ <u>M73</u> — ◀
▶ <u>M32</u> — ◀		▶ <u>M32</u> — ◀	▶ <u>M66</u> — ◀	0,5	▶ <u>M46</u> — ◀	▶ <u>M68</u> — ◀	▶ <u>M55</u> — ◀	▶ <u>M73</u> — ◀
▶ <u>M32</u> — ◀		▶ <u>M32</u> — ◀	▶ <u>M66</u> — ◀	0,5	▶ <u>M46</u> — ◀	▶ <u>M68</u> — ◀	▶ <u>M55</u> — ◀	▶ <u>M73</u> — ◀
▶ <u>M32</u> — ◀		▶ <u>M32</u> — ◀	▶ <u>M66</u> — ◀	0,5	▶ <u>M46</u> — ◀	▶ <u>M68</u> — ◀	▶ <u>M55</u> — ◀	▶ <u>M73</u> — ◀
▶ <u>M32</u> — ◀		▶ <u>M32</u> — ◀	▶ <u>M66</u> — ◀	0,01 (*)	▶ <u>M46</u> — ◀	▶ <u>M68</u> — ◀	▶ <u>M55</u> — ◀	▶ <u>M73</u> — ◀
▶ <u>M32</u> — ◀		▶ <u>M32</u> — ◀	▶ <u>M66</u> — ◀	0,5	▶ <u>M46</u> — ◀	▶ <u>M68</u> — ◀	▶ <u>M55</u> — ◀	▶ <u>M73</u> — ◀
▶ <u>M32</u> — ◀		▶ <u>M32</u> — ◀	▶ <u>M66</u> — ◀	0,01 (*)	▶ <u>M46</u> — ◀	▶ <u>M68</u> — ◀	▶ <u>M55</u> — ◀	▶ <u>M73</u> — ◀

▼ M2

▶ <u>M27</u> Boscalid (L) (8) ▼	▶ <u>M5</u> Bromide ion ▼	Bromuconazole (sum of diastereoisomers) (L)	▶ <u>M75</u> Bupirimate ▼	▶ <u>M19</u> Buprofezin (L) ▼	▶ <u>M51</u> — ▼	▶ <u>M32</u> — ▼	Carbetamide
(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)
					▶ <u>M51</u> — ◀	▶ <u>M32</u> — ◀	0,05 (*)
▶ <u>M27</u> 2 ◀	▶ <u>M5</u> 30 ◀	0,05 (*)	▶ <u>M75</u> 0,05 (*) ◀	▶ <u>M19</u> 1 ◀	▶ <u>M51</u> — ◀	▶ <u>M32</u> — ◀	
					▶ <u>M51</u> — ◀	▶ <u>M32</u> — ◀	
					▶ <u>M51</u> — ◀	▶ <u>M32</u> — ◀	
					▶ <u>M51</u> — ◀	▶ <u>M32</u> — ◀	
					▶ <u>M51</u> — ◀	▶ <u>M32</u> — ◀	
					▶ <u>M51</u> — ◀	▶ <u>M32</u> — ◀	

▼ M2

Carboxin	▼ <u>M5</u> Chlordecone (L)	▼ <u>M5</u> Chloridazon	Chlorsulfuron	▼ <u>M32</u>
(27)	(28)	(29)	(30)	(31)
0,05 (*)			0,05 (*)	▶ <u>M32</u> — ◀
	▶ <u>M5</u> 0,02 ◀	▶ <u>M5</u> 0,1 (*) ◀		▶ <u>M32</u> — ◀
				▶ <u>M32</u> — ◀
				▶ <u>M32</u> — ◀
				▶ <u>M32</u> — ◀
				▶ <u>M32</u> — ◀
				▶ <u>M32</u> — ◀

▼ **M2**

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)
0120000	(ii) <b>Tree nuts (shelled or unshelled)</b>	► <b>M73</b> — ◀	0,05 (*)	0,05 (*)	► <b>M5</b> — ◀			► <b>M5</b> 0,05 (*) ◀
0120010	Almonds	► <b>M73</b> — ◀			► <b>M43</b> 0,02 ◀			
0120020	Brazil nuts	► <b>M73</b> — ◀			► <b>M43</b> 0,01 (*) ◀			
0120030	Cashew nuts	► <b>M73</b> — ◀			► <b>M43</b> 0,01 (*) ◀			
0120040	Chestnuts	► <b>M73</b> — ◀			► <b>M43</b> 0,01 (*) ◀			
0120050	Coconuts	► <b>M73</b> — ◀			► <b>M43</b> 0,01 (*) ◀			
0120060	Hazelnuts	► <b>M73</b> — ◀			► <b>M43</b> 0,01 (*) ◀			
0120070	Macadamia	► <b>M73</b> — ◀			► <b>M43</b> 0,01 (*) ◀			
0120080	Pecans	► <b>M73</b> — ◀			► <b>M43</b> 0,01 (*) ◀			
0120090	Pine nuts	► <b>M73</b> — ◀			► <b>M43</b> 0,01 (*) ◀			
0120100	Pistachios	► <b>M73</b> — ◀			► <b>M43</b> 0,01 (*) ◀			
0120110	Walnuts	► <b>M73</b> — ◀			► <b>M43</b> 0,01 (*) ◀			
0120990	Others	► <b>M73</b> — ◀			► <b>M43</b> 0,01 (*) ◀			
0130000	(iii) <b>Pome fruit</b>	► <b>M73</b> — ◀	0,1		► <b>M43</b> 0,1 ◀			► <b>M5</b> 0,1 ◀
0130010	Apples	► <b>M73</b> — ◀		1				
0130020	Pears	► <b>M73</b> — ◀		1				
0130030	Quinces	► <b>M73</b> — ◀		0,1				
0130040	Medlar	► <b>M73</b> — ◀		0,1				
0130050	Loquat	► <b>M73</b> — ◀		0,1				
0130990	Others	► <b>M73</b> — ◀		0,1				
0140000	(iv) <b>Stone fruit</b>	► <b>M73</b> — ◀	0,05 (*)		► <b>M15</b> — ◀			
0140010	Apricots	► <b>M73</b> — ◀		0,05 (*)	► <b>M43</b> 0,01 (*) ◀			► <b>M5</b> 0,3 ◀
0140020	Cherries	► <b>M73</b> — ◀		0,05 (*)	► <b>M43</b> 0,01 (*) ◀			► <b>M5</b> 0,2 ◀
0140030	Peaches	► <b>M73</b> — ◀		0,1	► <b>M43</b> 0,04 ◀			► <b>M5</b> 0,2 ◀
0140040	Plums	► <b>M73</b> — ◀		0,05 (*)	► <b>M43</b> 0,01 (*) ◀			► <b>M5</b> 0,2 ◀





▼ M2

(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)
▶ <u>M27</u> 1 ◀	▶ <u>M5</u> 50 ◀	0,05 (*)	▶ <u>M75</u> 0,05 (*) ◀		▶ <u>M51</u> — ◀	▶ <u>M32</u> — ◀	
				▶ <u>M19</u> 0,7 ◀ ▶ <u>M19</u> 0,05 (*) ◀ ▶ <u>M19</u> 0,05 (*) ◀ ▶ <u>M19</u> 0,05 (*) ◀ ▶ <u>M19</u> 0,05 (*) ◀ ▶ <u>M19</u> 0,05 (*) ◀ ▶ <u>M19</u> 0,05 (*) ◀ ▶ <u>M19</u> 0,05 (*) ◀ ▶ <u>M19</u> 0,05 (*) ◀ ▶ <u>M19</u> 0,05 (*) ◀ ▶ <u>M19</u> 0,05 (*) ◀	▶ <u>M51</u> — ◀ ▶ <u>M51</u> — ◀ ▶ <u>M51</u> — ◀ ▶ <u>M51</u> — ◀ ▶ <u>M51</u> — ◀ ▶ <u>M51</u> — ◀ ▶ <u>M51</u> — ◀ ▶ <u>M51</u> — ◀ ▶ <u>M51</u> — ◀ ▶ <u>M51</u> — ◀ ▶ <u>M51</u> — ◀	▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀	
				▶ <u>M19</u> 0,05 (*) ◀	▶ <u>M51</u> — ◀	▶ <u>M32</u> — ◀	
▶ <u>M27</u> 2 ◀	▶ <u>M5</u> 20 ◀	0,05 (*)		▶ <u>M11</u> 0,5 ◀	▶ <u>M51</u> — ◀	▶ <u>M32</u> — ◀	
			▶ <u>M75</u> 0,2 ◀ ▶ <u>M75</u> 0,2 ◀ ▶ <u>M75</u> 0,05 (*) ◀ ▶ <u>M75</u> 0,05 (*) ◀ ▶ <u>M75</u> 0,05 (*) ◀	▶ <u>M19</u> 3 ◀ ▶ <u>M19</u> 0,5 ◀ ▶ <u>M19</u> 0,5 ◀ ▶ <u>M19</u> 0,5 ◀ ▶ <u>M19</u> 0,5 ◀	▶ <u>M51</u> — ◀ ▶ <u>M51</u> — ◀ ▶ <u>M51</u> — ◀ ▶ <u>M51</u> — ◀ ▶ <u>M51</u> — ◀	▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀	
			▶ <u>M75</u> 0,05 (*) ◀	▶ <u>M19</u> 0,5 ◀	▶ <u>M51</u> — ◀	▶ <u>M32</u> — ◀	
▶ <u>M27</u> — ◀	▶ <u>M5</u> 20 ◀				▶ <u>M51</u> — ◀	▶ <u>M32</u> — ◀	
▶ <u>M27</u> 3 ◀ ▶ <u>M27</u> 4 ◀ ▶ <u>M27</u> 3 ◀ ▶ <u>M27</u> 3 ◀		0,05 (*) 0,05 (*) 0,1 0,05 (*)	▶ <u>M75</u> 0,3 ◀ ▶ <u>M75</u> 0,05 (*) ◀ ▶ <u>M75</u> 0,3 ◀ ▶ <u>M75</u> 0,05 (*) ◀	▶ <u>M19</u> 0,2 ◀ ▶ <u>M19</u> 2 ◀ ▶ <u>M19</u> 0,7 ◀ ▶ <u>M19</u> 2 ◀	▶ <u>M51</u> — ◀ ▶ <u>M51</u> — ◀ ▶ <u>M51</u> — ◀ ▶ <u>M51</u> — ◀	▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀	

▼ M2

(27)	(28)	(29)	(30)	(31)
		▶ <u>M5</u> 0,1 (*) ◀		▶ <u>M32</u> — ◀
	▶ <u>M5</u> 0,01 (*) ◀ ▶ <u>M5</u> 0,02 ◀ ▶ <u>M5</u> 0,02 ◀ ▶ <u>M5</u> 0,01 (*) ◀ ▶ <u>M5</u> 0,02 ◀ ▶ <u>M5</u> 0,01 (*) ◀ ▶ <u>M5</u> 0,01 (*) ◀ ▶ <u>M5</u> 0,01 (*) ◀ ▶ <u>M5</u> 0,01 (*) ◀ ▶ <u>M5</u> 0,01 (*) ◀ ▶ <u>M5</u> 0,01 (*) ◀			▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀
	▶ <u>M5</u> 0,01 (*) ◀			▶ <u>M32</u> — ◀
	▶ <u>M5</u> 0,01 (*) ◀	▶ <u>M5</u> 0,1 (*) ◀		▶ <u>M32</u> — ◀
				▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀
				▶ <u>M32</u> — ◀
	▶ <u>M5</u> 0,01 (*) ◀	▶ <u>M5</u> 0,1 (*) ◀		▶ <u>M32</u> — ◀
				▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀

▼ **M2**

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)
0140990	Others	► <b>M73</b> — ◀		0,05 (*)	► <b>M43</b> 0,01 (*) ◀			► <b>M5</b> 0,2 ◀
0150000	(v) <b>Berries &amp; small fruit</b>	► <b>M73</b> — ◀	0,05 (*)	0,05 (*)	► <b>M15</b> — ◀			
0151000	(a) <i>Table and wine grapes</i>	► <b>M73</b> — ◀			► <b>M43</b> 0,3 ◀			► <b>M5</b> 0,05 (*) ◀
0151010	Table grapes	► <b>M73</b> — ◀						
0151020	Wine grapes	► <b>M73</b> — ◀						
0152000	(b) <i>Strawberries</i>	► <b>M73</b> — ◀			► <b>M43</b> 0,01 (*) ◀			► <b>M5</b> 0,2 ◀
0153000	(c) <i>Cane fruit</i>	► <b>M73</b> — ◀			► <b>M43</b> 0,01 (*) ◀			► <b>M5</b> 0,05 (*) ◀
0153010	Blackberries	► <b>M73</b> — ◀						
0153020	Dewberries	► <b>M73</b> — ◀						
0153030	Raspberries	► <b>M73</b> — ◀						
0153990	Others	► <b>M73</b> — ◀						
0154000	(d) <i>Other small fruit &amp; berries</i>	► <b>M73</b> — ◀			► <b>M43</b> 0,01 (*) ◀			► <b>M5</b> 0,05 (*) ◀
0154010	Blueberries	► <b>M73</b> — ◀						
0154020	Cranberries	► <b>M73</b> — ◀						
0154030	Currants (red, black and white)	► <b>M73</b> — ◀						
0154040	Gooseberries	► <b>M73</b> — ◀						
0154050	Rose hips	► <b>M73</b> — ◀						
0154060	Mulberries	► <b>M73</b> — ◀						
0154070	Azarole (mediterranean medlar)	► <b>M73</b> — ◀						



▼ M2

(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)
▶ <u>M27</u> 3 ◀		0,05 (*)	▶ <u>M75</u> 0,05 (*) ◀	▶ <u>M19</u> 0,1 ◀	▶ <u>M51</u> — ◀	▶ <u>M32</u> — ◀	
					▶ <u>M51</u> — ◀	▶ <u>M32</u> — ◀	
▶ <u>M27</u> 5 ◀	▶ <u>M5</u> 20 ◀	0,5	▶ <u>M75</u> 1,5 ◀	▶ <u>M19</u> 1 ◀	▶ <u>M51</u> — ◀	▶ <u>M32</u> — ◀	
					▶ <u>M51</u> — ◀	▶ <u>M32</u> — ◀	
▶ <u>M27</u> 10 ◀	▶ <u>M5</u> 30 ◀	0,05 (*)	▶ <u>M75</u> 2 ◀	▶ <u>M19</u> 3 ◀	▶ <u>M51</u> — ◀	▶ <u>M32</u> — ◀	
▶ <u>M27</u> 10 ◀	▶ <u>M5</u> 20 ◀	0,05 (*)	▶ <u>M75</u> 1,5 ◀	▶ <u>M19</u> 0,05 (*) ◀	▶ <u>M51</u> — ◀	▶ <u>M32</u> — ◀	
			▶ <u>M75</u> — ◀		▶ <u>M51</u> — ◀	▶ <u>M32</u> — ◀	
			▶ <u>M75</u> — ◀		▶ <u>M51</u> — ◀	▶ <u>M32</u> — ◀	
			▶ <u>M75</u> — ◀		▶ <u>M51</u> — ◀	▶ <u>M32</u> — ◀	
			▶ <u>M75</u> — ◀		▶ <u>M51</u> — ◀	▶ <u>M32</u> — ◀	
▶ <u>M27</u> 10 ◀	▶ <u>M5</u> 5 ◀	0,05 (*)		▶ <u>M19</u> 0,05 (*) ◀	▶ <u>M51</u> — ◀	▶ <u>M32</u> — ◀	
			▶ <u>M75</u> 0,05 (*) ◀		▶ <u>M51</u> — ◀	▶ <u>M32</u> — ◀	
			▶ <u>M75</u> 0,05 (*) ◀		▶ <u>M51</u> — ◀	▶ <u>M32</u> — ◀	
			▶ <u>M75</u> 5 ◀		▶ <u>M51</u> — ◀	▶ <u>M32</u> — ◀	
			▶ <u>M75</u> 5 ◀		▶ <u>M51</u> — ◀	▶ <u>M32</u> — ◀	
			▶ <u>M75</u> 0,05 (*) ◀		▶ <u>M51</u> — ◀	▶ <u>M32</u> — ◀	
			▶ <u>M75</u> 0,05 (*) ◀		▶ <u>M51</u> — ◀	▶ <u>M32</u> — ◀	
			▶ <u>M75</u> 0,05 (*) ◀		▶ <u>M51</u> — ◀	▶ <u>M32</u> — ◀	



▼ **M2**

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)
0154080	Elderberries	► <b>M73</b> — ◀						
0154990	Others	► <b>M73</b> — ◀						
0160000	(vi) <b>Miscellaneous fruit</b>	► <b>M73</b> — ◀	0,05 (*)	0,05 (*)	► <b>M43</b> 0,01 (*) ◀			
0161000	(a) <i>Edible peel</i>	► <b>M73</b> — ◀						► <b>M5</b> 0,05 (*) ◀
0161010	Dates	► <b>M73</b> — ◀						
0161020	Figs	► <b>M73</b> — ◀						
0161030	Table olives	► <b>M73</b> — ◀						
0161040	Kumquats	► <b>M73</b> — ◀						
0161050	Carambola	► <b>M73</b> — ◀						
0161060	Persimmon	► <b>M73</b> — ◀						
0161070	Jambolan (java plum)	► <b>M73</b> — ◀						
0161990	Others	► <b>M73</b> — ◀						
0162000	(b) <i>Inedible peel, small</i>	► <b>M73</b> — ◀						► <b>M5</b> 0,05 (*) ◀
0162010	Kiwi	► <b>M73</b> — ◀						
0162020	Lychee (Litchi)	► <b>M73</b> — ◀						
0162030	Passion fruit	► <b>M73</b> — ◀						
0162040	Prickly pear (cactus fruit)	► <b>M73</b> — ◀						
0162050	Star apple	► <b>M73</b> — ◀						
0162060	American persimmon (Virginia kaki)	► <b>M73</b> — ◀						
0162990	Others	► <b>M73</b> — ◀						





▼ M2

(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)
			▶ <u>M75</u> 0,05 (*) ◀		▶ <u>M51</u> — ◀	▶ <u>M32</u> — ◀	
			▶ <u>M75</u> 0,05 (*) ◀		▶ <u>M51</u> — ◀	▶ <u>M32</u> — ◀	
	▶ <u>M5</u> — ◀		▶ <u>M75</u> 0,05 (*) ◀		▶ <u>M51</u> — ◀	▶ <u>M32</u> — ◀	
▶ <u>M27</u> 0,05 (*) ◀	▶ <u>M5</u> 20 ◀	0,05 (*)			▶ <u>M51</u> — ◀	▶ <u>M32</u> — ◀	
				▶ <u>M19</u> 0,05 (*) ◀	▶ <u>M51</u> — ◀	▶ <u>M32</u> — ◀	
				▶ <u>M19</u> 0,05 (*) ◀	▶ <u>M51</u> — ◀	▶ <u>M32</u> — ◀	
				▶ <u>M19</u> 5 ◀	▶ <u>M51</u> — ◀	▶ <u>M32</u> — ◀	
				▶ <u>M19</u> 0,05 (*) ◀	▶ <u>M51</u> — ◀	▶ <u>M32</u> — ◀	
				▶ <u>M19</u> 0,05 (*) ◀	▶ <u>M51</u> — ◀	▶ <u>M32</u> — ◀	
				▶ <u>M19</u> 0,05 (*) ◀	▶ <u>M51</u> — ◀	▶ <u>M32</u> — ◀	
				▶ <u>M19</u> 0,05 (*) ◀	▶ <u>M51</u> — ◀	▶ <u>M32</u> — ◀	
				▶ <u>M19</u> 0,05 (*) ◀	▶ <u>M51</u> — ◀	▶ <u>M32</u> — ◀	
				▶ <u>M19</u> 0,05 (*) ◀	▶ <u>M51</u> — ◀	▶ <u>M32</u> — ◀	
		0,05 (*)			▶ <u>M51</u> — ◀	▶ <u>M32</u> — ◀	
▶ <u>M27</u> 5 ◀	▶ <u>M5</u> 50 ◀			▶ <u>M19</u> 1 ◀	▶ <u>M51</u> — ◀	▶ <u>M32</u> — ◀	
▶ <u>M27</u> 0,05 (*) ◀	▶ <u>M5</u> 50 ◀			▶ <u>M19</u> 0,05 (*) ◀	▶ <u>M51</u> — ◀	▶ <u>M32</u> — ◀	
▶ <u>M27</u> 0,05 (*) ◀	▶ <u>M5</u> 20 ◀			▶ <u>M19</u> 0,05 (*) ◀	▶ <u>M51</u> — ◀	▶ <u>M32</u> — ◀	
▶ <u>M27</u> 0,05 (*) ◀	▶ <u>M5</u> 20 ◀			▶ <u>M19</u> 0,05 (*) ◀	▶ <u>M51</u> — ◀	▶ <u>M32</u> — ◀	
▶ <u>M27</u> 0,05 (*) ◀	▶ <u>M5</u> 20 ◀			▶ <u>M19</u> 0,05 (*) ◀	▶ <u>M51</u> — ◀	▶ <u>M32</u> — ◀	
▶ <u>M27</u> 0,05 (*) ◀	▶ <u>M5</u> 20 ◀			▶ <u>M19</u> 0,05 (*) ◀	▶ <u>M51</u> — ◀	▶ <u>M32</u> — ◀	
▶ <u>M27</u> 0,05 (*) ◀	▶ <u>M5</u> 20 ◀			▶ <u>M19</u> 0,05 (*) ◀	▶ <u>M51</u> — ◀	▶ <u>M32</u> — ◀	
▶ <u>M27</u> 0,05 (*) ◀	▶ <u>M5</u> 20 ◀			▶ <u>M19</u> 0,05 (*) ◀	▶ <u>M51</u> — ◀	▶ <u>M32</u> — ◀	
▶ <u>M27</u> 0,05 (*) ◀	▶ <u>M5</u> 20 ◀			▶ <u>M19</u> 0,05 (*) ◀	▶ <u>M51</u> — ◀	▶ <u>M32</u> — ◀	



▼ **M2**

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)
0163000	(c) <i>Inedible peel, large</i>	▶ <b>M73</b> — ◀						
0163010	Avocados	▶ <b>M73</b> — ◀						▶ <b>M5</b> 0,05 (*) ◀
0163020	Bananas	▶ <b>M73</b> — ◀						▶ <b>M5</b> 0,5 ◀
0163030	Mangoes	▶ <b>M73</b> — ◀						▶ <b>M5</b> 0,05 (*) ◀
0163040	Papaya	▶ <b>M73</b> — ◀						▶ <b>M5</b> 0,05 (*) ◀
0163050	Pomegranate	▶ <b>M73</b> — ◀						▶ <b>M5</b> 0,05 (*) ◀
0163060	Cherimoya	▶ <b>M73</b> — ◀						▶ <b>M5</b> 0,05 (*) ◀
0163070	Guava	▶ <b>M73</b> — ◀						▶ <b>M5</b> 0,05 (*) ◀
0163080	Pineapples	▶ <b>M73</b> — ◀						▶ <b>M5</b> 0,05 (*) ◀
0163090	Bread fruit	▶ <b>M73</b> — ◀						▶ <b>M5</b> 0,05 (*) ◀
0163100	Durian	▶ <b>M73</b> — ◀						▶ <b>M5</b> 0,05 (*) ◀
0163110	Soursop (guanabana)	▶ <b>M73</b> — ◀						▶ <b>M5</b> 0,05 (*) ◀
0163990	Others	▶ <b>M73</b> — ◀						▶ <b>M5</b> 0,05 (*) ◀
0200000	<b>2. VEGETABLES FRESH OR FROZEN</b>	▶ <b>M73</b> — ◀	0,05 (*)	0,05 (*)	▶ <b>M15</b> — ◀			
0210000	(i) <b>Root and tuber vegetables</b>	▶ <b>M73</b> — ◀			▶ <b>M43</b> 0,01 (*) ◀			▶ <b>M5</b> 0,05 (*) ◀
0211000	(a) <i>Potatoes</i>	▶ <b>M73</b> — ◀				0,1	0,1	
0212000	(b) <i>Tropical root and tuber vegetables</i>	▶ <b>M73</b> — ◀				0,01 (*)	0,05 (*)	
0212010	Cassava	▶ <b>M73</b> — ◀						





▼ M2

(27)	(28)	(29)	(30)	(31)
				▶ <u>M32</u> — ◀
				▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀
				▶ <u>M32</u> — ◀
		▶ <u>M5</u> — ◀	0,05 (*)	▶ <u>M32</u> — ◀
	▶ <u>M5</u> 0,02 ◀	▶ <u>M5</u> 0,5 ◀		▶ <u>M32</u> — ◀
0,05 (*)				▶ <u>M32</u> — ◀
				▶ <u>M32</u> — ◀
0,1				▶ <u>M32</u> — ◀

▼ **M2**

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)
0212020	Sweet potatoes	► <u>M73</u> — ◀						
0212030	Yams	► <u>M73</u> — ◀						
0212040	Arrowroot	► <u>M73</u> — ◀						
0212990	Others	► <u>M73</u> — ◀						
0213000	(c) <i>Other root and tuber vegetables except sugar beet</i>	► <u>M73</u> — ◀				0,01 (*)		
0213010	Beetroot	► <u>M73</u> — ◀					0,05 (*)	
0213020	Carrots	► <u>M73</u> — ◀					0,1	
0213030	Celeriac	► <u>M73</u> — ◀					0,1	
0213040	Horseradish	► <u>M73</u> — ◀					0,05 (*)	
0213050	Jerusalem artichokes	► <u>M73</u> — ◀					0,1	
0213060	Parsnips	► <u>M73</u> — ◀					0,1	
0213070	Parsley root	► <u>M73</u> — ◀					0,1	
0213080	Radishes	► <u>M73</u> — ◀					0,05 (*)	
0213090	Salsify	► <u>M73</u> — ◀					0,05 (*)	
0213100	Swedes	► <u>M73</u> — ◀					0,05 (*)	
0213110	Turnips	► <u>M73</u> — ◀					0,05 (*)	
0213990	Others	► <u>M73</u> — ◀					0,05 (*)	
0220000	(ii) <b>Bulb vegetables</b>	► <u>M73</u> — ◀			► <u>M43</u> 0,01 (*) ◀		0,05 (*)	► <u>M5</u> 0,05 (*) ◀
0220010	Garlic	► <u>M73</u> — ◀				0,01 (*)		
0220020	Onions	► <u>M73</u> — ◀				0,1		
0220030	Shallots	► <u>M73</u> — ◀				0,01 (*)		





▼ M2

(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)
					▶ <u>M51</u> — ◀ ▶ <u>M51</u> — ◀ ▶ <u>M51</u> — ◀	▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀	
					▶ <u>M51</u> — ◀	▶ <u>M32</u> — ◀	
				▶ <u>M5</u> — ◀	▶ <u>M51</u> — ◀	▶ <u>M32</u> — ◀	0,1
▶ <u>M27</u> 2 ◀ ▶ <u>M27</u> 2 ◀ ▶ <u>M27</u> 2 ◀ ▶ <u>M27</u> 2 ◀ ▶ <u>M27</u> 2 ◀  ▶ <u>M27</u> 2 ◀ ▶ <u>M27</u> 3 ◀ ▶ <u>M27</u> 2 ◀ ▶ <u>M27</u> 2 ◀ ▶ <u>M27</u> 2 ◀ ▶ <u>M27</u> 2 ◀					▶ <u>M51</u> — ◀ ▶ <u>M51</u> — ◀ ▶ <u>M51</u> — ◀ ▶ <u>M51</u> — ◀ ▶ <u>M51</u> — ◀  ▶ <u>M51</u> — ◀ ▶ <u>M51</u> — ◀ ▶ <u>M51</u> — ◀ ▶ <u>M51</u> — ◀ ▶ <u>M51</u> — ◀ ▶ <u>M51</u> — ◀	▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀  ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀	
▶ <u>M27</u> 2 ◀					▶ <u>M51</u> — ◀	▶ <u>M32</u> — ◀	
	▶ <u>M5</u> 30 ◀		▶ <u>M75</u> 0,05 (*) ◀	▶ <u>M19</u> 0,05 (*) ◀	▶ <u>M51</u> — ◀	▶ <u>M32</u> — ◀	0,1
▶ <u>M27</u> 5 ◀ ▶ <u>M27</u> 5 ◀ ▶ <u>M27</u> 5 ◀					▶ <u>M51</u> — ◀ ▶ <u>M51</u> — ◀ ▶ <u>M51</u> — ◀	▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀	

▼ M2

(27)	(28)	(29)	(30)	(31)
0,05 (*)				▶ <u>M32</u> — ◀
0,1				▶ <u>M32</u> — ◀
0,1				▶ <u>M32</u> — ◀
0,1				▶ <u>M32</u> — ◀
0,1				▶ <u>M32</u> — ◀
				▶ <u>M32</u> — ◀
				▶ <u>M32</u> — ◀
				▶ <u>M32</u> — ◀
				▶ <u>M32</u> — ◀
				▶ <u>M32</u> — ◀
				▶ <u>M32</u> — ◀
				▶ <u>M32</u> — ◀
				▶ <u>M32</u> — ◀
				▶ <u>M32</u> — ◀
				▶ <u>M32</u> — ◀
				▶ <u>M32</u> — ◀
				▶ <u>M32</u> — ◀
				▶ <u>M32</u> — ◀
				▶ <u>M32</u> — ◀
				▶ <u>M32</u> — ◀
				▶ <u>M32</u> — ◀
0,1	▶ <u>M5</u> 0,02 ◀	▶ <u>M5</u> 0,5 ◀		▶ <u>M32</u> — ◀
				▶ <u>M32</u> — ◀
				▶ <u>M32</u> — ◀
				▶ <u>M32</u> — ◀

▼ **M2**

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)
0220040	Spring onions	► <b>M73</b> — ◄				0,01 (*)		
0220990	Others	► <b>M73</b> — ◄				0,01 (*)		
0230000	(iii) <b>Fruiting vegetables</b>	► <b>M73</b> — ◄					0,05 (*)	
0231000	(a) <i>Solanacea</i>	► <b>M73</b> — ◄				0,01 (*)		
0231010	Tomatoes	► <b>M73</b> — ◄			► <b>M43</b> 0,2 ◄			► <b>M5</b> 0,1 ◄
0231020	Peppers	► <b>M73</b> — ◄			► <b>M43</b> 0,01 (*) ◄			► <b>M5</b> 0,2 ◄
0231030	Aubergines (egg plants)	► <b>M73</b> — ◄			► <b>M43</b> 0,2 ◄			► <b>M5</b> 0,2 ◄
0231040	Okra, lady's fingers	► <b>M73</b> — ◄			► <b>M43</b> 0,01 (*) ◄			► <b>M5</b> 0,1 ◄
0231990	Others	► <b>M73</b> — ◄			► <b>M43</b> 0,01 (*) ◄			► <b>M5</b> 0,05 (*) ◄
0232000	(b) <i>Cucurbits — edible peel</i>	► <b>M73</b> — ◄			► <b>M43</b> — ◄	0,01 (*)		► <b>M5</b> 0,1 ◄
0232010	Cucumbers	► <b>M73</b> — ◄			► <b>M43</b> 0,08 ◄			
0232020	Gherkins	► <b>M73</b> — ◄			► <b>M43</b> 0,01 (*) ◄			
0232030	Courgettes	► <b>M73</b> — ◄			► <b>M43</b> 0,01 (*) ◄			
0232990	Others	► <b>M73</b> — ◄			► <b>M43</b> 0,01 (*) ◄			
0233000	(c) <i>Cucurbits-inedible peel</i>	► <b>M73</b> — ◄			► <b>M43</b> 0,01 (*) ◄	0,01 (*)		► <b>M5</b> 0,1 ◄
0233010	Melons	► <b>M73</b> — ◄						
0233020	Pumpkins	► <b>M73</b> — ◄						
0233030	Watermelons	► <b>M73</b> — ◄						
0233990	Others	► <b>M73</b> — ◄						
0234000	(d) <i>Sweet corn</i>	► <b>M73</b> — ◄			► <b>M43</b> 0,01 (*) ◄	0,1		► <b>M5</b> 0,05 (*) ◄
0239000	(e) <i>Other fruiting vegetables</i>	► <b>M73</b> — ◄			► <b>M43</b> 0,01 (*) ◄	0,01 (*)		► <b>M5</b> 0,05 (*) ◄



▼ M2

(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)
▶ <u>M27</u> 6 ◀					▶ <u>M51</u> — ◀	▶ <u>M32</u> — ◀	
▶ <u>M27</u> 5 ◀					▶ <u>M51</u> — ◀	▶ <u>M32</u> — ◀	
	▶ <u>M5</u> — ◀				▶ <u>M51</u> — ◀	▶ <u>M32</u> — ◀	0,1
▶ <u>M27</u> 3 ◀					▶ <u>M51</u> — ◀	▶ <u>M32</u> — ◀	
▶ <u>M27</u> — ◀	▶ <u>M5</u> 50 ◀		▶ <u>M75</u> 2 ◀	▶ <u>M19</u> 1 ◀	▶ <u>M51</u> — ◀	▶ <u>M32</u> — ◀	
▶ <u>M27</u> — ◀	▶ <u>M5</u> 30 ◀		▶ <u>M75</u> 2 ◀	▶ <u>M19</u> 2 ◀	▶ <u>M51</u> — ◀	▶ <u>M32</u> — ◀	
▶ <u>M27</u> — ◀	▶ <u>M5</u> 30 ◀		▶ <u>M75</u> 2 ◀	▶ <u>M19</u> 1 ◀	▶ <u>M51</u> — ◀	▶ <u>M32</u> — ◀	
▶ <u>M27</u> — ◀	▶ <u>M5</u> 30 ◀		▶ <u>M75</u> 0,05 (*) ◀	▶ <u>M19</u> 0,5 ◀	▶ <u>M51</u> — ◀	▶ <u>M32</u> — ◀	
▶ <u>M27</u> — ◀	▶ <u>M5</u> 30 ◀		▶ <u>M75</u> 0,05 (*) ◀	▶ <u>M19</u> 0,5 ◀	▶ <u>M51</u> — ◀	▶ <u>M32</u> — ◀	
▶ <u>M27</u> 3 ◀			▶ <u>M75</u> — ◀		▶ <u>M51</u> — ◀	▶ <u>M32</u> — ◀	
▶ <u>M27</u> — ◀	▶ <u>M5</u> 50 ◀		▶ <u>M75</u> 1 ◀	▶ <u>M19</u> 1 ◀	▶ <u>M51</u> — ◀	▶ <u>M32</u> — ◀	
▶ <u>M27</u> — ◀	▶ <u>M5</u> 30 ◀		▶ <u>M75</u> 1 ◀	▶ <u>M19</u> 0,7 ◀	▶ <u>M51</u> — ◀	▶ <u>M32</u> — ◀	
▶ <u>M27</u> — ◀	▶ <u>M5</u> 30 ◀		▶ <u>M75</u> 3 ◀	▶ <u>M19</u> 0,7 ◀	▶ <u>M51</u> — ◀	▶ <u>M32</u> — ◀	
▶ <u>M27</u> — ◀	▶ <u>M5</u> 30 ◀		▶ <u>M75</u> 1 ◀	▶ <u>M19</u> 0,7 ◀	▶ <u>M51</u> — ◀	▶ <u>M32</u> — ◀	
▶ <u>M27</u> 3 ◀	▶ <u>M5</u> 30 ◀		▶ <u>M75</u> 0,3 ◀		▶ <u>M51</u> — ◀	▶ <u>M32</u> — ◀	
				▶ <u>M19</u> 1 ◀	▶ <u>M51</u> — ◀	▶ <u>M32</u> — ◀	
				▶ <u>M19</u> 0,7 ◀	▶ <u>M51</u> — ◀	▶ <u>M32</u> — ◀	
				▶ <u>M19</u> 0,7 ◀	▶ <u>M51</u> — ◀	▶ <u>M32</u> — ◀	
				▶ <u>M19</u> 0,7 ◀	▶ <u>M51</u> — ◀	▶ <u>M32</u> — ◀	
▶ <u>M27</u> 0,5 ◀	▶ <u>M5</u> 30 ◀		▶ <u>M75</u> 0,05 (*) ◀	▶ <u>M19</u> 0,5 ◀	▶ <u>M51</u> — ◀	▶ <u>M32</u> — ◀	
▶ <u>M27</u> 3 ◀	▶ <u>M5</u> 30 ◀		▶ <u>M75</u> 0,05 (*) ◀	▶ <u>M19</u> 0,5 ◀	▶ <u>M51</u> — ◀	▶ <u>M32</u> — ◀	

▼ M2

(27)	(28)	(29)	(30)	(31)
				▶ <u>M32</u> — ◀
				▶ <u>M32</u> — ◀
0,1	▶ <u>M5</u> 0,02 ◀	▶ <u>M5</u> 0,5 ◀		▶ <u>M32</u> — ◀
				▶ <u>M32</u> — ◀
				▶ <u>M32</u> — ◀
				▶ <u>M32</u> — ◀
				▶ <u>M32</u> — ◀
				▶ <u>M32</u> — ◀
				▶ <u>M32</u> — ◀
				▶ <u>M32</u> — ◀
				▶ <u>M32</u> — ◀
				▶ <u>M32</u> — ◀
				▶ <u>M32</u> — ◀
				▶ <u>M32</u> — ◀
				▶ <u>M32</u> — ◀
				▶ <u>M32</u> — ◀
				▶ <u>M32</u> — ◀
				▶ <u>M32</u> — ◀
				▶ <u>M32</u> — ◀

▼ **M2**

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)
0240000	(iv) <b>Brassica vegetables</b>	► <b>M73</b> — ◀			► <b>M43</b> 0,01 (*) ◀	0,01 (*)	0,05 (*)	► <b>M5</b> 0,05 (*) ◀
0241000	(a) <i>Flowering brassica</i>	► <b>M73</b> — ◀						
0241010	Broccoli	► <b>M73</b> — ◀						
0241020	Cauliflower	► <b>M73</b> — ◀						
0241990	Others	► <b>M73</b> — ◀						
0242000	(b) <i>Head brassica</i>	► <b>M73</b> — ◀						
0242010	Brussels sprouts	► <b>M73</b> — ◀						
0242020	Head cabbage	► <b>M73</b> — ◀						
0242990	Others	► <b>M73</b> — ◀						
0243000	(c) <i>Leafy brassica</i>	► <b>M73</b> — ◀						
0243010	Chinese cabbage	► <b>M73</b> — ◀						
0243020	Kale	► <b>M73</b> — ◀						
0243990	Others	► <b>M73</b> — ◀						
0244000	(d) <i>Kohlrabi</i>	► <b>M73</b> — ◀						
0250000	(v) <b>Leaf vegetables &amp; fresh herbs</b>	► <b>M73</b> — ◀			► <b>M43</b> 0,01 (*) ◀	0,01 (*)		► <b>M5</b> 0,05 (*) ◀
0251000	(a) <i>Lettuce and other salad plants including Brassicacea</i>	► <b>M73</b> — ◀					0,05 (*)	
0251010	Lamb's lettuce	► <b>M73</b> — ◀						
0251020	Lettuce	► <b>M73</b> — ◀						

▼ M2

(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)
▶ <u>M32</u> — ◀		▶ <u>M32</u> — ◀	▶ <u>M66</u> — ◀	1	▶ <u>M46</u> — ◀	▶ <u>M68</u> — ◀	▶ <u>M55</u> — ◀	▶ <u>M73</u> — ◀
▶ <u>M32</u> — ◀		▶ <u>M32</u> — ◀	▶ <u>M66</u> — ◀		▶ <u>M46</u> — ◀	▶ <u>M68</u> — ◀	▶ <u>M55</u> — ◀	▶ <u>M73</u> — ◀
▶ <u>M32</u> — ◀		▶ <u>M32</u> — ◀	▶ <u>M66</u> — ◀		▶ <u>M46</u> — ◀	▶ <u>M68</u> — ◀	▶ <u>M55</u> — ◀	▶ <u>M73</u> — ◀
▶ <u>M32</u> — ◀		▶ <u>M32</u> — ◀	▶ <u>M66</u> — ◀		▶ <u>M46</u> — ◀	▶ <u>M68</u> — ◀	▶ <u>M55</u> — ◀	▶ <u>M73</u> — ◀
▶ <u>M32</u> — ◀		▶ <u>M32</u> — ◀	▶ <u>M66</u> — ◀		▶ <u>M46</u> — ◀	▶ <u>M68</u> — ◀	▶ <u>M55</u> — ◀	▶ <u>M73</u> — ◀
▶ <u>M32</u> — ◀		▶ <u>M32</u> — ◀	▶ <u>M66</u> — ◀		▶ <u>M46</u> — ◀	▶ <u>M68</u> — ◀	▶ <u>M55</u> — ◀	▶ <u>M73</u> — ◀
▶ <u>M32</u> — ◀		▶ <u>M32</u> — ◀	▶ <u>M66</u> — ◀		▶ <u>M46</u> — ◀	▶ <u>M68</u> — ◀	▶ <u>M55</u> — ◀	▶ <u>M73</u> — ◀
▶ <u>M32</u> — ◀		▶ <u>M32</u> — ◀	▶ <u>M66</u> — ◀		▶ <u>M46</u> — ◀	▶ <u>M68</u> — ◀	▶ <u>M55</u> — ◀	▶ <u>M73</u> — ◀
▶ <u>M32</u> — ◀		▶ <u>M32</u> — ◀	▶ <u>M66</u> — ◀		▶ <u>M46</u> — ◀	▶ <u>M68</u> — ◀	▶ <u>M55</u> — ◀	▶ <u>M73</u> — ◀
▶ <u>M32</u> — ◀		▶ <u>M32</u> — ◀	▶ <u>M66</u> — ◀		▶ <u>M46</u> — ◀	▶ <u>M68</u> — ◀	▶ <u>M55</u> — ◀	▶ <u>M73</u> — ◀
▶ <u>M32</u> — ◀		▶ <u>M32</u> — ◀	▶ <u>M66</u> — ◀		▶ <u>M46</u> — ◀	▶ <u>M68</u> — ◀	▶ <u>M55</u> — ◀	▶ <u>M73</u> — ◀
▶ <u>M32</u> — ◀		▶ <u>M32</u> — ◀	▶ <u>M66</u> — ◀	1	▶ <u>M46</u> — ◀	▶ <u>M68</u> — ◀	▶ <u>M55</u> — ◀	▶ <u>M73</u> — ◀
▶ <u>M32</u> — ◀		▶ <u>M32</u> — ◀	▶ <u>M66</u> — ◀		▶ <u>M46</u> — ◀	▶ <u>M68</u> — ◀	▶ <u>M55</u> — ◀	▶ <u>M73</u> — ◀
▶ <u>M32</u> — ◀		▶ <u>M32</u> — ◀	▶ <u>M66</u> — ◀		▶ <u>M46</u> — ◀	▶ <u>M68</u> — ◀	▶ <u>M55</u> — ◀	▶ <u>M73</u> — ◀
▶ <u>M32</u> — ◀		▶ <u>M32</u> — ◀	▶ <u>M66</u> — ◀		▶ <u>M46</u> — ◀	▶ <u>M68</u> — ◀	▶ <u>M55</u> — ◀	▶ <u>M73</u> — ◀



▼ M2

(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)
	▶ <u>M5</u> 30 ◀		▶ <u>M75</u> 0,05 (*) ◀	▶ <u>M19</u> 0,05 (*) ◀	▶ <u>M51</u> — ◀	▶ <u>M32</u> — ◀	
▶ <u>M27</u> 5 ◀					▶ <u>M51</u> — ◀	▶ <u>M32</u> — ◀	0,1
					▶ <u>M51</u> — ◀	▶ <u>M32</u> — ◀	
					▶ <u>M51</u> — ◀	▶ <u>M32</u> — ◀	
▶ <u>M27</u> 5 ◀					▶ <u>M51</u> — ◀	▶ <u>M32</u> — ◀	
▶ <u>M27</u> — ◀					▶ <u>M51</u> — ◀	▶ <u>M32</u> — ◀	0,1
▶ <u>M27</u> — ◀					▶ <u>M51</u> — ◀	▶ <u>M32</u> — ◀	0,2
▶ <u>M27</u> — ◀					▶ <u>M51</u> — ◀	▶ <u>M32</u> — ◀	0,1
▶ <u>M27</u> 30 ◀					▶ <u>M51</u> — ◀	▶ <u>M32</u> — ◀	0,1
					▶ <u>M51</u> — ◀	▶ <u>M32</u> — ◀	
					▶ <u>M51</u> — ◀	▶ <u>M32</u> — ◀	
▶ <u>M27</u> 5 ◀					▶ <u>M51</u> — ◀	▶ <u>M32</u> — ◀	0,1
	▶ <u>M5</u> 50 ◀		▶ <u>M75</u> 0,05 (*) ◀		▶ <u>M51</u> — ◀	▶ <u>M32</u> — ◀	
				▶ <u>M19</u> 0,5 ◀	▶ <u>M51</u> — ◀	▶ <u>M32</u> — ◀	
▶ <u>M27</u> 40 ◀					▶ <u>M51</u> — ◀	▶ <u>M32</u> — ◀	0,1
▶ <u>M27</u> 30 ◀					▶ <u>M51</u> — ◀	▶ <u>M32</u> — ◀	0,5

▼ M2

(27)	(28)	(29)	(30)	(31)
0,1	▶ <u>M5</u> 0,02 ◀	▶ <u>M5</u> 0,5 ◀		▶ <u>M32</u> — ◀
				▶ <u>M32</u> — ◀
				▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀
				▶ <u>M32</u> — ◀
				▶ <u>M32</u> — ◀
				▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀
				▶ <u>M32</u> — ◀
				▶ <u>M32</u> — ◀
				▶ <u>M32</u> — ◀
				▶ <u>M32</u> — ◀
				▶ <u>M32</u> — ◀
				▶ <u>M32</u> — ◀
				▶ <u>M32</u> — ◀
				▶ <u>M32</u> — ◀
	▶ <u>M5</u> 0,02 ◀	▶ <u>M5</u> 0,5 ◀		▶ <u>M32</u> — ◀
0,5				▶ <u>M32</u> — ◀
0,05 (*)				▶ <u>M32</u> — ◀

## ▼ M2

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)
0251030	Scarole (broad-leaf endive)	► <u>M73</u> — ◄						
0251040	Cress	► <u>M73</u> — ◄						
0251050	Land cress	► <u>M73</u> — ◄						
0251060	Rocket, Rucola	► <u>M73</u> — ◄						
0251070	Red mustard	► <u>M73</u> — ◄						
0251080	Leaves and sprouts of Brassica spp.	► <u>M73</u> — ◄						
0251990	Others	► <u>M73</u> — ◄						
0252000	(b) <i>Spinach</i> & <i>similar</i> (leaves)	► <u>M73</u> — ◄					0,05 (*)	
0252010	Spinach	► <u>M73</u> — ◄						
0252020	Purslane	► <u>M73</u> — ◄						
0252030	Beet leaves (chard)	► <u>M73</u> — ◄						
0252990	Others	► <u>M73</u> — ◄						
0253000	(c) <i>Vine leaves</i> ( <i>grape leaves</i> )	► <u>M73</u> — ◄					0,05 (*)	
0254000	(d) <i>Water cress</i>	► <u>M73</u> — ◄					0,05 (*)	
0255000	(e) <i>Witloof</i>	► <u>M73</u> — ◄					0,05 (*)	
0256000	<sup>(L)</sup> <i>Herbs</i>	► <u>M73</u> — ◄						
0256010	Chervil	► <u>M73</u> — ◄					0,05 (*)	
0256020	Chives	► <u>M73</u> — ◄					0,05 (*)	
0256030	Celery leaves	► <u>M73</u> — ◄					0,1	
0256040	Parsley	► <u>M73</u> — ◄					0,1	





▼ M2

(27)	(28)	(29)	(30)	(31)
0,5				► <u>M32</u> — ◄
0,5				► <u>M32</u> — ◄
0,5				► <u>M32</u> — ◄
0,5				► <u>M32</u> — ◄
0,1				► <u>M32</u> — ◄
0,1				► <u>M32</u> — ◄
0,5				► <u>M32</u> — ◄
	► <u>M5</u> 0,02 ◄			► <u>M32</u> — ◄
0,5		► <u>M5</u> 0,5 ◄		► <u>M32</u> — ◄
0,5		► <u>M5</u> 0,5 ◄		► <u>M32</u> — ◄
0,1		► <u>M5</u> 3 ◄		► <u>M32</u> — ◄
0,1		► <u>M5</u> 0,5 ◄		► <u>M32</u> — ◄
0,05 (*)	► <u>M5</u> 0,01 (*) ◄	► <u>M5</u> 0,5 ◄		► <u>M32</u> — ◄
0,1	► <u>M5</u> 0,02 ◄	► <u>M5</u> 0,5 ◄		► <u>M32</u> — ◄
0,1	► <u>M5</u> 0,01 (*) ◄	► <u>M5</u> 0,5 ◄		► <u>M32</u> — ◄
0,1	► <u>M5</u> 0,02 ◄	► <u>M5</u> 0,5 ◄		► <u>M32</u> — ◄
				► <u>M32</u> — ◄
				► <u>M32</u> — ◄
				► <u>M32</u> — ◄
				► <u>M32</u> — ◄

▼ **M2**

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)
0256050	Sage	► <b>M73</b> — ◀					0,05 (*)	
0256060	Rosemary	► <b>M73</b> — ◀					0,05 (*)	
0256070	Thyme	► <b>M73</b> — ◀					0,05 (*)	
0256080	Basil	► <b>M73</b> — ◀					0,05 (*)	
0256090	Bay leaves (laurel)	► <b>M73</b> — ◀					0,05 (*)	
0256100	Tarragon	► <b>M73</b> — ◀					0,05 (*)	
0256990	Others	► <b>M73</b> — ◀					0,05 (*)	
0260000	(vi) <b>Legume vegetables (fresh)</b>	► <b>M73</b> — ◀			► <b>M43</b> 0,01 (*) ◀	0,01 (*)	0,05 (*)	
0260010	Beans (with pods)	► <b>M73</b> — ◀						► <b>M5</b> 0,3 ◀
0260020	Beans (without pods)	► <b>M73</b> — ◀						► <b>M5</b> 0,2 ◀
0260030	Peas (with pods)	► <b>M73</b> — ◀						► <b>M5</b> 0,05 (*) ◀
0260040	Peas (without pods)	► <b>M73</b> — ◀						► <b>M5</b> 0,05 (*) ◀
0260050	Lentils	► <b>M73</b> — ◀						► <b>M5</b> 0,05 (*) ◀
0260990	Others	► <b>M73</b> — ◀						► <b>M5</b> 0,05 (*) ◀
0270000	(vii) <b>Stem vegetables (fresh)</b>	► <b>M73</b> — ◀			► <b>M43</b> 0,01 (*) ◀	0,01 (*)	0,05 (*)	► <b>M5</b> 0,05 (*) ◀
0270010	Asparagus	► <b>M73</b> — ◀						
0270020	Cardoons	► <b>M73</b> — ◀						
0270030	Celery	► <b>M73</b> — ◀						
0270040	Fennel	► <b>M73</b> — ◀						
0270050	Globe artichokes	► <b>M73</b> — ◀						
0270060	Leek	► <b>M73</b> — ◀						





▼ M2

(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)
▶ <u>M27</u> 10 ◀ ▶ <u>M27</u> 10 ◀ ▶ <u>M27</u> 10 ◀ ▶ <u>M27</u> 50 ◀ ▶ <u>M27</u> 10 ◀  ▶ <u>M27</u> 10 ◀					▶ <u>M51</u> — ◀ ▶ <u>M51</u> — ◀ ▶ <u>M51</u> — ◀ ▶ <u>M51</u> — ◀ ▶ <u>M51</u> — ◀  ▶ <u>M51</u> — ◀	▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀  ▶ <u>M32</u> — ◀	
▶ <u>M27</u> 10 ◀					▶ <u>M51</u> — ◀	▶ <u>M32</u> — ◀	
▶ <u>M27</u> 3 ◀	▶ <u>M5</u> 30 ◀				▶ <u>M51</u> — ◀	▶ <u>M32</u> — ◀	0,1
▶ <u>M27</u> — ◀ ▶ <u>M27</u> — ◀  ▶ <u>M27</u> — ◀ ▶ <u>M27</u> — ◀ ▶ <u>M27</u> — ◀			▶ <u>M75</u> 0,05 (*) ◀ ▶ <u>M75</u> 0,05 (*) ◀  ▶ <u>M75</u> 0,05 (*) ◀ ▶ <u>M75</u> 0,5 ◀ ▶ <u>M75</u> 0,05 (*) ◀	▶ <u>M19</u> 1 ◀ ▶ <u>M19</u> 0,5 ◀  ▶ <u>M19</u> 0,05 (*) ◀ ▶ <u>M19</u> 0,5 ◀ ▶ <u>M19</u> 0,05 (*) ◀	▶ <u>M51</u> — ◀ ▶ <u>M51</u> — ◀  ▶ <u>M51</u> — ◀ ▶ <u>M51</u> — ◀ ▶ <u>M51</u> — ◀	▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀  ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀	
▶ <u>M27</u> — ◀			▶ <u>M75</u> 0,05 (*) ◀	▶ <u>M19</u> 0,05 (*) ◀	▶ <u>M51</u> — ◀	▶ <u>M32</u> — ◀	
	▶ <u>M5</u> 30 ◀		▶ <u>M75</u> 0,05 (*) ◀	▶ <u>M19</u> 0,05 (*) ◀	▶ <u>M51</u> — ◀	▶ <u>M32</u> — ◀	0,1
▶ <u>M27</u> 0,05 (*) ◀ ▶ <u>M27</u> 0,5 ◀ ▶ <u>M27</u> 30 ◀ ▶ <u>M27</u> 30 ◀ ▶ <u>M27</u> 0,5 ◀ ▶ <u>M27</u> 5 ◀					▶ <u>M51</u> — ◀ ▶ <u>M51</u> — ◀ ▶ <u>M51</u> — ◀ ▶ <u>M51</u> — ◀ ▶ <u>M51</u> — ◀ ▶ <u>M51</u> — ◀	▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀	



▼ **M2**

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)
0270070	Rhubarb	▶ <b>M73</b> — ◀						
0270080	Bamboo shoots	▶ <b>M73</b> — ◀						
0270090	Palm hearts	▶ <b>M73</b> — ◀						
0270990	Others	▶ <b>M73</b> — ◀						
0280000	(viii) <b>Fungi</b>	▶ <b>M73</b> — ◀			▶ <b>M43</b> 0,01 (*) ◀	0,01 (*)	0,05 (*)	▶ <b>M5</b> 0,05 (*) ◀
0280010	Cultivated	▶ <b>M73</b> — ◀						
0280020	Wild	▶ <b>M73</b> — ◀						
0280990	Others	▶ <b>M73</b> — ◀						
0290000	(ix) <b>Sea weeds</b>	▶ <b>M73</b> — ◀			▶ <b>M43</b> 0,01 (*) ◀	0,01 (*)	0,05 (*)	▶ <b>M5</b> 0,05 (*) ◀
0300000	3. <b>PULSES, DRY</b>	▶ <b>M73</b> — ◀	0,05 (*)	0,05 (*)	▶ <b>M43</b> 0,01 (*) ◀	0,01 (*)	0,05 (*)	▶ <b>M5</b> 0,05 (*) ◀
0300010	Beans	▶ <b>M73</b> — ◀						
0300020	Lentils	▶ <b>M73</b> — ◀						
0300030	Peas	▶ <b>M73</b> — ◀						
0300040	Lupins	▶ <b>M73</b> — ◀						
0300990	Others	▶ <b>M73</b> — ◀						
0400000	4. <b>OILSEEDS AND OILFRUITS</b>	▶ <b>M73</b> — ◀	0,05 (*)	0,05 (*)	▶ <b>M43</b> 0,01 (*) ◀		0,05 (*)	
0401000	(i) <b>Oilseeds</b>	▶ <b>M73</b> — ◀						
0401010	Linseed	▶ <b>M73</b> — ◀				0,01 (*)		▶ <b>M5</b> 0,05 (*) ◀
0401020	Peanuts	▶ <b>M73</b> — ◀				0,01 (*)		▶ <b>M5</b> 0,05 (*) ◀
0401030	Poppy seed	▶ <b>M73</b> — ◀				0,05		▶ <b>M5</b> 0,05 (*) ◀



▼ M2

(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)
▶ <u>M27</u> 0,5 ◀					▶ <u>M51</u> — ◀	▶ <u>M32</u> — ◀	
▶ <u>M27</u> 0,5 ◀					▶ <u>M51</u> — ◀	▶ <u>M32</u> — ◀	
▶ <u>M27</u> 0,5 ◀					▶ <u>M51</u> — ◀	▶ <u>M32</u> — ◀	
▶ <u>M27</u> 0,5 ◀					▶ <u>M51</u> — ◀	▶ <u>M32</u> — ◀	
▶ <u>M27</u> 0,5 ◀	▶ <u>M5</u> 30 ◀		▶ <u>M75</u> 0,05 (*) ◀	▶ <u>M19</u> 0,05 (*) ◀	▶ <u>M51</u> — ◀	▶ <u>M32</u> — ◀	0,1
					▶ <u>M51</u> — ◀	▶ <u>M32</u> — ◀	
					▶ <u>M51</u> — ◀	▶ <u>M32</u> — ◀	
▶ <u>M27</u> 0,05 (*) ◀	▶ <u>M5</u> 5 ◀		▶ <u>M75</u> 0,05 (*) ◀	▶ <u>M19</u> 0,05 (*) ◀	▶ <u>M51</u> — ◀	▶ <u>M32</u> — ◀	0,05 (*)
▶ <u>M27</u> 3 ◀	▶ <u>M5</u> 50 ◀	0,05 (*)	▶ <u>M75</u> 0,05 (*) ◀	▶ <u>M19</u> 0,05 (*) ◀	▶ <u>M51</u> — ◀	▶ <u>M32</u> — ◀	0,05 (*)
					▶ <u>M51</u> — ◀	▶ <u>M32</u> — ◀	
					▶ <u>M51</u> — ◀	▶ <u>M32</u> — ◀	
					▶ <u>M51</u> — ◀	▶ <u>M32</u> — ◀	
					▶ <u>M51</u> — ◀	▶ <u>M32</u> — ◀	
		0,05 (*)	▶ <u>M75</u> 0,05 (*) ◀		▶ <u>M51</u> — ◀	▶ <u>M32</u> — ◀	
					▶ <u>M51</u> — ◀	▶ <u>M32</u> — ◀	
▶ <u>M27</u> 1 ◀	▶ <u>M5</u> 20 ◀			▶ <u>M19</u> 0,05 (*) ◀	▶ <u>M51</u> — ◀	▶ <u>M32</u> — ◀	0,05 (*)
▶ <u>M27</u> 1 ◀	▶ <u>M5</u> 50 ◀			▶ <u>M19</u> 0,05 (*) ◀	▶ <u>M51</u> — ◀	▶ <u>M32</u> — ◀	0,05 (*)
▶ <u>M27</u> 1 ◀	▶ <u>M5</u> 20 ◀			▶ <u>M19</u> 0,05 (*) ◀	▶ <u>M51</u> — ◀	▶ <u>M32</u> — ◀	0,05 (*)

▼ M2

(27)	(28)	(29)	(30)	(31)
				▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀
				▶ <u>M32</u> — ◀
0,1		▶ <u>M5</u> 0,5 ◀		▶ <u>M32</u> — ◀
	▶ <u>M5</u> 0,01 (*) ◀ ▶ <u>M5</u> 0,02 ◀			▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀
	▶ <u>M5</u> 0,01 (*) ◀			▶ <u>M32</u> — ◀
0,05 (*)	▶ <u>M5</u> 0,01 (*) ◀	▶ <u>M5</u> 0,5 ◀		▶ <u>M32</u> — ◀
		▶ <u>M5</u> 0,1 (*) ◀	0,05 (*)	▶ <u>M32</u> — ◀
0,2	▶ <u>M5</u> 0,02 ◀			▶ <u>M32</u> — ◀
0,05 (*)	▶ <u>M5</u> 0,02 ◀			▶ <u>M32</u> — ◀
0,2	▶ <u>M5</u> 0,01 (*) ◀			▶ <u>M32</u> — ◀
0,05 (*)	▶ <u>M5</u> 0,01 (*) ◀			▶ <u>M32</u> — ◀
0,05 (*)	▶ <u>M5</u> 0,01 (*) ◀			▶ <u>M32</u> — ◀
				▶ <u>M32</u> — ◀
		▶ <u>M5</u> 0,1 (*) ◀		▶ <u>M32</u> — ◀
0,2	▶ <u>M5</u> 0,01 (*) ◀		0,1	▶ <u>M32</u> — ◀
0,2	▶ <u>M5</u> 0,02 ◀		0,05 (*)	▶ <u>M32</u> — ◀
0,05 (*)	▶ <u>M5</u> 0,01 (*) ◀		0,05 (*)	▶ <u>M32</u> — ◀

▼ **M2**

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)
0401040	Sesame seed	► <b>M73</b> — ◀				0,01 (*)		► <b>M5</b> 0,05 (*) ◀
0401050	Sunflower seed	► <b>M73</b> — ◀				1		► <b>M5</b> 0,05 (*) ◀
0401060	Rape seed	► <b>M73</b> — ◀				0,01 (*)		► <b>M5</b> 0,05 (*) ◀
0401070	Soya bean	► <b>M73</b> — ◀				0,01 (*)		► <b>M5</b> 0,1 ◀
0401080	Mustard seed	► <b>M73</b> — ◀				0,01 (*)		► <b>M5</b> 0,05 (*) ◀
0401090	Cotton seed	► <b>M73</b> — ◀				0,01 (*)		► <b>M5</b> 0,05 (*) ◀
0401100	Pumpkin seeds	► <b>M73</b> — ◀				0,01 (*)		► <b>M5</b> 0,05 (*) ◀
0401110	Safflower	► <b>M73</b> — ◀				0,01 (*)		► <b>M5</b> 0,05 (*) ◀
0401120	Borage	► <b>M73</b> — ◀				0,01 (*)		► <b>M5</b> 0,05 (*) ◀
0401130	Gold of pleasure	► <b>M73</b> — ◀				0,01 (*)		► <b>M5</b> 0,05 (*) ◀
0401140	Hempseed	► <b>M73</b> — ◀				0,01 (*)		► <b>M5</b> 0,05 (*) ◀
0401150	Castor bean	► <b>M73</b> — ◀				0,01 (*)		► <b>M5</b> 0,05 (*) ◀
0401990	Others	► <b>M73</b> — ◀				0,01 (*)		► <b>M5</b> 0,05 (*) ◀
0402000	(ii) <b>Oilfruits</b>	► <b>M73</b> — ◀				0,01 (*)		► <b>M5</b> 0,05 (*) ◀
0402010	Olives for oil production	► <b>M73</b> — ◀						
0402020	Palm nuts (palmoil kernels)	► <b>M73</b> — ◀						
0402030	Palmfruit	► <b>M73</b> — ◀						
0402040	Kapok	► <b>M73</b> — ◀						
0402990	Others	► <b>M73</b> — ◀						
0500000	5. <b>CEREALS</b>	► <b>M73</b> — ◀	0,05 (*)	0,05 (*)	► <b>M43</b> 0,01 (*) ◀		0,05 (*)	
0500010	Barley	► <b>M73</b> — ◀				0,01 (*)		► <b>M5</b> 0,05 (*) ◀
0500020	Buckwheat	► <b>M73</b> — ◀				0,01 (*)		► <b>M5</b> 0,05 (*) ◀
0500030	Maize	► <b>M73</b> — ◀				0,1		► <b>M5</b> 0,1 ◀





▼ M2

(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)
▶ <u>M27</u> 1 ◀	▶ <u>M5</u> 20 ◀			▶ <u>M19</u> 0,05 (*) ◀	▶ <u>M51</u> — ◀	▶ <u>M32</u> — ◀	0,05 (*)
▶ <u>M27</u> 1 ◀	▶ <u>M5</u> 20 ◀			▶ <u>M19</u> 0,05 (*) ◀	▶ <u>M51</u> — ◀	▶ <u>M32</u> — ◀	0,05 (*)
▶ <u>M27</u> 1 ◀	▶ <u>M5</u> 20 ◀			▶ <u>M19</u> 0,05 (*) ◀	▶ <u>M51</u> — ◀	▶ <u>M32</u> — ◀	0,1
▶ <u>M27</u> 3 ◀	▶ <u>M5</u> 20 ◀			▶ <u>M19</u> 0,05 (*) ◀	▶ <u>M51</u> — ◀	▶ <u>M32</u> — ◀	0,05 (*)
▶ <u>M27</u> 1 ◀	▶ <u>M5</u> 20 ◀			▶ <u>M19</u> 0,05 (*) ◀	▶ <u>M51</u> — ◀	▶ <u>M32</u> — ◀	0,05 (*)
▶ <u>M27</u> 1 ◀	▶ <u>M5</u> 20 ◀			▶ <u>M19</u> 0,5 ◀	▶ <u>M51</u> — ◀	▶ <u>M32</u> — ◀	0,05 (*)
▶ <u>M27</u> 0,5 ◀	▶ <u>M5</u> 20 ◀			▶ <u>M19</u> 0,05 (*) ◀	▶ <u>M51</u> — ◀	▶ <u>M32</u> — ◀	0,05 (*)
▶ <u>M27</u> 1 ◀	▶ <u>M5</u> 20 ◀			▶ <u>M19</u> 0,05 (*) ◀	▶ <u>M51</u> — ◀	▶ <u>M32</u> — ◀	0,05 (*)
▶ <u>M27</u> 0,5 ◀	▶ <u>M5</u> 20 ◀			▶ <u>M19</u> 0,05 (*) ◀	▶ <u>M51</u> — ◀	▶ <u>M32</u> — ◀	0,05 (*)
▶ <u>M27</u> 0,5 ◀	▶ <u>M5</u> 20 ◀			▶ <u>M19</u> 0,05 (*) ◀	▶ <u>M51</u> — ◀	▶ <u>M32</u> — ◀	0,05 (*)
▶ <u>M27</u> 0,5 ◀	▶ <u>M5</u> 20 ◀			▶ <u>M19</u> 0,05 (*) ◀	▶ <u>M51</u> — ◀	▶ <u>M32</u> — ◀	0,05 (*)
▶ <u>M27</u> 0,5 ◀	▶ <u>M5</u> 20 ◀			▶ <u>M19</u> 0,05 (*) ◀	▶ <u>M51</u> — ◀	▶ <u>M32</u> — ◀	0,05 (*)
▶ <u>M27</u> 1 ◀	▶ <u>M5</u> 20 ◀			▶ <u>M19</u> 0,05 (*) ◀	▶ <u>M51</u> — ◀	▶ <u>M32</u> — ◀	0,05 (*)
▶ <u>M27</u> — ◀	▶ <u>M5</u> — ◀				▶ <u>M51</u> — ◀	▶ <u>M32</u> — ◀	0,05 (*)
▶ <u>M27</u> 0,05 (*) ◀	▶ <u>M5</u> 20 ◀			▶ <u>M19</u> 5 ◀	▶ <u>M51</u> — ◀	▶ <u>M32</u> — ◀	
▶ <u>M27</u> 1 ◀	▶ <u>M5</u> 20 ◀			▶ <u>M19</u> 0,05 (*) ◀	▶ <u>M51</u> — ◀	▶ <u>M32</u> — ◀	
▶ <u>M27</u> 0,05 (*) ◀	▶ <u>M5</u> 20 ◀			▶ <u>M19</u> 0,05 (*) ◀	▶ <u>M51</u> — ◀	▶ <u>M32</u> — ◀	
▶ <u>M27</u> 1 ◀	▶ <u>M5</u> 20 ◀			▶ <u>M19</u> 0,05 (*) ◀	▶ <u>M51</u> — ◀	▶ <u>M32</u> — ◀	
▶ <u>M27</u> 0,05 (*) ◀	▶ <u>M5</u> 5 ◀			▶ <u>M19</u> 0,05 (*) ◀	▶ <u>M51</u> — ◀	▶ <u>M32</u> — ◀	
	▶ <u>M5</u> 50 ◀	0,2	▶ <u>M75</u> 0,05 (*) ◀		▶ <u>M51</u> — ◀	▶ <u>M32</u> — ◀	0,05 (*)
▶ <u>M27</u> 3 ◀				▶ <u>M19</u> 0,05 (*) ◀	▶ <u>M51</u> — ◀	▶ <u>M32</u> — ◀	
▶ <u>M27</u> 0,5 ◀				▶ <u>M19</u> 0,05 (*) ◀	▶ <u>M51</u> — ◀	▶ <u>M32</u> — ◀	
▶ <u>M27</u> 0,5 ◀				▶ <u>M19</u> 0,05 (*) ◀	▶ <u>M51</u> — ◀	▶ <u>M32</u> — ◀	

▼ M2

(27)	(28)	(29)	(30)	(31)
0,05 (*)	► <u>M5</u> 0,01 (*) ◀		0,05 (*)	► <u>M32</u> — ◀
0,2	► <u>M5</u> 0,01 (*) ◀		0,05 (*)	► <u>M32</u> — ◀
0,1	► <u>M5</u> 0,01 (*) ◀		0,05 (*)	► <u>M32</u> — ◀
0,2	► <u>M5</u> 0,02 ◀		0,05 (*)	► <u>M32</u> — ◀
0,05 (*)	► <u>M5</u> 0,01 (*) ◀		0,05 (*)	► <u>M32</u> — ◀
0,2	► <u>M5</u> 0,02 ◀		0,05 (*)	► <u>M32</u> — ◀
0,05 (*)	► <u>M5</u> 0,02 ◀		0,05 (*)	► <u>M32</u> — ◀
0,05 (*)	► <u>M5</u> 0,01 (*) ◀		0,05 (*)	► <u>M32</u> — ◀
0,05 (*)	► <u>M5</u> 0,01 (*) ◀		0,05 (*)	► <u>M32</u> — ◀
0,05 (*)	► <u>M5</u> 0,01 (*) ◀		0,05 (*)	► <u>M32</u> — ◀
0,05 (*)	► <u>M5</u> 0,01 (*) ◀		0,05 (*)	► <u>M32</u> — ◀
0,05 (*)	► <u>M5</u> 0,02 ◀		0,05 (*)	► <u>M32</u> — ◀
0,05 (*)	► <u>M5</u> 0,01 (*) ◀		0,05 (*)	► <u>M32</u> — ◀
0,05 (*)			0,05 (*)	► <u>M32</u> — ◀
	► <u>M5</u> 0,01 (*) ◀	► <u>M5</u> 0,5 ◀		► <u>M32</u> — ◀
	► <u>M5</u> 0,01 (*) ◀	► <u>M5</u> 0,1 (*) ◀		► <u>M32</u> — ◀
	► <u>M5</u> 0,02 ◀	► <u>M5</u> 0,1 (*) ◀		► <u>M32</u> — ◀
	► <u>M5</u> 0,02 ◀	► <u>M5</u> 0,1 (*) ◀		► <u>M32</u> — ◀
	► <u>M5</u> 0,01 (*) ◀	► <u>M5</u> 0,1 (*) ◀		► <u>M32</u> — ◀
0,01 (*)		► <u>M5</u> 0,1 (*) ◀	0,1	► <u>M32</u> — ◀
	► <u>M5</u> 0,01 (*) ◀			► <u>M32</u> — ◀
	► <u>M5</u> 0,01 (*) ◀			► <u>M32</u> — ◀
	► <u>M5</u> 0,02 ◀			► <u>M32</u> — ◀

▼ **M2**

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)
0500040	Millet	► <b>M73</b> — ◀				0,01 (*)		► <b>M5</b> 0,05 (*) ◀
0500050	Oats	► <b>M73</b> — ◀				0,01 (*)		► <b>M5</b> 0,05 (*) ◀
0500060	Rice	► <b>M73</b> — ◀				0,01 (*)		► <b>M5</b> 0,05 (*) ◀
0500070	Rye	► <b>M73</b> — ◀				0,01 (*)		► <b>M5</b> 0,05 (*) ◀
0500080	Sorghum	► <b>M73</b> — ◀				0,01 (*)		► <b>M5</b> 0,05 (*) ◀
0500090	Wheat	► <b>M73</b> — ◀				0,01 (*)		► <b>M5</b> 0,05 (*) ◀
0500990	Others	► <b>M73</b> — ◀				0,01 (*)		► <b>M5</b> 0,05 (*) ◀
0600000	6. <b>TEA, COFFEE, HERBAL INFUSIONS AND COCOA</b>	► <b>M73</b> — ◀	0,05 (*)	0,05 (*)	► <b>M43</b> 0,02 (*) ◀	0,01 (*)		► <b>M5</b> 0,05 (*) ◀
0610000	(i) <b>Tea (dried leaves and stalks, fermented or otherwise of Camellia sinensis)</b>	► <b>M73</b> — ◀					0,05 (*)	
0620000	(ii) <b>Coffee beans</b>	► <b>M73</b> — ◀					0,05 (*)	
0630000	(iii) <b>Herbal infusions (dried)</b>	► <b>M73</b> — ◀					0,1	
0631000	(a) <i>Flowers</i>	► <b>M73</b> — ◀						
0631010	Camomille flowers	► <b>M73</b> — ◀						
0631020	Hybiscus flowers	► <b>M73</b> — ◀						
0631030	Rose petals	► <b>M73</b> — ◀						
0631040	Jasmine flowers	► <b>M73</b> — ◀						

▼ M2

(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)
▶ <u>M32</u> — ◀		▶ <u>M32</u> — ◀	▶ <u>M66</u> — ◀		▶ <u>M46</u> — ◀	▶ <u>M68</u> — ◀	▶ <u>M55</u> — ◀	▶ <u>M73</u> — ◀
▶ <u>M32</u> — ◀		▶ <u>M32</u> — ◀	▶ <u>M66</u> — ◀		▶ <u>M46</u> — ◀	▶ <u>M68</u> — ◀	▶ <u>M55</u> — ◀	▶ <u>M73</u> — ◀
▶ <u>M32</u> — ◀		▶ <u>M32</u> — ◀	▶ <u>M66</u> — ◀		▶ <u>M46</u> — ◀	▶ <u>M68</u> — ◀	▶ <u>M55</u> — ◀	▶ <u>M73</u> — ◀
▶ <u>M32</u> — ◀		▶ <u>M32</u> — ◀	▶ <u>M66</u> — ◀		▶ <u>M46</u> — ◀	▶ <u>M68</u> — ◀	▶ <u>M55</u> — ◀	▶ <u>M73</u> — ◀
▶ <u>M32</u> — ◀		▶ <u>M32</u> — ◀	▶ <u>M66</u> — ◀		▶ <u>M46</u> — ◀	▶ <u>M68</u> — ◀	▶ <u>M55</u> — ◀	▶ <u>M73</u> — ◀
▶ <u>M32</u> — ◀		▶ <u>M32</u> — ◀	▶ <u>M66</u> — ◀		▶ <u>M46</u> — ◀	▶ <u>M68</u> — ◀	▶ <u>M55</u> — ◀	▶ <u>M73</u> — ◀
▶ <u>M32</u> — ◀	▶ <u>M25</u> 0,05 (*) ◀	▶ <u>M32</u> — ◀	▶ <u>M66</u> — ◀	0,01 (*)	▶ <u>M46</u> — ◀	▶ <u>M68</u> — ◀	▶ <u>M55</u> — ◀	▶ <u>M73</u> — ◀
▶ <u>M32</u> — ◀		▶ <u>M32</u> — ◀	▶ <u>M66</u> — ◀		▶ <u>M46</u> — ◀	▶ <u>M68</u> — ◀	▶ <u>M55</u> — ◀	▶ <u>M73</u> — ◀
▶ <u>M32</u> — ◀		▶ <u>M32</u> — ◀	▶ <u>M66</u> — ◀		▶ <u>M46</u> — ◀	▶ <u>M68</u> — ◀	▶ <u>M55</u> — ◀	▶ <u>M73</u> — ◀
▶ <u>M32</u> — ◀		▶ <u>M32</u> — ◀	▶ <u>M66</u> — ◀		▶ <u>M46</u> — ◀	▶ <u>M68</u> — ◀	▶ <u>M55</u> — ◀	▶ <u>M73</u> — ◀
▶ <u>M32</u> — ◀		▶ <u>M32</u> — ◀	▶ <u>M66</u> — ◀		▶ <u>M46</u> — ◀	▶ <u>M68</u> — ◀	▶ <u>M55</u> — ◀	▶ <u>M73</u> — ◀
▶ <u>M32</u> — ◀		▶ <u>M32</u> — ◀	▶ <u>M66</u> — ◀		▶ <u>M46</u> — ◀	▶ <u>M68</u> — ◀	▶ <u>M55</u> — ◀	▶ <u>M73</u> — ◀
▶ <u>M32</u> — ◀		▶ <u>M32</u> — ◀	▶ <u>M66</u> — ◀		▶ <u>M46</u> — ◀	▶ <u>M68</u> — ◀	▶ <u>M55</u> — ◀	▶ <u>M73</u> — ◀
▶ <u>M32</u> — ◀		▶ <u>M32</u> — ◀	▶ <u>M66</u> — ◀		▶ <u>M46</u> — ◀	▶ <u>M68</u> — ◀	▶ <u>M55</u> — ◀	▶ <u>M73</u> — ◀

▼ M2

(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)
▶ <u>M27</u> 0,5 ◀				▶ <u>M19</u> 0,05 (*) ◀	▶ <u>M51</u> — ◀	▶ <u>M32</u> — ◀	
▶ <u>M27</u> 3 ◀				▶ <u>M19</u> 0,05 (*) ◀	▶ <u>M51</u> — ◀	▶ <u>M32</u> — ◀	
▶ <u>M27</u> 0,5 ◀				▶ <u>M19</u> 0,5 ◀	▶ <u>M51</u> — ◀	▶ <u>M32</u> — ◀	
▶ <u>M27</u> 0,5 ◀				▶ <u>M19</u> 0,05 (*) ◀	▶ <u>M51</u> — ◀	▶ <u>M32</u> — ◀	
▶ <u>M27</u> 0,5 ◀				▶ <u>M19</u> 0,05 (*) ◀	▶ <u>M51</u> — ◀	▶ <u>M32</u> — ◀	
▶ <u>M27</u> 0,5 ◀				▶ <u>M19</u> 0,05 (*) ◀	▶ <u>M51</u> — ◀	▶ <u>M32</u> — ◀	
▶ <u>M27</u> 0,5 ◀				▶ <u>M19</u> 0,05 (*) ◀	▶ <u>M51</u> — ◀	▶ <u>M32</u> — ◀	
▶ <u>M27</u> 0,5 ◀	▶ <u>M5</u> — ◀	0,05 (*)	▶ <u>M75</u> 0,05 (*) ◀	▶ <u>M19</u> 0,05 (*) ◀	▶ <u>M51</u> — ◀	▶ <u>M32</u> — ◀	0,05 (*)
	▶ <u>M5</u> 70 ◀				▶ <u>M51</u> — ◀	▶ <u>M32</u> — ◀	
	▶ <u>M5</u> 70 ◀				▶ <u>M51</u> — ◀	▶ <u>M32</u> — ◀	
					▶ <u>M51</u> — ◀	▶ <u>M32</u> — ◀	
					▶ <u>M51</u> — ◀	▶ <u>M32</u> — ◀	
	▶ <u>M5</u> 250 ◀				▶ <u>M51</u> — ◀	▶ <u>M32</u> — ◀	
	▶ <u>M5</u> 100 ◀				▶ <u>M51</u> — ◀	▶ <u>M32</u> — ◀	
	▶ <u>M5</u> 50 ◀				▶ <u>M51</u> — ◀	▶ <u>M32</u> — ◀	
	▶ <u>M5</u> 50 ◀				▶ <u>M51</u> — ◀	▶ <u>M32</u> — ◀	



▼ **M2**

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)
0631050	Lime (linden)	► <b>M73</b> — ◀						
0631990	Others	► <b>M73</b> — ◀						
0632000	(b) <i>Leaves</i>	► <b>M73</b> — ◀						
0632010	Strawberry leaves	► <b>M73</b> — ◀						
0632020	Rooibos leaves	► <b>M73</b> — ◀						
0632030	Maté	► <b>M73</b> — ◀						
0632990	Others	► <b>M73</b> — ◀						
0633000	(c) <i>Roots</i>	► <b>M73</b> — ◀						
0633010	Valerian root	► <b>M73</b> — ◀						
0633020	Ginseng root	► <b>M73</b> — ◀						
0633990	Others	► <b>M73</b> — ◀						
0639000	(d) <i>Other herbal infusions</i>	► <b>M73</b> — ◀						
0640000	(iv) <b>Cocoa (fermented beans)</b>	► <b>M73</b> — ◀					0,05 (*)	
0650000	(v) <b>Carob (st johns bread)</b>	► <b>M73</b> — ◀					0,05 (*)	
0700000	7. <b>HOPS (dried), including hop pellets and unconcentrated powder</b>	► <b>M73</b> — ◀	0,05 (*)	0,05 (*)	► <b>M43</b> 15 ◀	0,01 (*)	0,05 (*)	► <b>M5</b> 0,05 (*) ◀
0800000	8. <b>SPICES</b>	► <b>M73</b> — ◀	0,05 (*)	0,05 (*)	► <b>M43</b> 0,02 (*) ◀	0,01 (*)		► <b>M5</b> 0,05 (*) ◀
0810000	(i) <b>Seeds</b>	► <b>M73</b> — ◀						
0810010	Anise	► <b>M73</b> — ◀					0,05 (*)	
0810020	Black caraway	► <b>M73</b> — ◀					0,1	

▼ M2

(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)
▶ <u>M32</u> — ◀		▶ <u>M32</u> — ◀	▶ <u>M66</u> — ◀		▶ <u>M46</u> — ◀	▶ <u>M68</u> — ◀	▶ <u>M55</u> — ◀	▶ <u>M73</u> — ◀
▶ <u>M32</u> — ◀		▶ <u>M32</u> — ◀	▶ <u>M66</u> — ◀		▶ <u>M46</u> — ◀	▶ <u>M68</u> — ◀	▶ <u>M55</u> — ◀	▶ <u>M73</u> — ◀
▶ <u>M32</u> — ◀		▶ <u>M32</u> — ◀	▶ <u>M66</u> — ◀		▶ <u>M46</u> — ◀	▶ <u>M68</u> — ◀	▶ <u>M55</u> — ◀	▶ <u>M73</u> — ◀
▶ <u>M32</u> — ◀		▶ <u>M32</u> — ◀	▶ <u>M66</u> — ◀		▶ <u>M46</u> — ◀	▶ <u>M68</u> — ◀	▶ <u>M55</u> — ◀	▶ <u>M73</u> — ◀
▶ <u>M32</u> — ◀		▶ <u>M32</u> — ◀	▶ <u>M66</u> — ◀		▶ <u>M46</u> — ◀	▶ <u>M68</u> — ◀	▶ <u>M55</u> — ◀	▶ <u>M73</u> — ◀
▶ <u>M32</u> — ◀		▶ <u>M32</u> — ◀	▶ <u>M66</u> — ◀		▶ <u>M46</u> — ◀	▶ <u>M68</u> — ◀	▶ <u>M55</u> — ◀	▶ <u>M73</u> — ◀
▶ <u>M32</u> — ◀		▶ <u>M32</u> — ◀	▶ <u>M66</u> — ◀		▶ <u>M46</u> — ◀	▶ <u>M68</u> — ◀	▶ <u>M55</u> — ◀	▶ <u>M73</u> — ◀
▶ <u>M32</u> — ◀		▶ <u>M32</u> — ◀	▶ <u>M66</u> — ◀		▶ <u>M46</u> — ◀	▶ <u>M68</u> — ◀	▶ <u>M55</u> — ◀	▶ <u>M73</u> — ◀
▶ <u>M32</u> — ◀		▶ <u>M32</u> — ◀	▶ <u>M66</u> — ◀		▶ <u>M46</u> — ◀	▶ <u>M68</u> — ◀	▶ <u>M55</u> — ◀	▶ <u>M73</u> — ◀
▶ <u>M32</u> — ◀		▶ <u>M32</u> — ◀	▶ <u>M66</u> — ◀		▶ <u>M46</u> — ◀	▶ <u>M68</u> — ◀	▶ <u>M55</u> — ◀	▶ <u>M73</u> — ◀
▶ <u>M32</u> — ◀		▶ <u>M32</u> — ◀	▶ <u>M66</u> — ◀		▶ <u>M46</u> — ◀	▶ <u>M68</u> — ◀	▶ <u>M55</u> — ◀	▶ <u>M73</u> — ◀
▶ <u>M32</u> — ◀	▶ <u>M25</u> 0,05 (*) ◀	▶ <u>M32</u> — ◀	▶ <u>M66</u> — ◀	0,01 (*)	▶ <u>M46</u> — ◀	▶ <u>M68</u> — ◀	▶ <u>M55</u> — ◀	▶ <u>M73</u> — ◀
▶ <u>M32</u> — ◀	▶ <u>M25</u> 0,05 (*) ◀	▶ <u>M32</u> — ◀	▶ <u>M66</u> — ◀	0,01 (*)	▶ <u>M46</u> — ◀	▶ <u>M68</u> — ◀	▶ <u>M55</u> — ◀	▶ <u>M73</u> — ◀
▶ <u>M32</u> — ◀		▶ <u>M32</u> — ◀	▶ <u>M66</u> — ◀		▶ <u>M46</u> — ◀	▶ <u>M68</u> — ◀	▶ <u>M55</u> — ◀	▶ <u>M73</u> — ◀
▶ <u>M32</u> — ◀		▶ <u>M32</u> — ◀	▶ <u>M66</u> — ◀		▶ <u>M46</u> — ◀	▶ <u>M68</u> — ◀	▶ <u>M55</u> — ◀	▶ <u>M73</u> — ◀



▼ M2

(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)
	▶ <u>M5</u> 50 ◀				▶ <u>M51</u> — ◀	▶ <u>M32</u> — ◀	
	▶ <u>M5</u> 50 ◀				▶ <u>M51</u> — ◀	▶ <u>M32</u> — ◀	
	▶ <u>M5</u> 100 ◀				▶ <u>M51</u> — ◀	▶ <u>M32</u> — ◀	
					▶ <u>M51</u> — ◀	▶ <u>M32</u> — ◀	
					▶ <u>M51</u> — ◀	▶ <u>M32</u> — ◀	
					▶ <u>M51</u> — ◀	▶ <u>M32</u> — ◀	
	▶ <u>M5</u> 70 ◀				▶ <u>M51</u> — ◀	▶ <u>M32</u> — ◀	
					▶ <u>M51</u> — ◀	▶ <u>M32</u> — ◀	
					▶ <u>M51</u> — ◀	▶ <u>M32</u> — ◀	
	▶ <u>M5</u> 50 ◀				▶ <u>M51</u> — ◀	▶ <u>M32</u> — ◀	
	▶ <u>M5</u> 70 ◀				▶ <u>M51</u> — ◀	▶ <u>M32</u> — ◀	
	▶ <u>M5</u> 70 ◀				▶ <u>M51</u> — ◀	▶ <u>M32</u> — ◀	
▶ <u>M27</u> 60 ◀	▶ <u>M5</u> 20 ◀	0,05 (*)	▶ <u>M75</u> 10 ◀	▶ <u>M19</u> 5 ◀	▶ <u>M51</u> — ◀	▶ <u>M32</u> — ◀	0,05 (*)
▶ <u>M27</u> 0,5 ◀	▶ <u>M5</u> 400 ◀	0,05 (*)	▶ <u>M75</u> — ◀	▶ <u>M19</u> 0,05 (*) ◀	▶ <u>M51</u> — ◀	▶ <u>M32</u> — ◀	0,05 (*)
			▶ <u>M75</u> 0,05 (*) ◀		▶ <u>M51</u> — ◀	▶ <u>M32</u> — ◀	
					▶ <u>M51</u> — ◀	▶ <u>M32</u> — ◀	
					▶ <u>M51</u> — ◀	▶ <u>M32</u> — ◀	

▼ M2

(27)	(28)	(29)	(30)	(31)
				▶ <u>M32</u> — ◀
				▶ <u>M32</u> — ◀
				▶ <u>M32</u> — ◀
				▶ <u>M32</u> — ◀
				▶ <u>M32</u> — ◀
				▶ <u>M32</u> — ◀
				▶ <u>M32</u> — ◀
				▶ <u>M32</u> — ◀
				▶ <u>M32</u> — ◀
				▶ <u>M32</u> — ◀
				▶ <u>M32</u> — ◀
				▶ <u>M32</u> — ◀
0,05 (*)	▶ <u>M5</u> 0,02 ◀	▶ <u>M5</u> 0,1 (*) ◀	0,05 (*)	▶ <u>M32</u> — ◀
0,05 (*)	▶ <u>M5</u> 0,02 ◀	▶ <u>M5</u> 0,1 (*) ◀	0,05 (*)	▶ <u>M32</u> — ◀
				▶ <u>M32</u> — ◀
				▶ <u>M32</u> — ◀
				▶ <u>M32</u> — ◀

▼ **M2**

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)
0810030	Celery seed	► <u>M73</u> — ◀					0,05 (*)	
0810040	Coriander seed	► <u>M73</u> — ◀					0,1	
0810050	Cumin seed	► <u>M73</u> — ◀					0,05 (*)	
0810060	Dill seed	► <u>M73</u> — ◀					0,05 (*)	
0810070	Fennel seed	► <u>M73</u> — ◀					0,05 (*)	
0810080	Fenugreek	► <u>M73</u> — ◀					0,05 (*)	
0810090	Nutmeg	► <u>M73</u> — ◀					0,05 (*)	
0810990	Others	► <u>M73</u> — ◀					0,05 (*)	
0820000	(ii) <b>Fruits and berries</b>	► <u>M73</u> — ◀					0,05 (*)	
0820010	Allspice	► <u>M73</u> — ◀						
0820020	Anise pepper (Japan pepper)	► <u>M73</u> — ◀						
0820030	Caraway	► <u>M73</u> — ◀						
0820040	Cardamom	► <u>M73</u> — ◀						
0820050	Juniper berries	► <u>M73</u> — ◀						
0820060	Pepper, black and white	► <u>M73</u> — ◀						
0820070	Vanilla pods	► <u>M73</u> — ◀						
0820080	Tamarind	► <u>M73</u> — ◀						
0820990	Others	► <u>M73</u> — ◀						
0830000	(iii) <b>Bark</b>	► <u>M73</u> — ◀					0,05 (*)	
0830010	Cinnamon	► <u>M73</u> — ◀						
0830990	Others	► <u>M73</u> — ◀						





▼ M2

(27)	(28)	(29)	(30)	(31)
				▶ <u>M32</u> — ◀
				▶ <u>M32</u> — ◀
				▶ <u>M32</u> — ◀
				▶ <u>M32</u> — ◀
				▶ <u>M32</u> — ◀
				▶ <u>M32</u> — ◀
				▶ <u>M32</u> — ◀
				▶ <u>M32</u> — ◀
				▶ <u>M32</u> — ◀
				▶ <u>M32</u> — ◀
				▶ <u>M32</u> — ◀
				▶ <u>M32</u> — ◀
				▶ <u>M32</u> — ◀
				▶ <u>M32</u> — ◀
				▶ <u>M32</u> — ◀
				▶ <u>M32</u> — ◀
				▶ <u>M32</u> — ◀
				▶ <u>M32</u> — ◀
				▶ <u>M32</u> — ◀
				▶ <u>M32</u> — ◀

▼ **M2**

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)
0840000	(iv) <b>Roots or rhizome</b>	▶ <b>M73</b> — ◀					0,05 (*)	
0840010	Liquorice	▶ <b>M73</b> — ◀						
0840020	Ginger	▶ <b>M73</b> — ◀						
0840030	Turmeric (Curcuma)	▶ <b>M73</b> — ◀						
0840040	Horseradish	▶ <b>M73</b> — ◀						
0840990	Others	▶ <b>M73</b> — ◀						
0850000	(v) <b>Buds</b>	▶ <b>M73</b> — ◀					0,05 (*)	
0850010	Cloves	▶ <b>M73</b> — ◀						
0850020	Capers	▶ <b>M73</b> — ◀						
0850990	Others	▶ <b>M73</b> — ◀						
0860000	(vi) <b>Flower stigma</b>	▶ <b>M73</b> — ◀					0,05 (*)	
0860010	Saffron	▶ <b>M73</b> — ◀						
0860990	Others	▶ <b>M73</b> — ◀						
0870000	(vii) <b>Aril</b>	▶ <b>M73</b> — ◀					0,05 (*)	
0870010	Mace	▶ <b>M73</b> — ◀						
0870990	Others	▶ <b>M73</b> — ◀						
0900000	9. <b>SUGAR PLANTS</b>	▶ <b>M73</b> — ◀	0,05 (*)	0,05 (*)	▶ <b>M43</b> 0,01 (*) ◀	0,01 (*)	0,05 (*)	▶ <b>M5</b> 0,05 (*) ◀
0900010	Sugar beet (root)	▶ <b>M73</b> — ◀						
0900020	Sugar cane	▶ <b>M73</b> — ◀						
0900030	Chicory roots	▶ <b>M73</b> — ◀						
0900990	Others	▶ <b>M73</b> — ◀						





▼ M2

(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)
					▶ <u>M51</u> — ◀	▶ <u>M32</u> — ◀	
			▶ <u>M75</u> 0,05 (*) ◀		▶ <u>M51</u> — ◀	▶ <u>M32</u> — ◀	
			▶ <u>M75</u> 0,05 (*) ◀		▶ <u>M51</u> — ◀	▶ <u>M32</u> — ◀	
			▶ <u>M75</u> 0,05 (*) ◀		▶ <u>M51</u> — ◀	▶ <u>M32</u> — ◀	
			▶ <u>M75</u> (+) ◀		▶ <u>M51</u> — ◀	▶ <u>M32</u> — ◀	
			▶ <u>M75</u> 0,05 (*) ◀		▶ <u>M51</u> — ◀	▶ <u>M32</u> — ◀	
			▶ <u>M75</u> 0,05 (*) ◀		▶ <u>M51</u> — ◀	▶ <u>M32</u> — ◀	
					▶ <u>M51</u> — ◀	▶ <u>M32</u> — ◀	
					▶ <u>M51</u> — ◀	▶ <u>M32</u> — ◀	
			▶ <u>M75</u> 0,05 (*) ◀		▶ <u>M51</u> — ◀	▶ <u>M32</u> — ◀	
					▶ <u>M51</u> — ◀	▶ <u>M32</u> — ◀	
					▶ <u>M51</u> — ◀	▶ <u>M32</u> — ◀	
			▶ <u>M75</u> 0,05 (*) ◀		▶ <u>M51</u> — ◀	▶ <u>M32</u> — ◀	
					▶ <u>M51</u> — ◀	▶ <u>M32</u> — ◀	
					▶ <u>M51</u> — ◀	▶ <u>M32</u> — ◀	
▶ <u>M27</u> — ◀	▶ <u>M5</u> — ◀	0,05 (*)		▶ <u>M19</u> 0,05 (*) ◀	▶ <u>M51</u> — ◀	▶ <u>M32</u> — ◀	
▶ <u>M27</u> 2 ◀	▶ <u>M5</u> 20 ◀		▶ <u>M75</u> 0,5 ◀		▶ <u>M51</u> — ◀	▶ <u>M32</u> — ◀	0,1
▶ <u>M27</u> 0,5 ◀	▶ <u>M5</u> 20 ◀		▶ <u>M75</u> 0,05 (*) ◀		▶ <u>M51</u> — ◀	▶ <u>M32</u> — ◀	0,05 (*)
▶ <u>M27</u> 2 ◀	▶ <u>M5</u> 5 ◀		▶ <u>M75</u> 0,05 (*) ◀		▶ <u>M51</u> — ◀	▶ <u>M32</u> — ◀	0,05 (*)
▶ <u>M27</u> 0,5 ◀	▶ <u>M5</u> 5 ◀		▶ <u>M75</u> 0,05 (*) ◀		▶ <u>M51</u> — ◀	▶ <u>M32</u> — ◀	0,05 (*)

▼ M2

(27)	(28)	(29)	(30)	(31)
				▶ <u>M32</u> — ◀
				▶ <u>M32</u> — ◀
				▶ <u>M32</u> — ◀
				▶ <u>M32</u> — ◀
				▶ <u>M32</u> — ◀
				▶ <u>M32</u> — ◀
				▶ <u>M32</u> — ◀
				▶ <u>M32</u> — ◀
				▶ <u>M32</u> — ◀
				▶ <u>M32</u> — ◀
				▶ <u>M32</u> — ◀
				▶ <u>M32</u> — ◀
				▶ <u>M32</u> — ◀
			0,05 (*)	▶ <u>M32</u> — ◀
0,2	▶ <u>M5</u> 0,01 (*) ◀	▶ <u>M5</u> 0,5 ◀		▶ <u>M32</u> — ◀
0,05 (*)	▶ <u>M5</u> 0,02 ◀	▶ <u>M5</u> 0,1 (*) ◀		▶ <u>M32</u> — ◀
0,05 (*)	▶ <u>M5</u> 0,01 (*) ◀	▶ <u>M5</u> 0,1 (*) ◀		▶ <u>M32</u> — ◀
0,05 (*)	▶ <u>M5</u> 0,01 (*) ◀	▶ <u>M5</u> 0,1 (*) ◀		▶ <u>M32</u> — ◀

▼ **M2**

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)
1000000	<b>10. PRODUCTS OF ANIMAL ORIGIN- TERRESTRIAL ANIMALS</b>	► <b>M73</b> — ◀	0,05 (*)	0,05 (*)	► <b>M43</b> — ◀	0,01 (*)	0,02 (*)	► <b>M5</b> 0,05 (*) ◀
1010000	(i) <b>Meat, preparations of meat, offals, blood, animal fats fresh chilled or frozen, salted, in brine, dried or smoked or processed as flours or meals; other processed products such as sausages and food preparations based on these</b>	► <b>M73</b> — ◀			► <b>M43</b> 0,01 (*) ◀			► <b>M5</b> 0,05 (*) ◀
1011000	(a) <i>Swine</i>	► <b>M73</b> — ◀						
1011010	Meat	► <b>M73</b> — ◀						
1011020	Fat free of lean meat	► <b>M73</b> — ◀						
1011030	Liver	► <b>M73</b> — ◀						
1011040	Kidney	► <b>M73</b> — ◀						
1011050	Edible offal	► <b>M73</b> — ◀						
1011990	Others	► <b>M73</b> — ◀						

▼ M2

(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)
▶ <u>M32</u> — ◀	▶ <u>M25</u> — ◀	▶ <u>M32</u> — ◀	▶ <u>M66</u> — ◀	0,01 (*)	▶ <u>M46</u> — ◀	▶ <u>M68</u> — ◀	▶ <u>M55</u> — ◀	▶ <u>M73</u> — ◀
▶ <u>M32</u> — ◀	▶ <u>M25</u> — ◀	▶ <u>M32</u> — ◀	▶ <u>M66</u> — ◀		▶ <u>M46</u> — ◀	▶ <u>M68</u> — ◀	▶ <u>M55</u> — ◀	▶ <u>M73</u> — ◀
▶ <u>M32</u> — ◀	▶ <u>M25</u> 0,02 (*) ◀	▶ <u>M32</u> — ◀	▶ <u>M66</u> — ◀		▶ <u>M46</u> — ◀	▶ <u>M68</u> — ◀	▶ <u>M55</u> — ◀	▶ <u>M73</u> — ◀
▶ <u>M32</u> — ◀		▶ <u>M32</u> — ◀	▶ <u>M66</u> — ◀		▶ <u>M46</u> — ◀	▶ <u>M68</u> — ◀	▶ <u>M55</u> — ◀	▶ <u>M73</u> — ◀
▶ <u>M32</u> — ◀		▶ <u>M32</u> — ◀	▶ <u>M66</u> — ◀		▶ <u>M46</u> — ◀	▶ <u>M68</u> — ◀	▶ <u>M55</u> — ◀	▶ <u>M73</u> — ◀
▶ <u>M32</u> — ◀		▶ <u>M32</u> — ◀	▶ <u>M66</u> — ◀		▶ <u>M46</u> — ◀	▶ <u>M68</u> — ◀	▶ <u>M55</u> — ◀	▶ <u>M73</u> — ◀
▶ <u>M32</u> — ◀		▶ <u>M32</u> — ◀	▶ <u>M66</u> — ◀		▶ <u>M46</u> — ◀	▶ <u>M68</u> — ◀	▶ <u>M55</u> — ◀	▶ <u>M73</u> — ◀
▶ <u>M32</u> — ◀		▶ <u>M32</u> — ◀	▶ <u>M66</u> — ◀		▶ <u>M46</u> — ◀	▶ <u>M68</u> — ◀	▶ <u>M55</u> — ◀	▶ <u>M73</u> — ◀
▶ <u>M32</u> — ◀		▶ <u>M32</u> — ◀	▶ <u>M66</u> — ◀		▶ <u>M46</u> — ◀	▶ <u>M68</u> — ◀	▶ <u>M55</u> — ◀	▶ <u>M73</u> — ◀

▼ M2

(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)
	▶ <u>M5</u> 0,05 (*) ◀	0,05 (*)	▶ <u>M75</u> 0,05 (*) ◀	▶ <u>M19</u> 0,05 (*) ◀	▶ <u>M51</u> — ◀	▶ <u>M32</u> — ◀	0,05 (*)
▶ <u>M11</u> — ◀	▶ <u>M5</u> 0,05 (*) ◀				▶ <u>M51</u> — ◀	▶ <u>M32</u> — ◀	
					▶ <u>M51</u> — ◀	▶ <u>M32</u> — ◀	
▶ <u>M27</u> 0,7 ◀					▶ <u>M51</u> — ◀	▶ <u>M32</u> — ◀	
▶ <u>M27</u> 0,7 ◀					▶ <u>M51</u> — ◀	▶ <u>M32</u> — ◀	
▶ <u>M27</u> 0,2 ◀					▶ <u>M51</u> — ◀	▶ <u>M32</u> — ◀	
▶ <u>M27</u> 0,2 ◀					▶ <u>M51</u> — ◀	▶ <u>M32</u> — ◀	
▶ <u>M27</u> 0,2 ◀					▶ <u>M51</u> — ◀	▶ <u>M32</u> — ◀	
▶ <u>M27</u> 0,05 (*) ◀					▶ <u>M51</u> — ◀	▶ <u>M32</u> — ◀	

▼ M2

(27)	(28)	(29)	(30)	(31)
0,05 (*)	▶ <u>M5</u> — ◀	▶ <u>M5</u> — ◀	0,01 (*)	▶ <u>M32</u> — ◀
				▶ <u>M32</u> — ◀
	▶ <u>M5</u> 0,1 ◀	▶ <u>M5</u> 0,05 (*) ◀		▶ <u>M32</u> — ◀
				▶ <u>M32</u> — ◀
				▶ <u>M32</u> — ◀
				▶ <u>M32</u> — ◀
				▶ <u>M32</u> — ◀
				▶ <u>M32</u> — ◀

▼ **M2**

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)
1012000	(b) <i>Bovine</i>	▶ <b>M73</b> — ◀						
1012010	Meat	▶ <b>M73</b> — ◀						
1012020	Fat	▶ <b>M73</b> — ◀						
1012030	Liver	▶ <b>M73</b> — ◀						
1012040	Kidney	▶ <b>M73</b> — ◀						
1012050	Edible offal	▶ <b>M73</b> — ◀						
1012990	Others	▶ <b>M73</b> — ◀						
1013000	(c) <i>Sheep</i>	▶ <b>M73</b> — ◀						
1013010	Meat	▶ <b>M73</b> — ◀						
1013020	Fat	▶ <b>M73</b> — ◀						
1013030	Liver	▶ <b>M73</b> — ◀						
1013040	Kidney	▶ <b>M73</b> — ◀						
1013050	Edible offal	▶ <b>M73</b> — ◀						
1013990	Others	▶ <b>M73</b> — ◀						
1014000	(d) <i>Goat</i>	▶ <b>M73</b> — ◀						
1014010	Meat	▶ <b>M73</b> — ◀						
1014020	Fat	▶ <b>M73</b> — ◀						
1014030	Liver	▶ <b>M73</b> — ◀						
1014040	Kidney	▶ <b>M73</b> — ◀						
1014050	Edible offal	▶ <b>M73</b> — ◀						
1014990	Others	▶ <b>M73</b> — ◀						





▼ M2

(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)
					▶ <u>M51</u> — ◀	▶ <u>M32</u> — ◀	
▶ <u>M27</u> 0,7 ◀					▶ <u>M51</u> — ◀	▶ <u>M32</u> — ◀	
▶ <u>M27</u> 0,7 ◀					▶ <u>M51</u> — ◀	▶ <u>M32</u> — ◀	
▶ <u>M27</u> 0,2 ◀					▶ <u>M51</u> — ◀	▶ <u>M32</u> — ◀	
▶ <u>M27</u> 0,3 ◀					▶ <u>M51</u> — ◀	▶ <u>M32</u> — ◀	
▶ <u>M27</u> 0,3 ◀					▶ <u>M51</u> — ◀	▶ <u>M32</u> — ◀	
▶ <u>M27</u> 0,05 (*) ◀					▶ <u>M51</u> — ◀	▶ <u>M32</u> — ◀	
					▶ <u>M51</u> — ◀	▶ <u>M32</u> — ◀	
▶ <u>M27</u> 0,7 ◀					▶ <u>M51</u> — ◀	▶ <u>M32</u> — ◀	
▶ <u>M27</u> 0,7 ◀					▶ <u>M51</u> — ◀	▶ <u>M32</u> — ◀	
▶ <u>M27</u> 0,2 ◀					▶ <u>M51</u> — ◀	▶ <u>M32</u> — ◀	
▶ <u>M27</u> 0,3 ◀					▶ <u>M51</u> — ◀	▶ <u>M32</u> — ◀	
▶ <u>M27</u> 0,3 ◀					▶ <u>M51</u> — ◀	▶ <u>M32</u> — ◀	
▶ <u>M27</u> 0,05 (*) ◀					▶ <u>M51</u> — ◀	▶ <u>M32</u> — ◀	
					▶ <u>M51</u> — ◀	▶ <u>M32</u> — ◀	
▶ <u>M27</u> 0,7 ◀					▶ <u>M51</u> — ◀	▶ <u>M32</u> — ◀	
▶ <u>M27</u> 0,7 ◀					▶ <u>M51</u> — ◀	▶ <u>M32</u> — ◀	
▶ <u>M27</u> 0,2 ◀					▶ <u>M51</u> — ◀	▶ <u>M32</u> — ◀	
▶ <u>M27</u> 0,3 ◀					▶ <u>M51</u> — ◀	▶ <u>M32</u> — ◀	
▶ <u>M27</u> 0,3 ◀					▶ <u>M51</u> — ◀	▶ <u>M32</u> — ◀	
▶ <u>M27</u> 0,05 (*) ◀					▶ <u>M51</u> — ◀	▶ <u>M32</u> — ◀	

▼ M2

(27)	(28)	(29)	(30)	(31)
	▶ <u>M5</u> 0,1 ◀	▶ <u>M5</u> 0,1 ◀		▶ <u>M32</u> — ◀
				▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀
				▶ <u>M32</u> — ◀
	▶ <u>M5</u> 0,1 ◀	▶ <u>M5</u> 0,1 ◀		▶ <u>M32</u> — ◀
				▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀
				▶ <u>M32</u> — ◀
	▶ <u>M5</u> 0,1 ◀	▶ <u>M5</u> 0,1 ◀		▶ <u>M32</u> — ◀
				▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀
				▶ <u>M32</u> — ◀

▼ **M2**

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)
1015000	(e) <i>Horses, asses, mules or hinnies</i>	► <b>M73</b> — ◀						
1015010	Meat	► <b>M73</b> — ◀						
1015020	Fat	► <b>M73</b> — ◀						
1015030	Liver	► <b>M73</b> — ◀						
1015040	Kidney	► <b>M73</b> — ◀						
1015050	Edible offal	► <b>M73</b> — ◀						
1015990	Others	► <b>M73</b> — ◀						
1016000	(f) <i>Poultry -chicken, geese, duck, turkey and Guinea fowl-, ostrich, pigeon</i>	► <b>M73</b> — ◀						
1016010	Meat	► <b>M73</b> — ◀						
1016020	Fat	► <b>M73</b> — ◀						
1016030	Liver	► <b>M73</b> — ◀						
1016040	Kidney	► <b>M73</b> — ◀						
1016050	Edible offal	► <b>M73</b> — ◀						
1016990	Others	► <b>M73</b> — ◀						
1017000	(g) <i>Other farm animals</i>	► <b>M73</b> — ◀						
1017010	Meat	► <b>M73</b> — ◀						
1017020	Fat	► <b>M73</b> — ◀						

▼ M2

(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)
▶ <u>M32</u> — ◀	▶ <u>M25</u> 0,02 (*) ◀	▶ <u>M32</u> — ◀	▶ <u>M66</u> — ◀		▶ <u>M46</u> — ◀	▶ <u>M68</u> — ◀	▶ <u>M55</u> — ◀	▶ <u>M73</u> — ◀
▶ <u>M32</u> — ◀		▶ <u>M32</u> — ◀	▶ <u>M66</u> — ◀		▶ <u>M46</u> — ◀	▶ <u>M68</u> — ◀	▶ <u>M55</u> — ◀	▶ <u>M73</u> — ◀
▶ <u>M32</u> — ◀		▶ <u>M32</u> — ◀	▶ <u>M66</u> — ◀		▶ <u>M46</u> — ◀	▶ <u>M68</u> — ◀	▶ <u>M55</u> — ◀	▶ <u>M73</u> — ◀
▶ <u>M32</u> — ◀		▶ <u>M32</u> — ◀	▶ <u>M66</u> — ◀		▶ <u>M46</u> — ◀	▶ <u>M68</u> — ◀	▶ <u>M55</u> — ◀	▶ <u>M73</u> — ◀
▶ <u>M32</u> — ◀		▶ <u>M32</u> — ◀	▶ <u>M66</u> — ◀		▶ <u>M46</u> — ◀	▶ <u>M68</u> — ◀	▶ <u>M55</u> — ◀	▶ <u>M73</u> — ◀
▶ <u>M32</u> — ◀		▶ <u>M32</u> — ◀	▶ <u>M66</u> — ◀		▶ <u>M46</u> — ◀	▶ <u>M68</u> — ◀	▶ <u>M55</u> — ◀	▶ <u>M73</u> — ◀
▶ <u>M32</u> — ◀	▶ <u>M25</u> 0,02 (*) ◀	▶ <u>M32</u> — ◀	▶ <u>M66</u> — ◀		▶ <u>M46</u> — ◀	▶ <u>M68</u> — ◀	▶ <u>M55</u> — ◀	▶ <u>M73</u> — ◀
▶ <u>M32</u> — ◀		▶ <u>M32</u> — ◀	▶ <u>M66</u> — ◀		▶ <u>M46</u> — ◀	▶ <u>M68</u> — ◀	▶ <u>M55</u> — ◀	▶ <u>M73</u> — ◀
▶ <u>M32</u> — ◀		▶ <u>M32</u> — ◀	▶ <u>M66</u> — ◀		▶ <u>M46</u> — ◀	▶ <u>M68</u> — ◀	▶ <u>M55</u> — ◀	▶ <u>M73</u> — ◀
▶ <u>M32</u> — ◀		▶ <u>M32</u> — ◀	▶ <u>M66</u> — ◀		▶ <u>M46</u> — ◀	▶ <u>M68</u> — ◀	▶ <u>M55</u> — ◀	▶ <u>M73</u> — ◀
▶ <u>M32</u> — ◀		▶ <u>M32</u> — ◀	▶ <u>M66</u> — ◀		▶ <u>M46</u> — ◀	▶ <u>M68</u> — ◀	▶ <u>M55</u> — ◀	▶ <u>M73</u> — ◀
▶ <u>M32</u> — ◀	▶ <u>M25</u> 0,02 (*) ◀	▶ <u>M32</u> — ◀	▶ <u>M66</u> — ◀		▶ <u>M46</u> — ◀	▶ <u>M68</u> — ◀	▶ <u>M55</u> — ◀	▶ <u>M73</u> — ◀
▶ <u>M32</u> — ◀		▶ <u>M32</u> — ◀	▶ <u>M66</u> — ◀		▶ <u>M46</u> — ◀	▶ <u>M68</u> — ◀	▶ <u>M55</u> — ◀	▶ <u>M73</u> — ◀
▶ <u>M32</u> — ◀		▶ <u>M32</u> — ◀	▶ <u>M66</u> — ◀		▶ <u>M46</u> — ◀	▶ <u>M68</u> — ◀	▶ <u>M55</u> — ◀	▶ <u>M73</u> — ◀

▼ M2

(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)
					▶ <u>M51</u> — ◀	▶ <u>M32</u> — ◀	
▶ <u>M27</u> 0,7 ◀ ▶ <u>M27</u> 0,7 ◀ ▶ <u>M27</u> 0,2 ◀ ▶ <u>M27</u> 0,3 ◀ ▶ <u>M27</u> 0,3 ◀					▶ <u>M51</u> — ◀ ▶ <u>M51</u> — ◀ ▶ <u>M51</u> — ◀ ▶ <u>M51</u> — ◀ ▶ <u>M51</u> — ◀	▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀	
▶ <u>M27</u> 0,05 (*) ◀					▶ <u>M51</u> — ◀	▶ <u>M32</u> — ◀	
					▶ <u>M51</u> — ◀	▶ <u>M32</u> — ◀	
▶ <u>M27</u> 0,05 (*) ◀ ▶ <u>M27</u> 0,1 ◀ ▶ <u>M27</u> 0,1 ◀ ▶ <u>M27</u> 0,05 ◀ ▶ <u>M27</u> 0,1 ◀					▶ <u>M51</u> — ◀ ▶ <u>M51</u> — ◀ ▶ <u>M51</u> — ◀ ▶ <u>M51</u> — ◀ ▶ <u>M51</u> — ◀	▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀	
▶ <u>M27</u> 0,05 (*) ◀					▶ <u>M51</u> — ◀	▶ <u>M32</u> — ◀	
					▶ <u>M51</u> — ◀	▶ <u>M32</u> — ◀	
▶ <u>M27</u> 0,7 ◀ ▶ <u>M27</u> 0,7 ◀					▶ <u>M51</u> — ◀ ▶ <u>M51</u> — ◀	▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀	

▼ M2

(27)	(28)	(29)	(30)	(31)
	▶ <u>M5</u> 0,1 ◀	▶ <u>M5</u> 0,1 (*) ◀		▶ <u>M32</u> — ◀
				▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀
				▶ <u>M32</u> — ◀
	▶ <u>M5</u> 0,2 ◀	▶ <u>M5</u> 0,05 (*) ◀		▶ <u>M32</u> — ◀
				▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀
				▶ <u>M32</u> — ◀
	▶ <u>M5</u> 0,1 ◀	▶ <u>M5</u> 0,1 (*) ◀		▶ <u>M32</u> — ◀
				▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀

▼ **M2**

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)
1017030	Liver	▶ <b>M73</b> — ◀						
1017040	Kidney	▶ <b>M73</b> — ◀						
1017050	Edible offal	▶ <b>M73</b> — ◀						
1017990	Others	▶ <b>M73</b> — ◀						
1020000	(ii) <b>Milk and cream, not concentrated, nor containing added sugar or sweetening matter, butter and other fats derived from milk, cheese and curd</b>	▶ <b>M73</b> — ◀			▶ <b>M43</b> 0,01 (*) ◀			▶ <b>M5</b> 0,05 (*) ◀
1020010	Cattle	▶ <b>M73</b> — ◀						
1020020	Sheep	▶ <b>M73</b> — ◀						
1020030	Goat	▶ <b>M73</b> — ◀						
1020040	Horse	▶ <b>M73</b> — ◀						
1020990	Others	▶ <b>M73</b> — ◀						
1030000	(iii) <b>Birds' eggs, fresh preserved or cooked; Shelled eggs and egg yolks fresh, dried, cooked by steaming or boiling in water, moulded, frozen or otherwise preserved whether or not containing added sugar or sweetening matter</b>	▶ <b>M73</b> — ◀			▶ <b>M43</b> 0,01 (*) ◀			▶ <b>M5</b> 0,05 (*) ◀

▼ M2

(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)
▶ <u>M32</u> — ◀		▶ <u>M32</u> — ◀	▶ <u>M66</u> — ◀		▶ <u>M46</u> — ◀	▶ <u>M68</u> — ◀	▶ <u>M55</u> — ◀	▶ <u>M73</u> — ◀
▶ <u>M32</u> — ◀		▶ <u>M32</u> — ◀	▶ <u>M66</u> — ◀		▶ <u>M46</u> — ◀	▶ <u>M68</u> — ◀	▶ <u>M55</u> — ◀	▶ <u>M73</u> — ◀
▶ <u>M32</u> — ◀		▶ <u>M32</u> — ◀	▶ <u>M66</u> — ◀		▶ <u>M46</u> — ◀	▶ <u>M68</u> — ◀	▶ <u>M55</u> — ◀	▶ <u>M73</u> — ◀
▶ <u>M32</u> — ◀	▶ <u>M25</u> 0,02 (*) ◀	▶ <u>M32</u> — ◀	▶ <u>M66</u> — ◀		▶ <u>M46</u> — ◀	▶ <u>M68</u> — ◀	▶ <u>M55</u> — ◀	▶ <u>M73</u> — ◀
▶ <u>M32</u> — ◀		▶ <u>M32</u> — ◀	▶ <u>M66</u> — ◀		▶ <u>M46</u> — ◀	▶ <u>M68</u> — ◀	▶ <u>M55</u> — ◀	▶ <u>M73</u> — ◀
▶ <u>M32</u> — ◀		▶ <u>M32</u> — ◀	▶ <u>M66</u> — ◀		▶ <u>M46</u> — ◀	▶ <u>M68</u> — ◀	▶ <u>M55</u> — ◀	▶ <u>M73</u> — ◀
▶ <u>M32</u> — ◀		▶ <u>M32</u> — ◀	▶ <u>M66</u> — ◀		▶ <u>M46</u> — ◀	▶ <u>M68</u> — ◀	▶ <u>M55</u> — ◀	▶ <u>M73</u> — ◀
▶ <u>M32</u> — ◀	▶ <u>M25</u> 0,02 (*) ◀	▶ <u>M32</u> — ◀	▶ <u>M66</u> — ◀		▶ <u>M46</u> — ◀	▶ <u>M68</u> — ◀	▶ <u>M55</u> — ◀	▶ <u>M73</u> — ◀



▼ M2

(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)
▶ <u>M27</u> 0,2 ◀ ▶ <u>M27</u> 0,3 ◀ ▶ <u>M27</u> 0,3 ◀					▶ <u>M51</u> — ◀ ▶ <u>M51</u> — ◀ ▶ <u>M51</u> — ◀	▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀	
▶ <u>M27</u> 0,05 (*) ◀					▶ <u>M51</u> — ◀	▶ <u>M32</u> — ◀	
▶ <u>M27</u> 0,1 ◀	▶ <u>M5</u> 0,05 (*) ◀			▶ <u>M11</u> — ◀	▶ <u>M51</u> — ◀	▶ <u>M32</u> — ◀	
					▶ <u>M51</u> — ◀ ▶ <u>M51</u> — ◀ ▶ <u>M51</u> — ◀ ▶ <u>M51</u> — ◀	▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀	
					▶ <u>M51</u> — ◀	▶ <u>M32</u> — ◀	
▶ <u>M27</u> 0,05 (*) ◀	▶ <u>M5</u> 0,05 (*) ◀			▶ <u>M11</u> — ◀	▶ <u>M51</u> — ◀	▶ <u>M32</u> — ◀	

▼ M2

(27)	(28)	(29)	(30)	(31)
				▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀
				▶ <u>M32</u> — ◀
	▶ <u>M5</u> 0,02 ◀	▶ <u>M5</u> 0,1 (*) ◀		▶ <u>M32</u> — ◀
				▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀
				▶ <u>M32</u> — ◀
	▶ <u>M5</u> 0,02 ◀	▶ <u>M5</u> 0,05 (*) ◀		▶ <u>M32</u> — ◀

▼ M2

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)
1030010	Chicken	► <u>M73</u> — ◀						
1030020	Duck	► <u>M73</u> — ◀						
1030030	Goose	► <u>M73</u> — ◀						
1030040	Quail	► <u>M73</u> — ◀						
1030990	Others	► <u>M73</u> — ◀						
1040000	(iv) Honey	► <u>M73</u> — ◀			► <u>M43</u> 0,05 (*) ◀			► <u>M5</u> 0,05 (*) ◀
1050000	(v) Amphibians and reptiles	► <u>M73</u> — ◀			► <u>M43</u> 0,01 (*) ◀			► <u>M5</u> 0,05 (*) ◀
1060000	(vi) Snails	► <u>M73</u> — ◀			► <u>M43</u> 0,01 (*) ◀			► <u>M5</u> 0,05 (*) ◀
1070000	(vii) Other terrestrial animal products	► <u>M73</u> — ◀			► <u>M43</u> 0,01 (*) ◀			► <u>M5</u> 0,05 (*) ◀
▼ <u>M5</u> 1100000	11. FISH, FISH PRODUCTS, SHELL FISH, MOLLUSCS AND OTHER MARINE AND FRESHWATER FOOD PRODUCTS	► <u>M73</u> — ◀						
1200000	12. CROPS EXCLUSIVELY USED FOR ANIMAL FEED	► <u>M73</u> — ◀						

▼ M2

(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)
▶ <u>M32</u> — ◀		▶ <u>M32</u> — ◀	▶ <u>M66</u> — ◀		▶ <u>M46</u> — ◀	▶ <u>M68</u> — ◀	▶ <u>M55</u> — ◀	▶ <u>M73</u> — ◀
▶ <u>M32</u> — ◀		▶ <u>M32</u> — ◀	▶ <u>M66</u> — ◀		▶ <u>M46</u> — ◀	▶ <u>M68</u> — ◀	▶ <u>M55</u> — ◀	▶ <u>M73</u> — ◀
▶ <u>M32</u> — ◀		▶ <u>M32</u> — ◀	▶ <u>M66</u> — ◀		▶ <u>M46</u> — ◀	▶ <u>M68</u> — ◀	▶ <u>M55</u> — ◀	▶ <u>M73</u> — ◀
▶ <u>M32</u> — ◀		▶ <u>M32</u> — ◀	▶ <u>M66</u> — ◀		▶ <u>M46</u> — ◀	▶ <u>M68</u> — ◀	▶ <u>M55</u> — ◀	▶ <u>M73</u> — ◀
▶ <u>M32</u> — ◀	▶ <u>M25</u> 0,02 (*) ◀	▶ <u>M32</u> — ◀	▶ <u>M66</u> — ◀		▶ <u>M46</u> — ◀	▶ <u>M68</u> — ◀	▶ <u>M55</u> — ◀	▶ <u>M73</u> — ◀
▶ <u>M32</u> — ◀	▶ <u>M25</u> 0,02 (*) ◀	▶ <u>M32</u> — ◀	▶ <u>M66</u> — ◀		▶ <u>M46</u> — ◀	▶ <u>M68</u> — ◀	▶ <u>M55</u> — ◀	▶ <u>M73</u> — ◀
▶ <u>M32</u> — ◀	▶ <u>M25</u> 0,02 (*) ◀	▶ <u>M32</u> — ◀	▶ <u>M66</u> — ◀		▶ <u>M46</u> — ◀	▶ <u>M68</u> — ◀	▶ <u>M55</u> — ◀	▶ <u>M73</u> — ◀
▶ <u>M32</u> — ◀	▶ <u>M25</u> 0,02 (*) ◀	▶ <u>M32</u> — ◀	▶ <u>M66</u> — ◀		▶ <u>M46</u> — ◀	▶ <u>M68</u> — ◀	▶ <u>M55</u> — ◀	▶ <u>M73</u> — ◀
			▶ <u>M66</u> — ◀			▶ <u>M68</u> — ◀		▶ <u>M73</u> — ◀
			▶ <u>M66</u> — ◀			▶ <u>M68</u> — ◀		▶ <u>M73</u> — ◀

▼ M5

▼ M2

(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)
					▶ <u>M51</u> — ◀ ▶ <u>M51</u> — ◀ ▶ <u>M51</u> — ◀ ▶ <u>M51</u> — ◀	▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀	
					▶ <u>M51</u> — ◀	▶ <u>M32</u> — ◀	
▶ <u>M27</u> 0,5 ◀	▶ <u>M5</u> 0,05 (*) ◀			▶ <u>M11</u> — ◀	▶ <u>M51</u> — ◀	▶ <u>M32</u> — ◀	
▶ <u>M27</u> 0,05 (*) ◀	▶ <u>M5</u> 0,05 (*) ◀			▶ <u>M11</u> — ◀	▶ <u>M51</u> — ◀	▶ <u>M32</u> — ◀	
▶ <u>M27</u> 0,05 (*) ◀	▶ <u>M5</u> 0,05 (*) ◀			▶ <u>M11</u> — ◀	▶ <u>M51</u> — ◀	▶ <u>M32</u> — ◀	
▶ <u>M27</u> 0,05 (*) ◀	▶ <u>M5</u> 0,05 (*) ◀			▶ <u>M11</u> — ◀	▶ <u>M51</u> — ◀	▶ <u>M32</u> — ◀	

▼ M5

▼ M2

(27)	(28)	(29)	(30)	(31)
				▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀
				▶ <u>M32</u> — ◀
	▶ <u>M5</u> 0,02 ◀	▶ <u>M5</u> 0,05 (*) ◀		▶ <u>M32</u> — ◀
	▶ <u>M5</u> 0,02 ◀	▶ <u>M5</u> 0,05 (*) ◀		▶ <u>M32</u> — ◀
	▶ <u>M5</u> 0,02 ◀	▶ <u>M5</u> 0,05 (*) ◀		▶ <u>M32</u> — ◀
	▶ <u>M5</u> 0,02 ◀	▶ <u>M5</u> 0,05 (*) ◀		▶ <u>M32</u> — ◀

▼ M5

▼ **M2**

*Pesticide residues and maximum residue levels (mg/kg)*

Code number	Groups and examples of individual products to which the MRLs apply <sup>(4)</sup>	▼ — ▶ <u>M32</u>	▼ — ▶ <u>M51</u>	▶ <u>M5</u> Clothodim (sum of Sethoxydim and Clothodim including degradation products calculated as Sethoxydim) ▼	▼ — ▶ <u>M42</u>	▶ <u>M26</u> Clopyralid ▼	Copper compounds (Copper)	▼ — ▶ <u>M66</u>
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)
0100000	1. <b>FRUIT FRESH OR FROZEN; NUTS</b>	▶ <u>M32</u> — ◀	▶ <u>M51</u> — ◀		▶ <u>M42</u> — ◀	▶ <u>M5</u> — ◀		▶ <u>M66</u> — ◀
0110000	(i) <b>Citrus fruit</b>	▶ <u>M32</u> — ◀	▶ <u>M51</u> — ◀	▶ <u>M5</u> 0,1 ◀	▶ <u>M42</u> — ◀	▶ <u>M26</u> 0,5 ◀	20	▶ <u>M66</u> — ◀
0110010	Grapefruit	▶ <u>M32</u> — ◀	▶ <u>M51</u> — ◀		▶ <u>M42</u> — ◀			▶ <u>M66</u> — ◀
0110020	Oranges	▶ <u>M32</u> — ◀	▶ <u>M51</u> — ◀		▶ <u>M42</u> — ◀			▶ <u>M66</u> — ◀
0110030	Lemons	▶ <u>M32</u> — ◀	▶ <u>M51</u> — ◀		▶ <u>M42</u> — ◀			▶ <u>M66</u> — ◀
0110040	Limes	▶ <u>M32</u> — ◀	▶ <u>M51</u> — ◀		▶ <u>M42</u> — ◀			▶ <u>M66</u> — ◀
0110050	Mandarins	▶ <u>M32</u> — ◀	▶ <u>M51</u> — ◀		▶ <u>M42</u> — ◀			▶ <u>M66</u> — ◀
0110990	Others	▶ <u>M32</u> — ◀	▶ <u>M51</u> — ◀		▶ <u>M42</u> — ◀			▶ <u>M66</u> — ◀
0120000	(ii) <b>Tree nuts (shelled or unshelled)</b>	▶ <u>M32</u> — ◀	▶ <u>M51</u> — ◀	▶ <u>M5</u> 0,1 ◀	▶ <u>M42</u> — ◀	▶ <u>M26</u> 0,5 ◀	30	▶ <u>M66</u> — ◀

▼ M2

<p>▶ <u>M56</u> Cycloxydim including degradation and reaction products which can be determined as 3-(3-thianyl)glutaric acid S-dioxide (BH 517-TGSO2) and/or 3-hydroxy-3-(3-thianyl)glutaric acid S-dioxide (BH 517-5-OH-TGSO2) or methyl esters thereof, calculated in total as cycloxydim ▼</p>	<p>▶ <u>M24</u> Cymoxanil ▼</p>	<p>▶ <u>M44</u> Cyproconazole (L) ▼</p>	<p>▶ <u>M71</u> — ▼</p>	<p>Dalapon</p>	<p>Dazomet (Methylisothiocyanate resulting from the use of dazomet and metam)</p>	<p>▶ <u>M74</u> Dicamba ▼</p>	<p>▶ <u>M32</u> — ▼</p>
(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)
			<p>▶ <u>M71</u> — ◀</p>	<p>0,05 (*)</p>	<p>0,02 (*)</p>		<p>▶ <u>M32</u> — ◀</p>
<p>▶ <u>M56</u> 0,05 (*) ◀</p>	<p>▶ <u>M24</u> 0,05 (*) ◀</p>	<p>▶ <u>M44</u> 0,05 (*) ◀</p>	<p>▶ <u>M71</u> — ◀</p>			<p>▶ <u>M74</u> 0,05 (*) ◀</p>	<p>▶ <u>M32</u> — ◀</p>
			<p>▶ <u>M71</u> — ◀</p> <p>▶ <u>M71</u> — ◀</p> <p>▶ <u>M71</u> — ◀</p> <p>▶ <u>M71</u> — ◀</p> <p>▶ <u>M71</u> — ◀</p>				<p>▶ <u>M32</u> — ◀</p> <p>▶ <u>M32</u> — ◀</p> <p>▶ <u>M32</u> — ◀</p> <p>▶ <u>M32</u> — ◀</p> <p>▶ <u>M32</u> — ◀</p>
			<p>▶ <u>M71</u> — ◀</p>				<p>▶ <u>M32</u> — ◀</p>
<p>▶ <u>M56</u> 0,05 (*) ◀</p>	<p>▶ <u>M24</u> 0,05 (*) ◀</p>	<p>▶ <u>M44</u> 0,05 (*) ◀</p>	<p>▶ <u>M71</u> — ◀</p>			<p>▶ <u>M74</u> 0,05 (*) ◀</p>	<p>▶ <u>M32</u> — ◀</p>



▼ M2

▶ <u>M24</u> Dichlorprop: sum of dichlorprop (including dichlorprop-P) and its conjugates, expressed as dichlorprop ▼	Diclofop (sum diclofop-methyl and diclofop acid expressed as diclofop-methyl)	▶ <u>M66</u> — ▼	Diethofencarb	▶ <u>M78</u> Difenoconazole ▼	▶ <u>M5</u> Diflubenzaron (L) (*) ▼	▶ <u>M31</u> Diflufenican ▼	Dimethachlor
(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)
0,05 (*)	0,05 (*)	▶ <u>M66</u> — ◀				▶ <u>M31</u> 0,05 (*) ◀	0,02 (*)
		▶ <u>M66</u> — ◀	0,05 (*)	▶ <u>M78</u> 0,6 ◀	▶ <u>M5</u> 1 ◀		
▶ <u>M24</u> 0,05 (*) ◀		▶ <u>M66</u> — ◀					
▶ <u>M24</u> 0,2 ◀		▶ <u>M66</u> — ◀					
▶ <u>M24</u> 0,05 (*) ◀		▶ <u>M66</u> — ◀					
▶ <u>M24</u> 0,05 (*) ◀		▶ <u>M66</u> — ◀					
▶ <u>M24</u> 0,05 (*) ◀		▶ <u>M66</u> — ◀					
▶ <u>M24</u> 0,05 (*) ◀		▶ <u>M66</u> — ◀					
▶ <u>M24</u> 0,05 (*) ◀		▶ <u>M66</u> — ◀	0,05 (*)	▶ <u>M78</u> 0,05 (*) ◀			

▼ M2

▼ <u>M32</u> Dimethipin	▼ <u>M40</u>	▼ <u>M31</u> Dimoxystrobin	▼ <u>M46</u>	▼ <u>M67</u>	▼ <u>M5</u> Dithianon
(26)	(27)	(28)	(29)	(30)	(31)
▶ <u>M32</u> — ◀	▶ <u>M40</u> — ◀	▶ <u>M31</u> 0,01 (*) ◀	▶ <u>M46</u> — ◀	▶ <u>M67</u> — ◀	
▶ <u>M32</u> 0,05 (*) ◀	▶ <u>M40</u> — ◀		▶ <u>M46</u> — ◀	▶ <u>M67</u> — ◀	▶ <u>M5</u> — ◀
	▶ <u>M40</u> — ◀		▶ <u>M46</u> — ◀	▶ <u>M67</u> — ◀	▶ <u>M5</u> 1 ◀
	▶ <u>M40</u> — ◀		▶ <u>M46</u> — ◀	▶ <u>M67</u> — ◀	▶ <u>M5</u> 1 ◀
	▶ <u>M40</u> — ◀		▶ <u>M46</u> — ◀	▶ <u>M67</u> — ◀	▶ <u>M5</u> 1 ◀
	▶ <u>M40</u> — ◀		▶ <u>M46</u> — ◀	▶ <u>M67</u> — ◀	▶ <u>M5</u> 1 ◀
	▶ <u>M40</u> — ◀		▶ <u>M46</u> — ◀	▶ <u>M67</u> — ◀	▶ <u>M5</u> 3 ◀
	▶ <u>M40</u> — ◀		▶ <u>M46</u> — ◀	▶ <u>M67</u> — ◀	▶ <u>M5</u> 1 ◀
▶ <u>M32</u> 0,1 (*) ◀	▶ <u>M40</u> — ◀		▶ <u>M46</u> — ◀	▶ <u>M67</u> — ◀	

## ▼ M2

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)
0120010	Almonds	▶ <u>M32</u> — ◀	▶ <u>M51</u> — ◀		▶ <u>M42</u> — ◀			▶ <u>M66</u> — ◀
0120020	Brazil nuts	▶ <u>M32</u> — ◀	▶ <u>M51</u> — ◀		▶ <u>M42</u> — ◀			▶ <u>M66</u> — ◀
0120030	Cashew nuts	▶ <u>M32</u> — ◀	▶ <u>M51</u> — ◀		▶ <u>M42</u> — ◀			▶ <u>M66</u> — ◀
0120040	Chestnuts	▶ <u>M32</u> — ◀	▶ <u>M51</u> — ◀		▶ <u>M42</u> — ◀			▶ <u>M66</u> — ◀
0120050	Coconuts	▶ <u>M32</u> — ◀	▶ <u>M51</u> — ◀		▶ <u>M42</u> — ◀			▶ <u>M66</u> — ◀
0120060	Hazelnuts	▶ <u>M32</u> — ◀	▶ <u>M51</u> — ◀		▶ <u>M42</u> — ◀			▶ <u>M66</u> — ◀
0120070	Macadamia	▶ <u>M32</u> — ◀	▶ <u>M51</u> — ◀		▶ <u>M42</u> — ◀			▶ <u>M66</u> — ◀
0120080	Pecans	▶ <u>M32</u> — ◀	▶ <u>M51</u> — ◀		▶ <u>M42</u> — ◀			▶ <u>M66</u> — ◀
0120090	Pine nuts	▶ <u>M32</u> — ◀	▶ <u>M51</u> — ◀		▶ <u>M42</u> — ◀			▶ <u>M66</u> — ◀
0120100	Pistachios	▶ <u>M32</u> — ◀	▶ <u>M51</u> — ◀		▶ <u>M42</u> — ◀			▶ <u>M66</u> — ◀
0120110	Walnuts	▶ <u>M32</u> — ◀	▶ <u>M51</u> — ◀		▶ <u>M42</u> — ◀			▶ <u>M66</u> — ◀
0120990	Others	▶ <u>M32</u> — ◀	▶ <u>M51</u> — ◀		▶ <u>M42</u> — ◀			▶ <u>M66</u> — ◀
0130000	(iii) <b>Pome fruit</b>	▶ <u>M32</u> — ◀	▶ <u>M51</u> — ◀	▶ <u>M5</u> 0,1 ◀	▶ <u>M42</u> — ◀	▶ <u>M26</u> 0,5 ◀	5	▶ <u>M66</u> — ◀
0130010	Apples	▶ <u>M32</u> — ◀	▶ <u>M51</u> — ◀		▶ <u>M42</u> — ◀			▶ <u>M66</u> — ◀
0130020	Pears	▶ <u>M32</u> — ◀	▶ <u>M51</u> — ◀		▶ <u>M42</u> — ◀			▶ <u>M66</u> — ◀
0130030	Quinces	▶ <u>M32</u> — ◀	▶ <u>M51</u> — ◀		▶ <u>M42</u> — ◀			▶ <u>M66</u> — ◀
0130040	Medlar	▶ <u>M32</u> — ◀	▶ <u>M51</u> — ◀		▶ <u>M42</u> — ◀			▶ <u>M66</u> — ◀
0130050	Loquat	▶ <u>M32</u> — ◀	▶ <u>M51</u> — ◀		▶ <u>M42</u> — ◀			▶ <u>M66</u> — ◀
0130990	Others	▶ <u>M32</u> — ◀	▶ <u>M51</u> — ◀		▶ <u>M42</u> — ◀			▶ <u>M66</u> — ◀
0140000	(iv) <b>Stone fruit</b>	▶ <u>M32</u> — ◀	▶ <u>M51</u> — ◀	▶ <u>M5</u> 0,1 ◀	▶ <u>M42</u> — ◀	▶ <u>M26</u> 0,5 ◀	5	▶ <u>M66</u> — ◀
0140010	Apricots	▶ <u>M32</u> — ◀	▶ <u>M51</u> — ◀		▶ <u>M42</u> — ◀			▶ <u>M66</u> — ◀
0140020	Cherries	▶ <u>M32</u> — ◀	▶ <u>M51</u> — ◀		▶ <u>M42</u> — ◀			▶ <u>M66</u> — ◀
0140030	Peaches	▶ <u>M32</u> — ◀	▶ <u>M51</u> — ◀		▶ <u>M42</u> — ◀			▶ <u>M66</u> — ◀
0140040	Plums	▶ <u>M32</u> — ◀	▶ <u>M51</u> — ◀		▶ <u>M42</u> — ◀			▶ <u>M66</u> — ◀
0140990	Others	▶ <u>M32</u> — ◀	▶ <u>M51</u> — ◀		▶ <u>M42</u> — ◀			▶ <u>M66</u> — ◀
0150000	(v) <b>Berries &amp; small fruit</b>	▶ <u>M32</u> — ◀	▶ <u>M51</u> — ◀		▶ <u>M42</u> — ◀			▶ <u>M66</u> — ◀

▼ M2

(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)
			▶ <u>M71</u> — ◀ ▶ <u>M71</u> — ◀ ▶ <u>M71</u> — ◀ ▶ <u>M71</u> — ◀ ▶ <u>M71</u> — ◀ ▶ <u>M71</u> — ◀ ▶ <u>M71</u> — ◀ ▶ <u>M71</u> — ◀ ▶ <u>M71</u> — ◀ ▶ <u>M71</u> — ◀ ▶ <u>M71</u> — ◀				▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀
			▶ <u>M71</u> — ◀				▶ <u>M32</u> — ◀
	▶ <u>M24</u> 0,05 (*) ◀	▶ <u>M44</u> 0,1 ◀	▶ <u>M71</u> — ◀				▶ <u>M32</u> — ◀
▶ <u>M56</u> 0,1 ◀ ▶ <u>M56</u> 0,1 ◀ ▶ <u>M56</u> 0,09 ◀ ▶ <u>M56</u> 0,09 ◀ ▶ <u>M56</u> 0,09 ◀			▶ <u>M71</u> — ◀ ▶ <u>M71</u> — ◀ ▶ <u>M71</u> — ◀ ▶ <u>M71</u> — ◀ ▶ <u>M71</u> — ◀			▶ <u>M74</u> 0,1 ◀ ▶ <u>M74</u> 0,05 (*) ◀ ▶ <u>M74</u> 0,05 (*) ◀ ▶ <u>M74</u> 0,05 (*) ◀ ▶ <u>M74</u> 0,05 (*) ◀	▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀
▶ <u>M56</u> 0,09 ◀			▶ <u>M71</u> — ◀			▶ <u>M74</u> 0,05 (*) ◀	▶ <u>M32</u> — ◀
	▶ <u>M24</u> 0,05 (*) ◀		▶ <u>M71</u> — ◀			▶ <u>M74</u> 0,05 (*) ◀	▶ <u>M32</u> — ◀
▶ <u>M56</u> 0,2 ◀ ▶ <u>M56</u> 0,09 ◀ ▶ <u>M56</u> 0,2 ◀ ▶ <u>M56</u> 0,09 ◀		▶ <u>M44</u> 0,1 ◀ ▶ <u>M44</u> 0,1 ◀ ▶ <u>M44</u> 0,1 ◀ ▶ <u>M44</u> 0,05 (*) ◀	▶ <u>M71</u> — ◀ ▶ <u>M71</u> — ◀ ▶ <u>M71</u> — ◀ ▶ <u>M71</u> — ◀				▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀
▶ <u>M56</u> 0,09 ◀		▶ <u>M44</u> 0,05 (*) ◀	▶ <u>M71</u> — ◀				▶ <u>M32</u> — ◀
			▶ <u>M71</u> — ◀			▶ <u>M74</u> 0,05 (*) ◀	▶ <u>M32</u> — ◀

▼ M2

(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)
		<p>▶ <u>M66</u> — ◀</p> <p>▶ <u>M66</u> — ◀</p> <p>▶ <u>M66</u> — ◀</p> <p>▶ <u>M66</u> — ◀</p> <p>▶ <u>M66</u> — ◀</p> <p>▶ <u>M66</u> — ◀</p> <p>▶ <u>M66</u> — ◀</p> <p>▶ <u>M66</u> — ◀</p> <p>▶ <u>M66</u> — ◀</p> <p>▶ <u>M66</u> — ◀</p>			<p>▶ <u>M5</u> 0,1 ◀</p> <p>▶ <u>M5</u> 0,05 (*) ◀</p> <p>▶ <u>M5</u> 0,05 (*) ◀</p> <p>▶ <u>M5</u> 0,05 (*) ◀</p> <p>▶ <u>M5</u> 0,05 (*) ◀</p> <p>▶ <u>M5</u> 0,05 (*) ◀</p> <p>▶ <u>M5</u> 0,05 (*) ◀</p> <p>▶ <u>M5</u> 0,05 (*) ◀</p> <p>▶ <u>M5</u> 1 ◀</p> <p>▶ <u>M5</u> 0,05 (*) ◀</p> <p>▶ <u>M5</u> 0,05 (*) ◀</p>		
		▶ <u>M66</u> — ◀			▶ <u>M5</u> 0,05 (*) ◀		
▶ <u>M24</u> 0,05 (*) ◀		▶ <u>M66</u> — ◀		▶ <u>M78</u> 0,8 ◀	▶ <u>M5</u> 5 ◀		
		▶ <u>M66</u> — ◀	0,5	▶ <u>M74</u> — ◀			
		▶ <u>M66</u> — ◀	1	▶ <u>M74</u> — ◀			
		▶ <u>M66</u> — ◀	0,05 (*)	▶ <u>M74</u> — ◀			
		▶ <u>M66</u> — ◀	0,05 (*)	▶ <u>M74</u> — ◀			
		▶ <u>M66</u> — ◀	0,05 (*)	▶ <u>M74</u> — ◀			
		▶ <u>M66</u> — ◀	0,05 (*)	▶ <u>M74</u> — ◀			
▶ <u>M24</u> 0,05 (*) ◀		▶ <u>M66</u> — ◀	0,05 (*)				
		▶ <u>M66</u> — ◀		▶ <u>M78</u> 0,5 ◀	▶ <u>M5</u> 1 ◀		
		▶ <u>M66</u> — ◀		▶ <u>M78</u> 0,3 ◀	▶ <u>M5</u> 0,5 ◀		
		▶ <u>M66</u> — ◀		▶ <u>M78</u> 0,5 ◀	▶ <u>M5</u> 1 ◀		
		▶ <u>M66</u> — ◀		▶ <u>M78</u> 0,5 ◀	▶ <u>M5</u> 1 ◀		
		▶ <u>M66</u> — ◀		▶ <u>M78</u> 0,1 ◀	▶ <u>M5</u> 0,05 (*) ◀		
▶ <u>M24</u> 0,05 (*) ◀		▶ <u>M66</u> — ◀					

▼ M2

(26)	(27)	(28)	(29)	(30)	(31)
	▶ <u>M40</u> — ◀ ▶ <u>M40</u> — ◀ ▶ <u>M40</u> — ◀ ▶ <u>M40</u> — ◀ ▶ <u>M40</u> — ◀ ▶ <u>M40</u> — ◀ ▶ <u>M40</u> — ◀ ▶ <u>M40</u> — ◀ ▶ <u>M40</u> — ◀ ▶ <u>M40</u> — ◀		▶ <u>M46</u> — ◀ ▶ <u>M46</u> — ◀ ▶ <u>M46</u> — ◀ ▶ <u>M46</u> — ◀ ▶ <u>M46</u> — ◀ ▶ <u>M46</u> — ◀ ▶ <u>M46</u> — ◀ ▶ <u>M46</u> — ◀ ▶ <u>M46</u> — ◀ ▶ <u>M46</u> — ◀	▶ <u>M67</u> — ◀ ▶ <u>M67</u> — ◀ ▶ <u>M67</u> — ◀ ▶ <u>M67</u> — ◀ ▶ <u>M67</u> — ◀ ▶ <u>M67</u> — ◀ ▶ <u>M67</u> — ◀ ▶ <u>M67</u> — ◀ ▶ <u>M67</u> — ◀ ▶ <u>M67</u> — ◀	▶ <u>M5</u> 0,05 ◀ ▶ <u>M5</u> 0,01 (*) ◀ ▶ <u>M5</u> 0,01 (*) ◀ ▶ <u>M5</u> 0,01 (*) ◀ ▶ <u>M5</u> 0,01 (*) ◀ ▶ <u>M5</u> 0,01 (*) ◀ ▶ <u>M5</u> 0,01 (*) ◀ ▶ <u>M5</u> 0,01 (*) ◀ ▶ <u>M5</u> 0,01 (*) ◀ ▶ <u>M5</u> 0,01 (*) ◀ ▶ <u>M5</u> 0,05 ◀
	▶ <u>M40</u> — ◀		▶ <u>M46</u> — ◀	▶ <u>M67</u> — ◀	▶ <u>M5</u> 0,01 (*) ◀
▶ <u>M32</u> 0,05 (*) ◀	▶ <u>M40</u> — ◀		▶ <u>M46</u> — ◀	▶ <u>M67</u> — ◀	▶ <u>M5</u> 3 ◀
	▶ <u>M40</u> — ◀ ▶ <u>M40</u> — ◀ ▶ <u>M40</u> — ◀ ▶ <u>M40</u> — ◀ ▶ <u>M40</u> — ◀		▶ <u>M46</u> — ◀ ▶ <u>M46</u> — ◀ ▶ <u>M46</u> — ◀ ▶ <u>M46</u> — ◀ ▶ <u>M46</u> — ◀	▶ <u>M67</u> — ◀ ▶ <u>M67</u> — ◀ ▶ <u>M67</u> — ◀ ▶ <u>M67</u> — ◀ ▶ <u>M67</u> — ◀	
	▶ <u>M40</u> — ◀		▶ <u>M46</u> — ◀	▶ <u>M67</u> — ◀	
▶ <u>M32</u> 0,05 (*) ◀	▶ <u>M40</u> — ◀		▶ <u>M46</u> — ◀	▶ <u>M67</u> — ◀	
	▶ <u>M40</u> — ◀ ▶ <u>M40</u> — ◀ ▶ <u>M40</u> — ◀ ▶ <u>M40</u> — ◀		▶ <u>M46</u> — ◀ ▶ <u>M46</u> — ◀ ▶ <u>M46</u> — ◀ ▶ <u>M46</u> — ◀	▶ <u>M67</u> — ◀ ▶ <u>M67</u> — ◀ ▶ <u>M67</u> — ◀ ▶ <u>M67</u> — ◀	▶ <u>M5</u> 0,5 ◀ ▶ <u>M5</u> 2 ◀ ▶ <u>M5</u> 0,5 ◀ ▶ <u>M5</u> 0,5 ◀
	▶ <u>M40</u> — ◀		▶ <u>M46</u> — ◀	▶ <u>M67</u> — ◀	▶ <u>M5</u> 2 ◀
▶ <u>M32</u> 0,05 (*) ◀	▶ <u>M40</u> — ◀		▶ <u>M46</u> — ◀	▶ <u>M67</u> — ◀	

▼ **M2**

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)
0151000	(a) <i>Table and wine grapes</i>	► <b>M32</b> — ◀	► <b>M51</b> — ◀	► <b>M5</b> — ◀	► <b>M42</b> — ◀	► <b>M26</b> 0,5 ◀	50	► <b>M66</b> — ◀
0151010	Table grapes	► <b>M32</b> — ◀	► <b>M51</b> — ◀	► <b>M5</b> 1 ◀	► <b>M42</b> — ◀			► <b>M66</b> — ◀
0151020	Wine grapes	► <b>M32</b> — ◀	► <b>M51</b> — ◀	► <b>M5</b> 0,5 ◀	► <b>M42</b> — ◀			► <b>M66</b> — ◀
0152000	(b) <i>Strawberries</i>	► <b>M32</b> — ◀	► <b>M51</b> — ◀	► <b>M5</b> 0,5 ◀	► <b>M42</b> — ◀	► <b>M26</b> 0,5 ◀	5	► <b>M66</b> — ◀
0153000	(c) <i>Cane fruit</i>	► <b>M32</b> — ◀	► <b>M51</b> — ◀	► <b>M5</b> 0,1 ◀	► <b>M42</b> — ◀	► <b>M26</b> 0,5 ◀	5	► <b>M66</b> — ◀
0153010	Blackberries	► <b>M32</b> — ◀	► <b>M51</b> — ◀		► <b>M42</b> — ◀			► <b>M66</b> — ◀
0153020	Dewberries	► <b>M32</b> — ◀	► <b>M51</b> — ◀		► <b>M42</b> — ◀			► <b>M66</b> — ◀
0153030	Raspberries	► <b>M32</b> — ◀	► <b>M51</b> — ◀		► <b>M42</b> — ◀			► <b>M66</b> — ◀
0153990	Others	► <b>M32</b> — ◀	► <b>M51</b> — ◀		► <b>M42</b> — ◀			► <b>M66</b> — ◀
0154000	(d) <i>Other small fruit &amp; berries</i>	► <b>M32</b> — ◀	► <b>M51</b> — ◀	► <b>M5</b> — ◀	► <b>M42</b> — ◀		5	► <b>M66</b> — ◀
0154010	Blueberries	► <b>M32</b> — ◀	► <b>M51</b> — ◀	► <b>M5</b> 0,1 ◀	► <b>M42</b> — ◀	► <b>M26</b> 0,5 ◀		► <b>M66</b> — ◀
0154020	Cranberries	► <b>M32</b> — ◀	► <b>M51</b> — ◀	► <b>M5</b> 0,5 ◀	► <b>M42</b> — ◀	► <b>M26</b> 4 ◀		► <b>M66</b> — ◀
0154030	Currants (red, black and white)	► <b>M32</b> — ◀	► <b>M51</b> — ◀	► <b>M5</b> 0,1 ◀	► <b>M42</b> — ◀	► <b>M26</b> 0,5 ◀		► <b>M66</b> — ◀
0154040	Gooseberries	► <b>M32</b> — ◀	► <b>M51</b> — ◀	► <b>M5</b> 0,1 ◀	► <b>M42</b> — ◀	► <b>M26</b> 0,5 ◀		► <b>M66</b> — ◀
0154050	Rose hips	► <b>M32</b> — ◀	► <b>M51</b> — ◀	► <b>M5</b> 0,1 ◀	► <b>M42</b> — ◀	► <b>M26</b> 0,5 ◀		► <b>M66</b> — ◀
0154060	Mulberries	► <b>M32</b> — ◀	► <b>M51</b> — ◀	► <b>M5</b> 0,1 ◀	► <b>M42</b> — ◀	► <b>M26</b> 0,5 ◀		► <b>M66</b> — ◀
0154070	Azarole (mediterranean medlar)	► <b>M32</b> — ◀	► <b>M51</b> — ◀	► <b>M5</b> 0,1 ◀	► <b>M42</b> — ◀	► <b>M26</b> 0,5 ◀		► <b>M66</b> — ◀
0154080	Elderberries	► <b>M32</b> — ◀	► <b>M51</b> — ◀	► <b>M5</b> 0,1 ◀	► <b>M42</b> — ◀	► <b>M26</b> 0,5 ◀		► <b>M66</b> — ◀
0154990	Others	► <b>M32</b> — ◀	► <b>M51</b> — ◀	► <b>M5</b> 0,1 ◀	► <b>M42</b> — ◀	► <b>M26</b> 0,5 ◀		► <b>M66</b> — ◀

▼ M2

(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)
▶ <u>M56</u> 0,5 ◀	▶ <u>M24</u> 0,2 ◀	▶ <u>M44</u> 0,2 ◀	▶ <u>M71</u> — ◀				▶ <u>M32</u> — ◀
			▶ <u>M71</u> — ◀ ▶ <u>M71</u> — ◀				▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀
▶ <u>M56</u> 3 ◀	▶ <u>M24</u> 0,05 (*) ◀	▶ <u>M44</u> 0,05 (*) ◀	▶ <u>M71</u> — ◀				▶ <u>M32</u> — ◀
▶ <u>M56</u> 0,05 (*) ◀	▶ <u>M24</u> 0,05 (*) ◀	▶ <u>M44</u> 0,05 (*) ◀	▶ <u>M71</u> — ◀				▶ <u>M32</u> — ◀
			▶ <u>M71</u> — ◀ ▶ <u>M71</u> — ◀ ▶ <u>M71</u> — ◀				▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀
			▶ <u>M71</u> — ◀				▶ <u>M32</u> — ◀
▶ <u>M56</u> 0,05 (*) ◀	▶ <u>M24</u> 0,05 (*) ◀	▶ <u>M44</u> 0,05 (*) ◀	▶ <u>M71</u> — ◀				▶ <u>M32</u> — ◀
			▶ <u>M71</u> — ◀ ▶ <u>M71</u> — ◀ ▶ <u>M71</u> — ◀  ▶ <u>M71</u> — ◀ ▶ <u>M71</u> — ◀ ▶ <u>M71</u> — ◀ ▶ <u>M71</u> — ◀  ▶ <u>M71</u> — ◀				▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀  ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀  ▶ <u>M32</u> — ◀
			▶ <u>M71</u> — ◀				▶ <u>M32</u> — ◀



▼ M2

(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)
		▶ <u>M66</u> — ◀	1	▶ <u>M78</u> 3 ◀	▶ <u>M5</u> 1 ◀		
		▶ <u>M66</u> — ◀ ▶ <u>M66</u> — ◀					
		▶ <u>M66</u> — ◀	0,5	▶ <u>M78</u> 0,4 ◀	▶ <u>M5</u> 2 ◀		
		▶ <u>M66</u> — ◀	0,05 (*)		▶ <u>M5</u> 2 ◀		
		▶ <u>M66</u> — ◀ ▶ <u>M66</u> — ◀ ▶ <u>M66</u> — ◀		▶ <u>M78</u> 1,5 ◀ ▶ <u>M78</u> 0,1 ◀ ▶ <u>M78</u> 1,5 ◀			
		▶ <u>M66</u> — ◀		▶ <u>M78</u> 0,1 ◀			
		▶ <u>M66</u> — ◀	0,05 (*)		▶ <u>M5</u> 2 ◀		
		▶ <u>M66</u> — ◀ ▶ <u>M66</u> — ◀ ▶ <u>M66</u> — ◀  ▶ <u>M66</u> — ◀ ▶ <u>M66</u> — ◀ ▶ <u>M66</u> — ◀ ▶ <u>M66</u> — ◀  ▶ <u>M66</u> — ◀		▶ <u>M78</u> 0,1 ◀ ▶ <u>M78</u> 0,1 ◀ ▶ <u>M78</u> 0,2 ◀  ▶ <u>M78</u> 0,1 ◀ ▶ <u>M78</u> 0,1 ◀ ▶ <u>M78</u> 0,1 ◀ ▶ <u>M78</u> 0,8 ◀  ▶ <u>M78</u> 0,1 ◀			
		▶ <u>M66</u> — ◀		▶ <u>M78</u> 0,1 ◀			

▼ M2

(26)	(27)	(28)	(29)	(30)	(31)
	▶ <u>M40</u> — ◀		▶ <u>M46</u> — ◀	▶ <u>M67</u> — ◀	▶ <u>M5</u> 3 ◀
	▶ <u>M40</u> — ◀ ▶ <u>M40</u> — ◀		▶ <u>M46</u> — ◀ ▶ <u>M46</u> — ◀	▶ <u>M67</u> — ◀ ▶ <u>M67</u> — ◀	
	▶ <u>M40</u> — ◀		▶ <u>M46</u> — ◀	▶ <u>M67</u> — ◀	▶ <u>M5</u> 0,01 (*) ◀
	▶ <u>M40</u> — ◀		▶ <u>M46</u> — ◀	▶ <u>M67</u> — ◀	
	▶ <u>M40</u> — ◀ ▶ <u>M40</u> — ◀ ▶ <u>M40</u> — ◀		▶ <u>M46</u> — ◀ ▶ <u>M46</u> — ◀ ▶ <u>M46</u> — ◀	▶ <u>M67</u> — ◀ ▶ <u>M67</u> — ◀ ▶ <u>M67</u> — ◀	▶ <u>M5</u> 0,5 ◀ ▶ <u>M5</u> 0,5 ◀ ▶ <u>M5</u> 3 ◀
	▶ <u>M40</u> — ◀		▶ <u>M46</u> — ◀	▶ <u>M67</u> — ◀	▶ <u>M5</u> 0,01 (*) ◀
	▶ <u>M40</u> — ◀		▶ <u>M46</u> — ◀	▶ <u>M67</u> — ◀	
	▶ <u>M40</u> — ◀ ▶ <u>M40</u> — ◀ ▶ <u>M40</u> — ◀  ▶ <u>M40</u> — ◀ ▶ <u>M40</u> — ◀ ▶ <u>M40</u> — ◀ ▶ <u>M40</u> — ◀  ▶ <u>M40</u> — ◀		▶ <u>M46</u> — ◀ ▶ <u>M46</u> — ◀ ▶ <u>M46</u> — ◀  ▶ <u>M46</u> — ◀ ▶ <u>M46</u> — ◀ ▶ <u>M46</u> — ◀ ▶ <u>M46</u> — ◀  ▶ <u>M46</u> — ◀	▶ <u>M67</u> — ◀ ▶ <u>M67</u> — ◀ ▶ <u>M67</u> — ◀  ▶ <u>M67</u> — ◀ ▶ <u>M67</u> — ◀ ▶ <u>M67</u> — ◀ ▶ <u>M67</u> — ◀  ▶ <u>M67</u> — ◀	▶ <u>M5</u> 0,01 (*) ◀ ▶ <u>M5</u> 3 ◀ ▶ <u>M5</u> 3 ◀  ▶ <u>M5</u> 3 ◀ ▶ <u>M5</u> 0,01 (*) ◀ ▶ <u>M5</u> 0,01 (*) ◀ ▶ <u>M5</u> 0,01 (*) ◀  ▶ <u>M5</u> 0,01 (*) ◀
	▶ <u>M40</u> — ◀		▶ <u>M46</u> — ◀	▶ <u>M67</u> — ◀	▶ <u>M5</u> 0,01 (*) ◀

## ▼ M2

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)
0160000	(vi) <b>Miscellaneous fruit</b>	► <u>M32</u> — ◀	► <u>M51</u> — ◀	► <u>M5</u> 0,1 ◀	► <u>M42</u> — ◀	► <u>M26</u> 0,5 ◀		► <u>M66</u> — ◀
0161000	(a) <i>Edible peel</i>	► <u>M32</u> — ◀	► <u>M51</u> — ◀		► <u>M42</u> — ◀			► <u>M66</u> — ◀
0161010	Dates	► <u>M32</u> — ◀	► <u>M51</u> — ◀		► <u>M42</u> — ◀		20	► <u>M66</u> — ◀
0161020	Figs	► <u>M32</u> — ◀	► <u>M51</u> — ◀		► <u>M42</u> — ◀		20	► <u>M66</u> — ◀
0161030	Table olives	► <u>M32</u> — ◀	► <u>M51</u> — ◀		► <u>M42</u> — ◀		30	► <u>M66</u> — ◀
0161040	Kumquats	► <u>M32</u> — ◀	► <u>M51</u> — ◀		► <u>M42</u> — ◀		20	► <u>M66</u> — ◀
0161050	Carambola	► <u>M32</u> — ◀	► <u>M51</u> — ◀		► <u>M42</u> — ◀		20	► <u>M66</u> — ◀
0161060	Persimmon	► <u>M32</u> — ◀	► <u>M51</u> — ◀		► <u>M42</u> — ◀		20	► <u>M66</u> — ◀
0161070	Jambolan (java plum)	► <u>M32</u> — ◀	► <u>M51</u> — ◀		► <u>M42</u> — ◀		20	► <u>M66</u> — ◀
0161990	Others	► <u>M32</u> — ◀	► <u>M51</u> — ◀		► <u>M42</u> — ◀		20	► <u>M66</u> — ◀
0162000	(b) <i>Inedible peel, small</i>	► <u>M32</u> — ◀	► <u>M51</u> — ◀		► <u>M42</u> — ◀		20	► <u>M66</u> — ◀
0162010	Kiwi	► <u>M32</u> — ◀	► <u>M51</u> — ◀		► <u>M42</u> — ◀			► <u>M66</u> — ◀
0162020	Lychee (Litchi)	► <u>M32</u> — ◀	► <u>M51</u> — ◀		► <u>M42</u> — ◀			► <u>M66</u> — ◀
0162030	Passion fruit	► <u>M32</u> — ◀	► <u>M51</u> — ◀		► <u>M42</u> — ◀			► <u>M66</u> — ◀
0162040	Prickly pear (cactus fruit)	► <u>M32</u> — ◀	► <u>M51</u> — ◀		► <u>M42</u> — ◀			► <u>M66</u> — ◀
0162050	Star apple	► <u>M32</u> — ◀	► <u>M51</u> — ◀		► <u>M42</u> — ◀			► <u>M66</u> — ◀
0162060	American persimmon (Virginia kaki)	► <u>M32</u> — ◀	► <u>M51</u> — ◀		► <u>M42</u> — ◀			► <u>M66</u> — ◀
0162990	Others	► <u>M32</u> — ◀	► <u>M51</u> — ◀		► <u>M42</u> — ◀			► <u>M66</u> — ◀
0163000	(c) <i>Inedible peel, large</i>	► <u>M32</u> — ◀	► <u>M51</u> — ◀		► <u>M42</u> — ◀		20	► <u>M66</u> — ◀
0163010	Avocados	► <u>M32</u> — ◀	► <u>M51</u> — ◀		► <u>M42</u> — ◀			► <u>M66</u> — ◀

▼ M2

(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)
	▶ <u>M24</u> 0,05 (*) ◀	▶ <u>M44</u> 0,05 (*) ◀	▶ <u>M71</u> — ◀			▶ <u>M74</u> 0,05 (*) ◀	▶ <u>M32</u> — ◀
▶ <u>M56</u> 0,05 (*) ◀			▶ <u>M71</u> — ◀				▶ <u>M32</u> — ◀
			▶ <u>M71</u> — ◀ ▶ <u>M71</u> — ◀ ▶ <u>M71</u> — ◀ ▶ <u>M71</u> — ◀ ▶ <u>M71</u> — ◀ ▶ <u>M71</u> — ◀ ▶ <u>M71</u> — ◀				▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀
			▶ <u>M71</u> — ◀				▶ <u>M32</u> — ◀
▶ <u>M56</u> 0,05 (*) ◀			▶ <u>M71</u> — ◀				▶ <u>M32</u> — ◀
			▶ <u>M71</u> — ◀ ▶ <u>M71</u> — ◀ ▶ <u>M71</u> — ◀ ▶ <u>M71</u> — ◀  ▶ <u>M71</u> — ◀ ▶ <u>M71</u> — ◀				▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀  ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀
			▶ <u>M71</u> — ◀				▶ <u>M32</u> — ◀
			▶ <u>M71</u> — ◀				▶ <u>M32</u> — ◀
▶ <u>M56</u> 0,05 (*) ◀			▶ <u>M71</u> — ◀				▶ <u>M32</u> — ◀

▼ M2

(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)
▶ <u>M24</u> 0,05 (*) ◀		▶ <u>M66</u> — ◀	0,05 (*)	▶ <u>M5</u> — ◀	▶ <u>M5</u> 0,05 (*) ◀		
		▶ <u>M66</u> — ◀					
		▶ <u>M66</u> — ◀ ▶ <u>M66</u> — ◀ ▶ <u>M66</u> — ◀ ▶ <u>M66</u> — ◀ ▶ <u>M66</u> — ◀ ▶ <u>M66</u> — ◀ ▶ <u>M66</u> — ◀		▶ <u>M78</u> 0,1 ◀ ▶ <u>M78</u> 0,1 ◀ ▶ <u>M78</u> 2 ◀ ▶ <u>M78</u> 0,6 ◀ ▶ <u>M78</u> 0,1 ◀ ▶ <u>M78</u> 0,8 ◀ ▶ <u>M78</u> 0,1 ◀			
		▶ <u>M66</u> — ◀		▶ <u>M78</u> 0,1 ◀			
		▶ <u>M66</u> — ◀		▶ <u>M78</u> 0,1 ◀			
		▶ <u>M66</u> — ◀ ▶ <u>M66</u> — ◀ ▶ <u>M66</u> — ◀ ▶ <u>M66</u> — ◀ ▶ <u>M66</u> — ◀ ▶ <u>M66</u> — ◀					
		▶ <u>M66</u> — ◀					
		▶ <u>M66</u> — ◀		▶ <u>M43</u> — ◀			
		▶ <u>M66</u> — ◀		▶ <u>M78</u> 0,1 ◀			

▼ M2

(26)	(27)	(28)	(29)	(30)	(31)
▶ <u>M32</u> 0,05 (*) ◀	▶ <u>M40</u> — ◀		▶ <u>M46</u> — ◀	▶ <u>M67</u> — ◀	▶ <u>M5</u> 0,01 (*) ◀
	▶ <u>M40</u> — ◀		▶ <u>M46</u> — ◀	▶ <u>M67</u> — ◀	
	▶ <u>M40</u> — ◀ ▶ <u>M40</u> — ◀ ▶ <u>M40</u> — ◀ ▶ <u>M40</u> — ◀ ▶ <u>M40</u> — ◀ ▶ <u>M40</u> — ◀ ▶ <u>M40</u> — ◀		▶ <u>M46</u> — ◀ ▶ <u>M46</u> — ◀ ▶ <u>M46</u> — ◀ ▶ <u>M46</u> — ◀ ▶ <u>M46</u> — ◀ ▶ <u>M46</u> — ◀ ▶ <u>M46</u> — ◀	▶ <u>M67</u> — ◀ ▶ <u>M67</u> — ◀ ▶ <u>M67</u> — ◀ ▶ <u>M67</u> — ◀ ▶ <u>M67</u> — ◀ ▶ <u>M67</u> — ◀ ▶ <u>M67</u> — ◀	
	▶ <u>M40</u> — ◀		▶ <u>M46</u> — ◀	▶ <u>M67</u> — ◀	
	▶ <u>M40</u> — ◀		▶ <u>M46</u> — ◀	▶ <u>M67</u> — ◀	
	▶ <u>M40</u> — ◀ ▶ <u>M40</u> — ◀ ▶ <u>M40</u> — ◀ ▶ <u>M40</u> — ◀  ▶ <u>M40</u> — ◀ ▶ <u>M40</u> — ◀		▶ <u>M46</u> — ◀ ▶ <u>M46</u> — ◀ ▶ <u>M46</u> — ◀ ▶ <u>M46</u> — ◀  ▶ <u>M46</u> — ◀ ▶ <u>M46</u> — ◀	▶ <u>M67</u> — ◀ ▶ <u>M67</u> — ◀ ▶ <u>M67</u> — ◀ ▶ <u>M67</u> — ◀  ▶ <u>M67</u> — ◀ ▶ <u>M67</u> — ◀	
	▶ <u>M40</u> — ◀		▶ <u>M46</u> — ◀	▶ <u>M67</u> — ◀	
	▶ <u>M40</u> — ◀		▶ <u>M46</u> — ◀	▶ <u>M67</u> — ◀	
	▶ <u>M40</u> — ◀		▶ <u>M46</u> — ◀	▶ <u>M67</u> — ◀	

## ▼ M2

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)
0163020	Bananas	► <u>M32</u> — ◀	► <u>M51</u> — ◀		► <u>M42</u> — ◀			► <u>M66</u> — ◀
0163030	Mangoes	► <u>M32</u> — ◀	► <u>M51</u> — ◀		► <u>M42</u> — ◀			► <u>M66</u> — ◀
0163040	Papaya	► <u>M32</u> — ◀	► <u>M51</u> — ◀		► <u>M42</u> — ◀			► <u>M66</u> — ◀
0163050	Pomegranate	► <u>M32</u> — ◀	► <u>M51</u> — ◀		► <u>M42</u> — ◀			► <u>M66</u> — ◀
0163060	Cherimoya	► <u>M32</u> — ◀	► <u>M51</u> — ◀		► <u>M42</u> — ◀			► <u>M66</u> — ◀
0163070	Guava	► <u>M32</u> — ◀	► <u>M51</u> — ◀		► <u>M42</u> — ◀			► <u>M66</u> — ◀
0163080	Pineapples	► <u>M32</u> — ◀	► <u>M51</u> — ◀		► <u>M42</u> — ◀			► <u>M66</u> — ◀
0163090	Bread fruit	► <u>M32</u> — ◀	► <u>M51</u> — ◀		► <u>M42</u> — ◀			► <u>M66</u> — ◀
0163100	Durian	► <u>M32</u> — ◀	► <u>M51</u> — ◀		► <u>M42</u> — ◀			► <u>M66</u> — ◀
0163110	Soursop (guanabana)	► <u>M32</u> — ◀	► <u>M51</u> — ◀		► <u>M42</u> — ◀			► <u>M66</u> — ◀
0163990	Others	► <u>M32</u> — ◀	► <u>M51</u> — ◀		► <u>M42</u> — ◀			► <u>M66</u> — ◀
0200000	<b>2. VEGETABLES FRESH OR FROZEN</b>	► <u>M32</u> — ◀	► <u>M51</u> — ◀		► <u>M42</u> — ◀			► <u>M66</u> — ◀
0210000	(i) <b>Root and tuber vegetables</b>	► <u>M32</u> — ◀	► <u>M51</u> — ◀		► <u>M42</u> — ◀		5	► <u>M66</u> — ◀
0211000	(a) <i>Potatoes</i>	► <u>M32</u> — ◀	► <u>M51</u> — ◀	► <u>M5</u> 0,5 ◀	► <u>M42</u> — ◀	► <u>M26</u> 0,5 ◀		► <u>M66</u> — ◀
0212000	(b) <i>Tropical root and tuber vegetables</i>	► <u>M32</u> — ◀	► <u>M51</u> — ◀	► <u>M5</u> 0,1 ◀	► <u>M42</u> — ◀	► <u>M26</u> 1 ◀		► <u>M66</u> — ◀
0212010	Cassava	► <u>M32</u> — ◀	► <u>M51</u> — ◀		► <u>M42</u> — ◀			► <u>M66</u> — ◀
0212020	Sweet potatoes	► <u>M32</u> — ◀	► <u>M51</u> — ◀		► <u>M42</u> — ◀			► <u>M66</u> — ◀
0212030	Yams	► <u>M32</u> — ◀	► <u>M51</u> — ◀		► <u>M42</u> — ◀			► <u>M66</u> — ◀
0212040	Arrowroot	► <u>M32</u> — ◀	► <u>M51</u> — ◀		► <u>M42</u> — ◀			► <u>M66</u> — ◀
0212990	Others	► <u>M32</u> — ◀	► <u>M51</u> — ◀		► <u>M42</u> — ◀			► <u>M66</u> — ◀

▼ M2

(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)
▶ <u>M56</u> 0,05 (*) ◀ ▶ <u>M56</u> 0,2 ◀ ▶ <u>M56</u> 0,05 (*) ◀ ▶ <u>M56</u> 0,05 (*) ◀ ▶ <u>M56</u> 0,05 (*) ◀ ▶ <u>M56</u> 0,05 (*) ◀ ▶ <u>M56</u> 0,05 (*) ◀ ▶ <u>M56</u> 0,05 (*) ◀ ▶ <u>M56</u> 0,05 (*) ◀ ▶ <u>M56</u> 0,05 (*) ◀			▶ <u>M71</u> — ◀ ▶ <u>M71</u> — ◀ ▶ <u>M71</u> — ◀ ▶ <u>M71</u> — ◀ ▶ <u>M71</u> — ◀ ▶ <u>M71</u> — ◀ ▶ <u>M71</u> — ◀ ▶ <u>M71</u> — ◀ ▶ <u>M71</u> — ◀ ▶ <u>M71</u> — ◀				▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀
▶ <u>M56</u> 0,05 (*) ◀			▶ <u>M71</u> — ◀				▶ <u>M32</u> — ◀
			▶ <u>M71</u> — ◀	0,05 (*)	0,02 (*)		▶ <u>M32</u> — ◀
	▶ <u>M24</u> 0,05 (*) ◀	▶ <u>M44</u> 0,05 (*) ◀	▶ <u>M71</u> — ◀			▶ <u>M74</u> 0,05 (*) ◀	▶ <u>M32</u> — ◀
▶ <u>M56</u> 3 ◀			▶ <u>M71</u> — ◀				▶ <u>M32</u> — ◀
▶ <u>M56</u> 0,2 ◀			▶ <u>M71</u> — ◀				▶ <u>M32</u> — ◀
			▶ <u>M71</u> — ◀ ▶ <u>M71</u> — ◀ ▶ <u>M71</u> — ◀ ▶ <u>M71</u> — ◀				▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀
			▶ <u>M71</u> — ◀				▶ <u>M32</u> — ◀



▼ M2

(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)
		▶ <u>M66</u> — ◀ ▶ <u>M66</u> — ◀ ▶ <u>M66</u> — ◀ ▶ <u>M66</u> — ◀ ▶ <u>M66</u> — ◀ ▶ <u>M66</u> — ◀ ▶ <u>M66</u> — ◀ ▶ <u>M66</u> — ◀ ▶ <u>M66</u> — ◀ ▶ <u>M66</u> — ◀		▶ <u>M78</u> 0,1 ◀ ▶ <u>M78</u> 0,1 ◀ ▶ <u>M78</u> 0,2 ◀ ▶ <u>M78</u> 0,1 ◀ ▶ <u>M78</u> 0,1 ◀ ▶ <u>M78</u> 0,1 ◀ ▶ <u>M78</u> 0,1 ◀ ▶ <u>M78</u> 0,1 ◀ ▶ <u>M78</u> 0,1 ◀ ▶ <u>M78</u> 0,1 ◀			
		▶ <u>M66</u> — ◀		▶ <u>M78</u> 0,1 ◀			
▶ <u>M24</u> 0,05 (*) ◀		▶ <u>M66</u> — ◀				▶ <u>M31</u> 0,05 (*) ◀	0,02 (*)
		▶ <u>M66</u> — ◀	0,05 (*)		▶ <u>M5</u> 0,05 (*) ◀		
	0,1	▶ <u>M66</u> — ◀		▶ <u>M78</u> 0,1 ◀			
	0,1	▶ <u>M66</u> — ◀		▶ <u>M78</u> 0,1 ◀			
		▶ <u>M66</u> — ◀ ▶ <u>M66</u> — ◀ ▶ <u>M66</u> — ◀ ▶ <u>M66</u> — ◀					
		▶ <u>M66</u> — ◀					

▼ M2

(26)	(27)	(28)	(29)	(30)	(31)
	▶ <u>M40</u> — ◀ ▶ <u>M40</u> — ◀ ▶ <u>M40</u> — ◀ ▶ <u>M40</u> — ◀ ▶ <u>M40</u> — ◀ ▶ <u>M40</u> — ◀ ▶ <u>M40</u> — ◀ ▶ <u>M40</u> — ◀ ▶ <u>M40</u> — ◀ ▶ <u>M40</u> — ◀		▶ <u>M46</u> — ◀ ▶ <u>M46</u> — ◀ ▶ <u>M46</u> — ◀ ▶ <u>M46</u> — ◀ ▶ <u>M46</u> — ◀ ▶ <u>M46</u> — ◀ ▶ <u>M46</u> — ◀ ▶ <u>M46</u> — ◀ ▶ <u>M46</u> — ◀ ▶ <u>M46</u> — ◀	▶ <u>M67</u> — ◀ ▶ <u>M67</u> — ◀ ▶ <u>M67</u> — ◀ ▶ <u>M67</u> — ◀ ▶ <u>M67</u> — ◀ ▶ <u>M67</u> — ◀ ▶ <u>M67</u> — ◀ ▶ <u>M67</u> — ◀ ▶ <u>M67</u> — ◀ ▶ <u>M67</u> — ◀	
	▶ <u>M40</u> — ◀		▶ <u>M46</u> — ◀	▶ <u>M67</u> — ◀	
▶ <u>M32</u> — ◀	▶ <u>M40</u> — ◀	▶ <u>M31</u> 0,01 (*) ◀	▶ <u>M46</u> — ◀	▶ <u>M67</u> — ◀	
▶ <u>M32</u> 0,05 (*) ◀	▶ <u>M40</u> — ◀		▶ <u>M46</u> — ◀	▶ <u>M67</u> — ◀	
	▶ <u>M40</u> — ◀		▶ <u>M46</u> — ◀	▶ <u>M67</u> — ◀	▶ <u>M5</u> 0,1 ◀
	▶ <u>M40</u> — ◀		▶ <u>M46</u> — ◀	▶ <u>M67</u> — ◀	▶ <u>M5</u> 0,01 (*) ◀
	▶ <u>M40</u> — ◀ ▶ <u>M40</u> — ◀ ▶ <u>M40</u> — ◀ ▶ <u>M40</u> — ◀		▶ <u>M46</u> — ◀ ▶ <u>M46</u> — ◀ ▶ <u>M46</u> — ◀ ▶ <u>M46</u> — ◀	▶ <u>M67</u> — ◀ ▶ <u>M67</u> — ◀ ▶ <u>M67</u> — ◀ ▶ <u>M67</u> — ◀	
	▶ <u>M40</u> — ◀		▶ <u>M46</u> — ◀	▶ <u>M67</u> — ◀	

## ▼ M2

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)
0213000	(c) <i>Other root and tuber vegetables except sugar beet</i>	► <u>M32</u> — ◀	► <u>M51</u> — ◀	► <u>M5</u> 0,5 ◀	► <u>M42</u> — ◀	► <u>M5</u> — ◀		► <u>M66</u> — ◀
0213010	Beetroot	► <u>M32</u> — ◀	► <u>M51</u> — ◀		► <u>M42</u> — ◀	► <u>M26</u> 1 ◀		► <u>M66</u> — ◀
0213020	Carrots	► <u>M32</u> — ◀	► <u>M51</u> — ◀		► <u>M42</u> — ◀	► <u>M26</u> 0,5 ◀		► <u>M66</u> — ◀
0213030	Celeriac	► <u>M32</u> — ◀	► <u>M51</u> — ◀		► <u>M42</u> — ◀	► <u>M26</u> 0,5 ◀		► <u>M66</u> — ◀
0213040	Horseradish	► <u>M32</u> — ◀	► <u>M51</u> — ◀		► <u>M42</u> — ◀	► <u>M26</u> 0,5 ◀		► <u>M66</u> — ◀
0213050	Jerusalem artichokes	► <u>M32</u> — ◀	► <u>M51</u> — ◀		► <u>M42</u> — ◀	► <u>M26</u> 0,5 ◀		► <u>M66</u> — ◀
0213060	Parsnips	► <u>M32</u> — ◀	► <u>M51</u> — ◀		► <u>M42</u> — ◀	► <u>M26</u> 0,5 ◀		► <u>M66</u> — ◀
0213070	Parsley root	► <u>M32</u> — ◀	► <u>M51</u> — ◀		► <u>M42</u> — ◀	► <u>M26</u> 0,5 ◀		► <u>M66</u> — ◀
0213080	Radishes	► <u>M32</u> — ◀	► <u>M51</u> — ◀		► <u>M42</u> — ◀	► <u>M26</u> 0,5 ◀		► <u>M66</u> — ◀
0213090	Salsify	► <u>M32</u> — ◀	► <u>M51</u> — ◀		► <u>M42</u> — ◀	► <u>M26</u> 0,5 ◀		► <u>M66</u> — ◀
0213100	Swedes	► <u>M32</u> — ◀	► <u>M51</u> — ◀		► <u>M42</u> — ◀	► <u>M26</u> 1,5 ◀		► <u>M66</u> — ◀
0213110	Turnips	► <u>M32</u> — ◀	► <u>M51</u> — ◀		► <u>M42</u> — ◀	► <u>M26</u> 1,5 ◀		► <u>M66</u> — ◀
0213990	Others	► <u>M32</u> — ◀	► <u>M51</u> — ◀		► <u>M42</u> — ◀	► <u>M26</u> 0,5 ◀		► <u>M66</u> — ◀
0220000	(ii) <b>Bulb vegetables</b>	► <u>M32</u> — ◀	► <u>M51</u> — ◀	► <u>M5</u> 0,5 ◀	► <u>M42</u> — ◀	► <u>M26</u> 0,5 ◀	5	► <u>M66</u> — ◀
0220010	Garlic	► <u>M32</u> — ◀	► <u>M51</u> — ◀		► <u>M42</u> — ◀			► <u>M66</u> — ◀
0220020	Onions	► <u>M32</u> — ◀	► <u>M51</u> — ◀		► <u>M42</u> — ◀			► <u>M66</u> — ◀
0220030	Shallots	► <u>M32</u> — ◀	► <u>M51</u> — ◀		► <u>M42</u> — ◀			► <u>M66</u> — ◀
0220040	Spring onions	► <u>M32</u> — ◀	► <u>M51</u> — ◀		► <u>M42</u> — ◀			► <u>M66</u> — ◀
0220990	Others	► <u>M32</u> — ◀	► <u>M51</u> — ◀		► <u>M42</u> — ◀			► <u>M66</u> — ◀
0230000	(iii) <b>Fruiting vegetables</b>	► <u>M32</u> — ◀	► <u>M51</u> — ◀		► <u>M42</u> — ◀	► <u>M26</u> 0,5 ◀		► <u>M66</u> — ◀
0231000	(a) <i>Solanacea</i>	► <u>M32</u> — ◀	► <u>M51</u> — ◀		► <u>M42</u> — ◀		5	► <u>M66</u> — ◀

▼ M2

(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)
			▶ <u>M71</u> — ◀				▶ <u>M32</u> — ◀
▶ <u>M56</u> 0,2 ◀ ▶ <u>M56</u> 5 ◀ ▶ <u>M56</u> 1 ◀ ▶ <u>M56</u> 0,2 ◀ ▶ <u>M56</u> 0,2 ◀  ▶ <u>M56</u> 0,2 ◀ ▶ <u>M56</u> 0,2 ◀ ▶ <u>M56</u> 0,2 ◀ ▶ <u>M56</u> 0,2 ◀ ▶ <u>M56</u> 0,2 ◀ ▶ <u>M56</u> 1 ◀			▶ <u>M71</u> — ◀ ▶ <u>M71</u> — ◀ ▶ <u>M71</u> — ◀ ▶ <u>M71</u> — ◀ ▶ <u>M71</u> — ◀  ▶ <u>M71</u> — ◀ ▶ <u>M71</u> — ◀ ▶ <u>M71</u> — ◀ ▶ <u>M71</u> — ◀ ▶ <u>M71</u> — ◀ ▶ <u>M71</u> — ◀				▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀  ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀
▶ <u>M56</u> 0,2 ◀			▶ <u>M71</u> — ◀				▶ <u>M32</u> — ◀
▶ <u>M56</u> — ◀		▶ <u>M44</u> 0,05 (*) ◀	▶ <u>M71</u> — ◀			▶ <u>M74</u> 0,05 (*) ◀	▶ <u>M32</u> — ◀
▶ <u>M56</u> 1 ◀ ▶ <u>M56</u> 3 ◀ ▶ <u>M56</u> 1 ◀ ▶ <u>M56</u> 1 ◀	▶ <u>M24</u> 0,05 (*) ◀ ▶ <u>M24</u> 0,5 ◀ ▶ <u>M24</u> 0,05 (*) ◀ ▶ <u>M24</u> 0,05 (*) ◀		▶ <u>M71</u> — ◀ ▶ <u>M71</u> — ◀ ▶ <u>M71</u> — ◀ ▶ <u>M71</u> — ◀				▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀
▶ <u>M56</u> 1 ◀	▶ <u>M24</u> 0,05 (*) ◀		▶ <u>M71</u> — ◀				▶ <u>M32</u> — ◀
		▶ <u>M44</u> 0,05 (*) ◀	▶ <u>M71</u> — ◀				▶ <u>M32</u> — ◀
			▶ <u>M71</u> — ◀			▶ <u>M74</u> 0,05 (*) ◀	▶ <u>M32</u> — ◀



▼ M2

(26)	(27)	(28)	(29)	(30)	(31)
	▶ <u>M40</u> — ◀		▶ <u>M46</u> — ◀	▶ <u>M67</u> — ◀	
	▶ <u>M40</u> — ◀ ▶ <u>M40</u> — ◀ ▶ <u>M40</u> — ◀ ▶ <u>M40</u> — ◀ ▶ <u>M40</u> — ◀  ▶ <u>M40</u> — ◀ ▶ <u>M40</u> — ◀ ▶ <u>M40</u> — ◀ ▶ <u>M40</u> — ◀ ▶ <u>M40</u> — ◀ ▶ <u>M40</u> — ◀		▶ <u>M46</u> — ◀ ▶ <u>M46</u> — ◀ ▶ <u>M46</u> — ◀ ▶ <u>M46</u> — ◀ ▶ <u>M46</u> — ◀  ▶ <u>M46</u> — ◀ ▶ <u>M46</u> — ◀ ▶ <u>M46</u> — ◀ ▶ <u>M46</u> — ◀ ▶ <u>M46</u> — ◀ ▶ <u>M46</u> — ◀	▶ <u>M67</u> — ◀ ▶ <u>M67</u> — ◀ ▶ <u>M67</u> — ◀ ▶ <u>M67</u> — ◀ ▶ <u>M67</u> — ◀  ▶ <u>M67</u> — ◀ ▶ <u>M67</u> — ◀ ▶ <u>M67</u> — ◀ ▶ <u>M67</u> — ◀ ▶ <u>M67</u> — ◀ ▶ <u>M67</u> — ◀	▶ <u>M5</u> 0,01 (*) ◀ ▶ <u>M5</u> 0,05 ◀ ▶ <u>M5</u> 0,01 (*) ◀ ▶ <u>M5</u> 0,01 (*) ◀ ▶ <u>M5</u> 0,01 (*) ◀  ▶ <u>M5</u> 0,01 (*) ◀ ▶ <u>M5</u> 0,01 (*) ◀ ▶ <u>M5</u> 0,01 (*) ◀ ▶ <u>M5</u> 0,01 (*) ◀ ▶ <u>M5</u> 0,01 (*) ◀ ▶ <u>M5</u> 0,01 (*) ◀
	▶ <u>M40</u> — ◀		▶ <u>M46</u> — ◀	▶ <u>M67</u> — ◀	▶ <u>M5</u> 0,01 (*) ◀
▶ <u>M32</u> 0,1 (*) ◀	▶ <u>M40</u> — ◀		▶ <u>M46</u> — ◀	▶ <u>M67</u> — ◀	▶ <u>M5</u> 0,01 (*) ◀
	▶ <u>M40</u> — ◀ ▶ <u>M40</u> — ◀ ▶ <u>M40</u> — ◀ ▶ <u>M40</u> — ◀		▶ <u>M46</u> — ◀ ▶ <u>M46</u> — ◀ ▶ <u>M46</u> — ◀ ▶ <u>M46</u> — ◀	▶ <u>M67</u> — ◀ ▶ <u>M67</u> — ◀ ▶ <u>M67</u> — ◀ ▶ <u>M67</u> — ◀	
	▶ <u>M40</u> — ◀		▶ <u>M46</u> — ◀	▶ <u>M67</u> — ◀	
▶ <u>M32</u> 0,05 (*) ◀	▶ <u>M40</u> — ◀		▶ <u>M46</u> — ◀	▶ <u>M67</u> — ◀	
	▶ <u>M40</u> — ◀		▶ <u>M46</u> — ◀	▶ <u>M67</u> — ◀	

▼ M2

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)
0231010	Tomatoes	► <u>M32</u> — ◀	► <u>M51</u> — ◀	► <u>M5</u> 1 ◀	► <u>M42</u> — ◀			► <u>M66</u> — ◀
0231020	Peppers	► <u>M32</u> — ◀	► <u>M51</u> — ◀	► <u>M5</u> 0,5 ◀	► <u>M42</u> — ◀			► <u>M66</u> — ◀
0231030	Aubergines (egg plants)	► <u>M32</u> — ◀	► <u>M51</u> — ◀	► <u>M5</u> 0,5 ◀	► <u>M42</u> — ◀			► <u>M66</u> — ◀
0231040	Okra, lady's fingers	► <u>M32</u> — ◀	► <u>M51</u> — ◀	► <u>M5</u> 0,5 ◀	► <u>M42</u> — ◀			► <u>M66</u> — ◀
0231990	Others	► <u>M32</u> — ◀	► <u>M51</u> — ◀	► <u>M5</u> 0,5 ◀	► <u>M42</u> — ◀			► <u>M66</u> — ◀
0232000	(b) <i>Cucurbits — edible peel</i>	► <u>M32</u> — ◀	► <u>M51</u> — ◀	► <u>M5</u> 0,5 ◀	► <u>M42</u> — ◀		5	► <u>M66</u> — ◀
0232010	Cucumbers	► <u>M32</u> — ◀	► <u>M51</u> — ◀		► <u>M42</u> — ◀			► <u>M66</u> — ◀
0232020	Gherkins	► <u>M32</u> — ◀	► <u>M51</u> — ◀		► <u>M42</u> — ◀			► <u>M66</u> — ◀
0232030	Courgettes	► <u>M32</u> — ◀	► <u>M51</u> — ◀		► <u>M42</u> — ◀			► <u>M66</u> — ◀
0232990	Others	► <u>M32</u> — ◀	► <u>M51</u> — ◀		► <u>M42</u> — ◀			► <u>M66</u> — ◀
0233000	(c) <i>Cucurbits- inedible peel</i>	► <u>M32</u> — ◀	► <u>M51</u> — ◀	► <u>M5</u> 0,5 ◀	► <u>M42</u> — ◀		5	► <u>M66</u> — ◀
0233010	Melons	► <u>M32</u> — ◀	► <u>M51</u> — ◀		► <u>M42</u> — ◀			► <u>M66</u> — ◀
0233020	Pumpkins	► <u>M32</u> — ◀	► <u>M51</u> — ◀		► <u>M42</u> — ◀			► <u>M66</u> — ◀
0233030	Watermelons	► <u>M32</u> — ◀	► <u>M51</u> — ◀		► <u>M42</u> — ◀			► <u>M66</u> — ◀
0233990	Others	► <u>M32</u> — ◀	► <u>M51</u> — ◀		► <u>M42</u> — ◀			► <u>M66</u> — ◀
0234000	(d) <i>Sweet corn</i>	► <u>M32</u> — ◀	► <u>M51</u> — ◀	► <u>M5</u> 0,5 ◀	► <u>M42</u> — ◀		10	► <u>M66</u> — ◀
0239000	(e) <i>Other fruiting vegetables</i>	► <u>M32</u> — ◀	► <u>M51</u> — ◀	► <u>M5</u> 0,5 ◀	► <u>M42</u> — ◀		5	► <u>M66</u> — ◀
0240000	(iv) <b>Brassica vegetables</b>	► <u>M32</u> — ◀	► <u>M51</u> — ◀		► <u>M42</u> — ◀		20	► <u>M66</u> — ◀
0241000	(a) <i>Flowering brassica</i>	► <u>M32</u> — ◀	► <u>M51</u> — ◀	► <u>M5</u> 0,5 ◀	► <u>M42</u> — ◀	► <u>M26</u> — ◀		► <u>M66</u> — ◀
0241010	Broccoli	► <u>M32</u> — ◀	► <u>M51</u> — ◀		► <u>M42</u> — ◀	► <u>M26</u> 1,5 ◀		► <u>M66</u> — ◀
0241020	Cauliflower	► <u>M32</u> — ◀	► <u>M51</u> — ◀		► <u>M42</u> — ◀	► <u>M26</u> 3 ◀		► <u>M66</u> — ◀

▼ M2

(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)
▶ <u>M56</u> 1,5 ◀	▶ <u>M24</u> 0,2 ◀		▶ <u>M71</u> — ◀				▶ <u>M32</u> — ◀
▶ <u>M56</u> 9 ◀	▶ <u>M24</u> 0,05 (*) ◀		▶ <u>M71</u> — ◀				▶ <u>M32</u> — ◀
▶ <u>M56</u> 1 ◀	▶ <u>M24</u> 0,05 (*) ◀		▶ <u>M71</u> — ◀				▶ <u>M32</u> — ◀
▶ <u>M56</u> 0,05 (*) ◀	▶ <u>M24</u> 0,05 (*) ◀		▶ <u>M71</u> — ◀				▶ <u>M32</u> — ◀
▶ <u>M56</u> 0,05 (*) ◀	▶ <u>M24</u> 0,05 (*) ◀		▶ <u>M71</u> — ◀				▶ <u>M32</u> — ◀
▶ <u>M56</u> 0,05 (*) ◀			▶ <u>M71</u> — ◀			▶ <u>M74</u> 0,05 (*) ◀	▶ <u>M32</u> — ◀
	▶ <u>M24</u> 0,5 ◀		▶ <u>M71</u> — ◀				▶ <u>M32</u> — ◀
	▶ <u>M24</u> 0,5 ◀		▶ <u>M71</u> — ◀				▶ <u>M32</u> — ◀
	▶ <u>M24</u> 0,1 ◀		▶ <u>M71</u> — ◀				▶ <u>M32</u> — ◀
	▶ <u>M24</u> 0,1 ◀		▶ <u>M71</u> — ◀				▶ <u>M32</u> — ◀
▶ <u>M56</u> 0,05 (*) ◀	▶ <u>M24</u> 0,1 ◀		▶ <u>M71</u> — ◀			▶ <u>M74</u> 0,05 (*) ◀	▶ <u>M32</u> — ◀
			▶ <u>M71</u> — ◀				▶ <u>M32</u> — ◀
			▶ <u>M71</u> — ◀				▶ <u>M32</u> — ◀
			▶ <u>M71</u> — ◀				▶ <u>M32</u> — ◀
▶ <u>M56</u> 0,05 (*) ◀	▶ <u>M24</u> 0,1 ◀		▶ <u>M71</u> — ◀			▶ <u>M74</u> 0,07 ◀	▶ <u>M32</u> — ◀
▶ <u>M56</u> 0,05 (*) ◀	▶ <u>M24</u> 0,1 ◀		▶ <u>M71</u> — ◀			▶ <u>M74</u> 0,05 (*) ◀	▶ <u>M32</u> — ◀
	▶ <u>M24</u> 0,05 (*) ◀	▶ <u>M44</u> 0,05 (*) ◀	▶ <u>M71</u> — ◀			▶ <u>M74</u> 0,05 (*) ◀	▶ <u>M32</u> — ◀
			▶ <u>M71</u> — ◀				▶ <u>M32</u> — ◀
▶ <u>M56</u> 2 ◀			▶ <u>M71</u> — ◀				▶ <u>M32</u> — ◀
▶ <u>M56</u> 5 ◀			▶ <u>M71</u> — ◀				▶ <u>M32</u> — ◀



▼ M2

(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)
		▶ <u>M66</u> — ◀	1	▶ <u>M78</u> 2 ◀	▶ <u>M5</u> 0,05 (*) ◀		
		▶ <u>M66</u> — ◀	1	▶ <u>M78</u> 0,8 ◀	▶ <u>M5</u> 1 ◀		
		▶ <u>M66</u> — ◀	1	▶ <u>M78</u> 0,6 ◀	▶ <u>M5</u> 0,05 (*) ◀		
		▶ <u>M66</u> — ◀	0,5	▶ <u>M78</u> 0,05 (*) ◀	▶ <u>M5</u> 0,05 (*) ◀		
		▶ <u>M66</u> — ◀	0,5	▶ <u>M78</u> 0,05 (*) ◀	▶ <u>M5</u> 0,05 (*) ◀		
		▶ <u>M66</u> — ◀	0,5	▶ <u>M78</u> 0,3 ◀	▶ <u>M5</u> 0,05 (*) ◀		
		▶ <u>M66</u> — ◀					
		▶ <u>M66</u> — ◀					
		▶ <u>M66</u> — ◀					
		▶ <u>M66</u> — ◀		▶ <u>M78</u> 0,2 ◀	▶ <u>M5</u> 0,05 (*) ◀		
		▶ <u>M66</u> — ◀	0,5				
		▶ <u>M66</u> — ◀	0,05 (*)				
		▶ <u>M66</u> — ◀	0,05 (*)				
		▶ <u>M66</u> — ◀	0,05 (*)				
		▶ <u>M66</u> — ◀	0,05 (*)	▶ <u>M78</u> 0,05 (*) ◀	▶ <u>M5</u> 0,05 (*) ◀		
		▶ <u>M66</u> — ◀	0,05 (*)	▶ <u>M78</u> 0,05 (*) ◀	▶ <u>M5</u> 0,05 (*) ◀		
	0,1	▶ <u>M66</u> — ◀	0,05 (*)		▶ <u>M5</u> 1 ◀		
		▶ <u>M66</u> — ◀					
		▶ <u>M66</u> — ◀		▶ <u>M78</u> 1 ◀			
		▶ <u>M66</u> — ◀		▶ <u>M78</u> 0,2 ◀			

▼ M2

(26)	(27)	(28)	(29)	(30)	(31)
	▶ <u>M40</u> — ◀ ▶ <u>M40</u> — ◀ ▶ <u>M40</u> — ◀ ▶ <u>M40</u> — ◀		▶ <u>M46</u> — ◀ ▶ <u>M46</u> — ◀ ▶ <u>M46</u> — ◀ ▶ <u>M46</u> — ◀	▶ <u>M67</u> — ◀ ▶ <u>M67</u> — ◀ ▶ <u>M67</u> — ◀ ▶ <u>M67</u> — ◀	▶ <u>M5</u> 0,6 ◀ ▶ <u>M5</u> 0,6 ◀ ▶ <u>M5</u> 0,01 (*) ◀ ▶ <u>M5</u> 0,01 (*) ◀
	▶ <u>M40</u> — ◀		▶ <u>M46</u> — ◀	▶ <u>M67</u> — ◀	▶ <u>M5</u> 0,01 (*) ◀
	▶ <u>M40</u> — ◀		▶ <u>M46</u> — ◀	▶ <u>M67</u> — ◀	▶ <u>M5</u> 0,01 (*) ◀
	▶ <u>M40</u> — ◀ ▶ <u>M40</u> — ◀ ▶ <u>M40</u> — ◀		▶ <u>M46</u> — ◀ ▶ <u>M46</u> — ◀ ▶ <u>M46</u> — ◀	▶ <u>M67</u> — ◀ ▶ <u>M67</u> — ◀ ▶ <u>M67</u> — ◀	
	▶ <u>M40</u> — ◀		▶ <u>M46</u> — ◀	▶ <u>M67</u> — ◀	
	▶ <u>M40</u> — ◀		▶ <u>M46</u> — ◀	▶ <u>M67</u> — ◀	▶ <u>M5</u> 0,01 (*) ◀
	▶ <u>M40</u> — ◀ ▶ <u>M40</u> — ◀ ▶ <u>M40</u> — ◀		▶ <u>M46</u> — ◀ ▶ <u>M46</u> — ◀ ▶ <u>M46</u> — ◀	▶ <u>M67</u> — ◀ ▶ <u>M67</u> — ◀ ▶ <u>M67</u> — ◀	
	▶ <u>M40</u> — ◀		▶ <u>M46</u> — ◀	▶ <u>M67</u> — ◀	
	▶ <u>M40</u> — ◀		▶ <u>M46</u> — ◀	▶ <u>M67</u> — ◀	▶ <u>M5</u> 0,01 (*) ◀
	▶ <u>M40</u> — ◀		▶ <u>M46</u> — ◀	▶ <u>M67</u> — ◀	▶ <u>M5</u> 0,01 (*) ◀
▶ <u>M32</u> 0,05 (*) ◀	▶ <u>M40</u> — ◀		▶ <u>M46</u> — ◀	▶ <u>M67</u> — ◀	▶ <u>M5</u> 0,01 (*) ◀
	▶ <u>M40</u> — ◀		▶ <u>M46</u> — ◀	▶ <u>M67</u> — ◀	
	▶ <u>M40</u> — ◀ ▶ <u>M40</u> — ◀		▶ <u>M46</u> — ◀ ▶ <u>M46</u> — ◀	▶ <u>M67</u> — ◀ ▶ <u>M67</u> — ◀	

▼ **M2**

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)
0241990	Others	► <u>M32</u> — ◄	► <u>M51</u> — ◄		► <u>M42</u> — ◄	► <u>M26</u> 0,5 ◄		► <u>M66</u> — ◄
0242000	(b) <i>Head brassica</i>	► <u>M32</u> — ◄	► <u>M51</u> — ◄	► <u>M5</u> 0,5 ◄	► <u>M42</u> — ◄	► <u>M26</u> — ◄		► <u>M66</u> — ◄
0242010	Brussels sprouts	► <u>M32</u> — ◄	► <u>M51</u> — ◄		► <u>M42</u> — ◄	► <u>M26</u> 0,5 ◄		► <u>M66</u> — ◄
0242020	Head cabbage	► <u>M32</u> — ◄	► <u>M51</u> — ◄		► <u>M42</u> — ◄	► <u>M26</u> 3 ◄		► <u>M66</u> — ◄
0242990	Others	► <u>M32</u> — ◄	► <u>M51</u> — ◄		► <u>M42</u> — ◄	► <u>M26</u> 0,5 ◄		► <u>M66</u> — ◄
0243000	(c) <i>Leafy brassica</i>	► <u>M32</u> — ◄	► <u>M51</u> — ◄	► <u>M5</u> 1 ◄	► <u>M42</u> — ◄			► <u>M66</u> — ◄
0243010	Chinese cabbage	► <u>M32</u> — ◄	► <u>M51</u> — ◄		► <u>M42</u> — ◄	► <u>M26</u> 1 ◄		► <u>M66</u> — ◄
0243020	Kale	► <u>M32</u> — ◄	► <u>M51</u> — ◄		► <u>M42</u> — ◄	► <u>M26</u> 1 ◄		► <u>M66</u> — ◄
0243990	Others	► <u>M32</u> — ◄	► <u>M51</u> — ◄		► <u>M42</u> — ◄	► <u>M26</u> 0,5 ◄		► <u>M66</u> — ◄
0244000	(d) <i>Kohlrabi</i>	► <u>M32</u> — ◄	► <u>M51</u> — ◄	► <u>M5</u> 0,5 ◄	► <u>M42</u> — ◄	► <u>M26</u> 0,5 ◄		► <u>M66</u> — ◄
0250000	(v) <b>Leaf vegetables &amp; fresh herbs</b>	► <u>M32</u> — ◄	► <u>M51</u> — ◄	► <u>M5</u> 0,5 ◄	► <u>M42</u> — ◄			► <u>M66</u> — ◄
0251000	(a) <i>Lettuce and other salad plants including Brassicacea</i>	► <u>M32</u> — ◄	► <u>M51</u> — ◄		► <u>M42</u> — ◄	► <u>M26</u> 0,5 ◄	100	► <u>M66</u> — ◄
0251010	Lamb's lettuce	► <u>M32</u> — ◄	► <u>M51</u> — ◄		► <u>M42</u> — ◄			► <u>M66</u> — ◄
0251020	Lettuce	► <u>M32</u> — ◄	► <u>M51</u> — ◄		► <u>M42</u> — ◄			► <u>M66</u> — ◄
0251030	Scarole (broad-leaf endive)	► <u>M32</u> — ◄	► <u>M51</u> — ◄		► <u>M42</u> — ◄			► <u>M66</u> — ◄
0251040	Cress	► <u>M32</u> — ◄	► <u>M51</u> — ◄		► <u>M42</u> — ◄			► <u>M66</u> — ◄
0251050	Land cress	► <u>M32</u> — ◄	► <u>M51</u> — ◄		► <u>M42</u> — ◄			► <u>M66</u> — ◄
0251060	Rocket, Rucola	► <u>M32</u> — ◄	► <u>M51</u> — ◄		► <u>M42</u> — ◄			► <u>M66</u> — ◄

▼ M2

(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)
▶ <u>M56</u> 2 ◀			▶ <u>M71</u> — ◀				▶ <u>M32</u> — ◀
			▶ <u>M71</u> — ◀				▶ <u>M32</u> — ◀
▶ <u>M56</u> 3 ◀			▶ <u>M71</u> — ◀				▶ <u>M32</u> — ◀
▶ <u>M56</u> 3 ◀			▶ <u>M71</u> — ◀				▶ <u>M32</u> — ◀
▶ <u>M56</u> 2 ◀			▶ <u>M71</u> — ◀				▶ <u>M32</u> — ◀
▶ <u>M56</u> — ◀			▶ <u>M71</u> — ◀				▶ <u>M32</u> — ◀
▶ <u>M56</u> 2 ◀			▶ <u>M71</u> — ◀				▶ <u>M32</u> — ◀
▶ <u>M56</u> 3 ◀			▶ <u>M71</u> — ◀				▶ <u>M32</u> — ◀
▶ <u>M56</u> 2 ◀			▶ <u>M71</u> — ◀				▶ <u>M32</u> — ◀
▶ <u>M56</u> 2 ◀			▶ <u>M71</u> — ◀				▶ <u>M32</u> — ◀
			▶ <u>M71</u> — ◀			▶ <u>M61</u> — ◀	▶ <u>M32</u> — ◀
			▶ <u>M71</u> — ◀			▶ <u>M74</u> 0,05 (*) ◀	▶ <u>M32</u> — ◀
▶ <u>M56</u> 0,5 ◀	▶ <u>M24</u> 0,05 (*) ◀	▶ <u>M44</u> 5 ◀	▶ <u>M71</u> — ◀				▶ <u>M32</u> — ◀
▶ <u>M56</u> 1,5 ◀	▶ <u>M24</u> 0,2 ◀	▶ <u>M44</u> 0,05 (*) ◀	▶ <u>M71</u> — ◀				▶ <u>M32</u> — ◀
▶ <u>M56</u> 0,5 ◀	▶ <u>M24</u> 0,2 ◀	▶ <u>M44</u> 0,05 (*) ◀	▶ <u>M71</u> — ◀				▶ <u>M32</u> — ◀
▶ <u>M56</u> 0,5 ◀	▶ <u>M24</u> 0,05 (*) ◀	▶ <u>M44</u> 0,05 (*) ◀	▶ <u>M71</u> — ◀				▶ <u>M32</u> — ◀
▶ <u>M56</u> 0,5 ◀	▶ <u>M24</u> 0,05 (*) ◀	▶ <u>M44</u> 0,05 (*) ◀	▶ <u>M71</u> — ◀				▶ <u>M32</u> — ◀
▶ <u>M56</u> 0,5 ◀	▶ <u>M24</u> 0,05 (*) ◀	▶ <u>M44</u> 0,05 (*) ◀	▶ <u>M71</u> — ◀				▶ <u>M32</u> — ◀

▼ M2

(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)
		▶ <u>M66</u> — ◀		▶ <u>M78</u> 0,05 (*) ◀			
		▶ <u>M66</u> — ◀		▶ <u>M78</u> 0,2 ◀			
		▶ <u>M66</u> — ◀ ▶ <u>M66</u> — ◀					
		▶ <u>M66</u> — ◀					
		▶ <u>M66</u> — ◀		▶ <u>M78</u> 2 ◀			
		▶ <u>M66</u> — ◀ ▶ <u>M66</u> — ◀					
		▶ <u>M66</u> — ◀					
		▶ <u>M66</u> — ◀		▶ <u>M78</u> 0,05 (*) ◀			
		▶ <u>M66</u> — ◀					
		▶ <u>M66</u> — ◀	0,5				
	0,05 (*)	▶ <u>M66</u> — ◀		▶ <u>M78</u> 7 ◀	▶ <u>M5</u> 0,2 ◀		
	0,1	▶ <u>M66</u> — ◀		▶ <u>M78</u> 3 ◀	▶ <u>M5</u> 0,2 ◀		
	0,05 (*)	▶ <u>M66</u> — ◀		▶ <u>M78</u> 0,7 ◀	▶ <u>M5</u> 0,2 ◀		
	0,05 (*)	▶ <u>M66</u> — ◀		▶ <u>M78</u> 0,05 (*) ◀	▶ <u>M5</u> 0,2 ◀		
	0,05 (*)	▶ <u>M66</u> — ◀		▶ <u>M78</u> 0,05 (*) ◀	▶ <u>M5</u> 0,05 (*) ◀		
	0,05 (*)	▶ <u>M66</u> — ◀		▶ <u>M78</u> 2 ◀	▶ <u>M5</u> 0,2 ◀		

▼ M2

(26)	(27)	(28)	(29)	(30)	(31)
	▶ <u>M40</u> — ◀		▶ <u>M46</u> — ◀	▶ <u>M67</u> — ◀	
	▶ <u>M40</u> — ◀		▶ <u>M46</u> — ◀	▶ <u>M67</u> — ◀	
	▶ <u>M40</u> — ◀ ▶ <u>M40</u> — ◀		▶ <u>M46</u> — ◀ ▶ <u>M46</u> — ◀	▶ <u>M67</u> — ◀ ▶ <u>M67</u> — ◀	
	▶ <u>M40</u> — ◀		▶ <u>M46</u> — ◀	▶ <u>M67</u> — ◀	
	▶ <u>M40</u> — ◀		▶ <u>M46</u> — ◀	▶ <u>M67</u> — ◀	
	▶ <u>M40</u> — ◀ ▶ <u>M40</u> — ◀		▶ <u>M46</u> — ◀ ▶ <u>M46</u> — ◀	▶ <u>M67</u> — ◀ ▶ <u>M67</u> — ◀	
	▶ <u>M40</u> — ◀		▶ <u>M46</u> — ◀	▶ <u>M67</u> — ◀	
	▶ <u>M40</u> — ◀		▶ <u>M46</u> — ◀	▶ <u>M67</u> — ◀	
	▶ <u>M40</u> — ◀		▶ <u>M46</u> — ◀	▶ <u>M67</u> — ◀	
▶ <u>M32</u> 0,05 (*) ◀	▶ <u>M40</u> — ◀		▶ <u>M46</u> — ◀	▶ <u>M67</u> — ◀	▶ <u>M5</u> 0,01 (*) ◀
	▶ <u>M40</u> — ◀ ▶ <u>M40</u> — ◀ ▶ <u>M40</u> — ◀ ▶ <u>M40</u> — ◀ ▶ <u>M40</u> — ◀ ▶ <u>M40</u> — ◀		▶ <u>M46</u> — ◀ ▶ <u>M46</u> — ◀ ▶ <u>M46</u> — ◀ ▶ <u>M46</u> — ◀ ▶ <u>M46</u> — ◀ ▶ <u>M46</u> — ◀	▶ <u>M67</u> — ◀ ▶ <u>M67</u> — ◀ ▶ <u>M67</u> — ◀ ▶ <u>M67</u> — ◀ ▶ <u>M67</u> — ◀ ▶ <u>M67</u> — ◀	

## ▼ M2

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)
0251070	Red mustard	► <u>M32</u> — ◀	► <u>M51</u> — ◀		► <u>M42</u> — ◀			► <u>M66</u> — ◀
0251080	Leaves and sprouts of Brassica spp.	► <u>M32</u> — ◀	► <u>M51</u> — ◀		► <u>M42</u> — ◀			► <u>M66</u> — ◀
0251990	Others	► <u>M32</u> — ◀	► <u>M51</u> — ◀		► <u>M42</u> — ◀			► <u>M66</u> — ◀
0252000	(b) <i>Spinach</i> & similar (leaves)	► <u>M32</u> — ◀	► <u>M51</u> — ◀		► <u>M42</u> — ◀		20	► <u>M66</u> — ◀
0252010	Spinach	► <u>M32</u> — ◀	► <u>M51</u> — ◀		► <u>M42</u> — ◀	► <u>M26</u> 1 ◀		► <u>M66</u> — ◀
0252020	Purslane	► <u>M32</u> — ◀	► <u>M51</u> — ◀		► <u>M42</u> — ◀	► <u>M26</u> 0,5 ◀		► <u>M66</u> — ◀
0252030	Beet leaves (chard)	► <u>M32</u> — ◀	► <u>M51</u> — ◀		► <u>M42</u> — ◀	► <u>M26</u> 1 ◀		► <u>M66</u> — ◀
0252990	Others	► <u>M32</u> — ◀	► <u>M51</u> — ◀		► <u>M42</u> — ◀	► <u>M26</u> 0,5 ◀		► <u>M66</u> — ◀
0253000	(c) <i>Vine leaves</i> (grape leaves)	► <u>M32</u> — ◀	► <u>M51</u> — ◀		► <u>M42</u> — ◀	► <u>M26</u> 0,5 ◀	20	► <u>M66</u> — ◀
0254000	(d) <i>Water cress</i>	► <u>M32</u> — ◀	► <u>M51</u> — ◀		► <u>M42</u> — ◀	► <u>M26</u> 0,5 ◀	20	► <u>M66</u> — ◀
0255000	(e) <i>Witloof</i>	► <u>M32</u> — ◀	► <u>M51</u> — ◀		► <u>M42</u> — ◀	► <u>M26</u> 0,5 ◀	20	► <u>M66</u> — ◀
0256000	(f) <i>Herbs</i>	► <u>M32</u> — ◀	► <u>M51</u> — ◀		► <u>M42</u> — ◀	► <u>M26</u> 3 ◀		► <u>M66</u> — ◀
0256010	Chervil	► <u>M32</u> — ◀	► <u>M51</u> — ◀		► <u>M42</u> — ◀		20	► <u>M66</u> — ◀
0256020	Chives	► <u>M32</u> — ◀	► <u>M51</u> — ◀		► <u>M42</u> — ◀		20	► <u>M66</u> — ◀
0256030	Celery leaves	► <u>M32</u> — ◀	► <u>M51</u> — ◀		► <u>M42</u> — ◀		50	► <u>M66</u> — ◀
0256040	Parsley	► <u>M32</u> — ◀	► <u>M51</u> — ◀		► <u>M42</u> — ◀		20	► <u>M66</u> — ◀
0256050	Sage	► <u>M32</u> — ◀	► <u>M51</u> — ◀		► <u>M42</u> — ◀		20	► <u>M66</u> — ◀
0256060	Rosemary	► <u>M32</u> — ◀	► <u>M51</u> — ◀		► <u>M42</u> — ◀		20	► <u>M66</u> — ◀
0256070	Thyme	► <u>M32</u> — ◀	► <u>M51</u> — ◀		► <u>M42</u> — ◀		20	► <u>M66</u> — ◀
0256080	Basil	► <u>M32</u> — ◀	► <u>M51</u> — ◀		► <u>M42</u> — ◀		20	► <u>M66</u> — ◀

▼ M2

(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)
▶ <u>M56</u> 0,2 ◀ ▶ <u>M56</u> 0,2 ◀	▶ <u>M24</u> 0,05 (*) ◀ ▶ <u>M24</u> 0,05 (*) ◀	▶ <u>M44</u> 0,05 (*) ◀ ▶ <u>M44</u> 0,05 (*) ◀	▶ <u>M71</u> — ◀ ▶ <u>M71</u> — ◀				▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀
▶ <u>M56</u> 0,5 ◀	▶ <u>M24</u> 0,05 (*) ◀	▶ <u>M44</u> 0,05 (*) ◀	▶ <u>M71</u> — ◀				▶ <u>M32</u> — ◀
	▶ <u>M5</u> 0,05 (*) ◀	▶ <u>M44</u> 0,05 (*) ◀	▶ <u>M71</u> — ◀			▶ <u>M74</u> 0,05 (*) ◀	▶ <u>M32</u> — ◀
▶ <u>M56</u> 2 ◀ ▶ <u>M56</u> 0,5 ◀ ▶ <u>M56</u> 0,2 ◀	▶ <u>M24</u> 0,07 ◀ ▶ <u>M24</u> 0,05 (*) ◀ ▶ <u>M24</u> 0,05 (*) ◀		▶ <u>M71</u> — ◀ ▶ <u>M71</u> — ◀ ▶ <u>M71</u> — ◀				▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀
▶ <u>M56</u> 0,2 ◀	▶ <u>M24</u> 0,05 (*) ◀		▶ <u>M71</u> — ◀				▶ <u>M32</u> — ◀
▶ <u>M56</u> 0,2 ◀	▶ <u>M24</u> 0,05 (*) ◀	▶ <u>M44</u> 0,05 (*) ◀	▶ <u>M71</u> — ◀			▶ <u>M74</u> 0,05 (*) ◀	▶ <u>M32</u> — ◀
▶ <u>M56</u> 0,2 ◀	▶ <u>M24</u> 0,05 (*) ◀	▶ <u>M44</u> 0,05 (*) ◀	▶ <u>M71</u> — ◀			▶ <u>M74</u> 0,05 (*) ◀	▶ <u>M32</u> — ◀
▶ <u>M56</u> 0,2 ◀	▶ <u>M24</u> 0,05 (*) ◀	▶ <u>M44</u> 0,05 (*) ◀	▶ <u>M71</u> — ◀			▶ <u>M74</u> 0,05 (*) ◀	▶ <u>M32</u> — ◀
	▶ <u>M24</u> 0,05 (*) ◀	▶ <u>M44</u> 0,05 (*) ◀	▶ <u>M71</u> — ◀			▶ <u>M74</u> 4 ◀	▶ <u>M32</u> — ◀
▶ <u>M56</u> 0,2 ◀ ▶ <u>M56</u> 0,2 ◀ ▶ <u>M56</u> 1 ◀ ▶ <u>M56</u> 0,2 ◀ ▶ <u>M56</u> 0,2 ◀ ▶ <u>M56</u> 0,2 ◀ ▶ <u>M56</u> 0,2 ◀ ▶ <u>M56</u> 0,2 ◀			▶ <u>M71</u> — ◀ ▶ <u>M71</u> — ◀ ▶ <u>M71</u> — ◀ ▶ <u>M71</u> — ◀ ▶ <u>M71</u> — ◀ ▶ <u>M71</u> — ◀ ▶ <u>M71</u> — ◀ ▶ <u>M71</u> — ◀				▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀



▼ M2

(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)
	0,05 (*) 0,05 (*)	▶ <u>M66</u> — ◀ ▶ <u>M66</u> — ◀		▶ <u>M78</u> 0,05 (*) ◀ ▶ <u>M78</u> 0,05 (*) ◀	▶ <u>M5</u> 0,2 ◀ ▶ <u>M5</u> 0,2 ◀		
	0,05 (*)	▶ <u>M66</u> — ◀		▶ <u>M78</u> 0,05 (*) ◀	▶ <u>M5</u> 0,05 (*) ◀		
		▶ <u>M66</u> — ◀					
	0,1 0,05 (*) 0,05 (*)	▶ <u>M66</u> — ◀ ▶ <u>M66</u> — ◀ ▶ <u>M66</u> — ◀	0,05 (*) 0,5 0,05 (*)	▶ <u>M78</u> 2 ◀ ▶ <u>M78</u> 2 ◀ ▶ <u>M78</u> 0,2 ◀	▶ <u>M5</u> 0,2 ◀ ▶ <u>M5</u> 0,05 (*) ◀ ▶ <u>M5</u> 0,05 (*) ◀		
	0,05 (*)	▶ <u>M66</u> — ◀	0,05 (*)	▶ <u>M78</u> 0,05 (*) ◀	▶ <u>M5</u> 0,05 (*) ◀		
	0,05 (*)	▶ <u>M66</u> — ◀	0,05 (*)	▶ <u>M78</u> 0,05 (*) ◀	▶ <u>M5</u> 0,05 (*) ◀		
	0,05 (*)	▶ <u>M66</u> — ◀	0,05 (*)	▶ <u>M78</u> 0,5 ◀	▶ <u>M5</u> 0,2 ◀		
	0,05 (*)	▶ <u>M66</u> — ◀	0,05 (*)	▶ <u>M78</u> 0,08 ◀	▶ <u>M5</u> 0,05 (*) ◀		
	0,05 (*)	▶ <u>M66</u> — ◀	0,05 (*)		▶ <u>M5</u> 0,2 ◀		
		▶ <u>M66</u> — ◀ ▶ <u>M66</u> — ◀ ▶ <u>M66</u> — ◀ ▶ <u>M66</u> — ◀ ▶ <u>M66</u> — ◀ ▶ <u>M66</u> — ◀ ▶ <u>M66</u> — ◀ ▶ <u>M66</u> — ◀		▶ <u>M78</u> 10 ◀ ▶ <u>M78</u> 2 ◀ ▶ <u>M78</u> 10 ◀ ▶ <u>M78</u> 10 ◀ ▶ <u>M78</u> 2 ◀ ▶ <u>M78</u> 2 ◀ ▶ <u>M78</u> 2 ◀ ▶ <u>M78</u> 10 ◀			

▼ M2

(26)	(27)	(28)	(29)	(30)	(31)
	▶ <u>M40</u> — ◀ ▶ <u>M40</u> — ◀		▶ <u>M46</u> — ◀ ▶ <u>M46</u> — ◀	▶ <u>M67</u> — ◀ ▶ <u>M67</u> — ◀	
	▶ <u>M40</u> — ◀		▶ <u>M46</u> — ◀	▶ <u>M67</u> — ◀	
▶ <u>M32</u> 0,05 (*) ◀	▶ <u>M40</u> — ◀		▶ <u>M46</u> — ◀	▶ <u>M67</u> — ◀	
	▶ <u>M40</u> — ◀ ▶ <u>M40</u> — ◀ ▶ <u>M40</u> — ◀		▶ <u>M46</u> — ◀ ▶ <u>M46</u> — ◀ ▶ <u>M46</u> — ◀	▶ <u>M67</u> — ◀ ▶ <u>M67</u> — ◀ ▶ <u>M67</u> — ◀	▶ <u>M5</u> 0,6 ◀ ▶ <u>M5</u> 0,01 (*) ◀ ▶ <u>M5</u> 0,01 (*) ◀
	▶ <u>M40</u> — ◀		▶ <u>M46</u> — ◀	▶ <u>M67</u> — ◀	▶ <u>M5</u> 0,01 (*) ◀
▶ <u>M32</u> 0,05 (*) ◀	▶ <u>M40</u> — ◀		▶ <u>M46</u> — ◀	▶ <u>M67</u> — ◀	▶ <u>M5</u> 0,1 ◀
▶ <u>M32</u> 0,05 (*) ◀	▶ <u>M40</u> — ◀		▶ <u>M46</u> — ◀	▶ <u>M67</u> — ◀	▶ <u>M5</u> 0,01 (*) ◀
▶ <u>M32</u> 0,05 (*) ◀	▶ <u>M40</u> — ◀		▶ <u>M46</u> — ◀	▶ <u>M67</u> — ◀	▶ <u>M5</u> 0,01 (*) ◀
▶ <u>M32</u> 0,1 (*) ◀	▶ <u>M40</u> — ◀		▶ <u>M46</u> — ◀	▶ <u>M67</u> — ◀	▶ <u>M5</u> 0,01 (*) ◀
	▶ <u>M40</u> — ◀ ▶ <u>M40</u> — ◀ ▶ <u>M40</u> — ◀ ▶ <u>M40</u> — ◀ ▶ <u>M40</u> — ◀ ▶ <u>M40</u> — ◀ ▶ <u>M40</u> — ◀ ▶ <u>M40</u> — ◀		▶ <u>M46</u> — ◀ ▶ <u>M46</u> — ◀ ▶ <u>M46</u> — ◀ ▶ <u>M46</u> — ◀ ▶ <u>M46</u> — ◀ ▶ <u>M46</u> — ◀ ▶ <u>M46</u> — ◀ ▶ <u>M46</u> — ◀	▶ <u>M67</u> — ◀ ▶ <u>M67</u> — ◀ ▶ <u>M67</u> — ◀ ▶ <u>M67</u> — ◀ ▶ <u>M67</u> — ◀ ▶ <u>M67</u> — ◀ ▶ <u>M67</u> — ◀ ▶ <u>M67</u> — ◀	

## ▼ M2

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)
0256090	Bay leaves (laurel)	► <u>M32</u> — ◀	► <u>M51</u> — ◀		► <u>M42</u> — ◀		20	► <u>M66</u> — ◀
0256100	Tarragon	► <u>M32</u> — ◀	► <u>M51</u> — ◀		► <u>M42</u> — ◀		20	► <u>M66</u> — ◀
0256990	Others	► <u>M32</u> — ◀	► <u>M51</u> — ◀		► <u>M42</u> — ◀		20	► <u>M66</u> — ◀
0260000	(vi) <b>Legume vegetables (fresh)</b>	► <u>M32</u> — ◀	► <u>M51</u> — ◀	► <u>M5</u> 0,5 ◀	► <u>M42</u> — ◀	► <u>M26</u> 0,5 ◀	20	► <u>M66</u> — ◀
0260010	Beans (with pods)	► <u>M32</u> — ◀	► <u>M51</u> — ◀		► <u>M42</u> — ◀			► <u>M66</u> — ◀
0260020	Beans (without pods)	► <u>M32</u> — ◀	► <u>M51</u> — ◀		► <u>M42</u> — ◀			► <u>M66</u> — ◀
0260030	Peas (with pods)	► <u>M32</u> — ◀	► <u>M51</u> — ◀		► <u>M42</u> — ◀			► <u>M66</u> — ◀
0260040	Peas (without pods)	► <u>M32</u> — ◀	► <u>M51</u> — ◀		► <u>M42</u> — ◀			► <u>M66</u> — ◀
0260050	Lentils	► <u>M32</u> — ◀	► <u>M51</u> — ◀		► <u>M42</u> — ◀			► <u>M66</u> — ◀
0260990	Others	► <u>M32</u> — ◀	► <u>M51</u> — ◀		► <u>M42</u> — ◀			► <u>M66</u> — ◀
0270000	(vii) <b>Stem vegetables (fresh)</b>	► <u>M32</u> — ◀	► <u>M51</u> — ◀	► <u>M5</u> 0,5 ◀	► <u>M42</u> — ◀	► <u>M26</u> 0,5 ◀		► <u>M66</u> — ◀
0270010	Asparagus	► <u>M32</u> — ◀	► <u>M51</u> — ◀		► <u>M42</u> — ◀		5	► <u>M66</u> — ◀
0270020	Cardoons	► <u>M32</u> — ◀	► <u>M51</u> — ◀		► <u>M42</u> — ◀		20	► <u>M66</u> — ◀
0270030	Celery	► <u>M32</u> — ◀	► <u>M51</u> — ◀		► <u>M42</u> — ◀		20	► <u>M66</u> — ◀
0270040	Fennel	► <u>M32</u> — ◀	► <u>M51</u> — ◀		► <u>M42</u> — ◀		20	► <u>M66</u> — ◀
0270050	Globe artichokes	► <u>M32</u> — ◀	► <u>M51</u> — ◀		► <u>M42</u> — ◀		20	► <u>M66</u> — ◀
0270060	Leek	► <u>M32</u> — ◀	► <u>M51</u> — ◀		► <u>M42</u> — ◀		20	► <u>M66</u> — ◀
0270070	Rhubarb	► <u>M32</u> — ◀	► <u>M51</u> — ◀		► <u>M42</u> — ◀		20	► <u>M66</u> — ◀
0270080	Bamboo shoots	► <u>M32</u> — ◀	► <u>M51</u> — ◀		► <u>M42</u> — ◀		20	► <u>M66</u> — ◀
0270090	Palm hearts	► <u>M32</u> — ◀	► <u>M51</u> — ◀		► <u>M42</u> — ◀		20	► <u>M66</u> — ◀
0270990	Others	► <u>M32</u> — ◀	► <u>M51</u> — ◀		► <u>M42</u> — ◀		20	► <u>M66</u> — ◀

▼ M2

(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)
▶ <u>M56</u> 0,2 ◀			▶ <u>M71</u> — ◀				▶ <u>M32</u> — ◀
▶ <u>M56</u> 0,2 ◀			▶ <u>M71</u> — ◀				▶ <u>M32</u> — ◀
▶ <u>M56</u> 0,2 ◀			▶ <u>M71</u> — ◀				▶ <u>M32</u> — ◀
		▶ <u>M44</u> 0,05 (*) ◀	▶ <u>M71</u> — ◀			▶ <u>M74</u> 0,05 (*) ◀	▶ <u>M32</u> — ◀
▶ <u>M56</u> 15 ◀	▶ <u>M24</u> 0,05 (*) ◀		▶ <u>M71</u> — ◀				▶ <u>M32</u> — ◀
▶ <u>M56</u> 2 ◀	▶ <u>M24</u> 0,05 (*) ◀		▶ <u>M71</u> — ◀				▶ <u>M32</u> — ◀
▶ <u>M56</u> 5 ◀	▶ <u>M24</u> 0,5 ◀		▶ <u>M71</u> — ◀				▶ <u>M32</u> — ◀
▶ <u>M56</u> 15 ◀	▶ <u>M24</u> 0,05 (*) ◀		▶ <u>M71</u> — ◀				▶ <u>M32</u> — ◀
▶ <u>M56</u> 1 ◀	▶ <u>M24</u> 0,05 (*) ◀		▶ <u>M71</u> — ◀				▶ <u>M32</u> — ◀
▶ <u>M56</u> 1 ◀	▶ <u>M24</u> 0,05 (*) ◀		▶ <u>M71</u> — ◀				▶ <u>M32</u> — ◀
			▶ <u>M71</u> — ◀				▶ <u>M32</u> — ◀
▶ <u>M56</u> 0,2 ◀	▶ <u>M24</u> 0,05 (*) ◀	▶ <u>M44</u> 0,1 ◀	▶ <u>M71</u> — ◀			▶ <u>M74</u> 5 ◀	▶ <u>M32</u> — ◀
▶ <u>M56</u> 0,2 ◀	▶ <u>M24</u> 0,05 (*) ◀	▶ <u>M44</u> 0,05 (*) ◀	▶ <u>M71</u> — ◀			▶ <u>M74</u> 0,05 (*) ◀	▶ <u>M32</u> — ◀
▶ <u>M56</u> 1 ◀	▶ <u>M24</u> 0,05 (*) ◀	▶ <u>M44</u> 0,2 ◀	▶ <u>M71</u> — ◀			▶ <u>M74</u> 0,05 (*) ◀	▶ <u>M32</u> — ◀
▶ <u>M56</u> 0,2 ◀	▶ <u>M24</u> 0,05 (*) ◀	▶ <u>M44</u> 0,05 (*) ◀	▶ <u>M71</u> — ◀			▶ <u>M74</u> 0,05 (*) ◀	▶ <u>M32</u> — ◀
▶ <u>M56</u> 2 ◀	▶ <u>M24</u> 0,1 ◀	▶ <u>M44</u> 0,1 ◀	▶ <u>M71</u> — ◀			▶ <u>M74</u> 0,05 (*) ◀	▶ <u>M32</u> — ◀
▶ <u>M56</u> 4 ◀	▶ <u>M24</u> 0,05 (*) ◀	▶ <u>M44</u> 0,05 (*) ◀	▶ <u>M71</u> — ◀			▶ <u>M74</u> 0,05 (*) ◀	▶ <u>M32</u> — ◀
▶ <u>M56</u> 0,2 ◀	▶ <u>M24</u> 0,05 (*) ◀	▶ <u>M44</u> 0,05 (*) ◀	▶ <u>M71</u> — ◀			▶ <u>M74</u> 0,05 (*) ◀	▶ <u>M32</u> — ◀
▶ <u>M56</u> 0,2 ◀	▶ <u>M24</u> 0,05 (*) ◀	▶ <u>M44</u> 0,05 (*) ◀	▶ <u>M71</u> — ◀			▶ <u>M74</u> 0,05 (*) ◀	▶ <u>M32</u> — ◀
▶ <u>M56</u> 0,2 ◀	▶ <u>M24</u> 0,05 (*) ◀	▶ <u>M44</u> 0,05 (*) ◀	▶ <u>M71</u> — ◀			▶ <u>M74</u> 0,05 (*) ◀	▶ <u>M32</u> — ◀
▶ <u>M56</u> 0,2 ◀	▶ <u>M24</u> 0,05 (*) ◀	▶ <u>M44</u> 0,05 (*) ◀	▶ <u>M71</u> — ◀			▶ <u>M74</u> 0,05 (*) ◀	▶ <u>M32</u> — ◀
▶ <u>M56</u> 0,2 ◀	▶ <u>M24</u> 0,05 (*) ◀	▶ <u>M44</u> 0,05 (*) ◀	▶ <u>M71</u> — ◀			▶ <u>M74</u> 0,05 (*) ◀	▶ <u>M32</u> — ◀
▶ <u>M56</u> 0,2 ◀	▶ <u>M24</u> 0,05 (*) ◀	▶ <u>M44</u> 0,05 (*) ◀	▶ <u>M71</u> — ◀			▶ <u>M74</u> 0,05 (*) ◀	▶ <u>M32</u> — ◀

▼ M2

(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)
		▶ <u>M66</u> — ◀		▶ <u>M78</u> 2 ◀			
		▶ <u>M66</u> — ◀		▶ <u>M78</u> 2 ◀			
		▶ <u>M66</u> — ◀		▶ <u>M78</u> 2 ◀			
		▶ <u>M66</u> — ◀			▶ <u>M5</u> 0,05 (*) ◀		
	0,05 (*)	▶ <u>M66</u> — ◀	0,1	▶ <u>M78</u> 1 ◀			
	0,1	▶ <u>M66</u> — ◀	0,1	▶ <u>M78</u> 1 ◀			
	0,05 (*)	▶ <u>M66</u> — ◀	0,1	▶ <u>M78</u> 1 ◀			
	0,1	▶ <u>M66</u> — ◀	0,1	▶ <u>M78</u> 1 ◀			
	0,05 (*)	▶ <u>M66</u> — ◀	0,05 (*)	▶ <u>M78</u> 0,05 (*) ◀			
	0,05 (*)	▶ <u>M66</u> — ◀	0,05 (*)	▶ <u>M78</u> 0,05 (*) ◀			
	0,05 (*)	▶ <u>M66</u> — ◀	0,05 (*)		▶ <u>M5</u> 0,05 (*) ◀		
		▶ <u>M66</u> — ◀		▶ <u>M78</u> 0,05 (*) ◀			
		▶ <u>M66</u> — ◀		▶ <u>M78</u> 4 ◀			
		▶ <u>M66</u> — ◀		▶ <u>M78</u> 5 ◀			
		▶ <u>M66</u> — ◀		▶ <u>M78</u> 5 ◀			
		▶ <u>M66</u> — ◀		▶ <u>M78</u> 1 ◀			
		▶ <u>M66</u> — ◀		▶ <u>M78</u> 0,5 ◀			
		▶ <u>M66</u> — ◀		▶ <u>M78</u> 0,3 ◀			
		▶ <u>M66</u> — ◀		▶ <u>M78</u> 0,05 (*) ◀			
		▶ <u>M66</u> — ◀		▶ <u>M78</u> 0,05 (*) ◀			
		▶ <u>M66</u> — ◀		▶ <u>M78</u> 0,05 (*) ◀			

▼ M2

(26)	(27)	(28)	(29)	(30)	(31)
	▶ <u>M40</u> — ◀		▶ <u>M46</u> — ◀	▶ <u>M67</u> — ◀	
	▶ <u>M40</u> — ◀		▶ <u>M46</u> — ◀	▶ <u>M67</u> — ◀	
	▶ <u>M40</u> — ◀		▶ <u>M46</u> — ◀	▶ <u>M67</u> — ◀	
▶ <u>M32</u> 0,05 (*) ◀	▶ <u>M40</u> — ◀		▶ <u>M46</u> — ◀	▶ <u>M67</u> — ◀	
	▶ <u>M40</u> — ◀		▶ <u>M46</u> — ◀	▶ <u>M67</u> — ◀	▶ <u>M5</u> 0,01 (*) ◀
	▶ <u>M40</u> — ◀		▶ <u>M46</u> — ◀	▶ <u>M67</u> — ◀	▶ <u>M5</u> 0,01 (*) ◀
	▶ <u>M40</u> — ◀		▶ <u>M46</u> — ◀	▶ <u>M67</u> — ◀	▶ <u>M5</u> 0,01 (*) ◀
	▶ <u>M40</u> — ◀		▶ <u>M46</u> — ◀	▶ <u>M67</u> — ◀	▶ <u>M5</u> 0,6 ◀
	▶ <u>M40</u> — ◀		▶ <u>M46</u> — ◀	▶ <u>M67</u> — ◀	▶ <u>M5</u> 0,01 (*) ◀
	▶ <u>M40</u> — ◀		▶ <u>M46</u> — ◀	▶ <u>M67</u> — ◀	▶ <u>M5</u> 0,01 (*) ◀
▶ <u>M32</u> 0,05 (*) ◀	▶ <u>M40</u> — ◀		▶ <u>M46</u> — ◀	▶ <u>M67</u> — ◀	▶ <u>M5</u> 0,01 (*) ◀
	▶ <u>M40</u> — ◀		▶ <u>M46</u> — ◀	▶ <u>M67</u> — ◀	
	▶ <u>M40</u> — ◀		▶ <u>M46</u> — ◀	▶ <u>M67</u> — ◀	
	▶ <u>M40</u> — ◀		▶ <u>M46</u> — ◀	▶ <u>M67</u> — ◀	
	▶ <u>M40</u> — ◀		▶ <u>M46</u> — ◀	▶ <u>M67</u> — ◀	
	▶ <u>M40</u> — ◀		▶ <u>M46</u> — ◀	▶ <u>M67</u> — ◀	
	▶ <u>M40</u> — ◀		▶ <u>M46</u> — ◀	▶ <u>M67</u> — ◀	
	▶ <u>M40</u> — ◀		▶ <u>M46</u> — ◀	▶ <u>M67</u> — ◀	
	▶ <u>M40</u> — ◀		▶ <u>M46</u> — ◀	▶ <u>M67</u> — ◀	
	▶ <u>M40</u> — ◀		▶ <u>M46</u> — ◀	▶ <u>M67</u> — ◀	
	▶ <u>M40</u> — ◀		▶ <u>M46</u> — ◀	▶ <u>M67</u> — ◀	
	▶ <u>M40</u> — ◀		▶ <u>M46</u> — ◀	▶ <u>M67</u> — ◀	
	▶ <u>M40</u> — ◀		▶ <u>M46</u> — ◀	▶ <u>M67</u> — ◀	
	▶ <u>M40</u> — ◀		▶ <u>M46</u> — ◀	▶ <u>M67</u> — ◀	
	▶ <u>M40</u> — ◀		▶ <u>M46</u> — ◀	▶ <u>M67</u> — ◀	
	▶ <u>M40</u> — ◀		▶ <u>M46</u> — ◀	▶ <u>M67</u> — ◀	
	▶ <u>M40</u> — ◀		▶ <u>M46</u> — ◀	▶ <u>M67</u> — ◀	

▼ **M2**

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)
0280000	(viii) <b>Fungi</b>	▶ <b>M32</b> — ◀	▶ <b>M51</b> — ◀	▶ <b>M5</b> 0,1 ◀	▶ <b>M42</b> — ◀	▶ <b>M26</b> 0,5 ◀	20	▶ <b>M66</b> — ◀
0280010	Cultivated	▶ <b>M32</b> — ◀	▶ <b>M51</b> — ◀		▶ <b>M42</b> — ◀			▶ <b>M66</b> — ◀
0280020	Wild	▶ <b>M32</b> — ◀	▶ <b>M51</b> — ◀		▶ <b>M42</b> — ◀			▶ <b>M66</b> — ◀
0280990	Others	▶ <b>M32</b> — ◀	▶ <b>M51</b> — ◀		▶ <b>M42</b> — ◀			▶ <b>M66</b> — ◀
0290000	(ix) <b>Sea weeds</b>	▶ <b>M32</b> — ◀	▶ <b>M51</b> — ◀	▶ <b>M5</b> 0,1 ◀	▶ <b>M42</b> — ◀	▶ <b>M26</b> 0,5 ◀	20	▶ <b>M66</b> — ◀
0300000	<b>3. PULSES, DRY</b>	▶ <b>M32</b> — ◀	▶ <b>M51</b> — ◀		▶ <b>M42</b> — ◀	▶ <b>M26</b> 0,5 ◀	20	▶ <b>M66</b> — ◀
0300010	Beans	▶ <b>M32</b> — ◀	▶ <b>M51</b> — ◀	▶ <b>M5</b> 2 ◀	▶ <b>M42</b> — ◀			▶ <b>M66</b> — ◀
0300020	Lentils	▶ <b>M32</b> — ◀	▶ <b>M51</b> — ◀	▶ <b>M5</b> 0,5 ◀	▶ <b>M42</b> — ◀			▶ <b>M66</b> — ◀
0300030	Peas	▶ <b>M32</b> — ◀	▶ <b>M51</b> — ◀	▶ <b>M5</b> 2 ◀	▶ <b>M42</b> — ◀			▶ <b>M66</b> — ◀
0300040	Lupins	▶ <b>M32</b> — ◀	▶ <b>M51</b> — ◀	▶ <b>M5</b> 0,5 ◀	▶ <b>M42</b> — ◀			▶ <b>M66</b> — ◀
0300990	Others	▶ <b>M32</b> — ◀	▶ <b>M51</b> — ◀	▶ <b>M5</b> 0,5 ◀	▶ <b>M42</b> — ◀			▶ <b>M66</b> — ◀
0400000	<b>4. OILSEEDS AND OILFRUITS</b>	▶ <b>M32</b> — ◀	▶ <b>M51</b> — ◀		▶ <b>M42</b> — ◀			▶ <b>M66</b> — ◀
0401000	(i) <b>Oilseeds</b>	▶ <b>M32</b> — ◀	▶ <b>M51</b> — ◀		▶ <b>M42</b> — ◀			▶ <b>M66</b> — ◀
0401010	Linseed	▶ <b>M32</b> — ◀	▶ <b>M51</b> — ◀	▶ <b>M5</b> 0,1 ◀	▶ <b>M42</b> — ◀	▶ <b>M26</b> 20 ◀	30	▶ <b>M66</b> — ◀
0401020	Peanuts	▶ <b>M32</b> — ◀	▶ <b>M51</b> — ◀	▶ <b>M5</b> 5 ◀	▶ <b>M42</b> — ◀	▶ <b>M26</b> 0,5 ◀	30	▶ <b>M66</b> — ◀
0401030	Poppy seed	▶ <b>M32</b> — ◀	▶ <b>M51</b> — ◀	▶ <b>M5</b> 0,1 ◀	▶ <b>M42</b> — ◀	▶ <b>M26</b> 0,5 ◀	30	▶ <b>M66</b> — ◀
0401040	Sesame seed	▶ <b>M32</b> — ◀	▶ <b>M51</b> — ◀	▶ <b>M5</b> 0,1 ◀	▶ <b>M42</b> — ◀	▶ <b>M26</b> 0,5 ◀	30	▶ <b>M66</b> — ◀
0401050	Sunflower seed	▶ <b>M32</b> — ◀	▶ <b>M51</b> — ◀	▶ <b>M5</b> 0,5 ◀	▶ <b>M42</b> — ◀	▶ <b>M26</b> 0,5 ◀	40	▶ <b>M66</b> — ◀
0401060	Rape seed	▶ <b>M32</b> — ◀	▶ <b>M51</b> — ◀	▶ <b>M5</b> 1 ◀	▶ <b>M42</b> — ◀	▶ <b>M26</b> 0,5 ◀	30	▶ <b>M66</b> — ◀
0401070	Soya bean	▶ <b>M32</b> — ◀	▶ <b>M51</b> — ◀	▶ <b>M5</b> 10 ◀	▶ <b>M42</b> — ◀	▶ <b>M26</b> 0,5 ◀	40	▶ <b>M66</b> — ◀

▼ M2

(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)
▶ <u>M56</u> 0,05 (*) ◀	▶ <u>M24</u> 0,05 (*) ◀	▶ <u>M44</u> 0,05 (*) ◀	▶ <u>M71</u> — ◀			▶ <u>M74</u> 0,05 (*) ◀	▶ <u>M32</u> — ◀
			▶ <u>M71</u> — ◀				▶ <u>M32</u> — ◀
			▶ <u>M71</u> — ◀				▶ <u>M32</u> — ◀
▶ <u>M56</u> 0,05 (*) ◀	▶ <u>M24</u> 0,05 (*) ◀	▶ <u>M44</u> 0,05 (*) ◀	▶ <u>M71</u> — ◀			▶ <u>M74</u> 0,05 (*) ◀	▶ <u>M32</u> — ◀
		▶ <u>M44</u> 0,05 (*) ◀	▶ <u>M71</u> — ◀	0,05 (*)	0,02 (*)	▶ <u>M74</u> 0,05 (*) ◀	▶ <u>M32</u> — ◀
▶ <u>M56</u> 30 ◀	▶ <u>M24</u> 0,05 (*) ◀		▶ <u>M71</u> — ◀				▶ <u>M32</u> — ◀
▶ <u>M56</u> 5 ◀	▶ <u>M24</u> 0,05 (*) ◀		▶ <u>M71</u> — ◀				▶ <u>M32</u> — ◀
▶ <u>M56</u> 30 ◀	▶ <u>M24</u> 0,5 ◀		▶ <u>M71</u> — ◀				▶ <u>M32</u> — ◀
▶ <u>M56</u> 5 ◀	▶ <u>M24</u> 0,05 (*) ◀		▶ <u>M71</u> — ◀				▶ <u>M32</u> — ◀
▶ <u>M56</u> 5 ◀	▶ <u>M24</u> 0,05 (*) ◀		▶ <u>M71</u> — ◀				▶ <u>M32</u> — ◀
			▶ <u>M71</u> — ◀	0,1	0,02 (*)	▶ <u>M74</u> — ◀	▶ <u>M32</u> — ◀
			▶ <u>M71</u> — ◀				▶ <u>M32</u> — ◀
▶ <u>M56</u> 7 ◀	▶ <u>M24</u> 0,1 ◀	▶ <u>M44</u> 0,05 (*) ◀	▶ <u>M71</u> — ◀			▶ <u>M74</u> 0,05 (*) ◀	▶ <u>M32</u> — ◀
▶ <u>M56</u> 0,2 ◀	▶ <u>M24</u> 0,1 ◀	▶ <u>M44</u> 0,05 (*) ◀	▶ <u>M71</u> — ◀			▶ <u>M74</u> 0,05 (*) ◀	▶ <u>M32</u> — ◀
▶ <u>M56</u> 0,2 ◀	▶ <u>M24</u> 0,1 ◀	▶ <u>M44</u> 0,4 ◀	▶ <u>M71</u> — ◀			▶ <u>M74</u> 0,05 (*) ◀	▶ <u>M32</u> — ◀
▶ <u>M56</u> 0,2 ◀	▶ <u>M24</u> 0,1 ◀	▶ <u>M44</u> 0,05 (*) ◀	▶ <u>M71</u> — ◀			▶ <u>M74</u> 0,05 (*) ◀	▶ <u>M32</u> — ◀
▶ <u>M56</u> 6 ◀	▶ <u>M24</u> 0,1 ◀	▶ <u>M44</u> 0,05 (*) ◀	▶ <u>M71</u> — ◀			▶ <u>M74</u> 0,05 (*) ◀	▶ <u>M32</u> — ◀
▶ <u>M56</u> 7 ◀	▶ <u>M24</u> 0,1 ◀	▶ <u>M44</u> 0,4 ◀	▶ <u>M71</u> — ◀			▶ <u>M74</u> 0,05 (*) ◀	▶ <u>M32</u> — ◀
▶ <u>M56</u> 80 ◀	▶ <u>M24</u> 0,5 ◀	▶ <u>M44</u> 0,07 ◀	▶ <u>M71</u> — ◀			▶ <u>M74</u> 10 (+) ◀	▶ <u>M32</u> — ◀



▼ M2

(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)
	0,05 (*)	▶ <u>M66</u> — ◀	0,05 (*)	▶ <u>M78</u> 0,05 (*) ◀	▶ <u>M5</u> 2 ◀		
		▶ <u>M66</u> — ◀					
		▶ <u>M66</u> — ◀					
	0,05 (*)	▶ <u>M66</u> — ◀	0,05 (*)	▶ <u>M78</u> 0,05 (*) ◀	▶ <u>M5</u> 0,05 (*) ◀		
▶ <u>M24</u> 0,05 (*) ◀	0,05 (*)	▶ <u>M66</u> — ◀	0,05 (*)		▶ <u>M5</u> 0,05 (*) ◀	▶ <u>M31</u> 0,05 (*) ◀	0,02 (*)
		▶ <u>M66</u> — ◀		▶ <u>M78</u> 0,05 (*) ◀			
		▶ <u>M66</u> — ◀		▶ <u>M78</u> 0,05 (*) ◀			
		▶ <u>M66</u> — ◀		▶ <u>M78</u> 0,1 ◀			
		▶ <u>M66</u> — ◀		▶ <u>M78</u> 0,05 (*) ◀			
		▶ <u>M66</u> — ◀		▶ <u>M78</u> 0,05 (*) ◀			
▶ <u>M24</u> 0,05 (*) ◀	0,05 (*)	▶ <u>M66</u> — ◀	0,05 (*)		▶ <u>M5</u> 0,05 (*) ◀	▶ <u>M31</u> — ◀	
		▶ <u>M66</u> — ◀				▶ <u>M31</u> 0,05 (*) ◀	
		▶ <u>M66</u> — ◀		▶ <u>M78</u> 0,2 ◀			0,02 (*)
		▶ <u>M66</u> — ◀		▶ <u>M78</u> 0,05 (*) ◀			0,02 (*)
		▶ <u>M66</u> — ◀		▶ <u>M78</u> 0,05 (*) ◀			0,02 (*)
		▶ <u>M66</u> — ◀		▶ <u>M78</u> 0,05 (*) ◀			0,02 (*)
		▶ <u>M66</u> — ◀		▶ <u>M78</u> 0,05 (*) ◀			0,02 (*)
		▶ <u>M66</u> — ◀		▶ <u>M78</u> 0,5 ◀			0,5
		▶ <u>M66</u> — ◀		▶ <u>M78</u> 0,05 (*) ◀			0,02 (*)

▼ M2

(26)	(27)	(28)	(29)	(30)	(31)
▶ <u>M32</u> 0,05 (*) ◀	▶ <u>M40</u> — ◀		▶ <u>M46</u> — ◀	▶ <u>M67</u> — ◀	▶ <u>M5</u> 0,01 (*) ◀
	▶ <u>M40</u> — ◀ ▶ <u>M40</u> — ◀		▶ <u>M46</u> — ◀ ▶ <u>M46</u> — ◀	▶ <u>M67</u> — ◀ ▶ <u>M67</u> — ◀	
	▶ <u>M40</u> — ◀		▶ <u>M46</u> — ◀	▶ <u>M67</u> — ◀	
▶ <u>M32</u> 0,05 (*) ◀	▶ <u>M40</u> — ◀		▶ <u>M46</u> — ◀	▶ <u>M67</u> — ◀	▶ <u>M5</u> 0,01 (*) ◀
▶ <u>M32</u> 0,05 (*) ◀	▶ <u>M40</u> — ◀	▶ <u>M31</u> 0,01 (*) ◀	▶ <u>M46</u> — ◀	▶ <u>M67</u> — ◀	▶ <u>M5</u> 0,01 (*) ◀
	▶ <u>M40</u> — ◀ ▶ <u>M40</u> — ◀ ▶ <u>M40</u> — ◀ ▶ <u>M40</u> — ◀		▶ <u>M46</u> — ◀ ▶ <u>M46</u> — ◀ ▶ <u>M46</u> — ◀ ▶ <u>M46</u> — ◀	▶ <u>M67</u> — ◀ ▶ <u>M67</u> — ◀ ▶ <u>M67</u> — ◀ ▶ <u>M67</u> — ◀	
	▶ <u>M40</u> — ◀		▶ <u>M46</u> — ◀	▶ <u>M67</u> — ◀	
	▶ <u>M40</u> — ◀		▶ <u>M46</u> — ◀	▶ <u>M67</u> — ◀	
	▶ <u>M40</u> — ◀		▶ <u>M46</u> — ◀	▶ <u>M67</u> — ◀	▶ <u>M5</u> 0,02 ◀
▶ <u>M32</u> 0,1 (*) ◀	▶ <u>M40</u> — ◀	▶ <u>M31</u> 0,01 (*) ◀	▶ <u>M46</u> — ◀	▶ <u>M67</u> — ◀	
▶ <u>M32</u> 0,1 (*) ◀	▶ <u>M40</u> — ◀	▶ <u>M31</u> 0,01 (*) ◀	▶ <u>M46</u> — ◀	▶ <u>M67</u> — ◀	
▶ <u>M32</u> 0,1 (*) ◀	▶ <u>M40</u> — ◀	▶ <u>M31</u> 0,01 (*) ◀	▶ <u>M46</u> — ◀	▶ <u>M67</u> — ◀	
▶ <u>M32</u> 0,1 (*) ◀	▶ <u>M40</u> — ◀	▶ <u>M31</u> 0,01 (*) ◀	▶ <u>M46</u> — ◀	▶ <u>M67</u> — ◀	
▶ <u>M32</u> 1 ◀	▶ <u>M40</u> — ◀	▶ <u>M31</u> 0,3 ◀	▶ <u>M46</u> — ◀	▶ <u>M67</u> — ◀	
▶ <u>M32</u> 0,2 ◀	▶ <u>M40</u> — ◀	▶ <u>M31</u> 0,05 ◀	▶ <u>M46</u> — ◀	▶ <u>M67</u> — ◀	
▶ <u>M32</u> 0,1 (*) ◀	▶ <u>M40</u> — ◀	▶ <u>M31</u> 0,01 (*) ◀	▶ <u>M46</u> — ◀	▶ <u>M67</u> — ◀	

## ▼ M2

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)
0401080	Mustard seed	▶ <u>M32</u> — ◀	▶ <u>M51</u> — ◀	▶ <u>M5</u> 0,1 ◀	▶ <u>M42</u> — ◀	▶ <u>M26</u> 0,5 ◀	30	▶ <u>M66</u> — ◀
0401090	Cotton seed	▶ <u>M32</u> — ◀	▶ <u>M51</u> — ◀	▶ <u>M5</u> 0,5 ◀	▶ <u>M42</u> — ◀	▶ <u>M26</u> 0,5 ◀	30	▶ <u>M66</u> — ◀
0401100	Pumpkin seeds	▶ <u>M32</u> — ◀	▶ <u>M51</u> — ◀	▶ <u>M5</u> 0,1 ◀	▶ <u>M42</u> — ◀	▶ <u>M26</u> 0,5 ◀	30	▶ <u>M66</u> — ◀
0401110	Safflower	▶ <u>M32</u> — ◀	▶ <u>M51</u> — ◀	▶ <u>M5</u> 0,1 ◀	▶ <u>M42</u> — ◀	▶ <u>M26</u> 0,5 ◀	30	▶ <u>M66</u> — ◀
0401120	Borage	▶ <u>M32</u> — ◀	▶ <u>M51</u> — ◀	▶ <u>M5</u> 0,1 ◀	▶ <u>M42</u> — ◀	▶ <u>M26</u> 0,5 ◀	30	▶ <u>M66</u> — ◀
0401130	Gold of pleasure	▶ <u>M32</u> — ◀	▶ <u>M51</u> — ◀	▶ <u>M5</u> 0,1 ◀	▶ <u>M42</u> — ◀	▶ <u>M26</u> 0,5 ◀	30	▶ <u>M66</u> — ◀
0401140	Hempseed	▶ <u>M32</u> — ◀	▶ <u>M51</u> — ◀	▶ <u>M5</u> 0,1 ◀	▶ <u>M42</u> — ◀	▶ <u>M26</u> 0,5 ◀	30	▶ <u>M66</u> — ◀
0401150	Castor bean	▶ <u>M32</u> — ◀	▶ <u>M51</u> — ◀	▶ <u>M5</u> 0,1 ◀	▶ <u>M42</u> — ◀	▶ <u>M26</u> 0,5 ◀	30	▶ <u>M66</u> — ◀
0401990	Others	▶ <u>M32</u> — ◀	▶ <u>M51</u> — ◀	▶ <u>M5</u> 0,1 ◀	▶ <u>M42</u> — ◀	▶ <u>M26</u> 0,5 ◀	30	▶ <u>M66</u> — ◀
0402000	(ii) <b>Oilfruits</b>	▶ <u>M32</u> — ◀	▶ <u>M51</u> — ◀	▶ <u>M5</u> 0,1 ◀	▶ <u>M42</u> — ◀	▶ <u>M26</u> 0,5 ◀	30	▶ <u>M66</u> — ◀
0402010	Olives for oil production	▶ <u>M32</u> — ◀	▶ <u>M51</u> — ◀		▶ <u>M42</u> — ◀			▶ <u>M66</u> — ◀
0402020	Palm nuts (palmoil kernels)	▶ <u>M32</u> — ◀	▶ <u>M51</u> — ◀		▶ <u>M42</u> — ◀			▶ <u>M66</u> — ◀
0402030	Palmfruit	▶ <u>M32</u> — ◀	▶ <u>M51</u> — ◀		▶ <u>M42</u> — ◀			▶ <u>M66</u> — ◀
0402040	Kapok	▶ <u>M32</u> — ◀	▶ <u>M51</u> — ◀		▶ <u>M42</u> — ◀			▶ <u>M66</u> — ◀
0402990	Others	▶ <u>M32</u> — ◀	▶ <u>M51</u> — ◀		▶ <u>M42</u> — ◀			▶ <u>M66</u> — ◀
0500000	5. <b>CEREALS</b>	▶ <u>M32</u> — ◀	▶ <u>M51</u> — ◀	▶ <u>M5</u> 0,1 ◀	▶ <u>M42</u> — ◀		10	▶ <u>M66</u> — ◀
0500010	Barley	▶ <u>M32</u> — ◀	▶ <u>M51</u> — ◀		▶ <u>M42</u> — ◀	▶ <u>M26</u> 2 ◀		▶ <u>M66</u> — ◀
0500020	Buckwheat	▶ <u>M32</u> — ◀	▶ <u>M51</u> — ◀		▶ <u>M42</u> — ◀	▶ <u>M26</u> 2 ◀		▶ <u>M66</u> — ◀
0500030	Maize	▶ <u>M32</u> — ◀	▶ <u>M51</u> — ◀		▶ <u>M42</u> — ◀	▶ <u>M26</u> 2 ◀		▶ <u>M66</u> — ◀
0500040	Millet	▶ <u>M32</u> — ◀	▶ <u>M51</u> — ◀		▶ <u>M42</u> — ◀	▶ <u>M26</u> 2 ◀		▶ <u>M66</u> — ◀
0500050	Oats	▶ <u>M32</u> — ◀	▶ <u>M51</u> — ◀		▶ <u>M42</u> — ◀	▶ <u>M26</u> 2 ◀		▶ <u>M66</u> — ◀
0500060	Rice	▶ <u>M32</u> — ◀	▶ <u>M51</u> — ◀		▶ <u>M42</u> — ◀	▶ <u>M26</u> 2 ◀		▶ <u>M66</u> — ◀
0500070	Rye	▶ <u>M32</u> — ◀	▶ <u>M51</u> — ◀		▶ <u>M42</u> — ◀	▶ <u>M26</u> 5 ◀		▶ <u>M66</u> — ◀

▼ M2

(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)
▶ <u>M56</u> 5 ◀	▶ <u>M24</u> 0,1 ◀	▶ <u>M44</u> 0,4 ◀	▶ <u>M71</u> — ◀			▶ <u>M74</u> 0,05 (*) ◀	▶ <u>M32</u> — ◀
▶ <u>M56</u> 0,5 ◀	▶ <u>M24</u> 0,1 ◀	▶ <u>M44</u> 0,05 (*) ◀	▶ <u>M71</u> — ◀			▶ <u>M74</u> 0,05 (*) ◀	▶ <u>M32</u> — ◀
▶ <u>M56</u> 0,2 ◀	▶ <u>M24</u> 0,1 ◀	▶ <u>M44</u> 0,05 (*) ◀	▶ <u>M71</u> — ◀			▶ <u>M74</u> 0,05 (*) ◀	▶ <u>M32</u> — ◀
▶ <u>M56</u> 0,2 ◀	▶ <u>M24</u> 0,1 ◀	▶ <u>M44</u> 0,05 (*) ◀	▶ <u>M71</u> — ◀			▶ <u>M74</u> 0,05 (*) ◀	▶ <u>M32</u> — ◀
▶ <u>M56</u> 0,2 ◀	▶ <u>M24</u> 0,1 ◀	▶ <u>M44</u> 0,05 (*) ◀	▶ <u>M71</u> — ◀			▶ <u>M74</u> 0,05 (*) ◀	▶ <u>M32</u> — ◀
▶ <u>M56</u> 0,2 ◀	▶ <u>M24</u> 0,1 ◀	▶ <u>M44</u> 0,4 ◀	▶ <u>M71</u> — ◀			▶ <u>M74</u> 0,05 (*) ◀	▶ <u>M32</u> — ◀
▶ <u>M56</u> 0,2 ◀	▶ <u>M24</u> 0,1 ◀	▶ <u>M44</u> 0,05 (*) ◀	▶ <u>M71</u> — ◀			▶ <u>M74</u> 0,05 (*) ◀	▶ <u>M32</u> — ◀
▶ <u>M56</u> 0,2 ◀	▶ <u>M24</u> 0,1 ◀	▶ <u>M44</u> 0,05 (*) ◀	▶ <u>M71</u> — ◀			▶ <u>M74</u> 0,05 (*) ◀	▶ <u>M32</u> — ◀
▶ <u>M56</u> 0,2 ◀	▶ <u>M24</u> 0,1 ◀	▶ <u>M44</u> 0,05 (*) ◀	▶ <u>M71</u> — ◀			▶ <u>M74</u> 0,05 (*) ◀	▶ <u>M32</u> — ◀
▶ <u>M56</u> 0,2 ◀	▶ <u>M24</u> 0,1 ◀	▶ <u>M44</u> 0,05 (*) ◀	▶ <u>M71</u> — ◀			▶ <u>M74</u> 0,05 (*) ◀	▶ <u>M32</u> — ◀
▶ <u>M56</u> 0,05 (*) ◀	▶ <u>M24</u> 0,05 (*) ◀	▶ <u>M44</u> 0,05 (*) ◀	▶ <u>M71</u> — ◀			▶ <u>M74</u> 0,05 (*) ◀	▶ <u>M32</u> — ◀
			▶ <u>M71</u> — ◀				▶ <u>M32</u> — ◀
			▶ <u>M71</u> — ◀				▶ <u>M32</u> — ◀
			▶ <u>M71</u> — ◀				▶ <u>M32</u> — ◀
			▶ <u>M71</u> — ◀				▶ <u>M32</u> — ◀
			▶ <u>M71</u> — ◀				▶ <u>M32</u> — ◀
	▶ <u>M24</u> 0,05 (*) ◀	▶ <u>M44</u> 0,1 ◀	▶ <u>M71</u> — ◀		0,02 (*)		▶ <u>M32</u> — ◀
▶ <u>M56</u> 0,05 (*) ◀			▶ <u>M71</u> — ◀	0,05 (*)		▶ <u>M74</u> 7 ◀	▶ <u>M32</u> — ◀
▶ <u>M56</u> 0,05 (*) ◀			▶ <u>M71</u> — ◀	0,05 (*)		▶ <u>M74</u> 0,3 ◀	▶ <u>M32</u> — ◀
▶ <u>M56</u> 0,2 ◀			▶ <u>M71</u> — ◀	0,05 (*)		▶ <u>M74</u> 0,5 ◀	▶ <u>M32</u> — ◀
▶ <u>M56</u> 0,05 (*) ◀			▶ <u>M71</u> — ◀	0,05 (*)		▶ <u>M74</u> 0,3 ◀	▶ <u>M32</u> — ◀
▶ <u>M56</u> 0,05 (*) ◀			▶ <u>M71</u> — ◀	0,05 (*)		▶ <u>M74</u> 0,5 ◀	▶ <u>M32</u> — ◀
▶ <u>M56</u> 0,09 ◀			▶ <u>M71</u> — ◀	0,1		▶ <u>M74</u> 0,3 ◀	▶ <u>M32</u> — ◀
▶ <u>M56</u> 0,05 (*) ◀			▶ <u>M71</u> — ◀	0,05 (*)		▶ <u>M74</u> 0,5 ◀	▶ <u>M32</u> — ◀



▼ M2

(26)	(27)	(28)	(29)	(30)	(31)
▶ <u>M32</u> 0,1 (*) ◀	▶ <u>M40</u> — ◀	▶ <u>M31</u> 0,05 ◀	▶ <u>M46</u> — ◀	▶ <u>M67</u> — ◀	
▶ <u>M32</u> 1 ◀	▶ <u>M40</u> — ◀	▶ <u>M31</u> 0,01 (*) ◀	▶ <u>M46</u> — ◀	▶ <u>M67</u> — ◀	
▶ <u>M32</u> 0,1 (*) ◀	▶ <u>M40</u> — ◀	▶ <u>M31</u> 0,01 (*) ◀	▶ <u>M46</u> — ◀	▶ <u>M67</u> — ◀	
▶ <u>M32</u> 0,1 (*) ◀	▶ <u>M40</u> — ◀	▶ <u>M31</u> 0,01 (*) ◀	▶ <u>M46</u> — ◀	▶ <u>M67</u> — ◀	
▶ <u>M32</u> 0,1 (*) ◀	▶ <u>M40</u> — ◀	▶ <u>M31</u> 0,01 (*) ◀	▶ <u>M46</u> — ◀	▶ <u>M67</u> — ◀	
▶ <u>M32</u> 0,1 (*) ◀	▶ <u>M40</u> — ◀	▶ <u>M31</u> 0,01 (*) ◀	▶ <u>M46</u> — ◀	▶ <u>M67</u> — ◀	
▶ <u>M32</u> 0,1 (*) ◀	▶ <u>M40</u> — ◀	▶ <u>M31</u> 0,01 (*) ◀	▶ <u>M46</u> — ◀	▶ <u>M67</u> — ◀	
▶ <u>M32</u> 0,1 (*) ◀	▶ <u>M40</u> — ◀	▶ <u>M31</u> 0,01 (*) ◀	▶ <u>M46</u> — ◀	▶ <u>M67</u> — ◀	
▶ <u>M32</u> 0,1 (*) ◀	▶ <u>M40</u> — ◀	▶ <u>M31</u> 0,01 (*) ◀	▶ <u>M46</u> — ◀	▶ <u>M67</u> — ◀	▶ <u>M5</u> 0,01 (*) ◀
	▶ <u>M40</u> — ◀		▶ <u>M46</u> — ◀	▶ <u>M67</u> — ◀	
	▶ <u>M40</u> — ◀		▶ <u>M46</u> — ◀	▶ <u>M67</u> — ◀	
	▶ <u>M40</u> — ◀		▶ <u>M46</u> — ◀	▶ <u>M67</u> — ◀	
	▶ <u>M40</u> — ◀		▶ <u>M46</u> — ◀	▶ <u>M67</u> — ◀	
▶ <u>M32</u> 0,05 (*) ◀	▶ <u>M40</u> — ◀		▶ <u>M46</u> — ◀	▶ <u>M67</u> — ◀	
	▶ <u>M40</u> — ◀	▶ <u>M31</u> 0,1 ◀	▶ <u>M46</u> — ◀	▶ <u>M67</u> — ◀	▶ <u>M5</u> 0,01 (*) ◀
	▶ <u>M40</u> — ◀	▶ <u>M31</u> 0,01 (*) ◀	▶ <u>M46</u> — ◀	▶ <u>M67</u> — ◀	▶ <u>M5</u> 0,01 (*) ◀
	▶ <u>M40</u> — ◀	▶ <u>M31</u> 0,01 (*) ◀	▶ <u>M46</u> — ◀	▶ <u>M67</u> — ◀	▶ <u>M5</u> 0,01 (*) ◀
	▶ <u>M40</u> — ◀	▶ <u>M31</u> 0,01 (*) ◀	▶ <u>M46</u> — ◀	▶ <u>M67</u> — ◀	▶ <u>M5</u> 0,01 (*) ◀
	▶ <u>M40</u> — ◀	▶ <u>M31</u> 0,01 (*) ◀	▶ <u>M46</u> — ◀	▶ <u>M67</u> — ◀	▶ <u>M5</u> 0,01 (*) ◀
	▶ <u>M40</u> — ◀	▶ <u>M31</u> 0,01 (*) ◀	▶ <u>M46</u> — ◀	▶ <u>M67</u> — ◀	▶ <u>M5</u> 0,01 (*) ◀
	▶ <u>M40</u> — ◀	▶ <u>M31</u> 0,01 (*) ◀	▶ <u>M46</u> — ◀	▶ <u>M67</u> — ◀	▶ <u>M5</u> 0,05 ◀
	▶ <u>M40</u> — ◀	▶ <u>M31</u> 0,08 ◀	▶ <u>M46</u> — ◀	▶ <u>M67</u> — ◀	▶ <u>M5</u> 0,01 (*) ◀

▼ **M2**

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)
0500080	Sorghum	▶ <b>M32</b> — ◀	▶ <b>M51</b> — ◀		▶ <b>M42</b> — ◀	▶ <b>M26</b> 2 ◀		▶ <b>M66</b> — ◀
0500090	Wheat	▶ <b>M32</b> — ◀	▶ <b>M51</b> — ◀		▶ <b>M42</b> — ◀	▶ <b>M26</b> 2 ◀		▶ <b>M66</b> — ◀
0500990	Others	▶ <b>M32</b> — ◀	▶ <b>M51</b> — ◀		▶ <b>M42</b> — ◀	▶ <b>M26</b> 2 ◀		▶ <b>M66</b> — ◀
0600000	6. <b>TEA, COFFEE, HERBAL INFUSIONS AND COCOA</b>	▶ <b>M32</b> — ◀	▶ <b>M51</b> — ◀	▶ <b>M5</b> 0,1 ◀	▶ <b>M42</b> — ◀			▶ <b>M66</b> — ◀
0610000	(i) <b>Tea (dried leaves and stalks, fermented or otherwise of Camellia sinensis)</b>	▶ <b>M32</b> — ◀	▶ <b>M51</b> — ◀		▶ <b>M42</b> — ◀	▶ <b>M26</b> 0,5 ◀	40	▶ <b>M66</b> — ◀
0620000	(ii) <b>Coffee beans</b>	▶ <b>M32</b> — ◀	▶ <b>M51</b> — ◀		▶ <b>M42</b> — ◀	▶ <b>M26</b> 0,5 ◀	50	▶ <b>M66</b> — ◀
0630000	(iii) <b>Herbal infusions (dried)</b>	▶ <b>M32</b> — ◀	▶ <b>M51</b> — ◀		▶ <b>M42</b> — ◀	▶ <b>M26</b> 5 ◀	100	▶ <b>M66</b> — ◀
0631000	(a) <i>Flowers</i>	▶ <b>M32</b> — ◀	▶ <b>M51</b> — ◀		▶ <b>M42</b> — ◀			▶ <b>M66</b> — ◀
0631010	Camomille flowers	▶ <b>M32</b> — ◀	▶ <b>M51</b> — ◀		▶ <b>M42</b> — ◀			▶ <b>M66</b> — ◀
0631020	Hybiscus flowers	▶ <b>M32</b> — ◀	▶ <b>M51</b> — ◀		▶ <b>M42</b> — ◀			▶ <b>M66</b> — ◀
0631030	Rose petals	▶ <b>M32</b> — ◀	▶ <b>M51</b> — ◀		▶ <b>M42</b> — ◀			▶ <b>M66</b> — ◀
0631040	Jasmine flowers	▶ <b>M32</b> — ◀	▶ <b>M51</b> — ◀		▶ <b>M42</b> — ◀			▶ <b>M66</b> — ◀
0631050	Lime (linden)	▶ <b>M32</b> — ◀	▶ <b>M51</b> — ◀		▶ <b>M42</b> — ◀			▶ <b>M66</b> — ◀
0631990	Others	▶ <b>M32</b> — ◀	▶ <b>M51</b> — ◀		▶ <b>M42</b> — ◀			▶ <b>M66</b> — ◀
0632000	(b) <i>Leaves</i>	▶ <b>M32</b> — ◀	▶ <b>M51</b> — ◀		▶ <b>M42</b> — ◀			▶ <b>M66</b> — ◀
0632010	Strawberry leaves	▶ <b>M32</b> — ◀	▶ <b>M51</b> — ◀		▶ <b>M42</b> — ◀			▶ <b>M66</b> — ◀

▼ M2

(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)
▶ <u>M56</u> 0,05 (*) ◀			▶ <u>M71</u> — ◀	0,05 (*)		▶ <u>M74</u> 4 ◀	▶ <u>M32</u> — ◀
▶ <u>M56</u> 0,05 (*) ◀			▶ <u>M71</u> — ◀	0,05 (*)		▶ <u>M74</u> 2 ◀	▶ <u>M32</u> — ◀
▶ <u>M56</u> 0,05 (*) ◀			▶ <u>M71</u> — ◀	0,05 (*)		▶ <u>M74</u> 0,3 ◀	▶ <u>M32</u> — ◀
▶ <u>M56</u> 0,05 (*) ◀	▶ <u>M24</u> 0,05 (*) ◀		▶ <u>M71</u> — ◀	0,1	0,02 (*)	▶ <u>M61</u> — ◀	▶ <u>M32</u> — ◀
		▶ <u>M44</u> 0,05 (*) ◀	▶ <u>M71</u> — ◀			▶ <u>M74</u> 0,05 (*) ◀	▶ <u>M32</u> — ◀
		▶ <u>M44</u> 0,1 ◀	▶ <u>M71</u> — ◀			▶ <u>M74</u> 0,05 (*) ◀	▶ <u>M32</u> — ◀
		▶ <u>M44</u> 0,05 (*) ◀	▶ <u>M71</u> — ◀				▶ <u>M32</u> — ◀
			▶ <u>M71</u> — ◀			▶ <u>M74</u> 40 ◀	▶ <u>M32</u> — ◀
			▶ <u>M71</u> — ◀				▶ <u>M32</u> — ◀
			▶ <u>M71</u> — ◀				▶ <u>M32</u> — ◀
			▶ <u>M71</u> — ◀				▶ <u>M32</u> — ◀
			▶ <u>M71</u> — ◀				▶ <u>M32</u> — ◀
			▶ <u>M71</u> — ◀			▶ <u>M74</u> 40 ◀	▶ <u>M32</u> — ◀
			▶ <u>M71</u> — ◀				▶ <u>M32</u> — ◀



▼ M2

(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)
		▶ <u>M66</u> — ◀ ▶ <u>M66</u> — ◀		▶ <u>M78</u> 0,05 (*) ◀ ▶ <u>M78</u> 0,1 ◀	▶ <u>M5</u> 0,05 (*) ◀ ▶ <u>M5</u> 0,1 ◀		
		▶ <u>M66</u> — ◀		▶ <u>M78</u> 0,05 (*) ◀	▶ <u>M5</u> 0,05 (*) ◀		
	0,05 (*)	▶ <u>M66</u> — ◀	0,05 (*)			▶ <u>M31</u> 0,05 (*) ◀	0,02 (*)
▶ <u>M24</u> 0,1 ◀		▶ <u>M66</u> — ◀		▶ <u>M78</u> 0,05 (*) ◀	▶ <u>M5</u> 0,1 ◀		
▶ <u>M24</u> 0,05 (*) ◀		▶ <u>M66</u> — ◀		▶ <u>M78</u> 0,05 (*) ◀	▶ <u>M5</u> 0,05 (*) ◀		
▶ <u>M24</u> 0,1 ◀		▶ <u>M66</u> — ◀		▶ <u>M78</u> 20 ◀	▶ <u>M5</u> 0,05 (*) ◀		
		▶ <u>M66</u> — ◀					
		▶ <u>M66</u> — ◀ ▶ <u>M66</u> — ◀ ▶ <u>M66</u> — ◀ ▶ <u>M66</u> — ◀ ▶ <u>M66</u> — ◀					
		▶ <u>M66</u> — ◀					
		▶ <u>M66</u> — ◀					
		▶ <u>M66</u> — ◀					

▼ M2

(26)	(27)	(28)	(29)	(30)	(31)
	▶ <u>M40</u> — ◀ ▶ <u>M40</u> — ◀	▶ <u>M31</u> 0,01 (*) ◀ ▶ <u>M31</u> 0,1 ◀	▶ <u>M46</u> — ◀ ▶ <u>M46</u> — ◀	▶ <u>M67</u> — ◀ ▶ <u>M67</u> — ◀	▶ <u>M5</u> 0,01 (*) ◀ ▶ <u>M5</u> 0,05 ◀
	▶ <u>M40</u> — ◀	▶ <u>M31</u> 0,01 (*) ◀	▶ <u>M46</u> — ◀	▶ <u>M67</u> — ◀	▶ <u>M5</u> 0,01 (*) ◀
▶ <u>M32</u> 0,1 (*) ◀	▶ <u>M40</u> — ◀	▶ <u>M31</u> 0,01 (*) ◀	▶ <u>M46</u> — ◀	▶ <u>M67</u> — ◀	▶ <u>M5</u> 0,01 (*) ◀
	▶ <u>M40</u> — ◀		▶ <u>M46</u> — ◀	▶ <u>M67</u> — ◀	
	▶ <u>M40</u> — ◀		▶ <u>M46</u> — ◀	▶ <u>M67</u> — ◀	
	▶ <u>M40</u> — ◀		▶ <u>M46</u> — ◀	▶ <u>M67</u> — ◀	
	▶ <u>M40</u> — ◀ ▶ <u>M40</u> — ◀ ▶ <u>M40</u> — ◀ ▶ <u>M40</u> — ◀ ▶ <u>M40</u> — ◀		▶ <u>M46</u> — ◀ ▶ <u>M46</u> — ◀ ▶ <u>M46</u> — ◀ ▶ <u>M46</u> — ◀ ▶ <u>M46</u> — ◀	▶ <u>M67</u> — ◀ ▶ <u>M67</u> — ◀ ▶ <u>M67</u> — ◀ ▶ <u>M67</u> — ◀ ▶ <u>M67</u> — ◀	
	▶ <u>M40</u> — ◀		▶ <u>M46</u> — ◀	▶ <u>M67</u> — ◀	
	▶ <u>M40</u> — ◀		▶ <u>M46</u> — ◀	▶ <u>M67</u> — ◀	
	▶ <u>M40</u> — ◀		▶ <u>M46</u> — ◀	▶ <u>M67</u> — ◀	

▼ **M2**

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)
0632020	Rooibos leaves	▶ <u>M32</u> — ◀	▶ <u>M51</u> — ◀		▶ <u>M42</u> — ◀			▶ <u>M66</u> — ◀
0632030	Maté	▶ <u>M32</u> — ◀	▶ <u>M51</u> — ◀		▶ <u>M42</u> — ◀			▶ <u>M66</u> — ◀
0632990	Others	▶ <u>M32</u> — ◀	▶ <u>M51</u> — ◀		▶ <u>M42</u> — ◀			▶ <u>M66</u> — ◀
0633000	(c) <i>Roots</i>	▶ <u>M32</u> — ◀	▶ <u>M51</u> — ◀		▶ <u>M42</u> — ◀			▶ <u>M66</u> — ◀
0633010	Valerian root	▶ <u>M32</u> — ◀	▶ <u>M51</u> — ◀		▶ <u>M42</u> — ◀			▶ <u>M66</u> — ◀
0633020	Ginseng root	▶ <u>M32</u> — ◀	▶ <u>M51</u> — ◀		▶ <u>M42</u> — ◀			▶ <u>M66</u> — ◀
0633990	Others	▶ <u>M32</u> — ◀	▶ <u>M51</u> — ◀		▶ <u>M42</u> — ◀			▶ <u>M66</u> — ◀
0639000	(d) <i>Other herbal infusions</i>	▶ <u>M32</u> — ◀	▶ <u>M51</u> — ◀		▶ <u>M42</u> — ◀			▶ <u>M66</u> — ◀
0640000	(iv) <b>Cocoa (fermented beans)</b>	▶ <u>M32</u> — ◀	▶ <u>M51</u> — ◀		▶ <u>M42</u> — ◀	▶ <u>M26</u> 0,5 ◀	50	▶ <u>M66</u> — ◀
0650000	(v) <b>Carob (st johns bread)</b>	▶ <u>M32</u> — ◀	▶ <u>M51</u> — ◀		▶ <u>M42</u> — ◀	▶ <u>M26</u> 0,5 ◀	20	▶ <u>M66</u> — ◀
0700000	<b>7. HOPS (dried), including hop pellets and unconcentrated powder</b>	▶ <u>M32</u> — ◀	▶ <u>M51</u> — ◀	▶ <u>M5</u> 0,1 ◀	▶ <u>M42</u> — ◀	▶ <u>M26</u> 5 ◀	1000	▶ <u>M66</u> — ◀
0800000	<b>8. SPICES</b>	▶ <u>M32</u> — ◀	▶ <u>M51</u> — ◀	▶ <u>M5</u> 0,1 ◀	▶ <u>M42</u> — ◀	▶ <u>M26</u> 0,5 ◀	40	▶ <u>M66</u> — ◀
0810000	(i) <b>Seeds</b>	▶ <u>M32</u> — ◀	▶ <u>M51</u> — ◀		▶ <u>M42</u> — ◀			▶ <u>M66</u> — ◀
0810010	Anise	▶ <u>M32</u> — ◀	▶ <u>M51</u> — ◀		▶ <u>M42</u> — ◀			▶ <u>M66</u> — ◀
0810020	Black caraway	▶ <u>M32</u> — ◀	▶ <u>M51</u> — ◀		▶ <u>M42</u> — ◀			▶ <u>M66</u> — ◀
0810030	Celery seed	▶ <u>M32</u> — ◀	▶ <u>M51</u> — ◀		▶ <u>M42</u> — ◀			▶ <u>M66</u> — ◀
0810040	Coriander seed	▶ <u>M32</u> — ◀	▶ <u>M51</u> — ◀		▶ <u>M42</u> — ◀			▶ <u>M66</u> — ◀
0810050	Cumin seed	▶ <u>M32</u> — ◀	▶ <u>M51</u> — ◀		▶ <u>M42</u> — ◀			▶ <u>M66</u> — ◀
0810060	Dill seed	▶ <u>M32</u> — ◀	▶ <u>M51</u> — ◀		▶ <u>M42</u> — ◀			▶ <u>M66</u> — ◀

▼ M2

(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)
			▶ <u>M71</u> — ◀ ▶ <u>M71</u> — ◀				▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀
			▶ <u>M71</u> — ◀				▶ <u>M32</u> — ◀
			▶ <u>M71</u> — ◀			▶ <u>M74</u> 0,05 (*) ◀	▶ <u>M32</u> — ◀
			▶ <u>M71</u> — ◀ ▶ <u>M71</u> — ◀				▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀
			▶ <u>M71</u> — ◀				▶ <u>M32</u> — ◀
			▶ <u>M71</u> — ◀			▶ <u>M74</u> 0,05 (*) ◀	▶ <u>M32</u> — ◀
		▶ <u>M44</u> 0,05 (*) ◀	▶ <u>M71</u> — ◀			▶ <u>M74</u> 0,05 (*) ◀	▶ <u>M32</u> — ◀
		▶ <u>M44</u> 0,05 (*) ◀	▶ <u>M71</u> — ◀			▶ <u>M74</u> 0,05 (*) ◀	▶ <u>M32</u> — ◀
▶ <u>M56</u> 0,05 (*) ◀	▶ <u>M24</u> 2 ◀	▶ <u>M44</u> 0,05 (*) ◀	▶ <u>M71</u> — ◀	0,1	0,02 (*)	▶ <u>M74</u> 0,05 (*) ◀	▶ <u>M32</u> — ◀
▶ <u>M56</u> — ◀	▶ <u>M24</u> 0,05 (*) ◀	▶ <u>M44</u> 0,05 (*) ◀	▶ <u>M71</u> — ◀	0,1	0,02 (*)	▶ <u>M61</u> — ◀	▶ <u>M32</u> — ◀
▶ <u>M56</u> 0,05 (*) ◀			▶ <u>M71</u> — ◀			▶ <u>M74</u> 0,05 (*) ◀	▶ <u>M32</u> — ◀
			▶ <u>M71</u> — ◀ ▶ <u>M71</u> — ◀ ▶ <u>M71</u> — ◀ ▶ <u>M71</u> — ◀ ▶ <u>M71</u> — ◀ ▶ <u>M71</u> — ◀				▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀

▼ M2

(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)
		▶ <u>M66</u> — ◀					
		▶ <u>M66</u> — ◀					
		▶ <u>M66</u> — ◀					
		▶ <u>M66</u> — ◀					
		▶ <u>M66</u> — ◀					
		▶ <u>M66</u> — ◀					
		▶ <u>M66</u> — ◀					
▶ <u>M24</u> 0,05 (*) ◀		▶ <u>M66</u> — ◀		▶ <u>M78</u> 0,05 (*) ◀	▶ <u>M5</u> 0,05 (*) ◀		
▶ <u>M24</u> 0,05 (*) ◀		▶ <u>M66</u> — ◀		▶ <u>M78</u> 0,05 (*) ◀	▶ <u>M5</u> 0,05 (*) ◀		
▶ <u>M24</u> 0,1 ◀	0,05 (*)	▶ <u>M66</u> — ◀	0,05 (*)	▶ <u>M78</u> 0,05 (*) ◀	▶ <u>M5</u> 0,05 (*) ◀	▶ <u>M31</u> 0,05 (*) ◀	0,02 (*)
▶ <u>M24</u> 0,05 (*) ◀	0,05 (*)	▶ <u>M66</u> — ◀	0,05 (*)	▶ <u>M72</u> — ◀	▶ <u>M5</u> 0,2 ◀	▶ <u>M31</u> 0,05 (*) ◀	
		▶ <u>M66</u> — ◀		▶ <u>M78</u> 0,3 ◀			
		▶ <u>M66</u> — ◀					
		▶ <u>M66</u> — ◀					
		▶ <u>M66</u> — ◀					
		▶ <u>M66</u> — ◀					
		▶ <u>M66</u> — ◀					

▼ M2

(26)	(27)	(28)	(29)	(30)	(31)
	▶ <u>M40</u> — ◀ ▶ <u>M40</u> — ◀		▶ <u>M46</u> — ◀ ▶ <u>M46</u> — ◀	▶ <u>M67</u> — ◀ ▶ <u>M67</u> — ◀	
	▶ <u>M40</u> — ◀		▶ <u>M46</u> — ◀	▶ <u>M67</u> — ◀	
	▶ <u>M40</u> — ◀		▶ <u>M46</u> — ◀	▶ <u>M67</u> — ◀	
	▶ <u>M40</u> — ◀ ▶ <u>M40</u> — ◀		▶ <u>M46</u> — ◀ ▶ <u>M46</u> — ◀	▶ <u>M67</u> — ◀ ▶ <u>M67</u> — ◀	
	▶ <u>M40</u> — ◀		▶ <u>M46</u> — ◀	▶ <u>M67</u> — ◀	
	▶ <u>M40</u> — ◀		▶ <u>M46</u> — ◀	▶ <u>M67</u> — ◀	
	▶ <u>M40</u> — ◀		▶ <u>M46</u> — ◀	▶ <u>M67</u> — ◀	
	▶ <u>M40</u> — ◀		▶ <u>M46</u> — ◀	▶ <u>M67</u> — ◀	
▶ <u>M32</u> 0,1 (*) ◀	▶ <u>M40</u> — ◀	▶ <u>M31</u> 0,01 (*) ◀	▶ <u>M46</u> — ◀	▶ <u>M67</u> — ◀	▶ <u>M5</u> 100 ◀
▶ <u>M32</u> 0,1 (*) ◀	▶ <u>M40</u> — ◀	▶ <u>M31</u> 0,01 (*) ◀	▶ <u>M46</u> — ◀	▶ <u>M67</u> — ◀	▶ <u>M5</u> 0,01 (*) ◀
	▶ <u>M40</u> — ◀		▶ <u>M46</u> — ◀	▶ <u>M67</u> — ◀	
	▶ <u>M40</u> — ◀ ▶ <u>M40</u> — ◀ ▶ <u>M40</u> — ◀ ▶ <u>M40</u> — ◀ ▶ <u>M40</u> — ◀ ▶ <u>M40</u> — ◀		▶ <u>M46</u> — ◀ ▶ <u>M46</u> — ◀ ▶ <u>M46</u> — ◀ ▶ <u>M46</u> — ◀ ▶ <u>M46</u> — ◀ ▶ <u>M46</u> — ◀	▶ <u>M67</u> — ◀ ▶ <u>M67</u> — ◀ ▶ <u>M67</u> — ◀ ▶ <u>M67</u> — ◀ ▶ <u>M67</u> — ◀ ▶ <u>M67</u> — ◀	

▼ **M2**

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)
0810070	Fennel seed	▶ <u>M32</u> — ◀	▶ <u>M51</u> — ◀		▶ <u>M42</u> — ◀			▶ <u>M66</u> — ◀
0810080	Fenugreek	▶ <u>M32</u> — ◀	▶ <u>M51</u> — ◀		▶ <u>M42</u> — ◀			▶ <u>M66</u> — ◀
0810090	Nutmeg	▶ <u>M32</u> — ◀	▶ <u>M51</u> — ◀		▶ <u>M42</u> — ◀			▶ <u>M66</u> — ◀
0810990	Others	▶ <u>M32</u> — ◀	▶ <u>M51</u> — ◀		▶ <u>M42</u> — ◀			▶ <u>M66</u> — ◀
0820000	(ii) <b>Fruits and berries</b>	▶ <u>M32</u> — ◀	▶ <u>M51</u> — ◀		▶ <u>M42</u> — ◀			▶ <u>M66</u> — ◀
0820010	Allspice	▶ <u>M32</u> — ◀	▶ <u>M51</u> — ◀		▶ <u>M42</u> — ◀			▶ <u>M66</u> — ◀
0820020	Anise pepper (Japan pepper)	▶ <u>M32</u> — ◀	▶ <u>M51</u> — ◀		▶ <u>M42</u> — ◀			▶ <u>M66</u> — ◀
0820030	Caraway	▶ <u>M32</u> — ◀	▶ <u>M51</u> — ◀		▶ <u>M42</u> — ◀			▶ <u>M66</u> — ◀
0820040	Cardamom	▶ <u>M32</u> — ◀	▶ <u>M51</u> — ◀		▶ <u>M42</u> — ◀			▶ <u>M66</u> — ◀
0820050	Juniper berries	▶ <u>M32</u> — ◀	▶ <u>M51</u> — ◀		▶ <u>M42</u> — ◀			▶ <u>M66</u> — ◀
0820060	Pepper, black and white	▶ <u>M32</u> — ◀	▶ <u>M51</u> — ◀		▶ <u>M42</u> — ◀			▶ <u>M66</u> — ◀
0820070	Vanilla pods	▶ <u>M32</u> — ◀	▶ <u>M51</u> — ◀		▶ <u>M42</u> — ◀			▶ <u>M66</u> — ◀
0820080	Tamarind	▶ <u>M32</u> — ◀	▶ <u>M51</u> — ◀		▶ <u>M42</u> — ◀			▶ <u>M66</u> — ◀
0820990	Others	▶ <u>M32</u> — ◀	▶ <u>M51</u> — ◀		▶ <u>M42</u> — ◀			▶ <u>M66</u> — ◀
0830000	(iii) <b>Bark</b>	▶ <u>M32</u> — ◀	▶ <u>M51</u> — ◀		▶ <u>M42</u> — ◀			▶ <u>M66</u> — ◀
0830010	Cinnamon	▶ <u>M32</u> — ◀	▶ <u>M51</u> — ◀		▶ <u>M42</u> — ◀			▶ <u>M66</u> — ◀
0830990	Others	▶ <u>M32</u> — ◀	▶ <u>M51</u> — ◀		▶ <u>M42</u> — ◀			▶ <u>M66</u> — ◀
0840000	(iv) <b>Roots or rhizome</b>	▶ <u>M32</u> — ◀	▶ <u>M51</u> — ◀		▶ <u>M42</u> — ◀			▶ <u>M66</u> — ◀
0840010	Liquorice	▶ <u>M32</u> — ◀	▶ <u>M51</u> — ◀		▶ <u>M42</u> — ◀			▶ <u>M66</u> — ◀
0840020	Ginger	▶ <u>M32</u> — ◀	▶ <u>M51</u> — ◀		▶ <u>M42</u> — ◀			▶ <u>M66</u> — ◀
0840030	Turmeric (Curcuma)	▶ <u>M32</u> — ◀	▶ <u>M51</u> — ◀		▶ <u>M42</u> — ◀			▶ <u>M66</u> — ◀

▼ M2

(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)
			▶ <u>M71</u> — ◀ ▶ <u>M71</u> — ◀ ▶ <u>M71</u> — ◀				▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀
			▶ <u>M71</u> — ◀				▶ <u>M32</u> — ◀
▶ <u>M56</u> 0,05 (*) ◀			▶ <u>M71</u> — ◀			▶ <u>M74</u> 0,05 (*) ◀	▶ <u>M32</u> — ◀
			▶ <u>M71</u> — ◀ ▶ <u>M71</u> — ◀  ▶ <u>M71</u> — ◀ ▶ <u>M71</u> — ◀ ▶ <u>M71</u> — ◀ ▶ <u>M71</u> — ◀ ▶ <u>M71</u> — ◀				▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀  ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀
			▶ <u>M71</u> — ◀				▶ <u>M32</u> — ◀
▶ <u>M56</u> 0,05 (*) ◀			▶ <u>M71</u> — ◀			▶ <u>M74</u> 0,05 (*) ◀	▶ <u>M32</u> — ◀
			▶ <u>M71</u> — ◀				▶ <u>M32</u> — ◀
			▶ <u>M71</u> — ◀				▶ <u>M32</u> — ◀
▶ <u>M56</u> 0,05 (*) ◀ ▶ <u>M56</u> 0,05 (*) ◀ ▶ <u>M56</u> 0,05 (*) ◀			▶ <u>M71</u> — ◀ ▶ <u>M71</u> — ◀ ▶ <u>M71</u> — ◀			▶ <u>M74</u> 0,05 (*) ◀ ▶ <u>M74</u> 0,05 (*) ◀ ▶ <u>M74</u> 0,05 (*) ◀	▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀





▼ M2

(26)	(27)	(28)	(29)	(30)	(31)
	▶ <u>M40</u> — ◀ ▶ <u>M40</u> — ◀ ▶ <u>M40</u> — ◀		▶ <u>M46</u> — ◀ ▶ <u>M46</u> — ◀ ▶ <u>M46</u> — ◀	▶ <u>M67</u> — ◀ ▶ <u>M67</u> — ◀ ▶ <u>M67</u> — ◀	
	▶ <u>M40</u> — ◀		▶ <u>M46</u> — ◀	▶ <u>M67</u> — ◀	
	▶ <u>M40</u> — ◀		▶ <u>M46</u> — ◀	▶ <u>M67</u> — ◀	
	▶ <u>M40</u> — ◀ ▶ <u>M40</u> — ◀  ▶ <u>M40</u> — ◀ ▶ <u>M40</u> — ◀ ▶ <u>M40</u> — ◀ ▶ <u>M40</u> — ◀  ▶ <u>M40</u> — ◀ ▶ <u>M40</u> — ◀		▶ <u>M46</u> — ◀ ▶ <u>M46</u> — ◀  ▶ <u>M46</u> — ◀ ▶ <u>M46</u> — ◀ ▶ <u>M46</u> — ◀ ▶ <u>M46</u> — ◀  ▶ <u>M46</u> — ◀ ▶ <u>M46</u> — ◀	▶ <u>M67</u> — ◀ ▶ <u>M67</u> — ◀  ▶ <u>M67</u> — ◀ ▶ <u>M67</u> — ◀ ▶ <u>M67</u> — ◀ ▶ <u>M67</u> — ◀  ▶ <u>M67</u> — ◀ ▶ <u>M67</u> — ◀	
	▶ <u>M40</u> — ◀		▶ <u>M46</u> — ◀	▶ <u>M67</u> — ◀	
	▶ <u>M40</u> — ◀		▶ <u>M46</u> — ◀	▶ <u>M67</u> — ◀	
	▶ <u>M40</u> — ◀		▶ <u>M46</u> — ◀	▶ <u>M67</u> — ◀	
	▶ <u>M40</u> — ◀		▶ <u>M46</u> — ◀	▶ <u>M67</u> — ◀	
	▶ <u>M40</u> — ◀		▶ <u>M46</u> — ◀	▶ <u>M67</u> — ◀	
	▶ <u>M40</u> — ◀ ▶ <u>M40</u> — ◀ ▶ <u>M40</u> — ◀		▶ <u>M46</u> — ◀ ▶ <u>M46</u> — ◀ ▶ <u>M46</u> — ◀	▶ <u>M67</u> — ◀ ▶ <u>M67</u> — ◀ ▶ <u>M67</u> — ◀	

▼ **M2**

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)
0840040	Horseradish	▶ <u>M32</u> — ◀	▶ <u>M51</u> — ◀		▶ <u>M42</u> — ◀			▶ <u>M66</u> — ◀
0840990	Others	▶ <u>M32</u> — ◀	▶ <u>M51</u> — ◀		▶ <u>M42</u> — ◀			▶ <u>M66</u> — ◀
0850000	(v) <b>Buds</b>	▶ <u>M32</u> — ◀	▶ <u>M51</u> — ◀		▶ <u>M42</u> — ◀			▶ <u>M66</u> — ◀
0850010	Cloves	▶ <u>M32</u> — ◀	▶ <u>M51</u> — ◀		▶ <u>M42</u> — ◀			▶ <u>M66</u> — ◀
0850020	Capers	▶ <u>M32</u> — ◀	▶ <u>M51</u> — ◀		▶ <u>M42</u> — ◀			▶ <u>M66</u> — ◀
0850990	Others	▶ <u>M32</u> — ◀	▶ <u>M51</u> — ◀		▶ <u>M42</u> — ◀			▶ <u>M66</u> — ◀
0860000	(vi) <b>Flower stigma</b>	▶ <u>M32</u> — ◀	▶ <u>M51</u> — ◀		▶ <u>M42</u> — ◀			▶ <u>M66</u> — ◀
0860010	Saffron	▶ <u>M32</u> — ◀	▶ <u>M51</u> — ◀		▶ <u>M42</u> — ◀			▶ <u>M66</u> — ◀
0860990	Others	▶ <u>M32</u> — ◀	▶ <u>M51</u> — ◀		▶ <u>M42</u> — ◀			▶ <u>M66</u> — ◀
0870000	(vii) <b>Aril</b>	▶ <u>M32</u> — ◀	▶ <u>M51</u> — ◀		▶ <u>M42</u> — ◀			▶ <u>M66</u> — ◀
0870010	Mace	▶ <u>M32</u> — ◀	▶ <u>M51</u> — ◀		▶ <u>M42</u> — ◀			▶ <u>M66</u> — ◀
0870990	Others	▶ <u>M32</u> — ◀	▶ <u>M51</u> — ◀		▶ <u>M42</u> — ◀			▶ <u>M66</u> — ◀
0900000	9. <b>SUGAR PLANTS</b>	▶ <u>M32</u> — ◀	▶ <u>M51</u> — ◀		▶ <u>M42</u> — ◀		5	▶ <u>M66</u> — ◀
0900010	Sugar beet (root)	▶ <u>M32</u> — ◀	▶ <u>M51</u> — ◀	▶ <u>M5</u> 0,5 ◀	▶ <u>M42</u> — ◀	▶ <u>M26</u> 1 ◀		▶ <u>M66</u> — ◀
0900020	Sugar cane	▶ <u>M32</u> — ◀	▶ <u>M51</u> — ◀	▶ <u>M5</u> 0,1 ◀	▶ <u>M42</u> — ◀	▶ <u>M26</u> 0,05 (*) ◀		▶ <u>M66</u> — ◀
0900030	Chicory roots	▶ <u>M32</u> — ◀	▶ <u>M51</u> — ◀	▶ <u>M5</u> 0,1 ◀	▶ <u>M42</u> — ◀	▶ <u>M26</u> 0,05 (*) ◀		▶ <u>M66</u> — ◀
0900990	Others	▶ <u>M32</u> — ◀	▶ <u>M51</u> — ◀	▶ <u>M5</u> 0,1 ◀	▶ <u>M42</u> — ◀	▶ <u>M26</u> 0,05 (*) ◀		▶ <u>M66</u> — ◀
1000000	10. <b>PRODUCTS OF ANIMAL ORIGIN- TERRESTRIAL ANIMALS</b>	▶ <u>M32</u> — ◀	▶ <u>M51</u> — ◀		▶ <u>M42</u> — ◀			▶ <u>M66</u> — ◀

▼ M2

(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)
▶ <u>M56</u> (+) ◀			▶ <u>M71</u> — ◀			▶ <u>M74</u> (+) ◀	▶ <u>M32</u> — ◀
▶ <u>M56</u> 0,05 (*) ◀			▶ <u>M71</u> — ◀			▶ <u>M74</u> 0,05 (*) ◀	▶ <u>M32</u> — ◀
▶ <u>M56</u> 0,05 (*) ◀			▶ <u>M71</u> — ◀			▶ <u>M74</u> 0,05 (*) ◀	▶ <u>M32</u> — ◀
			▶ <u>M71</u> — ◀				▶ <u>M32</u> — ◀
			▶ <u>M71</u> — ◀				▶ <u>M32</u> — ◀
▶ <u>M56</u> 0,05 (*) ◀			▶ <u>M71</u> — ◀			▶ <u>M74</u> 0,05 (*) ◀	▶ <u>M32</u> — ◀
			▶ <u>M71</u> — ◀				▶ <u>M32</u> — ◀
			▶ <u>M71</u> — ◀				▶ <u>M32</u> — ◀
▶ <u>M56</u> 0,05 (*) ◀			▶ <u>M71</u> — ◀			▶ <u>M74</u> 0,05 (*) ◀	▶ <u>M32</u> — ◀
			▶ <u>M71</u> — ◀				▶ <u>M32</u> — ◀
			▶ <u>M71</u> — ◀				▶ <u>M32</u> — ◀
	▶ <u>M24</u> 0,05 (*) ◀		▶ <u>M71</u> — ◀		0,02 (*)	▶ <u>M27</u> — ◀	▶ <u>M32</u> — ◀
▶ <u>M56</u> 0,5 ◀		▶ <u>M44</u> 0,1 ◀	▶ <u>M71</u> — ◀	0,1		▶ <u>M74</u> 0,05 (*) ◀	▶ <u>M32</u> — ◀
▶ <u>M56</u> 0,05 (*) ◀		▶ <u>M44</u> 0,05 (*) ◀	▶ <u>M71</u> — ◀	0,05 (*)		▶ <u>M74</u> 1 ◀	▶ <u>M32</u> — ◀
▶ <u>M56</u> 0,05 (*) ◀		▶ <u>M44</u> 0,05 (*) ◀	▶ <u>M71</u> — ◀	0,05 (*)		▶ <u>M74</u> 0,05 (*) ◀	▶ <u>M32</u> — ◀
▶ <u>M56</u> 0,05 (*) ◀		▶ <u>M44</u> 0,05 (*) ◀	▶ <u>M71</u> — ◀	0,05 (*)		▶ <u>M74</u> 0,05 (*) ◀	▶ <u>M32</u> — ◀
▶ <u>M56</u> — ◀	▶ <u>M24</u> 0,05 (*) ◀		▶ <u>M71</u> — ◀				▶ <u>M32</u> — ◀

▼ **M2**

(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)
		▶ <b>M66</b> — ◀		▶ <b>M78</b> (+) ◀			
		▶ <b>M66</b> — ◀		▶ <b>M78</b> 0,3 ◀			
		▶ <b>M66</b> — ◀		▶ <b>M78</b> 0,3 ◀			
		▶ <b>M66</b> — ◀					
		▶ <b>M66</b> — ◀					
		▶ <b>M66</b> — ◀		▶ <b>M78</b> 0,3 ◀			
		▶ <b>M66</b> — ◀					
		▶ <b>M66</b> — ◀					
		▶ <b>M66</b> — ◀		▶ <b>M78</b> 0,3 ◀			
		▶ <b>M66</b> — ◀					
		▶ <b>M66</b> — ◀					
▶ <b>M24</b> 0,05 (*) ◀	0,05 (*)	▶ <b>M66</b> — ◀	0,05 (*)		▶ <b>M5</b> 0,05 (*) ◀	▶ <b>M31</b> 0,05 (*) ◀	0,02 (*)
		▶ <b>M66</b> — ◀		▶ <b>M78</b> 0,2 ◀			
		▶ <b>M66</b> — ◀		▶ <b>M78</b> 0,05 (*) ◀			
		▶ <b>M66</b> — ◀		▶ <b>M78</b> 0,6 ◀			
		▶ <b>M66</b> — ◀		▶ <b>M78</b> 0,05 (*) ◀			
0,05 (*)		▶ <b>M66</b> — ◀	0,05 (*)			▶ <b>M31</b> 0,05 (*) ◀	0,02 (*)

▼ M2

(26)	(27)	(28)	(29)	(30)	(31)
	▶ <u>M40</u> — ◀		▶ <u>M46</u> — ◀	▶ <u>M67</u> — ◀	
	▶ <u>M40</u> — ◀		▶ <u>M46</u> — ◀	▶ <u>M67</u> — ◀	
	▶ <u>M40</u> — ◀		▶ <u>M46</u> — ◀	▶ <u>M67</u> — ◀	
	▶ <u>M40</u> — ◀ ▶ <u>M40</u> — ◀		▶ <u>M46</u> — ◀ ▶ <u>M46</u> — ◀	▶ <u>M67</u> — ◀ ▶ <u>M67</u> — ◀	
	▶ <u>M40</u> — ◀		▶ <u>M46</u> — ◀	▶ <u>M67</u> — ◀	
	▶ <u>M40</u> — ◀		▶ <u>M46</u> — ◀	▶ <u>M67</u> — ◀	
	▶ <u>M40</u> — ◀		▶ <u>M46</u> — ◀	▶ <u>M67</u> — ◀	
	▶ <u>M40</u> — ◀		▶ <u>M46</u> — ◀	▶ <u>M67</u> — ◀	
	▶ <u>M40</u> — ◀		▶ <u>M46</u> — ◀	▶ <u>M67</u> — ◀	
	▶ <u>M40</u> — ◀		▶ <u>M46</u> — ◀	▶ <u>M67</u> — ◀	
	▶ <u>M40</u> — ◀		▶ <u>M46</u> — ◀	▶ <u>M67</u> — ◀	
▶ <u>M32</u> 0,05 (*) ◀	▶ <u>M40</u> — ◀	▶ <u>M31</u> 0,01 (*) ◀	▶ <u>M46</u> — ◀	▶ <u>M67</u> — ◀	▶ <u>M5</u> 0,01 (*) ◀
	▶ <u>M40</u> — ◀ ▶ <u>M40</u> — ◀ ▶ <u>M40</u> — ◀		▶ <u>M46</u> — ◀ ▶ <u>M46</u> — ◀ ▶ <u>M46</u> — ◀	▶ <u>M67</u> — ◀ ▶ <u>M67</u> — ◀ ▶ <u>M67</u> — ◀	
	▶ <u>M40</u> — ◀		▶ <u>M46</u> — ◀	▶ <u>M67</u> — ◀	
	▶ <u>M40</u> — ◀	▶ <u>M5</u> — ◀	▶ <u>M46</u> — ◀	▶ <u>M67</u> — ◀	▶ <u>M5</u> 0,01 (*) ◀

▼ M2

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)
1010000	(i) Meat, preparations of meat, offals, blood, animal fats fresh chilled or frozen, salted, in brine, dried or smoked or processed as flours or meals; other processed products such as sausages and food preparations based on these	► <u>M32</u> — ◀	► <u>M51</u> — ◀		► <u>M42</u> — ◀			► <u>M66</u> — ◀
1011000	(a) <i>Swine</i>	► <u>M32</u> — ◀	► <u>M51</u> — ◀	► <u>M5</u> 0,2 ◀	► <u>M42</u> — ◀	► <u>M26</u> 0,05 (*) ◀		► <u>M66</u> — ◀
1011010	Meat	► <u>M32</u> — ◀	► <u>M51</u> — ◀		► <u>M42</u> — ◀		5	► <u>M66</u> — ◀
1011020	Fat free of lean meat	► <u>M32</u> — ◀	► <u>M51</u> — ◀		► <u>M42</u> — ◀		5	► <u>M66</u> — ◀
1011030	Liver	► <u>M32</u> — ◀	► <u>M51</u> — ◀		► <u>M42</u> — ◀		30	► <u>M66</u> — ◀
1011040	Kidney	► <u>M32</u> — ◀	► <u>M51</u> — ◀		► <u>M42</u> — ◀		30	► <u>M66</u> — ◀
1011050	Edible offal	► <u>M32</u> — ◀	► <u>M51</u> — ◀		► <u>M42</u> — ◀		30	► <u>M66</u> — ◀
1011990	Others	► <u>M32</u> — ◀	► <u>M51</u> — ◀		► <u>M42</u> — ◀		5	► <u>M66</u> — ◀
1012000	(b) <i>Bovine</i>	► <u>M32</u> — ◀	► <u>M51</u> — ◀	► <u>M5</u> 0,2 ◀	► <u>M42</u> — ◀			► <u>M66</u> — ◀
1012010	Meat	► <u>M32</u> — ◀	► <u>M51</u> — ◀		► <u>M42</u> — ◀	► <u>M26</u> 0,08 ◀	5	► <u>M66</u> — ◀
1012020	Fat	► <u>M32</u> — ◀	► <u>M51</u> — ◀		► <u>M42</u> — ◀	► <u>M26</u> 0,05 (*) ◀	5	► <u>M66</u> — ◀
1012030	Liver	► <u>M32</u> — ◀	► <u>M51</u> — ◀		► <u>M42</u> — ◀	► <u>M26</u> 0,06 ◀	30	► <u>M66</u> — ◀

▼ M2

(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)
	▶ <u>M5</u> 0,05 (*) ◀		▶ <u>M71</u> — ◀				▶ <u>M32</u> — ◀
		▶ <u>M5</u> — ◀	▶ <u>M71</u> — ◀			▶ <u>M27</u> — ◀	▶ <u>M32</u> — ◀
▶ <u>M56</u> 0,06 ◀		▶ <u>M44</u> 0,05 (*) ◀	▶ <u>M71</u> — ◀			▶ <u>M74</u> 0,05 (*) ◀	▶ <u>M32</u> — ◀
▶ <u>M56</u> 0,1 ◀		▶ <u>M44</u> 0,05 (*) ◀	▶ <u>M71</u> — ◀			▶ <u>M74</u> 0,07 ◀	▶ <u>M32</u> — ◀
▶ <u>M56</u> 0,5 ◀		▶ <u>M44</u> 0,5 ◀	▶ <u>M71</u> — ◀			▶ <u>M74</u> 0,7 ◀	▶ <u>M32</u> — ◀
▶ <u>M56</u> 0,5 ◀		▶ <u>M44</u> 0,5 ◀	▶ <u>M71</u> — ◀			▶ <u>M74</u> 0,7 ◀	▶ <u>M32</u> — ◀
▶ <u>M56</u> 0,5 ◀		▶ <u>M44</u> 0,5 ◀	▶ <u>M71</u> — ◀			▶ <u>M74</u> 0,7 ◀	▶ <u>M32</u> — ◀
▶ <u>M56</u> 0,05 (*) ◀		▶ <u>M44</u> 0,05 (*) ◀	▶ <u>M71</u> — ◀			▶ <u>M74</u> 0,05 (*) ◀	▶ <u>M32</u> — ◀
			▶ <u>M71</u> — ◀			▶ <u>M27</u> — ◀	▶ <u>M32</u> — ◀
▶ <u>M56</u> 0,06 ◀		▶ <u>M44</u> 0,05 (*) ◀	▶ <u>M71</u> — ◀			▶ <u>M74</u> 0,5 ◀	▶ <u>M32</u> — ◀
▶ <u>M56</u> 0,1 ◀		▶ <u>M44</u> 0,05 (*) ◀	▶ <u>M71</u> — ◀			▶ <u>M74</u> 0,07 ◀	▶ <u>M32</u> — ◀
▶ <u>M56</u> 0,5 ◀		▶ <u>M44</u> 0,5 ◀	▶ <u>M71</u> — ◀			▶ <u>M74</u> 0,7 ◀	▶ <u>M32</u> — ◀



▼ M2

(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)
		▶ <u>M66</u> — ◀					
	0,05	▶ <u>M66</u> — ◀			▶ <u>M5</u> 0,1 ◀		
▶ <u>M24</u> 0,05 (*) ◀		▶ <u>M66</u> — ◀		▶ <u>M78</u> 0,05 ◀			
▶ <u>M24</u> 0,05 (*) ◀		▶ <u>M66</u> — ◀		▶ <u>M78</u> 0,05 ◀			
▶ <u>M24</u> 0,05 (*) ◀		▶ <u>M66</u> — ◀		▶ <u>M78</u> 0,2 ◀			
▶ <u>M24</u> 0,1 ◀		▶ <u>M66</u> — ◀		▶ <u>M78</u> 0,2 ◀			
▶ <u>M24</u> 0,05 (*) ◀		▶ <u>M66</u> — ◀		▶ <u>M78</u> 0,2 ◀			
▶ <u>M24</u> 0,05 (*) ◀		▶ <u>M66</u> — ◀		▶ <u>M78</u> 0,1 ◀			
		▶ <u>M66</u> — ◀			▶ <u>M5</u> 0,1 ◀		
▶ <u>M24</u> 0,05 (*) ◀	0,05	▶ <u>M66</u> — ◀		▶ <u>M78</u> 0,05 ◀			
▶ <u>M24</u> 0,05 (*) ◀	0,05	▶ <u>M66</u> — ◀		▶ <u>M78</u> 0,05 ◀			
▶ <u>M24</u> 0,1 ◀	0,1	▶ <u>M66</u> — ◀		▶ <u>M78</u> 0,2 ◀			

▼ M2

(26)	(27)	(28)	(29)	(30)	(31)
	▶ <u>M40</u> — ◀	▶ <u>M31</u> 0,05 (*) ◀	▶ <u>M46</u> — ◀	▶ <u>M67</u> — ◀	▶ <u>M5</u> 0,01 (*) ◀
	▶ <u>M40</u> — ◀		▶ <u>M46</u> — ◀	▶ <u>M67</u> — ◀	
	▶ <u>M40</u> — ◀ ▶ <u>M40</u> — ◀ ▶ <u>M40</u> — ◀ ▶ <u>M40</u> — ◀ ▶ <u>M40</u> — ◀		▶ <u>M46</u> — ◀ ▶ <u>M46</u> — ◀ ▶ <u>M46</u> — ◀ ▶ <u>M46</u> — ◀ ▶ <u>M46</u> — ◀	▶ <u>M67</u> — ◀ ▶ <u>M67</u> — ◀ ▶ <u>M67</u> — ◀ ▶ <u>M67</u> — ◀ ▶ <u>M67</u> — ◀	
	▶ <u>M40</u> — ◀		▶ <u>M46</u> — ◀	▶ <u>M67</u> — ◀	
	▶ <u>M40</u> — ◀		▶ <u>M46</u> — ◀	▶ <u>M67</u> — ◀	
	▶ <u>M40</u> — ◀ ▶ <u>M40</u> — ◀ ▶ <u>M40</u> — ◀		▶ <u>M46</u> — ◀ ▶ <u>M46</u> — ◀ ▶ <u>M46</u> — ◀	▶ <u>M67</u> — ◀ ▶ <u>M67</u> — ◀ ▶ <u>M67</u> — ◀	

▼ **M2**

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)
1012040	Kidney	► <b>M32</b> — ◄	► <b>M51</b> — ◄		► <b>M42</b> — ◄	► <b>M26</b> 0,4 ◄	30	► <b>M66</b> — ◄
1012050	Edible offal	► <b>M32</b> — ◄	► <b>M51</b> — ◄		► <b>M42</b> — ◄	► <b>M26</b> 0,05 (*) ◄	30	► <b>M66</b> — ◄
1012990	Others	► <b>M32</b> — ◄	► <b>M51</b> — ◄		► <b>M42</b> — ◄	► <b>M26</b> 0,05 (*) ◄	5	► <b>M66</b> — ◄
1013000	(c) <i>Sheep</i>	► <b>M32</b> — ◄	► <b>M51</b> — ◄	► <b>M5</b> 0,2 ◄	► <b>M42</b> — ◄	► <b>M26</b> — ◄		► <b>M66</b> — ◄
1013010	Meat	► <b>M32</b> — ◄	► <b>M51</b> — ◄		► <b>M42</b> — ◄	► <b>M26</b> 0,08 ◄	5	► <b>M66</b> — ◄
1013020	Fat	► <b>M32</b> — ◄	► <b>M51</b> — ◄		► <b>M42</b> — ◄	► <b>M26</b> 0,05 (*) ◄	5	► <b>M66</b> — ◄
1013030	Liver	► <b>M32</b> — ◄	► <b>M51</b> — ◄		► <b>M42</b> — ◄	► <b>M26</b> 0,06 ◄	30	► <b>M66</b> — ◄
1013040	Kidney	► <b>M32</b> — ◄	► <b>M51</b> — ◄		► <b>M42</b> — ◄	► <b>M26</b> 0,4 ◄	30	► <b>M66</b> — ◄
1013050	Edible offal	► <b>M32</b> — ◄	► <b>M51</b> — ◄		► <b>M42</b> — ◄	► <b>M26</b> 0,05 (*) ◄	30	► <b>M66</b> — ◄
1013990	Others	► <b>M32</b> — ◄	► <b>M51</b> — ◄		► <b>M42</b> — ◄	► <b>M26</b> 0,05 (*) ◄	5	► <b>M66</b> — ◄
1014000	(d) <i>Goat</i>	► <b>M32</b> — ◄	► <b>M51</b> — ◄	► <b>M5</b> 0,2 ◄	► <b>M42</b> — ◄	► <b>M26</b> — ◄		► <b>M66</b> — ◄
1014010	Meat	► <b>M32</b> — ◄	► <b>M51</b> — ◄		► <b>M42</b> — ◄	► <b>M26</b> 0,08 ◄	5	► <b>M66</b> — ◄
1014020	Fat	► <b>M32</b> — ◄	► <b>M51</b> — ◄		► <b>M42</b> — ◄	► <b>M26</b> 0,05 (*) ◄	5	► <b>M66</b> — ◄
1014030	Liver	► <b>M32</b> — ◄	► <b>M51</b> — ◄		► <b>M42</b> — ◄	► <b>M26</b> 0,06 ◄	30	► <b>M66</b> — ◄
1014040	Kidney	► <b>M32</b> — ◄	► <b>M51</b> — ◄		► <b>M42</b> — ◄	► <b>M26</b> 0,4 ◄	30	► <b>M66</b> — ◄
1014050	Edible offal	► <b>M32</b> — ◄	► <b>M51</b> — ◄		► <b>M42</b> — ◄	► <b>M26</b> 0,05 (*) ◄	30	► <b>M66</b> — ◄
1014990	Others	► <b>M32</b> — ◄	► <b>M51</b> — ◄		► <b>M42</b> — ◄	► <b>M26</b> 0,05 (*) ◄	5	► <b>M66</b> — ◄
1015000	(e) <i>Horses, asses, mules or hinnies</i>	► <b>M32</b> — ◄	► <b>M51</b> — ◄	► <b>M5</b> 0,2 ◄	► <b>M42</b> — ◄	► <b>M26</b> 0,05 (*) ◄		► <b>M66</b> — ◄
1015010	Meat	► <b>M32</b> — ◄	► <b>M51</b> — ◄		► <b>M42</b> — ◄		5	► <b>M66</b> — ◄
1015020	Fat	► <b>M32</b> — ◄	► <b>M51</b> — ◄		► <b>M42</b> — ◄		5	► <b>M66</b> — ◄
1015030	Liver	► <b>M32</b> — ◄	► <b>M51</b> — ◄		► <b>M42</b> — ◄		30	► <b>M66</b> — ◄

▼ M2

(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)
▶ <u>M56</u> 0,5 ◀		▶ <u>M44</u> 0,5 ◀	▶ <u>M71</u> — ◀			▶ <u>M74</u> 0,7 ◀	▶ <u>M32</u> — ◀
▶ <u>M56</u> 0,5 ◀		▶ <u>M44</u> 0,5 ◀	▶ <u>M71</u> — ◀			▶ <u>M74</u> 0,7 ◀	▶ <u>M32</u> — ◀
▶ <u>M56</u> 0,05 (*) ◀		▶ <u>M44</u> 0,05 (*) ◀	▶ <u>M71</u> — ◀			▶ <u>M74</u> 0,5 ◀	▶ <u>M32</u> — ◀
		▶ <u>M5</u> — ◀	▶ <u>M71</u> — ◀			▶ <u>M27</u> — ◀	▶ <u>M32</u> — ◀
▶ <u>M56</u> 0,06 ◀		▶ <u>M44</u> 0,05 (*) ◀	▶ <u>M71</u> — ◀			▶ <u>M74</u> 0,05 (*) ◀	▶ <u>M32</u> — ◀
▶ <u>M56</u> 0,1 ◀		▶ <u>M44</u> 0,05 (*) ◀	▶ <u>M71</u> — ◀			▶ <u>M74</u> 0,07 ◀	▶ <u>M32</u> — ◀
▶ <u>M56</u> 0,5 ◀		▶ <u>M44</u> 0,5 ◀	▶ <u>M71</u> — ◀			▶ <u>M74</u> 0,7 ◀	▶ <u>M32</u> — ◀
▶ <u>M56</u> 0,5 ◀		▶ <u>M44</u> 0,5 ◀	▶ <u>M71</u> — ◀			▶ <u>M74</u> 0,7 ◀	▶ <u>M32</u> — ◀
▶ <u>M56</u> 0,5 ◀		▶ <u>M44</u> 0,5 ◀	▶ <u>M71</u> — ◀			▶ <u>M74</u> 0,7 ◀	▶ <u>M32</u> — ◀
▶ <u>M56</u> 0,05 (*) ◀		▶ <u>M44</u> 0,05 (*) ◀	▶ <u>M71</u> — ◀			▶ <u>M74</u> 0,05 (*) ◀	▶ <u>M32</u> — ◀
		▶ <u>M5</u> — ◀	▶ <u>M71</u> — ◀			▶ <u>M27</u> — ◀	▶ <u>M32</u> — ◀
▶ <u>M56</u> 0,06 ◀		▶ <u>M44</u> 0,05 (*) ◀	▶ <u>M71</u> — ◀			▶ <u>M74</u> 0,05 (*) ◀	▶ <u>M32</u> — ◀
▶ <u>M56</u> 0,1 ◀		▶ <u>M44</u> 0,05 (*) ◀	▶ <u>M71</u> — ◀			▶ <u>M74</u> 0,07 ◀	▶ <u>M32</u> — ◀
▶ <u>M56</u> 0,5 ◀		▶ <u>M44</u> 0,5 ◀	▶ <u>M71</u> — ◀			▶ <u>M74</u> 0,7 ◀	▶ <u>M32</u> — ◀
▶ <u>M56</u> 0,5 ◀		▶ <u>M44</u> 0,5 ◀	▶ <u>M71</u> — ◀			▶ <u>M74</u> 0,7 ◀	▶ <u>M32</u> — ◀
▶ <u>M56</u> 0,5 ◀		▶ <u>M44</u> 0,5 ◀	▶ <u>M71</u> — ◀			▶ <u>M74</u> 0,7 ◀	▶ <u>M32</u> — ◀
▶ <u>M56</u> 0,05 (*) ◀		▶ <u>M44</u> 0,05 (*) ◀	▶ <u>M71</u> — ◀			▶ <u>M74</u> 0,05 (*) ◀	▶ <u>M32</u> — ◀
		▶ <u>M5</u> — ◀	▶ <u>M71</u> — ◀			▶ <u>M27</u> — ◀	▶ <u>M32</u> — ◀
▶ <u>M56</u> 0,06 ◀		▶ <u>M44</u> 0,05 (*) ◀	▶ <u>M71</u> — ◀			▶ <u>M74</u> 0,05 (*) ◀	▶ <u>M32</u> — ◀
▶ <u>M56</u> 0,1 ◀		▶ <u>M44</u> 0,05 (*) ◀	▶ <u>M71</u> — ◀			▶ <u>M74</u> 0,07 ◀	▶ <u>M32</u> — ◀
▶ <u>M56</u> 0,5 ◀		▶ <u>M44</u> 0,5 ◀	▶ <u>M71</u> — ◀			▶ <u>M74</u> 0,7 ◀	▶ <u>M32</u> — ◀

▼ M2

(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)
▶ <u>M24</u> 0,7 ◀	0,1	▶ <u>M66</u> — ◀		▶ <u>M78</u> 0,2 ◀			
▶ <u>M24</u> 0,05 (*) ◀	0,1	▶ <u>M66</u> — ◀		▶ <u>M78</u> 0,2 ◀			
▶ <u>M24</u> 0,05 (*) ◀	0,05	▶ <u>M66</u> — ◀		▶ <u>M78</u> 0,1 ◀			
		▶ <u>M66</u> — ◀			▶ <u>M5</u> 0,1 ◀		
▶ <u>M24</u> 0,05 (*) ◀	0,05	▶ <u>M66</u> — ◀		▶ <u>M78</u> 0,05 ◀			
▶ <u>M24</u> 0,05 (*) ◀	0,05	▶ <u>M66</u> — ◀		▶ <u>M78</u> 0,05 ◀			
▶ <u>M24</u> 0,1 ◀	0,1	▶ <u>M66</u> — ◀		▶ <u>M78</u> 0,2 ◀			
▶ <u>M24</u> 0,7 ◀	0,1	▶ <u>M66</u> — ◀		▶ <u>M78</u> 0,2 ◀			
▶ <u>M24</u> 0,05 (*) ◀	0,1	▶ <u>M66</u> — ◀		▶ <u>M78</u> 0,2 ◀			
▶ <u>M24</u> 0,05 (*) ◀	0,05	▶ <u>M66</u> — ◀		▶ <u>M78</u> 0,1 ◀			
		▶ <u>M66</u> — ◀			▶ <u>M5</u> 0,1 ◀		
▶ <u>M24</u> 0,05 (*) ◀	0,05	▶ <u>M66</u> — ◀		▶ <u>M78</u> 0,05 ◀			
▶ <u>M24</u> 0,05 (*) ◀	0,05	▶ <u>M66</u> — ◀		▶ <u>M78</u> 0,05 ◀			
▶ <u>M24</u> 0,1 ◀	0,1	▶ <u>M66</u> — ◀		▶ <u>M78</u> 0,2 ◀			
▶ <u>M24</u> 0,7 ◀	0,1	▶ <u>M66</u> — ◀		▶ <u>M78</u> 0,2 ◀			
▶ <u>M24</u> 0,05 (*) ◀	0,1	▶ <u>M66</u> — ◀		▶ <u>M78</u> 0,2 ◀			
▶ <u>M24</u> 0,05 (*) ◀	0,05	▶ <u>M66</u> — ◀		▶ <u>M78</u> 0,1 ◀			
	0,05	▶ <u>M66</u> — ◀			▶ <u>M5</u> 0,1 ◀		
▶ <u>M24</u> 0,05 (*) ◀		▶ <u>M66</u> — ◀		▶ <u>M78</u> 0,05 ◀			
▶ <u>M24</u> 0,05 (*) ◀		▶ <u>M66</u> — ◀		▶ <u>M78</u> 0,05 ◀			
▶ <u>M24</u> 0,1 ◀		▶ <u>M66</u> — ◀		▶ <u>M78</u> 0,2 ◀			

▼ M2

(26)	(27)	(28)	(29)	(30)	(31)
	▶ <u>M40</u> — ◀ ▶ <u>M40</u> — ◀		▶ <u>M46</u> — ◀ ▶ <u>M46</u> — ◀	▶ <u>M67</u> — ◀ ▶ <u>M67</u> — ◀	
	▶ <u>M40</u> — ◀		▶ <u>M46</u> — ◀	▶ <u>M67</u> — ◀	
	▶ <u>M40</u> — ◀		▶ <u>M46</u> — ◀	▶ <u>M67</u> — ◀	
	▶ <u>M40</u> — ◀ ▶ <u>M40</u> — ◀ ▶ <u>M40</u> — ◀ ▶ <u>M40</u> — ◀ ▶ <u>M40</u> — ◀		▶ <u>M46</u> — ◀ ▶ <u>M46</u> — ◀ ▶ <u>M46</u> — ◀ ▶ <u>M46</u> — ◀ ▶ <u>M46</u> — ◀	▶ <u>M67</u> — ◀ ▶ <u>M67</u> — ◀ ▶ <u>M67</u> — ◀ ▶ <u>M67</u> — ◀ ▶ <u>M67</u> — ◀	
	▶ <u>M40</u> — ◀		▶ <u>M46</u> — ◀	▶ <u>M67</u> — ◀	
	▶ <u>M40</u> — ◀		▶ <u>M46</u> — ◀	▶ <u>M67</u> — ◀	
	▶ <u>M40</u> — ◀ ▶ <u>M40</u> — ◀ ▶ <u>M40</u> — ◀ ▶ <u>M40</u> — ◀ ▶ <u>M40</u> — ◀		▶ <u>M46</u> — ◀ ▶ <u>M46</u> — ◀ ▶ <u>M46</u> — ◀ ▶ <u>M46</u> — ◀ ▶ <u>M46</u> — ◀	▶ <u>M67</u> — ◀ ▶ <u>M67</u> — ◀ ▶ <u>M67</u> — ◀ ▶ <u>M67</u> — ◀ ▶ <u>M67</u> — ◀	
	▶ <u>M40</u> — ◀		▶ <u>M46</u> — ◀	▶ <u>M67</u> — ◀	
	▶ <u>M40</u> — ◀		▶ <u>M46</u> — ◀	▶ <u>M67</u> — ◀	
	▶ <u>M40</u> — ◀ ▶ <u>M40</u> — ◀ ▶ <u>M40</u> — ◀		▶ <u>M46</u> — ◀ ▶ <u>M46</u> — ◀ ▶ <u>M46</u> — ◀	▶ <u>M67</u> — ◀ ▶ <u>M67</u> — ◀ ▶ <u>M67</u> — ◀	

▼ **M2**

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)
1015040	Kidney	► <b>M32</b> — ◄	► <b>M51</b> — ◄		► <b>M42</b> — ◄		30	► <b>M66</b> — ◄
1015050	Edible offal	► <b>M32</b> — ◄	► <b>M51</b> — ◄		► <b>M42</b> — ◄		30	► <b>M66</b> — ◄
1015990	Others	► <b>M32</b> — ◄	► <b>M51</b> — ◄		► <b>M42</b> — ◄		5	► <b>M66</b> — ◄
1016000	(f) <i>Poultry -chicken, geese, duck, turkey and Guinea fowl-, ostrich, pigeon</i>	► <b>M32</b> — ◄	► <b>M51</b> — ◄	► <b>M5</b> 0,2 ◄	► <b>M42</b> — ◄	► <b>M26</b> 0,05 (*) ◄		► <b>M66</b> — ◄
1016010	Meat	► <b>M32</b> — ◄	► <b>M51</b> — ◄		► <b>M42</b> — ◄		5	► <b>M66</b> — ◄
1016020	Fat	► <b>M32</b> — ◄	► <b>M51</b> — ◄		► <b>M42</b> — ◄		5	► <b>M66</b> — ◄
1016030	Liver	► <b>M32</b> — ◄	► <b>M51</b> — ◄		► <b>M42</b> — ◄		30	► <b>M66</b> — ◄
1016040	Kidney	► <b>M32</b> — ◄	► <b>M51</b> — ◄		► <b>M42</b> — ◄		30	► <b>M66</b> — ◄
1016050	Edible offal	► <b>M32</b> — ◄	► <b>M51</b> — ◄		► <b>M42</b> — ◄		30	► <b>M66</b> — ◄
1016990	Others	► <b>M32</b> — ◄	► <b>M51</b> — ◄		► <b>M42</b> — ◄		5	► <b>M66</b> — ◄
1017000	(g) <i>Other farm animals</i>	► <b>M32</b> — ◄	► <b>M51</b> — ◄	► <b>M5</b> 0,05 (*) ◄	► <b>M42</b> — ◄	► <b>M26</b> 0,05 (*) ◄		► <b>M66</b> — ◄
1017010	Meat	► <b>M32</b> — ◄	► <b>M51</b> — ◄		► <b>M42</b> — ◄		5	► <b>M66</b> — ◄
1017020	Fat	► <b>M32</b> — ◄	► <b>M51</b> — ◄		► <b>M42</b> — ◄		5	► <b>M66</b> — ◄
1017030	Liver	► <b>M32</b> — ◄	► <b>M51</b> — ◄		► <b>M42</b> — ◄		30	► <b>M66</b> — ◄
1017040	Kidney	► <b>M32</b> — ◄	► <b>M51</b> — ◄		► <b>M42</b> — ◄		30	► <b>M66</b> — ◄
1017050	Edible offal	► <b>M32</b> — ◄	► <b>M51</b> — ◄		► <b>M42</b> — ◄		30	► <b>M66</b> — ◄
1017990	Others	► <b>M32</b> — ◄	► <b>M51</b> — ◄		► <b>M42</b> — ◄		5	► <b>M66</b> — ◄

▼ M2

(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)
▶ <u>M56</u> 0,5 ◀		▶ <u>M44</u> 0,5 ◀	▶ <u>M71</u> — ◀			▶ <u>M74</u> 0,7 ◀	▶ <u>M32</u> — ◀
▶ <u>M56</u> 0,5 ◀		▶ <u>M44</u> 0,5 ◀	▶ <u>M71</u> — ◀			▶ <u>M74</u> 0,7 ◀	▶ <u>M32</u> — ◀
▶ <u>M56</u> 0,05 (*) ◀		▶ <u>M44</u> 0,05 (*) ◀	▶ <u>M71</u> — ◀			▶ <u>M74</u> 0,05 (*) ◀	▶ <u>M32</u> — ◀
▶ <u>M56</u> 0,05 (*) ◀		▶ <u>M44</u> 0,05 (*) ◀	▶ <u>M71</u> — ◀			▶ <u>M27</u> — ◀	▶ <u>M32</u> — ◀
			▶ <u>M71</u> — ◀			▶ <u>M74</u> 0,02 ◀	▶ <u>M32</u> — ◀
			▶ <u>M71</u> — ◀			▶ <u>M74</u> 0,04 ◀	▶ <u>M32</u> — ◀
			▶ <u>M71</u> — ◀			▶ <u>M74</u> 0,07 ◀	▶ <u>M32</u> — ◀
			▶ <u>M71</u> — ◀			▶ <u>M74</u> 0,07 ◀	▶ <u>M32</u> — ◀
			▶ <u>M71</u> — ◀			▶ <u>M74</u> 0,07 ◀	▶ <u>M32</u> — ◀
			▶ <u>M71</u> — ◀			▶ <u>M74</u> 0,05 (*) ◀	▶ <u>M32</u> — ◀
		▶ <u>M5</u> — ◀	▶ <u>M71</u> — ◀			▶ <u>M27</u> — ◀	▶ <u>M32</u> — ◀
▶ <u>M56</u> 0,06 ◀		▶ <u>M44</u> 0,05 (*) ◀	▶ <u>M71</u> — ◀			▶ <u>M74</u> 0,05 (*) ◀	▶ <u>M32</u> — ◀
▶ <u>M56</u> 0,1 ◀		▶ <u>M44</u> 0,05 (*) ◀	▶ <u>M71</u> — ◀			▶ <u>M74</u> 0,07 ◀	▶ <u>M32</u> — ◀
▶ <u>M56</u> 0,5 ◀		▶ <u>M44</u> 0,5 ◀	▶ <u>M71</u> — ◀			▶ <u>M74</u> 0,7 ◀	▶ <u>M32</u> — ◀
▶ <u>M56</u> 0,5 ◀		▶ <u>M44</u> 0,5 ◀	▶ <u>M71</u> — ◀			▶ <u>M74</u> 0,7 ◀	▶ <u>M32</u> — ◀
▶ <u>M56</u> 0,5 ◀		▶ <u>M44</u> 0,5 ◀	▶ <u>M71</u> — ◀			▶ <u>M74</u> 0,7 ◀	▶ <u>M32</u> — ◀
▶ <u>M56</u> 0,05 (*) ◀		▶ <u>M44</u> 0,05 (*) ◀	▶ <u>M71</u> — ◀			▶ <u>M74</u> 0,05 (*) ◀	▶ <u>M32</u> — ◀



▼ M2

(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)
▶ <u>M24</u> 0,7 ◀		▶ <u>M66</u> — ◀		▶ <u>M78</u> 0,2 ◀			
▶ <u>M24</u> 0,05 (*) ◀		▶ <u>M66</u> — ◀		▶ <u>M78</u> 0,2 ◀			
▶ <u>M24</u> 0,05 (*) ◀		▶ <u>M66</u> — ◀		▶ <u>M78</u> 0,1 ◀			
▶ <u>M24</u> 0,05 (*) ◀	0,01 (*)	▶ <u>M66</u> — ◀		▶ <u>M78</u> 0,1 ◀	▶ <u>M5</u> 0,05 (*) ◀		
		▶ <u>M66</u> — ◀ ▶ <u>M66</u> — ◀ ▶ <u>M66</u> — ◀ ▶ <u>M66</u> — ◀ ▶ <u>M66</u> — ◀					
		▶ <u>M66</u> — ◀					
	0,01 (*)	▶ <u>M66</u> — ◀		▶ <u>M27</u> — ◀	▶ <u>M5</u> 0,05 (*) ◀		
▶ <u>M24</u> 0,05 (*) ◀		▶ <u>M66</u> — ◀		▶ <u>M78</u> 0,1 ◀			
▶ <u>M24</u> 0,05 (*) ◀		▶ <u>M66</u> — ◀		▶ <u>M78</u> 0,1 ◀			
▶ <u>M24</u> 0,1 ◀		▶ <u>M66</u> — ◀		▶ <u>M78</u> 0,2 ◀			
▶ <u>M24</u> 0,7 ◀		▶ <u>M66</u> — ◀		▶ <u>M78</u> 0,2 ◀			
▶ <u>M24</u> 0,05 (*) ◀		▶ <u>M66</u> — ◀		▶ <u>M78</u> 0,2 ◀			
▶ <u>M24</u> 0,05 (*) ◀		▶ <u>M66</u> — ◀		▶ <u>M78</u> 0,1 ◀			

▼ M2

(26)	(27)	(28)	(29)	(30)	(31)
	▶ <u>M40</u> — ◀ ▶ <u>M40</u> — ◀		▶ <u>M46</u> — ◀ ▶ <u>M46</u> — ◀	▶ <u>M67</u> — ◀ ▶ <u>M67</u> — ◀	
	▶ <u>M40</u> — ◀		▶ <u>M46</u> — ◀	▶ <u>M67</u> — ◀	
	▶ <u>M40</u> — ◀		▶ <u>M46</u> — ◀	▶ <u>M67</u> — ◀	
	▶ <u>M40</u> — ◀ ▶ <u>M40</u> — ◀ ▶ <u>M40</u> — ◀ ▶ <u>M40</u> — ◀ ▶ <u>M40</u> — ◀		▶ <u>M46</u> — ◀ ▶ <u>M46</u> — ◀ ▶ <u>M46</u> — ◀ ▶ <u>M46</u> — ◀ ▶ <u>M46</u> — ◀	▶ <u>M67</u> — ◀ ▶ <u>M67</u> — ◀ ▶ <u>M67</u> — ◀ ▶ <u>M67</u> — ◀ ▶ <u>M67</u> — ◀	
	▶ <u>M40</u> — ◀		▶ <u>M46</u> — ◀	▶ <u>M67</u> — ◀	
	▶ <u>M40</u> — ◀		▶ <u>M46</u> — ◀	▶ <u>M67</u> — ◀	
	▶ <u>M40</u> — ◀ ▶ <u>M40</u> — ◀ ▶ <u>M40</u> — ◀ ▶ <u>M40</u> — ◀ ▶ <u>M40</u> — ◀		▶ <u>M46</u> — ◀ ▶ <u>M46</u> — ◀ ▶ <u>M46</u> — ◀ ▶ <u>M46</u> — ◀ ▶ <u>M46</u> — ◀	▶ <u>M67</u> — ◀ ▶ <u>M67</u> — ◀ ▶ <u>M67</u> — ◀ ▶ <u>M67</u> — ◀ ▶ <u>M67</u> — ◀	
	▶ <u>M40</u> — ◀		▶ <u>M46</u> — ◀	▶ <u>M67</u> — ◀	

▼ **M2**

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)
1020000	(ii) <b>Milk and cream, not concentrated, nor containing added sugar or sweetening matter, butter and other fats derived from milk, cheese and curd</b>	▶ <b>M32</b> — ◀	▶ <b>M51</b> — ◀	▶ <b>M5</b> 0,05 (*) ◀	▶ <b>M42</b> — ◀	▶ <b>M26</b> 0,05 (*) ◀	2	▶ <b>M66</b> — ◀
1020010	Cattle	▶ <b>M32</b> — ◀	▶ <b>M51</b> — ◀		▶ <b>M42</b> — ◀			▶ <b>M66</b> — ◀
1020020	Sheep	▶ <b>M32</b> — ◀	▶ <b>M51</b> — ◀		▶ <b>M42</b> — ◀			▶ <b>M66</b> — ◀
1020030	Goat	▶ <b>M32</b> — ◀	▶ <b>M51</b> — ◀		▶ <b>M42</b> — ◀			▶ <b>M66</b> — ◀
1020040	Horse	▶ <b>M32</b> — ◀	▶ <b>M51</b> — ◀		▶ <b>M42</b> — ◀			▶ <b>M66</b> — ◀
1020990	Others	▶ <b>M32</b> — ◀	▶ <b>M51</b> — ◀		▶ <b>M42</b> — ◀			▶ <b>M66</b> — ◀
1030000	(iii) <b>Birds' eggs, fresh preserved or cooked; Shelled eggs and egg yolks fresh, dried, cooked by steaming or boiling in water, moulded, frozen or otherwise preserved whether or not containing added sugar or sweetening matter</b>	▶ <b>M32</b> — ◀	▶ <b>M51</b> — ◀	▶ <b>M5</b> 0,05 (*) ◀	▶ <b>M42</b> — ◀	▶ <b>M26</b> 0,05 (*) ◀	2	▶ <b>M66</b> — ◀
1030010	Chicken	▶ <b>M32</b> — ◀	▶ <b>M51</b> — ◀		▶ <b>M42</b> — ◀			▶ <b>M66</b> — ◀
1030020	Duck	▶ <b>M32</b> — ◀	▶ <b>M51</b> — ◀		▶ <b>M42</b> — ◀			▶ <b>M66</b> — ◀
1030030	Goose	▶ <b>M32</b> — ◀	▶ <b>M51</b> — ◀		▶ <b>M42</b> — ◀			▶ <b>M66</b> — ◀

▼ M2

(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)
▶ <u>M56</u> 0,05 (*) ◀	▶ <u>M5</u> 0,05 (*) ◀	▶ <u>M44</u> 0,05 (*) ◀	▶ <u>M71</u> — ◀				▶ <u>M32</u> — ◀
			▶ <u>M71</u> — ◀ ▶ <u>M71</u> — ◀ ▶ <u>M71</u> — ◀ ▶ <u>M71</u> — ◀			▶ <u>M74</u> 0,5 ◀ ▶ <u>M74</u> 0,2 ◀ ▶ <u>M74</u> 0,2 ◀ ▶ <u>M74</u> 0,2 ◀	▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀
			▶ <u>M71</u> — ◀			▶ <u>M74</u> 0,2 ◀	▶ <u>M32</u> — ◀
▶ <u>M56</u> 0,05 (*) ◀	▶ <u>M5</u> 0,05 (*) ◀	▶ <u>M44</u> 0,05 (*) ◀	▶ <u>M71</u> — ◀			▶ <u>M74</u> 0,05 (*) ◀	▶ <u>M32</u> — ◀
			▶ <u>M71</u> — ◀ ▶ <u>M71</u> — ◀ ▶ <u>M71</u> — ◀				▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀

▼ M2

(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)
▶ <u>M24</u> 0,05 (*) ◀	0,01 (*)	▶ <u>M66</u> — ◀		▶ <u>M78</u> 0,005 (*) ◀	▶ <u>M5</u> 0,05 (*) ◀		
		▶ <u>M66</u> — ◀ ▶ <u>M66</u> — ◀ ▶ <u>M66</u> — ◀ ▶ <u>M66</u> — ◀					
		▶ <u>M66</u> — ◀					
▶ <u>M24</u> 0,05 (*) ◀	0,01 (*)	▶ <u>M66</u> — ◀		▶ <u>M78</u> 0,05 (*) ◀	▶ <u>M5</u> 0,05 (*) ◀		
		▶ <u>M66</u> — ◀ ▶ <u>M66</u> — ◀ ▶ <u>M66</u> — ◀					

▼ M2

(26)	(27)	(28)	(29)	(30)	(31)
	▶ <u>M40</u> — ◀	▶ <u>M31</u> 0,01 (*) ◀	▶ <u>M46</u> — ◀	▶ <u>M67</u> — ◀	▶ <u>M5</u> 0,01 (*) ◀
	▶ <u>M40</u> — ◀ ▶ <u>M40</u> — ◀ ▶ <u>M40</u> — ◀ ▶ <u>M40</u> — ◀		▶ <u>M46</u> — ◀ ▶ <u>M46</u> — ◀ ▶ <u>M46</u> — ◀ ▶ <u>M46</u> — ◀	▶ <u>M67</u> — ◀ ▶ <u>M67</u> — ◀ ▶ <u>M67</u> — ◀ ▶ <u>M67</u> — ◀	
	▶ <u>M40</u> — ◀		▶ <u>M46</u> — ◀	▶ <u>M67</u> — ◀	
	▶ <u>M40</u> — ◀	▶ <u>M31</u> 0,05 (*) ◀	▶ <u>M46</u> — ◀	▶ <u>M67</u> — ◀	▶ <u>M5</u> 0,01 (*) ◀
	▶ <u>M40</u> — ◀ ▶ <u>M40</u> — ◀ ▶ <u>M40</u> — ◀		▶ <u>M46</u> — ◀ ▶ <u>M46</u> — ◀ ▶ <u>M46</u> — ◀	▶ <u>M67</u> — ◀ ▶ <u>M67</u> — ◀ ▶ <u>M67</u> — ◀	

▼ M2

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)
1030040	Quail	► <u>M32</u> — ◀	► <u>M51</u> — ◀		► <u>M42</u> — ◀			► <u>M66</u> — ◀
1030990	Others	► <u>M32</u> — ◀	► <u>M51</u> — ◀		► <u>M42</u> — ◀			► <u>M66</u> — ◀
1040000	(iv) Honey	► <u>M32</u> — ◀	► <u>M51</u> — ◀	► <u>M5</u> 0,05 (*) ◀	► <u>M42</u> — ◀	► <u>M26</u> 0,05 (*) ◀		► <u>M66</u> — ◀
1050000	(v) Amphibians and reptiles	► <u>M32</u> — ◀	► <u>M51</u> — ◀	► <u>M5</u> 0,05 (*) ◀	► <u>M42</u> — ◀	► <u>M26</u> 0,05 (*) ◀		► <u>M66</u> — ◀
1060000	(vi) Snails	► <u>M32</u> — ◀	► <u>M51</u> — ◀	► <u>M5</u> 0,05 (*) ◀	► <u>M42</u> — ◀	► <u>M26</u> 0,05 (*) ◀		► <u>M66</u> — ◀
1070000	(vii) Other terrestrial animal products	► <u>M32</u> — ◀	► <u>M51</u> — ◀	► <u>M5</u> 0,05 (*) ◀	► <u>M42</u> — ◀	► <u>M26</u> 0,05 (*) ◀		► <u>M66</u> — ◀
1100000	11. FISH, FISH PRODUCTS, SHELL FISH, MOLLUSCS AND OTHER MARINE AND FRESHWATER FOOD PRODUCTS							► <u>M66</u> — ◀
1200000	12. CROPS EXCLUSIVELY USED FOR ANIMAL FEED							► <u>M66</u> — ◀

▼ M5

▼ M2

(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)
			▶ <u>M71</u> — ◀				▶ <u>M32</u> — ◀
			▶ <u>M71</u> — ◀				▶ <u>M32</u> — ◀
▶ <u>M56</u> 0,05 (*) ◀	▶ <u>M5</u> 0,05 (*) ◀	▶ <u>M44</u> 0,05 (*) ◀	▶ <u>M71</u> — ◀			▶ <u>M74</u> 0,05 (*) ◀	▶ <u>M32</u> — ◀
▶ <u>M56</u> 0,05 (*) ◀	▶ <u>M5</u> 0,05 (*) ◀	▶ <u>M44</u> 0,05 (*) ◀	▶ <u>M71</u> — ◀			▶ <u>M74</u> 0,05 (*) ◀	▶ <u>M32</u> — ◀
▶ <u>M56</u> 0,05 (*) ◀	▶ <u>M5</u> 0,05 (*) ◀	▶ <u>M44</u> 0,05 (*) ◀	▶ <u>M71</u> — ◀			▶ <u>M74</u> 0,05 (*) ◀	▶ <u>M32</u> — ◀
▶ <u>M56</u> 0,05 (*) ◀	▶ <u>M5</u> 0,05 (*) ◀	▶ <u>M44</u> 0,05 (*) ◀	▶ <u>M71</u> — ◀			▶ <u>M74</u> 0,05 (*) ◀	▶ <u>M32</u> — ◀
			▶ <u>M71</u> — ◀				
			▶ <u>M71</u> — ◀				

▼ M5



▼ M2

(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)
		▶ <u>M66</u> — ◀					
		▶ <u>M66</u> — ◀					
	0,01 (*)	▶ <u>M66</u> — ◀		▶ <u>M78</u> 0,05 (*) ◀	▶ <u>M5</u> 0,05 (*) ◀		
	0,01 (*)	▶ <u>M66</u> — ◀		▶ <u>M78</u> 0,05 (*) ◀	▶ <u>M5</u> 0,05 (*) ◀		
	0,01 (*)	▶ <u>M66</u> — ◀		▶ <u>M78</u> 0,05 (*) ◀	▶ <u>M5</u> 0,05 (*) ◀		
	0,01 (*)	▶ <u>M66</u> — ◀		▶ <u>M78</u> 0,05 (*) ◀	▶ <u>M5</u> 0,05 (*) ◀		
▼ <u>M5</u>		▶ <u>M66</u> — ◀					
		▶ <u>M66</u> — ◀					

▼ M2

(26)	(27)	(28)	(29)	(30)	(31)
	▶ <u>M40</u> — ◀		▶ <u>M46</u> — ◀	▶ <u>M67</u> — ◀	
	▶ <u>M40</u> — ◀		▶ <u>M46</u> — ◀	▶ <u>M67</u> — ◀	
	▶ <u>M40</u> — ◀	▶ <u>M31</u> 0,05 (*) ◀	▶ <u>M46</u> — ◀	▶ <u>M67</u> — ◀	▶ <u>M5</u> 0,01 (*) ◀
	▶ <u>M40</u> — ◀	▶ <u>M31</u> 0,05 (*) ◀	▶ <u>M46</u> — ◀	▶ <u>M67</u> — ◀	▶ <u>M5</u> 0,01 (*) ◀
	▶ <u>M40</u> — ◀	▶ <u>M31</u> 0,05 (*) ◀	▶ <u>M46</u> — ◀	▶ <u>M67</u> — ◀	▶ <u>M5</u> 0,01 (*) ◀
	▶ <u>M40</u> — ◀	▶ <u>M31</u> 0,05 (*) ◀	▶ <u>M46</u> — ◀	▶ <u>M67</u> — ◀	▶ <u>M5</u> 0,01 (*) ◀
				▶ <u>M67</u> — ◀	
				▶ <u>M67</u> — ◀	

▼ M5

▼ M2

*Pesticide residues and maximum residue levels (mg/kg)*

Code number	Groups and examples of individual products to which the MRLs apply (e)	▼ — ▶ <u>M42</u>	▶ <u>M45</u> Dofenone ▼	▶ <u>M24</u> Epoxiconazole (L) ▼	▶ <u>M16</u> EPTC (ethyl dipropylthiocarbamate) ▼	▼ — ▶ <u>M42</u>	▶ <u>M75</u> Ethirimol ▼
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)
0100000	1. <b>FRUIT FRESH OR FROZEN; NUTS</b>	▶ <u>M42</u> — ◀			0,05 (*)	▶ <u>M42</u> — ◀	
0110000	(i) <b>Citrus fruit</b>	▶ <u>M42</u> — ◀	▶ <u>M45</u> 0,05 (*) ◀	▶ <u>M24</u> 0,05 (*) ◀	▶ <u>M16</u> 0,01 (*) ◀	▶ <u>M42</u> — ◀	▶ <u>M75</u> 0,05 (*) ◀
0110010	Grapefruit	▶ <u>M42</u> — ◀				▶ <u>M42</u> — ◀	
0110020	Oranges	▶ <u>M42</u> — ◀				▶ <u>M42</u> — ◀	
0110030	Lemons	▶ <u>M42</u> — ◀				▶ <u>M42</u> — ◀	
0110040	Limes	▶ <u>M42</u> — ◀				▶ <u>M42</u> — ◀	
0110050	Mandarins	▶ <u>M42</u> — ◀				▶ <u>M42</u> — ◀	
0110990	Others	▶ <u>M42</u> — ◀				▶ <u>M42</u> — ◀	
0120000	(ii) <b>Tree nuts (shelled or unshelled)</b>	▶ <u>M42</u> — ◀		▶ <u>M24</u> 0,05 (*) ◀	▶ <u>M16</u> 0,02 (*) ◀	▶ <u>M42</u> — ◀	▶ <u>M75</u> 0,05 (*) ◀

▼ M2

Ethoprophos	▼ <u>M59</u> —	▼ <u>M38</u> Etofenprox (L)	Etridiazole	▼ <u>M15</u> Fenazaquin	▼ <u>M56</u> Fenbuconazole	Fenoxaprop-P	Fenoxycarb
(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
0,02 (*)	▶ <u>M59</u> — ◀					0,1	
	▶ <u>M59</u> — ◀	▶ <u>M38</u> 1 ◀	0,05 (*)	▶ <u>M15</u> 0,5 ◀	▶ <u>M5</u> — ◀		2
	▶ <u>M59</u> — ◀ ▶ <u>M59</u> — ◀ ▶ <u>M59</u> — ◀ ▶ <u>M59</u> — ◀ ▶ <u>M59</u> — ◀				▶ <u>M56</u> 1 ◀ ▶ <u>M56</u> 1 ◀ ▶ <u>M56</u> 0,05 (*) ◀ ▶ <u>M56</u> 0,05 (*) ◀ ▶ <u>M56</u> 0,05 (*) ◀		
	▶ <u>M59</u> — ◀				▶ <u>M56</u> 0,05 (*) ◀		
	▶ <u>M59</u> — ◀		0,05 (*)	▶ <u>M15</u> 0,01 (*) ◀	▶ <u>M56</u> 0,05 (*) ◀		0,05 (*)

▼ M2

▼ <u>M49</u>	▼ <u>M74</u> Fenpyroximate (L)	▼ <u>M67</u>	▼ <u>M55</u>	▼ <u>M5</u> Fluazifop-P-butyl (fluazifop acid (free and conjugate))	▼ <u>M72</u> Fluazinam (L)	Flucycloxuron	▼ <u>M50</u>
(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)
▶ <u>M49</u> — ◀		▶ <u>M67</u> — ◀	▶ <u>M55</u> — ◀			0,05 (*)	▶ <u>M50</u> — ◀
▶ <u>M49</u> — ◀	▶ <u>M74</u> 0,5 ◀	▶ <u>M67</u> — ◀	▶ <u>M55</u> — ◀		▶ <u>M72</u> 0,05 (*) ◀		▶ <u>M50</u> — ◀
▶ <u>M49</u> — ◀	▶ <u>M27</u> — ◀	▶ <u>M67</u> — ◀	▶ <u>M55</u> — ◀	▶ <u>M5</u> 0,2 ◀			▶ <u>M50</u> — ◀
▶ <u>M49</u> — ◀	▶ <u>M27</u> — ◀	▶ <u>M67</u> — ◀	▶ <u>M55</u> — ◀	▶ <u>M5</u> 0,1 ◀			▶ <u>M50</u> — ◀
▶ <u>M49</u> — ◀	▶ <u>M27</u> — ◀	▶ <u>M67</u> — ◀	▶ <u>M55</u> — ◀	▶ <u>M5</u> 0,2 ◀			▶ <u>M50</u> — ◀
▶ <u>M49</u> — ◀	▶ <u>M27</u> — ◀	▶ <u>M67</u> — ◀	▶ <u>M55</u> — ◀	▶ <u>M5</u> 0,2 ◀			▶ <u>M50</u> — ◀
▶ <u>M49</u> — ◀	▶ <u>M27</u> — ◀	▶ <u>M67</u> — ◀	▶ <u>M55</u> — ◀	▶ <u>M5</u> 0,2 ◀			▶ <u>M50</u> — ◀
▶ <u>M49</u> — ◀	▶ <u>M27</u> — ◀	▶ <u>M67</u> — ◀	▶ <u>M55</u> — ◀	▶ <u>M5</u> 0,2 ◀			▶ <u>M50</u> — ◀
▶ <u>M49</u> — ◀	▶ <u>M74</u> 0,05 (*) ◀	▶ <u>M67</u> — ◀	▶ <u>M55</u> — ◀	▶ <u>M5</u> 0,2 ◀	▶ <u>M72</u> 0,05 (*) ◀		▶ <u>M50</u> — ◀

▼ M2

▶ <u>M8</u> Flufenoxuron (1) ▼	▶ <u>M32</u> — ▼	▶ <u>M5</u> Fluoxastrobin ▼	Fluquinconazole (1)	Flurochloridone	▶ <u>M59</u> — ▼	Flutrolamil
(25)	(26)	(27)	(28)	(29)	(30)	(31)
	▶ <u>M32</u> — ◀	▶ <u>M5</u> 0,05 (*) ◀		0,1 (*)	▶ <u>M59</u> — ◀	0,05 (*)
▶ <u>M8</u> 0,3 ◀	▶ <u>M32</u> — ◀		0,05 (*)		▶ <u>M59</u> — ◀	
	▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀				▶ <u>M59</u> — ◀ ▶ <u>M59</u> — ◀ ▶ <u>M59</u> — ◀ ▶ <u>M59</u> — ◀ ▶ <u>M59</u> — ◀	
	▶ <u>M32</u> — ◀				▶ <u>M59</u> — ◀	
▶ <u>M8</u> 0,05 (*) ◀	▶ <u>M32</u> — ◀		0,05 (*)		▶ <u>M59</u> — ◀	

## ▼ M2

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)
0120010	Almonds	► <u>M42</u> — ◀	► <u>M45</u> 0,1 (*) ◀			► <u>M42</u> — ◀	
0120020	Brazil nuts	► <u>M42</u> — ◀	► <u>M45</u> 0,1 (*) ◀			► <u>M42</u> — ◀	
0120030	Cashew nuts	► <u>M42</u> — ◀	► <u>M45</u> 0,1 (*) ◀			► <u>M42</u> — ◀	
0120040	Chestnuts	► <u>M42</u> — ◀	► <u>M45</u> 0,1 (*) ◀			► <u>M42</u> — ◀	
0120050	Coconuts	► <u>M42</u> — ◀	► <u>M45</u> 0,1 (*) ◀			► <u>M42</u> — ◀	
0120060	Hazelnuts	► <u>M42</u> — ◀	► <u>M45</u> 0,1 (*) ◀			► <u>M42</u> — ◀	
0120070	Macadamia	► <u>M42</u> — ◀	► <u>M45</u> 0,1 (*) ◀			► <u>M42</u> — ◀	
0120080	Pecans	► <u>M42</u> — ◀	► <u>M45</u> 5 ◀			► <u>M42</u> — ◀	
0120090	Pine nuts	► <u>M42</u> — ◀	► <u>M45</u> 0,1 (*) ◀			► <u>M42</u> — ◀	
0120100	Pistachios	► <u>M42</u> — ◀	► <u>M45</u> 0,1 (*) ◀			► <u>M42</u> — ◀	
0120110	Walnuts	► <u>M42</u> — ◀	► <u>M45</u> 5 ◀			► <u>M42</u> — ◀	
0120990	Others	► <u>M42</u> — ◀	► <u>M45</u> 0,1 (*) ◀			► <u>M42</u> — ◀	
0130000	(iii) <b>Pome fruit</b>	► <u>M42</u> — ◀	► <u>M45</u> 0,9 ◀	► <u>M24</u> 0,05 (*) ◀	► <u>M16</u> 0,01 (*) ◀	► <u>M42</u> — ◀	
0130010	Apples	► <u>M42</u> — ◀				► <u>M42</u> — ◀	► <u>M75</u> 0,1 ◀
0130020	Pears	► <u>M42</u> — ◀				► <u>M42</u> — ◀	► <u>M75</u> 0,1 ◀
0130030	Quinces	► <u>M42</u> — ◀				► <u>M42</u> — ◀	► <u>M75</u> 0,05 (*) ◀
0130040	Medlar	► <u>M42</u> — ◀				► <u>M42</u> — ◀	► <u>M75</u> 0,05 (*) ◀
0130050	Loquat	► <u>M42</u> — ◀				► <u>M42</u> — ◀	► <u>M75</u> 0,05 (*) ◀
0130990	Others	► <u>M42</u> — ◀				► <u>M42</u> — ◀	► <u>M75</u> 0,05 (*) ◀
0140000	(iv) <b>Stone fruit</b>	► <u>M42</u> — ◀	► <u>M45</u> — ◀	► <u>M24</u> 0,05 (*) ◀	► <u>M16</u> 0,01 (*) ◀	► <u>M42</u> — ◀	► <u>M75</u> — ◀
0140010	Apricots	► <u>M42</u> — ◀	► <u>M45</u> 0,09 ◀			► <u>M42</u> — ◀	► <u>M75</u> 0,05 ◀
0140020	Cherries	► <u>M42</u> — ◀	► <u>M45</u> 3 ◀			► <u>M42</u> — ◀	► <u>M75</u> 0,05 (*) ◀
0140030	Peaches	► <u>M42</u> — ◀	► <u>M45</u> 0,09 ◀			► <u>M42</u> — ◀	► <u>M75</u> 0,05 ◀
0140040	Plums	► <u>M42</u> — ◀	► <u>M45</u> 5 ◀			► <u>M42</u> — ◀	► <u>M75</u> 0,05 (*) ◀
0140990	Others	► <u>M42</u> — ◀	► <u>M45</u> 5 ◀			► <u>M42</u> — ◀	► <u>M75</u> 0,05 (*) ◀
0150000	(v) <b>Berries &amp; small fruit</b>	► <u>M42</u> — ◀		► <u>M24</u> 0,05 (*) ◀	► <u>M16</u> 0,01 (*) ◀	► <u>M42</u> — ◀	







▼ M2

(25)	(26)	(27)	(28)	(29)	(30)	(31)
	▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀				▶ <u>M59</u> — ◀ ▶ <u>M59</u> — ◀ ▶ <u>M59</u> — ◀ ▶ <u>M59</u> — ◀ ▶ <u>M59</u> — ◀ ▶ <u>M59</u> — ◀ ▶ <u>M59</u> — ◀ ▶ <u>M59</u> — ◀ ▶ <u>M59</u> — ◀ ▶ <u>M59</u> — ◀ ▶ <u>M59</u> — ◀	
	▶ <u>M32</u> — ◀				▶ <u>M59</u> — ◀	
▶ <u>M8</u> 0,5 ◀	▶ <u>M32</u> — ◀				▶ <u>M59</u> — ◀	
	▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀		0,1 0,2 1 1 1		▶ <u>M59</u> — ◀ ▶ <u>M59</u> — ◀ ▶ <u>M59</u> — ◀ ▶ <u>M59</u> — ◀ ▶ <u>M59</u> — ◀	
	▶ <u>M32</u> — ◀		1		▶ <u>M59</u> — ◀	
▶ <u>M8</u> 0,5 ◀	▶ <u>M32</u> — ◀				▶ <u>M59</u> — ◀	
	▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀		0,05 (*) 0,05 (*) 0,1 0,05 (*)		▶ <u>M59</u> — ◀ ▶ <u>M59</u> — ◀ ▶ <u>M59</u> — ◀ ▶ <u>M59</u> — ◀	
	▶ <u>M32</u> — ◀		0,05 (*)		▶ <u>M59</u> — ◀	
	▶ <u>M32</u> — ◀				▶ <u>M59</u> — ◀	

▼ **M2**

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)
0151000	(a) <i>Table and wine grapes</i>	► <b>M42</b> — ◀	► <b>M45</b> 0,05 (*) ◀			► <b>M42</b> — ◀	► <b>M75</b> 0,5 ◀
0151010	Table grapes	► <b>M42</b> — ◀				► <b>M42</b> — ◀	
0151020	Wine grapes	► <b>M42</b> — ◀				► <b>M42</b> — ◀	
0152000	(b) <i>Strawberries</i>	► <b>M42</b> — ◀	► <b>M45</b> 5 ◀			► <b>M42</b> — ◀	► <b>M75</b> 0,2 ◀
0153000	(c) <i>Cane fruit</i>	► <b>M42</b> — ◀	► <b>M45</b> 0,05 (*) ◀			► <b>M42</b> — ◀	► <b>M75</b> 0,1 ◀
0153010	Blackberries	► <b>M42</b> — ◀				► <b>M42</b> — ◀	
0153020	Dewberries	► <b>M42</b> — ◀				► <b>M42</b> — ◀	
0153030	Raspberries	► <b>M42</b> — ◀				► <b>M42</b> — ◀	
0153990	Others	► <b>M42</b> — ◀				► <b>M42</b> — ◀	
0154000	(d) <i>Other small fruit &amp; berries</i>	► <b>M42</b> — ◀	► <b>M45</b> 0,05 (*) ◀			► <b>M42</b> — ◀	
0154010	Blueberries	► <b>M42</b> — ◀				► <b>M42</b> — ◀	► <b>M75</b> 0,05 (*) ◀
0154020	Cranberries	► <b>M42</b> — ◀				► <b>M42</b> — ◀	► <b>M75</b> 0,05 (*) ◀
0154030	Currants (red, black and white)	► <b>M42</b> — ◀				► <b>M42</b> — ◀	► <b>M75</b> 2 ◀
0154040	Gooseberries	► <b>M42</b> — ◀				► <b>M42</b> — ◀	► <b>M75</b> 2 ◀
0154050	Rose hips	► <b>M42</b> — ◀				► <b>M42</b> — ◀	► <b>M75</b> 0,05 (*) ◀
0154060	Mulberries	► <b>M42</b> — ◀				► <b>M42</b> — ◀	► <b>M75</b> 0,05 (*) ◀
0154070	Azarole (mediterranean medlar)	► <b>M42</b> — ◀				► <b>M42</b> — ◀	► <b>M75</b> 0,05 (*) ◀
0154080	Elderberries	► <b>M42</b> — ◀				► <b>M42</b> — ◀	► <b>M75</b> 0,05 (*) ◀
0154990	Others	► <b>M42</b> — ◀				► <b>M42</b> — ◀	► <b>M75</b> 0,05 (*) ◀

▼ M2

(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
	▶ <u>M59</u> — ◀	▶ <u>M38</u> 5 ◀	0,05 (*)	▶ <u>M15</u> 0,2 ◀	▶ <u>M56</u> 1 ◀		1
	▶ <u>M59</u> — ◀ ▶ <u>M59</u> — ◀						
	▶ <u>M59</u> — ◀	▶ <u>M38</u> 1 ◀	0,1	▶ <u>M15</u> 1 ◀	▶ <u>M56</u> 0,05 (*) ◀		0,05 (*)
	▶ <u>M59</u> — ◀		0,05 (*)	▶ <u>M15</u> 0,01 (*) ◀	▶ <u>M56</u> 0,05 (*) ◀		0,05 (*)
	▶ <u>M59</u> — ◀ ▶ <u>M59</u> — ◀ ▶ <u>M59</u> — ◀	▶ <u>M38</u> 1 ◀ ▶ <u>M38</u> 1 ◀ ▶ <u>M38</u> 1 ◀					
	▶ <u>M59</u> — ◀	▶ <u>M38</u> 0,01 (*) ◀					
	▶ <u>M59</u> — ◀		0,05 (*)	▶ <u>M15</u> 0,01 (*) ◀			0,05 (*)
	▶ <u>M59</u> — ◀ ▶ <u>M59</u> — ◀ ▶ <u>M59</u> — ◀  ▶ <u>M59</u> — ◀ ▶ <u>M59</u> — ◀ ▶ <u>M59</u> — ◀ ▶ <u>M59</u> — ◀  ▶ <u>M59</u> — ◀	▶ <u>M38</u> 1 ◀ ▶ <u>M38</u> 1 ◀ ▶ <u>M38</u> 1 ◀  ▶ <u>M38</u> 1 ◀ ▶ <u>M38</u> 0,01 (*) ◀ ▶ <u>M38</u> 0,01 (*) ◀ ▶ <u>M38</u> 0,01 (*) ◀  ▶ <u>M38</u> 0,01 (*) ◀			▶ <u>M56</u> 1 ◀ ▶ <u>M56</u> 1 ◀ ▶ <u>M56</u> 0,05 (*) ◀  ▶ <u>M56</u> 0,05 (*) ◀ ▶ <u>M56</u> 0,05 (*) ◀ ▶ <u>M56</u> 0,05 (*) ◀ ▶ <u>M56</u> 0,05 (*) ◀  ▶ <u>M56</u> 0,05 (*) ◀		
	▶ <u>M59</u> — ◀	▶ <u>M38</u> 0,01 (*) ◀			▶ <u>M56</u> 0,05 (*) ◀		

▼ M2

(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)
▶ <u>M49</u> — ◀		▶ <u>M67</u> — ◀	▶ <u>M55</u> — ◀				▶ <u>M50</u> — ◀
▶ <u>M49</u> — ◀	▶ <u>M74</u> 0,3 ◀	▶ <u>M67</u> — ◀	▶ <u>M55</u> — ◀		▶ <u>M72</u> 0,05 (*) ◀		▶ <u>M50</u> — ◀
▶ <u>M49</u> — ◀	▶ <u>M74</u> 2 ◀	▶ <u>M67</u> — ◀	▶ <u>M55</u> — ◀		▶ <u>M72</u> 3 ◀		▶ <u>M50</u> — ◀
▶ <u>M49</u> — ◀	▶ <u>M74</u> 1 ◀	▶ <u>M67</u> — ◀	▶ <u>M55</u> — ◀		▶ <u>M72</u> 0,05 (*) ◀		▶ <u>M50</u> — ◀
▶ <u>M49</u> — ◀	▶ <u>M54</u> — ◀	▶ <u>M67</u> — ◀	▶ <u>M55</u> — ◀		▶ <u>M72</u> 0,05 (*) ◀		▶ <u>M50</u> — ◀
▶ <u>M49</u> — ◀	▶ <u>M74</u> 1,5 ◀	▶ <u>M67</u> — ◀	▶ <u>M55</u> — ◀				▶ <u>M50</u> — ◀
▶ <u>M49</u> — ◀	▶ <u>M74</u> 1 ◀	▶ <u>M67</u> — ◀	▶ <u>M55</u> — ◀				▶ <u>M50</u> — ◀
▶ <u>M49</u> — ◀	▶ <u>M74</u> 1,5 ◀	▶ <u>M67</u> — ◀	▶ <u>M55</u> — ◀				▶ <u>M50</u> — ◀
▶ <u>M49</u> — ◀	▶ <u>M74</u> 1 ◀	▶ <u>M67</u> — ◀	▶ <u>M55</u> — ◀				▶ <u>M50</u> — ◀
▶ <u>M49</u> — ◀		▶ <u>M67</u> — ◀	▶ <u>M55</u> — ◀		▶ <u>M72</u> 0,05 (*) ◀		▶ <u>M50</u> — ◀
▶ <u>M49</u> — ◀	▶ <u>M74</u> 0,5 ◀	▶ <u>M67</u> — ◀	▶ <u>M55</u> — ◀				▶ <u>M50</u> — ◀
▶ <u>M49</u> — ◀	▶ <u>M74</u> 0,5 ◀	▶ <u>M67</u> — ◀	▶ <u>M55</u> — ◀				▶ <u>M50</u> — ◀
▶ <u>M49</u> — ◀	▶ <u>M74</u> 1 ◀	▶ <u>M67</u> — ◀	▶ <u>M55</u> — ◀				▶ <u>M50</u> — ◀
▶ <u>M49</u> — ◀	▶ <u>M74</u> 0,5 ◀	▶ <u>M67</u> — ◀	▶ <u>M55</u> — ◀				▶ <u>M50</u> — ◀
▶ <u>M49</u> — ◀	▶ <u>M74</u> 0,5 ◀	▶ <u>M67</u> — ◀	▶ <u>M55</u> — ◀				▶ <u>M50</u> — ◀
▶ <u>M49</u> — ◀	▶ <u>M74</u> 0,5 ◀	▶ <u>M67</u> — ◀	▶ <u>M55</u> — ◀				▶ <u>M50</u> — ◀
▶ <u>M49</u> — ◀	▶ <u>M74</u> 0,5 ◀	▶ <u>M67</u> — ◀	▶ <u>M55</u> — ◀				▶ <u>M50</u> — ◀
▶ <u>M49</u> — ◀	▶ <u>M74</u> 0,5 ◀	▶ <u>M67</u> — ◀	▶ <u>M55</u> — ◀				▶ <u>M50</u> — ◀
▶ <u>M49</u> — ◀	▶ <u>M74</u> 0,5 ◀	▶ <u>M67</u> — ◀	▶ <u>M55</u> — ◀				▶ <u>M50</u> — ◀
▶ <u>M49</u> — ◀	▶ <u>M74</u> 0,5 ◀	▶ <u>M67</u> — ◀	▶ <u>M55</u> — ◀				▶ <u>M50</u> — ◀

▼ M2

(25)	(26)	(27)	(28)	(29)	(30)	(31)
	▶ <u>M32</u> — ◀				▶ <u>M59</u> — ◀	
▶ <u>M8</u> 1 ◀	▶ <u>M32</u> — ◀		0,1		▶ <u>M59</u> — ◀	
▶ <u>M8</u> 2 ◀	▶ <u>M32</u> — ◀		0,5		▶ <u>M59</u> — ◀	
▶ <u>M8</u> 0,05 (*) ◀	▶ <u>M32</u> — ◀		0,05 (*)		▶ <u>M59</u> — ◀	
▶ <u>M8</u> 0,05 (*) ◀	▶ <u>M32</u> — ◀		0,05 (*)		▶ <u>M59</u> — ◀	
	▶ <u>M32</u> — ◀				▶ <u>M59</u> — ◀	
	▶ <u>M32</u> — ◀				▶ <u>M59</u> — ◀	
	▶ <u>M32</u> — ◀				▶ <u>M59</u> — ◀	
	▶ <u>M32</u> — ◀				▶ <u>M59</u> — ◀	
▶ <u>M8</u> 0,05 (*) ◀	▶ <u>M32</u> — ◀		0,05 (*)		▶ <u>M59</u> — ◀	
	▶ <u>M32</u> — ◀				▶ <u>M59</u> — ◀	
	▶ <u>M32</u> — ◀				▶ <u>M59</u> — ◀	
	▶ <u>M32</u> — ◀				▶ <u>M59</u> — ◀	
	▶ <u>M32</u> — ◀				▶ <u>M59</u> — ◀	
	▶ <u>M32</u> — ◀				▶ <u>M59</u> — ◀	
	▶ <u>M32</u> — ◀				▶ <u>M59</u> — ◀	
	▶ <u>M32</u> — ◀				▶ <u>M59</u> — ◀	
	▶ <u>M32</u> — ◀				▶ <u>M59</u> — ◀	
	▶ <u>M32</u> — ◀				▶ <u>M59</u> — ◀	
	▶ <u>M32</u> — ◀				▶ <u>M59</u> — ◀	
	▶ <u>M32</u> — ◀				▶ <u>M59</u> — ◀	
	▶ <u>M32</u> — ◀				▶ <u>M59</u> — ◀	

▼ **M2**

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)
0160000	(vi) <b>Miscellaneous fruit</b>	► <b>M42</b> — ◀	► <b>M45</b> — ◀		► <b>M16</b> 0,01 (*) ◀	► <b>M42</b> — ◀	► <b>M75</b> 0,05 (*) ◀
0161000	(a) <i>Edible peel</i>	► <b>M42</b> — ◀		► <b>M24</b> 0,05 (*) ◀		► <b>M42</b> — ◀	
0161010	Dates	► <b>M42</b> — ◀	► <b>M45</b> 0,05 (*) ◀			► <b>M42</b> — ◀	
0161020	Figs	► <b>M42</b> — ◀	► <b>M45</b> 0,05 (*) ◀			► <b>M42</b> — ◀	
0161030	Table olives	► <b>M42</b> — ◀	► <b>M45</b> 20 ◀			► <b>M42</b> — ◀	
0161040	Kumquats	► <b>M42</b> — ◀	► <b>M45</b> 0,05 (*) ◀			► <b>M42</b> — ◀	
0161050	Carambola	► <b>M42</b> — ◀	► <b>M45</b> 0,05 (*) ◀			► <b>M42</b> — ◀	
0161060	Persimmon	► <b>M42</b> — ◀	► <b>M45</b> 0,05 (*) ◀			► <b>M42</b> — ◀	
0161070	Jambolan (java plum)	► <b>M42</b> — ◀	► <b>M45</b> 0,05 (*) ◀			► <b>M42</b> — ◀	
0161990	Others	► <b>M42</b> — ◀	► <b>M45</b> 0,05 (*) ◀			► <b>M42</b> — ◀	
0162000	(b) <i>Inedible peel, small</i>	► <b>M42</b> — ◀	► <b>M45</b> 0,05 (*) ◀	► <b>M24</b> 0,05 (*) ◀		► <b>M42</b> — ◀	
0162010	Kiwi	► <b>M42</b> — ◀				► <b>M42</b> — ◀	
0162020	Lychee (Litchi)	► <b>M42</b> — ◀				► <b>M42</b> — ◀	
0162030	Passion fruit	► <b>M42</b> — ◀				► <b>M42</b> — ◀	
0162040	Prickly pear (cactus fruit)	► <b>M42</b> — ◀				► <b>M42</b> — ◀	
0162050	Star apple	► <b>M42</b> — ◀				► <b>M42</b> — ◀	
0162060	American persimmon (Virginia kaki)	► <b>M42</b> — ◀				► <b>M42</b> — ◀	
0162990	Others	► <b>M42</b> — ◀				► <b>M42</b> — ◀	
0163000	(c) <i>Inedible peel, large</i>	► <b>M42</b> — ◀				► <b>M42</b> — ◀	
0163010	Avocados	► <b>M42</b> — ◀	► <b>M45</b> 0,05 (*) ◀	► <b>M24</b> 0,05 (*) ◀		► <b>M42</b> — ◀	

▼ M2

(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
	▶ <u>M59</u> — ◀		0,05 (*)	▶ <u>M5</u> — ◀			
	▶ <u>M59</u> — ◀			▶ <u>M15</u> 0,01 (*) ◀	▶ <u>M56</u> 0,05 (*) ◀		
	▶ <u>M59</u> — ◀	▶ <u>M38</u> 0,01 (*) ◀					0,05 (*)
	▶ <u>M59</u> — ◀	▶ <u>M38</u> 1 ◀					0,05 (*)
	▶ <u>M59</u> — ◀	▶ <u>M38</u> 0,01 (*) ◀					1
	▶ <u>M59</u> — ◀	▶ <u>M38</u> 0,01 (*) ◀					0,05 (*)
	▶ <u>M59</u> — ◀	▶ <u>M38</u> 0,01 (*) ◀					0,05 (*)
	▶ <u>M59</u> — ◀	▶ <u>M38</u> 1 ◀					0,05 (*)
	▶ <u>M59</u> — ◀	▶ <u>M38</u> 0,01 (*) ◀					0,05 (*)
	▶ <u>M59</u> — ◀	▶ <u>M38</u> 0,01 (*) ◀					
	▶ <u>M59</u> — ◀	▶ <u>M38</u> 0,01 (*) ◀					0,05 (*)
	▶ <u>M59</u> — ◀	▶ <u>M38</u> 1 ◀					
	▶ <u>M59</u> — ◀	▶ <u>M38</u> 0,01 (*) ◀					
	▶ <u>M59</u> — ◀	▶ <u>M38</u> 0,01 (*) ◀					
	▶ <u>M59</u> — ◀	▶ <u>M38</u> 0,01 (*) ◀					
	▶ <u>M59</u> — ◀	▶ <u>M38</u> 0,01 (*) ◀					
	▶ <u>M59</u> — ◀	▶ <u>M38</u> 0,01 (*) ◀					
	▶ <u>M59</u> — ◀	▶ <u>M38</u> 0,01 (*) ◀					
	▶ <u>M59</u> — ◀	▶ <u>M38</u> 0,01 (*) ◀					
	▶ <u>M59</u> — ◀	▶ <u>M38</u> 0,01 (*) ◀					
	▶ <u>M59</u> — ◀	▶ <u>M38</u> 0,01 (*) ◀					
	▶ <u>M59</u> — ◀	▶ <u>M38</u> 0,01 (*) ◀					
	▶ <u>M59</u> — ◀	▶ <u>M38</u> 0,01 (*) ◀					0,05 (*)
	▶ <u>M59</u> — ◀	▶ <u>M38</u> 0,01 (*) ◀		▶ <u>M15</u> 0,01 (*) ◀	▶ <u>M56</u> 0,05 (*) ◀		





▼ M2

(25)	(26)	(27)	(28)	(29)	(30)	(31)
▶ <u>M8</u> 0,05 (*) ◀	▶ <u>M32</u> — ◀		0,05 (*)		▶ <u>M59</u> — ◀	
	▶ <u>M32</u> — ◀				▶ <u>M59</u> — ◀	
	▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀				▶ <u>M59</u> — ◀ ▶ <u>M59</u> — ◀ ▶ <u>M59</u> — ◀ ▶ <u>M59</u> — ◀ ▶ <u>M59</u> — ◀ ▶ <u>M59</u> — ◀ ▶ <u>M59</u> — ◀	
	▶ <u>M32</u> — ◀				▶ <u>M59</u> — ◀	
	▶ <u>M32</u> — ◀				▶ <u>M59</u> — ◀	
	▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀  ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀				▶ <u>M59</u> — ◀ ▶ <u>M59</u> — ◀ ▶ <u>M59</u> — ◀ ▶ <u>M59</u> — ◀  ▶ <u>M59</u> — ◀ ▶ <u>M59</u> — ◀	
	▶ <u>M32</u> — ◀				▶ <u>M59</u> — ◀	
	▶ <u>M32</u> — ◀				▶ <u>M59</u> — ◀	
	▶ <u>M32</u> — ◀				▶ <u>M59</u> — ◀	

▼ **M2**

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)
0163020	Bananas	► <u>M42</u> — ◄	► <u>M45</u> 0,5 ◄	► <u>M24</u> 0,5 ◄		► <u>M42</u> — ◄	
0163030	Mangoes	► <u>M42</u> — ◄	► <u>M45</u> 0,05 (*) ◄	► <u>M24</u> 0,05 (*) ◄		► <u>M42</u> — ◄	
0163040	Papaya	► <u>M42</u> — ◄	► <u>M45</u> 0,05 (*) ◄	► <u>M24</u> 0,05 (*) ◄		► <u>M42</u> — ◄	
0163050	Pomegranate	► <u>M42</u> — ◄	► <u>M45</u> 0,05 (*) ◄	► <u>M24</u> 0,05 (*) ◄		► <u>M42</u> — ◄	
0163060	Cherimoya	► <u>M42</u> — ◄	► <u>M45</u> 0,05 (*) ◄	► <u>M24</u> 0,05 (*) ◄		► <u>M42</u> — ◄	
0163070	Guava	► <u>M42</u> — ◄	► <u>M45</u> 0,05 (*) ◄	► <u>M24</u> 0,05 (*) ◄		► <u>M42</u> — ◄	
0163080	Pineapples	► <u>M42</u> — ◄	► <u>M45</u> 0,05 (*) ◄	► <u>M24</u> 0,05 (*) ◄		► <u>M42</u> — ◄	
0163090	Bread fruit	► <u>M42</u> — ◄	► <u>M45</u> 0,05 (*) ◄	► <u>M24</u> 0,05 (*) ◄		► <u>M42</u> — ◄	
0163100	Durian	► <u>M42</u> — ◄	► <u>M45</u> 0,05 (*) ◄	► <u>M24</u> 0,05 (*) ◄		► <u>M42</u> — ◄	
0163110	Soursop (guanabana)	► <u>M42</u> — ◄	► <u>M45</u> 0,05 (*) ◄	► <u>M24</u> 0,05 (*) ◄		► <u>M42</u> — ◄	
0163990	Others	► <u>M42</u> — ◄	► <u>M45</u> 0,05 (*) ◄	► <u>M24</u> 0,05 (*) ◄		► <u>M42</u> — ◄	
0200000	<b>2. VEGETABLES FRESH OR FROZEN</b>	► <u>M42</u> — ◄				► <u>M42</u> — ◄	
0210000	(i) <b>Root and tuber vegetables</b>	► <u>M42</u> — ◄	► <u>M45</u> 0,05 (*) ◄	► <u>M24</u> 0,05 (*) ◄	► <u>M16</u> 0,01 (*) ◄	► <u>M42</u> — ◄	► <u>M75</u> 0,05 (*) ◄
0211000	(a) <i>Potatoes</i>	► <u>M42</u> — ◄			0,1	► <u>M42</u> — ◄	
0212000	(b) <i>Tropical root and tuber vegetables</i>	► <u>M42</u> — ◄			0,05 (*)	► <u>M42</u> — ◄	
0212010	Cassava	► <u>M42</u> — ◄				► <u>M42</u> — ◄	
0212020	Sweet potatoes	► <u>M42</u> — ◄				► <u>M42</u> — ◄	
0212030	Yams	► <u>M42</u> — ◄				► <u>M42</u> — ◄	
0212040	Arrowroot	► <u>M42</u> — ◄				► <u>M42</u> — ◄	
0212990	Others	► <u>M42</u> — ◄				► <u>M42</u> — ◄	





▼ M2

(25)	(26)	(27)	(28)	(29)	(30)	(31)
	▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀				▶ <u>M59</u> — ◀ ▶ <u>M59</u> — ◀ ▶ <u>M59</u> — ◀ ▶ <u>M59</u> — ◀ ▶ <u>M59</u> — ◀ ▶ <u>M59</u> — ◀ ▶ <u>M59</u> — ◀ ▶ <u>M59</u> — ◀ ▶ <u>M59</u> — ◀ ▶ <u>M59</u> — ◀	
	▶ <u>M32</u> — ◀				▶ <u>M59</u> — ◀	
	▶ <u>M32</u> — ◀	▶ <u>M5</u> 0,05 (*) ◀	0,05 (*)	0,1 (*)	▶ <u>M59</u> — ◀	
▶ <u>M8</u> 0,05 (*) ◀	▶ <u>M32</u> — ◀				▶ <u>M59</u> — ◀	
	▶ <u>M32</u> — ◀				▶ <u>M59</u> — ◀	0,5
	▶ <u>M32</u> — ◀				▶ <u>M59</u> — ◀	0,05 (*)
	▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀				▶ <u>M59</u> — ◀ ▶ <u>M59</u> — ◀ ▶ <u>M59</u> — ◀ ▶ <u>M59</u> — ◀	
	▶ <u>M32</u> — ◀				▶ <u>M59</u> — ◀	

## ▼ M2

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)
0213000	(c) <i>Other root and tuber vegetables except sugar beet</i>	► <u>M42</u> — ◄			0,05 (*)	► <u>M42</u> — ◄	
0213010	Beetroot	► <u>M42</u> — ◄				► <u>M42</u> — ◄	
0213020	Carrots	► <u>M42</u> — ◄				► <u>M42</u> — ◄	
0213030	Celeriac	► <u>M42</u> — ◄				► <u>M42</u> — ◄	
0213040	Horseradish	► <u>M42</u> — ◄				► <u>M42</u> — ◄	
0213050	Jerusalem artichokes	► <u>M42</u> — ◄				► <u>M42</u> — ◄	
0213060	Parsnips	► <u>M42</u> — ◄				► <u>M42</u> — ◄	
0213070	Parsley root	► <u>M42</u> — ◄				► <u>M42</u> — ◄	
0213080	Radishes	► <u>M42</u> — ◄				► <u>M42</u> — ◄	
0213090	Salsify	► <u>M42</u> — ◄				► <u>M42</u> — ◄	
0213100	Swedes	► <u>M42</u> — ◄				► <u>M42</u> — ◄	
0213110	Turnips	► <u>M42</u> — ◄				► <u>M42</u> — ◄	
0213990	Others	► <u>M42</u> — ◄				► <u>M42</u> — ◄	
0220000	(ii) <b>Bulb vegetables</b>	► <u>M42</u> — ◄	► <u>M45</u> 0,05 (*) ◄	► <u>M24</u> 0,05 (*) ◄	► <u>M16</u> 0,02 (*) ◄	► <u>M42</u> — ◄	► <u>M75</u> 0,05 (*) ◄
0220010	Garlic	► <u>M42</u> — ◄				► <u>M42</u> — ◄	
0220020	Onions	► <u>M42</u> — ◄				► <u>M42</u> — ◄	
0220030	Shallots	► <u>M42</u> — ◄				► <u>M42</u> — ◄	
0220040	Spring onions	► <u>M42</u> — ◄				► <u>M42</u> — ◄	
0220990	Others	► <u>M42</u> — ◄				► <u>M42</u> — ◄	
0230000	(iii) <b>Fruiting vegetables</b>	► <u>M42</u> — ◄	► <u>M45</u> 0,05 (*) ◄	► <u>M24</u> 0,05 (*) ◄	► <u>M16</u> 0,01 (*) ◄	► <u>M42</u> — ◄	
0231000	(a) <i>Solanacea</i>	► <u>M42</u> — ◄				► <u>M42</u> — ◄	

▼ M2

(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
0,02 (*)	▶ <u>M59</u> — ◀	▶ <u>M38</u> 0,01 (*) ◀					
	▶ <u>M59</u> — ◀ ▶ <u>M59</u> — ◀ ▶ <u>M59</u> — ◀ ▶ <u>M59</u> — ◀ ▶ <u>M59</u> — ◀  ▶ <u>M59</u> — ◀ ▶ <u>M59</u> — ◀ ▶ <u>M59</u> — ◀ ▶ <u>M59</u> — ◀ ▶ <u>M59</u> — ◀ ▶ <u>M59</u> — ◀						
	▶ <u>M59</u> — ◀						
0,02 (*)	▶ <u>M59</u> — ◀		0,05 (*)	▶ <u>M15</u> 0,01 (*) ◀	▶ <u>M56</u> 0,05 (*) ◀	0,1	
	▶ <u>M59</u> — ◀ ▶ <u>M59</u> — ◀ ▶ <u>M59</u> — ◀ ▶ <u>M59</u> — ◀	▶ <u>M38</u> 0,5 ◀ ▶ <u>M38</u> 0,5 ◀ ▶ <u>M38</u> 0,01 (*) ◀ ▶ <u>M38</u> 0,01 (*) ◀					
	▶ <u>M59</u> — ◀	▶ <u>M38</u> 0,01 (*) ◀					
	▶ <u>M59</u> — ◀					0,1	
	▶ <u>M59</u> — ◀						



▼ M2

(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)
▶ <u>M49</u> — ◀		▶ <u>M67</u> — ◀	▶ <u>M55</u> — ◀				▶ <u>M50</u> — ◀
▶ <u>M49</u> — ◀	▶ <u>M74</u> 0,05 (*) ◀	▶ <u>M67</u> — ◀	▶ <u>M55</u> — ◀	▶ <u>M5</u> 0,5 ◀			▶ <u>M50</u> — ◀
▶ <u>M49</u> — ◀	▶ <u>M74</u> 0,05 (*) ◀	▶ <u>M67</u> — ◀	▶ <u>M55</u> — ◀	▶ <u>M5</u> 0,3 ◀			▶ <u>M50</u> — ◀
▶ <u>M49</u> — ◀	▶ <u>M74</u> 0,1 ◀	▶ <u>M67</u> — ◀	▶ <u>M55</u> — ◀	▶ <u>M5</u> 0,3 ◀			▶ <u>M50</u> — ◀
▶ <u>M49</u> — ◀	▶ <u>M74</u> 0,05 (*) ◀	▶ <u>M67</u> — ◀	▶ <u>M55</u> — ◀	▶ <u>M5</u> 0,5 ◀			▶ <u>M50</u> — ◀
▶ <u>M49</u> — ◀	▶ <u>M74</u> 0,05 (*) ◀	▶ <u>M67</u> — ◀	▶ <u>M55</u> — ◀	▶ <u>M5</u> 0,2 ◀			▶ <u>M50</u> — ◀
▶ <u>M49</u> — ◀	▶ <u>M74</u> 0,05 (*) ◀	▶ <u>M67</u> — ◀	▶ <u>M55</u> — ◀	▶ <u>M5</u> 0,5 ◀			▶ <u>M50</u> — ◀
▶ <u>M49</u> — ◀	▶ <u>M74</u> 0,05 (*) ◀	▶ <u>M67</u> — ◀	▶ <u>M55</u> — ◀	▶ <u>M5</u> 0,5 ◀			▶ <u>M50</u> — ◀
▶ <u>M49</u> — ◀	▶ <u>M74</u> 0,05 (*) ◀	▶ <u>M67</u> — ◀	▶ <u>M55</u> — ◀	▶ <u>M5</u> 0,5 ◀			▶ <u>M50</u> — ◀
▶ <u>M49</u> — ◀	▶ <u>M74</u> 0,05 (*) ◀	▶ <u>M67</u> — ◀	▶ <u>M55</u> — ◀	▶ <u>M5</u> 0,5 ◀			▶ <u>M50</u> — ◀
▶ <u>M49</u> — ◀	▶ <u>M74</u> 0,05 (*) ◀	▶ <u>M67</u> — ◀	▶ <u>M55</u> — ◀	▶ <u>M5</u> 0,5 ◀			▶ <u>M50</u> — ◀
▶ <u>M49</u> — ◀	▶ <u>M74</u> 0,05 (*) ◀	▶ <u>M67</u> — ◀	▶ <u>M55</u> — ◀	▶ <u>M5</u> 0,5 ◀			▶ <u>M50</u> — ◀
▶ <u>M49</u> — ◀	▶ <u>M74</u> 0,05 (*) ◀	▶ <u>M67</u> — ◀	▶ <u>M55</u> — ◀	▶ <u>M5</u> 0,5 ◀			▶ <u>M50</u> — ◀
▶ <u>M49</u> — ◀	▶ <u>M74</u> 0,05 (*) ◀	▶ <u>M67</u> — ◀	▶ <u>M55</u> — ◀	▶ <u>M5</u> 0,5 ◀			▶ <u>M50</u> — ◀
▶ <u>M49</u> — ◀	▶ <u>M74</u> 0,05 (*) ◀	▶ <u>M67</u> — ◀	▶ <u>M55</u> — ◀	▶ <u>M5</u> 0,2 ◀			▶ <u>M50</u> — ◀
▶ <u>M49</u> — ◀	▶ <u>M74</u> 0,05 (*) ◀	▶ <u>M67</u> — ◀	▶ <u>M55</u> — ◀				▶ <u>M50</u> — ◀
▶ <u>M49</u> — ◀		▶ <u>M67</u> — ◀	▶ <u>M55</u> — ◀	▶ <u>M5</u> 2 ◀			▶ <u>M50</u> — ◀
▶ <u>M49</u> — ◀		▶ <u>M67</u> — ◀	▶ <u>M55</u> — ◀	▶ <u>M5</u> 0,3 ◀			▶ <u>M50</u> — ◀
▶ <u>M49</u> — ◀		▶ <u>M67</u> — ◀	▶ <u>M55</u> — ◀	▶ <u>M5</u> 2 ◀			▶ <u>M50</u> — ◀
▶ <u>M49</u> — ◀		▶ <u>M67</u> — ◀	▶ <u>M55</u> — ◀	▶ <u>M5</u> 0,2 ◀			▶ <u>M50</u> — ◀
▶ <u>M49</u> — ◀		▶ <u>M67</u> — ◀	▶ <u>M55</u> — ◀	▶ <u>M5</u> 0,2 ◀			▶ <u>M50</u> — ◀
▶ <u>M49</u> — ◀		▶ <u>M67</u> — ◀	▶ <u>M55</u> — ◀				▶ <u>M50</u> — ◀
▶ <u>M49</u> — ◀	▶ <u>M54</u> — ◀	▶ <u>M67</u> — ◀	▶ <u>M55</u> — ◀				▶ <u>M50</u> — ◀

▼ M2

(25)	(26)	(27)	(28)	(29)	(30)	(31)
	▶ <u>M32</u> — ◀				▶ <u>M59</u> — ◀	0,05 (*)
	▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀  ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀				▶ <u>M59</u> — ◀ ▶ <u>M59</u> — ◀ ▶ <u>M59</u> — ◀ ▶ <u>M59</u> — ◀ ▶ <u>M59</u> — ◀  ▶ <u>M59</u> — ◀ ▶ <u>M59</u> — ◀ ▶ <u>M59</u> — ◀ ▶ <u>M59</u> — ◀ ▶ <u>M59</u> — ◀ ▶ <u>M59</u> — ◀	
	▶ <u>M32</u> — ◀				▶ <u>M59</u> — ◀	
▶ <u>M8</u> 0,05 (*) ◀	▶ <u>M32</u> — ◀				▶ <u>M59</u> — ◀	0,05 (*)
	▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀				▶ <u>M59</u> — ◀ ▶ <u>M59</u> — ◀ ▶ <u>M59</u> — ◀ ▶ <u>M59</u> — ◀	
	▶ <u>M32</u> — ◀				▶ <u>M59</u> — ◀	
	▶ <u>M32</u> — ◀				▶ <u>M59</u> — ◀	0,05 (*)
	▶ <u>M32</u> — ◀				▶ <u>M59</u> — ◀	

▼ M2

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)
0231010	Tomatoes	► <u>M42</u> — ◀				► <u>M42</u> — ◀	► <u>M75</u> 0,1 ◀
0231020	Peppers	► <u>M42</u> — ◀				► <u>M42</u> — ◀	► <u>M75</u> 0,1 ◀
0231030	Aubergines (egg plants)	► <u>M42</u> — ◀				► <u>M42</u> — ◀	► <u>M75</u> 0,1 ◀
0231040	Okra, lady's fingers	► <u>M42</u> — ◀				► <u>M42</u> — ◀	► <u>M75</u> 0,05 (*) ◀
0231990	Others	► <u>M42</u> — ◀				► <u>M42</u> — ◀	► <u>M75</u> 0,05 (*) ◀
0232000	(b) <i>Cucurbits — edible peel</i>	► <u>M42</u> — ◀				► <u>M42</u> — ◀	► <u>M75</u> 0,2 ◀
0232010	Cucumbers	► <u>M42</u> — ◀				► <u>M42</u> — ◀	
0232020	Gherkins	► <u>M42</u> — ◀				► <u>M42</u> — ◀	
0232030	Courgettes	► <u>M42</u> — ◀				► <u>M42</u> — ◀	
0232990	Others	► <u>M42</u> — ◀				► <u>M42</u> — ◀	
0233000	(c) <i>Cucurbits- inedible peel</i>	► <u>M42</u> — ◀				► <u>M42</u> — ◀	► <u>M75</u> 0,08 ◀
0233010	Melons	► <u>M42</u> — ◀				► <u>M42</u> — ◀	
0233020	Pumpkins	► <u>M42</u> — ◀				► <u>M42</u> — ◀	
0233030	Watermelons	► <u>M42</u> — ◀				► <u>M42</u> — ◀	
0233990	Others	► <u>M42</u> — ◀				► <u>M42</u> — ◀	
0234000	(d) <i>Sweet corn</i>	► <u>M42</u> — ◀				► <u>M42</u> — ◀	► <u>M75</u> 0,05 (*) ◀
0239000	(e) <i>Other fruiting vegetables</i>	► <u>M42</u> — ◀				► <u>M42</u> — ◀	► <u>M75</u> 0,05 (*) ◀
0240000	(iv) <b>Brassica vegetables</b>	► <u>M42</u> — ◀	► <u>M45</u> 0,05 (*) ◀		► <u>M16</u> 0,01 (*) ◀	► <u>M42</u> — ◀	► <u>M75</u> 0,05 (*) ◀
0241000	(a) <i>Flowering brassica</i>	► <u>M42</u> — ◀		► <u>M24</u> 0,05 (*) ◀		► <u>M42</u> — ◀	
0241010	Broccoli	► <u>M42</u> — ◀				► <u>M42</u> — ◀	
0241020	Cauliflower	► <u>M42</u> — ◀				► <u>M42</u> — ◀	

▼ M2

(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
0,02 (*)	▶ <u>M59</u> — ◀	▶ <u>M38</u> 1 ◀	0,05 (*)	▶ <u>M15</u> 0,5 ◀	▶ <u>M56</u> 0,5 ◀		
0,05	▶ <u>M59</u> — ◀	▶ <u>M38</u> 2 ◀	0,1	▶ <u>M15</u> 0,5 ◀	▶ <u>M56</u> 0,6 ◀		
0,02 (*)	▶ <u>M59</u> — ◀	▶ <u>M38</u> 0,5 ◀	0,05 (*)	▶ <u>M15</u> 0,5 ◀	▶ <u>M56</u> 0,05 (*) ◀		
0,02 (*)	▶ <u>M59</u> — ◀	▶ <u>M38</u> 0,01 (*) ◀	0,05 (*)	▶ <u>M15</u> 0,01 (*) ◀	▶ <u>M56</u> 0,05 (*) ◀		
0,02 (*)	▶ <u>M59</u> — ◀	▶ <u>M38</u> 0,01 (*) ◀	0,05 (*)	▶ <u>M15</u> 0,01 (*) ◀	▶ <u>M56</u> 0,05 (*) ◀		
0,02 (*)	▶ <u>M59</u> — ◀						
	▶ <u>M59</u> — ◀	▶ <u>M38</u> 0,2 ◀	0,1	▶ <u>M15</u> 0,2 ◀	▶ <u>M56</u> 0,2 ◀		
	▶ <u>M59</u> — ◀	▶ <u>M38</u> 0,01 (*) ◀	0,05 (*)	▶ <u>M15</u> 0,01 (*) ◀	▶ <u>M56</u> 0,05 (*) ◀		
	▶ <u>M59</u> — ◀	▶ <u>M38</u> 0,01 (*) ◀	0,05 (*)	▶ <u>M15</u> 0,2 ◀	▶ <u>M56</u> 0,2 ◀		
	▶ <u>M59</u> — ◀	▶ <u>M38</u> 0,01 (*) ◀	0,05 (*)	▶ <u>M15</u> 0,01 (*) ◀	▶ <u>M56</u> 0,05 (*) ◀		
0,02 (*)	▶ <u>M59</u> — ◀		0,05 (*)		▶ <u>M56</u> 0,2 ◀		
	▶ <u>M59</u> — ◀	▶ <u>M38</u> 0,5 ◀		▶ <u>M15</u> 0,1 ◀			
	▶ <u>M59</u> — ◀	▶ <u>M38</u> 0,5 ◀		▶ <u>M15</u> 0,01 (*) ◀			
	▶ <u>M59</u> — ◀	▶ <u>M38</u> 0,5 ◀		▶ <u>M15</u> 0,1 ◀			
	▶ <u>M59</u> — ◀	▶ <u>M38</u> 0,01 (*) ◀		▶ <u>M15</u> 0,01 (*) ◀			
0,02 (*)	▶ <u>M59</u> — ◀	▶ <u>M38</u> 0,05 ◀	0,05 (*)	▶ <u>M15</u> 0,01 (*) ◀	▶ <u>M56</u> 0,05 (*) ◀		
0,02 (*)	▶ <u>M59</u> — ◀	▶ <u>M38</u> 0,01 (*) ◀	0,05 (*)	▶ <u>M15</u> 0,01 (*) ◀	▶ <u>M56</u> 0,05 (*) ◀		
0,02 (*)	▶ <u>M59</u> — ◀		0,05 (*)	▶ <u>M15</u> 0,01 (*) ◀	▶ <u>M56</u> 0,05 (*) ◀	0,1	
	▶ <u>M59</u> — ◀	▶ <u>M38</u> 0,2 ◀					
	▶ <u>M59</u> — ◀						
	▶ <u>M59</u> — ◀						

▼ M2

(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)
▶ <u>M49</u> — ◀	▶ <u>M74</u> 0,2 ◀	▶ <u>M67</u> — ◀	▶ <u>M55</u> — ◀	▶ <u>M5</u> 0,3 ◀			▶ <u>M50</u> — ◀
▶ <u>M49</u> — ◀	▶ <u>M74</u> 0,3 ◀	▶ <u>M67</u> — ◀	▶ <u>M55</u> — ◀	▶ <u>M5</u> 0,5 ◀			▶ <u>M50</u> — ◀
▶ <u>M49</u> — ◀	▶ <u>M74</u> 0,2 ◀	▶ <u>M67</u> — ◀	▶ <u>M55</u> — ◀	▶ <u>M5</u> 0,5 ◀			▶ <u>M50</u> — ◀
▶ <u>M49</u> — ◀	▶ <u>M74</u> 0,2 ◀	▶ <u>M67</u> — ◀	▶ <u>M55</u> — ◀	▶ <u>M5</u> 0,5 ◀			▶ <u>M50</u> — ◀
▶ <u>M49</u> — ◀	▶ <u>M74</u> 0,2 ◀	▶ <u>M67</u> — ◀	▶ <u>M55</u> — ◀	▶ <u>M5</u> 0,5 ◀			▶ <u>M50</u> — ◀
▶ <u>M49</u> — ◀	▶ <u>M74</u> — ◀	▶ <u>M67</u> — ◀	▶ <u>M55</u> — ◀	▶ <u>M5</u> 0,2 ◀			▶ <u>M50</u> — ◀
▶ <u>M49</u> — ◀	▶ <u>M74</u> 0,3 ◀	▶ <u>M67</u> — ◀	▶ <u>M55</u> — ◀				▶ <u>M50</u> — ◀
▶ <u>M49</u> — ◀	▶ <u>M74</u> 0,1 ◀	▶ <u>M67</u> — ◀	▶ <u>M55</u> — ◀				▶ <u>M50</u> — ◀
▶ <u>M49</u> — ◀	▶ <u>M74</u> 0,1 ◀	▶ <u>M67</u> — ◀	▶ <u>M55</u> — ◀				▶ <u>M50</u> — ◀
▶ <u>M49</u> — ◀	▶ <u>M74</u> 0,1 ◀	▶ <u>M67</u> — ◀	▶ <u>M55</u> — ◀				▶ <u>M50</u> — ◀
▶ <u>M49</u> — ◀	▶ <u>M74</u> 0,05 (*) ◀	▶ <u>M67</u> — ◀	▶ <u>M55</u> — ◀				▶ <u>M50</u> — ◀
▶ <u>M49</u> — ◀		▶ <u>M67</u> — ◀	▶ <u>M55</u> — ◀	▶ <u>M5</u> 0,1 ◀			▶ <u>M50</u> — ◀
▶ <u>M49</u> — ◀		▶ <u>M67</u> — ◀	▶ <u>M55</u> — ◀	▶ <u>M5</u> 0,2 ◀			▶ <u>M50</u> — ◀
▶ <u>M49</u> — ◀		▶ <u>M67</u> — ◀	▶ <u>M55</u> — ◀	▶ <u>M5</u> 0,1 ◀			▶ <u>M50</u> — ◀
▶ <u>M49</u> — ◀		▶ <u>M67</u> — ◀	▶ <u>M55</u> — ◀	▶ <u>M5</u> 0,2 ◀			▶ <u>M50</u> — ◀
▶ <u>M49</u> — ◀	▶ <u>M74</u> 0,05 (*) ◀	▶ <u>M67</u> — ◀	▶ <u>M55</u> — ◀	▶ <u>M5</u> 0,2 ◀			▶ <u>M50</u> — ◀
▶ <u>M49</u> — ◀	▶ <u>M74</u> 0,05 (*) ◀	▶ <u>M67</u> — ◀	▶ <u>M55</u> — ◀	▶ <u>M5</u> 0,2 ◀			▶ <u>M50</u> — ◀
▶ <u>M49</u> — ◀	▶ <u>M74</u> 0,05 (*) ◀	▶ <u>M67</u> — ◀	▶ <u>M55</u> — ◀				▶ <u>M50</u> — ◀
▶ <u>M49</u> — ◀		▶ <u>M67</u> — ◀	▶ <u>M55</u> — ◀	▶ <u>M5</u> 0,2 ◀			▶ <u>M50</u> — ◀
▶ <u>M49</u> — ◀		▶ <u>M67</u> — ◀	▶ <u>M55</u> — ◀				▶ <u>M50</u> — ◀
▶ <u>M49</u> — ◀		▶ <u>M67</u> — ◀	▶ <u>M55</u> — ◀				▶ <u>M50</u> — ◀

▼ M2

(25)	(26)	(27)	(28)	(29)	(30)	(31)
▶ <u>M8</u> 0,5 ◀ ▶ <u>M8</u> 0,5 ◀ ▶ <u>M8</u> 0,5 ◀ ▶ <u>M8</u> 0,05 (*) ◀	▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀				▶ <u>M59</u> — ◀ ▶ <u>M59</u> — ◀ ▶ <u>M59</u> — ◀ ▶ <u>M59</u> — ◀	
▶ <u>M8</u> 0,05 (*) ◀	▶ <u>M32</u> — ◀				▶ <u>M59</u> — ◀	
	▶ <u>M32</u> — ◀				▶ <u>M59</u> — ◀	
▶ <u>M8</u> 0,2 ◀ ▶ <u>M8</u> 0,05 (*) ◀ ▶ <u>M8</u> 0,05 (*) ◀	▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀				▶ <u>M59</u> — ◀ ▶ <u>M59</u> — ◀ ▶ <u>M59</u> — ◀	
▶ <u>M8</u> 0,05 (*) ◀	▶ <u>M32</u> — ◀				▶ <u>M59</u> — ◀	
	▶ <u>M32</u> — ◀				▶ <u>M59</u> — ◀	
▶ <u>M8</u> 0,2 ◀ ▶ <u>M8</u> 0,05 (*) ◀ ▶ <u>M8</u> 0,2 ◀	▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀				▶ <u>M59</u> — ◀ ▶ <u>M59</u> — ◀ ▶ <u>M59</u> — ◀	
▶ <u>M8</u> 0,05 (*) ◀	▶ <u>M32</u> — ◀				▶ <u>M59</u> — ◀	
▶ <u>M8</u> 0,05 (*) ◀	▶ <u>M32</u> — ◀				▶ <u>M59</u> — ◀	
▶ <u>M8</u> 0,05 (*) ◀	▶ <u>M32</u> — ◀				▶ <u>M59</u> — ◀	
▶ <u>M8</u> 0,05 (*) ◀	▶ <u>M32</u> — ◀				▶ <u>M59</u> — ◀	0,05 (*)
	▶ <u>M32</u> — ◀				▶ <u>M59</u> — ◀	
	▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀				▶ <u>M59</u> — ◀ ▶ <u>M59</u> — ◀	

▼ **M2**

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)
0241990	Others	► <b>M42</b> — ◀				► <b>M42</b> — ◀	
0242000	(b) <i>Head brassica</i>	► <b>M42</b> — ◀				► <b>M42</b> — ◀	
0242010	Brussels sprouts	► <b>M42</b> — ◀		► <b>M24</b> 0,05 (*) ◀		► <b>M42</b> — ◀	
0242020	Head cabbage	► <b>M42</b> — ◀		► <b>M24</b> 0,2 ◀		► <b>M42</b> — ◀	
0242990	Others	► <b>M42</b> — ◀		► <b>M24</b> 0,05 (*) ◀		► <b>M42</b> — ◀	
0243000	(c) <i>Leafy brassica</i>	► <b>M42</b> — ◀		► <b>M24</b> 0,05 (*) ◀		► <b>M42</b> — ◀	
0243010	Chinese cabbage	► <b>M42</b> — ◀				► <b>M42</b> — ◀	
0243020	Kale	► <b>M42</b> — ◀				► <b>M42</b> — ◀	
0243990	Others	► <b>M42</b> — ◀				► <b>M42</b> — ◀	
0244000	(d) <i>Kohlrabi</i>	► <b>M42</b> — ◀		► <b>M24</b> 0,05 (*) ◀		► <b>M42</b> — ◀	
0250000	(v) <b>Leaf vegetables &amp; fresh herbs</b>	► <b>M42</b> — ◀		► <b>M24</b> 0,05 (*) ◀	► <b>M16</b> 0,01 (*) ◀	► <b>M42</b> — ◀	► <b>M75</b> 0,05 (*) ◀
0251000	(a) <i>Lettuce and other salad plants including Brassicacea</i>	► <b>M42</b> — ◀	► <b>M45</b> 0,05 (*) ◀			► <b>M42</b> — ◀	
0251010	Lamb's lettuce	► <b>M42</b> — ◀				► <b>M42</b> — ◀	
0251020	Lettuce	► <b>M42</b> — ◀				► <b>M42</b> — ◀	
0251030	Scarole (broad-leaf endive)	► <b>M42</b> — ◀				► <b>M42</b> — ◀	
0251040	Cress	► <b>M42</b> — ◀				► <b>M42</b> — ◀	
0251050	Land cress	► <b>M42</b> — ◀				► <b>M42</b> — ◀	
0251060	Rocket, Rucola	► <b>M42</b> — ◀				► <b>M42</b> — ◀	

▼ M2

(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
	▶ <u>M59</u> — ◀						
	▶ <u>M59</u> — ◀						
	▶ <u>M59</u> — ◀ ▶ <u>M59</u> — ◀	▶ <u>M38</u> 2 ◀ ▶ <u>M38</u> 2 ◀					
	▶ <u>M59</u> — ◀	▶ <u>M38</u> 0,2 ◀					
	▶ <u>M59</u> — ◀	▶ <u>M38</u> 0,2 ◀					
	▶ <u>M59</u> — ◀ ▶ <u>M59</u> — ◀						
	▶ <u>M59</u> — ◀						
	▶ <u>M59</u> — ◀	▶ <u>M38</u> 0,2 ◀					
0,02 (*)	▶ <u>M59</u> — ◀		0,05 (*)	▶ <u>M15</u> 0,01 (*) ◀	▶ <u>M56</u> 0,05 (*) ◀	0,1	
	▶ <u>M59</u> — ◀						
	▶ <u>M59</u> — ◀ ▶ <u>M59</u> — ◀ ▶ <u>M59</u> — ◀  ▶ <u>M59</u> — ◀ ▶ <u>M59</u> — ◀ ▶ <u>M59</u> — ◀	▶ <u>M38</u> 3 ◀ ▶ <u>M38</u> 3 ◀ ▶ <u>M38</u> 3 ◀  ▶ <u>M38</u> 3 ◀ ▶ <u>M38</u> 0,01 (*) ◀ ▶ <u>M38</u> 3 ◀					



▼ M2

(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)
▶ <u>M49</u> — ◀		▶ <u>M67</u> — ◀	▶ <u>M55</u> — ◀				▶ <u>M50</u> — ◀
▶ <u>M49</u> — ◀		▶ <u>M67</u> — ◀	▶ <u>M55</u> — ◀				▶ <u>M50</u> — ◀
▶ <u>M49</u> — ◀		▶ <u>M67</u> — ◀	▶ <u>M55</u> — ◀	▶ <u>M5</u> 2 ◀			▶ <u>M50</u> — ◀
▶ <u>M49</u> — ◀		▶ <u>M67</u> — ◀	▶ <u>M55</u> — ◀	▶ <u>M5</u> 0,3 ◀			▶ <u>M50</u> — ◀
▶ <u>M49</u> — ◀		▶ <u>M67</u> — ◀	▶ <u>M55</u> — ◀	▶ <u>M5</u> 0,3 ◀			▶ <u>M50</u> — ◀
▶ <u>M49</u> — ◀		▶ <u>M67</u> — ◀	▶ <u>M55</u> — ◀				▶ <u>M50</u> — ◀
▶ <u>M49</u> — ◀		▶ <u>M67</u> — ◀	▶ <u>M55</u> — ◀	▶ <u>M5</u> 0,5 ◀			▶ <u>M50</u> — ◀
▶ <u>M49</u> — ◀		▶ <u>M67</u> — ◀	▶ <u>M55</u> — ◀	▶ <u>M5</u> 0,2 ◀			▶ <u>M50</u> — ◀
▶ <u>M49</u> — ◀		▶ <u>M67</u> — ◀	▶ <u>M55</u> — ◀	▶ <u>M5</u> 0,5 ◀			▶ <u>M50</u> — ◀
▶ <u>M49</u> — ◀		▶ <u>M67</u> — ◀	▶ <u>M55</u> — ◀	▶ <u>M5</u> 0,2 ◀			▶ <u>M50</u> — ◀
▶ <u>M49</u> — ◀	▶ <u>M74</u> 0,05 (*) ◀	▶ <u>M67</u> — ◀	▶ <u>M55</u> — ◀				▶ <u>M50</u> — ◀
▶ <u>M49</u> — ◀		▶ <u>M67</u> — ◀	▶ <u>M55</u> — ◀	▶ <u>M5</u> 0,2 ◀			▶ <u>M50</u> — ◀
▶ <u>M49</u> — ◀		▶ <u>M67</u> — ◀	▶ <u>M55</u> — ◀				▶ <u>M50</u> — ◀
▶ <u>M49</u> — ◀		▶ <u>M67</u> — ◀	▶ <u>M55</u> — ◀				▶ <u>M50</u> — ◀
▶ <u>M49</u> — ◀		▶ <u>M67</u> — ◀	▶ <u>M55</u> — ◀				▶ <u>M50</u> — ◀
▶ <u>M49</u> — ◀		▶ <u>M67</u> — ◀	▶ <u>M55</u> — ◀				▶ <u>M50</u> — ◀
▶ <u>M49</u> — ◀		▶ <u>M67</u> — ◀	▶ <u>M55</u> — ◀				▶ <u>M50</u> — ◀

▼ M2

(25)	(26)	(27)	(28)	(29)	(30)	(31)
	▶ <u>M32</u> — ◀				▶ <u>M59</u> — ◀	
	▶ <u>M32</u> — ◀				▶ <u>M59</u> — ◀	
	▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀				▶ <u>M59</u> — ◀ ▶ <u>M59</u> — ◀	
	▶ <u>M32</u> — ◀				▶ <u>M59</u> — ◀	
	▶ <u>M32</u> — ◀				▶ <u>M59</u> — ◀	
	▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀				▶ <u>M59</u> — ◀ ▶ <u>M59</u> — ◀	
	▶ <u>M32</u> — ◀				▶ <u>M59</u> — ◀	
	▶ <u>M32</u> — ◀				▶ <u>M59</u> — ◀	
	▶ <u>M32</u> — ◀				▶ <u>M59</u> — ◀	0,05 (*)
	▶ <u>M32</u> — ◀				▶ <u>M59</u> — ◀	
▶ <u>M8</u> 0,05 (*) ◀ ▶ <u>M8</u> 1 ◀ ▶ <u>M8</u> 0,05 (*) ◀ ▶ <u>M8</u> 0,05 (*) ◀ ▶ <u>M8</u> 0,05 (*) ◀ ▶ <u>M8</u> 0,05 (*) ◀	▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀				▶ <u>M59</u> — ◀ ▶ <u>M59</u> — ◀ ▶ <u>M59</u> — ◀ ▶ <u>M59</u> — ◀ ▶ <u>M59</u> — ◀ ▶ <u>M59</u> — ◀	

## ▼ M2

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)
0251070	Red mustard	▶ <u>M42</u> — ◀				▶ <u>M42</u> — ◀	
0251080	Leaves and sprouts of Brassica spp.	▶ <u>M42</u> — ◀				▶ <u>M42</u> — ◀	
0251990	Others	▶ <u>M42</u> — ◀				▶ <u>M42</u> — ◀	
0252000	(b) <i>Spinach</i> & similar (leaves)	▶ <u>M42</u> — ◀				▶ <u>M42</u> — ◀	
0252010	Spinach	▶ <u>M42</u> — ◀	▶ <u>M45</u> 10 ◀			▶ <u>M42</u> — ◀	
0252020	Purslane	▶ <u>M42</u> — ◀	▶ <u>M45</u> 0,05 (*) ◀			▶ <u>M42</u> — ◀	
0252030	Beet leaves (chard)	▶ <u>M42</u> — ◀	▶ <u>M45</u> 0,05 (*) ◀			▶ <u>M42</u> — ◀	
0252990	Others	▶ <u>M42</u> — ◀	▶ <u>M45</u> 0,05 (*) ◀			▶ <u>M42</u> — ◀	
0253000	(c) <i>Vine leaves</i> (grape leaves)	▶ <u>M42</u> — ◀	▶ <u>M45</u> 0,05 (*) ◀			▶ <u>M42</u> — ◀	
0254000	(d) <i>Water cress</i>	▶ <u>M42</u> — ◀	▶ <u>M45</u> 0,05 (*) ◀			▶ <u>M42</u> — ◀	
0255000	(e) <i>Witloof</i>	▶ <u>M42</u> — ◀	▶ <u>M45</u> 0,05 (*) ◀			▶ <u>M42</u> — ◀	
0256000	(f) <i>Herbs</i>	▶ <u>M42</u> — ◀	▶ <u>M45</u> 0,1 (*) ◀			▶ <u>M42</u> — ◀	
0256010	Chervil	▶ <u>M42</u> — ◀				▶ <u>M42</u> — ◀	
0256020	Chives	▶ <u>M42</u> — ◀				▶ <u>M42</u> — ◀	
0256030	Celery leaves	▶ <u>M42</u> — ◀				▶ <u>M42</u> — ◀	
0256040	Parsley	▶ <u>M42</u> — ◀				▶ <u>M42</u> — ◀	
0256050	Sage	▶ <u>M42</u> — ◀				▶ <u>M42</u> — ◀	
0256060	Rosemary	▶ <u>M42</u> — ◀				▶ <u>M42</u> — ◀	
0256070	Thyme	▶ <u>M42</u> — ◀				▶ <u>M42</u> — ◀	
0256080	Basil	▶ <u>M42</u> — ◀				▶ <u>M42</u> — ◀	

▼ M2

(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
	▶ <u>M59</u> — ◀ ▶ <u>M59</u> — ◀	▶ <u>M38</u> 0,01 (*) ◀ ▶ <u>M38</u> 0,01 (*) ◀					
	▶ <u>M59</u> — ◀	▶ <u>M38</u> 0,01 (*) ◀					
	▶ <u>M59</u> — ◀						
	▶ <u>M59</u> — ◀ ▶ <u>M59</u> — ◀ ▶ <u>M59</u> — ◀	▶ <u>M38</u> 3 ◀ ▶ <u>M38</u> 0,01 (*) ◀ ▶ <u>M38</u> 3 ◀					
	▶ <u>M59</u> — ◀	▶ <u>M38</u> 0,01 (*) ◀					
	▶ <u>M59</u> — ◀	▶ <u>M38</u> 0,01 (*) ◀					
	▶ <u>M59</u> — ◀	▶ <u>M38</u> 0,01 (*) ◀					
	▶ <u>M59</u> — ◀	▶ <u>M38</u> 0,01 (*) ◀					
	▶ <u>M59</u> — ◀	▶ <u>M38</u> 3 ◀					
	▶ <u>M59</u> — ◀ ▶ <u>M59</u> — ◀ ▶ <u>M59</u> — ◀ ▶ <u>M59</u> — ◀ ▶ <u>M59</u> — ◀ ▶ <u>M59</u> — ◀ ▶ <u>M59</u> — ◀ ▶ <u>M59</u> — ◀						

▼ M2

(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)
▶ <u>M49</u> — ◀ ▶ <u>M49</u> — ◀		▶ <u>M67</u> — ◀ ▶ <u>M67</u> — ◀	▶ <u>M55</u> — ◀ ▶ <u>M55</u> — ◀				▶ <u>M50</u> — ◀ ▶ <u>M50</u> — ◀
▶ <u>M49</u> — ◀		▶ <u>M67</u> — ◀	▶ <u>M55</u> — ◀				▶ <u>M50</u> — ◀
▶ <u>M49</u> — ◀		▶ <u>M67</u> — ◀	▶ <u>M55</u> — ◀				▶ <u>M50</u> — ◀
▶ <u>M49</u> — ◀ ▶ <u>M49</u> — ◀ ▶ <u>M49</u> — ◀		▶ <u>M67</u> — ◀ ▶ <u>M67</u> — ◀ ▶ <u>M67</u> — ◀	▶ <u>M55</u> — ◀ ▶ <u>M55</u> — ◀ ▶ <u>M55</u> — ◀	▶ <u>M5</u> 1 ◀ ▶ <u>M5</u> 0,5 ◀ ▶ <u>M5</u> 1 ◀			▶ <u>M50</u> — ◀ ▶ <u>M50</u> — ◀ ▶ <u>M50</u> — ◀
▶ <u>M49</u> — ◀		▶ <u>M67</u> — ◀	▶ <u>M55</u> — ◀	▶ <u>M5</u> 0,5 ◀			▶ <u>M50</u> — ◀
▶ <u>M49</u> — ◀		▶ <u>M67</u> — ◀	▶ <u>M55</u> — ◀	▶ <u>M5</u> 0,5 ◀			▶ <u>M50</u> — ◀
▶ <u>M49</u> — ◀		▶ <u>M67</u> — ◀	▶ <u>M55</u> — ◀	▶ <u>M5</u> 0,5 ◀			▶ <u>M50</u> — ◀
▶ <u>M49</u> — ◀		▶ <u>M67</u> — ◀	▶ <u>M55</u> — ◀	▶ <u>M5</u> 0,05 (*) ◀			▶ <u>M50</u> — ◀
▶ <u>M49</u> — ◀		▶ <u>M67</u> — ◀	▶ <u>M55</u> — ◀	▶ <u>M5</u> — ◀			▶ <u>M50</u> — ◀
▶ <u>M49</u> — ◀ ▶ <u>M49</u> — ◀ ▶ <u>M49</u> — ◀ ▶ <u>M49</u> — ◀ ▶ <u>M49</u> — ◀ ▶ <u>M49</u> — ◀ ▶ <u>M49</u> — ◀ ▶ <u>M49</u> — ◀		▶ <u>M67</u> — ◀ ▶ <u>M67</u> — ◀ ▶ <u>M67</u> — ◀ ▶ <u>M67</u> — ◀ ▶ <u>M67</u> — ◀ ▶ <u>M67</u> — ◀ ▶ <u>M67</u> — ◀ ▶ <u>M67</u> — ◀	▶ <u>M55</u> — ◀ ▶ <u>M55</u> — ◀ ▶ <u>M55</u> — ◀ ▶ <u>M55</u> — ◀ ▶ <u>M55</u> — ◀ ▶ <u>M55</u> — ◀ ▶ <u>M55</u> — ◀ ▶ <u>M55</u> — ◀	▶ <u>M5</u> 1 ◀ ▶ <u>M5</u> 0,5 ◀ ▶ <u>M5</u> 1 ◀ ▶ <u>M5</u> 1 ◀ ▶ <u>M5</u> 0,5 ◀ ▶ <u>M5</u> 0,5 ◀ ▶ <u>M5</u> 0,5 ◀ ▶ <u>M5</u> 0,5 ◀			▶ <u>M50</u> — ◀ ▶ <u>M50</u> — ◀ ▶ <u>M50</u> — ◀ ▶ <u>M50</u> — ◀ ▶ <u>M50</u> — ◀ ▶ <u>M50</u> — ◀ ▶ <u>M50</u> — ◀ ▶ <u>M50</u> — ◀

▼ M2

(25)	(26)	(27)	(28)	(29)	(30)	(31)
▶ <u>M8</u> 0,05 (*) ◀	▶ <u>M32</u> — ◀				▶ <u>M59</u> — ◀	
▶ <u>M8</u> 0,05 (*) ◀	▶ <u>M32</u> — ◀				▶ <u>M59</u> — ◀	
▶ <u>M8</u> 0,05 (*) ◀	▶ <u>M32</u> — ◀				▶ <u>M59</u> — ◀	
	▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀				▶ <u>M59</u> — ◀ ▶ <u>M59</u> — ◀ ▶ <u>M59</u> — ◀	
	▶ <u>M32</u> — ◀				▶ <u>M59</u> — ◀	
▶ <u>M8</u> 0,05 (*) ◀	▶ <u>M32</u> — ◀				▶ <u>M59</u> — ◀	
▶ <u>M8</u> 0,05 (*) ◀	▶ <u>M32</u> — ◀				▶ <u>M59</u> — ◀	
▶ <u>M8</u> 0,05 (*) ◀	▶ <u>M32</u> — ◀				▶ <u>M59</u> — ◀	
▶ <u>M8</u> 0,05 (*) ◀	▶ <u>M32</u> — ◀				▶ <u>M59</u> — ◀	
	▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀				▶ <u>M59</u> — ◀ ▶ <u>M59</u> — ◀ ▶ <u>M59</u> — ◀ ▶ <u>M59</u> — ◀ ▶ <u>M59</u> — ◀ ▶ <u>M59</u> — ◀ ▶ <u>M59</u> — ◀ ▶ <u>M59</u> — ◀	

▼ **M2**

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)
0256090	Bay leaves (laurel)	► <b>M42</b> — ◄				► <b>M42</b> — ◄	
0256100	Tarragon	► <b>M42</b> — ◄				► <b>M42</b> — ◄	
0256990	Others	► <b>M42</b> — ◄				► <b>M42</b> — ◄	
0260000	(vi) <b>Legume vegetables (fresh)</b>	► <b>M42</b> — ◄	► <b>M45</b> 0,05 (*) ◄		► <b>M16</b> 0,01 (*) ◄	► <b>M42</b> — ◄	
0260010	Beans (with pods)	► <b>M42</b> — ◄		► <b>M24</b> 0,05 (*) ◄		► <b>M42</b> — ◄	► <b>M75</b> 0,05 (*) ◄
0260020	Beans (without pods)	► <b>M42</b> — ◄		► <b>M24</b> 0,05 (*) ◄		► <b>M42</b> — ◄	► <b>M75</b> 0,05 (*) ◄
0260030	Peas (with pods)	► <b>M42</b> — ◄		► <b>M24</b> 0,1 ◄		► <b>M42</b> — ◄	► <b>M75</b> 0,05 (*) ◄
0260040	Peas (without pods)	► <b>M42</b> — ◄		► <b>M24</b> 0,05 (*) ◄		► <b>M42</b> — ◄	► <b>M75</b> 0,5 ◄
0260050	Lentils	► <b>M42</b> — ◄		► <b>M24</b> 0,05 (*) ◄		► <b>M42</b> — ◄	► <b>M75</b> 0,05 (*) ◄
0260990	Others	► <b>M42</b> — ◄		► <b>M24</b> 0,05 (*) ◄		► <b>M42</b> — ◄	► <b>M75</b> 0,05 (*) ◄
0270000	(vii) <b>Stem vegetables (fresh)</b>	► <b>M42</b> — ◄	► <b>M45</b> 0,05 (*) ◄	► <b>M24</b> 0,05 (*) ◄	► <b>M16</b> 0,01 (*) ◄	► <b>M42</b> — ◄	► <b>M75</b> 0,05 (*) ◄
0270010	Asparagus	► <b>M42</b> — ◄				► <b>M42</b> — ◄	
0270020	Cardoons	► <b>M42</b> — ◄				► <b>M42</b> — ◄	
0270030	Celery	► <b>M42</b> — ◄				► <b>M42</b> — ◄	
0270040	Fennel	► <b>M42</b> — ◄				► <b>M42</b> — ◄	
0270050	Globe artichokes	► <b>M42</b> — ◄				► <b>M42</b> — ◄	
0270060	Leek	► <b>M42</b> — ◄				► <b>M42</b> — ◄	
0270070	Rhubarb	► <b>M42</b> — ◄				► <b>M42</b> — ◄	
0270080	Bamboo shoots	► <b>M42</b> — ◄				► <b>M42</b> — ◄	
0270090	Palm hearts	► <b>M42</b> — ◄				► <b>M42</b> — ◄	
0270990	Others	► <b>M42</b> — ◄				► <b>M42</b> — ◄	

▼ M2

(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
	▶ <u>M59</u> — ◀						
	▶ <u>M59</u> — ◀						
	▶ <u>M59</u> — ◀						
0,02 (*)	▶ <u>M59</u> — ◀		0,05 (*)		▶ <u>M56</u> 0,05 (*) ◀	0,1	
	▶ <u>M59</u> — ◀	▶ <u>M38</u> 0,5 ◀		▶ <u>M15</u> 0,1 ◀			
	▶ <u>M59</u> — ◀	▶ <u>M38</u> 0,5 ◀		▶ <u>M15</u> 0,01 (*) ◀			
	▶ <u>M59</u> — ◀	▶ <u>M38</u> 0,01 (*) ◀		▶ <u>M15</u> 0,01 (*) ◀			
	▶ <u>M59</u> — ◀	▶ <u>M38</u> 0,01 (*) ◀		▶ <u>M15</u> 0,01 (*) ◀			
	▶ <u>M59</u> — ◀	▶ <u>M38</u> 0,01 (*) ◀		▶ <u>M15</u> 0,01 (*) ◀			
	▶ <u>M59</u> — ◀	▶ <u>M38</u> 0,01 (*) ◀		▶ <u>M15</u> 0,01 (*) ◀			
0,02 (*)	▶ <u>M59</u> — ◀	▶ <u>M38</u> 0,01 (*) ◀	0,05 (*)	▶ <u>M15</u> 0,01 (*) ◀	▶ <u>M56</u> 0,05 (*) ◀	0,1	
	▶ <u>M59</u> — ◀						
	▶ <u>M59</u> — ◀						
	▶ <u>M59</u> — ◀						
	▶ <u>M59</u> — ◀						
	▶ <u>M59</u> — ◀						
	▶ <u>M59</u> — ◀						
	▶ <u>M59</u> — ◀						
	▶ <u>M59</u> — ◀						
	▶ <u>M59</u> — ◀						



▼ M2

(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)
▶ <u>M49</u> — ◀		▶ <u>M67</u> — ◀	▶ <u>M55</u> — ◀	▶ <u>M5</u> 0,5 ◀			▶ <u>M50</u> — ◀
▶ <u>M49</u> — ◀		▶ <u>M67</u> — ◀	▶ <u>M55</u> — ◀	▶ <u>M5</u> 0,5 ◀			▶ <u>M50</u> — ◀
▶ <u>M49</u> — ◀		▶ <u>M67</u> — ◀	▶ <u>M55</u> — ◀	▶ <u>M5</u> 0,5 ◀			▶ <u>M50</u> — ◀
▶ <u>M49</u> — ◀		▶ <u>M67</u> — ◀	▶ <u>M55</u> — ◀	▶ <u>M5</u> 1 ◀			▶ <u>M50</u> — ◀
▶ <u>M49</u> — ◀	▶ <u>M74</u> 0,7 ◀	▶ <u>M67</u> — ◀	▶ <u>M55</u> — ◀				▶ <u>M50</u> — ◀
▶ <u>M49</u> — ◀	▶ <u>M74</u> 0,4 ◀	▶ <u>M67</u> — ◀	▶ <u>M55</u> — ◀				▶ <u>M50</u> — ◀
▶ <u>M49</u> — ◀	▶ <u>M74</u> 0,05 (*) ◀	▶ <u>M67</u> — ◀	▶ <u>M55</u> — ◀				▶ <u>M50</u> — ◀
▶ <u>M49</u> — ◀	▶ <u>M74</u> 0,05 (*) ◀	▶ <u>M67</u> — ◀	▶ <u>M55</u> — ◀				▶ <u>M50</u> — ◀
▶ <u>M49</u> — ◀	▶ <u>M74</u> 0,05 (*) ◀	▶ <u>M67</u> — ◀	▶ <u>M55</u> — ◀				▶ <u>M50</u> — ◀
▶ <u>M49</u> — ◀	▶ <u>M74</u> 0,05 (*) ◀	▶ <u>M67</u> — ◀	▶ <u>M55</u> — ◀				▶ <u>M50</u> — ◀
▶ <u>M49</u> — ◀	▶ <u>M74</u> 0,05 (*) ◀	▶ <u>M67</u> — ◀	▶ <u>M55</u> — ◀				▶ <u>M50</u> — ◀
▶ <u>M49</u> — ◀		▶ <u>M67</u> — ◀	▶ <u>M55</u> — ◀	▶ <u>M5</u> 0,2 ◀			▶ <u>M50</u> — ◀
▶ <u>M49</u> — ◀		▶ <u>M67</u> — ◀	▶ <u>M55</u> — ◀	▶ <u>M5</u> 0,2 ◀			▶ <u>M50</u> — ◀
▶ <u>M49</u> — ◀		▶ <u>M67</u> — ◀	▶ <u>M55</u> — ◀	▶ <u>M5</u> 0,5 ◀			▶ <u>M50</u> — ◀
▶ <u>M49</u> — ◀		▶ <u>M67</u> — ◀	▶ <u>M55</u> — ◀	▶ <u>M5</u> 0,5 ◀			▶ <u>M50</u> — ◀
▶ <u>M49</u> — ◀		▶ <u>M67</u> — ◀	▶ <u>M55</u> — ◀	▶ <u>M5</u> 0,5 ◀			▶ <u>M50</u> — ◀
▶ <u>M49</u> — ◀		▶ <u>M67</u> — ◀	▶ <u>M55</u> — ◀	▶ <u>M5</u> 0,2 ◀			▶ <u>M50</u> — ◀
▶ <u>M49</u> — ◀		▶ <u>M67</u> — ◀	▶ <u>M55</u> — ◀	▶ <u>M5</u> 0,2 ◀			▶ <u>M50</u> — ◀
▶ <u>M49</u> — ◀		▶ <u>M67</u> — ◀	▶ <u>M55</u> — ◀	▶ <u>M5</u> 0,2 ◀			▶ <u>M50</u> — ◀
▶ <u>M49</u> — ◀		▶ <u>M67</u> — ◀	▶ <u>M55</u> — ◀	▶ <u>M5</u> 0,2 ◀			▶ <u>M50</u> — ◀
▶ <u>M49</u> — ◀		▶ <u>M67</u> — ◀	▶ <u>M55</u> — ◀	▶ <u>M5</u> 0,2 ◀			▶ <u>M50</u> — ◀
▶ <u>M49</u> — ◀		▶ <u>M67</u> — ◀	▶ <u>M55</u> — ◀	▶ <u>M5</u> 0,2 ◀			▶ <u>M50</u> — ◀
▶ <u>M49</u> — ◀		▶ <u>M67</u> — ◀	▶ <u>M55</u> — ◀	▶ <u>M5</u> 0,2 ◀			▶ <u>M50</u> — ◀



▼ **M2**

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)
0280000	(viii) <b>Fungi</b>	▶ <b>M42</b> — ◀	▶ <b>M45</b> 0,05 (*) ◀	▶ <b>M24</b> 0,05 (*) ◀	▶ <b>M16</b> 0,01 (*) ◀	▶ <b>M42</b> — ◀	▶ <b>M75</b> 0,05 (*) ◀
0280010	Cultivated	▶ <b>M42</b> — ◀				▶ <b>M42</b> — ◀	
0280020	Wild	▶ <b>M42</b> — ◀				▶ <b>M42</b> — ◀	
0280990	Others	▶ <b>M42</b> — ◀				▶ <b>M42</b> — ◀	
0290000	(ix) . <b>Sea weeds</b>	▶ <b>M42</b> — ◀	▶ <b>M45</b> 0,05 (*) ◀	▶ <b>M24</b> 0,05 (*) ◀	▶ <b>M16</b> 0,01 (*) ◀	▶ <b>M42</b> — ◀	▶ <b>M75</b> 0,05 (*) ◀
0300000	<b>3. PULSES, DRY</b>	▶ <b>M42</b> — ◀	▶ <b>M45</b> 0,05 (*) ◀		▶ <b>M16</b> 0,01 (*) ◀	▶ <b>M42</b> — ◀	▶ <b>M75</b> 0,05 (*) ◀
0300010	Beans	▶ <b>M42</b> — ◀		▶ <b>M24</b> 0,05 (*) ◀		▶ <b>M42</b> — ◀	
0300020	Lentils	▶ <b>M42</b> — ◀		▶ <b>M24</b> 0,05 (*) ◀		▶ <b>M42</b> — ◀	
0300030	Peas	▶ <b>M42</b> — ◀		▶ <b>M24</b> 0,1 ◀		▶ <b>M42</b> — ◀	
0300040	Lupins	▶ <b>M42</b> — ◀		▶ <b>M24</b> 0,05 (*) ◀		▶ <b>M42</b> — ◀	
0300990	Others	▶ <b>M42</b> — ◀		▶ <b>M24</b> 0,05 (*) ◀		▶ <b>M42</b> — ◀	
0400000	<b>4. OILSEEDS AND OILFRUITS</b>	▶ <b>M42</b> — ◀	▶ <b>M45</b> — ◀	▶ <b>M24</b> 0,05 (*) ◀		▶ <b>M42</b> — ◀	▶ <b>M75</b> 0,05 (*) ◀
0401000	(i) <b>Oilseeds</b>	▶ <b>M42</b> — ◀	▶ <b>M45</b> 0,1 (*) ◀		▶ <b>M16</b> 0,02 (*) ◀	▶ <b>M42</b> — ◀	
0401010	Linseed	▶ <b>M42</b> — ◀			0,05 (*)	▶ <b>M42</b> — ◀	
0401020	Peanuts	▶ <b>M42</b> — ◀			0,05 (*)	▶ <b>M42</b> — ◀	
0401030	Poppy seed	▶ <b>M42</b> — ◀			0,05 (*)	▶ <b>M42</b> — ◀	
0401040	Sesame seed	▶ <b>M42</b> — ◀			0,05 (*)	▶ <b>M42</b> — ◀	
0401050	Sunflower seed	▶ <b>M42</b> — ◀			0,1	▶ <b>M42</b> — ◀	
0401060	Rape seed	▶ <b>M42</b> — ◀			0,05 (*)	▶ <b>M42</b> — ◀	
0401070	Soya bean	▶ <b>M42</b> — ◀			0,05 (*)	▶ <b>M42</b> — ◀	

▼ M2

(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
0,02 (*)	▶ <u>M59</u> — ◀	▶ <u>M38</u> 0,01 (*) ◀	0,05 (*)	▶ <u>M15</u> 0,01 (*) ◀	▶ <u>M56</u> 0,05 (*) ◀	0,1	
	▶ <u>M59</u> — ◀						
	▶ <u>M59</u> — ◀						
0,02 (*)	▶ <u>M59</u> — ◀	▶ <u>M38</u> 0,01 (*) ◀	0,05 (*)	▶ <u>M15</u> 0,01 (*) ◀	▶ <u>M56</u> 0,05 (*) ◀	0,01 (*)	
0,02 (*)	▶ <u>M59</u> — ◀		0,05 (*)	▶ <u>M15</u> 0,01 (*) ◀	▶ <u>M56</u> 0,05 (*) ◀	0,1	0,05 (*)
	▶ <u>M59</u> — ◀	▶ <u>M38</u> 0,05 ◀					
	▶ <u>M59</u> — ◀	▶ <u>M38</u> 0,5 ◀					
	▶ <u>M59</u> — ◀	▶ <u>M38</u> 0,5 ◀					
	▶ <u>M59</u> — ◀	▶ <u>M38</u> 0,5 ◀					
	▶ <u>M59</u> — ◀	▶ <u>M38</u> 0,01 (*) ◀					
0,02 (*)	▶ <u>M59</u> — ◀			▶ <u>M15</u> 0,01 (*) ◀	▶ <u>M56</u> — ◀		
	▶ <u>M59</u> — ◀					0,1	0,05 (*)
	▶ <u>M59</u> — ◀	▶ <u>M38</u> 0,01 (*) ◀	0,05 (*)		▶ <u>M56</u> 0,05 (*) ◀		
	▶ <u>M59</u> — ◀	▶ <u>M38</u> 0,01 (*) ◀	0,05 (*)		▶ <u>M56</u> 0,1 ◀		
	▶ <u>M59</u> — ◀	▶ <u>M38</u> 0,01 (*) ◀	0,05 (*)		▶ <u>M56</u> 0,05 (*) ◀		
	▶ <u>M59</u> — ◀	▶ <u>M38</u> 0,01 (*) ◀	0,05 (*)		▶ <u>M56</u> 0,05 (*) ◀		
	▶ <u>M59</u> — ◀	▶ <u>M38</u> 0,01 (*) ◀	0,05 (*)		▶ <u>M56</u> 0,05 (*) ◀		
	▶ <u>M59</u> — ◀	▶ <u>M38</u> 0,05 ◀	0,05 (*)		▶ <u>M56</u> 0,05 (*) ◀		
	▶ <u>M59</u> — ◀	▶ <u>M38</u> 0,01 (*) ◀	0,05 (*)		▶ <u>M56</u> 0,05 (*) ◀		

▼ M2

(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)
▶ <u>M49</u> — ◀	▶ <u>M74</u> 0,05 (*) ◀	▶ <u>M67</u> — ◀	▶ <u>M55</u> — ◀	▶ <u>M5</u> 0,2 ◀			▶ <u>M50</u> — ◀
▶ <u>M49</u> — ◀		▶ <u>M67</u> — ◀	▶ <u>M55</u> — ◀				▶ <u>M50</u> — ◀
▶ <u>M49</u> — ◀		▶ <u>M67</u> — ◀	▶ <u>M55</u> — ◀				▶ <u>M50</u> — ◀
▶ <u>M49</u> — ◀	▶ <u>M74</u> 0,05 (*) ◀	▶ <u>M67</u> — ◀	▶ <u>M55</u> — ◀	▶ <u>M5</u> 0,05 (*) ◀			▶ <u>M50</u> — ◀
▶ <u>M49</u> — ◀	▶ <u>M74</u> 0,05 (*) ◀	▶ <u>M67</u> — ◀	▶ <u>M55</u> — ◀		▶ <u>M72</u> 0,05 (*) ◀	0,05 (*)	▶ <u>M50</u> — ◀
▶ <u>M49</u> — ◀		▶ <u>M67</u> — ◀	▶ <u>M55</u> — ◀	▶ <u>M5</u> 2 ◀			▶ <u>M50</u> — ◀
▶ <u>M49</u> — ◀		▶ <u>M67</u> — ◀	▶ <u>M55</u> — ◀	▶ <u>M5</u> 2 ◀			▶ <u>M50</u> — ◀
▶ <u>M49</u> — ◀		▶ <u>M67</u> — ◀	▶ <u>M55</u> — ◀	▶ <u>M5</u> 5 ◀			▶ <u>M50</u> — ◀
▶ <u>M49</u> — ◀		▶ <u>M67</u> — ◀	▶ <u>M55</u> — ◀	▶ <u>M5</u> 2 ◀			▶ <u>M50</u> — ◀
▶ <u>M49</u> — ◀		▶ <u>M67</u> — ◀	▶ <u>M55</u> — ◀	▶ <u>M5</u> 2 ◀			▶ <u>M50</u> — ◀
▶ <u>M49</u> — ◀		▶ <u>M67</u> — ◀	▶ <u>M55</u> — ◀		▶ <u>M72</u> 0,05 (*) ◀	0,05 (*)	▶ <u>M50</u> — ◀
▶ <u>M49</u> — ◀	▶ <u>M74</u> 0,3 ◀	▶ <u>M67</u> — ◀	▶ <u>M55</u> — ◀				▶ <u>M50</u> — ◀
▶ <u>M49</u> — ◀		▶ <u>M67</u> — ◀	▶ <u>M55</u> — ◀	▶ <u>M5</u> 3 ◀			▶ <u>M50</u> — ◀
▶ <u>M49</u> — ◀		▶ <u>M67</u> — ◀	▶ <u>M55</u> — ◀	▶ <u>M5</u> 0,5 ◀			▶ <u>M50</u> — ◀
▶ <u>M49</u> — ◀		▶ <u>M67</u> — ◀	▶ <u>M55</u> — ◀	▶ <u>M5</u> 5 ◀			▶ <u>M50</u> — ◀
▶ <u>M49</u> — ◀		▶ <u>M67</u> — ◀	▶ <u>M55</u> — ◀	▶ <u>M5</u> 10 ◀			▶ <u>M50</u> — ◀
▶ <u>M49</u> — ◀		▶ <u>M67</u> — ◀	▶ <u>M55</u> — ◀	▶ <u>M5</u> 0,2 ◀			▶ <u>M50</u> — ◀
▶ <u>M49</u> — ◀		▶ <u>M67</u> — ◀	▶ <u>M55</u> — ◀	▶ <u>M5</u> 15 ◀			▶ <u>M50</u> — ◀
▶ <u>M49</u> — ◀		▶ <u>M67</u> — ◀	▶ <u>M55</u> — ◀	▶ <u>M5</u> 5 ◀			▶ <u>M50</u> — ◀



▼ **M2**

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)
0401080	Mustard seed	► <u>M42</u> — ◀			0,05 (*)	► <u>M42</u> — ◀	
0401090	Cotton seed	► <u>M42</u> — ◀			0,05 (*)	► <u>M42</u> — ◀	
0401100	Pumpkin seeds	► <u>M42</u> — ◀			0,05 (*)	► <u>M42</u> — ◀	
0401110	Safflower	► <u>M42</u> — ◀			0,05 (*)	► <u>M42</u> — ◀	
0401120	Borage	► <u>M42</u> — ◀			0,05 (*)	► <u>M42</u> — ◀	
0401130	Gold of pleasure	► <u>M42</u> — ◀			0,05 (*)	► <u>M42</u> — ◀	
0401140	Hempseed	► <u>M42</u> — ◀			0,05 (*)	► <u>M42</u> — ◀	
0401150	Castor bean	► <u>M42</u> — ◀			0,05 (*)	► <u>M42</u> — ◀	
0401990	Others	► <u>M42</u> — ◀			0,05 (*)	► <u>M42</u> — ◀	
0402000	(ii) <b>Oilfruits</b>	► <u>M42</u> — ◀				► <u>M42</u> — ◀	
0402010	Olives for oil production	► <u>M42</u> — ◀	► <u>M45</u> 20 ◀		► <u>M16</u> 0,01 (*) ◀	► <u>M42</u> — ◀	
0402020	Palm nuts (palmoil kernels)	► <u>M42</u> — ◀	► <u>M45</u> 0,1 (*) ◀		► <u>M16</u> 0,02 (*) ◀	► <u>M42</u> — ◀	
0402030	Palmfruit	► <u>M42</u> — ◀	► <u>M45</u> 0,1 (*) ◀		► <u>M16</u> 0,02 (*) ◀	► <u>M42</u> — ◀	
0402040	Kapok	► <u>M42</u> — ◀	► <u>M45</u> 0,1 (*) ◀		► <u>M16</u> 0,02 (*) ◀	► <u>M42</u> — ◀	
0402990	Others	► <u>M42</u> — ◀	► <u>M45</u> 0,1 (*) ◀		► <u>M16</u> 0,02 (*) ◀	► <u>M42</u> — ◀	
0500000	5. <b>CEREALS</b>	► <u>M42</u> — ◀	► <u>M45</u> 0,05 (*) ◀		► <u>M16</u> 0,01 (*) ◀	► <u>M42</u> — ◀	► <u>M75</u> 0,05 (*) ◀
0500010	Barley	► <u>M42</u> — ◀		► <u>M24</u> 1,5 ◀	0,05 (*)	► <u>M42</u> — ◀	
0500020	Buckwheat	► <u>M42</u> — ◀		► <u>M24</u> 0,1 ◀	0,05 (*)	► <u>M42</u> — ◀	
0500030	Maize	► <u>M42</u> — ◀		► <u>M24</u> 0,1 ◀	0,1	► <u>M42</u> — ◀	
0500040	Millet	► <u>M42</u> — ◀		► <u>M24</u> 0,1 ◀	0,05 (*)	► <u>M42</u> — ◀	
0500050	Oats	► <u>M42</u> — ◀		► <u>M24</u> 1,5 ◀	0,05 (*)	► <u>M42</u> — ◀	
0500060	Rice	► <u>M42</u> — ◀		► <u>M24</u> 0,1 ◀	0,05 (*)	► <u>M42</u> — ◀	
0500070	Rye	► <u>M42</u> — ◀		► <u>M24</u> 0,6 ◀	0,05 (*)	► <u>M42</u> — ◀	

▼ M2

(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
	▶ <u>M59</u> — ◀	▶ <u>M38</u> 0,01 (*) ◀	0,05 (*)		▶ <u>M56</u> 0,05 (*) ◀		
	▶ <u>M59</u> — ◀	▶ <u>M38</u> 0,01 (*) ◀	0,1		▶ <u>M56</u> 0,05 (*) ◀		
	▶ <u>M59</u> — ◀	▶ <u>M38</u> 0,01 (*) ◀	0,05 (*)		▶ <u>M56</u> 0,05 (*) ◀		
	▶ <u>M59</u> — ◀	▶ <u>M38</u> 0,01 (*) ◀	0,05 (*)		▶ <u>M56</u> 0,05 (*) ◀		
	▶ <u>M59</u> — ◀	▶ <u>M38</u> 0,01 (*) ◀	0,05 (*)		▶ <u>M56</u> 0,05 (*) ◀		
	▶ <u>M59</u> — ◀	▶ <u>M38</u> 0,01 (*) ◀	0,05 (*)		▶ <u>M56</u> 0,05 (*) ◀		
	▶ <u>M59</u> — ◀	▶ <u>M38</u> 0,01 (*) ◀	0,05 (*)		▶ <u>M56</u> 0,05 (*) ◀		
	▶ <u>M59</u> — ◀	▶ <u>M38</u> 0,01 (*) ◀	0,05 (*)		▶ <u>M56</u> 0,05 (*) ◀		
	▶ <u>M59</u> — ◀	▶ <u>M38</u> 0,01 (*) ◀	0,05 (*)		▶ <u>M56</u> 0,05 (*) ◀		
	▶ <u>M59</u> — ◀	▶ <u>M38</u> 0,01 (*) ◀	0,05 (*)		▶ <u>M56</u> 0,05 (*) ◀		
	▶ <u>M59</u> — ◀					0,1	1
	▶ <u>M59</u> — ◀					0,01 (*)	0,05 (*)
	▶ <u>M59</u> — ◀					0,01 (*)	0,05 (*)
	▶ <u>M59</u> — ◀					0,01 (*)	0,05 (*)
	▶ <u>M59</u> — ◀					0,01 (*)	0,05 (*)
0,02 (*)	▶ <u>M59</u> — ◀	▶ <u>M38</u> 0,5 ◀	0,05 (*)	▶ <u>M15</u> 0,01 (*) ◀		0,1	0,05 (*)
	▶ <u>M59</u> — ◀				▶ <u>M56</u> 0,2 ◀		
	▶ <u>M59</u> — ◀				▶ <u>M56</u> 0,05 (*) ◀		
	▶ <u>M59</u> — ◀				▶ <u>M56</u> 0,05 (*) ◀		
	▶ <u>M59</u> — ◀				▶ <u>M56</u> 0,05 (*) ◀		
	▶ <u>M59</u> — ◀				▶ <u>M56</u> 0,05 (*) ◀		
	▶ <u>M59</u> — ◀				▶ <u>M56</u> 0,05 (*) ◀		
	▶ <u>M59</u> — ◀				▶ <u>M56</u> 0,1 ◀		



▼ M2

(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)
▶ <u>M49</u> — ◀		▶ <u>M67</u> — ◀	▶ <u>M55</u> — ◀	▶ <u>M5</u> 15 ◀			▶ <u>M50</u> — ◀
▶ <u>M49</u> — ◀		▶ <u>M67</u> — ◀	▶ <u>M55</u> — ◀	▶ <u>M5</u> 15 ◀			▶ <u>M50</u> — ◀
▶ <u>M49</u> — ◀		▶ <u>M67</u> — ◀	▶ <u>M55</u> — ◀	▶ <u>M5</u> 10 ◀			▶ <u>M50</u> — ◀
▶ <u>M49</u> — ◀		▶ <u>M67</u> — ◀	▶ <u>M55</u> — ◀	▶ <u>M5</u> 0,2 ◀			▶ <u>M50</u> — ◀
▶ <u>M49</u> — ◀		▶ <u>M67</u> — ◀	▶ <u>M55</u> — ◀	▶ <u>M5</u> 15 ◀			▶ <u>M50</u> — ◀
▶ <u>M49</u> — ◀		▶ <u>M67</u> — ◀	▶ <u>M55</u> — ◀	▶ <u>M5</u> 15 ◀			▶ <u>M50</u> — ◀
▶ <u>M49</u> — ◀		▶ <u>M67</u> — ◀	▶ <u>M55</u> — ◀	▶ <u>M5</u> 15 ◀			▶ <u>M50</u> — ◀
▶ <u>M49</u> — ◀		▶ <u>M67</u> — ◀	▶ <u>M55</u> — ◀	▶ <u>M5</u> 15 ◀			▶ <u>M50</u> — ◀
▶ <u>M49</u> — ◀		▶ <u>M67</u> — ◀	▶ <u>M55</u> — ◀	▶ <u>M5</u> 15 ◀			▶ <u>M50</u> — ◀
▶ <u>M49</u> — ◀		▶ <u>M67</u> — ◀	▶ <u>M55</u> — ◀	▶ <u>M5</u> 15 ◀			▶ <u>M50</u> — ◀
▶ <u>M49</u> — ◀		▶ <u>M67</u> — ◀	▶ <u>M55</u> — ◀	▶ <u>M5</u> 15 ◀			▶ <u>M50</u> — ◀
▶ <u>M49</u> — ◀	▶ <u>M74</u> 0,05 (*) ◀	▶ <u>M67</u> — ◀	▶ <u>M55</u> — ◀				▶ <u>M50</u> — ◀
▶ <u>M49</u> — ◀		▶ <u>M67</u> — ◀	▶ <u>M55</u> — ◀	▶ <u>M5</u> 0,2 ◀			▶ <u>M50</u> — ◀
▶ <u>M49</u> — ◀		▶ <u>M67</u> — ◀	▶ <u>M55</u> — ◀	▶ <u>M5</u> 0,1 ◀			▶ <u>M50</u> — ◀
▶ <u>M49</u> — ◀		▶ <u>M67</u> — ◀	▶ <u>M55</u> — ◀	▶ <u>M5</u> 0,1 ◀			▶ <u>M50</u> — ◀
▶ <u>M49</u> — ◀		▶ <u>M67</u> — ◀	▶ <u>M55</u> — ◀	▶ <u>M5</u> 0,1 ◀			▶ <u>M50</u> — ◀
▶ <u>M49</u> — ◀		▶ <u>M67</u> — ◀	▶ <u>M55</u> — ◀	▶ <u>M5</u> 0,1 ◀			▶ <u>M50</u> — ◀
▶ <u>M49</u> — ◀	▶ <u>M74</u> 0,05 (*) ◀	▶ <u>M67</u> — ◀	▶ <u>M55</u> — ◀	▶ <u>M5</u> 0,1 ◀	▶ <u>M72</u> 0,05 (*) ◀	0,05 (*)	▶ <u>M50</u> — ◀
▶ <u>M49</u> — ◀		▶ <u>M67</u> — ◀	▶ <u>M55</u> — ◀				▶ <u>M50</u> — ◀
▶ <u>M49</u> — ◀		▶ <u>M67</u> — ◀	▶ <u>M55</u> — ◀				▶ <u>M50</u> — ◀
▶ <u>M49</u> — ◀		▶ <u>M67</u> — ◀	▶ <u>M55</u> — ◀				▶ <u>M50</u> — ◀
▶ <u>M49</u> — ◀		▶ <u>M67</u> — ◀	▶ <u>M55</u> — ◀				▶ <u>M50</u> — ◀
▶ <u>M49</u> — ◀		▶ <u>M67</u> — ◀	▶ <u>M55</u> — ◀				▶ <u>M50</u> — ◀
▶ <u>M49</u> — ◀		▶ <u>M67</u> — ◀	▶ <u>M55</u> — ◀				▶ <u>M50</u> — ◀
▶ <u>M49</u> — ◀		▶ <u>M67</u> — ◀	▶ <u>M55</u> — ◀				▶ <u>M50</u> — ◀



▼ **M2**

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)
0500080	Sorghum	► <b>M42</b> — ◀		► <b>M24</b> 0,1 ◀	0,05 (*)	► <b>M42</b> — ◀	
0500090	Wheat	► <b>M42</b> — ◀		► <b>M24</b> 0,6 ◀	0,05 (*)	► <b>M42</b> — ◀	
0500990	Others	► <b>M42</b> — ◀		► <b>M24</b> 0,1 ◀	0,05 (*)	► <b>M42</b> — ◀	
0600000	6. <b>TEA, COFFEE, HERBAL INFUSIONS AND COCOA</b>	► <b>M42</b> — ◀	► <b>M45</b> 0,1 (*) ◀	► <b>M24</b> 0,05 (*) ◀	► <b>M16</b> 0,05 (*) ◀	► <b>M42</b> — ◀	► <b>M75</b> 0,05 (*) ◀
0610000	(i) <b>Tea (dried leaves and stalks, fermented or otherwise of Camellia sinensis)</b>	► <b>M42</b> — ◀				► <b>M42</b> — ◀	
0620000	(ii) <b>Coffee beans</b>	► <b>M42</b> — ◀				► <b>M42</b> — ◀	
0630000	(iii) <b>Herbal infusions (dried)</b>	► <b>M42</b> — ◀				► <b>M42</b> — ◀	
0631000	(a) <i>Flowers</i>	► <b>M42</b> — ◀				► <b>M42</b> — ◀	
0631010	Camomille flowers	► <b>M42</b> — ◀				► <b>M42</b> — ◀	
0631020	Hybiscus flowers	► <b>M42</b> — ◀				► <b>M42</b> — ◀	
0631030	Rose petals	► <b>M42</b> — ◀				► <b>M42</b> — ◀	
0631040	Jasmine flowers	► <b>M42</b> — ◀				► <b>M42</b> — ◀	
0631050	Lime (linden)	► <b>M42</b> — ◀				► <b>M42</b> — ◀	
0631990	Others	► <b>M42</b> — ◀				► <b>M42</b> — ◀	
0632000	(b) <i>Leaves</i>	► <b>M42</b> — ◀				► <b>M42</b> — ◀	
0632010	Strawberry leaves	► <b>M42</b> — ◀				► <b>M42</b> — ◀	

▼ M2

(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
	▶ <u>M59</u> — ◀ ▶ <u>M59</u> — ◀				▶ <u>M56</u> 0,05 (*) ◀ ▶ <u>M56</u> 0,1 ◀		
	▶ <u>M59</u> — ◀				▶ <u>M56</u> 0,05 (*) ◀		
0,02 (*)	▶ <u>M59</u> — ◀	▶ <u>M38</u> 0,01 (*) ◀	0,05 (*)	▶ <u>M15</u> — ◀	▶ <u>M56</u> 0,05 (*) ◀	0,1	0,05 (*)
	▶ <u>M59</u> — ◀			▶ <u>M15</u> 10 ◀			
	▶ <u>M59</u> — ◀			▶ <u>M15</u> 0,01 (*) ◀			
	▶ <u>M59</u> — ◀			▶ <u>M15</u> 0,01 (*) ◀			
	▶ <u>M59</u> — ◀						
	▶ <u>M59</u> — ◀ ▶ <u>M59</u> — ◀ ▶ <u>M59</u> — ◀ ▶ <u>M59</u> — ◀ ▶ <u>M59</u> — ◀						
	▶ <u>M59</u> — ◀						
	▶ <u>M59</u> — ◀						
	▶ <u>M59</u> — ◀						

▼ M2

(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)
▶ <u>M49</u> — ◀		▶ <u>M67</u> — ◀	▶ <u>M55</u> — ◀				▶ <u>M50</u> — ◀
▶ <u>M49</u> — ◀		▶ <u>M67</u> — ◀	▶ <u>M55</u> — ◀				▶ <u>M50</u> — ◀
▶ <u>M49</u> — ◀		▶ <u>M67</u> — ◀	▶ <u>M55</u> — ◀				▶ <u>M50</u> — ◀
▶ <u>M49</u> — ◀	▶ <u>M74</u> 0,1 ◀	▶ <u>M67</u> — ◀	▶ <u>M55</u> — ◀	▶ <u>M5</u> 0,1 ◀	▶ <u>M72</u> — ◀	0,05 (*)	▶ <u>M50</u> — ◀
▶ <u>M49</u> — ◀		▶ <u>M67</u> — ◀	▶ <u>M55</u> — ◀		▶ <u>M72</u> 0,05 (*) ◀		▶ <u>M50</u> — ◀
▶ <u>M49</u> — ◀		▶ <u>M67</u> — ◀	▶ <u>M55</u> — ◀		▶ <u>M72</u> 0,05 (*) ◀		▶ <u>M50</u> — ◀
▶ <u>M49</u> — ◀		▶ <u>M67</u> — ◀	▶ <u>M55</u> — ◀				▶ <u>M50</u> — ◀
▶ <u>M49</u> — ◀		▶ <u>M67</u> — ◀	▶ <u>M55</u> — ◀		▶ <u>M72</u> 0,05 (*) ◀		▶ <u>M50</u> — ◀
▶ <u>M49</u> — ◀		▶ <u>M67</u> — ◀	▶ <u>M55</u> — ◀				▶ <u>M50</u> — ◀
▶ <u>M49</u> — ◀		▶ <u>M67</u> — ◀	▶ <u>M55</u> — ◀				▶ <u>M50</u> — ◀
▶ <u>M49</u> — ◀		▶ <u>M67</u> — ◀	▶ <u>M55</u> — ◀				▶ <u>M50</u> — ◀
▶ <u>M49</u> — ◀		▶ <u>M67</u> — ◀	▶ <u>M55</u> — ◀				▶ <u>M50</u> — ◀
▶ <u>M49</u> — ◀		▶ <u>M67</u> — ◀	▶ <u>M55</u> — ◀				▶ <u>M50</u> — ◀
▶ <u>M49</u> — ◀		▶ <u>M67</u> — ◀	▶ <u>M55</u> — ◀				▶ <u>M50</u> — ◀
▶ <u>M49</u> — ◀		▶ <u>M67</u> — ◀	▶ <u>M55</u> — ◀				▶ <u>M50</u> — ◀
▶ <u>M49</u> — ◀		▶ <u>M67</u> — ◀	▶ <u>M55</u> — ◀				▶ <u>M50</u> — ◀
▶ <u>M49</u> — ◀		▶ <u>M67</u> — ◀	▶ <u>M55</u> — ◀		▶ <u>M72</u> 0,05 (*) ◀		▶ <u>M50</u> — ◀
▶ <u>M49</u> — ◀		▶ <u>M67</u> — ◀	▶ <u>M55</u> — ◀				▶ <u>M50</u> — ◀

▼ M2

(25)	(26)	(27)	(28)	(29)	(30)	(31)
	▶ <u>M32</u> — ◀	▶ <u>M5</u> 0,05 (*) ◀	0,05 (*)		▶ <u>M59</u> — ◀	0,05 (*)
	▶ <u>M32</u> — ◀	▶ <u>M5</u> 0,05 (*) ◀	0,1		▶ <u>M59</u> — ◀	0,05 (*)
	▶ <u>M32</u> — ◀	▶ <u>M5</u> 0,05 (*) ◀	0,05 (*)		▶ <u>M59</u> — ◀	0,05 (*)
▶ <u>M8</u> — ◀	▶ <u>M32</u> — ◀	▶ <u>M5</u> 0,1 (*) ◀	0,05 (*)	0,1 (*)	▶ <u>M59</u> — ◀	0,05 (*)
▶ <u>M8</u> 15 ◀	▶ <u>M32</u> — ◀				▶ <u>M59</u> — ◀	
▶ <u>M8</u> 0,05 (*) ◀	▶ <u>M32</u> — ◀				▶ <u>M59</u> — ◀	
▶ <u>M8</u> 0,05 (*) ◀	▶ <u>M32</u> — ◀				▶ <u>M59</u> — ◀	
	▶ <u>M32</u> — ◀				▶ <u>M59</u> — ◀	
	▶ <u>M32</u> — ◀				▶ <u>M59</u> — ◀	
	▶ <u>M32</u> — ◀				▶ <u>M59</u> — ◀	
	▶ <u>M32</u> — ◀				▶ <u>M59</u> — ◀	
	▶ <u>M32</u> — ◀				▶ <u>M59</u> — ◀	
	▶ <u>M32</u> — ◀				▶ <u>M59</u> — ◀	
	▶ <u>M32</u> — ◀				▶ <u>M59</u> — ◀	
	▶ <u>M32</u> — ◀				▶ <u>M59</u> — ◀	

▼ **M2**

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)
0632020	Rooibos leaves	▶ <b>M42</b> — ◀				▶ <b>M42</b> — ◀	
0632030	Maté	▶ <b>M42</b> — ◀				▶ <b>M42</b> — ◀	
0632990	Others	▶ <b>M42</b> — ◀				▶ <b>M42</b> — ◀	
0633000	(c) <i>Roots</i>	▶ <b>M42</b> — ◀				▶ <b>M42</b> — ◀	
0633010	Valerian root	▶ <b>M42</b> — ◀				▶ <b>M42</b> — ◀	
0633020	Ginseng root	▶ <b>M42</b> — ◀				▶ <b>M42</b> — ◀	
0633990	Others	▶ <b>M42</b> — ◀				▶ <b>M42</b> — ◀	
0639000	(d) <i>Other herbal infusions</i>	▶ <b>M42</b> — ◀				▶ <b>M42</b> — ◀	
0640000	(iv) <b>Cocoa (fermented beans)</b>	▶ <b>M42</b> — ◀				▶ <b>M42</b> — ◀	
0650000	(v) <b>Carob (st johns bread)</b>	▶ <b>M42</b> — ◀				▶ <b>M42</b> — ◀	
0700000	<b>7. HOPS (dried), including hop pellets and unconcentrated powder</b>	▶ <b>M42</b> — ◀	▶ <b>M45</b> 0,1 (*) ◀	▶ <b>M24</b> 0,1 ◀	▶ <b>M16</b> 0,05 (*) ◀	▶ <b>M42</b> — ◀	▶ <b>M75</b> 10 ◀
0800000	<b>8. SPICES</b>	▶ <b>M42</b> — ◀	▶ <b>M45</b> 0,1 (*) ◀	▶ <b>M24</b> 0,1 ◀	▶ <b>M16</b> 0,05 (*) ◀	▶ <b>M42</b> — ◀	▶ <b>M75</b> — ◀
0810000	(i) <b>Seeds</b>	▶ <b>M42</b> — ◀				▶ <b>M42</b> — ◀	▶ <b>M75</b> 0,05 (*) ◀
0810010	Anise	▶ <b>M42</b> — ◀				▶ <b>M42</b> — ◀	
0810020	Black caraway	▶ <b>M42</b> — ◀				▶ <b>M42</b> — ◀	
0810030	Celery seed	▶ <b>M42</b> — ◀				▶ <b>M42</b> — ◀	
0810040	Coriander seed	▶ <b>M42</b> — ◀				▶ <b>M42</b> — ◀	
0810050	Cumin seed	▶ <b>M42</b> — ◀				▶ <b>M42</b> — ◀	
0810060	Dill seed	▶ <b>M42</b> — ◀				▶ <b>M42</b> — ◀	

▼ M2

(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
	▶ <u>M59</u> — ◀						
	▶ <u>M59</u> — ◀						
	▶ <u>M59</u> — ◀						
	▶ <u>M59</u> — ◀						
	▶ <u>M59</u> — ◀						
	▶ <u>M59</u> — ◀						
	▶ <u>M59</u> — ◀						
	▶ <u>M59</u> — ◀			▶ <u>M15</u> 0,01 (*) ◀			
	▶ <u>M59</u> — ◀			▶ <u>M15</u> 0,01 (*) ◀			
0,02 (*)	▶ <u>M59</u> — ◀	▶ <u>M38</u> 0,01 (*) ◀	0,05 (*)	▶ <u>M15</u> 0,01 (*) ◀	▶ <u>M56</u> 0,05 (*) ◀	0,1	0,05 (*)
0,02 (*)	▶ <u>M59</u> — ◀	▶ <u>M38</u> 0,01 (*) ◀	0,05 (*)	▶ <u>M15</u> 0,01 (*) ◀	▶ <u>M56</u> — ◀	0,1	0,05 (*)
	▶ <u>M59</u> — ◀				▶ <u>M56</u> 0,05 (*) ◀		
	▶ <u>M59</u> — ◀						
	▶ <u>M59</u> — ◀						
	▶ <u>M59</u> — ◀						
	▶ <u>M59</u> — ◀						
	▶ <u>M59</u> — ◀						



▼ M2

(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)
▶ <u>M49</u> — ◀		▶ <u>M67</u> — ◀	▶ <u>M55</u> — ◀				▶ <u>M50</u> — ◀
▶ <u>M49</u> — ◀		▶ <u>M67</u> — ◀	▶ <u>M55</u> — ◀				▶ <u>M50</u> — ◀
▶ <u>M49</u> — ◀		▶ <u>M67</u> — ◀	▶ <u>M55</u> — ◀				▶ <u>M50</u> — ◀
▶ <u>M49</u> — ◀		▶ <u>M67</u> — ◀	▶ <u>M55</u> — ◀				▶ <u>M50</u> — ◀
▶ <u>M49</u> — ◀		▶ <u>M67</u> — ◀	▶ <u>M55</u> — ◀		▶ <u>M72</u> 0,05 (*) ◀		▶ <u>M50</u> — ◀
▶ <u>M49</u> — ◀		▶ <u>M67</u> — ◀	▶ <u>M55</u> — ◀		▶ <u>M72</u> 3 ◀		▶ <u>M50</u> — ◀
▶ <u>M49</u> — ◀		▶ <u>M67</u> — ◀	▶ <u>M55</u> — ◀		▶ <u>M72</u> 0,05 (*) ◀		▶ <u>M50</u> — ◀
▶ <u>M49</u> — ◀		▶ <u>M67</u> — ◀	▶ <u>M55</u> — ◀		▶ <u>M72</u> 0,05 (*) ◀		▶ <u>M50</u> — ◀
▶ <u>M49</u> — ◀		▶ <u>M67</u> — ◀	▶ <u>M55</u> — ◀		▶ <u>M72</u> 0,05 (*) ◀		▶ <u>M50</u> — ◀
▶ <u>M49</u> — ◀		▶ <u>M67</u> — ◀	▶ <u>M55</u> — ◀		▶ <u>M72</u> 0,05 (*) ◀		▶ <u>M50</u> — ◀
▶ <u>M49</u> — ◀	▶ <u>M74</u> 10 ◀	▶ <u>M67</u> — ◀	▶ <u>M55</u> — ◀	▶ <u>M5</u> 0,1 ◀	▶ <u>M72</u> 0,05 (*) ◀	0,05 (*)	▶ <u>M50</u> — ◀
▶ <u>M49</u> — ◀	▶ <u>M74</u> — ◀	▶ <u>M67</u> — ◀	▶ <u>M55</u> — ◀		▶ <u>M72</u> — ◀	0,05 (*)	▶ <u>M50</u> — ◀
▶ <u>M49</u> — ◀	▶ <u>M74</u> 0,1 ◀	▶ <u>M67</u> — ◀	▶ <u>M55</u> — ◀		▶ <u>M72</u> 0,05 (*) ◀		▶ <u>M50</u> — ◀
▶ <u>M49</u> — ◀		▶ <u>M67</u> — ◀	▶ <u>M55</u> — ◀	▶ <u>M5</u> 1 ◀			▶ <u>M50</u> — ◀
▶ <u>M49</u> — ◀		▶ <u>M67</u> — ◀	▶ <u>M55</u> — ◀	▶ <u>M5</u> 0,1 ◀			▶ <u>M50</u> — ◀
▶ <u>M49</u> — ◀		▶ <u>M67</u> — ◀	▶ <u>M55</u> — ◀	▶ <u>M5</u> 0,1 ◀			▶ <u>M50</u> — ◀
▶ <u>M49</u> — ◀		▶ <u>M67</u> — ◀	▶ <u>M55</u> — ◀	▶ <u>M5</u> 1 ◀			▶ <u>M50</u> — ◀
▶ <u>M49</u> — ◀		▶ <u>M67</u> — ◀	▶ <u>M55</u> — ◀	▶ <u>M5</u> 1 ◀			▶ <u>M50</u> — ◀
▶ <u>M49</u> — ◀		▶ <u>M67</u> — ◀	▶ <u>M55</u> — ◀	▶ <u>M5</u> 0,1 ◀			▶ <u>M50</u> — ◀

▼ M2

(25)	(26)	(27)	(28)	(29)	(30)	(31)
	▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀				▶ <u>M59</u> — ◀ ▶ <u>M59</u> — ◀	
	▶ <u>M32</u> — ◀				▶ <u>M59</u> — ◀	
	▶ <u>M32</u> — ◀				▶ <u>M59</u> — ◀	
	▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀				▶ <u>M59</u> — ◀ ▶ <u>M59</u> — ◀	
	▶ <u>M32</u> — ◀				▶ <u>M59</u> — ◀	
	▶ <u>M32</u> — ◀				▶ <u>M59</u> — ◀	
▶ <u>M8</u> 0,05 (*) ◀	▶ <u>M32</u> — ◀				▶ <u>M59</u> — ◀	
▶ <u>M8</u> 0,05 (*) ◀	▶ <u>M32</u> — ◀				▶ <u>M59</u> — ◀	
▶ <u>M8</u> 0,05 (*) ◀	▶ <u>M32</u> — ◀	▶ <u>M5</u> 0,1 (*) ◀	0,05 (*)	0,1 (*)	▶ <u>M59</u> — ◀	0,05 (*)
▶ <u>M8</u> 0,05 (*) ◀	▶ <u>M32</u> — ◀	▶ <u>M5</u> 0,1 (*) ◀	0,05 (*)	0,1 (*)	▶ <u>M59</u> — ◀	0,05 (*)
	▶ <u>M32</u> — ◀				▶ <u>M59</u> — ◀	
	▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀				▶ <u>M59</u> — ◀ ▶ <u>M59</u> — ◀ ▶ <u>M59</u> — ◀ ▶ <u>M59</u> — ◀ ▶ <u>M59</u> — ◀ ▶ <u>M59</u> — ◀	

▼ **M2**

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)
0810070	Fennel seed	▶ <u>M42</u> — ◀				▶ <u>M42</u> — ◀	
0810080	Fenugreek	▶ <u>M42</u> — ◀				▶ <u>M42</u> — ◀	
0810090	Nutmeg	▶ <u>M42</u> — ◀				▶ <u>M42</u> — ◀	
0810990	Others	▶ <u>M42</u> — ◀				▶ <u>M42</u> — ◀	
0820000	(ii) <b>Fruits and berries</b>	▶ <u>M42</u> — ◀				▶ <u>M42</u> — ◀	▶ <u>M75</u> 0,05 (*) ◀
0820010	Allspice	▶ <u>M42</u> — ◀				▶ <u>M42</u> — ◀	
0820020	Anise pepper (Japan pepper)	▶ <u>M42</u> — ◀				▶ <u>M42</u> — ◀	
0820030	Caraway	▶ <u>M42</u> — ◀				▶ <u>M42</u> — ◀	
0820040	Cardamom	▶ <u>M42</u> — ◀				▶ <u>M42</u> — ◀	
0820050	Juniper berries	▶ <u>M42</u> — ◀				▶ <u>M42</u> — ◀	
0820060	Pepper, black and white	▶ <u>M42</u> — ◀				▶ <u>M42</u> — ◀	
0820070	Vanilla pods	▶ <u>M42</u> — ◀				▶ <u>M42</u> — ◀	
0820080	Tamarind	▶ <u>M42</u> — ◀				▶ <u>M42</u> — ◀	
0820990	Others	▶ <u>M42</u> — ◀				▶ <u>M42</u> — ◀	
0830000	(iii) <b>Bark</b>	▶ <u>M42</u> — ◀				▶ <u>M42</u> — ◀	▶ <u>M75</u> 0,05 (*) ◀
0830010	Cinnamon	▶ <u>M42</u> — ◀				▶ <u>M42</u> — ◀	
0830990	Others	▶ <u>M42</u> — ◀				▶ <u>M42</u> — ◀	
0840000	(iv) <b>Roots or rhizome</b>	▶ <u>M42</u> — ◀				▶ <u>M42</u> — ◀	
0840010	Liquorice	▶ <u>M42</u> — ◀				▶ <u>M42</u> — ◀	▶ <u>M75</u> 0,05 (*) ◀
0840020	Ginger	▶ <u>M42</u> — ◀				▶ <u>M42</u> — ◀	▶ <u>M75</u> 0,05 (*) ◀
0840030	Turmeric (Curcuma)	▶ <u>M42</u> — ◀				▶ <u>M42</u> — ◀	▶ <u>M75</u> 0,05 (*) ◀

▼ M2

(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
	▶ <u>M59</u> — ◀ ▶ <u>M59</u> — ◀ ▶ <u>M59</u> — ◀						
	▶ <u>M59</u> — ◀						
	▶ <u>M59</u> — ◀				▶ <u>M56</u> 0,05 (*) ◀		
	▶ <u>M59</u> — ◀ ▶ <u>M59</u> — ◀  ▶ <u>M59</u> — ◀ ▶ <u>M59</u> — ◀ ▶ <u>M59</u> — ◀ ▶ <u>M59</u> — ◀  ▶ <u>M59</u> — ◀ ▶ <u>M59</u> — ◀						
	▶ <u>M59</u> — ◀						
	▶ <u>M59</u> — ◀				▶ <u>M56</u> 0,05 (*) ◀		
	▶ <u>M59</u> — ◀						
	▶ <u>M59</u> — ◀						
	▶ <u>M59</u> — ◀						
	▶ <u>M59</u> — ◀ ▶ <u>M59</u> — ◀ ▶ <u>M59</u> — ◀				▶ <u>M56</u> 0,05 (*) ◀ ▶ <u>M56</u> 0,05 (*) ◀ ▶ <u>M56</u> 0,05 (*) ◀		

▼ M2

(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)
▶ <u>M49</u> — ◀		▶ <u>M67</u> — ◀	▶ <u>M55</u> — ◀	▶ <u>M5</u> 1 ◀			▶ <u>M50</u> — ◀
▶ <u>M49</u> — ◀		▶ <u>M67</u> — ◀	▶ <u>M55</u> — ◀	▶ <u>M5</u> 0,1 ◀			▶ <u>M50</u> — ◀
▶ <u>M49</u> — ◀		▶ <u>M67</u> — ◀	▶ <u>M55</u> — ◀	▶ <u>M5</u> 0,1 ◀			▶ <u>M50</u> — ◀
▶ <u>M49</u> — ◀		▶ <u>M67</u> — ◀	▶ <u>M55</u> — ◀	▶ <u>M5</u> 0,1 ◀			▶ <u>M50</u> — ◀
▶ <u>M49</u> — ◀	▶ <u>M74</u> 0,1 ◀	▶ <u>M67</u> — ◀	▶ <u>M55</u> — ◀	▶ <u>M5</u> 0,1 ◀	▶ <u>M72</u> 0,05 (*) ◀		▶ <u>M50</u> — ◀
▶ <u>M49</u> — ◀		▶ <u>M67</u> — ◀	▶ <u>M55</u> — ◀				▶ <u>M50</u> — ◀
▶ <u>M49</u> — ◀		▶ <u>M67</u> — ◀	▶ <u>M55</u> — ◀				▶ <u>M50</u> — ◀
▶ <u>M49</u> — ◀		▶ <u>M67</u> — ◀	▶ <u>M55</u> — ◀				▶ <u>M50</u> — ◀
▶ <u>M49</u> — ◀		▶ <u>M67</u> — ◀	▶ <u>M55</u> — ◀				▶ <u>M50</u> — ◀
▶ <u>M49</u> — ◀		▶ <u>M67</u> — ◀	▶ <u>M55</u> — ◀				▶ <u>M50</u> — ◀
▶ <u>M49</u> — ◀		▶ <u>M67</u> — ◀	▶ <u>M55</u> — ◀				▶ <u>M50</u> — ◀
▶ <u>M49</u> — ◀		▶ <u>M67</u> — ◀	▶ <u>M55</u> — ◀				▶ <u>M50</u> — ◀
▶ <u>M49</u> — ◀		▶ <u>M67</u> — ◀	▶ <u>M55</u> — ◀				▶ <u>M50</u> — ◀
▶ <u>M49</u> — ◀		▶ <u>M67</u> — ◀	▶ <u>M55</u> — ◀				▶ <u>M50</u> — ◀
▶ <u>M49</u> — ◀	▶ <u>M74</u> 0,1 ◀	▶ <u>M67</u> — ◀	▶ <u>M55</u> — ◀	▶ <u>M5</u> 0,1 ◀	▶ <u>M72</u> 0,05 (*) ◀		▶ <u>M50</u> — ◀
▶ <u>M49</u> — ◀		▶ <u>M67</u> — ◀	▶ <u>M55</u> — ◀				▶ <u>M50</u> — ◀
▶ <u>M49</u> — ◀		▶ <u>M67</u> — ◀	▶ <u>M55</u> — ◀				▶ <u>M50</u> — ◀
▶ <u>M49</u> — ◀		▶ <u>M67</u> — ◀	▶ <u>M55</u> — ◀	▶ <u>M5</u> 0,1 ◀			▶ <u>M50</u> — ◀
▶ <u>M49</u> — ◀	▶ <u>M74</u> 0,1 ◀	▶ <u>M67</u> — ◀	▶ <u>M55</u> — ◀		▶ <u>M72</u> 0,05 (*) ◀		▶ <u>M50</u> — ◀
▶ <u>M49</u> — ◀	▶ <u>M74</u> 0,1 ◀	▶ <u>M67</u> — ◀	▶ <u>M55</u> — ◀		▶ <u>M72</u> 0,05 (*) ◀		▶ <u>M50</u> — ◀
▶ <u>M49</u> — ◀	▶ <u>M74</u> 0,1 ◀	▶ <u>M67</u> — ◀	▶ <u>M55</u> — ◀		▶ <u>M72</u> 0,05 (*) ◀		▶ <u>M50</u> — ◀

▼ M2

(25)	(26)	(27)	(28)	(29)	(30)	(31)
	▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀				▶ <u>M59</u> — ◀ ▶ <u>M59</u> — ◀ ▶ <u>M59</u> — ◀	
	▶ <u>M32</u> — ◀				▶ <u>M59</u> — ◀	
	▶ <u>M32</u> — ◀				▶ <u>M59</u> — ◀	
	▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀  ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀  ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀				▶ <u>M59</u> — ◀ ▶ <u>M59</u> — ◀  ▶ <u>M59</u> — ◀ ▶ <u>M59</u> — ◀ ▶ <u>M59</u> — ◀ ▶ <u>M59</u> — ◀  ▶ <u>M59</u> — ◀ ▶ <u>M59</u> — ◀	
	▶ <u>M32</u> — ◀				▶ <u>M59</u> — ◀	
	▶ <u>M32</u> — ◀				▶ <u>M59</u> — ◀	
	▶ <u>M32</u> — ◀				▶ <u>M59</u> — ◀	
	▶ <u>M32</u> — ◀				▶ <u>M59</u> — ◀	
	▶ <u>M32</u> — ◀				▶ <u>M59</u> — ◀	
	▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀				▶ <u>M59</u> — ◀ ▶ <u>M59</u> — ◀ ▶ <u>M59</u> — ◀	

▼ **M2**

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)
0840040	Horseradish	▶ <b>M42</b> — ◀				▶ <b>M42</b> — ◀	▶ <b>M75</b> (+) ◀
0840990	Others	▶ <b>M42</b> — ◀				▶ <b>M42</b> — ◀	▶ <b>M75</b> 0,05 (*) ◀
0850000	(v) <b>Buds</b>	▶ <b>M42</b> — ◀				▶ <b>M42</b> — ◀	▶ <b>M75</b> 0,05 (*) ◀
0850010	Cloves	▶ <b>M42</b> — ◀				▶ <b>M42</b> — ◀	
0850020	Capers	▶ <b>M42</b> — ◀				▶ <b>M42</b> — ◀	
0850990	Others	▶ <b>M42</b> — ◀				▶ <b>M42</b> — ◀	
0860000	(vi) <b>Flower stigma</b>	▶ <b>M42</b> — ◀				▶ <b>M42</b> — ◀	▶ <b>M75</b> 0,05 (*) ◀
0860010	Saffron	▶ <b>M42</b> — ◀				▶ <b>M42</b> — ◀	
0860990	Others	▶ <b>M42</b> — ◀				▶ <b>M42</b> — ◀	
0870000	(vii) <b>Aril</b>	▶ <b>M42</b> — ◀				▶ <b>M42</b> — ◀	▶ <b>M75</b> 0,05 (*) ◀
0870010	Mace	▶ <b>M42</b> — ◀				▶ <b>M42</b> — ◀	
0870990	Others	▶ <b>M42</b> — ◀				▶ <b>M42</b> — ◀	
0900000	9. <b>SUGAR PLANTS</b>	▶ <b>M42</b> — ◀	▶ <b>M45</b> 0,05 (*) ◀		▶ <b>M16</b> 0,01 (*) ◀	▶ <b>M42</b> — ◀	▶ <b>M75</b> 0,05 (*) ◀
0900010	Sugar beet (root)	▶ <b>M42</b> — ◀		▶ <b>M24</b> 0,1 ◀	0,05 (*)	▶ <b>M42</b> — ◀	
0900020	Sugar cane	▶ <b>M42</b> — ◀		▶ <b>M24</b> 0,05 (*) ◀	0,05 (*)	▶ <b>M42</b> — ◀	
0900030	Chicory roots	▶ <b>M42</b> — ◀		▶ <b>M24</b> 0,2 ◀	0,05 (*)	▶ <b>M42</b> — ◀	
0900990	Others	▶ <b>M42</b> — ◀		▶ <b>M24</b> 0,05 (*) ◀	0,05 (*)	▶ <b>M42</b> — ◀	
1000000	10. <b>PRODUCTS OF ANIMAL ORIGIN- TERRESTRIAL ANIMALS</b>	▶ <b>M42</b> — ◀	▶ <b>M45</b> 0,05 (*) ◀		▶ <b>M16</b> 0,02 (*) ◀	▶ <b>M42</b> — ◀	▶ <b>M75</b> 0,05 (*) ◀

▼ M2

(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
	▶ <u>M59</u> — ◀				▶ <u>M56</u> (+) ◀		
	▶ <u>M59</u> — ◀				▶ <u>M56</u> 0,05 (*) ◀		
	▶ <u>M59</u> — ◀				▶ <u>M56</u> 0,05 (*) ◀		
	▶ <u>M59</u> — ◀ ▶ <u>M59</u> — ◀						
	▶ <u>M59</u> — ◀						
	▶ <u>M59</u> — ◀				▶ <u>M56</u> 0,05 (*) ◀		
	▶ <u>M59</u> — ◀						
	▶ <u>M59</u> — ◀						
	▶ <u>M59</u> — ◀				▶ <u>M56</u> 0,05 (*) ◀		
	▶ <u>M59</u> — ◀						
	▶ <u>M59</u> — ◀						
0,02 (*)	▶ <u>M59</u> — ◀		0,05 (*)	▶ <u>M15</u> 0,01 (*) ◀			0,05 (*)
	▶ <u>M59</u> — ◀ ▶ <u>M59</u> — ◀ ▶ <u>M59</u> — ◀	▶ <u>M38</u> 0,5 ◀ ▶ <u>M38</u> 0,01 (*) ◀ ▶ <u>M38</u> 0,01 (*) ◀			▶ <u>M56</u> 0,2 ◀ ▶ <u>M56</u> 0,05 (*) ◀ ▶ <u>M56</u> 0,05 (*) ◀	0,1 0,1 0,01 (*)	
	▶ <u>M59</u> — ◀	▶ <u>M38</u> 0,01 (*) ◀			▶ <u>M56</u> 0,05 (*) ◀	0,01 (*)	
0,01 (*)	▶ <u>M59</u> — ◀		0,05 (*)	▶ <u>M15</u> 0,01 (*) ◀	▶ <u>M56</u> — ◀		0,05 (*)



▼ M2

(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)
▶ <u>M49</u> — ◀	▶ <u>M74</u> (+) ◀	▶ <u>M67</u> — ◀	▶ <u>M55</u> — ◀		▶ <u>M72</u> (+) ◀		▶ <u>M50</u> — ◀
▶ <u>M49</u> — ◀	▶ <u>M74</u> 0,1 ◀	▶ <u>M67</u> — ◀	▶ <u>M55</u> — ◀		▶ <u>M72</u> 0,05 (*) ◀		▶ <u>M50</u> — ◀
▶ <u>M49</u> — ◀	▶ <u>M74</u> 0,1 ◀	▶ <u>M67</u> — ◀	▶ <u>M55</u> — ◀	▶ <u>M5</u> 0,1 ◀	▶ <u>M72</u> 0,05 (*) ◀		▶ <u>M50</u> — ◀
▶ <u>M49</u> — ◀		▶ <u>M67</u> — ◀	▶ <u>M55</u> — ◀				▶ <u>M50</u> — ◀
▶ <u>M49</u> — ◀		▶ <u>M67</u> — ◀	▶ <u>M55</u> — ◀				▶ <u>M50</u> — ◀
▶ <u>M49</u> — ◀		▶ <u>M67</u> — ◀	▶ <u>M55</u> — ◀				▶ <u>M50</u> — ◀
▶ <u>M49</u> — ◀	▶ <u>M74</u> 0,1 ◀	▶ <u>M67</u> — ◀	▶ <u>M55</u> — ◀	▶ <u>M5</u> 0,1 ◀	▶ <u>M72</u> 0,05 (*) ◀		▶ <u>M50</u> — ◀
▶ <u>M49</u> — ◀		▶ <u>M67</u> — ◀	▶ <u>M55</u> — ◀				▶ <u>M50</u> — ◀
▶ <u>M49</u> — ◀		▶ <u>M67</u> — ◀	▶ <u>M55</u> — ◀				▶ <u>M50</u> — ◀
▶ <u>M49</u> — ◀	▶ <u>M74</u> 0,1 ◀	▶ <u>M67</u> — ◀	▶ <u>M55</u> — ◀	▶ <u>M5</u> 0,1 ◀	▶ <u>M72</u> 0,05 (*) ◀		▶ <u>M50</u> — ◀
▶ <u>M49</u> — ◀		▶ <u>M67</u> — ◀	▶ <u>M55</u> — ◀				▶ <u>M50</u> — ◀
▶ <u>M49</u> — ◀		▶ <u>M67</u> — ◀	▶ <u>M55</u> — ◀				▶ <u>M50</u> — ◀
▶ <u>M49</u> — ◀	▶ <u>M74</u> 0,05 (*) ◀	▶ <u>M67</u> — ◀	▶ <u>M55</u> — ◀		▶ <u>M72</u> 0,05 (*) ◀	0,05 (*)	▶ <u>M50</u> — ◀
▶ <u>M49</u> — ◀		▶ <u>M67</u> — ◀	▶ <u>M55</u> — ◀	▶ <u>M5</u> 0,5 ◀			▶ <u>M50</u> — ◀
▶ <u>M49</u> — ◀		▶ <u>M67</u> — ◀	▶ <u>M55</u> — ◀	▶ <u>M5</u> 0,05 (*) ◀			▶ <u>M50</u> — ◀
▶ <u>M49</u> — ◀		▶ <u>M67</u> — ◀	▶ <u>M55</u> — ◀	▶ <u>M5</u> 0,3 ◀			▶ <u>M50</u> — ◀
▶ <u>M49</u> — ◀		▶ <u>M67</u> — ◀	▶ <u>M55</u> — ◀	▶ <u>M5</u> 0,05 (*) ◀			▶ <u>M50</u> — ◀
▶ <u>M49</u> — ◀		▶ <u>M67</u> — ◀	▶ <u>M55</u> — ◀		▶ <u>M72</u> 0,05 (*) ◀	0,05 (*)	▶ <u>M50</u> — ◀

▼ M2

(25)	(26)	(27)	(28)	(29)	(30)	(31)
	▶ <u>M32</u> — ◀				▶ <u>M59</u> — ◀	
	▶ <u>M32</u> — ◀				▶ <u>M59</u> — ◀	
	▶ <u>M32</u> — ◀				▶ <u>M59</u> — ◀	
	▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀				▶ <u>M59</u> — ◀ ▶ <u>M59</u> — ◀	
	▶ <u>M32</u> — ◀				▶ <u>M59</u> — ◀	
	▶ <u>M32</u> — ◀				▶ <u>M59</u> — ◀	
	▶ <u>M32</u> — ◀				▶ <u>M59</u> — ◀	
	▶ <u>M32</u> — ◀				▶ <u>M59</u> — ◀	
	▶ <u>M32</u> — ◀				▶ <u>M59</u> — ◀	
	▶ <u>M32</u> — ◀				▶ <u>M59</u> — ◀	
▶ <u>M8</u> 0,05 (*) ◀	▶ <u>M32</u> — ◀	▶ <u>M5</u> 0,05 (*) ◀		0,1 (*)	▶ <u>M59</u> — ◀	0,05 (*)
	▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀		0,5 0,05 (*) 0,05 (*)		▶ <u>M59</u> — ◀ ▶ <u>M59</u> — ◀ ▶ <u>M59</u> — ◀	
	▶ <u>M32</u> — ◀		0,05 (*)		▶ <u>M59</u> — ◀	
▶ <u>M8</u> 0,05 (*) ◀	▶ <u>M32</u> — ◀			0,05 (*)	▶ <u>M59</u> — ◀	

▼ M2

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)
1010000	(i) Meat, preparations of meat, offals, blood, animal fats fresh chilled or frozen, salted, in brine, dried or smoked or processed as flours or meals; other processed products such as sausages and food preparations based on these	► <u>M42</u> — ◀				► <u>M42</u> — ◀	
1011000	(a) <i>Swine</i>	► <u>M42</u> — ◀				► <u>M42</u> — ◀	
1011010	Meat	► <u>M42</u> — ◀		► <u>M24</u> 0,01 (*) ◀		► <u>M42</u> — ◀	
1011020	Fat free of lean meat	► <u>M42</u> — ◀		► <u>M24</u> 0,01 (*) ◀		► <u>M42</u> — ◀	
1011030	Liver	► <u>M42</u> — ◀		► <u>M24</u> 0,2 ◀		► <u>M42</u> — ◀	
1011040	Kidney	► <u>M42</u> — ◀		► <u>M24</u> 0,01 (*) ◀		► <u>M42</u> — ◀	
1011050	Edible offal	► <u>M42</u> — ◀		► <u>M24</u> 0,05 ◀		► <u>M42</u> — ◀	
1011990	Others	► <u>M42</u> — ◀		► <u>M24</u> 0,01 (*) ◀		► <u>M42</u> — ◀	
1012000	(b) <i>Bovine</i>	► <u>M42</u> — ◀				► <u>M42</u> — ◀	
1012010	Meat	► <u>M42</u> — ◀		► <u>M24</u> 0,01 (*) ◀		► <u>M42</u> — ◀	
1012020	Fat	► <u>M42</u> — ◀		► <u>M24</u> 0,01 (*) ◀		► <u>M42</u> — ◀	
1012030	Liver	► <u>M42</u> — ◀		► <u>M24</u> 0,2 ◀		► <u>M42</u> — ◀	

▼ M2

(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
	▶ <u>M59</u> — ◀			▶ <u>M15</u> — ◀	▶ <u>M56</u> — ◀		
	▶ <u>M59</u> — ◀	▶ <u>M38</u> 0,5 ◀				0,05	
	▶ <u>M59</u> — ◀ ▶ <u>M59</u> — ◀ ▶ <u>M59</u> — ◀ ▶ <u>M59</u> — ◀ ▶ <u>M59</u> — ◀				▶ <u>M56</u> 0,05 (*) ◀ ▶ <u>M56</u> 0,05 (*) ◀  ▶ <u>M56</u> 0,1 ◀ ▶ <u>M56</u> 0,1 ◀ ▶ <u>M56</u> 0,1 ◀		
	▶ <u>M59</u> — ◀				▶ <u>M56</u> 0,05 (*) ◀		
	▶ <u>M59</u> — ◀	▶ <u>M38</u> 0,5 ◀					
	▶ <u>M59</u> — ◀ ▶ <u>M59</u> — ◀ ▶ <u>M59</u> — ◀				▶ <u>M56</u> 0,05 (*) ◀ ▶ <u>M56</u> 0,05 (*) ◀ ▶ <u>M56</u> 0,1 ◀	0,05 0,05 0,1	

▼ M2

(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)
▶ <u>M49</u> — ◀		▶ <u>M67</u> — ◀	▶ <u>M55</u> — ◀	▶ <u>M5</u> 0,05 (*) ◀			▶ <u>M50</u> — ◀
▶ <u>M49</u> — ◀	▶ <u>M74</u> 0,01 (*) ◀	▶ <u>M67</u> — ◀	▶ <u>M55</u> — ◀				▶ <u>M50</u> — ◀
▶ <u>M49</u> — ◀		▶ <u>M67</u> — ◀	▶ <u>M55</u> — ◀				▶ <u>M50</u> — ◀
▶ <u>M49</u> — ◀		▶ <u>M67</u> — ◀	▶ <u>M55</u> — ◀				▶ <u>M50</u> — ◀
▶ <u>M49</u> — ◀		▶ <u>M67</u> — ◀	▶ <u>M55</u> — ◀				▶ <u>M50</u> — ◀
▶ <u>M49</u> — ◀		▶ <u>M67</u> — ◀	▶ <u>M55</u> — ◀				▶ <u>M50</u> — ◀
▶ <u>M49</u> — ◀		▶ <u>M67</u> — ◀	▶ <u>M55</u> — ◀				▶ <u>M50</u> — ◀
▶ <u>M49</u> — ◀		▶ <u>M67</u> — ◀	▶ <u>M55</u> — ◀				▶ <u>M50</u> — ◀
▶ <u>M49</u> — ◀	▶ <u>M74</u> 0,01 (*) ◀	▶ <u>M67</u> — ◀	▶ <u>M55</u> — ◀				▶ <u>M50</u> — ◀
▶ <u>M49</u> — ◀	▶ <u>M74</u> 0,02 ◀	▶ <u>M67</u> — ◀	▶ <u>M55</u> — ◀				▶ <u>M50</u> — ◀
▶ <u>M49</u> — ◀	▶ <u>M74</u> 0,01 (*) ◀	▶ <u>M67</u> — ◀	▶ <u>M55</u> — ◀				▶ <u>M50</u> — ◀

▼ M2

(25)	(26)	(27)	(28)	(29)	(30)	(31)
▶ <u>M8</u> 0,05 (*) ◀	▶ <u>M32</u> — ◀				▶ <u>M59</u> — ◀	
	▶ <u>M32</u> — ◀				▶ <u>M59</u> — ◀	
	▶ <u>M32</u> — ◀	▶ <u>M5</u> 0,05 ◀	2		▶ <u>M59</u> — ◀	0,02 (*)
	▶ <u>M32</u> — ◀	▶ <u>M5</u> 0,05 ◀	2		▶ <u>M59</u> — ◀	0,02 (*)
	▶ <u>M32</u> — ◀	▶ <u>M5</u> 0,1 ◀	0,3		▶ <u>M59</u> — ◀	0,2
	▶ <u>M32</u> — ◀	▶ <u>M5</u> 0,1 ◀	0,3		▶ <u>M59</u> — ◀	0,1
	▶ <u>M32</u> — ◀	▶ <u>M5</u> 0,05 ◀	0,3		▶ <u>M59</u> — ◀	0,02 (*)
	▶ <u>M32</u> — ◀	▶ <u>M5</u> 0,05 ◀	0,02 (*)		▶ <u>M59</u> — ◀	0,02 (*)
	▶ <u>M32</u> — ◀				▶ <u>M59</u> — ◀	
	▶ <u>M32</u> — ◀	▶ <u>M5</u> 0,05 ◀	2		▶ <u>M59</u> — ◀	0,02 (*)
	▶ <u>M32</u> — ◀	▶ <u>M5</u> 0,05 ◀	2		▶ <u>M59</u> — ◀	0,02 (*)
	▶ <u>M32</u> — ◀	▶ <u>M5</u> 0,05 ◀	0,3		▶ <u>M59</u> — ◀	0,2

▼ **M2**

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)
1012040	Kidney	► <b>M42</b> — ◄		► <b>M24</b> 0,02 ◄		► <b>M42</b> — ◄	
1012050	Edible offal	► <b>M42</b> — ◄		► <b>M24</b> 0,02 ◄		► <b>M42</b> — ◄	
1012990	Others	► <b>M42</b> — ◄		► <b>M24</b> 0,01 (*) ◄		► <b>M42</b> — ◄	
1013000	(c) <i>Sheep</i>	► <b>M42</b> — ◄				► <b>M42</b> — ◄	
1013010	Meat	► <b>M42</b> — ◄		► <b>M24</b> 0,01 (*) ◄		► <b>M42</b> — ◄	
1013020	Fat	► <b>M42</b> — ◄		► <b>M24</b> 0,01 (*) ◄		► <b>M42</b> — ◄	
1013030	Liver	► <b>M42</b> — ◄		► <b>M24</b> 0,2 ◄		► <b>M42</b> — ◄	
1013040	Kidney	► <b>M42</b> — ◄		► <b>M24</b> 0,02 ◄		► <b>M42</b> — ◄	
1013050	Edible offal	► <b>M42</b> — ◄		► <b>M24</b> 0,02 ◄		► <b>M42</b> — ◄	
1013990	Others	► <b>M42</b> — ◄		► <b>M24</b> 0,01 (*) ◄		► <b>M42</b> — ◄	
1014000	(d) <i>Goat</i>	► <b>M42</b> — ◄				► <b>M42</b> — ◄	
1014010	Meat	► <b>M42</b> — ◄		► <b>M24</b> 0,01 (*) ◄		► <b>M42</b> — ◄	
1014020	Fat	► <b>M42</b> — ◄		► <b>M24</b> 0,01 (*) ◄		► <b>M42</b> — ◄	
1014030	Liver	► <b>M42</b> — ◄		► <b>M24</b> 0,2 ◄		► <b>M42</b> — ◄	
1014040	Kidney	► <b>M42</b> — ◄		► <b>M24</b> 0,02 ◄		► <b>M42</b> — ◄	
1014050	Edible offal	► <b>M42</b> — ◄		► <b>M24</b> 0,02 ◄		► <b>M42</b> — ◄	
1014990	Others	► <b>M42</b> — ◄		► <b>M24</b> 0,01 (*) ◄		► <b>M42</b> — ◄	
1015000	(e) <i>Horses, asses, mules or hinnies</i>	► <b>M42</b> — ◄				► <b>M42</b> — ◄	
1015010	Meat	► <b>M42</b> — ◄		► <b>M24</b> 0,01 (*) ◄		► <b>M42</b> — ◄	
1015020	Fat	► <b>M42</b> — ◄		► <b>M24</b> 0,01 (*) ◄		► <b>M42</b> — ◄	
1015030	Liver	► <b>M42</b> — ◄		► <b>M24</b> 0,2 ◄		► <b>M42</b> — ◄	

▼ M2

(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
	▶ <u>M59</u> — ◀				▶ <u>M56</u> 0,1 ◀	0,1	
	▶ <u>M59</u> — ◀				▶ <u>M56</u> 0,1 ◀	0,05	
	▶ <u>M59</u> — ◀				▶ <u>M56</u> 0,05 (*) ◀	0,05	
	▶ <u>M59</u> — ◀	▶ <u>M38</u> 0,5 ◀				0,05	
	▶ <u>M59</u> — ◀				▶ <u>M56</u> 0,05 (*) ◀		
	▶ <u>M59</u> — ◀				▶ <u>M56</u> 0,05 (*) ◀		
	▶ <u>M59</u> — ◀				▶ <u>M56</u> 0,1 ◀		
	▶ <u>M59</u> — ◀				▶ <u>M56</u> 0,1 ◀		
	▶ <u>M59</u> — ◀				▶ <u>M56</u> 0,1 ◀		
	▶ <u>M59</u> — ◀				▶ <u>M56</u> 0,05 (*) ◀		
	▶ <u>M59</u> — ◀	▶ <u>M38</u> 0,5 ◀				0,05	
	▶ <u>M59</u> — ◀				▶ <u>M56</u> 0,05 (*) ◀		
	▶ <u>M59</u> — ◀				▶ <u>M56</u> 0,05 (*) ◀		
	▶ <u>M59</u> — ◀				▶ <u>M56</u> 0,1 ◀		
	▶ <u>M59</u> — ◀				▶ <u>M56</u> 0,1 ◀		
	▶ <u>M59</u> — ◀				▶ <u>M56</u> 0,1 ◀		
	▶ <u>M59</u> — ◀				▶ <u>M56</u> 0,05 (*) ◀		
	▶ <u>M59</u> — ◀	▶ <u>M38</u> 0,5 ◀				0,05	
	▶ <u>M59</u> — ◀				▶ <u>M56</u> 0,05 (*) ◀		
	▶ <u>M59</u> — ◀				▶ <u>M56</u> 0,05 (*) ◀		
	▶ <u>M59</u> — ◀				▶ <u>M56</u> 0,1 ◀		



▼ M2

(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)
▶ <u>M49</u> — ◀	▶ <u>M74</u> 0,01 (*) ◀	▶ <u>M67</u> — ◀	▶ <u>M55</u> — ◀				▶ <u>M50</u> — ◀
▶ <u>M49</u> — ◀	▶ <u>M74</u> 0,01 (*) ◀	▶ <u>M67</u> — ◀	▶ <u>M55</u> — ◀				▶ <u>M50</u> — ◀
▶ <u>M49</u> — ◀	▶ <u>M74</u> 0,01 (*) ◀	▶ <u>M67</u> — ◀	▶ <u>M55</u> — ◀				▶ <u>M50</u> — ◀
▶ <u>M49</u> — ◀	▶ <u>M74</u> 0,01 (*) ◀	▶ <u>M67</u> — ◀	▶ <u>M55</u> — ◀				▶ <u>M50</u> — ◀
▶ <u>M49</u> — ◀		▶ <u>M67</u> — ◀	▶ <u>M55</u> — ◀				▶ <u>M50</u> — ◀
▶ <u>M49</u> — ◀		▶ <u>M67</u> — ◀	▶ <u>M55</u> — ◀				▶ <u>M50</u> — ◀
▶ <u>M49</u> — ◀		▶ <u>M67</u> — ◀	▶ <u>M55</u> — ◀				▶ <u>M50</u> — ◀
▶ <u>M49</u> — ◀		▶ <u>M67</u> — ◀	▶ <u>M55</u> — ◀				▶ <u>M50</u> — ◀
▶ <u>M49</u> — ◀		▶ <u>M67</u> — ◀	▶ <u>M55</u> — ◀				▶ <u>M50</u> — ◀
▶ <u>M49</u> — ◀		▶ <u>M67</u> — ◀	▶ <u>M55</u> — ◀				▶ <u>M50</u> — ◀
▶ <u>M49</u> — ◀	▶ <u>M74</u> 0,01 (*) ◀	▶ <u>M67</u> — ◀	▶ <u>M55</u> — ◀				▶ <u>M50</u> — ◀
▶ <u>M49</u> — ◀		▶ <u>M67</u> — ◀	▶ <u>M55</u> — ◀				▶ <u>M50</u> — ◀
▶ <u>M49</u> — ◀		▶ <u>M67</u> — ◀	▶ <u>M55</u> — ◀				▶ <u>M50</u> — ◀
▶ <u>M49</u> — ◀		▶ <u>M67</u> — ◀	▶ <u>M55</u> — ◀				▶ <u>M50</u> — ◀
▶ <u>M49</u> — ◀		▶ <u>M67</u> — ◀	▶ <u>M55</u> — ◀				▶ <u>M50</u> — ◀
▶ <u>M49</u> — ◀		▶ <u>M67</u> — ◀	▶ <u>M55</u> — ◀				▶ <u>M50</u> — ◀
▶ <u>M49</u> — ◀	▶ <u>M74</u> 0,01 (*) ◀	▶ <u>M67</u> — ◀	▶ <u>M55</u> — ◀				▶ <u>M50</u> — ◀
▶ <u>M49</u> — ◀		▶ <u>M67</u> — ◀	▶ <u>M55</u> — ◀				▶ <u>M50</u> — ◀
▶ <u>M49</u> — ◀		▶ <u>M67</u> — ◀	▶ <u>M55</u> — ◀				▶ <u>M50</u> — ◀
▶ <u>M49</u> — ◀		▶ <u>M67</u> — ◀	▶ <u>M55</u> — ◀				▶ <u>M50</u> — ◀

▼ M2

(25)	(26)	(27)	(28)	(29)	(30)	(31)
	▶ <u>M32</u> — ◀	▶ <u>M5</u> 0,1 ◀	0,3		▶ <u>M59</u> — ◀	0,1
	▶ <u>M32</u> — ◀	▶ <u>M5</u> 0,05 ◀	0,3		▶ <u>M59</u> — ◀	0,02 (*)
	▶ <u>M32</u> — ◀	▶ <u>M5</u> 0,05 ◀	0,02 (*)		▶ <u>M59</u> — ◀	0,02 (*)
	▶ <u>M32</u> — ◀				▶ <u>M59</u> — ◀	
	▶ <u>M32</u> — ◀	▶ <u>M5</u> 0,05 ◀	2		▶ <u>M59</u> — ◀	0,02 (*)
	▶ <u>M32</u> — ◀	▶ <u>M5</u> 0,05 ◀	2		▶ <u>M59</u> — ◀	0,02 (*)
	▶ <u>M32</u> — ◀	▶ <u>M5</u> 0,05 ◀	0,3		▶ <u>M59</u> — ◀	0,2
	▶ <u>M32</u> — ◀	▶ <u>M5</u> 0,1 ◀	0,3		▶ <u>M59</u> — ◀	0,1
	▶ <u>M32</u> — ◀	▶ <u>M5</u> 0,05 ◀	0,3		▶ <u>M59</u> — ◀	0,02 (*)
	▶ <u>M32</u> — ◀	▶ <u>M5</u> 0,05 ◀	0,02 (*)		▶ <u>M59</u> — ◀	0,02 (*)
	▶ <u>M32</u> — ◀				▶ <u>M59</u> — ◀	0,05
	▶ <u>M32</u> — ◀	▶ <u>M5</u> 0,05 ◀	2		▶ <u>M59</u> — ◀	
	▶ <u>M32</u> — ◀	▶ <u>M5</u> 0,05 ◀	2		▶ <u>M59</u> — ◀	
	▶ <u>M32</u> — ◀	▶ <u>M5</u> 0,05 ◀	0,3		▶ <u>M59</u> — ◀	
	▶ <u>M32</u> — ◀	▶ <u>M5</u> 0,1 ◀	0,3		▶ <u>M59</u> — ◀	
	▶ <u>M32</u> — ◀	▶ <u>M5</u> 0,05 ◀	0,3		▶ <u>M59</u> — ◀	
	▶ <u>M32</u> — ◀	▶ <u>M5</u> 0,05 ◀	0,02 (*)		▶ <u>M59</u> — ◀	
	▶ <u>M32</u> — ◀				▶ <u>M59</u> — ◀	0,05
	▶ <u>M32</u> — ◀	▶ <u>M5</u> 0,05 ◀	2		▶ <u>M59</u> — ◀	
	▶ <u>M32</u> — ◀	▶ <u>M5</u> 0,05 ◀	2		▶ <u>M59</u> — ◀	
	▶ <u>M32</u> — ◀	▶ <u>M5</u> 0,05 ◀	0,3		▶ <u>M59</u> — ◀	

▼ **M2**

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)
1015040	Kidney	▶ <b>M42</b> — ◀		▶ <b>M24</b> 0,02 ◀		▶ <b>M42</b> — ◀	
1015050	Edible offal	▶ <b>M42</b> — ◀		▶ <b>M24</b> 0,02 ◀		▶ <b>M42</b> — ◀	
1015990	Others	▶ <b>M42</b> — ◀		▶ <b>M24</b> 0,01 (*) ◀		▶ <b>M42</b> — ◀	
1016000	(f) <i>Poultry -chicken, geese, duck, turkey and Guinea fowl-, ostrich, pigeon</i>	▶ <b>M42</b> — ◀		▶ <b>M24</b> 0,01 (*) ◀		▶ <b>M42</b> — ◀	
1016010	Meat	▶ <b>M42</b> — ◀				▶ <b>M42</b> — ◀	
1016020	Fat	▶ <b>M42</b> — ◀				▶ <b>M42</b> — ◀	
1016030	Liver	▶ <b>M42</b> — ◀				▶ <b>M42</b> — ◀	
1016040	Kidney	▶ <b>M42</b> — ◀				▶ <b>M42</b> — ◀	
1016050	Edible offal	▶ <b>M42</b> — ◀				▶ <b>M42</b> — ◀	
1016990	Others	▶ <b>M42</b> — ◀				▶ <b>M42</b> — ◀	
1017000	(g) <i>Other farm animals</i>	▶ <b>M42</b> — ◀				▶ <b>M42</b> — ◀	
1017010	Meat	▶ <b>M42</b> — ◀		▶ <b>M24</b> 0,01 (*) ◀		▶ <b>M42</b> — ◀	
1017020	Fat	▶ <b>M42</b> — ◀		▶ <b>M24</b> 0,01 (*) ◀		▶ <b>M42</b> — ◀	
1017030	Liver	▶ <b>M42</b> — ◀		▶ <b>M24</b> 0,2 ◀		▶ <b>M42</b> — ◀	
1017040	Kidney	▶ <b>M42</b> — ◀		▶ <b>M24</b> 0,02 ◀		▶ <b>M42</b> — ◀	
1017050	Edible offal	▶ <b>M42</b> — ◀		▶ <b>M24</b> 0,02 ◀		▶ <b>M42</b> — ◀	
1017990	Others	▶ <b>M42</b> — ◀		▶ <b>M24</b> 0,01 (*) ◀		▶ <b>M42</b> — ◀	

▼ M2

(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
	▶ <u>M59</u> — ◀ ▶ <u>M59</u> — ◀				▶ <u>M56</u> 0,1 ◀ ▶ <u>M56</u> 0,1 ◀		
	▶ <u>M59</u> — ◀				▶ <u>M56</u> 0,05 (*) ◀		
	▶ <u>M59</u> — ◀	▶ <u>M38</u> 0,01 (*) ◀			▶ <u>M56</u> 0,05 (*) ◀	0,05	
	▶ <u>M59</u> — ◀ ▶ <u>M59</u> — ◀ ▶ <u>M59</u> — ◀ ▶ <u>M59</u> — ◀ ▶ <u>M59</u> — ◀						
	▶ <u>M59</u> — ◀						
	▶ <u>M59</u> — ◀	▶ <u>M38</u> 0,5 ◀				0,05	
	▶ <u>M59</u> — ◀ ▶ <u>M59</u> — ◀ ▶ <u>M59</u> — ◀ ▶ <u>M59</u> — ◀ ▶ <u>M59</u> — ◀				▶ <u>M56</u> 0,05 (*) ◀ ▶ <u>M56</u> 0,05 (*) ◀ ▶ <u>M56</u> 0,1 ◀ ▶ <u>M56</u> 0,1 ◀ ▶ <u>M56</u> 0,1 ◀		
	▶ <u>M59</u> — ◀				▶ <u>M56</u> 0,05 (*) ◀		

▼ M2

(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)
▶ <u>M49</u> — ◀		▶ <u>M67</u> — ◀	▶ <u>M55</u> — ◀				▶ <u>M50</u> — ◀
▶ <u>M49</u> — ◀		▶ <u>M67</u> — ◀	▶ <u>M55</u> — ◀				▶ <u>M50</u> — ◀
▶ <u>M49</u> — ◀		▶ <u>M67</u> — ◀	▶ <u>M55</u> — ◀				▶ <u>M50</u> — ◀
▶ <u>M49</u> — ◀	▶ <u>M74</u> 0,01 (*) ◀	▶ <u>M67</u> — ◀	▶ <u>M55</u> — ◀				▶ <u>M50</u> — ◀
▶ <u>M49</u> — ◀		▶ <u>M67</u> — ◀	▶ <u>M55</u> — ◀				▶ <u>M50</u> — ◀
▶ <u>M49</u> — ◀		▶ <u>M67</u> — ◀	▶ <u>M55</u> — ◀				▶ <u>M50</u> — ◀
▶ <u>M49</u> — ◀		▶ <u>M67</u> — ◀	▶ <u>M55</u> — ◀				▶ <u>M50</u> — ◀
▶ <u>M49</u> — ◀		▶ <u>M67</u> — ◀	▶ <u>M55</u> — ◀				▶ <u>M50</u> — ◀
▶ <u>M49</u> — ◀		▶ <u>M67</u> — ◀	▶ <u>M55</u> — ◀				▶ <u>M50</u> — ◀
▶ <u>M49</u> — ◀	▶ <u>M74</u> 0,01 (*) ◀	▶ <u>M67</u> — ◀	▶ <u>M55</u> — ◀				▶ <u>M50</u> — ◀
▶ <u>M49</u> — ◀		▶ <u>M67</u> — ◀	▶ <u>M55</u> — ◀				▶ <u>M50</u> — ◀
▶ <u>M49</u> — ◀		▶ <u>M67</u> — ◀	▶ <u>M55</u> — ◀				▶ <u>M50</u> — ◀
▶ <u>M49</u> — ◀		▶ <u>M67</u> — ◀	▶ <u>M55</u> — ◀				▶ <u>M50</u> — ◀
▶ <u>M49</u> — ◀		▶ <u>M67</u> — ◀	▶ <u>M55</u> — ◀				▶ <u>M50</u> — ◀
▶ <u>M49</u> — ◀		▶ <u>M67</u> — ◀	▶ <u>M55</u> — ◀				▶ <u>M50</u> — ◀
▶ <u>M49</u> — ◀		▶ <u>M67</u> — ◀	▶ <u>M55</u> — ◀				▶ <u>M50</u> — ◀
▶ <u>M49</u> — ◀		▶ <u>M67</u> — ◀	▶ <u>M55</u> — ◀				▶ <u>M50</u> — ◀

▼ M2

(25)	(26)	(27)	(28)	(29)	(30)	(31)
	▶ <u>M32</u> — ◀	▶ <u>M5</u> 0,1 ◀	0,3		▶ <u>M59</u> — ◀	
	▶ <u>M32</u> — ◀	▶ <u>M5</u> 0,05 ◀	0,3		▶ <u>M59</u> — ◀	
	▶ <u>M32</u> — ◀	▶ <u>M5</u> 0,05 ◀	0,02 (*)		▶ <u>M59</u> — ◀	
	▶ <u>M32</u> — ◀		0,02		▶ <u>M59</u> — ◀	0,05
	▶ <u>M32</u> — ◀	▶ <u>M5</u> 0,05 ◀			▶ <u>M59</u> — ◀	
	▶ <u>M32</u> — ◀	▶ <u>M5</u> 0,05 ◀			▶ <u>M59</u> — ◀	
	▶ <u>M32</u> — ◀	▶ <u>M5</u> 0,05 ◀			▶ <u>M59</u> — ◀	
	▶ <u>M32</u> — ◀	▶ <u>M5</u> 0,1 ◀			▶ <u>M59</u> — ◀	
	▶ <u>M32</u> — ◀	▶ <u>M5</u> 0,05 ◀			▶ <u>M59</u> — ◀	
	▶ <u>M32</u> — ◀	▶ <u>M5</u> 0,05 ◀			▶ <u>M59</u> — ◀	
	▶ <u>M32</u> — ◀				▶ <u>M59</u> — ◀	0,02 (*)
	▶ <u>M32</u> — ◀	▶ <u>M5</u> 0,05 ◀	2		▶ <u>M59</u> — ◀	
	▶ <u>M32</u> — ◀	▶ <u>M5</u> 0,05 ◀	2		▶ <u>M59</u> — ◀	
	▶ <u>M32</u> — ◀	▶ <u>M5</u> 0,05 ◀	0,3		▶ <u>M59</u> — ◀	
	▶ <u>M32</u> — ◀	▶ <u>M5</u> 0,1 ◀	0,3		▶ <u>M59</u> — ◀	
	▶ <u>M32</u> — ◀	▶ <u>M5</u> 0,05 ◀	0,3		▶ <u>M59</u> — ◀	
	▶ <u>M32</u> — ◀	▶ <u>M5</u> 0,05 ◀	0,02 (*)		▶ <u>M59</u> — ◀	

▼ M2

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)
1020000	(ii) <b>Milk and cream, not concentrated, nor containing added sugar or sweetening matter, butter and other fats derived from milk, cheese and curd</b>	► <u>M42</u> — ◀		► <u>M24</u> 0,002 ◀		► <u>M42</u> — ◀	
1020010	Cattle	► <u>M42</u> — ◀				► <u>M42</u> — ◀	
1020020	Sheep	► <u>M42</u> — ◀				► <u>M42</u> — ◀	
1020030	Goat	► <u>M42</u> — ◀				► <u>M42</u> — ◀	
1020040	Horse	► <u>M42</u> — ◀				► <u>M42</u> — ◀	
1020990	Others	► <u>M42</u> — ◀				► <u>M42</u> — ◀	
1030000	(iii) <b>Birds' eggs, fresh preserved or cooked; Shelled eggs and egg yolks fresh, dried, cooked by steaming or boiling in water, moulded, frozen or otherwise preserved whether or not containing added sugar or sweetening matter</b>	► <u>M42</u> — ◀		► <u>M24</u> 0,02 ◀		► <u>M42</u> — ◀	
1030010	Chicken	► <u>M42</u> — ◀				► <u>M42</u> — ◀	
1030020	Duck	► <u>M42</u> — ◀				► <u>M42</u> — ◀	
1030030	Goose	► <u>M42</u> — ◀				► <u>M42</u> — ◀	

▼ M2

(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
	▶ <u>M59</u> — ◀	▶ <u>M38</u> 0,05 ◀		▶ <u>M15</u> — ◀	▶ <u>M56</u> 0,05 (*) ◀	0,05	
	▶ <u>M59</u> — ◀ ▶ <u>M59</u> — ◀ ▶ <u>M59</u> — ◀ ▶ <u>M59</u> — ◀						
	▶ <u>M59</u> — ◀						
	▶ <u>M59</u> — ◀	▶ <u>M38</u> 0,01 (*) ◀		▶ <u>M15</u> — ◀	▶ <u>M56</u> 0,05 (*) ◀	0,05	
	▶ <u>M59</u> — ◀ ▶ <u>M59</u> — ◀ ▶ <u>M59</u> — ◀						



▼ M2

(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)
▶ <u>M49</u> — ◀	▶ <u>M74</u> 0,01 (*) ◀	▶ <u>M67</u> — ◀	▶ <u>M55</u> — ◀	▶ <u>M5</u> 0,1 ◀			▶ <u>M50</u> — ◀
▶ <u>M49</u> — ◀		▶ <u>M67</u> — ◀	▶ <u>M55</u> — ◀				▶ <u>M50</u> — ◀
▶ <u>M49</u> — ◀		▶ <u>M67</u> — ◀	▶ <u>M55</u> — ◀				▶ <u>M50</u> — ◀
▶ <u>M49</u> — ◀		▶ <u>M67</u> — ◀	▶ <u>M55</u> — ◀				▶ <u>M50</u> — ◀
▶ <u>M49</u> — ◀		▶ <u>M67</u> — ◀	▶ <u>M55</u> — ◀				▶ <u>M50</u> — ◀
▶ <u>M49</u> — ◀	▶ <u>M74</u> 0,01 (*) ◀	▶ <u>M67</u> — ◀	▶ <u>M55</u> — ◀	▶ <u>M5</u> 0,05 (*) ◀			▶ <u>M50</u> — ◀
▶ <u>M49</u> — ◀		▶ <u>M67</u> — ◀	▶ <u>M55</u> — ◀				▶ <u>M50</u> — ◀
▶ <u>M49</u> — ◀		▶ <u>M67</u> — ◀	▶ <u>M55</u> — ◀				▶ <u>M50</u> — ◀
▶ <u>M49</u> — ◀		▶ <u>M67</u> — ◀	▶ <u>M55</u> — ◀				▶ <u>M50</u> — ◀

▼ M2

(25)	(26)	(27)	(28)	(29)	(30)	(31)
▶ <u>M8</u> 0,05 (*) ◀	▶ <u>M32</u> — ◀	▶ <u>M5</u> 0,2 ◀	0,03		▶ <u>M59</u> — ◀	0,05
	▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀				▶ <u>M59</u> — ◀ ▶ <u>M59</u> — ◀ ▶ <u>M59</u> — ◀ ▶ <u>M59</u> — ◀	
	▶ <u>M32</u> — ◀				▶ <u>M59</u> — ◀	
▶ <u>M8</u> 0,05 (*) ◀	▶ <u>M32</u> — ◀	▶ <u>M5</u> 0,01 (*) ◀	0,02 (*)		▶ <u>M59</u> — ◀	0,05
	▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀				▶ <u>M59</u> — ◀ ▶ <u>M59</u> — ◀ ▶ <u>M59</u> — ◀	

▼ M2

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)
1030040	Quail	► <u>M42</u> — ◀				► <u>M42</u> — ◀	
1030990	Others	► <u>M42</u> — ◀				► <u>M42</u> — ◀	
1040000	(iv) Honey	► <u>M42</u> — ◀		► <u>M24</u> 0,05 ◀		► <u>M42</u> — ◀	
1050000	(v) Amphibians and reptiles	► <u>M42</u> — ◀		► <u>M24</u> 0,01 (*) ◀		► <u>M42</u> — ◀	
1060000	(vi) Snails	► <u>M42</u> — ◀		► <u>M24</u> 0,01 (*) ◀		► <u>M42</u> — ◀	
1070000	(vii) Other terrestrial animal products	► <u>M42</u> — ◀		► <u>M24</u> 0,01 (*) ◀		► <u>M42</u> — ◀	
1100000	11. FISH, FISH PRODUCTS, SHELL FISH, MOLLUSCS AND OTHER MARINE AND FRESHWATER FOOD PRODUCTS						
1200000	12. CROPS EXCLUSIVELY USED FOR ANIMAL FEED						

▼ M5

▼ M2

(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
	▶ <u>M59</u> — ◀						
	▶ <u>M59</u> — ◀						
	▶ <u>M59</u> — ◀	▶ <u>M38</u> 0,05 ◀		▶ <u>M15</u> — ◀	▶ <u>M56</u> 0,05 (*) ◀	0,05	
	▶ <u>M59</u> — ◀	▶ <u>M38</u> 0,01 (*) ◀		▶ <u>M15</u> — ◀	▶ <u>M56</u> 0,05 (*) ◀	0,05	
	▶ <u>M59</u> — ◀	▶ <u>M38</u> 0,01 (*) ◀		▶ <u>M15</u> — ◀	▶ <u>M56</u> 0,05 (*) ◀	0,05	
	▶ <u>M59</u> — ◀	▶ <u>M38</u> 0,01 (*) ◀		▶ <u>M15</u> — ◀	▶ <u>M56</u> 0,05 (*) ◀	0,05	
	▶ <u>M59</u> — ◀						
	▶ <u>M59</u> — ◀						

▼ M5

▼ M2

(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)
▶ <u>M49</u> — ◀		▶ <u>M67</u> — ◀	▶ <u>M55</u> — ◀				▶ <u>M50</u> — ◀
▶ <u>M49</u> — ◀		▶ <u>M67</u> — ◀	▶ <u>M55</u> — ◀				▶ <u>M50</u> — ◀
▶ <u>M49</u> — ◀	▶ <u>M74</u> 0,05 (*) ◀	▶ <u>M67</u> — ◀	▶ <u>M55</u> — ◀	▶ <u>M5</u> 0,05 (*) ◀			▶ <u>M50</u> — ◀
▶ <u>M49</u> — ◀	▶ <u>M74</u> 0,01 (*) ◀	▶ <u>M67</u> — ◀	▶ <u>M55</u> — ◀	▶ <u>M5</u> 0,05 (*) ◀			▶ <u>M50</u> — ◀
▶ <u>M49</u> — ◀	▶ <u>M74</u> 0,01 (*) ◀	▶ <u>M67</u> — ◀	▶ <u>M55</u> — ◀	▶ <u>M5</u> 0,05 (*) ◀			▶ <u>M50</u> — ◀
▶ <u>M49</u> — ◀	▶ <u>M74</u> 0,01 (*) ◀	▶ <u>M67</u> — ◀	▶ <u>M55</u> — ◀	▶ <u>M5</u> 0,05 (*) ◀			▶ <u>M50</u> — ◀
		▶ <u>M67</u> — ◀					
		▶ <u>M67</u> — ◀					

▼ M5

▼ M2

(25)	(26)	(27)	(28)	(29)	(30)	(31)
	▶ <u>M32</u> — ◀				▶ <u>M59</u> — ◀	
	▶ <u>M32</u> — ◀				▶ <u>M59</u> — ◀	
▶ <u>M8</u> 0,05 ◀	▶ <u>M32</u> — ◀	▶ <u>M5</u> 0,01 (*) ◀	0,02 (*)		▶ <u>M59</u> — ◀	0,02 (*)
▶ <u>M8</u> 0,05 ◀	▶ <u>M32</u> — ◀	▶ <u>M5</u> 0,01 (*) ◀	0,02 (*)		▶ <u>M59</u> — ◀	0,02 (*)
▶ <u>M8</u> 0,05 ◀	▶ <u>M32</u> — ◀	▶ <u>M5</u> 0,01 (*) ◀	0,02 (*)		▶ <u>M59</u> — ◀	0,02 (*)
▶ <u>M8</u> 0,05 ◀	▶ <u>M32</u> — ◀	▶ <u>M5</u> 0,01 (*) ◀	0,02 (*)		▶ <u>M59</u> — ◀	0,02 (*)
					▶ <u>M59</u> — ◀	
					▶ <u>M59</u> — ◀	

▼ M5

▼ M2

*Pesticide residues and maximum residue levels (mg/kg)*

Code number	Groups and examples of individual products to which the MRLs apply <sup>(a)</sup>	▼ <u>M56</u> Flutriafol ▲	▼ <u>M49</u> ▲	▲ <u>M63</u> Fosetyl-Al (sum of fosetyl, phosphonic acid and their salts, expressed as fosetyl) ▼	Fuberidazole	▼ <u>M57</u> ▲	▲ <u>M74</u> Glufosinate-ammonium (sum of glufosinate, its salts, MPP and NAG expressed as glufosinate equivalents) ▼
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)
0100000	1. <b>FRUIT FRESH OR FROZEN; NUTS</b>		▶ <u>M49</u> — ◀		0,05 (*)	▶ <u>M57</u> — ◀	
0110000	(i) <b>Citrus fruit</b>	▶ <u>M56</u> 0,2 ◀	▶ <u>M49</u> — ◀	▶ <u>M63</u> 75 ◀		▶ <u>M57</u> — ◀	
0110010	Grapefruit		▶ <u>M49</u> — ◀			▶ <u>M57</u> — ◀	▶ <u>M74</u> 0,1 (*) ◀
0110020	Oranges		▶ <u>M49</u> — ◀			▶ <u>M57</u> — ◀	▶ <u>M74</u> 0,1 (*) ◀
0110030	Lemons		▶ <u>M49</u> — ◀			▶ <u>M57</u> — ◀	▶ <u>M74</u> 0,5 ◀
0110040	Limes		▶ <u>M49</u> — ◀			▶ <u>M57</u> — ◀	▶ <u>M74</u> 0,5 ◀
0110050	Mandarins		▶ <u>M49</u> — ◀			▶ <u>M57</u> — ◀	▶ <u>M74</u> 0,1 (*) ◀
0110990	Others		▶ <u>M49</u> — ◀			▶ <u>M57</u> — ◀	▶ <u>M74</u> 0,5 ◀
0120000	(ii) <b>Tree nuts or (shelled unshelled)</b>	▶ <u>M56</u> 0,05 (*) ◀	▶ <u>M49</u> — ◀	▶ <u>M63</u> — ◀		▶ <u>M57</u> — ◀	

▼ M2

Guazatine	Haloxypop including haloxypop-R (Haloxypop-R methyl ester, haloxypop-R and conjugates of haloxypop-R expressed as haloxypop-R) <sup>(L)</sup> <sup>(8)</sup>	▶ <u>M30</u> Hexythiazox ▼	Hymexazol	Imazaquin	▶ <u>M56</u> Imidacloprid ▼	Isoxaben	Lenacil
(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
	0,05 (*)		0,05 (*)	0,05 (*)			0,1 (*)
5		▶ <u>M30</u> 1 ◀			▶ <u>M56</u> 1 ◀	0,02 (*)	
0,1 (*)		▶ <u>M30</u> 0,5 ◀			▶ <u>M56</u> 0,05 (*) ◀		



▼ M2

▶ <u>M5</u> Lufenuron (±) ▼	▶ <u>M47</u> Mepiquat ▼	▶ <u>M71</u> — ▼	Metam (see diazomet)	Metamitron	▶ <u>M71</u> — ▼	▶ <u>M42</u> — ▼	▶ <u>M16</u> Methabenzthiazuron ▼
(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)
		▶ <u>M71</u> — ◀		0,1 (*)	▶ <u>M71</u> — ◀	▶ <u>M42</u> — ◀	0,1 (*)
▶ <u>M5</u> 1 ◀	▶ <u>M47</u> 0,05 (*) ◀	▶ <u>M71</u> — ◀			▶ <u>M71</u> — ◀	▶ <u>M42</u> — ◀	▶ <u>M16</u> 0,01 (*) ◀
		▶ <u>M71</u> — ◀			▶ <u>M71</u> — ◀	▶ <u>M42</u> — ◀	
		▶ <u>M71</u> — ◀			▶ <u>M71</u> — ◀	▶ <u>M42</u> — ◀	
		▶ <u>M71</u> — ◀			▶ <u>M71</u> — ◀	▶ <u>M42</u> — ◀	
		▶ <u>M71</u> — ◀			▶ <u>M71</u> — ◀	▶ <u>M42</u> — ◀	
		▶ <u>M71</u> — ◀			▶ <u>M71</u> — ◀	▶ <u>M42</u> — ◀	
▶ <u>M5</u> — ◀	▶ <u>M47</u> 0,05 (*) ◀	▶ <u>M71</u> — ◀			▶ <u>M71</u> — ◀	▶ <u>M42</u> — ◀	▶ <u>M16</u> 0,02 (*) ◀

▼ M2

▶ <u>M5</u> Methiocarb (sum of methiocarb and methiocarb sulfoxide and sulfone, expressed as methiocarb) ▼	▶ <u>M32</u> Methoprene ▼	Metosulam	▶ <u>M39</u> Metrafenone ▼	Metribuzin	▶ <u>M32</u> — ▼	Napropamide
(25)	(26)	(27)	(28)	(29)	(30)	(31)
	▶ <u>M32</u> — ◀	0,01 (*)		0,1 (*)	▶ <u>M32</u> — ◀	
	▶ <u>M32</u> 0,02 (*) ◀		▶ <u>M39</u> 0,05 (*) ◀		▶ <u>M32</u> — ◀	0,05 (*)
▶ <u>M5</u> 0,1 (*) ◀					▶ <u>M32</u> — ◀	
▶ <u>M5</u> 0,1 (*) ◀					▶ <u>M32</u> — ◀	
▶ <u>M5</u> 0,2 ◀					▶ <u>M32</u> — ◀	
▶ <u>M5</u> 0,2 ◀					▶ <u>M32</u> — ◀	
▶ <u>M5</u> 0,2 ◀					▶ <u>M32</u> — ◀	
▶ <u>M5</u> 0,2 ◀					▶ <u>M32</u> — ◀	
▶ <u>M5</u> 0,2 ◀	▶ <u>M32</u> 0,05 (*) ◀		▶ <u>M39</u> 0,05 (*) ◀		▶ <u>M32</u> — ◀	0,05 (*)

## ▼ M2

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)
0120010	Almonds		► <u>M49</u> — ◄	► <u>M63</u> 75 (+) ◄		► <u>M57</u> — ◄	► <u>M74</u> 0,1 (*) ◄
0120020	Brazil nuts		► <u>M49</u> — ◄	► <u>M63</u> 2 (*) ◄		► <u>M57</u> — ◄	► <u>M74</u> 0,1 (*) ◄
0120030	Cashew nuts		► <u>M49</u> — ◄	► <u>M63</u> 75 (+) ◄		► <u>M57</u> — ◄	► <u>M74</u> 0,1 (*) ◄
0120040	Chestnuts		► <u>M49</u> — ◄	► <u>M63</u> 2 (*) ◄		► <u>M57</u> — ◄	► <u>M74</u> 0,1 (*) ◄
0120050	Coconuts		► <u>M49</u> — ◄	► <u>M63</u> 2 (*) ◄		► <u>M57</u> — ◄	► <u>M74</u> 0,1 (*) ◄
0120060	Hazelnuts		► <u>M49</u> — ◄	► <u>M63</u> 75 (+) ◄		► <u>M57</u> — ◄	► <u>M74</u> 0,5 ◄
0120070	Macadamia		► <u>M49</u> — ◄	► <u>M63</u> 75 (+) ◄		► <u>M57</u> — ◄	► <u>M74</u> 0,1 (*) ◄
0120080	Pecans		► <u>M49</u> — ◄	► <u>M63</u> 2 (*) ◄		► <u>M57</u> — ◄	► <u>M74</u> 0,1 (*) ◄
0120090	Pine nuts		► <u>M49</u> — ◄	► <u>M63</u> 2 (*) ◄		► <u>M57</u> — ◄	► <u>M74</u> 0,1 (*) ◄
0120100	Pistachios		► <u>M49</u> — ◄	► <u>M63</u> 75 (+) ◄		► <u>M57</u> — ◄	► <u>M74</u> 0,1 (*) ◄
0120110	Walnuts		► <u>M49</u> — ◄	► <u>M63</u> 75 (+) ◄		► <u>M57</u> — ◄	► <u>M74</u> 0,5 ◄
0120990	Others		► <u>M49</u> — ◄	► <u>M63</u> 2 (*) ◄		► <u>M57</u> — ◄	► <u>M74</u> 0,1 (*) ◄
0130000	(iii) <b>Pome fruit</b>	► <u>M56</u> 0,3 ◄	► <u>M49</u> — ◄	► <u>M63</u> 75 ◄		► <u>M57</u> — ◄	
0130010	Apples	► <u>M38</u> — ◄	► <u>M49</u> — ◄			► <u>M57</u> — ◄	► <u>M74</u> 0,1 (*) ◄
0130020	Pears	► <u>M38</u> — ◄	► <u>M49</u> — ◄			► <u>M57</u> — ◄	► <u>M74</u> 0,1 (*) ◄
0130030	Quinces	► <u>M38</u> — ◄	► <u>M49</u> — ◄			► <u>M57</u> — ◄	► <u>M74</u> 0,5 ◄
0130040	Medlar	► <u>M38</u> — ◄	► <u>M49</u> — ◄			► <u>M57</u> — ◄	► <u>M74</u> 0,5 ◄
0130050	Loquat	► <u>M38</u> — ◄	► <u>M49</u> — ◄			► <u>M57</u> — ◄	► <u>M74</u> 0,5 ◄
0130990	Others	► <u>M38</u> — ◄	► <u>M49</u> — ◄			► <u>M57</u> — ◄	► <u>M74</u> 0,5 ◄
0140000	(iv) <b>Stone fruit</b>	► <u>M56</u> 0,05 (*) ◄	► <u>M49</u> — ◄	► <u>M63</u> 75 (+) ◄		► <u>M57</u> — ◄	
0140010	Apricots		► <u>M49</u> — ◄			► <u>M57</u> — ◄	► <u>M74</u> 0,5 ◄
0140020	Cherries		► <u>M49</u> — ◄			► <u>M57</u> — ◄	► <u>M74</u> 0,5 ◄
0140030	Peaches		► <u>M49</u> — ◄			► <u>M57</u> — ◄	► <u>M74</u> 0,1 (*) ◄
0140040	Plums		► <u>M49</u> — ◄			► <u>M57</u> — ◄	► <u>M74</u> 0,5 ◄
0140990	Others		► <u>M49</u> — ◄			► <u>M57</u> — ◄	► <u>M74</u> 0,5 ◄
0150000	(v) <b>Berries &amp; small fruit</b>		► <u>M49</u> — ◄			► <u>M57</u> — ◄	

▼ M2

(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
						0,05 0,02 (*) 0,02 (*) 0,05 0,02 (*) 0,05 0,02 (*) 0,02 (*) 0,02 (*) 0,02 (*) 0,05	
						0,02 (*)	
0,1 (*)					▶ <u>M56</u> 0,5 ◀	0,05	
		▶ <u>M30</u> 1 ◀ ▶ <u>M30</u> 1 ◀ ▶ <u>M30</u> 0,5 ◀ ▶ <u>M30</u> 0,5 ◀ ▶ <u>M30</u> 0,5 ◀			▶ <u>M5</u> — ◀ ▶ <u>M5</u> — ◀ ▶ <u>M5</u> — ◀ ▶ <u>M5</u> — ◀ ▶ <u>M5</u> — ◀		
		▶ <u>M30</u> 0,5 ◀			▶ <u>M5</u> — ◀		
0,1 (*)	(*)						
		▶ <u>M30</u> 1 ◀ ▶ <u>M30</u> 1 ◀ ▶ <u>M30</u> 1 ◀ ▶ <u>M30</u> 0,5 ◀			▶ <u>M56</u> 0,5 ◀ ▶ <u>M56</u> 0,5 ◀ ▶ <u>M56</u> 0,5 ◀ ▶ <u>M56</u> 0,3 ◀	0,02 (*) 0,05 0,02 (*) 0,05	
		▶ <u>M30</u> 0,5 ◀			▶ <u>M56</u> 0,05 (*) ◀	0,02 (*)	
0,1 (*)						0,05	

▼ M2

(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)
▶ <u>M5</u> 0,02 (*) ◀		▶ <u>M71</u> — ◀			▶ <u>M71</u> — ◀	▶ <u>M42</u> — ◀	
▶ <u>M5</u> 0,02 (*) ◀		▶ <u>M71</u> — ◀			▶ <u>M71</u> — ◀	▶ <u>M42</u> — ◀	
▶ <u>M5</u> 0,02 (*) ◀		▶ <u>M71</u> — ◀			▶ <u>M71</u> — ◀	▶ <u>M42</u> — ◀	
▶ <u>M5</u> 0,02 (*) ◀		▶ <u>M71</u> — ◀			▶ <u>M71</u> — ◀	▶ <u>M42</u> — ◀	
▶ <u>M5</u> 0,02 (*) ◀		▶ <u>M71</u> — ◀			▶ <u>M71</u> — ◀	▶ <u>M42</u> — ◀	
▶ <u>M5</u> 0,02 (*) ◀		▶ <u>M71</u> — ◀			▶ <u>M71</u> — ◀	▶ <u>M42</u> — ◀	
▶ <u>M5</u> 0,02 (*) ◀		▶ <u>M71</u> — ◀			▶ <u>M71</u> — ◀	▶ <u>M42</u> — ◀	
▶ <u>M5</u> 0,02 (*) ◀		▶ <u>M71</u> — ◀			▶ <u>M71</u> — ◀	▶ <u>M42</u> — ◀	
▶ <u>M5</u> 0,02 (*) ◀		▶ <u>M71</u> — ◀			▶ <u>M71</u> — ◀	▶ <u>M42</u> — ◀	
▶ <u>M5</u> 0,02 (*) ◀		▶ <u>M71</u> — ◀			▶ <u>M71</u> — ◀	▶ <u>M42</u> — ◀	
▶ <u>M5</u> 0,03 ◀		▶ <u>M71</u> — ◀			▶ <u>M71</u> — ◀	▶ <u>M42</u> — ◀	
▶ <u>M5</u> 0,02 (*) ◀		▶ <u>M71</u> — ◀			▶ <u>M71</u> — ◀	▶ <u>M42</u> — ◀	
	▶ <u>M47</u> 0,05 (*) ◀	▶ <u>M71</u> — ◀			▶ <u>M71</u> — ◀	▶ <u>M42</u> — ◀	▶ <u>M16</u> 0,01 (*) ◀
▶ <u>M5</u> 0,5 ◀		▶ <u>M71</u> — ◀			▶ <u>M71</u> — ◀	▶ <u>M42</u> — ◀	
▶ <u>M5</u> 0,5 ◀		▶ <u>M71</u> — ◀			▶ <u>M71</u> — ◀	▶ <u>M42</u> — ◀	
▶ <u>M5</u> 0,2 ◀		▶ <u>M71</u> — ◀			▶ <u>M71</u> — ◀	▶ <u>M42</u> — ◀	
▶ <u>M5</u> 0,2 ◀		▶ <u>M71</u> — ◀			▶ <u>M71</u> — ◀	▶ <u>M42</u> — ◀	
▶ <u>M5</u> 0,2 ◀		▶ <u>M71</u> — ◀			▶ <u>M71</u> — ◀	▶ <u>M42</u> — ◀	
▶ <u>M5</u> 0,2 ◀		▶ <u>M71</u> — ◀			▶ <u>M71</u> — ◀	▶ <u>M42</u> — ◀	
▶ <u>M5</u> 1 ◀	▶ <u>M47</u> 0,05 (*) ◀	▶ <u>M71</u> — ◀			▶ <u>M71</u> — ◀	▶ <u>M42</u> — ◀	▶ <u>M16</u> 0,01 (*) ◀
		▶ <u>M71</u> — ◀			▶ <u>M71</u> — ◀	▶ <u>M42</u> — ◀	
		▶ <u>M71</u> — ◀			▶ <u>M71</u> — ◀	▶ <u>M42</u> — ◀	
		▶ <u>M71</u> — ◀			▶ <u>M71</u> — ◀	▶ <u>M42</u> — ◀	
		▶ <u>M71</u> — ◀			▶ <u>M71</u> — ◀	▶ <u>M42</u> — ◀	
		▶ <u>M71</u> — ◀			▶ <u>M71</u> — ◀	▶ <u>M42</u> — ◀	▶ <u>M16</u> 0,01 (*) ◀

▼ M2

(25)	(26)	(27)	(28)	(29)	(30)	(31)
					▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀	
					▶ <u>M32</u> — ◀	
	▶ <u>M32</u> 0,02 (*) ◀		▶ <u>M39</u> 0,05 (*) ◀		▶ <u>M32</u> — ◀	0,1
▶ <u>M5</u> 0,1 (*) ◀ ▶ <u>M5</u> 0,1 (*) ◀ ▶ <u>M5</u> 0,2 ◀ ▶ <u>M5</u> 0,2 ◀ ▶ <u>M5</u> 0,2 ◀					▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀	
▶ <u>M5</u> 0,2 ◀					▶ <u>M32</u> — ◀	
▶ <u>M5</u> 0,2 ◀	▶ <u>M32</u> 0,02 (*) ◀		▶ <u>M39</u> 0,05 (*) ◀		▶ <u>M32</u> — ◀	0,1
					▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀	
					▶ <u>M32</u> — ◀	
	▶ <u>M32</u> 0,02 (*) ◀				▶ <u>M32</u> — ◀	

## ▼ M2

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)
0151000	(a) <i>Table and wine grapes</i>	► <u>M15</u> — ◀	► <u>M49</u> — ◀	► <u>M63</u> 100 ◀		► <u>M57</u> — ◀	
0151010	Table grapes	► <u>M56</u> 0,8 ◀	► <u>M49</u> — ◀			► <u>M57</u> — ◀	► <u>M74</u> 0,15 ◀
0151020	Wine grapes	► <u>M56</u> 1 ◀	► <u>M49</u> — ◀			► <u>M57</u> — ◀	► <u>M74</u> 0,5 ◀
0152000	(b) <i>Strawberries</i>	► <u>M56</u> 0,5 ◀	► <u>M49</u> — ◀	► <u>M63</u> 75 ◀		► <u>M57</u> — ◀	► <u>M74</u> 0,5 ◀
0153000	(c) <i>Cane fruit</i>	► <u>M56</u> 0,05 (*) ◀	► <u>M49</u> — ◀	► <u>M63</u> 75 (+) ◀		► <u>M57</u> — ◀	
0153010	Blackberries		► <u>M49</u> — ◀			► <u>M57</u> — ◀	► <u>M74</u> 0,5 ◀
0153020	Dewberries		► <u>M49</u> — ◀			► <u>M57</u> — ◀	► <u>M74</u> 0,5 ◀
0153030	Raspberries		► <u>M49</u> — ◀			► <u>M57</u> — ◀	► <u>M74</u> 0,7 ◀
0153990	Others		► <u>M49</u> — ◀			► <u>M57</u> — ◀	► <u>M74</u> 0,5 ◀
0154000	(d) <i>Other small fruit &amp; berries</i>	► <u>M56</u> 0,05 (*) ◀	► <u>M49</u> — ◀	► <u>M63</u> — ◀		► <u>M57</u> — ◀	► <u>M74</u> 0,5 ◀
0154010	Blueberries		► <u>M49</u> — ◀	► <u>M63</u> 75 (+) ◀		► <u>M57</u> — ◀	
0154020	Cranberries		► <u>M49</u> — ◀	► <u>M63</u> 2 (*) ◀		► <u>M57</u> — ◀	
0154030	Currants (red, black and white)		► <u>M49</u> — ◀	► <u>M63</u> 75 (+) ◀		► <u>M57</u> — ◀	
0154040	Gooseberries		► <u>M49</u> — ◀	► <u>M63</u> 75 (+) ◀		► <u>M57</u> — ◀	
0154050	Rose hips		► <u>M49</u> — ◀	► <u>M63</u> 2 (*) ◀		► <u>M57</u> — ◀	
0154060	Mulberries		► <u>M49</u> — ◀	► <u>M63</u> 2 (*) ◀		► <u>M57</u> — ◀	
0154070	Azarole (mediteranean medlar)		► <u>M49</u> — ◀	► <u>M63</u> 2 (*) ◀		► <u>M57</u> — ◀	
0154080	Elderberries		► <u>M49</u> — ◀	► <u>M63</u> 2 (*) ◀		► <u>M57</u> — ◀	
0154990	Others		► <u>M49</u> — ◀	► <u>M63</u> 2 (*) ◀		► <u>M57</u> — ◀	

▼ M2

(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
		▶ <u>M30</u> 1 ◀			▶ <u>M56</u> 1 ◀		
	(*)	▶ <u>M30</u> 0,5 ◀			▶ <u>M56</u> 0,5 ◀		
		▶ <u>M30</u> 0,5 ◀			▶ <u>M56</u> 5 ◀		
	(*)	▶ <u>M30</u> 0,5 ◀					
					▶ <u>M56</u> 5 ◀ ▶ <u>M56</u> 0,05 (*) ◀ ▶ <u>M56</u> 5 ◀  ▶ <u>M56</u> 5 ◀ ▶ <u>M56</u> 5 ◀ ▶ <u>M56</u> 5 ◀ ▶ <u>M56</u> 0,05 (*) ◀  ▶ <u>M56</u> 5 ◀		
					▶ <u>M56</u> 5 ◀		



▼ M2

(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)
▶ <u>M5</u> 1 ◀	▶ <u>M47</u> 0,3 ◀	▶ <u>M71</u> — ◀			▶ <u>M71</u> — ◀	▶ <u>M42</u> — ◀	
		▶ <u>M71</u> — ◀ ▶ <u>M71</u> — ◀			▶ <u>M71</u> — ◀ ▶ <u>M71</u> — ◀	▶ <u>M42</u> — ◀ ▶ <u>M42</u> — ◀	
▶ <u>M5</u> 1 ◀	▶ <u>M47</u> 0,05 (*) ◀	▶ <u>M71</u> — ◀			▶ <u>M71</u> — ◀	▶ <u>M42</u> — ◀	
▶ <u>M5</u> 0,02 (*) ◀	▶ <u>M47</u> 0,05 (*) ◀	▶ <u>M71</u> — ◀			▶ <u>M71</u> — ◀	▶ <u>M42</u> — ◀	
		▶ <u>M71</u> — ◀ ▶ <u>M71</u> — ◀ ▶ <u>M71</u> — ◀			▶ <u>M71</u> — ◀ ▶ <u>M71</u> — ◀ ▶ <u>M71</u> — ◀	▶ <u>M42</u> — ◀ ▶ <u>M42</u> — ◀ ▶ <u>M42</u> — ◀	
		▶ <u>M71</u> — ◀			▶ <u>M71</u> — ◀	▶ <u>M42</u> — ◀	
▶ <u>M5</u> 0,02 (*) ◀	▶ <u>M47</u> 0,05 (*) ◀	▶ <u>M71</u> — ◀			▶ <u>M71</u> — ◀	▶ <u>M42</u> — ◀	
		▶ <u>M71</u> — ◀ ▶ <u>M71</u> — ◀ ▶ <u>M71</u> — ◀  ▶ <u>M71</u> — ◀ ▶ <u>M71</u> — ◀ ▶ <u>M71</u> — ◀ ▶ <u>M71</u> — ◀  ▶ <u>M71</u> — ◀			▶ <u>M71</u> — ◀ ▶ <u>M71</u> — ◀ ▶ <u>M71</u> — ◀  ▶ <u>M71</u> — ◀ ▶ <u>M71</u> — ◀ ▶ <u>M71</u> — ◀ ▶ <u>M71</u> — ◀  ▶ <u>M71</u> — ◀	▶ <u>M42</u> — ◀ ▶ <u>M42</u> — ◀ ▶ <u>M42</u> — ◀  ▶ <u>M42</u> — ◀ ▶ <u>M42</u> — ◀ ▶ <u>M42</u> — ◀ ▶ <u>M42</u> — ◀  ▶ <u>M42</u> — ◀	
		▶ <u>M71</u> — ◀			▶ <u>M71</u> — ◀	▶ <u>M42</u> — ◀	

▼ M2

(25)	(26)	(27)	(28)	(29)	(30)	(31)
▶ <u>M5</u> 0,3 ◀			▶ <u>M39</u> 5 ◀		▶ <u>M32</u> — ◀	0,1
					▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀	
▶ <u>M5</u> 1 ◀			▶ <u>M39</u> 0,6 ◀		▶ <u>M32</u> — ◀	0,2
▶ <u>M5</u> 0,2 ◀			▶ <u>M39</u> 0,05 (*) ◀		▶ <u>M32</u> — ◀	0,1
					▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀	
					▶ <u>M32</u> — ◀	
▶ <u>M5</u> 0,2 ◀			▶ <u>M39</u> 0,05 (*) ◀		▶ <u>M32</u> — ◀	0,1
					▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀  ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀  ▶ <u>M32</u> — ◀	
					▶ <u>M32</u> — ◀	

## ▼ M2

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)
0160000	(vi) <b>Miscellaneous fruit</b>	▶ <u>M15</u> — ◀	▶ <u>M49</u> — ◀			▶ <u>M57</u> — ◀	
0161000	(a) <i>Edible peel</i>	▶ <u>M56</u> 0,05 (*) ◀	▶ <u>M49</u> — ◀	▶ <u>M63</u> — ◀		▶ <u>M57</u> — ◀	
0161010	Dates		▶ <u>M49</u> — ◀	▶ <u>M63</u> 2 (*) ◀		▶ <u>M57</u> — ◀	▶ <u>M74</u> 0,1 (*) ◀
0161020	Figs		▶ <u>M49</u> — ◀	▶ <u>M63</u> 75 (+) ◀		▶ <u>M57</u> — ◀	▶ <u>M74</u> 0,1 (*) ◀
0161030	Table olives		▶ <u>M49</u> — ◀	▶ <u>M63</u> 2 (*) ◀		▶ <u>M57</u> — ◀	▶ <u>M74</u> 0,5 ◀
0161040	Kumquats		▶ <u>M49</u> — ◀	▶ <u>M63</u> 75 (+) ◀		▶ <u>M57</u> — ◀	▶ <u>M74</u> 0,1 (*) ◀
0161050	Carambola		▶ <u>M49</u> — ◀	▶ <u>M63</u> 2 (*) ◀		▶ <u>M57</u> — ◀	▶ <u>M74</u> 0,1 (*) ◀
0161060	Persimmon		▶ <u>M49</u> — ◀	▶ <u>M63</u> 75 (+) ◀		▶ <u>M57</u> — ◀	▶ <u>M74</u> 0,1 (*) ◀
0161070	Jambolan (java plum)		▶ <u>M49</u> — ◀	▶ <u>M63</u> 2 (*) ◀		▶ <u>M57</u> — ◀	▶ <u>M74</u> 0,1 (*) ◀
0161990	Others		▶ <u>M49</u> — ◀	▶ <u>M63</u> 2 (*) ◀		▶ <u>M57</u> — ◀	▶ <u>M74</u> 0,1 (*) ◀
0162000	(b) <i>Inedible peel, small</i>	▶ <u>M56</u> 0,05 (*) ◀	▶ <u>M49</u> — ◀	▶ <u>M63</u> — ◀		▶ <u>M57</u> — ◀	
0162010	Kiwi		▶ <u>M49</u> — ◀	▶ <u>M63</u> 150 ◀		▶ <u>M57</u> — ◀	▶ <u>M74</u> 0,6 ◀
0162020	Lychee (Litchi)		▶ <u>M49</u> — ◀	▶ <u>M63</u> 2 (*) ◀		▶ <u>M57</u> — ◀	▶ <u>M74</u> 0,1 (*) ◀
0162030	Passion fruit		▶ <u>M49</u> — ◀	▶ <u>M63</u> 75 (+) ◀		▶ <u>M57</u> — ◀	▶ <u>M74</u> 0,1 (*) ◀
0162040	Prickly pear (cactus fruit)		▶ <u>M49</u> — ◀	▶ <u>M63</u> 2 (*) ◀		▶ <u>M57</u> — ◀	▶ <u>M74</u> 0,1 (*) ◀
0162050	Star apple		▶ <u>M49</u> — ◀	▶ <u>M63</u> 2 (*) ◀		▶ <u>M57</u> — ◀	▶ <u>M74</u> 0,1 (*) ◀
0162060	American persimmon (Virginia kaki)		▶ <u>M49</u> — ◀	▶ <u>M63</u> 2 (*) ◀		▶ <u>M57</u> — ◀	▶ <u>M74</u> 0,1 (*) ◀
0162990	Others		▶ <u>M49</u> — ◀	▶ <u>M63</u> 2 (*) ◀		▶ <u>M57</u> — ◀	▶ <u>M74</u> 0,1 (*) ◀
0163000	(c) <i>Inedible peel, large</i>		▶ <u>M49</u> — ◀			▶ <u>M57</u> — ◀	
0163010	Avocados	▶ <u>M56</u> 0,05 (*) ◀	▶ <u>M49</u> — ◀	▶ <u>M63</u> 50 ◀		▶ <u>M57</u> — ◀	▶ <u>M74</u> 0,1 (*) ◀

▼ M2

(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
0,1 (*)						0,02 (*)	
		▶ <u>M30</u> — ◀			▶ <u>M5</u> — ◀		
		▶ <u>M30</u> 2 ◀ ▶ <u>M30</u> 0,5 ◀ ▶ <u>M30</u> 0,5 ◀ ▶ <u>M30</u> 0,5 ◀ ▶ <u>M30</u> 0,5 ◀ ▶ <u>M30</u> 0,5 ◀ ▶ <u>M30</u> 0,5 ◀			▶ <u>M56</u> 0,05 (*) ◀ ▶ <u>M56</u> 0,05 (*) ◀ ▶ <u>M56</u> 0,5 ◀ ▶ <u>M56</u> 0,05 (*) ◀ ▶ <u>M56</u> 0,05 (*) ◀ ▶ <u>M56</u> 0,05 (*) ◀ ▶ <u>M56</u> 0,05 (*) ◀		
		▶ <u>M30</u> 0,5 ◀			▶ <u>M56</u> 0,05 (*) ◀		
					▶ <u>M56</u> 0,05 (*) ◀		
		▶ <u>M30</u> 1 ◀ ▶ <u>M30</u> 0,5 ◀ ▶ <u>M30</u> 0,5 ◀ ▶ <u>M30</u> 0,5 ◀  ▶ <u>M30</u> 0,5 ◀ ▶ <u>M30</u> 0,5 ◀					
		▶ <u>M30</u> 0,5 ◀					
		▶ <u>M30</u> 0,5 ◀					
					▶ <u>M56</u> 1 ◀		



▼ M2

(25)	(26)	(27)	(28)	(29)	(30)	(31)
	▶ <u>M32</u> 0,02 (*) ◀		▶ <u>M39</u> 0,05 (*) ◀		▶ <u>M32</u> — ◀	0,05 (*)
▶ <u>M5</u> 0,2 ◀					▶ <u>M32</u> — ◀	
					▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀	
					▶ <u>M32</u> — ◀	
▶ <u>M5</u> 0,2 ◀					▶ <u>M32</u> — ◀	
					▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀	
					▶ <u>M32</u> — ◀	
					▶ <u>M32</u> — ◀	
▶ <u>M5</u> 0,2 ◀					▶ <u>M32</u> — ◀	

## ▼ M2

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)
0163020	Bananas	▶ <u>M56</u> 0,3 ◀	▶ <u>M49</u> — ◀	▶ <u>M63</u> 2 (*) ◀		▶ <u>M57</u> — ◀	▶ <u>M74</u> 0,2 ◀
0163030	Mangoes	▶ <u>M56</u> 0,05 (*) ◀	▶ <u>M49</u> — ◀	▶ <u>M63</u> 2 (*) ◀		▶ <u>M57</u> — ◀	▶ <u>M74</u> 0,1 (*) ◀
0163040	Papaya	▶ <u>M56</u> 0,05 (*) ◀	▶ <u>M49</u> — ◀	▶ <u>M63</u> 75 (+) ◀		▶ <u>M57</u> — ◀	▶ <u>M74</u> 0,1 (*) ◀
0163050	Pomegranate	▶ <u>M56</u> 0,05 (*) ◀	▶ <u>M49</u> — ◀	▶ <u>M63</u> 75 (+) ◀		▶ <u>M57</u> — ◀	▶ <u>M74</u> 0,1 (*) ◀
0163060	Cherimoya	▶ <u>M56</u> 0,05 (*) ◀	▶ <u>M49</u> — ◀	▶ <u>M63</u> 2 (*) ◀		▶ <u>M57</u> — ◀	▶ <u>M74</u> 0,1 (*) ◀
0163070	Guava	▶ <u>M56</u> 0,05 (*) ◀	▶ <u>M49</u> — ◀	▶ <u>M63</u> 2 (*) ◀		▶ <u>M57</u> — ◀	▶ <u>M74</u> 0,1 (*) ◀
0163080	Pineapples	▶ <u>M56</u> 0,05 (*) ◀	▶ <u>M49</u> — ◀	▶ <u>M63</u> 50 ◀		▶ <u>M57</u> — ◀	▶ <u>M74</u> 0,1 (*) ◀
0163090	Bread fruit	▶ <u>M56</u> 0,05 (*) ◀	▶ <u>M49</u> — ◀	▶ <u>M63</u> 2 (*) ◀		▶ <u>M57</u> — ◀	▶ <u>M74</u> 0,1 (*) ◀
0163100	Durian	▶ <u>M56</u> 0,05 (*) ◀	▶ <u>M49</u> — ◀	▶ <u>M63</u> 2 (*) ◀		▶ <u>M57</u> — ◀	▶ <u>M74</u> 0,1 (*) ◀
0163110	Soursop (guanabana)	▶ <u>M56</u> 0,05 (*) ◀	▶ <u>M49</u> — ◀	▶ <u>M63</u> 2 (*) ◀		▶ <u>M57</u> — ◀	▶ <u>M74</u> 0,1 (*) ◀
0163990	Others	▶ <u>M56</u> 0,05 (*) ◀	▶ <u>M49</u> — ◀	▶ <u>M63</u> 2 (*) ◀		▶ <u>M57</u> — ◀	▶ <u>M74</u> 0,1 (*) ◀
0200000	<b>2. VEGETABLES FRESH OR FROZEN</b>		▶ <u>M49</u> — ◀		0,05 (*)	▶ <u>M57</u> — ◀	
0210000	(i) <b>Root and tuber vegetables</b>		▶ <u>M49</u> — ◀			▶ <u>M57</u> — ◀	
0211000	(a) <i>Potatoes</i>	▶ <u>M56</u> 0,2 ◀	▶ <u>M49</u> — ◀	▶ <u>M63</u> 30 ◀		▶ <u>M57</u> — ◀	▶ <u>M74</u> 0,3 ◀
0212000	(b) <i>Tropical root and tuber vegetables</i>	▶ <u>M56</u> 0,05 (*) ◀	▶ <u>M49</u> — ◀	▶ <u>M63</u> 2 (*) ◀		▶ <u>M57</u> — ◀	▶ <u>M74</u> 0,1 (*) ◀
0212010	Cassava		▶ <u>M49</u> — ◀			▶ <u>M57</u> — ◀	
0212020	Sweet potatoes		▶ <u>M49</u> — ◀			▶ <u>M57</u> — ◀	
0212030	Yams		▶ <u>M49</u> — ◀			▶ <u>M57</u> — ◀	
0212040	Arrowroot		▶ <u>M49</u> — ◀			▶ <u>M57</u> — ◀	
0212990	Others		▶ <u>M49</u> — ◀			▶ <u>M57</u> — ◀	

▼ M2

(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
					▶ <u>M56</u> 0,05 (*) ◀ ▶ <u>M56</u> 0,2 ◀ ▶ <u>M56</u> 0,05 (*) ◀ ▶ <u>M56</u> 1 ◀ ▶ <u>M56</u> 0,05 (*) ◀ ▶ <u>M56</u> 0,05 (*) ◀ ▶ <u>M56</u> 0,05 (*) ◀ ▶ <u>M56</u> 0,05 (*) ◀ ▶ <u>M56</u> 0,05 (*) ◀ ▶ <u>M56</u> 0,05 (*) ◀		
					▶ <u>M56</u> 0,05 (*) ◀		
0,1 (*)				0,05 (*)			
					▶ <u>M56</u> 0,5 ◀		
	0,1	▶ <u>M30</u> 0,05 (*) ◀	0,05 (*)		▶ <u>M11</u> — ◀	0,02 (*)	0,1 (*)
	0,2	▶ <u>M30</u> 0,5 ◀	0,1		▶ <u>M11</u> — ◀	0,02 (*)	0,5



▼ M2

(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)
		▶ <u>M71</u> — ◀ ▶ <u>M71</u> — ◀ ▶ <u>M71</u> — ◀ ▶ <u>M71</u> — ◀ ▶ <u>M71</u> — ◀ ▶ <u>M71</u> — ◀ ▶ <u>M71</u> — ◀ ▶ <u>M71</u> — ◀ ▶ <u>M71</u> — ◀ ▶ <u>M71</u> — ◀			▶ <u>M71</u> — ◀ ▶ <u>M71</u> — ◀ ▶ <u>M71</u> — ◀ ▶ <u>M71</u> — ◀ ▶ <u>M71</u> — ◀ ▶ <u>M71</u> — ◀ ▶ <u>M71</u> — ◀ ▶ <u>M71</u> — ◀ ▶ <u>M71</u> — ◀ ▶ <u>M71</u> — ◀	▶ <u>M42</u> — ◀ ▶ <u>M42</u> — ◀ ▶ <u>M42</u> — ◀ ▶ <u>M42</u> — ◀ ▶ <u>M42</u> — ◀ ▶ <u>M42</u> — ◀ ▶ <u>M42</u> — ◀ ▶ <u>M42</u> — ◀ ▶ <u>M42</u> — ◀ ▶ <u>M42</u> — ◀	
		▶ <u>M71</u> — ◀			▶ <u>M71</u> — ◀	▶ <u>M42</u> — ◀	
		▶ <u>M71</u> — ◀			▶ <u>M71</u> — ◀	▶ <u>M42</u> — ◀	
	▶ <u>M47</u> 0,05 (*) ◀	▶ <u>M71</u> — ◀			▶ <u>M71</u> — ◀	▶ <u>M42</u> — ◀	▶ <u>M16</u> 0,01 (*) ◀
▶ <u>M5</u> 0,05 ◀		▶ <u>M71</u> — ◀		0,1 (*)	▶ <u>M71</u> — ◀	▶ <u>M42</u> — ◀	0,1 (*)
▶ <u>M5</u> 0,02 (*) ◀		▶ <u>M71</u> — ◀			▶ <u>M71</u> — ◀	▶ <u>M42</u> — ◀	0,2
		▶ <u>M71</u> — ◀ ▶ <u>M71</u> — ◀ ▶ <u>M71</u> — ◀ ▶ <u>M71</u> — ◀		0,1 (*) 0,1 (*) 0,1 (*) 0,2	▶ <u>M71</u> — ◀ ▶ <u>M71</u> — ◀ ▶ <u>M71</u> — ◀ ▶ <u>M71</u> — ◀	▶ <u>M42</u> — ◀ ▶ <u>M42</u> — ◀ ▶ <u>M42</u> — ◀ ▶ <u>M42</u> — ◀	
		▶ <u>M71</u> — ◀		0,2	▶ <u>M71</u> — ◀	▶ <u>M42</u> — ◀	

▼ M2

(25)	(26)	(27)	(28)	(29)	(30)	(31)
▶ <u>M5</u> 0,1 (*) ◀					▶ <u>M32</u> — ◀	
▶ <u>M5</u> 0,1 (*) ◀					▶ <u>M32</u> — ◀	
▶ <u>M5</u> 0,2 ◀					▶ <u>M32</u> — ◀	
▶ <u>M5</u> 0,2 ◀					▶ <u>M32</u> — ◀	
▶ <u>M5</u> 0,2 ◀					▶ <u>M32</u> — ◀	
▶ <u>M5</u> 0,2 ◀					▶ <u>M32</u> — ◀	
▶ <u>M5</u> 0,1 (*) ◀					▶ <u>M32</u> — ◀	
▶ <u>M5</u> 0,2 ◀					▶ <u>M32</u> — ◀	
▶ <u>M5</u> 0,2 ◀					▶ <u>M32</u> — ◀	
▶ <u>M5</u> 0,2 ◀					▶ <u>M32</u> — ◀	
▶ <u>M5</u> 0,2 ◀					▶ <u>M32</u> — ◀	
▶ <u>M5</u> 0,2 ◀					▶ <u>M32</u> — ◀	
▶ <u>M5</u> 0,2 ◀					▶ <u>M32</u> — ◀	
		0,01 (*)	▶ <u>M39</u> — ◀		▶ <u>M32</u> — ◀	
▶ <u>M5</u> 0,1 (*) ◀	▶ <u>M32</u> 0,02 (*) ◀		▶ <u>M39</u> 0,05 (*) ◀		▶ <u>M32</u> — ◀	
				0,1 (*)	▶ <u>M32</u> — ◀	0,1
					▶ <u>M32</u> — ◀	0,05 (*)
				0,2	▶ <u>M32</u> — ◀	
				0,1 (*)	▶ <u>M32</u> — ◀	
				0,1 (*)	▶ <u>M32</u> — ◀	
				0,1 (*)	▶ <u>M32</u> — ◀	
				0,1 (*)	▶ <u>M32</u> — ◀	

## ▼ M2

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)
0213000	(c) <i>Other root and tuber vegetables except sugar beet</i>		► <u>M49</u> — ◀	► <u>M11</u> — ◀		► <u>M57</u> — ◀	► <u>M74</u> 0,1 (*) ◀
0213010	Beetroot	► <u>M56</u> 0,05 (*) ◀	► <u>M49</u> — ◀	► <u>M63</u> 2 (*) ◀		► <u>M57</u> — ◀	
0213020	Carrots	► <u>M56</u> 0,2 ◀	► <u>M49</u> — ◀	► <u>M63</u> 2 (*) ◀		► <u>M57</u> — ◀	
0213030	Celeriac	► <u>M56</u> 0,05 (*) ◀	► <u>M49</u> — ◀	► <u>M63</u> 2 (*) ◀		► <u>M57</u> — ◀	
0213040	Horseradish	► <u>M56</u> 0,05 (*) ◀	► <u>M49</u> — ◀	► <u>M63</u> 2 (*) ◀		► <u>M57</u> — ◀	
0213050	Jerusalem artichokes	► <u>M56</u> 0,05 (*) ◀	► <u>M49</u> — ◀	► <u>M63</u> 2 (*) ◀		► <u>M57</u> — ◀	
0213060	Parsnips	► <u>M56</u> 0,05 (*) ◀	► <u>M49</u> — ◀	► <u>M63</u> 2 (*) ◀		► <u>M57</u> — ◀	
0213070	Parsley root	► <u>M56</u> 0,05 (*) ◀	► <u>M49</u> — ◀	► <u>M63</u> 2 (*) ◀		► <u>M57</u> — ◀	
0213080	Radishes	► <u>M56</u> 0,05 (*) ◀	► <u>M49</u> — ◀	► <u>M63</u> 25 ◀		► <u>M57</u> — ◀	
0213090	Salsify	► <u>M56</u> 0,05 (*) ◀	► <u>M49</u> — ◀	► <u>M63</u> 2 (*) ◀		► <u>M57</u> — ◀	
0213100	Swedes	► <u>M56</u> 0,05 (*) ◀	► <u>M49</u> — ◀	► <u>M63</u> 2 (*) ◀		► <u>M57</u> — ◀	
0213110	Turnips	► <u>M56</u> 0,05 (*) ◀	► <u>M49</u> — ◀	► <u>M63</u> 2 (*) ◀		► <u>M57</u> — ◀	
0213990	Others	► <u>M56</u> 0,05 (*) ◀	► <u>M49</u> — ◀	► <u>M63</u> 2 (*) ◀		► <u>M57</u> — ◀	
0220000	(ii) <b>Bulb vegetables</b>	► <u>M56</u> 0,05 (*) ◀	► <u>M49</u> — ◀			► <u>M57</u> — ◀	► <u>M74</u> 0,1 (*) ◀
0220010	Garlic		► <u>M49</u> — ◀	► <u>M63</u> 50 (+) ◀		► <u>M57</u> — ◀	
0220020	Onions		► <u>M49</u> — ◀	► <u>M63</u> 50 ◀		► <u>M57</u> — ◀	
0220030	Shallots		► <u>M49</u> — ◀	► <u>M63</u> 2 (*) ◀		► <u>M57</u> — ◀	
0220040	Spring onions		► <u>M49</u> — ◀	► <u>M63</u> 30 ◀		► <u>M57</u> — ◀	
0220990	Others		► <u>M49</u> — ◀	► <u>M63</u> 2 (*) ◀		► <u>M57</u> — ◀	
0230000	(iii) <b>Fruiting vegetables</b>		► <u>M49</u> — ◀			► <u>M57</u> — ◀	► <u>M74</u> 0,1 (*) ◀
0231000	(a) <i>Solanacea</i>		► <u>M49</u> — ◀			► <u>M57</u> — ◀	

▼ M2

(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
		► <u>M30</u> 0,5 ◀	0,05 (*)		► <u>M11</u> — ◀		0,1 (*)
	0,05					0,02 (*)	
	0,1					0,05	
	0,05					0,02 (*)	
	0,05					0,05	
	0,05					0,02 (*)	
	0,05					0,05	
	0,1					0,05	
	0,05					0,02 (*)	
	0,05 (*)					0,02 (*)	
	0,05					0,02 (*)	
	0,05					0,02 (*)	
	0,05					0,02 (*)	
		► <u>M30</u> 0,5 ◀	0,05 (*)			0,02 (*)	0,1 (*)
	0,05				► <u>M56</u> 0,05 (*) ◀		
	0,2				► <u>M56</u> 0,1 ◀		
	0,05				► <u>M56</u> 0,05 (*) ◀		
	0,2				► <u>M56</u> 0,2 ◀		
	0,05				► <u>M56</u> 0,05 (*) ◀		
		► <u>M30</u> 0,5 ◀					0,1 (*)
	0,05					0,02 (*)	

▼ M2

(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)
► <u>M5</u> 0,02 (*) ◄		► <u>M71</u> — ◄			► <u>M71</u> — ◄	► <u>M42</u> — ◄	0,2
		► <u>M71</u> — ◄		0,2	► <u>M71</u> — ◄	► <u>M42</u> — ◄	
		► <u>M71</u> — ◄		0,1 (*)	► <u>M71</u> — ◄	► <u>M42</u> — ◄	
		► <u>M71</u> — ◄		0,1 (*)	► <u>M71</u> — ◄	► <u>M42</u> — ◄	
		► <u>M71</u> — ◄		0,1 (*)	► <u>M71</u> — ◄	► <u>M42</u> — ◄	
		► <u>M71</u> — ◄		0,1 (*)	► <u>M71</u> — ◄	► <u>M42</u> — ◄	
		► <u>M71</u> — ◄		0,1 (*)	► <u>M71</u> — ◄	► <u>M42</u> — ◄	
		► <u>M71</u> — ◄		0,1 (*)	► <u>M71</u> — ◄	► <u>M42</u> — ◄	
		► <u>M71</u> — ◄		0,1 (*)	► <u>M71</u> — ◄	► <u>M42</u> — ◄	
		► <u>M71</u> — ◄		0,1 (*)	► <u>M71</u> — ◄	► <u>M42</u> — ◄	
		► <u>M71</u> — ◄		0,1 (*)	► <u>M71</u> — ◄	► <u>M42</u> — ◄	
		► <u>M71</u> — ◄		0,1 (*)	► <u>M71</u> — ◄	► <u>M42</u> — ◄	
		► <u>M71</u> — ◄		0,1 (*)	► <u>M71</u> — ◄	► <u>M42</u> — ◄	
		► <u>M71</u> — ◄		0,1 (*)	► <u>M71</u> — ◄	► <u>M42</u> — ◄	
		► <u>M71</u> — ◄		0,1 (*)	► <u>M71</u> — ◄	► <u>M42</u> — ◄	
		► <u>M71</u> — ◄		0,1 (*)	► <u>M71</u> — ◄	► <u>M42</u> — ◄	
		► <u>M71</u> — ◄		0,1 (*)	► <u>M71</u> — ◄	► <u>M42</u> — ◄	
		► <u>M71</u> — ◄		0,1 (*)	► <u>M71</u> — ◄	► <u>M42</u> — ◄	
		► <u>M71</u> — ◄		0,1 (*)	► <u>M71</u> — ◄	► <u>M42</u> — ◄	
		► <u>M71</u> — ◄		0,1 (*)	► <u>M71</u> — ◄	► <u>M42</u> — ◄	
		► <u>M71</u> — ◄		0,1 (*)	► <u>M71</u> — ◄	► <u>M42</u> — ◄	
► <u>M5</u> 0,02 (*) ◄		► <u>M71</u> — ◄		0,1 (*)	► <u>M71</u> — ◄	► <u>M42</u> — ◄	► <u>M16</u> 0,02 (*) ◄
	► <u>M47</u> 0,1 ◄	► <u>M71</u> — ◄			► <u>M71</u> — ◄	► <u>M42</u> — ◄	
	► <u>M47</u> 0,05 (*) ◄	► <u>M71</u> — ◄			► <u>M71</u> — ◄	► <u>M42</u> — ◄	
	► <u>M47</u> 0,05 (*) ◄	► <u>M71</u> — ◄			► <u>M71</u> — ◄	► <u>M42</u> — ◄	
	► <u>M47</u> 0,05 (*) ◄	► <u>M71</u> — ◄			► <u>M71</u> — ◄	► <u>M42</u> — ◄	
	► <u>M47</u> 0,05 (*) ◄	► <u>M71</u> — ◄			► <u>M71</u> — ◄	► <u>M42</u> — ◄	
	► <u>M47</u> 0,05 (*) ◄	► <u>M71</u> — ◄			► <u>M71</u> — ◄	► <u>M42</u> — ◄	
	► <u>M47</u> 0,05 (*) ◄	► <u>M71</u> — ◄			► <u>M71</u> — ◄	► <u>M42</u> — ◄	
	► <u>M47</u> 0,05 (*) ◄	► <u>M71</u> — ◄			► <u>M71</u> — ◄	► <u>M42</u> — ◄	
	► <u>M47</u> 0,05 (*) ◄	► <u>M71</u> — ◄			► <u>M71</u> — ◄	► <u>M42</u> — ◄	
	► <u>M47</u> 0,05 (*) ◄	► <u>M71</u> — ◄		0,1 (*)	► <u>M71</u> — ◄	► <u>M42</u> — ◄	► <u>M16</u> 0,01 (*) ◄
		► <u>M71</u> — ◄			► <u>M71</u> — ◄	► <u>M42</u> — ◄	

▼ M2

(25)	(26)	(27)	(28)	(29)	(30)	(31)
				0,1 (*)	► <u>M32</u> — ◀	0,05 (*)
					► <u>M32</u> — ◀ ► <u>M32</u> — ◀ ► <u>M32</u> — ◀ ► <u>M32</u> — ◀ ► <u>M32</u> — ◀  ► <u>M32</u> — ◀ ► <u>M32</u> — ◀ ► <u>M32</u> — ◀ ► <u>M32</u> — ◀ ► <u>M32</u> — ◀ ► <u>M32</u> — ◀	
					► <u>M32</u> — ◀	
	► <u>M32</u> 0,05 (*) ◀		► <u>M39</u> 0,05 (*) ◀	0,1 (*)	► <u>M32</u> — ◀	0,05 (*)
► <u>M5</u> 0,5 ◀ ► <u>M5</u> 0,1 (*) ◀ ► <u>M5</u> 0,5 ◀ ► <u>M5</u> 0,5 ◀					► <u>M32</u> — ◀ ► <u>M32</u> — ◀ ► <u>M32</u> — ◀ ► <u>M32</u> — ◀	
► <u>M5</u> 0,5 ◀					► <u>M32</u> — ◀	
	► <u>M32</u> 0,02 (*) ◀			0,1 (*)	► <u>M32</u> — ◀	
					► <u>M32</u> — ◀	

▼ **M2**

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)
0231010	Tomatoes	▶ <b>M56</b> 0,3 ◀	▶ <b>M49</b> — ◀	▶ <b>M63</b> 100 ◀		▶ <b>M57</b> — ◀	
0231020	Peppers	▶ <b>M56</b> 1 ◀	▶ <b>M49</b> — ◀	▶ <b>M63</b> 130 ◀		▶ <b>M57</b> — ◀	
0231030	Aubergines (egg plants)	▶ <b>M56</b> 0,3 ◀	▶ <b>M49</b> — ◀	▶ <b>M63</b> 100 ◀		▶ <b>M57</b> — ◀	
0231040	Okra, lady's fingers	▶ <b>M56</b> 0,05 (*) ◀	▶ <b>M49</b> — ◀	▶ <b>M63</b> 2 (*) ◀		▶ <b>M57</b> — ◀	
0231990	Others	▶ <b>M56</b> 0,05 (*) ◀	▶ <b>M49</b> — ◀	▶ <b>M63</b> 2 (*) ◀		▶ <b>M57</b> — ◀	
0232000	(b) <i>Cucurbits — edible peel</i>	▶ <b>M56</b> 0,05 (*) ◀	▶ <b>M49</b> — ◀	▶ <b>M63</b> 75 ◀		▶ <b>M57</b> — ◀	
0232010	Cucumbers		▶ <b>M49</b> — ◀			▶ <b>M57</b> — ◀	
0232020	Gherkins		▶ <b>M49</b> — ◀			▶ <b>M57</b> — ◀	
0232030	Courgettes		▶ <b>M49</b> — ◀			▶ <b>M57</b> — ◀	
0232990	Others		▶ <b>M49</b> — ◀			▶ <b>M57</b> — ◀	
0233000	(c) <i>Cucurbits- inedible peel</i>	▶ <b>M56</b> 0,3 ◀	▶ <b>M49</b> — ◀	▶ <b>M63</b> 75 ◀		▶ <b>M57</b> — ◀	
0233010	Melons		▶ <b>M49</b> — ◀			▶ <b>M57</b> — ◀	
0233020	Pumpkins		▶ <b>M49</b> — ◀			▶ <b>M57</b> — ◀	
0233030	Watermelons		▶ <b>M49</b> — ◀			▶ <b>M57</b> — ◀	
0233990	Others		▶ <b>M49</b> — ◀			▶ <b>M57</b> — ◀	
0234000	(d) <i>Sweet corn</i>	▶ <b>M56</b> 0,05 (*) ◀	▶ <b>M49</b> — ◀	▶ <b>M63</b> 5 ◀		▶ <b>M57</b> — ◀	
0239000	(e) <i>Other fruiting vegetables</i>	▶ <b>M56</b> 0,05 (*) ◀	▶ <b>M49</b> — ◀	▶ <b>M63</b> 5 ◀		▶ <b>M57</b> — ◀	
0240000	(iv) <b>Brassica vegetables</b>	▶ <b>M56</b> 0,05 (*) ◀	▶ <b>M49</b> — ◀	▶ <b>M63</b> 10 ◀		▶ <b>M57</b> — ◀	
0241000	(a) <i>Flowering brassica</i>		▶ <b>M49</b> — ◀			▶ <b>M57</b> — ◀	▶ <b>M74</b> 0,1 (*) ◀
0241010	Broccoli		▶ <b>M49</b> — ◀			▶ <b>M57</b> — ◀	
0241020	Cauliflower		▶ <b>M49</b> — ◀			▶ <b>M57</b> — ◀	

▼ M2

(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
			1 0,05 (*) 0,05 (*) 0,05 (*)		► <u>M56</u> 0,5 ◀ ► <u>M56</u> 1 ◀ ► <u>M56</u> 0,5 ◀ ► <u>M56</u> 0,5 ◀		
			0,05 (*)		► <u>M56</u> 0,5 ◀		
	0,05		0,05 (*)			0,05	
					► <u>M56</u> 1 ◀ ► <u>M56</u> 0,5 ◀ ► <u>M56</u> 1 ◀		
					► <u>M56</u> 0,5 ◀		
			0,05 (*)			0,05	
	0,1 0,05 0,05				► <u>M56</u> 0,5 ◀ ► <u>M56</u> 1 ◀ ► <u>M56</u> 0,2 ◀		
	0,05				► <u>M56</u> 0,1 ◀		
	0,05		0,05 (*)		► <u>M56</u> 0,1 ◀	0,02 (*)	
	0,05		0,05 (*)		► <u>M56</u> 0,1 ◀	0,02 (*)	
	0,05		0,05 (*)			0,02 (*)	0,1 (*)
		► <u>M30</u> 0,5 ◀ ► <u>M30</u> 2 ◀			► <u>M56</u> 0,5 ◀ ► <u>M56</u> 0,5 ◀		



▼ M2

(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)
▶ <u>M5</u> 0,5 ◀ ▶ <u>M5</u> 1 ◀ ▶ <u>M5</u> 0,2 ◀ ▶ <u>M5</u> 0,02 (*) ◀		▶ <u>M71</u> — ◀ ▶ <u>M71</u> — ◀ ▶ <u>M71</u> — ◀ ▶ <u>M71</u> — ◀			▶ <u>M71</u> — ◀ ▶ <u>M71</u> — ◀ ▶ <u>M71</u> — ◀ ▶ <u>M71</u> — ◀	▶ <u>M42</u> — ◀ ▶ <u>M42</u> — ◀ ▶ <u>M42</u> — ◀ ▶ <u>M42</u> — ◀	
▶ <u>M5</u> 0,02 (*) ◀		▶ <u>M71</u> — ◀			▶ <u>M71</u> — ◀	▶ <u>M42</u> — ◀	
▶ <u>M5</u> 0,2 ◀		▶ <u>M71</u> — ◀			▶ <u>M71</u> — ◀	▶ <u>M42</u> — ◀	
		▶ <u>M71</u> — ◀ ▶ <u>M71</u> — ◀ ▶ <u>M71</u> — ◀			▶ <u>M71</u> — ◀ ▶ <u>M71</u> — ◀ ▶ <u>M71</u> — ◀	▶ <u>M42</u> — ◀ ▶ <u>M42</u> — ◀ ▶ <u>M42</u> — ◀	
		▶ <u>M71</u> — ◀			▶ <u>M71</u> — ◀	▶ <u>M42</u> — ◀	
▶ <u>M5</u> — ◀		▶ <u>M71</u> — ◀			▶ <u>M71</u> — ◀	▶ <u>M42</u> — ◀	
▶ <u>M5</u> 0,3 ◀ ▶ <u>M5</u> 0,2 ◀ ▶ <u>M5</u> 0,3 ◀		▶ <u>M71</u> — ◀ ▶ <u>M71</u> — ◀ ▶ <u>M71</u> — ◀			▶ <u>M71</u> — ◀ ▶ <u>M71</u> — ◀ ▶ <u>M71</u> — ◀	▶ <u>M42</u> — ◀ ▶ <u>M42</u> — ◀ ▶ <u>M42</u> — ◀	
▶ <u>M5</u> 0,2 ◀		▶ <u>M71</u> — ◀			▶ <u>M71</u> — ◀	▶ <u>M42</u> — ◀	
▶ <u>M5</u> 0,05 ◀		▶ <u>M71</u> — ◀			▶ <u>M71</u> — ◀	▶ <u>M42</u> — ◀	
▶ <u>M5</u> 0,02 (*) ◀		▶ <u>M71</u> — ◀			▶ <u>M71</u> — ◀	▶ <u>M42</u> — ◀	
	▶ <u>M47</u> 0,05 (*) ◀	▶ <u>M71</u> — ◀		0,1 (*)	▶ <u>M71</u> — ◀	▶ <u>M42</u> — ◀	▶ <u>M16</u> 0,01 (*) ◀
▶ <u>M5</u> 0,2 ◀		▶ <u>M71</u> — ◀			▶ <u>M71</u> — ◀	▶ <u>M42</u> — ◀	
		▶ <u>M71</u> — ◀ ▶ <u>M71</u> — ◀			▶ <u>M71</u> — ◀ ▶ <u>M71</u> — ◀	▶ <u>M42</u> — ◀ ▶ <u>M42</u> — ◀	

▼ M2

(25)	(26)	(27)	(28)	(29)	(30)	(31)
▶ <u>M5</u> 0,2 ◀			▶ <u>M39</u> 0,4 ◀		▶ <u>M32</u> — ◀	0,1
▶ <u>M5</u> 0,2 ◀			▶ <u>M39</u> 2 ◀		▶ <u>M32</u> — ◀	0,1
▶ <u>M5</u> 0,1 (*) ◀			▶ <u>M39</u> 0,4 ◀		▶ <u>M32</u> — ◀	0,1
▶ <u>M5</u> 0,1 (*) ◀			▶ <u>M39</u> 0,05 (*) ◀		▶ <u>M32</u> — ◀	0,05 (*)
▶ <u>M5</u> 0,1 (*) ◀			▶ <u>M39</u> 0,05 (*) ◀		▶ <u>M32</u> — ◀	0,05 (*)
			▶ <u>M39</u> 0,15 ◀		▶ <u>M32</u> — ◀	0,05 (*)
▶ <u>M5</u> 0,2 ◀					▶ <u>M32</u> — ◀	
▶ <u>M5</u> 0,2 ◀					▶ <u>M32</u> — ◀	
▶ <u>M5</u> 0,5 ◀					▶ <u>M32</u> — ◀	
▶ <u>M5</u> 0,2 ◀					▶ <u>M32</u> — ◀	
			▶ <u>M39</u> 0,1 ◀		▶ <u>M32</u> — ◀	0,05 (*)
▶ <u>M5</u> 0,5 ◀					▶ <u>M32</u> — ◀	
▶ <u>M5</u> 0,2 ◀					▶ <u>M32</u> — ◀	
▶ <u>M5</u> 0,2 ◀					▶ <u>M32</u> — ◀	
▶ <u>M5</u> 0,2 ◀					▶ <u>M32</u> — ◀	
▶ <u>M5</u> 0,1 (*) ◀			▶ <u>M39</u> 0,05 (*) ◀		▶ <u>M32</u> — ◀	0,05 (*)
▶ <u>M5</u> 0,1 (*) ◀			▶ <u>M39</u> 0,05 (*) ◀		▶ <u>M32</u> — ◀	0,05 (*)
▶ <u>M5</u> 0,1 (*) ◀	▶ <u>M32</u> 0,02 (*) ◀		▶ <u>M39</u> 0,05 (*) ◀	0,1 (*)	▶ <u>M32</u> — ◀	
					▶ <u>M32</u> — ◀	
					▶ <u>M32</u> — ◀	0,05 (*)
					▶ <u>M32</u> — ◀	0,1

▼ **M2**

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)
0241990	Others		▶ <u>M49</u> — ◀			▶ <u>M57</u> — ◀	
0242000	(b) <i>Head brassica</i>		▶ <u>M49</u> — ◀			▶ <u>M57</u> — ◀	
0242010	Brussels sprouts		▶ <u>M49</u> — ◀			▶ <u>M57</u> — ◀	▶ <u>M74</u> 0,5 ◀
0242020	Head cabbage		▶ <u>M49</u> — ◀			▶ <u>M57</u> — ◀	▶ <u>M74</u> 0,1 (*) ◀
0242990	Others		▶ <u>M49</u> — ◀			▶ <u>M57</u> — ◀	▶ <u>M74</u> 0,5 ◀
0243000	(c) <i>Leafy brassica</i>		▶ <u>M49</u> — ◀			▶ <u>M57</u> — ◀	
0243010	Chinese cabbage		▶ <u>M49</u> — ◀			▶ <u>M57</u> — ◀	▶ <u>M74</u> 0,5 ◀
0243020	Kale		▶ <u>M49</u> — ◀			▶ <u>M57</u> — ◀	▶ <u>M74</u> 0,1 (*) ◀
0243990	Others		▶ <u>M49</u> — ◀			▶ <u>M57</u> — ◀	▶ <u>M74</u> 0,5 ◀
0244000	(d) <i>Kohlrabi</i>		▶ <u>M49</u> — ◀			▶ <u>M57</u> — ◀	▶ <u>M74</u> 0,1 (*) ◀
0250000	(v) <b>Leaf vegetables &amp; fresh herbs</b>	▶ <u>M56</u> 0,05 (*) ◀	▶ <u>M49</u> — ◀			▶ <u>M57</u> — ◀	
0251000	(a) <i>Lettuce and other salad plants including Brassicacea</i>		▶ <u>M49</u> — ◀	▶ <u>M63</u> 75 ◀		▶ <u>M57</u> — ◀	
0251010	Lamb's lettuce		▶ <u>M49</u> — ◀			▶ <u>M57</u> — ◀	▶ <u>M74</u> 0,5 ◀
0251020	Lettuce		▶ <u>M49</u> — ◀			▶ <u>M57</u> — ◀	▶ <u>M74</u> 0,5 ◀
0251030	Scarole (broad-leaf endive)		▶ <u>M49</u> — ◀			▶ <u>M57</u> — ◀	▶ <u>M74</u> 0,1 (*) ◀
0251040	Cress		▶ <u>M49</u> — ◀			▶ <u>M57</u> — ◀	▶ <u>M74</u> 0,1 (*) ◀
0251050	Land cress		▶ <u>M49</u> — ◀			▶ <u>M57</u> — ◀	▶ <u>M74</u> 0,1 (*) ◀
0251060	Rocket, Rucola		▶ <u>M49</u> — ◀			▶ <u>M57</u> — ◀	▶ <u>M74</u> 0,1 (*) ◀

▼ M2

(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
		▶ <u>M30</u> 1 ◀			▶ <u>M56</u> 0,3 ◀		
		▶ <u>M30</u> 5 ◀ ▶ <u>M30</u> 2 ◀			▶ <u>M56</u> 0,5 ◀ ▶ <u>M56</u> 0,5 ◀		
		▶ <u>M30</u> 3 ◀			▶ <u>M56</u> 0,3 ◀		
		▶ <u>M30</u> 0,5 ◀ ▶ <u>M30</u> 0,5 ◀			▶ <u>M56</u> 0,5 ◀ ▶ <u>M56</u> 0,3 ◀		
		▶ <u>M30</u> 1 ◀			▶ <u>M56</u> 0,3 ◀		
		▶ <u>M30</u> 1 ◀			▶ <u>M56</u> 0,3 ◀		
		▶ <u>M30</u> 0,5 ◀	0,05 (*)				0,1 (*)
						0,02 (*)	
	0,05 0,1 0,05 (*) 0,05 0,05 0,05				▶ <u>M56</u> 2 ◀ ▶ <u>M56</u> 2 ◀ ▶ <u>M56</u> 1 ◀ ▶ <u>M56</u> 2 ◀ ▶ <u>M56</u> 2 ◀ ▶ <u>M56</u> 2 ◀		

▼ M2

(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)
		▶ <u>M71</u> — ◀			▶ <u>M71</u> — ◀	▶ <u>M42</u> — ◀	
▶ <u>M5</u> 0,5 ◀		▶ <u>M71</u> — ◀			▶ <u>M71</u> — ◀	▶ <u>M42</u> — ◀	
		▶ <u>M71</u> — ◀ ▶ <u>M71</u> — ◀			▶ <u>M71</u> — ◀ ▶ <u>M71</u> — ◀	▶ <u>M42</u> — ◀ ▶ <u>M42</u> — ◀	
		▶ <u>M71</u> — ◀			▶ <u>M71</u> — ◀	▶ <u>M42</u> — ◀	
▶ <u>M5</u> 0,2 ◀		▶ <u>M71</u> — ◀			▶ <u>M71</u> — ◀	▶ <u>M42</u> — ◀	
		▶ <u>M71</u> — ◀ ▶ <u>M71</u> — ◀			▶ <u>M71</u> — ◀ ▶ <u>M71</u> — ◀	▶ <u>M42</u> — ◀ ▶ <u>M42</u> — ◀	
		▶ <u>M71</u> — ◀			▶ <u>M71</u> — ◀	▶ <u>M42</u> — ◀	
▶ <u>M5</u> 0,2 ◀		▶ <u>M71</u> — ◀			▶ <u>M71</u> — ◀	▶ <u>M42</u> — ◀	
	▶ <u>M47</u> 0,05 (*) ◀	▶ <u>M71</u> — ◀		0,1 (*)	▶ <u>M71</u> — ◀	▶ <u>M42</u> — ◀	▶ <u>M16</u> 0,01 (*) ◀
▶ <u>M5</u> — ◀		▶ <u>M71</u> — ◀			▶ <u>M71</u> — ◀	▶ <u>M42</u> — ◀	
▶ <u>M5</u> 0,02 (*) ◀ ▶ <u>M5</u> 0,5 ◀ ▶ <u>M5</u> 0,02 (*) ◀ ▶ <u>M5</u> 0,02 (*) ◀ ▶ <u>M5</u> 0,02 (*) ◀ ▶ <u>M5</u> 0,02 (*) ◀		▶ <u>M71</u> — ◀ ▶ <u>M71</u> — ◀ ▶ <u>M71</u> — ◀ ▶ <u>M71</u> — ◀ ▶ <u>M71</u> — ◀ ▶ <u>M71</u> — ◀			▶ <u>M71</u> — ◀ ▶ <u>M71</u> — ◀ ▶ <u>M71</u> — ◀ ▶ <u>M71</u> — ◀ ▶ <u>M71</u> — ◀ ▶ <u>M71</u> — ◀	▶ <u>M42</u> — ◀ ▶ <u>M42</u> — ◀ ▶ <u>M42</u> — ◀ ▶ <u>M42</u> — ◀ ▶ <u>M42</u> — ◀ ▶ <u>M42</u> — ◀	

▼ M2

(25)	(26)	(27)	(28)	(29)	(30)	(31)
					▶ <u>M32</u> — ◀	0,05 (*)
					▶ <u>M32</u> — ◀	
					▶ <u>M32</u> — ◀	0,1
					▶ <u>M32</u> — ◀	0,1
					▶ <u>M32</u> — ◀	0,05 (*)
					▶ <u>M32</u> — ◀	0,05 (*)
					▶ <u>M32</u> — ◀	
					▶ <u>M32</u> — ◀	
					▶ <u>M32</u> — ◀	0,05 (*)
	▶ <u>M32</u> — ◀		▶ <u>M39</u> 0,05 (*) ◀		▶ <u>M32</u> — ◀	
	▶ <u>M32</u> 0,02 (*) ◀				▶ <u>M32</u> — ◀	
▶ <u>M5</u> 1 ◀				0,1 (*)	▶ <u>M32</u> — ◀	0,2
▶ <u>M5</u> 1 ◀				0,1 (*)	▶ <u>M32</u> — ◀	0,05 (*)
▶ <u>M5</u> 0,1 (*) ◀				0,1 (*)	▶ <u>M32</u> — ◀	0,05 (*)
▶ <u>M5</u> 1 ◀				0,1 (*)	▶ <u>M32</u> — ◀	0,05 (*)
▶ <u>M5</u> 1 ◀				0,5	▶ <u>M32</u> — ◀	0,05 (*)
▶ <u>M5</u> 1 ◀				0,1 (*)	▶ <u>M32</u> — ◀	0,2

## ▼ M2

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)
0251070	Red mustard		► <u>M49</u> — ◄			► <u>M57</u> — ◄	► <u>M74</u> 0,1 (*) ◄
0251080	Leaves and sprouts of Brassica spp.		► <u>M49</u> — ◄			► <u>M57</u> — ◄	► <u>M74</u> 0,1 (*) ◄
0251990	Others		► <u>M49</u> — ◄			► <u>M57</u> — ◄	► <u>M74</u> 0,1 (*) ◄
0252000	(b) <i>Spinach</i> & similar (leaves)		► <u>M49</u> — ◄			► <u>M57</u> — ◄	
0252010	Spinach		► <u>M49</u> — ◄	► <u>M63</u> 75 ◄		► <u>M57</u> — ◄	► <u>M74</u> 0,5 ◄
0252020	Purslane		► <u>M49</u> — ◄	► <u>M63</u> 2 (*) ◄		► <u>M57</u> — ◄	► <u>M74</u> 0,1 (*) ◄
0252030	Beet leaves (chard)		► <u>M49</u> — ◄	► <u>M63</u> 15 ◄		► <u>M57</u> — ◄	► <u>M74</u> 0,1 (*) ◄
0252990	Others		► <u>M49</u> — ◄	► <u>M63</u> 2 (*) ◄		► <u>M57</u> — ◄	► <u>M74</u> 0,1 (*) ◄
0253000	(c) <i>Vine leaves</i> (grape leaves)		► <u>M49</u> — ◄	► <u>M63</u> 2 (*) ◄		► <u>M57</u> — ◄	► <u>M74</u> 0,1 (*) ◄
0254000	(d) <i>Water cress</i>		► <u>M49</u> — ◄	► <u>M63</u> 2 (*) ◄		► <u>M57</u> — ◄	► <u>M74</u> 0,1 (*) ◄
0255000	(e) <i>Witloof</i>		► <u>M49</u> — ◄	► <u>M63</u> 75 ◄		► <u>M57</u> — ◄	► <u>M74</u> 0,1 (*) ◄
0256000	(f) <i>Herbs</i>		► <u>M49</u> — ◄	► <u>M63</u> 75 ◄		► <u>M57</u> — ◄	► <u>M74</u> 0,1 (*) ◄
0256010	Chervil		► <u>M49</u> — ◄			► <u>M57</u> — ◄	
0256020	Chives		► <u>M49</u> — ◄			► <u>M57</u> — ◄	
0256030	Celery leaves		► <u>M49</u> — ◄			► <u>M57</u> — ◄	
0256040	Parsley		► <u>M49</u> — ◄			► <u>M57</u> — ◄	
0256050	Sage		► <u>M49</u> — ◄			► <u>M57</u> — ◄	
0256060	Rosemary		► <u>M49</u> — ◄			► <u>M57</u> — ◄	
0256070	Thyme		► <u>M49</u> — ◄			► <u>M57</u> — ◄	
0256080	Basil		► <u>M49</u> — ◄			► <u>M57</u> — ◄	

▼ M2

(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
	0,05 0,05				▶ <u>M56</u> 2 ◀ ▶ <u>M56</u> 2 ◀		
	0,05				▶ <u>M56</u> 2 ◀		
					▶ <u>M56</u> 0,05 (*) ◀	0,02 (*)	
	0,3 0,05 0,3						
	0,3						
	0,05				▶ <u>M56</u> 2 ◀	0,02 (*)	
	0,05				▶ <u>M56</u> 2 ◀	0,02 (*)	
	0,05				▶ <u>M56</u> 0,05 (*) ◀	0,02 (*)	
					▶ <u>M56</u> 2 ◀	0,05	
	0,3 0,3 0,3 0,3 0,3 0,3 0,3 0,05 (*) 0,3						



▼ M2

(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)
▶ <u>M5</u> 0,02 (*) ◀ ▶ <u>M5</u> 0,02 (*) ◀		▶ <u>M71</u> — ◀ ▶ <u>M71</u> — ◀			▶ <u>M71</u> — ◀ ▶ <u>M71</u> — ◀	▶ <u>M42</u> — ◀ ▶ <u>M42</u> — ◀	
▶ <u>M5</u> 0,02 (*) ◀		▶ <u>M71</u> — ◀			▶ <u>M71</u> — ◀	▶ <u>M42</u> — ◀	
▶ <u>M5</u> 0,02 (*) ◀		▶ <u>M71</u> — ◀			▶ <u>M71</u> — ◀	▶ <u>M42</u> — ◀	
		▶ <u>M71</u> — ◀ ▶ <u>M71</u> — ◀ ▶ <u>M71</u> — ◀			▶ <u>M71</u> — ◀ ▶ <u>M71</u> — ◀ ▶ <u>M71</u> — ◀	▶ <u>M42</u> — ◀ ▶ <u>M42</u> — ◀ ▶ <u>M42</u> — ◀	
		▶ <u>M71</u> — ◀			▶ <u>M71</u> — ◀	▶ <u>M42</u> — ◀	
▶ <u>M5</u> 0,02 (*) ◀		▶ <u>M71</u> — ◀			▶ <u>M71</u> — ◀	▶ <u>M42</u> — ◀	
▶ <u>M5</u> 0,02 (*) ◀		▶ <u>M71</u> — ◀			▶ <u>M71</u> — ◀	▶ <u>M42</u> — ◀	
▶ <u>M5</u> 0,02 (*) ◀		▶ <u>M71</u> — ◀			▶ <u>M71</u> — ◀	▶ <u>M42</u> — ◀	
▶ <u>M5</u> 0,05 ◀		▶ <u>M71</u> — ◀			▶ <u>M71</u> — ◀	▶ <u>M42</u> — ◀	
		▶ <u>M71</u> — ◀ ▶ <u>M71</u> — ◀ ▶ <u>M71</u> — ◀ ▶ <u>M71</u> — ◀ ▶ <u>M71</u> — ◀ ▶ <u>M71</u> — ◀ ▶ <u>M71</u> — ◀ ▶ <u>M71</u> — ◀			▶ <u>M71</u> — ◀ ▶ <u>M71</u> — ◀ ▶ <u>M71</u> — ◀ ▶ <u>M71</u> — ◀ ▶ <u>M71</u> — ◀ ▶ <u>M71</u> — ◀ ▶ <u>M71</u> — ◀ ▶ <u>M71</u> — ◀	▶ <u>M42</u> — ◀ ▶ <u>M42</u> — ◀ ▶ <u>M42</u> — ◀ ▶ <u>M42</u> — ◀ ▶ <u>M42</u> — ◀ ▶ <u>M42</u> — ◀ ▶ <u>M42</u> — ◀ ▶ <u>M42</u> — ◀	

▼ M2

(25)	(26)	(27)	(28)	(29)	(30)	(31)
▶ <u>M5</u> 1 ◀				0,1 (*)	▶ <u>M32</u> — ◀	0,05 (*)
▶ <u>M5</u> 1 ◀				0,1 (*)	▶ <u>M32</u> — ◀	0,05 (*)
▶ <u>M5</u> 1 ◀				0,5	▶ <u>M32</u> — ◀	0,05 (*)
	▶ <u>M32</u> 0,02 (*) ◀			0,1 (*)	▶ <u>M32</u> — ◀	0,05 (*)
▶ <u>M5</u> 0,1 (*) ◀					▶ <u>M32</u> — ◀	
▶ <u>M5</u> 0,2 ◀					▶ <u>M32</u> — ◀	
▶ <u>M5</u> 0,1 (*) ◀					▶ <u>M32</u> — ◀	
▶ <u>M5</u> 1 ◀					▶ <u>M32</u> — ◀	
▶ <u>M5</u> 1 ◀	▶ <u>M32</u> 0,02 (*) ◀			0,1 (*)	▶ <u>M32</u> — ◀	0,05 (*)
▶ <u>M5</u> 1 ◀	▶ <u>M32</u> 0,02 (*) ◀			0,1 (*)	▶ <u>M32</u> — ◀	0,05 (*)
▶ <u>M5</u> 0,1 (*) ◀	▶ <u>M32</u> 0,02 (*) ◀			0,1 (*)	▶ <u>M32</u> — ◀	0,05 (*)
▶ <u>M5</u> 1 ◀	▶ <u>M32</u> 0,05 (*) ◀			0,1 (*)	▶ <u>M32</u> — ◀	0,05 (*)
					▶ <u>M32</u> — ◀	
					▶ <u>M32</u> — ◀	
					▶ <u>M32</u> — ◀	
					▶ <u>M32</u> — ◀	
					▶ <u>M32</u> — ◀	
					▶ <u>M32</u> — ◀	
					▶ <u>M32</u> — ◀	
					▶ <u>M32</u> — ◀	

## ▼ M2

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)
0256090	Bay leaves (laurel)		► <u>M49</u> — ◀			► <u>M57</u> — ◀	
0256100	Tarragon		► <u>M49</u> — ◀			► <u>M57</u> — ◀	
0256990	Others		► <u>M49</u> — ◀			► <u>M57</u> — ◀	
0260000	(vi) <b>Legume vegetables (fresh)</b>		► <u>M49</u> — ◀	► <u>M63</u> — ◀		► <u>M57</u> — ◀	
0260010	Beans (with pods)	► <u>M56</u> 0,05 (*) ◀	► <u>M49</u> — ◀	► <u>M63</u> 75 (+) ◀		► <u>M57</u> — ◀	► <u>M74</u> 0,5 ◀
0260020	Beans (without pods)	► <u>M56</u> 0,05 (*) ◀	► <u>M49</u> — ◀	► <u>M63</u> 75 (+) ◀		► <u>M57</u> — ◀	► <u>M74</u> 2 ◀
0260030	Peas (with pods)	► <u>M56</u> 0,05 (*) ◀	► <u>M49</u> — ◀	► <u>M63</u> 75 (+) ◀		► <u>M57</u> — ◀	► <u>M74</u> 0,1 (*) ◀
0260040	Peas (without pods)	► <u>M56</u> 0,1 ◀	► <u>M49</u> — ◀	► <u>M63</u> 75 (+) ◀		► <u>M57</u> — ◀	► <u>M74</u> 0,1 (*) ◀
0260050	Lentils	► <u>M56</u> 0,05 (*) ◀	► <u>M49</u> — ◀	► <u>M63</u> 2 (*) ◀		► <u>M57</u> — ◀	► <u>M74</u> 0,1 (*) ◀
0260990	Others	► <u>M56</u> 0,05 (*) ◀	► <u>M49</u> — ◀	► <u>M63</u> 2 (*) ◀		► <u>M57</u> — ◀	► <u>M74</u> 0,1 (*) ◀
0270000	(vii) <b>Stem vegetables (fresh)</b>	► <u>M56</u> 0,05 (*) ◀	► <u>M49</u> — ◀			► <u>M57</u> — ◀	► <u>M56</u> — ◀
0270010	Asparagus		► <u>M49</u> — ◀	► <u>M63</u> 50 (+) ◀		► <u>M57</u> — ◀	► <u>M74</u> 0,4 ◀
0270020	Cardoons		► <u>M49</u> — ◀	► <u>M63</u> 2 (*) ◀		► <u>M57</u> — ◀	► <u>M74</u> 0,1 (*) ◀
0270030	Celery		► <u>M49</u> — ◀	► <u>M63</u> 2 (*) ◀		► <u>M57</u> — ◀	► <u>M74</u> 0,1 (*) ◀
0270040	Fennel		► <u>M49</u> — ◀	► <u>M63</u> 2 (*) ◀		► <u>M57</u> — ◀	► <u>M74</u> 0,1 (*) ◀
0270050	Globe artichokes		► <u>M49</u> — ◀	► <u>M63</u> 50 ◀		► <u>M57</u> — ◀	► <u>M74</u> 0,1 (*) ◀
0270060	Leek		► <u>M49</u> — ◀	► <u>M63</u> 30 ◀		► <u>M57</u> — ◀	► <u>M74</u> 0,1 (*) ◀
0270070	Rhubarb		► <u>M49</u> — ◀	► <u>M63</u> 2 (*) ◀		► <u>M57</u> — ◀	► <u>M74</u> 0,1 (*) ◀
0270080	Bamboo shoots		► <u>M49</u> — ◀	► <u>M63</u> 2 (*) ◀		► <u>M57</u> — ◀	► <u>M74</u> 0,1 (*) ◀
0270090	Palm hearts		► <u>M49</u> — ◀	► <u>M63</u> 2 (*) ◀		► <u>M57</u> — ◀	► <u>M74</u> 0,1 (*) ◀
0270990	Others		► <u>M49</u> — ◀	► <u>M63</u> 2 (*) ◀		► <u>M57</u> — ◀	► <u>M74</u> 0,1 (*) ◀

▼ M2

(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
	0,3						
	0,3						
	0,05 (*)						
		► <u>M30</u> 0,5 ◀	0,05 (*)				0,1 (*)
	0,1				► <u>M56</u> 2 ◀	0,02 (*)	
	0,1				► <u>M56</u> 2 ◀	0,02 (*)	
	0,1				► <u>M56</u> 5 ◀	0,02 (*)	
	0,1				► <u>M56</u> 2 ◀	0,05	
	0,05				► <u>M56</u> 0,05 (*) ◀	0,02 (*)	
	0,05				► <u>M56</u> 0,05 (*) ◀	0,02 (*)	
		► <u>M30</u> 0,5 ◀	0,05 (*)				0,1 (*)
	0,1				► <u>M56</u> 0,05 (*) ◀	0,05	
	0,05				► <u>M56</u> 0,5 ◀	0,02 (*)	
	0,05				► <u>M56</u> 2 ◀	0,02 (*)	
	0,1				► <u>M56</u> 0,05 (*) ◀	0,02 (*)	
	0,1				► <u>M56</u> 0,5 ◀	0,02 (*)	
	0,1				► <u>M56</u> 0,05 (*) ◀	0,02 (*)	
	0,05				► <u>M56</u> 0,05 (*) ◀	0,02 (*)	
	0,05				► <u>M56</u> 0,05 (*) ◀	0,02 (*)	
	0,05				► <u>M56</u> 0,05 (*) ◀	0,02 (*)	
	0,05				► <u>M56</u> 0,05 (*) ◀	0,02 (*)	

▼ M2

(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)
		▶ <u>M71</u> — ◀			▶ <u>M71</u> — ◀	▶ <u>M42</u> — ◀	
		▶ <u>M71</u> — ◀			▶ <u>M71</u> — ◀	▶ <u>M42</u> — ◀	
		▶ <u>M71</u> — ◀			▶ <u>M71</u> — ◀	▶ <u>M42</u> — ◀	
▶ <u>M5</u> 0,02 (*) ◀	▶ <u>M47</u> 0,05 (*) ◀	▶ <u>M71</u> — ◀		0,1 (*)	▶ <u>M71</u> — ◀	▶ <u>M42</u> — ◀	▶ <u>M16</u> 0,01 (*) ◀
		▶ <u>M71</u> — ◀			▶ <u>M71</u> — ◀	▶ <u>M42</u> — ◀	
		▶ <u>M71</u> — ◀			▶ <u>M71</u> — ◀	▶ <u>M42</u> — ◀	
		▶ <u>M71</u> — ◀			▶ <u>M71</u> — ◀	▶ <u>M42</u> — ◀	
		▶ <u>M71</u> — ◀			▶ <u>M71</u> — ◀	▶ <u>M42</u> — ◀	
		▶ <u>M71</u> — ◀			▶ <u>M71</u> — ◀	▶ <u>M42</u> — ◀	
		▶ <u>M71</u> — ◀			▶ <u>M71</u> — ◀	▶ <u>M42</u> — ◀	
		▶ <u>M71</u> — ◀			▶ <u>M71</u> — ◀	▶ <u>M42</u> — ◀	
	▶ <u>M47</u> 0,05 (*) ◀	▶ <u>M71</u> — ◀			▶ <u>M71</u> — ◀	▶ <u>M42</u> — ◀	▶ <u>M16</u> 0,01 (*) ◀
▶ <u>M5</u> 0,02 (*) ◀		▶ <u>M71</u> — ◀		0,1 (*)	▶ <u>M71</u> — ◀	▶ <u>M42</u> — ◀	
▶ <u>M5</u> 0,02 (*) ◀		▶ <u>M71</u> — ◀		1	▶ <u>M71</u> — ◀	▶ <u>M42</u> — ◀	
▶ <u>M5</u> 0,02 (*) ◀		▶ <u>M71</u> — ◀		1	▶ <u>M71</u> — ◀	▶ <u>M42</u> — ◀	
▶ <u>M5</u> 0,02 (*) ◀		▶ <u>M71</u> — ◀		0,1 (*)	▶ <u>M71</u> — ◀	▶ <u>M42</u> — ◀	
▶ <u>M5</u> 0,1 ◀		▶ <u>M71</u> — ◀		0,1 (*)	▶ <u>M71</u> — ◀	▶ <u>M42</u> — ◀	
▶ <u>M5</u> 0,05 ◀		▶ <u>M71</u> — ◀		0,1 (*)	▶ <u>M71</u> — ◀	▶ <u>M42</u> — ◀	
▶ <u>M5</u> 0,02 (*) ◀		▶ <u>M71</u> — ◀		1	▶ <u>M71</u> — ◀	▶ <u>M42</u> — ◀	
▶ <u>M5</u> 0,02 (*) ◀		▶ <u>M71</u> — ◀		0,1 (*)	▶ <u>M71</u> — ◀	▶ <u>M42</u> — ◀	
▶ <u>M5</u> 0,02 (*) ◀		▶ <u>M71</u> — ◀		0,1 (*)	▶ <u>M71</u> — ◀	▶ <u>M42</u> — ◀	
▶ <u>M5</u> 0,02 (*) ◀		▶ <u>M71</u> — ◀		0,1 (*)	▶ <u>M71</u> — ◀	▶ <u>M42</u> — ◀	

▼ M2

(25)	(26)	(27)	(28)	(29)	(30)	(31)
					▶ <u>M32</u> — ◀	
					▶ <u>M32</u> — ◀	
					▶ <u>M32</u> — ◀	
	▶ <u>M32</u> 0,02 (*) ◀		▶ <u>M39</u> 0,05 (*) ◀	0,1 (*)	▶ <u>M32</u> — ◀	0,05 (*)
▶ <u>M5</u> 0,2 ◀					▶ <u>M32</u> — ◀	
▶ <u>M5</u> 0,1 (*) ◀					▶ <u>M32</u> — ◀	
▶ <u>M5</u> 0,2 ◀					▶ <u>M32</u> — ◀	
▶ <u>M5</u> 0,1 (*) ◀					▶ <u>M32</u> — ◀	
▶ <u>M5</u> 0,1 (*) ◀					▶ <u>M32</u> — ◀	
▶ <u>M5</u> 0,1 (*) ◀					▶ <u>M32</u> — ◀	
	▶ <u>M32</u> 0,02 (*) ◀		▶ <u>M39</u> 0,05 (*) ◀	0,1 (*)	▶ <u>M32</u> — ◀	0,05 (*)
▶ <u>M5</u> 0,1 (*) ◀					▶ <u>M32</u> — ◀	
▶ <u>M5</u> 0,1 (*) ◀					▶ <u>M32</u> — ◀	
▶ <u>M5</u> 0,1 (*) ◀					▶ <u>M32</u> — ◀	
▶ <u>M5</u> 0,1 (*) ◀					▶ <u>M32</u> — ◀	
▶ <u>M5</u> 0,1 (*) ◀					▶ <u>M32</u> — ◀	
▶ <u>M5</u> 0,2 ◀					▶ <u>M32</u> — ◀	
▶ <u>M5</u> 0,1 (*) ◀					▶ <u>M32</u> — ◀	
▶ <u>M5</u> 0,1 (*) ◀					▶ <u>M32</u> — ◀	
▶ <u>M5</u> 0,1 (*) ◀					▶ <u>M32</u> — ◀	
▶ <u>M5</u> 0,1 (*) ◀					▶ <u>M32</u> — ◀	
▶ <u>M5</u> 0,1 (*) ◀					▶ <u>M32</u> — ◀	

## ▼ M2

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)
0280000	(viii) <b>Fungi</b>	▶ <u>M56</u> 0,05 (*) ◀	▶ <u>M49</u> — ◀	▶ <u>M63</u> 2 (*) ◀		▶ <u>M57</u> — ◀	▶ <u>M74</u> 0,1 (*) ◀
0280010	Cultivated		▶ <u>M49</u> — ◀			▶ <u>M57</u> — ◀	
0280020	Wild		▶ <u>M49</u> — ◀			▶ <u>M57</u> — ◀	
0280990	Others		▶ <u>M49</u> — ◀			▶ <u>M57</u> — ◀	
0290000	(ix) <b>Sea weeds</b>	▶ <u>M56</u> 0,05 (*) ◀	▶ <u>M49</u> — ◀	▶ <u>M63</u> 2 (*) ◀		▶ <u>M57</u> — ◀	▶ <u>M74</u> 0,1 (*) ◀
0300000	3. <b>PULSES, DRY</b>	▶ <u>M56</u> 0,05 (*) ◀	▶ <u>M49</u> — ◀	▶ <u>M63</u> 2 (*) ◀	0,05 (*)	▶ <u>M57</u> — ◀	
0300010	Beans		▶ <u>M49</u> — ◀			▶ <u>M57</u> — ◀	▶ <u>M74</u> 0,1 (*) ◀
0300020	Lentils		▶ <u>M49</u> — ◀			▶ <u>M57</u> — ◀	▶ <u>M74</u> 3 ◀
0300030	Peas		▶ <u>M49</u> — ◀			▶ <u>M57</u> — ◀	▶ <u>M74</u> 3 ◀
0300040	Lupins		▶ <u>M49</u> — ◀			▶ <u>M57</u> — ◀	▶ <u>M74</u> 3 ◀
0300990	Others		▶ <u>M49</u> — ◀			▶ <u>M57</u> — ◀	▶ <u>M74</u> 3 ◀
0400000	4. <b>OILSEEDS AND OILFRUITS</b>		▶ <u>M49</u> — ◀	▶ <u>M63</u> 2 (*) ◀	0,05 (*)	▶ <u>M57</u> — ◀	
0401000	(i) <b>Oilseeds</b>	▶ <u>M38</u> — ◀	▶ <u>M49</u> — ◀			▶ <u>M57</u> — ◀	
0401010	Linseed	▶ <u>M56</u> 0,2 ◀	▶ <u>M49</u> — ◀			▶ <u>M57</u> — ◀	▶ <u>M74</u> 1 ◀
0401020	Peanuts	▶ <u>M56</u> 0,2 ◀	▶ <u>M49</u> — ◀			▶ <u>M57</u> — ◀	▶ <u>M74</u> 0,1 (*) ◀
0401030	Poppy seed	▶ <u>M56</u> 0,2 ◀	▶ <u>M49</u> — ◀			▶ <u>M57</u> — ◀	▶ <u>M74</u> 1 ◀
0401040	Sesame seed	▶ <u>M56</u> 0,2 ◀	▶ <u>M49</u> — ◀			▶ <u>M57</u> — ◀	▶ <u>M74</u> 0,1 (*) ◀
0401050	Sunflower seed	▶ <u>M56</u> 0,2 ◀	▶ <u>M49</u> — ◀			▶ <u>M57</u> — ◀	▶ <u>M74</u> 5 ◀
0401060	Rape seed	▶ <u>M56</u> 0,2 ◀	▶ <u>M49</u> — ◀			▶ <u>M57</u> — ◀	▶ <u>M74</u> 5 ◀
0401070	Soya bean	▶ <u>M56</u> 0,4 ◀	▶ <u>M49</u> — ◀			▶ <u>M57</u> — ◀	▶ <u>M74</u> 2 ◀

▼ M2

(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
	0,05	▶ <u>M30</u> 0,5 ◀	0,05 (*)		▶ <u>M56</u> 0,05 (*) ◀	0,02 (*)	0,1 (*)
	0,05	▶ <u>M30</u> 0,05 (*) ◀	0,05 (*)		▶ <u>M56</u> 0,05 (*) ◀	0,02 (*)	0,1 (*)
0,1 (*)			0,05 (*)	0,05 (*)	▶ <u>M56</u> 2 ◀	0,02 (*)	0,1 (*)
	0,1	▶ <u>M30</u> 0,5 ◀			▶ <u>M56</u> — ◀		
	0,05	▶ <u>M30</u> 0,2 ◀			▶ <u>M56</u> — ◀		
	0,1	▶ <u>M30</u> 0,2 ◀			▶ <u>M56</u> — ◀		
	0,05	▶ <u>M30</u> 0,2 ◀			▶ <u>M56</u> — ◀		
	0,05	▶ <u>M30</u> 0,2 ◀			▶ <u>M56</u> — ◀		
0,1 (*)			0,05 (*)	0,05 (*)		0,02 (*)	0,1 (*)
		▶ <u>M30</u> 0,5 ◀					
	0,1				▶ <u>M56</u> 0,05 (*) ◀		
	0,05				▶ <u>M56</u> 1 ◀		
	0,05				▶ <u>M56</u> 0,05 (*) ◀		
	0,05				▶ <u>M56</u> 0,05 (*) ◀		
	0,2				▶ <u>M56</u> 0,1 ◀		
	0,2				▶ <u>M56</u> 0,1 ◀		
	0,5				▶ <u>M56</u> 0,05 (*) ◀		



▼ M2

(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)
▶ <u>M5</u> 0,02 (*) ◀	▶ <u>M47</u> 0,05 (*) ◀	▶ <u>M71</u> — ◀		0,1 (*)	▶ <u>M71</u> — ◀	▶ <u>M42</u> — ◀	▶ <u>M16</u> 0,01 (*) ◀
		▶ <u>M71</u> — ◀ ▶ <u>M71</u> — ◀			▶ <u>M71</u> — ◀ ▶ <u>M71</u> — ◀	▶ <u>M42</u> — ◀ ▶ <u>M42</u> — ◀	
		▶ <u>M71</u> — ◀			▶ <u>M71</u> — ◀	▶ <u>M42</u> — ◀	
▶ <u>M5</u> 0,02 (*) ◀	▶ <u>M47</u> 0,05 (*) ◀	▶ <u>M71</u> — ◀		0,1 (*)	▶ <u>M71</u> — ◀	▶ <u>M42</u> — ◀	▶ <u>M16</u> 0,01 (*) ◀
▶ <u>M5</u> 0,02 (*) ◀	▶ <u>M47</u> 0,05 (*) ◀	▶ <u>M71</u> — ◀		0,2	▶ <u>M71</u> — ◀	▶ <u>M42</u> — ◀	▶ <u>M16</u> 0,01 (*) ◀
		▶ <u>M71</u> — ◀ ▶ <u>M71</u> — ◀ ▶ <u>M71</u> — ◀ ▶ <u>M71</u> — ◀			▶ <u>M71</u> — ◀ ▶ <u>M71</u> — ◀ ▶ <u>M71</u> — ◀ ▶ <u>M71</u> — ◀	▶ <u>M42</u> — ◀ ▶ <u>M42</u> — ◀ ▶ <u>M42</u> — ◀ ▶ <u>M42</u> — ◀	
		▶ <u>M71</u> — ◀			▶ <u>M71</u> — ◀	▶ <u>M42</u> — ◀	
▶ <u>M5</u> 0,02 (*) ◀		▶ <u>M71</u> — ◀		0,1 (*)	▶ <u>M71</u> — ◀	▶ <u>M42</u> — ◀	0,1 (*)
		▶ <u>M71</u> — ◀			▶ <u>M71</u> — ◀	▶ <u>M42</u> — ◀	▶ <u>M16</u> 0,02 (*) ◀
	▶ <u>M47</u> 0,05 (*) ◀ ▶ <u>M47</u> 0,05 (*) ◀ ▶ <u>M47</u> 0,05 (*) ◀ ▶ <u>M47</u> 0,05 (*) ◀ ▶ <u>M47</u> 10 ◀ ▶ <u>M47</u> 3 ◀ ▶ <u>M47</u> 0,05 (*) ◀	▶ <u>M71</u> — ◀ ▶ <u>M71</u> — ◀ ▶ <u>M71</u> — ◀ ▶ <u>M71</u> — ◀ ▶ <u>M71</u> — ◀ ▶ <u>M71</u> — ◀ ▶ <u>M71</u> — ◀			▶ <u>M71</u> — ◀ ▶ <u>M71</u> — ◀ ▶ <u>M71</u> — ◀ ▶ <u>M71</u> — ◀ ▶ <u>M71</u> — ◀ ▶ <u>M71</u> — ◀ ▶ <u>M71</u> — ◀	▶ <u>M42</u> — ◀ ▶ <u>M42</u> — ◀ ▶ <u>M42</u> — ◀ ▶ <u>M42</u> — ◀ ▶ <u>M42</u> — ◀ ▶ <u>M42</u> — ◀ ▶ <u>M42</u> — ◀	

▼ M2

(25)	(26)	(27)	(28)	(29)	(30)	(31)
▶ <u>M5</u> 0,1 (*) ◀	▶ <u>M32</u> 0,02 (*) ◀			0,1 (*)	▶ <u>M32</u> — ◀	0,05 (*)
			▶ <u>M39</u> 0,4 ◀ ▶ <u>M39</u> 0,05 (*) ◀		▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀	
			▶ <u>M39</u> 0,05 (*) ◀		▶ <u>M32</u> — ◀	
▶ <u>M5</u> 0,1 (*) ◀	▶ <u>M32</u> 0,02 (*) ◀		▶ <u>M39</u> 0,05 (*) ◀	0,1 (*)	▶ <u>M32</u> — ◀	0,05 (*)
▶ <u>M5</u> 0,1 (*) ◀	▶ <u>M32</u> 0,05 (*) ◀	0,01 (*)	▶ <u>M39</u> 0,05 (*) ◀	0,1 (*)	▶ <u>M32</u> — ◀	0,05 (*)
					▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀	
					▶ <u>M32</u> — ◀	
	▶ <u>M32</u> 0,05 (*) ◀	0,01 (*)	▶ <u>M39</u> 0,05 (*) ◀	0,1 (*)	▶ <u>M32</u> — ◀	
▶ <u>M5</u> 0,1 (*) ◀					▶ <u>M32</u> — ◀	
					▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀	0,05 (*) 0,05 (*) 0,05 (*) 0,05 (*) 0,05 (*) 0,1 0,05 (*)

▼ **M2**

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)
0401080	Mustard seed	► <b>M56</b> 0,2 ◄	► <b>M49</b> — ◄			► <b>M57</b> — ◄	► <b>M74</b> 0,1 (*) ◄
0401090	Cotton seed	► <b>M56</b> 0,2 ◄	► <b>M49</b> — ◄			► <b>M57</b> — ◄	► <b>M74</b> 5 ◄
0401100	Pumpkin seeds	► <b>M56</b> 0,2 ◄	► <b>M49</b> — ◄			► <b>M57</b> — ◄	► <b>M74</b> 0,1 (*) ◄
0401110	Safflower	► <b>M56</b> 0,2 ◄	► <b>M49</b> — ◄			► <b>M57</b> — ◄	► <b>M74</b> 0,1 (*) ◄
0401120	Borage	► <b>M56</b> 0,2 ◄	► <b>M49</b> — ◄			► <b>M57</b> — ◄	► <b>M74</b> 0,1 (*) ◄
0401130	Gold of pleasure	► <b>M56</b> 0,2 ◄	► <b>M49</b> — ◄			► <b>M57</b> — ◄	► <b>M74</b> 0,1 (*) ◄
0401140	Hempseed	► <b>M56</b> 0,2 ◄	► <b>M49</b> — ◄			► <b>M57</b> — ◄	► <b>M74</b> 0,1 (*) ◄
0401150	Castor bean	► <b>M56</b> 0,2 ◄	► <b>M49</b> — ◄			► <b>M57</b> — ◄	► <b>M74</b> 0,1 (*) ◄
0401990	Others	► <b>M56</b> 0,2 ◄	► <b>M49</b> — ◄			► <b>M57</b> — ◄	► <b>M74</b> 0,1 (*) ◄
0402000	(ii) <b>Oilfruits</b>	► <b>M56</b> 0,05 (*) ◄	► <b>M49</b> — ◄			► <b>M57</b> — ◄	
0402010	Olives for oil production		► <b>M49</b> — ◄			► <b>M57</b> — ◄	► <b>M74</b> 0,5 ◄
0402020	Palm nuts (palmoil kernels)		► <b>M49</b> — ◄			► <b>M57</b> — ◄	► <b>M74</b> 0,1 (*) ◄
0402030	Palmfruit		► <b>M49</b> — ◄			► <b>M57</b> — ◄	► <b>M74</b> 0,1 (*) ◄
0402040	Kapok		► <b>M49</b> — ◄			► <b>M57</b> — ◄	► <b>M74</b> 0,1 (*) ◄
0402990	Others		► <b>M49</b> — ◄			► <b>M57</b> — ◄	► <b>M74</b> 0,1 (*) ◄
0500000	5. <b>CEREALS</b>	► <b>M56</b> 0,5 ◄	► <b>M49</b> — ◄	► <b>M63</b> 2 (*) ◄	0,2	► <b>M57</b> — ◄	
0500010	Barley		► <b>M49</b> — ◄			► <b>M57</b> — ◄	► <b>M74</b> 0,1 (*) ◄
0500020	Buckwheat		► <b>M49</b> — ◄			► <b>M57</b> — ◄	► <b>M74</b> 0,1 (*) ◄
0500030	Maize		► <b>M49</b> — ◄			► <b>M57</b> — ◄	► <b>M74</b> 0,5 ◄
0500040	Millet		► <b>M49</b> — ◄			► <b>M57</b> — ◄	► <b>M74</b> 0,1 (*) ◄
0500050	Oats		► <b>M49</b> — ◄			► <b>M57</b> — ◄	► <b>M74</b> 0,1 (*) ◄
0500060	Rice		► <b>M49</b> — ◄			► <b>M57</b> — ◄	► <b>M74</b> 0,9 ◄
0500070	Rye		► <b>M49</b> — ◄			► <b>M57</b> — ◄	► <b>M74</b> 0,1 (*) ◄

▼ M2

(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
	0,2				► <u>M56</u> 0,05 (*) ◀		
	0,3				► <u>M56</u> 1 ◀		
	0,05				► <u>M56</u> 0,05 (*) ◀		
	0,05				► <u>M56</u> 0,05 (*) ◀		
	0,05				► <u>M56</u> 0,05 (*) ◀		
	0,05				► <u>M56</u> 0,05 (*) ◀		
	0,05				► <u>M56</u> 0,05 (*) ◀		
	0,05				► <u>M56</u> 0,05 (*) ◀		
	0,05				► <u>M56</u> 0,05 (*) ◀		
	0,05				► <u>M56</u> 0,05 (*) ◀		
	0,05				► <u>M5</u> — ◀		
		► <u>M30</u> 0,5 ◀			► <u>M56</u> 1 ◀		
		► <u>M30</u> 0,05 (*) ◀			► <u>M56</u> 0,05 (*) ◀		
		► <u>M30</u> 0,05 (*) ◀			► <u>M56</u> 0,05 (*) ◀		
		► <u>M30</u> 0,05 (*) ◀			► <u>M56</u> 0,05 (*) ◀		
		► <u>M30</u> 0,05 (*) ◀			► <u>M56</u> 0,05 (*) ◀		
0,2	0,1		0,05 (*)	0,05 (*)		0,1	0,1 (*)
		► <u>M30</u> 0,2 ◀			► <u>M56</u> 0,1 ◀		
		► <u>M30</u> 0,5 ◀			► <u>M56</u> 0,1 ◀		
		► <u>M30</u> 0,5 ◀			► <u>M56</u> 0,1 ◀		
		► <u>M30</u> 0,5 ◀			► <u>M56</u> 0,05 (*) ◀		
		► <u>M30</u> 0,5 ◀			► <u>M56</u> 0,1 ◀		
		► <u>M30</u> 0,5 ◀			► <u>M56</u> 1,5 ◀		
		► <u>M30</u> 0,5 ◀			► <u>M56</u> 0,1 ◀		

▼ M2

(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)
	▶ <u>M47</u> 0,05 (*) ◀ ▶ <u>M47</u> 5 ◀ ▶ <u>M47</u> 0,05 (*) ◀ ▶ <u>M47</u> 0,05 (*) ◀ ▶ <u>M47</u> 0,05 (*) ◀ ▶ <u>M47</u> 0,05 (*) ◀ ▶ <u>M47</u> 0,05 (*) ◀ ▶ <u>M47</u> 0,05 (*) ◀	▶ <u>M71</u> — ◀ ▶ <u>M71</u> — ◀ ▶ <u>M71</u> — ◀ ▶ <u>M71</u> — ◀ ▶ <u>M71</u> — ◀ ▶ <u>M71</u> — ◀ ▶ <u>M71</u> — ◀ ▶ <u>M71</u> — ◀			▶ <u>M71</u> — ◀ ▶ <u>M71</u> — ◀ ▶ <u>M71</u> — ◀ ▶ <u>M71</u> — ◀ ▶ <u>M71</u> — ◀ ▶ <u>M71</u> — ◀ ▶ <u>M71</u> — ◀ ▶ <u>M71</u> — ◀	▶ <u>M42</u> — ◀ ▶ <u>M42</u> — ◀ ▶ <u>M42</u> — ◀ ▶ <u>M42</u> — ◀ ▶ <u>M42</u> — ◀ ▶ <u>M42</u> — ◀ ▶ <u>M42</u> — ◀ ▶ <u>M42</u> — ◀	
	▶ <u>M47</u> 0,05 (*) ◀	▶ <u>M71</u> — ◀			▶ <u>M71</u> — ◀	▶ <u>M42</u> — ◀	
	▶ <u>M47</u> 0,05 (*) ◀	▶ <u>M71</u> — ◀			▶ <u>M71</u> — ◀	▶ <u>M42</u> — ◀	
		▶ <u>M71</u> — ◀ ▶ <u>M71</u> — ◀ ▶ <u>M71</u> — ◀ ▶ <u>M71</u> — ◀			▶ <u>M71</u> — ◀ ▶ <u>M71</u> — ◀ ▶ <u>M71</u> — ◀ ▶ <u>M71</u> — ◀	▶ <u>M42</u> — ◀ ▶ <u>M42</u> — ◀ ▶ <u>M42</u> — ◀ ▶ <u>M42</u> — ◀	▶ <u>M16</u> 0,01 (*) ◀ ▶ <u>M16</u> 0,02 (*) ◀ ▶ <u>M16</u> 0,02 (*) ◀ ▶ <u>M16</u> 0,02 (*) ◀
		▶ <u>M71</u> — ◀			▶ <u>M71</u> — ◀	▶ <u>M42</u> — ◀	▶ <u>M16</u> 0,02 (*) ◀
		▶ <u>M71</u> — ◀		0,1 (*)	▶ <u>M71</u> — ◀	▶ <u>M42</u> — ◀	▶ <u>M16</u> 0,01 (*) ◀
▶ <u>M5</u> 0,02 (*) ◀ ▶ <u>M5</u> 0,02 (*) ◀ ▶ <u>M5</u> 0,05 ◀ ▶ <u>M5</u> 0,02 (*) ◀ ▶ <u>M5</u> 0,02 (*) ◀ ▶ <u>M5</u> 0,02 (*) ◀ ▶ <u>M5</u> 0,02 (*) ◀	▶ <u>M47</u> 3 ◀ ▶ <u>M47</u> 2 ◀ ▶ <u>M47</u> 2 ◀ ▶ <u>M47</u> 2 ◀ ▶ <u>M47</u> 2 ◀ ▶ <u>M47</u> 2 ◀ ▶ <u>M47</u> 3 ◀	▶ <u>M71</u> — ◀ ▶ <u>M71</u> — ◀ ▶ <u>M71</u> — ◀ ▶ <u>M71</u> — ◀ ▶ <u>M71</u> — ◀ ▶ <u>M71</u> — ◀ ▶ <u>M71</u> — ◀			▶ <u>M71</u> — ◀ ▶ <u>M71</u> — ◀ ▶ <u>M71</u> — ◀ ▶ <u>M71</u> — ◀ ▶ <u>M71</u> — ◀ ▶ <u>M71</u> — ◀ ▶ <u>M71</u> — ◀	▶ <u>M42</u> — ◀ ▶ <u>M42</u> — ◀ ▶ <u>M42</u> — ◀ ▶ <u>M42</u> — ◀ ▶ <u>M42</u> — ◀ ▶ <u>M42</u> — ◀ ▶ <u>M42</u> — ◀	

▼ M2

(25)	(26)	(27)	(28)	(29)	(30)	(31)
					► <u>M32</u> — ◀	0,05 (*)
					► <u>M32</u> — ◀	0,05 (*)
					► <u>M32</u> — ◀	0,05 (*)
					► <u>M32</u> — ◀	0,05 (*)
					► <u>M32</u> — ◀	0,05 (*)
					► <u>M32</u> — ◀	0,05 (*)
					► <u>M32</u> — ◀	0,05 (*)
					► <u>M32</u> — ◀	0,05 (*)
					► <u>M32</u> — ◀	0,05 (*)
					► <u>M32</u> — ◀	0,05 (*)
					► <u>M32</u> — ◀	0,05 (*)
► <u>M5</u> 0,2 ◀					► <u>M32</u> — ◀	
► <u>M5</u> 0,1 (*) ◀					► <u>M32</u> — ◀	
► <u>M5</u> 0,1 (*) ◀					► <u>M32</u> — ◀	
► <u>M5</u> 0,1 (*) ◀					► <u>M32</u> — ◀	
► <u>M5</u> 0,1 (*) ◀					► <u>M32</u> — ◀	
► <u>M5</u> 0,1 (*) ◀	► <u>M32</u> 5 ◀			0,1 (*)	► <u>M32</u> — ◀	0,05 (*)
		0,1	► <u>M39</u> 0,5 ◀		► <u>M32</u> — ◀	
		0,02	► <u>M39</u> 0,05 (*) ◀		► <u>M32</u> — ◀	
		0,05	► <u>M39</u> 0,05 (*) ◀		► <u>M32</u> — ◀	
		0,01 (*)	► <u>M39</u> 0,05 (*) ◀		► <u>M32</u> — ◀	
		0,1	► <u>M39</u> 0,5 ◀		► <u>M32</u> — ◀	
		0,1	► <u>M39</u> 0,05 (*) ◀		► <u>M32</u> — ◀	
		0,1	► <u>M39</u> 0,1 ◀		► <u>M32</u> — ◀	

▼ **M2**

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)
0500080	Sorghum		► <u>M49</u> — ◀			► <u>M57</u> — ◀	► <u>M74</u> 0,1 (*) ◀
0500090	Wheat		► <u>M49</u> — ◀			► <u>M57</u> — ◀	► <u>M74</u> 0,1 (*) ◀
0500990	Others		► <u>M49</u> — ◀			► <u>M57</u> — ◀	► <u>M74</u> 0,1 (*) ◀
0600000	6. <b>TEA, COFFEE, HERBAL INFUSIONS AND COCOA</b>	► <u>M38</u> — ◀	► <u>M49</u> — ◀		0,05 (*)	► <u>M57</u> — ◀	► <u>M74</u> 0,1 (*) ◀
0610000	(i) Tea (dried leaves and stalks, fermented or otherwise of <i>Camellia sinensis</i> )	► <u>M56</u> 0,05 (*) ◀	► <u>M49</u> — ◀	► <u>M63</u> 5 (*) ◀		► <u>M57</u> — ◀	
0620000	(ii) Coffee beans	► <u>M56</u> 0,15 ◀	► <u>M49</u> — ◀	► <u>M63</u> 5 (*) ◀		► <u>M57</u> — ◀	
0630000	(iii) Herbal infusions (dried)	► <u>M56</u> 0,05 (*) ◀	► <u>M49</u> — ◀	► <u>M63</u> 500 ◀		► <u>M57</u> — ◀	
0631000	(a) <i>Flowers</i>		► <u>M49</u> — ◀			► <u>M57</u> — ◀	
0631010	Camomille flowers		► <u>M49</u> — ◀			► <u>M57</u> — ◀	
0631020	Hybiscus flowers		► <u>M49</u> — ◀			► <u>M57</u> — ◀	
0631030	Rose petals		► <u>M49</u> — ◀			► <u>M57</u> — ◀	
0631040	Jasmine flowers		► <u>M49</u> — ◀			► <u>M57</u> — ◀	
0631050	Lime (linden)		► <u>M49</u> — ◀			► <u>M57</u> — ◀	
0631990	Others		► <u>M49</u> — ◀			► <u>M57</u> — ◀	
0632000	(b) <i>Leaves</i>		► <u>M49</u> — ◀			► <u>M57</u> — ◀	
0632010	Strawberry leaves		► <u>M49</u> — ◀			► <u>M57</u> — ◀	

▼ M2

(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
		▶ <u>M30</u> 0,5 ◀ ▶ <u>M30</u> 0,5 ◀			▶ <u>M56</u> 0,05 (*) ◀ ▶ <u>M56</u> 0,1 ◀		
		▶ <u>M30</u> 0,05 (*) ◀			▶ <u>M56</u> 0,05 (*) ◀		
0,1 (*)		▶ <u>M30</u> — ◀	0,05 (*)	0,05 (*)	▶ <u>M11</u> — ◀	0,02 (*)	0,1 (*)
	0,05	▶ <u>M30</u> 4 ◀			▶ <u>M56</u> 0,05 (*) ◀		
	0,05	▶ <u>M30</u> 0,05 (*) ◀			▶ <u>M56</u> 1 ◀		
		▶ <u>M30</u> 0,05 (*) ◀			▶ <u>M56</u> 0,05 (*) ◀		
	1						
	1						



▼ M2

(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)
▶ <u>M5</u> 0,02 (*) ◀	▶ <u>M47</u> 2 ◀	▶ <u>M71</u> — ◀			▶ <u>M71</u> — ◀	▶ <u>M42</u> — ◀	
▶ <u>M5</u> 0,02 (*) ◀	▶ <u>M47</u> 3 ◀	▶ <u>M71</u> — ◀			▶ <u>M71</u> — ◀	▶ <u>M42</u> — ◀	
▶ <u>M5</u> 0,02 (*) ◀	▶ <u>M47</u> 2 ◀	▶ <u>M71</u> — ◀			▶ <u>M71</u> — ◀	▶ <u>M42</u> — ◀	
▶ <u>M5</u> 0,02 (*) ◀	▶ <u>M47</u> 0,1 (*) ◀	▶ <u>M71</u> — ◀		0,1 (*)	▶ <u>M71</u> — ◀	▶ <u>M42</u> — ◀	▶ <u>M16</u> 0,05 (*) ◀
		▶ <u>M71</u> — ◀			▶ <u>M71</u> — ◀	▶ <u>M42</u> — ◀	
		▶ <u>M71</u> — ◀			▶ <u>M71</u> — ◀	▶ <u>M42</u> — ◀	
		▶ <u>M71</u> — ◀			▶ <u>M71</u> — ◀	▶ <u>M42</u> — ◀	
		▶ <u>M71</u> — ◀			▶ <u>M71</u> — ◀	▶ <u>M42</u> — ◀	
		▶ <u>M71</u> — ◀			▶ <u>M71</u> — ◀	▶ <u>M42</u> — ◀	
		▶ <u>M71</u> — ◀			▶ <u>M71</u> — ◀	▶ <u>M42</u> — ◀	
		▶ <u>M71</u> — ◀			▶ <u>M71</u> — ◀	▶ <u>M42</u> — ◀	
		▶ <u>M71</u> — ◀			▶ <u>M71</u> — ◀	▶ <u>M42</u> — ◀	
		▶ <u>M71</u> — ◀			▶ <u>M71</u> — ◀	▶ <u>M42</u> — ◀	
		▶ <u>M71</u> — ◀			▶ <u>M71</u> — ◀	▶ <u>M42</u> — ◀	
		▶ <u>M71</u> — ◀			▶ <u>M71</u> — ◀	▶ <u>M42</u> — ◀	
		▶ <u>M71</u> — ◀			▶ <u>M71</u> — ◀	▶ <u>M42</u> — ◀	

▼ M2

(25)	(26)	(27)	(28)	(29)	(30)	(31)
		0,01 (*)	▶ <u>M39</u> 0,05 (*) ◀		▶ <u>M32</u> — ◀	
		0,1	▶ <u>M39</u> 0,5 ◀		▶ <u>M32</u> — ◀	
		0,01 (*)	▶ <u>M39</u> 0,05 (*) ◀		▶ <u>M32</u> — ◀	
▶ <u>M5</u> 0,1 (*) ◀	▶ <u>M32</u> 0,1 (*) ◀	0,01 (*)	▶ <u>M39</u> 0,05 (*) ◀	0,1 (*)	▶ <u>M32</u> — ◀	0,05 (*)
					▶ <u>M32</u> — ◀	
					▶ <u>M32</u> — ◀	
					▶ <u>M32</u> — ◀	
					▶ <u>M32</u> — ◀	
					▶ <u>M32</u> — ◀	
					▶ <u>M32</u> — ◀	
					▶ <u>M32</u> — ◀	
					▶ <u>M32</u> — ◀	
					▶ <u>M32</u> — ◀	
					▶ <u>M32</u> — ◀	
					▶ <u>M32</u> — ◀	

▼ **M2**

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)
0632020	Rooibos leaves		▶ <b>M49</b> — ◀			▶ <b>M57</b> — ◀	
0632030	Maté		▶ <b>M49</b> — ◀			▶ <b>M57</b> — ◀	
0632990	Others		▶ <b>M49</b> — ◀			▶ <b>M57</b> — ◀	
0633000	(c) <i>Roots</i>		▶ <b>M49</b> — ◀			▶ <b>M57</b> — ◀	
0633010	Valerian root		▶ <b>M49</b> — ◀			▶ <b>M57</b> — ◀	
0633020	Ginseng root		▶ <b>M49</b> — ◀			▶ <b>M57</b> — ◀	
0633990	Others		▶ <b>M49</b> — ◀			▶ <b>M57</b> — ◀	
0639000	(d) <i>Other herbal infusions</i>		▶ <b>M49</b> — ◀			▶ <b>M57</b> — ◀	
0640000	(iv) <b>Cocoa (fermented beans)</b>	▶ <b>M56</b> 0,05 (*) ◀	▶ <b>M49</b> — ◀	▶ <b>M63</b> 2 (*) ◀		▶ <b>M57</b> — ◀	
0650000	(v) <b>Carob (st johns bread)</b>	▶ <b>M56</b> 0,05 (*) ◀	▶ <b>M49</b> — ◀	▶ <b>M63</b> 2 (*) ◀		▶ <b>M57</b> — ◀	
0700000	7. <b>HOPS (dried), including hop pellets and unconcentrated powder</b>	▶ <b>M56</b> 0,05 (*) ◀	▶ <b>M49</b> — ◀	▶ <b>M63</b> 1 500 ◀	0,05 (*)	▶ <b>M57</b> — ◀	▶ <b>M74</b> 0,1 (*) ◀
0800000	8. <b>SPICES</b>	▶ <b>M56</b> — ◀	▶ <b>M49</b> — ◀	▶ <b>M63</b> — ◀	0,05 (*)	▶ <b>M57</b> — ◀	▶ <b>M56</b> — ◀
0810000	(i) <b>Seeds</b>	▶ <b>M56</b> 0,05 (*) ◀	▶ <b>M49</b> — ◀	▶ <b>M63</b> 400 ◀		▶ <b>M57</b> — ◀	▶ <b>M74</b> 0,1 (*) ◀
0810010	Anise		▶ <b>M49</b> — ◀			▶ <b>M57</b> — ◀	
0810020	Black caraway		▶ <b>M49</b> — ◀			▶ <b>M57</b> — ◀	
0810030	Celery seed		▶ <b>M49</b> — ◀			▶ <b>M57</b> — ◀	
0810040	Coriander seed		▶ <b>M49</b> — ◀			▶ <b>M57</b> — ◀	
0810050	Cumin seed		▶ <b>M49</b> — ◀			▶ <b>M57</b> — ◀	
0810060	Dill seed		▶ <b>M49</b> — ◀			▶ <b>M57</b> — ◀	

▼ M2

(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
	0,1						
	1						
	1						
	1						
	0,05	▶ <u>M30</u> 0,05 (*) ◀			▶ <u>M56</u> 0,05 (*) ◀		
	0,05	▶ <u>M30</u> 0,05 (*) ◀			▶ <u>M56</u> 0,05 (*) ◀		
0,1 (*)	0,05	▶ <u>M30</u> 20 ◀	0,05 (*)	0,05 (*)	▶ <u>M56</u> 10 ◀	0,05	0,1 (*)
0,1 (*)	0,05	▶ <u>M30</u> 0,05 (*) ◀	0,05 (*)	0,05 (*)	▶ <u>M56</u> — ◀	0,02 (*)	0,1 (*)
					▶ <u>M56</u> 0,05 (*) ◀		

▼ M2

(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)
		▶ <u>M71</u> — ◀			▶ <u>M71</u> — ◀	▶ <u>M42</u> — ◀	
		▶ <u>M71</u> — ◀			▶ <u>M71</u> — ◀	▶ <u>M42</u> — ◀	
		▶ <u>M71</u> — ◀			▶ <u>M71</u> — ◀	▶ <u>M42</u> — ◀	
		▶ <u>M71</u> — ◀			▶ <u>M71</u> — ◀	▶ <u>M42</u> — ◀	
		▶ <u>M71</u> — ◀			▶ <u>M71</u> — ◀	▶ <u>M42</u> — ◀	
		▶ <u>M71</u> — ◀			▶ <u>M71</u> — ◀	▶ <u>M42</u> — ◀	
		▶ <u>M71</u> — ◀			▶ <u>M71</u> — ◀	▶ <u>M42</u> — ◀	
		▶ <u>M71</u> — ◀			▶ <u>M71</u> — ◀	▶ <u>M42</u> — ◀	
		▶ <u>M71</u> — ◀			▶ <u>M71</u> — ◀	▶ <u>M42</u> — ◀	
▶ <u>M5</u> 0,02 (*) ◀	▶ <u>M47</u> 0,1 (*) ◀	▶ <u>M71</u> — ◀		0,1 (*)	▶ <u>M71</u> — ◀	▶ <u>M42</u> — ◀	▶ <u>M16</u> 0,05 (*) ◀
▶ <u>M5</u> 0,02 (*) ◀	▶ <u>M47</u> — ◀	▶ <u>M71</u> — ◀		0,1 (*)	▶ <u>M71</u> — ◀	▶ <u>M42</u> — ◀	▶ <u>M16</u> 0,05 (*) ◀
	▶ <u>M47</u> 0,1 (*) ◀	▶ <u>M71</u> — ◀			▶ <u>M71</u> — ◀	▶ <u>M42</u> — ◀	
		▶ <u>M71</u> — ◀			▶ <u>M71</u> — ◀	▶ <u>M42</u> — ◀	
		▶ <u>M71</u> — ◀			▶ <u>M71</u> — ◀	▶ <u>M42</u> — ◀	
		▶ <u>M71</u> — ◀			▶ <u>M71</u> — ◀	▶ <u>M42</u> — ◀	
		▶ <u>M71</u> — ◀			▶ <u>M71</u> — ◀	▶ <u>M42</u> — ◀	
		▶ <u>M71</u> — ◀			▶ <u>M71</u> — ◀	▶ <u>M42</u> — ◀	

▼ M2

(25)	(26)	(27)	(28)	(29)	(30)	(31)
					▶ <u>M32</u> — ◀	
					▶ <u>M32</u> — ◀	
					▶ <u>M32</u> — ◀	
					▶ <u>M32</u> — ◀	
					▶ <u>M32</u> — ◀	
					▶ <u>M32</u> — ◀	
					▶ <u>M32</u> — ◀	
					▶ <u>M32</u> — ◀	
					▶ <u>M32</u> — ◀	
▶ <u>M5</u> 0,1 (*) ◀	▶ <u>M32</u> 0,1 (*) ◀	0,01 (*)	▶ <u>M39</u> 0,05 (*) ◀	0,1 (*)	▶ <u>M32</u> — ◀	0,05 (*)
▶ <u>M5</u> 0,1 (*) ◀	▶ <u>M32</u> 0,1 (*) ◀	0,01 (*)	▶ <u>M39</u> 0,05 (*) ◀	0,1 (*)	▶ <u>M32</u> — ◀	0,05 (*)
					▶ <u>M32</u> — ◀	
					▶ <u>M32</u> — ◀	
					▶ <u>M32</u> — ◀	
					▶ <u>M32</u> — ◀	
					▶ <u>M32</u> — ◀	
					▶ <u>M32</u> — ◀	

▼ M2

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)
0810070	Fennel seed		▶ <u>M49</u> — ◀			▶ <u>M57</u> — ◀	
0810080	Fenugreek		▶ <u>M49</u> — ◀			▶ <u>M57</u> — ◀	
0810090	Nutmeg		▶ <u>M49</u> — ◀			▶ <u>M57</u> — ◀	
0810990	Others		▶ <u>M49</u> — ◀			▶ <u>M57</u> — ◀	
0820000	(ii) <b>Fruits and berries</b>	▶ <u>M56</u> 0,05 (*) ◀	▶ <u>M49</u> — ◀	▶ <u>M63</u> 400 ◀		▶ <u>M57</u> — ◀	▶ <u>M74</u> 0,1 (*) ◀
0820010	Allspice		▶ <u>M49</u> — ◀			▶ <u>M57</u> — ◀	
0820020	Anise pepper (Japan pepper)		▶ <u>M49</u> — ◀			▶ <u>M57</u> — ◀	
0820030	Caraway		▶ <u>M49</u> — ◀			▶ <u>M57</u> — ◀	
0820040	Cardamom		▶ <u>M49</u> — ◀			▶ <u>M57</u> — ◀	
0820050	Juniper berries		▶ <u>M49</u> — ◀			▶ <u>M57</u> — ◀	
0820060	Pepper, black and white		▶ <u>M49</u> — ◀			▶ <u>M57</u> — ◀	
0820070	Vanilla pods		▶ <u>M49</u> — ◀			▶ <u>M57</u> — ◀	
0820080	Tamarind		▶ <u>M49</u> — ◀			▶ <u>M57</u> — ◀	
0820990	Others		▶ <u>M49</u> — ◀			▶ <u>M57</u> — ◀	
0830000	(iii) <b>Bark</b>	▶ <u>M56</u> 0,05 (*) ◀	▶ <u>M49</u> — ◀	▶ <u>M63</u> 400 ◀		▶ <u>M57</u> — ◀	▶ <u>M74</u> 0,1 (*) ◀
0830010	Cinnamon		▶ <u>M49</u> — ◀			▶ <u>M57</u> — ◀	
0830990	Others		▶ <u>M49</u> — ◀			▶ <u>M57</u> — ◀	
0840000	(iv) <b>Roots or rhizome</b>		▶ <u>M49</u> — ◀			▶ <u>M57</u> — ◀	
0840010	Liquorice	▶ <u>M56</u> 0,05 (*) ◀	▶ <u>M49</u> — ◀	▶ <u>M63</u> 400 ◀		▶ <u>M57</u> — ◀	▶ <u>M74</u> 0,1 (*) ◀
0840020	Ginger	▶ <u>M56</u> 0,05 (*) ◀	▶ <u>M49</u> — ◀	▶ <u>M63</u> 400 ◀		▶ <u>M57</u> — ◀	▶ <u>M74</u> 0,1 (*) ◀
0840030	Turmeric (Curcuma)	▶ <u>M56</u> 0,05 (*) ◀	▶ <u>M49</u> — ◀	▶ <u>M63</u> 400 ◀		▶ <u>M57</u> — ◀	▶ <u>M74</u> 0,1 (*) ◀

▼ M2

(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
					▶ <u>M56</u> 0,05 (*) ◀		
					▶ <u>M56</u> 0,05 (*) ◀		
					▶ <u>M56</u> 0,05 (*) ◀		
					▶ <u>M56</u> 0,05 (*) ◀		
					▶ <u>M56</u> 0,05 (*) ◀		



▼ M2

(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)
		▶ <u>M71</u> — ◀ ▶ <u>M71</u> — ◀ ▶ <u>M71</u> — ◀			▶ <u>M71</u> — ◀ ▶ <u>M71</u> — ◀ ▶ <u>M71</u> — ◀	▶ <u>M42</u> — ◀ ▶ <u>M42</u> — ◀ ▶ <u>M42</u> — ◀	
		▶ <u>M71</u> — ◀			▶ <u>M71</u> — ◀	▶ <u>M42</u> — ◀	
	▶ <u>M47</u> 0,1 (*) ◀	▶ <u>M71</u> — ◀			▶ <u>M71</u> — ◀	▶ <u>M42</u> — ◀	
		▶ <u>M71</u> — ◀ ▶ <u>M71</u> — ◀  ▶ <u>M71</u> — ◀ ▶ <u>M71</u> — ◀ ▶ <u>M71</u> — ◀ ▶ <u>M71</u> — ◀  ▶ <u>M71</u> — ◀ ▶ <u>M71</u> — ◀			▶ <u>M71</u> — ◀ ▶ <u>M71</u> — ◀  ▶ <u>M71</u> — ◀ ▶ <u>M71</u> — ◀ ▶ <u>M71</u> — ◀ ▶ <u>M71</u> — ◀  ▶ <u>M71</u> — ◀ ▶ <u>M71</u> — ◀	▶ <u>M42</u> — ◀ ▶ <u>M42</u> — ◀  ▶ <u>M42</u> — ◀ ▶ <u>M42</u> — ◀ ▶ <u>M42</u> — ◀ ▶ <u>M42</u> — ◀  ▶ <u>M42</u> — ◀ ▶ <u>M42</u> — ◀	
		▶ <u>M71</u> — ◀			▶ <u>M71</u> — ◀	▶ <u>M42</u> — ◀	
	▶ <u>M47</u> 0,1 (*) ◀	▶ <u>M71</u> — ◀			▶ <u>M71</u> — ◀	▶ <u>M42</u> — ◀	
		▶ <u>M71</u> — ◀			▶ <u>M71</u> — ◀	▶ <u>M42</u> — ◀	
		▶ <u>M71</u> — ◀			▶ <u>M71</u> — ◀	▶ <u>M42</u> — ◀	
		▶ <u>M71</u> — ◀			▶ <u>M71</u> — ◀	▶ <u>M42</u> — ◀	
	▶ <u>M47</u> 0,1 (*) ◀ ▶ <u>M47</u> 0,1 (*) ◀ ▶ <u>M47</u> 0,1 (*) ◀	▶ <u>M71</u> — ◀ ▶ <u>M71</u> — ◀ ▶ <u>M71</u> — ◀			▶ <u>M71</u> — ◀ ▶ <u>M71</u> — ◀ ▶ <u>M71</u> — ◀	▶ <u>M42</u> — ◀ ▶ <u>M42</u> — ◀ ▶ <u>M42</u> — ◀	



## ▼ M2

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)
0840040	Horseradish	▶ <u>M56</u> (+) ◀	▶ <u>M49</u> — ◀	▶ <u>M63</u> (+) ◀		▶ <u>M57</u> — ◀	▶ <u>M74</u> (+) ◀
0840990	Others	▶ <u>M56</u> 0,05 (*) ◀	▶ <u>M49</u> — ◀	▶ <u>M63</u> 400 ◀		▶ <u>M57</u> — ◀	▶ <u>M74</u> 0,1 (*) ◀
0850000	(v) <b>Buds</b>	▶ <u>M56</u> 0,05 (*) ◀	▶ <u>M49</u> — ◀	▶ <u>M63</u> 400 ◀		▶ <u>M57</u> — ◀	▶ <u>M74</u> 0,1 (*) ◀
0850010	Cloves		▶ <u>M49</u> — ◀			▶ <u>M57</u> — ◀	
0850020	Capers		▶ <u>M49</u> — ◀			▶ <u>M57</u> — ◀	
0850990	Others		▶ <u>M49</u> — ◀			▶ <u>M57</u> — ◀	
0860000	(vi) <b>Flower stigma</b>	▶ <u>M56</u> 0,05 (*) ◀	▶ <u>M49</u> — ◀	▶ <u>M63</u> 400 ◀		▶ <u>M57</u> — ◀	▶ <u>M74</u> 0,1 (*) ◀
0860010	Saffron		▶ <u>M49</u> — ◀			▶ <u>M57</u> — ◀	
0860990	Others		▶ <u>M49</u> — ◀			▶ <u>M57</u> — ◀	
0870000	(vii) <b>Aril</b>	▶ <u>M56</u> 0,05 (*) ◀	▶ <u>M49</u> — ◀	▶ <u>M63</u> 400 ◀		▶ <u>M57</u> — ◀	▶ <u>M74</u> 0,1 (*) ◀
0870010	Mace		▶ <u>M49</u> — ◀			▶ <u>M57</u> — ◀	
0870990	Others		▶ <u>M49</u> — ◀			▶ <u>M57</u> — ◀	
0900000	9. <b>SUGAR PLANTS</b>		▶ <u>M49</u> — ◀		0,05 (*)	▶ <u>M57</u> — ◀	▶ <u>M56</u> — ◀
0900010	Sugar beet (root)	▶ <u>M56</u> 0,1 ◀	▶ <u>M49</u> — ◀	▶ <u>M63</u> 2 (*) ◀		▶ <u>M57</u> — ◀	▶ <u>M74</u> 1,5 ◀
0900020	Sugar cane	▶ <u>M56</u> 0,05 (*) ◀	▶ <u>M49</u> — ◀	▶ <u>M63</u> 2 (*) ◀		▶ <u>M57</u> — ◀	▶ <u>M74</u> 0,1 (*) ◀
0900030	Chicory roots	▶ <u>M56</u> 0,05 (*) ◀	▶ <u>M49</u> — ◀	▶ <u>M63</u> 75 ◀		▶ <u>M57</u> — ◀	▶ <u>M74</u> 0,1 (*) ◀
0900990	Others	▶ <u>M56</u> 0,05 (*) ◀	▶ <u>M49</u> — ◀	▶ <u>M63</u> 2 (*) ◀		▶ <u>M57</u> — ◀	▶ <u>M74</u> 0,1 (*) ◀
1000000	10. <b>PRODUCTS OF ANIMAL ORIGIN- TERRESTRIAL ANIMALS</b>	▶ <u>M38</u> — ◀	▶ <u>M49</u> — ◀		0,05 (*)	▶ <u>M57</u> — ◀	

▼ M2

(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
					► <u>M56</u> (+) ◀		
					► <u>M56</u> 0,05 (*) ◀		
					► <u>M56</u> 0,05 (*) ◀		
					► <u>M56</u> 0,05 (*) ◀		
					► <u>M56</u> 0,05 (*) ◀		
0,1 (*)		► <u>M30</u> 0,05 (*) ◀		0,05 (*)		0,02 (*)	0,1 (*)
	0,2		0,1		► <u>M56</u> 0,5 ◀		
	0,05		0,05 (*)		► <u>M56</u> 0,05 (*) ◀		
	0,05		0,05 (*)		► <u>M56</u> 0,5 ◀		
	0,05		0,05 (*)		► <u>M56</u> 0,05 (*) ◀		
0,1 (*)		► <u>M30</u> — ◀	0,05 (*)	0,05 (*)	► <u>M11</u> — ◀	0,01 (*)	0,1 (*)

▼ M2

(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)
	▶ <u>M47</u> (+) ◀	▶ <u>M71</u> — ◀			▶ <u>M71</u> — ◀	▶ <u>M42</u> — ◀	
	▶ <u>M47</u> 0,1 (*) ◀	▶ <u>M71</u> — ◀			▶ <u>M71</u> — ◀	▶ <u>M42</u> — ◀	
	▶ <u>M47</u> 0,1 (*) ◀	▶ <u>M71</u> — ◀			▶ <u>M71</u> — ◀	▶ <u>M42</u> — ◀	
		▶ <u>M71</u> — ◀			▶ <u>M71</u> — ◀	▶ <u>M42</u> — ◀	
		▶ <u>M71</u> — ◀			▶ <u>M71</u> — ◀	▶ <u>M42</u> — ◀	
	▶ <u>M47</u> 0,1 (*) ◀	▶ <u>M71</u> — ◀			▶ <u>M71</u> — ◀	▶ <u>M42</u> — ◀	
		▶ <u>M71</u> — ◀			▶ <u>M71</u> — ◀	▶ <u>M42</u> — ◀	
		▶ <u>M71</u> — ◀			▶ <u>M71</u> — ◀	▶ <u>M42</u> — ◀	
	▶ <u>M47</u> 0,1 (*) ◀	▶ <u>M71</u> — ◀			▶ <u>M71</u> — ◀	▶ <u>M42</u> — ◀	
		▶ <u>M71</u> — ◀			▶ <u>M71</u> — ◀	▶ <u>M42</u> — ◀	
		▶ <u>M71</u> — ◀			▶ <u>M71</u> — ◀	▶ <u>M42</u> — ◀	
▶ <u>M5</u> 0,02 (*) ◀	▶ <u>M47</u> 0,05 (*) ◀	▶ <u>M71</u> — ◀			▶ <u>M71</u> — ◀	▶ <u>M42</u> — ◀	▶ <u>M16</u> 0,01 (*) ◀
		▶ <u>M71</u> — ◀		0,2	▶ <u>M71</u> — ◀	▶ <u>M42</u> — ◀	
		▶ <u>M71</u> — ◀		0,1 (*)	▶ <u>M71</u> — ◀	▶ <u>M42</u> — ◀	
		▶ <u>M71</u> — ◀		0,1 (*)	▶ <u>M71</u> — ◀	▶ <u>M42</u> — ◀	
		▶ <u>M71</u> — ◀		0,1 (*)	▶ <u>M71</u> — ◀	▶ <u>M42</u> — ◀	
▶ <u>M5</u> 0,02 (*) ◀		▶ <u>M71</u> — ◀		0,05 (*)	▶ <u>M71</u> — ◀	▶ <u>M42</u> — ◀	▶ <u>M16</u> 0,05 (*) ◀

▼ M2

(25)	(26)	(27)	(28)	(29)	(30)	(31)
					▶ <u>M32</u> — ◀	
					▶ <u>M32</u> — ◀	
					▶ <u>M32</u> — ◀	
					▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀	
					▶ <u>M32</u> — ◀	
					▶ <u>M32</u> — ◀	
					▶ <u>M32</u> — ◀	
					▶ <u>M32</u> — ◀	
					▶ <u>M32</u> — ◀	
					▶ <u>M32</u> — ◀	
					▶ <u>M32</u> — ◀	
▶ <u>M5</u> 0,1 (*) ◀	▶ <u>M32</u> 0,02 (*) ◀	0,01 (*)	▶ <u>M39</u> 0,05 (*) ◀	0,1 (*)	▶ <u>M32</u> — ◀	0,05 (*)
					▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀	
					▶ <u>M32</u> — ◀	
▶ <u>M5</u> 0,05 (*) ◀		0,01 (*)	▶ <u>M39</u> 0,05 (*) ◀	0,1 (*)	▶ <u>M32</u> — ◀	0,01 (*)

▼ **M2**

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)
1010000	(i) <b>Meat, preparations of meat, offals, blood, animal fats fresh chilled or frozen, salted, in brine, dried or smoked or processed as flours or meals; other processed products such as sausages and food preparations based on these</b>	▶ <b>M56</b> 0,01 (*) ◀	▶ <b>M49</b> — ◀	▶ <b>M63</b> 0,5 (*) ◀		▶ <b>M57</b> — ◀	
1011000	(a) <i>Swine</i>		▶ <b>M49</b> — ◀			▶ <b>M57</b> — ◀	▶ <b>M74</b> — ◀
1011010	Meat		▶ <b>M49</b> — ◀			▶ <b>M57</b> — ◀	▶ <b>M74</b> 0,1 (*) ◀
1011020	Fat free of lean meat		▶ <b>M49</b> — ◀			▶ <b>M57</b> — ◀	▶ <b>M74</b> 0,1 (*) ◀
1011030	Liver		▶ <b>M49</b> — ◀			▶ <b>M57</b> — ◀	▶ <b>M74</b> 3 ◀
1011040	Kidney		▶ <b>M49</b> — ◀			▶ <b>M57</b> — ◀	▶ <b>M74</b> 3 ◀
1011050	Edible offal		▶ <b>M49</b> — ◀			▶ <b>M57</b> — ◀	▶ <b>M74</b> 3 ◀
1011990	Others		▶ <b>M49</b> — ◀			▶ <b>M57</b> — ◀	▶ <b>M74</b> 0,1 (*) ◀
1012000	(b) <i>Bovine</i>		▶ <b>M49</b> — ◀			▶ <b>M57</b> — ◀	
1012010	Meat		▶ <b>M49</b> — ◀			▶ <b>M57</b> — ◀	▶ <b>M74</b> 0,1 (*) ◀
1012020	Fat		▶ <b>M49</b> — ◀			▶ <b>M57</b> — ◀	▶ <b>M74</b> 0,1 (*) ◀
1012030	Liver		▶ <b>M49</b> — ◀			▶ <b>M57</b> — ◀	▶ <b>M74</b> 3 ◀

▼ M2

(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
		▶ <u>M30</u> 0,05 ◀			▶ <u>M11</u> — ◀		
	0,01 (*)				▶ <u>M56</u> 0,1 ◀		
	0,01 (*)				▶ <u>M56</u> 0,05 (*) ◀		
	0,01 (*)				▶ <u>M56</u> 0,3 ◀		
	0,1				▶ <u>M56</u> 0,3 ◀		
	0,1				▶ <u>M56</u> 0,3 ◀		
	0,1				▶ <u>M56</u> 0,05 (*) ◀		
	0,01 (*)				▶ <u>M56</u> 0,1 ◀		
	0,01 (*)				▶ <u>M56</u> 0,05 (*) ◀		
	0,01 (*)				▶ <u>M56</u> 0,3 ◀		



▼ M2

(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)
▶ <u>M5</u> 0,02 (*) ◀		▶ <u>M71</u> — ◀			▶ <u>M71</u> — ◀	▶ <u>M42</u> — ◀	
	▶ <u>M5</u> — ◀	▶ <u>M71</u> — ◀			▶ <u>M71</u> — ◀	▶ <u>M42</u> — ◀	
	▶ <u>M47</u> 0,05 (*) ◀ ▶ <u>M47</u> 0,05 (*) ◀ ▶ <u>M47</u> 0,05 (*) ◀ ▶ <u>M47</u> 0,05 (*) ◀ ▶ <u>M47</u> 0,2 ◀	▶ <u>M71</u> — ◀ ▶ <u>M71</u> — ◀ ▶ <u>M71</u> — ◀ ▶ <u>M71</u> — ◀ ▶ <u>M71</u> — ◀			▶ <u>M71</u> — ◀ ▶ <u>M71</u> — ◀ ▶ <u>M71</u> — ◀ ▶ <u>M71</u> — ◀ ▶ <u>M71</u> — ◀	▶ <u>M42</u> — ◀ ▶ <u>M42</u> — ◀ ▶ <u>M42</u> — ◀ ▶ <u>M42</u> — ◀ ▶ <u>M42</u> — ◀	
	▶ <u>M47</u> 0,05 (*) ◀	▶ <u>M71</u> — ◀			▶ <u>M71</u> — ◀	▶ <u>M42</u> — ◀	
		▶ <u>M71</u> — ◀			▶ <u>M71</u> — ◀	▶ <u>M42</u> — ◀	
	▶ <u>M47</u> 0,08 ◀ ▶ <u>M47</u> 0,05 (*) ◀ ▶ <u>M47</u> 0,4 ◀	▶ <u>M71</u> — ◀ ▶ <u>M71</u> — ◀ ▶ <u>M71</u> — ◀			▶ <u>M71</u> — ◀ ▶ <u>M71</u> — ◀ ▶ <u>M71</u> — ◀	▶ <u>M42</u> — ◀ ▶ <u>M42</u> — ◀ ▶ <u>M42</u> — ◀	

▼ M2

(25)	(26)	(27)	(28)	(29)	(30)	(31)
▶ <u>M5</u> 0,05 (*) ◀					▶ <u>M32</u> — ◀	
					▶ <u>M32</u> — ◀	
	▶ <u>M32</u> 0,05 (*) ◀ ▶ <u>M32</u> 0,2 ◀ ▶ <u>M32</u> 0,05 (*) ◀ ▶ <u>M32</u> 0,05 (*) ◀ ▶ <u>M32</u> 0,1 ◀				▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀	
	▶ <u>M32</u> 0,05 (*) ◀				▶ <u>M32</u> — ◀	
					▶ <u>M32</u> — ◀	
	▶ <u>M32</u> 0,05 (*) ◀ ▶ <u>M32</u> 0,2 ◀ ▶ <u>M32</u> 0,05 (*) ◀				▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀	

## ▼ M2

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)
1012040	Kidney		► <u>M49</u> — ◄			► <u>M57</u> — ◄	► <u>M74</u> 3 ◄
1012050	Edible offal		► <u>M49</u> — ◄			► <u>M57</u> — ◄	► <u>M74</u> 3 ◄
1012990	Others		► <u>M49</u> — ◄			► <u>M57</u> — ◄	► <u>M74</u> 0,1 (*) ◄
1013000	(c) <i>Sheep</i>		► <u>M49</u> — ◄			► <u>M57</u> — ◄	► <u>M74</u> — ◄
1013010	Meat		► <u>M49</u> — ◄			► <u>M57</u> — ◄	► <u>M74</u> 0,1 (*) ◄
1013020	Fat		► <u>M49</u> — ◄			► <u>M57</u> — ◄	► <u>M74</u> 0,1 (*) ◄
1013030	Liver		► <u>M49</u> — ◄			► <u>M57</u> — ◄	► <u>M74</u> 3 ◄
1013040	Kidney		► <u>M49</u> — ◄			► <u>M57</u> — ◄	► <u>M74</u> 3 ◄
1013050	Edible offal		► <u>M49</u> — ◄			► <u>M57</u> — ◄	► <u>M74</u> 3 ◄
1013990	Others		► <u>M49</u> — ◄			► <u>M57</u> — ◄	► <u>M74</u> 0,1 (*) ◄
1014000	(d) <i>Goat</i>		► <u>M49</u> — ◄			► <u>M57</u> — ◄	► <u>M74</u> — ◄
1014010	Meat		► <u>M49</u> — ◄			► <u>M57</u> — ◄	► <u>M74</u> 0,1 (*) ◄
1014020	Fat		► <u>M49</u> — ◄			► <u>M57</u> — ◄	► <u>M74</u> 0,1 (*) ◄
1014030	Liver		► <u>M49</u> — ◄			► <u>M57</u> — ◄	► <u>M74</u> 3 ◄
1014040	Kidney		► <u>M49</u> — ◄			► <u>M57</u> — ◄	► <u>M74</u> 3 ◄
1014050	Edible offal		► <u>M49</u> — ◄			► <u>M57</u> — ◄	► <u>M74</u> 3 ◄
1014990	Others		► <u>M49</u> — ◄			► <u>M57</u> — ◄	► <u>M74</u> 0,1 (*) ◄
1015000	(e) <i>Horses, asses, mules or hinnies</i>		► <u>M49</u> — ◄			► <u>M57</u> — ◄	► <u>M74</u> — ◄
1015010	Meat		► <u>M49</u> — ◄			► <u>M57</u> — ◄	► <u>M74</u> 0,1 (*) ◄
1015020	Fat		► <u>M49</u> — ◄			► <u>M57</u> — ◄	► <u>M74</u> 0,1 (*) ◄
1015030	Liver		► <u>M49</u> — ◄			► <u>M57</u> — ◄	► <u>M74</u> 3 ◄

▼ M2

(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
	0,1				▶ <u>M56</u> 0,3 ◀		
	0,1				▶ <u>M56</u> 0,3 ◀		
	0,1				▶ <u>M56</u> 0,05 (*) ◀		
	0,01 (*)				▶ <u>M56</u> 0,1 ◀		
	0,01 (*)				▶ <u>M56</u> 0,05 (*) ◀		
	0,01 (*)				▶ <u>M56</u> 0,3 ◀		
	0,02				▶ <u>M56</u> 0,3 ◀		
	0,1				▶ <u>M56</u> 0,3 ◀		
	0,1				▶ <u>M56</u> 0,05 (*) ◀		
	0,01 (*)				▶ <u>M56</u> 0,1 ◀		
	0,01 (*)				▶ <u>M56</u> 0,05 (*) ◀		
	0,01 (*)				▶ <u>M56</u> 0,3 ◀		
	0,02				▶ <u>M56</u> 0,3 ◀		
	0,1				▶ <u>M56</u> 0,3 ◀		
	0,1				▶ <u>M56</u> 0,05 (*) ◀		
	0,01 (*)				▶ <u>M56</u> 0,1 ◀		
	0,01 (*)				▶ <u>M56</u> 0,05 (*) ◀		
	0,01 (*)				▶ <u>M56</u> 0,3 ◀		

▼ M2

(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)
	▶ <u>M47</u> 0,6 ◀ ▶ <u>M47</u> 0,2 ◀	▶ <u>M71</u> — ◀ ▶ <u>M71</u> — ◀			▶ <u>M71</u> — ◀ ▶ <u>M71</u> — ◀	▶ <u>M42</u> — ◀ ▶ <u>M42</u> — ◀	
	▶ <u>M47</u> 0,05 (*) ◀	▶ <u>M71</u> — ◀			▶ <u>M71</u> — ◀	▶ <u>M42</u> — ◀	
	▶ <u>M5</u> — ◀	▶ <u>M71</u> — ◀			▶ <u>M71</u> — ◀	▶ <u>M42</u> — ◀	
	▶ <u>M47</u> 0,08 ◀ ▶ <u>M47</u> 0,05 (*) ◀ ▶ <u>M47</u> 0,4 ◀ ▶ <u>M47</u> 0,6 ◀ ▶ <u>M47</u> 0,2 ◀	▶ <u>M71</u> — ◀ ▶ <u>M71</u> — ◀ ▶ <u>M71</u> — ◀ ▶ <u>M71</u> — ◀ ▶ <u>M71</u> — ◀			▶ <u>M71</u> — ◀ ▶ <u>M71</u> — ◀ ▶ <u>M71</u> — ◀ ▶ <u>M71</u> — ◀ ▶ <u>M71</u> — ◀	▶ <u>M42</u> — ◀ ▶ <u>M42</u> — ◀ ▶ <u>M42</u> — ◀ ▶ <u>M42</u> — ◀ ▶ <u>M42</u> — ◀	
	▶ <u>M47</u> 0,05 (*) ◀	▶ <u>M71</u> — ◀			▶ <u>M71</u> — ◀	▶ <u>M42</u> — ◀	
	▶ <u>M5</u> — ◀	▶ <u>M71</u> — ◀			▶ <u>M71</u> — ◀	▶ <u>M42</u> — ◀	
	▶ <u>M47</u> 0,08 ◀ ▶ <u>M47</u> 0,05 (*) ◀ ▶ <u>M47</u> 0,4 ◀ ▶ <u>M47</u> 0,6 ◀ ▶ <u>M47</u> 0,2 ◀	▶ <u>M71</u> — ◀ ▶ <u>M71</u> — ◀ ▶ <u>M71</u> — ◀ ▶ <u>M71</u> — ◀ ▶ <u>M71</u> — ◀			▶ <u>M71</u> — ◀ ▶ <u>M71</u> — ◀ ▶ <u>M71</u> — ◀ ▶ <u>M71</u> — ◀ ▶ <u>M71</u> — ◀	▶ <u>M42</u> — ◀ ▶ <u>M42</u> — ◀ ▶ <u>M42</u> — ◀ ▶ <u>M42</u> — ◀ ▶ <u>M42</u> — ◀	
	▶ <u>M47</u> 0,05 (*) ◀	▶ <u>M71</u> — ◀			▶ <u>M71</u> — ◀	▶ <u>M42</u> — ◀	
	▶ <u>M5</u> — ◀	▶ <u>M71</u> — ◀			▶ <u>M71</u> — ◀	▶ <u>M42</u> — ◀	
	▶ <u>M47</u> 0,08 ◀ ▶ <u>M47</u> 0,05 (*) ◀ ▶ <u>M47</u> 0,4 ◀	▶ <u>M71</u> — ◀ ▶ <u>M71</u> — ◀ ▶ <u>M71</u> — ◀			▶ <u>M71</u> — ◀ ▶ <u>M71</u> — ◀ ▶ <u>M71</u> — ◀	▶ <u>M42</u> — ◀ ▶ <u>M42</u> — ◀ ▶ <u>M42</u> — ◀	

▼ M2

(25)	(26)	(27)	(28)	(29)	(30)	(31)
	▶ <u>M32</u> 0,05 (*) ◀ ▶ <u>M32</u> 0,1 ◀				▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀	
	▶ <u>M32</u> 0,05 (*) ◀				▶ <u>M32</u> — ◀	
	▶ <u>M32</u> 0,05 (*) ◀ ▶ <u>M32</u> 0,2 ◀ ▶ <u>M32</u> 0,05 (*) ◀ ▶ <u>M32</u> 0,05 (*) ◀ ▶ <u>M32</u> 0,1 ◀				▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀	
	▶ <u>M32</u> 0,05 (*) ◀				▶ <u>M32</u> — ◀	
	▶ <u>M32</u> 0,05 (*) ◀				▶ <u>M32</u> — ◀	
					▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀	
					▶ <u>M32</u> — ◀	
	▶ <u>M32</u> 0,05 (*) ◀				▶ <u>M32</u> — ◀	
					▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀	

▼ M2

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)
1015040	Kidney		► <u>M49</u> — ◄			► <u>M57</u> — ◄	► <u>M74</u> 3 ◄
1015050	Edible offal		► <u>M49</u> — ◄			► <u>M57</u> — ◄	► <u>M74</u> 3 ◄
1015990	Others		► <u>M49</u> — ◄			► <u>M57</u> — ◄	► <u>M74</u> 0,1 (*) ◄
1016000	(f) <i>Poultry -chicken, geese, duck, turkey and Guinea fowl-, ostrich, pigeon</i>		► <u>M49</u> — ◄			► <u>M57</u> — ◄	
1016010	Meat		► <u>M49</u> — ◄			► <u>M57</u> — ◄	► <u>M74</u> 0,1 (*) ◄
1016020	Fat		► <u>M49</u> — ◄			► <u>M57</u> — ◄	► <u>M74</u> 0,1 (*) ◄
1016030	Liver		► <u>M49</u> — ◄			► <u>M57</u> — ◄	► <u>M74</u> 0,2 ◄
1016040	Kidney		► <u>M49</u> — ◄			► <u>M57</u> — ◄	► <u>M74</u> 1 ◄
1016050	Edible offal		► <u>M49</u> — ◄			► <u>M57</u> — ◄	► <u>M74</u> 0,1 (*) ◄
1016990	Others		► <u>M49</u> — ◄			► <u>M57</u> — ◄	► <u>M74</u> 0,1 (*) ◄
1017000	(g) <i>Other farm animals</i>		► <u>M49</u> — ◄			► <u>M57</u> — ◄	► <u>M74</u> — ◄
1017010	Meat		► <u>M49</u> — ◄			► <u>M57</u> — ◄	► <u>M74</u> 0,1 (*) ◄
1017020	Fat		► <u>M49</u> — ◄			► <u>M57</u> — ◄	► <u>M74</u> 0,1 (*) ◄
1017030	Liver		► <u>M49</u> — ◄			► <u>M57</u> — ◄	► <u>M74</u> 3 ◄
1017040	Kidney		► <u>M49</u> — ◄			► <u>M57</u> — ◄	► <u>M74</u> 3 ◄
1017050	Edible offal		► <u>M49</u> — ◄			► <u>M57</u> — ◄	► <u>M74</u> 3 ◄
1017990	Others		► <u>M49</u> — ◄			► <u>M57</u> — ◄	► <u>M74</u> 0,1 (*) ◄

▼ M2

(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
	0,02				▶ <u>M56</u> 0,3 ◀		
	0,1				▶ <u>M56</u> 0,3 ◀		
	0,1				▶ <u>M56</u> 0,05 (*) ◀		
	0,1				▶ <u>M56</u> 0,05 (*) ◀		
	0,01 (*)				▶ <u>M56</u> 0,1 ◀		
	0,01 (*)				▶ <u>M56</u> 0,05 (*) ◀		
	0,01 (*)				▶ <u>M56</u> 0,3 ◀		
	0,02				▶ <u>M56</u> 0,3 ◀		
	0,1				▶ <u>M56</u> 0,3 ◀		
	0,1				▶ <u>M56</u> 0,05 (*) ◀		



▼ M2

(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)
	▶ <u>M47</u> 0,6 ◀ ▶ <u>M47</u> 0,2 ◀	▶ <u>M71</u> — ◀ ▶ <u>M71</u> — ◀			▶ <u>M71</u> — ◀ ▶ <u>M71</u> — ◀	▶ <u>M42</u> — ◀ ▶ <u>M42</u> — ◀	
	▶ <u>M47</u> 0,05 (*) ◀	▶ <u>M71</u> — ◀			▶ <u>M71</u> — ◀	▶ <u>M42</u> — ◀	
	▶ <u>M47</u> 0,05 (*) ◀	▶ <u>M71</u> — ◀			▶ <u>M71</u> — ◀	▶ <u>M42</u> — ◀	
		▶ <u>M71</u> — ◀ ▶ <u>M71</u> — ◀ ▶ <u>M71</u> — ◀ ▶ <u>M71</u> — ◀ ▶ <u>M71</u> — ◀			▶ <u>M71</u> — ◀ ▶ <u>M71</u> — ◀ ▶ <u>M71</u> — ◀ ▶ <u>M71</u> — ◀ ▶ <u>M71</u> — ◀	▶ <u>M42</u> — ◀ ▶ <u>M42</u> — ◀ ▶ <u>M42</u> — ◀ ▶ <u>M42</u> — ◀ ▶ <u>M42</u> — ◀	
		▶ <u>M71</u> — ◀			▶ <u>M71</u> — ◀	▶ <u>M42</u> — ◀	
	▶ <u>M47</u> 0,05 (*) ◀	▶ <u>M71</u> — ◀			▶ <u>M71</u> — ◀	▶ <u>M42</u> — ◀	
		▶ <u>M71</u> — ◀ ▶ <u>M71</u> — ◀ ▶ <u>M71</u> — ◀ ▶ <u>M71</u> — ◀ ▶ <u>M71</u> — ◀			▶ <u>M71</u> — ◀ ▶ <u>M71</u> — ◀ ▶ <u>M71</u> — ◀ ▶ <u>M71</u> — ◀ ▶ <u>M71</u> — ◀	▶ <u>M42</u> — ◀ ▶ <u>M42</u> — ◀ ▶ <u>M42</u> — ◀ ▶ <u>M42</u> — ◀ ▶ <u>M42</u> — ◀	
		▶ <u>M71</u> — ◀			▶ <u>M71</u> — ◀	▶ <u>M42</u> — ◀	

▼ M2

(25)	(26)	(27)	(28)	(29)	(30)	(31)
					▶ <u>M32</u> — ◀	
					▶ <u>M32</u> — ◀	
					▶ <u>M32</u> — ◀	
	▶ <u>M32</u> 0,05 (*) ◀				▶ <u>M32</u> — ◀	
					▶ <u>M32</u> — ◀	
					▶ <u>M32</u> — ◀	
					▶ <u>M32</u> — ◀	
					▶ <u>M32</u> — ◀	
					▶ <u>M32</u> — ◀	
	▶ <u>M32</u> 0,05 (*) ◀				▶ <u>M32</u> — ◀	
					▶ <u>M32</u> — ◀	
					▶ <u>M32</u> — ◀	
					▶ <u>M32</u> — ◀	
					▶ <u>M32</u> — ◀	
					▶ <u>M32</u> — ◀	
					▶ <u>M32</u> — ◀	
					▶ <u>M32</u> — ◀	
					▶ <u>M32</u> — ◀	

▼ M2

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)
1020000	(ii) <b>Milk and cream, not concentrated, nor containing added sugar or sweetening matter, butter and other fats derived from milk, cheese and curd</b>	▶ <u>M56</u> 0,01 (*) ◀	▶ <u>M49</u> — ◀	▶ <u>M63</u> 0,1 (*) ◀		▶ <u>M57</u> — ◀	▶ <u>M74</u> 0,1 (*) ◀
1020010	Cattle		▶ <u>M49</u> — ◀			▶ <u>M57</u> — ◀	
1020020	Sheep		▶ <u>M49</u> — ◀			▶ <u>M57</u> — ◀	
1020030	Goat		▶ <u>M49</u> — ◀			▶ <u>M57</u> — ◀	
1020040	Horse		▶ <u>M49</u> — ◀			▶ <u>M57</u> — ◀	
1020990	Others		▶ <u>M49</u> — ◀			▶ <u>M57</u> — ◀	
1030000	(iii) <b>Birds' eggs, fresh preserved or cooked; Shelled eggs and egg yolks fresh, dried, cooked by steaming or boiling in water, moulded, frozen or otherwise preserved whether or not containing added sugar or sweetening matter</b>	▶ <u>M56</u> 0,01 (*) ◀	▶ <u>M49</u> — ◀	▶ <u>M63</u> 0,1 (*) ◀		▶ <u>M57</u> — ◀	▶ <u>M74</u> 0,1 (*) ◀
1030010	Chicken		▶ <u>M49</u> — ◀			▶ <u>M57</u> — ◀	
1030020	Duck		▶ <u>M49</u> — ◀			▶ <u>M57</u> — ◀	
1030030	Goose		▶ <u>M49</u> — ◀			▶ <u>M57</u> — ◀	

▼ M2

(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
	0,01 (*)	▶ <u>M30</u> 0,05 ◀			▶ <u>M56</u> 0,1 ◀		
	0,05	▶ <u>M30</u> 0,02 (*) ◀			▶ <u>M56</u> 0,05 (*) ◀		

▼ M2

(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)
▶ <u>M5</u> 0,02 (*) ◀	▶ <u>M5</u> — ◀	▶ <u>M71</u> — ◀			▶ <u>M71</u> — ◀	▶ <u>M42</u> — ◀	
	▶ <u>M47</u> 0,1 ◀ ▶ <u>M47</u> 0,05 (*) ◀ ▶ <u>M47</u> 0,05 (*) ◀ ▶ <u>M47</u> 0,05 (*) ◀	▶ <u>M71</u> — ◀ ▶ <u>M71</u> — ◀ ▶ <u>M71</u> — ◀ ▶ <u>M71</u> — ◀			▶ <u>M71</u> — ◀ ▶ <u>M71</u> — ◀ ▶ <u>M71</u> — ◀ ▶ <u>M71</u> — ◀	▶ <u>M42</u> — ◀ ▶ <u>M42</u> — ◀ ▶ <u>M42</u> — ◀ ▶ <u>M42</u> — ◀	
	▶ <u>M47</u> 0,05 (*) ◀	▶ <u>M71</u> — ◀			▶ <u>M71</u> — ◀	▶ <u>M42</u> — ◀	
▶ <u>M5</u> 0,02 (*) ◀	▶ <u>M47</u> 0,05 (*) ◀	▶ <u>M71</u> — ◀			▶ <u>M71</u> — ◀	▶ <u>M42</u> — ◀	
		▶ <u>M71</u> — ◀ ▶ <u>M71</u> — ◀ ▶ <u>M71</u> — ◀			▶ <u>M71</u> — ◀ ▶ <u>M71</u> — ◀ ▶ <u>M71</u> — ◀	▶ <u>M42</u> — ◀ ▶ <u>M42</u> — ◀ ▶ <u>M42</u> — ◀	

▼ M2

(25)	(26)	(27)	(28)	(29)	(30)	(31)
▶ <u>M5</u> 0,05 (*) ◀	▶ <u>M32</u> 0,05 (*) ◀				▶ <u>M32</u> — ◀	
					▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀	
					▶ <u>M32</u> — ◀	
▶ <u>M5</u> 0,05 (*) ◀	▶ <u>M32</u> 0,05 (*) ◀				▶ <u>M32</u> — ◀	
					▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀	

▼ M2

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)
1030040	Quail		▶ <u>M49</u> — ◀			▶ <u>M57</u> — ◀	
1030990	Others		▶ <u>M49</u> — ◀			▶ <u>M57</u> — ◀	
1040000	(iv) Honey	▶ <u>M56</u> 0,05 (*) ◀	▶ <u>M49</u> — ◀	▶ <u>M63</u> 0,5 (*) ◀		▶ <u>M57</u> — ◀	▶ <u>M74</u> 0,1 (*) ◀
1050000	(v) Amphibians and reptiles	▶ <u>M56</u> 0,01 (*) ◀	▶ <u>M49</u> — ◀	▶ <u>M63</u> 0,5 (*) ◀		▶ <u>M57</u> — ◀	▶ <u>M74</u> 0,1 (*) ◀
1060000	(vi) Snails	▶ <u>M56</u> 0,01 (*) ◀	▶ <u>M49</u> — ◀	▶ <u>M63</u> 0,5 (*) ◀		▶ <u>M57</u> — ◀	▶ <u>M74</u> 0,1 (*) ◀
1070000	(vii) Other terrestrial animal products	▶ <u>M56</u> 0,01 (*) ◀	▶ <u>M49</u> — ◀	▶ <u>M63</u> 0,5 (*) ◀		▶ <u>M57</u> — ◀	▶ <u>M74</u> 0,1 (*) ◀
1100000	11. FISH, FISH PRODUCTS, SHELL FISH, MOLLUSCS AND OTHER MARINE AND FRESHWATER FOOD PRODUCTS						
1200000	12. CROPS EXCLUSIVELY USED FOR ANIMAL FEED						

▼ M5

▼ M2

(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
	0,05	▶ <b>M30</b> 0,02 (*) ◀			▶ <b>M56</b> 0,05 (*) ◀		
	0,05	▶ <b>M30</b> 0,02 (*) ◀			▶ <b>M56</b> 0,05 (*) ◀		
	0,05	▶ <b>M30</b> 0,02 (*) ◀			▶ <b>M56</b> 0,05 (*) ◀		
	0,05	▶ <b>M30</b> 0,02 (*) ◀			▶ <b>M56</b> 0,05 (*) ◀		

▼ M5



▼ M2

(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)
		▶ <u>M71</u> — ◀			▶ <u>M71</u> — ◀	▶ <u>M42</u> — ◀	
		▶ <u>M71</u> — ◀			▶ <u>M71</u> — ◀	▶ <u>M42</u> — ◀	
▶ <u>M5</u> 0,02 (*) ◀	▶ <u>M47</u> 0,05 (*) ◀	▶ <u>M71</u> — ◀			▶ <u>M71</u> — ◀	▶ <u>M42</u> — ◀	
▶ <u>M5</u> 0,02 (*) ◀	▶ <u>M47</u> 0,05 (*) ◀	▶ <u>M71</u> — ◀			▶ <u>M71</u> — ◀	▶ <u>M42</u> — ◀	
▶ <u>M5</u> 0,02 (*) ◀	▶ <u>M47</u> 0,05 (*) ◀	▶ <u>M71</u> — ◀			▶ <u>M71</u> — ◀	▶ <u>M42</u> — ◀	
▶ <u>M5</u> 0,02 (*) ◀	▶ <u>M47</u> 0,05 (*) ◀	▶ <u>M71</u> — ◀			▶ <u>M71</u> — ◀	▶ <u>M42</u> — ◀	
		▶ <u>M71</u> — ◀			▶ <u>M71</u> — ◀		
		▶ <u>M71</u> — ◀			▶ <u>M71</u> — ◀		

▼ M5

▼ M2

(25)	(26)	(27)	(28)	(29)	(30)	(31)
					▶ <u>M32</u> — ◀	
					▶ <u>M32</u> — ◀	
▶ <u>M5</u> 0,05 ◀	▶ <u>M32</u> 0,05 (*) ◀				▶ <u>M32</u> — ◀	
▶ <u>M5</u> 0,05 ◀	▶ <u>M32</u> 0,05 (*) ◀				▶ <u>M32</u> — ◀	
▶ <u>M5</u> 0,05 ◀	▶ <u>M32</u> 0,05 (*) ◀				▶ <u>M32</u> — ◀	
▶ <u>M5</u> 0,05 ◀	▶ <u>M32</u> 0,05 (*) ◀					

▼ M5

▼ **M2**

*Pesticide residues and maximum residue levels (mg/kg)*

Code number	Groups and examples of individual products to which the MRLs apply <sup>(4)</sup>	▼ — ▶ <b>M58</b>	▶ <b>M27</b> Novaluron <sup>(4)</sup> ▼	Oxadiazon	▼ — ▶ <b>M32</b>	Oxyfluorfen	Paclobutrazol	Pencycuron <sup>(4)</sup>
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)
0100000	1. <b>FRUIT FRESH OR FROZEN; NUTS</b>	▶ <b>M58</b> — ◀			▶ <b>M32</b> — ◀			0,05 (*)
0110000	(i) <b>Citrus fruit</b>	▶ <b>M58</b> — ◀	▶ <b>M27</b> 0,01 (*) ◀	0,05 (*)	▶ <b>M32</b> — ◀	0,05 (*)	0,5	
0110010	Grapefruit	▶ <b>M58</b> — ◀			▶ <b>M32</b> — ◀			
0110020	Oranges	▶ <b>M58</b> — ◀			▶ <b>M32</b> — ◀			
0110030	Lemons	▶ <b>M58</b> — ◀			▶ <b>M32</b> — ◀			
0110040	Limes	▶ <b>M58</b> — ◀			▶ <b>M32</b> — ◀			
0110050	Mandarins	▶ <b>M58</b> — ◀			▶ <b>M32</b> — ◀			
0110990	Others	▶ <b>M58</b> — ◀			▶ <b>M32</b> — ◀			
0120000	(ii) <b>Tree nuts (shelled or unshelled)</b>	▶ <b>M58</b> — ◀	▶ <b>M27</b> 0,01 (*) ◀	0,05 (*)	▶ <b>M32</b> — ◀	0,05 (*)	0,5	

▼ M2

Phenothrin	▶ <u>M32</u> Phosalone ▼	▶ <u>M61</u> Phosmet (phosmet and phosmet oxon expressed as phosmet) (K) ▼	Phosphines and phosphides: sum of aluminium phosphide, aluminium phosphine, magnesium phosphide, magnesium phosphine, zinc phosphide and zinc phosphine	Phoxim (L)	▶ <u>M61</u> Picloram ▼	▶ <u>M13</u> Pirimicarb; sum of pirimicarb and desmethyl pirimicarb expressed as pirimicarb ▼	▼ ▶ <u>M32</u> — ▼
(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)
0,05 (*)			0,05	0,01 (*)	▶ <u>M61</u> 0,01 (*) ◀		▶ <u>M32</u> — ◀
	▶ <u>M32</u> 0,01 (*) ◀	▶ <u>M61</u> 0,5 ◀				▶ <u>M13</u> 3 ◀	▶ <u>M32</u> — ◀
						▶ <u>M5</u> — ◀	▶ <u>M32</u> — ◀
						▶ <u>M5</u> — ◀	▶ <u>M32</u> — ◀
						▶ <u>M5</u> — ◀	▶ <u>M32</u> — ◀
						▶ <u>M5</u> — ◀	▶ <u>M32</u> — ◀
						▶ <u>M5</u> — ◀	▶ <u>M32</u> — ◀
						▶ <u>M13</u> 1 ◀	▶ <u>M32</u> — ◀

▼ M2

▼ — ▶ <u>M52</u>	▼ — ▶ <u>M68</u>	▼ ▶ <u>M5</u> Propaquizafop	▼ — ▶ <u>M71</u>	▼ — ▶ <u>M66</u>	▼ — ▶ <u>M42</u>	▼ ▶ <u>M43</u> Prothioconazole (Prothioconazole-desthio) (K)	Pyrethrins
(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)
▶ <u>M52</u> — ◀	▶ <u>M68</u> — ◀	▶ <u>M5</u> 0,05 (*) ◀	▶ <u>M71</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M42</u> — ◀	▶ <u>M43</u> 0,02 (*) ◀	1
▶ <u>M52</u> — ◀	▶ <u>M68</u> — ◀		▶ <u>M71</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M42</u> — ◀		
▶ <u>M52</u> — ◀	▶ <u>M68</u> — ◀		▶ <u>M71</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M42</u> — ◀		
▶ <u>M52</u> — ◀	▶ <u>M68</u> — ◀		▶ <u>M71</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M42</u> — ◀		
▶ <u>M52</u> — ◀	▶ <u>M68</u> — ◀		▶ <u>M71</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M42</u> — ◀		
▶ <u>M52</u> — ◀	▶ <u>M68</u> — ◀		▶ <u>M71</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M42</u> — ◀		
▶ <u>M52</u> — ◀	▶ <u>M68</u> — ◀		▶ <u>M71</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M42</u> — ◀		
▶ <u>M52</u> — ◀	▶ <u>M68</u> — ◀		▶ <u>M71</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M42</u> — ◀		

▼ M2

▶ <u>M5</u> Pyridaben (1) ▼	▶ <u>M61</u> Pyriproxyfen (1) ▼	Quinmerac	▶ <u>M39</u> Quizalofop, incl. quizalofop-P ▼	Rotenone	▶ <u>M16</u> Simazine ▼
(26)	(27)	(28)	(29)	(30)	(31)
		0,1 (*)		0,01 (*)	▶ <u>M5</u> — ◀
▶ <u>M5</u> 0,5 ◀	▶ <u>M61</u> 0,6 ◀		▶ <u>M39</u> 0,05 (*) ◀		▶ <u>M16</u> 0,01 (*) ◀
▶ <u>M5</u> 0,5 ◀	▶ <u>M61</u> 0,05 (*) ◀		▶ <u>M39</u> 0,05 (*) ◀		▶ <u>M16</u> 0,02 (*) ◀

▼ **M2**

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)
0120010	Almonds	▶ <u>M58</u> — ◀			▶ <u>M32</u> — ◀			
0120020	Brazil nuts	▶ <u>M58</u> — ◀			▶ <u>M32</u> — ◀			
0120030	Cashew nuts	▶ <u>M58</u> — ◀			▶ <u>M32</u> — ◀			
0120040	Chestnuts	▶ <u>M58</u> — ◀			▶ <u>M32</u> — ◀			
0120050	Coconuts	▶ <u>M58</u> — ◀			▶ <u>M32</u> — ◀			
0120060	Hazelnuts	▶ <u>M58</u> — ◀			▶ <u>M32</u> — ◀			
0120070	Macadamia	▶ <u>M58</u> — ◀			▶ <u>M32</u> — ◀			
0120080	Pecans	▶ <u>M58</u> — ◀			▶ <u>M32</u> — ◀			
0120090	Pine nuts	▶ <u>M58</u> — ◀			▶ <u>M32</u> — ◀			
0120100	Pistachios	▶ <u>M58</u> — ◀			▶ <u>M32</u> — ◀			
0120110	Walnuts	▶ <u>M58</u> — ◀			▶ <u>M32</u> — ◀			
0120990	Others	▶ <u>M58</u> — ◀			▶ <u>M32</u> — ◀			
0130000	(iii) <b>Pome fruit</b>	▶ <u>M58</u> — ◀		0,05 (*)	▶ <u>M32</u> — ◀	0,1	0,5	
0130010	Apples	▶ <u>M58</u> — ◀	▶ <u>M27</u> 2 ◀		▶ <u>M32</u> — ◀			
0130020	Pears	▶ <u>M58</u> — ◀	▶ <u>M27</u> 3 ◀		▶ <u>M32</u> — ◀			
0130030	Quinces	▶ <u>M58</u> — ◀	▶ <u>M27</u> 0,01 (*) ◀		▶ <u>M32</u> — ◀			
0130040	Medlar	▶ <u>M58</u> — ◀	▶ <u>M27</u> 0,01 (*) ◀		▶ <u>M32</u> — ◀			
0130050	Loquat	▶ <u>M58</u> — ◀	▶ <u>M27</u> 0,01 (*) ◀		▶ <u>M32</u> — ◀			
0130990	Others	▶ <u>M58</u> — ◀	▶ <u>M27</u> 0,01 (*) ◀		▶ <u>M32</u> — ◀			
0140000	(iv) <b>Stone fruit</b>	▶ <u>M58</u> — ◀	▶ <u>M27</u> — ◀	0,05 (*)	▶ <u>M32</u> — ◀		0,5	
0140010	Apricots	▶ <u>M58</u> — ◀	▶ <u>M27</u> 2 ◀		▶ <u>M32</u> — ◀	0,1		
0140020	Cherries	▶ <u>M58</u> — ◀	▶ <u>M27</u> 7 ◀		▶ <u>M32</u> — ◀	0,1		
0140030	Peaches	▶ <u>M58</u> — ◀	▶ <u>M27</u> 2 ◀		▶ <u>M32</u> — ◀	0,1		
0140040	Plums	▶ <u>M58</u> — ◀	▶ <u>M27</u> 1,5 ◀		▶ <u>M32</u> — ◀	0,05 (*)		
0140990	Others	▶ <u>M58</u> — ◀	▶ <u>M27</u> 0,01 (*) ◀		▶ <u>M32</u> — ◀	0,05 (*)		
0150000	(v) <b>Berries &amp; small fruit</b>	▶ <u>M58</u> — ◀	▶ <u>M27</u> — ◀		▶ <u>M32</u> — ◀			

▼ M2

(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)
	▶ <u>M32</u> 0,1 ◀ ▶ <u>M32</u> 0,02 (*) ◀ ▶ <u>M32</u> 0,02 (*) ◀ ▶ <u>M32</u> 0,02 (*) ◀ ▶ <u>M32</u> 0,02 (*) ◀ ▶ <u>M32</u> 0,05 ◀ ▶ <u>M32</u> 0,02 (*) ◀ ▶ <u>M32</u> 0,02 (*) ◀ ▶ <u>M32</u> 0,02 (*) ◀ ▶ <u>M32</u> 0,02 (*) ◀ ▶ <u>M32</u> 0,02 (*) ◀ ▶ <u>M32</u> 0,05 ◀	▶ <u>M61</u> 2 ◀ ▶ <u>M61</u> 0,05 (*) ◀ ▶ <u>M61</u> 0,05 (*) ◀ ▶ <u>M61</u> 2 ◀ ▶ <u>M61</u> 0,05 (*) ◀ ▶ <u>M61</u> 0,1 ◀ ▶ <u>M61</u> 0,05 (*) ◀ ▶ <u>M61</u> 0,05 (*) ◀ ▶ <u>M61</u> 0,05 (*) ◀ ▶ <u>M61</u> 2 ◀ ▶ <u>M61</u> 2 ◀					▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀
	▶ <u>M32</u> 0,02 (*) ◀	▶ <u>M61</u> 0,05 (*) ◀					▶ <u>M32</u> — ◀
	▶ <u>M32</u> 0,01 (*) ◀	▶ <u>M61</u> 0,5 ◀				▶ <u>M13</u> 2 ◀	▶ <u>M32</u> — ◀
							▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀
							▶ <u>M32</u> — ◀
	▶ <u>M32</u> 2 ◀						▶ <u>M32</u> — ◀
		▶ <u>M61</u> 0,05 (*) ◀ ▶ <u>M61</u> 1 ◀ ▶ <u>M61</u> 1 ◀ ▶ <u>M61</u> 0,6 ◀				▶ <u>M13</u> 2 ◀ ▶ <u>M13</u> 5 ◀ ▶ <u>M13</u> 2 ◀ ▶ <u>M13</u> 1 ◀	▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀
		▶ <u>M61</u> 0,05 (*) ◀				▶ <u>M13</u> 1 ◀	▶ <u>M32</u> — ◀
	▶ <u>M32</u> 0,01 (*) ◀						▶ <u>M32</u> — ◀





▼ M2

(26)	(27)	(28)	(29)	(30)	(31)
▶ <u>M5</u> 0,5 ◀	▶ <u>M61</u> 0,2 ◀		▶ <u>M39</u> 0,05 (*) ◀		▶ <u>M16</u> 0,01 (*) ◀
▶ <u>M5</u> — ◀	▶ <u>M5</u> — ◀				
▶ <u>M5</u> 0,5 ◀ ▶ <u>M5</u> 2,5 ◀ ▶ <u>M5</u> 0,5 ◀ ▶ <u>M5</u> 0,5 ◀	▶ <u>M61</u> 0,05 (*) ◀ ▶ <u>M61</u> 1 ◀ ▶ <u>M61</u> 0,5 ◀ ▶ <u>M61</u> 0,3 ◀		▶ <u>M39</u> 0,05 (*) ◀ ▶ <u>M39</u> 0,05 (*) ◀ ▶ <u>M39</u> 0,2 ◀ ▶ <u>M39</u> 0,05 (*) ◀		▶ <u>M16</u> 0,01 (*) ◀ ▶ <u>M16</u> 0,25 ◀ ▶ <u>M16</u> 0,01 (*) ◀ ▶ <u>M16</u> 0,01 (*) ◀
▶ <u>M5</u> 0,5 ◀	▶ <u>M61</u> 0,05 (*) ◀		▶ <u>M39</u> 0,05 (*) ◀		▶ <u>M16</u> 0,01 (*) ◀
	▶ <u>M5</u> — ◀		▶ <u>M39</u> 0,05 (*) ◀		

▼ **M2**

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)
0151000	(a) <i>Table and wine grapes</i>	► <b>M58</b> — ◀	► <b>M27</b> 0,01 (*) ◀	0,05 (*)	► <b>M32</b> — ◀	0,1	0,05	
0151010	Table grapes	► <b>M58</b> — ◀			► <b>M32</b> — ◀			
0151020	Wine grapes	► <b>M58</b> — ◀			► <b>M32</b> — ◀			
0152000	(b) <i>Strawberries</i>	► <b>M58</b> — ◀	► <b>M27</b> 0,5 ◀	0,05 (*)	► <b>M32</b> — ◀	0,05 (*)	0,5	
0153000	(c) <i>Cane fruit</i>	► <b>M58</b> — ◀	► <b>M27</b> 0,01 (*) ◀	0,05 (*)	► <b>M32</b> — ◀	0,05 (*)	0,5	
0153010	Blackberries	► <b>M58</b> — ◀			► <b>M32</b> — ◀			
0153020	Dewberries	► <b>M58</b> — ◀			► <b>M32</b> — ◀			
0153030	Raspberries	► <b>M58</b> — ◀			► <b>M32</b> — ◀			
0153990	Others	► <b>M58</b> — ◀			► <b>M32</b> — ◀			
0154000	(d) <i>Other small fruit &amp; berries</i>	► <b>M58</b> — ◀			► <b>M32</b> — ◀	0,05 (*)	0,5	
0154010	Blueberries	► <b>M58</b> — ◀	► <b>M27</b> 7 ◀	0,3	► <b>M32</b> — ◀			
0154020	Cranberries	► <b>M58</b> — ◀	► <b>M27</b> 7 ◀	0,3	► <b>M32</b> — ◀			
0154030	Currants (red, black and white)	► <b>M58</b> — ◀	► <b>M27</b> 0,01 (*) ◀	0,3	► <b>M32</b> — ◀			
0154040	Gooseberries	► <b>M58</b> — ◀	► <b>M27</b> 0,01 (*) ◀	0,1	► <b>M32</b> — ◀			
0154050	Rose hips	► <b>M58</b> — ◀	► <b>M27</b> 0,01 (*) ◀	0,3	► <b>M32</b> — ◀			
0154060	Mulberries	► <b>M58</b> — ◀	► <b>M27</b> 0,01 (*) ◀	0,3	► <b>M32</b> — ◀			
0154070	Azarole (mediterranean medlar)	► <b>M58</b> — ◀	► <b>M27</b> 0,01 (*) ◀	0,3	► <b>M32</b> — ◀			
0154080	Elderberries	► <b>M58</b> — ◀	► <b>M27</b> 0,01 (*) ◀	0,3	► <b>M32</b> — ◀			
0154990	Others	► <b>M58</b> — ◀	► <b>M27</b> 0,01 (*) ◀	0,3	► <b>M32</b> — ◀			

▼ M2

(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)
		▶ <u>M61</u> 0,05 (*) ◀				▶ <u>M13</u> 1 ◀	▶ <u>M32</u> — ◀
							▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀
		▶ <u>M61</u> 0,05 (*) ◀				▶ <u>M13</u> 3 ◀	▶ <u>M32</u> — ◀
		▶ <u>M61</u> 0,05 (*) ◀				▶ <u>M13</u> 2 ◀	▶ <u>M32</u> — ◀
							▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀
							▶ <u>M32</u> — ◀
							▶ <u>M32</u> — ◀
		▶ <u>M61</u> 10 ◀ ▶ <u>M61</u> 10 ◀ ▶ <u>M61</u> 2 ◀  ▶ <u>M61</u> 0,05 (*) ◀ ▶ <u>M61</u> 2 ◀ ▶ <u>M61</u> 2 ◀ ▶ <u>M61</u> 2 ◀  ▶ <u>M61</u> 2 ◀				▶ <u>M13</u> 1 ◀  ▶ <u>M13</u> 1 ◀ ▶ <u>M13</u> 1 ◀  ▶ <u>M13</u> 1 ◀ ▶ <u>M13</u> 1 ◀ ▶ <u>M13</u> 1 ◀  ▶ <u>M13</u> 2 ◀	▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀  ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀  ▶ <u>M32</u> — ◀
		▶ <u>M61</u> 2 ◀				▶ <u>M13</u> 1 ◀	▶ <u>M32</u> — ◀

▼ M2

(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)
▶ <u>M52</u> — ◀	▶ <u>M68</u> — ◀		▶ <u>M71</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M42</u> — ◀		
▶ <u>M52</u> — ◀	▶ <u>M68</u> — ◀		▶ <u>M71</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M42</u> — ◀		
▶ <u>M52</u> — ◀	▶ <u>M68</u> — ◀		▶ <u>M71</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M42</u> — ◀		
▶ <u>M52</u> — ◀	▶ <u>M68</u> — ◀		▶ <u>M71</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M42</u> — ◀		
▶ <u>M52</u> — ◀	▶ <u>M68</u> — ◀		▶ <u>M71</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M42</u> — ◀		
▶ <u>M52</u> — ◀	▶ <u>M68</u> — ◀		▶ <u>M71</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M42</u> — ◀		
▶ <u>M52</u> — ◀	▶ <u>M68</u> — ◀		▶ <u>M71</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M42</u> — ◀		
▶ <u>M52</u> — ◀	▶ <u>M68</u> — ◀		▶ <u>M71</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M42</u> — ◀		
▶ <u>M52</u> — ◀	▶ <u>M68</u> — ◀		▶ <u>M71</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M42</u> — ◀		
▶ <u>M52</u> — ◀	▶ <u>M68</u> — ◀		▶ <u>M71</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M42</u> — ◀		
▶ <u>M52</u> — ◀	▶ <u>M68</u> — ◀		▶ <u>M71</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M42</u> — ◀		
▶ <u>M52</u> — ◀	▶ <u>M68</u> — ◀		▶ <u>M71</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M42</u> — ◀		
▶ <u>M52</u> — ◀	▶ <u>M68</u> — ◀		▶ <u>M71</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M42</u> — ◀		
▶ <u>M52</u> — ◀	▶ <u>M68</u> — ◀		▶ <u>M71</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M42</u> — ◀		
▶ <u>M52</u> — ◀	▶ <u>M68</u> — ◀		▶ <u>M71</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M42</u> — ◀		
▶ <u>M52</u> — ◀	▶ <u>M68</u> — ◀		▶ <u>M71</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M42</u> — ◀		
▶ <u>M52</u> — ◀	▶ <u>M68</u> — ◀		▶ <u>M71</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M42</u> — ◀		
▶ <u>M52</u> — ◀	▶ <u>M68</u> — ◀		▶ <u>M71</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M42</u> — ◀		

▼ M2

(26)	(27)	(28)	(29)	(30)	(31)
	▶ <u>M61</u> 0,05 (*) ◀				
▶ <u>M5</u> 0,5 ◀ ▶ <u>M5</u> 1 ◀					▶ <u>M16</u> 0,2 ◀ ▶ <u>M16</u> 0,01 (*) ◀
▶ <u>M5</u> 1 ◀	▶ <u>M61</u> 0,05 (*) ◀				▶ <u>M16</u> 0,01 (*) ◀
	▶ <u>M61</u> 0,05 (*) ◀				▶ <u>M16</u> 0,01 (*) ◀
▶ <u>M5</u> 0,5 ◀ ▶ <u>M5</u> 0,5 ◀ ▶ <u>M5</u> 1 ◀					
▶ <u>M5</u> 0,5 ◀					
▶ <u>M5</u> 0,5 ◀					
	▶ <u>M61</u> 0,05 (*) ◀ ▶ <u>M61</u> 1 ◀ ▶ <u>M61</u> 0,05 (*) ◀  ▶ <u>M61</u> 0,05 (*) ◀ ▶ <u>M61</u> 0,05 (*) ◀ ▶ <u>M61</u> 0,05 (*) ◀ ▶ <u>M61</u> 0,05 (*) ◀  ▶ <u>M61</u> 0,05 (*) ◀				▶ <u>M16</u> 0,01 (*) ◀ ▶ <u>M16</u> 0,25 ◀ ▶ <u>M16</u> 0,01 (*) ◀  ▶ <u>M16</u> 0,01 (*) ◀ ▶ <u>M16</u> 0,01 (*) ◀ ▶ <u>M16</u> 0,01 (*) ◀ ▶ <u>M16</u> 0,01 (*) ◀  ▶ <u>M16</u> 0,01 (*) ◀
	▶ <u>M61</u> 0,05 (*) ◀				▶ <u>M16</u> 0,01 (*) ◀

## ▼ M2

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)
0160000	(vi) <b>Miscellaneous fruit</b>	► <b>M58</b> — ◀	► <b>M27</b> 0,01 (*) ◀	0,05 (*)	► <b>M32</b> — ◀		0,5	
0161000	(a) <i>Edible peel</i>	► <b>M58</b> — ◀			► <b>M32</b> — ◀			
0161010	Dates	► <b>M58</b> — ◀			► <b>M32</b> — ◀	0,05 (*)		
0161020	Figs	► <b>M58</b> — ◀			► <b>M32</b> — ◀	0,05 (*)		
0161030	Table olives	► <b>M58</b> — ◀			► <b>M32</b> — ◀	1		
0161040	Kumquats	► <b>M58</b> — ◀			► <b>M32</b> — ◀	0,05 (*)		
0161050	Carambola	► <b>M58</b> — ◀			► <b>M32</b> — ◀	0,05 (*)		
0161060	Persimmon	► <b>M58</b> — ◀			► <b>M32</b> — ◀	0,05 (*)		
0161070	Jambolan (java plum)	► <b>M58</b> — ◀			► <b>M32</b> — ◀	0,05 (*)		
0161990	Others	► <b>M58</b> — ◀			► <b>M32</b> — ◀	0,05 (*)		
0162000	(b) <i>Inedible peel, small</i>	► <b>M58</b> — ◀			► <b>M32</b> — ◀	0,05 (*)		
0162010	Kiwi	► <b>M58</b> — ◀			► <b>M32</b> — ◀			
0162020	Lychee (Litchi)	► <b>M58</b> — ◀			► <b>M32</b> — ◀			
0162030	Passion fruit	► <b>M58</b> — ◀			► <b>M32</b> — ◀			
0162040	Prickly pear (cactus fruit)	► <b>M58</b> — ◀			► <b>M32</b> — ◀			
0162050	Star apple	► <b>M58</b> — ◀			► <b>M32</b> — ◀			
0162060	American persimmon (Virginia kaki)	► <b>M58</b> — ◀			► <b>M32</b> — ◀			
0162990	Others	► <b>M58</b> — ◀			► <b>M32</b> — ◀			
0163000	(c) <i>Inedible peel, large</i>	► <b>M58</b> — ◀			► <b>M32</b> — ◀	0,05 (*)		
0163010	Avocados	► <b>M58</b> — ◀			► <b>M32</b> — ◀			

▼ M2

(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)
	▶ <u>M32</u> 0,01 (*) ◀						▶ <u>M32</u> — ◀
						▶ <u>M13</u> 1 ◀	▶ <u>M32</u> — ◀
		▶ <u>M61</u> 0,05 (*) ◀ ▶ <u>M61</u> 2 ◀ ▶ <u>M61</u> 3 ◀ ▶ <u>M61</u> 2 ◀ ▶ <u>M61</u> 2 ◀ ▶ <u>M61</u> 0,05 (*) ◀ ▶ <u>M61</u> 2 ◀					▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀
		▶ <u>M61</u> 2 ◀					▶ <u>M32</u> — ◀
						▶ <u>M13</u> 1 ◀	▶ <u>M32</u> — ◀
		▶ <u>M61</u> 0,05 (*) ◀ ▶ <u>M61</u> 2 ◀ ▶ <u>M61</u> 0,05 (*) ◀ ▶ <u>M61</u> 2 ◀  ▶ <u>M61</u> 2 ◀ ▶ <u>M61</u> 2 ◀					▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀  ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀
		▶ <u>M61</u> 2 ◀					▶ <u>M32</u> — ◀
							▶ <u>M32</u> — ◀
		▶ <u>M61</u> 0,05 (*) ◀				▶ <u>M13</u> 1 ◀	▶ <u>M32</u> — ◀



▼ M2

(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)
▶ <u>M52</u> — ◀	▶ <u>M68</u> — ◀		▶ <u>M71</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M42</u> — ◀		
▶ <u>M52</u> — ◀	▶ <u>M68</u> — ◀		▶ <u>M71</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M42</u> — ◀		
▶ <u>M52</u> — ◀	▶ <u>M68</u> — ◀		▶ <u>M71</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M42</u> — ◀		
▶ <u>M52</u> — ◀	▶ <u>M68</u> — ◀		▶ <u>M71</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M42</u> — ◀		
▶ <u>M52</u> — ◀	▶ <u>M68</u> — ◀		▶ <u>M71</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M42</u> — ◀		
▶ <u>M52</u> — ◀	▶ <u>M68</u> — ◀		▶ <u>M71</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M42</u> — ◀		
▶ <u>M52</u> — ◀	▶ <u>M68</u> — ◀		▶ <u>M71</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M42</u> — ◀		
▶ <u>M52</u> — ◀	▶ <u>M68</u> — ◀		▶ <u>M71</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M42</u> — ◀		
▶ <u>M52</u> — ◀	▶ <u>M68</u> — ◀		▶ <u>M71</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M42</u> — ◀		
▶ <u>M52</u> — ◀	▶ <u>M68</u> — ◀		▶ <u>M71</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M42</u> — ◀		
▶ <u>M52</u> — ◀	▶ <u>M68</u> — ◀		▶ <u>M71</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M42</u> — ◀		
▶ <u>M52</u> — ◀	▶ <u>M68</u> — ◀		▶ <u>M71</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M42</u> — ◀		
▶ <u>M52</u> — ◀	▶ <u>M68</u> — ◀		▶ <u>M71</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M42</u> — ◀		
▶ <u>M52</u> — ◀	▶ <u>M68</u> — ◀		▶ <u>M71</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M42</u> — ◀		
▶ <u>M52</u> — ◀	▶ <u>M68</u> — ◀		▶ <u>M71</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M42</u> — ◀		
▶ <u>M52</u> — ◀	▶ <u>M68</u> — ◀		▶ <u>M71</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M42</u> — ◀		
▶ <u>M52</u> — ◀	▶ <u>M68</u> — ◀		▶ <u>M71</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M42</u> — ◀		
▶ <u>M52</u> — ◀	▶ <u>M68</u> — ◀		▶ <u>M71</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M42</u> — ◀		
▶ <u>M52</u> — ◀	▶ <u>M68</u> — ◀		▶ <u>M71</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M42</u> — ◀		
▶ <u>M52</u> — ◀	▶ <u>M68</u> — ◀		▶ <u>M71</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M42</u> — ◀		

▼ M2

(26)	(27)	(28)	(29)	(30)	(31)
	▶ <u>M61</u> 0,05 (*) ◀		▶ <u>M39</u> 0,05 (*) ◀		▶ <u>M16</u> 0,01 (*) ◀
▶ <u>M5</u> 0,5 ◀					
▶ <u>M5</u> 0,5 ◀					
▶ <u>M5</u> 0,5 ◀					

▼ **M2**

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)
0163020	Bananas	▶ <u>M58</u> — ◀			▶ <u>M32</u> — ◀			
0163030	Mangoes	▶ <u>M58</u> — ◀			▶ <u>M32</u> — ◀			
0163040	Papaya	▶ <u>M58</u> — ◀			▶ <u>M32</u> — ◀			
0163050	Pomegranate	▶ <u>M58</u> — ◀			▶ <u>M32</u> — ◀			
0163060	Cherimoya	▶ <u>M58</u> — ◀			▶ <u>M32</u> — ◀			
0163070	Guava	▶ <u>M58</u> — ◀			▶ <u>M32</u> — ◀			
0163080	Pineapples	▶ <u>M58</u> — ◀			▶ <u>M32</u> — ◀			
0163090	Bread fruit	▶ <u>M58</u> — ◀			▶ <u>M32</u> — ◀			
0163100	Durian	▶ <u>M58</u> — ◀			▶ <u>M32</u> — ◀			
0163110	Soursop (guanabana)	▶ <u>M58</u> — ◀			▶ <u>M32</u> — ◀			
0163990	Others	▶ <u>M58</u> — ◀			▶ <u>M32</u> — ◀			
0200000	<b>2. VEGETABLES FRESH OR FROZEN</b>	▶ <u>M58</u> — ◀		0,05 (*)	▶ <u>M32</u> — ◀	0,05 (*)	0,02 (*)	
0210000	(i) <b>Root and tuber vegetables</b>	▶ <u>M58</u> — ◀			▶ <u>M32</u> — ◀			
0211000	(a) <i>Potatoes</i>	▶ <u>M58</u> — ◀	▶ <u>M27</u> 0,2 ◀		▶ <u>M32</u> — ◀			0,1
0212000	(b) <i>Tropical root and tuber vegetables</i>	▶ <u>M58</u> — ◀	▶ <u>M27</u> 0,01 (*) ◀		▶ <u>M32</u> — ◀			0,05 (*)
0212010	Cassava	▶ <u>M58</u> — ◀			▶ <u>M32</u> — ◀			
0212020	Sweet potatoes	▶ <u>M58</u> — ◀			▶ <u>M32</u> — ◀			
0212030	Yams	▶ <u>M58</u> — ◀			▶ <u>M32</u> — ◀			
0212040	Arrowroot	▶ <u>M58</u> — ◀			▶ <u>M32</u> — ◀			
0212990	Others	▶ <u>M58</u> — ◀			▶ <u>M32</u> — ◀			

▼ M2

(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)
		<p>▶ <u>M61</u> 0,05 (*) ◀</p> <p>▶ <u>M61</u> 0,05 (*) ◀</p> <p>▶ <u>M61</u> 2 ◀</p> <p>▶ <u>M61</u> 0,05 (*) ◀</p> <p>▶ <u>M61</u> 2 ◀</p> <p>▶ <u>M61</u> 2 ◀</p> <p>▶ <u>M61</u> 0,05 (*) ◀</p> <p>▶ <u>M61</u> 0,05 (*) ◀</p> <p>▶ <u>M61</u> 0,05 (*) ◀</p> <p>▶ <u>M61</u> 0,05 (*) ◀</p>				<p>▶ <u>M13</u> 1 ◀</p> <p>▶ <u>M13</u> 1 ◀</p> <p>▶ <u>M13</u> 1 ◀</p> <p>▶ <u>M13</u> 1 ◀</p> <p>▶ <u>M13</u> 1 ◀</p> <p>▶ <u>M13</u> 1 ◀</p> <p>▶ <u>M13</u> 1 ◀</p> <p>▶ <u>M13</u> 0,5 ◀</p> <p>▶ <u>M13</u> 1 ◀</p> <p>▶ <u>M13</u> 1 ◀</p> <p>▶ <u>M13</u> 1 ◀</p>	<p>▶ <u>M32</u> — ◀</p> <p>▶ <u>M32</u> — ◀</p> <p>▶ <u>M32</u> — ◀</p> <p>▶ <u>M32</u> — ◀</p> <p>▶ <u>M32</u> — ◀</p> <p>▶ <u>M32</u> — ◀</p> <p>▶ <u>M32</u> — ◀</p> <p>▶ <u>M32</u> — ◀</p> <p>▶ <u>M32</u> — ◀</p>
		▶ <u>M61</u> 0,05 (*) ◀				▶ <u>M13</u> 1 ◀	▶ <u>M32</u> — ◀
0,05 (*)	▶ <u>M32</u> — ◀	▶ <u>M61</u> 0,05 (*) ◀		0,01 (*)	▶ <u>M61</u> 0,01 (*) ◀		▶ <u>M32</u> — ◀
	▶ <u>M32</u> 0,01 (*) ◀						▶ <u>M32</u> — ◀
			0,01 (*)			▶ <u>M13</u> 0,2 ◀	▶ <u>M32</u> — ◀
			0,05			▶ <u>M13</u> 0,5 ◀	▶ <u>M32</u> — ◀
							▶ <u>M32</u> — ◀
							▶ <u>M32</u> — ◀
							▶ <u>M32</u> — ◀
							▶ <u>M32</u> — ◀



▼ M2

(26)	(27)	(28)	(29)	(30)	(31)
▶ <u>M5</u> 0,5 ◀					
▶ <u>M5</u> 0,5 ◀					
▶ <u>M5</u> 0,5 ◀					
▶ <u>M5</u> 0,5 ◀					
▶ <u>M5</u> 0,5 ◀					
▶ <u>M5</u> 0,5 ◀					
▶ <u>M5</u> 0,05 (*) ◀					
▶ <u>M5</u> 0,5 ◀					
▶ <u>M5</u> 0,5 ◀					
▶ <u>M5</u> 0,5 ◀					
▶ <u>M5</u> 0,5 ◀					
▶ <u>M5</u> 0,5 ◀					
				0,01 (*)	
▶ <u>M5</u> 0,05 (*) ◀	▶ <u>M61</u> 0,05 (*) ◀	0,1 (*)			▶ <u>M16</u> 0,01 (*) ◀
			▶ <u>M39</u> 0,2 ◀		▶ <u>M5</u> 0,05 (*) ◀
			▶ <u>M39</u> 0,4 ◀		▶ <u>M5</u> 0,1 ◀

▼ **M2**

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)
0213000	(c) <i>Other root and tuber vegetables except sugar beet</i>	► <b>M58</b> — ◀	► <b>M27</b> 0,01 (*) ◀		► <b>M32</b> — ◀			0,05 (*)
0213010	Beetroot	► <b>M58</b> — ◀			► <b>M32</b> — ◀			
0213020	Carrots	► <b>M58</b> — ◀			► <b>M32</b> — ◀			
0213030	Celeriac	► <b>M58</b> — ◀			► <b>M32</b> — ◀			
0213040	Horseradish	► <b>M58</b> — ◀			► <b>M32</b> — ◀			
0213050	Jerusalem artichokes	► <b>M58</b> — ◀			► <b>M32</b> — ◀			
0213060	Parsnips	► <b>M58</b> — ◀			► <b>M32</b> — ◀			
0213070	Parsley root	► <b>M58</b> — ◀			► <b>M32</b> — ◀			
0213080	Radishes	► <b>M58</b> — ◀			► <b>M32</b> — ◀			
0213090	Salsify	► <b>M58</b> — ◀			► <b>M32</b> — ◀			
0213100	Swedes	► <b>M58</b> — ◀			► <b>M32</b> — ◀			
0213110	Turnips	► <b>M58</b> — ◀			► <b>M32</b> — ◀			
0213990	Others	► <b>M58</b> — ◀			► <b>M32</b> — ◀			
0220000	(ii) <b>Bulb vegetables</b>	► <b>M58</b> — ◀	► <b>M27</b> 0,01 (*) ◀		► <b>M32</b> — ◀			0,05 (*)
0220010	Garlic	► <b>M58</b> — ◀			► <b>M32</b> — ◀			
0220020	Onions	► <b>M58</b> — ◀			► <b>M32</b> — ◀			
0220030	Shallots	► <b>M58</b> — ◀			► <b>M32</b> — ◀			
0220040	Spring onions	► <b>M58</b> — ◀			► <b>M32</b> — ◀			
0220990	Others	► <b>M58</b> — ◀			► <b>M32</b> — ◀			
0230000	(iii) <b>Fruiting vegetables</b>	► <b>M58</b> — ◀			► <b>M32</b> — ◀			0,05 (*)
0231000	(a) <i>Solanacea</i>	► <b>M58</b> — ◀			► <b>M32</b> — ◀			

▼ M2

(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)
			0,05			▶ <u>M13</u> 0,5 ◀	▶ <u>M32</u> — ◀
							▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀
							▶ <u>M32</u> — ◀
	▶ <u>M32</u> 0,02 (*) ◀		0,05			▶ <u>M13</u> 0,5 ◀	▶ <u>M32</u> — ◀
							▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀
							▶ <u>M32</u> — ◀
	▶ <u>M32</u> 0,01 (*) ◀		0,05				▶ <u>M32</u> — ◀
						▶ <u>M13</u> 1 ◀	▶ <u>M32</u> — ◀





▼ M2

(26)	(27)	(28)	(29)	(30)	(31)
			▶ <u>M39</u> 0,4 ◀		▶ <u>M5</u> 0,1 ◀
▶ <u>M5</u> 0,05 (*) ◀	▶ <u>M61</u> 0,05 (*) ◀	0,1 (*)	▶ <u>M39</u> 0,4 ◀		▶ <u>M16</u> 0,02 (*) ◀
		0,1 (*)	▶ <u>M39</u> 0,4 ◀		▶ <u>M16</u> 0,01 (*) ◀
	▶ <u>M61</u> 1 ◀				

▼ M2

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)
0231010	Tomatoes	▶ <u>M58</u> — ◀	▶ <u>M27</u> 1 ◀		▶ <u>M32</u> — ◀			
0231020	Peppers	▶ <u>M58</u> — ◀	▶ <u>M27</u> 0,6 ◀		▶ <u>M32</u> — ◀			
0231030	Aubergines (egg plants)	▶ <u>M58</u> — ◀	▶ <u>M27</u> 0,5 ◀		▶ <u>M32</u> — ◀			
0231040	Okra, lady's fingers	▶ <u>M58</u> — ◀	▶ <u>M27</u> 0,01 (*) ◀		▶ <u>M32</u> — ◀			
0231990	Others	▶ <u>M58</u> — ◀	▶ <u>M27</u> 0,01 (*) ◀		▶ <u>M32</u> — ◀			
0232000	(b) <i>Cucurbits — edible peel</i>	▶ <u>M58</u> — ◀	▶ <u>M27</u> — ◀		▶ <u>M32</u> — ◀			
0232010	Cucumbers	▶ <u>M58</u> — ◀	▶ <u>M27</u> 0,1 ◀		▶ <u>M32</u> — ◀			
0232020	Gherkins	▶ <u>M58</u> — ◀	▶ <u>M27</u> 0,01 (*) ◀		▶ <u>M32</u> — ◀			
0232030	Courgettes	▶ <u>M58</u> — ◀	▶ <u>M27</u> 0,1 ◀		▶ <u>M32</u> — ◀			
0232990	Others	▶ <u>M58</u> — ◀	▶ <u>M27</u> 0,01 (*) ◀		▶ <u>M32</u> — ◀			
0233000	(c) <i>Cucurbits- inedible peel</i>	▶ <u>M58</u> — ◀	▶ <u>M27</u> 0,2 ◀		▶ <u>M32</u> — ◀			
0233010	Melons	▶ <u>M58</u> — ◀			▶ <u>M32</u> — ◀			
0233020	Pumpkins	▶ <u>M58</u> — ◀			▶ <u>M32</u> — ◀			
0233030	Watermelons	▶ <u>M58</u> — ◀			▶ <u>M32</u> — ◀			
0233990	Others	▶ <u>M58</u> — ◀			▶ <u>M32</u> — ◀			
0234000	(d) <i>Sweet corn</i>	▶ <u>M58</u> — ◀	▶ <u>M27</u> 0,01 (*) ◀		▶ <u>M32</u> — ◀			
0239000	(e) <i>Other fruiting vegetables</i>	▶ <u>M58</u> — ◀	▶ <u>M27</u> 0,01 (*) ◀		▶ <u>M32</u> — ◀			
0240000	(iv) <b>Brassica vegetables</b>	▶ <u>M58</u> — ◀	▶ <u>M27</u> — ◀		▶ <u>M32</u> — ◀			0,05 (*)
0241000	(a) <i>Flowering brassica</i>	▶ <u>M58</u> — ◀			▶ <u>M32</u> — ◀			
0241010	Broccoli	▶ <u>M58</u> — ◀	▶ <u>M27</u> 0,6 ◀		▶ <u>M32</u> — ◀			
0241020	Cauliflower	▶ <u>M58</u> — ◀	▶ <u>M27</u> 0,01 (*) ◀		▶ <u>M32</u> — ◀			

▼ M2

(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)
							▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀
							▶ <u>M32</u> — ◀
						▶ <u>M13</u> 1 ◀	▶ <u>M32</u> — ◀
							▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀
							▶ <u>M32</u> — ◀
						▶ <u>M13</u> 1 ◀	▶ <u>M32</u> — ◀
							▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀
							▶ <u>M32</u> — ◀
						▶ <u>M13</u> 0,5 ◀	▶ <u>M32</u> — ◀
						▶ <u>M13</u> 0,5 ◀	▶ <u>M32</u> — ◀
	▶ <u>M32</u> 0,01 (*) ◀		0,05				▶ <u>M32</u> — ◀
							▶ <u>M32</u> — ◀
						▶ <u>M13</u> 2 ◀ ▶ <u>M13</u> 2 ◀	▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀

▼ M2

(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)
▶ <u>M52</u> — ◀	▶ <u>M68</u> — ◀		▶ <u>M71</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M42</u> — ◀		
▶ <u>M52</u> — ◀	▶ <u>M68</u> — ◀		▶ <u>M71</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M42</u> — ◀		
▶ <u>M52</u> — ◀	▶ <u>M68</u> — ◀		▶ <u>M71</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M42</u> — ◀		
▶ <u>M52</u> — ◀	▶ <u>M68</u> — ◀		▶ <u>M71</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M42</u> — ◀		
▶ <u>M52</u> — ◀	▶ <u>M68</u> — ◀		▶ <u>M71</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M42</u> — ◀		
▶ <u>M52</u> — ◀	▶ <u>M68</u> — ◀		▶ <u>M71</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M42</u> — ◀		
▶ <u>M52</u> — ◀	▶ <u>M68</u> — ◀		▶ <u>M71</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M42</u> — ◀		
▶ <u>M52</u> — ◀	▶ <u>M68</u> — ◀		▶ <u>M71</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M42</u> — ◀		
▶ <u>M52</u> — ◀	▶ <u>M68</u> — ◀		▶ <u>M71</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M42</u> — ◀		
▶ <u>M52</u> — ◀	▶ <u>M68</u> — ◀		▶ <u>M71</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M42</u> — ◀		
▶ <u>M52</u> — ◀	▶ <u>M68</u> — ◀		▶ <u>M71</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M42</u> — ◀		
▶ <u>M52</u> — ◀	▶ <u>M68</u> — ◀		▶ <u>M71</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M42</u> — ◀		
▶ <u>M52</u> — ◀	▶ <u>M68</u> — ◀		▶ <u>M71</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M42</u> — ◀	▶ <u>M8</u> — ◀	
▶ <u>M52</u> — ◀	▶ <u>M68</u> — ◀		▶ <u>M71</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M42</u> — ◀	▶ <u>M15</u> — ◀	
▶ <u>M52</u> — ◀	▶ <u>M68</u> — ◀	▶ <u>M5</u> 0,2 ◀	▶ <u>M71</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M42</u> — ◀	▶ <u>M43</u> 0,03 ◀	
▶ <u>M52</u> — ◀	▶ <u>M68</u> — ◀	▶ <u>M5</u> 0,05 (*) ◀	▶ <u>M71</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M42</u> — ◀	▶ <u>M43</u> 0,03 ◀	

▼ M2

(26)	(27)	(28)	(29)	(30)	(31)
▶ <u>M5</u> 0,3 ◀ ▶ <u>M5</u> 0,5 ◀ ▶ <u>M5</u> 0,2 ◀ ▶ <u>M5</u> 0,1 ◀					
▶ <u>M5</u> 0,1 ◀					
▶ <u>M5</u> 0,1 ◀					
	▶ <u>M61</u> 0,1 ◀ ▶ <u>M61</u> 0,1 ◀ ▶ <u>M61</u> 0,05 (*) ◀				
	▶ <u>M61</u> 0,05 (*) ◀				
▶ <u>M5</u> 0,05 (*) ◀	▶ <u>M61</u> 0,05 (*) ◀				
▶ <u>M5</u> 0,05 (*) ◀	▶ <u>M61</u> 0,05 (*) ◀				
▶ <u>M5</u> 0,05 (*) ◀	▶ <u>M61</u> 0,05 (*) ◀				
▶ <u>M5</u> 0,05 (*) ◀	▶ <u>M61</u> 0,05 (*) ◀	0,1 (*)	▶ <u>M39</u> 0,4 ◀		▶ <u>M16</u> 0,01 (*) ◀

▼ **M2**

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)
0241990	Others	► <b>M58</b> — ◄	► <b>M27</b> 0,01 (*) ◄		► <b>M32</b> — ◄			
0242000	(b) <i>Head brassica</i>	► <b>M58</b> — ◄	► <b>M27</b> 0,01 (*) ◄		► <b>M32</b> — ◄			
0242010	Brussels sprouts	► <b>M58</b> — ◄			► <b>M32</b> — ◄			
0242020	Head cabbage	► <b>M58</b> — ◄			► <b>M32</b> — ◄			
0242990	Others	► <b>M58</b> — ◄			► <b>M32</b> — ◄			
0243000	(c) <i>Leafy brassica</i>	► <b>M58</b> — ◄	► <b>M27</b> 0,01 (*) ◄		► <b>M32</b> — ◄			
0243010	Chinese cabbage	► <b>M58</b> — ◄			► <b>M32</b> — ◄			
0243020	Kale	► <b>M58</b> — ◄			► <b>M32</b> — ◄			
0243990	Others	► <b>M58</b> — ◄			► <b>M32</b> — ◄			
0244000	(d) <i>Kohlrabi</i>	► <b>M58</b> — ◄	► <b>M27</b> 0,01 (*) ◄		► <b>M32</b> — ◄			
0250000	(v) <b>Leaf vegetables &amp; fresh herbs</b>	► <b>M58</b> — ◄	► <b>M27</b> — ◄		► <b>M32</b> — ◄			
0251000	(a) <i>Lettuce and other salad plants including Brassicacea</i>	► <b>M58</b> — ◄			► <b>M32</b> — ◄			2
0251010	Lamb's lettuce	► <b>M58</b> — ◄	► <b>M27</b> 0,01 (*) ◄		► <b>M32</b> — ◄			
0251020	Lettuce	► <b>M58</b> — ◄	► <b>M27</b> 0,01 (*) ◄		► <b>M32</b> — ◄			
0251030	Scarole (broad-leaf endive)	► <b>M58</b> — ◄	► <b>M27</b> 0,01 (*) ◄		► <b>M32</b> — ◄			
0251040	Cress	► <b>M58</b> — ◄	► <b>M27</b> 0,01 (*) ◄		► <b>M32</b> — ◄			
0251050	Land cress	► <b>M58</b> — ◄	► <b>M27</b> 0,01 (*) ◄		► <b>M32</b> — ◄			
0251060	Rocket, Rucola	► <b>M58</b> — ◄	► <b>M27</b> 0,01 (*) ◄		► <b>M32</b> — ◄			

▼ M2

(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)
						▶ <u>M13</u> 1 ◀	▶ <u>M32</u> — ◀
						▶ <u>M13</u> 1 ◀	▶ <u>M32</u> — ◀
							▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀
							▶ <u>M32</u> — ◀
							▶ <u>M32</u> — ◀
						▶ <u>M13</u> 2 ◀	▶ <u>M32</u> — ◀
						▶ <u>M13</u> 1 ◀	▶ <u>M32</u> — ◀
						▶ <u>M13</u> 2 ◀	▶ <u>M32</u> — ◀
						▶ <u>M13</u> 0,5 ◀	▶ <u>M32</u> — ◀
			0,05				▶ <u>M32</u> — ◀
	▶ <u>M32</u> 0,01 (*) ◀						▶ <u>M32</u> — ◀
						▶ <u>M13</u> 5 ◀ ▶ <u>M13</u> 5 ◀ ▶ <u>M13</u> 1 ◀  ▶ <u>M13</u> 5 ◀ ▶ <u>M13</u> 5 ◀ ▶ <u>M13</u> 5 ◀	▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀  ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀



▼ M2

(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)
▶ <u>M52</u> — ◀	▶ <u>M68</u> — ◀	▶ <u>M5</u> 0,05 (*) ◀	▶ <u>M71</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M42</u> — ◀	▶ <u>M43</u> 0,02 (*) ◀	
▶ <u>M52</u> — ◀	▶ <u>M68</u> — ◀		▶ <u>M71</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M42</u> — ◀		
▶ <u>M52</u> — ◀	▶ <u>M68</u> — ◀	▶ <u>M5</u> 0,05 (*) ◀	▶ <u>M71</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M42</u> — ◀	▶ <u>M43</u> 0,1 ◀	
▶ <u>M52</u> — ◀	▶ <u>M68</u> — ◀	▶ <u>M5</u> 0,2 ◀	▶ <u>M71</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M42</u> — ◀	▶ <u>M43</u> 0,1 ◀	
▶ <u>M52</u> — ◀	▶ <u>M68</u> — ◀	▶ <u>M5</u> 0,05 (*) ◀	▶ <u>M71</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M42</u> — ◀	▶ <u>M43</u> 0,02 (*) ◀	
▶ <u>M52</u> — ◀	▶ <u>M68</u> — ◀	▶ <u>M5</u> 0,05 (*) ◀	▶ <u>M71</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M42</u> — ◀	▶ <u>M43</u> 0,02 (*) ◀	
▶ <u>M52</u> — ◀	▶ <u>M68</u> — ◀		▶ <u>M71</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M42</u> — ◀		
▶ <u>M52</u> — ◀	▶ <u>M68</u> — ◀		▶ <u>M71</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M42</u> — ◀		
▶ <u>M52</u> — ◀	▶ <u>M68</u> — ◀	▶ <u>M5</u> 0,05 (*) ◀	▶ <u>M71</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M42</u> — ◀	▶ <u>M43</u> 0,02 (*) ◀	
▶ <u>M52</u> — ◀	▶ <u>M68</u> — ◀		▶ <u>M71</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M42</u> — ◀	▶ <u>M43</u> 0,02 (*) ◀	
▶ <u>M52</u> — ◀	▶ <u>M68</u> — ◀	▶ <u>M5</u> 0,1 ◀	▶ <u>M71</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M42</u> — ◀		
▶ <u>M52</u> — ◀	▶ <u>M68</u> — ◀	▶ <u>M5</u> — ◀	▶ <u>M71</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M42</u> — ◀		
▶ <u>M52</u> — ◀	▶ <u>M68</u> — ◀	▶ <u>M5</u> — ◀	▶ <u>M71</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M42</u> — ◀		
▶ <u>M52</u> — ◀	▶ <u>M68</u> — ◀	▶ <u>M5</u> — ◀	▶ <u>M71</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M42</u> — ◀		
▶ <u>M52</u> — ◀	▶ <u>M68</u> — ◀	▶ <u>M5</u> — ◀	▶ <u>M71</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M42</u> — ◀		
▶ <u>M52</u> — ◀	▶ <u>M68</u> — ◀	▶ <u>M5</u> — ◀	▶ <u>M71</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M42</u> — ◀		
▶ <u>M52</u> — ◀	▶ <u>M68</u> — ◀	▶ <u>M5</u> — ◀	▶ <u>M71</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M42</u> — ◀		

▼ M2

(26)	(27)	(28)	(29)	(30)	(31)
▶ <u>M5</u> 0,05 (*) ◀	▶ <u>M61</u> 0,05 (*) ◀		▶ <u>M39</u> 0,4 ◀		▶ <u>M16</u> 0,01 (*) ◀
		0,1 (*)			

## ▼ M2

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)
0251070	Red mustard	► <u>M58</u> — ◀	► <u>M27</u> 25 ◀		► <u>M32</u> — ◀			
0251080	Leaves and sprouts of Brassica spp	► <u>M58</u> — ◀	► <u>M27</u> 0,01 (*) ◀		► <u>M32</u> — ◀			
0251990	Others	► <u>M58</u> — ◀	► <u>M27</u> 0,01 (*) ◀		► <u>M32</u> — ◀			
0252000	(b) <i>Spinach</i> & similar (leaves)	► <u>M58</u> — ◀			► <u>M32</u> — ◀			
0252010	Spinach	► <u>M58</u> — ◀	► <u>M27</u> 0,01 (*) ◀		► <u>M32</u> — ◀			0,05 (*)
0252020	Purslane	► <u>M58</u> — ◀	► <u>M27</u> 0,01 (*) ◀		► <u>M32</u> — ◀			2
0252030	Beet leaves (chard)	► <u>M58</u> — ◀	► <u>M27</u> 15 ◀		► <u>M32</u> — ◀			0,05 (*)
0252990	Others	► <u>M58</u> — ◀	► <u>M27</u> 0,01 (*) ◀		► <u>M32</u> — ◀			0,05 (*)
0253000	(c) <i>Vine leaves</i> (grape leaves)	► <u>M58</u> — ◀	► <u>M27</u> 0,01 (*) ◀		► <u>M32</u> — ◀			0,05 (*)
0254000	(d) <i>Water cress</i>	► <u>M58</u> — ◀	► <u>M27</u> 0,01 (*) ◀		► <u>M32</u> — ◀			0,05 (*)
0255000	(e) <i>Witloof</i>	► <u>M58</u> — ◀	► <u>M27</u> 0,01 (*) ◀		► <u>M32</u> — ◀			0,05 (*)
0256000	(f) <i>Herbs</i>	► <u>M58</u> — ◀	► <u>M27</u> 0,01 (*) ◀		► <u>M32</u> — ◀			0,05 (*)
0256010	Chervil	► <u>M58</u> — ◀			► <u>M32</u> — ◀			
0256020	Chives	► <u>M58</u> — ◀			► <u>M32</u> — ◀			
0256030	Celery leaves	► <u>M58</u> — ◀			► <u>M32</u> — ◀			
0256040	Parsley	► <u>M58</u> — ◀			► <u>M32</u> — ◀			
0256050	Sage	► <u>M58</u> — ◀			► <u>M32</u> — ◀			
0256060	Rosemary	► <u>M58</u> — ◀			► <u>M32</u> — ◀			
0256070	Thyme	► <u>M58</u> — ◀			► <u>M32</u> — ◀			
0256080	Basil	► <u>M58</u> — ◀			► <u>M32</u> — ◀			

▼ M2

(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)
						▶ <u>M13</u> 5 ◀ ▶ <u>M13</u> 5 ◀	▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀
						▶ <u>M13</u> 5 ◀	▶ <u>M32</u> — ◀
	▶ <u>M32</u> 0,01 (*) ◀						▶ <u>M32</u> — ◀
						▶ <u>M13</u> 2 ◀ ▶ <u>M13</u> 5 ◀ ▶ <u>M13</u> 5 ◀	▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀
						▶ <u>M13</u> 5 ◀	▶ <u>M32</u> — ◀
	▶ <u>M32</u> 0,01 (*) ◀					▶ <u>M13</u> 5 ◀	▶ <u>M32</u> — ◀
	▶ <u>M32</u> 0,01 (*) ◀					▶ <u>M13</u> 5 ◀	▶ <u>M32</u> — ◀
	▶ <u>M32</u> 0,01 (*) ◀					▶ <u>M13</u> 2 ◀	▶ <u>M32</u> — ◀
	▶ <u>M32</u> 0,02 (*) ◀					▶ <u>M13</u> 5 ◀	▶ <u>M32</u> — ◀
							▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀

▼ M2

(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)
▶ <u>M52</u> — ◀	▶ <u>M68</u> — ◀	▶ <u>M5</u> — ◀	▶ <u>M71</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M42</u> — ◀		
▶ <u>M52</u> — ◀	▶ <u>M68</u> — ◀	▶ <u>M5</u> — ◀	▶ <u>M71</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M42</u> — ◀		
▶ <u>M52</u> — ◀	▶ <u>M68</u> — ◀		▶ <u>M71</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M42</u> — ◀		
▶ <u>M52</u> — ◀	▶ <u>M68</u> — ◀	▶ <u>M5</u> 0,2 ◀	▶ <u>M71</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M42</u> — ◀		
▶ <u>M52</u> — ◀	▶ <u>M68</u> — ◀	▶ <u>M5</u> 0,05 (*) ◀	▶ <u>M71</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M42</u> — ◀		
▶ <u>M52</u> — ◀	▶ <u>M68</u> — ◀	▶ <u>M5</u> 0,05 (*) ◀	▶ <u>M71</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M42</u> — ◀		
▶ <u>M52</u> — ◀	▶ <u>M68</u> — ◀	▶ <u>M5</u> 0,05 (*) ◀	▶ <u>M71</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M42</u> — ◀		
▶ <u>M52</u> — ◀	▶ <u>M68</u> — ◀	▶ <u>M5</u> 0,05 (*) ◀	▶ <u>M71</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M42</u> — ◀		
▶ <u>M52</u> — ◀	▶ <u>M68</u> — ◀	▶ <u>M5</u> 0,05 (*) ◀	▶ <u>M71</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M42</u> — ◀		
▶ <u>M52</u> — ◀	▶ <u>M68</u> — ◀	▶ <u>M5</u> 0,2 ◀	▶ <u>M71</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M42</u> — ◀		
▶ <u>M52</u> — ◀	▶ <u>M68</u> — ◀		▶ <u>M71</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M42</u> — ◀		
▶ <u>M52</u> — ◀	▶ <u>M68</u> — ◀		▶ <u>M71</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M42</u> — ◀		
▶ <u>M52</u> — ◀	▶ <u>M68</u> — ◀		▶ <u>M71</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M42</u> — ◀		
▶ <u>M52</u> — ◀	▶ <u>M68</u> — ◀		▶ <u>M71</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M42</u> — ◀		
▶ <u>M52</u> — ◀	▶ <u>M68</u> — ◀		▶ <u>M71</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M42</u> — ◀		
▶ <u>M52</u> — ◀	▶ <u>M68</u> — ◀		▶ <u>M71</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M42</u> — ◀		
▶ <u>M52</u> — ◀	▶ <u>M68</u> — ◀		▶ <u>M71</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M42</u> — ◀		
▶ <u>M52</u> — ◀	▶ <u>M68</u> — ◀		▶ <u>M71</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M42</u> — ◀		

▼ M2

(26)	(27)	(28)	(29)	(30)	(31)
		0,5 0,1 (*) 0,5			
		0,1 (*)			
		0,1 (*)			
		0,1 (*)			
		0,1 (*)			
		0,5			

▼ **M2**

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)
0256090	Bay leaves (laurel)	► <b>M58</b> — ◄			► <b>M32</b> — ◄			
0256100	Tarragon	► <b>M58</b> — ◄			► <b>M32</b> — ◄			
0256990	Others	► <b>M58</b> — ◄			► <b>M32</b> — ◄			
0260000	(vi) <b>Legume vegetables (fresh)</b>	► <b>M58</b> — ◄	► <b>M27</b> — ◄		► <b>M32</b> — ◄			0,05 (*)
0260010	Beans (with pods)	► <b>M58</b> — ◄	► <b>M27</b> 0,7 ◄		► <b>M32</b> — ◄			
0260020	Beans (without pods)	► <b>M58</b> — ◄	► <b>M27</b> 0,7 ◄		► <b>M32</b> — ◄			
0260030	Peas (with pods)	► <b>M58</b> — ◄	► <b>M27</b> 0,01 (*) ◄		► <b>M32</b> — ◄			
0260040	Peas (without pods)	► <b>M58</b> — ◄	► <b>M27</b> 0,01 (*) ◄		► <b>M32</b> — ◄			
0260050	Lentils	► <b>M58</b> — ◄	► <b>M27</b> 0,01 (*) ◄		► <b>M32</b> — ◄			
0260990	Others	► <b>M58</b> — ◄	► <b>M27</b> 0,01 (*) ◄		► <b>M32</b> — ◄			
0270000	(vii) <b>Stem vegetables (fresh)</b>	► <b>M58</b> — ◄	► <b>M27</b> 0,01 (*) ◄		► <b>M32</b> — ◄			0,05 (*)
0270010	Asparagus	► <b>M58</b> — ◄			► <b>M32</b> — ◄			
0270020	Cardoons	► <b>M58</b> — ◄			► <b>M32</b> — ◄			
0270030	Celery	► <b>M58</b> — ◄			► <b>M32</b> — ◄			
0270040	Fennel	► <b>M58</b> — ◄			► <b>M32</b> — ◄			
0270050	Globe artichokes	► <b>M58</b> — ◄			► <b>M32</b> — ◄			
0270060	Leek	► <b>M58</b> — ◄			► <b>M32</b> — ◄			
0270070	Rhubarb	► <b>M58</b> — ◄			► <b>M32</b> — ◄			
0270080	Bamboo shoots	► <b>M58</b> — ◄			► <b>M32</b> — ◄			
0270090	Palm hearts	► <b>M58</b> — ◄			► <b>M32</b> — ◄			
0270990	Others	► <b>M58</b> — ◄			► <b>M32</b> — ◄			

▼ M2

(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)
							▶ <u>M32</u> — ◀
							▶ <u>M32</u> — ◀
							▶ <u>M32</u> — ◀
	▶ <u>M32</u> 0,01 (*) ◀		0,05				▶ <u>M32</u> — ◀
						▶ <u>M13</u> 1 ◀ ▶ <u>M13</u> 1 ◀ ▶ <u>M13</u> 1 ◀ ▶ <u>M13</u> 1 ◀ ▶ <u>M13</u> 0,7 ◀	▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀
						▶ <u>M13</u> 0,7 ◀	▶ <u>M32</u> — ◀
	▶ <u>M32</u> 0,01 (*) ◀		0,05				▶ <u>M32</u> — ◀
						▶ <u>M13</u> 1 ◀ ▶ <u>M13</u> 1 ◀ ▶ <u>M13</u> 5 ◀ ▶ <u>M13</u> 5 ◀ ▶ <u>M13</u> 5 ◀ ▶ <u>M13</u> 1 ◀ ▶ <u>M13</u> 1 ◀ ▶ <u>M13</u> 1 ◀ ▶ <u>M13</u> 1 ◀	▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀
						▶ <u>M13</u> 1 ◀	▶ <u>M32</u> — ◀





▼ M2

(26)	(27)	(28)	(29)	(30)	(31)
	▶ <u>M61</u> 0,05 (*) ◀	0,1 (*)	▶ <u>M39</u> 0,4 ◀		▶ <u>M16</u> 0,01 (*) ◀
▶ <u>M5</u> 0,5 ◀ ▶ <u>M5</u> 0,05 (*) ◀ ▶ <u>M5</u> 0,05 (*) ◀ ▶ <u>M5</u> 0,05 (*) ◀ ▶ <u>M5</u> 0,05 (*) ◀					
▶ <u>M5</u> 0,05 (*) ◀					
▶ <u>M5</u> 0,05 (*) ◀	▶ <u>M61</u> 0,05 (*) ◀	0,1 (*)	▶ <u>M39</u> 0,4 ◀		▶ <u>M16</u> 0,01 (*) ◀

▼ **M2**

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)
0280000	(viii) <b>Fungi</b>	▶ <b>M58</b> — ◀	▶ <b>M27</b> 0,01 (*) ◀		▶ <b>M32</b> — ◀			0,05 (*)
0280010	Cultivated	▶ <b>M58</b> — ◀			▶ <b>M32</b> — ◀			
0280020	Wild	▶ <b>M58</b> — ◀			▶ <b>M32</b> — ◀			
0280990	Others	▶ <b>M58</b> — ◀			▶ <b>M32</b> — ◀			
0290000	(ix) <b>Sea weeds</b>	▶ <b>M58</b> — ◀	▶ <b>M27</b> 0,01 (*) ◀		▶ <b>M32</b> — ◀			0,05 (*)
0300000	<b>3. PULSES, DRY</b>	▶ <b>M58</b> — ◀	▶ <b>M27</b> — ◀	0,05 (*)	▶ <b>M32</b> — ◀	0,05 (*)	0,02 (*)	0,05 (*)
0300010	Beans	▶ <b>M58</b> — ◀	▶ <b>M27</b> 0,1 ◀		▶ <b>M32</b> — ◀			
0300020	Lentils	▶ <b>M58</b> — ◀	▶ <b>M27</b> 0,01 (*) ◀		▶ <b>M32</b> — ◀			
0300030	Peas	▶ <b>M58</b> — ◀	▶ <b>M27</b> 0,01 (*) ◀		▶ <b>M32</b> — ◀			
0300040	Lupins	▶ <b>M58</b> — ◀	▶ <b>M27</b> 0,01 (*) ◀		▶ <b>M32</b> — ◀			
0300990	Others	▶ <b>M58</b> — ◀	▶ <b>M27</b> 0,01 (*) ◀		▶ <b>M32</b> — ◀			
0400000	<b>4. OILSEEDS AND OILFRUITS</b>	▶ <b>M58</b> — ◀		0,05 (*)	▶ <b>M32</b> — ◀			0,05 (*)
0401000	(i) <b>Oilseeds</b>	▶ <b>M58</b> — ◀			▶ <b>M32</b> — ◀	0,05 (*)	0,02 (*)	
0401010	Linseed	▶ <b>M58</b> — ◀	▶ <b>M27</b> 0,01 (*) ◀		▶ <b>M32</b> — ◀			
0401020	Peanuts	▶ <b>M58</b> — ◀	▶ <b>M27</b> 0,01 (*) ◀		▶ <b>M32</b> — ◀			
0401030	Poppy seed	▶ <b>M58</b> — ◀	▶ <b>M27</b> 0,01 (*) ◀		▶ <b>M32</b> — ◀			
0401040	Sesame seed	▶ <b>M58</b> — ◀	▶ <b>M27</b> 0,01 (*) ◀		▶ <b>M32</b> — ◀			
0401050	Sunflower seed	▶ <b>M58</b> — ◀	▶ <b>M27</b> 0,01 (*) ◀		▶ <b>M32</b> — ◀			
0401060	Rape seed	▶ <b>M58</b> — ◀	▶ <b>M27</b> 0,01 (*) ◀		▶ <b>M32</b> — ◀			
0401070	Soya bean	▶ <b>M58</b> — ◀	▶ <b>M27</b> 0,01 (*) ◀		▶ <b>M32</b> — ◀			

▼ M2

(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)
	▶ <u>M32</u> 0,01 (*) ◀		0,05			▶ <u>M13</u> 0,5 ◀	▶ <u>M32</u> — ◀
							▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀
							▶ <u>M32</u> — ◀
	▶ <u>M32</u> 0,01 (*) ◀		0,05			▶ <u>M13</u> 0,5 ◀	▶ <u>M32</u> — ◀
0,05 (*)	▶ <u>M32</u> 0,01 (*) ◀	▶ <u>M61</u> 0,05 (*) ◀		0,01 (*)	▶ <u>M61</u> 0,01 (*) ◀	▶ <u>M13</u> 1 ◀	▶ <u>M32</u> — ◀
			0,05 0,05 0,1 0,05				▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀
			0,05				▶ <u>M32</u> — ◀
0,05 (*)	▶ <u>M32</u> 0,02 (*) ◀			0,02 (*)	▶ <u>M61</u> — ◀		▶ <u>M32</u> — ◀
		▶ <u>M61</u> 0,05 (*) ◀					▶ <u>M32</u> — ◀
		▶ <u>M38</u> — ◀ ▶ <u>M38</u> — ◀ ▶ <u>M38</u> — ◀ ▶ <u>M38</u> — ◀ ▶ <u>M38</u> — ◀ ▶ <u>M38</u> — ◀ ▶ <u>M38</u> — ◀	0,05 0,05 0,05 0,05 0,1 0,1 0,05		▶ <u>M61</u> 0,01 (*) ◀ ▶ <u>M61</u> 0,01 (*) ◀ ▶ <u>M61</u> 0,01 (*) ◀ ▶ <u>M61</u> 0,01 (*) ◀ ▶ <u>M61</u> 0,01 (*) ◀ ▶ <u>M61</u> 0,03 ◀ ▶ <u>M61</u> 0,01 (*) ◀	▶ <u>M13</u> 0,1 ◀ ▶ <u>M13</u> 0,1 ◀ ▶ <u>M13</u> 0,5 ◀ ▶ <u>M13</u> 0,1 ◀ ▶ <u>M13</u> 0,5 ◀ ▶ <u>M13</u> 0,2 ◀ ▶ <u>M13</u> 0,1 ◀	▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀

▼ M2

(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)
▶ <u>M52</u> — ◀	▶ <u>M68</u> — ◀	▶ <u>M5</u> 0,05 (*) ◀	▶ <u>M71</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M42</u> — ◀	▶ <u>M43</u> 0,02 (*) ◀	
▶ <u>M52</u> — ◀	▶ <u>M68</u> — ◀		▶ <u>M71</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M42</u> — ◀		
▶ <u>M52</u> — ◀	▶ <u>M68</u> — ◀		▶ <u>M71</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M42</u> — ◀		
▶ <u>M52</u> — ◀	▶ <u>M68</u> — ◀	▶ <u>M5</u> 0,05 (*) ◀	▶ <u>M71</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M42</u> — ◀	▶ <u>M43</u> 0,02 (*) ◀	
▶ <u>M52</u> — ◀	▶ <u>M68</u> — ◀	▶ <u>M5</u> 0,05 (*) ◀	▶ <u>M71</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M42</u> — ◀	▶ <u>M43</u> 1 ◀	3
▶ <u>M52</u> — ◀	▶ <u>M68</u> — ◀		▶ <u>M71</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M42</u> — ◀		
▶ <u>M52</u> — ◀	▶ <u>M68</u> — ◀		▶ <u>M71</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M42</u> — ◀		
▶ <u>M52</u> — ◀	▶ <u>M68</u> — ◀		▶ <u>M71</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M42</u> — ◀		
▶ <u>M52</u> — ◀	▶ <u>M68</u> — ◀		▶ <u>M71</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M42</u> — ◀		
▶ <u>M52</u> — ◀	▶ <u>M68</u> — ◀		▶ <u>M71</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M42</u> — ◀		
▶ <u>M52</u> — ◀	▶ <u>M68</u> — ◀		▶ <u>M71</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M42</u> — ◀	▶ <u>M43</u> — ◀	3
▶ <u>M52</u> — ◀	▶ <u>M68</u> — ◀	▶ <u>M5</u> 0,05 (*) ◀	▶ <u>M71</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M42</u> — ◀	▶ <u>M43</u> 0,15 ◀	
▶ <u>M52</u> — ◀	▶ <u>M68</u> — ◀	▶ <u>M5</u> 0,05 (*) ◀	▶ <u>M71</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M42</u> — ◀	▶ <u>M43</u> 0,05 ◀	
▶ <u>M52</u> — ◀	▶ <u>M68</u> — ◀	▶ <u>M5</u> 0,05 (*) ◀	▶ <u>M71</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M42</u> — ◀	▶ <u>M43</u> 0,15 ◀	
▶ <u>M52</u> — ◀	▶ <u>M68</u> — ◀	▶ <u>M5</u> 0,05 (*) ◀	▶ <u>M71</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M42</u> — ◀	▶ <u>M43</u> 0,05 ◀	
▶ <u>M52</u> — ◀	▶ <u>M68</u> — ◀	▶ <u>M5</u> 0,2 ◀	▶ <u>M71</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M42</u> — ◀	▶ <u>M43</u> 0,05 ◀	
▶ <u>M52</u> — ◀	▶ <u>M68</u> — ◀	▶ <u>M5</u> 0,1 ◀	▶ <u>M71</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M42</u> — ◀	▶ <u>M43</u> 0,15 ◀	
▶ <u>M52</u> — ◀	▶ <u>M68</u> — ◀	▶ <u>M5</u> 0,05 (*) ◀	▶ <u>M71</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M42</u> — ◀	▶ <u>M43</u> 0,05 ◀	

▼ M2

(26)	(27)	(28)	(29)	(30)	(31)
▶ <u>M5</u> 0,05 (*) ◀	▶ <u>M61</u> 0,05 (*) ◀	0,1 (*)	▶ <u>M39</u> 0,05 (*) ◀		▶ <u>M16</u> 0,01 (*) ◀
▶ <u>M5</u> 0,05 (*) ◀	▶ <u>M61</u> 0,05 (*) ◀	0,1 (*)	▶ <u>M39</u> 0,05 (*) ◀		▶ <u>M16</u> 0,01 (*) ◀
▶ <u>M5</u> 0,05 (*) ◀	▶ <u>M61</u> 0,05 (*) ◀	0,1 (*)	▶ <u>M39</u> 0,4 ◀	0,01 (*)	▶ <u>M16</u> 0,01 (*) ◀
▶ <u>M5</u> 0,05 (*) ◀	▶ <u>M61</u> 0,05 (*) ◀	0,1 (*)		0,02 (*)	
					▶ <u>M16</u> 0,02 (*) ◀
			▶ <u>M39</u> 0,2 ◀ ▶ <u>M39</u> 0,1 (*) ◀ ▶ <u>M39</u> 0,1 (*) ◀ ▶ <u>M39</u> 0,1 (*) ◀ ▶ <u>M39</u> 0,7 ◀ ▶ <u>M39</u> 0,5 ◀ ▶ <u>M39</u> 0,1 (*) ◀		

▼ **M2**

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)
0401080	Mustard seed	▶ <b>M58</b> — ◀	▶ <b>M27</b> 0,01 (*) ◀		▶ <b>M32</b> — ◀			
0401090	Cotton seed	▶ <b>M58</b> — ◀	▶ <b>M27</b> 0,5 ◀		▶ <b>M32</b> — ◀			
0401100	Pumpkin seeds	▶ <b>M58</b> — ◀	▶ <b>M27</b> 0,01 (*) ◀		▶ <b>M32</b> — ◀			
0401110	Safflower	▶ <b>M58</b> — ◀	▶ <b>M27</b> 0,01 (*) ◀		▶ <b>M32</b> — ◀			
0401120	Borage	▶ <b>M58</b> — ◀	▶ <b>M27</b> 0,01 (*) ◀		▶ <b>M32</b> — ◀			
0401130	Gold of pleasure	▶ <b>M58</b> — ◀	▶ <b>M27</b> 0,01 (*) ◀		▶ <b>M32</b> — ◀			
0401140	Hempseed	▶ <b>M58</b> — ◀	▶ <b>M27</b> 0,01 (*) ◀		▶ <b>M32</b> — ◀			
0401150	Castor bean	▶ <b>M58</b> — ◀	▶ <b>M27</b> 0,01 (*) ◀		▶ <b>M32</b> — ◀			
0401990	Others	▶ <b>M58</b> — ◀	▶ <b>M27</b> 0,01 (*) ◀		▶ <b>M32</b> — ◀			
0402000	(ii) <b>Oilfruits</b>	▶ <b>M58</b> — ◀	▶ <b>M27</b> 0,01 (*) ◀		▶ <b>M32</b> — ◀			
0402010	Olives for oil production	▶ <b>M58</b> — ◀			▶ <b>M32</b> — ◀	1	0,5	
0402020	Palm nuts (palmoil kernels)	▶ <b>M58</b> — ◀			▶ <b>M32</b> — ◀	0,05 (*)	0,02 (*)	
0402030	Palmfruit	▶ <b>M58</b> — ◀			▶ <b>M32</b> — ◀	0,05 (*)	0,02 (*)	
0402040	Kapok	▶ <b>M58</b> — ◀			▶ <b>M32</b> — ◀	0,05 (*)	0,02 (*)	
0402990	Others	▶ <b>M58</b> — ◀			▶ <b>M32</b> — ◀	0,05 (*)	0,02 (*)	
0500000	5. <b>CEREALS</b>	▶ <b>M58</b> — ◀	▶ <b>M27</b> 0,01 (*) ◀	0,05 (*)	▶ <b>M32</b> — ◀	0,05 (*)	0,02 (*)	0,05 (*)
0500010	Barley	▶ <b>M58</b> — ◀			▶ <b>M32</b> — ◀			
0500020	Buckwheat	▶ <b>M58</b> — ◀			▶ <b>M32</b> — ◀			
0500030	Maize	▶ <b>M58</b> — ◀			▶ <b>M32</b> — ◀			
0500040	Millet	▶ <b>M58</b> — ◀			▶ <b>M32</b> — ◀			
0500050	Oats	▶ <b>M58</b> — ◀			▶ <b>M32</b> — ◀			
0500060	Rice	▶ <b>M58</b> — ◀			▶ <b>M32</b> — ◀			
0500070	Rye	▶ <b>M58</b> — ◀			▶ <b>M32</b> — ◀			







▼ M2

(26)	(27)	(28)	(29)	(30)	(31)
			▶ <u>M39</u> 0,05 (*) ◀ ▶ <u>M39</u> 0,15 ◀ ▶ <u>M39</u> 0,1 (*) ◀ ▶ <u>M39</u> 0,1 (*) ◀ ▶ <u>M39</u> 0,1 (*) ◀ ▶ <u>M39</u> 0,1 (*) ◀ ▶ <u>M39</u> 0,1 (*) ◀ ▶ <u>M39</u> 0,1 (*) ◀		
			▶ <u>M39</u> 0,1 (*) ◀		
			▶ <u>M39</u> 0,05 (*) ◀		
					▶ <u>M16</u> 0,01 (*) ◀ ▶ <u>M16</u> 0,02 (*) ◀ ▶ <u>M16</u> 0,02 (*) ◀ ▶ <u>M16</u> 0,02 (*) ◀
					▶ <u>M16</u> 0,05 (*) ◀
▶ <u>M5</u> 0,05 (*) ◀	▶ <u>M61</u> 0,05 (*) ◀	0,1 (*)	▶ <u>M39</u> 0,05 (*) ◀	0,01 (*)	▶ <u>M16</u> 0,01 (*) ◀

## ▼ M2

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)
0500080	Sorghum	► <u>M58</u> — ◀			► <u>M32</u> — ◀			
0500090	Wheat	► <u>M58</u> — ◀			► <u>M32</u> — ◀			
0500990	Others	► <u>M58</u> — ◀			► <u>M32</u> — ◀			
0600000	6. TEA, COFFEE, HERBAL INFUSIONS AND COCOA	► <u>M58</u> — ◀	► <u>M27</u> 0,01 (*) ◀	0,05 (*)	► <u>M32</u> — ◀	0,05 (*)	0,02 (*)	0,05 (*)
0610000	(i) Tea (dried leaves and stalks, fermented or otherwise of <i>Camellia sinensis</i> )	► <u>M58</u> — ◀			► <u>M32</u> — ◀			
0620000	(ii) Coffee beans	► <u>M58</u> — ◀			► <u>M32</u> — ◀			
0630000	(iii) Herbal infusions (dried)	► <u>M58</u> — ◀			► <u>M32</u> — ◀			
0631000	(a) <i>Flowers</i>	► <u>M58</u> — ◀			► <u>M32</u> — ◀			
0631010	Camomille flowers	► <u>M58</u> — ◀			► <u>M32</u> — ◀			
0631020	Hybiscus flowers	► <u>M58</u> — ◀			► <u>M32</u> — ◀			
0631030	Rose petals	► <u>M58</u> — ◀			► <u>M32</u> — ◀			
0631040	Jasmine flowers	► <u>M58</u> — ◀			► <u>M32</u> — ◀			
0631050	Lime (linden)	► <u>M58</u> — ◀			► <u>M32</u> — ◀			
0631990	Others	► <u>M58</u> — ◀			► <u>M32</u> — ◀			
0632000	(b) <i>Leaves</i>	► <u>M58</u> — ◀			► <u>M32</u> — ◀			
0632010	Strawberry leaves	► <u>M58</u> — ◀			► <u>M32</u> — ◀			

▼ M2

(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)
		▶ <u>M61</u> 0,2 ◀ ▶ <u>M61</u> 0,05 (*) ◀			▶ <u>M61</u> 0,2 ◀ ▶ <u>M61</u> 0,2 ◀	▶ <u>M13</u> 0,2 ◀ ▶ <u>M13</u> 0,5 ◀	▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀
		▶ <u>M61</u> 0,05 (*) ◀			▶ <u>M61</u> 0,2 ◀	▶ <u>M13</u> 0,2 ◀	▶ <u>M32</u> — ◀
0,05 (*)	▶ <u>M32</u> 0,05 (*) ◀	▶ <u>M61</u> 0,1 (*) ◀	0,05	0,1	▶ <u>M61</u> 0,01 (*) ◀		▶ <u>M32</u> — ◀
						▶ <u>M13</u> 0,05 (*) ◀	▶ <u>M32</u> — ◀
						▶ <u>M13</u> 0,05 (*) ◀	▶ <u>M32</u> — ◀
						▶ <u>M13</u> 5 ◀	▶ <u>M32</u> — ◀
							▶ <u>M32</u> — ◀
							▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀
							▶ <u>M32</u> — ◀
							▶ <u>M32</u> — ◀
							▶ <u>M32</u> — ◀

▼ M2

(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)
▶ <u>M52</u> — ◀	▶ <u>M68</u> — ◀		▶ <u>M71</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M42</u> — ◀	▶ <u>M43</u> 0,02 (*) ◀	
▶ <u>M52</u> — ◀	▶ <u>M68</u> — ◀		▶ <u>M71</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M42</u> — ◀	▶ <u>M43</u> 0,1 ◀	
▶ <u>M52</u> — ◀	▶ <u>M68</u> — ◀		▶ <u>M71</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M42</u> — ◀	▶ <u>M43</u> 0,02 (*) ◀	
▶ <u>M52</u> — ◀	▶ <u>M68</u> — ◀	▶ <u>M5</u> 0,05 (*) ◀	▶ <u>M71</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M42</u> — ◀	▶ <u>M43</u> 0,02 (*) ◀	0,5
▶ <u>M52</u> — ◀	▶ <u>M68</u> — ◀		▶ <u>M71</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M42</u> — ◀		
▶ <u>M52</u> — ◀	▶ <u>M68</u> — ◀		▶ <u>M71</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M42</u> — ◀		
▶ <u>M52</u> — ◀	▶ <u>M68</u> — ◀		▶ <u>M71</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M42</u> — ◀		
▶ <u>M52</u> — ◀	▶ <u>M68</u> — ◀		▶ <u>M71</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M42</u> — ◀		
▶ <u>M52</u> — ◀	▶ <u>M68</u> — ◀		▶ <u>M71</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M42</u> — ◀		
▶ <u>M52</u> — ◀	▶ <u>M68</u> — ◀		▶ <u>M71</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M42</u> — ◀		
▶ <u>M52</u> — ◀	▶ <u>M68</u> — ◀		▶ <u>M71</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M42</u> — ◀		
▶ <u>M52</u> — ◀	▶ <u>M68</u> — ◀		▶ <u>M71</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M42</u> — ◀		
▶ <u>M52</u> — ◀	▶ <u>M68</u> — ◀		▶ <u>M71</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M42</u> — ◀		
▶ <u>M52</u> — ◀	▶ <u>M68</u> — ◀		▶ <u>M71</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M42</u> — ◀		
▶ <u>M52</u> — ◀	▶ <u>M68</u> — ◀		▶ <u>M71</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M42</u> — ◀		
▶ <u>M52</u> — ◀	▶ <u>M68</u> — ◀		▶ <u>M71</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M42</u> — ◀		
▶ <u>M52</u> — ◀	▶ <u>M68</u> — ◀		▶ <u>M71</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M42</u> — ◀		

▼ M2

(26)	(27)	(28)	(29)	(30)	(31)
▶ <u>M5</u> 0,05 (*) ◀	▶ <u>M61</u> — ◀	0,1 (*)		0,02 (*)	▶ <u>M16</u> 0,05 (*) ◀
	▶ <u>M61</u> 15 ◀		▶ <u>M39</u> 0,05 (*) ◀		
	▶ <u>M61</u> 0,05 (*) ◀		▶ <u>M39</u> 0,05 (*) ◀		
	▶ <u>M61</u> 0,05 (*) ◀		▶ <u>M39</u> 1 ◀		

## ▼ M2

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)
0632020	Rooibos leaves	▶ <u>M58</u> — ◀			▶ <u>M32</u> — ◀			
0632030	Maté	▶ <u>M58</u> — ◀			▶ <u>M32</u> — ◀			
0632990	Others	▶ <u>M58</u> — ◀			▶ <u>M32</u> — ◀			
0633000	(c) <i>Roots</i>	▶ <u>M58</u> — ◀			▶ <u>M32</u> — ◀			
0633010	Valerian root	▶ <u>M58</u> — ◀			▶ <u>M32</u> — ◀			
0633020	Ginseng root	▶ <u>M58</u> — ◀			▶ <u>M32</u> — ◀			
0633990	Others	▶ <u>M58</u> — ◀			▶ <u>M32</u> — ◀			
0639000	(d) <i>Other herbal infusions</i>	▶ <u>M58</u> — ◀			▶ <u>M32</u> — ◀			
0640000	(iv) <b>Cocoa (fermented beans)</b>	▶ <u>M58</u> — ◀			▶ <u>M32</u> — ◀			
0650000	(v) <b>Carob (st johns bread)</b>	▶ <u>M58</u> — ◀			▶ <u>M32</u> — ◀			
0700000	7. <b>HOPS (dried), including hop pellets and unconcentrated powder</b>	▶ <u>M58</u> — ◀	▶ <u>M27</u> 0,01 (*) ◀	0,05 (*)	▶ <u>M32</u> — ◀	0,05 (*)	0,02 (*)	0,05 (*)
0800000	8. <b>SPICES</b>	▶ <u>M58</u> — ◀	▶ <u>M27</u> 0,01 (*) ◀	0,05 (*)	▶ <u>M32</u> — ◀	0,05 (*)	0,02 (*)	0,05 (*)
0810000	(i) <b>Seeds</b>	▶ <u>M58</u> — ◀			▶ <u>M32</u> — ◀			
0810010	Anise	▶ <u>M58</u> — ◀			▶ <u>M32</u> — ◀			
0810020	Black caraway	▶ <u>M58</u> — ◀			▶ <u>M32</u> — ◀			
0810030	Celery seed	▶ <u>M58</u> — ◀			▶ <u>M32</u> — ◀			
0810040	Coriander seed	▶ <u>M58</u> — ◀			▶ <u>M32</u> — ◀			
0810050	Cumin seed	▶ <u>M58</u> — ◀			▶ <u>M32</u> — ◀			
0810060	Dill seed	▶ <u>M58</u> — ◀			▶ <u>M32</u> — ◀			

▼ M2

(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)
							► <u>M32</u> — ◀
							► <u>M32</u> — ◀
							► <u>M32</u> — ◀
							► <u>M32</u> — ◀
							► <u>M32</u> — ◀
							► <u>M32</u> — ◀
						► <u>M13</u> 0,05 (*) ◀	► <u>M32</u> — ◀
						► <u>M13</u> 0,05 (*) ◀	► <u>M32</u> — ◀
0,05 (*)	► <u>M32</u> 0,05 (*) ◀	► <u>M61</u> 0,1 (*) ◀	0,02 (*)	0,02 (*)	► <u>M61</u> 0,01 (*) ◀	► <u>M13</u> 4 ◀	► <u>M32</u> — ◀
0,05 (*)	► <u>M5</u> — ◀	► <u>M61</u> — ◀	0,05	0,02 (*)	► <u>M61</u> — ◀	► <u>M5</u> — ◀	► <u>M32</u> — ◀
	► <u>M32</u> 2 ◀	► <u>M61</u> 0,1 (*) ◀			► <u>M61</u> 0,01 (*) ◀	► <u>M13</u> 5 ◀	► <u>M32</u> — ◀
							► <u>M32</u> — ◀
							► <u>M32</u> — ◀
							► <u>M32</u> — ◀
							► <u>M32</u> — ◀
							► <u>M32</u> — ◀



▼ M2

(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)
▶ <u>M52</u> — ◀	▶ <u>M68</u> — ◀		▶ <u>M71</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M42</u> — ◀		
▶ <u>M52</u> — ◀	▶ <u>M68</u> — ◀		▶ <u>M71</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M42</u> — ◀		
▶ <u>M52</u> — ◀	▶ <u>M68</u> — ◀		▶ <u>M71</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M42</u> — ◀		
▶ <u>M52</u> — ◀	▶ <u>M68</u> — ◀		▶ <u>M71</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M42</u> — ◀		
▶ <u>M52</u> — ◀	▶ <u>M68</u> — ◀		▶ <u>M71</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M42</u> — ◀		
▶ <u>M52</u> — ◀	▶ <u>M68</u> — ◀		▶ <u>M71</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M42</u> — ◀		
▶ <u>M52</u> — ◀	▶ <u>M68</u> — ◀		▶ <u>M71</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M42</u> — ◀		
▶ <u>M52</u> — ◀	▶ <u>M68</u> — ◀		▶ <u>M71</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M42</u> — ◀		
▶ <u>M52</u> — ◀	▶ <u>M68</u> — ◀	▶ <u>M5</u> 0,05 (*) ◀	▶ <u>M71</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M42</u> — ◀	▶ <u>M43</u> 0,02 (*) ◀	0,5
▶ <u>M52</u> — ◀	▶ <u>M68</u> — ◀	▶ <u>M5</u> 0,05 (*) ◀	▶ <u>M71</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M42</u> — ◀	▶ <u>M43</u> 0,02 (*) ◀	0,5
▶ <u>M52</u> — ◀	▶ <u>M68</u> — ◀		▶ <u>M71</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M42</u> — ◀		
▶ <u>M52</u> — ◀	▶ <u>M68</u> — ◀		▶ <u>M71</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M42</u> — ◀		
▶ <u>M52</u> — ◀	▶ <u>M68</u> — ◀		▶ <u>M71</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M42</u> — ◀		
▶ <u>M52</u> — ◀	▶ <u>M68</u> — ◀		▶ <u>M71</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M42</u> — ◀		
▶ <u>M52</u> — ◀	▶ <u>M68</u> — ◀		▶ <u>M71</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M42</u> — ◀		
▶ <u>M52</u> — ◀	▶ <u>M68</u> — ◀		▶ <u>M71</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M42</u> — ◀		

▼ M2

(26)	(27)	(28)	(29)	(30)	(31)
	▶ <u>M61</u> 0,05 (*) ◀		▶ <u>M39</u> 0,05 (*) ◀		
	▶ <u>M61</u> 0,05 (*) ◀		▶ <u>M39</u> 0,05 (*) ◀		
▶ <u>M5</u> 10 ◀	▶ <u>M61</u> 0,05 (*) ◀	0,1 (*)	▶ <u>M39</u> 0,05 (*) ◀	0,02 (*)	▶ <u>M16</u> 0,05 (*) ◀
▶ <u>M5</u> 0,05 (*) ◀	▶ <u>M61</u> 0,05 (*) ◀	0,1 (*)		0,02 (*)	▶ <u>M16</u> 0,05 (*) ◀
			▶ <u>M39</u> 0,05 (*) ◀ ▶ <u>M39</u> 0,05 (*) ◀ ▶ <u>M39</u> 0,05 (*) ◀ ▶ <u>M39</u> 0,1 ◀ ▶ <u>M39</u> 0,05 (*) ◀ ▶ <u>M39</u> 0,05 (*) ◀		

▼ **M2**

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)
0810070	Fennel seed	▶ <u>M58</u> — ◀			▶ <u>M32</u> — ◀			
0810080	Fenugreek	▶ <u>M58</u> — ◀			▶ <u>M32</u> — ◀			
0810090	Nutmeg	▶ <u>M58</u> — ◀			▶ <u>M32</u> — ◀			
0810990	Others	▶ <u>M58</u> — ◀			▶ <u>M32</u> — ◀			
0820000	(ii) <b>Fruits and berries</b>	▶ <u>M58</u> — ◀			▶ <u>M32</u> — ◀			
0820010	Allspice	▶ <u>M58</u> — ◀			▶ <u>M32</u> — ◀			
0820020	Anise pepper (Japan pepper)	▶ <u>M58</u> — ◀			▶ <u>M32</u> — ◀			
0820030	Caraway	▶ <u>M58</u> — ◀			▶ <u>M32</u> — ◀			
0820040	Cardamom	▶ <u>M58</u> — ◀			▶ <u>M32</u> — ◀			
0820050	Juniper berries	▶ <u>M58</u> — ◀			▶ <u>M32</u> — ◀			
0820060	Pepper, black and white	▶ <u>M58</u> — ◀			▶ <u>M32</u> — ◀			
0820070	Vanilla pods	▶ <u>M58</u> — ◀			▶ <u>M32</u> — ◀			
0820080	Tamarind	▶ <u>M58</u> — ◀			▶ <u>M32</u> — ◀			
0820990	Others	▶ <u>M58</u> — ◀			▶ <u>M32</u> — ◀			
0830000	(iii) <b>Bark</b>	▶ <u>M58</u> — ◀			▶ <u>M32</u> — ◀			
0830010	Cinnamon	▶ <u>M58</u> — ◀			▶ <u>M32</u> — ◀			
0830990	Others	▶ <u>M58</u> — ◀			▶ <u>M32</u> — ◀			
0840000	(iv) <b>Roots or rhizome</b>	▶ <u>M58</u> — ◀			▶ <u>M32</u> — ◀			
0840010	Liquorice	▶ <u>M58</u> — ◀			▶ <u>M32</u> — ◀			
0840020	Ginger	▶ <u>M58</u> — ◀			▶ <u>M32</u> — ◀			
0840030	Turmeric (Curcuma)	▶ <u>M58</u> — ◀			▶ <u>M32</u> — ◀			

▼ M2

(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)
							▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀
							▶ <u>M32</u> — ◀
	▶ <u>M32</u> 2 ◀	▶ <u>M61</u> 0,1 (*) ◀			▶ <u>M61</u> 0,01 (*) ◀	▶ <u>M13</u> 0,05 (*) ◀	▶ <u>M32</u> — ◀
							▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀  ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀
							▶ <u>M32</u> — ◀
	▶ <u>M32</u> 0,05 (*) ◀	▶ <u>M61</u> 0,1 (*) ◀			▶ <u>M61</u> 0,01 (*) ◀	▶ <u>M13</u> 0,05 (*) ◀	▶ <u>M32</u> — ◀
							▶ <u>M32</u> — ◀
							▶ <u>M32</u> — ◀
	▶ <u>M32</u> 3 ◀					▶ <u>M13</u> 0,05 (*) ◀	▶ <u>M32</u> — ◀
		▶ <u>M61</u> 0,1 (*) ◀ ▶ <u>M61</u> 0,1 (*) ◀ ▶ <u>M61</u> 0,1 (*) ◀			▶ <u>M61</u> 0,01 (*) ◀ ▶ <u>M61</u> 0,01 (*) ◀ ▶ <u>M61</u> 0,01 (*) ◀		▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀

▼ M2

(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)
▶ <u>M52</u> — ◀	▶ <u>M68</u> — ◀		▶ <u>M71</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M42</u> — ◀		
▶ <u>M52</u> — ◀	▶ <u>M68</u> — ◀		▶ <u>M71</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M42</u> — ◀		
▶ <u>M52</u> — ◀	▶ <u>M68</u> — ◀		▶ <u>M71</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M42</u> — ◀		
▶ <u>M52</u> — ◀	▶ <u>M68</u> — ◀		▶ <u>M71</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M42</u> — ◀		
▶ <u>M52</u> — ◀	▶ <u>M68</u> — ◀		▶ <u>M71</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M42</u> — ◀		
▶ <u>M52</u> — ◀	▶ <u>M68</u> — ◀		▶ <u>M71</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M42</u> — ◀		
▶ <u>M52</u> — ◀	▶ <u>M68</u> — ◀		▶ <u>M71</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M42</u> — ◀		
▶ <u>M52</u> — ◀	▶ <u>M68</u> — ◀		▶ <u>M71</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M42</u> — ◀		
▶ <u>M52</u> — ◀	▶ <u>M68</u> — ◀		▶ <u>M71</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M42</u> — ◀		
▶ <u>M52</u> — ◀	▶ <u>M68</u> — ◀		▶ <u>M71</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M42</u> — ◀		
▶ <u>M52</u> — ◀	▶ <u>M68</u> — ◀		▶ <u>M71</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M42</u> — ◀		
▶ <u>M52</u> — ◀	▶ <u>M68</u> — ◀		▶ <u>M71</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M42</u> — ◀		
▶ <u>M52</u> — ◀	▶ <u>M68</u> — ◀		▶ <u>M71</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M42</u> — ◀		
▶ <u>M52</u> — ◀	▶ <u>M68</u> — ◀		▶ <u>M71</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M42</u> — ◀		
▶ <u>M52</u> — ◀	▶ <u>M68</u> — ◀		▶ <u>M71</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M42</u> — ◀		
▶ <u>M52</u> — ◀	▶ <u>M68</u> — ◀		▶ <u>M71</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M42</u> — ◀		
▶ <u>M52</u> — ◀	▶ <u>M68</u> — ◀		▶ <u>M71</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M42</u> — ◀		
▶ <u>M52</u> — ◀	▶ <u>M68</u> — ◀		▶ <u>M71</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M42</u> — ◀		
▶ <u>M52</u> — ◀	▶ <u>M68</u> — ◀		▶ <u>M71</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M42</u> — ◀		
▶ <u>M52</u> — ◀	▶ <u>M68</u> — ◀		▶ <u>M71</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M42</u> — ◀		

▼ M2

(26)	(27)	(28)	(29)	(30)	(31)
			▶ <u>M39</u> 0,05 (*) ◀		
			▶ <u>M39</u> 0,05 (*) ◀		
			▶ <u>M39</u> 0,05 (*) ◀		
			▶ <u>M39</u> 0,05 (*) ◀		
			▶ <u>M39</u> 0,05 (*) ◀		
			▶ <u>M39</u> 0,05 (*) ◀		
			▶ <u>M39</u> 0,05 (*) ◀		

▼ **M2**

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)
0840040	Horseradish	▶ <b>M58</b> — ◀			▶ <b>M32</b> — ◀			
0840990	Others	▶ <b>M58</b> — ◀			▶ <b>M32</b> — ◀			
0850000	(v) <b>Buds</b>	▶ <b>M58</b> — ◀			▶ <b>M32</b> — ◀			
0850010	Cloves	▶ <b>M58</b> — ◀			▶ <b>M32</b> — ◀			
0850020	Capers	▶ <b>M58</b> — ◀			▶ <b>M32</b> — ◀			
0850990	Others	▶ <b>M58</b> — ◀			▶ <b>M32</b> — ◀			
0860000	(vi) <b>Flower stigma</b>	▶ <b>M58</b> — ◀			▶ <b>M32</b> — ◀			
0860010	Saffron	▶ <b>M58</b> — ◀			▶ <b>M32</b> — ◀			
0860990	Others	▶ <b>M58</b> — ◀			▶ <b>M32</b> — ◀			
0870000	(vii) <b>Aril</b>	▶ <b>M58</b> — ◀			▶ <b>M32</b> — ◀			
0870010	Mace	▶ <b>M58</b> — ◀			▶ <b>M32</b> — ◀			
0870990	Others	▶ <b>M58</b> — ◀			▶ <b>M32</b> — ◀			
0900000	9. <b>SUGAR PLANTS</b>	▶ <b>M58</b> — ◀	▶ <b>M27</b> — ◀	0,05 (*)	▶ <b>M32</b> — ◀	0,05 (*)	0,02 (*)	0,05 (*)
0900010	Sugar beet (root)	▶ <b>M58</b> — ◀	▶ <b>M27</b> 0,01 (*) ◀		▶ <b>M32</b> — ◀			
0900020	Sugar cane	▶ <b>M58</b> — ◀	▶ <b>M27</b> 0,5 ◀		▶ <b>M32</b> — ◀			
0900030	Chicory roots	▶ <b>M58</b> — ◀	▶ <b>M27</b> 0,01 (*) ◀		▶ <b>M32</b> — ◀			
0900990	Others	▶ <b>M58</b> — ◀	▶ <b>M27</b> 0,01 (*) ◀		▶ <b>M32</b> — ◀			
1000000	10. <b>PRODUCTS OF ANIMAL ORIGIN- TERRESTRIAL ANIMALS</b>	▶ <b>M58</b> — ◀		0,05 (*)	▶ <b>M32</b> — ◀	0,05 (*)	0,02 (*)	0,05 (*)

▼ M2

(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)
		▶ <u>M61</u> (+) ◀			▶ <u>M61</u> (+) ◀		▶ <u>M32</u> — ◀
		▶ <u>M61</u> 0,1 (*) ◀			▶ <u>M61</u> 0,01 (*) ◀		▶ <u>M32</u> — ◀
	▶ <u>M32</u> 0,05 (*) ◀	▶ <u>M61</u> 0,1 (*) ◀			▶ <u>M61</u> 0,01 (*) ◀	▶ <u>M13</u> 0,05 (*) ◀	▶ <u>M32</u> — ◀
							▶ <u>M32</u> — ◀
							▶ <u>M32</u> — ◀
	▶ <u>M32</u> 0,05 (*) ◀	▶ <u>M61</u> 0,1 (*) ◀			▶ <u>M61</u> 0,01 (*) ◀	▶ <u>M13</u> 0,05 (*) ◀	▶ <u>M32</u> — ◀
							▶ <u>M32</u> — ◀
							▶ <u>M32</u> — ◀
	▶ <u>M32</u> 0,05 (*) ◀	▶ <u>M61</u> 0,1 (*) ◀			▶ <u>M61</u> 0,01 (*) ◀	▶ <u>M13</u> 0,05 (*) ◀	▶ <u>M32</u> — ◀
							▶ <u>M32</u> — ◀
							▶ <u>M32</u> — ◀
0,05 (*)	▶ <u>M32</u> 0,01 (*) ◀	▶ <u>M61</u> 0,05 (*) ◀	0,01 (*)	0,01 (*)	▶ <u>M5</u> — ◀		▶ <u>M32</u> — ◀
					▶ <u>M61</u> 0,01 (*) ◀	▶ <u>M13</u> 0,5 ◀	▶ <u>M32</u> — ◀
					▶ <u>M61</u> 0,05 ◀	▶ <u>M13</u> 0,05 (*) ◀	▶ <u>M32</u> — ◀
					▶ <u>M61</u> 0,01 (*) ◀	▶ <u>M13</u> 0,05 (*) ◀	▶ <u>M32</u> — ◀
					▶ <u>M61</u> 0,01 (*) ◀	▶ <u>M13</u> 0,05 (*) ◀	▶ <u>M32</u> — ◀
0,05 (*)	▶ <u>M32</u> 0,01 (*) ◀		0,01 (*)		▶ <u>M5</u> — ◀	▶ <u>M13</u> 0,05 (*) ◀	▶ <u>M32</u> — ◀



▼ M2

(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)
▶ <u>M52</u> — ◀	▶ <u>M68</u> — ◀		▶ <u>M71</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M42</u> — ◀		
▶ <u>M52</u> — ◀	▶ <u>M68</u> — ◀		▶ <u>M71</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M42</u> — ◀		
▶ <u>M52</u> — ◀	▶ <u>M68</u> — ◀		▶ <u>M71</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M42</u> — ◀		
▶ <u>M52</u> — ◀	▶ <u>M68</u> — ◀		▶ <u>M71</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M42</u> — ◀		
▶ <u>M52</u> — ◀	▶ <u>M68</u> — ◀		▶ <u>M71</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M42</u> — ◀		
▶ <u>M52</u> — ◀	▶ <u>M68</u> — ◀		▶ <u>M71</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M42</u> — ◀		
▶ <u>M52</u> — ◀	▶ <u>M68</u> — ◀		▶ <u>M71</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M42</u> — ◀		
▶ <u>M52</u> — ◀	▶ <u>M68</u> — ◀		▶ <u>M71</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M42</u> — ◀		
▶ <u>M52</u> — ◀	▶ <u>M68</u> — ◀		▶ <u>M71</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M42</u> — ◀		
▶ <u>M52</u> — ◀	▶ <u>M68</u> — ◀		▶ <u>M71</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M42</u> — ◀		
▶ <u>M52</u> — ◀	▶ <u>M68</u> — ◀		▶ <u>M71</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M42</u> — ◀	▶ <u>M43</u> — ◀	
▶ <u>M52</u> — ◀	▶ <u>M68</u> — ◀	▶ <u>M5</u> 0,1 ◀	▶ <u>M71</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M42</u> — ◀	▶ <u>M43</u> 0,3 ◀	1
▶ <u>M52</u> — ◀	▶ <u>M68</u> — ◀	▶ <u>M5</u> 0,05 (*) ◀	▶ <u>M71</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M42</u> — ◀	▶ <u>M43</u> 0,02 (*) ◀	0,5
▶ <u>M52</u> — ◀	▶ <u>M68</u> — ◀	▶ <u>M5</u> 0,05 (*) ◀	▶ <u>M71</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M42</u> — ◀	▶ <u>M43</u> 0,02 (*) ◀	0,5
▶ <u>M52</u> — ◀	▶ <u>M68</u> — ◀	▶ <u>M5</u> 0,05 (*) ◀	▶ <u>M71</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M42</u> — ◀	▶ <u>M43</u> 0,02 (*) ◀	0,5
▶ <u>M52</u> — ◀	▶ <u>M68</u> — ◀	▶ <u>M5</u> 0,05 (*) ◀	▶ <u>M71</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M42</u> — ◀		0,05 (*)

▼ M2

(26)	(27)	(28)	(29)	(30)	(31)
			► <u>M39</u> 0,05 (*) ◀		
			► <u>M39</u> 0,05 (*) ◀		
			► <u>M39</u> 0,05 (*) ◀		
► <u>M5</u> 0,05 (*) ◀	► <u>M61</u> 0,05 (*) ◀			0,02 (*)	► <u>M16</u> 0,01 (*) ◀
		0,5	► <u>M39</u> 0,1 ◀		
		0,1 (*)	► <u>M39</u> 0,05 (*) ◀		
		0,1 (*)	► <u>M39</u> 0,05 (*) ◀		
		0,1 (*)	► <u>M39</u> 0,05 (*) ◀		
► <u>M5</u> 0,02 (*) ◀	► <u>M61</u> 0,05 (*) ◀	0,05 (*)	► <u>M5</u> — ◀	0,01 (*)	► <u>M16</u> 0,01 (*) ◀

▼ M2

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)
1010000	(i) Meat, preparations of meat, offals, blood, animal fats fresh chilled or frozen, salted, in brine, dried or smoked or processed as flours or meals; other processed products such as sausages and food preparations based on these	► <u>M58</u> — ◀			► <u>M32</u> — ◀			
1011000	(a) <i>Swine</i>	► <u>M58</u> — ◀	► <u>M27</u> — ◀		► <u>M32</u> — ◀			
1011010	Meat	► <u>M58</u> — ◀	► <u>M27</u> 10 ◀		► <u>M32</u> — ◀			
1011020	Fat free of lean meat	► <u>M58</u> — ◀	► <u>M27</u> 10 ◀		► <u>M32</u> — ◀			
1011030	Liver	► <u>M58</u> — ◀	► <u>M27</u> 0,7 ◀		► <u>M32</u> — ◀			
1011040	Kidney	► <u>M58</u> — ◀	► <u>M27</u> 0,7 ◀		► <u>M32</u> — ◀			
1011050	Edible offal	► <u>M58</u> — ◀	► <u>M27</u> 0,7 ◀		► <u>M32</u> — ◀			
1011990	Others	► <u>M58</u> — ◀	► <u>M27</u> 0,01 (*) ◀		► <u>M32</u> — ◀			
1012000	(b) <i>Bovine</i>	► <u>M58</u> — ◀			► <u>M32</u> — ◀			
1012010	Meat	► <u>M58</u> — ◀	► <u>M27</u> 10 ◀		► <u>M32</u> — ◀			
1012020	Fat	► <u>M58</u> — ◀	► <u>M27</u> 10 ◀		► <u>M32</u> — ◀			
1012030	Liver	► <u>M58</u> — ◀	► <u>M27</u> 0,7 ◀		► <u>M32</u> — ◀			

▼ M2

(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)
	▶ <u>M32</u> — ◀	▶ <u>M61</u> 0,1 ◀				▶ <u>M13</u> — ◀	▶ <u>M32</u> — ◀
							▶ <u>M32</u> — ◀
				0,02 (*)	▶ <u>M61</u> 0,2 ◀		▶ <u>M32</u> — ◀
				0,7	▶ <u>M61</u> 0,01 (*) ◀		▶ <u>M32</u> — ◀
				0,02 (*)	▶ <u>M61</u> 0,01 (*) ◀		▶ <u>M32</u> — ◀
				0,02 (*)	▶ <u>M61</u> 5 ◀		▶ <u>M32</u> — ◀
				0,02 (*)	▶ <u>M61</u> 0,5 ◀		▶ <u>M32</u> — ◀
				0,02 (*)	▶ <u>M61</u> 0,01 (*) ◀		▶ <u>M32</u> — ◀
				0,02 (*)			▶ <u>M32</u> — ◀
					▶ <u>M61</u> 0,2 ◀		▶ <u>M32</u> — ◀
					▶ <u>M61</u> 0,2 ◀		▶ <u>M32</u> — ◀
					▶ <u>M61</u> 0,01 (*) ◀		▶ <u>M32</u> — ◀

▼ M2

(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)
▶ <u>M52</u> — ◀	▶ <u>M68</u> — ◀	▶ <u>M5</u> 0,05 (*) ◀	▶ <u>M71</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M42</u> — ◀		
▶ <u>M52</u> — ◀	▶ <u>M68</u> — ◀		▶ <u>M71</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M42</u> — ◀		
▶ <u>M52</u> — ◀	▶ <u>M68</u> — ◀		▶ <u>M71</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M42</u> — ◀	▶ <u>M43</u> 0,05 ◀	
▶ <u>M52</u> — ◀	▶ <u>M68</u> — ◀		▶ <u>M71</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M42</u> — ◀	▶ <u>M43</u> 0,05 ◀	
▶ <u>M52</u> — ◀	▶ <u>M68</u> — ◀		▶ <u>M71</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M42</u> — ◀	▶ <u>M43</u> 0,5 ◀	
▶ <u>M52</u> — ◀	▶ <u>M68</u> — ◀		▶ <u>M71</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M42</u> — ◀	▶ <u>M43</u> 0,5 ◀	
▶ <u>M52</u> — ◀	▶ <u>M68</u> — ◀		▶ <u>M71</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M42</u> — ◀	▶ <u>M43</u> 0,5 ◀	
▶ <u>M52</u> — ◀	▶ <u>M68</u> — ◀		▶ <u>M71</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M42</u> — ◀	▶ <u>M43</u> 0,01 (*) ◀	
▶ <u>M52</u> — ◀	▶ <u>M68</u> — ◀		▶ <u>M71</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M42</u> — ◀		
▶ <u>M52</u> — ◀	▶ <u>M68</u> — ◀		▶ <u>M71</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M42</u> — ◀	▶ <u>M43</u> 0,05 ◀	
▶ <u>M52</u> — ◀	▶ <u>M68</u> — ◀		▶ <u>M71</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M42</u> — ◀	▶ <u>M43</u> 0,05 ◀	
▶ <u>M52</u> — ◀	▶ <u>M68</u> — ◀		▶ <u>M71</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M42</u> — ◀	▶ <u>M43</u> 0,5 ◀	

▼ M2

(26)	(27)	(28)	(29)	(30)	(31)
▶ <u>M5</u> 0,02 (*) ◀	▶ <u>M61</u> — ◀				▶ <u>M5</u> 0,05 (*) ◀
			▶ <u>M39</u> 0,1 ◀ ▶ <u>M39</u> 0,05 (*) ◀ ▶ <u>M39</u> 0,05 (*) ◀ ▶ <u>M39</u> 0,05 (*) ◀ ▶ <u>M39</u> 0,1 ◀		
			▶ <u>M39</u> 0,05 (*) ◀		
			▶ <u>M39</u> 0,1 ◀ ▶ <u>M39</u> 0,05 (*) ◀ ▶ <u>M39</u> 0,05 (*) ◀		

▼ **M2**

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)
1012040	Kidney	▶ <b>M58</b> — ◀	▶ <b>M27</b> 0,7 ◀		▶ <b>M32</b> — ◀			
1012050	Edible offal	▶ <b>M58</b> — ◀	▶ <b>M27</b> 0,7 ◀		▶ <b>M32</b> — ◀			
1012990	Others	▶ <b>M58</b> — ◀	▶ <b>M27</b> 0,7 ◀		▶ <b>M32</b> — ◀			
1013000	(c) <i>Sheep</i>	▶ <b>M58</b> — ◀			▶ <b>M32</b> — ◀			
1013010	Meat	▶ <b>M58</b> — ◀	▶ <b>M27</b> 10 ◀		▶ <b>M32</b> — ◀			
1013020	Fat	▶ <b>M58</b> — ◀	▶ <b>M27</b> 10 ◀		▶ <b>M32</b> — ◀			
1013030	Liver	▶ <b>M58</b> — ◀	▶ <b>M27</b> 0,7 ◀		▶ <b>M32</b> — ◀			
1013040	Kidney	▶ <b>M58</b> — ◀	▶ <b>M27</b> 0,7 ◀		▶ <b>M32</b> — ◀			
1013050	Edible offal	▶ <b>M58</b> — ◀	▶ <b>M27</b> 0,7 ◀		▶ <b>M32</b> — ◀			
1013990	Others	▶ <b>M58</b> — ◀	▶ <b>M27</b> 0,7 ◀		▶ <b>M32</b> — ◀			
1014000	(d) <i>Goat</i>	▶ <b>M58</b> — ◀			▶ <b>M32</b> — ◀			
1014010	Meat	▶ <b>M58</b> — ◀	▶ <b>M27</b> 10 ◀		▶ <b>M32</b> — ◀			
1014020	Fat	▶ <b>M58</b> — ◀	▶ <b>M27</b> 10 ◀		▶ <b>M32</b> — ◀			
1014030	Liver	▶ <b>M58</b> — ◀	▶ <b>M27</b> 0,7 ◀		▶ <b>M32</b> — ◀			
1014040	Kidney	▶ <b>M58</b> — ◀	▶ <b>M27</b> 0,7 ◀		▶ <b>M32</b> — ◀			
1014050	Edible offal	▶ <b>M58</b> — ◀	▶ <b>M27</b> 0,7 ◀		▶ <b>M32</b> — ◀			
1014990	Others	▶ <b>M58</b> — ◀	▶ <b>M27</b> 0,7 ◀		▶ <b>M32</b> — ◀			
1015000	(e) <i>Horses, asses, mules or hinnies</i>	▶ <b>M58</b> — ◀			▶ <b>M32</b> — ◀			
1015010	Meat	▶ <b>M58</b> — ◀	▶ <b>M27</b> 10 ◀		▶ <b>M32</b> — ◀			
1015020	Fat	▶ <b>M58</b> — ◀	▶ <b>M27</b> 10 ◀		▶ <b>M32</b> — ◀			
1015030	Liver	▶ <b>M58</b> — ◀	▶ <b>M27</b> 0,7 ◀		▶ <b>M32</b> — ◀			

▼ M2

(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)
					▶ <u>M61</u> 5 ◀ ▶ <u>M61</u> 0,5 ◀		▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀
					▶ <u>M61</u> 0,01 (*) ◀		▶ <u>M32</u> — ◀
							▶ <u>M32</u> — ◀
				0,05 0,4 0,05 0,05 0,02 (*)	▶ <u>M61</u> 0,2 ◀ ▶ <u>M61</u> 0,2 ◀ ▶ <u>M61</u> 0,01 (*) ◀ ▶ <u>M61</u> 5 ◀ ▶ <u>M61</u> 0,5 ◀		▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀
				0,02 (*)	▶ <u>M61</u> 0,01 (*) ◀		▶ <u>M32</u> — ◀
							▶ <u>M32</u> — ◀
				0,05 0,4 0,05 0,05 0,02 (*)	▶ <u>M61</u> 0,2 ◀ ▶ <u>M61</u> 0,2 ◀ ▶ <u>M61</u> 0,01 (*) ◀ ▶ <u>M61</u> 5 ◀ ▶ <u>M61</u> 0,5 ◀		▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀
				0,02 (*)	▶ <u>M61</u> 0,01 (*) ◀		▶ <u>M32</u> — ◀
				0,02 (*)			▶ <u>M32</u> — ◀
					▶ <u>M61</u> 0,2 ◀ ▶ <u>M61</u> 0,01 (*) ◀ ▶ <u>M61</u> 0,01 (*) ◀		▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀





▼ M2

(26)	(27)	(28)	(29)	(30)	(31)
			▶ <u>M39</u> 0,05 (*) ◀		
			▶ <u>M39</u> 0,05 (*) ◀		
			▶ <u>M39</u> 0,05 (*) ◀		
			▶ <u>M39</u> 0,05 (*) ◀		
			▶ <u>M39</u> 0,05 (*) ◀		
			▶ <u>M39</u> 0,05 (*) ◀		

▼ **M2**

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)
1015040	Kidney	▶ <b>M58</b> — ◀	▶ <b>M27</b> 0,7 ◀		▶ <b>M32</b> — ◀			
1015050	Edible offal	▶ <b>M58</b> — ◀	▶ <b>M27</b> 0,7 ◀		▶ <b>M32</b> — ◀			
1015990	Others	▶ <b>M58</b> — ◀	▶ <b>M27</b> 0,7 ◀		▶ <b>M32</b> — ◀			
1016000	(f) <i>Poultry -chicken, geese, duck, turkey and Guinea fowl-, ostrich, pigeon</i>	▶ <b>M58</b> — ◀			▶ <b>M32</b> — ◀			
1016010	Meat	▶ <b>M58</b> — ◀	▶ <b>M27</b> 0,5 ◀		▶ <b>M32</b> — ◀			
1016020	Fat	▶ <b>M58</b> — ◀	▶ <b>M27</b> 0,5 ◀		▶ <b>M32</b> — ◀			
1016030	Liver	▶ <b>M58</b> — ◀	▶ <b>M27</b> 0,1 ◀		▶ <b>M32</b> — ◀			
1016040	Kidney	▶ <b>M58</b> — ◀	▶ <b>M27</b> 0,1 ◀		▶ <b>M32</b> — ◀			
1016050	Edible offal	▶ <b>M58</b> — ◀	▶ <b>M27</b> 0,1 ◀		▶ <b>M32</b> — ◀			
1016990	Others	▶ <b>M58</b> — ◀	▶ <b>M27</b> 0,05 ◀		▶ <b>M32</b> — ◀			
1017000	(g) <i>Other farm animals</i>	▶ <b>M58</b> — ◀	▶ <b>M27</b> — ◀		▶ <b>M32</b> — ◀			
1017010	Meat	▶ <b>M58</b> — ◀	▶ <b>M27</b> 10 ◀		▶ <b>M32</b> — ◀			
1017020	Fat	▶ <b>M58</b> — ◀	▶ <b>M27</b> 10 ◀		▶ <b>M32</b> — ◀			
1017030	Liver	▶ <b>M58</b> — ◀	▶ <b>M27</b> 0,7 ◀		▶ <b>M32</b> — ◀			
1017040	Kidney	▶ <b>M58</b> — ◀	▶ <b>M27</b> 0,7 ◀		▶ <b>M32</b> — ◀			
1017050	Edible offal	▶ <b>M58</b> — ◀	▶ <b>M27</b> 0,7 ◀		▶ <b>M32</b> — ◀			
1017990	Others	▶ <b>M58</b> — ◀	▶ <b>M27</b> 0,01 (*) ◀		▶ <b>M32</b> — ◀			

▼ M2

(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)
					▶ <u>M61</u> 5 ◀ ▶ <u>M61</u> 0,5 ◀		▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀
					▶ <u>M61</u> 0,01 (*) ◀		▶ <u>M32</u> — ◀
							▶ <u>M32</u> — ◀
				0,025 0,55 0,05 0,03 0,02 (*)	▶ <u>M61</u> 0,2 ◀ ▶ <u>M61</u> 0,01 (*) ◀ ▶ <u>M61</u> 0,01 (*) ◀ ▶ <u>M61</u> 0,01 (*) ◀ ▶ <u>M61</u> 0,01 (*) ◀		▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀
				0,02 (*)	▶ <u>M61</u> 0,01 (*) ◀		▶ <u>M32</u> — ◀
				0,02 (*)			▶ <u>M32</u> — ◀
					▶ <u>M61</u> 0,2 ◀ ▶ <u>M61</u> 0,01 (*) ◀ ▶ <u>M61</u> 0,01 (*) ◀ ▶ <u>M61</u> 5 ◀ ▶ <u>M61</u> 0,5 ◀		▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀
					▶ <u>M61</u> 0,01 (*) ◀		▶ <u>M32</u> — ◀

▼ M2

(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)
▶ <u>M52</u> — ◀	▶ <u>M68</u> — ◀		▶ <u>M71</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M42</u> — ◀	▶ <u>M43</u> 0,5 ◀	
▶ <u>M52</u> — ◀	▶ <u>M68</u> — ◀		▶ <u>M71</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M42</u> — ◀	▶ <u>M43</u> 0,5 ◀	
▶ <u>M52</u> — ◀	▶ <u>M68</u> — ◀		▶ <u>M71</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M42</u> — ◀	▶ <u>M43</u> 0,01 (*) ◀	
▶ <u>M52</u> — ◀	▶ <u>M68</u> — ◀		▶ <u>M71</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M42</u> — ◀		
▶ <u>M52</u> — ◀	▶ <u>M68</u> — ◀		▶ <u>M71</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M42</u> — ◀	▶ <u>M43</u> 0,05 ◀	
▶ <u>M52</u> — ◀	▶ <u>M68</u> — ◀		▶ <u>M71</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M42</u> — ◀	▶ <u>M43</u> 0,05 ◀	
▶ <u>M52</u> — ◀	▶ <u>M68</u> — ◀		▶ <u>M71</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M42</u> — ◀	▶ <u>M43</u> 0,05 ◀	
▶ <u>M52</u> — ◀	▶ <u>M68</u> — ◀		▶ <u>M71</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M42</u> — ◀	▶ <u>M43</u> 0,05 ◀	
▶ <u>M52</u> — ◀	▶ <u>M68</u> — ◀		▶ <u>M71</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M42</u> — ◀	▶ <u>M43</u> 0,01 (*) ◀	
▶ <u>M52</u> — ◀	▶ <u>M68</u> — ◀		▶ <u>M71</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M42</u> — ◀	▶ <u>M43</u> 0,01 (*) ◀	
▶ <u>M52</u> — ◀	▶ <u>M68</u> — ◀		▶ <u>M71</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M42</u> — ◀		
▶ <u>M52</u> — ◀	▶ <u>M68</u> — ◀		▶ <u>M71</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M42</u> — ◀	▶ <u>M43</u> 0,05 ◀	
▶ <u>M52</u> — ◀	▶ <u>M68</u> — ◀		▶ <u>M71</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M42</u> — ◀	▶ <u>M43</u> 0,05 ◀	
▶ <u>M52</u> — ◀	▶ <u>M68</u> — ◀		▶ <u>M71</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M42</u> — ◀	▶ <u>M43</u> 0,5 ◀	
▶ <u>M52</u> — ◀	▶ <u>M68</u> — ◀		▶ <u>M71</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M42</u> — ◀	▶ <u>M43</u> 0,5 ◀	
▶ <u>M52</u> — ◀	▶ <u>M68</u> — ◀		▶ <u>M71</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M42</u> — ◀	▶ <u>M43</u> 0,5 ◀	
▶ <u>M52</u> — ◀	▶ <u>M68</u> — ◀		▶ <u>M71</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M42</u> — ◀	▶ <u>M43</u> 0,5 ◀	
▶ <u>M52</u> — ◀	▶ <u>M68</u> — ◀		▶ <u>M71</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M42</u> — ◀	▶ <u>M43</u> 0,01 (*) ◀	

▼ M2

(26)	(27)	(28)	(29)	(30)	(31)
			▶ <u>M39</u> 0,05 (*) ◀		
			▶ <u>M39</u> 0,05 (*) ◀		

▼ M2

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)
1020000	(ii) <b>Milk and cream, not concentrated, nor containing added sugar or sweetening matter, butter and other fats derived from milk, cheese and curd</b>	▶ <u>M58</u> — ◀	▶ <u>M27</u> 0,4 ◀		▶ <u>M32</u> — ◀			
1020010	Cattle	▶ <u>M58</u> — ◀			▶ <u>M32</u> — ◀			
1020020	Sheep	▶ <u>M58</u> — ◀			▶ <u>M32</u> — ◀			
1020030	Goat	▶ <u>M58</u> — ◀			▶ <u>M32</u> — ◀			
1020040	Horse	▶ <u>M58</u> — ◀			▶ <u>M32</u> — ◀			
1020990	Others	▶ <u>M58</u> — ◀			▶ <u>M32</u> — ◀			
1030000	(iii) <b>Birds' eggs, fresh preserved or cooked; Shelled eggs and egg yolks fresh, dried, cooked by steaming or boiling in water, moulded, frozen or otherwise preserved whether or not containing added sugar or sweetening matter</b>	▶ <u>M58</u> — ◀	▶ <u>M27</u> 0,1 ◀		▶ <u>M32</u> — ◀			
1030010	Chicken	▶ <u>M58</u> — ◀			▶ <u>M32</u> — ◀			
1030020	Duck	▶ <u>M58</u> — ◀			▶ <u>M32</u> — ◀			
1030030	Goose	▶ <u>M58</u> — ◀			▶ <u>M32</u> — ◀			

▼ M2

(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)
	▶ <u>M32</u> — ◀	▶ <u>M61</u> 0,05 (*) ◀		0,02 (*)	▶ <u>M61</u> 0,05 (*) ◀	▶ <u>M13</u> — ◀	▶ <u>M32</u> — ◀
							▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀
							▶ <u>M32</u> — ◀
	▶ <u>M32</u> — ◀	▶ <u>M61</u> 0,05 (*) ◀			▶ <u>M61</u> 0,01 (*) ◀	▶ <u>M13</u> — ◀	▶ <u>M32</u> — ◀
				0,06 0,02 (*) 0,02 (*)			▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀



▼ M2

(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)
▶ <u>M52</u> — ◀	▶ <u>M68</u> — ◀	▶ <u>M5</u> 0,05 (*) ◀	▶ <u>M71</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M42</u> — ◀	▶ <u>M43</u> 0,01 (*) ◀	
▶ <u>M52</u> — ◀	▶ <u>M68</u> — ◀		▶ <u>M71</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M42</u> — ◀		
▶ <u>M52</u> — ◀	▶ <u>M68</u> — ◀		▶ <u>M71</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M42</u> — ◀		
▶ <u>M52</u> — ◀	▶ <u>M68</u> — ◀		▶ <u>M71</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M42</u> — ◀		
▶ <u>M52</u> — ◀	▶ <u>M68</u> — ◀		▶ <u>M71</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M42</u> — ◀		
▶ <u>M52</u> — ◀	▶ <u>M68</u> — ◀	▶ <u>M5</u> 0,05 (*) ◀	▶ <u>M71</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M42</u> — ◀	▶ <u>M43</u> 0,05 ◀	
▶ <u>M52</u> — ◀	▶ <u>M68</u> — ◀		▶ <u>M71</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M42</u> — ◀		
▶ <u>M52</u> — ◀	▶ <u>M68</u> — ◀		▶ <u>M71</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M42</u> — ◀		
▶ <u>M52</u> — ◀	▶ <u>M68</u> — ◀		▶ <u>M71</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M42</u> — ◀		

▼ M2

(26)	(27)	(28)	(29)	(30)	(31)
▶ <u>M5</u> 0,02 (*) ◀	▶ <u>M61</u> — ◀		▶ <u>M39</u> 0,05 (*) ◀		▶ <u>M5</u> 0,05 (*) ◀
▶ <u>M5</u> 0,02 (*) ◀	▶ <u>M61</u> — ◀		▶ <u>M39</u> 0,05 (*) ◀		▶ <u>M5</u> 0,05 (*) ◀

▼ M2

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)
1030040	Quail	► <u>M58</u> — ◀			► <u>M32</u> — ◀			
1030990	Others	► <u>M58</u> — ◀			► <u>M32</u> — ◀			
1040000	(iv) Honey	► <u>M58</u> — ◀	► <u>M27</u> 0,01 (*) ◀		► <u>M32</u> — ◀			
1050000	(v) Amphibians and reptiles	► <u>M58</u> — ◀	► <u>M27</u> 0,01 (*) ◀		► <u>M32</u> — ◀			
1060000	(vi) Snails	► <u>M58</u> — ◀	► <u>M27</u> 0,01 (*) ◀		► <u>M32</u> — ◀			
1070000	(vii) Other terrestrial animal products	► <u>M58</u> — ◀	► <u>M27</u> 0,01 (*) ◀		► <u>M32</u> — ◀			
1100000	11. FISH, FISH PRODUCTS, SHELL FISH, MOLLUSCS AND OTHER MARINE AND FRESHWATER FOOD PRODUCTS	► <u>M58</u> — ◀						
1200000	12. CROPS EXCLUSIVELY USED FOR ANIMAL FEED	► <u>M58</u> — ◀						

▼ M5

▼ M2

(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)
				0,02 (*)			► <u>M32</u> — ◄
				0,02 (*)			► <u>M32</u> — ◄
	► <u>M32</u> — ◄	► <u>M61</u> 0,05 (*) ◄		0,02 (*)	► <u>M61</u> 0,05 (*) ◄	► <u>M13</u> — ◄	► <u>M32</u> — ◄
	► <u>M32</u> — ◄	► <u>M61</u> 0,05 (*) ◄		0,02 (*)	► <u>M61</u> 0,01 (*) ◄	► <u>M13</u> — ◄	► <u>M32</u> — ◄
	► <u>M32</u> — ◄	► <u>M61</u> 0,05 (*) ◄		0,02 (*)	► <u>M61</u> 0,01 (*) ◄	► <u>M13</u> — ◄	► <u>M32</u> — ◄
	► <u>M32</u> — ◄	► <u>M61</u> 0,05 (*) ◄		0,02 (*)	► <u>M61</u> 0,01 (*) ◄	► <u>M13</u> — ◄	► <u>M32</u> — ◄

▼ M5

▼ M2

(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)
▶ <u>M52</u> — ◀	▶ <u>M68</u> — ◀		▶ <u>M71</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M42</u> — ◀		
▶ <u>M52</u> — ◀	▶ <u>M68</u> — ◀		▶ <u>M71</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M42</u> — ◀		
▶ <u>M52</u> — ◀	▶ <u>M68</u> — ◀	▶ <u>M5</u> 0,05 (*) ◀	▶ <u>M71</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M42</u> — ◀	▶ <u>M43</u> 0,05 (*) ◀	
▶ <u>M52</u> — ◀	▶ <u>M68</u> — ◀	▶ <u>M5</u> 0,05 (*) ◀	▶ <u>M71</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M42</u> — ◀	▶ <u>M43</u> 0,01 (*) ◀	
▶ <u>M52</u> — ◀	▶ <u>M68</u> — ◀	▶ <u>M5</u> 0,05 (*) ◀	▶ <u>M71</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M42</u> — ◀	▶ <u>M43</u> 0,01 (*) ◀	
▶ <u>M52</u> — ◀	▶ <u>M68</u> — ◀	▶ <u>M5</u> 0,05 (*) ◀	▶ <u>M71</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M42</u> — ◀	▶ <u>M43</u> 0,01 (*) ◀	
	▶ <u>M68</u> — ◀		▶ <u>M71</u> — ◀	▶ <u>M66</u> — ◀			
	▶ <u>M68</u> — ◀		▶ <u>M71</u> — ◀	▶ <u>M66</u> — ◀			

▼ M5

▼ M2

(26)	(27)	(28)	(29)	(30)	(31)
▶ <u>M5</u> 0,02 (*) ◀	▶ <u>M61</u> — ◀		▶ <u>M39</u> 0,05 (*) ◀		▶ <u>M5</u> 0,05 (*) ◀
▶ <u>M5</u> 0,02 (*) ◀	▶ <u>M61</u> — ◀		▶ <u>M39</u> 0,05 (*) ◀		▶ <u>M5</u> 0,05 (*) ◀
▶ <u>M5</u> 0,02 (*) ◀	▶ <u>M61</u> — ◀		▶ <u>M39</u> 0,05 (*) ◀		▶ <u>M5</u> 0,05 (*) ◀
▶ <u>M5</u> 0,02 (*) ◀	▶ <u>M61</u> — ◀		▶ <u>M39</u> 0,05 (*) ◀		▶ <u>M5</u> 0,05 (*) ◀

▼ M5

▼ M2

*Pesticide residues and maximum residue levels (mg/kg)*

Code number	Groups and examples of individual products to which the MRLs apply <sup>(e)</sup>	▶ <u>M61</u> Spinosad: sum of spinosyn A and spinosyn D, expressed as spinosad <sup>(L)</sup> ▼	▶ <u>M33</u> Spirodiclofen <sup>(L)</sup> ▼	▶ <u>M39</u> Spiromesifen ▼	Sulcotrione	▶ <u>M11</u> — ▼	▶ <u>M75</u> Tau-Fluvalinate <sup>(L)</sup> ▼
(1)	(2)	(3)	(4)	(5)	(6)	▶ <u>M11</u> — ◀	(8)
010000	1. <b>FRUIT FRESH OR FROZEN; NUTS</b>				0,05 (*)	▶ <u>M11</u> — ◀	
0110000	(i) <b>Citrus fruit</b>	▶ <u>M61</u> 0,3 ◀	▶ <u>M5</u> — ◀	▶ <u>M39</u> 0,02 (*) ◀			▶ <u>M75</u> 0,1 ◀
0110010	Grapefruit		▶ <u>M33</u> 0,5 ◀				
0110020	Oranges		▶ <u>M33</u> 0,5 ◀				
0110030	Lemons		▶ <u>M33</u> 0,5 ◀				
0110040	Limes		▶ <u>M33</u> 0,4 ◀				
0110050	Mandarins		▶ <u>M33</u> 0,4 ◀				
0110990	Others		▶ <u>M33</u> 0,4 ◀				
0120000	(ii) <b>Tree nuts (shelled or unshelled)</b>		▶ <u>M5</u> — ◀	▶ <u>M39</u> 0,02 (*) ◀			▶ <u>M75</u> 0,01 (*) ◀

▼ M2

▶ <u>M49</u> — ◀	▶ <u>M15</u> Tebufenozide (L) ◀	▶ <u>M33</u> Tebufenpyraad (L) ◀	▶ <u>M53</u> Teflubenzuron ◀	Tefluthrin (L)	Terbufos	Terbutylazine	▶ <u>M33</u> Tetraconazole (L) ◀
(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
▶ <u>M49</u> — ◀							
▶ <u>M49</u> — ◀	▶ <u>M15</u> 2 ◀	▶ <u>M33</u> 0,5 ◀	▶ <u>M53</u> 0,05 (*) ◀		0,01 (*)	0,1	▶ <u>M33</u> 0,02 (*) ◀
▶ <u>M49</u> — ◀				0,05			▶ <u>M33</u> — ◀
▶ <u>M49</u> — ◀				0,01 (*)			▶ <u>M33</u> — ◀
▶ <u>M49</u> — ◀				0,05			▶ <u>M33</u> — ◀
▶ <u>M49</u> — ◀				0,05			▶ <u>M33</u> — ◀
▶ <u>M49</u> — ◀				0,05			▶ <u>M33</u> — ◀
▶ <u>M49</u> — ◀				0,05			▶ <u>M33</u> — ◀
▶ <u>M49</u> — ◀	▶ <u>M15</u> 0,05 (*) ◀	▶ <u>M33</u> 0,05 (*) ◀	▶ <u>M53</u> 0,05 (*) ◀	0,05	0,01 (*)	0,05 (*)	▶ <u>M33</u> 0,02 (*) ◀



▼ M2

▶ <u>M16</u> Tetradifon ▼	▶ <u>M39</u> Thiamethoxam (sum of thiamethoxam and clothianidin expressed as thiamethoxam) ▼	▶ <u>M50</u> — ▼	▶ <u>M5</u> Tolclofos-methyl ▼	Tri-allate	▶ <u>M32</u> — ▼	▶ <u>M13</u> Triclopyr ▼	Tricyclazole
(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)
		▶ <u>M50</u> — ◀	▶ <u>M5</u> 0,05 (*) ◀	0,1 (*)	▶ <u>M32</u> — ◀	▶ <u>M13</u> 0,1 (*) ◀	0,05 (*)
▶ <u>M16</u> 0,01 (*) ◀	▶ <u>M27</u> — ◀	▶ <u>M50</u> — ◀			▶ <u>M32</u> — ◀		
	▶ <u>M39</u> 0,2 ◀	▶ <u>M50</u> — ◀			▶ <u>M32</u> — ◀		
	▶ <u>M39</u> 0,5 ◀	▶ <u>M50</u> — ◀			▶ <u>M32</u> — ◀		
	▶ <u>M39</u> 0,2 ◀	▶ <u>M50</u> — ◀			▶ <u>M32</u> — ◀		
	▶ <u>M39</u> 0,2 ◀	▶ <u>M50</u> — ◀			▶ <u>M32</u> — ◀		
	▶ <u>M39</u> 0,2 ◀	▶ <u>M50</u> — ◀			▶ <u>M32</u> — ◀		
	▶ <u>M39</u> 0,2 ◀	▶ <u>M50</u> — ◀			▶ <u>M32</u> — ◀		
▶ <u>M16</u> 0,02 (*) ◀	▶ <u>M39</u> 0,05 (*) ◀	▶ <u>M50</u> — ◀			▶ <u>M32</u> — ◀		

▼ M2

<p>▶ <u>M5</u> Trifumizole: Trifumizole and metabolite FM-6-1(N-(4-chloro-2-trifluoromethylphenyl)-n-propoxyacetamide), expressed as Trifumizole (1) ▼</p>	<p>▶ <u>M5</u> Triflumuron (1) ▼</p>	<p>▶ <u>M32</u> — ▼</p>	<p>▶ <u>M51</u> — ▼</p>
(25)	(26)	(27)	(28)
		<p>▶ <u>M32</u> — ◀</p>	<p>▶ <u>M51</u> — ◀</p>
<p>▶ <u>M5</u> 0,1 (*) ◀</p>	<p>▶ <u>M5</u> — ◀</p>	<p>▶ <u>M32</u> — ◀</p>	<p>▶ <u>M51</u> — ◀</p>
	<p>▶ <u>M5</u> 1 ◀</p> <p>▶ <u>M5</u> 1 ◀</p> <p>▶ <u>M5</u> 0,05 (*) ◀</p> <p>▶ <u>M5</u> 0,05 (*) ◀</p> <p>▶ <u>M5</u> 1 ◀</p>	<p>▶ <u>M32</u> — ◀</p> <p>▶ <u>M32</u> — ◀</p> <p>▶ <u>M32</u> — ◀</p> <p>▶ <u>M32</u> — ◀</p> <p>▶ <u>M32</u> — ◀</p>	<p>▶ <u>M51</u> — ◀</p> <p>▶ <u>M51</u> — ◀</p> <p>▶ <u>M51</u> — ◀</p> <p>▶ <u>M51</u> — ◀</p> <p>▶ <u>M51</u> — ◀</p>
	<p>▶ <u>M5</u> 0,05 (*) ◀</p>	<p>▶ <u>M32</u> — ◀</p>	<p>▶ <u>M51</u> — ◀</p>
<p>▶ <u>M5</u> 0,1 (*) ◀</p>	<p>▶ <u>M5</u> 0,05 (*) ◀</p>	<p>▶ <u>M32</u> — ◀</p>	<p>▶ <u>M51</u> — ◀</p>

▼ **M2**

(1)	(2)	(3)	(4)	(5)	(6)	► <b>M11</b> — ◀	(8)
0120010	Almonds	► <b>M61</b> 1 ◀	► <b>M33</b> 0,1 ◀				
0120020	Brazil nuts	► <b>M61</b> 0,07 ◀	► <b>M33</b> 0,05 ◀				
0120030	Cashew nuts	► <b>M61</b> 0,07 ◀	► <b>M33</b> 0,05 ◀				
0120040	Chestnuts	► <b>M61</b> 0,07 ◀	► <b>M33</b> 0,05 ◀				
0120050	Coconuts	► <b>M61</b> 0,07 ◀	► <b>M33</b> 0,05 ◀				
0120060	Hazelnuts	► <b>M61</b> 0,07 ◀	► <b>M33</b> 0,05 ◀				
0120070	Macadamia	► <b>M61</b> 0,07 ◀	► <b>M33</b> 0,05 ◀				
0120080	Pecans	► <b>M61</b> 0,07 ◀	► <b>M33</b> 0,05 ◀				
0120090	Pine nuts	► <b>M61</b> 0,07 ◀	► <b>M33</b> 0,05 ◀				
0120100	Pistachios	► <b>M61</b> 0,07 ◀	► <b>M33</b> 0,05 ◀				
0120110	Walnuts	► <b>M61</b> 0,07 ◀	► <b>M33</b> 0,05 ◀				
0120990	Others	► <b>M61</b> 0,07 ◀	► <b>M33</b> 0,05 ◀				
0130000	(iii) <b>Pome fruit</b>		► <b>M33</b> 0,8 ◀	► <b>M39</b> 0,02 (*) ◀			► <b>M75</b> 0,3 ◀
0130010	Apples	► <b>M61</b> 1 ◀	► <b>M33</b> — ◀				
0130020	Pears	► <b>M61</b> 1 ◀	► <b>M33</b> — ◀				
0130030	Quinces	► <b>M61</b> 0,5 ◀	► <b>M33</b> — ◀				
0130040	Medlar	► <b>M61</b> 0,5 ◀	► <b>M33</b> — ◀				
0130050	Loquat	► <b>M61</b> 0,5 ◀	► <b>M33</b> — ◀				
0130990	Others	► <b>M61</b> 0,5 ◀	► <b>M33</b> — ◀				
0140000	(iv) <b>Stone fruit</b>	► <b>M61</b> 1 ◀	► <b>M33</b> 2 ◀	► <b>M39</b> 0,02 (*) ◀			
0140010	Apricots		► <b>M33</b> — ◀				► <b>M75</b> 0,3 ◀
0140020	Cherries		► <b>M33</b> — ◀				► <b>M75</b> 0,5 ◀
0140030	Peaches		► <b>M33</b> — ◀				► <b>M75</b> 0,3 ◀
0140040	Plums		► <b>M33</b> — ◀				► <b>M75</b> 0,3 ◀
0140990	Others		► <b>M33</b> — ◀				► <b>M75</b> 0,01 (*) ◀
0150000	(v) <b>Berries &amp; small fruit</b>						



▼ M2

(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)
		▶ <u>M50</u> — ◀ ▶ <u>M50</u> — ◀ ▶ <u>M50</u> — ◀ ▶ <u>M50</u> — ◀ ▶ <u>M50</u> — ◀ ▶ <u>M50</u> — ◀ ▶ <u>M50</u> — ◀ ▶ <u>M50</u> — ◀ ▶ <u>M50</u> — ◀ ▶ <u>M50</u> — ◀ ▶ <u>M50</u> — ◀			▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀		
		▶ <u>M50</u> — ◀			▶ <u>M32</u> — ◀		
▶ <u>M16</u> 0,01 (*) ◀	▶ <u>M39</u> 0,5 ◀	▶ <u>M50</u> — ◀			▶ <u>M32</u> — ◀		
	▶ <u>M27</u> — ◀ ▶ <u>M27</u> — ◀ ▶ <u>M27</u> — ◀ ▶ <u>M27</u> — ◀ ▶ <u>M27</u> — ◀	▶ <u>M50</u> — ◀ ▶ <u>M50</u> — ◀ ▶ <u>M50</u> — ◀ ▶ <u>M50</u> — ◀ ▶ <u>M50</u> — ◀			▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀		
	▶ <u>M27</u> — ◀	▶ <u>M50</u> — ◀			▶ <u>M32</u> — ◀		
▶ <u>M16</u> 0,01 (*) ◀	▶ <u>M5</u> — ◀	▶ <u>M50</u> — ◀			▶ <u>M32</u> — ◀		
	▶ <u>M39</u> 0,3 ◀ ▶ <u>M39</u> 1 ◀ ▶ <u>M39</u> 0,3 ◀ ▶ <u>M39</u> 0,3 ◀	▶ <u>M50</u> — ◀ ▶ <u>M50</u> — ◀ ▶ <u>M50</u> — ◀ ▶ <u>M50</u> — ◀			▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀		
	▶ <u>M39</u> 0,3 ◀	▶ <u>M50</u> — ◀			▶ <u>M32</u> — ◀		
▶ <u>M16</u> 0,01 (*) ◀		▶ <u>M50</u> — ◀			▶ <u>M32</u> — ◀		



▼ **M2**

(1)	(2)	(3)	(4)	(5)	(6)	► <b>M11</b> — ◀	(8)
0151000	(a) <i>Table and wine grapes</i>	► <b>M61</b> 0,5 ◀	► <b>M5</b> — ◀	► <b>M39</b> 0,02 (*) ◀			► <b>M75</b> 1 ◀
0151010	Table grapes		► <b>M33</b> 2 ◀				
0151020	Wine grapes		► <b>M33</b> 0,2 ◀				
0152000	(b) <i>Strawberries</i>	► <b>M61</b> 0,3 ◀	► <b>M33</b> 2 ◀	► <b>M39</b> 1 ◀			► <b>M75</b> 0,5 ◀
0153000	(c) <i>Cane fruit</i>		► <b>M33</b> 0,02 (*) ◀	► <b>M39</b> 0,02 (*) ◀			► <b>M75</b> 0,5 ◀
0153010	Blackberries	► <b>M61</b> 1,5 ◀					
0153020	Dewberries	► <b>M61</b> 1 ◀					
0153030	Raspberries	► <b>M61</b> 1,5 ◀					
0153990	Others	► <b>M61</b> 0,02 (*) ◀					
0154000	(d) <i>Other small fruit &amp; berries</i>	► <b>M61</b> 1,5 ◀		► <b>M39</b> 0,02 (*) ◀			► <b>M75</b> 0,5 ◀
0154010	Blueberries	► <b>M61</b> — ◀	► <b>M33</b> 0,1 ◀				
0154020	Cranberries	► <b>M61</b> — ◀	► <b>M33</b> 0,1 ◀				
0154030	Currants (red, black and white)	► <b>M61</b> — ◀	► <b>M33</b> 1 ◀				
0154040	Gooseberries	► <b>M61</b> — ◀	► <b>M33</b> 0,5 ◀				
0154050	Rose hips	► <b>M61</b> — ◀	► <b>M33</b> 0,1 ◀				
0154060	Mulberries	► <b>M61</b> — ◀	► <b>M33</b> 0,1 ◀				
0154070	Azarole (mediterranean medlar)	► <b>M61</b> — ◀	► <b>M33</b> 0,1 ◀				
0154080	Elderberries	► <b>M61</b> — ◀	► <b>M33</b> 0,1 ◀				
0154990	Others	► <b>M61</b> — ◀	► <b>M33</b> 0,1 ◀				

▼ M2

(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
▶ <u>M49</u> — ◀	▶ <u>M15</u> 3 ◀	▶ <u>M33</u> 0,5 ◀	▶ <u>M53</u> 1 ◀			0,1	▶ <u>M33</u> 0,5 ◀
▶ <u>M49</u> — ◀ ▶ <u>M49</u> — ◀							▶ <u>M33</u> — ◀ ▶ <u>M33</u> — ◀
▶ <u>M49</u> — ◀	▶ <u>M15</u> 0,05 (*) ◀	▶ <u>M33</u> 0,5 ◀	▶ <u>M53</u> 0,2 ◀			0,05 (*)	▶ <u>M33</u> 0,2 ◀
▶ <u>M49</u> — ◀		▶ <u>M33</u> 0,05 (*) ◀	▶ <u>M53</u> 0,2 ◀			0,05 (*)	▶ <u>M33</u> 0,2 ◀
▶ <u>M49</u> — ◀ ▶ <u>M49</u> — ◀ ▶ <u>M49</u> — ◀	▶ <u>M15</u> 0,05 (*) ◀ ▶ <u>M15</u> 0,05 (*) ◀ ▶ <u>M15</u> 2 ◀						▶ <u>M33</u> — ◀ ▶ <u>M33</u> — ◀ ▶ <u>M33</u> — ◀
▶ <u>M49</u> — ◀	▶ <u>M15</u> 0,05 (*) ◀						▶ <u>M33</u> — ◀
▶ <u>M49</u> — ◀		▶ <u>M33</u> 1 ◀	▶ <u>M53</u> 0,2 ◀			0,05 (*)	▶ <u>M33</u> 0,2 ◀
▶ <u>M49</u> — ◀ ▶ <u>M49</u> — ◀ ▶ <u>M49</u> — ◀	▶ <u>M15</u> 3 ◀ ▶ <u>M15</u> 0,5 ◀ ▶ <u>M15</u> 0,05 (*) ◀						▶ <u>M33</u> — ◀ ▶ <u>M33</u> — ◀ ▶ <u>M33</u> — ◀
▶ <u>M49</u> — ◀ ▶ <u>M49</u> — ◀ ▶ <u>M49</u> — ◀ ▶ <u>M49</u> — ◀	▶ <u>M15</u> 0,05 (*) ◀ ▶ <u>M15</u> 0,05 (*) ◀ ▶ <u>M15</u> 0,05 (*) ◀ ▶ <u>M15</u> 0,05 (*) ◀						▶ <u>M33</u> — ◀ ▶ <u>M33</u> — ◀ ▶ <u>M33</u> — ◀ ▶ <u>M33</u> — ◀
▶ <u>M49</u> — ◀	▶ <u>M15</u> 0,05 (*) ◀						▶ <u>M33</u> — ◀
▶ <u>M49</u> — ◀	▶ <u>M15</u> 0,05 (*) ◀						▶ <u>M33</u> — ◀



▼ M2

(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)
2	▶ <u>M39</u> 0,9 ◀	▶ <u>M50</u> — ◀			▶ <u>M32</u> — ◀		
		▶ <u>M50</u> — ◀ ▶ <u>M50</u> — ◀			▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀		
0,02 (*)	▶ <u>M39</u> 0,5 ◀	▶ <u>M50</u> — ◀			▶ <u>M32</u> — ◀		
0,02 (*)	▶ <u>M39</u> 0,05 (*) ◀	▶ <u>M50</u> — ◀			▶ <u>M32</u> — ◀		
		▶ <u>M50</u> — ◀ ▶ <u>M50</u> — ◀ ▶ <u>M50</u> — ◀			▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀		
		▶ <u>M50</u> — ◀			▶ <u>M32</u> — ◀		
0,02 (*)	▶ <u>M39</u> 0,05 (*) ◀	▶ <u>M50</u> — ◀			▶ <u>M32</u> — ◀		
		▶ <u>M50</u> — ◀ ▶ <u>M50</u> — ◀ ▶ <u>M50</u> — ◀  ▶ <u>M50</u> — ◀ ▶ <u>M50</u> — ◀ ▶ <u>M50</u> — ◀ ▶ <u>M50</u> — ◀  ▶ <u>M50</u> — ◀			▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀  ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀  ▶ <u>M32</u> — ◀		
		▶ <u>M50</u> — ◀			▶ <u>M32</u> — ◀		

▼ M2

(25)	(26)	(27)	(28)
▶ <u>M5</u> 3 ◀	▶ <u>M5</u> 0,2 ◀	▶ <u>M32</u> — ◀	▶ <u>M51</u> — ◀
		▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀	▶ <u>M51</u> — ◀ ▶ <u>M51</u> — ◀
▶ <u>M5</u> 0,2 ◀	▶ <u>M5</u> 0,05 (*) ◀	▶ <u>M32</u> — ◀	▶ <u>M51</u> — ◀
▶ <u>M5</u> 0,1 (*) ◀	▶ <u>M5</u> 0,05 (*) ◀	▶ <u>M32</u> — ◀	▶ <u>M51</u> — ◀
		▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀	▶ <u>M51</u> — ◀ ▶ <u>M51</u> — ◀ ▶ <u>M51</u> — ◀
		▶ <u>M32</u> — ◀	▶ <u>M51</u> — ◀
▶ <u>M5</u> 0,1 (*) ◀	▶ <u>M5</u> 0,05 (*) ◀	▶ <u>M32</u> — ◀	▶ <u>M51</u> — ◀
		▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀	▶ <u>M51</u> — ◀ ▶ <u>M51</u> — ◀ ▶ <u>M51</u> — ◀
		▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀	▶ <u>M51</u> — ◀ ▶ <u>M51</u> — ◀ ▶ <u>M51</u> — ◀ ▶ <u>M51</u> — ◀
		▶ <u>M32</u> — ◀	▶ <u>M51</u> — ◀
		▶ <u>M32</u> — ◀	▶ <u>M51</u> — ◀

▼ **M2**

(1)	(2)	(3)	(4)	(5)	(6)	► <b>M11</b> — ◀	(8)
0160000	(vi) <b>Miscellaneous fruit</b>		► <b>M33</b> — ◀				► <b>M75</b> 0,01 (*) ◀
0161000	(a) <i>Edible peel</i>		► <b>M33</b> 0,02 (*) ◀	► <b>M39</b> 0,02 (*) ◀			
0161010	Dates	► <b>M61</b> 0,02 (*) ◀					
0161020	Figs	► <b>M61</b> 0,02 (*) ◀					
0161030	Table olives	► <b>M61</b> 0,02 (*) ◀					
0161040	Kumquats	► <b>M61</b> 0,02 (*) ◀					
0161050	Carambola	► <b>M61</b> 0,02 (*) ◀					
0161060	Persimmon	► <b>M61</b> 0,05 ◀					
0161070	Jambolan (java plum)	► <b>M61</b> 0,02 (*) ◀					
0161990	Others	► <b>M61</b> 0,02 (*) ◀					
0162000	(b) <i>Inedible peel, small</i>		► <b>M33</b> 0,02 (*) ◀	► <b>M5</b> — ◀			
0162010	Kiwi	► <b>M61</b> 0,2 ◀		► <b>M39</b> 0,02 (*) ◀			
0162020	Lychee (Litchi)	► <b>M61</b> 0,02 (*) ◀		► <b>M39</b> 0,02 (*) ◀			
0162030	Passion fruit	► <b>M61</b> 0,7 ◀		► <b>M39</b> 1 ◀			
0162040	Prickly pear (cactus fruit)	► <b>M61</b> 0,02 (*) ◀		► <b>M39</b> 0,02 (*) ◀			
0162050	Star apple	► <b>M61</b> 0,02 (*) ◀		► <b>M39</b> 0,02 (*) ◀			
0162060	American persimmon (Virginia kaki)	► <b>M61</b> 0,02 (*) ◀		► <b>M39</b> 0,02 (*) ◀			
0162990	Others	► <b>M61</b> 0,02 (*) ◀		► <b>M39</b> 0,02 (*) ◀			
0163000	(c) <i>Inedible peel, large</i>						
0163010	Avocados	► <b>M61</b> 0,02 (*) ◀	► <b>M33</b> 1 ◀	► <b>M39</b> 0,02 (*) ◀			

▼ M2

(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
▶ <u>M49</u> — ◀		▶ <u>M33</u> 0,05 (*) ◀				0,05 (*)	▶ <u>M33</u> 0,02 (*) ◀
▶ <u>M49</u> — ◀				0,05	0,01 (*)		▶ <u>M33</u> — ◀
▶ <u>M49</u> — ◀	▶ <u>M15</u> 0,05 (*) ◀		▶ <u>M53</u> 2 ◀				▶ <u>M33</u> — ◀
▶ <u>M49</u> — ◀	▶ <u>M15</u> 0,05 (*) ◀		▶ <u>M53</u> 0,05 (*) ◀				▶ <u>M33</u> — ◀
▶ <u>M49</u> — ◀	▶ <u>M15</u> 0,05 (*) ◀		▶ <u>M53</u> 0,05 (*) ◀				▶ <u>M33</u> — ◀
▶ <u>M49</u> — ◀	▶ <u>M15</u> 0,05 (*) ◀		▶ <u>M53</u> 0,05 (*) ◀				▶ <u>M33</u> — ◀
▶ <u>M49</u> — ◀	▶ <u>M15</u> 0,05 (*) ◀		▶ <u>M53</u> 0,05 (*) ◀				▶ <u>M33</u> — ◀
▶ <u>M49</u> — ◀	▶ <u>M15</u> 0,2 ◀		▶ <u>M53</u> 0,05 (*) ◀				▶ <u>M33</u> — ◀
▶ <u>M49</u> — ◀	▶ <u>M15</u> 0,05 (*) ◀		▶ <u>M53</u> 0,05 (*) ◀				▶ <u>M33</u> — ◀
▶ <u>M49</u> — ◀	▶ <u>M15</u> 0,05 (*) ◀		▶ <u>M53</u> 0,05 (*) ◀				▶ <u>M33</u> — ◀
▶ <u>M49</u> — ◀	▶ <u>M15</u> 0,05 (*) ◀		▶ <u>M53</u> 0,05 (*) ◀	0,05	0,01 (*)		▶ <u>M33</u> — ◀
▶ <u>M49</u> — ◀	▶ <u>M15</u> 0,5 ◀						▶ <u>M33</u> — ◀
▶ <u>M49</u> — ◀	▶ <u>M15</u> 0,05 (*) ◀						▶ <u>M33</u> — ◀
▶ <u>M49</u> — ◀	▶ <u>M15</u> 0,05 (*) ◀						▶ <u>M33</u> — ◀
▶ <u>M49</u> — ◀	▶ <u>M15</u> 0,05 (*) ◀						▶ <u>M33</u> — ◀
▶ <u>M49</u> — ◀	▶ <u>M15</u> 0,05 (*) ◀						▶ <u>M33</u> — ◀
▶ <u>M49</u> — ◀	▶ <u>M15</u> 0,05 (*) ◀						▶ <u>M33</u> — ◀
▶ <u>M49</u> — ◀	▶ <u>M15</u> 0,05 (*) ◀						▶ <u>M33</u> — ◀
▶ <u>M49</u> — ◀	▶ <u>M15</u> 0,05 (*) ◀		▶ <u>M53</u> 0,05 (*) ◀				▶ <u>M33</u> — ◀
▶ <u>M49</u> — ◀	▶ <u>M15</u> 1 ◀			0,05	0,01 (*)		▶ <u>M33</u> — ◀

▼ M2

(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)
▶ <u>M16</u> 0,01 (*) ◀		▶ <u>M50</u> — ◀			▶ <u>M32</u> — ◀		
	▶ <u>M39</u> — ◀	▶ <u>M50</u> — ◀			▶ <u>M32</u> — ◀		
	▶ <u>M39</u> 0,05 (*) ◀ ▶ <u>M39</u> 0,05 (*) ◀ ▶ <u>M39</u> 0,5 ◀ ▶ <u>M39</u> 0,05 (*) ◀ ▶ <u>M39</u> 0,05 (*) ◀ ▶ <u>M39</u> 0,05 (*) ◀ ▶ <u>M39</u> 0,05 (*) ◀	▶ <u>M50</u> — ◀ ▶ <u>M50</u> — ◀ ▶ <u>M50</u> — ◀ ▶ <u>M50</u> — ◀ ▶ <u>M50</u> — ◀ ▶ <u>M50</u> — ◀ ▶ <u>M50</u> — ◀			▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀		
	▶ <u>M39</u> 0,05 (*) ◀	▶ <u>M50</u> — ◀			▶ <u>M32</u> — ◀		
		▶ <u>M50</u> — ◀			▶ <u>M32</u> — ◀		
	▶ <u>M39</u> 0,2 ◀ ▶ <u>M39</u> 0,05 (*) ◀ ▶ <u>M39</u> 0,05 (*) ◀ ▶ <u>M39</u> 0,05 (*) ◀  ▶ <u>M39</u> 0,05 (*) ◀ ▶ <u>M39</u> 0,05 (*) ◀	▶ <u>M50</u> — ◀ ▶ <u>M50</u> — ◀ ▶ <u>M50</u> — ◀ ▶ <u>M50</u> — ◀  ▶ <u>M50</u> — ◀ ▶ <u>M50</u> — ◀			▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀  ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀		
	▶ <u>M39</u> 0,05 (*) ◀	▶ <u>M50</u> — ◀			▶ <u>M32</u> — ◀		
		▶ <u>M50</u> — ◀			▶ <u>M32</u> — ◀		
	▶ <u>M39</u> 0,05 (*) ◀	▶ <u>M50</u> — ◀			▶ <u>M32</u> — ◀		



▼ **M2**

(1)	(2)	(3)	(4)	(5)	(6)	▶ <b>M11</b> — ◀	(8)
0163020	Bananas	▶ <b>M61</b> 2 ◀	▶ <b>M33</b> 0,3 ◀	▶ <b>M39</b> 0,02 (*) ◀			
0163030	Mangoes	▶ <b>M61</b> 0,02 (*) ◀	▶ <b>M33</b> 1 ◀	▶ <b>M39</b> 0,02 (*) ◀			
0163040	Papaya	▶ <b>M61</b> 0,5 ◀	▶ <b>M33</b> 1 ◀	▶ <b>M39</b> 1 ◀			
0163050	Pomegranate	▶ <b>M61</b> 0,02 (*) ◀	▶ <b>M33</b> 0,02 (*) ◀	▶ <b>M39</b> 0,02 (*) ◀			
0163060	Cherimoya	▶ <b>M61</b> 0,02 (*) ◀	▶ <b>M33</b> 0,02 (*) ◀	▶ <b>M39</b> 0,02 (*) ◀			
0163070	Guava	▶ <b>M61</b> 0,02 (*) ◀	▶ <b>M33</b> 0,02 (*) ◀	▶ <b>M39</b> 0,02 (*) ◀			
0163080	Pineapples	▶ <b>M61</b> 0,02 (*) ◀	▶ <b>M33</b> 0,02 (*) ◀	▶ <b>M39</b> 0,02 (*) ◀			
0163090	Bread fruit	▶ <b>M61</b> 0,02 (*) ◀	▶ <b>M33</b> 0,02 (*) ◀	▶ <b>M39</b> 0,02 (*) ◀			
0163100	Durian	▶ <b>M61</b> 0,02 (*) ◀	▶ <b>M33</b> 0,02 (*) ◀	▶ <b>M39</b> 0,02 (*) ◀			
0163110	Soursop (guanabana)	▶ <b>M61</b> 0,02 (*) ◀	▶ <b>M33</b> 0,02 (*) ◀	▶ <b>M39</b> 0,02 (*) ◀			
0163990	Others	▶ <b>M61</b> 0,02 (*) ◀	▶ <b>M33</b> 0,02 (*) ◀	▶ <b>M39</b> 0,02 (*) ◀			
0200000	<b>2. VEGETABLES FRESH OR FROZEN</b>				0,05 (*)		
0210000	(i) <b>Root and tuber vegetables</b>	▶ <b>M29</b> — ◀	▶ <b>M33</b> 0,02 (*) ◀	▶ <b>M39</b> 0,02 (*) ◀		▶ <b>M11</b> — ◀	
0211000	(a) <i>Potatoes</i>	▶ <b>M61</b> 0,02 (*) ◀					▶ <b>M75</b> 0,01 (*) ◀
0212000	(b) <i>Tropical root and tuber vegetables</i>	▶ <b>M61</b> 0,02 (*) ◀					▶ <b>M75</b> 0,01 (*) ◀
0212010	Cassava						
0212020	Sweet potatoes						
0212030	Yams						
0212040	Arrowroot						
0212990	Others						

▼ M2

(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
▶ <u>M49</u> — ◀	▶ <u>M15</u> 0,05 (*) ◀			0,05	0,05		▶ <u>M33</u> — ◀
▶ <u>M49</u> — ◀	▶ <u>M15</u> 0,05 (*) ◀			0,05	0,01 (*)		▶ <u>M33</u> — ◀
▶ <u>M49</u> — ◀	▶ <u>M15</u> 0,05 (*) ◀			0,05	0,01 (*)		▶ <u>M33</u> — ◀
▶ <u>M49</u> — ◀	▶ <u>M15</u> 0,05 (*) ◀			0,05	0,01 (*)		▶ <u>M33</u> — ◀
▶ <u>M49</u> — ◀	▶ <u>M15</u> 0,05 (*) ◀			0,05	0,01 (*)		▶ <u>M33</u> — ◀
▶ <u>M49</u> — ◀	▶ <u>M15</u> 0,05 (*) ◀			0,05	0,01 (*)		▶ <u>M33</u> — ◀
▶ <u>M49</u> — ◀	▶ <u>M15</u> 0,05 (*) ◀			0,01 (*)	0,01 (*)		▶ <u>M33</u> — ◀
▶ <u>M49</u> — ◀	▶ <u>M15</u> 0,05 (*) ◀			0,05	0,01 (*)		▶ <u>M33</u> — ◀
▶ <u>M49</u> — ◀	▶ <u>M15</u> 0,05 (*) ◀			0,05	0,01 (*)		▶ <u>M33</u> — ◀
▶ <u>M49</u> — ◀	▶ <u>M15</u> 0,05 (*) ◀			0,05	0,01 (*)		▶ <u>M33</u> — ◀
▶ <u>M49</u> — ◀	▶ <u>M15</u> 0,05 (*) ◀						
▶ <u>M49</u> — ◀	▶ <u>M15</u> 0,05 (*) ◀			0,05	0,01 (*)		▶ <u>M33</u> — ◀
▶ <u>M49</u> — ◀					0,01 (*)		
▶ <u>M49</u> — ◀	▶ <u>M15</u> 0,05 (*) ◀	▶ <u>M33</u> 0,05 (*) ◀					▶ <u>M33</u> 0,02 (*) ◀
▶ <u>M49</u> — ◀			▶ <u>M53</u> 0,1 ◀	0,01 (*)		0,1	▶ <u>M33</u> — ◀
▶ <u>M49</u> — ◀				0,05		0,05 (*)	▶ <u>M33</u> — ◀
▶ <u>M49</u> — ◀			▶ <u>M53</u> 0,05 (*) ◀				▶ <u>M33</u> — ◀
▶ <u>M49</u> — ◀			▶ <u>M53</u> 0,1 ◀				▶ <u>M33</u> — ◀
▶ <u>M49</u> — ◀			▶ <u>M53</u> 0,05 (*) ◀				▶ <u>M33</u> — ◀
▶ <u>M49</u> — ◀			▶ <u>M53</u> 0,05 (*) ◀				▶ <u>M33</u> — ◀
▶ <u>M49</u> — ◀			▶ <u>M53</u> 0,05 (*) ◀				▶ <u>M33</u> — ◀



▼ M2

(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)
	▶ <u>M39</u> 0,05 (*) ◀ ▶ <u>M39</u> 0,5 ◀ ▶ <u>M39</u> 0,05 (*) ◀ ▶ <u>M39</u> 0,05 (*) ◀ ▶ <u>M39</u> 0,05 (*) ◀ ▶ <u>M39</u> 0,05 (*) ◀ ▶ <u>M39</u> 0,05 (*) ◀ ▶ <u>M39</u> 0,05 (*) ◀ ▶ <u>M39</u> 0,05 (*) ◀ ▶ <u>M39</u> 0,05 (*) ◀	▶ <u>M50</u> — ◀ ▶ <u>M50</u> — ◀ ▶ <u>M50</u> — ◀ ▶ <u>M50</u> — ◀ ▶ <u>M50</u> — ◀ ▶ <u>M50</u> — ◀ ▶ <u>M50</u> — ◀ ▶ <u>M50</u> — ◀ ▶ <u>M50</u> — ◀ ▶ <u>M50</u> — ◀			▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀		
	▶ <u>M39</u> 0,05 (*) ◀	▶ <u>M50</u> — ◀			▶ <u>M32</u> — ◀		
		▶ <u>M50</u> — ◀		0,1 (*)	▶ <u>M32</u> — ◀	▶ <u>M13</u> 0,1 (*) ◀	0,05 (*)
▶ <u>M16</u> 0,01 (*) ◀		▶ <u>M50</u> — ◀			▶ <u>M32</u> — ◀		
	▶ <u>M39</u> 0,3 ◀	▶ <u>M50</u> — ◀	▶ <u>M5</u> 0,2 ◀		▶ <u>M32</u> — ◀		
	▶ <u>M39</u> 0,05 (*) ◀	▶ <u>M50</u> — ◀	▶ <u>M5</u> 0,05 (*) ◀		▶ <u>M32</u> — ◀		
		▶ <u>M50</u> — ◀ ▶ <u>M50</u> — ◀ ▶ <u>M50</u> — ◀ ▶ <u>M50</u> — ◀			▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀		
		▶ <u>M50</u> — ◀			▶ <u>M32</u> — ◀		

▼ M2

(25)	(26)	(27)	(28)
	▶ <u>M5</u> 0,05 (*) ◀	▶ <u>M32</u> — ◀	▶ <u>M51</u> — ◀
	▶ <u>M5</u> 0,2 ◀	▶ <u>M32</u> — ◀	▶ <u>M51</u> — ◀
	▶ <u>M5</u> 0,05 (*) ◀	▶ <u>M32</u> — ◀	▶ <u>M51</u> — ◀
	▶ <u>M5</u> 0,05 (*) ◀	▶ <u>M32</u> — ◀	▶ <u>M51</u> — ◀
	▶ <u>M5</u> 0,05 (*) ◀	▶ <u>M32</u> — ◀	▶ <u>M51</u> — ◀
	▶ <u>M5</u> 0,05 (*) ◀	▶ <u>M32</u> — ◀	▶ <u>M51</u> — ◀
	▶ <u>M5</u> 0,05 (*) ◀	▶ <u>M32</u> — ◀	▶ <u>M51</u> — ◀
	▶ <u>M5</u> 0,05 (*) ◀	▶ <u>M32</u> — ◀	▶ <u>M51</u> — ◀
	▶ <u>M5</u> 0,05 (*) ◀	▶ <u>M32</u> — ◀	▶ <u>M51</u> — ◀
	▶ <u>M5</u> 0,05 (*) ◀	▶ <u>M32</u> — ◀	▶ <u>M51</u> — ◀
	▶ <u>M5</u> 0,05 (*) ◀	▶ <u>M32</u> — ◀	▶ <u>M51</u> — ◀
	▶ <u>M5</u> 0,05 (*) ◀	▶ <u>M32</u> — ◀	▶ <u>M51</u> — ◀
	▶ <u>M5</u> 0,05 (*) ◀	▶ <u>M32</u> — ◀	▶ <u>M51</u> — ◀
	▶ <u>M5</u> 0,05 (*) ◀	▶ <u>M32</u> — ◀	▶ <u>M51</u> — ◀
	▶ <u>M5</u> 0,05 (*) ◀	▶ <u>M32</u> — ◀	▶ <u>M51</u> — ◀
		▶ <u>M32</u> — ◀	▶ <u>M51</u> — ◀
▶ <u>M5</u> 0,1 (*) ◀	▶ <u>M5</u> 0,05 (*) ◀	▶ <u>M32</u> — ◀	▶ <u>M51</u> — ◀
		▶ <u>M32</u> — ◀	▶ <u>M51</u> — ◀
		▶ <u>M32</u> — ◀	▶ <u>M51</u> — ◀
		▶ <u>M32</u> — ◀	▶ <u>M51</u> — ◀
		▶ <u>M32</u> — ◀	▶ <u>M51</u> — ◀
		▶ <u>M32</u> — ◀	▶ <u>M51</u> — ◀
		▶ <u>M32</u> — ◀	▶ <u>M51</u> — ◀
		▶ <u>M32</u> — ◀	▶ <u>M51</u> — ◀
		▶ <u>M32</u> — ◀	▶ <u>M51</u> — ◀

▼ **M2**

(1)	(2)	(3)	(4)	(5)	(6)	► <b>M11</b> — ◀	(8)
0213000	(c) <i>Other root and tuber vegetables except sugar beet</i>						
0213010	Beetroot	► <b>M61</b> 0,02 (*) ◀					► <b>M75</b> 0,02 ◀
0213020	Carrots	► <b>M61</b> 0,02 (*) ◀					► <b>M75</b> 0,02 ◀
0213030	Celeriac	► <b>M61</b> 0,02 (*) ◀					► <b>M75</b> 0,01 (*) ◀
0213040	Horseradish	► <b>M61</b> 0,02 (*) ◀					► <b>M75</b> 0,01 (*) ◀
0213050	Jerusalem artichokes	► <b>M61</b> 0,02 (*) ◀					► <b>M75</b> 0,01 (*) ◀
0213060	Parsnips	► <b>M61</b> 0,02 (*) ◀					► <b>M75</b> 0,01 (*) ◀
0213070	Parsley root	► <b>M61</b> 0,02 (*) ◀					► <b>M75</b> 0,01 (*) ◀
0213080	Radishes	► <b>M61</b> 0,3 ◀					► <b>M75</b> 0,01 (*) ◀
0213090	Salsify	► <b>M61</b> 0,02 (*) ◀					► <b>M75</b> 0,01 (*) ◀
0213100	Swedes	► <b>M61</b> 0,02 (*) ◀					► <b>M75</b> 0,01 (*) ◀
0213110	Turnips	► <b>M61</b> 0,02 (*) ◀					► <b>M75</b> 0,01 (*) ◀
0213990	Others	► <b>M61</b> 0,02 (*) ◀					► <b>M75</b> 0,01 (*) ◀
0220000	(ii) <b>Bulb vegetables</b>		► <b>M33</b> 0,02 (*) ◀	► <b>M39</b> 0,02 (*) ◀		► <b>M11</b> — ◀	► <b>M75</b> 0,01 (*) ◀
0220010	Garlic	► <b>M61</b> 0,1 ◀					
0220020	Onions	► <b>M61</b> 0,2 ◀					
0220030	Shallots	► <b>M61</b> 0,1 ◀					
0220040	Spring onions	► <b>M61</b> 4 ◀					
0220990	Others	► <b>M61</b> 0,1 ◀					
0230000	(iii) <b>Fruiting vegetables</b>					► <b>M11</b> — ◀	
0231000	(a) <i>Solanacea</i>						



▼ M2

(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)
		▶ <u>M50</u> — ◀			▶ <u>M32</u> — ◀		
	▶ <u>M39</u> 0,05 (*) ◀ ▶ <u>M39</u> 0,3 ◀ ▶ <u>M39</u> 0,05 (*) ◀ ▶ <u>M39</u> 0,05 (*) ◀ ▶ <u>M39</u> 0,05 (*) ◀  ▶ <u>M39</u> 0,05 (*) ◀ ▶ <u>M39</u> 0,05 (*) ◀ ▶ <u>M39</u> 0,05 (*) ◀ ▶ <u>M39</u> 0,05 (*) ◀ ▶ <u>M39</u> 0,05 (*) ◀ ▶ <u>M39</u> 0,05 (*) ◀	▶ <u>M50</u> — ◀ ▶ <u>M50</u> — ◀ ▶ <u>M50</u> — ◀ ▶ <u>M50</u> — ◀ ▶ <u>M50</u> — ◀  ▶ <u>M50</u> — ◀ ▶ <u>M50</u> — ◀ ▶ <u>M50</u> — ◀ ▶ <u>M50</u> — ◀ ▶ <u>M50</u> — ◀	▶ <u>M5</u> 0,5 ◀ ▶ <u>M5</u> 0,5 ◀ ▶ <u>M5</u> 0,05 (*) ◀ ▶ <u>M5</u> 0,1 ◀ ▶ <u>M5</u> 0,05 (*) ◀  ▶ <u>M5</u> 0,05 (*) ◀ ▶ <u>M5</u> 0,1 ◀ ▶ <u>M5</u> 0,1 ◀ ▶ <u>M5</u> 0,05 (*) ◀ ▶ <u>M5</u> 0,1 ◀ ▶ <u>M5</u> 0,1 ◀		▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀  ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀		
	▶ <u>M39</u> 0,05 (*) ◀	▶ <u>M50</u> — ◀	▶ <u>M5</u> 0,05 (*) ◀		▶ <u>M32</u> — ◀		
▶ <u>M16</u> 0,02 (*) ◀		▶ <u>M50</u> — ◀	▶ <u>M5</u> 0,05 (*) ◀		▶ <u>M32</u> — ◀		
	▶ <u>M39</u> 0,05 (*) ◀ ▶ <u>M39</u> 0,1 ◀ ▶ <u>M39</u> 0,05 (*) ◀ ▶ <u>M39</u> 0,05 (*) ◀	▶ <u>M50</u> — ◀ ▶ <u>M50</u> — ◀ ▶ <u>M50</u> — ◀ ▶ <u>M50</u> — ◀			▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀		
	▶ <u>M39</u> 0,05 (*) ◀	▶ <u>M50</u> — ◀			▶ <u>M32</u> — ◀		
▶ <u>M16</u> 0,01 (*) ◀		▶ <u>M50</u> — ◀			▶ <u>M32</u> — ◀		
0,02 (*)		▶ <u>M50</u> — ◀			▶ <u>M32</u> — ◀		

▼ M2

(25)	(26)	(27)	(28)
		► <u>M32</u> — ◀	► <u>M51</u> — ◀
		► <u>M32</u> — ◀ ► <u>M32</u> — ◀ ► <u>M32</u> — ◀ ► <u>M32</u> — ◀ ► <u>M32</u> — ◀  ► <u>M32</u> — ◀ ► <u>M32</u> — ◀ ► <u>M32</u> — ◀ ► <u>M32</u> — ◀ ► <u>M32</u> — ◀ ► <u>M32</u> — ◀	► <u>M51</u> — ◀ ► <u>M51</u> — ◀ ► <u>M51</u> — ◀ ► <u>M51</u> — ◀ ► <u>M51</u> — ◀  ► <u>M51</u> — ◀ ► <u>M51</u> — ◀ ► <u>M51</u> — ◀ ► <u>M51</u> — ◀ ► <u>M51</u> — ◀ ► <u>M51</u> — ◀
		► <u>M32</u> — ◀	► <u>M51</u> — ◀
► <u>M5</u> 0,1 (*) ◀	► <u>M5</u> 0,05 (*) ◀	► <u>M32</u> — ◀	► <u>M51</u> — ◀
		► <u>M32</u> — ◀ ► <u>M32</u> — ◀ ► <u>M32</u> — ◀ ► <u>M32</u> — ◀	► <u>M51</u> — ◀ ► <u>M51</u> — ◀ ► <u>M51</u> — ◀ ► <u>M51</u> — ◀
		► <u>M32</u> — ◀	► <u>M51</u> — ◀
		► <u>M32</u> — ◀	► <u>M51</u> — ◀
	► <u>M5</u> 0,05 (*) ◀	► <u>M32</u> — ◀	► <u>M51</u> — ◀

▼ **M2**

(1)	(2)	(3)	(4)	(5)	(6)	► <b>M11</b> — ◀	(8)
0231010	Tomatoes	► <b>M61</b> 1 ◀	► <b>M33</b> 0,5 ◀	► <b>M39</b> 1 ◀			► <b>M75</b> 0,1 ◀
0231020	Peppers	► <b>M61</b> 2 ◀	► <b>M33</b> 0,2 ◀	► <b>M39</b> 0,5 ◀			► <b>M75</b> 0,01 (*) ◀
0231030	Aubergines (egg plants)	► <b>M61</b> 1 ◀	► <b>M33</b> 0,02 (*) ◀	► <b>M39</b> 0,5 ◀			► <b>M75</b> 0,15 ◀
0231040	Okra, lady's fingers	► <b>M61</b> 1 ◀	► <b>M33</b> 0,02 (*) ◀	► <b>M39</b> 0,02 (*) ◀			► <b>M75</b> 0,01 (*) ◀
0231990	Others	► <b>M61</b> 1 ◀	► <b>M33</b> 0,02 (*) ◀	► <b>M39</b> 0,02 (*) ◀			► <b>M75</b> 0,01 (*) ◀
0232000	(b) <i>Cucurbits</i> — <i>edible peel</i>						
0232010	Cucumbers	► <b>M61</b> 1 ◀	► <b>M33</b> 0,1 ◀	► <b>M39</b> 0,3 ◀			► <b>M75</b> 0,05 ◀
0232020	Gherkins	► <b>M61</b> 0,2 ◀	► <b>M33</b> 0,1 ◀	► <b>M39</b> 0,3 ◀			► <b>M75</b> 0,01 (*) ◀
0232030	Courgettes	► <b>M61</b> 0,2 ◀	► <b>M33</b> 0,02 (*) ◀	► <b>M39</b> 0,3 ◀			► <b>M75</b> 0,01 (*) ◀
0232990	Others	► <b>M61</b> 0,2 ◀	► <b>M33</b> 0,02 (*) ◀	► <b>M39</b> 0,02 (*) ◀			► <b>M75</b> 0,01 (*) ◀
0233000	(c) <i>Cucurbits-</i> <i>inedible peel</i>	► <b>M61</b> 1 ◀	► <b>M33</b> 0,02 (*) ◀	► <b>M39</b> 0,3 ◀			
0233010	Melons						► <b>M75</b> 0,09 ◀
0233020	Pumpkins						► <b>M75</b> 0,01 (*) ◀
0233030	Watermelons						► <b>M75</b> 0,01 (*) ◀
0233990	Others						► <b>M75</b> 0,01 (*) ◀
0234000	(d) <i>Sweet corn</i>	► <b>M61</b> 0,02 (*) ◀	► <b>M33</b> 0,02 (*) ◀	► <b>M39</b> 0,02 (*) ◀			► <b>M75</b> 0,01 (*) ◀
0239000	(e) <i>Other fruiting</i> <i>vegetables</i>	► <b>M61</b> 0,02 (*) ◀	► <b>M33</b> 0,02 (*) ◀	► <b>M39</b> 0,02 (*) ◀			► <b>M75</b> 0,01 (*) ◀
0240000	(iv) <b>Brassica</b> <b>vegetables</b>	► <b>M61</b> 2 ◀	► <b>M33</b> 0,02 (*) ◀	► <b>M39</b> 0,02 (*) ◀		► <b>M11</b> — ◀	
0241000	(a) <i>Flowering</i> <i>brassica</i>						
0241010	Broccoli						► <b>M75</b> 0,4 ◀
0241020	Cauliflower						► <b>M75</b> 0,1 ◀

▼ M2

(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
▶ <u>M49</u> — ◀	▶ <u>M15</u> 1 ◀	▶ <u>M33</u> 0,5 ◀	▶ <u>M53</u> — ◀				▶ <u>M33</u> 0,1 ◀
▶ <u>M49</u> — ◀	▶ <u>M15</u> 1 ◀	▶ <u>M33</u> 0,5 ◀	▶ <u>M53</u> — ◀				▶ <u>M33</u> 0,1 ◀
▶ <u>M49</u> — ◀	▶ <u>M15</u> 0,5 ◀	▶ <u>M33</u> 0,5 ◀	▶ <u>M53</u> — ◀				▶ <u>M33</u> 0,02 (*) ◀
▶ <u>M49</u> — ◀	▶ <u>M15</u> 0,2 ◀	▶ <u>M33</u> 0,05 (*) ◀	▶ <u>M53</u> — ◀				▶ <u>M33</u> 0,02 (*) ◀
▶ <u>M49</u> — ◀	▶ <u>M15</u> 0,2 ◀	▶ <u>M33</u> 0,05 (*) ◀	▶ <u>M53</u> — ◀				▶ <u>M33</u> 0,02 (*) ◀
▶ <u>M49</u> — ◀				0,05		0,05 (*)	▶ <u>M33</u> 0,2 ◀
▶ <u>M49</u> — ◀	▶ <u>M15</u> 0,05 (*) ◀	▶ <u>M33</u> 0,3 ◀	▶ <u>M53</u> 0,5 ◀				▶ <u>M33</u> — ◀
▶ <u>M49</u> — ◀	▶ <u>M15</u> 0,05 (*) ◀	▶ <u>M33</u> 0,5 ◀	▶ <u>M53</u> 1,5 ◀				▶ <u>M33</u> — ◀
▶ <u>M49</u> — ◀	▶ <u>M15</u> 0,1 ◀	▶ <u>M33</u> 0,3 ◀	▶ <u>M53</u> 0,5 ◀				▶ <u>M33</u> — ◀
▶ <u>M49</u> — ◀	▶ <u>M15</u> 0,05 (*) ◀	▶ <u>M33</u> 0,1 ◀	▶ <u>M53</u> 0,5 ◀				▶ <u>M33</u> — ◀
▶ <u>M49</u> — ◀	▶ <u>M15</u> 0,05 (*) ◀					0,05 (*)	▶ <u>M33</u> 0,05 ◀
▶ <u>M49</u> — ◀		▶ <u>M33</u> 0,5 ◀	▶ <u>M53</u> 0,2 ◀	0,02			▶ <u>M33</u> — ◀
▶ <u>M49</u> — ◀		▶ <u>M33</u> 0,05 (*) ◀	▶ <u>M53</u> 0,05 (*) ◀	0,05			▶ <u>M33</u> — ◀
▶ <u>M49</u> — ◀		▶ <u>M33</u> 0,5 ◀	▶ <u>M53</u> 0,05 (*) ◀	0,02			▶ <u>M33</u> — ◀
▶ <u>M49</u> — ◀		▶ <u>M33</u> 0,05 (*) ◀	▶ <u>M53</u> 0,05 (*) ◀	0,05			▶ <u>M33</u> — ◀
▶ <u>M49</u> — ◀	▶ <u>M15</u> 0,05 (*) ◀	▶ <u>M33</u> 0,05 (*) ◀	▶ <u>M53</u> 0,2 ◀	0,05		0,1	▶ <u>M33</u> 0,02 (*) ◀
▶ <u>M49</u> — ◀	▶ <u>M15</u> 0,05 (*) ◀	▶ <u>M33</u> 0,05 (*) ◀	▶ <u>M53</u> 0,05 (*) ◀	0,05		0,05 (*)	▶ <u>M33</u> 0,02 (*) ◀
▶ <u>M49</u> — ◀		▶ <u>M33</u> 0,05 (*) ◀	▶ <u>M53</u> 0,5 ◀	0,05		0,05 (*)	▶ <u>M33</u> 0,02 (*) ◀
▶ <u>M49</u> — ◀	▶ <u>M15</u> 0,5 ◀						▶ <u>M33</u> — ◀
▶ <u>M49</u> — ◀							▶ <u>M33</u> — ◀
▶ <u>M49</u> — ◀							▶ <u>M33</u> — ◀



▼ M2

(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)
	▶ <u>M39</u> 0,2 ◀ ▶ <u>M39</u> 0,7 ◀ ▶ <u>M39</u> 0,2 ◀ ▶ <u>M39</u> 0,05 (*) ◀	▶ <u>M50</u> — ◀ ▶ <u>M50</u> — ◀ ▶ <u>M50</u> — ◀ ▶ <u>M50</u> — ◀	▶ <u>M5</u> 1 ◀ ▶ <u>M5</u> 1 ◀ ▶ <u>M5</u> 1 ◀ ▶ <u>M5</u> 0,05 (*) ◀		▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀		
	▶ <u>M39</u> 0,05 (*) ◀	▶ <u>M50</u> — ◀	▶ <u>M5</u> 0,05 (*) ◀		▶ <u>M32</u> — ◀		
2	▶ <u>M39</u> 0,5 ◀	▶ <u>M50</u> — ◀			▶ <u>M32</u> — ◀		
	▶ <u>M27</u> — ◀ ▶ <u>M27</u> — ◀ ▶ <u>M27</u> — ◀	▶ <u>M50</u> — ◀ ▶ <u>M50</u> — ◀ ▶ <u>M50</u> — ◀	▶ <u>M5</u> 0,05 (*) ◀ ▶ <u>M5</u> 0,05 (*) ◀ ▶ <u>M5</u> 1 ◀		▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀		
	▶ <u>M27</u> — ◀	▶ <u>M50</u> — ◀	▶ <u>M5</u> 0,05 (*) ◀		▶ <u>M32</u> — ◀		
2		▶ <u>M50</u> — ◀			▶ <u>M32</u> — ◀		
	▶ <u>M39</u> 0,2 ◀ ▶ <u>M39</u> 0,1 ◀ ▶ <u>M39</u> 0,2 ◀	▶ <u>M50</u> — ◀ ▶ <u>M50</u> — ◀ ▶ <u>M50</u> — ◀	▶ <u>M5</u> 0,05 (*) ◀ ▶ <u>M5</u> 0,05 (*) ◀ ▶ <u>M5</u> 0,1 ◀		▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀		
	▶ <u>M39</u> 0,1 ◀	▶ <u>M50</u> — ◀	▶ <u>M5</u> 0,05 (*) ◀		▶ <u>M32</u> — ◀		
0,02 (*)	▶ <u>M39</u> 0,05 (*) ◀	▶ <u>M50</u> — ◀	▶ <u>M5</u> 0,05 (*) ◀		▶ <u>M32</u> — ◀		
0,02 (*)	▶ <u>M39</u> 0,05 (*) ◀	▶ <u>M50</u> — ◀	▶ <u>M5</u> 0,05 (*) ◀		▶ <u>M32</u> — ◀		
▶ <u>M16</u> 0,01 (*) ◀	▶ <u>M27</u> — ◀	▶ <u>M50</u> — ◀			▶ <u>M32</u> — ◀		
	▶ <u>M39</u> 0,2 ◀	▶ <u>M50</u> — ◀	▶ <u>M5</u> 0,5 ◀		▶ <u>M32</u> — ◀		
		▶ <u>M50</u> — ◀ ▶ <u>M50</u> — ◀			▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀		

▼ M2

(25)	(26)	(27)	(28)
▶ <u>M5</u> 1 ◀		▶ <u>M32</u> — ◀	▶ <u>M51</u> — ◀
▶ <u>M5</u> 0,1 (*) ◀		▶ <u>M32</u> — ◀	▶ <u>M51</u> — ◀
▶ <u>M5</u> 0,2 ◀		▶ <u>M32</u> — ◀	▶ <u>M51</u> — ◀
▶ <u>M5</u> 0,1 (*) ◀		▶ <u>M32</u> — ◀	▶ <u>M51</u> — ◀
▶ <u>M5</u> 0,1 (*) ◀		▶ <u>M32</u> — ◀	▶ <u>M51</u> — ◀
▶ <u>M5</u> 0,2 ◀	▶ <u>M5</u> 0,05 (*) ◀	▶ <u>M32</u> — ◀	▶ <u>M51</u> — ◀
		▶ <u>M32</u> — ◀	▶ <u>M51</u> — ◀
		▶ <u>M32</u> — ◀	▶ <u>M51</u> — ◀
		▶ <u>M32</u> — ◀	▶ <u>M51</u> — ◀
▶ <u>M5</u> 0,1 (*) ◀	▶ <u>M5</u> 0,05 (*) ◀	▶ <u>M32</u> — ◀	▶ <u>M51</u> — ◀
		▶ <u>M32</u> — ◀	▶ <u>M51</u> — ◀
		▶ <u>M32</u> — ◀	▶ <u>M51</u> — ◀
		▶ <u>M32</u> — ◀	▶ <u>M51</u> — ◀
▶ <u>M5</u> 0,1 (*) ◀	▶ <u>M5</u> 0,2 ◀	▶ <u>M32</u> — ◀	▶ <u>M51</u> — ◀
▶ <u>M5</u> 0,1 (*) ◀	▶ <u>M5</u> 0,05 (*) ◀	▶ <u>M32</u> — ◀	▶ <u>M51</u> — ◀
▶ <u>M5</u> 0,1 (*) ◀		▶ <u>M32</u> — ◀	▶ <u>M51</u> — ◀
	▶ <u>M5</u> 0,05 (*) ◀	▶ <u>M32</u> — ◀	▶ <u>M51</u> — ◀
		▶ <u>M32</u> — ◀	▶ <u>M51</u> — ◀
		▶ <u>M32</u> — ◀	▶ <u>M51</u> — ◀

▼ **M2**

(1)	(2)	(3)	(4)	(5)	(6)	► <b>M11</b> — ◀	(8)
0241990	Others						► <b>M75</b> 0,01 (*) ◀
0242000	(b) <i>Head brassica</i>						
0242010	Brussels sprouts						► <b>M75</b> 0,1 ◀
0242020	Head cabbage						► <b>M75</b> 0,2 ◀
0242990	Others						► <b>M75</b> 0,01 (*) ◀
0243000	(c) <i>Leafy brassica</i>						► <b>M75</b> 0,01 (*) ◀
0243010	Chinese cabbage						
0243020	Kale						
0243990	Others						
0244000	(d) <i>Kohlrabi</i>						► <b>M75</b> 0,07 ◀
0250000	(v) <b>Leaf vegetables &amp; fresh herbs</b>	► <b>M29</b> — ◀	► <b>M33</b> 0,02 (*) ◀	► <b>M39</b> 0,02 (*) ◀		► <b>M11</b> — ◀	
0251000	(a) <i>Lettuce and other salad plants including Brassicacea</i>	► <b>M61</b> 10 ◀					► <b>M75</b> 0,7 ◀
0251010	Lamb's lettuce						► <b>M72</b> — ◀
0251020	Lettuce						► <b>M72</b> — ◀
0251030	Scarole (broad-leaf endive)						► <b>M72</b> — ◀
0251040	Cress						► <b>M72</b> — ◀
0251050	Land cress						► <b>M72</b> — ◀
0251060	Rocket, Rucola						► <b>M72</b> — ◀

▼ M2

(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
▶ <u>M49</u> — ◀							▶ <u>M33</u> — ◀
▶ <u>M49</u> — ◀							▶ <u>M33</u> — ◀
▶ <u>M49</u> — ◀	▶ <u>M15</u> 0,5 ◀						▶ <u>M33</u> — ◀
▶ <u>M49</u> — ◀	▶ <u>M15</u> 5 ◀						▶ <u>M33</u> — ◀
▶ <u>M49</u> — ◀	▶ <u>M15</u> 0,5 ◀						▶ <u>M33</u> — ◀
▶ <u>M49</u> — ◀	▶ <u>M15</u> 0,5 ◀						▶ <u>M33</u> — ◀
▶ <u>M49</u> — ◀							▶ <u>M33</u> — ◀
▶ <u>M49</u> — ◀							▶ <u>M33</u> — ◀
▶ <u>M49</u> — ◀							▶ <u>M33</u> — ◀
▶ <u>M49</u> — ◀	▶ <u>M15</u> 0,5 ◀						▶ <u>M33</u> — ◀
▶ <u>M49</u> — ◀		▶ <u>M33</u> 0,05 (*) ◀		0,05		0,05 (*)	▶ <u>M33</u> 0,02 (*) ◀
▶ <u>M49</u> — ◀	▶ <u>M15</u> 10 ◀		▶ <u>M53</u> 0,05 (*) ◀				▶ <u>M33</u> — ◀
▶ <u>M49</u> — ◀							▶ <u>M33</u> — ◀
▶ <u>M49</u> — ◀							▶ <u>M33</u> — ◀
▶ <u>M49</u> — ◀							▶ <u>M33</u> — ◀
▶ <u>M49</u> — ◀							▶ <u>M33</u> — ◀
▶ <u>M49</u> — ◀							▶ <u>M33</u> — ◀
▶ <u>M49</u> — ◀							▶ <u>M33</u> — ◀

▼ M2

(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)
		▶ <u>M50</u> — ◀			▶ <u>M32</u> — ◀		
		▶ <u>M50</u> — ◀	▶ <u>M5</u> 0,5 ◀		▶ <u>M32</u> — ◀		
	▶ <u>M39</u> 0,2 ◀ ▶ <u>M39</u> 5 ◀	▶ <u>M50</u> — ◀ ▶ <u>M50</u> — ◀			▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀		
	▶ <u>M39</u> 0,2 ◀	▶ <u>M50</u> — ◀			▶ <u>M32</u> — ◀		
	▶ <u>M39</u> 0,2 ◀	▶ <u>M50</u> — ◀			▶ <u>M32</u> — ◀		
		▶ <u>M50</u> — ◀	▶ <u>M5</u> 1 ◀		▶ <u>M32</u> — ◀		
		▶ <u>M50</u> — ◀	▶ <u>M5</u> 0,5 ◀		▶ <u>M32</u> — ◀		
		▶ <u>M50</u> — ◀	▶ <u>M5</u> 0,5 ◀		▶ <u>M32</u> — ◀		
	▶ <u>M39</u> 0,2 ◀	▶ <u>M50</u> — ◀	▶ <u>M5</u> 0,5 ◀		▶ <u>M32</u> — ◀		
▶ <u>M16</u> 0,01 (*) ◀		▶ <u>M50</u> — ◀			▶ <u>M32</u> — ◀		
	▶ <u>M39</u> 5 ◀	▶ <u>M50</u> — ◀			▶ <u>M32</u> — ◀		
	▶ <u>M5</u> — ◀ ▶ <u>M5</u> — ◀ ▶ <u>M5</u> — ◀ ▶ <u>M5</u> — ◀ ▶ <u>M5</u> — ◀ ▶ <u>M5</u> — ◀	▶ <u>M50</u> — ◀ ▶ <u>M50</u> — ◀ ▶ <u>M50</u> — ◀ ▶ <u>M50</u> — ◀ ▶ <u>M50</u> — ◀ ▶ <u>M50</u> — ◀	▶ <u>M5</u> 1 ◀ ▶ <u>M5</u> 2 ◀ ▶ <u>M5</u> 1 ◀ ▶ <u>M5</u> 1 ◀ ▶ <u>M5</u> 1 ◀ ▶ <u>M5</u> 1 ◀		▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀		

▼ M2

(25)	(26)	(27)	(28)
		▶ <u>M32</u> — ◀	▶ <u>M51</u> — ◀
		▶ <u>M32</u> — ◀	▶ <u>M51</u> — ◀
	▶ <u>M5</u> 0,05 (*) ◀	▶ <u>M32</u> — ◀	▶ <u>M51</u> — ◀
	▶ <u>M5</u> 0,2 ◀	▶ <u>M32</u> — ◀	▶ <u>M51</u> — ◀
	▶ <u>M5</u> 0,05 (*) ◀	▶ <u>M32</u> — ◀	▶ <u>M51</u> — ◀
	▶ <u>M5</u> 0,05 (*) ◀	▶ <u>M32</u> — ◀	▶ <u>M51</u> — ◀
		▶ <u>M32</u> — ◀	▶ <u>M51</u> — ◀
		▶ <u>M32</u> — ◀	▶ <u>M51</u> — ◀
		▶ <u>M32</u> — ◀	▶ <u>M51</u> — ◀
	▶ <u>M5</u> 0,05 (*) ◀	▶ <u>M32</u> — ◀	▶ <u>M51</u> — ◀
▶ <u>M5</u> 0,1 (*) ◀	▶ <u>M5</u> 0,05 (*) ◀	▶ <u>M32</u> — ◀	▶ <u>M51</u> — ◀
		▶ <u>M32</u> — ◀	▶ <u>M51</u> — ◀
		▶ <u>M32</u> — ◀	▶ <u>M51</u> — ◀
		▶ <u>M32</u> — ◀	▶ <u>M51</u> — ◀
		▶ <u>M32</u> — ◀	▶ <u>M51</u> — ◀
		▶ <u>M32</u> — ◀	▶ <u>M51</u> — ◀
		▶ <u>M32</u> — ◀	▶ <u>M51</u> — ◀

▼ **M2**

(1)	(2)	(3)	(4)	(5)	(6)	► <b>M11</b> — ◀	(8)
0251070	Red mustard						► <b>M72</b> — ◀
0251080	Leaves and sprouts of Brassica spp						► <b>M72</b> — ◀
0251990	Others						► <b>M72</b> — ◀
0252000	(b) <i>Spinach</i> & similar (leaves)	► <b>M61</b> 10 ◀					► <b>M75</b> 0,01 (*) ◀
0252010	Spinach						
0252020	Purslane						
0252030	Beet leaves (chard)						
0252990	Others						
0253000	(c) <i>Vine leaves</i> (grape leaves)	► <b>M61</b> 10 ◀					► <b>M75</b> 0,01 (*) ◀
0254000	(d) <i>Water cress</i>	► <b>M61</b> 10 ◀					► <b>M75</b> 0,01 (*) ◀
0255000	(e) <i>Witloof</i>	► <b>M61</b> 10 ◀					► <b>M75</b> 0,01 (*) ◀
0256000	(f) <i>Herbs</i>						► <b>M75</b> 0,01 (*) ◀
0256010	Chervil	► <b>M61</b> 10 ◀					
0256020	Chives	► <b>M61</b> 10 ◀					
0256030	Celery leaves	► <b>M61</b> 10 ◀					
0256040	Parsley	► <b>M61</b> 60 ◀					
0256050	Sage	► <b>M61</b> 10 ◀					
0256060	Rosemary	► <b>M61</b> 10 ◀					
0256070	Thyme	► <b>M61</b> 10 ◀					
0256080	Basil	► <b>M61</b> 10 ◀					

▼ M2

(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
▶ <u>M49</u> — ◀ ▶ <u>M49</u> — ◀							▶ <u>M33</u> — ◀ ▶ <u>M33</u> — ◀
▶ <u>M49</u> — ◀							▶ <u>M33</u> — ◀
▶ <u>M49</u> — ◀	▶ <u>M15</u> 10 ◀		▶ <u>M53</u> 0,05 (*) ◀				▶ <u>M33</u> — ◀
▶ <u>M49</u> — ◀ ▶ <u>M49</u> — ◀ ▶ <u>M49</u> — ◀							▶ <u>M33</u> — ◀ ▶ <u>M33</u> — ◀ ▶ <u>M33</u> — ◀
▶ <u>M49</u> — ◀							▶ <u>M33</u> — ◀
▶ <u>M49</u> — ◀	▶ <u>M15</u> 0,05 (*) ◀		▶ <u>M53</u> 0,05 (*) ◀				▶ <u>M33</u> — ◀
▶ <u>M49</u> — ◀	▶ <u>M15</u> 0,05 (*) ◀		▶ <u>M53</u> 0,05 (*) ◀				▶ <u>M33</u> — ◀
▶ <u>M49</u> — ◀	▶ <u>M15</u> 0,05 (*) ◀		▶ <u>M53</u> 0,05 (*) ◀				▶ <u>M33</u> — ◀
▶ <u>M49</u> — ◀			▶ <u>M53</u> 2 ◀				▶ <u>M33</u> — ◀
▶ <u>M49</u> — ◀ ▶ <u>M49</u> — ◀ ▶ <u>M49</u> — ◀ ▶ <u>M49</u> — ◀ ▶ <u>M49</u> — ◀ ▶ <u>M49</u> — ◀ ▶ <u>M49</u> — ◀ ▶ <u>M49</u> — ◀	▶ <u>M15</u> 0,05 (*) ◀ ▶ <u>M15</u> 0,05 (*) ◀ ▶ <u>M15</u> 0,05 (*) ◀ ▶ <u>M15</u> 0,05 (*) ◀ ▶ <u>M15</u> 0,05 (*) ◀ ▶ <u>M15</u> 0,05 (*) ◀ ▶ <u>M15</u> 0,05 (*) ◀ ▶ <u>M15</u> 20 ◀						▶ <u>M33</u> — ◀ ▶ <u>M33</u> — ◀ ▶ <u>M33</u> — ◀ ▶ <u>M33</u> — ◀ ▶ <u>M33</u> — ◀ ▶ <u>M33</u> — ◀ ▶ <u>M33</u> — ◀ ▶ <u>M33</u> — ◀



▼ M2

(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)
	▶ <u>M5</u> — ◀ ▶ <u>M5</u> — ◀	▶ <u>M50</u> — ◀ ▶ <u>M50</u> — ◀	▶ <u>M5</u> 1 ◀ ▶ <u>M5</u> 1 ◀		▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀		
	▶ <u>M5</u> — ◀	▶ <u>M50</u> — ◀	▶ <u>M5</u> 1 ◀		▶ <u>M32</u> — ◀		
	▶ <u>M39</u> 3 ◀	▶ <u>M50</u> — ◀	▶ <u>M5</u> 0,05 (*) ◀		▶ <u>M32</u> — ◀		
		▶ <u>M50</u> — ◀ ▶ <u>M50</u> — ◀ ▶ <u>M50</u> — ◀			▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀		
		▶ <u>M50</u> — ◀			▶ <u>M32</u> — ◀		
	▶ <u>M39</u> 0,05 (*) ◀	▶ <u>M50</u> — ◀	▶ <u>M5</u> 0,05 (*) ◀		▶ <u>M32</u> — ◀		
	▶ <u>M39</u> 0,05 (*) ◀	▶ <u>M50</u> — ◀	▶ <u>M5</u> 0,05 (*) ◀		▶ <u>M32</u> — ◀		
	▶ <u>M39</u> 0,05 (*) ◀	▶ <u>M50</u> — ◀	▶ <u>M5</u> 0,05 (*) ◀		▶ <u>M32</u> — ◀		
	▶ <u>M39</u> 1,5 ◀	▶ <u>M50</u> — ◀			▶ <u>M32</u> — ◀		
		▶ <u>M50</u> — ◀ ▶ <u>M50</u> — ◀ ▶ <u>M50</u> — ◀ ▶ <u>M50</u> — ◀ ▶ <u>M50</u> — ◀ ▶ <u>M50</u> — ◀ ▶ <u>M50</u> — ◀ ▶ <u>M50</u> — ◀	▶ <u>M5</u> 0,05 (*) ◀ ▶ <u>M5</u> 0,05 (*) ◀ ▶ <u>M5</u> 0,05 (*) ◀ ▶ <u>M5</u> 0,05 (*) ◀ ▶ <u>M5</u> 0,05 (*) ◀ ▶ <u>M5</u> 0,05 (*) ◀ ▶ <u>M5</u> 0,05 (*) ◀ ▶ <u>M5</u> 1 ◀		▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀		

▼ M2

(25)	(26)	(27)	(28)
		▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀	▶ <u>M51</u> — ◀ ▶ <u>M51</u> — ◀
		▶ <u>M32</u> — ◀	▶ <u>M51</u> — ◀
		▶ <u>M32</u> — ◀	▶ <u>M51</u> — ◀
		▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀	▶ <u>M51</u> — ◀ ▶ <u>M51</u> — ◀ ▶ <u>M51</u> — ◀
		▶ <u>M32</u> — ◀	▶ <u>M51</u> — ◀
		▶ <u>M32</u> — ◀	▶ <u>M51</u> — ◀
		▶ <u>M32</u> — ◀	▶ <u>M51</u> — ◀
		▶ <u>M32</u> — ◀	▶ <u>M51</u> — ◀
		▶ <u>M32</u> — ◀	▶ <u>M51</u> — ◀
		▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀	▶ <u>M51</u> — ◀ ▶ <u>M51</u> — ◀ ▶ <u>M51</u> — ◀ ▶ <u>M51</u> — ◀ ▶ <u>M51</u> — ◀ ▶ <u>M51</u> — ◀ ▶ <u>M51</u> — ◀ ▶ <u>M51</u> — ◀ ▶ <u>M51</u> — ◀

▼ **M2**

(1)	(2)	(3)	(4)	(5)	(6)	► <b>M11</b> — ◀	(8)
0256090	Bay leaves (laurel)	► <b>M61</b> 10 ◀					
0256100	Tarragon	► <b>M61</b> 10 ◀					
0256990	Others	► <b>M61</b> 10 ◀					
0260000	(vi) <b>Legume vegetables (fresh)</b>		► <b>M33</b> 0,02 (*) ◀			► <b>M11</b> — ◀	
0260010	Beans (with pods)	► <b>M61</b> 0,5 ◀		► <b>M39</b> 1 ◀			► <b>M75</b> 0,1 ◀
0260020	Beans (without pods)	► <b>M61</b> 0,3 ◀		► <b>M39</b> 0,02 (*) ◀			► <b>M75</b> 0,1 ◀
0260030	Peas (with pods)	► <b>M61</b> 0,5 ◀		► <b>M39</b> 0,02 (*) ◀			► <b>M75</b> 0,5 ◀
0260040	Peas (without pods)	► <b>M61</b> 0,3 ◀		► <b>M39</b> 0,02 (*) ◀			► <b>M75</b> 0,5 ◀
0260050	Lentils	► <b>M61</b> 0,3 ◀		► <b>M39</b> 0,02 (*) ◀			► <b>M75</b> 0,01 (*) ◀
0260990	Others	► <b>M61</b> 0,3 ◀		► <b>M39</b> 0,02 (*) ◀			► <b>M75</b> 0,01 (*) ◀
0270000	(vii) <b>Stem vegetables (fresh)</b>		► <b>M33</b> 0,02 (*) ◀	► <b>M39</b> 0,02 (*) ◀		► <b>M11</b> — ◀	
0270010	Asparagus	► <b>M61</b> 0,2 ◀					► <b>M75</b> 0,01 (*) ◀
0270020	Cardoons	► <b>M61</b> 0,2 ◀					► <b>M75</b> 0,01 (*) ◀
0270030	Celery	► <b>M61</b> 5 ◀					► <b>M75</b> 0,01 (*) ◀
0270040	Fennel	► <b>M61</b> 5 ◀					► <b>M75</b> 0,01 (*) ◀
0270050	Globe artichokes	► <b>M61</b> 0,2 ◀					► <b>M75</b> 0,8 ◀
0270060	Leek	► <b>M61</b> 0,5 ◀					► <b>M75</b> 0,1 ◀
0270070	Rhubarb	► <b>M61</b> 0,2 ◀					► <b>M75</b> 0,01 (*) ◀
0270080	Bamboo shoots	► <b>M61</b> 0,2 ◀					► <b>M75</b> 0,01 (*) ◀
0270090	Palm hearts	► <b>M61</b> 0,2 ◀					► <b>M75</b> 0,01 (*) ◀
0270990	Others	► <b>M61</b> 0,2 ◀					► <b>M75</b> 0,01 (*) ◀

▼ M2

(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
▶ <u>M49</u> — ◀	▶ <u>M15</u> 0,05 (*) ◀						▶ <u>M33</u> — ◀
▶ <u>M49</u> — ◀	▶ <u>M15</u> 0,05 (*) ◀						▶ <u>M33</u> — ◀
▶ <u>M49</u> — ◀	▶ <u>M15</u> 0,05 (*) ◀						▶ <u>M33</u> — ◀
▶ <u>M49</u> — ◀	▶ <u>M15</u> 0,05 (*) ◀		▶ <u>M53</u> 0,05 (*) ◀	0,05		0,1	▶ <u>M33</u> 0,02 (*) ◀
▶ <u>M49</u> — ◀		▶ <u>M33</u> 1 ◀					▶ <u>M33</u> — ◀
▶ <u>M49</u> — ◀		▶ <u>M33</u> 0,05 (*) ◀					▶ <u>M33</u> — ◀
▶ <u>M49</u> — ◀		▶ <u>M33</u> 0,05 (*) ◀					▶ <u>M33</u> — ◀
▶ <u>M49</u> — ◀		▶ <u>M33</u> 0,05 (*) ◀					▶ <u>M33</u> — ◀
▶ <u>M49</u> — ◀		▶ <u>M33</u> 0,05 (*) ◀					▶ <u>M33</u> — ◀
▶ <u>M49</u> — ◀		▶ <u>M33</u> 0,05 (*) ◀					▶ <u>M33</u> — ◀
▶ <u>M49</u> — ◀	▶ <u>M15</u> 0,05 (*) ◀	▶ <u>M33</u> 0,05 (*) ◀		0,05		0,05 (*)	
▶ <u>M49</u> — ◀			▶ <u>M53</u> 0,05 (*) ◀				▶ <u>M33</u> 0,02 (*) ◀
▶ <u>M49</u> — ◀			▶ <u>M53</u> 0,05 (*) ◀				▶ <u>M33</u> 0,02 (*) ◀
▶ <u>M49</u> — ◀			▶ <u>M53</u> 0,5 ◀				▶ <u>M33</u> 0,05 ◀
▶ <u>M49</u> — ◀			▶ <u>M53</u> 0,05 (*) ◀				▶ <u>M33</u> 0,02 (*) ◀
▶ <u>M49</u> — ◀			▶ <u>M53</u> 0,05 (*) ◀				▶ <u>M33</u> 0,2 ◀
▶ <u>M49</u> — ◀			▶ <u>M53</u> 0,05 (*) ◀				▶ <u>M33</u> 0,02 (*) ◀
▶ <u>M49</u> — ◀			▶ <u>M53</u> 0,05 (*) ◀				▶ <u>M33</u> 0,02 (*) ◀
▶ <u>M49</u> — ◀			▶ <u>M53</u> 0,05 (*) ◀				▶ <u>M33</u> 0,02 (*) ◀
▶ <u>M49</u> — ◀			▶ <u>M53</u> 0,05 (*) ◀				▶ <u>M33</u> 0,02 (*) ◀
▶ <u>M49</u> — ◀			▶ <u>M53</u> 0,05 (*) ◀				▶ <u>M33</u> 0,02 (*) ◀
▶ <u>M49</u> — ◀			▶ <u>M53</u> 0,05 (*) ◀				▶ <u>M33</u> 0,02 (*) ◀

▼ M2

(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)
		▶ <u>M50</u> — ◀	▶ <u>M5</u> 0,05 (*) ◀		▶ <u>M32</u> — ◀		
		▶ <u>M50</u> — ◀	▶ <u>M5</u> 0,05 (*) ◀		▶ <u>M32</u> — ◀		
		▶ <u>M50</u> — ◀	▶ <u>M5</u> 0,05 (*) ◀		▶ <u>M32</u> — ◀		
▶ <u>M16</u> 0,01 (*) ◀		▶ <u>M50</u> — ◀			▶ <u>M32</u> — ◀		
	▶ <u>M39</u> 0,5 ◀	▶ <u>M50</u> — ◀	▶ <u>M5</u> 0,1 ◀		▶ <u>M32</u> — ◀		
	▶ <u>M39</u> 0,05 (*) ◀	▶ <u>M50</u> — ◀	▶ <u>M5</u> 0,1 ◀		▶ <u>M32</u> — ◀		
	▶ <u>M39</u> 0,2 ◀	▶ <u>M50</u> — ◀	▶ <u>M5</u> 0,05 (*) ◀		▶ <u>M32</u> — ◀		
	▶ <u>M39</u> 0,2 ◀	▶ <u>M50</u> — ◀	▶ <u>M5</u> 0,05 (*) ◀		▶ <u>M32</u> — ◀		
	▶ <u>M39</u> 0,05 (*) ◀	▶ <u>M50</u> — ◀	▶ <u>M5</u> 0,05 (*) ◀		▶ <u>M32</u> — ◀		
	▶ <u>M39</u> 0,05 (*) ◀	▶ <u>M50</u> — ◀	▶ <u>M5</u> 0,05 (*) ◀		▶ <u>M32</u> — ◀		
▶ <u>M16</u> 0,01 (*) ◀	▶ <u>M27</u> — ◀	▶ <u>M50</u> — ◀			▶ <u>M32</u> — ◀		
	▶ <u>M39</u> 0,05 (*) ◀	▶ <u>M50</u> — ◀	▶ <u>M5</u> 0,05 (*) ◀		▶ <u>M32</u> — ◀		
	▶ <u>M39</u> 0,05 (*) ◀	▶ <u>M50</u> — ◀	▶ <u>M5</u> 2 ◀		▶ <u>M32</u> — ◀		
	▶ <u>M39</u> 1 ◀	▶ <u>M50</u> — ◀	▶ <u>M5</u> 2 ◀		▶ <u>M32</u> — ◀		
	▶ <u>M39</u> 0,05 (*) ◀	▶ <u>M50</u> — ◀	▶ <u>M5</u> 0,05 (*) ◀		▶ <u>M32</u> — ◀		
	▶ <u>M39</u> 0,5 ◀	▶ <u>M50</u> — ◀	▶ <u>M5</u> 0,05 (*) ◀		▶ <u>M32</u> — ◀		
	▶ <u>M39</u> 0,05 (*) ◀	▶ <u>M50</u> — ◀	▶ <u>M5</u> 0,05 (*) ◀		▶ <u>M32</u> — ◀		
	▶ <u>M39</u> 0,05 (*) ◀	▶ <u>M50</u> — ◀	▶ <u>M5</u> 2 ◀		▶ <u>M32</u> — ◀		
	▶ <u>M39</u> 0,05 (*) ◀	▶ <u>M50</u> — ◀	▶ <u>M5</u> 0,05 (*) ◀		▶ <u>M32</u> — ◀		
	▶ <u>M39</u> 0,05 (*) ◀	▶ <u>M50</u> — ◀	▶ <u>M5</u> 0,05 (*) ◀		▶ <u>M32</u> — ◀		
	▶ <u>M39</u> 0,05 (*) ◀	▶ <u>M50</u> — ◀	▶ <u>M5</u> 0,05 (*) ◀		▶ <u>M32</u> — ◀		
	▶ <u>M39</u> 0,05 (*) ◀	▶ <u>M50</u> — ◀	▶ <u>M5</u> 0,05 (*) ◀		▶ <u>M32</u> — ◀		
	▶ <u>M39</u> 0,05 (*) ◀	▶ <u>M50</u> — ◀	▶ <u>M5</u> 0,05 (*) ◀		▶ <u>M32</u> — ◀		

▼ M2

(25)	(26)	(27)	(28)
		▶ <u>M32</u> — ◀	▶ <u>M51</u> — ◀
		▶ <u>M32</u> — ◀	▶ <u>M51</u> — ◀
		▶ <u>M32</u> — ◀	▶ <u>M51</u> — ◀
▶ <u>M5</u> 0,1 (*) ◀	▶ <u>M5</u> 0,05 (*) ◀	▶ <u>M32</u> — ◀	▶ <u>M51</u> — ◀
		▶ <u>M32</u> — ◀	▶ <u>M51</u> — ◀
		▶ <u>M32</u> — ◀	▶ <u>M51</u> — ◀
		▶ <u>M32</u> — ◀	▶ <u>M51</u> — ◀
		▶ <u>M32</u> — ◀	▶ <u>M51</u> — ◀
		▶ <u>M32</u> — ◀	▶ <u>M51</u> — ◀
		▶ <u>M32</u> — ◀	▶ <u>M51</u> — ◀
▶ <u>M5</u> 0,1 (*) ◀	▶ <u>M5</u> 0,05 (*) ◀	▶ <u>M32</u> — ◀	▶ <u>M51</u> — ◀
		▶ <u>M32</u> — ◀	▶ <u>M51</u> — ◀
		▶ <u>M32</u> — ◀	▶ <u>M51</u> — ◀
		▶ <u>M32</u> — ◀	▶ <u>M51</u> — ◀
		▶ <u>M32</u> — ◀	▶ <u>M51</u> — ◀
		▶ <u>M32</u> — ◀	▶ <u>M51</u> — ◀
		▶ <u>M32</u> — ◀	▶ <u>M51</u> — ◀
		▶ <u>M32</u> — ◀	▶ <u>M51</u> — ◀
		▶ <u>M32</u> — ◀	▶ <u>M51</u> — ◀
		▶ <u>M32</u> — ◀	▶ <u>M51</u> — ◀
		▶ <u>M32</u> — ◀	▶ <u>M51</u> — ◀
		▶ <u>M32</u> — ◀	▶ <u>M51</u> — ◀

▼ **M2**

(1)	(2)	(3)	(4)	(5)	(6)	► <b>M11</b> — ◀	(8)
0280000	(viii) <b>Fungi</b>	► <b>M61</b> 0,02 (*) ◀	► <b>M33</b> 0,02 (*) ◀	► <b>M39</b> 0,02 (*) ◀		► <b>M11</b> — ◀	► <b>M75</b> 0,01 (*) ◀
0280010	Cultivated						
0280020	Wild						
0280990	Others						
0290000	(ix) <b>Sea weeds</b>	► <b>M61</b> 0,02 (*) ◀	► <b>M33</b> 0,02 (*) ◀	► <b>M39</b> 0,02 (*) ◀		► <b>M11</b> — ◀	► <b>M75</b> 0,01 (*) ◀
0300000	<b>3. PULSES, DRY</b>	► <b>M61</b> 0,02 (*) ◀	► <b>M33</b> 0,02 (*) ◀	► <b>M39</b> 0,02 (*) ◀	0,05 (*)	► <b>M11</b> — ◀	
0300010	Beans						► <b>M75</b> 0,01 (*) ◀
0300020	Lentils						► <b>M75</b> 0,01 (*) ◀
0300030	Peas						► <b>M75</b> 0,02 ◀
0300040	Lupins						► <b>M75</b> 0,01 (*) ◀
0300990	Others						► <b>M75</b> 0,01 (*) ◀
0400000	<b>4. OILSEEDS AND OILFRUITS</b>	► <b>M61</b> 0,02 (*) ◀	► <b>M33</b> 0,02 (*) ◀	► <b>M39</b> 0,02 (*) ◀	0,05 (*)		
0401000	(i) <b>Oilseeds</b>					► <b>M11</b> — ◀	
0401010	Linseed						► <b>M75</b> 0,02 (*) ◀
0401020	Peanuts						► <b>M75</b> 0,02 (*) ◀
0401030	Poppy seed						► <b>M75</b> 0,02 (*) ◀
0401040	Sesame seed						► <b>M75</b> 0,02 (*) ◀
0401050	Sunflower seed						► <b>M75</b> 0,1 ◀
0401060	Rape seed						► <b>M75</b> 0,1 ◀
0401070	Soya bean						► <b>M75</b> 0,02 (*) ◀

▼ M2

(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
▶ <u>M49</u> — ◀		▶ <u>M33</u> 0,05 (*) ◀	▶ <u>M5</u> — ◀	0,05		0,05 (*)	▶ <u>M33</u> 0,02 (*) ◀
▶ <u>M49</u> — ◀	▶ <u>M15</u> 0,05 (*) ◀		▶ <u>M53</u> 0,05 (*) ◀				▶ <u>M33</u> — ◀
▶ <u>M49</u> — ◀	▶ <u>M15</u> 0,1 ◀		▶ <u>M53</u> 0,2 ◀				▶ <u>M33</u> — ◀
▶ <u>M49</u> — ◀	▶ <u>M15</u> 0,05 (*) ◀		▶ <u>M53</u> 0,05 (*) ◀				▶ <u>M33</u> — ◀
▶ <u>M49</u> — ◀	▶ <u>M15</u> 0,05 (*) ◀	▶ <u>M33</u> 0,05 (*) ◀	▶ <u>M53</u> 0,05 (*) ◀	0,05		0,05 (*)	▶ <u>M33</u> 0,02 (*) ◀
▶ <u>M49</u> — ◀	▶ <u>M15</u> 0,05 (*) ◀	▶ <u>M33</u> 0,05 (*) ◀	▶ <u>M53</u> 0,05 (*) ◀	0,05	0,01 (*)		▶ <u>M33</u> 0,02 (*) ◀
▶ <u>M49</u> — ◀						0,05 (*)	▶ <u>M33</u> — ◀
▶ <u>M49</u> — ◀						0,05 (*)	▶ <u>M33</u> — ◀
▶ <u>M49</u> — ◀						0,1	▶ <u>M33</u> — ◀
▶ <u>M49</u> — ◀						0,05 (*)	▶ <u>M33</u> — ◀
▶ <u>M49</u> — ◀						0,05 (*)	▶ <u>M33</u> — ◀
▶ <u>M49</u> — ◀		▶ <u>M33</u> 0,05 (*) ◀	▶ <u>M53</u> 0,05 (*) ◀	0,05	0,01 (*)		▶ <u>M33</u> — ◀
▶ <u>M49</u> — ◀						0,1	▶ <u>M33</u> — ◀
▶ <u>M49</u> — ◀	▶ <u>M15</u> 0,05 (*) ◀						▶ <u>M33</u> 0,02 (*) ◀
▶ <u>M49</u> — ◀	▶ <u>M15</u> 0,05 (*) ◀						▶ <u>M33</u> 0,02 (*) ◀
▶ <u>M49</u> — ◀	▶ <u>M15</u> 0,05 (*) ◀						▶ <u>M33</u> 0,02 (*) ◀
▶ <u>M49</u> — ◀	▶ <u>M15</u> 0,05 (*) ◀						▶ <u>M33</u> 0,02 (*) ◀
▶ <u>M49</u> — ◀	▶ <u>M15</u> 0,05 (*) ◀						▶ <u>M33</u> 0,02 (*) ◀
▶ <u>M49</u> — ◀	▶ <u>M15</u> 2 ◀						▶ <u>M33</u> 0,15 ◀
▶ <u>M49</u> — ◀	▶ <u>M15</u> 0,05 (*) ◀						▶ <u>M33</u> 0,02 (*) ◀



▼ M2

(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)
▶ <u>M16</u> 0,01 (*) ◀	▶ <u>M39</u> 0,05 (*) ◀	▶ <u>M50</u> — ◀	▶ <u>M5</u> 0,05 (*) ◀		▶ <u>M32</u> — ◀		
		▶ <u>M50</u> — ◀ ▶ <u>M50</u> — ◀			▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀		
		▶ <u>M50</u> — ◀			▶ <u>M32</u> — ◀		
▶ <u>M16</u> 0,01 (*) ◀	▶ <u>M39</u> 0,05 (*) ◀	▶ <u>M50</u> — ◀	▶ <u>M5</u> 0,05 (*) ◀		▶ <u>M32</u> — ◀		
▶ <u>M16</u> 0,01 (*) ◀		▶ <u>M50</u> — ◀	▶ <u>M5</u> 0,05 (*) ◀	0,1 (*)	▶ <u>M32</u> — ◀	▶ <u>M13</u> 0,1 (*) ◀	0,05 (*)
	▶ <u>M39</u> 0,05 (*) ◀ ▶ <u>M39</u> 0,05 (*) ◀ ▶ <u>M39</u> 0,2 ◀ ▶ <u>M39</u> 0,05 (*) ◀	▶ <u>M50</u> — ◀ ▶ <u>M50</u> — ◀ ▶ <u>M50</u> — ◀ ▶ <u>M50</u> — ◀			▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀		
	▶ <u>M39</u> 0,05 (*) ◀	▶ <u>M50</u> — ◀			▶ <u>M32</u> — ◀		
0,05 (*)	▶ <u>M39</u> — ◀	▶ <u>M50</u> — ◀	▶ <u>M5</u> 0,05 (*) ◀	0,1 (*)	▶ <u>M32</u> — ◀	▶ <u>M13</u> 0,1 (*) ◀	0,05 (*)
▶ <u>M16</u> 0,02 (*) ◀	▶ <u>M39</u> 0,05 (*) ◀	▶ <u>M50</u> — ◀			▶ <u>M32</u> — ◀		
		▶ <u>M50</u> — ◀ ▶ <u>M50</u> — ◀ ▶ <u>M50</u> — ◀ ▶ <u>M50</u> — ◀ ▶ <u>M50</u> — ◀ ▶ <u>M50</u> — ◀ ▶ <u>M50</u> — ◀			▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀		

▼ M2

(25)	(26)	(27)	(28)
▶ <u>M5</u> 0,1 (*) ◀	▶ <u>M5</u> 0,05 (*) ◀	▶ <u>M32</u> — ◀	▶ <u>M51</u> — ◀
		▶ <u>M32</u> — ◀	▶ <u>M51</u> — ◀
		▶ <u>M32</u> — ◀	▶ <u>M51</u> — ◀
▶ <u>M5</u> 0,1 (*) ◀	▶ <u>M5</u> 0,05 (*) ◀	▶ <u>M32</u> — ◀	▶ <u>M51</u> — ◀
▶ <u>M5</u> 0,1 (*) ◀	▶ <u>M5</u> 0,05 (*) ◀	▶ <u>M32</u> — ◀	▶ <u>M51</u> — ◀
		▶ <u>M32</u> — ◀	▶ <u>M51</u> — ◀
		▶ <u>M32</u> — ◀	▶ <u>M51</u> — ◀
		▶ <u>M32</u> — ◀	▶ <u>M51</u> — ◀
		▶ <u>M32</u> — ◀	▶ <u>M51</u> — ◀
▶ <u>M5</u> 0,1 (*) ◀		▶ <u>M32</u> — ◀	▶ <u>M51</u> — ◀
	▶ <u>M5</u> 0,2 ◀	▶ <u>M32</u> — ◀	▶ <u>M51</u> — ◀
		▶ <u>M32</u> — ◀	▶ <u>M51</u> — ◀
		▶ <u>M32</u> — ◀	▶ <u>M51</u> — ◀
		▶ <u>M32</u> — ◀	▶ <u>M51</u> — ◀
		▶ <u>M32</u> — ◀	▶ <u>M51</u> — ◀
		▶ <u>M32</u> — ◀	▶ <u>M51</u> — ◀
		▶ <u>M32</u> — ◀	▶ <u>M51</u> — ◀

▼ **M2**

(1)	(2)	(3)	(4)	(5)	(6)	► <b>M11</b> — ◀	(8)
0401080	Mustard seed						► <b>M75</b> 0,02 (*) ◀
0401090	Cotton seed						► <b>M75</b> 0,1 ◀
0401100	Pumpkin seeds						► <b>M75</b> 0,02 (*) ◀
0401110	Safflower						► <b>M75</b> 0,02 (*) ◀
0401120	Borage						► <b>M75</b> 0,02 (*) ◀
0401130	Gold of pleasure						► <b>M75</b> 0,02 (*) ◀
0401140	Hempseed						► <b>M75</b> 0,02 (*) ◀
0401150	Castor bean						► <b>M75</b> 0,02 (*) ◀
0401990	Others						► <b>M75</b> 0,02 (*) ◀
0402000	(ii) <b>Oilfruits</b>						► <b>M75</b> 0,01 (*) ◀
0402010	Olives for oil production					► <b>M11</b> — ◀	
0402020	Palm nuts (palmoil kernels)					► <b>M11</b> — ◀	
0402030	Palmfruit					► <b>M11</b> — ◀	
0402040	Kapok					► <b>M11</b> — ◀	
0402990	Others					► <b>M11</b> — ◀	
0500000	5. <b>CEREALS</b>	► <b>M61</b> 1 ◀	► <b>M33</b> 0,02 (*) ◀	► <b>M39</b> 0,02 (*) ◀	0,05 (*)	► <b>M11</b> — ◀	
0500010	Barley						► <b>M75</b> 0,5 ◀
0500020	Buckwheat						► <b>M75</b> 0,01 (*) ◀
0500030	Maize						► <b>M75</b> 0,1 ◀
0500040	Millet						► <b>M75</b> 0,01 (*) ◀
0500050	Oats						► <b>M75</b> 0,5 ◀
0500060	Rice						► <b>M75</b> 0,01 (*) ◀
0500070	Rye						► <b>M75</b> 0,05 ◀

▼ M2

(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
▶ <u>M49</u> — ◀	▶ <u>M15</u> 0,05 (*) ◀						▶ <u>M33</u> 0,02 (*) ◀
▶ <u>M49</u> — ◀	▶ <u>M15</u> 0,05 (*) ◀						▶ <u>M33</u> 0,02 (*) ◀
▶ <u>M49</u> — ◀	▶ <u>M15</u> 0,05 (*) ◀						▶ <u>M33</u> 0,02 (*) ◀
▶ <u>M49</u> — ◀	▶ <u>M15</u> 0,05 (*) ◀						▶ <u>M33</u> 0,02 (*) ◀
▶ <u>M49</u> — ◀	▶ <u>M15</u> 0,05 (*) ◀						▶ <u>M33</u> 0,02 (*) ◀
▶ <u>M49</u> — ◀	▶ <u>M15</u> 0,05 (*) ◀						▶ <u>M33</u> 0,02 (*) ◀
▶ <u>M49</u> — ◀	▶ <u>M15</u> 0,05 (*) ◀						▶ <u>M33</u> 0,02 (*) ◀
▶ <u>M49</u> — ◀	▶ <u>M15</u> 0,05 (*) ◀						▶ <u>M33</u> 0,02 (*) ◀
▶ <u>M49</u> — ◀	▶ <u>M15</u> 0,05 (*) ◀						▶ <u>M33</u> 0,02 (*) ◀
▶ <u>M49</u> — ◀	▶ <u>M15</u> 0,05 (*) ◀						▶ <u>M33</u> 0,02 (*) ◀
▶ <u>M49</u> — ◀						0,05 (*)	▶ <u>M33</u> — ◀
▶ <u>M49</u> — ◀							▶ <u>M33</u> — ◀
▶ <u>M49</u> — ◀							▶ <u>M33</u> — ◀
▶ <u>M49</u> — ◀							▶ <u>M33</u> — ◀
▶ <u>M49</u> — ◀		▶ <u>M33</u> 0,05 (*) ◀		0,05	0,01 (*)		▶ <u>M33</u> — ◀
▶ <u>M49</u> — ◀	▶ <u>M15</u> 0,05 (*) ◀		▶ <u>M53</u> 0,1 ◀			0,05 (*)	▶ <u>M33</u> 0,1 ◀
▶ <u>M49</u> — ◀	▶ <u>M15</u> 0,05 (*) ◀		▶ <u>M53</u> 0,05 (*) ◀			0,05 (*)	▶ <u>M33</u> 0,05 ◀
▶ <u>M49</u> — ◀	▶ <u>M15</u> 0,05 (*) ◀		▶ <u>M53</u> 0,1 ◀			0,1	▶ <u>M33</u> 0,05 ◀
▶ <u>M49</u> — ◀	▶ <u>M15</u> 0,05 (*) ◀		▶ <u>M53</u> 0,05 (*) ◀			0,05 (*)	▶ <u>M33</u> 0,05 ◀
▶ <u>M49</u> — ◀	▶ <u>M15</u> 0,05 (*) ◀		▶ <u>M53</u> 0,1 ◀			0,05 (*)	▶ <u>M33</u> 0,1 ◀
▶ <u>M49</u> — ◀	▶ <u>M15</u> 3 ◀		▶ <u>M53</u> 0,05 (*) ◀			0,05 (*)	▶ <u>M33</u> 0,05 ◀
▶ <u>M49</u> — ◀	▶ <u>M15</u> 0,05 (*) ◀		▶ <u>M53</u> 0,1 ◀			0,05 (*)	▶ <u>M33</u> 0,05 ◀

▼ M2

(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)
		▶ <u>M50</u> — ◀			▶ <u>M32</u> — ◀		
		▶ <u>M50</u> — ◀			▶ <u>M32</u> — ◀		
		▶ <u>M50</u> — ◀			▶ <u>M32</u> — ◀		
		▶ <u>M50</u> — ◀			▶ <u>M32</u> — ◀		
		▶ <u>M50</u> — ◀			▶ <u>M32</u> — ◀		
		▶ <u>M50</u> — ◀			▶ <u>M32</u> — ◀		
		▶ <u>M50</u> — ◀			▶ <u>M32</u> — ◀		
		▶ <u>M50</u> — ◀			▶ <u>M32</u> — ◀		
		▶ <u>M50</u> — ◀			▶ <u>M32</u> — ◀		
		▶ <u>M50</u> — ◀			▶ <u>M32</u> — ◀		
▶ <u>M16</u> 0,01 (*) ◀	▶ <u>M39</u> 0,5 ◀	▶ <u>M50</u> — ◀			▶ <u>M32</u> — ◀		
▶ <u>M16</u> 0,02 (*) ◀	▶ <u>M39</u> 0,05 (*) ◀	▶ <u>M50</u> — ◀			▶ <u>M32</u> — ◀		
▶ <u>M16</u> 0,02 (*) ◀	▶ <u>M39</u> 0,05 (*) ◀	▶ <u>M50</u> — ◀			▶ <u>M32</u> — ◀		
▶ <u>M16</u> 0,02 (*) ◀	▶ <u>M39</u> 0,05 (*) ◀	▶ <u>M50</u> — ◀			▶ <u>M32</u> — ◀		
▶ <u>M16</u> 0,02 (*) ◀	▶ <u>M39</u> 0,05 (*) ◀	▶ <u>M50</u> — ◀			▶ <u>M32</u> — ◀		
▶ <u>M16</u> 0,01 (*) ◀	▶ <u>M27</u> — ◀	▶ <u>M50</u> — ◀	▶ <u>M5</u> 0,05 (*) ◀	0,1 (*)	▶ <u>M32</u> — ◀		
	▶ <u>M39</u> 0,4 ◀	▶ <u>M50</u> — ◀			▶ <u>M32</u> — ◀	▶ <u>M13</u> 0,1 (*) ◀	0,05 (*)
	▶ <u>M39</u> 0,05 (*) ◀	▶ <u>M50</u> — ◀			▶ <u>M32</u> — ◀	▶ <u>M13</u> 0,1 (*) ◀	0,05 (*)
	▶ <u>M39</u> 0,05 (*) ◀	▶ <u>M50</u> — ◀			▶ <u>M32</u> — ◀	▶ <u>M13</u> 0,1 (*) ◀	0,05 (*)
	▶ <u>M39</u> 0,05 (*) ◀	▶ <u>M50</u> — ◀			▶ <u>M32</u> — ◀	▶ <u>M13</u> 0,1 (*) ◀	0,05 (*)
	▶ <u>M39</u> 0,05 (*) ◀	▶ <u>M50</u> — ◀			▶ <u>M32</u> — ◀	▶ <u>M13</u> 0,1 (*) ◀	0,05 (*)
	▶ <u>M39</u> 0,6 ◀	▶ <u>M50</u> — ◀			▶ <u>M32</u> — ◀	▶ <u>M13</u> 1 ◀	1
	▶ <u>M39</u> 0,05 (*) ◀	▶ <u>M50</u> — ◀			▶ <u>M32</u> — ◀	▶ <u>M13</u> 0,1 (*) ◀	0,05 (*)

▼ M2

(25)	(26)	(27)	(28)
		▶ <u>M32</u> — ◀	▶ <u>M51</u> — ◀
		▶ <u>M32</u> — ◀	▶ <u>M51</u> — ◀
		▶ <u>M32</u> — ◀	▶ <u>M51</u> — ◀
		▶ <u>M32</u> — ◀	▶ <u>M51</u> — ◀
		▶ <u>M32</u> — ◀	▶ <u>M51</u> — ◀
		▶ <u>M32</u> — ◀	▶ <u>M51</u> — ◀
		▶ <u>M32</u> — ◀	▶ <u>M51</u> — ◀
		▶ <u>M32</u> — ◀	▶ <u>M51</u> — ◀
		▶ <u>M32</u> — ◀	▶ <u>M51</u> — ◀
		▶ <u>M32</u> — ◀	▶ <u>M51</u> — ◀
	▶ <u>M5</u> 0,05 (*) ◀	▶ <u>M32</u> — ◀	▶ <u>M51</u> — ◀
		▶ <u>M32</u> — ◀	▶ <u>M51</u> — ◀
		▶ <u>M32</u> — ◀	▶ <u>M51</u> — ◀
		▶ <u>M32</u> — ◀	▶ <u>M51</u> — ◀
		▶ <u>M32</u> — ◀	▶ <u>M51</u> — ◀
		▶ <u>M32</u> — ◀	▶ <u>M51</u> — ◀
▶ <u>M5</u> 0,1 (*) ◀		▶ <u>M32</u> — ◀	▶ <u>M51</u> — ◀
	▶ <u>M5</u> 0,05 (*) ◀	▶ <u>M32</u> — ◀	▶ <u>M51</u> — ◀
	▶ <u>M5</u> 0,05 (*) ◀	▶ <u>M32</u> — ◀	▶ <u>M51</u> — ◀
	▶ <u>M5</u> 0,2 ◀	▶ <u>M32</u> — ◀	▶ <u>M51</u> — ◀
	▶ <u>M5</u> 0,05 (*) ◀	▶ <u>M32</u> — ◀	▶ <u>M51</u> — ◀
	▶ <u>M5</u> 0,05 (*) ◀	▶ <u>M32</u> — ◀	▶ <u>M51</u> — ◀
	▶ <u>M5</u> 0,05 (*) ◀	▶ <u>M32</u> — ◀	▶ <u>M51</u> — ◀
	▶ <u>M5</u> 0,05 (*) ◀	▶ <u>M32</u> — ◀	▶ <u>M51</u> — ◀

▼ M2

(1)	(2)	(3)	(4)	(5)	(6)	► <u>M11</u> — ◀	(8)
0500080	Sorghum						► <u>M75</u> 0,01 (*) ◀
0500090	Wheat						► <u>M75</u> 0,05 ◀
0500990	Others						► <u>M75</u> 0,05 ◀
0600000	6. <b>TEA, COFFEE, HERBAL INFUSIONS AND COCOA</b>		► <u>M33</u> 0,05 (*) ◀	► <u>M39</u> — ◀	0,05 (*)	► <u>M11</u> — ◀	► <u>M75</u> 0,01 (*) ◀
0610000	(i) <b>Tea (dried leaves and stalks, fermented or otherwise of Camellia sinensis)</b>	► <u>M61</u> 0,05 (*) ◀		► <u>M39</u> 50 ◀			
0620000	(ii) <b>Coffee beans</b>	► <u>M61</u> 0,02 (*) ◀		► <u>M39</u> 0,02 (*) ◀			
0630000	(iii) <b>Herbal infusions (dried)</b>	► <u>M61</u> 0,05 (*) ◀		► <u>M39</u> 0,02 (*) ◀			
0631000	(a) <i>Flowers</i>						
0631010	Camomille flowers						
0631020	Hybiscus flowers						
0631030	Rose petals						
0631040	Jasmine flowers						
0631050	Lime (linden)						
0631990	Others						
0632000	(b) <i>Leaves</i>						
0632010	Strawberry leaves						

▼ M2

(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
▶ <u>M49</u> — ◀	▶ <u>M15</u> 0,05 (*) ◀		▶ <u>M53</u> 0,05 (*) ◀			0,1	▶ <u>M33</u> 0,05 ◀
▶ <u>M49</u> — ◀	▶ <u>M15</u> 0,05 (*) ◀		▶ <u>M53</u> 0,1 ◀			0,05 (*)	▶ <u>M33</u> 0,1 ◀
▶ <u>M49</u> — ◀	▶ <u>M15</u> 0,05 (*) ◀		▶ <u>M53</u> 0,05 (*) ◀			0,05 (*)	▶ <u>M33</u> 0,05 ◀
▶ <u>M49</u> — ◀	▶ <u>M15</u> 0,1 ◀	▶ <u>M33</u> 0,1 ◀	▶ <u>M53</u> 0,05 (*) ◀	0,05	0,01 (*)	0,05 (*)	▶ <u>M33</u> 0,02 (*) ◀
▶ <u>M49</u> — ◀							▶ <u>M33</u> — ◀
▶ <u>M49</u> — ◀							▶ <u>M33</u> — ◀
▶ <u>M49</u> — ◀							▶ <u>M33</u> — ◀
▶ <u>M49</u> — ◀							▶ <u>M33</u> — ◀
▶ <u>M49</u> — ◀							▶ <u>M33</u> — ◀
▶ <u>M49</u> — ◀							▶ <u>M33</u> — ◀
▶ <u>M49</u> — ◀							▶ <u>M33</u> — ◀
▶ <u>M49</u> — ◀							▶ <u>M33</u> — ◀
▶ <u>M49</u> — ◀							▶ <u>M33</u> — ◀
▶ <u>M49</u> — ◀							▶ <u>M33</u> — ◀
▶ <u>M49</u> — ◀							▶ <u>M33</u> — ◀
▶ <u>M49</u> — ◀							▶ <u>M33</u> — ◀



▼ M2

(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)
	▶ <u>M39</u> 0,05 (*) ◀	▶ <u>M50</u> — ◀			▶ <u>M32</u> — ◀	▶ <u>M13</u> 0,1 (*) ◀	0,05 (*)
	▶ <u>M39</u> 0,05 (*) ◀	▶ <u>M50</u> — ◀			▶ <u>M32</u> — ◀	▶ <u>M13</u> 0,1 (*) ◀	0,05 (*)
	▶ <u>M39</u> 0,05 (*) ◀	▶ <u>M50</u> — ◀			▶ <u>M32</u> — ◀	▶ <u>M13</u> 0,1 (*) ◀	0,05 (*)
▶ <u>M16</u> 0,05 (*) ◀		▶ <u>M50</u> — ◀	▶ <u>M5</u> 0,1 (*) ◀	0,1 (*)	▶ <u>M32</u> — ◀	▶ <u>M13</u> 0,1 (*) ◀	0,05 (*)
	▶ <u>M39</u> 20 ◀	▶ <u>M50</u> — ◀			▶ <u>M32</u> — ◀		
	▶ <u>M39</u> 0,2 ◀	▶ <u>M50</u> — ◀			▶ <u>M32</u> — ◀		
	▶ <u>M39</u> 0,1 ◀	▶ <u>M50</u> — ◀			▶ <u>M32</u> — ◀		
		▶ <u>M50</u> — ◀			▶ <u>M32</u> — ◀		
		▶ <u>M50</u> — ◀			▶ <u>M32</u> — ◀		
		▶ <u>M50</u> — ◀			▶ <u>M32</u> — ◀		
		▶ <u>M50</u> — ◀			▶ <u>M32</u> — ◀		
		▶ <u>M50</u> — ◀			▶ <u>M32</u> — ◀		
		▶ <u>M50</u> — ◀			▶ <u>M32</u> — ◀		
		▶ <u>M50</u> — ◀			▶ <u>M32</u> — ◀		
		▶ <u>M50</u> — ◀			▶ <u>M32</u> — ◀		



▼ **M2**

(1)	(2)	(3)	(4)	(5)	(6)	► <b>M11</b> — ◀	(8)
0632020	Rooibos leaves						
0632030	Maté						
0632990	Others						
0633000	(c) <i>Roots</i>						
0633010	Valerian root						
0633020	Ginseng root						
0633990	Others						
0639000	(d) <i>Other herbal infusions</i>						
0640000	(iv) <b>Cocoa (fermented beans)</b>	► <b>M61</b> 0,02 (*) ◀		► <b>M39</b> 0,02 (*) ◀			
0650000	(v) <b>Carob (st johns bread)</b>	► <b>M61</b> 0,02 (*) ◀		► <b>M39</b> 0,02 (*) ◀			
0700000	7. <b>HOPS (dried), including hop pellets and unconcentrated powder</b>	► <b>M61</b> 22 ◀	► <b>M33</b> 40 ◀	► <b>M39</b> 0,02 (*) ◀	0,05 (*)	► <b>M11</b> — ◀	► <b>M75</b> 10 ◀
0800000	8. <b>SPICES</b>		► <b>M33</b> 0,05 (*) ◀	► <b>M5</b> — ◀		► <b>M11</b> — ◀	► <b>M72</b> — ◀
0810000	(i) <b>Seeds</b>	► <b>M61</b> 0,02 (*) ◀		► <b>M39</b> 0,02 (*) ◀			► <b>M75</b> 0,01 (*) ◀
0810010	Anise						
0810020	Black caraway						
0810030	Celery seed						
0810040	Coriander seed						
0810050	Cumin seed						
0810060	Dill seed						

▼ M2

(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
▶ <u>M49</u> — ◀							▶ <u>M33</u> — ◀
▶ <u>M49</u> — ◀							▶ <u>M33</u> — ◀
▶ <u>M49</u> — ◀							▶ <u>M33</u> — ◀
▶ <u>M49</u> — ◀							▶ <u>M33</u> — ◀
▶ <u>M49</u> — ◀							▶ <u>M33</u> — ◀
▶ <u>M49</u> — ◀							▶ <u>M33</u> — ◀
▶ <u>M49</u> — ◀							▶ <u>M33</u> — ◀
▶ <u>M49</u> — ◀							▶ <u>M33</u> — ◀
▶ <u>M49</u> — ◀							▶ <u>M33</u> — ◀
▶ <u>M49</u> — ◀							▶ <u>M33</u> — ◀
▶ <u>M49</u> — ◀	▶ <u>M15</u> 0,1 ◀	▶ <u>M33</u> 0,5 ◀	▶ <u>M53</u> 0,05 (*) ◀	0,05	0,01 (*)	0,1	▶ <u>M33</u> 0,02 (*) ◀
▶ <u>M49</u> — ◀	▶ <u>M15</u> 1 ◀	▶ <u>M33</u> 0,1 ◀	▶ <u>M53</u> — ◀	0,05	0,01 (*)		▶ <u>M33</u> 0,02 (*) ◀
▶ <u>M49</u> — ◀			▶ <u>M53</u> 0,05 (*) ◀				▶ <u>M33</u> — ◀
▶ <u>M49</u> — ◀						0,05 (*)	▶ <u>M33</u> — ◀
▶ <u>M49</u> — ◀						0,1	▶ <u>M33</u> — ◀
▶ <u>M49</u> — ◀						0,05 (*)	▶ <u>M33</u> — ◀
▶ <u>M49</u> — ◀						0,1	▶ <u>M33</u> — ◀
▶ <u>M49</u> — ◀						0,05 (*)	▶ <u>M33</u> — ◀
▶ <u>M49</u> — ◀						0,05 (*)	▶ <u>M33</u> — ◀

▼ M2

(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)
		▶ <u>M50</u> — ◀			▶ <u>M32</u> — ◀		
		▶ <u>M50</u> — ◀			▶ <u>M32</u> — ◀		
		▶ <u>M50</u> — ◀			▶ <u>M32</u> — ◀		
		▶ <u>M50</u> — ◀			▶ <u>M32</u> — ◀		
		▶ <u>M50</u> — ◀			▶ <u>M32</u> — ◀		
		▶ <u>M50</u> — ◀			▶ <u>M32</u> — ◀		
	▶ <u>M39</u> 0,05 (*) ◀	▶ <u>M50</u> — ◀			▶ <u>M32</u> — ◀		
	▶ <u>M39</u> 0,05 (*) ◀	▶ <u>M50</u> — ◀			▶ <u>M32</u> — ◀		
▶ <u>M16</u> 0,05 (*) ◀	▶ <u>M39</u> 0,1 ◀	▶ <u>M50</u> — ◀	▶ <u>M5</u> 0,1 (*) ◀	0,1 (*)	▶ <u>M32</u> — ◀	▶ <u>M13</u> 0,1 (*) ◀	0,05 (*)
▶ <u>M16</u> 0,05 (*) ◀	▶ <u>M39</u> 0,05 (*) ◀	▶ <u>M50</u> — ◀	▶ <u>M5</u> 0,1 (*) ◀	0,1 (*)	▶ <u>M32</u> — ◀	▶ <u>M13</u> 0,1 (*) ◀	0,05 (*)
		▶ <u>M50</u> — ◀			▶ <u>M32</u> — ◀		
		▶ <u>M50</u> — ◀			▶ <u>M32</u> — ◀		
		▶ <u>M50</u> — ◀			▶ <u>M32</u> — ◀		
		▶ <u>M50</u> — ◀			▶ <u>M32</u> — ◀		
		▶ <u>M50</u> — ◀			▶ <u>M32</u> — ◀		
		▶ <u>M50</u> — ◀			▶ <u>M32</u> — ◀		

▼ M2

(25)	(26)	(27)	(28)
		▶ <u>M32</u> — ◀	▶ <u>M51</u> — ◀
		▶ <u>M32</u> — ◀	▶ <u>M51</u> — ◀
		▶ <u>M32</u> — ◀	▶ <u>M51</u> — ◀
		▶ <u>M32</u> — ◀	▶ <u>M51</u> — ◀
		▶ <u>M32</u> — ◀	▶ <u>M51</u> — ◀
		▶ <u>M32</u> — ◀	▶ <u>M51</u> — ◀
		▶ <u>M32</u> — ◀	▶ <u>M51</u> — ◀
		▶ <u>M32</u> — ◀	▶ <u>M51</u> — ◀
		▶ <u>M32</u> — ◀	▶ <u>M51</u> — ◀
▶ <u>M5</u> 0,1 (*) ◀	▶ <u>M5</u> 0,05 (*) ◀	▶ <u>M32</u> — ◀	▶ <u>M51</u> — ◀
▶ <u>M5</u> 0,1 (*) ◀	▶ <u>M5</u> 0,05 (*) ◀	▶ <u>M32</u> — ◀	▶ <u>M51</u> — ◀
		▶ <u>M32</u> — ◀	▶ <u>M51</u> — ◀
		▶ <u>M32</u> — ◀	▶ <u>M51</u> — ◀
		▶ <u>M32</u> — ◀	▶ <u>M51</u> — ◀
		▶ <u>M32</u> — ◀	▶ <u>M51</u> — ◀
		▶ <u>M32</u> — ◀	▶ <u>M51</u> — ◀
		▶ <u>M32</u> — ◀	▶ <u>M51</u> — ◀

▼ **M2**

(1)	(2)	(3)	(4)	(5)	(6)	► <b>M11</b> — ◀	(8)
0810070	Fennel seed						
0810080	Fenugreek						
0810090	Nutmeg						
0810990	Others						
0820000	(ii) <b>Fruits and berries</b>	► <b>M61</b> 0,02 (*) ◀					► <b>M75</b> 0,01 (*) ◀
0820010	Allspice			► <b>M39</b> 0,02 (*) ◀			
0820020	Anise pepper (Japan pepper)			► <b>M39</b> 0,02 (*) ◀			
0820030	Caraway			► <b>M39</b> 0,02 (*) ◀			
0820040	Cardamom			► <b>M39</b> 0,02 (*) ◀			
0820050	Juniper berries			► <b>M39</b> 0,02 (*) ◀			
0820060	Pepper, black and white			► <b>M39</b> 0,02 (*) ◀			
0820070	Vanilla pods			► <b>M39</b> 0,02 (*) ◀			
0820080	Tamarind			► <b>M39</b> 0,02 (*) ◀			
0820990	Others			► <b>M39</b> 0,05 ◀			
0830000	(iii) <b>Bark</b>	► <b>M61</b> 0,02 (*) ◀		► <b>M39</b> 0,02 (*) ◀			► <b>M75</b> 0,01 (*) ◀
0830010	Cinnamon						
0830990	Others						
0840000	(iv) <b>Roots or rhizome</b>	► <b>M61</b> — ◀		► <b>M39</b> 0,02 (*) ◀			
0840010	Liquorice	► <b>M61</b> 0,02 (*) ◀					► <b>M75</b> 0,01 (*) ◀
0840020	Ginger	► <b>M61</b> 0,02 (*) ◀					► <b>M75</b> 0,01 (*) ◀
0840030	Turmeric (Curcuma)	► <b>M61</b> 0,02 (*) ◀					► <b>M75</b> 0,01 (*) ◀









▼ **M2**

(1)	(2)	(3)	(4)	(5)	(6)	► <b>M11</b> — ◀	(8)
0840040	Horseradish	► <b>M61</b> (+) ◀					► <b>M75</b> (+) ◀
0840990	Others	► <b>M61</b> 0,02 (*) ◀					► <b>M75</b> 0,01 (*) ◀
0850000	(v) <b>Buds</b>			► <b>M39</b> 0,02 (*) ◀			► <b>M75</b> 0,01 (*) ◀
0850010	Cloves	► <b>M61</b> 0,02 (*) ◀					
0850020	Capers	► <b>M61</b> 0,4 ◀					
0850990	Others	► <b>M61</b> 0,02 (*) ◀					
0860000	(vi) <b>Flower stigma</b>	► <b>M61</b> 0,02 (*) ◀		► <b>M39</b> 0,02 (*) ◀			► <b>M75</b> 0,01 (*) ◀
0860010	Saffron						
0860990	Others						
0870000	(vii) <b>Aril</b>	► <b>M61</b> 0,02 (*) ◀		► <b>M39</b> 0,02 (*) ◀			► <b>M75</b> 0,01 (*) ◀
0870010	Mace						
0870990	Others						
0900000	9. <b>SUGAR PLANTS</b>	► <b>M61</b> 0,05 ◀	► <b>M33</b> 0,02 (*) ◀	► <b>M39</b> 0,02 (*) ◀	0,05 (*)		► <b>M75</b> 0,01 (*) ◀
0900010	Sugar beet (root)					► <b>M11</b> — ◀	
0900020	Sugar cane					► <b>M11</b> — ◀	
0900030	Chicory roots					► <b>M11</b> — ◀	
0900990	Others					► <b>M11</b> — ◀	
1000000	10. <b>PRODUCTS OF ANIMAL ORIGIN- TERRESTRIAL ANIMALS</b>			► <b>M39</b> 0,01 (*) ◀	0,05 (*)	► <b>M11</b> — ◀	

▼ M2

(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
▶ <u>M49</u> — ◀			▶ <u>M53</u> (+) ◀				▶ <u>M33</u> — ◀
▶ <u>M49</u> — ◀			▶ <u>M53</u> 0,05 (*) ◀				▶ <u>M33</u> — ◀
▶ <u>M49</u> — ◀			▶ <u>M53</u> 0,05 (*) ◀			0,05 (*)	▶ <u>M33</u> — ◀
▶ <u>M49</u> — ◀							▶ <u>M33</u> — ◀
▶ <u>M49</u> — ◀							▶ <u>M33</u> — ◀
▶ <u>M49</u> — ◀							▶ <u>M33</u> — ◀
▶ <u>M49</u> — ◀			▶ <u>M53</u> 0,05 (*) ◀			0,05 (*)	▶ <u>M33</u> — ◀
▶ <u>M49</u> — ◀							▶ <u>M33</u> — ◀
▶ <u>M49</u> — ◀							▶ <u>M33</u> — ◀
▶ <u>M49</u> — ◀			▶ <u>M53</u> 0,05 (*) ◀			0,05 (*)	▶ <u>M33</u> — ◀
▶ <u>M49</u> — ◀							▶ <u>M33</u> — ◀
▶ <u>M49</u> — ◀							▶ <u>M33</u> — ◀
▶ <u>M49</u> — ◀		▶ <u>M33</u> 0,05 (*) ◀	▶ <u>M53</u> 0,05 (*) ◀	0,05	0,01 (*)	0,05 (*)	▶ <u>M33</u> — ◀
▶ <u>M49</u> — ◀	▶ <u>M15</u> 0,05 (*) ◀						▶ <u>M33</u> 0,05 ◀
▶ <u>M49</u> — ◀	▶ <u>M15</u> 1 ◀						▶ <u>M33</u> 0,02 (*) ◀
▶ <u>M49</u> — ◀	▶ <u>M15</u> 0,05 (*) ◀						▶ <u>M33</u> 0,05 ◀
▶ <u>M49</u> — ◀	▶ <u>M15</u> 0,05 (*) ◀						▶ <u>M33</u> 0,02 (*) ◀
▶ <u>M49</u> — ◀	▶ <u>M15</u> 0,05 (*) ◀	▶ <u>M33</u> 0,05 (*) ◀	▶ <u>M53</u> 0,05 (*) ◀	0,05	0,01 (*)	0,05 (*)	

▼ M2

(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)
		▶ <u>M50</u> — ◀			▶ <u>M32</u> — ◀		
		▶ <u>M50</u> — ◀			▶ <u>M32</u> — ◀		
		▶ <u>M50</u> — ◀			▶ <u>M32</u> — ◀		
		▶ <u>M50</u> — ◀ ▶ <u>M50</u> — ◀			▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀		
		▶ <u>M50</u> — ◀			▶ <u>M32</u> — ◀		
		▶ <u>M50</u> — ◀			▶ <u>M32</u> — ◀		
		▶ <u>M50</u> — ◀			▶ <u>M32</u> — ◀		
		▶ <u>M50</u> — ◀			▶ <u>M32</u> — ◀		
		▶ <u>M50</u> — ◀			▶ <u>M32</u> — ◀		
		▶ <u>M50</u> — ◀			▶ <u>M32</u> — ◀		
		▶ <u>M50</u> — ◀			▶ <u>M32</u> — ◀		
		▶ <u>M50</u> — ◀			▶ <u>M32</u> — ◀		
▶ <u>M16</u> 0,01 (*) ◀	▶ <u>M39</u> — ◀	▶ <u>M50</u> — ◀		0,1 (*)	▶ <u>M32</u> — ◀	▶ <u>M13</u> 0,1 (*) ◀	0,05 (*)
	▶ <u>M39</u> 0,05 (*) ◀ ▶ <u>M39</u> 0,5 ◀ ▶ <u>M39</u> 0,05 (*) ◀	▶ <u>M50</u> — ◀ ▶ <u>M50</u> — ◀ ▶ <u>M50</u> — ◀	▶ <u>M5</u> 0,5 ◀ ▶ <u>M5</u> 0,05 (*) ◀ ▶ <u>M5</u> 0,05 (*) ◀		▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀		
	▶ <u>M39</u> 0,05 (*) ◀	▶ <u>M50</u> — ◀	▶ <u>M5</u> 0,05 (*) ◀		▶ <u>M32</u> — ◀		
▶ <u>M16</u> 0,05 (*) ◀	▶ <u>M5</u> — ◀	▶ <u>M50</u> — ◀	▶ <u>M5</u> 0,05 (*) ◀	0,05 (*)	▶ <u>M32</u> — ◀	▶ <u>M13</u> — ◀	0,05 (*)

▼ M2

(25)	(26)	(27)	(28)
		▶ <u>M32</u> — ◀	▶ <u>M51</u> — ◀
		▶ <u>M32</u> — ◀	▶ <u>M51</u> — ◀
		▶ <u>M32</u> — ◀	▶ <u>M51</u> — ◀
		▶ <u>M32</u> — ◀	▶ <u>M51</u> — ◀
		▶ <u>M32</u> — ◀	▶ <u>M51</u> — ◀
		▶ <u>M32</u> — ◀	▶ <u>M51</u> — ◀
		▶ <u>M32</u> — ◀	▶ <u>M51</u> — ◀
		▶ <u>M32</u> — ◀	▶ <u>M51</u> — ◀
		▶ <u>M32</u> — ◀	▶ <u>M51</u> — ◀
		▶ <u>M32</u> — ◀	▶ <u>M51</u> — ◀
		▶ <u>M32</u> — ◀	▶ <u>M51</u> — ◀
▶ <u>M5</u> 0,1 (*) ◀	▶ <u>M5</u> 0,05 (*) ◀	▶ <u>M32</u> — ◀	▶ <u>M51</u> — ◀
		▶ <u>M32</u> — ◀	▶ <u>M51</u> — ◀
		▶ <u>M32</u> — ◀	▶ <u>M51</u> — ◀
		▶ <u>M32</u> — ◀	▶ <u>M51</u> — ◀
		▶ <u>M32</u> — ◀	▶ <u>M51</u> — ◀
▶ <u>M5</u> 0,05 (*) ◀	▶ <u>M5</u> 0,01 (*) ◀	▶ <u>M32</u> — ◀	▶ <u>M51</u> — ◀

▼ **M2**

(1)	(2)	(3)	(4)	(5)	(6)	► <b>M11</b> — ◀	(8)
1010000	(i) <b>Meat, preparations of meat, offals, blood, animal fats fresh chilled or frozen, salted, in brine, dried or smoked or processed as flours or meals; other processed products such as sausages and food preparations based on these</b>			► <b>M39</b> — ◀			
1011000	(a) <i>Swine</i>						
1011010	Meat	► <b>M61</b> 0,1 ◀	► <b>M33</b> 0,01 (*) ◀				► <b>M75</b> 0,05 ◀
1011020	Fat free of lean meat	► <b>M61</b> 2 ◀	► <b>M33</b> 0,05 (*) ◀				► <b>M75</b> 0,3 ◀
1011030	Liver	► <b>M61</b> 0,7 ◀	► <b>M33</b> 0,05 (*) ◀				► <b>M75</b> 0,01 (*) ◀
1011040	Kidney	► <b>M61</b> 0,5 ◀	► <b>M33</b> 0,05 (*) ◀				► <b>M75</b> 0,02 ◀
1011050	Edible offal	► <b>M61</b> 0,5 ◀	► <b>M33</b> 0,05 (*) ◀				► <b>M75</b> 0,3 ◀
1011990	Others		► <b>M33</b> 0,01 (*) ◀				► <b>M75</b> 0,01 (*) ◀
1012000	(b) <i>Bovine</i>						
1012010	Meat	► <b>M61</b> 0,3 ◀	► <b>M33</b> 0,01 (*) ◀				► <b>M75</b> 0,05 ◀
1012020	Fat	► <b>M61</b> 3 ◀	► <b>M33</b> 0,05 (*) ◀				► <b>M75</b> 0,3 ◀
1012030	Liver	► <b>M61</b> 2 ◀	► <b>M33</b> 0,05 (*) ◀				► <b>M75</b> 0,01 (*) ◀

▼ M2

(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
▶ <u>M49</u> — ◀		▶ <u>M33</u> — ◀	▶ <u>M53</u> — ◀				
▶ <u>M49</u> — ◀							▶ <u>M7</u> ▶ <u>C5</u> — ◀ ◀
▶ <u>M49</u> — ◀							▶ <u>M33</u> 0,05 ◀
▶ <u>M49</u> — ◀							▶ <u>M33</u> 0,5 ◀
▶ <u>M49</u> — ◀							▶ <u>M33</u> 1 ◀
▶ <u>M49</u> — ◀							▶ <u>M33</u> 0,2 ◀
▶ <u>M49</u> — ◀							▶ <u>M33</u> 0,05 ◀
▶ <u>M49</u> — ◀							▶ <u>M33</u> 0,05 ◀
▶ <u>M49</u> — ◀							
▶ <u>M49</u> — ◀							▶ <u>M33</u> 0,05 ◀
▶ <u>M49</u> — ◀							▶ <u>M33</u> 0,5 ◀
▶ <u>M49</u> — ◀							▶ <u>M33</u> 1 ◀



▼ M2

(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)
	▶ <u>M27</u> — ◀	▶ <u>M50</u> — ◀	▶ <u>M5</u> 0,05 (*) ◀		▶ <u>M32</u> — ◀		
	▶ <u>M39</u> 0,03 ◀	▶ <u>M50</u> — ◀			▶ <u>M32</u> — ◀	▶ <u>M13</u> 0,05 (*) ◀	
	▶ <u>M39</u> — ◀ ▶ <u>M39</u> — ◀ ▶ <u>M39</u> — ◀ ▶ <u>M39</u> — ◀ ▶ <u>M39</u> — ◀	▶ <u>M50</u> — ◀ ▶ <u>M50</u> — ◀ ▶ <u>M50</u> — ◀ ▶ <u>M50</u> — ◀ ▶ <u>M50</u> — ◀			▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀		
	▶ <u>M39</u> — ◀	▶ <u>M50</u> — ◀			▶ <u>M32</u> — ◀		
	▶ <u>M39</u> 0,03 ◀	▶ <u>M50</u> — ◀			▶ <u>M32</u> — ◀		
	▶ <u>M39</u> — ◀ ▶ <u>M39</u> — ◀ ▶ <u>M39</u> — ◀	▶ <u>M50</u> — ◀ ▶ <u>M50</u> — ◀ ▶ <u>M50</u> — ◀			▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀	▶ <u>M13</u> 0,05 (*) ◀ ▶ <u>M13</u> 0,05 (*) ◀ ▶ <u>M13</u> 0,05 (*) ◀	

▼ M2

(25)	(26)	(27)	(28)
	▶ <u>M5</u> 0,01 (*) ◀	▶ <u>M32</u> — ◀	▶ <u>M51</u> — ◀
		▶ <u>M32</u> — ◀	▶ <u>M51</u> — ◀
		▶ <u>M32</u> — ◀	▶ <u>M51</u> — ◀
		▶ <u>M32</u> — ◀	▶ <u>M51</u> — ◀
		▶ <u>M32</u> — ◀	▶ <u>M51</u> — ◀
		▶ <u>M32</u> — ◀	▶ <u>M51</u> — ◀
		▶ <u>M32</u> — ◀	▶ <u>M51</u> — ◀
		▶ <u>M32</u> — ◀	▶ <u>M51</u> — ◀
		▶ <u>M32</u> — ◀	▶ <u>M51</u> — ◀

▼ M2

(1)	(2)	(3)	(4)	(5)	(6)	► <u>M11</u> — ◀	(8)
1012040	Kidney	► <u>M61</u> 1 ◀	► <u>M33</u> 0,05 (*) ◀				► <u>M75</u> 0,02 ◀
1012050	Edible offal	► <u>M61</u> 0,5 ◀	► <u>M33</u> 0,05 (*) ◀				► <u>M75</u> 0,3 ◀
1012990	Others		► <u>M33</u> 0,01 (*) ◀				► <u>M75</u> 0,01 (*) ◀
1013000	(c) <i>Sheep</i>						
1013010	Meat	► <u>M61</u> 0,2 ◀	► <u>M33</u> 0,01 (*) ◀				► <u>M75</u> 0,05 ◀
1013020	Fat	► <u>M61</u> 3 ◀	► <u>M33</u> 0,05 (*) ◀				► <u>M75</u> 0,3 ◀
1013030	Liver	► <u>M61</u> 1,5 ◀	► <u>M33</u> 0,05 (*) ◀				► <u>M75</u> 0,01 (*) ◀
1013040	Kidney	► <u>M61</u> 0,5 ◀	► <u>M33</u> 0,05 (*) ◀				► <u>M75</u> 0,02 ◀
1013050	Edible offal	► <u>M61</u> 0,5 ◀	► <u>M33</u> 0,05 (*) ◀				► <u>M75</u> 0,3 ◀
1013990	Others		► <u>M33</u> 0,01 (*) ◀				► <u>M75</u> 0,01 (*) ◀
1014000	(d) <i>Goat</i>						
1014010	Meat	► <u>M61</u> 0,2 ◀	► <u>M33</u> 0,01 (*) ◀				► <u>M75</u> 0,05 ◀
1014020	Fat	► <u>M61</u> 3 ◀	► <u>M33</u> 0,05 (*) ◀				► <u>M75</u> 0,3 ◀
1014030	Liver	► <u>M61</u> 1,5 ◀	► <u>M33</u> 0,05 (*) ◀				► <u>M75</u> 0,01 (*) ◀
1014040	Kidney	► <u>M61</u> 0,5 ◀	► <u>M33</u> 0,05 (*) ◀				► <u>M75</u> 0,02 ◀
1014050	Edible offal	► <u>M61</u> 0,5 ◀	► <u>M33</u> 0,05 (*) ◀				► <u>M75</u> 0,3 ◀
1014990	Others		► <u>M33</u> 0,01 (*) ◀				► <u>M75</u> 0,01 (*) ◀
1015000	(e) <i>Horses, asses, mules or hinnies</i>						
1015010	Meat	► <u>M61</u> 0,05 ◀	► <u>M33</u> 0,01 (*) ◀				► <u>M75</u> 0,05 ◀
1015020	Fat	► <u>M61</u> 2 ◀	► <u>M33</u> 0,05 (*) ◀				► <u>M75</u> 0,3 ◀
1015030	Liver	► <u>M61</u> 0,5 ◀	► <u>M33</u> 0,05 (*) ◀				► <u>M75</u> 0,01 (*) ◀

▼ M2

(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
▶ <u>M49</u> — ◀							▶ <u>M33</u> 0,2 ◀
▶ <u>M49</u> — ◀							▶ <u>M33</u> 0,5 ◀
▶ <u>M49</u> — ◀							▶ <u>M33</u> 0,05 ◀
▶ <u>M49</u> — ◀							
▶ <u>M49</u> — ◀							▶ <u>M33</u> 0,05 ◀
▶ <u>M49</u> — ◀							▶ <u>M33</u> 0,5 ◀
▶ <u>M49</u> — ◀							▶ <u>M33</u> 1 ◀
▶ <u>M49</u> — ◀							▶ <u>M33</u> 0,5 ◀
▶ <u>M49</u> — ◀							▶ <u>M33</u> 0,5 ◀
▶ <u>M49</u> — ◀							▶ <u>M33</u> 0,5 ◀
▶ <u>M49</u> — ◀							
▶ <u>M49</u> — ◀							▶ <u>M33</u> 0,5 ◀
▶ <u>M49</u> — ◀							▶ <u>M33</u> 0,5 ◀
▶ <u>M49</u> — ◀							▶ <u>M33</u> 1 ◀
▶ <u>M49</u> — ◀							▶ <u>M33</u> 0,5 ◀
▶ <u>M49</u> — ◀							▶ <u>M33</u> 0,5 ◀
▶ <u>M49</u> — ◀							▶ <u>M33</u> 0,5 ◀
▶ <u>M49</u> — ◀							▶ <u>M33</u> — ◀
▶ <u>M49</u> — ◀							▶ <u>M33</u> 0,5 ◀
▶ <u>M49</u> — ◀							▶ <u>M33</u> 0,5 ◀
▶ <u>M49</u> — ◀							▶ <u>M33</u> 1 ◀

▼ M2

(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)
	▶ <u>M39</u> — ◀ ▶ <u>M39</u> — ◀	▶ <u>M50</u> — ◀ ▶ <u>M50</u> — ◀			▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀	▶ <u>M13</u> 0,2 ◀ ▶ <u>M13</u> 0,05 (*) ◀	
	▶ <u>M39</u> — ◀	▶ <u>M50</u> — ◀			▶ <u>M32</u> — ◀	▶ <u>M13</u> 0,05 (*) ◀	
	▶ <u>M39</u> 0,03 ◀	▶ <u>M50</u> — ◀			▶ <u>M32</u> — ◀		
	▶ <u>M39</u> — ◀ ▶ <u>M39</u> — ◀ ▶ <u>M39</u> — ◀ ▶ <u>M39</u> — ◀ ▶ <u>M39</u> — ◀	▶ <u>M50</u> — ◀ ▶ <u>M50</u> — ◀ ▶ <u>M50</u> — ◀ ▶ <u>M50</u> — ◀ ▶ <u>M50</u> — ◀			▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀	▶ <u>M13</u> 0,05 (*) ◀ ▶ <u>M13</u> 0,05 (*) ◀ ▶ <u>M13</u> 0,05 (*) ◀ ▶ <u>M13</u> 0,2 ◀ ▶ <u>M13</u> 0,05 (*) ◀	
	▶ <u>M39</u> — ◀	▶ <u>M50</u> — ◀			▶ <u>M32</u> — ◀	▶ <u>M13</u> 0,05 (*) ◀	
	▶ <u>M39</u> 0,03 ◀	▶ <u>M50</u> — ◀			▶ <u>M32</u> — ◀		
		▶ <u>M50</u> — ◀ ▶ <u>M50</u> — ◀ ▶ <u>M50</u> — ◀ ▶ <u>M50</u> — ◀ ▶ <u>M50</u> — ◀			▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀	▶ <u>M13</u> 0,05 (*) ◀ ▶ <u>M13</u> 0,05 (*) ◀ ▶ <u>M13</u> 0,05 (*) ◀ ▶ <u>M13</u> 0,2 ◀ ▶ <u>M13</u> 0,05 (*) ◀	
		▶ <u>M50</u> — ◀			▶ <u>M32</u> — ◀	▶ <u>M13</u> 0,05 (*) ◀	
	▶ <u>M39</u> 0,03 ◀	▶ <u>M50</u> — ◀			▶ <u>M32</u> — ◀		
	▶ <u>M39</u> — ◀ ▶ <u>M39</u> — ◀ ▶ <u>M39</u> — ◀	▶ <u>M50</u> — ◀ ▶ <u>M50</u> — ◀ ▶ <u>M50</u> — ◀			▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀	▶ <u>M13</u> 0,05 (*) ◀ ▶ <u>M13</u> 0,05 (*) ◀ ▶ <u>M13</u> 0,05 (*) ◀	



▼ M2

(1)	(2)	(3)	(4)	(5)	(6)	► <u>M11</u> — ◀	(8)
1015040	Kidney	► <u>M61</u> 0,5 ◀	► <u>M33</u> 0,05 (*) ◀				► <u>M75</u> 0,02 ◀
1015050	Edible offal	► <u>M61</u> 0,5 ◀	► <u>M33</u> 0,05 (*) ◀				► <u>M75</u> 0,3 ◀
1015990	Others		► <u>M33</u> 0,01 (*) ◀				► <u>M75</u> 0,01 (*) ◀
1016000	(f) <i>Poultry -chicken, geese, duck, turkey and Guinea fowl-, ostrich, pigeon</i>						► <u>M75</u> 0,01 (*) ◀
1016010	Meat	► <u>M61</u> 0,2 ◀	► <u>M33</u> 0,01 (*) ◀				
1016020	Fat	► <u>M61</u> 1 ◀	► <u>M33</u> 0,05 (*) ◀				
1016030	Liver	► <u>M61</u> 0,2 ◀	► <u>M33</u> 0,01 (*) ◀				
1016040	Kidney	► <u>M61</u> 0,2 ◀	► <u>M33</u> 0,01 (*) ◀				
1016050	Edible offal	► <u>M61</u> 0,2 ◀	► <u>M33</u> 0,01 (*) ◀				
1016990	Others		► <u>M33</u> 0,01 (*) ◀				
1017000	(g) <i>Other farm animals</i>	► <u>M61</u> 0,02 (*) ◀					► <u>M75</u> 0,01 (*) ◀
1017010	Meat		► <u>M33</u> 0,01 (*) ◀				
1017020	Fat		► <u>M33</u> 0,05 (*) ◀				
1017030	Liver		► <u>M33</u> 0,05 (*) ◀				
1017040	Kidney		► <u>M33</u> 0,05 (*) ◀				
1017050	Edible offal		► <u>M33</u> 0,05 (*) ◀				
1017990	Others		► <u>M33</u> 0,01 (*) ◀				

▼ M2

(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
▶ <u>M49</u> — ◀							▶ <u>M33</u> 0,5 ◀
▶ <u>M49</u> — ◀							▶ <u>M33</u> 0,5 ◀
▶ <u>M49</u> — ◀							▶ <u>M33</u> 0,5 ◀
▶ <u>M49</u> — ◀							▶ <u>M7</u> ▶ <u>C5</u> — ◀ ◀
▶ <u>M49</u> — ◀							▶ <u>M33</u> 0,02 (*) ◀
▶ <u>M49</u> — ◀							▶ <u>M33</u> 0,02 (*) ◀
▶ <u>M49</u> — ◀							▶ <u>M33</u> 1 ◀
▶ <u>M49</u> — ◀							▶ <u>M33</u> 0,05 ◀
▶ <u>M49</u> — ◀							▶ <u>M33</u> 0,02 (*) ◀
▶ <u>M49</u> — ◀							▶ <u>M33</u> 0,02 (*) ◀
▶ <u>M49</u> — ◀							▶ <u>M33</u> 0,5 ◀
▶ <u>M49</u> — ◀							▶ <u>M33</u> — ◀
▶ <u>M49</u> — ◀							▶ <u>M33</u> — ◀
▶ <u>M49</u> — ◀							▶ <u>M33</u> — ◀
▶ <u>M49</u> — ◀							▶ <u>M33</u> — ◀
▶ <u>M49</u> — ◀							▶ <u>M33</u> — ◀
▶ <u>M49</u> — ◀							▶ <u>M33</u> — ◀



▼ M2

(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)
	▶ <u>M39</u> — ◀ ▶ <u>M39</u> — ◀	▶ <u>M50</u> — ◀ ▶ <u>M50</u> — ◀			▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀	▶ <u>M13</u> 0,2 ◀ ▶ <u>M13</u> 0,05 (*) ◀	
	▶ <u>M39</u> — ◀	▶ <u>M50</u> — ◀			▶ <u>M32</u> — ◀	▶ <u>M13</u> 0,05 (*) ◀	
	▶ <u>M39</u> 0,01 (*) ◀	▶ <u>M50</u> — ◀			▶ <u>M32</u> — ◀	▶ <u>M13</u> 0,05 (*) ◀	
		▶ <u>M50</u> — ◀ ▶ <u>M50</u> — ◀ ▶ <u>M50</u> — ◀ ▶ <u>M50</u> — ◀ ▶ <u>M50</u> — ◀			▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀		
		▶ <u>M50</u> — ◀			▶ <u>M32</u> — ◀		
	▶ <u>M39</u> 0,03 ◀	▶ <u>M50</u> — ◀			▶ <u>M32</u> — ◀	▶ <u>M13</u> 0,05 (*) ◀	
	▶ <u>M39</u> — ◀ ▶ <u>M39</u> — ◀ ▶ <u>M39</u> — ◀ ▶ <u>M39</u> — ◀ ▶ <u>M39</u> — ◀	▶ <u>M50</u> — ◀ ▶ <u>M50</u> — ◀ ▶ <u>M50</u> — ◀ ▶ <u>M50</u> — ◀ ▶ <u>M50</u> — ◀			▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀		
	▶ <u>M39</u> — ◀	▶ <u>M50</u> — ◀			▶ <u>M32</u> — ◀		



▼ M2

(1)	(2)	(3)	(4)	(5)	(6)	► <u>M11</u> — ◀	(8)
1020000	(ii) <b>Milk and cream, not concentrated, nor containing added sugar or sweetening matter, butter and other fats derived from milk, cheese and curd</b>	► <u>M61</u> 0,5 ◀	► <u>M33</u> 0,004 (*) ◀	► <u>M39</u> — ◀			► <u>M75</u> 0,05 ◀
1020010	Cattle						
1020020	Sheep						
1020030	Goat						
1020040	Horse						
1020990	Others						
1030000	(iii) <b>Birds' eggs, fresh preserved or cooked; Shelled eggs and egg yolks fresh, dried, cooked by steaming or boiling in water, moulded, frozen or otherwise preserved whether or not containing added sugar or sweetening matter</b>	► <u>M61</u> 0,2 ◀	► <u>M33</u> 0,02 (*) ◀	► <u>M39</u> — ◀			► <u>M75</u> 0,01 (*) ◀
1030010	Chicken						
1030020	Duck						
1030030	Goose						

▼ M2

(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
▶ <u>M49</u> — ◀		▶ <u>M33</u> — ◀	▶ <u>M53</u> — ◀				▶ <u>M33</u> 0,05 ◀
▶ <u>M49</u> — ◀ ▶ <u>M49</u> — ◀ ▶ <u>M49</u> — ◀ ▶ <u>M49</u> — ◀							▶ <u>M33</u> — ◀ ▶ <u>M33</u> — ◀ ▶ <u>M33</u> — ◀ ▶ <u>M33</u> — ◀
▶ <u>M49</u> — ◀							▶ <u>M33</u> — ◀
▶ <u>M49</u> — ◀		▶ <u>M33</u> — ◀	▶ <u>M53</u> — ◀				▶ <u>M33</u> 0,02 (*) ◀
▶ <u>M49</u> — ◀ ▶ <u>M49</u> — ◀ ▶ <u>M49</u> — ◀							▶ <u>M33</u> — ◀ ▶ <u>M33</u> — ◀ ▶ <u>M33</u> — ◀

▼ M2

(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)
	▶ <u>M39</u> 0,05 ◀	▶ <u>M50</u> — ◀	▶ <u>M5</u> 0,05 (*) ◀		▶ <u>M32</u> — ◀	▶ <u>M13</u> 0,05 (*) ◀	
		▶ <u>M50</u> — ◀ ▶ <u>M50</u> — ◀ ▶ <u>M50</u> — ◀ ▶ <u>M50</u> — ◀			▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀		
		▶ <u>M50</u> — ◀			▶ <u>M32</u> — ◀		
	▶ <u>M39</u> 0,01 (*) ◀	▶ <u>M50</u> — ◀	▶ <u>M5</u> 0,05 (*) ◀		▶ <u>M32</u> — ◀	▶ <u>M13</u> 0,05 (*) ◀	
		▶ <u>M50</u> — ◀ ▶ <u>M50</u> — ◀ ▶ <u>M50</u> — ◀			▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀		

▼ M2

(25)	(26)	(27)	(28)
	▶ <u>M5</u> 0,01 (*) ◀	▶ <u>M32</u> — ◀	▶ <u>M51</u> — ◀
		▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀	▶ <u>M51</u> — ◀ ▶ <u>M51</u> — ◀ ▶ <u>M51</u> — ◀ ▶ <u>M51</u> — ◀
		▶ <u>M32</u> — ◀	▶ <u>M51</u> — ◀
	▶ <u>M5</u> 0,01 (*) ◀	▶ <u>M32</u> — ◀	▶ <u>M51</u> — ◀
		▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀	▶ <u>M51</u> — ◀ ▶ <u>M51</u> — ◀ ▶ <u>M51</u> — ◀

▼ M2

(1)	(2)	(3)	(4)	(5)	(6)	► <u>M11</u> — ◀	(8)
1030040	Quail						
1030990	Others						
1040000	(iv) Honey	► <u>M61</u> 0,05 (*) ◀	► <u>M33</u> 0,02 (*) ◀	► <u>M39</u> — ◀			► <u>M75</u> 0,05 (*) ◀
1050000	(v) Amphibians and reptiles	► <u>M61</u> 0,01 (*) ◀	► <u>M33</u> 0,02 (*) ◀	► <u>M39</u> — ◀			► <u>M75</u> 0,01 (*) ◀
1060000	(vi) Snails	► <u>M61</u> 0,01 (*) ◀	► <u>M33</u> 0,02 (*) ◀	► <u>M39</u> — ◀			► <u>M75</u> 0,01 (*) ◀
1070000	(vii) Other terrestrial animal products	► <u>M61</u> 0,01 (*) ◀	► <u>M33</u> 0,02 (*) ◀	► <u>M39</u> — ◀			► <u>M75</u> 0,01 (*) ◀
1100000	11. FISH, FISH PRODUCTS, SHELL FISH, MOLLUSCS AND OTHER MARINE AND FRESHWATER FOOD PRODUCTS						
1200000	12. CROPS EXCLUSIVELY USED FOR ANIMAL FEED						

▼ M5

▼ M2

(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
▶ <u>M49</u> — ◀							▶ <u>M33</u> — ◀
▶ <u>M49</u> — ◀							▶ <u>M33</u> — ◀
▶ <u>M49</u> — ◀		▶ <u>M33</u> — ◀	▶ <u>M53</u> — ◀				▶ <u>M33</u> 0,02 (*) ◀
▶ <u>M49</u> — ◀		▶ <u>M33</u> — ◀	▶ <u>M53</u> — ◀				▶ <u>M33</u> 0,02 (*) ◀
▶ <u>M49</u> — ◀		▶ <u>M33</u> — ◀	▶ <u>M53</u> — ◀				▶ <u>M33</u> 0,02 (*) ◀
▶ <u>M49</u> — ◀		▶ <u>M33</u> — ◀	▶ <u>M53</u> — ◀				▶ <u>M33</u> 0,5 ◀

▼ M5



▼ M2

(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)
		▶ <u>M50</u> — ◀			▶ <u>M32</u> — ◀		
		▶ <u>M50</u> — ◀			▶ <u>M32</u> — ◀		
	▶ <u>M39</u> 0,01 (*) ◀	▶ <u>M50</u> — ◀	▶ <u>M5</u> 0,05 (*) ◀		▶ <u>M32</u> — ◀	▶ <u>M13</u> 0,05 (*) ◀	
	▶ <u>M39</u> 0,01 (*) ◀	▶ <u>M50</u> — ◀	▶ <u>M5</u> 0,05 (*) ◀		▶ <u>M32</u> — ◀	▶ <u>M13</u> 0,05 (*) ◀	
	▶ <u>M39</u> 0,01 (*) ◀	▶ <u>M50</u> — ◀	▶ <u>M5</u> 0,05 (*) ◀		▶ <u>M32</u> — ◀	▶ <u>M13</u> 0,05 (*) ◀	
	▶ <u>M39</u> 0,01 (*) ◀	▶ <u>M50</u> — ◀	▶ <u>M5</u> 0,05 (*) ◀		▶ <u>M32</u> — ◀	▶ <u>M13</u> 0,05 (*) ◀	
	▶ <u>M39</u> 0,01 (*) ◀	▶ <u>M50</u> — ◀	▶ <u>M5</u> 0,05 (*) ◀		▶ <u>M32</u> — ◀	▶ <u>M13</u> 0,05 (*) ◀	

▼ M5

▼ M2

(25)	(26)	(27)	(28)
		▶ <u>M32</u> — ◀	▶ <u>M51</u> — ◀
		▶ <u>M32</u> — ◀	▶ <u>M51</u> — ◀
	▶ <u>M5</u> 0,01 (*) ◀	▶ <u>M32</u> — ◀	▶ <u>M51</u> — ◀
	▶ <u>M5</u> 0,01 (*) ◀	▶ <u>M32</u> — ◀	▶ <u>M51</u> — ◀
	▶ <u>M5</u> 0,01 (*) ◀	▶ <u>M32</u> — ◀	▶ <u>M51</u> — ◀
	▶ <u>M5</u> 0,01 (*) ◀		▶ <u>M51</u> — ◀

▼ M5

▼ M5

## Pesticide residues and maximum residue levels (mg/kg)

Code number	Groups and examples of individual products to which the MRLs apply (*)	▼ <u>M47</u> Aminopyralid ▼	▼ <u>M74</u> Chlorantraniliprole (DPX E-2Y45) (-) ▼	Chloropicrin	▼ <u>M72</u> Chromafenozide ▼	▼ <u>M42</u> — ▼	▼ <u>M39</u> Clothianidin ▼
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)
0100000	1. <b>FRUIT FRESH OR FROZEN; NUTS</b>	▶ <u>M47</u> 0,01 (*) ◀				▶ <u>M42</u> — ◀	
0110000	(i) <b>Citrus fruit</b>		▶ <u>M74</u> 0,7 ◀	0,01 (*)	▶ <u>M72</u> 0,01 (*) ◀	▶ <u>M42</u> — ◀	▶ <u>M39</u> 0,1 ◀
0110010	Grapefruit					▶ <u>M42</u> — ◀	
0110020	Oranges					▶ <u>M42</u> — ◀	
0110030	Lemons					▶ <u>M42</u> — ◀	
0110040	Limes					▶ <u>M42</u> — ◀	
0110050	Mandarins					▶ <u>M42</u> — ◀	
0110990	Others					▶ <u>M42</u> — ◀	
0120000	(ii) <b>Tree nuts or (shelled unshelled)</b>		▶ <u>M74</u> 0,05 ◀	0,01 (*)	▶ <u>M72</u> 0,01 (*) ◀	▶ <u>M42</u> — ◀	▶ <u>M39</u> 0,02 (*) ◀


▼ M5

▶ <u>M61</u> Cyflufenamid: sum of cyflufenamid (Z-isomer) and its E-isomer ▼	Fenpropathrin	▶ <u>M15</u> Flonicamid (sum of flonicamid, TNFG and TNFA) (*) ▼	▶ <u>M54</u> Flubendiamide (L) ▼	Fluometuron	▶ <u>M78</u> Fluopicolide ▼	Fluoride ion	Fluoroglycolene
(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
▶ <u>M61</u> — ◀			▶ <u>M27</u> — ◀	0,01 (*)			0,01 (*)
▶ <u>M61</u> 0,02 (*) ◀	2	▶ <u>M15</u> 0,1 ◀	▶ <u>M54</u> 0,01 (*) ◀		▶ <u>M78</u> 0,01 (*) ◀	2 (*)	
▶ <u>M61</u> 0,02 (*) ◀	0,01 (*)	▶ <u>M15</u> 0,05 (*) ◀	▶ <u>M54</u> 0,1 ◀		▶ <u>M78</u> 0,01 (*) ◀	25	

▼ M5

Flurprimidole	▶ <u>M16</u> Fomesafen ▼	Furfural (1)	Halosulfuron methyl	Ipconazole	▼ <u>M32</u> —	▶ <u>M70</u> Malathion (sum of malathion and malaoxon expressed as malathion) ▼	▶ <u>M74</u> Mandipropamid ▼
(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)
0,01 (*)	0,01 (*)	1	0,01 (*)	0,01 (*)	▶ <u>M32</u> — ◀	▶ <u>M70</u> — ◀	
	▶ <u>M16</u> 0,01 (*) ◀				▶ <u>M32</u> — ◀	▶ <u>M70</u> 2 ◀	▶ <u>M74</u> 0,01 (*) ◀
					▶ <u>M32</u> — ◀		
					▶ <u>M32</u> — ◀		
					▶ <u>M32</u> — ◀		
					▶ <u>M32</u> — ◀		
					▶ <u>M32</u> — ◀		
	▶ <u>M16</u> 0,02 (*) ◀				▶ <u>M32</u> — ◀	▶ <u>M70</u> 0,02 (*) ◀	▶ <u>M74</u> 0,01 (*) ◀

▼ M5



▼ **M5**

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)
0120010	Almonds					▶ <u>M42</u> — ◀	
0120020	Brazil nuts					▶ <u>M42</u> — ◀	
0120030	Cashew nuts					▶ <u>M42</u> — ◀	
0120040	Chestnuts					▶ <u>M42</u> — ◀	
0120050	Coconuts					▶ <u>M42</u> — ◀	
0120060	Hazelnuts					▶ <u>M42</u> — ◀	
0120070	Macadamia					▶ <u>M42</u> — ◀	
0120080	Pecans					▶ <u>M42</u> — ◀	
0120090	Pine nuts					▶ <u>M42</u> — ◀	
0120100	Pistachios					▶ <u>M42</u> — ◀	
0120110	Walnuts					▶ <u>M42</u> — ◀	
0120990	Others					▶ <u>M42</u> — ◀	
0130000	(iii) <b>Pome fruit</b>		▶ <u>M74</u> 0,5 ◀	0,05	▶ <u>M72</u> 0,5 ◀	▶ <u>M42</u> — ◀	▶ <u>M39</u> 0,4 ◀
0130010	Apples				▶ <u>M72</u> — ◀	▶ <u>M42</u> — ◀	
0130020	Pears				▶ <u>M72</u> — ◀	▶ <u>M42</u> — ◀	
0130030	Quinces				▶ <u>M72</u> — ◀	▶ <u>M42</u> — ◀	
0130040	Medlar				▶ <u>M72</u> — ◀	▶ <u>M42</u> — ◀	
0130050	Loquat				▶ <u>M72</u> — ◀	▶ <u>M42</u> — ◀	
0130990	Others				▶ <u>M72</u> — ◀	▶ <u>M42</u> — ◀	
0140000	(iv) <b>Stone fruit</b>		▶ <u>M74</u> 1 ◀	0,05	▶ <u>M72</u> 0,01 (*) ◀	▶ <u>M42</u> — ◀	
0140010	Apricots		▶ <u>M11</u> — ◀			▶ <u>M42</u> — ◀	▶ <u>M39</u> 0,1 ◀
0140020	Cherries		▶ <u>M11</u> — ◀			▶ <u>M42</u> — ◀	▶ <u>M39</u> 0,1 ◀
0140030	Peaches		▶ <u>M11</u> — ◀			▶ <u>M42</u> — ◀	▶ <u>M39</u> 0,1 ◀
0140040	Plums		▶ <u>M11</u> — ◀			▶ <u>M42</u> — ◀	▶ <u>M39</u> 0,02 (*) ◀
0140990	Others					▶ <u>M42</u> — ◀	▶ <u>M39</u> 0,02 (*) ◀
0150000	(v) <b>Berries &amp; small fruit</b>				▶ <u>M72</u> — ◀	▶ <u>M42</u> — ◀	

▼ M5

(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
▶ <u>M61</u> 0,05 ◀	0,01 (*)	▶ <u>M15</u> 0,2 ◀	▶ <u>M54</u> 0,8 ◀		▶ <u>M78</u> 0,01 (*) ◀	2 (*)	
▶ <u>M61</u> — ◀ ▶ <u>M61</u> — ◀ ▶ <u>M61</u> — ◀ ▶ <u>M61</u> — ◀ ▶ <u>M61</u> — ◀			▶ <u>M27</u> — ◀ ▶ <u>M27</u> — ◀ ▶ <u>M27</u> — ◀ ▶ <u>M27</u> — ◀ ▶ <u>M27</u> — ◀				
▶ <u>M61</u> — ◀			▶ <u>M27</u> — ◀				
▶ <u>M61</u> 0,02 (*) ◀	0,01 (*)				▶ <u>M78</u> 0,01 (*) ◀	2 (*)	
		▶ <u>M15</u> 0,3 ◀ ▶ <u>M15</u> 0,3 ◀ ▶ <u>M15</u> 0,3 ◀ ▶ <u>M15</u> 0,2 ◀	▶ <u>M54</u> 0,8 ◀ ▶ <u>M54</u> 2 ◀ ▶ <u>M54</u> 0,8 ◀ ▶ <u>M54</u> 0,01 (*) ◀				
		▶ <u>M15</u> 0,05 ◀	▶ <u>M54</u> 0,01 (*) ◀				
		▶ <u>M15</u> 0,05 (*) ◀				2 (*)	



▼ M5

(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)
					▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀		
					▶ <u>M32</u> — ◀		
	▶ <u>M16</u> 0,01 (*) ◀				▶ <u>M32</u> — ◀	▶ <u>M70</u> 0,02 (*) ◀	▶ <u>M74</u> 0,01 (*) ◀
					▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀		
					▶ <u>M32</u> — ◀		
	▶ <u>M16</u> 0,01 (*) ◀				▶ <u>M32</u> — ◀	▶ <u>M70</u> 0,02 (*) ◀	▶ <u>M74</u> 0,01 (*) ◀
					▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀		
					▶ <u>M32</u> — ◀		
	▶ <u>M16</u> 0,01 (*) ◀				▶ <u>M32</u> — ◀	▶ <u>M70</u> 0,02 (*) ◀	



▼ M5

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)
0151000	(a) <i>Table and wine grapes</i>		► <u>M74</u> 1 ◄	0,01 (*)	► <u>M72</u> 1,5 ◄	► <u>M42</u> — ◄	► <u>M39</u> 0,7 ◄
0151010	Table grapes					► <u>M42</u> — ◄	► <u>M39</u> — ◄
0151020	Wine grapes					► <u>M42</u> — ◄	► <u>M39</u> — ◄
0152000	(b) <i>Strawberries</i>		► <u>M74</u> 1 ◄	0,05	► <u>M72</u> 0,01 (*) ◄	► <u>M42</u> — ◄	► <u>M39</u> 0,02 (*) ◄
0153000	(c) <i>Cane fruit</i>		► <u>M74</u> 1 ◄	0,05	► <u>M72</u> 0,01 (*) ◄	► <u>M42</u> — ◄	► <u>M39</u> 0,02 (*) ◄
0153010	Blackberries					► <u>M42</u> — ◄	
0153020	Dewberries					► <u>M42</u> — ◄	
0153030	Raspberries					► <u>M42</u> — ◄	
0153990	Others					► <u>M42</u> — ◄	
0154000	(d) <i>Other small fruit &amp; berries</i>		► <u>M27</u> — ◄	0,01 (*)	► <u>M72</u> 0,01 (*) ◄	► <u>M42</u> — ◄	► <u>M39</u> 0,02 (*) ◄
0154010	Blueberries		► <u>M74</u> 1,5 ◄			► <u>M42</u> — ◄	
0154020	Cranberries		► <u>M74</u> 1 ◄			► <u>M42</u> — ◄	
0154030	Currants (red, black and white)		► <u>M74</u> 1 ◄			► <u>M42</u> — ◄	
0154040	Gooseberries		► <u>M74</u> 1 ◄			► <u>M42</u> — ◄	
0154050	Rose hips		► <u>M74</u> 1 ◄			► <u>M42</u> — ◄	
0154060	Mulberries		► <u>M74</u> 1 ◄			► <u>M42</u> — ◄	
0154070	Azarole (mediterranean medlar)		► <u>M74</u> 0,01 (*) ◄			► <u>M42</u> — ◄	
0154080	Elderberries		► <u>M74</u> 1 ◄			► <u>M42</u> — ◄	
0154990	Others		► <u>M74</u> 1 ◄			► <u>M42</u> — ◄	

▼ M5

(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
▶ <u>M61</u> 0,15 ◀	0,01 (*)		▶ <u>M54</u> 2 ◀		▶ <u>M78</u> 2 ◀		
▶ <u>M61</u> 0,04 ◀	2		▶ <u>M54</u> 0,2 ◀		▶ <u>M78</u> 0,01 (*) ◀		
▶ <u>M61</u> 0,02 (*) ◀	0,01 (*)		▶ <u>M54</u> 0,01 (*) ◀		▶ <u>M78</u> 0,01 (*) ◀		
▶ <u>M61</u> 0,02 (*) ◀	0,01 (*)		▶ <u>M54</u> 0,01 (*) ◀		▶ <u>M78</u> 0,01 (*) ◀		

▼ M5

(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)
					▶ <u>M32</u> — ◀	▶ <u>M25</u> — ◀	▶ <u>M74</u> 2 ◀
					▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀		
					▶ <u>M32</u> — ◀	▶ <u>M25</u> — ◀	▶ <u>M74</u> 0,01 (*) ◀
					▶ <u>M32</u> — ◀	▶ <u>M25</u> — ◀	▶ <u>M74</u> 0,01 (*) ◀
					▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀		
					▶ <u>M32</u> — ◀		
					▶ <u>M32</u> — ◀		▶ <u>M74</u> 0,01 (*) ◀
					▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀  ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀  ▶ <u>M32</u> — ◀	▶ <u>M25</u> — ◀ ▶ <u>M25</u> — ◀ ▶ <u>M25</u> — ◀  ▶ <u>M25</u> — ◀ ▶ <u>M25</u> — ◀ ▶ <u>M25</u> — ◀ ▶ <u>M25</u> — ◀  ▶ <u>M25</u> — ◀	
					▶ <u>M32</u> — ◀	▶ <u>M25</u> — ◀	

▼ M5

(25)
▶ <u>M32</u> — ◀
▶ <u>M32</u> — ◀
▶ <u>M32</u> — ◀
▶ <u>M32</u> — ◀
▶ <u>M32</u> — ◀
▶ <u>M32</u> — ◀
▶ <u>M32</u> — ◀
▶ <u>M32</u> — ◀
▶ <u>M32</u> — ◀
▶ <u>M32</u> — ◀
▶ <u>M32</u> — ◀
▶ <u>M32</u> — ◀
▶ <u>M32</u> — ◀
▶ <u>M32</u> — ◀
▶ <u>M32</u> — ◀
▶ <u>M32</u> — ◀
▶ <u>M32</u> — ◀
▶ <u>M32</u> — ◀
▶ <u>M32</u> — ◀
▶ <u>M32</u> — ◀
▶ <u>M32</u> — ◀
▶ <u>M32</u> — ◀
▶ <u>M32</u> — ◀

▼ **M5**

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)
0160000	(vi) <b>Miscellaneous fruit</b>		► <b>M74</b> — ◀	0,01 (*)	► <b>M72</b> 0,01 (*) ◀	► <b>M42</b> — ◀	► <b>M39</b> — ◀
0161000	(a) <i>Edible peel</i>		► <b>M74</b> 0,01 (*) ◀			► <b>M42</b> — ◀	
0161010	Dates					► <b>M42</b> — ◀	► <b>M39</b> 0,02 (*) ◀
0161020	Figs					► <b>M42</b> — ◀	► <b>M39</b> 0,02 (*) ◀
0161030	Table olives					► <b>M42</b> — ◀	► <b>M39</b> 0,09 ◀
0161040	Kumquats					► <b>M42</b> — ◀	► <b>M39</b> 0,02 (*) ◀
0161050	Carambola					► <b>M42</b> — ◀	► <b>M39</b> 0,02 (*) ◀
0161060	Persimmon					► <b>M42</b> — ◀	► <b>M39</b> 0,02 (*) ◀
0161070	Jambolan (java plum)					► <b>M42</b> — ◀	► <b>M39</b> 0,02 (*) ◀
0161990	Others					► <b>M42</b> — ◀	► <b>M39</b> 0,02 (*) ◀
0162000	(b) <i>Inedible peel, small</i>		► <b>M74</b> 0,01 (*) ◀			► <b>M42</b> — ◀	► <b>M39</b> 0,02 (*) ◀
0162010	Kiwi					► <b>M42</b> — ◀	
0162020	Lychee (Litchi)					► <b>M42</b> — ◀	
0162030	Passion fruit					► <b>M42</b> — ◀	
0162040	Prickly pear (cactus fruit)					► <b>M42</b> — ◀	
0162050	Star apple					► <b>M42</b> — ◀	
0162060	American persimmon (Virginia kaki)					► <b>M42</b> — ◀	
0162990	Others					► <b>M42</b> — ◀	
0163000	(c) <i>Inedible peel, large</i>					► <b>M42</b> — ◀	► <b>M39</b> 0,02 (*) ◀
0163010	Avocados		► <b>M74</b> 0,01 (*) ◀			► <b>M42</b> — ◀	

▼ M5

(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
▶ <u>M61</u> 0,02 (*) ◀	0,01 (*)	▶ <u>M15</u> 0,05 (*) ◀	▶ <u>M54</u> 0,01 (*) ◀		▶ <u>M78</u> 0,01 (*) ◀	2 (*)	



▼ M5

(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)
	▶ <u>M16</u> 0,01 (*) ◀				▶ <u>M32</u> — ◀	▶ <u>M70</u> 0,02 (*) ◀	▶ <u>M74</u> 0,01 (*) ◀
					▶ <u>M32</u> — ◀		
					▶ <u>M32</u> — ◀		
					▶ <u>M32</u> — ◀		
					▶ <u>M32</u> — ◀		
					▶ <u>M32</u> — ◀		
					▶ <u>M32</u> — ◀		
					▶ <u>M32</u> — ◀		
					▶ <u>M32</u> — ◀		
					▶ <u>M32</u> — ◀		
					▶ <u>M32</u> — ◀		
					▶ <u>M32</u> — ◀		
					▶ <u>M32</u> — ◀		
					▶ <u>M32</u> — ◀		
					▶ <u>M32</u> — ◀		



## ▼ M5

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)
0163020	Bananas		▶ <u>M74</u> 0,01 (*) ◀			▶ <u>M42</u> — ◀	
0163030	Mangoes		▶ <u>M74</u> 0,01 (*) ◀			▶ <u>M42</u> — ◀	
0163040	Papaya		▶ <u>M74</u> 0,01 (*) ◀			▶ <u>M42</u> — ◀	
0163050	Pomegranate		▶ <u>M74</u> 0,4 ◀			▶ <u>M42</u> — ◀	
0163060	Cherimoya		▶ <u>M74</u> 0,01 (*) ◀			▶ <u>M42</u> — ◀	
0163070	Guava		▶ <u>M74</u> 0,01 (*) ◀			▶ <u>M42</u> — ◀	
0163080	Pineapples		▶ <u>M74</u> 0,01 (*) ◀			▶ <u>M42</u> — ◀	
0163090	Bread fruit		▶ <u>M74</u> 0,01 (*) ◀			▶ <u>M42</u> — ◀	
0163100	Durian		▶ <u>M74</u> 0,01 (*) ◀			▶ <u>M42</u> — ◀	
0163110	Soursop (guanabana)		▶ <u>M74</u> 0,01 (*) ◀			▶ <u>M42</u> — ◀	
0163990	Others		▶ <u>M74</u> 0,01 (*) ◀			▶ <u>M42</u> — ◀	
0200000	<b>2. VEGETABLES FRESH OR FROZEN</b>	▶ <u>M47</u> 0,01 (*) ◀			▶ <u>M72</u> 0,01 (*) ◀	▶ <u>M42</u> — ◀	
0210000	(i) <b>Root and tuber vegetables</b>		▶ <u>M27</u> — ◀	0,01 (*)		▶ <u>M42</u> — ◀	
0211000	(a) <i>Potatoes</i>		▶ <u>M74</u> 0,02 ◀			▶ <u>M42</u> — ◀	▶ <u>M39</u> 0,05 ◀
0212000	(b) <i>Tropical root and tuber vegetables</i>		▶ <u>M74</u> 0,02 ◀			▶ <u>M42</u> — ◀	▶ <u>M39</u> 0,02 (*) ◀
0212010	Cassava					▶ <u>M42</u> — ◀	
0212020	Sweet potatoes					▶ <u>M42</u> — ◀	
0212030	Yams					▶ <u>M42</u> — ◀	
0212040	Arrowroot					▶ <u>M42</u> — ◀	
0212990	Others					▶ <u>M42</u> — ◀	

▼ M5

(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
▶ <u>M61</u> — ◀				0,01 (*)		2 (*)	
▶ <u>M61</u> 0,02 (*) ◀	0,01 (*)		▶ <u>M54</u> 0,01 (*) ◀				
		▶ <u>M15</u> 0,1 ◀			▶ <u>M78</u> 0,03 ◀		0,1
		▶ <u>M15</u> 0,05 (*) ◀			▶ <u>M78</u> 0,01 ◀		0,01 (*)

▼ M5

(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)
					▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀		
					▶ <u>M32</u> — ◀		
			0,01 (*)	0,01 (*)	▶ <u>M32</u> — ◀	▶ <u>M70</u> — ◀	
	▶ <u>M16</u> 0,01 (*) ◀	1			▶ <u>M32</u> — ◀	▶ <u>M70</u> 0,02 (*) ◀	▶ <u>M74</u> 0,01 (*) ◀
0,01 (*)					▶ <u>M32</u> — ◀	▶ <u>M25</u> — ◀	
0,01 (*)					▶ <u>M32</u> — ◀	▶ <u>M25</u> — ◀	
					▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀		
					▶ <u>M32</u> — ◀		

▼ M5

(25)	
▶ <u>M32</u> — ◀	
▶ <u>M32</u> — ◀	
▶ <u>M32</u> — ◀	
▶ <u>M32</u> — ◀	
▶ <u>M32</u> — ◀	
▶ <u>M32</u> — ◀	
▶ <u>M32</u> — ◀	
▶ <u>M32</u> — ◀	
▶ <u>M32</u> — ◀	
▶ <u>M32</u> — ◀	
▶ <u>M32</u> — ◀	
<hr/>	
▶ <u>M32</u> — ◀	
▶ <u>M32</u> — ◀	
<hr/>	
▶ <u>M32</u> — ◀	
<hr/>	
▶ <u>M32</u> — ◀	
▶ <u>M32</u> — ◀	
<hr/>	
▶ <u>M32</u> — ◀	
▶ <u>M32</u> — ◀	
▶ <u>M32</u> — ◀	
▶ <u>M32</u> — ◀	
<hr/>	
▶ <u>M32</u> — ◀	

## ▼ M5

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)
0213000	(c) <i>Other root and tuber vegetables except sugar beet</i>					► <u>M42</u> — ◀	► <u>M14</u> — ◀
0213010	Beetroot		► <u>M74</u> 0,06 ◀			► <u>M42</u> — ◀	► <u>M39</u> 0,02 (*) ◀
0213020	Carrots		► <u>M74</u> 0,08 ◀			► <u>M42</u> — ◀	► <u>M39</u> 0,05 ◀
0213030	Celeriac		► <u>M74</u> 0,06 ◀			► <u>M42</u> — ◀	► <u>M39</u> 0,02 (*) ◀
0213040	Horseradish		► <u>M74</u> 0,06 ◀			► <u>M42</u> — ◀	► <u>M39</u> 0,02 (*) ◀
0213050	Jerusalem artichokes		► <u>M74</u> 0,06 ◀			► <u>M42</u> — ◀	► <u>M39</u> 0,02 (*) ◀
0213060	Parsnips		► <u>M74</u> 0,06 ◀			► <u>M42</u> — ◀	► <u>M39</u> 0,02 (*) ◀
0213070	Parsley root		► <u>M74</u> 0,06 ◀			► <u>M42</u> — ◀	► <u>M39</u> 0,02 (*) ◀
0213080	Radishes		► <u>M74</u> 0,5 ◀			► <u>M42</u> — ◀	► <u>M39</u> 0,02 (*) ◀
0213090	Salsify		► <u>M74</u> 0,06 ◀			► <u>M42</u> — ◀	► <u>M39</u> 0,02 (*) ◀
0213100	Swedes		► <u>M74</u> 0,06 ◀			► <u>M42</u> — ◀	► <u>M39</u> 0,02 (*) ◀
0213110	Turnips		► <u>M74</u> 0,06 ◀			► <u>M42</u> — ◀	► <u>M39</u> 0,02 (*) ◀
0213990	Others		► <u>M74</u> 0,06 ◀			► <u>M42</u> — ◀	► <u>M39</u> 0,02 (*) ◀
0220000	(ii) <b>Bulb vegetables</b>		► <u>M74</u> 0,01 (*) ◀	0,01 (*)		► <u>M42</u> — ◀	► <u>M39</u> 0,02 (*) ◀
0220010	Garlic					► <u>M42</u> — ◀	
0220020	Onions					► <u>M42</u> — ◀	
0220030	Shallots					► <u>M42</u> — ◀	
0220040	Spring onions					► <u>M42</u> — ◀	
0220990	Others					► <u>M42</u> — ◀	
0230000	(iii) <b>Fruiting vegetables</b>					► <u>M42</u> — ◀	
0231000	(a) <i>Solanacea</i>					► <u>M42</u> — ◀	► <u>M39</u> 0,05 ◀

▼ M5

(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
		▶ <u>M15</u> 0,05 (*) ◀			▶ <u>M78</u> 0,15 ◀		0,01 (*)
					▶ <u>M61</u> — ◀ ▶ <u>M61</u> — ◀ ▶ <u>M61</u> — ◀ ▶ <u>M61</u> — ◀ ▶ <u>M61</u> — ◀  ▶ <u>M61</u> — ◀ ▶ <u>M61</u> — ◀ ▶ <u>M61</u> — ◀ ▶ <u>M61</u> — ◀ ▶ <u>M61</u> — ◀ ▶ <u>M61</u> — ◀		
					▶ <u>M61</u> — ◀		
▶ <u>M61</u> 0,02 (*) ◀	0,01 (*)	▶ <u>M15</u> 0,05 (*) ◀	▶ <u>M54</u> 0,01 (*) ◀		▶ <u>M30</u> — ◀		0,01 (*)
					▶ <u>M78</u> 0,3 ◀ ▶ <u>M78</u> 1 ◀ ▶ <u>M78</u> 0,3 ◀ ▶ <u>M78</u> 10 ◀		
					▶ <u>M78</u> 0,01 (*) ◀		
							0,01 (*)
▶ <u>M61</u> — ◀	0,01 (*)				▶ <u>M78</u> 1 ◀		



▼ M5

(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)
					▶ <u>M32</u> — ◀	▶ <u>M25</u> — ◀	
0,01 (*)					▶ <u>M32</u> — ◀		
0,01 (*)					▶ <u>M32</u> — ◀		
0,01 (*)					▶ <u>M32</u> — ◀		
0,01 (*)					▶ <u>M32</u> — ◀		
0,01 (*)					▶ <u>M32</u> — ◀		
0,01 (*)					▶ <u>M32</u> — ◀		
0,01 (*)					▶ <u>M32</u> — ◀		
0,01 (*)					▶ <u>M32</u> — ◀		
0,05					▶ <u>M32</u> — ◀		
0,05					▶ <u>M32</u> — ◀		
0,01 (*)					▶ <u>M32</u> — ◀		
0,01 (*)	▶ <u>M16</u> 0,02 (*) ◀				▶ <u>M32</u> — ◀	▶ <u>M70</u> 0,02 (*) ◀	▶ <u>M11</u> — ◀
		1			▶ <u>M32</u> — ◀	▶ <u>M25</u> — ◀	▶ <u>M74</u> 0,01 (*) ◀
		5			▶ <u>M32</u> — ◀	▶ <u>M25</u> — ◀	▶ <u>M74</u> 0,1 ◀
		1			▶ <u>M32</u> — ◀	▶ <u>M25</u> — ◀	▶ <u>M74</u> 0,01 (*) ◀
		1			▶ <u>M32</u> — ◀	▶ <u>M25</u> — ◀	▶ <u>M74</u> 7 ◀
		1			▶ <u>M32</u> — ◀	▶ <u>M25</u> — ◀	▶ <u>M74</u> 0,01 (*) ◀
0,01 (*)	▶ <u>M16</u> 0,01 (*) ◀	1			▶ <u>M32</u> — ◀	▶ <u>M70</u> 0,02 (*) ◀	
					▶ <u>M32</u> — ◀		



## ▼ M5

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)
0231010	Tomatoes		► <u>M74</u> 0,6 ◄	0,05		► <u>M42</u> — ◄	► <u>M27</u> — ◄
0231020	Peppers		► <u>M74</u> 1 ◄	0,01 (*)		► <u>M42</u> — ◄	► <u>M27</u> — ◄
0231030	Aubergines (egg plants)		► <u>M74</u> 0,6 ◄	0,01 (*)		► <u>M42</u> — ◄	► <u>M27</u> — ◄
0231040	Okra, lady's fingers		► <u>M74</u> 0,6 ◄	0,01 (*)		► <u>M42</u> — ◄	► <u>M27</u> — ◄
0231990	Others		► <u>M74</u> 0,6 ◄	0,01 (*)		► <u>M42</u> — ◄	► <u>M27</u> — ◄
0232000	(b) <i>Cucurbits</i> — <i>edible peel</i>		► <u>M74</u> 0,3 ◄	0,01 (*)		► <u>M42</u> — ◄	► <u>M39</u> 0,02 (*) ◄
0232010	Cucumbers					► <u>M42</u> — ◄	
0232020	Gherkins					► <u>M42</u> — ◄	
0232030	Courgettes					► <u>M42</u> — ◄	
0232990	Others					► <u>M42</u> — ◄	
0233000	(c) <i>Cucurbits</i> — <i>inedible peel</i>		► <u>M74</u> 0,3 ◄	0,01 (*)		► <u>M42</u> — ◄	► <u>M39</u> 0,02 (*) ◄
0233010	Melons					► <u>M42</u> — ◄	
0233020	Pumpkins					► <u>M42</u> — ◄	
0233030	Watermelons					► <u>M42</u> — ◄	
0233990	Others					► <u>M42</u> — ◄	
0234000	(d) <i>Sweet corn</i>		► <u>M74</u> 0,2 ◄	0,01 (*)		► <u>M42</u> — ◄	► <u>M39</u> 0,02 (*) ◄
0239000	(e) <i>Other fruiting vegetables</i>		► <u>M74</u> 0,2 ◄	0,01 (*)		► <u>M42</u> — ◄	► <u>M39</u> 0,02 (*) ◄
0240000	(iv) <b>Brassica vegetables</b>			0,01 (*)		► <u>M42</u> — ◄	► <u>M27</u> — ◄
0241000	(a) <i>Flowering brassica</i>					► <u>M42</u> — ◄	► <u>M39</u> — ◄
0241010	Broccoli		► <u>M74</u> 1 ◄			► <u>M42</u> — ◄	► <u>M39</u> 0,02 (*) ◄
0241020	Cauliflower		► <u>M74</u> 0,3 ◄			► <u>M42</u> — ◄	► <u>M39</u> 0,05 ◄

▼ M5

(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
▶ <u>M61</u> 0,02 (*) ◀ ▶ <u>M61</u> 0,04 ◀ ▶ <u>M61</u> 0,02 (*) ◀ ▶ <u>M61</u> 0,02 (*) ◀		▶ <u>M15</u> 0,3 ◀ ▶ <u>M15</u> 0,15 ◀ ▶ <u>M15</u> 0,3 ◀ ▶ <u>M15</u> 0,05 (*) ◀	▶ <u>M54</u> 0,2 ◀ ▶ <u>M54</u> 0,2 ◀ ▶ <u>M54</u> 0,2 ◀ ▶ <u>M54</u> 0,01 (*) ◀		▶ <u>M30</u> — ◀ ▶ <u>M30</u> — ◀ ▶ <u>M30</u> — ◀ ▶ <u>M30</u> — ◀		
▶ <u>M61</u> 0,02 (*) ◀		▶ <u>M15</u> 0,05 (*) ◀	▶ <u>M54</u> 0,01 (*) ◀		▶ <u>M30</u> — ◀		
	0,01 (*)		▶ <u>M54</u> 0,15 ◀		▶ <u>M78</u> 0,5 ◀		
▶ <u>M61</u> 0,04 ◀ ▶ <u>M61</u> 0,08 ◀ ▶ <u>M61</u> 0,05 ◀		▶ <u>M15</u> 0,5 ◀ ▶ <u>M15</u> 0,5 ◀ ▶ <u>M15</u> 0,5 ◀			▶ <u>M30</u> — ◀ ▶ <u>M30</u> — ◀ ▶ <u>M30</u> — ◀		
▶ <u>M61</u> 0,02 (*) ◀		▶ <u>M15</u> 0,05 (*) ◀			▶ <u>M30</u> — ◀		
▶ <u>M61</u> 0,04 ◀			▶ <u>M54</u> 0,06 ◀		▶ <u>M78</u> 0,5 ◀		
▶ <u>M61</u> — ◀ ▶ <u>M61</u> — ◀ ▶ <u>M61</u> — ◀	1 0,01 (*) 0,01 (*)	▶ <u>M15</u> 0,3 ◀ ▶ <u>M15</u> 0,3 ◀ ▶ <u>M15</u> 0,3 ◀					
▶ <u>M61</u> — ◀	0,01 (*)	▶ <u>M15</u> 0,05 (*) ◀					
▶ <u>M61</u> 0,02 (*) ◀	0,01 (*)	▶ <u>M15</u> 0,05 (*) ◀	▶ <u>M54</u> 0,02 ◀		▶ <u>M78</u> 0,01 (*) ◀		
▶ <u>M61</u> 0,02 (*) ◀	0,01 (*)	▶ <u>M15</u> 0,05 (*) ◀	▶ <u>M54</u> 0,01 (*) ◀		▶ <u>M78</u> 0,01 (*) ◀		
▶ <u>M61</u> 0,02 (*) ◀	0,01 (*)	▶ <u>M15</u> 0,05 (*) ◀	▶ <u>M27</u> — ◀				0,01 (*)
			▶ <u>M54</u> 0,01 (*) ◀		▶ <u>M78</u> 2 ◀		

▼ M5

(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)
					▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀	▶ <u>M25</u> — ◀ ▶ <u>M25</u> — ◀ ▶ <u>M25</u> — ◀ ▶ <u>M25</u> — ◀	▶ <u>M74</u> 3 ◀ ▶ <u>M74</u> 1 ◀ ▶ <u>M74</u> 1 ◀ ▶ <u>M74</u> 0,01 (*) ◀
					▶ <u>M32</u> — ◀	▶ <u>M25</u> — ◀	▶ <u>M74</u> 0,01 (*) ◀
					▶ <u>M32</u> — ◀	▶ <u>M25</u> — ◀	
					▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀		▶ <u>M74</u> 0,2 ◀ ▶ <u>M74</u> 0,1 ◀ ▶ <u>M74</u> 0,2 ◀
					▶ <u>M32</u> — ◀		▶ <u>M74</u> 0,1 ◀
					▶ <u>M32</u> — ◀		▶ <u>M11</u> — ◀
					▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀	▶ <u>M25</u> — ◀ ▶ <u>M25</u> — ◀ ▶ <u>M25</u> — ◀	▶ <u>M74</u> 0,5 ◀ ▶ <u>M74</u> 0,3 ◀ ▶ <u>M74</u> 0,3 ◀
					▶ <u>M32</u> — ◀	▶ <u>M25</u> — ◀	▶ <u>M74</u> 0,3 ◀
					▶ <u>M32</u> — ◀	▶ <u>M25</u> — ◀	▶ <u>M74</u> 0,01 (*) ◀
					▶ <u>M32</u> — ◀	▶ <u>M25</u> — ◀	▶ <u>M74</u> 0,01 (*) ◀
0,01 (*)	▶ <u>M16</u> 0,01 (*) ◀	1			▶ <u>M32</u> — ◀	▶ <u>M70</u> 0,02 (*) ◀	▶ <u>M11</u> — ◀
					▶ <u>M32</u> — ◀		
					▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀		▶ <u>M74</u> 2 ◀ ▶ <u>M74</u> 0,01 (*) ◀



▼ **M5**

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)
0241990	Others		► <b>M74</b> 0,3 ◄			► <b>M42</b> — ◄	► <b>M39</b> 0,02 (*) ◄
0242000	(b) <i>Head brassica</i>					► <b>M42</b> — ◄	► <b>M39</b> 0,02 (*) ◄
0242010	Brussels sprouts		► <b>M74</b> 0,01 (*) ◄			► <b>M42</b> — ◄	
0242020	Head cabbage		► <b>M74</b> 2 ◄			► <b>M42</b> — ◄	
0242990	Others		► <b>M74</b> 0,01 (*) ◄			► <b>M42</b> — ◄	
0243000	(c) <i>Leafy brassica</i>		► <b>M74</b> 20 ◄			► <b>M42</b> — ◄	► <b>M39</b> 2 ◄
0243010	Chinese cabbage					► <b>M42</b> — ◄	
0243020	Kale					► <b>M42</b> — ◄	
0243990	Others					► <b>M42</b> — ◄	
0244000	(d) <i>Kohlrabi</i>		► <b>M74</b> 0,01 (*) ◄			► <b>M42</b> — ◄	► <b>M39</b> 0,02 (*) ◄
0250000	(v) <b>Leaf vegetables &amp; fresh herbs</b>		► <b>M74</b> 20 ◄	0,01 (*)		► <b>M42</b> — ◄	
0251000	(a) <i>Lettuce and other salad plants including Brassicacea</i>		► <b>M11</b> — ◄			► <b>M42</b> — ◄	► <b>M39</b> 2 ◄
0251010	Lamb's lettuce					► <b>M42</b> — ◄	
0251020	Lettuce					► <b>M42</b> — ◄	
0251030	Scarole (broad-leaf endive)					► <b>M42</b> — ◄	
0251040	Cress					► <b>M42</b> — ◄	
0251050	Land cress					► <b>M42</b> — ◄	
0251060	Rocket, Rucola					► <b>M42</b> — ◄	

▼ M5

(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
			▶ <u>M54</u> 0,01 (*) ◀ ▶ <u>M54</u> 4 ◀		▶ <u>M78</u> 0,2 ◀ ▶ <u>M78</u> 0,2 ◀		
			▶ <u>M54</u> 0,01 (*) ◀		▶ <u>M78</u> 0,01 (*) ◀		
			▶ <u>M54</u> 0,01 (*) ◀		▶ <u>M30</u> — ◀		
					▶ <u>M78</u> 2 ◀ ▶ <u>M78</u> 2 ◀		
					▶ <u>M78</u> 0,1 ◀		
			▶ <u>M54</u> 0,01 (*) ◀		▶ <u>M78</u> 0,03 ◀		
▶ <u>M61</u> 0,02 (*) ◀	0,01 (*)	▶ <u>M15</u> 0,05 (*) ◀	▶ <u>M27</u> — ◀		▶ <u>M30</u> — ◀		0,01 (*)
			▶ <u>M54</u> 0,01 (*) ◀ ▶ <u>M54</u> 7 ◀ ▶ <u>M54</u> 0,01 (*) ◀ ▶ <u>M54</u> 0,01 (*) ◀ ▶ <u>M54</u> 0,01 (*) ◀ ▶ <u>M54</u> 0,01 (*) ◀		▶ <u>M78</u> 9 ◀ ▶ <u>M78</u> 9 ◀ ▶ <u>M78</u> 1,5 ◀ ▶ <u>M78</u> 9 ◀ ▶ <u>M78</u> 9 ◀ ▶ <u>M78</u> 9 ◀		



▼ M5

(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)
					▶ <u>M32</u> — ◀		▶ <u>M74</u> 0,01 (*) ◀
					▶ <u>M32</u> — ◀		
					▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀		▶ <u>M74</u> 0,01 (*) ◀ ▶ <u>M74</u> 3 ◀
					▶ <u>M32</u> — ◀		▶ <u>M74</u> 0,01 (*) ◀
					▶ <u>M32</u> — ◀		▶ <u>M74</u> 25 ◀
					▶ <u>M32</u> — ◀		
					▶ <u>M32</u> — ◀		
					▶ <u>M32</u> — ◀		▶ <u>M74</u> 0,01 (*) ◀
0,01 (*)	▶ <u>M16</u> 0,01 (*) ◀	1			▶ <u>M32</u> — ◀		
					▶ <u>M32</u> — ◀	▶ <u>M25</u> — ◀	▶ <u>M74</u> 25 ◀
					▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀	▶ <u>M70</u> 0,02 (*) ◀ ▶ <u>M70</u> 0,5 ◀ ▶ <u>M70</u> 0,02 (*) ◀ ▶ <u>M70</u> 0,02 (*) ◀ ▶ <u>M70</u> 0,02 (*) ◀ ▶ <u>M70</u> 0,02 (*) ◀	▶ <u>M11</u> — ◀ ▶ <u>M11</u> — ◀ ▶ <u>M11</u> — ◀ ▶ <u>M11</u> — ◀ ▶ <u>M11</u> — ◀ ▶ <u>M11</u> — ◀



## ▼ M5

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)
0251070	Red mustard					► <u>M42</u> — ◀	
0251080	Leaves and sprouts of <i>Brassica spp.</i>					► <u>M42</u> — ◀	
0251990	Others					► <u>M42</u> — ◀	
0252000	(b) <i>Spinach</i> & similar (leaves)		► <u>M11</u> — ◀			► <u>M42</u> — ◀	► <u>M39</u> 2 ◀
0252010	Spinach					► <u>M42</u> — ◀	
0252020	Purslane					► <u>M42</u> — ◀	
0252030	Beet leaves (chard)					► <u>M42</u> — ◀	
0252990	Others					► <u>M42</u> — ◀	
0253000	(c) <i>Vine leaves</i> ( <i>grape leaves</i> )		► <u>M11</u> — ◀			► <u>M42</u> — ◀	► <u>M39</u> 0,02 (*) ◀
0254000	(d) <i>Water cress</i>		► <u>M11</u> — ◀			► <u>M42</u> — ◀	► <u>M39</u> 2 ◀
0255000	(e) <i>Witloof</i>		► <u>M11</u> — ◀			► <u>M42</u> — ◀	► <u>M39</u> 0,04 ◀
0256000	(f) <i>Herbs</i>		► <u>M11</u> — ◀			► <u>M42</u> — ◀	► <u>M27</u> — ◀
0256010	Chervil					► <u>M42</u> — ◀	► <u>M39</u> 2 ◀
0256020	Chives					► <u>M42</u> — ◀	► <u>M39</u> 1,5 ◀
0256030	Celery leaves					► <u>M42</u> — ◀	► <u>M39</u> 1,5 ◀
0256040	Parsley					► <u>M42</u> — ◀	► <u>M39</u> 1,5 ◀
0256050	Sage					► <u>M42</u> — ◀	► <u>M39</u> 1,5 ◀
0256060	Rosemary					► <u>M42</u> — ◀	► <u>M39</u> 1,5 ◀
0256070	Thyme					► <u>M42</u> — ◀	► <u>M39</u> 1,5 ◀
0256080	Basil					► <u>M42</u> — ◀	► <u>M39</u> 1,5 ◀

▼ M5

(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
			▶ <u>M54</u> 0,01 (*) ◀ ▶ <u>M54</u> 0,01 (*) ◀		▶ <u>M78</u> 9 ◀ ▶ <u>M78</u> 9 ◀		
			▶ <u>M54</u> 0,01 (*) ◀		▶ <u>M78</u> 9 ◀		
					▶ <u>M78</u> 4 ◀		
			▶ <u>M54</u> 10 ◀ ▶ <u>M54</u> 0,01 (*) ◀ ▶ <u>M54</u> 0,01 (*) ◀				
			▶ <u>M54</u> 0,01 (*) ◀				
			▶ <u>M54</u> 0,01 (*) ◀		▶ <u>M78</u> 0,01 (*) ◀		
			▶ <u>M54</u> 0,01 (*) ◀		▶ <u>M78</u> 0,01 (*) ◀		
			▶ <u>M54</u> 0,01 (*) ◀		▶ <u>M78</u> 0,01 (*) ◀		
			▶ <u>M54</u> 0,01 (*) ◀		▶ <u>M78</u> 9 ◀		

▼ M5

(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)
					▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀	▶ <u>M70</u> 0,02 (*) ◀ ▶ <u>M70</u> 0,02 (*) ◀	▶ <u>M11</u> — ◀ ▶ <u>M11</u> — ◀
					▶ <u>M32</u> — ◀	▶ <u>M70</u> 0,02 (*) ◀	▶ <u>M11</u> — ◀
					▶ <u>M32</u> — ◀	▶ <u>M70</u> 0,02 (*) ◀	▶ <u>M74</u> 25 ◀
					▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀	▶ <u>M25</u> — ◀ ▶ <u>M25</u> — ◀ ▶ <u>M25</u> — ◀	▶ <u>M11</u> — ◀ ▶ <u>M11</u> — ◀ ▶ <u>M11</u> — ◀
					▶ <u>M32</u> — ◀	▶ <u>M25</u> — ◀	▶ <u>M11</u> — ◀
					▶ <u>M32</u> — ◀	▶ <u>M70</u> 0,02 (*) ◀	▶ <u>M74</u> 0,01 (*) ◀
					▶ <u>M32</u> — ◀	▶ <u>M70</u> 0,02 (*) ◀	▶ <u>M74</u> 25 ◀
					▶ <u>M32</u> — ◀	▶ <u>M70</u> 0,02 (*) ◀	▶ <u>M74</u> 0,01 (*) ◀
					▶ <u>M32</u> — ◀	▶ <u>M70</u> 0,02 (*) ◀	▶ <u>M74</u> 10 ◀
					▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀		



## ▼ M5

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)
0256090	Bay leaves (laurel)					► <u>M42</u> — ◀	► <u>M39</u> 1,5 ◀
0256100	Tarragon					► <u>M42</u> — ◀	► <u>M39</u> 1,5 ◀
0256990	Others					► <u>M42</u> — ◀	► <u>M39</u> 1,5 ◀
0260000	(vi) <b>Legume vegetables (fresh)</b>		► <u>M27</u> — ◀	0,01 (*)		► <u>M42</u> — ◀	
0260010	Beans (with pods)		► <u>M74</u> 0,8 ◀			► <u>M42</u> — ◀	► <u>M39</u> 0,2 ◀
0260020	Beans (without pods)		► <u>M74</u> 0,01 (*) ◀			► <u>M42</u> — ◀	► <u>M39</u> 0,02 (*) ◀
0260030	Peas (with pods)		► <u>M74</u> 0,01 (*) ◀			► <u>M42</u> — ◀	► <u>M39</u> 0,2 ◀
0260040	Peas (without pods)		► <u>M74</u> 0,01 (*) ◀			► <u>M42</u> — ◀	► <u>M39</u> 0,02 (*) ◀
0260050	Lentils		► <u>M74</u> 0,01 (*) ◀			► <u>M42</u> — ◀	► <u>M39</u> 0,02 (*) ◀
0260990	Others		► <u>M74</u> 0,01 (*) ◀			► <u>M42</u> — ◀	► <u>M39</u> 0,02 (*) ◀
0270000	(vii) <b>Stem vegetables (fresh)</b>			0,01 (*)		► <u>M42</u> — ◀	► <u>M27</u> — ◀
0270010	Asparagus		► <u>M74</u> 0,01 (*) ◀			► <u>M42</u> — ◀	► <u>M39</u> 0,04 ◀
0270020	Cardoons		► <u>M74</u> 0,01 (*) ◀			► <u>M42</u> — ◀	► <u>M39</u> 0,04 ◀
0270030	Celery		► <u>M74</u> 10 ◀			► <u>M42</u> — ◀	► <u>M39</u> 0,04 ◀
0270040	Fennel		► <u>M74</u> 0,01 (*) ◀			► <u>M42</u> — ◀	► <u>M39</u> 0,02 (*) ◀
0270050	Globe artichokes		► <u>M74</u> 2 ◀			► <u>M42</u> — ◀	► <u>M39</u> 0,05 ◀
0270060	Leek		► <u>M74</u> 0,01 (*) ◀			► <u>M42</u> — ◀	► <u>M39</u> 0,02 (*) ◀
0270070	Rhubarb		► <u>M74</u> 0,01 (*) ◀			► <u>M42</u> — ◀	► <u>M39</u> 0,04 ◀
0270080	Bamboo shoots		► <u>M74</u> 0,01 (*) ◀			► <u>M42</u> — ◀	► <u>M39</u> 0,04 ◀
0270090	Palm hearts		► <u>M74</u> 0,01 (*) ◀			► <u>M42</u> — ◀	► <u>M39</u> 0,04 ◀
0270990	Others		► <u>M74</u> 0,01 (*) ◀			► <u>M42</u> — ◀	► <u>M39</u> 0,04 ◀

▼ M5

(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
▶ <u>M61</u> 0,02 (*) ◀	0,01 (*)	▶ <u>M15</u> 0,05 (*) ◀	▶ <u>M14</u> — ◀		▶ <u>M78</u> 0,01 (*) ◀		0,01 (*)
			▶ <u>M54</u> 0,5 ◀ ▶ <u>M54</u> 0,5 ◀  ▶ <u>M54</u> 1,5 ◀ ▶ <u>M54</u> 0,01 (*) ◀ ▶ <u>M54</u> 0,01 (*) ◀				
			▶ <u>M54</u> 0,01 (*) ◀				
▶ <u>M61</u> 0,02 (*) ◀	0,01 (*)	▶ <u>M15</u> 0,05 (*) ◀	▶ <u>M27</u> — ◀				0,01 (*)
			▶ <u>M54</u> 0,01 (*) ◀ ▶ <u>M54</u> 0,01 (*) ◀ ▶ <u>M54</u> 5 ◀ ▶ <u>M54</u> 0,01 (*) ◀ ▶ <u>M54</u> 0,01 (*) ◀ ▶ <u>M54</u> 0,01 (*) ◀ ▶ <u>M54</u> 0,01 (*) ◀ ▶ <u>M54</u> 0,01 (*) ◀ ▶ <u>M54</u> 0,01 (*) ◀		▶ <u>M78</u> 0,01 (*) ◀ ▶ <u>M78</u> 0,01 (*) ◀ ▶ <u>M78</u> 0,01 (*) ◀ ▶ <u>M78</u> 0,01 (*) ◀ ▶ <u>M78</u> 0,01 (*) ◀ ▶ <u>M78</u> 0,01 (*) ◀ ▶ <u>M78</u> 1,5 ◀ ▶ <u>M78</u> 0,01 (*) ◀ ▶ <u>M78</u> 0,01 (*) ◀ ▶ <u>M78</u> 0,01 (*) ◀		
			▶ <u>M54</u> 0,01 (*) ◀		▶ <u>M78</u> 0,01 (*) ◀		



▼ M5

(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)
					▶ <u>M32</u> — ◀		
					▶ <u>M32</u> — ◀		
					▶ <u>M32</u> — ◀		
0,01 (*)	▶ <u>M16</u> 0,01 (*) ◀	1			▶ <u>M32</u> — ◀	▶ <u>M70</u> 0,02 (*) ◀	▶ <u>M74</u> 0,01 (*) ◀
	0,05				▶ <u>M32</u> — ◀	▶ <u>M25</u> — ◀	
	0,05				▶ <u>M32</u> — ◀	▶ <u>M25</u> — ◀	
	0,05				▶ <u>M32</u> — ◀	▶ <u>M25</u> — ◀	
	0,05				▶ <u>M32</u> — ◀	▶ <u>M25</u> — ◀	
	0,01 (*)				▶ <u>M32</u> — ◀	▶ <u>M25</u> — ◀	
	0,01 (*)				▶ <u>M32</u> — ◀	▶ <u>M25</u> — ◀	
0,01 (*)	▶ <u>M16</u> 0,01 (*) ◀	1			▶ <u>M32</u> — ◀	▶ <u>M70</u> 0,02 (*) ◀	▶ <u>M11</u> — ◀
					▶ <u>M32</u> — ◀	▶ <u>M25</u> — ◀	▶ <u>M74</u> 0,01 (*) ◀
					▶ <u>M32</u> — ◀	▶ <u>M25</u> — ◀	▶ <u>M74</u> 0,01 (*) ◀
					▶ <u>M32</u> — ◀	▶ <u>M25</u> — ◀	▶ <u>M74</u> 20 ◀
					▶ <u>M32</u> — ◀	▶ <u>M25</u> — ◀	▶ <u>M74</u> 0,01 (*) ◀
					▶ <u>M32</u> — ◀	▶ <u>M25</u> — ◀	▶ <u>M74</u> 0,01 (*) ◀
					▶ <u>M32</u> — ◀	▶ <u>M25</u> — ◀	▶ <u>M74</u> 0,01 (*) ◀
					▶ <u>M32</u> — ◀	▶ <u>M25</u> — ◀	▶ <u>M74</u> 0,01 (*) ◀
					▶ <u>M32</u> — ◀	▶ <u>M25</u> — ◀	▶ <u>M74</u> 0,01 (*) ◀
					▶ <u>M32</u> — ◀	▶ <u>M25</u> — ◀	▶ <u>M74</u> 0,01 (*) ◀
					▶ <u>M32</u> — ◀	▶ <u>M25</u> — ◀	▶ <u>M74</u> 0,01 (*) ◀
					▶ <u>M32</u> — ◀	▶ <u>M25</u> — ◀	▶ <u>M74</u> 0,01 (*) ◀
					▶ <u>M32</u> — ◀	▶ <u>M25</u> — ◀	▶ <u>M74</u> 0,01 (*) ◀
					▶ <u>M32</u> — ◀	▶ <u>M25</u> — ◀	▶ <u>M74</u> 0,01 (*) ◀



▼ **M5**

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)
0280000	(viii) <b>Fungi</b>		► <b>M74</b> 0,01 (*) ◀	0,01 (*)		► <b>M42</b> — ◀	► <b>M39</b> 0,05 ◀
0280010	Cultivated					► <b>M42</b> — ◀	
0280020	Wild					► <b>M42</b> — ◀	
0280990	Others					► <b>M42</b> — ◀	
0290000	(ix) <b>Sea weeds</b>		► <b>M74</b> 0,01 (*) ◀	0,01 (*)		► <b>M42</b> — ◀	► <b>M39</b> 0,02 (*) ◀
0300000	<b>3. PULSES, DRY</b>	► <b>M47</b> 0,01 (*) ◀	► <b>M74</b> 0,01 (*) ◀	0,01 (*)	► <b>M72</b> 0,01 (*) ◀	► <b>M42</b> — ◀	► <b>M39</b> 0,02 (*) ◀
0300010	Beans					► <b>M42</b> — ◀	
0300020	Lentils					► <b>M42</b> — ◀	
0300030	Peas					► <b>M42</b> — ◀	
0300040	Lupins					► <b>M42</b> — ◀	
0300990	Others					► <b>M42</b> — ◀	
0400000	<b>4. OILSEEDS AND OILFRUITS</b>	► <b>M37</b> — ◀		0,01 (*)	► <b>M72</b> 0,01 (*) ◀	► <b>M42</b> — ◀	
0401000	(i) <b>Oilseeds</b>					► <b>M42</b> — ◀	
0401010	Linseed	► <b>M47</b> 0,01 (*) ◀	► <b>M74</b> 0,01 (*) ◀			► <b>M42</b> — ◀	► <b>M39</b> 0,02 (*) ◀
0401020	Peanuts	► <b>M47</b> 0,01 (*) ◀	► <b>M74</b> 0,01 (*) ◀			► <b>M42</b> — ◀	► <b>M39</b> 0,02 (*) ◀
0401030	Poppy seed	► <b>M47</b> 0,01 (*) ◀	► <b>M74</b> 0,01 (*) ◀			► <b>M42</b> — ◀	► <b>M39</b> 0,02 (*) ◀
0401040	Sesame seed	► <b>M47</b> 0,01 (*) ◀	► <b>M74</b> 0,01 (*) ◀			► <b>M42</b> — ◀	► <b>M39</b> 0,02 (*) ◀
0401050	Sunflower seed	► <b>M47</b> 0,01 (*) ◀	► <b>M74</b> 2 ◀			► <b>M42</b> — ◀	► <b>M39</b> 0,02 (*) ◀
0401060	Rape seed	► <b>M47</b> 0,03 ◀	► <b>M74</b> 2 ◀			► <b>M42</b> — ◀	► <b>M39</b> 0,02 (*) ◀
0401070	Soya bean	► <b>M47</b> 0,01 (*) ◀	► <b>M74</b> 0,01 (*) ◀			► <b>M42</b> — ◀	► <b>M39</b> 0,02 (*) ◀

▼ M5

(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
▶ <u>M61</u> 0,02 (*) ◀	0,01 (*)	▶ <u>M15</u> 0,05 (*) ◀	▶ <u>M54</u> 0,01 (*) ◀		▶ <u>M78</u> 0,01 (*) ◀		0,01 (*)
▶ <u>M61</u> 0,02 (*) ◀	0,01 (*)	▶ <u>M15</u> 0,05 (*) ◀	▶ <u>M54</u> 0,01 (*) ◀		▶ <u>M78</u> 0,01 (*) ◀		0,01 (*)
▶ <u>M61</u> 0,02 (*) ◀	0,01 (*)	▶ <u>M15</u> 0,05 (*) ◀	▶ <u>M54</u> 1 ◀	0,01 (*)	▶ <u>M78</u> 0,01 (*) ◀	2 (*)	0,01 (*)
▶ <u>M61</u> 0,02 (*) ◀	0,01 (*)	▶ <u>M15</u> 0,05 (*) ◀	▶ <u>M27</u> — ◀	0,01 (*)	▶ <u>M78</u> 0,01 (*) ◀	2 (*)	0,01 (*)
			▶ <u>M54</u> 0,01 (*) ◀ ▶ <u>M54</u> 0,01 (*) ◀ ▶ <u>M54</u> 0,01 (*) ◀ ▶ <u>M54</u> 0,01 (*) ◀ ▶ <u>M54</u> 0,01 (*) ◀ ▶ <u>M54</u> 0,01 (*) ◀ ▶ <u>M54</u> 0,01 (*) ◀				

▼ M5

(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)
0,01 (*)	▶ <u>M16</u> 0,01 (*) ◀	1			▶ <u>M32</u> — ◀	▶ <u>M70</u> 0,02 (*) ◀	▶ <u>M74</u> 0,01 (*) ◀
					▶ <u>M32</u> — ◀		
					▶ <u>M32</u> — ◀		
0,01 (*)	▶ <u>M16</u> 0,01 (*) ◀	1			▶ <u>M32</u> — ◀	▶ <u>M70</u> 0,02 (*) ◀	▶ <u>M74</u> 0,01 (*) ◀
0,01 (*)	▶ <u>M16</u> 0,01 (*) ◀	1	0,01 (*)	0,01 (*)	▶ <u>M32</u> — ◀	▶ <u>M70</u> 0,02 (*) ◀	▶ <u>M74</u> 0,01 (*) ◀
	0,05				▶ <u>M32</u> — ◀	▶ <u>M25</u> — ◀	
	0,01 (*)				▶ <u>M32</u> — ◀	▶ <u>M25</u> — ◀	
	0,05				▶ <u>M32</u> — ◀	▶ <u>M25</u> — ◀	
	0,01 (*)				▶ <u>M32</u> — ◀	▶ <u>M25</u> — ◀	
	0,01 (*)				▶ <u>M32</u> — ◀	▶ <u>M25</u> — ◀	
0,01 (*)		1	0,01 (*)	0,01 (*)	▶ <u>M32</u> — ◀	▶ <u>M70</u> 0,02 (*) ◀	▶ <u>M74</u> 0,01 (*) ◀
	▶ <u>M16</u> 0,02 (*) ◀				▶ <u>M32</u> — ◀		
	0,01 (*)				▶ <u>M32</u> — ◀	▶ <u>M25</u> — ◀	
	0,01 (*)				▶ <u>M32</u> — ◀	▶ <u>M25</u> — ◀	
	0,01 (*)				▶ <u>M32</u> — ◀	▶ <u>M25</u> — ◀	
	0,01 (*)				▶ <u>M32</u> — ◀	▶ <u>M25</u> — ◀	
	0,01 (*)				▶ <u>M32</u> — ◀	▶ <u>M25</u> — ◀	
	0,01 (*)				▶ <u>M32</u> — ◀	▶ <u>M25</u> — ◀	
	0,05				▶ <u>M32</u> — ◀	▶ <u>M25</u> — ◀	



## ▼ M5

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)
0401080	Mustard seed	► <u>M47</u> 0,01 (*) ◀	► <u>M74</u> 0,01 (*) ◀			► <u>M42</u> — ◀	► <u>M39</u> 0,02 (*) ◀
0401090	Cotton seed	► <u>M47</u> 0,01 (*) ◀	► <u>M74</u> 0,3 ◀			► <u>M42</u> — ◀	► <u>M39</u> 0,05 ◀
0401100	Pumpkin seeds	► <u>M47</u> 0,01 (*) ◀	► <u>M74</u> 0,01 (*) ◀			► <u>M42</u> — ◀	► <u>M39</u> 0,02 (*) ◀
0401110	Safflower	► <u>M47</u> 0,01 (*) ◀	► <u>M74</u> 0,01 (*) ◀			► <u>M42</u> — ◀	► <u>M39</u> 0,02 (*) ◀
0401120	Borage	► <u>M47</u> 0,01 (*) ◀	► <u>M74</u> 0,01 (*) ◀			► <u>M42</u> — ◀	► <u>M39</u> 0,02 (*) ◀
0401130	Gold of pleasure	► <u>M47</u> 0,01 (*) ◀	► <u>M74</u> 0,01 (*) ◀			► <u>M42</u> — ◀	► <u>M39</u> 0,02 (*) ◀
0401140	Hempseed	► <u>M47</u> 0,01 (*) ◀	► <u>M74</u> 0,01 (*) ◀			► <u>M42</u> — ◀	► <u>M39</u> 0,02 (*) ◀
0401150	Castor bean	► <u>M47</u> 0,01 (*) ◀	► <u>M74</u> 0,01 (*) ◀			► <u>M42</u> — ◀	► <u>M39</u> 0,02 (*) ◀
0401990	Others	► <u>M47</u> 0,01 (*) ◀	► <u>M74</u> 0,01 (*) ◀			► <u>M42</u> — ◀	► <u>M39</u> 0,02 (*) ◀
0402000	(ii) <b>Oilfruits</b>	► <u>M47</u> 0,01 (*) ◀	► <u>M74</u> 0,01 (*) ◀			► <u>M42</u> — ◀	► <u>M39</u> — ◀
0402010	Olives for oil production					► <u>M42</u> — ◀	► <u>M39</u> 0,09 ◀
0402020	Palm nuts (palmoil kernels)					► <u>M42</u> — ◀	► <u>M39</u> 0,02 (*) ◀
0402030	Palmfruit					► <u>M42</u> — ◀	► <u>M39</u> 0,02 (*) ◀
0402040	Kapok					► <u>M42</u> — ◀	► <u>M39</u> 0,02 (*) ◀
0402990	Others					► <u>M42</u> — ◀	► <u>M39</u> 0,02 (*) ◀
0500000	5. <b>CEREALS</b>		► <u>M27</u> — ◀	0,01 (*)	► <u>M72</u> 0,01 (*) ◀	► <u>M42</u> — ◀	► <u>M27</u> — ◀
0500010	Barley	► <u>M47</u> 0,1 ◀	► <u>M74</u> 0,02 ◀			► <u>M42</u> — ◀	► <u>M39</u> 0,04 ◀
0500020	Buckwheat	► <u>M47</u> 0,01 (*) ◀	► <u>M74</u> 0,02 ◀			► <u>M42</u> — ◀	► <u>M39</u> 0,02 (*) ◀
0500030	Maize	► <u>M47</u> 0,01 (*) ◀	► <u>M74</u> 0,02 ◀			► <u>M42</u> — ◀	► <u>M39</u> 0,02 (*) ◀
0500040	Millet	► <u>M47</u> 0,01 (*) ◀	► <u>M74</u> 0,02 ◀			► <u>M42</u> — ◀	► <u>M39</u> 0,02 (*) ◀
0500050	Oats	► <u>M47</u> 0,1 ◀	► <u>M74</u> 0,02 ◀			► <u>M42</u> — ◀	► <u>M39</u> 0,02 (*) ◀
0500060	Rice	► <u>M47</u> 0,01 (*) ◀	► <u>M74</u> 0,4 ◀			► <u>M42</u> — ◀	► <u>M39</u> 0,5 ◀
0500070	Rye	► <u>M47</u> 0,1 ◀	► <u>M74</u> 0,02 ◀			► <u>M42</u> — ◀	► <u>M39</u> 0,02 (*) ◀

▼ M5

(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
			► <u>M54</u> 0,01 (*) ◀ ► <u>M54</u> 1,5 ◀ ► <u>M54</u> 0,01 (*) ◀ ► <u>M54</u> 0,01 (*) ◀ ► <u>M54</u> 0,01 (*) ◀ ► <u>M54</u> 0,01 (*) ◀ ► <u>M54</u> 0,01 (*) ◀ ► <u>M54</u> 0,01 (*) ◀				
			► <u>M54</u> 0,01 (*) ◀				
			► <u>M54</u> 0,01 (*) ◀				
	0,01 (*)		► <u>M27</u> — ◀	0,01 (*)	► <u>M78</u> 0,01 (*) ◀	2 (*)	0,01 (*)
► <u>M61</u> 0,1 ◀ ► <u>M61</u> 0,02 (*) ◀ ► <u>M61</u> 0,02 (*) ◀ ► <u>M61</u> 0,02 (*) ◀ ► <u>M61</u> 0,1 ◀ ► <u>M61</u> 0,02 (*) ◀ ► <u>M61</u> 0,05 ◀		► <u>M15</u> 0,05 (*) ◀ ► <u>M15</u> 0,05 (*) ◀ ► <u>M15</u> 0,05 (*) ◀ ► <u>M15</u> 0,05 (*) ◀ ► <u>M15</u> 0,05 (*) ◀ ► <u>M15</u> 0,05 (*) ◀ ► <u>M15</u> 0,05 (*) ◀	► <u>M54</u> 0,01 (*) ◀ ► <u>M54</u> 0,01 (*) ◀ ► <u>M54</u> 0,02 ◀ ► <u>M54</u> 0,01 (*) ◀ ► <u>M54</u> 0,01 (*) ◀ ► <u>M54</u> 0,2 ◀ ► <u>M54</u> 0,01 (*) ◀				



▼ M5

(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)
	0,01 (*)				► <u>M32</u> — ◄	► <u>M25</u> — ◄	
	0,01 (*)				► <u>M32</u> — ◄	► <u>M25</u> — ◄	
	0,01 (*)				► <u>M32</u> — ◄	► <u>M25</u> — ◄	
	0,01 (*)				► <u>M32</u> — ◄	► <u>M25</u> — ◄	
	0,01 (*)				► <u>M32</u> — ◄	► <u>M25</u> — ◄	
	0,01 (*)				► <u>M32</u> — ◄	► <u>M25</u> — ◄	
	0,01 (*)				► <u>M32</u> — ◄	► <u>M25</u> — ◄	
	0,01 (*)				► <u>M32</u> — ◄	► <u>M25</u> — ◄	
	0,01 (*)				► <u>M32</u> — ◄	► <u>M25</u> — ◄	
	► <u>M16</u> 0,01 (*) ◄				► <u>M32</u> — ◄	► <u>M25</u> — ◄	
	► <u>M16</u> 0,02 (*) ◄				► <u>M32</u> — ◄	► <u>M25</u> — ◄	
	► <u>M16</u> 0,02 (*) ◄				► <u>M32</u> — ◄	► <u>M25</u> — ◄	
	► <u>M16</u> 0,02 (*) ◄				► <u>M32</u> — ◄	► <u>M25</u> — ◄	
	► <u>M16</u> 0,02 (*) ◄				► <u>M32</u> — ◄	► <u>M25</u> — ◄	
0,01 (*)	► <u>M16</u> 0,01 (*) ◄	1	0,01 (*)	0,01 (*)	► <u>M32</u> — ◄	► <u>M70</u> 8 ◄	► <u>M74</u> 0,01 (*) ◄
					► <u>M32</u> — ◄		
					► <u>M32</u> — ◄		
					► <u>M32</u> — ◄		
					► <u>M32</u> — ◄		
					► <u>M32</u> — ◄		
					► <u>M32</u> — ◄		
					► <u>M32</u> — ◄		



▼ **M5**

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)
0500080	Sorghum	▶ <b>M47</b> 0,01 (*) ◀	▶ <b>M74</b> 0,02 ◀			▶ <b>M42</b> — ◀	▶ <b>M39</b> 0,02 (*) ◀
0500090	Wheat	▶ <b>M47</b> 0,1 ◀	▶ <b>M74</b> 0,02 ◀			▶ <b>M42</b> — ◀	▶ <b>M39</b> 0,02 (*) ◀
0500990	Others	▶ <b>M47</b> 0,01 (*) ◀	▶ <b>M74</b> 0,02 ◀			▶ <b>M42</b> — ◀	▶ <b>M39</b> 0,02 (*) ◀
0600000	6. <b>TEA, COFFEE, HERBAL INFUSIONS AND COCOA</b>	▶ <b>M47</b> 0,02 (*) ◀	▶ <b>M74</b> 0,02 (*) ◀	0,02 (*)	▶ <b>M72</b> 0,02 (*) ◀	▶ <b>M42</b> — ◀	▶ <b>M27</b> — ◀
0610000	(i) Tea (dried leaves and stalks, fermented or otherwise of <i>Camellia sinensis</i> )					▶ <b>M42</b> — ◀	▶ <b>M39</b> 0,7 ◀
0620000	(ii) Coffee beans					▶ <b>M42</b> — ◀	▶ <b>M39</b> 0,05 (*) ◀
0630000	(iii) Herbal infusions (dried)					▶ <b>M42</b> — ◀	▶ <b>M39</b> 0,05 (*) ◀
0631000	(a) <i>Flowers</i>					▶ <b>M42</b> — ◀	
0631010	Camomille flowers					▶ <b>M42</b> — ◀	
0631020	Hybiscus flowers					▶ <b>M42</b> — ◀	
0631030	Rose petals					▶ <b>M42</b> — ◀	
0631040	Jasmine flowers					▶ <b>M42</b> — ◀	
0631050	Lime (linden)					▶ <b>M42</b> — ◀	
0631990	Others					▶ <b>M42</b> — ◀	
0632000	(b) <i>Leaves</i>					▶ <b>M42</b> — ◀	
0632010	Strawberry leaves					▶ <b>M42</b> — ◀	

▼ M5

(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
▶ <u>M61</u> 0,02 (*) ◀		▶ <u>M15</u> 0,05 (*) ◀	▶ <u>M54</u> 0,01 (*) ◀				
▶ <u>M61</u> 0,05 ◀		▶ <u>M15</u> 2 ◀	▶ <u>M54</u> 0,01 (*) ◀				
▶ <u>M61</u> 0,02 (*) ◀		▶ <u>M15</u> 0,05 (*) ◀	▶ <u>M54</u> 0,01 (*) ◀				
▶ <u>M61</u> 0,05 (*) ◀		▶ <u>M15</u> 0,05 (*) ◀	▶ <u>M54</u> 0,02 (*) ◀	0,02 (*)	▶ <u>M78</u> 0,02 (*) ◀		0,02 (*)
	2					350	
	0,02 (*)					5	
	0,02 (*)					10	

▼ M5

(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)
					▶ <u>M32</u> — ◀		
					▶ <u>M32</u> — ◀		
					▶ <u>M32</u> — ◀		
0,02 (*)	▶ <u>M16</u> 0,05 (*) ◀	1	0,02 (*)	0,02 (*)	▶ <u>M32</u> — ◀	▶ <u>M25</u> — ◀	▶ <u>M74</u> 0,02 (*) ◀
					▶ <u>M32</u> — ◀	▶ <u>M70</u> 0,5 ◀	
					▶ <u>M32</u> — ◀	▶ <u>M70</u> 0,02 (*) ◀	
					▶ <u>M32</u> — ◀		
					▶ <u>M32</u> — ◀		
					▶ <u>M32</u> — ◀	▶ <u>M70</u> 1,5 ◀	
					▶ <u>M32</u> — ◀	▶ <u>M70</u> 0,02 (*) ◀	
					▶ <u>M32</u> — ◀	▶ <u>M70</u> 0,02 (*) ◀	
					▶ <u>M32</u> — ◀	▶ <u>M70</u> 0,02 (*) ◀	
					▶ <u>M32</u> — ◀	▶ <u>M70</u> 0,02 (*) ◀	
					▶ <u>M32</u> — ◀	▶ <u>M70</u> 0,02 (*) ◀	
					▶ <u>M32</u> — ◀		



▼ **M5**

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)
0632020	Rooibos leaves					► <b>M42</b> — ◄	
0632030	Maté					► <b>M42</b> — ◄	
0632990	Others					► <b>M42</b> — ◄	
0633000	(c) <i>Roots</i>					► <b>M42</b> — ◄	
0633010	Valerian root					► <b>M42</b> — ◄	
0633020	Ginseng root					► <b>M42</b> — ◄	
0633990	Others					► <b>M42</b> — ◄	
0639000	(d) <i>Other herbal infusions</i>					► <b>M42</b> — ◄	
0640000	(iv) <b>Cocoa (fermented beans)</b>					► <b>M42</b> — ◄	► <b>M39</b> 0,05 (*) ◄
0650000	(v) <b>Carob (st johns bread)</b>					► <b>M42</b> — ◄	► <b>M39</b> 0,05 (*) ◄
0700000	7. <b>HOPS (dried), including hop pellets and unconcentrated powder</b>	► <b>M47</b> 0,02 (*) ◄	► <b>M74</b> 0,02 (*) ◄	0,02 (*)	► <b>M72</b> 0,02 (*) ◄	► <b>M42</b> — ◄	► <b>M39</b> 0,05 (*) ◄
0800000	8. <b>SPICES</b>	► <b>M47</b> — ◄	► <b>M47</b> — ◄	0,02 (*)	► <b>M72</b> — ◄	► <b>M42</b> — ◄	► <b>M39</b> 0,05 (*) ◄
0810000	(i) <b>Seeds</b>	► <b>M47</b> 0,02 (*) ◄	► <b>M74</b> 0,02 (*) ◄		► <b>M72</b> 0,02 (*) ◄	► <b>M42</b> — ◄	
0810010	Anise					► <b>M42</b> — ◄	
0810020	Black caraway					► <b>M42</b> — ◄	
0810030	Celery seed					► <b>M42</b> — ◄	
0810040	Coriander seed					► <b>M42</b> — ◄	
0810040	Coriander seed					► <b>M42</b> — ◄	
0810060	Dill seed					► <b>M42</b> — ◄	

▼ M5

(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
	0,02 (*)					10	
	0,02 (*)					10	
▶ <u>M61</u> 0,05 (*) ◀	0,02 (*)	▶ <u>M15</u> 2 ◀	▶ <u>M54</u> 0,02 (*) ◀	0,02 (*)	▶ <u>M78</u> 0,7 ◀	10	0,02 (*)
▶ <u>M61</u> — ◀	0,02 (*)	▶ <u>M15</u> 0,05 (*) ◀	▶ <u>M54</u> — ◀	0,02 (*)	▶ <u>M61</u> — ◀	5	0,02 (*)
▶ <u>M61</u> 0,05 (*) ◀			▶ <u>M54</u> 0,02 (*) ◀		▶ <u>M78</u> 0,02 (*) ◀		



▼ M5

(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)
					▶ <u>M32</u> — ◀		
					▶ <u>M32</u> — ◀		
					▶ <u>M32</u> — ◀		
					▶ <u>M32</u> — ◀	▶ <u>M70</u> 0,02 (*) ◀	
					▶ <u>M32</u> — ◀		
					▶ <u>M32</u> — ◀		
					▶ <u>M32</u> — ◀		
					▶ <u>M32</u> — ◀	▶ <u>M70</u> 0,02 (*) ◀	
					▶ <u>M32</u> — ◀	▶ <u>M70</u> 0,02 (*) ◀	
					▶ <u>M32</u> — ◀	▶ <u>M70</u> 0,02 (*) ◀	
0,02 (*)	▶ <u>M16</u> 0,05 (*) ◀	1	0,02 (*)	0,02 (*)	▶ <u>M32</u> — ◀	▶ <u>M70</u> 0,02 (*) ◀	▶ <u>M74</u> 90 ◀
0,02 (*)	▶ <u>M16</u> 0,05 (*) ◀	1	0,02 (*)	0,02 (*)	▶ <u>M32</u> — ◀	▶ <u>M70</u> — ◀	▶ <u>M61</u> — ◀
					▶ <u>M32</u> — ◀	▶ <u>M70</u> 0,02 (*) ◀	▶ <u>M74</u> 0,02 (*) ◀
					▶ <u>M32</u> — ◀		
					▶ <u>M32</u> — ◀		
					▶ <u>M32</u> — ◀		
					▶ <u>M32</u> — ◀		
					▶ <u>M32</u> — ◀		

▼ **M5**

(25)
▶ <u>M32</u> — ◀
▶ <u>M32</u> — ◀
▶ <u>M32</u> — ◀
▶ <u>M32</u> — ◀
▶ <u>M32</u> — ◀
▶ <u>M32</u> — ◀
▶ <u>M32</u> — ◀
▶ <u>M32</u> — ◀
▶ <u>M32</u> — ◀
▶ <u>M32</u> — ◀
▶ <u>M32</u> — ◀
▶ <u>M32</u> — ◀
▶ <u>M32</u> — ◀
▶ <u>M32</u> — ◀
▶ <u>M32</u> — ◀
▶ <u>M32</u> — ◀
▶ <u>M32</u> — ◀
▶ <u>M32</u> — ◀
▶ <u>M32</u> — ◀
▶ <u>M32</u> — ◀
▶ <u>M32</u> — ◀
▶ <u>M32</u> — ◀

▼ **M5**

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)
0810070	Fennel seed					► <u>M42</u> — ◄	
0810080	Fenugreek					► <u>M42</u> — ◄	
0810090	Nutmeg					► <u>M42</u> — ◄	
0810990	Others					► <u>M42</u> — ◄	
0820000	(ii) <b>Fruits and berries</b>	► <u>M47</u> 0,02 (*) ◄	► <u>M74</u> 0,02 (*) ◄		► <u>M72</u> 0,02 (*) ◄	► <u>M42</u> — ◄	
0820010	Allspice					► <u>M42</u> — ◄	
0820020	Anise pepper (Japan pepper)					► <u>M42</u> — ◄	
0820030	Caraway					► <u>M42</u> — ◄	
0820040	Cardamom					► <u>M42</u> — ◄	
0820050	Juniper berries					► <u>M42</u> — ◄	
0820060	Pepper, black and white					► <u>M42</u> — ◄	
0820070	Vanilla pods					► <u>M42</u> — ◄	
0820080	Tamarind					► <u>M42</u> — ◄	
0820990	Others					► <u>M42</u> — ◄	
0830000	(iii) <b>Bark</b>	► <u>M47</u> 0,02 (*) ◄	► <u>M74</u> 0,02 (*) ◄		► <u>M72</u> 0,02 (*) ◄	► <u>M42</u> — ◄	
0830010	Cinnamon					► <u>M42</u> — ◄	
0830990	Others					► <u>M42</u> — ◄	
0840000	(iv) <b>Roots or rhizome</b>					► <u>M42</u> — ◄	
0840010	Liquorice	► <u>M47</u> 0,02 (*) ◄	► <u>M74</u> 0,02 (*) ◄		► <u>M72</u> 0,02 (*) ◄	► <u>M42</u> — ◄	
0840020	Ginger	► <u>M47</u> 0,02 (*) ◄	► <u>M74</u> 0,02 (*) ◄		► <u>M72</u> 0,02 (*) ◄	► <u>M42</u> — ◄	
0840030	Turmeric (Curcuma)	► <u>M47</u> 0,02 (*) ◄	► <u>M74</u> 0,02 (*) ◄		► <u>M72</u> 0,02 (*) ◄	► <u>M42</u> — ◄	

▼ M5

(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
▶ <u>M61</u> 0,05 (*) ◀			▶ <u>M54</u> 0,02 (*) ◀		▶ <u>M78</u> 0,02 (*) ◀		
▶ <u>M61</u> 0,05 (*) ◀			▶ <u>M54</u> 0,02 (*) ◀		▶ <u>M78</u> 0,02 (*) ◀		
▶ <u>M61</u> 0,05 (*) ◀ ▶ <u>M61</u> 0,05 (*) ◀ ▶ <u>M61</u> 0,05 (*) ◀			▶ <u>M54</u> 0,02 (*) ◀ ▶ <u>M54</u> 0,02 (*) ◀ ▶ <u>M54</u> 0,02 (*) ◀		▶ <u>M78</u> 0,02 (*) ◀ ▶ <u>M78</u> 0,02 (*) ◀ ▶ <u>M78</u> 0,02 (*) ◀		

▼ M5

(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)
					▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀		
					▶ <u>M32</u> — ◀		
					▶ <u>M32</u> — ◀	▶ <u>M70</u> 0,02 (*) ◀	▶ <u>M74</u> 0,02 (*) ◀
					▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀  ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀		
					▶ <u>M32</u> — ◀		
					▶ <u>M32</u> — ◀	▶ <u>M70</u> 0,02 (*) ◀	▶ <u>M74</u> 0,02 (*) ◀
					▶ <u>M32</u> — ◀		
					▶ <u>M32</u> — ◀		
					▶ <u>M32</u> — ◀	▶ <u>M25</u> — ◀	
					▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀	▶ <u>M70</u> 0,02 (*) ◀ ▶ <u>M70</u> 0,02 (*) ◀ ▶ <u>M70</u> 0,02 (*) ◀	▶ <u>M74</u> 0,02 (*) ◀ ▶ <u>M74</u> 0,02 (*) ◀ ▶ <u>M74</u> 0,02 (*) ◀

▼ M5

(25)
▶ <u>M32</u> — ◀
▶ <u>M32</u> — ◀
▶ <u>M32</u> — ◀
▶ <u>M32</u> — ◀
▶ <u>M32</u> — ◀
▶ <u>M32</u> — ◀
▶ <u>M32</u> — ◀
▶ <u>M32</u> — ◀
▶ <u>M32</u> — ◀
▶ <u>M32</u> — ◀
▶ <u>M32</u> — ◀
▶ <u>M32</u> — ◀
▶ <u>M32</u> — ◀
▶ <u>M32</u> — ◀
▶ <u>M32</u> — ◀
▶ <u>M32</u> — ◀
▶ <u>M32</u> — ◀
▶ <u>M32</u> — ◀
▶ <u>M32</u> — ◀
▶ <u>M32</u> — ◀

## ▼ M5

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)
0840040	Horseradish	▶ <u>M47</u> (+) ◀	▶ <u>M74</u> (+) ◀		▶ <u>M72</u> (+) ◀	▶ <u>M42</u> — ◀	
0840990	Others	▶ <u>M47</u> 0,02 (*) ◀	▶ <u>M74</u> 0,02 (*) ◀		▶ <u>M72</u> 0,02 (*) ◀	▶ <u>M42</u> — ◀	
0850000	(v) <b>Buds</b>	▶ <u>M47</u> 0,02 (*) ◀	▶ <u>M74</u> 0,02 (*) ◀		▶ <u>M72</u> 0,02 (*) ◀	▶ <u>M42</u> — ◀	
0850010	Cloves					▶ <u>M42</u> — ◀	
0850020	Capers					▶ <u>M42</u> — ◀	
0850990	Others					▶ <u>M42</u> — ◀	
0860000	(vi) <b>Flower stigma</b>	▶ <u>M47</u> 0,02 (*) ◀	▶ <u>M74</u> 0,02 (*) ◀		▶ <u>M72</u> 0,02 (*) ◀	▶ <u>M42</u> — ◀	
0860010	Saffron					▶ <u>M42</u> — ◀	
0860990	Others					▶ <u>M42</u> — ◀	
0870000	(vii) <b>Aril</b>	▶ <u>M47</u> 0,02 (*) ◀	▶ <u>M74</u> 0,02 (*) ◀		▶ <u>M72</u> 0,02 (*) ◀	▶ <u>M42</u> — ◀	
0870010	Mace					▶ <u>M42</u> — ◀	
0870990	Others					▶ <u>M42</u> — ◀	
0900000	9. <b>SUGAR PLANTS</b>	▶ <u>M47</u> 0,01 (*) ◀	▶ <u>M11</u> — ◀	0,01 (*)	▶ <u>M72</u> 0,01 (*) ◀	▶ <u>M42</u> — ◀	▶ <u>M39</u> — ◀
0900010	Sugar beet (root)		▶ <u>M74</u> 0,02 ◀			▶ <u>M42</u> — ◀	▶ <u>M39</u> 0,02 (*) ◀
0900020	Sugar cane		▶ <u>M74</u> 0,5 ◀			▶ <u>M42</u> — ◀	▶ <u>M39</u> 0,4 ◀
0900030	Chicory roots		▶ <u>M74</u> 0,02 ◀			▶ <u>M42</u> — ◀	▶ <u>M39</u> 0,02 (*) ◀
0900990	Others		▶ <u>M74</u> 0,01 (*) ◀			▶ <u>M42</u> — ◀	▶ <u>M39</u> 0,02 (*) ◀
1000000	10. <b>PRODUCTS OF ANIMAL ORIGIN — TERRESTRIAL ANIMALS</b>		▶ <u>M27</u> — ◀			▶ <u>M42</u> — ◀	

▼ M5

(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
▶ <u>M61</u> (+) ◀			▶ <u>M54</u> (+) ◀		▶ <u>M78</u> (+) ◀		
▶ <u>M61</u> 0,05 (*) ◀			▶ <u>M54</u> 0,02 (*) ◀		▶ <u>M78</u> 0,02 (*) ◀		
▶ <u>M61</u> 0,05 (*) ◀			▶ <u>M54</u> 0,02 (*) ◀		▶ <u>M78</u> 0,02 (*) ◀		
▶ <u>M61</u> 0,05 (*) ◀			▶ <u>M54</u> 0,02 (*) ◀		▶ <u>M78</u> 0,02 (*) ◀		
▶ <u>M61</u> 0,05 (*) ◀			▶ <u>M54</u> 0,02 (*) ◀		▶ <u>M78</u> 0,02 (*) ◀		
▶ <u>M61</u> 0,02 (*) ◀	0,01 (*)	▶ <u>M15</u> 0,05 (*) ◀	▶ <u>M54</u> 0,01 (*) ◀	0,01 (*)	▶ <u>M37</u> — ◀	2 (*)	0,01 (*)
					▶ <u>M78</u> 0,15 ◀		
					▶ <u>M78</u> 0,01 (*) ◀		
					▶ <u>M78</u> 0,01 (*) ◀		
					▶ <u>M78</u> 0,01 (*) ◀		
▶ <u>M61</u> — ◀			▶ <u>M27</u> — ◀				



▼ M5

(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)
					▶ <u>M32</u> — ◀	▶ <u>M70</u> (+) ◀	▶ <u>M74</u> (+) ◀
					▶ <u>M32</u> — ◀	▶ <u>M70</u> 0,02 (*) ◀	▶ <u>M74</u> 0,02 (*) ◀
					▶ <u>M32</u> — ◀	▶ <u>M70</u> 0,02 (*) ◀	▶ <u>M74</u> 0,02 (*) ◀
					▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀		
					▶ <u>M32</u> — ◀		
					▶ <u>M32</u> — ◀	▶ <u>M70</u> 0,02 (*) ◀	▶ <u>M74</u> 0,02 (*) ◀
					▶ <u>M32</u> — ◀		
					▶ <u>M32</u> — ◀		
					▶ <u>M32</u> — ◀	▶ <u>M70</u> 0,02 (*) ◀	▶ <u>M74</u> 0,02 (*) ◀
					▶ <u>M32</u> — ◀		
					▶ <u>M32</u> — ◀		
0,01 (*)	▶ <u>M16</u> 0,01 (*) ◀		0,01 (*)	0,01 (*)	▶ <u>M32</u> — ◀	▶ <u>M70</u> 0,02 (*) ◀	▶ <u>M74</u> 0,01 (*) ◀
		1			▶ <u>M32</u> — ◀		
		2			▶ <u>M32</u> — ◀		
		1			▶ <u>M32</u> — ◀		
		1			▶ <u>M32</u> — ◀		
	▶ <u>M16</u> 0,01 (*) ◀	1			▶ <u>M32</u> — ◀	▶ <u>M70</u> — ◀	▶ <u>M61</u> — ◀



▼ **M5**

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)
1010000	(i) <b>Meat, preparations of meat, offals, blood, animal fats fresh chilled or frozen, salted, in brine, dried or smoked or processed as flours or meals; other processed products such as sausages and food preparations based on these</b>				► <b>M72</b> 0,01 (*) ◀	► <b>M42</b> — ◀	
1011000	(a) <i>Swine</i>					► <b>M42</b> — ◀	
1011010	Meat	► <b>M47</b> 0,01 (*) ◀	► <b>M74</b> 0,2 ◀			► <b>M42</b> — ◀	► <b>M39</b> 0,02 ◀
1011020	Fat free of lean meat	► <b>M47</b> 0,02 ◀	► <b>M74</b> 0,2 ◀			► <b>M42</b> — ◀	► <b>M39</b> 0,02 ◀
1011030	Liver	► <b>M47</b> 0,02 ◀	► <b>M74</b> 0,2 ◀			► <b>M42</b> — ◀	► <b>M39</b> 0,2 ◀
1011040	Kidney	► <b>M47</b> 0,3 ◀	► <b>M74</b> 0,2 ◀			► <b>M42</b> — ◀	► <b>M39</b> 0,02 ◀
1011050	Edible offal	► <b>M47</b> 0,01 (*) ◀	► <b>M74</b> 0,2 ◀			► <b>M42</b> — ◀	► <b>M39</b> 0,02 ◀
1011990	Others	► <b>M47</b> 0,01 (*) ◀	► <b>M74</b> 0,01 (*) ◀			► <b>M42</b> — ◀	► <b>M39</b> 0,02 ◀
1012000	(b) <i>Bovine</i>					► <b>M42</b> — ◀	
1012010	Meat	► <b>M47</b> 0,1 ◀	► <b>M74</b> 0,2 ◀			► <b>M42</b> — ◀	► <b>M39</b> 0,02 ◀
1012020	Fat	► <b>M47</b> 0,1 ◀	► <b>M74</b> 0,2 ◀			► <b>M42</b> — ◀	► <b>M39</b> 0,02 ◀
1012030	Liver	► <b>M47</b> 0,05 ◀	► <b>M74</b> 0,2 ◀			► <b>M42</b> — ◀	► <b>M39</b> 0,2 ◀

▼ M5

(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
▶ <u>M61</u> 0,03 (*) ◀			▶ <u>M14</u> — ◀		▶ <u>M78</u> 0,01 (*) ◀	1	
		▶ <u>M15</u> 0,03 ◀ ▶ <u>M15</u> 0,02 (*) ◀ ▶ <u>M15</u> 0,03 ◀ ▶ <u>M15</u> 0,03 ◀ ▶ <u>M15</u> 0,03 ◀	▶ <u>M54</u> 2 ◀ ▶ <u>M54</u> 2 ◀ ▶ <u>M54</u> 1 ◀ ▶ <u>M54</u> 1 ◀ ▶ <u>M54</u> 1 ◀				
		▶ <u>M15</u> 0,03 (*) ◀	▶ <u>M54</u> 0,01 (*) ◀				
		▶ <u>M15</u> 0,03 ◀ ▶ <u>M15</u> 0,02 (*) ◀ ▶ <u>M15</u> 0,03 ◀	▶ <u>M54</u> 2 ◀ ▶ <u>M54</u> 2 ◀ ▶ <u>M54</u> 1 ◀				

▼ M5

(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)
		1			▶ <u>M32</u> — ◀	▶ <u>M70</u> 0,02 (*) ◀	▶ <u>M74</u> 0,02 (*) ◀
					▶ <u>M32</u> — ◀		
					▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀		
					▶ <u>M32</u> — ◀		
					▶ <u>M32</u> — ◀		
					▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀		

▼ M5

(25)
▶ <u>M32</u> — ◀
▶ <u>M32</u> — ◀
▶ <u>M32</u> — ◀
▶ <u>M32</u> — ◀
▶ <u>M32</u> — ◀
▶ <u>M32</u> — ◀
▶ <u>M32</u> — ◀
▶ <u>M32</u> — ◀
▶ <u>M32</u> — ◀
▶ <u>M32</u> — ◀
▶ <u>M32</u> — ◀
▶ <u>M32</u> — ◀

▼ M5

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)
1012040	Kidney	▶ <u>M47</u> 1 ◀	▶ <u>M74</u> 0,2 ◀			▶ <u>M42</u> — ◀	▶ <u>M39</u> 0,02 ◀
1012050	Edible offal	▶ <u>M47</u> 0,05 ◀	▶ <u>M74</u> 0,2 ◀			▶ <u>M42</u> — ◀	▶ <u>M39</u> 0,02 ◀
1012990	Others	▶ <u>M47</u> 0,01 (*) ◀	▶ <u>M74</u> 0,01 (*) ◀			▶ <u>M42</u> — ◀	▶ <u>M39</u> 0,02 ◀
1013000	(c) <i>Sheep</i>					▶ <u>M42</u> — ◀	
1013010	Meat	▶ <u>M47</u> 0,1 ◀	▶ <u>M74</u> 0,2 ◀			▶ <u>M42</u> — ◀	▶ <u>M39</u> 0,02 ◀
1013020	Fat	▶ <u>M47</u> 0,1 ◀	▶ <u>M74</u> 0,2 ◀			▶ <u>M42</u> — ◀	▶ <u>M39</u> 0,02 ◀
1013030	Liver	▶ <u>M47</u> 0,05 ◀	▶ <u>M74</u> 0,2 ◀			▶ <u>M42</u> — ◀	▶ <u>M39</u> 0,2 ◀
1013040	Kidney	▶ <u>M47</u> 1 ◀	▶ <u>M74</u> 0,2 ◀			▶ <u>M42</u> — ◀	▶ <u>M39</u> 0,02 ◀
1013050	Edible offal	▶ <u>M47</u> 0,05 ◀	▶ <u>M74</u> 0,2 ◀			▶ <u>M42</u> — ◀	▶ <u>M39</u> 0,02 ◀
1013990	Others	▶ <u>M47</u> 0,01 (*) ◀	▶ <u>M74</u> 0,01 (*) ◀			▶ <u>M42</u> — ◀	▶ <u>M39</u> 0,02 ◀
1014000	(d) <i>Goat</i>					▶ <u>M42</u> — ◀	
1014010	Meat	▶ <u>M47</u> 0,1 ◀	▶ <u>M74</u> 0,2 ◀			▶ <u>M42</u> — ◀	▶ <u>M39</u> 0,02 ◀
1014020	Fat	▶ <u>M47</u> 0,1 ◀	▶ <u>M74</u> 0,2 ◀			▶ <u>M42</u> — ◀	▶ <u>M39</u> 0,02 ◀
1014030	Liver	▶ <u>M47</u> 0,05 ◀	▶ <u>M74</u> 0,2 ◀			▶ <u>M42</u> — ◀	▶ <u>M39</u> 0,2 ◀
1014040	Kidney	▶ <u>M47</u> 1 ◀	▶ <u>M74</u> 0,2 ◀			▶ <u>M42</u> — ◀	▶ <u>M39</u> 0,02 ◀
1014050	Edible offal	▶ <u>M47</u> 0,05 ◀	▶ <u>M74</u> 0,2 ◀			▶ <u>M42</u> — ◀	▶ <u>M39</u> 0,02 ◀
1014990	Others	▶ <u>M47</u> 0,01 (*) ◀	▶ <u>M74</u> 0,01 (*) ◀			▶ <u>M42</u> — ◀	▶ <u>M39</u> 0,02 ◀
1015000	(e) <i>Horses, asses, mules or hinnies</i>		▶ <u>M27</u> — ◀			▶ <u>M42</u> — ◀	
1015010	Meat	▶ <u>M47</u> 0,1 ◀	▶ <u>M74</u> 0,2 ◀			▶ <u>M42</u> — ◀	▶ <u>M39</u> 0,02 ◀
1015020	Fat	▶ <u>M47</u> 0,1 ◀	▶ <u>M74</u> 0,2 ◀			▶ <u>M42</u> — ◀	▶ <u>M39</u> 0,02 ◀
1015030	Liver	▶ <u>M47</u> 0,05 ◀	▶ <u>M74</u> 0,2 ◀			▶ <u>M42</u> — ◀	▶ <u>M39</u> 0,05 ◀

▼ M5

(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
		▶ <u>M15</u> 0,03 ◀ ▶ <u>M15</u> 0,03 ◀	▶ <u>M54</u> 1 ◀ ▶ <u>M54</u> 1 ◀				
		▶ <u>M15</u> 0,03 (*) ◀	▶ <u>M54</u> 0,01 (*) ◀				
		▶ <u>M15</u> 0,03 ◀ ▶ <u>M15</u> 0,02 (*) ◀ ▶ <u>M15</u> 0,03 ◀ ▶ <u>M15</u> 0,03 ◀ ▶ <u>M15</u> 0,03 ◀	▶ <u>M54</u> 2 ◀ ▶ <u>M54</u> 2 ◀ ▶ <u>M54</u> 1 ◀ ▶ <u>M54</u> 1 ◀ ▶ <u>M54</u> 1 ◀				
		▶ <u>M15</u> 0,03 (*) ◀	▶ <u>M54</u> 0,01 (*) ◀				
		▶ <u>M15</u> 0,03 ◀ ▶ <u>M15</u> 0,02 (*) ◀ ▶ <u>M15</u> 0,03 ◀ ▶ <u>M15</u> 0,03 ◀ ▶ <u>M15</u> 0,03 ◀	▶ <u>M54</u> 2 ◀ ▶ <u>M54</u> 2 ◀ ▶ <u>M54</u> 1 ◀ ▶ <u>M54</u> 1 ◀ ▶ <u>M54</u> 1 ◀				
		▶ <u>M15</u> 0,03 (*) ◀	▶ <u>M54</u> 0,01 (*) ◀				
		▶ <u>M15</u> 0,03 ◀ ▶ <u>M15</u> 0,02 (*) ◀ ▶ <u>M15</u> 0,03 ◀	▶ <u>M54</u> 2 ◀ ▶ <u>M54</u> 2 ◀ ▶ <u>M54</u> 1 ◀				







▼ **M5**

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)
1015040	Kidney	▶ <b>M47</b> 1 ◀	▶ <b>M74</b> 0,2 ◀			▶ <b>M42</b> — ◀	▶ <b>M39</b> 0,02 ◀
1015050	Edible offal	▶ <b>M47</b> 0,05 ◀	▶ <b>M74</b> 0,2 ◀			▶ <b>M42</b> — ◀	▶ <b>M39</b> 0,02 ◀
1015990	Others	▶ <b>M47</b> 0,01 (*) ◀	▶ <b>M74</b> 0,01 (*) ◀			▶ <b>M42</b> — ◀	▶ <b>M39</b> 0,02 ◀
1016000	(f) <i>Poultry — chicken, geese, duck, turkey and Guinea fowl —, ostrich, pigeon</i>		▶ <b>M74</b> 0,01 (*) ◀			▶ <b>M42</b> — ◀	▶ <b>M27</b> — ◀
1016010	Meat	▶ <b>M47</b> 0,01 (*) ◀				▶ <b>M42</b> — ◀	▶ <b>M39</b> 0,01 (*) ◀
1016020	Fat	▶ <b>M47</b> 0,02 ◀				▶ <b>M42</b> — ◀	▶ <b>M39</b> 0,01 (*) ◀
1016030	Liver	▶ <b>M47</b> 0,02 ◀				▶ <b>M42</b> — ◀	▶ <b>M39</b> 0,1 ◀
1016040	Kidney	▶ <b>M47</b> 0,3 ◀				▶ <b>M42</b> — ◀	▶ <b>M39</b> 0,1 ◀
1016050	Edible offal	▶ <b>M47</b> 0,01 (*) ◀				▶ <b>M42</b> — ◀	▶ <b>M39</b> 0,1 ◀
1016990	Others	▶ <b>M47</b> 0,01 (*) ◀				▶ <b>M42</b> — ◀	▶ <b>M39</b> 0,01 (*) ◀
1017000	(g) <i>Other farm animals</i>		▶ <b>M27</b> — ◀			▶ <b>M42</b> — ◀	
1017010	Meat	▶ <b>M47</b> 0,1 ◀	▶ <b>M74</b> 0,2 ◀			▶ <b>M42</b> — ◀	▶ <b>M39</b> 0,02 ◀
1017020	Fat	▶ <b>M47</b> 0,1 ◀	▶ <b>M74</b> 0,2 ◀			▶ <b>M42</b> — ◀	▶ <b>M39</b> 0,02 ◀
1017030	Liver	▶ <b>M47</b> 0,05 ◀	▶ <b>M74</b> 0,2 ◀			▶ <b>M42</b> — ◀	▶ <b>M39</b> 0,05 ◀
1017040	Kidney	▶ <b>M47</b> 1 ◀	▶ <b>M74</b> 0,2 ◀			▶ <b>M42</b> — ◀	▶ <b>M39</b> 0,02 ◀
1017050	Edible offal	▶ <b>M47</b> 0,05 ◀	▶ <b>M74</b> 0,2 ◀			▶ <b>M42</b> — ◀	▶ <b>M39</b> 0,02 ◀
1017990	Others	▶ <b>M47</b> 0,01 (*) ◀	▶ <b>M74</b> 0,01 (*) ◀			▶ <b>M42</b> — ◀	▶ <b>M39</b> 0,02 ◀

▼ M5

(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
		▶ <u>M15</u> 0,03 ◀ ▶ <u>M15</u> 0,03 ◀	▶ <u>M54</u> 1 ◀ ▶ <u>M54</u> 1 ◀				
		▶ <u>M15</u> 0,03 (*) ◀	▶ <u>M54</u> 0,01 (*) ◀				
			▶ <u>M54</u> 0,01 (*) ◀				
		▶ <u>M15</u> 0,03 ◀ ▶ <u>M15</u> 0,02 (*) ◀ ▶ <u>M15</u> 0,03 ◀ ▶ <u>M15</u> 0,03 ◀ ▶ <u>M15</u> 0,03 ◀					
		▶ <u>M15</u> 0,03 (*) ◀					
		▶ <u>M15</u> 0,03 ◀ ▶ <u>M15</u> 0,02 (*) ◀ ▶ <u>M15</u> 0,03 ◀ ▶ <u>M15</u> 0,03 ◀ ▶ <u>M15</u> 0,03 ◀	▶ <u>M54</u> 2 ◀ ▶ <u>M54</u> 2 ◀ ▶ <u>M54</u> 1 ◀ ▶ <u>M54</u> 1 ◀ ▶ <u>M54</u> 1 ◀				
		▶ <u>M15</u> 0,03 (*) ◀	▶ <u>M54</u> 0,01 (*) ◀				

▼ M5

(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)
					▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀		
					▶ <u>M32</u> — ◀		
					▶ <u>M32</u> — ◀		
					▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀		
					▶ <u>M32</u> — ◀		
					▶ <u>M32</u> — ◀		
					▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀		
					▶ <u>M32</u> — ◀		



▼ M5

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)
1020000	(ii) <b>Milk and cream, not concentrated, nor containing added sugar or sweetening matter, butter and other fats derived from milk, cheese and curd</b>	▶ <u>M47</u> 0,02 ◀	▶ <u>M74</u> 0,05 ◀		▶ <u>M72</u> 0,01 (*) ◀	▶ <u>M42</u> — ◀	▶ <u>M39</u> 0,02 ◀
1020010	Cattle					▶ <u>M42</u> — ◀	
1020020	Sheep					▶ <u>M42</u> — ◀	
1020030	Goat					▶ <u>M42</u> — ◀	
1020040	Horse					▶ <u>M42</u> — ◀	
1020990	Others					▶ <u>M42</u> — ◀	
1030000	(iii) <b>Birds' eggs, fresh preserved or cooked; Shelled eggs and egg yolks fresh, dried, cooked by steaming or boiling in water, moulded, frozen or otherwise preserved whether or not containing added sugar or sweetening matter</b>	▶ <u>M47</u> 0,01 (*) ◀	▶ <u>M74</u> 0,1 ◀		▶ <u>M72</u> 0,01 (*) ◀	▶ <u>M42</u> — ◀	▶ <u>M39</u> 0,01 (*) ◀
1030010	Chicken					▶ <u>M42</u> — ◀	
1030020	Duck					▶ <u>M42</u> — ◀	
1030030	Goose					▶ <u>M42</u> — ◀	

▼ M5

(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
▶ <u>M61</u> 0,03 (*) ◀		▶ <u>M15</u> 0,02 (*) ◀	▶ <u>M54</u> 0,1 ◀		▶ <u>M78</u> 0,02 ◀	0,2	
▶ <u>M61</u> 0,03 (*) ◀		▶ <u>M15</u> 0,05 ◀	▶ <u>M54</u> 0,01 (*) ◀		▶ <u>M78</u> 0,01 (*) ◀	0,2	



▼ M5

(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)
		1			▶ <u>M32</u> — ◀	▶ <u>M70</u> 0,02 (*) ◀	▶ <u>M74</u> 0,02 (*) ◀
					▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀		
					▶ <u>M32</u> — ◀		
		1			▶ <u>M32</u> — ◀	▶ <u>M70</u> 0,02 (*) ◀	▶ <u>M74</u> 0,02 (*) ◀
					▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀ ▶ <u>M32</u> — ◀		

▼ M5

(25)
▶ <u>M32</u> — ◀
▶ <u>M32</u> — ◀
▶ <u>M32</u> — ◀
▶ <u>M32</u> — ◀
▶ <u>M32</u> — ◀
▶ <u>M32</u> — ◀
▶ <u>M32</u> — ◀
▶ <u>M32</u> — ◀
▶ <u>M32</u> — ◀
▶ <u>M32</u> — ◀

▼ M5

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)
1030040	Quail					► <u>M42</u> — ◄	
1030990	Others					► <u>M42</u> — ◄	
1040000	(iv) Honey	► <u>M47</u> 0,05 (*) ◄	► <u>M74</u> 0,05 (*) ◄		► <u>M72</u> 0,05 (*) ◄	► <u>M42</u> — ◄	► <u>M39</u> 0,01 (*) ◄
1050000	(v) Amphibians and reptiles	► <u>M47</u> 0,01 (*) ◄	► <u>M74</u> 0,01 (*) ◄		► <u>M72</u> 0,01 (*) ◄	► <u>M42</u> — ◄	► <u>M39</u> 0,01 (*) ◄
1060000	(vi) Snails	► <u>M47</u> 0,01 (*) ◄	► <u>M74</u> 0,01 (*) ◄		► <u>M72</u> 0,01 (*) ◄	► <u>M42</u> — ◄	► <u>M39</u> 0,01 (*) ◄
1070000	(vii) Other terrestrial animal products	► <u>M47</u> 0,01 (*) ◄	► <u>M74</u> 0,01 (*) ◄		► <u>M72</u> 0,01 (*) ◄	► <u>M42</u> — ◄	► <u>M39</u> 0,01 (*) ◄
1100000	11. FISH, FISH PRODUCTS, SHELL FISH, MOLLUSCS AND OTHER MARINE AND FRESHWATER FOOD PRODUCTS						
1200000	12. CROPS EXCLUSIVELY USED FOR ANIMAL FEED						

▼ M5

(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
▶ <u>M61</u> 0,05 (*) ◀		▶ <u>M15</u> 0,05 ◀	▶ <u>M54</u> 0,05 (*) ◀		▶ <u>M78</u> 0,05 (*) ◀		
▶ <u>M61</u> 0,03 (*) ◀		▶ <u>M15</u> 0,05 ◀	▶ <u>M54</u> 0,01 (*) ◀		▶ <u>M78</u> 0,01 (*) ◀		
▶ <u>M61</u> 0,03 (*) ◀		▶ <u>M15</u> 0,05 ◀	▶ <u>M54</u> 0,01 (*) ◀		▶ <u>M78</u> 0,01 (*) ◀		
▶ <u>M61</u> 0,03 (*) ◀		▶ <u>M15</u> 0,05 ◀	▶ <u>M54</u> 0,01 (*) ◀		▶ <u>M78</u> 0,01 (*) ◀		

▼ M5

(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)
					▶ <u>M32</u> — ◀		
					▶ <u>M32</u> — ◀		
		1			▶ <u>M32</u> — ◀	▶ <u>M70</u> 0,05 (*) ◀	▶ <u>M74</u> 0,05 (*) ◀
		1			▶ <u>M32</u> — ◀	▶ <u>M70</u> 0,02 (*) ◀	▶ <u>M74</u> 0,02 (*) ◀
		1			▶ <u>M32</u> — ◀	▶ <u>M70</u> 0,02 (*) ◀	▶ <u>M74</u> 0,02 (*) ◀
		1			▶ <u>M32</u> — ◀	▶ <u>M70</u> 0,02 (*) ◀	▶ <u>M74</u> 0,02 (*) ◀

▼ M5

(25)
▶ <u>M32</u> — ◀
▶ M32 — ◀
▶ M32 — ◀
▶ <u>M32</u> — ◀
▶ M32 — ◀

▼ M5

Pesticide residues and maximum residue levels (mg/kg)

Code number	Groups and examples of individual products to which the MRLs apply (*)	▶ <u>M27</u> Meptyldinocap (sum of 2,4 DNOPC and 2,4 DNOP expressed as meptyldinocap) ▼	▶ <u>M53</u> Metaflumizone (sum of E- and Z- isomers) ▼	Orthosulfamuron	Oryzalin	▶ <u>M30</u> Oxadixyl ▼	Penoxsulam
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)
0100000	1. <b>FRUIT FRESH OR FROZEN; NUTS</b>		▶ <u>M53</u> 0,05 (*) ◀	0,01 (*)		▶ <u>M30</u> 0,01 (*) ◀	0,01 (*)
0110000	(i) <b>Citrus fruit</b>	▶ <u>M27</u> 0,05 (*) ◀			0,01 (*)		
0110010	Grapefruit						
0110020	Oranges						
0110030	Lemons						
0110040	Limes						
0110050	Mandarins						
0110990	Others						
0120000	(ii) <b>Tree nuts (shelled or unshelled)</b>	▶ <u>M27</u> 0,05 (*) ◀			0,01 (*)		

▼ M5

Phentioate	Pinoxaden	Profoxydim	▶ <u>M37</u> Proquinazid ▼	Pyrasulfotole	Pyroxsulam	▶ <u>M32</u> Quinclorac ▼	▶ <u>M56</u> Spinetoram (XDE-175) ▼
(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
	0,02 (*)	0,05 (*)		0,01 (*)	0,01 (*)	▶ <u>M32</u> — ◀	
			▶ <u>M37</u> 0,02 (*) ◀			▶ <u>M32</u> 0,01 (*) ◀	▶ <u>M56</u> 0,2 ◀
			▶ <u>M37</u> 0,02 (*) ◀			▶ <u>M32</u> 0,02 (*) ◀	▶ <u>M56</u> 0,05 (*) ◀



▼ M5

<p>► <u>M74</u> Spirotramat and its 4 metabolites BY108330-enol, BY108330-ketohydroxy, BY108330-mono-hydroxy, and BY108330 enol-glucoside, expressed as spirotramat (*) ▼</p>	Sulfuryl fluoride	<p>► <u>M37</u> Tembotrione (*) ▼</p>	<p>► <u>M42</u> — ▼</p>	Topramezone (BAS 670H)	Tralkoxydim	Triflusulfuron	Tritosulfuron
(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)
► <u>M7</u> — ◀		► <u>M37</u> 0,02 (*) ◀	► <u>M42</u> — ◀	0,01 (*)	0,02 (*)	0,02 (*)	0,01 (*)
► <u>M74</u> 1 ◀	0,01 (*)		► <u>M42</u> — ◀				
			<p>► <u>M42</u> — ◀</p> <p>► <u>M42</u> — ◀</p> <p>► <u>M42</u> — ◀</p> <p>► <u>M42</u> — ◀</p> <p>► <u>M42</u> — ◀</p>				
			► <u>M42</u> — ◀				
► <u>M74</u> 0,5 ◀	10		► <u>M42</u> — ◀				

▼ M5

▶ <u>M13</u> Valifenalate ▼
(25)
▶ <u>M13</u> 0,01 (*) ◀
▶ <u>M13</u> 0,01 (*) ◀

▼ **M5**

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)
0120010	Almonds						
0120020	Brazil nuts						
0120030	Cashew nuts						
0120040	Chestnuts						
0120050	Coconuts						
0120060	Hazelnuts						
0120070	Macadamia						
0120080	Pecans						
0120090	Pine nuts						
0120100	Pistachios						
0120110	Walnuts						
0120990	Others						
0130000	(iii) <b>Pome fruit</b>	► <u>M27</u> 0,05 (*) ◀			0,01 (*)		
0130010	Apples						
0130020	Pears						
0130030	Quinces						
0130040	Medlar						
0130050	Loquat						
0130990	Others						
0140000	(iv) <b>Stone fruit</b>	► <u>M27</u> 0,05 (*) ◀			0,01 (*)		
0140010	Apricots						
0140020	Cherries						
0140030	Peaches						
0140040	Plums						
0140990	Others						
0150000	(v) <b>Berries &amp; small fruit</b>						

▼ M5

(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
			▶ <u>M37</u> 0,02 (*) ◀			▶ <u>M32</u> 0,01 (*) ◀	▶ <u>M56</u> 0,2 ◀
			▶ <u>M37</u> 0,02 (*) ◀			▶ <u>M32</u> 0,01 (*) ◀	▶ <u>M11</u> — ◀
							▶ <u>M56</u> 0,2 ◀ ▶ <u>M56</u> 0,2 (+) ◀ ▶ <u>M56</u> 0,3 ◀ ▶ <u>M56</u> 0,05 (*) ◀
							▶ <u>M56</u> 0,05 (*) ◀
						▶ <u>M32</u> 0,01 (*) ◀	

▼ M5

(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)
			▶ <u>M42</u> — ◀ ▶ <u>M42</u> — ◀ ▶ <u>M42</u> — ◀ ▶ <u>M42</u> — ◀ ▶ <u>M42</u> — ◀ ▶ <u>M42</u> — ◀ ▶ <u>M42</u> — ◀ ▶ <u>M42</u> — ◀ ▶ <u>M42</u> — ◀ ▶ <u>M42</u> — ◀ ▶ <u>M42</u> — ◀				
			▶ <u>M42</u> — ◀				
▶ <u>M74</u> 1 ◀	0,01 (*)		▶ <u>M42</u> — ◀				
			▶ <u>M42</u> — ◀ ▶ <u>M42</u> — ◀ ▶ <u>M42</u> — ◀ ▶ <u>M42</u> — ◀ ▶ <u>M42</u> — ◀				
			▶ <u>M42</u> — ◀				
▶ <u>M74</u> 3 ◀	0,01 (*)		▶ <u>M42</u> — ◀				
▶ <u>M11</u> — ◀ ▶ <u>M11</u> — ◀ ▶ <u>M11</u> — ◀ ▶ <u>M11</u> — ◀			▶ <u>M42</u> — ◀ ▶ <u>M42</u> — ◀ ▶ <u>M42</u> — ◀ ▶ <u>M42</u> — ◀				
▶ <u>M11</u> — ◀			▶ <u>M42</u> — ◀				
	0,01 (*)		▶ <u>M42</u> — ◀				

▼ M5

(25)
▶ <u>M13</u> 0,01 (*) ◀
▶ <u>M13</u> 0,01 (*) ◀

▼ **M5**

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)
0151000	(a) <i>Table and wine grapes</i>	► <b>M27</b> 1 ◀					
0151010	Table grapes				0,05		
0151020	Wine grapes				0,01 (*)		
0152000	(b) <i>Strawberries</i>	► <b>M27</b> 3 ◀			0,01 (*)		
0153000	(c) <i>Cane fruit</i>	► <b>M27</b> 0,05 (*) ◀			0,01 (*)		
0153010	Blackberries						
0153020	Dewberries						
0153030	Raspberries						
0153990	Others						
0154000	(d) <i>Other small fruit &amp; berries</i>	► <b>M27</b> 0,05 (*) ◀					
0154010	Blueberries				0,01 (*)		
0154020	Cranberries				0,1		
0154030	Currants (red, black and white)				0,01 (*)		
0154040	Gooseberries				0,01 (*)		
0154050	Rose hips				0,01 (*)		
0154060	Mulberries				0,01 (*)		
0154070	Azarole (mediterranean medlar)				0,01 (*)		
0154080	Elderberries				0,01 (*)		
0154990	Others				0,01 (*)		

▼ M5

(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
			▶ <u>M37</u> 0,5 ◀				▶ <u>M56</u> 0,5 ◀
			▶ <u>M37</u> 1,5 ◀				▶ <u>M56</u> 0,2 ◀
			▶ <u>M37</u> 0,02 (*) ◀				▶ <u>M28</u> — ◀
							▶ <u>M56</u> 0,05 (*) ◀ ▶ <u>M56</u> 0,05 (*) ◀ ▶ <u>M56</u> 0,8 ◀
							▶ <u>M56</u> 0,05 (*) ◀
			▶ <u>M37</u> 0,02 (*) ◀				▶ <u>M28</u> — ◀
							▶ <u>M56</u> 0,2 ◀ ▶ <u>M56</u> 0,05 (*) ◀ ▶ <u>M56</u> 0,05 (*) ◀  ▶ <u>M56</u> 0,05 (*) ◀ ▶ <u>M56</u> 0,05 (*) ◀ ▶ <u>M56</u> 0,05 (*) ◀ ▶ <u>M56</u> 0,05 (*) ◀  ▶ <u>M56</u> 0,05 (*) ◀
							▶ <u>M56</u> 0,05 (*) ◀



▼ M5

(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)
▶ <u>M74</u> 2 ◀			▶ <u>M42</u> — ◀				
			▶ <u>M42</u> — ◀ ▶ <u>M42</u> — ◀				
▶ <u>M74</u> 0,4 ◀			▶ <u>M42</u> — ◀				
▶ <u>M74</u> 0,1 (*) ◀			▶ <u>M42</u> — ◀				
			▶ <u>M42</u> — ◀ ▶ <u>M42</u> — ◀ ▶ <u>M42</u> — ◀				
			▶ <u>M42</u> — ◀				
▶ <u>M74</u> — ◀			▶ <u>M42</u> — ◀				
▶ <u>M74</u> 0,1 (*) ◀ ▶ <u>M74</u> 0,2 ◀ ▶ <u>M74</u> 0,1 (*) ◀			▶ <u>M42</u> — ◀ ▶ <u>M42</u> — ◀ ▶ <u>M42</u> — ◀				
▶ <u>M74</u> 0,1 (*) ◀ ▶ <u>M74</u> 0,1 (*) ◀ ▶ <u>M74</u> 0,1 (*) ◀ ▶ <u>M74</u> 0,1 (*) ◀			▶ <u>M42</u> — ◀ ▶ <u>M42</u> — ◀ ▶ <u>M42</u> — ◀ ▶ <u>M42</u> — ◀				
▶ <u>M74</u> 0,1 (*) ◀			▶ <u>M42</u> — ◀				
▶ <u>M74</u> 0,1 (*) ◀			▶ <u>M42</u> — ◀				

▼ M5

(25)
▶ <u>M13</u> 0,2 ◀
▶ <u>M13</u> 0,01 (*) ◀
▶ <u>M13</u> 0,01 (*) ◀
▶ <u>M13</u> 0,01 (*) ◀

▼ **M5**

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)
0160000	(vi) <b>Miscellaneous fruit</b>	► <b>M27</b> 0,05 (*) ◀			0,01 (*)		
0161000	(a) <i>Edible peel</i>						
0161010	Dates						
0161020	Figs						
0161030	Table olives						
0161040	Kumquats						
0161050	Carambola						
0161060	Persimmon						
0161070	Jambolan (java plum)						
0161990	Others						
0162000	(b) <i>Inedible peel, small</i>						
0162010	Kiwi						
0162020	Lychee (Litchi)						
0162030	Passion fruit						
0162040	Prickly pear (cactus fruit)						
0162050	Star apple						
0162060	American persimmon (Virginia kaki)						
0162990	Others						
0163000	(c) <i>Inedible peel, large</i>						
0163010	Avocados						

▼ M5

(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
			▶ <u>M37</u> 0,02 (*) ◀			▶ <u>M32</u> 0,01 (*) ◀	▶ <u>M56</u> 0,05 (*) ◀

▼ M5

(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)
▶ <u>M38</u> — ◀	0,01 (*)		▶ <u>M42</u> — ◀				
▶ <u>M54</u> — ◀			▶ <u>M42</u> — ◀				
▶ <u>M74</u> 0,1 (*) ◀			▶ <u>M42</u> — ◀				
▶ <u>M74</u> 0,1 (*) ◀			▶ <u>M42</u> — ◀				
▶ <u>M74</u> 4 ◀			▶ <u>M42</u> — ◀				
▶ <u>M74</u> 0,1 (*) ◀			▶ <u>M42</u> — ◀				
▶ <u>M74</u> 0,1 (*) ◀			▶ <u>M42</u> — ◀				
▶ <u>M74</u> 0,1 (*) ◀			▶ <u>M42</u> — ◀				
▶ <u>M74</u> 0,1 (*) ◀			▶ <u>M42</u> — ◀				
▶ <u>M74</u> 0,1 (*) ◀			▶ <u>M42</u> — ◀				
▶ <u>M74</u> 0,1 (*) ◀			▶ <u>M42</u> — ◀				
▶ <u>M74</u> 0,3 ◀			▶ <u>M42</u> — ◀				
▶ <u>M74</u> 15 ◀			▶ <u>M42</u> — ◀				
▶ <u>M74</u> 0,1 (*) ◀			▶ <u>M42</u> — ◀				
▶ <u>M74</u> 0,1 (*) ◀			▶ <u>M42</u> — ◀				
▶ <u>M74</u> 0,1 (*) ◀			▶ <u>M42</u> — ◀				
▶ <u>M74</u> 0,1 (*) ◀			▶ <u>M42</u> — ◀				
▶ <u>M74</u> 0,1 (*) ◀			▶ <u>M42</u> — ◀				
▶ <u>M74</u> 0,1 (*) ◀			▶ <u>M42</u> — ◀				
▶ <u>M74</u> 0,7 ◀			▶ <u>M42</u> — ◀				

▼ M5

(25)
▶ <u>M13</u> 0,01 (*) ◀

▼ **M5**

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)
0163020	Bananas						
0163030	Mangoes						
0163040	Papaya						
0163050	Pomegranate						
0163060	Cherimoya						
0163070	Guava						
0163080	Pineapples						
0163090	Bread fruit						
0163100	Durian						
0163110	Soursop (guanabana)						
0163990	Others						
0200000	<b>2. VEGETABLES FRESH OR FROZEN</b>			0,01 (*)	0,01 (*)		0,01 (*)
0210000	(i) <b>Root and tuber vegetables</b>	► <b>M27</b> 0,05 (*) ◀	► <b>M53</b> 0,05 (*) ◀			► <b>M30</b> 0,05 ◀	
0211000	(a) <i>Potatoes</i>						
0212000	(b) <i>Tropical root and tuber vegetables</i>						
0212010	Cassava						
0212020	Sweet potatoes						
0212030	Yams						
0212040	Arrowroot						
0212990	Others						

▼ M5

(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
	0,02 (*)	0,05 (*)	► <u>M37</u> — ◀	0,01 (*)	0,01 (*)	► <u>M32</u> — ◀	
			► <u>M37</u> 0,02 (*) ◀			► <u>M32</u> 0,01 (*) ◀	► <u>M56</u> 0,05 (*) ◀



▼ M5

(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)
▶ <u>M74</u> 0,6 ◀			▶ <u>M42</u> — ◀				
▶ <u>M74</u> 0,3 ◀			▶ <u>M42</u> — ◀				
▶ <u>M74</u> 0,4 ◀			▶ <u>M42</u> — ◀				
▶ <u>M74</u> 0,1 (*) ◀			▶ <u>M42</u> — ◀				
▶ <u>M74</u> 0,1 (*) ◀			▶ <u>M42</u> — ◀				
▶ <u>M74</u> 0,1 (*) ◀			▶ <u>M42</u> — ◀				
▶ <u>M74</u> 0,3 ◀			▶ <u>M42</u> — ◀				
▶ <u>M74</u> 0,1 (*) ◀			▶ <u>M42</u> — ◀				
▶ <u>M74</u> 0,1 (*) ◀			▶ <u>M42</u> — ◀				
▶ <u>M74</u> 0,1 (*) ◀			▶ <u>M42</u> — ◀				
▶ <u>M74</u> 0,1 (*) ◀			▶ <u>M42</u> — ◀				
▶ <u>M74</u> 0,1 (*) ◀			▶ <u>M42</u> — ◀				
▶ <u>M74</u> 0,1 (*) ◀			▶ <u>M42</u> — ◀				
	0,01 (*)		▶ <u>M42</u> — ◀	0,01 (*)	0,02 (*)	0,02 (*)	0,01 (*)
▶ <u>M11</u> — ◀		▶ <u>M37</u> 0,02 (*) ◀	▶ <u>M42</u> — ◀				
▶ <u>M74</u> 0,8 ◀			▶ <u>M42</u> — ◀				
▶ <u>M74</u> 0,1 (*) ◀			▶ <u>M42</u> — ◀				
			▶ <u>M42</u> — ◀				
			▶ <u>M42</u> — ◀				
			▶ <u>M42</u> — ◀				
			▶ <u>M42</u> — ◀				
			▶ <u>M42</u> — ◀				

▼ M5

(25)
▶ <u>M13</u> — ◀
▶ <u>M13</u> 0,01 (*) ◀

▼ **M5**

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)
0213000	(c) <i>Other root and tuber vegetables except sugar beet</i>						
0213010	Beetroot						
0213020	Carrots						
0213030	Celeriac						
0213040	Horseradish						
0213050	Jerusalem artichokes						
0213060	Parsnips						
0213070	Parsley root						
0213080	Radishes						
0213090	Salsify						
0213100	Swedes						
0213110	Turnips						
0213990	Others						
0220000	(ii) <b>Bulb vegetables</b>	► <b>M27</b> 0,05 (*) ◀	► <b>M53</b> 0,05 (*) ◀			► <b>M30</b> 0,01 (*) ◀	
0220010	Garlic						
0220020	Onions						
0220030	Shallots						
0220040	Spring onions						
0220990	Others						
0230000	(iii) <b>Fruiting vegetables</b>					► <b>M30</b> 0,01 (*) ◀	
0231000	(a) <i>Solanacea</i>	► <b>M27</b> 0,05 (*) ◀					

▼ M5

(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
			▶ <u>M37</u> 0,02 (*) ◀			▶ <u>M32</u> 0,02 (*) ◀	▶ <u>M56</u> — ◀
							▶ <u>M56</u> 0,05 (*) ◀ ▶ <u>M56</u> 0,05 (*) ◀ ▶ <u>M56</u> 0,05 (*) ◀ ▶ <u>M56</u> 0,8 ◀
							▶ <u>M56</u> 0,05 (*) ◀
						▶ <u>M32</u> 0,01 (*) ◀	
							▶ <u>M56</u> 0,5 ◀

▼ M5

(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)
▶ <u>M74</u> 0,1 (*) ◀			▶ <u>M42</u> — ◀				
			▶ <u>M42</u> — ◀ ▶ <u>M42</u> — ◀ ▶ <u>M42</u> — ◀ ▶ <u>M42</u> — ◀ ▶ <u>M42</u> — ◀  ▶ <u>M42</u> — ◀ ▶ <u>M42</u> — ◀ ▶ <u>M42</u> — ◀ ▶ <u>M42</u> — ◀ ▶ <u>M42</u> — ◀ ▶ <u>M42</u> — ◀				
			▶ <u>M42</u> — ◀				
▶ <u>M14</u> — ◀		▶ <u>M37</u> 0,02 (*) ◀	▶ <u>M42</u> — ◀				
▶ <u>M74</u> 0,1 (*) ◀ ▶ <u>M74</u> 0,4 ◀ ▶ <u>M74</u> 0,4 ◀ ▶ <u>M74</u> 0,1 (*) ◀			▶ <u>M42</u> — ◀ ▶ <u>M42</u> — ◀ ▶ <u>M42</u> — ◀ ▶ <u>M42</u> — ◀				
▶ <u>M74</u> 0,1 (*) ◀			▶ <u>M42</u> — ◀				
			▶ <u>M42</u> — ◀				
		▶ <u>M37</u> 0,02 (*) ◀	▶ <u>M42</u> — ◀				

▼ M5

(25)
► <u>M13</u> 0,01 (*) ◀

▼ **M5**

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)
0231010	Tomatoes		► <b>M53</b> 0,6 ◀				
0231020	Peppers		► <b>M53</b> 1 ◀				
0231030	Aubergines (egg plants)		► <b>M53</b> 0,6 ◀				
0231040	Okra, lady's fingers		► <b>M53</b> 0,05 (*) ◀				
0231990	Others		► <b>M53</b> 0,05 (*) ◀				
0232000	(b) <i>Cucurbits</i> — <i>edible peel</i>		► <b>M53</b> 0,4 ◀				
0232010	Cucumbers	► <b>M27</b> 0,1 ◀					
0232020	Gherkins	► <b>M27</b> 0,05 (*) ◀					
0232030	Courgettes	► <b>M27</b> 0,1 ◀					
0232990	Others	► <b>M27</b> 0,05 (*) ◀					
0233000	(c) <i>Cucurbits</i> — <i>inedible peel</i>		► <b>M53</b> 0,05 (*) ◀				
0233010	Melons	► <b>M27</b> 0,5 ◀					
0233020	Pumpkins	► <b>M27</b> 0,05 (*) ◀					
0233030	Watermelons	► <b>M27</b> 0,1 ◀					
0233990	Others	► <b>M27</b> 0,05 (*) ◀					
0234000	(d) <i>Sweet corn</i>	► <b>M27</b> 0,05 (*) ◀	► <b>M53</b> 0,05 (*) ◀				
0239000	(e) <i>Other fruiting vegetables</i>	► <b>M27</b> 0,05 (*) ◀	► <b>M53</b> 0,05 (*) ◀				
0240000	(iv) <b>Brassica vegetables</b>	► <b>M27</b> 0,05 (*) ◀				► <b>M30</b> 0,01 (*) ◀	
0241000	(a) <i>Flowering brassica</i>		► <b>M53</b> — ◀				
0241010	Broccoli		► <b>M53</b> 3 ◀				
0241020	Cauliflower		► <b>M53</b> 1,5 ◀				

▼ M5

(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
			▶ <u>M37</u> 0,15 ◀ ▶ <u>M37</u> 0,02 (*) ◀ ▶ <u>M37</u> 0,15 ◀ ▶ <u>M37</u> 0,02 (*) ◀				
			▶ <u>M37</u> 0,02 (*) ◀				
			▶ <u>M37</u> 0,05 ◀				▶ <u>M56</u> 0,2 ◀
			▶ <u>M37</u> 0,02 (*) ◀				▶ <u>M56</u> 0,05 (*) ◀
			▶ <u>M37</u> 0,02 (*) ◀				▶ <u>M56</u> 0,05 (*) ◀
			▶ <u>M37</u> 0,02 (*) ◀				▶ <u>M56</u> 0,05 (*) ◀
			▶ <u>M37</u> 0,02 (*) ◀			▶ <u>M32</u> 0,01 (*) ◀	▶ <u>M56</u> 0,05 (*) ◀



▼ M5

(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)
▶ <u>M74</u> 2 ◀ ▶ <u>M74</u> 2 ◀ ▶ <u>M74</u> 2 ◀ ▶ <u>M74</u> 1 ◀			▶ <u>M42</u> — ◀ ▶ <u>M42</u> — ◀ ▶ <u>M42</u> — ◀ ▶ <u>M42</u> — ◀				
▶ <u>M74</u> 1 ◀			▶ <u>M42</u> — ◀				
▶ <u>M74</u> 0,2 ◀		▶ <u>M37</u> 0,02 (*) ◀	▶ <u>M42</u> — ◀				
			▶ <u>M42</u> — ◀ ▶ <u>M42</u> — ◀ ▶ <u>M42</u> — ◀				
			▶ <u>M42</u> — ◀				
▶ <u>M74</u> 0,2 ◀		▶ <u>M37</u> 0,02 (*) ◀	▶ <u>M42</u> — ◀				
			▶ <u>M42</u> — ◀ ▶ <u>M42</u> — ◀ ▶ <u>M42</u> — ◀				
			▶ <u>M42</u> — ◀				
▶ <u>M74</u> 0,1 (*) ◀		▶ <u>M37</u> 0,05 ◀	▶ <u>M42</u> — ◀				
▶ <u>M74</u> 0,1 (*) ◀		▶ <u>M37</u> 0,02 (*) ◀	▶ <u>M42</u> — ◀				
		▶ <u>M37</u> 0,02 (*) ◀	▶ <u>M42</u> — ◀				
▶ <u>M74</u> 1 ◀			▶ <u>M42</u> — ◀				
			▶ <u>M42</u> — ◀ ▶ <u>M42</u> — ◀				



▼ **M5**

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)
0241990	Others		► <b>M53</b> 0,05 (*) ◀				
0242000	(b) <i>Head brassica</i>						
0242010	Brussels sprouts		► <b>M53</b> 1 ◀				
0242020	Head cabbage		► <b>M53</b> 1 ◀				
0242990	Others		► <b>M53</b> 0,05 (*) ◀				
0243000	(c) <i>Leafy brassica</i>		► <b>M53</b> — ◀				
0243010	Chinese cabbage		► <b>M53</b> 7 ◀				
0243020	Kale		► <b>M53</b> 0,05 (*) ◀				
0243990	Others		► <b>M53</b> 0,05 (*) ◀				
0244000	(d) <i>Kohlrabi</i>		► <b>M53</b> 0,05 (*) ◀				
0250000	(v) <b>Leaf vegetables &amp; fresh herbs</b>	► <b>M27</b> 0,05 (*) ◀					
0251000	(a) <i>Lettuce and other salad plants including Brassicacea</i>					► <b>M30</b> 0,1 ◀	
0251010	Lamb's lettuce		► <b>M53</b> 10 ◀				
0251020	Lettuce		► <b>M53</b> 5 ◀				
0251030	Scarole (broad-leaf endive)		► <b>M53</b> 0,05 (*) ◀				
0251040	Cress		► <b>M53</b> 10 ◀				
0251050	Land cress		► <b>M53</b> 10 ◀				
0251060	Rocket, Rucola		► <b>M53</b> 10 ◀				

▼ M5

(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
			▶ <u>M37</u> 0,02 (*) ◀				▶ <u>M11</u> — ◀
						▶ <u>M32</u> 0,01 (*) ◀	
							▶ <u>M56</u> 0,05 (*) ◀ ▶ <u>M56</u> 10 ◀ ▶ <u>M56</u> 0,05 (*) ◀  ▶ <u>M56</u> 0,05 (*) ◀ ▶ <u>M56</u> 0,05 (*) ◀ ▶ <u>M56</u> 0,05 (*) ◀

▼ M5

(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)
			▶ <u>M42</u> — ◀				
			▶ <u>M42</u> — ◀				
▶ <u>M74</u> 0,3 ◀ ▶ <u>M74</u> 2 ◀			▶ <u>M42</u> — ◀ ▶ <u>M42</u> — ◀				
▶ <u>M74</u> 0,1 (*) ◀			▶ <u>M42</u> — ◀				
▶ <u>M74</u> 7 ◀			▶ <u>M42</u> — ◀				
			▶ <u>M42</u> — ◀ ▶ <u>M42</u> — ◀				
			▶ <u>M42</u> — ◀				
▶ <u>M74</u> 2 ◀			▶ <u>M42</u> — ◀				
		▶ <u>M37</u> 0,02 (*) ◀	▶ <u>M42</u> — ◀				
▶ <u>M74</u> 7 ◀			▶ <u>M42</u> — ◀				
▶ <u>M11</u> — ◀ ▶ <u>M11</u> — ◀ ▶ <u>M11</u> — ◀  ▶ <u>M11</u> — ◀ ▶ <u>M11</u> — ◀ ▶ <u>M11</u> — ◀			▶ <u>M42</u> — ◀ ▶ <u>M42</u> — ◀ ▶ <u>M42</u> — ◀  ▶ <u>M42</u> — ◀ ▶ <u>M42</u> — ◀ ▶ <u>M42</u> — ◀				

▼ **M5**

(25)
► <b>M13</b> 0,01 (*) ◀

▼ **M5**

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)
0251070	Red mustard		► <b>M53</b> 10 ◀				
0251080	Leaves and sprouts of <i>Brassica spp.</i>		► <b>M53</b> 10 ◀				
0251990	Others		► <b>M53</b> 10 ◀				
0252000	(b) <i>Spinach</i> & similar (leaves)		► <b>M53</b> 0,05 (*) ◀			► <b>M30</b> 0,01 (*) ◀	
0252010	Spinach						
0252020	Purslane						
0252030	Beet leaves (chard)						
0252990	Others						
0253000	(c) <i>Vine leaves</i> (grape leaves)		► <b>M53</b> 0,05 (*) ◀			► <b>M30</b> 0,01 (*) ◀	
0254000	(d) <i>Water cress</i>		► <b>M53</b> 0,05 (*) ◀			► <b>M30</b> 0,01 (*) ◀	
0255000	(e) <i>Witloof</i>		► <b>M53</b> 0,05 (*) ◀			► <b>M30</b> 0,01 (*) ◀	
0256000	(f) <i>Herbs</i>		► <b>M53</b> 0,05 (*) ◀			► <b>M30</b> — ◀	
0256010	Chervil					► <b>M30</b> 0,01 (*) ◀	
0256020	Chives					► <b>M30</b> 0,01 (*) ◀	
0256030	Celery leaves					► <b>M30</b> 0,01 (*) ◀	
0256040	Parsley					► <b>M30</b> 0,3 ◀	
0256050	Sage					► <b>M30</b> 0,01 (*) ◀	
0256060	Rosemary					► <b>M30</b> 0,01 (*) ◀	
0256070	Thyme					► <b>M30</b> 0,01 (*) ◀	
0256080	Basil					► <b>M30</b> 0,01 (*) ◀	

▼ M5

(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
							▶ <u>M56</u> 0,05 (*) ◀ ▶ <u>M56</u> 0,05 (*) ◀
							▶ <u>M56</u> 0,05 (*) ◀
						▶ <u>M32</u> 0,01 (*) ◀	▶ <u>M56</u> 0,05 (*) ◀
						▶ <u>M32</u> 0,01 (*) ◀	▶ <u>M56</u> 0,05 (*) ◀
						▶ <u>M32</u> 0,01 (*) ◀	▶ <u>M56</u> 0,05 (*) ◀
						▶ <u>M32</u> 0,01 (*) ◀	▶ <u>M56</u> 0,05 (*) ◀
						▶ <u>M32</u> 0,02 (*) ◀	▶ <u>M56</u> 0,05 (*) ◀



▼ M5

(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)
▶ <u>M11</u> — ◀ ▶ <u>M11</u> — ◀			▶ <u>M42</u> — ◀ ▶ <u>M42</u> — ◀				
▶ <u>M11</u> — ◀			▶ <u>M42</u> — ◀				
▶ <u>M74</u> 7 ◀			▶ <u>M42</u> — ◀				
			▶ <u>M42</u> — ◀ ▶ <u>M42</u> — ◀ ▶ <u>M42</u> — ◀				
			▶ <u>M42</u> — ◀				
▶ <u>M74</u> 0,1 (*) ◀			▶ <u>M42</u> — ◀				
▶ <u>M74</u> 7 ◀			▶ <u>M42</u> — ◀				
▶ <u>M74</u> 0,1 (*) ◀			▶ <u>M42</u> — ◀				
▶ <u>M74</u> 4 ◀			▶ <u>M42</u> — ◀				
			▶ <u>M42</u> — ◀ ▶ <u>M42</u> — ◀ ▶ <u>M42</u> — ◀ ▶ <u>M42</u> — ◀ ▶ <u>M42</u> — ◀ ▶ <u>M42</u> — ◀ ▶ <u>M42</u> — ◀ ▶ <u>M42</u> — ◀ ▶ <u>M42</u> — ◀				

▼ M5

(25)

▼ **M5**

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)
0256090	Bay leaves (laurel)					► <b>M30</b> 0,01 (*) ◀	
0256100	Tarragon					► <b>M30</b> 0,01 (*) ◀	
0256990	Others					► <b>M30</b> 0,01 (*) ◀	
0260000	(vi) <b>Legume vegetables (fresh)</b>	► <b>M27</b> 0,05 (*) ◀	► <b>M53</b> — ◀			► <b>M30</b> 0,01 (*) ◀	
0260010	Beans (with pods)		► <b>M53</b> 0,9 ◀				
0260020	Beans (without pods)		► <b>M53</b> 0,05 (*) ◀				
0260030	Peas (with pods)		► <b>M53</b> 1,5 ◀				
0260040	Peas (without pods)		► <b>M53</b> 0,05 (*) ◀				
0260050	Lentils		► <b>M53</b> 0,05 (*) ◀				
0260990	Others		► <b>M53</b> 0,05 (*) ◀				
0270000	(vii) <b>Stem vegetables (fresh)</b>	► <b>M27</b> 0,05 (*) ◀	► <b>M53</b> — ◀			► <b>M30</b> — ◀	
0270010	Asparagus		► <b>M53</b> 0,05 (*) ◀			► <b>M30</b> 0,01 (*) ◀	
0270020	Cardoons		► <b>M53</b> 0,05 (*) ◀			► <b>M30</b> 0,01 (*) ◀	
0270030	Celery		► <b>M53</b> 0,05 (*) ◀			► <b>M30</b> 0,1 ◀	
0270040	Fennel		► <b>M53</b> 0,05 (*) ◀			► <b>M30</b> 0,01 (*) ◀	
0270050	Globe artichokes		► <b>M53</b> 0,9 ◀			► <b>M30</b> 0,01 (*) ◀	
0270060	Leek		► <b>M53</b> 0,05 (*) ◀			► <b>M30</b> 0,07 ◀	
0270070	Rhubarb		► <b>M53</b> 0,05 (*) ◀			► <b>M30</b> 0,01 (*) ◀	
0270080	Bamboo shoots		► <b>M53</b> 0,05 (*) ◀			► <b>M30</b> 0,01 (*) ◀	
0270090	Palm hearts		► <b>M53</b> 0,05 (*) ◀			► <b>M30</b> 0,01 (*) ◀	
0270990	Others		► <b>M53</b> 0,05 (*) ◀			► <b>M30</b> 0,01 (*) ◀	

▼ M5

(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
			▶ <u>M37</u> 0,02 (*) ◀			▶ <u>M32</u> 0,01 (*) ◀	
							▶ <u>M56</u> 0,1 ◀ ▶ <u>M56</u> 0,05 (*) ◀  ▶ <u>M56</u> 0,1 ◀ ▶ <u>M56</u> 0,05 (*) ◀ ▶ <u>M56</u> 0,05 (*) ◀
							▶ <u>M56</u> 0,05 (*) ◀
			▶ <u>M37</u> 0,02 (*) ◀			▶ <u>M32</u> 0,01 (*) ◀	▶ <u>M56</u> 0,05 (*) ◀

▼ M5

(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)
			▶ <u>M42</u> — ◀				
			▶ <u>M42</u> — ◀				
			▶ <u>M42</u> — ◀				
▶ <u>M74</u> 1,5 ◀		▶ <u>M37</u> 0,02 (*) ◀	▶ <u>M42</u> — ◀				
▶ <u>M38</u> — ◀			▶ <u>M42</u> — ◀				
▶ <u>M38</u> — ◀			▶ <u>M42</u> — ◀				
▶ <u>M38</u> — ◀			▶ <u>M42</u> — ◀				
▶ <u>M38</u> — ◀			▶ <u>M42</u> — ◀				
▶ <u>M38</u> — ◀			▶ <u>M42</u> — ◀				
▶ <u>M38</u> — ◀			▶ <u>M42</u> — ◀				
▶ <u>M11</u> — ◀		▶ <u>M37</u> 0,02 (*) ◀	▶ <u>M42</u> — ◀				
▶ <u>M74</u> 0,1 (*) ◀			▶ <u>M42</u> — ◀				
▶ <u>M74</u> 0,1 (*) ◀			▶ <u>M42</u> — ◀				
▶ <u>M74</u> 4 ◀			▶ <u>M42</u> — ◀				
▶ <u>M74</u> 0,1 (*) ◀			▶ <u>M42</u> — ◀				
▶ <u>M74</u> 1 ◀			▶ <u>M42</u> — ◀				
▶ <u>M74</u> 0,1 (*) ◀			▶ <u>M42</u> — ◀				
▶ <u>M74</u> 0,1 (*) ◀			▶ <u>M42</u> — ◀				
▶ <u>M74</u> 0,1 (*) ◀			▶ <u>M42</u> — ◀				
▶ <u>M74</u> 0,1 (*) ◀			▶ <u>M42</u> — ◀				
▶ <u>M74</u> 0,1 (*) ◀			▶ <u>M42</u> — ◀				

▼ M5

(25)
▶ <u>M13</u> 0,01 (*) ◀
▶ <u>M13</u> 0,01 (*) ◀

▼ **M5**

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)
0280000	(viii) <b>Fungi</b>	► <b>M27</b> 0,05 (*) ◀	► <b>M53</b> 0,05 (*) ◀			► <b>M30</b> 0,01 (*) ◀	
0280010	Cultivated						
0280020	Wild						
0280990	Others						
0290000	(ix) <b>Sea weeds</b>	► <b>M27</b> 0,05 (*) ◀	► <b>M53</b> 0,05 (*) ◀			► <b>M30</b> 0,01 (*) ◀	
0300000	<b>3. PULSES, DRY</b>	► <b>M27</b> 0,05 (*) ◀	► <b>M53</b> 0,05 (*) ◀	0,01 (*)	0,01 (*)	► <b>M30</b> 0,01 (*) ◀	0,01 (*)
0300010	Beans						
0300020	Lentils						
0300030	Peas						
0300040	Lupins						
0300990	Others						
0400000	<b>4. OILSEEDS AND OILFRUITS</b>	► <b>M27</b> 0,05 (*) ◀	► <b>M53</b> — ◀	0,01 (*)	0,01 (*)	► <b>M30</b> 0,02 (*) ◀	0,01 (*)
0401000	(i) <b>Oilseeds</b>						
0401010	Linseed		► <b>M53</b> 0,05 (*) ◀				
0401020	Peanuts		► <b>M53</b> 0,05 (*) ◀				
0401030	Poppy seed		► <b>M53</b> 0,05 (*) ◀				
0401040	Sesame seed		► <b>M53</b> 0,05 (*) ◀				
0401050	Sunflower seed		► <b>M53</b> 0,05 (*) ◀				
0401060	Rape seed		► <b>M53</b> 0,05 (*) ◀				
0401070	Soya bean		► <b>M53</b> 0,05 (*) ◀				

▼ M5

(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
			▶ <u>M37</u> 0,02 (*) ◀			▶ <u>M32</u> 0,01 (*) ◀	▶ <u>M56</u> 0,05 (*) ◀
			▶ <u>M37</u> 0,02 (*) ◀			▶ <u>M32</u> 0,01 (*) ◀	▶ <u>M56</u> 0,05 (*) ◀
	0,02 (*)	0,05 (*)	▶ <u>M37</u> 0,02 (*) ◀	0,01 (*)	0,01 (*)	▶ <u>M32</u> 0,01 (*) ◀	▶ <u>M56</u> 0,05 (*) ◀
	0,02 (*)	0,05 (*)	▶ <u>M37</u> 0,02 (*) ◀	0,01 (*)	0,01 (*)	▶ <u>M32</u> 0,02 (*) ◀	▶ <u>M56</u> 0,05 (*) ◀



▼ M5

(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)
▶ <u>M74</u> 0,1 (*) ◀		▶ <u>M37</u> 0,02 (*) ◀	▶ <u>M42</u> — ◀				
			▶ <u>M42</u> — ◀ ▶ <u>M42</u> — ◀				
			▶ <u>M42</u> — ◀				
▶ <u>M74</u> 0,1 (*) ◀		▶ <u>M37</u> 0,02 (*) ◀	▶ <u>M42</u> — ◀				
▶ <u>M74</u> 2 ◀	0,01 (*)	▶ <u>M37</u> 0,02 (*) ◀	▶ <u>M42</u> — ◀	0,01	0,02 (*)	0,02 (*)	0,01 (*)
▶ <u>M38</u> — ◀ ▶ <u>M38</u> — ◀ ▶ <u>M38</u> — ◀ ▶ <u>M38</u> — ◀			▶ <u>M42</u> — ◀ ▶ <u>M42</u> — ◀ ▶ <u>M42</u> — ◀ ▶ <u>M42</u> — ◀				
▶ <u>M38</u> — ◀			▶ <u>M42</u> — ◀				
▶ <u>M38</u> — ◀	0,01 (*)	▶ <u>M37</u> 0,02 (*) ◀	▶ <u>M42</u> — ◀	0,01	0,02 (*)	0,02 (*)	0,01 (*)
			▶ <u>M42</u> — ◀				
▶ <u>M74</u> 0,1 (*) ◀ ▶ <u>M74</u> 0,1 (*) ◀ ▶ <u>M74</u> 0,1 (*) ◀ ▶ <u>M74</u> 0,1 (*) ◀ ▶ <u>M74</u> 0,1 (*) ◀ ▶ <u>M74</u> 0,1 (*) ◀ ▶ <u>M74</u> 4 ◀			▶ <u>M42</u> — ◀ ▶ <u>M42</u> — ◀ ▶ <u>M42</u> — ◀ ▶ <u>M42</u> — ◀ ▶ <u>M42</u> — ◀ ▶ <u>M42</u> — ◀ ▶ <u>M42</u> — ◀				

▼ M5

(25)
▶ <u>M13</u> 0,01 (*) ◀
▶ <u>M13</u> 0,01 (*) ◀
▶ <u>M13</u> 0,01 (*) ◀
▶ <u>M13</u> 0,01 (*) ◀

▼ **M5**

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)
0401080	Mustard seed		► <b>M53</b> 0,05 (*) ◀				
0401090	Cotton seed		► <b>M53</b> 0,07 ◀				
0401100	Pumpkin seeds		► <b>M53</b> 0,05 (*) ◀				
0401110	Safflower		► <b>M53</b> 0,05 (*) ◀				
0401120	Borage		► <b>M53</b> 0,05 (*) ◀				
0401130	Gold of pleasure		► <b>M53</b> 0,05 (*) ◀				
0401140	Hempseed		► <b>M53</b> 0,05 (*) ◀				
0401150	Castor bean		► <b>M53</b> 0,05 (*) ◀				
0401990	Others		► <b>M53</b> 0,05 (*) ◀				
0402000	(ii) <b>Oilfruits</b>		► <b>M53</b> 0,05 (*) ◀				
0402010	Olives for oil production						
0402020	Palm nuts (palmoil kernels)						
0402030	Palmfruit						
0402040	Kapok						
0402990	Others						
0500000	5. <b>CEREALS</b>	► <b>M27</b> 0,05 (*) ◀	► <b>M53</b> 0,05 (*) ◀		0,01 (*)	► <b>M30</b> 0,01 (*) ◀	0,01 (*)
0500010	Barley			0,01 (*)			
0500020	Buckwheat			0,01 (*)			
0500030	Maize			0,01 (*)			
0500040	Millet			0,01 (*)			
0500050	Oats			0,01 (*)			
0500060	Rice			0,03			
0500070	Rye			0,01 (*)			

▼ M5

(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
		0,05 (*)	▶ <u>M37</u> 0,02 (*) ◀		0,01 (*)		▶ <u>M56</u> 0,05 (*) ◀
	1 0,02 (*) 0,02 (*) 0,02 (*) 0,02 (*) 0,05 1			0,02 (*) 0,02 (*) 0,02 (*) 0,02 (*) 0,2 0,02 (*) 0,02 (*)		▶ <u>M32</u> 0,01 (*) ◀ ▶ <u>M32</u> 0,01 (*) ◀ ▶ <u>M32</u> 0,01 (*) ◀ ▶ <u>M32</u> 0,01 (*) ◀ ▶ <u>M32</u> 0,01 (*) ◀ ▶ <u>M32</u> 5 ◀ ▶ <u>M32</u> 0,01 (*) ◀	

▼ M5

(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)
▶ <u>M74</u> 0,1 (*) ◀			▶ <u>M42</u> — ◀				
▶ <u>M74</u> 0,4 ◀			▶ <u>M42</u> — ◀				
▶ <u>M74</u> 0,1 (*) ◀			▶ <u>M42</u> — ◀				
▶ <u>M74</u> 0,1 (*) ◀			▶ <u>M42</u> — ◀				
▶ <u>M74</u> 0,1 (*) ◀			▶ <u>M42</u> — ◀				
▶ <u>M74</u> 0,1 (*) ◀			▶ <u>M42</u> — ◀				
▶ <u>M74</u> 0,1 (*) ◀			▶ <u>M42</u> — ◀				
▶ <u>M74</u> 0,1 (*) ◀			▶ <u>M42</u> — ◀				
▶ <u>M74</u> 0,1 (*) ◀			▶ <u>M42</u> — ◀				
▶ <u>M74</u> — ◀			▶ <u>M42</u> — ◀				
▶ <u>M74</u> 4 ◀			▶ <u>M42</u> — ◀				
▶ <u>M74</u> 0,1 (*) ◀			▶ <u>M42</u> — ◀				
▶ <u>M74</u> 0,1 (*) ◀			▶ <u>M42</u> — ◀				
▶ <u>M74</u> 0,1 (*) ◀			▶ <u>M42</u> — ◀				
▶ <u>M74</u> 0,1 (*) ◀			▶ <u>M42</u> — ◀				
▶ <u>M74</u> 0,1 (*) ◀	0,05	▶ <u>M37</u> 0,02 (*) ◀	▶ <u>M42</u> — ◀	0,01 (*)	0,02 (*)	0,02 (*)	0,01 (*)
			▶ <u>M42</u> — ◀				
			▶ <u>M42</u> — ◀				
			▶ <u>M42</u> — ◀				
			▶ <u>M42</u> — ◀				
			▶ <u>M42</u> — ◀				
			▶ <u>M42</u> — ◀				
			▶ <u>M42</u> — ◀				

▼ M5

(25)

► M13 0,01 (\*) ◀

▼ **M5**

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)
0500080	Sorghum			0,01 (*)			
0500090	Wheat			0,01 (*)			
0500990	Others			0,01 (*)			
0600000	6. <b>TEA, COFFEE, HERBAL INFUSIONS AND COCOA</b>	▶ <b>M27</b> 0,1 (*) ◀	▶ <b>M53</b> 0,1 (*) ◀	0,01 (*)	0,02 (*)	▶ <b>M30</b> 0,02 (*) ◀	0,02 (*)
0610000	(i) <b>Tea (dried leaves and stalks, fermented or otherwise of Camellia sinensis)</b>						
0620000	(ii) <b>Coffee beans</b>						
0630000	(iii) <b>Herbal infusions (dried)</b>						
0631000	(a) <i>Flowers</i>						
0631010	Camomille flowers						
0631020	Hybiscus flowers						
0631030	Rose petals						
0631040	Jasmine flowers						
0631050	Lime (linden)						
0631990	Others						
0632000	(b) <i>Leaves</i>						
0632010	Strawberry leaves						

▼ M5

(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
	0,02 (*) 1			0,02 (*) 0,02 (*)		► <u>M32</u> 0,01 (*) ◀ ► <u>M32</u> 0,01 (*) ◀	
	0,02 (*)			0,02 (*)		► <u>M32</u> 0,01 (*) ◀	
	0,05 (*)	0,1 (*)	► <u>M37</u> 0,05 (*) ◀	0,02 (*)	0,02 (*)	► <u>M32</u> 0,05 (*) ◀	► <u>M56</u> 0,1 (*) ◀



▼ M5

(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)
			▶ <u>M42</u> — ◀				
			▶ <u>M42</u> — ◀				
			▶ <u>M42</u> — ◀				
▶ <u>M74</u> 0,1 (*) ◀	0,02 (*)	▶ <u>M37</u> 0,05 (*) ◀	▶ <u>M42</u> — ◀	0,02 (*)	0,05 (*)	0,05 (*)	0,02 (*)
			▶ <u>M42</u> — ◀				
			▶ <u>M42</u> — ◀				
			▶ <u>M42</u> — ◀				
			▶ <u>M42</u> — ◀				
			▶ <u>M42</u> — ◀				
			▶ <u>M42</u> — ◀				
			▶ <u>M42</u> — ◀				
			▶ <u>M42</u> — ◀				
			▶ <u>M42</u> — ◀				
			▶ <u>M42</u> — ◀				
			▶ <u>M42</u> — ◀				
			▶ <u>M42</u> — ◀				

▼ M5

(25)
▶ <u>M13</u> 0,02 (*) ◀

▼ **M5**

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)
0632020	Rooibos leaves						
0632030	Maté						
0632990	Others						
0633000	(c) <i>Roots</i>						
0633010	Valerian root						
0633020	Ginseng root						
0633990	Others						
0639000	(d) <i>Other herbal infusions</i>						
0640000	(iv) <b>Cocoa (fermented beans)</b>						
0650000	(v) <b>Carob (st johns bread)</b>						
0700000	7. <b>HOPS (dried), including hop pellets and unconcentrated powder</b>	► <b>M27</b> 0,1 (*) ◀	► <b>M53</b> 0,1 (*) ◀	0,01 (*)	0,02 (*)	► <b>M30</b> 0,02 (*) ◀	0,02 (*)
0800000	8. <b>SPICES</b>	► <b>M27</b> 0,1 (*) ◀	► <b>M53</b> — ◀	0,01 (*)	0,02 (*)	► <b>M30</b> 0,02 (*) ◀	0,02 (*)
0810000	(i) <b>Seeds</b>		► <b>M53</b> 0,05 (*) ◀				
0810010	Anise						
0810020	Black caraway						
0810030	Celery seed						
0810040	Coriander seed						
0810040	Coriander seed						
0810060	Dill seed						

▼ M5

(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
	0,05 (*)	0,1 (*)	▶ <u>M37</u> 0,05 ◀	0,02 (*)	0,02 (*)	▶ <u>M32</u> 0,05 (*) ◀	▶ <u>M56</u> 0,1 (*) ◀
	0,05 (*)	0,1 (*)	▶ <u>M37</u> 0,05 (*) ◀	0,02 (*)	0,02 (*)	▶ <u>M32</u> 0,05 (*) ◀	▶ <u>M56</u> — ◀
7							▶ <u>M56</u> 0,1 (*) ◀

▼ M5

(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)
			▶ <u>M42</u> — ◀				
			▶ <u>M42</u> — ◀				
			▶ <u>M42</u> — ◀				
			▶ <u>M42</u> — ◀				
			▶ <u>M42</u> — ◀				
			▶ <u>M42</u> — ◀				
			▶ <u>M42</u> — ◀				
			▶ <u>M42</u> — ◀				
			▶ <u>M42</u> — ◀				
▶ <u>M74</u> 15 ◀	0,02 (*)	▶ <u>M37</u> 0,05 (*) ◀	▶ <u>M42</u> — ◀	0,02 (*)	0,05 (*)	0,05 (*)	0,02 (*)
▶ <u>M54</u> — ◀	0,02 (*)	▶ <u>M37</u> 0,05 (*) ◀	▶ <u>M42</u> — ◀	0,02 (*)	0,05 (*)	0,05 (*)	0,02 (*)
▶ <u>M74</u> 0,1 (*) ◀			▶ <u>M42</u> — ◀				
			▶ <u>M42</u> — ◀				
			▶ <u>M42</u> — ◀				
			▶ <u>M42</u> — ◀				
			▶ <u>M42</u> — ◀				
			▶ <u>M42</u> — ◀				

▼ M5

(25)
▶ <u>M13</u> 0,02 (*) ◀
▶ <u>M13</u> 0,02 (*) ◀

▼ **M5**

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)
0810070	Fennel seed						
0810080	Fenugreek						
0810090	Nutmeg						
0810990	Others						
0820000	(ii) <b>Fruits and berries</b>		► <b>M53</b> 0,05 (*) ◀				
0820010	Allspice						
0820020	Anise pepper (Japan pepper)						
0820030	Caraway						
0820040	Cardamom						
0820050	Juniper berries						
0820060	Pepper, black and white						
0820070	Vanilla pods						
0820080	Tamarind						
0820990	Others						
0830000	(iii) <b>Bark</b>		► <b>M53</b> 0,05 (*) ◀				
0830010	Cinnamon						
0830990	Others						
0840000	(iv) <b>Roots or rhizome</b>						
0840010	Liquorice		► <b>M53</b> 0,05 (*) ◀				
0840020	Ginger		► <b>M53</b> 0,05 (*) ◀				
0840030	Turmeric (Curcuma)		► <b>M53</b> 0,05 (*) ◀				

▼ M5

(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
							▶ <u>M56</u> 0,1 (*) ◀
							▶ <u>M56</u> 0,1 (*) ◀
							▶ <u>M56</u> 0,1 (*) ◀ ▶ <u>M56</u> 0,1 (*) ◀ ▶ <u>M56</u> 0,1 (*) ◀



▼ M5

(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)
			▶ <u>M42</u> — ◀ ▶ <u>M42</u> — ◀ ▶ <u>M42</u> — ◀				
			▶ <u>M42</u> — ◀				
▶ <u>M74</u> 0,1 (*) ◀			▶ <u>M42</u> — ◀				
			▶ <u>M42</u> — ◀ ▶ <u>M42</u> — ◀  ▶ <u>M42</u> — ◀ ▶ <u>M42</u> — ◀ ▶ <u>M42</u> — ◀ ▶ <u>M42</u> — ◀  ▶ <u>M42</u> — ◀ ▶ <u>M42</u> — ◀				
			▶ <u>M42</u> — ◀				
▶ <u>M74</u> 0,1 (*) ◀			▶ <u>M42</u> — ◀				
			▶ <u>M42</u> — ◀				
			▶ <u>M42</u> — ◀				
			▶ <u>M42</u> — ◀				
▶ <u>M74</u> 0,1 (*) ◀ ▶ <u>M74</u> 0,1 (*) ◀ ▶ <u>M74</u> 0,1 (*) ◀			▶ <u>M42</u> — ◀  ▶ <u>M42</u> — ◀  ▶ <u>M42</u> — ◀				



▼ **M5**

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)
0840040	Horseradish		▶ <b>M53</b> (+) ◀				
0840990	Others		▶ <b>M53</b> 0,05 (*) ◀				
0850000	(v) <b>Buds</b>		▶ <b>M53</b> 0,05 (*) ◀				
0850010	Cloves						
0850020	Capers						
0850990	Others						
0860000	(vi) <b>Flower stigma</b>		▶ <b>M53</b> 0,05 (*) ◀				
0860010	Saffron						
0860990	Others						
0870000	(vii) <b>Aril</b>		▶ <b>M53</b> 0,05 (*) ◀				
0870010	Mace						
0870990	Others						
0900000	9. <b>SUGAR PLANTS</b>	▶ <b>M27</b> 0,05 (*) ◀	▶ <b>M53</b> 0,05 (*) ◀	0,01 (*)	0,01 (*)	▶ <b>M30</b> 0,01 (*) ◀	0,01 (*)
0900010	Sugar beet (root)						
0900020	Sugar cane						
0900030	Chicory roots						
0900990	Others						
1000000	10. <b>PRODUCTS OF ANIMAL ORIGIN — TERRESTRIAL ANIMALS</b>	▶ <b>M27</b> 0,05 (*) ◀		0,01 (*)		▶ <b>M30</b> 0,01 (*) ◀	

▼ M5

(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
							▶ <u>M56</u> (+) ◀
							▶ <u>M56</u> 0,1 (*) ◀
							▶ <u>M56</u> 0,1 (*) ◀
							▶ <u>M56</u> 0,1 (*) ◀
							▶ <u>M56</u> 0,1 (*) ◀
	0,02 (*)	0,05 (*)	▶ <u>M37</u> 0,02 (*) ◀	0,01 (*)	0,01 (*)	▶ <u>M32</u> 0,01 (*) ◀	▶ <u>M56</u> 0,05 (*) ◀
					0,01 (*)		

▼ M5

(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)
▶ <u>M74</u> (+) ◀			▶ <u>M42</u> — ◀				
▶ <u>M74</u> 0,1 (*) ◀			▶ <u>M42</u> — ◀				
▶ <u>M74</u> 0,1 (*) ◀			▶ <u>M42</u> — ◀				
			▶ <u>M42</u> — ◀ ▶ <u>M42</u> — ◀				
			▶ <u>M42</u> — ◀				
▶ <u>M74</u> 0,1 (*) ◀			▶ <u>M42</u> — ◀				
			▶ <u>M42</u> — ◀				
			▶ <u>M42</u> — ◀				
▶ <u>M74</u> 0,1 (*) ◀			▶ <u>M42</u> — ◀				
			▶ <u>M42</u> — ◀				
			▶ <u>M42</u> — ◀				
▶ <u>M74</u> 0,1 (*) ◀	0,01 (*)	▶ <u>M37</u> 0,02 (*) ◀	▶ <u>M42</u> — ◀	0,01 (*)	0,02 (*)	0,02 (*)	0,01 (*)
			▶ <u>M42</u> — ◀ ▶ <u>M42</u> — ◀ ▶ <u>M42</u> — ◀				
			▶ <u>M42</u> — ◀				
			▶ <u>M42</u> — ◀				0,01 (*)

▼ M5

(25)
▶ <u>M13</u> 0,01 (*) ◀
▶ <u>M13</u> 0,01 (*) ◀

▼ **M5**

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)
1010000	(i) <b>Meat, preparations of meat, offals, blood, animal fats fresh chilled or frozen, salted, in brine, dried or smoked or processed as flours or meals; other processed products such as sausages and food preparations based on these</b>	► <b>M27</b> — ◀		0,01 (*)		► <b>M30</b> — ◀	
1011000	(a) <i>Swine</i>		► <b>M53</b> 0,02 ◀				
1011010	Meat						
1011020	Fat free of lean meat						
1011030	Liver						
1011040	Kidney						
1011050	Edible offal						
1011990	Others						
1012000	(b) <i>Bovine</i>		► <b>M53</b> 0,02 ◀				
1012010	Meat						
1012020	Fat						
1012030	Liver						

▼ M5

(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
					0,01 (*)		
							<p>▶ <u>M56</u> 0,2 ◀</p> <p>▶ <u>M56</u> 0,01 (*) ◀</p> <p>▶ <u>M56</u> 0,01 (*) ◀</p> <p>▶ <u>M56</u> 0,01 (*) ◀</p> <p>▶ <u>M56</u> 0,01 (*) ◀</p>
							▶ <u>M56</u> 0,01 (*) ◀
				0,01 (*)			▶ <u>M56</u> 0,2 ◀
				0,01 (*)			▶ <u>M56</u> 0,01 (*) ◀
				1			▶ <u>M56</u> 0,01 (*) ◀



▼ M5

(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)
			▶ <u>M42</u> — ◀				0,01 (*)
			▶ <u>M42</u> — ◀				
▶ <u>M74</u> 0,05 ◀		▶ <u>M37</u> 0,01 (*) ◀	▶ <u>M42</u> — ◀	0,01 (*)			
▶ <u>M74</u> 0,01 (*) ◀		▶ <u>M37</u> 0,01 (*) ◀	▶ <u>M42</u> — ◀	0,05 (*)			
▶ <u>M74</u> 0,7 ◀		▶ <u>M37</u> 0,02 ◀	▶ <u>M42</u> — ◀	0,05 (*)			
▶ <u>M74</u> 0,7 ◀		▶ <u>M37</u> 0,02 ◀	▶ <u>M42</u> — ◀	0,05 (*)			
▶ <u>M74</u> 0,7 ◀		▶ <u>M37</u> 0,01 (*) ◀	▶ <u>M42</u> — ◀	0,05 (*)			
▶ <u>M74</u> 0,01 (*) ◀		▶ <u>M37</u> 0,01 (*) ◀	▶ <u>M42</u> — ◀	0,05 (*)			
			▶ <u>M42</u> — ◀				
▶ <u>M74</u> 0,05 ◀		▶ <u>M37</u> 0,01 (*) ◀	▶ <u>M42</u> — ◀	0,01 (*)			
▶ <u>M74</u> 0,01 (*) ◀		▶ <u>M37</u> 0,01 (*) ◀	▶ <u>M42</u> — ◀	0,05 (*)			
▶ <u>M74</u> 0,7 ◀		▶ <u>M37</u> 0,15 ◀	▶ <u>M42</u> — ◀	0,2			

▼ M5

(25)

▼ M5

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)
1012040	Kidney						
1012050	Edible offal						
1012990	Others						
1013000	(c) <i>Sheep</i>		► <u>M53</u> 0,02 ◀				
1013010	Meat						
1013020	Fat						
1013030	Liver						
1013040	Kidney						
1013050	Edible offal						
1013990	Others						
1014000	(d) <i>Goat</i>		► <u>M53</u> 0,02 ◀				
1014010	Meat						
1014020	Fat						
1014030	Liver						
1014040	Kidney						
1014050	Edible offal						
1014990	Others						
1015000	(e) <i>Horses, asses, mules or hinnies</i>		► <u>M53</u> 0,02 ◀				
1015010	Meat						
1015020	Fat						
1015030	Liver						

▼ **M5**

(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
				0,2 0,01 (*)			▶ <b>M56</b> 0,01 (*) ◀ ▶ <b>M56</b> 0,01 (*) ◀
				0,01 (*)			▶ <b>M56</b> 0,01 (*) ◀
				0,01 (*)			
							▶ <b>M56</b> 0,2 ◀ ▶ <b>M56</b> 0,01 (*) ◀ ▶ <b>M56</b> 0,01 (*) ◀ ▶ <b>M56</b> 0,01 (*) ◀ ▶ <b>M56</b> 0,01 (*) ◀
							▶ <b>M56</b> 0,01 (*) ◀
				0,01 (*)			
							▶ <b>M56</b> 0,2 ◀ ▶ <b>M56</b> 0,01 (*) ◀ ▶ <b>M56</b> 0,01 (*) ◀ ▶ <b>M56</b> 0,01 (*) ◀ ▶ <b>M56</b> 0,01 (*) ◀
							▶ <b>M56</b> 0,01 (*) ◀
				0,01 (*)			
							▶ <b>M56</b> 0,2 ◀ ▶ <b>M56</b> 0,01 (*) ◀ ▶ <b>M56</b> 0,01 (*) ◀

▼ M5

(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)
▶ <u>M74</u> 0,7 ◀		▶ <u>M37</u> 0,04 ◀	▶ <u>M42</u> — ◀	1			
▶ <u>M74</u> 0,7 ◀		▶ <u>M37</u> 0,01 (*) ◀	▶ <u>M42</u> — ◀	0,05 (*)			
▶ <u>M74</u> 0,01 (*) ◀		▶ <u>M37</u> 0,01 (*) ◀	▶ <u>M42</u> — ◀	0,05 (*)			
			▶ <u>M42</u> — ◀				
▶ <u>M74</u> 0,05 ◀		▶ <u>M37</u> 0,01 (*) ◀	▶ <u>M42</u> — ◀	0,01 (*)			
▶ <u>M74</u> 0,01 (*) ◀		▶ <u>M37</u> 0,01 (*) ◀	▶ <u>M42</u> — ◀	0,05 (*)			
▶ <u>M74</u> 0,7 ◀		▶ <u>M37</u> 0,15 ◀	▶ <u>M42</u> — ◀	0,05 (*)			
▶ <u>M74</u> 0,7 ◀		▶ <u>M37</u> 0,04 ◀	▶ <u>M42</u> — ◀	0,05 (*)			
▶ <u>M74</u> 0,7 ◀		▶ <u>M37</u> 0,01 (*) ◀	▶ <u>M42</u> — ◀	0,05 (*)			
▶ <u>M74</u> 0,01 (*) ◀		▶ <u>M37</u> 0,01 (*) ◀	▶ <u>M42</u> — ◀	0,05 (*)			
			▶ <u>M42</u> — ◀				
▶ <u>M74</u> 0,05 ◀		▶ <u>M37</u> 0,01 (*) ◀	▶ <u>M42</u> — ◀	0,01 (*)			
▶ <u>M74</u> 0,01 (*) ◀		▶ <u>M37</u> 0,01 (*) ◀	▶ <u>M42</u> — ◀	0,05 (*)			
▶ <u>M74</u> 0,7 ◀		▶ <u>M37</u> 0,15 ◀	▶ <u>M42</u> — ◀	0,05 (*)			
▶ <u>M74</u> 0,7 ◀		▶ <u>M37</u> 0,04 ◀	▶ <u>M42</u> — ◀	0,05 (*)			
▶ <u>M74</u> 0,7 ◀		▶ <u>M37</u> 0,01 (*) ◀	▶ <u>M42</u> — ◀	0,05 (*)			
▶ <u>M74</u> 0,01 (*) ◀		▶ <u>M37</u> 0,01 (*) ◀	▶ <u>M42</u> — ◀	0,05 (*)			
			▶ <u>M42</u> — ◀				
▶ <u>M74</u> 0,05 ◀		▶ <u>M37</u> 0,01 (*) ◀	▶ <u>M42</u> — ◀	0,01 (*)			
▶ <u>M74</u> 0,01 (*) ◀		▶ <u>M37</u> 0,01 (*) ◀	▶ <u>M42</u> — ◀	0,05 (*)			
▶ <u>M74</u> 0,7 ◀		▶ <u>M37</u> 0,15 ◀	▶ <u>M42</u> — ◀	0,05 (*)			

▼ M5

(25)

▼ **M5**

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)
1015040	Kidney						
1015050	Edible offal						
1015990	Others						
1016000	(f) <i>Poultry — chicken, geese, duck, turkey and Guinea fowl —, ostrich, pigeon</i>						
1016010	Meat		► <b>M53</b> 0,02 ◀				
1016020	Fat		► <b>M53</b> 0,1 ◀				
1016030	Liver		► <b>M53</b> 0,02 ◀				
1016040	Kidney		► <b>M53</b> 0,02 ◀				
1016050	Edible offal		► <b>M53</b> 0,02 ◀				
1016990	Others		► <b>M53</b> 0,02 ◀				
1017000	(g) <i>Other farm animals</i>		► <b>M53</b> 0,02 ◀				
1017010	Meat						
1017020	Fat						
1017030	Liver						
1017040	Kidney						
1017050	Edible offal						
1017990	Others						

▼ M5

(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
							▶ <u>M56</u> 0,01 (*) ◀ ▶ <u>M56</u> 0,01 (*) ◀
							▶ <u>M56</u> 0,01 (*) ◀
				0,01 (*)			▶ <u>M56</u> — ◀
							▶ <u>M56</u> 0,01 ◀ ▶ <u>M56</u> 0,01 (*) ◀ ▶ <u>M56</u> 0,01 (*) ◀ ▶ <u>M56</u> 0,01 (*) ◀ ▶ <u>M56</u> 0,01 (*) ◀
							▶ <u>M56</u> 0,01 (*) ◀
				0,01 (*)			
							▶ <u>M56</u> 0,2 ◀ ▶ <u>M56</u> 0,01 (*) ◀ ▶ <u>M56</u> 0,01 (*) ◀ ▶ <u>M56</u> 0,01 (*) ◀ ▶ <u>M56</u> 0,01 (*) ◀
							▶ <u>M56</u> 0,01 (*) ◀



▼ M5

(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)
▶ <u>M74</u> 0,7 ◀		▶ <u>M37</u> 0,04 ◀	▶ <u>M42</u> — ◀	0,05 (*)			
▶ <u>M74</u> 0,7 ◀		▶ <u>M37</u> 0,01 (*) ◀	▶ <u>M42</u> — ◀	0,05 (*)			
▶ <u>M74</u> 0,01 (*) ◀		▶ <u>M37</u> 0,01 (*) ◀	▶ <u>M42</u> — ◀	0,05 (*)			
▶ <u>M74</u> 0,01 (*) ◀		▶ <u>M37</u> 0,01 (*) ◀	▶ <u>M42</u> — ◀				
			▶ <u>M42</u> — ◀	0,01 (*)			
			▶ <u>M42</u> — ◀	0,05 (*)			
			▶ <u>M42</u> — ◀	0,05 (*)			
			▶ <u>M42</u> — ◀	0,05 (*)			
			▶ <u>M42</u> — ◀	0,05 (*)			
			▶ <u>M42</u> — ◀	0,05 (*)			
▶ <u>M74</u> 0,05 ◀		▶ <u>M37</u> 0,01 (*) ◀	▶ <u>M42</u> — ◀	0,01 (*)			
▶ <u>M74</u> 0,01 (*) ◀		▶ <u>M37</u> 0,01 (*) ◀	▶ <u>M42</u> — ◀	0,05 (*)			
▶ <u>M74</u> 0,7 ◀		▶ <u>M37</u> 0,15 ◀	▶ <u>M42</u> — ◀	0,05 (*)			
▶ <u>M74</u> 0,7 ◀		▶ <u>M37</u> 0,04 ◀	▶ <u>M42</u> — ◀	0,05 (*)			
▶ <u>M74</u> 0,7 ◀		▶ <u>M37</u> 0,01 (*) ◀	▶ <u>M42</u> — ◀	0,05 (*)			
▶ <u>M74</u> 0,01 (*) ◀		▶ <u>M37</u> 0,01 (*) ◀	▶ <u>M42</u> — ◀	0,05 (*)			

▼ M5

(25)

▼ **M5**

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)
1020000	(ii) <b>Milk and cream, not concentrated, nor containing added sugar or sweetening matter, butter and other fats derived from milk, cheese and curd</b>	▶ <b>M27</b> — ◀	▶ <b>M53</b> 0,02 ◀	0,01 (*)		▶ <b>M30</b> — ◀	
1020010	Cattle						
1020020	Sheep						
1020030	Goat						
1020040	Horse						
1020990	Others						
1030000	(iii) <b>Birds' eggs, fresh preserved or cooked; Shelled eggs and egg yolks fresh, dried, cooked by steaming or boiling in water, moulded, frozen or otherwise preserved whether or not containing added sugar or sweetening matter</b>	▶ <b>M27</b> — ◀	▶ <b>M53</b> 0,02 ◀	0,01 (*)		▶ <b>M30</b> — ◀	
1030010	Chicken						
1030020	Duck						
1030030	Goose						

▼ M5

(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
				0,01 (*)	0,01 (*)		► <u>M56</u> 0,01 (*) ◀
				0,01 (*)	0,01 (*)		► <u>M56</u> 0,01 (*) ◀

▼ M5

(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)
▶ <u>M74</u> 0,005 (*) ◀		▶ <u>M37</u> 0,002 (*) ◀	▶ <u>M42</u> — ◀	0,01 (*)			0,01 (*)
			▶ <u>M42</u> — ◀ ▶ <u>M42</u> — ◀ ▶ <u>M42</u> — ◀ ▶ <u>M42</u> — ◀				
			▶ <u>M42</u> — ◀				
▶ <u>M74</u> 0,01 (*) ◀		▶ <u>M37</u> 0,01 (*) ◀	▶ <u>M42</u> — ◀	0,01 (*)			0,01 (*)
			▶ <u>M42</u> — ◀ ▶ <u>M42</u> — ◀ ▶ <u>M42</u> — ◀				

▼ M5

(25)

▼ M5

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)
1030040	Quail						
1030990	Others						
1040000	(iv) <b>Honey</b>	▶ <u>M27</u> — ◀	▶ <u>M53</u> 0,05 (*) ◀	0,01 (*)		▶ <u>M30</u> — ◀	
1050000	(v) <b>Amphibians and reptiles</b>	▶ <u>M27</u> — ◀	▶ <u>M53</u> 0,02 ◀	0,01 (*)		▶ <u>M30</u> — ◀	
1060000	(vi) <b>Snails</b>	▶ <u>M27</u> — ◀	▶ <u>M53</u> 0,02 ◀	0,01 (*)		▶ <u>M30</u> — ◀	
1070000	(vii) <b>Other terrestrial animal products</b>	▶ <u>M27</u> — ◀	▶ <u>M53</u> 0,02 ◀	0,01 (*)		▶ <u>M30</u> — ◀	
1100000	<b>11. FISH, FISH PRODUCTS, SHELL FISH, MOLLUSCS AND OTHER MARINE AND FRESHWATER FOOD PRODUCTS</b>						
1200000	<b>12. CROPS EXCLUSIVELY USED FOR ANIMAL FEED</b>						

▼ M5

(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
				0,01 (*)	0,01		► <u>M56</u> 0,05 (*) ◀
				0,01 (*)	0,01		► <u>M56</u> 0,01 (*) ◀
				0,01 (*)	0,01		► <u>M56</u> 0,01 (*) ◀
				0,01 (*)	0,01		► <u>M56</u> 0,01 (*) ◀



▼ M5

(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)
			▶ <u>M42</u> — ◀				
			▶ <u>M42</u> — ◀				
▶ <u>M74</u> 0,05 (*) ◀		▶ <u>M37</u> 0,05 (*) ◀	▶ <u>M42</u> — ◀	0,01 (*)			0,01 (*)
▶ <u>M74</u> 0,01 (*) ◀		▶ <u>M37</u> 0,01 (*) ◀	▶ <u>M42</u> — ◀	0,01 (*)			0,01 (*)
▶ <u>M74</u> 0,01 (*) ◀		▶ <u>M37</u> 0,01 (*) ◀	▶ <u>M42</u> — ◀	0,01 (*)			0,01 (*)
▶ <u>M74</u> 0,01 (*) ◀		▶ <u>M37</u> 0,01 (*) ◀	▶ <u>M42</u> — ◀	0,01 (*)			0,01 (*)

▼ M5

(25)

▼ **M8**

<i>Pesticide residues and maximum residue levels (mg/kg)</i>			
Code number	Groups and examples of individual products to which the MRLs apply (*)	► <b>M38</b> Emamectin benzoate B1a, expressed as emamectin ◀	Pyridalyl
(1)	(2)	(3)	(4)
0100000	<b>1. FRUIT FRESH OR FROZEN; NUTS</b>		0,01 (***)
0110000	(i) <b>Citrus fruit</b>	► <b>M38</b> 0,01 (*) ◀	
0110010	Grapefruit		
0110020	Oranges		
0110030	Lemons		
0110040	Limes		
0110050	Mandarins		
0110990	Others		
0120000	(ii) <b>Tree nuts (shelled or unshelled)</b>	► <b>M38</b> 0,01 (*) ◀	
0120010	Almonds		
0120020	Brazil nuts		
0120030	Cashew nuts		
0120040	Chestnuts		
0120050	Coconuts		
0120060	Hazelnuts		
0120070	Macadamia		
0120080	Pecans		
0120090	Pine nuts		
0120100	Pistachios		
0120110	Walnuts		
0120990	Others		
0130000	(iii) <b>Pome fruit</b>	► <b>M38</b> 0,02 ◀	
0130010	Apples		
0130020	Pears		
0130030	Quinces		
0130040	Medlar		
0130050	Loquat		
0130990	Others		
0140000	(iv) <b>Stone fruit</b>		
0140010	Apricots	► <b>M38</b> 0,02 ◀	
0140020	Cherries	► <b>M38</b> 0,01 (*) ◀	
0140030	Peaches	► <b>M38</b> 0,03 ◀	
0140040	Plums	► <b>M38</b> 0,02 ◀	
0140990	Others	► <b>M38</b> 0,01 (*) ◀	

▼ **M8**

(1)	(2)	(3)	(4)
0150000	(v) <b>Berries &amp; small fruit</b>		
0151000	(a) <i>Table and wine grapes</i>	► <b>M38</b> 0,05 ◀	
0151010	Table grapes		
0151020	Wine grapes		
0152000	(b) <i>Strawberries</i>	► <b>M38</b> 0,05 ◀	
0153000	(c) <i>Cane fruit</i>	► <b>M38</b> 0,01 (*) ◀	
0153010	Blackberries		
0153020	Dewberries		
0153030	Raspberries		
0153990	Others		
0154000	(d) <i>Other small fruit &amp; berries</i>	► <b>M38</b> 0,01 (*) ◀	
0154010	Blueberries		
0154020	Cranberries		
0154030	Currants (red, black and white)		
0154040	Gooseberries		
0154050	Rose hips		
0154060	Mulberries		
0154070	Azarole (mediteranean medlar)		
0154080	Elderberries		
0154990	Others		
0160000	(vi) <b>Miscellaneous fruit</b>	► <b>M38</b> 0,01 (*) ◀	
0161000	(a) <i>Edible peel</i>		
0161010	Dates		
0161020	Figs		
0161030	Table olives		
0161040	Kumquats		
0161050	Carambola		
0161060	Persimmon		
0161070	Jambolan (java plum)		
0161990	Others		
0162000	(b) <i>Inedible peel, small</i>		
0162010	Kiwi		
0162020	Lychee (Litchi)		
0162030	Passion fruit		
0162040	Prickly pear (cactus fruit)		
0162050	Star apple		
0162060	American persimmon (Virginia kaki)		

▼ **M8**

(1)	(2)	(3)	(4)
0162990	Others		
0163000	(c) <i>Inedible peel, large</i>		
0163010	Avocados		
0163020	Bananas		
0163030	Mangoes		
0163040	Papaya		
0163050	Pomegranate		
0163060	Cherimoya		
0163070	Guava		
0163080	Pineapples		
0163090	Bread fruit		
0163100	Durian		
0163110	Soursop (guanabana)		
0163990	Others		
0200000	<b>2. VEGETABLES FRESH OR FROZEN</b>		
0210000	(i) <b>Root and tuber vegetables</b>	► <b>M38</b> 0,01 (*) ◀	0,01 (***)
0211000	(a) <i>Potatoes</i>		
0212000	(b) <i>Tropical root and tuber vegetables</i>		
0212010	Cassava		
0212020	Sweet potatoes		
0212030	Yams		
0212040	Arrowroot		
0212990	Others		
0213000	(c) <i>Other root and tuber vegetables except sugar beet</i>		
0213010	Beetroot		
0213020	Carrots		
0213030	Celeriac		
0213040	Horseradish		
0213050	Jerusalem artichokes		
0213060	Parsnips		
0213070	Parsley root		
0213080	Radishes		
0213090	Salsify		
0213100	Swedes		
0213110	Turnips		
0213990	Others		
0220000	(ii) <b>Bulb vegetables</b>	► <b>M38</b> 0,01 (*) ◀	0,01 (***)

▼ **M8**

(1)	(2)	(3)	(4)
0220010	Garlic		
0220020	Onions		
0220030	Shallots		
0220040	Spring onions		
0220990	Others		
0230000	<b>(iii) Fruiting vegetables</b>		
0231000	<i>(a) Solanacea</i>	► <b>M38</b> 0,02 ◀	
0231010	Tomatoes	► <b>M38</b> — ◀	1
0231020	Peppers	► <b>M38</b> — ◀	2
0231030	Aubergines (egg plants)	► <b>M38</b> — ◀	1
0231040	Okra, lady's fingers	► <b>M38</b> — ◀	0,01 (***)
0231990	Others	► <b>M38</b> — ◀	0,01 (***)
0232000	<i>(b) Cucurbits — edible peel</i>	► <b>M38</b> 0,01 (*) ◀	0,01 (***)
0232010	Cucumbers		
0232020	Gherkins		
0232030	Courgettes		
0232990	Others		
0233000	<i>(c) Cucurbits — inedible peel</i>	► <b>M38</b> 0,01 (*) ◀	0,3
0233010	Melons		
0233020	Pumpkins		
0233030	Watermelons		
0233990	Others		
0234000	<i>(d) Sweet corn</i>	► <b>M38</b> 0,01 (*) ◀	0,01 (***)
0239000	<i>(e) Other fruiting vegetables</i>	► <b>M38</b> 0,02 ◀	0,01 (***)
0240000	<b>(iv) Brassica vegetables</b>	► <b>M38</b> 0,01 (*) ◀	0,01 (***)
0241000	<i>(a) Flowering brassica</i>		
0241010	Broccoli		
0241020	Cauliflower		
0241990	Others		
0242000	<i>(b) Head brassica</i>		
0242010	Brussels sprouts		
0242020	Head cabbage		
0242990	Others		
0243000	<i>(c) Leafy brassica</i>		
0243010	Chinese cabbage		
0243020	Kale		
0243990	Others		
0244000	<i>(d) Kohlrabi</i>		

▼ **M8**

(1)	(2)	(3)	(4)
0250000	(v) <b>Leaf vegetables &amp; fresh herbs</b>		
0251000	(a) <i>Lettuce and other salad plants including Brassicacea</i>		
0251010	Lamb's lettuce	► <b>M38</b> 1 ◀	0,01 (***)
0251020	Lettuce	► <b>M38</b> 1 ◀	3
0251030	Scarole (broad-leaf endive)	► <b>M38</b> 0,2 ◀	0,01 (***)
0251040	Cress	► <b>M38</b> 1 ◀	0,01 (***)
0251050	Land cress	► <b>M38</b> 1 ◀	0,01 (***)
0251060	Rocket, Rucola	► <b>M38</b> 1 ◀	0,01 (***)
0251070	Red mustard	► <b>M38</b> 1 ◀	0,01 (***)
0251080	Leaves and sprouts of Brassica spp	► <b>M38</b> 1 ◀	0,01 (***)
0251990	Others	► <b>M38</b> 1 ◀	0,01 (***)
0252000	(b) <i>Spinach &amp; similar (leaves)</i>	► <b>M38</b> 0,01 (*) ◀	0,01 (***)
0252010	Spinach		
0252020	Purslane		
0252030	Beet leaves (chard)		
0252990	Others		
0253000	(c) <i>Vine leaves (grape leaves)</i>	► <b>M38</b> 0,01 (*) ◀	0,01 (***)
0254000	(d) <i>Water cress</i>	► <b>M38</b> 0,01 (*) ◀	0,01 (***)
0255000	(e) <i>Witloof</i>	► <b>M38</b> 0,01 (*) ◀	0,01 (***)
0256000	(f) <i>Herbs</i>	► <b>M38</b> 1 ◀	0,01 (***)
0256010	Chervil		
0256020	Chives		
0256030	Celery leaves		
0256040	Parsley		
0256050	Sage		
0256060	Rosemary		
0256070	Thyme		
0256080	Basil		
0256090	Bay leaves (laurel)		
0256100	Tarragon		
0256990	Others		
0260000	(vi) <b>Legume vegetables (fresh)</b>	► <b>M38</b> 0,01 (*) ◀	0,01 (***)
0260010	Beans (with pods)		
0260020	Beans (without pods)		
0260030	Peas (with pods)		
0260040	Peas (without pods)		
0260050	Lentils		

▼ **M8**

(1)	(2)	(3)	(4)
0260990	Others		
0270000	(vii) <b>Stem vegetables (fresh)</b>		0,01 (***)
0270010	Asparagus	► <b>M38</b> 0,01 (*) ◀	
0270020	Cardoons	► <b>M38</b> 0,01 (*) ◀	
0270030	Celery	► <b>M38</b> 0,01 (*) ◀	
0270040	Fennel	► <b>M38</b> 0,01 (*) ◀	
0270050	Globe artichokes	► <b>M38</b> 0,1 ◀	
0270060	Leek	► <b>M38</b> 0,01 (*) ◀	
0270070	Rhubarb	► <b>M38</b> 0,01 (*) ◀	
0270080	Bamboo shoots	► <b>M38</b> 0,01 (*) ◀	
0270090	Palm hearts	► <b>M38</b> 0,01 (*) ◀	
0270990	Others	► <b>M38</b> 0,01 (*) ◀	
0280000	(viii) <b>Fungi</b>	► <b>M38</b> 0,01 (*) ◀	0,01 (***)
0280010	Cultivated		
0280020	Wild		
0280990	Others		
0290000	(ix) <b>Sea weeds</b>	► <b>M38</b> 0,01 (*) ◀	0,01 (***)
0300000	3. <b>PULSES, DRY</b>	► <b>M38</b> 0,01 (*) ◀	0,01 (***)
0300010	Beans		
0300020	Lentils		
0300030	Peas		
0300040	Lupins		
0300990	Others		
0400000	4. <b>OILSEEDS AND OILFRUITS</b>	► <b>M38</b> 0,01 (*) ◀	
0401000	(i) <b>Oilseeds</b>		
0401010	Linseed		0,01 (***)
0401020	Peanuts		0,01 (***)
0401030	Poppy seed		0,01 (***)
0401040	Sesame seed		0,01 (***)
0401050	Sunflower seed		0,01 (***)
0401060	Rape seed		0,01 (***)
0401070	Soya bean		0,01 (***)
0401080	Mustard seed		0,01 (***)
0401090	Cotton seed		0,1
0401100	Pumpkin seeds		0,01 (***)
0401110	Safflower		0,01 (***)
0401120	Borage		0,01 (***)
0401130	Gold of pleasure		0,01 (***)
0401140	Hempseed		0,01 (***)
0401150	Castor bean		0,01 (***)



▼ **M8**

(1)	(2)	(3)	(4)
0401990	Others		0,01 (***)
0402000	(ii) <b>Oilfruits</b>		0,01 (***)
0402010	Olives for oil production		
0402020	Palm nuts (palmoil kernels)		
0402030	Palmfruit		
0402040	Kapok		
0402990	Others		
0500000	5. <b>CEREALS</b>	► <b>M38</b> 0,01 (*) ◀	0,01 (***)
0500010	Barley		
0500020	Buckwheat		
0500030	Maize		
0500040	Millet		
0500050	Oats		
0500060	Rice		
0500070	Rye		
0500080	Sorghum		
0500090	Wheat		
0500990	Others		
0600000	6. <b>TEA, COFFEE, HERBAL INFUSIONS AND COCOA</b>	► <b>M38</b> 0,02 (*) ◀	0,02 (***)
0610000	(i) <b>Tea (dried leaves and stalks, fermented or otherwise of <i>Camellia sinensis</i>)</b>		
0620000	(ii) <b>Coffee beans</b>		
0630000	(iii) <b>Herbal infusions (dried)</b>		
0631000	(a) <i>Flowers</i>		
0631010	Camomille flowers		
0631020	Hybiscus flowers		
0631030	Rose petals		
0631040	Jasmine flowers		
0631050	Lime (linden)		
0631990	Others		
0632000	(b) <i>Leaves</i>		
0632010	Strawberry leaves		
0632020	Rooibos leaves		
0632030	Maté		
0632990	Others		
0633000	(c) <i>Roots</i>		
0633010	Valerian root		
0633020	Ginseng root		

▼ **M8**

(1)	(2)	(3)	(4)
0633990	Others		
0639000	(d) <i>Other herbal infusions</i>		
0640000	(iv) <b>Cocoa (fermented beans)</b>		
0650000	(v) <b>Carob (st johns bread)</b>		
0700000	7. <b>HOPS (dried), including hop pellets and unconcentrated powder</b>	► <b>M38</b> 0,02 (*) ◀	0,02 (***)
0800000	8. <b>SPICES</b>	► <b>M38</b> 0,02 (*) ◀	0,02 (***)
0810000	(i) <b>Seeds</b>		
0810010	Anise		
0810020	Black caraway		
0810030	Celery seed		
0810040	Coriander seed		
0810040	Cumin seed		
0810060	Dill seed		
0810070	Fennel seed		
0810080	Fenugreek		
0810090	Nutmeg		
0810990	Others		
0820000	(ii) <b>Fruits and berries</b>		
0820010	Allspice		
0820020	Anise pepper (Japan pepper)		
0820030	Caraway		
0820040	Cardamom		
0820050	Juniper berries		
0820060	Pepper, black and white		
0820070	Vanilla pods		
0820080	Tamarind		
0820990	Others		
0830000	(iii) <b>Bark</b>		
0830010	Cinnamon		
0830990	Others		
0840000	(iv) <b>Roots or rhizome</b>		
0840010	Liquorice		
0840020	Ginger		
0840030	Turmeric (Curcuma)		
0840040	Horse-radish		
0840990	Others		
0850000	(v) <b>Buds</b>		
0850010	Cloves		
0850020	Capers		

▼ **M8**

(1)	(2)	(3)	(4)
0850990	Others		
0860000	(vi) <b>Flower stigma</b>		
0860010	Saffron		
0860990	Others		
0870000	(vii) <b>Aril</b>		
0870010	Mace		
0870990	Others		
0900000	<b>9. SUGAR PLANTS</b>	► <b>M38</b> 0,01 (*) ◀	0,01 (***)
0900010	Sugar beet (root)		
0900020	Sugar cane		
0900030	Chicory roots		
0900990	Others		
1000000	<b>10. PRODUCTS OF ANIMAL ORIGIN- TERRESTRIAL ANIMALS</b>	► <b>M38</b> — ◀	0,01 (***)
1010000	(i) <b>Meat, preparations of meat, offals, blood, animal fats fresh chilled or frozen, salted, in brine, dried or smoked or processed as flours or meals; other processed products such as sausages and food preparations based on these</b>	► <b>M38</b> — ◀	0,01 (***)
1011000	(a) <i>Swine</i>		
1011010	Meat	► <b>M38</b> 0,01 (*) ◀	
1011020	Fat free of lean meat	► <b>M38</b> 0,02 ◀	
1011030	Liver	► <b>M38</b> 0,08 ◀	
1011040	Kidney	► <b>M38</b> 0,08 ◀	
1011050	Edible offal	► <b>M38</b> 0,08 ◀	
1011990	Others	► <b>M38</b> 0,01 (*) ◀	
1012000	(b) <i>Bovine</i>		
1012010	Meat	► <b>M38</b> 0,01 (*) ◀	
1012020	Fat	► <b>M38</b> 0,02 ◀	
1012030	Liver	► <b>M38</b> 0,08 ◀	
1012040	Kidney	► <b>M38</b> 0,08 ◀	
1012050	Edible offal	► <b>M38</b> 0,08 ◀	
1012990	Others	► <b>M38</b> 0,01 (*) ◀	
1013000	(c) <i>Sheep</i>		
1013010	Meat	► <b>M38</b> 0,01 (*) ◀	
1013020	Fat	► <b>M38</b> 0,02 ◀	
1013030	Liver	► <b>M38</b> 0,08 ◀	

▼ **M8**

(1)	(2)	(3)	(4)
1013040	Kidney	► <b>M38</b> 0,08 ◀	
1013050	Edible offal	► <b>M38</b> 0,08 ◀	
1013990	Others	► <b>M38</b> 0,01 (*) ◀	
1014000	(d) <i>Goat</i>		
1014010	Meat	► <b>M38</b> 0,01 (*) ◀	
1014020	Fat	► <b>M38</b> 0,02 ◀	
1014030	Liver	► <b>M38</b> 0,08 ◀	
1014040	Kidney	► <b>M38</b> 0,08 ◀	
1014050	Edible offal	► <b>M38</b> 0,08 ◀	
1014990	Others	► <b>M38</b> 0,01 (*) ◀	
1015000	(e) <i>Horses, asses, mules or hinnies</i>		
1015010	Meat	► <b>M38</b> 0,01 (*) ◀	
1015020	Fat	► <b>M38</b> 0,02 ◀	
1015030	Liver	► <b>M38</b> 0,08 ◀	
1015040	Kidney	► <b>M38</b> 0,08 ◀	
1015050	Edible offal	► <b>M38</b> 0,08 ◀	
1015990	Others	► <b>M38</b> 0,01 (*) ◀	
1016000	(f) <i>Poultry — chicken, geese, duck, turkey and Guinea fowl-, ostrich, pigeon</i>	► <b>M38</b> 0,01 (*) ◀	
1016010	Meat		
1016020	Fat		
1016030	Liver		
1016040	Kidney		
1016050	Edible offal		
1016990	Others		
1017000	(g) <i>Other farm animals</i>		
1017010	Meat	► <b>M38</b> 0,01 (*) ◀	
1017020	Fat	► <b>M38</b> 0,02 ◀	
1017030	Liver	► <b>M38</b> 0,08 ◀	
1017040	Kidney	► <b>M38</b> 0,08 ◀	
1017050	Edible offal	► <b>M38</b> 0,08 ◀	
1017990	Others	► <b>M38</b> 0,01 (*) ◀	
1020000	(ii) <b>Milk and cream, not concentrated, nor containing added sugar or sweetening matter, butter and other fats derived from milk, cheese and curd</b>	► <b>M38</b> 0,01 (*) ◀	0,01 (***)
1020010	Cattle		
1020020	Sheep		
1020030	Goat		
1020040	Horse		

▼ **M8**

(1)	(2)	(3)	(4)
1020990	Others		
1030000	(iii) <b>Birds' eggs, fresh preserved or cooked; Shelled eggs and egg yolks fresh, dried, cooked by steaming or boiling in water, moulded, frozen or otherwise preserved whether or not containing added sugar or sweetening matter</b>	► <b>M38</b> 0,01 (*) ◀	0,01 (***)
1030010	Chicken		
1030020	Duck		
1030030	Goose		
1030040	Quail		
1030990	Others		
1040000	(iv) <b>Honey</b>	► <b>M38</b> 0,05 (*) ◀	0,01 (***)
1050000	(v) <b>Amphibians and reptiles</b>	► <b>M38</b> 0,01 (*) ◀	0,01 (***)
1060000	(vi) <b>Snails</b>	► <b>M38</b> 0,01 (*) ◀	0,01 (***)
1070000	(vii) <b>Other terrestrial animal products</b>	► <b>M38</b> 0,01 (*) ◀	0,01 (***)

▼ **M13****Pesticide residues and maximum residue levels (mg/kg)**

Code number	Groups and examples of individual products to which the MRLs apply (*)	► <u>M75</u> Ametoctradin <sup>(R)</sup> ◀	► <u>M75</u> Amisulbrom ◀	► <u>M43</u> Bixafen <sup>(R)</sup> ◀
(1)	(2)	(3)	(4)	(5)
0100000	1. <b>FRUIT FRESH OR FROZEN; NUTS</b>			► <u>M43</u> 0,01 (*) ◀
0110000	(i) <b>Citrus fruit</b>	► <u>M75</u> 0,01 (*) ◀	► <u>M75</u> 0,01 (*) ◀	
0110010	Grapefruit			
0110020	Oranges			
0110030	Lemons			
0110040	Limes			
0110050	Mandarins			
0110990	Others			
0120000	(ii) <b>Tree nuts (shelled or unshelled)</b>	► <u>M75</u> 0,01 (*) ◀	► <u>M75</u> 0,01 (*) ◀	
0120010	Almonds			
0120020	Brazil nuts			
0120030	Cashew nuts			
0120040	Chestnuts			
0120050	Coconuts			
0120060	Hazelnuts			
0120070	Macadamia			
0120080	Pecans			
0120090	Pine nuts			
0120100	Pistachios			
0120110	Walnuts			
0120990	Others			
0130000	(iii) <b>Pome fruit</b>	► <u>M75</u> 0,01 (*) ◀	► <u>M75</u> 0,01 (*) ◀	
0130010	Apples			
0130020	Pears			
0130030	Quinces			
0130040	Medlar			
0130050	Loquat			
0130990	Others			
0140000	(iv) <b>Stone fruit</b>	► <u>M75</u> 0,01 (*) ◀	► <u>M75</u> 0,01 (*) ◀	
0140010	Apricots			
0140020	Cherries			
0140030	Peaches			
0140040	Plums			
0140990	Others			
0150000	(v) <b>Berries &amp; small fruit</b>			
0151000	(a) <i>Table and wine grapes</i>	► <u>M75</u> 6 ◀	► <u>M75</u> 0,5 ◀	
0151010	Table grapes			

▼ **M13**

(1)	(2)	(3)	(4)	(5)
0151020	Wine grapes			
0152000	(b) <i>Strawberries</i>	► <b>M75</b> 0,01 (*) ◀	► <b>M75</b> 0,01 (*) ◀	
0153000	(c) <i>Cane fruit</i>	► <b>M75</b> 0,01 (*) ◀	► <b>M75</b> 0,01 (*) ◀	
0153010	Blackberries			
0153020	Dewberries			
0153030	Raspberries			
0153990	Others			
0154000	(d) <i>Other small fruit &amp; berries</i>	► <b>M75</b> 0,01 (*) ◀	► <b>M75</b> 0,01 (*) ◀	
0154010	Blueberries			
0154020	Cranberries			
0154030	Currants (red, black and white)			
0154040	Gooseberries			
0154050	Rose hips			
0154060	Mulberries			
0154070	Azarole (mediterranean medlar)			
0154080	Elderberries			
0154990	Others			
0160000	(vi) <b>Miscellaneous fruit</b>	► <b>M75</b> 0,01 (*) ◀	► <b>M75</b> 0,01 (*) ◀	
0161000	(a) <i>Edible peel</i>			
0161010	Dates			
0161020	Figs			
0161030	Table olives			
0161040	Kumquats			
0161050	Carambola			
0161060	Persimmon			
0161070	Jambolan (java plum)			
0161990	Others			
0162000	(b) <i>Inedible peel, small</i>			
0162010	Kiwi			
0162020	Lychee (Litchi)			
0162030	Passion fruit			
0162040	Prickly pear (cactus fruit)			
0162050	Star apple			
0162060	American persimmon (Virginia kaki)			
0162990	Others			

▼ **M13**

(1)	(2)	(3)	(4)	(5)
0163000	(c) <i>Inedible peel, large</i>			
0163010	Avocados			
0163020	Bananas			
0163030	Mangoes			
0163040	Papaya			
0163050	Pomegranate			
0163060	Cherimoya			
0163070	Guava			
0163080	Pineapples			
0163090	Bread fruit			
0163100	Durian			
0163110	Soursop (guanabana)			
0163990	Others			
0200000	<b>2. VEGETABLES FRESH OR FROZEN</b>		► <b>M31</b> — ◀	► <b>M43</b> 0,01 (*) ◀
0210000	(i) <b>Root and tuber vegetables</b>	► <b>M33</b> — ◀	► <b>M75</b> 0,01 (*) ◀	
0211000	(a) <i>Potatoes</i>	► <b>M75</b> 0,05 ◀		
0212000	(b) <i>Tropical root and tuber vegetables</i>	► <b>M75</b> 0,05 ◀		
0212010	Cassava			
0212020	Sweet potatoes			
0212030	Yams			
0212040	Arrowroot			
0212990	Others			
0213000	(c) <i>Other root and tuber vegetables except sugar beet</i>	► <b>M75</b> 0,01 (*) ◀		
0213010	Beetroot			
0213020	Carrots			
0213030	Celeriac			
0213040	Horseradish			
0213050	Jerusalem artichokes			
0213060	Parsnips			
0213070	Parsley root			
0213080	Radishes			
0213090	Salsify			
0213100	Swedes			
0213110	Turnips			



▼ **M13**

(1)	(2)	(3)	(4)	(5)
0213990	Others			
0220000	(ii) <b>Bulb vegetables</b>	► <b>M33</b> — ◀	► <b>M75</b> 0,01 (*) ◀	
0220010	Garlic	► <b>M75</b> 1,5 ◀		
0220020	Onions	► <b>M75</b> 1,5 ◀		
0220030	Shallots	► <b>M75</b> 1,5 ◀		
0220040	Spring onions	► <b>M75</b> 0,01 (*) ◀		
0220990	Others	► <b>M75</b> 0,01 (*) ◀		
0230000	(iii) <b>Fruiting vegetables</b>			
0231000	(a) <i>Solanacea</i>			
0231010	Tomatoes	► <b>M75</b> 2 ◀	► <b>M75</b> 0,4 ◀	
0231020	Peppers	► <b>M75</b> 2 ◀	► <b>M75</b> 0,01 (*) ◀	
0231030	Aubergines (egg plants)	► <b>M75</b> 1,5 ◀	► <b>M75</b> 0,4 ◀	
0231040	Okra, lady's fingers	► <b>M75</b> 1,5 ◀	► <b>M75</b> 0,01 (*) ◀	
0231990	Others	► <b>M75</b> 1,5 ◀	► <b>M75</b> 0,01 (*) ◀	
0232000	(b) <i>Cucurbits — edible peel</i>	► <b>M56</b> — ◀	► <b>M75</b> 0,01 (*) ◀	
0232010	Cucumbers	► <b>M75</b> 2 ◀		
0232020	Gherkins	► <b>M75</b> 3 ◀		
0232030	Courgettes	► <b>M75</b> 3 ◀		
0232990	Others	► <b>M75</b> 3 ◀		
0233000	(c) <i>Cucurbits — inedible peel</i>	► <b>M75</b> 3 ◀	► <b>M75</b> 0,01 (*) ◀	
0233010	Melons			
0233020	Pumpkins			
0233030	Watermelons			
0233990	Others			
0234000	(d) <i>Sweet corn</i>	► <b>M75</b> 0,01 (*) ◀	► <b>M75</b> 0,01 (*) ◀	
0239000	(e) <i>Other fruiting vegetables</i>	► <b>M75</b> 0,01 (*) ◀	► <b>M75</b> 0,01 (*) ◀	
0240000	(iv) <b>Brassica vegetables</b>	► <b>M33</b> — ◀	► <b>M75</b> 0,01 (*) ◀	
0241000	(a) <i>Flowering brassica</i>			
0241010	Broccoli	► <b>M75</b> 6 ◀		
0241020	Cauliflower	► <b>M75</b> 0,01 (*) ◀		
0241990	Others	► <b>M75</b> 0,01 (*) ◀		
0242000	(b) <i>Head brassica</i>			
0242010	Brussels sprouts	► <b>M75</b> 0,01 (*) ◀		
0242020	Head cabbage	► <b>M75</b> 15 ◀		
0242990	Others	► <b>M75</b> 0,01 (*) ◀		
0243000	(c) <i>Leafy brassica</i>			
0243010	Chinese cabbage	► <b>M75</b> 60 ◀		

▼ **M13**

(1)	(2)	(3)	(4)	(5)
0243020	Kale	► <u>M75</u> 0,01 (*) ◀		
0243990	Others	► <u>M75</u> 0,01 (*) ◀		
0244000	(d) <i>Kohlrabi</i>	► <u>M75</u> 0,01 (*) ◀		
0250000	(v) <b>Leaf vegetables &amp; fresh herbs</b>			
0251000	(a) <i>Lettuce and other salad plants including Brassicacea</i>			
0251010	Lamb's lettuce	► <u>M75</u> 50 ◀	► <u>M75</u> 0,01 (*) ◀	
0251020	Lettuce	► <u>M75</u> 40 ◀	► <u>M75</u> 4 ◀	
0251030	Scarole (broad-leaf endive)	► <u>M75</u> 40 ◀	► <u>M75</u> 0,01 (*) ◀	
0251040	Cress	► <u>M75</u> 40 ◀	► <u>M75</u> 0,01 (*) ◀	
0251050	Land cress	► <u>M75</u> 40 ◀	► <u>M75</u> 0,01 (*) ◀	
0251060	Rocket, Rucola	► <u>M75</u> 40 ◀	► <u>M75</u> 0,01 (*) ◀	
0251070	Red mustard	► <u>M75</u> 40 ◀	► <u>M75</u> 0,01 (*) ◀	
0251080	Leaves and sprouts of Brassica spp	► <u>M75</u> 40 ◀	► <u>M75</u> 0,01 (*) ◀	
0251990	Others	► <u>M75</u> 0,01 (*) ◀	► <u>M75</u> 0,01 (*) ◀	
0252000	(b) <i>Spinach &amp; similar (leaves)</i>	► <u>M75</u> 60 ◀	► <u>M75</u> 0,01 (*) ◀	
0252010	Spinach			
0252020	Purslane			
0252030	Beet leaves (chard)			
0252990	Others			
0253000	(c) <i>Vine leaves (grape leaves)</i>	► <u>M75</u> 0,01 (*) ◀	► <u>M75</u> 0,01 (*) ◀	
0254000	(d) <i>Water cress</i>	► <u>M75</u> 0,01 (*) ◀	► <u>M75</u> 0,01 (*) ◀	
0255000	(e) <i>Witloof</i>	► <u>M75</u> 0,01 (*) ◀	► <u>M75</u> 0,01 (*) ◀	
0256000	(f) <i>Herbs</i>	► <u>M75</u> 0,01 (*) ◀	► <u>M75</u> 0,01 (*) ◀	
0256010	Chervil			
0256020	Chives			
0256030	Celery leaves			
0256040	Parsley			
0256050	Sage			
0256060	Rosemary			
0256070	Thyme			
0256080	Basil			
0256090	Bay leaves (laurel)			
0256100	Tarragon			
0256990	Others			
0260000	(vi) <b>Legume vegetables (fresh)</b>	► <u>M75</u> 0,01 (*) ◀	► <u>M75</u> 0,01 (*) ◀	
0260010	Beans (with pods)			

▼ **M13**

(1)	(2)	(3)	(4)	(5)
0260020	Beans (without pods)			
0260030	Peas (with pods)			
0260040	Peas (without pods)			
0260050	Lentils			
0260990	Others			
0270000	<b>(vii) Stem vegetables (fresh)</b>	► <b>M33</b> — ◀	► <b>M75</b> 0,01 (*) ◀	
0270010	Asparagus	► <b>M75</b> 0,01 (*) ◀		
0270020	Cardoons	► <b>M75</b> 0,01 (*) ◀		
0270030	Celery	► <b>M75</b> 20 ◀		
0270040	Fennel	► <b>M75</b> 20 ◀		
0270050	Globe artichokes	► <b>M75</b> 0,01 (*) ◀		
0270060	Leek	► <b>M75</b> 5 ◀		
0270070	Rhubarb	► <b>M75</b> 0,01 (*) ◀		
0270080	Bamboo shoots	► <b>M75</b> 0,01 (*) ◀		
0270090	Palm hearts	► <b>M75</b> 0,01 (*) ◀		
0270990	Others	► <b>M75</b> 0,01 (*) ◀		
0280000	<b>(viii) Fungi</b>	► <b>M75</b> 0,01 (*) ◀	► <b>M75</b> 0,01 (*) ◀	
0280010	Cultivated			
0280020	Wild			
0280990	Others			
0290000	<b>(ix) Sea weeds</b>	► <b>M75</b> 0,01 (*) ◀	► <b>M75</b> 0,01 (*) ◀	
0300000	<b>3. PULSES, DRY</b>	► <b>M75</b> 0,01 (*) ◀	► <b>M75</b> 0,01 (*) ◀	► <b>M43</b> 0,01 (*) ◀
0300010	Beans			
0300020	Lentils			
0300030	Peas			
0300040	Lupins			
0300990	Others			
0400000	<b>4. OILSEEDS AND OILFRUITS</b>	► <b>M75</b> 0,01 (*) ◀	► <b>M75</b> 0,01 (*) ◀	► <b>M25</b> — ◀
0401000	<b>(i) Oilseeds</b>			
0401010	Linseed			► <b>M43</b> 0,07 ◀
0401020	Peanuts			► <b>M43</b> 0,01 (*) ◀
0401030	Poppy seed			► <b>M43</b> 0,07 ◀
0401040	Sesame seed			► <b>M43</b> 0,01 (*) ◀
0401050	Sunflower seed			► <b>M43</b> 0,01 (*) ◀
0401060	Rape seed			► <b>M43</b> 0,07 ◀
0401070	Soya bean			► <b>M43</b> 0,01 (*) ◀
0401080	Mustard seed			► <b>M43</b> 0,07 ◀
0401090	Cotton seed			► <b>M43</b> 0,01 (*) ◀
0401100	Pumpkin seeds			► <b>M43</b> 0,01 (*) ◀
0401110	Safflower			► <b>M43</b> 0,01 (*) ◀
0401120	Borage			► <b>M43</b> 0,01 (*) ◀

▼ **M13**

(1)	(2)	(3)	(4)	(5)
0401130	Gold of pleasure			► <b>M43</b> 0,01 (*) ◀
0401140	Hempseed			► <b>M43</b> 0,01 (*) ◀
0401150	Castor bean			► <b>M43</b> 0,01 (*) ◀
0401990	Others			► <b>M43</b> 0,01 (*) ◀
0402000	(ii) <b>Oilfruits</b>			► <b>M43</b> 0,01 (*) ◀
0402010	Olives for oil production			
0402020	Palm nuts (palmoil kernels)			
0402030	Palmfruit			
0402040	Kapok			
0402990	Others			
0500000	5. <b>CEREALS</b>	► <b>M75</b> 0,01 (*) ◀	► <b>M75</b> 0,01 (*) ◀	
0500010	Barley			► <b>M43</b> 0,5 ◀
0500020	Buckwheat			► <b>M43</b> 0,01 (*) ◀
0500030	Maize			► <b>M43</b> 0,01 (*) ◀
0500040	Millet			► <b>M43</b> 0,01 (*) ◀
0500050	Oats			► <b>M43</b> 0,5 ◀
0500060	Rice			► <b>M43</b> 0,01 (*) ◀
0500070	Rye			► <b>M43</b> 0,05 ◀
0500080	Sorghum			► <b>M43</b> 0,01 (*) ◀
0500090	Wheat			► <b>M43</b> 0,05 ◀
0500990	Others			► <b>M43</b> 0,01 (*) ◀
0600000	6. <b>TEA, COFFEE, HERBAL INFUSIONS AND COCOA</b>	► <b>M75</b> 0,01 (*) ◀	► <b>M75</b> 0,01 (*) ◀	► <b>M43</b> 0,01 (*) ◀
0610000	(i) <b>Tea (dried leaves and stalks, fermented or otherwise of Camellia sinensis)</b>			
0620000	(ii) <b>Coffee beans</b>			
0630000	(iii) <b>Herbal infusions (dried)</b>			
0631000	(a) <i>Flowers</i>			
0631010	Camomille flowers			
0631020	Hybiscus flowers			
0631030	Rose petals			
0631040	Jasmine flowers			
0631050	Lime (linden)			
0631990	Others			
0632000	(b) <i>Leaves</i>			
0632010	Strawberry leaves			
0632020	Rooibos leaves			
0632030	Maté			
0632990	Others			
0633000	(c) <i>Roots</i>			
0633010	Valerian root			

▼ **M13**

(1)	(2)	(3)	(4)	(5)
0633020	Ginseng root			
0633990	Others			
0639000	(d) <i>Other herbal infusions</i>			
0640000	(iv) <b>Cocoa (fermented beans)</b>			
0650000	(v) <b>Carob (st johns bread)</b>			
0700000	7. <b>HOPS (dried), including hop pellets and unconcentrated powder</b>	► <b>M75</b> 100 ◀	► <b>M75</b> 0,01 (*) ◀	► <b>M43</b> 0,01 (*) ◀
0800000	8. <b>SPICES</b>	► <b>M56</b> — ◀	► <b>M75</b> — ◀	► <b>M43</b> 0,01 (*) ◀
0810000	(i) <b>Seeds</b>	► <b>M75</b> 0,01 (*) ◀	► <b>M75</b> 0,01 (*) ◀	
0810010	Anise			
0810020	Black caraway			
0810030	Celery seed			
0810040	Coriander seed			
0810040	Cumin seed			
0810060	Dill seed			
0810070	Fennel seed			
0810080	Fenugreek			
0810090	Nutmeg			
0810990	Others			
0820000	(ii) <b>Fruits and berries</b>	► <b>M75</b> 0,01 (*) ◀	► <b>M75</b> 0,01 (*) ◀	
0820010	Allspice			
0820020	Anise pepper (Japan pepper)			
0820030	Caraway			
0820040	Cardamom			
0820050	Juniper berries			
0820060	Pepper, black and white			
0820070	Vanilla pods			
0820080	Tamarind			
0820990	Others			
0830000	(iii) <b>Bark</b>	► <b>M75</b> 0,01 (*) ◀	► <b>M75</b> 0,01 (*) ◀	
0830010	Cinnamon			
0830990	Others			
0840000	(iv) <b>Roots or rhizome</b>			
0840010	Liquorice	► <b>M75</b> 0,01 (*) ◀	► <b>M75</b> 0,01 (*) ◀	
0840020	Ginger	► <b>M75</b> 0,01 (*) ◀	► <b>M75</b> 0,01 (*) ◀	
0840030	Turmeric (Curcuma)	► <b>M75</b> 0,01 (*) ◀	► <b>M75</b> 0,01 (*) ◀	
0840040	Horse-radish	► <b>M75</b> (+) ◀	► <b>M75</b> (+) ◀	
0840990	Others	► <b>M75</b> 0,01 (*) ◀	► <b>M75</b> 0,01 (*) ◀	

▼ **M13**

(1)	(2)	(3)	(4)	(5)
0850000	(v) <b>Buds</b>	► <u>M75</u> 0,01 (*) ◀	► <u>M75</u> 0,01 (*) ◀	
0850010	Cloves			
0850020	Capers			
0850990	Others			
0860000	(vi) <b>Flower stigma</b>	► <u>M75</u> 0,01 (*) ◀	► <u>M75</u> 0,01 (*) ◀	
0860010	Saffron			
0860990	Others			
0870000	(vii) <b>Aril</b>	► <u>M75</u> 0,01 (*) ◀	► <u>M75</u> 0,01 (*) ◀	
0870010	Mace			
0870990	Others			
0900000	9. <b>SUGAR PLANTS</b>	► <u>M75</u> 0,01 (*) ◀	► <u>M75</u> 0,01 (*) ◀	► <u>M43</u> 0,01 (*) ◀
0900010	Sugar beet (root)			
0900020	Sugar cane			
0900030	Chicory roots			
0900990	Others			
1000000	10. <b>PRODUCTS OF ANIMAL ORIGIN-TERRESTRIAL ANIMALS</b>	► <u>M56</u> — ◀	► <u>M75</u> 0,01 (*) ◀	
1010000	(i) <b>Meat, preparations of meat, offals, blood, animal fats fresh chilled or frozen, salted, in brine, dried or smoked or processed as flours or meals; other processed products such as sausages and food preparations based on these</b>	► <u>M75</u> 0,03 (*) ◀		
1011000	(a) <i>Swine</i>			► <u>M43</u> 0,02 (*) ◀
1011010	Meat			
1011020	Fat free of lean meat			
1011030	Liver			
1011040	Kidney			
1011050	Edible offal			
1011990	Others			
1012000	(b) <i>Bovine</i>			
1012010	Meat			► <u>M43</u> 0,15 ◀
1012020	Fat			► <u>M43</u> 0,4 ◀
1012030	Liver			► <u>M43</u> 1,5 ◀
1012040	Kidney			► <u>M43</u> 0,3 ◀
1012050	Edible offal			► <u>M43</u> 0,02 (*) ◀
1012990	Others			► <u>M43</u> 0,02 (*) ◀

▼ **M13**

(1)	(2)	(3)	(4)	(5)
1013000	(c) <i>Sheep</i>			
1013010	Meat			► <u>M43</u> 0,15 ◀
1013020	Fat			► <u>M43</u> 0,4 ◀
1013030	Liver			► <u>M43</u> 1,5 ◀
1013040	Kidney			► <u>M43</u> 0,3 ◀
1013050	Edible offal			► <u>M43</u> 0,02 (*) ◀
1013990	Others			► <u>M43</u> 0,02 (*) ◀
1014000	(d) <i>Goat</i>			
1014010	Meat			► <u>M43</u> 0,15 ◀
1014020	Fat			► <u>M43</u> 0,4 ◀
1014030	Liver			► <u>M43</u> 1,5 ◀
1014040	Kidney			► <u>M43</u> 0,3 ◀
1014050	Edible offal			► <u>M43</u> 0,02 (*) ◀
1014990	Others			► <u>M43</u> 0,02 (*) ◀
1015000	(e) <i>Horses, asses, mules or hinnies</i>			► <u>M43</u> 0,02 (*) ◀
1015010	Meat			
1015020	Fat			
1015030	Liver			
1015040	Kidney			
1015050	Edible offal			
1015990	Others			
1016000	(f) <i>Poultry — chicken, geese, duck, turkey and Guinea fowl- ostrich, pigeon</i>			► <u>M43</u> 0,02 (*) ◀
1016010	Meat			
1016020	Fat			
1016030	Liver			
1016040	Kidney			
1016050	Edible offal			
1016990	Others			
1017000	(g) <i>Other farm animals</i>			► <u>M43</u> 0,02 (*) ◀
1017010	Meat			
1017020	Fat			
1017030	Liver			
1017040	Kidney			
1017050	Edible offal			
1017990	Others			

▼ **M13**

(1)	(2)	(3)	(4)	(5)
1020000	(ii) <b>Milk and cream, not concentrated, nor containing added sugar or sweetening matter, butter and other fats derived from milk, cheese and curd</b>	► <b>M75</b> 0,03 (*) ◀		
1020010	Cattle			► <b>M43</b> 0,04 ◀
1020020	Sheep			► <b>M43</b> 0,04 ◀
1020030	Goat			► <b>M43</b> 0,04 ◀
1020040	Horse			► <b>M43</b> 0,02 (*) ◀
1020990	Others			► <b>M43</b> 0,02 (*) ◀
1030000	(iii) <b>Birds' eggs, fresh preserved or cooked; Shelled eggs and egg yolks fresh, dried, cooked by steaming or boiling in water, moulded, frozen or otherwise preserved whether or not containing added sugar or sweetening matter</b>	► <b>M75</b> 0,03 (*) ◀		► <b>M43</b> 0,02 (*) ◀
1030010	Chicken			
1030020	Duck			
1030030	Goose			
1030040	Quail			
1030990	Others			
1040000	(iv) <b>Honey</b>	► <b>M75</b> 0,05 (*) ◀		► <b>M43</b> 0,05 (*) ◀
1050000	(v) <b>Amphibians and reptiles</b>	► <b>M75</b> 0,03 (*) ◀		► <b>M43</b> 0,02 (*) ◀
1060000	(vi) <b>Snails</b>	► <b>M75</b> 0,03 (*) ◀		► <b>M43</b> 0,02 (*) ◀
1070000	(vii) <b>Other terrestrial animal products</b>	► <b>M75</b> 0,03 (*) ◀		► <b>M43</b> 0,02 (*) ◀



▼ **M14****Pesticide residues and maximum residue levels (mg/kg)**

Code number	Groups and examples of individual products to which the MRLs apply (*)	► <b>M72</b> Nicotine ◀
(1)	(2)	(3)
0100000	1. <b>FRUIT FRESH OR FROZEN; NUTS</b>	
0110000	(i) <b>Citrus fruit</b>	
0110010	Grapefruit	
0110020	Oranges	
0110030	Lemons	
0110040	Limes	
0110050	Mandarins	
0110990	Others	
0120000	(ii) <b>Tree nuts (shelled or unshelled)</b>	
0120010	Almonds	
0120020	Brazil nuts	
0120030	Cashew nuts	
0120040	Chestnuts	
0120050	Coconuts	
0120060	Hazelnuts	
0120070	Macadamia	
0120080	Pecans	
0120090	Pine nuts	
0120100	Pistachios	
0120110	Walnuts	
0120990	Others	
0130000	(iii) <b>Pome fruit</b>	
0130010	Apples	
0130020	Pears	
0130030	Quinces	
0130040	Medlar	
0130050	Loquat	
0130990	Others	
0140000	(iv) <b>Stone fruit</b>	
0140010	Apricots	
0140020	Cherries	
0140030	Peaches	
0140040	Plums	
0140990	Others	
0150000	(v) <b>Berries &amp; small fruit</b>	
0151000	(a) <i>Table and wine grapes</i>	
0151010	Table grapes	
0151020	Wine grapes	

▼ **M14**

(1)	(2)	(3)
0152000	(b) <i>Strawberries</i>	
0153000	(c) <i>Cane fruit</i>	
0153010	Blackberries	
0153020	Dewberries	
0153030	Raspberries	
0153990	Others	
0154000	(d) <i>Other small fruit &amp; berries</i>	
0154010	Blueberries	
0154020	Cranberries	
0154030	Currants (red, black and white)	
0154040	Gooseberries	
0154050	Rose hips	► <b>M72</b> 0,3 (+) ◀
0154060	Mulberries	
0154070	Azarole (mediteranean medlar)	
0154080	Elderberries	
0154990	Others	
0160000	(vi) <b>Miscellaneous fruit</b>	
0161000	(a) <i>Edible peel</i>	
0161010	Dates	
0161020	Figs	
0161030	Table olives	
0161040	Kumquats	
0161050	Carambola	
0161060	Persimmon	
0161070	Jambolan (java plum)	
0161990	Others	
0162000	(b) <i>Inedible peel, small</i>	
0162010	Kiwi	
0162020	Lychee (Litchi)	
0162030	Passion fruit	
0162040	Prickly pear (cactus fruit)	
0162050	Star apple	
0162060	American persimmon (Virginia kaki)	
0162990	Others	
0163000	(c) <i>Inedible peel, large</i>	
0163010	Avocados	
0163020	Bananas	
0163030	Mangoes	
0163040	Papaya	
0163050	Pomegranate	

## ▼ M14

(1)	(2)	(3)
0163060	Cherimoya	
0163070	Guava	
0163080	Pineapples	
0163090	Bread fruit	
0163100	Durian	
0163110	Soursop (guanabana)	
0163990	Others	
0200000	<b>2. VEGETABLES FRESH OR FROZEN</b>	
0210000	<b>(i) Root and tuber vegetables</b>	
0211000	(a) <i>Potatoes</i>	
0212000	(b) <i>Tropical root and tuber vegetables</i>	
0212010	Cassava	
0212020	Sweet potatoes	
0212030	Yams	
0212040	Arrowroot	
0212990	Others	
0213000	(c) <i>Other root and tuber vegetables except sugar beet</i>	
0213010	Beetroot	
0213020	Carrots	
0213030	Celeriac	
0213040	Horseradish	
0213050	Jerusalem artichokes	
0213060	Parsnips	
0213070	Parsley root	
0213080	Radishes	
0213090	Salsify	
0213100	Swedes	
0213110	Turnips	
0213990	Others	
0220000	<b>(ii) Bulb vegetables</b>	
0220010	Garlic	
0220020	Onions	
0220030	Shallots	
0220040	Spring onions	
0220990	Others	
0230000	<b>(iii) Fruiting vegetables</b>	
0231000	(a) <i>Solanacea</i>	
0231010	Tomatoes	
0231020	Peppers	

▼ **M14**

(1)	(2)	(3)
0231030	Aubergines (egg plants)	
0231040	Okra, lady's fingers	
0231990	Others	
0232000	(b) <i>Cucurbits — edible peel</i>	
0232010	Cucumbers	
0232020	Gherkins	
0232030	Courgettes	
0232990	Others	
0233000	(c) <i>Cucurbits-inedible peel</i>	
0233010	Melons	
0233020	Pumpkins	
0233030	Watermelons	
0233990	Others	
0234000	(d) <i>Sweet corn</i>	
0239000	(e) <i>Other fruiting vegetables</i>	
0240000	(iv) <b>Brassica vegetables</b>	
0241000	(a) <i>Flowering brassica</i>	
0241010	Broccoli	
0241020	Cauliflower	
0241990	Others	
0242000	(b) <i>Head brassica</i>	
0242010	Brussels sprouts	
0242020	Head cabbage	
0242990	Others	
0243000	(c) <i>Leafy brassica</i>	
0243010	Chinese cabbage	
0243020	Kale	
0243990	Others	
0244000	(d) <i>Kohlrabi</i>	
0250000	(v) <b>Leaf vegetables &amp; fresh herbs</b>	
0251000	(a) <i>Lettuce and other salad plants including Brassicacea</i>	
0251010	Lamb's lettuce	
0251020	Lettuce	
0251030	Scarole (broad-leaf endive)	
0251040	Cress	
0251050	Land cress	
0251060	Rocket, Rucola	
0251070	Red mustard	
0251080	Leaves and sprouts of Brassica spp	
0251990	Others	

▼ **M14**

(1)	(2)	(3)
0252000	(b) <i>Spinach &amp; similar (leaves)</i>	
0252010	Spinach	
0252020	Purslane	
0252030	Beet leaves (chard)	
0252990	Others	
0253000	(c) <i>Vine leaves (grape leaves)</i>	
0254000	(d) <i>Water cress</i>	
0255000	(e) <i>Witloof</i>	
0256000	(f) <i>Herbs</i>	► <b>M72</b> 0,4 (+) ◀
0256010	Chervil	
0256020	Chives	
0256030	Celery leaves	
0256040	Parsley	
0256050	Sage	
0256060	Rosemary	
0256070	Thyme	
0256080	Basil	
0256090	Bay leaves (laurel)	
0256100	Tarragon	
0256990	Others	
0260000	(vi) <b>Legume vegetables (fresh)</b>	
0260010	Beans (with pods)	
0260020	Beans (without pods)	
0260030	Peas (with pods)	
0260040	Peas (without pods)	
0260050	Lentils	
0260990	Others	
0270000	(vii) <b>Stem vegetables (fresh)</b>	
0270010	Asparagus	
0270020	Cardoons	
0270030	Celery	
0270040	Fennel	
0270050	Globe artichokes	
0270060	Leek	
0270070	Rhubarb	
0270080	Bamboo shoots	
0270090	Palm hearts	
0270990	Others	
0280000	(viii) <b>Fungi</b>	
0280010	Cultivated	
0280020	Wild	► <b>M72</b> 0,04 (+) ◀
0280990	Others	

▼ **M14**

(1)	(2)	(3)
0290000	(ix) <b>Sea weeds</b>	
0300000	<b>3. PULSES, DRY</b>	
0300010	Beans	
0300020	Lentils	
0300030	Peas	
0300040	Lupins	
0300990	Others	
0400000	<b>4. OILSEEDS AND OILFRUITS</b>	
0401000	(i) <b>Oilseeds</b>	
0401010	Linseed	
0401020	Peanuts	
0401030	Poppy seed	
0401040	Sesame seed	
0401050	Sunflower seed	
0401060	Rape seed	
0401070	Soya bean	
0401080	Mustard seed	
0401090	Cotton seed	
0401100	Pumpkin seeds	
0401110	Safflower	
0401120	Borage	
0401130	Gold of pleasure	
0401140	Hempseed	
0401150	Castor bean	
0401990	Others	
0402000	(ii) <b>Oilfruits</b>	
0402010	Olives for oil production	
0402020	Palm nuts (palmoil kernels)	
0402030	Palmfruit	
0402040	Kapok	
0402990	Others	
0500000	<b>5. CEREALS</b>	
0500010	Barley	
0500020	Buckwheat	
0500030	Maize	
0500040	Millet	
0500050	Oats	
0500060	Rice	
0500070	Rye	
0500080	Sorghum	
0500090	Wheat	
0500990	Others	

▼ **M14**

(1)	(2)	(3)
0600000	<b>6. TEA, COFFEE, HERBAL INFUSIONS AND COCOA</b>	
0610000	(i) <b>Tea (dried leaves and stalks, fermented or otherwise of <i>Camellia sinensis</i>)</b>	► <b>M72</b> 0,6 (+) ◀
0620000	(ii) <b>Coffee beans</b>	
0630000	(iii) <b>Herbal infusions (dried)</b>	► <b>M72</b> 0,5 (+) ◀
0631000	(a) <i>Flowers</i>	
0631010	Camomille flowers	
0631020	Hybiscus flowers	
0631030	Rose petals	
0631040	Jasmine flowers	
0631050	Lime (linden)	
0631990	Others	
0632000	(b) <i>Leaves</i>	
0632010	Strawberry leaves	
0632020	Rooibos leaves	
0632030	Maté	
0632990	Others	
0633000	(c) <i>Roots</i>	
0633010	Valerian root	
0633020	Ginseng root	
0633990	Others	
0639000	(d) <i>Other herbal infusions</i>	
0640000	(iv) <b>Cocoa (fermented beans)</b>	
0650000	(v) <b>Carob (st johns bread)</b>	
0700000	<b>7. HOPS (dried), including hop pellets and unconcentrated powder</b>	
0800000	<b>8. SPICES</b>	► <b>M72</b> (+) ◀
0810000	(i) <b>Seeds</b>	► <b>M72</b> 0,3 ◀
0810010	Anise	
0810020	Black caraway	
0810030	Celery seed	
0810040	Coriander seed	
0810040	Cumin seed	
0810060	Dill seed	
0810070	Fennel seed	
0810080	Fenugreek	
0810090	Nutmeg	
0810990	Others	
0820000	(ii) <b>Fruits and berries</b>	► <b>M72</b> 0,3 ◀
0820010	Allspice	
0820020	Anise pepper (Japan pepper)	
0820030	Caraway	

▼ **M14**

(1)	(2)	(3)
0820040	Cardamom	
0820050	Juniper berries	
0820060	Pepper, black and white	
0820070	Vanilla pods	
0820080	Tamarind	
0820990	Others	
0830000	(iii) <b>Bark</b>	► <b>M72</b> 4 ◀
0830010	Cinnamon	
0830990	Others	
0840000	(iv) <b>Roots or rhizome</b>	► <b>M72</b> 4 ◀
0840010	Liquorice	
0840020	Ginger	
0840030	Turmeric (Curcuma)	
0840040	Horse-radish	
0840990	Others	
0850000	(v) <b>Buds</b>	► <b>M72</b> 4 ◀
0850010	Cloves	
0850020	Capers	
0850990	Others	
0860000	(vi) <b>Flower stigma</b>	► <b>M72</b> 4 ◀
0860010	Saffron	
0860990	Others	
0870000	(vii) <b>Aril</b>	► <b>M72</b> 4 ◀
0870010	Mace	
0870990	Others	
0900000	9. <b>SUGAR PLANTS</b>	
0900010	Sugar beet (root)	
0900020	Sugar cane	
0900030	Chicory roots	
0900990	Others	
1000000	10. <b>PRODUCTS OF ANIMAL ORIGIN- TERRESTRIAL ANIMALS</b>	
1010000	(i) <b>Meat, preparations of meat, offals, blood, animal fats fresh chilled or frozen, salted, in brine, dried or smoked or processed as flours or meals; other processed products such as sausages and food preparations based on these</b>	
1011000	(a) <i>Swine</i>	
1011010	Meat	
1011020	Fat free of lean meat	
1011030	Liver	
1011040	Kidney	
1011050	Edible offal	
1011990	Others	
1012000	(b) <i>Bovine</i>	
1012010	Meat	
1012020	Fat	
1012030	Liver	
1012040	Kidney	
1012050	Edible offal	
1012990	Others	
1013000	(c) <i>Sheep</i>	
1013010	Meat	



▼ **M14**

(1)	(2)	(3)
1013020	Fat	
1013030	Liver	
1013040	Kidney	
1013050	Edible offal	
1013990	Others	
1014000	(d) <i>Goat</i>	
1014010	Meat	
1014020	Fat	
1014030	Liver	
1014040	Kidney	
1014050	Edible offal	
1014990	Others	
1015000	(e) <i>Horses, asses, mules or hinnies</i>	
1015010	Meat	
1015020	Fat	
1015030	Liver	
1015040	Kidney	
1015050	Edible offal	
1015990	Others	
1016000	(f) <i>oultry -chicken, geese, duck, turkey and Guinea fowl-, ostrich, pigeon</i>	
1016010	Meat	
1016020	Fat	
1016030	Liver	
1016040	Kidney	
1016050	Edible offal	
1016990	Others	
1017000	(g) <i>Other farm animals</i>	
1017010	Meat	

▼ **M14**

(1)	(2)	(3)
1017020	Fat	
1017030	Liver	
1017040	Kidney	
1017050	Edible offal	
1017990	Others	
1020000	(ii) <b>Milk and cream, not concentrated, nor containing added sugar or sweetening matter, butter and other fats derived from milk, cheese and curd</b>	
1020010	Cattle	
1020020	Sheep	
1020030	Goat	
1020040	Horse	
1020990	Others	
1030000	(iii) <b>Birds' eggs, fresh preserved or cooked; Shelled eggs and egg yolks fresh, dried, cooked by steaming or boiling in water, moulded, frozen or otherwise preserved whether or not containing added sugar or sweetening matter</b>	
1030010	Chicken	
1030020	Duck	
1030030	Goose	
1030040	Quail	
1030990	Others	
1040000	(iv) <b>Honey</b>	
1050000	(v) <b>Amphibians and reptiles</b>	
1060000	(vi) <b>Snails</b>	
1070000	(vii) <b>Other terrestrial animal products</b>	

▼ **M20***Pesticide residues and maximum residue levels (mg/kg)*

Code number	Groups and examples of individual products to which the MRLs apply (*)	► <b>M24</b> Biphenyl ◀	► <b>M78</b> Isopyrazam ◀
(1)	(2)	(3)	(4)
0100000	1. <b>FRUIT FRESH OR FROZEN; NUTS</b>		► <b>M43</b> — ◀
0110000	(i) <b>Citrus fruit</b>	► <b>M24</b> 0,01 (*) ◀	► <b>M78</b> 0,01 (*) ◀
0110010	Grapefruit (Shaddocks, pomelos, sweeties, tangelo (except mineola), ugli and other hybrids)		
0110020	Oranges (Bergamot, bitter orange, chinotto and other hybrids)		
0110030	Lemons (Citron, lemon)		
0110040	Limes		
0110050	Mandarins (Clementine, tangerine, mineola and other hybrids)		
0110990	Others		
0120000	(ii) <b>Tree nuts (shelled or unshelled)</b>	► <b>M24</b> 0,01 (*) ◀	► <b>M78</b> 0,01 (*) ◀
0120010	Almonds		
0120020	Brazil nuts		
0120030	Cashew nuts		
0120040	Chestnuts		
0120050	Coconuts		
0120060	Hazelnuts (Filbert)		
0120070	Macadamia		
0120080	Pecans		
0120090	Pine nuts		
0120100	Pistachios		
0120110	Walnuts		
0120990	Others		
0130000	(iii) <b>Pome fruit</b>	► <b>M24</b> 0,01 (*) ◀	► <b>M78</b> 0,7 ◀
0130010	Apples (Crab apple)		
0130020	Pears (Oriental pear)		
0130030	Quinces		
0130040	Medlar		
0130050	Loquat		
0130990	Others		
0140000	(iv) <b>Stone fruit</b>	► <b>M24</b> 0,01 (*) ◀	► <b>M43</b> — ◀
0140010	Apricots		► <b>M78</b> 0,01 (*) ◀
0140020	Cherries (sweet cherries, sour cherries)		► <b>M78</b> 0,01 (*) ◀
0140030	Peaches (Nectarines and similar hybrids)		► <b>M78</b> 1,5 ◀
0140040	Plums (Damson, greengage, mirabelle, sloe)		► <b>M78</b> 0,01 (*) ◀
0140990	Others		► <b>M78</b> 0,01 (*) ◀

▼ **M20**

(1)	(2)	(3)	(4)
0150000	(v) <b>Berries &amp; small fruit</b>		► <b>M78</b> 0,01 (*) ◄
0151000	(a) <i>Table and wine grapes</i>	► <b>M24</b> 0,01 (*) ◄	
0151010	Table grapes		
0151020	Wine grapes		
0152000	(b) <i>Strawberries</i>	► <b>M24</b> 0,01 (*) ◄	
0153000	(c) <i>Cane fruit</i>	► <b>M24</b> 0,01 (*) ◄	
0153010	Blackberries		
0153020	Dewberries (Loganberries, boysenberries, and cloudberries)		
0153030	Raspberries (Wineberries, arctic bramble/raspberry, ( <i>Rubus arcticus</i> ), nectar raspberries ( <i>Rubus arcticus</i> x <i>idaeus</i> ))		
0153990	Others		
0154000	(d) <i>Other small fruit &amp; berries</i>		
0154010	Blueberries (Bilberries)	► <b>M24</b> 0,01 (*) ◄	
0154020	Cranberries (Cowberries (red bilberries))	► <b>M24</b> 0,01 (*) ◄	
0154030	Currants (red, black and white)	► <b>M24</b> 0,01 (*) ◄	
0154040	Gooseberries (Including hybrids with other ribes species)	► <b>M24</b> 0,01 (*) ◄	
0154050	Rose hips	► <b>M24</b> 0,02 ◄	
0154060	Mulberries ( <i>arbutus</i> berry)	► <b>M24</b> 0,01 (*) ◄	
0154070	Azarole (mediteranean medlar) ( <i>Kiwiberry</i> ( <i>Actinidia arguta</i> ))	► <b>M24</b> 0,01 (*) ◄	
0154080	Elderberries (Black chokeberry ( <i>appleberry</i> ), mountain ash, buckthorn ( <i>sea sallowthorn</i> ), hawthorn, service berries, and other tree-berries)	► <b>M24</b> 0,01 (*) ◄	
0154990	Others	► <b>M24</b> 0,01 (*) ◄	
0160000	(vi) <b>Miscellaneous fruit</b>	► <b>M24</b> 0,01 (*) ◄	
0161000	(a) <i>Edible peel</i>		► <b>M78</b> 0,01 (*) ◄
0161010	Dates		
0161020	Figs		
0161030	Table olives		
0161040	Kumquats ( <i>Marumi kumquats</i> , <i>nagami kumquats</i> , <i>limequats</i> ( <i>Citrus aurantifolia</i> x <i>Fortunella</i> spp.))		
0161050	Carambola ( <i>Bilimbi</i> )		
0161060	Persimmon		
0161070	Jambolan ( <i>java plum</i> ) ( <i>Java apple</i> ( <i>water apple</i> ), <i>pomerac</i> , <i>rose apple</i> , <i>Brazilian cherry</i> <i>Surinam cherry</i> ( <i>grumichama</i> <i>Eugenia uniflora</i> ))		
0161990	Others		
0162000	(b) <i>Inedible peel, small</i>		► <b>M78</b> 0,01 (*) ◄
0162010	Kiwi		
0162020	Lychee ( <i>Litchi</i> ) ( <i>Pulasan</i> , <i>rambutan</i> ( <i>hairy litchi</i> ), <i>mangosteen</i> )		
0162030	Passion fruit		
0162040	Prickly pear ( <i>cactus fruit</i> )		
0162050	Star apple		
0162060	American persimmon ( <i>Virginia kaki</i> ) ( <i>Black sapote</i> , <i>white sapote</i> , <i>green sapote</i> , <i>canistel</i> ( <i>yellow sapote</i> ), and <i>mammey sapote</i> )		

▼ **M20**

(1)	(2)	(3)	(4)
0162990	Others		
0163000	(c) <i>Inedible peel, large</i>		
0163010	Avocados		► <b>M78</b> 0,01 (*) ◀
0163020	Bananas (Dwarf banana, plantain, apple banana)		► <b>M78</b> 0,05 ◀
0163030	Mangoes		► <b>M78</b> 0,01 (*) ◀
0163040	Papaya		► <b>M78</b> 0,01 (*) ◀
0163050	Pomegranate		► <b>M78</b> 0,01 (*) ◀
0163060	Cherimoya (Custard apple, sugar apple (sweetsop), llama and other medium sized Annonaceae)		► <b>M78</b> 0,01 (*) ◀
0163070	Guava (Red pitaya or dragon fruit (Hylocereus undatus))		► <b>M78</b> 0,01 (*) ◀
0163080	Pineapples		► <b>M78</b> 0,01 (*) ◀
0163090	Bread fruit (Jackfruit)		► <b>M78</b> 0,01 (*) ◀
0163100	Durian		► <b>M78</b> 0,01 (*) ◀
0163110	Soursop (guanabana)		► <b>M78</b> 0,01 (*) ◀
0163990	Others		► <b>M78</b> 0,01 (*) ◀
0200000	<b>2. VEGETABLES FRESH OR FROZEN</b>		► <b>M54</b> — ◀
0210000	(i) <b>Root and tuber vegetables</b>	► <b>M24</b> 0,01 (*) ◀	
0211000	(a) <i>Potatoes</i>		► <b>M78</b> 0,01 (*) ◀
0212000	(b) <i>Tropical root and tuber vegetables</i>		► <b>M78</b> 0,01 (*) ◀
0212010	Cassava (Dasheen, eddoe (Japanese taro), tannia)		
0212020	Sweet potatoes		
0212030	Yams (Potato bean (yam bean), Mexican yam bean)		
0212040	Arrowroot		
0212990	Others		
0213000	(c) <i>Other root and tuber vegetables except sugar beet</i>		► <b>M78</b> 0,2 ◀
0213010	Beetroot		
0213020	Carrots		
0213030	Celeriac		
0213040	Horseradish (Angelica roots, lovage roots, gentiana roots)		
0213050	Jerusalem artichokes		
0213060	Parsnips		
0213070	Parsley root		
0213080	Radishes (Black radish, Japanese radish, small radish and similar varieties, tiger nut (Cyperus esculentus))		
0213090	Salsify (Scorzonera, Spanish salsify (Spanish oysterplant))		
0213100	Swedes		
0213110	Turnips		
0213990	Others		
0220000	(ii) <b>Bulb vegetables</b>	► <b>M24</b> 0,01 (*) ◀	► <b>M78</b> 0,01 (*) ◀

▼ **M20**

(1)	(2)	(3)	(4)
0220010	Garlic		
0220020	Onions (Silverskin onions)		
0220030	Shallots		
0220040	Spring onions (Welsh onion and similar varieties)		
0220990	Others		
0230000	(iii) <b>Fruiting vegetables</b>	► <b>M24</b> 0,01 (*) ◀	
0231000	(a) <i>Solanacea</i>		
0231010	Tomatoes (Cherry tomatoes, tree tomato, Physalis, gojiberry, wolfberry ( <i>Lycium barbarum</i> and <i>L. chinense</i> ))		► <b>M78</b> 0,5 ◀
0231020	Peppers (Chilli peppers)		► <b>M78</b> 0,09 ◀
0231030	Aubergines (egg plants) (Pepino)		► <b>M78</b> 0,5 ◀
0231040	Okra, lady's fingers		► <b>M78</b> 0,01 (*) ◀
0231990	Others		► <b>M78</b> 0,01 (*) ◀
0232000	(b) <i>Cucurbits - edible peel</i>		► <b>M78</b> 0,4 ◀
0232010	Cucumbers		
0232020	Gherkins		
0232030	Courgettes (Summer squash, marrow (patisson))		
0232990	Others		
0233000	(c) <i>Cucurbits-inedible peel</i>		► <b>M78</b> 0,3 ◀
0233010	Melons (Kiwano)		
0233020	Pumpkins (Winter squash)		
0233030	Watermelons		
0233990	Others		
0234000	(d) <i>Sweet corn</i>		► <b>M78</b> 0,01 (*) ◀
0239000	(e) <i>Other fruiting vegetables</i>		► <b>M78</b> 0,01 (*) ◀
0240000	(iv) <b>Brassica vegetables</b>	► <b>M24</b> 0,01 (*) ◀	► <b>M78</b> 0,01 (*) ◀
0241000	(a) <i>Flowering brassica</i>		
0241010	Broccoli (Calabrese, Chinese broccoli, broccoli raab)		
0241020	Cauliflower		
0241990	Others		
0242000	(b) <i>Head brassica</i>		
0242010	Brussels sprouts		
0242020	Head cabbage (Pointed head cabbage, red cabbage, savoy cabbage, white cabbage)		
0242990	Others		
0243000	(c) <i>Leafy brassica</i>		
0243010	Chinese cabbage (Indian (Chinese) mustard, pak choi, Chinese flat cabbage (tai goo choi), choi sum, peking cabbage (pe-tsai))		
0243020	Kale (Borecole (curly kale), collards, Portuguese Kale, Portuguese cabbage, cow cabbage)		
0243990	Others		
0244000	(d) <i>Kohlrabi</i>		

▼ **M20**

(1)	(2)	(3)	(4)
0250000	(v) <b>Leaf vegetables &amp; fresh herbs</b>		► <b>M78</b> 0,01 (*) ◀
0251000	(a) <i>Lettuce and other salad plants including Brassicacea</i>	► <b>M24</b> 0,01 (*) ◀	
0251010	Lamb's lettuce (Italian cornsalad)		
0251020	Lettuce (Head lettuce, lollo rosso (cutting lettuce), iceberg lettuce, romaine (cos) lettuce)		
0251030	Scarole (broad-leaf endive) (Wild chicory, red-leaved chicory, radicchio, curld leave endive, sugar loaf)		
0251040	Cress		
0251050	Land cress		
0251060	Rocket, Rucola (Wild rocket)		
0251070	Red mustard		
0251080	Leaves and sprouts of Brassica spp (Mizuna, leaves of peas and radish and other babyleaf brassica crops (crops harvested up to 8 true leaf stage))		
0251990	Others		
0252000	(b) <i>Spinach &amp; similar (leaves)</i>	► <b>M24</b> 0,01 (*) ◀	
0252010	Spinach (New Zealand spinach, amaranthus spinach)		
0252020	Purslane (Winter purslane (miner's lettuce), garden purslane, common purslane, sorrel, glasswort, Agretti (Salsola soda))		
0252030	Beet leaves (chard) (Leaves of beetroot)		
0252990	Others		
0253000	(c) <i>Vine leaves (grape leaves)</i>	► <b>M24</b> 0,01 (*) ◀	
0254000	(d) <i>Water cress</i>	► <b>M24</b> 0,01 (*) ◀	
0255000	(e) <i>Witloof</i>	► <b>M24</b> 0,01 (*) ◀	
0256000	(f) <i>Herbs</i>	► <b>M24</b> 0,1 ◀	
0256010	Chervil		
0256020	Chives		
0256030	Celery leaves (Fennel leaves, Coriander leaves, dill leaves, Caraway leaves, lovage, angelica, sweet cisely and other Apiacea leaves)		
0256040	Parsley		
0256050	Sage (Winter savory, summer savory)		
0256060	Rosemary		
0256070	Thyme (Marjoram, oregano)		
0256080	Basil (Balm leaves, mint, peppermint)		
0256090	Bay leaves (laurel)		
0256100	Tarragon (Hyssop)		
0256990	Others (Edible flowers)		
0260000	(vi) <b>Legume vegetables (fresh)</b>	► <b>M24</b> 0,01 (*) ◀	► <b>M78</b> 0,01 (*) ◀
0260010	Beans (with pods) (Green bean (french beans, snap beans), scarlet runner bean, slicing bean, yardlong beans)		
0260020	Beans (without pods) (Broad beans, Flageolets, jack bean, lima bean, cowpea)		

▼ **M20**

(1)	(2)	(3)	(4)
0260030	Peas (with pods) (Mangetout (sugar peas, snow peas))		
0260040	Peas (without pods) (Garden pea, green pea, chickpea)		
0260050	Lentils		
0260990	Others		
0270000	<b>(vii) Stem vegetables (fresh)</b>	► <b>M24</b> 0,01 (*) ◀	► <b>M78</b> 0,01 (*) ◀
0270010	Asparagus		
0270020	Cardoons		
0270030	Celery		
0270040	Fennel		
0270050	Globe artichokes		
0270060	Leek		
0270070	Rhubarb		
0270080	Bamboo shoots		
0270090	Palm hearts		
0270990	Others		
0280000	<b>(viii) Fungi</b>	► <b>M24</b> 0,01 (*) ◀	► <b>M78</b> 0,01 (*) ◀
0280010	Cultivated (Common mushroom, Oyster mushroom, Shi-take)		
0280020	Wild (Chanterelle, Truffle, Morel, Cep)		
0280990	Others		
0290000	<b>(ix) Sea weeds</b>	► <b>M24</b> 0,01 (*) ◀	► <b>M78</b> 0,01 (*) ◀
0300000	<b>3. PULSES, DRY</b>	► <b>M24</b> 0,01 (*) ◀	► <b>M78</b> 0,01 (*) ◀
0300010	Beans (Broad beans, navy beans, flageolet, jack beans, lima beans, field beans, cowpeas)		
0300020	Lentils		
0300030	Peas (Chickpeas, field peas, chickling vetch)		
0300040	Lupins		
0300990	Others		
0400000	<b>4. OILSEEDS AND OILFRUITS</b>	► <b>M24</b> 0,01 (*) ◀	► <b>M43</b> — ◀
0401000	<b>(i) Oilseeds</b>		
0401010	Linseed		► <b>M78</b> 0,4 ◀
0401020	Peanuts		► <b>M78</b> 0,01 (*) ◀
0401030	Poppy seed		► <b>M78</b> 0,4 ◀
0401040	Sesame seed		► <b>M78</b> 0,01 (*) ◀
0401050	Sunflower seed		► <b>M78</b> 0,01 (*) ◀
0401060	Rape seed (Bird rapeseed, turnip rape)		► <b>M78</b> 0,4 ◀
0401070	Soya bean		► <b>M78</b> 0,01 (*) ◀
0401080	Mustard seed		► <b>M78</b> 0,4 ◀
0401090	Cotton seed		► <b>M78</b> 0,01 (*) ◀
0401100	Pumpkin seeds (Other seeds of cucurbitacea)		► <b>M78</b> 0,01 (*) ◀
0401110	Safflower		► <b>M78</b> 0,01 (*) ◀
0401120	Borage		► <b>M78</b> 0,01 (*) ◀
0401130	Gold of pleasure		► <b>M78</b> 0,01 (*) ◀
0401140	Hempseed		► <b>M78</b> 0,01 (*) ◀
0401150	Castor bean		► <b>M78</b> 0,01 (*) ◀



▼ **M20**

(1)	(2)	(3)	(4)
0401990	Others		► <b>M78</b> 0,01 (*) ◀
0402000	(ii) <b>Oilfruits</b>		► <b>M78</b> 0,01 (*) ◀
0402010	Olives for oil production		
0402020	Palm nuts (palmoil kernels)		
0402030	Palmfruit		
0402040	Kapok		
0402990	Others		
0500000	<b>5. CEREALS</b>	► <b>M24</b> 0,01 (*) ◀	
0500010	Barley		► <b>M78</b> 0,6 ◀
0500020	Buckwheat (Amaranthus, quinoa)		► <b>M78</b> 0,01 (*) ◀
0500030	Maize		► <b>M78</b> 0,01 (*) ◀
0500040	Millet (Foxtail millet, teff)		► <b>M78</b> 0,01 (*) ◀
0500050	Oats		► <b>M78</b> 0,6 ◀
0500060	Rice		► <b>M78</b> 0,01 (*) ◀
0500070	Rye		► <b>M78</b> 0,2 ◀
0500080	Sorghum		► <b>M78</b> 0,01 (*) ◀
0500090	Wheat (Spelt, triticale)		► <b>M78</b> 0,2 ◀
0500990	Others		► <b>M78</b> 0,01 (*) ◀
0600000	<b>6. TEA, COFFEE, HERBAL INFUSIONS AND COCOA</b>		► <b>M78</b> 0,01 (*) ◀
0610000	(i) <b>Tea (dried leaves and stalks, fermented or otherwise of <i>Camellia sinensis</i>)</b>	► <b>M24</b> 0,05 (*) ◀	
0620000	(ii) <b>Coffee beans</b>	► <b>M24</b> 0,05 (*) ◀	
0630000	(iii) <b>Herbal infusions (dried)</b>		
0631000	(a) <i>Flowers</i>	► <b>M24</b> 0,05 (*) ◀	
0631010	Camomille flowers		
0631020	Hybiscus flowers		
0631030	Rose petals		
0631040	Jasmine flowers (Elderflowers ( <i>Sambucus nigra</i> ))		
0631050	Lime (linden)		
0631990	Others		
0632000	(b) <i>Leaves</i>		
0632010	Strawberry leaves	► <b>M24</b> 0,05 (*) ◀	
0632020	Rooibos leaves (Ginkgo leaves)	► <b>M24</b> 0,05 (*) ◀	
0632030	Maté	► <b>M24</b> 0,5 ◀	
0632990	Others	► <b>M24</b> 0,05 (*) ◀	
0633000	(c) <i>Roots</i>	► <b>M24</b> 0,05 (*) ◀	
0633010	Valerian root		
0633020	Ginseng root		

▼ **M20**

(1)	(2)	(3)	(4)
0633990	Others		
0639000	(d) <i>Other herbal infusions</i>	► <b>M24</b> 0,05 (*) ◀	
0640000	(iv) <b>Cocoa (fermented beans)</b>	► <b>M24</b> 0,05 (*) ◀	
0650000	(v) <b>Carob (st johns bread)</b>	► <b>M24</b> 0,05 (*) ◀	
0700000	7. <b>HOPS (dried) , including hop pellets and unconcentrated powder</b>	► <b>M24</b> 0,05 (*) ◀	► <b>M78</b> 0,01 (*) ◀
0800000	8. <b>SPICES</b>	<b>0,05 (*)</b>	► <b>M54</b> — ◀
0810000	(i) <b>Seeds</b>		► <b>M78</b> 0,01 (*) ◀
0810010	Anise	► <b>M24</b> 0,05 (*) ◀	
0810020	Black caraway	► <b>M24</b> 0,05 (*) ◀	
0810030	Celery seed (Lovage seed)	► <b>M24</b> 0,05 (*) ◀	
0810040	Coriander seed	► <b>M24</b> 0,05 (*) ◀	
0810050	Cumin seed	► <b>M24</b> 0,05 (*) ◀	
0810060	Dill seed	► <b>M24</b> 0,05 (*) ◀	
0810070	Fennel seed	► <b>M24</b> 0,05 (*) ◀	
0810080	Fenugreek	► <b>M24</b> 0,05 (*) ◀	
0810090	Nutmeg	► <b>M24</b> 1 ◀	
0810990	Others	► <b>M24</b> 0,05 (*) ◀	
0820000	(ii) <b>Fruits and berries</b>	► <b>M24</b> 0,05 (*) ◀	► <b>M78</b> 0,01 (*) ◀
0820010	Allspice		
0820020	Anise pepper (Japan pepper)		
0820030	Caraway		
0820040	Cardamom		
0820050	Juniper berries		
0820060	Pepper, black and white (Long pepper, pink pepper)		
0820070	Vanilla pods		
0820080	Tamarind		
0820990	Others		
0830000	(iii) <b>Bark</b>	► <b>M24</b> 0,05 (*) ◀	► <b>M78</b> 0,01 (*) ◀
0830010	Cinnamon (Cassia)		
0830990	Others		
0840000	(iv) <b>Roots or rhizome</b>	► <b>M24</b> 0,05 (*) ◀	
0840010	Liquorice		► <b>M78</b> 0,01 (*) ◀
0840020	Ginger		► <b>M78</b> 0,01 (*) ◀
0840030	Turmeric (Curcuma)		► <b>M78</b> 0,01 (*) ◀
0840040	Horseradish		► <b>M78</b> (+) ◀
0840990	Others		► <b>M78</b> 0,01 (*) ◀
0850000	(v) <b>Buds</b>	► <b>M24</b> 0,05 (*) ◀	► <b>M78</b> 0,01 (*) ◀
0850010	Cloves		
0850020	Capers		

▼ **M20**

(1)	(2)	(3)	(4)
0850990	Others		
0860000	(vi) <b>Flower stigma</b>	► <b>M24</b> 0,05 (*) ◀	► <b>M78</b> 0,01 (*) ◀
0860010	Saffron		
0860990	Others		
0870000	(vii) <b>Aril</b>		► <b>M78</b> 0,01 (*) ◀
0870010	Mace	► <b>M24</b> 1 ◀	
0870990	Others	► <b>M24</b> 0,05 (*) ◀	
0900000	<b>9. SUGAR PLANTS</b>	► <b>M24</b> 0,01 (*) ◀	► <b>M78</b> 0,01 (*) ◀
0900010	Sugar beet (root)		
0900020	Sugar cane		
0900030	Chicory roots		
0900990	Others		
1000000	<b>10. PRODUCTS OF ANIMAL ORIGIN- TERRESTRIAL ANIMALS</b>	► <b>M24</b> 0,01 (*) ◀	► <b>M43</b> — ◀
1010000	(i) <b>Meat, preparations of meat, offals, blood, animal fats fresh chilled or frozen, salted, in brine, dried or smoked or processed as flours or meals other processed products such as sausages and food preparations based on these</b>		► <b>M78</b> 0,01 (*) ◀
1011000	(a) <i>Swine</i>		
1011010	Meat		
1011020	Fat free of lean meat		
1011030	Liver		
1011040	Kidney		
1011050	Edible offal		
1011990	Others		
1012000	(b) <i>Bovine</i>		
1012010	Meat		
1012020	Fat		
1012030	Liver		
1012040	Kidney		
1012050	Edible offal		
1012990	Others		
1013000	(c) <i>Sheep</i>		
1013010	Meat		
1013020	Fat		
1013030	Liver		

▼ **M20**

(1)	(2)	(3)	(4)
1013040	Kidney		
1013050	Edible offal		
1013990	Others		
1014000	(d) <i>Goat</i>		
1014010	Meat		
1014020	Fat		
1014030	Liver		
1014040	Kidney		
1014050	Edible offal		
1014990	Others		
1015000	(e) <i>Horses, asses, mules or hinnies</i>		
1015010	Meat		
1015020	Fat		
1015030	Liver		
1015040	Kidney		
1015050	Edible offal		
1015990	Others		
1016000	(f) <i>Poultry -chicken, geese, duck, turkey and Guinea fowl-, ostrich, pigeon</i>		
1016010	Meat		
1016020	Fat		
1016030	Liver		
1016040	Kidney		
1016050	Edible offal		
1016990	Others		
1017000	(g) <i>Other farm animals (Rabbit, Kangaroo)</i>		
1017010	Meat		
1017020	Fat		
1017030	Liver		
1017040	Kidney		
1017050	Edible offal		
1017990	Others		
1020000	(ii) <b>Milk and cream, not concentrated, nor containing added sugar or sweetening matter, butter and other fats derived from milk, cheese and curd</b>		► <b>M78</b> 0,01 (*) ◀
1020010	Cattle		
1020020	Sheep		
1020030	Goat		
1020040	Horse		

▼ **M20**

(1)	(2)	(3)	(4)
1020990	Others		
1030000	(iii) <b>Birds' eggs, fresh preserved or cooked</b> <b>Shelled eggs and egg yolks fresh, dried,</b> <b>cooked by steaming or boiling in water,</b> <b>moulded, frozen or otherwise preserved</b> <b>whether or not containing added sugar or</b> <b>sweetening matter</b>		► <b>M78</b> 0,01 (*) ◀
1030010	Chicken		
1030020	Duck		
1030030	Goose		
1030040	Quail		
1030990	Others		
1040000	(iv) <b>Honey (Royal jelly, pollen)</b>		► <b>M78</b> 0,05 (*) ◀
1050000	(v) <b>Amphibians and reptiles (Frog legs,</b> <b>crocodiles)</b>		► <b>M78</b> 0,01 (*) ◀
1060000	(vi) <b>Snails</b>		► <b>M78</b> 0,01 (*) ◀
1070000	(vii) <b>Other terrestrial animal products</b>		► <b>M78</b> 0,01 (*) ◀

▼ **M23****Pesticide residues and maximum residue levels (mg/kg)**

Code number	Groups and examples of individual products to which the MRLs apply (e)	Ethametsulfuron-methyl
(1)	(2)	(3)
0100000	<b>1. FRUIT FRESH OR FROZEN; NUTS</b>	
0110000	<b>(i) Citrus fruit</b>	<b>0,01 (*)</b>
0110010	Grapefruit (Shaddocks, pomelos, sweeties, tangelo (except mineola), ugli and other hybrids)	
0110020	Oranges (Bergamot, bitter orange, chinotto and other hybrids)	
0110030	Lemons (Citron, lemon)	
0110040	Limes	
0110050	Mandarins (Clementine, tangerine, mineola and other hybrids)	
0110990	Others	
0120000	<b>(ii) Tree nuts (shelled or unshelled)</b>	<b>0,01 (*)</b>
0120010	Almonds	
0120020	Brazil nuts	
0120030	Cashew nuts	
0120040	Chestnuts	
0120050	Coconuts	
0120060	Hazelnuts (Filbert)	
0120070	Macadamia	
0120080	Pecans	
0120090	Pine nuts	
0120100	Pistachios	
0120110	Walnuts	
0120990	Others	
0130000	<b>(iii) Pome fruit</b>	<b>0,01 (*)</b>
0130010	Apples (Crab apple)	
0130020	Pears (Oriental pear)	
0130030	Quinces	
0130040	Medlar	
0130050	Loquat	
0130990	Others	
0140000	<b>(iv) Stone fruit</b>	<b>0,01 (*)</b>
0140010	Apricots	
0140020	Cherries (sweet cherries, sour cherries)	
0140030	Peaches (Nectarines and similar hybrids)	
0140040	Plums (Damson, greengage, mirabelle, sloe)	
0140990	Others	

▼ **M23**

(1)	(2)	(3)
0150000	(v) <b>Berries &amp; small fruit</b>	<b>0,01 (*)</b>
0151000	(a) <i>Table and wine grapes</i>	
0151010	Table grapes	
0151020	Wine grapes	
0152000	(b) <i>Strawberries</i>	
0153000	(c) <i>Cane fruit</i>	
0153010	Blackberries	
0153020	Dewberries (Loganberries, boysenberries, and cloudberries)	
0153030	Raspberries (Wineberries, arctic bramble/raspberry, ( <i>Rubus arcticus</i> ), nectar raspberries ( <i>Rubus arcticus</i> x <i>idaeus</i> ))	
0153990	Others	
0154000	(d) <i>Other small fruit &amp; berries</i>	
0154010	Blueberries (Bilberries)	
0154020	Cranberries (Cowberries (red bilberries))	
0154030	Currants (red, black and white)	
0154040	Gooseberries (Including hybrids with other ribes species)	
0154050	Rose hips	
0154060	Mulberries ( <i>arbutus</i> berry)	
0154070	Azarole (mediteranean medlar) (Kiwiberry ( <i>Actinidia arguta</i> ))	
0154080	Elderberries (Black chokeberry (appleberry), mountain ash, buckthorn (sea sallowthorn), hawthorn, service berries, and other treeberries)	
0154990	Others	
0160000	(vi) <b>Miscellaneous fruit</b>	
0161000	(a) <i>Edible peel</i>	
0161010	Dates	<b>0,01 (*)</b>
0161020	Figs	<b>0,01 (*)</b>
0161030	Table olives	<b>0,02 (*)</b>
0161040	Kumquats (Marumi kumquats, nagami kumquats, limequats ( <i>Citrus aurantifolia</i> x <i>Fortunella</i> spp.))	<b>0,01 (*)</b>
0161050	Carambola (Bilimbi)	<b>0,01 (*)</b>
0161060	Persimmon	<b>0,01 (*)</b>
0161070	Jambolan (java plum) (Java apple (water apple), pomerac, rose apple, Brazilian cherry Surinam cherry ( <i>grumichama Eugenia uniflora</i> ),)	<b>0,01 (*)</b>
0161990	Others	<b>0,01 (*)</b>
0162000	(b) <i>Inedible peel, small</i>	<b>0,01 (*)</b>
0162010	Kiwi	
0162020	Lychee (Litchi) ( <i>Pulasan</i> , rambutan (hairy litchi), mangosteen)	
0162030	Passion fruit	
0162040	Prickly pear (cactus fruit)	
0162050	Star apple	
0162060	American persimmon (Virginia kaki) (Black sapote, white sapote, green sapote, canistel (yellow sapote), and mamme sapote)	

▼ **M23**

(1)	(2)	(3)
0162990	Others	
0163000	(c) <i>Inedible peel, large</i>	<b>0,01 (*)</b>
0163010	Avocados	
0163020	Bananas (Dwarf banana, plantain, apple banana)	
0163030	Mangoes	
0163040	Papaya	
0163050	Pomegranate	
0163060	Cherimoya (Custard apple, sugar apple (sweetsop), llama and other medium sized Annonaceae)	
0163070	Guava (Red pitaya or dragon fruit (Hylocereus undatus))	
0163080	Pineapples	
0163090	Bread fruit (Jackfruit)	
0163100	Durian	
0163110	Soursop (guanabana)	
0163990	Others	
0200000	<b>2. VEGETABLES FRESH OR FROZEN</b>	<b>0,01 (*)</b>
0210000	(i) <b>Root and tuber vegetables</b>	
0211000	(a) <i>Potatoes</i>	
0212000	(b) <i>Tropical root and tuber vegetables</i>	
0212010	Cassava (Dasheen, eddoe (Japanese taro), tannia)	
0212020	Sweet potatoes	
0212030	Yams (Potato bean (yam bean), Mexican yam bean)	
0212040	Arrowroot	
0212990	Others	
0213000	(c) <i>Other root and tuber vegetables except sugar beet</i>	
0213010	Beetroot	
0213020	Carrots	
0213030	Celeriac	
0213040	Horseradish (Angelica roots, lovage roots, gentiana roots,)	
0213050	Jerusalem artichokes	
0213060	Parsnips	
0213070	Parsley root	
0213080	Radishes (Black radish, Japanese radish, small radish and similar varieties, tiger nut (Cyperus esculentus))	
0213090	Salsify (Scorzoneria, Spanish salsify (Spanish oyster-plant))	
0213100	Swedes	
0213110	Turnips	
0213990	Others	
0220000	(ii) <b>Bulb vegetables</b>	



▼ **M23**

(1)	(2)	(3)
0220010	Garlic	
0220020	Onions (Silverskin onions)	
0220030	Shallots	
0220040	Spring onions (Welsh onion and similar varieties)	
0220990	Others	
0230000	<b>(iii) Fruiting vegetables</b>	
0231000	(a) <i>Solanacea</i>	
0231010	Tomatoes (Cherry tomatoes, tree tomato, Physalis, goji-berry, wolfberry ( <i>Lycium barbarum</i> and <i>L. chinense</i> ))	
0231020	Peppers (Chilli peppers)	
0231030	Aubergines (egg plants) (Pepino)	
0231040	Okra, lady's fingers	
0231990	Others	
0232000	(b) <i>Cucurbits - edible peel</i>	
0232010	Cucumbers	
0232020	Gherkins	
0232030	Courgettes (Summer squash, marrow (patisson))	
0232990	Others	
0233000	(c) <i>Cucurbits-inedible peel</i>	
0233010	Melons (Kiwano)	
0233020	Pumpkins (Winter squash)	
0233030	Watermelons	
0233990	Others	
0234000	(d) <i>Sweet corn</i>	
0239000	(e) <i>Other fruiting vegetables</i>	
0240000	<b>(iv) Brassica vegetables</b>	
0241000	(a) <i>Flowering brassica</i>	
0241010	Broccoli (Calabrese, Chinese broccoli, broccoli raab)	
0241020	Cauliflower	
0241990	Others	
0242000	(b) <i>Head brassica</i>	
0242010	Brussels sprouts	
0242020	Head cabbage (Pointed head cabbage, red cabbage, savoy cabbage, white cabbage)	
0242990	Others	
0243000	(c) <i>Leafy brassica</i>	
0243010	Chinese cabbage (Indian (Chinese) mustard, pak choi, Chinese flat cabbage (tai goo choi), choi sum, peking cabbage (pe-tsai),)	
0243020	Kale (Borecole (curly kale), collards, Portuguese Kale, Portuguese cabbage, cow cabbage)	
0243990	Others	
0244000	(d) <i>Kohlrabi</i>	

▼ **M23**

(1)	(2)	(3)
0250000	(v) <b>Leaf vegetables &amp; fresh herbs</b>	
0251000	(a) <i>Lettuce and other salad plants including Brassicacea</i>	
0251010	Lamb's lettuce (Italian cornsalad)	
0251020	Lettuce (Head lettuce, lollo rosso (cutting lettuce), iceberg lettuce, romaine (cos) lettuce)	
0251030	Scarole (broad-leaf endive) (Wild chicory, red-leaved chicory, radicchio, curld leave endive, sugar loaf)	
0251040	Cress	
0251050	Land cress	
0251060	Rocket, Rucola (Wild rocket)	
0251070	Red mustard	
0251080	Leaves and sprouts of Brassica spp (Mizuna, leaves of peas and radish and other babyleaf brassica crops (crops harvested up to 8 true leaf stage))	
0251990	Others	
0252000	(b) <i>Spinach &amp; similar (leaves)</i>	
0252010	Spinach (New Zealand spinach, amaranthus spinach)	
0252020	Purslane (Winter purslane (miner's lettuce), garden purslane, common purslane, sorrel, glassworth, Agretti (Salsola soda))	
0252030	Beet leaves (chard) (Leaves of beetroot)	
0252990	Others	
0253000	(c) <i>Vine leaves (grape leaves)</i>	
0254000	(d) <i>Water cress</i>	
0255000	(e) <i>Witloof</i>	
0256000	(f) <i>Herbs</i>	
0256010	Chervil	
0256020	Chives	
0256030	Celery leaves (Fennel leaves, Coriander leaves, dill leaves, Caraway leaves, lovage, angelica, sweet cisely and other Apiacea leaves)	
0256040	Parsley	
0256050	Sage (Winter savory, summer savory,)	
0256060	Rosemary	
0256070	Thyme (Marjoram, oregano)	
0256080	Basil (Balm leaves, mint, peppermint)	
0256090	Bay leaves (laurel)	
0256100	Tarragon (Hyssop)	
0256990	Others (Edible flowers)	
0260000	(vi) <b>Legume vegetables (fresh)</b>	
0260010	Beans (with pods) (Green bean (french beans, snap beans), scarlet runner bean, slicing bean, yardlong beans)	
0260020	Beans (without pods) (Broad beans, Flageolets, jack bean, lima bean, cowpea)	
0260030	Peas (with pods) (Mangetout (sugar peas, snow peas))	
0260040	Peas (without pods) (Garden pea, green pea, chickpea)	
0260050	Lentils	

▼ **M23**

(1)	(2)	(3)
0260990	Others	
0270000	<b>(vii) Stem vegetables (fresh)</b>	
0270010	Asparagus	
0270020	Cardoons	
0270030	Celery	
0270040	Fennel	
0270050	Globe artichokes	
0270060	Leek	
0270070	Rhubarb	
0270080	Bamboo shoots	
0270090	Palm hearts	
0270990	Others	
0280000	<b>(viii) Fungi</b>	
0280010	Cultivated (Common mushroom, Oyster mushroom, Shi-take)	
0280020	Wild (Chanterelle, Truffle, Morel, Cep)	
0280990	Others	
0290000	<b>(ix) Sea weeds</b>	
0300000	<b>3. PULSES, DRY</b>	<b>0,01 (*)</b>
0300010	Beans (Broad beans, navy beans, flageolets, jack beans, lima beans, field beans, cowpeas)	
0300020	Lentils	
0300030	Peas (Chickpeas, field peas, chickling vetch)	
0300040	Lupins	
0300990	Others	
0400000	<b>4. OILSEEDS AND OILFRUITS</b>	<b>0,02 (*)</b>
0401000	<b>(i) Oilseeds</b>	
0401010	Linseed	
0401020	Peanuts	
0401030	Poppy seed	
0401040	Sesame seed	
0401050	Sunflower seed	
0401060	Rape seed (Bird rapeseed, turnip rape)	
0401070	Soya bean	
0401080	Mustard seed	
0401090	Cotton seed	
0401100	Pumpkin seeds (Other seeds of cucurbitacea)	
0401110	Safflower	
0401120	Borage	
0401130	Gold of pleasure	
0401140	Hempseed	
0401150	Castor bean	

▼ **M23**

(1)	(2)	(3)
0401990	Others	
0402000	(ii) <b>Oilfruits</b>	
0402010	Olives for oil production	
0402020	Palm nuts (palmoil kernels)	
0402030	Palmfruit	
0402040	Kapok	
0402990	Others	
0500000	5. <b>CEREALS</b>	<b>0,01 (*)</b>
0500010	Barley	
0500020	Buckwheat (Amaranthus, quinoa)	
0500030	Maize	
0500040	Millet (Foxtail millet, teff)	
0500050	Oats	
0500060	Rice	
0500070	Rye	
0500080	Sorghum	
0500090	Wheat (Spelt, triticale)	
0500990	Others	
0600000	6. <b>TEA, COFFEE, HERBAL INFUSIONS AND COCOA</b>	<b>0,02 (*)</b>
0610000	(i) <b>Tea (dried leaves and stalks, fermented or otherwise of Camellia sinensis)</b>	
0620000	(ii) <b>Coffee beans</b>	
0630000	(iii) <b>Herbal infusions (dried)</b>	
0631000	(a) <i>Flowers</i>	
0631010	Camomille flowers	
0631020	Hybiscus flowers	
0631030	Rose petals	
0631040	Jasmine flowers (Elderflowers (Sambucus nigra))	
0631050	Lime (linden)	
0631990	Others	
0632000	(b) <i>Leaves</i>	
0632010	Strawberry leaves	
0632020	Rooibos leaves (Ginkgo leaves)	
0632030	Maté	
0632990	Others	
0633000	(c) <i>Roots</i>	
0633010	Valerian root	
0633020	Ginseng root	

▼ **M23**

(1)	(2)	(3)
0633990	Others	
0639000	(d) <i>Other herbal infusions</i>	
0640000	(iv) <b>Cocoa (fermented beans)</b>	
0650000	(v) <b>Carob (st johns bread)</b>	
0700000	7. <b>HOPS (dried), including hop pellets and unconcentrated powder</b>	<b>0,02 (*)</b>
0800000	8. <b>SPICES</b>	<b>0,02 (*)</b>
0810000	(i) <b>Seeds</b>	
0810010	Anise	
0810020	Black caraway	
0810030	Celery seed (Lovage seed)	
0810040	Coriander seed	
0810050	Cumin seed	
0810060	Dill seed	
0810070	Fennel seed	
0810080	Fenugreek	
0810090	Nutmeg	
0810990	Others	
0820000	(ii) <b>Fruits and berries</b>	
0820010	Allspice	
0820020	Anise pepper (Japan pepper)	
0820030	Caraway	
0820040	Cardamom	
0820050	Juniper berries	
0820060	Pepper, black and white (Long pepper, pink pepper)	
0820070	Vanilla pods	
0820080	Tamarind	
0820990	Others	
0830000	(iii) <b>Bark</b>	
0830010	Cinnamon (Cassia)	
0830990	Others	
0840000	(iv) <b>Roots or rhizome</b>	
0840010	Liquorice	
0840020	Ginger	
0840030	Turmeric (Curcuma)	
0840040	Horseradish	
0840990	Others	
0850000	(v) <b>Buds</b>	
0850010	Cloves	
0850020	Capers	

▼ **M23**

(1)	(2)	(3)
0850990	Others	
0860000	(vi) <b>Flower stigma</b>	
0860010	Saffron	
0860990	Others	
0870000	(vii) <b>Aril</b>	
0870010	Mace	
0870990	Others	
0900000	9. <b>SUGAR PLANTS</b>	<b>0,01 (*)</b>
0900010	Sugar beet (root)	
0900020	Sugar cane	
0900030	Chicory roots	
0900990	Others	
1000000	10. <b>PRODUCTS OF ANIMAL ORIGIN-TERRESTRIAL ANIMALS</b>	<b>0,01 (*)</b>
1010000	(i) <b>Meat, preparations of meat, offals, blood, animal fats fresh chilled or frozen, salted, in brine, dried or smoked or processed as flours or meals other processed products such as sausages and food preparations based on these</b>	
1011000	(a) <i>Swine</i>	
1011010	Meat	
1011020	Fat free of lean meat	
1011030	Liver	
1011040	Kidney	
1011050	Edible offal	
1011990	Others	
1012000	(b) <i>Bovine</i>	
1012010	Meat	
1012020	Fat	
1012030	Liver	
1012040	Kidney	
1012050	Edible offal	
1012990	Others	
1013000	(c) <i>Sheep</i>	
1013010	Meat	
1013020	Fat	
1013030	Liver	

▼ **M23**

(1)	(2)	(3)
1013040	Kidney	
1013050	Edible offal	
1013990	Others	
1014000	(d) <i>Goat</i>	
1014010	Meat	
1014020	Fat	
1014030	Liver	
1014040	Kidney	
1014050	Edible offal	
1014990	Others	
1015000	(e) <i>Horses, asses, mules or hinnies</i>	
1015010	Meat	
1015020	Fat	
1015030	Liver	
1015040	Kidney	
1015050	Edible offal	
1015990	Others	
1016000	(f) <i>Poultry -chicken, geese, duck, turkey and Guinea fowl-, ostrich, pigeon</i>	
1016010	Meat	
1016020	Fat	
1016030	Liver	
1016040	Kidney	
1016050	Edible offal	
1016990	Others	
1017000	(g) <i>Other farm animals (Rabbit, Kangaroo)</i>	
1017010	Meat	
1017020	Fat	
1017030	Liver	
1017040	Kidney	
1017050	Edible offal	
1017990	Others	
1020000	(ii) <b>Milk and cream, not concentrated, nor containing added sugar or sweetening matter, butter and other fats derived from milk, cheese and curd</b>	
1020010	Cattle	
1020020	Sheep	
1020030	Goat	
1020040	Horse	

▼ **M23**

(1)	(2)	(3)
1020990	Others	
1030000	(iii) <b>Birds' eggs, fresh preserved or cooked Shelled eggs and egg yolks fresh, dried, cooked by steaming or boiling in water, moulded, frozen or otherwise preserved whether or not containing added sugar or sweetening matter</b>	
1030010	Chicken	
1030020	Duck	
1030030	Goose	
1030040	Quail	
1030990	Others	
1040000	(iv) <b>Honey (Royal jelly, pollen)</b>	
1050000	(v) <b>Amphibians and reptiles (Frog legs, crocodiles)</b>	
1060000	(vi) <b>Snails</b>	
1070000	(vii) <b>Other terrestrial animal products</b>	



▼ **M24****Pesticide residues and maximum residue levels (mg/kg)**

Code number	Groups and examples of individual products to which the MRLs apply (e)	► <b>M56</b> Fluxapyroxad ◀
(1)	(2)	(3)
0100000	<b>1. FRUIT FRESH OR FROZEN; NUTS</b>	
0110000	(i) <b>Citrus fruit</b>	► <b>M56</b> 0,01 (*) ◀
0110010	Grapefruit (Shaddocks, pomelos, sweeties, tangelo (except mineola), ugli and other hybrids)	
0110020	Oranges (Bergamot, bitter orange, chinotto and other hybrids)	
0110030	Lemons (Citron, lemon)	
0110040	Limes	
0110050	Mandarins (Clementine, tangerine, mineola and other hybrids)	
0110990	Others	
0120000	(ii) <b>Tree nuts (shelled or unshelled)</b>	► <b>M56</b> 0,01 (*) ◀
0120010	Almonds	
0120020	Brazil nuts	
0120030	Cashew nuts	
0120040	Chestnuts	
0120050	Coconuts	
0120060	Hazelnuts (Filbert)	
0120070	Macadamia	
0120080	Pecans	
0120090	Pine nuts	
0120100	Pistachios	
0120110	Walnuts	
0120990	Others	
0130000	(iii) <b>Pome fruit</b>	► <b>M56</b> 0,9 ◀
0130010	Apples (Crab apple)	
0130020	Pears (Oriental pear)	
0130030	Quinces	
0130040	Medlar	
0130050	Loquat	
0130990	Others	
0140000	(iv) <b>Stone fruit</b>	
0140010	Apricots	► <b>M56</b> 1 ◀
0140020	Cherries (sweet cherries, sour cherries)	► <b>M56</b> 0,01 (*) ◀
0140030	Peaches (Nectarines and similar hybrids)	► <b>M56</b> 1 ◀
0140040	Plums (Damson, greengage, mirabelle, sloe)	► <b>M56</b> 1,5 ◀
0140990	Others	► <b>M56</b> 0,01 (*) ◀

▼ **M24**

(1)	(2)	(3)
0150000	(v) <b>Berries &amp; small fruit</b>	► <b>M56</b> 0,01 (*) ◀
0151000	(a) <i>Table and wine grapes</i>	
0151010	Table grapes	
0151020	Wine grapes	
0152000	(b) <i>Strawberries</i>	
0153000	(c) <i>Cane fruit</i>	
0153010	Blackberries	
0153020	Dewberries (Loganberries, boysenberries, and cloudberries)	
0153030	Raspberries (Wineberries, arctic bramble/raspberry, ( <i>Rubus arcticus</i> ), nectar raspberries ( <i>Rubus arcticus</i> x <i>idaeus</i> ))	
0153990	Others	
0154000	(d) <i>Other small fruit &amp; berries</i>	
0154010	Blueberries (Bilberries)	
0154020	Cranberries (Cowberries (red bilberries))	
0154030	Currants (red, black and white)	
0154040	Gooseberries (Including hybrids with other ribes species)	
0154050	Rose hips	
0154060	Mulberries ( <i>arbutus</i> berry)	
0154070	Azarole (mediteranean medlar) (Kiwiberry ( <i>Actinidia arguta</i> ))	
0154080	Elderberries (Black chokeberry (appleberry), mountain ash, buckthorn (sea sallowthorn), hawthorn, service berries, and other treeberries)	
0154990	Others	
0160000	(vi) <b>Miscellaneous fruit</b>	► <b>M56</b> 0,01 (*) ◀
0161000	(a) <i>Edible peel</i>	
0161010	Dates	
0161020	Figs	
0161030	Table olives	
0161040	Kumquats (Marumi kumquats, nagami kumquats, limequats ( <i>Citrus aurantifolia</i> x <i>Fortunella</i> spp.))	
0161050	Carambola (Bilimbi)	
0161060	Persimmon	
0161070	Jambolan (java plum) (Java apple (water apple), pomerac, rose apple, Brazilian cherry Surinam cherry ( <i>grumichama</i> <i>Eugenia uniflora</i> ),)	
0161990	Others	
0162000	(b) <i>Inedible peel, small</i>	
0162010	Kiwi	
0162020	Lychee (Litchi) ( <i>Pulasan</i> , rambutan (hairy litchi), mangosteen)	
0162030	Passion fruit	
0162040	Prickly pear (cactus fruit)	
0162050	Star apple	
0162060	American persimmon (Virginia kaki) (Black sapote, white sapote, green sapote, canistel (yellow sapote), and mammey sapote)	

▼ **M24**

(1)	(2)	(3)
0162990	Others	
0163000	(c) <i>Inedible peel, large</i>	
0163010	Avocados	
0163020	Bananas (Dwarf banana, plantain, apple banana)	
0163030	Mangoes	
0163040	Papaya	
0163050	Pomegranate	
0163060	Cherimoya (Custard apple, sugar apple (sweetsop), llama and other medium sized Annonaceae)	
0163070	Guava (Red pitaya or dragon fruit (Hylocereus undatus))	
0163080	Pineapples	
0163090	Bread fruit (Jackfruit)	
0163100	Durian	
0163110	Soursop (guanabana)	
0163990	Others	
0200000	<b>2. VEGETABLES FRESH OR FROZEN</b>	
0210000	(i) <b>Root and tuber vegetables</b>	
0211000	(a) <i>Potatoes</i>	► <b>M56</b> 0,03 ◀
0212000	(b) <i>Tropical root and tuber vegetables</i>	► <b>M56</b> 0,01 (*) ◀
0212010	Cassava (Dasheen, eddoe (Japanese taro), tannia)	
0212020	Sweet potatoes	
0212030	Yams (Potato bean (yam bean), Mexican yam bean)	
0212040	Arrowroot	
0212990	Others	
0213000	(c) <i>Other root and tuber vegetables except sugar beet</i>	► <b>M56</b> 0,1 ◀
0213010	Beetroot	
0213020	Carrots	
0213030	Celeriac	
0213040	Horseradish (Angelica roots, lovage roots, gentiana roots,)	
0213050	Jerusalem artichokes	
0213060	Parsnips	
0213070	Parsley root	
0213080	Radishes (Black radish, Japanese radish, small radish and similar varieties, tiger nut (Cyperus esculentus))	
0213090	Salsify (Scorzonera, Spanish salsify (Spanish oyster-plant))	
0213100	Swedes	
0213110	Turnips	
0213990	Others	
0220000	(ii) <b>Bulb vegetables</b>	► <b>M56</b> 0,1 ◀

▼ **M24**

(1)	(2)	(3)
0220010	Garlic	
0220020	Onions (Silverskin onions)	
0220030	Shallots	
0220040	Spring onions (Welsh onion and similar varieties)	
0220990	Others	
0230000	<b>(iii) Fruiting vegetables</b>	
0231000	(a) <i>Solanacea</i>	► <b>M56</b> 0,6 ◀
0231010	Tomatoes (Cherry tomatoes, tree tomato, Physalis, goji-berry, wolfberry ( <i>Lycium barbarum</i> and <i>L. chinense</i> ))	
0231020	Peppers (Chilli peppers)	
0231030	Aubergines (egg plants) (Pepino)	
0231040	Okra, lady's fingers	
0231990	Others	
0232000	(b) <i>Cucurbits - edible peel</i>	► <b>M56</b> 0,01 (*) ◀
0232010	Cucumbers	
0232020	Gherkins	
0232030	Courgettes (Summer squash, marrow (patisson))	
0232990	Others	
0233000	(c) <i>Cucurbits-inedible peel</i>	► <b>M56</b> 0,01 (*) ◀
0233010	Melons (Kiwano)	
0233020	Pumpkins (Winter squash)	
0233030	Watermelons	
0233990	Others	
0234000	(d) <i>Sweet corn</i>	► <b>M56</b> 0,15 ◀
0239000	(e) <i>Other fruiting vegetables</i>	► <b>M56</b> 0,01 (*) ◀
0240000	<b>(iv) Brassica vegetables</b>	► <b>M56</b> 0,07 ◀
0241000	(a) <i>Flowering brassica</i>	
0241010	Broccoli (Calabrese, Chinese broccoli, broccoli raab)	
0241020	Cauliflower	
0241990	Others	
0242000	(b) <i>Head brassica</i>	
0242010	Brussels sprouts	
0242020	Head cabbage (Pointed head cabbage, red cabbage, savoy cabbage, white cabbage)	
0242990	Others	
0243000	(c) <i>Leafy brassica</i>	
0243010	Chinese cabbage (Indian (Chinese) mustard, pak choi, Chinese flat cabbage (tai goo choi), choi sum, peking cabbage (pe-tsai),)	
0243020	Kale (Borecole (curly kale), collards, Portuguese Kale, Portuguese cabbage, cow cabbage)	
0243990	Others	
0244000	(d) <i>Kohlrabi</i>	

▼ **M24**

(1)	(2)	(3)
0250000	(v) <b>Leaf vegetables &amp; fresh herbs</b>	► <b>M56</b> 0,03 ◀
0251000	(a) <i>Lettuce and other salad plants including Brassicacea</i>	
0251010	Lamb's lettuce (Italian cornsalad)	
0251020	Lettuce (Head lettuce, lollo rosso (cutting lettuce), iceberg lettuce, romaine (cos) lettuce)	
0251030	Scarole (broad-leaf endive) (Wild chicory, red-leaved chicory, radicchio, curld leave endive, sugar loaf)	
0251040	Cress	
0251050	Land cress	
0251060	Rocket, Rucola (Wild rocket)	
0251070	Red mustard	
0251080	Leaves and sprouts of Brassica spp (Mizuna, leaves of peas and radish and other babyleaf brassica crops (crops harvested up to 8 true leaf stage))	
0251990	Others	
0252000	(b) <i>Spinach &amp; similar (leaves)</i>	
0252010	Spinach (New Zealand spinach, amaranthus spinach)	
0252020	Purslane (Winter purslane (miner's lettuce), garden purslane, common purslane, sorrel, glassworth, Agretti (Salsola soda))	
0252030	Beet leaves (chard) (Leaves of beetroot)	
0252990	Others	
0253000	(c) <i>Vine leaves (grape leaves)</i>	
0254000	(d) <i>Water cress</i>	
0255000	(e) <i>Witloof</i>	
0256000	(f) <i>Herbs</i>	
0256010	Chervil	
0256020	Chives	
0256030	Celery leaves (Fennel leaves, Coriander leaves, dill leaves, Caraway leaves, lovage, angelica, sweet cisely and other Apiacea leaves)	
0256040	Parsley	
0256050	Sage (Winter savory, summer savory,)	
0256060	Rosemary	
0256070	Thyme (Marjoram, oregano)	
0256080	Basil (Balm leaves, mint, peppermint)	
0256090	Bay leaves (laurel)	
0256100	Tarragon (Hyssop)	
0256990	Others (Edible flowers)	
0260000	(vi) <b>Legume vegetables (fresh)</b>	
0260010	Beans (with pods) (Green bean (french beans, snap beans), scarlet runner bean, slicing bean, yardlong beans)	► <b>M56</b> 2 ◀
0260020	Beans (without pods) (Broad beans, Flageolets, jack bean, lima bean, cowpea)	► <b>M56</b> 0,09 ◀
0260030	Peas (with pods) (Mangetout (sugar peas, snow peas))	► <b>M56</b> 2 ◀
0260040	Peas (without pods) (Garden pea, green pea, chickpea)	► <b>M56</b> 0,09 ◀
0260050	Lentils	► <b>M56</b> 0,01 (*) ◀

▼ **M24**

(1)	(2)	(3)
0260990	Others	► <b>M56</b> 0,01 (*) ◀
0270000	(vii) <b>Stem vegetables (fresh)</b>	► <b>M56</b> 0,01 (*) ◀
0270010	Asparagus	
0270020	Cardoons	
0270030	Celery	
0270040	Fennel	
0270050	Globe artichokes	
0270060	Leek	
0270070	Rhubarb	
0270080	Bamboo shoots	
0270090	Palm hearts	
0270990	Others	
0280000	(viii) <b>Fungi</b>	► <b>M56</b> 0,01 (*) ◀
0280010	Cultivated (Common mushroom, Oyster mushroom, Shi-take)	
0280020	Wild (Chanterelle, Truffle, Morel, Cep)	
0280990	Others	
0290000	(ix) <b>Sea weeds</b>	► <b>M56</b> 0,01 (*) ◀
0300000	3. <b>PULSES, DRY</b>	► <b>M56</b> — ◀
0300010	Beans (Broad beans, navy beans, flageolets, jack beans, lima beans, field beans, cowpeas)	► <b>M56</b> 0,3 ◀
0300020	Lentils	► <b>M56</b> 0,4 ◀
0300030	Peas (Chickpeas, field peas, chickling vetch)	► <b>M56</b> 0,4 ◀
0300040	Lupins	► <b>M56</b> 0,3 ◀
0300990	Others	► <b>M56</b> 0,3 ◀
0400000	4. <b>OILSEEDS AND OILFRUITS</b>	
0401000	(i) <b>Oilseeds</b>	
0401010	Linseed	► <b>M56</b> 0,9 ◀
0401020	Peanuts	► <b>M56</b> 0,01 (*) ◀
0401030	Poppy seed	► <b>M56</b> 0,9 ◀
0401040	Sesame seed	► <b>M56</b> 0,9 ◀
0401050	Sunflower seed	► <b>M56</b> 0,8 ◀
0401060	Rape seed (Bird rapeseed, turnip rape)	► <b>M56</b> 0,9 ◀
0401070	Soya bean	► <b>M56</b> 0,15 ◀
0401080	Mustard seed	► <b>M56</b> 0,9 ◀
0401090	Cotton seed	► <b>M56</b> 0,01 (*) ◀
0401100	Pumpkin seeds (Other seeds of cucurbitacea)	► <b>M56</b> 0,9 ◀
0401110	Safflower	► <b>M56</b> 0,9 ◀
0401120	Borage	► <b>M56</b> 0,9 ◀
0401130	Gold of pleasure	► <b>M56</b> 0,9 ◀
0401140	Hempseed	► <b>M56</b> 0,9 ◀
0401150	Castor bean	► <b>M56</b> 0,9 ◀

▼ **M24**

(1)	(2)	(3)
0401990	Others	► <b>M56</b> 0,9 ◀
0402000	(ii) <b>Oilfruits</b>	► <b>M56</b> — ◀
0402010	Olives for oil production	► <b>M56</b> 0,01 (*) ◀
0402020	Palm nuts (palmoil kernels)	► <b>M56</b> 0,01 (*) ◀
0402030	Palmfruit	► <b>M56</b> 0,8 ◀
0402040	Kapok	► <b>M56</b> 0,8 ◀
0402990	Others	► <b>M56</b> 0,01 (*) ◀
0500000	<b>5. CEREALS</b>	
0500010	Barley	► <b>M56</b> 2 ◀
0500020	Buckwheat (Amaranthus, quinoa)	► <b>M56</b> 0,01 (*) ◀
0500030	Maize	► <b>M56</b> 0,01 (*) ◀
0500040	Millet (Foxtail millet, teff)	► <b>M56</b> 0,01 (*) ◀
0500050	Oats	► <b>M56</b> 2 ◀
0500060	Rice	► <b>M56</b> 0,01 (*) ◀
0500070	Rye	► <b>M56</b> 0,4 ◀
0500080	Sorghum	► <b>M56</b> 0,7 ◀
0500090	Wheat (Spelt, triticale)	► <b>M56</b> 0,4 ◀
0500990	Others	► <b>M56</b> 0,01 (*) ◀
0600000	<b>6. TEA, COFFEE, HERBAL INFUSIONS AND COCOA</b>	► <b>M56</b> 0,01 (*) ◀
0610000	(i) <b>Tea (dried leaves and stalks, fermented or otherwise of Camellia sinensis)</b>	
0620000	(ii) <b>Coffee beans</b>	
0630000	(iii) <b>Herbal infusions (dried)</b>	
0631000	(a) <i>Flowers</i>	
0631010	Camomille flowers	
0631020	Hybiscus flowers	
0631030	Rose petals	
0631040	Jasmine flowers (Elderflowers (Sambucus nigra))	
0631050	Lime (linden)	
0631990	Others	
0632000	(b) <i>Leaves</i>	
0632010	Strawberry leaves	
0632020	Rooibos leaves (Ginkgo leaves)	
0632030	Maté	
0632990	Others	
0633000	(c) <i>Roots</i>	
0633010	Valerian root	
0633020	Ginseng root	

▼ **M24**

(1)	(2)	(3)
0633990	Others	
0639000	(d) <i>Other herbal infusions</i>	
0640000	(iv) <b>Cocoa (fermented beans)</b>	
0650000	(v) <b>Carob (st johns bread)</b>	
0700000	7. <b>HOPS (dried), including hop pellets and unconcentrated powder</b>	► <b>M56</b> 0,01 (*) ◀
0800000	8. <b>SPICES</b>	► <b>M56</b> — ◀
0810000	(i) <b>Seeds</b>	► <b>M56</b> 0,01 (*) ◀
0810010	Anise	
0810020	Black caraway	
0810030	Celery seed (Lovage seed)	
0810040	Coriander seed	
0810050	Cumin seed	
0810060	Dill seed	
0810070	Fennel seed	
0810080	Fenugreek	
0810090	Nutmeg	
0810990	Others	
0820000	(ii) <b>Fruits and berries</b>	► <b>M56</b> 0,01 (*) ◀
0820010	Allspice	
0820020	Anise pepper (Japan pepper)	
0820030	Caraway	
0820040	Cardamom	
0820050	Juniper berries	
0820060	Pepper, black and white (Long pepper, pink pepper)	
0820070	Vanilla pods	
0820080	Tamarind	
0820990	Others	
0830000	(iii) <b>Bark</b>	► <b>M56</b> 0,01 (*) ◀
0830010	Cinnamon (Cassia)	
0830990	Others	
0840000	(iv) <b>Roots or rhizome</b>	
0840010	Liquorice	► <b>M56</b> 0,01 (*) ◀
0840020	Ginger	► <b>M56</b> 0,01 (*) ◀
0840030	Turmeric (Curcuma)	► <b>M56</b> 0,01 (*) ◀
0840040	Horseradish	► <b>M56</b> (+) ◀
0840990	Others	► <b>M56</b> 0,01 (*) ◀
0850000	(v) <b>Buds</b>	► <b>M56</b> 0,01 (*) ◀
0850010	Cloves	
0850020	Capers	



▼ **M24**

(1)	(2)	(3)
0850990	Others	
0860000	(vi) <b>Flower stigma</b>	► <b>M56</b> 0,01 (*) ◀
0860010	Saffron	
0860990	Others	
0870000	(vii) <b>Aril</b>	► <b>M56</b> 0,01 (*) ◀
0870010	Mace	
0870990	Others	
0900000	<b>9. SUGAR PLANTS</b>	
0900010	Sugar beet (root)	► <b>M56</b> 0,15 ◀
0900020	Sugar cane	► <b>M56</b> 0,01 (*) ◀
0900030	Chicory roots	► <b>M56</b> 0,01 (*) ◀
0900990	Others	► <b>M56</b> 0,01 (*) ◀
1000000	<b>10. PRODUCTS OF ANIMAL ORIGIN-TERRESTRIAL ANIMALS</b>	
1010000	(i) <b>Meat, preparations of meat, offals, blood, animal fats fresh chilled or frozen, salted, in brine, dried or smoked or processed as flours or meals other processed products such as sausages and food preparations based on these</b>	
1011000	(a) <i>Swine</i>	► <b>M56</b> — ◀
1011010	Meat	► <b>M56</b> 0,02 ◀
1011020	Fat free of lean meat	► <b>M56</b> 0,2 ◀
1011030	Liver	► <b>M56</b> 0,1 ◀
1011040	Kidney	► <b>M56</b> 0,1 ◀
1011050	Edible offal	► <b>M56</b> 0,1 ◀
1011990	Others	► <b>M56</b> 0,01 (*) ◀
1012000	(b) <i>Bovine</i>	
1012010	Meat	► <b>M56</b> 0,02 ◀
1012020	Fat	► <b>M56</b> 0,2 ◀
1012030	Liver	► <b>M56</b> 0,1 ◀
1012040	Kidney	► <b>M56</b> 0,1 ◀
1012050	Edible offal	► <b>M56</b> 0,1 ◀
1012990	Others	► <b>M56</b> 0,01 (*) ◀
1013000	(c) <i>Sheep</i>	
1013010	Meat	► <b>M56</b> 0,02 ◀
1013020	Fat	► <b>M56</b> 0,2 ◀
1013030	Liver	► <b>M56</b> 0,1 ◀

▼ **M24**

(1)	(2)	(3)
1013040	Kidney	► <b>M56</b> 0,1 ◀
1013050	Edible offal	► <b>M56</b> 0,1 ◀
1013990	Others	► <b>M56</b> 0,01 (*) ◀
1014000	(d) <i>Goat</i>	
1014010	Meat	► <b>M56</b> 0,02 ◀
1014020	Fat	► <b>M56</b> 0,2 ◀
1014030	Liver	► <b>M56</b> 0,1 ◀
1014040	Kidney	► <b>M56</b> 0,1 ◀
1014050	Edible offal	► <b>M56</b> 0,1 ◀
1014990	Others	► <b>M56</b> 0,01 (*) ◀
1015000	(e) <i>Horses, asses, mules or hinnies</i>	► <b>M56</b> — ◀
1015010	Meat	► <b>M56</b> 0,02 ◀
1015020	Fat	► <b>M56</b> 0,2 ◀
1015030	Liver	► <b>M56</b> 0,1 ◀
1015040	Kidney	► <b>M56</b> 0,1 ◀
1015050	Edible offal	► <b>M56</b> 0,1 ◀
1015990	Others	► <b>M56</b> 0,01 (*) ◀
1016000	(f) <i>Poultry -chicken, geese, duck, turkey and Guinea fowl-, ostrich, pigeon</i>	► <b>M56</b> — ◀
1016010	Meat	► <b>M56</b> 0,02 ◀
1016020	Fat	► <b>M56</b> 0,05 ◀
1016030	Liver	► <b>M56</b> 0,02 ◀
1016040	Kidney	► <b>M56</b> 0,02 ◀
1016050	Edible offal	► <b>M56</b> 0,02 ◀
1016990	Others	► <b>M56</b> 0,01 (*) ◀
1017000	(g) <i>Other farm animals (Rabbit, Kangaroo)</i>	► <b>M56</b> — ◀
1017010	Meat	► <b>M56</b> 0,02 ◀
1017020	Fat	► <b>M56</b> 0,2 ◀
1017030	Liver	► <b>M56</b> 0,1 ◀
1017040	Kidney	► <b>M56</b> 0,1 ◀
1017050	Edible offal	► <b>M56</b> 0,1 ◀
1017990	Others	► <b>M56</b> 0,01 (*) ◀
1020000	(ii) <b>Milk and cream, not concentrated, nor containing added sugar or sweetening matter, butter and other fats derived from milk, cheese and curd</b>	► <b>M56</b> 0,02 ◀
1020010	Cattle	
1020020	Sheep	
1020030	Goat	
1020040	Horse	

▼ **M24**

(1)	(2)	(3)
1020990	Others	
1030000	(iii) <b>Birds' eggs, fresh preserved or cooked Shelled eggs and egg yolks fresh, dried, cooked by steaming or boiling in water, moulded, frozen or otherwise preserved whether or not containing added sugar or sweetening matter</b>	► <b>M56</b> 0,02 ◀
1030010	Chicken	
1030020	Duck	
1030030	Goose	
1030040	Quail	
1030990	Others	
1040000	(iv) <b>Honey (Royal jelly, pollen)</b>	► <b>M56</b> 0,05 (*) ◀
1050000	(v) <b>Amphibians and reptiles (Frog legs, crocodiles)</b>	► <b>M56</b> 0,01 (*) ◀
1060000	(vi) <b>Snails</b>	► <b>M56</b> 0,01 (*) ◀
1070000	(vii) <b>Other terrestrial animal products</b>	► <b>M56</b> 0,01 (*) ◀

▼ **M25****Pesticide residues and maximum residue levels (mg/kg)**

Code number	Groups and examples of individual products to which the MRLs apply (*)	► <b>M78</b> Fluopyram (R) ◀	► <b>M75</b> Imazapic ◀
(1)	(2)	(3)	(4)
0100000	<b>1. FRUIT FRESH OR FROZEN; NUTS</b>		► <b>M75</b> 0,01 (*) ◀
0110000	(i) <b>Citrus fruit</b>	► <b>M78</b> 0,01 (*) ◀	
0110010	Grapefruit (Shaddocks, pomelos, sweeties, tangelo (except mineola), ugli and other hybrids)		
0110020	Oranges (Bergamot, bitter orange, chinotto and other hybrids)		
0110030	Lemons (Citron, lemon)		
0110040	Limes		
0110050	Mandarins (Clementine, tangerine, mineola and other hybrids)		
0110990	Others		
0120000	(ii) <b>Tree nuts (shelled or unshelled)</b>		
0120010	Almonds	► <b>M78</b> 0,05 ◀	
0120020	Brazil nuts	► <b>M78</b> 0,05 ◀	
0120030	Cashew nuts	► <b>M78</b> 0,05 ◀	
0120040	Chestnuts	► <b>M78</b> 0,05 ◀	
0120050	Coconuts	► <b>M78</b> 0,04 ◀	
0120060	Hazelnuts (Filbert)	► <b>M78</b> 0,05 ◀	
0120070	Macadamia	► <b>M78</b> 0,05 ◀	
0120080	Pecans	► <b>M78</b> 0,05 ◀	
0120090	Pine nuts	► <b>M78</b> 0,05 ◀	
0120100	Pistachios	► <b>M78</b> 0,05 ◀	
0120110	Walnuts	► <b>M78</b> 0,05 ◀	
0120990	Others	► <b>M78</b> 0,05 ◀	
0130000	(iii) <b>Pome fruit</b>		
0130010	Apples (Crab apple)	► <b>M78</b> 0,6 ◀	
0130020	Pears (Oriental pear)	► <b>M78</b> 0,5 ◀	
0130030	Quinces	► <b>M78</b> 0,5 ◀	
0130040	Medlar	► <b>M78</b> 0,5 ◀	
0130050	Loquat	► <b>M78</b> 0,5 ◀	
0130990	Others	► <b>M78</b> 0,5 ◀	
0140000	(iv) <b>Stone fruit</b>		
0140010	Apricots	► <b>M78</b> 0,7 ◀	
0140020	Cherries (sweet cherries, sour cherries)	► <b>M78</b> 1,5 ◀	
0140030	Peaches (Nectarines and similar hybrids)	► <b>M78</b> 1,5 ◀	
0140040	Plums (Damson, greengage, mirabelle, sloe)	► <b>M78</b> 0,5 ◀	
0140990	Others	► <b>M78</b> 0,01 (*) ◀	

▼ **M25**

(1)	(2)	(3)	(4)
0150000	(v) <b>Berries &amp; small fruit</b>		
0151000	(a) <i>Table and wine grapes</i>	► <b>M78</b> 1,5 ◀	
0151010	Table grapes		
0151020	Wine grapes		
0152000	(b) <i>Strawberries</i>	► <b>M78</b> 2 ◀	
0153000	(c) <i>Cane fruit</i>	► <b>M78</b> 3 ◀	
0153010	Blackberries		
0153020	Dewberries (Loganberries, boysenberries, and cloudberrries)		
0153030	Raspberries (Wineberries, arctic bramble/raspberry, ( <i>Rubus arcticus</i> ), nectar raspberries ( <i>Rubus arcticus</i> x <i>idaeus</i> ))		
0153990	Others		
0154000	(d) <i>Other small fruit &amp; berries</i>	► <b>M78</b> 3 ◀	
0154010	Blueberries (Bilberries)		
0154020	Cranberries (Cowberries (red bilberries))		
0154030	Currants (red, black and white)		
0154040	Gooseberries (Including hybrids with other ribes species)		
0154050	Rose hips		
0154060	Mulberries ( <i>arbutus</i> berry)		
0154070	Azarole (mediteranean medlar) ( <i>Kiwiberry</i> ( <i>Actinidia arguta</i> ))		
0154080	Elderberries (Black chokeberry (appleberry), mountain ash, buckthorn (sea sallowthorn), hawthorn, service berries, and other treeberries)		
0154990	Others		
0160000	(vi) <b>Miscellaneous fruit</b>		
0161000	(a) <i>Edible peel</i>	► <b>M78</b> 0,01 (*) ◀	
0161010	Dates		
0161020	Figs		
0161030	Table olives		
0161040	Kumquats (Marumi kumquats, nagami kumquats, limequats ( <i>Citrus aurantifolia</i> x <i>Fortunella</i> spp.))		
0161050	Carambola ( <i>Bilimbi</i> )		
0161060	Persimmon		
0161070	Jambolan (java plum) (Java apple (water apple), pomerac, rose apple, Brazilian cherry Surinam cherry ( <i>grumichama</i> <i>Eugenia uniflora</i> ),)		
0161990	Others		
0162000	(b) <i>Inedible peel, small</i>	► <b>M78</b> 0,01 (*) ◀	
0162010	Kiwi		
0162020	Lychee ( <i>Litchi</i> ) ( <i>Pulasan</i> , rambutan (hairy litchi), mangosteen)		

▼ **M25**

(1)	(2)	(3)	(4)
0162030	Passion fruit		
0162040	Prickly pear (cactus fruit)		
0162050	Star apple		
0162060	American persimmon (Virginia kaki) (Black sapote, white sapote, green sapote, canistel (yellow sapote), and mammey sapote)		
0162990	Others		
0163000	(c) <i>Inedible peel, large</i>		
0163010	Avocados	► <b>M78</b> 0,01 (*) ◀	
0163020	Bananas (Dwarf banana, plantain, apple banana)	► <b>M78</b> 0,8 ◀	
0163030	Mangoes	► <b>M78</b> 0,01 (*) ◀	
0163040	Papaya	► <b>M78</b> 0,01 (*) ◀	
0163050	Pomegranate	► <b>M78</b> 0,01 (*) ◀	
0163060	Cherimoya (Custard apple, sugar apple (sweetsop), llama and other medium sized Annonaceae)	► <b>M78</b> 0,01 (*) ◀	
0163070	Guava (Red pitaya or dragon fruit (Hylo- cereus undatus))	► <b>M78</b> 0,01 (*) ◀	
0163080	Pineapples	► <b>M78</b> 0,01 (*) ◀	
0163090	Bread fruit (Jackfruit)	► <b>M78</b> 0,01 (*) ◀	
0163100	Durian	► <b>M78</b> 0,01 (*) ◀	
0163110	Soursop (guanabana)	► <b>M78</b> 0,01 (*) ◀	
0163990	Others	► <b>M78</b> 0,01 (*) ◀	
0200000	<b>2. VEGETABLES FRESH OR FROZEN</b>		► <b>M75</b> 0,01 (*) ◀
0210000	(i) <b>Root and tuber vegetables</b>		
0211000	(a) <i>Potatoes</i>	► <b>M78</b> 0,1 ◀	
0212000	(b) <i>Tropical root and tuber vegetables</i>	► <b>M78</b> 0,1 ◀	
0212010	Cassava (Dasheen, eddoe (Japanese taro), tannia)		
0212020	Sweet potatoes		
0212030	Yams (Potato bean (yam bean), Mexican yam bean)		
0212040	Arrowroot		
0212990	Others		
0213000	(c) <i>Other root and tuber vegetables except sugar beet</i>		
0213010	Beetroot	► <b>M78</b> 0,3 ◀	
0213020	Carrots	► <b>M78</b> 0,4 ◀	
0213030	Celeriac	► <b>M78</b> 0,3 ◀	
0213040	Horseradish (Angelica roots, lovage roots, gentiana roots,)	► <b>M78</b> 0,3 ◀	
0213050	Jerusalem artichokes	► <b>M78</b> 0,3 ◀	
0213060	Parsnips	► <b>M78</b> 0,3 ◀	
0213070	Parsley root	► <b>M78</b> 0,3 ◀	

▼ **M25**

(1)	(2)	(3)	(4)
0213080	Radishes (Black radish, Japanese radish, small radish and similar varieties, tiger nut ( <i>Cyperus esculentus</i> ))	► <b>M78</b> 0,3 ◀	
0213090	Salsify ( <i>Scorzonera</i> , Spanish salsify (Spanish oysterplant))	► <b>M78</b> 0,3 ◀	
0213100	Swedes	► <b>M78</b> 0,3 ◀	
0213110	Turnips	► <b>M78</b> 0,3 ◀	
0213990	Others	► <b>M78</b> 0,3 ◀	
0220000	(ii) <b>Bulb vegetables</b>		
0220010	Garlic	► <b>M78</b> 0,1 ◀	
0220020	Onions (Silverskin onions)	► <b>M78</b> 0,1 ◀	
0220030	Shallots	► <b>M78</b> 0,1 ◀	
0220040	Spring onions (Welsh onion and similar varieties)	► <b>M78</b> 2 ◀	
0220990	Others	► <b>M78</b> 0,1 ◀	
0230000	(iii) <b>Fruiting vegetables</b>		
0231000	(a) <i>Solanacea</i>		
0231010	Tomatoes (Cherry tomatoes, tree tomato, <i>Physalis</i> , gojiberry, wolfberry ( <i>Lycium barbarum</i> and <i>L. chinense</i> ))	► <b>M78</b> 0,9 ◀	
0231020	Peppers (Chilli peppers)	► <b>M78</b> 0,8 ◀	
0231030	Aubergines (egg plants) (Pepino)	► <b>M78</b> 0,9 ◀	
0231040	Okra, lady's fingers	► <b>M78</b> 0,01 (*) ◀	
0231990	Others	► <b>M78</b> 0,1 (+) ◀	
0232000	(b) <i>Cucurbits - edible peel</i>	► <b>M78</b> 0,5 ◀	
0232010	Cucumbers		
0232020	Gherkins		
0232030	Courgettes (Summer squash, marrow (patisson))		
0232990	Others		
0233000	(c) <i>Cucurbits-inedible peel</i>	► <b>M78</b> 0,4 ◀	
0233010	Melons (Kiwano)		
0233020	Pumpkins (Winter squash)		
0233030	Watermelons		
0233990	Others		
0234000	(d) <i>Sweet corn</i>	► <b>M78</b> 0,1 (+) ◀	
0239000	(e) <i>Other fruiting vegetables</i>	► <b>M78</b> 0,1 (+) ◀	
0240000	(iv) <b>Brassica vegetables</b>		
0241000	(a) <i>Flowering brassica</i>	► <b>M78</b> 0,2 ◀	
0241010	Broccoli (Calabrese, Chinese broccoli, broccoli raab)		
0241020	Cauliflower		
0241990	Others		
0242000	(b) <i>Head brassica</i>		
0242010	Brussels sprouts	► <b>M78</b> 0,2 ◀	

▼ **M25**

(1)	(2)	(3)	(4)
0242020	Head cabbage (Pointed head cabbage, red cabbage, savoy cabbage, white cabbage)	► <b>M78</b> 0,3 ◀	
0242990	Others	► <b>M78</b> 0,1 (+) ◀	
0243000	(c) <i>Leafy brassica</i>		
0243010	Chinese cabbage (Indian (Chinese) mustard, pak choi, Chinese flat cabbage (tai goo choi), choi sum, peking cabbage (pe-tsai),)	► <b>M78</b> 0,7 ◀	
0243020	Kale (Borecole (curly kale), collards, Portuguese Kale, Portuguese cabbage, cow cabbage)	► <b>M78</b> 0,1 (+) ◀	
0243990	Others	► <b>M78</b> 0,1 (+) ◀	
0244000	(d) <i>Kohlrabi</i>	► <b>M78</b> 0,1 (+) ◀	
0250000	(v) <b>Leaf vegetables &amp; fresh herbs</b>		
0251000	(a) <i>Lettuce and other salad plants including Brassicacea</i>		
0251010	Lamb's lettuce (Italian cornsalad)	► <b>M78</b> 15 ◀	
0251020	Lettuce (Head lettuce, lollo rosso (cutting lettuce), iceberg lettuce, romaine (cos) lettuce)	► <b>M78</b> 15 ◀	
0251030	Scarole (broad-leaf endive) (Wild chicory, red-leaved chicory, radicchio, curld leave endive, sugar loaf)	► <b>M78</b> 1,5 ◀	
0251040	Cress	► <b>M78</b> 15 ◀	
0251050	Land cress	► <b>M78</b> 15 ◀	
0251060	Rocket, Rucola (Wild rocket)	► <b>M78</b> 15 ◀	
0251070	Red mustard	► <b>M78</b> 15 ◀	
0251080	Leaves and sprouts of Brassica spp (Mizuna, leaves of peas and radish and other babyleaf brassica crops (crops harvested up to 8 true leaf stage))	► <b>M78</b> 15 ◀	
0251990	Others	► <b>M78</b> 15 ◀	
0252000	(b) <i>Spinach &amp; similar (leaves)</i>	► <b>M78</b> — ◀	
0252010	Spinach (New Zealand spinach, amaranthus spinach)	► <b>M78</b> 0,2 ◀	
0252020	Purslane (Winter purslane (miner's lettuce), garden purslane, common purslane, sorrel, glasswort, Agretti (Salsola soda))	► <b>M78</b> 0,1 (+) ◀	
0252030	Beet leaves (chard) (Leaves of beetroot)	► <b>M78</b> 0,1 (+) ◀	
0252990	Others	► <b>M78</b> 0,1 (+) ◀	
0253000	(c) <i>Vine leaves (grape leaves)</i>	► <b>M78</b> 0,01 (*) ◀	
0254000	(d) <i>Water cress</i>	► <b>M78</b> 0,1 (+) ◀	
0255000	(e) <i>Witloof</i>	► <b>M78</b> 0,15 ◀	
0256000	(f) <i>Herbs</i>	► <b>M78</b> 0,1 (+) ◀	
0256010	Chervil		
0256020	Chives		
0256030	Celery leaves (Fennel leaves, Coriander leaves, dill leaves, Caraway leaves, lovage, angelica, sweet cisely and other Apiacea leaves)		



▼ **M25**

(1)	(2)	(3)	(4)
0256040	Parsley		
0256050	Sage (Winter savory, summer savory,)		
0256060	Rosemary		
0256070	Thyme (Marjoram, oregano)		
0256080	Basil (Balm leaves, mint, peppermint)		
0256090	Bay leaves (laurel)		
0256100	Tarragon (Hyssop)		
0256990	Others (Edible flowers)		
0260000	<b>(vi) Legume vegetables (fresh)</b>		
0260010	Beans (with pods) (Green bean (french beans, snap beans), scarlet runner bean, slicing bean, yardlong beans)	► <b>M78</b> 0,9 ◀	
0260020	Beans (without pods) (Broad beans, Flageolets, jack bean, lima bean, cowpea)	► <b>M78</b> 0,15 ◀	
0260030	Peas (with pods) (Mangetout (sugar peas, snow peas))	► <b>M78</b> 0,4 ◀	
0260040	Peas (without pods) (Garden pea, green pea, chickpea)	► <b>M78</b> 0,15 ◀	
0260050	Lentils	► <b>M78</b> 0,1 (+) ◀	
0260990	Others	► <b>M78</b> 0,1 (+) ◀	
0270000	<b>(vii) Stem vegetables (fresh)</b>		
0270010	Asparagus	► <b>M78</b> 0,01 (*) ◀	
0270020	Cardoons	► <b>M78</b> 0,1 (+) ◀	
0270030	Celery	► <b>M78</b> 0,1 (+) ◀	
0270040	Fennel	► <b>M78</b> 0,1 (+) ◀	
0270050	Globe artichokes	► <b>M78</b> 0,5 ◀	
0270060	Leek	► <b>M78</b> 0,7 ◀	
0270070	Rhubarb	► <b>M78</b> 0,01 (*) ◀	
0270080	Bamboo shoots	► <b>M78</b> 0,01 (*) ◀	
0270090	Palm hearts	► <b>M78</b> 0,01 (*) ◀	
0270990	Others	► <b>M78</b> 0,1 (+) ◀	
0280000	<b>(viii) Fungi</b>	► <b>M78</b> 0,01 (*) ◀	
0280010	Cultivated (Common mushroom, Oyster mushroom, Shi-take)		
0280020	Wild (Chanterelle, Truffle, Morel, Cep)		
0280990	Others		
0290000	<b>(ix) Sea weeds</b>	► <b>M78</b> 0,01 (*) ◀	
0300000	<b>3. PULSES, DRY</b>	► <b>M78</b> 0,4 ◀	► <b>M75</b> 0,01 (*) ◀
0300010	Beans (Broad beans, navy beans, flageolets, jack beans, lima beans, field beans, cowpeas)		
0300020	Lentils		
0300030	Peas (Chickpeas, field peas, chickling vetch)		
0300040	Lupins		

▼ **M25**

(1)	(2)	(3)	(4)
0300990	Others		
0400000	<b>4. OILSEEDS AND OILFRUITS</b>		► <b>M75</b> — ◀
0401000	(i) <b>Oilseeds</b>		
0401010	Linseed	► <b>M78</b> 0,3 ◀	► <b>M75</b> 0,01 (*) ◀
0401020	Peanuts	► <b>M78</b> 0,03 ◀	► <b>M75</b> 0,05 (*) ◀
0401030	Poppy seed	► <b>M78</b> 0,3 ◀	► <b>M75</b> 0,01 (*) ◀
0401040	Sesame seed	► <b>M78</b> 0,1 (+) ◀	► <b>M75</b> 0,01 (*) ◀
0401050	Sunflower seed	► <b>M78</b> 0,1 (+) ◀	► <b>M75</b> 0,01 (*) ◀
0401060	Rape seed (Bird rapeseed, turnip rape)	► <b>M78</b> 0,6 ◀	► <b>M75</b> 0,05 (*) ◀
0401070	Soya bean	► <b>M78</b> 0,2 ◀	► <b>M75</b> 0,3 ◀
0401080	Mustard seed	► <b>M78</b> 0,3 ◀	► <b>M75</b> 0,01 (*) ◀
0401090	Cotton seed	► <b>M78</b> 0,1 (+) ◀	► <b>M75</b> 0,01 (*) ◀
0401100	Pumpkin seeds (Other seeds of cucurbitacea)	► <b>M78</b> 0,1 (+) ◀	► <b>M75</b> 0,01 (*) ◀
0401110	Safflower	► <b>M78</b> 0,1 (+) ◀	► <b>M75</b> 0,01 (*) ◀
0401120	Borage	► <b>M78</b> 0,1 (+) ◀	► <b>M75</b> 0,01 (*) ◀
0401130	Gold of pleasure	► <b>M78</b> 0,3 ◀	► <b>M75</b> 0,01 (*) ◀
0401140	Hempseed	► <b>M78</b> 0,1 (+) ◀	► <b>M75</b> 0,01 (*) ◀
0401150	Castor bean	► <b>M78</b> 0,1 (+) ◀	► <b>M75</b> 0,01 (*) ◀
0401990	Others	► <b>M78</b> 0,1 (+) ◀	► <b>M75</b> 0,01 (*) ◀
0402000	(ii) <b>Oilfruits</b>	► <b>M78</b> 0,01 (*) ◀	► <b>M75</b> 0,01 (*) ◀
0402010	Olives for oil production		
0402020	Palm nuts (palmoil kernels)		
0402030	Palmfruit		
0402040	Kapok		
0402990	Others		
0500000	<b>5. CEREALS</b>		► <b>M75</b> — ◀
0500010	Barley	► <b>M78</b> 0,1 (+) ◀	► <b>M75</b> 0,01 (*) ◀
0500020	Buckwheat (Amaranthus, quinoa)	► <b>M78</b> 0,1 (+) ◀	► <b>M75</b> 0,01 (*) ◀
0500030	Maize	► <b>M78</b> 0,02 ◀	► <b>M75</b> 0,01 (*) ◀
0500040	Millet (Foxtail millet, teff)	► <b>M78</b> 0,1 (+) ◀	► <b>M75</b> 0,01 (*) ◀
0500050	Oats	► <b>M78</b> 0,1 (+) ◀	► <b>M75</b> 0,01 (*) ◀
0500060	Rice	► <b>M78</b> 0,01 (*) ◀	► <b>M75</b> 0,05 (*) ◀
0500070	Rye	► <b>M78</b> 0,8 ◀	► <b>M75</b> 0,01 (*) ◀
0500080	Sorghum	► <b>M78</b> 1,5 ◀	► <b>M75</b> 0,01 (*) ◀
0500090	Wheat (Spelt, triticale)	► <b>M78</b> 0,8 ◀	► <b>M75</b> 0,05 (*) ◀
0500990	Others	► <b>M78</b> 0,1 (+) ◀	► <b>M75</b> 0,01 (*) ◀
0600000	<b>6. TEA, COFFEE, HERBAL INFUSIONS AND COCOA</b>		► <b>M75</b> 0,01 (*) ◀
0610000	(i) <b>Tea (dried leaves and stalks, fermented or otherwise of Camellia sinensis)</b>	► <b>M78</b> 0,01 (*) ◀	
0620000	(ii) <b>Coffee beans</b>	► <b>M78</b> 0,01 (*) ◀	

▼ **M25**

(1)	(2)	(3)	(4)
0630000	(iii) <b>Herbal infusions (dried)</b>	► <b>M78</b> — ◄	
0631000	(a) <i>Flowers</i>	► <b>M78</b> 0,1 (+) ◄	
0631010	Camomille flowers		
0631020	Hybiscus flowers		
0631030	Rose petals		
0631040	Jasmine flowers (Elderflowers (Sambucus nigra))		
0631050	Lime (linden)		
0631990	Others		
0632000	(b) <i>Leaves</i>	► <b>M78</b> 0,1 (+) ◄	
0632010	Strawberry leaves		
0632020	Rooibos leaves (Ginkgo leaves)		
0632030	Maté		
0632990	Others		
0633000	(c) <i>Roots</i>	► <b>M78</b> 2,5 ◄	
0633010	Valerian root		
0633020	Ginseng root		
0633990	Others		
0639000	(d) <i>Other herbal infusions</i>	► <b>M78</b> 0,1 (+) ◄	
0640000	(iv) <b>Cocoa (fermented beans)</b>	► <b>M78</b> 0,01 (*) ◄	
0650000	(v) <b>Carob (st johns bread)</b>	► <b>M78</b> 0,01 (*) ◄	
0700000	7. <b>HOPS (dried), including hop pellets and unconcentrated powder</b>	► <b>M78</b> 3 ◄	► <b>M75</b> 0,01 (*) ◄
0800000	8. <b>SPICES</b>		► <b>M75</b> — ◄
0810000	(i) <b>Seeds</b>	► <b>M78</b> 0,1 (+) ◄	► <b>M75</b> 0,01 (*) ◄
0810010	Anise		
0810020	Black caraway		
0810030	Celery seed (Lovage seed)		
0810040	Coriander seed		
0810050	Cumin seed		
0810060	Dill seed		
0810070	Fennel seed		
0810080	Fenugreek		
0810090	Nutmeg		
0810990	Others		
0820000	(ii) <b>Fruits and berries</b>		► <b>M75</b> 0,01 (*) ◄
0820010	Allspice	► <b>M78</b> 0,01 (*) ◄	
0820020	Anise pepper (Japan pepper)	► <b>M78</b> 0,01 (*) ◄	
0820030	Caraway	► <b>M78</b> 0,1 (+) ◄	
0820040	Cardamom	► <b>M78</b> 0,01 (*) ◄	
0820050	Juniper berries	► <b>M78</b> 0,01 (*) ◄	

▼ **M25**

(1)	(2)	(3)	(4)
0820060	Pepper, black and white (Long pepper, pink pepper)	► <b>M78</b> 0,01 (*) ◀	
0820070	Vanilla pods	► <b>M78</b> 0,01 (*) ◀	
0820080	Tamarind	► <b>M78</b> 0,01 (*) ◀	
0820990	Others	► <b>M78</b> 0,01 (*) ◀	
0830000	(iii) <b>Bark</b>	► <b>M78</b> 0,01 (*) ◀	► <b>M75</b> 0,01 (*) ◀
0830010	Cinnamon (Cassia)		
0830990	Others		
0840000	(iv) <b>Roots or rhizome</b>		
0840010	Liquorice	► <b>M78</b> 0,3 ◀	► <b>M75</b> 0,01 (*) ◀
0840020	Ginger	► <b>M78</b> 0,3 ◀	► <b>M75</b> 0,01 (*) ◀
0840030	Turmeric (Curcuma)	► <b>M78</b> 0,3 ◀	► <b>M75</b> 0,01 (*) ◀
0840040	Horseradish	► <b>M78</b> (+) ◀	► <b>M75</b> (+) ◀
0840990	Others	► <b>M78</b> 0,3 ◀	► <b>M75</b> 0,01 (*) ◀
0850000	(v) <b>Buds</b>	► <b>M78</b> 0,01 (*) ◀	► <b>M75</b> 0,01 (*) ◀
0850010	Cloves		
0850020	Capers		
0850990	Others		
0860000	(vi) <b>Flower stigma</b>	► <b>M78</b> 0,01 (*) ◀	► <b>M75</b> 0,01 (*) ◀
0860010	Saffron		
0860990	Others		
0870000	(vii) <b>Aril</b>	► <b>M78</b> 0,01 (*) ◀	► <b>M75</b> 0,01 (*) ◀
0870010	Mace		
0870990	Others		
0900000	9. <b>SUGAR PLANTS</b>		► <b>M75</b> 0,01 (*) ◀
0900010	Sugar beet (root)	► <b>M78</b> 0,1 (+) ◀	
0900020	Sugar cane	► <b>M78</b> 0,01 (*) ◀	
0900030	Chicory roots	► <b>M78</b> 0,1 (+) ◀	
0900990	Others	► <b>M78</b> 0,1 (+) ◀	
1000000	10. <b>PRODUCTS OF ANIMAL ORIGIN- TERRESTRIAL ANIMALS</b>		► <b>M75</b> — ◀
1010000	(i) <b>Meat, preparations of meat, offals, blood, animal fats fresh chilled or frozen, salted, in brine, dried or smoked or processed as flours or meals other processed products such as sausages and food preparations based on these</b>		► <b>M75</b> 0,01 (*) ◀
1011000	(a) <i>Swine</i>		
1011010	Meat	► <b>M78</b> 0,5 ◀	
1011020	Fat free of lean meat	► <b>M78</b> 0,5 ◀	
1011030	Liver	► <b>M78</b> 3 ◀	
1011040	Kidney	► <b>M78</b> 0,7 ◀	
1011050	Edible offal	► <b>M78</b> 0,7 ◀	

▼ **M25**

(1)	(2)	(3)	(4)
1011990	Others	► <b>M78</b> 0,02 (*) ◀	
1012000	(b) <i>Bovine</i>		
1012010	Meat	► <b>M78</b> 0,5 ◀	
1012020	Fat	► <b>M78</b> 0,5 ◀	
1012030	Liver	► <b>M78</b> 3 ◀	
1012040	Kidney	► <b>M78</b> 0,7 ◀	
1012050	Edible offal	► <b>M78</b> 0,7 ◀	
1012990	Others	► <b>M78</b> 0,02 (*) ◀	
1013000	(c) <i>Sheep</i>		
1013010	Meat	► <b>M78</b> 0,5 ◀	
1013020	Fat	► <b>M78</b> 0,5 ◀	
1013030	Liver	► <b>M78</b> 3 ◀	
1013040	Kidney	► <b>M78</b> 0,7 ◀	
1013050	Edible offal	► <b>M78</b> 0,7 ◀	
1013990	Others	► <b>M78</b> 0,02 (*) ◀	
1014000	(d) <i>Goat</i>		
1014010	Meat	► <b>M78</b> 0,5 ◀	
1014020	Fat	► <b>M78</b> 0,5 ◀	
1014030	Liver	► <b>M78</b> 3 ◀	
1014040	Kidney	► <b>M78</b> 0,7 ◀	
1014050	Edible offal	► <b>M78</b> 0,7 ◀	
1014990	Others	► <b>M78</b> 0,02 (*) ◀	
1015000	(e) <i>Horses, asses, mules or hinnies</i>		
1015010	Meat	► <b>M78</b> 0,5 ◀	
1015020	Fat	► <b>M78</b> 0,5 ◀	
1015030	Liver	► <b>M78</b> 0,7 ◀	
1015040	Kidney	► <b>M78</b> 0,7 ◀	
1015050	Edible offal	► <b>M78</b> 0,7 ◀	
1015990	Others	► <b>M78</b> 0,02 (*) ◀	
1016000	(f) <i>Poultry -chicken, geese, duck, turkey and Guinea fowl-, ostrich, pigeon</i>		
1016010	Meat	► <b>M78</b> 0,2 ◀	
1016020	Fat	► <b>M78</b> 0,2 ◀	
1016030	Liver	► <b>M78</b> 0,7 ◀	
1016040	Kidney	► <b>M78</b> 0,7 ◀	
1016050	Edible offal	► <b>M78</b> 0,7 ◀	
1016990	Others	► <b>M78</b> 0,02 (*) ◀	
1017000	(g) <i>Other farm animals (Rabbit, Kangaroo)</i>		
1017010	Meat	► <b>M78</b> 0,5 ◀	
1017020	Fat	► <b>M78</b> 0,5 ◀	
1017030	Liver	► <b>M78</b> 0,7 ◀	

▼ **M25**

(1)	(2)	(3)	(4)
1017040	Kidney	► <b>M78</b> 0,7 ◀	
1017050	Edible offal	► <b>M78</b> 0,7 ◀	
1017990	Others	► <b>M78</b> 0,02 (*) ◀	
1020000	(ii) <b>Milk and cream, not concentrated, nor containing added sugar or sweetening matter, butter and other fats derived from milk, cheese and curd</b>	► <b>M78</b> 0,3 ◀	► <b>M75</b> 0,01 (*) ◀
1020010	Cattle		
1020020	Sheep		
1020030	Goat		
1020040	Horse		
1020990	Others		
1030000	(iii) <b>Birds' eggs, fresh preserved or cooked Shelled eggs and egg yolks fresh, dried, cooked by steaming or boiling in water, moulded, frozen or otherwise preserved whether or not containing added sugar or sweetening matter</b>	► <b>M78</b> 0,3 ◀	► <b>M75</b> 0,01 (*) ◀
1030010	Chicken		
1030020	Duck		
1030030	Goose		
1030040	Quail		
1030990	Others		
1040000	(iv) <b>Honey (Royal jelly, pollen)</b>	► <b>M78</b> 0,05 (*) ◀	► <b>M75</b> 0,05 (*) ◀
1050000	(v) <b>Amphibians and reptiles (Frog legs, crocodiles)</b>	► <b>M78</b> 0,02 (*) ◀	► <b>M75</b> 0,01 (*) ◀
1060000	(vi) <b>Snails</b>	► <b>M78</b> 0,02 (*) ◀	► <b>M75</b> 0,01 (*) ◀
1070000	(vii) <b>Other terrestrial animal products</b>	► <b>M78</b> 0,02 (*) ◀	► <b>M75</b> 0,01 (*) ◀

▼ **M26****Pesticide residues and maximum residue levels (mg/kg)**

Code number	Groups and examples of individual products to which the MRLs apply (e)	► <b>M72</b> Fenpyrazamine ◀
(1)	(2)	(3)
0100000	1. <b>FRUIT FRESH OR FROZEN; NUTS</b>	
0110000	(i) <b>Citrus fruit</b>	► <b>M72</b> 0,01 (*) ◀
0110010	Grapefruit (Shaddocks, pomelos, sweeties, tangelo (except mineola), ugli and other hybrids)	
0110020	Oranges (Bergamot, bitter orange, chinotto and other hybrids)	
0110030	Lemons (Citron, lemon)	
0110040	Limes	
0110050	Mandarins (Clementine, tangerine, mineola and other hybrids)	
0110990	Others	
0120000	(ii) <b>Tree nuts (shelled or unshelled)</b>	► <b>M72</b> 0,01 (*) ◀
0120010	Almonds	
0120020	Brazil nuts	
0120030	Cashew nuts	
0120040	Chestnuts	
0120050	Coconuts	
0120060	Hazelnuts (Filbert)	
0120070	Macadamia	
0120080	Pecans	
0120090	Pine nuts	
0120100	Pistachios	
0120110	Walnuts	
0120990	Others	
0130000	(iii) <b>Pome fruit</b>	► <b>M72</b> 0,01 (*) ◀
0130010	Apples (Crab apple)	
0130020	Pears (Oriental pear)	
0130030	Quinces	
0130040	Medlar	
0130050	Loquat	
0130990	Others	
0140000	(iv) <b>Stone fruit</b>	► <b>M39</b> — ◀
0140010	Apricots	► <b>M72</b> 5 ◀
0140020	Cherries (sweet cherries, sour cherries)	► <b>M72</b> 4 ◀
0140030	Peaches (Nectarines and similar hybrids)	► <b>M72</b> 4 ◀
0140040	Plums (Damson, greengage, mirabelle, sloe)	► <b>M72</b> 3 ◀
0140990	Others	► <b>M72</b> 0,01 (*) ◀

▼ **M26**

(1)	(2)	(3)
0150000	(v) <b>Berries &amp; small fruit</b>	
0151000	(a) <i>Table and wine grapes</i>	► <b>M72</b> 3 ◀
0151010	Table grapes	
0151020	Wine grapes	
0152000	(b) <i>Strawberries</i>	► <b>M72</b> 3 ◀
0153000	(c) <i>Cane fruit</i>	► <b>M72</b> 0,01 (*) ◀
0153010	Blackberries	
0153020	Dewberries (Loganberries, boysenberries, and cloudberries)	
0153030	Raspberries (Wineberries, arctic bramble/raspberry, ( <i>Rubus arcticus</i> ), nectar raspberries ( <i>Rubus arcticus</i> x <i>idaeus</i> ))	
0153990	Others	
0154000	(d) <i>Other small fruit &amp; berries</i>	► <b>M72</b> 0,01 (*) ◀
0154010	Blueberries (Bilberries)	
0154020	Cranberries (Cowberries (red bilberries))	
0154030	Currants (red, black and white)	
0154040	Gooseberries (Including hybrids with other ribes species)	
0154050	Rose hips	
0154060	Mulberries (arbutus berry)	
0154070	Azarole (mediteranean medlar) (Kiwiberry ( <i>Actinidia arguta</i> ))	
0154080	Elderberries (Black chokeberry (appleberry), mountain ash, buckthorn (sea sallowthorn), hawthorn, service berries, and other treeberries)	
0154990	Others	
0160000	(vi) <b>Miscellaneous fruit</b>	► <b>M72</b> 0,01 (*) ◀
0161000	(a) <i>Edible peel</i>	
0161010	Dates	
0161020	Figs	
0161030	Table olives	
0161040	Kumquats (Marumi kumquats, nagami kumquats, limequats ( <i>Citrus aurantifolia</i> x <i>Fortunella</i> spp.))	
0161050	Carambola (Bilimbi)	
0161060	Persimmon	
0161070	Jambolan (java plum) (Java apple (water apple), pomerac, rose apple, Brazilian cherry Surinam cherry (grumichama <i>Eugenia uniflora</i> ),)	
0161990	Others	
0162000	(b) <i>Inedible peel, small</i>	
0162010	Kiwi	
0162020	Lychee (Litchi) (Pulasan, rambutan (hairy litchi), mangosteen)	



▼ **M26**

(1)	(2)	(3)
0162030	Passion fruit	
0162040	Prickly pear (cactus fruit)	
0162050	Star apple	
0162060	American persimmon (Virginia kaki) (Black sapote, white sapote, green sapote, canistel (yellow sapote), and mammey sapote)	
0162990	Others	
0163000	(c) <i>Inedible peel, large</i>	
0163010	Avocados	
0163020	Bananas (Dwarf banana, plantain, apple banana)	
0163030	Mangoes	
0163040	Papaya	
0163050	Pomegranate	
0163060	Cherimoya (Custard apple, sugar apple (sweetsop), llama and other medium sized Annonaceae)	
0163070	Guava (Red pitaya or dragon fruit (Hylocereus undatus))	
0163080	Pineapples	
0163090	Bread fruit (Jackfruit)	
0163100	Durian	
0163110	Soursop (guanabana)	
0163990	Others	
0200000	<b>2. VEGETABLES FRESH OR FROZEN</b>	
0210000	(i) <b>Root and tuber vegetables</b>	► <b>M72</b> 0,01 (*) ◀
0211000	(a) <i>Potatoes</i>	
0212000	(b) <i>Tropical root and tuber vegetables</i>	
0212010	Cassava (Dasheen, eddoe (Japanese taro), tannia)	
0212020	Sweet potatoes	
0212030	Yams (Potato bean (yam bean), Mexican yam bean)	
0212040	Arrowroot	
0212990	Others	
0213000	(c) <i>Other root and tuber vegetables except sugar beet</i>	
0213010	Beetroot	
0213020	Carrots	
0213030	Celeriac	
0213040	Horseradish (Angelica roots, lovage roots, gentiana roots,)	
0213050	Jerusalem artichokes	
0213060	Parsnips	
0213070	Parsley root	
0213080	Radishes (Black radish, Japanese radish, small radish and similar varieties, tiger nut (Cyperus esculentus))	

▼ **M26**

(1)	(2)	(3)
0213090	Salsify (Scorzoneria, Spanish salsify (Spanish oyster-plant))	
0213100	Swedes	
0213110	Turnips	
0213990	Others	
0220000	(ii) <b>Bulb vegetables</b>	► <b>M72</b> 0,01 (*) ◀
0220010	Garlic	
0220020	Onions (Silverskin onions)	
0220030	Shallots	
0220040	Spring onions (Welsh onion and similar varieties)	
0220990	Others	
0230000	(iii) <b>Fruiting vegetables</b>	
0231000	(a) <i>Solanacea</i>	
0231010	Tomatoes (Cherry tomatoes, tree tomato, Physalis, goji-berry, wolfberry (Lycium barbarum and L. chinense))	► <b>M72</b> 3 ◀
0231020	Peppers (Chilli peppers)	► <b>M72</b> 3 ◀
0231030	Aubergines (egg plants) (Pepino)	► <b>M72</b> 3 ◀
0231040	Okra, lady's fingers	► <b>M72</b> 0,01 (*) ◀
0231990	Others	► <b>M72</b> 0,01 (*) ◀
0232000	(b) <i>Cucurbits - edible peel</i>	► <b>M72</b> 0,7 ◀
0232010	Cucumbers	
0232020	Gherkins	
0232030	Courgettes (Summer squash, marrow (patisson))	
0232990	Others	
0233000	(c) <i>Cucurbits-inedible peel</i>	► <b>M72</b> 0,01 (*) ◀
0233010	Melons (Kiwano)	
0233020	Pumpkins (Winter squash)	
0233030	Watermelons	
0233990	Others	
0234000	(d) <i>Sweet corn</i>	► <b>M72</b> 0,01 (*) ◀
0239000	(e) <i>Other fruiting vegetables</i>	► <b>M72</b> 0,01 (*) ◀
0240000	(iv) <b>Brassica vegetables</b>	► <b>M72</b> 0,01 (*) ◀
0241000	(a) <i>Flowering brassica</i>	
0241010	Broccoli (Calabrese, Chinese broccoli, broccoli raab)	
0241020	Cauliflower	
0241990	Others	
0242000	(b) <i>Head brassica</i>	
0242010	Brussels sprouts	
0242020	Head cabbage (Pointed head cabbage, red cabbage, savoy cabbage, white cabbage)	
0242990	Others	

▼ **M26**

(1)	(2)	(3)
0243000	(c) <i>Leafy brassica</i>	
0243010	Chinese cabbage (Indian (Chinese) mustard, pak choi, Chinese flat cabbage (tai goo choi), choi sum, peking cabbage (pe-tsai),)	
0243020	Kale (Borecole (curly kale), collards, Portuguese Kale, Portuguese cabbage, cow cabbage)	
0243990	Others	
0244000	(d) <i>Kohlrabi</i>	
0250000	(v) <b>Leaf vegetables &amp; fresh herbs</b>	► <b>M72</b> 0,01 (*) ◀
0251000	(a) <i>Lettuce and other salad plants including Brassicacea</i>	
0251010	Lamb's lettuce (Italian cornsalad)	
0251020	Lettuce (Head lettuce, lollo rosso (cutting lettuce), iceberg lettuce, romaine (cos) lettuce)	
0251030	Scarole (broad-leaf endive) (Wild chicory, red-leaved chicory, radicchio, curld leave endive, sugar loaf)	
0251040	Cress	
0251050	Land cress	
0251060	Rocket, Rucola (Wild rocket)	
0251070	Red mustard	
0251080	Leaves and sprouts of Brassica spp (Mizuna, leaves of peas and radish and other babyleaf brassica crops (crops harvested up to 8 true leaf stage))	
0251990	Others	
0252000	(b) <i>Spinach &amp; similar (leaves)</i>	
0252010	Spinach (New Zealand spinach, amaranthus spinach)	
0252020	Purslane (Winter purslane (miner's lettuce), garden purslane, common purslane, sorrel, glassworth, Agretti (Salsola soda))	
0252030	Beet leaves (chard) (Leaves of beetroot)	
0252990	Others	
0253000	(c) <i>Vine leaves (grape leaves)</i>	
0254000	(d) <i>Water cress</i>	
0255000	(e) <i>Witloof</i>	
0256000	(f) <i>Herbs</i>	
0256010	Chervil	
0256020	Chives	
0256030	Celery leaves (Fennel leaves, Coriander leaves, dill leaves, Caraway leaves, lovage, angelica, sweet cisely and other Apiacea leaves)	
0256040	Parsley	
0256050	Sage (Winter savory, summer savory,)	
0256060	Rosemary	

▼ **M26**

(1)	(2)	(3)
0256070	Thyme (Marjoram, oregano)	
0256080	Basil (Balm leaves, mint, peppermint)	
0256090	Bay leaves (laurel)	
0256100	Tarragon (Hyssop)	
0256990	Others (Edible flowers)	
0260000	<b>(vi) Legume vegetables (fresh)</b>	► <b>M72</b> 0,01 (*) ◀
0260010	Beans (with pods) (Green bean (french beans, snap beans), scarlet runner bean, slicing bean, yardlong beans)	
0260020	Beans (without pods) (Broad beans, Flageolets, jack bean, lima bean, cowpea)	
0260030	Peas (with pods) (Mangetout (sugar peas, snow peas))	
0260040	Peas (without pods) (Garden pea, green pea, chickpea)	
0260050	Lentils	
0260990	Others	
0270000	<b>(vii) Stem vegetables (fresh)</b>	► <b>M72</b> 0,01 (*) ◀
0270010	Asparagus	
0270020	Cardoons	
0270030	Celery	
0270040	Fennel	
0270050	Globe artichokes	
0270060	Leek	
0270070	Rhubarb	
0270080	Bamboo shoots	
0270090	Palm hearts	
0270990	Others	
0280000	<b>(viii) Fungi</b>	► <b>M72</b> 0,01 (*) ◀
0280010	Cultivated (Common mushroom, Oyster mushroom, Shi-take)	
0280020	Wild (Chanterelle, Truffle, Morel, Cep)	
0280990	Others	
0290000	<b>(ix) Sea weeds</b>	► <b>M72</b> 0,01 (*) ◀
0300000	<b>3. PULSES, DRY</b>	► <b>M72</b> 0,01 (*) ◀
0300010	Beans (Broad beans, navy beans, flageolets, jack beans, lima beans, field beans, cowpeas)	
0300020	Lentils	
0300030	Peas (Chickpeas, field peas, chickling vetch)	
0300040	Lupins	
0300990	Others	
0400000	<b>4. OILSEEDS AND OILFRUITS</b>	► <b>M72</b> 0,01 (*) ◀
0401000	<b>(i) Oilseeds</b>	
0401010	Linseed	
0401020	Peanuts	
0401030	Poppy seed	

▼ **M26**

(1)	(2)	(3)
0401040	Sesame seed	
0401050	Sunflower seed	
0401060	Rape seed (Bird rapeseed, turnip rape)	
0401070	Soya bean	
0401080	Mustard seed	
0401090	Cotton seed	
0401100	Pumpkin seeds (Other seeds of cucurbitacea)	
0401110	Safflower	
0401120	Borage	
0401130	Gold of pleasure	
0401140	Hempseed	
0401150	Castor bean	
0401990	Others	
0402000	(ii) <b>Oilfruits</b>	
0402010	Olives for oil production	
0402020	Palm nuts (palmoil kernels)	
0402030	Palmfruit	
0402040	Kapok	
0402990	Others	
0500000	5. <b>CEREALS</b>	► <b>M72</b> 0,01 (*) ◀
0500010	Barley	
0500020	Buckwheat (Amaranthus, quinoa)	
0500030	Maize	
0500040	Millet (Foxtail millet, teff)	
0500050	Oats	
0500060	Rice	
0500070	Rye	
0500080	Sorghum	
0500090	Wheat (Spelt, triticale)	
0500990	Others	
0600000	6. <b>TEA, COFFEE, HERBAL INFUSIONS AND COCOA</b>	► <b>M72</b> 0,01 (*) ◀
0610000	(i) <b>Tea (dried leaves and stalks, fermented or otherwise of <i>Camellia sinensis</i>)</b>	
0620000	(ii) <b>Coffee beans</b>	
0630000	(iii) <b>Herbal infusions (dried)</b>	
0631000	(a) <i>Flowers</i>	
0631010	Camomille flowers	
0631020	Hybiscus flowers	
0631030	Rose petals	

▼ **M26**

(1)	(2)	(3)
0631040	Jasmine flowers (Elderflowers ( <i>Sambucus nigra</i> ))	
0631050	Lime (linden)	
0631990	Others	
0632000	(b) <i>Leaves</i>	
0632010	Strawberry leaves	
0632020	Rooibos leaves ( <i>Ginkgo</i> leaves)	
0632030	Maté	
0632990	Others	
0633000	(c) <i>Roots</i>	
0633010	Valerian root	
0633020	Ginseng root	
0633990	Others	
0639000	(d) <i>Other herbal infusions</i>	
0640000	(iv) <b>Cocoa (fermented beans)</b>	
0650000	(v) <b>Carob (st johns bread)</b>	
0700000	7. <b>HOPS (dried), including hop pellets and unconcentrated powder</b>	► <b>M72</b> 0,01 (*) ◀
0800000	8. <b>SPICES</b>	► <b>M72</b> — ◀
0810000	(i) <b>Seeds</b>	► <b>M72</b> 0,01 (*) ◀
0810010	Anise	
0810020	Black caraway	
0810030	Celery seed ( <i>Lovage</i> seed)	
0810040	Coriander seed	
0810050	Cumin seed	
0810060	Dill seed	
0810070	Fennel seed	
0810080	Fenugreek	
0810090	Nutmeg	
0810990	Others	
0820000	(ii) <b>Fruits and berries</b>	► <b>M72</b> 0,01 (*) ◀
0820010	Allspice	
0820020	Anise pepper ( <i>Japan</i> pepper)	
0820030	Caraway	
0820040	Cardamom	
0820050	Juniper berries	
0820060	Pepper, black and white ( <i>Long</i> pepper, pink pepper)	
0820070	Vanilla pods	
0820080	Tamarind	
0820990	Others	

▼ **M26**

(1)	(2)	(3)
0830000	(iii) <b>Bark</b>	► <u>M72</u> 0,01 (*) ◀
0830010	Cinnamon (Cassia)	
0830990	Others	
0840000	(iv) <b>Roots or rhizome</b>	
0840010	Liquorice	► <u>M72</u> 0,01 (*) ◀
0840020	Ginger	► <u>M72</u> 0,01 (*) ◀
0840030	Turmeric (Curcuma)	► <u>M72</u> 0,01 (*) ◀
0840040	Horseradish	► <u>M72</u> (+) ◀
0840990	Others	► <u>M72</u> 0,01 (*) ◀
0850000	(v) <b>Buds</b>	► <u>M72</u> 0,01 (*) ◀
0850010	Cloves	
0850020	Capers	
0850990	Others	
0860000	(vi) <b>Flower stigma</b>	► <u>M72</u> 0,01 (*) ◀
0860010	Saffron	
0860990	Others	
0870000	(vii) <b>Aril</b>	► <u>M72</u> 0,01 (*) ◀
0870010	Mace	
0870990	Others	
0900000	9. <b>SUGAR PLANTS</b>	► <u>M72</u> 0,01 (*) ◀
0900010	Sugar beet (root)	
0900020	Sugar cane	
0900030	Chicory roots	
0900990	Others	
1000000	10. <b>PRODUCTS OF ANIMAL ORIGIN-TERRESTRIAL ANIMALS</b>	► <u>M72</u> — ◀
1010000	(i) <b>Meat, preparations of meat, offals, blood, animal fats fresh chilled or frozen, salted, in brine, dried or smoked or processed as flours or meals other processed products such as sausages and food preparations based on these</b>	► <u>M72</u> 0,01 (*) ◀
1011000	(a) <i>Swine</i>	
1011010	Meat	
1011020	Fat free of lean meat	
1011030	Liver	
1011040	Kidney	
1011050	Edible offal	
1011990	Others	
1012000	(b) <i>Bovine</i>	
1012010	Meat	
1012020	Fat	
1012030	Liver	

▼ **M26**

(1)	(2)	(3)
1012040	Kidney	
1012050	Edible offal	
1012990	Others	
1013000	(c) <i>Sheep</i>	
1013010	Meat	
1013020	Fat	
1013030	Liver	
1013040	Kidney	
1013050	Edible offal	
1013990	Others	
1014000	(d) <i>Goat</i>	
1014010	Meat	
1014020	Fat	
1014030	Liver	
1014040	Kidney	
1014050	Edible offal	
1014990	Others	
1015000	(e) <i>Horses, asses, mules or hinnies</i>	
1015010	Meat	
1015020	Fat	
1015030	Liver	
1015040	Kidney	
1015050	Edible offal	
1015990	Others	
1016000	(f) <i>Poultry -chicken, geese, duck, turkey and Guinea fowl-, ostrich, pigeon</i>	
1016010	Meat	
1016020	Fat	
1016030	Liver	
1016040	Kidney	
1016050	Edible offal	
1016990	Others	
1017000	(g) <i>Other farm animals (Rabbit, Kangaroo)</i>	
1017010	Meat	
1017020	Fat	
1017030	Liver	
1017040	Kidney	
1017050	Edible offal	
1017990	Others	



▼ **M26**

(1)	(2)	(3)
1020000	(ii) <b>Milk and cream, not concentrated, nor containing added sugar or sweetening matter, butter and other fats derived from milk, cheese and curd</b>	► <b>M72</b> 0,01 (*) ◀
1020010	Cattle	
1020020	Sheep	
1020030	Goat	
1020040	Horse	
1020990	Others	
1030000	(iii) <b>Birds' eggs, fresh preserved or cooked Shelled eggs and egg yolks fresh, dried, cooked by steaming or boiling in water, moulded, frozen or otherwise preserved whether or not containing added sugar or sweetening matter</b>	► <b>M72</b> 0,01 (*) ◀
1030010	Chicken	
1030020	Duck	
1030030	Goose	
1030040	Quail	
1030990	Others	
1040000	(iv) <b>Honey (Royal jelly, pollen)</b>	► <b>M72</b> 0,05 (*) ◀
1050000	(v) <b>Amphibians and reptiles (Frog legs, crocodiles)</b>	► <b>M72</b> 0,01 (*) ◀
1060000	(vi) <b>Snails</b>	► <b>M72</b> 0,01 (*) ◀
1070000	(vii) <b>Other terrestrial animal products</b>	► <b>M72</b> 0,01 (*) ◀

▼ **M27****Pesticide residues and maximum residue levels (mg/kg)**

Code number	Groups and examples of individual products to which the MRLs apply (e)	Cadusafos
(1)	(2)	(3)
0100000	1. <b>FRUIT FRESH OR FROZEN; NUTS</b>	<b>0,01 (*)</b>
0110000	(i) <b>Citrus fruit</b>	
0110010	Grapefruit (Shaddocks, pomelos, sweeties, tangelo (except mineola), ugli and other hybrids)	
0110020	Oranges (Bergamot, bitter orange, chinotto and other hybrids)	
0110030	Lemons (Citron, lemon)	
0110040	Limes	
0110050	Mandarins (Clementine, tangerine, mineola and other hybrids)	
0110990	Others	
0120000	(ii) <b>Tree nuts (shelled or unshelled)</b>	
0120010	Almonds	
0120020	Brazil nuts	
0120030	Cashew nuts	
0120040	Chestnuts	
0120050	Coconuts	
0120060	Hazelnuts (Filbert)	
0120070	Macadamia	
0120080	Pecans	
0120090	Pine nuts	
0120100	Pistachios	
0120110	Walnuts	
0120990	Others	
0130000	(iii) <b>Pome fruit</b>	
0130010	Apples (Crab apple)	
0130020	Pears (Oriental pear)	
0130030	Quinces	
0130040	Medlar	
0130050	Loquat	
0130990	Others	
0140000	(iv) <b>Stone fruit</b>	
0140010	Apricots	
0140020	Cherries (sweet cherries, sour cherries)	
0140030	Peaches (Nectarines and similar hybrids)	
0140040	Plums (Damson, greengage, mirabelle, sloe)	
0140990	Others	

▼ **M27**

(1)	(2)	(3)
0150000	(v) <b>Berries &amp; small fruit</b>	
0151000	(a) <i>Table and wine grapes</i>	
0151010	Table grapes	
0151020	Wine grapes	
0152000	(b) <i>Strawberries</i>	
0153000	(c) <i>Cane fruit</i>	
0153010	Blackberries	
0153020	Dewberries (Loganberries, boysenberries, and cloudberries)	
0153030	Raspberries (Wineberries, arctic bramble/raspberry, ( <i>Rubus arcticus</i> ), nectar raspberries ( <i>Rubus arcticus</i> x <i>idaeus</i> ))	
0153990	Others	
0154000	(d) <i>Other small fruit &amp; berries</i>	
0154010	Blueberries (Bilberries)	
0154020	Cranberries (Cowberries (red bilberries))	
0154030	Currants (red, black and white)	
0154040	Gooseberries (Including hybrids with other ribes species)	
0154050	Rose hips	
0154060	Mulberries (arbutus berry)	
0154070	Azarole (mediteranean medlar) (Kiwiberry ( <i>Actinidia arguta</i> ))	
0154080	Elderberries (Black chokeberry (appleberry), mountain ash, buckthorn (sea sallowthorn), hawthorn, service berries, and other treeberries)	
0154990	Others	
0160000	(vi) <b>Miscellaneous fruit</b>	
0161000	(a) <i>Edible peel</i>	
0161010	Dates	
0161020	Figs	
0161030	Table olives	
0161040	Kumquats (Marumi kumquats, nagami kumquats, limequats ( <i>Citrus aurantifolia</i> x <i>Fortunella</i> spp.))	
0161050	Carambola (Bilimbi)	
0161060	Persimmon	
0161070	Jambolan (java plum) (Java apple (water apple), pomeac, rose apple, Brazilian cherry Surinam cherry (grumichama <i>Eugenia uniflora</i> ),)	
0161990	Others	
0162000	(b) <i>Inedible peel, small</i>	
0162010	Kiwi	
0162020	Lychee (Litchi) (Pulasan, rambutan (hairy litchi), mangosteen)	

▼ **M27**

(1)	(2)	(3)
0162030	Passion fruit	
0162040	Prickly pear (cactus fruit)	
0162050	Star apple	
0162060	American persimmon (Virginia kaki) (Black sapote, white sapote, green sapote, canistel (yellow sapote), and mamme sapote)	
0162990	Others	
0163000	(c) <i>Inedible peel, large</i>	
0163010	Avocados	
0163020	Bananas (Dwarf banana, plantain, apple banana)	
0163030	Mangoes	
0163040	Papaya	
0163050	Pomegranate	
0163060	Cherimoya (Custard apple, sugar apple (sweetsop), llama and other medium sized Annonaceae)	
0163070	Guava (Red pitaya or dragon fruit (Hylocereus undatus))	
0163080	Pineapples	
0163090	Bread fruit (Jackfruit)	
0163100	Durian	
0163110	Soursop (guanabana)	
0163990	Others	
0200000	<b>2. VEGETABLES FRESH OR FROZEN</b>	<b>0,01 (*)</b>
0210000	(i) <b>Root and tuber vegetables</b>	
0211000	(a) <i>Potatoes</i>	
0212000	(b) <i>Tropical root and tuber vegetables</i>	
0212010	Cassava (Dasheen, eddoe (Japanese taro), tannia)	
0212020	Sweet potatoes	
0212030	Yams (Potato bean (yam bean), Mexican yam bean)	
0212040	Arrowroot	
0212990	Others	
0213000	(c) <i>Other root and tuber vegetables except sugar beet</i>	
0213010	Beetroot	
0213020	Carrots	
0213030	Celeriac	
0213040	Horseradish (Angelica roots, lovage roots, gentiana roots,)	
0213050	Jerusalem artichokes	
0213060	Parsnips	
0213070	Parsley root	
0213080	Radishes (Black radish, Japanese radish, small radish and similar varieties, tiger nut (Cyperus esculentus))	

▼ **M27**

(1)	(2)	(3)
0213090	Salsify (Scorzonera, Spanish salsify (Spanish oyster-plant))	
0213100	Swedes	
0213110	Turnips	
0213990	Others	
0220000	(ii) <b>Bulb vegetables</b>	
0220010	Garlic	
0220020	Onions (Silverskin onions)	
0220030	Shallots	
0220040	Spring onions (Welsh onion and similar varieties)	
0220990	Others	
0230000	(iii) <b>Fruiting vegetables</b>	
0231000	(a) <i>Solanacea</i>	
0231010	Tomatoes (Cherry tomatoes, tree tomato, Physalis, goji-berry, wolfberry (Lycium barbarum and L. chinense))	
0231020	Peppers (Chilli peppers)	
0231030	Aubergines (egg plants) (Pepino)	
0231040	Okra, lady's fingers	
0231990	Others	
0232000	(b) <i>Cucurbits - edible peel</i>	
0232010	Cucumbers	
0232020	Gherkins	
0232030	Courgettes (Summer squash, marrow (patisson))	
0232990	Others	
0233000	(c) <i>Cucurbits-inedible peel</i>	
0233010	Melons (Kiwano)	
0233020	Pumpkins (Winter squash)	
0233030	Watermelons	
0233990	Others	
0234000	(d) <i>Sweet corn</i>	
0239000	(e) <i>Other fruiting vegetables</i>	
0240000	(iv) <b>Brassica vegetables</b>	
0241000	(a) <i>Flowering brassica</i>	
0241010	Broccoli (Calabrese, Chinese broccoli, broccoli raab)	
0241020	Cauliflower	
0241990	Others	
0242000	(b) <i>Head brassica</i>	
0242010	Brussels sprouts	
0242020	Head cabbage (Pointed head cabbage, red cabbage, savoy cabbage, white cabbage)	
0242990	Others	

▼ **M27**

(1)	(2)	(3)
0243000	(c) <i>Leafy brassica</i>	
0243010	Chinese cabbage (Indian (Chinese) mustard, pak choi, Chinese flat cabbage (tai goo choi), choi sum, peking cabbage (pe-tsai),)	
0243020	Kale (Borecole (curly kale), collards, Portuguese Kale, Portuguese cabbage, cow cabbage)	
0243990	Others	
0244000	(d) <i>Kohlrabi</i>	
0250000	(v) <b>Leaf vegetables &amp; fresh herbs</b>	
0251000	(a) <i>Lettuce and other salad plants including Brassicacea</i>	
0251010	Lamb's lettuce (Italian cornsalad)	
0251020	Lettuce (Head lettuce, lollo rosso (cutting lettuce), iceberg lettuce, romaine (cos) lettuce)	
0251030	Scarole (broad-leaf endive) (Wild chicory, red-leaved chicory, radicchio, curld leave endive, sugar loaf)	
0251040	Cress	
0251050	Land cress	
0251060	Rocket, Rucola (Wild rocket)	
0251070	Red mustard	
0251080	Leaves and sprouts of Brassica spp (Mizuna, leaves of peas and radish and other babyleaf brassica crops (crops harvested up to 8 true leaf stage))	
0251990	Others	
0252000	(b) <i>Spinach &amp; similar (leaves)</i>	
0252010	Spinach (New Zealand spinach, amaranthus spinach)	
0252020	Purslane (Winter purslane (miner's lettuce), garden purslane, common purslane, sorrel, glassworth, Agretti (Salsola soda))	
0252030	Beet leaves (chard) (Leaves of beetroot)	
0252990	Others	
0253000	(c) <i>Vine leaves (grape leaves)</i>	
0254000	(d) <i>Water cress</i>	
0255000	(e) <i>Witloof</i>	
0256000	(f) <i>Herbs</i>	
0256010	Chervil	
0256020	Chives	
0256030	Celery leaves (Fennel leaves, Coriander leaves, dill leaves, Caraway leaves, lovage, angelica, sweet cisely and other Apiacea leaves)	
0256040	Parsley	
0256050	Sage (Winter savory, summer savory,)	
0256060	Rosemary	
0256070	Thyme (Marjoram, oregano)	

▼ **M27**

(1)	(2)	(3)
0256080	Basil (Balm leaves, mint, peppermint)	
0256090	Bay leaves (laurel)	
0256100	Tarragon (Hyssop)	
0256990	Others (Edible flowers)	
0260000	<b>(vi) Legume vegetables (fresh)</b>	
0260010	Beans (with pods) (Green bean (french beans, snap beans), scarlet runner bean, slicing bean, yardlong beans)	
0260020	Beans (without pods) (Broad beans, Flageolets, jack bean, lima bean, cowpea)	
0260030	Peas (with pods) (Mangetout (sugar peas, snow peas))	
0260040	Peas (without pods) (Garden pea, green pea, chickpea)	
0260050	Lentils	
0260990	Others	
0270000	<b>(vii) Stem vegetables (fresh)</b>	
0270010	Asparagus	
0270020	Cardoons	
0270030	Celery	
0270040	Fennel	
0270050	Globe artichokes	
0270060	Leek	
0270070	Rhubarb	
0270080	Bamboo shoots	
0270090	Palm hearts	
0270990	Others	
0280000	<b>(viii) Fungi</b>	
0280010	Cultivated (Common mushroom, Oyster mushroom, Shi-take)	
0280020	Wild (Chanterelle, Truffle, Morel, Cep)	
0280990	Others	
0290000	<b>(ix) Sea weeds</b>	
0300000	<b>3. PULSES, DRY</b>	<b>0,01 (*)</b>
0300010	Beans (Broad beans, navy beans, flageolets, jack beans, lima beans, field beans, cowpeas)	
0300020	Lentils	
0300030	Peas (Chickpeas, field peas, chickling vetch)	
0300040	Lupins	
0300990	Others	
0400000	<b>4. OILSEEDS AND OILFRUITS</b>	<b>0,01 (*)</b>
0401000	<b>(i) Oilseeds</b>	
0401010	Linseed	
0401020	Peanuts	

▼ **M27**

(1)	(2)	(3)
0401030	Poppy seed	
0401040	Sesame seed	
0401050	Sunflower seed	
0401060	Rape seed (Bird rapeseed, turnip rape)	
0401070	Soya bean	
0401080	Mustard seed	
0401090	Cotton seed	
0401100	Pumpkin seeds (Other seeds of cucurbitacea)	
0401110	Safflower	
0401120	Borage	
0401130	Gold of pleasure	
0401140	Hempseed	
0401150	Castor bean	
0401990	Others	
0402000	(ii) <b>Oilfruits</b>	
0402010	Olives for oil production	
0402020	Palm nuts (palmoil kernels)	
0402030	Palmfruit	
0402040	Kapok	
0402990	Others	
0500000	5. <b>CEREALS</b>	<b>0,01 (*)</b>
0500010	Barley	
0500020	Buckwheat (Amaranthus, quinoa)	
0500030	Maize	
0500040	Millet (Foxtail millet, teff)	
0500050	Oats	
0500060	Rice	
0500070	Rye	
0500080	Sorghum	
0500090	Wheat (Spelt, triticale)	
0500990	Others	
0600000	6. <b>TEA, COFFEE, HERBAL INFUSIONS AND COCOA</b>	<b>0,01 (*)</b>
0610000	(i) <b>Tea (dried leaves and stalks, fermented or otherwise of <i>Camellia sinensis</i>)</b>	
0620000	(ii) <b>Coffee beans</b>	
0630000	(iii) <b>Herbal infusions (dried)</b>	
0631000	(a) <i>Flowers</i>	
0631010	Camomille flowers	
0631020	Hybiscus flowers	
0631030	Rose petals	



▼ **M27**

(1)	(2)	(3)
0631040	Jasmine flowers (Elderflowers ( <i>Sambucus nigra</i> ))	
0631050	Lime (linden)	
0631990	Others	
0632000	(b) <i>Leaves</i>	
0632010	Strawberry leaves	
0632020	Rooibos leaves ( <i>Ginkgo</i> leaves)	
0632030	Maté	
0632990	Others	
0633000	(c) <i>Roots</i>	
0633010	Valerian root	
0633020	Ginseng root	
0633990	Others	
0639000	(d) <i>Other herbal infusions</i>	
0640000	(iv) <b>Cocoa (fermented beans)</b>	
0650000	(v) <b>Carob (st johns bread)</b>	
0700000	7. <b>HOPS (dried), including hop pellets and unconcentrated powder</b>	<b>0,01 (*)</b>
0800000	8. <b>SPICES</b>	<b>0,01 (*)</b>
0810000	(i) <b>Seeds</b>	
0810010	Anise	
0810020	Black caraway	
0810030	Celery seed ( <i>Lovage</i> seed)	
0810040	Coriander seed	
0810050	Cumin seed	
0810060	Dill seed	
0810070	Fennel seed	
0810080	Fenugreek	
0810090	Nutmeg	
0810990	Others	
0820000	(ii) <b>Fruits and berries</b>	
0820010	Allspice	
0820020	Anise pepper ( <i>Japan</i> pepper)	
0820030	Caraway	
0820040	Cardamom	
0820050	Juniper berries	
0820060	Pepper, black and white ( <i>Long</i> pepper, pink pepper)	
0820070	Vanilla pods	
0820080	Tamarind	
0820990	Others	

▼ **M27**

(1)	(2)	(3)
0830000	(iii) <b>Bark</b>	
0830010	Cinnamon (Cassia)	
0830990	Others	
0840000	(iv) <b>Roots or rhizome</b>	
0840010	Liquorice	
0840020	Ginger	
0840030	Turmeric (Curcuma)	
0840040	Horseradish	
0840990	Others	
0850000	(v) <b>Buds</b>	
0850010	Cloves	
0850020	Capers	
0850990	Others	
0860000	(vi) <b>Flower stigma</b>	
0860010	Saffron	
0860990	Others	
0870000	(vii) <b>Aril</b>	
0870010	Mace	
0870990	Others	
0900000	9. <b>SUGAR PLANTS</b>	<b>0,01 (*)</b>
0900010	Sugar beet (root)	
0900020	Sugar cane	
0900030	Chicory roots	
0900990	Others	
1000000	10. <b>PRODUCTS OF ANIMAL ORIGIN-TERRESTRIAL ANIMALS</b>	<b>0,01 (*)</b>
1010000	(i) <b>Meat, preparations of meat, offals, blood, animal fats fresh chilled or frozen, salted, in brine, dried or smoked or processed as flours or meals other processed products such as sausages and food preparations based on these</b>	
1011000	(a) <i>Swine</i>	
1011010	Meat	
1011020	Fat free of lean meat	
1011030	Liver	
1011040	Kidney	
1011050	Edible offal	
1011990	Others	
1012000	(b) <i>Bovine</i>	
1012010	Meat	
1012020	Fat	
1012030	Liver	

▼ **M27**

(1)	(2)	(3)
1012040	Kidney	
1012050	Edible offal	
1012990	Others	
1013000	(c) <i>Sheep</i>	
1013010	Meat	
1013020	Fat	
1013030	Liver	
1013040	Kidney	
1013050	Edible offal	
1013990	Others	
1014000	(d) <i>Goat</i>	
1014010	Meat	
1014020	Fat	
1014030	Liver	
1014040	Kidney	
1014050	Edible offal	
1014990	Others	
1015000	(e) <i>Horses, asses, mules or hinnies</i>	
1015010	Meat	
1015020	Fat	
1015030	Liver	
1015040	Kidney	
1015050	Edible offal	
1015990	Others	
1016000	(f) <i>Poultry -chicken, geese, duck, turkey and Guinea fowl-, ostrich, pigeon</i>	
1016010	Meat	
1016020	Fat	
1016030	Liver	
1016040	Kidney	
1016050	Edible offal	
1016990	Others	
1017000	(g) <i>Other farm animals (Rabbit, Kangaroo)</i>	
1017010	Meat	
1017020	Fat	
1017030	Liver	
1017040	Kidney	
1017050	Edible offal	
1017990	Others	

▼ **M27**

(1)	(2)	(3)
1020000	(ii) <b>Milk and cream, not concentrated, nor containing added sugar or sweetening matter, butter and other fats derived from milk, cheese and curd</b>	
1020010	Cattle	
1020020	Sheep	
1020030	Goat	
1020040	Horse	
1020990	Others	
1030000	(iii) <b>Birds' eggs, fresh preserved or cooked Shelled eggs and egg yolks fresh, dried, cooked by steaming or boiling in water, moulded, frozen or otherwise preserved whether or not containing added sugar or sweetening matter</b>	
1030010	Chicken	
1030020	Duck	
1030030	Goose	
1030040	Quail	
1030990	Others	
1040000	(iv) <b>Honey (Royal jelly, pollen)</b>	
1050000	(v) <b>Amphibians and reptiles (Frog legs, crocodiles)</b>	
1060000	(vi) <b>Snails</b>	
1070000	(vii) <b>Other terrestrial animal products</b>	

▼ **M30****Pesticide residues and maximum residue levels (mg/kg)**

Code number	Groups and examples of individual products to which the MRLs apply (°)	► <b>M61</b> Isoprothiolane ◀
(1)	(2)	(3)
0100000	1. <b>FRUIT FRESH OR FROZEN; NUTS</b>	► <b>M61</b> 0,01 (*) ◀
0110000	(i) <b>Citrus fruit</b>	
0110010	Grapefruit (Shaddocks, pomelos, sweeties, tangelo (except mineola), ugli and other hybrids)	
0110020	Oranges (Bergamot, bitter orange, chinotto and other hybrids)	
0110030	Lemons (Citron, lemon)	
0110040	Limes	
0110050	Mandarins (Clementine, tangerine, mineola and other hybrids)	
0110990	Others	
0120000	(ii) <b>Tree nuts (shelled or unshelled)</b>	
0120010	Almonds	
0120020	Brazil nuts	
0120030	Cashew nuts	
0120040	Chestnuts	
0120050	Coconuts	
0120060	Hazelnuts (Filbert)	
0120070	Macadamia	
0120080	Pecans	
0120090	Pine nuts	
0120100	Pistachios	
0120110	Walnuts	
0120990	Others	
0130000	(iii) <b>Pome fruit</b>	
0130010	Apples (Crab apple)	
0130020	Pears (Oriental pear)	
0130030	Quinces	
0130040	Medlar	
0130050	Loquat	
0130990	Others	
0140000	(iv) <b>Stone fruit</b>	
0140010	Apricots	
0140020	Cherries (sweet cherries, sour cherries)	
0140030	Peaches (Nectarines and similar hybrids)	
0140040	Plums (Damson, greengage, mirabelle, sloe)	
0140990	Others	

▼ **M30**

(1)	(2)	(3)
0150000	(v) <b>Berries &amp; small fruit</b>	
0151000	(a) <i>Table and wine grapes</i>	
0151010	Table grapes	
0151020	Wine grapes	
0152000	(b) <i>Strawberries</i>	
0153000	(c) <i>Cane fruit</i>	
0153010	Blackberries	
0153020	Dewberries (Loganberries, boysenberries, and cloudberries)	
0153030	Raspberries (Wineberries, arctic bramble/raspberry, ( <i>Rubus arcticus</i> ), nectar raspberries ( <i>Rubus arcticus</i> x <i>idaeus</i> ))	
0153990	Others	
0154000	(d) <i>Other small fruit &amp; berries</i>	
0154010	Blueberries (Bilberries)	
0154020	Cranberries (Cowberries (red bilberries))	
0154030	Currants (red, black and white)	
0154040	Gooseberries (Including hybrids with other ribes species)	
0154050	Rose hips	
0154060	Mulberries (arbutus berry)	
0154070	Azarole (mediteranean medlar) (Kiwiberry ( <i>Actinidia arguta</i> ))	
0154080	Elderberries (Black chokeberry (appleberry), mountain ash, buckthorn (sea sallowthorn), hawthorn, service berries, and other treeberries)	
0154990	Others	
0160000	(vi) <b>Miscellaneous fruit</b>	
0161000	(a) <i>Edible peel</i>	
0161010	Dates	
0161020	Figs	
0161030	Table olives	
0161040	Kumquats (Marumi kumquats, nagami kumquats, limequats ( <i>Citrus aurantifolia</i> x <i>Fortunella</i> spp.))	
0161050	Carambola (Bilimbi)	
0161060	Persimmon	
0161070	Jambolan (java plum) (Java apple (water apple), pomerac, rose apple, Brazilian cherry Surinam cherry (grumichama <i>Eugenia uniflora</i> ),)	
0161990	Others	
0162000	(b) <i>Inedible peel, small</i>	
0162010	Kiwi	
0162020	Lychee (Litchi) (Pulasan, rambutan (hairy litchi), mangosteen)	
0162030	Passion fruit	

▼ **M30**

(1)	(2)	(3)
0162040	Prickly pear (cactus fruit)	
0162050	Star apple	
0162060	American persimmon (Virginia kaki) (Black sapote, white sapote, green sapote, canistel (yellow sapote), and mammey sapote)	
0162990	Others	
0163000	(c) <i>Inedible peel, large</i>	
0163010	Avocados	
0163020	Bananas (Dwarf banana, plantain, apple banana)	
0163030	Mangoes	
0163040	Papaya	
0163050	Pomegranate	
0163060	Cherimoya (Custard apple, sugar apple (sweetsop), llama and other medium sized Annonaceae)	
0163070	Guava (Red pitaya or dragon fruit ( <i>Hylocereus undatus</i> ))	
0163080	Pineapples	
0163090	Bread fruit (Jackfruit)	
0163100	Durian	
0163110	Soursop (guanabana)	
0163990	Others	
0200000	2. <b>VEGETABLES FRESH OR FROZEN</b>	► <b>M61</b> 0,01 (*) ◀
0210000	(i) <b>Root and tuber vegetables</b>	
0211000	(a) <i>Potatoes</i>	
0212000	(b) <i>Tropical root and tuber vegetables</i>	
0212010	Cassava (Dasheen, eddoe (Japanese taro), tannia)	
0212020	Sweet potatoes	
0212030	Yams (Potato bean (yam bean), Mexican yam bean)	
0212040	Arrowroot	
0212990	Others	
0213000	(c) <i>Other root and tuber vegetables except sugar beet</i>	
0213010	Beetroot	
0213020	Carrots	
0213030	Celeriac	
0213040	Horseradish (Angelica roots, lovage roots, gentiana roots,)	
0213050	Jerusalem artichokes	
0213060	Parsnips	
0213070	Parsley root	
0213080	Radishes (Black radish, Japanese radish, small radish and similar varieties, tiger nut ( <i>Cyperus esculentus</i> ))	

▼ **M30**

(1)	(2)	(3)
0213090	Salsify (Scorzonera, Spanish salsify (Spanish oyster-plant))	
0213100	Swedes	
0213110	Turnips	
0213990	Others	
0220000	(ii) <b>Bulb vegetables</b>	
0220010	Garlic	
0220020	Onions (Silverskin onions)	
0220030	Shallots	
0220040	Spring onions (Welsh onion and similar varieties)	
0220990	Others	
0230000	(iii) <b>Fruiting vegetables</b>	
0231000	(a) <i>Solanacea</i>	
0231010	Tomatoes (Cherry tomatoes, tree tomato, Physalis, goji-berry, wolfberry (Lycium barbarum and L. chinense))	
0231020	Peppers (Chilli peppers)	
0231030	Aubergines (egg plants) (Pepino)	
0231040	Okra, lady's fingers	
0231990	Others	
0232000	(b) <i>Cucurbits - edible peel</i>	
0232010	Cucumbers	
0232020	Gherkins	
0232030	Courgettes (Summer squash, marrow (patisson))	
0232990	Others	
0233000	(c) <i>Cucurbits-inedible peel</i>	
0233010	Melons (Kiwano)	
0233020	Pumpkins (Winter squash)	
0233030	Watermelons	
0233990	Others	
0234000	(d) <i>Sweet corn</i>	
0239000	(e) <i>Other fruiting vegetables</i>	
0240000	(iv) <b>Brassica vegetables</b>	
0241000	(a) <i>Flowering brassica</i>	
0241010	Broccoli (Calabrese, Chinese broccoli, broccoli raab)	
0241020	Cauliflower	
0241990	Others	
0242000	(b) <i>Head brassica</i>	
0242010	Brussels sprouts	
0242020	Head cabbage (Pointed head cabbage, red cabbage, savoy cabbage, white cabbage)	
0242990	Others	



▼ **M30**

(1)	(2)	(3)
0243000	(c) <i>Leafy brassica</i>	
0243010	Chinese cabbage (Indian (Chinese) mustard, pak choi, Chinese flat cabbage (tai goo choi), choi sum, peking cabbage (pe-tsai),)	
0243020	Kale (Borecole (curly kale), collards, Portuguese Kale, Portuguese cabbage, cow cabbage)	
0243990	Others	
0244000	(d) <i>Kohlrabi</i>	
0250000	(v) <b>Leaf vegetables &amp; fresh herbs</b>	
0251000	(a) <i>Lettuce and other salad plants including Brassicacea</i>	
0251010	Lamb's lettuce (Italian cornsalad)	
0251020	Lettuce (Head lettuce, lollo rosso (cutting lettuce), iceberg lettuce, romaine (cos) lettuce)	
0251030	Scarole (broad-leaf endive) (Wild chicory, red-leaved chicory, radicchio, curld leave endive, sugar loaf)	
0251040	Cress	
0251050	Land cress	
0251060	Rocket, Rucola (Wild rocket)	
0251070	Red mustard	
0251080	Leaves and sprouts of Brassica spp (Mizuna, leaves of peas and radish and other babyleaf brassica crops (crops harvested up to 8 true leaf stage))	
0251990	Others	
0252000	(b) <i>Spinach &amp; similar (leaves)</i>	
0252010	Spinach (New Zealand spinach, amaranthus spinach)	
0252020	Purslane (Winter purslane (miner's lettuce), garden purslane, common purslane, sorrel, glassworth, Agretti (Salsola soda))	
0252030	Beet leaves (chard) (Leaves of beetroot)	
0252990	Others	
0253000	(c) <i>Vine leaves (grape leaves)</i>	
0254000	(d) <i>Water cress</i>	
0255000	(e) <i>Witloof</i>	
0256000	(f) <i>Herbs</i>	
0256010	Chervil	
0256020	Chives	
0256030	Celery leaves (Fennel leaves, Coriander leaves, dill leaves, Caraway leaves, lovage, angelica, sweet cisely and other Apiacea leaves)	
0256040	Parsley	
0256050	Sage (Winter savory, summer savory,)	
0256060	Rosemary	
0256070	Thyme (Marjoram, oregano)	

▼ **M30**

(1)	(2)	(3)
0256080	Basil (Balm leaves, mint, peppermint)	
0256090	Bay leaves (laurel)	
0256100	Tarragon (Hyssop)	
0256990	Others (Edible flowers)	
0260000	<b>(vi) Legume vegetables (fresh)</b>	
0260010	Beans (with pods) (Green bean (french beans, snap beans), scarlet runner bean, slicing bean, yardlong beans)	
0260020	Beans (without pods) (Broad beans, Flageolets, jack bean, lima bean, cowpea)	
0260030	Peas (with pods) (Mangetout (sugar peas, snow peas))	
0260040	Peas (without pods) (Garden pea, green pea, chickpea)	
0260050	Lentils	
0260990	Others	
0270000	<b>(vii) Stem vegetables (fresh)</b>	
0270010	Asparagus	
0270020	Cardoons	
0270030	Celery	
0270040	Fennel	
0270050	Globe artichokes	
0270060	Leek	
0270070	Rhubarb	
0270080	Bamboo shoots	
0270090	Palm hearts	
0270990	Others	
0280000	<b>(viii) Fungi</b>	
0280010	Cultivated (Common mushroom, Oyster mushroom, Shi-take)	
0280020	Wild (Chanterelle, Truffle, Morel, Cep)	
0280990	Others	
0290000	<b>(ix) Sea weeds</b>	
0300000	<b>3. PULSES, DRY</b>	<b>► M61 0,01 (*) ◀</b>
0300010	Beans (Broad beans, navy beans, flageolets, jack beans, lima beans, field beans, cowpeas)	
0300020	Lentils	
0300030	Peas (Chickpeas, field peas, chickling vetch)	
0300040	Lupins	
0300990	Others	
0400000	<b>4. OILSEEDS AND OILFRUITS</b>	<b>► M61 0,01 (*) ◀</b>
0401000	<b>(i) Oilseeds</b>	
0401010	Linseed	
0401020	Peanuts	

▼ **M30**

(1)	(2)	(3)
0401030	Poppy seed	
0401040	Sesame seed	
0401050	Sunflower seed	
0401060	Rape seed (Bird rapeseed, turnip rape)	
0401070	Soya bean	
0401080	Mustard seed	
0401090	Cotton seed	
0401100	Pumpkin seeds (Other seeds of cucurbitacea)	
0401110	Safflower	
0401120	Borage	
0401130	Gold of pleasure	
0401140	Hempseed	
0401150	Castor bean	
0401990	Others	
0402000	(ii) <b>Oilfruits</b>	
0402010	Olives for oil production	
0402020	Palm nuts (palmoil kernels)	
0402030	Palmfruit	
0402040	Kapok	
0402990	Others	
0500000	5. <b>CEREALS</b>	
0500010	Barley	► <b>M61</b> 0,01 (*) ◀
0500020	Buckwheat (Amaranthus, quinoa)	► <b>M61</b> 0,01 (*) ◀
0500030	Maize	► <b>M61</b> 0,01 (*) ◀
0500040	Millet (Foxtail millet, teff)	► <b>M61</b> 0,01 (*) ◀
0500050	Oats	► <b>M61</b> 0,01 (*) ◀
0500060	Rice	► <b>M61</b> 5 ◀
0500070	Rye	► <b>M61</b> 0,01 (*) ◀
0500080	Sorghum	► <b>M61</b> 0,01 (*) ◀
0500090	Wheat (Spelt, triticale)	► <b>M61</b> 0,01 (*) ◀
0500990	Others	► <b>M61</b> 0,01 (*) ◀
0600000	6. <b>TEA, COFFEE, HERBAL INFUSIONS AND COCOA</b>	► <b>M61</b> 0,01 (*) ◀
0610000	(i) <b>Tea (dried leaves and stalks, fermented or otherwise of Camellia sinensis)</b>	
0620000	(ii) <b>Coffee beans</b>	
0630000	(iii) <b>Herbal infusions (dried)</b>	
0631000	(a) <i>Flowers</i>	
0631010	Camomille flowers	
0631020	Hybiscus flowers	
0631030	Rose petals	
0631040	Jasmine flowers (Elderflowers (Sambucus nigra))	

▼ **M30**

(1)	(2)	(3)
0631050	Lime (linden)	
0631990	Others	
0632000	(b) <i>Leaves</i>	
0632010	Strawberry leaves	
0632020	Rooibos leaves (Ginkgo leaves)	
0632030	Maté	
0632990	Others	
0633000	(c) <i>Roots</i>	
0633010	Valerian root	
0633020	Ginseng root	
0633990	Others	
0639000	(d) <i>Other herbal infusions</i>	
0640000	(iv) <b>Cocoa (fermented beans)</b>	
0650000	(v) <b>Carob (st johns bread)</b>	
0700000	7. <b>HOPS (dried), including hop pellets and unconcentrated powder</b>	► <b>M61</b> 0,01 (*) ◀
0800000	8. <b>SPICES</b>	► <b>M61</b> — ◀
0810000	(i) <b>Seeds</b>	► <b>M61</b> 0,01 (*) ◀
0810010	Anise	
0810020	Black caraway	
0810030	Celery seed (Lovage seed)	
0810040	Coriander seed	
0810050	Cumin seed	
0810060	Dill seed	
0810070	Fennel seed	
0810080	Fenugreek	
0810090	Nutmeg	
0810990	Others	
0820000	(ii) <b>Fruits and berries</b>	► <b>M61</b> 0,01 (*) ◀
0820010	Allspice	
0820020	Anise pepper (Japan pepper)	
0820030	Caraway	
0820040	Cardamom	
0820050	Juniper berries	
0820060	Pepper, black and white (Long pepper, pink pepper)	
0820070	Vanilla pods	
0820080	Tamarind	
0820990	Others	

▼ **M30**

(1)	(2)	(3)
0830000	(iii) <b>Bark</b>	► <b>M61</b> 0,01 (*) ◀
0830010	Cinnamon (Cassia)	
0830990	Others	
0840000	(iv) <b>Roots or rhizome</b>	
0840010	Liquorice	► <b>M61</b> 0,01 (*) ◀
0840020	Ginger	► <b>M61</b> 0,01 (*) ◀
0840030	Turmeric (Curcuma)	► <b>M61</b> 0,01 (*) ◀
0840040	Horseradish	► <b>M61</b> (+) ◀
0840990	Others	► <b>M61</b> 0,01 (*) ◀
0850000	(v) <b>Buds</b>	► <b>M61</b> 0,01 (*) ◀
0850010	Cloves	
0850020	Capers	
0850990	Others	
0860000	(vi) <b>Flower stigma</b>	► <b>M61</b> 0,01 (*) ◀
0860010	Saffron	
0860990	Others	
0870000	(vii) <b>Aril</b>	► <b>M61</b> 0,01 (*) ◀
0870010	Mace	
0870990	Others	
0900000	9. <b>SUGAR PLANTS</b>	► <b>M61</b> 0,01 (*) ◀
0900010	Sugar beet (root)	
0900020	Sugar cane	
0900030	Chicory roots	
0900990	Others	
1000000	10. <b>PRODUCTS OF ANIMAL ORIGIN-TERRESTRIAL ANIMALS</b>	► <b>M61</b> — ◀
1010000	(i) <b>Meat, preparations of meat, offals, blood, animal fats fresh chilled or frozen, salted, in brine, dried or smoked or processed as flours or meals other processed products such as sausages and food preparations based on these</b>	► <b>M61</b> 0,01 (*) ◀
1011000	(a) <i>Swine</i>	
1011010	Meat	
1011020	Fat free of lean meat	
1011030	Liver	
1011040	Kidney	
1011050	Edible offal	
1011990	Others	
1012000	(b) <i>Bovine</i>	
1012010	Meat	
1012020	Fat	
1012030	Liver	

▼ **M30**

(1)	(2)	(3)
1012040	Kidney	
1012050	Edible offal	
1012990	Others	
1013000	(c) <i>Sheep</i>	
1013010	Meat	
1013020	Fat	
1013030	Liver	
1013040	Kidney	
1013050	Edible offal	
1013990	Others	
1014000	(d) <i>Goat</i>	
1014010	Meat	
1014020	Fat	
1014030	Liver	
1014040	Kidney	
1014050	Edible offal	
1014990	Others	
1015000	(e) <i>Horses, asses, mules or hinnies</i>	
1015010	Meat	
1015020	Fat	
1015030	Liver	
1015040	Kidney	
1015050	Edible offal	
1015990	Others	
1016000	(f) <i>Poultry -chicken, geese, duck, turkey and Guinea fowl-, ostrich, pigeon</i>	
1016010	Meat	
1016020	Fat	
1016030	Liver	
1016040	Kidney	
1016050	Edible offal	
1016990	Others	
1017000	(g) <i>Other farm animals (Rabbit, Kangaroo)</i>	
1017010	Meat	
1017020	Fat	
1017030	Liver	
1017040	Kidney	

▼ **M30**

(1)	(2)	(3)
1017050	Edible offal	
1017990	Others	
1020000	(ii) <b>Milk and cream, not concentrated, nor containing added sugar or sweetening matter, butter and other fats derived from milk, cheese and curd</b>	► <b>M61</b> 0,01 (*) ◀
1020010	Cattle	
1020020	Sheep	
1020030	Goat	
1020040	Horse	
1020990	Others	
1030000	(iii) <b>Birds' eggs, fresh preserved or cooked Shelled eggs and egg yolks fresh, dried, cooked by steaming or boiling in water, moulded, frozen or otherwise preserved whether or not containing added sugar or sweetening matter</b>	► <b>M61</b> 0,01 (*) ◀
1030010	Chicken	
1030020	Duck	
1030030	Goose	
1030040	Quail	
1030990	Others	
1040000	(iv) <b>Honey (Royal jelly, pollen)</b>	► <b>M61</b> 0,05 (*) ◀
1050000	(v) <b>Amphibians and reptiles (Frog legs, crocodiles)</b>	► <b>M61</b> 0,01 (*) ◀
1060000	(vi) <b>Snails</b>	► <b>M61</b> 0,01 (*) ◀
1070000	(vii) <b>Other terrestrial animal products</b>	► <b>M61</b> 0,01 (*) ◀

▼ **M37****Pesticide residues and maximum residue levels (mg/kg)**

Code number	Groups and examples of individual products to which the MRLs apply (e)	► <b>M74</b> Penthiopyrad ◀
(1)	(2)	(3)
0100000	1. <b>FRUIT FRESH OR FROZEN; NUTS</b>	
0110000	(i) <b>Citrus fruit</b>	► <b>M74</b> 0,01 (*) ◀
0110010	Grapefruit (Shaddocks, pomelos, sweeties, tangelo (except mineola), ugli and other hybrids)	
0110020	Oranges (Bergamot, bitter orange, chinotto and other hybrids)	
0110030	Lemons (Citron, lemon)	
0110040	Limes	
0110050	Mandarins (Clementine, tangerine, mineola and other hybrids)	
0110990	Others	
0120000	(ii) <b>Tree nuts (shelled or unshelled)</b>	► <b>M74</b> 0,05 ◀
0120010	Almonds	► <b>M56</b> — ◀
0120020	Brazil nuts	► <b>M56</b> — ◀
0120030	Cashew nuts	► <b>M56</b> — ◀
0120040	Chestnuts	► <b>M56</b> — ◀
0120050	Coconuts	► <b>M56</b> — ◀
0120060	Hazelnuts (Filbert)	► <b>M56</b> — ◀
0120070	Macadamia	► <b>M56</b> — ◀
0120080	Pecans	► <b>M56</b> — ◀
0120090	Pine nuts	► <b>M56</b> — ◀
0120100	Pistachios	► <b>M56</b> — ◀
0120110	Walnuts	► <b>M56</b> — ◀
0120990	Others	► <b>M56</b> — ◀
0130000	(iii) <b>Pome fruit</b>	► <b>M74</b> 0,5 ◀
0130010	Apples (Crab apple)	
0130020	Pears (Oriental pear)	
0130030	Quinces	
0130040	Medlar	
0130050	Loquat	
0130990	Others	
0140000	(iv) <b>Stone fruit</b>	
0140010	Apricots	► <b>M74</b> 0,01 (*) ◀
0140020	Cherries (sweet cherries, sour cherries)	► <b>M74</b> 4 ◀
0140030	Peaches (Nectarines and similar hybrids)	► <b>M74</b> 2 ◀
0140040	Plums (Damson, greengage, mirabelle, sloe)	► <b>M74</b> 1,5 ◀



▼ **M37**

(1)	(2)	(3)
0140990	Others	► <b>M74</b> 0,01 (*) ◀
0150000	(v) <b>Berries &amp; small fruit</b>	
0151000	(a) <i>Table and wine grapes</i>	► <b>M74</b> 0,01 (*) ◀
0151010	Table grapes	
0151020	Wine grapes	
0152000	(b) <i>Strawberries</i>	► <b>M74</b> 3 ◀
0153000	(c) <i>Cane fruit</i>	► <b>M74</b> 0,01 (*) ◀
0153010	Blackberries	
0153020	Dewberries (Loganberries, boysenberries, and cloudberries)	
0153030	Raspberries (Wineberries, arctic bramble/raspberry, ( <i>Rubus arcticus</i> ), nectar raspberries ( <i>Rubus arcticus x idaeus</i> ))	
0153990	Others	
0154000	(d) <i>Other small fruit &amp; berries</i>	► <b>M74</b> — ◀
0154010	Blueberries (Bilberries)	► <b>M74</b> 0,01 (*) ◀
0154020	Cranberries (Cowberries (red bilberries))	► <b>M74</b> 0,01 (*) ◀
0154030	Currants (red, black and white)	► <b>M74</b> 0,01 (*) ◀
0154040	Gooseberries (Including hybrids with other ribes species)	► <b>M74</b> 0,01 (*) ◀
0154050	Rose hips	► <b>M74</b> 0,01 (*) ◀
0154060	Mulberries (arbutus berry)	► <b>M74</b> 0,01 (*) ◀
0154070	Azarole (mediteranean medlar) (Kiwiberry ( <i>Actinidia arguta</i> ))	► <b>M74</b> 0,4 ◀
0154080	Elderberries (Black chokeberry (appleberry), mountain ash, buckthorn (sea sallowthorn), hawthorn, service berries, and other treeberries)	► <b>M74</b> 0,01 (*) ◀
0154990	Others	► <b>M74</b> 0,01 (*) ◀
0160000	(vi) <b>Miscellaneous fruit</b>	► <b>M74</b> — ◀
0161000	(a) <i>Edible peel</i>	
0161010	Dates	► <b>M74</b> 0,01 (*) ◀
0161020	Figs	► <b>M74</b> 0,01 (*) ◀
0161030	Table olives	► <b>M74</b> 0,01 (*) ◀
0161040	Kumquats (Marumi kumquats, nagami kumquats, limequats ( <i>Citrus aurantifolia x Fortunella</i> spp.))	► <b>M74</b> 0,01 (*) ◀
0161050	Carambola (Bilimbi)	► <b>M74</b> 0,01 (*) ◀
0161060	Persimmon	► <b>M74</b> 0,4 ◀
0161070	Jambolan (java plum) (Java apple (water apple), pomerac, rose apple, Brazilian cherry, Surinam cherry (grumichama <i>Eugenia uniflora</i> ),)	► <b>M74</b> 0,01 (*) ◀
0161990	Others	► <b>M74</b> 0,01 (*) ◀
0162000	(b) <i>Inedible peel, small</i>	► <b>M74</b> 0,01 (*) ◀
0162010	Kiwi	

▼ **M37**

(1)	(2)	(3)
0162020	Lychee (Litchi) (Pulasan, rambutan (hairy litchi), mangosteen)	
0162030	Passion fruit	
0162040	Prickly pear (cactus fruit)	
0162050	Star apple	
0162060	American persimmon (Virginia kaki) (Black sapote, white sapote, green sapote, canistel (yellow sapote), and mammey sapote)	
0162990	Others	
0163000	(c) <i>Inedible peel, large</i>	► <b>M74</b> 0,01 (*) ◀
0163010	Avocados	
0163020	Bananas (Dwarf banana, plantain, apple banana)	
0163030	Mangoes	
0163040	Papaya	
0163050	Pomegranate	
0163060	Cherimoya (Custard apple, sugar apple (sweetsop), llama and other medium-sized Annonaceae)	
0163070	Guava (Red pitaya or dragon fruit ( <i>Hylocereus undatus</i> ))	
0163080	Pineapples	
0163090	Bread fruit (Jackfruit)	
0163100	Durian	
0163110	Soursop (guanabana)	
0163990	Others	
0200000	<b>2. VEGETABLES FRESH OR FROZEN</b>	
0210000	(i) <b>Root and tuber vegetables</b>	
0211000	(a) <i>Potatoes</i>	► <b>M74</b> 0,05 ◀
0212000	(b) <i>Tropical root and tuber vegetables</i>	► <b>M74</b> 0,04 ◀
0212010	Cassava (Dasheen, eddoe (Japanese taro), tannia)	
0212020	Sweet potatoes	
0212030	Yams (Potato bean (yam bean), Mexican yam bean)	
0212040	Arrowroot	
0212990	Others	
0213000	(c) <i>Other root and tuber vegetables except sugar beet</i>	
0213010	Beetroot	► <b>M74</b> 0,6 ◀
0213020	Carrots	► <b>M74</b> 0,6 ◀
0213030	Celeriac	► <b>M74</b> 0,6 ◀
0213040	Horseradish (Angelica roots, lovage roots, gentiana roots)	► <b>M74</b> 0,6 ◀
0213050	Jerusalem artichokes	► <b>M74</b> 0,6 ◀

▼ **M37**

(1)	(2)	(3)
0213060	Parsnips	► <b>M74</b> 0,6 ◄
0213070	Parsley root	► <b>M74</b> 0,6 ◄
0213080	Radishes (Black radish, Japanese radish, small radish and similar varieties, tiger nut ( <i>Cyperus esculentus</i> ))	► <b>M74</b> 3 ◄
0213090	Salsify (Scorzoneria, Spanish salsify (Spanish oyster-plant))	► <b>M74</b> 0,6 ◄
0213100	Swedes	► <b>M74</b> 0,6 ◄
0213110	Turnips	► <b>M74</b> 0,6 ◄
0213990	Others	► <b>M74</b> 0,6 ◄
0220000	(ii) <b>Bulb vegetables</b>	
0220010	Garlic	► <b>M74</b> 0,8 ◄
0220020	Onions (Silverskin onions)	► <b>M74</b> 0,8 ◄
0220030	Shallots	► <b>M74</b> 0,8 ◄
0220040	Spring onions (Welsh onion and similar varieties)	► <b>M74</b> 4 ◄
0220990	Others	► <b>M74</b> 0,8 ◄
0230000	(iii) <b>Fruiting vegetables</b>	
0231000	(a) <i>Solanacea</i>	► <b>M74</b> 2 ◄
0231010	Tomatoes (Cherry tomatoes, tree tomato, Physalis, goji-berry, wolfberry ( <i>Lycium barbarum</i> and <i>L. chinense</i> ))	► <b>M56</b> — ◄
0231020	Peppers (Chilli peppers)	► <b>M56</b> — ◄
0231030	Aubergines (egg plants) (Pepino)	► <b>M56</b> — ◄
0231040	Okra, lady's fingers	► <b>M56</b> — ◄
0231990	Others	► <b>M56</b> — ◄
0232000	(b) <i>Cucurbits — edible peel</i>	► <b>M74</b> 0,7 ◄
0232010	Cucumbers	
0232020	Gherkins	
0232030	Courgettes (Summer squash, marrow (patisson))	
0232990	Others	
0233000	(c) <i>Cucurbits — inedible peel</i>	► <b>M74</b> 0,6 ◄
0233010	Melons (Kiwano)	
0233020	Pumpkins (Winter squash)	
0233030	Watermelons	
0233990	Others	
0234000	(d) <i>Sweet corn</i>	► <b>M74</b> 0,02 ◄
0239000	(e) <i>Other fruiting vegetables</i>	► <b>M74</b> 0,01 (*) ◄
0240000	(iv) <b>Brassica vegetables</b>	
0241000	(a) <i>Flowering brassica</i>	► <b>M74</b> 4 ◄
0241010	Broccoli (Calabrese, Chinese broccoli, broccoli raab)	
0241020	Cauliflower	

▼ **M37**

(1)	(2)	(3)
0241990	Others	
0242000	(b) <i>Head brassica</i>	
0242010	Brussels sprouts	► <b>M74</b> 0,01 (*) ◀
0242020	Head cabbage (Pointed head cabbage, red cabbage, savoy cabbage, white cabbage)	► <b>M74</b> 4 ◀
0242990	Others	► <b>M74</b> 0,01 (*) ◀
0243000	(c) <i>Leafy brassica</i>	► <b>M74</b> 0,01 (*) ◀
0243010	Chinese cabbage (Indian (Chinese) mustard, pak choi, Chinese flat cabbage (tai goo choi), choi sum, peking cabbage (pe-tsai))	
0243020	Kale (Borecole (curly kale), collards, Portuguese Kale, Portuguese cabbage, cow cabbage)	
0243990	Others	
0244000	(d) <i>Kohlrabi</i>	► <b>M74</b> 0,01 (*) ◀
0250000	(v) <b>Leaf vegetables &amp; fresh herbs</b>	
0251000	(a) <i>Lettuce and other salad plants including Brassicacea</i>	
0251010	Lamb's lettuce (Italian cornsalad)	► <b>M74</b> 15 ◀
0251020	Lettuce (Head lettuce, lollo rosso (cutting lettuce), iceberg lettuce, romaine (cos) lettuce)	► <b>M74</b> 15 ◀
0251030	Scarole (broad-leaf endive) (Wild chicory, red-leaved chicory, radicchio, curld leave endive, sugar loaf)	► <b>M74</b> 0,01 (*) ◀
0251040	Cress	► <b>M74</b> 15 ◀
0251050	Land cress	► <b>M74</b> 15 ◀
0251060	Rocket, Rucola (Wild rocket)	► <b>M74</b> 15 ◀
0251070	Red mustard	► <b>M74</b> 15 ◀
0251080	Leaves and sprouts of <i>Brassica</i> spp. (Mizuna, leaves of peas and radish and other babyleaf brassica crops (crops harvested up to 8 true leaf stage))	► <b>M74</b> 50 ◀
0251990	Others	► <b>M74</b> 15 ◀
0252000	(b) <i>Spinach &amp; similar (leaves)</i>	► <b>M74</b> 30 ◀
0252010	Spinach (New Zealand spinach, amaranthus spinach)	
0252020	Purslane (Winter purslane (miner's lettuce), garden purslane, common purslane, sorrel, glasswort, Agretti ( <i>Salsola soda</i> ))	
0252030	Beet leaves (chard) (Leaves of beetroot)	
0252990	Others	
0253000	(c) <i>Vine leaves (grape leaves)</i>	► <b>M74</b> 0,01 (*) ◀
0254000	(d) <i>Water cress</i>	► <b>M74</b> 0,01 (*) ◀
0255000	(e) <i>Witloof</i>	► <b>M74</b> 0,01 (*) ◀

▼ **M37**

(1)	(2)	(3)
0256000	(f) <i>Herbs</i>	
0256010	Chervil	► <u>M74</u> 20 ◀
0256020	Chives	► <u>M74</u> 0,01 (*) ◀
0256030	Celery leaves (Fennel leaves, Coriander leaves, dill leaves, Caraway leaves, lovage, angelica, sweet cicely and other <i>Apiacea</i> leaves)	► <u>M74</u> 0,01 (*) ◀
0256040	Parsley	► <u>M74</u> 20 ◀
0256050	Sage (Winter savory, summer savory)	► <u>M74</u> 0,01 (*) ◀
0256060	Rosemary	► <u>M74</u> 0,01 (*) ◀
0256070	Thyme (Marjoram, oregano)	► <u>M74</u> 0,01 (*) ◀
0256080	Basil (Balm leaves, mint, peppermint)	► <u>M74</u> 0,01 (*) ◀
0256090	Bay leaves (laurel)	► <u>M74</u> 0,01 (*) ◀
0256100	Tarragon (Hyssop)	► <u>M74</u> 0,01 (*) ◀
0256990	Others (Edible flowers)	► <u>M74</u> 0,01 (*) ◀
0260000	(vi) <b>Legume vegetables (fresh)</b>	
0260010	Beans (with pods) (Green bean (french beans, snap beans), scarlet runner bean, slicing bean, yardlong beans)	► <u>M74</u> 3 ◀
0260020	Beans (without pods) (Broad beans, Flageolets, jack bean, lima bean, cowpea)	► <u>M74</u> 0,4 ◀
0260030	Peas (with pods) (Mangetout (sugar peas, snow peas))	► <u>M74</u> 4 ◀
0260040	Peas (without pods) (Garden pea, green pea, chickpea)	► <u>M74</u> 0,3 ◀
0260050	Lentils	► <u>M74</u> 0,01 (*) ◀
0260990	Others	► <u>M74</u> 0,01 (*) ◀
0270000	(vii) <b>Stem vegetables (fresh)</b>	
0270010	Asparagus	► <u>M74</u> 0,01 (*) ◀
0270020	Cardoons	► <u>M74</u> 15 ◀
0270030	Celery	► <u>M74</u> 15 ◀
0270040	Fennel	► <u>M74</u> 15 ◀
0270050	Globe artichokes	► <u>M74</u> 0,01 (*) ◀
0270060	Leek	► <u>M74</u> 3 ◀
0270070	Rhubarb	► <u>M74</u> 15 ◀
0270080	Bamboo shoots	► <u>M74</u> 0,01 (*) ◀
0270090	Palm hearts	► <u>M74</u> 0,01 (*) ◀
0270990	Others	► <u>M74</u> 0,01 (*) ◀
0280000	(viii) <b>Fungi</b>	► <u>M74</u> 0,01 (*) ◀
0280010	Cultivated (Common mushroom, Oyster mushroom, Shitake)	
0280020	Wild (Chanterelle, Truffle, Morel, Cep)	
0280990	Others	

▼ **M37**

(1)	(2)	(3)
0290000	(ix) <b>Sea weeds</b>	► <b>M74</b> 0,01 (*) ◀
0300000	3. <b>PULSES, DRY</b>	► <b>M74</b> 0,3 ◀
0300010	Beans (Broad beans, navy beans, flageolets, jack beans, lima beans, field beans, cowpeas)	
0300020	Lentils	
0300030	Peas (Chickpeas, field peas, chickling vetch)	
0300040	Lupins	
0300990	Others	
0400000	4. <b>OILSEEDS AND OILFRUITS</b>	
0401000	(i) <b>Oilseeds</b>	
0401010	Linseed	► <b>M74</b> 0,01 (*) ◀
0401020	Peanuts	► <b>M74</b> 0,05 ◀
0401030	Poppy seed	► <b>M74</b> 0,01 (*) ◀
0401040	Sesame seed	► <b>M74</b> 0,01 (*) ◀
0401050	Sunflower seed	► <b>M74</b> 1,5 ◀
0401060	Rape seed (Bird rapeseed, turnip rape)	► <b>M74</b> 0,5 ◀
0401070	Soya bean	► <b>M74</b> 0,3 ◀
0401080	Mustard seed	► <b>M74</b> 0,01 (*) ◀
0401090	Cotton seed	► <b>M74</b> 0,5 ◀
0401100	Pumpkin seeds (Other seeds of <i>cucurbitacea</i> )	► <b>M74</b> 0,01 (*) ◀
0401110	Safflower	► <b>M74</b> 0,01 (*) ◀
0401120	Borage	► <b>M74</b> 0,01 (*) ◀
0401130	Gold of pleasure	► <b>M74</b> 0,01 (*) ◀
0401140	Hempseed	► <b>M74</b> 0,01 (*) ◀
0401150	Castor bean	► <b>M74</b> 0,01 (*) ◀
0401990	Others	► <b>M74</b> 0,01 (*) ◀
0402000	(ii) <b>Oilfruits</b>	► <b>M74</b> 0,01 (*) ◀
0402010	Olives for oil production	
0402020	Palm nuts (palmoil kernels)	
0402030	Palmfruit	
0402040	Kapok	
0402990	Others	
0500000	5. <b>CEREALS</b>	
0500010	Barley	► <b>M74</b> 0,2 ◀
0500020	Buckwheat (Amaranthus, quinoa)	► <b>M74</b> 0,01 (*) ◀
0500030	Maize	► <b>M74</b> 0,01 ◀
0500040	Millet (Foxtail millet, teff)	► <b>M74</b> 0,8 ◀
0500050	Oats	► <b>M74</b> 0,2 ◀

▼ **M37**

(1)	(2)	(3)
0500060	Rice	► <b>M74</b> 0,01 (*) ◀
0500070	Rye	► <b>M74</b> 0,1 ◀
0500080	Sorghum	► <b>M74</b> 0,8 ◀
0500090	Wheat (Spelt, triticale)	► <b>M74</b> 0,1 ◀
0500990	Others	► <b>M74</b> 0,01 (*) ◀
0600000	<b>6. TEA, COFFEE, HERBAL INFUSIONS AND COCOA</b>	► <b>M74</b> 0,02 (*) ◀
0610000	(i) <b>Tea (dried leaves and stalks, fermented or otherwise of <i>Camellia sinensis</i>)</b>	
0620000	(ii) <b>Coffee beans</b>	
0630000	(iii) <b>Herbal infusions (dried)</b>	
0631000	(a) <i>Flowers</i>	
0631010	Camomille flowers	
0631020	Hybiscus flowers	
0631030	Rose petals	
0631040	Jasmine flowers (Elderflowers ( <i>Sambucus nigra</i> ))	
0631050	Lime (linden)	
0631990	Others	
0632000	(b) <i>Leaves</i>	
0632010	Strawberry leaves	
0632020	Rooibos leaves ( <i>Ginkgo</i> leaves)	
0632030	Maté	
0632990	Others	
0633000	(c) <i>Roots</i>	
0633010	Valerian root	
0633020	Ginseng root	
0633990	Others	
0639000	(d) <i>Other herbal infusions</i>	
0640000	(iv) <b>Cocoa (fermented beans)</b>	
0650000	(v) <b>Carob (St Johns bread)</b>	
0700000	<b>7. HOPS (dried), including hop pellets and unconcentrated powder</b>	► <b>M74</b> 0,02 (*) ◀
0800000	<b>8. SPICES</b>	► <b>M56</b> — ◀
0810000	(i) <b>Seeds</b>	► <b>M74</b> 0,02 (*) ◀
0810010	Anise	
0810020	Black caraway	
0810030	Celery seed ( <i>Lovage</i> seed)	
0810040	Coriander seed	
0810050	Cumin seed	

▼ **M37**

(1)	(2)	(3)
0810060	Dill seed	
0810070	Fennel seed	
0810080	Fenugreek	
0810090	Nutmeg	
0810990	Others	
0820000	(ii) <b>Fruits and berries</b>	► <b>M74</b> 0,02 (*) ◀
0820010	Allspice	
0820020	Anise pepper (Japan pepper)	
0820030	Caraway	
0820040	Cardamom	
0820050	Juniper berries	
0820060	Pepper, black and white (Long pepper, pink pepper)	
0820070	Vanilla pods	
0820080	Tamarind	
0820990	Others	
0830000	(iii) <b>Bark</b>	► <b>M74</b> 0,02 (*) ◀
0830010	Cinnamon (Cassia)	
0830990	Others	
0840000	(iv) <b>Roots or rhizome</b>	
0840010	Liquorice	► <b>M74</b> 0,02 (*) ◀
0840020	Ginger	► <b>M74</b> 0,02 (*) ◀
0840030	Turmeric (Curcuma)	► <b>M74</b> 0,02 (*) ◀
0840040	Horseradish	► <b>M74</b> (+) ◀
0840990	Others	► <b>M74</b> 0,02 (*) ◀
0850000	(v) <b>Buds</b>	► <b>M74</b> 0,02 (*) ◀
0850010	Cloves	
0850020	Capers	
0850990	Others	
0860000	(vi) <b>Flower stigma</b>	► <b>M74</b> 0,02 (*) ◀
0860010	Saffron	
0860990	Others	
0870000	(vii) <b>Aril</b>	► <b>M74</b> 0,02 (*) ◀
0870010	Mace	
0870990	Others	
0900000	9. <b>SUGAR PLANTS</b>	
0900010	Sugar beet (root)	► <b>M74</b> 0,5 ◀
0900020	Sugar cane	► <b>M74</b> 0,01 (*) ◀



▼ **M37**

(1)	(2)	(3)
0900030	Chicory roots	► <b>M74</b> 0,01 (*) ◀
0900990	Others	► <b>M74</b> 0,01 (*) ◀
1000000	<b>10. PRODUCTS OF ANIMAL ORIGIN — TERRESTRIAL ANIMALS</b>	
1010000	(i) <b>Meat, preparations of meat, offals, blood, animal fats fresh chilled or frozen, salted, in brine, dried or smoked or processed as flours or meals other processed products such as sausages and food preparations based on these</b>	► <b>M74</b> 0,01 (*) ◀
1011000	(a) <i>Swine</i>	
1011010	Meat	
1011020	Fat free of lean meat	
1011030	Liver	
1011040	Kidney	
1011050	Edible offal	
1011990	Others	
1012000	(b) <i>Bovine</i>	
1012010	Meat	
1012020	Fat	
1012030	Liver	
1012040	Kidney	
1012050	Edible offal	
1012990	Others	
1013000	(c) <i>Sheep</i>	
1013010	Meat	
1013020	Fat	
1013030	Liver	
1013040	Kidney	
1013050	Edible offal	
1013990	Others	
1014000	(d) <i>Goat</i>	
1014010	Meat	
1014020	Fat	
1014030	Liver	
1014040	Kidney	
1014050	Edible offal	
1014990	Others	
1015000	(e) <i>Horses, asses, mules or hinnies</i>	
1015010	Meat	
1015020	Fat	

▼ **M37**

(1)	(2)	(3)
1015030	Liver	
1015040	Kidney	
1015050	Edible offal	
1015990	Others	
1016000	(f) <i>Poultry — chicken, geese, duck, turkey and Guinea fowl —, ostrich, pigeon</i>	
1016010	Meat	
1016020	Fat	
1016030	Liver	
1016040	Kidney	
1016050	Edible offal	
1016990	Others	
1017000	(g) <i>Other farm animals (Rabbit, Kangaroo)</i>	
1017010	Meat	
1017020	Fat	
1017030	Liver	
1017040	Kidney	
1017050	Edible offal	
1017990	Others	
1020000	(ii) <b>Milk and cream, not concentrated, nor containing added sugar or sweetening matter, butter and other fats derived from milk, cheese and curd</b>	► <b>M74</b> 0,01 (*) ◀
1020010	Cattle	
1020020	Sheep	
1020030	Goat	
1020040	Horse	
1020990	Others	
1030000	(iii) <b>Birds' eggs, fresh preserved or cooked; Shelled eggs and egg yolks fresh, dried, cooked by steaming or boiling in water, moulded, frozen or otherwise preserved whether or not containing added sugar or sweetening matter</b>	► <b>M74</b> 0,01 (*) ◀
1030010	Chicken	
1030020	Duck	
1030030	Goose	
1030040	Quail	
1030990	Others	
1040000	(iv) <b>Honey (Royal jelly, pollen)</b>	► <b>M74</b> 0,05 (*) ◀
1050000	(v) <b>Amphibians and reptiles (Frog legs, crocodiles)</b>	► <b>M74</b> 0,01 (*) ◀
1060000	(vi) <b>Snails</b>	► <b>M74</b> 0,01 (*) ◀
1070000	(vii) <b>Other terrestrial animal products</b>	► <b>M74</b> 0,01 (*) ◀

▼ **M44****Pesticide residues and maximum residue levels (mg/kg)**

Code number	Groups and examples of individual products to which the MRLs apply <sup>(e)</sup>	8-hydroxyquinoline (sum of 8-hydroxyquinoline and its salts, expressed as 8-hydroxyquinoline)
(1)	(2)	(3)
0100000	<b>1. FRUIT FRESH OR FROZEN NUTS</b>	<b>0,01 (*)</b>
0110000	(i) <b>Citrus fruit</b>	
0110010	Grapefruit (Shaddocks, pomelos, sweeties, tangelo (except mineola), ugli and other hybrids)	
0110020	Oranges (Bergamot, bitter orange, chinotto and other hybrids)	
0110030	Lemons (Citron, lemon, Buddha's hand ( <i>Citrus medica</i> var. <i>sarcodactylis</i> ))	
0110040	Limes	
0110050	Mandarins (Clementine, tangerine, mineola and other hybrids tangor ( <i>Citrus reticulata</i> x <i>sinensis</i> ))	
0110990	Others	
0120000	(ii) <b>Tree nuts</b>	
0120010	Almonds	
0120020	Brazil nuts	
0120030	Cashew nuts	
0120040	Chestnuts	
0120050	Coconuts	
0120060	Hazelnuts (Filbert)	
0120070	Macadamia	
0120080	Pecans	
0120090	Pine nuts	
0120100	Pistachios	
0120110	Walnuts	
0120990	Others	
0130000	(iii) <b>Pome fruit</b>	
0130010	Apples (Crab apple)	
0130020	Pears (Oriental pear)	
0130030	Quinces	
0130040	Medlar	
0130050	Loquat	
0130990	Others	
0140000	(iv) <b>Stone fruit</b>	
0140010	Apricots	
0140020	Cherries (Sweet cherries, sour cherries)	
0140030	Peaches (Nectarines and similar hybrids)	
0140040	Plums (Damson, greengage, mirabelle, sloe, red date/Chinese date/Chinese jujube ( <i>Ziziphus zizyphus</i> ))	

▼ **M44**

(1)	(2)	(3)
0140990	Others	
0150000	(v) <b>Berries &amp; small fruit</b>	
0151000	(a) <i>Table and wine grapes</i>	
0151010	Table grapes	
0151020	Wine grapes	
0152000	(b) <i>Strawberries</i>	
0153000	(c) <i>Cane fruit</i>	
0153010	Blackberries	
0153020	Dewberries (Loganberries, tayberries, boysenberries, cloudberrries and other <i>Rubus</i> hybrids)	
0153030	Raspberries (Wineberries, arctic bramble/raspberry, ( <i>Rubus arcticus</i> ), nectar raspberries ( <i>Rubus arcticus</i> x <i>Rubus idaeus</i> ))	
0153990	Others	
0154000	(d) <i>Other small fruit &amp; berries</i>	
0154010	Blueberries (Bilberries)	
0154020	Cranberries (Cowberries/red bilberries ( <i>V. vitis-idaea</i> ))	
0154030	Currants (red, black and white)	
0154040	Gooseberries (Including hybrids with other <i>Ribes</i> species)	
0154050	Rose hips	
0154060	Mulberries (Arbutus berry)	
0154070	Azarole (mediteranean medlar) (Kiwiberry ( <i>Actinidia arguta</i> ))	
0154080	Elderberries (Black chokeberry/appleberry, mountain ash, buckthorn/sea shallowthorn, hawthorn, service-berries, and other treeberries)	
0154990	Others	
0160000	(vi) <b>Miscellaneous fruit</b>	
0161000	(a) <i>Edible peel</i>	
0161010	Dates	
0161020	Figs	
0161030	Table olives	
0161040	Kumquats (Marumi kumquats, nagami kumquats, limequats ( <i>Citrus aurantifolia</i> x <i>Fortunella</i> spp.))	
0161050	Carambola (Bilimbi)	
0161060	Persimmon	
0161070	Jambolan (java plum) (Java apple/water apple, pomerac, rose apple, Brazilian cherry, Surinam cherry/ grumichama ( <i>Eugenia uniflora</i> ))	
0161990	Others	
0162000	(b) <i>Inedible peel, small</i>	
0162010	Kiwi	

▼ **M44**

(1)	(2)	(3)
0162020	Lychee (Litchi) (Pulasan, rambutan/hairy litchi, longan, mangosteen, langsung, salak)	
0162030	Passion fruit	
0162040	Prickly pear (cactus fruit)	
0162050	Star apple	
0162060	American persimmon (Virginia kaki) (Black sapote, white sapote, green sapote, canistel/yellow sapote, mammey sapote)	
0162990	Others	
0163000	(c) <i>Inedible peel, large</i>	
0163010	Avocados	
0163020	Bananas (Dwarf banana, plantain, apple banana)	
0163030	Mangoes	
0163040	Papaya	
0163050	Pomegranate	
0163060	Cherimoya (Custard apple, sugar apple/sweetsop, ilama ( <i>Annona diversifolia</i> ) and other medium sized <i>Annonaceae</i> fruits)	
0163070	Guava (Red pitaya/dragon fruit ( <i>Hylocereus undatus</i> ))	
0163080	Pineapples	
0163090	Bread fruit (Jackfruit)	
0163100	Durian	
0163110	Soursop (guanabana)	
0163990	Others	
0200000	<b>2. VEGETABLES FRESH OR FROZEN</b>	
0210000	(i) <b>Root and tuber vegetables</b>	<b>0,01 (*)</b>
0211000	(a) <i>Potatoes</i>	
0212000	(b) <i>Tropical root and tuber vegetables</i>	
0212010	Cassava (Dasheen, eddoe/Japanese taro, tannia)	
0212020	Sweet potatoes	
0212030	Yams (Potato bean/yam bean, Mexican yam bean)	
0212040	Arrowroot	
0212990	Others	
0213000	(c) <i>Other root and tuber vegetables except sugar beet</i>	
0213010	Beetroot	
0213020	Carrots	
0213030	Celeriac	
0213040	Horseradish (Angelica roots, lovage roots, gentiana roots)	
0213050	Jerusalem artichokes (Crosne)	

▼ **M44**

(1)	(2)	(3)
0213060	Parsnips	
0213070	Parsley root	
0213080	Radishes (Black radish, Japanese radish, small radish and similar varieties, tiger nut ( <i>Cyperus esculentus</i> ))	
0213090	Salsify (Scorzoneria, Spanish salsify/Spanish oysterplant, edible burdock)	
0213100	Swedes	
0213110	Turnips	
0213990	Others	
0220000	(ii) <b>Bulb vegetables</b>	<b>0,01 (*)</b>
0220010	Garlic	
0220020	Onions (Other bulb onions, silverskin onions)	
0220030	Shallots	
0220040	Spring onions and welsh onions (Other green onions and similar varieties)	
0220990	Others	
0230000	(iii) <b>Fruiting vegetables</b>	
0231000	(a) <i>Solanacea</i>	
0231010	Tomatoes (Cherry tomatoes, <i>Physalis</i> spp., gojiberry, wolfberry ( <i>Lycium barbarum</i> and <i>L. chinense</i> ), tree tomato)	<b>0,1</b>
0231020	Peppers (Chilli peppers)	<b>0,01 (*)</b>
0231030	Aubergines (egg plants) (Pepino, antroewa/white eggplant ( <i>S. macrocarpon</i> ))	<b>0,01 (*)</b>
0231040	Okra (lady's fingers)	<b>0,01 (*)</b>
0231990	Others	<b>0,01 (*)</b>
0232000	(b) <i>Cucurbits — edible peel</i>	<b>0,01 (*)</b>
0232010	Cucumbers	
0232020	Gherkins	
0232030	Courgettes (Summer squash, marrow (patisson), lauki ( <i>Lagenaria siceraria</i> ), chayote, sopropo/bitter melon, snake gourd, angled luffa/teroi)	
0232990	Others	
0233000	(c) <i>Cucurbits-inedible peel</i>	<b>0,01 (*)</b>
0233010	Melons (Kiwano)	
0233020	Pumpkins (Winter squash, marrow (late variety))	
0233030	Watermelons	
0233990	Others	
0234000	(d) <i>Sweet corn (Baby corn)</i>	<b>0,01 (*)</b>
0239000	(e) <i>Other fruiting vegetables</i>	<b>0,01 (*)</b>
0240000	(iv) <b>Brassica vegetables</b>	<b>0,01 (*)</b>
0241000	(a) <i>Flowering brassica</i>	
0241010	Broccoli (Calabrese, Broccoli raab, Chinese broccoli)	
0241020	Cauliflower	

▼ **M44**

(1)	(2)	(3)
0241990	Others	
0242000	(b) <i>Head brassica</i>	
0242010	Brussels sprouts	
0242020	Head cabbage (Pointed head cabbage, red cabbage, savoy cabbage, white cabbage)	
0242990	Others	
0243000	(c) <i>Leafy brassica</i>	
0243010	Chinese cabbage (Indian or Chinese) mustard, pak choi, Chinese flat cabbage/ai goo choi, choi sum, Peking cabbage/pe-tsai	
0243020	Kale (Borecole/curly kale, collards, Portuguese Kale, Portuguese cabbage, cow cabbage)	
0243990	Others	
0244000	(d) <i>Kohlrabi</i>	
0250000	(v) <b>Leaf vegetables &amp; fresh herbs</b>	<b>0,01 (*)</b>
0251000	(a) <i>Lettuce and other salad plants including Brassicacea</i>	
0251010	Lamb's lettuce (Italian corn salad)	
0251020	Lettuce (Head lettuce, lollo rosso (cutting lettuce), iceberg lettuce, romaine (cos) lettuce)	
0251030	Scarole (broad-leaf endive) (Wild chicory, red-leaved chicory, radicchio, curly leaf endive, sugar loaf ( <i>C. endivia</i> var. <i>crispum</i> / <i>C. intybus</i> var. <i>foliosum</i> ), dandelion greens)	
0251040	Cress (Mung bean sprouts, alfalfa sprouts)	
0251050	Land cress	
0251060	Rocket, Rucola (Wild rocket ( <i>Diplotaxis</i> spp.))	
0251070	Red mustard	
0251080	Leaves and sprouts of <i>Brassica</i> spp, including turnip greens (Mizuna, leaves of peas and radish and other babyleaf crops, including brassica crops (crops harvested up to 8 true leaf stage), kohlrabi leaves)	
0251990	Others	
0252000	(b) <i>Spinach &amp; similar (leaves)</i>	
0252010	Spinach (New Zealand spinach, amaranthus spinach (pak-khom, tampara), tajar leaves, bitterblad/bitawiri)	
0252020	Purslane (Winter purslane/miner's lettuce, garden purslane, common purslane, sorrel, glassworth, agretti ( <i>Salsola soda</i> ))	
0252030	Beet leaves (chard) (Leaves of beetroot)	
0252990	Others	
0253000	(c) <i>Vine leaves (grape leaves) (Malabar nightshade, banana leaves, climbing wattle (Acacia pennata))</i>	
0254000	(d) <i>Water cress (Morning glory/Chinese convolvulus/water convolvulus/water spinach/kangkung (Ipomea aquatica), water clover, water mimosa)</i>	
0255000	(e) <i>Witloof</i>	

▼ **M44**

(1)	(2)	(3)
0256000	(f) <i>Herbs</i>	
0256010	Chervil	
0256020	Chives	
0256030	Celery leaves (Fennel leaves, coriander leaves, dill leaves, caraway leaves, lovage, angelica, sweet cicely and other <i>Apiacea</i> leaves, culantro/stinking/long coriander/stink weed ( <i>Eryngium foetidum</i> ))	
0256040	Parsley (leaves of root parsley)	
0256050	Sage (Winter savory, summer savory, <i>Borago officinalis</i> leaves)	
0256060	Rosemary	
0256070	Thyme (Marjoram, oregano)	
0256080	Basil (Balm leaves, mint, peppermint, holy basil, sweet basil, hairy basil, edible flowers (marigold flower and others), pennywort, wild betel leaf, curry leaves)	
0256090	Bay leaves (laurel) (Lemon grass)	
0256100	Tarragon (Hyssop)	
0256990	Others	
0260000	(vi) <b>Legume vegetables (fresh)</b>	<b>0,01 (*)</b>
0260010	Beans (with pods) (Green bean/French beans/snap beans, scarlet runner bean, slicing bean, yard long beans, guar beans, soya beans)	
0260020	Beans (without pods) (Broad beans, flageolets, jack bean, lima bean, cowpea)	
0260030	Peas (with pods) (Mangetout/sugar peas/snow peas)	
0260040	Peas (without pods) (Garden pea, green pea, chickpea)	
0260050	Lentils	
0260990	Others	
0270000	(vii) <b>Stem vegetables (fresh)</b>	<b>0,01 (*)</b>
0270010	Asparagus	
0270020	Cardoons ( <i>Borago officinalis</i> stems)	
0270030	Celery	
0270040	Fennel	
0270050	Globe artichokes (Banana flower)	
0270060	Leek	
0270070	Rhubarb	
0270080	Bamboo shoots	
0270090	Palm hearts	
0270990	Others	
0280000	(viii) <b>Fungi</b>	<b>0,01 (*)</b>
0280010	Cultivated fungi (Common mushroom, oyster mushroom, shiitake, <i>fungus mycelium</i> (vegetative parts))	
0280020	Wild fungi (Chanterelle, truffle, morel, cep)	
0280990	Others	



▼ **M44**

(1)	(2)	(3)
0290000	(ix) <b>Sea weeds</b>	<b>0,01 (*)</b>
0300000	3. <b>PULSES, DRY</b>	<b>0,01 (*)</b>
0300010	Beans (Broad beans, navy beans, flageolets, jack beans, lima beans, field beans, cowpeas)	
0300020	Lentils	
0300030	Peas (Chickpeas, field peas, chickling vetch)	
0300040	Lupins	
0300990	Others	
0400000	4. <b>OILSEEDS AND OILFRUITS</b>	<b>0,01 (*)</b>
0401000	(i) <b>Oilseeds</b>	
0401010	Linseed	
0401020	Peanuts	
0401030	Poppy seed	
0401040	Sesame seed	
0401050	Sunflower seed	
0401060	Rape seed (Bird rapeseed, turnip rape)	
0401070	Soya bean	
0401080	Mustard seed	
0401090	Cotton seed	
0401100	Pumpkin seeds (Other seeds of <i>Cucurbitaceae</i> )	
0401110	Safflower	
0401120	Borage (Purple viper's bugloss/Canary flower ( <i>Echium plantagineum</i> ), Corn Gromwell ( <i>Buglossoides arvensis</i> ))	
0401130	Gold of pleasure	
0401140	Hempseed	
0401150	Castor bean	
0401990	Others	
0402000	(ii) <b>Oilfruits</b>	
0402010	Olives for oil production	
0402020	Palm nuts (palmoil kernels)	
0402030	Palmfruit	
0402040	Kapok	
0402990	Others	
0500000	5. <b>CEREALS</b>	<b>0,01 (*)</b>
0500010	Barley	
0500020	Buckwheat ( <i>Amaranthus, quinoa</i> )	
0500030	Maize	
0500040	Millet (Foxtail millet, teff, finger millet, pearl millet)	
0500050	Oats	

▼ **M44**

(1)	(2)	(3)
0500060	Rice (Indian/wild rice ( <i>Zizania aquatica</i> ))	
0500070	Rye	
0500080	Sorghum	
0500090	Wheat (Spelt, triticale)	
0500990	Others (Canary grass seeds ( <i>Phalaris canariensis</i> ))	
0600000	<b>6. TEA, COFFEE, HERBAL INFUSIONS AND COCOA</b>	<b>0,01 (*)</b>
0610000	(i) <b>Tea</b>	
0620000	(ii) <b>Coffee beans</b>	
0630000	(iii) <b>Herbal infusions (dried)</b>	
0631000	(a) <i>Flowers</i>	
0631010	Camomille flowers	
0631020	Hybiscus flowers	
0631030	Rose petals	
0631040	Jasmine flowers (Elderflowers ( <i>Sambucus nigra</i> ))	
0631050	Lime (linden)	
0631990	Others	
0632000	(b) <i>Leaves</i>	
0632010	Strawberry leaves	
0632020	Rooibos leaves (Ginkgo leaves)	
0632030	Maté	
0632990	Others	
0633000	(c) <i>Roots</i>	
0633010	Valerian root	
0633020	Ginseng root	
0633990	Others	
0639000	(d) <i>Other herbal infusions</i>	
0640000	(iv) <b>Cocoabeans (fermented or dried)</b>	
0650000	(v) <b>Carob (st johns bread)</b>	
0700000	<b>7. HOPS (dried)</b>	<b>0,01 (*)</b>
0800000	<b>8. SPICES</b>	<b>0,01 (*)</b>
0810000	(i) <b>Seeds</b>	
0810010	Anise	
0810020	Black caraway	
0810030	Celery seed (Lovage seed)	
0810040	Coriander seed	
0810050	Cumin seed	

▼ **M44**

(1)	(2)	(3)
0810060	Dill seed	
0810070	Fennel seed	
0810080	Fenugreek	
0810090	Nutmeg	
0810990	Others	
0820000	<b>(ii) Fruits and berries</b>	
0820010	Allspice	
0820020	Sichuan pepper (Anise pepper, Japan pepper)	
0820030	Caraway	
0820040	Cardamom	
0820050	Juniper berries	
0820060	Pepper, black, green and white (Long pepper, pink pepper)	
0820070	Vanilla pods	
0820080	Tamarind	
0820990	Others	
0830000	<b>(iii) Bark</b>	
0830010	Cinnamon (Cassia)	
0830990	Others	
0840000	<b>(iv) Roots or rhizome</b>	
0840010	Liquorice	
0840020	Ginger	
0840030	Turmeric (Curcuma)	
0840040	Horseradish	
0840990	Others	
0850000	<b>(v) Buds</b>	
0850010	Cloves	
0850020	Capers	
0850990	Others	
0860000	<b>(vi) Flower stigma</b>	
0860010	Saffron	
0860990	Others	
0870000	<b>(vii) Aril</b>	
0870010	Mace	
0870990	Others	
0900000	<b>9. SUGAR PLANTS</b>	<b>0,01 (*)</b>
0900010	Sugar beet (root)	
0900020	Sugar cane	

▼ **M44**

(1)	(2)	(3)
0900030	Chicory roots	
0900990	Others	
1000000	<b>10. PRODUCTS OF ANIMAL ORIGIN-TERRESTRIAL ANIMALS</b>	<b>0,01 (*)</b>
1010000	(i) <b>Tissue</b>	
1011000	(a) <i>Swine</i>	
1011010	Muscle	
1011020	Fat	
1011030	Liver	
1011040	Kidney	
1011050	Edible offal	
1011990	Others	
1012000	(b) <i>Bovine</i>	
1012010	Muscle	
1012020	Fat	
1012030	Liver	
1012040	Kidney	
1012050	Edible offal	
1012990	Others	
1013000	(c) <i>Sheep</i>	
1013010	Muscle	
1013020	Fat	
1013030	Liver	
1013040	Kidney	
1013050	Edible offal	
1013990	Others	
1014000	(d) <i>Goat</i>	
1014010	Muscle	
1014020	Fat	
1014030	Liver	
1014040	Kidney	
1014050	Edible offal	
1014990	Others	
1015000	(e) <i>Horses, asses, mules or hinnies</i>	
1015010	Muscle	
1015020	Fat	

▼ **M44**

(1)	(2)	(3)
1015030	Liver	
1015040	Kidney	
1015050	Edible offal	
1015990	Others	
1016000	(f) <i>Poultry -chicken, geese, duck, turkey and Guinea fowl-, ostrich, pigeon</i>	
1016010	Muscle	
1016020	Fat	
1016030	Liver	
1016040	Kidney	
1016050	Edible offal	
1016990	Others	
1017000	(g) <i>Other farm animals (Rabbit, kangaroo, deer)</i>	
1017010	Muscle	
1017020	Fat	
1017030	Liver	
1017040	Kidney	
1017050	Edible offal	
1017990	Others	
1020000	(ii) <b>Milk</b>	
1020010	Cattle	
1020020	Sheep	
1020030	Goat	
1020040	Horse	
1020990	Others	
1030000	(iii) <b>Bird eggs</b>	
1030010	Chicken	
1030020	Duck	
1030030	Goose	
1030040	Quail	
1030990	Others	
1040000	(iv) <b>Honey (Royal jelly, pollen, honey comb with honey (comb honey))</b>	
1050000	(v) <b>Amphibians and reptiles (Frog legs, crocodiles)</b>	
1060000	(vi) <b>Snails</b>	
1070000	(vii) <b>Other terrestrial animal products (Wild game)</b>	

▼ **M47****Pesticide residues and maximum residue levels (mg/kg)**

Code number	Groups and examples of individual products to which the MRLs apply (e)	Pyriofenone
(1)	(2)	(3)
0100000	<b>1. FRUIT FRESH OR FROZEN NUTS</b>	
0110000	<b>(i) Citrus fruit</b>	
0110010	Grapefruit (Shaddocks, pomelos, sweeties, tangelo (except mineola), ugli and other hybrids)	
0110020	Oranges (Bergamot, bitter orange, chinotto and other hybrids)	
0110030	Lemons (Citron, lemon, Buddha's hand ( <i>Citrus medica</i> var. <i>sarcodactylis</i> ))	
0110040	Limes	
0110050	Mandarins (Clementine, tangerine, mineola and other hybrids tangor ( <i>Citrus reticulata</i> x <i>sinensis</i> ))	
0110990	Others	
0120000	<b>(ii) Tree nuts</b>	
0120010	Almonds	
0120020	Brazil nuts	
0120030	Cashew nuts	
0120040	Chestnuts	
0120050	Coconuts	
0120060	Hazelnuts (Filbert)	
0120070	Macadamia	
0120080	Pecans	
0120090	Pine nuts	
0120100	Pistachios	
0120110	Walnuts	
0120990	Others	
0130000	<b>(iii) Pome fruit</b>	
0130010	Apples (Crab apple)	
0130020	Pears (Oriental pear)	
0130030	Quinces	
0130040	Medlar	
0130050	Loquat	
0130990	Others	
0140000	<b>(iv) Stone fruit</b>	
0140010	Apricots	
0140020	Cherries (Sweet cherries, sour cherries)	
0140030	Peaches (Nectarines and similar hybrids)	
0140040	Plums (Damson, greengage, mirabelle, sloe, red date/Chinese date/Chinese jujube ( <i>Ziziphus zizyphus</i> ))	
0140990	Others	

▼ **M47**

(1)	(2)	(3)
0150000	(v) <b>Berries &amp; small fruit</b>	
0151000	(a) <i>Table and wine grapes</i>	<b>0,2</b>
0151010	Table grapes	
0151020	Wine grapes	
0152000	(b) <i>Strawberries</i>	
0153000	(c) <i>Cane fruit</i>	
0153010	Blackberries	
0153020	Dewberries (Loganberries, tayberries, boysenberries, cloudberrries and other <i>Rubus</i> hybrids)	
0153030	Raspberries (Wineberries, arctic bramble/raspberry, ( <i>Rubus arcticus</i> ), nectar raspberries ( <i>Rubus arcticus</i> x <i>Rubus idaeus</i> ))	
0153990	Others	
0154000	(d) <i>Other small fruit &amp; berries</i>	
0154010	Blueberries (Bilberries)	
0154020	Cranberries (Cowberries/red bilberries ( <i>V. vitis-idaea</i> ))	
0154030	Currants (red, black and white)	
0154040	Gooseberries (Including hybrids with other <i>Ribes</i> species)	
0154050	Rose hips	
0154060	Mulberries ( <i>Arbutus</i> berry)	
0154070	Azarole (mediteranean medlar) (Kiwiberry ( <i>Actinidia arguta</i> ))	
0154080	Elderberries (Black chokeberry/appleberry, mountain ash, buckthorn/sea allowthorn, hawthorn, service-berries, and other treeberries)	
0154990	Others	
0160000	(vi) <b>Miscellaneous fruit</b>	
0161000	(a) <i>Edible peel</i>	
0161010	Dates	
0161020	Figs	
0161030	Table olives	
0161040	Kumquats (Marumi kumquats, nagami kumquats, limequats ( <i>Citrus aurantifolia</i> x <i>Fortunella</i> spp.))	
0161050	Carambola (Bilimbi)	
0161060	Persimmon	
0161070	Jambolan (java plum) (Java apple/water apple, pomerac, rose apple, Brazilian cherry, Surinam cherry/ grumichama ( <i>Eugenia uniflora</i> ))	
0161990	Others	
0162000	(b) <i>Inedible peel, small</i>	
0162010	Kiwi	
0162020	Lychee (Litchi) (Pulasan, rambutan/hairy litchi, longan, mangosteen, langsung, salak)	
0162030	Passion fruit	
0162040	Prickly pear (cactus fruit)	

▼ **M47**

(1)	(2)	(3)
0162050	Star apple	
0162060	American persimmon (Virginia kaki) (Black sapote, white sapote, green sapote, canistel/yellow sapote, mamme sapote)	
0162990	Others	
0163000	(c) <i>Inedible peel, large</i>	
0163010	Avocados	
0163020	Bananas (Dwarf banana, plantain, apple banana)	
0163030	Mangoes	
0163040	Papaya	
0163050	Pomegranate	
0163060	Cherimoya (Custard apple, sugar apple/sweetsop, ilama ( <i>Annona diversifolia</i> ) and other medium sized <i>Annonaceae</i> fruits)	
0163070	Guava (Red pitaya/dragon fruit ( <i>Hylocereus undatus</i> ))	
0163080	Pineapples	
0163090	Bread fruit (Jackfruit)	
0163100	Durian	
0163110	Soursop (guanabana)	
0163990	Others	
0200000	<b>2. VEGETABLES FRESH OR FROZEN</b>	
0210000	(i) <b>Root and tuber vegetables</b>	
0211000	(a) <i>Potatoes</i>	
0212000	(b) <i>Tropical root and tuber vegetables</i>	
0212010	Cassava (Dasheen, eddoe/Japanese taro, tannia)	
0212020	Sweet potatoes	
0212030	Yams (Potato bean/yam bean, Mexican yam bean)	
0212040	Arrowroot	
0212990	Others	
0213000	(c) <i>Other root and tuber vegetables except sugar beet</i>	
0213010	Beetroot	
0213020	Carrots	
0213030	Celeriac	
0213040	Horseradish (Angelica roots, lovage roots, gentiana roots)	
0213050	Jerusalem artichokes (Crosne)	
0213060	Parsnips	
0213070	Parsley root	
0213080	Radishes (Black radish, Japanese radish, small radish and similar varieties, tiger nut ( <i>Cyperus esculentus</i> ))	
0213090	Salsify (Scorzoneria, Spanish salsify/Spanish oysterplant, edible burdock)	
0213100	Swedes	
0213110	Turnips	
0213990	Others	



▼ **M47**

(1)	(2)	(3)
0220000	(ii) <b>Bulb vegetables</b>	
0220010	Garlic	
0220020	Onions (Other bulb onions, silverskin onions)	
0220030	Shallots	
0220040	Spring onions and welsh onions (Other green onions and similar varieties)	
0220990	Others	
0230000	(iii) <b>Fruiting vegetables</b>	
0231000	(a) <i>Solanacea</i>	
0231010	Tomatoes (Cherry tomatoes, <i>Physalis</i> spp., gojiberry, wolfberry ( <i>Lycium barbarum</i> and <i>L. chinense</i> ), tree tomato)	
0231020	Peppers (Chilli peppers)	
0231030	Aubergines (egg plants) (Pepino, antroewa/white eggplant ( <i>S. macrocarpon</i> ))	
0231040	Okra (lady's fingers)	
0231990	Others	
0232000	(b) <i>Cucurbits — edible peel</i>	
0232010	Cucumbers	
0232020	Gherkins	
0232030	Courgettes (Summer squash, marrow (patisson), lauki ( <i>Lagenaria siceraria</i> ), chayote, sopropo/bitter melon, snake gourd, angled luffa/teroi)	
0232990	Others	
0233000	(c) <i>Cucurbits-inedible peel</i>	
0233010	Melons (Kiwano)	
0233020	Pumpkins (Winter squash, marrow (late variety))	
0233030	Watermelons	
0233990	Others	
0234000	(d) <i>Sweet corn (Baby corn)</i>	
0239000	(e) <i>Other fruiting vegetables</i>	
0240000	(iv) <b>Brassica vegetables</b>	
0241000	(a) <i>Flowering brassica</i>	
0241010	Broccoli (Calabrese, Broccoli raab, Chinese broccoli)	
0241020	Cauliflower	
0241990	Others	
0242000	(b) <i>Head brassica</i>	

▼ **M47**

(1)	(2)	(3)
0242010	Brussels sprouts	
0242020	Head cabbage (Pointed head cabbage, red cabbage, savoy cabbage, white cabbage)	
0242990	Others	
0243000	(c) <i>Leafy brassica</i>	
0243010	Chinese cabbage (Indian or Chinese) mustard, pak choi, Chinese flat cabbage/ai goo choi, choi sum, Peking cabbage/pe-tsai)	
0243020	Kale (Borecole/curly kale, collards, Portuguese Kale, Portuguese cabbage, cow cabbage)	
0243990	Others	
0244000	(d) <i>Kohlrabi</i>	
0250000	(v) <b>Leaf vegetables &amp; fresh herbs</b>	
0251000	(a) <i>Lettuce and other salad plants including Brassicacea</i>	
0251010	Lamb's lettuce (Italian corn salad)	
0251020	Lettuce (Head lettuce, lollo rosso (cutting lettuce), iceberg lettuce, romaine (cos) lettuce)	
0251030	Scarole (broad-leaf endive) (Wild chicory, red-leaved chicory, radicchio, curly leaf endive, sugar loaf ( <i>C. endivia</i> var. <i>crispum</i> / <i>C. intybus</i> var. <i>foliosum</i> ), dandelion greens)	
0251040	Cress (Mung bean sprouts, alfalfa sprouts)	
0251050	Land cress	
0251060	Rocket, Rucola (Wild rocket ( <i>Diplotaxis</i> spp.))	
0251070	Red mustard	
0251080	Leaves and sprouts of <i>Brassica</i> spp, including turnip greens (Mizuna, leaves of peas and radish and other babyleaf crops, including brassica crops (crops harvested up to 8 true leaf stage), kohlrabi leaves)	
0251990	Others	
0252000	(b) <i>Spinach &amp; similar (leaves)</i>	
0252010	Spinach (New Zealand spinach, amaranthus spinach (pak-khom, tampara), tajar leaves, bitterblad/bitawiri)	
0252020	Purslane (Winter purslane/miner's lettuce, garden purslane, common purslane, sorrel, glassworth, agretti ( <i>Salsola soda</i> ))	
0252030	Beet leaves (chard) (Leaves of beetroot)	
0252990	Others	
0253000	(c) <i>Vine leaves (grape leaves) (Malabar nightshade, banana leaves, climbing wattle (Acacia pennata))</i>	
0254000	(d) <i>Water cress (Morning glory/Chinese convolvulus/water convolvulus/water spinach/kangkung (Ipomea aquatica), water clover, water mimosa)</i>	
0255000	(e) <i>Witloof</i>	

▼ **M47**

(1)	(2)	(3)
0256000	(f) <i>Herbs</i>	
0256010	Chervil	
0256020	Chives	
0256030	Celery leaves (Fennel leaves, coriander leaves, dill leaves, caraway leaves, lovage, angelica, sweet cicely and other <i>Apiacea</i> leaves, culantro/stinking/long coriander/stink weed ( <i>Eryngium foetidum</i> ))	
0256040	Parsley (leaves of root parsley)	
0256050	Sage (Winter savory, summer savory, <i>Borago officinalis</i> leaves)	
0256060	Rosemary	
0256070	Thyme (Marjoram, oregano)	
0256080	Basil (Balm leaves, mint, peppermint, holy basil, sweet basil, hairy basil, edible flowers (marigold flower and others), pennywort, wild betel leaf, curry leaves)	
0256090	Bay leaves (laurel) (Lemon grass)	
0256100	Tarragon (Hyssop)	
0256990	Others	
0260000	(vi) <b>Legume vegetables (fresh)</b>	
0260010	Beans (with pods) (Green bean/French beans/snap beans, scarlet runner bean, slicing bean, yard long beans, guar beans, soya beans)	
0260020	Beans (without pods) (Broad beans, flageolets, jack bean, lima bean, cowpea)	
0260030	Peas (with pods) (Mangetout/sugar peas/snow peas)	
0260040	Peas (without pods) (Garden pea, green pea, chickpea)	
0260050	Lentils	
0260990	Others	
0270000	(vii) <b>Stem vegetables (fresh)</b>	
0270010	Asparagus	
0270020	Cardoons ( <i>Borago officinalis</i> stems)	
0270030	Celery	
0270040	Fennel	
0270050	Globe artichokes (Banana flower)	
0270060	Leek	
0270070	Rhubarb	
0270080	Bamboo shoots	
0270090	Palm hearts	
0270990	Others	
0280000	(viii) <b>Fungi</b>	
0280010	Cultivated fungi (Common mushroom, oyster mushroom, shiitake, <i>fungus mycelium</i> (vegetative parts))	
0280020	Wild fungi (Chanterelle, truffle, morel, cep)	
0280990	Others	
0290000	(ix) <b>Sea weeds</b>	

▼ **M47**

(1)	(2)	(3)
0300000	<b>3. PULSES, DRY</b>	
0300010	Beans (Broad beans, navy beans, flageolets, jack beans, lima beans, field beans, cowpeas)	
0300020	Lentils	
0300030	Peas (Chickpeas, field peas, chickling vetch)	
0300040	Lupins	
0300990	Others	
0400000	<b>4. OILSEEDS AND OILFRUITS</b>	
0401000	<b>(i) Oilseeds</b>	
0401010	Linseed	
0401020	Peanuts	
0401030	Poppy seed	
0401040	Sesame seed	
0401050	Sunflower seed	
0401060	Rape seed (Bird rapeseed, turnip rape)	
0401070	Soya bean	
0401080	Mustard seed	
0401090	Cotton seed	
0401100	Pumpkin seeds (Other seeds of <i>Cucurbitaceae</i> )	
0401110	Safflower	
0401120	Borage (Purple viper's bugloss/Canary flower ( <i>Echium plantagineum</i> ), Corn Gromwell ( <i>Buglossoides arvensis</i> ))	
0401130	Gold of pleasure	
0401140	Hempseed	
0401150	Castor bean	
0401990	Others	
0402000	<b>(ii) Oilfruits</b>	
0402010	Olives for oil production	
0402020	Palm nuts (palmoil kernels)	
0402030	Palmfruit	
0402040	Kapok	
0402990	Others	
0500000	<b>5. CEREALS</b>	
0500010	Barley	<b>0,03</b>
0500020	Buckwheat ( <i>Amaranthus, quinoa</i> )	
0500030	Maize	
0500040	Millet (Foxtail millet, teff, finger millet, pearl millet)	
0500050	Oats	<b>0,03</b>
0500060	Rice (Indian/wild rice ( <i>Zizania aquatica</i> ))	
0500070	Rye	<b>0,01 (*)</b>
0500080	Sorghum	
0500090	Wheat (Spelt, triticale)	<b>0,01 (*)</b>
0500990	Others (Canary grass seeds ( <i>Phalaris canariensis</i> ))	

▼ **M47**

(1)	(2)	(3)
0600000	<b>6. TEA, COFFEE, HERBAL INFUSIONS AND COCOA</b>	
0610000	(i) <b>Tea</b>	
0620000	(ii) <b>Coffee beans</b>	
0630000	(iii) <b>Herbal infusions (dried)</b>	
0631000	(a) <i>Flowers</i>	
0631010	Camomille flowers	
0631020	Hybiscus flowers	
0631030	Rose petals	
0631040	Jasmine flowers (Elderflowers ( <i>Sambucus nigra</i> ))	
0631050	Lime (linden)	
0631990	Others	
0632000	(b) <i>Leaves</i>	
0632010	Strawberry leaves	
0632020	Rooibos leaves (Ginkgo leaves)	
0632030	Maté	
0632990	Others	
0633000	(c) <i>Roots</i>	
0633010	Valerian root	
0633020	Ginseng root	
0633990	Others	
0639000	(d) <i>Other herbal infusions</i>	
0640000	(iv) <b>Cocoabeans (fermented or dried)</b>	
0650000	(v) <b>Carob (st johns bread)</b>	
0700000	<b>7. HOPS (dried)</b>	
0800000	<b>8. SPICES</b>	
0810000	(i) <b>Seeds</b>	
0810010	Anise	
0810020	Black caraway	
0810030	Celery seed (Lovage seed)	
0810040	Coriander seed	
0810050	Cumin seed	
0810060	Dill seed	
0810070	Fennel seed	
0810080	Fenugreek	
0810090	Nutmeg	
0810990	Others	
0820000	(ii) <b>Fruits and berries</b>	
0820010	Allspice	
0820020	Sichuan pepper (Anise pepper, Japan pepper)	

▼ **M47**

(1)	(2)	(3)
0820030	Caraway	
0820040	Cardamom	
0820050	Juniper berries	
0820060	Pepper, black, green and white (Long pepper, pink pepper)	
0820070	Vanilla pods	
0820080	Tamarind	
0820990	Others	
0830000	(iii) <b>Bark</b>	
0830010	Cinnamon (Cassia)	
0830990	Others	
0840000	(iv) <b>Roots or rhizome</b>	
0840010	Liquorice	
0840020	Ginger	
0840030	Turmeric (Curcuma)	
0840040	Horseradish	
0840990	Others	
0850000	(v) <b>Buds</b>	
0850010	Cloves	
0850020	Capers	
0850990	Others	
0860000	(vi) <b>Flower stigma</b>	
0860010	Saffron	
0860990	Others	
0870000	(vii) <b>Aril</b>	
0870010	Mace	
0870990	Others	
0900000	9. <b>SUGAR PLANTS</b>	
0900010	Sugar beet (root)	
0900020	Sugar cane	
0900030	Chicory roots	
0900990	Others	
1000000	10. <b>PRODUCTS OF ANIMAL ORIGIN-TERRESTRIAL ANIMALS</b>	
1010000	(i) <b>Tissue</b>	
1011000	(a) <i>Swine</i>	
1011010	Muscle	
1011020	Fat	
1011030	Liver	
1011040	Kidney	
1011050	Edible offal	
1011990	Others	

▼ **M47**

(1)	(2)	(3)
1012000	(b) <i>Bovine</i>	
1012010	Muscle	
1012020	Fat	
1012030	Liver	
1012040	Kidney	
1012050	Edible offal	
1012990	Others	
1013000	(c) <i>Sheep</i>	
1013010	Muscle	
1013020	Fat	
1013030	Liver	
1013040	Kidney	
1013050	Edible offal	
1013990	Others	
1014000	(d) <i>Goat</i>	
1014010	Muscle	
1014020	Fat	
1014030	Liver	
1014040	Kidney	
1014050	Edible offal	
1014990	Others	
1015000	(e) <i>Horses, asses, mules or hinnies</i>	
1015010	Muscle	
1015020	Fat	
1015030	Liver	
1015040	Kidney	
1015050	Edible offal	
1015990	Others	
1016000	(f) <i>Poultry -chicken, geese, duck, turkey and Guinea fowl-, ostrich, pigeon</i>	
1016010	Muscle	
1016020	Fat	
1016030	Liver	
1016040	Kidney	
1016050	Edible offal	
1016990	Others	
1017000	(g) <i>Other farm animals (Rabbit, kangaroo, deer)</i>	
1017010	Muscle	
1017020	Fat	
1017030	Liver	
1017040	Kidney	
1017050	Edible offal	
1017990	Others	

▼ **M47**

(1)	(2)	(3)
1020000	(ii) <b>Milk</b>	
1020010	Cattle	
1020020	Sheep	
1020030	Goat	
1020040	Horse	
1020990	Others	
1030000	(iii) <b>Bird eggs</b>	
1030010	Chicken	
1030020	Duck	
1030030	Goose	
1030040	Quail	
1030990	Others	
1040000	(iv) <b>Honey (Royal jelly, pollen, honey comb with honey (comb honey))</b>	
1050000	(v) <b>Amphibians and reptiles (Frog legs, crocodiles)</b>	
1060000	(vi) <b>Snails</b>	
1070000	(vii) <b>Other terrestrial animal products (Wild game)</b>	



▼ **M41****Pesticide residues and maximum residue levels (mg/kg)**

Code number	Groups and examples of individual products to which the MRLs apply (e)	Diphenylamine
(1)	(2)	(3)
0100000	<b>1. FRUIT FRESH OR FROZEN; NUTS</b>	
0110000	(i) <b>Citrus fruit</b>	(****)
0110010	Grapefruit (Shaddocks, pomelos, sweeties, tangelo (except mineola), ugli and other hybrids)	
0110020	Oranges (Bergamot, bitter orange, chinotto and other hybrids)	
0110030	Lemons (Citron, lemon)	
0110040	Limes	
0110050	Mandarins (Clementine, tangerine, mineola and other hybrids)	
0110990	Others	
0120000	(ii) <b>Tree nuts (shelled or unshelled)</b>	(****)
0120010	Almonds	
0120020	Brazil nuts	
0120030	Cashew nuts	
0120040	Chestnuts	
0120050	Coconuts	
0120060	Hazelnuts (Filbert)	
0120070	Macadamia	
0120080	Pecans	
0120090	Pine nuts	
0120100	Pistachios	
0120110	Walnuts	
0120990	Others	
0130000	(iii) <b>Pome fruit</b>	
0130010	Apples (Crab apple)	<b>0,1 (+)</b>
0130020	Pears (Oriental pear)	<b>0,1 (+)</b>
0130030	Quinces	(****)
0130040	Medlar	(****)
0130050	Loquat	(****)
0130990	Others	(****)
0140000	(iv) <b>Stone fruit</b>	(****)
0140010	Apricots	
0140020	Cherries (sweet cherries, sour cherries)	
0140030	Peaches (Nectarines and similar hybrids)	
0140040	Plums (Damson, greengage, mirabelle, sloe)	
0140990	Others	

▼ **M41**

(1)	(2)	(3)
0150000	(v) <b>Berries &amp; small fruit</b>	(****)
0151000	(a) <i>Table and wine grapes</i>	
0151010	Table grapes	
0151020	Wine grapes	
0152000	(b) <i>Strawberries</i>	
0153000	(c) <i>Cane fruit</i>	
0153010	Blackberries	
0153020	Dewberries (Loganberries, boysenberries, and cloudberries)	
0153030	Raspberries (Wineberries, arctic bramble/raspberry, ( <i>Rubus arcticus</i> ), nectar raspberries ( <i>Rubus arcticus x idaeus</i> ))	
0153990	Others	
0154000	(d) <i>Other small fruit &amp; berries</i>	
0154010	Blueberries (Bilberries)	
0154020	Cranberries (Cowberries (red bilberries))	
0154030	Currants (red, black and white)	
0154040	Gooseberries (Including hybrids with other ribes species)	
0154050	Rose hips	
0154060	Mulberries ( <i>arbutus berry</i> )	
0154070	Azarole (mediteranean medlar) (Kiwiberry ( <i>Actinidia arguta</i> ))	
0154080	Elderberries (Black chokeberry (appleberry), mountain ash, buckthorn (sea sallowthorn), hawthorn, service berries, and other treeberries)	
0154990	Others	
0160000	(vi) <b>Miscellaneous fruit</b>	(****)
0161000	(a) <i>Edible peel</i>	
0161010	Dates	
0161020	Figs	
0161030	Table olives	
0161040	Kumquats (Marumi kumquats, nagami kumquats, limequats ( <i>Citrus aurantifolia x Fortunella</i> spp.))	
0161050	Carambola (Bilimbi)	
0161060	Persimmon	
0161070	Jambolan (java plum) (Java apple (water apple), pomerac, rose apple, Brazilean cherry Surinam cherry ( <i>grumichama Eugenia uniflora</i> ),)	
0161990	Others	
0162000	(b) <i>Inedible peel, small</i>	
0162010	Kiwi	
0162020	Lychee (Litchi) (Pulasan, rambutan (hairy litchi), mangosteen)	
0162030	Passion fruit	
0162040	Prickly pear (cactus fruit)	

▼ **M41**

(1)	(2)	(3)
0162050	Star apple	
0162060	American persimmon (Virginia kaki) (Black sapote, white sapote, green sapote, canistel (yellow sapote), and mammey sapote)	
0162990	Others	
0163000	(c) <i>Inedible peel, large</i>	
0163010	Avocados	
0163020	Bananas (Dwarf banana, plantain, apple banana)	
0163030	Mangoes	
0163040	Papaya	
0163050	Pomegranate	
0163060	Cherimoya (Custard apple, sugar apple (sweetsop), llama and other medium sized Annonaceae)	
0163070	Guava (Red pitaya or dragon fruit ( <i>Hylocereus undatus</i> ))	
0163080	Pineapples	
0163090	Bread fruit (Jackfruit)	
0163100	Durian	
0163110	Soursop (guanabana)	
0163990	Others	
0200000	<b>2. VEGETABLES FRESH OR FROZEN</b>	(****)
0210000	(i) <b>Root and tuber vegetables</b>	
0211000	(a) <i>Potatoes</i>	
0212000	(b) <i>Tropical root and tuber vegetables</i>	
0212010	Cassava (Dasheen, eddoe (Japanese taro), tannia)	
0212020	Sweet potatoes	
0212030	Yams (Potato bean (yam bean), Mexican yam bean)	
0212040	Arrowroot	
0212990	Others	
0213000	(c) <i>Other root and tuber vegetables except sugar beet</i>	
0213010	Beetroot	
0213020	Carrots	
0213030	Celeriac	
0213040	Horseradish (Angelica roots, lovage roots, gentiana roots,)	
0213050	Jerusalem artichokes	
0213060	Parsnips	
0213070	Parsley root	
0213080	Radishes (Black radish, Japanese radish, small radish and similar varieties, tiger nut ( <i>Cyperus esculentus</i> ))	
0213090	Salsify (Scorzonera, Spanish salsify (Spanish oyster-plant))	
0213100	Swedes	
0213110	Turnips	
0213990	Others	

## ▼ M41

(1)	(2)	(3)
0220000	(ii) <b>Bulb vegetables</b>	
0220010	Garlic	
0220020	Onions (Silverskin onions)	
0220030	Shallots	
0220040	Spring onions (Welsh onion and similar varieties)	
0220990	Others	
0230000	(iii) <b>Fruiting vegetables</b>	
0231000	(a) <i>Solanacea</i>	
0231010	Tomatoes (Cherry tomatoes, tree tomato, Physalis, goji-berry, wolfberry ( <i>Lycium barbarum</i> and <i>L. chinense</i> ))	
0231020	Peppers (Chilli peppers)	
0231030	Aubergines (egg plants) (Pepino)	
0231040	Okra, lady's fingers	
0231990	Others	
0232000	(b) <i>Cucurbits - edible peel</i>	
0232010	Cucumbers	
0232020	Gherkins	
0232030	Courgettes (Summer squash, marrow (patisson))	
0232990	Others	
0233000	(c) <i>Cucurbits-inedible peel</i>	
0233010	Melons (Kiwano)	
0233020	Pumpkins (Winter squash)	
0233030	Watermelons	
0233990	Others	
0234000	(d) <i>Sweet corn</i>	
0239000	(e) <i>Other fruiting vegetables</i>	
0240000	(iv) <b>Brassica vegetables</b>	
0241000	(a) <i>Flowering brassica</i>	
0241010	Broccoli (Calabrese, Chinese broccoli, broccoli raab)	
0241020	Cauliflower	
0241990	Others	
0242000	(b) <i>Head brassica</i>	
0242010	Brussels sprouts	
0242020	Head cabbage (Pointed head cabbage, red cabbage, savoy cabbage, white cabbage)	
0242990	Others	
0243000	(c) <i>Leafy brassica</i>	
0243010	Chinese cabbage (Indian (Chinese) mustard, pak choi, Chinese flat cabbage (tai goo choi), choi sum, peking cabbage (pe-tsai),)	
0243020	Kale (Borecole (curly kale), collards, Portuguese Kale, Portuguese cabbage, cow cabbage)	
0243990	Others	
0244000	(d) <i>Kohlrabi</i>	

▼ **M41**

(1)	(2)	(3)
0250000	(v) <b>Leaf vegetables &amp; fresh herbs</b>	
0251000	(a) <i>Lettuce and other salad plants including Brassicacea</i>	
0251010	Lamb's lettuce (Italian cornsalad)	
0251020	Lettuce (Head lettuce, lollo rosso (cutting lettuce), iceberg lettuce, romaine (cos) lettuce)	
0251030	Scarole (broad-leaf endive) (Wild chicory, red-leaved chicory, radicchio, curld leave endive, sugar loaf)	
0251040	Cress	
0251050	Land cress	
0251060	Rocket, Rucola (Wild rocket)	
0251070	Red mustard	
0251080	Leaves and sprouts of <i>Brassica</i> spp (Mizuna, leaves of peas and radish and other babyleaf <i>brassica</i> crops (crops harvested up to 8 true leaf stage))	
0251990	Others	
0252000	(b) <i>Spinach &amp; similar (leaves)</i>	
0252010	Spinach (New Zealand spinach, amaranthus spinach)	
0252020	Purslane (Winter purslane (miner's lettuce), garden purslane, common purslane, sorrel, glassworth, Agretti ( <i>Salsola soda</i> ))	
0252030	Beet leaves (chard) (Leaves of beetroot)	
0252990	Others	
0253000	(c) <i>Vine leaves (grape leaves)</i>	
0254000	(d) <i>Water cress</i>	
0255000	(e) <i>Witloof</i>	
0256000	(f) <i>Herbs</i>	
0256010	Chervil	
0256020	Chives	
0256030	Celery leaves (Fennel leaves, Coriander leaves, dill leaves, Caraway leaves, lovage, angelica, sweet cisely and other <i>Apiacea</i> leaves)	
0256040	Parsley	
0256050	Sage (Winter savory, summer savory,)	
0256060	Rosemary	
0256070	Thyme (Marjoram, oregano)	
0256080	Basil (Balm leaves, mint, peppermint)	
0256090	Bay leaves (laurel)	
0256100	Tarragon (Hyssop)	
0256990	Others (Edible flowers)	
0260000	(vi) <b>Legume vegetables (fresh)</b>	
0260010	Beans (with pods) (Green bean (french beans, snap beans), scarlet runner bean, slicing bean, yardlong beans)	
0260020	Beans (without pods) (Broad beans, Flageolets, jack bean, lima bean, cowpea)	
0260030	Peas (with pods) (Mangetout (sugar peas, snow peas))	

▼ **M41**

(1)	(2)	(3)
0260040	Peas (without pods) (Garden pea, green pea, chickpea)	
0260050	Lentils	
0260990	Others	
0270000	<b>(vii) Stem vegetables (fresh)</b>	
0270010	Asparagus	
0270020	Cardoons	
0270030	Celery	
0270040	Fennel	
0270050	Globe artichokes	
0270060	Leek	
0270070	Rhubarb	
0270080	Bamboo shoots	
0270090	Palm hearts	
0270990	Others	
0280000	<b>(viii) Fungi</b>	
0280010	Cultivated (Common mushroom, Oyster mushroom, Shi-take)	
0280020	Wild (Chanterelle, Truffle, Morel, Cep)	
0280990	Others	
0290000	<b>(ix) Sea weeds</b>	
0300000	<b>3. PULSES, DRY</b>	<b>(****)</b>
0300010	Beans (Broad beans, navy beans, flageolets, jack beans, lima beans, field beans, cowpeas)	
0300020	Lentils	
0300030	Peas (Chickpeas, field peas, chickling vetch)	
0300040	Lupins	
0300990	Others	
0400000	<b>4. OILSEEDS AND OILFRUITS</b>	<b>(****)</b>
0401000	<b>(i) Oilseeds</b>	
0401010	Linseed	
0401020	Peanuts	
0401030	Poppy seed	
0401040	Sesame seed	
0401050	Sunflower seed	
0401060	Rape seed (Bird rapeseed, turnip rape)	
0401070	Soya bean	
0401080	Mustard seed	
0401090	Cotton seed	
0401100	Pumpkin seeds (Other seeds of <i>cucurbitacea</i> )	
0401110	Safflower	
0401120	Borage	
0401130	Gold of pleasure	
0401140	Hempseed	

▼ **M41**

(1)	(2)	(3)
0401150	Castor bean	
0401990	Others	
0402000	(ii) <b>Oilfruits</b>	
0402010	Olives for oil production	
0402020	Palm nuts (palmoil kernels)	
0402030	Palmfruit	
0402040	Kapok	
0402990	Others	
0500000	5. <b>CEREALS</b>	(****)
0500010	Barley	
0500020	Buckwheat (Amaranthus, quinoa)	
0500030	Maize	
0500040	Millet (Foxtail millet, teff)	
0500050	Oats	
0500060	Rice	
0500070	Rye	
0500080	Sorghum	
0500090	Wheat (Spelt, triticale)	
0500990	Others	
0600000	6. <b>TEA, COFFEE, HERBAL INFUSIONS AND COCOA</b>	(****)
0610000	(i) <b>Tea (dried leaves and stalks, fermented or otherwise of <i>Camellia sinensis</i>)</b>	
0620000	(ii) <b>Coffee beans</b>	
0630000	(iii) <b>Herbal infusions (dried)</b>	
0631000	(a) <i>Flowers</i>	
0631010	Camomille flowers	
0631020	Hybiscus flowers	
0631030	Rose petals	
0631040	Jasmine flowers (Elderflowers ( <i>Sambucus nigra</i> ))	
0631050	Lime (linden)	
0631990	Others	
0632000	(b) <i>Leaves</i>	
0632010	Strawberry leaves	
0632020	Rooibos leaves (Ginkgo leaves)	
0632030	Maté	
0632990	Others	
0633000	(c) <i>Roots</i>	
0633010	Valerian root	
0633020	Ginseng root	
0633990	Others	
0639000	(d) <i>Other herbal infusions</i>	
0640000	(iv) <b>Cocoa (fermented beans)</b>	
0650000	(v) <b>Carob (st johns bread)</b>	

▼ **M41**

(1)	(2)	(3)
0700000	7. <b>HOPS (dried), including hop pellets and unconcentrated powder</b>	(****)
0800000	8. <b>SPICES</b>	(****)
0810000	(i) <b>Seeds</b>	
0810010	Anise	
0810020	Black caraway	
0810030	Celery seed (Lovage seed)	
0810040	Coriander seed	
0810050	Cumin seed	
0810060	Dill seed	
0810070	Fennel seed	
0810080	Fenugreek	
0810090	Nutmeg	
0810990	Others	
0820000	(ii) <b>Fruits and berries</b>	
0820010	Allspice	
0820020	Anise pepper (Japan pepper)	
0820030	Caraway	
0820040	Cardamom	
0820050	Juniper berries	
0820060	Pepper, black and white (Long pepper, pink pepper)	
0820070	Vanilla pods	
0820080	Tamarind	
0820990	Others	
0830000	(iii) <b>Bark</b>	
0830010	Cinnamon (Cassia)	
0830990	Others	
0840000	(iv) <b>Roots or rhizome</b>	
0840010	Liquorice	
0840020	Ginger	
0840030	Turmeric (Curcuma)	
0840040	Horseradish	
0840990	Others	
0850000	(v) <b>Buds</b>	
0850010	Cloves	
0850020	Capers	
0850990	Others	
0860000	(vi) <b>Flower stigma</b>	
0860010	Saffron	
0860990	Others	
0870000	(vii) <b>Aril</b>	
0870010	Mace	
0870990	Others	



▼ **M41**

(1)	(2)	(3)
0900000	9. <b>SUGAR PLANTS</b>	(****)
0900010	Sugar beet (root)	
0900020	Sugar cane	
0900030	Chicory roots	
0900990	Others	
1000000	10. <b>PRODUCTS OF ANIMAL ORIGIN-TERRESTRIAL ANIMALS</b>	(****)
1010000	(i) <b>Meat, preparations of meat, offals, blood, animal fats fresh chilled or frozen, salted, in brine, dried or smoked or processed as flours or meals other processed products such as sausages and food preparations based on these</b>	
1011000	(a) <i>Swine</i>	
1011010	Meat	
1011020	Fat free of lean meat	
1011030	Liver	
1011040	Kidney	
1011050	Edible offal	
1011990	Others	
1012000	(b) <i>Bovine</i>	
1012010	Meat	
1012020	Fat	
1012030	Liver	
1012040	Kidney	
1012050	Edible offal	
1012990	Others	
1013000	(c) <i>Sheep</i>	
1013010	Meat	
1013020	Fat	
1013030	Liver	
1013040	Kidney	
1013050	Edible offal	
1013990	Others	
1014000	(d) <i>Goat</i>	
1014010	Meat	
1014020	Fat	
1014030	Liver	
1014040	Kidney	
1014050	Edible offal	
1014990	Others	
1015000	(e) <i>Horses, asses, mules or hinnies</i>	
1015010	Meat	
1015020	Fat	
1015030	Liver	
1015040	Kidney	

▼ **M41**

(1)	(2)	(3)
1015050	Edible offal	
1015990	Others	
1016000	(f) <i>Poultry -chicken, geese, duck, turkey and Guinea fowl-, ostrich, pigeon</i>	
1016010	Meat	
1016020	Fat	
1016030	Liver	
1016040	Kidney	
1016050	Edible offal	
1016990	Others	
1017000	(g) <i>Other farm animals (Rabbit, Kangaroo)</i>	
1017010	Meat	
1017020	Fat	
1017030	Liver	
1017040	Kidney	
1017050	Edible offal	
1017990	Others	
1020000	(ii) <b>Milk and cream, not concentrated, nor containing added sugar or sweetening matter, butter and other fats derived from milk, cheese and curd</b>	
1020010	Cattle	
1020020	Sheep	
1020030	Goat	
1020040	Horse	
1020990	Others	
1030000	(iii) <b>Birds' eggs, fresh preserved or cooked Shelled eggs and egg yolks fresh, dried, cooked by steaming or boiling in water, moulded, frozen or otherwise preserved whether or not containing added sugar or sweetening matter</b>	
1030010	Chicken	
1030020	Duck	
1030030	Goose	
1030040	Quail	
1030990	Others	
1040000	(iv) <b>Honey (Royal jelly, pollen)</b>	
1050000	(v) <b>Amphibians and reptiles (Frog legs, crocodiles)</b>	
1060000	(vi) <b>Snails</b>	
1070000	(vii) <b>Other terrestrial animal products</b>	

▼ **M61****Pesticide residues and maximum residue levels (mg/kg)**

Code number	Groups and examples of individual products to which the MRLs apply (*)	Saflufenacil (sum of saflufenacil, M800H11 and M800H35, expressed as saflufenacil) (R)
(1)	(2)	(3)
0100000	<b>1. FRUIT FRESH OR FROZEN NUTS</b>	<b>0,03 (*)</b>
0110000	(i) <b>Citrus fruit</b>	
0110010	Grapefruit (Shaddocks, pomelos, sweeties, tangelo (except mineola), ugli and other hybrids)	
0110020	Oranges (Bergamot, bitter orange, chinotto and other hybrids)	
0110030	Lemons (Citron, lemon, Buddha's hand (Citrus medica var. sarcodactylis))	
0110040	Limes	
0110050	Mandarins (Clementine, tangerine, mineola and other hybrids tangor (Citrus reticulata x sinensis))	
0110990	Others	
0120000	(ii) <b>Tree nuts</b>	
0120010	Almonds	
0120020	Brazil nuts	
0120030	Cashew nuts	
0120040	Chestnuts	
0120050	Coconuts	
0120060	Hazelnuts (Filbert)	
0120070	Macadamia	
0120080	Pecans	
0120090	Pine nuts	
0120100	Pistachios	
0120110	Walnuts	
0120990	Others	
0130000	(iii) <b>Pome fruit</b>	
0130010	Apples (Crab apple)	
0130020	Pears (Oriental pear)	
0130030	Quinces	
0130040	Medlar	
0130050	Loquat	
0130990	Others	
0140000	(iv) <b>Stone fruit</b>	
0140010	Apricots	
0140020	Cherries (Sweet cherries, sour cherries)	
0140030	Peaches (Nectarines and similar hybrids)	
0140040	Plums (Damson, greengage, mirabelle, sloe, red date/Chinese date/Chinese jujube (Ziziphus zizyphus))	
0140990	Others	
0150000	(v) <b>Berries &amp; small fruit</b>	
0151000	(a) <b>Table and wine grapes</b>	

▼ **M61**

(1)	(2)	(3)
0151010	Table grapes	
0151020	Wine grapes	
0152000	(b) <b>Strawberries</b>	
0153000	(c) <b>Cane fruit</b>	
0153010	Blackberries	
0153020	Dewberries (Loganberries, tayberries, boysenberries, cloudberrries and other Rubus hybrids)	
0153030	Raspberries (Wineberries, arctic bramble/raspberry, (Rubus arcticus), nectar raspberries (Rubus arcticus x Rubus idaeus))	
0153990	Others	
0154000	(d) <b>Other small fruit &amp; berries</b>	
0154010	Blueberries (Bilberries)	
0154020	Cranberries (Cowberries/red bilberries (V. vitis-idaea))	
0154030	Currants (red, black and white)	
0154040	Gooseberries (Including hybrids with other Ribes species)	
0154050	Rose hips	
0154060	Mulberries (Arbutus berry)	
0154070	Azarole (mediteranean medlar) (Kiwiberry (Actinidia arguta))	
0154080	Elderberries (Black chokeberry/appleberry, mountain ash, buckthorn/sea shallowthorn, hawthorn, service-berries, and other treeberries)	
0154990	Others	
0160000	(vi) <b>Miscellaneous fruit</b>	
0161000	(a) <b>Edible peel</b>	
0161010	Dates	
0161020	Figs	
0161030	Table olives	
0161040	Kumquats (Marumi kumquats, nagami kumquats, limequats (Citrus aurantifolia x Fortunella spp.))	
0161050	Carambola (Bilimbi)	
0161060	Persimmon	
0161070	Jambolan (java plum) (Java apple/water apple, pomerac, rose apple, Brazilian cherry, Surinam cherry/grumichama (Eugenia uniflora))	
0161990	Others	
0162000	(b) <b>Inedible peel, small</b>	
0162010	Kiwi	
0162020	Lychee (Litchi) (Pulasan, rambutan/hairy litchi, longan, mangosteen, langsat, salak)	
0162030	Passion fruit	
0162040	Prickly pear (cactus fruit)	
0162050	Star apple	
0162060	American persimmon (Virginia kaki) (Black sapote, white sapote, green sapote, canistel/yellow sapote, mammey sapote)	

▼ **M61**

(1)	(2)	(3)
0162990	Others	
0163000	(c) <b>Inedible peel, large</b>	
0163010	Avocados	
0163020	Bananas (Dwarf banana, plantain, apple banana)	
0163030	Mangoes	
0163040	Papaya	
0163050	Pomegranate	
0163060	Cherimoya (Custard apple, sugar apple/sweetsop, ilama ( <i>Annona diversifolia</i> ) and other medium sized Annonaceae fruits)	
0163070	Guava (Red pitaya/dragon fruit ( <i>Hylocereus undatus</i> ))	
0163080	Pineapples	
0163090	Bread fruit (Jackfruit)	
0163100	Durian	
0163110	Soursop (guanabana)	
0163990	Others	
0200000	<b>2. VEGETABLES FRESH OR FROZEN</b>	<b>0,03 (*)</b>
0210000	(i) <b>Root and tuber vegetables</b>	
0211000	(a) <b>Potatoes</b>	
0212000	(b) <b>Tropical root and tuber vegetables</b>	
0212010	Cassava (Dasheen, eddoe/Japanese taro, tannia)	
0212020	Sweet potatoes	
0212030	Yams (Potato bean/yam bean, Mexican yam bean)	
0212040	Arrowroot	
0212990	Others	
0213000	(c) <b>Other root and tuber vegetables except sugar beet</b>	
0213010	Beetroot	
0213020	Carrots	
0213030	Celeriac	
0213040	Horseradish (Angelica roots, lovage roots, gentiana roots)	
0213050	Jerusalem artichokes (Crosne)	
0213060	Parsnips	
0213070	Parsley root	
0213080	Radishes (Black radish, Japanese radish, small radish and similar varieties, tiger nut ( <i>Cyperus esculentus</i> ))	
0213090	Salsify ( <i>Scorzonera</i> , Spanish salsify/Spanish oysterplant, edible burdock)	
0213100	Swedes	
0213110	Turnips	
0213990	Others	
0220000	(ii) <b>Bulb vegetables</b>	
0220010	Garlic	
0220020	Onions (Other bulb onions, silverskin onions)	

▼ **M61**

(1)	(2)	(3)
0220030	Shallots	
0220040	Spring onions and welsh onions (Other green onions and similar varieties)	
0220990	Others	
0230000	<b>(iii) Fruiting vegetables</b>	
0231000	<b>(a) Solanacea</b>	
0231010	Tomatoes (Cherry tomatoes, Physalis spp., gojiberry, wolfberry (Lycium barbarum and L. chinense), tree tomato)	
0231020	Peppers (Chilli peppers)	
0231030	Aubergines (egg plants) (Pepino, antroewa/white eggplant (S. macrocarpon))	
0231040	Okra (lady's fingers)	
0231990	Others	
0232000	<b>(b) Cucurbits — edible peel</b>	
0232010	Cucumbers	
0232020	Gherkins	
0232030	Courgettes (Summer squash, marrow (patisson), lauki (Lagenaria siceraria), chayote, sopropro/bitter melon, snake gourd, angled luffa/teroi)	
0232990	Others	
0233000	<b>(c) Cucurbits-inedible peel</b>	
0233010	Melons (Kiwano)	
0233020	Pumpkins (Winter squash, marrow (late variety))	
0233030	Watermelons	
0233990	Others	
0234000	<b>(d) Sweet corn (Baby corn)</b>	
0239000	<b>(e) Other fruiting vegetables</b>	
0240000	<b>(iv) Brassica vegetables</b>	
0241000	<b>(a) Flowering brassica</b>	
0241010	Broccoli (Calabrese, Broccoli raab, Chinese broccoli)	
0241020	Cauliflower	
0241990	Others	
0242000	<b>(b) Head brassica</b>	
0242010	Brussels sprouts	
0242020	Head cabbage (Pointed head cabbage, red cabbage, savoy cabbage, white cabbage)	
0242990	Others	
0243000	<b>(c) Leafy brassica</b>	
0243010	Chinese cabbage (Indian or Chinese) mustard, pak choi, Chinese flat cabbage/ai goo choi, choi sum, Peking cabbage/pe-tsai)	
0243020	Kale (Borecole/curly kale, collards, Portuguese Kale, Portuguese cabbage, cow cabbage)	
0243990	Others	

▼ **M61**

(1)	(2)	(3)
0244000	(d) <b>Kohlrabi</b>	
0250000	(v) <b>Leaf vegetables &amp; fresh herbs</b>	
0251000	(a) <b>Lettuce and other salad plants including Brassicacea</b>	
0251010	Lamb's lettuce (Italian corn salad)	
0251020	Lettuce (Head lettuce, lollo rosso (cutting lettuce), iceberg lettuce, romaine (cos) lettuce)	
0251030	Scarole (broad-leaf endive) (Wild chicory, red-leaved chicory, radicchio, curly leaf endive, sugar loaf (C. endivia var. crispum/C. intybus var. foliosum), dandelion greens)	
0251040	Cress (Mung bean sprouts, alfalfa sprouts)	
0251050	Land cress	
0251060	Rocket, Rucola (Wild rocket (Diplotaxis spp.))	
0251070	Red mustard	
0251080	Leaves and sprouts of Brassica spp, including turnip greens (Mizuna, leaves of peas and radish and other babyleaf crops, including brassica crops (crops harvested up to 8 true leaf stage), kohlrabi leaves)	
0251990	Others	
0252000	(b) <b>Spinach &amp; similar (leaves)</b>	
0252010	Spinach (New Zealand spinach, amaranthus spinach (pak-khom, tampara), tajer leaves, bitterblad/bitawiri)	
0252020	Purslane (Winter purslane/miner's lettuce, garden purslane, common purslane, sorrel, glassworth, agretti (Salsola soda))	
0252030	Beet leaves (chard) (Leaves of beetroot)	
0252990	Others	
0253000	(c) <b>Vine leaves (grape leaves) (Malabar nightshade, banana leaves, climbing wattle (Acacia pennata))</b>	
0254000	(d) <b>Water cress (Morning glory/Chinese convolvulus/water convolvulus/water spinach/kangkung (Ipomea aquatica), water clover, water mimosa)</b>	
0255000	(e) <b>Witloof</b>	
0256000	(f) <b>Herbs</b>	
0256010	Chervil	
0256020	Chives	
0256030	Celery leaves (Fennel leaves, coriander leaves, dill leaves, caraway leaves, lovage, angelica, sweet cisel and other Apiacea leaves, culantro/stinking/long coriander/stink weed (Eryngium foetidum))	
0256040	Parsley (leaves of root parsley)	
0256050	Sage (Winter savory, summer savory, Borago officinalis leaves)	
0256060	Rosemary	
0256070	Thyme (Marjoram, oregano)	
0256080	Basil (Balm leaves, mint, peppermint, holy basil, sweet basil, hairy basil, edible flowers (marigold flower and others), pennywort, wild betel leaf, curry leaves)	
0256090	Bay leaves (laurel) (Lemon grass)	
0256100	Tarragon (Hyssop)	

▼ **M61**

(1)	(2)	(3)
0256990	Others	
0260000	<b>(vi) Legume vegetables (fresh)</b>	
0260010	Beans (with pods) (Green bean/French beans/snap beans, scarlet runner bean, slicing bean, yard long beans, guar beans, soya beans)	
0260020	Beans (without pods) (Broad beans, flageolets, jack bean, lima bean, cowpea)	
0260030	Peas (with pods) (Mangetout/sugar peas/snow peas)	
0260040	Peas (without pods) (Garden pea, green pea, chickpea)	
0260050	Lentils	
0260990	Others	
0270000	<b>(vii) Stem vegetables (fresh)</b>	
0270010	Asparagus	
0270020	Cardoons (Borago officinalis stems)	
0270030	Celery	
0270040	Fennel	
0270050	Globe artichokes (Banana flower)	
0270060	Leek	
0270070	Rhubarb	
0270080	Bamboo shoots	
0270090	Palm hearts	
0270990	Others	
0280000	<b>(viii) Fungi</b>	
0280010	Cultivated fungi (Common mushroom, oyster mushroom, shiitake, fungus mycelium (vegetative parts))	
0280020	Wild fungi (Chanterelle, truffle, morel, cep)	
0280990	Others	
0290000	<b>(ix) Sea weeds</b>	
0300000	<b>3. PULSES, DRY</b>	
0300010	Beans (Broad beans, navy beans, flageolets, jack beans, lima beans, field beans, cowpeas)	<b>0,5</b>
0300020	Lentils	<b>0,03 (*)</b>
0300030	Peas (Chickpeas, field peas, chickling vetch)	<b>0,1</b>
0300040	Lupins	<b>0,03 (*)</b>
0300990	Others	<b>0,03 (*)</b>
0400000	<b>4. OILSEEDS AND OILFRUITS</b>	
0401000	<b>(i) Oilseeds</b>	
0401010	Linseed	<b>0,03 (*)</b>
0401020	Peanuts	<b>0,03 (*)</b>
0401030	Poppy seed	<b>0,03 (*)</b>
0401040	Sesame seed	<b>0,03 (*)</b>
0401050	Sunflower seed	<b>1</b>
0401060	Rape seed (Bird rapeseed, turnip rape)	<b>0,6</b>



▼ **M61**

(1)	(2)	(3)
0401070	Soya bean	<b>0,1</b>
0401080	Mustard seed	<b>0,03 (*)</b>
0401090	Cotton seed	<b>0,3</b>
0401100	Pumpkin seeds (Other seeds of Cucurbitaceae)	<b>0,03 (*)</b>
0401110	Safflower	<b>0,03 (*)</b>
0401120	Borage (Purple viper's bugloss/Canary flower (Echium plantagineum), Corn Gromwell (Buglossoides arvensis))	<b>0,03 (*)</b>
0401130	Gold of pleasure	<b>0,03 (*)</b>
0401140	Hempseed	<b>0,03 (*)</b>
0401150	Castor bean	<b>0,03 (*)</b>
0401990	Others	<b>0,03 (*)</b>
0402000	(ii) <b>Oilfruits</b>	<b>0,03 (*)</b>
0402010	Olives for oil production	
0402020	Palm nuts (palmoil kernels)	
0402030	Palmfruit	
0402040	Kapok	
0402990	Others	
0500000	5. <b>CEREALS</b>	<b>0,03 (*)</b>
0500010	Barley	
0500020	Buckwheat (Amaranthus, quinoa)	
0500030	Maize	
0500040	Millet (Foxtail millet, teff, finger millet, pearl millet)	
0500050	Oats	
0500060	Rice (Indian/wild rice (Zizania aquatica))	
0500070	Rye	
0500080	Sorghum	
0500090	Wheat (Spelt, triticale)	
0500990	Others (Canary grass seeds (Phalaris canariensis))	
0600000	6. <b>TEA, COFFEE, HERBAL INFUSIONS AND COCOA</b>	<b>0,03 (*)</b>
0610000	(i) <b>Tea</b>	
0620000	(ii) <b>Coffee beans</b>	
0630000	(iii) <b>Herbal infusions (dried)</b>	
0631000	(a) <b>Flowers</b>	
0631010	Camomille flowers	
0631020	Hybiscus flowers	
0631030	Rose petals	
0631040	Jasmine flowers (Elderflowers (Sambucus nigra))	
0631050	Lime (linden)	
0631990	Others	

▼ **M61**

(1)	(2)	(3)
0632000	(b) <b>Leaves</b>	
0632010	Strawberry leaves	
0632020	Rooibos leaves (Ginkgo leaves)	
0632030	Maté	
0632990	Others	
0633000	(c) <b>Roots</b>	
0633010	Valerian root	
0633020	Ginseng root	
0633990	Others	
0639000	(d) <b>Other herbal infusions</b>	
0640000	(iv) <b>Cocoabeans (fermented or dried)</b>	
0650000	(v) <b>Carob (st johns bread)</b>	
0700000	7. <b>HOPS (dried)</b>	<b>0,03 (*)</b>
0800000	8. <b>SPICES</b>	
0810000	(i) <b>Seeds</b>	<b>0,03 (*)</b>
0810010	Anise	
0810020	Black caraway	
0810030	Celery seed (Lovage seed)	
0810040	Coriander seed	
0810050	Cumin seed	
0810060	Dill seed	
0810070	Fennel seed	
0810080	Fenugreek	
0810090	Nutmeg	
0810990	Others	
0820000	(ii) <b>Fruits and berries</b>	<b>0,03 (*)</b>
0820010	Allspice	
0820020	Sichuan pepper (Anise pepper, Japan pepper)	
0820030	Caraway	
0820040	Cardamom	
0820050	Juniper berries	
0820060	Pepper, black, green and white (Long pepper, pink pepper)	
0820070	Vanilla pods	
0820080	Tamarind	
0820990	Others	

▼ **M61**

(1)	(2)	(3)
0830000	(iii) <b>Bark</b>	<b>0,03</b> (*)
0830010	Cinnamon (Cassia)	
0830990	Others	
0840000	(iv) <b>Roots or rhizome</b>	
0840010	Liquorice	<b>0,03</b> (*)
0840020	Ginger	<b>0,03</b> (*)
0840030	Turmeric (Curcuma)	<b>0,03</b> (*)
0840040	Horseradish	(+)
0840990	Others	<b>0,03</b> (*)
0850000	(v) <b>Buds</b>	<b>0,03</b> (*)
0850010	Cloves	
0850020	Capers	
0850990	Others	
0860000	(vi) <b>Flower stigma</b>	<b>0,03</b> (*)
0860010	Saffron	
0860990	Others	
0870000	(vii) <b>Aril</b>	<b>0,03</b> (*)
0870010	Mace	
0870990	Others	
0900000	9. <b>SUGAR PLANTS</b>	<b>0,03</b> (*)
0900010	Sugar beet (root)	
0900020	Sugar cane	
0900030	Chicory roots	
0900990	Others	
1000000	10. <b>PRODUCTS OF ANIMAL ORIGIN-TERRESTRIAL ANIMALS</b>	
1010000	(i) <b>Tissue</b>	
1011000	(a) <b>Swine</b>	
1011010	Muscle	<b>0,01</b> (*)
1011020	Fat	<b>0,01</b> (*)
1011030	Liver	<b>0,3</b>
1011040	Kidney	<b>0,3</b>
1011050	Edible offal	<b>0,3</b>
1011990	Others	<b>0,01</b> (*)
1012000	(b) <b>Bovine</b>	
1012010	Muscle	<b>0,01</b> (*)
1012020	Fat	<b>0,01</b> (*)
1012030	Liver	<b>0,6</b>
1012040	Kidney	<b>0,3</b>
1012050	Edible offal	<b>0,3</b>
1012990	Others	<b>0,01</b> (*)

▼ **M61**

(1)	(2)	(3)
1013000	(c) <b>Sheep</b>	
1013010	Muscle	<b>0,01 (*)</b>
1013020	Fat	<b>0,01 (*)</b>
1013030	Liver	<b>0,6</b>
1013040	Kidney	<b>0,3</b>
1013050	Edible offal	<b>0,3</b>
1013990	Others	<b>0,01 (*)</b>
1014000	(d) <b>Goat</b>	
1014010	Muscle	<b>0,01 (*)</b>
1014020	Fat	<b>0,01 (*)</b>
1014030	Liver	<b>0,6</b>
1014040	Kidney	<b>0,3</b>
1014050	Edible offal	<b>0,3</b>
1014990	Others	<b>0,01 (*)</b>
1015000	(e) <b>Horses, asses, mules or hinnies</b>	
1015010	Muscle	<b>0,01 (*)</b>
1015020	Fat	<b>0,01 (*)</b>
1015030	Liver	<b>0,3</b>
1015040	Kidney	<b>0,3</b>
1015050	Edible offal	<b>0,3</b>
1015990	Others	<b>0,01 (*)</b>
1016000	(f) <b>Poultry -chicken, geese, duck, turkey and Guinea fowl-, ostrich, pigeon</b>	<b>0,01 (*)</b>
1016010	Muscle	
1016020	Fat	
1016030	Liver	
1016040	Kidney	
1016050	Edible offal	
1016990	Others	
1017000	(g) <b>Other farm animals (Rabbit, kangaroo, deer)</b>	
1017010	Muscle	<b>0,01 (*)</b>
1017020	Fat	<b>0,01 (*)</b>
1017030	Liver	<b>0,3</b>
1017040	Kidney	<b>0,3</b>
1017050	Edible offal	<b>0,3</b>
1017990	Others	<b>0,01 (*)</b>
1020000	(ii) <b>Milk</b>	<b>0,01 (*)</b>
1020010	Cattle	
1020020	Sheep	
1020030	Goat	
1020040	Horse	
1020990	Others	

▼ **M61**

(1)	(2)	(3)
1030000	(iii) <b>Bird eggs</b>	<b>0,01 (*)</b>
1030010	Chicken	
1030020	Duck	
1030030	Goose	
1030040	Quail	
1030990	Others	
1040000	(iv) <b>Honey (Royal jelly, pollen, honey comb with honey (comb honey))</b>	<b>0,05 (*)</b>
1050000	(v) <b>Amphibians and reptiles (Frog legs, crocodiles)</b>	<b>0,01 (*)</b>
1060000	(vi) <b>Snails</b>	<b>0,01 (*)</b>
1070000	(vii) <b>Other terrestrial animal products (Wild game)</b>	<b>0,01 (*)</b>

▼ **M56****Pesticide residues and maximum residue levels (mg/kg)**

Code number	Groups and examples of individual products to which the MRLs apply (°)	Dinotefuran
(1)	(2)	(3)
0100000	1. <b>FRUIT FRESH OR FROZEN NUTS</b>	
0110000	(i) <b>Citrus fruit</b>	
0110010	Grapefruit (Shaddocks, pomelos, sweeties, tangelo (except mineola), ugli and other hybrids)	
0110020	Oranges (Bergamot, bitter orange, chinotto and other hybrids)	
0110030	Lemons (Citron, lemon, Buddha's hand (Citrus medica var. sarcodactylis))	
0110040	Limes	
0110050	Mandarins (Clementine, tangerine, mineola and other hybrids tangor (Citrus reticulata x sinensis))	
0110990	Others	
0120000	(ii) <b>Tree nuts</b>	
0120010	Almonds	
0120020	Brazil nuts	
0120030	Cashew nuts	
0120040	Chestnuts	
0120050	Coconuts	
0120060	Hazelnuts (Filbert)	
0120070	Macadamia	
0120080	Pecans	
0120090	Pine nuts	
0120100	Pistachios	
0120110	Walnuts	
0120990	Others	
0130000	(iii) <b>Pome fruit</b>	
0130010	Apples (Crab apple)	
0130020	Pears (Oriental pear)	
0130030	Quinces	
0130040	Medlar	
0130050	Loquat	
0130990	Others	
0140000	(iv) <b>Stone fruit</b>	
0140010	Apricots	
0140020	Cherries (Sweet cherries, sour cherries)	
0140030	Peaches (Nectarines and similar hybrids)	<b>0,8</b>
0140040	Plums (Damson, greengage, mirabelle, sloe, red date/Chinese date/Chinese jujube (Ziziphus zizyphus))	
0140990	Others	

▼ **M56**

(1)	(2)	(3)
0150000	(v) <b>Berries &amp; small fruit</b>	
0151000	(a) <i>Table and wine grapes</i>	<b>0,9</b>
0151010	Table grapes	
0151020	Wine grapes	
0152000	(b) <i>Strawberries</i>	
0153000	(c) <i>Cane fruit</i>	
0153010	Blackberries	
0153020	Dewberries (Loganberries, tayberries, boysenberries, cloudberrries and other Rubus hybrids)	
0153030	Raspberries (Wineberries, arctic bramble/raspberry, (Rubus arcticus), nectar raspberries (Rubus arcticus x Rubus idaeus))	
0153990	Others	
0154000	(d) <i>Other small fruit &amp; berries</i>	
0154010	Blueberries (Bilberries)	<b>0,15</b>
0154020	Cranberries (Cowberries/red bilberries ( <i>V. vitis-idaea</i> ))	
0154030	Currants (red, black and white)	
0154040	Gooseberries (Including hybrids with other Ribes species)	
0154050	Rose hips	
0154060	Mulberries ( <i>Arbutus</i> berry)	
0154070	Azarole (mediteranean medlar) ( <i>Kiwiberry</i> ( <i>Actinidia arguta</i> ))	
0154080	Elderberries (Black chokeberry/appleberry, mountain ash, buckthorn/sea shallowthorn, hawthorn, service-berries, and other treeberries)	
0154990	Others	
0160000	(vi) <b>Miscellaneous fruit</b>	
0161000	(a) <i>Edible peel</i>	
0161010	Dates	
0161020	Figs	
0161030	Table olives	
0161040	Kumquats (Marumi kumquats, nagami kumquats, limequats ( <i>Citrus aurantifolia</i> x <i>Fortunella</i> spp.))	
0161050	Carambola ( <i>Bilimbi</i> )	
0161060	Persimmon	
0161070	Jambolan (java plum) (Java apple/water apple, pomerac, rose apple, Brazilian cherry, Surinam cherry/grumichama ( <i>Eugenia uniflora</i> ))	
0161990	Others	
0162000	(b) <i>Inedible peel, small</i>	
0162010	Kiwi	
0162020	Lychee (Litchi) (Pulasan, rambutan/hairy litchi, longan, mangosteen, langsat, salak)	
0162030	Passion fruit	
0162040	Prickly pear (cactus fruit)	

▼ **M56**

(1)	(2)	(3)
0162050	Star apple	
0162060	American persimmon (Virginia kaki) (Black sapote, white sapote, green sapote, canistel/yellow sapote, mamme sapote)	
0162990	Others	
0163000	(c) <i>Inedible peel, large</i>	
0163010	Avocados	
0163020	Bananas (Dwarf banana, plantain, apple banana)	
0163030	Mangoes	
0163040	Papaya	
0163050	Pomegranate	
0163060	Cherimoya (Custard apple, sugar apple/sweetsop, ilama ( <i>Annona diversifolia</i> ) and other medium sized Annonaceae fruits)	
0163070	Guava (Red pitaya/dragon fruit ( <i>Hylocereus undatus</i> ))	
0163080	Pineapples	
0163090	Bread fruit (Jackfruit)	
0163100	Durian	
0163110	Soursop (guanabana)	
0163990	Others	
0200000	<b>2. VEGETABLES FRESH OR FROZEN</b>	
0210000	(i) <b>Root and tuber vegetables</b>	
0211000	(a) <i>Potatoes</i>	
0212000	(b) <i>Tropical root and tuber vegetables</i>	
0212010	Cassava (Dasheen, eddoe/Japanese taro, tannia)	
0212020	Sweet potatoes	
0212030	Yams (Potato bean/yam bean, Mexican yam bean)	
0212040	Arrowroot	
0212990	Others	
0213000	(c) <i>Other root and tuber vegetables except sugar beet</i>	
0213010	Beetroot	
0213020	Carrots	
0213030	Celeriac	
0213040	Horseradish (Angelica roots, lovage roots, gentiana roots)	
0213050	Jerusalem artichokes (Crosne)	
0213060	Parsnips	



▼ **M56**

(1)	(2)	(3)
0213070	Parsley root	
0213080	Radishes (Black radish, Japanese radish, small radish and similar varieties, tiger nut ( <i>Cyperus esculentus</i> ))	
0213090	Salsify ( <i>Scorzonera</i> , Spanish salsify/Spanish oyster-plant, edible burdock)	
0213100	Swedes	
0213110	Turnips	
0213990	Others	
0220000	<b>(ii) Bulb vegetables</b>	
0220010	Garlic	
0220020	Onions (Other bulb onions, silverskin onions)	<b>0,1</b>
0220030	Shallots	
0220040	Spring onions and welsh onions (Other green onions and similar varieties)	<b>4</b>
0220990	Others	
0230000	<b>(iii) Fruiting vegetables</b>	
0231000	<b>(a) <i>Solanacea</i></b>	
0231010	Tomatoes (Cherry tomatoes, <i>Physalis</i> spp., gojiberry, wolfberry ( <i>Lycium barbarum</i> and <i>L. chinense</i> ), tree tomato)	
0231020	Peppers (Chilli peppers)	
0231030	Aubergines (egg plants) (Pepino, antroewa/white eggplant ( <i>S. macrocarpon</i> ))	
0231040	Okra (lady's fingers)	
0231990	Others	
0232000	<b>(b) <i>Cucurbits — edible peel</i></b>	
0232010	Cucumbers	
0232020	Gherkins	
0232030	Courgettes (Summer squash, marrow ( <i>patisson</i> ), lauki ( <i>Lagenaria siceraria</i> ), chayote, sopropro/bitter melon, snake gourd, angled luffa/teroi)	
0232990	Others	
0233000	<b>(c) <i>Cucurbits-inedible peel</i></b>	
0233010	Melons (Kiwano)	
0233020	Pumpkins (Winter squash, marrow (late variety))	
0233030	Watermelons	
0233990	Others	
0234000	<b>(d) <i>Sweet corn (Baby corn)</i></b>	
0239000	<b>(e) <i>Other fruiting vegetables</i></b>	
0240000	<b>(iv) Brassica vegetables</b>	
0241000	<b>(a) <i>Flowering brassica</i></b>	
0241010	Broccoli (Calabrese, Broccoli raab, Chinese broccoli)	
0241020	Cauliflower	

## ▼ M56

(1)	(2)	(3)
0241990	Others	
0242000	(b) <i>Head brassica</i>	
0242010	Brussels sprouts	
0242020	Head cabbage (Pointed head cabbage, red cabbage, savoy cabbage, white cabbage)	
0242990	Others	
0243000	(c) <i>Leafy brassica</i>	
0243010	Chinese cabbage (Indian or Chinese) mustard, pak choi, Chinese flat cabbage/ai goo choi), choi sum, Peking cabbage/pe-tsai)	
0243020	Kale (Borecole/curly kale, collards, Portuguese Kale, Portuguese cabbage, cow cabbage)	
0243990	Others	
0244000	(d) <i>Kohlrabi</i>	
0250000	(v) <b>Leaf vegetables &amp; fresh herbs</b>	
0251000	(a) <i>Lettuce and other salad plants including Brassicacea</i>	
0251010	Lamb's lettuce (Italian corn salad)	
0251020	Lettuce (Head lettuce, lollo rosso (cutting lettuce), iceberg lettuce, romaine (cos) lettuce)	
0251030	Scarole (broad-leaf endive) (Wild chicory, red-leaved chicory, radicchio, curly leaf endive, sugar loaf (C. endivia var. crispum/C. intybus var. foliosum), dandelion greens)	
0251040	Cress (Mung bean sprouts, alfalfa sprouts)	
0251050	Land cress	
0251060	Rocket, Rucola (Wild rocket (Diplotaxis spp.))	
0251070	Red mustard	
0251080	Leaves and sprouts of Brassica spp, including turnip greens (Mizuna, leaves of peas and radish and other babyleaf crops, including brassica crops (crops harvested up to 8 true leaf stage), kohlrabi leaves)	
0251990	Others	
0252000	(b) <i>Spinach &amp; similar (leaves)</i>	
0252010	Spinach (New Zealand spinach, amaranthus spinach (pak-khom, tampara), tajar leaves, bitterblad/bitawiri)	
0252020	Purslane (Winter purslane/miner's lettuce, garden purslane, common purslane, sorrel, glasswort, agretti (Salsola soda))	
0252030	Beet leaves (chard) (Leaves of beetroot)	
0252990	Others	
0253000	(c) <i>Vine leaves (grape leaves) (Malabar nightshade, banana leaves, climbing wattle (Acacia pennata))</i>	
0254000	(d) <i>Water cress (Morning glory/Chinese convolvulus/water convolvulus/water spinach/kangkung (Ipomea aquatica), water clover, water mimosa)</i>	7
0255000	(e) <i>Witloof</i>	

▼ **M56**

(1)	(2)	(3)
0256000	(f) <i>Herbs</i>	
0256010	Chervil	
0256020	Chives	
0256030	Celery leaves (Fennel leaves, coriander leaves, dill leaves, caraway leaves, lovage, angelica, sweet cicely and other Apiacea leaves, culantro/stinking/long coriander/stink weed ( <i>Eryngium foetidum</i> ))	
0256040	Parsley (leaves of root parsley)	
0256050	Sage (Winter savory, summer savory, <i>Borago officinalis</i> leaves)	
0256060	Rosemary	
0256070	Thyme (Marjoram, oregano)	
0256080	Basil (Balm leaves, mint, peppermint, holy basil, sweet basil, hairy basil, edible flowers (marigold flower and others), pennywort, wild betel leaf, curry leaves)	
0256090	Bay leaves (laurel) (Lemon grass)	
0256100	Tarragon (Hyssop)	
0256990	Others	
0260000	(vi) <b>Legume vegetables (fresh)</b>	
0260010	Beans (with pods) (Green bean/French beans/snap beans, scarlet runner bean, slicing bean, yard long beans, guar beans, soya beans)	
0260020	Beans (without pods) (Broad beans, flageolets, jack bean, lima bean, cowpea)	
0260030	Peas (with pods) (Mangetout/sugar peas/snow peas)	
0260040	Peas (without pods) (Garden pea, green pea, chickpea)	
0260050	Lentils	
0260990	Others	
0270000	(vii) <b>Stem vegetables (fresh)</b>	
0270010	Asparagus	
0270020	Cardoons ( <i>Borago officinalis</i> stems)	
0270030	Celery	<b>0,6</b>
0270040	Fennel	
0270050	Globe artichokes (Banana flower)	
0270060	Leek	
0270070	Rhubarb	
0270080	Bamboo shoots	
0270090	Palm hearts	
0270990	Others	
0280000	(viii) <b>Fungi</b>	
0280010	Cultivated fungi (Common mushroom, oyster mushroom, shiitake, fungus mycelium (vegetative parts))	
0280020	Wild fungi (Chanterelle, truffle, morel, cep)	
0280990	Others	
0290000	(ix) <b>Sea weeds</b>	

▼ **M56**

(1)	(2)	(3)
0300000	<b>3. PULSES, DRY</b>	
0300010	Beans (Broad beans, navy beans, flageolets, jack beans, lima beans, field beans, cowpeas)	
0300020	Lentils	
0300030	Peas (Chickpeas, field peas, chickling vetch)	
0300040	Lupins	
0300990	Others	
0400000	<b>4. OILSEEDS AND OILFRUITS</b>	
0401000	<b>(i) Oilseeds</b>	
0401010	Linseed	
0401020	Peanuts	
0401030	Poppy seed	
0401040	Sesame seed	
0401050	Sunflower seed	
0401060	Rape seed (Bird rapeseed, turnip rape)	
0401070	Soya bean	
0401080	Mustard seed	
0401090	Cotton seed	<b>0,2</b>
0401100	Pumpkin seeds (Other seeds of Cucurbitaceae)	
0401110	Safflower	
0401120	Borage (Purple viper's bugloss/Canary flower (Echium plantagineum), Corn Gromwell (Buglossoides arvensis))	
0401130	Gold of pleasure	
0401140	Hempseed	
0401150	Castor bean	
0401990	Others	
0402000	<b>(ii) Oilfruits</b>	
0402010	Olives for oil production	
0402020	Palm nuts (palmoil kernels)	
0402030	Palmfruit	
0402040	Kapok	
0402990	Others	
0500000	<b>5. CEREALS</b>	
0500010	Barley	
0500020	Buckwheat (Amaranthus, quinoa)	
0500030	Maize	
0500040	Millet (Foxtail millet, teff, finger millet, pearl millet)	
0500050	Oats	
0500060	Rice (Indian/wild rice (Zizania aquatica))	<b>8</b>

▼ **M56**

(1)	(2)	(3)
0500070	Rye	
0500080	Sorghum	
0500090	Wheat (Spelt, triticale)	
0500990	Others (Canary grass seeds ( <i>Phalaris canariensis</i> ))	
0600000	<b>6. TEA, COFFEE, HERBAL INFUSIONS AND COCOA</b>	
0610000	(i) <b>Tea</b>	
0620000	(ii) <b>Coffee beans</b>	
0630000	(iii) <b>Herbal infusions (dried)</b>	
0631000	(a) <i>Flowers</i>	
0631010	Camomille flowers	
0631020	Hybiscus flowers	
0631030	Rose petals	
0631040	Jasmine flowers (Elderflowers ( <i>Sambucus nigra</i> ))	
0631050	Lime (linden)	
0631990	Others	
0632000	(b) <i>Leaves</i>	
0632010	Strawberry leaves	
0632020	Rooibos leaves ( <i>Ginkgo leaves</i> )	
0632030	Maté	
0632990	Others	
0633000	(c) <i>Roots</i>	
0633010	Valerian root	
0633020	Ginseng root	
0633990	Others	
0639000	(d) <i>Other herbal infusions</i>	
0640000	(iv) <b>Cocoabeans (fermented or dried)</b>	
0650000	(v) <b>Carob (st johns bread)</b>	
0700000	<b>7. HOPS (dried)</b>	
0800000	<b>8. SPICES</b>	
0810000	(i) <b>Seeds</b>	
0810010	Anise	
0810020	Black caraway	
0810030	Celery seed ( <i>Lovage seed</i> )	
0810040	Coriander seed	
0810050	Cumin seed	
0810060	Dill seed	
0810070	Fennel seed	
0810080	Fenugreek	
0810090	Nutmeg	
0810990	Others	

▼ **M56**

(1)	(2)	(3)
0820000	(ii) <b>Fruits and berries</b>	
0820010	Allspice	
0820020	Sichuan pepper (Anise pepper, Japan pepper)	
0820030	Caraway	
0820040	Cardamom	
0820050	Juniper berries	
0820060	Pepper, black, green and white (Long pepper, pink pepper)	
0820070	Vanilla pods	
0820080	Tamarind	
0820990	Others	
0830000	(iii) <b>Bark</b>	
0830010	Cinnamon (Cassia)	
0830990	Others	
0840000	(iv) <b>Roots or rhizome</b>	
0840010	Liquorice	
0840020	Ginger	
0840030	Turmeric (Curcuma)	
0840040	Horseradish	
0840990	Others	
0850000	(v) <b>Buds</b>	
0850010	Cloves	
0850020	Capers	
0850990	Others	
0860000	(vi) <b>Flower stigma</b>	
0860010	Saffron	
0860990	Others	
0870000	(vii) <b>Aril</b>	
0870010	Mace	
0870990	Others	
0900000	9. <b>SUGAR PLANTS</b>	
0900010	Sugar beet (root)	
0900020	Sugar cane	
0900030	Chicory roots	
0900990	Others	
1000000	10. <b>PRODUCTS OF ANIMAL ORIGIN-TERRESTRIAL ANIMALS</b>	
1010000	(i) <b>Tissue</b>	
1011000	(a) <i>Swine</i>	

▼ **M56**

(1)	(2)	(3)
1011010	Muscle	<b>0,1</b>
1011020	Fat	
1011030	Liver	<b>0,1</b>
1011040	Kidney	<b>0,1</b>
1011050	Edible offal	<b>0,1</b>
1011990	Others	
1012000	(b) <i>Bovine</i>	
1012010	Muscle	<b>0,1</b>
1012020	Fat	
1012030	Liver	<b>0,1</b>
1012040	Kidney	<b>0,1</b>
1012050	Edible offal	<b>0,1</b>
1012990	Others	
1013000	(c) <i>Sheep</i>	
1013010	Muscle	<b>0,1</b>
1013020	Fat	
1013030	Liver	<b>0,1</b>
1013040	Kidney	<b>0,1</b>
1013050	Edible offal	<b>0,1</b>
1013990	Others	
1014000	(d) <i>Goat</i>	
1014010	Muscle	<b>0,1</b>
1014020	Fat	
1014030	Liver	<b>0,1</b>
1014040	Kidney	<b>0,1</b>
1014050	Edible offal	<b>0,1</b>
1014990	Others	
1015000	(e) <i>Horses, asses, mules or hinnies</i>	
1015010	Muscle	<b>0,1</b>
1015020	Fat	
1015030	Liver	<b>0,1</b>
1015040	Kidney	<b>0,1</b>
1015050	Edible offal	<b>0,1</b>
1015990	Others	
1016000	(f) <i>Poultry -chicken, geese, duck, turkey and Guinea fowl-, ostrich, pigeon</i>	
1016010	Muscle	<b>0,02</b>
1016020	Fat	
1016030	Liver	<b>0,02</b>
1016040	Kidney	<b>0,02</b>
1016050	Edible offal	<b>0,02</b>
1016990	Others	

▼ **M56**

(1)	(2)	(3)
1017000	(g) <i>Other farm animals (Rabbit, kangaroo, deer)</i>	
1017010	Muscle	<b>0,1</b>
1017020	Fat	
1017030	Liver	<b>0,1</b>
1017040	Kidney	<b>0,1</b>
1017050	Edible offal	<b>0,1</b>
1017990	Others	
1020000	(ii) <b>Milk</b>	<b>0,1</b>
1020010	Cattle	
1020020	Sheep	
1020030	Goat	
1020040	Horse	
1020990	Others	
1030000	(iii) <b>Bird eggs</b>	<b>0,02</b>
1030010	Chicken	
1030020	Duck	
1030030	Goose	
1030040	Quail	
1030990	Others	
1040000	(iv) <b>Honey (Royal jelly, pollen, honey comb with honey (comb honey))</b>	
1050000	(v) <b>Amphibians and reptiles (Frog legs, crocodiles)</b>	
1060000	(vi) <b>Snails</b>	
1070000	(vii) <b>Other terrestrial animal products (Wild game)</b>	



▼ **M65**

Pesticide residues and maximum residue levels (mg/kg)

Code number	Groups and examples of individual products to which the MRLs apply <sup>(a)</sup>	Benzalkonium chloride (mixture of alkylbenzyltrimethylammonium chlorides with alkyl chain lengths of C <sub>8</sub> , C <sub>10</sub> , C <sub>12</sub> , C <sub>14</sub> , C <sub>16</sub> and C <sub>18</sub> )	Didecyldimethylammonium chloride (mixture of alkyl-quaternary ammonium salts with alkyl chain lengths of C <sub>8</sub> , C <sub>10</sub> and C <sub>12</sub> )
0100000	1. <b>FRUIT FRESH OR FROZEN NUTS</b>	0,1 (+)	0,1 (+)
0110000	(i) <b>Citrus fruit</b>		
0110010	Grapefruit (Shaddocks, pomelos, sweeties, tangelo (except mineola), ugli and other hybrids)		
0110020	Oranges (Bergamot, bitter orange, chinotto and other hybrids)		
0110030	Lemons (Citron, lemon, Buddha's hand ( <i>Citrus medica</i> var. <i>sarcodactylis</i> ))		
0110040	Limes		
0110050	Mandarins (Clementine, tangerine, mineola and other hybrids tangor ( <i>Citrus reticulata</i> × <i>sinensis</i> ))		
0110990	Others		
0120000	(ii) <b>Tree nuts</b>		
0120010	Almonds		
0120020	Brazil nuts		
0120030	Cashew nuts		
0120040	Chestnuts		
0120050	Coconuts		
0120060	Hazelnuts (Filbert)		
0120070	Macadamia		
0120080	Pecans		
0120090	Pine nuts		
0120100	Pistachios		
0120110	Walnuts		
0120990	Others		
0130000	(iii) <b>Pome fruit</b>		
0130010	Apples (Crab apple)		
0130020	Pears (Oriental pear)		
0130030	Quinces		
0130040	Medlar		
0130050	Loquat		
0130990	Others		
0140000	(iv) <b>Stone fruit</b>		
0140010	Apricots		
0140020	Cherries (Sweet cherries, sour cherries)		
0140030	Peaches (Nectarines and similar hybrids)		

## ▼ M65

Code number	Groups and examples of individual products to which the MRLs apply (°)	Benzalkonium chloride (mixture of alkylbenzyltrimethylammonium chlorides with alkyl chain lengths of C <sub>8</sub> , C <sub>10</sub> , C <sub>12</sub> , C <sub>14</sub> , C <sub>16</sub> and C <sub>18</sub> )	Didecyldimethylammonium chloride (mixture of alkyl-quaternary ammonium salts with alkyl chain lengths of C <sub>8</sub> , C <sub>10</sub> and C <sub>12</sub> )
0140040	Plums (Damson, greengage, mirabelle, sloe, red date/Chinese date/Chinese jujube ( <i>Ziziphus zizyphus</i> ))		
0140990	Others		
0150000	(v) <b>Berries &amp; small fruit</b>		
0151000	(a) <i>Table and wine grapes</i>		
0151010	Table grapes		
0151020	Wine grapes		
0152000	(b) <i>Strawberries</i>		
0153000	(c) <i>Cane fruit</i>		
0153010	Blackberries		
0153020	Dewberries (Loganberries, tayberries, boysenberries, cloudberrries and other <i>Rubus</i> hybrids)		
0153030	Raspberries (Wineberries, arctic bramble/raspberry, ( <i>Rubus arcticus</i> ), nectar raspberries ( <i>Rubus arcticus</i> × <i>Rubus idaeus</i> ))		
0153990	Others		
0154000	(d) <i>Other small fruit &amp; berries</i>		
0154010	Blueberries (Bilberries)		
0154020	Cranberries (Cowberries/red bilberries ( <i>V. vitis-idaea</i> ))		
0154030	Currants (red, black and white)		
0154040	Gooseberries (Including hybrids with other <i>Ribes</i> species)		
0154050	Rose hips		
0154060	Mulberries ( <i>Arbutus</i> berry)		
0154070	Azarole (mediteranean medlar) (Kiwiberry ( <i>Actinidia arguta</i> ))		
0154080	Elderberries (Black chokeberry/appleberry, mountain ash, buckthorn/sea shallowthorn, hawthorn, serviceberries, and other tree-berries)		
0154990	Others		
0160000	(vi) <b>Miscellaneous fruit</b>		
0161000	(a) <i>Edible peel</i>		
0161010	Dates		
0161020	Figs		
0161030	Table olives		
0161040	Kumquats (Marumi kumquats, nagami kumquats, limequats ( <i>Citrus aurantifolia</i> × <i>Fortunella</i> spp.))		
0161050	Carambola (Bilimbi)		
0161060	Persimmon		

## ▼ M65

Code number	Groups and examples of individual products to which the MRLs apply (*)	Benzalkonium chloride (mixture of alkylbenzyl-dimethylammonium chlorides with alkyl chain lengths of C <sub>8</sub> , C <sub>10</sub> , C <sub>12</sub> , C <sub>14</sub> , C <sub>16</sub> and C <sub>18</sub> )	Didecyldimethylammonium chloride (mixture of alkyl-quaternary ammonium salts with alkyl chain lengths of C <sub>8</sub> , C <sub>10</sub> and C <sub>12</sub> )
0161070	Jambolan (java plum) (Java apple/water apple, pomerac, rose apple, Brazilean cherry, Surinam cherry/grumichama ( <i>Eugenia uniflora</i> ))		
0161990	Others		
0162000	(b) <i>Inedible peel, small</i>		
0162010	Kiwi		
0162020	Lychee (Litchi) (Pulasan, rambutan/hairy litchi, longan, mangosteen, langsung, salak)		
0162030	Passion fruit		
0162040	Prickly pear (cactus fruit)		
0162050	Star apple		
0162060	American persimmon (Virginia kaki) (Black sapote, white sapote, green sapote, canistel/yellow sapote, mammey sapote)		
0162990	Others		
0163000	(c) <i>Inedible peel, large</i>		
0163010	Avocados		
0163020	Bananas (Dwarf banana, plantain, apple banana)		
0163030	Mangoes		
0163040	Papaya		
0163050	Pomegranate		
0163060	Cherimoya (Custard apple, sugar apple/sweetsop, ilama ( <i>Annona diversifolia</i> ) and other medium sized <i>Annonaceae</i> fruits)		
0163070	Guava (Red pitaya/dragon fruit ( <i>Hylocereus undatus</i> ))		
0163080	Pineapples		
0163090	Bread fruit (Jackfruit)		
0163100	Durian		
0163110	Soursop (guanabana)		
0163990	Others		
0200000	<b>2. VEGETABLES FRESH OR FROZEN</b>	0,1 (+)	0,1 (+)
0210000	(i) <b>Root and tuber vegetables</b>		
0211000	(a) <i>Potatoes</i>		
0212000	(b) <i>Tropical root and tuber vegetables</i>		
0212010	Cassava (Dasheen, eddoe/Japanese taro, tannia)		
0212020	Sweet potatoes		
0212030	Yams (Potato bean/yam bean, Mexican yam bean)		

## ▼ M65

Code number	Groups and examples of individual products to which the MRLs apply (*)	Benzalkonium chloride (mixture of alkylbenzyl-dimethylammonium chlorides with alkyl chain lengths of C <sub>8</sub> , C <sub>10</sub> , C <sub>12</sub> , C <sub>14</sub> , C <sub>16</sub> and C <sub>18</sub> )	Didecyldimethylammonium chloride (mixture of alkyl-quaternary ammonium salts with alkyl chain lengths of C <sub>8</sub> , C <sub>10</sub> and C <sub>12</sub> )
0212040	Arrowroot		
0212990	Others		
0213000	(c) <i>Other root and tuber vegetables except sugar beet</i>		
0213010	Beetroot		
0213020	Carrots		
0213030	Celeriac		
0213040	Horseradish (Angelica roots, lovage roots, gentiana roots)		
0213050	Jerusalem artichokes (Crosne)		
0213060	Parsnips		
0213070	Parsley root		
0213080	Radishes (Black radish, Japanese radish, small radish and similar varieties, tiger nut ( <i>Cyperus esculentus</i> ))		
0213090	Salsify (Scorzoneria, Spanish salsify/Spanish oysterplant, edible burdock)		
0213100	Swedes		
0213110	Turnips		
0213990	Others		
0220000	(ii) <b>Bulb vegetables</b>		
0220010	Garlic		
0220020	Onions (Other bulb onions, silverskin onions)		
0220030	Shallots		
0220040	Spring onions and welsh onions (Other green onions and similar varieties)		
0220990	Others		
0230000	(iii) <b>Fruiting vegetables</b>		
0231000	(a) Solanacea		
0231010	Tomatoes (Cherry tomatoes, <i>Physalis</i> spp., gojiberry, wolfberry ( <i>Lycium barbarum</i> and <i>L. chinense</i> ), tree tomato)		
0231020	Peppers (Chilli peppers)		
0231030	Aubergines (egg plants) (Pepino, antroewa/white eggplant ( <i>S. macrocarpon</i> ))		
0231040	Okra (lady's fingers)		
0231990	Others		
0232000	(b) <i>Cucurbits — edible peel</i>		
0232010	Cucumbers		
0232020	Gherkins		
0232030	Courgettes (Summer squash, marrow (patisson), lauki ( <i>Lagenaria siceraria</i> ), chayote, sopropo/bitter melon, snake gourd, angled luffa/teroi)		
0232990	Others		

## ▼ M65

Code number	Groups and examples of individual products to which the MRLs apply (*)	Benzalkonium chloride (mixture of alkylbenzyltrimethylammonium chlorides with alkyl chain lengths of C <sub>8</sub> , C <sub>10</sub> , C <sub>12</sub> , C <sub>14</sub> , C <sub>16</sub> and C <sub>18</sub> )	Didecyltrimethylammonium chloride (mixture of alkyl-quaternary ammonium salts with alkyl chain lengths of C <sub>8</sub> , C <sub>10</sub> and C <sub>12</sub> )
0233000	(c) <i>Cucurbits-inedible peel</i>		
0233010	Melons (Kiwano)		
0233020	Pumpkins (Winter squash, marrow (late variety))		
0233030	Watermelons		
0233990	Others		
0234000	(d) <i>Sweet corn (Baby corn)</i>		
0239000	(e) <i>Other fruiting vegetables</i>		
0240000	(iv) <b>Brassica vegetables</b>		
0241000	(a) <i>Flowering brassica</i>		
0241010	Broccoli (Calabrese, Broccoli raab, Chinese broccoli)		
0241020	Cauliflower		
0241990	Others		
0242000	(b) <i>Head brassica</i>		
0242010	Brussels sprouts		
0242020	Head cabbage (Pointed head cabbage, red cabbage, savoy cabbage, white cabbage)		
0242990	Others		
0243000	(c) <i>Leafy brassica</i>		
0243010	Chinese cabbage (Indian or Chinese) mustard, pak choi, Chinese flat cabbage/ai goo choi, choi sum, Peking cabbage/petsai)		
0243020	Kale (Borecole/curly kale, collards, Portuguese Kale, Portuguese cabbage, cow cabbage)		
0243990	Others		
0244000	(d) <i>Kohlrabi</i>		
0250000	(v) <b>Leaf vegetables &amp; fresh herbs</b>		
0251000	(a) <i>Lettuce and other salad plants including Brassicacea</i>		
0251010	Lamb's lettuce (Italian corn salad)		
0251020	Lettuce (Head lettuce, lollo rosso (cutting lettuce), iceberg lettuce, romaine (cos) lettuce)		
0251030	Scarole (broad-leaf endive) (Wild chicory, red-leaved chicory, radicchio, curly leaf endive, sugar loaf ( <i>C. endivia</i> var. <i>crispum</i> / <i>C. intybus</i> var. <i>foliosum</i> ), dandelion greens)		
0251040	Cress (Mung bean sprouts, alfalfa sprouts)		
0251050	Land cress		
0251060	Rocket, Rucola (Wild rocket ( <i>Diplotaxis</i> spp.))		
0251070	Red mustard		

## ▼ M65

Code number	Groups and examples of individual products to which the MRLs apply (6)	Benzalkonium chloride (mixture of alkylbenzyltrimethylammonium chlorides with alkyl chain lengths of C <sub>8</sub> , C <sub>10</sub> , C <sub>12</sub> , C <sub>14</sub> , C <sub>16</sub> and C <sub>18</sub> )	Didecyldimethylammonium chloride (mixture of alkyl-quaternary ammonium salts with alkyl chain lengths of C <sub>8</sub> , C <sub>10</sub> and C <sub>12</sub> )
0251080	Leaves and sprouts of Brassica spp, including turnip greens (Mizuna, leaves of peas and radish and other babyleaf crops, including brassica crops (crops harvested up to 8 true leaf stage), kohlrabi leaves)		
0251990	Others		
0252000	(b) <i>Spinach &amp; similar (leaves)</i>		
0252010	Spinach (New Zealand spinach, amaranthus spinach (pak-khom, tampara), tajar leaves, bitterblad/bitawiri)		
0252020	Purslane (Winter purslane/miner's lettuce, garden purslane, common purslane, sorrel, glasswort, agretti ( <i>Salsola soda</i> ))		
0252030	Beet leaves (chard) (Leaves of beetroot)		
0252990	Others		
0253000	(c) <i>Vine leaves (grape leaves) (Malabar nightshade, banana leaves, climbing wattle (Acacia pennata))</i>		
0254000	(d) <i>Water cress (Morning glory/Chinese convolvulus/water convolvulus/water spinach/kangkung (Ipomea aquatica), water clover, water mimosa)</i>		
0255000	(e) <i>Witloof</i>		
0256000	(f) <i>Herbs</i>		
0256010	Chervil		
0256020	Chives		
0256030	Celery leaves (Fennel leaves, coriander leaves, dill leaves, caraway leaves, lovage, angelica, sweet cisel and other <i>Apiacea</i> leaves, culantro/stinking/long coriander/stink weed ( <i>Eryngium foetidum</i> ))		
0256040	Parsley (leaves of root parsley)		
0256050	Sage (Winter savory, summer savory, <i>Borago officinalis</i> leaves)		
0256060	Rosemary		
0256070	Thyme (Marjoram, oregano)		
0256080	Basil (Balm leaves, mint, peppermint, holy basil, sweet basil, hairy basil, edible flowers (marigold flower and others), pennywort, wild betel leaf, curry leaves)		
0256090	Bay leaves (laurel) (Lemon grass)		
0256100	Tarragon (Hyssop)		
0256990	Others		
0260000	(vi) <b>Legume vegetables (fresh)</b>		

## ▼ M65

Code number	Groups and examples of individual products to which the MRLs apply (*)	Benzalkonium chloride (mixture of alkylbenzyltrimethylammonium chlorides with alkyl chain lengths of C <sub>8</sub> , C <sub>10</sub> , C <sub>12</sub> , C <sub>14</sub> , C <sub>16</sub> and C <sub>18</sub> )	Didecyldimethylammonium chloride (mixture of alkyl-quaternary ammonium salts with alkyl chain lengths of C <sub>8</sub> , C <sub>10</sub> and C <sub>12</sub> )
0260010	Beans (with pods) (Green bean/French beans/snap beans, scarlet runner bean, slicing bean, yard long beans, guar beans, soya beans)		
0260020	Beans (without pods) (Broad beans, flageolets, jack bean, lima bean, cowpea)		
0260030	Peas (with pods) (Mangetout/sugar peas/snow peas)		
0260040	Peas (without pods) (Garden pea, green pea, chickpea)		
0260050	Lentils		
0260990	Others		
0270000	<b>(vii) Stem vegetables (fresh)</b>		
0270010	Asparagus		
0270020	Cardoons ( <i>Borago officinalis</i> stems)		
0270030	Celery		
0270040	Fennel		
0270050	Globe artichokes (Banana flower)		
0270060	Leek		
0270070	Rhubarb		
0270080	Bamboo shoots		
0270090	Palm hearts		
0270990	Others		
0280000	<b>(viii) Fungi</b>		
0280010	Cultivated fungi (Common mushroom, oyster mushroom, shiitake, <i>fungus mycelium</i> (vegetative parts))		
0280020	Wild fungi (Chanterelle, truffle, morel, cep)		
0280990	Others		
0290000	<b>(ix) Sea weeds</b>		
0300000	<b>3. PULSES, DRY</b>	<b>0,1 (+)</b>	<b>0,1 (+)</b>
0300010	Beans (Broad beans, navy beans, flageolets, jack beans, lima beans, field beans, cowpeas)		
0300020	Lentils		
0300030	Peas (Chickpeas, field peas, chickling vetch)		
0300040	Lupins		
0300990	Others		
0400000	<b>4. OILSEEDS AND OILFRUITS</b>	<b>0,1 (+)</b>	<b>0,1 (+)</b>
0401000	<b>(i) Oilseeds</b>		
0401010	Linseed		
0401020	Peanuts		
0401030	Poppy seed		
0401040	Sesame seed		

## ▼ M65

Code number	Groups and examples of individual products to which the MRLs apply (*)	Benzalkonium chloride (mixture of alkylbenzyl-dimethylammonium chlorides with alkyl chain lengths of C <sub>8</sub> , C <sub>10</sub> , C <sub>12</sub> , C <sub>14</sub> , C <sub>16</sub> and C <sub>18</sub> )	Didecyldimethylammonium chloride (mixture of alkyl-quaternary ammonium salts with alkyl chain lengths of C <sub>8</sub> , C <sub>10</sub> and C <sub>12</sub> )
0401050	Sunflower seed		
0401060	Rape seed (Bird rapeseed, turnip rape)		
0401070	Soya bean		
0401080	Mustard seed		
0401090	Cotton seed		
0401100	Pumpkin seeds (Other seeds of <i>Cucurbitaceae</i> )		
0401110	Safflower		
0401120	Borage (Purple viper's bugloss/Canary flower ( <i>Echium plantagineum</i> ), Corn Gromwell ( <i>Buglossoides arvensis</i> ))		
0401130	Gold of pleasure		
0401140	Hempseed		
0401150	Castor bean		
0401990	Others		
0402000	(ii) <b>Oilfruits</b>		
0402010	Olives for oil production		
0402020	Palm nuts (palmoil kernels)		
0402030	Palmfruit		
0402040	Kapok		
0402990	Others		
0500000	5. <b>CEREALS</b>	0,1 (+)	0,1 (+)
0500010	Barley		
0500020	Buckwheat ( <i>Amaranthus</i> , quinoa)		
0500030	Maize		
0500040	Millet (Foxtail millet, teff, finger millet, pearl millet)		
0500050	Oats		
0500060	Rice (Indian/wild rice ( <i>Zizania aquatica</i> ))		
0500070	Rye		
0500080	Sorghum		
0500090	Wheat (Spelt, triticale)		
0500990	Others (Canary grass seeds ( <i>Phalaris canariensis</i> ))		
0600000	6. <b>TEA, COFFEE, HERBAL INFUSIONS AND COCOA</b>	0,1 (+)	0,1 (+)
0610000	(i) <b>Tea</b>		
0620000	(ii) <b>Coffee beans</b>		
0630000	(iii) <b>Herbal infusions (dried)</b>		
0631000	(a) <i>Flowers</i>		
0631010	Camomille flowers		
0631020	Hybiscus flowers		
0631030	Rose petals		



▼ **M65**

Code number	Groups and examples of individual products to which the MRLs apply (*)	Benzalkonium chloride (mixture of alkylbenzyltrimethylammonium chlorides with alkyl chain lengths of C <sub>8</sub> , C <sub>10</sub> , C <sub>12</sub> , C <sub>14</sub> , C <sub>16</sub> and C <sub>18</sub> )	Didecyltrimethylammonium chloride (mixture of alkyl-quaternary ammonium salts with alkyl chain lengths of C <sub>8</sub> , C <sub>10</sub> and C <sub>12</sub> )
0631040	Jasmine flowers (Elderflowers ( <i>Sambucus nigra</i> ))		
0631050	Lime (linden)		
0631990	Others		
0632000	(b) <i>Leaves</i>		
0632010	Strawberry leaves		
0632020	Rooibos leaves (Ginkgo leaves)		
0632030	Maté		
0632990	Others		
0633000	(c) <i>Roots</i>		
0633010	Valerian root		
0633020	Ginseng root		
0633990	Others		
0639000	(d) <i>Other herbal infusions</i>		
0640000	(iv) <b>Cocoabeans (fermented or dried)</b>		
0650000	(v) <b>Carob (st johns bread)</b>		
0700000	7. <b>HOPS (dried)</b>	0,1 (+)	0,1 (+)
0800000	8. <b>SPICES</b>	(+)	(+)
0810000	(i) <b>Seeds</b>	0,1	0,1
0810010	Anise		
0810020	Black caraway		
0810030	Celery seed (Lovage seed)		
0810040	Coriander seed		
0810050	Cumin seed		
0810060	Dill seed		
0810070	Fennel seed		
0810080	Fenugreek		
0810090	Nutmeg		
0810990	Others		
0820000	(ii) <b>Fruits and berries</b>	0,1	0,1
0820010	Allspice		
0820020	Sichuan pepper (Anise pepper, Japan pepper)		
0820030	Caraway		
0820040	Cardamom		
0820050	Juniper berries		
0820060	Pepper, black, green and white (Long pepper, pink pepper)		
0820070	Vanilla pods		
0820080	Tamarind		
0820990	Others		

▼ **M65**

Code number	Groups and examples of individual products to which the MRLs apply (*)	Benzalkonium chloride (mixture of alkylbenzyl-dimethylammonium chlorides with alkyl chain lengths of C <sub>8</sub> , C <sub>10</sub> , C <sub>12</sub> , C <sub>14</sub> , C <sub>16</sub> and C <sub>18</sub> )	Didecyldimethylammonium chloride (mixture of alkyl-quaternary ammonium salts with alkyl chain lengths of C <sub>8</sub> , C <sub>10</sub> and C <sub>12</sub> )
0830000	(iii) <b>Bark</b>	0,1	0,1
0830010	Cinnamon (Cassia)		
0830990	Others		
0840000	(iv) <b>Roots or rhizome</b>		
0840010	Liquorice	0,1	0,1
0840020	Ginger	0,1	0,1
0840030	Turmeric (Curcuma)	0,1	0,1
0840040	Horseradish		
0840990	Others	0,1	0,1
0850000	(v) <b>Buds</b>	0,1	0,1
0850010	Cloves		
0850020	Capers		
0850990	Others		
0860000	(vi) <b>Flower stigma</b>	0,1	0,1
0860010	Saffron		
0860990	Others		
0870000	(vii) <b>Aril</b>	0,1	0,1
0870010	Mace		
0870990	Others		
0900000	9. <b>SUGAR PLANTS</b>	0,1 (+)	0,1 (+)
0900010	Sugar beet (root)		
0900020	Sugar cane		
0900030	Chicory roots		
0900990	Others		
1000000	10. <b>PRODUCTS OF ANIMAL ORIGIN-TERRESTRIAL ANIMALS</b>	0,1 (+)	0,1 (+)
1010000	(i) <b>Tissue</b>		
1011000	(a) <i>Swine</i>		
1011010	Muscle		
1011020	Fat		
1011030	Liver		
1011040	Kidney		
1011050	Edible offal		
1011990	Others		
1012000	(b) <i>Bovine</i>		
1012010	Muscle		
1012020	Fat		
1012030	Liver		
1012040	Kidney		

▼ **M65**

Code number	Groups and examples of individual products to which the MRLs apply (*)	Benzalkonium chloride (mixture of alkylbenzyltrimethylammonium chlorides with alkyl chain lengths of C <sub>8</sub> , C <sub>10</sub> , C <sub>12</sub> , C <sub>14</sub> , C <sub>16</sub> and C <sub>18</sub> )	Didecyldimethylammonium chloride (mixture of alkyl-quaternary ammonium salts with alkyl chain lengths of C <sub>8</sub> , C <sub>10</sub> and C <sub>12</sub> )
1012050	Edible offal		
1012990	Others		
1013000	(c) <i>Sheep</i>		
1013010	Muscle		
1013020	Fat		
1013030	Liver		
1013040	Kidney		
1013050	Edible offal		
1013990	Others		
1014000	(d) <i>Goat</i>		
1014010	Muscle		
1014020	Fat		
1014030	Liver		
1014040	Kidney		
1014050	Edible offal		
1014990	Others		
1015000	(e) <i>Horses, asses, mules or hinnies</i>		
1015010	Muscle		
1015020	Fat		
1015030	Liver		
1015040	Kidney		
1015050	Edible offal		
1015990	Others		
1016000	(f) <i>Poultry -chicken, geese, duck, turkey and Guinea fowl-, ostrich, pigeon</i>		
1016010	Muscle		
1016020	Fat		
1016030	Liver		
1016040	Kidney		
1016050	Edible offal		
1016990	Others		

▼ **M65**

Code number	Groups and examples of individual products to which the MRLs apply (*)	Benzalkonium chloride (mixture of alkylbenzyltrimethylammonium chlorides with alkyl chain lengths of C <sub>8</sub> , C <sub>10</sub> , C <sub>12</sub> , C <sub>14</sub> , C <sub>16</sub> and C <sub>18</sub> )	Didecyldimethylammonium chloride (mixture of alkyl-quaternary ammonium salts with alkyl chain lengths of C <sub>8</sub> , C <sub>10</sub> and C <sub>12</sub> )
1017000	(g) <i>Other farm animals (Rabbit, kangaroo, deer)</i>		
1017010	Muscle		
1017020	Fat		
1017030	Liver		
1017040	Kidney		
1017050	Edible offal		
1017990	Others		
1020000	(ii) <b>Milk</b>		
1020010	Cattle		
1020020	Sheep		
1020030	Goat		
1020040	Horse		
1020990	Others		
1030000	(iii) <b>Bird eggs</b>		
1030010	Chicken		
1030020	Duck		
1030030	Goose		
1030040	Quail		
1030990	Others		
1040000	(iv) <b>Honey (Royal jelly, pollen, honey comb with honey (comb honey))</b>		
1050000	(v) <b>Amphibians and reptiles (Frog legs, crocodiles)</b>		
1060000	(vi) <b>Snails</b>		
1070000	(vii) <b>Other terrestrial animal products (Wild game)</b>		

▼ **M70***Pesticide residues and maximum residue levels (mg/kg)*

Code number	Groups and examples of individual products to which the MRLs apply <sup>(a)</sup>	1,4-Dimethylnaphthalene	► <b>M74</b> Imazapyr ◀
0100000	1. <b>FRUIT FRESH OR FROZEN NUTS</b>		
0110000	(i) <b>Citrus fruit</b>		
0110010	Grapefruit (Shaddocks, pomelos, sweeties, tangelo (except mineola), ugli and other hybrids)		
0110020	Oranges (Bergamot, bitter orange, chinotto and other hybrids)		
0110030	Lemons (Citron, lemon, Buddha's hand (Citrus medica var. sarcodactylis))		
0110040	Limes		
0110050	Mandarins (Clementine, tangerine, mineola and other hybrids tangor (Citrus reticulata × sinensis))		
0110990	Others		
0120000	(ii) <b>Tree nuts</b>		
0120010	Almonds		
0120020	Brazil nuts		
0120030	Cashew nuts		
0120040	Chestnuts		
0120050	Coconuts		
0120060	Hazelnuts (Filbert)		
0120070	Macadamia		
0120080	Pecans		
0120090	Pine nuts		
0120100	Pistachios		
0120110	Walnuts		
0120990	Others		
0130000	(iii) <b>Pome fruit</b>		
0130010	Apples (Crab apple)		

▼ **M70**

Code number	Groups and examples of individual products to which the MRLs apply <sup>(e)</sup>	1,4-Dimethylnaphthalene	► <b>M74</b> Imazapyr ◀
0130020	Pears (Oriental pear)		
0130030	Quinces		
0130040	Medlar		
0130050	Loquat		
0130990	Others		
0140000	(iv) <b>Stone fruit</b>		
0140010	Apricots		
0140020	Cherries (Sweet cherries, sour cherries)		
0140030	Peaches (Nectarines and similar hybrids)		
0140040	Plums (Damson, greengage, mirabelle, sloe, red date/Chinese date/Chinese jujube ( <i>Ziziphus zizyphus</i> ))		
0140990	Others		
0150000	(v) <b>Berries &amp; small fruit</b>		
0151000	(a) <i>Table and wine grapes</i>		
0151010	Table grapes		
0151020	Wine grapes		
0152000	(b) <i>Strawberries</i>		
0153000	(c) <i>Cane fruit</i>		
0153010	Blackberries		
0153020	Dewberries (Loganberries, tayberries, boysenberries, cloudberrries and other <i>Rubus</i> hybrids)		
0153030	Raspberries (Wineberries, arctic bramble/raspberry, ( <i>Rubus arcticus</i> ), nectar raspberries ( <i>Rubus arcticus</i> × <i>Rubus idaeus</i> ))		
0153990	Others		
0154000	(d) <i>Other small fruit &amp; berries</i>		

▼ **M70**

Code number	Groups and examples of individual products to which the MRLs apply <sup>(e)</sup>	1,4-Dimethylnaphthalene	► <b>M74</b> Imazapyr ◀
0154010	Blueberries (Bilberries)		
0154020	Cranberries (Cowberries/red bilberries ( <i>V. vitis-idaea</i> ))		
0154030	Currants (red, black and white)		
0154040	Gooseberries (Including hybrids with other <i>Ribes</i> species)		
0154050	Rose hips		
0154060	Mulberries ( <i>Arbutus</i> berry)		
0154070	Azarole (mediteranean medlar) (Kiwiberry ( <i>Actinidia arguta</i> ))		
0154080	Elderberries (Black chokeberry/appleberry, mountain ash, buckthorn/sea shallowthorn, hawthorn, serviceberries, and other tree-berries)		
0154990	Others		
0160000	(vi) <b>Miscellaneous fruit</b>		
0161000	(a) <i>Edible peel</i>		
0161010	Dates		
0161020	Figs		
0161030	Table olives		
0161040	Kumquats (Marumi kumquats, nagami kumquats, limequats ( <i>Citrus aurantifolia</i> × <i>Fortunella</i> spp.))		
0161050	Carambola ( <i>Bilimbi</i> )		
0161060	Persimmon		
0161070	Jambolan (java plum) (Java apple/water apple, pomerac, rose apple, Brazilian cherry, Surinam cherry/grumichama ( <i>Eugenia uniflora</i> ))		
0161990	Others		
0162000	(b) <i>Inedible peel, small</i>		
0162010	Kiwi		
0162020	Lychee (Litchi) (Pulasan, rambutan/hairy litchi, longan, mangosteen, langsung, salak)		
0162030	Passion fruit		
0162040	Prickly pear (cactus fruit)		
0162050	Star apple		

▼ **M70**

Code number	Groups and examples of individual products to which the MRLs apply <sup>(a)</sup>	1,4-Dimethylnaphthalene	► <b>M74</b> Imazapyr ◀
0162060	American persimmon (Virginia kaki) (Black sapote, white sapote, green sapote, canistel/ yellow sapote, mamme sapote)		
0162990	Others		
0163000	(c) <i>Inedible peel, large</i>		
0163010	Avocados		
0163020	Bananas (Dwarf banana, plantain, apple banana)		
0163030	Mangoes		
0163040	Papaya		
0163050	Pomegranate		
0163060	Cherimoya (Custard apple, sugar apple/ sweetsop, ilama ( <i>Annona diversifolia</i> ) and other medium sized Annonaceae fruits)		
0163070	Guava (Red pitaya/dragon fruit ( <i>Hylocereus undatus</i> ))		
0163080	Pineapples		
0163090	Bread fruit (Jackfruit)		
0163100	Durian		
0163110	Soursop (guanabana)		
0163990	Others		
0200000	<b>2. VEGETABLES FRESH OR FROZEN</b>		
0210000	(i) <b>Root and tuber vegetables</b>		
0211000	(a) <i>Potatoes</i>	<b>15</b>	
0212000	(b) <i>Tropical root and tuber vegetables</i>		
0212010	Cassava (Dasheen, eddoe/Japanese taro, tannia)		
0212020	Sweet potatoes		
0212030	Yams (Potato bean/yam bean, Mexican yam bean)		
0212040	Arrowroot		
0212990	Others		
0213000	(c) <i>Other root and tuber vegetables except sugar beet</i>		



▼ **M70**

Code number	Groups and examples of individual products to which the MRLs apply <sup>(a)</sup>	1,4-Dimethylnaphthalene	► <b>M74</b> Imazapyr ◀
0213010	Beetroot		
0213020	Carrots		
0213030	Celeriac		
0213040	Horseradish (Angelica roots, lovage roots, gentiana roots)		
0213050	Jerusalem artichokes (Crosne)		
0213060	Parsnips		
0213070	Parsley root		
0213080	Radishes (Black radish, Japanese radish, small radish and similar varieties, tiger nut (Cyperus esculentus))		
0213090	Salsify (Scorzonera, Spanish salsify/Spanish oysterplant, edible burdock)		
0213100	Swedes		
0213110	Turnips		
0213990	Others		
0220000	(ii) <b>Bulb vegetables</b>		
0220010	Garlic		
0220020	Onions (Other bulb onions, silverskin onions)		
0220030	Shallots		
0220040	Spring onions and welsh onions (Other green onions and similar varieties)		
0220990	Others		
0230000	(iii) <b>Fruiting vegetables</b>		
0231000	(a) <i>Solanacea</i>		
0231010	Tomatoes (Cherry tomatoes, Physalis spp., gojiberry, wolfberry (Lycium barbarum and L. chinense), tree tomato)		
0231020	Peppers (Chilli peppers)		
0231030	Aubergines (egg plants) (Pepino, antroewa/white eggplant (S. macrocarpon))		
0231040	Okra (lady's fingers)		
0231990	Others		

▼ **M70**

Code number	Groups and examples of individual products to which the MRLs apply <sup>(a)</sup>	1,4-Dimethylnaphthalene	► <b>M74</b> Imazapyr ◀
0232000	(b) <i>Cucurbits — edible peel</i>		
0232010	Cucumbers		
0232020	Gherkins		
0232030	Courgettes (Summer squash, marrow (patisson), lauki (Lagenaria siceraria), chayote, sopropo/bitter melon, snake gourd, angled luffa/teroi)		
0232990	Others		
0233000	(c) <i>Cucurbits-inedible peel</i>		
0233010	Melons (Kiwano)		
0233020	Pumpkins (Winter squash, marrow (late variety))		
0233030	Watermelons		
0233990	Others		
0234000	(d) <i>Sweet corn (Baby corn)</i>		
0239000	(e) <i>Other fruiting vegetables</i>		
0240000	(iv) <b>Brassica vegetables</b>		
0241000	(a) <i>Flowering brassica</i>		
0241010	Broccoli (Calabrese, Broccoli raab, Chinese broccoli)		
0241020	Cauliflower		
0241990	Others		
0242000	(b) <i>Head brassica</i>		
0242010	Brussels sprouts		
0242020	Head cabbage (Pointed head cabbage, red cabbage, savoy cabbage, white cabbage)		
0242990	Others		
0243000	(c) <i>Leafy brassica</i>		
0243010	Chinese cabbage (Indian or Chinese) mustard, pak choi, Chinese flat cabbage/ai goo choi, choi sum, Peking cabbage/pe-tsai)		
0243020	Kale (Borecole/curly kale, collards, Portuguese Kale, Portuguese cabbage, cow cabbage)		

▼ **M70**

Code number	Groups and examples of individual products to which the MRLs apply <sup>(a)</sup>	1,4-Dimethylnaphthalene	► <b>M74</b> Imazapyr ◀
0243990	Others		
0244000	(d) <i>Kohlrabi</i>		
0250000	(v) <b>Leaf vegetables &amp; fresh herbs</b>		
0251000	(a) <i>Lettuce and other salad plants including Brassicacea</i>		
0251010	Lamb's lettuce (Italian corn salad)		
0251020	Lettuce (Head lettuce, lollo rosso (cutting lettuce), iceberg lettuce, romaine (cos) lettuce)		
0251030	Scarole (broad-leaf endive) (Wild chicory, red-leaved chicory, radicchio, curly leaf endive, sugar loaf ( <i>C. endivia</i> var. <i>crispum</i> / <i>C. intybus</i> var. <i>foliosum</i> ), dandelion greens)		
0251040	Cress (Mung bean sprouts, alfalfa sprouts)		
0251050	Land cress		
0251060	Rocket, Rucola (Wild rocket ( <i>Diplotaxis</i> spp.))		
0251070	Red mustard		
0251080	Leaves and sprouts of <i>Brassica</i> spp, including turnip greens (Mizuna, leaves of peas and radish and other babyleaf crops, including brassica crops (crops harvested up to 8 true leaf stage), kohlrabi leaves)		
0251990	Others		
0252000	(b) <i>Spinach &amp; similar (leaves)</i>		
0252010	Spinach (New Zealand spinach, amaranthus spinach (pak-khom, tampara), tajar leaves, bitterblad/bitawiri)		
0252020	Purslane (Winter purslane/miner's lettuce, garden purslane, common purslane, sorrel, glassworth, agretti ( <i>Salsola soda</i> ))		
0252030	Beet leaves (chard) (Leaves of beetroot)		
0252990	Others		
0253000	(c) <i>Vine leaves (grape leaves) (Malabar nightshade, banana leaves, climbing wattle (<i>Acacia pennata</i>))</i>		
0254000	(d) <i>Water cress (Morning glory/Chinese convolvulus/water convolvulus/water spinach/kangkung (<i>Ipomea aquatica</i>), water clover, water mimosa)</i>		

▼ **M70**

Code number	Groups and examples of individual products to which the MRLs apply <sup>(a)</sup>	1,4-Dimethylnaphthalene	► <b>M74</b> Imazapyr ◀
0255000	(e) <i>Witloof</i>		
0256000	(f) <i>Herbs</i>		
0256010	Chervil		
0256020	Chives		
0256030	Celery leaves (Fennel leaves, coriander leaves, dill leaves, caraway leaves, lovage, angelica, sweet cicely and other Apiacea leaves, culantro/stinking/long coriander/stink weed ( <i>Eryngium foetidum</i> ))		
0256040	Parsley (leaves of root parsley)		
0256050	Sage (Winter savory, summer savory, <i>Borago officinalis</i> leaves)		
0256060	Rosemary		
0256070	Thyme (Marjoram, oregano)		
0256080	Basil (Balm leaves, mint, peppermint, holy basil, sweet basil, hairy basil, edible flowers (marigold flower and others), pennywort, wild betel leaf, curry leaves)		
0256090	Bay leaves (laurel) (Lemon grass)		
0256100	Tarragon (Hyssop)		
0256990	Others		
0260000	(vi) <b>Legume vegetables (fresh)</b>		
0260010	Beans (with pods) (Green bean/French beans/snap beans, scarlet runner bean, slicing bean, yard long beans, guar beans, soya beans)		
0260020	Beans (without pods) (Broad beans, flageolets, jack bean, lima bean, cowpea)		
0260030	Peas (with pods) (Mangetout/sugar peas/snow peas)		
0260040	Peas (without pods) (Garden pea, green pea, chickpea)		
0260050	Lentils		
0260990	Others		
0270000	(vii) <b>Stem vegetables (fresh)</b>		

▼ **M70**

Code number	Groups and examples of individual products to which the MRLs apply <sup>(e)</sup>	1,4-Dimethylnaphthalene	► <b>M74</b> Imazapyr ◀
0270010	Asparagus		
0270020	Cardoons (Borago officinalis stems)		
0270030	Celery		
0270040	Fennel		
0270050	Globe artichokes (Banana flower)		
0270060	Leek		
0270070	Rhubarb		
0270080	Bamboo shoots		
0270090	Palm hearts		
0270990	Others		
0280000	(viii) <b>Fungi</b>		
0280010	Cultivated fungi (Common mushroom, oyster mushroom, shiitake, fungus mycelium (vegetative parts))		
0280020	Wild fungi (Chanterelle, truffle, morel, cep)		
0280990	Others		
0290000	(ix) <b>Sea weeds</b>		
0300000	<b>3. PULSES, DRY</b>		
0300010	Beans (Broad beans, navy beans, flageolets, jack beans, lima beans, field beans, cowpeas)		
0300020	Lentils		► <b>M74</b> 0,3 ◀
0300030	Peas (Chickpeas, field peas, chickling vetch)		
0300040	Lupins		
0300990	Others		
0400000	<b>4. OILSEEDS AND OILFRUITS</b>		
0401000	(i) <b>Oilseeds</b>		
0401010	Linseed		
0401020	Peanuts		
0401030	Poppy seed		
0401040	Sesame seed		

▼ **M70**

Code number	Groups and examples of individual products to which the MRLs apply <sup>(e)</sup>	1,4-Dimethylnaphthalene	► <b>M74</b> Imazapyr ◀
0401050	Sunflower seed		► <b>M74</b> 0,08 ◀
0401060	Rape seed (Bird rapeseed, turnip rape)		► <b>M74</b> 0,05 (*) ◀
0401070	Soya bean		► <b>M74</b> 3 ◀
0401080	Mustard seed		► <b>M74</b> 0,05 (*) ◀
0401090	Cotton seed		
0401100	Pumpkin seeds (Other seeds of Cucurbitaceae)		
0401110	Safflower		
0401120	Borage (Purple viper's bugloss/Canary flower (Echium plantagineum), Corn Gromwell (Buglossoides arvensis))		
0401130	Gold of pleasure		
0401140	Hempseed		
0401150	Castor bean		
0401990	Others		
0402000	(ii) <b>Oilfruits</b>		
0402010	Olives for oil production		
0402020	Palm nuts (palmoil kernels)		
0402030	Palmfruit		
0402040	Kapok		
0402990	Others		
0500000	<b>5. CEREALS</b>		
0500010	Barley		
0500020	Buckwheat (Amaranthus, quinoa)		
0500030	Maize		► <b>M74</b> 0,05 (*) ◀
0500040	Millet (Foxtail millet, teff, finger millet, pearl millet)		
0500050	Oats		
0500060	Rice (Indian/wild rice (Zizania aquatica))		
0500070	Rye		
0500080	Sorghum		
0500090	Wheat (Spelt, triticale)		► <b>M74</b> 0,05 (*) ◀
0500990	Others (Canary grass seeds (Phalaris canariensis))		
0600000	<b>6. TEA, COFFEE, HERBAL INFUSIONS AND COCOA</b>		

▼ **M70**

Code number	Groups and examples of individual products to which the MRLs apply <sup>(a)</sup>	1,4-Dimethylnaphthalene	► <b>M74</b> Imazapyr ◀
0610000	(i) <b>Tea</b>		
0620000	(ii) <b>Coffee beans</b>		
0630000	(iii) <b>Herbal infusions (dried)</b>		
0631000	(a) <i>Flowers</i>		
0631010	Camomille flowers		
0631020	Hybiscus flowers		
0631030	Rose petals		
0631040	Jasmine flowers (Elderflowers (Sambucus nigra))		
0631050	Lime (linden)		
0631990	Others		
0632000	(b) <i>Leaves</i>		
0632010	Strawberry leaves		
0632020	Rooibos leaves (Ginkgo leaves)		
0632030	Maté		
0632990	Others		
0633000	(c) <i>Roots</i>		
0633010	Valerian root		
0633020	Ginseng root		
0633990	Others		
0639000	(d) <i>Other herbal infusions</i>		
0640000	(iv) <b>Cocoabeans (fermented or dried)</b>		
0650000	(v) <b>Carob (st johns bread)</b>		
0700000	7. <b>HOPS (dried)</b>		
0800000	8. <b>SPICES</b>		
0810000	(i) <b>Seeds</b>		
0810010	Anise		
0810020	Black caraway		

▼ **M70**

Code number	Groups and examples of individual products to which the MRLs apply <sup>(a)</sup>	1,4-Dimethylnaphthalene	► <b>M74</b> Imazapyr ◀
0810030	Celery seed (Lovage seed)		
0810040	Coriander seed		
0810050	Cumin seed		
0810060	Dill seed		
0810070	Fennel seed		
0810080	Fenugreek		
0810090	Nutmeg		
0810990	Others		
0820000	(ii) <b>Fruits and berries</b>		
0820010	Allspice		
0820020	Sichuan pepper (Anise pepper, Japan pepper)		
0820030	Caraway		
0820040	Cardamom		
0820050	Juniper berries		
0820060	Pepper, black, green and white (Long pepper, pink pepper)		
0820070	Vanilla pods		
0820080	Tamarind		
0820990	Others		
0830000	(iii) <b>Bark</b>		
0830010	Cinnamon (Cassia)		
0830990	Others		
0840000	(iv) <b>Roots or rhizome</b>		
0840010	Liquorice		
0840020	Ginger		
0840030	Turmeric (Curcuma)		
0840040	Horseradish		
0840990	Others		



▼ **M70**

Code number	Groups and examples of individual products to which the MRLs apply <sup>(e)</sup>	1,4-Dimethylnaphthalene	► <b>M74</b> Imazapyr ◀
0850000	(v) <b>Buds</b>		
0850010	Cloves		
0850020	Capers		
0850990	Others		
0860000	(vi) <b>Flower stigma</b>		
0860010	Saffron		
0860990	Others		
0870000	(vii) <b>Aril</b>		
0870010	Mace		
0870990	Others		
0900000	<b>9. SUGAR PLANTS</b>		
0900010	Sugar beet (root)		
0900020	Sugar cane		
0900030	Chicory roots		
0900990	Others		
1000000	<b>10. PRODUCTS OF ANIMAL ORIGIN- TERRESTRIAL ANIMALS</b>		
1010000	(i) <b>Tissue</b>		► <b>M74</b> 0,05 (*) ◀
1011000	(a) <i>Swine</i>		
1011010	Muscle		
1011020	Fat		
1011030	Liver		
1011040	Kidney		
1011050	Edible offal		
1011990	Others		
1012000	(b) <i>Bovine</i>		
1012010	Muscle		
1012020	Fat		

▼ **M70**

Code number	Groups and examples of individual products to which the MRLs apply <sup>(a)</sup>	1,4-Dimethylnaphthalene	► <b>M74</b> Imazapyr ◀
1012030	Liver		
1012040	Kidney		
1012050	Edible offal		
1012990	Others		
1013000	(c) <i>Sheep</i>		
1013010	Muscle		
1013020	Fat		
1013030	Liver		
1013040	Kidney		
1013050	Edible offal		
1013990	Others		
1014000	(d) <i>Goat</i>		
1014010	Muscle		
1014020	Fat		
1014030	Liver		
1014040	Kidney		
1014050	Edible offal		
1014990	Others		
1015000	(e) <i>Horses, asses, mules or hinnies</i>		
1015010	Muscle		
1015020	Fat		
1015030	Liver		
1015040	Kidney		
1015050	Edible offal		
1015990	Others		
1016000	(f) <i>Poultry -chicken, geese, duck, turkey and Guinea fowl-, ostrich, pigeon</i>		
1016010	Muscle		
1016020	Fat		

▼ **M70**

Code number	Groups and examples of individual products to which the MRLs apply <sup>(e)</sup>	1,4-Dimethylnaphthalene	► <b>M74</b> Imazapyr ◀
1016030	Liver		
1016040	Kidney		
1016050	Edible offal		
1016990	Others		
1017000	(g) <i>Other farm animals (Rabbit, kangaroo, deer)</i>		
1017010	Muscle		
1017020	Fat		
1017030	Liver		
1017040	Kidney		
1017050	Edible offal		
1017990	Others		
1020000	(ii) <b>Milk</b>		► <b>M74</b> 0,01 (*) ◀
1020010	Cattle		
1020020	Sheep		
1020030	Goat		
1020040	Horse		
1020990	Others		
1030000	(iii) <b>Bird eggs</b>		► <b>M74</b> 0,01 (*) ◀
1030010	Chicken		
1030020	Duck		
1030030	Goose		
1030040	Quail		
1030990	Others		
1040000	(iv) <b>Honey (Royal jelly, pollen, honey comb with honey (comb honey))</b>		► <b>M74</b> 0,05 (*) ◀
1050000	(v) <b>Amphibians and reptiles (Frog legs, crocodiles)</b>		► <b>M74</b> 0,01 (*) ◀
1060000	(vi) <b>Snails</b>		► <b>M74</b> 0,01 (*) ◀
1070000	(vii) <b>Other terrestrial animal products (Wild game)</b>		► <b>M74</b> 0,01 (*) ◀

▼ **M74***Pesticide residues and maximum residue levels (mg/kg)*

Code number	Groups and examples of individual products to which the MRLs apply (*)	Cyantraniliprole
(1)	(2)	(3)
0100000	<b>1. FRUIT FRESH OR FROZEN NUTS</b>	
0110000	(i) <b>Citrus fruit</b>	
0110010	Grapefruit (Shaddocks, pomelos, sweeties, tangelo (except mineola), ugli and other hybrids)	
0110020	Oranges (Bergamot, bitter orange, chinotto and other hybrids)	
0110030	Lemons (Citron, lemon, Buddha's hand (Citrus medica var. sarcodactylis))	
0110040	Limes	
0110050	Mandarins (Clementine, tangerine, mineola and other hybrids tangor (Citrus reticulata x sinensis))	
0110990	Others	
0120000	(ii) <b>Tree nuts</b>	
0120010	Almonds	
0120020	Brazil nuts	
0120030	Cashew nuts	
0120040	Chestnuts	
0120050	Coconuts	
0120060	Hazelnuts (Filbert)	
0120070	Macadamia	
0120080	Pecans	
0120090	Pine nuts	
0120100	Pistachios	
0120110	Walnuts	
0120990	Others	
0130000	(iii) <b>Pome fruit</b>	<b>0,8</b>
0130010	Apples (Crab apple)	
0130020	Pears (Oriental pear)	
0130030	Quinces	
0130040	Medlar	
0130050	Loquat	
0130990	Others	

▼ **M74**

(1)	(2)	(3)
0140000	(iv) <b>Stone fruit</b>	
0140010	Apricots	
0140020	Cherries (Sweet cherries, sour cherries)	<b>6</b>
0140030	Peaches (Nectarines and similar hybrids)	<b>1,5</b>
0140040	Plums (Damson, greengage, mirabelle, sloe, red date/Chinese date/Chinese jujube ( <i>Ziziphus zizyphus</i> ))	<b>0,5</b>
0140990	Others	
0150000	(v) <b>Berries &amp; small fruit</b>	
0151000	(a) <i>Table and wine grapes</i>	
0151010	Table grapes	
0151020	Wine grapes	
0152000	(b) <i>Strawberries</i>	
0153000	(c) <i>Cane fruit</i>	
0153010	Blackberries	
0153020	Dewberries (Loganberries, tayberries, boysenberries, cloudberries and other <i>Rubus</i> hybrids)	
0153030	Raspberries (Wineberries, arctic bramble/raspberry, ( <i>Rubus arcticus</i> ), nectar raspberries ( <i>Rubus arcticus</i> x <i>Rubus idaeus</i> ))	
0153990	Others	
0154000	(d) <i>Other small fruit &amp; berries</i>	
0154010	Blueberries (Bilberries)	<b>4</b>
0154020	Cranberries (Cowberries/red bilberries ( <i>V. vitis-idaea</i> ))	
0154030	Currants (red, black and white)	<b>4</b>
0154040	Gooseberries (Including hybrids with other <i>Ribes</i> species)	<b>4</b>
0154050	Rose hips	<b>4</b>
0154060	Mulberries ( <i>Arbutus</i> berry)	
0154070	Azarole (mediteranean medlar) (Kiwiberry ( <i>Actinidia arguta</i> ))	<b>0,8</b>
0154080	Elderberries (Black chokeberry/appleberry, mountain ash, buckthorn/seaALLOWTHORN, hawthorn, serviceberries, and other treeberries)	

▼ **M74**

(1)	(2)	(3)
0154990	Others	
0160000	(vi) <b>Miscellaneous fruit</b>	
0161000	(a) <i>Edible peel</i>	
0161010	Dates	
0161020	Figs	
0161030	Table olives	
0161040	Kumquats (Marumi kumquats, nagami kumquats, limequats (Citrus aurantifolia x Fortunella spp.))	
0161050	Carambola (Bilimbi)	
0161060	Persimmon	<b>0,8</b>
0161070	Jambolan (java plum) (Java apple/water apple, pomerac, rose apple, Brazilian cherry, Surinam cherry/grumichama (Eugenia uniflora))	
0161990	Others	
0162000	(b) <i>Inedible peel, small</i>	
0162010	Kiwi	
0162020	Lychee (Litchi) (Pulasan, rambutan/hairy litchi, longan, mangosteen, langsung, salak)	
0162030	Passion fruit	
0162040	Prickly pear (cactus fruit)	
0162050	Star apple	
0162060	American persimmon (Virginia kaki) (Black sapote, white sapote, green sapote, canistel/yellow sapote, mammey sapote)	
0162990	Others	
0163000	(c) <i>Inedible peel, large</i>	
0163010	Avocados	
0163020	Bananas (Dwarf banana, plantain, apple banana)	
0163030	Mangoes	
0163040	Papaya	
0163050	Pomegranate	
0163060	Cherimoya (Custard apple, sugar apple/sweetsop, ilama (Annona diversifolia) and other medium sized Annonaceae fruits)	
0163070	Guava (Red pitaya/dragon fruit (Hylocereus undatus))	
0163080	Pineapples	
0163090	Bread fruit (Jackfruit)	
0163100	Durian	

▼ **M74**

(1)	(2)	(3)
0163110	Soursop (guanabana)	
0163990	Others	
0200000	<b>2. VEGETABLES FRESH OR FROZEN</b>	
0210000	<b>(i) Root and tuber vegetables</b>	<b>0,05</b>
0211000	(a) <i>Potatoes</i>	
0212000	(b) <i>Tropical root and tuber vegetables</i>	
0212010	Cassava (Dasheen, eddoe/Japanese taro, tannia)	
0212020	Sweet potatoes	
0212030	Yams (Potato bean/yam bean, Mexican yam bean)	
0212040	Arrowroot	
0212990	Others	
0213000	(c) <i>Other root and tuber vegetables except sugar beet</i>	
0213010	Beetroot	
0213020	Carrots	
0213030	Celeriac	
0213040	Horseradish (Angelica roots, lovage roots, gentiana roots)	
0213050	Jerusalem artichokes (Crosne)	
0213060	Parsnips	
0213070	Parsley root	
0213080	Radishes (Black radish, Japanese radish, small radish and similar varieties, tiger nut ( <i>Cyperus esculentus</i> ))	
0213090	Salsify (Scorzonera, Spanish salsify/Spanish oysterplant, edible burdock)	
0213100	Swedes	
0213110	Turnips	
0213990	Others	
0220000	<b>(ii) Bulb vegetables</b>	
0220010	Garlic	<b>0,05</b>
0220020	Onions (Other bulb onions, silverskin onions)	<b>0,05</b>

▼ **M74**

(1)	(2)	(3)
0220030	Shallots	<b>0,05</b>
0220040	Spring onions and welsh onions (Other green onions and similar varieties)	<b>8</b>
0220990	Others	<b>0,05</b>
0230000	<b>(iii) Fruiting vegetables</b>	
0231000	<b>(a) Solanacea</b>	
0231010	Tomatoes (Cherry tomatoes, Physalis spp., gojiberry, wolfberry (Lycium barbarum and L. chinense), tree tomato)	
0231020	Peppers (Chilli peppers)	
0231030	Aubergines (egg plants) (Pepino, antroewa/white eggplant (S. macrocarpon))	
0231040	Okra (lady's fingers)	
0231990	Others	
0232000	<b>(b) Cucurbits — edible peel</b>	<b>0,3</b>
0232010	Cucumbers	
0232020	Gherkins	
0232030	Courgettes (Summer squash, marrow (patisson), lauki (Lagenaria siceraria), chayote, sopropo/bitter melon, snake gourd, angled luffa/teroi)	
0232990	Others	
0233000	<b>(c) Cucurbits-inedible peel</b>	<b>0,3</b>
0233010	Melons (Kiwano)	
0233020	Pumpkins (Winter squash, marrow (late variety))	
0233030	Watermelons	
0233990	Others	
0234000	<b>(d) Sweet corn (Baby corn)</b>	
0239000	<b>(e) Other fruiting vegetables</b>	
0240000	<b>(iv) Brassica vegetables</b>	
0241000	<b>(a) Flowering brassica</b>	<b>2</b>
0241010	Broccoli (Calabrese, Broccoli raab, Chinese broccoli)	
0241020	Cauliflower	
0241990	Others	



▼ **M74**

(1)	(2)	(3)
0242000	(b) <i>Head brassica</i>	<b>2</b>
0242010	Brussels sprouts	
0242020	Head cabbage (Pointed head cabbage, red cabbage, savoy cabbage, white cabbage)	
0242990	Others	
0243000	(c) <i>Leafy brassica</i>	
0243010	Chinese cabbage (Indian or Chinese) mustard, pak choi, Chinese flat cabbage/ai goo choi), choi sum, Peking cabbage/pe-tsai)	
0243020	Kale (Borecole/curly kale, collards, Portuguese Kale, Portuguese cabbage, cow cabbage)	
0243990	Others	
0244000	(d) <i>Kohlrabi</i>	<b>2</b>
0250000	(v) <b>Leaf vegetables &amp; fresh herbs</b>	
0251000	(a) <i>Lettuce and other salad plants including Brassicacea</i>	
0251010	Lamb's lettuce (Italian corn salad)	
0251020	Lettuce (Head lettuce, lollo rosso (cutting lettuce), iceberg lettuce, romaine (cos) lettuce)	<b>5</b>
0251030	Scarole (broad-leaf endive) (Wild chicory, red-leaved chicory, radicchio, curly leaf endive, sugar loaf (C. endivia var. crispum/C. intybus var. foliosum), dandelion greens)	
0251040	Cress (Mung bean sprouts, alfalfa sprouts)	
0251050	Land cress	
0251060	Rocket, Rucola (Wild rocket (Diplotaxis spp.))	
0251070	Red mustard	
0251080	Leaves and sprouts of Brassica spp, including turnip greens (Mizuna, leaves of peas and radish and other babyleaf crops, including brassica crops (crops harvested up to 8 true leaf stage), kohlrabi leaves)	
0251990	Others	
0252000	(b) <i>Spinach &amp; similar (leaves)</i>	
0252010	Spinach (New Zealand spinach, amaranthus spinach (pak-khom, tampara), tajar leaves, bitterblad/bitawiri)	
0252020	Purslane (Winter purslane/miner's lettuce, garden purslane, common purslane, sorrel, glassworth, agretti (Salsola soda))	
0252030	Beet leaves (chard) (Leaves of beetroot)	
0252990	Others	

▼ **M74**

(1)	(2)	(3)
0253000	(c) <i>Vine leaves (grape leaves) (Malabar nightshade, banana leaves, climbing wattle (Acacia pennata))</i>	
0254000	(d) <i>Water cress (Morning glory/Chinese convolvulus/water convolvulus/water spinach/kangkung (Ipomea aquatica), water clover, water mimosa)</i>	
0255000	(e) <i>Witloof</i>	
0256000	(f) <i>Herbs</i>	
0256010	Chervil	
0256020	Chives	
0256030	Celery leaves (Fennel leaves, coriander leaves, dill leaves, caraway leaves, lovage, angelica, sweet cicely and other Apiacea leaves, culantro/stinking/long coriander/stink weed (Eryngium foetidum))	
0256040	Parsley (leaves of root parsley)	
0256050	Sage (Winter savory, summer savory, Borago officinalis leaves)	
0256060	Rosemary	
0256070	Thyme (Marjoram, oregano)	
0256080	Basil (Balm leaves, mint, peppermint, holy basil, sweet basil, hairy basil, edible flowers (marigold flower and others), pennywort, wild betel leaf, curry leaves)	
0256090	Bay leaves (laurel) (Lemon grass)	
0256100	Tarragon (Hyssop)	
0256990	Others	
0260000	(vi) <b>Legume vegetables (fresh)</b>	
0260010	Beans (with pods) (Green bean/French beans/snap beans, scarlet runner bean, slicing bean, yard long beans, guar beans, soya beans)	
0260020	Beans (without pods) (Broad beans, flageolets, jack bean, lima bean, cowpea)	
0260030	Peas (with pods) (Mangetout/sugar peas/snow peas)	
0260040	Peas (without pods) (Garden pea, green pea, chickpea)	
0260050	Lentils	
0260990	Others	
0270000	(vii) <b>Stem vegetables (fresh)</b>	
0270010	Asparagus	
0270020	Cardoons (Borago officinalis stems)	

▼ **M74**

(1)	(2)	(3)
0270030	Celery	<b>15</b>
0270040	Fennel	
0270050	Globe artichokes (Banana flower)	
0270060	Leek	
0270070	Rhubarb	
0270080	Bamboo shoots	
0270090	Palm hearts	
0270990	Others	
0280000	<b>(viii) Fungi</b>	
0280010	Cultivated fungi (Common mushroom, oyster mushroom, shiitake, fungus mycelium (vegetative parts))	
0280020	Wild fungi (Chanterelle, truffle, morel, cep)	
0280990	Others	
0290000	<b>(ix) Sea weeds</b>	
0300000	<b>3. PULSES, DRY</b>	
0300010	Beans (Broad beans, navy beans, flageolets, jack beans, lima beans, field beans, cowpeas)	
0300020	Lentils	
0300030	Peas (Chickpeas, field peas, chickling vetch)	
0300040	Lupins	
0300990	Others	
0400000	<b>4. OILSEEDS AND OILFRUITS</b>	
0401000	<b>(i) Oilseeds</b>	
0401010	Linseed	
0401020	Peanuts	
0401030	Poppy seed	
0401040	Sesame seed	
0401050	Sunflower seed	

▼ **M74**

(1)	(2)	(3)
0401060	Rape seed (Bird rapeseed, turnip rape)	
0401070	Soya bean	
0401080	Mustard seed	
0401090	Cotton seed	
0401100	Pumpkin seeds (Other seeds of Cucurbitaceae)	
0401110	Safflower	
0401120	Borage (Purple viper's bugloss/Canary flower (Echium plantagineum), Corn Gromwell (Buglossoides arvensis))	
0401130	Gold of pleasure	
0401140	Hempseed	
0401150	Castor bean	
0401990	Others	
0402000	<b>(ii) Oilfruits</b>	
0402010	Olives for oil production	
0402020	Palm nuts (palmoil kernels)	
0402030	Palmfruit	
0402040	Kapok	
0402990	Others	
0500000	<b>5. CEREALS</b>	
0500010	Barley	
0500020	Buckwheat (Amaranthus, quinoa)	
0500030	Maize	
0500040	Millet (Foxtail millet, teff, finger millet, pearl millet)	
0500050	Oats	
0500060	Rice (Indian/wild rice (Zizania aquatica))	
0500070	Rye	
0500080	Sorghum	
0500090	Wheat (Spelt, triticale)	

▼ **M74**

(1)	(2)	(3)
0500990	Others (Canary grass seeds ( <i>Phalaris canariensis</i> ))	
0600000	<b>6. TEA, COFFEE, HERBAL INFUSIONS AND COCOA</b>	
0610000	(i) <b>Tea</b>	
0620000	(ii) <b>Coffee beans</b>	<b>0,03</b>
0630000	(iii) <b>Herbal infusions (dried)</b>	
0631000	(a) <i>Flowers</i>	
0631010	Camomille flowers	
0631020	Hybiscus flowers	
0631030	Rose petals	
0631040	Jasmine flowers (Elderflowers ( <i>Sambucus nigra</i> ))	
0631050	Lime (linden)	
0631990	Others	
0632000	(b) <i>Leaves</i>	
0632010	Strawberry leaves	
0632020	Rooibos leaves ( <i>Ginkgo</i> leaves)	
0632030	Maté	
0632990	Others	
0633000	(c) <i>Roots</i>	
0633010	Valerian root	
0633020	Ginseng root	
0633990	Others	
0639000	(d) <i>Other herbal infusions</i>	
0640000	(iv) <b>Cocoabeans (fermented or dried)</b>	
0650000	(v) <b>Carob (st johns bread)</b>	
0700000	<b>7. HOPS (dried)</b>	

▼ **M74**

(1)	(2)	(3)
0800000	<b>8. SPICES</b>	
0810000	<b>(i) Seeds</b>	
0810010	Anise	
0810020	Black caraway	
0810030	Celery seed (Lovage seed)	
0810040	Coriander seed	
0810050	Cumin seed	
0810060	Dill seed	
0810070	Fennel seed	
0810080	Fenugreek	
0810090	Nutmeg	
0810990	Others	
0820000	<b>(ii) Fruits and berries</b>	
0820010	Allspice	
0820020	Sichuan pepper (Anise pepper, Japan pepper)	
0820030	Caraway	
0820040	Cardamom	
0820050	Juniper berries	
0820060	Pepper, black, green and white (Long pepper, pink pepper)	
0820070	Vanilla pods	
0820080	Tamarind	
0820990	Others	
0830000	<b>(iii) Bark</b>	
0830010	Cinnamon (Cassia)	
0830990	Others	
0840000	<b>(iv) Roots or rhizome</b>	

▼ **M74**

(1)	(2)	(3)
0840010	Liquorice	
0840020	Ginger	
0840030	Turmeric (Curcuma)	
0840040	Horseradish	
0840990	Others	
0850000	(v) <b>Buds</b>	
0850010	Cloves	
0850020	Capers	
0850990	Others	
0860000	(vi) <b>Flower stigma</b>	
0860010	Saffron	
0860990	Others	
0870000	(vii) <b>Aril</b>	
0870010	Mace	
0870990	Others	
0900000	<b>9. SUGAR PLANTS</b>	
0900010	Sugar beet (root)	<b>0,05</b>
0900020	Sugar cane	
0900030	Chicory roots	<b>0,05</b>
0900990	Others	
1000000	<b>10. PRODUCTS OF ANIMAL ORIGIN-TERRESTRIAL ANIMALS</b>	
1010000	(i) <b>Tissue</b>	
1011000	(a) <i>Swine</i>	
1011010	Muscle	<b>0,01</b>

▼ **M74**

(1)	(2)	(3)
1011020	Fat	<b>0,01</b>
1011030	Liver	<b>0,05</b>
1011040	Kidney	<b>0,05</b>
1011050	Edible offal	<b>0,05</b>
1011990	Others	<b>0,01</b>
1012000	(b) <i>Bovine</i>	
1012010	Muscle	<b>0,01</b>
1012020	Fat	<b>0,01</b>
1012030	Liver	<b>0,05</b>
1012040	Kidney	<b>0,05</b>
1012050	Edible offal	<b>0,05</b>
1012990	Others	<b>0,01</b>
1013000	(c) <i>Sheep</i>	
1013010	Muscle	<b>0,01</b>
1013020	Fat	<b>0,01</b>
1013030	Liver	<b>0,05</b>
1013040	Kidney	<b>0,05</b>
1013050	Edible offal	<b>0,05</b>
1013990	Others	<b>0,01</b>
1014000	(d) <i>Goat</i>	
1014010	Muscle	<b>0,01</b>
1014020	Fat	<b>0,01</b>
1014030	Liver	<b>0,05</b>
1014040	Kidney	<b>0,05</b>
1014050	Edible offal	<b>0,05</b>



▼ **M74**

(1)	(2)	(3)
1014990	Others	<b>0,01</b>
1015000	<i>(e) Horses, asses, mules or hinnies</i>	
1015010	Muscle	<b>0,01</b>
1015020	Fat	<b>0,01</b>
1015030	Liver	<b>0,05</b>
1015040	Kidney	<b>0,05</b>
1015050	Edible offal	<b>0,05</b>
1015990	Others	<b>0,01</b>
1016000	<i>(f) Poultry -chicken, geese, duck, turkey and Guinea fowl-, ostrich, pigeon</i>	<b>0,01</b>
1016010	Muscle	
1016020	Fat	
1016030	Liver	
1016040	Kidney	
1016050	Edible offal	
1016990	Others	
1017000	<i>(g) Other farm animals (Rabbit, kangaroo, deer)</i>	
1017010	Muscle	<b>0,01</b>
1017020	Fat	<b>0,01</b>
1017030	Liver	<b>0,05</b>
1017040	Kidney	<b>0,05</b>
1017050	Edible offal	<b>0,05</b>
1017990	Others	<b>0,01</b>

▼ **M74**

(1)	(2)	(3)
1020000	(ii) <b>Milk</b>	<b>0,02</b>
1020010	Cattle	
1020020	Sheep	
1020030	Goat	
1020040	Horse	
1020990	Others	
1030000	(iii) <b>Bird eggs</b>	<b>0,015</b>
1030010	Chicken	
1030020	Duck	
1030030	Goose	
1030040	Quail	
1030990	Others	
1040000	(iv) <b>Honey (Royal jelly, pollen, honey comb with honey (comb honey))</b>	<b>0,05 (*)</b>
1050000	(v) <b>Amphibians and reptiles (Frog legs, crocodiles)</b>	<b>0,01</b>
1060000	(vi) <b>Snails</b>	<b>0,01</b>
1070000	(vii) <b>Other terrestrial animal products (Wild game)</b>	<b>0,01</b>

▼ **M2**

► **M5** <sup>(1)</sup> The MRLs account for residues due to natural occurrence of furfural, with the exception of those set for Codes 0231010 and 0231020. ◀

(<sup>a</sup>) For the complete list of products of plant and animal origin to which MRLs apply, reference should be made to Annex I.

(\*) Indicates lower limit of analytical determination.

► **M13** Residue for animal products: sum of bixafen and desmethyl bixafen expressed as bixafen. ◀

► **M8** (\*\*\*) Pesticide-code combination for which the MRL as set in Annex III Part B applies. ◀

► **M41** (\*\*\*\*) Pesticide-code combination for which the MRL as set in Annex V applies. ◀

(<sup>l</sup>) = Fat soluble

(<sup>R</sup>) = The residue definition differs for the following combinations pesticide-code number:

► **M25** Amidosulfuron — code 1000000: sum of amidosulfuron and AEF101630, expressed as amidosulfuron ◀

► **M43** Bixafen- code 1000000 except 1040000: sum of bixafen and desmethyl bixafen expressed as bixafen ◀

► **M27** Boscalid — code 1000000: Sum of boscalid and M 510F01 including its conugates expressed as boscalid ◀

Diflubenzuron — code 1000000: Sum of Diflubenzuron and 4-chlorophenylurea expressed as Diflubenzuron

▼ **M2**

Fenpropidin — code 1000000: Sum of fenpropidin and CGA289267 expressed as fenpropidin

► **M5** Fonicamid — code 1000000: Sum of fonicamid and TFNA-AM ◀

Haloxypop including Haloxypop-R — code 1000000: Haloxypop-Rand conjugates of haloxypop-R expressed as haloxypop-R

► **M5** ► **M43** Prothioconazole - code 1000000 except 1040000: Sum of prothioconazole-desthio and its glucuronide conjugate, expressed as prothioconazoledesthio. ◀ ◀

► **M37** Tembotrione - code 1000000 except 1040000: Metabolite M5 (Dihydroxy-tembotrione) ◀

Triclopyr — code 1000000: Sum of triclopyr and 3,5,6 trichloro-2-pyridinol

▼ **M72****Nicotine**

(+) Scientific evidence is not conclusive to demonstrate that nicotine occurs naturally in the concerned crop and to elucidate its mechanism of formation. When re-viewing the MRL, the Commission will take into account the information, if it is submitted by 19 October 2016, or, if that information is not submitted by that date, the lack of it.

<b>0154050</b>	<b>Rose hips</b>
<b>0256000</b>	(f) <b>Herbs</b>
<b>0256010</b>	<b>Chervil</b>
<b>0256020</b>	<b>Chives</b>
<b>0256030</b>	<b>Celery leaves (Fennel leaves, coriander leaves, dill leaves, caraway leaves, lovage, angelica, sweet cicely and other Apiacea leaves, culantro/stinking/long coriander/stink weed (Eryngium foetidum))</b>
<b>0256040</b>	<b>Parsley (leaves of root parsley)</b>
<b>0256050</b>	<b>Sage (Winter savory, summer savory, <i>Borago officinalis</i> leaves)</b>
<b>0256060</b>	<b>Rosemary</b>
<b>0256070</b>	<b>Thyme (Marjoram, oregano)</b>
<b>0256080</b>	<b>Basil (Balm leaves, mint, peppermint, holy basil, sweet basil, hairy basil, edible flowers (marigold flower and others), pennywort, wild betel leaf, curry leaves)</b>
<b>0256090</b>	<b>Bay leaves (laurel) (Lemon grass)</b>
<b>0256100</b>	<b>Tarragon (Hyssop)</b>
<b>0256990</b>	<b>Others</b>

(+) The following MRLs apply to dried wild mushrooms: 2.3 mg/kg for ceps, 1.2 mg/kg for dried wild mushrooms other than ceps. Scientific evidence is not conclusive to demonstrate that nicotine occurs naturally in the concerned crop and to elucidate its mechanism of formation. When re-viewing the MRL, the Commission will take into account the information, if it is submitted by 19 October 2016, or, if that information is not submitted by that date, the lack of it.

<b>0280020</b>	<b>Wild fungi (Chanterelle, truffle, morel, cep)</b>
----------------	--

(+) Scientific evidence is not conclusive to demonstrate that nicotine occurs naturally in the concerned crop and to elucidate its mechanism of formation. When re-viewing the MRL, the Commission will take into account the information, if it is submitted by 19 October 2016, or, if that information is not submitted by that date, the lack of it.

<b>0610000</b>	(i) <b>Tea</b>
<b>0630000</b>	(iii) <b>Herbal infusions (dried)</b>
<b>0631000</b>	(a) <b>Flowers</b>
<b>0631010</b>	<b>Camomille flowers</b>
<b>0631020</b>	<b>Hybiscus flowers</b>
<b>0631030</b>	<b>Rose petals</b>
<b>0631040</b>	<b>Jasmine flowers (Elderflowers (<i>Sambucus nigra</i>))</b>
<b>0631050</b>	<b>Lime (linden)</b>
<b>0631990</b>	<b>Others</b>
<b>0632000</b>	(b) <b>Leaves</b>
<b>0632010</b>	<b>Strawberry leaves</b>
<b>0632020</b>	<b>Rooibos leaves (Ginkgo leaves)</b>
<b>0632030</b>	<b>Maté</b>
<b>0632990</b>	<b>Others</b>

▼ M72

0633000	(c) <b>Roots</b>
0633010	Valerian root
0633020	Ginseng root
0633990	Others
0639000	(d) <b>Other herbal infusions</b>
0800000	8. <b>SPICES</b>
0810000	(i) <b>Seeds</b>
0810010	Anise
0810020	Black caraway
0810030	Celery seed (Lovage seed)
0810040	Coriander seed
0810050	Cumin seed
0810060	Dill seed
0810070	Fennel seed
0810080	Fenugreek
0810090	Nutmeg
0810990	Others
0820000	(ii) <b>Fruits and berries</b>
0820010	Allspice
0820020	Sichuan pepper (Anise pepper, Japan pepper)
0820030	Caraway
0820040	Cardamom
0820050	Juniper berries
0820060	Pepper, black, green and white (Long pepper, pink pepper)
0820070	Vanilla pods
0820080	Tamarind
0820990	Others
0830000	(iii) <b>Bark</b>
0830010	Cinnamon (Cassia)
0830990	Others
0840000	(iv) <b>Roots or rhizome</b>
0840010	Liquorice
0840020	Ginger
0840030	Turmeric (Curcuma)
0840040	Horseradish
0840990	Others
0850000	(v) <b>Buds</b>
0850010	Cloves
0850020	Capers
0850990	Others
0860000	(vi) <b>Flower stigma</b>
0860010	Saffron
0860990	Others
0870000	(vii) <b>Aril</b>
0870010	Mace
0870990	Others

**▼ M78****Fluopyram (R)**

(R) = The residue definition differs for the following combinations pesticide-code number:

Fluopyram — code 1000000: sum fluopyram and fluopyram-benzamide (M25) expressed as fluopyram

(+) The European Food Safety Authority identified some information on residue trials as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 13 July 2015, or, if that information is not submitted by that date, the lack of it.

0231990	Others
0234000	(d) sweet corn
0239000	(e) other fruiting vegetables
0242990	Others
0243020	Kales
0243990	Others
0244000	(d) kohlrabies
0252020	Purslanes
0252030	Chards/beet leaves
0252990	Others
0254000	(d) watercresses
0256000	(f) herbs and edible flowers
0256010	Chervil
0256020	Chives
0256030	Celery leaves
0256040	Parsley
0256050	Sage
0256060	Rosemary
0256070	Thyme
0256080	Basil and edible flowers
0256090	Laurel/bay leave
0256100	Tarragon
0256990	Others
0260050	Lentils
0260990	Others

▼ M78

0270020	Cardoons
0270030	Celeries
0270040	Florence fennels
0270990	Others
0401040	Sesame seeds
0401050	Sunflower seeds
0401090	Cotton seeds
0401100	Pumpkin seeds
0401110	Safflower seeds
0401120	Borage seeds
0401140	Hemp seeds
0401150	Castor beans
0401990	Others
0500010	Barley
0500020	Buckwheat and other pseudo-cereals
0500040	Common millet/proso millet
0500050	Oat
0500990	Others
0631000	(a) flowers
0631010	Chamomile
0631020	Hibiscus/roselle
0631030	Rose
0631040	Jasmine
0631050	Lime/linden
0631990	Others
0632000	(b) leaves and herbs
0632010	Strawberry
0632020	Rooibos
0632030	Mate/maté
0632990	Others
0639000	(d) any other parts of the plant
0810000	Seed spices
0810010	Anise/aniseed
0810020	Black caraway/black cumin
0810030	Celery
0810040	Coriander

**▼ M78**

<b>0810050</b>	<b>Cumin</b>
<b>0810060</b>	<b>Dill</b>
<b>0810070</b>	<b>Fennel</b>
<b>0810080</b>	<b>Fenugreek</b>
<b>0810090</b>	<b>Nutmeg</b>
<b>0810990</b>	<b>Others</b>
<b>0820030</b>	<b>Caraway</b>

- (+) The applicable maximum residue level for horseradish (*Armoracia rusticana*) in the spice group (code 0840040) is the one set for horseradish (*Armoracia rusticana*) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

<b>0840040</b>	<b>Horseradish</b>
----------------	--------------------

- (+) The European Food Safety Authority identified some information on residue trials as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 13 July 2015, or, if that information is not submitted by that date, the lack of it.

<b>0900010</b>	<b>Sugar beet roots</b>
<b>0900030</b>	<b>Chicory roots</b>
<b>0900990</b>	<b>Others</b>

**▼ M56****Spinetoram (XDE-175)**

- (+) MRL applicable until 31 December 2014, after that date 0,05 (\*) will be applicable unless modified by a Regulation. Detailed information on supervised field trials to be submitted to the Authority and the European Commission by 30 June 2013 at the latest. Reassessment of data may lead to modification of the MRL.

0140020	Cherries (Sweet cherries, sour cherries)
---------	--

- (+) The applicable maximum residue level for horseradish (*Armoracia rusticana*) in the spice group (code 0840040) is the one set for horseradish (*Armoracia rusticana*) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

0840040	Horseradish
---------	-------------

**▼ M30****Oxadixyl**

- Oxadixyl: Confirmatory data on plant metabolism and soil degradation for all the MRLs higher than the LOD to be submitted to the Authority and the Commission by 31 December 2014 at the latest. Reassessment of data may lead to modification of MRLs.

**▼ M61****Isoprothiolane**

- (+) The applicable maximum residue level for horseradish (*Armoracia rusticana*) in the spice group (code 0840040) is the one set for horseradish (*Armoracia rusticana*) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

<b>0840040</b>	<b>Horseradish</b>
----------------	--------------------

**▼ M75****Ametoctradin (R)**

- (R) = The residue definition differs for the following combinations pesticide-code number:

Ametoctradin - code 1000000 except 1040000: Ametoctradin, metabolite 4-(7-amino-5-ethyl [1,2,4]triazolo [1,5-a]pyrimidin-6-yl) butanoic acid (M650F01) and metabolite 6-(7-amino-5-ethyl [1,2,4]triazolo [1,5-a]pyrimidin-6-yl) hexanoic acid (M650F06), expressed as ametoctradin

- (+) The applicable maximum residue level for horseradish (*Armoracia rusticana*) in the spice group (code 0840040) is the one set for horseradish (*Armoracia rusticana*) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

0840040	Horseradish
---------	-------------

**▼ M47****Aminopyralid**

- (+) The applicable maximum residue level for horseradish (*Armoracia rusticana*) in the spice group (code 0840040) is the one set for horseradish (*Armoracia rusticana*) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

**0840040                      Horseradish**

**▼ M74****Chlorantraniliprole (DPX E-2Y45) (F)**

- (+) The applicable maximum residue level for horseradish (*Armoracia rusticana*) in the spice group (code 0840040) is the one set for horseradish (*Armoracia rusticana*) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

**0840040                      Horseradish**

**▼ M47****Mepiquat**

- (+) The applicable maximum residue level for horseradish (*Armoracia rusticana*) in the spice group (code 0840040) is the one set for horseradish (*Armoracia rusticana*) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

**0840040                      Horseradish**

**▼ M41****Diphenylamine**

- (+) Temporary MRL to be reviewed by 2 September 2015

0130010                      Apples (Crab apple)  
0130020                      Pears (Oriental pear)

**▼ M74****Fenpyroximate (F)**

- (+) The applicable maximum residue level for horseradish (*Armoracia rusticana*) in the spice group (code 0840040) is the one set for horseradish (*Armoracia rusticana*) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

**0840040                      Horseradish**

**▼ M54****Flubendiamide (F)**

- (+) The applicable maximum residue level for horseradish (*Armoracia rusticana*) in the spice group (code 0840040) is the one set for horseradish (*Armoracia rusticana*) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

**0840040                      Horseradish**

**▼ M78****Isopyrazam**

- (+) The applicable maximum residue level for horseradish (*Armoracia rusticana*) in the spice group (code 0840040) is the one set for horseradish (*Armoracia rusticana*) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

**0840040                      Horseradish**

**▼ M74****Spirotetramat and its 4 metabolites BYI08330-enol, BYI08330-ketohydroxy, BYI08330-monohydroxy, and BYI08330 enol-glucoside, expressed as spirotetramat (R)**

- (R) = The residue definition differs for the following combinations pesticide-code number:  
Spirotetramat - Code 1000000 except 1040000: Spirotetramat and its metabolite BYI08330-enol expressed as spirotetramat

- (+) The applicable maximum residue level for horseradish (*Armoracia rusticana*) in the spice group (code 0840040) is the one set for horseradish (*Armoracia rusticana*) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

**0840040                      Horseradish**



**▼ M61****Cyflufenamid: sum of cyflufenamid (Z-isomer) and its E-isomer**

- (+) The applicable maximum residue level for horseradish (*Armoracia rusticana*) in the spice group (code 0840040) is the one set for horseradish (*Armoracia rusticana*) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

**0840040                      Horseradish**

**▼ M74****Dicamba**

- (+) The following MRL applies to dicamba-tolerant soya bean: 0,4 mg/kg of 3,6-dichloro-salicylic acid (DCSA) and its conjugates, expressed as DCSA.

**0401070                      Soya bean**

- (+) The applicable maximum residue level for horseradish (*Armoracia rusticana*) in the spice group (code 0840040) is the one set for horseradish (*Armoracia rusticana*) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

**0840040                      Horseradish**

**▼ M78****Fluopicolide**

- (+) The applicable maximum residue level for horseradish (*Armoracia rusticana*) in the spice group (code 0840040) is the one set for horseradish (*Armoracia rusticana*) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

**0840040                      Horseradish**

**▼ M56****Flutriafol**

- (+) The applicable maximum residue level for horseradish (*Armoracia rusticana*) in the spice group (code 0840040) is the one set for horseradish (*Armoracia rusticana*) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

**0840040                      Horseradish**

**▼ M63****Fosetyl-Al (sum of fosetyl, phosphonic acid and their salts, expressed as fosetyl)**

- (+) MRL applicable until 31 December 2015, after that date 2 (\*) will be applicable unless modified by a Regulation.

<b>0120010</b>	<b>Almonds</b>
<b>0120030</b>	<b>Cashew nuts</b>
<b>0120060</b>	<b>Hazelnuts (Filbert)</b>
<b>0120070</b>	<b>Macadamia</b>
<b>0120100</b>	<b>Pistachios</b>
<b>0120110</b>	<b>Walnuts</b>
<b>0140000</b>	<b>(iv) Stone fruit</b>
<b>0140010</b>	<b>Apricots</b>
<b>0140020</b>	<b>Cherries (Sweet cherries, sour cherries)</b>
<b>0140030</b>	<b>Peaches (Nectarines and similar hybrids)</b>
<b>0140040</b>	<b>Plums (Damson, greengage, mirabelle, sloe, red date/Chinese date/Chinese jujube (<i>Zizyphus zizyphus</i>))</b>
<b>0140990</b>	<b>Others</b>
<b>0153000</b>	<b>(c) Cane fruit</b>
<b>0153010</b>	<b>Blackberries</b>
<b>0153020</b>	<b>Dewberries (Loganberries, tayberries, boysenberries, cloudberries and other <i>Rubus</i> hybrids)</b>
<b>0153030</b>	<b>Raspberries (Wineberries, arctic bramble/raspberry, (<i>Rubus arcticus</i>), nectar raspberries (<i>Rubus arcticus</i> × <i>Rubus idaeus</i>))</b>
<b>0153990</b>	<b>Others</b>
<b>0154010</b>	<b>Blueberries (Bilberries)</b>
<b>0154030</b>	<b>Currants (red, black and white)</b>
<b>0154040</b>	<b>Gooseberries (Including hybrids with other <i>Ribes</i> species)</b>
<b>0161020</b>	<b>Figs</b>

**▼ M63**

0161040	Kumquats (Marumi kumquats, nagami kumquats, limequats ( <i>Citrus aurantifolia</i> × <i>Fortunella</i> spp.))
0161060	Persimmon
0162030	Passion fruit
0163040	Papaya
0163050	Pomegranate
0220010	Garlic
0260010	Beans (with pods) (Green bean/French beans/snap beans, scarlet runner bean, slicing bean, yard long beans, guar beans, soya beans)
0260020	Beans (without pods) (Broad beans, flageolets, jack bean, lima bean, cowpea)
0260030	Peas (with pods) (Mangetout/sugar peas/snow peas)
0260040	Peas (without pods) (Garden pea, green pea, chickpea)
0270010	Asparagus

- (+) The applicable maximum residue level for horseradish (*Armoracia rusticana*) in the spice group (code 0840040) is the one set for horseradish (*Armoracia rusticana*) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

0840040                      **Horseradish**

**▼ M74****Mandipropamid**

- (+) The applicable maximum residue level for horseradish (*Armoracia rusticana*) in the spice group (code 0840040) is the one set for horseradish (*Armoracia rusticana*) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

0840040                      **Horseradish**

**▼ M61****Phosmet (phosmet and phosmet oxon expressed as phosmet) (R)**

- (R) = The residue definition differs for the following combinations pesticide-code number:

Phosmet — code 1000000 except 1040000: Phosmet

- (+) The applicable maximum residue level for horseradish (*Armoracia rusticana*) in the spice group (code 0840040) is the one set for horseradish (*Armoracia rusticana*) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

0840040                      **Horseradish**

**Picloram**

- (+) The applicable maximum residue level for horseradish (*Armoracia rusticana*) in the spice group (code 0840040) is the one set for horseradish (*Armoracia rusticana*) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

0840040                      **Horseradish**

**▼ M61****Spinosad: sum of spinosyn A and spinosyn D, expressed as spinosad (F)**

- (+) The applicable maximum residue level for horseradish (*Armoracia rusticana*) in the spice group (code 0840040) is the one set for horseradish (*Armoracia rusticana*) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

0840040                      Horseradish

**Saflufenacil (sum of saflufenacil, M800H11 and M800H35, expressed as saflufenacil) (R)**

- (R) = The residue definition differs for the following combinations pesticide-code number:

Saflufenacil-code 1000000 except 1040000: Saflufenacil

- (+) The applicable maximum residue level for horseradish (*Armoracia rusticana*) in the spice group (code 0840040) is the one set for horseradish (*Armoracia rusticana*) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

0840040                      Horseradish

**▼ M56****Cycloxydim including degradation and reaction products which can be determined as 3-(3-thianyl)glutaric acid S-dioxide (BH 517-TGSO2) and/or 3-hydroxy-3-(3-thianyl)glutaric acid S-dioxide (BH 517-5-OH-TGSO2) or methyl esters thereof, calculated in total as cycloxydim**

- (+) The applicable maximum residue level for horseradish (*Armoracia rusticana*) in the spice group (code 0840040) is the one set for horseradish (*Armoracia rusticana*) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

0840040                      Horseradish

**Fenbuconazole**

- (+) The applicable maximum residue level for horseradish (*Armoracia rusticana*) in the spice group (code 0840040) is the one set for horseradish (*Armoracia rusticana*) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

0840040                      Horseradish

**Fluxapyroxad**

- (+) The applicable maximum residue level for horseradish (*Armoracia rusticana*) in the spice group (code 0840040) is the one set for horseradish (*Armoracia rusticana*) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

0840040                      Horseradish

**▼ M74****Glufosinate-ammonium (sum of glufosinate, its salts, MPP and NAG expressed as glufosinate equivalents)**

- (+) The applicable maximum residue level for horseradish (*Armoracia rusticana*) in the spice group (code 0840040) is the one set for horseradish (*Armoracia rusticana*) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

0840040                      Horseradish

**▼ M56****Imidacloprid**

- (+) The applicable maximum residue level for horseradish (*Armoracia rusticana*) in the spice group (code 0840040) is the one set for horseradish (*Armoracia rusticana*) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

0840040                      Horseradish

**▼ M74****Penthiopyrad**

- (+) The applicable maximum residue level for horseradish (*Armoracia rusticana*) in the spice group (code 0840040) is the one set for horseradish (*Armoracia rusticana*) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

0840040                      Horseradish

**▼ M53****Metaflumizone (sum of E- and Z- isomers)**

- (+) The applicable maximum residue level for horseradish (*Armoracia rusticana*) in the spice group (code 0840040) is the one set for horseradish (*Armoracia rusticana*) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

**0840040                      Horseradish**

**Teflubenzuron**

- (+) The applicable maximum residue level for horseradish (*Armoracia rusticana*) in the spice group (code 0840040) is the one set for horseradish (*Armoracia rusticana*) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

**0840040                      Horseradish**

**▼ M65**

**Benzalkonium chloride (mixture of alkylbenzyltrimethylammonium chlorides with alkyl chain lengths of C<sub>8</sub>, C<sub>10</sub>, C<sub>12</sub>, C<sub>14</sub>, C<sub>16</sub> and C<sub>18</sub>)**

- (+) These MRLs shall be reviewed by 31 December 2019. Reassessment of data may lead to modification of MRLs.

<b>0100000</b>	<b>1. FRUIT FRESH OR FROZEN NUTS</b>
<b>0110000</b>	<b>(i) Citrus fruit</b>
<b>0110010</b>	<b>Grapefruit (Shaddocks, pomelos, sweeties, tangelo (except mineola), ugli and other hybrids)</b>
<b>0110020</b>	<b>Oranges (Bergamot, bitter orange, chinotto and other hybrids)</b>
<b>0110030</b>	<b>Lemons (Citron, lemon, Buddha's hand (<i>Citrus medica</i> var. <i>sarcodactylis</i>))</b>
<b>0110040</b>	<b>Limes</b>
<b>0110050</b>	<b>Mandarins (Clementine, tangerine, mineola and other hybrids tangor (<i>Citrus reticulata</i> × <i>sinensis</i>))</b>
<b>0110990</b>	<b>Others</b>
<b>0120000</b>	<b>(ii) Tree nuts</b>
<b>0120010</b>	<b>Almonds</b>
<b>0120020</b>	<b>Brazil nuts</b>
<b>0120030</b>	<b>Cashew nuts</b>
<b>0120040</b>	<b>Chestnuts</b>
<b>0120050</b>	<b>Coconuts</b>
<b>0120060</b>	<b>Hazelnuts (Filbert)</b>
<b>0120070</b>	<b>Macadamia</b>
<b>0120080</b>	<b>Pecans</b>
<b>0120090</b>	<b>Pine nuts</b>
<b>0120100</b>	<b>Pistachios</b>
<b>0120110</b>	<b>Walnuts</b>
<b>0120990</b>	<b>Others</b>
<b>0130000</b>	<b>(iii) Pome fruit</b>

▼ M65

0130010	Apples (Crab apple)
0130020	Pears (Oriental pear)
0130030	Quinces
0130040	Medlar
0130050	Loquat
0130990	Others
0140000	(iv) Stone fruit
0140010	Apricots
0140020	Cherries (Sweet cherries, sour cherries)
0140030	Peaches (Nectarines and similar hybrids)
0140040	Plums (Damson, greengage, mirabelle, sloe, red date/Chinese date/Chinese jujube ( <i>Ziziphus zizyphus</i> ))
0140990	Others
0150000	(v) Berries & small fruit
0151000	(a) Table and wine grapes
0151010	Table grapes
0151020	Wine grapes
0152000	(b) Strawberries
0153000	(c) Cane fruit
0153010	Blackberries
0153020	Dewberries (Loganberries, tayberries, boysenberries, cloudberrries and other <i>Rubus</i> hybrids)
0153030	Raspberries (Wineberries, arctic bramble/raspberry, ( <i>Rubus arcticus</i> ), nectar raspberries ( <i>Rubus arcticus</i> × <i>Rubus idaeus</i> ))
0153990	Others
0154000	(d) Other small fruit & berries
0154010	Blueberries (Bilberries)
0154020	Cranberries (Cowberries/red bilberries ( <i>V. vitis-idaea</i> ))
0154030	Currants (red, black and white)
0154040	Gooseberries (Including hybrids with other <i>Ribes</i> species)
0154050	Rose hips
0154060	Mulberries ( <i>Arbutus</i> berry)
0154070	Azarole (mediteranean medlar) (Kiwiberry ( <i>Actinidia arguta</i> ))
0154080	Elderberries (Black chokeberry/appleberry, mountain ash, buckthorn/sea allowthorn, hawthorn, serviceberries, and other treeberries)
0154990	Others
0160000	(vi) Miscellaneous fruit
0161000	(a) Edible peel
0161010	Dates
0161020	Figs
0161030	Table olives
0161040	Kumquats (Marumi kumquats, nagami kumquats, limequats ( <i>Citrus aurantifolia</i> × <i>Fortunella</i> spp.))
0161050	Carambola (Bilimbi)
0161060	Persimmon

▼ M65

0161070	Jambolan (java plum) (Java apple/water apple, pomerac, rose apple, Brazilian cherry, Surinam cherry/grumichama ( <i>Eugenia uniflora</i> ))
0161990	Others
0162000	(b) Inedible peel, small
0162010	Kiwi
0162020	Lychee (Litchi) (Pulasan, rambutan/hairy litchi, longan, mangosteen, langsung, salak)
0162030	Passion fruit
0162040	Prickly pear (cactus fruit)
0162050	Star apple
0162060	American persimmon (Virginia kaki) (Black sapote, white sapote, green sapote, canistel/yellow sapote, mammey sapote)
0162990	Others
0163000	(c) Inedible peel, large
0163010	Avocados
0163020	Bananas (Dwarf banana, plantain, apple banana)
0163030	Mangoes
0163040	Papaya
0163050	Pomegranate
0163060	Cherimoya (Custard apple, sugar apple/sweetsop, ilama ( <i>Annona diversifolia</i> ) and other medium sized <i>Annonaceae</i> fruits)
0163070	Guava (Red pitaya/dragon fruit ( <i>Hylocereus undatus</i> ))
0163080	Pineapples
0163090	Bread fruit (Jackfruit)
0163100	Durian
0163110	Soursop (guanabana)
0163990	Others
0200000	2. VEGETABLES FRESH OR FROZEN
0210000	(i) Root and tuber vegetables
0211000	(a) Potatoes
0212000	(b) Tropical root and tuber vegetables
0212010	Cassava (Dasheen, eddoe/Japanese taro, tannia)
0212020	Sweet potatoes
0212030	Yams (Potato bean/yam bean, Mexican yam bean)
0212040	Arrowroot
0212990	Others
0213000	(c) Other root and tuber vegetables except sugar beet
0213010	Beetroot
0213020	Carrots
0213030	Celeriac
0213040	Horseradish (Angelica roots, lovage roots, gentiana roots)
0213050	Jerusalem artichokes (Crosne)
0213060	Parsnips

▼ M65

0213070	Parsley root
0213080	Radishes (Black radish, Japanese radish, small radish and similar varieties, tiger nut ( <i>Cyperus esculentus</i> ))
0213090	Salsify (Scorzoneria, Spanish salsify/Spanish oysterplant, edible burdock)
0213100	Swedes
0213110	Turnips
0213990	Others
0220000	(ii) Bulb vegetables
0220010	Garlic
0220020	Onions (Other bulb onions, silverskin onions)
0220030	Shallots
0220040	Spring onions and welsch onions (Other green onions and similar varieties)
0220990	Others
0230000	(iii) Fruiting vegetables
0231000	(a) <i>Solanacea</i>
0231010	Tomatoes (Cherry tomatoes, <i>Physalis</i> spp., gojiberry, wolfberry ( <i>Lycium barbarum</i> and <i>L. chinense</i> ), tree tomato)
0231020	Peppers (Chilli peppers)
0231030	Aubergines (egg plants) (Pepino, antroewa/white eggplant ( <i>S. macrocarpon</i> ))
0231040	Okra (lady's fingers)
0231990	Others
0232000	(b) Cucurbits — edible peel
0232010	Cucumbers
0232020	Gherkins
0232030	Courgettes (Summer squash, marrow (patisson), lauki ( <i>Lagenaria siceraria</i> ), chayote, sopropo/bitter melon, snake gourd, angled luffa/teroi)
0232990	Others
0233000	(c) Cucurbits-inedible peel
0233010	Melons (Kiwano)
0233020	Pumpkins (Winter squash, marrow (late variety))
0233030	Watermelons
0233990	Others
0234000	(d) Sweet corn (Baby corn)
0239000	(e) Other fruiting vegetables
0240000	(iv) Brassica vegetables
0241000	(a) Flowering brassica
0241010	Broccoli (Calabrese, Broccoli raab, Chinese broccoli)
0241020	Cauliflower
0241990	Others
0242000	(b) Head brassica
0242010	Brussels sprouts
0242020	Head cabbage (Pointed head cabbage, red cabbage, savoy cabbage, white cabbage)
0242990	Others

▼ M65

0243000	(c) Leafy brassica
0243010	Chinese cabbage (Indian or Chinese) mustard, pak choi, Chinese flat cabbage/ai goo choi, choi sum, Peking cabbage/pe-tsai)
0243020	Kale (Borecole/curly kale, collards, Portuguese Kale, Portuguese cabbage, cow cabbage)
0243990	Others
0244000	(d) Kohlrabi
0250000	(v) Leaf vegetables & fresh herbs
0251000	(a) Lettuce and other salad plants including <i>Brassicaceae</i>
0251010	Lamb's lettuce (Italian corn salad)
0251020	Lettuce (Head lettuce, lollo rosso (cutting lettuce), iceberg lettuce, romaine (cos) lettuce)
0251030	Scarole (broad-leaf endive) (Wild chicory, red-leaved chicory, radicchio, curly leaf endive, sugar loaf ( <i>C. endivia</i> var. <i>crispum</i> / <i>C. intybus</i> var. <i>foliosum</i> ), dandelion greens)
0251040	Cress (Mung bean sprouts, alfalfa sprouts)
0251050	Land cress
0251060	Rocket, Rucola (Wild rocket ( <i>Diplotaxis</i> spp.))
0251070	Red mustard
0251080	Leaves and sprouts of <i>Brassica</i> spp, including turnip greens (Mizuna, leaves of peas and radish and other babyleaf crops, including brassica crops (crops harvested up to 8 true leaf stage), kohlrabi leaves)
0251990	Others
0252000	(b) Spinach & similar (leaves)
0252010	Spinach (New Zealand spinach, amaranthus spinach (pak-khom, tampara), tajar leaves, bitterblad/bitawiri)
0252020	Purslane (Winter purslane/miner's lettuce, garden purslane, common purslane, sorrel, glass-worth, agretti ( <i>Salsola soda</i> ))
0252030	Beet leaves (chard) (Leaves of beetroot)
0252990	Others
0253000	(c) Vine leaves (grape leaves) (Malabar nightshade, banana leaves, climbing wattle ( <i>Acacia pennata</i> ))
0254000	(d) Water cress (Morning glory/Chinese convolvulus/water convolvulus/water spinach/kangkung ( <i>Ipomea aquatica</i> ), water clover, water mimosa)
0255000	(e) Witloof
0256000	(f) Herbs
0256010	Chervil
0256020	Chives
0256030	Celery leaves (Fennel leaves, coriander leaves, dill leaves, caraway leaves, lovage, angelica, sweet ciselis and other <i>Apiacea</i> leaves, culantro/stinking/long coriander/stink weed ( <i>Eryngium foetidum</i> ))
0256040	Parsley (leaves of root parsley)
0256050	Sage (Winter savory, summer savory, <i>Borago officinalis</i> leaves)
0256060	Rosemary
0256070	Thyme (Marjoram, oregano)
0256080	Basil (Balm leaves, mint, peppermint, holy basil, sweet basil, hairy basil, edible flowers (marigold flower and others), pennywort, wild betel leaf, curry leaves)



▼ M65

0256090	Bay leaves (laurel) (Lemon grass)
0256100	Tarragon (Hyssop)
0256990	Others
0260000	(vi) Legume vegetables (fresh)
0260010	Beans (with pods) (Green bean/French beans/snap beans, scarlet runner bean, slicing bean, yard long beans, guar beans, soya beans)
0260020	Beans (without pods) (Broad beans, flageolets, jack bean, lima bean, cowpea)
0260030	Peas (with pods) (Mangetout/sugar peas/snow peas)
0260040	Peas (without pods) (Garden pea, green pea, chickpea)
0260050	Lentils
0260990	Others
0270000	(vii) Stem vegetables (fresh)
0270010	Asparagus
0270020	Cardoons ( <i>Borago officinalis</i> stems)
0270030	Celery
0270040	Fennel
0270050	Globe artichokes (Banana flower)
0270060	Leek
0270070	Rhubarb
0270080	Bamboo shoots
0270090	Palm hearts
0270990	Others
0280000	(viii) Fungi
0280010	Cultivated fungi (Common mushroom, oyster mushroom, shiitake, <i>fungus mycelium</i> (vegetative parts))
0280020	Wild fungi (Chanterelle, truffle, morel, cep)
0280990	Others
0290000	(ix) Sea weeds
0300000	3. PULSES, DRY
0300010	Beans (Broad beans, navy beans, flageolets, jack beans, lima beans, field beans, cowpeas)
0300020	Lentils
0300030	Peas (Chickpeas, field peas, chickling vetch)
0300040	Lupins
0300990	Others
0400000	4. OILSEEDS AND OILFRUITS
0401000	(i) Oilseeds
0401010	Linseed
0401020	Peanuts
0401030	Poppy seed
0401040	Sesame seed
0401050	Sunflower seed
0401060	Rape seed (Bird rapeseed, turnip rape)

▼ M65

0401070	Soya bean
0401080	Mustard seed
0401090	Cotton seed
0401100	Pumpkin seeds (Other seeds of <i>Cucurbitaceae</i> )
0401110	Safflower
0401120	Borage (Purple viper's bugloss/Canary flower ( <i>Echium plantagineum</i> ), Corn Gromwell ( <i>Buglossoides arvensis</i> ))
0401130	Gold of pleasure
0401140	Hempseed
0401150	Castor bean
0401990	Others
0402000	(ii) Oilfruits
0402010	Olives for oil production
0402020	Palm nuts (palmoil kernels)
0402030	Palmfruit
0402040	Kapok
0402990	Others
0500000	5. CEREALS
0500010	Barley
0500020	Buckwheat ( <i>Amaranthus</i> , quinoa)
0500030	Maize
0500040	Millet (Foxtail millet, teff, finger millet, pearl millet)
0500050	Oats
0500060	Rice (Indian/wild rice ( <i>Zizania aquatica</i> ))
0500070	Rye
0500080	Sorghum
0500090	Wheat (Spelt, triticale)
0500990	Others (Canary grass seeds ( <i>Phalaris canariensis</i> ))
0600000	6. TEA, COFFEE, HERBAL INFUSIONS AND COCOA
0610000	(i) Tea
0620000	(ii) Coffee beans
0630000	(iii) Herbal infusions (dried)
0631000	(a) Flowers
0631010	Camomille flowers
0631020	Hybiscus flowers
0631030	Rose petals
0631040	Jasmine flowers (Elderflowers ( <i>Sambucus nigra</i> ))
0631050	Lime (linden)
0631990	Others
0632000	(b) Leaves
0632010	Strawberry leaves
0632020	Rooibos leaves (Ginkgo leaves)

▼ M65

0632030	Maté
0632990	Others
0633000	(c) Roots
0633010	Valerian root
0633020	Ginseng root
0633990	Others
0639000	(d) Other herbal infusions
0640000	(iv) Cocoabeans (fermented or dried)
0650000	(v) Carob (st johns bread)
0700000	7. HOPS (dried)
0800000	8. SPICES
0810000	(i) Seeds
0810010	Anise
0810020	Black caraway
0810030	Celery seed (Lovage seed)
0810040	Coriander seed
0810050	Cumin seed
0810060	Dill seed
0810070	Fennel seed
0810080	Fenugreek
0810090	Nutmeg
0810990	Others
0820000	(ii) Fruits and berries
0820010	Allspice
0820020	Sichuan pepper (Anise pepper, Japan pepper)
0820030	Caraway
0820040	Cardamom
0820050	Juniper berries
0820060	Pepper, black, green and white (Long pepper, pink pepper)
0820070	Vanilla pods
0820080	Tamarind
0820990	Others
0830000	(iii) Bark
0830010	Cinnamon (Cassia)
0830990	Others
0840000	(iv) Roots or rhizome
0840010	Liquorice
0840020	Ginger
0840030	Turmeric (Curcuma)

▼ **M65**

- (+) The applicable maximum residue level for horseradish (*Armoracia rusticana*) in the spice group (code 0840040) is the one set for horseradish (*Armoracia rusticana*) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

**0840040**                      **Horseradish**

- (+) These MRLs shall be reviewed by 31 December 2019. Reassessment of data may lead to modification of MRLs.

**0840990**                      **Others**

**0850000**                      **(v) Buds**

**0850010**                      **Cloves**

**0850020**                      **Capers**

**0850990**                      **Others**

**0860000**                      **(vi) Flower stigma**

**0860010**                      **Saffron**

**0860990**                      **Others**

**0870000**                      **(vii) Aril**

**0870010**                      **Mace**

**0870990**                      **Others**

**0900000**                      **9. SUGAR PLANTS**

**0900010**                      **Sugar beet (root)**

**0900020**                      **Sugar cane**

**0900030**                      **Chicory roots**

**0900990**                      **Others**

**1000000**                      **10. PRODUCTS OF ANIMAL ORIGIN-TERRESTRIAL ANIMALS**

**1010000**                      **(i) Tissue**

**1011000**                      **(a) Swine**

**1011010**                      **Muscle**

**1011020**                      **Fat**

**1011030**                      **Liver**

**1011040**                      **Kidney**

**1011050**                      **Edible offal**

**1011990**                      **Others**

**1012000**                      **(b) Bovine**

**1012010**                      **Muscle**

**1012020**                      **Fat**

**1012030**                      **Liver**

**1012040**                      **Kidney**

**1012050**                      **Edible offal**

**1012990**                      **Others**

**1013000**                      **(c) Sheep**

**1013010**                      **Muscle**

**1013020**                      **Fat**

▼ M65

1013030	Liver
1013040	Kidney
1013050	Edible offal
1013990	Others
1014000	(d) Goat
1014010	Muscle
1014020	Fat
1014030	Liver
1014040	Kidney
1014050	Edible offal
1014990	Others
1015000	(e) Horses, asses, mules or hinnies
1015010	Muscle
1015020	Fat
1015030	Liver
1015040	Kidney
1015050	Edible offal
1015990	Others
1016000	(f) Poultry -chicken, geese, duck, turkey and Guinea fowl-, ostrich, pigeon
1016010	Muscle
1016020	Fat
1016030	Liver
1016040	Kidney
1016050	Edible offal
1016990	Others
1017000	(g) Other farm animals (Rabbit, kangaroo, deer)
1017010	Muscle
1017020	Fat
1017030	Liver
1017040	Kidney
1017050	Edible offal
1017990	Others
1020000	(ii) Milk
1020010	Cattle
1020020	Sheep
1020030	Goat
1020040	Horse
1020990	Others
1030000	(iii) Bird eggs
1030010	Chicken
1030020	Duck

▼ M65

1030030	Goose
1030040	Quail
1030990	Others
1040000	(iv) Honey (Royal jelly, pollen, honey comb with honey (comb honey))
1050000	(v) Amphibians and reptiles (Frog legs, crocodiles)
1060000	(vi) Snails
1070000	(vii) Other terrestrial animal products (Wild game)

**Didecyldimethylammonium chloride (mixture of alkyl-quaternary ammonium salts with alkyl chain lengths of C<sub>8</sub>, C<sub>10</sub> and C<sub>12</sub>)**

(+) These MRLs shall be reviewed by 31 December 2019. Reassessment of data may lead to modification of MRLs.

0100000	<b>1. FRUIT FRESH OR FROZEN NUTS</b>
0110000	(i) Citrus fruit
0110010	Grapefruit (Shaddocks, pomelos, sweeties, tangelo (except mineola), ugli and other hybrids)
0110020	Oranges (Bergamot, bitter orange, chinotto and other hybrids)
0110030	Lemons (Citron, lemon, Buddha's hand ( <i>Citrus medica</i> var. <i>sarcodactylis</i> ))
0110040	Limes
0110050	Mandarins (Clementine, tangerine, mineola and other hybrids tangor ( <i>Citrus reticulata</i> × <i>sinensis</i> ))
0110990	Others
0120000	(ii) Tree nuts
0120010	Almonds
0120020	Brazil nuts
0120030	Cashew nuts
0120040	Chestnuts
0120050	Coconuts
0120060	Hazelnuts (Filbert)
0120070	Macadamia
0120080	Pecans
0120090	Pine nuts
0120100	Pistachios
0120110	Walnuts
0120990	Others
0130000	(iii) Pome fruit
0130010	Apples (Crab apple)
0130020	Pears (Oriental pear)
0130030	Quinces
0130040	Medlar
0130050	Loquat
0130990	Others
0140000	(iv) Stone fruit
0140010	Apricots
0140020	Cherries (Sweet cherries, sour cherries)

▼ M65

0140030	Peaches (Nectarines and similar hybrids)
0140040	Plums (Damson, greengage, mirabelle, sloe, red date/Chinese date/Chinese jujube ( <i>Ziziphus zizyphus</i> ))
0140990	Others
0150000	(v) Berries & small fruit
0151000	(a) Table and wine grapes
0151010	Table grapes
0151020	Wine grapes
0152000	(b) Strawberries
0153000	(c) Cane fruit
0153010	Blackberries
0153020	Dewberries (Loganberries, tayberries, boysenberries, cloudberrries and other <i>Rubus</i> hybrids)
0153030	Raspberries (Wineberries, arctic bramble/raspberry, ( <i>Rubus arcticus</i> ), nectar raspberries ( <i>Rubus arcticus</i> × <i>Rubus idaeus</i> ))
0153990	Others
0154000	(d) Other small fruit & berries
0154010	Blueberries (Bilberries)
0154020	Cranberries (Cowberries/red bilberries ( <i>V. vitis-idaea</i> ))
0154030	Currants (red, black and white)
0154040	Gooseberries (Including hybrids with other <i>Ribes</i> species)
0154050	Rose hips
0154060	Mulberries ( <i>Arbutus</i> berry)
0154070	Azarole (mediteranean medlar) (Kiwiberry ( <i>Actinidia arguta</i> ))
0154080	Elderberries (Black chokeberry/appleberry, mountain ash, buckthorn/sea allowthorn, hawthorn, serviceberries, and other treeberries)
0154990	Others
0160000	(vi) Miscellaneous fruit
0161000	(a) Edible peel
0161010	Dates
0161020	Figs
0161030	Table olives
0161040	Kumquats (Marumi kumquats, nagami kumquats, limequats ( <i>Citrus aurantifolia</i> × <i>Fortunella</i> spp.))
0161050	Carambola (Bilimbi)
0161060	Persimmon
0161070	Jambolan (java plum) (Java apple/water apple, pomerac, rose apple, Brazilian cherry, Surinam cherry/grumichama ( <i>Eugenia uniflora</i> ))
0161990	Others
0162000	(b) Inedible peel, small
0162010	Kiwi
0162020	Lychee (Litchi) (Pulasan, rambutan/hairy litchi, longan, mangosteen, langsat, salak)
0162030	Passion fruit

▼ M65

0162040	Prickly pear (cactus fruit)
0162050	Star apple
0162060	American persimmon (Virginia kaki) (Black sapote, white sapote, green sapote, canistel/yellow sapote, mamme sapote)
0162990	Others
0163000	(c) Inedible peel, large
0163010	Avocados
0163020	Bananas (Dwarf banana, plantain, apple banana)
0163030	Mangoes
0163040	Papaya
0163050	Pomegranate
0163060	Cherimoya (Custard apple, sugar apple/sweetsop, ilama ( <i>Annona diversifolia</i> ) and other medium sized <i>Annonaceae</i> fruits)
0163070	Guava (Red pitaya/dragon fruit ( <i>Hylocereus undatus</i> ))
0163080	Pineapples
0163090	Bread fruit (Jackfruit)
0163100	Durian
0163110	Soursop (guanabana)
0163990	Others
0200000	2. VEGETABLES FRESH OR FROZEN
0210000	(i) Root and tuber vegetables
0211000	(a) Potatoes
0212000	(b) Tropical root and tuber vegetables
0212010	Cassava (Dasheen, eddoe/Japanese taro, tannia)
0212020	Sweet potatoes
0212030	Yams (Potato bean/yam bean, Mexican yam bean)
0212040	Arrowroot
0212990	Others
0213000	(c) Other root and tuber vegetables except sugar beet
0213010	Beetroot
0213020	Carrots
0213030	Celeriac
0213040	Horseradish (Angelica roots, lovage roots, gentiana roots)
0213050	Jerusalem artichokes (Crosne)
0213060	Parsnips
0213070	Parsley root
0213080	Radishes (Black radish, Japanese radish, small radish and similar varieties, tiger nut ( <i>Cyperus esculentus</i> ))
0213090	Salsify (Scorzoneria, Spanish salsify/Spanish oysterplant, edible burdock)
0213100	Swedes
0213110	Turnips
0213990	Others
0220000	(ii) Bulb vegetables



▼ M65

0220010	Garlic
0220020	Onions (Other bulb onions, silverskin onions)
0220030	Shallots
0220040	Spring onions and welsch onions (Other green onions and similar varieties)
0220990	Others
0230000	(iii) Fruiting vegetables
0231000	(a) <i>Solanacea</i>
0231010	Tomatoes (Cherry tomatoes, <i>Physalis</i> spp., gojiberry, wolfberry ( <i>Lycium barbarum</i> and <i>L. chinense</i> ), tree tomato)
0231020	Peppers (Chilli peppers)
0231030	Aubergines (egg plants) (Pepino, antroewa/white eggplant ( <i>S. macrocarpon</i> ))
0231040	Okra (lady's fingers)
0231990	Others
0232000	(b) Cucurbits — edible peel
0232010	Cucumbers
0232020	Gherkins
0232030	Courgettes (Summer squash, marrow (patisson), lauki ( <i>Lagenaria siceraria</i> ), chayote, sopropo/bitter melon, snake gourd, angled luffa/teroi)
0232990	Others
0233000	(c) Cucurbits-inedible peel
0233010	Melons (Kiwano)
0233020	Pumpkins (Winter squash, marrow (late variety))
0233030	Watermelons
0233990	Others
0234000	(d) Sweet corn (Baby corn)
0239000	(e) Other fruiting vegetables
0240000	(iv) Brassica vegetables
0241000	(a) Flowering brassica
0241010	Broccoli (Calabrese, Broccoli raab, Chinese broccoli)
0241020	Cauliflower
0241990	Others
0242000	(b) Head brassica
0242010	Brussels sprouts
0242020	Head cabbage (Pointed head cabbage, red cabbage, savoy cabbage, white cabbage)
0242990	Others
0243000	(c) Leafy brassica
0243010	Chinese cabbage (Indian or Chinese) mustard, pak choi, Chinese flat cabbage/ai goo choi, choi sum, Peking cabbage/pe-tsai)
0243020	Kale (Borecole/curly kale, collards, Portuguese Kale, Portuguese cabbage, cow cabbage)
0243990	Others
0244000	(d) Kohlrabi
0250000	(v) Leaf vegetables & fresh herbs

▼ M65

0251000	(a) Lettuce and other salad plants including <i>Brassicaceae</i>
0251010	Lamb's lettuce (Italian corn salad)
0251020	Lettuce (Head lettuce, lollo rosso (cutting lettuce), iceberg lettuce, romaine (cos) lettuce)
0251030	Scarole (broad-leaf endive) (Wild chicory, red-leaved chicory, radicchio, curly leaf endive, sugar loaf ( <i>C. endivia</i> var. <i>crispum</i> / <i>C. intybus</i> var. <i>foliosum</i> ), dandelion greens)
0251040	Cress (Mung bean sprouts, alfalfa sprouts)
0251050	Land cress
0251060	Rocket, Rucola (Wild rocket ( <i>Diplotaxis</i> spp.))
0251070	Red mustard
0251080	Leaves and sprouts of <i>Brassica</i> spp, including turnip greens (Mizuna, leaves of peas and radish and other babyleaf crops, including brassica crops (crops harvested up to 8 true leaf stage), kohlrabi leaves)
0251990	Others
0252000	(b) Spinach & similar (leaves)
0252010	Spinach (New Zealand spinach, amaranthus spinach (pak-khom, tampara), tajer leaves, bitter-blad/bitawiri)
0252020	Purslane (Winter purslane/miner's lettuce, garden purslane, common purslane, sorrel, glass-worth, agretti ( <i>Salsola soda</i> ))
0252030	Beet leaves (chard) (Leaves of beetroot)
0252990	Others
0253000	(c) Vine leaves (grape leaves) (Malabar nightshade, banana leaves, climbing wattle ( <i>Acacia pennata</i> ))
0254000	(d) Water cress (Morning glory/Chinese convolvulus/water convolvulus/water spinach/kangkung ( <i>Ipomea aquatica</i> ), water clover, water mimosa)
0255000	(e) Witloof
0256000	(f) Herbs
0256010	Chervil
0256020	Chives
0256030	Celery leaves (Fennel leaves, coriander leaves, dill leaves, caraway leaves, lovage, angelica, sweet cicely and other <i>Apiacea</i> leaves, culantro/stinking/long coriander/stink weed ( <i>Eryngium foetidum</i> ))
0256040	Parsley (leaves of root parsley)
0256050	Sage (Winter savory, summer savory, <i>Borago officinalis</i> leaves)
0256060	Rosemary
0256070	Thyme (Marjoram, oregano)
0256080	Basil (Balm leaves, mint, peppermint, holy basil, sweet basil, hairy basil, edible flowers (marigold flower and others), pennywort, wild betel leaf, curry leaves)
0256090	Bay leaves (laurel) (Lemon grass)
0256100	Tarragon (Hyssop)
0256990	Others
0260000	(vi) Legume vegetables (fresh)
0260010	Beans (with pods) (Green bean/French beans/snap beans, scarlet runner bean, slicing bean, yard long beans, guar beans, soya beans)
0260020	Beans (without pods) (Broad beans, flageolets, jack bean, lima bean, cowpea)

▼ M65

0260030	Peas (with pods) (Mangetout/sugar peas/snow peas)
0260040	Peas (without pods) (Garden pea, green pea, chickpea)
0260050	Lentils
0260990	Others
0270000	(vii) Stem vegetables (fresh)
0270010	Asparagus
0270020	Cardoons ( <i>Borago officinalis</i> stems)
0270030	Celery
0270040	Fennel
0270050	Globe artichokes (Banana flower)
0270060	Leek
0270070	Rhubarb
0270080	Bamboo shoots
0270090	Palm hearts
0270990	Others
0280000	(viii) Fungi
0280010	Cultivated fungi (Common mushroom, oyster mushroom, shiitake, <i>fungus mycelium</i> (vegetative parts))
0280020	Wild fungi (Chanterelle, truffle, morel, cep)
0280990	Others
0290000	(ix) Sea weeds
0300000	3. PULSES, DRY
0300010	Beans (Broad beans, navy beans, flageolets, jack beans, lima beans, field beans, cowpeas)
0300020	Lentils
0300030	Peas (Chickpeas, field peas, chickling vetch)
0300040	Lupins
0300990	Others
0400000	4. OILSEEDS AND OILFRUITS
0401000	(i) Oilseeds
0401010	Linseed
0401020	Peanuts
0401030	Poppy seed
0401040	Sesame seed
0401050	Sunflower seed
0401060	Rape seed (Bird rapeseed, turnip rape)
0401070	Soya bean
0401080	Mustard seed
0401090	Cotton seed
0401100	Pumpkin seeds (Other seeds of <i>Cucurbitaceae</i> )
0401110	Safflower

▼ M65

0401120	Borage (Purple viper's bugloss/Canary flower ( <i>Echium plantagineum</i> ), Corn Gromwell ( <i>Buglossoides arvensis</i> ))
0401130	Gold of pleasure
0401140	Hempseed
0401150	Castor bean
0401990	Others
0402000	(ii) Oilfruits
0402010	Olives for oil production
0402020	Palm nuts (palmoil kernels)
0402030	Palmfruit
0402040	Kapok
0402990	Others
0500000	5. CEREALS
0500010	Barley
0500020	Buckwheat ( <i>Amaranthus</i> , quinoa)
0500030	Maize
0500040	Millet (Foxtail millet, teff, finger millet, pearl millet)
0500050	Oats
0500060	Rice (Indian/wild rice ( <i>Zizania aquatica</i> ))
0500070	Rye
0500080	Sorghum
0500090	Wheat (Spelt, triticale)
0500990	Others (Canary grass seeds ( <i>Phalaris canariensis</i> ))
0600000	6. TEA, COFFEE, HERBAL INFUSIONS AND COCOA
0610000	(i) Tea
0620000	(ii) Coffee beans
0630000	(iii) Herbal infusions (dried)
0631000	(a) Flowers
0631010	Camomille flowers
0631020	Hybiscus flowers
0631030	Rose petals
0631040	Jasmine flowers (Elderflowers ( <i>Sambucus nigra</i> ))
0631050	Lime (linden)
0631990	Others
0632000	(b) Leaves
0632010	Strawberry leaves
0632020	Rooibos leaves (Ginkgo leaves)
0632030	Maté
0632990	Others
0633000	(c) Roots
0633010	Valerian root

▼ M65

0633020	Ginseng root
0633990	Others
0639000	(d) Other herbal infusions
0640000	(iv) Cocoabeans (fermented or dried)
0650000	(v) Carob (st johns bread)
0700000	7. HOPS (dried)
0800000	8. SPICES
0810000	(i) Seeds
0810010	Anise
0810020	Black caraway
0810030	Celery seed (Lovage seed)
0810040	Coriander seed
0810050	Cumin seed
0810060	Dill seed
0810070	Fennel seed
0810080	Fenugreek
0810090	Nutmeg
0810990	Others
0820000	(ii) Fruits and berries
0820010	Allspice
0820020	Sichuan pepper (Anise pepper, Japan pepper)
0820030	Caraway
0820040	Cardamom
0820050	Juniper berries
0820060	Pepper, black, green and white (Long pepper, pink pepper)
0820070	Vanilla pods
0820080	Tamarind
0820990	Others
0830000	(iii) Bark
0830010	Cinnamon (Cassia)
0830990	Others
0840000	(iv) Roots or rhizome
0840010	Liquorice
0840020	Ginger
0840030	Turmeric (Curcuma)

(+) The applicable maximum residue level for horseradish (*Armoracia rusticana*) in the spice group (code 0840040) is the one set for horseradish (*Armoracia rusticana*) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

0840040	Horseradish
---------	-------------

**▼ M65**

(+) These MRLs shall be reviewed by 31 December 2019. Reassessment of data may lead to modification of MRLs.

0840990	Others
0850000	(v) Buds
0850010	Cloves
0850020	Capers
0850990	Others
0860000	(vi) Flower stigma
0860010	Saffron
0860990	Others
0870000	(vii) Aril
0870010	Mace
0870990	Others
0900000	9. SUGAR PLANTS
0900010	Sugar beet (root)
0900020	Sugar cane
0900030	Chicory roots
0900990	Others
1000000	10. PRODUCTS OF ANIMAL ORIGIN-TERRESTRIAL ANIMALS
1010000	(i) Tissue
1011000	(a) Swine
1011010	Muscle
1011020	Fat
1011030	Liver
1011040	Kidney
1011050	Edible offal
1011990	Others
1012000	(b) Bovine
1012010	Muscle
1012020	Fat
1012030	Liver
1012040	Kidney
1012050	Edible offal
1012990	Others
1013000	(c) Sheep
1013010	Muscle
1013020	Fat
1013030	Liver
1013040	Kidney
1013050	Edible offal
1013990	Others
1014000	(d) Goat
1014010	Muscle

▼ M65

1014020	Fat
1014030	Liver
1014040	Kidney
1014050	Edible offal
1014990	Others
1015000	(e) Horses, asses, mules or hinnies
1015010	Muscle
1015020	Fat
1015030	Liver
1015040	Kidney
1015050	Edible offal
1015990	Others
1016000	(f) Poultry -chicken, geese, duck, turkey and Guinea fowl-, ostrich, pigeon
1016010	Muscle
1016020	Fat
1016030	Liver
1016040	Kidney
1016050	Edible offal
1016990	Others
1017000	(g) Other farm animals (Rabbit, kangaroo, deer)
1017010	Muscle
1017020	Fat
1017030	Liver
1017040	Kidney
1017050	Edible offal
1017990	Others
1020000	(ii) Milk
1020010	Cattle
1020020	Sheep
1020030	Goat
1020040	Horse
1020990	Others
1030000	(iii) Bird eggs
1030010	Chicken
1030020	Duck
1030030	Goose
1030040	Quail
1030990	Others
1040000	(iv) Honey (Royal jelly, pollen, honey comb with honey (comb honey))
1050000	(v) Amphibians and reptiles (Frog legs, crocodiles)
1060000	(vi) Snails
1070000	(vii) Other terrestrial animal products (Wild game)

**▼ M72****Chromafenozide**

- (+) The applicable maximum residue level for horseradish (*Armoracia rusticana*) in the spice group (code 0840040) is the one set for horseradish (*Armoracia rusticana*) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

**0840040                      Horseradish**

**▼ M78****Difenoconazole**

- (+) The applicable maximum residue level for horseradish (*Armoracia rusticana*) in the spice group (code 0840040) is the one set for horseradish (*Armoracia rusticana*) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

**0840040                      Horseradish**

**▼ M72****Fenpyrazamine**

- (+) The applicable maximum residue level for horseradish (*Armoracia rusticana*) in the spice group (code 0840040) is the one set for horseradish (*Armoracia rusticana*) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

**0840040                      Horseradish**

**Fluazinam (F)**

- (+) The applicable maximum residue level for horseradish (*Armoracia rusticana*) in the spice group (code 0840040) is the one set for horseradish (*Armoracia rusticana*) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

**0840040                      Horseradish**

**▼ M75****Tau-Fluvalinate (F)**

- (+) The applicable maximum residue level for horseradish (*Armoracia rusticana*) in the spice group (code 0840040) is the one set for horseradish (*Armoracia rusticana*) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

0840040                      Horseradish

**▼ M70****Malathion (sum of malathion and malaoxon expressed as malathion)**

- (+) The applicable maximum residue level for horseradish (*Armoracia rusticana*) in the spice group (code 0840040) is the one set for horseradish (*Armoracia rusticana*) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

**0840040                      Horseradish**

**▼ M75****Amisulbrom**

- (+) The applicable maximum residue level for horseradish (*Armoracia rusticana*) in the spice group (code 0840040) is the one set for horseradish (*Armoracia rusticana*) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

0840040                      Horseradish



---

**▼M75****Bupirimate**

- (+) The applicable maximum residue level for horseradish (*Armoracia rusticana*) in the spice group (code 0840040) is the one set for horseradish (*Armoracia rusticana*) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

0840040                      Horseradish

**Ethirimol**

- (+) The applicable maximum residue level for horseradish (*Armoracia rusticana*) in the spice group (code 0840040) is the one set for horseradish (*Armoracia rusticana*) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

0840040                      Horseradish

**Imazapic**

- (+) The applicable maximum residue level for horseradish (*Armoracia rusticana*) in the spice group (code 0840040) is the one set for horseradish (*Armoracia rusticana*) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

0840040                      Horseradish

---

## PART B

## Temporary MRLs for products not defined in Annexes I of Directives 86/362/EEC, 86/363/EEC and 90/642/EEC

Pesticide residues and maximum residue levels (mg/kg)

Code number	Groups and examples of individual products to which the MRLs apply <sup>(*)</sup>	1,1-dichloro-2,2-bis(4-ethylphenyl)ethane (Perthane)(Ethylan) <sup>(1)</sup>	1,2-dibromoethane (ethylene dibromide) <sup>(1)</sup>	1,2-dichloroethane (ethylene dichloride) <sup>(1)</sup>	1-methylcyclopropene	▼ M40 ▲	2,4,5-T <sup>(1)</sup>	▼ M46 ▲
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)
0130040	Medlar	0,01 (*)	0,01 (*)	0,01 (*)	0,01 (*)	► M40 — ◄	0,05 (*)	► M46 — ◄
0130050	Loquat	0,01 (*)	0,01 (*)	0,01 (*)	0,01 (*)	► M40 — ◄	0,05 (*)	► M46 — ◄
0154050	Rose hips	0,01 (*)	0,01 (*)	0,01 (*)	0,01 (*)	► M40 — ◄	0,05 (*)	► M46 — ◄
0154060	Mulberries	0,01 (*)	0,01 (*)	0,01 (*)	0,01 (*)	► M40 — ◄	0,05 (*)	► M46 — ◄
0154070	Azarole (mediteranean medlar)	0,01 (*)	0,01 (*)	0,01 (*)	0,01 (*)	► M40 — ◄	0,05 (*)	► M46 — ◄
0154080	Elderberries	0,01 (*)	0,01 (*)	0,01 (*)	0,01 (*)	► M40 — ◄	0,05 (*)	► M46 — ◄
0161050	Carambola	0,01 (*)	0,01 (*)	0,01 (*)	0,01 (*)	► M40 — ◄	0,05 (*)	► M46 — ◄
0161060	Persimmon	0,01 (*)	0,01 (*)	0,01 (*)	0,01 (*)	► M40 — ◄	0,05 (*)	► M46 — ◄
0161070	Jambolan (java plum)	0,01 (*)	0,01 (*)	0,01 (*)	0,01 (*)	► M40 — ◄	0,05 (*)	► M46 — ◄
0162040	Prickly pear (cactus fruit)	0,01 (*)	0,01 (*)	0,01 (*)	0,01 (*)	► M40 — ◄	0,05 (*)	► M46 — ◄
0162050	Star apple	0,01 (*)	0,01 (*)	0,01 (*)	0,01 (*)	► M40 — ◄	0,05 (*)	► M46 — ◄
0162060	American persimmon (Virginia kaki)	0,01 (*)	0,01 (*)	0,01 (*)	0,01 (*)	► M40 — ◄	0,05 (*)	► M46 — ◄
0163060	Cherimoya	0,01 (*)	0,01 (*)	0,01 (*)	0,01 (*)	► M40 — ◄	0,05 (*)	► M46 — ◄

▼ M2

▶ <u>M18</u> Abamectin (sum of avermectin B1a, avermectinB1b and delta-8,9 isomer of avermectin B1a) (L) ▼	▶ <u>M32</u> Acephate ▼	▶ <u>M51</u> — ▼	▶ <u>M59</u> — ▼	▶ <u>M16</u> Aldicarb (sum of aldicarb, its sulfoxide and its sulfone, expressed as aldicarb) ▼	Aldrin and Dieldrin (Aldrin and dieldrin combined expressed as dieldrin) (L)	Amitraz (amitraz including the metabolites containing the 2,4-dimethylamine moiety expressed as amitraz)	▶ <u>M67</u> — ▼
(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)
▶ <u>M18</u> 0,01 (*) ◀	▶ <u>M32</u> 0,01 (*) ◀	▶ <u>M51</u> — ◀	▶ <u>M59</u> — ◀	▶ <u>M16</u> 0,02 (*) ◀	0,01 (*)	0,05 (*)	▶ <u>M67</u> — ◀
▶ <u>M18</u> 0,01 (*) ◀	▶ <u>M32</u> 0,01 (*) ◀	▶ <u>M51</u> — ◀	▶ <u>M59</u> — ◀	▶ <u>M16</u> 0,02 (*) ◀	0,01 (*)	0,05 (*)	▶ <u>M67</u> — ◀
▶ <u>M18</u> 0,01 (*) ◀	▶ <u>M32</u> 0,01 (*) ◀	▶ <u>M51</u> — ◀	▶ <u>M59</u> — ◀	▶ <u>M16</u> 0,02 (*) ◀	0,01 (*)	0,05 (*)	▶ <u>M67</u> — ◀
▶ <u>M18</u> 0,01 (*) ◀	▶ <u>M32</u> 0,01 (*) ◀	▶ <u>M51</u> — ◀	▶ <u>M59</u> — ◀	▶ <u>M16</u> 0,02 (*) ◀	0,01 (*)	0,05 (*)	▶ <u>M67</u> — ◀
▶ <u>M18</u> 0,01 (*) ◀	▶ <u>M32</u> 0,01 (*) ◀	▶ <u>M51</u> — ◀	▶ <u>M59</u> — ◀	▶ <u>M16</u> 0,02 (*) ◀	0,01 (*)	0,05 (*)	▶ <u>M67</u> — ◀
▶ <u>M18</u> 0,01 (*) ◀	▶ <u>M32</u> 0,01 (*) ◀	▶ <u>M51</u> — ◀	▶ <u>M59</u> — ◀	▶ <u>M16</u> 0,02 (*) ◀	0,01 (*)	0,05 (*)	▶ <u>M67</u> — ◀
▶ <u>M18</u> 0,01 (*) ◀	▶ <u>M32</u> 0,01 (*) ◀	▶ <u>M51</u> — ◀	▶ <u>M59</u> — ◀	▶ <u>M16</u> 0,02 (*) ◀	0,01 (*)	0,05 (*)	▶ <u>M67</u> — ◀
▶ <u>M18</u> 0,01 (*) ◀	▶ <u>M32</u> 0,01 (*) ◀	▶ <u>M51</u> — ◀	▶ <u>M59</u> — ◀	▶ <u>M16</u> 0,02 (*) ◀	0,01 (*)	0,05 (*)	▶ <u>M67</u> — ◀
▶ <u>M18</u> 0,01 (*) ◀	▶ <u>M32</u> 0,01 (*) ◀	▶ <u>M51</u> — ◀	▶ <u>M59</u> — ◀	▶ <u>M16</u> 0,02 (*) ◀	0,01 (*)	0,05 (*)	▶ <u>M67</u> — ◀
▶ <u>M18</u> 0,01 (*) ◀	▶ <u>M32</u> 0,01 (*) ◀	▶ <u>M51</u> — ◀	▶ <u>M59</u> — ◀	▶ <u>M16</u> 0,02 (*) ◀	0,01 (*)	0,05 (*)	▶ <u>M67</u> — ◀
▶ <u>M18</u> 0,01 (*) ◀	▶ <u>M32</u> 0,01 (*) ◀	▶ <u>M51</u> — ◀	▶ <u>M59</u> — ◀	▶ <u>M16</u> 0,02 (*) ◀	0,01 (*)	0,05 (*)	▶ <u>M67</u> — ◀
▶ <u>M18</u> 0,01 (*) ◀	▶ <u>M32</u> 0,01 (*) ◀	▶ <u>M51</u> — ◀	▶ <u>M59</u> — ◀	▶ <u>M16</u> 0,02 (*) ◀	0,01 (*)	0,05 (*)	▶ <u>M67</u> — ◀
▶ <u>M18</u> 0,01 (*) ◀	▶ <u>M32</u> 0,01 (*) ◀	▶ <u>M51</u> — ◀	▶ <u>M59</u> — ◀	▶ <u>M16</u> 0,02 (*) ◀	0,01 (*)	0,05 (*)	▶ <u>M67</u> — ◀
▶ <u>M18</u> 0,01 (*) ◀	▶ <u>M32</u> 0,01 (*) ◀	▶ <u>M51</u> — ◀	▶ <u>M59</u> — ◀	▶ <u>M16</u> 0,02 (*) ◀	0,01 (*)	0,05 (*)	▶ <u>M67</u> — ◀

▼ M2

Aramite (L)	Atrazine (L)	▼ <u>M52</u> — ▼	Azinphos-ethyl (L)	▼ <u>M5</u> Azinphos-methyl (L) ▼	▼ <u>M32</u> Azocyclotin and Cyhexatin (sum of azocyclotin and cyhexatin expressed as cyhexatin) ▼	▼ <u>M56</u> Azoxystrobin ▼	Barban (L)
(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)
0,01 (*)	0,05 (*)	▶ <u>M52</u> — ◀	0,02 (*)	▶ <u>M5</u> 0,5 ◀	▶ <u>M32</u> 0,01 (*) ◀	▶ <u>M56</u> 0,05 (*) ◀	0,05 (*)
0,01 (*)	0,05 (*)	▶ <u>M52</u> — ◀	0,02 (*)	▶ <u>M5</u> 0,5 ◀	▶ <u>M32</u> 0,01 (*) ◀	▶ <u>M56</u> 0,05 (*) ◀	0,05 (*)
0,01 (*)	0,05 (*)	▶ <u>M52</u> — ◀	0,02 (*)	▶ <u>M5</u> 0,05 (*) ◀	▶ <u>M32</u> 0,01 (*) ◀	▶ <u>M56</u> 5 ◀	0,05 (*)
0,01 (*)	0,05 (*)	▶ <u>M52</u> — ◀	0,02 (*)	▶ <u>M5</u> 0,05 (*) ◀	▶ <u>M32</u> 0,01 (*) ◀	▶ <u>M56</u> 5 ◀	0,05 (*)
0,01 (*)	0,05 (*)	▶ <u>M52</u> — ◀	0,02 (*)	▶ <u>M5</u> 0,05 (*) ◀	▶ <u>M32</u> 0,01 (*) ◀	▶ <u>M56</u> 0,05 (*) ◀	0,05 (*)
0,01 (*)	0,05 (*)	▶ <u>M52</u> — ◀	0,02 (*)	▶ <u>M5</u> 0,05 (*) ◀	▶ <u>M32</u> 0,01 (*) ◀	▶ <u>M56</u> 5 ◀	0,05 (*)
0,01 (*)	0,05 (*)	▶ <u>M52</u> — ◀	0,02 (*)	▶ <u>M5</u> 0,05 (*) ◀	▶ <u>M32</u> 0,01 (*) ◀	▶ <u>M56</u> 0,1 ◀	0,05 (*)
0,01 (*)	0,05 (*)	▶ <u>M52</u> — ◀	0,02 (*)	▶ <u>M5</u> 0,05 (*) ◀	▶ <u>M32</u> 0,01 (*) ◀	▶ <u>M56</u> 0,05 (*) ◀	0,05 (*)
0,01 (*)	0,05 (*)	▶ <u>M52</u> — ◀	0,02 (*)	▶ <u>M5</u> 0,05 (*) ◀	▶ <u>M32</u> 0,01 (*) ◀	▶ <u>M56</u> 0,05 (*) ◀	0,05 (*)
0,01 (*)	0,05 (*)	▶ <u>M52</u> — ◀	0,02 (*)	▶ <u>M5</u> 0,05 (*) ◀	▶ <u>M32</u> 0,01 (*) ◀	▶ <u>M56</u> 0,05 (*) ◀	0,05 (*)
0,01 (*)	0,05 (*)	▶ <u>M52</u> — ◀	0,02 (*)	▶ <u>M5</u> 0,05 (*) ◀	▶ <u>M32</u> 0,01 (*) ◀	▶ <u>M56</u> 0,05 (*) ◀	0,05 (*)
0,01 (*)	0,05 (*)	▶ <u>M52</u> — ◀	0,02 (*)	▶ <u>M5</u> 0,05 (*) ◀	▶ <u>M32</u> 0,01 (*) ◀	▶ <u>M56</u> 0,05 (*) ◀	0,05 (*)

▼ M2

Benalaxyl	▼ — ▶ <u>M32</u>	▼ — ▶ <u>M68</u>	▼ — ▶ <u>M50</u>	▼ — ▶ <u>M27</u> Bifenthrin (L)	Binapacryl (L)
(26)	(27)	(28)	(29)	(30)	(31)
0,05 (*)	▶ <u>M32</u> — ◀	▶ <u>M68</u> — ◀	▶ <u>M50</u> — ◀	▶ <u>M27</u> 0,3 ◀	0,05 (*)
0,05 (*)	▶ <u>M32</u> — ◀	▶ <u>M68</u> — ◀	▶ <u>M50</u> — ◀	▶ <u>M27</u> 0,3 ◀	0,05 (*)
0,05 (*)	▶ <u>M32</u> — ◀	▶ <u>M68</u> — ◀	▶ <u>M50</u> — ◀	▶ <u>M27</u> 0,05 (*) ◀	0,05 (*)
0,05 (*)	▶ <u>M32</u> — ◀	▶ <u>M68</u> — ◀	▶ <u>M50</u> — ◀	▶ <u>M27</u> 0,05 (*) ◀	0,05 (*)
0,05 (*)	▶ <u>M32</u> — ◀	▶ <u>M68</u> — ◀	▶ <u>M50</u> — ◀	▶ <u>M27</u> 0,05 (*) ◀	0,05 (*)
0,05 (*)	▶ <u>M32</u> — ◀	▶ <u>M68</u> — ◀	▶ <u>M50</u> — ◀	▶ <u>M27</u> 0,05 (*) ◀	0,05 (*)
0,05 (*)	▶ <u>M32</u> — ◀	▶ <u>M68</u> — ◀	▶ <u>M50</u> — ◀	▶ <u>M27</u> 0,05 (*) ◀	0,05 (*)
0,05 (*)	▶ <u>M32</u> — ◀	▶ <u>M68</u> — ◀	▶ <u>M50</u> — ◀	▶ <u>M27</u> 0,05 (*) ◀	0,05 (*)
0,05 (*)	▶ <u>M32</u> — ◀	▶ <u>M68</u> — ◀	▶ <u>M50</u> — ◀	▶ <u>M27</u> 0,05 (*) ◀	0,05 (*)
0,05 (*)	▶ <u>M32</u> — ◀	▶ <u>M68</u> — ◀	▶ <u>M50</u> — ◀	▶ <u>M27</u> 0,05 (*) ◀	0,05 (*)
0,05 (*)	▶ <u>M32</u> — ◀	▶ <u>M68</u> — ◀	▶ <u>M50</u> — ◀	▶ <u>M27</u> 0,05 (*) ◀	0,05 (*)
0,05 (*)	▶ <u>M32</u> — ◀	▶ <u>M68</u> — ◀	▶ <u>M50</u> — ◀	▶ <u>M27</u> 0,05 (*) ◀	0,05 (*)

## ▼ M2

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)
0163070	Guava	0,01 (*)	0,01 (*)	0,01 (*)	0,01 (*)	► <u>M40</u> — ◄	0,05 (*)	► <u>M46</u> — ◄
0163090	Bread fruit	0,01 (*)	0,01 (*)	0,01 (*)	0,01 (*)	► <u>M40</u> — ◄	0,05 (*)	► <u>M46</u> — ◄
0163100	Durian	0,01 (*)	0,01 (*)	0,01 (*)	0,01 (*)	► <u>M40</u> — ◄	0,05 (*)	► <u>M46</u> — ◄
0163110	Soursop (guanabana)	0,01 (*)	0,01 (*)	0,01 (*)	0,01 (*)	► <u>M40</u> — ◄	0,05 (*)	► <u>M46</u> — ◄
0212040	Arrowroot	0,01 (*)	0,01 (*)	0,01 (*)	0,01 (*)	► <u>M40</u> — ◄	0,05 (*)	► <u>M46</u> — ◄
0251050	Land cress	0,01 (*)	0,01 (*)	0,01 (*)	0,01 (*)	► <u>M40</u> — ◄	0,05 (*)	► <u>M46</u> — ◄
0251070	Red mustard	0,01 (*)	0,01 (*)	0,01 (*)	0,01 (*)	► <u>M40</u> — ◄	0,05 (*)	► <u>M46</u> — ◄
0252020	Purslane	0,01 (*)	0,01 (*)	0,01 (*)	0,01 (*)	► <u>M40</u> — ◄	0,05 (*)	► <u>M46</u> — ◄
0253000	(c) <i>Vine leaves</i> ( <i>grape leaves</i> )	0,01 (*)	0,01 (*)	0,01 (*)	0,01 (*)	► <u>M40</u> — ◄	0,05 (*)	► <u>M46</u> — ◄
0256050	Sage	0,01 (*)	0,01 (*)	0,01 (*)	0,01 (*)	► <u>M40</u> — ◄	0,05 (*)	► <u>M46</u> — ◄
0256060	Rosemary	0,01 (*)	0,01 (*)	0,01 (*)	0,01 (*)	► <u>M40</u> — ◄	0,05 (*)	► <u>M46</u> — ◄
0256070	Thyme	0,01 (*)	0,01 (*)	0,01 (*)	0,01 (*)	► <u>M40</u> — ◄	0,05 (*)	► <u>M46</u> — ◄
0256080	Basil	0,01 (*)	0,01 (*)	0,01 (*)	0,01 (*)	► <u>M40</u> — ◄	0,05 (*)	► <u>M46</u> — ◄
0256090	Bay leaves (laurel)	0,01 (*)	0,01 (*)	0,01 (*)	0,01 (*)	► <u>M40</u> — ◄	0,05 (*)	► <u>M46</u> — ◄
0256100	Tarragon	0,01 (*)	0,01 (*)	0,01 (*)	0,01 (*)	► <u>M40</u> — ◄	0,05 (*)	► <u>M46</u> — ◄
0270080	Bamboo shoots	0,01 (*)	0,01 (*)	0,01 (*)	0,01 (*)	► <u>M40</u> — ◄	0,05 (*)	► <u>M46</u> — ◄
0270090	Palm hearts	0,01 (*)	0,01 (*)	0,01 (*)	0,01 (*)	► <u>M40</u> — ◄	0,05 (*)	► <u>M46</u> — ◄
0290000	(ix) <b>Sea weeds</b>					► <u>M40</u> — ◄		► <u>M46</u> — ◄
0401110	Safflower	0,01 (*)	0,02 (*)	0,02 (*)	0,02 (*)	► <u>M40</u> — ◄	0,05 (*)	► <u>M46</u> — ◄
0401120	Borage	0,01 (*)	0,02 (*)	0,02 (*)	0,02 (*)	► <u>M40</u> — ◄	0,05 (*)	► <u>M46</u> — ◄
0401130	Gold of pleasure	0,01 (*)	0,02 (*)	0,02 (*)	0,02 (*)	► <u>M40</u> — ◄	0,05 (*)	► <u>M46</u> — ◄
0401150	Castor bean	0,01 (*)	0,02 (*)	0,02 (*)	0,02 (*)	► <u>M40</u> — ◄	0,05 (*)	► <u>M46</u> — ◄
0402020	Palm nuts (palmoil kernels)	0,01 (*)	0,02 (*)	0,02 (*)	0,02 (*)	► <u>M40</u> — ◄	0,05 (*)	► <u>M46</u> — ◄







▼ M2

(26)	(27)	(28)	(29)	(30)	(31)
0,05 (*)	▶ <u>M32</u> — ◀	▶ <u>M68</u> — ◀	▶ <u>M50</u> — ◀	▶ <u>M27</u> 0,05 (*) ◀	0,05 (*)
0,05 (*)	▶ <u>M32</u> — ◀	▶ <u>M68</u> — ◀	▶ <u>M50</u> — ◀	▶ <u>M27</u> 0,05 (*) ◀	0,05 (*)
0,05 (*)	▶ <u>M32</u> — ◀	▶ <u>M68</u> — ◀	▶ <u>M50</u> — ◀	▶ <u>M27</u> 0,05 (*) ◀	0,05 (*)
0,05 (*)	▶ <u>M32</u> — ◀	▶ <u>M68</u> — ◀	▶ <u>M50</u> — ◀	▶ <u>M27</u> 0,05 (*) ◀	0,05 (*)
0,05 (*)	▶ <u>M32</u> — ◀	▶ <u>M68</u> — ◀	▶ <u>M50</u> — ◀	▶ <u>M27</u> 0,05 (*) ◀	0,05 (*)
0,05 (*)	▶ <u>M32</u> — ◀	▶ <u>M68</u> — ◀	▶ <u>M50</u> — ◀	▶ <u>M27</u> 2 ◀	0,05 (*)
0,05 (*)	▶ <u>M32</u> — ◀	▶ <u>M68</u> — ◀	▶ <u>M50</u> — ◀	▶ <u>M27</u> 2 ◀	0,05 (*)
0,05 (*)	▶ <u>M32</u> — ◀	▶ <u>M68</u> — ◀	▶ <u>M50</u> — ◀	▶ <u>M27</u> 2 ◀	0,05 (*)
0,05 (*)	▶ <u>M32</u> — ◀	▶ <u>M68</u> — ◀	▶ <u>M50</u> — ◀	▶ <u>M27</u> 0,05 (*) ◀	0,05 (*)
0,05 (*)	▶ <u>M32</u> — ◀	▶ <u>M68</u> — ◀	▶ <u>M50</u> — ◀	▶ <u>M27</u> 0,05 (*) ◀	0,05 (*)
0,05 (*)	▶ <u>M32</u> — ◀	▶ <u>M68</u> — ◀	▶ <u>M50</u> — ◀	▶ <u>M27</u> 0,05 (*) ◀	0,05 (*)
0,05 (*)	▶ <u>M32</u> — ◀	▶ <u>M68</u> — ◀	▶ <u>M50</u> — ◀	▶ <u>M27</u> 0,05 (*) ◀	0,05 (*)
0,05 (*)	▶ <u>M32</u> — ◀	▶ <u>M68</u> — ◀	▶ <u>M50</u> — ◀	▶ <u>M27</u> 0,05 (*) ◀	0,05 (*)
0,05 (*)	▶ <u>M32</u> — ◀	▶ <u>M68</u> — ◀	▶ <u>M50</u> — ◀	▶ <u>M27</u> 0,05 (*) ◀	0,05 (*)
0,05 (*)	▶ <u>M32</u> — ◀	▶ <u>M68</u> — ◀	▶ <u>M50</u> — ◀	▶ <u>M27</u> 0,1 (*) ◀	0,05 (*)
0,05 (*)	▶ <u>M32</u> — ◀	▶ <u>M68</u> — ◀	▶ <u>M50</u> — ◀	▶ <u>M27</u> 0,1 (*) ◀	0,05 (*)
0,05 (*)	▶ <u>M32</u> — ◀	▶ <u>M68</u> — ◀	▶ <u>M50</u> — ◀	▶ <u>M27</u> 0,1 (*) ◀	0,05 (*)
0,05 (*)	▶ <u>M32</u> — ◀	▶ <u>M68</u> — ◀	▶ <u>M50</u> — ◀	▶ <u>M27</u> 0,1 (*) ◀	0,05 (*)
0,05 (*)	▶ <u>M32</u> — ◀	▶ <u>M68</u> — ◀	▶ <u>M50</u> — ◀	▶ <u>M27</u> 0,1 (*) ◀	0,05 (*)

## ▼ M2

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)
0402030	Palmfruit	0,01 (*)	0,02 (*)	0,02 (*)	0,02 (*)	► M40 — ◄	0,05 (*)	► M46 — ◄
0402040	Kapok	0,01 (*)	0,02 (*)	0,02 (*)	0,02 (*)	► M40 — ◄	0,05 (*)	► M46 — ◄
0620000	(ii) Coffee beans	0,1 (*)	0,02 (*)	0,02 (*)	0,02 (*)	► M40 — ◄	0,05 (*)	► M46 — ◄
0630000	(iii) Herbal infusions (dried)	0,1 (*)	0,02 (*)	0,02 (*)	0,02 (*)	► M40 — ◄	0,05 (*)	► M46 — ◄
0631000	(a) Flowers	0,1 (*)	0,02 (*)	0,02 (*)	0,02 (*)	► M40 — ◄	0,05 (*)	► M46 — ◄
0631010	Camomille flowers	0,1 (*)	0,02 (*)	0,02 (*)	0,02 (*)	► M40 — ◄	0,05 (*)	► M46 — ◄
0631020	Hybiscus flowers	0,1 (*)	0,02 (*)	0,02 (*)	0,02 (*)	► M40 — ◄	0,05 (*)	► M46 — ◄
0631030	Rose petals	0,1 (*)	0,02 (*)	0,02 (*)	0,02 (*)	► M40 — ◄	0,05 (*)	► M46 — ◄
0631040	Jasmine flowers	0,1 (*)	0,02 (*)	0,02 (*)	0,02 (*)	► M40 — ◄	0,05 (*)	► M46 — ◄
0631050	Lime (linden)	0,1 (*)	0,02 (*)	0,02 (*)	0,02 (*)	► M40 — ◄	0,05 (*)	► M46 — ◄
0631990	Others	0,1 (*)	0,02 (*)	0,02 (*)	0,02 (*)	► M40 — ◄	0,05 (*)	► M46 — ◄
0632000	(b) Leaves	0,1 (*)	0,02 (*)	0,02 (*)	0,02 (*)	► M40 — ◄	0,05 (*)	► M46 — ◄
0632010	Strawberry leaves	0,1 (*)	0,02 (*)	0,02 (*)	0,02 (*)	► M40 — ◄	0,05 (*)	► M46 — ◄
0632020	Rooibos leaves	0,1 (*)	0,02 (*)	0,02 (*)	0,02 (*)	► M40 — ◄	0,05 (*)	► M46 — ◄
0632030	Maté	0,1 (*)	0,02 (*)	0,02 (*)	0,02 (*)	► M40 — ◄	0,05 (*)	► M46 — ◄
0632990	Others	0,1 (*)	0,02 (*)	0,02 (*)	0,02 (*)	► M40 — ◄	0,05 (*)	► M46 — ◄
0633000	(c) Roots	0,1 (*)	0,02 (*)	0,02 (*)	0,02 (*)	► M40 — ◄	0,05 (*)	► M46 — ◄
0633010	Valerian root	0,1 (*)	0,02 (*)	0,02 (*)	0,02 (*)	► M40 — ◄	0,05 (*)	► M46 — ◄
0633020	Ginseng root	0,1 (*)	0,02 (*)	0,02 (*)	0,02 (*)	► M40 — ◄	0,05 (*)	► M46 — ◄





▼ M2

(26)	(27)	(28)	(29)	(30)	(31)
0,05 (*)	▶ <u>M32</u> — ◀	▶ <u>M68</u> — ◀	▶ <u>M50</u> — ◀	▶ <u>M27</u> 0,1 (*) ◀	0,05 (*)
0,05 (*)	▶ <u>M32</u> — ◀	▶ <u>M68</u> — ◀	▶ <u>M50</u> — ◀	▶ <u>M27</u> 0,1 (*) ◀	0,05 (*)
0,1 (*)	▶ <u>M32</u> — ◀	▶ <u>M68</u> — ◀	▶ <u>M50</u> — ◀	▶ <u>M27</u> 0,1 (*) ◀	0,1 (*)
0,1 (*)	▶ <u>M32</u> — ◀	▶ <u>M68</u> — ◀	▶ <u>M50</u> — ◀	▶ <u>M27</u> 0,1 (*) ◀	0,1 (*)
0,1 (*)	▶ <u>M32</u> — ◀	▶ <u>M68</u> — ◀	▶ <u>M50</u> — ◀	▶ <u>M27</u> 0,1 (*) ◀	0,1 (*)
0,1 (*)	▶ <u>M32</u> — ◀	▶ <u>M68</u> — ◀	▶ <u>M50</u> — ◀	▶ <u>M27</u> 0,1 (*) ◀	0,1 (*)
0,1 (*)	▶ <u>M32</u> — ◀	▶ <u>M68</u> — ◀	▶ <u>M50</u> — ◀	▶ <u>M27</u> 0,1 (*) ◀	0,1 (*)
0,1 (*)	▶ <u>M32</u> — ◀	▶ <u>M68</u> — ◀	▶ <u>M50</u> — ◀	▶ <u>M27</u> 0,1 (*) ◀	0,1 (*)
0,1 (*)	▶ <u>M32</u> — ◀	▶ <u>M68</u> — ◀	▶ <u>M50</u> — ◀	▶ <u>M27</u> 0,1 (*) ◀	0,1 (*)
0,1 (*)	▶ <u>M32</u> — ◀	▶ <u>M68</u> — ◀	▶ <u>M50</u> — ◀	▶ <u>M27</u> 0,1 (*) ◀	0,1 (*)
0,1 (*)	▶ <u>M32</u> — ◀	▶ <u>M68</u> — ◀	▶ <u>M50</u> — ◀	▶ <u>M27</u> 0,1 (*) ◀	0,1 (*)
0,1 (*)	▶ <u>M32</u> — ◀	▶ <u>M68</u> — ◀	▶ <u>M50</u> — ◀	▶ <u>M27</u> 0,1 (*) ◀	0,1 (*)
0,1 (*)	▶ <u>M32</u> — ◀	▶ <u>M68</u> — ◀	▶ <u>M50</u> — ◀	▶ <u>M27</u> 0,1 (*) ◀	0,1 (*)
0,1 (*)	▶ <u>M32</u> — ◀	▶ <u>M68</u> — ◀	▶ <u>M50</u> — ◀	▶ <u>M27</u> 0,1 (*) ◀	0,1 (*)
0,1 (*)	▶ <u>M32</u> — ◀	▶ <u>M68</u> — ◀	▶ <u>M50</u> — ◀	▶ <u>M27</u> 0,1 (*) ◀	0,1 (*)
0,1 (*)	▶ <u>M32</u> — ◀	▶ <u>M68</u> — ◀	▶ <u>M50</u> — ◀	▶ <u>M27</u> 0,1 (*) ◀	0,1 (*)
0,1 (*)	▶ <u>M32</u> — ◀	▶ <u>M68</u> — ◀	▶ <u>M50</u> — ◀	▶ <u>M27</u> 0,1 (*) ◀	0,1 (*)
0,1 (*)	▶ <u>M32</u> — ◀	▶ <u>M68</u> — ◀	▶ <u>M50</u> — ◀	▶ <u>M27</u> 0,1 (*) ◀	0,1 (*)

## ▼ M2

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)
0633990	Others	0,1 (*)	0,02 (*)	0,02 (*)	0,02 (*)	► <u>M40</u> — ◄	0,05 (*)	► <u>M46</u> — ◄
0639000	(d) <i>Other herbal infusions</i>	0,1 (*)	0,02 (*)	0,02 (*)	0,02 (*)	► <u>M40</u> — ◄	0,05 (*)	► <u>M46</u> — ◄
0640000	(iv) <b>Cocoa (fermented beans)</b>	0,1 (*)	0,02 (*)	0,02 (*)	0,02 (*)	► <u>M40</u> — ◄	0,05 (*)	► <u>M46</u> — ◄
0650000	(v) <b>Carob (st johns bread)</b>	0,1 (*)	0,02 (*)	0,02 (*)	0,02 (*)	► <u>M40</u> — ◄	0,05 (*)	► <u>M46</u> — ◄
0800000	8. <b>SPICES</b>	0,02	0,02 (*)	0,02 (*)	0,02 (*)	► <u>M40</u> — ◄	0,05 (*)	► <u>M46</u> — ◄
0810000	(i) <b>Seeds</b>	0,02	0,02 (*)	0,02 (*)	0,02 (*)	► <u>M40</u> — ◄	0,05 (*)	► <u>M46</u> — ◄
0810010	Anise	0,02	0,02 (*)	0,02 (*)	0,02 (*)	► <u>M40</u> — ◄	0,05 (*)	► <u>M46</u> — ◄
0810020	Black caraway	0,02	0,02 (*)	0,02 (*)	0,02 (*)	► <u>M40</u> — ◄	0,05 (*)	► <u>M46</u> — ◄
0810030	Celery seed	0,02	0,02 (*)	0,02 (*)	0,02 (*)	► <u>M40</u> — ◄	0,05 (*)	► <u>M46</u> — ◄
0810040	Coriander seed	0,02	0,02 (*)	0,02 (*)	0,02 (*)	► <u>M40</u> — ◄	0,05 (*)	► <u>M46</u> — ◄
0810050	Cumin seed	0,02	0,02 (*)	0,02 (*)	0,02 (*)	► <u>M40</u> — ◄	0,05 (*)	► <u>M46</u> — ◄
0810060	Dill seed	0,02	0,02 (*)	0,02 (*)	0,02 (*)	► <u>M40</u> — ◄	0,05 (*)	► <u>M46</u> — ◄
0810070	Fennel seed	0,02	0,02 (*)	0,02 (*)	0,02 (*)	► <u>M40</u> — ◄	0,05 (*)	► <u>M46</u> — ◄
0810080	Fenugreek	0,02	0,02 (*)	0,02 (*)	0,02 (*)	► <u>M40</u> — ◄	0,05 (*)	► <u>M46</u> — ◄
0810090	Nutmeg	0,02	0,02 (*)	0,02 (*)	0,02 (*)	► <u>M40</u> — ◄	0,05 (*)	► <u>M46</u> — ◄
0810990	Others	0,02	0,02 (*)	0,02 (*)	0,02 (*)	► <u>M40</u> — ◄	0,05 (*)	► <u>M46</u> — ◄
0820000	(ii) <b>Fruits and berries</b>	0,02	0,02 (*)	0,02 (*)	0,02 (*)	► <u>M40</u> — ◄	0,05 (*)	► <u>M46</u> — ◄
0820010	Allspice	0,02	0,02 (*)	0,02 (*)	0,02 (*)	► <u>M40</u> — ◄	0,05 (*)	► <u>M46</u> — ◄
0820020	Anise pepper (Japan pepper)	0,02	0,02 (*)	0,02 (*)	0,02 (*)	► <u>M40</u> — ◄	0,05 (*)	► <u>M46</u> — ◄
0820030	Caraway	0,02	0,02 (*)	0,02 (*)	0,02 (*)	► <u>M40</u> — ◄	0,05 (*)	► <u>M46</u> — ◄
0820040	Cardamom	0,02	0,02 (*)	0,02 (*)	0,02 (*)	► <u>M40</u> — ◄	0,05 (*)	► <u>M46</u> — ◄









## ▼ M2

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)
0820050	Juniper berries	0,02	0,02 (*)	0,02 (*)	0,02 (*)	► M40 — ◄	0,05 (*)	► M46 — ◄
0820060	Pepper, black and white	0,02	0,02 (*)	0,02 (*)	0,02 (*)	► M40 — ◄	0,05 (*)	► M46 — ◄
0820070	Vanilla pods	0,02	0,02 (*)	0,02 (*)	0,02 (*)	► M40 — ◄	0,05 (*)	► M46 — ◄
0820080	Tamarind	0,02	0,02 (*)	0,02 (*)	0,02 (*)	► M40 — ◄	0,05 (*)	► M46 — ◄
0820990	Others	0,02	0,02 (*)	0,02 (*)	0,02 (*)	► M40 — ◄	0,05 (*)	► M46 — ◄
0830000	(iii) <b>Bark</b>	0,02	0,02 (*)	0,02 (*)	0,02 (*)	► M40 — ◄	0,05 (*)	► M46 — ◄
0830010	Cinnamon	0,02	0,02 (*)	0,02 (*)	0,02 (*)	► M40 — ◄	0,05 (*)	► M46 — ◄
0830990	Others	0,02	0,02 (*)	0,02 (*)	0,02 (*)	► M40 — ◄	0,05 (*)	► M46 — ◄
0840000	(iv) <b>Roots or rhizome</b>	0,02	0,02 (*)	0,02 (*)	0,02 (*)	► M40 — ◄	0,05 (*)	► M46 — ◄
0840010	Liquorice	0,02	0,02 (*)	0,02 (*)	0,02 (*)	► M40 — ◄	0,05 (*)	► M46 — ◄
0840020	Ginger	0,02	0,02 (*)	0,02 (*)	0,02 (*)	► M40 — ◄	0,05 (*)	► M46 — ◄
0840030	Turmeric (Curcuma)	0,02	0,02 (*)	0,02 (*)	0,02 (*)	► M40 — ◄	0,05 (*)	► M46 — ◄
0840040	Horseradish	0,02	0,02 (*)	0,02 (*)	0,02 (*)	► M40 — ◄	0,05 (*)	► M46 — ◄
0840990	Others	0,02	0,02 (*)	0,02 (*)	0,02 (*)	► M40 — ◄	0,05 (*)	► M46 — ◄
0850000	(v) <b>Buds</b>	0,02	0,02 (*)	0,02 (*)	0,02 (*)	► M40 — ◄	0,05 (*)	► M46 — ◄
0850010	Cloves	0,02	0,02 (*)	0,02 (*)	0,02 (*)	► M40 — ◄	0,05 (*)	► M46 — ◄
0850020	Capers	0,02	0,02 (*)	0,02 (*)	0,02 (*)	► M40 — ◄	0,05 (*)	► M46 — ◄
0850990	Others	0,02	0,02 (*)	0,02 (*)	0,02 (*)	► M40 — ◄	0,05 (*)	► M46 — ◄
0860000	(vi) <b>Flower stigma</b>	0,02	0,02 (*)	0,02 (*)	0,02 (*)	► M40 — ◄	0,05 (*)	► M46 — ◄
0860010	Saffron	0,02	0,02 (*)	0,02 (*)	0,02 (*)	► M40 — ◄	0,05 (*)	► M46 — ◄
0860990	Others	0,02	0,02 (*)	0,02 (*)	0,02 (*)	► M40 — ◄	0,05 (*)	► M46 — ◄
0870000	(vii) <b>Aril</b>	0,02	0,02 (*)	0,02 (*)	0,02 (*)	► M40 — ◄	0,05 (*)	► M46 — ◄
0870010	Mace	0,02	0,02 (*)	0,02 (*)	0,02 (*)	► M40 — ◄	0,05 (*)	► M46 — ◄







## ▼ M2

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)
0870990	Others	0,02	0,02 (*)	0,02 (*)	0,02 (*)	► M40 — ◄	0,05 (*)	► M46 — ◄
0900000	<b>9. SUGAR PLANTS</b>	0,01	0,01 (*)	0,01 (*)	0,01 (*)	► M40 — ◄	0,05 (*)	► M46 — ◄
0900010	Sugar beet (root)	0,01	0,01 (*)	0,01 (*)	0,01 (*)	► M40 — ◄	0,05 (*)	► M46 — ◄
0900020	Sugar cane	0,01	0,01 (*)	0,01 (*)	0,01 (*)	► M40 — ◄	0,05 (*)	► M46 — ◄
0900030	Chicory roots	0,01	0,01 (*)	0,01 (*)	0,01 (*)	► M40 — ◄	0,05 (*)	► M46 — ◄
0900990	Others	0,01	0,01 (*)	0,01 (*)	0,01 (*)	► M40 — ◄	0,05 (*)	► M46 — ◄
1015000	(e) <i>Horses, asses, mules or hinnies</i>	0,01 (*)		0,1 (*)		► M40 — ◄		► M46 — ◄
1015010	Meat	0,01 (*)		0,1 (*)		► M40 — ◄		► M46 — ◄
1015020	Fat	0,01 (*)		0,1 (*)		► M40 — ◄		► M46 — ◄
1015030	Liver	0,01 (*)		0,1 (*)		► M40 — ◄		► M46 — ◄
1015040	Kidney	0,01 (*)		0,1 (*)		► M40 — ◄		► M46 — ◄
1015050	Edible offal	0,01 (*)		0,1 (*)		► M40 — ◄		► M46 — ◄
1015990	Others	0,01 (*)		0,1 (*)		► M40 — ◄		► M46 — ◄
1017000	(g) <i>Other farm animals</i>	0,01 (*)		0,1 (*)		► M40 — ◄		► M46 — ◄
1017010	Meat	0,01 (*)		0,1 (*)		► M40 — ◄		► M46 — ◄
1017020	Fat	0,01 (*)		0,1 (*)		► M40 — ◄		► M46 — ◄
1017030	Liver	0,01 (*)		0,1 (*)		► M40 — ◄		► M46 — ◄
1017040	Kidney	0,01 (*)		0,1 (*)		► M40 — ◄		► M46 — ◄
1017050	Edible offal	0,01 (*)		0,1 (*)		► M40 — ◄		► M46 — ◄
1017990	Others	0,01 (*)		0,1 (*)		► M40 — ◄		► M46 — ◄
1030020	Duck	0,01		0,1 (*)		► M40 — ◄		► M46 — ◄
1030030	Goose	0,01		0,1 (*)		► M40 — ◄		► M46 — ◄



▼ M2

(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)
0,1 (*)	0,1 (*)	► M52 — ◄	0,05 (*)	► M5 — ◄	► M32 0,05 (*) ◄	► M56 0,1 (*) ◄	0,1 (*)
0,01 (*)	0,05 (*)	► M52 — ◄	0,05 (*)	► M5 0,05 (*) ◄	► M32 0,01 (*) ◄	► M25 — ◄	0,05 (*)
0,01 (*)	0,05 (*)	► M52 — ◄	0,05 (*)	► M5 — ◄	► M32 0,01 (*) ◄	► M56 1 ◄	0,05 (*)
0,01 (*)	0,05 (*)	► M52 — ◄	0,05 (*)	► M5 — ◄	► M32 0,01 (*) ◄	► M56 0,05 (*) ◄	0,05 (*)
0,01 (*)	0,05 (*)	► M52 — ◄	0,05 (*)	► M5 — ◄	► M32 0,01 (*) ◄	► M56 1 ◄	0,05 (*)
0,01 (*)	0,05 (*)	► M52 — ◄	0,05 (*)	► M5 — ◄	► M32 0,01 (*) ◄	► M56 0,05 (*) ◄	0,05 (*)
0,01 (*)		► M52 — ◄	0,01 (*)	► M5 0,01 (*) ◄	► M32 0,01 (*) ◄	► M25 — ◄	0,05 (*)
0,01 (*)		► M52 — ◄	0,01 (*)	► M5 — ◄	► M32 0,01 (*) ◄	► M56 0,05 (*) ◄	0,05 (*)
0,01 (*)		► M52 — ◄	0,01 (*)	► M5 — ◄	► M32 0,01 (*) ◄	► M56 0,05 (*) ◄	0,05 (*)
0,01 (*)		► M52 — ◄	0,01 (*)	► M5 — ◄	► M32 0,01 (*) ◄	► M56 0,07 ◄	0,05 (*)
0,01 (*)		► M52 — ◄	0,01 (*)	► M5 — ◄	► M32 0,01 (*) ◄	► M56 0,07 ◄	0,05 (*)
0,01 (*)		► M52 — ◄	0,01 (*)	► M5 — ◄	► M32 0,01 (*) ◄	► M56 0,07 ◄	0,05 (*)
0,01 (*)		► M52 — ◄	0,01 (*)	► M5 — ◄	► M32 0,01 (*) ◄	► M56 0,07 ◄	0,05 (*)
0,01 (*)		► M52 — ◄	0,01 (*)	► M5 — ◄	► M32 0,01 (*) ◄	► M56 0,07 ◄	0,05 (*)
0,01 (*)		► M52 — ◄	0,01 (*)	► M5 — ◄	► M32 0,01 (*) ◄	► M56 0,07 ◄	0,05 (*)
0,01 (*)		► M52 — ◄	0,01 (*)	► M5 — ◄	► M32 0,01 (*) ◄	► M56 0,07 ◄	0,05 (*)
0,01 (*)		► M52 — ◄	0,01 (*)	► M5 — ◄	► M32 0,01 (*) ◄	► M56 0,07 ◄	0,05 (*)
0,01 (*)		► M52 — ◄	0,01 (*)	► M5 — ◄	► M32 0,01 (*) ◄	► M56 0,07 ◄	0,05 (*)
0,01 (*)		► M52 — ◄	0,01 (*)	► M5 — ◄	► M32 0,01 (*) ◄	► M56 0,07 ◄	0,05 (*)
0,01 (*)		► M52 — ◄	0,01 (*)	► M5 — ◄	► M32 0,01 (*) ◄	► M56 0,07 ◄	0,05 (*)
0,01 (*)		► M52 — ◄	0,01 (*)	► M5 — ◄	► M32 0,01 (*) ◄	► M56 0,07 ◄	0,05 (*)
0,01 (*)		► M52 — ◄	0,01 (*)	► M5 0,01 (*) ◄	► M32 0,01 (*) ◄	► M56 0,05 (*) ◄	0,05 (*)
0,01 (*)		► M52 — ◄	0,01 (*)	► M5 0,01 (*) ◄	► M32 0,01 (*) ◄	► M56 0,05 (*) ◄	0,05 (*)



▼ M2

(26)	(27)	(28)	(29)	(30)	(31)
0,1 (*)	▶ <u>M32</u> — ◀	▶ <u>M68</u> — ◀	▶ <u>M50</u> — ◀	▶ <u>M27</u> 0,1 (*) ◀	0,1 (*)
0,05 (*)	▶ <u>M32</u> — ◀	▶ <u>M68</u> — ◀	▶ <u>M50</u> — ◀	▶ <u>M27</u> 0,05 (*) ◀	0,01 (*)
0,05 (*)	▶ <u>M32</u> — ◀	▶ <u>M68</u> — ◀	▶ <u>M50</u> — ◀	▶ <u>M27</u> 0,05 (*) ◀	0,01 (*)
0,05 (*)	▶ <u>M32</u> — ◀	▶ <u>M68</u> — ◀	▶ <u>M50</u> — ◀	▶ <u>M27</u> 0,05 (*) ◀	0,01 (*)
0,05 (*)	▶ <u>M32</u> — ◀	▶ <u>M68</u> — ◀	▶ <u>M50</u> — ◀	▶ <u>M27</u> 0,05 (*) ◀	0,01 (*)
0,05 (*)	▶ <u>M32</u> — ◀	▶ <u>M68</u> — ◀	▶ <u>M50</u> — ◀	▶ <u>M27</u> — ◀	0,01 (*)
0,05 (*)	▶ <u>M32</u> — ◀	▶ <u>M68</u> — ◀	▶ <u>M50</u> — ◀	▶ <u>M27</u> 3 ◀	0,01 (*)
0,05 (*)	▶ <u>M32</u> — ◀	▶ <u>M68</u> — ◀	▶ <u>M50</u> — ◀	▶ <u>M27</u> 3 ◀	0,01 (*)
0,05 (*)	▶ <u>M32</u> — ◀	▶ <u>M68</u> — ◀	▶ <u>M50</u> — ◀	▶ <u>M27</u> 0,2 ◀	0,01 (*)
0,05 (*)	▶ <u>M32</u> — ◀	▶ <u>M68</u> — ◀	▶ <u>M50</u> — ◀	▶ <u>M27</u> 0,2 ◀	0,01 (*)
0,05 (*)	▶ <u>M32</u> — ◀	▶ <u>M68</u> — ◀	▶ <u>M50</u> — ◀	▶ <u>M27</u> 0,2 ◀	0,01 (*)
0,05 (*)	▶ <u>M32</u> — ◀	▶ <u>M68</u> — ◀	▶ <u>M50</u> — ◀	▶ <u>M27</u> 0,05 (*) ◀	0,01 (*)
0,05 (*)	▶ <u>M32</u> — ◀	▶ <u>M68</u> — ◀	▶ <u>M50</u> — ◀	▶ <u>M27</u> — ◀	0,01 (*)
0,05 (*)	▶ <u>M32</u> — ◀	▶ <u>M68</u> — ◀	▶ <u>M50</u> — ◀	▶ <u>M27</u> 3 ◀	0,01 (*)
0,05 (*)	▶ <u>M32</u> — ◀	▶ <u>M68</u> — ◀	▶ <u>M50</u> — ◀	▶ <u>M27</u> 3 ◀	0,01 (*)
0,05 (*)	▶ <u>M32</u> — ◀	▶ <u>M68</u> — ◀	▶ <u>M50</u> — ◀	▶ <u>M27</u> 0,2 ◀	0,01 (*)
0,05 (*)	▶ <u>M32</u> — ◀	▶ <u>M68</u> — ◀	▶ <u>M50</u> — ◀	▶ <u>M27</u> 0,2 ◀	0,01 (*)
0,05 (*)	▶ <u>M32</u> — ◀	▶ <u>M68</u> — ◀	▶ <u>M50</u> — ◀	▶ <u>M27</u> 0,2 ◀	0,01 (*)
0,05 (*)	▶ <u>M32</u> — ◀	▶ <u>M68</u> — ◀	▶ <u>M50</u> — ◀	▶ <u>M27</u> 0,05 (*) ◀	0,01 (*)
0,05 (*)	▶ <u>M32</u> — ◀	▶ <u>M68</u> — ◀	▶ <u>M50</u> — ◀	▶ <u>M27</u> 0,01 (*) ◀	0,01 (*)
0,05 (*)	▶ <u>M32</u> — ◀	▶ <u>M68</u> — ◀	▶ <u>M50</u> — ◀	▶ <u>M27</u> 0,01 (*) ◀	0,01 (*)

▼ M2

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)
1030040	Quail	0,01		0,1 (*)		► <u>M40</u> — ◄		► <u>M46</u> — ◄
1030990	Others	0,01		0,1 (*)		► <u>M40</u> — ◄		► <u>M46</u> — ◄
1040000	(iv) <b>Honey</b>					► <u>M40</u> — ◄		► <u>M46</u> — ◄
1050000	(v) <b>Amphibians and reptiles</b>					► <u>M40</u> — ◄		► <u>M46</u> — ◄
1060000	(vi) <b>Snails</b>					► <u>M40</u> — ◄		► <u>M46</u> — ◄
1070000	(vii) <b>Other terrestrial animal products</b>					► <u>M40</u> — ◄		► <u>M46</u> — ◄

▼ M2

(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)
▶ <u>M18</u> 0,01 (*) ◀	▶ <u>M32</u> 0,02 (*) ◀	▶ <u>M51</u> — ◀	▶ <u>M59</u> — ◀	▶ <u>M16</u> 0,01 (*) ◀	0,02	0,01 (*)	▶ <u>M67</u> — ◀
▶ <u>M18</u> 0,01 (*) ◀	▶ <u>M32</u> 0,02 (*) ◀	▶ <u>M51</u> — ◀	▶ <u>M59</u> — ◀	▶ <u>M16</u> 0,01 (*) ◀	0,02	0,01 (*)	▶ <u>M67</u> — ◀
▶ <u>M18</u> 0,01 (*) ◀	▶ <u>M32</u> 0,02 (*) ◀	▶ <u>M51</u> — ◀	▶ <u>M59</u> — ◀	▶ <u>M16</u> 0,01 (*) ◀	0,01		▶ <u>M67</u> — ◀
▶ <u>M18</u> 0,01 (*) ◀	▶ <u>M32</u> 0,02 (*) ◀	▶ <u>M51</u> — ◀	▶ <u>M59</u> — ◀	▶ <u>M16</u> 0,01 (*) ◀	0,01		▶ <u>M67</u> — ◀
▶ <u>M18</u> 0,01 (*) ◀	▶ <u>M32</u> 0,02 (*) ◀	▶ <u>M51</u> — ◀	▶ <u>M59</u> — ◀	▶ <u>M16</u> 0,01 (*) ◀	0,01		▶ <u>M67</u> — ◀
▶ <u>M18</u> 0,01 (*) ◀	▶ <u>M32</u> 0,02 (*) ◀	▶ <u>M51</u> — ◀	▶ <u>M59</u> — ◀	▶ <u>M16</u> 0,01 (*) ◀	0,01		▶ <u>M67</u> — ◀

▼ M2

(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)
0,01 (*)		▶ <u>M52</u> — ◀	0,01 (*)	▶ <u>M5</u> 0,01 (*) ◀	▶ <u>M32</u> 0,01 (*) ◀	▶ <u>M56</u> 0,05 (*) ◀	0,05 (*)
0,01 (*)		▶ <u>M52</u> — ◀	0,01 (*)	▶ <u>M5</u> 0,01 (*) ◀	▶ <u>M32</u> 0,01 (*) ◀	▶ <u>M56</u> 0,05 (*) ◀	0,05 (*)
		▶ <u>M52</u> — ◀			▶ <u>M32</u> 0,01 (*) ◀	▶ <u>M56</u> 0,05 (*) ◀	
		▶ <u>M52</u> — ◀			▶ <u>M32</u> 0,01 (*) ◀	▶ <u>M56</u> 0,01 (*) ◀	
		▶ <u>M52</u> — ◀			▶ <u>M32</u> 0,01 (*) ◀	▶ <u>M56</u> 0,01 (*) ◀	
		▶ <u>M52</u> — ◀			▶ <u>M32</u> 0,01 (*) ◀	▶ <u>M56</u> 0,01 (*) ◀	

▼ M2

(26)	(27)	(28)	(29)	(30)	(31)
0,05 (*)	▶ <u>M32</u> — ◀	▶ <u>M68</u> — ◀	▶ <u>M50</u> — ◀	▶ <u>M27</u> 0,01 (*) ◀	0,01 (*)
0,05 (*)	▶ <u>M32</u> — ◀	▶ <u>M68</u> — ◀	▶ <u>M50</u> — ◀	▶ <u>M27</u> 0,01 (*) ◀	0,01 (*)
	▶ <u>M32</u> — ◀	▶ <u>M68</u> — ◀	▶ <u>M50</u> — ◀	▶ <u>M27</u> 0,01 (*) ◀	
	▶ <u>M32</u> — ◀	▶ <u>M68</u> — ◀	▶ <u>M50</u> — ◀	▶ <u>M27</u> 0,01 (*) ◀	
	▶ <u>M32</u> — ◀	▶ <u>M68</u> — ◀	▶ <u>M50</u> — ◀	▶ <u>M27</u> 0,01 (*) ◀	
	▶ <u>M32</u> — ◀	▶ <u>M68</u> — ◀	▶ <u>M50</u> — ◀	▶ <u>M27</u> 0,01 (*) ◀	

▼ **M2**

*Pesticide residues and maximum residue levels (mg/kg)*

Code number	Groups and examples of individual products to which the MRLs apply <sup>(a)</sup>	▼ ▶ <u>M45</u> Bitertanol <sup>(1)</sup>	Bromophos-ethyl	▶ <u>M16</u> Bromopropylate <sup>(1)</sup>	▼ ▶ <u>M68</u>	Camphochlor (Toxaphene) <sup>(1)</sup> <sup>(6)</sup>	▼ ▶ <u>M32</u>
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)
0130040	Medlar	▶ <u>M45</u> 0,01 (*) ◀	0,05 (*)	▶ <u>M16</u> 0,01 (*) ◀	▶ <u>M68</u> — ◀	0,1 (*)	▶ <u>M32</u> — ◀
0130050	Loquat	▶ <u>M45</u> 0,01 (*) ◀	0,05 (*)	▶ <u>M16</u> 0,01 (*) ◀	▶ <u>M68</u> — ◀	0,1 (*)	▶ <u>M32</u> — ◀
0154050	Rose hips	▶ <u>M45</u> 0,01 (*) ◀	0,05 (*)	▶ <u>M16</u> 0,01 (*) ◀	▶ <u>M68</u> — ◀	0,1 (*)	▶ <u>M32</u> — ◀
0154060	Mulberries	▶ <u>M45</u> 0,01 (*) ◀	0,05 (*)	▶ <u>M16</u> 0,01 (*) ◀	▶ <u>M68</u> — ◀	0,1 (*)	▶ <u>M32</u> — ◀
0154070	Azarole (mediteranean medlar)	▶ <u>M45</u> 0,01 (*) ◀	0,05 (*)	▶ <u>M16</u> 0,01 (*) ◀	▶ <u>M68</u> — ◀	0,1 (*)	▶ <u>M32</u> — ◀
0154080	Elderberries	▶ <u>M45</u> 0,01 (*) ◀	0,05 (*)	▶ <u>M16</u> 0,01 (*) ◀	▶ <u>M68</u> — ◀	0,1 (*)	▶ <u>M32</u> — ◀
0161050	Carambola	▶ <u>M45</u> 0,01 (*) ◀	0,05 (*)	▶ <u>M16</u> 0,01 (*) ◀	▶ <u>M68</u> — ◀	0,1 (*)	▶ <u>M32</u> — ◀
0161060	Persimmon	▶ <u>M45</u> 0,01 (*) ◀	0,05 (*)	▶ <u>M16</u> 0,01 (*) ◀	▶ <u>M68</u> — ◀	0,1 (*)	▶ <u>M32</u> — ◀
0161070	Jambolan (java plum)	▶ <u>M45</u> 0,01 (*) ◀	0,05 (*)	▶ <u>M16</u> 0,01 (*) ◀	▶ <u>M68</u> — ◀	0,1 (*)	▶ <u>M32</u> — ◀
0162040	Prickly pear (cactus fruit)	▶ <u>M45</u> 0,01 (*) ◀	0,05 (*)	▶ <u>M16</u> 0,01 (*) ◀	▶ <u>M68</u> — ◀	0,1 (*)	▶ <u>M32</u> — ◀
0162050	Star apple	▶ <u>M45</u> 0,01 (*) ◀	0,05 (*)	▶ <u>M16</u> 0,01 (*) ◀	▶ <u>M68</u> — ◀	0,1 (*)	▶ <u>M32</u> — ◀
0162060	American persimmon (Virginia kaki)	▶ <u>M45</u> 0,01 (*) ◀	0,05 (*)	▶ <u>M16</u> 0,01 (*) ◀	▶ <u>M68</u> — ◀	0,1 (*)	▶ <u>M32</u> — ◀
0163060	Cherimoya	▶ <u>M45</u> 0,01 (*) ◀	0,05 (*)	▶ <u>M16</u> 0,01 (*) ◀	▶ <u>M68</u> — ◀	0,1 (*)	▶ <u>M32</u> — ◀

▼ M2

▶ <u>M37</u> Captan <sup>(8)</sup> ▼	▶ <u>M64</u> Carbaryl <sup>(1)</sup> ▼	Carbendazim and benomyl (sum of benomyl and carbendazim expressed as carbendazim) <sup>(8)</sup>	▶ <u>M70</u> Carbofuran (sum of carbofuran (including any carbofuran generated from carbosulfan, benfuracarb or furathiocarb) and 3-OH carbofuran expressed as carbofuran) <sup>(8)</sup> ▼	Carbon disulphide	Carbon tetrachloride	▶ <u>M70</u> — ▼	Carfentrazone-ethyl (determined as carfentrazone and expressed as carfentrazone-ethyl)
(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
▶ <u>M37</u> 3 ◀	▶ <u>M64</u> 0,01 (*) ◀	0,2	▶ <u>M70</u> 0,001 (*) ◀			▶ <u>M70</u> — ◀	0,01 (*)
▶ <u>M37</u> 3 ◀	▶ <u>M64</u> 0,01 (*) ◀	2	▶ <u>M70</u> 0,001 (*) ◀			▶ <u>M70</u> — ◀	0,01 (*)
▶ <u>M37</u> 0,02 (*) ◀	▶ <u>M64</u> 0,01 (*) ◀	0,1 (*)	▶ <u>M70</u> 0,01 (*) ◀			▶ <u>M70</u> — ◀	0,01 (*)
▶ <u>M37</u> 0,02 (*) ◀	▶ <u>M64</u> 0,01 (*) ◀	0,1 (*)	▶ <u>M70</u> 0,01 (*) ◀			▶ <u>M70</u> — ◀	0,01 (*)
▶ <u>M37</u> 0,02 (*) ◀	▶ <u>M64</u> 0,01 (*) ◀	0,1 (*)	▶ <u>M70</u> 0,01 (*) ◀			▶ <u>M70</u> — ◀	0,01 (*)
▶ <u>M37</u> 0,02 (*) ◀	▶ <u>M64</u> 0,01 (*) ◀	0,1 (*)	▶ <u>M70</u> 0,01 (*) ◀			▶ <u>M70</u> — ◀	0,01 (*)
▶ <u>M37</u> 0,02 (*) ◀	▶ <u>M64</u> 0,01 (*) ◀	0,1 (*)	▶ <u>M70</u> 0,003 (*) ◀			▶ <u>M70</u> — ◀	0,01 (*)
▶ <u>M37</u> 0,02 (*) ◀	▶ <u>M64</u> 0,01 (*) ◀	0,1 (*)	▶ <u>M70</u> 0,003 (*) ◀			▶ <u>M70</u> — ◀	0,01 (*)
▶ <u>M37</u> 0,02 (*) ◀	▶ <u>M64</u> 0,01 (*) ◀	0,1 (*)	▶ <u>M70</u> 0,003 (*) ◀			▶ <u>M70</u> — ◀	0,01 (*)
▶ <u>M37</u> 0,02 (*) ◀	▶ <u>M64</u> 0,01 (*) ◀	0,1 (*)	▶ <u>M70</u> 0,01 (*) ◀			▶ <u>M70</u> — ◀	0,01 (*)
▶ <u>M37</u> 0,02 (*) ◀	▶ <u>M64</u> 0,01 (*) ◀	0,1 (*)	▶ <u>M70</u> 0,01 (*) ◀			▶ <u>M70</u> — ◀	0,01 (*)
▶ <u>M37</u> 0,02 (*) ◀	▶ <u>M64</u> 0,01 (*) ◀	0,1 (*)	▶ <u>M70</u> 0,01 (*) ◀			▶ <u>M70</u> — ◀	0,01 (*)
▶ <u>M37</u> 0,02 (*) ◀	▶ <u>M64</u> 0,01 (*) ◀	0,1 (*)	▶ <u>M70</u> 0,01 (*) ◀			▶ <u>M70</u> — ◀	0,01 (*)
▶ <u>M37</u> 0,02 (*) ◀	▶ <u>M64</u> 0,01 (*) ◀	0,1 (*)	▶ <u>M70</u> 0,01 (*) ◀			▶ <u>M70</u> — ◀	0,01 (*)

▼ M2

Cartap	Chlorbenside (L)	Chlorbufam	Chlordane (sum of cis- and trans-chlordane) (L) (6)	▼ <u>M32</u> Chlorfenapyr	Chlorfenson (L)	▼ <u>M45</u>	▼ <u>M61</u> Chlormequat
(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)
	0,01 (*)	0,05 (*)	0,01 (*)	▶ <u>M32</u> 0,01 (*) ◀	0,01 (*)	▶ <u>M45</u> — ◀	▶ <u>M61</u> 0,05 (*) ◀
	0,01 (*)	0,05 (*)	0,01 (*)	▶ <u>M32</u> 0,01 (*) ◀	0,01 (*)	▶ <u>M45</u> — ◀	▶ <u>M61</u> 0,05 (*) ◀
	0,01 (*)	0,05 (*)	0,01 (*)	▶ <u>M32</u> 0,01 (*) ◀	0,01 (*)	▶ <u>M45</u> — ◀	▶ <u>M61</u> 0,05 (*) ◀
	0,01 (*)	0,05 (*)	0,01 (*)	▶ <u>M32</u> 0,01 (*) ◀	0,01 (*)	▶ <u>M45</u> — ◀	▶ <u>M61</u> 0,05 (*) ◀
	0,01 (*)	0,05 (*)	0,01 (*)	▶ <u>M32</u> 0,01 (*) ◀	0,01 (*)	▶ <u>M45</u> — ◀	▶ <u>M61</u> 0,05 (*) ◀
	0,01 (*)	0,05 (*)	0,01 (*)	▶ <u>M32</u> 0,01 (*) ◀	0,01 (*)	▶ <u>M45</u> — ◀	▶ <u>M61</u> 0,05 (*) ◀
	0,01 (*)	0,05 (*)	0,01 (*)	▶ <u>M32</u> 0,01 (*) ◀	0,01 (*)	▶ <u>M45</u> — ◀	▶ <u>M61</u> 0,05 (*) ◀
	0,01 (*)	0,05 (*)	0,01 (*)	▶ <u>M32</u> 0,01 (*) ◀	0,01 (*)	▶ <u>M45</u> — ◀	▶ <u>M61</u> 0,05 (*) ◀
	0,01 (*)	0,05 (*)	0,01 (*)	▶ <u>M32</u> 0,01 (*) ◀	0,01 (*)	▶ <u>M45</u> — ◀	▶ <u>M61</u> 0,05 (*) ◀
	0,01 (*)	0,05 (*)	0,01 (*)	▶ <u>M32</u> 0,01 (*) ◀	0,01 (*)	▶ <u>M45</u> — ◀	▶ <u>M61</u> 0,05 (*) ◀
	0,01 (*)	0,05 (*)	0,01 (*)	▶ <u>M32</u> 0,01 (*) ◀	0,01 (*)	▶ <u>M45</u> — ◀	▶ <u>M61</u> 0,05 (*) ◀
	0,01 (*)	0,05 (*)	0,01 (*)	▶ <u>M32</u> 0,01 (*) ◀	0,01 (*)	▶ <u>M45</u> — ◀	▶ <u>M61</u> 0,05 (*) ◀
	0,01 (*)	0,05 (*)	0,01 (*)	▶ <u>M32</u> 0,01 (*) ◀	0,01 (*)	▶ <u>M45</u> — ◀	▶ <u>M61</u> 0,05 (*) ◀



▼ M2

Chlorobenzilate (L)	▼ — ▶ <u>M68</u>	Chloroxuron (L)	▼ — ▶ <u>M50</u>	▼ ▶ <u>M5</u> Chlorpyrifos (L)	▼ ▶ <u>M5</u> Chlorpyrifos-methyl (L)	Chlozolinate
(25)	(26)	(27)	(28)	(29)	(30)	(31)
0,02 (*)	▶ <u>M68</u> — ◀	0,05 (*)	▶ <u>M50</u> — ◀	▶ <u>M5</u> 0,5 ◀	▶ <u>M5</u> 0,5 ◀	0,05 (*)
0,02 (*)	▶ <u>M68</u> — ◀	0,05 (*)	▶ <u>M50</u> — ◀	▶ <u>M5</u> 0,5 ◀	▶ <u>M5</u> 0,5 ◀	0,05 (*)
0,02 (*)	▶ <u>M68</u> — ◀	0,05 (*)	▶ <u>M50</u> — ◀	▶ <u>M5</u> 0,05 (*) ◀	▶ <u>M5</u> 0,05 (*) ◀	0,05 (*)
0,02 (*)	▶ <u>M68</u> — ◀	0,05 (*)	▶ <u>M50</u> — ◀	▶ <u>M5</u> 0,05 (*) ◀	▶ <u>M5</u> 0,05 (*) ◀	0,05 (*)
0,02 (*)	▶ <u>M68</u> — ◀	0,05 (*)	▶ <u>M50</u> — ◀	▶ <u>M5</u> 0,05 (*) ◀	▶ <u>M5</u> 0,05 (*) ◀	0,05 (*)
0,02 (*)	▶ <u>M68</u> — ◀	0,05 (*)	▶ <u>M50</u> — ◀	▶ <u>M5</u> 0,05 (*) ◀	▶ <u>M5</u> 0,05 (*) ◀	0,05 (*)
0,02 (*)	▶ <u>M68</u> — ◀	0,05 (*)	▶ <u>M50</u> — ◀	▶ <u>M5</u> 0,05 (*) ◀	▶ <u>M5</u> 0,05 (*) ◀	0,05 (*)
0,02 (*)	▶ <u>M68</u> — ◀	0,05 (*)	▶ <u>M50</u> — ◀	▶ <u>M5</u> 0,05 (*) ◀	▶ <u>M5</u> 0,05 (*) ◀	0,05 (*)
0,02 (*)	▶ <u>M68</u> — ◀	0,05 (*)	▶ <u>M50</u> — ◀	▶ <u>M5</u> 0,05 (*) ◀	▶ <u>M5</u> 0,05 (*) ◀	0,05 (*)
0,02 (*)	▶ <u>M68</u> — ◀	0,05 (*)	▶ <u>M50</u> — ◀	▶ <u>M5</u> 0,05 (*) ◀	▶ <u>M5</u> 0,05 (*) ◀	0,05 (*)
0,02 (*)	▶ <u>M68</u> — ◀	0,05 (*)	▶ <u>M50</u> — ◀	▶ <u>M5</u> 0,05 (*) ◀	▶ <u>M5</u> 0,05 (*) ◀	0,05 (*)
0,02 (*)	▶ <u>M68</u> — ◀	0,05 (*)	▶ <u>M50</u> — ◀	▶ <u>M5</u> 0,05 (*) ◀	▶ <u>M5</u> 0,05 (*) ◀	0,05 (*)
0,02 (*)	▶ <u>M68</u> — ◀	0,05 (*)	▶ <u>M50</u> — ◀	▶ <u>M5</u> 0,05 (*) ◀	▶ <u>M5</u> 0,05 (*) ◀	0,05 (*)

▼ **M2**

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)
0163070	Guava	▶ <b>M45</b> 0,01 (*) ◀	0,05 (*)	▶ <b>M16</b> 0,01 (*) ◀	▶ <b>M68</b> — ◀	0,1 (*)	▶ <b>M32</b> — ◀
0163090	Bread fruit	▶ <b>M45</b> 0,01 (*) ◀	0,05 (*)	▶ <b>M16</b> 0,01 (*) ◀	▶ <b>M68</b> — ◀	0,1 (*)	▶ <b>M32</b> — ◀
0163100	Durian	▶ <b>M45</b> 0,01 (*) ◀	0,05 (*)	▶ <b>M16</b> 0,01 (*) ◀	▶ <b>M68</b> — ◀	0,1 (*)	▶ <b>M32</b> — ◀
0163110	Soursop (guanabana)	▶ <b>M45</b> 0,01 (*) ◀	0,05 (*)	▶ <b>M16</b> 0,01 (*) ◀	▶ <b>M68</b> — ◀	0,1 (*)	▶ <b>M32</b> — ◀
0212040	Arrowroot	▶ <b>M45</b> 0,01 (*) ◀	0,05 (*)	▶ <b>M16</b> 0,01 (*) ◀	▶ <b>M68</b> — ◀	0,1 (*)	▶ <b>M32</b> — ◀
0251050	Land cress	▶ <b>M45</b> 0,01 (*) ◀	0,05 (*)	▶ <b>M16</b> 0,01 (*) ◀	▶ <b>M68</b> — ◀	0,1 (*)	▶ <b>M32</b> — ◀
0251070	Red mustard	▶ <b>M45</b> 0,01 (*) ◀	0,05 (*)	▶ <b>M16</b> 0,01 (*) ◀	▶ <b>M68</b> — ◀	0,1 (*)	▶ <b>M32</b> — ◀
0252020	Purslane	▶ <b>M45</b> 0,01 (*) ◀	0,05 (*)	▶ <b>M16</b> 0,01 (*) ◀	▶ <b>M68</b> — ◀	0,1 (*)	▶ <b>M32</b> — ◀
0253000	(c) <i>Vine leaves</i> ( <i>grape leaves</i> )	▶ <b>M45</b> 0,01 (*) ◀	0,05 (*)	▶ <b>M16</b> 0,01 (*) ◀	▶ <b>M68</b> — ◀	0,1 (*)	▶ <b>M32</b> — ◀
0256050	Sage	▶ <b>M45</b> 0,02 (*) ◀	0,05 (*)	▶ <b>M16</b> 0,01 (*) ◀	▶ <b>M68</b> — ◀	0,1 (*)	▶ <b>M32</b> — ◀
0256060	Rosemary	▶ <b>M45</b> 0,02 (*) ◀	0,05 (*)	▶ <b>M16</b> 0,01 (*) ◀	▶ <b>M68</b> — ◀	0,1 (*)	▶ <b>M32</b> — ◀
0256070	Thyme	▶ <b>M45</b> 0,02 (*) ◀	0,05 (*)	▶ <b>M16</b> 0,01 (*) ◀	▶ <b>M68</b> — ◀	0,1 (*)	▶ <b>M32</b> — ◀
0256080	Basil	▶ <b>M45</b> 0,02 (*) ◀	0,05 (*)	▶ <b>M16</b> 0,01 (*) ◀	▶ <b>M68</b> — ◀	0,1 (*)	▶ <b>M32</b> — ◀
0256090	Bay leaves (laurel)	▶ <b>M45</b> 0,02 (*) ◀	0,05 (*)	▶ <b>M16</b> 0,01 (*) ◀	▶ <b>M68</b> — ◀	0,1 (*)	▶ <b>M32</b> — ◀
0256100	Tarragon	▶ <b>M45</b> 0,02 (*) ◀	0,05 (*)	▶ <b>M16</b> 0,01 (*) ◀	▶ <b>M68</b> — ◀	0,1 (*)	▶ <b>M32</b> — ◀
0270080	Bamboo shoots	▶ <b>M45</b> 0,01 (*) ◀	0,05 (*)	▶ <b>M16</b> 0,01 (*) ◀	▶ <b>M68</b> — ◀	0,1 (*)	▶ <b>M32</b> — ◀
0270090	Palm hearts	▶ <b>M45</b> 0,01 (*) ◀	0,05 (*)	▶ <b>M16</b> 0,01 (*) ◀	▶ <b>M68</b> — ◀	0,1 (*)	▶ <b>M32</b> — ◀
0290000	(ix) <b>Sea weeds</b>	▶ <b>M45</b> 0,01 (*) ◀		▶ <b>M16</b> 0,01 (*) ◀	▶ <b>M68</b> — ◀		▶ <b>M32</b> — ◀
0401110	Safflower	▶ <b>M45</b> 0,02 (*) ◀	0,05 (*)	▶ <b>M16</b> 0,02 (*) ◀	▶ <b>M68</b> — ◀	0,1 (*)	▶ <b>M32</b> — ◀
0401120	Borage	▶ <b>M45</b> 0,02 (*) ◀	0,05 (*)	▶ <b>M16</b> 0,02 (*) ◀	▶ <b>M68</b> — ◀	0,1 (*)	▶ <b>M32</b> — ◀
0401130	Gold of pleasure	▶ <b>M45</b> 0,02 (*) ◀	0,05 (*)	▶ <b>M16</b> 0,02 (*) ◀	▶ <b>M68</b> — ◀	0,1 (*)	▶ <b>M32</b> — ◀
0401150	Castor bean	▶ <b>M45</b> 0,02 (*) ◀	0,05 (*)	▶ <b>M16</b> 0,02 (*) ◀	▶ <b>M68</b> — ◀	0,1 (*)	▶ <b>M32</b> — ◀
0402020	Palm nuts (palmoil kernels)	▶ <b>M45</b> 0,02 (*) ◀	0,05 (*)	▶ <b>M16</b> 0,02 (*) ◀	▶ <b>M68</b> — ◀	0,1 (*)	▶ <b>M32</b> — ◀

▼ **M2**

(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
▶ <b>M37</b> 0,02 (*) ◀	▶ <b>M64</b> 0,01 (*) ◀	0,1 (*)	▶ <b>M70</b> 0,01 (*) ◀			▶ <b>M70</b> — ◀	0,01 (*)
▶ <b>M37</b> 0,02 (*) ◀	▶ <b>M64</b> 0,01 (*) ◀	0,1 (*)	▶ <b>M70</b> 0,01 (*) ◀			▶ <b>M70</b> — ◀	0,01 (*)
▶ <b>M37</b> 0,02 (*) ◀	▶ <b>M64</b> 0,01 (*) ◀	0,1 (*)	▶ <b>M70</b> 0,01 (*) ◀			▶ <b>M70</b> — ◀	0,01 (*)
▶ <b>M37</b> 0,02 (*) ◀	▶ <b>M64</b> 0,01 (*) ◀	0,1 (*)	▶ <b>M70</b> 0,01 (*) ◀			▶ <b>M70</b> — ◀	0,01 (*)
▶ <b>M37</b> 0,02 (*) ◀	▶ <b>M64</b> 0,01 (*) ◀	0,1 (*)	▶ <b>M70</b> 0,002 (*) ◀			▶ <b>M70</b> — ◀	0,01 (*)
▶ <b>M37</b> 0,02 (*) ◀	▶ <b>M64</b> 0,01 (*) ◀	0,1 (*)	▶ <b>M70</b> 0,002 (*) ◀			▶ <b>M70</b> — ◀	0,01 (*)
▶ <b>M37</b> 0,02 (*) ◀	▶ <b>M64</b> 0,01 (*) ◀	0,1 (*)	▶ <b>M70</b> 0,002 (*) ◀			▶ <b>M70</b> — ◀	0,01 (*)
▶ <b>M37</b> 0,02 (*) ◀	▶ <b>M64</b> 0,01 (*) ◀	0,1 (*)	▶ <b>M70</b> 0,005 (*) ◀			▶ <b>M70</b> — ◀	0,01 (*)
▶ <b>M37</b> 0,02 (*) ◀	▶ <b>M64</b> 0,01 (*) ◀	0,1 (*)	▶ <b>M70</b> 0,01 (*) ◀			▶ <b>M70</b> — ◀	0,01 (*)
▶ <b>M37</b> 0,02 (*) ◀	▶ <b>M64</b> 0,02 (*) ◀	0,1 (*)	▶ <b>M70</b> 0,02 (*) ◀			▶ <b>M70</b> — ◀	0,01 (*)
▶ <b>M37</b> 0,02 (*) ◀	▶ <b>M64</b> 0,02 (*) ◀	0,1 (*)	▶ <b>M70</b> 0,02 (*) ◀			▶ <b>M70</b> — ◀	0,01 (*)
▶ <b>M37</b> 0,02 (*) ◀	▶ <b>M64</b> 0,02 (*) ◀	0,1 (*)	▶ <b>M70</b> 0,02 (*) ◀			▶ <b>M70</b> — ◀	0,01 (*)
▶ <b>M37</b> 0,02 (*) ◀	▶ <b>M64</b> 0,02 (*) ◀	0,1 (*)	▶ <b>M70</b> 0,02 (*) ◀			▶ <b>M70</b> — ◀	0,01 (*)
▶ <b>M37</b> 0,02 (*) ◀	▶ <b>M64</b> 0,02 (*) ◀	0,1 (*)	▶ <b>M70</b> 0,02 (*) ◀			▶ <b>M70</b> — ◀	0,01 (*)
▶ <b>M37</b> 0,02 (*) ◀	▶ <b>M64</b> 0,01 (*) ◀	0,1 (*)	▶ <b>M70</b> 0,002 (*) ◀			▶ <b>M70</b> — ◀	0,01 (*)
▶ <b>M37</b> 0,02 (*) ◀	▶ <b>M64</b> 0,01 (*) ◀	0,1 (*)	▶ <b>M70</b> 0,002 (*) ◀			▶ <b>M70</b> — ◀	0,01 (*)
▶ <b>M37</b> 0,02 (*) ◀	▶ <b>M64</b> 0,01 (*) ◀		▶ <b>M70</b> 0,01 (*) ◀			▶ <b>M70</b> — ◀	
▶ <b>M37</b> 0,02 (*) ◀	▶ <b>M64</b> 0,05 (*) ◀	0,1 (*)	▶ <b>M70</b> 0,02 (*) ◀			▶ <b>M70</b> — ◀	0,02 (*)
▶ <b>M37</b> 0,02 (*) ◀	▶ <b>M64</b> 0,05 (*) ◀	0,1 (*)	▶ <b>M70</b> 0,02 (*) ◀			▶ <b>M70</b> — ◀	0,02 (*)
▶ <b>M37</b> 0,02 (*) ◀	▶ <b>M64</b> 0,05 (*) ◀	0,1 (*)	▶ <b>M70</b> 0,02 (*) ◀			▶ <b>M70</b> — ◀	0,02 (*)
▶ <b>M37</b> 0,02 (*) ◀	▶ <b>M64</b> 0,05 (*) ◀	0,1 (*)	▶ <b>M70</b> 0,02 (*) ◀			▶ <b>M70</b> — ◀	0,02 (*)
▶ <b>M37</b> 0,02 (*) ◀	▶ <b>M64</b> 0,02 (*) ◀	0,1 (*)	▶ <b>M70</b> 0,02 (*) ◀			▶ <b>M70</b> — ◀	0,02 (*)





▼ **M2**

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)
0402030	Palmfruit	▶ <b>M45</b> 0,02 (*) ◀	0,05 (*)	▶ <b>M16</b> 0,02 (*) ◀	▶ <b>M68</b> — ◀	0,1 (*)	▶ <b>M32</b> — ◀
0402040	Kapok	▶ <b>M45</b> 0,02 (*) ◀	0,05 (*)	▶ <b>M16</b> 0,02 (*) ◀	▶ <b>M68</b> — ◀	0,1 (*)	▶ <b>M32</b> — ◀
0620000	(ii) Coffee beans	▶ <b>M45</b> 0,05 (*) ◀	0,1 (*)	▶ <b>M16</b> 0,05 (*) ◀	▶ <b>M68</b> — ◀	0,1 (*)	▶ <b>M32</b> — ◀
0630000	(iii) Herbal infusions (dried)	▶ <b>M45</b> 0,05 (*) ◀	0,1 (*)	▶ <b>M16</b> 0,05 (*) ◀	▶ <b>M68</b> — ◀	0,1 (*)	▶ <b>M32</b> — ◀
0631000	(a) Flowers	▶ <b>M45</b> 0,05 (*) ◀	0,1 (*)	▶ <b>M16</b> 0,05 (*) ◀	▶ <b>M68</b> — ◀	0,1 (*)	▶ <b>M32</b> — ◀
0631010	Camomille flowers	▶ <b>M45</b> 0,05 (*) ◀	0,1 (*)	▶ <b>M16</b> 0,05 (*) ◀	▶ <b>M68</b> — ◀	0,1 (*)	▶ <b>M32</b> — ◀
0631020	Hybiscus flowers	▶ <b>M45</b> 0,05 (*) ◀	0,1 (*)	▶ <b>M16</b> 0,05 (*) ◀	▶ <b>M68</b> — ◀	0,1 (*)	▶ <b>M32</b> — ◀
0631030	Rose petals	▶ <b>M45</b> 0,05 (*) ◀	0,1 (*)	▶ <b>M16</b> 0,05 (*) ◀	▶ <b>M68</b> — ◀	0,1 (*)	▶ <b>M32</b> — ◀
0631040	Jasmine flowers	▶ <b>M45</b> 0,05 (*) ◀	0,1 (*)	▶ <b>M16</b> 0,05 (*) ◀	▶ <b>M68</b> — ◀	0,1 (*)	▶ <b>M32</b> — ◀
0631050	Lime (linden)	▶ <b>M45</b> 0,05 (*) ◀	0,1 (*)	▶ <b>M16</b> 0,05 (*) ◀	▶ <b>M68</b> — ◀	0,1 (*)	▶ <b>M32</b> — ◀
0631990	Others	▶ <b>M45</b> 0,05 (*) ◀	0,1 (*)	▶ <b>M16</b> 0,05 (*) ◀	▶ <b>M68</b> — ◀	0,1 (*)	▶ <b>M32</b> — ◀
0632000	(b) Leaves	▶ <b>M45</b> 0,05 (*) ◀	0,1 (*)	▶ <b>M16</b> 0,05 (*) ◀	▶ <b>M68</b> — ◀	0,1 (*)	▶ <b>M32</b> — ◀
0632010	Strawberry leaves	▶ <b>M45</b> 0,05 (*) ◀	0,1 (*)	▶ <b>M16</b> 0,05 (*) ◀	▶ <b>M68</b> — ◀	0,1 (*)	▶ <b>M32</b> — ◀
0632020	Rooibos leaves	▶ <b>M45</b> 0,05 (*) ◀	0,1 (*)	▶ <b>M16</b> 0,05 (*) ◀	▶ <b>M68</b> — ◀	0,1 (*)	▶ <b>M32</b> — ◀
0632030	Maté	▶ <b>M45</b> 0,05 (*) ◀	0,1 (*)	▶ <b>M16</b> 0,05 (*) ◀	▶ <b>M68</b> — ◀	0,1 (*)	▶ <b>M32</b> — ◀
0632990	Others	▶ <b>M45</b> 0,05 (*) ◀	0,1 (*)	▶ <b>M16</b> 0,05 (*) ◀	▶ <b>M68</b> — ◀	0,1 (*)	▶ <b>M32</b> — ◀
0633000	(c) Roots	▶ <b>M45</b> 0,05 (*) ◀	0,1 (*)	▶ <b>M16</b> 0,05 (*) ◀	▶ <b>M68</b> — ◀	0,1 (*)	▶ <b>M32</b> — ◀
0633010	Valerian root	▶ <b>M45</b> 0,05 (*) ◀	0,1 (*)	▶ <b>M16</b> 0,05 (*) ◀	▶ <b>M68</b> — ◀	0,1 (*)	▶ <b>M32</b> — ◀
0633020	Ginseng root	▶ <b>M45</b> 0,05 (*) ◀	0,1 (*)	▶ <b>M16</b> 0,05 (*) ◀	▶ <b>M68</b> — ◀	0,1 (*)	▶ <b>M32</b> — ◀



▼ M2

(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)
	0,01 (*)	0,05 (*)	0,02 (*)	► <u>M32</u> 0,02 (*) ◀	0,01 (*)	► <u>M45</u> — ◀	► <u>M61</u> 0,1 (*) ◀
	0,01 (*)	0,05 (*)	0,02 (*)	► <u>M32</u> 0,02 (*) ◀	0,01 (*)	► <u>M45</u> — ◀	► <u>M61</u> 0,1 (*) ◀
	0,1 (*)	0,1 (*)	0,02 (*)	► <u>M32</u> 0,05 (*) ◀	0,1 (*)	► <u>M45</u> — ◀	► <u>M61</u> 0,1 (*) ◀
	0,1 (*)	0,1 (*)	0,02 (*)	► <u>M32</u> 0,05 (*) ◀	0,1 (*)	► <u>M45</u> — ◀	► <u>M61</u> 0,1 (*) ◀
	0,1 (*)	0,1 (*)	0,02 (*)	► <u>M32</u> 0,05 (*) ◀	0,1 (*)	► <u>M45</u> — ◀	► <u>M61</u> 0,1 (*) ◀
	0,1 (*)	0,1 (*)	0,02 (*)	► <u>M32</u> 0,05 (*) ◀	0,1 (*)	► <u>M45</u> — ◀	► <u>M61</u> 0,1 (*) ◀
	0,1 (*)	0,1 (*)	0,02 (*)	► <u>M32</u> 0,05 (*) ◀	0,1 (*)	► <u>M45</u> — ◀	► <u>M61</u> 0,1 (*) ◀
	0,1 (*)	0,1 (*)	0,02 (*)	► <u>M32</u> 0,05 (*) ◀	0,1 (*)	► <u>M45</u> — ◀	► <u>M61</u> 0,1 (*) ◀
	0,1 (*)	0,1 (*)	0,02 (*)	► <u>M32</u> 0,05 (*) ◀	0,1 (*)	► <u>M45</u> — ◀	► <u>M61</u> 0,1 (*) ◀
	0,1 (*)	0,1 (*)	0,02 (*)	► <u>M32</u> 0,05 (*) ◀	0,1 (*)	► <u>M45</u> — ◀	► <u>M61</u> 0,1 (*) ◀
	0,1 (*)	0,1 (*)	0,02 (*)	► <u>M32</u> 0,05 (*) ◀	0,1 (*)	► <u>M45</u> — ◀	► <u>M61</u> 0,1 (*) ◀
	0,1 (*)	0,1 (*)	0,02 (*)	► <u>M32</u> 0,05 (*) ◀	0,1 (*)	► <u>M45</u> — ◀	► <u>M61</u> 0,1 (*) ◀
	0,1 (*)	0,1 (*)	0,02 (*)	► <u>M32</u> 0,05 (*) ◀	0,1 (*)	► <u>M45</u> — ◀	► <u>M61</u> 0,1 (*) ◀
	0,1 (*)	0,1 (*)	0,02 (*)	► <u>M32</u> 0,05 (*) ◀	0,1 (*)	► <u>M45</u> — ◀	► <u>M61</u> 0,1 (*) ◀
	0,1 (*)	0,1 (*)	0,02 (*)	► <u>M32</u> 0,05 (*) ◀	0,1 (*)	► <u>M45</u> — ◀	► <u>M61</u> 0,1 (*) ◀
	0,1 (*)	0,1 (*)	0,02 (*)	► <u>M32</u> 0,05 (*) ◀	0,1 (*)	► <u>M45</u> — ◀	► <u>M61</u> 0,1 (*) ◀
	0,1 (*)	0,1 (*)	0,02 (*)	► <u>M32</u> 0,05 (*) ◀	0,1 (*)	► <u>M45</u> — ◀	► <u>M61</u> 0,1 (*) ◀



▼ M2

(25)	(26)	(27)	(28)	(29)	(30)	(31)
0,02 (*)	▶ <u>M68</u> — ◀	0,05 (*)	▶ <u>M50</u> — ◀	▶ <u>M5</u> 0,05 (*) ◀	▶ <u>M5</u> 0,05 (*) ◀	0,05 (*)
0,02 (*)	▶ <u>M68</u> — ◀	0,05 (*)	▶ <u>M50</u> — ◀	▶ <u>M5</u> 0,05 (*) ◀	▶ <u>M5</u> 0,05 (*) ◀	0,05 (*)
0,1 (*)	▶ <u>M68</u> — ◀	0,1 (*)	▶ <u>M50</u> — ◀	▶ <u>M5</u> 0,2 ◀	▶ <u>M5</u> 0,1 (*) ◀	0,1 (*)
0,1 (*)	▶ <u>M68</u> — ◀	0,1 (*)	▶ <u>M50</u> — ◀			0,1 (*)
0,1 (*)	▶ <u>M68</u> — ◀	0,1 (*)	▶ <u>M50</u> — ◀	▶ <u>M5</u> 0,5 ◀		0,1 (*)
0,1 (*)	▶ <u>M68</u> — ◀	0,1 (*)	▶ <u>M50</u> — ◀	▶ <u>M5</u> — ◀	▶ <u>M5</u> 0,2 ◀	0,1 (*)
0,1 (*)	▶ <u>M68</u> — ◀	0,1 (*)	▶ <u>M50</u> — ◀	▶ <u>M5</u> — ◀	▶ <u>M5</u> 0,1 (*) ◀	0,1 (*)
0,1 (*)	▶ <u>M68</u> — ◀	0,1 (*)	▶ <u>M50</u> — ◀	▶ <u>M5</u> — ◀	▶ <u>M5</u> 0,1 (*) ◀	0,1 (*)
0,1 (*)	▶ <u>M68</u> — ◀	0,1 (*)	▶ <u>M50</u> — ◀	▶ <u>M5</u> — ◀	▶ <u>M5</u> 0,1 (*) ◀	0,1 (*)
0,1 (*)	▶ <u>M68</u> — ◀	0,1 (*)	▶ <u>M50</u> — ◀	▶ <u>M5</u> — ◀	▶ <u>M5</u> 0,1 (*) ◀	0,1 (*)
0,1 (*)	▶ <u>M68</u> — ◀	0,1 (*)	▶ <u>M50</u> — ◀	▶ <u>M5</u> — ◀	▶ <u>M5</u> 0,1 (*) ◀	0,1 (*)
0,1 (*)	▶ <u>M68</u> — ◀	0,1 (*)	▶ <u>M50</u> — ◀	▶ <u>M5</u> 0,5 ◀	▶ <u>M5</u> 0,1 (*) ◀	0,1 (*)
0,1 (*)	▶ <u>M68</u> — ◀	0,1 (*)	▶ <u>M50</u> — ◀	▶ <u>M5</u> — ◀	▶ <u>M5</u> — ◀	0,1 (*)
0,1 (*)	▶ <u>M68</u> — ◀	0,1 (*)	▶ <u>M50</u> — ◀	▶ <u>M5</u> — ◀	▶ <u>M5</u> — ◀	0,1 (*)
0,1 (*)	▶ <u>M68</u> — ◀	0,1 (*)	▶ <u>M50</u> — ◀	▶ <u>M5</u> — ◀	▶ <u>M5</u> — ◀	0,1 (*)
0,1 (*)	▶ <u>M68</u> — ◀	0,1 (*)	▶ <u>M50</u> — ◀	▶ <u>M5</u> — ◀	▶ <u>M5</u> — ◀	0,1 (*)
0,1 (*)	▶ <u>M68</u> — ◀	0,1 (*)	▶ <u>M50</u> — ◀	▶ <u>M5</u> 0,5 ◀	▶ <u>M5</u> 0,1 (*) ◀	0,1 (*)
0,1 (*)	▶ <u>M68</u> — ◀	0,1 (*)	▶ <u>M50</u> — ◀	▶ <u>M5</u> — ◀	▶ <u>M5</u> — ◀	0,1 (*)
0,1 (*)	▶ <u>M68</u> — ◀	0,1 (*)	▶ <u>M50</u> — ◀	▶ <u>M5</u> — ◀	▶ <u>M5</u> — ◀	0,1 (*)

## ▼ M2

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)
0633990	Others	▶ <u>M45</u> 0,05 (*) ◀	0,1 (*)	▶ <u>M16</u> 0,05 (*) ◀	▶ <u>M68</u> — ◀	0,1 (*)	▶ <u>M32</u> — ◀
0639000	(d) <i>Other herbal infusions</i>	▶ <u>M45</u> 0,05 (*) ◀	0,1 (*)	▶ <u>M16</u> 0,05 (*) ◀	▶ <u>M68</u> — ◀	0,1 (*)	▶ <u>M32</u> — ◀
0640000	(iv) <b>Cocoa (fermented beans)</b>	▶ <u>M45</u> 0,05 (*) ◀	0,1 (*)	▶ <u>M16</u> 0,05 (*) ◀	▶ <u>M68</u> — ◀	0,1 (*)	▶ <u>M32</u> — ◀
0650000	(v) <b>Carob (st johns bread)</b>	▶ <u>M45</u> 0,05 (*) ◀	0,1 (*)	▶ <u>M16</u> 0,05 (*) ◀	▶ <u>M68</u> — ◀	0,1 (*)	▶ <u>M32</u> — ◀
0800000	8. <b>SPICES</b>	▶ <u>M45</u> 0,05 (*) ◀	0,1 (*)	▶ <u>M16</u> 0,05 (*) ◀	▶ <u>M68</u> — ◀	0,1 (*)	▶ <u>M32</u> — ◀
0810000	(i) <b>Seeds</b>	▶ <u>M45</u> 0,05 (*) ◀	0,1 (*)	▶ <u>M16</u> 0,05 (*) ◀	▶ <u>M68</u> — ◀	0,1 (*)	▶ <u>M32</u> — ◀
0810010	Anise	▶ <u>M45</u> 0,05 (*) ◀	0,1 (*)	▶ <u>M16</u> 0,05 (*) ◀	▶ <u>M68</u> — ◀	0,1 (*)	▶ <u>M32</u> — ◀
0810020	Black caraway	▶ <u>M45</u> 0,05 (*) ◀	0,1 (*)	▶ <u>M16</u> 0,05 (*) ◀	▶ <u>M68</u> — ◀	0,1 (*)	▶ <u>M32</u> — ◀
0810030	Celery seed	▶ <u>M45</u> 0,05 (*) ◀	0,1 (*)	▶ <u>M16</u> 0,05 (*) ◀	▶ <u>M68</u> — ◀	0,1 (*)	▶ <u>M32</u> — ◀
0810040	Coriander seed	▶ <u>M45</u> 0,05 (*) ◀	0,1 (*)	▶ <u>M16</u> 0,05 (*) ◀	▶ <u>M68</u> — ◀	0,1 (*)	▶ <u>M32</u> — ◀
0810050	Cumin seed	▶ <u>M45</u> 0,05 (*) ◀	0,1 (*)	▶ <u>M16</u> 0,05 (*) ◀	▶ <u>M68</u> — ◀	0,1 (*)	▶ <u>M32</u> — ◀
0810060	Dill seed	▶ <u>M45</u> 0,05 (*) ◀	0,1 (*)	▶ <u>M16</u> 0,05 (*) ◀	▶ <u>M68</u> — ◀	0,1 (*)	▶ <u>M32</u> — ◀
0810070	Fennel seed	▶ <u>M45</u> 0,05 (*) ◀	0,1 (*)	▶ <u>M16</u> 0,05 (*) ◀	▶ <u>M68</u> — ◀	0,1 (*)	▶ <u>M32</u> — ◀
0810080	Fenugreek	▶ <u>M45</u> 0,05 (*) ◀	0,1 (*)	▶ <u>M16</u> 0,05 (*) ◀	▶ <u>M68</u> — ◀	0,1 (*)	▶ <u>M32</u> — ◀
0810090	Nutmeg	▶ <u>M45</u> 0,05 (*) ◀	0,1 (*)	▶ <u>M16</u> 0,05 (*) ◀	▶ <u>M68</u> — ◀	0,1 (*)	▶ <u>M32</u> — ◀
0810990	Others	▶ <u>M45</u> 0,05 (*) ◀	0,1 (*)	▶ <u>M16</u> 0,05 (*) ◀	▶ <u>M68</u> — ◀	0,1 (*)	▶ <u>M32</u> — ◀
0820000	(ii) <b>Fruits and berries</b>	▶ <u>M45</u> 0,05 (*) ◀	0,1 (*)	▶ <u>M16</u> 0,05 (*) ◀	▶ <u>M68</u> — ◀	0,1 (*)	▶ <u>M32</u> — ◀
0820010	Allspice	▶ <u>M45</u> 0,05 (*) ◀	0,1 (*)	▶ <u>M16</u> 0,05 (*) ◀	▶ <u>M68</u> — ◀	0,1 (*)	▶ <u>M32</u> — ◀
0820020	Anise pepper (Japan pepper)	▶ <u>M45</u> 0,05 (*) ◀	0,1 (*)	▶ <u>M16</u> 0,05 (*) ◀	▶ <u>M68</u> — ◀	0,1 (*)	▶ <u>M32</u> — ◀
0820030	Caraway	▶ <u>M45</u> 0,05 (*) ◀	0,1 (*)	▶ <u>M16</u> 0,05 (*) ◀	▶ <u>M68</u> — ◀	0,1 (*)	▶ <u>M32</u> — ◀
0820040	Cardamom	▶ <u>M45</u> 0,05 (*) ◀	0,1 (*)	▶ <u>M16</u> 0,05 (*) ◀	▶ <u>M68</u> — ◀	0,1 (*)	▶ <u>M32</u> — ◀

▼ M2

(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
▶ <u>M37</u> 0,05 (*) ◀	▶ <u>M64</u> 0,05 (*) ◀	0,1 (*)	▶ <u>M70</u> 0,05 (*) ◀			▶ <u>M70</u> — ◀	0,02 (*)
▶ <u>M37</u> 0,05 (*) ◀	▶ <u>M64</u> 0,05 (*) ◀	0,1 (*)	▶ <u>M70</u> 0,05 (*) ◀			▶ <u>M70</u> — ◀	0,02 (*)
▶ <u>M37</u> 0,05 (*) ◀	▶ <u>M64</u> 0,05 (*) ◀	0,1 (*)	▶ <u>M70</u> 0,05 (*) ◀			▶ <u>M70</u> — ◀	0,02 (*)
▶ <u>M37</u> 0,05 (*) ◀	▶ <u>M64</u> 0,05 (*) ◀	0,1 (*)	▶ <u>M70</u> 0,05 (*) ◀			▶ <u>M70</u> — ◀	0,02 (*)
▶ <u>M37</u> 0,05 (*) ◀	▶ <u>M32</u> — ◀	0,1 (*)	▶ <u>M70</u> — ◀			▶ <u>M70</u> — ◀	0,02 (*)
▶ <u>M37</u> 0,05 (*) ◀	▶ <u>M64</u> 0,05 (*) ◀	0,1 (*)	▶ <u>M70</u> 0,05 (*) ◀			▶ <u>M70</u> — ◀	0,02 (*)
▶ <u>M37</u> 0,05 (*) ◀	▶ <u>M64</u> 0,05 (*) ◀	0,1 (*)	▶ <u>M70</u> 0,05 (*) ◀			▶ <u>M70</u> — ◀	0,02 (*)
▶ <u>M37</u> 0,05 (*) ◀	▶ <u>M64</u> 0,05 (*) ◀	0,1 (*)	▶ <u>M70</u> 0,05 (*) ◀			▶ <u>M70</u> — ◀	0,02 (*)
▶ <u>M37</u> 0,05 (*) ◀	▶ <u>M64</u> 0,05 (*) ◀	0,1 (*)	▶ <u>M70</u> 0,05 (*) ◀			▶ <u>M70</u> — ◀	0,02 (*)
▶ <u>M37</u> 0,05 (*) ◀	▶ <u>M64</u> 0,05 (*) ◀	0,1 (*)	▶ <u>M70</u> 0,05 (*) ◀			▶ <u>M70</u> — ◀	0,02 (*)
▶ <u>M37</u> 0,05 (*) ◀	▶ <u>M64</u> 0,05 (*) ◀	0,1 (*)	▶ <u>M70</u> 0,05 (*) ◀			▶ <u>M70</u> — ◀	0,02 (*)
▶ <u>M37</u> 0,05 (*) ◀	▶ <u>M64</u> 0,05 (*) ◀	0,1 (*)	▶ <u>M70</u> 0,05 (*) ◀			▶ <u>M70</u> — ◀	0,02 (*)
▶ <u>M37</u> 0,05 (*) ◀	▶ <u>M64</u> 0,05 (*) ◀	0,1 (*)	▶ <u>M70</u> 0,05 (*) ◀			▶ <u>M70</u> — ◀	0,02 (*)
▶ <u>M37</u> 0,05 (*) ◀	▶ <u>M64</u> 0,05 (*) ◀	0,1 (*)	▶ <u>M70</u> 0,05 (*) ◀			▶ <u>M70</u> — ◀	0,02 (*)
▶ <u>M37</u> 0,05 (*) ◀	▶ <u>M64</u> 0,05 (*) ◀	0,1 (*)	▶ <u>M70</u> 0,05 (*) ◀			▶ <u>M70</u> — ◀	0,02 (*)
▶ <u>M37</u> 0,05 (*) ◀	▶ <u>M64</u> 0,05 (*) ◀	0,1 (*)	▶ <u>M70</u> 0,05 (*) ◀			▶ <u>M70</u> — ◀	0,02 (*)
▶ <u>M37</u> 0,05 (*) ◀	▶ <u>M64</u> 0,8 ◀	0,1 (*)	▶ <u>M70</u> 0,05 (*) ◀			▶ <u>M70</u> — ◀	0,02 (*)
▶ <u>M37</u> 0,05 (*) ◀	▶ <u>M64</u> 0,8 ◀	0,1 (*)	▶ <u>M70</u> 0,05 (*) ◀			▶ <u>M70</u> — ◀	0,02 (*)
▶ <u>M37</u> 0,05 (*) ◀	▶ <u>M64</u> 0,8 ◀	0,1 (*)	▶ <u>M70</u> 0,05 (*) ◀			▶ <u>M70</u> — ◀	0,02 (*)
▶ <u>M37</u> 0,05 (*) ◀	▶ <u>M64</u> 0,8 ◀	0,1 (*)	▶ <u>M70</u> 0,05 (*) ◀			▶ <u>M70</u> — ◀	0,02 (*)





## ▼ M2

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)
0820050	Juniper berries	▶ <u>M45</u> 0,05 (*) ◀	0,1 (*)	▶ <u>M16</u> 0,05 (*) ◀	▶ <u>M68</u> — ◀	0,1 (*)	▶ <u>M32</u> — ◀
0820060	Pepper, black and white	▶ <u>M45</u> 0,05 (*) ◀	0,1 (*)	▶ <u>M16</u> 0,05 (*) ◀	▶ <u>M68</u> — ◀	0,1 (*)	▶ <u>M32</u> — ◀
0820070	Vanilla pods	▶ <u>M45</u> 0,05 (*) ◀	0,1 (*)	▶ <u>M16</u> 0,05 (*) ◀	▶ <u>M68</u> — ◀	0,1 (*)	▶ <u>M32</u> — ◀
0820080	Tamarind	▶ <u>M45</u> 0,05 (*) ◀	0,1 (*)	▶ <u>M16</u> 0,05 (*) ◀	▶ <u>M68</u> — ◀	0,1 (*)	▶ <u>M32</u> — ◀
0820990	Others	▶ <u>M45</u> 0,05 (*) ◀	0,1 (*)	▶ <u>M16</u> 0,05 (*) ◀	▶ <u>M68</u> — ◀	0,1 (*)	▶ <u>M32</u> — ◀
0830000	(iii) <b>Bark</b>	▶ <u>M45</u> 0,05 (*) ◀	0,1 (*)	▶ <u>M16</u> 0,05 (*) ◀	▶ <u>M68</u> — ◀	0,1 (*)	▶ <u>M32</u> — ◀
0830010	Cinnamon	▶ <u>M45</u> 0,05 (*) ◀	0,1 (*)	▶ <u>M16</u> 0,05 (*) ◀	▶ <u>M68</u> — ◀	0,1 (*)	▶ <u>M32</u> — ◀
0830990	Others	▶ <u>M45</u> 0,05 (*) ◀	0,1 (*)	▶ <u>M16</u> 0,05 (*) ◀	▶ <u>M68</u> — ◀	0,1 (*)	▶ <u>M32</u> — ◀
0840000	(iv) <b>Roots or rhizome</b>	▶ <u>M45</u> 0,05 (*) ◀	0,1 (*)	▶ <u>M16</u> 0,05 (*) ◀	▶ <u>M68</u> — ◀	0,1 (*)	▶ <u>M32</u> — ◀
0840010	Liquorice	▶ <u>M45</u> 0,05 (*) ◀	0,1 (*)	▶ <u>M16</u> 0,05 (*) ◀	▶ <u>M68</u> — ◀	0,1 (*)	▶ <u>M32</u> — ◀
0840020	Ginger	▶ <u>M45</u> 0,05 (*) ◀	0,1 (*)	▶ <u>M16</u> 0,05 (*) ◀	▶ <u>M68</u> — ◀	0,1 (*)	▶ <u>M32</u> — ◀
0840030	Turmeric (Curcuma)	▶ <u>M45</u> 0,05 (*) ◀	0,1 (*)	▶ <u>M16</u> 0,05 (*) ◀	▶ <u>M68</u> — ◀	0,1 (*)	▶ <u>M32</u> — ◀
0840040	Horseradish	▶ <u>M45</u> 0,05 (*) ◀	0,1 (*)	▶ <u>M16</u> 0,05 (*) ◀	▶ <u>M68</u> — ◀	0,1 (*)	▶ <u>M32</u> — ◀
0840990	Others	▶ <u>M45</u> 0,05 (*) ◀	0,1 (*)	▶ <u>M16</u> 0,05 (*) ◀	▶ <u>M68</u> — ◀	0,1 (*)	▶ <u>M32</u> — ◀
0850000	(v) <b>Buds</b>	▶ <u>M45</u> 0,05 (*) ◀	0,1 (*)	▶ <u>M16</u> 0,05 (*) ◀	▶ <u>M68</u> — ◀	0,1 (*)	▶ <u>M32</u> — ◀
0850010	Cloves	▶ <u>M45</u> 0,05 (*) ◀	0,1 (*)	▶ <u>M16</u> 0,05 (*) ◀	▶ <u>M68</u> — ◀	0,1 (*)	▶ <u>M32</u> — ◀
0850020	Capers	▶ <u>M45</u> 0,05 (*) ◀	0,1 (*)	▶ <u>M16</u> 0,05 (*) ◀	▶ <u>M68</u> — ◀	0,1 (*)	▶ <u>M32</u> — ◀
0850990	Others	▶ <u>M45</u> 0,05 (*) ◀	0,1 (*)	▶ <u>M16</u> 0,05 (*) ◀	▶ <u>M68</u> — ◀	0,1 (*)	▶ <u>M32</u> — ◀
0860000	(vi) <b>Flower stigma</b>	▶ <u>M45</u> 0,05 (*) ◀	0,1 (*)	▶ <u>M16</u> 0,05 (*) ◀	▶ <u>M68</u> — ◀	0,1 (*)	▶ <u>M32</u> — ◀
0860010	Saffron	▶ <u>M45</u> 0,05 (*) ◀	0,1 (*)	▶ <u>M16</u> 0,05 (*) ◀	▶ <u>M68</u> — ◀	0,1 (*)	▶ <u>M32</u> — ◀
0860990	Others	▶ <u>M45</u> 0,05 (*) ◀	0,1 (*)	▶ <u>M16</u> 0,05 (*) ◀	▶ <u>M68</u> — ◀	0,1 (*)	▶ <u>M32</u> — ◀
0870000	(vii) <b>Aril</b>	▶ <u>M45</u> 0,05 (*) ◀	0,1 (*)	▶ <u>M16</u> 0,05 (*) ◀	▶ <u>M68</u> — ◀	0,1 (*)	▶ <u>M32</u> — ◀
0870010	Mace	▶ <u>M45</u> 0,05 (*) ◀	0,1 (*)	▶ <u>M16</u> 0,05 (*) ◀	▶ <u>M68</u> — ◀	0,1 (*)	▶ <u>M32</u> — ◀









## ▼ M2

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)
0870990	Others	► <u>M45</u> 0,05 (*) ◀	0,1 (*)	► <u>M16</u> 0,05 (*) ◀	► <u>M68</u> — ◀	0,1 (*)	► <u>M32</u> — ◀
0900000	9. SUGAR PLANTS	► <u>M45</u> 0,01 (*) ◀	0,05 (*)	► <u>M16</u> 0,01 (*) ◀	► <u>M68</u> — ◀	0,1 (*)	► <u>M32</u> — ◀
0900010	Sugar beet (root)	► <u>M45</u> 0,01 (*) ◀	0,05 (*)	► <u>M16</u> 0,01 (*) ◀	► <u>M68</u> — ◀	0,1 (*)	► <u>M32</u> — ◀
0900020	Sugar cane	► <u>M45</u> 0,01 (*) ◀	0,05 (*)	► <u>M16</u> 0,01 (*) ◀	► <u>M68</u> — ◀	0,1 (*)	► <u>M32</u> — ◀
0900030	Chicory roots	► <u>M45</u> 0,01 (*) ◀	0,05 (*)	► <u>M16</u> 0,01 (*) ◀	► <u>M68</u> — ◀	0,1 (*)	► <u>M32</u> — ◀
0900990	Others	► <u>M45</u> 0,01 (*) ◀	0,05 (*)	► <u>M16</u> 0,01 (*) ◀	► <u>M68</u> — ◀	0,1 (*)	► <u>M32</u> — ◀
1015000	(e) <i>Horses, asses, mules or hinnies</i>	► <u>M45</u> 0,05 ◀		► <u>M16</u> 0,01 (*) ◀	► <u>M68</u> — ◀	0,05 (*)	► <u>M32</u> — ◀
1015010	Meat	► <u>M45</u> 0,05 ◀		► <u>M16</u> 0,01 (*) ◀	► <u>M68</u> — ◀	0,05 (*)	► <u>M32</u> — ◀
1015020	Fat	► <u>M45</u> 0,05 ◀		► <u>M16</u> 0,01 (*) ◀	► <u>M68</u> — ◀	0,05 (*)	► <u>M32</u> — ◀
1015030	Liver	► <u>M45</u> 0,05 ◀		► <u>M16</u> 0,01 (*) ◀	► <u>M68</u> — ◀	0,05 (*)	► <u>M32</u> — ◀
1015040	Kidney	► <u>M45</u> 0,05 ◀		► <u>M16</u> 0,01 (*) ◀	► <u>M68</u> — ◀	0,05 (*)	► <u>M32</u> — ◀
1015050	Edible offal	► <u>M45</u> 0,05 ◀		► <u>M16</u> 0,01 (*) ◀	► <u>M68</u> — ◀	0,05 (*)	► <u>M32</u> — ◀
1015990	Others	► <u>M45</u> 0,05 ◀		► <u>M16</u> 0,01 (*) ◀	► <u>M68</u> — ◀	0,05 (*)	► <u>M32</u> — ◀
1017000	(g) <i>Other farm animals</i>	► <u>M45</u> 0,05 ◀		► <u>M16</u> 0,01 (*) ◀	► <u>M68</u> — ◀	0,05 (*)	► <u>M32</u> — ◀
1017010	Meat	► <u>M45</u> 0,05 ◀		► <u>M16</u> 0,01 (*) ◀	► <u>M68</u> — ◀	0,05 (*)	► <u>M32</u> — ◀
1017020	Fat	► <u>M45</u> 0,05 ◀		► <u>M16</u> 0,01 (*) ◀	► <u>M68</u> — ◀	0,05 (*)	► <u>M32</u> — ◀
1017030	Liver	► <u>M45</u> 0,05 ◀		► <u>M16</u> 0,01 (*) ◀	► <u>M68</u> — ◀	0,05 (*)	► <u>M32</u> — ◀
1017040	Kidney	► <u>M45</u> 0,05 ◀		► <u>M16</u> 0,01 (*) ◀	► <u>M68</u> — ◀	0,05 (*)	► <u>M32</u> — ◀
1017050	Edible offal	► <u>M45</u> 0,05 ◀		► <u>M16</u> 0,01 (*) ◀	► <u>M68</u> — ◀	0,05 (*)	► <u>M32</u> — ◀
1017990	Others	► <u>M45</u> 0,05 ◀		► <u>M16</u> 0,01 (*) ◀	► <u>M68</u> — ◀	0,05 (*)	► <u>M32</u> — ◀
1030020	Duck	► <u>M45</u> 0,01 (*) ◀		► <u>M16</u> 0,01 (*) ◀	► <u>M68</u> — ◀		► <u>M32</u> — ◀
1030030	Goose	► <u>M45</u> 0,01 (*) ◀		► <u>M16</u> 0,01 (*) ◀	► <u>M68</u> — ◀		► <u>M32</u> — ◀



▼ M2

(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)
	0,1 (*)	0,1 (*)	0,02 (*)	► <u>M32</u> 0,05 (*) ◀	0,1 (*)	► <u>M45</u> — ◀	► <u>M61</u> 0,1 (*) ◀
	0,01 (*)	0,05 (*)	0,01 (*)	► <u>M32</u> 0,01 (*) ◀	0,01 (*)	► <u>M45</u> — ◀	► <u>M61</u> 0,05 (*) ◀
	0,01 (*)	0,05 (*)	0,01 (*)	► <u>M32</u> 0,01 (*) ◀	0,01 (*)	► <u>M45</u> — ◀	► <u>M61</u> 0,05 (*) ◀
	0,01 (*)	0,05 (*)	0,01 (*)	► <u>M32</u> 0,01 (*) ◀	0,01 (*)	► <u>M45</u> — ◀	► <u>M61</u> 0,05 (*) ◀
	0,01 (*)	0,05 (*)	0,01 (*)	► <u>M32</u> 0,01 (*) ◀	0,01 (*)	► <u>M45</u> — ◀	► <u>M61</u> 0,05 (*) ◀
	0,05 (*)	0,05 (*)	0,05 (*)		0,05 (*)	► <u>M45</u> — ◀	► <u>M61</u> — ◀
	0,05 (*)	0,05 (*)	0,05 (*)		0,05 (*)	► <u>M45</u> — ◀	► <u>M61</u> 0,08 ◀
	0,05 (*)	0,05 (*)	0,05 (*)		0,05 (*)	► <u>M45</u> — ◀	► <u>M61</u> 0,05 (*) ◀
	0,05 (*)	0,05 (*)	0,05 (*)		0,05 (*)	► <u>M45</u> — ◀	► <u>M61</u> 0,12 ◀
	0,05 (*)	0,05 (*)	0,05 (*)		0,05 (*)	► <u>M45</u> — ◀	► <u>M61</u> 0,4 ◀
	0,05 (*)	0,05 (*)	0,05 (*)		0,05 (*)	► <u>M45</u> — ◀	► <u>M61</u> 0,05 (*) ◀
	0,05 (*)	0,05 (*)	0,05 (*)		0,05 (*)	► <u>M45</u> — ◀	► <u>M61</u> 0,05 (*) ◀
	0,05 (*)	0,05 (*)	0,05 (*)		0,05 (*)	► <u>M45</u> — ◀	► <u>M61</u> — ◀
	0,05 (*)	0,05 (*)	0,05 (*)		0,05 (*)	► <u>M45</u> — ◀	► <u>M61</u> 0,08 ◀
	0,05 (*)	0,05 (*)	0,05 (*)		0,05 (*)	► <u>M45</u> — ◀	► <u>M61</u> 0,05 (*) ◀
	0,05 (*)	0,05 (*)	0,05 (*)		0,05 (*)	► <u>M45</u> — ◀	► <u>M61</u> 0,12 ◀
	0,05 (*)	0,05 (*)	0,05 (*)		0,05 (*)	► <u>M45</u> — ◀	► <u>M61</u> 0,4 ◀
	0,05 (*)	0,05 (*)	0,05 (*)		0,05 (*)	► <u>M45</u> — ◀	► <u>M61</u> 0,05 (*) ◀
	0,05 (*)	0,05 (*)	0,05 (*)		0,05 (*)	► <u>M45</u> — ◀	► <u>M61</u> 0,05 (*) ◀
	0,05 (*)	0,05 (*)	0,005 (*)		0,05 (*)	► <u>M45</u> — ◀	► <u>M61</u> 0,05 (*) ◀
	0,05 (*)	0,05 (*)	0,005 (*)		0,05 (*)	► <u>M45</u> — ◀	► <u>M61</u> 0,05 (*) ◀

▼ M2

(25)	(26)	(27)	(28)	(29)	(30)	(31)
0,1 (*)	▶ <u>M68</u> — ◀	0,1 (*)	▶ <u>M50</u> — ◀	▶ <u>M5</u> — ◀	▶ <u>M5</u> — ◀	0,1 (*)
0,02 (*)	▶ <u>M68</u> — ◀	0,05 (*)	▶ <u>M50</u> — ◀		▶ <u>M5</u> 0,05 (*) ◀	0,05 (*)
0,02 (*)	▶ <u>M68</u> — ◀	0,05 (*)	▶ <u>M50</u> — ◀	▶ <u>M5</u> 0,2 ◀	▶ <u>M5</u> — ◀	0,05 (*)
0,02 (*)	▶ <u>M68</u> — ◀	0,05 (*)	▶ <u>M50</u> — ◀	▶ <u>M5</u> 0,05 (*) ◀	▶ <u>M5</u> — ◀	0,05 (*)
0,02 (*)	▶ <u>M68</u> — ◀	0,05 (*)	▶ <u>M50</u> — ◀	▶ <u>M5</u> 0,05 (*) ◀	▶ <u>M5</u> — ◀	0,05 (*)
0,02 (*)	▶ <u>M68</u> — ◀	0,05 (*)	▶ <u>M50</u> — ◀	▶ <u>M5</u> 0,05 (*) ◀	▶ <u>M5</u> — ◀	0,05 (*)
0,1 (*)	▶ <u>M68</u> — ◀	0,05 (*)	▶ <u>M50</u> — ◀		▶ <u>M5</u> 0,05 (*) ◀	
0,1 (*)	▶ <u>M68</u> — ◀	0,05 (*)	▶ <u>M50</u> — ◀		▶ <u>M5</u> — ◀	
0,1 (*)	▶ <u>M68</u> — ◀	0,05 (*)	▶ <u>M50</u> — ◀		▶ <u>M5</u> — ◀	
0,1 (*)	▶ <u>M68</u> — ◀	0,05 (*)	▶ <u>M50</u> — ◀		▶ <u>M5</u> — ◀	
0,1 (*)	▶ <u>M68</u> — ◀	0,05 (*)	▶ <u>M50</u> — ◀		▶ <u>M5</u> — ◀	
0,1 (*)	▶ <u>M68</u> — ◀	0,05 (*)	▶ <u>M50</u> — ◀		▶ <u>M5</u> — ◀	
0,1 (*)	▶ <u>M68</u> — ◀	0,05 (*)	▶ <u>M50</u> — ◀		▶ <u>M5</u> — ◀	
0,1 (*)	▶ <u>M68</u> — ◀	0,05 (*)	▶ <u>M50</u> — ◀		▶ <u>M5</u> — ◀	
0,1 (*)	▶ <u>M68</u> — ◀	0,05 (*)	▶ <u>M50</u> — ◀		▶ <u>M5</u> — ◀	
0,1 (*)	▶ <u>M68</u> — ◀	0,05 (*)	▶ <u>M50</u> — ◀		▶ <u>M5</u> — ◀	
0,1 (*)	▶ <u>M68</u> — ◀	0,05 (*)	▶ <u>M50</u> — ◀		▶ <u>M5</u> — ◀	
0,1 (*)	▶ <u>M68</u> — ◀	0,05 (*)	▶ <u>M50</u> — ◀		▶ <u>M5</u> — ◀	
0,1 (*)	▶ <u>M68</u> — ◀	0,05 (*)	▶ <u>M50</u> — ◀		▶ <u>M5</u> — ◀	
0,1 (*)	▶ <u>M68</u> — ◀	0,05 (*)	▶ <u>M50</u> — ◀		▶ <u>M5</u> — ◀	
0,1 (*)	▶ <u>M68</u> — ◀	0,05 (*)	▶ <u>M50</u> — ◀		▶ <u>M5</u> — ◀	
0,1 (*)	▶ <u>M68</u> — ◀	0,05 (*)	▶ <u>M50</u> — ◀	▶ <u>M5</u> — ◀	▶ <u>M5</u> 0,01 (*) ◀	
0,1 (*)	▶ <u>M68</u> — ◀	0,05 (*)	▶ <u>M50</u> — ◀	▶ <u>M5</u> — ◀	▶ <u>M5</u> 0,01 (*) ◀	

▼ M2

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)
1030040	Quail	▶ <u>M45</u> 0,01 (*) ◀		▶ <u>M16</u> 0,01 (*) ◀	▶ <u>M68</u> — ◀		▶ <u>M32</u> — ◀
1030990	Others	▶ <u>M45</u> 0,01 (*) ◀		▶ <u>M16</u> 0,01 (*) ◀	▶ <u>M68</u> — ◀		▶ <u>M32</u> — ◀
1040000	(iv) Honey	▶ <u>M45</u> 0,05 (*) ◀		▶ <u>M16</u> 0,01 (*) ◀	▶ <u>M68</u> — ◀		▶ <u>M32</u> — ◀
1050000	(v) Amphibians and reptiles	▶ <u>M45</u> 0,01 (*) ◀		▶ <u>M16</u> 0,01 (*) ◀	▶ <u>M68</u> — ◀		▶ <u>M32</u> — ◀
1060000	(vi) Snails	▶ <u>M45</u> 0,01 (*) ◀		▶ <u>M16</u> 0,01 (*) ◀	▶ <u>M68</u> — ◀		▶ <u>M32</u> — ◀
1070000	(vii) Other terrestrial animal products	▶ <u>M45</u> 0,01 (*) ◀		▶ <u>M16</u> 0,01 (*) ◀	▶ <u>M68</u> — ◀		▶ <u>M32</u> — ◀

▼ M2

(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
▶ <u>M37</u> 0,02 (*) ◀	▶ <u>M64</u> 0,05 (*) ◀	0,05 (*)	▶ <u>M70</u> 0,01 (*) ◀			▶ <u>M70</u> — ◀	
▶ <u>M37</u> 0,02 (*) ◀	▶ <u>M64</u> 0,05 (*) ◀	0,05 (*)	▶ <u>M70</u> 0,01 (*) ◀			▶ <u>M70</u> — ◀	
▶ <u>M37</u> 0,05 (*) ◀	▶ <u>M64</u> 0,05 (*) ◀	1	▶ <u>M70</u> 0,05 (*) ◀			▶ <u>M70</u> — ◀	
▶ <u>M37</u> 0,02 (*) ◀	▶ <u>M64</u> 0,05 (*) ◀		▶ <u>M70</u> 0,01 (*) ◀			▶ <u>M70</u> — ◀	
▶ <u>M37</u> 0,02 (*) ◀	▶ <u>M64</u> 0,05 (*) ◀		▶ <u>M70</u> 0,01 (*) ◀			▶ <u>M70</u> — ◀	
▶ <u>M37</u> 0,02 (*) ◀	▶ <u>M64</u> 0,05 (*) ◀		▶ <u>M70</u> 0,01 (*) ◀			▶ <u>M70</u> — ◀	

▼ M2

(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)
	0,05 (*)	0,05 (*)	0,005 (*)		0,05 (*)	► <u>M45</u> — ◀	► <u>M61</u> 0,05 (*) ◀
	0,05 (*)	0,05 (*)	0,005 (*)		0,05 (*)	► <u>M45</u> — ◀	► <u>M61</u> 0,05 (*) ◀
			0,01			► <u>M45</u> — ◀	► <u>M61</u> 0,05 (*) ◀
			0,005			► <u>M45</u> — ◀	► <u>M61</u> 0,05 (*) ◀
			0,005			► <u>M45</u> — ◀	► <u>M61</u> 0,05 (*) ◀
			0,005			► <u>M45</u> — ◀	► <u>M61</u> 0,05 (*) ◀



▼ M2

(25)	(26)	(27)	(28)	(29)	(30)	(31)
0,1 (*)	▶ <u>M68</u> — ◀	0,05 (*)	▶ <u>M50</u> — ◀	▶ <u>M5</u> — ◀	▶ <u>M5</u> 0,01 (*) ◀	
0,1 (*)	▶ <u>M68</u> — ◀	0,05 (*)	▶ <u>M50</u> — ◀	▶ <u>M5</u> — ◀	▶ <u>M5</u> 0,01 (*) ◀	
	▶ <u>M68</u> — ◀		▶ <u>M50</u> — ◀			
	▶ <u>M68</u> — ◀		▶ <u>M50</u> — ◀			
	▶ <u>M68</u> — ◀		▶ <u>M50</u> — ◀			
	▶ <u>M68</u> — ◀		▶ <u>M50</u> — ◀			

▼ **M2**

## Pesticide residues and maximum residue levels (mg/kg)

Code number	Groups and examples of individual products to which the MRLs apply <sup>(4)</sup>	Cimidon-ethyl (sum of cimidon ethyl and its E-isomer)	► <b>M75</b> Clofentezine <sup>(8)</sup> ▼	▼ <b>M55</b> — ◀	▼ <b>M46</b> — ◀	► <b>M56</b> Cyfluthrin including other mixtures of constituent isomers (sum of isomers) <sup>(1)</sup> ▼	▼ <b>M55</b> — ◀	► <b>M19</b> Cypermethrin including other mixtures of constituent isomers <sup>(1)</sup> ▼
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)
0130040	Medlar	0,05 (*)	► <b>M75</b> 0,5 ◀	► <b>M55</b> — ◀	► <b>M46</b> — ◀	► <b>M56</b> 0,2 ◀	► <b>M55</b> — ◀	► <b>M19</b> 1 ◀
0130050	Loquat	0,05 (*)	► <b>M75</b> 0,5 ◀	► <b>M55</b> — ◀	► <b>M46</b> — ◀	► <b>M56</b> 0,2 ◀	► <b>M55</b> — ◀	► <b>M19</b> 1 ◀
0154050	Rose hips	0,05 (*)	► <b>M75</b> 0,02 (*) ◀	► <b>M55</b> — ◀	► <b>M46</b> — ◀	► <b>M56</b> 0,02 (*) ◀	► <b>M55</b> — ◀	► <b>M19</b> 0,05 (*) ◀
0154060	Mulberries	0,05 (*)	► <b>M75</b> 0,3 ◀	► <b>M55</b> — ◀	► <b>M46</b> — ◀	► <b>M56</b> 0,02 (*) ◀	► <b>M55</b> — ◀	► <b>M19</b> 0,05 (*) ◀
0154070	Azarole (mediteranean medlar)	0,05 (*)	► <b>M75</b> 0,02 (*) ◀	► <b>M55</b> — ◀	► <b>M46</b> — ◀	► <b>M56</b> 0,02 (*) ◀	► <b>M55</b> — ◀	► <b>M19</b> 0,05 (*) ◀
0154080	Elderberries	0,05 (*)	► <b>M75</b> 0,02 (*) ◀	► <b>M55</b> — ◀	► <b>M46</b> — ◀	► <b>M56</b> 0,02 (*) ◀	► <b>M55</b> — ◀	► <b>M19</b> 0,05 (*) ◀
0161050	Carambola	0,05 (*)	► <b>M75</b> 0,02 (*) ◀	► <b>M55</b> — ◀	► <b>M46</b> — ◀	► <b>M56</b> 0,02 (*) ◀	► <b>M55</b> — ◀	► <b>M19</b> 0,2 ◀
0161060	Persimmon	0,05 (*)	► <b>M75</b> 0,02 (*) ◀	► <b>M55</b> — ◀	► <b>M46</b> — ◀	► <b>M56</b> 0,02 (*) ◀	► <b>M55</b> — ◀	► <b>M19</b> 0,05 (*) ◀
0161070	Jambolan (java plum)	0,05 (*)	► <b>M75</b> 0,02 (*) ◀	► <b>M55</b> — ◀	► <b>M46</b> — ◀	► <b>M56</b> 0,02 (*) ◀	► <b>M55</b> — ◀	► <b>M19</b> 0,05 (*) ◀
0162040	Prickly pear (cactus fruit)	0,05 (*)	► <b>M75</b> 0,02 (*) ◀	► <b>M55</b> — ◀	► <b>M46</b> — ◀	► <b>M56</b> 0,02 (*) ◀	► <b>M55</b> — ◀	► <b>M19</b> 0,05 (*) ◀
0162050	Star apple	0,05 (*)	► <b>M75</b> 0,02 (*) ◀	► <b>M55</b> — ◀	► <b>M46</b> — ◀	► <b>M56</b> 0,02 (*) ◀	► <b>M55</b> — ◀	► <b>M19</b> 0,05 (*) ◀
0162060	American persimmon (Virginia kaki)	0,05 (*)	► <b>M75</b> 0,02 (*) ◀	► <b>M55</b> — ◀	► <b>M46</b> — ◀	► <b>M56</b> 0,02 (*) ◀	► <b>M55</b> — ◀	► <b>M19</b> 0,05 (*) ◀
0163060	Cherimoya	0,05 (*)	► <b>M75</b> 0,02 (*) ◀	► <b>M55</b> — ◀	► <b>M46</b> — ◀	► <b>M56</b> 0,02 (*) ◀	► <b>M55</b> — ◀	► <b>M19</b> 0,05 (*) ◀

▼ M2

▼ <u>M49</u>	▼ <u>M51</u>	DDT (sum of p,p'-DDT, o,p'-DDT, p,p'-DDE and p,p'-TDE (DDD) expressed as DDT) <sup>(1)</sup>	▼ <u>M27</u> Deltamethrin (cis-deltamethrin) <sup>(1)</sup>	Desmedipham	Diallate	▼ <u>M32</u> Diazinon <sup>(1)</sup>	▼ <u>M5</u> Dichlorvos
(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)
▶ <u>M49</u> — ◀	▶ <u>M51</u> — ◀	0,05 (*)	▶ <u>M27</u> 0,1 ◀	0,05 (*)	0,05 (*)	▶ <u>M32</u> 0,01 (*) ◀	▶ <u>M5</u> 0,01 (*) ◀
▶ <u>M49</u> — ◀	▶ <u>M51</u> — ◀	0,05 (*)	▶ <u>M27</u> 0,1 ◀	0,05 (*)	0,05 (*)	▶ <u>M32</u> 0,01 (*) ◀	▶ <u>M5</u> 0,01 (*) ◀
▶ <u>M49</u> — ◀	▶ <u>M51</u> — ◀	0,05 (*)	▶ <u>M27</u> 0,05 (*) ◀	0,05 (*)	0,05 (*)	▶ <u>M32</u> 0,01 (*) ◀	▶ <u>M5</u> 0,01 (*) ◀
▶ <u>M49</u> — ◀	▶ <u>M51</u> — ◀	0,05 (*)	▶ <u>M27</u> 0,05 (*) ◀	0,05 (*)	0,05 (*)	▶ <u>M32</u> 0,01 (*) ◀	▶ <u>M5</u> 0,01 (*) ◀
▶ <u>M49</u> — ◀	▶ <u>M51</u> — ◀	0,05 (*)	▶ <u>M27</u> 0,05 (*) ◀	0,05 (*)	0,05 (*)	▶ <u>M32</u> 0,01 (*) ◀	▶ <u>M5</u> 0,01 (*) ◀
▶ <u>M49</u> — ◀	▶ <u>M51</u> — ◀	0,05 (*)	▶ <u>M27</u> 0,05 (*) ◀	0,05 (*)	0,05 (*)	▶ <u>M32</u> 0,01 (*) ◀	▶ <u>M5</u> 0,01 (*) ◀
▶ <u>M49</u> — ◀	▶ <u>M51</u> — ◀	0,05 (*)	▶ <u>M27</u> 0,05 (*) ◀	0,05 (*)	0,05 (*)	▶ <u>M32</u> 0,01 (*) ◀	▶ <u>M5</u> 0,01 (*) ◀
▶ <u>M49</u> — ◀	▶ <u>M51</u> — ◀	0,05 (*)	▶ <u>M27</u> 0,05 (*) ◀	0,05 (*)	0,05 (*)	▶ <u>M32</u> 0,01 (*) ◀	▶ <u>M5</u> 0,01 (*) ◀
▶ <u>M49</u> — ◀	▶ <u>M51</u> — ◀	0,05 (*)	▶ <u>M27</u> 0,05 (*) ◀	0,05 (*)	0,05 (*)	▶ <u>M32</u> 0,01 (*) ◀	▶ <u>M5</u> 0,01 (*) ◀
▶ <u>M49</u> — ◀	▶ <u>M51</u> — ◀	0,05 (*)	▶ <u>M27</u> 0,05 (*) ◀	0,05 (*)	0,05 (*)	▶ <u>M32</u> 0,01 (*) ◀	▶ <u>M5</u> 0,01 (*) ◀
▶ <u>M49</u> — ◀	▶ <u>M51</u> — ◀	0,05 (*)	▶ <u>M27</u> 0,05 (*) ◀	0,05 (*)	0,05 (*)	▶ <u>M32</u> 0,01 (*) ◀	▶ <u>M5</u> 0,01 (*) ◀
▶ <u>M49</u> — ◀	▶ <u>M51</u> — ◀	0,05 (*)	▶ <u>M27</u> 0,05 (*) ◀	0,05 (*)	0,05 (*)	▶ <u>M32</u> 0,01 (*) ◀	▶ <u>M5</u> 0,01 (*) ◀
▶ <u>M49</u> — ◀	▶ <u>M51</u> — ◀	0,05 (*)	▶ <u>M27</u> 0,05 (*) ◀	0,05 (*)	0,05 (*)	▶ <u>M32</u> 0,01 (*) ◀	▶ <u>M5</u> 0,01 (*) ◀
▶ <u>M49</u> — ◀	▶ <u>M51</u> — ◀	0,05 (*)	▶ <u>M27</u> 0,05 (*) ◀	0,05 (*)	0,05 (*)	▶ <u>M32</u> 0,01 (*) ◀	▶ <u>M5</u> 0,01 (*) ◀

▼ M2

<p>► <u>M32</u> Dicofof (sum of p, p' and o,p' isomers) (1) ▼</p>	<p>► <u>M73</u> — ▼</p>	<p>► <u>M5</u> Dimethoate (sum of dimethoate and omethoate expressed as dimethoate) ▼</p>	<p>Dinoseb</p>	<p>Dinoterb</p>	<p>Dioxathion</p>	<p>► <u>M41</u> — ▼</p>	<p>Diquat</p>
(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)
► <u>M32</u> 0,02 (*) ◀	► <u>M73</u> — ◀	► <u>M5</u> 0,02 (*) ◀	0,05 (*)	0,05 (*)	0,05 (*)	► <u>M41</u> — ◀	0,05 (*)
► <u>M32</u> 0,02 (*) ◀	► <u>M73</u> — ◀	► <u>M5</u> 0,02 (*) ◀	0,05 (*)	0,05 (*)	0,05 (*)	► <u>M41</u> — ◀	0,05 (*)
► <u>M32</u> 0,02 (*) ◀	► <u>M73</u> — ◀	► <u>M5</u> 0,02 (*) ◀	0,05 (*)	0,05 (*)	0,05 (*)	► <u>M41</u> — ◀	0,05 (*)
► <u>M32</u> 0,02 (*) ◀	► <u>M73</u> — ◀	► <u>M5</u> 0,02 (*) ◀	0,05 (*)	0,05 (*)	0,05 (*)	► <u>M41</u> — ◀	0,05 (*)
► <u>M32</u> 0,02 (*) ◀	► <u>M73</u> — ◀	► <u>M5</u> 0,02 (*) ◀	0,05 (*)	0,05 (*)	0,05 (*)	► <u>M41</u> — ◀	0,05 (*)
► <u>M32</u> 0,02 (*) ◀	► <u>M73</u> — ◀	► <u>M5</u> 0,02 (*) ◀	0,05 (*)	0,05 (*)	0,05 (*)	► <u>M41</u> — ◀	0,05 (*)
► <u>M32</u> 0,02 (*) ◀	► <u>M73</u> — ◀	► <u>M5</u> 0,02 (*) ◀	0,05 (*)	0,05 (*)	0,05 (*)	► <u>M41</u> — ◀	0,05 (*)
► <u>M32</u> 0,02 (*) ◀	► <u>M73</u> — ◀	► <u>M5</u> 0,02 (*) ◀	0,05 (*)	0,05 (*)	0,05 (*)	► <u>M41</u> — ◀	0,05 (*)
► <u>M32</u> 0,02 (*) ◀	► <u>M73</u> — ◀	► <u>M5</u> 0,02 (*) ◀	0,05 (*)	0,05 (*)	0,05 (*)	► <u>M41</u> — ◀	0,05 (*)
► <u>M32</u> 0,02 (*) ◀	► <u>M73</u> — ◀	► <u>M5</u> 0,02 (*) ◀	0,05 (*)	0,05 (*)	0,05 (*)	► <u>M41</u> — ◀	0,05 (*)
► <u>M32</u> 0,02 (*) ◀	► <u>M73</u> — ◀	► <u>M5</u> 0,02 (*) ◀	0,05 (*)	0,05 (*)	0,05 (*)	► <u>M41</u> — ◀	0,05 (*)

▼ M2

▶ <u>M32</u> Disulfoton (sum of disulfoton, disulfoton sulfoxide and disulfoton sulfone expressed as disulfoton) <sup>(1)</sup> ▼	Dithiocarbamates (dithiocarbamates expressed as CS <sub>2</sub> , including maneb, mancozeb, metiram, propineb, thiram and ziram) <sup>(1)</sup>	DNOC	▶ <u>M16</u> Endosulfan (sum of alpha- and beta-isomers and endosulfan-sulphate expressed as endosulfan) <sup>(1)</sup> ▼	Endrin <sup>(1)</sup>	▼ — ▶ <u>M21</u>
(26)	(27)	(28)	(29)	(30)	(31)
▶ <u>M32</u> 0,01 (*) ◀	5	0,05 (*)	▶ <u>M16</u> 0,05 (*) ◀	0,01 (*)	▶ <u>M21</u> — ◀
▶ <u>M32</u> 0,01 (*) ◀	5	0,05 (*)	▶ <u>M16</u> 0,05 (*) ◀	0,01 (*)	▶ <u>M21</u> — ◀
▶ <u>M32</u> 0,01 (*) ◀	0,05 (*)	0,05 (*)	▶ <u>M16</u> 0,05 (*) ◀	0,01 (*)	▶ <u>M21</u> — ◀
▶ <u>M32</u> 0,01 (*) ◀	0,05 (*)	0,05 (*)	▶ <u>M16</u> 0,05 (*) ◀	0,01 (*)	▶ <u>M21</u> — ◀
▶ <u>M32</u> 0,01 (*) ◀	0,05 (*)	0,05 (*)	▶ <u>M16</u> 0,05 (*) ◀	0,01 (*)	▶ <u>M21</u> — ◀
▶ <u>M32</u> 0,01 (*) ◀	0,05 (*)	0,05 (*)	▶ <u>M16</u> 0,05 (*) ◀	0,01 (*)	▶ <u>M21</u> — ◀
▶ <u>M32</u> 0,01 (*) ◀	0,05 (*)	0,05 (*)	▶ <u>M16</u> 0,05 (*) ◀	0,01 (*)	▶ <u>M21</u> — ◀
▶ <u>M32</u> 0,01 (*) ◀	0,05 (*)	0,05 (*)	▶ <u>M16</u> 0,05 (*) ◀	0,01 (*)	▶ <u>M21</u> — ◀
▶ <u>M32</u> 0,01 (*) ◀	0,05 (*)	0,05 (*)	▶ <u>M16</u> 0,05 (*) ◀	0,01 (*)	▶ <u>M21</u> — ◀
▶ <u>M32</u> 0,01 (*) ◀	0,05 (*)	0,05 (*)	▶ <u>M16</u> 0,05 (*) ◀	0,01 (*)	▶ <u>M21</u> — ◀
▶ <u>M32</u> 0,01 (*) ◀	0,05 (*)	0,05 (*)	▶ <u>M16</u> 0,05 (*) ◀	0,01 (*)	▶ <u>M21</u> — ◀
▶ <u>M32</u> 0,01 (*) ◀	0,05 (*)	0,05 (*)	▶ <u>M16</u> 0,05 (*) ◀	0,01 (*)	▶ <u>M21</u> — ◀
▶ <u>M32</u> 0,01 (*) ◀	0,05 (*)	0,05 (*)	▶ <u>M16</u> 0,05 (*) ◀	0,01 (*)	▶ <u>M21</u> — ◀
▶ <u>M32</u> 0,01 (*) ◀	0,05 (*)	0,05 (*)	▶ <u>M16</u> 0,05 (*) ◀	0,01 (*)	▶ <u>M21</u> — ◀

## ▼ M2

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)
0163070	Guava	0,05 (*)	► <u>M75</u> 0,02 (*) ◀	► <u>M55</u> — ◀	► <u>M46</u> — ◀	► <u>M56</u> 0,02 (*) ◀	► <u>M55</u> — ◀	► <u>M19</u> 0,05 (*) ◀
0163090	Bread fruit	0,05 (*)	► <u>M75</u> 0,02 (*) ◀	► <u>M55</u> — ◀	► <u>M46</u> — ◀	► <u>M56</u> 0,02 (*) ◀	► <u>M55</u> — ◀	► <u>M19</u> 0,05 (*) ◀
0163100	Durian	0,05 (*)	► <u>M75</u> 0,02 (*) ◀	► <u>M55</u> — ◀	► <u>M46</u> — ◀	► <u>M56</u> 0,02 (*) ◀	► <u>M55</u> — ◀	► <u>M19</u> 1 ◀
0163110	Soursop (guanabana)	0,05 (*)	► <u>M75</u> 0,02 (*) ◀	► <u>M55</u> — ◀	► <u>M46</u> — ◀	► <u>M56</u> 0,02 (*) ◀	► <u>M55</u> — ◀	► <u>M19</u> 0,05 (*) ◀
0212040	Arrowroot	0,05 (*)	► <u>M75</u> 0,02 (*) ◀	► <u>M55</u> — ◀	► <u>M46</u> — ◀	► <u>M56</u> 0,02 (*) ◀	► <u>M55</u> — ◀	► <u>M19</u> 0,05 (*) ◀
0251050	Land cress	0,05 (*)	► <u>M75</u> 0,02 (*) ◀	► <u>M55</u> — ◀	► <u>M46</u> — ◀	► <u>M56</u> 1 ◀	► <u>M55</u> — ◀	► <u>M19</u> 2 ◀
0251070	Red mustard	0,05 (*)	► <u>M75</u> 0,02 (*) ◀	► <u>M55</u> — ◀	► <u>M46</u> — ◀	► <u>M56</u> 1 ◀	► <u>M55</u> — ◀	► <u>M19</u> 2 ◀
0252020	Purslane	0,05 (*)	► <u>M75</u> 0,02 (*) ◀	► <u>M55</u> — ◀	► <u>M46</u> — ◀	► <u>M56</u> 0,5 ◀	► <u>M55</u> — ◀	► <u>M19</u> 0,7 ◀
0253000	(c) <i>Vine leaves</i> ( <i>grape leaves</i> )	0,05 (*)	► <u>M75</u> 0,02 (*) ◀	► <u>M55</u> — ◀	► <u>M46</u> — ◀	► <u>M56</u> 0,02 (*) ◀	► <u>M55</u> — ◀	► <u>M19</u> 0,05 (*) ◀
0256050	Sage	0,05 (*)	► <u>M75</u> 0,02 (*) ◀	► <u>M55</u> — ◀	► <u>M46</u> — ◀	► <u>M56</u> 0,02 (*) ◀	► <u>M55</u> — ◀	► <u>M19</u> 2 ◀
0256060	Rosemary	0,05 (*)	► <u>M75</u> 0,02 (*) ◀	► <u>M55</u> — ◀	► <u>M46</u> — ◀	► <u>M56</u> 0,02 (*) ◀	► <u>M55</u> — ◀	► <u>M19</u> 2 ◀
0256070	Thyme	0,05 (*)	► <u>M75</u> 0,02 (*) ◀	► <u>M55</u> — ◀	► <u>M46</u> — ◀	► <u>M56</u> 0,02 (*) ◀	► <u>M55</u> — ◀	► <u>M19</u> 2 ◀
0256080	Basil	0,05 (*)	► <u>M75</u> 0,02 (*) ◀	► <u>M55</u> — ◀	► <u>M46</u> — ◀	► <u>M56</u> 0,02 (*) ◀	► <u>M55</u> — ◀	► <u>M19</u> 2 ◀
0256090	Bay leaves (laurel)	0,05 (*)	► <u>M75</u> 0,02 (*) ◀	► <u>M55</u> — ◀	► <u>M46</u> — ◀	► <u>M56</u> 0,02 (*) ◀	► <u>M55</u> — ◀	► <u>M19</u> 2 ◀
0256100	Tarragon	0,05 (*)	► <u>M75</u> 0,02 (*) ◀	► <u>M55</u> — ◀	► <u>M46</u> — ◀	► <u>M56</u> 0,02 (*) ◀	► <u>M55</u> — ◀	► <u>M19</u> 2 ◀
0270080	Bamboo shoots	0,05 (*)	► <u>M75</u> 0,02 (*) ◀	► <u>M55</u> — ◀	► <u>M46</u> — ◀	► <u>M56</u> 0,02 (*) ◀	► <u>M55</u> — ◀	► <u>M19</u> 0,05 (*) ◀
0270090	Palm hearts	0,05 (*)	► <u>M75</u> 0,02 (*) ◀	► <u>M55</u> — ◀	► <u>M46</u> — ◀	► <u>M56</u> 0,02 (*) ◀	► <u>M55</u> — ◀	► <u>M19</u> 0,05 (*) ◀
0290000	(ix) <i>Sea weeds</i>			► <u>M55</u> — ◀	► <u>M46</u> — ◀	► <u>M56</u> 0,02 ◀	► <u>M55</u> — ◀	► <u>M19</u> 0,05 (*) ◀
0401110	Safflower	0,1 (*)	► <u>M75</u> 0,05 (*) ◀	► <u>M55</u> — ◀	► <u>M46</u> — ◀	► <u>M56</u> 0,02 (*) ◀	► <u>M55</u> — ◀	► <u>M19</u> 0,1 ◀
0401120	Borage	0,1 (*)	► <u>M75</u> 0,05 (*) ◀	► <u>M55</u> — ◀	► <u>M46</u> — ◀	► <u>M56</u> 0,02 (*) ◀	► <u>M55</u> — ◀	► <u>M19</u> 0,05 (*) ◀
0401130	Gold of pleasure	0,1 (*)	► <u>M75</u> 0,05 (*) ◀	► <u>M55</u> — ◀	► <u>M46</u> — ◀	► <u>M56</u> 0,02 (*) ◀	► <u>M55</u> — ◀	► <u>M19</u> 0,05 (*) ◀
0401150	Castor bean	0,1 (*)	► <u>M75</u> 0,05 (*) ◀	► <u>M55</u> — ◀	► <u>M46</u> — ◀	► <u>M56</u> 0,02 (*) ◀	► <u>M55</u> — ◀	► <u>M19</u> 0,05 (*) ◀
0402020	Palm nuts (palmoil kernels)	0,1 (*)	► <u>M75</u> 0,05 (*) ◀	► <u>M55</u> — ◀	► <u>M46</u> — ◀	► <u>M56</u> 0,02 (*) ◀	► <u>M55</u> — ◀	► <u>M19</u> 0,05 (*) ◀







▼ **M2**

(26)	(27)	(28)	(29)	(30)	(31)
▶ <b>M32</b> 0,01 (*) ◀	0,05 (*)	0,05 (*)	▶ <b>M16</b> 0,05 (*) ◀	0,01 (*)	▶ <b>M21</b> — ◀
▶ <b>M32</b> 0,01 (*) ◀	0,05 (*)	0,05 (*)	▶ <b>M16</b> 0,05 (*) ◀	0,01 (*)	▶ <b>M21</b> — ◀
▶ <b>M32</b> 0,01 (*) ◀	0,05 (*)	0,05 (*)	▶ <b>M16</b> 0,05 (*) ◀	0,01 (*)	▶ <b>M21</b> — ◀
▶ <b>M32</b> 0,01 (*) ◀	0,05 (*)	0,05 (*)	▶ <b>M16</b> 0,05 (*) ◀	0,01 (*)	▶ <b>M21</b> — ◀
▶ <b>M32</b> 0,01 (*) ◀	0,05 (*)	0,05 (*)	▶ <b>M16</b> 0,05 (*) ◀	0,01 (*)	▶ <b>M21</b> — ◀
▶ <b>M32</b> 0,01 (*) ◀	5	0,05 (*)	▶ <b>M16</b> 0,05 (*) ◀	0,01 (*)	▶ <b>M21</b> — ◀
▶ <b>M32</b> 0,01 (*) ◀	5	0,05 (*)	▶ <b>M16</b> 0,05 (*) ◀	0,01 (*)	▶ <b>M21</b> — ◀
▶ <b>M32</b> 0,01 (*) ◀	5	0,05 (*)	▶ <b>M16</b> 0,05 (*) ◀	0,01 (*)	▶ <b>M21</b> — ◀
▶ <b>M32</b> 0,01 (*) ◀	0,05 (*)	0,05 (*)	▶ <b>M16</b> 0,05 (*) ◀	0,01 (*)	▶ <b>M21</b> — ◀
▶ <b>M32</b> 0,02 (*) ◀	5	0,05 (*)	▶ <b>M16</b> 0,05 (*) ◀	0,01 (*)	▶ <b>M21</b> — ◀
▶ <b>M32</b> 0,02 (*) ◀	5	0,05 (*)	▶ <b>M16</b> 0,05 (*) ◀	0,01 (*)	▶ <b>M21</b> — ◀
▶ <b>M32</b> 0,02 (*) ◀	5	0,05 (*)	▶ <b>M16</b> 0,05 (*) ◀	0,01 (*)	▶ <b>M21</b> — ◀
▶ <b>M32</b> 0,02 (*) ◀	5	0,05 (*)	▶ <b>M16</b> 0,05 (*) ◀	0,01 (*)	▶ <b>M21</b> — ◀
▶ <b>M32</b> 0,02 (*) ◀	5	0,05 (*)	▶ <b>M16</b> 0,05 (*) ◀	0,01 (*)	▶ <b>M21</b> — ◀
▶ <b>M32</b> 0,01 (*) ◀	0,05 (*)	0,05 (*)	▶ <b>M16</b> 0,05 (*) ◀	0,01 (*)	▶ <b>M21</b> — ◀
▶ <b>M32</b> 0,01 (*) ◀	0,05 (*)	0,05 (*)	▶ <b>M16</b> 0,05 (*) ◀	0,01 (*)	▶ <b>M21</b> — ◀
▶ <b>M32</b> 0,01 (*) ◀			▶ <b>M16</b> 0,05 (*) ◀		▶ <b>M21</b> — ◀
▶ <b>M32</b> 0,02 (*) ◀	0,1 (*)	0,05 (*)	▶ <b>M16</b> 0,1 (*) ◀	0,01 (*)	▶ <b>M21</b> — ◀
▶ <b>M32</b> 0,02 (*) ◀	0,1 (*)	0,05 (*)	▶ <b>M16</b> 0,1 (*) ◀	0,01 (*)	▶ <b>M21</b> — ◀
▶ <b>M32</b> 0,02 (*) ◀	0,1 (*)	0,05 (*)	▶ <b>M16</b> 0,1 (*) ◀	0,01 (*)	▶ <b>M21</b> — ◀
▶ <b>M32</b> 0,02 (*) ◀	0,1 (*)	0,05 (*)	▶ <b>M16</b> 0,1 (*) ◀	0,01 (*)	▶ <b>M21</b> — ◀
▶ <b>M32</b> 0,02 (*) ◀	0,1 (*)	0,05 (*)	▶ <b>M16</b> 0,1 (*) ◀	0,01 (*)	▶ <b>M21</b> — ◀

## ▼ M2

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)
0402030	Palmfruit	0,1 (*)	▶ <u>M75</u> 0,05 (*) ◀	▶ <u>M55</u> — ◀	▶ <u>M46</u> — ◀	▶ <u>M56</u> 0,02 (*) ◀	▶ <u>M55</u> — ◀	▶ <u>M19</u> 0,05 (*) ◀
0402040	Kapok	0,1 (*)	▶ <u>M75</u> 0,05 (*) ◀	▶ <u>M55</u> — ◀	▶ <u>M46</u> — ◀	▶ <u>M56</u> 0,02 (*) ◀	▶ <u>M55</u> — ◀	▶ <u>M19</u> 0,05 (*) ◀
0620000	(ii) Coffee beans	0,1 (*)	▶ <u>M75</u> 0,05 (*) ◀	▶ <u>M55</u> — ◀	▶ <u>M46</u> — ◀	▶ <u>M56</u> 0,1 (*) ◀	▶ <u>M55</u> — ◀	▶ <u>M19</u> 0,1 (*) ◀
0630000	(iii) Herbal infusions (dried)	0,1 (*)	▶ <u>M75</u> 0,05 (*) ◀	▶ <u>M55</u> — ◀	▶ <u>M46</u> — ◀	▶ <u>M56</u> 0,1 (*) ◀	▶ <u>M55</u> — ◀	▶ <u>M19</u> 0,1 (*) ◀
0631000	(a) Flowers	0,1 (*)	▶ <u>M75</u> 0,05 (*) ◀	▶ <u>M55</u> — ◀	▶ <u>M46</u> — ◀	▶ <u>M56</u> 0,1 (*) ◀	▶ <u>M55</u> — ◀	▶ <u>M19</u> 0,1 (*) ◀
0631010	Camomille flowers	0,1 (*)	▶ <u>M75</u> 0,05 (*) ◀	▶ <u>M55</u> — ◀	▶ <u>M46</u> — ◀	▶ <u>M56</u> 0,1 (*) ◀	▶ <u>M55</u> — ◀	▶ <u>M19</u> 0,1 (*) ◀
0631020	Hybiscus flowers	0,1 (*)	▶ <u>M75</u> 0,05 (*) ◀	▶ <u>M55</u> — ◀	▶ <u>M46</u> — ◀	▶ <u>M56</u> 0,1 (*) ◀	▶ <u>M55</u> — ◀	▶ <u>M19</u> 0,1 (*) ◀
0631030	Rose petals	0,1 (*)	▶ <u>M75</u> 0,05 (*) ◀	▶ <u>M55</u> — ◀	▶ <u>M46</u> — ◀	▶ <u>M56</u> 0,1 (*) ◀	▶ <u>M55</u> — ◀	▶ <u>M19</u> 0,1 (*) ◀
0631040	Jasmine flowers	0,1 (*)	▶ <u>M75</u> 0,05 (*) ◀	▶ <u>M55</u> — ◀	▶ <u>M46</u> — ◀	▶ <u>M56</u> 0,1 (*) ◀	▶ <u>M55</u> — ◀	▶ <u>M19</u> 0,1 (*) ◀
0631050	Lime (linden)	0,1 (*)	▶ <u>M75</u> 0,05 (*) ◀	▶ <u>M55</u> — ◀	▶ <u>M46</u> — ◀	▶ <u>M56</u> 0,1 (*) ◀	▶ <u>M55</u> — ◀	▶ <u>M19</u> 0,1 (*) ◀
0631990	Others	0,1 (*)	▶ <u>M75</u> 0,05 (*) ◀	▶ <u>M55</u> — ◀	▶ <u>M46</u> — ◀	▶ <u>M56</u> 0,1 (*) ◀	▶ <u>M55</u> — ◀	▶ <u>M19</u> 0,1 (*) ◀
0632000	(b) Leaves	0,1 (*)	▶ <u>M75</u> 0,05 (*) ◀	▶ <u>M55</u> — ◀	▶ <u>M46</u> — ◀	▶ <u>M56</u> 0,1 (*) ◀	▶ <u>M55</u> — ◀	▶ <u>M19</u> 0,1 (*) ◀
0632010	Strawberry leaves	0,1 (*)	▶ <u>M75</u> 0,05 (*) ◀	▶ <u>M55</u> — ◀	▶ <u>M46</u> — ◀	▶ <u>M56</u> 0,1 (*) ◀	▶ <u>M55</u> — ◀	▶ <u>M19</u> 0,1 (*) ◀
0632020	Rooibos leaves	0,1 (*)	▶ <u>M75</u> 0,05 (*) ◀	▶ <u>M55</u> — ◀	▶ <u>M46</u> — ◀	▶ <u>M56</u> 0,1 (*) ◀	▶ <u>M55</u> — ◀	▶ <u>M19</u> 0,1 (*) ◀
0632030	Maté	0,1 (*)	▶ <u>M75</u> 0,05 (*) ◀	▶ <u>M55</u> — ◀	▶ <u>M46</u> — ◀	▶ <u>M56</u> 0,1 (*) ◀	▶ <u>M55</u> — ◀	▶ <u>M19</u> 0,1 (*) ◀
0632990	Others	0,1 (*)	▶ <u>M75</u> 0,05 (*) ◀	▶ <u>M55</u> — ◀	▶ <u>M46</u> — ◀	▶ <u>M56</u> 0,1 (*) ◀	▶ <u>M55</u> — ◀	▶ <u>M19</u> 0,1 (*) ◀
0633000	(c) Roots	0,1 (*)	▶ <u>M75</u> 0,05 (*) ◀	▶ <u>M55</u> — ◀	▶ <u>M46</u> — ◀	▶ <u>M56</u> 0,1 (*) ◀	▶ <u>M55</u> — ◀	▶ <u>M19</u> 0,1 (*) ◀
0633010	Valerian root	0,1 (*)	▶ <u>M75</u> 0,05 (*) ◀	▶ <u>M55</u> — ◀	▶ <u>M46</u> — ◀	▶ <u>M56</u> 0,1 (*) ◀	▶ <u>M55</u> — ◀	▶ <u>M19</u> 0,1 (*) ◀
0633020	Ginseng root	0,1 (*)	▶ <u>M75</u> 0,05 (*) ◀	▶ <u>M55</u> — ◀	▶ <u>M46</u> — ◀	▶ <u>M56</u> 0,1 (*) ◀	▶ <u>M55</u> — ◀	▶ <u>M19</u> 0,1 (*) ◀

▼ M2

(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)
▶ <u>M49</u> — ◀	▶ <u>M51</u> — ◀	0,05 (*)	▶ <u>M27</u> 0,05 (*) ◀	0,1 (*)	0,05 (*)	▶ <u>M32</u> 0,02 (*) ◀	▶ <u>M5</u> 0,01 (*) ◀
▶ <u>M49</u> — ◀	▶ <u>M51</u> — ◀	0,05 (*)	▶ <u>M27</u> 0,05 (*) ◀	0,1 (*)	0,05 (*)	▶ <u>M32</u> 0,02 (*) ◀	▶ <u>M5</u> 0,01 (*) ◀
▶ <u>M49</u> — ◀	▶ <u>M51</u> — ◀	1	▶ <u>M27</u> 2 ◀	0,1 (*)	0,1 (*)	▶ <u>M32</u> 0,05 (*) ◀	▶ <u>M5</u> 0,02 (*) ◀
▶ <u>M49</u> — ◀	▶ <u>M51</u> — ◀		▶ <u>M27</u> 0,05 (*) ◀	0,1 (*)	0,1 (*)	▶ <u>M32</u> 0,05 (*) ◀	▶ <u>M5</u> 0,02 (*) ◀
▶ <u>M49</u> — ◀	▶ <u>M51</u> — ◀	0,5	▶ <u>M27</u> 0,05 (*) ◀	0,1 (*)	0,1 (*)	▶ <u>M32</u> 0,05 (*) ◀	▶ <u>M5</u> — ◀
▶ <u>M49</u> — ◀	▶ <u>M51</u> — ◀	0,5	▶ <u>M27</u> 0,05 (*) ◀	0,1 (*)	0,1 (*)	▶ <u>M32</u> 0,05 (*) ◀	▶ <u>M5</u> — ◀
▶ <u>M49</u> — ◀	▶ <u>M51</u> — ◀	0,5	▶ <u>M27</u> 0,05 (*) ◀	0,1 (*)	0,1 (*)	▶ <u>M32</u> 0,05 (*) ◀	▶ <u>M5</u> — ◀
▶ <u>M49</u> — ◀	▶ <u>M51</u> — ◀	0,5	▶ <u>M27</u> 0,05 (*) ◀	0,1 (*)	0,1 (*)	▶ <u>M32</u> 0,05 (*) ◀	▶ <u>M5</u> — ◀
▶ <u>M49</u> — ◀	▶ <u>M51</u> — ◀	0,5	▶ <u>M27</u> 0,05 (*) ◀	0,1 (*)	0,1 (*)	▶ <u>M32</u> 0,05 (*) ◀	▶ <u>M5</u> — ◀
▶ <u>M49</u> — ◀	▶ <u>M51</u> — ◀	0,5	▶ <u>M27</u> 0,05 (*) ◀	0,1 (*)	0,1 (*)	▶ <u>M32</u> 0,05 (*) ◀	▶ <u>M5</u> — ◀
▶ <u>M49</u> — ◀	▶ <u>M51</u> — ◀	0,5	▶ <u>M27</u> 0,05 (*) ◀	0,1 (*)	0,1 (*)	▶ <u>M32</u> 0,05 (*) ◀	▶ <u>M5</u> — ◀
▶ <u>M49</u> — ◀	▶ <u>M51</u> — ◀	0,5	▶ <u>M27</u> 0,05 (*) ◀	0,1 (*)	0,1 (*)	▶ <u>M32</u> 0,05 (*) ◀	▶ <u>M5</u> — ◀
▶ <u>M49</u> — ◀	▶ <u>M51</u> — ◀	0,5	▶ <u>M27</u> 0,05 (*) ◀	0,1 (*)	0,1 (*)	▶ <u>M32</u> 0,05 (*) ◀	▶ <u>M5</u> — ◀
▶ <u>M49</u> — ◀	▶ <u>M51</u> — ◀	0,5	▶ <u>M27</u> 0,05 (*) ◀	0,1 (*)	0,1 (*)	▶ <u>M32</u> 0,05 (*) ◀	▶ <u>M5</u> — ◀
▶ <u>M49</u> — ◀	▶ <u>M51</u> — ◀	0,5	▶ <u>M27</u> 0,05 (*) ◀	0,1 (*)	0,1 (*)	▶ <u>M32</u> 0,05 (*) ◀	▶ <u>M5</u> — ◀
▶ <u>M49</u> — ◀	▶ <u>M51</u> — ◀	0,5	▶ <u>M27</u> 0,05 (*) ◀	0,1 (*)	0,1 (*)	▶ <u>M32</u> 0,05 (*) ◀	▶ <u>M5</u> — ◀
▶ <u>M49</u> — ◀	▶ <u>M51</u> — ◀	0,5	▶ <u>M27</u> 0,05 (*) ◀	0,1 (*)	0,1 (*)	▶ <u>M32</u> 0,05 (*) ◀	▶ <u>M5</u> — ◀
▶ <u>M49</u> — ◀	▶ <u>M51</u> — ◀	0,5	▶ <u>M27</u> 0,05 (*) ◀	0,1 (*)	0,1 (*)	▶ <u>M32</u> 0,05 (*) ◀	▶ <u>M5</u> — ◀

▼ M2

(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)
► <u>M32</u> 0,05 (*) ◀	► <u>M73</u> — ◀	► <u>M5</u> 0,05 (*) ◀	0,05 (*)	0,05 (*)	0,05 (*)	► <u>M41</u> — ◀	0,1 (*)
► <u>M32</u> 0,05 (*) ◀	► <u>M73</u> — ◀	► <u>M5</u> 0,05 (*) ◀	0,05 (*)	0,05 (*)	0,05 (*)	► <u>M41</u> — ◀	0,1 (*)
► <u>M32</u> 0,1 (*) ◀	► <u>M73</u> — ◀	► <u>M5</u> 0,05 (*) ◀	0,1 (*)	0,1 (*)	0,1 (*)	► <u>M41</u> — ◀	0,1 (*)
► <u>M32</u> 0,1 (*) ◀	► <u>M73</u> — ◀		0,1 (*)	0,1 (*)	0,1 (*)	► <u>M41</u> — ◀	0,1 (*)
► <u>M32</u> 0,1 (*) ◀	► <u>M73</u> — ◀		0,1 (*)	0,1 (*)	0,1 (*)	► <u>M41</u> — ◀	0,1 (*)
► <u>M32</u> 0,1 (*) ◀	► <u>M73</u> — ◀	► <u>M5</u> 1 ◀	0,1 (*)	0,1 (*)	0,1 (*)	► <u>M41</u> — ◀	0,1 (*)
► <u>M32</u> 0,1 (*) ◀	► <u>M73</u> — ◀	► <u>M5</u> 0,1 ◀	0,1 (*)	0,1 (*)	0,1 (*)	► <u>M41</u> — ◀	0,1 (*)
► <u>M32</u> 0,1 (*) ◀	► <u>M73</u> — ◀	► <u>M5</u> 0,1 ◀	0,1 (*)	0,1 (*)	0,1 (*)	► <u>M41</u> — ◀	0,1 (*)
► <u>M32</u> 0,1 (*) ◀	► <u>M73</u> — ◀	► <u>M5</u> 0,1 ◀	0,1 (*)	0,1 (*)	0,1 (*)	► <u>M41</u> — ◀	0,1 (*)
► <u>M32</u> 0,1 (*) ◀	► <u>M73</u> — ◀	► <u>M5</u> 0,1 ◀	0,1 (*)	0,1 (*)	0,1 (*)	► <u>M41</u> — ◀	0,1 (*)
► <u>M32</u> 0,1 (*) ◀	► <u>M73</u> — ◀	► <u>M5</u> 0,1 ◀	0,1 (*)	0,1 (*)	0,1 (*)	► <u>M41</u> — ◀	0,1 (*)
► <u>M32</u> 0,1 (*) ◀	► <u>M73</u> — ◀	► <u>M5</u> 0,1 ◀	0,1 (*)	0,1 (*)	0,1 (*)	► <u>M41</u> — ◀	0,1 (*)
► <u>M32</u> 0,1 (*) ◀	► <u>M73</u> — ◀	► <u>M5</u> 1 ◀	0,1 (*)	0,1 (*)	0,1 (*)	► <u>M41</u> — ◀	0,1 (*)
► <u>M32</u> 0,1 (*) ◀	► <u>M73</u> — ◀	► <u>M5</u> 0,1 ◀	0,1 (*)	0,1 (*)	0,1 (*)	► <u>M41</u> — ◀	0,1 (*)
► <u>M32</u> 0,1 (*) ◀	► <u>M73</u> — ◀	► <u>M5</u> — ◀	0,1 (*)	0,1 (*)	0,1 (*)	► <u>M41</u> — ◀	0,1 (*)
► <u>M32</u> 0,1 (*) ◀	► <u>M73</u> — ◀	► <u>M5</u> — ◀	0,1 (*)	0,1 (*)	0,1 (*)	► <u>M41</u> — ◀	0,1 (*)

▼ M2

(26)	(27)	(28)	(29)	(30)	(31)
▶ <u>M32</u> 0,02 (*) ◀	0,1 (*)	0,05 (*)	▶ <u>M16</u> 0,1 (*) ◀	0,01 (*)	▶ <u>M21</u> — ◀
▶ <u>M32</u> 0,02 (*) ◀	0,1 (*)	0,05 (*)	▶ <u>M16</u> 0,1 (*) ◀	0,01 (*)	▶ <u>M21</u> — ◀
▶ <u>M32</u> 0,05 (*) ◀	0,1 (*)	0,1 (*)	▶ <u>M16</u> 0,1 (*) ◀	0,01 (*)	▶ <u>M21</u> — ◀
▶ <u>M32</u> 0,05 (*) ◀	0,1 (*)	0,1 (*)	▶ <u>M16</u> 0,1 (*) ◀	0,1	▶ <u>M21</u> — ◀
▶ <u>M32</u> 0,05 (*) ◀	0,1 (*)	0,1 (*)	▶ <u>M16</u> 0,1 (*) ◀	0,1	▶ <u>M21</u> — ◀
▶ <u>M32</u> 0,05 (*) ◀	0,1 (*)	0,1 (*)	▶ <u>M16</u> 0,1 (*) ◀	0,1	▶ <u>M21</u> — ◀
▶ <u>M32</u> 0,05 (*) ◀	0,1 (*)	0,1 (*)	▶ <u>M16</u> 0,1 (*) ◀	0,1	▶ <u>M21</u> — ◀
▶ <u>M32</u> 0,05 (*) ◀	0,1 (*)	0,1 (*)	▶ <u>M16</u> 0,1 (*) ◀	0,1	▶ <u>M21</u> — ◀
▶ <u>M32</u> 0,05 (*) ◀	0,1 (*)	0,1 (*)	▶ <u>M16</u> 0,1 (*) ◀	0,1	▶ <u>M21</u> — ◀
▶ <u>M32</u> 0,05 (*) ◀	0,1 (*)	0,1 (*)	▶ <u>M16</u> 0,1 (*) ◀	0,1	▶ <u>M21</u> — ◀
▶ <u>M32</u> 0,05 (*) ◀	0,1 (*)	0,1 (*)	▶ <u>M16</u> 0,1 (*) ◀	0,1	▶ <u>M21</u> — ◀
▶ <u>M32</u> 0,05 (*) ◀	0,1 (*)	0,1 (*)	▶ <u>M16</u> 0,1 (*) ◀	0,1	▶ <u>M21</u> — ◀
▶ <u>M32</u> 0,05 (*) ◀	0,1 (*)	0,1 (*)	▶ <u>M16</u> 0,1 (*) ◀	0,1	▶ <u>M21</u> — ◀
▶ <u>M32</u> 0,05 (*) ◀	0,1 (*)	0,1 (*)	▶ <u>M16</u> 0,1 (*) ◀	0,1	▶ <u>M21</u> — ◀
▶ <u>M32</u> 0,05 (*) ◀	0,1 (*)	0,1 (*)	▶ <u>M16</u> 0,1 (*) ◀	0,1	▶ <u>M21</u> — ◀
▶ <u>M32</u> 0,05 (*) ◀	0,1 (*)	0,1 (*)	▶ <u>M16</u> 0,1 (*) ◀	0,1	▶ <u>M21</u> — ◀
▶ <u>M32</u> 0,05 (*) ◀	0,1 (*)	0,1 (*)	▶ <u>M16</u> 0,1 (*) ◀	0,1	▶ <u>M21</u> — ◀
▶ <u>M32</u> 0,05 (*) ◀	0,1 (*)	0,1 (*)	▶ <u>M16</u> 0,1 (*) ◀	0,1	▶ <u>M21</u> — ◀

## ▼ M2

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)
0633990	Others	0,1 (*)	► <u>M75</u> 0,05 (*) ◀	► <u>M55</u> — ◀	► <u>M46</u> — ◀	► <u>M56</u> 0,1 (*) ◀	► <u>M55</u> — ◀	► <u>M19</u> 0,1 (*) ◀
0639000	(d) <i>Other herbal infusions</i>	0,1 (*)	► <u>M75</u> 0,05 (*) ◀	► <u>M55</u> — ◀	► <u>M46</u> — ◀	► <u>M56</u> 0,1 (*) ◀	► <u>M55</u> — ◀	► <u>M19</u> 0,1 (*) ◀
0640000	(iv) <b>Cocoa (fermented beans)</b>	0,1 (*)	► <u>M75</u> 0,05 (*) ◀	► <u>M55</u> — ◀	► <u>M46</u> — ◀	► <u>M56</u> 0,1 (*) ◀	► <u>M55</u> — ◀	► <u>M19</u> 0,1 (*) ◀
0650000	(v) <b>Carob (st johns bread)</b>	0,1 (*)	► <u>M75</u> 0,05 (*) ◀	► <u>M55</u> — ◀	► <u>M46</u> — ◀	► <u>M56</u> 0,1 (*) ◀	► <u>M55</u> — ◀	► <u>M19</u> 0,1 (*) ◀
0800000	8. <b>SPICES</b>	0,1 (*)	► <u>M75</u> — ◀	► <u>M55</u> — ◀	► <u>M46</u> — ◀	► <u>M56</u> — ◀	► <u>M55</u> — ◀	► <u>M11</u> 0,1 (*) ◀
0810000	(i) <b>Seeds</b>	0,1 (*)	► <u>M75</u> 0,05 (*) ◀	► <u>M55</u> — ◀	► <u>M46</u> — ◀	► <u>M56</u> 0,1 (*) ◀	► <u>M55</u> — ◀	► <u>M19</u> 0,1 (*) ◀
0810010	Anise	0,1 (*)	► <u>M75</u> 0,05 (*) ◀	► <u>M55</u> — ◀	► <u>M46</u> — ◀	► <u>M56</u> 0,1 (*) ◀	► <u>M55</u> — ◀	► <u>M19</u> 0,1 (*) ◀
0810020	Black caraway	0,1 (*)	► <u>M75</u> 0,05 (*) ◀	► <u>M55</u> — ◀	► <u>M46</u> — ◀	► <u>M56</u> 0,1 (*) ◀	► <u>M55</u> — ◀	► <u>M19</u> 0,1 (*) ◀
0810030	Celery seed	0,1 (*)	► <u>M75</u> 0,05 (*) ◀	► <u>M55</u> — ◀	► <u>M46</u> — ◀	► <u>M56</u> 0,1 (*) ◀	► <u>M55</u> — ◀	► <u>M19</u> 0,1 (*) ◀
0810040	Coriander seed	0,1 (*)	► <u>M75</u> 0,05 (*) ◀	► <u>M55</u> — ◀	► <u>M46</u> — ◀	► <u>M56</u> 0,1 (*) ◀	► <u>M55</u> — ◀	► <u>M19</u> 0,1 (*) ◀
0810050	Cumin seed	0,1 (*)	► <u>M75</u> 0,05 (*) ◀	► <u>M55</u> — ◀	► <u>M46</u> — ◀	► <u>M56</u> 0,1 (*) ◀	► <u>M55</u> — ◀	► <u>M19</u> 0,1 (*) ◀
0810060	Dill seed	0,1 (*)	► <u>M75</u> 0,05 (*) ◀	► <u>M55</u> — ◀	► <u>M46</u> — ◀	► <u>M56</u> 0,1 (*) ◀	► <u>M55</u> — ◀	► <u>M19</u> 0,1 (*) ◀
0810070	Fennel seed	0,1 (*)	► <u>M75</u> 0,05 (*) ◀	► <u>M55</u> — ◀	► <u>M46</u> — ◀	► <u>M56</u> 0,1 (*) ◀	► <u>M55</u> — ◀	► <u>M19</u> 0,1 (*) ◀
0810080	Fenugreek	0,1 (*)	► <u>M75</u> 0,05 (*) ◀	► <u>M55</u> — ◀	► <u>M46</u> — ◀	► <u>M56</u> 0,1 (*) ◀	► <u>M55</u> — ◀	► <u>M19</u> 0,1 (*) ◀
0810090	Nutmeg	0,1 (*)	► <u>M75</u> 0,05 (*) ◀	► <u>M55</u> — ◀	► <u>M46</u> — ◀	► <u>M56</u> 0,1 (*) ◀	► <u>M55</u> — ◀	► <u>M19</u> 0,1 (*) ◀
0810990	Others	0,1 (*)	► <u>M75</u> 0,05 (*) ◀	► <u>M55</u> — ◀	► <u>M46</u> — ◀	► <u>M56</u> 0,1 (*) ◀	► <u>M55</u> — ◀	► <u>M19</u> 0,1 (*) ◀
0820000	(ii) <b>Fruits and berries</b>	0,1 (*)	► <u>M75</u> 0,05 (*) ◀	► <u>M55</u> — ◀	► <u>M46</u> — ◀	► <u>M56</u> 0,1 (*) ◀	► <u>M55</u> — ◀	► <u>M19</u> 0,1 (*) ◀
0820010	Allspice	0,1 (*)	► <u>M75</u> 0,05 (*) ◀	► <u>M55</u> — ◀	► <u>M46</u> — ◀	► <u>M56</u> 0,1 (*) ◀	► <u>M55</u> — ◀	► <u>M19</u> 0,1 (*) ◀
0820020	Anise pepper (Japan pepper)	0,1 (*)	► <u>M75</u> 0,05 (*) ◀	► <u>M55</u> — ◀	► <u>M46</u> — ◀	► <u>M56</u> 0,1 (*) ◀	► <u>M55</u> — ◀	► <u>M19</u> 0,1 (*) ◀
0820030	Caraway	0,1 (*)	► <u>M75</u> 0,05 (*) ◀	► <u>M55</u> — ◀	► <u>M46</u> — ◀	► <u>M56</u> 0,1 (*) ◀	► <u>M55</u> — ◀	► <u>M19</u> 0,1 (*) ◀
0820040	Cardamom	0,1 (*)	► <u>M75</u> 0,05 (*) ◀	► <u>M55</u> — ◀	► <u>M46</u> — ◀	► <u>M56</u> 0,1 (*) ◀	► <u>M55</u> — ◀	► <u>M19</u> 0,1 (*) ◀

▼ M2

(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)
▶ <u>M49</u> — ◀	▶ <u>M51</u> — ◀	0,5	▶ <u>M27</u> 0,05 (*) ◀	0,1 (*)	0,1 (*)	▶ <u>M32</u> 0,05 (*) ◀	▶ <u>M5</u> — ◀
▶ <u>M49</u> — ◀	▶ <u>M51</u> — ◀	0,2	▶ <u>M27</u> 0,05 (*) ◀	0,1 (*)	0,1 (*)	▶ <u>M32</u> 0,05 (*) ◀	▶ <u>M5</u> — ◀
▶ <u>M49</u> — ◀	▶ <u>M51</u> — ◀	0,5	▶ <u>M27</u> 0,05 (*) ◀	0,1 (*)	0,1 (*)	▶ <u>M32</u> 0,05 (*) ◀	▶ <u>M5</u> 0,02 (*) ◀
▶ <u>M49</u> — ◀	▶ <u>M51</u> — ◀	0,2	▶ <u>M27</u> 0,05 (*) ◀	0,1 (*)	0,1 (*)	▶ <u>M32</u> 0,05 (*) ◀	▶ <u>M5</u> 0,02 (*) ◀
▶ <u>M49</u> — ◀	▶ <u>M51</u> — ◀	1	▶ <u>M27</u> — ◀	0,1 (*)	0,1 (*)	▶ <u>M5</u> — ◀	▶ <u>M5</u> 0,1 (*) ◀
▶ <u>M49</u> — ◀	▶ <u>M51</u> — ◀	1	▶ <u>M27</u> 0,05 (*) ◀	0,1 (*)	0,1 (*)	▶ <u>M32</u> 5 ◀	▶ <u>M5</u> — ◀
▶ <u>M49</u> — ◀	▶ <u>M51</u> — ◀	1	▶ <u>M27</u> 0,05 (*) ◀	0,1 (*)	0,1 (*)	▶ <u>M32</u> 5 ◀	▶ <u>M5</u> — ◀
▶ <u>M49</u> — ◀	▶ <u>M51</u> — ◀	1	▶ <u>M27</u> 0,05 (*) ◀	0,1 (*)	0,1 (*)	▶ <u>M32</u> 5 ◀	▶ <u>M5</u> — ◀
▶ <u>M49</u> — ◀	▶ <u>M51</u> — ◀	1	▶ <u>M27</u> 0,05 (*) ◀	0,1 (*)	0,1 (*)	▶ <u>M32</u> 5 ◀	▶ <u>M5</u> — ◀
▶ <u>M49</u> — ◀	▶ <u>M51</u> — ◀	1	▶ <u>M27</u> 0,05 (*) ◀	0,1 (*)	0,1 (*)	▶ <u>M32</u> 5 ◀	▶ <u>M5</u> — ◀
▶ <u>M49</u> — ◀	▶ <u>M51</u> — ◀	1	▶ <u>M27</u> 0,05 (*) ◀	0,1 (*)	0,1 (*)	▶ <u>M32</u> 5 ◀	▶ <u>M5</u> — ◀
▶ <u>M49</u> — ◀	▶ <u>M51</u> — ◀	1	▶ <u>M27</u> 0,05 (*) ◀	0,1 (*)	0,1 (*)	▶ <u>M32</u> 5 ◀	▶ <u>M5</u> — ◀
▶ <u>M49</u> — ◀	▶ <u>M51</u> — ◀	1	▶ <u>M27</u> 0,05 (*) ◀	0,1 (*)	0,1 (*)	▶ <u>M32</u> 5 ◀	▶ <u>M5</u> — ◀
▶ <u>M49</u> — ◀	▶ <u>M51</u> — ◀	1	▶ <u>M27</u> 0,05 (*) ◀	0,1 (*)	0,1 (*)	▶ <u>M32</u> 5 ◀	▶ <u>M5</u> — ◀
▶ <u>M49</u> — ◀	▶ <u>M51</u> — ◀	1	▶ <u>M27</u> 0,05 (*) ◀	0,1 (*)	0,1 (*)	▶ <u>M32</u> 5 ◀	▶ <u>M5</u> — ◀
▶ <u>M49</u> — ◀	▶ <u>M51</u> — ◀	1	▶ <u>M27</u> 0,05 (*) ◀	0,1 (*)	0,1 (*)	▶ <u>M32</u> 5 ◀	▶ <u>M5</u> — ◀
▶ <u>M49</u> — ◀	▶ <u>M51</u> — ◀	1	▶ <u>M27</u> 0,05 (*) ◀	0,1 (*)	0,1 (*)	▶ <u>M32</u> 5 ◀	▶ <u>M5</u> — ◀
▶ <u>M49</u> — ◀	▶ <u>M51</u> — ◀	1	▶ <u>M27</u> 0,05 (*) ◀	0,1 (*)	0,1 (*)	▶ <u>M32</u> 0,1 (*) ◀	▶ <u>M5</u> — ◀
▶ <u>M49</u> — ◀	▶ <u>M51</u> — ◀	1	▶ <u>M27</u> 0,05 (*) ◀	0,1 (*)	0,1 (*)	▶ <u>M32</u> 0,1 (*) ◀	▶ <u>M5</u> — ◀
▶ <u>M49</u> — ◀	▶ <u>M51</u> — ◀	1	▶ <u>M27</u> 0,05 (*) ◀	0,1 (*)	0,1 (*)	▶ <u>M32</u> 0,1 (*) ◀	▶ <u>M5</u> — ◀
▶ <u>M49</u> — ◀	▶ <u>M51</u> — ◀	1	▶ <u>M27</u> 0,05 (*) ◀	0,1 (*)	0,1 (*)	▶ <u>M32</u> 0,1 (*) ◀	▶ <u>M5</u> — ◀





▼ M2

(26)	(27)	(28)	(29)	(30)	(31)
▶ <u>M32</u> 0,05 (*) ◀	0,1 (*)	0,1 (*)	▶ <u>M16</u> 0,1 (*) ◀	0,1	▶ <u>M21</u> — ◀
▶ <u>M32</u> 0,05 (*) ◀	0,1 (*)	0,1 (*)	▶ <u>M16</u> 0,1 (*) ◀	0,1	▶ <u>M21</u> — ◀
▶ <u>M32</u> 0,05 (*) ◀	0,1 (*)	0,1 (*)	▶ <u>M16</u> 0,1 (*) ◀	0,01 (*)	▶ <u>M21</u> — ◀
▶ <u>M32</u> 0,05 (*) ◀	0,1 (*)	0,1 (*)	▶ <u>M16</u> 0,1 (*) ◀	0,01 (*)	▶ <u>M21</u> — ◀
▶ <u>M32</u> 0,05 (*) ◀		0,1 (*)	▶ <u>M5</u> — ◀	0,1	▶ <u>M21</u> — ◀
▶ <u>M32</u> 0,05 (*) ◀	0,1 (*)	0,1 (*)	▶ <u>M16</u> 1 ◀	0,1	▶ <u>M21</u> — ◀
▶ <u>M32</u> 0,05 (*) ◀	0,1 (*)	0,1 (*)	▶ <u>M16</u> 1 ◀	0,1	▶ <u>M21</u> — ◀
▶ <u>M32</u> 0,05 (*) ◀	0,1 (*)	0,1 (*)	▶ <u>M16</u> 1 ◀	0,1	▶ <u>M21</u> — ◀
▶ <u>M32</u> 0,05 (*) ◀	0,1 (*)	0,1 (*)	▶ <u>M16</u> 1 ◀	0,1	▶ <u>M21</u> — ◀
▶ <u>M32</u> 0,05 (*) ◀	0,1 (*)	0,1 (*)	▶ <u>M16</u> 1 ◀	0,1	▶ <u>M21</u> — ◀
▶ <u>M32</u> 0,05 (*) ◀	0,1 (*)	0,1 (*)	▶ <u>M16</u> 1 ◀	0,1	▶ <u>M21</u> — ◀
▶ <u>M32</u> 0,05 (*) ◀	0,1 (*)	0,1 (*)	▶ <u>M16</u> 1 ◀	0,1	▶ <u>M21</u> — ◀
▶ <u>M32</u> 0,05 (*) ◀	0,1 (*)	0,1 (*)	▶ <u>M16</u> 1 ◀	0,1	▶ <u>M21</u> — ◀
▶ <u>M32</u> 0,05 (*) ◀	0,1 (*)	0,1 (*)	▶ <u>M16</u> 1 ◀	0,1	▶ <u>M21</u> — ◀
▶ <u>M32</u> 0,05 (*) ◀	0,1 (*)	0,1 (*)	▶ <u>M16</u> 1 ◀	0,1	▶ <u>M21</u> — ◀
▶ <u>M32</u> 0,05 (*) ◀	0,1 (*)	0,1 (*)	▶ <u>M16</u> 5 ◀	0,1	▶ <u>M21</u> — ◀
▶ <u>M32</u> 0,05 (*) ◀	0,1 (*)	0,1 (*)	▶ <u>M16</u> 5 ◀	0,1	▶ <u>M21</u> — ◀
▶ <u>M32</u> 0,05 (*) ◀	0,1 (*)	0,1 (*)	▶ <u>M16</u> 5 ◀	0,1	▶ <u>M21</u> — ◀
▶ <u>M32</u> 0,05 (*) ◀	0,1 (*)	0,1 (*)	▶ <u>M16</u> 5 ◀	0,1	▶ <u>M21</u> — ◀

## ▼ M2

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)
0820050	Juniper berries	0,1 (*)	▶ <u>M75</u> 0,05 (*) ◀	▶ <u>M55</u> — ◀	▶ <u>M46</u> — ◀	▶ <u>M56</u> 0,1 (*) ◀	▶ <u>M55</u> — ◀	▶ <u>M19</u> 0,1 (*) ◀
0820060	Pepper, black and white	0,1 (*)	▶ <u>M75</u> 0,05 (*) ◀	▶ <u>M55</u> — ◀	▶ <u>M46</u> — ◀	▶ <u>M56</u> 0,1 (*) ◀	▶ <u>M55</u> — ◀	▶ <u>M19</u> 0,1 (*) ◀
0820070	Vanilla pods	0,1 (*)	▶ <u>M75</u> 0,05 (*) ◀	▶ <u>M55</u> — ◀	▶ <u>M46</u> — ◀	▶ <u>M56</u> 0,1 (*) ◀	▶ <u>M55</u> — ◀	▶ <u>M19</u> 0,1 (*) ◀
0820080	Tamarind	0,1 (*)	▶ <u>M75</u> 0,05 (*) ◀	▶ <u>M55</u> — ◀	▶ <u>M46</u> — ◀	▶ <u>M56</u> 0,1 (*) ◀	▶ <u>M55</u> — ◀	▶ <u>M19</u> 0,1 (*) ◀
0820990	Others	0,1 (*)	▶ <u>M75</u> 0,05 (*) ◀	▶ <u>M55</u> — ◀	▶ <u>M46</u> — ◀	▶ <u>M56</u> 0,1 (*) ◀	▶ <u>M55</u> — ◀	▶ <u>M19</u> 0,1 (*) ◀
0830000	(iii) <b>Bark</b>	0,1 (*)	▶ <u>M75</u> 0,05 (*) ◀	▶ <u>M55</u> — ◀	▶ <u>M46</u> — ◀	▶ <u>M56</u> 0,1 (*) ◀	▶ <u>M55</u> — ◀	▶ <u>M19</u> 0,1 (*) ◀
0830010	Cinnamon	0,1 (*)	▶ <u>M75</u> 0,05 (*) ◀	▶ <u>M55</u> — ◀	▶ <u>M46</u> — ◀	▶ <u>M56</u> 0,1 (*) ◀	▶ <u>M55</u> — ◀	▶ <u>M19</u> 0,1 (*) ◀
0830990	Others	0,1 (*)	▶ <u>M75</u> 0,05 (*) ◀	▶ <u>M55</u> — ◀	▶ <u>M46</u> — ◀	▶ <u>M56</u> 0,1 (*) ◀	▶ <u>M55</u> — ◀	▶ <u>M19</u> 0,1 (*) ◀
0840000	(iv) <b>Roots or rhizome</b>	0,1 (*)	▶ <u>M75</u> — ◀	▶ <u>M55</u> — ◀	▶ <u>M46</u> — ◀	▶ <u>M5</u> — ◀	▶ <u>M55</u> — ◀	▶ <u>M19</u> 0,2 (*) ◀
0840010	Liquorice	0,1 (*)	▶ <u>M75</u> 0,05 (*) ◀	▶ <u>M55</u> — ◀	▶ <u>M46</u> — ◀	▶ <u>M56</u> 0,1 (*) ◀	▶ <u>M55</u> — ◀	▶ <u>M19</u> 0,2 (*) ◀
0840020	Ginger	0,1 (*)	▶ <u>M75</u> 0,05 (*) ◀	▶ <u>M55</u> — ◀	▶ <u>M46</u> — ◀	▶ <u>M56</u> 0,1 (*) ◀	▶ <u>M55</u> — ◀	▶ <u>M19</u> 0,2 (*) ◀
0840030	Turmeric (Curcuma)	0,1 (*)	▶ <u>M75</u> 0,05 (*) ◀	▶ <u>M55</u> — ◀	▶ <u>M46</u> — ◀	▶ <u>M56</u> 0,1 (*) ◀	▶ <u>M55</u> — ◀	▶ <u>M19</u> 0,2 (*) ◀
0840040	Horseradish	0,1 (*)	▶ <u>M75</u> (+) ◀	▶ <u>M55</u> — ◀	▶ <u>M46</u> — ◀	▶ <u>M56</u> (+) ◀	▶ <u>M55</u> — ◀	▶ <u>M19</u> 0,2 (*) ◀
0840990	Others	0,1 (*)	▶ <u>M75</u> 0,05 (*) ◀	▶ <u>M55</u> — ◀	▶ <u>M46</u> — ◀	▶ <u>M56</u> 0,1 (*) ◀	▶ <u>M55</u> — ◀	▶ <u>M19</u> 0,2 (*) ◀
0850000	(v) <b>Buds</b>	0,1 (*)	▶ <u>M75</u> 0,05 (*) ◀	▶ <u>M55</u> — ◀	▶ <u>M46</u> — ◀	▶ <u>M56</u> 0,1 (*) ◀	▶ <u>M55</u> — ◀	▶ <u>M19</u> 0,1 (*) ◀
0850010	Cloves	0,1 (*)	▶ <u>M75</u> 0,05 (*) ◀	▶ <u>M55</u> — ◀	▶ <u>M46</u> — ◀	▶ <u>M56</u> 0,1 (*) ◀	▶ <u>M55</u> — ◀	▶ <u>M19</u> 0,1 (*) ◀
0850020	Capers	0,1 (*)	▶ <u>M75</u> 0,05 (*) ◀	▶ <u>M55</u> — ◀	▶ <u>M46</u> — ◀	▶ <u>M56</u> 0,1 (*) ◀	▶ <u>M55</u> — ◀	▶ <u>M19</u> 0,1 (*) ◀
0850990	Others	0,1 (*)	▶ <u>M75</u> 0,05 (*) ◀	▶ <u>M55</u> — ◀	▶ <u>M46</u> — ◀	▶ <u>M56</u> 0,1 (*) ◀	▶ <u>M55</u> — ◀	▶ <u>M19</u> 0,1 (*) ◀
0860000	(vi) <b>Flower stigma</b>	0,1 (*)	▶ <u>M75</u> 0,05 (*) ◀	▶ <u>M55</u> — ◀	▶ <u>M46</u> — ◀	▶ <u>M56</u> 0,1 (*) ◀	▶ <u>M55</u> — ◀	▶ <u>M19</u> 0,1 (*) ◀
0860010	Saffron	0,1 (*)	▶ <u>M75</u> 0,05 (*) ◀	▶ <u>M55</u> — ◀	▶ <u>M46</u> — ◀	▶ <u>M56</u> 0,1 (*) ◀	▶ <u>M55</u> — ◀	▶ <u>M19</u> 0,1 (*) ◀
0860990	Others	0,1 (*)	▶ <u>M75</u> 0,05 (*) ◀	▶ <u>M55</u> — ◀	▶ <u>M46</u> — ◀	▶ <u>M56</u> 0,1 (*) ◀	▶ <u>M55</u> — ◀	▶ <u>M19</u> 0,1 (*) ◀
0870000	(vii) <b>Aril</b>	0,1 (*)	▶ <u>M75</u> 0,05 (*) ◀	▶ <u>M55</u> — ◀	▶ <u>M46</u> — ◀	▶ <u>M56</u> 0,1 (*) ◀	▶ <u>M55</u> — ◀	▶ <u>M19</u> 0,1 (*) ◀
0870010	Mace	0,1 (*)	▶ <u>M75</u> 0,05 (*) ◀	▶ <u>M55</u> — ◀	▶ <u>M46</u> — ◀	▶ <u>M56</u> 0,1 (*) ◀	▶ <u>M55</u> — ◀	▶ <u>M19</u> 0,1 (*) ◀





▼ M2

(26)	(27)	(28)	(29)	(30)	(31)
▶ <u>M32</u> 0,05 (*) ◀	0,1 (*)	0,1 (*)	▶ <u>M16</u> 5 ◀	0,1	▶ <u>M21</u> — ◀
▶ <u>M32</u> 0,05 (*) ◀	0,1 (*)	0,1 (*)	▶ <u>M16</u> 5 ◀	0,1	▶ <u>M21</u> — ◀
▶ <u>M32</u> 0,05 (*) ◀	0,1 (*)	0,1 (*)	▶ <u>M16</u> 5 ◀	0,1	▶ <u>M21</u> — ◀
▶ <u>M32</u> 0,05 (*) ◀	0,1 (*)	0,1 (*)	▶ <u>M16</u> 5 ◀	0,1	▶ <u>M21</u> — ◀
▶ <u>M32</u> 0,05 (*) ◀	0,1 (*)	0,1 (*)	▶ <u>M16</u> 5 ◀	0,1	▶ <u>M21</u> — ◀
▶ <u>M32</u> 0,05 (*) ◀	0,1 (*)	0,1 (*)	▶ <u>M16</u> 0,1 (*) ◀	0,1	▶ <u>M21</u> — ◀
▶ <u>M32</u> 0,05 (*) ◀	0,1 (*)	0,1 (*)	▶ <u>M16</u> 0,1 (*) ◀	0,1	▶ <u>M21</u> — ◀
▶ <u>M32</u> 0,05 (*) ◀	0,1 (*)	0,1 (*)	▶ <u>M16</u> 0,1 (*) ◀	0,1	▶ <u>M21</u> — ◀
▶ <u>M32</u> 0,05 (*) ◀	0,1 (*)	0,1 (*)	▶ <u>M16</u> 0,5 ◀	0,1	▶ <u>M21</u> — ◀
▶ <u>M32</u> 0,05 (*) ◀	0,1 (*)	0,1 (*)	▶ <u>M16</u> 0,5 ◀	0,1	▶ <u>M21</u> — ◀
▶ <u>M32</u> 0,05 (*) ◀	0,1 (*)	0,1 (*)	▶ <u>M16</u> 0,5 ◀	0,1	▶ <u>M21</u> — ◀
▶ <u>M32</u> 0,05 (*) ◀	0,1 (*)	0,1 (*)	▶ <u>M16</u> 0,5 ◀	0,1	▶ <u>M21</u> — ◀
▶ <u>M32</u> 0,05 (*) ◀	0,1 (*)	0,1 (*)	▶ <u>M16</u> 0,5 ◀	0,1	▶ <u>M21</u> — ◀
▶ <u>M32</u> 0,05 (*) ◀	0,1 (*)	0,1 (*)	▶ <u>M16</u> 0,1 (*) ◀	0,1	▶ <u>M21</u> — ◀
▶ <u>M32</u> 0,05 (*) ◀	25	0,1 (*)	▶ <u>M16</u> 0,1 (*) ◀	0,1	▶ <u>M21</u> — ◀
▶ <u>M32</u> 0,05 (*) ◀	0,1 (*)	0,1 (*)	▶ <u>M16</u> 0,1 (*) ◀	0,1	▶ <u>M21</u> — ◀
▶ <u>M32</u> 0,05 (*) ◀	0,1 (*)	0,1 (*)	▶ <u>M16</u> 0,1 (*) ◀	0,1	▶ <u>M21</u> — ◀
▶ <u>M32</u> 0,05 (*) ◀	0,1 (*)	0,1 (*)	▶ <u>M16</u> 0,1 (*) ◀	0,1	▶ <u>M21</u> — ◀
▶ <u>M32</u> 0,05 (*) ◀	0,1 (*)	0,1 (*)	▶ <u>M16</u> 0,1 (*) ◀	0,1	▶ <u>M21</u> — ◀
▶ <u>M32</u> 0,05 (*) ◀	0,1 (*)	0,1 (*)	▶ <u>M16</u> 0,1 (*) ◀	0,1	▶ <u>M21</u> — ◀
▶ <u>M32</u> 0,05 (*) ◀	0,1 (*)	0,1 (*)	▶ <u>M16</u> 0,1 (*) ◀	0,1	▶ <u>M21</u> — ◀

## ▼ M2

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)
0870990	Others	0,1 (*)	► <u>M75</u> 0,05 (*) ◀	► <u>M55</u> — ◀	► <u>M46</u> — ◀	► <u>M56</u> 0,1 (*) ◀	► <u>M55</u> — ◀	► <u>M19</u> 0,1 (*) ◀
0900000	9. SUGAR PLANTS	0,1 (*)	► <u>M75</u> 0,02 (*) ◀	► <u>M55</u> — ◀	► <u>M46</u> — ◀		► <u>M55</u> — ◀	► <u>M11</u> 0,1 (*) ◀
0900010	Sugar beet (root)	0,1 (*)	► <u>M75</u> 0,02 (*) ◀	► <u>M55</u> — ◀	► <u>M46</u> — ◀	► <u>M56</u> 0,5 ◀	► <u>M55</u> — ◀	► <u>M19</u> 1 ◀
0900020	Sugar cane	0,1 (*)	► <u>M75</u> 0,02 (*) ◀	► <u>M55</u> — ◀	► <u>M46</u> — ◀	► <u>M56</u> 0,02 (*) ◀	► <u>M55</u> — ◀	► <u>M19</u> 0,2 ◀
0900030	Chicory roots	0,1 (*)	► <u>M75</u> 0,02 (*) ◀	► <u>M55</u> — ◀	► <u>M46</u> — ◀	► <u>M56</u> 0,02 (*) ◀	► <u>M55</u> — ◀	► <u>M19</u> 0,05 (*) ◀
0900990	Others	0,1 (*)	► <u>M75</u> 0,02 (*) ◀	► <u>M55</u> — ◀	► <u>M46</u> — ◀	► <u>M56</u> 0,02 (*) ◀	► <u>M55</u> — ◀	► <u>M19</u> 0,05 (*) ◀
1015000	(e) <i>Horses, asses, mules or hinnies</i>		► <u>M75</u> 0,05 (*) ◀	► <u>M55</u> — ◀	► <u>M46</u> — ◀	► <u>M56</u> — ◀	► <u>M55</u> — ◀	► <u>M11</u> 0,05 (*) ◀
1015010	Meat		► <u>M75</u> 0,05 (*) ◀	► <u>M55</u> — ◀	► <u>M46</u> — ◀	► <u>M56</u> 0,05 ◀	► <u>M55</u> — ◀	► <u>M19</u> 2 ◀
1015020	Fat		► <u>M75</u> 0,05 (*) ◀	► <u>M55</u> — ◀	► <u>M46</u> — ◀	► <u>M56</u> 0,2 ◀	► <u>M55</u> — ◀	► <u>M19</u> 2 ◀
1015030	Liver		► <u>M75</u> 0,05 (*) ◀	► <u>M55</u> — ◀	► <u>M46</u> — ◀	► <u>M56</u> 0,05 ◀	► <u>M55</u> — ◀	► <u>M19</u> 0,2 ◀
1015040	Kidney		► <u>M75</u> 0,05 (*) ◀	► <u>M55</u> — ◀	► <u>M46</u> — ◀	► <u>M56</u> 0,05 ◀	► <u>M55</u> — ◀	► <u>M19</u> 0,2 ◀
1015050	Edible offal		► <u>M75</u> 0,05 (*) ◀	► <u>M55</u> — ◀	► <u>M46</u> — ◀	► <u>M56</u> 0,05 ◀	► <u>M55</u> — ◀	► <u>M19</u> 0,2 ◀
1015990	Others		► <u>M75</u> 0,05 (*) ◀	► <u>M55</u> — ◀	► <u>M46</u> — ◀	► <u>M56</u> 0,05 ◀	► <u>M55</u> — ◀	► <u>M19</u> 0,2 ◀
1017000	(g) <i>Other farm animals</i>		► <u>M75</u> 0,05 (*) ◀	► <u>M55</u> — ◀	► <u>M46</u> — ◀	► <u>M56</u> — ◀	► <u>M55</u> — ◀	► <u>M19</u> 0,2 ◀
1017010	Meat		► <u>M75</u> 0,05 (*) ◀	► <u>M55</u> — ◀	► <u>M46</u> — ◀	► <u>M56</u> 0,05 ◀	► <u>M55</u> — ◀	► <u>M19</u> 0,2 ◀
1017020	Fat		► <u>M75</u> 0,05 (*) ◀	► <u>M55</u> — ◀	► <u>M46</u> — ◀	► <u>M56</u> 0,2 ◀	► <u>M55</u> — ◀	► <u>M19</u> 0,2 ◀
1017030	Liver		► <u>M75</u> 0,05 (*) ◀	► <u>M55</u> — ◀	► <u>M46</u> — ◀	► <u>M56</u> 0,05 ◀	► <u>M55</u> — ◀	► <u>M19</u> 0,2 ◀
1017040	Kidney		► <u>M75</u> 0,05 (*) ◀	► <u>M55</u> — ◀	► <u>M46</u> — ◀	► <u>M56</u> 0,05 ◀	► <u>M55</u> — ◀	► <u>M19</u> 0,2 ◀
1017050	Edible offal		► <u>M75</u> 0,05 (*) ◀	► <u>M55</u> — ◀	► <u>M46</u> — ◀	► <u>M56</u> 0,05 ◀	► <u>M55</u> — ◀	► <u>M19</u> 0,2 ◀
1017990	Others		► <u>M75</u> 0,05 (*) ◀	► <u>M55</u> — ◀	► <u>M46</u> — ◀	► <u>M56</u> 0,05 ◀	► <u>M55</u> — ◀	► <u>M19</u> 0,2 ◀
1030020	Duck		► <u>M75</u> 0,02 (*) ◀	► <u>M55</u> — ◀	► <u>M46</u> — ◀	► <u>M56</u> 0,02 (*) ◀	► <u>M55</u> — ◀	► <u>M19</u> 0,05 (*) ◀
1030030	Goose		► <u>M75</u> 0,02 (*) ◀	► <u>M55</u> — ◀	► <u>M46</u> — ◀	► <u>M56</u> 0,02 (*) ◀	► <u>M55</u> — ◀	► <u>M19</u> 0,05 (*) ◀

▼ M2

(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)
▶ <u>M49</u> — ◀	▶ <u>M51</u> — ◀	1	▶ <u>M27</u> 0,05 (*) ◀	0,1 (*)	0,1 (*)	▶ <u>M32</u> 0,05 (*) ◀	▶ <u>M5</u> — ◀
▶ <u>M49</u> — ◀	▶ <u>M51</u> — ◀	0,05 (*)			0,05 (*)		▶ <u>M5</u> 0,01 (*) ◀
▶ <u>M49</u> — ◀	▶ <u>M51</u> — ◀	0,05 (*)	▶ <u>M27</u> 0,5 ◀	0,1	0,05 (*)	▶ <u>M32</u> 0,1 ◀	▶ <u>M5</u> — ◀
▶ <u>M49</u> — ◀	▶ <u>M51</u> — ◀	0,05 (*)	▶ <u>M27</u> 0,05 (*) ◀	0,05 (*)	0,05 (*)	▶ <u>M32</u> 0,01 (*) ◀	▶ <u>M5</u> — ◀
▶ <u>M49</u> — ◀	▶ <u>M51</u> — ◀	0,05 (*)	▶ <u>M27</u> 0,05 (*) ◀	0,05 (*)	0,05 (*)	▶ <u>M32</u> 0,01 (*) ◀	▶ <u>M5</u> — ◀
▶ <u>M49</u> — ◀	▶ <u>M51</u> — ◀	0,05 (*)	▶ <u>M27</u> 0,05 (*) ◀	0,05 (*)	0,05 (*)	▶ <u>M32</u> 0,01 (*) ◀	▶ <u>M5</u> — ◀
▶ <u>M49</u> — ◀	▶ <u>M51</u> — ◀	1			0,2 (*)	▶ <u>M32</u> 0,01 (*) ◀	
▶ <u>M49</u> — ◀	▶ <u>M51</u> — ◀	1	▶ <u>M27</u> 0,5 ◀		0,2 (*)	▶ <u>M32</u> 0,01 (*) ◀	
▶ <u>M49</u> — ◀	▶ <u>M51</u> — ◀	1	▶ <u>M27</u> 0,5 ◀		0,2 (*)	▶ <u>M32</u> 0,01 (*) ◀	
▶ <u>M49</u> — ◀	▶ <u>M51</u> — ◀	1	▶ <u>M27</u> 0,03 (*) ◀		0,2 (*)	▶ <u>M32</u> 0,01 (*) ◀	
▶ <u>M49</u> — ◀	▶ <u>M51</u> — ◀	1	▶ <u>M27</u> 0,03 (*) ◀		0,2 (*)	▶ <u>M32</u> 0,01 (*) ◀	
▶ <u>M49</u> — ◀	▶ <u>M51</u> — ◀	1	▶ <u>M27</u> 0,5 ◀		0,2 (*)	▶ <u>M32</u> 0,01 (*) ◀	
▶ <u>M49</u> — ◀	▶ <u>M51</u> — ◀	1	▶ <u>M27</u> 0,5 ◀		0,2 (*)	▶ <u>M32</u> 0,01 (*) ◀	
▶ <u>M49</u> — ◀	▶ <u>M51</u> — ◀	1	▶ <u>M27</u> 0,5 ◀		0,2 (*)	▶ <u>M32</u> 0,01 (*) ◀	
▶ <u>M49</u> — ◀	▶ <u>M51</u> — ◀	1	▶ <u>M27</u> 0,5 ◀		0,2 (*)	▶ <u>M32</u> 0,01 (*) ◀	
▶ <u>M49</u> — ◀	▶ <u>M51</u> — ◀	1	▶ <u>M27</u> 0,5 ◀		0,2 (*)	▶ <u>M32</u> 0,01 (*) ◀	
▶ <u>M49</u> — ◀	▶ <u>M51</u> — ◀	1	▶ <u>M27</u> 0,5 ◀		0,2 (*)	▶ <u>M32</u> 0,01 (*) ◀	
▶ <u>M49</u> — ◀	▶ <u>M51</u> — ◀	0,05	▶ <u>M27</u> 0,05 (*) ◀		0,2 (*)	▶ <u>M32</u> 0,02 (*) ◀	
▶ <u>M49</u> — ◀	▶ <u>M51</u> — ◀	0,05	▶ <u>M27</u> 0,05 (*) ◀		0,2 (*)	▶ <u>M32</u> 0,02 (*) ◀	

▼ M2

(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)
▶ <u>M32</u> 0,1 (*) ◀	▶ <u>M73</u> — ◀	▶ <u>M5</u> — ◀	0,1 (*)	0,1 (*)	0,1 (*)	▶ <u>M41</u> — ◀	0,1 (*)
▶ <u>M32</u> 0,02 (*) ◀	▶ <u>M73</u> — ◀		0,05 (*)	0,05 (*)	0,05 (*)	▶ <u>M41</u> — ◀	0,05 (*)
▶ <u>M32</u> 0,02 (*) ◀	▶ <u>M73</u> — ◀	▶ <u>M5</u> 1 ◀	0,05 (*)	0,05 (*)	0,05 (*)	▶ <u>M41</u> — ◀	0,05 (*)
▶ <u>M32</u> 0,02 (*) ◀	▶ <u>M73</u> — ◀	▶ <u>M5</u> 0,02 (*) ◀	0,05 (*)	0,05 (*)	0,05 (*)	▶ <u>M41</u> — ◀	0,05 (*)
▶ <u>M32</u> 0,02 (*) ◀	▶ <u>M73</u> — ◀	▶ <u>M5</u> 0,02 (*) ◀	0,05 (*)	0,05 (*)	0,05 (*)	▶ <u>M41</u> — ◀	0,05 (*)
▶ <u>M32</u> 0,02 (*) ◀	▶ <u>M73</u> — ◀		0,01 (*)	0,05 (*)	0,05 (*)	▶ <u>M41</u> — ◀	0,05 (*)
▶ <u>M32</u> 0,02 (*) ◀	▶ <u>M73</u> — ◀		0,01 (*)	0,05 (*)	0,05 (*)	▶ <u>M41</u> — ◀	0,05 (*)
▶ <u>M32</u> 0,02 (*) ◀	▶ <u>M73</u> — ◀		0,01 (*)	0,05 (*)	0,05 (*)	▶ <u>M41</u> — ◀	0,05 (*)
▶ <u>M32</u> 0,02 (*) ◀	▶ <u>M73</u> — ◀		0,01 (*)	0,05 (*)	0,05 (*)	▶ <u>M41</u> — ◀	0,05 (*)
▶ <u>M32</u> 0,02 (*) ◀	▶ <u>M73</u> — ◀		0,01 (*)	0,05 (*)	0,05 (*)	▶ <u>M41</u> — ◀	0,05 (*)
▶ <u>M32</u> 0,02 (*) ◀	▶ <u>M73</u> — ◀		0,01 (*)	0,05 (*)	0,05 (*)	▶ <u>M41</u> — ◀	0,05 (*)
▶ <u>M32</u> 0,02 (*) ◀	▶ <u>M73</u> — ◀		0,01 (*)	0,05 (*)	0,05 (*)	▶ <u>M41</u> — ◀	0,05 (*)
▶ <u>M32</u> 0,02 (*) ◀	▶ <u>M73</u> — ◀		0,01 (*)	0,05 (*)	0,05 (*)	▶ <u>M41</u> — ◀	0,05 (*)
▶ <u>M32</u> 0,02 (*) ◀	▶ <u>M73</u> — ◀		0,01 (*)	0,05 (*)	0,05 (*)	▶ <u>M41</u> — ◀	0,05 (*)
▶ <u>M32</u> 0,05 ◀	▶ <u>M73</u> — ◀		0,01 (*)	0,05 (*)	0,05 (*)	▶ <u>M41</u> — ◀	0,05 (*)
▶ <u>M32</u> 0,05 ◀	▶ <u>M73</u> — ◀		0,01 (*)	0,05 (*)	0,05 (*)	▶ <u>M41</u> — ◀	0,05 (*)



▼ M2

(26)	(27)	(28)	(29)	(30)	(31)
▶ <u>M32</u> 0,05 (*) ◀	0,1 (*)	0,1 (*)	▶ <u>M16</u> 0,1 (*) ◀	0,1	▶ <u>M21</u> — ◀
▶ <u>M32</u> 0,01 (*) ◀		0,05 (*)	▶ <u>M16</u> 0,05 (*) ◀	0,01 (*)	▶ <u>M21</u> — ◀
▶ <u>M32</u> 0,01 (*) ◀	2	0,05 (*)	▶ <u>M16</u> 0,05 (*) ◀	0,01 (*)	▶ <u>M21</u> — ◀
▶ <u>M32</u> 0,01 (*) ◀	0,05 (*)	0,05 (*)	▶ <u>M16</u> 0,05 (*) ◀	0,01 (*)	▶ <u>M21</u> — ◀
▶ <u>M32</u> 0,01 (*) ◀	0,05 (*)	0,05 (*)	▶ <u>M16</u> 0,05 (*) ◀	0,01 (*)	▶ <u>M21</u> — ◀
▶ <u>M32</u> 0,01 (*) ◀	0,05 (*)	0,05 (*)	▶ <u>M16</u> 0,05 (*) ◀	0,01 (*)	▶ <u>M21</u> — ◀
▶ <u>M32</u> 0,01 (*) ◀	0,05 (*)	0,05 (*)	▶ <u>M16</u> 0,05 (*) ◀	0,05	▶ <u>M21</u> — ◀
▶ <u>M32</u> 0,01 (*) ◀	0,05 (*)	0,05 (*)	▶ <u>M16</u> 0,05 (*) ◀	0,05	▶ <u>M21</u> — ◀
▶ <u>M32</u> 0,01 (*) ◀	0,05 (*)	0,05 (*)	▶ <u>M16</u> 0,05 (*) ◀	0,05	▶ <u>M21</u> — ◀
▶ <u>M32</u> 0,01 (*) ◀	0,05 (*)	0,05 (*)	▶ <u>M16</u> 0,05 (*) ◀	0,05	▶ <u>M21</u> — ◀
▶ <u>M32</u> 0,01 (*) ◀	0,05 (*)	0,05 (*)	▶ <u>M16</u> 0,05 (*) ◀	0,05	▶ <u>M21</u> — ◀
▶ <u>M32</u> 0,01 (*) ◀	0,05 (*)	0,05 (*)	▶ <u>M16</u> 0,05 (*) ◀	0,05	▶ <u>M21</u> — ◀
▶ <u>M32</u> 0,01 (*) ◀	0,05 (*)	0,05 (*)	▶ <u>M16</u> 0,05 (*) ◀	0,05	▶ <u>M21</u> — ◀
▶ <u>M32</u> 0,01 (*) ◀	0,05 (*)	0,05 (*)	▶ <u>M16</u> 0,05 (*) ◀	0,05	▶ <u>M21</u> — ◀
▶ <u>M32</u> 0,01 (*) ◀	0,05 (*)	0,05 (*)	▶ <u>M16</u> 0,05 (*) ◀	0,05	▶ <u>M21</u> — ◀
▶ <u>M32</u> 0,01 (*) ◀	0,05 (*)	0,05 (*)	▶ <u>M16</u> 0,05 (*) ◀	0,05	▶ <u>M21</u> — ◀
▶ <u>M32</u> 0,01 (*) ◀	0,05 (*)	0,05 (*)	▶ <u>M16</u> 0,05 (*) ◀	0,05	▶ <u>M21</u> — ◀
▶ <u>M32</u> 0,01 (*) ◀	0,05 (*)	0,05 (*)	▶ <u>M16</u> 0,05 (*) ◀	0,05	▶ <u>M21</u> — ◀
▶ <u>M32</u> 0,01 (*) ◀	0,05 (*)	0,05 (*)	▶ <u>M16</u> 0,05 (*) ◀	0,005	▶ <u>M21</u> — ◀
▶ <u>M32</u> 0,01 (*) ◀	0,05 (*)	0,05 (*)	▶ <u>M16</u> 0,05 (*) ◀	0,005	▶ <u>M21</u> — ◀

▼ M2

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)
1030040	Quail		▶ <u>M75</u> 0,02 (*) ◀	▶ <u>M55</u> — ◀	▶ <u>M46</u> — ◀	▶ <u>M56</u> 0,02 (*) ◀	▶ <u>M55</u> — ◀	▶ <u>M19</u> 0,05 (*) ◀
1030990	Others		▶ <u>M75</u> 0,02 (*) ◀	▶ <u>M55</u> — ◀	▶ <u>M46</u> — ◀	▶ <u>M56</u> 0,02 (*) ◀	▶ <u>M55</u> — ◀	▶ <u>M19</u> 0,05 (*) ◀
1040000	(iv) Honey		▶ <u>M75</u> 0,05 (*) ◀	▶ <u>M55</u> — ◀	▶ <u>M46</u> — ◀	▶ <u>M56</u> 0,05 (*) ◀	▶ <u>M55</u> — ◀	▶ <u>M19</u> 0,05 (*) ◀
1050000	(v) Amphibians and reptiles		▶ <u>M75</u> 0,05 (*) ◀	▶ <u>M55</u> — ◀	▶ <u>M46</u> — ◀	▶ <u>M56</u> 0,02 (*) ◀	▶ <u>M55</u> — ◀	▶ <u>M19</u> 0,05 (*) ◀
1060000	(vi) Snails		▶ <u>M75</u> 0,05 (*) ◀	▶ <u>M55</u> — ◀	▶ <u>M46</u> — ◀	▶ <u>M56</u> 0,02 (*) ◀	▶ <u>M55</u> — ◀	▶ <u>M19</u> 0,05 (*) ◀
1070000	(vii) Other terrestrial animal products		▶ <u>M75</u> 0,05 (*) ◀	▶ <u>M55</u> — ◀	▶ <u>M46</u> — ◀	▶ <u>M56</u> 0,02 (*) ◀	▶ <u>M55</u> — ◀	▶ <u>M19</u> 0,05 (*) ◀

▼ M2

(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)
▶ <u>M49</u> — ◀	▶ <u>M51</u> — ◀	0,05	▶ <u>M27</u> 0,05 (*) ◀		0,2 (*)	▶ <u>M32</u> 0,02 (*) ◀	
▶ <u>M49</u> — ◀	▶ <u>M51</u> — ◀	0,05	▶ <u>M27</u> 0,05 (*) ◀		0,2 (*)	▶ <u>M32</u> 0,02 (*) ◀	
▶ <u>M49</u> — ◀	▶ <u>M51</u> — ◀	0,05	▶ <u>M27</u> 0,03 (*) ◀			▶ <u>M32</u> 0,01 (*) ◀	
▶ <u>M49</u> — ◀	▶ <u>M51</u> — ◀	0,05	▶ <u>M27</u> 0,03 (*) ◀			▶ <u>M32</u> 0,01 (*) ◀	
▶ <u>M49</u> — ◀	▶ <u>M51</u> — ◀	0,05	▶ <u>M27</u> 0,03 (*) ◀			▶ <u>M32</u> 0,01 (*) ◀	

▼ M2

(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)
▶ <u>M32</u> 0,05 ◀	▶ <u>M73</u> — ◀		0,01 (*)	0,05 (*)	0,05 (*)	▶ <u>M41</u> — ◀	0,05 (*)
▶ <u>M32</u> 0,05 ◀	▶ <u>M73</u> — ◀		0,01 (*)	0,05 (*)	0,05 (*)	▶ <u>M41</u> — ◀	0,05 (*)
▶ <u>M32</u> 0,02 (*) ◀	▶ <u>M73</u> — ◀					▶ <u>M41</u> — ◀	
▶ <u>M32</u> 0,02 (*) ◀	▶ <u>M73</u> — ◀					▶ <u>M41</u> — ◀	
▶ <u>M32</u> 0,02 (*) ◀	▶ <u>M73</u> — ◀					▶ <u>M41</u> — ◀	
▶ <u>M32</u> 0,02 (*) ◀	▶ <u>M73</u> — ◀					▶ <u>M41</u> — ◀	

▼ M2

(26)	(27)	(28)	(29)	(30)	(31)
▶ <u>M32</u> 0,01 (*) ◀	0,05 (*)	0,05 (*)	▶ <u>M16</u> 0,05 (*) ◀	0,005	▶ <u>M21</u> — ◀
▶ <u>M32</u> 0,01 (*) ◀	0,05 (*)	0,05 (*)	▶ <u>M16</u> 0,05 (*) ◀	0,005	▶ <u>M21</u> — ◀
▶ <u>M32</u> 0,01 (*) ◀			▶ <u>M16</u> 0,01 (*) ◀	0,01	▶ <u>M21</u> — ◀
▶ <u>M32</u> 0,01 (*) ◀			▶ <u>M16</u> 0,01 (*) ◀	0,01	▶ <u>M21</u> — ◀
▶ <u>M32</u> 0,01 (*) ◀			▶ <u>M16</u> 0,01 (*) ◀	0,01	▶ <u>M21</u> — ◀
▶ <u>M32</u> 0,01 (*) ◀			▶ <u>M16</u> 0,01 (*) ◀	0,01	▶ <u>M21</u> — ◀

▼ **M2**

*Pesticide residues and maximum residue levels (mg/kg)*

Code number	Groups and examples of individual products to which the MRLs apply <sup>(a)</sup>	▼ <b>M16</b> Ethion ▼	▼ <b>M20</b> Ethofumesate (sum of ethofumesate and the metabolite 2,3-dihydro-3,3-dimethyl-2-oxo-benzofuran-5-yl methane sulphonate expressed as ethofumesate) ▼	▼ <b>M58</b> — ▼	Ethylene oxide (sum of ethylene oxide and 2-chloro-ethanol expressed as ethylene oxide) <sup>(1)</sup>	▼ <b>M38</b> Etoxazole ▼	▼ <b>M68</b> — ▼
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)
0130040	Medlar	▶ <b>M16</b> 0,01 (*) ◀	▶ <b>M20</b> 0,05 (*) ◀	▶ <b>M58</b> — ◀	0,1 (*)	▶ <b>M38</b> 0,07 ◀	▶ <b>M68</b> — ◀
0130050	Loquat	▶ <b>M16</b> 0,01 (*) ◀	▶ <b>M20</b> 0,05 (*) ◀	▶ <b>M58</b> — ◀	0,1 (*)	▶ <b>M38</b> 0,07 ◀	▶ <b>M68</b> — ◀
0154050	Rose hips	▶ <b>M16</b> 0,01 (*) ◀	▶ <b>M20</b> 0,05 (*) ◀	▶ <b>M58</b> — ◀	0,1 (*)	▶ <b>M38</b> 0,02 (*) ◀	▶ <b>M68</b> — ◀
0154060	Mulberries	▶ <b>M16</b> 0,01 (*) ◀	▶ <b>M20</b> 0,05 (*) ◀	▶ <b>M58</b> — ◀	0,1 (*)	▶ <b>M38</b> 0,02 (*) ◀	▶ <b>M68</b> — ◀
0154070	Azarole (mediteranean medlar)	▶ <b>M16</b> 0,01 (*) ◀	▶ <b>M20</b> 0,05 (*) ◀	▶ <b>M58</b> — ◀	0,1 (*)	▶ <b>M38</b> 0,02 (*) ◀	▶ <b>M68</b> — ◀
0154080	Elderberries	▶ <b>M16</b> 0,01 (*) ◀	▶ <b>M20</b> 0,05 (*) ◀	▶ <b>M58</b> — ◀	0,1 (*)	▶ <b>M38</b> 0,02 (*) ◀	▶ <b>M68</b> — ◀
0161050	Carambola	▶ <b>M16</b> 0,01 (*) ◀	▶ <b>M20</b> 0,05 (*) ◀	▶ <b>M58</b> — ◀	0,1 (*)	▶ <b>M38</b> 0,02 (*) ◀	▶ <b>M68</b> — ◀
0161060	Persimmon	▶ <b>M16</b> 0,01 (*) ◀	▶ <b>M20</b> 0,05 (*) ◀	▶ <b>M58</b> — ◀	0,1 (*)	▶ <b>M38</b> 0,02 (*) ◀	▶ <b>M68</b> — ◀
0161070	Jambolan (java plum)	▶ <b>M16</b> 0,01 (*) ◀	▶ <b>M20</b> 0,05 (*) ◀	▶ <b>M58</b> — ◀	0,1 (*)	▶ <b>M38</b> 0,02 (*) ◀	▶ <b>M68</b> — ◀
0162040	Prickly pear (cactus fruit)	▶ <b>M16</b> 0,01 (*) ◀	▶ <b>M20</b> 0,05 (*) ◀	▶ <b>M58</b> — ◀	0,1 (*)	▶ <b>M38</b> 0,02 (*) ◀	▶ <b>M68</b> — ◀
0162050	Star apple	▶ <b>M16</b> 0,01 (*) ◀	▶ <b>M20</b> 0,05 (*) ◀	▶ <b>M58</b> — ◀	0,1 (*)	▶ <b>M38</b> 0,02 (*) ◀	▶ <b>M68</b> — ◀
0162060	American persimmon (Virginia kaki)	▶ <b>M16</b> 0,01 (*) ◀	▶ <b>M20</b> 0,05 (*) ◀	▶ <b>M58</b> — ◀	0,1 (*)	▶ <b>M38</b> 0,02 (*) ◀	▶ <b>M68</b> — ◀
0163060	Cherimoya	▶ <b>M16</b> 0,01 (*) ◀	▶ <b>M20</b> 0,05 (*) ◀	▶ <b>M58</b> — ◀	0,1 (*)	▶ <b>M38</b> 0,02 (*) ◀	▶ <b>M68</b> — ◀

▼ M2

▼ <u>M70</u> Fenamidone	▼ <u>M21</u> —	▼ <u>M53</u> Fenarimol	▼ <u>M8</u> ▼ ▼ <u>C4</u> Fenbutatin oxide (F) ▼	Fenchlorphos (sum of fenchlorphos and fen- chlorphos oxon expressed as fenchlorphos)	▼ <u>M70</u> Fenhexamid	▼ <u>M32</u> Fenitrothion	Fenpropimorph (8)
(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
▶ <u>M70</u> 0,02 (*) ◀	▶ <u>M21</u> — ◀	▶ <u>M53</u> 0,1 ◀	▶ <u>M8</u> 2 ◀	0,01 (*)	▶ <u>M70</u> 0,05 (*) ◀	▶ <u>M32</u> 0,01 (*) ◀	0,05 (*)
▶ <u>M70</u> 0,02 (*) ◀	▶ <u>M21</u> — ◀	▶ <u>M53</u> 0,1 ◀	▶ <u>M8</u> 2 ◀	0,01 (*)	▶ <u>M70</u> 0,05 (*) ◀	▶ <u>M32</u> 0,01 (*) ◀	0,05 (*)
▶ <u>M70</u> 0,02 (*) ◀	▶ <u>M21</u> — ◀	▶ <u>M53</u> 0,02 (*) ◀	▶ <u>M8</u> 0,05 (*) ◀	0,01 (*)	▶ <u>M70</u> 5 ◀	▶ <u>M32</u> 0,01 (*) ◀	1
▶ <u>M70</u> 0,02 (*) ◀	▶ <u>M21</u> — ◀	▶ <u>M53</u> 0,02 (*) ◀	▶ <u>M8</u> 0,05 (*) ◀	0,01 (*)	▶ <u>M70</u> 10 ◀	▶ <u>M32</u> 0,01 (*) ◀	1
▶ <u>M70</u> 0,02 (*) ◀	▶ <u>M21</u> — ◀	▶ <u>M53</u> 0,02 (*) ◀	▶ <u>M8</u> 0,05 (*) ◀	0,01 (*)	▶ <u>M70</u> 15 ◀	▶ <u>M32</u> 0,01 (*) ◀	1
▶ <u>M70</u> 0,02 (*) ◀	▶ <u>M21</u> — ◀	▶ <u>M53</u> 0,02 (*) ◀	▶ <u>M8</u> 0,05 (*) ◀	0,01 (*)	▶ <u>M70</u> 5 ◀	▶ <u>M32</u> 0,01 (*) ◀	1
▶ <u>M70</u> 0,02 (*) ◀	▶ <u>M21</u> — ◀	▶ <u>M53</u> 0,02 (*) ◀	▶ <u>M8</u> 0,05 (*) ◀	0,01 (*)	▶ <u>M70</u> 0,05 (*) ◀	▶ <u>M32</u> 0,01 (*) ◀	0,05 (*)
▶ <u>M70</u> 0,02 (*) ◀	▶ <u>M21</u> — ◀	▶ <u>M53</u> 0,02 (*) ◀	▶ <u>M8</u> 0,05 (*) ◀	0,01 (*)	▶ <u>M70</u> 0,05 (*) ◀	▶ <u>M32</u> 0,01 (*) ◀	0,05 (*)
▶ <u>M70</u> 0,02 (*) ◀	▶ <u>M21</u> — ◀	▶ <u>M53</u> 0,02 (*) ◀	▶ <u>M8</u> 0,05 (*) ◀	0,01 (*)	▶ <u>M70</u> 0,05 (*) ◀	▶ <u>M32</u> 0,01 (*) ◀	0,05 (*)
▶ <u>M70</u> 0,02 (*) ◀	▶ <u>M21</u> — ◀	▶ <u>M53</u> 0,02 (*) ◀	▶ <u>M8</u> 0,05 (*) ◀	0,01 (*)	▶ <u>M70</u> 0,05 (*) ◀	▶ <u>M32</u> 0,01 (*) ◀	0,05 (*)
▶ <u>M70</u> 0,02 (*) ◀	▶ <u>M21</u> — ◀	▶ <u>M53</u> 0,02 (*) ◀	▶ <u>M8</u> 0,05 (*) ◀	0,01 (*)	▶ <u>M70</u> 0,05 (*) ◀	▶ <u>M32</u> 0,01 (*) ◀	0,05 (*)
▶ <u>M70</u> 0,02 (*) ◀	▶ <u>M21</u> — ◀	▶ <u>M53</u> 0,02 (*) ◀	▶ <u>M8</u> 0,05 (*) ◀	0,01 (*)	▶ <u>M70</u> 0,05 (*) ◀	▶ <u>M32</u> 0,01 (*) ◀	0,05 (*)
▶ <u>M70</u> 0,02 (*) ◀	▶ <u>M21</u> — ◀	▶ <u>M53</u> 0,02 (*) ◀	▶ <u>M8</u> 0,05 (*) ◀	0,01 (*)	▶ <u>M70</u> 0,05 (*) ◀	▶ <u>M32</u> 0,01 (*) ◀	0,05 (*)
▶ <u>M70</u> 0,02 (*) ◀	▶ <u>M21</u> — ◀	▶ <u>M53</u> 0,02 (*) ◀	▶ <u>M8</u> 0,05 (*) ◀	0,01 (*)	▶ <u>M70</u> 0,05 (*) ◀	▶ <u>M32</u> 0,01 (*) ◀	0,05 (*)

▼ M2

<p>► <u>M16</u> Fenthion (fenthion and its oxygen analogue, their sulfoxides and sulfone expressed as parent) <sup>(1)</sup> ◄</p>	<p>Fenthion acetate <sup>(1)</sup> <sup>(8)</sup></p>	<p>Fenthion hydroxide <sup>(1)</sup> <sup>(8)</sup></p>	<p>▼ <u>M50</u> — ◄</p>	<p>▼ <u>M50</u> — ◄</p>	<p>▼ <u>M52</u> — ◄</p>	<p>▼ <u>M46</u> — ◄</p>	<p>Flucythrinate <sup>(1)</sup> <sup>(8)</sup></p>	<p>▼ <u>M67</u> — ◄</p>
(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)
► <u>M16</u> 0,01 (*) ◄	0,05 (*)	0,05 (*)	► <u>M50</u> — ◄	► <u>M50</u> — ◄	► <u>M52</u> — ◄	► <u>M46</u> — ◄	0,05 (*)	► <u>M67</u> — ◄
► <u>M16</u> 0,01 (*) ◄	0,05 (*)	0,05 (*)	► <u>M50</u> — ◄	► <u>M50</u> — ◄	► <u>M52</u> — ◄	► <u>M46</u> — ◄	0,05 (*)	► <u>M67</u> — ◄
► <u>M16</u> 0,01 (*) ◄	0,05 (*)	0,05 (*)	► <u>M50</u> — ◄	► <u>M50</u> — ◄	► <u>M52</u> — ◄	► <u>M46</u> — ◄	0,05 (*)	► <u>M67</u> — ◄
► <u>M16</u> 0,01 (*) ◄	0,05 (*)	0,05 (*)	► <u>M50</u> — ◄	► <u>M50</u> — ◄	► <u>M52</u> — ◄	► <u>M46</u> — ◄	0,05 (*)	► <u>M67</u> — ◄
► <u>M16</u> 0,01 (*) ◄	0,05 (*)	0,05 (*)	► <u>M50</u> — ◄	► <u>M50</u> — ◄	► <u>M52</u> — ◄	► <u>M46</u> — ◄	0,05 (*)	► <u>M67</u> — ◄
► <u>M16</u> 0,01 (*) ◄	0,05 (*)	0,05 (*)	► <u>M50</u> — ◄	► <u>M50</u> — ◄	► <u>M52</u> — ◄	► <u>M46</u> — ◄	0,05 (*)	► <u>M67</u> — ◄
► <u>M16</u> 0,01 (*) ◄	0,05 (*)	0,05 (*)	► <u>M50</u> — ◄	► <u>M50</u> — ◄	► <u>M52</u> — ◄	► <u>M46</u> — ◄	0,05 (*)	► <u>M67</u> — ◄
► <u>M16</u> 0,01 (*) ◄	0,05 (*)	0,05 (*)	► <u>M50</u> — ◄	► <u>M50</u> — ◄	► <u>M52</u> — ◄	► <u>M46</u> — ◄	0,05 (*)	► <u>M67</u> — ◄
► <u>M16</u> 0,01 (*) ◄	0,05 (*)	0,05 (*)	► <u>M50</u> — ◄	► <u>M50</u> — ◄	► <u>M52</u> — ◄	► <u>M46</u> — ◄	0,05 (*)	► <u>M67</u> — ◄
► <u>M16</u> 0,01 (*) ◄	0,05 (*)	0,05 (*)	► <u>M50</u> — ◄	► <u>M50</u> — ◄	► <u>M52</u> — ◄	► <u>M46</u> — ◄	0,05 (*)	► <u>M67</u> — ◄
► <u>M16</u> 0,01 (*) ◄	0,05 (*)	0,05 (*)	► <u>M50</u> — ◄	► <u>M50</u> — ◄	► <u>M52</u> — ◄	► <u>M46</u> — ◄	0,05 (*)	► <u>M67</u> — ◄
► <u>M16</u> 0,01 (*) ◄	0,05 (*)	0,05 (*)	► <u>M50</u> — ◄	► <u>M50</u> — ◄	► <u>M52</u> — ◄	► <u>M46</u> — ◄	0,05 (*)	► <u>M67</u> — ◄
► <u>M16</u> 0,01 (*) ◄	0,05 (*)	0,05 (*)	► <u>M50</u> — ◄	► <u>M50</u> — ◄	► <u>M52</u> — ◄	► <u>M46</u> — ◄	0,05 (*)	► <u>M67</u> — ◄
► <u>M16</u> 0,01 (*) ◄	0,05 (*)	0,05 (*)	► <u>M50</u> — ◄	► <u>M50</u> — ◄	► <u>M52</u> — ◄	► <u>M46</u> — ◄	0,05 (*)	► <u>M67</u> — ◄
► <u>M16</u> 0,01 (*) ◄	0,05 (*)	0,05 (*)	► <u>M50</u> — ◄	► <u>M50</u> — ◄	► <u>M52</u> — ◄	► <u>M46</u> — ◄	0,05 (*)	► <u>M67</u> — ◄
► <u>M16</u> 0,01 (*) ◄	0,05 (*)	0,05 (*)	► <u>M50</u> — ◄	► <u>M50</u> — ◄	► <u>M52</u> — ◄	► <u>M46</u> — ◄	0,05 (*)	► <u>M67</u> — ◄
► <u>M16</u> 0,01 (*) ◄	0,05 (*)	0,05 (*)	► <u>M50</u> — ◄	► <u>M50</u> — ◄	► <u>M52</u> — ◄	► <u>M46</u> — ◄	0,05 (*)	► <u>M67</u> — ◄
► <u>M16</u> 0,01 (*) ◄	0,05 (*)	0,05 (*)	► <u>M50</u> — ◄	► <u>M50</u> — ◄	► <u>M52</u> — ◄	► <u>M46</u> — ◄	0,05 (*)	► <u>M67</u> — ◄
► <u>M16</u> 0,01 (*) ◄	0,05 (*)	0,05 (*)	► <u>M50</u> — ◄	► <u>M50</u> — ◄	► <u>M52</u> — ◄	► <u>M46</u> — ◄	0,05 (*)	► <u>M67</u> — ◄
► <u>M16</u> 0,01 (*) ◄	0,05 (*)	0,05 (*)	► <u>M50</u> — ◄	► <u>M50</u> — ◄	► <u>M52</u> — ◄	► <u>M46</u> — ◄	0,05 (*)	► <u>M67</u> — ◄



▼ M2

▼ — <u>M66</u> ▲	▼ — <u>M66</u> ▲	▼ — <u>M7</u> Fluroxypyr (fluroxypyr including its esters expressed as fluroxypyr) <sup>(8)</sup> ▼ ▲	Flurtamone	Folpet	▼ — <u>M52</u> ▲
(26)	(27)	(28)	(29)	(30)	(31)
▶ <u>M66</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M7</u> 0,05 (*) ◀	0,02 (*)	3	▶ <u>M52</u> — ◀
▶ <u>M66</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M7</u> 0,05 (*) ◀	0,02 (*)	3	▶ <u>M52</u> — ◀
▶ <u>M66</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M7</u> 0,05 (*) ◀	0,02 (*)	0,02 (*)	▶ <u>M52</u> — ◀
▶ <u>M66</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M7</u> 0,05 (*) ◀	0,02 (*)	0,02 (*)	▶ <u>M52</u> — ◀
▶ <u>M66</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M7</u> 0,05 (*) ◀	0,02 (*)	0,02 (*)	▶ <u>M52</u> — ◀
▶ <u>M66</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M7</u> 0,05 (*) ◀	0,02 (*)	0,02 (*)	▶ <u>M52</u> — ◀
▶ <u>M66</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M7</u> 0,05 (*) ◀	0,02 (*)	0,02 (*)	▶ <u>M52</u> — ◀
▶ <u>M66</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M7</u> 0,05 (*) ◀	0,02 (*)	0,02 (*)	▶ <u>M52</u> — ◀
▶ <u>M66</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M7</u> 0,05 (*) ◀	0,02 (*)	0,02 (*)	▶ <u>M52</u> — ◀
▶ <u>M66</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M7</u> 0,05 (*) ◀	0,02 (*)	0,02 (*)	▶ <u>M52</u> — ◀
▶ <u>M66</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M7</u> 0,05 (*) ◀	0,02 (*)	0,02 (*)	▶ <u>M52</u> — ◀
▶ <u>M66</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M7</u> 0,05 (*) ◀	0,02 (*)	0,02 (*)	▶ <u>M52</u> — ◀
▶ <u>M66</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M7</u> 0,05 (*) ◀	0,02 (*)	0,02 (*)	▶ <u>M52</u> — ◀

▼ **M2**

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)
0163070	Guava	▶ <b>M16</b> 0,01 (*) ◀	▶ <b>M20</b> 0,05 (*) ◀	▶ <b>M58</b> — ◀	0,1 (*)	▶ <b>M38</b> 0,02 (*) ◀	▶ <b>M68</b> — ◀
0163090	Bread fruit	▶ <b>M16</b> 0,01 (*) ◀	▶ <b>M20</b> 0,05 (*) ◀	▶ <b>M58</b> — ◀	0,1 (*)	▶ <b>M38</b> 0,02 (*) ◀	▶ <b>M68</b> — ◀
0163100	Durian	▶ <b>M16</b> 0,01 (*) ◀	▶ <b>M20</b> 0,05 (*) ◀	▶ <b>M58</b> — ◀	0,1 (*)	▶ <b>M38</b> 0,02 (*) ◀	▶ <b>M68</b> — ◀
0163110	Soursop (guanabana)	▶ <b>M16</b> 0,01 (*) ◀	▶ <b>M20</b> 0,05 (*) ◀	▶ <b>M58</b> — ◀	0,1 (*)	▶ <b>M38</b> 0,02 (*) ◀	▶ <b>M68</b> — ◀
0212040	Arrowroot	▶ <b>M16</b> 0,01 (*) ◀	▶ <b>M20</b> 0,05 (*) ◀	▶ <b>M58</b> — ◀	0,1 (*)	▶ <b>M38</b> 0,02 (*) ◀	▶ <b>M68</b> — ◀
0251050	Land cress	▶ <b>M16</b> 0,01 (*) ◀	▶ <b>M20</b> 0,05 (*) ◀	▶ <b>M58</b> — ◀	0,1 (*)	▶ <b>M38</b> 0,02 (*) ◀	▶ <b>M68</b> — ◀
0251070	Red mustard	▶ <b>M16</b> 0,01 (*) ◀	▶ <b>M20</b> 0,05 (*) ◀	▶ <b>M58</b> — ◀	0,1 (*)	▶ <b>M38</b> 0,02 (*) ◀	▶ <b>M68</b> — ◀
0252020	Purslane	▶ <b>M16</b> 0,01 (*) ◀	▶ <b>M20</b> 1 ◀	▶ <b>M58</b> — ◀	0,1 (*)	▶ <b>M38</b> 0,02 (*) ◀	▶ <b>M68</b> — ◀
0253000	(c) <i>Vine leaves</i> ( <i>grape leaves</i> )	▶ <b>M16</b> 0,01 (*) ◀	▶ <b>M20</b> 0,05 (*) ◀	▶ <b>M58</b> — ◀	0,1 (*)	▶ <b>M38</b> 0,02 (*) ◀	▶ <b>M68</b> — ◀
0256050	Sage	▶ <b>M16</b> 0,01 (*) ◀	▶ <b>M20</b> 1 ◀	▶ <b>M58</b> — ◀	0,1 (*)	▶ <b>M38</b> 0,02 (*) ◀	▶ <b>M68</b> — ◀
0256060	Rosemary	▶ <b>M16</b> 0,01 (*) ◀	▶ <b>M20</b> 1 ◀	▶ <b>M58</b> — ◀	0,1 (*)	▶ <b>M38</b> 0,02 (*) ◀	▶ <b>M68</b> — ◀
0256070	Thyme	▶ <b>M16</b> 0,01 (*) ◀	▶ <b>M20</b> 1,5 ◀	▶ <b>M58</b> — ◀	0,1 (*)	▶ <b>M38</b> 0,02 (*) ◀	▶ <b>M68</b> — ◀
0256080	Basil	▶ <b>M16</b> 0,01 (*) ◀	▶ <b>M20</b> 1 ◀	▶ <b>M58</b> — ◀	0,1 (*)	▶ <b>M38</b> 15 ◀	▶ <b>M68</b> — ◀
0256090	Bay leaves (laurel)	▶ <b>M16</b> 0,01 (*) ◀	▶ <b>M20</b> 1 ◀	▶ <b>M58</b> — ◀	0,1 (*)	▶ <b>M38</b> 0,02 (*) ◀	▶ <b>M68</b> — ◀
0256100	Tarragon	▶ <b>M16</b> 0,01 (*) ◀	▶ <b>M20</b> 1 ◀	▶ <b>M58</b> — ◀	0,1 (*)	▶ <b>M38</b> 0,02 (*) ◀	▶ <b>M68</b> — ◀
0270080	Bamboo shoots	▶ <b>M16</b> 0,01 (*) ◀	▶ <b>M20</b> 0,05 (*) ◀	▶ <b>M58</b> — ◀	0,1 (*)	▶ <b>M38</b> 0,02 (*) ◀	▶ <b>M68</b> — ◀
0270090	Palm hearts	▶ <b>M16</b> 0,01 (*) ◀	▶ <b>M20</b> 0,05 (*) ◀	▶ <b>M58</b> — ◀	0,1 (*)	▶ <b>M38</b> 0,02 (*) ◀	▶ <b>M68</b> — ◀
0290000	(ix) <i>Sea weeds</i>	▶ <b>M16</b> 0,01 (*) ◀	▶ <b>M20</b> 0,05 (*) ◀	▶ <b>M58</b> — ◀			▶ <b>M68</b> — ◀
0401110	Safflower	▶ <b>M16</b> 0,02 (*) ◀	▶ <b>M20</b> 0,1 (*) ◀	▶ <b>M58</b> — ◀	0,2 (*)	▶ <b>M38</b> 0,05 (*) ◀	▶ <b>M68</b> — ◀
0401120	Borage	▶ <b>M16</b> 0,02 (*) ◀	▶ <b>M20</b> 0,1 (*) ◀	▶ <b>M58</b> — ◀	0,2 (*)	▶ <b>M38</b> 0,05 (*) ◀	▶ <b>M68</b> — ◀
0401130	Gold of pleasure	▶ <b>M16</b> 0,02 (*) ◀	▶ <b>M20</b> 0,1 (*) ◀	▶ <b>M58</b> — ◀	0,2 (*)	▶ <b>M38</b> 0,05 (*) ◀	▶ <b>M68</b> — ◀
0401150	Castor bean	▶ <b>M16</b> 0,02 (*) ◀	▶ <b>M20</b> 0,1 (*) ◀	▶ <b>M58</b> — ◀	0,2 (*)	▶ <b>M38</b> 0,05 (*) ◀	▶ <b>M68</b> — ◀
0402020	Palm nuts (palmoil kernels)	▶ <b>M16</b> 0,02 (*) ◀	▶ <b>M20</b> 0,1 (*) ◀	▶ <b>M58</b> — ◀	0,1 (*)	▶ <b>M38</b> 0,02 (*) ◀	▶ <b>M68</b> — ◀







▼ **M2**

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)
0402030	Palmfruit	► <b>M16</b> 0,02 (*) ◀	► <b>M20</b> 0,1 (*) ◀	► <b>M58</b> — ◀	0,1 (*)	► <b>M38</b> 0,02 (*) ◀	► <b>M68</b> — ◀
0402040	Kapok	► <b>M16</b> 0,02 (*) ◀	► <b>M20</b> 0,1 (*) ◀	► <b>M58</b> — ◀	0,1 (*)	► <b>M38</b> 0,02 (*) ◀	► <b>M68</b> — ◀
0620000	(ii) Coffee beans	► <b>M16</b> 0,05 (*) ◀	► <b>M20</b> 0,1 (*) ◀	► <b>M58</b> — ◀	0,2 (*)	► <b>M38</b> 0,05 (*) ◀	► <b>M68</b> — ◀
0630000	(iii) Herbal infusions (dried)	► <b>M16</b> 0,05 (*) ◀	0,5	► <b>M58</b> — ◀	0,2 (*)	► <b>M38</b> 0,05 (*) ◀	► <b>M68</b> — ◀
0631000	(a) Flowers	► <b>M16</b> 0,05 (*) ◀	► <b>M20</b> 15 ◀	► <b>M58</b> — ◀	0,2 (*)	► <b>M38</b> 0,05 (*) ◀	► <b>M68</b> — ◀
0631010	Camomille flowers	► <b>M16</b> 0,05 (*) ◀	► <b>M20</b> 15 ◀	► <b>M58</b> — ◀	0,2 (*)	► <b>M38</b> 0,05 (*) ◀	► <b>M68</b> — ◀
0631020	Hybiscus flowers	► <b>M16</b> 0,05 (*) ◀	► <b>M20</b> 15 ◀	► <b>M58</b> — ◀	0,2 (*)	► <b>M38</b> 0,05 (*) ◀	► <b>M68</b> — ◀
0631030	Rose petals	► <b>M16</b> 0,05 (*) ◀	► <b>M20</b> 15 ◀	► <b>M58</b> — ◀	0,2 (*)	► <b>M38</b> 0,05 (*) ◀	► <b>M68</b> — ◀
0631040	Jasmine flowers	► <b>M16</b> 0,05 (*) ◀	► <b>M20</b> 15 ◀	► <b>M58</b> — ◀	0,2 (*)	► <b>M38</b> 0,05 (*) ◀	► <b>M68</b> — ◀
0631050	Lime (linden)	► <b>M16</b> 0,05 (*) ◀	► <b>M20</b> 15 ◀	► <b>M58</b> — ◀	0,2 (*)	► <b>M38</b> 0,05 (*) ◀	► <b>M68</b> — ◀
0631990	Others	► <b>M16</b> 0,05 (*) ◀	► <b>M20</b> 15 ◀	► <b>M58</b> — ◀	0,2 (*)	► <b>M38</b> 0,05 (*) ◀	► <b>M68</b> — ◀
0632000	(b) Leaves	► <b>M16</b> 0,05 (*) ◀	► <b>M20</b> 15 ◀	► <b>M58</b> — ◀	0,2 (*)	► <b>M38</b> 0,05 (*) ◀	► <b>M68</b> — ◀
0632010	Strawberry leaves	► <b>M16</b> 0,05 (*) ◀	► <b>M20</b> 15 ◀	► <b>M58</b> — ◀	0,2 (*)	► <b>M38</b> 0,05 (*) ◀	► <b>M68</b> — ◀
0632020	Rooibos leaves	► <b>M16</b> 0,05 (*) ◀	► <b>M20</b> 15 ◀	► <b>M58</b> — ◀	0,2 (*)	► <b>M38</b> 0,05 (*) ◀	► <b>M68</b> — ◀
0632030	Maté	► <b>M16</b> 0,05 (*) ◀	► <b>M20</b> 15 ◀	► <b>M58</b> — ◀	0,2 (*)	► <b>M38</b> 0,05 (*) ◀	► <b>M68</b> — ◀
0632990	Others	► <b>M16</b> 0,05 (*) ◀	► <b>M20</b> 15 ◀	► <b>M58</b> — ◀	0,2 (*)	► <b>M38</b> 0,05 (*) ◀	► <b>M68</b> — ◀
0633000	(c) Roots	► <b>M16</b> 0,05 (*) ◀	► <b>M20</b> 0,5 ◀	► <b>M58</b> — ◀	0,2 (*)	► <b>M38</b> 0,05 (*) ◀	► <b>M68</b> — ◀
0633010	Valerian root	► <b>M16</b> 0,05 (*) ◀	► <b>M20</b> 0,5 ◀	► <b>M58</b> — ◀	0,2 (*)	► <b>M38</b> 0,05 (*) ◀	► <b>M68</b> — ◀
0633020	Ginseng root	► <b>M16</b> 0,05 (*) ◀	► <b>M20</b> 0,5 ◀	► <b>M58</b> — ◀	0,2 (*)	► <b>M38</b> 0,05 (*) ◀	► <b>M68</b> — ◀







▼ M2

(26)	(27)	(28)	(29)	(30)	(31)
▶ <u>M66</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M7</u> 0,05 (*) ◀	0,05 (*)	0,02 (*)	▶ <u>M52</u> — ◀
▶ <u>M66</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M7</u> 0,05 (*) ◀	0,05 (*)	0,02 (*)	▶ <u>M52</u> — ◀
▶ <u>M66</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M7</u> 0,05 (*) ◀	0,05 (*)	0,05 (*)	▶ <u>M52</u> — ◀
▶ <u>M66</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M7</u> 0,1 (*) ◀	0,05 (*)	0,05 (*)	▶ <u>M52</u> — ◀
▶ <u>M66</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M7</u> — ◀	0,05 (*)	0,05 (*)	▶ <u>M52</u> — ◀
▶ <u>M66</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M7</u> — ◀	0,05 (*)	0,05 (*)	▶ <u>M52</u> — ◀
▶ <u>M66</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M7</u> 2 ◀	0,05 (*)	0,05 (*)	▶ <u>M52</u> — ◀
▶ <u>M66</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M7</u> 0,1 (*) ◀	0,05 (*)	0,05 (*)	▶ <u>M52</u> — ◀
▶ <u>M66</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M7</u> 0,1 (*) ◀	0,05 (*)	0,05 (*)	▶ <u>M52</u> — ◀
▶ <u>M66</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M7</u> 0,1 (*) ◀	0,05 (*)	0,05 (*)	▶ <u>M52</u> — ◀
▶ <u>M66</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M7</u> 0,1 (*) ◀	0,05 (*)	0,05 (*)	▶ <u>M52</u> — ◀
▶ <u>M66</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M7</u> 0,1 (*) ◀	0,05 (*)	0,05 (*)	▶ <u>M52</u> — ◀
▶ <u>M66</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M7</u> 0,1 (*) ◀	0,05 (*)	0,05 (*)	▶ <u>M52</u> — ◀
▶ <u>M66</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M7</u> 0,1 (*) ◀	0,05 (*)	0,05 (*)	▶ <u>M52</u> — ◀
▶ <u>M66</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M7</u> 0,1 (*) ◀	0,05 (*)	0,05 (*)	▶ <u>M52</u> — ◀
▶ <u>M66</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M7</u> 0,1 (*) ◀	0,05 (*)	0,05 (*)	▶ <u>M52</u> — ◀
▶ <u>M66</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M7</u> 0,1 (*) ◀	0,05 (*)	0,05 (*)	▶ <u>M52</u> — ◀

▼ **M2**

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)
0633990	Others	▶ <b>M16</b> 0,05 (*) ◀	▶ <b>M20</b> 0,5 ◀	▶ <b>M58</b> — ◀	0,2 (*)	▶ <b>M38</b> 0,05 (*) ◀	▶ <b>M68</b> — ◀
0639000	(d) <i>Other herbal infusions</i>	▶ <b>M16</b> 0,05 (*) ◀	▶ <b>M20</b> 0,5 ◀	▶ <b>M58</b> — ◀	0,2 (*)	▶ <b>M38</b> 0,05 (*) ◀	▶ <b>M68</b> — ◀
0640000	(iv) <b>Cocoa (fermented beans)</b>	▶ <b>M16</b> 0,05 (*) ◀	▶ <b>M20</b> 0,1 (*) ◀	▶ <b>M58</b> — ◀	0,2 (*)	▶ <b>M38</b> 0,05 (*) ◀	▶ <b>M68</b> — ◀
0650000	(v) <b>Carob (st johns bread)</b>	▶ <b>M16</b> 0,05 (*) ◀	▶ <b>M20</b> 0,1 (*) ◀	▶ <b>M58</b> — ◀	0,2 (*)	▶ <b>M38</b> 0,05 (*) ◀	▶ <b>M68</b> — ◀
0800000	8. <b>SPICES</b>	▶ <b>M5</b> — ◀	▶ <b>M20</b> 0,5 ◀	▶ <b>M58</b> — ◀	0,2 (*)	▶ <b>M38</b> 0,05 (*) ◀	▶ <b>M68</b> — ◀
0810000	(i) <b>Seeds</b>	▶ <b>M16</b> 3 ◀	▶ <b>M20</b> 0,5 ◀	▶ <b>M58</b> — ◀	0,2 (*)	▶ <b>M38</b> 0,05 (*) ◀	▶ <b>M68</b> — ◀
0810010	Anise	▶ <b>M16</b> 3 ◀	▶ <b>M20</b> 0,5 ◀	▶ <b>M58</b> — ◀	0,2 (*)	▶ <b>M38</b> 0,05 (*) ◀	▶ <b>M68</b> — ◀
0810020	Black caraway	▶ <b>M16</b> 3 ◀	▶ <b>M20</b> 0,5 ◀	▶ <b>M58</b> — ◀	0,2 (*)	▶ <b>M38</b> 0,05 (*) ◀	▶ <b>M68</b> — ◀
0810030	Celery seed	▶ <b>M16</b> 3 ◀	▶ <b>M20</b> 0,5 ◀	▶ <b>M58</b> — ◀	0,2 (*)	▶ <b>M38</b> 0,05 (*) ◀	▶ <b>M68</b> — ◀
0810040	Coriander seed	▶ <b>M16</b> 3 ◀	▶ <b>M20</b> 0,5 ◀	▶ <b>M58</b> — ◀	0,2 (*)	▶ <b>M38</b> 0,05 (*) ◀	▶ <b>M68</b> — ◀
0810050	Cumin seed	▶ <b>M16</b> 3 ◀	▶ <b>M20</b> 0,5 ◀	▶ <b>M58</b> — ◀	0,2 (*)	▶ <b>M38</b> 0,05 (*) ◀	▶ <b>M68</b> — ◀
0810060	Dill seed	▶ <b>M16</b> 3 ◀	▶ <b>M20</b> 0,5 ◀	▶ <b>M58</b> — ◀	0,2 (*)	▶ <b>M38</b> 0,05 (*) ◀	▶ <b>M68</b> — ◀
0810070	Fennel seed	▶ <b>M16</b> 3 ◀	▶ <b>M20</b> 0,5 ◀	▶ <b>M58</b> — ◀	0,2 (*)	▶ <b>M38</b> 0,05 (*) ◀	▶ <b>M68</b> — ◀
0810080	Fenugreek	▶ <b>M16</b> 3 ◀	▶ <b>M20</b> 0,5 ◀	▶ <b>M58</b> — ◀	0,2 (*)	▶ <b>M38</b> 0,05 (*) ◀	▶ <b>M68</b> — ◀
0810090	Nutmeg	▶ <b>M16</b> 3 ◀	▶ <b>M20</b> 0,5 ◀	▶ <b>M58</b> — ◀	0,2 (*)	▶ <b>M38</b> 0,05 (*) ◀	▶ <b>M68</b> — ◀
0810990	Others	▶ <b>M16</b> 3 ◀	▶ <b>M20</b> 0,5 ◀	▶ <b>M58</b> — ◀	0,2 (*)	▶ <b>M38</b> 0,05 (*) ◀	▶ <b>M68</b> — ◀
0820000	(ii) <b>Fruits and berries</b>	▶ <b>M16</b> 5 ◀	▶ <b>M20</b> 0,5 ◀	▶ <b>M58</b> — ◀	0,2 (*)	▶ <b>M38</b> 0,05 (*) ◀	▶ <b>M68</b> — ◀
0820010	Allspice	▶ <b>M16</b> 5 ◀	▶ <b>M20</b> 0,5 ◀	▶ <b>M58</b> — ◀	0,2 (*)	▶ <b>M38</b> 0,05 (*) ◀	▶ <b>M68</b> — ◀
0820020	Anise pepper (Japan pepper)	▶ <b>M16</b> 5 ◀	▶ <b>M20</b> 0,5 ◀	▶ <b>M58</b> — ◀	0,2 (*)	▶ <b>M38</b> 0,05 (*) ◀	▶ <b>M68</b> — ◀
0820030	Caraway	▶ <b>M16</b> 5 ◀	▶ <b>M20</b> 0,5 ◀	▶ <b>M58</b> — ◀	0,2 (*)	▶ <b>M38</b> 0,05 (*) ◀	▶ <b>M68</b> — ◀
0820040	Cardamom	▶ <b>M16</b> 5 ◀	▶ <b>M20</b> 0,5 ◀	▶ <b>M58</b> — ◀	0,2 (*)	▶ <b>M38</b> 0,05 (*) ◀	▶ <b>M68</b> — ◀







▼ **M2**

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)
0820050	Juniper berries	▶ <b>M16</b> 5 ◀	▶ <b>M20</b> 0,5 ◀	▶ <b>M58</b> — ◀	0,2 (*)	▶ <b>M38</b> 0,05 (*) ◀	▶ <b>M68</b> — ◀
0820060	Pepper, black and white	▶ <b>M16</b> 5 ◀	▶ <b>M20</b> 0,5 ◀	▶ <b>M58</b> — ◀	0,2 (*)	▶ <b>M38</b> 0,05 (*) ◀	▶ <b>M68</b> — ◀
0820070	Vanilla pods	▶ <b>M16</b> 5 ◀	▶ <b>M20</b> 0,5 ◀	▶ <b>M58</b> — ◀	0,2 (*)	▶ <b>M38</b> 0,05 (*) ◀	▶ <b>M68</b> — ◀
0820080	Tamarind	▶ <b>M16</b> 5 ◀	▶ <b>M20</b> 0,5 ◀	▶ <b>M58</b> — ◀	0,2 (*)	▶ <b>M38</b> 0,05 (*) ◀	▶ <b>M68</b> — ◀
0820990	Others	▶ <b>M16</b> 5 ◀	▶ <b>M20</b> 0,5 ◀	▶ <b>M58</b> — ◀	0,2 (*)	▶ <b>M38</b> 0,05 (*) ◀	▶ <b>M68</b> — ◀
0830000	(iii) <b>Bark</b>	▶ <b>M16</b> 0,05 (*) ◀	▶ <b>M20</b> 0,5 ◀	▶ <b>M58</b> — ◀	0,2 (*)	▶ <b>M38</b> 0,05 (*) ◀	▶ <b>M68</b> — ◀
0830010	Cinnamon	▶ <b>M16</b> 0,05 (*) ◀	▶ <b>M20</b> 0,5 ◀	▶ <b>M58</b> — ◀	0,2 (*)	▶ <b>M38</b> 0,05 (*) ◀	▶ <b>M68</b> — ◀
0830990	Others	▶ <b>M16</b> 0,05 (*) ◀	▶ <b>M20</b> 0,5 ◀	▶ <b>M58</b> — ◀	0,2 (*)	▶ <b>M38</b> 0,05 (*) ◀	▶ <b>M68</b> — ◀
0840000	(iv) <b>Roots or rhizome</b>	▶ <b>M16</b> 0,3 ◀	▶ <b>M20</b> 0,5 ◀	▶ <b>M58</b> — ◀	0,2 (*)	▶ <b>M38</b> 0,05 (*) ◀	▶ <b>M68</b> — ◀
0840010	Liquorice	▶ <b>M16</b> 0,3 ◀	▶ <b>M20</b> 0,5 ◀	▶ <b>M58</b> — ◀	0,2 (*)	▶ <b>M38</b> 0,05 (*) ◀	▶ <b>M68</b> — ◀
0840020	Ginger	▶ <b>M16</b> 0,3 ◀	▶ <b>M20</b> 0,5 ◀	▶ <b>M58</b> — ◀	0,2 (*)	▶ <b>M38</b> 0,05 (*) ◀	▶ <b>M68</b> — ◀
0840030	Turmeric (Curcuma)	▶ <b>M16</b> 0,3 ◀	▶ <b>M20</b> 0,5 ◀	▶ <b>M58</b> — ◀	0,2 (*)	▶ <b>M38</b> 0,05 (*) ◀	▶ <b>M68</b> — ◀
0840040	Horseradish	▶ <b>M16</b> 0,3 ◀	▶ <b>M20</b> 0,5 ◀	▶ <b>M58</b> — ◀	0,2 (*)	▶ <b>M38</b> 0,05 (*) ◀	▶ <b>M68</b> — ◀
0840990	Others	▶ <b>M16</b> 0,3 ◀	▶ <b>M20</b> 0,5 ◀	▶ <b>M58</b> — ◀	0,2 (*)	▶ <b>M38</b> 0,05 (*) ◀	▶ <b>M68</b> — ◀
0850000	(v) <b>Buds</b>	▶ <b>M16</b> 0,05 (*) ◀	▶ <b>M20</b> 0,5 ◀	▶ <b>M58</b> — ◀	0,2 (*)	▶ <b>M38</b> 0,05 (*) ◀	▶ <b>M68</b> — ◀
0850010	Cloves	▶ <b>M16</b> 0,05 (*) ◀	▶ <b>M20</b> 0,5 ◀	▶ <b>M58</b> — ◀	0,2 (*)	▶ <b>M38</b> 0,05 (*) ◀	▶ <b>M68</b> — ◀
0850020	Capers	▶ <b>M16</b> 0,05 (*) ◀	▶ <b>M20</b> 0,5 ◀	▶ <b>M58</b> — ◀	0,2 (*)	▶ <b>M38</b> 0,05 (*) ◀	▶ <b>M68</b> — ◀
0850990	Others	▶ <b>M16</b> 0,05 (*) ◀	▶ <b>M20</b> 0,5 ◀	▶ <b>M58</b> — ◀	0,2 (*)	▶ <b>M38</b> 0,05 (*) ◀	▶ <b>M68</b> — ◀
0860000	(vi) <b>Flower stigma</b>	▶ <b>M16</b> 0,05 (*) ◀	▶ <b>M20</b> 0,5 ◀	▶ <b>M58</b> — ◀	0,2 (*)	▶ <b>M38</b> 0,05 (*) ◀	▶ <b>M68</b> — ◀
0860010	Saffron	▶ <b>M16</b> 0,05 (*) ◀	▶ <b>M20</b> 0,5 ◀	▶ <b>M58</b> — ◀	0,2 (*)	▶ <b>M38</b> 0,05 (*) ◀	▶ <b>M68</b> — ◀
0860990	Others	▶ <b>M16</b> 0,05 (*) ◀	▶ <b>M20</b> 0,5 ◀	▶ <b>M58</b> — ◀	0,2 (*)	▶ <b>M38</b> 0,05 (*) ◀	▶ <b>M68</b> — ◀
0870000	(vii) <b>Aril</b>	▶ <b>M16</b> 0,05 (*) ◀	▶ <b>M20</b> 0,5 ◀	▶ <b>M58</b> — ◀	0,2 (*)	▶ <b>M38</b> 0,05 (*) ◀	▶ <b>M68</b> — ◀
0870010	Mace	▶ <b>M16</b> 0,05 (*) ◀	▶ <b>M20</b> 0,5 ◀	▶ <b>M58</b> — ◀	0,2 (*)	▶ <b>M38</b> 0,05 (*) ◀	▶ <b>M68</b> — ◀









## ▼ M2

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)
0870990	Others	► <u>M16</u> 0,05 (*) ◄	► <u>M20</u> 0,5 ◄	► <u>M58</u> — ◄	0,2 (*)	► <u>M38</u> 0,05 (*) ◄	► <u>M68</u> — ◄
0900000	9. SUGAR PLANTS	► <u>M16</u> 0,01 (*) ◄		► <u>M58</u> — ◄	0,1 (*)	► <u>M38</u> 0,02 (*) ◄	► <u>M68</u> — ◄
0900010	Sugar beet (root)	► <u>M16</u> 0,01 (*) ◄	► <u>M20</u> 0,5 ◄	► <u>M58</u> — ◄	0,1 (*)	► <u>M38</u> 0,02 (*) ◄	► <u>M68</u> — ◄
0900020	Sugar cane	► <u>M16</u> 0,01 (*) ◄	► <u>M20</u> 0,05 (*) ◄	► <u>M58</u> — ◄	0,1 (*)	► <u>M38</u> 0,02 (*) ◄	► <u>M68</u> — ◄
0900030	Chicory roots	► <u>M16</u> 0,01 (*) ◄	► <u>M20</u> 0,05 (*) ◄	► <u>M58</u> — ◄	0,1 (*)	► <u>M38</u> 0,02 (*) ◄	► <u>M68</u> — ◄
0900990	Others	► <u>M16</u> 0,01 (*) ◄	► <u>M20</u> 0,05 (*) ◄	► <u>M58</u> — ◄	0,1 (*)	► <u>M38</u> 0,02 (*) ◄	► <u>M68</u> — ◄
1015000	(e) <i>Horses, asses, mules or hinnies</i>	► <u>M16</u> 0,01 (*) ◄	► <u>M20</u> 0,1 (*) ◄	► <u>M58</u> — ◄	0,02 (*)	► <u>M38</u> 0,01 (*) ◄	► <u>M68</u> — ◄
1015010	Meat	► <u>M16</u> 0,01 (*) ◄	► <u>M20</u> 0,1 (*) ◄	► <u>M58</u> — ◄	0,02 (*)	► <u>M38</u> 0,01 (*) ◄	► <u>M68</u> — ◄
1015020	Fat	► <u>M16</u> 0,01 (*) ◄	► <u>M20</u> 0,1 (*) ◄	► <u>M58</u> — ◄	0,02 (*)	► <u>M38</u> 0,01 (*) ◄	► <u>M68</u> — ◄
1015030	Liver	► <u>M16</u> 0,01 (*) ◄	► <u>M20</u> 0,1 (*) ◄	► <u>M58</u> — ◄	0,02 (*)	► <u>M38</u> 0,01 (*) ◄	► <u>M68</u> — ◄
1015040	Kidney	► <u>M16</u> 0,01 (*) ◄	► <u>M20</u> 0,1 (*) ◄	► <u>M58</u> — ◄	0,02 (*)	► <u>M38</u> 0,01 (*) ◄	► <u>M68</u> — ◄
1015050	Edible offal	► <u>M16</u> 0,01 (*) ◄	► <u>M20</u> 0,1 (*) ◄	► <u>M58</u> — ◄	0,02 (*)	► <u>M38</u> 0,01 (*) ◄	► <u>M68</u> — ◄
1015990	Others	► <u>M16</u> 0,01 (*) ◄	► <u>M20</u> 0,1 (*) ◄	► <u>M58</u> — ◄	0,02 (*)	► <u>M38</u> 0,01 (*) ◄	► <u>M68</u> — ◄
1017000	(g) <i>Other farm animals</i>	► <u>M16</u> 0,01 (*) ◄	► <u>M20</u> 0,1 (*) ◄	► <u>M58</u> — ◄	0,02 (*)	► <u>M38</u> 0,01 (*) ◄	► <u>M68</u> — ◄
1017010	Meat	► <u>M16</u> 0,01 (*) ◄	► <u>M20</u> 0,1 (*) ◄	► <u>M58</u> — ◄	0,02 (*)	► <u>M38</u> 0,01 (*) ◄	► <u>M68</u> — ◄
1017020	Fat	► <u>M16</u> 0,01 (*) ◄	► <u>M20</u> 0,1 (*) ◄	► <u>M58</u> — ◄	0,02 (*)	► <u>M38</u> 0,01 (*) ◄	► <u>M68</u> — ◄
1017030	Liver	► <u>M16</u> 0,01 (*) ◄	► <u>M20</u> 0,1 (*) ◄	► <u>M58</u> — ◄	0,02 (*)	► <u>M38</u> 0,01 (*) ◄	► <u>M68</u> — ◄
1017040	Kidney	► <u>M16</u> 0,01 (*) ◄	► <u>M20</u> 0,1 (*) ◄	► <u>M58</u> — ◄	0,02 (*)	► <u>M38</u> 0,01 (*) ◄	► <u>M68</u> — ◄
1017050	Edible offal	► <u>M16</u> 0,01 (*) ◄	► <u>M20</u> 0,1 (*) ◄	► <u>M58</u> — ◄	0,02 (*)	► <u>M38</u> 0,01 (*) ◄	► <u>M68</u> — ◄
1017990	Others	► <u>M16</u> 0,01 (*) ◄	► <u>M20</u> 0,1 (*) ◄	► <u>M58</u> — ◄	0,02 (*)	► <u>M38</u> 0,01 (*) ◄	► <u>M68</u> — ◄
1030020	Duck	► <u>M16</u> 0,01 (*) ◄	► <u>M20</u> 0,1 (*) ◄	► <u>M58</u> — ◄	0,02 (*)	► <u>M38</u> 0,01 (*) ◄	► <u>M68</u> — ◄
1030030	Goose	► <u>M16</u> 0,01 (*) ◄	► <u>M20</u> 0,1 (*) ◄	► <u>M58</u> — ◄	0,02 (*)	► <u>M38</u> 0,01 (*) ◄	► <u>M68</u> — ◄





▼ M2

(26)	(27)	(28)	(29)	(30)	(31)
▶ <u>M66</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M7</u> 0,1 (*) ◀	0,05 (*)	0,05 (*)	▶ <u>M52</u> — ◀
▶ <u>M66</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M7</u> 0,1 (*) ◀	0,02 (*)	0,02 (*)	▶ <u>M52</u> — ◀
▶ <u>M66</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M7</u> 0,05 (*) ◀	0,02 (*)	0,02 (*)	▶ <u>M52</u> — ◀
▶ <u>M66</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M7</u> 0,05 (*) ◀	0,02 (*)	0,02 (*)	▶ <u>M52</u> — ◀
▶ <u>M66</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M7</u> 0,05 (*) ◀	0,02 (*)	0,02 (*)	▶ <u>M52</u> — ◀
▶ <u>M66</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M7</u> 0,05 (*) ◀	0,02 (*)	0,02 (*)	▶ <u>M52</u> — ◀
▶ <u>M66</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M7</u> ▶ <u>C5</u> — ◀ ◀			▶ <u>M52</u> — ◀
▶ <u>M66</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M7</u> 0,05 (*) ◀			▶ <u>M52</u> — ◀
▶ <u>M66</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M7</u> 0,05 (*) ◀			▶ <u>M52</u> — ◀
▶ <u>M66</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M7</u> 0,05 (*) ◀			▶ <u>M52</u> — ◀
▶ <u>M66</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M7</u> ▶ <u>C5</u> 0,5 ◀ ◀			▶ <u>M52</u> — ◀
▶ <u>M66</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M7</u> 0,05 (*) ◀			▶ <u>M52</u> — ◀
▶ <u>M66</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M7</u> 0,05 (*) ◀			▶ <u>M52</u> — ◀
▶ <u>M66</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M7</u> 0,05 (*) ◀			▶ <u>M52</u> — ◀
▶ <u>M66</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M7</u> 0,05 (*) ◀			▶ <u>M52</u> — ◀
▶ <u>M66</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M7</u> 0,05 (*) ◀			▶ <u>M52</u> — ◀
▶ <u>M66</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M7</u> 0,05 (*) ◀			▶ <u>M52</u> — ◀
▶ <u>M66</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M7</u> 0,05 (*) ◀			▶ <u>M52</u> — ◀
▶ <u>M66</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M7</u> 0,05 (*) ◀			▶ <u>M52</u> — ◀
▶ <u>M66</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M7</u> 0,05 (*) ◀			▶ <u>M52</u> — ◀
▶ <u>M66</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M7</u> 0,05 (*) ◀			▶ <u>M52</u> — ◀

▼ M2

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)
1030040	Quail	▶ <u>M16</u> 0,01 (*) ◀	▶ <u>M20</u> 0,1 (*) ◀	▶ <u>M58</u> — ◀	0,02 (*)	▶ <u>M38</u> 0,01 (*) ◀	▶ <u>M68</u> — ◀
1030990	Others	▶ <u>M16</u> 0,01 (*) ◀	▶ <u>M20</u> 0,1 (*) ◀	▶ <u>M58</u> — ◀	0,02 (*)	▶ <u>M38</u> 0,01 (*) ◀	▶ <u>M68</u> — ◀
1040000	(iv) Honey	▶ <u>M16</u> 0,01 (*) ◀	▶ <u>M20</u> 0,1 (*) ◀	▶ <u>M58</u> — ◀		▶ <u>M38</u> 0,05 (*) ◀	▶ <u>M68</u> — ◀
1050000	(v) Amphibians and reptiles	▶ <u>M16</u> 0,01 (*) ◀	▶ <u>M20</u> 0,1 (*) ◀	▶ <u>M58</u> — ◀		▶ <u>M38</u> 0,01 (*) ◀	▶ <u>M68</u> — ◀
1060000	(vi) Snails	▶ <u>M16</u> 0,01 (*) ◀	▶ <u>M20</u> 0,1 (*) ◀	▶ <u>M58</u> — ◀		▶ <u>M38</u> 0,01 (*) ◀	▶ <u>M68</u> — ◀
1070000	(vii) Other terrestrial animal products	▶ <u>M16</u> 0,01 (*) ◀	▶ <u>M20</u> 0,1 (*) ◀	▶ <u>M58</u> — ◀		▶ <u>M38</u> 0,01 (*) ◀	▶ <u>M68</u> — ◀

▼ M2

(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
▶ <u>M70</u> 0,01 (*) ◀	▶ <u>M21</u> — ◀	▶ <u>M53</u> 0,02 (*) ◀	▶ <u>M8</u> 0,05 (*) ◀		▶ <u>M70</u> 0,05 (*) ◀	▶ <u>M32</u> 0,01 (*) ◀	0,01 (*)
▶ <u>M70</u> 0,01 (*) ◀	▶ <u>M21</u> — ◀	▶ <u>M53</u> 0,02 (*) ◀	▶ <u>M8</u> 0,05 (*) ◀		▶ <u>M70</u> 0,05 (*) ◀	▶ <u>M32</u> 0,01 (*) ◀	0,01 (*)
▶ <u>M70</u> 0,05 (*) ◀	▶ <u>M21</u> — ◀	▶ <u>M53</u> 0,05 (*) ◀	▶ <u>M8</u> 0,05 (*) ◀		▶ <u>M70</u> 0,05 (*) ◀	▶ <u>M32</u> 0,01 (*) ◀	
▶ <u>M70</u> 0,01 (*) ◀	▶ <u>M21</u> — ◀	▶ <u>M53</u> 0,02 (*) ◀			▶ <u>M70</u> 0,05 (*) ◀	▶ <u>M32</u> 0,01 (*) ◀	
▶ <u>M70</u> 0,01 (*) ◀	▶ <u>M21</u> — ◀	▶ <u>M53</u> 0,02 (*) ◀			▶ <u>M70</u> 0,05 (*) ◀	▶ <u>M32</u> 0,01 (*) ◀	
▶ <u>M70</u> 0,01 (*) ◀	▶ <u>M21</u> — ◀	▶ <u>M53</u> 0,02 (*) ◀			▶ <u>M70</u> 0,05 (*) ◀	▶ <u>M32</u> 0,01 (*) ◀	

▼ M2

(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)
▶ <u>M16</u> 0,01 (*) ◀	0,05 (*)	0,05 (*)	▶ <u>M50</u> — ◀	▶ <u>M50</u> — ◀	▶ <u>M52</u> — ◀	▶ <u>M46</u> — ◀	0,05 (*)	▶ <u>M67</u> — ◀
▶ <u>M16</u> 0,01 (*) ◀	0,05 (*)	0,05 (*)	▶ <u>M50</u> — ◀	▶ <u>M50</u> — ◀	▶ <u>M52</u> — ◀	▶ <u>M46</u> — ◀	0,05 (*)	▶ <u>M67</u> — ◀
▶ <u>M16</u> 0,01 (*) ◀			▶ <u>M50</u> — ◀	▶ <u>M50</u> — ◀	▶ <u>M52</u> — ◀	▶ <u>M46</u> — ◀		▶ <u>M67</u> — ◀
▶ <u>M16</u> 0,01 (*) ◀			▶ <u>M50</u> — ◀	▶ <u>M50</u> — ◀	▶ <u>M52</u> — ◀	▶ <u>M46</u> — ◀		▶ <u>M67</u> — ◀
▶ <u>M16</u> 0,01 (*) ◀			▶ <u>M50</u> — ◀	▶ <u>M50</u> — ◀	▶ <u>M52</u> — ◀	▶ <u>M46</u> — ◀		▶ <u>M67</u> — ◀
▶ <u>M16</u> 0,01 (*) ◀			▶ <u>M50</u> — ◀	▶ <u>M50</u> — ◀	▶ <u>M52</u> — ◀	▶ <u>M46</u> — ◀		▶ <u>M67</u> — ◀



▼ M2

(26)	(27)	(28)	(29)	(30)	(31)
▶ <u>M66</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M7</u> 0,05 (*) ◀			▶ <u>M52</u> — ◀
▶ <u>M66</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M7</u> 0,05 (*) ◀			▶ <u>M52</u> — ◀
▶ <u>M66</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M7</u> 0,05 (*) ◀			▶ <u>M52</u> — ◀
▶ <u>M66</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M7</u> 0,05 (*) ◀			▶ <u>M52</u> — ◀
▶ <u>M66</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M7</u> 0,05 (*) ◀			▶ <u>M52</u> — ◀
▶ <u>M66</u> — ◀	▶ <u>M66</u> — ◀	▶ <u>M7</u> 0,05 (*) ◀			▶ <u>M52</u> — ◀

▼ M2

Pesticide residues and maximum residue levels (mg/kg)

Code number	Groups and examples of individual products to which the MRLs apply <sup>(4)</sup>	Formothion	Fosfiazate	▼ — ▶ <u>M32</u>	▶ <u>M38</u> Glyphosate ▼	Heptachlor (sum of heptachlor and heptachlor epoxide expressed as heptachlor) <sup>(1)</sup>	Hexachlorobenzene <sup>(1)</sup>	Hexachlorocyclohexane (HCH), alpha-isomer <sup>(1)</sup>
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)
0130040	Medlar	0,02 (*)	0,02 (*)	▶ <u>M32</u> — ◀	▶ <u>M38</u> 0,1 (*) ◀	0,01 (*)	0,01 (*)	
0130050	Loquat	0,02 (*)	0,02 (*)	▶ <u>M32</u> — ◀	▶ <u>M38</u> 0,1 (*) ◀	0,01 (*)	0,01 (*)	
0154050	Rose hips	0,02 (*)	0,02 (*)	▶ <u>M32</u> — ◀	▶ <u>M38</u> 0,1 (*) ◀	0,01 (*)	0,01 (*)	
0154060	Mulberries	0,02 (*)	0,02 (*)	▶ <u>M32</u> — ◀	▶ <u>M38</u> 0,1 (*) ◀	0,01 (*)	0,01 (*)	
0154070	Azarole (mediteranean medlar)	0,02 (*)	0,02 (*)	▶ <u>M32</u> — ◀	▶ <u>M38</u> 0,1 (*) ◀	0,01 (*)	0,01 (*)	
0154080	Elderberries	0,02 (*)	0,02 (*)	▶ <u>M32</u> — ◀	▶ <u>M38</u> 0,1 (*) ◀	0,01 (*)	0,01 (*)	
0161050	Carambola	0,02 (*)	0,02 (*)	▶ <u>M32</u> — ◀	▶ <u>M38</u> 0,1 (*) ◀	0,01 (*)	0,01 (*)	
0161060	Persimmon	0,02 (*)	0,02 (*)	▶ <u>M32</u> — ◀	▶ <u>M38</u> 0,1 (*) ◀	0,01 (*)	0,01 (*)	
0161070	Jambolan (java plum)	0,02 (*)	0,02 (*)	▶ <u>M32</u> — ◀	▶ <u>M38</u> 0,1 (*) ◀	0,01 (*)	0,01 (*)	
0162040	Prickly pear (cactus fruit)	0,02 (*)	0,02 (*)	▶ <u>M32</u> — ◀	▶ <u>M38</u> 0,1 (*) ◀	0,01 (*)	0,01 (*)	
0162050	Star apple	0,02 (*)	0,02 (*)	▶ <u>M32</u> — ◀	▶ <u>M38</u> 0,1 (*) ◀	0,01 (*)	0,01 (*)	
0162060	American persimmon (Virginia kaki)	0,02 (*)	0,02 (*)	▶ <u>M32</u> — ◀	▶ <u>M38</u> 0,1 (*) ◀	0,01 (*)	0,01 (*)	
0163060	Cherimoya	0,02 (*)	0,02 (*)	▶ <u>M32</u> — ◀	▶ <u>M38</u> 0,1 (*) ◀	0,01	0,01 (*)	

▼ M2

Hexachlorocyclohexane (HCH), beta-isomer (L)	Hexachlorocyclohexane (HCH), sum of isomers, except the gamma isomer	▼ <u>M32</u>	Hydrogen cyanide (cyanides expressed as hydrogen cyanide)	Hydrogen phosphide (phosphides expressed as hydrogen phosphide)	▼ <u>M13</u> Imazalil	▼ <u>M68</u>	▼ <u>M52</u>	▼ <u>M40</u>
(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)
	0,01 (*)	▶ <u>M32</u> — ◀			▶ <u>M13</u> 5 ◀	▶ <u>M68</u> — ◀	▶ <u>M52</u> — ◀	▶ <u>M40</u> — ◀
	0,01 (*)	▶ <u>M32</u> — ◀			▶ <u>M13</u> 5 ◀	▶ <u>M68</u> — ◀	▶ <u>M52</u> — ◀	▶ <u>M40</u> — ◀
	0,01 (*)	▶ <u>M32</u> — ◀			▶ <u>M13</u> 0,05 (*) ◀	▶ <u>M68</u> — ◀	▶ <u>M52</u> — ◀	▶ <u>M40</u> — ◀
	0,01 (*)	▶ <u>M32</u> — ◀			▶ <u>M13</u> 0,05 (*) ◀	▶ <u>M68</u> — ◀	▶ <u>M52</u> — ◀	▶ <u>M40</u> — ◀
	0,01 (*)	▶ <u>M32</u> — ◀			▶ <u>M13</u> 0,05 (*) ◀	▶ <u>M68</u> — ◀	▶ <u>M52</u> — ◀	▶ <u>M40</u> — ◀
	0,01 (*)	▶ <u>M32</u> — ◀			▶ <u>M13</u> 0,05 (*) ◀	▶ <u>M68</u> — ◀	▶ <u>M52</u> — ◀	▶ <u>M40</u> — ◀
	0,01 (*)	▶ <u>M32</u> — ◀			▶ <u>M13</u> 0,05 (*) ◀	▶ <u>M68</u> — ◀	▶ <u>M52</u> — ◀	▶ <u>M40</u> — ◀
	0,01 (*)	▶ <u>M32</u> — ◀			▶ <u>M13</u> 0,05 (*) ◀	▶ <u>M68</u> — ◀	▶ <u>M52</u> — ◀	▶ <u>M40</u> — ◀
	0,01 (*)	▶ <u>M32</u> — ◀			▶ <u>M13</u> 0,05 (*) ◀	▶ <u>M68</u> — ◀	▶ <u>M52</u> — ◀	▶ <u>M40</u> — ◀
	0,01 (*)	▶ <u>M32</u> — ◀			▶ <u>M13</u> 0,05 (*) ◀	▶ <u>M68</u> — ◀	▶ <u>M52</u> — ◀	▶ <u>M40</u> — ◀
	0,01 (*)	▶ <u>M32</u> — ◀			▶ <u>M13</u> 0,05 (*) ◀	▶ <u>M68</u> — ◀	▶ <u>M52</u> — ◀	▶ <u>M40</u> — ◀
	0,01 (*)	▶ <u>M32</u> — ◀			▶ <u>M13</u> 0,05 (*) ◀	▶ <u>M68</u> — ◀	▶ <u>M52</u> — ◀	▶ <u>M40</u> — ◀
	0,01 (*)	▶ <u>M32</u> — ◀			▶ <u>M13</u> 0,05 (*) ◀	▶ <u>M68</u> — ◀	▶ <u>M52</u> — ◀	▶ <u>M40</u> — ◀
	0,01 (*)	▶ <u>M32</u> — ◀			▶ <u>M13</u> 0,05 (*) ◀	▶ <u>M68</u> — ◀	▶ <u>M52</u> — ◀	▶ <u>M40</u> — ◀

▼ M2

▼ <u>M52</u> ▲	▼ <u>M42</u> ▲	▼ <u>M71</u> ▲	▼ <u>M42</u> ▲	▼ <u>M51</u> ▲	▼ <u>M59</u> ▲	▼ <u>M54</u> Kresoxim-methyl (L) (8) ▲	▼ <u>M43</u> Lambda-Cyhalothrin (L) (8) ▲
(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)
▶ <u>M52</u> — ◀	▶ <u>M42</u> — ◀	▶ <u>M71</u> — ◀	▶ <u>M42</u> — ◀	▶ <u>M51</u> — ◀	▶ <u>M59</u> — ◀	▶ <u>M54</u> 0,2 ◀	▶ <u>M43</u> 0,1 ◀
▶ <u>M52</u> — ◀	▶ <u>M42</u> — ◀	▶ <u>M71</u> — ◀	▶ <u>M42</u> — ◀	▶ <u>M51</u> — ◀	▶ <u>M59</u> — ◀	▶ <u>M54</u> 0,2 ◀	▶ <u>M43</u> 0,1 ◀
▶ <u>M52</u> — ◀	▶ <u>M42</u> — ◀	▶ <u>M71</u> — ◀	▶ <u>M42</u> — ◀	▶ <u>M51</u> — ◀	▶ <u>M59</u> — ◀	▶ <u>M54</u> 0,05 (*) ◀	▶ <u>M43</u> 0,2 ◀
▶ <u>M52</u> — ◀	▶ <u>M42</u> — ◀	▶ <u>M71</u> — ◀	▶ <u>M42</u> — ◀	▶ <u>M51</u> — ◀	▶ <u>M59</u> — ◀	▶ <u>M54</u> 0,05 (*) ◀	▶ <u>M43</u> 0,2 ◀
▶ <u>M52</u> — ◀	▶ <u>M42</u> — ◀	▶ <u>M71</u> — ◀	▶ <u>M42</u> — ◀	▶ <u>M51</u> — ◀	▶ <u>M59</u> — ◀	▶ <u>M54</u> 0,9 ◀	▶ <u>M43</u> 0,2 ◀
▶ <u>M52</u> — ◀	▶ <u>M42</u> — ◀	▶ <u>M71</u> — ◀	▶ <u>M42</u> — ◀	▶ <u>M51</u> — ◀	▶ <u>M59</u> — ◀	▶ <u>M54</u> 0,05 (*) ◀	▶ <u>M43</u> 0,2 ◀
▶ <u>M52</u> — ◀	▶ <u>M42</u> — ◀	▶ <u>M71</u> — ◀	▶ <u>M42</u> — ◀	▶ <u>M51</u> — ◀	▶ <u>M59</u> — ◀	▶ <u>M54</u> 0,05 (*) ◀	▶ <u>M43</u> 0,02 (*) ◀
▶ <u>M52</u> — ◀	▶ <u>M42</u> — ◀	▶ <u>M71</u> — ◀	▶ <u>M42</u> — ◀	▶ <u>M51</u> — ◀	▶ <u>M59</u> — ◀	▶ <u>M54</u> 0,05 (*) ◀	▶ <u>M43</u> 0,09 ◀
▶ <u>M52</u> — ◀	▶ <u>M42</u> — ◀	▶ <u>M71</u> — ◀	▶ <u>M42</u> — ◀	▶ <u>M51</u> — ◀	▶ <u>M59</u> — ◀	▶ <u>M54</u> 0,05 (*) ◀	▶ <u>M43</u> 0,02 (*) ◀
▶ <u>M52</u> — ◀	▶ <u>M42</u> — ◀	▶ <u>M71</u> — ◀	▶ <u>M42</u> — ◀	▶ <u>M51</u> — ◀	▶ <u>M59</u> — ◀	▶ <u>M54</u> 0,05 (*) ◀	▶ <u>M43</u> 0,02 (*) ◀
▶ <u>M52</u> — ◀	▶ <u>M42</u> — ◀	▶ <u>M71</u> — ◀	▶ <u>M42</u> — ◀	▶ <u>M51</u> — ◀	▶ <u>M59</u> — ◀	▶ <u>M54</u> 0,05 (*) ◀	▶ <u>M43</u> 0,02 (*) ◀
▶ <u>M52</u> — ◀	▶ <u>M42</u> — ◀	▶ <u>M71</u> — ◀	▶ <u>M42</u> — ◀	▶ <u>M51</u> — ◀	▶ <u>M59</u> — ◀	▶ <u>M54</u> 0,05 (*) ◀	▶ <u>M43</u> 0,02 (*) ◀
▶ <u>M52</u> — ◀	▶ <u>M42</u> — ◀	▶ <u>M71</u> — ◀	▶ <u>M42</u> — ◀	▶ <u>M51</u> — ◀	▶ <u>M59</u> — ◀	▶ <u>M54</u> 0,05 (*) ◀	▶ <u>M43</u> 0,02 (*) ◀

▼ M2

Lindane (Gamma-isomer of hexachlorocyclohexane (HCH)) <sup>(1)</sup>	Linuron	▼ <u>M5</u> — ▼	▼ <u>M42</u> — ▼	▼ <u>M56</u> MCPA and MCPB (MCPA, MCPB including their salts, esters and conjugates expressed as MCPA) <sup>(1)</sup> <sup>(8)</sup> ▼
(27)	(28)	▶ <u>M5</u> — ◀	(30)	(31)
0,01 (*)	0,05 (*)		▶ <u>M42</u> — ◀	▶ <u>M56</u> 0,05 (*) ◀
0,01 (*)	0,05 (*)		▶ <u>M42</u> — ◀	▶ <u>M56</u> 0,05 (*) ◀
0,01 (*)	0,05 (*)		▶ <u>M42</u> — ◀	▶ <u>M56</u> 0,05 (*) ◀
0,01 (*)	0,05 (*)		▶ <u>M42</u> — ◀	▶ <u>M56</u> 0,05 (*) ◀
0,01 (*)	0,05 (*)		▶ <u>M42</u> — ◀	▶ <u>M56</u> 0,05 (*) ◀
0,01 (*)	0,05 (*)		▶ <u>M42</u> — ◀	▶ <u>M56</u> 0,05 (*) ◀
0,01 (*)	0,05 (*)		▶ <u>M42</u> — ◀	▶ <u>M56</u> 0,05 (*) ◀
0,01 (*)	0,05 (*)		▶ <u>M42</u> — ◀	▶ <u>M56</u> 0,05 (*) ◀
0,01 (*)	0,05 (*)		▶ <u>M42</u> — ◀	▶ <u>M56</u> 0,05 (*) ◀
0,01 (*)	0,05 (*)		▶ <u>M42</u> — ◀	▶ <u>M56</u> 0,05 (*) ◀
0,01 (*)	0,05 (*)		▶ <u>M42</u> — ◀	▶ <u>M56</u> 0,05 (*) ◀
0,01 (*)	0,05 (*)		▶ <u>M42</u> — ◀	▶ <u>M56</u> 0,05 (*) ◀

## ▼ M2

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)
0163070	Guava	0,02 (*)	0,02 (*)	► <u>M32</u> — ◄	► <u>M38</u> 0,1 (*) ◄	0,01	0,01 (*)	
0163090	Bread fruit	0,02 (*)	0,02 (*)	► <u>M32</u> — ◄	► <u>M38</u> 0,1 (*) ◄	0,01	0,01 (*)	
0163100	Durian	0,02 (*)	0,02 (*)	► <u>M32</u> — ◄	► <u>M38</u> 0,1 (*) ◄	0,01	0,01 (*)	
0163110	Soursop (guanabana)	0,02 (*)	0,02 (*)	► <u>M32</u> — ◄	► <u>M38</u> 0,1 (*) ◄	0,01	0,01 (*)	
0212040	Arrowroot	0,02 (*)	0,02 (*)	► <u>M32</u> — ◄	► <u>M38</u> 0,1 (*) ◄	0,01 (*)	0,01 (*)	
0251050	Land cress	0,02 (*)	0,02 (*)	► <u>M32</u> — ◄	► <u>M38</u> 0,1 (*) ◄	0,01 (*)	0,01 (*)	
0251070	Red mustard	0,02 (*)	0,02 (*)	► <u>M32</u> — ◄	► <u>M38</u> 0,1 (*) ◄	0,01 (*)	0,01 (*)	
0252020	Purslane	0,02 (*)	0,02 (*)	► <u>M32</u> — ◄	► <u>M38</u> 0,1 (*) ◄	0,01 (*)	0,01 (*)	
0253000	(c) <i>Vine leaves</i> ( <i>grape leaves</i> )	0,02 (*)	0,02 (*)	► <u>M32</u> — ◄	► <u>M38</u> 0,1 (*) ◄	0,01 (*)	0,01 (*)	
0256050	Sage	0,02 (*)	0,02 (*)	► <u>M32</u> — ◄	► <u>M38</u> 0,1 (*) ◄	0,01 (*)	0,01 (*)	
0256060	Rosemary	0,02 (*)	0,02 (*)	► <u>M32</u> — ◄	► <u>M38</u> 0,1 (*) ◄	0,01 (*)	0,01 (*)	
0256070	Thyme	0,02 (*)	0,02 (*)	► <u>M32</u> — ◄	► <u>M38</u> 0,1 (*) ◄	0,01 (*)	0,01 (*)	
0256080	Basil	0,02 (*)	0,02 (*)	► <u>M32</u> — ◄	► <u>M38</u> 0,1 (*) ◄	0,01 (*)	0,01 (*)	
0256090	Bay leaves (laurel)	0,02 (*)	0,02 (*)	► <u>M32</u> — ◄	► <u>M38</u> 0,1 (*) ◄	0,01 (*)	0,01 (*)	
0256100	Tarragon	0,02 (*)	0,02 (*)	► <u>M32</u> — ◄	► <u>M38</u> 0,1 (*) ◄	0,01 (*)	0,01 (*)	
0270080	Bamboo shoots	0,02 (*)	0,02 (*)	► <u>M32</u> — ◄	► <u>M38</u> 0,1 (*) ◄	0,01 (*)	0,01 (*)	
0270090	Palm hearts	0,02 (*)	0,02 (*)	► <u>M32</u> — ◄	► <u>M38</u> 0,1 (*) ◄	0,01 (*)	0,01 (*)	
0290000	(ix) <b>Sea weeds</b>			► <u>M32</u> — ◄				
0401110	Safflower	0,05 (*)	0,05 (*)	► <u>M32</u> — ◄	► <u>M38</u> 0,1 (*) ◄	0,01 (*)	0,02	
0401120	Borage	0,05 (*)	0,05 (*)	► <u>M32</u> — ◄	► <u>M38</u> 0,1 ◄	0,01 (*)	0,02	
0401130	Gold of pleasure	0,05 (*)	0,05 (*)	► <u>M32</u> — ◄	► <u>M38</u> 0,1 ◄	0,01 (*)	0,02	
0401150	Castor bean	0,05 (*)	0,05 (*)	► <u>M32</u> — ◄	► <u>M38</u> 0,1 ◄	0,01 (*)	0,02	
0402020	Palm nuts (palmoil kernels)	0,05 (*)	0,05 (*)	► <u>M32</u> — ◄	► <u>M38</u> 0,1 ◄	0,01 (*)	0,01 (*)	







▼ M2

(27)	(28)	► <u>M5</u> — ◀	(30)	(31)
0,01 (*)	0,05 (*)		► <u>M42</u> — ◀	► <u>M56</u> 0,05 (*) ◀
0,01 (*)	0,05 (*)		► <u>M42</u> — ◀	► <u>M56</u> 0,05 (*) ◀
0,01 (*)	0,05 (*)		► <u>M42</u> — ◀	► <u>M56</u> 0,05 (*) ◀
0,01 (*)	0,05 (*)		► <u>M42</u> — ◀	► <u>M56</u> 0,05 (*) ◀
0,01 (*)	0,05 (*)		► <u>M42</u> — ◀	► <u>M56</u> 0,05 (*) ◀
0,01 (*)	0,05 (*)		► <u>M42</u> — ◀	► <u>M56</u> 0,05 (*) ◀
0,01 (*)	0,05 (*)		► <u>M42</u> — ◀	► <u>M56</u> 0,05 (*) ◀
0,01 (*)	0,05 (*)		► <u>M42</u> — ◀	► <u>M56</u> 0,05 (*) ◀
0,01 (*)	0,05 (*)		► <u>M42</u> — ◀	► <u>M56</u> 0,05 (*) ◀
0,01 (*)	0,05 (*)		► <u>M42</u> — ◀	► <u>M56</u> 0,05 (*) ◀
0,01 (*)	1		► <u>M42</u> — ◀	► <u>M56</u> 0,05 (*) ◀
0,01 (*)	1		► <u>M42</u> — ◀	► <u>M56</u> 0,05 (*) ◀
0,01 (*)	1		► <u>M42</u> — ◀	► <u>M56</u> 0,05 (*) ◀
0,01 (*)	1		► <u>M42</u> — ◀	► <u>M56</u> 0,05 (*) ◀
0,01 (*)	1		► <u>M42</u> — ◀	► <u>M56</u> 0,05 (*) ◀
0,01 (*)	1		► <u>M42</u> — ◀	► <u>M56</u> 0,05 (*) ◀
0,01 (*)	0,05 (*)		► <u>M42</u> — ◀	► <u>M56</u> 0,05 (*) ◀
0,01 (*)	0,05 (*)		► <u>M42</u> — ◀	► <u>M56</u> 0,05 (*) ◀
0,01 (*)	0,1 (*)		► <u>M42</u> — ◀	► <u>M56</u> 0,1 (*) ◀
0,01 (*)	0,1 (*)		► <u>M42</u> — ◀	► <u>M56</u> 0,1 (*) ◀
0,01 (*)	0,1 (*)		► <u>M42</u> — ◀	► <u>M56</u> 0,1 (*) ◀
0,01 (*)	0,1 (*)		► <u>M42</u> — ◀	► <u>M56</u> 0,1 (*) ◀
0,01 (*)	0,1 (*)		► <u>M42</u> — ◀	► <u>M56</u> 0,1 (*) ◀

## ▼ M2

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)
0402030	Palmfruit	0,05 (*)	0,05 (*)	► <u>M32</u> — ◄	► <u>M38</u> 0,1 ◄	0,01 (*)	0,01 (*)	
0402040	Kapok	0,05 (*)	0,05 (*)	► <u>M32</u> — ◄	► <u>M38</u> 0,1 ◄	0,01 (*)	0,01 (*)	
0620000	(ii) <b>Coffee beans</b>	0,05 (*)	0,05 (*)	► <u>M32</u> — ◄	► <u>M38</u> 0,1 ◄	0,02 (*)	0,02 (*)	
0630000	(iii) <b>Herbal infusions (dried)</b>	0,05 (*)	0,05 (*)	► <u>M32</u> — ◄	► <u>M38</u> 2 (*) ◄		0,02 (*)	
0631000	(a) <i>Flowers</i>	0,05 (*)	0,05 (*)	► <u>M32</u> — ◄	► <u>M38</u> 2 (*) ◄	0,1	0,02 (*)	
0631010	Camomille flowers	0,05 (*)	0,05 (*)	► <u>M32</u> — ◄	► <u>M38</u> 2 (*) ◄	0,1	0,02 (*)	
0631020	Hybiscus flowers	0,05 (*)	0,05 (*)	► <u>M32</u> — ◄	► <u>M38</u> 2 (*) ◄	0,1	0,02 (*)	
0631030	Rose petals	0,05 (*)	0,05 (*)	► <u>M32</u> — ◄	► <u>M38</u> 2 (*) ◄	0,1	0,02 (*)	
0631040	Jasmine flowers	0,05 (*)	0,05 (*)	► <u>M32</u> — ◄	► <u>M38</u> 2 (*) ◄	0,1	0,02 (*)	
0631050	Lime (linden)	0,05 (*)	0,05 (*)	► <u>M32</u> — ◄	► <u>M38</u> 2 (*) ◄	0,1	0,02 (*)	
0631990	Others	0,05 (*)	0,05 (*)	► <u>M32</u> — ◄	► <u>M38</u> 2 (*) ◄	0,1	0,02 (*)	
0632000	(b) <i>Leaves</i>	0,05 (*)	0,05 (*)	► <u>M32</u> — ◄	► <u>M38</u> 2 (*) ◄	0,1	0,02 (*)	
0632010	Strawberry leaves	0,05 (*)	0,05 (*)	► <u>M32</u> — ◄	► <u>M38</u> 2 (*) ◄	0,1	0,02 (*)	
0632020	Rooibos leaves	0,05 (*)	0,05 (*)	► <u>M32</u> — ◄	► <u>M38</u> 2 (*) ◄	0,1	0,02 (*)	
0632030	Maté	0,05 (*)	0,05 (*)	► <u>M32</u> — ◄	► <u>M38</u> 2 (*) ◄	0,1	0,02 (*)	
0632990	Others	0,05 (*)	0,05 (*)	► <u>M32</u> — ◄	► <u>M38</u> 2 (*) ◄	0,1	0,02 (*)	
0633000	(c) <i>Roots</i>	0,05 (*)	0,05 (*)	► <u>M32</u> — ◄	► <u>M38</u> 2 (*) ◄	0,1	0,02 (*)	
0633010	Valerian root	0,05 (*)	0,05 (*)	► <u>M32</u> — ◄	► <u>M38</u> 2 (*) ◄	0,1	0,02 (*)	
0633020	Ginseng root	0,05 (*)	0,05 (*)	► <u>M32</u> — ◄	► <u>M38</u> 2 (*) ◄	0,1	0,02 (*)	

▼ M2

(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)
	0,01 (*)	▶ <u>M32</u> — ◀			▶ <u>M13</u> 0,05 (*) ◀	▶ <u>M68</u> — ◀	▶ <u>M52</u> — ◀	▶ <u>M40</u> — ◀
	0,01 (*)	▶ <u>M32</u> — ◀			▶ <u>M13</u> 0,05 (*) ◀	▶ <u>M68</u> — ◀	▶ <u>M52</u> — ◀	▶ <u>M40</u> — ◀
	0,02 (*)	▶ <u>M32</u> — ◀			▶ <u>M13</u> 0,05 (*) ◀	▶ <u>M68</u> — ◀	▶ <u>M52</u> — ◀	▶ <u>M40</u> — ◀
	0,02 (*)	▶ <u>M32</u> — ◀			▶ <u>M13</u> 0,1 (*) ◀	▶ <u>M68</u> — ◀	▶ <u>M52</u> — ◀	▶ <u>M40</u> — ◀
	0,02 (*)	▶ <u>M32</u> — ◀			▶ <u>M13</u> 0,1 (*) ◀	▶ <u>M68</u> — ◀	▶ <u>M52</u> — ◀	▶ <u>M40</u> — ◀
	0,02 (*)	▶ <u>M32</u> — ◀			▶ <u>M13</u> 0,1 (*) ◀	▶ <u>M68</u> — ◀	▶ <u>M52</u> — ◀	▶ <u>M40</u> — ◀
	0,02 (*)	▶ <u>M32</u> — ◀			▶ <u>M13</u> 0,1 (*) ◀	▶ <u>M68</u> — ◀	▶ <u>M52</u> — ◀	▶ <u>M40</u> — ◀
	0,02 (*)	▶ <u>M32</u> — ◀			▶ <u>M13</u> 0,1 (*) ◀	▶ <u>M68</u> — ◀	▶ <u>M52</u> — ◀	▶ <u>M40</u> — ◀
	0,02 (*)	▶ <u>M32</u> — ◀			▶ <u>M13</u> 0,1 (*) ◀	▶ <u>M68</u> — ◀	▶ <u>M52</u> — ◀	▶ <u>M40</u> — ◀
	0,02 (*)	▶ <u>M32</u> — ◀			▶ <u>M13</u> 0,1 (*) ◀	▶ <u>M68</u> — ◀	▶ <u>M52</u> — ◀	▶ <u>M40</u> — ◀
	0,02 (*)	▶ <u>M32</u> — ◀			▶ <u>M13</u> 0,1 (*) ◀	▶ <u>M68</u> — ◀	▶ <u>M52</u> — ◀	▶ <u>M40</u> — ◀
	0,02 (*)	▶ <u>M32</u> — ◀			▶ <u>M13</u> 0,1 (*) ◀	▶ <u>M68</u> — ◀	▶ <u>M52</u> — ◀	▶ <u>M40</u> — ◀
	0,02 (*)	▶ <u>M32</u> — ◀			▶ <u>M13</u> 0,1 (*) ◀	▶ <u>M68</u> — ◀	▶ <u>M52</u> — ◀	▶ <u>M40</u> — ◀
	0,02 (*)	▶ <u>M32</u> — ◀			▶ <u>M13</u> 0,1 (*) ◀	▶ <u>M68</u> — ◀	▶ <u>M52</u> — ◀	▶ <u>M40</u> — ◀
	0,02 (*)	▶ <u>M32</u> — ◀			▶ <u>M13</u> 0,1 (*) ◀	▶ <u>M68</u> — ◀	▶ <u>M52</u> — ◀	▶ <u>M40</u> — ◀
	0,02 (*)	▶ <u>M32</u> — ◀			▶ <u>M13</u> 0,1 (*) ◀	▶ <u>M68</u> — ◀	▶ <u>M52</u> — ◀	▶ <u>M40</u> — ◀
	0,02 (*)	▶ <u>M32</u> — ◀			▶ <u>M13</u> 0,1 (*) ◀	▶ <u>M68</u> — ◀	▶ <u>M52</u> — ◀	▶ <u>M40</u> — ◀
	0,02 (*)	▶ <u>M32</u> — ◀			▶ <u>M13</u> 0,1 (*) ◀	▶ <u>M68</u> — ◀	▶ <u>M52</u> — ◀	▶ <u>M40</u> — ◀
	0,02 (*)	▶ <u>M32</u> — ◀			▶ <u>M13</u> 0,1 (*) ◀	▶ <u>M68</u> — ◀	▶ <u>M52</u> — ◀	▶ <u>M40</u> — ◀



▼ M2

(27)	(28)	► <u>M5</u> — ◀	(30)	(31)
0,01 (*)	0,1 (*)		► <u>M42</u> — ◀	► <u>M56</u> 0,1 (*) ◀
0,01 (*)	0,1 (*)		► <u>M42</u> — ◀	► <u>M56</u> 0,1 (*) ◀
0,1	0,1 (*)		► <u>M42</u> — ◀	► <u>M56</u> 0,1 (*) ◀
	0,1 (*)		► <u>M42</u> — ◀	► <u>M56</u> 0,1 (*) ◀
1	0,1 (*)		► <u>M42</u> — ◀	► <u>M56</u> 0,1 (*) ◀
1	0,1 (*)		► <u>M42</u> — ◀	► <u>M56</u> 0,1 (*) ◀
1	0,1 (*)		► <u>M42</u> — ◀	► <u>M56</u> 0,1 (*) ◀
1	0,1 (*)		► <u>M42</u> — ◀	► <u>M56</u> 0,1 (*) ◀
1	0,1 (*)		► <u>M42</u> — ◀	► <u>M56</u> 0,1 (*) ◀
1	0,1 (*)		► <u>M42</u> — ◀	► <u>M56</u> 0,1 (*) ◀
1	0,1 (*)		► <u>M42</u> — ◀	► <u>M56</u> 0,1 (*) ◀
1	0,1 (*)		► <u>M42</u> — ◀	► <u>M56</u> 0,1 (*) ◀
1	0,1 (*)		► <u>M42</u> — ◀	► <u>M56</u> 0,1 (*) ◀
1	0,1 (*)		► <u>M42</u> — ◀	► <u>M56</u> 0,1 (*) ◀
1	0,1 (*)		► <u>M42</u> — ◀	► <u>M56</u> 0,1 (*) ◀
1	0,1 (*)		► <u>M42</u> — ◀	► <u>M56</u> 0,1 (*) ◀
1	0,1 (*)		► <u>M42</u> — ◀	► <u>M56</u> 0,1 (*) ◀
1	0,1 (*)		► <u>M42</u> — ◀	► <u>M56</u> 0,1 (*) ◀
1	0,1 (*)		► <u>M42</u> — ◀	► <u>M56</u> 0,1 (*) ◀
1	0,1 (*)		► <u>M42</u> — ◀	► <u>M56</u> 0,1 (*) ◀
1	0,1 (*)		► <u>M42</u> — ◀	► <u>M56</u> 0,1 (*) ◀

## ▼ M2

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)
0633990	Others	0,05 (*)	0,05 (*)	► <u>M32</u> — ◄	► <u>M38</u> 2 (*) ◄	0,1	0,02 (*)	
0639000	(d) <i>Other herbal infusions</i>	0,05 (*)	0,05 (*)	► <u>M32</u> — ◄	► <u>M38</u> 2 (*) ◄	0,02 (*)	0,02 (*)	
0640000	(iv) <b>Cocoa (fermented beans)</b>	0,05 (*)	0,05 (*)	► <u>M32</u> — ◄	► <u>M38</u> 0,1 (*) ◄	0,02 (*)	0,02 (*)	
0650000	(v) <b>Carob (st johns bread)</b>	0,05 (*)	0,05 (*)	► <u>M32</u> — ◄	► <u>M38</u> 0,1 (*) ◄	0,02 (*)	0,02 (*)	
0800000	8. <b>SPICES</b>	0,02 (*)	0,05 (*)	► <u>M32</u> — ◄	► <u>M38</u> 0,1 (*) ◄	0,1	0,02	
0810000	(i) <b>Seeds</b>	0,02 (*)	0,05 (*)	► <u>M32</u> — ◄	► <u>M38</u> 0,1 (*) ◄	0,1	0,02	
0810010	Anise	0,02 (*)	0,05 (*)	► <u>M32</u> — ◄	► <u>M38</u> 0,1 (*) ◄	0,1	0,02	
0810020	Black caraway	0,02 (*)	0,05 (*)	► <u>M32</u> — ◄	► <u>M38</u> 0,1 (*) ◄	0,1	0,02	
0810030	Celery seed	0,02 (*)	0,05 (*)	► <u>M32</u> — ◄	► <u>M38</u> 0,1 (*) ◄	0,1	0,02	
0810040	Coriander seed	0,02 (*)	0,05 (*)	► <u>M32</u> — ◄	► <u>M38</u> 0,1 (*) ◄	0,1	0,02	
0810050	Cumin seed	0,02 (*)	0,05 (*)	► <u>M32</u> — ◄	► <u>M38</u> 0,1 (*) ◄	0,1	0,02	
0810060	Dill seed	0,02 (*)	0,05 (*)	► <u>M32</u> — ◄	► <u>M38</u> 0,1 (*) ◄	0,1	0,02	
0810070	Fennel seed	0,02 (*)	0,05 (*)	► <u>M32</u> — ◄	► <u>M38</u> 0,1 (*) ◄	0,1	0,02	
0810080	Fenugreek	0,02 (*)	0,05 (*)	► <u>M32</u> — ◄	► <u>M38</u> 0,1 (*) ◄	0,1	0,02	
0810090	Nutmeg	0,02 (*)	0,05 (*)	► <u>M32</u> — ◄	► <u>M38</u> 0,1 (*) ◄	0,1	0,02	
0810990	Others	0,02 (*)	0,05 (*)	► <u>M32</u> — ◄	► <u>M38</u> 0,1 (*) ◄	0,1	0,02	
0820000	(ii) <b>Fruits and berries</b>	0,02 (*)	0,05 (*)	► <u>M32</u> — ◄	► <u>M38</u> 0,1 (*) ◄	0,1	0,02	
0820010	Allspice	0,02 (*)	0,05 (*)	► <u>M32</u> — ◄	► <u>M38</u> 0,1 (*) ◄	0,1	0,02	
0820020	Anise pepper (Japan pepper)	0,02 (*)	0,05 (*)	► <u>M32</u> — ◄	► <u>M38</u> 0,1 (*) ◄	0,1	0,02	
0820030	Caraway	0,02 (*)	0,05 (*)	► <u>M32</u> — ◄	► <u>M38</u> 0,1 (*) ◄	0,1	0,02	
0820040	Cardamom	0,02 (*)	0,05 (*)	► <u>M32</u> — ◄	► <u>M38</u> 0,1 (*) ◄	0,1	0,02	







▼ M2

(27)	(28)	▶ <u>M5</u> — ◀	(30)	(31)
1	0,1 (*)		▶ <u>M42</u> — ◀	▶ <u>M56</u> 0,1 (*) ◀
0,05 (*)	0,1 (*)		▶ <u>M42</u> — ◀	▶ <u>M56</u> 0,1 (*) ◀
1	0,1 (*)		▶ <u>M42</u> — ◀	▶ <u>M56</u> 0,1 (*) ◀
0,05 (*)	0,1 (*)		▶ <u>M42</u> — ◀	▶ <u>M56</u> 0,1 (*) ◀
0,5	0,1 (*)		▶ <u>M42</u> — ◀	▶ <u>M56</u> — ◀
0,5	0,1 (*)		▶ <u>M42</u> — ◀	▶ <u>M56</u> 0,1 (*) ◀
0,5	0,1 (*)		▶ <u>M42</u> — ◀	▶ <u>M56</u> 0,1 (*) ◀
0,5	0,1 (*)		▶ <u>M42</u> — ◀	▶ <u>M56</u> 0,1 (*) ◀
0,5	0,1 (*)		▶ <u>M42</u> — ◀	▶ <u>M56</u> 0,1 (*) ◀
0,5	0,1 (*)		▶ <u>M42</u> — ◀	▶ <u>M56</u> 0,1 (*) ◀
0,5	0,1 (*)		▶ <u>M42</u> — ◀	▶ <u>M56</u> 0,1 (*) ◀
0,5	0,1 (*)		▶ <u>M42</u> — ◀	▶ <u>M56</u> 0,1 (*) ◀
0,5	0,1 (*)		▶ <u>M42</u> — ◀	▶ <u>M56</u> 0,1 (*) ◀
0,5	0,1 (*)		▶ <u>M42</u> — ◀	▶ <u>M56</u> 0,1 (*) ◀
0,5	0,1 (*)		▶ <u>M42</u> — ◀	▶ <u>M56</u> 0,1 (*) ◀
0,5	0,1 (*)		▶ <u>M42</u> — ◀	▶ <u>M56</u> 0,1 (*) ◀
0,5	0,1 (*)		▶ <u>M42</u> — ◀	▶ <u>M56</u> 0,1 (*) ◀
0,5	0,1 (*)		▶ <u>M42</u> — ◀	▶ <u>M56</u> 0,1 (*) ◀
0,5	0,1 (*)		▶ <u>M42</u> — ◀	▶ <u>M56</u> 0,1 (*) ◀

## ▼ M2

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)
0820050	Juniper berries	0,02 (*)	0,05 (*)	► <u>M32</u> — ◄	► <u>M38</u> 0,1 (*) ◄	0,1	0,02	
0820060	Pepper, black and white	0,02 (*)	0,05 (*)	► <u>M32</u> — ◄	► <u>M38</u> 0,1 (*) ◄	0,1	0,02	
0820070	Vanilla pods	0,02 (*)	0,05 (*)	► <u>M32</u> — ◄	► <u>M38</u> 0,1 (*) ◄	0,1	0,02	
0820080	Tamarind	0,02 (*)	0,05 (*)	► <u>M32</u> — ◄	► <u>M38</u> 0,1 (*) ◄	0,1	0,02	
0820990	Others	0,02 (*)	0,05 (*)	► <u>M32</u> — ◄	► <u>M38</u> 0,1 (*) ◄	0,1	0,02	
0830000	(iii) <b>Bark</b>	0,02 (*)	0,05 (*)	► <u>M32</u> — ◄	► <u>M38</u> 0,1 (*) ◄	0,1	0,02	
0830010	Cinnamon	0,02 (*)	0,05 (*)	► <u>M32</u> — ◄	► <u>M38</u> 0,1 (*) ◄	0,1	0,02	
0830990	Others	0,02 (*)	0,05 (*)	► <u>M32</u> — ◄	► <u>M38</u> 0,1 (*) ◄	0,1	0,02	
0840000	(iv) <b>Roots or rhizome</b>	0,02 (*)	0,05 (*)	► <u>M32</u> — ◄	► <u>M38</u> 0,1 (*) ◄	0,1	0,02	
0840010	Liquorice	0,02 (*)	0,05 (*)	► <u>M32</u> — ◄	► <u>M38</u> 0,1 (*) ◄	0,1	0,02	
0840020	Ginger	0,02 (*)	0,05 (*)	► <u>M32</u> — ◄	► <u>M38</u> 0,1 (*) ◄	0,1	0,02	
0840030	Turmeric (Curcuma)	0,02 (*)	0,05 (*)	► <u>M32</u> — ◄	► <u>M38</u> 0,1 (*) ◄	0,1	0,02	
0840040	Horseradish	0,02 (*)	0,05 (*)	► <u>M32</u> — ◄	► <u>M38</u> 0,1 (*) ◄	0,1	0,02	
0840990	Others	0,02 (*)	0,05 (*)	► <u>M32</u> — ◄	► <u>M38</u> 0,1 (*) ◄	0,1	0,02	
0850000	(v) <b>Buds</b>	0,02 (*)	0,05 (*)	► <u>M32</u> — ◄	► <u>M38</u> 0,1 (*) ◄	0,1	0,02	
0850010	Cloves	0,02 (*)	0,05 (*)	► <u>M32</u> — ◄	► <u>M38</u> 0,1 (*) ◄	0,1	0,02	
0850020	Capers	0,02 (*)	0,05 (*)	► <u>M32</u> — ◄	► <u>M38</u> 0,1 (*) ◄	0,1	0,02	
0850990	Others	0,02 (*)	0,05 (*)	► <u>M32</u> — ◄	► <u>M38</u> 0,1 (*) ◄	0,1	0,02	
0860000	(vi) <b>Flower stigma</b>	0,02 (*)	0,05 (*)	► <u>M32</u> — ◄	► <u>M38</u> 0,1 (*) ◄	0,1	0,02	
0860010	Saffron	0,02 (*)	0,05 (*)	► <u>M32</u> — ◄	► <u>M38</u> 0,1 (*) ◄	0,1	0,02	
0860990	Others	0,02 (*)	0,05 (*)	► <u>M32</u> — ◄	► <u>M38</u> 0,1 (*) ◄	0,1	0,02	
0870000	(vii) <b>Aril</b>	0,02 (*)	0,05 (*)	► <u>M32</u> — ◄	► <u>M38</u> 0,1 (*) ◄	0,1	0,02	
0870010	Mace	0,02 (*)	0,05 (*)	► <u>M32</u> — ◄	► <u>M38</u> 0,1 (*) ◄	0,1	0,02	





▼ M2

(27)	(28)	► <u>M5</u> — ◀	(30)	(31)
0,5	0,1 (*)		► <u>M42</u> — ◀	► <u>M56</u> 0,1 (*) ◀
0,5	0,1 (*)		► <u>M42</u> — ◀	► <u>M56</u> 0,1 (*) ◀
0,5	0,1 (*)		► <u>M42</u> — ◀	► <u>M56</u> 0,1 (*) ◀
0,5	0,1 (*)		► <u>M42</u> — ◀	► <u>M56</u> 0,1 (*) ◀
0,5	0,1 (*)		► <u>M42</u> — ◀	► <u>M56</u> 0,1 (*) ◀
0,5	0,1 (*)		► <u>M42</u> — ◀	► <u>M56</u> 0,1 (*) ◀
0,5	0,1 (*)		► <u>M42</u> — ◀	► <u>M56</u> 0,1 (*) ◀
0,5	0,1 (*)		► <u>M42</u> — ◀	► <u>M56</u> — ◀
0,5	0,1 (*)		► <u>M42</u> — ◀	► <u>M56</u> 0,1 (*) ◀
0,5	0,1 (*)		► <u>M42</u> — ◀	► <u>M56</u> 0,1 (*) ◀
0,5	0,1 (*)		► <u>M42</u> — ◀	► <u>M56</u> 0,1 (*) ◀
0,5	0,1 (*)		► <u>M42</u> — ◀	► <u>M56</u> (+) ◀
0,5	0,1 (*)		► <u>M42</u> — ◀	► <u>M56</u> 0,1 (*) ◀
0,5	0,1 (*)		► <u>M42</u> — ◀	► <u>M56</u> 0,1 (*) ◀
0,5	0,1 (*)		► <u>M42</u> — ◀	► <u>M56</u> 0,1 (*) ◀
0,5	0,1 (*)		► <u>M42</u> — ◀	► <u>M56</u> 0,1 (*) ◀
0,5	0,1 (*)		► <u>M42</u> — ◀	► <u>M56</u> 0,1 (*) ◀
0,5	0,1 (*)		► <u>M42</u> — ◀	► <u>M56</u> 0,1 (*) ◀
0,5	0,1 (*)		► <u>M42</u> — ◀	► <u>M56</u> 0,1 (*) ◀
0,5	0,1 (*)		► <u>M42</u> — ◀	► <u>M56</u> 0,1 (*) ◀
0,5	0,1 (*)		► <u>M42</u> — ◀	► <u>M56</u> 0,1 (*) ◀
0,5	0,1 (*)		► <u>M42</u> — ◀	► <u>M56</u> 0,1 (*) ◀

## ▼ M2

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)
0870990	Others	0,02 (*)	0,05 (*)	► <u>M32</u> — ◄	► <u>M38</u> 0,1 (*) ◄	0,1	0,02	
0900000	9. SUGAR PLANTS	0,02 (*)	0,02 (*)	► <u>M32</u> — ◄		0,01	0,01 (*)	
0900010	Sugar beet (root)	0,02 (*)	0,02 (*)	► <u>M32</u> — ◄	► <u>M38</u> 15 ◄	0,01	0,01 (*)	
0900020	Sugar cane	0,02 (*)	0,02 (*)	► <u>M32</u> — ◄	► <u>M38</u> 0,1 (*) ◄	0,01	0,01 (*)	
0900030	Chicory roots	0,02 (*)	0,02 (*)	► <u>M32</u> — ◄	► <u>M38</u> 0,1 (*) ◄	0,01	0,01 (*)	
0900990	Others	0,02 (*)	0,02 (*)	► <u>M32</u> — ◄	► <u>M38</u> 0,1 (*) ◄	0,01	0,01 (*)	
1015000	(e) <i>Horses, asses, mules or hinnies</i>			► <u>M32</u> — ◄	► <u>M38</u> 0,05 (*) ◄	0,2	0,2	0,2
1015010	Meat			► <u>M32</u> — ◄	► <u>M38</u> 0,05 (*) ◄	0,2	0,2	0,2
1015020	Fat			► <u>M32</u> — ◄	► <u>M38</u> 0,05 (*) ◄	0,2	0,2	0,2
1015030	Liver			► <u>M32</u> — ◄	► <u>M38</u> 0,05 (*) ◄	0,2	0,2	0,2
1015040	Kidney			► <u>M32</u> — ◄	► <u>M38</u> 0,05 (*) ◄	0,2	0,2	0,2
1015050	Edible offal			► <u>M32</u> — ◄	► <u>M38</u> 0,05 (*) ◄	0,2	0,2	0,2
1015990	Others			► <u>M32</u> — ◄	► <u>M38</u> 0,05 (*) ◄	0,2	0,2	0,2
1017000	(g) <i>Other farm animals</i>			► <u>M32</u> — ◄	► <u>M38</u> 0,05 (*) ◄	0,2	0,2	0,2
1017010	Meat			► <u>M32</u> — ◄	► <u>M38</u> 0,05 (*) ◄	0,2	0,2	0,2
1017020	Fat			► <u>M32</u> — ◄	► <u>M38</u> 0,05 (*) ◄	0,2	0,2	0,2
1017030	Liver			► <u>M32</u> — ◄	► <u>M38</u> 0,05 (*) ◄	0,2	0,2	0,2
1017040	Kidney			► <u>M32</u> — ◄	► <u>M38</u> 0,05 (*) ◄	0,2	0,2	0,2
1017050	Edible offal			► <u>M32</u> — ◄	► <u>M38</u> 0,05 (*) ◄	0,2	0,2	0,2
1017990	Others			► <u>M32</u> — ◄	► <u>M38</u> 0,05 (*) ◄	0,2	0,2	0,2
1030020	Duck			► <u>M32</u> — ◄	► <u>M38</u> 0,05 (*) ◄	0,02	0,02	0,02
1030030	Goose			► <u>M32</u> — ◄	► <u>M38</u> 0,05 (*) ◄	0,02	0,02	0,02

▼ M2

(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)
	0,02 (*)	▶ <u>M32</u> — ◀			▶ <u>M13</u> 0,1 (*) ◀	▶ <u>M68</u> — ◀	▶ <u>M52</u> — ◀	▶ <u>M40</u> — ◀
	0,01 (*)	▶ <u>M32</u> — ◀			▶ <u>M13</u> 0,1 (*) ◀	▶ <u>M68</u> — ◀	▶ <u>M52</u> — ◀	▶ <u>M40</u> — ◀
	0,01 (*)	▶ <u>M32</u> — ◀			▶ <u>M13</u> 0,05 (*) ◀	▶ <u>M68</u> — ◀	▶ <u>M52</u> — ◀	▶ <u>M40</u> — ◀
	0,01 (*)	▶ <u>M32</u> — ◀			▶ <u>M13</u> 0,05 (*) ◀	▶ <u>M68</u> — ◀	▶ <u>M52</u> — ◀	▶ <u>M40</u> — ◀
	0,01 (*)	▶ <u>M32</u> — ◀			▶ <u>M13</u> 0,05 (*) ◀	▶ <u>M68</u> — ◀	▶ <u>M52</u> — ◀	▶ <u>M40</u> — ◀
0,1		▶ <u>M32</u> — ◀			▶ <u>M13</u> 0,05 (*) ◀	▶ <u>M68</u> — ◀	▶ <u>M52</u> — ◀	▶ <u>M40</u> — ◀
0,1		▶ <u>M32</u> — ◀			▶ <u>M13</u> 0,05 (*) ◀	▶ <u>M68</u> — ◀	▶ <u>M52</u> — ◀	▶ <u>M40</u> — ◀
0,1		▶ <u>M32</u> — ◀			▶ <u>M13</u> 0,05 (*) ◀	▶ <u>M68</u> — ◀	▶ <u>M52</u> — ◀	▶ <u>M40</u> — ◀
0,1		▶ <u>M32</u> — ◀			▶ <u>M13</u> 0,05 (*) ◀	▶ <u>M68</u> — ◀	▶ <u>M52</u> — ◀	▶ <u>M40</u> — ◀
0,1		▶ <u>M32</u> — ◀			▶ <u>M13</u> 0,05 (*) ◀	▶ <u>M68</u> — ◀	▶ <u>M52</u> — ◀	▶ <u>M40</u> — ◀
0,1		▶ <u>M32</u> — ◀			▶ <u>M13</u> 0,05 (*) ◀	▶ <u>M68</u> — ◀	▶ <u>M52</u> — ◀	▶ <u>M40</u> — ◀
0,1		▶ <u>M32</u> — ◀			▶ <u>M13</u> 0,05 (*) ◀	▶ <u>M68</u> — ◀	▶ <u>M52</u> — ◀	▶ <u>M40</u> — ◀
0,1		▶ <u>M32</u> — ◀			▶ <u>M13</u> 0,05 (*) ◀	▶ <u>M68</u> — ◀	▶ <u>M52</u> — ◀	▶ <u>M40</u> — ◀
0,1		▶ <u>M32</u> — ◀			▶ <u>M13</u> 0,05 (*) ◀	▶ <u>M68</u> — ◀	▶ <u>M52</u> — ◀	▶ <u>M40</u> — ◀
0,1		▶ <u>M32</u> — ◀			▶ <u>M13</u> 0,05 (*) ◀	▶ <u>M68</u> — ◀	▶ <u>M52</u> — ◀	▶ <u>M40</u> — ◀
0,1		▶ <u>M32</u> — ◀			▶ <u>M13</u> 0,05 (*) ◀	▶ <u>M68</u> — ◀	▶ <u>M52</u> — ◀	▶ <u>M40</u> — ◀
0,01		▶ <u>M32</u> — ◀			▶ <u>M13</u> 0,05 (*) ◀	▶ <u>M68</u> — ◀	▶ <u>M52</u> — ◀	▶ <u>M40</u> — ◀
0,01		▶ <u>M32</u> — ◀			▶ <u>M13</u> 0,05 (*) ◀	▶ <u>M68</u> — ◀	▶ <u>M52</u> — ◀	▶ <u>M40</u> — ◀





▼ M2

(27)	(28)	▶ <u>M5</u> — ◀	(30)	(31)
0,5	0,1 (*)		▶ <u>M42</u> — ◀	▶ <u>M56</u> 0,1 (*) ◀
0,01 (*)			▶ <u>M42</u> — ◀	▶ <u>M56</u> 0,05 (*) ◀
0,01 (*)	0,1		▶ <u>M42</u> — ◀	▶ <u>M56</u> 0,05 (*) ◀
0,01 (*)	0,05 (*)		▶ <u>M42</u> — ◀	▶ <u>M56</u> 0,05 (*) ◀
0,01 (*)	0,05 (*)		▶ <u>M42</u> — ◀	▶ <u>M56</u> 0,05 (*) ◀
0,01 (*)	0,05 (*)		▶ <u>M42</u> — ◀	▶ <u>M56</u> 0,05 (*) ◀
0,02			▶ <u>M42</u> — ◀	
0,02			▶ <u>M42</u> — ◀	▶ <u>M56</u> 0,1 ◀
0,02			▶ <u>M42</u> — ◀	▶ <u>M56</u> 0,2 ◀
0,02			▶ <u>M42</u> — ◀	▶ <u>M56</u> 3 ◀
0,02			▶ <u>M42</u> — ◀	▶ <u>M56</u> 3 ◀
0,02			▶ <u>M42</u> — ◀	▶ <u>M56</u> 3 ◀
0,02			▶ <u>M42</u> — ◀	▶ <u>M56</u> 0,1 (*) ◀
0,02			▶ <u>M42</u> — ◀	▶ <u>M56</u> — ◀
0,02			▶ <u>M42</u> — ◀	▶ <u>M56</u> 0,1 ◀
0,02			▶ <u>M42</u> — ◀	▶ <u>M56</u> 0,2 ◀
0,02			▶ <u>M42</u> — ◀	▶ <u>M56</u> 3 ◀
0,02			▶ <u>M42</u> — ◀	▶ <u>M56</u> 3 ◀
0,02			▶ <u>M42</u> — ◀	▶ <u>M56</u> 3 ◀
0,02			▶ <u>M42</u> — ◀	▶ <u>M56</u> 0,1 (*) ◀
0,01 (*)			▶ <u>M42</u> — ◀	▶ <u>M56</u> 0,05 (*) ◀
0,01 (*)			▶ <u>M42</u> — ◀	▶ <u>M56</u> 0,05 (*) ◀

▼ M2

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)
1030040	Quail			▶ <u>M32</u> — ◀	▶ <u>M38</u> 0,05 (*) ◀	0,02	0,02	0,02
1030990	Others			▶ <u>M32</u> — ◀	▶ <u>M38</u> 0,05 (*) ◀	0,02	0,02	0,02
1040000	(iv) <b>Honey</b>			▶ <u>M32</u> — ◀	▶ <u>M38</u> 0,05 (*) ◀	0,01		
1050000	(v) <b>Amphibians and reptiles</b>			▶ <u>M32</u> — ◀	▶ <u>M38</u> 0,05 (*) ◀	0,01		
1060000	(vi) <b>Snails</b>			▶ <u>M32</u> — ◀	▶ <u>M38</u> 0,05 (*) ◀	0,01		
1070000	(vii) <b>Other terrestrial animal products</b>			▶ <u>M32</u> — ◀	▶ <u>M38</u> 0,05 (*) ◀	0,01		

▼ M2

(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)
0,01		▶ <u>M32</u> — ◀			▶ <u>M13 0,05 (*)</u> ◀	▶ <u>M68</u> — ◀	▶ <u>M52</u> — ◀	▶ <u>M40</u> — ◀
0,01		▶ <u>M32</u> — ◀			▶ <u>M13 0,05 (*)</u> ◀	▶ <u>M68</u> — ◀	▶ <u>M52</u> — ◀	▶ <u>M40</u> — ◀
		▶ <u>M32</u> — ◀			▶ <u>M13 0,05 (*)</u> ◀	▶ <u>M68</u> — ◀	▶ <u>M52</u> — ◀	▶ <u>M40</u> — ◀
		▶ <u>M32</u> — ◀			▶ <u>M13 0,05 (*)</u> ◀	▶ <u>M68</u> — ◀	▶ <u>M52</u> — ◀	▶ <u>M40</u> — ◀
		▶ <u>M32</u> — ◀			▶ <u>M13 0,05 (*)</u> ◀	▶ <u>M68</u> — ◀	▶ <u>M52</u> — ◀	▶ <u>M40</u> — ◀

▼ M2

(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)
▶ <u>M52</u> — ◀	▶ <u>M42</u> — ◀	▶ <u>M71</u> — ◀	▶ <u>M42</u> — ◀	▶ <u>M51</u> — ◀	▶ <u>M59</u> — ◀	▶ <u>M54</u> 0,02 (*) ◀	▶ <u>M43</u> 0,02 (*) ◀
▶ <u>M52</u> — ◀	▶ <u>M42</u> — ◀	▶ <u>M71</u> — ◀	▶ <u>M42</u> — ◀	▶ <u>M51</u> — ◀	▶ <u>M59</u> — ◀	▶ <u>M54</u> 0,02 (*) ◀	▶ <u>M43</u> 0,02 (*) ◀
▶ <u>M52</u> — ◀	▶ <u>M42</u> — ◀	▶ <u>M71</u> — ◀	▶ <u>M42</u> — ◀	▶ <u>M51</u> — ◀	▶ <u>M59</u> — ◀	▶ <u>M54</u> 0,05 (*) ◀	▶ <u>M43</u> 0,05 (*) ◀
▶ <u>M52</u> — ◀	▶ <u>M42</u> — ◀	▶ <u>M71</u> — ◀	▶ <u>M42</u> — ◀	▶ <u>M51</u> — ◀	▶ <u>M59</u> — ◀	▶ <u>M54</u> 0,02 (*) ◀	▶ <u>M43</u> 0,02 (*) ◀
▶ <u>M52</u> — ◀	▶ <u>M42</u> — ◀	▶ <u>M71</u> — ◀	▶ <u>M42</u> — ◀	▶ <u>M51</u> — ◀	▶ <u>M59</u> — ◀	▶ <u>M54</u> 0,02 (*) ◀	▶ <u>M43</u> 0,02 (*) ◀
▶ <u>M52</u> — ◀	▶ <u>M42</u> — ◀	▶ <u>M71</u> — ◀	▶ <u>M42</u> — ◀	▶ <u>M51</u> — ◀	▶ <u>M59</u> — ◀	▶ <u>M54</u> 0,02 (*) ◀	▶ <u>M43</u> 0,02 (*) ◀

▼ M2

(27)	(28)	► <u>M5</u> — ◀	(30)	(31)
0,01 (*)			► <u>M42</u> — ◀	► <u>M56</u> 0,05 (*) ◀
0,01 (*)			► <u>M42</u> — ◀	► <u>M56</u> 0,05 (*) ◀
0,01 (*)			► <u>M42</u> — ◀	
			► <u>M42</u> — ◀	
			► <u>M42</u> — ◀	
			► <u>M42</u> — ◀	

▼ M2

Pesticide residues and maximum residue levels (mg/kg)

Code number	Groups and examples of individual products to which the MRLs apply <sup>(4)</sup>	Mecarbam	Mecoprop (sum of mecoprop-p and mecoprop expressed as mecoprop)	▼ — ▶ <u>M42</u>	Mercury compounds (sum of mercury compounds expressed as mercury) <sup>(1)</sup>	▼ — ▶ <u>M52</u>	Mesotrione (Sum of mesotrione and MNBA (4-methylsulfonyl-2-nitro benzoic acid), expressed as mesotrione)	▶ <u>M47</u> Metalaxyl and metalaxyl-M (metalaxyl including other mixtures of constituent isomers including metalaxyl-M (sum of isomers)) ▼
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)
0130040	Medlar	0,05 (*)	0,05 (*)	▶ <u>M42</u> — ◀	0,01 (*)	▶ <u>M52</u> — ◀	0,05 (*)	▶ <u>M47</u> 1 ◀
0130050	Loquat	0,05 (*)	0,05 (*)	▶ <u>M42</u> — ◀	0,01 (*)	▶ <u>M52</u> — ◀	0,05 (*)	▶ <u>M47</u> 1 ◀
0154050	Rose hips	0,05 (*)	0,05 (*)	▶ <u>M42</u> — ◀	0,01 (*)	▶ <u>M52</u> — ◀	0,05 (*)	▶ <u>M47</u> 0,05 (*) ◀
0154060	Mulberries	0,05 (*)	0,05 (*)	▶ <u>M42</u> — ◀	0,01 (*)	▶ <u>M52</u> — ◀	0,05 (*)	▶ <u>M47</u> 0,05 (*) ◀
0154070	Azarole (mediteranean medlar)	0,05 (*)	0,05 (*)	▶ <u>M42</u> — ◀	0,01 (*)	▶ <u>M52</u> — ◀	0,05 (*)	▶ <u>M47</u> 0,05 (*) ◀
0154080	Elderberries	0,05 (*)	0,05 (*)	▶ <u>M42</u> — ◀	0,01 (*)	▶ <u>M52</u> — ◀	0,05 (*)	▶ <u>M47</u> 0,05 (*) ◀
0161050	Carambola	0,05 (*)	0,05 (*)	▶ <u>M42</u> — ◀	0,01 (*)	▶ <u>M52</u> — ◀	0,05 (*)	▶ <u>M47</u> 0,05 (*) ◀
0161060	Persimmon	0,05 (*)	0,05 (*)	▶ <u>M42</u> — ◀	0,01 (*)	▶ <u>M52</u> — ◀	0,05 (*)	▶ <u>M47</u> 0,05 (*) ◀
0161070	Jambolan (java plum)	0,05 (*)	0,05 (*)	▶ <u>M42</u> — ◀	0,01 (*)	▶ <u>M52</u> — ◀	0,05 (*)	▶ <u>M47</u> 0,05 (*) ◀
0162040	Prickly pear (cactus fruit)	0,05 (*)	0,05 (*)	▶ <u>M42</u> — ◀	0,01 (*)	▶ <u>M52</u> — ◀	0,05 (*)	▶ <u>M47</u> 0,05 (*) ◀
0162050	Star apple	0,05 (*)	0,05 (*)	▶ <u>M42</u> — ◀	0,01 (*)	▶ <u>M52</u> — ◀	0,05 (*)	▶ <u>M47</u> 0,05 (*) ◀
0162060	American persimmon (Virginia kaki)	0,05 (*)	0,05 (*)	▶ <u>M42</u> — ◀	0,01 (*)	▶ <u>M52</u> — ◀	0,05 (*)	▶ <u>M47</u> 0,05 (*) ◀
0163060	Cherimoya	0,05 (*)	0,05 (*)	▶ <u>M42</u> — ◀	0,01 (*)	▶ <u>M52</u> — ◀	0,05 (*)	▶ <u>M47</u> 0,05 (*) ◀

▼ M2

Methacrifos (L)	▼ <u>M32</u> Methamidophos ▼	▼ <u>M16</u> Methidathion ▼	▼ <u>M46</u> — ▼	▼ <u>M11</u> Methomyl and Thiodicarb (sum of methomyl and thiodicarb expressed as methomyl) ▼	Methoxychlor (L)	▼ <u>M56</u> Methoxyfenozide (L) ▼	▼ <u>M58</u> — ▼
(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)
0,05 (*)	▶ <u>M32</u> 0,01 (*) ◀	▶ <u>M16</u> 0,03 ◀	▶ <u>M46</u> — ◀	▶ <u>M11</u> 0,2 ◀	0,01 (*)	▶ <u>M56</u> 2 ◀	▶ <u>M58</u> — ◀
0,05 (*)	▶ <u>M32</u> 0,01 (*) ◀	▶ <u>M16</u> 0,03 ◀	▶ <u>M46</u> — ◀	▶ <u>M11</u> 0,2 ◀	0,01 (*)	▶ <u>M56</u> 2 ◀	▶ <u>M58</u> — ◀
0,05 (*)	▶ <u>M32</u> 0,01 (*) ◀	▶ <u>M16</u> 0,02 (*) ◀	▶ <u>M46</u> — ◀	▶ <u>M11</u> 0,02 (*) ◀	0,01 (*)	▶ <u>M56</u> 0,02 (*) ◀	▶ <u>M58</u> — ◀
0,05 (*)	▶ <u>M32</u> 0,01 (*) ◀	▶ <u>M16</u> 0,02 (*) ◀	▶ <u>M46</u> — ◀	▶ <u>M11</u> 0,05 (*) ◀	0,01 (*)	▶ <u>M56</u> 0,02 (*) ◀	▶ <u>M58</u> — ◀
0,05 (*)	▶ <u>M32</u> 0,01 (*) ◀	▶ <u>M16</u> 0,02 (*) ◀	▶ <u>M46</u> — ◀	▶ <u>M11</u> 0,05 (*) ◀	0,01 (*)	▶ <u>M56</u> 0,02 (*) ◀	▶ <u>M58</u> — ◀
0,05 (*)	▶ <u>M32</u> 0,01 (*) ◀	▶ <u>M16</u> 0,02 (*) ◀	▶ <u>M46</u> — ◀	▶ <u>M11</u> 0,05 (*) ◀	0,01 (*)	▶ <u>M56</u> 0,02 (*) ◀	▶ <u>M58</u> — ◀
0,05 (*)	▶ <u>M32</u> 0,01 (*) ◀	▶ <u>M16</u> 0,02 (*) ◀	▶ <u>M46</u> — ◀	▶ <u>M11</u> 0,05 (*) ◀	0,01 (*)	▶ <u>M56</u> 0,02 (*) ◀	▶ <u>M58</u> — ◀
0,05 (*)	▶ <u>M32</u> 0,01 (*) ◀	▶ <u>M16</u> 0,02 (*) ◀	▶ <u>M46</u> — ◀	▶ <u>M11</u> 0,05 (*) ◀	0,01 (*)	▶ <u>M56</u> 0,02 (*) ◀	▶ <u>M58</u> — ◀
0,05 (*)	▶ <u>M32</u> 0,01 (*) ◀	▶ <u>M16</u> 0,02 (*) ◀	▶ <u>M46</u> — ◀	▶ <u>M11</u> 0,05 (*) ◀	0,01 (*)	▶ <u>M56</u> 0,02 (*) ◀	▶ <u>M58</u> — ◀
0,05 (*)	▶ <u>M32</u> 0,01 (*) ◀	▶ <u>M16</u> 0,02 (*) ◀	▶ <u>M46</u> — ◀	▶ <u>M11</u> 0,05 (*) ◀	0,01 (*)	▶ <u>M56</u> 0,02 (*) ◀	▶ <u>M58</u> — ◀
0,05 (*)	▶ <u>M32</u> 0,01 (*) ◀	▶ <u>M16</u> 0,02 (*) ◀	▶ <u>M46</u> — ◀	▶ <u>M11</u> 0,05 (*) ◀	0,01 (*)	▶ <u>M56</u> 0,02 (*) ◀	▶ <u>M58</u> — ◀
0,05 (*)	▶ <u>M32</u> 0,01 (*) ◀	▶ <u>M16</u> 0,02 (*) ◀	▶ <u>M46</u> — ◀	▶ <u>M11</u> 0,05 (*) ◀	0,01 (*)	▶ <u>M56</u> 0,02 (*) ◀	▶ <u>M58</u> — ◀
0,05 (*)	▶ <u>M32</u> 0,01 (*) ◀	▶ <u>M16</u> 0,02 (*) ◀	▶ <u>M46</u> — ◀	▶ <u>M11</u> 0,05 (*) ◀	0,01 (*)	▶ <u>M56</u> 0,02 (*) ◀	▶ <u>M58</u> — ◀
0,05 (*)	▶ <u>M32</u> 0,01 (*) ◀	▶ <u>M16</u> 0,02 (*) ◀	▶ <u>M46</u> — ◀	▶ <u>M11</u> 0,05 (*) ◀	0,01 (*)	▶ <u>M56</u> 0,02 (*) ◀	▶ <u>M58</u> — ◀

▼ M2

Mevinphos (sum of E- and Z-isomers)	▼ M46	▼ M59	▼ M32	Monolinuron	Myclobutanil (*)	Nitrofen (L)	Oxadiazargyl	▼ M49
(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)
0,01 (*)	▶ <u>M46</u> — ◀	▶ <u>M59</u> — ◀	▶ <u>M32</u> — ◀	0,05 (*)	0,5	0,01 (*)	0,01 (*)	▶ <u>M49</u> — ◀
0,01 (*)	▶ <u>M46</u> — ◀	▶ <u>M59</u> — ◀	▶ <u>M32</u> — ◀	0,05 (*)	0,5	0,01 (*)	0,01 (*)	▶ <u>M49</u> — ◀
0,01 (*)	▶ <u>M46</u> — ◀	▶ <u>M59</u> — ◀	▶ <u>M32</u> — ◀	0,05 (*)	0,02 (*)	0,01 (*)	0,01 (*)	▶ <u>M49</u> — ◀
0,01 (*)	▶ <u>M46</u> — ◀	▶ <u>M59</u> — ◀	▶ <u>M32</u> — ◀	0,05 (*)	0,02 (*)	0,01 (*)	0,01 (*)	▶ <u>M49</u> — ◀
0,01 (*)	▶ <u>M46</u> — ◀	▶ <u>M59</u> — ◀	▶ <u>M32</u> — ◀	0,05 (*)	0,02 (*)	0,01 (*)	0,01 (*)	▶ <u>M49</u> — ◀
0,01 (*)	▶ <u>M46</u> — ◀	▶ <u>M59</u> — ◀	▶ <u>M32</u> — ◀	0,05 (*)	0,02 (*)	0,01 (*)	0,01 (*)	▶ <u>M49</u> — ◀
0,01 (*)	▶ <u>M46</u> — ◀	▶ <u>M59</u> — ◀	▶ <u>M32</u> — ◀	0,05 (*)	0,02 (*)	0,01 (*)	0,01 (*)	▶ <u>M49</u> — ◀
0,01 (*)	▶ <u>M46</u> — ◀	▶ <u>M59</u> — ◀	▶ <u>M32</u> — ◀	0,05 (*)	0,02 (*)	0,01 (*)	0,01 (*)	▶ <u>M49</u> — ◀
0,01 (*)	▶ <u>M46</u> — ◀	▶ <u>M59</u> — ◀	▶ <u>M32</u> — ◀	0,05 (*)	0,02 (*)	0,01 (*)	0,01 (*)	▶ <u>M49</u> — ◀
0,01 (*)	▶ <u>M46</u> — ◀	▶ <u>M59</u> — ◀	▶ <u>M32</u> — ◀	0,05 (*)	0,02 (*)	0,01 (*)	0,01 (*)	▶ <u>M49</u> — ◀
0,01 (*)	▶ <u>M46</u> — ◀	▶ <u>M59</u> — ◀	▶ <u>M32</u> — ◀	0,05 (*)	0,02 (*)	0,01 (*)	0,01 (*)	▶ <u>M49</u> — ◀
0,01 (*)	▶ <u>M46</u> — ◀	▶ <u>M59</u> — ◀	▶ <u>M32</u> — ◀	0,05 (*)	0,02 (*)	0,01 (*)	0,01 (*)	▶ <u>M49</u> — ◀
0,01 (*)	▶ <u>M46</u> — ◀	▶ <u>M59</u> — ◀	▶ <u>M32</u> — ◀	0,05 (*)	0,02 (*)	0,01 (*)	0,01 (*)	▶ <u>M49</u> — ◀



▼ M2

<p>▼ <u>M52</u> —</p>	<p>▲ <u>M32</u> Oxydemeton-methyl (sum of oxydemeton-methyl and demeton-S-methyl sulfone expressed as oxydemeton-methyl) ▼</p>	<p>Paraquat</p>	<p>▲ <u>M5</u> Parathion (±) ▼</p>	<p>▲ <u>M32</u> Parathion-methyl (sum of Parathion-methyl and paraoxon-methyl expressed as Parathion-methyl) ▼</p>
(27)	(28)	(29)	(30)	(31)
▶ <u>M52</u> — ◀	▶ <u>M32</u> 0,01 (*) ◀	0,02 (*)	▶ <u>M5</u> 0,05 (*) ◀	▶ <u>M32</u> 0,01 (*) ◀
▶ <u>M52</u> — ◀	▶ <u>M32</u> 0,01 (*) ◀	0,02 (*)	▶ <u>M5</u> 0,05 (*) ◀	▶ <u>M32</u> 0,01 (*) ◀
▶ <u>M52</u> — ◀	▶ <u>M32</u> 0,01 (*) ◀	0,02 (*)	▶ <u>M5</u> 0,05 (*) ◀	▶ <u>M32</u> 0,01 (*) ◀
▶ <u>M52</u> — ◀	▶ <u>M32</u> 0,01 (*) ◀	0,02 (*)	▶ <u>M5</u> 0,05 (*) ◀	▶ <u>M32</u> 0,01 (*) ◀
▶ <u>M52</u> — ◀	▶ <u>M32</u> 0,01 (*) ◀	0,02 (*)	▶ <u>M5</u> 0,05 (*) ◀	▶ <u>M32</u> 0,01 (*) ◀
▶ <u>M52</u> — ◀	▶ <u>M32</u> 0,01 (*) ◀	0,02 (*)	▶ <u>M5</u> 0,05 (*) ◀	▶ <u>M32</u> 0,01 (*) ◀
▶ <u>M52</u> — ◀	▶ <u>M32</u> 0,01 (*) ◀	0,02 (*)	▶ <u>M5</u> 0,05 (*) ◀	▶ <u>M32</u> 0,01 (*) ◀
▶ <u>M52</u> — ◀	▶ <u>M32</u> 0,01 (*) ◀	0,02 (*)	▶ <u>M5</u> 0,05 (*) ◀	▶ <u>M32</u> 0,01 (*) ◀
▶ <u>M52</u> — ◀	▶ <u>M32</u> 0,01 (*) ◀	0,02 (*)	▶ <u>M5</u> 0,05 (*) ◀	▶ <u>M32</u> 0,01 (*) ◀
▶ <u>M52</u> — ◀	▶ <u>M32</u> 0,01 (*) ◀	0,02 (*)	▶ <u>M5</u> 0,05 (*) ◀	▶ <u>M32</u> 0,01 (*) ◀
▶ <u>M52</u> — ◀	▶ <u>M32</u> 0,01 (*) ◀	0,02 (*)	▶ <u>M5</u> 0,05 (*) ◀	▶ <u>M32</u> 0,01 (*) ◀
▶ <u>M52</u> — ◀	▶ <u>M32</u> 0,01 (*) ◀	0,02 (*)	▶ <u>M5</u> 0,05 (*) ◀	▶ <u>M32</u> 0,01 (*) ◀
▶ <u>M52</u> — ◀	▶ <u>M32</u> 0,01 (*) ◀	0,02 (*)	▶ <u>M5</u> 0,05 (*) ◀	▶ <u>M32</u> 0,01 (*) ◀
▶ <u>M52</u> — ◀	▶ <u>M32</u> 0,01 (*) ◀	0,02 (*)	▶ <u>M5</u> 0,05 (*) ◀	▶ <u>M32</u> 0,01 (*) ◀

## ▼ M2

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)
0163070	Guava	0,05 (*)	0,05 (*)	► <u>M42</u> — ◄	0,01 (*)	► <u>M52</u> — ◄	0,05 (*)	► <u>M47</u> 0,05 (*) ◄
0163090	Bread fruit	0,05 (*)	0,05 (*)	► <u>M42</u> — ◄	0,01 (*)	► <u>M52</u> — ◄	0,05 (*)	► <u>M47</u> 0,05 (*) ◄
0163100	Durian	0,05 (*)	0,05 (*)	► <u>M42</u> — ◄	0,01 (*)	► <u>M52</u> — ◄	0,05 (*)	► <u>M47</u> 0,05 (*) ◄
0163110	Soursop (guanabana)	0,05 (*)	0,05 (*)	► <u>M42</u> — ◄	0,01 (*)	► <u>M52</u> — ◄	0,05 (*)	► <u>M47</u> 0,05 (*) ◄
0212040	Arrowroot	0,05 (*)	0,05 (*)	► <u>M42</u> — ◄	0,01 (*)	► <u>M52</u> — ◄	0,05 (*)	► <u>M47</u> 0,05 (*) ◄
0251050	Land cress	0,05 (*)	0,05 (*)	► <u>M42</u> — ◄	0,01 (*)	► <u>M52</u> — ◄	0,05 (*)	► <u>M47</u> 3 ◄
0251070	Red mustard	0,05 (*)	0,05 (*)	► <u>M42</u> — ◄	0,01 (*)	► <u>M52</u> — ◄	0,05 (*)	► <u>M47</u> 3 ◄
0252020	Purslane	0,05 (*)	0,05 (*)	► <u>M42</u> — ◄	0,01 (*)	► <u>M52</u> — ◄	0,05 (*)	► <u>M47</u> 1 ◄
0253000	(c) <i>Vine leaves</i> ( <i>grape leaves</i> )	0,05 (*)	0,05 (*)	► <u>M42</u> — ◄	0,01 (*)	► <u>M52</u> — ◄	0,05 (*)	► <u>M47</u> 0,05 (*) ◄
0256050	Sage	0,05 (*)	0,05 (*)	► <u>M42</u> — ◄	0,01 (*)	► <u>M52</u> — ◄	0,05 (*)	► <u>M47</u> 2 ◄
0256060	Rosemary	0,05 (*)	0,05 (*)	► <u>M42</u> — ◄	0,01 (*)	► <u>M52</u> — ◄	0,05 (*)	► <u>M47</u> 2 ◄
0256070	Thyme	0,05 (*)	0,05 (*)	► <u>M42</u> — ◄	0,01 (*)	► <u>M52</u> — ◄	0,05 (*)	► <u>M47</u> 2 ◄
0256080	Basil	0,05 (*)	0,05 (*)	► <u>M42</u> — ◄	0,01 (*)	► <u>M52</u> — ◄	0,05 (*)	► <u>M47</u> 2 ◄
0256090	Bay leaves (laurel)	0,05 (*)	0,05 (*)	► <u>M42</u> — ◄	0,01 (*)	► <u>M52</u> — ◄	0,05 (*)	► <u>M47</u> 2 ◄
0256100	Tarragon	0,05 (*)	0,05 (*)	► <u>M42</u> — ◄	0,01 (*)	► <u>M52</u> — ◄	0,05 (*)	► <u>M47</u> 2 ◄
0270080	Bamboo shoots	0,05 (*)	0,05 (*)	► <u>M42</u> — ◄	0,01 (*)	► <u>M52</u> — ◄	0,05 (*)	► <u>M47</u> 0,05 (*) ◄
0270090	Palm hearts	0,05 (*)	0,05 (*)	► <u>M42</u> — ◄	0,01 (*)	► <u>M52</u> — ◄	0,05 (*)	► <u>M47</u> 0,05 (*) ◄
0290000	(ix) <b>Sea weeds</b>			► <u>M42</u> — ◄		► <u>M52</u> — ◄		
0401110	Safflower	0,05 (*)	0,05 (*)	► <u>M42</u> — ◄	0,02 (*)	► <u>M52</u> — ◄	0,05 (*)	► <u>M47</u> 0,1 (*) ◄
0401120	Borage	0,05 (*)	0,05 (*)	► <u>M42</u> — ◄	0,02 (*)	► <u>M52</u> — ◄	0,05 (*)	► <u>M47</u> 0,1 (*) ◄
0401130	Gold of pleasure	0,05 (*)	0,05 (*)	► <u>M42</u> — ◄	0,02 (*)	► <u>M52</u> — ◄	0,05 (*)	► <u>M47</u> 0,1 (*) ◄
0401150	Castor bean	0,05 (*)	0,05 (*)	► <u>M42</u> — ◄	0,02 (*)	► <u>M52</u> — ◄	0,05 (*)	► <u>M47</u> 0,1 (*) ◄
0402020	Palm nuts (palmoil kernels)	0,05 (*)	0,05 (*)	► <u>M42</u> — ◄	0,02 (*)	► <u>M52</u> — ◄	0,05 (*)	► <u>M47</u> 0,1 (*) ◄







## ▼ M2

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)
0402030	Palmfruit	0,05 (*)	0,05 (*)	► <u>M42</u> — ◄	0,02 (*)	► <u>M52</u> — ◄	0,05 (*)	► <u>M47</u> 0,1 (*) ◄
0402040	Kapok	0,05 (*)	0,05 (*)	► <u>M42</u> — ◄	0,02 (*)	► <u>M52</u> — ◄	0,05 (*)	► <u>M47</u> 0,1 (*) ◄
0620000	(ii) <b>Coffee beans</b>	0,1 (*)	0,1 (*)	► <u>M42</u> — ◄	0,02 (*)	► <u>M52</u> — ◄	0,1 (*)	► <u>M47</u> 0,1 (*) ◄
0630000	(iii) <b>Herbal infusions (dried)</b>	0,1 (*)	0,1 (*)	► <u>M42</u> — ◄	0,02 (*)	► <u>M52</u> — ◄	0,1 (*)	► <u>M47</u> 0,1 (*) ◄
0631000	(a) <i>Flowers</i>	0,1 (*)	0,1 (*)	► <u>M42</u> — ◄	0,02 (*)	► <u>M52</u> — ◄	0,1 (*)	► <u>M47</u> 0,1 (*) ◄
0631010	Camomille flowers	0,1 (*)	0,1 (*)	► <u>M42</u> — ◄	0,02 (*)	► <u>M52</u> — ◄	0,1 (*)	► <u>M47</u> 0,1 (*) ◄
0631020	Hybiscus flowers	0,1 (*)	0,1 (*)	► <u>M42</u> — ◄	0,02 (*)	► <u>M52</u> — ◄	0,1 (*)	► <u>M47</u> 0,1 (*) ◄
0631030	Rose petals	0,1 (*)	0,1 (*)	► <u>M42</u> — ◄	0,02 (*)	► <u>M52</u> — ◄	0,1 (*)	► <u>M47</u> 0,1 (*) ◄
0631040	Jasmine flowers	0,1 (*)	0,1 (*)	► <u>M42</u> — ◄	0,02 (*)	► <u>M52</u> — ◄	0,1 (*)	► <u>M47</u> 0,1 (*) ◄
0631050	Lime (linden)	0,1 (*)	0,1 (*)	► <u>M42</u> — ◄	0,02 (*)	► <u>M52</u> — ◄	0,1 (*)	► <u>M47</u> 0,1 (*) ◄
0631990	Others	0,1 (*)	0,1 (*)	► <u>M42</u> — ◄	0,02 (*)	► <u>M52</u> — ◄	0,1 (*)	► <u>M47</u> 0,1 (*) ◄
0632000	(b) <i>Leaves</i>	0,1 (*)	0,1 (*)	► <u>M42</u> — ◄	0,02 (*)	► <u>M52</u> — ◄	0,1 (*)	► <u>M47</u> 0,1 (*) ◄
0632010	Strawberry leaves	0,1 (*)	0,1 (*)	► <u>M42</u> — ◄	0,02 (*)	► <u>M52</u> — ◄	0,1 (*)	► <u>M47</u> 0,1 (*) ◄
0632020	Rooibos leaves	0,1 (*)	0,1 (*)	► <u>M42</u> — ◄	0,02 (*)	► <u>M52</u> — ◄	0,1 (*)	► <u>M47</u> 0,1 (*) ◄
0632030	Maté	0,1 (*)	0,1 (*)	► <u>M42</u> — ◄	0,02 (*)	► <u>M52</u> — ◄	0,1 (*)	► <u>M47</u> 0,1 (*) ◄
0632990	Others	0,1 (*)	0,1 (*)	► <u>M42</u> — ◄	0,02 (*)	► <u>M52</u> — ◄	0,1 (*)	► <u>M47</u> 0,1 (*) ◄
0633000	(c) <i>Roots</i>	0,1 (*)	0,1 (*)	► <u>M42</u> — ◄	0,02 (*)	► <u>M52</u> — ◄	0,1 (*)	► <u>M47</u> 0,1 (*) ◄
0633010	Valerian root	0,1 (*)	0,1 (*)	► <u>M42</u> — ◄	0,02 (*)	► <u>M52</u> — ◄	0,1 (*)	► <u>M47</u> 0,1 (*) ◄
0633020	Ginseng root	0,1 (*)	0,1 (*)	► <u>M42</u> — ◄	0,02 (*)	► <u>M52</u> — ◄	0,1 (*)	► <u>M47</u> 0,1 (*) ◄







▼ M2

(27)	(28)	(29)	(30)	(31)
▶ <u>M52</u> — ◀	▶ <u>M32</u> 0,02 (*) ◀	0,02 (*)	▶ <u>M5</u> 0,05 (*) ◀	▶ <u>M32</u> 0,02 (*) ◀
▶ <u>M52</u> — ◀	▶ <u>M32</u> 0,02 (*) ◀	0,02 (*)	▶ <u>M5</u> 0,05 (*) ◀	▶ <u>M32</u> 0,02 (*) ◀
▶ <u>M52</u> — ◀	▶ <u>M32</u> 0,05 (*) ◀	0,05 (*)	▶ <u>M5</u> 0,1 (*) ◀	▶ <u>M32</u> 0,05 (*) ◀
▶ <u>M52</u> — ◀	▶ <u>M32</u> 0,05 (*) ◀	0,05 (*)	▶ <u>M5</u> 0,1 (*) ◀	▶ <u>M32</u> 0,05 (*) ◀
▶ <u>M52</u> — ◀	▶ <u>M32</u> 0,05 (*) ◀	0,05 (*)	▶ <u>M5</u> — ◀	▶ <u>M32</u> 0,05 (*) ◀
▶ <u>M52</u> — ◀	▶ <u>M32</u> 0,05 (*) ◀	0,05 (*)	▶ <u>M5</u> — ◀	▶ <u>M32</u> 0,05 (*) ◀
▶ <u>M52</u> — ◀	▶ <u>M32</u> 0,05 (*) ◀	0,05 (*)	▶ <u>M5</u> — ◀	▶ <u>M32</u> 0,05 (*) ◀
▶ <u>M52</u> — ◀	▶ <u>M32</u> 0,05 (*) ◀	0,05 (*)	▶ <u>M5</u> — ◀	▶ <u>M32</u> 0,05 (*) ◀
▶ <u>M52</u> — ◀	▶ <u>M32</u> 0,05 (*) ◀	0,05 (*)	▶ <u>M5</u> — ◀	▶ <u>M32</u> 0,05 (*) ◀
▶ <u>M52</u> — ◀	▶ <u>M32</u> 0,05 (*) ◀	0,05 (*)	▶ <u>M5</u> — ◀	▶ <u>M32</u> 0,05 (*) ◀
▶ <u>M52</u> — ◀	▶ <u>M32</u> 0,05 (*) ◀	0,05 (*)	▶ <u>M5</u> — ◀	▶ <u>M32</u> 0,05 (*) ◀
▶ <u>M52</u> — ◀	▶ <u>M32</u> 0,05 (*) ◀	0,05 (*)	▶ <u>M5</u> — ◀	▶ <u>M32</u> 0,05 (*) ◀
▶ <u>M52</u> — ◀	▶ <u>M32</u> 0,05 (*) ◀	0,05 (*)	▶ <u>M5</u> — ◀	▶ <u>M32</u> 0,05 (*) ◀
▶ <u>M52</u> — ◀	▶ <u>M32</u> 0,05 (*) ◀	0,05 (*)	▶ <u>M5</u> — ◀	▶ <u>M32</u> 0,05 (*) ◀
▶ <u>M52</u> — ◀	▶ <u>M32</u> 0,05 (*) ◀	0,05 (*)	▶ <u>M5</u> — ◀	▶ <u>M32</u> 0,05 (*) ◀
▶ <u>M52</u> — ◀	▶ <u>M32</u> 0,05 (*) ◀	0,05 (*)	▶ <u>M5</u> — ◀	▶ <u>M32</u> 0,05 (*) ◀
▶ <u>M52</u> — ◀	▶ <u>M32</u> 0,05 (*) ◀	0,05 (*)	▶ <u>M5</u> — ◀	▶ <u>M32</u> 0,05 (*) ◀
▶ <u>M52</u> — ◀	▶ <u>M32</u> 0,05 (*) ◀	0,05 (*)	▶ <u>M5</u> — ◀	▶ <u>M32</u> 0,05 (*) ◀

## ▼ M2

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)
0633990	Others	0,1 (*)	0,1 (*)	► <u>M42</u> — ◄	0,02 (*)	► <u>M52</u> — ◄	0,1 (*)	► <u>M47</u> 0,1 (*) ◄
0639000	(d) <i>Other herbal infusions</i>	0,1 (*)	0,1 (*)	► <u>M42</u> — ◄	0,02 (*)	► <u>M52</u> — ◄	0,1 (*)	► <u>M47</u> 0,1 (*) ◄
0640000	(iv) <b>Cocoa (fermented beans)</b>	0,1 (*)	0,1 (*)	► <u>M42</u> — ◄	0,02 (*)	► <u>M52</u> — ◄	0,1 (*)	► <u>M47</u> 0,1 (*) ◄
0650000	(v) <b>Carob (st johns bread)</b>	0,1 (*)	0,1 (*)	► <u>M42</u> — ◄	0,02 (*)	► <u>M52</u> — ◄	0,1 (*)	► <u>M47</u> 0,1 (*) ◄
0800000	8. <b>SPICES</b>	0,1 (*)	0,1 (*)	► <u>M42</u> — ◄	0,02 (*)	► <u>M52</u> — ◄	0,1 (*)	► <u>M47</u> — ◄
0810000	(i) <b>Seeds</b>	0,1 (*)	0,1 (*)	► <u>M42</u> — ◄	0,02 (*)	► <u>M52</u> — ◄	0,1 (*)	► <u>M47</u> 0,1 (*) ◄
0810010	Anise	0,1 (*)	0,1 (*)	► <u>M42</u> — ◄	0,02 (*)	► <u>M52</u> — ◄	0,1 (*)	► <u>M47</u> 0,1 (*) ◄
0810020	Black caraway	0,1 (*)	0,1 (*)	► <u>M42</u> — ◄	0,02 (*)	► <u>M52</u> — ◄	0,1 (*)	► <u>M47</u> 0,1 (*) ◄
0810030	Celery seed	0,1 (*)	0,1 (*)	► <u>M42</u> — ◄	0,02 (*)	► <u>M52</u> — ◄	0,1 (*)	► <u>M47</u> 0,1 (*) ◄
0810040	Coriander seed	0,1 (*)	0,1 (*)	► <u>M42</u> — ◄	0,02 (*)	► <u>M52</u> — ◄	0,1 (*)	► <u>M47</u> 0,1 (*) ◄
0810050	Cumin seed	0,1 (*)	0,1 (*)	► <u>M42</u> — ◄	0,02 (*)	► <u>M52</u> — ◄	0,1 (*)	► <u>M47</u> 0,1 (*) ◄
0810060	Dill seed	0,1 (*)	0,1 (*)	► <u>M42</u> — ◄	0,02 (*)	► <u>M52</u> — ◄	0,1 (*)	► <u>M47</u> 0,1 (*) ◄
0810070	Fennel seed	0,1 (*)	0,1 (*)	► <u>M42</u> — ◄	0,02 (*)	► <u>M52</u> — ◄	0,1 (*)	► <u>M47</u> 0,1 (*) ◄
0810080	Fenugreek	0,1 (*)	0,1 (*)	► <u>M42</u> — ◄	0,02 (*)	► <u>M52</u> — ◄	0,1 (*)	► <u>M47</u> 0,1 (*) ◄
0810090	Nutmeg	0,1 (*)	0,1 (*)	► <u>M42</u> — ◄	0,02 (*)	► <u>M52</u> — ◄	0,1 (*)	► <u>M47</u> 0,1 (*) ◄
0810990	Others	0,1 (*)	0,1 (*)	► <u>M42</u> — ◄	0,02 (*)	► <u>M52</u> — ◄	0,1 (*)	► <u>M47</u> 0,1 (*) ◄
0820000	(ii) <b>Fruits and berries</b>	0,1 (*)	0,1 (*)	► <u>M42</u> — ◄	0,02 (*)	► <u>M52</u> — ◄	0,1 (*)	► <u>M47</u> 0,1 (*) ◄
0820010	Allspice	0,1 (*)	0,1 (*)	► <u>M42</u> — ◄	0,02 (*)	► <u>M52</u> — ◄	0,1 (*)	► <u>M47</u> 0,1 (*) ◄
0820020	Anise pepper (Japan pepper)	0,1 (*)	0,1 (*)	► <u>M42</u> — ◄	0,02 (*)	► <u>M52</u> — ◄	0,1 (*)	► <u>M47</u> 0,1 (*) ◄
0820030	Caraway	0,1 (*)	0,1 (*)	► <u>M42</u> — ◄	0,02 (*)	► <u>M52</u> — ◄	0,1 (*)	► <u>M47</u> 0,1 (*) ◄
0820040	Cardamom	0,1 (*)	0,1 (*)	► <u>M42</u> — ◄	0,02 (*)	► <u>M52</u> — ◄	0,1 (*)	► <u>M47</u> 0,1 (*) ◄







## ▼ M2

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)
0820050	Juniper berries	0,1 (*)	0,1 (*)	► <u>M42</u> — ◄	0,02 (*)	► <u>M52</u> — ◄	0,1 (*)	► <u>M47</u> 0,1 (*) ◄
0820060	Pepper, black and white	0,1 (*)	0,1 (*)	► <u>M42</u> — ◄	0,02 (*)	► <u>M52</u> — ◄	0,1 (*)	► <u>M47</u> 0,1 (*) ◄
0820070	Vanilla pods	0,1 (*)	0,1 (*)	► <u>M42</u> — ◄	0,02 (*)	► <u>M52</u> — ◄	0,1 (*)	► <u>M47</u> 0,1 (*) ◄
0820080	Tamarind	0,1 (*)	0,1 (*)	► <u>M42</u> — ◄	0,02 (*)	► <u>M52</u> — ◄	0,1 (*)	► <u>M47</u> 0,1 (*) ◄
0820990	Others	0,1 (*)	0,1 (*)	► <u>M42</u> — ◄	0,02 (*)	► <u>M52</u> — ◄	0,1 (*)	► <u>M47</u> 0,1 (*) ◄
0830000	(iii) <b>Bark</b>	0,1 (*)	0,1 (*)	► <u>M42</u> — ◄	0,02 (*)	► <u>M52</u> — ◄	0,1 (*)	► <u>M47</u> 0,1 (*) ◄
0830010	Cinnamon	0,1 (*)	0,1 (*)	► <u>M42</u> — ◄	0,02 (*)	► <u>M52</u> — ◄	0,1 (*)	► <u>M47</u> 0,1 (*) ◄
0830990	Others	0,1 (*)	0,1 (*)	► <u>M42</u> — ◄	0,02 (*)	► <u>M52</u> — ◄	0,1 (*)	► <u>M47</u> 0,1 (*) ◄
0840000	(iv) <b>Roots or rhizome</b>	0,1 (*)	0,1 (*)	► <u>M42</u> — ◄	0,02 (*)	► <u>M52</u> — ◄	0,1 (*)	► <u>M47</u> — ◄
0840010	Liquorice	0,1 (*)	0,1 (*)	► <u>M42</u> — ◄	0,02 (*)	► <u>M52</u> — ◄	0,1 (*)	► <u>M47</u> 0,1 (*) ◄
0840020	Ginger	0,1 (*)	0,1 (*)	► <u>M42</u> — ◄	0,02 (*)	► <u>M52</u> — ◄	0,1 (*)	► <u>M47</u> 0,1 (*) ◄
0840030	Turmeric (Curcuma)	0,1 (*)	0,1 (*)	► <u>M42</u> — ◄	0,02 (*)	► <u>M52</u> — ◄	0,1 (*)	► <u>M47</u> 0,1 (*) ◄
0840040	Horseradish	0,1 (*)	0,1 (*)	► <u>M42</u> — ◄	0,02 (*)	► <u>M52</u> — ◄	0,1 (*)	► <u>M47</u> (+) ◄
0840990	Others	0,1 (*)	0,1 (*)	► <u>M42</u> — ◄	0,02 (*)	► <u>M52</u> — ◄	0,1 (*)	► <u>M47</u> 0,1 (*) ◄
0850000	(v) <b>Buds</b>	0,1 (*)	0,1 (*)	► <u>M42</u> — ◄	0,02 (*)	► <u>M52</u> — ◄	0,1 (*)	► <u>M47</u> 0,1 (*) ◄
0850010	Cloves	0,1 (*)	0,1 (*)	► <u>M42</u> — ◄	0,02 (*)	► <u>M52</u> — ◄	0,1 (*)	► <u>M47</u> 0,1 (*) ◄
0850020	Capers	0,1 (*)	0,1 (*)	► <u>M42</u> — ◄	0,02 (*)	► <u>M52</u> — ◄	0,1 (*)	► <u>M47</u> 0,1 (*) ◄
0850990	Others	0,1 (*)	0,1 (*)	► <u>M42</u> — ◄	0,02 (*)	► <u>M52</u> — ◄	0,1 (*)	► <u>M47</u> 0,1 (*) ◄
0860000	(vi) <b>Flower stigma</b>	0,1 (*)	0,1 (*)	► <u>M42</u> — ◄	0,02 (*)	► <u>M52</u> — ◄	0,1 (*)	► <u>M47</u> 0,1 (*) ◄
0860010	Saffron	0,1 (*)	0,1 (*)	► <u>M42</u> — ◄	0,02 (*)	► <u>M52</u> — ◄	0,1 (*)	► <u>M47</u> 0,1 (*) ◄
0860990	Others	0,1 (*)	0,1 (*)	► <u>M42</u> — ◄	0,02 (*)	► <u>M52</u> — ◄	0,1 (*)	► <u>M47</u> 0,1 (*) ◄
0870000	(vii) <b>Aril</b>	0,1 (*)	0,1 (*)	► <u>M42</u> — ◄	0,02 (*)	► <u>M52</u> — ◄	0,1 (*)	► <u>M47</u> 0,1 (*) ◄
0870010	Mace	0,1 (*)	0,1 (*)	► <u>M42</u> — ◄	0,02 (*)	► <u>M52</u> — ◄	0,1 (*)	► <u>M47</u> 0,1 (*) ◄







▼ M2

(27)	(28)	(29)	(30)	(31)
▶ <u>M52</u> — ◀	▶ <u>M32</u> 0,05 (*) ◀	0,05 (*)	▶ <u>M5</u> — ◀	▶ <u>M32</u> 5 ◀
▶ <u>M52</u> — ◀	▶ <u>M32</u> 0,05 (*) ◀	0,05 (*)	▶ <u>M5</u> — ◀	▶ <u>M32</u> 5 ◀
▶ <u>M52</u> — ◀	▶ <u>M32</u> 0,05 (*) ◀	0,05 (*)	▶ <u>M5</u> — ◀	▶ <u>M32</u> 5 ◀
▶ <u>M52</u> — ◀	▶ <u>M32</u> 0,05 (*) ◀	0,05 (*)	▶ <u>M5</u> — ◀	▶ <u>M32</u> 5 ◀
▶ <u>M52</u> — ◀	▶ <u>M32</u> 0,05 (*) ◀	0,05 (*)	▶ <u>M5</u> — ◀	▶ <u>M32</u> 5 ◀
▶ <u>M52</u> — ◀	▶ <u>M32</u> 0,05 (*) ◀	0,05 (*)	▶ <u>M5</u> 0,1 (*) ◀	▶ <u>M32</u> 0,05 (*) ◀
▶ <u>M52</u> — ◀	▶ <u>M32</u> 0,05 (*) ◀	0,05 (*)	▶ <u>M5</u> — ◀	▶ <u>M32</u> 0,05 (*) ◀
▶ <u>M52</u> — ◀	▶ <u>M32</u> 0,05 (*) ◀	0,05 (*)	▶ <u>M5</u> — ◀	▶ <u>M32</u> 0,05 (*) ◀
▶ <u>M52</u> — ◀	▶ <u>M32</u> 0,05 (*) ◀	0,05 (*)	▶ <u>M5</u> 0,2 ◀	▶ <u>M32</u> 3 ◀
▶ <u>M52</u> — ◀	▶ <u>M32</u> 0,05 (*) ◀	0,05 (*)	▶ <u>M5</u> — ◀	▶ <u>M32</u> 3 ◀
▶ <u>M52</u> — ◀	▶ <u>M32</u> 0,05 (*) ◀	0,05 (*)	▶ <u>M5</u> — ◀	▶ <u>M32</u> 3 ◀
▶ <u>M52</u> — ◀	▶ <u>M32</u> 0,05 (*) ◀	0,05 (*)	▶ <u>M5</u> — ◀	▶ <u>M32</u> 3 ◀
▶ <u>M52</u> — ◀	▶ <u>M32</u> 0,05 (*) ◀	0,05 (*)	▶ <u>M5</u> — ◀	▶ <u>M32</u> 3 ◀
▶ <u>M52</u> — ◀	▶ <u>M32</u> 0,05 (*) ◀	0,05 (*)	▶ <u>M5</u> 0,1 (*) ◀	▶ <u>M32</u> 0,05 (*) ◀
▶ <u>M52</u> — ◀	▶ <u>M32</u> 0,05 (*) ◀	0,05 (*)	▶ <u>M5</u> — ◀	▶ <u>M32</u> 0,05 (*) ◀
▶ <u>M52</u> — ◀	▶ <u>M32</u> 0,05 (*) ◀	0,05 (*)	▶ <u>M5</u> — ◀	▶ <u>M32</u> 0,05 (*) ◀
▶ <u>M52</u> — ◀	▶ <u>M32</u> 0,05 (*) ◀	0,05 (*)	▶ <u>M5</u> — ◀	▶ <u>M32</u> 0,05 (*) ◀
▶ <u>M52</u> — ◀	▶ <u>M32</u> 0,05 (*) ◀	0,05 (*)	▶ <u>M5</u> 0,1 (*) ◀	▶ <u>M32</u> 0,05 (*) ◀
▶ <u>M52</u> — ◀	▶ <u>M32</u> 0,05 (*) ◀	0,05 (*)	▶ <u>M5</u> — ◀	▶ <u>M32</u> 0,05 (*) ◀
▶ <u>M52</u> — ◀	▶ <u>M32</u> 0,05 (*) ◀	0,05 (*)	▶ <u>M5</u> — ◀	▶ <u>M32</u> 0,05 (*) ◀
▶ <u>M52</u> — ◀	▶ <u>M32</u> 0,05 (*) ◀	0,05 (*)	▶ <u>M5</u> 0,1 (*) ◀	▶ <u>M32</u> 0,05 (*) ◀
▶ <u>M52</u> — ◀	▶ <u>M32</u> 0,05 (*) ◀	0,05 (*)	▶ <u>M5</u> — ◀	▶ <u>M32</u> 0,05 (*) ◀

## ▼ M2

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)
0870990	Others	0,1 (*)	0,1 (*)	► <u>M42</u> — ◄	0,02 (*)	► <u>M52</u> — ◄	0,1 (*)	► <u>M47</u> 0,1 (*) ◄
0900000	9. SUGAR PLANTS	0,05 (*)	0,05 (*)	► <u>M42</u> — ◄	0,01 (*)	► <u>M52</u> — ◄	0,05 (*)	
0900010	Sugar beet (root)	0,05 (*)	0,05 (*)	► <u>M42</u> — ◄	0,01 (*)	► <u>M52</u> — ◄	0,05 (*)	► <u>M47</u> 0,1 ◄
0900020	Sugar cane	0,05 (*)	0,05 (*)	► <u>M42</u> — ◄	0,01 (*)	► <u>M52</u> — ◄	0,05 (*)	► <u>M47</u> 0,05 (*) ◄
0900030	Chicory roots	0,05 (*)	0,05 (*)	► <u>M42</u> — ◄	0,01 (*)	► <u>M52</u> — ◄	0,05 (*)	► <u>M47</u> 0,05 (*) ◄
0900990	Others	0,05 (*)	0,05 (*)	► <u>M42</u> — ◄	0,01 (*)	► <u>M52</u> — ◄	0,05 (*)	► <u>M47</u> 0,05 (*) ◄
1015000	(e) <i>Horses, asses, mules or hinnies</i>			► <u>M42</u> — ◄	0,01 (*)	► <u>M52</u> — ◄		► <u>M47</u> 0,05 (*) ◄
1015010	Meat			► <u>M42</u> — ◄	0,01 (*)	► <u>M52</u> — ◄		► <u>M47</u> 0,05 (*) ◄
1015020	Fat			► <u>M42</u> — ◄	0,01 (*)	► <u>M52</u> — ◄		► <u>M47</u> 0,05 (*) ◄
1015030	Liver			► <u>M42</u> — ◄	0,01 (*)	► <u>M52</u> — ◄		► <u>M47</u> 0,05 (*) ◄
1015040	Kidney			► <u>M42</u> — ◄	0,01 (*)	► <u>M52</u> — ◄		► <u>M47</u> 0,05 (*) ◄
1015050	Edible offal			► <u>M42</u> — ◄	0,01 (*)	► <u>M52</u> — ◄		► <u>M47</u> 0,05 (*) ◄
1015990	Others			► <u>M42</u> — ◄	0,01 (*)	► <u>M52</u> — ◄		► <u>M47</u> 0,05 (*) ◄
1017000	(g) <i>Other farm animals</i>			► <u>M42</u> — ◄	0,01 (*)	► <u>M52</u> — ◄		► <u>M47</u> 0,05 (*) ◄
1017010	Meat			► <u>M42</u> — ◄	0,01 (*)	► <u>M52</u> — ◄		► <u>M47</u> 0,05 (*) ◄
1017020	Fat			► <u>M42</u> — ◄	0,01 (*)	► <u>M52</u> — ◄		► <u>M47</u> 0,05 (*) ◄
1017030	Liver			► <u>M42</u> — ◄	0,01 (*)	► <u>M52</u> — ◄		► <u>M47</u> 0,05 (*) ◄
1017040	Kidney			► <u>M42</u> — ◄	0,01 (*)	► <u>M52</u> — ◄		► <u>M47</u> 0,05 (*) ◄
1017050	Edible offal			► <u>M42</u> — ◄	0,01 (*)	► <u>M52</u> — ◄		► <u>M47</u> 0,05 (*) ◄
1017990	Others			► <u>M42</u> — ◄	0,01 (*)	► <u>M52</u> — ◄		► <u>M47</u> 0,05 (*) ◄
1030020	Duck			► <u>M42</u> — ◄	0,01 (*)	► <u>M52</u> — ◄		► <u>M47</u> 0,05 (*) ◄
1030030	Goose			► <u>M42</u> — ◄	0,01 (*)	► <u>M52</u> — ◄		► <u>M47</u> 0,05 (*) ◄



▼ M2

(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)
0,02 (*)	▶ <u>M46</u> — ◀	▶ <u>M59</u> — ◀	▶ <u>M32</u> — ◀	0,1 (*)	0,05 (*)	0,02 (*)	0,05 (*)	▶ <u>M49</u> — ◀
0,01 (*)	▶ <u>M46</u> — ◀	▶ <u>M59</u> — ◀	▶ <u>M32</u> — ◀	0,05 (*)	0,02 (*)	0,01 (*)	0,01 (*)	▶ <u>M49</u> — ◀
0,01 (*)	▶ <u>M46</u> — ◀	▶ <u>M59</u> — ◀	▶ <u>M32</u> — ◀	0,05 (*)	0,02 (*)	0,01 (*)	0,01 (*)	▶ <u>M49</u> — ◀
0,01 (*)	▶ <u>M46</u> — ◀	▶ <u>M59</u> — ◀	▶ <u>M32</u> — ◀	0,05 (*)	0,02 (*)	0,01 (*)	0,01 (*)	▶ <u>M49</u> — ◀
0,01 (*)	▶ <u>M46</u> — ◀	▶ <u>M59</u> — ◀	▶ <u>M32</u> — ◀	0,05 (*)	0,02 (*)	0,01 (*)	0,01 (*)	▶ <u>M49</u> — ◀
	▶ <u>M46</u> — ◀	▶ <u>M59</u> — ◀	▶ <u>M32</u> — ◀	0,05 (*)	0,01 (*)	0,01 (*)		▶ <u>M49</u> — ◀
	▶ <u>M46</u> — ◀	▶ <u>M59</u> — ◀	▶ <u>M32</u> — ◀	0,05 (*)	0,01 (*)	0,01 (*)		▶ <u>M49</u> — ◀
	▶ <u>M46</u> — ◀	▶ <u>M59</u> — ◀	▶ <u>M32</u> — ◀	0,05 (*)	0,01 (*)	0,01 (*)		▶ <u>M49</u> — ◀
	▶ <u>M46</u> — ◀	▶ <u>M59</u> — ◀	▶ <u>M32</u> — ◀	0,05 (*)	0,01 (*)	0,01 (*)		▶ <u>M49</u> — ◀
	▶ <u>M46</u> — ◀	▶ <u>M59</u> — ◀	▶ <u>M32</u> — ◀	0,05 (*)	0,01 (*)	0,01 (*)		▶ <u>M49</u> — ◀
	▶ <u>M46</u> — ◀	▶ <u>M59</u> — ◀	▶ <u>M32</u> — ◀	0,05 (*)	0,01 (*)	0,01 (*)		▶ <u>M49</u> — ◀
	▶ <u>M46</u> — ◀	▶ <u>M59</u> — ◀	▶ <u>M32</u> — ◀	0,05 (*)	0,01 (*)	0,01 (*)		▶ <u>M49</u> — ◀
	▶ <u>M46</u> — ◀	▶ <u>M59</u> — ◀	▶ <u>M32</u> — ◀	0,05 (*)	0,01 (*)	0,01 (*)		▶ <u>M49</u> — ◀
	▶ <u>M46</u> — ◀	▶ <u>M59</u> — ◀	▶ <u>M32</u> — ◀	0,05 (*)	0,01 (*)	0,01 (*)		▶ <u>M49</u> — ◀
	▶ <u>M46</u> — ◀	▶ <u>M59</u> — ◀	▶ <u>M32</u> — ◀	0,05 (*)	0,01 (*)	0,01 (*)		▶ <u>M49</u> — ◀
	▶ <u>M46</u> — ◀	▶ <u>M59</u> — ◀	▶ <u>M32</u> — ◀	0,05 (*)	0,01 (*)	0,01 (*)		▶ <u>M49</u> — ◀
	▶ <u>M46</u> — ◀	▶ <u>M59</u> — ◀	▶ <u>M32</u> — ◀	0,05 (*)	0,01 (*)	0,01 (*)		▶ <u>M49</u> — ◀
	▶ <u>M46</u> — ◀	▶ <u>M59</u> — ◀	▶ <u>M32</u> — ◀	0,05 (*)	0,01 (*)	0,01 (*)		▶ <u>M49</u> — ◀
	▶ <u>M46</u> — ◀	▶ <u>M59</u> — ◀	▶ <u>M32</u> — ◀	0,05 (*)	0,01 (*)	0,01 (*)		▶ <u>M49</u> — ◀
	▶ <u>M46</u> — ◀	▶ <u>M59</u> — ◀	▶ <u>M32</u> — ◀	0,05 (*)	0,01 (*)	0,01 (*)		▶ <u>M49</u> — ◀

▼ M2

(27)	(28)	(29)	(30)	(31)
▶ <u>M52</u> — ◀	▶ <u>M32</u> 0,05 (*) ◀	0,05 (*)	▶ <u>M5</u> — ◀	▶ <u>M32</u> 0,05 (*) ◀
▶ <u>M52</u> — ◀	▶ <u>M32</u> 0,01 (*) ◀	0,02 (*)	▶ <u>M5</u> 0,05 (*) ◀	▶ <u>M32</u> 0,01 (*) ◀
▶ <u>M52</u> — ◀	▶ <u>M32</u> 0,01 (*) ◀	0,02 (*)	▶ <u>M5</u> — ◀	▶ <u>M32</u> 0,01 (*) ◀
▶ <u>M52</u> — ◀	▶ <u>M32</u> 0,01 (*) ◀	0,02 (*)	▶ <u>M5</u> — ◀	▶ <u>M32</u> 0,01 (*) ◀
▶ <u>M52</u> — ◀	▶ <u>M32</u> 0,01 (*) ◀	0,02 (*)	▶ <u>M5</u> — ◀	▶ <u>M32</u> 0,01 (*) ◀
▶ <u>M52</u> — ◀	▶ <u>M32</u> 0,01 (*) ◀	0,02 (*)	▶ <u>M5</u> — ◀	▶ <u>M32</u> 0,01 (*) ◀
▶ <u>M52</u> — ◀	▶ <u>M32</u> 0,01 (*) ◀		▶ <u>M5</u> 0,05 (*) ◀	▶ <u>M32</u> 0,01 (*) ◀
▶ <u>M52</u> — ◀	▶ <u>M32</u> 0,01 (*) ◀		▶ <u>M5</u> — ◀	▶ <u>M32</u> 0,01 (*) ◀
▶ <u>M52</u> — ◀	▶ <u>M32</u> 0,01 (*) ◀		▶ <u>M5</u> — ◀	▶ <u>M32</u> 0,01 (*) ◀
▶ <u>M52</u> — ◀	▶ <u>M32</u> 0,01 (*) ◀		▶ <u>M5</u> — ◀	▶ <u>M32</u> 0,01 (*) ◀
▶ <u>M52</u> — ◀	▶ <u>M32</u> 0,01 (*) ◀		▶ <u>M5</u> — ◀	▶ <u>M32</u> 0,01 (*) ◀
▶ <u>M52</u> — ◀	▶ <u>M32</u> 0,01 (*) ◀		▶ <u>M5</u> — ◀	▶ <u>M32</u> 0,01 (*) ◀
▶ <u>M52</u> — ◀	▶ <u>M32</u> 0,01 (*) ◀		▶ <u>M5</u> — ◀	▶ <u>M32</u> 0,01 (*) ◀
▶ <u>M52</u> — ◀	▶ <u>M32</u> 0,01 (*) ◀		▶ <u>M5</u> — ◀	▶ <u>M32</u> 0,01 (*) ◀
▶ <u>M52</u> — ◀	▶ <u>M32</u> 0,01 (*) ◀		▶ <u>M5</u> — ◀	▶ <u>M32</u> 0,01 (*) ◀
▶ <u>M52</u> — ◀	▶ <u>M32</u> 0,01 (*) ◀		▶ <u>M5</u> — ◀	▶ <u>M32</u> 0,01 (*) ◀
▶ <u>M52</u> — ◀	▶ <u>M32</u> 0,01 (*) ◀		▶ <u>M5</u> — ◀	▶ <u>M32</u> 0,01 (*) ◀
▶ <u>M52</u> — ◀	▶ <u>M32</u> 0,01 (*) ◀		▶ <u>M5</u> — ◀	▶ <u>M32</u> 0,01 (*) ◀
▶ <u>M52</u> — ◀	▶ <u>M32</u> 0,01 (*) ◀		▶ <u>M5</u> — ◀	▶ <u>M32</u> 0,01 (*) ◀
▶ <u>M52</u> — ◀	▶ <u>M32</u> 0,01 (*) ◀		▶ <u>M5</u> 0,05 (*) ◀	▶ <u>M32</u> 0,01 (*) ◀
▶ <u>M52</u> — ◀	▶ <u>M32</u> 0,01 (*) ◀		▶ <u>M5</u> 0,05 (*) ◀	▶ <u>M32</u> 0,01 (*) ◀

▼ M2

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)
1030040	Quail			▶ <u>M42</u> — ◀	0,01 (*)	▶ <u>M52</u> — ◀		▶ <u>M47</u> 0,05 (*) ◀
1030990	Others			▶ <u>M42</u> — ◀	0,01 (*)	▶ <u>M52</u> — ◀		▶ <u>M47</u> 0,05 (*) ◀
1040000	(iv) <b>Honey</b>			▶ <u>M42</u> — ◀		▶ <u>M52</u> — ◀		▶ <u>M47</u> 0,05 (*) ◀
1050000	(v) <b>Amphibians and reptiles</b>			▶ <u>M42</u> — ◀		▶ <u>M52</u> — ◀		▶ <u>M47</u> 0,05 (*) ◀
1060000	(vi) <b>Snails</b>			▶ <u>M42</u> — ◀		▶ <u>M52</u> — ◀		▶ <u>M47</u> 0,05 (*) ◀
1070000	(vii) <b>Other terrestrial animal products</b>			▶ <u>M42</u> — ◀		▶ <u>M52</u> — ◀		▶ <u>M47</u> 0,05 (*) ◀

▼ M2

(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)
0,01 (*)	▶ <u>M32</u> 0,01 (*) ◀	▶ <u>M16</u> 0,02 (*) ◀	▶ <u>M46</u> — ◀	▶ <u>M11</u> 0,02 (*) ◀	0,01 (*)	▶ <u>M56</u> 0,01 (*) ◀	▶ <u>M58</u> — ◀
0,01 (*)	▶ <u>M32</u> 0,01 (*) ◀	▶ <u>M16</u> 0,02 (*) ◀	▶ <u>M46</u> — ◀	▶ <u>M11</u> 0,02 (*) ◀	0,01 (*)	▶ <u>M56</u> 0,01 (*) ◀	▶ <u>M58</u> — ◀
		▶ <u>M16</u> 0,02 (*) ◀	▶ <u>M46</u> — ◀	▶ <u>M11</u> 0,02 (*) ◀		▶ <u>M56</u> 0,05 (*) ◀	▶ <u>M58</u> — ◀
		▶ <u>M16</u> 0,02 (*) ◀	▶ <u>M46</u> — ◀	▶ <u>M11</u> 0,02 (*) ◀		▶ <u>M56</u> 0,01 (*) ◀	▶ <u>M58</u> — ◀
		▶ <u>M16</u> 0,02 (*) ◀	▶ <u>M46</u> — ◀	▶ <u>M11</u> 0,02 (*) ◀		▶ <u>M56</u> 0,01 (*) ◀	▶ <u>M58</u> — ◀
		▶ <u>M16</u> 0,02 (*) ◀	▶ <u>M46</u> — ◀	▶ <u>M11</u> 0,02 (*) ◀		▶ <u>M56</u> 0,01 (*) ◀	▶ <u>M58</u> — ◀

▼ M2

(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)
	▶ <u>M46</u> — ◀	▶ <u>M59</u> — ◀	▶ <u>M32</u> — ◀	0,05 (*)	0,01 (*)	0,01 (*)		▶ <u>M49</u> — ◀
	▶ <u>M46</u> — ◀	▶ <u>M59</u> — ◀	▶ <u>M32</u> — ◀	0,05 (*)	0,01 (*)	0,01 (*)		▶ <u>M49</u> — ◀
	▶ <u>M46</u> — ◀	▶ <u>M59</u> — ◀	▶ <u>M32</u> — ◀					▶ <u>M49</u> — ◀
	▶ <u>M46</u> — ◀	▶ <u>M59</u> — ◀	▶ <u>M32</u> — ◀					▶ <u>M49</u> — ◀
	▶ <u>M46</u> — ◀	▶ <u>M59</u> — ◀	▶ <u>M32</u> — ◀					▶ <u>M49</u> — ◀
	▶ <u>M46</u> — ◀	▶ <u>M59</u> — ◀	▶ <u>M32</u> — ◀					▶ <u>M49</u> — ◀



▼ M2

(27)	(28)	(29)	(30)	(31)
▶ <u>M52</u> — ◀	▶ <u>M32 0,01</u> (*) ◀		▶ <u>M5 0,05</u> (*) ◀	▶ <u>M32 0,01</u> (*) ◀
▶ <u>M52</u> — ◀	▶ <u>M32 0,01</u> (*) ◀		▶ <u>M5 0,05</u> (*) ◀	▶ <u>M32 0,01</u> (*) ◀
▶ <u>M52</u> — ◀	▶ <u>M32 0,01</u> (*) ◀			▶ <u>M32 0,01</u> (*) ◀
▶ <u>M52</u> — ◀	▶ <u>M32 0,01</u> (*) ◀			▶ <u>M32 0,01</u> (*) ◀
▶ <u>M52</u> — ◀	▶ <u>M32 0,01</u> (*) ◀			▶ <u>M32 0,01</u> (*) ◀
▶ <u>M52</u> — ◀	▶ <u>M32 0,01</u> (*) ◀			▶ <u>M32 0,01</u> (*) ◀

▼ **M2**

*Pesticide residues and maximum residue levels (mg/kg)*

Code number	Groups and examples of individual products to which the MRLs apply <sup>(4)</sup>	▼ <u>M72</u> ▶ Penconazole <sup>(1)</sup>	▼ <u>M67</u> ▶	Pethoxamid	Phenmedipham <sup>(8)</sup>	▶ <u>M32</u> Phorate (sum of phorate, its oxygen analogue and their sulfones expressed as phorate) ▼	Phosphamidon	▼ <u>M66</u> ▶
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)
0130040	Medlar	▶ <u>M72</u> 0,2 ◀	▶ <u>M67</u> — ◀	0,01 (*)	0,05 (*)	▶ <u>M32</u> 0,01 (*) ◀	0,01 (*)	▶ <u>M66</u> — ◀
0130050	Loquat	▶ <u>M72</u> 0,2 ◀	▶ <u>M67</u> — ◀	0,01 (*)	0,05 (*)	▶ <u>M32</u> 0,01 (*) ◀	0,01 (*)	▶ <u>M66</u> — ◀
0154050	Rose hips	▶ <u>M72</u> 0,05 (*) ◀	▶ <u>M67</u> — ◀	0,01 (*)	0,05 (*)	▶ <u>M32</u> 0,01 (*) ◀	0,01 (*)	▶ <u>M66</u> — ◀
0154060	Mulberries	▶ <u>M72</u> 0,05 (*) ◀	▶ <u>M67</u> — ◀	0,01 (*)	0,05 (*)	▶ <u>M32</u> 0,01 (*) ◀	0,01 (*)	▶ <u>M66</u> — ◀
0154070	Azarole (mediteranean medlar)	▶ <u>M72</u> 0,05 (*) ◀	▶ <u>M67</u> — ◀	0,01 (*)	0,05 (*)	▶ <u>M32</u> 0,01 (*) ◀	0,01 (*)	▶ <u>M66</u> — ◀
0154080	Elderberries	▶ <u>M72</u> 0,05 (*) ◀	▶ <u>M67</u> — ◀	0,01 (*)	0,05 (*)	▶ <u>M32</u> 0,01 (*) ◀	0,01 (*)	▶ <u>M66</u> — ◀
0161050	Carambola	▶ <u>M72</u> 0,05 (*) ◀	▶ <u>M67</u> — ◀	0,01 (*)	0,05 (*)	▶ <u>M32</u> 0,01 (*) ◀	0,01 (*)	▶ <u>M66</u> — ◀
0161060	Persimmon	▶ <u>M72</u> 0,05 (*) ◀	▶ <u>M67</u> — ◀	0,01 (*)	0,05 (*)	▶ <u>M32</u> 0,01 (*) ◀	0,01 (*)	▶ <u>M66</u> — ◀
0161070	Jambolan (java plum)	▶ <u>M72</u> 0,05 (*) ◀	▶ <u>M67</u> — ◀	0,01 (*)	0,05 (*)	▶ <u>M32</u> 0,01 (*) ◀	0,01 (*)	▶ <u>M66</u> — ◀
0162040	Prickly pear (cactus fruit)	▶ <u>M72</u> 0,05 (*) ◀	▶ <u>M67</u> — ◀	0,01 (*)	0,05 (*)	▶ <u>M32</u> 0,01 (*) ◀	0,01 (*)	▶ <u>M66</u> — ◀
0162050	Star apple	▶ <u>M72</u> 0,05 (*) ◀	▶ <u>M67</u> — ◀	0,01 (*)	0,05 (*)	▶ <u>M32</u> 0,01 (*) ◀	0,01 (*)	▶ <u>M66</u> — ◀
0162060	American persimmon (Virginia kaki)	▶ <u>M72</u> 0,05 (*) ◀	▶ <u>M67</u> — ◀	0,01 (*)	0,05 (*)	▶ <u>M32</u> 0,01 (*) ◀	0,01 (*)	▶ <u>M66</u> — ◀
0163060	Cherimoya	▶ <u>M72</u> 0,05 (*) ◀	▶ <u>M67</u> — ◀	0,01 (*)	0,05 (*)	▶ <u>M32</u> 0,01 (*) ◀	0,01 (*)	▶ <u>M66</u> — ◀

▼ M2

▼ <u>M51</u> —	▶ <u>M5</u> Pirimiphos-methyl (1) ▼	Prochloraz (sum of prochloraz and its metabolites containing the 2,4,6-Trichlorophenol moiety expressed as prochloraz)	▶ <u>M64</u> —	▶ <u>M64</u> Profenofos (1) ▼	▶ <u>M73</u> —	▶ <u>M74</u> Propiconazole ▼	Propineb (expressed as propilendiamine) (13)
(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)
▶ <u>M51</u> — ◀	▶ <u>M5</u> 0,05 (*) ◀	0,05 (*)	▶ <u>M64</u> — ◀	▶ <u>M64</u> 0,01 (*) ◀	▶ <u>M73</u> — ◀	▶ <u>M74</u> 0,05 (*) ◀	0,3
▶ <u>M51</u> — ◀	▶ <u>M5</u> 0,05 (*) ◀	0,05 (*)	▶ <u>M64</u> — ◀	▶ <u>M64</u> 0,01 (*) ◀	▶ <u>M73</u> — ◀	▶ <u>M74</u> 0,05 (*) ◀	0,3
▶ <u>M51</u> — ◀	▶ <u>M5</u> 0,05 (*) ◀	0,05 (*)	▶ <u>M64</u> — ◀	▶ <u>M64</u> 0,01 (*) ◀	▶ <u>M73</u> — ◀	▶ <u>M74</u> 0,05 (*) ◀	0,05 (*)
▶ <u>M51</u> — ◀	▶ <u>M5</u> 0,05 (*) ◀	0,05 (*)	▶ <u>M64</u> — ◀	▶ <u>M64</u> 0,01 (*) ◀	▶ <u>M73</u> — ◀	▶ <u>M74</u> 0,05 (*) ◀	0,05 (*)
▶ <u>M51</u> — ◀	▶ <u>M5</u> 0,05 (*) ◀	0,05 (*)	▶ <u>M64</u> — ◀	▶ <u>M64</u> 0,01 (*) ◀	▶ <u>M73</u> — ◀	▶ <u>M74</u> 0,05 (*) ◀	0,05 (*)
▶ <u>M51</u> — ◀	▶ <u>M5</u> 0,05 (*) ◀	0,05 (*)	▶ <u>M64</u> — ◀	▶ <u>M64</u> 0,01 (*) ◀	▶ <u>M73</u> — ◀	▶ <u>M74</u> 0,05 (*) ◀	0,05 (*)
▶ <u>M51</u> — ◀	▶ <u>M5</u> 0,05 (*) ◀	0,05 (*)	▶ <u>M64</u> — ◀	▶ <u>M64</u> 0,01 (*) ◀	▶ <u>M73</u> — ◀	▶ <u>M74</u> 0,05 (*) ◀	0,05 (*)
▶ <u>M51</u> — ◀	▶ <u>M5</u> 0,05 (*) ◀	0,05 (*)	▶ <u>M64</u> — ◀	▶ <u>M64</u> 0,01 (*) ◀	▶ <u>M73</u> — ◀	▶ <u>M74</u> 0,05 (*) ◀	0,05 (*)
▶ <u>M51</u> — ◀	▶ <u>M5</u> 0,05 (*) ◀	0,05 (*)	▶ <u>M64</u> — ◀	▶ <u>M64</u> 0,01 (*) ◀	▶ <u>M73</u> — ◀	▶ <u>M74</u> 0,05 (*) ◀	0,05 (*)
▶ <u>M51</u> — ◀	▶ <u>M5</u> 0,05 (*) ◀	0,05 (*)	▶ <u>M64</u> — ◀	▶ <u>M64</u> 0,01 (*) ◀	▶ <u>M73</u> — ◀	▶ <u>M74</u> 0,05 (*) ◀	0,05 (*)
▶ <u>M51</u> — ◀	▶ <u>M5</u> 0,05 (*) ◀	0,05 (*)	▶ <u>M64</u> — ◀	▶ <u>M64</u> 0,01 (*) ◀	▶ <u>M73</u> — ◀	▶ <u>M74</u> 0,05 (*) ◀	0,05 (*)
▶ <u>M51</u> — ◀	▶ <u>M5</u> 0,05 (*) ◀	0,05 (*)	▶ <u>M64</u> — ◀	▶ <u>M64</u> 0,01 (*) ◀	▶ <u>M73</u> — ◀	▶ <u>M74</u> 0,05 (*) ◀	0,05 (*)
▶ <u>M51</u> — ◀	▶ <u>M5</u> 0,05 (*) ◀	0,05 (*)	▶ <u>M64</u> — ◀	▶ <u>M64</u> 0,01 (*) ◀	▶ <u>M73</u> — ◀	▶ <u>M74</u> 0,05 (*) ◀	0,05 (*)
▶ <u>M51</u> — ◀	▶ <u>M5</u> 0,05 (*) ◀	0,05 (*)	▶ <u>M64</u> — ◀	▶ <u>M64</u> 0,01 (*) ◀	▶ <u>M73</u> — ◀	▶ <u>M74</u> 0,05 (*) ◀	0,05 (*)
▶ <u>M51</u> — ◀	▶ <u>M5</u> 0,05 (*) ◀	0,05 (*)	▶ <u>M64</u> — ◀	▶ <u>M64</u> 0,01 (*) ◀	▶ <u>M73</u> — ◀	▶ <u>M74</u> 0,05 (*) ◀	0,05 (*)
▶ <u>M51</u> — ◀	▶ <u>M5</u> 0,05 (*) ◀	0,05 (*)	▶ <u>M64</u> — ◀	▶ <u>M64</u> 0,01 (*) ◀	▶ <u>M73</u> — ◀	▶ <u>M74</u> 0,05 (*) ◀	0,05 (*)
▶ <u>M51</u> — ◀	▶ <u>M5</u> 0,05 (*) ◀	0,05 (*)	▶ <u>M64</u> — ◀	▶ <u>M64</u> 0,01 (*) ◀	▶ <u>M73</u> — ◀	▶ <u>M74</u> 0,05 (*) ◀	0,05 (*)
▶ <u>M51</u> — ◀	▶ <u>M5</u> 0,05 (*) ◀	0,05 (*)	▶ <u>M64</u> — ◀	▶ <u>M64</u> 0,01 (*) ◀	▶ <u>M73</u> — ◀	▶ <u>M74</u> 0,05 (*) ◀	0,05 (*)
▶ <u>M51</u> — ◀	▶ <u>M5</u> 0,05 (*) ◀	0,05 (*)	▶ <u>M64</u> — ◀	▶ <u>M64</u> 0,01 (*) ◀	▶ <u>M73</u> — ◀	▶ <u>M74</u> 0,05 (*) ◀	0,05 (*)

▼ M2

Propoxur	▼ —   ▲ <u>M59</u>	▼ —   ▲ <u>M67</u>	▼ —   ▲ <u>M58</u>	▼ —   ▲ <u>M55</u>	▼ —   ▲ <u>M40</u>	▼ —   ▲ <u>M59</u>	Pyrazophos (L)
(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)
0,05 (*)	▶ <u>M59</u> — ◀	▶ <u>M67</u> — ◀	▶ <u>M58</u> — ◀	▶ <u>M55</u> — ◀	▶ <u>M40</u> — ◀	▶ <u>M59</u> — ◀	0,05 (*)
0,05 (*)	▶ <u>M59</u> — ◀	▶ <u>M67</u> — ◀	▶ <u>M58</u> — ◀	▶ <u>M55</u> — ◀	▶ <u>M40</u> — ◀	▶ <u>M59</u> — ◀	0,05 (*)
0,05 (*)	▶ <u>M59</u> — ◀	▶ <u>M67</u> — ◀	▶ <u>M58</u> — ◀	▶ <u>M55</u> — ◀	▶ <u>M40</u> — ◀	▶ <u>M59</u> — ◀	0,05 (*)
0,05 (*)	▶ <u>M59</u> — ◀	▶ <u>M67</u> — ◀	▶ <u>M58</u> — ◀	▶ <u>M55</u> — ◀	▶ <u>M40</u> — ◀	▶ <u>M59</u> — ◀	0,05 (*)
0,05 (*)	▶ <u>M59</u> — ◀	▶ <u>M67</u> — ◀	▶ <u>M58</u> — ◀	▶ <u>M55</u> — ◀	▶ <u>M40</u> — ◀	▶ <u>M59</u> — ◀	0,05 (*)
0,05 (*)	▶ <u>M59</u> — ◀	▶ <u>M67</u> — ◀	▶ <u>M58</u> — ◀	▶ <u>M55</u> — ◀	▶ <u>M40</u> — ◀	▶ <u>M59</u> — ◀	0,05 (*)
0,05 (*)	▶ <u>M59</u> — ◀	▶ <u>M67</u> — ◀	▶ <u>M58</u> — ◀	▶ <u>M55</u> — ◀	▶ <u>M40</u> — ◀	▶ <u>M59</u> — ◀	0,05 (*)
0,05 (*)	▶ <u>M59</u> — ◀	▶ <u>M67</u> — ◀	▶ <u>M58</u> — ◀	▶ <u>M55</u> — ◀	▶ <u>M40</u> — ◀	▶ <u>M59</u> — ◀	0,05 (*)
0,05 (*)	▶ <u>M59</u> — ◀	▶ <u>M67</u> — ◀	▶ <u>M58</u> — ◀	▶ <u>M55</u> — ◀	▶ <u>M40</u> — ◀	▶ <u>M59</u> — ◀	0,05 (*)
0,05 (*)	▶ <u>M59</u> — ◀	▶ <u>M67</u> — ◀	▶ <u>M58</u> — ◀	▶ <u>M55</u> — ◀	▶ <u>M40</u> — ◀	▶ <u>M59</u> — ◀	0,05 (*)
0,05 (*)	▶ <u>M59</u> — ◀	▶ <u>M67</u> — ◀	▶ <u>M58</u> — ◀	▶ <u>M55</u> — ◀	▶ <u>M40</u> — ◀	▶ <u>M59</u> — ◀	0,05 (*)
0,05 (*)	▶ <u>M59</u> — ◀	▶ <u>M67</u> — ◀	▶ <u>M58</u> — ◀	▶ <u>M55</u> — ◀	▶ <u>M40</u> — ◀	▶ <u>M59</u> — ◀	0,05 (*)
0,05 (*)	▶ <u>M59</u> — ◀	▶ <u>M67</u> — ◀	▶ <u>M58</u> — ◀	▶ <u>M55</u> — ◀	▶ <u>M40</u> — ◀	▶ <u>M59</u> — ◀	0,05 (*)

▼ M2

▼ <u>M67</u> ▶ — ◀	▼ <u>M51</u> ▶ — ◀	Quinalphos	▼ <u>M47</u> Quinoxifen (L) ▶ — ◀	▶ <u>M32</u> Quintozene (sum of quintozene and pentachloro-aniline expressed as quintozene) (L) ▼	Resmethrin (resmethrin including other mixtures of constituent isomers (sum of isomers)) (L)
(26)	(27)	(28)	(29)	(30)	(31)
▶ <u>M67</u> — ◀	▶ <u>M51</u> — ◀	0,05 (*)	▶ <u>M47</u> 0,02 (*) ◀	▶ <u>M32</u> 0,02 (*) ◀	0,1 (*)
▶ <u>M67</u> — ◀	▶ <u>M51</u> — ◀	0,05 (*)	▶ <u>M47</u> 0,02 (*) ◀	▶ <u>M32</u> 0,02 (*) ◀	0,1 (*)
▶ <u>M67</u> — ◀	▶ <u>M51</u> — ◀	0,05 (*)	▶ <u>M47</u> 2 ◀	▶ <u>M32</u> 0,02 (*) ◀	0,1 (*)
▶ <u>M67</u> — ◀	▶ <u>M51</u> — ◀	0,05 (*)	▶ <u>M47</u> 2 ◀	▶ <u>M32</u> 0,02 (*) ◀	0,1 (*)
▶ <u>M67</u> — ◀	▶ <u>M51</u> — ◀	0,05 (*)	▶ <u>M47</u> 2 ◀	▶ <u>M32</u> 0,02 (*) ◀	0,1 (*)
▶ <u>M67</u> — ◀	▶ <u>M51</u> — ◀	0,05 (*)	▶ <u>M47</u> 2 ◀	▶ <u>M32</u> 0,02 (*) ◀	0,1 (*)
▶ <u>M67</u> — ◀	▶ <u>M51</u> — ◀	0,05 (*)	▶ <u>M47</u> 0,02 (*) ◀	▶ <u>M32</u> 0,02 (*) ◀	0,1 (*)
▶ <u>M67</u> — ◀	▶ <u>M51</u> — ◀	0,05 (*)	▶ <u>M47</u> 0,02 (*) ◀	▶ <u>M32</u> 0,02 (*) ◀	0,1 (*)
▶ <u>M67</u> — ◀	▶ <u>M51</u> — ◀	0,05 (*)	▶ <u>M47</u> 0,02 (*) ◀	▶ <u>M32</u> 0,02 (*) ◀	0,1 (*)
▶ <u>M67</u> — ◀	▶ <u>M51</u> — ◀	0,05 (*)	▶ <u>M47</u> 0,02 (*) ◀	▶ <u>M32</u> 0,02 (*) ◀	0,1 (*)
▶ <u>M67</u> — ◀	▶ <u>M51</u> — ◀	0,05 (*)	▶ <u>M47</u> 0,02 (*) ◀	▶ <u>M32</u> 0,02 (*) ◀	0,1 (*)
▶ <u>M67</u> — ◀	▶ <u>M51</u> — ◀	0,05 (*)	▶ <u>M47</u> 0,02 (*) ◀	▶ <u>M32</u> 0,02 (*) ◀	0,1 (*)
▶ <u>M67</u> — ◀	▶ <u>M51</u> — ◀	0,05 (*)	▶ <u>M47</u> 0,02 (*) ◀	▶ <u>M32</u> 0,02 (*) ◀	0,1 (*)

## ▼ M2

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)
0163070	Guava	► <u>M72</u> 0,05 (*) ◀	► <u>M67</u> — ◀	0,01 (*)	0,05 (*)	► <u>M32</u> 0,01 (*) ◀	0,01 (*)	► <u>M66</u> — ◀
0163090	Bread fruit	► <u>M72</u> 0,05 (*) ◀	► <u>M67</u> — ◀	0,01 (*)	0,05 (*)	► <u>M32</u> 0,01 (*) ◀	0,01 (*)	► <u>M66</u> — ◀
0163100	Durian	► <u>M72</u> 0,05 (*) ◀	► <u>M67</u> — ◀	0,01 (*)	0,05 (*)	► <u>M32</u> 0,01 (*) ◀	0,01 (*)	► <u>M66</u> — ◀
0163110	Soursop (guanabana)	► <u>M72</u> 0,05 (*) ◀	► <u>M67</u> — ◀	0,01 (*)	0,05 (*)	► <u>M32</u> 0,01 (*) ◀	0,01 (*)	► <u>M66</u> — ◀
0212040	Arrowroot	► <u>M72</u> 0,05 (*) ◀	► <u>M67</u> — ◀	0,01 (*)	0,05 (*)	► <u>M32</u> 0,01 (*) ◀	0,01 (*)	► <u>M66</u> — ◀
0251050	Land cress	► <u>M72</u> 0,05 (*) ◀	► <u>M67</u> — ◀	0,01 (*)	0,05 (*)	► <u>M32</u> 0,01 (*) ◀	0,01 (*)	► <u>M66</u> — ◀
0251070	Red mustard	► <u>M72</u> 0,05 (*) ◀	► <u>M67</u> — ◀	0,01 (*)	0,05 (*)	► <u>M32</u> 0,01 (*) ◀	0,01 (*)	► <u>M66</u> — ◀
0252020	Purslane	► <u>M72</u> 0,05 (*) ◀	► <u>M67</u> — ◀	0,01 (*)	0,5	► <u>M32</u> 0,01 (*) ◀	0,01 (*)	► <u>M66</u> — ◀
0253000	(c) <i>Vine leaves</i> ( <i>grape leaves</i> )	► <u>M72</u> 0,05 (*) ◀	► <u>M67</u> — ◀	0,01 (*)	0,05 (*)	► <u>M32</u> 0,01 (*) ◀	0,01 (*)	► <u>M66</u> — ◀
0256050	Sage	► <u>M72</u> 0,05 (*) ◀	► <u>M67</u> — ◀	0,01 (*)	7	► <u>M32</u> 0,02 (*) ◀	0,01 (*)	► <u>M66</u> — ◀
0256060	Rosemary	► <u>M72</u> 0,05 (*) ◀	► <u>M67</u> — ◀	0,01 (*)	7	► <u>M32</u> 0,02 (*) ◀	0,01 (*)	► <u>M66</u> — ◀
0256070	Thyme	► <u>M72</u> 0,05 (*) ◀	► <u>M67</u> — ◀	0,01 (*)	7	► <u>M32</u> 0,02 (*) ◀	0,01 (*)	► <u>M66</u> — ◀
0256080	Basil	► <u>M72</u> 0,05 (*) ◀	► <u>M67</u> — ◀	0,01 (*)	7	► <u>M32</u> 0,02 (*) ◀	0,01 (*)	► <u>M66</u> — ◀
0256090	Bay leaves (laurel)	► <u>M72</u> 0,05 (*) ◀	► <u>M67</u> — ◀	0,01 (*)	7	► <u>M32</u> 0,02 (*) ◀	0,01 (*)	► <u>M66</u> — ◀
0256100	Tarragon	► <u>M72</u> 0,05 (*) ◀	► <u>M67</u> — ◀	0,01 (*)	7	► <u>M32</u> 0,02 (*) ◀	0,01 (*)	► <u>M66</u> — ◀
0270080	Bamboo shoots	► <u>M72</u> 0,05 (*) ◀	► <u>M67</u> — ◀	0,01 (*)	0,05 (*)	► <u>M32</u> 0,01 (*) ◀	0,01 (*)	► <u>M66</u> — ◀
0270090	Palm hearts	► <u>M72</u> 0,05 (*) ◀	► <u>M67</u> — ◀	0,01 (*)	0,05 (*)	► <u>M32</u> 0,01 (*) ◀	0,01 (*)	► <u>M66</u> — ◀
0290000	(ix) <i>Sea weeds</i>		► <u>M67</u> — ◀			► <u>M32</u> 0,01 (*) ◀		► <u>M66</u> — ◀
0401110	Safflower	► <u>M72</u> 0,05 (*) ◀	► <u>M67</u> — ◀	0,01 (*)	0,1 (*)	► <u>M32</u> 0,02 (*) ◀	0,01 (*)	► <u>M66</u> — ◀
0401120	Borage	► <u>M72</u> 0,05 (*) ◀	► <u>M67</u> — ◀	0,01 (*)	0,1 (*)	► <u>M32</u> 0,02 (*) ◀	0,01 (*)	► <u>M66</u> — ◀
0401130	Gold of pleasure	► <u>M72</u> 0,05 (*) ◀	► <u>M67</u> — ◀	0,01 (*)	0,1 (*)	► <u>M32</u> 0,02 (*) ◀	0,01 (*)	► <u>M66</u> — ◀
0401150	Castor bean	► <u>M72</u> 0,05 (*) ◀	► <u>M67</u> — ◀	0,01 (*)	0,1 (*)	► <u>M32</u> 0,02 (*) ◀	0,01 (*)	► <u>M66</u> — ◀
0402020	Palm nuts (palmoil kernels)	► <u>M72</u> 0,05 (*) ◀	► <u>M67</u> — ◀	0,01 (*)	0,1 (*)	► <u>M32</u> 0,02 (*) ◀	0,01 (*)	► <u>M66</u> — ◀









▼ **M2**

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)
0402030	Palmfruit	► <b>M72</b> 0,05 (*) ◀	► <b>M67</b> — ◀	0,01 (*)	0,1 (*)	► <b>M32</b> 0,02 (*) ◀	0,01 (*)	► <b>M66</b> — ◀
0402040	Kapok	► <b>M72</b> 0,05 (*) ◀	► <b>M67</b> — ◀	0,01 (*)	0,1 (*)	► <b>M32</b> 0,02 (*) ◀	0,01 (*)	► <b>M66</b> — ◀
0620000	(ii) Coffee beans	► <b>M72</b> 0,1 (*) ◀	► <b>M67</b> — ◀	0,02 (*)	0,1 (*)	► <b>M32</b> 0,05 (*) ◀	0,02 (*)	► <b>M66</b> — ◀
0630000	(iii) Herbal infusions (dried)	► <b>M72</b> 0,1 (*) ◀	► <b>M67</b> — ◀	0,02 (*)	0,1 (*)	► <b>M32</b> 0,05 (*) ◀	0,02 (*)	► <b>M66</b> — ◀
0631000	(a) Flowers	► <b>M72</b> 0,1 (*) ◀	► <b>M67</b> — ◀	0,02 (*)	0,1 (*)	► <b>M32</b> 0,05 (*) ◀	0,02 (*)	► <b>M66</b> — ◀
0631010	Camomille flowers	► <b>M72</b> 0,1 (*) ◀	► <b>M67</b> — ◀	0,02 (*)	0,1 (*)	► <b>M32</b> 0,05 (*) ◀	0,02 (*)	► <b>M66</b> — ◀
0631020	Hybiscus flowers	► <b>M72</b> 0,1 (*) ◀	► <b>M67</b> — ◀	0,02 (*)	0,1 (*)	► <b>M32</b> 0,05 (*) ◀	0,02 (*)	► <b>M66</b> — ◀
0631030	Rose petals	► <b>M72</b> 0,1 (*) ◀	► <b>M67</b> — ◀	0,02 (*)	0,1 (*)	► <b>M32</b> 0,05 (*) ◀	0,02 (*)	► <b>M66</b> — ◀
0631040	Jasmine flowers	► <b>M72</b> 0,1 (*) ◀	► <b>M67</b> — ◀	0,02 (*)	0,1 (*)	► <b>M32</b> 0,05 (*) ◀	0,02 (*)	► <b>M66</b> — ◀
0631050	Lime (linden)	► <b>M72</b> 0,1 (*) ◀	► <b>M67</b> — ◀	0,02 (*)	0,1 (*)	► <b>M32</b> 0,05 (*) ◀	0,02 (*)	► <b>M66</b> — ◀
0631990	Others	► <b>M72</b> 0,1 (*) ◀	► <b>M67</b> — ◀	0,02 (*)	0,1 (*)	► <b>M32</b> 0,05 (*) ◀	0,02 (*)	► <b>M66</b> — ◀
0632000	(b) Leaves	► <b>M72</b> 0,1 (*) ◀	► <b>M67</b> — ◀	0,02 (*)	0,1 (*)	► <b>M32</b> 0,05 (*) ◀	0,02 (*)	► <b>M66</b> — ◀
0632010	Strawberry leaves	► <b>M72</b> 0,1 (*) ◀	► <b>M67</b> — ◀	0,02 (*)	0,1 (*)	► <b>M32</b> 0,05 (*) ◀	0,02 (*)	► <b>M66</b> — ◀
0632020	Rooibos leaves	► <b>M72</b> 0,1 (*) ◀	► <b>M67</b> — ◀	0,02 (*)	0,1 (*)	► <b>M32</b> 0,05 (*) ◀	0,02 (*)	► <b>M66</b> — ◀
0632030	Maté	► <b>M72</b> 0,1 (*) ◀	► <b>M67</b> — ◀	0,02 (*)	0,1 (*)	► <b>M32</b> 0,05 (*) ◀	0,02 (*)	► <b>M66</b> — ◀
0632990	Others	► <b>M72</b> 0,1 (*) ◀	► <b>M67</b> — ◀	0,02 (*)	0,1 (*)	► <b>M32</b> 0,05 (*) ◀	0,02 (*)	► <b>M66</b> — ◀
0633000	(c) Roots	► <b>M72</b> 0,1 (*) ◀	► <b>M67</b> — ◀	0,02 (*)	0,1 (*)	► <b>M32</b> 0,05 (*) ◀	0,02 (*)	► <b>M66</b> — ◀
0633010	Valerian root	► <b>M72</b> 0,1 (*) ◀	► <b>M67</b> — ◀	0,02 (*)	0,1 (*)	► <b>M32</b> 0,05 (*) ◀	0,02 (*)	► <b>M66</b> — ◀
0633020	Ginseng root	► <b>M72</b> 0,1 (*) ◀	► <b>M67</b> — ◀	0,02 (*)	0,1 (*)	► <b>M32</b> 0,05 (*) ◀	0,02 (*)	► <b>M66</b> — ◀

▼ M2

(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)
▶ <u>M51</u> — ◀	▶ <u>M5</u> 0,05 (*) ◀	0,1 (*)	▶ <u>M64</u> — ◀	▶ <u>M64</u> 0,02 (*) ◀	▶ <u>M73</u> — ◀	▶ <u>M74</u> 0,1 (*) ◀	0,1 (*)
▶ <u>M51</u> — ◀	▶ <u>M5</u> 0,05 (*) ◀	0,1 (*)	▶ <u>M64</u> — ◀	▶ <u>M64</u> 0,02 (*) ◀	▶ <u>M73</u> — ◀	▶ <u>M74</u> 0,1 (*) ◀	0,1 (*)
▶ <u>M51</u> — ◀	▶ <u>M5</u> 0,05 (*) ◀	0,2	▶ <u>M64</u> — ◀	▶ <u>M64</u> 0,05 (*) ◀	▶ <u>M73</u> — ◀	▶ <u>M74</u> 0,1 (*) ◀	0,1 (*)
▶ <u>M51</u> — ◀			▶ <u>M64</u> — ◀	▶ <u>M64</u> — ◀	▶ <u>M73</u> — ◀	▶ <u>M74</u> 0,1 (*) ◀	0,1 (*)
▶ <u>M51</u> — ◀	▶ <u>M5</u> 0,3 ◀	0,2	▶ <u>M64</u> — ◀	▶ <u>M64</u> — ◀	▶ <u>M73</u> — ◀	▶ <u>M74</u> 0,1 (*) ◀	0,1 (*)
▶ <u>M51</u> — ◀	▶ <u>M5</u> — ◀	0,2	▶ <u>M64</u> — ◀	▶ <u>M64</u> 0,05 (*) ◀	▶ <u>M73</u> — ◀	▶ <u>M74</u> 0,1 (*) ◀	0,1 (*)
▶ <u>M51</u> — ◀	▶ <u>M5</u> — ◀	0,2	▶ <u>M64</u> — ◀	▶ <u>M64</u> 0,05 (*) ◀	▶ <u>M73</u> — ◀	▶ <u>M74</u> 0,1 (*) ◀	0,1 (*)
▶ <u>M51</u> — ◀	▶ <u>M5</u> — ◀	0,2	▶ <u>M64</u> — ◀	▶ <u>M64</u> 0,1(+) ◀	▶ <u>M73</u> — ◀	▶ <u>M74</u> 0,1 (*) ◀	0,1 (*)
▶ <u>M51</u> — ◀	▶ <u>M5</u> — ◀	0,2	▶ <u>M64</u> — ◀	▶ <u>M64</u> 0,05 (*) ◀	▶ <u>M73</u> — ◀	▶ <u>M74</u> 0,1 (*) ◀	0,1 (*)
▶ <u>M51</u> — ◀	▶ <u>M5</u> — ◀	0,2	▶ <u>M64</u> — ◀	▶ <u>M64</u> 0,05 (*) ◀	▶ <u>M73</u> — ◀	▶ <u>M74</u> 0,1 (*) ◀	0,1 (*)
▶ <u>M51</u> — ◀	▶ <u>M5</u> — ◀	0,2	▶ <u>M64</u> — ◀	▶ <u>M64</u> 0,05 (*) ◀	▶ <u>M73</u> — ◀	▶ <u>M74</u> 0,1 (*) ◀	0,1 (*)
▶ <u>M51</u> — ◀	▶ <u>M5</u> 0,3 ◀	0,2	▶ <u>M64</u> — ◀	▶ <u>M64</u> 0,05 (*) ◀	▶ <u>M73</u> — ◀	▶ <u>M74</u> 0,1 (*) ◀	0,1 (*)
▶ <u>M51</u> — ◀	▶ <u>M5</u> — ◀	0,2	▶ <u>M64</u> — ◀	▶ <u>M64</u> 0,05 (*) ◀	▶ <u>M73</u> — ◀	▶ <u>M74</u> 0,1 (*) ◀	0,1 (*)
▶ <u>M51</u> — ◀	▶ <u>M5</u> — ◀	0,2	▶ <u>M64</u> — ◀	▶ <u>M64</u> 0,05 (*) ◀	▶ <u>M73</u> — ◀	▶ <u>M74</u> 0,1 (*) ◀	0,1 (*)
▶ <u>M51</u> — ◀	▶ <u>M5</u> — ◀	0,2	▶ <u>M64</u> — ◀	▶ <u>M64</u> 0,05 (*) ◀	▶ <u>M73</u> — ◀	▶ <u>M74</u> 0,1 (*) ◀	0,1 (*)
▶ <u>M51</u> — ◀	▶ <u>M5</u> — ◀	0,2	▶ <u>M64</u> — ◀	▶ <u>M64</u> 0,05 (*) ◀	▶ <u>M73</u> — ◀	▶ <u>M74</u> 0,1 (*) ◀	0,1 (*)
▶ <u>M51</u> — ◀	▶ <u>M5</u> 0,3 ◀	0,2	▶ <u>M64</u> — ◀	▶ <u>M64</u> 0,05 (*) ◀	▶ <u>M73</u> — ◀	▶ <u>M74</u> 0,1 (*) ◀	0,1 (*)
▶ <u>M51</u> — ◀	▶ <u>M5</u> — ◀	0,2	▶ <u>M64</u> — ◀	▶ <u>M64</u> 0,05 (*) ◀	▶ <u>M73</u> — ◀	▶ <u>M74</u> 0,1 (*) ◀	0,1 (*)
▶ <u>M51</u> — ◀	▶ <u>M5</u> — ◀	0,2	▶ <u>M64</u> — ◀	▶ <u>M64</u> 0,05 (*) ◀	▶ <u>M73</u> — ◀	▶ <u>M74</u> 0,1 (*) ◀	0,1 (*)



▼ M2

(26)	(27)	(28)	(29)	(30)	(31)
▶ <u>M67</u> — ◀	▶ <u>M51</u> — ◀	0,05 (*)	▶ <u>M47</u> 0,05 (*) ◀	▶ <u>M32</u> 0,05 (*) ◀	0,2 (*)
▶ <u>M67</u> — ◀	▶ <u>M51</u> — ◀	0,05 (*)	▶ <u>M47</u> 0,05 (*) ◀	▶ <u>M32</u> 0,05 (*) ◀	0,2 (*)
▶ <u>M67</u> — ◀	▶ <u>M51</u> — ◀	0,1 (*)	▶ <u>M47</u> 0,05 (*) ◀	▶ <u>M32</u> 0,1 (*) ◀	0,2 (*)
▶ <u>M67</u> — ◀	▶ <u>M51</u> — ◀	0,1 (*)	▶ <u>M47</u> 0,05 (*) ◀	▶ <u>M32</u> 0,1 (*) ◀	0,2 (*)
▶ <u>M67</u> — ◀	▶ <u>M51</u> — ◀	0,1 (*)	▶ <u>M47</u> 0,05 (*) ◀	▶ <u>M32</u> 0,1 (*) ◀	0,2 (*)
▶ <u>M67</u> — ◀	▶ <u>M51</u> — ◀	0,1 (*)	▶ <u>M47</u> 0,05 (*) ◀	▶ <u>M32</u> 0,1 (*) ◀	0,2 (*)
▶ <u>M67</u> — ◀	▶ <u>M51</u> — ◀	0,1 (*)	▶ <u>M47</u> 0,05 (*) ◀	▶ <u>M32</u> 0,1 (*) ◀	0,2 (*)
▶ <u>M67</u> — ◀	▶ <u>M51</u> — ◀	0,1 (*)	▶ <u>M47</u> 0,05 (*) ◀	▶ <u>M32</u> 0,1 (*) ◀	0,2 (*)
▶ <u>M67</u> — ◀	▶ <u>M51</u> — ◀	0,1 (*)	▶ <u>M47</u> 0,05 (*) ◀	▶ <u>M32</u> 0,1 (*) ◀	0,2 (*)
▶ <u>M67</u> — ◀	▶ <u>M51</u> — ◀	0,1 (*)	▶ <u>M47</u> 0,05 (*) ◀	▶ <u>M32</u> 0,1 (*) ◀	0,2 (*)
▶ <u>M67</u> — ◀	▶ <u>M51</u> — ◀	0,1 (*)	▶ <u>M47</u> 0,05 (*) ◀	▶ <u>M32</u> 0,1 (*) ◀	0,2 (*)
▶ <u>M67</u> — ◀	▶ <u>M51</u> — ◀	0,1 (*)	▶ <u>M47</u> 0,05 (*) ◀	▶ <u>M32</u> 0,1 (*) ◀	0,2 (*)
▶ <u>M67</u> — ◀	▶ <u>M51</u> — ◀	0,1 (*)	▶ <u>M47</u> 0,05 (*) ◀	▶ <u>M32</u> 0,1 (*) ◀	0,2 (*)
▶ <u>M67</u> — ◀	▶ <u>M51</u> — ◀	0,1 (*)	▶ <u>M47</u> 0,05 (*) ◀	▶ <u>M32</u> 0,1 (*) ◀	0,2 (*)
▶ <u>M67</u> — ◀	▶ <u>M51</u> — ◀	0,1 (*)	▶ <u>M47</u> 0,05 (*) ◀	▶ <u>M32</u> 0,1 (*) ◀	0,2 (*)
▶ <u>M67</u> — ◀	▶ <u>M51</u> — ◀	0,1 (*)	▶ <u>M47</u> 0,05 (*) ◀	▶ <u>M32</u> 0,1 (*) ◀	0,2 (*)
▶ <u>M67</u> — ◀	▶ <u>M51</u> — ◀	0,1 (*)	▶ <u>M47</u> 0,05 (*) ◀	▶ <u>M32</u> 0,1 (*) ◀	0,2 (*)
▶ <u>M67</u> — ◀	▶ <u>M51</u> — ◀	0,1 (*)	▶ <u>M47</u> 0,05 (*) ◀	▶ <u>M32</u> 0,1 (*) ◀	0,2 (*)
▶ <u>M67</u> — ◀	▶ <u>M51</u> — ◀	0,1 (*)	▶ <u>M47</u> 0,05 (*) ◀	▶ <u>M32</u> 0,1 (*) ◀	0,2 (*)

▼ **M2**

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)
0633990	Others	► <b>M72</b> 0,1 (*) ◄	► <b>M67</b> — ◄	0,02 (*)	0,1 (*)	► <b>M32</b> 0,05 (*) ◄	0,02 (*)	► <b>M66</b> — ◄
0639000	(d) <i>Other herbal infusions</i>	► <b>M72</b> 0,1 (*) ◄	► <b>M67</b> — ◄	0,02 (*)	0,1 (*)	► <b>M32</b> 0,05 (*) ◄	0,02 (*)	► <b>M66</b> — ◄
0640000	(iv) <b>Cocoa (fermented beans)</b>	► <b>M72</b> 0,1 (*) ◄	► <b>M67</b> — ◄	0,02 (*)	0,1 (*)	► <b>M32</b> 0,05 (*) ◄	0,02 (*)	► <b>M66</b> — ◄
0650000	(v) <b>Carob (st johns bread)</b>	► <b>M72</b> 0,1 (*) ◄	► <b>M67</b> — ◄	0,02 (*)	0,1 (*)	► <b>M32</b> 0,05 (*) ◄	0,02 (*)	► <b>M66</b> — ◄
0800000	<b>8. SPICES</b>	► <b>M72</b> — ◄	► <b>M67</b> — ◄	0,02 (*)	0,1 (*)	► <b>M5</b> — ◄	0,02 (*)	► <b>M66</b> — ◄
0810000	(i) <b>Seeds</b>	► <b>M72</b> 0,1 (*) ◄	► <b>M67</b> — ◄	0,02 (*)	0,1 (*)	► <b>M32</b> 0,5 ◄	0,02 (*)	► <b>M66</b> — ◄
0810010	Anise	► <b>M72</b> 0,1 (*) ◄	► <b>M67</b> — ◄	0,02 (*)	0,1 (*)	► <b>M32</b> 0,5 ◄	0,02 (*)	► <b>M66</b> — ◄
0810020	Black caraway	► <b>M72</b> 0,1 (*) ◄	► <b>M67</b> — ◄	0,02 (*)	0,1 (*)	► <b>M32</b> 0,5 ◄	0,02 (*)	► <b>M66</b> — ◄
0810030	Celery seed	► <b>M72</b> 0,1 (*) ◄	► <b>M67</b> — ◄	0,02 (*)	0,1 (*)	► <b>M32</b> 0,5 ◄	0,02 (*)	► <b>M66</b> — ◄
0810040	Coriander seed	► <b>M72</b> 0,1 (*) ◄	► <b>M67</b> — ◄	0,02 (*)	0,1 (*)	► <b>M32</b> 0,5 ◄	0,02 (*)	► <b>M66</b> — ◄
0810050	Cumin seed	► <b>M72</b> 0,1 (*) ◄	► <b>M67</b> — ◄	0,02 (*)	0,1 (*)	► <b>M32</b> 0,5 ◄	0,02 (*)	► <b>M66</b> — ◄
0810060	Dill seed	► <b>M72</b> 0,1 (*) ◄	► <b>M67</b> — ◄	0,02 (*)	0,1 (*)	► <b>M32</b> 0,5 ◄	0,02 (*)	► <b>M66</b> — ◄
0810070	Fennel seed	► <b>M72</b> 0,1 (*) ◄	► <b>M67</b> — ◄	0,02 (*)	0,1 (*)	► <b>M32</b> 0,5 ◄	0,02 (*)	► <b>M66</b> — ◄
0810080	Fenugreek	► <b>M72</b> 0,1 (*) ◄	► <b>M67</b> — ◄	0,02 (*)	0,1 (*)	► <b>M32</b> 0,5 ◄	0,02 (*)	► <b>M66</b> — ◄
0810090	Nutmeg	► <b>M72</b> 0,1 (*) ◄	► <b>M67</b> — ◄	0,02 (*)	0,1 (*)	► <b>M32</b> 0,5 ◄	0,02 (*)	► <b>M66</b> — ◄
0810990	Others	► <b>M72</b> 0,1 (*) ◄	► <b>M67</b> — ◄	0,02 (*)	0,1 (*)	► <b>M32</b> 0,5 ◄	0,02 (*)	► <b>M66</b> — ◄
0820000	(ii) <b>Fruits and berries</b>	► <b>M72</b> 0,1 (*) ◄	► <b>M67</b> — ◄	0,02 (*)	0,1 (*)	► <b>M32</b> 0,1 (*) ◄	0,02 (*)	► <b>M66</b> — ◄
0820010	Allspice	► <b>M72</b> 0,1 (*) ◄	► <b>M67</b> — ◄	0,02 (*)	0,1 (*)	► <b>M32</b> 0,1 (*) ◄	0,02 (*)	► <b>M66</b> — ◄
0820020	Anise pepper (Japan pepper)	► <b>M72</b> 0,1 (*) ◄	► <b>M67</b> — ◄	0,02 (*)	0,1 (*)	► <b>M32</b> 0,1 (*) ◄	0,02 (*)	► <b>M66</b> — ◄
0820030	Caraway	► <b>M72</b> 0,1 (*) ◄	► <b>M67</b> — ◄	0,02 (*)	0,1 (*)	► <b>M32</b> 0,1 (*) ◄	0,02 (*)	► <b>M66</b> — ◄
0820040	Cardamom	► <b>M72</b> 0,1 (*) ◄	► <b>M67</b> — ◄	0,02 (*)	0,1 (*)	► <b>M32</b> 0,1 (*) ◄	0,02 (*)	► <b>M66</b> — ◄









▼ **M2**

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)
0820050	Juniper berries	► <b>M72</b> 0,1 (*) ◀	► <b>M67</b> — ◀	0,02 (*)	0,1 (*)	► <b>M32</b> 0,1 (*) ◀	0,02 (*)	► <b>M66</b> — ◀
0820060	Pepper, black and white	► <b>M72</b> 0,1 (*) ◀	► <b>M67</b> — ◀	0,02 (*)	0,1 (*)	► <b>M32</b> 0,1 (*) ◀	0,02 (*)	► <b>M66</b> — ◀
0820070	Vanilla pods	► <b>M72</b> 0,1 (*) ◀	► <b>M67</b> — ◀	0,02 (*)	0,1 (*)	► <b>M32</b> 0,1 (*) ◀	0,02 (*)	► <b>M66</b> — ◀
0820080	Tamarind	► <b>M72</b> 0,1 (*) ◀	► <b>M67</b> — ◀	0,02 (*)	0,1 (*)	► <b>M32</b> 0,1 (*) ◀	0,02 (*)	► <b>M66</b> — ◀
0820990	Others	► <b>M72</b> 0,1 (*) ◀	► <b>M67</b> — ◀	0,02 (*)	0,1 (*)	► <b>M32</b> 0,1 (*) ◀	0,02 (*)	► <b>M66</b> — ◀
0830000	(iii) <b>Bark</b>	► <b>M72</b> 0,1 (*) ◀	► <b>M67</b> — ◀	0,02 (*)	0,1 (*)	► <b>M32</b> 0,05 (*) ◀	0,02 (*)	► <b>M66</b> — ◀
0830010	Cinnamon	► <b>M72</b> 0,1 (*) ◀	► <b>M67</b> — ◀	0,02 (*)	0,1 (*)	► <b>M32</b> 0,05 (*) ◀	0,02 (*)	► <b>M66</b> — ◀
0830990	Others	► <b>M72</b> 0,1 (*) ◀	► <b>M67</b> — ◀	0,02 (*)	0,1 (*)	► <b>M32</b> 0,05 (*) ◀	0,02 (*)	► <b>M66</b> — ◀
0840000	(iv) <b>Roots or rhizome</b>	► <b>M72</b> — ◀	► <b>M67</b> — ◀	0,02 (*)	0,1 (*)	► <b>M32</b> 0,1 (*) ◀	0,02 (*)	► <b>M66</b> — ◀
0840010	Liquorice	► <b>M72</b> 0,1 (*) ◀	► <b>M67</b> — ◀	0,02 (*)	0,1 (*)	► <b>M32</b> 0,1 (*) ◀	0,02 (*)	► <b>M66</b> — ◀
0840020	Ginger	► <b>M72</b> 0,1 (*) ◀	► <b>M67</b> — ◀	0,02 (*)	0,1 (*)	► <b>M32</b> 0,1 (*) ◀	0,02 (*)	► <b>M66</b> — ◀
0840030	Turmeric (Curcuma)	► <b>M72</b> 0,1 (*) ◀	► <b>M67</b> — ◀	0,02 (*)	0,1 (*)	► <b>M32</b> 0,1 (*) ◀	0,02 (*)	► <b>M66</b> — ◀
0840040	Horseradish	► <b>M72</b> (+) ◀	► <b>M67</b> — ◀	0,02 (*)	0,1 (*)	► <b>M32</b> 0,1 (*) ◀	0,02 (*)	► <b>M66</b> — ◀
0840990	Others	► <b>M72</b> 0,1 (*) ◀	► <b>M67</b> — ◀	0,02 (*)	0,1 (*)	► <b>M32</b> 0,1 (*) ◀	0,02 (*)	► <b>M66</b> — ◀
0850000	(v) <b>Buds</b>	► <b>M72</b> 0,1 (*) ◀	► <b>M67</b> — ◀	0,02 (*)	0,1 (*)	► <b>M32</b> 0,05 (*) ◀	0,02 (*)	► <b>M66</b> — ◀
0850010	Cloves	► <b>M72</b> 0,1 (*) ◀	► <b>M67</b> — ◀	0,02 (*)	0,1 (*)	► <b>M32</b> 0,05 (*) ◀	0,02 (*)	► <b>M66</b> — ◀
0850020	Capers	► <b>M72</b> 0,1 (*) ◀	► <b>M67</b> — ◀	0,02 (*)	0,1 (*)	► <b>M32</b> 0,05 (*) ◀	0,02 (*)	► <b>M66</b> — ◀
0850990	Others	► <b>M72</b> 0,1 (*) ◀	► <b>M67</b> — ◀	0,02 (*)	0,1 (*)	► <b>M32</b> 0,05 (*) ◀	0,02 (*)	► <b>M66</b> — ◀
0860000	(vi) <b>Flower stigma</b>	► <b>M72</b> 0,1 (*) ◀	► <b>M67</b> — ◀	0,02 (*)	0,1 (*)	► <b>M32</b> 0,05 (*) ◀	0,02 (*)	► <b>M66</b> — ◀
0860010	Saffron	► <b>M72</b> 0,1 (*) ◀	► <b>M67</b> — ◀	0,02 (*)	0,1 (*)	► <b>M32</b> 0,05 (*) ◀	0,02 (*)	► <b>M66</b> — ◀
0860990	Others	► <b>M72</b> 0,1 (*) ◀	► <b>M67</b> — ◀	0,02 (*)	0,1 (*)	► <b>M32</b> 0,05 (*) ◀	0,02 (*)	► <b>M66</b> — ◀
0870000	(vii) <b>Aril</b>	► <b>M72</b> 0,1 (*) ◀	► <b>M67</b> — ◀	0,02 (*)	0,1 (*)	► <b>M32</b> 0,05 (*) ◀	0,02 (*)	► <b>M66</b> — ◀
0870010	Mace	► <b>M72</b> 0,1 (*) ◀	► <b>M67</b> — ◀	0,02 (*)	0,1 (*)	► <b>M32</b> 0,05 (*) ◀	0,02 (*)	► <b>M66</b> — ◀







## ▼ M2

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)
0870990	Others	► <u>M72</u> 0,1 (*) ◄	► <u>M67</u> — ◄	0,02 (*)	0,1 (*)	► <u>M32</u> 0,05 (*) ◄	0,02 (*)	► <u>M66</u> — ◄
0900000	9. SUGAR PLANTS	► <u>M72</u> 0,05 (*) ◄	► <u>M67</u> — ◄	0,01 (*)		► <u>M32</u> 0,05 (*) ◄	0,01 (*)	► <u>M66</u> — ◄
0900010	Sugar beet (root)	► <u>M72</u> 0,05 (*) ◄	► <u>M67</u> — ◄	0,01 (*)	0,1	► <u>M32</u> 0,05 (*) ◄	0,01 (*)	► <u>M66</u> — ◄
0900020	Sugar cane	► <u>M72</u> 0,05 (*) ◄	► <u>M67</u> — ◄	0,01 (*)	0,05 (*)	► <u>M32</u> 0,05 (*) ◄	0,01 (*)	► <u>M66</u> — ◄
0900030	Chicory roots	► <u>M72</u> 0,05 (*) ◄	► <u>M67</u> — ◄	0,01 (*)	0,05 (*)	► <u>M32</u> 0,05 (*) ◄	0,01 (*)	► <u>M66</u> — ◄
0900990	Others	► <u>M72</u> 0,05 (*) ◄	► <u>M67</u> — ◄	0,01 (*)	0,05 (*)	► <u>M32</u> 0,05 (*) ◄	0,01 (*)	► <u>M66</u> — ◄
1015000	(e) <i>Horses, asses, mules or hinnies</i>	► <u>M72</u> 0,05 (*) ◄	► <u>M67</u> — ◄		0,05 (*)	► <u>M32</u> — ◄		► <u>M66</u> — ◄
1015010	Meat	► <u>M72</u> 0,05 (*) ◄	► <u>M67</u> — ◄		0,05 (*)	► <u>M32</u> 0,02 ◄		► <u>M66</u> — ◄
1015020	Fat	► <u>M72</u> 0,05 (*) ◄	► <u>M67</u> — ◄		0,05 (*)	► <u>M32</u> 0,01 (*) ◄		► <u>M66</u> — ◄
1015030	Liver	► <u>M72</u> 0,05 (*) ◄	► <u>M67</u> — ◄		0,05 (*)	► <u>M32</u> 0,02 ◄		► <u>M66</u> — ◄
1015040	Kidney	► <u>M72</u> 0,05 (*) ◄	► <u>M67</u> — ◄		0,05 (*)	► <u>M32</u> 0,02 ◄		► <u>M66</u> — ◄
1015050	Edible offal	► <u>M72</u> 0,05 (*) ◄	► <u>M67</u> — ◄		0,05 (*)	► <u>M32</u> 0,02 ◄		► <u>M66</u> — ◄
1015990	Others	► <u>M72</u> 0,05 (*) ◄	► <u>M67</u> — ◄		0,05 (*)	► <u>M32</u> 0,01 (*) ◄		► <u>M66</u> — ◄
1017000	(g) <i>Other farm animals</i>	► <u>M72</u> 0,05 (*) ◄	► <u>M67</u> — ◄		0,05 (*)	► <u>M32</u> 0,01 (*) ◄		► <u>M66</u> — ◄
1017010	Meat	► <u>M72</u> 0,05 (*) ◄	► <u>M67</u> — ◄		0,05 (*)	► <u>M32</u> 0,01 (*) ◄		► <u>M66</u> — ◄
1017020	Fat	► <u>M72</u> 0,05 (*) ◄	► <u>M67</u> — ◄		0,05 (*)	► <u>M32</u> 0,01 (*) ◄		► <u>M66</u> — ◄
1017030	Liver	► <u>M72</u> 0,05 (*) ◄	► <u>M67</u> — ◄		0,05 (*)	► <u>M32</u> 0,01 (*) ◄		► <u>M66</u> — ◄
1017040	Kidney	► <u>M72</u> 0,05 (*) ◄	► <u>M67</u> — ◄		0,05 (*)	► <u>M32</u> 0,01 (*) ◄		► <u>M66</u> — ◄
1017050	Edible offal	► <u>M72</u> 0,05 (*) ◄	► <u>M67</u> — ◄		0,05 (*)	► <u>M32</u> 0,01 (*) ◄		► <u>M66</u> — ◄
1017990	Others	► <u>M72</u> 0,05 (*) ◄	► <u>M67</u> — ◄		0,05 (*)	► <u>M32</u> 0,01 (*) ◄		► <u>M66</u> — ◄
1030020	Duck	► <u>M72</u> 0,05 (*) ◄	► <u>M67</u> — ◄		0,05 (*)	► <u>M32</u> 0,05 (*) ◄		► <u>M66</u> — ◄
1030030	Goose	► <u>M72</u> 0,05 (*) ◄	► <u>M67</u> — ◄		0,05 (*)	► <u>M32</u> 0,05 (*) ◄		► <u>M66</u> — ◄







▼ M2

(26)	(27)	(28)	(29)	(30)	(31)
▶ <u>M67</u> — ◀	▶ <u>M51</u> — ◀	0,1 (*)	▶ <u>M47</u> 0,05 (*) ◀	▶ <u>M32</u> 0,1 (*) ◀	0,2 (*)
▶ <u>M67</u> — ◀	▶ <u>M51</u> — ◀	0,05 (*)	▶ <u>M47</u> 0,02 (*) ◀	▶ <u>M32</u> 0,02 (*) ◀	0,1 (*)
▶ <u>M67</u> — ◀	▶ <u>M51</u> — ◀	0,05 (*)	▶ <u>M47</u> 0,02 (*) ◀	▶ <u>M32</u> 0,02 (*) ◀	0,1 (*)
▶ <u>M67</u> — ◀	▶ <u>M51</u> — ◀	0,05 (*)	▶ <u>M47</u> 0,02 (*) ◀	▶ <u>M32</u> 0,02 (*) ◀	0,1 (*)
▶ <u>M67</u> — ◀	▶ <u>M51</u> — ◀	0,05 (*)	▶ <u>M47</u> 0,02 (*) ◀	▶ <u>M32</u> 0,02 (*) ◀	0,1 (*)
▶ <u>M67</u> — ◀	▶ <u>M51</u> — ◀		▶ <u>M47</u> 0,2 ◀	▶ <u>M32</u> 0,01 (*) ◀	0,1 (*)
▶ <u>M67</u> — ◀	▶ <u>M51</u> — ◀		▶ <u>M47</u> 0,2 ◀	▶ <u>M32</u> 0,01 (*) ◀	0,1 (*)
▶ <u>M67</u> — ◀	▶ <u>M51</u> — ◀		▶ <u>M47</u> 0,2 ◀	▶ <u>M32</u> 0,01 (*) ◀	0,1 (*)
▶ <u>M67</u> — ◀	▶ <u>M51</u> — ◀		▶ <u>M47</u> 0,2 ◀	▶ <u>M32</u> 0,01 (*) ◀	0,1 (*)
▶ <u>M67</u> — ◀	▶ <u>M51</u> — ◀		▶ <u>M47</u> 0,2 ◀	▶ <u>M32</u> 0,01 (*) ◀	0,1 (*)
▶ <u>M67</u> — ◀	▶ <u>M51</u> — ◀		▶ <u>M47</u> 0,2 ◀	▶ <u>M32</u> 0,01 (*) ◀	0,1 (*)
▶ <u>M67</u> — ◀	▶ <u>M51</u> — ◀		▶ <u>M47</u> 0,2 ◀	▶ <u>M32</u> 0,01 (*) ◀	0,1 (*)
▶ <u>M67</u> — ◀	▶ <u>M51</u> — ◀		▶ <u>M47</u> 0,2 ◀	▶ <u>M32</u> 0,01 (*) ◀	0,1 (*)
▶ <u>M67</u> — ◀	▶ <u>M51</u> — ◀		▶ <u>M47</u> 0,2 ◀	▶ <u>M32</u> 0,01 (*) ◀	0,1 (*)
▶ <u>M67</u> — ◀	▶ <u>M51</u> — ◀		▶ <u>M47</u> 0,2 ◀	▶ <u>M32</u> 0,01 (*) ◀	0,1 (*)
▶ <u>M67</u> — ◀	▶ <u>M51</u> — ◀		▶ <u>M47</u> 0,2 ◀	▶ <u>M32</u> 0,01 (*) ◀	0,1 (*)
▶ <u>M67</u> — ◀	▶ <u>M51</u> — ◀		▶ <u>M47</u> 0,2 ◀	▶ <u>M32</u> 0,01 (*) ◀	0,1 (*)
▶ <u>M67</u> — ◀	▶ <u>M51</u> — ◀		▶ <u>M47</u> 0,02 (*) ◀	▶ <u>M32</u> 0,01 (*) ◀	0,1 (*)
▶ <u>M67</u> — ◀	▶ <u>M51</u> — ◀		▶ <u>M47</u> 0,02 (*) ◀	▶ <u>M32</u> 0,01 (*) ◀	0,1 (*)

▼ M2

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)
1030040	Quail	▶ <u>M72</u> 0,05 (*) ◀	▶ <u>M67</u> — ◀		0,05 (*)	▶ <u>M32</u> 0,05 (*) ◀		▶ <u>M66</u> — ◀
1030990	Others	▶ <u>M72</u> 0,05 (*) ◀	▶ <u>M67</u> — ◀		0,05 (*)	▶ <u>M32</u> 0,05 (*) ◀		▶ <u>M66</u> — ◀
1040000	(iv) Honey	▶ <u>M72</u> 0,05 (*) ◀	▶ <u>M67</u> — ◀			▶ <u>M32</u> 0,01 (*) ◀		▶ <u>M66</u> — ◀
1050000	(v) Amphibians and reptiles	▶ <u>M72</u> 0,05 (*) ◀	▶ <u>M67</u> — ◀			▶ <u>M32</u> 0,01 (*) ◀		▶ <u>M66</u> — ◀
1060000	(vi) Snails	▶ <u>M72</u> 0,05 (*) ◀	▶ <u>M67</u> — ◀			▶ <u>M32</u> 0,01 (*) ◀		▶ <u>M66</u> — ◀
1070000	(vii) Other terrestrial animal products	▶ <u>M72</u> 0,05 (*) ◀	▶ <u>M67</u> — ◀			▶ <u>M32</u> 0,01 (*) ◀		▶ <u>M66</u> — ◀

▼ M2

(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)
▶ <u>M51</u> — ◀	▶ <u>M5</u> 0,05 (*) ◀	0,1 (*)	▶ <u>M64</u> — ◀	▶ <u>M64</u> 0,02 (*) ◀	▶ <u>M73</u> — ◀	▶ <u>M74</u> 0,01 (*) ◀	
▶ <u>M51</u> — ◀	▶ <u>M5</u> 0,05 (*) ◀	0,1 (*)	▶ <u>M64</u> — ◀	▶ <u>M64</u> 0,02 (*) ◀	▶ <u>M73</u> — ◀	▶ <u>M74</u> 0,01 (*) ◀	
▶ <u>M51</u> — ◀			▶ <u>M64</u> — ◀	▶ <u>M64</u> 0,05 (*) ◀	▶ <u>M73</u> — ◀	▶ <u>M74</u> 0,05 (*) ◀	
▶ <u>M51</u> — ◀			▶ <u>M64</u> — ◀	▶ <u>M64</u> 0,01 (*) ◀	▶ <u>M73</u> — ◀	▶ <u>M74</u> 0,01 (*) ◀	
▶ <u>M51</u> — ◀			▶ <u>M64</u> — ◀	▶ <u>M64</u> 0,01 (*) ◀	▶ <u>M73</u> — ◀	▶ <u>M74</u> 0,01 (*) ◀	
▶ <u>M51</u> — ◀			▶ <u>M64</u> — ◀	▶ <u>M64</u> 0,01 (*) ◀	▶ <u>M73</u> — ◀	▶ <u>M74</u> 0,01 (*) ◀	

▼ M2

(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)
0,05 (*)	▶ <u>M59</u> — ◀	▶ <u>M67</u> — ◀	▶ <u>M58</u> — ◀	▶ <u>M55</u> — ◀	▶ <u>M40</u> — ◀	▶ <u>M59</u> — ◀	0,1 (*)
0,05 (*)	▶ <u>M59</u> — ◀	▶ <u>M67</u> — ◀	▶ <u>M58</u> — ◀	▶ <u>M55</u> — ◀	▶ <u>M40</u> — ◀	▶ <u>M59</u> — ◀	0,1 (*)
	▶ <u>M59</u> — ◀	▶ <u>M67</u> — ◀	▶ <u>M58</u> — ◀	▶ <u>M55</u> — ◀	▶ <u>M40</u> — ◀	▶ <u>M59</u> — ◀	
	▶ <u>M59</u> — ◀	▶ <u>M67</u> — ◀	▶ <u>M58</u> — ◀	▶ <u>M55</u> — ◀	▶ <u>M40</u> — ◀	▶ <u>M59</u> — ◀	
	▶ <u>M59</u> — ◀	▶ <u>M67</u> — ◀	▶ <u>M58</u> — ◀	▶ <u>M55</u> — ◀	▶ <u>M40</u> — ◀	▶ <u>M59</u> — ◀	

▼ M2

(26)	(27)	(28)	(29)	(30)	(31)
▶ <u>M67</u> — ◀	▶ <u>M51</u> — ◀		▶ <u>M47</u> 0,02 (*) ◀	▶ <u>M32</u> 0,01 (*) ◀	0,1 (*)
▶ <u>M67</u> — ◀	▶ <u>M51</u> — ◀		▶ <u>M47</u> 0,02 (*) ◀	▶ <u>M32</u> 0,01 (*) ◀	0,1 (*)
▶ <u>M67</u> — ◀	▶ <u>M51</u> — ◀		▶ <u>M47</u> 0,05 (*) ◀	▶ <u>M32</u> 0,01 (*) ◀	
▶ <u>M67</u> — ◀	▶ <u>M51</u> — ◀		▶ <u>M47</u> 0,02 (*) ◀	▶ <u>M32</u> 0,01 (*) ◀	
▶ <u>M67</u> — ◀	▶ <u>M51</u> — ◀		▶ <u>M47</u> 0,02 (*) ◀	▶ <u>M32</u> 0,01 (*) ◀	
▶ <u>M67</u> — ◀	▶ <u>M51</u> — ◀		▶ <u>M47</u> 0,02 (*) ◀	▶ <u>M32</u> 0,01 (*) ◀	

▼ **M2**

*Pesticide residues and maximum residue levels (mg/kg)*

Code number	Groups and examples of individual products to which the MRLs apply <sup>(a)</sup>	▼ — ▶ <b>M58</b>	▼ — ▶ <b>M55</b>	Spiroxamine <sup>(b)</sup>	▼ — ▶ <b>M58</b>	Tecnazene <sup>(c)</sup>	TEPP	Thiabendazole <sup>(d)</sup>
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)
0130040	Medlar	▶ <b>M58</b> — ◀	▶ <b>M55</b> — ◀	0,05 (*)	▶ <b>M58</b> — ◀	0,05 (*)	0,01 (*)	0,05 (*)
0130050	Loquat	▶ <b>M58</b> — ◀	▶ <b>M55</b> — ◀	0,05 (*)	▶ <b>M58</b> — ◀	0,05 (*)	0,01 (*)	0,05 (*)
0154050	Rose hips	▶ <b>M58</b> — ◀	▶ <b>M55</b> — ◀	0,05 (*)	▶ <b>M58</b> — ◀	0,05 (*)	0,01 (*)	0,05 (*)
0154060	Mulberries	▶ <b>M58</b> — ◀	▶ <b>M55</b> — ◀	0,05 (*)	▶ <b>M58</b> — ◀	0,05 (*)	0,01 (*)	0,05 (*)
0154070	Azarole (mediteranean medlar)	▶ <b>M58</b> — ◀	▶ <b>M55</b> — ◀	0,05 (*)	▶ <b>M58</b> — ◀	0,05 (*)	0,01 (*)	0,05 (*)
0154080	Elderberries	▶ <b>M58</b> — ◀	▶ <b>M55</b> — ◀	0,05 (*)	▶ <b>M58</b> — ◀	0,05 (*)	0,01 (*)	0,05 (*)
0161050	Carambola	▶ <b>M58</b> — ◀	▶ <b>M55</b> — ◀	0,05 (*)	▶ <b>M58</b> — ◀	0,05 (*)	0,01 (*)	0,05 (*)
0161060	Persimmon	▶ <b>M58</b> — ◀	▶ <b>M55</b> — ◀	0,05 (*)	▶ <b>M58</b> — ◀	0,05 (*)	0,01 (*)	0,05 (*)
0161070	Jambolan (java plum)	▶ <b>M58</b> — ◀	▶ <b>M55</b> — ◀	0,05 (*)	▶ <b>M58</b> — ◀	0,05 (*)	0,01 (*)	0,05 (*)
0162040	Prickly pear (cactus fruit)	▶ <b>M58</b> — ◀	▶ <b>M55</b> — ◀	0,05 (*)	▶ <b>M58</b> — ◀	0,05 (*)	0,01 (*)	0,05 (*)
0162050	Star apple	▶ <b>M58</b> — ◀	▶ <b>M55</b> — ◀	0,05 (*)	▶ <b>M58</b> — ◀	0,05 (*)	0,01 (*)	0,05 (*)
0162060	American persimmon (Virginia kaki)	▶ <b>M58</b> — ◀	▶ <b>M55</b> — ◀	0,05 (*)	▶ <b>M58</b> — ◀	0,05 (*)	0,01 (*)	0,05 (*)
0163060	Cherimoya	▶ <b>M58</b> — ◀	▶ <b>M55</b> — ◀	0,05 (*)	▶ <b>M58</b> — ◀	0,05 (*)	0,01 (*)	0,05 (*)

▼ M2

▼ <u>M54</u> Thiachloprid <sup>(1)</sup>	▼ <u>M58</u>	Thiophanate-methyl <sup>(8)</sup>	Thiram (expressed as thiram) <sup>(3)</sup>	▼ <u>M32</u>	▼ <u>M11</u> Triadimefon and triadimenol (sum of triadimefon and triadimenol) <sup>(4)</sup>	▼ <u>M21</u>	▼ <u>M27</u> Triazophos <sup>(1)</sup>
(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)
▶ <u>M54</u> 0,3 ◀	▶ <u>M58</u> — ◀	2	0,1 (*)	▶ <u>M32</u> — ◀	▶ <u>M11</u> 0,1 (*) ◀	▶ <u>M21</u> — ◀	▶ <u>M27</u> 0,01 (*) ◀
▶ <u>M54</u> 0,3 ◀	▶ <u>M58</u> — ◀	2	0,1 (*)	▶ <u>M32</u> — ◀	▶ <u>M11</u> 0,1 (*) ◀	▶ <u>M21</u> — ◀	▶ <u>M27</u> 0,01 (*) ◀
▶ <u>M54</u> 1 ◀	▶ <u>M58</u> — ◀	0,1 (*)	0,1 (*)	▶ <u>M32</u> — ◀	▶ <u>M11</u> 1 ◀	▶ <u>M21</u> — ◀	▶ <u>M27</u> 0,01 (*) ◀
▶ <u>M54</u> 1 ◀	▶ <u>M58</u> — ◀	0,1 (*)	0,1 (*)	▶ <u>M32</u> — ◀	▶ <u>M11</u> 1 ◀	▶ <u>M21</u> — ◀	▶ <u>M27</u> 0,01 (*) ◀
▶ <u>M54</u> 1 ◀	▶ <u>M58</u> — ◀	0,1 (*)	0,1 (*)	▶ <u>M32</u> — ◀	▶ <u>M11</u> 1 ◀	▶ <u>M21</u> — ◀	▶ <u>M27</u> 0,01 (*) ◀
▶ <u>M54</u> 1 ◀	▶ <u>M58</u> — ◀	0,1 (*)	0,1 (*)	▶ <u>M32</u> — ◀	▶ <u>M11</u> 1 ◀	▶ <u>M21</u> — ◀	▶ <u>M27</u> 0,01 (*) ◀
▶ <u>M54</u> 0,02 (*) ◀	▶ <u>M58</u> — ◀	0,1 (*)	0,1 (*)	▶ <u>M32</u> — ◀	▶ <u>M11</u> 0,1 (*) ◀	▶ <u>M21</u> — ◀	▶ <u>M27</u> 0,01 (*) ◀
▶ <u>M54</u> 0,02 (*) ◀	▶ <u>M58</u> — ◀	0,1 (*)	0,1 (*)	▶ <u>M32</u> — ◀	▶ <u>M11</u> 0,1 (*) ◀	▶ <u>M21</u> — ◀	▶ <u>M27</u> 0,01 (*) ◀
▶ <u>M54</u> 0,02 (*) ◀	▶ <u>M58</u> — ◀	0,1 (*)	0,1 (*)	▶ <u>M32</u> — ◀	▶ <u>M11</u> 0,1 (*) ◀	▶ <u>M21</u> — ◀	▶ <u>M27</u> 0,01 (*) ◀
▶ <u>M54</u> 0,02 (*) ◀	▶ <u>M58</u> — ◀	0,1 (*)	0,1 (*)	▶ <u>M32</u> — ◀	▶ <u>M11</u> 0,1 (*) ◀	▶ <u>M21</u> — ◀	▶ <u>M27</u> 0,01 (*) ◀
▶ <u>M54</u> 0,02 (*) ◀	▶ <u>M58</u> — ◀	0,1 (*)	0,1 (*)	▶ <u>M32</u> — ◀	▶ <u>M11</u> 0,1 (*) ◀	▶ <u>M21</u> — ◀	▶ <u>M27</u> 0,01 (*) ◀
▶ <u>M54</u> 0,02 (*) ◀	▶ <u>M58</u> — ◀	0,1 (*)	0,1 (*)	▶ <u>M32</u> — ◀	▶ <u>M11</u> 0,1 (*) ◀	▶ <u>M21</u> — ◀	▶ <u>M27</u> 0,01 (*) ◀
▶ <u>M54</u> 0,02 (*) ◀	▶ <u>M58</u> — ◀	0,1 (*)	0,1 (*)	▶ <u>M32</u> — ◀	▶ <u>M11</u> 0,1 (*) ◀	▶ <u>M21</u> — ◀	▶ <u>M27</u> 0,01 (*) ◀
▶ <u>M54</u> 0,02 (*) ◀	▶ <u>M58</u> — ◀	0,1 (*)	0,1 (*)	▶ <u>M32</u> — ◀	▶ <u>M11</u> 0,1 (*) ◀	▶ <u>M21</u> — ◀	▶ <u>M27</u> 0,01 (*) ◀

▼ M2

Tribenuron-methyl	▼ <u>M32</u>	▼ <u>M56</u> Trifloxystrobin <sup>(4)</sup> <sup>(6)</sup>	▼ <u>M16</u> Triforine	Trimethyl-sulfonium cation, resulting from the use of glyphosate <sup>(1)</sup>	▼ <u>M21</u>	▼ <u>M45</u>	Ziram <sup>(3)</sup>
(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)
0,01 (*)	▶ <u>M32</u> — ◀	▶ <u>M56</u> 0,5 ◀	▶ <u>M16</u> 0,01 (*) ◀	0,05 (*)	▶ <u>M21</u> — ◀	▶ <u>M45</u> — ◀	0,1 (*)
0,01 (*)	▶ <u>M32</u> — ◀	▶ <u>M56</u> 0,5 ◀	▶ <u>M16</u> 0,01 (*) ◀	0,05 (*)	▶ <u>M21</u> — ◀	▶ <u>M45</u> — ◀	0,1 (*)
0,01 (*)	▶ <u>M32</u> — ◀	▶ <u>M56</u> 0,02 (*) ◀	▶ <u>M16</u> 0,01 (*) ◀	0,05 (*)	▶ <u>M21</u> — ◀	▶ <u>M45</u> — ◀	0,1 (*)
0,01 (*)	▶ <u>M32</u> — ◀	▶ <u>M56</u> 0,02 (*) ◀	▶ <u>M16</u> 0,01 (*) ◀	0,05 (*)	▶ <u>M21</u> — ◀	▶ <u>M45</u> — ◀	0,1 (*)
0,01 (*)	▶ <u>M32</u> — ◀	▶ <u>M56</u> 0,02 (*) ◀	▶ <u>M16</u> 0,01 (*) ◀	0,05 (*)	▶ <u>M21</u> — ◀	▶ <u>M45</u> — ◀	0,1 (*)
0,01 (*)	▶ <u>M32</u> — ◀	▶ <u>M56</u> 2 ◀	▶ <u>M16</u> 0,01 (*) ◀	0,05 (*)	▶ <u>M21</u> — ◀	▶ <u>M45</u> — ◀	0,1 (*)
0,01 (*)	▶ <u>M32</u> — ◀	▶ <u>M56</u> 0,02 (*) ◀	▶ <u>M16</u> 0,01 (*) ◀	0,05 (*)	▶ <u>M21</u> — ◀	▶ <u>M45</u> — ◀	0,1 (*)
0,01 (*)	▶ <u>M32</u> — ◀	▶ <u>M56</u> 0,02 (*) ◀	▶ <u>M16</u> 0,01 (*) ◀	0,05 (*)	▶ <u>M21</u> — ◀	▶ <u>M45</u> — ◀	0,1 (*)
0,01 (*)	▶ <u>M32</u> — ◀	▶ <u>M56</u> 0,02 (*) ◀	▶ <u>M16</u> 0,01 (*) ◀	0,05 (*)	▶ <u>M21</u> — ◀	▶ <u>M45</u> — ◀	0,1 (*)
0,01 (*)	▶ <u>M32</u> — ◀	▶ <u>M56</u> 0,02 (*) ◀	▶ <u>M16</u> 0,01 (*) ◀	0,05 (*)	▶ <u>M21</u> — ◀	▶ <u>M45</u> — ◀	0,1 (*)
0,01 (*)	▶ <u>M32</u> — ◀	▶ <u>M56</u> 0,02 (*) ◀	▶ <u>M16</u> 0,01 (*) ◀	0,05 (*)	▶ <u>M21</u> — ◀	▶ <u>M45</u> — ◀	0,1 (*)



▼ M2

Zoxamide
(26)
0,02 (*)
0,02 (*)
0,02 (*)
0,02 (*)
0,02 (*)
0,02 (*)
0,02 (*)
0,02 (*)
0,02 (*)
0,02 (*)
0,02 (*)
0,02 (*)
0,02 (*)

## ▼ M2

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)
0163070	Guava	► <u>M58</u> — ◀	► <u>M55</u> — ◀	0,05 (*)	► <u>M58</u> — ◀	0,05 (*)	0,01 (*)	0,05 (*)
0163090	Bread fruit	► <u>M58</u> — ◀	► <u>M55</u> — ◀	0,05 (*)	► <u>M58</u> — ◀	0,05 (*)	0,01 (*)	0,05 (*)
0163100	Durian	► <u>M58</u> — ◀	► <u>M55</u> — ◀	0,05 (*)	► <u>M58</u> — ◀	0,05 (*)	0,01 (*)	0,05 (*)
0163110	Soursop (guanabana)	► <u>M58</u> — ◀	► <u>M55</u> — ◀	0,05 (*)	► <u>M58</u> — ◀	0,05 (*)	0,01 (*)	0,05 (*)
0212040	Arrowroot	► <u>M58</u> — ◀	► <u>M55</u> — ◀	0,05 (*)	► <u>M58</u> — ◀	0,05 (*)	0,01 (*)	0,05 (*)
0251050	Land cress	► <u>M58</u> — ◀	► <u>M55</u> — ◀	0,05 (*)	► <u>M58</u> — ◀	0,05 (*)	0,01 (*)	0,05 (*)
0251070	Red mustard	► <u>M58</u> — ◀	► <u>M55</u> — ◀	0,05 (*)	► <u>M58</u> — ◀	0,05 (*)	0,01 (*)	0,05 (*)
0252020	Purslane	► <u>M58</u> — ◀	► <u>M55</u> — ◀	0,05 (*)	► <u>M58</u> — ◀	0,05 (*)	0,01 (*)	0,05 (*)
0253000	(c) <i>Vine leaves</i> ( <i>grape leaves</i> )	► <u>M58</u> — ◀	► <u>M55</u> — ◀	0,05 (*)	► <u>M58</u> — ◀	0,05 (*)	0,01 (*)	0,05 (*)
0256050	Sage	► <u>M58</u> — ◀	► <u>M55</u> — ◀	0,05 (*)	► <u>M58</u> — ◀	0,05 (*)	0,01 (*)	0,05 (*)
0256060	Rosemary	► <u>M58</u> — ◀	► <u>M55</u> — ◀	0,05 (*)	► <u>M58</u> — ◀	0,05 (*)	0,01 (*)	0,05 (*)
0256070	Thyme	► <u>M58</u> — ◀	► <u>M55</u> — ◀	0,05 (*)	► <u>M58</u> — ◀	0,05 (*)	0,01 (*)	0,05 (*)
0256080	Basil	► <u>M58</u> — ◀	► <u>M55</u> — ◀	0,05 (*)	► <u>M58</u> — ◀	0,05 (*)	0,01 (*)	0,05 (*)
0256090	Bay leaves (laurel)	► <u>M58</u> — ◀	► <u>M55</u> — ◀	0,05 (*)	► <u>M58</u> — ◀	0,05 (*)	0,01 (*)	0,05 (*)
0256100	Tarragon	► <u>M58</u> — ◀	► <u>M55</u> — ◀	0,05 (*)	► <u>M58</u> — ◀	0,05 (*)	0,01 (*)	0,05 (*)
0270080	Bamboo shoots	► <u>M58</u> — ◀	► <u>M55</u> — ◀	0,05 (*)	► <u>M58</u> — ◀	0,05 (*)	0,01 (*)	0,05 (*)
0270090	Palm hearts	► <u>M58</u> — ◀	► <u>M55</u> — ◀	0,05 (*)	► <u>M58</u> — ◀	0,05 (*)	0,01 (*)	0,05 (*)
0290000	(ix) <i>Sea weeds</i>	► <u>M58</u> — ◀	► <u>M55</u> — ◀		► <u>M58</u> — ◀			
0401110	Safflower	► <u>M58</u> — ◀	► <u>M55</u> — ◀	0,05 (*)	► <u>M58</u> — ◀	0,05 (*)	0,01 (*)	0,05 (*)
0401120	Borage	► <u>M58</u> — ◀	► <u>M55</u> — ◀	0,05 (*)	► <u>M58</u> — ◀	0,05 (*)	0,01 (*)	0,05 (*)
0401130	Gold of pleasure	► <u>M58</u> — ◀	► <u>M55</u> — ◀	0,05 (*)	► <u>M58</u> — ◀	0,05 (*)	0,01 (*)	0,05 (*)
0401150	Castor bean	► <u>M58</u> — ◀	► <u>M55</u> — ◀	0,05 (*)	► <u>M58</u> — ◀	0,05 (*)	0,01 (*)	0,05 (*)
0402020	Palm nuts (palmoil kernels)	► <u>M58</u> — ◀	► <u>M55</u> — ◀	0,05 (*)	► <u>M58</u> — ◀	0,05 (*)	0,01 (*)	0,05 (*)





▼ M2

(26)
0,02 (*)
0,02 (*)
0,02 (*)
0,02 (*)
0,02 (*)
0,02 (*)
0,02 (*)
0,02 (*)
0,02 (*)
0,02 (*)
0,02 (*)
0,02 (*)
0,02 (*)
0,02 (*)
0,02 (*)
0,02 (*)
0,05 (*)
0,05 (*)
0,05 (*)
0,05 (*)
0,05 (*)
0,05 (*)

## ▼ M2

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)
0402030	Palmfruit	► <u>M58</u> — ◀	► <u>M55</u> — ◀	0,05 (*)	► <u>M58</u> — ◀	0,05 (*)	0,01 (*)	0,05 (*)
0402040	Kapok	► <u>M58</u> — ◀	► <u>M55</u> — ◀	0,05 (*)	► <u>M58</u> — ◀	0,05 (*)	0,01 (*)	0,05 (*)
0620000	(ii) Coffee beans	► <u>M58</u> — ◀	► <u>M55</u> — ◀	0,1 (*)	► <u>M58</u> — ◀	0,1 (*)	0,02 (*)	0,1 (*)
0630000	(iii) Herbal infusions (dried)	► <u>M58</u> — ◀	► <u>M55</u> — ◀	0,1 (*)	► <u>M58</u> — ◀	0,1 (*)	0,02 (*)	0,1 (*)
0631000	(a) Flowers	► <u>M58</u> — ◀	► <u>M55</u> — ◀	0,1 (*)	► <u>M58</u> — ◀	0,1 (*)	0,02 (*)	0,1 (*)
0631010	Camomille flowers	► <u>M58</u> — ◀	► <u>M55</u> — ◀	0,1 (*)	► <u>M58</u> — ◀	0,1 (*)	0,02 (*)	0,1 (*)
0631020	Hybiscus flowers	► <u>M58</u> — ◀	► <u>M55</u> — ◀	0,1 (*)	► <u>M58</u> — ◀	0,1 (*)	0,02 (*)	0,1 (*)
0631030	Rose petals	► <u>M58</u> — ◀	► <u>M55</u> — ◀	0,1 (*)	► <u>M58</u> — ◀	0,1 (*)	0,02 (*)	0,1 (*)
0631040	Jasmine flowers	► <u>M58</u> — ◀	► <u>M55</u> — ◀	0,1 (*)	► <u>M58</u> — ◀	0,1 (*)	0,02 (*)	0,1 (*)
0631050	Lime (linden)	► <u>M58</u> — ◀	► <u>M55</u> — ◀	0,1 (*)	► <u>M58</u> — ◀	0,1 (*)	0,02 (*)	0,1 (*)
0631990	Others	► <u>M58</u> — ◀	► <u>M55</u> — ◀	0,1 (*)	► <u>M58</u> — ◀	0,1 (*)	0,02 (*)	0,1 (*)
0632000	(b) Leaves	► <u>M58</u> — ◀	► <u>M55</u> — ◀	0,1 (*)	► <u>M58</u> — ◀	0,1 (*)	0,02 (*)	0,1 (*)
0632010	Strawberry leaves	► <u>M58</u> — ◀	► <u>M55</u> — ◀	0,1 (*)	► <u>M58</u> — ◀	0,1 (*)	0,02 (*)	0,1 (*)
0632020	Rooibos leaves	► <u>M58</u> — ◀	► <u>M55</u> — ◀	0,1 (*)	► <u>M58</u> — ◀	0,1 (*)	0,02 (*)	0,1 (*)
0632030	Maté	► <u>M58</u> — ◀	► <u>M55</u> — ◀	0,1 (*)	► <u>M58</u> — ◀	0,1 (*)	0,02 (*)	0,1 (*)
0632990	Others	► <u>M58</u> — ◀	► <u>M55</u> — ◀	0,1 (*)	► <u>M58</u> — ◀	0,1 (*)	0,02 (*)	0,1 (*)
0633000	(c) Roots	► <u>M58</u> — ◀	► <u>M55</u> — ◀	0,1 (*)	► <u>M58</u> — ◀	0,1 (*)	0,02 (*)	0,1 (*)
0633010	Valerian root	► <u>M58</u> — ◀	► <u>M55</u> — ◀	0,1 (*)	► <u>M58</u> — ◀	0,1 (*)	0,02 (*)	0,1 (*)
0633020	Ginseng root	► <u>M58</u> — ◀	► <u>M55</u> — ◀	0,1 (*)	► <u>M58</u> — ◀	0,1 (*)	0,02 (*)	0,1 (*)







▼ M2

(26)
0,05 (*)
0,05 (*)
0,05 (*)
0,05 (*)
0,05 (*)
0,05 (*)
0,05 (*)
0,05 (*)
0,05 (*)
0,05 (*)
0,05 (*)
0,05 (*)
0,05 (*)
0,05 (*)
0,05 (*)
0,05 (*)
0,05 (*)
0,05 (*)
0,05 (*)
0,05 (*)
0,05 (*)

## ▼ M2

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)
0633990	Others	► <u>M58</u> — ◀	► <u>M55</u> — ◀	0,1 (*)	► <u>M58</u> — ◀	0,1 (*)	0,02 (*)	0,1 (*)
0639000	(d) <i>Other herbal infusions</i>	► <u>M58</u> — ◀	► <u>M55</u> — ◀	0,1 (*)	► <u>M58</u> — ◀	0,1 (*)	0,02 (*)	0,1 (*)
0640000	(iv) <b>Cocoa (fermented beans)</b>	► <u>M58</u> — ◀	► <u>M55</u> — ◀	0,1 (*)	► <u>M58</u> — ◀	0,1 (*)	0,02 (*)	0,1 (*)
0650000	(v) <b>Carob (st johns bread)</b>	► <u>M58</u> — ◀	► <u>M55</u> — ◀	0,1 (*)	► <u>M58</u> — ◀	0,1 (*)	0,02 (*)	0,1 (*)
0800000	<b>8. SPICES</b>	► <u>M58</u> — ◀	► <u>M55</u> — ◀	0,1 (*)	► <u>M58</u> — ◀	0,1 (*)	0,02 (*)	0,1 (*)
0810000	(i) <b>Seeds</b>	► <u>M58</u> — ◀	► <u>M55</u> — ◀	0,1 (*)	► <u>M58</u> — ◀	0,1 (*)	0,02 (*)	0,1 (*)
0810010	Anise	► <u>M58</u> — ◀	► <u>M55</u> — ◀	0,1 (*)	► <u>M58</u> — ◀	0,1 (*)	0,02 (*)	0,1 (*)
0810020	Black caraway	► <u>M58</u> — ◀	► <u>M55</u> — ◀	0,1 (*)	► <u>M58</u> — ◀	0,1 (*)	0,02 (*)	0,1 (*)
0810030	Celery seed	► <u>M58</u> — ◀	► <u>M55</u> — ◀	0,1 (*)	► <u>M58</u> — ◀	0,1 (*)	0,02 (*)	0,1 (*)
0810040	Coriander seed	► <u>M58</u> — ◀	► <u>M55</u> — ◀	0,1 (*)	► <u>M58</u> — ◀	0,1 (*)	0,02 (*)	0,1 (*)
0810050	Cumin seed	► <u>M58</u> — ◀	► <u>M55</u> — ◀	0,1 (*)	► <u>M58</u> — ◀	0,1 (*)	0,02 (*)	0,1 (*)
0810060	Dill seed	► <u>M58</u> — ◀	► <u>M55</u> — ◀	0,1 (*)	► <u>M58</u> — ◀	0,1 (*)	0,02 (*)	0,1 (*)
0810070	Fennel seed	► <u>M58</u> — ◀	► <u>M55</u> — ◀	0,1 (*)	► <u>M58</u> — ◀	0,1 (*)	0,02 (*)	0,1 (*)
0810080	Fenugreek	► <u>M58</u> — ◀	► <u>M55</u> — ◀	0,1 (*)	► <u>M58</u> — ◀	0,1 (*)	0,02 (*)	0,1 (*)
0810090	Nutmeg	► <u>M58</u> — ◀	► <u>M55</u> — ◀	0,1 (*)	► <u>M58</u> — ◀	0,1 (*)	0,02 (*)	0,1 (*)
0810990	Others	► <u>M58</u> — ◀	► <u>M55</u> — ◀	0,1 (*)	► <u>M58</u> — ◀	0,1 (*)	0,02 (*)	0,1 (*)
0820000	(ii) <b>Fruits and berries</b>	► <u>M58</u> — ◀	► <u>M55</u> — ◀	0,1 (*)	► <u>M58</u> — ◀	0,1 (*)	0,02 (*)	0,1 (*)
0820010	Allspice	► <u>M58</u> — ◀	► <u>M55</u> — ◀	0,1 (*)	► <u>M58</u> — ◀	0,1 (*)	0,02 (*)	0,1 (*)
0820020	Anise pepper (Japan pepper)	► <u>M58</u> — ◀	► <u>M55</u> — ◀	0,1 (*)	► <u>M58</u> — ◀	0,1 (*)	0,02 (*)	0,1 (*)
0820030	Caraway	► <u>M58</u> — ◀	► <u>M55</u> — ◀	0,1 (*)	► <u>M58</u> — ◀	0,1 (*)	0,02 (*)	0,1 (*)
0820040	Cardamom	► <u>M58</u> — ◀	► <u>M55</u> — ◀	0,1 (*)	► <u>M58</u> — ◀	0,1 (*)	0,02 (*)	0,1 (*)





▼ M2

(26)
0,05 (*)
0,05 (*)
0,05 (*)
0,05 (*)
0,05 (*)
0,05 (*)
0,05 (*)
0,05 (*)
0,05 (*)
0,05 (*)
0,05 (*)
0,05 (*)
0,05 (*)
0,05 (*)
0,05 (*)
0,05 (*)
0,05 (*)
0,05 (*)
0,05 (*)
0,05 (*)
0,05 (*)

## ▼ M2

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)
0820050	Juniper berries	► <u>M58</u> — ◀	► <u>M55</u> — ◀	0,1 (*)	► <u>M58</u> — ◀	0,1 (*)	0,02 (*)	0,1 (*)
0820060	Pepper, black and white	► <u>M58</u> — ◀	► <u>M55</u> — ◀	0,1 (*)	► <u>M58</u> — ◀	0,1 (*)	0,02 (*)	0,1 (*)
0820070	Vanilla pods	► <u>M58</u> — ◀	► <u>M55</u> — ◀	0,1 (*)	► <u>M58</u> — ◀	0,1 (*)	0,02 (*)	0,1 (*)
0820080	Tamarind	► <u>M58</u> — ◀	► <u>M55</u> — ◀	0,1 (*)	► <u>M58</u> — ◀	0,1 (*)	0,02 (*)	0,1 (*)
0820990	Others	► <u>M58</u> — ◀	► <u>M55</u> — ◀	0,1 (*)	► <u>M58</u> — ◀	0,1 (*)	0,02 (*)	0,1 (*)
0830000	(iii) <b>Bark</b>	► <u>M58</u> — ◀	► <u>M55</u> — ◀	0,1 (*)	► <u>M58</u> — ◀	0,1 (*)	0,02 (*)	0,1 (*)
0830010	Cinnamon	► <u>M58</u> — ◀	► <u>M55</u> — ◀	0,1 (*)	► <u>M58</u> — ◀	0,1 (*)	0,02 (*)	0,1 (*)
0830990	Others	► <u>M58</u> — ◀	► <u>M55</u> — ◀	0,1 (*)	► <u>M58</u> — ◀	0,1 (*)	0,02 (*)	0,1 (*)
0840000	(iv) <b>Roots or rhizome</b>	► <u>M58</u> — ◀	► <u>M55</u> — ◀	0,1 (*)	► <u>M58</u> — ◀	0,1 (*)	0,02 (*)	0,1 (*)
0840010	Liquorice	► <u>M58</u> — ◀	► <u>M55</u> — ◀	0,1 (*)	► <u>M58</u> — ◀	0,1 (*)	0,02 (*)	0,1 (*)
0840020	Ginger	► <u>M58</u> — ◀	► <u>M55</u> — ◀	0,1 (*)	► <u>M58</u> — ◀	0,1 (*)	0,02 (*)	0,1 (*)
0840030	Turmeric (Curcuma)	► <u>M58</u> — ◀	► <u>M55</u> — ◀	0,1 (*)	► <u>M58</u> — ◀	0,1 (*)	0,02 (*)	0,1 (*)
0840040	Horseradish	► <u>M58</u> — ◀	► <u>M55</u> — ◀	0,1 (*)	► <u>M58</u> — ◀	0,1 (*)	0,02 (*)	0,1 (*)
0840990	Others	► <u>M58</u> — ◀	► <u>M55</u> — ◀	0,1 (*)	► <u>M58</u> — ◀	0,1 (*)	0,02 (*)	0,1 (*)
0850000	(v) <b>Buds</b>	► <u>M58</u> — ◀	► <u>M55</u> — ◀	0,1 (*)	► <u>M58</u> — ◀	0,1 (*)	0,02 (*)	0,1 (*)
0850010	Cloves	► <u>M58</u> — ◀	► <u>M55</u> — ◀	0,1 (*)	► <u>M58</u> — ◀	0,1 (*)	0,02 (*)	0,1 (*)
0850020	Capers	► <u>M58</u> — ◀	► <u>M55</u> — ◀	0,1 (*)	► <u>M58</u> — ◀	0,1 (*)	0,02 (*)	0,1 (*)
0850990	Others	► <u>M58</u> — ◀	► <u>M55</u> — ◀	0,1 (*)	► <u>M58</u> — ◀	0,1 (*)	0,02 (*)	0,1 (*)
0860000	(vi) <b>Flower stigma</b>	► <u>M58</u> — ◀	► <u>M55</u> — ◀	0,1 (*)	► <u>M58</u> — ◀	0,1 (*)	0,02 (*)	0,1 (*)
0860010	Saffron	► <u>M58</u> — ◀	► <u>M55</u> — ◀	0,1 (*)	► <u>M58</u> — ◀	0,1 (*)	0,02 (*)	0,1 (*)
0860990	Others	► <u>M58</u> — ◀	► <u>M55</u> — ◀	0,1 (*)	► <u>M58</u> — ◀	0,1 (*)	0,02 (*)	0,1 (*)
0870000	(vii) <b>Aril</b>	► <u>M58</u> — ◀	► <u>M55</u> — ◀	0,1 (*)	► <u>M58</u> — ◀	0,1 (*)	0,02 (*)	0,1 (*)
0870010	Mace	► <u>M58</u> — ◀	► <u>M55</u> — ◀	0,1 (*)	► <u>M58</u> — ◀	0,1 (*)	0,02 (*)	0,1 (*)







▼ M2

(26)
0,05 (*)
0,05 (*)
0,05 (*)
0,05 (*)
0,05 (*)
0,05 (*)
0,05 (*)
0,05 (*)
0,05 (*)
0,05 (*)
0,05 (*)
0,05 (*)
0,05 (*)
0,05 (*)
0,05 (*)
0,05 (*)
0,05 (*)
0,05 (*)
0,05 (*)
0,05 (*)

## ▼ M2

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)
0870990	Others	► <u>M58</u> — ◀	► <u>M55</u> — ◀	0,1 (*)	► <u>M58</u> — ◀	0,1 (*)	0,02 (*)	0,1 (*)
0900000	9. SUGAR PLANTS	► <u>M58</u> — ◀	► <u>M55</u> — ◀	0,05 (*)	► <u>M58</u> — ◀	0,05 (*)	0,01 (*)	0,05 (*)
0900010	Sugar beet (root)	► <u>M58</u> — ◀	► <u>M55</u> — ◀	0,05 (*)	► <u>M58</u> — ◀	0,05 (*)	0,01 (*)	0,05 (*)
0900020	Sugar cane	► <u>M58</u> — ◀	► <u>M55</u> — ◀	0,05 (*)	► <u>M58</u> — ◀	0,05 (*)	0,01 (*)	0,05 (*)
0900030	Chicory roots	► <u>M58</u> — ◀	► <u>M55</u> — ◀	0,05 (*)	► <u>M58</u> — ◀	0,05 (*)	0,01 (*)	0,05 (*)
0900990	Others	► <u>M58</u> — ◀	► <u>M55</u> — ◀	0,05 (*)	► <u>M58</u> — ◀	0,05 (*)	0,01 (*)	0,05 (*)
1015000	(e) <i>Horses, asses, mules or hinnies</i>	► <u>M58</u> — ◀	► <u>M55</u> — ◀		► <u>M58</u> — ◀	0,05 (*)		
1015010	Meat	► <u>M58</u> — ◀	► <u>M55</u> — ◀	0,05 (*)	► <u>M58</u> — ◀	0,05 (*)		
1015020	Fat	► <u>M58</u> — ◀	► <u>M55</u> — ◀	0,05 (*)	► <u>M58</u> — ◀	0,05 (*)		
1015030	Liver	► <u>M58</u> — ◀	► <u>M55</u> — ◀	0,2	► <u>M58</u> — ◀	0,05 (*)		
1015040	Kidney	► <u>M58</u> — ◀	► <u>M55</u> — ◀	0,2	► <u>M58</u> — ◀	0,05 (*)		
1015050	Edible offal	► <u>M58</u> — ◀	► <u>M55</u> — ◀	0,05 (*)	► <u>M58</u> — ◀	0,05 (*)		
1015990	Others	► <u>M58</u> — ◀	► <u>M55</u> — ◀	0,05 (*)	► <u>M58</u> — ◀	0,05 (*)		
1017000	(g) <i>Other farm animals</i>	► <u>M58</u> — ◀	► <u>M55</u> — ◀		► <u>M58</u> — ◀	0,05 (*)		
1017010	Meat	► <u>M58</u> — ◀	► <u>M55</u> — ◀	0,05 (*)	► <u>M58</u> — ◀	0,05 (*)		
1017020	Fat	► <u>M58</u> — ◀	► <u>M55</u> — ◀	0,05 (*)	► <u>M58</u> — ◀	0,05 (*)		
1017030	Liver	► <u>M58</u> — ◀	► <u>M55</u> — ◀	0,2	► <u>M58</u> — ◀	0,05 (*)		
1017040	Kidney	► <u>M58</u> — ◀	► <u>M55</u> — ◀	0,2	► <u>M58</u> — ◀	0,05 (*)		
1017050	Edible offal	► <u>M58</u> — ◀	► <u>M55</u> — ◀	0,05 (*)	► <u>M58</u> — ◀	0,05 (*)		
1017990	Others	► <u>M58</u> — ◀	► <u>M55</u> — ◀	0,05 (*)	► <u>M58</u> — ◀	0,05 (*)		
1030020	Duck	► <u>M58</u> — ◀	► <u>M55</u> — ◀	0,05 (*)	► <u>M58</u> — ◀	0,05 (*)		0,1 (*)
1030030	Goose	► <u>M58</u> — ◀	► <u>M55</u> — ◀	0,05 (*)	► <u>M58</u> — ◀	0,05 (*)		0,1 (*)



▼ M2

(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)
0,02 (*)	► <u>M32</u> — ◀	► <u>M56</u> 0,05 (*) ◀	► <u>M16</u> 0,05 (*) ◀	0,05 (*)	► <u>M21</u> — ◀	► <u>M45</u> — ◀	0,2 (*)
0,01 (*)	► <u>M32</u> — ◀	► <u>M56</u> — ◀	► <u>M16</u> 0,01 (*) ◀	0,05 (*)	► <u>M21</u> — ◀	► <u>M45</u> — ◀	0,1 (*)
0,01 (*)	► <u>M32</u> — ◀	► <u>M56</u> 0,05 ◀	► <u>M16</u> 0,01 (*) ◀	0,05 (*)	► <u>M21</u> — ◀	► <u>M45</u> — ◀	0,1 (*)
0,01 (*)	► <u>M32</u> — ◀	► <u>M56</u> 0,02 (*) ◀	► <u>M16</u> 0,01 (*) ◀	0,05 (*)	► <u>M21</u> — ◀	► <u>M45</u> — ◀	0,1 (*)
0,01 (*)	► <u>M32</u> — ◀	► <u>M56</u> 0,02 (*) ◀	► <u>M16</u> 0,01 (*) ◀	0,05 (*)	► <u>M21</u> — ◀	► <u>M45</u> — ◀	0,1 (*)
0,01 (*)	► <u>M32</u> — ◀	► <u>M56</u> 0,02 (*) ◀	► <u>M16</u> 0,01 (*) ◀	0,05 (*)	► <u>M21</u> — ◀	► <u>M45</u> — ◀	0,1 (*)
	► <u>M32</u> — ◀	► <u>M56</u> 0,04 (*) ◀	► <u>M16</u> 0,01 (*) ◀	0,05 (*)	► <u>M21</u> — ◀	► <u>M45</u> — ◀	
	► <u>M32</u> — ◀	► <u>M56</u> 0,04 (*) ◀	► <u>M16</u> 0,01 (*) ◀	0,05 (*)	► <u>M21</u> — ◀	► <u>M45</u> — ◀	
	► <u>M32</u> — ◀	► <u>M56</u> 0,04 (*) ◀	► <u>M16</u> 0,01 (*) ◀	0,05 (*)	► <u>M21</u> — ◀	► <u>M45</u> — ◀	
	► <u>M32</u> — ◀	► <u>M56</u> 0,04 (*) ◀	► <u>M16</u> 0,01 (*) ◀	0,05 (*)	► <u>M21</u> — ◀	► <u>M45</u> — ◀	
	► <u>M32</u> — ◀	► <u>M56</u> 0,04 (*) ◀	► <u>M16</u> 0,01 (*) ◀	0,05 (*)	► <u>M21</u> — ◀	► <u>M45</u> — ◀	
	► <u>M32</u> — ◀	► <u>M56</u> 0,04 (*) ◀	► <u>M16</u> 0,01 (*) ◀	0,05 (*)	► <u>M21</u> — ◀	► <u>M45</u> — ◀	
	► <u>M32</u> — ◀	► <u>M56</u> 0,04 (*) ◀	► <u>M16</u> 0,01 (*) ◀	0,05 (*)	► <u>M21</u> — ◀	► <u>M45</u> — ◀	
	► <u>M32</u> — ◀	► <u>M56</u> 0,04 (*) ◀	► <u>M16</u> 0,01 (*) ◀	0,05 (*)	► <u>M21</u> — ◀	► <u>M45</u> — ◀	
	► <u>M32</u> — ◀	► <u>M56</u> 0,04 (*) ◀	► <u>M16</u> 0,01 (*) ◀	0,05 (*)	► <u>M21</u> — ◀	► <u>M45</u> — ◀	
	► <u>M32</u> — ◀	► <u>M56</u> 0,04 (*) ◀	► <u>M16</u> 0,01 (*) ◀	0,05 (*)	► <u>M21</u> — ◀	► <u>M45</u> — ◀	
	► <u>M32</u> — ◀	► <u>M56</u> 0,04 (*) ◀	► <u>M16</u> 0,01 (*) ◀	0,05 (*)	► <u>M21</u> — ◀	► <u>M45</u> — ◀	
	► <u>M32</u> — ◀	► <u>M56</u> 0,04 (*) ◀	► <u>M16</u> 0,01 (*) ◀	0,01 (*)	► <u>M21</u> — ◀	► <u>M45</u> — ◀	
	► <u>M32</u> — ◀	► <u>M56</u> 0,04 (*) ◀	► <u>M16</u> 0,01 (*) ◀	0,01 (*)	► <u>M21</u> — ◀	► <u>M45</u> — ◀	

▼ M2

(26)
0,05 (*)
0,02 (*)
0,02 (*)
0,02 (*)
0,02 (*)
0,02 (*)

▼ M2

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)
1030040	Quail	▶ <u>M58</u> — ◀	▶ <u>M55</u> — ◀	0,05 (*)	▶ <u>M58</u> — ◀	0,05 (*)		0,1 (*)
1030990	Others	▶ <u>M58</u> — ◀	▶ <u>M55</u> — ◀	0,05 (*)	▶ <u>M58</u> — ◀	0,05 (*)		0,1 (*)
1040000	(iv) Honey	▶ <u>M58</u> — ◀	▶ <u>M55</u> — ◀		▶ <u>M58</u> — ◀			
1050000	(v) Amphibians and reptiles	▶ <u>M58</u> — ◀	▶ <u>M55</u> — ◀		▶ <u>M58</u> — ◀			
1060000	(vi) Snails	▶ <u>M58</u> — ◀	▶ <u>M55</u> — ◀		▶ <u>M58</u> — ◀			
1070000	(vii) Other terrestrial animal products	▶ <u>M58</u> — ◀	▶ <u>M55</u> — ◀		▶ <u>M58</u> — ◀			

▼ M2

(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)
▶ <u>M54</u> 0,01 (*) ◀	▶ <u>M58</u> — ◀	0,05 (*)		▶ <u>M32</u> — ◀	▶ <u>M11</u> 0,1 (*) ◀	▶ <u>M21</u> — ◀	▶ <u>M27</u> 0,01 (*) ◀
▶ <u>M54</u> 0,01 (*) ◀	▶ <u>M58</u> — ◀	0,05 (*)		▶ <u>M32</u> — ◀	▶ <u>M11</u> 0,1 (*) ◀	▶ <u>M21</u> — ◀	▶ <u>M27</u> 0,01 (*) ◀
▶ <u>M54</u> 0,2 ◀	▶ <u>M58</u> — ◀	1		▶ <u>M32</u> — ◀	▶ <u>M11</u> 0,1 (*) ◀	▶ <u>M21</u> — ◀	▶ <u>M27</u> 0,01 (*) ◀
▶ <u>M54</u> 0,01 (*) ◀	▶ <u>M58</u> — ◀			▶ <u>M32</u> — ◀	▶ <u>M11</u> 0,1 (*) ◀	▶ <u>M21</u> — ◀	▶ <u>M27</u> 0,01 (*) ◀
▶ <u>M54</u> 0,01 (*) ◀	▶ <u>M58</u> — ◀			▶ <u>M32</u> — ◀	▶ <u>M11</u> 0,1 (*) ◀	▶ <u>M21</u> — ◀	▶ <u>M27</u> 0,01 (*) ◀

▼ M2

(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)
	▶ <u>M32</u> — ◀	▶ <u>M56</u> 0,04 (*) ◀	▶ <u>M16 0,01</u> (*) ◀	0,01 (*)	▶ <u>M21</u> — ◀	▶ <u>M45</u> — ◀	
	▶ <u>M32</u> — ◀	▶ <u>M56</u> 0,04 (*) ◀	▶ <u>M16 0,01</u> (*) ◀	0,01 (*)	▶ <u>M21</u> — ◀	▶ <u>M45</u> — ◀	
	▶ <u>M32</u> — ◀	▶ <u>M56 0,05</u> (*) ◀	▶ <u>M16 0,01</u> (*) ◀		▶ <u>M21</u> — ◀	▶ <u>M45</u> — ◀	
	▶ <u>M32</u> — ◀	▶ <u>M56</u> 0,04 (*) ◀	▶ <u>M16 0,01</u> (*) ◀		▶ <u>M21</u> — ◀	▶ <u>M45</u> — ◀	
	▶ <u>M32</u> — ◀	▶ <u>M56</u> 0,04 (*) ◀	▶ <u>M16 0,01</u> (*) ◀		▶ <u>M21</u> — ◀	▶ <u>M45</u> — ◀	
	▶ <u>M32</u> — ◀	▶ <u>M56</u> 0,04 (*) ◀	▶ <u>M16 0,01</u> (*) ◀		▶ <u>M21</u> — ◀	▶ <u>M45</u> — ◀	



▼ M2

(26)

▼ **M5***Pesticide residues and maximum residue levels (mg/kg)*

Code number	Groups and examples of individual products to which the MRLs apply <sup>(a)</sup>	Permethrin (sum of isomers)	Propham
(1)	(2)	(3)	(4)
0130040	Medlar	0,05 (*)	0,05 (*)
0130050	Loquat	0,05 (*)	0,05 (*)
0154050	Rose hips	0,05 (*)	0,05 (*)
0154060	Mulberries	0,05 (*)	0,05 (*)
0154070	Azarole (mediteranean medlar)	0,05 (*)	0,05 (*)
0154080	Elderberries	0,05 (*)	0,05 (*)
0161050	Carambola	0,05 (*)	0,05 (*)
0161060	Persimmon	0,05 (*)	0,05 (*)
0161070	Jambolan (java plum)	0,05 (*)	0,05 (*)
0162040	Prickly pear (cactus fruit)	0,05 (*)	0,05 (*)
0162050	Star apple	0,05 (*)	0,05 (*)
0162060	American persimmon (Virginia kaki)	0,05 (*)	0,05 (*)
0163060	Cherimoya	0,05 (*)	0,05 (*)
0163070	Guava	0,05 (*)	0,05 (*)
0163090	Bread fruit	0,05 (*)	0,05 (*)
0163100	Durian	0,05 (*)	0,05 (*)
0163110	Soursop (guanabana)	0,05 (*)	0,05 (*)
0212040	Arrowroot	0,05 (*)	0,05 (*)
0251050	Land cress	0,05 (*)	0,05 (*)
0251070	Red mustard	0,05 (*)	0,05 (*)
0252020	Purslane	0,05 (*)	0,05 (*)
0253000	(c) <i>Vine leaves (grape leaves)</i>	0,05 (*)	0,05 (*)
0256050	Sage	0,05 (*)	0,05 (*)
0256060	Rosemary	0,05 (*)	0,05 (*)
0256070	Thyme	0,05 (*)	0,05 (*)
0256080	Basil	0,05 (*)	0,05 (*)
0256090	Bay leaves (laurel)	0,05 (*)	0,05 (*)
0256100	Tarragon	0,05 (*)	0,05 (*)

## ▼ M5

(1)	(2)	(3)	(4)
0270080	Bamboo shoots	0,05 (*)	0,05 (*)
0270090	Palm hearts	0,05 (*)	0,05 (*)
0290000	(ix) <b>Sea weeds</b>		
0401110	Safflower	0,1 (*)	0,05 (*)
0401120	Borage	0,1 (*)	0,05 (*)
0401130	Gold of pleasure	0,1 (*)	0,05 (*)
0401150	Castor bean	0,1 (*)	0,05 (*)
0402020	Palm nuts (palmoil kernels)	0,1 (*)	0,05 (*)
0402030	Palmfruit	0,1 (*)	0,05 (*)
0402040	Kapok	0,1 (*)	0,05 (*)
0620000	(ii) <b>Coffee beans</b>	0,1 (*)	0,1 (*)
0630000	(iii) <b>Herbal infusions (dried)</b>	0,1 (*)	0,1 (*)
0631000	(a) <i>Flowers</i>		
0631010	Camomille flowers		
0631020	Hybiscus flowers		
0631030	Rose petals		
0631040	Jasmine flowers		
0631050	Lime (linden)		
0631990	Others		
0632000	(b) <i>Leaves</i>		
0632010	Strawberry leaves		
0632020	Rooibos leaves		
0632030	Maté		
0632990	Others		
0633000	(c) <i>Roots</i>		
0633010	Valerian root		
0633020	Ginseng root		
0633990	Others		
0639000	(d) <i>Other herbal infusions</i>		
0640000	(iv) <b>Cocoa (fermented beans)</b>	0,1 (*)	0,1 (*)
0650000	(v) <b>Carob (st johns bread)</b>	0,1 (*)	0,1 (*)
0800000	8. <b>SPICES</b>	0,1 (*)	0,1 (*)
0810000	(i) <b>Seeds</b>		
0810010	Anise		
0810020	Black caraway		

▼ **M5**

(1)	(2)	(3)	(4)
0810030	Celery seed		
0810040	Coriander seed		
0810050	Cumin seed		
0810060	Dill seed		
0810070	Fennel seed		
0810080	Fenugreek		
0810090	Nutmeg		
0810990	Others		
0820000	(ii) <b>Fruits and berries</b>		
0820010	Allspice		
0820020	Anise pepper (Japan pepper)		
0820030	Caraway		
0820040	Cardamom		
0820050	Juniper berries		
0820060	Pepper, black and white		
0820070	Vanilla pods		
0820080	Tamarind		
0820990	Others		
0830000	(iii) <b>Bark</b>		
0830010	Cinnamon		
0830990	Others		
0840000	(iv) <b>Roots or rhizome</b>		
0840010	Liquorice		
0840020	Ginger		
0840030	Turmeric (Curcuma)		
0840040	Horseradish		
0840990	Others		
0850000	(v) <b>Buds</b>		
0850010	Cloves		
0850020	Capers		
0850990	Others		
0860000	(vi) <b>Flower stigma</b>		
0860010	Saffron		
0860990	Others		

▼ **M5**

(1)	(2)	(3)	(4)
0870000	(vii) <b>Aril</b>		
0870010	Mace		
0870990	Others		
0900000	<b>9. SUGAR PLANTS</b>	0,05 (*)	0,05 (*)
0900010	Sugar beet (root)		
0900020	Sugar cane		
0900030	Chicory roots		
0900990	Others		
1015000	(e) <i>Horses, asses, mules or hinnies</i>		0,05 (*)
1015010	Meat		
1015020	Fat		
1015030	Liver		
1015040	Kidney		
1015050	Edible offal		
1015990	Others		
1017000	(g) <i>Other farm animals</i>		0,05 (*)
1017010	Meat		
1017020	Fat		
1017030	Liver		
1017040	Kidney		
1017050	Edible offal		
1017990	Others		
1030020	Duck		
1030030	Goose		
1030040	Quail		
1030990	Others		
1040000	(iv) <b>Honey</b>		0,05 (*)
1050000	(v) <b>Amphibians and reptiles</b>		0,05 (*)
1060000	(vi) <b>Snails</b>		0,05 (*)
1070000	(vii) <b>Other terrestrial animal products</b>		0,05 (*)

▼ **M2**

(7) The MRLs expressed as CS2 can arise from different dithiocarbamates and therefore they do not reflect a single Good Agricultural Practice (GAP). It is therefore not appropriate to use these MRLs to check compliance with a GAP.

(13) As all dithiocarbamates result in the final CS2 residue, discrimination among them is generally not possible. However single residue methods are available for propineb, ziram and thiram. These methods should be implemented on a case by case basis when the specific quantification of propineb, ziram and/or thiram is required.

(e) For the complete list of products of plant and animal origin to which MRLs apply, reference should be made to Annex I.

(\*) Indicates lower limit of analytical determination

(<sup>L</sup>) = Fat soluble

(<sup>R</sup>) = The residue definition differs for the following combinations pesticide-code number:

▼ **M2**

Carbendazim — code 1000000: Carbendazim and thiophanate-methyl, expressed as carbendazim

Camphechlor — code 1000000: Sum of the three indicator compounds Parlar No 26, 50 and 62, where:

Parlar No 26 = 2-endo,3-exo,5-endo,6-exo,8,8,10,10-octachlorobornane

Parlar No 50 = 2-endo,3-exo,5-endo,6-exo,8,8,9,10,10-nonachlorobornane

Parlar No 62 = 2,2,5,5,8,9,9,10,10,-nonachlorobornane

► **M37 Captan (R)**: The enforcement residue definition for the following codes is 'the sum of captan and folpet': 0130000; 0152000; 0153010; 0153030; 0154030; 0154040; 0231010; 0260010; 0260020 ◀

Chlordane — code 1000000: Sum of cis- and trans-isomers and oxychlordane expressed as chlordane

Fenpropimorph — code 1000000: Fenpropimorph carboxylic acid (BF 421-2) expressed as fenpropimorph

Fentin acetate — code 1000000: Fentin, expressed as triphenyltin cation

Fentin hydroxide — code 1000000: Fentin, expressed as triphenyltin cation

Flucythrinate — codes 0500000 and 1000000: Sum of isomers expressed as flucythrinate

Fluroxypyr — code 1000000: Fluroxypyr

► **M37 Kresoxim-methyl -code 1020000: 490M9** expressed as kresoxim-methyl

Metabolite 490M1 = 2-methoxyimino-2-[2-(o-tolyloxymethyl)phenyl]acetic acid. Metabolite 490M9 = 2-[2-(4-hydroxy-2-methylphenoxy-methyl)phenyl]-2-methoxy-iminoacetic acid. ◀

► **M43 Lambda-Cyhalothrin - code 1000000** except 1040000: Lambda-cyhalothrin, including other mixed isomeric constituents (sum of isomers) ◀

Myclobutanyl — code 1000000: Alpha-(3-hydroxybutyl) — alpha — (4-chloro-phenyl) — 1H — 1,2,4 — triazole -1-propanenitrile (RH9090) expressed as yclobutanil

Spiroxamine — code 1000000: Spiroxamine carboxylic acid expressed as spiroxamine

Phenmedipham — code 1000000: Phenmedipham (Methyl-N-(3-hydroxyphenyl) carbamate (MHPC) expressed as phenmedipham

Thiabendazole — code 1000000: Sum of thiabendazole and 5-hydroxythiabendazole

Thiofanate-methyl — code 1000000: Carbendazim and thiophanate-methyl, expressed as carbendazim

▼ **M64****Carbaryl (F)**

- (+) The applicable maximum residue level for horseradish (*Armoracia rusticana*) in the spice group (code 0840040) is the one set for horseradish (*Armoracia rusticana*) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

**0840040 Horseradish**

**Profenofos (F)**

- (+) Monitoring data carried out in 2012, show that residues of profenofos occur in herbs. Further monitoring data is necessary to compare the evolution of the occurrence of profenofos in herbs. When reviewing the MRL, the Commission will take into account the information, if it is submitted by 18 October 2016, or, if that information is not submitted by that date, the lack of it.

**0256050 Sage (Winter savory, summer savory, *Borago officinalis* leaves)**

**0256060 Rosemary**

**0256070 Thyme (Marjoram, oregano)**

**0256080 Basil (Balm leaves, mint, peppermint, holy basil, sweet basil, hairy basil, edible flowers (marigold flower and others), pennywort, wild betel leaf, curry leaves)**

**0256090 Bay leaves (laurel) (Lemon grass)**

**0256100 Tarragon (Hyssop)**

- (+) Monitoring data carried out in 2012, show that residues of profenofos occur in rose petals. Further monitoring data is necessary to compare the evolution of the occurrence of profenofos in rose petals. When reviewing the MRL, the Commission will take into account the information, if it is submitted by 18 October 2016, or, if that information is not submitted by that date, the lack of it.

**0631030 Rose petals**

**▼ M64**

- (+) The applicable maximum residue level for horseradish (*Armoracia rusticana*) in the spice group (code 0840040) is the one set for horseradish (*Armoracia rusticana*) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

**0840040                      Horseradish**

**▼ M47**

**Metalaxyl and metalaxyl-M (metalaxyl including other mixtures of constituent isomers including metalaxyl-M (sum of isomers))**

- (+) The applicable maximum residue level for horseradish (*Armoracia rusticana*) in the spice group (code 0840040) is the one set for horseradish (*Armoracia rusticana*) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

**0840040                      Horseradish**

**Quinoxyfen (F)**

- (+) The applicable maximum residue level for horseradish (*Armoracia rusticana*) in the spice group (code 0840040) is the one set for horseradish (*Armoracia rusticana*) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

**0840040                      Horseradish**

**▼ M54**

**Kresoxim-methyl (F) (R)**

- (R) = The residue definition differs for the following combinations pesticide-code number:

Kresoxim-methyl -code 1010000: 490M1 expressed as kresoxim-methyl

Kresoxim-methyl -code 1020000: 490M9 expressed as kresoxim-methyl

Metabolite 490M1 = 2-methoxyimino-2-[2-(o-tolylloxymethyl)phenyl]acetic acid. Metabolite 490M9 = 2-[2-(4-hydroxy-2-methylphenoxy)methyl]phenyl]-2-methoxy-iminoacetic acid

- (+) The applicable maximum residue level for horseradish (*Armoracia rusticana*) in the spice group (code 0840040) is the one set for horseradish (*Armoracia rusticana*) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

**0840040                      Horseradish**

**Thiacloprid (F)**

- (+) The applicable maximum residue level for horseradish (*Armoracia rusticana*) in the spice group (code 0840040) is the one set for horseradish (*Armoracia rusticana*) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

**0840040                      Horseradish**

**▼ M61**

**Chlormequat**

- (+) The applicable maximum residue level for horseradish (*Armoracia rusticana*) in the spice group (code 0840040) is the one set for horseradish (*Armoracia rusticana*) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

**0840040                      Horseradish**

**▼ M56****Azoxystrobin**

- (+) The applicable maximum residue level for horseradish (*Armoracia rusticana*) in the spice group (code 0840040) is the one set for horseradish (*Armoracia rusticana*) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

0840040                      Horseradish

**Cyfluthrin (cyfluthrin including other mixtures of constituent isomers (sum of isomers)) (F)**

- (+) The applicable maximum residue level for horseradish (*Armoracia rusticana*) in the spice group (code 0840040) is the one set for horseradish (*Armoracia rusticana*) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

0840040                      Horseradish

**MCPA and MCPB (MCPA, MCPB including their salts, esters and conjugates expressed as MCPA) (F) (R)**

(R) = The residue definition differs for the following combinations pesticide-code number:

**MCPA and MCPB - code 1000000: MCPA, MCPB and MCPA thioethyl expressed as MCPA**

- (+) The applicable maximum residue level for horseradish (*Armoracia rusticana*) in the spice group (code 0840040) is the one set for horseradish (*Armoracia rusticana*) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

0840040                      Horseradish

**Methoxyfenozide (F)**

- (+) The applicable maximum residue level for horseradish (*Armoracia rusticana*) in the spice group (code 0840040) is the one set for horseradish (*Armoracia rusticana*) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

0840040                      Horseradish

**Trifloxystrobin (F) (R)**

(R) = The residue definition differs for the following combinations pesticide-code number:

**Trifloxystrobin- code 1000000: the sum of trifloxystrobin and its metabolite (E, E)-methoxyimino- {2-[1-(3-trifluoromethyl-phenyl)-ethylideneamino-oxymethyl]-phenyl}-acetic acid (CGA 321113)**

- (+) The applicable maximum residue level for horseradish (*Armoracia rusticana*) in the spice group (code 0840040) is the one set for horseradish (*Armoracia rusticana*) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

0840040                      Horseradish

**▼ M53****Fenarimol**

- (+) The applicable maximum residue level for horseradish (*Armoracia rusticana*) in the spice group (code 0840040) is the one set for horseradish (*Armoracia rusticana*) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

**0840040                      Horseradish**



**▼ M72****Penconazole (F)**

- (+) The applicable maximum residue level for horseradish (*Armoracia rusticana*) in the spice group (code 0840040) is the one set for horseradish (*Armoracia rusticana*) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

**0840040                      Horseradish**

**▼ M70****Fenamidone**

- (+) The applicable maximum residue level for horseradish (*Armoracia rusticana*) in the spice group (code 0840040) is the one set for horseradish (*Armoracia rusticana*) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

**0840040                      Horseradish**

**Fenhexamid**

- (+) The applicable maximum residue level for horseradish (*Armoracia rusticana*) in the spice group (code 0840040) is the one set for horseradish (*Armoracia rusticana*) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

**0840040                      Horseradish**

**▼ M74****Propiconazole**

- (+) The applicable maximum residue level for horseradish (*Armoracia rusticana*) in the spice group (code 0840040) is the one set for horseradish (*Armoracia rusticana*) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

0840040                      Horseradish

**▼ M75****Clofentezine (R)**

- (R) = The residue definition differs for the following combinations pesticide-code number:

Clofentezine - codes 0500000 and 1000000: Sum of all compounds containing the 2-chlorobenzoyl moiety expressed as clofentezine

- (+) The applicable maximum residue level for horseradish (*Armoracia rusticana*) in the spice group (code 0840040) is the one set for horseradish (*Armoracia rusticana*) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

0840040                      Horseradish

**▼ M70****Carbofuran (sum of carbofuran (including any carbofuran generated from carbosulfan, benfuracarb or furathiocarb) and 3-OH carbofuran expressed as carbofuran) (R)**

- (R) = The residue definition differs for the following combinations pesticide-code number:

Carbofuran — code 1000000 except 1040000: 3-OH-carbofuran (free and conjugated) expressed as carbofuran

- (+) The applicable maximum residue level for horseradish (*Armoracia rusticana*) in the spice group (code 0840040) is the one set for horseradish (*Armoracia rusticana*) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

**0840040                      Horseradish**

▼ **M2**

## ANNEX IV

**List of active substances of plant protection products evaluated under Directive 91/414/EEC for which no MRLs are required, referred to in Article 5(1)**▼ **M5**

1,4-Diaminobutane (aka Putrescine) <sup>(1)</sup>  
 1-Decanol <sup>(1)</sup>  
 Acetic acid <sup>(1)</sup>

▼ **M57**

S-abscisic acid <sup>(1)</sup>  
 L-ascorbic acid

▼ **M39**

*Adoxophyes orana granulovirus* strain BV-0001

▼ **M5**

Aluminium silicate (aka kaolin) <sup>(2)</sup> <sup>(1)</sup>  
 Ammonium acetate <sup>(1)</sup>  
*Ampelomyces quisqualis* strain AQ10

▼ **M33**

*Aureobasidium pullulans* strains DSM 14940 and DSM 14941

▼ **M57**

*Bacillus firmus* I-1582

▼ **M5**

*Bacillus subtilis* strain QST 713  
 Benzoic acid <sup>(2)</sup>  
 Calcium carbonate <sup>(1)</sup>  
 Carbon dioxide <sup>(1)</sup>

▼ **M69**

Chitosan hydrochloride

▼ **M5**

*Coniothyrium minitans* strain CON/M/91-08 (DSM 9660)  
 Ethylene <sup>(1)</sup>  
 Extract from Tea tree <sup>(1)</sup>

▼ **M69**

*Equisetum arvense* L.

▼ **M57**

Gibberellic acid <sup>(1)</sup>

▼ **M5**

Fatty acid/Lauric acid <sup>(2)</sup> <sup>(1)</sup>  
 Fatty acids C7-C20 <sup>(2)</sup> <sup>(1)</sup>  
 Fatty acids: fatty acid methyl ester <sup>(2)</sup> <sup>(1)</sup>  
 Fatty acids: Heptanoic acid <sup>(2)</sup> <sup>(1)</sup>  
 Fatty acids: Octanoic acid <sup>(2)</sup> <sup>(1)</sup>  
 Fatty acids: Decanoic acid <sup>(2)</sup> <sup>(1)</sup>  
 Fatty acids: Oleic acid incl. ethylolate <sup>(2)</sup> <sup>(1)</sup>  
 Fatty acids: Pelargonic acid <sup>(2)</sup> <sup>(1)</sup>  
 Fatty alcohols/aliphatic alcohols <sup>(2)</sup> <sup>(1)</sup>  
 Ferric phosphate (Iron (III) phosphate)

▼ **M76**▼ **M5**

Ferrous sulphate (Iron (II) sulphate) <sup>(1)</sup> ► **M76** <sup>(2)</sup> ◀  
 Folic acid ► **M76** <sup>(2)</sup> ◀  
 Garlic extract <sup>(1)</sup>

<sup>(1)</sup> Substances temporarily included in Annex IV, pending finalisation of their evaluation under Directive 91/414/EEC and pending submission of EFSA's reasoned opinion in accordance with Article 12(1).

<sup>(2)</sup> ► **M76** Substances included in Annex IV without prejudice to other specific food and feed legislation, e.g. on food additives, food supplements, flavourings, etc. ◀

- ▼ **M76**  
Geraniol <sup>(1)</sup> <sup>(2)</sup>
- ▼ **M5**  
Gibberellin <sup>(1)</sup>  
*Gliocladium catenulatum* strain J1446 <sup>(1)</sup>
- ▼ **M39**  
Heptamaloxyloglucan
- ▼ **M5**  
Kieselguhr (aka diatomaceous earth) <sup>(1)</sup>
- ▼ **M69**  
Lactic acid <sup>(2)</sup>
- ▼ **M5**  
Laminarin
- ▼ **M69**  
*Lecanicillium muscarium* strain Ve6
- ▼ **M5**  
Limestone <sup>(1)</sup>  
Maltodextrin <sup>(1)</sup>  
Methyl nonyl ketone <sup>(1)</sup>  
*Paecilomyces fumosoroseus* apopka strain 97
- ▼ **M57**  
*Paecilomyces fumosoroseus* strain FE 9901
- ▼ **M39**  
*Paecilomyces lilacinus* strain 251
- ▼ **M5**  
Pepper <sup>(1)</sup>
- ▼ **M57**  
*Phlebiopsis gigantea*  
Orange oil <sup>(1)</sup>
- ▼ **M5**  
Plant oils/Citronellol <sup>(1)</sup>  
Plant oils/Clove oil Eugenol <sup>(1)</sup>  
Plant oils/Rapeseed oil <sup>(1)</sup>  
Plant oils/Spearmint oil <sup>(1)</sup>  
Potassium hydrogen carbonate <sup>(1)</sup>  
Potassium Iodide <sup>(1)</sup>
- ▼ **M7**  
Potassium tri-iodide
- ▼ **M5**  
Potassium Thiocyanate <sup>(1)</sup>  
*Pseudomonas chlororaphis* strain MA342  
Quartz sand <sup>(1)</sup>  
Repellants: Blood meal <sup>(1)</sup>  
Repellants: Fish oil <sup>(1)</sup>  
Repellants: Sheep fat <sup>(1)</sup>  
Repellants: Tall oil <sup>(1)</sup>  
Seaweed extracts <sup>(1)</sup>  
Sodium aluminium silicate <sup>(1)</sup>
- ▼ **M76**  
Sucrose
- ▼ **M11**  
Sulphur
- ▼ **M68**  
Sulphuric acid
- ▼ **M76**  
Thymol <sup>(1)</sup> <sup>(2)</sup>

<sup>(1)</sup> Substances temporarily included in Annex IV, pending finalisation of their evaluation under Directive. 91/414/EEC and pending submission of EFSA's reasoned opinion in accordance with Article 12(1).

<sup>(2)</sup> ► **M76** Substances included in Annex IV without prejudice to other specific food and feed legislation, e.g. on food additives, food supplements, flavourings, etc. ◀

**▼ M76**

*Trichoderma asperellum* (formerly *T. harzianum*) strains ICC012, T25 and TV1

*Trichoderma asperellum* (strain T34)

*Trichoderma atroviride* (formerly *T. harzianum*) strains IMI 206040 and T11

*Trichoderma atroviride* strain I-1237

*Trichoderma gamsii* (formerly *T. viride*) strain ICC080

*Trichoderma harzianum* strains T-22 and ITEM 908

*Trichoderma polysporum* strain IMI 206039

**▼ M5**

Trimethylamine hydrochloride <sup>(1)</sup>

**▼ M39**

Zucchini yellow mosaic virus - weak strain

**▼ M57**

*Helicoverpa armigera* nucleopolyhedrovirus

*Spodoptera exigua* nuclear polyhedrosis virus

*Spodoptera littoralis* nucleopolyhedrovirus

---

<sup>(1)</sup> Substances temporarily included in Annex IV, pending finalisation of their evaluation under Directive 91/414/EEC and pending submission of EFSA's reasoned opinion in accordance with Article 12(1).

▼ **M32**

## ANNEX V

**List of default values, as referred to in Article 18(1)(b)  
Pesticide residues and maximum residue levels (mg/kg)**

Code number	Groups and examples of individual products to which the MRLs apply (*)	Alachlor	Anilazine	▼ — M70 ▲	Butylate	Captafol (F)
(1)	(2)	(3)	(4)	(5)	(6)	(7)
0100000	<b>1. FRUIT FRESH OR FROZEN; NUTS</b>			► <u>M70</u> — ◀		
0110000	(i) <b>Citrus fruit</b>	<b>0,01 (*)</b>	<b>0,01 (*)</b>	► <u>M70</u> — ◀	<b>0,01 (*)</b>	<b>0,02 (*)</b>
0110010	Grapefruit (Shaddocks, pomelos, sweeties, tangelo (except mineola), ugli and other hybrids)			► <u>M70</u> — ◀		
0110020	Oranges (Bergamot, bitter orange, chinotto and other hybrids)			► <u>M70</u> — ◀		
0110030	Lemons (Citron, lemon)			► <u>M70</u> — ◀		
0110040	Limes			► <u>M70</u> — ◀		
0110050	Mandarins (Clementine, tangerine, mineola and other hybrids)			► <u>M70</u> — ◀		
0110990	Others			► <u>M70</u> — ◀		
0120000	(ii) <b>Tree nuts (shelled or unshelled)</b>	<b>0,02 (*)</b>	<b>0,02 (*)</b>	► <u>M70</u> — ◀	<b>0,02 (*)</b>	<b>0,05 (*)</b>
0120010	Almonds			► <u>M70</u> — ◀		
0120020	Brazil nuts			► <u>M70</u> — ◀		
0120030	Cashew nuts			► <u>M70</u> — ◀		
0120040	Chestnuts			► <u>M70</u> — ◀		
0120050	Coconuts			► <u>M70</u> — ◀		
0120060	Hazelnuts (Filbert)			► <u>M70</u> — ◀		
0120070	Macadamia			► <u>M70</u> — ◀		
0120080	Pecans			► <u>M70</u> — ◀		
0120090	Pine nuts			► <u>M70</u> — ◀		
0120100	Pistachios			► <u>M70</u> — ◀		
0120110	Walnuts			► <u>M70</u> — ◀		
0120990	Others			► <u>M70</u> — ◀		
0130000	(iii) <b>Pome fruit</b>	<b>0,01 (*)</b>	<b>0,01 (*)</b>	► <u>M70</u> — ◀	<b>0,01 (*)</b>	<b>0,02 (*)</b>
0130010	Apples (Crab apple)			► <u>M70</u> — ◀		
0130020	Pears (Oriental pear)			► <u>M70</u> — ◀		

▼ M32

Chlorthal-dimethyl	Chlorthiamid	Dichlobenil	Diniconazole	Flufenzin	▼ — ▶ <u>M70</u> —	Hexaconazole	Lactofen	Mepronil	Monocrotophos
(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)
					▶ <u>M70</u> — ◀				
0,01 (*)	<b>0,01 (*)</b>	<b>0,01 (*)</b>	<b>0,01 (*)</b>	<b>0,02 (*)</b>	▶ <u>M70</u> — ◀	<b>0,01 (*)</b>	0,01 (*)	<b>0,01 (*)</b>	<b>0,01 (*)</b>
					▶ <u>M70</u> — ◀				
					▶ <u>M70</u> — ◀				
					▶ <u>M70</u> — ◀				
					▶ <u>M70</u> — ◀				
<b>0,02 (*)</b>	<b>0,02 (*)</b>	<b>0,02 (*)</b>	<b>0,02 (*)</b>	0,05 (*)	▶ <u>M70</u> — ◀	<b>0,02 (*)</b>	<b>0,02 (*)</b>	<b>0,02 (*)</b>	<b>0,02 (*)</b>
					▶ <u>M70</u> — ◀				
					▶ <u>M70</u> — ◀				
					▶ <u>M70</u> — ◀				
					▶ <u>M70</u> — ◀				
					▶ <u>M70</u> — ◀				
					▶ <u>M70</u> — ◀				
					▶ <u>M70</u> — ◀				
					▶ <u>M70</u> — ◀				
					▶ <u>M70</u> — ◀				
					▶ <u>M70</u> — ◀				
					▶ <u>M70</u> — ◀				
0,01 (*)	<b>0,01 (*)</b>	<b>0,01 (*)</b>	<b>0,01 (*)</b>	<b>0,02 (*)</b>	▶ <u>M70</u> — ◀	<b>0,01 (*)</b>	0,01 (*)	<b>0,01 (*)</b>	<b>0,01 (*)</b>
					▶ <u>M70</u> — ◀				
					▶ <u>M70</u> — ◀				

▼ M32

Monuron	Oxyarboxin	Propachlor: oxalinic derivate of propachlor, expressed as propachlor	► <u>M73</u> Tolyfluamid (Sum of tolyfluamid and dimethylaminosulfotoluidide expressed as tolyfluamid) (F) (R) ▼	Trichlorfon	Tridemorph (F)	► <u>M73</u> Trifluralin ▼
(18)	(19)	(20)	(21)	(22)	(23)	(24)
			► <u>M73</u> 0,01 (*) ◀			► <u>M73</u> 0,01 (*) ◀
0,01 (*)	0,01 (*)	0,02 (*)	► <u>M73</u> — ◀	0,01 (*)	0,01 (*)	► <u>M73</u> — ◀
0,02 (*)	0,02 (*)	0,05 (*)	► <u>M73</u> — ◀	0,02 (*)	0,02 (*)	► <u>M73</u> — ◀
0,01 (*)	0,01 (*)	0,02 (*)	► <u>M73</u> — ◀	0,01 (*)	0,01 (*)	► <u>M73</u> — ◀

▼ **M32**

(1)	(2)	(3)	(4)	(5)	(6)	(7)
0130030	Quinces			► <u>M70</u> — ◀		
0130040	Medlar			► <u>M70</u> — ◀		
0130050	Loquat			► <u>M70</u> — ◀		
0130990	Others			► <u>M70</u> — ◀		
0140000	(iv) <b>Stone fruit</b>	<b>0,01 (*)</b>	<b>0,01 (*)</b>	► <u>M70</u> — ◀	<b>0,01 (*)</b>	<b>0,02 (*)</b>
0140010	Apricots			► <u>M70</u> — ◀		
0140020	Cherries (sweet cherries, sour cherries)			► <u>M70</u> — ◀		
0140030	Peaches (Nectarines and similar hybrids)			► <u>M70</u> — ◀		
0140040	Plums (Damson, greengage, mirabelle, sloe)			► <u>M70</u> — ◀		
0140990	Others			► <u>M70</u> — ◀		
0150000	(v) <b>Berries &amp; small fruit</b>	<b>0,01 (*)</b>	<b>0,01 (*)</b>	► <u>M70</u> — ◀	<b>0,01 (*)</b>	<b>0,02 (*)</b>
0151000	(a) <i>Table and wine grapes</i>			► <u>M70</u> — ◀		
0151010	Table grapes			► <u>M70</u> — ◀		
0151020	Wine grapes			► <u>M70</u> — ◀		
0152000	(b) <i>Strawberries</i>			► <u>M70</u> — ◀		
0153000	(c) <i>Cane fruit</i>			► <u>M70</u> — ◀		
0153010	Blackberries			► <u>M70</u> — ◀		
0153020	Dewberries (Loganberries, boysenberries, and cloudberrries)			► <u>M70</u> — ◀		
0153030	Raspberries (Wineberries, arctic bramble/raspberry, (Rubus arcticus), nectar raspberries (Rubus arcticus x idaeus))			► <u>M70</u> — ◀		
0153990	Others			► <u>M70</u> — ◀		
0154000	(d) <i>Other small fruit &amp; berries</i>			► <u>M70</u> — ◀		
0154010	Blueberries (Bilberries)			► <u>M70</u> — ◀		
0154020	Cranberries (Cowberries (red bilberries))			► <u>M70</u> — ◀		
0154030	Currants (red, black and white)			► <u>M70</u> — ◀		
0154040	Gooseberries (Including hybrids with other ribes species)			► <u>M70</u> — ◀		
0154050	Rose hips			► <u>M70</u> — ◀		
0154060	Mulberries (arbutus berry)			► <u>M70</u> — ◀		
0154070	Azarole (mediteranean medlar) (Kiwiberry (Actinidia arguta))			► <u>M70</u> — ◀		
0154080	Elderberries (Black chokeberry (appleberry), mountain ash, buckthorn (sea sallowthorn), hawthorn, service berries, and other treeberries)			► <u>M70</u> — ◀		







▼ **M32**

(1)	(2)	(3)	(4)	(5)	(6)	(7)
0154990	Others			► <u>M70</u> — ◀		
0160000	(vi) <b>Miscellaneous fruit</b>	<b>0,01 (*)</b>	<b>0,01 (*)</b>	► <u>M70</u> — ◀	<b>0,01 (*)</b>	<b>0,02 (*)</b>
0161000	(a) <i>Edible peel</i>			► <u>M70</u> — ◀		
0161010	Dates			► <u>M70</u> — ◀		
0161020	Figs			► <u>M70</u> — ◀		
0161030	Table olives			► <u>M70</u> — ◀		
0161040	Kumquats (Marumi kumquats, nagami kumquats, limequats (Citrus aurantifolia x Fortunella spp.))			► <u>M70</u> — ◀		
0161050	Carambola (Bilimbi)			► <u>M70</u> — ◀		
0161060	Persimmon			► <u>M70</u> — ◀		
0161070	Jambolan (java plum) (Java apple (water apple), pomegranate, rose apple, Brazilian cherry Surinam cherry (grumichama Eugenia uniflora),)			► <u>M70</u> — ◀		
0161990	Others			► <u>M70</u> — ◀		
0162000	(b) <i>Inedible peel, small</i>			► <u>M70</u> — ◀		
0162010	Kiwi			► <u>M70</u> — ◀		
0162020	Lychee (Litchi) (Pulasan, rambutan (hairy litchi), mango-steen)			► <u>M70</u> — ◀		
0162030	Passion fruit			► <u>M70</u> — ◀		
0162040	Prickly pear (cactus fruit)			► <u>M70</u> — ◀		
0162050	Star apple			► <u>M70</u> — ◀		
0162060	American persimmon (Virginia kaki) (Black sapote, white sapote, green sapote, canistel (yellow sapote), and mamme sapote)			► <u>M70</u> — ◀		
0162990	Others			► <u>M70</u> — ◀		
0163000	(c) <i>Inedible peel, large</i>			► <u>M70</u> — ◀		
0163010	Avocados			► <u>M70</u> — ◀		
0163020	Bananas (Dwarf banana, plantain, apple banana)			► <u>M70</u> — ◀		
0163030	Mangoes			► <u>M70</u> — ◀		
0163040	Papaya			► <u>M70</u> — ◀		
0163050	Pomegranate			► <u>M70</u> — ◀		
0163060	Cherimoya (Custard apple, sugar apple (sweetsop), litchi and other medium sized Annonaceae)			► <u>M70</u> — ◀		
0163070	Guava (Red pitaya or dragon fruit (Hylocereus undatus))			► <u>M70</u> — ◀		
0163080	Pineapples			► <u>M70</u> — ◀		
0163090	Bread fruit (Jackfruit)			► <u>M70</u> — ◀		

▼ M32

(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)
					► <u>M70</u> — ◀				
0,01 (*)	<b>0,01 (*)</b>	<b>0,01 (*)</b>	<b>0,01 (*)</b>	<b>0,02 (*)</b>	► <u>M70</u> — ◀	<b>0,01 (*)</b>	0,01 (*)	<b>0,01 (*)</b>	<b>0,01 (*)</b>
					► <u>M70</u> — ◀				
					► <u>M70</u> — ◀ ► <u>M70</u> — ◀ ► <u>M70</u> — ◀ ► <u>M70</u> — ◀				
					► <u>M70</u> — ◀ ► <u>M70</u> — ◀ ► <u>M70</u> — ◀				
					► <u>M70</u> — ◀				
					► <u>M70</u> — ◀				
					► <u>M70</u> — ◀ ► <u>M70</u> — ◀				
					► <u>M70</u> — ◀ ► <u>M70</u> — ◀ ► <u>M70</u> — ◀ ► <u>M70</u> — ◀				
					► <u>M70</u> — ◀				
					► <u>M70</u> — ◀				
					► <u>M70</u> — ◀ ► <u>M70</u> — ◀				
					► <u>M70</u> — ◀ ► <u>M70</u> — ◀ ► <u>M70</u> — ◀ ► <u>M70</u> — ◀				
					► <u>M70</u> — ◀ ► <u>M70</u> — ◀				
					► <u>M70</u> — ◀ ► <u>M70</u> — ◀				

▼ **M32**

(18)	(19)	(20)	(21)	(22)	(23)	(24)
<b>0,01 (*)</b>	<b>0,01 (*)</b>	<b>0,02 (*)</b>	▶ <b>M73</b> — ◀	<b>0,01 (*)</b>	<b>0,01 (*)</b>	▶ <b>M73</b> — ◀

▼ **M32**

(1)	(2)	(3)	(4)	(5)	(6)	(7)
0163100	Durian			► <u>M70</u> — ◀		
0163110	Soursop (guanabana)			► <u>M70</u> — ◀		
0163990	Others			► <u>M70</u> — ◀		
0200000	<b>2. VEGETABLES FRESH OR FROZEN</b>			► <u>M70</u> — ◀		
0210000	<b>(i) Root and tuber vegetables</b>	<b>0,01 (*)</b>	<b>0,01 (*)</b>	► <u>M70</u> — ◀	<b>0,01 (*)</b>	<b>0,02 (*)</b>
0211000	(a) <i>Potatoes</i>			► <u>M70</u> — ◀		
0212000	(b) <i>Tropical root and tuber vegetables</i>			► <u>M70</u> — ◀		
0212010	Cassava (Dasheen, eddoe (Japanese taro), tannia)			► <u>M70</u> — ◀		
0212020	Sweet potatoes			► <u>M70</u> — ◀		
0212030	Yams (Potato bean (yam bean), Mexican yam bean)			► <u>M70</u> — ◀		
0212040	Arrowroot			► <u>M70</u> — ◀		
0212990	Others			► <u>M70</u> — ◀		
0213000	(c) <i>Other root and tuber vegetables except sugar beet</i>			► <u>M70</u> — ◀		
0213010	Beetroot			► <u>M70</u> — ◀		
0213020	Carrots			► <u>M70</u> — ◀		
0213030	Celeriac			► <u>M70</u> — ◀		
0213040	Horseradish (Angelica roots, lovage roots, gentiana roots,)			► <u>M70</u> — ◀		
0213050	Jerusalem artichokes			► <u>M70</u> — ◀		
0213060	Parsnips			► <u>M70</u> — ◀		
0213070	Parsley root			► <u>M70</u> — ◀		
0213080	Radishes (Black radish, Japanese radish, small radish and similar varieties, tiger nut (Cyperus esculentus))			► <u>M70</u> — ◀		
0213090	Salsify (Scorzoneria, Spanish salsify (Spanish oysterplant))			► <u>M70</u> — ◀		
0213100	Swedes			► <u>M70</u> — ◀		
0213110	Turnips			► <u>M70</u> — ◀		
0213990	Others			► <u>M70</u> — ◀		
0220000	<b>(ii) Bulb vegetables</b>	<b>0,02 (*)</b>	<b>0,02 (*)</b>	► <u>M70</u> — ◀	<b>0,02 (*)</b>	<b>0,05 (*)</b>
0220010	Garlic			► <u>M70</u> — ◀		
0220020	Onions (Silverskin onions)			► <u>M70</u> — ◀		
0220030	Shallots			► <u>M70</u> — ◀		
0220040	Spring onions (Welsh onion and similar varieties)			► <u>M70</u> — ◀		

▼ **M32**

(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)
					▶ <b>M70</b> — ◀				
					▶ <b>M70</b> — ◀				
					▶ <b>M70</b> — ◀				
					▶ <b>M70</b> — ◀				
<b>0,01 (*)</b>	<b>0,01 (*)</b>	<b>0,01 (*)</b>	<b>0,01 (*)</b>	<b>0,02 (*)</b>	▶ <b>M70</b> — ◀	<b>0,01 (*)</b>	0,01 (*)	<b>0,01 (*)</b>	<b>0,01 (*)</b>
					▶ <b>M70</b> — ◀				
					▶ <b>M70</b> — ◀				
					▶ <b>M70</b> — ◀				
					▶ <b>M70</b> — ◀				
					▶ <b>M70</b> — ◀				
					▶ <b>M70</b> — ◀				
					▶ <b>M70</b> — ◀				
					▶ <b>M70</b> — ◀				
					▶ <b>M70</b> — ◀				
					▶ <b>M70</b> — ◀				
					▶ <b>M70</b> — ◀				
					▶ <b>M70</b> — ◀				
					▶ <b>M70</b> — ◀				
					▶ <b>M70</b> — ◀				
					▶ <b>M70</b> — ◀				
					▶ <b>M70</b> — ◀				
					▶ <b>M70</b> — ◀				
					▶ <b>M70</b> — ◀				
					▶ <b>M70</b> — ◀				
					▶ <b>M70</b> — ◀				
<b>0,02 (*)</b>	<b>0,02 (*)</b>	<b>0,02 (*)</b>	<b>0,02 (*)</b>	0,05 (*)	▶ <b>M70</b> — ◀	0,02 (*)	<b>0,02 (*)</b>	<b>0,02 (*)</b>	<b>0,02 (*)</b>
					▶ <b>M70</b> — ◀				
					▶ <b>M70</b> — ◀				
					▶ <b>M70</b> — ◀				
					▶ <b>M70</b> — ◀				

**▼ M32**

(18)	(19)	(20)	(21)	(22)	(23)	(24)
<b>0,01 (*)</b>	<b>0,01 (*)</b>	<b>0,02 (*)</b>	<b>► M73 0,01 (*) ◄</b>	<b>0,01 (*)</b>	<b>0,01 (*)</b>	<b>► M73 0,01 (*) ◄</b>
<b>0,02 (*)</b>	<b>0,02 (*)</b>	<b>0,05 (*)</b>	<b>► M73 0,01 (*) ◄</b>	<b>0,02 (*)</b>	<b>0,02 (*)</b>	<b>► M73 0,01 (*) ◄</b>



▼ **M32**

(1)	(2)	(3)	(4)	(5)	(6)	(7)
0220990	Others			► <u>M70</u> — ◀		
0230000	(iii) <b>Fruiting vegetables</b>	0,01 (*)	0,01 (*)	► <u>M70</u> — ◀	0,01 (*)	0,02 (*)
0231000	(a) <i>Solanacea</i>			► <u>M70</u> — ◀		
0231010	Tomatoes (Cherry tomatoes, tree tomato, Physalis, gojiberry, wolfberry ( <i>Lycium barbarum</i> and <i>L. chinense</i> ))			► <u>M70</u> — ◀		
0231020	Peppers (Chilli peppers)			► <u>M70</u> — ◀		
0231030	Aubergines (egg plants) (Pepino)			► <u>M70</u> — ◀		
0231040	Okra, lady's fingers			► <u>M70</u> — ◀		
0231990	Others			► <u>M70</u> — ◀		
0232000	(b) <i>Cucurbits - edible peel</i>			► <u>M70</u> — ◀		
0232010	Cucumbers			► <u>M70</u> — ◀		
0232020	Gherkins			► <u>M70</u> — ◀		
0232030	Courgettes (Summer squash, marrow ( <i>patisson</i> ))			► <u>M70</u> — ◀		
0232990	Others			► <u>M70</u> — ◀		
0233000	(c) <i>Cucurbits-inedible peel</i>			► <u>M70</u> — ◀		
0233010	Melons (Kiwano)			► <u>M70</u> — ◀		
0233020	Pumpkins (Winter squash)			► <u>M70</u> — ◀		
0233030	Watermelons			► <u>M70</u> — ◀		
0233990	Others			► <u>M70</u> — ◀		
0234000	(d) <i>Sweet corn</i>			► <u>M70</u> — ◀		
0239000	(e) <i>Other fruiting vegetables</i>			► <u>M70</u> — ◀		
0240000	(iv) <b>Brassica vegetables</b>	0,01 (*)	0,01 (*)	► <u>M70</u> — ◀	0,01 (*)	0,02 (*)
0241000	(a) <i>Flowering brassica</i>			► <u>M70</u> — ◀		
0241010	Broccoli (Calabrese, Chinese broccoli, broccoli raab)			► <u>M70</u> — ◀		
0241020	Cauliflower			► <u>M70</u> — ◀		
0241990	Others			► <u>M70</u> — ◀		
0242000	(b) <i>Head brassica</i>			► <u>M70</u> — ◀		
0242010	Brussels sprouts			► <u>M70</u> — ◀		
0242020	Head cabbage (Pointed head cabbage, red cabbage, savoy cabbage, white cabbage)			► <u>M70</u> — ◀		
0242990	Others			► <u>M70</u> — ◀		
0243000	(c) <i>Leafy brassica</i>			► <u>M70</u> — ◀		
0243010	Chinese cabbage (Indian (Chinese) mustard, pak choi, Chinese flat cabbage (tai goo choi), choi sum, peking cabbage (pe-tsai),)			► <u>M70</u> — ◀		





▼ **M32**

(1)	(2)	(3)	(4)	(5)	(6)	(7)
0243020	Kale (Borecole (curly kale), collards, Portuguese Kale, Portuguese cabbage, cow cabbage)			► <b>M70</b> — ◀		
0243990	Others			► <b>M70</b> — ◀		
0244000	(d) <i>Kohlrabi</i>			► <b>M70</b> — ◀		
0250000	(v) <b>Leaf vegetables &amp; fresh herbs</b>			► <b>M70</b> — ◀		
0251000	(a) <i>Lettuce and other salad plants including Brassicacea</i>	<b>0,01 (*)</b>	<b>0,01 (*)</b>	► <b>M70</b> — ◀	<b>0,01 (*)</b>	0,02 (*)
0251010	Lamb's lettuce (Italian corn-salad)			► <b>M70</b> — ◀		
0251020	Lettuce (Head lettuce, lollo rosso (cutting lettuce), iceberg lettuce, romaine (cos) lettuce)			► <b>M70</b> — ◀		
0251030	Scarole (broad-leaf endive) (Wild chicory, red-leaved chicory, radicchio, curld leave endive, sugar loaf)			► <b>M70</b> — ◀		
0251040	Cress			► <b>M70</b> — ◀		
0251050	Land cress			► <b>M70</b> — ◀		
0251060	Rocket, Rucola (Wild rocket)			► <b>M70</b> — ◀		
0251070	Red mustard			► <b>M70</b> — ◀		
0251080	Leaves and sprouts of Brassica spp (Mizuna, leaves of peas and radish and other babyleaf brassica crops (crops harvested up to 8 true leaf stage))			► <b>M70</b> — ◀		
0251990	Others			► <b>M70</b> — ◀		
0252000	(b) <i>Spinach &amp; similar (leaves)</i>	<b>0,01 (*)</b>	<b>0,01 (*)</b>	► <b>M70</b> — ◀	<b>0,01 (*)</b>	0,02 (*)
0252010	Spinach (New Zealand spinach, amaranthus spinach)			► <b>M70</b> — ◀		
0252020	Purslane (Winter purslane (miner's lettuce), garden purslane, common purslane, sorrel, glassworth, Agretti (Salsola soda))			► <b>M70</b> — ◀		
0252030	Beet leaves (chard) (Leaves of beetroot)			► <b>M70</b> — ◀		
0252990	Others			► <b>M70</b> — ◀		
0253000	(c) <i>Vine leaves (grape leaves)</i>	<b>0,01 (*)</b>	<b>0,01 (*)</b>	► <b>M70</b> — ◀	<b>0,01 (*)</b>	0,02 (*)
0254000	(d) <i>Water cress</i>	<b>0,01 (*)</b>	<b>0,01 (*)</b>	► <b>M70</b> — ◀	<b>0,01 (*)</b>	0,02 (*)
0255000	(e) <i>Witloof</i>	<b>0,01 (*)</b>	<b>0,01 (*)</b>	► <b>M70</b> — ◀	<b>0,01 (*)</b>	0,02 (*)
0256000	(f) <i>Herbs</i>	<b>0,02 (*)</b>	<b>0,02 (*)</b>	► <b>M70</b> — ◀	<b>0,02 (*)</b>	<b>0,05 (*)</b>
0256010	Chervil			► <b>M70</b> — ◀		

▼ M32

(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)
					► <u>M70</u> — ◄				
					► <u>M70</u> — ◄				
					► <u>M70</u> — ◄				
					► <u>M70</u> — ◄				
<b>0,01 (*)</b>	<b>0,01 (*)</b>	<b>0,01 (*)</b>	<b>0,01 (*)</b>	<b>0,02 (*)</b>	► <u>M70</u> — ◄	<b>0,01 (*)</b>	0,01 (*)	<b>0,01 (*)</b>	<b>0,01 (*)</b>
					► <u>M70</u> — ◄				
					► <u>M70</u> — ◄				
					► <u>M70</u> — ◄				
					► <u>M70</u> — ◄				
					► <u>M70</u> — ◄				
					► <u>M70</u> — ◄				
					► <u>M70</u> — ◄				
					► <u>M70</u> — ◄				
					► <u>M70</u> — ◄				
<b>0,01 (*)</b>	<b>0,01 (*)</b>	<b>0,01 (*)</b>	<b>0,01 (*)</b>	<b>0,02 (*)</b>	► <u>M70</u> — ◄	<b>0,01 (*)</b>	0,01 (*)	<b>0,01 (*)</b>	<b>0,01 (*)</b>
					► <u>M70</u> — ◄				
					► <u>M70</u> — ◄				
					► <u>M70</u> — ◄				
0,01 (*)	<b>0,01 (*)</b>	<b>0,01 (*)</b>	<b>0,01 (*)</b>	<b>0,02 (*)</b>	► <u>M70</u> — ◄	<b>0,01 (*)</b>	0,01 (*)	<b>0,01 (*)</b>	<b>0,01 (*)</b>
0,01 (*)	<b>0,01 (*)</b>	<b>0,01 (*)</b>	<b>0,01 (*)</b>	<b>0,02 (*)</b>	► <u>M70</u> — ◄	<b>0,01 (*)</b>	0,01 (*)	<b>0,01 (*)</b>	<b>0,01 (*)</b>
0,01 (*)	<b>0,01 (*)</b>	<b>0,01 (*)</b>	<b>0,01 (*)</b>	<b>0,02 (*)</b>	► <u>M70</u> — ◄	<b>0,01 (*)</b>	0,01 (*)	<b>0,01 (*)</b>	<b>0,01 (*)</b>
<b>0,02 (*)</b>	<b>0,02 (*)</b>	<b>0,02 (*)</b>	<b>0,02 (*)</b>	0,05 (*)	► <u>M70</u> — ◄	0,02 (*)	<b>0,02 (*)</b>	<b>0,02 (*)</b>	<b>0,02 (*)</b>
					► <u>M70</u> — ◄				

▼ M32

(18)	(19)	(20)	(21)	(22)	(23)	(24)
<b>0,01 (*)</b>	<b>0,01 (*)</b>	<b>0,02 (*)</b>	<b>► <u>M73</u> 0,01 (*) ◄</b>	<b>0,01 (*)</b>	<b>0,01 (*)</b>	<b>► <u>M73</u> 0,01 (*) ◄</b>
<b>0,01 (*)</b>	<b>0,01 (*)</b>	<b>0,02 (*)</b>	<b>► <u>M73</u> 0,01 (*) ◄</b>	<b>0,01 (*)</b>	<b>0,01 (*)</b>	<b>► <u>M73</u> 0,01 (*) ◄</b>
<b>0,01 (*)</b>	<b>0,01 (*)</b>	<b>0,02 (*)</b>	<b>► <u>M73</u> 0,01 (*) ◄</b>	<b>0,01 (*)</b>	<b>0,01 (*)</b>	<b>► <u>M73</u> 0,01 (*) ◄</b>
<b>0,01 (*)</b>	<b>0,01 (*)</b>	<b>0,02 (*)</b>	<b>► <u>M73</u> 0,01 (*) ◄</b>	<b>0,01 (*)</b>	<b>0,01 (*)</b>	<b>► <u>M73</u> 0,01 (*) ◄</b>
<b>0,01 (*)</b>	<b>0,01 (*)</b>	<b>0,02 (*)</b>	<b>► <u>M73</u> 0,01 (*) ◄</b>	<b>0,01 (*)</b>	<b>0,01 (*)</b>	<b>► <u>M73</u> 0,01 (*) ◄</b>
<b>0,02 (*)</b>	<b>0,02 (*)</b>	<b>0,05 (*)</b>	<b>► <u>M73</u> 0,02 (*) ◄</b>	<b>0,02 (*)</b>	<b>0,02 (*)</b>	<b>► <u>M73</u> 0,02 (*) ◄</b>

▼ **M32**

(1)	(2)	(3)	(4)	(5)	(6)	(7)
0256020	Chives			► <b>M70</b> — ◀		
0256030	Celery leaves (Fennel leaves, Coriander leaves, dill leaves, Caraway leaves, lovage, angelica, sweet cicely and other Apiacea leaves)			► <b>M70</b> — ◀		
0256040	Parsley			► <b>M70</b> — ◀		
0256050	Sage (Winter savory, summer savory,)			► <b>M70</b> — ◀		
0256060	Rosemary			► <b>M70</b> — ◀		
0256070	Thyme (Marjoram, oregano)			► <b>M70</b> — ◀		
0256080	Basil (Balm leaves, mint, peppermint)			► <b>M70</b> — ◀		
0256090	Bay leaves (laurel)			► <b>M70</b> — ◀		
0256100	Tarragon (Hyssop)			► <b>M70</b> — ◀		
0256990	Others (Edible flowers)			► <b>M70</b> — ◀		
0260000	(vi) <b>Legume vegetables (fresh)</b>	<b>0,01 (*)</b>	<b>0,01 (*)</b>	► <b>M70</b> — ◀	<b>0,01 (*)</b>	<b>0,02 (*)</b>
0260010	Beans (with pods) (Green bean (french beans, snap beans), scarlet runner bean, slicing bean, yardlong beans)			► <b>M70</b> — ◀		
0260020	Beans (without pods) (Broad beans, Flageolets, jack bean, lima bean, cowpea)			► <b>M70</b> — ◀		
0260030	Peas (with pods) (Mangetout (sugar peas, snow peas))			► <b>M70</b> — ◀		
0260040	Peas (without pods) (Garden pea, green pea, chickpea)			► <b>M70</b> — ◀		
0260050	Lentils			► <b>M70</b> — ◀		
0260990	Others			► <b>M70</b> — ◀		
0270000	(vii) <b>Stem vegetables (fresh)</b>	<b>0,01 (*)</b>	<b>0,01 (*)</b>	► <b>M70</b> — ◀	<b>0,01 (*)</b>	<b>0,02 (*)</b>
0270010	Asparagus			► <b>M70</b> — ◀		
0270020	Cardoons			► <b>M70</b> — ◀		
0270030	Celery			► <b>M70</b> — ◀		
0270040	Fennel			► <b>M70</b> — ◀		
0270050	Globe artichokes			► <b>M70</b> — ◀		
0270060	Leek			► <b>M70</b> — ◀		
0270070	Rhubarb			► <b>M70</b> — ◀		
0270080	Bamboo shoots			► <b>M70</b> — ◀		
0270090	Palm hearts			► <b>M70</b> — ◀		
0270990	Others			► <b>M70</b> — ◀		
0280000	(viii) <b>Fungi</b>	<b>0,01 (*)</b>	<b>0,01 (*)</b>	► <b>M70</b> — ◀	<b>0,01 (*)</b>	<b>0,02 (*)</b>
0280010	Cultivated (Common mushroom, Oyster mushroom, Shi-take)			► <b>M70</b> — ◀		

▼ M32

(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)
					▶ <u>M70</u> — ◀ ▶ <u>M70</u> — ◀				
					▶ <u>M70</u> — ◀ ▶ <u>M70</u> — ◀ ▶ <u>M70</u> — ◀ ▶ <u>M70</u> — ◀ ▶ <u>M70</u> — ◀ ▶ <u>M70</u> — ◀ ▶ <u>M70</u> — ◀ ▶ <u>M70</u> — ◀				
					▶ <u>M70</u> — ◀				
<b>0,01 (*)</b>	<b>0,01 (*)</b>	<b>0,01 (*)</b>	<b>0,01 (*)</b>	<b>0,02 (*)</b>	▶ <u>M70</u> — ◀	<b>0,01 (*)</b>	0,01 (*)	<b>0,01 (*)</b>	<b>0,01 (*)</b>
					▶ <u>M70</u> — ◀ ▶ <u>M70</u> — ◀ ▶ <u>M70</u> — ◀ ▶ <u>M70</u> — ◀ ▶ <u>M70</u> — ◀				
					▶ <u>M70</u> — ◀				
<b>0,01 (*)</b>	<b>0,01 (*)</b>	<b>0,01 (*)</b>	<b>0,01 (*)</b>	<b>0,02 (*)</b>	▶ <u>M70</u> — ◀	<b>0,01 (*)</b>	0,01 (*)	<b>0,01 (*)</b>	<b>0,01 (*)</b>
					▶ <u>M70</u> — ◀ ▶ <u>M70</u> — ◀ ▶ <u>M70</u> — ◀ ▶ <u>M70</u> — ◀ ▶ <u>M70</u> — ◀ ▶ <u>M70</u> — ◀ ▶ <u>M70</u> — ◀ ▶ <u>M70</u> — ◀ ▶ <u>M70</u> — ◀ ▶ <u>M70</u> — ◀				
					▶ <u>M70</u> — ◀				
0,01 (*)	<b>0,01 (*)</b>	<b>0,01 (*)</b>	<b>0,01 (*)</b>	<b>0,02 (*)</b>	▶ <u>M70</u> — ◀	<b>0,01 (*)</b>	0,01 (*)	<b>0,01 (*)</b>	<b>0,01 (*)</b>
					▶ <u>M70</u> — ◀				



▼ M32

(18)	(19)	(20)	(21)	(22)	(23)	(24)
<b>0,01 (*)</b>	<b>0,01 (*)</b>	<b>0,02 (*)</b>	<b>► <u>M73</u> 0,01 (*) ◄</b>	<b>0,01 (*)</b>	<b>0,01 (*)</b>	<b>► <u>M73</u> 0,01 (*) ◄</b>
<b>0,01 (*)</b>	<b>0,01 (*)</b>	<b>0,02 (*)</b>	<b>► <u>M73</u> 0,01 (*) ◄</b>	<b>0,01 (*)</b>	<b>0,01 (*)</b>	<b>► <u>M73</u> 0,01 (*) ◄</b>
<b>0,01 (*)</b>	<b>0,01 (*)</b>	<b>0,02 (*)</b>	<b>► <u>M73</u> 0,01 (*) ◄</b>	<b>0,01 (*)</b>	<b>0,01 (*)</b>	<b>► <u>M73</u> 0,01 (*) ◄</b>

▼ **M32**

(1)	(2)	(3)	(4)	(5)	(6)	(7)
0280020	Wild (Chanterelle, Truffle, Morel, Cep)			► <u>M70</u> — ◀		
0280990	Others			► <u>M70</u> — ◀		
0290000	(ix) <b>Sea weeds</b>	<b>0,01 (*)</b>	<b>0,01 (*)</b>	► <u>M70</u> — ◀	<b>0,01 (*)</b>	<b>0,02 (*)</b>
0300000	<b>3. PULSES, DRY</b>	<b>0,01 (*)</b>	<b>0,01 (*)</b>	► <u>M70</u> — ◀	<b>0,01 (*)</b>	<b>0,02 (*)</b>
0300010	Beans (Broad beans, navy beans, flageolets, jack beans, lima beans, field beans, cowpeas)			► <u>M70</u> — ◀		
0300020	Lentils			► <u>M70</u> — ◀		
0300030	Peas (Chickpeas, field peas, chickling vetch)			► <u>M70</u> — ◀		
0300040	Lupins			► <u>M70</u> — ◀		
0300990	Others			► <u>M70</u> — ◀		
0400000	<b>4. OILSEEDS AND OILFRUITS</b>	<b>0,02 (*)</b>	<b>0,02 (*)</b>	► <u>M70</u> — ◀	<b>0,02 (*)</b>	<b>0,05 (*)</b>
0401000	(i) <b>Oilseeds</b>			► <u>M70</u> — ◀		
0401010	Linseed			► <u>M70</u> — ◀		
0401020	Peanuts			► <u>M70</u> — ◀		
0401030	Poppy seed			► <u>M70</u> — ◀		
0401040	Sesame seed			► <u>M70</u> — ◀		
0401050	Sunflower seed			► <u>M70</u> — ◀		
0401060	Rape seed (Bird rapeseed, turnip rape)			► <u>M70</u> — ◀		
0401070	Soya bean			► <u>M70</u> — ◀		
0401080	Mustard seed			► <u>M70</u> — ◀		
0401090	Cotton seed			► <u>M70</u> — ◀		
0401100	Pumpkin seeds (Other seeds of cucurbitacea)			► <u>M70</u> — ◀		
0401110	Safflower			► <u>M70</u> — ◀		
0401120	Borage			► <u>M70</u> — ◀		
0401130	Gold of pleasure			► <u>M70</u> — ◀		
0401140	Hempseed			► <u>M70</u> — ◀		
0401150	Castor bean			► <u>M70</u> — ◀		
0401990	Others			► <u>M70</u> — ◀		
0402000	(ii) <b>Oilfruits</b>			► <u>M70</u> — ◀		
0402010	Olives for oil production			► <u>M70</u> — ◀		
0402020	Palm nuts (palmoil kernels)			► <u>M70</u> — ◀		
0402030	Palmfruit			► <u>M70</u> — ◀		
0402040	Kapok			► <u>M70</u> — ◀		
0402990	Others			► <u>M70</u> — ◀		
0500000	<b>5. CEREALS</b>	<b>0,01 (*)</b>	<b>0,01 (*)</b>	► <u>M70</u> — ◀	<b>0,01 (*)</b>	<b>0,02 (*)</b>
0500010	Barley			► <u>M70</u> — ◀		
0500020	Buckwheat (Amaranthus, quinoa)			► <u>M70</u> — ◀		

▼ M32

(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)
					► <u>M70</u> — ◀				
					► <u>M70</u> — ◀				
0,01 (*)	<b>0,01 (*)</b>	<b>0,01 (*)</b>	<b>0,01 (*)</b>	<b>0,02 (*)</b>	► <u>M70</u> — ◀	<b>0,01 (*)</b>	0,01 (*)	<b>0,01 (*)</b>	<b>0,01 (*)</b>
<b>0,01 (*)</b>	<b>0,01 (*)</b>	<b>0,01 (*)</b>	<b>0,01 (*)</b>	<b>0,02 (*)</b>	► <u>M70</u> — ◀	<b>0,01 (*)</b>	0,01 (*)	<b>0,01 (*)</b>	<b>0,01 (*)</b>
					► <u>M70</u> — ◀				
					► <u>M70</u> — ◀				
					► <u>M70</u> — ◀				
					► <u>M70</u> — ◀				
<b>0,02 (*)</b>	<b>0,02 (*)</b>	<b>0,02 (*)</b>	<b>0,02 (*)</b>	0,05 (*)	► <u>M70</u> — ◀	<b>0,02 (*)</b>	<b>0,02 (*)</b>	<b>0,02 (*)</b>	<b>0,02 (*)</b>
					► <u>M70</u> — ◀				
					► <u>M70</u> — ◀				
					► <u>M70</u> — ◀				
					► <u>M70</u> — ◀				
					► <u>M70</u> — ◀				
					► <u>M70</u> — ◀				
					► <u>M70</u> — ◀				
					► <u>M70</u> — ◀				
					► <u>M70</u> — ◀				
					► <u>M70</u> — ◀				
					► <u>M70</u> — ◀				
					► <u>M70</u> — ◀				
					► <u>M70</u> — ◀				
					► <u>M70</u> — ◀				
					► <u>M70</u> — ◀				
					► <u>M70</u> — ◀				
					► <u>M70</u> — ◀				
					► <u>M70</u> — ◀				
					► <u>M70</u> — ◀				
					► <u>M70</u> — ◀				
					► <u>M70</u> — ◀				
0,01 (*)	<b>0,01 (*)</b>	<b>0,01 (*)</b>	<b>0,01 (*)</b>	<b>0,02 (*)</b>	► <u>M70</u> — ◀	<b>0,01 (*)</b>	<b>0,01 (*)</b>	<b>0,01 (*)</b>	<b>0,02 (*)</b>
					► <u>M70</u> — ◀				
					► <u>M70</u> — ◀				

▼ **M32**

(18)	(19)	(20)	(21)	(22)	(23)	(24)
<b>0,01 (*)</b>	<b>0,01 (*)</b>	<b>0,02 (*)</b>	<b>► <u>M73</u> 0,01 (*) ◄</b>	<b>0,01 (*)</b>	<b>0,01 (*)</b>	<b>► <u>M73</u> 0,01 (*) ◄</b>
<b>0,01 (*)</b>	<b>0,01 (*)</b>	<b>0,02 (*)</b>	<b>► <u>M73</u> 0,02 (*) ◄</b>	<b>0,01 (*)</b>	<b>0,01 (*)</b>	<b>► <u>M73</u> 0,01 (*) ◄</b>
<b>0,02 (*)</b>	<b>0,02 (*)</b>	<b>0,05 (*)</b>	<b>► <u>M73</u> 0,01 (*) ◄</b>	<b>0,02 (*)</b>	<b>0,02 (*)</b>	<b>► <u>M73</u> 0,01 (*) ◄</b>
<b>0,01 (*)</b>	<b>0,01 (*)</b>	<b>0,02 (*)</b>	<b>► <u>M73</u> 0,02 (*) ◄</b>	<b>0,01 (*)</b>	<b>0,01 (*)</b>	<b>► <u>M73</u> 0,01 (*) ◄</b>

▼ **M32**

(1)	(2)	(3)	(4)	(5)	(6)	(7)
0500030	Maize			► <u>M70</u> — ◀		
0500040	Millet (Foxtail millet, teff)			► <u>M70</u> — ◀		
0500050	Oats			► <u>M70</u> — ◀		
0500060	Rice			► <u>M70</u> — ◀		
0500070	Rye			► <u>M70</u> — ◀		
0500080	Sorghum			► <u>M70</u> — ◀		
0500090	Wheat (Spelt, triticale)			► <u>M70</u> — ◀		
0500990	Others			► <u>M70</u> — ◀		
0600000	<b>6. TEA, COFFEE, HERBAL INFUSIONS AND COCOA</b>	0,05 (*)	0,05 (*)	► <u>M70</u> — ◀	0,05 (*)	0,1 (*)
0610000	(i) <b>Tea (dried leaves and stalks, fermented or otherwise of <i>Camellia sinensis</i>)</b>			► <u>M70</u> — ◀		
0620000	(ii) <b>Coffee beans</b>			► <u>M70</u> — ◀		
0630000	(iii) <b>Herbal infusions (dried)</b>			► <u>M70</u> — ◀		
0631000	(a) <i>Flowers</i>			► <u>M70</u> — ◀		
0631010	Camomille flowers			► <u>M70</u> — ◀		
0631020	Hybiscus flowers			► <u>M70</u> — ◀		
0631030	Rose petals			► <u>M70</u> — ◀		
0631040	Jasmine flowers (Elderflowers ( <i>Sambucus nigra</i> ))			► <u>M70</u> — ◀		
0631050	Lime (linden)			► <u>M70</u> — ◀		
0631990	Others			► <u>M70</u> — ◀		
0632000	(b) <i>Leaves</i>			► <u>M70</u> — ◀		
0632010	Strawberry leaves			► <u>M70</u> — ◀		
0632020	Rooibos leaves (Ginkgo leaves)			► <u>M70</u> — ◀		
0632030	Maté			► <u>M70</u> — ◀		
0632990	Others			► <u>M70</u> — ◀		
0633000	(c) <i>Roots</i>			► <u>M70</u> — ◀		
0633010	Valerian root			► <u>M70</u> — ◀		
0633020	Ginseng root			► <u>M70</u> — ◀		
0633990	Others			► <u>M70</u> — ◀		
0639000	(d) <i>Other herbal infusions</i>			► <u>M70</u> — ◀		
0640000	(iv) <b>Cocoa (fermented beans)</b>			► <u>M70</u> — ◀		
0650000	(v) <b>Carob (st johns bread)</b>			► <u>M70</u> — ◀		
0700000	<b>7. HOPS (dried), including hop pellets and unconcentrated powder</b>	0,05 (*)	0,05 (*)	► <u>M70</u> — ◀	0,05 (*)	0,1 (*)
0800000	<b>8. SPICES</b>	<b>0,05 (*)</b>	<b>0,05 (*)</b>	► <u>M70</u> — ◀	0,05 (*)	0,1 (*)

▼ M32

(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)
					▶ <u>M70</u> — ◀				
					▶ <u>M70</u> — ◀				
					▶ <u>M70</u> — ◀				
					▶ <u>M70</u> — ◀				
					▶ <u>M70</u> — ◀				
					▶ <u>M70</u> — ◀				
					▶ <u>M70</u> — ◀				
					▶ <u>M70</u> — ◀				
<b>0,05 (*)</b>	0,05 (*)	0,05 (*)	0,05 (*)	<b>0,1 (*)</b>	▶ <u>M70</u> — ◀	<b>0,05 (*)</b>	<b>0,05 (*)</b>	<b>0,05 (*)</b>	<b>0,05 (*)</b>
					▶ <u>M70</u> — ◀				
					▶ <u>M70</u> — ◀				
					▶ <u>M70</u> — ◀				
					▶ <u>M70</u> — ◀				
					▶ <u>M70</u> — ◀				
					▶ <u>M70</u> — ◀				
					▶ <u>M70</u> — ◀				
					▶ <u>M70</u> — ◀				
					▶ <u>M70</u> — ◀				
					▶ <u>M70</u> — ◀				
					▶ <u>M70</u> — ◀				
					▶ <u>M70</u> — ◀				
					▶ <u>M70</u> — ◀				
					▶ <u>M70</u> — ◀				
					▶ <u>M70</u> — ◀				
					▶ <u>M70</u> — ◀				
					▶ <u>M70</u> — ◀				
					▶ <u>M70</u> — ◀				
					▶ <u>M70</u> — ◀				
					▶ <u>M70</u> — ◀				
<b>0,05 (*)</b>	0,05 (*)	0,05 (*)	0,05 (*)	<b>0,1 (*)</b>	▶ <u>M70</u> — ◀	<b>0,05 (*)</b>	<b>0,05 (*)</b>	<b>0,05 (*)</b>	<b>0,05 (*)</b>
<b>0,05 (*)</b>	0,05 (*)	0,05 (*)	0,05 (*)	<b>0,1 (*)</b>	▶ <u>M70</u> — ◀	0,05 (*)	<b>0,05 (*)</b>	<b>0,05 (*)</b>	<b>0,05 (*)</b>

▼ **M32**

(18)	(19)	(20)	(21)	(22)	(23)	(24)
<b>0,05 (*)</b>	0,05 (*)	<b>0,1 (*)</b>	<b>► <u>M73</u> 0,05 (*) ◄</b>	<b>0,05 (*)</b>	<b>0,05 (*)</b>	<b>► <u>M73</u> 0,05 (*) ◄</b>
<b>0,05 (*)</b>	0,05 (*)	<b>0,1 (*)</b>	<b>► <u>M73</u> 0,05 (*) ◄</b>	<b>0,05 (*)</b>	<b>0,05 (*)</b>	<b>► <u>M73</u> 0,05 (*) ◄</b>
0,05 (*)	0,05 (*)	<b>0,1 (*)</b>	<b>► <u>M73</u> — ◄</b>	<b>0,05 (*)</b>	<b>0,05 (*)</b>	<b>► <u>M73</u> — ◄</b>

▼ **M32**

(1)	(2)	(3)	(4)	(5)	(6)	(7)
0810000	(i) <b>Seeds</b>			► <b>M70</b> — ◀		
0810010	Anise			► <b>M70</b> — ◀		
0810020	Black caraway			► <b>M70</b> — ◀		
0810030	Celery seed (Lovage seed)			► <b>M70</b> — ◀		
0810040	Coriander seed			► <b>M70</b> — ◀		
0810050	Cumin seed			► <b>M70</b> — ◀		
0810060	Dill seed			► <b>M70</b> — ◀		
0810070	Fennel seed			► <b>M70</b> — ◀		
0810080	Fenugreek			► <b>M70</b> — ◀		
0810090	Nutmeg			► <b>M70</b> — ◀		
0810990	Others			► <b>M70</b> — ◀		
0820000	(ii) <b>Fruits and berries</b>			► <b>M70</b> — ◀		
0820010	Allspice			► <b>M70</b> — ◀		
0820020	Anise pepper (Japan pepper)			► <b>M70</b> — ◀		
0820030	Caraway			► <b>M70</b> — ◀		
0820040	Cardamom			► <b>M70</b> — ◀		
0820050	Juniper berries			► <b>M70</b> — ◀		
0820060	Pepper, black and white (Long pepper, pink pepper)			► <b>M70</b> — ◀		
0820070	Vanilla pods			► <b>M70</b> — ◀		
0820080	Tamarind			► <b>M70</b> — ◀		
0820990	Others			► <b>M70</b> — ◀		
0830000	(iii) <b>Bark</b>			► <b>M70</b> — ◀		
0830010	Cinnamon (Cassia)			► <b>M70</b> — ◀		
0830990	Others			► <b>M70</b> — ◀		
0840000	(iv) <b>Roots or rhizome</b>			► <b>M70</b> — ◀		
0840010	Liquorice			► <b>M70</b> — ◀		
0840020	Ginger			► <b>M70</b> — ◀		
0840030	Turmeric (Curcuma)			► <b>M70</b> — ◀		
0840040	Horseradish			► <b>M70</b> — ◀		
0840990	Others			► <b>M70</b> — ◀		
0850000	(v) <b>Buds</b>			► <b>M70</b> — ◀		
0850010	Cloves			► <b>M70</b> — ◀		
0850020	Capers			► <b>M70</b> — ◀		
0850990	Others			► <b>M70</b> — ◀		
0860000	(vi) <b>Flower stigma</b>			► <b>M70</b> — ◀		
0860010	Saffron			► <b>M70</b> — ◀		
0860990	Others			► <b>M70</b> — ◀		





▼ M32

(18)	(19)	(20)	(21)	(22)	(23)	(24)
			► <u>M73</u> 0,05 (*) ◀			► <u>M73</u> 0,05 (*) ◀
			► <u>M73</u> 0,05 (*) ◀			► <u>M73</u> 0,05 (*) ◀
			► <u>M73</u> 0,05 (*) ◀			► <u>M73</u> 0,05 (*) ◀
			► <u>M73</u> 0,05 (*) ◀ ► <u>M73</u> 0,05 (*) ◀ ► <u>M73</u> 0,05 (*) ◀ ► <u>M73</u> (+) ◀			► <u>M73</u> 0,05 (*) ◀ ► <u>M73</u> 0,05 (*) ◀ ► <u>M73</u> 0,05 (*) ◀ ► <u>M73</u> (+) ◀
			► <u>M73</u> 0,05 (*) ◀			► <u>M73</u> 0,05 (*) ◀
			► <u>M73</u> 0,05 (*) ◀			► <u>M73</u> 0,05 (*) ◀
			► <u>M73</u> 0,05 (*) ◀			► <u>M73</u> 0,05 (*) ◀

▼ **M32**

(1)	(2)	(3)	(4)	(5)	(6)	(7)
0870000	(vii) <b>Aril</b>			► <b>M70</b> — ◀		
0870010	Mace			► <b>M70</b> — ◀		
0870990	Others			► <b>M70</b> — ◀		
0900000	<b>9. SUGAR PLANTS</b>	<b>0,01 (*)</b>	<b>0,01 (*)</b>	► <b>M70</b> — ◀	<b>0,01 (*)</b>	<b>0,02 (*)</b>
0900010	Sugar beet (root)			► <b>M70</b> — ◀		
0900020	Sugar cane			► <b>M70</b> — ◀		
0900030	Chicory roots			► <b>M70</b> — ◀		
0900990	Others			► <b>M70</b> — ◀		
1000000	<b>10. PRODUCTS OF ANIMAL ORIGIN- TERRESTRIAL ANIMALS</b>	<b>0,01 (*)</b>	<b>0,01 (*)</b>	► <b>M70</b> — ◀	<b>0,01 (*)</b>	<b>0,01 (*)</b>
1010000	(i) <b>Meat, preparations of meat, offals, blood, animal fats fresh chilled or frozen, salted, in brine, dried or smoked or processed as flours or meals other processed products such as sausages and food prepa- rations based on these</b>			► <b>M70</b> — ◀		
1011000	(a) <i>Swine</i>			► <b>M70</b> — ◀		
1011010	Meat			► <b>M70</b> — ◀		
1011020	Fat free of lean meat			► <b>M70</b> — ◀		
1011030	Liver			► <b>M70</b> — ◀		
1011040	Kidney			► <b>M70</b> — ◀		
1011050	Edible offal			► <b>M70</b> — ◀		
1011990	Others			► <b>M70</b> — ◀		
1012000	(b) <i>Bovine</i>			► <b>M70</b> — ◀		
1012010	Meat			► <b>M70</b> — ◀		
1012020	Fat			► <b>M70</b> — ◀		
1012030	Liver			► <b>M70</b> — ◀		
1012040	Kidney			► <b>M70</b> — ◀		
1012050	Edible offal			► <b>M70</b> — ◀		
1012990	Others			► <b>M70</b> — ◀		
1013000	(c) <i>Sheep</i>			► <b>M70</b> — ◀		
1013010	Meat			► <b>M70</b> — ◀		
1013020	Fat			► <b>M70</b> — ◀		
1013030	Liver			► <b>M70</b> — ◀		
1013040	Kidney			► <b>M70</b> — ◀		
1013050	Edible offal			► <b>M70</b> — ◀		
1013990	Others			► <b>M70</b> — ◀		
1014000	(d) <i>Goat</i>			► <b>M70</b> — ◀		





▼ **M32**

(1)	(2)	(3)	(4)	(5)	(6)	(7)
1014010	Meat			► <u>M70</u> — ◀		
1014020	Fat			► <u>M70</u> — ◀		
1014030	Liver			► <u>M70</u> — ◀		
1014040	Kidney			► <u>M70</u> — ◀		
1014050	Edible offal			► <u>M70</u> — ◀		
1014990	Others			► <u>M70</u> — ◀		
1015000	(e) <i>Horses, asses, mules or hinnies</i>			► <u>M70</u> — ◀		
1015010	Meat			► <u>M70</u> — ◀		
1015020	Fat			► <u>M70</u> — ◀		
1015030	Liver			► <u>M70</u> — ◀		
1015040	Kidney			► <u>M70</u> — ◀		
1015050	Edible offal			► <u>M70</u> — ◀		
1015990	Others			► <u>M70</u> — ◀		
1016000	(f) <i>Poultry -chicken, geese, duck, turkey and Guinea fowl-, ostrich, pigeon</i>			► <u>M70</u> — ◀		
1016010	Meat			► <u>M70</u> — ◀		
1016020	Fat			► <u>M70</u> — ◀		
1016030	Liver			► <u>M70</u> — ◀		
1016040	Kidney			► <u>M70</u> — ◀		
1016050	Edible offal			► <u>M70</u> — ◀		
1016990	Others			► <u>M70</u> — ◀		
1017000	(g) <i>Other farm animals (Rabbit, Kangaroo)</i>			► <u>M70</u> — ◀		
1017010	Meat			► <u>M70</u> — ◀		
1017020	Fat			► <u>M70</u> — ◀		
1017030	Liver			► <u>M70</u> — ◀		
1017040	Kidney			► <u>M70</u> — ◀		
1017050	Edible offal			► <u>M70</u> — ◀		
1017990	Others			► <u>M70</u> — ◀		
1020000	(ii) <b>Milk and cream, not concentrated, nor containing added sugar or sweetening matter, butter and other fats derived from milk, cheese and curd</b>			► <u>M70</u> — ◀		
1020010	Cattle			► <u>M70</u> — ◀		
1020020	Sheep			► <u>M70</u> — ◀		
1020030	Goat			► <u>M70</u> — ◀		
1020040	Horse			► <u>M70</u> — ◀		
1020990	Others			► <u>M70</u> — ◀		

▼ M32

(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)
					► <u>M70</u> — ◀ ► <u>M70</u> — ◀ ► <u>M70</u> — ◀ ► <u>M70</u> — ◀ ► <u>M70</u> — ◀				
					► <u>M70</u> — ◀				
					► <u>M70</u> — ◀ ► <u>M70</u> — ◀ ► <u>M70</u> — ◀ ► <u>M70</u> — ◀ ► <u>M70</u> — ◀				
					► <u>M70</u> — ◀				
					► <u>M70</u> — ◀				
					► <u>M70</u> — ◀ ► <u>M70</u> — ◀ ► <u>M70</u> — ◀ ► <u>M70</u> — ◀ ► <u>M70</u> — ◀				
					► <u>M70</u> — ◀				
					► <u>M70</u> — ◀				
					► <u>M70</u> — ◀ ► <u>M70</u> — ◀ ► <u>M70</u> — ◀ ► <u>M70</u> — ◀ ► <u>M70</u> — ◀				
					► <u>M70</u> — ◀				
					► <u>M70</u> — ◀				
					► <u>M70</u> — ◀ ► <u>M70</u> — ◀ ► <u>M70</u> — ◀ ► <u>M70</u> — ◀				
					► <u>M70</u> — ◀				
					► <u>M70</u> — ◀				
					► <u>M70</u> — ◀ ► <u>M70</u> — ◀ ► <u>M70</u> — ◀ ► <u>M70</u> — ◀				
					► <u>M70</u> — ◀				





▼ **M32**

(1)	(2)	(3)	(4)	(5)	(6)	(7)
1030000	(iii) <b>Birds' eggs, fresh preserved or cooked Shelled eggs and egg yolks fresh, dried, cooked by steaming or boiling in water, moulded, frozen or otherwise preserved whether or not containing added sugar or sweetening matter</b>			► <b>M70</b> — ◀		
1030010	Chicken			► <b>M70</b> — ◀		
1030020	Duck			► <b>M70</b> — ◀		
1030030	Goose			► <b>M70</b> — ◀		
1030040	Quail			► <b>M70</b> — ◀		
1030990	Others			► <b>M70</b> — ◀		
1040000	(iv) <b>Honey (Royal jelly, pollen)</b>			► <b>M70</b> — ◀		
1050000	(v) <b>Amphibians and reptiles (Frog legs, crocodiles)</b>			► <b>M70</b> — ◀		
1060000	(vi) <b>Snails</b>			► <b>M70</b> — ◀		
1070000	(vii) <b>Other terrestrial animal products</b>			► <b>M70</b> — ◀		



▼ M32

(18)	(19)	(20)	(21)	(22)	(23)	(24)
			▶ <u>M73</u> 0,01 (*) ◀			▶ <u>M73</u> 0,01 (*) ◀
			▶ <u>M73</u> 0,05 (*) ◀			▶ <u>M73</u> 0,05 (*) ◀
			▶ <u>M73</u> 0,01 (*) ◀			▶ <u>M73</u> 0,01 (*) ◀
			▶ <u>M73</u> 0,01 (*) ◀			▶ <u>M73</u> 0,01 (*) ◀
			▶ <u>M73</u> 0,01 (*) ◀			▶ <u>M73</u> 0,01 (*) ◀

▼ **M41****Pesticide residues and maximum residue levels (mg/kg)**

Code number	Groups and examples of individual products to which the MRLs apply <sup>(a)</sup>	Diphenylamine
(1)	(2)	(3)
0100000	<b>1. FRUIT FRESH OR FROZEN; NUTS</b>	
0110000	<b>(i) Citrus fruit</b>	0,05 (*)
0110010	Grapefruit (Shaddocks, pomelos, sweeties, tangelo (except mineola), ugli and other hybrids)	
0110020	Oranges (Bergamot, bitter orange, chinotto and other hybrids)	
0110030	Lemons (Citron, lemon)	
0110040	Limes	
0110050	Mandarins (Clementine, tangerine, mineola and other hybrids)	
0110990	Others	
0120000	<b>(ii) Tree nuts (shelled or unshelled)</b>	0,05 (*)
0120010	Almonds	
0120020	Brazil nuts	
0120030	Cashew nuts	
0120040	Chestnuts	
0120050	Coconuts	
0120060	Hazelnuts (Filbert)	
0120070	Macadamia	
0120080	Pecans	
0120090	Pine nuts	
0120100	Pistachios	
0120110	Walnuts	
0120990	Others	
0130000	<b>(iii) Pome fruit</b>	
0130010	Apples (Crab apple)	(**)
0130020	Pears (Oriental pear)	(**)
0130030	Quinces	0,05 (*)
0130040	Medlar	0,05 (*)
0130050	Loquat	0,05 (*)
0130990	Others	0,05 (*)
0140000	<b>(iv) Stone fruit</b>	0,05 (*)
0140010	Apricots	
0140020	Cherries (sweet cherries, sour cherries)	
0140030	Peaches (Nectarines and similar hybrids)	

▼ **M41**

(1)	(2)	(3)
0140040	Plums (Damson, greengage, mirabelle, sloe)	
0140990	Others	
0150000	(v) <b>Berries &amp; small fruit</b>	0,05 (*)
0151000	(a) <i>Table and wine grapes</i>	
0151010	Table grapes	
0151020	Wine grapes	
0152000	(b) <i>Strawberries</i>	
0153000	(c) <i>Cane fruit</i>	
0153010	Blackberries	
0153020	Dewberries (Loganberries, boysenberries, and cloudberrries)	
0153030	Raspberries (Wineberries, arctic bramble/raspberry, ( <i>Rubus arcticus</i> ), nectar raspberries ( <i>Rubus arcticus x idaeus</i> ))	
0153990	Others	
0154000	(d) <i>Other small fruit &amp; berries</i>	
0154010	Blueberries (Bilberries)	
0154020	Cranberries (Cowberries (red bilberries))	
0154030	Currants (red, black and white)	
0154040	Gooseberries (Including hybrids with other ribes species)	
0154050	Rose hips	
0154060	Mulberries ( <i>arbutus berry</i> )	
0154070	Azarole (mediteranean medlar) (Kiwiberry ( <i>Actinidia arguta</i> ))	
0154080	Elderberries (Black chokeberry (appleberry), mountain ash, buckthorn (sea sallowthorn), hawthorn, service berries, and other treeberries)	
0154990	Others	
0160000	(vi) <b>Miscellaneous fruit</b>	0,05 (*)
0161000	(a) <i>Edible peel</i>	
0161010	Dates	
0161020	Figs	
0161030	Table olives	
0161040	Kumquats (Marumi kumquats, nagami kumquats, limequats ( <i>Citrus aurantifolia x Fortunella</i> spp.))	
0161050	Carambola (Bilimbi)	
0161060	Persimmon	

▼ **M41**

(1)	(2)	(3)
0161070	Jambolan (java plum) (Java apple (water apple), pomerac, rose apple, Brazilean cherry Surinam cherry ( <i>grumichama Eugenia uniflora</i> ),)	
0161990	Others	
0162000	(b) <i>Inedible peel, small</i>	
0162010	Kiwi	
0162020	Lychee (Litchi) (Pulasan, rambutan (hairy litchi), mangosteen)	
0162030	Passion fruit	
0162040	Prickly pear (cactus fruit)	
0162050	Star apple	
0162060	American persimmon (Virginia kaki) (Black sapote, white sapote, green sapote, canistel (yellow sapote), and mamme sapote)	
0162990	Others	
0163000	(c) <i>Inedible peel, large</i>	
0163010	Avocados	
0163020	Bananas (Dwarf banana, plantain, apple banana)	
0163030	Mangoes	
0163040	Papaya	
0163050	Pomegranate	
0163060	Cherimoya (Custard apple, sugar apple (sweetsop), llama and other medium sized Annonaceae)	
0163070	Guava (Red pitaya or dragon fruit ( <i>Hylocereus undatus</i> ))	
0163080	Pineapples	
0163090	Bread fruit (Jackfruit)	
0163100	Durian	
0163110	Soursop (guanabana)	
0163990	Others	
0200000	<b>2. VEGETABLES FRESH OR FROZEN</b>	0,05 (*)
0210000	(i) <b>Root and tuber vegetables</b>	
0211000	(a) <i>Potatoes</i>	
0212000	(b) <i>Tropical root and tuber vegetables</i>	
0212010	Cassava (Dasheen, eddoe (Japanese taro), tannia)	
0212020	Sweet potatoes	
0212030	Yams (Potato bean (yam bean), Mexican yam bean)	

▼ **M41**

(1)	(2)	(3)
0212040	Arrowroot	
0212990	Others	
0213000	(c) <i>Other root and tuber vegetables except sugar beet</i>	
0213010	Beetroot	
0213020	Carrots	
0213030	Celeriac	
0213040	Horseradish (Angelica roots, lovage roots, gentiana roots,)	
0213050	Jerusalem artichokes	
0213060	Parsnips	
0213070	Parsley root	
0213080	Radishes (Black radish, Japanese radish, small radish and similar varieties, tiger nut ( <i>Cyperus esculentus</i> ))	
0213090	Salsify (Scorzonera, Spanish salsify (Spanish oysterplant))	
0213100	Swedes	
0213110	Turnips	
0213990	Others	
0220000	(ii) <b>Bulb vegetables</b>	
0220010	Garlic	
0220020	Onions (Silverskin onions)	
0220030	Shallots	
0220040	Spring onions (Welsh onion and similar varieties)	
0220990	Others	
0230000	(iii) <b>Fruiting vegetables</b>	
0231000	(a) <i>Solanacea</i>	
0231010	Tomatoes (Cherry tomatoes, tree tomato, Physalis, gojiberry, wolfberry ( <i>Lycium barbarum</i> and <i>L. chinense</i> ))	
0231020	Peppers (Chilli peppers)	
0231030	Aubergines (egg plants) (Pepino)	
0231040	Okra, lady's fingers	
0231990	Others	
0232000	(b) <i>Cucurbits - edible peel</i>	
0232010	Cucumbers	
0232020	Gherkins	

▼ **M41**

(1)	(2)	(3)
0232030	Courgettes (Summer squash, marrow (patisson))	
0232990	Others	
0233000	(c) <i>Cucurbits-inedible peel</i>	
0233010	Melons (Kiwano)	
0233020	Pumpkins (Winter squash)	
0233030	Watermelons	
0233990	Others	
0234000	(d) <i>Sweet corn</i>	
0239000	(e) <i>Other fruiting vegetables</i>	
0240000	(iv) <b>Brassica vegetables</b>	
0241000	(a) <i>Flowering brassica</i>	
0241010	Broccoli (Calabrese, Chinese broccoli, broccoli raab)	
0241020	Cauliflower	
0241990	Others	
0242000	(b) <i>Head brassica</i>	
0242010	Brussels sprouts	
0242020	Head cabbage (Pointed head cabbage, red cabbage, savoy cabbage, white cabbage)	
0242990	Others	
0243000	(c) <i>Leafy brassica</i>	
0243010	Chinese cabbage (Indian (Chinese) mustard, pak choi, Chinese flat cabbage (tai goo choi), choy sum, peking cabbage (pe-tsai),)	
0243020	Kale (Borecole (curly kale), collards, Portuguese Kale, Portuguese cabbage, cow cabbage)	
0243990	Others	
0244000	(d) <i>Kohlrabi</i>	
0250000	(v) <b>Leaf vegetables &amp; fresh herbs</b>	
0251000	(a) <i>Lettuce and other salad plants including Brassicacea</i>	
0251010	Lamb's lettuce (Italian cornsalad)	
0251020	Lettuce (Head lettuce, lollo rosso (cutting lettuce), iceberg lettuce, romaine (cos) lettuce)	
0251030	Scarole (broad-leaf endive) (Wild chicory, red-leaved chicory, radicchio, curld leave endive, sugar loaf)	



▼ **M41**

(1)	(2)	(3)
0251040	Cress	
0251050	Land cress	
0251060	Rocket, Rucola (Wild rocket)	
0251070	Red mustard	
0251080	Leaves and sprouts of <i>Brassica</i> spp (Mizuna, leaves of peas and radish and other babyleaf <i>brassica</i> crops (crops harvested up to 8 true leaf stage))	
0251990	Others	
0252000	(b) <i>Spinach &amp; similar (leaves)</i>	
0252010	Spinach (New Zealand spinach, amaranthus spinach)	
0252020	Purslane (Winter purslane (miner's lettuce), garden purslane, common purslane, sorrel, glassworth, Agretti ( <i>Salsola soda</i> ))	
0252030	Beet leaves (chard) (Leaves of beetroot)	
0252990	Others	
0253000	(c) <i>Vine leaves (grape leaves)</i>	
0254000	(d) <i>Water cress</i>	
0255000	(e) <i>Witloof</i>	
0256000	(f) <i>Herbs</i>	
0256010	Chervil	
0256020	Chives	
0256030	Celery leaves (Fennel leaves, Coriander leaves, dill leaves, Caraway leaves, lovage, angelica, sweet cicely and other Apiacea leaves)	
0256040	Parsley	
0256050	Sage (Winter savory, summer savory,)	
0256060	Rosemary	
0256070	Thyme (Marjoram, oregano)	

▼ **M41**

(1)	(2)	(3)
0256080	Basil (Balm leaves, mint, peppermint)	
0256090	Bay leaves (laurel)	
0256100	Tarragon (Hyssop)	
0256990	Others (Edible flowers)	
0260000	<b>(vi) Legume vegetables (fresh)</b>	
0260010	Beans (with pods) (Green bean (french beans, snap beans), scarlet runner bean, slicing bean, yardlong beans)	
0260020	Beans (without pods) (Broad beans, Flageolets, jack bean, lima bean, cowpea)	
0260030	Peas (with pods) (Mangetout (sugar peas, snow peas))	
0260040	Peas (without pods) (Garden pea, green pea, chickpea)	
0260050	Lentils	
0260990	Others	
0270000	<b>(vii) Stem vegetables (fresh)</b>	
0270010	Asparagus	
0270020	Cardoons	
0270030	Celery	
0270040	Fennel	
0270050	Globe artichokes	
0270060	Leek	
0270070	Rhubarb	
0270080	Bamboo shoots	
0270090	Palm hearts	
0270990	Others	
0280000	<b>(viii) Fungi</b>	
0280010	Cultivated (Common mushroom, Oyster mushroom, Shi-take)	
0280020	Wild (Chanterelle, Truffle, Morel, Cep)	
0280990	Others	
0290000	<b>(ix) Sea weeds</b>	
0300000	<b>3. PULSES, DRY</b>	0,05 (*)
0300010	Beans (Broad beans, navy beans, flageolets, jack beans, lima beans, field beans, cowpeas)	
0300020	Lentils	
0300030	Peas (Chickpeas, field peas, chickling vetch)	

▼ **M41**

(1)	(2)	(3)
0300040	Lupins	
0300990	Others	
0400000	4. <b>OILSEEDS AND OILFRUITS</b>	0,05 (*)
0401000	(i) <b>Oilseeds</b>	
0401010	Linseed	
0401020	Peanuts	
0401030	Poppy seed	
0401040	Sesame seed	
0401050	Sunflower seed	
0401060	Rape seed (Bird rapeseed, turnip rape)	
0401070	Soya bean	
0401080	Mustard seed	
0401090	Cotton seed	
0401100	Pumpkin seeds (Other seeds of <i>cucurbitacea</i> )	
0401110	Safflower	
0401120	Borage	
0401130	Gold of pleasure	
0401140	Hempseed	
0401150	Castor bean	
0401990	Others	
0402000	(ii) <b>Oilfruits</b>	
0402010	Olives for oil production	
0402020	Palm nuts (palmoil kernels)	
0402030	Palmfruit	
0402040	Kapok	
0402990	Others	
0500000	5. <b>CEREALS</b>	0,05 (*)
0500010	Barley	
0500020	Buckwheat ( <i>Amaranthus</i> , quinoa)	
0500030	Maize	
0500040	Millet (Foxtail millet, teff)	
0500050	Oats	
0500060	Rice	
0500070	Rye	
0500080	Sorghum	
0500090	Wheat (Spelt, triticale)	
0500990	Others	

▼ **M41**

(1)	(2)	(3)
0600000	<b>6. TEA, COFFEE, HERBAL INFUSIONS AND COCOA</b>	0,05 (*)
0610000	(i) <b>Tea (dried leaves and stalks, fermented or otherwise of <i>Camellia sinensis</i>)</b>	
0620000	(ii) <b>Coffee beans</b>	
0630000	(iii) <b>Herbal infusions (dried)</b>	
0631000	(a) <i>Flowers</i>	
0631010	Camomille flowers	
0631020	Hybiscus flowers	
0631030	Rose petals	
0631040	Jasmine flowers (Elderflowers ( <i>Sambucus nigra</i> ))	
0631050	Lime (linden)	
0631990	Others	
0632000	(b) <i>Leaves</i>	
0632010	Strawberry leaves	
0632020	Rooibos leaves (Ginkgo leaves)	
0632030	Maté	
0632990	Others	
0633000	(c) <i>Roots</i>	
0633010	Valerian root	
0633020	Ginseng root	
0633990	Others	
0639000	(d) <i>Other herbal infusions</i>	
0640000	(iv) <b>Cocoa (fermented beans)</b>	
0650000	(v) <b>Carob (st johns bread)</b>	
0700000	<b>7. HOPS (dried), including hop pellets and unconcentrated powder</b>	0,05 (*)
0800000	<b>8. SPICES</b>	0,05 (*)
0810000	(i) <b>Seeds</b>	
0810010	Anise	
0810020	Black caraway	
0810030	Celery seed (Lovage seed)	
0810040	Coriander seed	
0810050	Cumin seed	
0810060	Dill seed	
0810070	Fennel seed	
0810080	Fenugreek	
0810090	Nutmeg	
0810990	Others	
0820000	(ii) <b>Fruits and berries</b>	
0820010	Allspice	

▼ **M41**

(1)	(2)	(3)
0820020	Anise pepper (Japan pepper)	
0820030	Caraway	
0820040	Cardamom	
0820050	Juniper berries	
0820060	Pepper, black and white (Long pepper, pink pepper)	
0820070	Vanilla pods	
0820080	Tamarind	
0820990	Others	
0830000	(iii) <b>Bark</b>	
0830010	Cinnamon (Cassia)	
0830990	Others	
0840000	(iv) <b>Roots or rhizome</b>	
0840010	Liquorice	
0840020	Ginger	
0840030	Turmeric (Curcuma)	
0840040	Horseradish	
0840990	Others	
0850000	(v) <b>Buds</b>	
0850010	Cloves	
0850020	Capers	
0850990	Others	
0860000	(vi) <b>Flower stigma</b>	
0860010	Saffron	
0860990	Others	
0870000	(vii) <b>Aril</b>	
0870010	Mace	
0870990	Others	
0900000	9. <b>SUGAR PLANTS</b>	0,05 (*)
0900010	Sugar beet (root)	
0900020	Sugar cane	
0900030	Chicory roots	
0900990	Others	

▼ **M41**

(1)	(2)	(3)
1000000	<b>10. PRODUCTS OF ANIMAL ORIGIN- TERRESTRIAL ANIMALS</b>	<b>0,05 (*)</b>
1010000	<b>(i) Meat, preparations of meat, offals, blood, animal fats fresh chilled or frozen, salted, in brine, dried or smoked or processed as flours or meals other processed products such as sausages and food preparations based on these</b>	
1011000	(a) <i>Swine</i>	
1011010	Meat	
1011020	Fat free of lean meat	
1011030	Liver	
1011040	Kidney	
1011050	Edible offal	
1011990	Others	
1012000	(b) <i>Bovine</i>	
1012010	Meat	
1012020	Fat	
1012030	Liver	
1012040	Kidney	
1012050	Edible offal	
1012990	Others	
1013000	(c) <i>Sheep</i>	
1013010	Meat	
1013020	Fat	
1013030	Liver	
1013040	Kidney	
1013050	Edible offal	
1013990	Others	
1014000	(d) <i>Goat</i>	
1014010	Meat	
1014020	Fat	
1014030	Liver	
1014040	Kidney	
1014050	Edible offal	
1014990	Others	
1015000	(e) <i>Horses, asses, mules or hinnies</i>	
1015010	Meat	
1015020	Fat	
1015030	Liver	

▼ **M41**

(1)	(2)	(3)
1015040	Kidney	
1015050	Edible offal	
1015990	Others	
1016000	(f) <i>Poultry -chicken, geese, duck, turkey and Guinea fowl-, ostrich, pigeon</i>	
1016010	Meat	
1016020	Fat	
1016030	Liver	
1016040	Kidney	
1016050	Edible offal	
1016990	Others	
1017000	(g) <i>Other farm animals (Rabbit, Kangaroo)</i>	
1017010	Meat	
1017020	Fat	
1017030	Liver	
1017040	Kidney	
1017050	Edible offal	
1017990	Others	
1020000	(ii) <b>Milk and cream, not concentrated, nor containing added sugar or sweetening matter, butter and other fats derived from milk, cheese and curd</b>	
1020010	Cattle	
1020020	Sheep	
1020030	Goat	
1020040	Horse	
1020990	Others	
1030000	(iii) <b>Birds' eggs, fresh preserved or cooked Shelled eggs and egg yolks fresh, dried, cooked by steaming or boiling in water, moulded, frozen or otherwise preserved whether or not containing added sugar or sweetening matter</b>	
1030010	Chicken	
1030020	Duck	
1030030	Goose	
1030040	Quail	
1030990	Others	

**▼ M41**

(1)	(2)	(3)
1040000	(iv) <b>Honey (Royal jelly, pollen)</b>	
1050000	(v) <b>Amphibians and reptiles (Frog legs, crocodiles)</b>	
1060000	(vi) <b>Snails</b>	
1070000	(vii) <b>Other terrestrial animal products</b>	



▼ **M42****Pesticide residues and maximum residue levels (mg/kg)**

Code number	Groups and examples of individual products to which the MRLs apply <sup>(e)</sup>	Ethalfuralin
(1)	(2)	(3)
0100000	1. <b>FRUIT FRESH OR FROZEN; NUTS</b>	<b>0,01 (*)</b>
0110000	(i) <b>Citrus fruit</b>	
0110010	Grapefruit (Shaddocks, pomelos, sweeties, tangelo (except mineola), ugli and other hybrids)	
0110020	Oranges (Bergamot, bitter orange, chinotto and other hybrids)	
0110030	Lemons (Citron, lemon)	
0110040	Limes	
0110050	Mandarins (Clementine, tangerine, mineola and other hybrids)	
0110990	Others	
0120000	(ii) <b>Tree nuts (shelled or unshelled)</b>	
0120010	Almonds	
0120020	Brazil nuts	
0120030	Cashew nuts	
0120040	Chestnuts	
0120050	Coconuts	
0120060	Hazelnuts (Filbert)	
0120070	Macadamia	
0120080	Pecans	
0120090	Pine nuts	
0120100	Pistachios	
0120110	Walnuts	
0120990	Others	
0130000	(iii) <b>Pome fruit</b>	
0130010	Apples (Crab apple)	
0130020	Pears (Oriental pear)	
0130030	Quinces	
0130040	Medlar	
0130050	Loquat	
0130990	Others	
0140000	(iv) <b>Stone fruit</b>	
0140010	Apricots	
0140020	Cherries (sweet cherries, sour cherries)	
0140030	Peaches (Nectarines and similar hybrids)	

▼ **M42**

(1)	(2)	(3)
0140040	Plums (Damson, greengage, mirabelle, sloe)	
0140990	Others	
0150000	(v) <b>Berries &amp; small fruit</b>	
0151000	(a) <i>Table and wine grapes</i>	
0151010	Table grapes	
0151020	Wine grapes	
0152000	(b) <i>Strawberries</i>	
0153000	(c) <i>Cane fruit</i>	
0153010	Blackberries	
0153020	Dewberries (Loganberries, boysenberries, and cloudberrries)	
0153030	Raspberries (Wineberries, arctic bramble/raspberry, ( <i>Rubus arcticus</i> ), nectar raspberries ( <i>Rubus arcticus x idaeus</i> ))	
0153990	Others	
0154000	(d) <i>Other small fruit &amp; berries</i>	
0154010	Blueberries (Bilberries)	
0154020	Cranberries (Cowberries (red bilberries))	
0154030	Currants (red, black and white)	
0154040	Gooseberries (Including hybrids with other ribes species)	
0154050	Rose hips	
0154060	Mulberries (arbutus berry)	
0154070	Azarole (mediteranean medlar) (Kiwiberry ( <i>Actinidia arguta</i> ))	
0154080	Elderberries (Black chokeberry (appleberry), mountain ash, buckthorn (sea sallowthorn), hawthorn, service berries, and other treeberries)	
0154990	Others	
0160000	(vi) <b>Miscellaneous fruit</b>	
0161000	(a) <i>Edible peel</i>	
0161010	Dates	
0161020	Figs	
0161030	Table olives	
0161040	Kumquats (Marumi kumquats, nagami kumquats, limequats ( <i>Citrus aurantifolia x Fortunella</i> spp.))	
0161050	Carambola (Bilimbi)	
0161060	Persimmon	

▼ **M42**

(1)	(2)	(3)
0161070	Jambolan (java plum) (Java apple (water apple), pomerac, rose apple, Brazilian cherry Surinam cherry (grumichama <i>Eugenia uniflora</i> ),)	
0161990	Others	
0162000	(b) <i>Inedible peel, small</i>	
0162010	Kiwi	
0162020	Lychee (Litchi) (Pulasan, rambutan (hairy litchi), mangosteen)	
0162030	Passion fruit	
0162040	Prickly pear (cactus fruit)	
0162050	Star apple	
0162060	American persimmon (Virginia kaki) (Black sapote, white sapote, green sapote, canistel (yellow sapote), and mamme sapote)	
0162990	Others	
0163000	(c) <i>Inedible peel, large</i>	
0163010	Avocados	
0163020	Bananas (Dwarf banana, plantain, apple banana)	
0163030	Mangoes	
0163040	Papaya	
0163050	Pomegranate	
0163060	Cherimoya (Custard apple, sugar apple (sweetsop), llama and other medium sized Annonaceae)	
0163070	Guava (Red pitaya or dragon fruit ( <i>Hylocereus undatus</i> ))	
0163080	Pineapples	
0163090	Bread fruit (Jackfruit)	
0163100	Durian	
0163110	Soursop (guanabana)	
0163990	Others	
0200000	<b>2. VEGETABLES FRESH OR FROZEN</b>	<b>0,01 (*)</b>
0210000	(i) <b>Root and tuber vegetables</b>	
0211000	(a) <i>Potatoes</i>	
0212000	(b) <i>Tropical root and tuber vegetables</i>	
0212010	Cassava (Dasheen, eddoe (Japanese taro), tannia)	
0212020	Sweet potatoes	
0212030	Yams (Potato bean (yam bean), Mexican yam bean)	

▼ **M42**

(1)	(2)	(3)
0212040	Arrowroot	
0212990	Others	
0213000	(c) <i>Other root and tuber vegetables except sugar beet</i>	
0213010	Beetroot	
0213020	Carrots	
0213030	Celeriac	
0213040	Horseradish (Angelica roots, lovage roots, gentiana roots,)	
0213050	Jerusalem artichokes	
0213060	Parsnips	
0213070	Parsley root	
0213080	Radishes (Black radish, Japanese radish, small radish and similar varieties, tiger nut ( <i>Cyperus esculentus</i> ))	
0213090	Salsify (Scorzonera, Spanish salsify (Spanish oysterplant))	
0213100	Swedes	
0213110	Turnips	
0213990	Others	
0220000	(ii) <b>Bulb vegetables</b>	
0220010	Garlic	
0220020	Onions (Silverskin onions)	
0220030	Shallots	
0220040	Spring onions (Welsh onion and similar varieties)	
0220990	Others	
0230000	(iii) <b>Fruiting vegetables</b>	
0231000	(a) <i>Solanacea</i>	
0231010	Tomatoes (Cherry tomatoes, tree tomato, Physalis, gojiberry, wolfberry ( <i>Lycium barbarum</i> and <i>L. chinense</i> ))	
0231020	Peppers (Chilli peppers)	
0231030	Aubergines (egg plants) (Pepino)	
0231040	Okra, lady's fingers	
0231990	Others	
0232000	(b) <i>Cucurbits — edible peel</i>	
0232010	Cucumbers	
0232020	Gherkins	

▼ **M42**

(1)	(2)	(3)
0232030	Courgettes (Summer squash, marrow (patisson))	
0232990	Others	
0233000	(c) <i>Cucurbits — inedible peel</i>	
0233010	Melons (Kiwano)	
0233020	Pumpkins (Winter squash)	
0233030	Watermelons	
0233990	Others	
0234000	(d) <i>Sweet corn</i>	
0239000	(e) <i>Other fruiting vegetables</i>	
0240000	(iv) <b>Brassica vegetables</b>	
0241000	(a) <i>Flowering brassica</i>	
0241010	Broccoli (Calabrese, Chinese broccoli, broccoli raab)	
0241020	Cauliflower	
0241990	Others	
0242000	(b) <i>Head brassica</i>	
0242010	Brussels sprouts	
0242020	Head cabbage (Pointed head cabbage, red cabbage, savoy cabbage, white cabbage)	
0242990	Others	
0243000	(c) <i>Leafy brassica</i>	
0243010	Chinese cabbage (Indian (Chinese) mustard, pak choi, Chinese flat cabbage (tai goo choi), choi sum, peking cabbage (pe-tsai),)	
0243020	Kale (Borecole (curly kale), collards, Portuguese Kale, Portuguese cabbage, cow cabbage)	
0243990	Others	
0244000	(d) <i>Kohlrabi</i>	
0250000	(v) <b>Leaf vegetables &amp; fresh herbs</b>	
0251000	(a) <i>Lettuce and other salad plants including Brassicacea</i>	
0251010	Lamb's lettuce (Italian cornsalad)	
0251020	Lettuce (Head lettuce, lollo rosso (cutting lettuce), iceberg lettuce, romaine (cos) lettuce)	
0251030	Scarole (broad-leaf endive) (Wild chicory, red-leaved chicory, radicchio, curld leave endive, sugar loaf)	

▼ **M42**

(1)	(2)	(3)
0251040	Cress	
0251050	Land cress	
0251060	Rocket, Rucola (Wild rocket)	
0251070	Red mustard	
0251080	Leaves and sprouts of <i>Brassica</i> spp (Mizuna, leaves of peas and radish and other babyleaf brassica crops (crops harvested up to 8 true leaf stage))	
0251990	Others	
0252000	(b) <i>Spinach &amp; similar (leaves)</i>	
0252010	Spinach (New Zealand spinach, amaranthus spinach)	
0252020	Purslane (Winter purslane (miner's lettuce), garden purslane, common purslane, sorrel, glassworth, Agretti ( <i>Salsola soda</i> ))	
0252030	Beet leaves (chard) (Leaves of beetroot)	
0252990	Others	
0253000	(c) <i>Vine leaves (grape leaves)</i>	
0254000	(d) <i>Water cress</i>	
0255000	(e) <i>Witloof</i>	
0256000	(f) <i>Herbs</i>	
0256010	Chervil	
0256020	Chives	
0256030	Celery leaves (Fennel leaves, Coriander leaves, dill leaves, Caraway leaves, lovage, angelica, sweet cicely and other <i>Apiacea</i> leaves)	
0256040	Parsley	
0256050	Sage (Winter savory, summer savory,)	
0256060	Rosemary	
0256070	Thyme (Marjoram, oregano)	

▼ **M42**

(1)	(2)	(3)
0256080	Basil (Balm leaves, mint, peppermint)	
0256090	Bay leaves (laurel)	
0256100	Tarragon (Hyssop)	
0256990	Others (Edible flowers)	
0260000	<b>(vi) Legume vegetables (fresh)</b>	
0260010	Beans (with pods) (Green bean (french beans, snap beans), scarlet runner bean, slicing bean, yardlong beans)	
0260020	Beans (without pods) (Broad beans, Flageolets, jack bean, lima bean, cowpea)	
0260030	Peas (with pods) (Mangetout (sugar peas, snow peas))	
0260040	Peas (without pods) (Garden pea, green pea, chickpea)	
0260050	Lentils	
0260990	Others	
0270000	<b>(vii) Stem vegetables (fresh)</b>	
0270010	Asparagus	
0270020	Cardoons	
0270030	Celery	
0270040	Fennel	
0270050	Globe artichokes	
0270060	Leek	
0270070	Rhubarb	
0270080	Bamboo shoots	
0270090	Palm hearts	
0270990	Others	
0280000	<b>(viii) Fungi</b>	
0280010	Cultivated (Common mushroom, Oyster mushroom, Shi-take)	
0280020	Wild (Chanterelle, Truffle, Morel, Cep)	
0280990	Others	
0290000	<b>(ix) Sea weeds</b>	
0300000	<b>3. PULSES, DRY</b>	<b>0,01 (*)</b>
0300010	Beans (Broad beans, navy beans, flageolets, jack beans, lima beans, field beans, cowpeas)	
0300020	Lentils	
0300030	Peas (Chickpeas, field peas, chickling vetch)	

▼ **M42**

(1)	(2)	(3)
0300040	Lupins	
0300990	Others	
0400000	<b>4. OILSEEDS AND OILFRUITS</b>	<b>0,01 (*)</b>
0401000	(i) <b>Oilseeds</b>	
0401010	Linseed	
0401020	Peanuts	
0401030	Poppy seed	
0401040	Sesame seed	
0401050	Sunflower seed	
0401060	Rape seed (Bird rapeseed, turnip rape)	
0401070	Soya bean	
0401080	Mustard seed	
0401090	Cotton seed	
0401100	Pumpkin seeds (Other seeds of <i>cucurbitacea</i> )	
0401110	Safflower	
0401120	Borage	
0401130	Gold of pleasure	
0401140	Hempseed	
0401150	Castor bean	
0401990	Others	
0402000	(ii) <b>Oilfruits</b>	
0402010	Olives for oil production	
0402020	Palm nuts (palmoil kernels)	
0402030	Palmfruit	
0402040	Kapok	
0402990	Others	
0500000	<b>5. CEREALS</b>	<b>0,01 (*)</b>
0500010	Barley	
0500020	Buckwheat (Amaranthus, quinoa)	
0500030	Maize	
0500040	Millet (Foxtail millet, teff)	
0500050	Oats	
0500060	Rice	
0500070	Rye	
0500080	Sorghum	
0500090	Wheat (Spelt, triticale)	
0500990	Others	



▼ **M42**

(1)	(2)	(3)
0600000	<b>6. TEA, COFFEE, HERBAL INFUSIONS AND COCOA</b>	<b>0,01 (*)</b>
0610000	(i) <b>Tea (dried leaves and stalks, fermented or otherwise of <i>Camellia sinensis</i>)</b>	
0620000	(ii) <b>Coffee beans</b>	
0630000	(iii) <b>Herbal infusions (dried)</b>	
0631000	(a) <i>Flowers</i>	
0631010	Camomille flowers	
0631020	Hybiscus flowers	
0631030	Rose petals	
0631040	Jasmine flowers (Elderflowers ( <i>Sambucus nigra</i> ))	
0631050	Lime (linden)	
0631990	Others	
0632000	(b) <i>Leaves</i>	
0632010	Strawberry leaves	
0632020	Rooibos leaves ( <i>Ginkgo</i> leaves)	
0632030	Maté	
0632990	Others	
0633000	(c) <i>Roots</i>	
0633010	Valerian root	
0633020	Ginseng root	
0633990	Others	
0639000	(d) <i>Other herbal infusions</i>	
0640000	(iv) <b>Cocoa (fermented beans)</b>	
0650000	(v) <b>Carob (St johns bread)</b>	
0700000	<b>7. HOPS (dried), including hop pellets and unconcentrated powder</b>	<b>0,01 (*)</b>
0800000	<b>8. SPICES</b>	<b>0,01 (*)</b>
0810000	(i) <b>Seeds</b>	
0810010	Anise	
0810020	Black caraway	
0810030	Celery seed ( <i>Lovage</i> seed)	
0810040	Coriander seed	
0810050	Cumin seed	
0810060	Dill seed	
0810070	Fennel seed	
0810080	Fenugreek	
0810090	Nutmeg	
0810990	Others	
0820000	(ii) <b>Fruits and berries</b>	
0820010	Allspice	

▼ **M42**

(1)	(2)	(3)
0820020	Anise pepper (Japan pepper)	
0820030	Caraway	
0820040	Cardamom	
0820050	Juniper berries	
0820060	Pepper, black and white (Long pepper, pink pepper)	
0820070	Vanilla pods	
0820080	Tamarind	
0820990	Others	
0830000	(iii) <b>Bark</b>	
0830010	Cinnamon (Cassia)	
0830990	Others	
0840000	(iv) <b>Roots or rhizome</b>	
0840010	Liquorice	
0840020	Ginger	
0840030	Turmeric (Curcuma)	
0840040	Horseradish	
0840990	Others	
0850000	(v) <b>Buds</b>	
0850010	Cloves	
0850020	Capers	
0850990	Others	
0860000	(vi) <b>Flower stigma</b>	
0860010	Saffron	
0860990	Others	
0870000	(vii) <b>Aril</b>	
0870010	Mace	
0870990	Others	
0900000	9. <b>SUGAR PLANTS</b>	<b>0,01 (*)</b>
0900010	Sugar beet (root)	
0900020	Sugar cane	
0900030	Chicory roots	
0900990	Others	

▼ **M42**

(1)	(2)	(3)
1000000	<b>10. PRODUCTS OF ANIMAL ORIGIN — TERRESTRIAL ANIMALS</b>	0,01 (*)
1010000	<b>(i) Meat, preparations of meat, offals, blood, animal fats fresh chilled or frozen, salted, in brine, dried or smoked or processed as flours or meals other processed products such as sausages and food preparations based on these</b>	
1011000	(a) <i>Swine</i>	
1011010	Meat	
1011020	Fat free of lean meat	
1011030	Liver	
1011040	Kidney	
1011050	Edible offal	
1011990	Others	
1012000	(b) <i>Bovine</i>	
1012010	Meat	
1012020	Fat	
1012030	Liver	
1012040	Kidney	
1012050	Edible offal	
1012990	Others	
1013000	(c) <i>Sheep</i>	
1013010	Meat	
1013020	Fat	
1013030	Liver	
1013040	Kidney	
1013050	Edible offal	
1013990	Others	
1014000	(d) <i>Goat</i>	
1014010	Meat	
1014020	Fat	
1014030	Liver	
1014040	Kidney	
1014050	Edible offal	
1014990	Others	
1015000	(e) <i>Horses, asses, mules or hinnies</i>	
1015010	Meat	
1015020	Fat	
1015030	Liver	

▼ **M42**

(1)	(2)	(3)
1015040	Kidney	
1015050	Edible offal	
1015990	Others	
1016000	(f) <i>Poultry — chicken, geese, duck, turkey and Guinea fowl — ostrich, pigeon</i>	
1016010	Meat	
1016020	Fat	
1016030	Liver	
1016040	Kidney	
1016050	Edible offal	
1016990	Others	
1017000	(g) <i>Other farm animals (Rabbit, Kangaroo)</i>	
1017010	Meat	
1017020	Fat	
1017030	Liver	
1017040	Kidney	
1017050	Edible offal	
1017990	Others	
1020000	(ii) <b>Milk and cream, not concentrated, nor containing added sugar or sweetening matter, butter and other fats derived from milk, cheese and curd</b>	
1020010	Cattle	
1020020	Sheep	
1020030	Goat	
1020040	Horse	
1020990	Others	
1030000	(iii) <b>Birds' eggs, fresh preserved or cooked Shelled eggs and egg yolks fresh, dried, cooked by steaming or boiling in water, moulded, frozen or otherwise preserved whether or not containing added sugar or sweetening matter</b>	
1030010	Chicken	
1030020	Duck	
1030030	Goose	
1030040	Quail	
1030990	Others	

**▼ M42**

(1)	(2)	(3)
1040000	(iv) <b>Honey (Royal jelly, pollen)</b>	
1050000	(v) <b>Amphibians and reptiles (Frog legs, crocodiles)</b>	
1060000	(vi) <b>Snails</b>	
1070000	(vii) <b>Other terrestrial animal products</b>	

▼ **M45****Pesticide residues and maximum residue levels (mg/kg)**

Code number	Groups and examples of individual products to which the MRLs apply <sup>(a)</sup>	Chlorfenvinphos (F)	Vinclozolin (sum of vinclozolin and all metabolites containing the 3,5-dichloranilinemoiety, expressed as vinclozolin) (R)
(1)	(2)	(3)	(4)
0100000	<b>1. FRUIT FRESH OR FROZEN NUTS</b>		<b>0,05 (*)</b>
0110000	<b>(i) Citrus fruit</b>	<b>0,01 (*)</b>	
0110010	Grapefruit (Shaddocks, pomelos, sweeties, tangelo (except mineola), ugli and other hybrids)		
0110020	Oranges (Bergamot, bitter orange, chinotto and other hybrids)		
0110030	Lemons (Citron, lemon, Buddha's hand ( <i>Citrus medica</i> var. <i>sarcodactylis</i> ))		
0110040	Limes		
0110050	Mandarins (Clementine, tangerine, mineola and other hybrids tangor ( <i>Citrus reticulata</i> x <i>sinensis</i> ))		
0110990	Others		
0120000	<b>(ii) Tree nuts</b>	<b>0,02 (*)</b>	
0120010	Almonds		
0120020	Brazil nuts		
0120030	Cashew nuts		
0120040	Chestnuts		
0120050	Coconuts		
0120060	Hazelnuts (Filbert)		
0120070	Macadamia		
0120080	Pecans		
0120090	Pine nuts		
0120100	Pistachios		
0120110	Walnuts		
0120990	Others		
0130000	<b>(iii) Pome fruit</b>	<b>0,01 (*)</b>	
0130010	Apples (Crab apple)		
0130020	Pears (Oriental pear)		
0130030	Quinces		
0130040	Medlar		
0130050	Loquat		
0130990	Others		
0140000	<b>(iv) Stone fruit</b>	<b>0,01 (*)</b>	
0140010	Apricots		
0140020	Cherries (Sweet cherries, sour cherries)		
0140030	Peaches (Nectarines and similar hybrids)		

▼ **M45**

(1)	(2)	(3)	(4)
0140040	Plums (Damson, greengage, mirabelle, sloe, red date/Chinese date/Chinese jujube ( <i>Zizyphus zizyphus</i> ))		
0140990	Others		
0150000	(v) <b>Berries &amp; small fruit</b>	<b>0,01 (*)</b>	
0151000	(a) <i>Table and wine grapes</i>		
0151010	Table grapes		
0151020	Wine grapes		
0152000	(b) <i>Strawberries</i>		
0153000	(c) <i>Cane fruit</i>		
0153010	Blackberries		
0153020	Dewberries (Loganberries, tayberries, boysenberries, cloudberrries and other <i>Rubus</i> hybrids)		
0153030	Raspberries (Wineberries, arctic bramble/raspberry, ( <i>Rubus arcticus</i> ), nectar raspberries ( <i>Rubus arcticus</i> x <i>Rubus idaeus</i> ))		
0153990	Others		
0154000	(d) <i>Other small fruit &amp; berries</i>		
0154010	Blueberries (Bilberries)		
0154020	Cranberries (Cowberries/red bilberries ( <i>V. vitis-idaea</i> ))		
0154030	Currants (red, black and white)		
0154040	Gooseberries (Including hybrids with other <i>Ribes</i> species)		
0154050	Rose hips		
0154060	Mulberries ( <i>Arbutus</i> berry)		
0154070	Azarole (mediteranean medlar) (Kiwiberry ( <i>Actinidia arguta</i> ))		
0154080	Elderberries (Black chokeberry/apple-berry, mountain ash, buckthorn/sea sallowthorn, hawthorn, serviceberries, and other treeberries)		
0154990	Others		
0160000	(vi) <b>Miscellaneous fruit</b>	<b>0,01 (*)</b>	
0161000	(a) <i>Edible peel</i>		
0161010	Dates		
0161020	Figs		
0161030	Table olives		
0161040	Kumquats (Marumi kumquats, nagami kumquats, limequats ( <i>Citrus aurantifolia</i> x <i>Fortunella</i> spp.))		
0161050	Carambola (Bilimbi)		
0161060	Persimmon		

▼ **M45**

(1)	(2)	(3)	(4)
0161070	Jambolan (java plum) (Java apple/water apple, pomerac, rose apple, Brazilian cherry, Surinam cherry/grumichama ( <i>Eugenia uniflora</i> ))		
0161990	Others		
0162000	(b) <i>Inedible peel, small</i>		
0162010	Kiwi		
0162020	Lychee (Litchi) (Pulasan, rambutan/hairy litchi, longan, mangosteen, langsung, salak)		
0162030	Passion fruit		
0162040	Prickly pear (cactus fruit)		
0162050	Star apple		
0162060	American persimmon (Virginia kaki) (Black sapote, white sapote, green sapote, canistel/yellow sapote, mammey sapote)		
0162990	Others		
0163000	(c) <i>Inedible peel, large</i>		
0163010	Avocados		
0163020	Bananas (Dwarf banana, plantain, apple banana)		
0163030	Mangoes		
0163040	Papaya		
0163050	Pomegranate		
0163060	Cherimoya (Custard apple, sugar apple/sweetsop, ilama ( <i>Annona diversifolia</i> ) and other medium sized <i>Annonaceae</i> fruits)		
0163070	Guava (Red pitaya/dragon fruit ( <i>Hylocereus undatus</i> ))		
0163080	Pineapples		
0163090	Bread fruit (Jackfruit)		
0163100	Durian		
0163110	Soursop (guanabana)		
0163990	Others		
0200000	<b>2. VEGETABLES FRESH OR FROZEN</b>		<b>0,05 (*)</b>
0210000	(i) <b>Root and tuber vegetables</b>	<b>0,01 (*)</b>	
0211000	(a) <i>Potatoes</i>		
0212000	(b) <i>Tropical root and tuber vegetables</i>		
0212010	Cassava (Dasheen, eddoe/Japanese taro, tannia)		
0212020	Sweet potatoes		
0212030	Yams (Potato bean/yam bean, Mexican yam bean)		



▼ **M45**

(1)	(2)	(3)	(4)
0212040	Arrowroot		
0212990	Others		
0213000	(c) <i>Other root and tuber vegetables except sugar beet</i>		
0213010	Beetroot		
0213020	Carrots		
0213030	Celeriac		
0213040	Horseradish (Angelica roots, lovage roots, gentiana roots)		
0213050	Jerusalem artichokes (Crosne)		
0213060	Parsnips		
0213070	Parsley root		
0213080	Radishes (Black radish, Japanese radish, small radish and similar varieties, tiger nut ( <i>Cyperus esculentus</i> ))		
0213090	Salsify (Scorzoneria, Spanish salsify/ Spanish oysterplant, edible burdock)		
0213100	Swedes		
0213110	Turnips		
0213990	Others		
0220000	(ii) <b>Bulb vegetables</b>	<b>0,01 (*)</b>	
0220010	Garlic		
0220020	Onions (Other bulb onions, silverskin onions)		
0220030	Shallots		
0220040	Spring onions and welsh onions (Other green onions and similar varieties)		
0220990	Others		
0230000	(iii) <b>Fruiting vegetables</b>	<b>0,01 (*)</b>	
0231000	(a) <i>Solanacea</i>		
0231010	Tomatoes (Cherry tomatoes, <i>Physalis</i> spp., gojiberry, wolfberry ( <i>Lycium barbarum</i> and <i>L. chinense</i> ), tree tomato)		
0231020	Peppers (Chilli peppers)		
0231030	Aubergines (egg plants) (Pepino, antroewa/white eggplant ( <i>S. macrocarpon</i> ))		
0231040	Okra (lady's fingers)		
0231990	Others		
0232000	(b) <i>Cucurbits — edible peel</i>		
0232010	Cucumbers		
0232020	Gherkins		

▼ **M45**

(1)	(2)	(3)	(4)
0232030	Courgettes (Summer squash, marrow (patisson), lauki ( <i>Lagenaria siceraria</i> ), chayote, sopropo/bitter melon, snake gourd, angled luffa/teroi)		
0232990	Others		
0233000	(c) <i>Cucurbits-inedible peel</i>		
0233010	Melons (Kiwano)		
0233020	Pumpkins (Winter squash, marrow (late variety))		
0233030	Watermelons		
0233990	Others		
0234000	(d) <i>Sweet corn (Baby corn)</i>		
0239000	(e) <i>Other fruiting vegetables</i>		
0240000	(iv) <b>Brassica vegetables</b>	<b>0,01 (*)</b>	
0241000	(a) <i>Flowering brassica</i>		
0241010	Broccoli (Calabrese, Broccoli raab, Chinese broccoli)		
0241020	Cauliflower		
0241990	Others		
0242000	(b) <i>Head brassica</i>		
0242010	Brussels sprouts		
0242020	Head cabbage (Pointed head cabbage, red cabbage, savoy cabbage, white cabbage)		
0242990	Others		
0243000	(c) <i>Leafy brassica</i>		
0243010	Chinese cabbage (Indian or Chinese) mustard, pak choi, Chinese flat cabbage/ ai goo choi), choi sum, Peking cabbage/ pe-tsai)		
0243020	Kale (Borecole/curly kale, collards, Portuguese Kale, Portuguese cabbage, cow cabbage)		
0243990	Others		
0244000	(d) <i>Kohlrabi</i>		
0250000	(v) <b>Leaf vegetables &amp; fresh herbs</b>		
0251000	(a) <i>Lettuce and other salad plants including Brassicacea</i>	<b>0,01 (*)</b>	
0251010	Lamb's lettuce (Italian corn salad)		
0251020	Lettuce (Head lettuce, lollo rosso (cutting lettuce), iceberg lettuce, romaine (cos) lettuce)		
0251030	Scarole (broad-leaf endive) (Wild chicory, red-leaved chicory, radicchio, curly leaf endive, sugar loaf ( <i>C. endivia</i> var. <i>crispum</i> / <i>C. intybus</i> var. <i>foliosum</i> ), dandelion greens)		

## ▼ M45

(1)	(2)	(3)	(4)
0251040	Cress (Mung bean sprouts, alfalfa sprouts)		
0251050	Land cress		
0251060	Rocket, Rucola (Wild rocket ( <i>Diplotaxis</i> spp.))		
0251070	Red mustard		
0251080	Leaves and sprouts of <i>Brassica</i> spp, including turnip greens (Mizuna, leaves of peas and radish and other babyleaf crops, including brassica crops (crops harvested up to 8 true leaf stage), kohlrabi leaves)		
0251990	Others		
0252000	(b) <i>Spinach &amp; similar (leaves)</i>	<b>0,01 (*)</b>	
0252010	Spinach (New Zealand spinach, amaranthus spinach (pak-khom, tampara), tajer leaves, bitterblad/bitawiri)		
0252020	Purslane (Winter purslane/miner's lettuce, garden purslane, common purslane, sorrel, glassworth, agretti ( <i>Salsola soda</i> ))		
0252030	Beet leaves (chard) (Leaves of beetroot)		
0252990	Others		
0253000	(c) <i>Vine leaves (grape leaves) (Malabar nightshade, banana leaves, climbing wattle (Acacia pennata))</i>	<b>0,01 (*)</b>	
0254000	(d) <i>Water cress (Morning glory/Chinese convolvulus/water convolvulus/water spinach/kangkung (Ipomea aquatica), water clover, water mimosa)</i>	<b>0,01 (*)</b>	
0255000	(e) <i>Witloof</i>	<b>0,01 (*)</b>	
0256000	(f) <i>Herbs</i>	<b>0,02 (*)</b>	
0256010	Chervil		
0256020	Chives		
0256030	Celery leaves (Fennel leaves, coriander leaves, dill leaves, caraway leaves, lovage, angelica, sweet ciseley and other <i>Apiacea</i> leaves, culantro/stinking/long coriander/stink weed ( <i>Eryngium foetidum</i> ))		
0256040	Parsley (leaves of root parsley)		
0256050	Sage (Winter savory, summer savory, <i>Borago officinalis</i> leaves)		
0256060	Rosemary		
0256070	Thyme (Marjoram, oregano)		

▼ **M45**

(1)	(2)	(3)	(4)
0256080	Basil (Balm leaves, mint, peppermint, holy basil, sweet basil, hairy basil, edible flowers (marigold flower and others), pennywort, wild betel leaf, curry leaves)		
0256090	Bay leaves (laurel) (Lemon grass)		
0256100	Tarragon (Hyssop)		
0256990	Others		
0260000	<b>(vi) Legume vegetables (fresh)</b>	<b>0,01 (*)</b>	
0260010	Beans (with pods) (Green bean/French beans/snap beans, scarlet runner bean, slicing bean, yard long beans, guar beans, soya beans)		
0260020	Beans (without pods) (Broad beans, flageolets, jack bean, lima bean, cowpea)		
0260030	Peas (with pods) (Mangetout/sugar peas/snow peas)		
0260040	Peas (without pods) (Garden pea, green pea, chickpea)		
0260050	Lentils		
0260990	Others		
0270000	<b>(vii) Stem vegetables (fresh)</b>	<b>0,01 (*)</b>	
0270010	Asparagus		
0270020	Cardoons ( <i>Borago officinalis</i> stems)		
0270030	Celery		
0270040	Fennel		
0270050	Globe artichokes (Banana flower)		
0270060	Leek		
0270070	Rhubarb		
0270080	Bamboo shoots		
0270090	Palm hearts		
0270990	Others		
0280000	<b>(viii) Fungi</b>	<b>0,01 (*)</b>	
0280010	Cultivated fungi (Common mushroom, oyster mushroom, shiitake, fungus mycelium (vegetative parts))		
0280020	Wild fungi (Chanterelle, truffle, morel, cep)		
0280990	Others		
0290000	<b>(ix) Sea weeds</b>	<b>0,01 (*)</b>	
0300000	<b>3. PULSES, DRY</b>	<b>0,01 (*)</b>	<b>0,05 (*)</b>
0300010	Beans (Broad beans, navy beans, flageolets, jack beans, lima beans, field beans, cowpeas)		
0300020	Lentils		
0300030	Peas (Chickpeas, field peas, chickling vetch)		

▼ **M45**

(1)	(2)	(3)	(4)
0300040	Lupins		
0300990	Others		
0400000	<b>4. OILSEEDS AND OILFRUITS</b>	<b>0,02 (*)</b>	<b>0,05 (*)</b>
0401000	(i) <b>Oilseeds</b>		
0401010	Linseed		
0401020	Peanuts		
0401030	Poppy seed		
0401040	Sesame seed		
0401050	Sunflower seed		
0401060	Rape seed (Bird rapeseed, turnip rape)		
0401070	Soya bean		
0401080	Mustard seed		
0401090	Cotton seed		
0401100	Pumpkin seeds (Other seeds of <i>Cucurbitaceae</i> )		
0401110	Safflower		
0401120	Borage (Purple viper's bugloss/Canary flower ( <i>Echium plantagineum</i> ), Corn Gromwell ( <i>Buglossoides arvensis</i> ))		
0401130	Gold of pleasure		
0401140	Hempseed		
0401150	Castor bean		
0401990	Others		
0402000	(ii) <b>Oilfruits</b>		
0402010	Olives for oil production		
0402020	Palm nuts (palmoil kernels)		
0402030	Palmfruit		
0402040	Kapok		
0402990	Others		
0500000	<b>5. CEREALS</b>	<b>0,01 (*)</b>	<b>0,05 (*)</b>
0500010	Barley		
0500020	Buckwheat ( <i>Amaranthus, quinoa</i> )		
0500030	Maize		
0500040	Millet (Foxtail millet, teff, finger millet, pearl millet)		
0500050	Oats		
0500060	Rice (Indian/wild rice ( <i>Zizania aquatica</i> ))		
0500070	Rye		
0500080	Sorghum		
0500090	Wheat (Spelt, triticale)		
0500990	Others (Canary grass seeds ( <i>Phalaris canariensis</i> ))		

▼ **M45**

(1)	(2)	(3)	(4)
0600000	<b>6. TEA, COFFEE, HERBAL INFUSIONS AND COCOA</b>	<b>0,05 (*)</b>	<b>0,1 (*)</b>
0610000	(i) <b>Tea</b>		
0620000	(ii) <b>Coffee beans</b>		
0630000	(iii) <b>Herbal infusions (dried)</b>		
0631000	(a) <i>Flowers</i>		
0631010	Camomille flowers		
0631020	Hybiscus flowers		
0631030	Rose petals		
0631040	Jasmine flowers (Elderflowers ( <i>Sambucus nigra</i> ))		
0631050	Lime (linden)		
0631990	Others		
0632000	(b) <i>Leaves</i>		
0632010	Strawberry leaves		
0632020	Rooibos leaves (Ginkgo leaves)		
0632030	Maté		
0632990	Others		
0633000	(c) <i>Roots</i>		
0633010	Valerian root		
0633020	Ginseng root		
0633990	Others		
0639000	(d) <i>Other herbal infusions</i>		
0640000	(iv) <b>Cocoabeans (fermented or dried)</b>		
0650000	(v) <b>Carob (st johns bread)</b>		
0700000	<b>7. HOPS (dried)</b>	<b>0,05 (*)</b>	<b>0,05 (*)</b>
0800000	<b>8. SPICES</b>	<b>0,05 (*)</b>	<b>0,1 (*)</b>
0810000	(i) <b>Seeds</b>		
0810010	Anise		
0810020	Black caraway		
0810030	Celery seed (Lovage seed)		
0810040	Coriander seed		
0810050	Cumin seed		
0810060	Dill seed		
0810070	Fennel seed		
0810080	Fenugreek		
0810090	Nutmeg		
0810990	Others		
0820000	(ii) <b>Fruits and berries</b>		
0820010	Allspice		

▼ **M45**

(1)	(2)	(3)	(4)
0820020	Sichuan pepper (Anise pepper, Japan pepper)		
0820030	Caraway		
0820040	Cardamom		
0820050	Juniper berries		
0820060	Pepper, black, green and white (Long pepper, pink pepper)		
0820070	Vanilla pods		
0820080	Tamarind		
0820990	Others		
0830000	(iii) <b>Bark</b>		
0830010	Cinnamon (Cassia)		
0830990	Others		
0840000	(iv) <b>Roots or rhizome</b>		
0840010	Liquorice		
0840020	Ginger		
0840030	Turmeric (Curcuma)		
0840040	Horseradish		
0840990	Others		
0850000	(v) <b>Buds</b>		
0850010	Cloves		
0850020	Capers		
0850990	Others		
0860000	(vi) <b>Flower stigma</b>		
0860010	Saffron		
0860990	Others		
0870000	(vii) <b>Aril</b>		
0870010	Mace		
0870990	Others		
0900000	9. <b>SUGAR PLANTS</b>	<b>0,01 (*)</b>	<b>0,05 (*)</b>
0900010	Sugar beet (root)		
0900020	Sugar cane		
0900030	Chicory roots		
0900990	Others		

▼ **M45**

(1)	(2)	(3)	(4)
1000000	<b>10. PRODUCTS OF ANIMAL ORIGIN- TERRESTRIAL ANIMALS</b>	<b>0,01 (*)</b>	<b>0,05 (*)</b>
1010000	(i) <b>Tissue</b>		
1011000	(a) <i>Swine</i>		
1011010	Muscle		
1011020	Fat		
1011030	Liver		
1011040	Kidney		
1011050	Edible offal		
1011990	Others		
1012000	(b) <i>Bovine</i>		
1012010	Muscle		
1012020	Fat		
1012030	Liver		
1012040	Kidney		
1012050	Edible offal		
1012990	Others		
1013000	(c) <i>Sheep</i>		
1013010	Muscle		
1013020	Fat		
1013030	Liver		
1013040	Kidney		
1013050	Edible offal		
1013990	Others		
1014000	(d) <i>Goat</i>		
1014010	Muscle		
1014020	Fat		
1014030	Liver		
1014040	Kidney		
1014050	Edible offal		
1014990	Others		
1015000	(e) <i>Horses, asses, mules or hinnies</i>		
1015010	Muscle		
1015020	Fat		
1015030	Liver		



▼ **M45**

(1)	(2)	(3)	(4)
1015040	Kidney		
1015050	Edible offal		
1015990	Others		
1016000	(f) <i>Poultry -chicken, geese, duck, turkey and Guinea fowl-, ostrich, pigeon</i>		
1016010	Muscle		
1016020	Fat		
1016030	Liver		
1016040	Kidney		
1016050	Edible offal		
1016990	Others		
1017000	(g) <i>Other farm animals (Rabbit, kangaroo, deer)</i>		
1017010	Muscle		
1017020	Fat		
1017030	Liver		
1017040	Kidney		
1017050	Edible offal		
1017990	Others		
1020000	(ii) <b>Milk</b>		
1020010	Cattle		
1020020	Sheep		
1020030	Goat		
1020040	Horse		
1020990	Others		
1030000	(iii) <b>Bird eggs</b>		
1030010	Chicken		
1030020	Duck		
1030030	Goose		
1030040	Quail		
1030990	Others		

▼ **M45**

(1)	(2)	(3)	(4)
1040000	(iv) <b>Honey (Royal jelly, pollen, honey comb with honey (comb honey))</b>		
1050000	(v) <b>Amphibians and reptiles (Frog legs, crocodiles)</b>		
1060000	(vi) <b>Snails</b>		
1070000	(vii) <b>Other terrestrial animal products (Wild game)</b>		

▼ **M46****Pesticide residues and maximum residue levels (mg/kg)**

Code number	Groups and examples of individual products to which the MRLs apply <sup>(a)</sup>	Cyflumetopril (F)	Diniconazole (sum of isomers)
(1)	(2)	(3)	(4)
0100000	<b>1. FRUIT FRESH OR FROZEN NUTS</b>	0,05 (*)	
0110000	<b>(i) Citrus fruit</b>		0,01 (*)
0110010	Grapefruit (Shaddocks, pomelos, sweeties, tangelo (except mineola), ugli and other hybrids)		
0110020	Oranges (Bergamot, bitter orange, chinotto and other hybrids)		
0110030	Lemons (Citron, lemon, Buddha's hand ( <i>Citrus medica</i> var. <i>sarcodactylis</i> ))		
0110040	Limes		
0110050	Mandarins (Clementine, tangerine, mineola and other hybrids tangor ( <i>Citrus reticulata</i> x <i>sinensis</i> ))		
0110990	Others		
0120000	<b>(ii) Tree nuts</b>		0,02 (*)
0120010	Almonds		
0120020	Brazil nuts		
0120030	Cashew nuts		
0120040	Chestnuts		
0120050	Coconuts		
0120060	Hazelnuts (Filbert)		
0120070	Macadamia		
0120080	Pecans		
0120090	Pine nuts		
0120100	Pistachios		
0120110	Walnuts		
0120990	Others		
0130000	<b>(iii) Pome fruit</b>		0,01 (*)
0130010	Apples (Crab apple)		
0130020	Pears (Oriental pear)		
0130030	Quinces		
0130040	Medlar		
0130050	Loquat		
0130990	Others		
0140000	<b>(iv) Stone fruit</b>		0,01 (*)
0140010	Apricots		
0140020	Cherries (Sweet cherries, sour cherries)		
0140030	Peaches (Nectarines and similar hybrids)		

▼ **M46**

(1)	(2)	(3)	(4)
0140040	Plums (Damson, greengage, mirabelle, sloe, red date/Chinese date/Chinese jujube ( <i>Zizyphus zizyphus</i> ))		
0140990	Others		
0150000	(v) <b>Berries &amp; small fruit</b>		0,01 (*)
0151000	(a) <i>Table and wine grapes</i>		
0151010	Table grapes		
0151020	Wine grapes		
0152000	(b) <i>Strawberries</i>		
0153000	(c) <i>Cane fruit</i>		
0153010	Blackberries		
0153020	Dewberries (Loganberries, tayberries, boysenberries, cloudberrries and other <i>Rubus</i> hybrids)		
0153030	Raspberries (Wineberries, arctic bramble/raspberry, ( <i>Rubus arcticus</i> ), nectar raspberries ( <i>Rubus arcticus</i> x <i>Rubus idaeus</i> ))		
0153990	Others		
0154000	(d) <i>Other small fruit &amp; berries</i>		
0154010	Blueberries (Bilberries)		
0154020	Cranberries (Cowberries/red bilberries ( <i>V. vitis-idaea</i> ))		
0154030	Currants (red, black and white)		
0154040	Gooseberries (Including hybrids with other <i>Ribes</i> species)		
0154050	Rose hips		
0154060	Mulberries ( <i>Arbutus</i> berry)		
0154070	Azarole (mediteranean medlar) (Kiwiberry ( <i>Actinidia arguta</i> ))		
0154080	Elderberries (Black chokeberry/apple-berry, mountain ash, buckthorn/sea sallowthorn, hawthorn, serviceberries, and other treeberries)		
0154990	Others		
0160000	(vi) <b>Miscellaneous fruit</b>		0,01 (*)
0161000	(a) <i>Edible peel</i>		
0161010	Dates		
0161020	Figs		
0161030	Table olives		
0161040	Kumquats (Marumi kumquats, nagami kumquats, limequats ( <i>Citrus aurantifolia</i> x <i>Fortunella</i> spp.))		
0161050	Carambola (Bilimbi)		
0161060	Persimmon		

▼ **M46**

(1)	(2)	(3)	(4)
0161070	Jambolan (java plum) (Java apple/water apple, pomerac, rose apple, Brazilian cherry, Surinam cherry/grumichama ( <i>Eugenia uniflora</i> ))		
0161990	Others		
0162000	(b) <i>Inedible peel, small</i>		
0162010	Kiwi		
0162020	Lychee (Litchi) (Pulasan, rambutan/hairy litchi, longan, mangosteen, langsung, salak)		
0162030	Passion fruit		
0162040	Prickly pear (cactus fruit)		
0162050	Star apple		
0162060	American persimmon (Virginia kaki) (Black sapote, white sapote, green sapote, canistel/yellow sapote, mammey sapote)		
0162990	Others		
0163000	(c) <i>Inedible peel, large</i>		
0163010	Avocados		
0163020	Bananas (Dwarf banana, plantain, apple banana)		
0163030	Mangoes		
0163040	Papaya		
0163050	Pomegranate		
0163060	Cherimoya (Custard apple, sugar apple/sweetsop, ilama ( <i>Annona diversifolia</i> ) and other medium sized <i>Annonaceae</i> fruits)		
0163070	Guava (Red pitaya/dragon fruit ( <i>Hylocereus undatus</i> ))		
0163080	Pineapples		
0163090	Bread fruit (Jackfruit)		
0163100	Durian		
0163110	Soursop (guanabana)		
0163990	Others		
0200000	<b>2. VEGETABLES FRESH OR FROZEN</b>		
0210000	(i) <b>Root and tuber vegetables</b>	0,05 (*)	0,01 (*)
0211000	(a) <i>Potatoes</i>		
0212000	(b) <i>Tropical root and tuber vegetables</i>		
0212010	Cassava (Dasheen, eddoe/Japanese taro, tannia)		
0212020	Sweet potatoes		
0212030	Yams (Potato bean/yam bean, Mexican yam bean)		

▼ **M46**

(1)	(2)	(3)	(4)
0212040	Arrowroot		
0212990	Others		
0213000	(c) <i>Other root and tuber vegetables except sugar beet</i>		
0213010	Beetroot		
0213020	Carrots		
0213030	Celeriac		
0213040	Horseradish (Angelica roots, lovage roots, gentiana roots)		
0213050	Jerusalem artichokes (Crosne)		
0213060	Parsnips		
0213070	Parsley root		
0213080	Radishes (Black radish, Japanese radish, small radish and similar varieties, tiger nut ( <i>Cyperus esculentus</i> ))		
0213090	Salsify (Scorzoneria, Spanish salsify/ Spanish oysterplant, edible burdock)		
0213100	Swedes		
0213110	Turnips		
0213990	Others		
0220000	(ii) <b>Bulb vegetables</b>	0,05 (*)	<b>0,01 (*)</b>
0220010	Garlic		
0220020	Onions (Other bulb onions, silverskin onions)		
0220030	Shallots		
0220040	Spring onions and welsh onions (Other green onions and similar varieties)		
0220990	Others		
0230000	(iii) <b>Fruiting vegetables</b>	0,05 (*)	0,01 (*)
0231000	(a) <i>Solanacea</i>		
0231010	Tomatoes (Cherry tomatoes, <i>Physalis</i> spp., gojiberry, wolfberry ( <i>Lycium barbarum</i> and <i>L. chinense</i> ), tree tomato)		
0231020	Peppers (Chilli peppers)		
0231030	Aubergines (egg plants) (Pepino, antroewa/white eggplant ( <i>S. macrocarpon</i> ))		
0231040	Okra (lady's fingers)		
0231990	Others		
0232000	(b) <i>Cucurbits — edible peel</i>		
0232010	Cucumbers		
0232020	Gherkins		

▼ **M46**

(1)	(2)	(3)	(4)
0232030	Courgettes (Summer squash, marrow (patisson), lauki ( <i>Lagenaria siceraria</i> ), chayote, sopropo/bitter melon, snake gourd, angled luffa/teroi)		
0232990	Others		
0233000	(c) <i>Cucurbits — inedible peel</i>		
0233010	Melons (Kiwano)		
0233020	Pumpkins (Winter squash, marrow (late variety))		
0233030	Watermelons		
0233990	Others		
0234000	(d) <i>Sweet corn (Baby corn)</i>		
0239000	(e) <i>Other fruiting vegetables</i>		
0240000	(iv) <b>Brassica vegetables</b>	0,05 (*)	0,01 (*)
0241000	(a) <i>Flowering brassica</i>		
0241010	Broccoli (Calabrese, Broccoli raab, Chinese broccoli)		
0241020	Cauliflower		
0241990	Others		
0242000	(b) <i>Head brassica</i>		
0242010	Brussels sprouts		
0242020	Head cabbage (Pointed head cabbage, red cabbage, savoy cabbage, white cabbage)		
0242990	Others		
0243000	(c) <i>Leafy brassica</i>		
0243010	Chinese cabbage (Indian or Chinese) mustard, pak choi, Chinese flat cabbage/ ai goo choi), choy sum, Peking cabbage/ pe-tsai)		
0243020	Kale (Borecole/curly kale, collards, Portuguese Kale, Portuguese cabbage, cow cabbage)		
0243990	Others		
0244000	(d) <i>Kohlrabi</i>		
0250000	(v) <b>Leaf vegetables &amp; fresh herbs</b>		
0251000	(a) <i>Lettuce and other salad plants including Brassicacea</i>	0,05 (*)	0,01 (*)
0251010	Lamb's lettuce (Italian corn salad)		
0251020	Lettuce (Head lettuce, lollo rosso (cutting lettuce), iceberg lettuce, romaine (cos) lettuce)		
0251030	Scarole (broad-leaf endive) (Wild chicory, red-leaved chicory, radicchio, curly leaf endive, sugar loaf ( <i>C. endivia</i> var. <i>crispum</i> / <i>C. intybus</i> var. <i>foliosum</i> ), dandelion greens)		

## ▼ M46

(1)	(2)	(3)	(4)
0251040	Cress (Mung bean sprouts, alfalfa sprouts)		
0251050	Land cress		
0251060	Rocket, Rucola (Wild rocket ( <i>Diplotaxis</i> spp.))		
0251070	Red mustard		
0251080	Leaves and sprouts of <i>Brassica</i> spp, including turnip greens (Mizuna, leaves of peas and radish and other babyleaf crops, including brassica crops (crops harvested up to 8 true leaf stage), kohlrabi leaves)		
0251990	Others		
0252000	(b) <i>Spinach &amp; similar (leaves)</i>	0,05 (*)	0,01 (*)
0252010	Spinach (New Zealand spinach, amaranthus spinach (pak-khom, tampara), tajer leaves, bitterblad/bitawiri)		
0252020	Purslane (Winter purslane/miner's lettuce, garden purslane, common purslane, sorrel, glassworth, agretti ( <i>Salsola soda</i> ))		
0252030	Beet leaves (chard) (Leaves of beetroot)		
0252990	Others		
0253000	(c) <i>Vine leaves (grape leaves) (Malabar nightshade, banana leaves, climbing wattle (Acacia pennata))</i>	0,05 (*)	0,01 (*)
0254000	(d) <i>Water cress (Morning glory/Chinese convolvulus/water convolvulus/water spinach/kangkung (Ipomea aquatica), water clover, water mimosa)</i>	0,05 (*)	0,01 (*)
0255000	(e) <i>Witloof</i>	0,05 (*)	0,01 (*)
0256000	(f) <i>Herbs</i>	<b>0,1 (*)</b>	0,02 (*)
0256010	Chervil		
0256020	Chives		
0256030	Celery leaves (Fennel leaves, coriander leaves, dill leaves, caraway leaves, lovage, angelica, sweet ciseley and other <i>Apiacea</i> leaves, culantro/stinking/long coriander/stink weed ( <i>Eryngium foetidum</i> ))		
0256040	Parsley (leaves of root parsley)		
0256050	Sage (Winter savory, summer savory, <i>Borago officinalis</i> leaves)		
0256060	Rosemary		
0256070	Thyme (Marjoram, oregano)		



▼ **M46**

(1)	(2)	(3)	(4)
0256080	Basil (Balm leaves, mint, peppermint, holy basil, sweet basil, hairy basil, edible flowers (marigold flower and others), pennywort, wild betel leaf, curry leaves)		
0256090	Bay leaves (laurel) (Lemon grass)		
0256100	Tarragon (Hyssop)		
0256990	Others		
0260000	<b>(vi) Legume vegetables (fresh)</b>	0,05 (*)	0,01 (*)
0260010	Beans (with pods) (Green bean/French beans/snap beans, scarlet runner bean, slicing bean, yard long beans, guar beans, soya beans)		
0260020	Beans (without pods) (Broad beans, flageolets, jack bean, lima bean, cowpea)		
0260030	Peas (with pods) (Mangetout/sugar peas/snow peas)		
0260040	Peas (without pods) (Garden pea, green pea, chickpea)		
0260050	Lentils		
0260990	Others		
0270000	<b>(vii) Stem vegetables (fresh)</b>	0,05 (*)	0,01 (*)
0270010	Asparagus		
0270020	Cardoons ( <i>Borago officinalis</i> stems)		
0270030	Celery		
0270040	Fennel		
0270050	Globe artichokes (Banana flower)		
0270060	Leek		
0270070	Rhubarb		
0270080	Bamboo shoots		
0270090	Palm hearts		
0270990	Others		
0280000	<b>(viii) Fungi</b>	0,05 (*)	0,01 (*)
0280010	Cultivated fungi (Common mushroom, oyster mushroom, shiitake, fungus mycelium (vegetative parts))		
0280020	Wild fungi (Chanterelle, truffle, morel, cep)		
0280990	Others		
0290000	<b>(ix) Sea weeds</b>	0,05 (*)	0,01 (*)
0300000	<b>3. PULSES, DRY</b>	0,05 (*)	0,01 (*)
0300010	Beans (Broad beans, navy beans, flageolets, jack beans, lima beans, field beans, cowpeas)		
0300020	Lentils		
0300030	Peas (Chickpeas, field peas, chickling vetch)		

▼ **M46**

(1)	(2)	(3)	(4)
0300040	Lupins		
0300990	Others		
0400000	4. <b>OILSEEDS AND OILFRUITS</b>	<b>0,05 (*)</b>	0,02 (*)
0401000	(i) <b>Oilseeds</b>		
0401010	Linseed		
0401020	Peanuts		
0401030	Poppy seed		
0401040	Sesame seed		
0401050	Sunflower seed		
0401060	Rape seed (Bird rapeseed, turnip rape)		
0401070	Soya bean		
0401080	Mustard seed		
0401090	Cotton seed		
0401100	Pumpkin seeds (Other seeds of <i>Cucurbitaceae</i> )		
0401110	Safflower		
0401120	Borage (Purple viper's bugloss/Canary flower ( <i>Echium plantagineum</i> ), Corn Gromwell ( <i>Buglossoides arvensis</i> ))		
0401130	Gold of pleasure		
0401140	Hempseed		
0401150	Castor bean		
0401990	Others		
0402000	(ii) <b>Oilfruits</b>		
0402010	Olives for oil production		
0402020	Palm nuts (palmoil kernels)		
0402030	Palmfruit		
0402040	Kapok		
0402990	Others		
0500000	5. <b>CEREALS</b>	<b>0,05 (*)</b>	<b>0,01 (*)</b>
0500010	Barley		
0500020	Buckwheat ( <i>Amaranthus, quinoa</i> )		
0500030	Maize		
0500040	Millet (Foxtail millet, teff, finger millet, pearl millet)		
0500050	Oats		
0500060	Rice (Indian/wild rice ( <i>Zizania aquatica</i> ))		
0500070	Rye		
0500080	Sorghum		
0500090	Wheat (Spelt, triticale)		
0500990	Others (Canary grass seeds ( <i>Phalaris canariensis</i> ))		

▼ **M46**

(1)	(2)	(3)	(4)
0600000	<b>6. TEA, COFFEE, HERBAL INFUSIONS AND COCOA</b>	0,1 (*)	0,05 (*)
0610000	(i) <b>Tea</b>		
0620000	(ii) <b>Coffee beans</b>		
0630000	(iii) <b>Herbal infusions (dried)</b>		
0631000	(a) <i>Flowers</i>		
0631010	Camomille flowers		
0631020	Hybiscus flowers		
0631030	Rose petals		
0631040	Jasmine flowers (Elderflowers ( <i>Sambucus nigra</i> ))		
0631050	Lime (linden)		
0631990	Others		
0632000	(b) <i>Leaves</i>		
0632010	Strawberry leaves		
0632020	Rooibos leaves (Ginkgo leaves)		
0632030	Maté		
0632990	Others		
0633000	(c) <i>Roots</i>		
0633010	Valerian root		
0633020	Ginseng root		
0633990	Others		
0639000	(d) <i>Other herbal infusions</i>		
0640000	(iv) <b>Cocoabeans (fermented or dried)</b>		
0650000	(v) <b>Carob (st johns bread)</b>		
0700000	<b>7. HOPS (dried)</b>	0,1 (*)	0,05 (*)
0800000	<b>8. SPICES</b>	0,1 (*)	0,05 (*)
0810000	(i) <b>Seeds</b>		
0810010	Anise		
0810020	Black caraway		
0810030	Celery seed (Lovage seed)		
0810040	Coriander seed		
0810050	Cumin seed		
0810060	Dill seed		
0810070	Fennel seed		
0810080	Fenugreek		
0810090	Nutmeg		
0810990	Others		
0820000	(ii) <b>Fruits and berries</b>		
0820010	Allspice		

▼ **M46**

(1)	(2)	(3)	(4)
0820020	Sichuan pepper (Anise pepper, Japan pepper)		
0820030	Caraway		
0820040	Cardamom		
0820050	Juniper berries		
0820060	Pepper, black, green and white (Long pepper, pink pepper)		
0820070	Vanilla pods		
0820080	Tamarind		
0820990	Others		
0830000	(iii) <b>Bark</b>		
0830010	Cinnamon (Cassia)		
0830990	Others		
0840000	(iv) <b>Roots or rhizome</b>		
0840010	Liquorice		
0840020	Ginger		
0840030	Turmeric (Curcuma)		
0840040	Horseradish		
0840990	Others		
0850000	(v) <b>Buds</b>		
0850010	Cloves		
0850020	Capers		
0850990	Others		
0860000	(vi) <b>Flower stigma</b>		
0860010	Saffron		
0860990	Others		
0870000	(vii) <b>Aril</b>		
0870010	Mace		
0870990	Others		
0900000	9. <b>SUGAR PLANTS</b>	0,05 (*)	0,01 (*)
0900010	Sugar beet (root)		
0900020	Sugar cane		
0900030	Chicory roots		
0900990	Others		

▼ **M46**

(1)	(2)	(3)	(4)
1000000	<b>10. PRODUCTS OF ANIMAL ORIGIN- TERRESTRIAL ANIMALS</b>		
1010000	(i) <b>Tissue</b>	0,01 (*)	0,01 (*)
1011000	(a) <i>Swine</i>		
1011010	Muscle		
1011020	Fat		
1011030	Liver		
1011040	Kidney		
1011050	Edible offal		
1011990	Others		
1012000	(b) <i>Bovine</i>		
1012010	Muscle		
1012020	Fat		
1012030	Liver		
1012040	Kidney		
1012050	Edible offal		
1012990	Others		
1013000	(c) <i>Sheep</i>		
1013010	Muscle		
1013020	Fat		
1013030	Liver		
1013040	Kidney		
1013050	Edible offal		
1013990	Others		
1014000	(d) <i>Goat</i>		
1014010	Muscle		
1014020	Fat		
1014030	Liver		
1014040	Kidney		
1014050	Edible offal		
1014990	Others		
1015000	(e) <i>Horses, asses, mules or hinnies</i>		
1015010	Muscle		
1015020	Fat		
1015030	Liver		

▼ **M46**

(1)	(2)	(3)	(4)
1015040	Kidney		
1015050	Edible offal		
1015990	Others		
1016000	(f) <i>Poultry -chicken, geese, duck, turkey and Guinea fowl-, ostrich, pigeon</i>		
1016010	Muscle		
1016020	Fat		
1016030	Liver		
1016040	Kidney		
1016050	Edible offal		
1016990	Others		
1017000	(g) <i>Other farm animals (Rabbit, kangaroo, deer)</i>		
1017010	Muscle		
1017020	Fat		
1017030	Liver		
1017040	Kidney		
1017050	Edible offal		
1017990	Others		
1020000	(ii) <b>Milk</b>	0,01 (*)	0,01 (*)
1020010	Cattle		
1020020	Sheep		
1020030	Goat		
1020040	Horse		
1020990	Others		
1030000	(iii) <b>Bird eggs</b>	0,01 (*)	0,01 (*)
1030010	Chicken		
1030020	Duck		
1030030	Goose		
1030040	Quail		
1030990	Others		

▼ **M46**

(1)	(2)	(3)	(4)
1040000	(iv) <b>Honey (Royal jelly, pollen, honey comb with honey (comb honey))</b>	<b>0,05 (*)</b>	<b>0,05 (*)</b>
1050000	(v) <b>Amphibians and reptiles (Frog legs, crocodiles)</b>	<b>0,01 (*)</b>	0,01 (*)
1060000	(vi) <b>Snails</b>	<b>0,01 (*)</b>	0,01 (*)
1070000	(vii) <b>Other terrestrial animal products (Wild game)</b>	<b>0,01 (*)</b>	0,01 (*)

▼ **M50****Pesticide residues and maximum residue levels (mg/kg)**

Code number	Groups and examples of individual products to which the MRLs apply (*)	► <b>M52</b> Thiobencarb (4-chlorobenzyl methyl sulfone) (A) ◀
(1)	(2)	(3)
0100000	<b>1. FRUIT FRESH OR FROZEN NUTS</b>	
0110000	<b>(i) Citrus fruit</b>	<b>0,01 (*)</b>
0110010	Grapefruit (Shaddocks, pomelos, sweeties, tangelo (except mineola), ugli and other hybrids)	
0110020	Oranges (Bergamot, bitter orange, chinotto and other hybrids)	
0110030	Lemons (Citron, lemon, Buddha's hand ( <i>Citrus medica</i> var. <i>sarcodactylis</i> ))	
0110040	Limes	
0110050	Mandarins (Clementine, tangerine, mineola and other hybrids tangor ( <i>Citrus reticulata</i> x <i>sinensis</i> ))	
0110990	Others	
0120000	<b>(ii) Tree nuts</b>	<b>0,02 (*)</b>
0120010	Almonds	
0120020	Brazil nuts	
0120030	Cashew nuts	
0120040	Chestnuts	
0120050	Coconuts	
0120060	Hazelnuts (Filbert)	
0120070	Macadamia	
0120080	Pecans	
0120090	Pine nuts	
0120100	Pistachios	
0120110	Walnuts	
0120990	Others	
0130000	<b>(iii) Pome fruit</b>	<b>0,01 (*)</b>
0130010	Apples (Crab apple)	
0130020	Pears (Oriental pear)	
0130030	Quinces	
0130040	Medlar	
0130050	Loquat	
0130990	Others	
0140000	<b>(iv) Stone fruit</b>	<b>0,01 (*)</b>
0140010	Apricots	
0140020	Cherries (Sweet cherries, sour cherries)	
0140030	Peaches (Nectarines and similar hybrids)	



▼ **M50**

(1)	(2)	(3)
0140040	Plums (Damson, greengage, mirabelle, sloe, red date/Chinese date/Chinese jujube ( <i>Ziziphus zizyphus</i> ))	
0140990	Others	
0150000	<b>(v) Berries &amp; small fruit</b>	<b>0,01 (*)</b>
0151000	<b>(a) Table and wine grapes</b>	
0151010	Table grapes	
0151020	Wine grapes	
0152000	<b>(b) Strawberries</b>	
0153000	<b>(c) Cane fruit</b>	
0153010	Blackberries	
0153020	Dewberries (Loganberries, tayberries, boysenberries, cloudberrys and other <i>Rubus hybrids</i> )	
0153030	Raspberries (Wineberries, arctic bramble/raspberry, ( <i>Rubus arcticus</i> ), nectar raspberries ( <i>Rubus arcticus</i> x <i>Rubus idaeus</i> ))	
0153990	Others	
0154000	<b>(d) Other small fruit &amp; berries</b>	
0154010	Blueberries (Bilberries)	
0154020	Cranberries (Cowberries/red bilberries ( <i>V. vitis-idaea</i> ))	
0154030	Currants (red, black and white)	
0154040	Gooseberries (Including hybrids with other <i>Ribes</i> species)	
0154050	Rose hips	
0154060	Mulberries ( <i>Arbutus</i> berry)	
0154070	Azarole (mediteranean medlar) (Kiwiberry ( <i>Actinidia arguta</i> ))	
0154080	Elderberries (Black chokeberry/appleberry, mountain ash, buck-thorn/sea sallowthorn, hawthorn, serviceberries, and other treeberries)	
0154990	Others	
0160000	<b>(vi) Miscellaneous fruit</b>	<b>0,01 (*)</b>
0161000	<b>(a) Edible peel</b>	
0161010	Dates	
0161020	Figs	
0161030	Table olives	
0161040	Kumquats (Marumi kumquats, nagami kumquats, limequats ( <i>Citrus aurantifolia</i> x <i>Fortunella</i> spp.))	
0161050	Carambola (Bilimbi)	
0161060	Persimmon	

▼ **M50**

(1)	(2)	(3)
0161070	Jambolan (java plum) (Java apple/ water apple, pomerac, rose apple, Brazilian cherry, Surinam cherry/ grumichama ( <i>Eugenia uniflora</i> ))	
0161990	Others	
0162000	(b) <i>Inedible peel, small</i>	
0162010	Kiwi	
0162020	Lychee (Litchi) (Pulasan, rambutan/ hairy litchi, longan, mangosteen, langsats, salak)	
0162030	Passion fruit	
0162040	Prickly pear (cactus fruit)	
0162050	Star apple	
0162060	American persimmon (Virginia kaki) (Black sapote, white sapote, green sapote, canistel/yellow sapote, mammey sapote)	
0162990	Others	
0163000	(c) <i>Inedible peel, large</i>	
0163010	Avocados	
0163020	Bananas (Dwarf banana, plantain, apple banana)	
0163030	Mangoes	
0163040	Papaya	
0163050	Pomegranate	
0163060	Cherimoya (Custard apple, sugar apple/sweetsop, ilama ( <i>Annona diversifolia</i> ) and other medium sized <i>Annonaceae</i> fruits)	
0163070	Guava (Red pitaya/dragon fruit ( <i>Hylocereus undatus</i> ))	
0163080	Pineapples	
0163090	Bread fruit (Jackfruit)	
0163100	Durian	
0163110	Soursop (guanabana)	
0163990	Others	
0200000	<b>2. VEGETABLES FRESH OR FROZEN</b>	
0210000	(i) <b>Root and tuber vegetables</b>	<b>0,01 (*)</b>
0211000	(a) <i>Potatoes</i>	
0212000	(b) <i>Tropical root and tuber vegetables</i>	
0212010	Cassava (Dasheen, eddoe/Japanese taro, tannia)	
0212020	Sweet potatoes	
0212030	Yams (Potato bean/yam bean, Mexican yam bean)	

▼ **M50**

(1)	(2)	(3)
0212040	Arrowroot	
0212990	Others	
0213000	(c) <i>Other root and tuber vegetables except sugar beet</i>	
0213010	Beetroot	
0213020	Carrots	
0213030	Celeriac	
0213040	Horseradish (Angelica roots, lovage roots, gentiana roots)	
0213050	Jerusalem artichokes (Crosne)	
0213060	Parsnips	
0213070	Parsley root	
0213080	Radishes (Black radish, Japanese radish, small radish and similar varieties, tiger nut ( <i>Cyperus esculentus</i> ))	
0213090	Salsify (Scorzonera, Spanish salsify/ Spanish oysterplant, edible burdock)	
0213100	Swedes	
0213110	Turnips	
0213990	Others	
0220000	(ii) <b>Bulb vegetables</b>	<b>0,01 (*)</b>
0220010	Garlic	
0220020	Onions (Other bulb onions, silverskin onions)	
0220030	Shallots	
0220040	Spring onions and welsh onions (Other green onions and similar varieties)	
0220990	Others	
0230000	(iii) <b>Fruiting vegetables</b>	<b>0,01 (*)</b>
0231000	(a) <i>Solanacea</i>	
0231010	Tomatoes (Cherry tomatoes, <i>Physalis</i> spp., gojiberry, wolfberry ( <i>Lycium barbarum</i> and <i>L. chinense</i> ), tree tomato)	
0231020	Peppers (Chilli peppers)	
0231030	Aubergines (egg plants) (Pepino, antroewa/white eggplant ( <i>S. macrocarpon</i> ))	
0231040	Okra (lady's fingers)	
0231990	Others	
0232000	(b) <i>Cucurbits — edible peel</i>	
0232010	Cucumbers	
0232020	Gherkins	

▼ **M50**

(1)	(2)	(3)
0232030	Courgettes (Summer squash, marrow (patisson), lauki ( <i>Lagenaria siceraria</i> ), chayote, sopropo/bitter melon, snake gourd, angled luffa/teroi)	
0232990	Others	
0233000	(c) <i>Cucurbits-inedible peel</i>	
0233010	Melons (Kiwano)	
0233020	Pumpkins (Winter squash, marrow (late variety))	
0233030	Watermelons	
0233990	Others	
0234000	(d) <i>Sweet corn (Baby corn)</i>	
0239000	(e) <i>Other fruiting vegetables</i>	
0240000	(iv) <b>Brassica vegetables</b>	<b>0,01 (*)</b>
0241000	(a) <i>Flowering brassica</i>	
0241010	Broccoli (Calabrese, Broccoli raab, Chinese broccoli)	
0241020	Cauliflower	
0241990	Others	
0242000	(b) <i>Head brassica</i>	
0242010	Brussels sprouts	
0242020	Head cabbage (Pointed head cabbage, red cabbage, savoy cabbage, white cabbage)	
0242990	Others	
0243000	(c) <i>Leafy brassica</i>	
0243010	Chinese cabbage (Indian or Chinese) mustard, pak choi, Chinese flat cabbage/ai goo choi), choi sum, Peking cabbage/pe-tsai)	
0243020	Kale (Borecole/curly kale, collards, Portuguese Kale, Portuguese cabbage, cow cabbage)	
0243990	Others	
0244000	(d) <i>Kohlrabi</i>	
0250000	(v) <b>Leaf vegetables &amp; fresh herbs</b>	
0251000	(a) <i>Lettuce and other salad plants including Brassicacea</i>	<b>0,01 (*)</b>
0251010	Lamb's lettuce (Italian corn salad)	
0251020	Lettuce (Head lettuce, lollo rosso (cutting lettuce), iceberg lettuce, romaine (cos) lettuce)	
0251030	Scarole (broad-leaf endive) (Wild chicory, red-leaved chicory, radicchio, curly leaf endive, sugar loaf ( <i>C. endivia</i> var. <i>crispum</i> / <i>C. intybus</i> var. <i>foliosum</i> ), dandelion greens)	

▼ **M50**

(1)	(2)	(3)
0251040	Cress (Mung bean sprouts, alfalfa sprouts)	
0251050	Land cress	
0251060	Rocket, Rucola (Wild rocket ( <i>Diplotaxis</i> spp.))	
0251070	Red mustard	
0251080	Leaves and sprouts of <i>Brassica</i> spp, including turnip greens ( <i>Mizuna</i> , leaves of peas and radish and other babyleaf crops, including brassica crops (crops harvested up to 8 true leaf stage), kohlrabi leaves)	
0251990	Others	
0252000	(b) <i>Spinach &amp; similar (leaves)</i>	<b>0,01 (*)</b>
0252010	Spinach (New Zealand spinach, amaranthus spinach (pak-khom, tampara), tajar leaves, bitterblad/bitawiri)	
0252020	Purslane (Winter purslane/miner's lettuce, garden purslane, common purslane, sorrel, glassworth, agretti ( <i>Salsola soda</i> ))	
0252030	Beet leaves (chard) (Leaves of beetroot)	
0252990	Others	
0253000	(c) <i>Vine leaves (grape leaves) (Malabar nightshade, banana leaves, climbing wattle (Acacia pennata))</i>	<b>0,01 (*)</b>
0254000	(d) <i>Water cress (Morning glory/Chinese convolvulus/water convolvulus/water spinach/kangkung (Ipomea aquatica), water clover, water mimosa)</i>	<b>0,01 (*)</b>
0255000	(e) <i>Witloof</i>	<b>0,01 (*)</b>
0256000	(f) <i>Herbs</i>	<b>0,02 (*)</b>
0256010	Chervil	
0256020	Chives	
0256030	Celery leaves (Fennel leaves, coriander leaves, dill leaves, caraway leaves, lovage, angelica, sweet cicely and other <i>Apiacea</i> leaves, culantro/stinking/long coriander/stink weed ( <i>Eryngium foetidum</i> ))	
0256040	Parsley (leaves of root parsley)	
0256050	Sage (Winter savory, summer savory, <i>Borago officinalis</i> leaves)	
0256060	Rosemary	
0256070	Thyme (Marjoram, oregano)	

▼ **M50**

(1)	(2)	(3)
0256080	Basil (Balm leaves, mint, peppermint, holy basil, sweet basil, hairy basil, edible flowers (marigold flower and others), pennywort, wild betel leaf, curry leaves)	
0256090	Bay leaves (laurel) (Lemon grass)	
0256100	Tarragon (Hyssop)	
0256990	Others	
0260000	<b>(vi) Legume vegetables (fresh)</b>	<b>0,01 (*)</b>
0260010	Beans (with pods) (Green bean/French beans/snap beans, scarlet runner bean, slicing bean, yard long beans, guar beans, soya beans)	
0260020	Beans (without pods) (Broad beans, flageolets, jack bean, lima bean, cowpea)	
0260030	Peas (with pods) (Mangetout/sugar peas/snow peas)	
0260040	Peas (without pods) (Garden pea, green pea, chickpea)	
0260050	Lentils	
0260990	Others	
0270000	<b>(vii) Stem vegetables (fresh)</b>	<b>0,01 (*)</b>
0270010	Asparagus	
0270020	Cardoons ( <i>Borago officinalis</i> stems)	
0270030	Celery	
0270040	Fennel	
0270050	Globe artichokes (Banana flower)	
0270060	Leek	
0270070	Rhubarb	
0270080	Bamboo shoots	
0270090	Palm hearts	
0270990	Others	
0280000	<b>(viii) Fungi</b>	<b>0,01 (*)</b>
0280010	Cultivated fungi (Common mushroom, oyster mushroom, shiitake, fungus mycelium (vegetative parts))	
0280020	Wild fungi (Chanterelle, truffle, morel, cep)	
0280990	Others	
0290000	<b>(ix) Sea weeds</b>	<b>0,01 (*)</b>
0300000	<b>3. PULSES, DRY</b>	<b>0,01 (*)</b>
0300010	Beans (Broad beans, navy beans, flageolets, jack beans, lima beans, field beans, cowpeas)	
0300020	Lentils	
0300030	Peas (Chickpeas, field peas, chickling vetch)	

▼ **M50**

(1)	(2)	(3)
0300040	Lupins	
0300990	Others	
0400000	<b>4. OILSEEDS AND OILFRUITS</b>	<b>0,02 (*)</b>
0401000	<b>(i) Oilseeds</b>	
0401010	Linseed	
0401020	Peanuts	
0401030	Poppy seed	
0401040	Sesame seed	
0401050	Sunflower seed	
0401060	Rape seed (Bird rapeseed, turnip rape)	
0401070	Soya bean	
0401080	Mustard seed	
0401090	Cotton seed	
0401100	Pumpkin seeds (Other seeds of <i>Cucurbitaceae</i> )	
0401110	Safflower	
0401120	Borage (Purple viper's bugloss/Canary flower ( <i>Echium plantagineum</i> ), Corn Gromwell ( <i>Buglossoides arvensis</i> ))	
0401130	Gold of pleasure	
0401140	Hempseed	
0401150	Castor bean	
0401990	Others	
0402000	<b>(ii) Oilfruits</b>	
0402010	Olives for oil production	
0402020	Palm nuts (palmoil kernels)	
0402030	Palmfruit	
0402040	Kapok	
0402990	Others	
0500000	<b>5. CEREALS</b>	<b>0,01 (*)</b>
0500010	Barley	
0500020	Buckwheat ( <i>Amaranthus, quinoa</i> )	
0500030	Maize	
0500040	Millet (Foxtail millet, teff, finger millet, pearl millet)	
0500050	Oats	
0500060	Rice (Indian/wild rice ( <i>Zizania aquatica</i> ))	
0500070	Rye	
0500080	Sorghum	
0500090	Wheat (Spelt, triticale)	
0500990	Others (Canary grass seeds ( <i>Phalaris canariensis</i> ))	

▼ **M50**

(1)	(2)	(3)
0600000	<b>6. TEA, COFFEE, HERBAL INFUSIONS AND COCOA</b>	<b>0,05 (*)</b>
0610000	(i) <b>Tea</b>	
0620000	(ii) <b>Coffee beans</b>	
0630000	(iii) <b>Herbal infusions (dried)</b>	
0631000	(a) <i>Flowers</i>	
0631010	Camomille flowers	
0631020	Hybiscus flowers	
0631030	Rose petals	
0631040	Jasmine flowers (Elderflowers ( <i>Sambucus nigra</i> ))	
0631050	Lime (linden)	
0631990	Others	
0632000	(b) <i>Leaves</i>	
0632010	Strawberry leaves	
0632020	Rooibos leaves (Ginkgo leaves)	
0632030	Maté	
0632990	Others	
0633000	(c) <i>Roots</i>	
0633010	Valerian root	
0633020	Ginseng root	
0633990	Others	
0639000	(d) <i>Other herbal infusions</i>	
0640000	(iv) <b>Cocoabeans (fermented or dried)</b>	
0650000	(v) <b>Carob (st johns bread)</b>	
0700000	<b>7. HOPS (dried)</b>	<b>0,05 (*)</b>
0800000	<b>8. SPICES</b>	
0810000	(i) <b>Seeds</b>	<b>0,05 (*)</b>
0810010	Anise	
0810020	Black caraway	
0810030	Celery seed (Lovage seed)	
0810040	Coriander seed	
0810050	Cumin seed	
0810060	Dill seed	
0810070	Fennel seed	
0810080	Fenugreek	
0810090	Nutmeg	
0810990	Others	
0820000	(ii) <b>Fruits and berries</b>	<b>0,05 (*)</b>
0820010	Allspice	



▼ **M50**

(1)	(2)	(3)
0820020	Sichuan pepper (Anise pepper, Japan pepper)	
0820030	Caraway	
0820040	Cardamom	
0820050	Juniper berries	
0820060	Pepper, black, green and white (Long pepper, pink pepper)	
0820070	Vanilla pods	
0820080	Tamarind	
0820990	Others	
0830000	<b>(iii) Bark</b>	<b>0,05 (*)</b>
0830010	Cinnamon (Cassia)	
0830990	Others	
0840000	<b>(iv) Roots or rhizome</b>	
0840010	Liquorice	<b>0,05 (*)</b>
0840020	Ginger	<b>0,05 (*)</b>
0840030	Turmeric (Curcuma)	<b>0,05 (*)</b>
0840040	Horseradish	<b>(+)</b>
0840990	Others	<b>0,05 (*)</b>
0850000	<b>(v) Buds</b>	<b>0,05 (*)</b>
0850010	Cloves	
0850020	Capers	
0850990	Others	
0860000	<b>(vi) Flower stigma</b>	<b>0,05 (*)</b>
0860010	Saffron	
0860990	Others	
0870000	<b>(vii) Aril</b>	<b>0,05 (*)</b>
0870010	Mace	
0870990	Others	
0900000	<b>9. SUGAR PLANTS</b>	<b>0,01 (*)</b>
0900010	Sugar beet (root)	
0900020	Sugar cane	
0900030	Chicory roots	
0900990	Others	

▼ **M50**

(1)	(2)	(3)
1000000	<b>10. PRODUCTS OF ANIMAL ORIGIN- TERRESTRIAL ANIMALS</b>	
1010000	(i) <b>Tissue</b>	0,01 (*)
1011000	(a) <i>Swine</i>	
1011010	Muscle	
1011020	Fat	
1011030	Liver	
1011040	Kidney	
1011050	Edible offal	
1011990	Others	
1012000	(b) <i>Bovine</i>	
1012010	Muscle	
1012020	Fat	
1012030	Liver	
1012040	Kidney	
1012050	Edible offal	
1012990	Others	
1013000	(c) <i>Sheep</i>	
1013010	Muscle	
1013020	Fat	
1013030	Liver	
1013040	Kidney	
1013050	Edible offal	
1013990	Others	
1014000	(d) <i>Goat</i>	
1014010	Muscle	
1014020	Fat	
1014030	Liver	
1014040	Kidney	
1014050	Edible offal	
1014990	Others	
1015000	(e) <i>Horses, asses, mules or hinnies</i>	
1015010	Muscle	
1015020	Fat	
1015030	Liver	

▼ **M50**

(1)	(2)	(3)
1015040	Kidney	
1015050	Edible offal	
1015990	Others	
1016000	(f) <i>Poultry -chicken, geese, duck, turkey and Guinea fowl-, ostrich, pigeon</i>	
1016010	Muscle	
1016020	Fat	
1016030	Liver	
1016040	Kidney	
1016050	Edible offal	
1016990	Others	
1017000	(g) <i>Other farm animals (Rabbit, kangaroo, deer)</i>	
1017010	Muscle	
1017020	Fat	
1017030	Liver	
1017040	Kidney	
1017050	Edible offal	
1017990	Others	
1020000	(ii) <b>Milk</b>	0,01 (*)
1020010	Cattle	
1020020	Sheep	
1020030	Goat	
1020040	Horse	
1020990	Others	
1030000	(iii) <b>Bird eggs</b>	0,01 (*)
1030010	Chicken	
1030020	Duck	
1030030	Goose	
1030040	Quail	
1030990	Others	

**▼ M50**

(1)	(2)	(3)
1040000	(iv) <b>Honey (Royal jelly, pollen, honey comb with honey (comb honey))</b>	<b>0,05 (*)</b>
1050000	(v) <b>Amphibians and reptiles (Frog legs, crocodiles)</b>	<b>0,01 (*)</b>
1060000	(vi) <b>Snails</b>	<b>0,01 (*)</b>
1070000	(vii) <b>Other terrestrial animal products (Wild game)</b>	<b>0,01 (*)</b>

▼ **M51****Pesticide residues and maximum residue levels (mg/kg)**

Code number	Groups and examples of individual products to which the MRLs apply <sup>(a)</sup>	Butralin	Daminozide (sum of daminozide and 1,1-dimethyl-hydrazine (UDHM), expressed as daminozide)
(1)	(2)	(3)	(4)
0100000	<b>1. FRUIT FRESH OR FROZEN NUTS</b>		
0110000	(i) <b>Citrus fruit</b>	<b>0,01 (*)</b>	0,02 (*)
0110010	Grapefruit (Shaddocks, pomelos, sweeties, tangelo (except mineola), ugli and other hybrids)		
0110020	Oranges (Bergamot, bitter orange, chinotto and other hybrids)		
0110030	Lemons (Citron, lemon, Buddha's hand ( <i>Citrus medica</i> var. <i>sarcodactylis</i> ))		
0110040	Limes		
0110050	Mandarins (Clementine, tangerine, mineola and other hybrids tangor ( <i>Citrus reticulata</i> x <i>sinensis</i> ))		
0110990	Others		
0120000	(ii) <b>Tree nuts</b>	0,02 (*)	<b>0,1 (*)</b>
0120010	Almonds		
0120020	Brazil nuts		
0120030	Cashew nuts		
0120040	Chestnuts		
0120050	Coconuts		
0120060	Hazelnuts (Filbert)		
0120070	Macadamia		
0120080	Pecans		
0120090	Pine nuts		
0120100	Pistachios		
0120110	Walnuts		
0120990	Others		
0130000	(iii) <b>Pome fruit</b>	<b>0,01 (*)</b>	0,02 (*)
0130010	Apples (Crab apple)		
0130020	Pears (Oriental pear)		
0130030	Quinces		
0130040	Medlar		
0130050	Loquat		
0130990	Others		
0140000	(iv) <b>Stone fruit</b>	<b>0,01 (*)</b>	0,02 (*)
0140010	Apricots		
0140020	Cherries (Sweet cherries, sour cherries)		

▼ **M51**

(1)	(2)	(3)	(4)
0140030	Peaches (Nectarines and similar hybrids)		
0140040	Plums (Damson, greengage, mirabelle, sloe, red date/Chinese date/Chinese jujube ( <i>Ziziphus zizyphus</i> ))		
0140990	Others		
0150000	(v) <b>Berries &amp; small fruit</b>	<b>0,01 (*)</b>	0,02 (*)
0151000	(a) <i>Table and wine grapes</i>		
0151010	Table grapes		
0151020	Wine grapes		
0152000	(b) <i>Strawberries</i>		
0153000	(c) <i>Cane fruit</i>		
0153010	Blackberries		
0153020	Dewberries (Loganberries, tayberries, boysenberries, cloudberrries and other <i>Rubus</i> hybrids)		
0153030	Raspberries (Wineberries, arctic bramble/raspberry, ( <i>Rubus arcticus</i> ), nectar raspberries ( <i>Rubus arcticus</i> x <i>Rubus idaeus</i> ))		
0153990	Others		
0154000	(d) <i>Other small fruit &amp; berries</i>		
0154010	Blueberries (Bilberries)		
0154020	Cranberries (Cowberries/red bilberries ( <i>V. vitis-idaea</i> ))		
0154030	Currants (red, black and white)		
0154040	Gooseberries (Including hybrids with other <i>Ribes</i> species)		
0154050	Rose hips		
0154060	Mulberries ( <i>Arbutus</i> berry)		
0154070	Azarole (mediteranean medlar) (Kiwiberry ( <i>Actinidia arguta</i> ))		
0154080	Elderberries (Black chokeberry/apple-berry, mountain ash, buckthorn/sea sallowthorn, hawthorn, serviceberries, and other treeberries)		
0154990	Others		
0160000	(vi) <b>Miscellaneous fruit</b>	<b>0,01 (*)</b>	0,02 (*)
0161000	(a) <i>Edible peel</i>		
0161010	Dates		
0161020	Figs		
0161030	Table olives		
0161040	Kumquats (Marumi kumquats, nagami kumquats, limequats ( <i>Citrus aurantifolia</i> x <i>Fortunella</i> spp.))		
0161050	Carambola (Bilimbi)		

▼ **M51**

(1)	(2)	(3)	(4)
0161060	Persimmon		
0161070	Jambolan (java plum) (Java apple/water apple, pomerac, rose apple, Brazilian cherry, Surinam cherry/grumichama ( <i>Eugenia uniflora</i> ))		
0161990	Others		
0162000	(b) <i>Inedible peel, small</i>		
0162010	Kiwi		
0162020	Lychee (Litchi) (Pulasan, rambutan/hairy litchi, longan, mangosteen, langsung, salak)		
0162030	Passion fruit		
0162040	Prickly pear (cactus fruit)		
0162050	Star apple		
0162060	American persimmon (Virginia kaki) (Black sapote, white sapote, green sapote, canistel/yellow sapote, mammey sapote)		
0162990	Others		
0163000	(c) <i>Inedible peel, large</i>		
0163010	Avocados		
0163020	Bananas (Dwarf banana, plantain, apple banana)		
0163030	Mangoes		
0163040	Papaya		
0163050	Pomegranate		
0163060	Cherimoya (Custard apple, sugar apple/sweetsop, ilama ( <i>Annona diversifolia</i> ) and other medium sized <i>Annonaceae</i> fruits)		
0163070	Guava (Red pitaya/dragon fruit ( <i>Hylocereus undatus</i> ))		
0163080	Pineapples		
0163090	Bread fruit (Jackfruit)		
0163100	Durian		
0163110	Soursop (guanabana)		
0163990	Others		
0200000	<b>2. VEGETABLES FRESH OR FROZEN</b>		
0210000	(i) <b>Root and tuber vegetables</b>	<b>0,01 (*)</b>	0,02 (*)
0211000	(a) <i>Potatoes</i>		
0212000	(b) <i>Tropical root and tuber vegetables</i>		
0212010	Cassava (Dasheen, eddoe/Japanese taro, tannia)		
0212020	Sweet potatoes		
0212030	Yams (Potato bean/yam bean, Mexican yam bean)		

## ▼ M51

(1)	(2)	(3)	(4)
0212040	Arrowroot		
0212990	Others		
0213000	(c) <i>Other root and tuber vegetables except sugar beet</i>		
0213010	Beetroot		
0213020	Carrots		
0213030	Celeriac		
0213040	Horseradish (Angelica roots, lovage roots, gentiana roots)		
0213050	Jerusalem artichokes (Crosne)		
0213060	Parsnips		
0213070	Parsley root		
0213080	Radishes (Black radish, Japanese radish, small radish and similar varieties, tiger nut ( <i>Cyperus esculentus</i> ))		
0213090	Salsify (Scorzoneria, Spanish salsify/ Spanish oysterplant, edible burdock)		
0213100	Swedes		
0213110	Turnips		
0213990	Others		
0220000	(ii) <b>Bulb vegetables</b>	<b>0,01 (*)</b>	0,02 (*)
0220010	Garlic		
0220020	Onions (Other bulb onions, silverskin onions)		
0220030	Shallots		
0220040	Spring onions and welsh onions (Other green onions and similar varieties)		
0220990	Others		
0230000	(iii) <b>Fruiting vegetables</b>	<b>0,01 (*)</b>	0,02 (*)
0231000	(a) <i>Solanacea</i>		
0231010	Tomatoes (Cherry tomatoes, <i>Physalis</i> spp., goji berry, wolfberry ( <i>Lycium barbarum</i> and <i>L. chinense</i> ), tree tomato)		
0231020	Peppers (Chilli peppers)		
0231030	Aubergines (egg plants) (Pepino, antroewa/white eggplant ( <i>S. macrocarpon</i> ))		
0231040	Okra (lady's fingers)		
0231990	Others		
0232000	(b) <i>Cucurbits — edible peel</i>		
0232010	Cucumbers		



## ▼ M51

(1)	(2)	(3)	(4)
0232020	Gherkins		
0232030	Courgettes (Summer squash, marrow (patisson), lauki ( <i>Lagenaria siceraria</i> ), chayote, sopropo/bitter melon, snake gourd, angled luffa/teroi)		
0232990	Others		
0233000	(c) <i>Cucurbits-inedible peel</i>		
0233010	Melons (Kiwano)		
0233020	Pumpkins (Winter squash, marrow (late variety))		
0233030	Watermelons		
0233990	Others		
0234000	(d) <i>Sweet corn (Baby corn)</i>		
0239000	(e) <i>Other fruiting vegetables</i>		
0240000	(iv) <b>Brassica vegetables</b>	<b>0,01 (*)</b>	0,02 (*)
0241000	(a) <i>Flowering brassica</i>		
0241010	Broccoli (Calabrese, Broccoli raab, Chinese broccoli)		
0241020	Cauliflower		
0241990	Others		
0242000	(b) <i>Head brassica</i>		
0242010	Brussels sprouts		
0242020	Head cabbage (Pointed head cabbage, red cabbage, savoy cabbage, white cabbage)		
0242990	Others		
0243000	(c) <i>Leafy brassica</i>		
0243010	Chinese cabbage (Indian or Chinese) mustard, pak choi, Chinese flat cabbage/ ai goo choi), choi sum, Peking cabbage/ pe-tsai)		
0243020	Kale (Borecole/curly kale, collards, Portuguese Kale, Portuguese cabbage, cow cabbage)		
0243990	Others		
0244000	(d) <i>Kohlrabi</i>		
0250000	(v) <b>Leaf vegetables &amp; fresh herbs</b>		
0251000	(a) <i>Lettuce and other salad plants including Brassicacea</i>	<b>0,01 (*)</b>	0,02 (*)
0251010	Lamb's lettuce (Italian corn salad)		
0251020	Lettuce (Head lettuce, lollo rosso (cutting lettuce), iceberg lettuce, romaine (cos) lettuce)		

## ▼ M51

(1)	(2)	(3)	(4)
0251030	Scarole (broad-leaf endive) (Wild chicory, red-leaved chicory, radicchio, curly leaf endive, sugar loaf ( <i>C. endivia</i> var. <i>crispum</i> / <i>C. intybus</i> var. <i>foliosum</i> ), dandelion greens)		
0251040	Cress (Mung bean sprouts, alfalfa sprouts)		
0251050	Land cress		
0251060	Rocket, Rucola (Wild rocket ( <i>Diplotaxis</i> spp.))		
0251070	Red mustard		
0251080	Leaves and sprouts of <i>Brassica</i> spp, including turnip greens (Mizuna, leaves of peas and radish and other babyleaf crops, including brassica crops (crops harvested up to 8 true leaf stage), kohlrabi leaves)		
0251990	Others		
0252000	(b) <i>Spinach &amp; similar (leaves)</i>	<b>0,01 (*)</b>	0,02 (*)
0252010	Spinach (New Zealand spinach, amaranthus spinach (pak-khom, tampara), tajar leaves, bitterblad/bitawiri)		
0252020	Purslane (Winter purslane/miner's lettuce, garden purslane, common purslane, sorrel, glassworth, agretti ( <i>Salsola soda</i> ))		
0252030	Beet leaves (chard) (Leaves of beetroot)		
0252990	Others		
0253000	(c) <i>Vine leaves (grape leaves) (Malabar nightshade, banana leaves, climbing wattle (Acacia pennata))</i>	<b>0,01 (*)</b>	0,02 (*)
0254000	(d) <i>Water cress (Morning glory/Chinese convolvulus/water convolvulus/water spinach/kangkung (Ipomea aquatica), water clover, water mimosa)</i>	<b>0,01 (*)</b>	0,02 (*)
0255000	(e) <i>Witloof</i>	<b>0,01 (*)</b>	0,02 (*)
0256000	(f) <i>Herbs</i>	0,02 (*)	<b>0,05 (*)</b>
0256010	Chervil		
0256020	Chives		
0256030	Celery leaves (Fennel leaves, coriander leaves, dill leaves, caraway leaves, lovage, angelica, sweet cisel and other <i>Apiacea</i> leaves, culantro/stinking/long coriander/stink weed ( <i>Eryngium foetidum</i> ))		
0256040	Parsley (leaves of root parsley)		
0256050	Sage (Winter savory, summer savory, <i>Borago officinalis</i> leaves)		
0256060	Rosemary		

▼ **M51**

(1)	(2)	(3)	(4)
0256070	Thyme (Marjoram, oregano)		
0256080	Basil (Balm leaves, mint, peppermint, holy basil, sweet basil, hairy basil, edible flowers (marigold flower and others), pennywort, wild betel leaf, curry leaves)		
0256090	Bay leaves (laurel) (Lemon grass)		
0256100	Tarragon (Hyssop)		
0256990	Others		
0260000	<b>(vi) Legume vegetables (fresh)</b>	<b>0,01 (*)</b>	0,02 (*)
0260010	Beans (with pods) (Green bean/French beans/snap beans, scarlet runner bean, slicing bean, yard long beans, guar beans, soya beans)		
0260020	Beans (without pods) (Broad beans, flageolets, jack bean, lima bean, cowpea)		
0260030	Peas (with pods) (Mangetout/sugar peas/snow peas)		
0260040	Peas (without pods) (Garden pea, green pea, chickpea)		
0260050	Lentils		
0260990	Others		
0270000	<b>(vii) Stem vegetables (fresh)</b>	<b>0,01 (*)</b>	0,02 (*)
0270010	Asparagus		
0270020	Cardoons ( <i>Borago officinalis</i> stems)		
0270030	Celery		
0270040	Fennel		
0270050	Globe artichokes (Banana flower)		
0270060	Leek		
0270070	Rhubarb		
0270080	Bamboo shoots		
0270090	Palm hearts		
0270990	Others		
0280000	<b>(viii) Fungi</b>	<b>0,01 (*)</b>	0,02 (*)
0280010	Cultivated fungi (Common mushroom, oyster mushroom, shiitake, fungus mycelium (vegetative parts))		
0280020	Wild fungi (Chanterelle, truffle, morel, cep)		
0280990	Others		
0290000	<b>(ix) Sea weeds</b>	<b>0,01 (*)</b>	0,02 (*)
0300000	<b>3. PULSES, DRY</b>	<b>0,01 (*)</b>	0,02 (*)
0300010	Beans (Broad beans, navy beans, flageolets, jack beans, lima beans, field beans, cowpeas)		
0300020	Lentils		

▼ **M51**

(1)	(2)	(3)	(4)
0300030	Peas (Chickpeas, field peas, chickling vetch)		
0300040	Lupins		
0300990	Others		
0400000	<b>4. OILSEEDS AND OILFRUITS</b>	<b>0,02 (*)</b>	<b>0,1 (*)</b>
0401000	<b>(i) Oilseeds</b>		
0401010	Linseed		
0401020	Peanuts		
0401030	Poppy seed		
0401040	Sesame seed		
0401050	Sunflower seed		
0401060	Rape seed (Bird rapeseed, turnip rape)		
0401070	Soya bean		
0401080	Mustard seed		
0401090	Cotton seed		
0401100	Pumpkin seeds (Other seeds of <i>Cucurbitaceae</i> )		
0401110	Safflower		
0401120	Borage (Purple viper's bugloss/Canary flower ( <i>Echium plantagineum</i> ), Corn Gromwell ( <i>Buglossoides arvensis</i> ))		
0401130	Gold of pleasure		
0401140	Hempseed		
0401150	Castor bean		
0401990	Others		
0402000	<b>(ii) Oilfruits</b>		
0402010	Olives for oil production		
0402020	Palm nuts (palmoil kernels)		
0402030	Palmfruit		
0402040	Kapok		
0402990	Others		
0500000	<b>5. CEREALS</b>	<b>0,01 (*)</b>	<b>0,02 (*)</b>
0500010	Barley		
0500020	Buckwheat ( <i>Amaranthus</i> , quinoa)		
0500030	Maize		
0500040	Millet (Foxtail millet, teff, finger millet, pearl millet)		
0500050	Oats		
0500060	Rice (Indian/wild rice ( <i>Zizania aquatica</i> ))		
0500070	Rye		
0500080	Sorghum		
0500090	Wheat (Spelt, triticale)		

▼ **M51**

(1)	(2)	(3)	(4)
0500990	Others (Canary grass seeds ( <i>Phalaris canariensis</i> ))		
0600000	<b>6. TEA, COFFEE, HERBAL INFUSIONS AND COCOA</b>	<b>0,05 (*)</b>	0,1 (*)
0610000	(i) <b>Tea</b>		
0620000	(ii) <b>Coffee beans</b>		
0630000	(iii) <b>Herbal infusions (dried)</b>		
0631000	(a) <i>Flowers</i>		
0631010	Camomille flowers		
0631020	Hybiscus flowers		
0631030	Rose petals		
0631040	Jasmine flowers (Elderflowers ( <i>Sambucus nigra</i> ))		
0631050	Lime (linden)		
0631990	Others		
0632000	(b) <i>Leaves</i>		
0632010	Strawberry leaves		
0632020	Rooibos leaves (Ginkgo leaves)		
0632030	Maté		
0632990	Others		
0633000	(c) <i>Roots</i>		
0633010	Valerian root		
0633020	Ginseng root		
0633990	Others		
0639000	(d) <i>Other herbal infusions</i>		
0640000	(iv) <b>Cocoabeans (fermented or dried)</b>		
0650000	(v) <b>Carob (st johns bread)</b>		
0700000	<b>7. HOPS (dried)</b>	<b>0,05 (*)</b>	0,1 (*)
0800000	<b>8. SPICES</b>		
0810000	(i) <b>Seeds</b>	<b>0,05 (*)</b>	0,1 (*)
0810010	Anise		
0810020	Black caraway		
0810030	Celery seed (Lovage seed)		
0810040	Coriander seed		
0810050	Cumin seed		
0810060	Dill seed		
0810070	Fennel seed		
0810080	Fenugreek		
0810090	Nutmeg		
0810990	Others		
0820000	(ii) <b>Fruits and berries</b>	<b>0,05 (*)</b>	0,1 (*)

▼ **M51**

(1)	(2)	(3)	(4)
0820010	Allspice		
0820020	Sichuan pepper (Anise pepper, Japan pepper)		
0820030	Caraway		
0820040	Cardamom		
0820050	Juniper berries		
0820060	Pepper, black, green and white (Long pepper, pink pepper)		
0820070	Vanilla pods		
0820080	Tamarind		
0820990	Others		
0830000	<b>(iii) Bark</b>	<b>0,05 (*)</b>	<b>0,1 (*)</b>
0830010	Cinnamon ( <i>Cassia</i> )		
0830990	Others		
0840000	<b>(iv) Roots or rhizome</b>		
0840010	Liquorice	<b>0,05 (*)</b>	0,1 (*)
0840020	Ginger	<b>0,05 (*)</b>	0,1 (*)
0840030	Turmeric ( <i>Curcuma</i> )	<b>0,05 (*)</b>	0,1 (*)
0840040	Horseradish	(+)	(+)
0840990	Others	<b>0,05 (*)</b>	0,1 (*)
0850000	<b>(v) Buds</b>	<b>0,05 (*)</b>	<b>0,1 (*)</b>
0850010	Cloves		
0850020	Capers		
0850990	Others		
0860000	<b>(vi) Flower stigma</b>	<b>0,05 (*)</b>	<b>0,1 (*)</b>
0860010	Saffron		
0860990	Others		
0870000	<b>(vii) Aril</b>	<b>0,05 (*)</b>	<b>0,1 (*)</b>
0870010	Mace		
0870990	Others		
0900000	<b>9. SUGAR PLANTS</b>	<b>0,01 (*)</b>	<b>0,02 (*)</b>
0900010	Sugar beet (root)		
0900020	Sugar cane		
0900030	Chicory roots		

▼ **M51**

(1)	(2)	(3)	(4)
0900990	Others		
1000000	<b>10. PRODUCTS OF ANIMAL ORIGIN- TERRESTRIAL ANIMALS</b>		
1010000	<b>(i) Tissue</b>	<b>0,01 (*)</b>	<b>0,02 (*)</b>
1011000	(a) <i>Swine</i>		
1011010	Muscle		
1011020	Fat		
1011030	Liver		
1011040	Kidney		
1011050	Edible offal		
1011990	Others		
1012000	(b) <i>Bovine</i>		
1012010	Muscle		
1012020	Fat		
1012030	Liver		
1012040	Kidney		
1012050	Edible offal		
1012990	Others		
1013000	(c) <i>Sheep</i>		
1013010	Muscle		
1013020	Fat		
1013030	Liver		
1013040	Kidney		
1013050	Edible offal		
1013990	Others		
1014000	(d) <i>Goat</i>		
1014010	Muscle		
1014020	Fat		
1014030	Liver		
1014040	Kidney		
1014050	Edible offal		
1014990	Others		
1015000	(e) <i>Horses, asses, mules or hinnies</i>		
1015010	Muscle		
1015020	Fat		

▼ **M51**

(1)	(2)	(3)	(4)
1015030	Liver		
1015040	Kidney		
1015050	Edible offal		
1015990	Others		
1016000	(f) <i>Poultry -chicken, geese, duck, turkey and Guinea fowl-, ostrich, pigeon</i>		
1016010	Muscle		
1016020	Fat		
1016030	Liver		
1016040	Kidney		
1016050	Edible offal		
1016990	Others		
1017000	(g) <i>Other farm animals (Rabbit, kangaroo, deer)</i>		
1017010	Muscle		
1017020	Fat		
1017030	Liver		
1017040	Kidney		
1017050	Edible offal		
1017990	Others		
1020000	(ii) <b>Milk</b>	<b>0,01 (*)</b>	<b>0,02 (*)</b>
1020010	Cattle		
1020020	Sheep		
1020030	Goat		
1020040	Horse		
1020990	Others		
1030000	(iii) <b>Bird eggs</b>	<b>0,01 (*)</b>	<b>0,02 (*)</b>
1030010	Chicken		
1030020	Duck		
1030030	Goose		
1030040	Quail		



▼ **M51**

(1)	(2)	(3)	(4)
1030990	Others		
1040000	(iv) <b>Honey (Royal jelly, pollen, honey comb with honey (comb honey))</b>	<b>0,05 (*)</b>	<b>0,05 (*)</b>
1050000	(v) <b>Amphibians and reptiles (Frog legs, crocodiles)</b>	<b>0,01 (*)</b>	<b>0,02 (*)</b>
1060000	(vi) <b>Snails</b>	<b>0,01 (*)</b>	<b>0,02 (*)</b>
1070000	(vii) <b>Other terrestrial animal products (Wild game)</b>	<b>0,01 (*)</b>	<b>0,02 (*)</b>

▼ **M59****Pesticide residues and maximum residue levels (mg/kg)**

Code number	Groups and examples of individual products to which the MRLs apply <sup>(a)</sup>	Quinoclamine	Warfarin
(1)	(2)	(3)	(4)
0100000	<b>1. FRUIT FRESH OR FROZEN NUTS</b>		<b>0,01 (*)</b>
0110000	<b>(i) Citrus fruit</b>	<b>0,01 (*)</b>	
0110010	Grapefruit (Shaddocks, pomelos, sweeties, tangelo (except mineola), ugli and other hybrids)		
0110020	Oranges (Bergamot, bitter orange, chinotto and other hybrids)		
0110030	Lemons (Citron, lemon, Buddha's hand (Citrus medica var. sarcodactylis))		
0110040	Limes		
0110050	Mandarins (Clementine, tangerine, mineola and other hybrids tangor (Citrus reticulata x sinensis))		
0110990	Others		
0120000	<b>(ii) Tree nuts</b>	<b>0,02 (*)</b>	
0120010	Almonds		
0120020	Brazil nuts		
0120030	Cashew nuts		
0120040	Chestnuts		
0120050	Coconuts		
0120060	Hazelnuts (Filbert)		
0120070	Macadamia		
0120080	Pecans		
0120090	Pine nuts		
0120100	Pistachios		
0120110	Walnuts		
0120990	Others		
0130000	<b>(iii) Pome fruit</b>	<b>0,01 (*)</b>	
0130010	Apples (Crab apple)		
0130020	Pears (Oriental pear)		
0130030	Quinces		
0130040	Medlar		
0130050	Loquat		
0130990	Others		
0140000	<b>(iv) Stone fruit</b>	<b>0,01 (*)</b>	
0140010	Apricots		
0140020	Cherries (Sweet cherries, sour cherries)		

▼ **M59**

(1)	(2)	(3)	(4)
0140030	Peaches (Nectarines and similar hybrids)		
0140040	Plums (Damson, greengage, mirabelle, sloe, red date/Chinese date/Chinese jujube ( <i>Ziziphus zizyphus</i> ))		
0140990	Others		
0150000	(v) <b>Berries &amp; small fruit</b>	<b>0,01 (*)</b>	
0151000	(a) <b>Table and wine grapes</b>		
0151010	Table grapes		
0151020	Wine grapes		
0152000	(b) <b>Strawberries</b>		
0153000	(c) <b>Cane fruit</b>		
0153010	Blackberries		
0153020	Dewberries (Loganberries, tayberries, boysenberries, cloudberrries and other <i>Rubus</i> hybrids)		
0153030	Raspberries (Wineberries, arctic bramble/raspberry, ( <i>Rubus arcticus</i> ), nectar raspberries ( <i>Rubus arcticus</i> x <i>Rubus idaeus</i> ))		
0153990	Others		
0154000	(d) <b>Other small fruit &amp; berries</b>		
0154010	Blueberries (Bilberries)		
0154020	Cranberries (Cowberries/red bilberries ( <i>V. vitis-idaea</i> ))		
0154030	Currants (red, black and white)		
0154040	Gooseberries (Including hybrids with other <i>Ribes</i> species)		
0154050	Rose hips		
0154060	Mulberries ( <i>Arbutus</i> berry)		
0154070	Azarole (mediteranean medlar) (Kiwiberry ( <i>Actinidia arguta</i> ))		
0154080	Elderberries (Black chokeberry/apple-berry, mountain ash, buckthorn/sea sallowthorn, hawthorn, serviceberries, and other treeberries)		
0154990	Others		
0160000	(vi) <b>Miscellaneous fruit</b>	<b>0,01 (*)</b>	
0161000	(a) <b>Edible peel</b>		
0161010	Dates		
0161020	Figs		
0161030	Table olives		
0161040	Kumquats (Marumi kumquats, nagami kumquats, limequats ( <i>Citrus aurantifolia</i> x <i>Fortunella</i> spp.))		
0161050	Carambola ( <i>Bilimbi</i> )		

▼ **M59**

(1)	(2)	(3)	(4)
0161060	Persimmon		
0161070	Jambolan (java plum) (Java apple/water apple, pomerac, rose apple, Brazilian cherry, Surinam cherry/grumichama (Eugenia uniflora))		
0161990	Others		
0162000	<b>(b) Inedible peel, small</b>		
0162010	Kiwi		
0162020	Lychee (Litchi) (Pulasan, rambutan/hairy litchi, longan, mangosteen, langsung, salak)		
0162030	Passion fruit		
0162040	Prickly pear (cactus fruit)		
0162050	Star apple		
0162060	American persimmon (Virginia kaki) (Black sapote, white sapote, green sapote, canistel/yellow sapote, mammey sapote)		
0162990	Others		
0163000	<b>(c) Inedible peel, large</b>		
0163010	Avocados		
0163020	Bananas (Dwarf banana, plantain, apple banana)		
0163030	Mangoes		
0163040	Papaya		
0163050	Pomegranate		
0163060	Cherimoya (Custard apple, sugar apple/sweetsop, ilama (Annona diversifolia) and other medium sized Annonaceae fruits)		
0163070	Guava (Red pitaya/dragon fruit (Hylocereus undatus))		
0163080	Pineapples		
0163090	Bread fruit (Jackfruit)		
0163100	Durian		
0163110	Soursop (guanabana)		
0163990	Others		
0200000	<b>2. VEGETABLES FRESH OR FROZEN</b>		<b>0,01 (*)</b>
0210000	<b>(i) Root and tuber vegetables</b>	<b>0,01 (*)</b>	
0211000	<b>(a) Potatoes</b>		
0212000	<b>(b) Tropical root and tuber vegetables</b>		
0212010	Cassava (Dasheen, eddoe/Japanese taro, tannia)		
0212020	Sweet potatoes		
0212030	Yams (Potato bean/yam bean, Mexican yam bean)		

▼ **M59**

(1)	(2)	(3)	(4)
0212040	Arrowroot		
0212990	Others		
0213000	(c) <b>Other root and tuber vegetables except sugar beet</b>		
0213010	Beetroot		
0213020	Carrots		
0213030	Celeriac		
0213040	Horseradish (Angelica roots, lovage roots, gentiana roots)		
0213050	Jerusalem artichokes (Crosne)		
0213060	Parsnips		
0213070	Parsley root		
0213080	Radishes (Black radish, Japanese radish, small radish and similar varieties, tiger nut (Cyperus esculentus))		
0213090	Salsify (Scorzoneria, Spanish salsify/ Spanish oysterplant, edible burdock)		
0213100	Swedes		
0213110	Turnips		
0213990	Others		
0220000	(ii) <b>Bulb vegetables</b>	<b>0,01 (*)</b>	
0220010	Garlic		
0220020	Onions (Other bulb onions, silverskin onions)		
0220030	Shallots		
0220040	Spring onions and welsh onions (Other green onions and similar varieties)		
0220990	Others		
0230000	(iii) <b>Fruiting vegetables</b>	<b>0,01 (*)</b>	
0231000	(a) <b>Solanacea</b>		
0231010	Tomatoes (Cherry tomatoes, Physalis spp., goji berry, wolfberry (Lycium barbarum and L. chinense), tree tomato)		
0231020	Peppers (Chilli peppers)		
0231030	Aubergines (egg plants) (Pepino, antroewa/white eggplant (S. macrocarpon))		
0231040	Okra (lady's fingers)		
0231990	Others		
0232000	(b) <b>Cucurbits — edible peel</b>		
0232010	Cucumbers		

▼ **M59**

(1)	(2)	(3)	(4)
0232020	Gherkins		
0232030	Courgettes (Summer squash, marrow (patisson), lauki (Lagenaria siceraria), chayote, sopropo/bitter melon, snake gourd, angled luffa/teroi)		
0232990	Others		
0233000	<b>(c) Cucurbits-inedible peel</b>		
0233010	Melons (Kiwano)		
0233020	Pumpkins (Winter squash, marrow (late variety))		
0233030	Watermelons		
0233990	Others		
0234000	<b>(d) Sweet corn (Baby corn)</b>		
0239000	<b>(e) Other fruiting vegetables</b>		
0240000	<b>(iv) Brassica vegetables</b>	<b>0,01 (*)</b>	
0241000	<b>(a) Flowering brassica</b>		
0241010	Broccoli (Calabrese, Broccoli raab, Chinese broccoli)		
0241020	Cauliflower		
0241990	Others		
0242000	<b>(b) Head brassica</b>		
0242010	Brussels sprouts		
0242020	Head cabbage (Pointed head cabbage, red cabbage, savoy cabbage, white cabbage)		
0242990	Others		
0243000	<b>(c) Leafy brassica</b>		
0243010	Chinese cabbage (Indian or Chinese) mustard, pak choi, Chinese flat cabbage/ ai goo choi), choy sum, Peking cabbage/ pe-tsai)		
0243020	Kale (Borecole/curly kale, collards, Portuguese Kale, Portuguese cabbage, cow cabbage)		
0243990	Others		
0244000	<b>(d) Kohlrabi</b>		
0250000	<b>(v) Leaf vegetables &amp; fresh herbs</b>		
0251000	<b>(a) Lettuce and other salad plants including Brassicacea</b>	<b>0,01 (*)</b>	
0251010	Lamb's lettuce (Italian corn salad)		
0251020	Lettuce (Head lettuce, lollo rosso (cutting lettuce), iceberg lettuce, romaine (cos) lettuce)		

▼ **M59**

(1)	(2)	(3)	(4)
0251030	Scarole (broad-leaf endive) (Wild chicory, red-leaved chicory, radicchio, curly leaf endive, sugar loaf ( <i>C. endivia</i> var. <i>crispum</i> / <i>C. intybus</i> var. <i>foliosum</i> ), dandelion greens)		
0251040	Cress (Mung bean sprouts, alfalfa sprouts)		
0251050	Land cress		
0251060	Rocket, Rucola (Wild rocket ( <i>Diplotaxis</i> spp.))		
0251070	Red mustard		
0251080	Leaves and sprouts of <i>Brassica</i> spp, including turnip greens (Mizuna, leaves of peas and radish and other babyleaf crops, including brassica crops (crops harvested up to 8 true leaf stage), kohlrabi leaves)		
0251990	Others		
0252000	<b>(b) Spinach &amp; similar (leaves)</b>	<b>0,01 (*)</b>	
0252010	Spinach (New Zealand spinach, amaranthus spinach (pak-khom, tampara), tajar leaves, bitterblad/bitawiri)		
0252020	Purslane (Winter purslane/miner's lettuce, garden purslane, common purslane, sorrel, glassworth, agretti ( <i>Salsola soda</i> ))		
0252030	Beet leaves (chard) (Leaves of beetroot)		
0252990	Others		
0253000	<b>(c) Vine leaves (grape leaves) (Malabar nightshade, banana leaves, climbing wattle (<i>Acacia pennata</i>))</b>	<b>0,01 (*)</b>	
0254000	<b>(d) Water cress (Morning glory/Chinese convolvulus/water convolvulus/water spinach/kangkung (<i>Ipomea aquatica</i>), water clover, water mimosa)</b>	<b>0,01 (*)</b>	
0255000	<b>(e) Witloof</b>	<b>0,01 (*)</b>	
0256000	<b>(f) Herbs</b>	<b>0,02 (*)</b>	
0256010	Chervil		
0256020	Chives		
0256030	Celery leaves (Fennel leaves, coriander leaves, dill leaves, caraway leaves, lovage, angelica, sweet cisel and other Apiacea leaves, culantro/stinking/long coriander/stink weed ( <i>Eryngium foetidum</i> ))		
0256040	Parsley (leaves of root parsley)		
0256050	Sage (Winter savory, summer savory, <i>Borago officinalis</i> leaves)		
0256060	Rosemary		
0256070	Thyme (Marjoram, oregano)		

▼ **M59**

(1)	(2)	(3)	(4)
0256080	Basil (Balm leaves, mint, peppermint, holy basil, sweet basil, hairy basil, edible flowers (marigold flower and others), pennywort, wild betel leaf, curry leaves)		
0256090	Bay leaves (laurel) (Lemon grass)		
0256100	Tarragon (Hyssop)		
0256990	Others		
0260000	<b>(vi) Legume vegetables (fresh)</b>	<b>0,01 (*)</b>	
0260010	Beans (with pods) (Green bean/French beans/snap beans, scarlet runner bean, slicing bean, yard long beans, guar beans, soya beans)		
0260020	Beans (without pods) (Broad beans, flageolets, jack bean, lima bean, cowpea)		
0260030	Peas (with pods) (Mangetout/sugar peas/snow peas)		
0260040	Peas (without pods) (Garden pea, green pea, chickpea)		
0260050	Lentils		
0260990	Others		
0270000	<b>(vii) Stem vegetables (fresh)</b>	<b>0,01 (*)</b>	
0270010	Asparagus		
0270020	Cardoons (Borago officinalis stems)		
0270030	Celery		
0270040	Fennel		
0270050	Globe artichokes (Banana flower)		
0270060	Leek		
0270070	Rhubarb		
0270080	Bamboo shoots		
0270090	Palm hearts		
0270990	Others		
0280000	<b>(viii) Fungi</b>	<b>0,01 (*)</b>	
0280010	Cultivated fungi (Common mushroom, oyster mushroom, shiitake, fungus mycelium (vegetative parts))		
0280020	Wild fungi (Chanterelle, truffle, morel, cep)		
0280990	Others		
0290000	<b>(ix) Sea weeds</b>	<b>0,01 (*)</b>	
0300000	<b>3. PULSES, DRY</b>	<b>0,02 (*)</b>	<b>0,01 (*)</b>
0300010	Beans (Broad beans, navy beans, flageolets, jack beans, lima beans, field beans, cowpeas)		
0300020	Lentils		



▼ **M59**

(1)	(2)	(3)	(4)
0300030	Peas (Chickpeas, field peas, chickling vetch)		
0300040	Lupins		
0300990	Others		
0400000	<b>4. OILSEEDS AND OILFRUITS</b>	<b>0,02 (*)</b>	<b>0,01 (*)</b>
0401000	<b>(i) Oilseeds</b>		
0401010	Linseed		
0401020	Peanuts		
0401030	Poppy seed		
0401040	Sesame seed		
0401050	Sunflower seed		
0401060	Rape seed (Bird rapeseed, turnip rape)		
0401070	Soya bean		
0401080	Mustard seed		
0401090	Cotton seed		
0401100	Pumpkin seeds (Other seeds of Cucurbitaceae)		
0401110	Safflower		
0401120	Borage (Purple viper's bugloss/Canary flower (Echium plantagineum), Corn Gromwell (Buglossoides arvensis))		
0401130	Gold of pleasure		
0401140	Hempseed		
0401150	Castor bean		
0401990	Others		
0402000	<b>(ii) Oilfruits</b>		
0402010	Olives for oil production		
0402020	Palm nuts (palmoil kernels)		
0402030	Palmfruit		
0402040	Kapok		
0402990	Others		
0500000	<b>5. CEREALS</b>	<b>0,02 (*)</b>	<b>0,01 (*)</b>
0500010	Barley		
0500020	Buckwheat (Amaranthus, quinoa)		
0500030	Maize		
0500040	Millet (Foxtail millet, teff, finger millet, pearl millet)		
0500050	Oats		
0500060	Rice (Indian/wild rice (Zizania aquatica))		
0500070	Rye		
0500080	Sorghum		
0500090	Wheat (Spelt, triticale)		

▼ **M59**

(1)	(2)	(3)	(4)
0500990	Others (Canary grass seeds ( <i>Phalaris canariensis</i> ))		
0600000	<b>6. TEA, COFFEE, HERBAL INFUSIONS AND COCOA</b>	<b>0,05 (*)</b>	<b>0,01 (*)</b>
0610000	(i) <b>Tea</b>		
0620000	(ii) <b>Coffee beans</b>		
0630000	(iii) <b>Herbal infusions (dried)</b>		
0631000	(a) <b>Flowers</b>		
0631010	Camomille flowers		
0631020	Hybiscus flowers		
0631030	Rose petals		
0631040	Jasmine flowers (Elderflowers ( <i>Sambucus nigra</i> ))		
0631050	Lime (linden)		
0631990	Others		
0632000	(b) <b>Leaves</b>		
0632010	Strawberry leaves		
0632020	Rooibos leaves ( <i>Ginkgo</i> leaves)		
0632030	Maté		
0632990	Others		
0633000	(c) <b>Roots</b>		
0633010	Valerian root		
0633020	Ginseng root		
0633990	Others		
0639000	(d) <b>Other herbal infusions</b>		
0640000	(iv) <b>Cocoabeans (fermented or dried)</b>		
0650000	(v) <b>Carob (st johns bread)</b>		
0700000	<b>7. HOPS (dried)</b>	<b>0,05 (*)</b>	<b>0,01 (*)</b>
0800000	<b>8. SPICES</b>		
0810000	(i) <b>Seeds</b>	<b>0,05 (*)</b>	<b>0,01 (*)</b>
0810010	Anise		
0810020	Black caraway		
0810030	Celery seed ( <i>Lovage</i> seed)		
0810040	Coriander seed		
0810050	Cumin seed		
0810060	Dill seed		
0810070	Fennel seed		
0810080	Fenugreek		
0810090	Nutmeg		
0810990	Others		
0820000	(ii) <b>Fruits and berries</b>	<b>0,05 (*)</b>	<b>0,01 (*)</b>

▼ **M59**

(1)	(2)	(3)	(4)
0820010	Allspice		
0820020	Sichuan pepper (Anise pepper, Japan pepper)		
0820030	Caraway		
0820040	Cardamom		
0820050	Juniper berries		
0820060	Pepper, black, green and white (Long pepper, pink pepper)		
0820070	Vanilla pods		
0820080	Tamarind		
0820990	Others		
0830000	<b>(iii) Bark</b>	<b>0,05 (*)</b>	<b>0,01 (*)</b>
0830010	Cinnamon (Cassia)		
0830990	Others		
0840000	<b>(iv) Roots or rhizome</b>		
0840010	Liquorice	<b>0,05 (*)</b>	<b>0,01 (*)</b>
0840020	Ginger	<b>0,05 (*)</b>	<b>0,01 (*)</b>
0840030	Turmeric (Curcuma)	<b>0,05 (*)</b>	<b>0,01 (*)</b>
0840040	Horseradish	(+)	(+)
0840990	Others	<b>0,05 (*)</b>	<b>0,01 (*)</b>
0850000	<b>(v) Buds</b>	<b>0,05 (*)</b>	<b>0,01 (*)</b>
0850010	Cloves		
0850020	Capers		
0850990	Others		
0860000	<b>(vi) Flower stigma</b>	<b>0,05 (*)</b>	<b>0,01 (*)</b>
0860010	Saffron		
0860990	Others		
0870000	<b>(vii) Aril</b>	<b>0,05 (*)</b>	<b>0,01 (*)</b>
0870010	Mace		
0870990	Others		
0900000	<b>9. SUGAR PLANTS</b>	<b>0,01 (*)</b>	<b>0,01 (*)</b>
0900010	Sugar beet (root)		
0900020	Sugar cane		
0900030	Chicory roots		

▼ **M59**

(1)	(2)	(3)	(4)
0900990	Others		
1000000	<b>10. PRODUCTS OF ANIMAL ORIGIN- TERRESTRIAL ANIMALS</b>		<b>0,01 (*)</b>
1010000	<b>(i) Tissue</b>	<b>0,02 (*)</b>	
1011000	<b>(a) Swine</b>		
1011010	Muscle		
1011020	Fat		
1011030	Liver		
1011040	Kidney		
1011050	Edible offal		
1011990	Others		
1012000	<b>(b) Bovine</b>		
1012010	Muscle		
1012020	Fat		
1012030	Liver		
1012040	Kidney		
1012050	Edible offal		
1012990	Others		
1013000	<b>(c) Sheep</b>		
1013010	Muscle		
1013020	Fat		
1013030	Liver		
1013040	Kidney		
1013050	Edible offal		
1013990	Others		
1014000	<b>(d) Goat</b>		
1014010	Muscle		
1014020	Fat		
1014030	Liver		
1014040	Kidney		
1014050	Edible offal		
1014990	Others		
1015000	<b>(e) Horses, asses, mules or hinnies</b>		
1015010	Muscle		
1015020	Fat		

▼ **M59**

(1)	(2)	(3)	(4)
1015030	Liver		
1015040	Kidney		
1015050	Edible offal		
1015990	Others		
1016000	<b>(f) Poultry -chicken, geese, duck, turkey and Guinea fowl-, ostrich, pigeon</b>		
1016010	Muscle		
1016020	Fat		
1016030	Liver		
1016040	Kidney		
1016050	Edible offal		
1016990	Others		
1017000	<b>(g) Other farm animals (Rabbit, kangaroo, deer)</b>		
1017010	Muscle		
1017020	Fat		
1017030	Liver		
1017040	Kidney		
1017050	Edible offal		
1017990	Others		
1020000	<b>(ii) Milk</b>	<b>0,02 (*)</b>	
1020010	Cattle		
1020020	Sheep		
1020030	Goat		
1020040	Horse		
1020990	Others		
1030000	<b>(iii) Bird eggs</b>	<b>0,02 (*)</b>	
1030010	Chicken		
1030020	Duck		
1030030	Goose		
1030040	Quail		

▼ **M59**

(1)	(2)	(3)	(4)
1030990	Others		
1040000	(iv) <b>Honey (Royal jelly, pollen, honey comb with honey (comb honey))</b>	<b>0,05 (*)</b>	
1050000	(v) <b>Amphibians and reptiles (Frog legs, crocodiles)</b>	<b>0,02 (*)</b>	
1060000	(vi) <b>Snails</b>	<b>0,02 (*)</b>	
1070000	(vii) <b>Other terrestrial animal products (Wild game)</b>	<b>0,02 (*)</b>	

▼ **M59****Pesticide residues and maximum residue levels (mg/kg)**

Code number	Groups and examples of individual products to which the MRLs apply <sup>(a)</sup>	Ethoxyquin (F)	Flusilazole (F) (R)
(1)	(2)	(3)	(4)
0100000	<b>1. FRUIT FRESH OR FROZEN NUTS</b>		<b>0,01 (*)</b>
0110000	(i) <b>Citrus fruit</b>	0,05 (*)	
0110010	Grapefruit (Shaddocks, pomelos, sweeties, tangelo (except mineola), ugli and other hybrids)		
0110020	Oranges (Bergamot, bitter orange, chinotto and other hybrids)		
0110030	Lemons (Citron, lemon, Buddha's hand (Citrus medica var. sarcodactylis))		
0110040	Limes		
0110050	Mandarins (Clementine, tangerine, mineola and other hybrids tangor (Citrus reticulata x sinensis))		
0110990	Others		
0120000	(ii) <b>Tree nuts</b>	<b>0,1 (*)</b>	
0120010	Almonds		
0120020	Brazil nuts		
0120030	Cashew nuts		
0120040	Chestnuts		
0120050	Coconuts		
0120060	Hazelnuts (Filbert)		
0120070	Macadamia		
0120080	Pecans		
0120090	Pine nuts		
0120100	Pistachios		
0120110	Walnuts		
0120990	Others		
0130000	(iii) <b>Pome fruit</b>	<b>0,05 (*)</b>	
0130010	Apples (Crab apple)		
0130020	Pears (Oriental pear)		
0130030	Quinces		
0130040	Medlar		
0130050	Loquat		
0130990	Others		
0140000	(iv) <b>Stone fruit</b>	0,05 (*)	
0140010	Apricots		
0140020	Cherries (Sweet cherries, sour cherries)		

▼ **M59**

(1)	(2)	(3)	(4)
0140030	Peaches (Nectarines and similar hybrids)		
0140040	Plums (Damson, greengage, mirabelle, sloe, red date/Chinese date/Chinese jujube ( <i>Ziziphus zizyphus</i> ))		
0140990	Others		
0150000	(v) <b>Berries &amp; small fruit</b>	0,05 (*)	
0151000	(a) <b>Table and wine grapes</b>		
0151010	Table grapes		
0151020	Wine grapes		
0152000	(b) <b>Strawberries</b>		
0153000	(c) <b>Cane fruit</b>		
0153010	Blackberries		
0153020	Dewberries (Loganberries, tayberries, boysenberries, cloudberrries and other <i>Rubus</i> hybrids)		
0153030	Raspberries (Wineberries, arctic bramble/raspberry, ( <i>Rubus arcticus</i> ), nectar raspberries ( <i>Rubus arcticus</i> x <i>Rubus idaeus</i> ))		
0153990	Others		
0154000	(d) <b>Other small fruit &amp; berries</b>		
0154010	Blueberries (Bilberries)		
0154020	Cranberries (Cowberries/red bilberries ( <i>V. vitis-idaea</i> ))		
0154030	Currants (red, black and white)		
0154040	Gooseberries (Including hybrids with other <i>Ribes</i> species)		
0154050	Rose hips		
0154060	Mulberries ( <i>Arbutus</i> berry)		
0154070	Azarole (mediteranean medlar) (Kiwiberry ( <i>Actinidia arguta</i> ))		
0154080	Elderberries (Black chokeberry/apple-berry, mountain ash, buckthorn/sea sallowthorn, hawthorn, serviceberries, and other treeberries)		
0154990	Others		
0160000	(vi) <b>Miscellaneous fruit</b>	0,05 (*)	
0161000	(a) <b>Edible peel</b>		
0161010	Dates		
0161020	Figs		
0161030	Table olives		
0161040	Kumquats (Marumi kumquats, nagami kumquats, limequats ( <i>Citrus aurantifolia</i> x <i>Fortunella</i> spp.))		
0161050	Carambola ( <i>Bilimbi</i> )		



▼ **M59**

(1)	(2)	(3)	(4)
0161060	Persimmon		
0161070	Jambolan (java plum) (Java apple/water apple, pomerac, rose apple, Brazilean cherry, Surinam cherry/grumichama (Eugenia uniflora))		
0161990	Others		
0162000	<b>(b) Inedible peel, small</b>		
0162010	Kiwi		
0162020	Lychee (Litchi) (Pulasan, rambutan/hairy litchi, longan, mangosteen, langsung, salak)		
0162030	Passion fruit		
0162040	Prickly pear (cactus fruit)		
0162050	Star apple		
0162060	American persimmon (Virginia kaki) (Black sapote, white sapote, green sapote, canistel/yellow sapote, mammey sapote)		
0162990	Others		
0163000	<b>(c) Inedible peel, large</b>		
0163010	Avocados		
0163020	Bananas (Dwarf banana, plantain, apple banana)		
0163030	Mangoes		
0163040	Papaya		
0163050	Pomegranate		
0163060	Cherimoya (Custard apple, sugar apple/sweetsop, ilama (Annona diversifolia) and other medium sized Annonaceae fruits)		
0163070	Guava (Red pitaya/dragon fruit (Hylocereus undatus))		
0163080	Pineapples		
0163090	Bread fruit (Jackfruit)		
0163100	Durian		
0163110	Soursop (guanabana)		
0163990	Others		
0200000	<b>2. VEGETABLES FRESH OR FROZEN</b>		
0210000	<b>(i) Root and tuber vegetables</b>	<b>0,05 (*)</b>	<b>0,01 (*)</b>
0211000	<b>(a) Potatoes</b>		
0212000	<b>(b) Tropical root and tuber vegetables</b>		
0212010	Cassava (Dasheen, eddoe/Japanese taro, tannia)		
0212020	Sweet potatoes		
0212030	Yams (Potato bean/yam bean, Mexican yam bean)		

▼ **M59**

(1)	(2)	(3)	(4)
0212040	Arrowroot		
0212990	Others		
0213000	(c) <b>Other root and tuber vegetables except sugar beet</b>		
0213010	Beetroot		
0213020	Carrots		
0213030	Celeriac		
0213040	Horseradish (Angelica roots, lovage roots, gentiana roots)		
0213050	Jerusalem artichokes (Crosne)		
0213060	Parsnips		
0213070	Parsley root		
0213080	Radishes (Black radish, Japanese radish, small radish and similar varieties, tiger nut (Cyperus esculentus))		
0213090	Salsify (Scorzoneria, Spanish salsify/ Spanish oysterplant, edible burdock)		
0213100	Swedes		
0213110	Turnips		
0213990	Others		
0220000	(ii) <b>Bulb vegetables</b>	0,05 (*)	<b>0,01 (*)</b>
0220010	Garlic		
0220020	Onions (Other bulb onions, silverskin onions)		
0220030	Shallots		
0220040	Spring onions and welsh onions (Other green onions and similar varieties)		
0220990	Others		
0230000	(iii) <b>Fruiting vegetables</b>	0,05 (*)	<b>0,01 (*)</b>
0231000	(a) <b>Solanacea</b>		
0231010	Tomatoes (Cherry tomatoes, Physalis spp., gojiberry, wolfberry (Lycium barbarum and L. chinense), tree tomato)		
0231020	Peppers (Chilli peppers)		
0231030	Aubergines (egg plants) (Pepino, antroewa/white eggplant (S. macrocarpon))		
0231040	Okra (lady's fingers)		
0231990	Others		
0232000	(b) <b>Cucurbits — edible peel</b>		
0232010	Cucumbers		

▼ **M59**

(1)	(2)	(3)	(4)
0232020	Gherkins		
0232030	Courgettes (Summer squash, marrow (patisson), lauki (Lagenaria siceraria), chayote, sopropo/bitter melon, snake gourd, angled luffa/teroi)		
0232990	Others		
0233000	<b>(c) Cucurbits-inedible peel</b>		
0233010	Melons (Kiwano)		
0233020	Pumpkins (Winter squash, marrow (late variety))		
0233030	Watermelons		
0233990	Others		
0234000	<b>(d) Sweet corn (Baby corn)</b>		
0239000	<b>(e) Other fruiting vegetables</b>		
0240000	<b>(iv) Brassica vegetables</b>	0,05 (*)	<b>0,01 (*)</b>
0241000	<b>(a) Flowering brassica</b>		
0241010	Broccoli (Calabrese, Broccoli raab, Chinese broccoli)		
0241020	Cauliflower		
0241990	Others		
0242000	<b>(b) Head brassica</b>		
0242010	Brussels sprouts		
0242020	Head cabbage (Pointed head cabbage, red cabbage, savoy cabbage, white cabbage)		
0242990	Others		
0243000	<b>(c) Leafy brassica</b>		
0243010	Chinese cabbage (Indian or Chinese) mustard, pak choi, Chinese flat cabbage/ ai goo choi), choy sum, Peking cabbage/ pe-tsai)		
0243020	Kale (Borecole/curly kale, collards, Portuguese Kale, Portuguese cabbage, cow cabbage)		
0243990	Others		
0244000	<b>(d) Kohlrabi</b>		
0250000	<b>(v) Leaf vegetables &amp; fresh herbs</b>		
0251000	<b>(a) Lettuce and other salad plants including Brassicacea</b>	0,05 (*)	<b>0,01 (*)</b>
0251010	Lamb's lettuce (Italian corn salad)		
0251020	Lettuce (Head lettuce, lollo rosso (cutting lettuce), iceberg lettuce, romaine (cos) lettuce)		

▼ **M59**

(1)	(2)	(3)	(4)
0251030	Scarole (broad-leaf endive) (Wild chicory, red-leaved chicory, radicchio, curly leaf endive, sugar loaf ( <i>C. endivia</i> var. <i>crispum</i> / <i>C. intybus</i> var. <i>foliosum</i> ), dandelion greens)		
0251040	Cress (Mung bean sprouts, alfalfa sprouts)		
0251050	Land cress		
0251060	Rocket, Rucola (Wild rocket ( <i>Diplotaxis</i> spp.))		
0251070	Red mustard		
0251080	Leaves and sprouts of <i>Brassica</i> spp, including turnip greens (Mizuna, leaves of peas and radish and other babyleaf crops, including brassica crops (crops harvested up to 8 true leaf stage), kohlrabi leaves)		
0251990	Others		
0252000	(b) <b>Spinach &amp; similar (leaves)</b>	0,05 (*)	<b>0,01 (*)</b>
0252010	Spinach (New Zealand spinach, amaranthus spinach (pak-khom, tampara), tajar leaves, bitterblad/bitawiri)		
0252020	Purslane (Winter purslane/miner's lettuce, garden purslane, common purslane, sorrel, glassworth, agretti ( <i>Salsola soda</i> ))		
0252030	Beet leaves (chard) (Leaves of beetroot)		
0252990	Others		
0253000	(c) <b>Vine leaves (grape leaves) (Malabar nightshade, banana leaves, climbing wattle (<i>Acacia pennata</i>))</b>	0,05 (*)	<b>0,01 (*)</b>
0254000	(d) <b>Water cress (Morning glory/Chinese convolvulus/water convolvulus/water spinach/kangkung (<i>Ipomea aquatica</i>), water clover, water mimosa)</b>	0,05 (*)	<b>0,01 (*)</b>
0255000	(e) <b>Witloof</b>	0,05 (*)	<b>0,01 (*)</b>
0256000	(f) <b>Herbs</b>	<b>0,1 (*)</b>	<b>0,02 (*)</b>
0256010	Chervil		
0256020	Chives		
0256030	Celery leaves (Fennel leaves, coriander leaves, dill leaves, caraway leaves, lovage, angelica, sweet cisel and other Apiacea leaves, culantro/stinking/long coriander/stink weed ( <i>Eryngium foetidum</i> ))		
0256040	Parsley (leaves of root parsley)		
0256050	Sage (Winter savory, summer savory, <i>Borago officinalis</i> leaves)		
0256060	Rosemary		
0256070	Thyme (Marjoram, oregano)		
0256080	Basil (Balm leaves, mint, peppermint, holy basil, sweet basil, hairy basil, edible flowers (marigold flower and others), pennywort, wild betel leaf, curry leaves)		
0256090	Bay leaves (laurel) (Lemon grass)		

▼ **M59**

(1)	(2)	(3)	(4)
0256100	Tarragon (Hyssop)		
0256990	Others		
0260000	<b>(vi) Legume vegetables (fresh)</b>	<b>0,05 (*)</b>	<b>0,01 (*)</b>
0260010	Beans (with pods) (Green bean/French beans/snap beans, scarlet runner bean, slicing bean, yard long beans, guar beans, soya beans)		
0260020	Beans (without pods) (Broad beans, flageolets, jack bean, lima bean, cowpea)		
0260030	Peas (with pods) (Mangetout/sugar peas/snow peas)		
0260040	Peas (without pods) (Garden pea, green pea, chickpea)		
0260050	Lentils		
0260990	Others		
0270000	<b>(vii) Stem vegetables (fresh)</b>	<b>0,05 (*)</b>	<b>0,01 (*)</b>
0270010	Asparagus		
0270020	Cardoons (Borago officinalis stems)		
0270030	Celery		
0270040	Fennel		
0270050	Globe artichokes (Banana flower)		
0270060	Leek		
0270070	Rhubarb		
0270080	Bamboo shoots		
0270090	Palm hearts		
0270990	Others		
0280000	<b>(viii) Fungi</b>	<b>0,05 (*)</b>	<b>0,01 (*)</b>
0280010	Cultivated fungi (Common mushroom, oyster mushroom, shiitake, fungus mycelium (vegetative parts))		
0280020	Wild fungi (Chanterelle, truffle, morel, cep)		
0280990	Others		
0290000	<b>(ix) Sea weeds</b>	<b>0,05 (*)</b>	<b>0,01 (*)</b>
0300000	<b>3. PULSES, DRY</b>	<b>0,05 (*)</b>	<b>0,01 (*)</b>
0300010	Beans (Broad beans, navy beans, flageolets, jack beans, lima beans, field beans, cowpeas)		
0300020	Lentils		
0300030	Peas (Chickpeas, field peas, chickling vetch)		

▼ **M59**

(1)	(2)	(3)	(4)
0300040	Lupins		
0300990	Others		
0400000	<b>4. OILSEEDS AND OILFRUITS</b>	<b>0,1 (*)</b>	<b>0,01 (*)</b>
0401000	<b>(i) Oilseeds</b>		
0401010	Linseed		
0401020	Peanuts		
0401030	Poppy seed		
0401040	Sesame seed		
0401050	Sunflower seed		
0401060	Rape seed (Bird rapeseed, turnip rape)		
0401070	Soya bean		
0401080	Mustard seed		
0401090	Cotton seed		
0401100	Pumpkin seeds (Other seeds of Cucurbitaceae)		
0401110	Safflower		
0401120	Borage (Purple viper's bugloss/Canary flower (Echium plantagineum), Corn Gromwell (Buglossoides arvensis))		
0401130	Gold of pleasure		
0401140	Hempseed		
0401150	Castor bean		
0401990	Others		
0402000	<b>(ii) Oilfruits</b>		
0402010	Olives for oil production		
0402020	Palm nuts (palmoil kernels)		
0402030	Palmfruit		
0402040	Kapok		
0402990	Others		
0500000	<b>5. CEREALS</b>	<b>0,05 (*)</b>	<b>0,01 (*)</b>
0500010	Barley		
0500020	Buckwheat (Amaranthus, quinoa)		
0500030	Maize		
0500040	Millet (Foxtail millet, teff, finger millet, pearl millet)		
0500050	Oats		
0500060	Rice (Indian/wild rice (Zizania aquatica))		
0500070	Rye		
0500080	Sorghum		
0500090	Wheat (Spelt, triticale)		

▼ **M59**

(1)	(2)	(3)	(4)
0500990	Others (Canary grass seeds ( <i>Phalaris canariensis</i> ))		
0600000	<b>6. TEA, COFFEE, HERBAL INFUSIONS AND COCOA</b>	<b>0,1 (*)</b>	0,05 (*)
0610000	(i) <b>Tea</b>		
0620000	(ii) <b>Coffee beans</b>		
0630000	(iii) <b>Herbal infusions (dried)</b>		
0631000	(a) <b>Flowers</b>		
0631010	Camomille flowers		
0631020	Hybiscus flowers		
0631030	Rose petals		
0631040	Jasmine flowers (Elderflowers ( <i>Sambucus nigra</i> ))		
0631050	Lime (linden)		
0631990	Others		
0632000	(b) <b>Leaves</b>		
0632010	Strawberry leaves		
0632020	Rooibos leaves ( <i>Ginkgo</i> leaves)		
0632030	Maté		
0632990	Others		
0633000	(c) <b>Roots</b>		
0633010	Valerian root		
0633020	Ginseng root		
0633990	Others		
0639000	(d) <b>Other herbal infusions</b>		
0640000	(iv) <b>Cocoabeans (fermented or dried)</b>		
0650000	(v) <b>Carob (st johns bread)</b>		
0700000	<b>7. HOPS (dried)</b>	<b>0,1 (*)</b>	0,05 (*)
0800000	<b>8. SPICES</b>		
0810000	(i) <b>Seeds</b>	<b>0,1 (*)</b>	0,05 (*)
0810010	Anise		
0810020	Black caraway		
0810030	Celery seed ( <i>Lovage</i> seed)		
0810040	Coriander seed		
0810050	Cumin seed		
0810060	Dill seed		
0810070	Fennel seed		
0810080	Fenugreek		
0810090	Nutmeg		
0810990	Others		
0820000	(ii) <b>Fruits and berries</b>	<b>0,1 (*)</b>	0,05 (*)

▼ **M59**

(1)	(2)	(3)	(4)
0820010	Allspice		
0820020	Sichuan pepper (Anise pepper, Japan pepper)		
0820030	Caraway		
0820040	Cardamom		
0820050	Juniper berries		
0820060	Pepper, black, green and white (Long pepper, pink pepper)		
0820070	Vanilla pods		
0820080	Tamarind		
0820990	Others		
0830000	<b>(iii) Bark</b>	<b>0,1 (*)</b>	<b>0,05 (*)</b>
0830010	Cinnamon (Cassia)		
0830990	Others		
0840000	<b>(iv) Roots or rhizome</b>		
0840010	Liquorice	<b>0,1 (*)</b>	0,05 (*)
0840020	Ginger	<b>0,1 (*)</b>	0,05 (*)
0840030	Turmeric (Curcuma)	<b>0,1 (*)</b>	0,05 (*)
0840040	Horseradish	(+)	(+)
0840990	Others	<b>0,1 (*)</b>	0,05 (*)
0850000	<b>(v) Buds</b>	<b>0,1 (*)</b>	<b>0,05 (*)</b>
0850010	Cloves		
0850020	Capers		
0850990	Others		
0860000	<b>(vi) Flower stigma</b>	<b>0,1 (*)</b>	<b>0,05 (*)</b>
0860010	Saffron		
0860990	Others		
0870000	<b>(vii) Aril</b>	<b>0,1 (*)</b>	<b>0,05 (*)</b>
0870010	Mace		
0870990	Others		
0900000	<b>9. SUGAR PLANTS</b>	<b>0,05 (*)</b>	<b>0,01 (*)</b>
0900010	Sugar beet (root)		
0900020	Sugar cane		
0900030	Chicory roots		



▼ **M59**

(1)	(2)	(3)	(4)
0900990	Others		
1000000	<b>10. PRODUCTS OF ANIMAL ORIGIN- TERRESTRIAL ANIMALS</b>	0,05 (*)	
1010000	<b>(i) Tissue</b>		<b>0,02 (*)</b>
1011000	<b>(a) Swine</b>		
1011010	Muscle		
1011020	Fat		
1011030	Liver		
1011040	Kidney		
1011050	Edible offal		
1011990	Others		
1012000	<b>(b) Bovine</b>		
1012010	Muscle		
1012020	Fat		
1012030	Liver		
1012040	Kidney		
1012050	Edible offal		
1012990	Others		
1013000	<b>(c) Sheep</b>		
1013010	Muscle		
1013020	Fat		
1013030	Liver		
1013040	Kidney		
1013050	Edible offal		
1013990	Others		
1014000	<b>(d) Goat</b>		
1014010	Muscle		
1014020	Fat		
1014030	Liver		
1014040	Kidney		
1014050	Edible offal		
1014990	Others		
1015000	<b>(e) Horses, asses, mules or hinnies</b>		
1015010	Muscle		
1015020	Fat		

▼ **M59**

(1)	(2)	(3)	(4)
1015030	Liver		
1015040	Kidney		
1015050	Edible offal		
1015990	Others		
1016000	<b>(f) Poultry -chicken, geese, duck, turkey and Guinea fowl-, ostrich, pigeon</b>		
1016010	Muscle		
1016020	Fat		
1016030	Liver		
1016040	Kidney		
1016050	Edible offal		
1016990	Others		
1017000	<b>(g) Other farm animals (Rabbit, kangaroo, deer)</b>		
1017010	Muscle		
1017020	Fat		
1017030	Liver		
1017040	Kidney		
1017050	Edible offal		
1017990	Others		
1020000	<b>(ii) Milk</b>		<b>0,02 (*)</b>
1020010	Cattle		
1020020	Sheep		
1020030	Goat		
1020040	Horse		
1020990	Others		
1030000	<b>(iii) Bird eggs</b>		<b>0,02 (*)</b>
1030010	Chicken		
1030020	Duck		
1030030	Goose		
1030040	Quail		

▼ **M59**

(1)	(2)	(3)	(4)
1030990	Others		
1040000	(iv) <b>Honey (Royal jelly, pollen, honey comb with honey (comb honey))</b>		<b>0,05 (*)</b>
1050000	(v) <b>Amphibians and reptiles (Frog legs, crocodiles)</b>		<b>0,02 (*)</b>
1060000	(vi) <b>Snails</b>		<b>0,02 (*)</b>
1070000	(vii) <b>Other terrestrial animal products (Wild game)</b>		<b>0,02 (*)</b>

▼ **M64****Pesticide residues and maximum residue levels (mg/kg)**

Code number	Groups and examples of individual products to which the MRLs apply (*)	Procymidone (R)
0100000	<b>1. FRUIT FRESH OR FROZEN NUTS</b>	
0110000	(i) <b>Citrus fruit</b>	0,01 (*)
0110010	Grapefruit (Shaddocks, pomelos, sweeties, tangelo (except mineola), ugli and other hybrids)	
0110020	Oranges (Bergamot, bitter orange, chinotto and other hybrids)	
0110030	Lemons (Citron, lemon, Buddha's hand ( <i>Citrus medica</i> var. <i>sarcodactylis</i> ))	
0110040	Limes	
0110050	Mandarins (Clementine, tangerine, mineola and other hybrids tangor ( <i>Citrus reticulata</i> x <i>sinensis</i> ))	
0110990	Others	
0120000	(ii) <b>Tree nuts</b>	0,02 (*)
0120010	Almonds	
0120020	Brazil nuts	
0120030	Cashew nuts	
0120040	Chestnuts	
0120050	Coconuts	
0120060	Hazelnuts (Filbert)	
0120070	Macadamia	
0120080	Pecans	
0120090	Pine nuts	
0120100	Pistachios	
0120110	Walnuts	
0120990	Others	
0130000	(iii) <b>Pome fruit</b>	0,01 (*)
0130010	Apples (Crab apple)	
0130020	Pears (Oriental pear)	
0130030	Quinces	
0130040	Medlar	
0130050	Loquat	
0130990	Others	
0140000	(iv) <b>Stone fruit</b>	0,01 (*)
0140010	Apricots	
0140020	Cherries (Sweet cherries, sour cherries)	
0140030	Peaches (Nectarines and similar hybrids)	

## ▼ M64

Code number	Groups and examples of individual products to which the MRLs apply (a)	Procymidone (R)
0140040	Plums (Damson, greengage, mirabelle, sloe, red date/Chinese date/Chinese jujube ( <i>Ziziphus zizyphus</i> ))	
0140990	Others	
0150000	(v) <b>Berries &amp; small fruit</b>	0,01 (*)
0151000	(a) <i>Table and wine grapes</i>	
0151010	Table grapes	
0151020	Wine grapes	
0152000	(b) <i>Strawberries</i>	
0153000	(c) <i>Cane fruit</i>	
0153010	Blackberries	
0153020	Dewberries (Loganberries, tayberries, boysenberries, cloudberry and other <i>Rubus</i> hybrids)	
0153030	Raspberries (Wineberries, arctic bramble/raspberry, ( <i>Rubus arcticus</i> ), nectar raspberries ( <i>Rubus arcticus</i> x <i>Rubus idaeus</i> ))	
0153990	Others	
0154000	(d) <i>Other small fruit &amp; berries</i>	
0154010	Blueberries (Bilberries)	
0154020	Cranberries (Cowberries/red bilberries ( <i>V. vitis-idaea</i> ))	
0154030	Currants (red, black and white)	
0154040	Gooseberries (Including hybrids with other <i>Ribes</i> species)	
0154050	Rose hips	
0154060	Mulberries (Arbutus berry)	
0154070	Azarole (mediteranean medlar) (Kiwiberry ( <i>Actinidia arguta</i> ))	
0154080	Elderberries (Black chokeberry/appleberry, mountain ash, buck-thorn/sea sallowthorn, hawthorn, serviceberries, and other treeberries)	
0154990	Others	
0160000	(vi) <b>Miscellaneous fruit</b>	0,01 (*)
0161000	(a) <i>Edible peel</i>	
0161010	Dates	
0161020	Figs	
0161030	Table olives	
0161040	Kumquats (Marumi kumquats, nagami kumquats, limequats ( <i>Citrus aurantifolia</i> x <i>Fortunella</i> spp.))	
0161050	Carambola (Bilimbi)	
0161060	Persimmon	

▼ **M64**

Code number	Groups and examples of individual products to which the MRLs apply (a)	Procymidone (R)
0161070	Jambolan (java plum) (Java apple/water apple, pomerac, rose apple, Brazilian cherry, Surinam cherry/grumichama ( <i>Eugenia uniflora</i> ))	
0161990	Others	
0162000	(b) <i>Inedible peel, small</i>	
0162010	Kiwi	
0162020	Lychee (Litchi) (Pulasan, rambutan/hairy litchi, longan, mangosteen, langsung, salak)	
0162030	Passion fruit	
0162040	Prickly pear (cactus fruit)	
0162050	Star apple	
0162060	American persimmon (Virginia kaki) (Black sapote, white sapote, green sapote, canistel/yellow sapote, mammey sapote)	
0162990	Others	
0163000	(c) <i>Inedible peel, large</i>	
0163010	Avocados	
0163020	Bananas (Dwarf banana, plantain, apple banana)	
0163030	Mangoes	
0163040	Papaya	
0163050	Pomegranate	
0163060	Cherimoya (Custard apple, sugar apple/sweetsop, ilama ( <i>Annona diversifolia</i> ) and other medium sized <i>Annonaceae</i> fruits)	
0163070	Guava (Red pitaya/dragon fruit ( <i>Hylocereus undatus</i> ))	
0163080	Pineapples	
0163090	Bread fruit (Jackfruit)	
0163100	Durian	
0163110	Soursop (guanabana)	
0163990	Others	
0200000	<b>2. VEGETABLES FRESH OR FROZEN</b>	
0210000	(i) <b>Root and tuber vegetables</b>	0,01 (*)
0211000	(a) <i>Potatoes</i>	
0212000	(b) <i>Tropical root and tuber vegetables</i>	
0212010	Cassava (Dasheen, eddoe/Japanese taro, tannia)	
0212020	Sweet potatoes	
0212030	Yams (Potato bean/yam bean, Mexican yam bean)	

## ▼ M64

Code number	Groups and examples of individual products to which the MRLs apply (4)	Procymidone (R)
0212040	Arrowroot	
0212990	Others	
0213000	(c) <i>Other root and tuber vegetables except sugar beet</i>	
0213010	Beetroot	
0213020	Carrots	
0213030	Celeriac	
0213040	Horseradish (Angelica roots, lovage roots, gentiana roots)	
0213050	Jerusalem artichokes (Crosne)	
0213060	Parsnips	
0213070	Parsley root	
0213080	Radishes (Black radish, Japanese radish, small radish and similar varieties, tiger nut ( <i>Cyperus esculentus</i> ))	
0213090	Salsify (Scorzonera, Spanish salsify/ Spanish oysterplant, edible burdock)	
0213100	Swedes	
0213110	Turnips	
0213990	Others	
0220000	(ii) <b>Bulb vegetables</b>	0,02 (*)
0220010	Garlic	
0220020	Onions (Other bulb onions, silverskin onions)	
0220030	Shallots	
0220040	Spring onions and welsh onions (Other green onions and similar varieties)	
0220990	Others	
0230000	(iii) <b>Fruiting vegetables</b>	0,01 (*)
0231000	(a) Solanacea	
0231010	Tomatoes (Cherry tomatoes, <i>Physalis</i> spp., gojiberry, wolfberry ( <i>Lycium barbarum</i> and <i>L. chinense</i> ), tree tomato)	
0231020	Peppers (Chilli peppers)	
0231030	Aubergines (egg plants) (Pepino, antroewa/white eggplant ( <i>S. macrocarpon</i> ))	
0231040	Okra (lady's fingers)	
0231990	Others	
0232000	(b) <i>Cucurbits — edible peel</i>	
0232010	Cucumbers	
0232020	Gherkins	

## ▼ M64

Code number	Groups and examples of individual products to which the MRLs apply (a)	Procymidone (R)
0232030	Courgettes (Summer squash, marrow (patisson), lauki ( <i>Lagenaria siceraria</i> ), chayote, sopropo/bitter melon, snake gourd, angled luffa/teroi)	
0232990	Others	
0233000	(c) <i>Cucurbits-inedible peel</i>	
0233010	Melons (Kiwano)	
0233020	Pumpkins (Winter squash, marrow (late variety))	
0233030	Watermelons	
0233990	Others	
0234000	(d) <i>Sweet corn (Baby corn)</i>	
0239000	(e) <i>Other fruiting vegetables</i>	
0240000	(iv) <b>Brassica vegetables</b>	0,01 (*)
0241000	(a) <i>Flowering brassica</i>	
0241010	Broccoli (Calabrese, Broccoli raab, Chinese broccoli)	
0241020	Cauliflower	
0241990	Others	
0242000	(b) <i>Head brassica</i>	
0242010	Brussels sprouts	
0242020	Head cabbage (Pointed head cabbage, red cabbage, savoy cabbage, white cabbage)	
0242990	Others	
0243000	(c) <i>Leafy brassica</i>	
0243010	Chinese cabbage (Indian or Chinese) mustard, pak choi, Chinese flat cabbage/ai goo choi), choy sum, Peking cabbage/pe-tsai)	
0243020	Kale (Borecole/curly kale, collards, Portuguese Kale, Portuguese cabbage, cow cabbage)	
0243990	Others	
0244000	(d) <i>Kohlrabi</i>	
0250000	(v) <b>Leaf vegetables &amp; fresh herbs</b>	
0251000	(a) <i>Lettuce and other salad plants including Brassicacea</i>	0,01 (*)
0251010	Lamb's lettuce (Italian corn salad)	
0251020	Lettuce (Head lettuce, lollo rosso (cutting lettuce), iceberg lettuce, romaine (cos) lettuce)	
0251030	Scarole (broad-leaf endive) (Wild chicory, red-leaved chicory, radicchio, curly leaf endive, sugar loaf ( <i>C. endivia</i> var. <i>crispum</i> / <i>C. intybus</i> var. <i>foliosum</i> ), dandelion greens)	



## ▼ M64

Code number	Groups and examples of individual products to which the MRLs apply (a)	Procymidone (R)
0251040	Cress (Mung bean sprouts, alfalfa sprouts)	
0251050	Land cress	
0251060	Rocket, Rucola (Wild rocket ( <i>Diplotaxis</i> spp.))	
0251070	Red mustard	
0251080	Leaves and sprouts of <i>Brassica</i> spp, including turnip greens (Mizuna, leaves of peas and radish and other babyleaf crops, including brassica crops (crops harvested up to 8 true leaf stage), kohlrabi leaves)	
0251990	Others	
0252000	(b) <b>Spinach &amp; similar (leaves)</b>	0,01 (*)
0252010	Spinach (New Zealand spinach, amaranthus spinach (pak-khom, tampara), tajar leaves, bitterblad/bitawiri)	
0252020	Purslane (Winter purslane/miner's lettuce, garden purslane, common purslane, sorrel, glassworth, agretti ( <i>Salsola soda</i> ))	
0252030	Beet leaves (chard) (Leaves of beetroot)	
0252990	Others	
0253000	(c) <i>Vine leaves (grape leaves) (Malabar nightshade, banana leaves, climbing wattle (Acacia pennata)</i>	0,01 (*)
0254000	(d) <i>Water cress (Morning glory/Chinese convolvulus/water convolvulus/water spinach/kangkung (Ipomea aquatica), water clover, water mimosa)</i>	0,01 (*)
0255000	(e) <i>Witloof</i>	0,01 (*)
0256000	(f) <i>Herbs</i>	0,02 (*)
0256010	Chervil	
0256020	Chives	
0256030	Celery leaves (Fennel leaves, coriander leaves, dill leaves, caraway leaves, lovage, angelica, sweet cicely and other <i>Apiacea</i> leaves, culantro/stinking/long coriander/stink weed ( <i>Eryngium foetidum</i> ))	
0256040	Parsley (leaves of root parsley)	
0256050	Sage (Winter savory, summer savory, <i>Borago officinalis</i> leaves)	
0256060	Rosemary	
0256070	Thyme (Marjoram, oregano)	

▼ **M64**

Code number	Groups and examples of individual products to which the MRLs apply (4)	Procymidone (R)
0256080	Basil (Balm leaves, mint, peppermint, holy basil, sweet basil, hairy basil, edible flowers (marigold flower and others), pennywort, wild betel leaf, curry leaves)	
0256090	Bay leaves (laurel) (Lemon grass)	
0256100	Tarragon (Hyssop)	
0256990	Others	
0260000	(vi) <b>Legume vegetables (fresh)</b>	0,01 (*)
0260010	Beans (with pods) (Green bean/French beans/snap beans, scarlet runner bean, slicing bean, yard long beans, guar beans, soya beans)	
0260020	Beans (without pods) (Broad beans, flageolets, jack bean, lima bean, cowpea)	
0260030	Peas (with pods) (Mangetout/sugar peas/snow peas)	
0260040	Peas (without pods) (Garden pea, green pea, chickpea)	
0260050	Lentils	
0260990	Others	
0270000	(vii) <b>Stem vegetables (fresh)</b>	0,01 (*)
0270010	Asparagus	
0270020	Cardoons ( <i>Borago officinalis</i> stems)	
0270030	Celery	
0270040	Fennel	
0270050	Globe artichokes (Banana flower)	
0270060	Leek	
0270070	Rhubarb	
0270080	Bamboo shoots	
0270090	Palm hearts	
0270990	Others	
0280000	(viii) <b>Fungi</b>	0,01 (*)
0280010	Cultivated fungi (Common mushroom, oyster mushroom, shiitake, <i>fungus mycelium</i> (vegetative parts))	
0280020	Wild fungi (Chanterelle, truffle, morel, cep)	
0280990	Others	
0290000	(ix) <b>Sea weeds</b>	0,01 (*)
0300000	3. <b>PULSES, DRY</b>	0,01 (*)
0300010	Beans (Broad beans, navy beans, flageolets, jack beans, lima beans, field beans, cowpeas)	
0300020	Lentils	
0300030	Peas (Chickpeas, field peas, chickling vetch)	

▼ **M64**

Code number	Groups and examples of individual products to which the MRLs apply (*)	Procymidone (R)
0300040	Lupins	
0300990	Others	
0400000	4. <b>OILSEEDS AND OILFRUITS</b>	0,02 (*)
0401000	(i) <b>Oilseeds</b>	
0401010	Linseed	
0401020	Peanuts	
0401030	Poppy seed	
0401040	Sesame seed	
0401050	Sunflower seed	
0401060	Rape seed (Bird rapeseed, turnip rape)	
0401070	Soya bean	
0401080	Mustard seed	
0401090	Cotton seed	
0401100	Pumpkin seeds (Other seeds of <i>Cucurbitaceae</i> )	
0401110	Safflower	
0401120	Borage (Purple viper's bugloss/Canary flower ( <i>Echium plantagineum</i> ), Corn Gromwell ( <i>Buglossoides arvensis</i> ))	
0401130	Gold of pleasure	
0401140	Hempseed	
0401150	Castor bean	
0401990	Others	
0402000	(ii) <b>Oilfruits</b>	
0402010	Olives for oil production	
0402020	Palm nuts (palmoil kernels)	
0402030	Palmfruit	
0402040	Kapok	
0402990	Others	
0500000	5. <b>CEREALS</b>	0,01 (*)
0500010	Barley	
0500020	Buckwheat ( <i>Amaranthus</i> , quinoa)	
0500030	Maize	
0500040	Millet (Foxtail millet, teff, finger millet, pearl millet)	
0500050	Oats	
0500060	Rice (Indian/wild rice ( <i>Zizania aquatica</i> ))	
0500070	Rye	
0500080	Sorghum	
0500090	Wheat (Spelt, triticale)	
0500990	Others (Canary grass seeds ( <i>Phalaris canariensis</i> ))	

▼ **M64**

Code number	Groups and examples of individual products to which the MRLs apply (*)	Procymidone (R)
0600000	6. <b>TEA, COFFEE, HERBAL INFUSIONS AND COCOA</b>	0,05 (*)
0610000	(i) <b>Tea</b>	
0620000	(ii) <b>Coffee beans</b>	
0630000	(iii) <b>Herbal infusions (dried)</b>	
0631000	(a) <i>Flowers</i>	
0631010	Camomille flowers	
0631020	Hybiscus flowers	
0631030	Rose petals	
0631040	Jasmine flowers (Elderflowers ( <i>Sambucus nigra</i> ))	
0631050	Lime (linden)	
0631990	Others	
0632000	(b) <i>Leaves</i>	
0632010	Strawberry leaves	
0632020	Rooibos leaves (Ginkgo leaves)	
0632030	Maté	
0632990	Others	
0633000	(c) <i>Roots</i>	
0633010	Valerian root	
0633020	Ginseng root	
0633990	Others	
0639000	(d) <i>Other herbal infusions</i>	
0640000	(iv) <b>Cocoabeans (fermented or dried)</b>	
0650000	(v) <b>Carob (st johns bread)</b>	
0700000	7. <b>HOPS (dried)</b>	0,05 (*)
0800000	8. <b>SPICES</b>	
0810000	(i) <b>Seeds</b>	0,05 (*)
0810010	Anise	
0810020	Black caraway	
0810030	Celery seed (Lovage seed)	
0810040	Coriander seed	
0810050	Cumin seed	
0810060	Dill seed	
0810070	Fennel seed	
0810080	Fenugreek	
0810090	Nutmeg	
0810990	Others	
0820000	(ii) <b>Fruits and berries</b>	0,05 (*)
0820010	Allspice	

▼ **M64**

Code number	Groups and examples of individual products to which the MRLs apply (*)	Procymidone (R)
0820020	Sichuan pepper (Anise pepper, Japan pepper)	
0820030	Caraway	
0820040	Cardamom	
0820050	Juniper berries	
0820060	Pepper, black, green and white (Long pepper, pink pepper)	
0820070	Vanilla pods	
0820080	Tamarind	
0820990	Others	
0830000	(iii) <b>Bark</b>	0,05 (*)
0830010	Cinnamon (Cassia)	
0830990	Others	
0840000	(iv) <b>Roots or rhizome</b>	
0840010	Liquorice	0,05 (*)
0840020	Ginger	0,05 (*)
0840030	Turmeric (Curcuma)	0,05 (*)
0840040	Horseradish	(+)
0840990	Others	0,05 (*)
0850000	(v) <b>Buds</b>	0,05 (*)
0850010	Cloves	
0850020	Capers	
0850990	Others	
0860000	(vi) <b>Flower stigma</b>	0,05 (*)
0860010	Saffron	
0860990	Others	
0870000	(vii) <b>Aril</b>	0,05 (*)
0870010	Mace	
0870990	Others	
0900000	9. <b>SUGAR PLANTS</b>	0,01 (*)
0900010	Sugar beet (root)	
0900020	Sugar cane	
0900030	Chicory roots	
0900990	Others	

▼ **M64**

Code number	Groups and examples of individual products to which the MRLs apply <sup>(a)</sup>	Procymidone (R)
1000000	<b>10. PRODUCTS OF ANIMAL ORIGIN- TERRESTRIAL ANIMALS</b>	
1010000	(i) <b>Tissue</b>	0,01 (*)
1011000	(a) <i>Swine</i>	
1011010	Muscle	
1011020	Fat	
1011030	Liver	
1011040	Kidney	
1011050	Edible offal	
1011990	Others	
1012000	(b) <i>Bovine</i>	
1012010	Muscle	
1012020	Fat	
1012030	Liver	
1012040	Kidney	
1012050	Edible offal	
1012990	Others	
1013000	(c) <i>Sheep</i>	
1013010	Muscle	
1013020	Fat	
1013030	Liver	
1013040	Kidney	
1013050	Edible offal	
1013990	Others	
1014000	(d) <i>Goat</i>	
1014010	Muscle	
1014020	Fat	
1014030	Liver	
1014040	Kidney	
1014050	Edible offal	
1014990	Others	
1015000	(e) <i>Horses, asses, mules or hinnies</i>	
1015010	Muscle	
1015020	Fat	
1015030	Liver	

▼ **M64**

Code number	Groups and examples of individual products to which the MRLs apply (*)	Procymidone (R)
1015040	Kidney	
1015050	Edible offal	
1015990	Others	
1016000	(f) <i>Poultry -chicken, geese, duck, turkey and Guinea fowl-, ostrich, pigeon</i>	
1016010	Muscle	
1016020	Fat	
1016030	Liver	
1016040	Kidney	
1016050	Edible offal	
1016990	Others	
1017000	(g) <i>Other farm animals (Rabbit, kangaroo, deer)</i>	
1017010	Muscle	
1017020	Fat	
1017030	Liver	
1017040	Kidney	
1017050	Edible offal	
1017990	Others	
1020000	(ii) <b>Milk</b>	0,01 (*)
1020010	Cattle	
1020020	Sheep	
1020030	Goat	
1020040	Horse	
1020990	Others	
1030000	(iii) <b>Bird eggs</b>	0,01 (*)
1030010	Chicken	
1030020	Duck	
1030030	Goose	
1030040	Quail	
1030990	Others	

▼ **M64**

Code number	Groups and examples of individual products to which the MRLs apply <sup>(4)</sup>	Procymidone (R)
1040000	(iv) <b>Honey (Royal jelly, pollen, honey comb with honey (comb honey))</b>	0,05 (*)
1050000	(v) <b>Amphibians and reptiles (Frog legs, crocodiles)</b>	0,01 (*)
1060000	(vi) <b>Snails</b>	0,01 (*)
1070000	(vii) <b>Other terrestrial animal products (Wild game)</b>	0,01 (*)



▼ **M66****Pesticide residues and maximum residue levels (mg/kg)**

Code number	Groups and examples of individual products to which the MRLs apply (*)	Asulam	Cyanamide including salts expressed as cyanamide	Propisochlor
0100000	1. <b>FRUIT FRESH OR FROZEN NUTS</b>		0,01 (*)	0,01 (*)
0110000	(i) <b>Citrus fruit</b>	0,05 (*)		
0110010	Grapefruit (Shaddocks, pomelos, sweeties, tangelo (except mineola), ugli and other hybrids)			
0110020	Oranges (Bergamot, bitter orange, chinotto and other hybrids)			
0110030	Lemons (Citron, lemon, Buddha's hand ( <i>Citrus medica</i> var. <i>sarcodactylis</i> ))			
0110040	Limes			
0110050	Mandarins (Clementine, tangerine, mineola and other hybrids tangor ( <i>Citrus reticulata</i> × <i>sinensis</i> ))			
0110990	Others			
0120000	(ii) <b>Tree nuts</b>	0,1 (*)		
0120010	Almonds			
0120020	Brazil nuts			
0120030	Cashew nuts			
0120040	Chestnuts			
0120050	Coconuts			
0120060	Hazelnuts (Filbert)			
0120070	Macadamia			
0120080	Pecans			
0120090	Pine nuts			
0120100	Pistachios			
0120110	Walnuts			
0120990	Others			
0130000	(iii) <b>Pome fruit</b>	0,05 (*)		
0130010	Apples (Crab apple)			
0130020	Pears (Oriental pear)			
0130030	Quinces			
0130040	Medlar			
0130050	Loquat			
0130990	Others			
0140000	(iv) <b>Stone fruit</b>	0,05 (*)		
0140010	Apricots			
0140020	Cherries (Sweet cherries, sour cherries)			
0140030	Peaches (Nectarines and similar hybrids)			

## ▼ M66

Code number	Groups and examples of individual products to which the MRLs apply (*)	Asulam	Cyanamide including salts expressed as cyanamide	Propisochlor
0140040	Plums (Damson, greengage, mirabelle, sloe, red date/Chinese date/Chinese jujube ( <i>Ziziphus zizyphus</i> ))			
0140990	Others			
0150000	(v) <i>Berries &amp; small fruit</i>	0,05 (*)		
0151000	(a) <i>Table and wine grapes</i>			
0151010	Table grapes			
0151020	Wine grapes			
0152000	(b) <i>Strawberries</i>			
0153000	(c) <i>Cane fruit</i>			
0153010	Blackberries			
0153020	Dewberries (Loganberries, tayberries, boysenberries, cloudberrys and other <i>Rubus</i> hybrids)			
0153030	Raspberries (Wineberries, arctic bramble/raspberry, ( <i>Rubus arcticus</i> ), nectar raspberries ( <i>Rubus arcticus</i> × <i>Rubus idaeus</i> ))			
0153990	Others			
0154000	(d) <b>Other small fruit &amp; berries</b>			
0154010	Blueberries (Bilberries)			
0154020	Cranberries (Cowberries/red bilberries ( <i>V. vitis-idaea</i> ))			
0154030	Currants (red, black and white)			
0154040	Gooseberries (Including hybrids with other <i>Ribes</i> species)			
0154050	Rose hips			
0154060	Mulberries (Arbutus berry)			
0154070	Azarole (mediteranean medlar) (Kiwiberry ( <i>Actinidia arguta</i> ))			
0154080	Elderberries (Black chokeberry/appleberry, mountain ash, buck-thorn/sea sallowthorn, hawthorn, serviceberries, and other treeberries)			
0154990	Others			
0160000	(vi) <i>Miscellaneous fruit</i>	0,05 (*)		
0161000	(a) <i>Edible peel</i>			
0161010	Dates			
0161020	Figs			
0161030	Table olives			
0161040	Kumquats (Marumi kumquats, nagami kumquats, limequats ( <i>Citrus aurantifolia</i> × <i>Fortunella</i> spp.))			
0161050	Carambola (Bilimbi)			
0161060	Persimmon			

▼ **M66**

Code number	Groups and examples of individual products to which the MRLs apply (*)	Asulam	Cyanamide including salts expressed as cyanamide	Propisochlor
0161070	Jambolan (java plum) (Java apple/water apple, pomerac, rose apple, Brazilian cherry, Surinam cherry/grumichama ( <i>Eugenia uniflora</i> ))			
0161990	Others			
0162000	(b) <i>Inedible peel, small</i>			
0162010	Kiwi			
0162020	Lychee (Litchi) (Pulasan, rambutan/hairy litchi, longan, mangosteen, langsat, salak)			
0162030	Passion fruit			
0162040	Prickly pear (cactus fruit)			
0162050	Star apple			
0162060	American persimmon (Virginia kaki) (Black sapote, white sapote, green sapote, canistel/yellow sapote, mammey sapote)			
0162990	Others			
0163000	(c) <b>Inedible peel, large</b>			
0163010	Avocados			
0163020	Bananas (Dwarf banana, plantain, apple banana)			
0163030	Mangoes			
0163040	Papaya			
0163050	Pomegranate			
0163060	Cherimoya (Custard apple, sugar apple/sweetsop, ilama ( <i>Annona diversifolia</i> ) and other medium sized <i>Annonaceae</i> fruits)			
0163070	Guava (Red pitaya/dragon fruit ( <i>Hylocereus undatus</i> ))			
0163080	Pineapples			
0163090	Bread fruit (Jackfruit)			
0163100	Durian			
0163110	Soursop (guanabana)			
0163990	Others			
0200000	<b>2. VEGETABLES FRESH OR FROZEN</b>		0,01 (*)	
0210000	(i) <b>Root and tuber vegetables</b>	0,05 (*)		0,01 (*)
0211000	(a) <i>Potatoes</i>			
0212000	(b) <i>Tropical root and tuber vegetables</i>			
0212010	Cassava (Dasheen, eddoe/Japanese taro, tannia)			
0212020	Sweet potatoes			
0212030	Yams (Potato bean/yam bean, Mexican yam bean)			

## ▼ M66

Code number	Groups and examples of individual products to which the MRLs apply (*)	Asulam	Cyanamide including salts expressed as cyanamide	Propisochlor
0212040	Arrowroot			
0212990	Others			
0213000	(c) <i>Other root and tuber vegetables except sugar beet</i>			
0213010	Beetroot			
0213020	Carrots			
0213030	Celeriac			
0213040	Horseradish (Angelica roots, lovage roots, gentiana roots)			
0213050	Jerusalem artichokes (Crosne)			
0213060	Parsnips			
0213070	Parsley root			
0213080	Radishes (Black radish, Japanese radish, small radish and similar varieties, tiger nut ( <i>Cyperus esculentus</i> ))			
0213090	Salsify (Scorzonera, Spanish salsify/ Spanish oysterplant, edible burdock)			
0213100	Swedes			
0213110	Turnips			
0213990	Others			
0220000	(ii) <b>Bulb vegetables</b>	0,05 (*)		0,01 (*)
0220010	Garlic			
0220020	Onions (Other bulb onions, silverskin onions)			
0220030	Shallots			
0220040	Spring onions and welsh onions (Other green onions and similar varieties)			
0220990	Others			
0230000	(iii) <b>Fruiting vegetables</b>	0,05 (*)		0,01 (*)
0231000	(a) Solanacea			
0231010	Tomatoes (Cherry tomatoes, <i>Physalis</i> spp., gojiberry, wolfberry ( <i>Lycium barbarum</i> and <i>L. chinense</i> ), tree tomato)			
0231020	Peppers (Chilli peppers)			
0231030	Aubergines (egg plants) (Pepino, antroewa/white eggplant ( <i>S. macrocarpon</i> ))			
0231040	Okra (lady's fingers)			
0231990	Others			
0232000	(b) <i>Cucurbits — edible peel</i>			
0232010	Cucumbers			
0232020	Gherkins			

## ▼ M66

Code number	Groups and examples of individual products to which the MRLs apply (*)	Asulam	Cyanamide including salts expressed as cyanamide	Propisochlor
0232030	Courgettes (Summer squash, marrow (patisson), lauki ( <i>Lagenaria siceraria</i> ), chayote, sopropo/bitter melon, snake gourd, angled luffa/teroi)			
0232990	Others			
0233000	(c) <i>Cucurbits — inedible peel</i>			
0233010	Melons (Kiwano)			
0233020	Pumpkins (Winter squash, marrow (late variety))			
0233030	Watermelons			
0233990	Others			
0234000	(d) <i>Sweet corn (Baby corn)</i>			
0239000	(e) <i>Other fruiting vegetables</i>			
0240000	(iv) <b>Brassica vegetables</b>	0,05 (*)		0,01 (*)
0241000	(a) <i>Flowering brassica</i>			
0241010	Broccoli (Calabrese, Broccoli raab, Chinese broccoli)			
0241020	Cauliflower			
0241990	Others			
0242000	(b) <i>Head brassica</i>			
0242010	Brussels sprouts			
0242020	Head cabbage (Pointed head cabbage, red cabbage, savoy cabbage, white cabbage)			
0242990	Others			
0243000	(c) <i>Leafy brassica</i>			
0243010	Chinese cabbage (Indian or Chinese) mustard, pak choi, Chinese flat cabbage/ai goo choi), choi sum, Peking cabbage/pe-tsai)			
0243020	Kale (Borecole/curly kale, collards, Portuguese Kale, Portuguese cabbage, cow cabbage)			
0243990	Others			
0244000	(d) <i>Kohlrabi</i>			
0250000	(v) <b>Leaf vegetables &amp; fresh herbs</b>			
0251000	(a) <i>Lettuce and other salad plants including Brassicacea</i>	0,05 (*)		0,01 (*)
0251010	Lamb's lettuce (Italian corn salad)			
0251020	Lettuce (Head lettuce, lollo rosso (cutting lettuce), iceberg lettuce, romaine (cos) lettuce)			
0251030	Scarole (broad-leaf endive) (Wild chicory, red-leaved chicory, radicchio, curly leaf endive, sugar loaf ( <i>C. endivia</i> var. <i>crispum</i> / <i>C. intybus</i> var. <i>foliosum</i> ), dandelion greens)			

## ▼ M66

Code number	Groups and examples of individual products to which the MRLs apply (*)	Asulam	Cyanamide including salts expressed as cyanamide	Propisochlor
0251040	Cress (Mung bean sprouts, alfalfa sprouts)			
0251050	Land cress			
0251060	Rocket, Rucola (Wild rocket ( <i>Diplotaxis</i> spp.))			
0251070	Red mustard			
0251080	Leaves and sprouts of <i>Brassica</i> spp, including turnip greens (Mizuna, leaves of peas and radish and other babyleaf crops, including brassica crops (crops harvested up to 8 true leaf stage), kohlrabi leaves)			
0251990	Others			
0252000	(b) <i>Spinach &amp; similar (leaves)</i>	0,05 (*)		0,01 (*)
0252010	Spinach (New Zealand spinach, amaranthus spinach (pak-khom, tampara), tajar leaves, bitterblad/bitawiri)			
0252020	Purslane (Winter purslane/miner's lettuce, garden purslane, common purslane, sorrel, glassworth, agretti ( <i>Salsola soda</i> ))			
0252030	Beet leaves (chard) (Leaves of beetroot)			
0252990	Others			
0253000	(c) <i>Vine leaves (grape leaves) (Malabar nightshade, banana leaves, climbing wattle (Acacia pennata))</i>	0,05 (*)		0,01 (*)
0254000	(d) <i>Water cress (Morning glory/Chinese convolvulus/water convolvulus/water spinach/kangkung (Ipomea aquatica), water clover, water mimosa)</i>	0,05 (*)		0,01 (*)
0255000	(e) <i>Witloof</i>	0,05 (*)		0,01 (*)
0256000	(f) <i>Herbs</i>	0,1 (*)		0,02 (*)
0256010	Chervil			
0256020	Chives			
0256030	Celery leaves (Fennel leaves, coriander leaves, dill leaves, caraway leaves, lovage, angelica, sweet cicely and other <i>Apiacea</i> leaves, culantro/stinking/long coriander/stink weed ( <i>Eryngium foetidum</i> ))			
0256040	Parsley (leaves of root parsley)			
0256050	Sage (Winter savory, summer savory, <i>Borago officinalis</i> leaves)			
0256060	Rosemary			
0256070	Thyme (Marjoram, oregano)			

▼ **M66**

Code number	Groups and examples of individual products to which the MRLs apply (*)	Asulam	Cyanamide including salts expressed as cyanamide	Propisochlor
0256080	Basil (Balm leaves, mint, peppermint, holy basil, sweet basil, hairy basil, edible flowers (marigold flower and others), pennywort, wild betel leaf, curry leaves)			
0256090	Bay leaves (laurel) (Lemon grass)			
0256100	Tarragon (Hyssop)			
0256990	Others			
0260000	<b>(vi) Legume vegetables (fresh)</b>	0,05 (*)		0,01 (*)
0260010	Beans (with pods) (Green bean/French beans/snap beans, scarlet runner bean, slicing bean, yard long beans, guar beans, soya beans)			
0260020	Beans (without pods) (Broad beans, flageolets, jack bean, lima bean, cowpea)			
0260030	Peas (with pods) (Mangetout/sugar peas/snow peas)			
0260040	Peas (without pods) (Garden pea, green pea, chickpea)			
0260050	Lentils			
0260990	Others			
0270000	<b>(vii) Stem vegetables (fresh)</b>	0,05 (*)		0,01 (*)
0270010	Asparagus			
0270020	Cardoons ( <i>Borago officinalis</i> stems)			
0270030	Celery			
0270040	Fennel			
0270050	Globe artichokes (Banana flower)			
0270060	Leek			
0270070	Rhubarb			
0270080	Bamboo shoots			
0270090	Palm hearts			
0270990	Others			
0280000	<b>(viii) Fungi</b>	0,05 (*)		0,01 (*)
0280010	Cultivated fungi (Common mushroom, oyster mushroom, shiitake, <i>fungus mycelium</i> (vegetative parts))			
0280020	Wild fungi (Chanterelle, truffle, morel, cep)			
0280990	Others			
0290000	<b>(ix) Sea weeds</b>	0,05 (*)		0,01 (*)
0300000	<b>3. PULSES, DRY</b>	0,05 (*)	0,01 (*)	0,01 (*)
0300010	Beans (Broad beans, navy beans, flageolets, jack beans, lima beans, field beans, cowpeas)			
0300020	Lentils			
0300030	Peas (Chickpeas, field peas, chickling vetch)			

▼ **M66**

Code number	Groups and examples of individual products to which the MRLs apply (*)	Asulam	Cyanamide including salts expressed as cyanamide	Propisochlor
0300040	Lupins			
0300990	Others			
0400000	<b>4. OILSEEDS AND OILFRUITS</b>	0,1 (*)	0,01 (*)	0,01 (*)
0401000	(i) <b>Oilseeds</b>			
0401010	Linseed			
0401020	Peanuts			
0401030	Poppy seed			
0401040	Sesame seed			
0401050	Sunflower seed			
0401060	Rape seed (Bird rapeseed, turnip rape)			
0401070	Soya bean			
0401080	Mustard seed			
0401090	Cotton seed			
0401100	Pumpkin seeds (Other seeds of <i>Cucurbitaceae</i> )			
0401110	Safflower			
0401120	Borage (Purple viper's bugloss/Canary flower ( <i>Echium plantagineum</i> ), Corn Gromwell ( <i>Buglossoides arvensis</i> ))			
0401130	Gold of pleasure			
0401140	Hempseed			
0401150	Castor bean			
0401990	Others			
0402000	(ii) <b>Oilfruits</b>			
0402010	Olives for oil production			
0402020	Palm nuts (palmoil kernels)			
0402030	Palmfruit			
0402040	Kapok			
0402990	Others			
0500000	<b>5. CEREALS</b>	0,05 (*)	0,01 (*)	0,01 (*)
0500010	Barley			
0500020	Buckwheat ( <i>Amaranthus</i> , quinoa)			
0500030	Maize			
0500040	Millet (Foxtail millet, teff, finger millet, pearl millet)			
0500050	Oats			
0500060	Rice (Indian/wild rice ( <i>Zizania aquatica</i> ))			
0500070	Rye			
0500080	Sorghum			
0500090	Wheat (Spelt, triticale)			
0500990	Others (Canary grass seeds ( <i>Phalaris canariensis</i> ))			



▼ **M66**

Code number	Groups and examples of individual products to which the MRLs apply (*)	Asulam	Cyanamide including salts expressed as cyanamide	Propisochlor
0600000	6. <b>TEA, COFFEE, HERBAL INFUSIONS AND COCOA</b>	0,1 (*)	0,01 (*)	0,05 (*)
0610000	(i) <b>Tea</b>			
0620000	(ii) <b>Coffee beans</b>			
0630000	(iii) <b>Herbal infusions (dried)</b>			
0631000	(a) <i>Flowers</i>			
0631010	Camomille flowers			
0631020	Hybiscus flowers			
0631030	Rose petals			
0631040	Jasmine flowers (Elderflowers ( <i>Sambucus nigra</i> ))			
0631050	Lime (linden)			
0631990	Others			
0632000	(b) <i>Leaves</i>			
0632010	Strawberry leaves			
0632020	Rooibos leaves (Ginkgo leaves)			
0632030	Maté			
0632990	Others			
0633000	(c) <i>Roots</i>			
0633010	Valerian root			
0633020	Ginseng root			
0633990	Others			
0639000	(d) <i>Other herbal infusions</i>			
0640000	(iv) <b>Cocoabeans (fermented or dried)</b>			
0650000	(v) <b>Carob (st johns bread)</b>			
0700000	7. <b>HOPS (dried)</b>	0,1 (*)	0,01 (*)	0,05 (*)
0800000	8. <b>SPICES</b>			
0810000	(i) <b>Seeds</b>	0,1 (*)	0,01 (*)	0,05 (*)
0810010	Anise			
0810020	Black caraway			
0810030	Celery seed (Lovage seed)			
0810040	Coriander seed			
0810050	Cumin seed			
0810060	Dill seed			
0810070	Fennel seed			
0810080	Fenugreek			
0810090	Nutmeg			
0810990	Others			
0820000	(ii) <b>Fruits and berries</b>	0,1 (*)	0,01 (*)	0,05 (*)
0820010	Allspice			

▼ **M66**

Code number	Groups and examples of individual products to which the MRLs apply (*)	Asulam	Cyanamide including salts expressed as cyanamide	Propisochlor
0820020	Sichuan pepper (Anise pepper, Japan pepper)			
0820030	Caraway			
0820040	Cardamom			
0820050	Juniper berries			
0820060	Pepper, black, green and white (Long pepper, pink pepper)			
0820070	Vanilla pods			
0820080	Tamarind			
0820990	Others			
0830000	(iii) <b>Bark</b>	0,1 (*)	0,01 (*)	0,05 (*)
0830010	Cinnamon (Cassia)			
0830990	Others			
0840000	(iv) <b>Roots or rhizome</b>			
0840010	Liquorice	0,1 (*)	0,01 (*)	0,05 (*)
0840020	Ginger	0,1 (*)	0,01 (*)	0,05 (*)
0840030	Turmeric (Curcuma)	0,1 (*)	0,01 (*)	0,05 (*)
0840040	Horseradish	(+)	(+)	(+)
0840990	Others	0,1 (*)	0,01 (*)	0,05 (*)
0850000	(v) <b>Buds</b>	0,1 (*)	0,01 (*)	0,05 (*)
0850010	Cloves			
0850020	Capers			
0850990	Others			
0860000	(vi) <b>Flower stigma</b>	0,1 (*)	0,01 (*)	0,05 (*)
0860010	Saffron			
0860990	Others			
0870000	(vii) <b>Aril</b>	0,1 (*)	0,01 (*)	0,05 (*)
0870010	Mace			
0870990	Others			
0900000	9. <b>SUGAR PLANTS</b>	0,05 (*)	0,01 (*)	0,01 (*)
0900010	Sugar beet (root)			
0900020	Sugar cane			
0900030	Chicory roots			
0900990	Others			

▼ **M66**

Code number	Groups and examples of individual products to which the MRLs apply (*)	Asulam	Cyanamide including salts expressed as cyanamide	Propisochlor
1000000	<b>10. PRODUCTS OF ANIMAL ORIGIN- TERRESTRIAL ANIMALS</b>	0,02 (*)	0,01 (*)	
1010000	(i) <b>Tissue</b>			0,01 (*)
1011000	(a) <i>Swine</i>			
1011010	Muscle			
1011020	Fat			
1011030	Liver			
1011040	Kidney			
1011050	Edible offal			
1011990	Others			
1012000	(b) <i>Bovine</i>			
1012010	Muscle			
1012020	Fat			
1012030	Liver			
1012040	Kidney			
1012050	Edible offal			
1012990	Others			
1013000	(c) <i>Sheep</i>			
1013010	Muscle			
1013020	Fat			
1013030	Liver			
1013040	Kidney			
1013050	Edible offal			
1013990	Others			
1014000	(d) <i>Goat</i>			
1014010	Muscle			
1014020	Fat			
1014030	Liver			
1014040	Kidney			
1014050	Edible offal			
1014990	Others			
1015000	(e) <i>Horses, asses, mules or hinnies</i>			
1015010	Muscle			
1015020	Fat			
1015030	Liver			

▼ **M66**

Code number	Groups and examples of individual products to which the MRLs apply (*)	Asulam	Cyanamide including salts expressed as cyanamide	Propisochlor
1015040	Kidney			
1015050	Edible offal			
1015990	Others			
1016000	(f) <i>Poultry -chicken, geese, duck, turkey and Guinea fowl-, ostrich, pigeon</i>			
1016010	Muscle			
1016020	Fat			
1016030	Liver			
1016040	Kidney			
1016050	Edible offal			
1016990	Others			
1017000	(g) <i>Other farm animals (Rabbit, kangaroo, deer)</i>			
1017010	Muscle			
1017020	Fat			
1017030	Liver			
1017040	Kidney			
1017050	Edible offal			
1017990	Others			
1020000	(ii) <b>Milk</b>			0,01 (*)
1020010	Cattle			
1020020	Sheep			
1020030	Goat			
1020040	Horse			
1020990	Others			
1030000	(iii) <b>Bird eggs</b>			0,01 (*)
1030010	Chicken			
1030020	Duck			
1030030	Goose			
1030040	Quail			
1030990	Others			

▼ **M66**

Code number	Groups and examples of individual products to which the MRLs apply (*)	Asulam	Cyanamide including salts expressed as cyanamide	Propisochlor
1040000	(iv) <b>Honey (Royal jelly, pollen, honey comb with honey (comb honey))</b>			0,05 (*)
1050000	(v) <b>Amphibians and reptiles (Frog legs, crocodiles)</b>			0,01 (*)
1060000	(vi) <b>Snails</b>			0,01 (*)
1070000	(vii) <b>Other terrestrial animal products (Wild game)</b>			0,01 (*)

▼ **M68****Pesticide residues and maximum residue levels (mg/kg)**

Code number	Groups and examples of individual products to which the MRLs apply (*)	Anthraquinone (F)	Propanil
0100000	1. <b>FRUIT FRESH OR FROZEN NUTS</b>		
0110000	(i) <b>Citrus fruit</b>	0,01 (*)	0,01 (*)
0110010	Grapefruit (Shaddocks, pomelos, sweeties, tangelo (except mineola), ugli and other hybrids)		
0110020	Oranges (Bergamot, bitter orange, chinotto and other hybrids)		
0110030	Lemons (Citron, lemon, Buddha's hand ( <i>Citrus medica</i> var. <i>sarcodactylis</i> ))		
0110040	Limes		
0110050	Mandarins (Clementine, tangerine, mineola and other hybrids tangor ( <i>Citrus reticulata</i> × <i>sinensis</i> ))		
0110990	Others		
0120000	(ii) <b>Tree nuts</b>	0,02 (*)	0,02 (*)
0120010	Almonds		
0120020	Brazil nuts		
0120030	Cashew nuts		
0120040	Chestnuts		
0120050	Coconuts		
0120060	Hazelnuts (Filbert)		
0120070	Macadamia		
0120080	Pecans		
0120090	Pine nuts		
0120100	Pistachios		
0120110	Walnuts		
0120990	Others		
0130000	(iii) <b>Pome fruit</b>	0,01 (*)	0,01 (*)
0130010	Apples (Crab apple)		
0130020	Pears (Oriental pear)		
0130030	Quinces		
0130040	Medlar		
0130050	Loquat		
0130990	Others		
0140000	(iv) <b>Stone fruit</b>	0,01 (*)	0,01 (*)
0140010	Apricots		
0140020	Cherries (Sweet cherries, sour cherries)		

## ▼ M68

Code number	Groups and examples of individual products to which the MRLs apply <sup>(a)</sup>	Anthraquinone (F)	Propanil
0140030	Peaches (Nectarines and similar hybrids)		
0140040	Plums (Damson, greengage, mirabelle, sloe, red date/Chinese date/Chinese jujube ( <i>Ziziphus zizyphus</i> ))		
0140990	Others		
0150000	(v) <b>Berries &amp; small fruit</b>	0,01 (*)	0,01 (*)
0151000	(a) <i>Table and wine grapes</i>		
0151010	Table grapes		
0151020	Wine grapes		
0152000	(b) <i>Strawberries</i>		
0153000	(c) <i>Cane fruit</i>		
0153010	Blackberries		
0153020	Dewberries (Loganberries, tayberries, boysenberries, cloudberrries and other <i>Rubus</i> hybrids)		
0153030	Raspberries (Wineberries, arctic bramble/raspberry, ( <i>Rubus arcticus</i> ), nectar raspberries ( <i>Rubus arcticus</i> × <i>Rubus idaeus</i> ))		
0153990	Others		
0154000	(d) <i>Other small fruit &amp; berries</i>		
0154010	Blueberries (Bilberries)		
0154020	Cranberries (Cowberries/red bilberries ( <i>V. vitis-idaea</i> ))		
0154030	Currants (red, black and white)		
0154040	Gooseberries (Including hybrids with other <i>Ribes</i> species)		
0154050	Rose hips		
0154060	Mulberries (Arbutus berry)		
0154070	Azarole (mediteranean medlar) (Kiwiberry ( <i>Actinidia arguta</i> ))		
0154080	Elderberries (Black chokeberry/apple-berry, mountain ash, buckthorn/sea sallowthorn, hawthorn, serviceberries, and other treeberries)		
0154990	Others		
0160000	(vi) <b>Miscellaneous fruit</b>	0,01 (*)	0,01 (*)
0161000	(a) <i>Edible peel</i>		
0161010	Dates		
0161020	Figs		
0161030	Table olives		
0161040	Kumquats (Marumi kumquats, nagami kumquats, limequats ( <i>Citrus aurantifolia</i> × <i>Fortunella</i> spp.))		
0161050	Carambola (Bilimbi)		

## ▼ M68

Code number	Groups and examples of individual products to which the MRLs apply <sup>(a)</sup>	Anthraquinone (F)	Propanil
0161060	Persimmon		
0161070	Jambolan (java plum) (Java apple/water apple, pomerac, rose apple, Brazilian cherry, Surinam cherry/grumichama ( <i>Eugenia uniflora</i> ))		
0161990	Others		
0162000	(b) <i>Inedible peel, small</i>		
0162010	Kiwi		
0162020	Lychee (Litchi) (Pulasan, rambutan/hairy litchi, longan, mangosteen, langsung, salak)		
0162030	Passion fruit		
0162040	Prickly pear (cactus fruit)		
0162050	Star apple		
0162060	American persimmon (Virginia kaki) (Black sapote, white sapote, green sapote, canistel/yellow sapote, mammey sapote)		
0162990	Others		
0163000	(c) <i>Inedible peel, large</i>		
0163010	Avocados		
0163020	Bananas (Dwarf banana, plantain, apple banana)		
0163030	Mangoes		
0163040	Papaya		
0163050	Pomegranate		
0163060	Cherimoya (Custard apple, sugar apple/sweetsop, ilama ( <i>Annona diversifolia</i> ) and other medium sized <i>Annonaceae</i> fruits)		
0163070	Guava (Red pitaya/dragon fruit ( <i>Hylocereus undatus</i> ))		
0163080	Pineapples		
0163090	Bread fruit (Jackfruit)		
0163100	Durian		
0163110	Soursop (guanabana)		
0163990	Others		
0200000	<b>2. VEGETABLES FRESH OR FROZEN</b>		
0210000	(i) <b>Root and tuber vegetables</b>	0,01 (*)	0,01 (*)
0211000	(a) <i>Potatoes</i>		
0212000	(b) <i>Tropical root and tuber vegetables</i>		
0212010	Cassava (Dasheen, eddoe/Japanese taro, tannia)		
0212020	Sweet potatoes		
0212030	Yams (Potato bean/yam bean, Mexican yam bean)		



▼ **M68**

Code number	Groups and examples of individual products to which the MRLs apply <sup>(a)</sup>	Anthraquinone (F)	Propanil
0212040	Arrowroot		
0212990	Others		
0213000	(c) <i>Other root and tuber vegetables except sugar beet</i>		
0213010	Beetroot		
0213020	Carrots		
0213030	Celeriac		
0213040	Horseradish (Angelica roots, lovage roots, gentiana roots)		
0213050	Jerusalem artichokes (Crosne)		
0213060	Parsnips		
0213070	Parsley root		
0213080	Radishes (Black radish, Japanese radish, small radish and similar varieties, tiger nut ( <i>Cyperus esculentus</i> ))		
0213090	Salsify (Scorzonera, Spanish salsify/ Spanish oysterplant, edible burdock)		
0213100	Swedes		
0213110	Turnips		
0213990	Others		
0220000	(ii) <b>Bulb vegetables</b>	0,01 (*)	0,01 (*)
0220010	Garlic		
0220020	Onions (Other bulb onions, silverskin onions)		
0220030	Shallots		
0220040	Spring onions and welsh onions (Other green onions and similar varieties)		
0220990	Others		
0230000	(iii) <b>Fruiting vegetables</b>	0,01 (*)	0,01 (*)
0231000	(a) Solanacea		
0231010	Tomatoes (Cherry tomatoes, <i>Physalis</i> spp., gojiberry, wolfberry ( <i>Lycium barbarum</i> and <i>L. chinense</i> ), tree tomato)		
0231020	Peppers (Chilli peppers)		
0231030	Aubergines (egg plants) (Pepino, antroewa/white eggplant ( <i>S. macrocarpon</i> ))		
0231040	Okra (lady's fingers)		
0231990	Others		
0232000	(b) <i>Cucurbits — edible peel</i>		
0232010	Cucumbers		

## ▼ M68

Code number	Groups and examples of individual products to which the MRLs apply <sup>(a)</sup>	Anthraquinone (F)	Propanil
0232020	Gherkins		
0232030	Courgettes (Summer squash, marrow (patisson), lauki ( <i>Lagenaria siceraria</i> ), chayote, sopropo/bitter melon, snake gourd, angled luffa/teroi)		
0232990	Others		
0233000	(c) <i>Cucurbits — inedible peel</i>		
0233010	Melons (Kiwano)		
0233020	Pumpkins (Winter squash, marrow (late variety))		
0233030	Watermelons		
0233990	Others		
0234000	(d) <i>Sweet corn (Baby corn)</i>		
0239000	(e) <i>Other fruiting vegetables</i>		
0240000	(iv) <b>Brassica vegetables</b>	0,01 (*)	0,01 (*)
0241000	(a) <i>Flowering brassica</i>		
0241010	Broccoli (Calabrese, Broccoli raab, Chinese broccoli)		
0241020	Cauliflower		
0241990	Others		
0242000	(b) <i>Head brassica</i>		
0242010	Brussels sprouts		
0242020	Head cabbage (Pointed head cabbage, red cabbage, savoy cabbage, white cabbage)		
0242990	Others		
0243000	(c) <i>Leafy brassica</i>		
0243010	Chinese cabbage (Indian or Chinese) mustard, pak choi, Chinese flat cabbage/ ai goo choi), choy sum, Peking cabbage/ pe-tsai)		
0243020	Kale (Borecole/curly kale, collards, Portuguese Kale, Portuguese cabbage, cow cabbage)		
0243990	Others		
0244000	(d) <i>Kohlrabi</i>		
0250000	(v) <b>Leaf vegetables &amp; fresh herbs</b>		
0251000	(a) <i>Lettuce and other salad plants including Brassicacea</i>	0,01 (*)	0,01 (*)
0251010	Lamb's lettuce (Italian corn salad)		
0251020	Lettuce (Head lettuce, lollo rosso (cutting lettuce), iceberg lettuce, romaine (cos) lettuce)		

## ▼ M68

Code number	Groups and examples of individual products to which the MRLs apply <sup>(a)</sup>	Anthraquinone (F)	Propanil
0251030	Scarole (broad-leaf endive) (Wild chicory, red-leaved chicory, radicchio, curly leaf endive, sugar loaf ( <i>C. endivia</i> var. <i>crispum</i> / <i>C. intybus</i> var. <i>foliosum</i> ), dandelion greens)		
0251040	Cress (Mung bean sprouts, alfalfa sprouts)		
0251050	Land cress		
0251060	Rocket, Rucola (Wild rocket ( <i>Diplotaxis</i> spp.))		
0251070	Red mustard		
0251080	Leaves and sprouts of <i>Brassica</i> spp, including turnip greens (Mizuna, leaves of peas and radish and other babyleaf crops, including brassica crops (crops harvested up to 8 true leaf stage), kohlrabi leaves)		
0251990	Others		
0252000	(b) <i>Spinach &amp; similar (leaves)</i>	0,01 (*)	0,01 (*)
0252010	Spinach (New Zealand spinach, amaranthus spinach (pak-khom, tampara), tajer leaves, bitterblad/bitawiri)		
0252020	Purslane (Winter purslane/miner's lettuce, garden purslane, common purslane, sorrel, glassworth, agretti ( <i>Salsola soda</i> ))		
0252030	Beet leaves (chard) (Leaves of beetroot)		
0252990	Others		
0253000	(c) <i>Vine leaves (grape leaves) (Malabar nightshade, banana leaves, climbing wattle (Acacia pennata))</i>	0,01 (*)	0,01 (*)
0254000	(d) <i>Water cress (Morning glory/Chinese convolvulus/water convolvulus/water spinach/kangkung (Ipomea aquatica), water clover, water mimosa)</i>	0,01 (*)	0,01 (*)
0255000	(e) <i>Witloof</i>	0,01 (*)	0,01 (*)
0256000	(f) <i>Herbs</i>	0,02 (*)	0,02 (*)
0256010	Chervil		
0256020	Chives		
0256030	Celery leaves (Fennel leaves, coriander leaves, dill leaves, caraway leaves, lovage, angelica, sweet cicely and other <i>Apiacea</i> leaves, culantro/stinking/long coriander/stink weed ( <i>Eryngium foetidum</i> ))		
0256040	Parsley (leaves of root parsley)		
0256050	Sage (Winter savory, summer savory, <i>Borago officinalis</i> leaves)		
0256060	Rosemary		

## ▼ M68

Code number	Groups and examples of individual products to which the MRLs apply <sup>(a)</sup>	Anthraquinone (F)	Propanil
0256070	Thyme (Marjoram, oregano)		
0256080	Basil (Balm leaves, mint, peppermint, holy basil, sweet basil, hairy basil, edible flowers (marigold flower and others), pennywort, wild betel leaf, curry leaves)		
0256090	Bay leaves (laurel) (Lemon grass)		
0256100	Tarragon (Hyssop)		
0256990	Others		
0260000	(vi) <b>Legume vegetables (fresh)</b>	0,01 (*)	0,01 (*)
0260010	Beans (with pods) (Green bean/French beans/snap beans, scarlet runner bean, slicing bean, yard long beans, guar beans, soya beans)		
0260020	Beans (without pods) (Broad beans, flageolets, jack bean, lima bean, cowpea)		
0260030	Peas (with pods) (Mangetout/sugar peas/snow peas)		
0260040	Peas (without pods) (Garden pea, green pea, chickpea)		
0260050	Lentils		
0260990	Others		
0270000	(vii) <b>Stem vegetables (fresh)</b>	0,01 (*)	0,01 (*)
0270010	Asparagus		
0270020	Cardoons ( <i>Borago officinalis</i> stems)		
0270030	Celery		
0270040	Fennel		
0270050	Globe artichokes (Banana flower)		
0270060	Leek		
0270070	Rhubarb		
0270080	Bamboo shoots		
0270090	Palm hearts		
0270990	Others		
0280000	(viii) <b>Fungi</b>	0,01 (*)	0,01 (*)
0280010	Cultivated fungi (Common mushroom, oyster mushroom, shiitake, <i>fungus mycelium</i> (vegetative parts))		
0280020	Wild fungi (Chanterelle, truffle, morel, cep)		
0280990	Others		
0290000	(ix) <b>Sea weeds</b>	0,01 (*)	0,01 (*)
0300000	3. <b>PULSES, DRY</b>	0,01 (*)	0,01 (*)
0300010	Beans (Broad beans, navy beans, flageolets, jack beans, lima beans, field beans, cowpeas)		
0300020	Lentils		

▼ **M68**

Code number	Groups and examples of individual products to which the MRLs apply (*)	Anthraquinone (F)	Propanil
0300030	Peas (Chickpeas, field peas, chickling vetch)		
0300040	Lupins		
0300990	Others		
0400000	4. <b>OILSEEDS AND OILFRUITS</b>	0,02 (*)	0,05 (*)
0401000	(i) <b>Oilseeds</b>		
0401010	Linseed		
0401020	Peanuts		
0401030	Poppy seed		
0401040	Sesame seed		
0401050	Sunflower seed		
0401060	Rape seed (Bird rapeseed, turnip rape)		
0401070	Soya bean		
0401080	Mustard seed		
0401090	Cotton seed		
0401100	Pumpkin seeds (Other seeds of <i>Cucurbitaceae</i> )		
0401110	Safflower		
0401120	Borage (Purple viper's bugloss/Canary flower ( <i>Echium plantagineum</i> ), Corn Gromwell ( <i>Buglossoides arvensis</i> ))		
0401130	Gold of pleasure		
0401140	Hempseed		
0401150	Castor bean		
0401990	Others		
0402000	(ii) <b>Oilfruits</b>		
0402010	Olives for oil production		
0402020	Palm nuts (palmoil kernels)		
0402030	Palmfruit		
0402040	Kapok		
0402990	Others		
0500000	5. <b>CEREALS</b>	0,01 (*)	0,01 (*)
0500010	Barley		
0500020	Buckwheat ( <i>Amaranthus</i> , quinoa)		
0500030	Maize		
0500040	Millet (Foxtail millet, teff, finger millet, pearl millet)		
0500050	Oats		
0500060	Rice (Indian/wild rice ( <i>Zizania aquatica</i> ))		
0500070	Rye		
0500080	Sorghum		
0500090	Wheat (Spelt, triticale)		

## ▼ M68

Code number	Groups and examples of individual products to which the MRLs apply (*)	Anthraquinone (F)	Propanil
0500990	Others (Canary grass seeds ( <i>Phalaris canariensis</i> ))		
0600000	6. <b>TEA, COFFEE, HERBAL INFUSIONS AND COCOA</b>	0,02 (*)	0,05 (*)
0610000	(i) <b>Tea</b>		
0620000	(ii) <b>Coffee beans</b>		
0630000	(iii) <b>Herbal infusions (dried)</b>		
0631000	(a) <i>Flowers</i>		
0631010	Camomille flowers		
0631020	Hybiscus flowers		
0631030	Rose petals		
0631040	Jasmine flowers (Elderflowers ( <i>Sambucus nigra</i> ))		
0631050	Lime (linden)		
0631990	Others		
0632000	(b) <i>Leaves</i>		
0632010	Strawberry leaves		
0632020	Rooibos leaves (Ginkgo leaves)		
0632030	Maté		
0632990	Others		
0633000	(c) <i>Roots</i>		
0633010	Valerian root		
0633020	Ginseng root		
0633990	Others		
0639000	(d) <i>Other herbal infusions</i>		
0640000	(iv) <b>Cocoabeans (fermented or dried)</b>		
0650000	(v) <b>Carob (st johns bread)</b>		
0700000	7. <b>HOPS (dried)</b>	0,02 (*)	0,05 (*)
0800000	8. <b>SPICES</b>		
0810000	(i) <b>Seeds</b>	0,02 (*)	0,05 (*)
0810010	Anise		
0810020	Black caraway		
0810030	Celery seed (Lovage seed)		
0810040	Coriander seed		
0810050	Cumin seed		
0810060	Dill seed		
0810070	Fennel seed		
0810080	Fenugreek		
0810090	Nutmeg		
0810990	Others		
0820000	(ii) <b>Fruits and berries</b>	0,02 (*)	0,05 (*)

▼ **M68**

Code number	Groups and examples of individual products to which the MRLs apply <sup>(a)</sup>	Anthraquinone (F)	Propanil
0820010	Allspice		
0820020	Sichuan pepper (Anise pepper, Japan pepper)		
0820030	Caraway		
0820040	Cardamom		
0820050	Juniper berries		
0820060	Pepper, black, green and white (Long pepper, pink pepper)		
0820070	Vanilla pods		
0820080	Tamarind		
0820990	Others		
0830000	(iii) <b>Bark</b>	0,02 (*)	0,05 (*)
0830010	Cinnamon (Cassia)		
0830990	Others		
0840000	(iv) <b>Roots or rhizome</b>		
0840010	Liquorice	0,02 (*)	0,05 (*)
0840020	Ginger	0,02 (*)	0,05 (*)
0840030	Turmeric (Curcuma)	0,02 (*)	0,05 (*)
0840040	Horseradish	(+)	(+)
0840990	Others	0,02 (*)	0,05 (*)
0850000	(v) <b>Buds</b>	0,02 (*)	0,05 (*)
0850010	Cloves		
0850020	Capers		
0850990	Others		
0860000	(vi) <b>Flower stigma</b>	0,02 (*)	0,05 (*)
0860010	Saffron		
0860990	Others		
0870000	(vii) <b>Aril</b>	0,02 (*)	0,05 (*)
0870010	Mace		
0870990	Others		
0900000	9. <b>SUGAR PLANTS</b>	0,01 (*)	0,01 (*)
0900010	Sugar beet (root)		
0900020	Sugar cane		
0900030	Chicory roots		

▼ **M68**

Code number	Groups and examples of individual products to which the MRLs apply (*)	Anthraquinone (F)	Propanil
0900990	Others		
1000000	<b>10. PRODUCTS OF ANIMAL ORIGIN- TERRESTRIAL ANIMALS</b>		
1010000	(i) <b>Tissue</b>	0,01 (*)	0,01 (*)
1011000	(a) <i>Swine</i>		
1011010	Muscle		
1011020	Fat		
1011030	Liver		
1011040	Kidney		
1011050	Edible offal		
1011990	Others		
1012000	(b) <i>Bovine</i>		
1012010	Muscle		
1012020	Fat		
1012030	Liver		
1012040	Kidney		
1012050	Edible offal		
1012990	Others		
1013000	(c) <i>Sheep</i>		
1013010	Muscle		
1013020	Fat		
1013030	Liver		
1013040	Kidney		
1013050	Edible offal		
1013990	Others		
1014000	(d) <i>Goat</i>		
1014010	Muscle		
1014020	Fat		
1014030	Liver		
1014040	Kidney		
1014050	Edible offal		
1014990	Others		
1015000	(e) <i>Horses, asses, mules or hinnies</i>		
1015010	Muscle		
1015020	Fat		



▼ **M68**

Code number	Groups and examples of individual products to which the MRLs apply <sup>(a)</sup>	Anthraquinone (F)	Propanil
1015030	Liver		
1015040	Kidney		
1015050	Edible offal		
1015990	Others		
1016000	(f) <i>Poultry -chicken, geese, duck, turkey and Guinea fowl-, ostrich, pigeon</i>		
1016010	Muscle		
1016020	Fat		
1016030	Liver		
1016040	Kidney		
1016050	Edible offal		
1016990	Others		
1017000	(g) <i>Other farm animals (Rabbit, kangaroo, deer)</i>		
1017010	Muscle		
1017020	Fat		
1017030	Liver		
1017040	Kidney		
1017050	Edible offal		
1017990	Others		
1020000	(ii) <b>Milk</b>	0,01 (*)	0,01 (*)
1020010	Cattle		
1020020	Sheep		
1020030	Goat		
1020040	Horse		
1020990	Others		
1030000	(iii) <b>Bird eggs</b>	0,01 (*)	0,01 (*)
1030010	Chicken		
1030020	Duck		
1030030	Goose		
1030040	Quail		

▼ **M68**

Code number	Groups and examples of individual products to which the MRLs apply <sup>(a)</sup>	Anthraquinone (F)	Propanil
1030990	Others		
1040000	(iv) <b>Honey (Royal jelly, pollen, honey comb with honey (comb honey))</b>	0,02 (*)	0,05 (*)
1050000	(v) <b>Amphibians and reptiles (Frog legs, crocodiles)</b>	0,01 (*)	0,01 (*)
1060000	(vi) <b>Snails</b>	0,01 (*)	0,01 (*)
1070000	(vii) <b>Other terrestrial animal products (Wild game)</b>	0,01 (*)	0,01 (*)

▼ **M71****Pesticide residues and maximum residue levels (mg/kg)**

Code number	Groups and examples of individual products to which the MRLs apply (*)	Bone oil	Carbon monoxide	Dodemorph	Paraffin oil (CAS 64742-54-7)	Petroleum oils (CAS 92062-35-6)	Propargite (F)
0100000	1. <b>FRUIT FRESH OR FROZEN NUTS</b>	<b>0,01 (*)</b>	<b>0,01 (*)</b>	<b>0,01 (*)</b>	<b>0,01 (*)</b>	<b>0,01 (*)</b>	
0110000	(i) <b>Citrus fruit</b>						<b>0,01 (*)</b>
0110010	Grapefruit (Shaddocks, pomelos, sweeties, tangelo (except mineola), ugli and other hybrids)						
0110020	Oranges (Bergamot, bitter orange, chinotto and other hybrids)						
0110030	Lemons (Citron, lemon, Buddha's hand (Citrus medica var. sarcodactylis))						
0110040	Limes						
0110050	Mandarins (Clementine, tangerine, mineola and other hybrids tangor (Citrus reticulata × sinensis))						
0110990	Others						
0120000	(ii) <b>Tree nuts</b>						<b>0,02 (*)</b>
0120010	Almonds						
0120020	Brazil nuts						
0120030	Cashew nuts						
0120040	Chestnuts						
0120050	Coconuts						
0120060	Hazelnuts (Filbert)						
0120070	Macadamia						
0120080	Pecans						
0120090	Pine nuts						
0120100	Pistachios						
0120110	Walnuts						
0120990	Others						
0130000	(iii) <b>Pome fruit</b>						<b>0,01 (*)</b>
0130010	Apples (Crab apple)						
0130020	Pears (Oriental pear)						
0130030	Quinces						
0130040	Medlar						
0130050	Loquat						
0130990	Others						
0140000	(iv) <b>Stone fruit</b>						<b>0,01 (*)</b>
0140010	Apricots						
0140020	Cherries (Sweet cherries, sour cherries)						
0140030	Peaches (Nectarines and similar hybrids)						

▼ **M71**

Code number	Groups and examples of individual products to which the MRLs apply (*)	Bone oil	Carbon monoxide	Dodermorph	Paraffin oil (CAS 64742-54-7)	Petroleum oils (CAS 92062-35-6)	Propargite (F)
0140040	Plums (Damson, greengage, mirabelle, sloe, red date/Chinese date/Chinese jujube (Ziziphus zizyphus))						
0140990	Others						
0150000	(v) <b>Berries &amp; small fruit</b>						<b>0,01 (*)</b>
0151000	(a) <i>Table and wine grapes</i>						
0151010	Table grapes						
0151020	Wine grapes						
0152000	(b) <i>Strawberries</i>						
0153000	(c) <i>Cane fruit</i>						
0153010	Blackberries						
0153020	Dewberries (Loganberries, tayberries, boysenberries, cloudberries and other Rubus hybrids)						
0153030	Raspberries (Wineberries, arctic bramble/raspberry, (Rubus arcticus), nectar raspberries (Rubus arcticus × Rubus idaeus))						
0153990	Others						
0154000	(d) <i>Other small fruit &amp; berries</i>						
0154010	Blueberries (Bilberries)						
0154020	Cranberries (Cowberries/red bilberries (V. vitis-idaea))						
0154030	Currants (red, black and white)						
0154040	Gooseberries (Including hybrids with other Ribes species)						
0154050	Rose hips						
0154060	Mulberries (Arbutus berry)						
0154070	Azarole (mediteranean medlar) (Kiwiberry (Actinidia arguta))						
0154080	Elderberries (Black chokeberry/appleberry, mountain ash, buckthorn/sea shallowthorn, hawthorn, serviceberries, and other treeberries)						
0154990	Others						
0160000	(vi) <b>Miscellaneous fruit</b>						<b>0,01 (*)</b>
0161000	(a) <i>Edible peel</i>						
0161010	Dates						
0161020	Figs						
0161030	Table olives						
0161040	Kumquats (Marumi kumquats, nagami kumquats, limequats (Citrus aurantifolia × Fortunella spp.))						
0161050	Carambola (Bilimbi)						
0161060	Persimmon						

## ▼M71

Code number	Groups and examples of individual products to which the MRLs apply (*)	Bone oil	Carbon monoxide	Dodemorh	Paraffin oil (CAS 64742-54-7)	Petroleum oils (CAS 92062-35-6)	Propargite (F)
0161070	Jambolan (java plum) (Java apple/water apple, pomerac, rose apple, Brazilian cherry, Surinam cherry/grumichama (Eugenia uniflora))						
0161990	Others						
0162000	(b) <i>Inedible peel, small</i>						
0162010	Kiwi						
0162020	Lychee (Litchi) (Pulasan, rambutan/hairy litchi, longan, mangosteen, langsung, salak)						
0162030	Passion fruit						
0162040	Prickly pear (cactus fruit)						
0162050	Star apple						
0162060	American persimmon (Virginia kaki) (Black sapote, white sapote, green sapote, canistel/yellow sapote, mamme sapote)						
0162990	Others						
0163000	(c) <i>Inedible peel, large</i>						
0163010	Avocados						
0163020	Bananas (Dwarf banana, plantain, apple banana)						
0163030	Mangoes						
0163040	Papaya						
0163050	Pomegranate						
0163060	Cherimoya (Custard apple, sugar apple/sweetsop, ilama (Annona diversifolia) and other medium sized Annonaceae fruits)						
0163070	Guava (Red pitaya/dragon fruit (Hylocereus undatus))						
0163080	Pineapples						
0163090	Bread fruit (Jackfruit)						
0163100	Durian						
0163110	Soursop (guanabana)						
0163990	Others						
0200000	<b>2. VEGETABLES FRESH OR FROZEN</b>	<b>0,01 (*)</b>	<b>0,01 (*)</b>	<b>0,01 (*)</b>	<b>0,01 (*)</b>	<b>0,01 (*)</b>	
0210000	(i) <b>Root and tuber vegetables</b>						0,01 (*)
0211000	(a) <i>Potatoes</i>						
0212000	(b) <i>Tropical root and tuber vegetables</i>						
0212010	Cassava (Dasheen, eddoe/Japanese taro, tannia)						
0212020	Sweet potatoes						
0212030	Yams (Potato bean/yam bean, Mexican yam bean)						

## ▼ M71

Code number	Groups and examples of individual products to which the MRLs apply (*)	Bone oil	Carbon monoxide	Dodemorphen	Paraffin oil (CAS 64742-54-7)	Petroleum oils (CAS 92062-35-6)	Propargite (F)
0212040	Arrowroot						
0212990	Others						
0213000	(c) <i>Other root and tuber vegetables except sugar beet</i>						
0213010	Beetroot						
0213020	Carrots						
0213030	Celeriac						
0213040	Horseradish (Angelica roots, lovage roots, gentiana roots)						
0213050	Jerusalem artichokes (Crosne)						
0213060	Parsnips						
0213070	Parsley root						
0213080	Radishes (Black radish, Japanese radish, small radish and similar varieties, tiger nut (Cyperus esculentus))						
0213090	Salsify (Scorzonera, Spanish salsify/ Spanish oysterplant, edible burdock)						
0213100	Swedes						
0213110	Turnips						
0213990	Others						
0220000	(ii) <b>Bulb vegetables</b>						0,01 (*)
0220010	Garlic						
0220020	Onions (Other bulb onions, silverskin onions)						
0220030	Shallots						
0220040	Spring onions and welsh onions (Other green onions and similar varieties)						
0220990	Others						
0230000	(iii) <b>Fruiting vegetables</b>						0,01 (*)
0231000	(a) <i>Solanacea</i>						
0231010	Tomatoes (Cherry tomatoes, Physalis spp., gojiberry, wolfberry (Lycium barbarum and L. chinense), tree tomato)						
0231020	Peppers (Chilli peppers)						
0231030	Aubergines (egg plants) (Pepino, antroewa/white eggplant (S. macrocarpon))						
0231040	Okra (lady's fingers)						
0231990	Others						
0232000	(b) <i>Cucurbits — edible peel</i>						
0232010	Cucumbers						
0232020	Gherkins						

▼ **M71**

Code number	Groups and examples of individual products to which the MRLs apply (*)	Bone oil	Carbon monoxide	Dodemorph	Paraffin oil (CAS 64742-54-7)	Petroleum oils (CAS 92062-35-6)	Propargite (F)
0232030	Courgettes (Summer squash, marrow (patisson), lauki (Lagenaria siceraria), chayote, sopropo/bitter melon, snake gourd, angled luffa/teroi)						
0232990	Others						
0233000	(c) <i>Cucurbits-inedible peel</i>						
0233010	Melons (Kiwano)						
0233020	Pumpkins (Winter squash, marrow (late variety))						
0233030	Watermelons						
0233990	Others						
0234000	(d) <i>Sweet corn (Baby corn)</i>						
0239000	(e) <i>Other fruiting vegetables</i>						
0240000	(iv) <b>Brassica vegetables</b>						0,01 (*)
0241000	(a) <i>Flowering brassica</i>						
0241010	Broccoli (Calabrese, Broccoli raab, Chinese broccoli)						
0241020	Cauliflower						
0241990	Others						
0242000	(b) <i>Head brassica</i>						
0242010	Brussels sprouts						
0242020	Head cabbage (Pointed head cabbage, red cabbage, savoy cabbage, white cabbage)						
0242990	Others						
0243000	(c) <i>Leafy brassica</i>						
0243010	Chinese cabbage (Indian or Chinese) mustard, pak choi, Chinese flat cabbage/ai goo choi, choi sum, Peking cabbage/pe-tsai)						
0243020	Kale (Borecole/curly kale, collards, Portuguese Kale, Portuguese cabbage, cow cabbage)						
0243990	Others						
0244000	(d) <i>Kohlrabi</i>						
0250000	(v) <b>Leaf vegetables &amp; fresh herbs</b>						
0251000	(a) <i>Lettuce and other salad plants including Brassicacea</i>						0,01 (*)
0251010	Lamb's lettuce (Italian corn salad)						
0251020	Lettuce (Head lettuce, lollo rosso (cutting lettuce), iceberg lettuce, romaine (cos) lettuce)						
0251030	Scarole (broad-leaf endive) (Wild chicory, red-leaved chicory, radicchio, curly leaf endive, sugar loaf (C. endivia var. crispum/C. intybus var. foliosum), dandelion greens)						

## ▼ M71

Code number	Groups and examples of individual products to which the MRLs apply (*)	Bone oil	Carbon monoxide	Dodemorph	Paraffin oil (CAS 64742-54-7)	Petroleum oils (CAS 92062-35-6)	Propargite (F)
0251040	Cress (Mung bean sprouts, alfalfa sprouts)						
0251050	Land cress						
0251060	Rocket, Rucola (Wild rocket (Diplotaxis spp.))						
0251070	Red mustard						
0251080	Leaves and sprouts of Brassica spp, including turnip greens (Mizuna, leaves of peas and radish and other babyleaf crops, including brassica crops (crops harvested up to 8 true leaf stage), kohlrabi leaves)						
0251990	Others						
0252000	(b) <i>Spinach &amp; similar (leaves)</i>						0,01 (*)
0252010	Spinach (New Zealand spinach, amaranthus spinach (pak-khom, tampara), tajar leaves, bitterblad/bitawiri)						
0252020	Purslane (Winter purslane/miner's lettuce, garden purslane, common purslane, sorrel, glassworth, agretti (Salsola soda))						
0252030	Beet leaves (chard) (Leaves of beetroot)						
0252990	Others						
0253000	(c) <i>Vine leaves (grape leaves) (Malabar nightshade, banana leaves, climbing wattle (Acacia pennata))</i>						0,01 (*)
0254000	(d) <i>Water cress (Morning glory/Chinese convolvulus/water convolvulus/water spinach/kangkung (Ipomea aquatica), water clover, water mimosa)</i>						0,01 (*)
0255000	(e) <i>Witloof</i>						0,01 (*)
0256000	(f) <i>Herbs</i>						<b>0,02 (*)</b>
0256010	Chervil						
0256020	Chives						
0256030	Celery leaves (Fennel leaves, coriander leaves, dill leaves, caraway leaves, lovage, angelica, sweet cisel and other Apiacea leaves, culantro/stinking/long coriander/stink weed (Eryngium foetidum))						
0256040	Parsley (leaves of root parsley)						
0256050	Sage (Winter savory, summer savory, Borago officinalis leaves)						
0256060	Rosemary						
0256070	Thyme (Marjoram, oregano)						



## ▼ M71

Code number	Groups and examples of individual products to which the MRLs apply (*)	Bone oil	Carbon monoxide	Dodemorphan	Paraffin oil (CAS 64742-54-7)	Petroleum oils (CAS 92062-35-6)	Propargite (F)
0256080	Basil (Balm leaves, mint, peppermint, holy basil, sweet basil, hairy basil, edible flowers (marigold flower and others), pennywort, wild betel leaf, curry leaves)						
0256090	Bay leaves (laurel) (Lemon grass)						
0256100	Tarragon (Hyssop)						
0256990	Others						
0260000	(vi) <b>Legume vegetables (fresh)</b>						0,01 (*)
0260010	Beans (with pods) (Green bean/French beans/snap beans, scarlet runner bean, slicing bean, yard long beans, guar beans, soya beans)						
0260020	Beans (without pods) (Broad beans, flageolets, jack bean, lima bean, cowpea)						
0260030	Peas (with pods) (Mangetout/sugar peas/snow peas)						
0260040	Peas (without pods) (Garden pea, green pea, chickpea)						
0260050	Lentils						
0260990	Others						
0270000	(vii) <b>Stem vegetables (fresh)</b>						0,01 (*)
0270010	Asparagus						
0270020	Cardoons (Borago officinalis stems)						
0270030	Celery						
0270040	Fennel						
0270050	Globe artichokes (Banana flower)						
0270060	Leek						
0270070	Rhubarb						
0270080	Bamboo shoots						
0270090	Palm hearts						
0270990	Others						
0280000	(viii) <b>Fungi</b>						0,01 (*)
0280010	Cultivated fungi (Common mushroom, oyster mushroom, shiitake, fungus mycelium (vegetative parts))						
0280020	Wild fungi (Chanterelle, truffle, morel, cep)						
0280990	Others						
0290000	(ix) <b>Sea weeds</b>						0,01 (*)
0300000	3. <b>PULSES, DRY</b>	<b>0,01 (*)</b>	<b>0,01 (*)</b>	<b>0,01 (*)</b>	<b>0,01 (*)</b>	<b>0,01 (*)</b>	<b>0,01 (*)</b>
0300010	Beans (Broad beans, navy beans, flageolets, jack beans, lima beans, field beans, cowpeas)						
0300020	Lentils						
0300030	Peas (Chickpeas, field peas, chickling vetch)						

▼ **M71**

Code number	Groups and examples of individual products to which the MRLs apply (*)	Bone oil	Carbon monoxide	Dodemorph	Paraffin oil (CAS 64742-54-7)	Petroleum oils (CAS 92062-35-6)	Propargite (F)
0300040	Lupins						
0300990	Others						
0400000	<b>4. OILSEEDS AND OILFRUITS</b>	<b>0,01 (*)</b>	<b>0,01 (*)</b>	<b>0,01 (*)</b>	<b>0,01 (*)</b>	<b>0,01 (*)</b>	<b>0,02 (*)</b>
0401000	(i) <b>Oilseeds</b>						
0401010	Linseed						
0401020	Peanuts						
0401030	Poppy seed						
0401040	Sesame seed						
0401050	Sunflower seed						
0401060	Rape seed (Bird rapeseed, turnip rape)						
0401070	Soya bean						
0401080	Mustard seed						
0401090	Cotton seed						
0401100	Pumpkin seeds (Other seeds of Cucurbitaceae)						
0401110	Safflower						
0401120	Borage (Purple viper's bugloss/Canary flower (Echium plantagineum), Corn Gromwell (Buglossoides arvensis))						
0401130	Gold of pleasure						
0401140	Hempseed						
0401150	Castor bean						
0401990	Others						
0402000	(ii) <b>Oilfruits</b>						
0402010	Olives for oil production						
0402020	Palm nuts (palmoil kernels)						
0402030	Palmfruit						
0402040	Kapok						
0402990	Others						
0500000	<b>5. CEREALS</b>	<b>0,01 (*)</b>	<b>0,01 (*)</b>	<b>0,01 (*)</b>	<b>0,01 (*)</b>	<b>0,01 (*)</b>	<b>0,01 (*)</b>
0500010	Barley						
0500020	Buckwheat (Amaranthus, quinoa)						
0500030	Maize						
0500040	Millet (Foftail millet, teff, finger millet, pearl millet)						
0500050	Oats						
0500060	Rice (Indian/wild rice (Zizania aquatica))						
0500070	Rye						
0500080	Sorghum						
0500090	Wheat (Spelt, triticale)						
0500990	Others (Canary grass seeds (Phalaris canariensis))						

▼ **M71**

Code number	Groups and examples of individual products to which the MRLs apply (*)	Bone oil	Carbon monoxide	Dodemor-orph	Paraffin oil (CAS 64742-54-7)	Petroleum oils (CAS 92062-35-6)	Propargite (F)
0600000	<b>6. TEA, COFFEE, HERBAL INFUSIONS AND COCOA</b>	<b>0,01 (*)</b>	<b>0,01 (*)</b>	<b>0,01 (*)</b>	<b>0,01 (*)</b>	<b>0,01 (*)</b>	<b>0,05 (*)</b>
0610000	(i) <b>Tea</b>						
0620000	(ii) <b>Coffee beans</b>						
0630000	(iii) <b>Herbal infusions (dried)</b>						
0631000	(a) <i>Flowers</i>						
0631010	Camomille flowers						
0631020	Hybiscus flowers						
0631030	Rose petals						
0631040	Jasmine flowers (Elderflowers (Sambucus nigra))						
0631050	Lime (linden)						
0631990	Others						
0632000	(b) <i>Leaves</i>						
0632010	Strawberry leaves						
0632020	Rooibos leaves (Ginkgo leaves)						
0632030	Maté						
0632990	Others						
0633000	(c) <i>Roots</i>						
0633010	Valerian root						
0633020	Ginseng root						
0633990	Others						
0639000	(d) <i>Other herbal infusions</i>						
0640000	(iv) <b>Cocoabeans (fermented or dried)</b>						
0650000	(v) <b>Carob (st johns bread)</b>						
0700000	<b>7. HOPS (dried)</b>	<b>0,01 (*)</b>	<b>0,01 (*)</b>	<b>0,01 (*)</b>	<b>0,01 (*)</b>	<b>0,01 (*)</b>	<b>0,05 (*)</b>
0800000	<b>8. SPICES</b>				<b>0,01 (*)</b>	<b>0,01 (*)</b>	
0810000	(i) <b>Seeds</b>	<b>0,01 (*)</b>	<b>0,01 (*)</b>	<b>0,01 (*)</b>			<b>0,05 (*)</b>
0810010	Anise						
0810020	Black caraway						
0810030	Celery seed (Lovage seed)						
0810040	Coriander seed						
0810050	Cumin seed						
0810060	Dill seed						
0810070	Fennel seed						
0810080	Fenugreek						
0810090	Nutmeg						
0810990	Others						
0820000	(ii) <b>Fruits and berries</b>	<b>0,01 (*)</b>	<b>0,01 (*)</b>	<b>0,01 (*)</b>			<b>0,05 (*)</b>
0820010	Allspice						

▼ **M71**

Code number	Groups and examples of individual products to which the MRLs apply (*)	Bone oil	Carbon monoxide	Dodemorph	Paraffin oil (CAS 64742-54-7)	Petroleum oils (CAS 92062-35-6)	Propargite (F)
0820020	Sichuan pepper (Anise pepper, Japan pepper)						
0820030	Caraway						
0820040	Cardamom						
0820050	Juniper berries						
0820060	Pepper, black, green and white (Long pepper, pink pepper)						
0820070	Vanilla pods						
0820080	Tamarind						
0820990	Others						
0830000	(iii) <b>Bark</b>	<b>0,01 (*)</b>	<b>0,01 (*)</b>	<b>0,01 (*)</b>			<b>0,05 (*)</b>
0830010	Cinnamon (Cassia)						
0830990	Others						
0840000	(iv) <b>Roots or rhizome</b>						
0840010	Liquorice	<b>0,01 (*)</b>	<b>0,01 (*)</b>	<b>0,01 (*)</b>			<b>0,05 (*)</b>
0840020	Ginger	<b>0,01 (*)</b>	<b>0,01 (*)</b>	<b>0,01 (*)</b>			<b>0,05 (*)</b>
0840030	Turmeric (Curcuma)	<b>0,01 (*)</b>	<b>0,01 (*)</b>	<b>0,01 (*)</b>			<b>0,05 (*)</b>
0840040	Horseradish	(+)	(+)	(+)	(+)	(+)	(+)
0840990	Others	<b>0,01 (*)</b>	<b>0,01 (*)</b>	<b>0,01 (*)</b>			<b>0,05 (*)</b>
0850000	(v) <b>Buds</b>	<b>0,01 (*)</b>	<b>0,01 (*)</b>	<b>0,01 (*)</b>			<b>0,05 (*)</b>
0850010	Cloves						
0850020	Capers						
0850990	Others						
0860000	(vi) <b>Flower stigma</b>	<b>0,01 (*)</b>	<b>0,01 (*)</b>	<b>0,01 (*)</b>			<b>0,05 (*)</b>
0860010	Saffron						
0860990	Others						
0870000	(vii) <b>Aril</b>	<b>0,01 (*)</b>	<b>0,01 (*)</b>	<b>0,01 (*)</b>			<b>0,05 (*)</b>
0870010	Mace						
0870990	Others						
0900000	9. <b>SUGAR PLANTS</b>	<b>0,01 (*)</b>	<b>0,01 (*)</b>	<b>0,01 (*)</b>	<b>0,01 (*)</b>	<b>0,01 (*)</b>	0,01 (*)
0900010	Sugar beet (root)						
0900020	Sugar cane						
0900030	Chicory roots						
0900990	Others						

## ▼M71

Code number	Groups and examples of individual products to which the MRLs apply (*)	Bone oil	Carbon monoxide	Dodemorph	Paraffin oil (CAS 64742-54-7)	Petroleum oils (CAS 92062-35-6)	Propargite (F)
1000000	<b>10. PRODUCTS OF ANIMAL ORIGIN- TERRESTRIAL ANIMALS</b>	<b>0,01 (*)</b>	<b>0,01 (*)</b>	<b>0,01 (*)</b>	<b>0,01 (*)</b>	<b>0,01 (*)</b>	
1010000	(i) <b>Tissue</b>						<b>0,01 (*)</b>
1011000	(a) <i>Swine</i>						
1011010	Muscle						
1011020	Fat						
1011030	Liver						
1011040	Kidney						
1011050	Edible offal						
1011990	Others						
1012000	(b) <i>Bovine</i>						
1012010	Muscle						
1012020	Fat						
1012030	Liver						
1012040	Kidney						
1012050	Edible offal						
1012990	Others						
1013000	(c) <i>Sheep</i>						
1013010	Muscle						
1013020	Fat						
1013030	Liver						
1013040	Kidney						
1013050	Edible offal						
1013990	Others						
1014000	(d) <i>Goat</i>						
1014010	Muscle						
1014020	Fat						
1014030	Liver						
1014040	Kidney						
1014050	Edible offal						
1014990	Others						
1015000	(e) <i>Horses, asses, mules or hinnies</i>						
1015010	Muscle						
1015020	Fat						
1015030	Liver						

▼ **M71**

Code number	Groups and examples of individual products to which the MRLs apply (*)	Bone oil	Carbon monoxide	Dodemorphan	Paraffin oil (CAS 64742-54-7)	Petroleum oils (CAS 92062-35-6)	Propargite (F)
1015040	Kidney						
1015050	Edible offal						
1015990	Others						
1016000	(f) <i>Poultry -chicken, geese, duck, turkey and Guinea fowl-, ostrich, pigeon</i>						
1016010	Muscle						
1016020	Fat						
1016030	Liver						
1016040	Kidney						
1016050	Edible offal						
1016990	Others						
1017000	(g) <i>Other farm animals (Rabbit, kangaroo, deer)</i>						
1017010	Muscle						
1017020	Fat						
1017030	Liver						
1017040	Kidney						
1017050	Edible offal						
1017990	Others						
1020000	(ii) <b>Milk</b>						<b>0,01 (*)</b>
1020010	Cattle						
1020020	Sheep						
1020030	Goat						
1020040	Horse						
1020990	Others						
1030000	(iii) <b>Bird eggs</b>						<b>0,01 (*)</b>
1030010	Chicken						
1030020	Duck						
1030030	Goose						
1030040	Quail						
1030990	Others						



▼ **M73****Pesticide residues and maximum residue levels (mg/kg)**

Code number	Groups and examples of individual products to which the MRLs apply (*)	1,3-Dichloropropene
0100000	1. <b>FRUIT FRESH OR FROZEN NUTS</b>	<b>0,01 (*)</b>
0110000	(i) <b>Citrus fruit</b>	
0110010	Grapefruit (Shaddocks, pomelos, sweeties, tangelo (except mineola), ugli and other hybrids)	
0110020	Oranges (Bergamot, bitter orange, chinotto and other hybrids)	
0110030	Lemons (Citron, lemon, Buddha's hand (Citrus medica var. sarcodactylis))	
0110040	Limes	
0110050	Mandarins (Clementine, tangerine, mineola and other hybrids tangor (Citrus reticulata × sinensis))	
0110990	Others	
0120000	(ii) <b>Tree nuts</b>	
0120010	Almonds	
0120020	Brazil nuts	
0120030	Cashew nuts	
0120040	Chestnuts	
0120050	Coconuts	
0120060	Hazelnuts (Filbert)	
0120070	Macadamia	
0120080	Pecans	
0120090	Pine nuts	
0120100	Pistachios	
0120110	Walnuts	
0120990	Others	
0130000	(iii) <b>Pome fruit</b>	
0130010	Apples (Crab apple)	
0130020	Pears (Oriental pear)	
0130030	Quinces	
0130040	Medlar	
0130050	Loquat	
0130990	Others	
0140000	(iv) <b>Stone fruit</b>	
0140010	Apricots	
0140020	Cherries (Sweet cherries, sour cherries)	
0140030	Peaches (Nectarines and similar hybrids)	



▼ **M73**

Code number	Groups and examples of individual products to which the MRLs apply <sup>(a)</sup>	1,3-Dichloropropene
0140040	Plums (Damson, greengage, mirabelle, sloe, red date/Chinese date/Chinese jujube ( <i>Ziziphus zizyphus</i> ))	
0140990	Others	
0150000	(v) <b>Berries &amp; small fruit</b>	
0151000	(a) <i>Table and wine grapes</i>	
0151010	Table grapes	
0151020	Wine grapes	
0152000	(b) <i>Strawberries</i>	
0153000	(c) <i>Cane fruit</i>	
0153010	Blackberries	
0153020	Dewberries (Loganberries, tayberries, boysenberries, cloudberries and other <i>Rubus</i> hybrids)	
0153030	Raspberries (Wineberries, arctic bramble/raspberry, ( <i>Rubus arcticus</i> ), nectar raspberries ( <i>Rubus arcticus</i> × <i>Rubus idaeus</i> ))	
0153990	Others	
0154000	(d) <i>Other small fruit &amp; berries</i>	
0154010	Blueberries (Bilberries)	
0154020	Cranberries (Cowberries/red bilberries ( <i>V. vitis-idaea</i> ))	
0154030	Currants (red, black and white)	
0154040	Gooseberries (Including hybrids with other <i>Ribes</i> species)	
0154050	Rose hips	
0154060	Mulberries ( <i>Arbutus</i> berry)	
0154070	Azarole (mediteranean medlar) (Kiwiberry ( <i>Actinidia arguta</i> ))	
0154080	Elderberries (Black chokeberry/appleberry, mountain ash, buck-thorn/sea sallowthorn, hawthorn, serviceberries, and other treeberries)	
0154990	Others	
0160000	(vi) <b>Miscellaneous fruit</b>	
0161000	(a) <i>Edible peel</i>	
0161010	Dates	
0161020	Figs	
0161030	Table olives	
0161040	Kumquats (Marumi kumquats, nagami kumquats, limequats ( <i>Citrus aurantifolia</i> × <i>Fortunella</i> spp.))	
0161050	Carambola (Bilimbi)	
0161060	Persimmon	

▼ **M73**

Code number	Groups and examples of individual products to which the MRLs apply (a)	1,3-Dichloropropene
0161070	Jambolan (java plum) (Java apple/water apple, pomerac, rose apple, Brazilian cherry, Surinam cherry/grumichama ( <i>Eugenia uniflora</i> ))	
0161990	Others	
0162000	(b) <i>Inedible peel, small</i>	
0162010	Kiwi	
0162020	Lychee (Litchi) (Pulasan, rambutan/hairy litchi, longan, mangosteen, langsung, salak)	
0162030	Passion fruit	
0162040	Prickly pear (cactus fruit)	
0162050	Star apple	
0162060	American persimmon (Virginia kaki) (Black sapote, white sapote, green sapote, canistel/yellow sapote, mamme sapote)	
0162990	Others	
0163000	(c) <i>Inedible peel, large</i>	
0163010	Avocados	
0163020	Bananas (Dwarf banana, plantain, apple banana)	
0163030	Mangoes	
0163040	Papaya	
0163050	Pomegranate	
0163060	Cherimoya (Custard apple, sugar apple/sweetsop, ilama ( <i>Annona diversifolia</i> ) and other medium sized Annonaceae fruits)	
0163070	Guava (Red pitaya/dragon fruit ( <i>Hylocereus undatus</i> ))	
0163080	Pineapples	
0163090	Bread fruit (Jackfruit)	
0163100	Durian	
0163110	Soursop (guanabana)	
0163990	Others	
0200000	<b>2. VEGETABLES FRESH OR FROZEN</b>	
0210000	(i) <b>Root and tuber vegetables</b>	<b>0,01 (*)</b>
0211000	(a) <i>Potatoes</i>	
0212000	(b) <i>Tropical root and tuber vegetables</i>	
0212010	Cassava (Dasheen, eddoe/Japanese taro, tannia)	
0212020	Sweet potatoes	
0212030	Yams (Potato bean/yam bean, Mexican yam bean)	

▼ **M73**

Code number	Groups and examples of individual products to which the MRLs apply <sup>(a)</sup>	1,3-Dichloropropene
0212040	Arrowroot	
0212990	Others	
0213000	(c) <i>Other root and tuber vegetables except sugar beet</i>	
0213010	Beetroot	
0213020	Carrots	
0213030	Celeriac	
0213040	Horseradish (Angelica roots, lovage roots, gentiana roots)	
0213050	Jerusalem artichokes (Crosne)	
0213060	Parsnips	
0213070	Parsley root	
0213080	Radishes (Black radish, Japanese radish, small radish and similar varieties, tiger nut (Cyperus esculentus))	
0213090	Salsify (Scorzonera, Spanish salsify/ Spanish oysterplant, edible burdock)	
0213100	Swedes	
0213110	Turnips	
0213990	Others	
0220000	(ii) <b>Bulb vegetables</b>	<b>0,01 (*)</b>
0220010	Garlic	
0220020	Onions (Other bulb onions, silverskin onions)	
0220030	Shallots	
0220040	Spring onions and welsh onions (Other green onions and similar varieties)	
0220990	Others	
0230000	(iii) <b>Fruiting vegetables</b>	<b>0,01 (*)</b>
0231000	(a) <i>Solanacea</i>	
0231010	Tomatoes (Cherry tomatoes, Physalis spp., gojiberry, wolfberry (Lycium barbarum and L. chinense), tree tomato)	
0231020	Peppers (Chilli peppers)	
0231030	Aubergines (egg plants) (Pepino, antroewa/white eggplant (S. macrocarpon))	
0231040	Okra (lady's fingers)	
0231990	Others	
0232000	(b) <i>Cucurbits — edible peel</i>	
0232010	Cucumbers	
0232020	Gherkins	

▼ **M73**

Code number	Groups and examples of individual products to which the MRLs apply (°)	1,3-Dichloropropene
0232030	Courgettes (Summer squash, marrow (patisson), lauki ( <i>Lagenaria siceraria</i> ), chayote, sopropo/bitter melon, snake gourd, angled luffa/teroi)	
0232990	Others	
0233000	(c) <i>Cucurbits-inedible peel</i>	
0233010	Melons (Kiwano)	
0233020	Pumpkins (Winter squash, marrow (late variety))	
0233030	Watermelons	
0233990	Others	
0234000	(d) <i>Sweet corn (Baby corn)</i>	
0239000	(e) <i>Other fruiting vegetables</i>	
0240000	(iv) <b>Brassica vegetables</b>	<b>0,01 (*)</b>
0241000	(a) <i>Flowering brassica</i>	
0241010	Broccoli (Calabrese, Broccoli raab, Chinese broccoli)	
0241020	Cauliflower	
0241990	Others	
0242000	(b) <i>Head brassica</i>	
0242010	Brussels sprouts	
0242020	Head cabbage (Pointed head cabbage, red cabbage, savoy cabbage, white cabbage)	
0242990	Others	
0243000	(c) <i>Leafy brassica</i>	
0243010	Chinese cabbage (Indian or Chinese) mustard, pak choi, Chinese flat cabbage/ai goo choi), choy sum, Peking cabbage/pe-tsai)	
0243020	Kale (Borecole/curly kale, collards, Portuguese Kale, Portuguese cabbage, cow cabbage)	
0243990	Others	
0244000	(d) <i>Kohlrabi</i>	
0250000	(v) <b>Leaf vegetables &amp; fresh herbs</b>	
0251000	(a) <i>Lettuce and other salad plants including Brassicacea</i>	<b>0,01 (*)</b>
0251010	Lamb's lettuce (Italian corn salad)	
0251020	Lettuce (Head lettuce, lollo rosso (cutting lettuce), iceberg lettuce, romaine (cos) lettuce)	
0251030	Scarole (broad-leaf endive) (Wild chicory, red-leaved chicory, radicchio, curly leaf endive, sugar loaf ( <i>C. endivia</i> var. <i>crispum</i> / <i>C. intybus</i> var. <i>foliosum</i> ), dandelion greens)	

▼ **M73**

Code number	Groups and examples of individual products to which the MRLs apply (a)	1,3-Dichloropropene
0251040	Cress (Mung bean sprouts, alfalfa sprouts)	
0251050	Land cress	
0251060	Rocket, Rucola (Wild rocket ( <i>Diplotaxis</i> spp.))	
0251070	Red mustard	
0251080	Leaves and sprouts of <i>Brassica</i> spp, including turnip greens ( <i>Mizuna</i> , leaves of peas and radish and other babyleaf crops, including brassica crops (crops harvested up to 8 true leaf stage), kohlrabi leaves)	
0251990	Others	
0252000	(b) <i>Spinach &amp; similar (leaves)</i>	<b>0,01 (*)</b>
0252010	Spinach (New Zealand spinach, amaranthus spinach (pak-khom, tampara), tajar leaves, bitterblad/bitawiri)	
0252020	Purslane (Winter purslane/miner's lettuce, garden purslane, common purslane, sorrel, glassworth, agretti ( <i>Salsola</i> soda))	
0252030	Beet leaves (chard) (Leaves of beetroot)	
0252990	Others	
0253000	(c) <i>Vine leaves (grape leaves) (Malabar nightshade, banana leaves, climbing wattle (Acacia pennata))</i>	<b>0,01 (*)</b>
0254000	(d) <i>Water cress (Morning glory/Chinese convolvulus/water convolvulus/water spinach/kangkung (Ipomea aquatica), water clover, water mimosa)</i>	<b>0,01 (*)</b>
0255000	(e) <i>Witloof</i>	<b>0,01 (*)</b>
0256000	(f) <i>Herbs</i>	<b>0,02 (*)</b>
0256010	Chervil	
0256020	Chives	
0256030	Celery leaves (Fennel leaves, coriander leaves, dill leaves, caraway leaves, lovage, angelica, sweet cicely and other Apiacea leaves, culantro/stinking/long coriander/stink weed ( <i>Eryngium foetidum</i> ))	
0256040	Parsley (leaves of root parsley)	
0256050	Sage (Winter savory, summer savory, <i>Borago officinalis</i> leaves)	
0256060	Rosemary	
0256070	Thyme (Marjoram, oregano)	

▼ **M73**

Code number	Groups and examples of individual products to which the MRLs apply (6)	1,3-Dichloropropene
0256080	Basil (Balm leaves, mint, peppermint, holy basil, sweet basil, hairy basil, edible flowers (marigold flower and others), pennywort, wild betel leaf, curry leaves)	
0256090	Bay leaves (laurel) (Lemon grass)	
0256100	Tarragon (Hyssop)	
0256990	Others	
0260000	(vi) <b>Legume vegetables (fresh)</b>	<b>0,01 (*)</b>
0260010	Beans (with pods) (Green bean/French beans/snap beans, scarlet runner bean, slicing bean, yard long beans, guar beans, soya beans)	
0260020	Beans (without pods) (Broad beans, flageolets, jack bean, lima bean, cowpea)	
0260030	Peas (with pods) (Mangetout/sugar peas/snow peas)	
0260040	Peas (without pods) (Garden pea, green pea, chickpea)	
0260050	Lentils	
0260990	Others	
0270000	(vii) <b>Stem vegetables (fresh)</b>	<b>0,01 (*)</b>
0270010	Asparagus	
0270020	Cardoons ( <i>Borago officinalis</i> stems)	
0270030	Celery	
0270040	Fennel	
0270050	Globe artichokes (Banana flower)	
0270060	Leek	
0270070	Rhubarb	
0270080	Bamboo shoots	
0270090	Palm hearts	
0270990	Others	
0280000	(viii) <b>Fungi</b>	<b>0,01 (*)</b>
0280010	Cultivated fungi (Common mushroom, oyster mushroom, shiitake, fungus mycelium (vegetative parts))	
0280020	Wild fungi (Chanterelle, truffle, morel, cep)	
0280990	Others	
0290000	(ix) <b>Sea weeds</b>	<b>0,01 (*)</b>
0300000	3. <b>PULSES, DRY</b>	<b>0,01 (*)</b>
0300010	Beans (Broad beans, navy beans, flageolets, jack beans, lima beans, field beans, cowpeas)	
0300020	Lentils	
0300030	Peas (Chickpeas, field peas, chickling vetch)	

▼ **M73**

Code number	Groups and examples of individual products to which the MRLs apply (°)	1,3-Dichloropropene
0300040	Lupins	
0300990	Others	
0400000	<b>4. OILSEEDS AND OILFRUITS</b>	<b>0,01 (*)</b>
0401000	(i) <b>Oilseeds</b>	
0401010	Linseed	
0401020	Peanuts	
0401030	Poppy seed	
0401040	Sesame seed	
0401050	Sunflower seed	
0401060	Rape seed (Bird rapeseed, turnip rape)	
0401070	Soya bean	
0401080	Mustard seed	
0401090	Cotton seed	
0401100	Pumpkin seeds (Other seeds of Cucurbitaceae)	
0401110	Safflower	
0401120	Borage (Purple viper's bugloss/Canary flower ( <i>Echium plantagineum</i> ), Corn Gromwell ( <i>Buglossoides arvensis</i> ))	
0401130	Gold of pleasure	
0401140	Hempseed	
0401150	Castor bean	
0401990	Others	
0402000	(ii) <b>Oilfruits</b>	
0402010	Olives for oil production	
0402020	Palm nuts (palmoil kernels)	
0402030	Palmfruit	
0402040	Kapok	
0402990	Others	
0500000	<b>5. CEREALS</b>	<b>0,01 (*)</b>
0500010	Barley	
0500020	Buckwheat ( <i>Amaranthus</i> , quinoa)	
0500030	Maize	
0500040	Millet (Foxtail millet, teff, finger millet, pearl millet)	
0500050	Oats	
0500060	Rice (Indian/wild rice ( <i>Zizania aquatica</i> ))	
0500070	Rye	
0500080	Sorghum	
0500090	Wheat (Spelt, triticale)	
0500990	Others (Canary grass seeds ( <i>Phalaris canariensis</i> ))	

▼ **M73**

Code number	Groups and examples of individual products to which the MRLs apply (a)	1,3-Dichloropropene
0600000	6. <b>TEA, COFFEE, HERBAL INFUSIONS AND COCOA</b>	0,05 (*)
0610000	(i) <b>Tea</b>	
0620000	(ii) <b>Coffee beans</b>	
0630000	(iii) <b>Herbal infusions (dried)</b>	
0631000	(a) <i>Flowers</i>	
0631010	Camomille flowers	
0631020	Hybiscus flowers	
0631030	Rose petals	
0631040	Jasmine flowers (Elderflowers (Sambucus nigra))	
0631050	Lime (linden)	
0631990	Others	
0632000	(b) <i>Leaves</i>	
0632010	Strawberry leaves	
0632020	Rooibos leaves (Ginkgo leaves)	
0632030	Maté	
0632990	Others	
0633000	(c) <i>Roots</i>	
0633010	Valerian root	
0633020	Ginseng root	
0633990	Others	
0639000	(d) <i>Other herbal infusions</i>	
0640000	(iv) <b>Cocoabeans (fermented or dried)</b>	
0650000	(v) <b>Carob (st johns bread)</b>	
0700000	7. <b>HOPS (dried)</b>	0,05 (*)
0800000	8. <b>SPICES</b>	
0810000	(i) <b>Seeds</b>	0,05 (*)
0810010	Anise	
0810020	Black caraway	
0810030	Celery seed (Lovage seed)	
0810040	Coriander seed	
0810050	Cumin seed	
0810060	Dill seed	
0810070	Fennel seed	
0810080	Fenugreek	
0810090	Nutmeg	
0810990	Others	
0820000	(ii) <b>Fruits and berries</b>	0,05 (*)
0820010	Allspice	



▼ **M73**

Code number	Groups and examples of individual products to which the MRLs apply (*)	1,3-Dichloropropene
0820020	Sichuan pepper (Anise pepper, Japan pepper)	
0820030	Caraway	
0820040	Cardamom	
0820050	Juniper berries	
0820060	Pepper, black, green and white (Long pepper, pink pepper)	
0820070	Vanilla pods	
0820080	Tamarind	
0820990	Others	
0830000	(iii) <b>Bark</b>	0,05 (*)
0830010	Cinnamon (Cassia)	
0830990	Others	
0840000	(iv) <b>Roots or rhizome</b>	
0840010	Liquorice	0,05 (*)
0840020	Ginger	0,05 (*)
0840030	Turmeric (Curcuma)	0,05 (*)
0840040	Horseradish	(+)
0840990	Others	0,05 (*)
0850000	(v) <b>Buds</b>	0,05 (*)
0850010	Cloves	
0850020	Capers	
0850990	Others	
0860000	(vi) <b>Flower stigma</b>	0,05 (*)
0860010	Saffron	
0860990	Others	
0870000	(vii) <b>Aril</b>	0,05 (*)
0870010	Mace	
0870990	Others	
0900000	9. <b>SUGAR PLANTS</b>	<b>0,01 (*)</b>
0900010	Sugar beet (root)	
0900020	Sugar cane	
0900030	Chicory roots	
0900990	Others	

▼ **M73**

Code number	Groups and examples of individual products to which the MRLs apply (e)	1,3-Dichloropropene
1000000	<b>10. PRODUCTS OF ANIMAL ORIGIN- TERRESTRIAL ANIMALS</b>	
1010000	(i) <b>Tissue</b>	<b>0,02 (*)</b>
1011000	(a) <i>Swine</i>	
1011010	Muscle	
1011020	Fat	
1011030	Liver	
1011040	Kidney	
1011050	Edible offal	
1011990	Others	
1012000	(b) <i>Bovine</i>	
1012010	Muscle	
1012020	Fat	
1012030	Liver	
1012040	Kidney	
1012050	Edible offal	
1012990	Others	
1013000	(c) <i>Sheep</i>	
1013010	Muscle	
1013020	Fat	
1013030	Liver	
1013040	Kidney	
1013050	Edible offal	
1013990	Others	
1014000	(d) <i>Goat</i>	
1014010	Muscle	
1014020	Fat	
1014030	Liver	
1014040	Kidney	
1014050	Edible offal	
1014990	Others	
1015000	(e) <i>Horses, asses, mules or hinnies</i>	
1015010	Muscle	
1015020	Fat	
1015030	Liver	

▼ **M73**

Code number	Groups and examples of individual products to which the MRLs apply (e)	1,3-Dichloropropene
1015040	Kidney	
1015050	Edible offal	
1015990	Others	
1016000	(f) <i>Poultry -chicken, geese, duck, turkey and Guinea fowl-, ostrich, pigeon</i>	
1016010	Muscle	
1016020	Fat	
1016030	Liver	
1016040	Kidney	
1016050	Edible offal	
1016990	Others	
1017000	(g) <i>Other farm animals (Rabbit, kangaroo, deer)</i>	
1017010	Muscle	
1017020	Fat	
1017030	Liver	
1017040	Kidney	
1017050	Edible offal	
1017990	Others	
1020000	(ii) <b>Milk</b>	<b>0,02 (*)</b>
1020010	Cattle	
1020020	Sheep	
1020030	Goat	
1020040	Horse	
1020990	Others	
1030000	(iii) <b>Bird eggs</b>	<b>0,02 (*)</b>
1030010	Chicken	
1030020	Duck	
1030030	Goose	
1030040	Quail	
1030990	Others	

▼ **M73**

Code number	Groups and examples of individual products to which the MRLs apply (a)	1,3-Dichloropropene
1040000	(iv) <b>Honey (Royal jelly, pollen, honey comb with honey (comb honey))</b>	<b>0,05 (*)</b>
1050000	(v) <b>Amphibians and reptiles (Frog legs, crocodiles)</b>	<b>0,02 (*)</b>
1060000	(vi) <b>Snails</b>	<b>0,02 (*)</b>
1070000	(vii) <b>Other terrestrial animal products (Wild game)</b>	<b>0,02 (*)</b>

▼ **M77****Pesticide residues and maximum residue levels (mg/kg)**

Code number	Groups and examples of individual products to which the MRLs apply (°)	Oxadiargyl
(1)	(2)	(3)
0100000	<b>FRUITS, FRESH or FROZEN; TREE NUTS</b>	0,01 (*)
0110000	<b>Citrus fruits</b>	
0110010	Grapefruits	
0110020	Oranges	
0110030	Lemons	
0110040	Limes	
0110050	Mandarins	
0110990	Others	
0120000	<b>Tree nuts</b>	
0120010	Almonds	
0120020	Brazil nuts	
0120030	Cashew nuts	
0120040	Chestnuts	
0120050	Coconuts	
0120060	Hazelnuts/cobnuts	
0120070	Macadamias	
0120080	Pecans	
0120090	Pine nut kernels	
0120100	Pistachios	
0120110	Walnuts	
0120990	Others	
0130000	<b>Pome fruits</b>	
0130010	Apples	
0130020	Pears	
0130030	Quinces	
0130040	Medlars	
0130050	Loquats/Japanese medlars	
0130990	Others	
0140000	<b>Stone fruits</b>	
0140010	Apricots	
0140020	Cherries (sweet)	
0140030	Peaches	

▼ **M77**

(1)	(2)	(3)
0140040	Plums	
0140990	Others	
0150000	<b>Berries and small fruits</b>	
0151000	(a) <b>grapes</b>	
0151010	Table grapes	
0151020	Wine grapes	
0152000	(b) <b>strawberries</b>	
0153000	(c) <b>cane fruits</b>	
0153010	Blackberries	
0153020	Dewberries	
0153030	Raspberries (red and yellow)	
0153990	Others	
0154000	(d) <b>other small fruits and berries</b>	
0154010	Blueberries	
0154020	Cranberries	
0154030	Currants (black, red and white)	
0154040	Gooseberries (green, red and yellow)	
0154050	Rose hips	
0154060	Mulberries (black and white)	
0154070	Azaroles/Mediterranean medlars	
0154080	Elderberries	
0154990	Others	
0160000	<b>Miscellaneous fruits with</b>	
0161000	(a) <b>edible peel</b>	
0161010	Dates	
0161020	Figs	
0161030	Table olives	
0161040	Kumquats	
0161050	Carambolas	
0161060	Kaki/Japanese persimmons	

▼ **M77**

(1)	(2)	(3)
0161070	Jambuls/jambolans	
0161990	Others	
0162000	<b>(b) inedible peel, small</b>	
0162010	Kiwi fruits (green, red, yellow)	
0162020	Litchis/lychees	
0162030	Passionfruits/maracujas	
0162040	Prickly pears/cactus fruits	
0162050	Star apples/cainitos	
0162060	American persimmons/Virginia kaki	
0162990	Others	
0163000	<b>(c) inedible peel, large</b>	
0163010	Avocados	
0163020	Bananas	
0163030	Mangoes	
0163040	Papayas	
0163050	Granate apples/pomegranates	
0163060	Cherimoyas	
0163070	Guavas	
0163080	Pineapples	
0163090	Breadfruits	
0163100	Durians	
0163110	Soursops/guanabanas	
0163990	Others	
0200000	<b>VEGETABLES, FRESH or FROZEN</b>	
0210000	<b>Root and tuber vegetables</b>	0,01 (*)
0211000	<b>(a) potatoes</b>	
0212000	<b>(b) tropical root and tuber vegetables</b>	
0212010	Cassava roots/manioc	
0212020	Sweet potatoes	
0212030	Yams	

▼ **M77**

(1)	(2)	(3)
0212040	Arrowroots	
0212990	Others	
0213000	<b>(c) other root and tuber vegetables except sugar beets</b>	
0213010	Beetroots	
0213020	Carrots	
0213030	Celeriacs/turnip rooted celeries	
0213040	Horseradishes	
0213050	Jerusalem artichokes	
0213060	Parsnips	
0213070	Parsley roots/Hamburg roots parsley	
0213080	Radishes	
0213090	Salsifies	
0213100	Swedes/rutabagas	
0213110	Turnips	
0213990	Others	
0220000	<b>Bulb vegetables</b>	0,01 (*)
0220010	Garlic	
0220020	Onions	
0220030	Shallots	
0220040	Spring onions/green onions and Welsh onions	
0220990	Others	
0230000	<b>Fruiting vegetables</b>	0,01 (*)
0231000	<b>(a) solanacea</b>	
0231010	Tomatoes	
0231020	Sweet peppers/bell peppers	
0231030	Aubergines/eggplants	
0231040	Okra/lady's fingers	
0231990	Others	
0232000	<b>(b) cucurbits with edible peel</b>	
0232010	Cucumbers	
0232020	Gherkins	



▼ **M77**

(1)	(2)	(3)
0232030	Courgettes	
0232990	Others	
0233000	<b>(c) cucurbits with inedible peel</b>	
0233010	Melons	
0233020	Pumpkins	
0233030	Watermelons	
0233990	Others	
0234000	<b>(d) sweet corn</b>	
0239000	<b>(e) other fruiting vegetables</b>	
0240000	<b>Brassica vegetables (excluding brassica roots and brassica baby leaf crops)</b>	0,01 (*)
0241000	<b>(a) flowering brassica</b>	
0241010	Broccoli	
0241020	Cauliflowers	
0241990	Others	
0242000	<b>(b) head brassica</b>	
0242010	Brussels sprouts	
0242020	Head cabbages	
0242990	Others	
0243000	<b>(c) leafy brassica</b>	
0243010	Chinese cabbages/pe-tsai	
0243020	Kales	
0243990	Others	
0244000	<b>(d) kohlrabies</b>	
0250000	<b>Leaf vegetables, herbs and edible flowers</b>	
0251000	<b>(a) lettuces and salad plants</b>	0,01 (*)
0251010	Lamb's lettuces/corn salads	
0251020	Lettuces	
0251030	Escaroles/broad-leaved endives	

▼ **M77**

(1)	(2)	(3)
0251040	Cresses and other sprouts and shoots	
0251050	Land cresses	
0251060	Roman rocket/rucola	
0251070	Red mustards	
0251080	Baby leaf crops (including brassica species)	
0251990	Others	
0252000	<b>(b) spinaches and similar leaves</b>	0,01 (*)
0252010	Spinaches	
0252020	Purslanes	
0252030	Chards/beet leaves	
0252990	Others	
0253000	<b>(c) grape leaves and similar species</b>	0,01 (*)
0254000	<b>(d) watercresses</b>	0,01 (*)
0255000	<b>(e) witloofs/Belgian endives</b>	0,01 (*)
0256000	<b>(f) herbs and edible flowers</b>	<b>0,02 (*)</b>
0256010	Chervil	
0256020	Chives	
0256030	Celery leaves	
0256040	Parsley	
0256050	Sage	
0256060	Rosemary	
0256070	Thyme	

▼ **M77**

(1)	(2)	(3)
0256080	Basil and edible flowers	
0256090	Laurel/bay leave	
0256100	Tarragon	
0256990	Others	
0260000	<b>Legume vegetables</b>	0,01 (*)
0260010	Beans (with pods)	
0260020	Beans (without pods)	
0260030	Peas (with pods)	
0260040	Peas (without pods)	
0260050	Lentils	
0260990	Others	
0270000	<b>Stem vegetables</b>	0,01 (*)
0270010	Asparagus	
0270020	Cardoons	
0270030	Celeries	
0270040	Florence fennels	
0270050	Globe artichokes	
0270060	Leeks	
0270070	Rhubarbs	
0270080	Bamboo shoots	
0270090	Palm hearts	
0270990	Others	
0280000	<b>Fungi, mosses and lichens</b>	0,01 (*)
0280010	Cultivated fungi	
0280020	Wild fungi	
0280990	Mosses and lichens	
0290000	<b>Algae and prokaryotes organisms</b>	0,01 (*)
0300000	<b>PULSES</b>	0,01 (*)
0300010	Beans	
0300020	Lentils	
0300030	Peas	

▼ **M77**

(1)	(2)	(3)
0300040	Lupins/lupini beans	
0300990	Others	
0400000	<b>OILSEEDS AND OIL FRUITS</b>	0,01 (*)
0401000	<b>Oilseeds</b>	
0401010	Linseeds	
0401020	Peanuts/groundnuts	
0401030	Poppy seeds	
0401040	Sesame seeds	
0401050	Sunflower seeds	
0401060	Rapeseeds/canola seeds	
0401070	Soyabeans	
0401080	Mustard seeds	
0401090	Cotton seeds	
0401100	Pumpkin seeds	
0401110	Safflower seeds	
0401120	Borage seeds	
0401130	Gold of pleasure seeds	
0401140	Hemp seeds	
0401150	Castor beans	
0401990	Others	
0402000	<b>Oil fruits</b>	
0402010	Olives for oil production	
0402020	Oil palms kernels	
0402030	Oil palms fruits	
0402040	Kapok	
0402990	Others	
0500000	<b>CEREALS</b>	0,01 (*)
0500010	Barley	
0500020	Buckwheat and other pseudo-cereals	
0500030	Maize/corn	
0500040	Common millet/proso millet	
0500050	Oat	
0500060	Rice	
0500070	Rye	
0500080	Sorghum	
0500090	Wheat	
0500990	Others	

▼ **M77**

(1)	(2)	(3)
0600000	<b>TEAS, COFFEE, HERBAL INFUSIONS, COCOA AND CAROBS</b>	0,05 (*)
0610000	<b>Teas</b>	
0620000	<b>Coffee beans</b>	
0630000	<b>Herbal infusions from</b>	
0631000	<b>(a) flowers</b>	
0631010	Chamomile	
0631020	Hibiscus/roselle	
0631030	Rose	
0631040	Jasmine	
0631050	Lime/linden	
0631990	Others	
0632000	<b>(b) leaves and herbs</b>	
0632010	Strawberry	
0632020	Rooibos	
0632030	Mate/maté	
0632990	Others	
0633000	<b>(c) roots</b>	
0633010	Valerian	
0633020	Ginseng	
0633990	Others	
0639000	<b>(d) any other parts of the plant</b>	
0640000	<b>Cocoa beans</b>	
0650000	<b>Carobs/Saint John's breads</b>	
0700000	<b>HOPS</b>	0,05 (*)
0800000	<b>SPICES</b>	
0810000	<b>Seed spices</b>	0,05 (*)
0810010	Anise/aniseed	
0810020	Black caraway/black cumin	
0810030	Celery	
0810040	Coriander	
0810050	Cumin	
0810060	Dill	
0810070	Fennel	
0810080	Fenugreek	
0810090	Nutmeg	
0810990	Others	
0820000	<b>Fruit spices</b>	0,05 (*)
0820010	Allspice/pimento	

▼ **M77**

(1)	(2)	(3)
0820020	Sichuan pepper	
0820030	Caraway	
0820040	Cardamom	
0820050	Juniper berry	
0820060	Peppercorn (black, green and white)	
0820070	Vanilla	
0820080	Tamarind	
0820990	Others	
0830000	<b>Bark spices</b>	0,05 (*)
0830010	Cinnamon	
0830990	Others	
0840000	<b>Root and rhizome spices</b>	
0840010	Liquorice	0,05 (*)
0840020	Ginger	0,05 (*)
0840030	Turmeric/curcuma	0,05 (*)
0840040	Horseradish	(+)
0840990	Others	0,05 (*)
0850000	<b>Bud spices</b>	0,05 (*)
0850010	Cloves	
0850020	Capers	
0850990	Others	
0860000	<b>Flower pistil spices</b>	0,05 (*)
0860010	Saffron	
0860990	Others	
0870000	<b>Aril spices</b>	0,05 (*)
0870010	Mace	
0870990	Others	
0900000	<b>SUGAR PLANTS</b>	0,01 (*)
0900010	Sugar beet roots	
0900020	Sugar canes	
0900030	Chicory roots	
0900990	Others	

▼ **M77**

(1)	(2)	(3)
1000000	<b>PRODUCTS OF ANIMAL ORIGIN -TERRESTRIAL ANIMALS</b>	
1010000	<b>Tissues from</b>	<b>0,01 (*)</b>
1011000	(a) <b>swine</b>	
1011010	Muscle	
1011020	Fat tissue	
1011030	Liver	
1011040	Kidney	
1011050	Edible offals (other than liver and kidney)	
1011990	Others	
1012000	(b) <b>bovine</b>	
1012010	Muscle	
1012020	Fat tissue	
1012030	Liver	
1012040	Kidney	
1012050	Edible offals (other than liver and kidney)	
1012990	Others	
1013000	(c) <b>sheep</b>	
1013010	Muscle	
1013020	Fat tissue	
1013030	Liver	
1013040	Kidney	
1013050	Edible offals (other than liver and kidney)	
1013990	Others	
1014000	(d) <b>goat</b>	
1014010	Muscle	
1014020	Fat tissue	
1014030	Liver	
1014040	Kidney	
1014050	Edible offals (other than liver and kidney)	
1014990	Others	
1015000	(e) <b>equine</b>	
1015010	Muscle	
1015020	Fat tissue	
1015030	Liver	

▼ **M77**

(1)	(2)	(3)
1015040	Kidney	
1015050	Edible offals (other than liver and kidney)	
1015990	Others	
1016000	<b>(f) poultry</b>	
1016010	Muscle	
1016020	Fat tissue	
1016030	Liver	
1016040	Kidney	
1016050	Edible offals (other than liver and kidney)	
1016990	Others	
1017000	<b>(g) other farmed terrestrial animals</b>	
1017010	Muscle	
1017020	Fat tissue	
1017030	Liver	
1017040	Kidney	
1017050	Edible offals (other than liver and kidney)	
1017990	Others	
1020000	<b>Milk</b>	<b>0,01 (*)</b>
1020010	Cattle	
1020020	Sheep	
1020030	Goat	
1020040	Horse	
1020990	Others	
1030000	<b>Birds eggs</b>	<b>0,01 (*)</b>
1030010	Chicken	
1030020	Duck	
1030030	Geese	
1030040	Quail	
1030990	Others	



▼ M77

(1)	(2)	(3)
1040000	<b>Honey and other apiculture products</b>	<b>0,05 (*)</b>
1050000	<b>Amphibians and Reptiles</b>	<b>0,01 (*)</b>
1060000	<b>Terrestrial invertebrate animals</b>	<b>0,01 (*)</b>
1070000	<b>Wild terrestrial vertebrate animals</b>	<b>0,01 (*)</b>

▼ M32

(\*) For the complete list of products of plant and animal origin to which MRLs apply, reference should be made to Annex I.

(\*) Indicates lower limit of analytical determination

► **M41** (\*\*\*) Pesticide-code combination for which the MRL as set in Annex III part A applies ◀

(F) = Fat soluble

▼ M73

**Tolyfluanid (Sum of tolyfluanid and dimethylaminosulfotoluidide expressed as tolyfluanid) (F) (R)**

(R) = The residue definition differs for the following combinations pesticide-code number:

Tolyfluanid — code 1000000 except 1040000: Dimethylaminosulfotoluidide

(+) The applicable maximum residue level for horseradish (*Armoracia rusticana*) in the spice group (code 0840040) is the one set for horseradish (*Armoracia rusticana*) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

**0840040 Horseradish**

▼ M41

**Diphenylamine**

(+) Temporary MRL to be reviewed by 2 September 2015

0130010 Apples (Crab apple)

0130020 Pears (Oriental pear)

▼ M42

**Clomazone**

(+) The European Food Safety Authority identified some information on residue trials as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 17 August 2015, or, if that information is not submitted by that date, the lack of it.

**0232010 Cucumbers**

(+) The European Food Safety Authority identified some information on residue trials as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 17 August 2015, or, if that information is not submitted by that date, the lack of it.

**0233010 Melons (Kiwano)**

**0244000 (d) Kohlrabi**

**Diuron**

(+) The European Food Safety Authority identified some information on residue trials as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 17 August 2015, or, if that information is not submitted by that date, the lack of it.

**0130000 (iii) Pome fruit**

**0130010 Apples (Crab apple)**

**0130020 Pears (Oriental pear)**

**0130030 Quinces**

**0130040 Medlar**

**0130050 Loquat**

**0130990 Others**

**0151020 Wine grapes**

**Metconazole (sum of isomers) (F)**

(+) The European Food Safety Authority identified some information on residue trials as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 17 August 2015, or, if that information is not submitted by that date, the lack of it.

**0233010 Melons (Kiwano)**

▼ **M42****Prosulfocarb**

- (+) The European Food Safety Authority identified some information on residue trials as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 17 August 2015, or, if that information is not submitted by that date, the lack of it.

**0152000** (b) **Strawberries**

- (+) The European Food Safety Authority identified some information on crop metabolism as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 17 August 2015, or, if that information is not submitted by that date, the lack of it.

**0213020** Carrots  
**0213030** Celeriac  
**0213040** Horseradish (Angelica roots, lovage roots, gentiana roots,) **0213060** Parsnips  
**0213070** Parsley root  
**0213090** Salsify (Scorzonera, Spanish salsify (Spanish oysterplant))

- (+) The European Food Safety Authority identified some information on residue trials as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 17 August 2015, or, if that information is not submitted by that date, the lack of it.

**0256000** (f) **Herbs**  
**0256010** Chervil  
**0256020** Chives  
**0256030** Celery leaves (Fennel leaves, Coriander leaves, dill leaves, Caraway leaves, lovage, angelica, sweet cicely and other Apiacea leaves)  
**0256040** Parsley  
**0256050** Sage (Winter savory, summer savory,) **0256060** Rosemary  
**0256070** Thyme (Marjoram, oregano)  
**0256080** Basil (Balm leaves, mint, peppermint)  
**0256090** Bay leaves (laurel)  
**0256100** Tarragon (Hyssop)  
**0256990** Others (Edible flowers)

- (+) The European Food Safety Authority identified some information on crop metabolism as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 17 August 2015, or, if that information is not submitted by that date, the lack of it.

**0270030** Celery

- (+) The European Food Safety Authority identified some information on analytical methods as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 17 August 2015, or, if that information is not submitted by that date, the lack of it.

**0810000** (i) **Seeds**  
**0810010** Anise  
**0810020** Black caraway  
**0810030** Celery seed (Lovage seed)  
**0810040** Coriander seed  
**0810050** Cumin seed  
**0810060** Dill seed  
**0810070** Fennel seed  
**0810080** Fenugreek  
**0810090** Nutmeg  
**0810990** Others  
**0820000** (ii) **Fruits and berries**  
**0820010** Allspice  
**0820020** Anise pepper (Japan pepper)  
**0820030** Caraway  
**0820040** Cardamom

▼ **M42**

0820050	Juniper berries
0820060	Pepper, black and white (Long pepper, pink pepper)
0820070	Vanilla pods
0820080	Tamarind
0820990	Others

**Tepaloxymid (sum of tepaloxymid and its metabolites that can be hydrolysed either to the moiety 3-(tetrahydro-pyran-4-yl)-glutaric acid or to the moiety 3-hydroxy-(tetrahydro-pyran-4-yl)-glutaric acid, expressed as tepaloxymid)**

(+) The European Food Safety Authority identified some information on crop metabolism as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 17 August 2015, or, if that information is not submitted by that date, the lack of it.

0152000	(b) Strawberries
0154000	(d) Other small fruit & berries
0154010	Blueberries (Bilberries)
0154020	Cranberries (Cowberries (red bilberries))
0154030	Currants (red, black and white)
0154040	Gooseberries (Including hybrids with other ribes species)
0154050	Rose hips
0154060	Mulberries (arbutus berry)
0154070	Azarole (mediteranean medlar) (Kiwiberry (Actinidia arguta))
0154080	Elderberries (Black chokeberry (appleberry), mountain ash, buckthorn (sea shallowthorn), hawthorn, service berries, and other treeberries)
0154990	Others
0232000	(b) Cucurbits - edible peel
0232010	Cucumbers
0232020	Gherkins
0232030	Courgettes (Summer squash, marrow (patisson))
0232990	Others
0241000	(a) Flowering brassica
0241010	Broccoli (Calabrese, Chinese broccoli, broccoli raab)
0241020	Cauliflower
0241990	Others
0242010	Brussels sprouts
0242020	Head cabbage (Pointed head cabbage, red cabbage, savoy cabbage, white cabbage)
0242990	Others
0243000	(c) Leafy brassica
0243010	Chinese cabbage (Indian (Chinese) mustard, pak choi, Chinese flat cabbage (tai goo choi), choi sum, peking cabbage (pe-tsai),)
0243020	Kale (Borecole (curly kale), collards, Portuguese Kale, Portuguese cabbage, cow cabbage)
0243990	Others
0244000	(d) Kohlrabi
0256030	Celery leaves (Fennel leaves, Coriander leaves, dill leaves, Caraway leaves, lovage, angelica, sweet cisel and other Apiacea leaves)
0270060	Leek

(+) The European Food Safety Authority identified some information on analytical methods as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 17 August 2015, or, if that information is not submitted by that date, the lack of it.

0300010	Beans (Broad beans, navy beans, flageolets, jack beans, lima beans, field beans, cowpeas)
0300020	Lentils
0300030	Peas (Chickpeas, field peas, chickling vetch)

▼ **M45**

**Vinclozolin (sum of vinclozolin and all metabolites containing the 3,5-dichloroanilinemoiety, expressed as vinclozolin) (R)**

(R) = The residue definition differs for the following combinations pesticide-code number:

Vinclozolin - code 1000000: Vinclozolin, iprodione, procymidone, sum of compounds and all metabolites containing the 3,5-dichloroaniline moiety expressed as 3,5 dichloroaniline

**▼ M50****Thiobencarb (4-chlorobenzyl methyl sulfone expressed as thiobencarb) ► M52 (A) ◀**

- (+) The applicable maximum residue level for horseradish (*Armoracia rusticana*) in the spice group (code 0840040) is the one set for horseradish (*Armoracia rusticana*) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

**0840040                      Horseradish**

**▼ M52**

- (A) The European Union reference laboratories identified the reference standard for 4-chlorobenzyl methyl sulfone as commercially not available. When re-viewing the MRL, the Commission will take into account the commercial availability of the reference standard referred to in the first sentence by 22 March 2015, or, if that reference standard is not commercially available by that date, the unavailability of it.

**▼ M51****Butralin**

- (+) The applicable maximum residue level for horseradish (*Armoracia rusticana*) in the spice group (code 0840040) is the one set for horseradish (*Armoracia rusticana*) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

**0840040                      Horseradish**

**Daminozide (sum of daminozide and 1,1-dimethyl-hydrazine (UDHM), expressed as daminozide)**

- (+) The applicable maximum residue level for horseradish (*Armoracia rusticana*) in the spice group (code 0840040) is the one set for horseradish (*Armoracia rusticana*) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

**0840040                      Horseradish**

**▼ M59****Quinoclamine**

- (+) **The applicable maximum residue level for horseradish (*Armoracia rusticana*) in the spice group (code 0840040) is the one set for horseradish (*Armoracia rusticana*) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.**

0840040                      Horseradish

**Warfarin**

- (+) **The applicable maximum residue level for horseradish (*Armoracia rusticana*) in the spice group (code 0840040) is the one set for horseradish (*Armoracia rusticana*) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.**

084004                      Horseradish

**Ethoxyquin (F)**

- (+) The applicable maximum residue level for horseradish (*Armoracia rusticana*) in the spice group (code 0840040) is the one set for horseradish (*Armoracia rusticana*) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

0840040                      Horseradish

**Flusilazole (F) (R)**

(R) = The residue definition differs for the following combinations pesticide-code number:

Flusilazole — code 1000000 except 1040000: Sum of flusilazole and its metabolite IN-F7321 ([bis-(4-fluorophenyl)methyl]silanol) expressed as flusilazole

- (+) The applicable maximum residue level for horseradish (*Armoracia rusticana*) in the spice group (code 0840040) is the one set for horseradish (*Armoracia rusticana*) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

0840040                      Horseradish

**▼ M64****Procymidone (R)**

(R) = The residue definition differs for the following combinations pesticide-code number:

Procymidone — code 1000000: Vinclozolin, iprodione, procymidone, sum of compounds and all metabolites containing the 3,5-dichloroaniline moiety expressed as 3,5 dichloroaniline

- (+) The applicable maximum residue level for horseradish (*Armoracia rusticana*) in the spice group (code 0840040) is the one set for horseradish (*Armoracia rusticana*) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.
- |         |             |
|---------|-------------|
| 0840040 | Horseradish |
|---------|-------------|

**▼ M66****Asulam**

- (+) The applicable maximum residue level for horseradish (*Armoracia rusticana*) in the spice group (code 0840040) is the one set for horseradish (*Armoracia rusticana*) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

<b>0840040</b>	<b>Horseradish</b>
----------------	--------------------

**Cyanamide including salts expressed as cyanamide**

- (+) The applicable maximum residue level for horseradish (*Armoracia rusticana*) in the spice group (code 0840040) is the one set for horseradish (*Armoracia rusticana*) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

<b>0840040</b>	<b>Horseradish</b>
----------------	--------------------

**Propisochlor**

- (+) The applicable maximum residue level for horseradish (*Armoracia rusticana*) in the spice group (code 0840040) is the one set for horseradish (*Armoracia rusticana*) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

<b>0840040</b>	<b>Horseradish</b>
----------------	--------------------

**▼ M68****Anthraquinone (F)**

- (+) The applicable maximum residue level for horseradish (*Armoracia rusticana*) in the spice group (code 0840040) is the one set for horseradish (*Armoracia rusticana*) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

<b>0840040</b>	<b>Horseradish</b>
----------------	--------------------

**Propanil**

- (+) The applicable maximum residue level for horseradish (*Armoracia rusticana*) in the spice group (code 0840040) is the one set for horseradish (*Armoracia rusticana*) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

<b>0840040</b>	<b>Horseradish</b>
----------------	--------------------

**▼ M71****Bone oil**

- (+) The applicable maximum residue level for horseradish (*Armoracia rusticana*) in the spice group (code 0840040) is the one set for horseradish (*Armoracia rusticana*) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

<b>0840040</b>	<b>Horseradish</b>
----------------	--------------------

**Carbon monoxide**

- (+) The applicable maximum residue level for horseradish (*Armoracia rusticana*) in the spice group (code 0840040) is the one set for horseradish (*Armoracia rusticana*) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

<b>0840040</b>	<b>Horseradish</b>
----------------	--------------------

**Dodemorph**

- (+) The applicable maximum residue level for horseradish (*Armoracia rusticana*) in the spice group (code 0840040) is the one set for horseradish (*Armoracia rusticana*) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

<b>0840040</b>	<b>Horseradish</b>
----------------	--------------------

**▼ M71****Paraffin oil (CAS 64742-54-7)**

- (+) The applicable maximum residue level for horseradish (*Armoracia rusticana*) in the spice group (code 0840040) is the one set for horseradish (*Armoracia rusticana*) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

**0840040                      Horseradish**

**Petroleum oil (CAS 92062-35-6)**

- (+) The applicable maximum residue level for horseradish (*Armoracia rusticana*) in the spice group (code 0840040) is the one set for horseradish (*Armoracia rusticana*) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

**0840040                      Horseradish**

**Propargite (F)**

- (+) The applicable maximum residue level for horseradish (*Armoracia rusticana*) in the spice group (code 0840040) is the one set for horseradish (*Armoracia rusticana*) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

**0840040                      Horseradish**

**▼ M73****Trifluralin**

- (+) The applicable maximum residue level for horseradish (*Armoracia rusticana*) in the spice group (code 0840040) is the one set for horseradish (*Armoracia rusticana*) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

**0840040                      Horseradish**

**1,3-Dichloropropene**

- (+) The applicable maximum residue level for horseradish (*Armoracia rusticana*) in the spice group (code 0840040) is the one set for horseradish (*Armoracia rusticana*) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

**0840040                      Horseradish**

**▼ M77****Oxadiargyl**

- (+) The applicable maximum residue level for horseradish (*Armoracia rusticana*) in the spice group (code 0840040) is the one set for horseradish (*Armoracia rusticana*) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

**0840040                      Horseradish**

---

▼ **M3***ANNEX VII***Active substance/product combinations, as referred to in Article 18(3)**

Active substance	Product in Annex I (Code number)
Hydrogen phosphide	Fruit (0100000), Vegetables (0200000), Pulses (0300000), Oilseeds and oil fruits (0400000), Cereals (0500000), Tea, coffee, herbal infusions and cocoa (0600000), Spices (0800000).
Aluminiumphosphide	Fruit (0100000), Vegetables (0200000), Pulses (0300000), Oilseeds and oil fruits (0400000), Cereals (0500000), Tea, coffee, herbal infusions and cocoa (0600000), Spices (0800000).
Magnesiumphosphide	Fruit (0100000), Vegetables (0200000), Pulses (0300000), Oilseeds and oil fruits (0400000), Cereals (0500000), Tea, coffee, herbal infusions and cocoa (0600000), Spices (0800000).
Sulfurylfluoride	Fruit (0100000), Cereals (0500000).